

### **COUNTY OF LOS ANGELES**

#### **DEPARTMENT OF PUBLIC WORKS**

"To Enrich Lives Through Effective and Caring Service"

#### **MEMO OF REVIEW FOR CORRECTNESS AND COMPLETION**

In accordance with this community's participation in the National Flood Insurance Program's Community Rating System, all FEMA Elevation Certificates must be correct and complete. The attached Certificate has some incorrect items which are noted here.

			SEC	TION A - PROPER	TY INFORM	ATION	For Insurance Company Use:		
A1.	Building Owner's Nam	Policy Number							
A2.	Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 13303 Impulse Drive						Company NAIC Number		
A3	City State Lancaster CA Property Description (	93536	imbers. Tax Parral	Number, Legal Descrip	tion, etc.)				
	AIN: 3267-025-006								
	Building Use (e.g., Re								
A5.	Latitude/Longitude: Lat. Long. Lat 34° 42' 19.3" Long 118° 21' 51.1" Horizontal Datum: NAD 1927 X NAD 1983								
	3. Attach at least 2 photographs of the building if the Certificats is being used to obtain flood insurance.								
	A7. Building Diagram Number								
	a) Square footage of		. ,				ched garage sq ft d openings in the attached garage cove adjacent grade		
	b) No. of permanent (		) the crawl apace or bove adjacent grade						
	c) Total net area of fi		N/A sq in	1	al net area of flood o				
		SEC	TION B - FLOOD	INSURANCE RATI	MAP (FIRM	I) INFORMATION			
<b>B</b> 1.	NFIP Community Name	& Community N	lumber	B2. County Name			B3. State		
B4	. Map/Panel Number	B5. Suffix	B6. FIRM Index			B8. Flood	B9. Base Flood Elevation(s) (Zone		
	065043 0070		Date July 6, 1998	Effective/Rev	sed Date	Zone(s) X	AO, use base flood depth)		
B10.	Indicate the source of	the Base Flood E	Elevation (BFE) data	or base flood depth e	ntered in Item	B9.			
	☐ FIS Profile	☐ FIRM	☐ Community Det	ermined 🔲 Ot	her (Describe)				
	Indicate elevation datu					☐ Other (Describe)	· <del></del> _		
B12.	is the building located Designation Date	in a Coastal Ban 	rier Resources Syst		herwise Protect OPA	ted Area (OPA)?	□Yes □No		
		8ECTIO	N C - BUILDING	ELEVATION INFO	RMATION (S	URVEY REQUIR	ED)		
	Building elevations are I		☐ Construction Dr		uilding Under	Construction*	Finished Construction		
	'A new Elevation Certific Elevations Zones A1 :	•		<b>—</b>	•	AD/A4 A20 AD/AU	ADIAO Complete Home Off -		
	<ol> <li>Elevations Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-g below according to the building diagram specified in Item A7.</li> </ol>								
	Benchmark Utilized		um						
(	Conversion/Comments								
CON	AMENTS: The buil	lding is in Zone	X. Disregard E	levation Certificate.					
					· · · · · · · · · · · · · · · · · · ·				
				<del></del>					
	- 1	201				/110 :	for		
Date	of Review:	29/10		Community Offic	ilali	pulla.	Exercise Dela O		
				-			· · · · · · · · · · · · · · · · · · ·		

All elevation certificates shall be maintained by the community and copies with the attached memo made available upon request.

# U.S. DEPARTMENT OF HOMELAND SECURITY

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expires February 28. 2009

Federal Emergency Management Agency
National Flood Insurance Program

Important: Read the instructions on pages 1-8.

<del></del>			SEC	TION A - PROPE	RTY INFOR	MATION	. F∈	or Insurance Company Use:
A1.,	Building Owner's Name	·					Р	olicy Number
A2.	Building Street Address	l : (including Apt., l : ``DD TVE	Unit, Suite, and/or I	Bldg. No.) or P.O. F	Route and Box	No.	С	ompany NAIC Number
	13303 IMPULSE	DKIVE			State		ZIP (	Code
Δ3	City , LANCASTER Property Description (L	ot and Block Num	nbers. Tax Parcel N	lumber, Legal Des	CA cription, etc.)			93536
710.	APN 3267-025-0	005		· ·	<u> </u>			
A4.	Building Use (e.g., Res	idential, Non-Res	idential, Addition, A	Accessory, etc.)		DENTIAL		
Α5	Latitude/Longitude: Lat	_	Lo	ng			ntal Datum	n: NAD 1927 NAD 1983
A6.	Attach at least 2 photog	graphs of the build	ding if the Certificat	te is being used to	obtain flood ins	surance.		
	A7. Building Diagram Number 6							garage, provide:
a) Square footage of crawl space or enclosure(s) 1710 sq ft a) Square footage of attached garage							I garage sq ft	
	b) No. of permanent fl enclosure(s) walls v	ood openings in t	the crawl space or ove adjacent grade		٠,	valls within 1.0 fe	oot above	adjacent grade
	c) Total net area of flo	od openings in A	8.b	sq in	c) 1	Total net area of	flood oper	nings in A9.b sq in
		SECT	ION B - FLOOD	INSURANCE RA	ATE MAP (FI	RM) INFORMA	ATION	
	NFIP Community Name			B2. County Name			B3.	State
	LOS ANGELES CO	OUNTY 0650	43	LOS ANG	ELES			CA
B4	4. Map/Panel Number	B5. Suffix	B6. FIRM Index		RM Panel Revised Date	B8. Flo		B9. Base Flood Elevation(s) (Zone AO, use base flood depth)
	0070	В	Date 11/15/85		2/80	C		
310.	Indicate the source of	he Base Flood E	levation (BFE) data	or base flood dep	th entered in Ite	em B9.		
	FIS Profile	]FIRM 🔲	Community Determ	nined UO	her (Describe)			<u> </u>
311.	Indicate elevation datu	m used for BFE i	n Item B9: 🔲 NG	VD 1929 N		Other (Desc		☐ Yes 🔯 No
312.	Is the building located	in a Coastal Barri	ier Resources Syst	em (CBRS) area o	r Otherwise Pro	otected Area (Or	PA)?	Yes X No
	Designation Date			[] CBK2 [	_] OPA			
		SECTIO	N C - BUILDING	<b>ELEVATION IN</b>	FORMATION	(SURVEY RE	QUIRED	)
31	Building elevations are		Construction Draw	inge*		O-materialian*	Ī∑Ī s	Finished Construction
	*A new Flouration Cortific	aata will ha raawir	ad when construct	ion of the building i	Building Under s complete.		_	
<b>~</b> 2	*A new Elevation Certific Elevations Zones A1-	cate will be requir	ed when construct with BFE). VE. V1-\	ion of the building i V30, V (with BFE),	s complete.		_	
C2.	*A new Elevation Certific Elevations Zones A1- below according to the	cate will be requir A30, AE, AH, A (voulding diagram :	red when construct with BFE), VE, V1-\ specified in Item A	ion of the building i V30, V (with BFE), 7	s complete. AR, AR/A, AR/	'AE, AR/A1-A30	_	AR/AO. Complete Items C2.a-g
C2.	*A new Elevation Certific Elevations Zones A1- below according to the I Benchmark Utilized	cate will be requir A30, AE, AH, A (vouilding diagram	ed when construct with BFE). VE. V1-\	ion of the building i V30, V (with BFE), 7	s complete. AR, AR/A, AR/	'AE, AR/A1-A30	_	
C2.	*A new Elevation Certific Elevations Zones A1- below according to the	cate will be requir A30, AE, AH, A (vouilding diagram	red when construct with BFE), VE, V1-\ specified in Item A	ion of the building i V30, V (with BFE), 7	s complete. AR, AR/A, AR/	'AE, AR/A1-A30	, AR/AH, A	AR/AO. Complete Items C2.a-g
C2.	*A new Elevation Certific Elevations Zones A1- below according to the I Benchmark Utilized Conversion/Comments	cate will be requir A30, AE, AH, A (v building diagram	red when construct with BFE), VE, V1-1 specified in Item A7	ion of the building i V30, V (with BFE), 7.	s complete. AR, AR/A, AR/Vertical Dat	tumCheck the me	, AR/AH, A	AR/AO. Complete Items C2.a-g
C2.	*A new Elevation Certific Elevations Zones A1-below according to the Benchmark Utilized Conversion/Comments  a) Top of bottom floor	cate will be required to the control of the control	red when construct with BFE), VE, V1-1 specified in Item A7	ion of the building i V30, V (with BFE), 7.	s complete. AR, AR/A, AR/Vertical Dat	AE, AR/A1-A30,	, AR/AH, A	AR/AO. Complete Items C2.a-g
<b>C2</b> .	*A new Elevation Certific Elevations Zones A1-below according to the Benchmark Utilized Conversion/Comments  a) Top of bottom flood b) Top of the next high	cate will be required to the control of the control	red when construct with BFE), VE, V1-1 specified in Item A7	ion of the building i v30, V (with BFE), 7. or enclosure floor)	s complete. AR, AR/A, AR/Vertical Dat	tumCheck the me	, AR/AH, A easuremen meters meters meters meters	AR/AO. Complete Items C2.a-g  nt used.  (Puerto Rico only) (Puerto Rico only) (Puerto Rico only)
C <b>2</b> .	*A new Elevation Certific Elevations Zones A1-below according to the Benchmark Utilized	cate will be required A30, AE, AH, A (vouilding diagram in the control of the con	red when construct with BFE), VE, V1-1 specified in Item A7 nent, crawl space, ctural member (V 2	ion of the building i v30, V (with BFE), 7. or enclosure floor)	s complete. AR, AR/A, AR/Vertical Dat	Check the me	, AR/AH, A easuremen meters meters meters meters meters	nt used.  (Puerto Rico only) (Puerto Rico only) (Puerto Rico only) (Puerto Rico only)
C2.	*A new Elevation Certific Elevations Zones A1-below according to the Benchmark Utilized	cate will be required A30, AE, AH, A (vouilding diagram in the control of the con	red when construct with BFE), VE, V1-1 specified in Item And the speci	ion of the building i v30, V (with BFE), 7. or enclosure floor)	s complete. AR, AR/A, AR/Vertical Dat	Check the me	, AR/AH, A easuremen meters meters meters meters meters	AR/AO. Complete Items C2.a-g  nt used.  (Puerto Rico only) (Puerto Rico only) (Puerto Rico only)
<b>C2</b> .	*A new Elevation Certific Elevations Zones A1-below according to the Benchmark Utilized	cate will be required A30, AE, AH, A (vouilding diagram serviced from the floor st horizontal structure op of slab) of machinery or ecquipment in Communication of the floor structure of the floor slab) of machinery or ecquipment in Communication Communication of the floor slab of t	red when construct with BFE), VE, V1-1 specified in Item And the American specified in	ion of the building i v30, V (with BFE), 7. or enclosure floor)	s complete. AR, AR/A, AR/Vertical Dat	Check the me	meters meters meters meters meters meters meters	AR/AO. Complete Items C2.a-g  Int used.  (Puerto Rico only)
C <b>2</b> .	*A new Elevation Certific Elevations Zones A1-below according to the Benchmark Utilized	cate will be required.  A30, AE, AH, A (vouilding diagram in the control of the c	red when construct with BFE), VE, V1-1 specified in Item And the speci	ion of the building i v30, V (with BFE), 7. or enclosure floor)	s complete. AR, AR/A, AR/Vertical Dat	Check the me Check the me feet feet feet feet feet feet	meters meters meters meters meters meters meters	AR/AO. Complete Items C2.a-g  Int used.  (Puerto Rico only)
D2.	*A new Elevation Certific Elevations Zones A1-below according to the Benchmark Utilized	cate will be required A30, AE, AH, A (vouilding diagram in the control of the con	red when construct with BFE), VE, V1-1 specified in Item A7 specified in Item A7 nent, crawl space, ctural member (V Z quipment servicing ments) AG) HAG)	ion of the building i V30, V (with BFE), 7.  or enclosure floor)  cones only)  the building	s complete. AR, AR/A, AR/Vertical Dat	Check the me Check the me feet feet feet feet feet feet feet fe	meters	AR/AO. Complete Items C2.a-g  Int used.  (Puerto Rico only)
C2.	*A new Elevation Certific Elevations Zones A1-below according to the IBenchmark Utilized	cate will be required A30, AE, AH, A (vouilding diagram services of the floor st horizontal structure op of slab) of machinery or exception of the floor stable of the	red when construct with BFE), VE, V1-1 specified in Item And the speci	ion of the building iv30, V (with BFE), 7.  or enclosure floor) cones only) the building	s complete. AR, AR/A, AR/Vertical Dat	Check the me Check the me feet feet feet feet feet feet feet fe	meters meters meters meters meters meters meters meters	AR/AO. Complete Items C2.a-g  Int used.  (Puerto Rico only)
Thi	*A new Elevation Certific Elevations Zones A1-below according to the Benchmark Utilized	cate will be required A30, AE, AH, A (vouilding diagrams)  (including basen her floor st horizontal structure op of slab) of machinery or exquipment in Cominished) grade (Lifinished) g	red when construct with BFE), VE, V1-1 specified in Item A7 specified in	ion of the building iv30, V (with BFE), 7.  or enclosure floor)  cones only)  the building  OR, ENGINEER, engineer, or archiresents my best effects	s complete. AR, AR/A, AR/	Check the me Check the me feet feet feet feet feet feet feet fe	meters	AR/AO. Complete Items C2.a-g  Int used.  (Puerto Rico only)
Thinfo	*A new Elevation Certific Elevations Zones A1-below according to the IBenchmark Utilized	cate will be required A30, AE, AH, A (souilding diagram souilding diagram souilding diagram souilding basen her floor st horizontal structure op of slab) of machinery or exquipment in Cominished) grade (Lifinished) grade (	red when construct with BFE), VE, V1-1 specified in Item All speci	ion of the building iv30, V (with BFE), 7.  or enclosure floor)  cones only)  the building  OR, ENGINEER, engineer, or archiresents my best effects	s complete. AR, AR/A, AR/	Check the me Check the me feet feet feet feet feet feet feet fe	meters	AR/AO. Complete Items C2.a-g  Int used.  (Puerto Rico only)
Thinfo I u	*A new Elevation Certific Elevations - Zones A1-below according to the Benchmark Utilized	cate will be required A30, AE, AH, A (vouilding diagram services of the floor st horizontal structure op of slab) of machinery or exception of the floor state of the floor of the	red when construct with BFE), VE, V1-V specified in Item All speci	ion of the building iv30, V (with BFE), 7.  or enclosure floor)  cones only)  the building  OR, ENGINEER, engineer, or archiresents my best effects	s complete. AR, AR/A, AR/	Check the me Check the me feet feet feet feet feet feet feet fe	meters meters meters meters meters meters meters meters carries meters meters meters meters	AR/AO. Complete Items C2.a-g  Int used.  (Puerto Rico only)
Thinfi I u	*A new Elevation Certific Elevations - Zones A1-below according to the Benchmark Utilized	cate will be required A30, AE, AH, A (souilding diagram in the floor st horizontal structured op of slab) of machinery or equipment in Cominished) grade (Linished) grade (Linis	red when construct with BFE), VE, V1-V specified in Item All speci	ion of the building iv30, V (with BFE), 7.  or enclosure floor)  cones only)  the building  OR, ENGINEER, engineer, or archiresents my best efficie or imprisonment	or ARCHIT tect authorized forts to interpre under 18 U.S.  License Numb	Check the me feet feet feet feet feet feet feet	meters me	AR/AO. Complete Items C2.a-g  Int used.  (Puerto Rico only)
Thinfo I w	*A new Elevation Certific Elevations - Zones A1-below according to the Benchmark Utilized	cate will be required A30, AE, AH, A (souilding diagram in the floor st horizontal structured op of slab) of machinery or equipment in Cominished) grade (Linished) grade (Linis	red when construct with BFE), VE, V1-1 specified in Item All speci	ion of the building iv30, V (with BFE), 7.  or enclosure floor)  cones only)  the building  OR, ENGINEER, engineer, or archiresents my best effects	or ARCHIT tect authorized forts to interpre under 18 U.S.  License Numb	Check the me Check the me Geet Geet Geet Geet Geet Geet Geet Ge	meters me	AR/AO. Complete Items C2.a-g  Int used.  (Puerto Rico only)

IMPORTANT: In these spaces, o	copy therresponding information	on from Section A.	For Insurance Company Use:
	, Unit, Suite, and/or Bldg. No.) or P.O. Ro $\mathrm{RIVE}$		Policy Number
City LANCASTER	State CA	ZIP Code 93534	Company NAIC Number
<del></del>	D - SURVEYOR, ENGINEER, OR A		
	ficate for (1) community official, (2) insura	nce agent/company, and (3) building	owner.
B8. A PORTION	OF THE PROPERTY IS IN 2	ZONE A. THE BUILDING	IS IN ZONE C.
Signature	1	Date 10 (00)	
	VATION INFORMATION (SURVEY)	12/20/2006	Check here if attachments
and C. For Items E1-E4, use natural get.  E1. Provide elevation information for grade (HAG) and the lowest adjace a) Top of bottom floor (including b) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6-8 with proceedings (elevation C2.b in the diagrams) E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth ordinance? Yes No SECTION	basement, crawl space, or enclosure) is basement, crawl space, or enclosure) is basement, crawl space, or enclosure) is bermanent flood openings provided in Second the building is	ent used. In Puerto Rico only, enter moves to show whether the elevation is to boxes to show whether the elevation is to boxes to show whether the elevation is to be above. It is meters is and/or 9 (see page 8 to be above or below the HAG.  If the property is to be above or below the HAG.  If the property is to be a page 8 to be above or below the HAG.  If the property is to be a page 8 to be above or below the HAG.  If the property is to be a page 8 to be above or below the HAG.  If the property is to be a page 8 to be above or below the HAG.  If the property is to be a page 8 to be a page 8 to be a page 8 to be above or below the HAG.  If the property is to be a page 8 t	above or below the highest adjacent above or below the HAG. above or below the LAG. of Instructions), the next higher floor with the HAG.  above or below the HAG.  above or below the HAG.  the community's floodplain management
J. LANCE HILLER		_	710.0
Address 42919 CHICORY A	VE.		CA 93534
Signature Comments	D	12/20/2006 Telep	hone (661) 948-2428
			Check here if attachmen
	SECTION G - COMMUNITY I	NFORMATION (OPTIONAL)	Chook note it attacement
and G of this Elevation Certificate. Com  31. The information in Section C v is authorized by law to certify c 32. A community official complete	w or ordinance to administer the commun plete the applicable item(s) and sign belo was taken from other documentation that elevation information. (Indicate the source d Section E for a building located in Zone as G4G9.) is provided for community flo	w. Check the measurement used in I has been signed and sealed by a licer is and date of the elevation data in the A (without a FEMA-issued or commu	tems G8. and G9. nsed surveyor, engineer, or architect who e Comments area below.)
G4. Permit Number	G5. Date Permit Issued		ompliance/Occupancy Issued
G7. This permit has been issued for: [G8. Elevation of as-built lowest floor (inc	cluding basement) of the building:	al Improvement feet	• •
Local Official's Name		Title	
Community Name		Telephone	
Signature	4000	Date	
Continents			
			Check here if attachmen
	· · · · · · · · · · · · · · · · · · ·		