O.M.B. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

(1

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	FOR INSURANCE COMPANY USE								
BUILDING OWNER'S NAME	POLICY NUMBER								
STREET ADDRESS (Including April 18/01 Par		COMPANY NAIC NUMBER							
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)								
city Valgern	10			STATE	zip code 93543				
/	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION					
rovide the following from t	he proper FIRM (See	Instructions):							
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)				
065043	575	B	12-2-80	4	4730.5				
7 Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: 14730.5 feet NGVD (or other FIRM datum—see Section B, Item 7)									
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION					
(c). FIRM Zone A (without below (check one) (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in according to the FIRM [see Section equation under Comments on Part the FIRM [see Section equation under Comments]. The reference level elevation reference marks. The reference level elevation case this certificate will owill be required once constitutions. The elevation of the lower	VE, and V (with BFE) is at an elevation of BFE). The floor used the highest grade action used as the reference adjacent to the build ordance with the community turn system used in dige 2). (NOTE: If the B, Item 7], then converts on Page 2.) It used appears on File ation is based on: Striction drawings is only only be valid for the bustruction is complete.	The bottom of as the reference level from ling. If no flood munity's floodple termining the elevation datument the elevation RM: Yes actual constructions of the building during the property of the property of the building during the property of the building during the property of the property of the property of the building during the property of t	of the lowest horizontal struction is feet NGVD (or other FIR nee level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elem used in measuring the ensity the datum system used to the datum system used in the datum sy	M datum—see Sed diagram is didiagram is detected by the second of the FIRM of the second	ection B, Item 7). feet above or over or below (check s lowest floor (reference No Unknown 70 '29 Other (describe rent than that used on and show the conversion floor in place, in which ion Elevation Certificate				
Section B, Item 7).			·						
A 25 A			OMMUNITY INFORMATIO		#*				
is not the "lowest floor" a	as defined in the commordinance is:	munity's floodpl	ain management ordinand NGVD (or other FIRM date	e, the elevation					


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME			LICENSE NUMBER (or Affix Seal)							
TITLE	COMPANY NAME									
ADDRESS			СПҮ		STAT	E ZIP				
SIGNATURE	<u> </u>			DATE	PHONE					
Copies should l	be made of this	Certificate for: 1) co	mmunity official	i, 2) insurance agen	t/company, and 3) bu	ilding owner.				
COMMENTS: _	Bench	Mark:								
					<u> </u>					



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.