593-117



PENA E .... 04 94 ADD 00

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

## **ELEVATION CERTIFICATE**

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

	MAINED'C				ADDRESS 🔨			
UILDING C	MINER 2		•	1	·	almer Ave	11	م کے جاری
BOPERTY	LOCATION	ot and Bir	ock numbers ar	nd addless if		HALT AVE	באברים.	0915,1,4,
32	クフマ	1/	7 11		availage)	Llano.	^A.	91705
Certify that	the informat	ion on this	contilicate room	27 EC	/O /	<del></del>		
					U.S. code, Section	oret the data available 1001.	e. I under	stand that any laise
ECTION I	ELIGIBILITY	CERTIFIC				rmit Official or a Reg	istered Pr	olessional Engineer,
OMMUNITY N	IO PANEL NO	SUFFIX	DATE OF FIRM	tect, or Surve	DATE OF CONSTR	BASE FLOOD ELEV	BUILDIN	
,	1 .	30771		7 A		In AO Zone, use depth		☐ New/Emergency
06504	3 0430	B	12-2-80	MU	1987	/	1	Pre-FIRM Reg Post-FIRM Reg.
X o	ordinance. Th	e certifier i ft, NGVD	may rely on co	mmunity reconstruct the bu	ords. The lowest fuilding at this elev	compliance with the loor (including base ation may place the	ment) will	be at an elevation
0 0	ordinance bas	sed on elev	ation data and	visual inspec	in compliance wi ction or other reas the community.	th the community's fonable means.	lood plair	management
						ed down (anchored) th the NFIP Specific		ance with the
MOBIL	E HOME MAI	(E	MODEL	, YR.	OF MANUFACTU	RE SERIAL	NO.	DIMENSIONS
F	'UQU'A	L	ANDMARK 3200		1985	A/B-1461	6	50'8" X 24'
NAME	3 arry	ial or Hegi TOI	stered Professi	onal Enginee	er, Architect, or St ADDRESS	10 West	AV	c J'
TITLE C		naince	· C CITY	Lanc	aster	STATE CO	7	zip 9353
	R	<b>V</b>	10		115	107	21 0	1117
SIGNATUR	ELLA	NH c	219401		DATE // J	1) / PHONE 2	105-1	47-6411
				·				
BECTION I	II ELEVATIO	ON CERTIF			ocal Community P	ermit Official or a Re	gistered F	rofessional Engineer,
SECTION	II ELEVATIO	ON CERTIF		rtifled by a Lo hitect, or Sur	ocal Community P	ermit Official or a Re	gistered F	Professional Engineer,
	E A1-A30: I	certify that	Arci t the building a	t the propert	ocal Community P veyor.)  y location describ VD (mean sea lev	ed above has the lov	vest floor	rofessional Engineer, (including basement) the building site is at
FIRM ZON	E A1-A30: I a a	certify that it an elevat in elevation : I certify at an el	Arci	t the propert feet, NGVD	y location describ VD (mean sea let	ed above has the lovel) and the average	vest floor grade at	(including basement)
FIRM ZON	E A1-A30: I a a ES V, V1-V30	certify that It an elevat In elevation It: I certify at an el- is at an O, AH, and as the lowe	t the building a ion of that the buildin evation of	t the propert feet, NG feet, NGVD get the prop feet, feet	y location describ VD (mean sea leverty location describ NGVD (mean sea leverty location describ NGVD (mean seat, NGVD.	ed above has the lovel) and the average ribed above has the tale level, and the ave	vest floor grade at bottom of rage grad	(including basement) the building site is at
FIRM ZONE	E A1-A30: I a a a a a a a a a a a a a a a a a a	certify that it an elevation elevation.  It I certify at an elis at an order of the content of the content of the building of the building of the building of the content o	the building a ion of	the properties, NGVD  det, NGVD  get, NGVD  get, NGVD  get, NGVD  feet, NGVD	y location describ VD (mean sea leverty location describ NGVD (mean sea leverty location describ NGVD (mean seat, NGVD.	ed above has the lovel) and the average ribed above has the tale level, and the ave	vest floor grade at bottom of rage grad perty locale highest	(including basement) the building site is at the lowest floor beam e at the building site tion described above adjacent grade next
FIRM ZONE	E A1-A30: I a a a a a a a a a a a a a a a a a a	certify that It an elevation It an elevation It certify at an elevation O, AH, and as the lowe to the buildin ROOFING my knowled my knowled and effect and effect the base floc	the building a lon of	t the propert leet, NGVD leet, NGVD g at the prop leet, leet leet leet, leet leet leet leet leet leet leet leet	y location describ VD (mean sea let VD (	ed above has the lowerel) and the average ribed above has the a level), and the average building at the project of the deep rofessional Enguis designed so that nents having the callood depths, pressulted.	position of rage grad perty locale highest ineer or A	(including basement) the building site is at the lowest floor beam e at the building site tion described above adjacent grade next rchitect) ng is watertight, with resisting hydrostatic ties, impact and uplift
FIRM ZONE	E A1-A30: I a a a a a a a a a a a a a a a a a a	certify that it an elevation elevation is at an elevation of the control of the c	the building a ion of	the propert leet, NGVD  get the propert leet, NGVD  get the propert leet, NGVD  PROGRAM on of 100 leet, NGV  ON (Certifica  n, and belief, if water and that would the stream of the str	y location describ VD (mean sea let VD (	ribed above has the lovel) and the average ribed above has the la level), and the ave building at the projection of the dependent of the dependent of the dependent of the dependent of the tents having the cares having the cares.	postom of rage grad perty locale highest inneer or A the buildinability of res veloci man inter to the base	(including basement) the building site is at the building site is at the lowest floor beam e at the building site tion described above adjacent grade next rehitect)  Ing is waterlight, with resisting hydrostatic ties, impact and uplift vention?
FIRM ZONE FIRM Z	ES A, A99, A h. tc  ES A, A99, A h. tc  III FLOODPI  the best of nantially imper lynamic loads clated with th  NO	certify that it an elevation elevation is at an elevation of the building of the building of the building and effect in the event Human integer unless rioors and will the building estions is Y	the building a ion of	the propertified, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  PROGRAM  on of DO  feet, NGV  DN (Certifica  n, and belief, if water and that would be till this degree is that water sken prior to led as a resideroofing cannot	y location described when the location described with the location described with the location described will enter the building structural compose caused by the sof floodproofing will enter the building structural compose caused by the sof floodproofing will enter the building structural compose caused by the sof floodproofing will enter the building structural compose caused by the sof floodproofing will enter the building the flood to preventence?	ed above has the lovel) and the average ribed above has the a level), and the average building at the project of the ed Professional Enguis designed so that thents having the callood depths, pressure be achieved with huring when floods up not entry of water (e.g. stating purposes and	position of cage grade betty local betty local betty local betty local betty local between the buildings wellow to the batty bolting	(including basement) the building site is at the building site is at the lowest floor beam e at the building site tion described above adjacent grade next rehitect)  Ing is waterlight, with resisting hydrostatic ties, impact and uplift vention?
FIRM ZONE FIRM Z	ES A, A99, A h. tc  ES A, A99, A h. tc  III FLOODPI  the best of nantially imper lynamic loads clated with th  NO	certify that It an elevation It an elevation It certify at an elevation It certify It certif certify It certify It certify It certify It certify It certify	the building a lon of	the propertified, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  PROGRAM  on of DO  feet, NGV  DN (Certifica  n, and belief, if water and that would be till this degree is that water sken prior to led as a resideroofing cannot	y location describ VD (mean sea level)  y location describ VD (mean sea level)  erty location describ VD (mean sea level)  recty location describ VD (mean sea level)  recty location describ VD (mean sea level)  recty location describ that the best level, NGVD.  I certify that the Location of the that the building structural composite caused by the level of floodproofing will enter the build the flood to prevent lence?	ed above has the lovel) and the average ribed above has the a level), and the average building at the project of the ed Professional Enguis designed so that thents having the callood depths, pressure be achieved with huring when floods up not entry of water (e.g. stating purposes and	position of rage grad perty loca he highest inter or A the buildinability of res velocion man inter to the batting the actual	(including basement) the building site is at the lowest floor beam e at the building site tion described above adjacent grade next rchitect) ng is waterlight, with resisting hydrostatic ties, impact and uplift vention? te flood level oc- metal shields over
FIRM ZONE	E A1-A30: I a a a a a a a a a a a a a a a a a a	certify that at an elevation elevation of the certify at an elevation of the certify at an elevation of the certify at an elevation of the certification of the certification of the event of the event of the certification of the certificatio	the building a ion of	the propertimeter, or Surfeet, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  PROGRAM  ion of Day  Teet, NGV  ON (Certifica  n, and belief, water and that would be signed that water aken prior to lied as a resid roofing cannot e elevation a	y location describ VD (mean sea level)  y location describ VD (mean sea level)  perty location describ VD (mean sea level)  tion by a Register that the building structural composite caused by the sea level)  perty location describ VD (mean sea level)  tion by a Register that the building structural composite caused by the sea level)  perty location describ VD (mean sea level)  tion by a Register that the building structural composite value of floodproofing will enter the building will enter the buildi	ed above has the lovel) and the average ribed above has the la level), and the average building at the project of the ed Professional Enguis designed so that tents having the callood depths, pressure be achieved with hur ting when floods up not entry of water (e.g. tating purposes and certificutes.	position of rage grad perty loca he highest inter or A the buildinability of res velocion man inter to the batting the actual	the lowest floor beame at the building site is at the building site is at the building site is at the building site it in described above adjacent grade next rehitect)  Ing is waterlight, with resisting hydrostatic lies, impact and uplift vention?  Is flood level ocmetal shields over
FIRM ZONE	E A1-A30: I a a a a a a a a a a a a a a a a a a	certify that at an elevation elevation of the certify at an elevation of the certify at an elevation of the certify at an elevation of the certification of the certification of the event of the event of the certification of the certificatio	the building a ion of	the propertified, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  PROGRAM  on of DA  feet, NGV  DN (Certifica  n, and belief, if water and that would be till this degree is that water isken prior to led as a resid  roofing cannot getevation a	y location describ VD (mean sea let VD (	ed above has the lovel) and the average ribed above has the la level), and the average building at the project of the ed Professional Enguis designed so that tents having the callood depths, pressure be achieved with hur ting when floods up not entry of water (e.g. tating purposes and certificutes.	post floor grade at the build bability of res veloci man inter to the bating botting the actual ion is ###	(including basement) the building site is at the lowest floor beame at the building site it in described above adjacent grade next rehitect)  In gis waterlight, with resisting hydrostatic lies, impact and uplift vention?  It is flood level ocmetal shields over it lowest floor must be it is a simple of the lowest floor must be it is a simple or it is in the lowest floor must be it is a simple or it is in the lowest floor must be it is a simple or it is in the lowest floor must be it is a simple or it is in the lowest floor must be it is a simple or it is in the lowest floor must be it is a simple or
FIRM ZONE	E A1-A30: I a a a a a a a a a a a a a a a a a a	certify that tan elevation elevation.  I certify at an elevation of the certify at an elevation of the certify at an elevation of the certification of the certification of the elevation of the	the building a ion of	the propertiest, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  PROGRAM  ion of Set, NGVD  N (Certifica  n, and belief, if water and that would be included as a residuation of the cooling cannot be elevation a	y location describ VD (mean sea let VD (	ed above has the lovel) and the average ribed above has the la level), and the average building at the project of the ed Professional Enguis designed so that tents having the callood depths, pressure be achieved with hur ting when floods up not entry of water (e.g. tating purposes and certificutes.	post floor grade at the build bability of res veloci man inter to the bating botting the actual ion is ###	(including basement) the building site is at the building site is at the lowest floor beame at the building site it in described above adjacent grade next rehitect)  In gis waterlight, with resisting hydrostatic lies, impact and uplift vention?  It is flood level ocmetal shields over
IRM ZONE IRM	E A1-A30: I a a a a a a a a a a a a a a a a a a	certify that at an elevation elevation of the certify at an elevation of the certify at an elevation of the certify at an elevation of the certification of the certification of the event of the event of the certification of the certificatio	the building a ion of	the propertiest, NGVD  Teet, N	y location describ VD (mean sea let VD (	ed above has the lovel) and the average ribed above has the la level), and the average building at the project of the ed Professional Enguis designed so that tents having the callood depths, pressure be achieved with hur ting when floods up not entry of water (e.g. tating purposes and certificutes.	post floor grade at the build bability of res veloci man inter to the bating botting the actual ion is ###	(including basement) the building site is at the lowest floor beam e at the building site it in described above adjacent grade next rehitect)  In gis waterlight, with resisting hydrostatic ties, impact and uplification? the flood level ocmetal shields over it lowest floor must be \$12.95 feet, (NGVD)
FIRM ZONE	E A1-A30: I a a a a a a a a a a a a a a a a a a	certify that tan elevation elevation.  I certify at an elevation of the certify at an elevation of the certify at an elevation of the certification of the certification of the elevation of the	the building a ion of	the propertiest, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  get, NGVD  PROGRAM  ion of Set, NGVD  N (Certifica  n, and belief, if water and that would be included as a residuation of the cooling cannot be elevation a	y location describ VD (mean sea let VD (	ed above has the lovel) and the average ribed above has the la level), and the average building at the project of the ed Professional Enguis designed so that tents having the callood depths, pressure be achieved with hur ting when floods up not entry of water (e.g. tating purposes and certificutes.	post floor grade at the build bability of res veloci man inter to the bating botting the actual ion is ###	(including basement) the building site is at the lowest floor beame at the building site it in described above adjacent grade next rehitect)  In gis waterlight, with resisting hydrostatic lies, impact and upliff vention?  It is flood level ocmetal shields over it lowest floor must be it is a simple of the lowest floor must be it is a simple or it is a
FIRM ZONE	E A1-A30: I a a a a a a a a a a a a a a a a a a	certify that tan elevation elevation.  I certify at an elevation of the certify at an elevation of the certify at an elevation of the certification of the certification of the elevation of the	the building a ion of	the propertiest, NGVD  Teet, N	y location describ VD (mean sea let VD (	ed above has the lovel) and the average ribed above has the la level), and the average building at the project of the ed Professional Enguis designed so that tents having the callood depths, pressure be achieved with hur ting when floods up not entry of water (e.g. tating purposes and certificutes.	post floor grade at the build bability of res veloci man inter to the bating botting the actual ion is ###	(including basement) the building site is at the building site is at the building site is at the building site it in described above adjacent grade next rehitect)  In gis waterlight, with resisting hydrostatic ties, impact and uplift exertion?  I lowest floor must be grade in the building site in the b
FIRM ZONE FIRM ZONE FIRM ZONE  SECTION I  Certify to walls substrand hydrod lorces asso YES   YES   If the answer completed of the completed o	E A1-A30: I a a a a a a a a a a a a a a a a a a	certify that it an elevation elevation of the certify at an elevation of the certify at an elevation of the certific eleva	the building a ion of	the propertimeter, or Surfacet, or Surfacet, NGVD  The propertimeter, N	y location described by location by a Register that the building structural compose caused by the end of floodproofing will enter the building structural compose caused by the end of floodproofing will enter the building structural compose caused by the end of floodproofing will enter the building structural compose caused by the end of floodproofing will enter the building w	ribed above has the lovel and the average ribed above has the a level), and the average building at the project of the development of the development of the callood depths, pressure the achieved with hubing when floods up intentry of water (e.g. rating purposes and certificates.	vest floor grade at control of rage grad de highest ineer or A the buildinability of res veloci man inter to the batting the actual ion is ###	(including basement) the building site is at the lowest floor beame e at the building site it in described above adjacent grade next rehitect)  In gis waterlight, with resisting hydrostatic lies, impact and upliff vention? se flood level ocmetal shields over it lowest floor must be 2276 leet, (NGVD)  ENO. (or Affix Seal) 25276  ZIP  PHONE  ) 246 57 44

DEBI ACEC EEMA ECRMO 01.0/T) AND 01.10/T) BEG OF MUIOU ARE OBOO! CTE