☆U.S. GOVERNMENT PRINTING OFFICE: 1983-401-453

OMB 3067-0077
Expires: July 1984

FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM

ELEVATION CERTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

BUILDING OWNER'S NAME [redacted] ADDRESS GREEN VALLEY 91350

PROPERTY LOCATION (Lot and Block numbers and address if available) Lot 56-Block 2, Tr 8830 [39830 Calle El Clavelito]

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. code Section 1001.

SECTION I ELIGIBILITY CERTIFICATION (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor)

COMMUNITY NO	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	DATE OF CONSTR.	BASE FLOOD ELEV (In AO Zone, use depth)	BUILDING IS
065043	0205	B	12-2-80	A	1985		☐ New/Emergency ☐ Pre-FIRM Reg ☒ Post-FIRM Reg

YES ☐ NO ☐ It is intended that the building described above *will be* constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of _____ ft, NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance.

YES ☒ NO ☐ The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means.
If NO is checked, attach copy of variance issued by the community.

YES ☐ NO ☐ The mobile home located at the address described above has been tied down (anchored) in compliance with the community's flood plain management ordinance, or in compliance with the NFIP Specifications.

MOBILE HOME MAKE	MODEL	YR. OF MANUFACTURE	SERIAL NO.	DIMENSIONS X

(Community Permit Official or Registered Professional Engineer, Architect, or Surveyor)

NAME Barry Toler ADDRESS

TITLE Civil Eng. I CITY Lancaster STATE Ca. ZIP 93550

SIGNATURE Barry Toler DATE 6/10/85 PHONE 805-945-6417

SECTION II ELEVATION CERTIFICATION (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.)

FIRM ZONE A1-A30: I certify that the building at the property location described above has *the lowest floor* (including basement) at an elevation of 97.0 feet, ~~NGVD~~ (mean sea level) and the average grade at the building site is at an elevation of 96.8 feet, NGVD. (LOCAL DATUM (ASSUMED))

FIRM ZONES V, V1-V30: I certify that the building at the property location described above has *the bottom of the lowest floor beam* at an elevation of _____ feet, NGVD (mean sea level), and the average grade at the building site is at an elevation of _____ feet, NGVD.

X FIRM ZONES A, A99, AO, AH, and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest floor elevation of 97.80 feet, NGVD. The elevation of the highest adjacent grade next to the building is 96.80 feet, NGVD. Per Bench Mark Identified

SECTION III FLOODPROOFING CERTIFICATION (Certification by a Registered Professional Engineer or Architect)

I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, impact and uplift forces associated with the base flood.

YES ☐ NO ☐ In the event of flooding, will this degree of floodproofing be achieved with human intervention?
(Human intervention means that water will enter the building when floods up to the base flood level occur unless measures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over doors and windows).

YES ☐ NO ☐ Will the building be occupied as a residence?

If the answer to both questions is *YES*, the floodproofing cannot be credited for rating purposes and the actual lowest floor must be completed and certified instead. Complete both the elevation and floodproofing certificates.

X FIRM ZONES A, A1-A30, V1-V30, AO and AH: Certified Floodproofed Elevation is 97.0 feet, (NGVD).

THIS CERTIFICATION IS FOR ☒ SECTION II ☐ BOTH SECTIONS II AND III (Check One)

CERTIFIER'S NAME	COMPANY NAME	LICENSE NO. (or Affix Seal)
Donald Boyce	SAME	RE 17726

TITLE	ADDRESS	ZIP
CIVIL ENGINEER	15913 Bohemian Lane	91351

SIGNATURE	DATE	CITY	STATE	PHONE
Donald Boyce	6-3-85	Canyon Country	Cal	805-252-7507

The insurance agent should attach the original copy of the completed form to the flood insurance policy application, the second copy should be supplied to the policyholder and the third copy retained by the agent

INSURANCE AGENTS MAY ORDER THIS FORM