

90

F I E L D N O T E S

Township 1 N., Range 8 W., S. B. M.

- West Line Sec. 18
- North Line Sec. 18
- East Line Sec. 18
- East Line Sec. 7
- North Line Sec. 8
- South Line Sec. 8
- East Line Sec. 5
- West Line Sec. 5
- East Line Sec. 4
- South Line Sec. 9
- East Line Sec. 9
- North Line Sec. 6
- West Line Sec. 6
- North Line Secs. 1 to 5 inc.
- East Line Sec. 8
- East Line Secs. 17, 16, 19

<i>R. 8 W.</i>							
<i>T. 1 N.</i>	² 36	² 15	¹ 74	¹ 43	¹ 2	¹ 1	<i>T. 1 N.</i>
	7	¹⁰ 108	99	410	11	12	
	^{9, 10} 318	⁹ 917	⁶ 516	415	14	13	
	19	⁸ 720	21	22	23	24	
	30	29	28	27	26	25	
	31	32	33	34	35	36	
<i>R. 8 W.</i>							

T. 1 N., R. 8 W., S. B. M.

From the established corner to Tps. 1 and 2 N., Rs.

8 and 9 W., I run

East on a random line between said Tps., the variation of my compass being $14^{\circ} 26'$ East, setting temporary $\frac{1}{2}$ mile and mile corners at each 40 and 80 chains and find the Tps. line to be 6 miles and 1.47 chains long and intersect East boundary of Tp. at a point 70 lks. North of corner to Tps. 1 and 2 N., Rs. 7 and 8 W., which is a granite stone $20 \times 18 \times 9$ in., firmly set in the ground and marked with 6 notches on the North, South, East and West edges, and a stone mound alongside. The corner for the true line will therefore be $11 \frac{2}{3}$ lks. North and 1.47 chs. East per mile.

North $89^{\circ} 55'$ West between sections 3 and 34.

Var. $14^{\circ} 26'$ East

80.00

Set granite stone $13 \times 9 \times 8$ in., 8 in. in the ground for corner to sections 3, 4, 33 and 34, marked with 3 notches on the East and West edges and raised mound of stone alongside.

Pits impracticable.

Land mountainous. Soil third rate.

Timber Pine and Oak in ravines.

Dense undergrowth of Chaparral.

North $89^{\circ} 55'$ West between sections 4 and 33.

Var. $14^{\circ} 26'$ East

5.00

Summit of divide bears North 60° East and South 60° West and descend.

40.00

Set granite stone $11 \times 10 \times 7$ in., 6 in. in the ground for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on North face and raised mound of stone alongside.

Pits impracticable.

80.00

Set sand stone $13 \times 11 \times 9$ in., 8 in. in the ground for corner to sections 4, 5, 32 and 33, marked with

4 notches on the East and 2 notches on the West edges and raised a mound of stone alongside.

Pits impracticable.

Land mountainous. Soil third rate.

Timber none. Dense undergrowth of Chaparral.

North 89° 55' West between sections 5 and 32.

Var. 14° 26' East

Descending along North slope of ridge.

31.00 Top of spur bears Northwest.

40.00 Set sand stone 12x11x7 in., 7 in. in the ground for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on North face and raised mound of stone alongside.

Pits impracticable.

80.00 Set granite stone 13x12x9 in., 8 in. in the ground for corner to sections 5, 6, 31 and 32, marked with 5 notches on the East and 1 notch on the West edges and raised mound of stone alongside.

Pits impracticable.

Land North slope of mountain. Soil third rate.

Timber none. Dense undergrowth of Chaparral brush.

North 89° 55' West between sections 6 and 31.

Var. 14° 26' East

Along North slope of ridge.

40.00 Set sand stone 11x9x6 in., 6 in. in the ground for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on the North face and raised mound of stone alongside.

Pits impracticable.

49.20 Top of spur bears Northwest and descend.

81.47 The corner to Tps. 1 and 2 N., Rs. 8 and 9 West.

Land mountainous. Soil third rate.

Timber none. Dense undergrowth of Chaparral.

From the established corner to sections 13, 18, 19 and

24 on the West boundary of Tp. which is a

Sycamore tree 18 in. dia. marked with
T. 1 N., Sec. 18 on the N. E.
R. 8 W., Sec. 19 on the S. E.
R. 9 W., Sec. 24 on the S. W. and
S. 13 on the N. W. faces, with 3 notches on
the North and South faces,

I run

North between sections 13 and 18.

Var. 14° 26' East

In San Dimas Canyon.

- 0.80 San Dimas Creek 17 lks. wide, course Southwest and ascend gradually.
- 12.00 Leave San Dimas Canyon, course Southwest and ascend.
- 40.00 Set granite stone 16x10x5 in., 11 in. in the ground for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on West face and raised mound of stone alongside.
- Pits impracticable.
- 40.60 Top of ridge bears Northeast and Southwest and descend.
- 80.00 Set granite stone 14x11x7 in., 9 in. in the ground for corner to sections 7, 12, 13 and 18, marked with 4 notches on South and 2 notches on North edges and raised mound of stone alongside.
- Pits impracticable.
- Land mountainous. Soil second rate.
- Timber Pine and Oak in Canyon. Dense undergrowth of Chaparral brush.

North between sections 1 and 6.

Var. 14° 26' East

- 80.11 To a point 41 links West of corner to sections 1, 6, 31 and 36, Tps. 1 and 2 N., Rs. 8 and 9 W., and set a granite stone 17x11x6 in. 12 in. in the ground for closing corner to sections 1 and 6, Tp. 1 N., Rs. 8 and 9 W., marked C. C. with 6 notches on South

East and West edges and raised mound of stone alongside.

Pits impracticable.

Land mountainous. Soil third rate.

Timber Pine and Oak in the ravines.

Dense undergrowth of Chaparral.

North between sections 15 and 16.

Var. 14° 26' East

80.00

Set granite stone 13x11x7 in., 8 in. in the ground for corner to sections 9, 10, 15 and 16, marked with 4 notches on South and 3 notches on the East edges and raised a mound of stone alongside.

Pits impracticable.

Land mountainous. Soil second rate.

Dense undergrowth of Chaparral brush.

Timber Pine and Oak in the ravine.

North between sections 9 and 10.

Var. 14° 26' East

Ascend.

31.00

Top of spur bears South 60° West and descend.

40.00

Set limestone 15 x 13 x 7 in., 10 in. in the ground for $\frac{1}{4}$ section corner, marked with $\frac{1}{4}$ on West face and raised mound of stone alongside.

Pits impracticable.

47.50

Wolfskill Creek 8 lks. wide, course Southwest in timbered ravine, 2.50 chs. wide, course Southwest and ascending.

80.00

Set sand stone 18 x 15 x 11 in., 13 in. in the ground for corner to sections 3, 4, 9 and 10, marked with 5 notches on the South and 3 notches on the East edges and raised mound of stone alongside.

Pits impracticable.

Land mountainous. Soil second rate.

Dense undergrowth of Chaparral Brush.

Timber Pine and Oak in ravine.

North on a random line between sections 3 and 4.

Var. 14° 26' East

40.00

Set temporary $\frac{1}{4}$ section corner.

79.94

Intersect North boundary of Tp. 112 links East on the corner to sections 3, 4, 33 and 34,

Thence I run

South 0° 5' East on a true line between sections 3 and 4 with same variations.

Descending.

21.00

Foot of high ridge and North bank of San Dimas Canyon, course North.

22.50

San Dimas Creek, 9 links wide, course West.

30.00

South bank of San Dimas Canyon, course West and ascend.

39.94

Set granite stone 14x10x6 in., 9 in. in the ground for $\frac{1}{4}$ section corner marked $\frac{1}{4}$ on West face and raised mound of stone alongside.

Pits impracticable at foot of high ridge, bears Northeast and Southwest and ascend.

60.50

Top of ridge bears Northeast and Southwest about 200 ft. above section corner and descend.

79.94

The corner to section 3, 4, 9 and 10.

Land mountainous. Soil second rate.

Dense undergrowth of Chaparral. Timber Pine and Oak in ravines.

North between section 16 and 17.

Var. 14° 26' East

80.00

Set granite stone 17 x 11 x 6 in., 12 in. in the ground for corner to sections 8, 9, 16 and 17, marked with 4 notches on the South and East edges and raised mound of stone alongside.

Pits impracticable.

Land mountainous. Soil second rate.

Timber Pine and Oak in ravines.

Dense undergrowth of Chaparral brush.

East on a random line between sections 9 and 16.

Var. 14° 26' East

40.00 Set a temporary $\frac{1}{4}$ section corner.

80.00 Intersect North and South line at 22 links North of
the corner to sections 9, 10, 15 and 16.

Thence I run

North 89° 51' West on a true line between sections
9 and 16 with same variations.

Ascending.

12.50 Top of ridge bears Northeast and Southwest about 100 ft.
above last section corner and descend.

24.50 Foot of ridge and East bank of Wolfskill Canyon, course
Southwest.

27.00 Wolfskill Creek 4 links wide, course Southwest.

28.00 West bank of Wolfskill Canyon, course Southwest and
ascend.

40.00 Set sand stone 13 x 12 x 7 in., 8 in. in the ground
for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on North face and raised
mound of stone alongside.

50.00 Top of low ridge bears Northeast and Southwest and
descend.

63.50 Branch of Wolfskill Creek 13 links wide, course South
and ascend.

80.00 The corner to sections 8, 9, 16 and 17.

Land mountainous. Soil second rate.

Timber Pine and Oak in ravines.

Dense undergrowth of Chaparral brush.

North between section 8 and 9.

Var. 14° 26' East

80.00 Set granite stone 14 x 11 x 7 in., 9 in. in the ground
for corner to section 4, 5, 8 and 9, marked with 5

notches on the South and 4 notches on the East edges
and raised mound of stone alongside.

Pits impracticable.

Land mountainous. Soil third rate.

Timber Pine and Oak in ravine and canyons.

Dense undergrowth of Chaparral brush.

North on a random line between sections 4 and 5.

Var. 14° 26' East.

40.00

Set temporary $\frac{1}{4}$ section corner.

79.96

Intersect North boundary of Tp. 36 links East of
corner to sections 4, 5, 32 and 33,

Thence I run

South 0° 15' East on a true line between sections
4 and 5 with same variations.

Ascend.

16.50

Top of ridge bears East and West and descend.

22.00

Head of ravine 12 links West, course West and ascend.

30.00

Top of ridge bears Northeast and Southwest and descend.

39.96

Set sand stone 13 x 11 x 7 in., 5 in. in the ground
for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on West face and raised
mound of stone alongside.

Pits impracticable.

53.50

North bank of San Dimas, course Southwest.

55.20

San Dimas Creek 11 links wide, course Southwest.

57.00

South bank of San Dimas Canyon, course Southwest and
ascend.

79.96

The corner to sections 4, 5, 8 and 9.

Land mountainous. Soil third rate.

Timber Pine and Oak in ravines.

Dense undergrowth of Chaparral.

From the established corner to section 19, 20, 29 and
30, I run

North between sections 19 and 20, retracing 28 chains.

Var. 14° 26' East
\$0.00 Set a limestone 16 x 11 x 8 in., 11 in. in the ground for corner to sections 17, 18, 19 and 20, marked with 5 notches on the East and 3 notches on the South edges and raised mound of stone alongside.

Pits impracticable.

Land mountainous. Soil second rate.

Timber Pine and Oak in ravines.

Dense undergrowth of Chaparral.

North between sections 17 and 18.

Var. 14° 26' East

Ascending.

10.00 Top of ridge bears East and West and descend.

28.00 South bank of Wolfskill Canyon, course West.

29.50 Wolfskill Creek 9 links wide, course West.

30.00 Leave Canyon, course West and ascend.

40.00 Set granite stone 12 x 11 x 8 in., 7 in. in the ground for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on West face and raised mound of stone alongside.

Pits impracticable.

50.00 Top of ridge bears East and West and descend.

70.00 East fork of San Dimas Creek, 3 links wide, course South 80° West and ascend.

80.00 Set granite stone 11 x 11 x 5 in., 6 in. in the ground for corner to sections 7, 8, 17 and 18, marked with 5 notches on the East and 4 notches on the South edges, and raised mound of stone alongside.

Pits impracticable.

Land mountainous. Soil second rate.

Timber Pine and Oak in ravines.

Dense undergrowth of Chaparral.

East on a random line between sections 8 and 17.

Var. 14° 26' East

40.00 Set temporary $\frac{1}{4}$ section corner.

80.19 Intersect North and South line at 12 links North of the corner to sections 8, 9, 16 and 17.

Thence I run,

North $89^{\circ} 51'$ West on a true line between sections 8 and 17 with same variations.

Ascend.

17.50 Top of ridge bears North east and Southwest and descend.

40.09 Set sand stone 16 x 14 x 10 in., 11 in. in the ground for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on North face and raised mound of stone alongside.

Pits impracticable.

48.75 East Fork of San Dimas Creek 14 links wide, course South 60° West and ascend.

80.19 The corner to sections 7, 8, 17 and 18.

Land mountainous. Soil third rate.

Timber Pine and Oak in ravines.

Dense undergrowth of Chaparral.

West on a random line between sections 7 and 18.

Var. $14^{\circ} 26'$ East

40.00 Set temporary $\frac{1}{4}$ section corner.

80.49 Intersect West boundary of Tp. at 26 links South of the corner to sections 7, 12, 13 and 19.

Thence I run

South $89^{\circ} 49'$ East on a true line between sections 7 and 18 with same variations.

Ascending.

30.00 Top of ridge bears North 50° East and South 50° West and descend.

40.49 Set sand stone 13 x 11 x 9 in., 8 in. in the ground for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on North face and raised mound of stone alongside.

Pits impracticable.

45.50 Enter San Dimas Canyon, course South 5° West.

47.00 San Dimas Creek 12 links wide, course South 5° West.

50.00 Leave Canyon, course South 5° West and ascend.

68.50 Top of ridge bears Northeast and Southwest and descend.

80.49 The corner to sections 7, 8, 17 and 18.
 Land mountainous. Soil third rate.
 Timber Pine and Oak in Ravines.
 Dense undergrowth of Chaparral.

North between sections 7 and 8. Var. 14° 26' East
 Ascending.

17.50 Top of ridge bears East and West and descend.

40.00 Set granite stone 12 x 9 x 8 in., 7 in. in the ground
 for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on West face and raised
 mound of stone alongside.

42.00 Enter San Dimas Canyon, course Southwest.

43.40 San Dimas Creek 14 links wide, course Southwest.

44.90 Leave Canyon course Southwest and ascend.

80.00 Set granite stone 16 x 11 x 9 in., 11 in. in the ground
 for corner to sections 5, 6, 7 and 8, marked with 5
 notches on South and East edges and raised mound of
 stone alongside.
 Pits impracticable.
 Land mountainous. Soil second rate.
 Timber Pine and Oak in ravines.
 Dense undergrowth of Chaparral.

East on a random line between section 5 and 8.
 Var. 14° 26' East

40.00 Set temporary $\frac{1}{4}$ section corner.

80.00 Intersect North and South line at the corner to
 sections 4, 5, 8 and 9
 Thence I run
 West on a true line between sections 5 and 8 with same

variations. Descend.

- 38.00 Foot of ridge bears Northeast and Southwest and enter San Dimas Canyon, course Southwest.
- 39.12 San Dimas Creek 10 links wide, course Southwest.
- 40.00 Set a granite stone 14 x 11 x 7 in., 9 in. in the ground for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on North face and raised mound of stone alongside.
- Pits impracticable.
- 41.50 Leave Canyon, course Southwest and ascend.
- 65.00 Top of spur and descend.
- 80.00 The corner to sections 6, 5, 7 and 8.
Land mountainous. Soil second rate.
Timber Pine and Oak in the ravines.
Dense undergrowth of Chaparral.
-
- North on a random line between sections 5 and 6.
Var. 14° 26' East
- 40.00 Set temporary $\frac{1}{4}$ section corner.
- 79.90 Intersect the North boundary at 28 links West of corner to sections 5, 6, 31 and 32
- Thence I run
South 0° 12' West on a true line between sections 5 and 6 with the same variations.
Ascend.
- 26.00 Top of ridge bears East and West and descend.
- 39.90 Set sand stone 14 x 9 x 7 in., 9 in. in the ground for $\frac{1}{4}$ section corner marked $\frac{1}{4}$ on West face and raised mound of stone alongside.
- Pits impracticable.
- 42.50 Gulch 50 links wide, course West and ascend.
- 63.50 Top of ridge bears Northeast and Southwest and descend.
- 79.90 The corner to sections 5, 6, 7 and 8.
Land mountainous. Soil second rate. Timber Pine and Oak in Ravines. Dense undergrowth of Chaparral.