

FIELD NOTES

Township 5 North Range 9 West

S. B. M.

Sections 19, 20, 21, 22,

27, 26 & 25.

	R.9W.						
	6	5	4	3	2	1	
	7	8	9	10	11	12	
	18	17	16	15	14	13	
T.5N	¹² 19	¹¹ 20	⁹ 21	⁷ 22	⁵ 23	² 24	T.5N
	¹⁰ 30	¹⁰ 29	⁸ 28	⁶ 27	⁴ 26	² 25	
	31	32	33	⁵ 34	³ 35	² 36	
	R.9W.						

Hancock 1855

T. 5 N., R. 9 W. S.B.B.& M.

East Boundary

North on west boundary of section 31

80.00 Set a post and charred stake in mound with trench and pits
as per instructions, corner of sections 25, 30, 36 and 31
Uniform slope to the north
Soil third rate.

North on the west boundary of section 30

10.00 Cross dry arroyo 50 lks. wide, course NE

40.00 Set $\frac{1}{4}$ section post and charred stake in mound with
trench and pits as per instructions

45.00 Cross dry bed of arroyo 13 lks. wide, banks 3 ft. high course NE

80.00 Set a section post and charred stake in mound with
trench and pits as per instructions corner to sections
19, 24, 25 and 30
Same as last mile.

WEST BOUNDARY GIVEN

IN THE NOTES OF T. 5 N., R. 10 W. S.B.M.

SUBDIVISIONS

North on a true line between sections 35 and 36

Var. 14°08' E.

80.00 Drove section post and charred stake and dig trench
as per instructions corner of sections 25, 36, 35 and 26
From which a spanish bayonet 10 in. dia. brs. S. 59° E.
dist. 194 lks.
Spanish bayonet 10 in. dia. S. 3° W. dist. 121 lks.
Timber scattering cedar.

T. 5 N., R. 9 W. S.B.M.

Land sloping north.

Soil second rate.

East on a random line between sections 25 and 36

Var. 14°08' E.

- 14.50 Cross dry arroyo 20 lks. wide, course north
- 37.00 Cross dry arroyo 15 lks. wide, course north
- 40.00 Set temporary $\frac{1}{4}$ section post
- 58.00 Cross dry arroyo 12 lks. wide, course north
- 79.70 Intersect the east boundary 24 lks. north of corner to sections 25 and 36,

From which I run

West on a true line between sections 25 and 36

Var. 13°58' E.

- 39.85 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.
- 79.70 To corner to sections 25, 36, 35 and 36

Land undulating.

Soil second rate.

Vegetation principally chamisal and bunchgrass.

North between sections 25 and 26.

Var. 14°08' E.

- 26.00 Cross dry arroyo 20 lks. wide, course NW
 - 40.00 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions
 - 80.00 Set section post and charred stake in mound with trench and pits as per instructions corner to sections 23, 24, 25 and 26.
- Land gently rolling and sloping to the north.
Soil second rate.

East on a random line between sections 24 and 25.

Var. 14°08' E.

T. 5 N. R. 9 W. S.B.M.

- 21.25 Cross dry arroyo 20 lks. wide, course north
- 34.00 Cross dry arroyo 30 lks. wide, course NW
- 40.00 Set temporary $\frac{1}{4}$ section.
- 63.50 Cross dry arroyo 40 lks. wide, course north
- 75.00 Cross dry arroyo 30 lks. wide, course north
- 79.72 Intersect the east boundary 8 lks. south of corner to sections 24 and 25,
From which I run
West on a true line between sections 24 and 25
Var. $14^{\circ}11'$ E.
- 39.86 Drove $\frac{1}{4}$ section post and charred stake and dug trench as per instructions,
From which a spanish bayonet 6 in. dia. brs. N. 80° W.
dist. 170 lks.
- 79.72 To corner to sections 23, 24, 25 and 26.
Land gently undulating and sloping to the north.
Soil second rate.
-
- North between sections 34 and 35.
Var. $14^{\circ}08'$ E.
- 80.00 Set section post and charred stake in mound with trench and pits as per instructions corner to sections 26, 27, 34 and 35
Land sloping to the north.
Soil mostly second rate.
-
- East on a random line between sections 26 and 35.
Var. $14^{\circ}08'$ E.
- 40.00 Set temporary $\frac{1}{4}$ section post.
- 47.00 Cross dry arroyo 25 lks. wide, course north
- 80.73 Intersect the N and S. line 50 lks. N. of corner to sections 25, 26, 35 and 36,
From which I run
West on a true line between sections 26 and 35

T. 5 N., R. 9 W. S.B.M.

Var. 13°47' E.

40.11½ Set ¼ section post and charred stake in mound with trench and pits as per instructions.

80.23 To corner to sections 26, 27, 34 and 35
Land sloping to the NW
Soil for the most part second rate.

North between sections 26 and 27

Var. 14°08' E.

39.00 Cross dry arroyo 25 lks. wide,

40.00 Drove ¼ section post and charred stake and dug trench as per instructions

From which a Spanish Bayonet 10 in. dia. brs. N. 80° E. dist. 139 lks.

80.00 Set sections post and charred stake in mound with trench and pits as per instructions corner to sections 22, 23, 26 and 27.

Land sloping to the NW
Soil second rate.

East on a random line between sections 23 and 26

Var. 14°00' E.

40.00 Set temporary ¼ section corner.

80.02 Intersect the N and S line 40 lks. N. of sections 23, 24, 25 and 26,

From which I run

West on a true line between sections 23 and 26

Var. 13° 51' E.

40.01 Set ¼ section post and charred stake in mound with trench as per instructions.

80.02 To corner to sections 22, 23, 26 and 27.
Land generally sloping west
Soil first rate from west part.

T. 5 N., R. 9 W. S.B.M.

North between sections 22 and 23

Var. 14°08' E.

- 40.00 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.
- 65.00 Local attraction diminished the variation 1°16'
- 72.50 Cross dry arroyo 1 ch. wide, course NW
- 80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of sections 14, 15, 22 and 23.
- First $\frac{1}{2}$ mile level land.
- Soil second rate.
- Last half mile broken, bunch of low table land.
- Soil second rate and pebbly.

North between sections 33 and 34

Var. 14°08' E.

- 80.00 Drove section post and charred stake and dug trench and pits as per instructions corner of sections 27, 28, 33 and 34
- From which a Spanish bayonet 12 in. dia. hrs. N. 13° E.,
- Dist 53 lks.
- Spanish Bayonet 12 in. dia. S. 29° W.
- No links given
- Soil second rate, but stoney.

East on a random line between sections 27 and 34

Var. 14°08' E.

- 40.00 Set temporary $\frac{1}{4}$ section corner.
- 80.11 Intersect the N and S line 72 lks. N. of corner to sections 26, 27, 34 and 35.
- From which I run west on a true line between sections 27 and 34
- Var. 13°57' E.
- 40.05 $\frac{1}{2}$ Set $\frac{1}{4}$ section post and charred stake in mound with

trench and pits as per instructions.

80.11 To corner to sections 27, 28, 33 and 34.

Land gently rolling sloping to the NW

Soil second rate.

North between sections 27 and 28

Var. $14^{\circ}08'$ E.

40.00 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.

80.00 Set section post and charred stake in mound with trench and pits as per instructions, corner of sections 21, 22, 27 and 28,

Soil gently sloping to the NW

Soil generally second rate.

East on a random line between sections 22 and 27

Var. $14^{\circ}08'$ E.

10.50 Cross ravine 1 ch. wide, course north

40.00 Set temporary $\frac{1}{4}$ section post.

72.00 Cross dry arroyo 1 ch. wide, course north.

80.29 Intersect the N and S line 3 lks. south of corner of sections 22, 23, 26 and 27,

From which I run west on a true line between sections 22 and 27

Var. $14^{\circ}07'$ E.

40.10 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.

80.29 To corner to sections 21, 22, 27 and 28

Land undulating and sloping to north.

Soil second rate, redish and pebbly.

North between sections 21 and 22

Var. $14^{\circ}08'$ E.

40.00 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions

80.00 Set section post and charred stake in mound with trench and pits as per instructions corner to sections 15, 16, 21 and 22.
Land level.
Soil second rate generally.
At 13 chs. the variation summed diminished $4\frac{1}{2}^{\circ}$ at 25 chs. 3° and at 35 chs. 1°
Land stoney.

East on a random line between sections 15 and 22

Var. $14^{\circ}08'$ E.

16.00 Cross ravine 1 ch. wide, course north
28.00 Cross ravine 1 ch. wide, 10 ft. deep, course north
34.50 Cross another ravine 2 chs. from bank to bank and arroyo (dry) 15 chs. wide, course NW
40.00 Set temporary $\frac{1}{4}$ section post.
54.00 Cross ravine 1 ch. wide, course north
66.00 Cross dry arroyo 12 lks. wide, course north.
74.50 Cross dry arroyo 15 lks. wide, course NW
80.40 Intersect the N and S line 88 lks. N. of corner to sections 14, 15, 22 and 23
From which I run west on a true line between sections 15 and 22
Var. $13^{\circ}30'$ E.
40.20 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.
80.40 To corner to sections 15, 16, 21 and 22.
Land broken and stoney.
Soil apparantly aurifarous

North between sections 28 and 29

Var. $14^{\circ}08'$ E.

80.00 Set section post and charred stake in mound with trench and pits as per instructions corner to sections 20, 21,

28 and 29.

Land sloping to the NW

Soil second rate.

East on a random line between sections 21 and 28

Var. 14°08' E.

40.00 Set temporary $\frac{1}{4}$ section post in dry arroyo 20 lks. wide,
course north.

79.43 Intersect the N and S. line 54 lks. N. of corner to
sections 21, 22, 27 and 28,

From which corner I run west on a true line between sections 21 & 28

Var. 13°45' E.

39.71 $\frac{1}{2}$ Drove $\frac{1}{4}$ section post and charred stake

From which a spanish bayonet 6 in. dia. brs. S. 79° E.,
dist. 122 lks.

Spanish Bayonet 7 in. dia. N. 34° E., dist. 217 lks.

79.43 To corner to sections 20, 21, 28 and 29.

First half mile pebbly.

Land undulating and sloping to the NW soil second rate.

North between sections 20 and 21

Var. 14°08' E.

40.00 Drove $\frac{1}{4}$ section post and charred stake from which a
Spanish Bayonet 8 in. dia. N. 87 $\frac{1}{2}$ ° W., dist. 32 lks.

Spanish bayonet 8 in. dia. S. 37° E., dist. 71 lks.

57.67 Spanish bayonet 12 in. dia. on line.

80.00 Drove section post and charred stake and dug trench
and pits as per instruction corner to sections 16, 17, 20 and 21

T. 5 N., R. 9 W., S.B.M.

Spanish bayonet 12 in. dia. brs. $87\frac{1}{2}^{\circ}$ W. dist. 117 lks.

Spanish bayonet 11 in. dia. N. $33\frac{1}{2}^{\circ}$ E., dist. 142 lks.

Land undulating and inclined to the NW

Soil second rate.

East on a random line between sections 16 and 21

Var. $14^{\circ}08'$ E.

40.00 Set temporary $\frac{1}{4}$ section post in a dry arroyo course
N. 20 lks. wide.

75.00 Cross dry arroyo 20 lks. wide, course north

79.59 Intersect the N and S. line 8 lks. N. of corner to
sections 15, 16, 21 and 22

From which corner I run west on a true line between sections 16 and 21

Var. $14^{\circ}05'$ E.

39.79 $\frac{1}{2}$ Set $\frac{1}{4}$ section post and charred stake in mound with trench and
pits as per instructions

79.59 To corner to sections 16, 17, 20 and 21

Land undulating and sloping gently to the NW

First 50 chs. pebbly.

Soil generally second rate.

North between sections 29 and 30.

Var. $14^{\circ}08'$ E.

80.00 Drove section post and charred stake

From which a Spanish Bayonet 10 in. dia. brs. N. 47° W. dist. 107 lks.

Spanish Bayonet 10 in. dia. brs. S. 15° W. dist. 215 lks.

Spanish Bayonet 6 in. dia. S. $30\frac{1}{2}^{\circ}$ E., dist. not given

Spanish Bayonet 5 in. N. $41\frac{1}{2}^{\circ}$ E., dist. 72 lks.

corner of sections 19, 20, 29 and ³20.

Soil third rate.

Consisting mostly of rocky flats.

East on a random line between sections 20 and 29

Var. 14°08' E.

- 19.50 Cross dry and rocky bed of stream 1 ch. wide, course NE
29.00 Cross another dry and rocky bed of stream 5 ch. wide,
course NE
40.009 Set temporary $\frac{1}{4}$ section corner
43.00 To top of bank some 5 ft. high, course NE
80.93 Intersect the N and S line at post corner to sections 20,
21, 28 and 29,
From which I run west on a true line between sections 20 and 29

Var. 14°08' E.

- 40.46 $\frac{1}{2}$ Set $\frac{1}{4}$ section post and charred stake in mound with
trench and pits as per instructions.
80.93 To corner to sections 19, 20, 29 and 30
First half mile arable land sloping to the N and S
Soil second rate but inclined to be sandy.
Last half mile rock and pebbly flat.

West on a random line between sections 19 and 30

Var. 14°08' E.

- 20.00 Cross rock and dry bed of arroyo 5 chs. wide, course NE
40.00 Set temporary $\frac{1}{4}$ section post
62.50 Cross Rio Del Slano same size as formerly, course N.
78.42 Intersect the W. boundary 15 lks. S. of the corner
to sections 19, 24, 25 and 30
From which I run east on a true line between sections 19 and 30

Var. 13°03' E.

- 38.42 Set $\frac{1}{4}$ section post and charred stake
From which a

Cedar 4 in. dia. S. $37\frac{1}{2}^{\circ}$ E., Dist. 65 lks.

Cedar 5 in. dia. N. $23\frac{1}{2}^{\circ}$ W., Dist. 88 lks.

78.42

To corner to sections 19, 20, 30 and 39

Land mostly rocky and unfit for cultivation

Near the center of the SW $\frac{1}{4}$ of section 30 there is a circular hill of an oval shape and of various colours owing to the intensity of the heat which the rock has some day been exposed, dia. of base of hill about 20 chs. it's height some 80 ft.

North between sections 19 and 20

Var. $14^{\circ}08'$ E.

40.00 Set $\frac{1}{4}$ section post and charred stake in a rock mound 5 ft. base.

80.00 Set section post and charred stake in a rock mound of 5 ft. base corner to sections 17, 18, 19 and 20

Land sloping to the north

Soil third rate reddish earth and pebbly and in places small rocks.

East on a random line between sections 17 and 20

Var. $14^{\circ}08'$ E.

18.00 To dry bed of river rocky.

30.00 Cross same course north.

40.00 Set temporary $\frac{1}{4}$ section post.

49.00 Cross another dry bed of river and channel 6 chs. wide course north

60.00 Leave river bottom.

80.89 Intersect the N and S line 20 lks. N. of corner to Sections 16, 17, 20 and 21

From which I run west on a true line between sections 17 and 20

Var. $14^{\circ}17'$ E.

40.44 $\frac{1}{2}$ Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.

80.89 To corner to sections 17, 18, 19 and 20
Soil of first $\frac{1}{4}$ mile second rate, last $\frac{3}{4}$ mile third rate.
Land mostly level.

West on a random line between sections 18 and 19

Var. $14^{\circ}08'$ E.

36.00 Cross dry bed of rock arroyo 5 chs. wide, to north

40.00 Set temporary $\frac{1}{4}$ section corner.

50.00 Leave rocky portion for Rio bottom.

78.12 Intersect the W. boundary 169 lks. S. of corner to sections 13, 18, 19 and 24

From which I run east on a true line between sections 18 and 19

Var. $12^{\circ}56'$ E.

38.12 Set $\frac{1}{4}$ section post and charred stake in mound of rock 4 ft. base.

78.12 To corner to sections 17, 18, 19 and 20
Land mostly level.
Soil third rate and rocky.

Henry Hancock.

1855