

FIELD NOTES

EAST BOUNDARY OF

T. 5 N. R. 8 W.

S.B.M.

		R. 7 W.	
T. 5 N.	26	5	1
	27	8	1
	28	17	1
	29	20	1
	30	29	1
	31	32	1

EAST BOUNDARY

North on West boundary of section 31, T. 5 N., R. 7 W.

- 8.50 Cross dry arroyo 10 lks. wide course NE
32.00 Cross dry arroyo 20 lks. wide course NE
40.00 Drive $\frac{1}{4}$ section post and charred stake

From which a

Spanish Bayonet 5 ins. dia. brs. N. 80° E., 89 lks.

Spanish Bayonet 5 ins. dia. brs. N. $62\frac{1}{2}^{\circ}$ W., 71 lks.

- 80.00 Set section post and charred stake in mound with
trench and pits as per instructions corner of sections 25,
30, 31 and 36,

Soil second rate.

A light colored sand loam mixed with lime.

Undulating and gently sloping North.

First half mile Cedar.

Last none.

-0-

North on West boundary of section 30

- 13.00 Cross dry arroyo 12 lks. wide course NE
40.00 Drive $\frac{1}{4}$ section post and charred stake and dig trench
as per instructions,

From which a

Spanish Bayonet 8 ins. dia. brs. S. 29° W. 9 lks.

- 42.52 To a Spanish Bayonet 10 ins. dia. on line.

- 80.00 Set section post and charred stake in mound with trench
and pits as per instructions corner of section 19, 24,
25 and 30,

Same as last mile save that there is no Cedar and the
soil is becoming compact.

-0-

N. on W. boundary of sections 19

- 40.00 Drive $\frac{1}{4}$ section post and charred stake

From which bears a

Spanish Bayonet 10 ins. dia. N. 54° E., 96 lks.
Spanish Bayonet 10 ins. dia. N. 10° W., No. dist.

80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of sections 13, 18, 19 and 24. Same as last mile.

Monday July 2,

-o-

N. on West boundary of section 18

39.00 Cross dry arroyo 20 lks. wide, course NW

40.00 Drive $\frac{1}{4}$ section post and charred stake,

From which brs. a

Spanish Bayonet 11 ins. dia. N. 16° E., 192 lks.

80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of section 7, 12, 13 and 18.

Same as last mile.

-o-

North on West boundary of sections 7

40.00 Drive $\frac{1}{4}$ section post and charred stake and dig trench and pits as per instructions,

From which bears a

Spanish Bayonet 11 ins. dia. N. 64° E. 155 lks.

80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of sections 1, 6, 7 and 12.

Same as last mile.

-o-

North on West boundary of section 6

36.00 Cross dry arroyo 30 lks. wide course NW

40.00 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions on North side of gulley 12 lks. wide course NW

86.23 Intersect the First Standard North 29.95 lks. E. of the 42nd mile S. C. as established by Col. R. Norrise and set Tp Post (C.C.) and charred stake in mound etc., Corner to T. 5 N., R. 7 and 8 W., S.B.M.

Henry Hancock, 1855.