



Tp. 3 N., R. 8 W., S. B. M.

CHAINS:  
50.30

The corner to Secs. 15, 16, 21 and 22.  
Land mountainous.  
Soil 3rd rate.  
Timber Pine and Oak on River.  
Dense Undergrowth of Chaparral.

-----  
North between Sections 15 and 16.  
Var. 14° 25' E.

9.00 Ascend along W. slope of ridge.  
Top of Ridge, bears N. and S. 5° E.  
Thence,  
Along summit.  
27.00 Leave summit bears N. 15° E. and S. and descend.  
40.00 Set granite stone 14 x 11 x 7 ins. 9 ins. in the ground for  $\frac{1}{4}$  sec.  
corner marked  $\frac{1}{4}$  on W. face and raised a mound of stone alongside.  
Pits impracticable.  
50.00 Set sand rock 15 x 12 x 4 ins. 13 ins. in the ground for cor. to  
Sections 9, 10, 15 and 16, marked with 4 notches on the South and 3  
Notches on the E. edges and raised mound of stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

March 17th, 1884.

-----  
East on a random line between Secs. 10 and 15,  
Var. 14° 25' E.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
74.44 Intersect N. & S. line 18 lks. S. of Cor. to Secs. 10, 11, 14 and 15,  
which is a granite stone 8 ins. above ground marked with 4 notches  
on the S. and 2 notches on the E. edges with mound of stone alongside.  
Thence I run,  
S. 89° 52' West on a true line bet. Sections 10 and 15,  
Var. 14° 25' East.

3.00 Descend.  
Gulch 20 lks. wide course S. 10° W. and  
Ascend.  
15.00 Top of Ridge bears N. 15° E. and S. 15° W. and descend.  
29.00 San Gabriel River 40 lks. wide, course S. 30° W. in canon 1.90 ch.  
wide, course S. 30° W. and ascend.  
37.22 Set granite stone 15 x 14 x 3 ins. 10 ins. in the ground for  $\frac{1}{4}$  sec.  
corner marked  $\frac{1}{4}$  on N. face and raised a mound of stone alongside.  
Pits impracticable.  
59.00 Top of Ridge bears N. 15° E. and S. 15° W. and descend.  
74.44 The cor. to Secs. 9, 10, 15 and 16.  
Land mountainous.  
Soil 3rd rate.  
Timber Pine and Oak along River.  
Dense undergrowth of Chaparral.

-----  
North on a random line between Secs. 9 and 10.  
Va. 14° 25' E.  
40.55 To a point 5.8 chs. East of  $\frac{1}{4}$  sec. cor. which is a granite stone  
5 ins. above ground, marked with  $\frac{1}{4}$  on W. face, with mound of stone  
alongside.

CHAINS:

Tp. 3 N., R. 8 W., S. E. M.

Thence I run,  
S. 7° 15' East on a true line between Secs. 9 and 10,  
Var. 14° 28' E.

Descend.

2.00  
17.60  
27.60  
40.55

Ravine 60 lks. wide, course S.W. and ascend.  
Point of spur bears S. 50° W. and descend.  
Gulch, 30 lks. wide, course S. 50° W. and ascend.  
The corner to Secs. 9, 10, 15 and 16.  
Land mountainous.  
Soil 3rd rate.  
Timber Pine and Rock in ravine.  
Dense undergrowth of chaparral.

-----

From the established cor. to Sections 32, 33, 4 and 5, on the S.  
Boundary of Tp. I run,  
North between Sections 32 and 33  
Var. 14° 28' E.

Descend.

2.75  
13.50  
27.00

Ravine 1.30 ch. wide, course West and ascend.  
Point of spur bears West and descend.  
San Gabriel River 75 lks. wide.  
Course S.W. in canon, 3.80 chs. wide, course S.W. and ascend.  
Set granite stone 24 x 12 x 6 ins. 15 ins. in the ground for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on W. face and raised mound of stone alongside.  
Pits impracticable.  
Point of spur bears S.W. and descend.  
Set granite rock 13 x 12 x 6 ins. 8 ins. in the ground for corner  
to Sections 28, 29, 32 and 33, marked with 1 notch on the S. and 4  
notches on the E. edges and raised mound of stone alongside. Pits  
impracticable.  
Land mountainous.  
Soil 2nd rate.  
Timber Pine and Oak along river.  
Dense undergrowth of chaparral.

56.70  
67.80

-----

East on a random between Secs. 28 and 33.  
Var. 14° 28' E.

40.00  
80.50

Set temporary  $\frac{1}{4}$  sec. cor.  
Intersect N. and S. line 14 lks. S. of cor. to Secs. 27, 28, 33 and  
34.

Thence, I run  
S. 89° 54' West on a true line between Sections 28 and 33.  
Var. 14° 28' E.

13.30  
40.25

Descend.  
Leave timber bears N. and S. about 15 chs.  
Set granite stone 20 x 10 x 9 ins. 15 ins. in the ground for  $\frac{1}{4}$  Sec.  
Cor., marked  $\frac{1}{4}$  on N. face and raised mound of stone alongside.  
Pits impracticable.

47.50  
66.00  
80.50

San Gabriel River 70 lks. wide, course S. 20° W. in canon 3.00 chs.  
wide, course S. 20° W. and ascend.  
Top of spur bears S. and descend.  
The cor. to Secs. 28, 29, 32 and 33.  
Land mountainous.  
Soil 3rd rate.  
Timber Pine and Oak 13.30 chs.  
Dense undergrowth of chaparral 66.70

-----

T. 3 N., R. 8 W., S. B. M.

North between Sections 28 and 29.

Var. 14° 28' E.

Descend.

9.50

Gulch 30 lks. wide.

Course West and ascend.

40.00

Set granite stone 16 x 11 x 5 ins. 11 ins. in the ground for  $\frac{1}{4}$  sec. corner marked  $\frac{1}{4}$  on W. face and raised mound of stone alongside.

Pits impracticable.

42.50

Top of spur bears S. 40° W. and descend.

50.00

Set sand stone 17 x 12 x 5 ins. 12 ins. in the ground for corner to Sections 20, 21, 28 and 29, marked with 2 notches on the S. and 4 notches on the E. edges, and raised mound of stone alongside.

Pits impracticable.

Land mountainous.

Soil 3rd rate.

Timber none.

Dense undergrowth of chaparral.

-----  
East on a random line bet. Sections 21 and 28.

Var. 14° 28' E.  
-----

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

79.94

Intersect N. and S. line 21 lks. S. of corner to Sections 21, 22, 27 and 28.

Thence Run

S. 59° 51' West on a true line bet. Secs. 21 and 28.

Var. 14° 28' E.

Ascend.

1.50

Summit of Ridge, bears N. and S. and

Ascend.

16.50

Ravine 80 lks. wide, course S. and ascend.

21.00

Point of spur bears S.E. and descend.

30.00

Gulch 30 lks. wide, course S.E. and ascend.

39.97

Set granite stone 14 x 10 x 6 ins. 9 ins. in the ground for  $\frac{1}{4}$  sec. corner, marked  $\frac{1}{4}$  on N. face and raised mound of stone alongside.

Pits impracticable.

55.00

Top of ridge bears N. & S. and descend.

79.94

The cor. to Secs. 20, 21, 28 and 29.

Land mountainous.

Soil 3rd rate.

Timber none.

Dense undergrowth of chaparral.

March 18th, 1884  
-----

North between Sections 20 and 21.

Var. 14° 28' E.

Descend.

19.00

Gulch 35 lks. wide, course S. 50° W. and ascend.

40.00

Set sand stone 23 x 16 x 4 ins. 18 ins. in the ground for  $\frac{1}{4}$  sec. corner, marked  $\frac{1}{4}$  on W. face and raised mound of stone alongside.

Pits impracticable.

59.00

Top of spur bears S.W. and descend.

80.00

Set sand rock 26 x 13 x 7 ins. 18 ins. in the ground for corner to Secs. 16, 17, 20 and 21, marked with 3 notches on the S. and 4

Tp. 3 N., R. 8 W., S. B. M.

notches on the E. edges and dug pits 18 x 18 x 12 ins. in each Sec 5 $\frac{1}{2}$  ft. dist., and raised mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base alongside.  
Land mountainous.  
Soil 3rd rate.  
Timber none, dense undergrowth of chaparral.

-----  
East on a random line between Sections 16 and 21.  
Var. 14° 28' E.

-----  
40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
80.10 Intersect N. and S. line 18 lks. N. of Cor. to Sections 15, 16, 21 & 22,  
Thence I run,  
N. 89° 52' West on a true line bet. Secs. 16 and 21.  
Var. 14° 28' E.

40.05 Descend.  
Set sand stone 15 x 11 x 7 ins. 10 ins. in the ground for  $\frac{1}{4}$  Sec.  
Cor. marked  $\frac{1}{4}$  on N. face and raised mound of stone alongside.  
Pits impracticable.  
48.00 Ravine 50 lks. wide, course S. 5° W. and ascend.  
69.00 Summit of ridge bears N. and S. and descend.  
80.10 The cor. to Secs. 16, 17, 20 and 21.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
North between Sections 16 and 17.  
Var. 14° 28' E.

11.00 Descend.  
36.00 Gulch 40 lks. wide, course S. 50° W. and ascend.  
40.00 Top of Ridge, bears N.E. and S.W. and descend.  
Set granite stone 19 x 11 x 8 ins. 14 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on W. face and raised mound of stone alongside.  
Pits impracticable.  
78.00 Gulch, 60 lks. wide, course S. 60° W. and ascend.  
80.00 Set sand stone 16 x 12 x 4 ins. 11 ins. in the ground for corner to Secs. 8, 9, 16 and 17, marked with 4 notches on S. and E. edges and raised mound of stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
East on a random line bet. Secs. 9 and 16.  
Var. 14° 28' E.

-----  
40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
80.22 Intersect N. and S. line 27 lks. N. of corner to Secs. 9, 10, 15 and 16.

Tp. 3 N., R. 8 W., S. B. M.

Thence I run  
N. 89° 48' West on a true line bet. Secs. 9 and 16.  
Var. 14° 28' E.  
Descend.  
15.00 Ravine 70 lks. wide, course S. and ascend.  
40.11 Set granite stone 16 x 12 x 4 ins. 11 ins. in the ground for  $\frac{1}{4}$   
sec. corner, marked  $\frac{1}{4}$  on N. face and raised mound of stone alongside.  
Pits impracticable.  
43.50 Ridge bears N. & S. and descend.  
78.00 Ravine 40 lks. wide, course S.W. and ascend.  
80.22 The corner to Secs. 8, 9, 16 and 17.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.  
March 19th, 1884.

-----  
North between Sections 8 and 9.  
Var. 14° 28' E.  
Ascend.  
30.00 Top of spur bears S. 40° W. and descend.  
40.00 Set sand stone 16 x 9 x 8 ins. 11 ins. in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on W. face and raised mound of stone alongside.  
Pits impracticable.  
60.56 Gulch 60 lks. wide, course S.W. and ascend.  
80.00 Set granite stone 19 x 11 x 4 ins. 15 ins. in the ground for  
corner to Sections 4, 5, 8 and 9, marked with 4 notches on the  
E. and 5 notches on the S. edges, and raised mound of stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
East on a random line between Secs. 4 and 9.  
Var. 14° 28' E.  
40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.  
75.45 Intersect N. and S. line 46 lks. N. of cor. to Secs. 3, 4, 9 and  
10 which is a granite stone 10 ins. above ground marked with 5  
notches on S. and 3 notches on the East edges.  
From which bears a  
Yellow Pine 48 ins. diam. N. 6 $\frac{1}{2}$ ° W. 43 lks. dist., marked Tp. 3 N.,  
R. 8 W., Sec. 4 B.T.  
Yellow Pine 12 ins. diam. S. 59 $\frac{1}{2}$ ° W. 43 lks. dist. marked Tp. 3 N.,  
R. 8 W., Sec. 9 B.T.  
Yellow Pine 10 ins. diam. N. 18° E. 80 lks. dist., marked Tp. 3 N.,  
R. 8 W., Sec. 3 B. T.  
Yellow Pine 36 in. diam. S. 67  $\frac{3}{4}$ ° E. 75 lks. dist., marked  
Tp. 3 N., R. 8 W., Sec. 10 B.T.  
Bald Peak bears S. 87° West.  
Thence I run  
N. 89° 40' West on a true line between Secs. 4 & 9.  
Var. 14° 28' E.  
Descend.  
7.50 Gulch 30 lks. wide, course South and ascend.  
37.72 Set granite stone 14 x 10 x 6 ins. 9 ins. in the ground for  $\frac{1}{4}$  Sec.  
cor. marked  $\frac{1}{4}$  on N. face and raised mound of stone alongside.  
Pits impracticable.  
55.10 Top of Ridge bears N. & S. and descend.  
63.00 Gulch 40 lks. wide, course S. 50° W. and ascend.

Tp. 3 N., R. 8 W., S. 8. N.

75.45 The corner to Secs. 4, 5, 8 and 9.  
Bald Peak bears S. 85° West.  
Land mountainous.  
Soil 3rd rate.  
Timber scattering Pine and Oak.  
Dense undergrowth of chaparral.

-----  
North on the true line between Secs. 4 and 5.  
Var. 14° 28' E.

Ascend.  
25.40 Summit of divide between Rock Creek and San Gabriel River,  
bears E. & W. and descend along ridge.  
40.00 Set granite stone 20 x 11 x 6 ins. 15 ins. in the ground for  $\frac{1}{4}$   
sec. cor., marked  $\frac{1}{4}$  on W. face and raised a mound of stone along-  
side.  
Pits impracticable.  
82.78 Intersect North boundary of Township at a point 4.80 chs. S. 87°  
20' E. of Cor. to Secs. 4, 5, 32 and 33 at point of intersection.  
Set a granite stone 19 x 12 x 6 ins. 14 ins. in ground for closing  
cor. to Secs. 4 and 5, Tp. 3 N., R. 8 W., marked C.C. with 4 notches  
on the E. and 2 notches on the West edges, and raised mound of  
stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
From the corner to Sections 31, 32, 5 and 6 on the S. boundary of  
Township, I run North between Sections 31 and 32.  
Var. 14° 28' E.

Descend.  
20.00 Gulch 20 lks. wide, course S. 60° W. and ascend.  
27.80 Set granite stone 16 x 12 x 5 ins. 11 ins. in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on W. face and raised mound of stone alongside.  
Pits impracticable.  
57.50 Top of spur bears S.W. and descend.  
67.80 Set granite stone 21 x 12 x 9 ins. 16 ins. in the ground for corner  
to Secs. 29, 30, 31 and 32, marked with 5 notches on the E. and 1  
notch on the S. edges and dug pits 18 x 18 x 12 ins. in each Sec-  
tion  $5\frac{1}{2}$  ft. dist., and raised mound of earth 2 ft. high,  $4\frac{1}{2}$  ft.  
base alongside.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
East on a random line between Secs. 29 and 32.  
Var. 14° 28' E.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
80.50 Intersect N. and S. line 30 lks. S. of Cor. to Secs. 28, 29, 32  
and 33.  
Thence I run  
S. 89° 47' West on a true line between Secs. 29 and 32.  
Var. 14° 28' E.

Descend.

Tp. 3 N., R. 8 W., S. B. M.

11.65 Ravine 80 lks. wide, course S. 10° W. and ascend.  
40.25 Set granite stone 12 x 11 x 7 ins. 7 ins. diam. the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face and raised a mound of stone alongside. Pits impracticable.  
61.00 Top of Ridge bears N. and S. and descend.  
80.50 The corner to Sections 29, 30, 31 and 32. Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of chaparral.

-----

West on a true line between Secs. 30 and 31.  
Var. 14° 28' E.

Descending.  
20.75 Ravine 60 lks. wide, course S.W. and ascend.  
40.00 Set sand stone 17 x 11 x 5 ins. 12 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face and dug pits 18 x 18 x 12 ins. E. and W. of stone  $5\frac{1}{2}$  ft. dist., and raised mound of earth  $1\frac{1}{2}$  ft. high and  $3\frac{1}{2}$  ft. base, alongside.  
52.70 Top of ridge bears N. and S. and descend.  
71.20 Ravine 1.20 ch. wide, course S.E. and ascend.  
82.14 To a point 10.76 chs. S. of cor. to Secs. 25, 30, 31 and 36, which is a post 4 x 4 ins. firmly set in large mound of rocks and marked Tp. 3 N., Sec. 30 on the N.E. R. 8 W. Sec. 30 on the S.E. Tp. 3 N., Sec. 36 on the S.W. and R. 9 W. Sec. 25 on the N.W. faces From which bears a Pine 14 ins. diam. N. 2 $\frac{1}{2}$ ° W. 1.44 chs. dist. marked T. 3 N., R. 9 W., Sec. 25 B.T. Pine 10 ins. diam. N. 40° E. 2.09 chs. dist. Marked T. 3 N., R. 8 W., Sec. 30, B. T. I destroyed the marks on N.E. and S.E. faces of post, also on B.T. to Sec. 30, and at the point of intersection set a post 4 x 4 ins.  $4\frac{1}{2}$  ft. long with marked stone 12 ins. in the ground for closing cor. to Secs. 30 and 31, marked T. 3 N., R. 8 W., C.C. on the E. Sec. 30 on N. and Sec. 31 on S. faces and dug pits 18 x 18 x 12 ins. N.S. & E. of post and raised Earth mound 2 ft. high,  $4\frac{1}{2}$  ft. base around post. Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of chaparral.

-----

North between Sections 29 and 30.  
Var. 14° 28' E.

Descend.  
20.50 Gulch 30 lks. wide, course S.W. and  
Ascend.  
40.00 Set granite stone 12 x 11 x 6 ins. 7 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face and raised mound of stone alongside. Pits impracticable.  
67.50 Top of spur bears S. 60° W. and  
Descend.

Tp. 3 N., R. 8 W., S. B. M.

50.00 Set sand stone 20 x 10 x 6 ins. 15 ins. in ground for corner to Secs. 19, 20, 29 and 30, marked with 2 notches on the S. and 5 notches on E. edges and raised mound of stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
East on a random line between Secs. 20 and 29,  
Var. 14° 28' E.

40.00 Set temporary  $\frac{1}{4}$  section cor.  
79.50 Intersect N. and S. line 10 lks. N. of corner to Secs. 20, 21, 28 & 29,  
Thence, I run  
N. 89° 56' West on a true line bet. Secs. 20 and 29,  
Var. 14° 28' E.

Descend.  
15.00 Timbered ravine 1.00 ch. wide, course S. and  
Ascend.

39.90 Set granite stone 14 x 11 x 7 ins. 9 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face and raised a mound of stone alongside.  
Pits impracticable.

60.50 Top of ridge bears N. and S. and  
Descend.

79.80 The corner to Secs. 19, 20, 29 and 30.  
Land mountainous.  
Soil 3rd rate.  
Timber Pine and Oak in ravine.  
Dense undergrowth of chaparral.

-----  
West on a true between Secs. 19 and 30.  
Var. 14° 28' E.

Descend.

20.60 Gulch 30 lks. wide, course S. 60° W. and  
Ascend.

40.00 Set sand rock 19 x 12 x 6 ins. 14 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face and raised a mound of stone alongside.  
Pits impracticable.

82.76 Intersect west boundary of Tp. at a point 10.20 chs. S. of cor. to Secs. 19, 24, 25 and 30, which is a post 4 x 4 ins. firmly set in mound of rocks marked Tp. 3 N., Sec. 19 on N.E. R. 8 W., Sec. 30 on S.E. R. 9 W. Sec. 25 on S.W. and Tp. 3 N., Sec. 24 on N.W. faces. I destroyed marks on N.E. and S.E. faces of post and at point of intersections.  
Set a granite stone 16 x 10 x 9 ins. 11 ins. in the ground for closing corner to Secs. 19 and 30, marked C.C. with 4 notches on N. and 2 notches on South edges and raised mound of stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

Tp. 3 N., R. 8 W., S. B. M.

North between Sections 19 and 20,  
Var. 14° 28' E.

- Descend.  
17.00 Head of gulch, course S.W. and  
Ascend.  
40.00 Set granite stone 14 x 9 x 6 ins. 9 ins. in the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on W. face and raised mound of stone alongside.  
Pits impracticable.  
45.05 Summit of Ridge, bears N. & S. 20° E. and along summit.  
80.00 Set granite stone 14 x 6 x 6 ins. 9 ins. in the ground for corner to  
Secs. 17, 18, 19 and 20, marked with 3 notches on S. and 5 notches  
on the East edges and raised mound of stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
East on a random line between Secs. 17 and 20  
Var. 14° 28' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
80.20 Intersect N. & S. line 33 lks. N. of corner to Secs. 17, 16, 20 and 21,  
Thence I run  
N. 59° 46' West on a true line bet. Secs. 17 and 20.  
Var. 14° 28' E.

- Descend.  
10.00 Gulch 20 lks. wide, course S.W. and  
Ascend.  
20.50 Point of spur bears S.W. and  
Descend.  
38.50 Timbered Ravine 80 lks. wide, course S. and  
Ascend.  
40.10 Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  S. on N. face  
From which bears a  
Pine 20 ins. diam. N. 33° E. 100 lks. dist.  
marked  $\frac{1}{4}$  S.B.T.  
Pine 16 ins. diam. S. 20° W. 93 lks. dist. marked  $\frac{1}{4}$  S.B.T.  
and raised mound of stone alongside.  
Pits impracticable.  
57.00 Top of spur bears S.E. and  
Descend.  
70.15 Gulch 30 lks. wide, course S.E. and  
Ascend.  
80.20 The corner to Secs. 17, 18, 19 and 20.  
Land mountainous.  
Soil 3rd rate.  
Timber Pine in Ravine.  
Dense undergrowth of chaparral.

-----  
West on a true line between Secs. 18 and 19,  
Var. 14° 28' E.

- 18.50 Descend.  
Gulch 10 lks. wide, course S.W. and  
Ascend.

Tp. 3 N., R. 8 W., S. B. M.

- 40.00 Set granite stone 14 x 10 x 9 ins. 9 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on N. face and raised mound of stone alongside.  
Pits impracticable.
- 66.20 Summit of spur, bears S. 15° W. and  
Descend.
- 83.14 Intersect West boundary of township at a point 10.52 chs. S. of corner to Sections 13, 18, 19 and 24, which is a post 4 x 4 ins. firmly set in mound of rocks and marked Tp. 3 N., Sec. 18 on N.E. R. 8 W., Sec. 19 on S.E. R. 9 W., Sec. 24 on S.W. and Tp. 3 N., Sec. 13 on N.W. faces.  
I destroyed marks on N.E. and S.E. faces of post and at point of intersection set a post 6 x 6 ins.  $4\frac{1}{2}$  ft. long with marked stone 12 ins. in the ground for closings cor. to Secs. 18 and 19, marked Tp. 3 N., R. 8 W., C.C. on the East, Sec. 18 on North and Section 19 on South faces, and raised mound of stone around post.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
North between Sections 17 and 18,  
Var. 14° 258' E.

- Along summit.
- 23.50 Leave summit and  
Descend.
- 40.00 Set granite stone 16 x 11 x 5 ins.  
11 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face and raised mound of stone alongside.  
Pits impracticable.
- 58.00 Gulch 20 lks. wide, course W. and  
Ascend.
- 70.00 Top of spur bears N. and  
Descend.
- 80.00 Set granite stone 20 x 11 x 6 ins. 15 ins. in the ground for corner to Secs. 7, 8, 17 and 18, marked with 4 notches on S. and 5 notches on the E. edges and raised mound of stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
East on a random line between Secs. 8 and 17,  
Var. 14° 28' E.

- 40.00 Set temporary  $\frac{1}{4}$  sec. corner.
- 80.41 Intersect N. and S. line 16 lks. S. of corner to Secs. 8, 9, 16 and 17.  
Thence I run  
S. 89° 53' West on a true line between Secs. 8 and 17.  
Var. 14° 28' E.  
Ascend.
- 11.00 Low point of spur, bears S. 10° W. and  
Descend.
- 21.00 Ravine 80 links wide, course S. 10° W. and  
Ascend.
- 40.11 Set sand stone 15 x 12 x 4 ins. 10 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face and raised mound of stone alongside.

Tp. 3 N., R. 8 W., S. B. M.

Pits impracticable.  
43.50 Top of spur bears S.E. and  
Descend.  
52.00 Gulch near head 10 lks. wide, course South and ascend.  
59.00 Top of ridge bears N. and S. and  
Descend.  
70.00 Gulch 10 lks. wide, course South and  
Ascend.  
80.41 The corner to Secs. 7, 8, 17 and 18  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
West on a true line bet. Secs. 7 and 18,  
Var. 14° 28' E.

Ascend.  
6.40 Top of spur bears South and  
Descend.  
18.50 Gulch 20 lks. wide, course S. and ascend.  
40.00 Set granite stone 16 x 10 x 4 ins. 11 ins. in the ground for  $\frac{1}{4}$  sec.  
corner, marked  $\frac{1}{4}$  on N. face and raised mound of stone alongside.  
Pits impracticable.  
47.60 Summit of high ridge about 300 ft. above Sec. corner, bears N. 50° E.  
and S. 50° W. and descend.  
82.50 Intersect East boundary of Township at a point 9.90 chs. South of  
Cor. to Secs. 7, 12, 13 and 18, which is a sand rock 20 x 10 x 6 ins.  
firmly set in mound of rocks and at point of intersection I set a  
granite stone 19 x 16 x 5 ins. 14 ins. in the ground for closing  
corner to Secs. 7 and 18, marked C.C. with 4 notches on S. and 2  
notches on the N. edges and raised mound of stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
North between Sections 7 and 8, Var. 14° 28' E.

Ascend.  
11.00 Top of Ridge bears N. and W. and along summit.  
26.00 Leave summit and  
Descend.  
40.00 Set sand rock 23 x 14 x 6 ins. 18 ins. in ground for  $\frac{1}{4}$  sec. corner,  
marked  $\frac{1}{4}$  on W. face and dug pits 18 x 18 x 12 ins. N. and S. of  
stone and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside.  
61.00 Gulch 10 lks. wide, course S.W. and  
Ascend.  
80.00 Set granite stone 18 x 13 x 6 ins. 13 ins. in ground for corner to  
Sections 5, 6, 7 and 8, marked with 5 notches on S. and E. edges and  
raised mound of stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

Tp. 3 N., R. 8 W., S. B. M.

East on a random line between Secs. 5 and 8,  
Var. 14° 28' E.  
40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.80 Intersect N. & S. line 25 lks. N. of corner to Secs. 4, 5, 8 and 9,  
Thence I run,  
N. 89° 45' West on a true line bet. Secs. 5 & 8,  
Var. 14° 28' E.  
Descend.  
20.40 Gulch 30 lks. wide, course South and Ascend.  
39.40 Summit of Ridge bears N. and S. and descend.  
39.90 Set granite stone 13 x 11 x 9 ins. 8 ins. in the ground for  $\frac{1}{4}$  sec.  
corner, marked  $\frac{1}{4}$  on N. face and raised mound of stone alongside.  
Pits impracticable.  
57.00 Gulch 20 lks. wide, course S. 5° E. and  
Ascend.  
69.00 Summit of Ridge bears N. & S. and  
Descend.  
75.00 Head of gulch, course S.W. and  
Ascend.  
79.90 The corner to Secs. 5, 6, 7 and 8.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.  
March 20th, 1884.

-----  
West on a true line bet. Secs. 6 and 7,  
Var. 14° 28' E.

Ascend.  
21.20 Summit of divide between San Gabriel and Rock Creek bears N. 70°  
E. and S. 70° W. and descend.  
40.00 Set granite stone 12 x 11 x 10 ins. 7 ins. in the ground for  $\frac{1}{4}$  sec.  
corner marked  $\frac{1}{4}$  on N. face and raised a mound of stone alongside.  
Pits impracticable.  
82.13 Intersect East boundary of Township at a point 10.45 chs. S. of  
corner to Sections 1, 6, 7 and 12, which is a post 4 x 4 ins. firmly  
set in mound of rocks.  
Marked,  
T. 3 N., Sec. 6 on N.E.  
R. 8 W., Sec. 7 on S.E.  
R. 9 W., Sec. 12 on S.W. and  
Tp. 3 N., Sec. 1 on N.W. faces,  
I destroyed the marks on the N.E. and S.E. faces of post also on a  
White Pine which bears S. 7° E. 10 lks. from post,  
Marked,  
Tp. 3 N., R. 8 W., Sec. 7 and  
at point of intersection set a post 4 x 4 ins. 4 $\frac{1}{2}$  ft. long with  
marked stone 12 ins. in the ground for closing corner to Secs. 6  
and 7,  
Marked,  
T. 3 N., R. 8 W.C.C. on East and Sec. 6 on N. and Sec. 7 on S. faces  
and raised mound of stone around post.  
Pits impracticable.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.

-----  
North on a true line bet. Secs. 5 and 6,  
Var. 14° 28' E.

Tp. 3 N., R. 8 W., S. B. M.

6.30 Ascend.  
Summit of divide between San Gabriel and Rock Creek, bears E. & W.  
and descend.

28.10 Gulch 10 lks. wide, near head, course N.E. and  
Ascend.

40.00 Set granite stone 16 x 11 x 7 ins. 11 ins. in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face and raised mound of stone alongside.  
Pits impracticable.

86.35 Intersect North boundary of Township at a point 4.51 chs. South  
87° 20' East of the corner to Sections 5, 6, 31 and 32 and at point  
of intersection set a granite stone 19 x 11 x 7 ins. 14 ins. in the  
ground for closing corner to Secs. 5 and 6,  
Marked,  
C.C. with 5 notches on the E. and 1 notch on the West edges and  
raised mound of stone alongside.  
Pits impracticable.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense undergrowth of chaparral.  
March 21st, 1884.

-----

GENERAL DESCRIPTION

This Township contains all mountain land. The soil classes as  
2nd and 3rd rate. The land along San Gabriel River may be classed  
as 2nd rate.

Timber both Pine and Fir of good quality is found along River and  
in all Ravines.

The Township is well watered by the San Gabriel River and its  
tributaries.

The Township is generally valuable for its Timber and Water.

RESURVEY OF E. BDY. OF

T. 3 N., R. 9 W.

- I go to the N.E. cor. of T. 3 N., R. 9 W. and from the newly established cor. I run,
- 127.86 South on random line and at  
To a point 11.93 chs. E. of the  $\frac{1}{4}$  sec. cor. upon E. side of Sec. 12, previously described, the true line connecting the two cors. will therefore be N. 5° 20' E. 128.43 chs. the proportionate distance for each 40 chs. of original dist. will be 42.81 chs. and the distance to the closing cor. of Secs. 6 and 7, will be 31.63 chs.,
- 31.63 Thence, from the  $\frac{1}{4}$  sec. cor. on E. side of Sec. 12, N. 5° 20' E. on E. bdy. of Sec. 12, descending steep rock mountain. To a narrow shelf on a perpendicular ledge 20 ft. high, at point for cor. chiseled a cross and C.C.S.6 and S.7 for closing cor. for Secs. 6 and 7, and raised a mound of stone, 2 ft. base, 1 $\frac{1}{2}$  ft. high, E. of cor.
- 42.81 Set a granite stone 18 x 18 x 6 ins., in mound of rock on steep side hill, for cor. of Secs. 1 and 12, marked with 5 notches on S. and 1 notch on N. edges; raised a mound of rock, 3 ft. base, 1 $\frac{1}{2}$  ft. high, West of cor.  
Land mountainous.  
Soil rocky.  
Timber pine.  
Mountainous land 42.81 chs.
- N. 5° 20' E. along E. bdy. of Sec. 1,  
Descending steep mountain.
- 37.00 Foot of spur and down steep slope.
- 41.00 Ravine 50 lks. wide, course N. 30° E.
- 42.81 Set an oak post, 3 ft. long, 4 ins. sq. in mound of rock, for  $\frac{1}{4}$  sec. cor. of Sec. 1, marked a cross and  $\frac{1}{4}$  S. 1 chiseled on ledge of rock on W. side of ravine, bears S. 29° 30' W. 77 lks. dist.
- Pits impracticable.
- 47.00 Enter rocky wash of ravine, course North and down the same.
- 75.00 Enter rocky wash of Big Rock creek 2 chs. wide, course N. N. 50° W. and ascend steep mountain.
- 85.62 To cor. of Tp. previously described.  
Land mountainous.  
Soil rocky, gravelly, 4th rate.  
Timber pine.  
Mountainous land 85.62 chs.

June 18th, 1900

-----