


Copied from Photographic Copies
furnished by
U.S. General Land Office,
WASHINGTON, D. C.



Blue, H. Hancock - 1868

FIELD NOTES
 OF THE SUBDIVISION OF
 TOWNSHIP No. 2, SOUTH,
 of the Base Line
 of
 RANGE NO. 11 WEST OF THE SAN BERNARDINO MERIDIAN
 by
 Henry Hancock, Dep. Sur.
 under his contract of date, January 14th, 1868.

COMMENCED JANUARY 29TH, 1868.

Having rerun the southern boundary of Section 35, I find the adjustment of the compass for subdividing the Township to be a variation of 14° East of North.

North, on a line between Secs. 35 and 36, Var. 14° E.
 Measuring from corner of Secs. 35, 36, 2 and 1, situate inside the Rancho called Santa Gertrudes confirmed to Samuel Carpenter, at 14.58 chs. intersected the North Boundary of said rancho and set a granite rock, 8 x 10 x 15 in. as per instructions at point of intersection N 51 $\frac{1}{4}$ ° E 23.29 chs. from Sta. No. 6.
 Thence North in continuation of the line between Secs. 35 and 36, thru the public land.

- 25.42 Set a granite rock 6 x 9 x 13 in. for a $\frac{1}{4}$ sec. cor. as per instructions
- 34.50 Cross a stream, 10 lks. wide, course S.W. and enter a ravine 2 $\frac{1}{2}$ chs. wide, course S.W.
- 63.00 Across ravine, 50 lks. wide, co. s.w.
- 65.42 Across valley 2.50 lks. wide, co. s.w.
 Set sandstone rock 10 x 15 x 20 in. for cor. as per instructions to Secs. 26, 25, 35, 36,
 Land of first 40 chs. undulating
 Land of last 25 chs. hilly.

East on a random line between Secs. 25 and 36,
 Var. 14° E.

- 40.00 Set a temporary rock for a temporary $\frac{1}{4}$ sec. cor. on the North face of ravine, course S.W.
- 61.25 Across ravine, 100 lks. wide, course S.W. and ascend high hill
- 80.00 To a point on the west face of a high hill from which the 3 large rocks on the north side of the road to Santa Anna or S.W. corner of the Rancho La Habra bears S. 51 $\frac{1}{4}$ ° W., and finding no corner, I set a sand stone rock 6 x 10 x 14 in. for cor. to Secs. 25, 30, 36, and 31 on the East boundary of the Township and run
 West on the true line
 between Secs. 25 and 36,
 Var. 14° E.
- 40.00 Set a cement rock 5 x 13 x 15 in. for a $\frac{1}{4}$ sec. cor. as per instructions
- 80.00 To corner to Secs. 26, 25, 35, 36
 Land rolling oat hills
 Soil 1st rate

North between Secs. 25 and 26,
 Var. 14° E.

- 40.00 Set a post and charred stake in mound with pits as per instructions for a $\frac{1}{4}$ sec. cor.
- 43.41 Across a patch of prickly pears about 1 chain in diameter.

TOWNSHIP 2 SOUTH, RANGE 11 WEST,
 SAN BERNARDINO MERIDIAN
 (continued)

67.00 Across a stream of water 12 lks. wide, with Brea or Asphaltum
 course S.W.
 80.00 Set a cement rock, 8 x 10 x 14 in for cor. to Secs. 23, 24, 26, and 25,
 as per instructions.
 Land hilly
 Soil 2nd rate.

 East on a Random line, between Secs. 24 and 25, Var. 14° E.
 36.00 Enter ravine, 2 chs. wide.
 40.00 Set a rock for temporary $\frac{1}{4}$ s. cor.
 41.00 Leave ravine S. 75° W.
 50.00 Across a prickly pear patch 100 lks. in diameter
 80.00 Intersect the east boundary of the Township, but after diligent
 search being unable to find the original mound, I replace it with
 the cor. with a sandstone 6 x 10 x 14 in. for Cor. to Secs. 24, 19, 25,
 and 30, and run
 West, on true line, between Secs. 24 and 25.
 Var. 14° E.
 40.00 Set granite rock, 8 x 12 x 14 in. as per instructions on south side
 of ravine for a $\frac{1}{4}$ sec. cor.
 80.00 To corner to Secs. 23, 24, 26 and 25,
 Land rough and hilly.
 Soil 2nd rate.

 North between Secs. 23 and 24.
 Var. 14° E.
 29.00 Across ravine, 1 chain wide, co s.W.
 40.00 Set sand stone rock, 10 x 12 x 14 in. for a $\frac{1}{4}$ sec. cor. as per instruc-
 tions.
 71.25 Enter ravine, course S.W.
 73.50 Leave same.
 80.00 Set a sand stone rock, 5 x 12 x 15 in. as per instructions on N.
 slope of hills for cor. to Secs. 14, 13, 23, 24,
 Land rough and hilly
 Soil 2d rate.

 East between Secs. 13 and 24, on true line,
 Var. 14° E.
 9.90 To forks of a ravine 1 chain wide, course southeasterly,
 12.86 Intersect the traverse line of the south boundary of the rancho
 848.76 La Puente and set a granite rock 4 x 12 x 18 in. as per instructions
 at point of intersection.

 North between Secs. 13 and 14,
 Var. 14° E.
 5.59 Set a granite rock, 5 x 8 x 14 in. at intersection of the traverse
 line of the southern boundary of the previously surveyed Rancho of
 La Puente as per instructions.

January 30, 1868.

5.59
 66
 33 54
 3 35 4
 268.94

TOWNSHIP 2 SOUTH, RANGE 11 W.
 SAN BERNARDINO M.
 (Continued)

From cor. to Secs. 34, 35, 3 and 2, I run North, Var. 14° E.
 27.09 chs. to intersection with the previously established
 northern boundary of the Tomas Colima Sanchez Tract, of the Santa
 Gertrudes Rancho, on the north side of the Road from Los Angeles
 to Santa Anna, as run by J. E. Terrell Dep. Surv. in a survey of the
 Rancho Santa Gertrudes of which the said tract is a part; ---
 the said survey of the said Dep. Surv. of the Rancho Santa Gertrudes
 having been suspended since 1860; and set a sandstone 8 x 8 x 15 in. as

per instructions,
 Thence, on line between Sections 34 and 35,
 through public land,

12.91 Set a sand stone rock 5 x 10 x 18 in. as per instructions for a $\frac{1}{4}$

sec. cor.
 52.91 Set a sandstone rock, 6 x 12 x 15 in. for cor. to Secs. 27, 26, 34, and 35, as
 per instructions. on south base of low hills ranging N.W.
 Land undulating.
 Soil 2d rate.

East on a random line between Secs. 26 and 35,
 Var. 14° E.

40.00 Set a rock for temporary $\frac{1}{4}$ sec. cor.

79.70 Intersect N. and S. line 79 links N. of Cor. to Secs. 26, 25, 35 and 36,
 from which I run,

N. 89° 26' W. on true line, between Secs. 26 and 35, Var. 14° E.

39.85 Set a cement rock, 6 x 12 x 18 in. for a $\frac{1}{4}$ sec. cor. as per instructions

79.70 To cor. to Secs. 27, 26, 34, and 35,

Land undulating and sloping S.
 Soil 2d rate.

North between Secs. 26 and 27,
 Var. 14° E.

3.00 Cross gully, 20 lks. wide, Co. S.W.

4.00 Cross gully, 20 lks. wide, Co. S.W.

40.00 Set granite rock 6 x 8 x 12 in. as per instructions for a $\frac{1}{4}$ sec. cor.

51.00 Across gully, 30 lks. wide, lined with cactus and elder bushes. Co. S.W.
 and enter high hills ranging N.W. and S.E.

80.00 Set a granite rock, 8 x 8 x 8 in. as per instructions for Cor. to
 Secs. 22, 23, 27 and 26,

Land of 1st $\frac{1}{2}$ mile gently slope to S.

Land of last $\frac{1}{2}$ mile undulating and hilly

Soil, 2nd rate.

East on a random line between Secs. 23 and 26,
 Var. 14° E.

27.75 Cross Ravine, 1 chain wide, course south.

40.00 Set a rock for temporary $\frac{1}{4}$ S. Cor.

80.43 Intersect the N. and S. line 52 lks. North of Cor. to Secs. 23, 24, 26, and
 25,

from which cor. I run,

N. 89° 38' W. on true line

between Secs. 23 and 26, Var. 14° E.

40.21 Set a sandstone rock 7 x 7 x 12 in. for a $\frac{1}{4}$ sec. cor. as per instruc-

tions.

80.43 To cor. to Secs. 22, 23, 27 and 26,

Land hilly

Soil 2d rate.

TOWNSHIP 2 SOUTH, RANGE 11 WEST,
SAN BERNARDINO MERIDIAN.
(CONTINUED)

North, bet. Secs. 22 and 23,
Var. 14° E.
40.00 Set granite rock 8 x 10 x 16 in. for a $\frac{1}{4}$ sec. cor. as per instructions.
57.50 Across ravine 2 chs. wide, co W.
80.00 Set a sandstone rock, 8 x 8 x 8 in for Cor. to Secs. 15, 14, 22, and 23,
as per instructions.
Land rough and hilly.
Soil 2nd rate.

East on a random line between Secs. 14 and 23,
Var. 14° E.
27.00 Cross ravine 1 chain wide, Co. S.W.
40.00 Set sandstone rock for temporary $\frac{1}{4}$ sec. cor.
80.67 Intersect N. and S. line 43 lks. N. of Cor. to Secs. 14, 13, 23, and 24.
from which I run
N. 89° 42' W. on a true line between Secs. 14 and 23,
Var. 14° E.
40.33 Set a sandstone rock 4 x 10 x 13 in for a $\frac{1}{4}$ sec. cor. as per instruc-
tions
80.67 To cor. to Secs. 15, 14, 22, 23,
Land rough and hilly
Soil principally 2nd rate.
January 31, 1868.

North between Secs. 14 and 15,
Var. 14° E.
35.50 Across ravine 2 chs. wide, co S. 85° W.
40.00 Set a sandstone rock 6 x 7 x 18 in. for a $\frac{1}{4}$ sec. cor. as per instruc-
tions 40 lks. S. of a sandstone rock 10 feet high.
79.98 Intersect the traverse of the southern boundary of the Rancho La
Puente and set a sandstone rock 6 x 10 x 15 in. as per instructions
at intersection

From cor. to Secs. 27, 26, 34, and 35, I run,
West on a true line
between Secs. 27 and 34, Var. 14° E.
1.50 Cross gully 10 lks. wide, co. S.W.
38.00 Across patch of plowed land, 20 chs. wide, cultivated by Ramirez.
40.00 Set a sandstone rock, 6 x 8 x 18 in. as per instructions for a $\frac{1}{4}$
se. cor.
78.00 Enter another patch of plowed ground by Ramirez, whose house is
situated some 15 chs. dist. to the S.E. of this point on N. side of
Road.
80.00 Set a sandstone rock 8 x 10 x 12 in. for Cor. to Secs. 27, 28, 33 and
34, as per instructions.
Land mostly level,
Soil 2nd rate.

From cor. to Secs. 28, 27, 33, & 34, I run South between Secs. 33 x 34,
Var. 14° E.
---.50 Set a sandstone rock 5 x 12 x 12 in. on N. side of road leading to
Santa Anna at intersection of the former survey of the North
boundary of the Rancho Santa Gertrudes.

TOWNSHIP 2 SOUTH, RANGE 11 WEST,
SAN BERNARDINO MERIDIAN.
(CONTINUED)

West on a true line between Secs. 28 and 33, Var. 14° E.
---.70 Set a granite rock, 6 x 10 x 16 in. on the N. side of the Road to Santa Anna and at intersection of the former traverse of the Northern boundary of the Rancho of Santa Gertrudes.

From Cor. to Secs. 28, 27, 33 and 34, I run
North between Secs. 27 and 28,
Var. 14° E.

19.00 Leave plowed field of Ramirez
40.00 Set a sandstone rock 6, x 7, x 18 in. at base of hills ranging NW and SE for a $\frac{1}{4}$ sec. cor. as per instructions
67.00 Enter Ravine 1 ch. wide, co. S.W.
71.00 Leave same
Enter valley
80.00 Set a granite rock 8 x 10 x 12 in. for cor. to Secs. 21, 22, 28, and 27, as per instructions.
Land of 1st $\frac{1}{2}$ mile nearly level
Land of last $\frac{1}{2}$ mile hilly
Soil 2nd rate.

East on a random line between Secs. 22 and 27,
Var. 14° E.

17.00 Ravine 1 ch. wide, Co. S.W.
40.00 Set a rock for a temporary $\frac{1}{4}$ sec. cor.
60.00 Cross a ravine 50 lks wide, co S.
78.00 Cross a ravine 50 lks. wide, co. S.
80.09 Intersect N. and S. line 69 lks. N. of Cor. to Secs. 22, 23, 27, and 26, from which cor. I run,
N. 89 $\frac{1}{2}$ ° W. on a true line
between Secs. 22 and 27, Var. 14° E.
40.04 Set a granite rock 6 x 7 x 12 in. for a $\frac{1}{4}$ Sec. Cor. as per instructions.
80.09 To cor. to Secs. 21, 22, 28 and 27
Land hilly
Soil 3rd rate.

North between Secs. 21 and 22, Var. 14° E.

14.00 Cross a gully 15 lks. wide, co. S.W. and enter hills ranging N.W. and S.E.
33.00 Across ravine 50 lks. wide, co S.W.
40.00 Set a sandstone rock 4 x 12 x 18 in. for $\frac{1}{4}$ sec. cor. as per instructions.
67.00 Across ravine 1 ch. wide, co. S.W. and woodroad.
80.00 Set a sandstone rock, 4 x 12 x 18 in. for cor. to Secs. 16, 15, 21, and 22, as per instructions
Land mostly hilly.
Soil 3rd rate.

East on a random line between Secs. 15 and 22,
Var 14° E.

35.00 To ravine, 1 ch. wide, co. S.W. and across woodroad on same course.
40.00 Set a rock for a temporary $\frac{1}{4}$ s. cor.
80.80 Intersect the N. and S. line 55 lks. N. of Cor. to Secs. 15, 14, 22, and 23. from which, I run,

TOWNSHIP 2 SOUTH, RANGE 11 WEST,
 SAN BERNARDINO MERIDIAN
 (CONTINUED)

N. 89° 47' W. on true line between Secs. 15 and 22, Var. 14° E.
 40.40 Set granite rock 8 x 8 x 18 in. for $\frac{1}{4}$ sec. cor. as per instructions!
 80.80 To cor. to Secs. 16, 15, 21, 22
 Land rough and hilly
 Soil 3rd rate.

North between Secs. 15 and 16,
 Var. 14° E.

40.00 Set a sand stone rock, 8 x 8 x 10 in. for a $\frac{1}{4}$ s. cor. as per instruc-
 tions
 62.00 Across a ravine 1 ch. wide, co S.W.
 80.00 Set a sand stone rock 7 x 9 x 20 in. as per instructions for cor. to
 Secs. 9, 10, 16, 15,
 Land broken and hilly
 Soil 3rd rate.

East on a true line between Secs. 10 and 15,
 Var. 14° E.

16.00 Across ravine 50 lks. wide, co. N.
 40.00 Set granite rock 8 x 10 x 12 in for $\frac{1}{4}$ Sec. cor. as per instructions.
 78.00 Ravine 50 lks. wide, Co. North
 79.50 Intersect the traverse, line of the South Boundary of the Rancho of
 La Puente and set a sandstone rock 8 x 12 x 18 in. as per instructions
 at intersection
 Land hilly
 Soil 3rd rate.

February 1st

North, between Secs. 9 and 10
 Var. 14° E.

1.75 Across ravine 50 lks. wide, co. S.W.
 13.00 Across ravine 50 lks. wide, co. S. 5° E. and to a perpendicular ledge of
 sandstone 30 ft. high, co. E.
 40.00 Set sandstone rock 8 x 8 x 14 in. for $\frac{1}{4}$ S. cor. as per instructions.
 51.80 Across a gully 40 lks. wide, co. W.
 80.00 Set sandstone rock 5 x 7 x 14 in. for cor. to Secs. 4, 3, 9 and 10, as per
 instructions.
 Land rough and hilly
 Soil 3rd rate.

East on true line between Secs. 3 and 10, Var. 14° E.

24.81 Intersect the traverse of the south boundary of the rancho La Puente
 and set a sandstone 6 x 14 x 16 in at point of intersection
 N. 55 $\frac{1}{4}$ ° W. 10.00 chains from Sta. No. 26 of the said Rancho.

North on a true line between Secs. 3 and 4, Var. 14° E.

17.21 Set a sandstone rock 6 x 8 x 18 in. at intersection of the traverse
 line of the south boundary of the Rancho La Puente.

TOWNSHIP 2 SOUTH, RANGE 11 WEST,
SAN BERNARDINO MERIDIAN
(CONTINUED)

15? From cor. of Secs. 21, 22, 28 and 27, I run
West on true line
between Secs. 21 and 28, Var. 14° E.
25.00 Across a gully 15 lks. wide, co S.W.
40.00 Set granite rock 8 x 8 x 16 in. for a $\frac{1}{4}$ Sec. Cor. as per instructions.
80.00 Set a granite rock 8 x 8 x 13 in. as per instructions for Cor. to Secs.
20, 21, 28 and 29,
Land mostly level.
Soil 2nd rate.

From cor. to Secs. 20, 21, 29 and 28, I run
South between Secs. 28 and 29, Var. 14° E.

27.00 Cross Road, course S.E.
40.00 Set granite rock, 6 x 7 x 13 in as per instructions for a $\frac{1}{4}$ sec. Cor.
43.10 Intersect survey of the northern boundary of a portion of the Rancho
Santa Gertrudes confirmed to Tomas Sanchez Colima S. 78 $\frac{1}{4}$ ° W. 13.00 chs.
from Sta. No. 3 of the said survey and set a rock 8 x 8 x 9 in. at point
of intersection as per instructions.
Land mostly level
Soil 2nd rate.

From cor. to Secs. 20, 21, 29 and 28, I run
North between Secs. 20 and 21, Var. 14° E.

5.00 Cross wood road, Co. N.E.
33.75 Cross stream; 12 lks. wide, Co. S.W.
40.00 Set a granite rock 8 x 8 x 12 in. per instructions for a $\frac{1}{4}$ sec. cor.
50.00 Across a gully 10 lks. wide, co S.W.
80.00 Set a granite rock, 8 x 8 x 14 in. for Cor. to Secs. 17, 16, 20, 21
Land gently sloping to S.W.
Soil 2nd rate.

East on a random line between Secs. 16 and 21, Var. 14° E.

20.00 Enter hills, ranging NW and SE
40.00 Set a rock for temporary $\frac{1}{4}$ S. Cor.
80.00 Intersect N. and S. line 53 lks. N. of cor. to Secs. 16, 15, 21, 22,
from which cor. I run
N. 89° 37' W. on a true line between Secs. 16 and 21
Var. 14° E.
40.00 Set a granite rock 8 x 8 x 12 in. for a $\frac{1}{4}$ sec. cor, as per instructions
80.00 To cor. to Secs. 17, 16, 20 and 21,
Land of 1st $\frac{3}{4}$ mile hilly
Soil 2nd rate.

North between Secs. 16 and 17
Var. 14° E.

2.50 Across stream of water 10 lks. wide, course S.W.
39.00 Across gully and water 10 lks. wide at mouth of ravine from N.E. at
base of hills. Course S East.
40.00 Set granite rock 7 x 10 x 13 in. on N.W. side of ravine for a $\frac{1}{4}$ sec. Cor.
as per instructions.
68.00 Across ravine 2 chs. wide, co. west.
80.00 To perpendicular rock of sandstone 20 ft. high and take same for cor.
to Secs. 8, 9, 17 and 16,
Land of 1st $\frac{1}{2}$ mile gently sloping S.W.
Soil 2nd rate.

TOWNSHIP 2 SOUTH, RANGE 11 WEST,
SAN BERNARDINO MERIDIAN
(CONTINUED)

- Land of 2nd $\frac{1}{2}$ mile rough and hilly. Soil 3rd rate.
East on a random line between Secs. 9 and 16, Var. 14° E.
- 24.00 Across ravine 1 ch. wide, Co. S.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.40 Intersected N. and S. line 25 lks. N. of Cor. to Secs. 9, 10, 16, and 15,
from which cor. I run
N. 89° 49' W. on true line
between Secs. 9 and 16,
Var. 14° E.
- 40.20 Set rock 6 x 8 x 12 in. for a $\frac{1}{4}$ sec. cor. as per instructions
80.40 To cor. to Secs. 8, 9, 17 and 16
Land rough and hilly
Soil 3rd rate.
-
- North between Secs. 8 and 9,
Var. 14° E.
- 40.00 Set sandstone rock 4 x 8 x 18 in. for a $\frac{1}{4}$ -sec. cor. as per instructions
53.50 Across ravine, 50 lks. wide, Co. N.E. on W. base of hills.
62.20 Across Sanjo 16 lks. wide in ravine course W.
63.00 House of the Pico Sheep Rancho 25 lks. West of line
65.50 Across slough 20 lks. wide, Co. S.W. the former bed of the San Jose
Creek
80.00 Set rock 6 x 8 x 12 in. for Cor. to Secs. 5, 4, 8, and 9, as per instruc-
tions.
Land mostly hilly.
Soil mostly 3d rate.
Except last 18.00 chains in valley which is 1st rate soil.
-
- East on a random line, between Secs. 4 and 9,
Var. 14° E.
- 19.00 Across slough, 50 lks. wide.
39.00 Leave valley and enter hills.
40.00 Set a rock for temporary $\frac{1}{4}$ sec. cor.
80.00 Intersect N. and S. line at post and run
West between Secs. 4 and 9,
Var. 14° E.
- 40.00 Set a sandstone rock 4 x 12 x 14 in. as per instructions for a $\frac{1}{4}$
sec. cor.
80.00 To cor. to Secs. 5, 4, 8 and 9,
Land of 1st $\frac{1}{2}$ mile hilly.
Soil 2nd rate.
Land of 2d $\frac{1}{2}$ mile level.
Soil 1st rate.

R E M A R K S:

In accordance with instructions, I set off the two leagues as called for in the decree of confirmation of the Rancho called (Paso de San Bartolo) under the Act of Congress approved July 23rd, 1866, as shown by the report herewith submitted and in order to complete the legal subdivisions for that purpose, I run,

- West between Secs. 20 and 29, Var. 14° E.
- 30.00 Cross Road, Co. N.W.
40.00 Set a sandstone rock 6 x 8 x 15 in. for a $\frac{1}{4}$ sec. cor. as per instruc-
tions.
Land level.
Soil 1st rate.

Feb, 5th, 1868.

TOWNSHIP 2 SOUTH, RANGE 11 WEST,
SAN BERNARDINO MERIDIAN.
(CONTINUED)

R E M A R K S

The ranch boundaries interfering with this township had all been finally settled with the exception of the eastern boundary of the Rancho "Paso de San Bartolo" which had been surveyed under instructions of J.W.Mandeville by me and returned, but had never been approved and which I have in this instance as instructed set off in conformity with the Act of Congress approved in 1866, relative to finally confirmed unsurveyed ranches.

GENERAL DESCRIPTION.

The valley portion of this township is good arable land gently sloping to the South.

The part falling on the hills is for the most part very rough with a 3rd rate soil.

Survey finished February 5th, 1868.