

DEPARTMENT OF THE INTERIOR  
 GENERAL LAND OFFICE

Public Survey Office  
 San Francisco, California.

September 23, 1930.

I, FRANK E. BARKER, do hereby certify that the annexed transcript of the field notes of survey of the East Boundary of T. 7 N., R. 19 W., S. B. M. and sections 1, 2, 11, 12, 13 and 14, of same township and range, is a true and literal exemplification of said notes, as they remain on file and of record in this office.

	34	35	36	31	
	3	2	1	6	Frank E. Barker (Sgd.) Office Cadastral Engineer for California.
	10	11	12	7	
R. 19 W.	15	14	13	18	T. 7 N., R. 18 W.
	22	23	24	19	
	27	26	25	30	
			36	31	
			1	6	T. 6 N.

W. B. T. 7 N., R. 18 W., S. B. M.

Survey made by Wm. Norway, Deputy Surveyor,  
Under contract dated October 10, 1879.

-----  
W.B. T.6 N., R.18 W., S.B.M.

North on west boundary of section 6.

\*\*\*\*\*

80.00 Set post 4 inches square, 1 foot in earth, 1 foot above  
stone mound,  $4\frac{1}{2}$  feet in diameter at base by 2 feet in  
height, for corner to Townships 6 and 7 North, Ranges  
18 and 19 West.

From which bears a

Yellow pine 10 ins. dia. N.  $80\frac{1}{2}^{\circ}$  W. 84 links distant.

-----  
N.B. T.7 N., R.18 W., S.B.M.

West on true line on north boundary of section 6.

\*\*\*\*\*

80.00 Set post 4 inches square, 1 foot in earth, 1 foot  
above earth mound,  $4\frac{1}{2}$  feet in diameter at base by 2  
feet in height and dug pits 24 x 18 x 12, 8 links dis-  
tant at 4 angles for corner to Townships 7 and 8 North,  
Ranges 18 and 19 West.

-----  
W.B. T. 7 N., R.18 W., S.B.M.

From the corner to Townships 6 and 7 North, Ranges  
18 and 19 West, I run

North on random line on west boundary of sections 31,  
30, 19, 18, 7, 6.

Variation  $14^{\circ} 25'$  East.

I set temporary half mile and mile posts at every 40  
and 80 chains and at 446.34 chains I arrive at a point  
1.08 chains east of corner to Townships 7 and 8 North,  
Ranges 18 and 19 West, which would make an error of

W. B. T. 7 N., R. 18 W., S.B.M.

33.66 chains in northing and 18 links in easting per mile.

From this corner I run

South 8' West on true line between sections 1 and 6.

Variation 14° 25' East.

Descend.

- 6.34 Set post 4 inches diameter 1 foot in earth 1 foot above stone mound 4 feet in diameter at base by 2 feet in height for quarter section corner.
- 39.00 A valley bears northwest and southeast.
- 46.34 Set post 4 inches square, 1 foot in earth 1 foot above stone mound  $4\frac{1}{2}$  feet in diameter at base by 2 ft. in height for corner to sections 6, 7, 1, 12.
- Land, mountainous.
- Soil, first and second rate.
- Timber and undergrowth of oak and chaparral.
- April 23rd, 1880.
- 
- South 8' West on true line on west boundary of section 7.
- Variation 14° 25' East.
- Through valley.
- 5.50 Cross wash, 15 links wide, course southeast.
- 25.50 Cross road bears northwest and southeast.
- 40.00 Set post 4 inches diameter 1 foot in earth 1 foot above earth mound 4 feet in diameter at base by 2 feet in height and dug pit 24 x 18 x 12, 8 links east for quarter section corner.
- 50.00 Leave valley and ascend.
- 80.00 Set post 4 inches square, 1 foot in earth 1 foot above stone mound  $4\frac{1}{2}$  feet in diameter at base by 2 feet in height for corner to sections 7, 12, 13, 18.
- Land, mostly valley, mountainous elsewhere.
- Soil, first rate.
- Timber and undergrowth of oak, cedar and chaparral.

W. B. R. 7 N., R. 18 W., S. B. M.

South 8' West on true line on west boundary of section 18.  
Variation 14° 25' East.

Descend.

40.00 Set post 4 inches diameter 1 foot in earth 1 foot above  
stone mound 4 feet in diameter at base by 2 feet in height  
for quarter section corner.

75.00 Enter canada of Peru creek bears northwest and southeast.

80.00 Set post 4 inches square, 1 foot in earth above stone  
mound 4½ feet in diameter at base by 2 feet in height  
for corner to sections 18, 19, 13, 24.

Land, mountainous.

Soil, first and second rate.

Timber and undergrowth of oak and chaparral.

-----  
South 8' West on true line on west boundary of section 19.  
Variation 14° 25' East.

Through canada.

5.50 To Peru creek 50 links wide, runs southeast.

7.50 Leave canada bears northwest and southeast and ascend.

40.00 Summit of ridge bears northwest and southeast and set  
post 4 inches diameter 1 foot in earth 1 foot above  
stone mound 4 feet in diameter at base by 2 feet in  
height for quarter section corner.

Thence descending.

59.60 Cross gulch 20 links wide, course southeast and ascend.

80.00 Set stone 20 x 12 x 9 in stone mound 4½ feet in diam-  
eter at base by 2 feet in height for corner to sections  
19, 30, 24, 25.

Land, mountainous.

Soil, second rate.

Timber and undergrowth of oak and chaparral.  
-----

W. B. T. 7 N., R. 18 W., S. B. M.

South 8' West on true line on west boundary of section 30.

Variation 14° 25' East.

Ascend.

40.00 Set post 4 inches diameter 1 foot in earth 1 foot above  
stone mound 4 feet in diameter at base by 2 feet in  
height for quarter section corner.

60.00 Summit of spur bears northeast and southwest and  
descend.

80.00 Set post 4 inches square, 1 foot in earth, 1 foot above  
stone mound, 4½ feet in diameter at base by 2 feet in  
height for corner to sections 30, 31, 25, 36.

Land, mountainous.

Soil, third rate.

Timber and undergrowth of oak and chaparral.

-----

South 8' West on true line on west boundary of section 31.

Variation 14° 25' East.

Descend.

7.75 Cross near head of gulch 10 links course northeast & ascend.

40.00 Set post 4 inches diameter 1 foot in earth, 1 foot above  
stone mound 4 feet in diameter at base by 2 feet in  
height for quarter section corner;  
from which bears a

Yellow pine 20 ins. dia. N. 80½° W. 115 links distant.

62.00 Summit of spur bears northeast and southwest and descend.

80.00 The corner to Townships 6 and 7 North, Ranges 18 and 19  
West, San Bernardino Meridian.

Land, mountainous.

Soil, second rate.

Timber and undergrowth of oak, pine and chaparral.

April 24, 1880

North Boundary T. 7 N., R. 19 W., S. B. M.

From the corner to Tps. 7 & 8 N., Rs. 18 & 19 W., I run  
West on a true line on north boundary of sec. 1.

Var. 14° 25' East.

Ascend.

- 36.50 Summit of low ridge, bears NW. and SE. and descend.  
40.00 Set post 4 ins. dia. 1 ft. in earth, 1 ft. above stone  
mound, 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$   
sec. cor.  
56.00 Enter canada bears NW. and SE.  
60.50 Leave same and ascend.  
80.00 Set post 4 in. square, 1 ft. in earth 1 ft. above stone  
mound, 4 $\frac{1}{2}$  ft. in dia. at base by 2 ft. in height for  
cor. to secs. 1, 2, 35 & 36.

Land, mountainous.

Soil, 1st & 2nd rate.

Timber and undergrowth of pine, oak & chaparral.

June 9th, 1880.

-----  
West on north boundary of Sec. 2.

Var. 14° 25' East.

Descend.

- 2.50 Enter level valley, bears N. & S.  
20.00 Cross dry wash 100 lks. wide, course S. E.  
40.00 Set post 4 in. dia. 1 ft. in earth, 1 ft. above earth  
mound 4 ft. in dia. at base by 2 ft. in height and  
dug pits 24 x 18 x 12, 8 lks. north for  $\frac{1}{4}$  sec. cor.  
49.50 Cross dry wash, 100 lks. wide, course SE.  
59.60 Cross road bears NE. and SW.  
67.50 Cross road bears SE. and NW.  
80.00 Set post 4 in. square, 1 ft. in earth, 1 ft. above stone  
mound, 4 $\frac{1}{2}$  ft. in dia. at base by 2 ft. in height for  
cor. to secs. 2, 3, 34, 35.  
Land, level valley.

T. 7 N., R. 19 W., S. B. M.

Soil, 1st and 2nd rate.

Timber and undergrowth of pine, oak, cedar and chaparral.

-----

Subdivisions

N. bet. secs. 23, 24.

\*\*\*\*\*

80.00 Set post 4 in. sq. 1 ft. in earth, 1 ft. above stone mound, 4½ ft. in dia. at base by 2 ft. in height for cor. to secs. 13, 14, 23, 24.

-----

East on random line bet. secs. 13, 24.

Var. 14° 25' E.

Ascend.

24.50 Summit of ridge bears NE. and SW. and descend.

40.00 Set temp. ¼ sec. cor.

70.00 Enter canada bears NW. and SE.

76.00 Cross Peru creek 50 lks. wide, runs S. E.

77.50 Leave canada, bears NW. and SE. and ascend.

79.90 Int. E. B. of Tp. 12 lks. S. of cor. to secs. 13 & 24, from which cor. I run

S. 89° 55' W. on a true line bet. secs. 13, 24.

Va. 14° 25' E.

39.95 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for ¼ sec. cor.

79.90 The cor. to secs. 13, 14, 23, 24.

Land, mountainous.

Soil, 2nd & 3rd rate.

Timber and undergrowth of pine, oak & chaparral.

-----

T. 7 N., R. 19 W., S. B. M.

N. bet. secs. 13 - 14.

Va. 14° 25' E.

Descend.

- 31.50 Enter canada, bears E. and W.
- 32.50 Cross Peru creek, 50 lks. wide, runs E.
- 33.00 Leave canada, bears E. and W. and ascend.
- 40.00 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor. and descend.
- 47.50 Cross ravine, 20 lks. wide, course SE. and ascend.
- 59.00 Summit of ridge bears E. and NW. and descend.
- 66.50 Cross trail bears E. and W.
- 75.00 A ravine, bears NW. and SE.
- 80.00 Set post 4 in. sq., 1 ft. in earth, 1 ft. above stone mound,  $4\frac{1}{2}$  ft. in dia. at base, <sup>by</sup> 2 ft. in height for cor. to secs. 11, 12, 13, 14.
- Land, mountainous.
- Soil, 2nd & 3rd rate.
- Timber & undergrowth of pine, oak and chaparral.
- 
- E. on a random line bet. secs. 12, 13.
- Descend. Va. 14° 25' E.
- 5.00 Cross wash, 10 lks. wide, course S.E.
- 9.50 A canada, bears N. & SE.
- 27.50 Cross trail bears N. & S.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 53.00 Cross wash, 10 lks. wide, course SW. and ascend.
- 70.75 Summit of ridge bears NE. and SW. and descend.
- 80.06 Int. E. B. of Tp. 17 lks. N. of cor. to secs. 12 & 13, from which cor. I run N. 89° 53' W. on a true line bet. secs. 12, 13.
- Va. 14° 25' E.
- 40.03 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone,

T. 7 N., R. 19 W., S. B. M.

mound, 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$   
sec. cor.

80.06 The cor. to secs. 11, 12, 13, 14.

Land, mountainous.

Soil, 2nd rate.

Timber and undergrowth of pine, oak and chaparral.

-----

N. bet. secs. 11, 12.

Va. 14° 25' E.

Descend.

16.50 Cross near head of ravine, 6 lks. wide, course S.E. &  
Ascend.

27.00 Summit of low divide, bears E. & W. and descend.

40.00 Set post, 4 in. dia. 1 ft. in earth, 1 ft. above stone  
mound, 4 ft. in dia. at base by 2 ft. in height for  
 $\frac{1}{4}$  sec. cor.

56.50 A valley, bears E. and W.

79.50 Cross road bears NW. and SE.

80.00 Set post 4 in. sq., 1 ft. in earth, 1 ft. above stone  
mound, 4 $\frac{1}{2}$  ft. in dia. at base by 2 ft. in height for  
cor. to secs. 1, 2, 11, 12.

Land, mountainous, except in valley.

Soil, 1st and 2nd rate.

Timber & undergrowth of pine, oak and chaparral.

-----

E. on a random line bet. secs. 1, 12.

Va. 14° 25' E.

Descend.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

52.45 Cross wash, 75 lks. wide, course S. E.

79.90 Int. E. B. of Tp. at the cor. of secs. 1, 12;  
from which cor. I run

T. 7 N., R. 19 W., S. B. M.

W. on a true line bet. secs. 1, 12.

Va. 14° 25' E.

39.95 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.

79.90 The cor. to secs. 1, 2, 11, 12.

Land, level.

Soil, 1st rate.

Timber and undergrowth of pine, oak and chaparral.

-----  
N. on a random line bet. secs. 1, 2.

Va. 14° 25' E.

Descend.

17.50 Cross wash with creek, 5 lks. wide, course E.

32.50 Cross wash 15 lks. wide, course S. E.

35.00 A valley bears NE. and W. and ascend.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

46.25 Int. N. B. of Tp. 16 lks. W. of cor. to secs. 1, 2, from which cor. I run

S. 12' W. on a true line bet. secs. 1, 2.

Va. 14° 25' E.

6.25 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.

46.25 The cor. to secs. 1, 2, 11, 12.

Land, mostly level.

Soil, 1st rate.

Timber & undergrowth of pine, oak & chaparral.

July 21st, 1880.  
-----

T. 7 N., R. 19 W., S. B. M.

N. bet. secs. 22, 23.

Va. 14° 25' E.

Ascend.

27.50 Summit of ridge, bears NW. and SE. and descend.  
40.00 Set post, 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor. in low sag & ascend.  
78.50 Summit of ridge bears NE. and SW. and along same.  
80.00 Set post 4 in. sq., 1 ft. in earth, 1 ft. above stone mound,  $4\frac{1}{2}$  ft. in dia. at base by 2 ft. in height for cor. to secs. 14, 15, 22, 23.  
Land, mountainous.  
Soil, 3rd rate.  
Timber & undergrowth of oak, pine and chaparral.

-----  
E. on a random line bet. secs. 14, 23.

Va. 14° 25' E.

4.50 Descend.  
27.50 Cross ravine, 20 lks. wide, course NE. and ascend.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
80.08 Int. N. & S. line 20 lks. N. of cor. to secs. 13, 14, 23, 24;  
From which cor. I run  
N. 89° 49' W. on a true line bet. secs. 14, 23.  
Va. 14° 25' E.  
40.04 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
80.08 The cor. to secs. 14, 15, 22, 23.  
Land, mountainous.  
Soil, 3rd rate.  
Timber & undergrowth of pine, oak and chaparral.

July 23rd, 1880.

T. 7 N., R. 19 W., S. B. M.

N. bet. secs. 14, 15.

Va. 14° 25' E.

1.00 Descend.  
24.50 Enter canada, bears NE. & W.  
20.00 Cross Peru creek, 75 lks. wide runs N. E.  
40.00 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor. Leave canada and ascend.  
53.00 Top of ridge bears E. and W. and descend.  
58.00 Cross ravine, 10 lks. wide, course E. and ascend.  
House bears E. about 20.00 chs. dist.  
80.00 On a summit of ridge, bears NW. and SE.  
Set post, 4 in. sq. 1 ft. in earth, 1 ft. above stone mound,  $4\frac{1}{2}$  ft. in dia. at base by 2 ft. in height for cor. to secs. 10, 11, 14, 15.  
Land, mountainous.  
Soil, 3rd rate.  
Timber & undergrowth of pine, oak & chaparral.

-----  
E. on a random line bet. secs. 11, 14.

Va. 14° 25' E.

3.50 Descend.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor. & enter canada bears NW. & SE.  
43.50 Cross wash, course SE. and road bears SE. and NW.  
44.00 Leave canada, bears NW. and SE. and ascend.  
73.50 Summit of low ridge bears N. & S. and descend.  
77.00 A canada bears N. & S. E.  
79.92 Int. N. & S. line 15 lks. S. of cor. to secs. 11, 12, 13 14; from which cor. I run  
S. 89° 54' W. on a true line bet. secs. 11, 14.  
Va. 14° 25' E.  
39.96 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for

T. 7 N., R. 19 W., S. B. M.

$\frac{1}{4}$  sec. cor.

79.92 The cor. to secs. 10, 11, 14, 15.  
Land, mountainous.  
Soil, 2nd rate.  
Timber & undergrowth of pine, oak & chaparral.

-----  
N. bet. secs. 10, 11.

Va. 14° 25' E.

6.50 Descend.  
40.00 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base, by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
41.50 Enter canada, bears NW. and SE.  
45.00 Cross road bears NW. and SE.  
46.75 Cross wash, 10 lks. wide, course SE.  
50.50 Leave canada, bears NW. and SE. and ascend.  
66.00 Summit of ridge bears NW. and SE. and descend.  
80.00 Set post 4 in. sq., 1 ft. in earth, 1 ft. above stone mound, 4 $\frac{1}{2}$  ft. in dia. at base by 2 ft. in height, for cor. to secs. 2, 3, 10, 11.  
Land, mountainous, except in canada.  
Soil, 1st and 2nd rate.  
Timber and undergrowth of pine, oak and chaparral.

-----  
E. on a random line bet. secs. 2 and 11.

Va. 14° 25' E.

Through valley.  
16.75 Cross trail bears N. S.  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
52.50 Leave valley, bears NE. and SW. and ascend.  
63.00 Top of low spur, bears NE. and SW. and descend.

T. 7 N., R. 19 W., S. B. M.

- 70.00 A valley bears N. & S.
- 73.50 A road bears NW. & E., thence along same.
- 77.00 Leave same, bears W. & SE.
- 80.06 Int. N. & S. line 20 lks. S. of cor. to secs. 1, 2, 11,  
12; from which cor. I run  
S. 89° 51' W. on a true line bet. secs. 2, 11.  
Va. 14° 25' E.
- 40.03 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone  
mound, 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$   
sec. cor.
- 80.06 The cor. to secs. 2, 3, 10, 11.  
Land, mostly level.  
Soil, 1st rate.  
Timber & undergrowth of pine, oak and chaparral.  
-----
- N. bet. secs. 2 & 3.  
Va. 14° 25' E.
- Ascend.
- 6.35 Cross road bears NE. & SW.
- 23.50 Top of low spur, bears NE. & SW. & descend.
- 30.00 A valley, bears NE. & SW.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 46.30 Int. N.E. of Tp. 18 lks. E. of cor. to secs. 2, 3,  
from which cor. I run  
S. 0° 13' E. on a true line bet. secs. 2, 3,  
Va. 14° 25' E.
- 6.30 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone  
mound, 4 ft. in dia. at base by 2 ft. in height, for  
 $\frac{1}{4}$  sec. cor.
- 46.30 The cor. to secs. 2, 3, 10, 11.  
Land, mostly level.  
Soil, 1st rate.  
Timber & undergrowth of oak, pine & chaparral.  
-----