MARGINAL MAP
SCALE - 1 INCH = 400 FT.

MARGINAL MAP
SCALE - 1 INCH = 50 FEET

MAP OF STREETS IN SECTIONS 12 & 13 T.5N.-R.11W. S.B.M. SHOWING LOCATION OF IMPROVEMENTS

COUNTY SURVEYORS MAP NO. B-750
SCALE - 1 INCH = 50. FT.
WORK ORDER NO. 107.
J.E. ROCKHOLD - COUNTY SURVEYOR.
SURVEYED - JANUARY _, 1932.
BEARINGS ARE BASED ON THE BEARING OF EAST LINE SECTION 13 T.5N.-R.11W.S.B.M. PER C.S.B 739.

F.B. 483 - 84
FIELD WORK BY ... J. D. BOYER
OFFICE WORK BY ... F. A. WOOD
CHECKED BY ... H. M. DREW

NOTE:- Sht. 65
Sht. 66

Portions of existing dedicated streets shown colored blue, are to be vacated.

FOR PROFILE OF 83Th STREET EAST SEE C.S.B-1848
FOR CROSS SECTION OF 86TH STREET EAST SEE C.S.B-1848

COUNTY SURVEYORS MAP NO. B-750

CS B-750
A1 OF A4

80 TH. ST. E.

77 TH. ST. E.

85 TH. ST. E.

AVE. T 6 S. R 2 E.

PEAR AVE.

FORT TEJON RD.

PEARBLOSSOM HWY. U 8

ORCHARD

Proposed Right of Way Line

Proposed Center Line

Proposed Right of Way Line To be Vacated

Monument Road

Old Road

Fence

Wire Fence

Wood Post

Iron Post

Set ½ SECTION CORNER Set 2"x 2" stake, by proportion, ½ mile east & ½ mile south FB 487-32,48

Set ½ SECTION CORNER Set 2"x 2" stake, by proportion, ½ mile east & ½ mile south FB 487-31,48

Set ½ SECTION CORNER By proportion, ½ mile north & ½ mile south. Set 2" iron pipe, in concrete, 18" below surface, with brass cap marked FB 487-34,40

CENTER OF SECTION Set spike, washer & tin, by intersection FB 487-32,8

Set ½ SECTION CORNER Set 2"x 2" stake, by proportion, ½ mile east & ½ mile south FB 487-32,48

Set ½ SECTION CORNER Set 2"x 2" stake, by proportion, ½ mile east & ½ mile south FB 487-32,48

Set ½ SECTION CORNER Set 2" iron pipe, in concrete, with brass cap marked FB 487-32,48

Set ½ SECTION CORNER Set 2" iron pipe in concrete with brass cap marked FB 487-32,48

Set ½ SECTION CORNER Set 2" iron pipe in concrete with brass cap marked FB 487-32,48

Set ½ SECTION CORNER Set 2"x 2" stake, by proportion, ½ mile east & ½ mile south

ST. E.

80 TH. ST. E.

80 TH.

77 TH.

AVE U

AVE T 6

AVE T

80 TH. PLACE E.

PEAR BLOSSOM HWY. U.S.

ORCHARD

PEAR

Proposed Right of Way Line

Proposed Center Line

Section Line

N 0° 01' 40" W 5286.54

E 56-175, OR 29419-327

E 56-188, OR 29310-282

E 56-188, OR 29310-287

E 56-284, OR 30316-6

E 56-91, OR 29419-200

E 56-81, OR 29419-200

E 56-75, OR 29419-327

E 102-131, OR 3217-117

E 102-203, OR 34336-193

E 102-249, OR 34462-393

E 103-146, OR 34816-359

E 103-147, OR 34816-361

E 103-147, OR 34816-361

E 103-145, OR 34816-355

E 103-143, OR 34816-379

E 103-176, OR 34828-233

E 103-268, OR 34882-393

E 107-56, OR 35622-573

E 107-66, OR 35622-573

E 107-67, OR 35622-570

E 132-138

E 132-190

E 132-208

E 132-147

E 132-192

E 132-198

E 136-66

E 136-67

E 136-68

E 136-69

E 136-70

E 136-71

E 136-72

E 136-73

E 136-74

E 136-75

E 136-76

E 136-77

E 136-78

E 136-79

E 136-80

E 136-81

E 136-82

E 136-83

E 136-84

E 136-85

E

COUNTY SURVEYORS MAP NO. B-750

80 TH. ST. E.

77 TH. ST. E.

85 TH. ST. E.

AVE

PEAR

ORCHARD

SECTION CORNER

Proposed Right of Way Line

Proposed Center Line

CS B-750

A4 OF A4