1150

1100

NOTE: No Cross-sections were taken and no grades have been established for this motorway.

1050

1000

Sta. 11+61.78 BT = End Survey
Mon. - Set 1"x2" Stake @
Mark. F.B. 671-237

S. 69° 34' 40" W.
Transit Line
4032.62

U.S.C.&G.S. TRIANGULATION STATION "DECKER"
(found standard bronze cap set in boulder, marked "DECKER-1927" F.B. 671-237

S. 20° 26' 50" W.
Center Line
888.19

MAP AND PROFILE OF

# POTRERO MOTORWAY

IN

SECTIONS 21 & 28, T.1S.-R.19W. S.B.M.

AND

LOTS 17 & 18 OF RANCHO TOPANGA MALIBU SEQUIT

COUNTY SURVEYORS MAP Nº B-1396.

SHEET Nº 2 OF 2 SHEETS

SCALES-AS SHOWN

JOB NUMBER 8135

ALFRED JONES - COUNTY SURVEYOR

SURVEYED - DEC. 1936 - DEC. 1937.

SURVEYED UPON REQUEST OF DEPT. OF THE FORESTER AND FIRE WARDEN PER RULE 21, ORD. 929 BY LETTER DATED NOV. 18, 1935. BEARINGS ARE BASED ON TRUE BEARINGS AT U.S.C.&G.S. TRIANGULATION STATION "SAGE."

F.B. 671-161-256

FIELD WORK BY. . . T.J. STEVENSON.
OFFICE WORK BY. . . . . F.A. WOOD.
C.L. KEAGLE.
CHECKED BY. . . . . K.R. McPHERSON.
M.D. DARLING.

INDEX 95.

CSB-1396-2
A1 OF A6

DATUM

ELEVATIONS SHOWN HEREON ARE BASED ON A B.M. IN ROAD DEPARTMENT L.W. 4140-7, WHICH WAS DETERMINED FROM B.M. Nº 5 L.B. 97-4 B, WHICH IS BASED ON THE U.S.G.S. ELEV. OF FORMER B.M. Nº 17 PER U.S.G.S. BULLETIN Nº 342-7 (L.B. 97 HS) (L.B. 202, 1-49)

3 2 1

TR TR

B.M. 3C ELEV. 1263.941
¾" Iron Pipe, Plug and Tack, R.P. N° 2 for P.I. N° 214 F.B. 671-252

B.M. 3D ELEV. 1166.944
¾" Iron Pipe, R.P. N° 2 for P.I. N° 218 F.B. 671-254

B.M. 3E ELEV. 1020.850
¾" Iron Pipe, East R.P. for P.O.T. Sta. 39+92.67 F.B. 671-256

IDENTICAL

IDENTICAL

SCALE~ HORIZONTAL ~ 1 INCH = 80 FT.
VERTICAL ~ 1 INCH = 20 FT.

NOTE: No Cross-sections were taken on have been established for this motorway

SPUR NO. 1

S. 29°-59'-35" W. 249.19

SCALE - 1" = 50'

SPUR NO. 1

S. 26°-24'-50" W. 889.19 Center Line

CSB-1396-2
A2 OF A6

B.M. 3B ELEV. 1366.659
¾" Iron Pipe 25 ft. E of Sta. 8+10
F.B. 671-250

B.M. 3C ELEV.
¾" Iron Pipe, Plug and Tack,
for P.I. N° 214 F.B. 6

B.M. 3A ELEV. 1439.207
¾" Iron Pipe 30 ft. W of Sta. 0+30.14
F.B. 671-248

SCALE~ HORIZONTAL ~ 1 INCH = 80 FT.
VERTICAL ~ 1 INCH = 20 FT.

MOTORWAY
Cont. on C.S. B-1396-1

SPUR NO. 1

POTRERO
Cont. from C.S.B-1396-1

Cont. from C.S. B-1396-1

Junction of original stone
Closing Section Corner per
C.S. B-1236-2
CLOSING SECTION CORNER
Nothing set

LINE POINT
¾" Iron pipe set in concrete
with brass cap marked
See C.S. B-1236-2

CSB-1396-2
A3 OF A6

B.M. P-8 ELEV. 1206.331
Boat Spike and Tin in sandstone ledge 30 ft. S of Sta. 69+42.
F.B. 671-216.

SCALE~ HORIZONTAL~ 1 INCH = 80 FT.
VERTICAL ~ 1 INCH = 20 FT.

83+00 82+00 81+00 80+00 79+00 78+00 77+00 76+00 75+00 74+00 73+00 72+00 71+00 70+00 69+00 68+00 67+00 66+00

1300
1250
1200
1150

SCALE - 1" = 50'

POTRERO

Identical

N. 83° 48' 25" E. Center Line 634.74

MOTORWAY

S. 44° 37' 55" E. 61.26

P.I. No. 50

CSB-1396-2
A4 OF A6

12 11 10

15 14 13

112+00 111+00 110+00 109+00 108+00 107+00 106+00 105+00 104+00 103+00 102+00 101+00 100+00 99+00 98+00 97+00 96+00 95+00 94+00 93+00 92+00 91+00 90+00 89+00 88+00 87+00 86+00 85+00 84+00 83+00 82+00

B.M. P-10 ELEV. 1282.917
Cut Spike, Tin and Washer 55 ft. E of P.I. N° 52. F.B. 671-222

B.M. P-9 ELEV. 1225.632
¾" Iron Pipe, first R.P. S of P.I. N° 50 F.B. 671-220

1300
1250
1200
1150

P.I. N° 52 - Set 1"x2" stake & tack. F.B. 671-188

Δ = 18°20'46"
R = 200
T = 32.29
L = 64.03

R.O.S.I.E.C.

R.O.W. 51.48 B.C.

721.63

N. 17° 20' 25" E. 638.28
Center Line

P.I. N° 53 - Set 1"x2" stake & tack. F.B. 671-187

N. 27° 15' 35" E. 668.00

MOTORWAY

P.I. N° 53 - Set 1"x2" stake & tack. F.B. 671-187

R.O.W. 51.48 B.C.

Δ = 47°55'00"
R = 100
T = 45.34
L = 83.63

88+23.23 B.C.

N. 65° 40' 55" E.

SCALE - 1" = 50'

CSB-1396-2
A5 OF A6

15 14 13

TR TR

B.M. P-11 ELEV. 1354.161
¾" Iron Pipe R.P. Nº 1, P.I. Nº 56
F.B. 671-224

NOTE: No Cross-sections were taken and no grades have been established for this motorway.

SCALE ~ HORIZONTAL ~ 1 INCH = 60 FT.
VERTICAL ~ 1 INCH = 20 FT.

IDENTICAL

SCALE – 1"= 50'

CSB-1396-2
AG OF AG

POTRERO

MOTORWAY

NORTHERLY BOUNDARY RANCHO TOPANGA MALIBU SEQUIT

LINE POINT – 198+09.99
A 2" iron pipe set in concrete with brass cap marked See C.S. B-1236-2

LINE POINT – 238+06.38
A 2" iron pipe set in concrete with brass cap marked See C.S. B-1236-2

See C.S. B-1396-1 for detail of this intersection

124+70.03 From northeast P.I. Nº 23 going southwest Set 1"-2' stake & tack F.B. 671-174, 191

P.I. Nº 57

P.I. Nº 56 – Set 1.5" stake & tack F.B. 671-170

P.I. Nº 55 – Set 1"-2' stake & tack F.B. 671-169

P.I. Nº 58 – Set 1"-2' stake & tack F.B. 671-168

P.I. Nº 59 – Set 1"-2' stake & tack F.B. 671-167

124+67.18 – Angle Point P.I. Nº 58 – Set 1"-2' stake & tack F.B. 671-191

S 65°38'00" W. Center Line 327.32

S 24°56'40" E. 1013.22 to the Northerly boundary of the Rancho Topanga Malibu Sequit

N 1°08'15" W. 1643.03 TIE 63

S 64°56'40" E.

N 15°55'20" E. 87.40

S 17°38'00" W. 194.56

S 85°58'00" W.

S 80°34'25" E. Call from C.S. B-1396-1

S 80°38'45" W. Call on C.S. B-1396-1

Identical

TR