Date _____ Notes by _____ Chief Party _____ F.B. _____ Pg _____

Platted by _____	W. O. No. _____ D. S. O. No. _____
Date _____	Location _____
Map No. _____	Surveyed by _____
Platting C'k'd by _____	Date _____
Date _____	Indexed _____

F.B. 339 Pg. INDEX Chief Party Notes by Date

F.B.No. 339

PAGES: Index, 2 to 13 incl.,
15 to 25 incl.,
27 to 68 incl., 68A, 68B, 68C, 68D,
69 to 99 incl., 101, 102,
103, 104, 106 to 112 inclusive.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Noted by _____ Chief Party _____ F. B. 339 Pg. 1

Plotted by _____ W. O. No. _____ R. S. O. No. _____
Date _____ Location _____
Map No. _____ Surveyed by _____
Plotting C'k'd by _____ Date _____
Date _____ Indexed _____

Notes: ANY ADDITIONS OR CHANGES OF ANY KIND SHALL BE MADE ON THIS SHEET, MUST BE MADE OR CIRCLED IN RED AND WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

SURVEY OF FOOTHILL BOULEVARD East of Mountain Ave.

& Data on Pgs. 2 to 13
Pgs. 44 to 65

Index to Survey of Lot Lines to be found on following Pages.

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Chief Party Notes by

F.B. Pg.



RETURN TO
LOS ANGELES COUNTY SURVEYOR

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

Date _____ Notes by _____ Chief Party _____ F.B. 232 Pg. 1

Plotted by _____
Date _____
Map No. _____
Plotting C'k'd by _____

Located _____ W. O. No. _____ S. B. M. No. _____
Surveyed by _____
Date _____

Remarks

Chief Party Notes by Hellstrom Date 3-12-28

T 1 N R 11 W
Sec. 25
?

In City of Monrovia

Cont. on bottom Pg. 3

No temp. Corrections have been made

See Pg. 44

N&T in O.T.

28.21

N&T in O.T.

15.08

21.80

N&T in O.T.

27+88.68
27+89.04
Set Spk & W. 2" Deep (P.O.T.)

281.45 @ 5°-33' T=64' = 180.60 - 180.58

26+08.10
26+08.44
set 1X2 (on 3 mi. rdg.) (P.O.T.)

210.63 @ 8°-0'	T=58°	= 208.44 / 208.40
200.00 @ 0°-0'	T=62°	199.97
100.00 @ 0°-0'	T=58°	99.99
100.00 @ 0°-0'	T=58°	99.98
100.00 @ 0°-0'	T=60°	99.98
100.00 @ 0°-0'	T=62°	99.99
48.23 @ 0°-0'	T=62°	48.22

17+51.58
17+51.77
Set Spk & W (P.O.T.)

Map N 82°-15' E

151.77 @ 0°-0'	T=64°	151.75
300.00 @ 0°-0'	T=64°	299.96
300.00 @ 0°-0'	T=64°	299.96
300.00 @ 0°-0'	T=68°	299.97
300.00 @ 0°-0'	T=68°	299.97
300.00 @ 0°-0'	T=68°	N&T 299.97
32.13 @ 0°-0'	T=70°	32.13

Fd the Spk & T as shown ~~LB 414 46~~ on Pg 45 Bk A-72 City Monrovia Cut X on Nail and set ties

40+67.87
nail on line

90.40

N&T in Pipe

N 90°-41'-00" E
362-43'-36"
90°-48'-55"

455.07

67.57

0+00 ℄ Mountain Ave

33.43

33.57

curb
L&T

curb
L&T

32.03

85.35

L&T

L&T

Set a N&T as per tyes, Copied from Bk A-64 Pg 042 on back. Calls for pipe but could'nt find it

~~LB 414 46~~

S 89°-19'-30" E
352'-12'-15"
89°-19'-20"

℄ Center Line

Foothill Blvd

Fd. Spk and T. flush as per City Monrovia Engr Bk A-9 Pg 7 LB. 414 L 44

℄ Shamrock

℄ Whitegate Ave

35.2

Fd. bolt 2" deep as per Monrovia City Eng. Bk. A-9 Pg 7 LB 414 44

℄ Shamrock

℄ Whitegate

Chain correct at 84°

Var. 16°-25'

185.56

℄ Poppy

Fd bolt 2' deep as per Monrovia City Engr. Bk. A-9 Pg. 7

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 7-12-28 Notes by Hellstrom Chief Party F.B. 339 Pg. 3

Plotted by A.J. Barrett
Date Apr. 1928
Map No. B-333
Plotting C'k'd by M Thelson
Date May 1928

W. O. No. 1555 D. S. D. No.
Location Foothill Blvd.
Surveyed by Hellstrom
Date 7-12-28
Indexed

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

LOS ANGELES COUNTY SURVEYOR

Cont. on bottom Pg. 4

44+33.56
44+34.14
Set 1x2 (P-2)

Ⓐ 176°-53'-1"
Ⓑ 69°-33'-0"
172°-53'-46"

29.90

Cut X in 8" S.P. pipe marked 25

Adj. 10

34.25

172°-53'-46"

8.27

Cut X on 2" S.P. Witness post

211.06 @ 2°-14' = 210.94 / 210.87
300.01 @ 1°-14' = 299.94 / 299.90
300.39 @ 1°-41' = 300.04 / 300.02
300.42 @ 1°-12' = 299.98 / 299.91
300.41 @ 1°-06' = 299.97 / 299.93
234.37 @ 1°-34' = 234.28 / 234.25
T = 6.8°

No temp. Corr. have been made

Mag. S 60° E

27+88.68
27+89.04
P.T. 1

152°-05'-46" Adj.

Ⓒ 156°-06'-0"
Ⓑ 62°-23'-0"
156°-05'-46"

Var. 14° E

No temp. Corr. made

Cont. from top Pg. 2.

For Centerline

F.B. 339 Pg. 4 Chief Party Notes by Hellstrom Date 3-1-28

Cont. on bottom Pg. 5



211.00 @ 5°-13' = 210.13	210.11
100.00 @ 0°-0' = 100.00	99.98
63.68 @ 0°-0' = 63.68	63.67
36.32 @ 0°-0' = 36.32	36.32
49.53 @ 0°-0' = 49.53	49.52
50.47 @ 0°-0' = 50.47	50.46
100.00 @ 0°-0' = 100.00	99.99
41.55 @ 0°-0' = 41.55	41.55
58.45 @ 0°-0' = 58.45	58.44
65.66 @ 0°-0' = 65.66	65.65
T = 66°	

For Center Line See Pg. 48

Cont. from top Pg. 3

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 3-1-28 Notes by Hellstrom Chief Party F.B. 332 Pg. 5

4225

Platted by A.J. Bartell
Date Apr 1928
Map No. R-333
Platting C'k'd by McPherson
Date May 1928

W. O. No. 4225 U. S. O. No.
Location Foothill Blvd.
Surveyed by Hellstrom
Date 3-1-28
Indexed

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

For Center Line See Pg 49-50

Cont. on bottom Pg. 6

N 82°-30' E

① 156°-13'-0"
② 624°-52'-30"
156°-13'-05"

156°-13'-03"

N&T in S edge of macad. rd.

17.54

59+35.93
59+36.72
Set Sp+CW in N. edg p°
(P°5)

16.65

N&T in S. edge macad. rd.

72.21 @ 0°-0' = 72.21
300.31 @ 5°-03 = 299.14
T = 62°

7220
29910

Macadam Pvmt

N&T in N. edge of macad road.

29.70

55+64.63
55+65.37
Set 1X2 (P°1)

39.22

157°-26'-10"

N&T in N edge of macad. rd.

① 157°-26'-15"
② 629°-44'-45"
157°-26'-10"

65.57 @ 0°-0' = 65.57
100.00 @ 5°-0' = 100.00
100.00 @ 0°-0' = 100.00
89.87 @ 0°-0' = 89.87
T = 56°

65.56
99.98
99.98
89.85

Var. 16°-25'

No temp. Corr. made

52+09.26
52+09.93
P°3

Cont. from top Pg. 4

F.B. 339 PG. 6 Chief Party Notes by Hellstrom Date 3-2-28



RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 3-2-28 Notes by Hellstrom Chief Party 422.5 F.B. 339 Pg. 7

Platted by A.J. Bartlett	W. O. No. 4447 D. S. O. No.
Date Apr 1920	Location Foothill Blvd
Map No. B-333	Surveyed by Hellstrom
Platting C'k'd by McPherson	Date 3-2-28
Date May 1928	Inked

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

For Center Line See Pg. 53-54

Cont. on bottom Pg. 8

① 170°-46'-0"
④ 683°-04'-45"
170°-46'-10"

9.52

76+13.93
76+14.94
Set Spk & W. in rd (P=9)

13.89

15.72

165.62 @ 1°-43' = 165.55 165.55
T=64'

N&T in F.P.

① 161°-51'-0"
④ 647°-23'-30"
161°-50'-55"

74+48.40
74+49.39
Set Spk & W. in rd (P=8)

12.40

11.80

N&T. in F.P.

14.59

N&T in F.P.

235.26 @ 1°-31' = 235.18 235.18
T=66'

N&T. in F.P.

12.11

10.91

N&T. in F.P.

① 176°-02'-45"
④ 704°-11'-15"
176°-02'-50"

72+13.25
72+14.21
Set Spk & W. in rd (P=7)

13.75

N&T. in F.P.

300.43 @ 3°-08' = 299.98 299.94
43.56 @ 0°-0' = 43.56 43.55
T=64'

Var 16°.75

No temp. Corr. made

68+69.76
68+70.67
(P=6)

Cont. from top Pg. 6

F.B. 339 Pg. 8 Chief Party Notes by Hellstrom Date 3-5-28



RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 3-5-28 Notes by Hellstrom Chief Party 4225 F.B. 339 Pg. 9

Platted by A.J. Barifell	W. O. No. 411 D. S. O. No.
Date Apr. 1928	Location Foothill Blvd
Map No. B-333	Surveyed by Hellstrom
Platting C'k'd by McPherson	Date 3-5-28
Date May 1928	Indexed

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

For Center Line See Pg 56-58

92+61.68

Cont. on bottom Pg 10

92+62.88

Set 1x2 (P°15) top of saddle.

168.50 @ 11°-57' = 164.87 164.83

T = 63'

90+96.85

90+98.04

Set Spk W. & T. in rd (P°14)

N & T in 10" Eucalyp

17.02

Ⓓ 179°-28'-45"

Ⓔ 179°-55'-30"

179°-28'-50"

34

19.33

N & T in 10" Eucalypt

6.19

Cut X in small Conc. drain

B.M. # per L.A. 347-76

127.21 @ 5°-59' = 126.52 126.51

300.46 @ 3°-45' = 299.82 299.79

T = 70'

S 88°-43' E

N & T. in 12" Olive tree (2 prong)

29.00

Ⓒ 144°-24'-30"

Ⓓ 144°-24'-15"

144°-24'-15"

N & T. in 4" Oak.

22.59

To here plane Point

86+70.55

86+71.70

Set Spk. W. & T in rd (P°13)

16.89

N & T in 12" O.T. 3 prong

144°-24'-15"

300.28 @ 3°-01' = 299.82 299.82

45.27 @ 0°-0' ± 45.27 45.26

T = 63'

83+25.47

83+24.57

(P°12)

Var. 16°-23'

No temp. Corr. made

Cont. from top Pg. 8

F.B. 339 Pg. 10 Chief Party Notes by Hellstrom Date 3-6-28



See Pg. 59-61

For Center Line

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 3-6-28 Notes by Hellstrom Chief Party 4225 F.B. 339 Pg. 11

Platted by A.J. Baritell
Date Apr. 1928
Map No. R-333
Platting C'k'd by McPherson
Date May 1928

W. O. No. 4491 D. S. O. No.
Location Foothill Blvd.
Surveyed by Hellstrom
Date 3-6-28
Inclusive

Cont. on bottom Pg. 12

111+38.79
111+40.14
Set 1X2 (P"21)

172°-25'-0"

① 172°-25'-0"
② 89°-40'-0"
172°-25'-0"

No temp. Corr. made
Var 16°-25'

193.96 @ 3°-40' = 193.56
T = 73°
193.55

N22°-25'E

① 175°-30'-30"
② 74°2'-02"-30"
175°-30'-35"

N&T in 14" Eucal

20.81

24.08

N&T in 14" Eucalypt.

-35"

175°-30'

109+45.24
109+46.58
Set Spk W&T 2" deep (near old ranch house)
(P"20)

5.82

N&T in 14" Eucalypt.

345.03 @ 8°-52 = 340.91
T = 65°
340.87

① 141°-41'-0"
② 566°-43'-45"
141°-40'-55"

141°-40'-55"

106+04.37
106+05.67
Set 1X2 (P"19)

17.40 @ 0°-0' = 17.40
84.88 @ 19°-46' = 79.88
67.90 @ 2°-54' = 67.81
T = 68°

17.40
79.87
67.80
165.07

104+39.30
104+40.58
Nail & Tin

137.83 @ 22°-10' = 127.64
T = 68°
127.63

103+11.67
103+12.94
(P"18)

292.70

Cont. from top Pg. 10

For Center Line See Pg. 61-62

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 339 Pg. 12 Chief Party. Notes by. Hellstrom Date. 3-8-28



For center Line See Pg. 62-63

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date: 3-9-28 Notes by Hellstrom Chief Party 4225 F.B. 339 Pg. 13

Platted by A.J. Barital	W. O. No. 4491 D. S. O. No.
Date Apr. 1928	Location Foothill Blvd.
Map No. B-333	Surveyed by Hellstrom
Platting C'k'd by McPherson	Date 3-8-28
Date May 1928	Indexed

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

(?) Less 1.39
131+92.19
Set 1x2 straddler on E side of road

(?) Less 1.39
131+66.24
Set 1x2 straddler on W side of road

Los Lomas Ave

Meas 25.95

Calc 11+79.45

(?) Less 1.39
120+16.79
Set 1x2 straddler on E. side of rd.

(?) Less 1.39
119+80.16
Set 1x2 straddler on W. side of rd.

Meas 36.63

Vineyard Avenue.

Calc 290.21

116+88.56
116+89.95
P.T. 24

Cont from top Pg. 12

RETURN TO
LOS ANGELES COUNTY SURVEYOR

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

F.B. 337 PG. 44

Chief Party Notes by Date

Date 4-4-28 Notes by McIlstrom Chief Party 4225 F.B. 339 Pg. 15

Hellstrom
Mrs Carver
Redfern
Dallop

Platted by A.J. Baritell
Date Apr. 1928
Map No. B-393
Platting C'k'd by McPherson
Date May 1928

W. O. No. 4491 D. S. O. No. 19 (6000)
Location Foothill Blvd.
Surveyed by McIlstrom
Date 11-7-27
Inclosed

(Div. "A")
TIN R10W
Sec. 29

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE. DO NOT ERASE NOTES OR FIELD DATA.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Fd. 6X6 rock with L&T in old cross F.B. 58-84

Fd. old N&T in tel. pole

17.78

18.16

Set N&T in guy pole 330540E

80.15

Set N&T in P. pole 330541E

2:99.54 @ 0°-0'
273.96 @ 0°-0'

T = 73°

299.54
273.96
573.50 T=73° = 573.50

N&T in tel. pole

64.11

① 174°-48'-38"
② 699°-14'-45"
174°-48'-40"

Fd Spk & W. 10" deep as per F.B. 58-84

N&T in F.P.

31.40

97.24

N&T in tel. pole

300.45 @ 0°-0'
300.44 @ 0°-0'
300.08 @ 0°-0'
108.44 @ 0°-0'

T=98°

S.W. Cor. Lot "B"
Fd rock 12" deep F.B. 58-84
also F.B. 339-17-16
For ties see Pg. 18

F.B. 337, Pg. 16 Chief Party Notes by Hallstrom Date 4-5-28

(Dir. "4")

T 1N R 10W
Sec. 29

Spk 3 W. 10' deep
as per Pg. 15

14.60 (M)
14.73

① 15°-5'-12"-15"
② 620°-49'-30"
155°-12'-20" ✓

155°-12'-20"

Rock with L&T
S.W. Cor. Lot "5"
as per Pg. 17
See Pg. 36

298.60 @ 1'-28' = 298.50
298.00 @ 0°-0' = 298.00
65.81 @ 0'-0" = 65.81

298.62 298.52
T = 85° 298.02
65.81
662.35 ✓

← Vineyard Ave →

Fd NAT per SAT "9" Sec. 5 Route
Dir. "1" State Highway

Ave.

298.11 @ 0°-0'
298.48 @ 0°-0'
65.60 @ 0°-0'

T = 84°

298.13
298.50
65.60
662.23 ✓

Fd NAT

W. bdry Vineyard Tract.

Fd NAT. S.W. Cor Lot 1 M.R 6-81 ?

Duarte

298.95 @ 0°-0'
298.34 @ 0°-0'
157.09 @ 0°-0'
298.51 @ 0°-0'
271.38 @ 0°-0'

T = 80°

298.96
298.35
157.09
298.52
271.39
1324.31 ✓

339-16
339-29 to 34
339-54 to 61
339-68, 68A, 68B, 68C
339-81
339-88 to 91

Fd. See Sheet Pg. 18

Fd old 3X3
3" under surface
N.E. Cor Lot "12" per M.R. 6-81

RETURN TO
LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4-3-28 Maps by H.W. Hestrom Chief Party F.B. 339 Pg. 12

4225

Planimeter R.J. Burtell W. C. [illegible]

Date Apr. 1928 Location Foothill Blvd. (Div. 7)

Map No. B-333 Surveyed by H.W. Hestrom

Plotting Ck'd by H. Merson Date 4-6-28

Mins. May 1928 Indexed

McCarver
Redfern
Dillon

NOTE: ANY ADDITION OR CHANGE ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO ... COUNTY SURVEYOR

T 1N R 10 W Sec. 29

A right on distant rdg

1X2 (P.24) as per Pg. 15

116+89.95

Proj. N 38° 20' W 4.50

1X2 straddler 131+66.24 per Pg. 13 (3) Less .39

Set 1X2 at inters. For Line to north

1X2 straddler 131+[illegible] per Pg. 18

① 145°-56'-45"
② 68°-46'-15"
145°-56'-35" ✓

298.66 @ 3°-08' = 298.22
10.00 @ 0°-0' = 10.00
300.36 @ 0°-0' = 300.36
300.30 @ 0°-0' = 300.30
T = 29° 707.88

For ties see Pg. 18
Lot Cor. 5-6-11-12
as per Subdivision of Rcho Azusa De Duarte
made by Frank Lecouvreur M.R. 6-81
See P. 16

707.88 See P. 42

For ties see Pg. 18 See P. 15 for line to
Fd cross & foot disp with RAT
center of cross F.B. 58-44
S.W. Cor. Lot 8, per M.R. 6-80 also Rowan-Robert's
See P. 15 & 16

3X3 stake with nail 2" under surface

① 89°-41'-30"
② 358°-46'-0"
89°-41'-30" ✓

89°-41'-30" 405.47

300.47 @ 0°-0'
105.37 @ 0°-0' T = 19°

Fd. 2" I.P. with RAT 4X4 marked U.R. beside ● 21.36

1322.35 Meas. to Rowan

Fd. Spk & W. in prmt. at N.W. Cor. Lot 14 T1N R10W Sub. Rcho de Duarte per M.R. 6-80 per Rowan & Robert's Survey

N 89°-32'-15" E 2649.98 (Rowan & Robert's)
Meas. 2646.93

R 8.96

300.45 @ 0°-0'
300.07 @ 0°-0' T = 77°
300.36 @ 0°-0'
19.07 @ 0°-0'

Set Spk & Nail inters. For ties see Pg. 18

SEE P. 68A & 68B

① 89°-42'-0"
② 358°-48'-30"
89°-42'-05" ✓

89°-42'-05"

265.12 @ 0°-0'
19.11 @ 0°-0' T = 77°

Fd L & T Sta 144+53.90 per Sht. 13 Dir. 7 Route 9 Sec 6 State Highway

Meas. 186.66 Foothill Blvd

224.29

Set L & T at inters. For ties see Pg. 18

Fd. L & T Sta 150+64.92 per Sht 14 Dir. 7 Route 9 Sec 6 State highway

64°-18'-05"

① 64°-18'-0"
② 269°-12'-30"
64°-18'-05" ✓

This line is one straight tangent

Fd. 1" I.P. in mound of rock with RAT mark marked U.R. 11 ft Sta 11 as per map of Rowan & Roberts Survey 1922

Fd. 2" I.P. in sm. mound of stones with iron post marker 11.13 [illegible] as per Robert's Survey

F.B. 339 Pg. 18 Chief Party Notes by Hellstrom Date 4-8-28

(Div. "4")

Ties



RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4-3-28 Notes by He Nstrom Chief Party F.B. 3[illegible] Pg. 1

4225

Mc Carver
Redfern
Dillon

Date Apr 1928
Map No. B-333
Date May 1928

Location Foothill Blvd
Surveyed by He Nstrom

(DM)
TIN X NW
Sec 25

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

Going East on Lemon St.

Cont. on bottom Pg. 20

Fd. 1X2 — P.O.T. "1" — 11+00.31

Mag. N 1°25' E

Fence x

Fd 2X2 with tk at W. end of a fence line running E. 660'±

25.12 — 6+63.74

6+63.41 — 29.96 — Fd. 1½" I.P. possibly N.E. Cor. Tr. 7382 M.B. 131-15

Lemon St.

3+01.58 — 29.93 — Fd. 2X2 with tk

1+65.72 — 29.96 — Fd 2X2 with tk.

Mag. S 89°-55' E

Centre of 4X4 F.P.

26.09 — 0+93

Fence x

0+34.82 — 29.92 — 5' Curb returns — Fd. 2" I.P. with Tag on curb returns of Tr. 7447 M.B. 131-15

0+29.81 — 35.20

Fd. 3/4" I.P. E. of Corn.

Fd. 3/4" I.P. with Tag

Centre of 4X4 F.P.

24.98

0+08.60 going East

0+00 going East

Fd. 3/4" I.P.

Fd. SBT in E pole

90°-14'-55"

Fd. SBT in E pole

Duarte Ave

Fd. SBT in E pole "LCP&L"

Fd. SBT in E pole

℄ Bradbury

See Pg. 32

Fd. 1" I.P. Mag. Nail

Fd. 1" I.P. Mag. Nail

20" Oak

Fd. 1" I.P. Mag. Nail

W 4"SP Fd. 1" I.P. Mag. Nail Tag

① 90°-15'-0"
② 360°-59'-30"
90°-14'-55"

F.B. 339 Pg. 20 Chief Party Notes by Hellstrom Date 4-6-28

(Div. "4")
T 1N R 10W
Sec. 30

Cont. on bottom Pg. 21

Var. 11'-25'

33+52.8 — fence x line

1.10

Old Macadem Road use to run South from here, but has been all washed out

6"x6" gate post E. end of fence line.

31.8 — 33+24.0

33+19.7 — 7.90

6" Conc. wall 3½' high along fence line

27+13.88 P.O.T. "2

Set 1x2

26+55.79 — 13.2 — W. end of fence line running East. 6x6 F.P.

Old 6x6 fence Corner

27.50 — 26+55.17

0.6

Fd 1x2 tckd

113.77 @ 3°-39'	= 113.54	113	54
300.24 @ 3°-14'	= 299.76	299	76
300.58 @ 4°-18'	= 299.74	299	73 ✓
300.49 @ 3°-03'	= 300.06	300	06
300.28 @ 3°-15'	= 299.80	299	80
300.68 @ 0°-0'	= 300.68	300	68
T = 13°		1613	57

1x2 P.O.T. "1" 11+00.31

Cont. from P.O.B. Pg. 19

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4-6-28 Notes by Hellstrom Chief Party F.B. 339 Pg. 21

4225

Platted by A.J. Barlitell
Date Apr 1928
Map No. B-333
Platting C'k'd by McPherson
Date May 1928

W. O. No. [illegible] D. O. No. [illegible]
Location Foothill Blvd
Surveyed by Hellstrom
Date 4-6-28
Inspected

(Div. [illegible])

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cont. on bottom Pg. 22

Temp. Cor'd Slope	Hor
63.79	63.79
113.68	113.11
84.07	82.18
297.51	294.95
80.66	80.59
66.99	66.61
274.21	248.52
237.12	235.70
264.32	243.87
	1429.32

54+98.93 70 P.O.T. "4" Set 1x2

53+11.85 22

117-34-20 (Calc.)

13.05 to pipe

Fd. old 3x4 post marked 1-2-7-8 1" I.P. on N. side of post. Pipe marked Lot Cor. I set a P.K. in pipe.

49+88.4

16.70

Mag. x Due North x fence x line.

Fence Corner.

1326.73 Sec. Lg. 84-21

T = 80°

63.79 @ 0°-0' = 63.79
113.68 @ 5°-44' = 113.11
84.07 @ 12°-11' = 82.18
297.50 @ 7°-31' = 294.94
80.66 @ 2°-24' = 80.59
66.99 @ 6°-07' = 66.61
274.20 @ 25°-0' = 248.51
237.11 @ 6°-17' = 235.68
264.34 @ 22°-41 = 243.87

fence x x x

45+49.00 Dirt Road to Spinx Est. thru Bradbury Est.

fence x x x

44+12± ℄ oiled road in Bradbury Est.

Mag. S 4°-0' E

Fence Corner

75.7

42+40.5

Temp. Cor'd Slope	Hor
16.71	16.71
84.10	83.24
262.18	261.49
221.15	216.81
215.92	213.01
253.56	253.56
46.04	46.04
264.68	264.64
	1355.50

Mag. N 55°-30' W

40+69.45 38

P.O.T. "3" Set 1x2

16.71 @ 0°-0' = 16.71
84.10 @ 8°-11' = 83.24
262.18 @ 4°-08' = 261.50
221.16 @ 11°-22' = 216.82
215.93 @ 9°-25' = 213.02
253.57 @ 0°-0' = 253.57
46.04 @ 0°-0' = 46.04
264.69 @ 0°-56' = 264.66

T = 22°

88

27+[illegible] Pipe "2" Cont. from top Pg.

F.B. 339 Pg. 22 Chief Party Notes by Hollstrom Date 4-6-28

(Div. "4")

Coast on bottom Pg. 23

T 1N. R 10W.
Secs. 29-30

Var 16° 75'

Set 1x2 Lot "2"
67+51.62
49

117.87 @ 20°-41' = 110.27

Line coming South
See Pg. 31

See pg. 55-81

Fd old 3x9 post with 1" I.P. in sm. mound of rock
post inscribed "80 L.B." on E. face 5.2' on W. face
& invisible. This should be turned around
Pipe is marked
1/4 - 1/4
Cor. for Lots
1-4-5-8

Sec Pg. 90

1319.44

66+41.25
22

T = 74°
300.27 @ 0°-0' = 300.27
84.97 @ 0°-0' = 84.97
223.23 @ 0°-0' = 223.23
608 47'

178°50-05" (Calc.)

91°-13-00" (calc)

Mag N 1° E

3' to fence

Note the fence line does not set square with the section lines

Set 1x2 P.O.T. "1-2"
61+43.05
02

U.S. Geological Survey in Cooperation with L.A. County
Elev. ▲ above sea
R.S. 1423
DUARTE
280 Datum, Sept. 1927 adjustment

Conc. Mon. brass cap

21.05

60+24.36
33

62.03

2" Galv. pipe with cap for marked L.A.F.C. 1928
B.M. 875.187
J.W.R.

160+05.45
72

T = 74°
149.38 @ 3°-15' = 147.14

340.19 (calc.)

Set 1x2 marked Lot "1"
59+95.47
88

① 179°-03'-30"
② 916°-14'-30"
179°-03'-35"

179°-03'-35"

3' Nail

T = 73°
273.98 @ 6°-58' = 271.91
225.50 @ 2°-36' = 225.27
497.18'

Set 1x2 on 3 foot offset.

90°

3'

544+18.93
70

P.O.T. "4 (1x2)

Iron pipe P.O.T. "3 (1x2)

RETURN TO
LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4-6-28 Notes by Hellstrom Chief Party F.B. 339 Pg. 23

4225

Platted by A.O. Barnett
Date Apr. 1928
Map No. B-333
Platting C'k'd by [illegible]
Date May 1928

W. O. No. [illegible]
Location Foothill Blvd
Surveyed by Hellstrom
Date 4-2-28
Indexed

T 1N R 10W Sec. 29

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

Cont. on bottom Pg. 24

Set N&T (straddler)
92+73.20
31

Appros W. Line of Vineyard Tract within 30'±

Set 1x2 (straddler)
92+66.77
97

Temp Cor'd
Slope Hor
50.37 50.16 ✓
399.67 399.41
449.57'

T=70° Meas 562.53 562.57

Set 1x2 (P.O.T. "4-3")
87+04.36
40

T=80°
50.37 @ 5°-16' = 50.16
399.66 @ 2°-03' = 399.40

Var. 16°-25'

Set 1x2 (P.O.T. "3-3")
82+54.80
83

T=80°
289.12 @ 17-0 = 276.49
26.37 @ 0-0 = 26.37

10
79+63.88
Meas S 89°-55'E 411.11
7.88 Fd 2x2 no tck possibly N.E. Cor. Lot "5" M.P. 6-81

Temp Cor'd. Hor.
289.13 276.50 ✓
26.37 26.37
302.87'

Set 1x2 (P.O.T. "2-3")
79+51.94
96

T=84°
118.60 @ 3°-07' = 118.42
118.61 = 118.43

Set 1x2 (P.O.T. "1-3")
78+33.82 53
10.38
78+23.44 15
7.96 Fd. 2x2 no tck

T=84°
475.00 @ 6°-37' = 471.88
419.13 @ 6°-54' = 416.10
194.21 @ 2°-83' = 194.02

Note: This is a straight tangent East to end of this line

Temp Cor'd. Hor
475.02 471.98 ✓ 90
419.15 416.18 ✓ 11
194.22 194.03 ✓
1082.09

Δ 179°-24'-30"
Ⓢ 717°-37'-45"
179°-24'-25" ✓

Δ = 90°
179°-24'-30"

Set 1x2 (straddler)
67+51.68
49

F.B. 339 : Pg. 24 Chief Party Notes by Hellstrom Date 4-9-28

(Div. "A")

Cont. on bottom Pg. 25

Set 1x2 (R.O.T.)
125+83.~~88~~
63

T=80°
Meas.
656.85

656.87

Set 1x2 (in vicinity of Lot Corner 1-3-4-8)
119+26.~~93~~
76

T=72°
Meas.
1320.41

Set N&T straddler
106+14.~~29~~
32

Approx ℄ Los Lomas Ave
within 30'±

T=72°
Meas.
7.47

Set N&T straddler
106+06.32

T=72°
Meas.
659.40

Set N&T straddler
99+46.~~92~~
95

6.49

Approx ℄ Vineyard Ave.
within 30'±

Set N&T straddler
99+40.~~49~~
52

T=62°
Meas.
667.24

667.21

Var. 16°-25'

N&T straddler
92+73.~~85~~
31

(1x2) Straddler
92+66.~~91~~
97

Cont from top Pg. 23

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR ENCIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4-9-28 Notes by Hellstrom Chief Party F.B. 339 Pg. 25

4225

Platted by R.J. Bartlett	W. O. No. [illegible]
Date Apr. 1928	Location Foothill Blvd.
Map No. B-3333	Surveyed by Hellstrom
Platting C'k'd by H. Peterson	Date 4-9-28
Date May 1928	Indexed

(Duarte) T1N R10W Sec. 27

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

Fd 2" I.P. (8d nail in top) in Concrete S.E. Corner Lot "2" (accepted) F.B. 58-89

See Pg. 37

145+97.48

2.45 N&T in 6x6 tel. pole on W. face 1' above ground.

145+97.10

145+97.05

25.00

Fd. 2 L&T in granite rock. .05 apart

94.24

31.30

N&T in 3rd F.P. 1' above ground

N&T in Corner F.P. 1' above ground

T = 79°

212.36 @ 0-0	212.36
300.59 @ 0-0	300.59
300.18 @ 0-0	300.18
300.71 @ 0-0	300.71
300.26 @ 0-0	300.26
299.90 @ 0-0	299.90
299.85 @ 0-0	299.85
	2013.85

1992.29 (calc.)

Var. 16°-25'

This is same straight tangent starting at LP "2" 67+61.32

Shown in F.B. 58-89

at 132+73 I Fd 2" I.P. in concrete lying on top of ground had been plowed out I did not reset it.

See F.B. 58-89 for points along this line

Fd 1" I.P. with P&T. as per F.B. 58-89

126+05.29

126+05.22

18.61

23.76

I&T in rock 4x6 See F.B. 58-89

666.54

See Pg. 96

1x2 P.O.T.

125+83.88

63

Cont from top Pg. 24

RETURN TO
LOS ANGELES COUNTY SURVEYOR

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

Chief Party Notes by Date

EB 137 PG. 26

Date 4-12-28 Notes by Hellstrom Chief Party F.B. 388 Pg. 62

4225

Platted by A.J. Bartell
Date Apr. 1928
Map No. B-333
Platting C'k'd by McPherson
Date May 1928

W. O. No. 4225 B. T. O. No. 1/2 (0+00)
Location Foothill Blvd.
Surveyed by Hellstrom
Date 4-12-28
Indexed

T 1N R 11W
Secs 24-25

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cont. on bottom Pg. 28

8+84.96

end of fence 6x6 post 39.90

Going East on Wildrose Ave.

8+11.56 going East
Set 1x2 T.O.T. "1

T=78°
300.07 @ 1°-41 = 299.94
0.57 @ 0-0 = 0.57
188.26 @ 0-0 = 188.26
488.77

Bradbury Est.

Fence

See Pg. 78

3+22.79 going East

T=96°
22.77 @ 0-0
300.02 @ 0-0
22.77
300.02
322.79'

Centre of F.P. fence x line x 30.44

0+51.22 going East

0+00 going East

Mountain Ave

NGT as per Pg. 2
See Pg. 32

tan. prod. of Wildrose Ave.

Fd. Spk. 20.00 Fd. 2" I.P. P.S.T. N.W. Cor. Tr. "5315 M.R. 71-3

LBT in centre Curb return

LBT in Curb

30.02

31.07

Var. 16°-25'

E Shamrock Ave 60'

34.18

Fd. S.B.T.

LBT in centre of paving

LBT in curb

F.B. 339 Pg. 28 Chief Party Notes by Hallstrom Date 11-13-28

(Div. "4)

Cont. on bottom Pg. 29

See Pg. 79

N&T on road

Var 16°-25'

20
31+86.04
Set 1x2
Lft
34.03 @ 0-0

17
31+52.03
Set 1x2

T=80°
191.29 @ 3°-59' = 190.83
299.94 @ 2°-57' = 299.54

Temp. Cor'd	Hor
191.30	190.84
299.95	299.55
	490.39

80
26+64.68
25.09
Fd 2" capped I.P.
Mr. Bliss a property holder here says this is what they call the Sec. Corner
Secs. 19-24-25-30

79
26+61.68
Set 1x2

T=87°
773.97 @ 0-0
266.53 @ 0-0

774.02
266.55
1040.57

See Pg. 75

N 89° 35' E

Cor'd Temp	Hor
259.57	259.41
265.26	265.26
123.01	123.01
647.68	

2.1
16+21.46 going E
Set 1x2

13+36.02
74.58
Fd old mound of rock with old piece of 1x2 and lath may be Lot Cor of "182 ?

T=85°
259.55 @ 2°-0' = 259.39
265.24 @ 0°-0' = 265.24
123.00 @ 0°-0' = 123.00

90°

9+73.53 going East
Set 1x2 on offset line
34.00
9+73.53 going East
Set 1x2 P.O.T. "2

Note these angles were run upon long sights

T=80°
163.29 @ 7°-18' = 161.97

8+11.56
1x2 P.O.T. "3

Cont from top Pg. 29

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4-12-28 Notes by Hellstrom Chief Party 1423.5 F.B. 39 Pg. 92

Plotted by A. J. Barrell
Date Apr. 1928
Map No. R-733
Platting C'k'd by McPherson
Date May 1928

W. O. No. 4494 S. S. D. No. 19
Location Foothill Blvd.
Surveyed by Hellstrom
Date 4-12-28

T1N R9W Sec. 12-30

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cent. on Hellstrom Ty. 30

Var. 16°-25'

Set M.2 T.L. "B" transit line

Fence

F.P. Corner

F.N. 1" I.P. marked 1/45 with 3/4" pipe on S. side of pipe inscribed on post set 1.39 ± 16.0 ± in N'ly Co. of Sec. 30 also 40.0 ± "Z-3"

T=78°
66.51 @ 0-0 = 66.51
298.36 @ 2°-40' = 298.04
364.55

Temp. Cord'd Hor
241.02 240.70
300.54 300.54
163.98 162.73
705.97

① 166°-09'-0"
② 664°-36'-30"
166°-09'-05"

166°-09'00" Adj. 166°-09'-05"

T=86°
241.00 @ 2°-57 = 240.68
300.52 @ 0-0 = 300.52
163.97 @ 7°-05 = 162.72

10.2

R.P. Corner

See P.91

① 169°-53'-36"
② 479°-33'-0"
169°-53'-15"

169°-53'-15" Adj. 169°-53'-16"

N&T in macadem road. See P.92

T=78°
243.01 @ 3-05 = 242.66
300.37 @ 2-29 = 300.09
300.47 @ 3-58 = 299.75
300.26 @ 2-18 = 300.92
1142.52

① 89°-06'-30"
② 356°-26'-45"
89°-06'-25"

89°-06'-30" Adj.

N&T on S. side macadem road. See P.92

T=73°
145.60 @ 7°-19' = 144.42
244.78 @ 0-0 = 244.78
300.18 @ 3-31 = 299.68
688.13

113°-04'-05" Adj.

① 113°-04'-0"
② 452°-16'30"
113-04-05

Set M.2 T.L. "A" transit line

Fence

F.P. Corner

Set 1" I.P. marked 1/45 with 3/4" pipe on S. side of pipe inscribed on post set 1.39 ± 16.0 ± in N'ly Co. of Sec. 30 also 40.0 ± "Z-2"

Fence

Fence

Fence

Fence

Fence

Fence

F.B. 339 Pg. 30 Chief Party Notes by Hallstrom Date 4-12-28

(Div. #4)
T 1N R 14W

Fd 1" I.P. marked Sec. Cor. old 3x4 on E. side of pipe scribed S 29 on S. side not very legible
S 30 W. side
Sec. Cor. 19-20-29-30

T=82°
281.37 @ 2°-31' = 280.07
280.38 " = 280.08

Fd 2x2 tied See pg. 514.06

31 (Calc)

fence x fence x line x

466.46 @ 2°-02' = 466.17

897.92 (calc.) See pg. 55-81

Cont on Gotham Pg. 31

Cont on Gotham Pg. 33

90°47.3' (Calc.)

Mag N 0-10 W

tang. prolonged

8.98

13.71

Set 1x2 P.O.T. = 1-A

Set 1x2 P.O.T. = 1-B

T=78°
350.98 @ 3°-46 = 350.23
330.22

90°-14'-55"
90°-15'-00" Adj.

① 90°-14'-45"
② 360°-59'-45"
90°-14'-55"

Set 1x2 L Pt G

Set 1x2 (T.L. "11)

T=78
334.60 @ 13°-17 = 325.65
42.64 @ 0-0 = 42.64
420.25 @ 21°-52 = 399.37
45.41 @ 17°-37 = 43.28
801.94

Var. 16°E

Set 1x2 (T.L. "10)

1335.18 (Calc)
See pg. 14.80

T=74°
285.04 @ 3°-37 = 284.47
330.02 @ 3°-14 = 329.50
613.97

Mag. N 2°-15' E
fence

F.P. Corner transit line splits Cor. post

Set 1x2 (T.L. "9)

T=78°
130.49 @ 2°-44' = 130.34
295.18 @ 0-0 = 295.18
227.77 @ 1-11 = 227.74
653.26
653.26

fence

142 T.L. "8

Cont from Pg. 29

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4-13-28 Notes by Hellstrom Chief Party

Platted by A. J. Bartlett
Date Apr 1928
Map No. R-333
Platting C'k'd by M. Pherson
Date May 1928

W. O. No. 4225 C. S. No.
Location Feather Blvd
Surveyed by Hellstrom
Date 11-23-28

(Div 4)
T 1N R 15W

NOTE: ANY ADDITION OR CHANGE ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

Set 1X2 Intersection See Pg. 22

116.55 @ 21-09 = 108.70

66°47.82

Corner for Lots 1-4-5-8 per Pg. 22

1.97

110.27

fence

68.51 @ 40-19 = 52.23
1.77 @ 0-0 = 1.77
54.01

fence makes rt angle here

1X2 (LPA"2 67+51.52 See Pg. 22 going East.

Set 1X2 P.O.T. "2-A"

1X2 (M.P.T. Pg. 21) 617+3.05 going East See Pg. 22

T = 80°

469.29 @ 13°-31' = 456.29
198.47 @ 23-08 = 182.51
71.19 @ 14°-27 = 68.94
94.47 @ 0-54 = 94.46

Temp Cor'd / Mar
469.30 / 456.30
198.48 / 182.52
71.19 / 68.94
94.47 / 94.46
802.22

@ 99°-50'-0"
@ 263°-20'-15"
90°-50'-05"

fence gives not actually angle here

2.20

fence

10.8

83+26.57 P 12 S.W.C.T. Pg. 8

47.05

Set S.W.C.T.

Dirt Road to E-11 See Pg. 21

Sphinx Est

89°-37'-0"

12.3

2.00

fence

T = 86°

397.30 @ 20°-54' = 371.16
1.47 @ 0-0 = 1.47

Temp. Cor'd / Mar
397.31 / 371.17
1.47 / 1.47
372.64

Yard 4.25

P.O.T. 1-A 1X2 Pg. 30

fence

1X2

F.B. 332 Pg. 32 Chief Party Notes by Hellstrom Date 4-14-28

(Div. "4")
T1N R.11W
Sec. 25



RETURN TO
LOS ANGELES COUNTY SURVEYOR

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

Date 4-14-28 Notes by Hellstrom Chief Party F.B. 338 Pg. 33

Platted by A.J. Bartlett
Date Apr. 1928
Map No. B-333
Platting C'k'd by M. Pherson
Date May 1928

W. O. No. 11225
Location Foothill Blvd.
Surveyed by Hellstrom
Date 4-14-28
Inspected

T.1N. R.11W. Sec. 20

Part of Azusa Duarte Ranch Line between Stas. 4-5

Cont. on bottom Pg. 34

Var. 16°-25'

Ⓓ 172°-27'-45"
Ⓐ 689°-51'-15"
172°-27'-45"
30

172°-27'-30" Adj.

Set 1X2 L Pt "3

Old Fd 3X4 marked W.P. 3 1set a shingle nail in center.

2.29

15.07

T=84°
306.18 @ 3°-59' = 305.45
279.09 @ 1°-41' = 278.97

Temp. Corr.	Hor.
306.20	305.47
279.10	278.98
	584.45'

Set 1X2 P.L.P. 1

26.55

10.44 Fd. 2" I.P. no Tag. 1½' out of ground dont know what it is.

T=88°
139.79 @ 0°-0'
200.91 @ 0-0
299.00 @ 0-0
298.68 @ 0-0

139.80
200.92
299.02
298.65
938.40'

63.92 Old Fd 3X4 marked W.P. on West Face top of post leans East large Spreng Oak tree adjacent 1 set a shingle nail in it this may be W.P. shown on M.R.

134.71

Set 1X2 L Pt "2

Ⓓ 177°-18'-45"
Ⓐ 709°-15'-0"
177°-18'-45" ✓

177°-18'-45" Adj. = 336.55

T=86°
336.40 @ 6°-20' = 336.53

Fd 1 I.P. in sm mound of rock marked R.P.A.D. on pipe fence pipe is 1'N of line running W. and on line of N fence

T=90°
273.75 @ 6°-36' = 271.94
273.77 = 271.96

Fence × Due × Mag. North

13.68 = 8.84

Mag. N 0-10 W

9.60

Set 1X2 L Pt.

Ⓓ 77°-04'-45"
Ⓐ 308°-18'-0"
77°-04'-30" ✓

Mag. N 77°-0' W

(1X2) P.O.T. 1-B Pg. 30

Cont. From Top Left Pg. 30

LMS Pg. 30

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 339 Pg. 34 Chief Party Notes by Hellstrom Date 4-14-28

(Div. "4")

Cont. on bottom Pg. 35

Nail "X"

Mag. S 79°-0 E

0.7

C/L of old fenced fence line

0.5

T = 80°

86.00 @ 21°-52' = 79.81
123.00 @ 31°-36 = 104.76
87.82 @ 7°-36 = 87.05
298.76 @ 7°-0 = 296.52

Temp. Cord	Hor
86.00	79.81 ✓
123.00	104.76
87.82	87.05
298.76	296.53
	568.15

Fd old 3x4 marked "2 on E. face "3 " W. " I replaced it with fenced 2X2 in sm. rock mound and left post lying by it. the post had braces on over at the top.

1.75

Appr. ox W. Bdy Vineyard Tr.

N 8° as per Pg. 16

188.0 X

256.1

Set 1 X 2 LPt "4

177°-25'-15"

177°-25'-30"

T = 82

469.69 @ 2°-17 = 469.32
255.05 @ 4°-36 = 254.23
12.17 @ 0°-0 = 12.17

Temp Cord	Hor
469.71	469.34 ✓
255.06	254.24
12.17	12.17
	735.75

Var. 16°-25'

For Continuation to West see Pg. 69

1 X 2 LPt "3 Pg. 33

Cont. from top Pg. 33

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4-14-28 Notes by Hallstrom Chief Party 4225 F.B. 229 Pg. 26

Platted by A.J. Bartlett
Date Apr 1928
Map No. B-333
Platting C'k'd by McPherson
Date May 1928

W. O. No. [illegible] Sec. No. 116 (Pge 2)
Location Foothill Blvd
Surveyed by Hallstrom
Date 4-14-28
Indexed

(Div. "A")

Hallstrom McCarver Redfern Dillon

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

I set a 1X2 here
It is about at the old corner
or Sta. #5 Azusa Duarte Rancho
as told by Mr. Garcia. He
has an old 6X6 sticking in here

376.2

old stone wall runs along here there use to be an old fence line on it.

This is a 1 foot Conc wall at reservoir. N. edge of wall on line.

164'±

	T = 80°
299.53 @ 0-01 =	299.53
296.03 @ 2-42 =	295.70
258.48 @ 0-0 =	258.48
89.00 @ 0-0 =	89.00
293.40 @ 3°-58 =	292.70

Temp. Cor'd.	Hor
299.54	299.54
296.04	295.71
258.49	258.49
89.00	89.00
293.41	292.71
	1235.45

Var. 16°-25'

Appox ℄ Los Lomas.

680'±

Cobble Wall

2.1

2.2

2.3

2.4

2.5

2.6

2.7

2.8

2.9

3.0

3.1

3.2

3.3

3.4

3.5

3.6

3.7

3.8

3.9

4.0

4.1

4.2

4.3

4.4

4.5

4.6

4.7

4.8

4.9

5.0

5.1

5.2

5.3

5.4

5.5

5.6

5.7

5.8

5.9

6.0

F.B. 339 Pg. 36 Chief Party Notes by Hellstrom Date 4-12-28

(Div. "4")

Lot Lines

T 1N R 10W
Sec. 28



RETURN TO
LOS ANGELES COUNTY SURVEYOR

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4-11-28 Notes by Hallstrom Chief Party F.B. 339 Pg. 37

4225

Platted by A. J. Barikell
Date Apr 1928
Map No. B-333
Platting C'k'd by McPherson
Date May 1928

W. O. No. 4225 S.C.E. No. 19 (Sam)
Location Foothill Blvd
Surveyed by Hallstrom
Date 11-11-28
Indexed

T1N R10W
Sec. 28

NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cont. on bottom Pg. 38

T=86
217.93 @ 3°-19' = 217.57
244.46 @ 0-0 = 244.46
266.15 @ 0-0 = 266.15

Hor.
217.57
244.48
266.17
728.22

Var. 16°-25'

Set 1X2

Mr. Carroll says this is Sec. Cor. 21-22-27-28 set by County 1914

Fd. 1" I.P. in md.

2.98

20.87

89°-19'-50"

5.99 @ 0-0
258.66 @ 0-0
41.51 @ 0-0
299.25 @ 0-0
300.58 @ 0-0
T=86

T=84
300.73 @ 0-0
38.92 @ 0-0

300.75
38.92
339.67

121.95

Fd. old 3X4 in mound of rock May be Lot Cor. 36-37-39-40

9.63

chiseled X on small rock

face

5.99
258.68
41.51
299.37
300.60
1906.65

Set 1X2

T=78°
74.22 @ 0-0
300.70 @ 0-0
374.92

@ 90°-0'-0"
@ 360°-0'-0"
90°-0'-0"

@ 89°-20'-0"
@ 357°-19'-15"
89°-19'-50"

Set 1X2 on E wall of cobble mesh drain

T=80
232.78 @ 3'-13" = 232.41
121.09 @ 0-0 = 121.09

Temp. Cont'd
232.79
121.09
353.51

Hor
232.42
121.09
353.51

Fd. 2" I.P. in mound of surfaced cement. Inscription - Sta "9 S.W. Cor Lot "1 Sec 28 T1N R10W SB.B.M. By Henry Hancock Dep. Sur

106.48

22.18

"6X6 fence post sets on pipe.

chiseled X on rock

T=83
145.49 @ 0-0
300.85 @ 0-0
300.46 "
300.73 "
300.31 "
300.04 "
266.55 "

145.50
300.86
300.47
300.74
300.32
300.05
266.56
1914.50

There is a law. suit on the line from Sta "9 to Sta "8 Azusa Duarte Rd. It is now in litigation Mr. Carroll lives here.

2" I.P. with nail in Conc. as per F.B. 58-89 F.B 339-25 S.E. Cor. Lot "2

14.80

2.35

Set 1X2

T=76°
186.54 @ 0-0
300.07 "
300.45 "
300.20 "
300.20 "
300.53 "
300.45 "
2.00

1990.44

1" I.P. as per FB 58-89 and FB 339-25

5.16

15.01

9.46

Rock with LST as per F.B. 58-89 also F.B. 339 Pg. 25

Set 1X1

F.B. 299 Pg. 38 Chief Party Notes by Hallstrom Date 4-11-28

(Div. "4")

T.1N. R.10W.
Sec. 27



Cont. from upper left Pg. 37

RETURN TO LOS ANGELES COUNTY SURVEYOR
DO NOT EXTEND NOTES THIS SIDE OF THIS LINE
NOTE: ANY ADDITION OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 339 PG. 39

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. 39 St'd 84 °F
Office Work	Surveyed by PORTER
Checked	Notes PORTER Date 2-14-50
Date	Indexed A. C. Johnson 2-17-50

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Fd C.S. Mon. up 6" S. side of Ridge
F.B. 405-158 = N.W. Cor Lot "A"
ANGLE Point on Rancho line

No. Line Rancho

Azusa de Duarte

Deer Ravine

T = 66°
149.44 @ 23°14 = 137.30
148.55 @ 21°25 = 137.31

T. 65°
141.01 @ 13°30 = 137.10
141.15 @ 13°14 = 137.10

T. 45°
239.84 @ 0°
239.84

T. 70°
47.80 @ 26°27 = 44.79
47.56 @ 19°39 = 44.79

300' Topo Sta 84

50

137.31

Set 1"x2"

Rancho Azusa de Duarte

S 14.25 E

137.10

Fd 2"x2" R.E. #2000

239.84

1.40

Fd 4"x4" & Nail

Fd 1" I.P. Conc. plug
& R.E. Tag #2000
Stamped Sec. Cor
on S. side of Pipe
F.B. 339-30
F.B. 405-158

44.79

Fd 2"x2" R.E. #2000
N.W. Cor Lot 8 R.S. 1691

Lot 8 New Sub

19

20

30

29

T. 1 N. R. 10 W

76F3095 247 10M 5-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 339 PG. 40

Date 6-11-28 Notes by R.T.D. Chief Party P.T. Dunlap F.B. 339 Pg. 17

4425

Plotted By C.A. Crowl
Date July 1928
Map No. B-333
Plotting C'k'd by A.A.R.
Date SEP 1928

W. O. No. 4191 Sec. No. 012
Location Foothill Blvd
Surveyed by P.T. Dunlap
Date June 1928
Indexed

Cont. on Bot. Page 42.

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

411.05

130+01.46
Fd. 1x2"Nail
Per F.B. 339-17

Fd. N&T in P.P.

908± Std. Q

Fd. N&T in T.A.

FISH CANYON

67.14

DUARTE RD.

27.18

27.60

Fd. N&T in P. Pile

139+10.34
Fd. L&T in Rock 12" deep from ties Per F.B. 339-18

SEE P. 698

LAS LOMAS RD.
℄ Per Page 17

Fd. N&T in 6" Pine

55.24

32.32

Fd. N&T in P.P.

Fd. S.W.T.T from ties Per F.B. 339-18

FOOTHILL BLVD

30.43

97.83

Fd. N&T in 8" Pine

Fd. N&T in P.P.

R.B. 339 PG. 42 P.T. Dunlap Chief Party. Notes by P.T.D. Date 6-9-28.
Tape # 012


Tie 1 1/2" Nail in top of Rock Wall 4.0 W. & 4.0 N. of P.C. (F.B. 339-34)
Fd. Nail & Tag approx. ℄ Vineyard Ave. (Per F.B. 339-34)
Set Nail & Tag in P.P.
2x2 Set 6"+ Nail in Rock Pile
by Int
Set Nail in 8" Orange
Transit Line Per Page 34
666.91
43.05
75.75
Set 1x2" Nail in End of Rock Wall P. 35 See P. 35
① 100-21-45
② 41-26-30
100-21-37½
③ 82-53-00
100-21-37½
666.96 @ 72°
100.21
Adv. 50
32.91
31.20
Set Nail in P.P.
Set 2x2 + Nail
Las Tomas Prod.
Replaced Fd. 3" I.P. with 1" dia. Brass cap. stamped "L.A. County Surveyors STA. 5 RO. AZUSA D. DUARTE MONUMENT"
Rock Mound
1051.65
Fd. Nail Tack Sta 106+36.35 Per F.B. 339-24
Fd. Nail Sta 106+14.32 Per F.B. 339-24
105.68 @ 72°
From W
106+05.15 Set 1x2" Nail by Int
Set Nail in 8" Orange
36.13
1.17
7.97
42.06
Transit Line per Page 23
17.50
17.5' Offset Line 7
Set Nail by Int
3.51
41.84
Set 2x2
① 89-28-15
② 357-52-45
89-28-11
③ 355-45-15
89-28-09
412.08 @ 74°
89-28-10
412.05
Set 2x2 + Nail
Set Nail in 8" Orange
Set Nail in 8" Orange
Set Nail in 8" Orange

Date June 1928 Notes by P.T.D. Chief Party P.T. Dunlap #225 F. B. 239 Pg. 44

Plotted by G.A.Cornell
Date July 1928
Map No. B-333
Plotting Checked by A.A.R.
Date SEP 1928

W. O. No. 4191 Dist. No. 16
Location Foothill Blvd
Surveyed by P.T. Dunlap
Date June 1928
Indexed

Notes. ANY ADDITIONS OR CHANGES OF ANY SHEET MUST BE MADE OR CHECKED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not write on this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

STAKING OUT ℄ OF FOOTHILL BLVD.

DIV. #4
W.O. 4191

June 1928

P.T. Dunlap chief
V.R.W. Wilson Inst.
A.C. White H.Chain
E.L. Goodyear R. "
A. Etnier R. "

F.B. 339 Pg. 44 P.T. Dunlap Chief Party Notes by P.T.D Date June 1928

Cont. on Bot. Pg. 45



RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date June 1928 Notes by P.T.D. Chief Party P.T. Dunlap F. B. 337 Pg. 45

4225

Plotted by C.A. Crowl
Date July 1928
Map No. B-333
Plotting Checked by A.A.R.
Date SEP 1928

Sta. & No. 4+91 Tract No. 15230
Location Foothill Blvd
Surveyed by P.T. Dunlap
Date June 1928
Indexed

Center Line Sta 16+09.32
(20+96.67 E.C.)
Set 2x29 Nail 12" deep

Set 2x2 4 Nail 18" deep

Set 2x2 4 Nail 18" deep

50.00

50.00

Temp 60°
31'55 Level

Transit Line per Page 3 = Proposed
1604.62
1604.50 @ 92°

Δ = 23-54-10
R = 1500
T = 317.50
L = 625.77

P.#1 = P.I. Nail, Fd. S.W. 4T by ties for E.B. 33.39 L.P. Replaced with 2" I.P. Plug Well 12" deep

Fd. N&T in 6" Orange

Fd. N&T in 8" Orange

Fd. N&T in 8" orange

5.00

28.21

317.50

21.80

See P. 75

① 156-06-00
② 264-24-00
156-06-00
③ 168-47-45
156-05-58

Adj. 156-03-50
156-02-00

Temp = 90°
187.74 @ 5-42 = 186.81
187.64 @ 5-26 = 186.80
187.49 @ 4-56 = 186.80

Lot Line

186.82

Set N&T in 10" oak

Replaced #2

12.29

22.79

Set N&T in 8" oak

P.O.S.T Set 2" I.P. Plug 4 Nail 10" deep on top of Ridge

Temp 60°
143.17 @ 15-33 = 137.18
143.42 @ 13-57 = 137.17
Tape #5.

Sta 84° 10/27/28

85.19

2 Per Pair

202.05

Temp = 92
204.47 @ 8-51 = 202.08
204.14 @ 8-13 = 202.04
204.05 @ 8-04 = 202.03

50.00

Set 2x2 6" deep
21+83.82
(21+78.47 B.C.)
Set 4x4 4 Nail

Set N&T in 14" oak 8" up

8.47'

Tangent

139.15

641.96

Sent From Top Page 44

Notes: ANY ADDITIONS OR CHANGES TO THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 337 Pg. 46 P.T. Dunlap Chief Party Notes by P.T.D. Date 9-19-28



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date June 1928 Notes by P.T.D. Chief Party P.T. Dunlap F. B. 382 Pg. 47

422.5

Plotted by [illegible] W. O. No. 4491 Sht. No. 5 Zone

Date July 1928 Location

Map No. B-333 Surveyed by

Plotting C.W.O. by A.A.K. Date

Date SEP 1928 Indexed

Notes: ANY ADDITIONS OR CHANGES SHEET MUST BE MADE BY ... WITH DATE AND NAME OF ... CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Set S.W.&T in 20" oak

Set S.W.&T in 30" oak

(2 #2 Fd. 1x2" Stks by Ties Per F.B. 339-3

Set 2x2" Nail 10" deep

Transit Line Per Page 4

50.00

442+82.71

~~451+97.3~~ Set 2x2" Nail 12" deep

Set 2x2 & Nail 18" deep

745.98 Proposed ℄

186.48

Fd. L&T in conc. S.P.

Set "X" on conc. S.P.

29.80

63.43

40.38

5.00

8.57

Fd. "X" in conc. S.P.

78.34

51.40

Set N&T in 8" Orange

① 172-53-15
② 331-33-00
172-53-15
③ 303-06-00
172-53-15

Δ 7-06-50
R 3000
T 186.48
L 372.48

172-53-15 Adj. 10

54.02

Set N&T in 8" Orange

P.I. #2 Set 2" I.P. Plug & Nail 10" deep

69.38

186.48

Tape 5. 186.51 @ 64°

Set NR T in 10" Orange

Proposed ℄

50.00

Set 2x2" Nail 12" deep

Set 2x2" Nail 12" deep

50.00

39+10.23

~~41+97.25~~ B.C. Set 2x2" Nail 12" deep

1604.48

Transit Line per Page 3

Cont from top Page 46

F.B. 339 Pg. 48 P.T. Dunlap Chief Party Notes by P.T.D. Date June 1928

Cont. on Bef. Page 49



Cont. From Top Pg 47

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date June 1928 Notes by [illegible] Chief Party P.T. Dunlap F. B. 337 Pg. 49

4225

Plotted by G.A.Conrad
Date July 1928
Map No. B-333
Plotting C'k'd by A.A.R.
Date SEP 1928

M. G. No. [illegible] S. S. S. No. 15-300'
Location FT. Hill Blvd
Surveyed by V.R.W.
Date June 1928
Indexed

Key Tie Sht. pg 50

Notes: ANY ADDITIONS OR CORRECTIONS TO THIS SHEET MUST BE MADE OR CHECKED BY AND WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

53+85.54
~~54+72.56~~ E.C.
Set S. W.P.T

Set N.P.T in W. edge O.H. Pav.

P.I. No 4
Set 4x4
+Nail Flush

Fd. N.P.T

Proposed ℄

103.13

Mag. N38°E

295.58

9.38 offset Line

Fd. N.P.T

29.69

29.71

39.78

Mag. N38°E

5.00

Set 1x2
+Nail

11°40'

15.42

Set N.P.T

Conc. Catch Basin

Set N.P.T

17.86

41.50

46.70

Set +Nail

168-13-30
Adj. 25

① 168-13-30
④ 317-54-00
168-13-30
⑧ 265-48-00
168-13-30

① 168-13-30
④ 312-54-00
168-13-30

Δ N-46-35
R 1000
T 103.13
L 205.54

E'ly Line Lot 3. See P. 917

P.P.# Fd. 1x2
+Nail by Tag
Per R.S. 387-5

(Set 2x2
(See p. 91

88-09-15

417.55

417.52 @ 72°?

Set 2x2
+Nail
12" deep

Set 2x2
+Nail
12" deep

50.00

Proposed ℄ Offset Line

51+80.00
~~54+67.02~~ B.C.
Set 2x2 +Nail
18" deep

From Tie Pg 48

F.B. 339 Pg. 50 P.T. Dunlap Chief Party Notes by V.R.W. Date June 1928

Cont. Bot. Pg. 51



RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date June 1928 Notes by V. P. W. Chief Party P. T. D. 4235 F. B. 339 PG. 51

Plotted by Ed. Cooper	W. O. No. 4235 B. S. D. No. 15-300
Date July 1928	Location Ft. Hill Blvd.
Map No. B-333	Surveyed by V. P. W.
Plotting Checked by A. A. P.	Date June 1928
Date SEP 1929	Indexed

CONT. STA. 196.52

196.31

196.31 @ 78° = 196.31

60+81.63
Fd. 1x1 P.O.T #3-S
F.B. 339-6

Temp. @ 92°
193.40 @ 12°-31' = 188.80 ✓
193.26 @ 12°-19' = 188.81 ✓
193.34 @ 12°-25' = 188.83 ✓

188.82

proposed ℄ & Transit line

58+92.81
Fd. 1x2 P.O.T #2-S
F.B. 339-6

Temp. @ 92°
136.84 @ 16° 48' = 131.00 ✓
136.46 @ 16° 15' = 131.01 ✓
136.23 @ 15° 55' = 131.01 ✓

131.02

From Top pg. 50

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED BY Engd. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 339 PG. 52 P.T. Dunlap Chief Party Notes by V.R. Wilson Date June 1958

Cont Bot. pg. 53



RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date June 1928 Notes by V.R. Wilson Chief Party F.T. Dunlap F. B. 339 Pg. 58

4225

Plotted by C.A. Grassel	Ill. Q. No. [illegible] Cert. No. 15-300
Date July 1928	Location Ft. Hill Blvd.
Map No. B-333	Surveyed by V.R. Wilson
Plotting Chk'd by A.A.R.	Date June 1928
Date SEP 1928	Indexed

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Set S.W.& T. in N.S.T.

Set S.W.& T. in 12" oak

P.I. #6 Set 4x4 + Nail Flush

Proposed ℄

217.03

217.01 @ 90°

Δ 33-01-55
R 3000
T 889.55
L 1729.55

① 146-58-15
④ 227-52-45
146-58-11
③ 95-45-15
146-58-07

16.47

32.00

13.73

Set S.W.& T. in 14" oak

Adj. 05

146-58-10

118.44 Transit Line

Set S.W.& T. in 22" oak

Temp. @ 90°
217.03 @ 5°-55 = 215.87
216.84 @ 5°-25 = 215.87
216.97 @ 5°-46 = 215.87

215.88

57-55-30

① 57-55-30
④ 234-41-45
57-55-26
③ 103-24-00
57-55-30

P.O.S.T.
Set 1x1

Adj. 05

198-25-40

See Page 7

P.#8 Fd. Spk. From Ties Page 7

① 114-25-30
④ 97-42-45
114-25-41
③ 195-25-15
114-25-37

See Transit Line

72.13

72.13 @ 86°

Proposed ℄

① 176-02-45
④ 344-11-15
176-02-49
③ 328-22-30
176-02-49

Adj. 15

176-02-50

P.O.S.T.
Set 1x1

66.44

66.44 @ 86°

P. #7
Fd. Spk. P.W.
F.B. 339-7

P.O.S.T.
Set 1x1

75.90

75.90 @ 86°

Frame Tie Pg. 56

F.B. 339 PG. 54 P.T. Dunlap Chief Party Notes by V. P. W. Date June 1928

Cont. Bot. Pg. 55.

255.69

P. #10 - Pg 8.

Adj. 57-55-00

151 Feet Pages

P.O.S.T.
Set IXI

Transit Line

See Pg-8-4

Temp. @ 90

217.54

Proposed

P. #9 - Pg 8.

Adj. 90-00-00

See Page 8

P.O.S.T.
Set IXI

217.02

From Top pg 53.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date June 1928 Notes by P.T.P. Chief Party P.T. Dunlap F. B. 339 Pg. 55

4225

Plotted by C.A. Crowl
Date July 1928
Map No. B-933
Plotting C'k'd by A.A.W.
Date SEP 1928

W. O. No. 4184 C. O. No. 16-30
Location Foothill Blvd
Surveyed by P.T. Dunlap
Date June 1928
Indexed

Notes: ANY ADDITIONS OR CHANGES FOR THIS SHEET MUST BE MADE ON CIRCLED IN ITEMS WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Set 2 x 2 + Nail 6" deep

Set S.W.T. in 30" oak

Set S.W.T. in 8" Oak

Set 2 x 2 + Nail 6" deep

50.00

50.00

91.35 @ 88°

E.C.

Set 2 x 2 + Nail 3" deep

91.35

33.15

6.68

12.66

Set S.W.T. in 14" oak

S 66° 18' E

P.O.S.T. Set 4 x 4 + Nail Flush

436.3 ft (Calc)

Set N & T in 6" oak

See Page 8

149-39-00

19.04

22.35

64-40-00

See Pg. 81

1411.98

P.#12 Fd. S.W.T. From ties Per Page 8

Line per (Calc)

Transit

Proposed ℄

162.16

Temp. @ 88°

163.77 @ 8°-04' = 162.15

163.66 @ 7°-46' = 162.16

163.58 @ 7°-33' = 162.16

Set N & T in Fence Post

P.O.S.T. Set S.W.T by Int

Set N & T in Fence Post

17.73

15.00

18.85

Set N & T in Fence Post

21.50

Set N & T in Fence Post

① 19-32-30

② 78-10-30

19-32-37

③ 156-21-00

19-32-37

144.80 @ 6°

144.78

19-32-35

Adj. 25

Temp. @ 88°

256.33 @ 4°04' = 255.68

256.35 @ 4°09' = 255.68

256.25 @ 3°49' = 255.68

148-57-35

See Page 8

255.69

P.#11. Fd. S.W.T. From ties Per Page 8

Cont. From Page 54.

F.B. 339 Pg. 56 P. T. Dunlap Chief Party Notes by V. T. W. Date June 1928

Cont. Bot. pg. 57



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date June 1928 Notes by W. R. W. Chief Party P. T. Dunlap F. B. 339 P.G. 57

4225

Plotted by G. A. Crowl
Date July 1928
Map No. B-333
Plotting C'k'd by A. A. M.
Date SEP 1928

W. O. No. [illegible] S. S. S. No. 16-300
Location Ft. Hill Blvd.
Surveyed by V. P. W.
Date June 1928
Indexed

Cont'd. fr. pg. 55

Set 2x2 + Nail 6" deep

50.00

50.00

87+52.46
(86+37.48 B.C.
Set S.W. & T.

Set 2x2 + Nail 6" deep

Temp. @ 82°
250.15 @ 8° 40' = 247.29
250.01 @ 8° 28' = 247.28
249.85 @ 8° 14' = 247.27

247.28
113.44

86+39.02
(89+26.04 E.C.
Set 2x2 + Nail 3" deep

I.P. #14, -Pg. 9

Set 2x2 + Nail 6" deep

50.00

50.00

Set S.W. & T. in 14" Gum

31.31

1.79

Set 2" I.P. Plug & T. 6" deep.

34.00

Set S.W. & T. in 10 Gum

Temp. @ 90°
271.31 @ 3° 16' = 270.87
271.23 @ 3° 0' = 270.86
271.31 @ 3° 18' = 270.86

270.86

From Top pg. 56

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 339 Pg. 58 P.T. Dunlap Chief Party Notes by V.E.W. Date June 1938

Cont. Bot. Pg. 59..



RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date June 1928 Notes by V. R. Wilson Chief Party P. T. Dunlap F. B. 228 PG. 12

#225

Platted by B. A. Crowl	W. O. [illegible] U. S. C. No. LS-200
Date July 1928	Location Ft. Hill Blvd.
Map No. B-333	Surveyed by J. P. [illegible]
Platting C'k'd by A. A. B.	Date June 1928
Date SFD 1929	Indexed

Copy see pg 66

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED LINE, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

LOT 3

LOT 4

1100.13 53-49-10 (calc.) (calc) See pg. 89

Transit Line See P.70

93+48.63 Nothing set

93+23.05 (2x24 Nail See P. 90

Temp @ 82° 273.57
274.62 @ 5°0' = ~~272.57~~
274.76 @ 5°20' = ~~273.07~~ 273.57
274.92 @ 5°40' = ~~272.58~~
273.58

P. #16. - pg. 10

495.07 (Calc.) See pg. 90

273.57 274.62 274.43

92+95.62 (~~95+02.64~~ E.C. Set 4x4 Nail Flush

(Set 2x2 +Nail Flush

50.00 50.00

Proposed ℄

(Set 2x2 +Nail Flush

~~120.76~~ (calc) 120.76 Ok.

Set 4x4 8 Inch. Flush P.O.T.

1512.70

Transit line pg 10

From pg. 89

F. B. 539 Pg. 60 P. T. Dunlap Chief Party Notes by R. T. D. Date June 1928

Cont. on Bet Page 61



RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date June 1928 Notes by V. P. Wilson Chief Party P.T. Dunlap F. B. 332 Pg. 4

4225

Platted by C.A. Crowl
Date July 1928
Map No. B-333
Platting Checked by A.A.
Date SEP 1928

Location Ft. Hill Blvd.
Surveyed by V.P. Wilson
Date June 1928
Indexed

Cont. Bet. Pg 62

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Temp. @ 86°
51.97 @ 19°-14' = 49.07 ✓
51.71 @ 18°24' = 49.07 ✓
52.12 @ 19°43 = 49.~~12~~ 06

163.07

102+30.14
set 1x1

49.07

101+87.37
Set 4x4 Y Tack
Flush. p.o.t.

P.#19-10

Temp @ 84°
290.00 @ 8°40' = 286.69 ✓
290.21 @ 8°55' = 286.70 ✓
290.01 @ 8°41' = 286.67 ✓

99+53.35
~~102+39.37~~ E.C.
Set 4x4 Nail Flush

286.69

Proposed ℄

50.00 50.00

Transit line per pg 10

Set 2x24 Nail Flush

Set 2x24 Nail Flush

set 1x2
~~P.O.T.~~
P.O.S.T.

80.83 @ 88°

80.83

P# 18-10

set 1x2
~~P.O.T.~~
P.O.S.T.

Temp @ 88°
83.81 @ 26°44 = 74.~~46~~ 74.85
83.04 @ 26°20 = 74.42 ✓
82.58 @ 25°41 = 74.~~44~~ 43

74.42

From Topo pg 68

F.B. 339 - 96 62 P.T. Dunlop Chief Party Notes by P.T.D. Date June 1928

Cont. on Bot. Pg. 63

Cont on Page 63 Lower Right

Std. 84° 10/27/28

Tape #5
Temp 66°
249.95 @ 2.04 = 249.~~74~~ 79
249.98 @ 2-17 = 249.~~79~~ 84
249.74 @ 2-03 = 249.~~74~~ 78

219.71

154.82

per page 11

P.# 21 Fd. 1x2 & Nail Per Pg. 11

172-25-00

103+97.42
Nail
4.52 Level

103+92.90
X Barn roof

4' offset Line

59.39

59.39 @ 82°

Transit line per pg 11

proposed

103+33.51
Set 1x1

P.# 20 Fd. 1x2 & Nail Per Page 11

Temp. @ 82°
119.87 @ 30°42 = 103.07
119.38 @ 31°21 = ~~103.74~~ 103.02
120.41 @ 31°06 = 103.10

103.07

From Top of Pg. 61

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date June 1928 Measured by P.T.P. Chief Party P.T. Dunlap F. B. 338 Pg. 45

4325 aps

Name G.A. Crawl
Date July 1928
Map No. B-333
Checked by A. A. ...
Date SEP 1928

W. O. No. 4451 aps No. 15.300'
Location Foothill Blvd
Surveyed by P.T. Dunlap
Date June 1928
Indexed

Set 1x2 7 Nail

Set S.W.T. in Base of 48" oak

Set 1x2 7 Nail

Set S.W.T. in 48" oak

Set 1x2 7 Nail

P.O.S.T. #10B Set 4x4 + Nail Flush

Set 1x2 7 Nail

Set 2x2 x Nail 18" deep

Set 2x2 x Nail 18" deep

P.#22 Fd. 1x2 # Nail Per Pg. 12

P.I. #10 Not Set

Set 1x2 7 Nail

Set S.W.T. in 40" oak

Set 1x2 x 24 Nail 6" deep

P.O.S.T. #10A Set 4x4 + Nail Flush

Nothing Set

105+84.03 ~~108+78.03~~ B.C.

Set 2x2 # Nail 6" deep

East. Ecom. Sup Pg 68

Δ 47-45-40
R 1000
T 174.18
L 344.90

Adj. 13-00

① 13-28-45
② 53-55-00
13-28-45
③ 107-40-00
13-28-45

① 7-58-30
② 31-54-45
7-58-41
③ 63-49-45
7-58-43

118.22 (calc)

56.23 (calc)
See Pg. 88

Temp 88°
200.38 @ 9-40 = 197.53
200.48 @ 9-51 = 197.52
200.10 @ 9-11 = 197.53

Temp 88°
188.97 @ 13-27 = 183.79
188.25 @ 13-10 = 183.79
187.23 @ 13-45 = 183.80

Temp 88°
155.91 @ 6-50 = 154.80
166.03 @ 7-11 = 154.81

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To bottom page 65



VOID See P68-68A



Pt #1
Ref Pol.1
0+00 going West

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 10-2-28 Notes by HBF Chief Party HBF F. B. 339 Pg.

4325

G.A. Crowl
Date Oct 1928
Map No. B-383
Date SEP 1928

M. & A. No. 4325 Tract No. 207 (Div. 5)
Location Foothill Blvd. Ext.
Surveyed by H.B. Fackrell
10-2-28
Indexed

Notes: ANY ADDITIONS OR CHANGES MADE ON THIS SHEET MUST BE MADE OR CHECKED WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

VOID
See P. 67

Pt. #5
Set Nail
13+23.63

Pt. #4
Set 1" I.P. (Flush)
13+23.09

28.27

See P. 88

00°-00'

N. Lake Ave.

County Rd. Assoc. Surveyors
3 1/8

Monument

658.00 + 776 = 657.98

From S.W. Cor. Lot 4, Blk. 5, Rho. Tract

Lot 4

Center top of pavement

F.B. 359 Pg. 66 HB Rochelle Chief Party Notes by HBR Date 2-5-38



RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 1-30-29 Notes by P.T.D. Chief Party P.T. Dunlap F.B. 339 Pg. 67

Plotted by G.A.Crowell
Date Feb. 1929
Map No. B-333
Plotting Checked by A.A.R.
Date SEP 1929

W. O. No. 4225 Sec. No. 15
Location Foothill Blvd
Surveyed by P.T. Dunlap
Date 1-30-29
Indexed

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cont on P.U.#1

P.I.#1 Set 2"I.P. in conc. 18"deep with brass cap marked

Set N+T-10" orange

Set N+T-6" orange

Set N+T-8" orange

Set N+T-8" orange

Set N+T-10" orange

Set 2x2 + Nail 14" deep

Set 2x2 + Nail 14" deep

Set 2x2 + Nail 14" deep

Set 2x2 + Nail 14" deep

Set 1x2 + Nail

Set 1x2 + Nail

Set 1x2 9 Nail By I.+

SURVEYORS P.I.#11 FOOTHILL BLVD MONUMENT

Adj. 25 Calc. 164-53-45

Adj. 25 Calc. 164-45-00

Adj. 25 Calc. 90-25-30

Adj. 25 Calc. 90-25-30

Adj. 25 Calc. 90-25-30

F.B. 1339 Pg. 68 P. T. Dunlap Chief Party Notes by P. T. D. Date 1-30-29



1 100-21-00 ✓ 5.10 — Total 5.10 — 1.0

2 41-24-00 ✓ 6.83 — 100-21-00 ✓ 6.94 — 6.94

3 82-48-00 ✓ 11.89 — 100-21-00 ✓ 11.89 — 11.89

4 100-20-45 ✓ 2.69 — 41-24-00 ✓ 2.69 — 2.69

Total 5.10 — 5.10 — 5.10

Total 5.10 — 5.10 — 5.10

Total 5.10 — 5.10 — 5.10

Date 1-30-29 Notes by P. T. D. Chief Party P. T. Dunlap F. B. 339 Pg. 68A

Plotted by G. A. Crowl
Date Feb. 1929
Map No. B-333
Plotting C'k'd by A. A. R.
Date SEP 1928

W. O. No. 4225 Type
C. O. No. 15
Location Foothill Blvd.
Surveyed by P T Dunlap
Date 1-30-29
Indexed

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

See Pg. 68

N'ly line Rd. Azusa de 673.29 (calc.)

Transit Line see P 34-

Fd. N+T-P.P.

41.13

73.26

Fd. N+T.

Duarte

3.16

31.94

Set L+T

Conc. Wall

S69°12'(calc.)

79-19-15 (calc.)

Set 2"I.P. 12"deep in conc with brass cap marked

COUNTY SURVEYOR RO. AZUSA + DUARTE MONUMENT

Fd 2x2+Nail See Page 42

(Set 2x2+ Nail 18"deep)

117+55.54 (Calc.) B.C.

Set 2x2+Nail 18"deep

50.00'

Set N+T-8"orange

P.I.#12 Set 2"I.P. 16"deep in conc. with brass cap marked

COUNTY SURVEYOR FOOTHILL BLVD. + E.LINE N'LY YARD T.B. MONUMENT

Proposed ℄ Foothill Blvd.

℄ Hts Lomas Prop. on P 42

Set L+T.

Set 1x2 by int

Set Nail

Conc. Curb

Cent From P. on Right

Cent. Line 664.30

300.53

25.56

50.00'

Set 1x1

0.81'

300.59@ 54°

Set N+T-8"orange

90.09'10"

89-35-30

89-35-24

89-35-30

Δ=90-15-20
R=300'
T=301.34
L=472.58

0.18'

0.63'

22.17

P.O.S.T. Set 1x2

Set L+T.

574.70

276.59

Set 2x2+Nail 18"deep

50.00'

50.00

122+28.12
~~125+14.15~~ E.C.
Set "X" on Steel Pipe line 12"deep
Set 2x2+Nail 2" deep over "X"

Cont. on Top Page 68 B

F.B. 339 Pg. 68B P. T. D. Chief Party Notes by P. T. Dunlap Date 2-2-29

Cont. From Bot Page 68A.

Temp 102°
297.16 @ 2-36 = 296.55
297.23 @ 3-00 = 296.52

Temp 106°
298.16 @ 2-52 = 297.79
298.24 @ 3-10 = 297.78

125+68.40
Fd. 1x24 Nail
See Page 42

Transit Line See Pages

594.70

Set L+T

23-24 & 42

1833.78 (calc.) See Pg. 24
Sly line Lot 1
Nly line Lot 2

See Pg. 87

1323.86 (calc.)

curve

Set L+T - Top of Cone St. Pipe

89-44-50 (calc.)

Prod. 1

125+86.78
Set 2" I.P. in conc. 2' deep with Brass Cap marked

RD. AZUSA

M. DUARTE

℄ Las Lomas
1341.89 See P. 17 & 44

94

Add. 45-1

DUARTE AVE

℄ Per Page 16

FISH CANYON RD.

139+10.34
Fd L+T in Rock 12' deep
Per P.16-17 & 41

① 70-18-00
② 361-12-15
90-18-04 ✓
③ 362-24-30
70-18-04 ✓

90°-18'-05" ✓

AVE

℄ Per. Page 17

1325.43 See P.17

148+97.03
Set Cut S.V.H.T
by Int.

2.35'
2.35'
℄ Betw. Rails
Prod. 1
2.35

LAS

338.74

Set N+T at Spl. of Rails

Set N+T at Spl. of Rails

Cont. on Top Page 68C.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 2-4-29 Notes by P. T. D. Chief Party P. T. Dunlap F. B. 339 Pg. 68

Plotted by G. A. Cram
Date Feb. 1929
Map No. B-333
Plotting Checked by
Date SEP 1929

W. O. No. 4226 1929 C.S.B. No.
Location Foothill Blvd Dist
Surveyed by P. T. Dunlap
Date 2-4-29
Indexed

Cont. from B.T. Page 68

@ 89-41-45 LOT 9
@ 358-47-00
89-41-45
@ 357-33-45
89-41-43

338.78@44°

AVE.

338.74
1325.43

89-41-45

FOOTHILL BLVD.
℄ Per P. 17

℄ Foothill Blvd Vac. 7.
1327.47 See P. 68D

Fd. C.S.W&T in ctr. Paving

152+35.77
Fd. C.S.W&T
See P. 17441

95.67

95.67@68°
See P. 17

153+31.44
B.C. set 2"x2"
& Nail 18" deep

Δ = 64-18-05
R = 300'
T = 188.56
L = 336.68

45 Lomas

℄ Per P. 17

64-18-05
See P.

P.I. L&T
Per P. 17

℄ Per P. 17

156+68.12
E.C. Set
L&T

FOOTHILL

188.56

BLVD.

188.58@68°

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

F.B. 339 Pg. 68D P.T.D Chief Party Notes by P.T.D. Date 2-2-29

Chaining on ℄ Foothill Blvd. Vac From ℄ Las Lomas Ave East to Lot Line. See Page 68C.
Temp. 68

67.21 Level

298.89 @ 7-15 = 296.50 ✓
298.72 @ 6-58 = 296.51 ✓

299.54 Level

299.07 Level

281.32 @ 9-47 = 277.24 ✓
280.89 @ 9-14 = 277.25 ✓

88.03 Level

Total 1327.60 ✓
Temp. corr. -.13 ✓
1327.47 ✓

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 8-20-28 Notes by P.T.D. Chief Party P.T. Dunlap F. B. 739 Pg. 69

4225

Plotted by C.A. Crowl
Date Sept. 1928
Map No. B-333
Plotting Checked by A.A.R.
Date SEP 1928

W. O. No. 4225 T.B. No. 31-200
Location Foothill Blvd - Div 4
Surveyed by P.T. Dunlap
Date 8-20-28
Indexed

Cont on Ext Page 70

Tape No. 31 is Std. in Length at 80°F.

Temp 96°
21.35 @ 26-22 = 19.13
21.00 @ 24-25 = 19.12
20.85 @ 23-31 = 19.12

19.12 Prod

Set 1x1
25+91.81

Temp 96°
~~297.07 @ 3-05 = 296.64~~
297.25 @ 3-21 = 296.74
297.13 @ 3-04 = 296.71
297.20 @ 3-18 = 296.71
296.73
+.03
296.75

296.75 Transit Line

61 ° Asst Line

Set 1x1 22+95.06

Temp 94°
193.22 @ 3-13 = 192.91
193.33 @ 3-39 = 192.94
193.41 @ 4-03 = 192.73
192.93
+.02
192.95

192.95

62° 15'

Set 1x2

68.93

21+02.11
Fd. 1x2 & pt #4 per Page 34

Transit Line Per Pages 34-35
2102.11 per Bk. 85-34

0+00
Fd. 1x2 at end of old Rock Wall per Page 35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 1339 Pg. 70 P.T. Dunlap Chief Party Notes by P.T.D. Date 8-20-28

Cont. on Bot. Page 71

61' ℄ Asph. 297.56

37+19.12
Temp. 92°
274.33 Level
+.02
274.35

274.35

9.44 (Fd. 2" I.P. 18" High)

34+46.67

1.90'

61.00'

34+44.77

40.64 / 40.62

44.56

18.32 Calc.

24-16.30

34+04.15
(Fd. 3×4 + Nail
Marked W.P.3
Shown on
Page 33)

Temp. 94°
106.64 @ 4-25 = 106.32
106.55 @ 3-45 = 106.32
106.32
+.01
106.33

65.67

Set 1×1
33+38.44

61' ℄ Asset Line

Temp = 96°
222.50 @ 1-23 = 222.44
222.55 @ 1-49 = 222.44
222.44
+.02
222.46

Note Tape #15 Used From This Point on.

222.46

Transit Line

Tape #31 Used up to this point

set 1×1
31+15.98

Tape #31 is Std. in length @ 80°

Temp. 86°
275.51 Level
+.01
275.52

275.52

set 1×1 28+40.46

Temp. 88°
229.96 @ 3-35 = 229.51
230.12 @ 4-03 = 229.54
229.92 @ 3-23 = 229.52
229.52
+.01
229.53

229.53

set 1×1. 26+10.93

19.12

Cont. from Top. Page 69

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 8-20-28 Notes by P.T.D. Chief Party P.T. Dunlap F. B. 339 Pg. 71

4435

Plotted by C.A. Crowell
Date Sept. 1929
Map No. B-333
Plotting Checked by L.A.B.
Date SEP 1928

W. O. No. 4438 Tract No. 15200
Location Foothill Blvd. Div. 4
Surveyed by P.T. Dunlap
Date 6-20-28
Indexed

Cont. on Ext. Page 72

Temp. 70°
273.35 @ 10-23 = 268.87
273.71 @ 10-47 = 268.93
268.87+
+.02
268.89

268.87

Set 1x2 47+41.18

Temp. 90°
135.62 @ 8-01 = 134.30
135.33 @ 7-05 = 134.30
134.30
+.01
134.31

134.31

Fence

Temp. 88°
49.16 @ 30-03 = 42.20
48.92 @ 30-23 = 42.19

42.19

46+09.04
Fd. 1" I.P.
1.4' L
Graphical Co
PLS
Bc. Sta. Equ.
Page 82

46+06.87 0.17 Set 1x2
7.50'

Fence

1.0'

Temp. 90°
182.32 @ 12-14 = 178.18
182.51 @ 12-31 = 178.17
178.17+
+.01
178.18

178.18

44+28.69
Set 1x2

Temp. 90°
113.47 @ 9-09 = 112.08
113.24 @ 8-17 = 112.03
112.03
+.01
112.04

112.03

Set 1x2
Plan 61
offset #3

43+16.65

Temp. 92°
299.95 Level
+.02
299.97

90.98
299.97

42+25.67
Fd. 3x4" Nail
at Ft. of 3 prong
Oak Marked
W.P. on West
face as shown
on Page 33

37.79

Set Nail

40+16.68

Temp. 92°
297.54 Level
+.02
297.56

297.54

Cont. from Tract Page 70

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

F.B. 339 PG. 72 P.T. Dunlap Chief Party Notes by P.T.D. Date 8-17-28

Cont. on Bot Page. 73

Temp. 82°
82.96 @ 8-56 = 81.95 ✓
83.21 @ 10-01 = 81.94 ✓

81.94

Set 1x1
61+47.87

Temp. 86°
254.42 @ 10-47 = 249.92 ✓
253.81 @ 10-02 = 249.93 ✓
249.92
+.01
249.93

249.93

34.86

58+97.94
Set 1x2 Nail
Pt. on offset #4

51.38

46.6

Temp. 88°
195.11 @ 6-37 = 193.80 ✓
194.94 @ 6-14 = 193.79 ✓
193.79+
+.01
193.80

193.80

61' C Offset

Fence

Set 1x1
57+04.14

Temp. 82°
290.31 @ 24-41 = 263.79 ✓
291.29 @ 25-05 = 263.82 ✓
263.80
+.00

263.80

Set 2x2
54+40.34

Temp. 84°
214.41 @ 16-04 = ~~205.98~~ 206.00
214.87 @ 16-33 = ~~205.98~~ 205.97
205.98
+.01
205.99

205.99

46.30

Set 1x2
52+34.35

Temp 86°
144.44 @ 19-39 = 136.03 ✓
143.75 @ 18-52 = 136.03 ✓
136.03
+.01
136.04

136.04

Set 1x2
50+98.31

Temp 84°
88.24 Level

88.24

50+10.67

268.09

Cont. From top Page 71

88.24

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date 8-16-28 Notes by P.T.D

Transit Party A.A.Cramer
Date Sept 1928
Map No. B-333
Tracing Checked by A.A.C.

Chief Party P.T. Dunlap F.B. 339 Pg. 73
W. O. No. 4425 Map No. 15-200'
Location Foothill Blvd. Pkd
Surveyed by P.T. Dunlap
Date 8-16-28

Sept 1928

Indexed

Cont. from Top Page 12

Fd. 1x2 ¢ Nail
T.L. #9 Per Pg. 30

Transit Line Per Page 29

Fd. 1x2 ¢ Nail
T.L. #8. Per Pg. 29

Temp. 88°
~~121.24 @ 6-59 = 120.34~~
121.07 @ 6-30 = 120.27
121.45 @ 7-59 = 120.27
120.29
+.01
120.29

Set Nail

Temp = 88°
300.00 @ 8-12 = 296.93
299.80 @ 7-55 = 296.96
296.95
+.02
296.95

Set Nail

70° 45' 30"
70-45-30
283-02-00
70-45-30
206-03-45
70-45-28

Temp. 88°
295.18 @ 8-17 = 292.10
295.06 @ 8-05 = 292.13
292.11
+.02
292.13

Set Nail

78-50-45
35-22-30
78-50-37½
70-45-30
18-50-41

Temp. 84°
300.07 @ 7-28 = 297.53
300.00 @ 7-23 = 297.52
297.52
+.01
297.53

Set 1x2 ¢ Nail
Pt. on offset #5

61' offset Line 7

65+03.63
62+29.81
67+37.25

81.94
273.82
49.24
184.38
34.88

Temp. = 92°
287.47 @ 17-43 = 273.83
286.55 @ 17-11 = 273.76
287.39 @ 17-41 = 273.82
286.40 @ 17-04 = 273.77
273.10
+.02
273.82

Set 1x1

Temp. 84°
50.55 @ 13-49 = 50.51
50.81 @ 14-12 = 50.77

Set 1x1

184.38
+.02
184.38

Temp. 84°
184.36 @ 7-[illegible]

16.74

Temp 82°
16.17 @ 15-16 = 16.14
36.38 @ 16-30 = 36.38

Fd. 2" I.P.
8" High

F.B. 339 Pg. 74 P.T. Dunlap Chief Party Notes by P.T.D. Date 8-21-28

Note: 300' Tape #31 used for all distances on this page.

79+04.04 − 43.41 (61)
40.27 17.59

Set 1x2
78+64.25

165.32

Temp. 92°
168.21 @ 10-40 = 165.30 ✓
168.48 @ 11-07 = 165.32 ✓
165.31
+.01
165.32

Set 1x2
76+98.93

290.86

Temp. 92°
292.55 @ 6-12 = 290.84 ✓
292.38 @ 5-54 290.83 ✓
290.84
+.02
290.86

Set 1x2
74+08.07

52.51

Temp. 92°
52.51 Level.

Set 1x2
73+55.56

61.0 Offset Line 2
297.35

Temp. 92°
297.33 Level
+.02
297.35

Set 1x2
70+58.21

286.08

Temp. 92°
298.48 @ 16-36 = 286.04 ✓
298.18 @ 16-22 = 286.10 ✓
298.80 @ 16-48 = 286.05 ✓
286.06
+.02
286.08

67+72.13. Set 1x2

34.88

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 8-24-28 Notes by P.T.D. Chief Party P.T. Dunlap F. B. 332 Pg. 75

Plotted by C.A. Crowl
Date Sept. 1928
Map No. B-333
Plotting Ck'd by A. A. P.
Date SEP 1928

W. O. No. 4225 Sec. No. 16-200
Location Foothill Blvd Div. 4
Surveyed by P.T. Dunlap
Date 8-24-28
Indexed

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cont on Bot Page 76

(P.O.T. 2" I.P. Pg 1 Nail See Page 45)

Proposed ℄ Foothill Blvd See pg. 45

Section Line

90-53-10 (calc)

194.82

4+85.22 Set 1x1

(3+77.91 Set 1x2 by Int. 116.39@87° 116.40

(P.O.T. #1 2" I.P. Pg 1 Nail See Page 45

Temp. 90° 194.81 Level

Temp. 90° 189.49@7-49=187.73 189.33@7-27=187.73

187.74

80.43

2+97.48 Set 1x1

89-18-40

92.59

Temp. 70° 92.58 Level

① 89-18-45
② 357-14-45
89-18-41
③ 354-27-15
89-18-39

81.35@8-37 = 80.43
81.58@9-38 = 80.43
81.86@10-45 = 80.42
Temp 86°

2+04.89 Set 1x2 Pot #1-R

Transit Line

204.89

Temp. 70° 205.58@4-44=204.14 205.44@4-17=204.27

① 90-00-15
② 360-00-45
90-00-11
③ 360-01-30
90-00-11

90-00-10" (calc)

402.93

(Fd. 1x2 Per Pg 28)

(Set 1x2 o+00 on Transit Line Going North. 26+71.78 from West.

Transit Line Per Pg 28.

10.00

89-24-05 (calc)

90-23-30 (calc)

25.09

34.00'

see pg. 78

1332.41(calc)

548.41 calc. see Pg 46

(Fd. 1x2 marked P.O.T. #2 Per Pg 28

26+61.71 Fd 1x2 Per Pg 28

Fd 2" I.P. Stamped 19 Per Pg 28

P.T.D.

This pt. shown here on wrong side of true tie. Should be 3.02 East of state as per Pg 78

F.B. 339 Pg. 76 P. T. Dunlap Chief Party Notes by P. T. D. Date 8-24-28

Cont on Bot Page 77



Cont From Page 75. Top

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 8-24-28 Notes by P.T.D. Chief Party P.T. Dunlap F. B. 339 Pg. 77

4225

Plotted by G.A. Crewl	W. O. No. 419+ 1928 Scale 1"=300'
Date Sept. 1928	Location Foothill Blvd Div #4
Map No. B-333	Surveyed by P.T. Dunlap
Plotting Checked by A. A. R.	Date 8-24-28
Date	Indexed

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

21
19+40.~~44~~
Set 1x2
P.O.T. #4 R.

0.31'
8.40

1931.81
Fd. 3x4 I.P.
Inscription on
3x4 Partially
obliterated.
W.P. can be
Made of it Tho.

127.68

Temp. 86°
127.68 Level

18+12.53
Set 1x1

Section Line

1553.98 (Calc.)

170.62

Temp. 86°
171.55 @ 5-59 = 170.62
171.43 @ 5-34 = 170.62

91
16+41.~~89~~
Set 1x1

297.14

Cont From Top Page 76

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. _____ Pg. 78 Chief Party _____ Notes by _____ Date _____



RETURN TO:
LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Date _____ Notes by _____ Chief Party _____ F.B. 322 Pg. 22

Plotted by Ed Brown
Date Oct. 1928
Map No. B-333
Plotting Checked by [illegible]
Date SEP 1929

T.G.B. [illegible] S. R. [illegible] W.
Location _____
Surveyed by _____
Date _____
Legend _____

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 337 Pg. 80 P.T. Dunlap Chief Party Notes by R.T.B. Date 7-21-28



Date 10-3-28 Notes by P.T.D. Chief Party P.T. Dunlap F.B. 332 Pg. 94

Plotted by G.A. Crowell
Date Oct. 1928
Map No. B-333
Plotting Ck'd by A.A. [illegible]
Date NOV 1928

W.O. No. 4225 D.P.W. No. 15-300
Location Foothill Blvd.
Surveyed by P.T. Dunlap
Date 10-3-28
Indexed

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE BY OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

P.O.S.T. Fd. 4x4# Nail Per Page 55

Tan 3° 76'
46.90 @ 20-22 = 43.97
46.12 @ 17-35 = 44.01 43.96

64-40-00 (calc)

4369 (calc) See Pg. 22

Transit Line Per Pg. 31.7

81.58

3.20

Set 2x2 +Nail by Int.

Fd. S.W.+T. Per Pg. 30

897.92 (calc)

See Pg. 30

43.9

P.O.T. #1.A Fd. 1x2+Nail Per Pg 31

64-04-45 Adj.

① 64-04-45
② 256-19-30
64-04-52½
③ 152-37-30
64-04-56
Adj. 45

Prop. ℄ Per Pg. 53-55

44+28.69 Fd. 1x2+Nail Per Pg. 71

P.I. No. 6 Fd. 4x4+Nail Per Page 53

61'o Hsot Line Per Pg. 71

N'ly Line Rancho Azusa de Duarte (calc.) 1338.53 See Pg. 89

79-37-10 (calc.)

N'ly Line Lot 47 514.06 (calc.) See Pg. 30

Set 4x4+Nail in Rock Mound at Calculated Lot Corner

NW Cor Lot 47

35.78

Set 1x1

46+06.87 Fd. 1x2+Nail Per Pg 71

F.B. 339 Pg. 82 P. T. Dunlap Chief Party Notes by P. T. D. Date 9-24-28

- Cont. on Bot Page 83



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 7-24-28 Notes by P.T.D Chief Party P.T.Dunlap F.B. 339 Pg. 81

Plotted by G.A.Crowl	W.O. No. 4226 [illegible] No. 16 360
Date Oct. 1928	Location Foothill Blvd.
Map No. R-533	Surveyed by P.T.Dunlap
Plotting Ck'd by A.A.R.	Date 7-24-28
Date NOV 1928	Indexed

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR ENCLOSED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



Cont From Top Page 82

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


Notes by P.T.D. Date 7-15-28
P.T. Dunlap Chief Party
R. 82 W. Sec. 30
LOT 2
LOT 3
Set S.W.&T. in 12" Log Peak
Set S.W.&T. in 12" Log
Set S.W.&T. in 4" Post
Set S.W.&T. in Rock Wall
Set 1x2" Nail
Set Nail
Fd. Rotten 4x4 Rnd. Stake 12" deep, Set 4x4 "Nail in Mound of Rocks
Fd. 1/4" I.P. 8" deep
Fd. 1/2" I.P. in top of 30" Conc. Stake
Sec. Cor.
Conc. Wall
Sec. Cor.
Sec. 30
Transit line Per R.S. 217
Six. line Cor. 3
Six. line Cor. 32
N19°44'W 1144.4
N71°57'E 1144.4
N.71°57'E. 1144.4
N.19°44'W. 1144.4
N.71°57'E. 1144.4
N.19°44'W. 1144.4
N.71°57'E. 1144.4
N.19°44'W.

Map No. B-313 Surveyed by F.T. Dunlap

VOID

See p. 88A + 88B


P.T.D.
(1179.26 Rad.
Fd. 1x2" Nail
Tr. Pg. 24
(1197.38 Rad.
Set 1x2" Nail
(1225+83.60
Fd. 1x2" Nail
Tr. Pg. 24-25
Set N&T
in 8" orange
Transit Line Per
Pg. 247
18.02
LOT 1
LOT 3
(89-11-15
(Calc.)
23.72
90.09
23.72
18.02
Set N&T
in 8" orange
660.54 See Pg. 25
(1333378
(Calc)
32.02
LOT 8
LOT 4
Set 5.W&T
in P.P.
Set 2" I.P.
Stamped
"County Surveyor
Azusa
Lot 8
Lot 4"
COUNTY SURVEYOR
RO. AZUSA
LOT 8
LOT 4
DE DUARTE
MONUMENT
RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not detach notice from this side of deed

Date 10-1-28 Party by Rockhold & Dunlap Chief Party Rockhold F.B. 384 Pg. 97

Plotted by	W.O. No.
Date Oct. 1928	Location Foothill Blvd.
Map No. B-333	Surveyed by P.T. Dunlap
Plotting O.K'd by	Date
Date NOV 1928	Indexed

Temp. 70°
278.33 @ 3-31 = 278.27
278.37 @ 3-48 = 278.31
278.35 @ 3-45 = 278.31

92+66.97 Fd. 1"x24" Nail Per Pg. 23

92+71.25 From W
= 13+36.95 " S.
Set N&T by Int.

298.33

2.06

92+23.31 Fd. N&T Per Pg. 23

Adj. 29-58 Rad.

① 89-27-00
④ 351-48-00
89-27-00
⑧ 355-36-30
89-27-44

4.28

Transit Line Per Pg. 23

7.00

11.89

11.9 (Calc.)

7' offset Line

(Set 2" I.P. & C in conc. in Bottom of Masonry Lined ditch

10.00

1323.86 (Calc.)

See pg. 68B

S'ly. Line Lot 3

See page 90 1320.00 (Calc.) 1319.96

Set N&T 13+24.98

89-43-35 (Calc.)

County Surveyors Rd. Azusa

3 | 2
6 | 7

Duarte Monument

299.36 @ 0°48' = 299.33
300.48 @ 2°27' = 300.81
300.16 @ 2°15' = 299.93
300.33 @ 4°01' = 299.59
126.04 @ 2°25' = 125.93
1324.99
ave. Temp. = 79°
Cor. = - 0.01
1324.98

10' offset Line

W'ly line Vineyard Tr. 2

1324.92 (Calc.)

① 89-39-45
④ 358-39-00
89-39-45
⑧ 351-18-00

Adj. 89-39-00 Rad.

N 0°30' W

Set N&T 3" orange

9 Street I-orange

Fd. N&T - replaced Set N&T Per Pg. 34

Fd. Nail

83.29

8+16

DUARTE AVE

℄ 0+00 going N

10.00

℄ Per P. 16

30.99

Cont. From Page 68B

Set chiseled X in Per P. 12 sidewalk

Notes: ANY ADDITIONS OR CHANGES SHEET MUST BE MADE BY CIRCLED WITH DATE AND INITIALS OF PERSON MAKING CHANGE.

Do not extend dates this side of this line

Return to LOS ANGELES COUNTY SURVEYOR

Bk. 239 Pg. 88 Rockhold. Chief Party Notes by Rockhold + Dunlap Date 10-1-28



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Protect ANY ADDITIONS OR CHANGES ON THESE SHEET MUST BE MADE BY THE USE OF RED INK ONLY. CHANGE.

Date 10-1-28 Notes by P.T.D. Chief Party P.T.D. F.B. 339 Pg. 67

Plotted by [illegible]
Date Oct. 1928
Map No. B-333
Platting Ck'd by A. A. R.
Date NOV 1928

W. O. No. 4225 Rec. 16-200'
Location Foothill Blvd
Surveyed by P.T.D.
Date 10-1-28
Indexed

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE BY CHIEFS OF PARTY WITH DATE AND TITLE OF PERSON MAKING CHANGE.

Pursuant to LOS ANGELES COUNTY SURVEYOR

Do not detail notes this side of this line

See Pg. 69

N'ly. Line Rd. Azusa de Duarte

1339.53 (Calc.)

Trans. + Line Per P. 702

33.1 38.44 From E
= 0+00.00 Going S
Fd. 1x1 + Nail Per Page 70

2.36 Calc.

0+02.36
Nothing Set

86.10 calc

84.25

Set 4x4 + Nail in Rock Mound at N.E. Cor Lot 4 Per Calc.

See Pg. 68

1339.54 (Calc.)

Temp 80°
237.23 @ 10-24 = 233.33
236.87 @ 9-57 = 233.33

233.33

Adj. 76-27

76-27-15
305-49-00
76-27-15
251-38-15
76-27-17

{2+33.33
Set 1x1

Set 1x1 + Nail

76-30 (Calc.)

Temp 92°
236.20 @ 8-02 = 227.94
230.05 @ 7-47 = 227.93

227.95

{4+61.28
Set 1x2

181.86

Temp 94°
181.84 @ 0°-48' = 181.84
181.84 @ 0°-33' = 181.85

{6+43.14
Set 1x2

Temp 92°
299.34 @ 20-23 = 280.60
299.30 @ 20-22 = 280.57
~~299.12 @ 20-12 = 280.43~~

280.63

{8+51.77
Set Nail

Temp 92°
13.45 Level

13.45

{8+65.22
Set 1x2

Temp 92°
~~182.14 @ 13-15 = 177.28~~
182.58 @ 13-55 = 177.22
182.22 @ 13-28 = 177.21

177.23

Adopted Lot Line

1100.13 (Calc.)

Temp 92°
147.13 @ 20-49 = 137.53
146.15 @ 19-46 = 137.54

Continue Top Pg. 70

P.M. 339 Pg. 90 P.T.P. Chief Party P.T.D. Date 10-1-58

McCall

Cont From Bot P. 87

P.O.T. #7A
2x2 See pg. 60

Ⓓ 57-14-00
Ⓐ 228-43-30
57-10-52½
Ⓑ 77-28-00
57-11-00
Adj. 10

(calc) 553.49.10

177.23

126.38

Temp 80°
~~141.46 @ 27-41 = 125.29~~
141.74 @ 27-49 = 125.376
142.24 @ 28-09 = 125.39 AV

(10+42.45
Set 2x2
by Int

per page 59.60

Temp. 79°
229.14 @ 12-50 = 223.42 ✓
229.59 @ 13-19 = 223.434 AV

223.42

Adopted Lot Line

P.O.T. 4x4
4 Nail. See P. 59

12+65.87
Set 1x2

Temp 88°
146.75 @ 4-04 = 146.38 ✓
146.70 @ 3-55 = 146.36 ✓

146.39

14+12.26
Set 1x2

(495.07 calc)

Temp 82°
95.93 @ 25-57 = 86.276
95.32 @ 25-11 = 86.276

86.27

(79+51.96
Ref 2x2 Mtn/
Nail Set 0.23
Ref. Page 5

79+01.15
Set 1x1

14+98.53
Set 1x2

89.35 (calc)

9.19

Transit Line Page 232

(calc) N 13° 17' 24" E 557.59 (calc) S 76° 42' 36" E 1278.68

See pg. 22

Adopted Lot Line

See pg. 87

Set 2x2 in
Wash Mound
at S.W. Cor.
Lot 3 Rec.
Calc

RETURN TO LOS ANGELES COUNTY SURVEYOR

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY OR UNDER THE DIRECTION OF THE COUNTY SURVEYOR. THE COUNTY SURVEYOR SHALL NOT BE RESPONSIBLE FOR ANY CHANGE.

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OF ANY KIND SHALL BE MADE ON CIRCLED BLOCK WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Date 11-16-28 Notes by R.I.P. Chief Party P.T. Dunlap F.B. 382 Pg. 91

Plotted by G.A. Crystal
Date Nov. 1928
Map No. B-333
Plotting Chkd by A. A. B.
Date NOV. 1928

W.O. No. 4275 T.B.M. No. Sur 308
Location Foothill Blvd Div. A
Surveyed by P.T. Dunlap
Date 11-4-28
Indexed



F.B. 339 Pg. 92 P. T. Dunlap Chief Party Notes by P. T. D. Date 1-24-28



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note! ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red: WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 11-29-28 Notes by R. T. U. Chief Party P.T. Dunlap F.B. 322 Pg. 24

Plotted by G.A. Crowl
Date Dec. 1923
Map No. B-333
Plotting Ck'd by H.E. Clyne
Date 12-29-28

W. O. No. 4225 S. B. No.
Location Foothill Blvd
Surveyed by P.T. Dunlap
Date 11-20-28
Indexed



Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN INK WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

V

F. B. 339 P. 94 P. T.D. Chief Party Notes by P. T. D Date 11-20-28

123+07.
117+31
5 76

122.0 122.0 22.0 21.0 120+14.7 1st Row 120.0 6th Row

3.6 conc. Mitch.

123+27.78 From W
=0+00 Going S
Nail See Page 64

38.5 17.7 38.7 Cont. on Top Page 95

℄ Las Lomas ℄
See Page 41-42

123+07.0-27th Row Trees

23.0 23.0 23.0 23.0 23.0 23.0 23.0 23.0 23.0

11.8 11.2

ORANGES

OF

GROVE

10.5' 12.4'

23.0 23.0 23.0 23.0 23.1 23.0 23.0 23.0 23.0

Transit Line Per Page 447

117+31.0 First Row Trees

116+81.86
1 x 2 + Nail
See Page 64

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 11-20-28 Notes by P.T.D. Chief Party P.T. Dunlap F.B. 344 Pg. 96

Plotted by G.A. Crowl
Date Dec. 1923
Map No. B-333
Plotting C'k'd by M.E. Clyde
Date 12-20-28

W.O. No. 4225 S.S.S. No.
Location Foothill Blvd
Surveyed by P.T. Dunlap
Date 11-20-28
Indexed

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE, OR CIRCLED IN Red, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Orange Grove

Cont. from Sht. 95

6.0

1+31.0 Conc Box Culvert

1+52.0 Rowy 40" Palms

1+65.0 1st Rowy Oranges

2+07.0-3rd. Rowy Oranges

2+07.5 P.P.

2+19.0-4x6 T.P.

2+28.0 15" Apricot

2+66.3-36" Conc St. Pipe

2+80.0-24" Olive

3' conc. Ditch

2+86.0-13± Row Oranges

2+70.5 Conc. Box Culv.

3+10.5 -12" Stand pipe

3+16.0 1st Row 12" Lemon

3+18.0 1st Row Oranges 8 to 10"

3+26.0 2nd Row 12" Lemon trees

3+30.0 2nd Row 8 to 10" Oranges

3+39.0-3rd Row 10" orange

3+49.0-4th Row 10" Orange

3+48.0 - T.P.

Grove of 8" to 12" Lemon Trees

Grove of 8" to 12" Orange Trees

Las Lomas Ave.

Cont. top pge. 97

F. B. 339 Pg. 96. P.T.D. Chief Party Notes by P.T.D. Date 11-20-28



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 11-20-28 Notes by A.C. White Chief Party P.T.P. F.B. 338 Pg. 97

Plotted by G.A. Crowl	W.O. No. 4225 S.S.O. No.
Date Dec. 1928	Location Foothill Blvd
Map No. B-333	Surveyed by P.T. Dunlap
Plotting Ck'd by H.E. Chase	Date 11-20-28
Date 12-20-28	Indexed

Cont. from bef. Pg 95

4+55.0 - Tel. P. 4"x6" 16th Row

10" Lemon 35.2 8" orange

10" Lemon 17th Row 10" Lemon

12" Lemon 18th Row

3' conc. ditch

5+88.0 4"x6" Tel. P.

30th Row of Lemon trees

6+06.0 54.2

31st Row

6+15.0 36.8

32nd & Last Row Lemon trees

6+23.0 54.7

37.0

6+42.0 - 1st Row 8" orange 18.6

6+45.0 - 12" std pipe 20.0 28.2

6+50.5 2nd Row 37.5

38.0

6+60.0 3rd Row 8" orange 18.5

38.7

40.0

28.9

7+02.0 - 12" std pipe

ORANGE Grove

℄ Las Lomas Ave

Cont. top pge 98

RETURN TO LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F. B. 339 Pg. 98 P. T. Dunlap Chief Party Notes by A. C. White Date 11-20-28

Cont. from bot. Pg. 97

6+92.0 3-36" Std pipes + 6 Riv. 4.0 12.5

1st tree 7th Row is Out

7+21.0 - 4"x6" T. P. 5.6

3' conc. Ditch

29.0 8+25.0 12" Std pipe

9+59.3 - 30th Row 8" orange 37.5

9+65.3 - Corr. Reg. 15.0 11.3

9+67.3 - Std Pipe - 24" 3.0 Small Stone Reservoir 40.0

31st Row 10.7

9+80.7 - Corr. P. Pipe 3.0

32nd Row 10.0 1 Story Corr. Sheet Pump house 9.0 13.3

40.0

9+93.0 - 12" Std pipe 19.0

9+97.3 1st Row 10" orange 18.6

10+31.0 - 24" Std pipe 16.6

10+32.0 4"x6" T. P. 15.8

11+19.0 - 36" Conc Std pipe. 18.6

11+26.0 - 18" Std pipe 18.6

11+65.0 - Begin 3' Masonry Ditch 3.0

12+16.0 18" Std pipe 11.5

12+18.5 - 12" Std pipe Row 22.0 22.0 23.9

Cont. top pg. 99

Ave

Los Lomas

Grove

Orange

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN R. & M. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 11-20-28 Notes by A.C. White Chief Party P.T. Dunlap F.B. 339 Pg. 99

Plotted by G.A. Crowl	W.O. No. 4225 S.O. No.
Date DEC. 1928	Location Foothill Blvd.
Map No. B-333	Surveyed by P.T. Dunlap
Plotting Ck'd by HE Clayton	Date 11-20-28
Date 12-20-28	Indexed

Cont. from bot. pg. 98

12+43.0 - Wat. hyd. ⊙ 11.5 ↗

12+60.0 4x6 Tel. P. ⊙ 5.8 ↗

13+56.0 - 36" Stnd pipe ⊙ 11.5 ↗ 28.7

13+98.0 - Tel. Pole 4x6' ⊙ 5.8 ↗ ⊙ 28.8

15+41.0 - 4x4 R/R Sgn. ⊙ 6.8 ↗

15+54.0 - 4"x6" T.P. ⊙ 5.8 ↗

15+66.0 - 18" Stnd. Pipe ⊙ 4.8 ↗

15+79.0 - 4" Stnd. Pipe ⊙ 4.8 ↗

16+04.0 - 36" Semi-circle Stnd pipes and spreaders ✱ 12.7 ↗

16+28.0 - 36" spreader ✱ 12.7 ↗

16+38.0 - 18" Valve ⊙ 15.5 ↗

16+45.0 29th Row 8" oranges ⊙ 22.0 ✱ 12.7 ↗

16+50.0 - Spreader

16+57.0 - 1st Row - 3" Oranges 80.1

16+70.0 - spreader ✱ 12.7 ↗

16+68.0 30th Row 8" oranges ⊙ 22.2

16+79.0 - 2nd Row 3" oranges ⊙ 59.0

16+90.0 spreader ✱ 12.7 ↗

16+95.0 18" std pipe ⊙ 13.6 ↗

16+99.0 4x6 TP ⊙ 9.0 ↗

3 cone ditch

12+79.5 - 96th Row

13+03.0 - 1st Row Oranges

⊙ 23.0 ⊙ 22.8

Las Lomas Ave

ORANGE GROVE

Cont. top pg. 100

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 1339 Pg. 101 P.T. Dunlap Chief Party Notes by A.C. White Date 10-20-28

cont. from bot pg. 100

17+26.2 10" Std Pipe @ 12.7
17+47.0 10" std pipe @ 12.7
17+69.5 10" Std pipe @ 12.7
3' conc. Ditch
See P. 41-42

18+11.0 - 10" std pipe @ 32.9
18+37.0 - 10" Std pipe @ 27.4
18+58.0 - 10" Std pipe 27.4
18+64.0 - 7th Row 3" Orange
56.0'
18+75.0 - 32nd Row Orange Trees
Rd
Los Lomas
GROVE OF 8" to 12" ORANGE TREES
22.4 22.8
27.8 18+78.0 - 27th Row of Orange Trees

19+01.0 - RR Sign
19+02.5 - 24" Culvert PP
19+05.0
28.0 38.0
19+07 - Culvert
P.E. Waiting Sta.
19+08 S. Cor.
St. Sign 19+05.0 PP
19+08 - P.P. 40.0
19+13.00 - Most N. Rail
PACIFIC ELECTRIC RY. Double track
19+32.90 Most S. Rail
19+38.0 - P.P.
19+41 - Signal Pole @ 36.0
19+81.3 - End Culvert
19+47 - RR Cross Sgn.
19+49 - Auto Clb. Sgn.
DUARTE RD.
19+64.0 - End Culvert
19+72.0 Fence
19+72.5 P.P.
19+80.0 En Cor. Hse
33.8 44.1

20+00.0 - 8" Peach
20+09.4 N.E. Cor. Hse
20+48.0 10" Sumach
PORCH 12.5 24.2
1 STORY FRAME DWELLING 24.2
27.3
33.2
28.0
32.3
20+16.2 End Fnce

20+63.0 - 2-18" Repper
of 15
35.7

cont on top P. 102

RETURN TO LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 11-20-28 Notes by A.C. White Chief Party P.T.D. F.B. 339 Pg 102

Plotted by G.A. Crowl	W. O. No. 2276 D. S. O. No.
Date Dec. 1928	Location Foothill Blvd
Map No. B-333	Surveyed by P.T. Dunlap
Plotting Ch'd by MRC Payne	Date 11-20-28
Date 12-20-28	Indexed

Cont. from Bk P. 101

24+32.0 - N.E. Cor Bldg

28.0

1 STORY FRAME BARN

33.0

21+72.0 - SE Cor Bldg

31.6

31.0

Seep

22.0

30.7

37.1

21+30.0 6" Elm

21+54 - P.P.

21+84 - Sycamore 10"

Los Lomas Rd.

22.0

50.8

23+46.0 - P.P.

23+80.0 N.W. Cor hse

12.5 7.0 PCH 6 7 20.0

1 STORY FRAME DWELLING

24.2 7.0 PCH 12.8 7.0 12.6 55.5

50.3

13.0

24+00.0 Mi. Bk

25+67.0 - 6" Sycamore

42.2

25+69.0 - 6" Sycamore

40.7

19.5

25+41.0 - P.P.

25+82.0 -

RR Sign

17.3

19.4

27+27.0 - P.P.

50.0

27+32.0 - Tel. P.

27+86.0 - N. Rail

DOUBLE TRACK

S. P. R.R.

28+08.3 - S. Rail

28+20.0 - RR. Sgn.

Cont. on Top P. 103

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 339 Pg. 103 P. T. Dunlap Chief Party Notes by A. C. White Date 11-20-28

Cont From bot, P. 102

21.7 — 28+37.0 - Begin face

18.0 — 28+84.0 - P.P.

See P. 41

30
29+16.0 Auto Clb. Sgn. — 18.4

16.4 — 30 29+76.0 P.P.

℄ Los Lomas Rd.

26.7

20.0 — 100 — 32 31+45.0 - Fn. Cor.

23.3 — 32 31+66.5

32
31+61.0 4" Pine — 47.9

℄ FOOTHILL BLVD.
See P. 41

32
31+86.7±
S. 1/4 T.

26.0 — 33 32+07.5 - Auto Clb Sgn

13.3 — 33 32+15.0 - 8" Pine

34.2 — 33 32+73.0 - Turn in Face

14.5 — 33 33+03 - PP

54.0 — 34 33+18.0 Tn. in Fn.

35 34+03.0 End Fn.

12.0 — 35 34+37.0 - PP.

Cont on Top 104

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 11-20-28 Notes by A.C. White Chief Party P.T. Dunlap F.B. 339 Pg. 104

Plotted by G.A. Crowl	W. O. No. 4275 S. S. O. No.
Date Dec. 1928	Location Foothill Blvd
Map No. B-333	Surveyed by P.T. Dunlap
Plotting Ck'd by M.E. Clyne	Date 11-20-28
Date 12-20-28	Indexed

Cont. From Bk. P. 103

℄ Las Lomas Rd

35

~~34~~ 57.75 to Edge Pavt. Foothill Blvd

Asphalt Apron = 8.9' on Both sides

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Notes by

Chief Party

F.B. 839 Pg. 101

Map No. [illegible] Surveyed by A.W. Van Fleet

Ave. 1928

Solar Observation

April 16, 1928

Position	Hor. Angle	Vertical Angle	Time	
1	U.L.	15° 15' 00"	38° 13' 30"	9 11' 00	R.A.
	L.R.	192° 52' 00"	38° 17' 30"	9 24' 00	
2	U.L.	177° 05' 00"	38° 22' 00"	9 36' 30	
	L.R.	192° 12' 30"	38° 28' 00"	9 48' 30	
3	U.L.	177° 12' 00"	38° 21' 00"	10 01' 00	
	L.R.	192° 05' 15"	38° 24' 00"	10 13' 00	
4	U.L.	16° 56' 30"	38° 31' 00"	10 25' 00	
	L.R.	192° 29' 00"	38° 31' 30"	10 38' 00	
5	U.L.	18° 45' 00"	38° 26' 00"	10 51' 00	
	L.R.	191° 21' 30"	38° 13' 00"	11 03' 00	

Watch #2 Seconds slow by Western Union - Standard Time

Foothill Blvd.

A = Sta 378 38+95.2 L

B = Sta 378 37+50.0 L

Transit at A - Foresight on B

A turned to left and South

Magnetic Bearing S 73° 00' W

Declination Set at 0° 00' 00"

Temperature 75° F.

Transit Berger No. 16498

Notes by A.W. Van Fleet

Instrumentman: Jack Gregory

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Chief Party _____ Instrument No. _____ Dep.

R.S. 33 Rd. No. 7

Date _____ Notes by _____ Chief Party _____ F.B. 359 Pg. 108

Plotted by SMcC
Date 2-14-29
Map No.
Plotting C'k'd by CJ Tenney
Date 2-14-29

W. O. No. 718 D. S. C. No.
Location Foothill Blvd.
Surveyed by Evans.
Date 1-31-29
Indexed

229.74 @ 1°-41'-T52 = 229.59
122.75 @ 1°-39'-T52 = 122.67
295.49 @ 1-10-T58 = 295.37
647.63

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

ORANGE AVE.

BRIGGS AVE.

263.74 @ 4°-12'-30"-T58° = 262.98

229.56 @ 5°-49'-30"-T58° = 228.33

P#1-In t/s
Set S.W. & T

89°-59'-40"

89-59-45
359-58-30
89-59-37½

Fd S.W.T.

Fd S & W

Fd 2"X2" stake — 25.01 — 25.01 — Fd 2"X2' stake

Set S.W.& T.

ORANGE AVE (Not Dedicated)

Set S.W.T.

Fd 3"X3" stake

24.99 24.99

Fd. 3"X3" Stake

ROSEMONT AVE.

F.B. 339 Pg. 109 Chief Party Notes by Date

1+63.58
P#7 set 1XR
Angle Pt. in Rd. Line

Rd. La Cañada

To P#8

191.79 @ 1°08'-764' = 191.72

Line of

℄ NW4

P#6 set 1XR
11+20.79

42.79
Pt. Not used

33.46 @ 8-10 = 33.12
Rd. Line

P#5 set 1XR
by Tan.
10+87.67

45°-40'-45"

(45°-40-45
18°-43-00)

17827

9+09.40
P#4
set 1XR

L = 16900

1+49.40
P#3
set 1XR

101.78752 @ 37-24752

6+47.63
P#2
set 1XR

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 229 Pg. 110

Platted by Jones
Date 2-14-29
Map No.
Platting Ck'd by C.F. Henry
Date 2-14-29

W. O. No. 748 S. O. No.
Location Foothill Blvd.
Surveyed by Evans
Date 2-8-29
Inspected

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

294.92 @ 2-54-T62° = 294.49 ✓

To Hill

CASTLE Rd.

Fd 1" I.P. P.T.
0.06 N. of line
24+32.41 ✓

94.57-T88° = 94.56 ✓

Fd 2" I.P. P.T.
0.06 N. of line
23+37.85 ✓

186.60 @ 6-17-T68° = 185.46 ✓

P.T. 10-sch. yz
21+52.39 ✓

N 14° E. line of Rd. to Canada

TR. # 519

86.00 @ 0-0 = 86.00 ✓
125.68 @ 4-0830 = 125.35 ✓
211.55 @ 4°-49 = 210.50 ✓
294.25 @ 4-59 = 293.14 ✓
715.29 ✓
T 54° = -1.6 ✓
715.13 ✓

Mag = 54-15 E.

P.T. 8-Hill
P.T. 14+97.26 ✓

82.35 @ 5-30-T64° = 81.96 ✓

P.T. 8-11 yz sch
13+55.30 ✓

F.B. 339, P. 111 — Chief Party — Notes by — Date

88° Tape

482.00 @ 3-58-T50 = 480.77
L 76° tape

P#13-set 1/2" IR
38+94.75

Top of Bank

Ranch Line produced

Re La Canada

291.33 @ 4-12-T68° = 280.53

36+14.22
Fd 1¼" IP-Sk"T
Center Angle pt. in Re-Line.

Line of

292.68 @ 0-5-T64° = 21.60

N 14°

Fd 2" IP R/T
0.07 N of line
33+33.66

TIES @ 3-33 = 113.30
113.20 @ 2-41 = 113.0

P#12-set 1/2" IR
33+21.62

298.80 @ 0-57 = 298.76
296.38 @ 2-42 = 296.05
594.81
T64° = .09
594.72

33+13.73
Fd 2" IP + PC
0.06 N of line.

Marked

Closing Cor. for Sec. 33, T2S, R7W, T.R.N. Ridge S.B.M.

P#11-set 1/2" IR
27+26.90

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. [redacted] Pg. 112

Platted by	SMoC	W.O. No.	748 S.O. No.
Date	2-14-29	Location	Foothill Blvd.
Map No.		Surveyed by	Evans
Platting Ck'd by	C.T. Tenny	Date	2-5-29
Date	2-14-29	Indexed	

Fd SM.JT.

HILLARD AVE

FAIRMONT AVE. (MOUNTAIN AVE.)

PALM AVE.

Fd L&T in curb.

Fd 2X3"

(134°-21
177°-23-30)

134°-20' 1155'

44+51.49
P#15
Set 1X2
by Intsh.

43+75.52
P#14
Set 1X2

1597

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CANCELED IN Red, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 559 Pg 113 Chief Party Notes by Date