FORM 247 10M 11-36

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by_____
Map No._____
Office Work
Checked_____
Date_____

Survey of_____
W. O._____ Tape No._____ St'd._____ °F.
Surveyed by_____
Notes_____ Date_____
Indexed_____

F.B._____ PG._____

F.B. 370 Pg. Index

F.B. 370

PAGES: Index, 1 , 3 , 7 to 25 ,
27 to 35 , 37 , 39 to 43 ,45 to 66
, 68 to 84, , , 87 to 109 120 to
138 , 140 to 144 , 146 to 155 ,
157 to 209 , 211 to 213 incl.,

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Braden

Nov 1930

Map No. B-468-1

Location SANTA FE RD.

Surveyed by Braden

Drawn by G.D. SCOTT 1929

SURVEY of PROPOSED

SAND CANYON ROAD

W.O. 738

W M Holmes - Field Engineer

Oct-Nov-1928	Dec-Jan-F	Feb-June	Sept-Nov-1930
Braden	Harnbrook	Braden	Braden
Kenniston	Braden	Baker	Livingston
Jarvis	Kenniston	Kenniston	Wilson
Morrison	Jordan	Held	Lorraine
Simmons	Morrison	Dolan	Held
Blackmore	Maguire		Maguire

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. 370 Pg. 4 Chief Party Notes by Date

~~Notes of Alignment of Cypress Fifth Ward calculated by Elkaim~~

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F. B. 370 Pg. 5

Date _____
Map No. _____
Date _____

W. O. No. 7338 D. P. O. No. _____
Location SAND CANYON RD
Surveyed by _____
Indexed G.D. SCOTT 1929

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red**, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Nov. 1976 ... Gravel Pit Rd.
Proj No. A-2283-S Surveyed by: Evans

209.13 @ N 15-29-T-42° = 200.00

500.00 @ N 15-5-T-42° = 483.78

2760.5 @ 1400 T62 =	25807		
766.76 @ 3544 T62 =	25909	25909	
188.53 @ 330 T62	18916	18916	✓
188.53 @ 383 T62	18817	21924	
2186 @ 435 T62	21828	17217	
2180 @ 415 T62	21825	1372	
1373 @ 00	1373	851.33	
177.56 @ 357 T62	17715		
172.53 @ 410 T62	17216		

500.00 @ 3-14-T-48° = 499.77

SEE NOTE 217 FOR NEW 14 COR. 4-8-30 FHB.

500.00 @ 0-00 T-70° = 499.98 ✓

500.00 @ 0-48-T-70° = 499.92 ✓

1343.36 ✓

354.75 @ 0-55-T-70° = 354.69 ✓

T-3-N

475.87 @ 0+00 T-48° = 475.80 ✓

Witness Corner Sec (3-140) Set by Calc by McNeil

500 @ 1-23-T-48° = 499.82 ✓

(See Pg. 1)

FD. B. Wash 12" W. 7" high. WOOD Post GATE Inside FENCE

Main Line

Wash

8" DIA

Pg. 8 Bearing ... Chkd by ...

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

WS 63 B-3

Centerline

564+15.22 ✓
Nail-Ridge

174.74 @ 9-09-T.72 = 172.52 ✓

R-15-W

(34)

#4 set 1x2

55+03.01
~~55+02.00~~
~~55+02.80~~

150.22 @ 4-25-T.72 = 149.29 ✓

Replaced 3-1-30

Sec 3 T4N-R15W S.B.B.M.

Sec 34 T5N-R15W S.B.B.M.

149.29 ✓

(3)

COUNTY SURVEY MONUMENT

15W 34 35 T4N 3 2 T3N

Random to South
See Pg-31

(16-07-30)
(20-15-00)

~~53+55.03~~
Corrected Sta 53+56.45 ✓

484.52 @ 12-20-T.72° = 473.33 ✓

227.92 ✓

24.24 Calc.

Fd 2" I.P. with Cap marked as shown-with small md. of rocks around it. IN

52+75.00

9-47-30
15-15-00

3.16 Calc.

Fd. 2" I.P. on fence line.

227.92 @ 1-59 = 227.78 ✓

(1)

245.28 @ 12-07-T.48° = 259.75 ✓

(35)

~~47+40.72~~
47+70.10

#5 - 1x2
on high-ridge

T-4-N

T-3-N

118.93 @ 33-29-T.44 = 99.18 ✓
8

~~46+70.53~~ 27.4

#4 set 1x2
side hill

This line rechained
See page-8A

490.02 @ 20-32-T.46° = 458.85 ✓
110.98 @ 19-04-T.66° = 104.86 ✓
49.14 @ 24-19-T.66° = 79.00 ✓
500.00 @ 3-31-T.66° = 499.03 ✓

Z Cont'd from top Pg 7

Date 6-21-29 Notes by _____ Chief Party F Baker F.B. 370 Pg. 86

Platted by O.L. Peck	W. O. No. 738 D. S. O. No.
Date Nov. 1930	Location Sand Canyon
Map No. B-468-3	Surveyed by Baker
Platting C'k'd by McPh.	Date 6-24-29
Date	Indexed GR Sept 1929

See Page 8 for section corner as set.

SEC 3 ✓

53+56 62

Fd 1x2 @ Intersection F.B. 370-8 & 27

2" I. Pipe

Continued bottom Pg 8C

This is second [illegible] 8,370 Bg N 3° W 300 [illegible] N 39 Stake 8.20

234.86 @ 21-49 T 96° = 218.06 ✓
119.34 @ 16-40 T 90 = 109.54 ✓
264.56 @ 11-46 T 92 = 258.99 ✓
586.59 ✓

389.22

47+70 ✓ Fd 1x2 Stake

220.95 @ 30-49 T 100° = 189.94 ✓
295.47 @ 20-06 T 102° = 277.50 ✓
22.00 @ Level T 104 = 22.00 ✓
183.43 @ 18-39 T 102 = 173.82 ✓
265.92 @ 14.34 T 98 = 257.39 ✓
293.15 @ Level T 98 = 293.18 ✓
27.00 @ Level T 96 = 27.00 ✓
1240.83 ✓

SEC 2

35+29 27 ✓ Fd. 1x2 Stake

202.32 @ 16-32 T 94° = 193.96 ✓
283.00 @ 4-11 T 96° = 282.27 ✓
300.49 @ 3-58 T 96° = 299.79 ✓
301.00 @ 3-09 T 92° = 300.57 ✓
301.00 @ Level T 90 = 301.01 ✓
281.00 @ Level T 90 = 281.01 ✓
301.00 @ 0-41 T 86 = 300.98 ✓
297.00 @ Level T 102° = 297.03 ✓
297.00 @ 1-01 T 104 = 296.99 ✓
2553.61 ✓

See Page 7 for 1/4 Sec. Corner ✓ set.

9+75 66 ✓ Fd. 1x2 Stake

297.00 @ 1-32 T 102 = 296.92 ✓
295.69 @ Level T 102 = 295.72 ✓
297.00 @ 0-42 T 102 = 297.01 ✓
86.00 @ Level T 102 = 86.01 ✓
975.66 ✓

2x2 By 8" Well Casing = 0+00 - Pg. 7+13

SEC 1

301.00 @ 0-42' T 102 = 301.02 ✓
295.47 @ Level T 102 = 285.50 ✓
290.57 @ 13-55 T 104 = 233.54 ✓
301.00 @ 10-59 T 104 = 295.53 ✓
17.86 @ Level T 104 = 17.86 ✓
1133.45 ✓

1x2 P.O.T. A = 11+33 45 ✓ - page - 13

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F. B. ____ Pg. ____ Chief Party ____ Notes by ____ Date ____

Date 7-2-29 Notes by F Baker Chief Party F.B. 370 Pg. 8C

Platted by O.L. Pack	W.O. No. 138 D.S.O. No.
Date Nov. 1930	Location San Gabriel
Map No. B-468-3	Surveyed by Baker
Platting C'k'd by MSPM	Date July-2-1929
Date	Indexed GO. Scott 1929

WSG 2, 4-3

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Continued bottom Pg - - 10B

97+20 78 ⊙ Fd 1x2 #9 See L.B. 370 Pg 11

129.61 @ 2-12 T 98 = 129.51 ✓

224.98 @ 7-13 T 94 = 223.21 ✓

93+68 06 ⊙ Fd 1x2 #8 See F.B 370 pg 10

128.78	@	10-51 T 94	126.99 ✓
17.03	@	Level T 98	17.03 ✓
279.12	@	21-33 T 98	259.64 ✓
210.71	@	Level T 94 =	210.72 ✓
80.70	@	Level T 92 =	80.70 ✓
297.97	@	1-35 T 96 =	297.88 ✓
298.59	@	8-45 T 94 =	295.13 ✓
			1287.59

(See page 9 for Mon. -9B)

80+80 47 ⊙ Fd 1x2 #7 FB 370 pg 9

Sec. 34

170.23	@	10-38 T 100 =	167.33 ✓
295.91	@	5-28 T 102 =	299.59 ✓
63.15	@	9-18 T 104 =	62.33 ✓
296.87	@	7-27 T 104 =	294.40 ✓
180.04	@	Level T 98 =	180.06 ✓
124.57	@	4-24 T 98 =	124.21 ✓
299.58	@	9-28 T 100 =	295.53 ✓
149.74	@	3-21 T 100 =	149.49 ✓
299.70	@	7-34 T 98 =	297.12 ✓
297.44	@	9-08 T 100 =	293.70 ✓
254.84	@	14-16 T 98 =	247.00 ✓
173.65	@	8-38 T 98 =	171.70 ✓
			2577.46

SEC 3

NOTE
This is rechaining see FB 370-9 for original

300' chain #38 Std @ 8A

55+03 01 ⊙ Fd 1x2 Stake

146.91 @ 5-12 T 94 = 146.32 ✓

16.96 ✓

53+56 69 ⊙ 2' I.P. pc

Fd 1x2 @ Intersection
See F.B 370 - pg 31

SEC 2

Sec. 35

From top of page 8A
26.24 → ⊙ {Sec. Cor. Co. Surv Mon. per F.B

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F. B. _____ Pg. _____

Chief Party _____ Notes by _____ Date _____

Date 4-24-38 Party Crandall Book Breiler F.B. 572 Pg.

Date Nov. 1930
Map No. B-468-3

Location Sand Mt. Rd.
Surveyed by Breiler
Indexed G.O. Scott 1939

Notes: ALL ALTERATIONS OR CHANGES IN THIS SHEET MUST BE MADE IN CIRCLES IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

2.5 ± Up 0.6 ft

Nail

488.79 @ 7-05-T.-70° = 486.02 ✓

Ridge

Note - This line rechained
See page - 8A
8C

Corrected Sta 80+80.47
80+81.05

Sta 80+81.5

#7-S.E.T.

44.92 @ 15-35 = 44.44

44.44 ✓

459.40 @ 8-21-T.70° = 454.51 ✓

Nail

(6)

Gully

434.85 @ 6-11-T.72° = 434.30 ✓

Moved C.S. Mon. and reset some, replacing 2" I.P. Set by Friel per L.S. 25-37

Marked as shown at top right of Page

Nail

499.40 @ 2-47-T. 72° = 499.00 ✓

Gully

Nail

434.32 @ 6-31-T. 74° = 433.49 ✓

Nail

97.23 @ 1-54-72° = 97.17 ✓

Nail

500.00 @ 12-58-T. 72° = 487.24

Cont. from Top Page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CONFIRMED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

U.S. Gov. Tr. 3

T-4-N R-15-W S.B.M.

T-4

Seepage Area from Pg. 8A

110+89.69

120.47 @ 4-23-T.80° = 210.74 ✓

See Page 10A for new location of E.S. from Rec. Re-set at this point as marked as shown on Pg. 10A

109+ 22.56

#11 set 1x2

25.467 @ 7-58 = 252.21

108+00

319.09 @ 13-56-T.78° = 309.72 ✓

Fd. - 2" I.P. & Cap marked as shown, in Mnd. head of small drive

Random to south See Pg. 3

106+78.28

106+26.67

106+13.01

#10 set 1x2

289.29 @ 4-04-T.78° = 288.55 ✓

T.B.M. Fd. Nail in Top of 30" Oak Tree 50.3' S. 53° E. of Sta. 101+48 Elev. 3.35 No. 6

T.D.A. Pg. 11

101+48

497.41 @ 11-04-T.70° = 488.28 ✓

118.91 @ 13-18-T.70° = 115.72 ✓

#9 set 1x2

91+20.78

353.94 @ 4-20-T.78° = 352.95 ✓

100.74 @ 22-42 = 92.94 ✓

93+86.52

Fd. Small nd. of stake appears to be 0/6

#8 set 1x2

93+68.00

93+68.00

92.84

93+27.73

93+54.18

Fd. I.P. + Cap as shown in Mnd. of stake

120.91 @ 11-09-T.62° = 126.47 ✓

Nail

(mag) S-9-15-E

90+65

Gully

499.30 @ 12-10-T.62° = 488.04 ✓

Note: This line Re-chained See P. 8C-10B & 10A

88+43

#9

187.61 @ 2-17-T.62° = 187.44 ✓

CONTINUED TO PG. 9

Date 7-10-29 Notes by F Bakey Chief Party F Bakey F.B. 370 Pg. 10A

Platted by O.L. Pack	W. O. No. 738 D. S. O. No.
Date Nov. 1930	Location
Map No. B-468-3	Surveyed by
Platting C'k'd by MSAH.	Date
Date	Indexed G.D. Scott 1429

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

W.S. 62, C+3

Fd 1X2 # 14
135+55.02

Cont bottom pg. - 12A

25-37-00
102-27-45
25-36-56
37-00 adj

25-37-00 adj

SEC 4

1541.60
1541.60

58-19-00
233-15-45
58-18-56
19-00 adj.

(96-04-00
24-16-00
96-04-00

96-04-00

58-19-00 adj

Fd. 1X2 #
120+13.42

783.24 Fd 1X2

124.62 @ Level T 84 = 124.62
300.33 @ 1-54 T 84 = 300.16
92.13 @ 16-14 T 84 = 50.05
296.59 @ 3-52 T 86 = 295.91
12.50 - Level T 86 = 12.50
Base Line = 783.24

218.08 @ 18-04 T 80 = 207.32
274.37 @ 16-43 T 78 = 262.96
69.27 @ 1-38 T 78 = 69.44
50.00 @ 27-04 T 72 = 45.06
287.80 @ 4-17 T 70 = 286.97
871.75

1111+41.67 1X2 Stake #12 (Note All not found)

190.85 @ 5-27 T 72° = 189.98
278.97 @ 11-06 T 68° = 273.72
463.70

108+07.01 Set 1X2

Set 1X2

Vertical By Prof.

1106+77.97 2" I. Pipe
1X2 Intersection REPLACED
See F.B. 370 - Pg 10B & P.31

SEC 3

Cont from F.B. 370 Pg 8A

10B

MONUMENT COUNTY SURVEYOR
R15W
T3N
34
3

F.B. 370 PG. 10 A1. Chief Party Notes by Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 7-2-29 Notes by F BACK Chief Party F.B. 370 - 108.

Platted by O.L. Pack	W. O. No. 238 D. S. O. No.
Date Nov. 1930	Location Sand Canyon
Map No. B 166 3	Surveyed by Baker
Platting C'k'd by MSPM.	Date July 3-1929
Date	Indexed GO. Scott 1929

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

SEC 4

NOTE
This is rechaining
300' Tape # 39
Std @ 84°

Cont. on bot. ~~top~~ Pg. 10A.

106+77 97 ✓ Fd 1x2 @ Intersection See FB 370 - 31 11

69.16 @ 20-05 T 100 = 64.96 ✓

106+13 01 ✓ Fd 1x2 # 10 See F.B. 370 - 10

SEC 3

112.70 @ Level T 100 = 112.71 ✓
191.71 @ 6-34 T 98 = 190.47 ✓
74.63 @ 13-30 T 104 = 72.58 ✓
242.35 @ 16-10 T 106 = 245.62 ✓
190.25 @ 16-44 T 98 = 182.21 ✓
121.99 @ 13-21 T 100 = 118.64 ✓
892.23 ✓

97+20 78 ✓ Fd 1x2 # 9

Continued from top page 8C

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Notes by

Chief Party

F. B. PG.

Chief Party E. Bailey F. B. 370 Pg.

Nov. 1930
Map No. B-163-3
Location Sand Canyon Rd
Surveyed by Baker



156-48-37½

SECTION 15

set 1x2

36.79

819.78

2006.54

set nail
250.86
Fd 1x2"
0.10 North

7.86
Fd 2" I.P. Brass Cap
Mk. COR.
263.87@ 18-06 E

1060.91

set 1x2

Fd 1/2 I.P.

217.08
182-06
West of line

SEC. COR.
Section Corner

3' 077 Set

Do not extend signal this side of this line

LOS ANGELES COUNTY SURVEYOR

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Chief Party _____ Notes by _____ Date _____

FB 370 Pg. 102

Map No. R-462-3

Plotted by Bridon

445.45 @ 3-27-T.42° = 464.77 ✓

486.13 @ 4-20-T.68° = 484.71 ✓

102.10 @ 10-0-T.76° = 100.52 ✓

1354 55.92

Correct Sta. 1354 32.48

(25-37-15
102-28-30
25-37-04
90.10)

130+20

T-3-N

#13-3rd IXL
ON Main-NRHS-
Ridge

1204 13.42

41.17 @ 16-19-T.44° = 58.71 ✓
nail

497.48 @ 14-45-T.44° = 481.24 ✓

nail
144 + 75.24

334.74 @ 7-27-T.58° = 331.89 ✓

This Line Re-chained. See P. 10A &

T-4-N
R-5-W

183.23 ✓

478.89 @ 3-20-T.44° ✓
304.21 @ 4-43-T.44° ✓
304.18 ✓
478.07 ✓

(83-56-00

74-39-30
04-37-30
74-39-30

Bk. 390 Pg. 12 Bradley

Chk'd by Book 2247 Pg. 11 Verified

K 562 C-3

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

LOS ANGELES COUNTY SURVEYOR'S EQUIPMENT R15W T3N 33 T2N

Set C.S. Mon. in place of found pipe.

Sec 5

Sec 32

Ravine

Original - Per C.S. 9043 Fd. 2" I.P. With 4" length of 4 chained 2X4 in top of pipe. Granite Rock 13X10X4 - 4 notches on one edge +2" " opposite edge. Exhibits of chained wood, by digging - Rock was in Ind. around pipe, scribing to old chiseled

127.90 @ 25-43-T.72° = 115.13 ✓

160+32.03 / 115.13 ✓

151+61.01

48.60

48.60

29-56-00

24-58-30

151.13 ✓

160+56.62

#4 Set 1x12

24.59 ✓

49.97 ✓

43.50 ✓

50.10 @ 4-11 = 49.97

40.43 @ 4-39-T.72° = 40.36 ✓

Sec 4

269.15 @ 21-05-T.72° = 269.78 ✓

Sec 33

Cut - 50' Wide

151+78.49 ✓

380.20 @ 8-39-T.70° = 375.87 ✓

157+08±

153+72.62 ✓

338.21 @ 7-53-T.70° = 335.00 ✓

151+17±

chipt.

150+37.62 ✓

449.08 @ 16-16-T.64° = 431.07 ✓

T 2 N R 15 W

See P. 12A.

This Line Re-chained.

Date 7-11-29 Notes by F Baker Chief Party F Baker F.B. 370 Pg. 12A

Platted by O.L. Peck	W. O. No. 738 D. S. O. No.
Date Nov. 1930	Location Sec 4 T 3 S R 13 W
Map No. B-468 3	Surveyed by
Platting C'k'd by MSM.	Date 7/11 - 11-1929
Date	Indexed G.D. Scott 1929

C-3

W562

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Sec 5

T 3 S R 13 W

Pothmapage 43

S 1-3 E

Del Mag 20°

REPLACEMENT.

COUNTY SURVEYOR'S MONUMENT

48.60

49-56-00

49-58-00

104.39

115.15

161+61.01

Fd 2" I.P. See F.B. 370 Pg 12

Sec. Cor. set C.S. Mon. in place of Pipe.

127.60 @ 25-31 T 88 = 115.15

160+56.62

Fd 1x2 #16

SEC 4

SEC 33

40.78 @	10-13 T 88	40.13
265.65 @	22-50 T 90 =	244.84
107.23 @	4-24 T 90 =	106.91
300.76 @	12-17 T 88 =	293.85
91.16 @	4-06 T 89 =	90.93
245.16 @	8-59 T 82 =	242.15
150.77 @	15-44 T 88 =	146.46
300.29 @	17-28 T 80 =	286.43
		1451.73

146+04.89

Fd 1x2 #15

66.95 @	27-12 T 80 =	59.55
295.88 @	17-03 T 72 =	293.64
114.27 @	12-43 T 68	111.46
200.42 @	11-02 T 90 =	196.73
298.58 @	14-24 T 94 =	289.22
100.13 @	4-41 T 88 =	99.87
		1049.87

135+55.02

Fd 1x2 #14

see page 11 for Mon Set

Cont from top pg - 10A

F. B. 370 PG. 128 Chief Party Notes by Date

{This Page made up in office by Mc Pherson.

Trs 620-3

35

36

{C.S. Mon. Wit. Cor. per Pg. 140. Removed in July 1936 and reset C.S. Mon. at Sec. Cor. See Pg. 140

{0+00 going West = 0+00 going East 1x2 per Pg. 7, 13.

0.17

0.04 {0+00 going South Pg. 17 per

S 40°17'30" E

Random Line.

29.00

1.28

0.34 calc.

1.73

1.38

1.72

1.72

91°25'20"

To 1/4 Cor. Pg. 7. 2679.15

2268.15 To 1/4 Cor. Pg. 13.

0+01.72 going South Sec. Cor. - 8" Well Casing per Pg. 7, 13, 17 Note: In July 1936 this Well casing had been removed. Removed the C.S. Mon. at the Wit. Corner and reset it here for the True Sec. Cor. See Pg. 140

6.11

6.36

{0+08.43 1x2 stake per Pg. 17

2529.10

11.84

2 1/4 Cor. See Pg. 201

25+30.79

1

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Map No. B-46B-3 | Location Sand Canyon Rd | Surveyed by Hornbrook

500' Tape #9

See Next Page For Int.

Twp. Cor. Fd. 4x4" Iron filled with concrete - Marked S.B.F.R. 5-6-on east T.4.N. 5-31- on north R-15W-5-36-on west T.3.N.-5-1-on South See C.S. 9369-p.9

WS-62 D-3

45+34.67 Calc per page 14

126.74

177.69

124.65

44+10.02 P.O.T. #4A - Set 1/2" I.P. Tag

134°-30'-45" ⊙
178°-01'-45" @
134°-30'-44" ✓
adj -.50

4536.30

32+58.11 P.O.T. #3A - Set 1/2" I.P. Tag

3226.15

1/4 Sec. Cor. Located by proportion 1/2 mile East and 1/2 mile West per C.S. 9043-14,15.

Vac. Cor. not found

Moved 0.14 South F.o.H

62.50

25+94.87 P.O.T. #2A - Set 1/2" I.P. Tag

22+67.42

5.25

1/4 Cor. T4N R15W 36 1 T3N

Set Mon. & Tag

P.O.T. #1A - Set 1/2" I.P. Tag

S 36 - T 4N - R 15W

Tape 2 = 2.0

0+00 to 2 Left = 0+00 North 0+00 West

Set 1/2" I.P. & Tag

per re-chain P.J. 8A

2+42 - See page 7

See Also Pg. 12B

Bearing to next Point on Curve

LOS ANGELES COUNTY SURVEYOR

Return to

Notice: ALL ADDITIONS OR CHANGES TO THIS SHEET MUST BE MADE ON SHEET 1 WITH DATE AND INITIALS OF PERSON MAKING CHANGE.

Do not extend across this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

See page 131 for Mon

For this line see next pg

To P.O.T. #4-B bot. Pg. 15

Cont. bot. Pg. 15

Set 1x2 P.O.T. #3-B 24+55.02

P.O.T. #2-B Fd. Spk. x

P.O.T. #4-B 24-25+94.87

Tie to See Pg. 13 page

T3N

T4N

R14W

R15W

1936.67

2328.27

0+00

31

6

1

36

Nov. 1930

Map No. 5-468-3 Surveyed by KEMBROK

Set C.S. Mon. for Closing Corner Sec 3.137

(C.C. Not Fd.)

See page 131 for Mon.

T 1 N

R 14 W

T 2 N

R 14 W

T 1 N

R 13 W

T 2 N

R 13 W

Fd. I.R. P.O.T. 49+29 Bl. X

See page-21

399.17

377.22 @ 0°00' @ 56°-399.17

N 5°-10° E

N 5°-10° E

Ab5

5+30.74 N. 5°-10° E.

45+30.74 E. N.

89°-54-00

357°-35-30

89°-54-00 adj

41°-50

41°-50-40 adj

41°-50-15 @

167°-20-30 @

41°-50 adj 10

38+75.56

29°-39-40 @

118°-36 @

29°-39 adj 10


LOS ANGELES COUNTY SURVEYOR
RETURN TO
Do not extend notes this side of this line
Note: ANY ALTERATIONS OR CHANGES MADE ON ANGLES IN BOOK SHEET MUST BE MADE ON FIELD NOTES WITH DATE AND NAME OF PERSON MAKING CHANGE.
SEE Pg. 143
SEE Pg. 143
T-3-N
R-14-W
R-15-W
1/4 SEC. COR.
P.O.T. #6B Set 1x2 on Fire break
BQ+75.24
P.O.T. #7-B
107+78.91
Set 1x2 scribed
107+05.30
See Pg. 143
See Cor.
189.74 @ 3-39-T-40° = 189.73
207.00 @ 3-47-T-40° = 204.27
345.48 @ 2-12-T-40° = 345.17
241.99 @ 1-02-T-40° = 240.14
322.00 @ 2-44-20-T-40° = 293.37
1292.68
90-18-30
1-14-00
90-15-30
30°20'00" + ①
121°20'15 ④
30°30'45"
48'.00
72°12'30"
145°08'00"
89°51'00"
39°30'
Found Stone with Mon. in Well as shown
Replaced Stone with Mon. in Well as shown
Found 15"x6" Stone - 12" out in ground, old scribing barely discernible. Mound of dirt over the corner. Corner has no other identification. Corner set by steel tag.


487.73 @ 1-30 T 72° = 487.56
393.19 @ 1-22 T 74° = 393.44
71-46-00
287-04-00
71-46-00
444.34 @ 1 3/4 T 80° = 453.58
T3 K-R 15 W
336.00 @ 0-00 T 80° = 336.01


LOS ANGELES COUNTY SURVEYOR
RETURN TO
M.B. 62, P. 4, W.S. 79, A-4
Please extend notes this side of this line
Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.
13
12
T-3-N
R-15-W
2375.37
2390.80
#3-E set 1x2
41+14.14
#2-E set 1x2
29+70.99
#1-E set 1x2
11+97.98
1/4 Cor. See Pg. 134 Ca. B.
23+89.82
68.53
Set N+T on Ridge
Random from North
Set 1x2
1+92.52
Set 1/2 in Concrete
Point of Beginning
1288.75
1143.17 (Base)
1773.01 Calc.
1753.05 Calc.
Adj. 90-01-10
Adj. 89-58-40
Adj. 40-18-15
Adj. 21-40-30
Adj. 68-58-10
Adj. 90-01-10
Adj. 135-02-10
Adj. 74-30-30
Adj. 121-40-00
Adj. 20-00-00
Adj. 54-17-50
Adj. 55-02-15
Adj. 220-08-45
Adj. 55-02-10
Adj. 78-20-00
Adj. 101-40-00 Comp.
450.27 @ 23-32-T.64° = 412.79
5.48 @ 0-00 = 5.48
418.47
447.13 @ 10-24-T.64° = 439.78
335.90 @ 4-47-T.75° = 333.54
372.33 @ 4-34-T.75° = 349.85
1143.17
165.35 @ 12-41-T.64° = 165.35
115.42 @ 0-00 T.64 = 115.42
46.91 @ 5-34 T.64° = 46.91
442.79 @ 1-26-T.50° = 442.79
133.95 @ 1-11-T.50° = 133.95
96.24 @ 3-04-T.50° = 96.24
1005.46

Date Nov 1930 Location Good Canyon Road
Map No. C-4884 Surveyed By [illegible]
Date Indexed G.D. Scott 1930

Loaded at 28

Sec-12

52+21.29 ← 24+44 Corr. Work Ftg See Pg. 202.

Sec Ln. Pg. 220 For Tnt.

Pg. 21

P.O.T. 46 [illegible] 51+21 ✓ (E.T.W. Spur)

170.74 @ 4°25 @ 12° = 125.10 ✓
10.00 @ 4°00 @ 12° = 7.32 ✓
462.00 @ 3°33 @ 12° = 338.40 ✓

See Pg 155 for location of Bldgs.

Sec-1

P.O.T. 1x2 [illegible] 26 ✓

431.74 @ [illegible]

40+61.12 Top spur

268.53

24.43 @ 4°00 @ [illegible]
501.00 @ 4°33 @ [illegible]

127.00 @ 4°33 @ 76 = [illegible]

Incor. Sec 12 & 1 [illegible]

283.00 @ 8°00 @ 78° = [illegible]

238.78 @ 7°53 @ 78° = [illegible]

501.00 @ 4°33 @ 78° = 441.40 ✓

P.O.T. #2 [illegible] 24+21 ✓
See page 17

0+02.45

3.43 [illegible]

LOS ANGELES COUNTY SURVEYOR


To Page 23
50+00.11
P.O.T. "2" Set 1x2 (N+S Ridge)
27-42-00
110-48-15
27-42-00
adj. 00
Ridge
43+00±
adj.
27-42-00
N+S
38+60±
MAIN CR.
2697.12
Sec. 11
Sec. 2
N+S
Ridge
2330.00±
5060.11
27+21.58
1/4 Cor. Not fd.
See Page 203 for 1/4 Corner set by prop.
Cor. by Prop.
See Pg. 203
68.62
Fnd. 1/2" I.P.
P.O.T. "1" Set 1x2
27+24.07
N+S
20+80±
CR.
44-57-50
44°57'45"
179°51'00"
44-57-50
2697.15
500.30±
2+24.07
Calc.
62°11'45" ①
248°46'30" ②
62°11'30"
adj. 30
111+50±
N+S
MAIN CR.
30
90-00
53°00'
99.35
0+24.63
0+00
End of West
Cor. See Pg. 202
Page 23
44°55'45" ①
179°43'00" ②
44-55-45
40
72.75 @ 0°00
2+72.75
P.O.T. #4 - See Pg. 17
2727.73
See Pg 202.
Sec. 1
Cont. from bottom of Pg. 21
Sec. 12
RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Name Hornbrook — Chief Party Hornbrook — F.B. [illegible]

Date [illegible] — Location [illegible]

Date [illegible] — Map No. [illegible] — Surveyed by [illegible]

Date [illegible] — Indexed G.P. Scott 1939

Notes: ANY ADDITIONS OR CHANGES IN THIS SHEET MUST BE MADE ON CIRCLED AT Rear WITH DATE AND NAME OF PERSON MAKING CHANGE

RETURN TO LOS ANGELES COUNTY SURVEYOR

Donot extend notes this side of this

W, S, S2, D48

133° 22' 00"
133° 20' 15" ①
133° 20' 00" ✓
10

45+30.74
45+25.74
33° 20'
10'

90° 25' 15" ①
361° 40' 30" ②
90° 25' 00" ✓
10

Set 1x2

Tape #7 Standard @ 76°

30700 @ 1°40 @ 45° = 306.80 ✓
318.00 @ 11°54 @ 44° = 311.10 ✓
482.62 @ 9°02 @ 46° = 476.54 ✓
1094.44 ✓

123° 45' 30" ①
135° 01' 45" ②
123° 45' 25" ✓
20

54° 43' 00" ①
218° 52' 00" ②
54° 49' 00"
Adj. 42-50

Sec 1 - T3N-R15W

22+60.56

Sec 12 Rd 2x2 - See P2-17

9+80

35° 23' 45" ①
141° 34' 45" ②
35° 23' 40"

Base = 41+41.17

24.63

Sec 2

Line Cont. to W. on bottom of Pg 20

Braden Chief Party Notes by Braden Date 3/5-29

Cont. bot. Pg. 2

Sec. Cor. A. 193
Cor. Not fd.

112.05

89-57-00 E 3.29-48-15 89-57-00 adj. 00

Cont. Pg. 37

Sec. Cor. by prop. See Page 13

For New Location of Sec. Cor. See pg. 13

174.17 @ 22-30-T. 14 = 160.90

158.86 @ 14-18-T. 58 = 153.92

INT #9 set 1x2
100+75.49

#8 - set 1x2
99+14.79

Sec. 14

U.S.G.S. MON 162 @ 18-00-

#7 set, 1x2 ON Firebreak
97+40.37

Sec. 11

T. 3 N. - R. 15 W.

Set Cor. by prop. See Page 19

195 cab.

36.31	@ 0-00-T. 58° =	36.31
445.31	@ 2-07-T. 58° =	445.44
111.00	@ 19-42-T. 44° =	104.49
88.00	@ 21-49-T. 44° =	81.69
499.40	@ 14-00-T. 56° =	479.64
177.56	@ 5-09-T. 62° =	174.32
98.60	@ 13-42-T. 42° =	93.20
125.00	@ 20-22-T. 62° =	117.18
469.31	@ 3-24-T. 62° =	468.43
57.41	@ 9-54-T. 62° =	54.74
520.11	@ 13-38-T. 62° =	485.97
88.30	@ 22-10-T. 62° =	82.32
483.34	@ 13-17-T. 42° =	450.92
98.00	@ 14-17-T. 41° =	94.96
5.30	@ 4-[illegible]-T. 42° =	5.49
		3232.44

Ry Cor 124.32

Pg. 19

88+13 ± Draw

79+05 ±

74+61.63

Ah. pt. 71+30.60

45+28.23

28.29	@ 0-00-T. 44° =	28.29
499.90	@ 5-53-T. 50° =	497.19
227.50	@ 4-27-T. 56° =	226.03
28.68	@ 0-00-T. 58° =	28.68
		780.19

U.S.G.S. Mon.

#5-E-set 1x2
57+48.04

Set Cor by prop. See Page 13

Sec. Cor.

Rid. 4.31-E

136.62

547+64.21

See Page 18 for INT.

adj 24.58-10

Sec. 13

Sec. 12

#2-E See pg. 18

5-01-50

Cale 1288.75

#2-E - See pg. 18
29+70.99

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 1930
Map No. 3-26-9
Location Sand Mt. Rd.
Surveyed by Rairdinck
Drawn by [illegible]
Date [illegible]
Inland Co. Scale 1929

Cont. on Page 25

Sec. 12

Set ¼ Corner by prop. See Page 204

Cor. Not fd.

Sec. 13

Set Fire Pot. Top of ridge
79+43.05

45-54-30
183-38-00
45-54-30

S. 40° W.

79+11.81

32.34

¼ Cor. See Pg.

45-54-30

43° 59' 15" ①
175° 36' 30" ②
43° 59' 15"
40.00

2644.14 Calc.

T. 3 N. - R. 15 W.

52+21.29

24.44

Sec. Cor. See Pg. 202

5142.89 Fr. N.

See page 20

2938.44

Set Pot. for bearing tree by inspection Page 202

See pg. 202

Random line produced south

POT. N. 4°
2938.44

Sec. 1

Sec. 12

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not write on this side of this map

Book 24 Pages Bridges Chief Party Bradley Date 3-12-29

T.3N. R.12W. S.B.B.&M.

Sec. 3, Sec. 4, Sec. 10, Sec. 11, Sec. 14, Sec. 15

Sec. 14 Sec. Cor. Fd. Rock Md. See B. 192

2479.42 See Pg. 192

Sec. 14 1/4 Cor. Set by Prop. See Pg. 194 12-27-28, Cnc.

Sec. Cor. Set by Prop (See Pg. 193)

Pg. 37 Pg. 28 Pg. 22

Ridge

Void

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 1970
Map No. B-44-5
Surveyed by Horn Brook
Sec 19
Sec. 13
106+02.32
Set Cor. by prop. See Page 136
Cont on Sh 2
Sec. 18
104+63.32 P.O.T.
411 24.02 Ft E.
418.47
30° 47' 30" ①
123° 10' 15" ④
30° 47' 35"
44° 51' 30" ①
179° 53' 30" ④
44° 58' 22½"
100+42.25
T3N-R15W
Sec. 12
2690.52
99+11.81
32.34
½ Cor.
2690.53
4925.36
4929.91
P.O.T. #1 49+29.91 Sec Pg 21
P.O.T. #4 47+38.24
90°
90° 06'
90° 06'
59° 06' 15" ①
236° 25' 00" ④
P.O.T. #6 51+21.89
See page 20
Sec. 1
Sec. 2
WS 62
Notes: ANY ADDITIONS OR CHANGES TO THIS SHEET MUST BE MADE ON CIRCLE IT, Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.
Do not extend notes this side of this line
RETURN TO
LOS ANGELES COUNTY SURVEYOR

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Chief Cadd. Noted by

R 33 P6 26

Map No. 3-2683 Surveyed by Ken Nisbrook

Location Sandon Rd.

Dated 1929

Sec. 2 T3N Sec. 3

M-5-4

Sec. 2 Pg. 28

Sec. 3 Pg. 28

1/4 SEC. COR.

Fd. 2" I.P. on fence

Fd. 2" I.P. & B.C. Set by Triel for 1/4 Cor.

Set 2" I.P. & Tag

Set 4" Conc. Post

Set flush by Triel

See next page

Bridge

Railroad

Sandon Rd.

Creek

Set 5/8" Rebar & Cap

Set 1/2" Rebar & Cap

Set 1/2" Rebar & Cap

Set 1/2


Sec. 11
Sec. 10
Sec. 2
Sec. 3
T3N
R15W
T4N
N 36° W
2701.86
2704.62
2701.61
2362.79
77+65.50
74.23
70+37.76 Calc.
#4 D set 1X2
Set 1/4 Cor. See Pg-141
Sec. Cor. See Pg. 203
50+63.65
65.00
45+56.88 Calc.
45+50.00
23+62.79
Set 1/4 Cor. by prop. See Page 128.
1/4 Cor Sec pg 128.
#4-D-set 1X2 (on Fire break) (San F. Divide)
98+50.80
#10-D-set 1X2
102+02.14
Sec. 10
354.39 @ 7-11-T. 62° = 351.58
159.39 @ 14-29-T. 44° = 153.02
Spur
West
Set Pg 203 for 1/4 Cor. Set by prop.
P.O.T. #A-set 1X2
43+49.13
66.96
#1-D-set 1X2
25+00.00
Re-chain
6490.14 Re-chain
2713.78 Re-chain
Notice
ANY ALTERATION OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.
Do not detach notice this side of this line
RETURN TO
LOS ANGELES COUNTY SURVEYOR

Date Nov. 1930
Map No. B-453-7
Location Sespe Cr. Rd.
Surveyed by Hart Brook


Set ¼ Cor by Prop
See pg. 200
Ridge Asserr
¼ Cor Not fd.
T-3N-R-15-W
2645.28
Sec. 10
See page for Sec. Cor. Set by Prop
Hill top
Sec. 11
Fd. old mound of stone on top of ridge.
177'
Hill top
Sec. 14
Sec. 15
Sec. 22
Sec. 23
Sec. 27
Sec. 26
Sec. 35
Sec. 34
Sec. 3
Sec. 2
Sec. 1
Sec. 12
Sec. 13
Sec. 24
Sec. 25
Sec. 36
Sec. 31
Sec. 32
Sec. 33
Sec. 4
Sec. 5
Sec. 6
Sec. 7
Sec. 8
Sec. 9
Sec. 16
Sec. 17
Sec. 18
Sec. 19
Sec. 20
Sec. 21
Sec. 28
Sec. 29
Sec. 30
Int. not set
Int. not set
Int. not set

Sec. 9

300' Tape # 39

Sec. 4

107+08.93

79.58

Cor. Not fd.

199
See Page ___ For C.S. Mon
& Witness Corner.

106+68.36

Set 1x2 "C"

Int. Set 1x2 #6

Pot. # 4 Pg. 29
See Page 29
44+61.47

2-70.94

89° 58' 45"
89° 55' 00"
89° 58' 45

49+33.93 Ft. N.
32.41

89° 58' 45" Adj

276.24 @ 11°13 @ 64° = 270.94

448.84

276.36 @ 12-37 @ 64° = 269.47
183.00 @ 11-42 @ 70° = 179.19
448.84

Sec. 3 - T3N - R15W

Fd Mon. & C.S.
Set 1x2 in Cairn

102+19.50

106° 04' 30"

45° 44' 00" ①
132° 55' 30" ④
45° 49' 62½
adj 44-00

adj
45° 44' 00"

98+00±

See pg. 29 for
¼ Set by prop.

Sec. 10

455' NW

82+70±

POT. # 4 ②
See pg. 29
19+42.14
41.28

44° 11' 15" ①
176° 45' 00"
44-11-15
adj. 10

Int. See pg. 27
92+10

9.0 Calc.

Ant. Not set
See Pg. 29
53+53.98
50+22.14 Casing 8.

50+00 4999.42

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

62 C-4, D-4


Map No. 6-
Surveyed by
Sec 3
To P.O.T. #5
To P.O.T. #6
1/4 Cor.
Sec 3, 20S
12.09
47°53'15"
191°33'00"
419.35
57°15'00"
20°00'00"
40°46'30"
163°06'00"
2597.50
Sec 34
Sec. 34, T4N, R15W
Sec. 33

F-570 Pg 32

Chief Party Notes by Hornbrook Date 12-22-

M.E. Tape - 300' - #39
Standard +.84'

T3N R15W

Cont. bat pg 38

P.O.T. #5 Set 1/2" Pipe 67+13.51

40° 57' 45"

21° 08' 00"

Sec-10

Sec-9

Con Not fd.

Set Cor. by prop
See page ~~126~~ 199

50+12.04 — 40.54 — 48+00±

Pg 30

61.47

P.O.T. #4 Set Spike - 46+62 ~~61.47~~

2.96 @ 0°00' = 2.96

164.81 @ 8°02' @ 58° = 163.16

166.12

P.O.T. #3 Set 1/2" - 44+76.87 ~~15.35~~

250.34 @ 7°35' @ 58° = 248.11

P.O.T. #2 - 42+48.76

47.24

Identical

Check Triangulation Identical

Check

Sec-3

Sec-4

22+47.27

12.09

67° 31' 50"

41° 20' 10"

See Page 31

47° 40' 05"

2591.50

2598.46

5904.77

5907.87

P.O.T. #1 - See Page 3

55.89

E.I.P. - 0+00

106+71.87

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Name by _____ Initial Point _____ F.B. 330 Pg. 38

Date 1/30
Map No. B-468-3
Location Sand Canyon Rd
Surveyed by Hornbrook
Indexed 60 Feet ± 1976

Note: Add Long ± 37
Standard at 34°

27° bat pg 34

Sec-10-T3N R15W-Sec 9

Top of main ridge (E+W)

P.O.T. #10. Set 1x2 90+70 ±
620S

106.28 @ 3°27 @ 52° = 106.07 ✓

P.O.T. #9 Set 1x2 - 89+6 ±
61.96

62.88 @ 24°18 @ 52° = 57.63 ✓
146.00 @ 24°21 @ 30° = 73.00 ✓
147.00 @ 26°30 @ 32° = 74.10 ✓
214.94 @ 3°00 @ 34° = 21.49 ✓
226.08

P.O.T. #8 - Set 1x2 = 84+ ±
26.98

277.00 @ 16°50 @ 48° = 265.07 ✓
136.00 @ 45°41 @ 46° = 130.91 ✓
201.00 @ 18°46 @ 46° = 195.97 ✓
39.76 @ 0°00 = 39.76 ✓
631.92 ✓

(78+46)

P.O.T. #7 Set 1x2 77+95.06 ±
77+77 ±

274.00 @ 9°48 @ 52° = 269.94 ✓
195.70 @ 7°32 @ 55° = 194.17 ✓
464.11 ✓

77+76.66 → 77+27

76+67 1/4 Cor. Not fd.
Set by prop. See pg-127 ✓

P.O.T. #6 - Set 1x2 = 73+33 ±
30.95

238.35 @ 0°24 @ 50° = 198.28 ✓
361.00 @ 2°38 @ 62° = 300.64 ✓
617.44 ✓

67+13.51
P.O.T. #5 - 67+ ±
from top of pg 32

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

F.B. 370 Pg. 34 Chief Party Notes by Armbrook Date Dec-1928

2 CONT. to F.B. 35

P.O.T. #13 - Set 1/2 = 129+65 (63.71)

238.33 @ 11°55 @ 56° = 233.16 ✓

P.O.T. #12 Set 1/2 = 127+92 (30.55)

Sec-15-T3N R15W-Sec 16

323.99 @ 3°00 @ 56° = 323.51 ✓
84.57 @ 6°38 @ 54° = 83.99 ✓
501.00 @ 4°23 @ 52° = 479.45 ✓
452.00 @ 1°36 @ 52° = 451.75 ✓
412.78 @ 8°50 @ 52° = 407.82 ✓
1766.52 ✓

N

Trail from Olive View on top of ridge

P.O.T. #11 - Set 1/2 = 109+66 (64.03)

105+41.32 2

Fd. Rock Md. F.B. 370-192

154.01

See. Cor. See pg. 192.

365.27 @ 12°38 @ 60° = 356.37 ✓
320.00 @ 10°47 @ 62° = 314.32 ✓
125.00 @ 7°53 @ 66° = 193.12 ✓
138.00 @ 1°03 @ 64° = 137.96 ✓
55.00 @ 11°01 @ 64° = 53.98 ✓
1055.77 ✓

Ch.-Pt. 102+44 (13.52) 64.65

Canyon

Dist. back of here chained on the 300' to pp. 1239. St. @ 84° Ahead with 500' #9. St. @ 76°

For INT. see Pg. 24

218.00 @ 62°40 @ 64° = 201.13 ✓
41.28 @ 0°00 @ 64° = 41.28 ✓
301.00 @ 27°05 @ 64° = 267.94 ✓
104.00 @ 30°55 @ 62° = 89.20 ✓
64.00 @ 19°09 @ 62° = 60.45 ✓
113.00 @ 9°55 @ 54° = 180.23 ✓
840.23 ✓

101+70 → N 25°00' W

Sec 10

Sec 9

68.03

P.O.T. #10 - 90+70 (65)

From top pg. 33

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Map No. 7-461-3 Surveyed by Harbrook

Sand Canyon Rd

Spec. Cor. Fd. 3/4 dia. C. & C. in well 0.2' E. & 0.2' S. of Cor. See C.S. # 8534

1/4 Cor.

3.00

1109.83

Set 1x2

65°17'46"

217.08

3.00

15.7+ [illegible]

62.23

65°17'45" ①
130°35'30" ②
[illegible]°10'30" ④
65°-17'46"

90°01'15" ①
180°02'30" ②
360°05'00" ④

501.00 @ [illegible]°45' @ [illegible]° = 441.31'
62.00 @ [illegible]°00' @ 10° = 62.00'
420.80 @ [illegible]°28' @ 44° = 317.16'
142.00 @ [illegible]°12' @ 66° = 131.62'
1152.80

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN RED, CIRCLED IF NOT, WITH INITIALS AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

N

24°41'05" calc.

2414.27

2615.10

Sec-15 T3N R15W Sec 16

24°41'00" ①
49°42'15" ②
98°44'30" ④
24°-41'05"

P.O.T. #14 Set 1x2 = 133+53.13
133+53.99

Set ¼ Cor. by Prop. See pg. [illegible]

408.73 @ 17°15'@56" = 390.28

131+56.24

185.55

P.O.T. #13 12.9+63.71

2615.11

Ref. to top of pg. 34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


Bradley
F.B. 172 Pg. 37
Map No. B-468-3
Location Sand Can Rd
Surveyed by Bradley
Date 1970
Plotting C'k'd by
Co. Surv. Mon.
See Pg. 22
Standard @ 76°
202.19 @ 34-28-T.50° = 144.47
189.33 @ 23-44-T.50° = 173.29
291.52 @ 21-49-T.50° = 270.59
410.55
#13D Set 1x2
153+07.67
#14D Set 1x2
241.23 calc
340.87 calc
158.42 Ft. Fd. 3 1/4" Dia. Co. Surv. Mon. See Pg. 349
156-43-30
156-25-37½
243-42-30
154-25-37½
2023
2701.35
53.37 @ 6-48-T.62° = 52.99
328.15 @ 7-42-T.62° = 325.14
412.00 @ 21-05-T.62° = 384.58
106.94 @ 11-20-T.66° = 104.84
112.14 @ 6-05-T.60° = 111.52
37.35 @ 17-55-T.60° = 35.54
560.90 @ 18-06-T.68° = 474.07
34.51 @ 4-56-T.60° = 34.26
1524.74
#12D Set 1x2
On Spur
137.82
131+69.94
162.34
1/4 Cor. See Pg.
308.54 @ 6-14-T.60° = 306.69
325.48 @ 6-58-T.60° = 323.25
429.94
131+52.73
Spur
S 30° W
1/4 Cor. Not Fd.
434.94 @ 22-24-T.60° = 401.98
183.37 @ 16-17-T.68° = 176.00
577.98
#11D Set 1x2
125+74.99
S 30° W
Ridge
50-13-30
200-53-30
50-13-27½
40.20
Sec. 14
Sec. 15
22/15.59
#10D Set 1x2
108+71.30
.54
298.50 @ 14-12-T.76° = 289.37
#9D Set 1x2
105+81.83
2.17
S 70° W
104+67.34
Sec. Cor.
148-16-30
201-45-30
140-14-30
39-43-30
125.02 @ 9-11-T.70° = 123.42
103.87 @ 5-43-T.70° = 103.35
224.77
Pond
Fence
103-00
39-43-30
See Pg. 22 for Int.
2668.94
103+55.70
Cont. from top Pg. 28
Sec. 11
Sec. 10
Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IT Prod. WITH DATE AND NAME OF PERSON MAKING CHANGE.
Do not extend notes this side of this line
RETURN TO LOS ANGELES COUNTY SURVEYOR

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Chief Party _____ Noted by _____ Date _____

F.B. 3710 Pg. 39

Date Sept 5-29 Notes by F Baker Chief Party F Baker F.B. 370 Pg 39

Platted by O.L. Peck	W.O. No. 738 D.S.O. No.
Date Nov. 1930	Location Sand Canyon Rd
Map No. B-469-3	Surveyed by F Baker
Platting C'k'd by K.R.M.	Date Sept 1929
Date	Indexed Grascott 1929

B-3

WS 63

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

300' Tape #9 used Std @ 84°

COUNTY SURVEYOR'S MONUMENT

Fd Granite Rock 1'x6"x6" + on Tepot Rock Rock is 2.91 North & 7.61 West of Line

cont Bottom Pg 40

Set 1x2 Stake

20.00

18+84.82 Set 1x2 P.O.T. #1

Fd. Rock

47.07

25-33-00
S 205-05-00
25-38-07½
10

93-24-10

Fd. 2" I.P. Pipe 15.06 East of Line

Adj 15-38-10

1884.8 W Calc

SEC 6

Oak Trees

Tri. Ship Corner 0+00

93-24-10 Adj

60-57-40 Adj

20.00

Fd. 2" I.P. 5" Down For Sec. Cor. C.S. 8205 C.S. 8196 See Page 67

Set Spk-Wsh

932.73

Placerita Canyon Rd

Set Spk & Tin

Fd Cut Spk, W&T 1' Down See Co. Rd. Dept. For Location C.S. 8196

Oak Tree

60-57-45
S 27-41-45
15-57-43½
+45
40

93-24-15
S 27-13-30
3-24-14½
+90
10
93-24-10

932.83 @ Level Tod = 932.73 Base Line

SEC 31

20.00

Set 1x2

Set 1x2 sight

F. B. 370 Pg. 40 F Baker Chief Party Notes by F Baker Date Sept 1929

W562, B-4

Note
300' Tape #9 Used
Std. @ 84°

This Pipe is N.E. Cor Lot #2 - Sec. 12 per C.S. 8242

Fd 2" I.P. & Cap
.04 West of Line
6.81 North of 1X2 #4

Cont. Bottom pg 4

Set 1X2 # 4 0'S
Sta 58+25.16
Top of Rolling hill

SEC 7

105.78	@	15-58	T 96° =	101.70
291.35	@	16-21	T 96° =	279.59
299.24	@	1-09	T 96° =	299.20
299.43	@	4-56	T 96° =	298.34
254.86	@	7-52	T 96° =	252.48
78.41	@	5-22	T 96° =	78.08
55.78	@	13-01	T 96° =	54.33
				1363.74

Canyon 49+50±

Fd. 2" I.P. & Cap
Set in Concrete
4.28 East of Line
47.29 South of 1X2 #3

Flat Ridge
Set 1X2 #3 4
9 to 44+61.34

Intersect
Set
Canyon 40+00±

149.80	@	[illegible]	T [illegible]	148.49
204.10	@	18-14	T 88° =	193.86
300.20	@	6-05	T 90° =	298.52
68.01	@	4-07	T 88° =	67.83
105.83	@	7-26	T 88° =	104.94
209.74	@	9-52	T 88° =	206.65
266.86	@	17-57	T 89° =	253.87
				1274.11

SEC 6

Set 1X2 # 2 3
31+87.28
Top of Ridge

Ed Sm Mound
Rocks 2.50 North
of 1X2 # 2 & 8.20
East of Line

Canyon
28+50± ±

230.67	@	8-34	T 96° =	228.12
298.16	@	Level	T 96° =	298.18
15.75	@	Level	T 96° =	15.75
299.33	@	14.19	T 96° =	290.05
64.51	@	5-33	T 96° =	64.21
298.34	@	17-54	T 96° =	282.92
40.00	@	15-20	T 96° =	38.59
84.19	@	6-50	T 96° =	83.61
				1302.48

Top of Ridge

1X2 STA #1
Std 18+84.82
Cont. From Top Pg 3

1X2

20.00

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W 562, B-4

Date Sept 15-29 Notes by F Baker Chief Party F Baker F.B. 370 Pg 41

Platted by O.L. Pack	W. O. No. 738 D. S. O. No.
Date Nov. 1930	Location Sand Canyon Rd
Map No. B-4683	Surveyed by F Baker
Platting C'k'd by K.R.M.	Date Sept 15 1929
Date	Indexed G.O. Scott 1929

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note
300' chain # 9 used
cont Bottom pg 42 Std @ S 40°

Fd. chiseled 4+4 std'd
4.5 W & 7.9 S Calc
1 Ctr 1x2 #6

Set 1x2 #6
73+67.75

Top of Ridge

Fd 2" I. pipe
4.12 West & 0.90
North of 1x2 #6

21-39-45
73-19-30
21-39-56 1/4

Fd 2 1/2 I. pipe in Mound
pipes 3.33 West of
Line & 240.18 North
of 1x2 #6

Fd old 4x4 + 3.11 West
of Line & 240.40 North of
1x2 #6

299.42 @ 14-24 T 98° = 290.04
162.98 @ Level T 98 = 162.98
233.97 @ Level T 98 = 233.99
Base Line. 687.01

Adj 21-39-55

5542.65 Calc

SEC 7
Replaced with
Monument
Marked as Shown

COUNTY SURVEYOR'S MONUMENT

Set 1x2 #5
6+97.74/12

Ridge

Fd 1" I. pipe
Sm Mound Rocks

2.05 Calc

3-06-00

30-57-30
247-39-15
30-57-243

Adj 30-57-15

55-59-45
87-57-30
10-59-41 1/2
+45

Fd 2 I. pipe Cos
pipe is 0.39 West
of Line & 135.65 South
of Pot #4

6117.07 Calc

46-42-15
3-37-30
42-11-44 1/4
+95

102-20-30
98-43-00
+90

Adj 102-20-30

Adj 55-59-40

687.01

1x2 #4
Sta 58+25.00
cont. From Top pg - 40

Set 1x2
Top Round Hill

F.B. 370 Pg. 42 FBaker Chief Party Notes by FBaker Date Sept 17-29

SEC 18

Set 1X2 #11 Ridge
97+ ~~84.22~~ 84.22

See pg 48 for Tie

Set 1X2 #10
96+~~96.74~~ 97.55
Sta 96+~~79.97~~ 78.78

Set 1X2

Canyon

SEC 17

Set 1X2 #7
Sta 55+35.~~96~~

Fd 2" I Pipe
Ridge

Fd 2" I. Pipe
Ridge

Sch. pt
Sta 79+12.~~72~~ 68

1X2 #6
Sta 73+67.~~76~~ 73.
Const. From Tie pg 41

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Date 9-3-29 Notes by F Baker Chief Party F Baker F.B. 370 PG. 43

Platted by O.L. Pack	W.O. No. 138 D.S.O. No.
Date Nov. 1930	Location
Map No. B-468-3	Surveyed by F Baker
Platting C'k'd by L.P.M.	Date Sept 1929
Date	Indexed GO Scott 1929

RETURN TO LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

M.S. 62, C-3

To bottom page 55

Fd 2½" I.P. Sec Corner
Sta 55+05.0 Stadia

NOTE
300' Tape #9 used
Sta @ 84°

Canyon
Sta 28+59.60
61.41

Set C.S. Mon. See Page 55
Fd. ½" I.P. in Sm Mound Rocks
in bottom of
Wide Canyon
¼ Corner

379-51-15E
379-25-00

250.10 @ 11-56 T 68° = 245.35 ✓
130.73 @ 2-53 T 65° = 130.55 ✓
114.30 @ 2-30 T 68° = 114.18 ✓
299.12 @ 15-35 T 80° = 288.11 ✓
226.39 @ 20-26 T 80° = 212.14 ✓
990.33 ✓

Flat spur
Set 1x2" 2
Sta 18+69.27
71.08 ✓

248.02 @ 12-57 T 76° = 241.70 ✓
233.75 @ 8-50 T 78° = 230.97 ✓
472.67 ✓

SEC 5

SEC 32

98.41 ✓

Set 1x2 #1, Sta 13+96.60
Ridge

canyon

Set C.S. Mon.
2" I.P. See F.B. 370-12

145.54 @ 21-12 T 94° = 135.69 ✓
36.26 @ 22-20 T 94° = 33.54 ✓
300.88 @ 22-56 T 84° = 277.10 ✓
218.87 @ 0-00 T 75° = 215.86 ✓
293.99 @ 1-56 T 74° = 293.80 ✓
52.38 @ 3°27 T 72° = 52.22 ✓
299.89 @ 13-08 T 72° = 292.03 ✓
72.00 @ 25.08 T 68° = ~~69.36~~ 65.17 ✓
~~1396.60~~
1398.41 ✓

379-56-45E
354.46-30

Fd 1x2" #16 See F.B. 370-124½
160+56.62 ✓ = 0+00 Going West

SEC 4

SEC 33

Sight on 1x2" 15

From Page 12A (top)

F. B. 370 Pg. 44 Chief Party Notes by Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date Aug 20-29 Notes by F Baker Chief Party F Baker F.B. 370 Pg. 45

Platted by Pack	W. O. No. 138 D. S. O. No.
Date 1930	Location Sand Canyon
Map No. B-468-3	Surveyed by F Baker
Platting C'k'd by K.R.M.	Date August 1929
Date	Indexed G.A. Scott 1929

W 5 63 C-4

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

cont. Bottom pg. 46

22.33 @ Level T98 = 22.33 ✓
166.32 @ 5-42 T98 = 165.99 ✓
266.67 @ 0-53 T98 = 266.65 ✓
454.97 ✓

Set 1X2 #15
186+98.34 ✓

Note
300' Tape #39
Std @ 54°

Set 1X2 #14
182+43.37 ✓

Edge of Flat Ridge

1098.18' ✓

Set 1X2 on Fire break Ridge

87-34-45
340-38-00
42-34-45 ✓
+45

87°

Adj 34-40-00
Adj 67-33-20

67-33-15
180-27-00
22-33-22½ ✓
+45

Deep Canyon

165+00 ±

2413.73 etc

24-52-00 ✓
Adj

287.76 @ 26-52 T90 = 256.71 ✓
85.70 @ 3-42 T90 = 85.52 ✓
125.79 @ 10-39 T90 = 123.62 ✓
282.95 @ 12-50 T90 = 275.89 ✓
35.93 @ 3-47 T94 = 35.85 ✓
295.75 @ 8-06 T96 = 283.91 ✓
38.32 @ 16-51 T96 = 36.68 ✓
1098.18 ✓

Base Line

SEC 16

SEC 9

24-52-00
198-57-00
24-52-07½ ✓

1158+29.64 ✓
1X2 #13

Ridge N45

104.42 @ 12-54 T94 = 101.79 ✓

157+27.85 ✓
1X2 #12

Void
Set in prov. Sec. Cor. 127
See pg 192 for

288.75 @ 31-45 T92° = 245.56 ✓
105.62 @ 26-54 T94° = 94.20 ✓
339.76 ✓

Sta 153+88.09 ✓

1X2 Intersection ±
Line Produced.
See F.B. 370 pg 24

SEC 15

SEC 10.

1X2 #10

From top page 24.

F.B. 370 Pg. 46 FBaker Chief Party Notes by FBaker Date Aug 25-?

Note
300' Tape #39 used
Std. @ 84°

cont Bottom Pg 47

Set 1X2 #18
247+95.48 ✓

Spur N&S

SEC 17

8 | 131-22-30
331-00-30
41-22-33½
1.90

1X2 Stk
On Fire break

65.39 @ 11-41 T94 = 64.04 ✓
167.00 @ 22-22 T94 = 198.21 ✓
296.96 @ 11-37 T94 = 290.90 ✓
300.33 @ 21-11 T94 = 280.06 ✓
104.63 @ 6-39 T94 = 103.26 ✓
271.65 @ 16-43 T100 = 260.20 ✓
215.46 @ 13-42 T100 = 209.35 ✓
169.48 @ 15-03 T100 = 163.70 ✓
49.94 @ 8-57 T100 = 49.34 ✓
Odd Line 1569.66 ✓

131.82 @ 13-46 T90 = 128.04 ✓

21 Adj 00-10
131-22-00 Adj
1569.66
27-37-20 ✓ Adj
3286.35 Calc

8 | 21-00-15
168-01-30
21-00-11¼

SEC 8

8 | 27-37-15
220-38-45
27-37-20⅝

Set 1X2 #17
215+09.13 ✓

Set 1X2 #16
-13+81.09 ✓

8 | 22-49-45
182-38-00
22-49-45 ✓

Adj
22-49-00

Fire break Ridge

SEC 16

SEC 9

8 | 77-17-00
258-15-30
32-16-56¼
+45

77-17-00 Adj

Set 1X2
On Knoll

2682.15 Calc

79-53-20 ✓ Adj
1066.98

8 | 79-53-30
279-07-00
34-53-22½
-45

152.15 @ 12-07 T94 = 148.77 ✓
300.67 @ 10-10 T94 = 295.97 ✓
236.36 @ 11-49 T100 = 231.37 ✓
15.00 @ Level T100 = 15.00 ✓
101.00 @ 22-06 T100 = 93.59 ✓
287.58 @ 11-03 T100 = 282.28 ✓
1066.98 ✓

Even Line

1X2 #15 186+98.34 ✓
cont From Top Pg 45

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date Aug 1929 Notes by F Baker Chief Party F Baker F.B. 370 Pg. 47

Platted by O.L. Pack	W. O. No. 738 D. S. O. No.
Date Nov. 1930	Location Sand Canyon
Map No. B-409-3	Surveyed by F Baker
Platting C'k'd by LLM.	Date Aug - 1929
Date	Indexed GD Scott 1929

W 562 16-X

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

NoTe 300' Tape # 39 used Sta @ 84°

SEC 18

SEC 7

< Cont Bottom pg - 48

Set 1X2 # 21
Sta 308+37.59 ✓

137.58 @ 7-02 T 78 = 136.83 ✓

Set 1X2 # 20
Sta 307-01.06 ✓

Sharp Ridge
56-38-30
S 93-08-30
11-38-33 2/3 ✓
+45

Set 1X2 on Ridge

586.47

56-38-33 Adj ✓

Deep Canyon

2302.87

1716.40

Set 1X2 on Hill

100-35-45 Adj

8 | 100-35-45
84-45-30
10-35-41 1/4
+30

83.89 @ Level T 104 = 83.90 ✓
300.75 @ 3-35 T 102 = 300.20 ✓
123.95 @ 37-52 T 104 = 92.87 ✓
74.26 @ 25-08 T 104 = 67.24 ✓
37.48 @ 6-13 T 104 = 37.26 ✓
Base Line 586.47 ✓

5850.46 ✓ Calc

264+03.18

399.99

Sec. Cor. See Pg. 54

50.46 @ Level T 102 = 50.47 ✓
174.00 @ 10-29 T 104 = 171.12 ✓
280.85 @ 9-18 T 104 = 277.20 ✓
286.38 @ 24-40 T 100 = 260.29 ✓
136.53 @ 19-23 T 98 = 128.80 ✓
191.32 @ 12-14 T 98 = 187.00 ✓
113.00 @ 5-36 T 100 = 112.47 ✓
299.21 @ 6-06 T 100 = 297.55 ✓
211.26 @ 11-16 T 100 = 207.21 ✓
24.29 @ Level T 100 = 24.29 ✓
Base Line 1716.40 ✓

22-45-45 Adj

8 | 22-45-45
82-05-45
22-45 43 1/8

Set 1X2 # 19
Sta 248+50.60 ✓

55.59 @ 7-32 T 104 = 55.12 ✓

SEC 17

1X2 # 18
Sta 247+36.48 ✓

SEC 8

Cont From Sec. pg. - 46

F.B. 370 Pg. 48 F.B. AKEY Chief Party Notes by F.B. AKEY Date Sept 1929

US 62, B-4

Note
300' Tape N.A. Used
Std @ 64° F

93.77 @ 22-26 T 80 = 86.67 ✓

1 X 2 #11 See F.B. 370 Pg 44
Sta 97+83.44
84.22

1 X 2 Sta + 10
Std 96+46.22
97.55

21.26 @ 27-59 [illegible] 18.77 ✓

96+17.77
78.79

See Page 42

Ridge

50' Adj.

Set 1 X 2 By Intersection
Sta 315+17.48

89-18-51

89-18-45
4 | 357-15-00
89-18-45.

265.82 @ 27-00 T 82 = 236.85 ✓
1.69 @ Level T 82 = 1.60 ✓
238.45 ✓

297.26 @ 4-24 T 78 = 296.37 ✓
55.74 @ 19-38 T 82 = 52.50 ✓
71.57 @ 16-35 T 82 = 68.39 ✓
23.99 @ Level T 82 = 23.99 ✓
447.79 ✓

Set 1 X 2 # 23
Sta 313+[illegible] ✓
Ridge

Sta 313+21.2 = 23

R 16 W
SEC 13
SEC 18
R 15 W
T 3 N
Surveys
Monument
1/4 SEC Cor

Fd. Out Spk in Rock Out Cropping 4 Ft Below

Fd.

Ridge

Set 1 X 2

Set 1 X 2

Set 1 X 2 # 22 By Intersection
Sta 310+41.28 ✓

310+84.53 - 11.4 Sta. to Sight

Sight

169.26

169.37 @ 21-59 T 78 = 169.26 ✓
59.09 @ 18-25 T 78 = 56.06 ✓
243.01 @ 23-36 T 78 = 222.68 ✓
2.05 @ Level T 78 = 2.05 ✓
224.73

56.06 ✓
447.99

224.73

Canyon

10' Adj.

84-29-11¼

84-27-15
4 | 337-56-45
84-29-11¼

213.82 @ 17-42 T 78 = 203.69 ✓

Replaced with Cal. Corner Pipe 5-5-30

SEC 18

SEC 7

1 X 2 # 21
Sta 308+37.59 ✓
Cont. from Top pg - 47

MONUMENT COUNTY SURVEYORS

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date Aug 1 1929 Notes by F Baker Chief Party F Baker F.B. 370 PG 49

Platted by O.L. Pack	W.O. No. 738 D.S.O. No.
Date Nov. 1930	Location Sand Canyon rd
Map No. B-463 3	Surveyed by F Baker
Platting C'k'd by K.M.	Date Aug-1-1929
Date	Indexed G.D. Scott 1929

W.S. 62 C4

Continued Bot pg - 50

1x2" 11C
144+46.33

Sm Spur
21-27-45
8 | 171-42-00
21-27-45.40

Note
300' Tape #39 used
Std @ 84°

1885.185 Calc

Adj
21-27-40

SEC 9

SEC 4

89 Calc

68-52-30 Adj

68-52-30
8 | 191-01-00
23-52-37½
+45
30

1x2 #10C
125+60.75

739.58

1x2 on Firebreak

52-55-30 Adj

90-20-15
8 | 2-41-30
0-20-11½

Adj 20-10

52-55-30
8 | 63-24-15
7-55-31⅞
+45
30 Adj

Firebreak

Adj

986.46 Calc

36-44-30 Adj

233.01 @ 12° 58 T 88° = 227.08 ✓
151.68 @ 10° 14 T 90° = 149.28 ✓
298.16 @ 2° 56 T 90° = 297.80 ✓
65.89 @ 6° 49 T 88° = 65.42 ✓
Base Line = 739.58 ✓

36° 44' 15"
8 | 293° 54' 45"
36° 44' 20⅝

115+74.29 Set 1x2 "9C

Saddle

170.73 @ 4° 55' T 90° = 170.10 ✓

114+04.19 Set 1x2" 8C

199
See Page ~~188~~ for C.S. Mon.
Set for Section Corner.

32.01 @ 12° 40' T 84 = 31.23 ✓
177.54 @ 3° 40' T 84 = 151.11 ✓
235.30 @ 2° 11' T 89 = 235.13 ✓
67.68 @ 4° 14' T 86 = 67.52 ✓
484.97 ✓

284.87 @ 28° 17' T 86 = 250.86' ✓

106+68.36 Fd. 1x2 Stake #6C See F.B. 370-30

SEC 10

1x2 Set Back Sight

SEC 3

From top page 30

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 370 Pg. 50 FBaker Chief Party Notes by FBaker Date 8/3/29

178+75.96 1X2 #15C cont. Bottom pg -31

Ridge Running N45

SEC 8

Note
300' Tape #39
Std @ 84°

162+00 20.10 N 20

1X2 #14C
157+04.9N

153+92.31 1X2 #13C Sp on

SEC 5

299.80	@ 10° 06 T	90	= 295.16 ✓
262.53	@ 8° 55 T	92	= 259.37 ✓
1.0.56	@ 13° 10 T	94	= 10.66 ✓
177.70	@ 19° 55 T	90	= 167.08 ✓
241.89	@ 12° 59 T	90	= 235.72 ✓
38.74	@ 15° 51 T	90	= 37.27 ✓
222.42	@ 6° 34 T	94	= 220.97 ✓
72.02	@ 7° 49 T	94	= 71.35 ✓
209.15	@ 3° 42 T	96	= 177.96 ✓
214.35	@ 15° 49 T	100	= 206.25 ✓
78.52	@ 20° 16 T	100	= 77.51 ✓
273.52	@ 16° 28 T	100	= 262.33 ✓
60.19	@ 29° 40 T	100	= 52.31 ✓
			2178.94 ✓

21.84 @ 7°-17' T 100° = 21.66 ✓
300.88 @ 13°-10' T 100° = 293.00 ✓
314.66 ✓

SEC 9

SEC 4

Sm Canyon Sta 1517+52.9

29.23	@ Level	T 100°	= 29.23 ✓
198.06	@ 23°-37	T 100°	= 181.49 ✓
277.80	@ 23° + 19'	T 92°	= 256.96 ✓
144.48	@ 28° + 26'	T 92°	= 127.06 ✓
145.20	@ 23° + 44'	T 92°	= 132.73 ✓
			727.67 ✓

1X2 #12C
146+62.64

Sm Spur N45

216.60 @ 3° 05' T 100° = 216.31 ✓

1X2 #11C
144+46.33 ✓

Cont. From Top of Page - 49

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date Aug 10-29 Notes by F Baker Chief Party F Baker F.B. 370 PG 51

Platted by O.L. Pack	W.O. No. 738 D.S.O. No.
Date Nov. 1930	Location Sand Canyon
Map No. B-466 3	Surveyed by [illegible]
Platting C'k'd by MEPh.	Date Aug 10-1929
Date	Indexed GD Scott 1929

SEC 7 SEC 6

216+06.80 ℄ Cont Bottom Pg — 52

Set 1X2 Intersection #18 C

Pk 1X2 Stake To Ridge E&W

90-51-45
3-26-30

88.48@13 [illegible] 90 = 86.93

1X2 #17C

215+20.87

182.45

See pp. 198 for Sec Cor.

Ed 1X2 Stake 1.61 E of Pipe Marker

Sta 211+17± N65° E

185.47 @ 10-22 T 90° = 182.45

88.51 @ 16-55 T 90 =	84.68	
79.11 @ Level T 90 =	79.11	
174.74 @ 3-13 T 90 =	174.47	
67.01 @ 5-30 T 90 =	66.70	
147.37 @ 4-15 T 86 =	146.87	
135.03 @ 16-15 T 86 =	129.64	
85.26 @ 5-47 T 84 =	84.83	
	766.30	

SEC 8 SEC 5

Ch. pt

207+54.57

Note
300' Tape #39 used
Std @ 84°

Sta 194+83±

Conty N 5.30° E

60' Wide

126.03 @	20-39 T	90 =	117.93
62.21 @	27-54 T	86 =	54.98
120.93 @	0-20 T	84 =	120.93
60.69 @	11-46 T	80° =	59.41
196.39 @	9-02 T	90° =	193.96
89.68 @	3-40 T	90° =	89.50
204.03 @	2-06 T	90° =	203.90
148.03 @	17-43 T	94° =	141.02
262.78 @	8-06 T	88° =	260.17
221.00 @	24-42 T	86° =	200.78
30.09 @	Level T	86° =	30.09
298.27 @	32°-22 T	86° =	251.93
23.00 @	30°-01 T	86° =	19.92
170.73 @	11°-07 T	80° =	167.53
			1912.05

1X2 #16C

188+92.52

145.25 @	3°-42' T	84° =	144.95
15.64 @	Level T	84° =	25.64
299.28 @	[illegible]	[illegible]	294.95
297.88 @	3°-28' T	84° =	294.69
225.64 @	21°-50' T	80° =	209.44
			966.61

1X2 #15C

Sta 178+76.21

Cont From Top Pg - 50

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

B-4

YY-5-62

F.B. 370 Pg. 52 F Baker Chief Party Notes by E Baker Date Sept-29

WSG2 15-4

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Note
300' Tape #9 Used
Sta @ 8:15

Sta 45+08.63 1X2 #3 Sta 44+61.37 Set B 12 Pg 40

Sta 43+96.67 Sight

90-49-00
4 | 03-15-30
0-48-52½

49-00 Adj.

Sight

See Page 40

64.67

Set 1X2 # 24 C
By Intersection
Sta 267+22.98

65.16 @ 7-23 T 84 = 64.67 ✓

79.28 @ 10-00 T 84 = 78.08 ✓

112.01

267+20.26 ✓ 4

Set 1X2 # 23 C
Sta 266+44.70
.86

230.20 @ 6-21 T 80 = 228.79 ✓

Sec. Cor. A Co. Surv. Mon. — See Page 40

Set 1X2 # 22 C
Sta 264+16.77
.07

141.76 @ 5-49 T 84 = 141.63 ✓
134.95 @ 21-44 T 84 = 125.36 ✓
198.35 @ 14-06 T 82 = 192.37 ✓
106.02 @ 9-31 T 82 = 104.85 ✓
262.07 @ 9-19 T 80 = 258.61 ✓
235.97 @ 9-44 T 70 = 232.54 ✓
1354.77

Set 1X2 # 21 C
Sta 253+76.30

168.50 @ 17-04 T 70 = 161.06 ✓
[illegible] ✓
[illegible] ✓
266.92 @ 22-39 T 70 = 246.32 ✓
69.58 @ 9-31 T 70 = 63.69 ✓
1008.27 ✓

SEC 7

SEC 6

59.19 @ Level T 70 = 59.18 ✓
130.71 @ 34-00 T 70 = 130.58 ✓
229.19 @ 20-46 T 82 = 227.62 ✓
81.22 @ 10-19 T 82 = 79.91 ✓
35.98 @ 27-12 T 82 = 32.00 ✓
301.00 @ Level T 82 = 301.00 ✓
250.62 @ 17-28 T 82 = 239.06 ✓
47.16 @ Level T 82 = 47.16 ✓
1098.10 ✓

Set 1X2 # 20 C
Sta 243+53.05 ✓

Fence

Ridge

146.13

1/4 Cor. See Pg 197
242+51.01 ✓

Set 1X2 # 19 C
Sta 232+54.54 ✓

Ridge

172.18 @ 16-53 T [illegible] = [illegible] ✓
263.48 @ 17-11 T [illegible] = [illegible] ✓
104.33 @ 21-36 T 78 = 102.67 ✓
277.69 @ Level T 78 = [illegible] ✓
[illegible] ✓
155.81 @ 28-26 T 78 = 137.04 ✓
267.39 @ 14-50 T 82 = 258.48 ✓
260.45 @ 4-28 T 80 = 259.88 ✓
79.07 @ 7-09 T 76 = 78.46 ✓
1647.74 ✓

Sec. Cor. — Fd. 1" I.P.
Set C.S.M.n. See Pg. 198

182.44

216+10.54
1X2 # 18 C

Sta 216+06.80 ✓

Cont From Top Pg — 51

Date _____ Notes by Hornbrook Chief Party _____ F.B. 370 Pg. 53

Platted by O. L. Pack	W. O. No. 738 D. S. O. No.
Date Nov. 1930	Location Sand Canyon Road
Map No. B-468-3	Surveyed by Potter
Platting C'k'd by McP/h	Date Dec-13-1929
Date	Indexed G.O. Scott 2-3-30

Cont. on bot of next page

P.O.T. #A1 Set spk & T. 263+14.45 ✓

217.89 @ 12-39 T-72 = 212.58 ✓
217.75 @ 12-28 T-72 = 212.60 ✓ = 212.59 ✓

154.97 @ 11-13 T 70 = 151.98 ✓
155.22 @ 11-42 T 70 = 151.98 ✓ = 151.98 ✓

237.48 @ 25-41 T64 = 213.90 ✓
237.12 @ 25-33 T64 = 213.90 ✓ = 213.90 ✓

60.16 @ 32-42 T-62 = 50.62 ✓
60.62 @ 33-23 T-62 = 50.61 ✓ = 50.61 ✓

141.09 @ 27-26 T-56 = 125.19 ✓
141.45 @ 27-42 T-56 = 125.21 ✓ = 125.20 ✓

112.22 @ 23-25 T-64 = 102.97 ✓
112.55 @ 23-46 T-64 = 102.99 ✓ = 102.98 ✓

82.17 @ 19-29 T-66 = 77.45 ✓
82.42 @ 19-58 T-66 = 77.46 ✓ = 77.45 ✓

60.24 @ 10-20 T-64 = 59.25 ✓
60.05 @ 9-12 T-64 = 59.27 ✓ = 59.26 ✓

143.27 @ 13-09 T-62 = 139.49 ✓
143.06 @ 12-49 T-62 = 139.47 ✓ = 139.48 ✓

299.27 @ 28-15 T62 = 263.58 ✓
299.85 @ 28-28 T62 = 263.56 ✓ = 263.57 ✓

70.13 @ 17-36 T-62 = 66.84 ✓
70.35 @ 18-10 T-62 = 66.83 ✓ = 66.83 ✓

1463.85 ✓

P.O.T. #19 Fd 1x2 - See pg. 47 248+50.69 ✓

Sec. 17 T3N R15W

Sec. 8

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 370 Pg. 54 — Baker Chief Party — Notes by Hornbrook — Date Dec 8-37

LS 625

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

T 3 N - R 15 W

SEC 18

SEC 7

SEC 17

SEC 8

Fd 3" I.P. in Mound of Stone. No actual distance taken to this point. Pipe was visible along this line of brush cutting and was used inside for line sighted in also to ring between S.C.XI and Reset used for Sec. Cor.

P.O.T. # 20 - See page 47

{ 79° 14' 5" E / 181° 28' 30" E }

{ 157-01.00' D / 314-02.00' ✓ E }

26.00 @ 44-10 = 18.65 ✓

This Spot is 395 From 1+17 See Sht B

Fd 4"x4" Redwood 10" high in mound of stone, state line to corner not visible Bears S 89-41-E (or S) 74.06 (offset)

P.I. 264+16.46

Fd. 4"x4" Pine - 12" high in mound of stone Marked - N.W. XVII on S.W. Side - 4 notches on N.W. Cor. C.S. 8242

422.20 (offset) 399.99 Calc W.M.B.

1-540 station

495 station

264+03.18 ✓

P.I. & Plus = 263+96.68

P.I. & Plus = 263+77.53

{ Fd 3" B.C. in Mound of stone Marked S.C.XI - N.C. 7-8-17+18 (Cor. E.L. Hoff Survey) }

104.61 @ 10-30 T-72 = 102.35 ✓

42.61 (offset)

{ 25° 28' 50" E / 50° 56' 39" E ✓ C }

P.O.T. # 19A

263+14.45

COUNTY SURVEY T 3 N R 15 W 7 8 18 17 ORIG

{ Fd 2" I.P. 25' high Marked - S.C.X }

299.64 @ 7°55 T-71 = 296.75 ✓

299.74 @ 8°04 T-71 = 296.74 ✓

296.74 ✓

59.28 @ 29°21 T-71 = 59.21 ✓

356.02 ✓

37.21 @ 25°45 = 33.51 ✓

Replaced 4x4 Pine stake With P.B.S. in concrete 5-7-38 Stevenson.

Cont. from top of prec. page

Date _____ Notes by _____ Chief Party _____ F.B. 370 PG. 54A

Platted by O.L. Pack	W. O. No. _____ U. S. G. No. _____
Date Nov. 1930	Location _____
Map No. B-463 3	Surveyed by _____
Platting C'k'd by MCP	Date _____
Date _____	Indexed _____

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

F.B. 370 PG. 54 B — Chief Party — Notes by S — Date

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

104.32 @ 2°-35 T14° 102.85'
104.09 @ 2°-46

249.17 @ 9°14 TP = 246.60' Corr
248.87 @ 7°-45

77.78
106.78
25.45
739.06

112.59 @ 13°-34 TP 109.43'
112.81 @ 14°-03

FD 1/2" I.P. No Tag

244.60'

116°13-10"

102.85'

FD 1/2" I.P. No Tag

900

3 Sta. 264+03.18

FD 1/2" I.P. No Tag

No Place of Ties

109.43'

175°-23'-20"

399.99 Calc. W.H.B. Feb 1931

CS Mon

7-9
17-18

130°-56'-5"

139.06'

175°-20'-50"

FB 439-65

R 18 A

130°-56'-30
163°-15'-45

175°-23'-30
341°-23'-30

116°13'-15"
104°-52'-45"

Date 12-11-29 Notes by F.Baker Chief Party F.Baker F.B. 370 Pg. 55

Platted by O.L. Pack	W.O. No. 738 D.S.O. No.
Date Nov. 1930	Location Sand Canyon Rd
Map No. B-462 3	Surveyed by F.Baker
Platting C'k'd by MEP/h	Date 12-11-29
Date	Indexed GD SCOTT 2-3-30

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

W 352 B-3, C3

cont. Bottom pg -56

COUNTY SURVEYOR'S MONUMENT P 1511 3/32

24-30 / 18 53-37-30 E

Fd. 2½" I. Pipe
Sm Mound of Rocks
Sta = 26+34.06

SEC 5

SEC 32

Note
300' Tape #17
used.
Std @ 84°

161.08 @ Level T 68 = 161.06
26.73 @ Level T 70 = 26.73
79.28 @ 20-17 T 68 = 79.35
78.94 @ 19-46 T 68 = 74.33
123.29 @ 13-35 T 68 = 119.83
123.67 @ 14-18 T 68 = 119.83
125.62 @ 3-58 T 68 = 125.31
123.54 @ 3-15 T 68 = 123.33
217.75 @ 8-55 T 68 = 215.10
217.89 @ 9-08 T 68 = 215.11
165.45 @ 3-42 T 82 = 165.11
165.51 @ 4-02 T 82 = 165.10
156.29 @ 17-17 T 76 = 149.22
156.85 @ 17-55 T 76 = 149.23
199.51 @ Level T 74 = 199.50
113.84 @ 5-12 T 74 = 113.36
113.99 @ 6-00 T 74 = 113.36
296.10 @ 16-06 T 74 = 284.47
296.38 @ 16-16 T 74 = 284.50
251.32 @ 17-55 T 70 = 239.11
251.72 @ 18-12 T 70 = 239.11
17.10 Level T 74 = 17.10

Set 1x2 STK P.O.T. #2
Sta = 7+43.81

98.82 @ Level T 74 = 98.81

Set 1x2 STK P.O.T. #1
Sta = 6+45.00

21.10 @ 25-42 T 74 = 19.01
20.46 @ 21-39 T 74 = 19.02
299.07 @ 24-46 T 74 = 271.54
299.71 @ 25-01 T 74 = 271.57
237.34 @ 4-17 T 66 = 236.65
237.76 @ 4-02 T 66 = 236.65
118.35 @ 5-33 T 66 = 117.78
118.22 @ 4-50 T 66 = 117.79

COUNTY SURVEYOR'S MONUMENT F 1511

Fd 1½" I pipe
1/4 Corner
See F.B. 370 pg. 43
Sta 28+61.41 =
0+00 Going West

F.B. 370 Pg. 56 F. Baker Chief Party Notes by F Baker Date Dec 12-19

Cont Bottom pg-57

Note
300' Chain #17 used
Std @ 84°

Set 1X2 Stk P.O.T. #5
Sta 19+51.46 ✓

SEC 6

SEC 31

Fd 2" I Pipe & Sm Mound of Rocks Marked S.O. LXXIII Pipe is 0.15 South of Line & 6.23 West of P.O.T. #4

291.13 @ 8-5 T 54 = 287.50 ✓
291.40 @ 9-1 T 54 = 287.51 ✓

Set 1X2 Stk P.O.T. #4
Sta 16+63.96 ✓

Fd 1" I Pipe & Sm Mound of Rocks 2.35 South of Line & 138.0 West of P.O.T. #3

172.63 @ 2-12 T 54 = 172.47 ✓
172.65 @ 2-20 T 54 = 172.48 ✓

300.53 @ 3-18 T 54 = 299.97 ✓
300.59 @ 3-32 T 54 = 299.76 ✓

Fd 2" I Pipe on line 80.56 West of P.O.T. #3

Fd old White 4X4 1.10 South of Line & 8.53 West of 1X2 #3 per F.B. 900-46F

Set 1X2 Stk P.O.T. #3
Sta 11+91.55 ✓

285.53 @ Level T 68 = 285.50 ✓
108.15 @ Level T 70 = 108.14 ✓

Fd 2" I pipe on Line 1.93 West of 1X2 #2 per F.B. 900-46F

Set 1X2 Stk P.O.T. #2
Sta 7+97.89 ✓

Fd 2" I Pipe on line 434.2' West of 1X2 #1

248.30 @ 4-21 T 70 = 247.56 ✓
248.37 @ 4-34 T 70 = 247.56 ✓

Fd charred 4X4 Stk 0.70 South & 2.45 West of 1X2 #1

117.68 @ Level T 70 = 117.67 ✓

Set 1X2 Stk P.O.T. #1
Sta 4+32.66 ✓

41.34 @ 5-54 T 70 = 41.12 ✓
41.43 @ 6-56 T 70 = 41.13 ✓

292.24 @ 3-42 T 72 = 291.61 ✓
292.31 @ 3-56 T 72 = 291.60 ✓

100.14 @ 3-30 T 70 = 99.94 ✓
100.19 @ 3-58 T 70 = 99.94 ✓

2½" I Pipe
Sta 26+34.06 =
Sta 0+00 Going West
per F.B. 900-68

Cont From Top pg. 55

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 12-14-29 Notes by FBakey Chief Party FBakey F.B. 370 Pg. 57

Platted by O.L. Pack	W.O. No. T38 D.S.O. No.
Date Nov. 1930	Location Sand Canyon Rd
Map No. B-466 3	Surveyed by FB & MP
Platting C'k'd by MSM	Date Dec 14-29
Date	Indexed GD. Scott 2-3-30

W5,6,31,8-3

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Set page 58 this Book

500' Tape #17 Used Sta 5+00

1x2 Stk

2" I.P. - Twshp Cor

179°-55'-40"

Fd spike in See FB 370 pg 39

Tie Temp Cor. Set pg 39

93-28-30 E 1320.00

53-30-30 E 1320.00

58°-24'-10" 1320.00

See page 59 this Book

SEC 6

Calc. Line produce

SEC 31

179-57-15

359-42-45

Fd Spk & Tin @ Mid Angle Sta 1.16 South See FB 370 pg 39

1.16

179-57-10" Adj

Set Spk & Tin

Sta 41+74.91 ✓

300.20 @ Level T64 = 300.16 ✓

300.93 @ Level T64 = 300.89 ✓

295.81 @ Level T64 = 295.77 ✓

Fd Spk, Wet Tin & Down 2.98 South & 12.23 West of POT #7 = PI #20 - Co. Surv.

Set 1x2 Stk. POT #7

Sta 32+88.09 ✓

Set Nlon. Stevenson 5-2-30

Fd 1¼" I Rod 3.92 South of Line & 13.71 West of POT #6

Reset and referenced F.B. 370-21 10-3-30

COUNTY SURVEYOR R15W T3S T4S S.C.L.M. MONUMENT

94.56 @ Level T64 = 94.55 ✓

298.58 @ Level T64 = 298.54 ✓

240.50 @ Level T64 = 240.47 ✓

Fd 2½" I Pipe Marked S.O. LAX II Pipe is 0.70 South of Line & 7.58 West of POT #6

Set 1x2 Stk POT #6

Sta 26+54.53 ✓

185.53 @ Level T64 = 185.51 ✓

238.44 @ Level T64 = 238.41 ✓

290.63 @ 16-01 T64 = 290.61 ✓

290.75 @ 16-13 T64 = 290.72 ✓

1x2 Stk POT #5

Sta 19+51.46 ✓

Cont. From Top pg - 56

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W S 62, 5-3

Do not extend notes this side of this line

F. B. 370 Pg. 58 Chief Party Notes by Date 5-1-30



Date 12-18-29 Notes by H.D. Tockstein Chief Party H.B.F. F.B. 370 Pg. 59

Platted by O.L. Peck
Date Nov. 1930
Map No. B-Ass. 3
Platting C'k'd by K.R.M.
Date

W.O. No. 738 D.S.C. No. Tape #
Location Long Canyon Ave
Surveyed by H.D.T. H.B.F.
Date 12-18-29
Indexed A. C. Johnson

D-5

W.S. 62

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To bottom of pg. 60

Sta. 103+18.39
Tan. Location of Wks. Co.

14+20.07

6.57

Pt. Sta. 6+25.64
Sta. 7+12.5
Intersection Pt.

137.13 @ 4°02' - T 70° = 136.74
131.52 @ 3°45' - T 70° = 131.26
71.34 @ 2°44' - T 70° = 69.50
71.17 @ 13°10' + T 70° = 69.50
228.13 @ 16°27' - T 115° = 219.38
Tangent 2.00 To Change in Curve

(14)

(23)

Tangent Line (Mag. Bear.) N 83°45' E

Radial Line

16+82.56

Section Line

Tangent 2.00
163.50 @ 27°00' - T 79° = 145.02
163.50 @ 27°23' - T 79° = 145.02
T 163.50 @ 50°00' - T 115° = 77.13

221.07 @ 2°56' - T 72° = 220.76
221.19 @ 3°27' - T 115° = 220.77

Tan. 100 + N 83.0 E

T 450.00 @ 7°40' = 450.00
T 436.18 @ 5°44' - T 70° = 420.28
321.05 @ 17°09' - T 70° = 306.14
320.50 @ 16°50' - T 70° = 302.28

28

3479 Pg 10C

2.73

Section Corner
3" Brass Mon. 2.0' in
4" Conc. Box Mkd.
C.S. Mon.
Sec. 14-15-22-23
T 3N - R 15W
Per F.B. 370-10C

To Pg. 10C

0+00 Begin E.
Pol. 1" x 2" x 7'
Tan. 0+00.
Tan. 53.37 - 20

F.B. 370 Pg. 60 – F Roanoke Chief Party Notes by [illegible] Date 2-19-29

Tape #001 – Sta. 0 to [illegible]

To bottom of pg. #61

[illegible] 3-35+39.26 ✓

Set [illegible]

Random Pt.

[illegible]

28+03.36 — 10.41 — 1/4 Cor. See Pg. 207

[illegible]

Set 1/4 Cor. See Pg. ~~140~~

FOR FINAL ADOPTED

1/4 SEC. COR. SEE F.B. 370-207

[illegible]

See page 103 FB 439 for location of 1/4 Cor

from top of pg. 59

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 5-20-29 Notes by [illegible] Chief Party [illegible] F.B. 370 Pg. 61

Platted by O.L. Pack
Date Nov. 1930
Map No. S-465 3
Platting C'k'd by K.R.M.S.P.
Date

W. O. No. 7138 D. & C. No. 221
Location [illegible]
Surveyed by [illegible]
Date 12-20-29
Indexed A. C. Johnson

Notes. ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

45 E 2.0-S

To bottom of pg. #62

58.57
~~58.64~~

Pt. #5-61+~~58.67~~
Set 1"x2" Random Pt.

1/4 Cor

2432.01

Sect to Connect by prop. See Page 209

(23) (24)

FOR ADOPTED LOCATION
SEE F.B. 370-209
DWG. F-H-96

Random line from north
See page 180 for intersection

55469.93 — 18.09

(15)

2644
~~21.51~~

Pt. #-52+~~26.44~~
Set 1"x2" Random Pt.

495.19 @ 25°03' - T72° = 448.57 ✓
495.75 @ 25°12' - T72° = 448.53 ✓

258.81 @ 31°12 - T72° = 221.36 ✓
259.98 @ 31°38 - T72° = 221.33 ✓

398.82 @ 31°52' - T64° = 262.27 ✓
397.53 @ 31°38' - T64° = 262.31 ✓

[illegible] @ [illegible] - T68° = 51.37 ✓
54.32 @ 59°02' - T68° = 51.36 ✓

438.59 @ 27°43' - T68° = 387.93 ✓
438.09 @ 27°40' - T68° = 387.96 ✓

480.79 @ 10°49' - T64° = 481.27 ✓
480.79 @ 10°49' - T64° = 481.27 ✓

25.05 @ 9°46' - T64° = 24.69 ✓
24.90 @ 7°21' - T64° = 24.79 ✓

406.54 @ 17°43' - T72° = 353.20 ✓
406.58 @ 17°43' - T72° = 353.16 ✓

~~358.68 @ 9°26' - T72° = 353.80~~
~~358.39 @ 9°26' - T72° = 353.81~~

VOID

358.68 @ 9°26' - T72° = 353.80
358.39 @ 9°08 - T72° = 353.81

Random Line

Section Line

By [illegible]
Plat 7-29-30

from top of pg. #60

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

4562 D-5

F. B. 370 Pg. 62 Chief Party Notes by Date



Date 1-13-30 Notes by [illegible] Chief Party HBA F.B. 370 Pg. 63

Platted by Pack	W.O. No. 778 D.S.O. No. 901
Date 1930	Location [illegible]
Map No. B-468-3	Surveyed by [illegible]
Platting C'k'd by L.R.M.	Date 1-2-30
Date	Indexed A. C. Johnson

X Sta. @ 84°

To last Sta. of pg. 64

84.55

Rad.

Random Line

94.21

Rad.

Random Line

2558.16

(13)

(04)

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 370 Pg. 64 Chief Party Notes by Date 1-4-53



Clo.

Root (See FB 439-121) Tk

See Page 96 FB 439 for Ties

3136

Reference to FB 439-120

68

88

See FB 439-93 For New Location of Monuments 198.

Root see FB 439-121

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

45791-5

Date 12-30 Notes by W.S.M. Chief Party E.J.P. F.B. 370 Pg. 65

Platted by Pack
Date 1930
Map No. B-468-3
Platting C'k'd by L.R.M.
Date

W. O. No. 738 B. & C. No. 001
Location
Surveyed by
Date 1-7-31
Indexed A. C. Johnson

W 5262' D-4

Notes: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

2690.53

40.24

Sec. Cor. 136 See Pg.

106+02.32

2690.53

F.B. 370 Pg. 66 Chief Party Notes by [illegible] Date 1-8-32

WS 620-4

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

To bottom of pg. 120

65.67 @ 29°34'30" - T62° = 57.10 ✓
65.37 @ 29°07' - T62° = 57.99 ✓
10

158.26 @ 34°58'30" - T64° = 20.04 ✓
158.03 @ 34°50'30" - T64° = 20.02 ✓

311.25 @ 37°13' - T66° = 247.84 ✓
311.04 @ 37°10'30" - T66° = 247.67 ✓

432.97 @ 42°29' - T64° = 322.96 ✓
438.73 @ 42°35' - T64° = 322.99 ✓

333.34 @ [illegible] - T64° = [illegible] ✓
333.64 @ [illegible] - T64° = 328.99 ✓

231 @ [illegible] - T66° = 228.20 ✓
229.27 @ [illegible] - T66° = 227.30 ✓

2680.53

1/4 Cor. by Prop. See Pg. 137

132 + 92.83 ← 48.15

13

See Page 137

384.[illegible] @ [illegible] - T76° = 375.55 ✓
384.[illegible] @ [illegible] - T76° = 375.55 ✓
5

106.82 @ [illegible] - 66° = 96.63 ✓

2690.53

399.45 @ [illegible] - T76° = 399.38 ✓

459.03 @ [illegible] - T76° = 450.01 ✓
459.27 @ [illegible] - T76° = 450.25 ✓

[illegible] @ [illegible] - T76° = 87.80 ✓ ✓
19

19

59

To [illegible] pg. 65

Date 5/3/29 Taken by Braden Revision

Chief Party Braden F. B. 390 Pg. 25

Plotted by

Date 1930

Map No. B-468-3

Platting C'k'd by L.L.M.

Location Sand Cn. Road

Surveyed by BRADEN

Date May 3 1929

Instrument Gurley 1029

Sheet No. 6

Sheet Revisions Dec 1924

Solar Observation

May 3-1929 - 8.30 A.M.

Latitude 34°-22'-7N - Long. 118°-25'W
34-22-52

Inst. @ P.I. #2 — Sighting @ P.I. #1

Hor. A is to right-or E. to Sun

Var. (Mag) - 1-5-50
N-25-50-E

Set	No	Hor. A.	Ver. A.	Time	Calc. Bearing
1	⊙	72-50-45	39-31-00	8:22-00	
	⊙	72-41-15	40-16-00	8:23-10	25-35-14
2	⊙	73-13-15	39-58-30	8:24-10	
	⊙	72-40-00	40-39-30	8:25-05	25-45-26
3	⊙	73-31-00	40-20-00	8:26-00	
	⊙	73-01-00	41-04-30	8:27-05	25-45-10
4	⊙	73-52-15	40-45-30	8:28-05	
	⊙	73-21-00	41-34-30	8:29-10	25-47-42
5	⊙	74-13-30	41-11-30	8:30-10	
	⊙	73-42-30	41-54-00	8:31-10	25-45-28

Time -30 Sec. fast

Adopted Bearing N 25-46-00 E

Mean of 1-2-3-4-7-8-10.
(See p. 69 for 1-2-3-9)

P.I. #1 (See Pg. 70)

P.I. #2 (See Pg. 71)

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CHECKED 11 Rod. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Page 69 Bradley [illegible] 7/5-23

Braden - π
Lewiston - Notes
Glenn - Time

See last Page for details

65

	Ver. A	Time	Calc. Bearing
	76-56-00	44-16-00	8:45-20
	76-40-00	44-56-00	8:46-05 25-46-34
2	77-13-00	44-33-30	8:46-15
	76-37-00	45-[illegible]	8:47-40 25-45-52
3	[illegible]	44-54-30	8:48-30
	76-[illegible]	45-37-30	8:49-30 25-46-34
	77-1-00	45-15-00	8:50-15
	77-14-30	45-55-30	8:51-00 25-46-30
	78-07-30	45-39-30	8:51-40
	77-50-15	46-11-30	8:52-25 25-49-50

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Under ANY ARRANGEMENT OR CONTRACT ON THIS SHEET MUST BE MADE OR SIGNED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

69A

F.B. 370 PG. 99

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd °F.
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

W.S. 62 D-3

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

T. 4 N.
T. 3 N.
R. 15 W.

35 36

2 1

To 1/4 Cor. S89°06'45"W 2678.15

N63°33'20"W 700.40

2268.15 To 1/4 Cor. N89°11'35"E

Adopted & Per Rd. Dept. F.B. FW A130-4

Adopted & Per. Rd. Dept. F.B. 370-72

RELATION BETWEEN ADOPTED AND ABANDONED CENTER LINE OF SAND CN. ROAD.

This Sketch made by D. M. Tinsley 6-30-36.

S 23°-57'-00"E 295.38 Ft.

19+46.51 P.O.T.

19+87.51 B.C.

To S86. Cor. 2080.12

Continued on top of next page

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 370 PG. 693

Map No. B-42-2-2 Surveyed by C.E.B. 1951




Sec 1 T3N
R15W
45+70.90
POT #2 Set by intersection with random sec line to the West per FB-370-7
Sec. 35
R14W
R15W
POT #2 Set 2x2
11+45.39
Sec 36
T4N
R W L
11+14.81 E.C.
Set 1x2
Δ = 49° 43'00"
R = 850
T. = 393.81
L = 737.51
Ex = 84.79
Curve #2 - 12 Chds. @ 61.45
Sta.
3+77.35 B.C.
Set 1x2
4/4-29-Braden
108.71
R.P.P.I. Set W.T. L.A. Co. Bkt #561.1819±
also U.S.B.M.
Pt is on inside rock of N.E. Trunk of 4-10
POT #1
Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.
RETURN TO LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Date Nov. 1930 Location Sand Canyon Rd.

Map No. 8-257-2 Surveyed by C.E. Brunty

Date June 1936 Inked GD. Scott 1936




WS 62 D-3.04
LOS ANGELES COUNTY SURVEYOR
RETURN TO
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.
Brunty
Chief Party
POST #4D Set 2x2
POT #4C Set 2x2
50+24.72
POT #4B Set 2x2
47+26.67
POT #4A Set 2x2
44+05.61
E.C. Set
41+92.97
40+95.39 P.O.C.
Δ = 15-04-00
R = 1000.
T = 132.
L = 262.
Curve #4-6 chords @ 43.323
A Sta
1-15-20 39+73.84
2-30-40 40+17.66
3-46-00 40+61.49
5-01-20 41+05.32
6-16-40 41+49.15
7-32-00 41+92.97
BC Set 1x2
39+30.01
Transit Line
POT #3C Set 2x2
35+01.52 Sec line POT #3
Fd. 2x2 Tr/g
19+33.86
See Pg. 17
POST #3D
Set 1x2 by intersection
POT #4 Tr/g
Fd. 2x2 Sh.
24+21.41
See Pg. 17
SEC. 2
2569.10 To SEC. Cor.
N23.61 To P.O.T.
SEC. 1
T.3 N.
R.15W.
1/4 SEC. COR.
C.B. Mon. per
F.B. 370-201
164°56'00"
299°44'00"
164°56'00"
10°53'00"
79°32'00"
10°53'00"

Map No. B-463-2

Surveyed by C.E.S.

Notice: ANY ALTERATIONS OR CHANGES ON THIS SHEET MUST BE NOTED ON CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Return to LOS ANGELES COUNTY SURVEYOR

Do not detach extension sheets from edge of blue print

168.47 @ 1°23'52" = 168.42 @ 6.34°

POST #5A Set 2x2

20°28'30"
81°59'30"
20°28'22½"

319.55

B.C. 80+77.11

85-46-25
R = 500.00
T = 464.41
Δ = 118.62.52
EXT 192.41

20°28'30"

168.42

25.00

Set 2 x 2

Note — P.I. #5 Not Set
Δ = 85°46'36"

Curve #6 12 Chords @ 62.39

	Sta
3-34-26	53+41.50
7-08-52	54+03.87
10-43-18	54+66.25
14-17-44	55+28.63
17-52-10	55+91.01
21-26-36	56+53.38
25-01-02	57+15.76
28-35-28	57+78.14
32-09-54	58+40.51
35-44-20	59+02.89
39-18-46	59+65.27
42-53-12	60+27.64

6/10/29 1=80 Ker

87.55

114°42'00"

239.70

POST #4E Set 2x2

114°42'00"
98°47'45"
114°41'56"

87.55 @ 0-00 58' = 87.55 @ 0°

POST #4D

38.33

240.00 @ 3°42' @ 86°5' = 239.70 @ 21°5'

POST #4C
Set 2x2

F.B. 370 Pg. 75 Brusty Other Party Notes by: Brusty Date: 1-8-74

WS 62 D-3

P.O.T. #4-B Set 2x2
68+24.74
240.31 @ 3-48-T62° = 239.75

P.O.T. #4-A Set 2x2
65+84.98
(Stand. @ 84°)
91.34 @ 8-24-T62° = 90.35

E.C. 65+49.66
Set 1x2 tk Flush

4 Chords @ 27.39

Deflection	L.C.	Station
1° 34' 11"	27.398	64+67.47
3° 08' 22"		64+94.87
4° 42' 33"		65+22.26
6° 16' 45"		65+49.66

Δ = 12° 33' 30"
R = 500'
T = 55.02
L = 109.59
Ex = 3.02

P.T. #6 Set 2x2

1-T-26-30
3-09-45-30
1-T-24-22½

B.C. = 64+40.07
Set 1x2 tk Flush
(Stand. @ 84°)
81.21 @ 0-00-T58° = 81.20

POT #5-D Set 2x2 64+13.89
184.76 @ 0-00-T57° = 184.76

POT #5-C 62+29.13

POT #5-B 61+15.96

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4-17-33 Notes by Braden Chief Party Braden F.B. 390 Pg. 26

Plotted by O.L. Peak
Date Nov. 1930
Map No. B-468-2
Plotting Checked by M. Finley
Date June 1936

W.O. No. 736 D.S.B. No.
Location Sand Cyn Rd
Surveyed by Braden
Date 4-17-33
Indexed G.D. Scott 1939

300' Tape #39

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY SURVEYOR & Asst. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

1867 @ 10-40-76° = 47.83
294.23 @ 2-19-74° = 293.97
941.80

To P.O.T. #7 Set 2

341.80

E.C. Set 1X2 tk Flush
73+73.01

P.O.T. #7-A Set 2
74+79.62

208.70 @ 7-49-74° = 206.75
156.97 @ 3-44-72° = 156.62
363.37

363.37

E.C. Set

Δ = 104° 10' 00"
R = 200
T = 256.76
L = 363.61

Deflection | Chord | Station

Deflection	Chord	Station
6° 30' 38"	45.35	70+84.85
13° 01' 15"		71+00.20
19° 31' 52"		71+45.36
26° 02' 30"		71+91.24
32° 33' 08"		72+36.47
39° 03' 45"		72+82.11
45° 34' 22"		73+27.36
52° 05' 00"		73+73.01

P.I. #7 Set 2X2

109.38 @ 2-00-70° = 109.24

75-50-00

P.O.S.T. #4-C Set 2X2

B.C. Set =70+09.40 B.C. Set 1X2 tk

75-50-00
303-20-00
75-50-00

332.18

50.00 @ 0-00-74° = 49.99
332.18

P.O.T. #4-B
68+24.74

From top of

F.B. 370 Pg. 77 Braden Chief Party Notes by Braden Date 4/17-28

Stand. @ 84°

WS 64 D-3

To bot. Pg. 78

P.O.T. #8-C

290.96 Unadj.

305.43

P.C.T. #8-B Set 1x2 82+86.57

EC = 84+20.47 Set 1x2 tk Flush

7.00 @ 1-00-T.78° = 7.00
298.43 @ 4-05-T.78° = 298.43
305.43

Δ = 106° 52' 20"
R = 200

T = 269.66
L = 373.05 Ext 185.73

Deflection	Chord	Station
6° 40' 46"	46.53	77+94.05
13° 21' 32"		78+40.58
20° 02' 19"		78+86.71
26° 43' 05"		79+32.24
33° 23' 51"		79+80.58
40° 04' 37"		80+27.21
46° 45' 23"		80+73.84
53° 26' 10"		81+20.47

139.33

141.42 @ 20-50-T.78° = 130.33

P.C.T. #8-A Set 1x2

P.I. #8 Set 1x2

179.54

49.48

53-52-20

K.P.P.A. #8 Set 1x2

195.44

201.49 @ 14-02-T.04° = 195.66

77+47.42 = B.C Set 1x2 tk Flush

P.O.T. #7-B Set 1x2

74.00

104-52-18
47-29-30
104-52-22

251.45 @ 7-35-T.78° = 249.04
183.93 @ 12-30-T.78° = 179.54
49.48

341.80

P.O.T. #7-A See last Pg.

74+79.62

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4/17/29 Notes by Braden Chief Party Braden F.B. 370 Pg. 78

Plotted by [illegible] Checked by [illegible]

Date Nov. 19 30
Map No. B-468-2
Plotting C'k'd by D. M. Finley
Date June 1931

Location Sawpit Cr.
Surveyed by Braden
Date July 29
Inked C.G. Scott 1929

To be ~~f~~ Vicinity Page

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

POT #9 B Set 2x2

= 89 + 47.16

EC = 89 + 44.52
Set 1x2 + K Flush

183.38

183.50 @ 1-54-T.70° = 183.38

P.O.S.T. # 9-A Set 2x2

230.58

236.87 @ 13-18-T.70° = 230.58

45 Adj

P.I. #9 Set 2x2

35.50

Brass RPPL No. Set 2x2 Con Flush

146.89 @ 18-27-T.70° = 139.33

P.O.S.T. #8-C Set 2x2

88-24-45
88-38-45
88-24-45

290.46

Δ = 91°36'15"
R = 400 T = 411.24 Ext 17
L = 639.40
290.55 @ 1-14-T.74° = 290.46

BC = 83+05.12
Set 1x2 + K Flush

POT #8 B 82+86.57

Deflection	Chord	Station
		83+58.40
3° 48' 58"/	53.24	84+64.97
1° 26' 54"		85+18.25
1° 15' 52"		85+71.54
1° 09' 50"		86+24.82
1° 03' 49"		86+78.10
1° 02' 47"		87+31.38
1° 01' 46"		87+84.67
1° 00' 45"		88+37.95
0° 59' 43"		88+91.23
0° 58' 41"		89+44.52
0° 57' 39"		
0° 56' 37"		

POST #8-A

From-t-o-p. Pg. 77

F.B. 370 Pg. 79 Braden Chief Party Notes by Braden Date 4/17-29

Stand @ 84°

To Pg. 80

R.O.S.T. #10-B set in

295.47

295.70 @ 2-14-T.52' = 295.42'

R.O.S.T. #10A set in

148.31 @ 3-07-T.72' = 148.18

148.48

E.C. = 92+81.06
Set 1X2+K Flush

Δ = 78° 27' 00"
R = 200
T = 163.26
L = 273.84
Ex 58.17

Prod. Set 8X2

P.I. #10 Set 2X2

101-33

101-33-00
44-12-00
101-33-00

223.32

B.C. = 90+07.22
Set 1X2+K

224.47 @ 4-14-T.72° = 223.32

Deflection	Chord	Stations
4° 54' 11"	34.19	90+41.45
9° 48' 22"		90+75.68
14° 42' 34"		91+09.91
19° 36' 45"		91+44.14
24° 30' 55"		91+78.37
29° 25' 07"		92+12.60
34° 19' 18"		92+46.83
39° 13' 30"		92+81.06

P.C. 7 B = 89+47.16

From top of Last page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

4362 D-3

Date 4/18-29 Notes by Braden Chief Party Braden F. B. 770 Pg. 20

Book Nov. 1930 Location Eagle Rock
Map No. B-468-2 Surveyed by Braden
Plotting Checked by D. McFinley Date April 1930
Date June 1936 Indexed 6 Sept 1929

Reference
2"-PA+12

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

P.O.S.T. #11-B set 1x2

224.20

224.55 @ 2-54-50 = 224.20

P.C. Set 1x2
97+88.63

Deflection Chord Station

5° 1' 04"	36.14	95+35.27
10° 20' 08"		95+71.41
15° 33' 12"		96+07.55
20° 44' 18"		96+43.86
25° 55' 19"		96+80.05
31° 06' 23"		97+16.24
36° 17' 27"		97+52.44
41° 28' 30"		97+88.63

Δ = 82°57'00"
R = 200 T = 176.79
L = 289.55 EX 66.94

P.O.S.T. #11-A set 1x2

84.23

84.74 @ 13-44-50 = 84.23

P.I. #11

113.97

114.27 @ 3-57-50 = 113.97

82-57-00
82-57-00
331-48-00
82-57-00

P.O.S.T. #10-B

B.C. Set 1x2 Stake
94+39.09

P.O.S.T. #10-A

From Pg. 79

F.B. 370 Pg. 81 Braden Chief Party. Notes by Braden Date 4/25-29

Stand @ B4

(See Pg. 82)

P.I. #13

285.54 @ 5-59-T.78° = 183.97 ✓

183.97

P.O.S.T. #12-B set 2x2

E.C. Set 101+87.16 1x2

151.43 @ 4-36-T.78° = 150.84 ✓

150.84

P.O.S.T. #12-A set 2x2

P.I. #12 (Set 2x2)

54.94

P.R.P.I. #12 Set 1x2 Red.

97-45-50 (Adj)

152.75

153.58 @ 5-54-T.72° = 152.75

P.O.S.T. #11-B. Set 1x2

B.C. set 1x2 98+15.90

97-45-45
31-03-00
97-45-45 ✓

Deflection	Chord	Station
4° 53' 18"	34.08	98+80.03
9 46 35		99+14.15
14 39 52		99+48.28
19 33 10		99+82.40
24 26 28		100+16.53
29 19 45		100+50.66
34 13 02		100+84.78
39 06 20		101+18.91
43 59 38		101+53.03
48 52 55		101+87.16

Δ = 97° 45' 50" ✓ R = 200 ✓

T = 219.94 ✓ L = 341.26 ✓

Ex 104.13 ✓

S.P.O.S.T. #11-A from top of Pg. 80

LS 62, D-4

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Notice: Any alterations or changes to this sheet must be made by or under the direction of person making changes.

P.O.T. #13-B-set 2x2

107+14.45

272.54 @ 10-41-7.74 = 247.83

247.83

P.C. 105+82.44
Set 1x2

P.O.S.T. #13-A-set 2x2

100.71 @ 23-04-7.78" = 92.46

92.44

Deflection			Chord	Stations
4°	39'	58"	48.81	102+40.39
9°	19'	56"		102+89.26
13°	59'	54"		103+38.12
18°	39'	52"		103+86.99
23°	19'	50"		104+35.85
27°	59'	48"		104+84.71
32°	39'	46"		105+33.58
37°	19'	45"		105+82.44

74-39-30

Δ = ~~71°18'00"~~ 74°39'30"
R = ~~600~~ 300'
T = ~~430.55~~ 228.78
Ex = ~~138.38~~ 77.28'
L = ~~746.65~~ 390.91

74-39-30
298-38-00
74-39-30

P.C. Set 1x2
101+91.53

P.O.S.T. #12-B

P.B. 370 Pg. 83 Braden Chief Party Notes by: Braden Date 4-25-78

W.562 P-4

Stand. @ 84°

To Set Pg 84

P.O.T. #14.8 set 2x2
115+69.82

217.33

E.C. Set 1/2
115+68.42

217.53 @ @ 2-22-T. 74° = 217.33

P.O.S.T. #14-A set 1x2

217.14 @ 9-04-T. 74° = = 214.42

P.I. #14 set 2x2

Deflection	Chord	Station
2-58-15	62.19	108+83.99
5-56-30		109+46.21
8-54-45		110+08.43
11-53-00		110+70.65
14-51-15		111+32.88
17-49-30		111+95.10
20-47-45		112+57.32
23-46-00		113+19.54
26-44-15		113+81.76
29-42-30		114+43.98
32-40-45		115+06.20
35-39-00		115+68.42

Δ 71-18-00 R = 600
T 430.35 L 746.65
Ext 138.38

181.50 @ 7-42-T. 74° = = 179.65

P.O.S.T. #13-C-2 set 2x2

108-42-00
74-48-15
108-42-03¾

74.17 @ 0-00-T. 78° 74.17
106.55 @ 11-01-T. 78° = 104.59
178.00 @ 4-50-T. 78° = 177.36
358.12

B.C. Set 1x2
109+21.77

P.O.T. #13-B see top of Last page
107+14.15

RETURN TO LOS ANGELES COUNTY SURVEYOR

Page entered notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 4/26/29 Notes by Braden Chief Party Braden F. B. 390 Pg. 24

Date Nov. 1930
Map No. B-468-2
Plotted by D. M. Finley
Date JUNE 1936

Location Saxon Rd
Surveyed by Braden
Indexed GD. Scott 1929

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

N 5° E

120' Tree #38-3 Pine @ 76° 57.82 @ 35-03-T.70° = 47.32 @ 86-0-40-33-T.70° = 68.79 117.11

122+35.68 P.O.T. Nothing Set.

SEC. 3

To Sec. Cor. 270.64
To Sec. Cor. 817.84

SEC. 2

117.11 (South 1189.)

T. 3 N.

R. 15 W.

117.11

26°-34'-15" Lde.

165.50

45.38

241.73

83.25

POT #1 See 43+66.96 Fr. North

POT #2 See 31+66.04

53.20

85-11-30
340-45-30
85-11-22½

121+90.18 = 42+49.85 Ft. N.

P.O.T. #1A Sec. 11 R. 14 W. Random

42+15.02 P.O.T.

44.47 @ 12-24-T.70° = 45.38 ✓

121+44.80 ✓ P.O.T. #1B

242.26 @ 3-44-T.70° = 241.73 ✓

119+03.07 ✓ P.O.T. #1C

33.01 @ 0-00-T.74° = 33.01 ✓

333.25 ✓

115+69.82 ✓ P.O.T. #1D

From top. Page 183 ✓

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 370 Pg. 85

Name of City


Date Nov. 1930
Map Bk. B-440-2
Date June 1936
Location Sand Canyon
Surveyed by Bradley
Plotted G.D. Scott 1939
To Last Next Page
From Last Page
279.42 @ S-23-T80 = 279.44
POST #74 + Set 2x2
Set 2x2
Deflections - Chord - Sta
8-32-57 52.03 124+04.94
17-05-54 " " 124+57.17
25-38-51 " " 125+09.39
34-11-48 " " 125+61.62
42-44-45 " " 126+13.84
51-17-42 " " 126+66.06
59-50-38 " " 127+18.29
68-23-35 " " 127+70.51 E.C
Δ 136-47.10
T 441.84
R = 175'
L 417.79
B.C. Set 1/2
Sta 123+51.72
Post #75
Set 2x2
Post #76
Set 2x2
74-21-45
305-27-00
74-21-45
297.14 @ S-25-T80 = 297.41
LOS ANGELES COUNTY SURVEYOR

Bradbury

R.P.P. #16
Scr 2x2

R.P.P. #18
Scr 2x2

P.O.S.T. 16
R.P. #18
Scr 2x2 W.M.T.

SEC. COR.
U.S. Mon.
T.B. 3N+2BS.

Fd. R.P.
Scr 2x2

Fd. R.P.
Scr 2x2

Fd. R.P.
Scr 2x2


Map No. 6-468-3
Surveyed by
Curve #17
Δ = 168-01-00
R = 175'
T = 1820.22'
L = 516.23'
For Sag, Line Inter.
See Pg. 146
173.20'
185.24 @ 11-23-47 = 181.55'
149-03-00'
234-11-30
149-03-30
adj. 03-00
Sec. 76-03-
Sec. 84-30-
Sec. 82-
Sec. 84-
Sec. 85-
Sec. 86-
Sec. 87-
Sec. 88-
Sec. 89-
Sec. 90-
Sec. 91-
Sec. 92-
Sec. 93-
Sec. 94-
Sec. 95-
Sec. 96-
Sec. 97-
Sec. 98-
Sec. 99-
Sec. 100-
Sec. 101-
Sec. 102-
Sec. 103-
Sec.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Brader — Chief Party — Rules by Brader — Date 7-16-29

P.I. = 13+ — To bot. — 3.91

Stand @ 84°

278.34 @ 2°-08' T 74° = 278.34

Curve #18

Set	Deflt.	Sta.
1x2	B.C.	141+44.43
"	16° - 2° - 38' - 34	142+40.56
" 2	- 5 - 12 - 08	+86.68
" 3	- 7 - 35 - 42	143+32.81
" 4	- 10 - 34 - 16	+78.94
" 5	- 13 - 10 - 50	144+25.07
1x2	E.C. - 15 - 51 - 25	+71.19

H.E. Graber 12-12-29

278.34

271.52

271.52 @ 0-00 T 74° = 271.51

P.O.S.T. #18A Set 2x2

E.C. 18 - 144+71.19 — Set 1x2

R.P.P.I. #2 - Set 2x2 (On Shark Ridge)

145-05-60
220-20-30
145-05-07½
90 ft. 10

129.81

29.56 Calc

31-42-50 Calc

145-05-10

#18
Δ = 31° - 42' - 50"
R. = 500
T. = 142.02
L. = 276.76
Ext = +19.78
P: 500

R.P. #1 Not Set — 18

R.P. - Set 2x2

B.C. #18 — 141+44.43 — Set 1x2

336.38

93.44

E.C. 70.96 To

206.21 @ 10° 53 T 90 = 202.51
135.37 @ 8° 32 T 88 = 133.87
336.38

Mechaming by F Baker
7/30/29

2 pt. 15 @ 10.54 T 78° = 202.50
134.50 @ 8°-45 T 78° = 132.84
335.34

For Int. of ~~Tangent~~ See Line
See page 14

P.O.S.T. #17B

From last page.

Map No. B-463.2
Surveyed by Braden
Planning C & G by
Date

To P.O.T. Pg. 902

NOT SET

See Next Page

197.41'

197.42 @ 0°00' T 80° = 197.41'

Random Ct.

137.84 @ 13°00' T 24' = 137.84'

Rechaining by EB & AS 7/30/29

E.C. Set 1x2 147+03.24

134.31'

R = 300.00'
Δ = 27°40'45"
R = 300'
T = 73.91'
L = 144.93'
Ext. = 8.97'

1-33-15

47-34-00

P.I. #

See Pg.

E.C. 145+58.31 Set 1x2

Curve #19

Def.	Station
0°00'	145+58.31
3°27'36"	146+03.24
6°55'11"	146+48.16
10°22'47"	146+93.08
13°50'22½"	147+38.00

R.P.P.I. #21

E.C.

P.O.S.T. #18A

(See Pg. 901)

RETURN TO LOS ANGELES COUNTY SURVEYOR

Please extend notes this side of this line

NOTE: ANY ALTERATION OR ERASURE OF CONTENTS OF THIS SHEET WITHOUT THE WRITTEN CONSENT OF THE SURVEYOR WILL BE CAUSE FOR CRIMINAL CHARGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Extend. @ 24

104-50-45
50-23-00
154-50-45
Adj. 50'

218.75 @ 6-59-T.80° = 217.12'

218.81 @ 7-03 T.80 = 217.16

Rechained by Baker
7/30/29

R.R. P.O.T. #24-A
Set 2x2

40.84 @ 38-05 = 32.14

P.O.T. #24-A

32.14'

217.16

To Pt 20 = 628.29 Calc

To Pt 93

E.C. Set 1x2
153+25.62

104-50-50

275.01'

Defl.	Station	Set
	147+96.31	1x2
7-34-54	148+49.24	1x1
15-07-48	149+02.17	1x1
32-44-42	+55.10	1x1
30-19-36	150+08.03	1x1
37-54-31	+60.96	1x1
45-29-25	151+13.90	1x1
51-04-19	+66.83	1x1
60-39-13	152+19.76	1x1
68-14-07	+72.69	1x1
75-49-02	153+25.52	1x2

Curve #20
Δ = 151°-33'-45"
R = 200'
L = 527.37'
Ext. 791.40'
Tan. 1-8-1930

R=200'

275.07 @ 0-00 T.80° = 275.06'

P.O.S.T. #~~23~~ 24-A

47.84 @ 30-37-T.80° = 41.19'

41.19'

To Pt #20 = 624.62 Calc

To be Calc.

P.O.S.T. #23

Pt #23
N+50
Set 1½" I.P.
Tag

333.76
336.84

D.C. Set 1x2
147+96.31

From top last Page

1-53-15
1940.00'

10'±

22.52'

R.P. Pt #23
Set 2x2

Set 2x2

14.22'

R.P. N+T
1/8" Dark

78-02-15
312-08-45
78-02-TM
adj. 10'

Pt #22-A

Date Nov. 1930 Location Sand Cn. Rd
Map No. S-46A-2 Surveyed by Braden
Drawn Nov. 1930 Traced 1930

NO ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE EXCEPT WITH AUTHORITY AND BY ORDER OF CHIEF ENGINEER

Notice: Engineer's name and address must appear on all plans, maps, etc., issued by him. Any alteration or change of this data without the written consent of the Engineer is a violation of the Professional Engineers Act.

LOS ANGELES COUNTY SURVEYOR

Next Page

P.O.S.T. # 25

160.79

20.96 @ Level T 90° = 20.96
148.53 @ 19°-43 T. 92° = 139.83
160.79

Rechaining by F Baker

148.45 @ 18-12 T 92°

16.58 @ 28-08 T 28

P.O.S.T.

E.C. Set 1x2
156+11.90

Defl.		Station	Set
B.C. #1		155+30.96	1x2
#1	- 2°-53'-55"	+ 31.20	1x1
2	- 5-47-50	+ 31.43	1x1
3	- 8-41-45	+ 31.67	1x1
E.C.	- 11-35-40	156+11.90	1x2

Curve #1 Δ = 23-11-20
R = 200.1 L = 80.94
T = 41.03 Ext = 4.17
By H.F.G 1-17-30

+24.37 @ 28-11 = 2
OK

P.I. # 21

123.29

B.C. Set 1x2
155+30.96

23-11-15
201

23-11-20
92+45.04
23-11-20
adjusted

192.37

RP PK Set 1x2

193.37 @ 58-1 = 84° = 192.32

Rechained By Baker
7/30/29

193.54 @ 6-44.74 = P

P.O.T. # 24

From Top pg 92

F.B. 390 Pg. 24 Braden Chief Party Notes by Braden Date 5-22-29

Stand @ 84°

To 24A 23

See bot. Pg. 25

P.O.S.T. #24 23 - A
set 2x2

294.57 @ 3-32 T. 78° = 294.00

6-17-50

281.56

E.C. Set 1x2
153 + 98.40

R.P.P.I. #24 22
set 2x2

68-50-20

Curve #22

Def.	Station	Sta.
B.C. 22	156+52.91	1x2
1 - 5-44-12	+92.96	1x1
2 - 11-28-24	157+33.01	
3 - 17-12-35	+73.05	
4 - 22-56-47	158+13.10	
5 - 28-40-59	+53.15	
E.C. - 34-25-10	+93.20	1x2

Δ = 68°-50'-20"
R. = 200'
T. = 137.04'
L. = 240.29'
Ext. = 42.45'
HFG 1-17-30

P.I. #24 22

3500

(R.P. #24 S-W+T-IN root 6" from face 3'+IE)

59.79

P.O.S.T. #25 22 - B
set 2x2

(37-02 274-02-00 E)

117-29-30

B.C. Set 1x2
156+52.91

1117-29-30
109-57-30
117-29-30 1/2
40'+30

P.O.S.T. #25 21 - A

From top of Page 93

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.


Curve #23
BC #23
-6-28-01-
-12-56-02-
-19-24-03-
-25-52-05-
-32-80-06-
-38-48-07-
-45-16-08-
-51-44-10-
EC #23
Δ = 103°28'20"
R = 200'
T = 253.57'
L = 361.19'
Ext =
MEG 1-20-30
R.O.S.T. #23
82.49
E.C. Sta 1+63+04
P.O.S.T. #23
50-45-05
203-00-15
50-45-10
adj 20'
163.40 Calc.
159.71'
159.04 Calc
P.O.S.T. #22
44-23-00
183-32-00
44-23-00
adj 10'
P.I. #22
Not set
See P9,94
Sign Post
Sta 1+00
Sta 2+00

F.B. 39 Pg. 96 Braden Chief Party Notes by Braden Date 5/22-25

LAS. 62 D-4

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Station 84+

To bot Pg 97

P.O.T. #28A Set 2x2 - (Bridge)

166+82 BC

224.58 @ 23-34 T 82° = 207.63

207.43

E.C. 3ex 1x2 163+68

24

R.P.P.I. #24 Set 2x2

R.P. - SW'ly T. IN V bot at Pace of 4" Oak - one 12" E/ump of T

(Stad 9) 27½

17½

24

132-14-30

132-14-30

C.R.P. Set 2x2

adj. 20'

BC 3ex 1x2 163+91½

191.74 @ 9-55-T.84° = 188.88

188.82

P.O.S.T. #27 B Set 2x2 T.2

From Top Page 27

75

CURVE #24

Defl	Station	Set
BC #24 -	163+97½ -	1x2
Δ 1 - 5-57-56 -	164+38½ -	1x1
" 2 - 11-55-52 -	+80.40	"
" 3 - 17-53-48 -	165+22.86	"
E.C. - 23-51-25 -	+63.79	1x2

Δ = 47° 43' 30"

R = 200' L = 166.59

T = 88.47 Ext = 18.69

M.F.C. - 1+21.30

Date 5/28/29 Traced by Braden Checked by Braden T.B. 370 Pg 97

Plotted by [illegible] Location Sand Canyon Rd.

Date Nov. 1930 Surveyed by BRADEN

Map No. B-466-1 Date 5/24-29

Plotting C'k'd by D. M. Finley

Notes and changes or changes of this sheet must be made on circles in red with date and name of person making change.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

294.35 @ 4-14 T 74° = 294.53

293.78 @ 5° 55' T 92° = 292.23 ✓

33.07 @ Level T 92 = 33.07 ✓

32530

Note
This is Recharting
F.H. Baker
7/30/29

S POST. # [illegible] A set 2x2

325.30 ✓

E.C. 169+90.41

N 5°E (mag.)

R.P.P.I. T 29 set 2x2

19.50 @ 13-25 = 18.97 ✓

P.I. # 29 set 2x2

18.97 ✓

Curve #25

B.C. #25 —		166+92.41	- 1x2
#1	- 7-06-52	167+42.00	- 1x2
2	- 14-13-49	+91.75	- "
3	- 21-20-42	168+41.43	- "
4	- 28-27-36	+91.10	- "
5	- 35-34-30	169+40.77	- "
E.C.	- 42-41-25	+90.44	- 1x2
Δ = 85-22-50			
R. = 200'		L. = 298.05'	
T. = 184.49'		Ext. = 92.10'	
H.F.G. 1-21-30			

29.09 @ 10-19 = 28.87 ✓

R.P. 3 WHT. IN 6 inch 10" Oak

22.40 @ 40-21-30 = 17.22 ✓

18.82

9.59 ✓

R.P. #29 set 2x2

R.P. 5 WHT. IN 5" Oak 6 lumps off

24.418 40-34-

94-37-10

194.04

94-37-15
18-28-30
94-37-07½
95-10

B.C. set 1x2 166+92 #1

197.77 @ 11-08 T 74° = 194.84

R.O.T. # [illegible]
#464.84

From Top of 94

F.B. 330 Pg. 98 Braden Chief Party Notes by Braden Date 6/23/29

Stake #4

To bot Pg. 99

P.O.T. # 26 C
Set 2x2
174+33.5

160.25

160.41 @ 3-51-T.80° = 160.25 ✓

P.O.S.T. # 26 B
Set 2x2

154-57-45
247-51-15
154-57-34
adj. 401

B.C. Set 1/2
173+08.92

154.57 adj. 401

143.70 calc

Curve 26

	Delta	Station	Set
B.C. #26		170+19.29	1x2
1	6-56-17	+66.73	1x1
2	13-52-35	171+15.17	"
3	20-48-52	+63.60	"
4	27-45-10	172+12.04	"
5	34-41-27	+60.48	"
E.C.	41-37-45	173+08.92	1x2

Δ = 83-15-30'
R = 200' L = 290.63'
T = 177.75' Ext = —
H.E. = 1-22-30

144.42

P.I. # 26 30
Not set

64.79 calc

113.55 @ 0-00-00 W
50.88 @ 0-00-00 W
113.54 = 50.88 / 144.42

P.O.S.T. # 26 29 A

119-47-00
119-08-00
119-47-00
adj. 46-50 ✓

B.C. Set 1x2
170+19.29

From Top last Pg
97

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

1462, P-4

Plotted by [illegible] Location Sana Cruz Co.

Checked by [illegible] Surveyed by Braden

Platting C'k'd by [illegible] Date [illegible]

F.B. 370 Pg. 27

Stud. Rd.

Feb. 1930

See next Page P.I. # 30 28

176.89 @ 7-48-30 = 175.24

105-11-00
40-43-45
105-10-30

P.O.T. # 31 Sec 28

17-07-00

175.24

176+66.2

P.O.T. 29B

48.15

48.15

281.70 @ 2-57-00 = 281.53

253.34

121-15-30
125-02-30
121-15-30

195.25 @ 4-24-00 = 194.97

P.O.S.T. # 31A Sec 28

102.68 @ 31-09-00 = 101.42

P.I. # 27

Curve 27

	Def'l	Station
P.C.		174+38.24
1	4-48-30	+72.57
2	9-37-00	+98.65
3	14-25-30	+73.68
4	19-14-00	
5	24-02-30	176+06.79
E.C.	28-51-00	+44.36

Δ = 57-42-00
R = 200'
T = 110.18'

L = 201.42'
Sta. = 28.34'

H.I. 1-02-30

P.C. Sec 28
174+38.24

174.00

P.O.T. # 32

From Top Pg. 98

Return to LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notice: ANY ALTERATION OR ERASURE OF THIS SHEET, MUST BE MADE OR INITIALED & DATED WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 370 Pg. 100 Braden Chief Party Notes by Braden Date 5/24/29

To Dot Pg 101 P.I. 28 29

Stand. @ 84°

300.51 @ 8-08-T. 80° = 297.48 ✓
41.00 @ 7-08-T. 82° = 40.53 ✓
358.01 ✓

358.01

E.C. Set 1x2
179+08 79

153-49-00
255-15-30
153-48-32½
adj 50'

Curve #28

Def.		Station	Set
B.C.	-	177+71 68	- 1x2
1	- 3-16-24 -	179+25 92	- 1x
2	- 6-32-48 -	+40 24	- "
3	- 9-49-12 -	+74 57	- "
E.C.	- 13-05-35 -	179+08 79	- 1x2

Δ = 26°11'10"
R. = 300'
T. = 69.77'
L. = 137.11'
Ex. = 8.01'
H.F.G. 1-22-30.

28

Set 2x2

17-07-00
68-28-00
17-07-00 ✓

B.C. Set 1x2
177+71 68

17-07-00

P.O.T. 27 c'
176+66 21

27

SRP P.I. # 31

See last Page

P.I. # 27

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Plotted by D.L. Pace
Date Nov. 1970
Map No. 8-168-2
Plotting C'k'd by D. M. Finley

W. O. No. 754 F. B. No.
Checked Sand Canyon Rd.
Surveyed by Bradley
Date 3/24/70



Curve #29

	Deg'l	Total Δ	Sta.
BC	- 179 +	70.92	- 1X2
1	8-05-04 - 180 +	87.36	- 1X1
2	16-10-08 -	+ 93.80	- "
3	24-15-11 - 181 +	00.24	- "
4	32-20-15 -	+ 06.68	- "
EC.	48-30-22 - 183 +	09.56	- 1X2

Δ = 97° 00' 45" W

R. = 200' L = 338.64'

T. = 226.11' Ex = 101.87'

From

Notes: ANY ANSWERS OR CHANGES ON THIS SHEET MUST BE DATED, INITIALED & CIRCLED IN Red, WITH NAME AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 370 Pg. 102 Braden Chief Party Notes by Braden Date 5/24-29

Stand. @ 84°

To bot. Pg. 103

P.O.S.T. #34-A set 2x2

307.14

10.45 @ C.C. = 10.45

294.87 @ 1-50-T.80° = 296.71

307.14

set 1x2 185+94.11 EC

58-47-45

90°

58-47-45

235-11-00

58-47-45

90°

#5

#4

#3

#2

#1

P.I. #34 set 2x2

R = 200'

77.94

20.44

25.47

P.R.P.I. #34 set 2x2 (on Ridge)

24.25 @ 14-02 = 25.47

P.O.S.T. #33-B set 2x2 (on Ridge)

set 1x2 183+88.93 BC

183.49

186.49 @ 9-55-T.78° = 183.49

Curve 30

P.C.	183+88.93	1x2
1 - 4-53-59	184+23.14	1x1
2 - 9-47-57	+57.34	"
3 - 14-41-56	+91.55	"
4 - 19-35-54	185+25.76	"
5 - 24-29-53	+59.97	"
P.T. - 29-23-52	+94.17	1x2

Δ = 58° 47' 45"

R = 200.00'

T = 118.68'

Mid. - 1-22-30

L = 205.24'

SX - 89.56'

P.O.S.T. #29-A

From top last Page

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 5/25-29 Notes by Braden Chief Party Braden B. 570 Pg. 102

Plotted by O.L. Peck
Date Nov. 1930
Checked by R.M. Agee
Plotting C'k'd by D.M. Finley

W. O. No. [illegible] D. O. No.
Location Sand Dune Rd
Surveyed by Braden
Date 19[illegible]

To bot next Pg.

P.O.T. #35 - Set 2x2

313.70'

78.05 @ 11-25-T.72° = 78.50'
237.22 @ 0-00-T.72° = 237.20'
313.70'

P.O.T. #35 Set 2x2 (on Ridge)

104.10 @ 19-11-T.72° = 100.20'

130-50-15
143-20-45
130-50-[illegible]

P.O.T. #31A
189+32.14
Set 1x2 E.C.
189+83.43'

100.20'

130-50-15

P.I. #31
Set 1x2

Curve - 31

R = 200'

B.C.		187+51.83	1x2
1	-6-08-44-	+94.72	1x1
2	-12-17-28-	+37.62	"
3	-18-26-18-	+80.53	"
E.C.	-24-34-55- 189	+83.43	1x2

Δ = 49°09'50"
R. = 200' L. = 171.61'
T. = 91.49' Ex. = 19.93'
H.F.C. = N23°30

54.46'

Set 1x2
187+51.83 B.C.

55.47 @ 9-50-T.72° = 55.47'

P.O.S.T. #34-A

From top Pg. 102

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED # Red. WITH DATE AND BASIS OF FIGURE MAKING CHANGE.

Do not extend notes this side of this line

LOS ANGELES COUNTY SURVEYOR

P.B. 390 Pg. 104 Braden Chief Party Notes by: Braden Date 5/25-29

Stand @ 84°

Cont Left bottom next pg.

P.O.S.T. # 33A / 33B
Set 2x2

343.00
N-55-W
(in 49)

52.14 @ 24-37-T.74° = 47.40
295.42 @ 0-00-T.74° = 295.60
343.00

P.O.S.T. # 32-B / 34-A
Set 2x2

171.03 @ 2-35-T.74° = 170.85

41-53-30
247-33-30
41-53-30
adj 20
25

170.85

32

P.I. # 34

41-53-30

42.78

44.06 @ 11-39 T. 74° = 42.78

P.O.S.T. # 35-B
32A

B.C. Set 1x2
189+75.00

R=200'

B.C. Set 1x2
189+75.00

Curve #32

B.C.	189+75.00	1x2
1	7-22-55 : 190+26.53	1x1
2	14-45-49 : +78.07	"
3	22-08-44 : 191+29.60	"
4	29-31-39 : +81.14	"
5	36-54-33 : 192+32.67	"
6	44-17-28 : +84.21	"
7	51-40-23 : 193+35.74	"
E.C.	59-03-17 : +87.28	1x2

Δ = 118°-06-35"
R = 200'
T. = 333.58'
L = 412.28'
E.X. = 188.94'
H.P.G. 1-84-90

P.O.T. # 35A
31A
182+32.14
9

From Map Last Page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 5/25/29 Notes by Braden Sheet Party Braden W. O. 370 Rec. 146

Platted by O.L. Peck
Date Nov. 1930
Plat No. R-168-8
Platting C'k'd by D. M. Finley

W. O. No. [illegible] R. O. No.
Location Sand Cyn. Rd.
Surveyed by Braden
Date [illegible]

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Curve 38

		Set
B.C.	194+15.77	1"x2"
1 - 7-20-51 -	+67.06 -	1x1
2 - 14-41-42 -	195+18.36 -	"
3 - 22-02-34 -	+69.65 -	"
4 - 29-23-25 -	196+20.96 -	"
5 - 36-44-16 -	+72.24 -	"
EC - 44-05-07 -	197+23.54	1x2

Δ = 88-10-15"
R. = 200.00' L = 307.77'
T. = 193.71' Ext. = 78.43'
H.P.G. = 196.30

198+85.95 P.O.T. #34-A Set 1x2

EC 1 Set 1x2 197+23.54

R = 200.00'

354.02'

BC Set 1x2 194+15.77

44.35 @ 13-14-7.74" = 44.35'
293.44 @ 0-58-7.74" = 293.44'
338.09'

88-10-15
352-41-00
88-10-15
9 19 45
13

88-10-15

44.93'

Sight Electric Dwr

P/ #37 - Set 2x2

73.84'

74.18 @ 5-17-7.74" = 73.84'

S.R.P. P/ #37 Set 2x2

50.71 @ 34-13-7.74" = 41.93'

81-57-00

P.O.S.T. #33-A 34-B

(F.P. #122 1x2)

F.B. 370 Pg. 106 Chief Party Notes by Braden Date 6-4-29

Stand. @ 84°

P.O.T. #38A
Set 2x2

205+54.94

Set 1x2 E.C.
204+87.89

318.37

29.14 @ 0-00 T-42° = 29.14
294.20 @ 10-30 T-42° = 289.23
318.37

39-30-00
157-58-30
39-29-52½
adj. 50
55.

Curve 34

P.C.	-	200+05.32	1x2
1	- 2-28-07	+65.64	1x1
2	- 4-56-14	201+25.96	"
3	- 7-24-21	+86.28	"
4	- 9-52-29	202+46.60	"
5	- 12-20-36	203+06.93	"
6	- 14-48-43	+67.25	"
7	- 17-16-50	204+27.57	"
E.C.	- 19-44-57	+87.89	1x2

Δ = 39-29-55"
R = 700.1'
T = 251.32'
H.P.C.
L = 482.57'
E.A.T. = 43.75'
I = 28-30

39-29-55
adj.
33.58

94.03 @ 9-27-42" = 88.71
R.P.P.I. 1x2
R.P.P.I. + 38.28

P.O.T. #38 34

194.24 @ 1-15-T.42° = 194.14

194.14

131.21

13507 @ 13-42-T.40° = 131.21

R.P.P.I.
Set 2x2

34A

P.O.S.T. #37-B Set 1x2
on ridge

Set 1x2
200+05.32
B.C.

239.58

240.39 @ 4-34-T.40° = 239.58

198+65.85

From top pg. = 105

P.O.T. #37A

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 6/4-29 Notes by Braden Chief Party Braden F.B. 330 P.G. 109

Platted by O.L. Peck
Date Nov. 1930
Plotting C'k'd by D. M. Finley
Date June 1931

W. O. No. [illegible] F. B. No. [illegible]
Location Sand Cn Rd
Surveyed by Braden
Date 7/4-29

W.S.27

Notice ANY ADDITIONS OR CHANGES MUST BE SHEET MUST BE MADE OR CHECKED BY WITH DATE AND NAME OF PERSON CHARGE

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

P.O.T. #35A

258.24@10-29T.70°=253.93

212+52.64

B.C. Sta 1+2
212+07.69

253.93'

R.P.I. #35

Curve 35

R=500'

BC		208+11.80	1x2
1	2-50-07	+61.29	1x1
2	5-40-14	209+70.77	"
3	8-30-21	+60.26	"
4	11-20-29	210+09.74	"
5	14-10-36	+59.23	"
6	17-00-43	211+08.72	"
7	19-50-50	+58.20	"
EC	22-40-57	212+07.69	1x2

Δ = 45-21-55"
R = 500'
T = 208.98'
L = 395.89'
Ext = 41.91'

H.F.G.

141.63'

134-38-05

P.I. #35

134-38-0.0
17-32-30
134-38-30

BC 1
208+11.80

445.84'

41.47@ 5-60-T-70°= 41.47
113.84@ 4-18-T.70°= 113.84
292.78@ 5-49-T.64'= 291.23
445.84

205+54.72

P.O.T. #38A


R.S. 370 Pg. 108
Bradcal
Stand @ 84'
112.30 @ 14-00-T.52 = 107.93
40.98 @ S. 26-T.54 = 40.31
47.62
R.P. set 2x2
P.O.S.T. 368
set N.
(in rock)
75.91
43.75
R.P. set 2x2
P.O.S.T. 369
set 2x2
44.31
calc 108-14-30
143.74 @ S-41-T.58 = 142.77
252.51 @ 9-20-T.54 = 249.12
392.10
P.O.S.T. 371
set 2x2
392.10
26-57-30
107-50-15
24-57-30
adj 30
P.O.S.T. 370
set 1x2
Curve 36
PC = 212+75.31 1x2
1 7-12-17 213+25.61 1x1
2 14-24-34 +75.91 "
3 21-36-51 +26.70 "
4 28-49-08 +77.50 "
5 36-01-25 +28.30 "
6 43-13-41 +77.10 "
7 50-25-58 216+27.40 "
8 57-38-15 +77.69 "
9 64-50-31 217+28.00 "
PT 72-02-47 +79.29 1x2
Δ = 144-05-36
R. = 200'
L. = 502.98'
T. = 315.24' Ext. =
H.F.G. —
233.98
44-43-00
179-11-45
44-47-15
adj 48-00
233.00 @ 0-00-T.48 = 232.98
44-43-00
adj
107-39-45
70-39-30
107-39-45
adj 50
55
76.47
P.O.S.T. 381
set 1x2
37.91 @ 15-34 = 36.54
R.P. set 2x2
144.24
95
BC 212+75.31
212+52.64
From top of last page
144.94 @ 0-00-T.70 = 144.94
95
PT 214+78.29
R.S. 62, A-14
RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.


Date 4-12-39 Notes by
Platted by D.L. Rice
Date Nov. 1938
Platting C'k'd by D.M. Finley
Date 6-11-39
W. O. No.
U. S. G. No.
Location
Grader
P.O.S.T. #46
Set 2x2
Sec 10
Curve 37
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLE OF ... WITH DATE AND NAME OF PERSON MAKING CHANGE
RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
From top
Page 108

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Chief Party Meter By

F.B. 310 RG 110

Date 1-29-30 Notes by H.B. Backhola Chief Party H.B.T. F.B. 370 Pg. 120

Platted by O.L. Pack.	W.O. No. 738 B.C.S. No. 201 Sta. @ 84
Date Nov. 1930	Location Sand Canyon Rd.
Map No. B-468 3	Surveyed by H.B.T. Backhola
Platting C'k'd by K.E.M.	Date 1-29-30
Date	Indexed A. C. Johnson

D-5

63

Notes: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To Location of 121

(24)

(23)

4

66+35.0

Sec. Cor. See Pg. 209

1594 83.35

56.05

26.44

21 St.

20

26 00

page 61

For Location of this Sec. Cor. see F.B. 370-209 D.W.F. 5-14-36.

3

2690.53

6

66

F.B. 320 Pg. 121 H. B. Stevens Chief Party Notes by [illegible] Date 1-30-50

To bottom of pg. 122

Ground Dist = 121.4

(24)

(23)

Tie Line Survey

26.79

63.95

101.72 @ 19°39'-T79° = 95.79
101.35 @ 19°01'-T79° = 95.81
396.74 @ 29°12'-T66° = 346.28
397.34 @ 28°21'-T66° = 346.30

Change of Curvature from 25 to 23

304.29 @ 17°34'-T62° = 290.56
343.00 @ 30°36'-T62° = 295.19

This Line established by Single Proportion between W. 1/4 Cor. of Sec. 24 & N.W. Cor. of Sec. 1 taking account of the Record Angle at S.W. Cor. of Sec. 1

2690.53

120

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

2552 D-5

Date 2-7-30 Notes by [illegible] Chief Party [illegible] F.B. 320 Pg. 122

Platted by O.L. Pack	W. O. No. [illegible] D. S. O. No. [illegible]
Date Nov. 1930	Location [illegible]
Map No. B-468-3	Surveyed by [illegible]
Platting C'k'd by K.P.M.	Date [illegible]
Date	Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

57.83

Intersection Fd. 1½" I.P. Conc. Plug & Nail (Tan) Per F.B. 861-125

57.90

57.24

Fd. 1½" I.P. Conc. Plug & Nail (Tan) Per F.B. 861-125

Pt. #12 B Set 1"x2"

Note: This line was pidduced and offsets taken to establish points nearly for Annular [illegible]

(24)

(23)

Pt. #12 C Set 1"x2"

L 90.75 R 3280.27'15" 90.72

Pt. #12 B Set 1"x2"

Fd. 1½" I.P. Conc. Plug

45.39

Per F.B. 861-125

from top of pg #1.1

F.B. 370 PG. 123 E. J. Tu... Chief Party Notes by E.J.T. Date 2-16-51

To bottom of pg. 124

498.30 @ 3°20' - T92° = 426.07 ✓
499.06 @ 3°17' - T92° = 426.03 ✓

124.15 @ 2°32' - T62° = 116.99 ✓
123.76 @ 2°32' - T62° = 116.99 ✓

266.53 @ 4°23' - T82° = 340.08 ✓
263.78 @ 4°20' - T82° = 340.07 ✓

105.00 @ 4°00' - T52° 54.36 ✓

400.07 @ 3°56' - T86° = 339.50 ✓
400.39 @ 3°56' - T86° = 339.57 ✓

441.82 @ 3°06' - T78° = 410.03 ✓
442.00 @ 3°06' - T78° = 410.03 ✓

482.30 @ 2°20' - T73° = 411.82 ✓
483.08 @ 2°20' - T73° = 411.82 ✓

108.03 @ 1°03' - T38° = 107.99 ✓
108.20 @ 1°03' - T38° = 107.99 ✓

224.90 @ 2°24' - T84° = 199.95 ✓
110.50 @ 5°26' - T56° = 75.94 ✓

For New Transit Line See Pg. 143 & 144

223.53 ✓

108+82.85 ✓
P.I. =
Δ = 47°11'42"

N 11°10' E
119.94

107+05.36 ✓
P.I. =
Δ = 24°15'47"
T = 23.970 - N

80+15.24 ✓
P.I. =
Δ = 47°11'42"
T = 23.970 - N

(18) (15) (7) (12)

Tangent Line

R-1-14

R-1-11

T-3-11

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 2-9-30 Notes by [illegible] Chief Party [illegible] F.B. 370 Pg. 124

Platted by O.L. Pack
Date Nov. 1930
Map No. B-4683
Platting C'k'd by L.P.M.
Date

W. O. No. 738 D. S. O. No. 201
Location Sand [illegible]
Surveyed by [illegible]
Date [illegible]
Indexed A. C. Johnson

WS 79 A-2

Notes: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To bottom of pg. 125

For New Transit Line See Pg. 143-144

To top of pg. 123

F. B. 370 PG. 125 H.S. Redwood Chief Party Notes by [illegible] Date 2-26-30

94.21
~~99.28~~

102+~~84.21~~ (going S)
Pt. #8
Fd. 1"x2"
Ref. [illegible]-63

- Note -
Intns. Ranson
Incs - N 1° 38' E

Ranson line for 6°

[illegible]

[illegible]

[illegible]

Date _____ Notes by _____ Chief Party _____ F.B. 370 Pg 126

Platted by	W. O. No. 729 D. S. O. No.
Date	Location Rancho La Ballona
Map No.	Surveyed by
Platting C'k'd by	Date
Date	Indexed by C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red: WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

¼ Cor. Sec. 3-4 - T-3-N. R-15-W
F.B. 370-31

(4) N&T (3)

¼ Sec. Cor.

5.44

306.11

Fd. 1x2 at int.

① 83° 11'-00"
④ 332°-44'-00"

83° 11'-00" ✓
16.08 ✓ Turned

Fd. - P.O.T. #1 S.W. & T. F.B. 370-31

Random Line (370 L 31)

P.O.T. #2 1x2

Mag. S 69° E 31.09 Iron

Mag. So 39° E 31.28 Cut X

Cut X" in Conc. Foundation

To Log. Steel Oil Rig 20' Square

37.01' level - T-78° - 37.01 ✓
69.93 - 92-50 } - 72° - 66.6 ✓
70.9 - 14-25
134.1 - 28-50 } - 72° - 119.70 ✓
79.1 - 21-29
99.17 - 33-31 } - 72° - 88.54 ✓
97.07 - 32-31 30

Chained - 306.11 ✓
Calc - 301.27 ✓
Chained back - 5.44 ✓

Set U.S. Monument for ¼ Sec. for Sec. 3-4
2" I.P. x B.C. in Conc.
Marked as Shown →

Reset 12-11-31
See P. 201

COUNTY SURVEYOR'S MONUMENT
T-3-N.
R-15-W
4+3
¼ Sec. Cor.

Sec. Cor. - 3-4-9-10
T-3-N. - R-15-W
F.B. 370-49

Cp. Dr. N&T

250.04'

Random

Fd. 1x2 370 49 L 1.0

C #6 Fd 1x2 F.B. 370-49

3.04

View Dist. on 12-9-31 by C.H.M.

3.03

247.26

90° 00' 00"

0.83 - 1.46 } - 74° - 60.62 ✓
60.70 - 1.00
159.78 - 2.07 } - 74° - 189.42 ✓
159.71 - 2.07

250.04 ✓ - Chained
247.31 ✓ - Calc.
3.03 ✓ - Chained back

66.6 - 7.40 - T-74° - 66.04 ✓

4 3 9 10

Corner falls on south side of [illegible] 200' above bottom of [illegible] drive bears So. 30° East

Sec. Cor. - 3-4-9-10
Set U.S. Monument
2" I.P. x B.C. in Conc.
Marked as Shown:—
Reset on 12-9-31
by C.H.M. as from

COUNTY SURVEYOR'S MONUMENT
T-3-N.
R-15-W
4 3
+
9 10

Reset 12-9-31

Take Placer to Nelson Trail - A normal walk of 2 [illegible] will put you in vicinity

This mon. moved to new position per pg. 199.

F.B. 370 Pg. 127 Graber Chief Party Notes by HFG Date

1/4 Cor. Sec. 9-10 T-3-N, R-15-W
F.B. 370 - 33



75.42 level T-68° 75.41
59.73 - 11-30 - 68° 58.72
89.68 - 10-18 134.13

Location Corner is on south edge of road on spur - 125± west of road at first switch back below hydrate. Coming from North - South into Valle Drive from Right - Down to Valley

Note: This mon. moved to location shown on pg. 192.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

64

Date _____ Notes by HFG Chief Party Graber F.B. 370 Pg. 128

Platted by _____
Date _____
Map No. _____
Platting C'k'd by _____
Date _____

W. O. No. _____ D. S. O. No. _____
Location Sec Lines T-3-N, R-15-W
Surveyed by Graber
Date _____
Indexed C. Johnson

This Rec. of Survey supersedes Rec. of Survey Book 27 Page 27

1/4 Sec. Cor. - 2-3 T-3-N. R-15-W. FB 370-27 Set in 1936

MOVED Set 1/4 Sec. Cor. 2" I.P. B.C. in Cone. Mon. Well

COUNTY SURVEYOR'S MONUMENT T-3-N R-15-W 3+2 1/4 Cor.

Random Line

Fd 2" I.P. & Cap Marked 1/4 Cor by Friel FB 370-27

1-30.00.00
4-00.00.00

4-43-16°00'-T-74

42.71

12°22'00"

(3) (2)

Void 68.99'

Set N. & T.

81.08-4-24 } 74°-80.99'
81.20-5-24

193.11-13-00 } 74°-199.16'
193.33-13-16

268.99'

Corner falls in Sandy Loam soil bears N. 60° W. 125' South of Junction of the Small Drives

1/4 Sec. Cor. #2 T-3-N. R-15-W FB 370-17

Void

Note-This mon. not to be moved

COUNTY SURVEYOR'S MONUMENT T-3-N R-15-W 2+1 1/4 Cor.

N. & T. in W. end of 24" C.M.P.

(1) Set 1/4 Sec. Cor. 2" I.P. B.C. in Cone. Mon. Well

Fd. #2 #1 FB 370-17

109.99'-1.20'-T-68

N. 90°-00'-00" E. 100.00'

90°00'00"

Set N. & T.

112.36' 230.05'

342.41 Pg 201

230.05'-1.25 } 68°-230.05'
230.00'-2.42'
112.36'-1.61-80- 112.36'

342.41'

30.54'15" 86.11'

N. & T. in N.W. end of 24" C.M.P.

Corner falls on east bank of Sand Canyon Wash bears N. 20° E.

Shown on

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 370 Pg. 129 Graber Chief Party Notes by H.F.G. Date

¼ Sec. Cor. 15-16 T.-3-N. R.-15 W.
F.B. 370-35.

Cor. is in 300' wes. & 75' above bottom small drain also is about 900' west of trail at center of long tangent. along mountain ridge. Set 1" Pipe with 3" Brass Cap. Falls on top 350' contour Marin County.

1-23-36 Mon. Dug out + Reset Pg. 195 CMB.

New Location

94°-19'-30"

350.20' Calc & Chained

Fd. 1X2 Pt #13 F.B. 370-35

109°-00'-45" / 76°-03'-00"

Set ¼ Sec. Cor. Set C.S. Mon. 2" I.P. & B.C. in Conc. Marked as shown

Old Location Mon. dug out and set at New Location

66.44 - 22-45	> 80 -	61.41	✓
66.39 - 23-30			
44.02 level - 30° -		44.02	✓
26.61 - 9-09	> 30 -	26.27	✓
26.37 - 4-57			
154.76 - 32-23	> 80 -	130.43	✓
153.76 - 31-59			
107.59 - 41-30	> 80 -	88.07	✓
106.55 - 40-55			
		350.20	✓

Rancho Line

Fd. 370-35

Reset 1-6-32 by S.N.H.

See Pg 195

¼ Sec. Cor. 10-15 T.-3-N. R.-15 W.
F.B. 370-24

Fd. 1X2 Pt #10 F.B. 370-24

Rancho Line F.B. 370-24

152°-59'-30" / 63°-53'-00"

30' ✓

New Location

109°-41'-30"

470.

Old Location Mon. dug out and reset at New Location

Set ¼ Sec. Cor. (10) 2" I.P. B.C. in Conc. Marked as shown T.

D.W.J. 9-17-35 C.M.B.

Cor. falls on West side of 3 pur 12 inch S. 32° W. 4 paces from South of main Ridge

67.18 - 8°-6.30	> 30 -	57.75	✓
65.55 - 28-14			
290.57 - 25°-6.30	> 92° -	263.08	✓
290.85 - 25.15			
42.79 - 9-16	> 92 -	42.39	✓
43.07 - 10-32			
99.23 - 7-31	> 92 -	99.45	✓
90.10 - 6-53			
10.16 - level -	92 -	10.16	✓
7.22 - "	92° -	7.35	✓
		470.01	✓

Reset 1-6-32 by S.N.H.

See Pg. 194

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by HEC Chief Party Crater F.B. 370 Pg. 130

Platted by O.L. Pack	W. O. No. 299 D. S. D. No.
Date Nov. 1930	Location Sec. 3 & 10 T-3-N R-15-W
Map No. B-468-1	Surveyed by Crater
Platting C'k'd by	Date
Date	Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

1/4 Cor. Sec. 3-10 Reset on 12-9-31 by B.N. Hellstrom

~~1/4 Corner~~ Sec 3-10 T-3-N R-15 W
1/4 Corner F.B. 370-29.

Fd. I.P. #4 C F.B. 370-29

Ranch Rd Line F.B. 370-29

8" Oak N&T. S.W. side

2.04' O.T.

5'36-45" New L 12-9-31

Vons

See Pg 200

Set 1/4 Cor. 2" I.P. & B.C. in Conc. 15' above Gr. & on E'ly side of Rd.

Set 1/4 Cor. Not set account Rock Cliff

Set at True 1/4 Cor. of road on side of steep Canyon

36" Fir tree Set N & T

Sec. Cor. 2-3-10-11 - T-3-N - R-15-W F.B. 370-29

Ranch Rd Line F.B. 370-29

Fd. I.P. #3 C F.B. 370-29

See Pg 203.

Cor. falls 16' East of Sour bears So. 38° E. and appro. 20' above Curve #18 of Said Co. Rd. Survey.

(10) (11) Set Sec. Cor. 2" I.P. & B.C. in Conc. Marked as Shown

COUNTY SURVEYOR'S MONUMENT T-3-N Sec. 3 + Sec. 10 1/4 Cor

COUNTY SURVEYOR'S MONUMENT T-3-N + 10 11

F.B. 370 Pg. 131 Gruber Chief Party Notes by HFS Date

Sec. Cor. 16-12-7 T-3-N R-14 & 15 W F.B. 370-15.

Random Line per Pg. 15

45+25.74 45+30.74 Ext. 1 x 2 Int. #5-B F.B. 370-15

5.00 Calc.

135.50 Calc.

146.49'-21-13 > 90° 136.57'
147.30-22-01 Calculated 135.59'
Chain back 0.98'

2°-20'-45" (D)
2°-23'-30" (T)

Random Line F.B. 370-15

Sec Cor 1-6-12-7 T-3-N R-14 & 15 W C.S. Monument Marked as shown

0.98'

Set N&T

Mon. located 15' above on East side of narrow drain bear trail yuc

F.B. 370-15

Replacement ¼ W.C. corner 1-6 T-3-N-R-14 & 15 W F.B. 370-14

Set C.S. Monument Marked as shown Placed old sandstone Corner beside Monument

COUNTY SURVEYORS MONUMENT T-3-N R-15 W R-14 W 1 12 6

COUNTY SURVEYORS MONUMENT T-3-N R-15 W 1+6 W.C. 1/4 Cor. R-14 W

LOS ANGELES COUNTY SURVEYOR

RETURN TO

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by H.F.G. Chief Party Stahl F.B. 330 Pg. 132

Plotted by _____
Date _____
Map No. _____
Platting C'k'd by _____
Date _____

W. O. No. 999 D. S. O. No. _____
Location Simi _____
Surveyed by _____
Date _____
Indexed A. C. Johnson

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Mountain Cabin

Pt. in creek cut.

Fd. 1X2 #5 370-19

Fd. 1X2 #6 370-19.20

Ranch line

F.B. 370-20

Set Chpt.

True Cor. Not set

Set W. Cor. for Sec. Cor. 1-2-11-12 T-3-N. R-15-W. 2" IP & BC in Conc. Marked as shown. Cer. in S. on top of high cut bank.

COUNTY SURVEYOR'S MONUMENT T-3-N R-15-W 1 2 11 12

W. C. Sec Cor 1-2-11-12
T-3-N - R-15-W.
F.B. 370 - 19.20

Note - This mon. destroyed
See pg. 202. F.C. Howard 4/1-36

F.B. 370 Pg. 33 Graber Chief Party Notes by H.K.F. Date

Sec. Cor. 10-11-14-15
T-3-N-R-15-W
F.B. 370-22-24-23-37
Reset 1-7-32
by A.N.H.

N

Random Line

Set Chiseled X

202.61'

29°23'30" (Calc.)

(11) 150°36'30"
(10) 242°23'30"

Fd. 1X2 Int. BD & "9" F.B. 370-22-24 23-37

New Location

150.00

(10) (11)
(15) (14)
90°
2.02

Old Location Mon. dug out (and reset at New Loc.)

473.84-16-27 "14" - 262.61'
274.88-16-46 "14" - 262.61'
227.82-27-56 "14" - 262.61'
228.65-30-17-30 "14" - 262.61'
68.00'-38°00 "14" - 37.53
"14" - 4.45

Set Quarter Cor. Chiseled X

COUNTY SURVEYORS MONUMENT
T-3-N
R-15-W
10
+
11

Sec. Cor. 11-14
T-3-N-R-14-W
F.B. 370-22

Random Line

602.37' Chained.

92°21'32"

98.70'

70°28'30"

Fd. 1X2 F#6

11-170°39'30"
(A) 0.28-34.00

Set 1/4 Sec. Cor. 2" I.P.S.C. 3ft. Marked as shown

112.23-24-14 > 70°-112.23'
112.22-24-14 > 70°-112.22'
65.95-3-40 > 70°-65.95'
66.00-3-30 > 70°-66.00'
53.30-2-03 > 70°-53.30'
23.36-2-20 > 70°-23.36'
177.23-3-40 > 70°-177.23'
95.51'
95.52'

T-3-N
R-14-W
11
+
14
1/4 Cor

COUNTY SURVEYORS MONUMENT

Cor. 300' North of Main St. & 300' West of Spring St. Sacramento Co. Govt Triangulation Station.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by HFB Chief Party Fiedler F.B. 370 Pg. 134

Platted By	W. O. No. 999 U. S. C. No.
Date	Location Sec. Cor. T-3-N R-15-W
Map No.	Surveyed by
Platting C'k'd by	Date
Date	Indexed A. C. Johnson

Sec. Cor. 13-14-23-24
T-3-N, R-15-W
F.B. 370-60-120
Fd. 1X2 Pipe 11.21

Radius point
F.B. 370-60-120

(D) 171-18-45
(A) 325-15-15
109.89 - 7.19 > 2° - 102.99 ✓
110.04 - 7.54 > 2° - 3.51 ✓
3.51 - 1.00 — 112.50 ✓

Corner falls 0.20 East of Nadon plat approx.

S 6" Sec. Cor.
2" I.P. & B.C. in Conc.
Marked as shown.

COUNTY SURVEYOR'S MONUMENT
T-3-N
R-15-W
14 | 13
23 | 24

See Pg. 209

1/4 Sec. Cor. 2-11
T-3-N - R-15-W
F.B. 370-20.

Radius 20'±

(D)
(A)
(11)

6343-54 ✓
6673.70

Fd. 1X2
#1-C
F.B. 370-20

338.44' ✓
279.49 ✓
73.75' ✓
693.78

Set ¾" Iron Pipe
2" I.P. & B.C. in Conc.
Marked as shown

Corner falls 675'±
Rec. & Fnd. Mon. bears N-32°

COUNTY SURVEYOR'S MONUMENT
R-15-W
2 | 11
14 | 23

Mon moved to new position
per pg. 203

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

F.B. 370 Pg. 188 Graber Chief Party Notes by H.E.G. Date

1/4 Sec. Cor. 11-12 - T. 3 N. - R. 15 W.
F.B. 370 - 23.

OLD

Moved to new position
See pg 204

(1) (12)

(1) - 85° 05' 55"
(4) - 340° 45' 15"

Random Line
F.B. 370-23

32.37'

Fd. 1/2" P.C.T. #1
Top of Edge
F.B. 370-23

32 - [illegible] Sec. Cor.
2" IP & B.C. in Conc.
Marked as shown

(1) - 53' - 4' - 41" } 74° - 998.18'
(2) - 99.41 - 4 - 26 }
(3) - 24.37 - 17 - 08 } 74° - 23.32'
(4) - 24.05 - 14 - 25 }
232.71 - 25 - 00 } 74° - 210.90'
233.51 - 25 - 25 }
632.37'

Cor. falls on Small flat to East
Spot Landing [illegible]

COUNTY SURVEYOR'S MONUMENT
T-3-N
R-15-W
11 + 12
1/4 Cor.

1/4 Sec. Cor. 12-13 T-3-N, R-15-W
F.B. 370-19

(SEE PG. 194)
For [illegible] Cor. 1-10-35

Fd. 1/2" P.C.T. #2

(1) - 11° 28' 30"
(4) - 45° 54' 15"

Random Line
F.B. 370-18

339.02'

(12)

23.03' level - T.T. 23.03'
+13.71 - 23.10 } 90° - 315.89'
348.31 - 23.00 }
339.02'

Set 1/4 Sec. Cor. (13)
2" IP & B.C. in Conc.
Witness [illegible]
(Dug out to Mon.)
12-13-35 - (28.)
Cor. falls on Spot
Bears - N. 45° E.

COUNTY SURVEYOR'S MONUMENT
T-3-N
R-15-W
Sec. 12
+
Sec. 13
1/4 Cor.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 370 Pg. 136

Platted by MS Hanson	W. O. No. _____ D. S. O. No. _____
Date _____	Location _____
Map No. B-468-3	Surveyed by _____
Platting C'k'd by _____	Date _____
Date _____	Indexed A. C. Johnson

W.S. 63 2-4

Sec. Cor. 11-12-13-14
T 3N - R 15W.
C.A.B.

Range 15 W

Sec 14

Sec 11

Mon. Disc Out
1-15-36 ± Ret.
To stamp below
C.A.B.

1-16-36 C.A.B. (500' Tape #1-Slope 34°)
Sec. Cor. 11-12-13-14
Re-set Co. Sur. Cone. Brass Cap Mon.
stamped as shown. On S.E. Slope
of Spur Descends 5.30°W. 70 ± S.E.ly
from top spur. 600 ± So. of Maine
Divide Line. 15 ± from Bnd.
NOTE:- Follow Trail W'ly from
where it hits Divide to 1st spur (30
past 1st saddle (after
you have passed
small live oak

1-16-36 C.A.B.
167.33 @ 31° 40' - T 66° = 142.40
167.69 @ 31° 52' - T 66° = 142.40
56.59 @ 27° 20' - T 66° = 50.26
57.25 @ 28° 35' - T 66° = 50.26

142.40
50.26
142.40
Calc. 45°
136.60 Rec.
106+02.32
104+65.72

POT
Top D
73° 36' 30"
+ 291° 26' 00"
73° 36' 30"

59.37 @ 32° 06' - T 62° = 50.26
60.35 @ 33° 36' - T 62° = 50.26

(#4.E. Fd. 1½ + Tk. on S.H.
C.A.B.)

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

F.B 370 Pg. 139 Ember Chief Party Notes by HFG Date

C. Cor. Sec. 12-6-7-T-3-N. R-14 & 15 W. F.B. 370-15

Fd. 1x2 Iron from W. F.B. 370-15

Random Line

454.33 - 10.33 > 60° - 444.15' ✓
454.33 - 10.33

N&T 33.15' 33°00-60° 27.80 ✓

27.80 ✓ Back

(12)

Set 1/2"

40°00'

(6)

Set Sec. C. Cor. by Prop. N+S 2" Iron Pipe in Sidewalk as shown: Pg. C.S. 9044.

(7)

1) 40°00'00"
2) 39°53'42"

COUNTY SURVEYOR'S T-3-N R-14 & 15 W 12+6 7 MONUMENT

Random Line

Fd. 1x3 Iron 0.6' Deep F.B. 434-31

See F.B. 434 - Pgs. 29-31

1/4 Sec. Cor. 13-14 T-3-N, R-15-W F.B. 370-

① 153° 24' 45"
② 233° 35' 15"
63° 24' 45" ✓

EA Found Per pg. 66.

131+98.62

F.B. 370-66

150.52 - 38-15 > 70° 130.57 ✓
151.37 - 28-51
388.34 - 39-20 > 298.71 ✓
388 R/T - 39-25
451.46 ✓

N

(14)

(13)

2-17-36 3.18 1/4 Sec. Cor. 13-12 Mon due W & Re-set at 2nd Station. Set on line. Set on

Set 1/2" Iron

Pkg. Out. 2-17-36 & Re-set.

COUNTY SURVEYOR'S T-3-N 14+13 1/4 Cor. MONUMENT

Random Line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date _____ Notes by H.F.S. Chief Party Draper F.B. 370 Pg. 138.

Platted by O.L. Pack	W. O. No. 999 U. S. C. No.
Date Nov. 1930	Location Second T.24 R.12W
Map No. B-Hall 3	Surveyed by Draper
Platting C'k'd by L.L.M.	Date
Date	Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

1-12- 1/4 Sec. T3N R12W
F.B. 370-21.

1930.60
Set N.S.T.

Reference Mk.
F.B. 370-21.

(1) 10 7.9 ft.

(2) "X2"
Pg. #67
F.B. 370-21

(1) -100°-23'-00"
A- 41-31-45

N 10 W

456.76'
65.75'
382.41
102.92
10 784.1

Set 1/4 Sec.

(2) Varied

Set X.S.T. in W. side of
24" Oak
Stake for Stone

COUNTY SURVEYOR'S MONUMENT

Cor.

Sec. Cor.

Set X.S.T. in W. side of
24" Oak
Stake for Stone

Sec. Cor.

Old Pg.

New position

Moved to

Sec. Cor.

Set X.S.T. in W. side of
24" Oak
Stake for Stone

Sec. Cor.

F.B. 370 Pg. 139 Chief Party Notes by Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by M Chief Party _____ F.B. 370 Pg. 140

Platted by _____
Date _____
Map No. _____
Platting C'k'd by _____
Date _____

W. O. No. 777 D. S. O. No. _____
Location: Sand Canyon
Surveyed by F. W. McNeal
Date June - 1930
Inked by C. Johnson

W.S. 62 D 3

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

T 4 N

Sec. 35 Sec 36

Line

Random Line

Set 1x24t

84.17-40 Per F.B. 370-7

20.00

90°

1.28

Fd 2x2+t-3"Dr Per F.B. 370-7

1.73 V

20.17 Calc.

O.K.

Sec. Line

Witness Cor. Set 2" I.P. with brass Cap set in Conc. 12" Dr. by Calc. Marked as shown

Sec. Cor. Fd 8" wall casing See F.B. 370-7 V.

Removed W.C. and Set C.S.Mon. for Sec. Cor.

COUNTY SURVEYOR'S MONUMENT T4N R15W 35 + 36 2 1 T3N Sec. Cor. RE 2177

Sec 2 Sec. 1

T 3 N

T3N

15.27 00-0
31.66 @ 44-10 = 22.71 V
32.00 @ 46-31 = 23.71 V
= 37.98 V

Sec 14

Set 1x24t

Fd 1x2+t Per F.B. 370-60

Random 37.98 V Line

90°

9.86

Sec. Line

1/4 Cor. Set 2" I.P. with brass cap set in Conc. Mush with tip of mound by Calc. dist. marked as shown

For Final Adopted 1/4 Sec. Cor. See F.B. 370-207 D.M.F. 5-14-36.

Sec 23

COUNTY SURVEYOR'S MONUMENT T3N R15W Sec. 14 + Sec 23 1/4 COR.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

WS62, D-9

Do not extend notes this side of this line

Date

Chief Party

Notes by

F.B. 370 P.G. 141



Date _____ Notes by M Chief Party _____ F.B. 320 PG. 142

Platted by _____
Date _____
Map No. _____
Platting C'k'd by _____
Date _____

W. O. No. 989 D. S. O. No. _____
Location T3N - R15W.
Surveyed by E. J. McNeal
Date June - 1930
Indexed A. C. Johnson

W.S. 62 D-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

T 3 N

R 15 W

14 15

31-11-35
124-46-30
31-11-37½

① 164° 41' 15" ✓
② 228° 45' 15" ✓
74° 41' 19"
1-2-35 CAB.

#9-D.
FA. 1x24 T. on Ridge
per pg. 37.

#11-D - 125+74.99
FA 1x24 T.
Per F.B. 370-37

64° 41' 15" ✓

Line

Sec. Line

592.95 per Office Plan

31-11-35

Sec. 14.67 Calc.

1-3-35 CAB.
¼ Sec. Cor. 14-15
Re-set. Co. Sur. Conc.
Shown on Top Knob as
Sec. Cor. Random

162.34 Rec.

1314+67.94 ✓

Sec. Line

Set ¾" Iron with brass Cap
Mark "X" on Top
Dig out & re-set 1-3-35

1/4 Cor. Set ¾" Iron with brass Cap Mark "X" on Top Cone. Flush - Bye Calc. Dist. as shown. Dig out & re-set 1-3-35

COUNTY SURVEYOR'S MONUMENT T3N R15W 15+14 1/4 COR.

#13

(100' Tape #1 Std. = 84°F.)

307.15 @ 17°48'-T=66°= 292.42 ✓
306.91 @ 17°39'-T=66°= 292.43 ✓
323.24 @ 17°-T-62°= 312.82 ✓
323.24 @ 17°46'-T=62°= 312.83 ✓
353 Level - T=62°= 9.53 ✓
Avg Total 614.75 ✓

6 @ 15-30 = 67.27 ✓
69.58 @ 14-47 = 67.28 ✓
67.27 @ 86° = 67.27 ✓
391.47 @ 25-41-30 = 353.15 ✓
391.47 @ 25-30 = 353.13 ✓
353.13 @ 88° = 353.14 ✓
377.74 @ 5° = 376.20 ✓
377.86 @ 21° = 376.21 ✓
376.20 @ 94° = 376.22 ✓
Total = 706.63 ✓
= 1007.75 ✓
688.88 ✓
11.61 ✓
+ 700.49 ✓

12.00 @ 0-3 @ 5° = 12.00 ✓
100 @ 18-34 = 95.741 ✓
100.63 @ 17-56-30 = 95.741 ✓
95.74 @ 10° = 95.75 ✓
Total = 107.75 ✓

F.B. 370 Pg. 143 Chief Party Notes by MC Date

WS 79, A-4

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.



Date _____ Notes by MC Chief Party _____ F.B. 370 Pg. 144

Platted by D.L. Peck	W. O. No. 999 O. S. O. No.
Date Nov. 1930	Location T3N - R15W
Map No. [illegible]	Surveyed by F.J. McNeal
Platting C'k'd by	Date June - 1930
Date	Indexed A. C. [illegible]

W 5 E 1 D-4

From Bot. Pg-143

Fd. 2" I.P. with brass cap set in mound of rocks 18" up - marked as shown below

Reset on Line.

0.47

Line

R15W T3N SURVEYORS R14W SEC. 13 W.C. 1/4 COR. MONUMENT

0.28

Fd. 2" I.P. with brass cap set in mound of rocks 12" up - marked as shown below

1.00

0.26 West of Rec. F.B. 439-121

COUNTY T3N SURVEYORS R15W 13 24 R14W MONUMENT

Transit

To F.B. 439-121

Angle Point per F.B. 439-120

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 370 Pg. 145 Chief Party Notes by Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by M Chief Party _____ F.B. 370 PG. 146

Plotted by O.L. Peak	W. O. No. 738 U. S. G. No.
Date Nov. 1930	Location Sand Canyon Rd.
Map No. B-458-3	Surveyed by F.J. McNeal
Plotting C'k'd by	Date June - 1930
Date	Indexed A. C. Johnson

LOS ANGELES COUNTY SURVEYOR
RETURN TO

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 63 D-4

T3N

R15W

Sec. Cor. to 3 4 3 5 2 4 3
a conc Mon with brass Cap

116-43-15
106-53-15
26-43-20

POT #18A
Ea. 2.2 ± E - See F.B. 370-89

SAND CANYON

19.60

Set 1x2 ± - by inter.

116-43-20
4" AC

Fd. S.W.T marked Pl. #18

RD.

210.03

This cor moved
See pg. 203

Sec. Cor. Fd. brass cap
set in Conc - Flush
marked as shown below

94.70 @ 29-19 = 82.57 ✓
93.61 @ 28-07 = 82.56 ✓
82.56 @ 90° = 82.56 ✓

133.46 @ 36-35 = 107.17 ✓
132.87 @ 36-15 = 107.16 ✓1/2
107.16 @ 86° = 107.16 ✓

21.10 @ 15-44 = 20.31 ✓
21.33 @ 87-47 = 20.31 ✓1/2
20.31 @ 86° = 20.31 ✓

Total = 210.03 ✓

SURVEYORS
T 3 N
R 15 W
3 2
10 11
MONUMENT

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W562, D-4

Do not extend notes this side of this line



Date 12-11-31 Notes by F.C.H. Chief Party F.B. 370 Pg 148

Platted by	W. O. No. 999 U. S. O. No.
Date	Location Sec Lines T3N R15W
Map No.	Surveyed by
Platting C'k'd by	Date 12-11-31
Date	Indexed A. C. Johnson 1-5-32

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

COUNTY SURVEYOR'S MONUMENT T 3 N R 15 W 4 3

1/4 COR. Set 2" I.P. in B.C. in conc with Brass Cap marked as shown.

1/4 Sec Cor. Set Nail 24" Oak

Int. Fd 2x2 FB 446-31

Fd 2" I.P. PVT. in conc. set by C.W. Cook per L.S.

Set Nail & tag in root of Manzanita

Set 1x2

4.74

Set Nail & tag in root of Oak

21.19

228.92 C. to C.

96°29' 101°22'30"

230.65 C. to C.

Set 1x2

Moved to new position

Level 165.23 @ 28°36'

51.00
30.26
145.01
235.33 @ T, 60° = 235.29
4.74
230.55

See Pg 201

Fd Nail & Tag Inscribed 85°11'30" 51.07

Fd Nail & Tag FB 370-31

Also See F.B. 370 pg. 126

Calc. by F.C. Howard
Set by A.M. Hellstrom

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Notes by

Chief Party

F. B. 320 PG. 19

Notes Ck'd by McPherson	Survey of 5
Map No. Sur. Div. 8-69	W. O. 1999 Tape No. 5 St'd 5 of.
Office Work	Surveyed by C. A. Danson
Checked McPherson	Notes Date
Date 5-13-35	Indexed A. C. Johnson 4-29-35

F.B. 370 Pg. 149

W5 62 B-3

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

T4N.
31 32
6 5
T3N
R15W.

54° 31' 2.2½

666.45

SEC. 5
T3N-R15W

Set IX1

Fd 2½" IP St. of Co. Mon. at Toe of Slope.

LOCATION OF FENCE LINES, BLDGS, ETC IN 2 to 5 inclusive SEC'S T 3 N, R 15 W

FORM 347 SM 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

WSG2, G-3

Do not extend notes this side of this line



Notes Ck'd by M.S. Pherson	Survey of Sec. Lines (Topog.)
Map No. Sur. Div. 8-69	W. O. 4999 Tape No 52 St'd 84 Of.
~~Office~~ Work M.Pherson	Surveyed by A. C. Johnson
Checked	Notes Date 4-24-35
Date 5-13-35	Indexed A. C. Johnson

F.B. 370 Pg. 151

W.S. 82 C 3

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 5M 2-34



F.B. 370 PG. 52

SEC. 4

SEC. 3
T3N-R15W.





4-25-35



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

WS62, C2

Notes Ck'd by McPherson	Survey of Sec Lines (T3N-R15W)
Map No. Sur Div. 8-69	W. O. 4999 Tape No ___ St'd ___ OF.
Office Work ___	Surveyed by G. A. Benson
Checked McPherson	Notes ___ Date 4-23-35
Date 5-13-35	Indexed A. C. Johnson

F.B. 370 Pg. 153

W.S. 68, D-3

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

SEC. 2
T 3 N - R 15 W.

23+62.79
Pt. on Ex. Line
set by Fy. Co.

Cont'd on bot. pg.

Set Y
set N+T.

143° 33'

set N+T.

set N+T.

Fd. Meander's Corner

Pt. X

Fd. meanders to East.

53
372
707
1132

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. 370 PG. 154

FORM 247 5M 2-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Noted Ck'd by MSB Map No. Sur Div 2-69 Survey Work 1969 Checked Date 5-12-85

Survey of Set Lines (Topo) W. O. 4999 Tape No — Std Notes Indexed Date 4-30-35 By C. Johnson

F.B. 370 Pg 155

51+21.89
POT. #6
Fd. 1X2 per
F.B. 370-19

Tract Line Per F.B. 370-19

SEC. 2

42.5
1-Story Frame & Stone
12.5
12.5
63.2
121
0.11
30.0
164
162.56
78°04'40"
14.57
Set 1X1
18'

10.0
15
4.90
1-Story Rock
130
Conc. Cabin
85
175
25
21.5
0.0
0.11
Grape Vine
700' Line
Set 1X1
76'
72°25'
72.98
109°55'
11.55
32
13'
79°05'
76°49'
181.4
1-Story Frame Cabin

96.5' @ 16°57' = 884
Stake

1145' @ 16°57' = 1049
Stake

71°01'00"
29°22'30"

44+72.26
POT. #5
Fd. 1X2 per
F.B. 370-19

71°01'00"
284°04'00"
71°01'00"
96°22'30"
188°30'00"
96°22'30"

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 370 PG. 156

Notes Ck'd by	Survey of Sec. Lines
Map No.	W. O. 4999 Tape No 13 St'd 84 OF.
Office Work Roeser 5-69	Surveyed by R.C. Howard
Checked	Notes R.C.H. Date 7/16/85
Date	Indexed A. C. Johnson 8-1-85

F.B. 370 Pg. 157

Cont. to pg. 158



Level = 32.11
299.22 @ 1°18' = 299.14
331.25

@ T.106° = 331.30



298.35 @ 0°57'
@ T.105° = 298.36

① 122° 31' 15"
④ 130° 28' 00"

Level 191.10 @ T.108°
= 191.13

191.13

① 169° 49' 15"
④ 317° 57' 00"
169° 29' 15" ?

SEC 5
T. 3N. R. 15W.

Set 1x1
FB 370
Pg 150

To 11.53 Cor. +.55 Sec. 10-150
To 114.86

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 SM 2-34

F.B. 370 PG. 158

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

P# 3
Set 1"x2"

Wire Fnc

60°

39

60° N.W. Fn about 500'± to S.

Cor.

10' about

Gov't N.W. Fn Steel Posts

575.63

P# 2
Set 1"x2"

P# 1
Set 1"x2"

Level 160.75
Level 168.21
246.8 @ 1°18' = 246.80 ✓
575.5±
@ 7°10" = 575.63 ✓

① 161° 15' 30"
④ 285° 02' 15"
161° 15' 45"

Notes Ck'd by	Survey of SEC LINE
Map No.	W. O. 1999 Tape No St'd OF.
Office Work Roeser Sur. Div. 8-69	Surveyed by A.C. Howard
Checked	Notes Date 7/15/35
Date	Indexed A. C. Johnson

F.B. 370 Pg. 159

MS. 62-3

Cut & fill

16+87 P.O.T. #1E Set 1x2 in bottom of Canyon N. of Cr.

103' @ 17°38' = 94

Stadia Opp 14 Pg 17

272' @ 7°56' = 267

13+93 P.O.T. #1E Set 1x2 Top bank N. Side Placerita Canyon

13+26 P.O.T. #1D Set 1x2

460 @ 7°15' = 453

8+73 P.O.T. #1C Set 1x2

214 @ 12°25' = 204

6+69 P.O.T. #1B Set 1x2

192' @ 3°34' = 191

4+78 P.O.T. #1A Fd 1x2 on line

8.21
4.00
422 @ 1°50' = 422

0+56 Int. Fd 2" I.P. FB 370 Pg. 31

Transit Line

Ref FB 370 – 31

0+00 S. By Stadia

S 55 E 89

34 33 4 3

T. 3N R15W Sec. 3

F.B. 370 Pg. 31

Sec. 4 T. 3N R15W

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

F.B. 370 Pg. 160

To P.O.T #2
FB 370 - Pg 31

Stadia Topog.
Pg 171-174

77' @ 32°05' = 55

116' @ 17°08' = 106

121' @ 11°25' = 116

67' @ 8°29' = 66

Transit Line

FB 370 Pg 31

20+30
P.O.T. # 1J
Set 1x2 in old
Mine ditch

19+75
P.O.T. # 1I
Set 1x2

18+09
POT # 1H
Set 1x2

17+53
P.O.T # 1G
Set 1x2

16+87
P.O.T # 1F
Set 1x2

Cont from pg. 159

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Profile No._____ Notes Red._____ Platted_____ Job No._____ Division No.____ ~~F.B.~~ 370 Pg. 161

X-Sec. No._____ Date_____ Notes Chkd._____ Date_____ Checked_____ Date_____ Survey of_____ Survey by_____ Map No._____ Notes_____ Date_____ Indexed A. C. Johnson

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 97 5M 10-34

STADIA TOPOG.

OF

Ridges & Canyons.

in

T 3 N - R 15 W

This data Pgs. 161 to 187 platted on Survey Div. File No. 8-69 by A.A. Roeser.

STATION	B. S.	H. I.	F. S	ELEV.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Job. No. ____ Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of ____ Date ____ Date ____ No. ____
Survey by ____ Notes ____ Notes Chkd. ____ Checked ____ X-Sec. ____
Indexed ____ Date ____ Date ____ Date ____ No. ____

FB 370 P.G. 162

STATION	B. S.	H. I.	F. S	ELEV.		
	Horiz ∠	Horiz ∠	Vert ∠		REMARKS	July 10/35
Sta 10-5 Ht on 3C		FB 370-29		(Mag N 5°W)		
	4.12					
4		205°00'	+19°14'	11	Top ridge	
	10.16					
9		20°00	- 5°41'	115	" "	
	6.44					
6		198°15	+21°24'	38	" "	
	10.69					
10		191°05	+24°24'	57	" "	
	10.56					
9		20°00	- 5°41'	155	" "	
	11.36					
4		4°30'	-13°37'	223	" "	
	12.00					
	10.85	174°35'	+18°01'	185	" "	
	10.43					
7		0°50'	-16°10'	218	" "	
	11.76					
10		170°00	+16°20	163	" " (6'S of top of Rdg)	
	11.10					
7		359°10'	-15°46'	241	" "	
	10.87					
6		359 40	-14°37	157	" "	
POT 2C Sight on		3C to west		FB 370	Pg. 29	
	11.18					
5		285°40	+14°55	578	Top Ridge	
	10.15					
4		282°10	+16°31'	566	" "	
	2.45					
1		62°55	+3°30'	146	" "	
	9.60					
4		282 05	+14°39'	526	" "	
	7.45					
3		281 10	+11°05'	429		
	4.25					
1		278 40	+9°30'	317		
	3.49					
1		281 15	+8°38'	244		



Form 107 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ X-Sec. No.____ Notes Red. Date____ Notes Chkd. Date____ Date____ Map No.____

Platted Date____ Checked Date____ Indexed

Job No.____ Survey of____ Survey by____ Notes

Division No.____ Date____ Date____ Date____

F.B. 370 Pg. 163

STATION	B. S.	H. I.	F. S	ELEV.		
POT 2C - Sight on	BC	to West	= B 370 Pg. 29			July 10-1935
	10.70	118°15'	-14°23'	329	Top Ridge	
	10.30	117°05'	-13°58'	319	" "	Mining claim Cor. Fd. Mod. of Rks. top Spur with Tin Can and claim papers.
	8.35	298 10	+4°35'	135	" "	
	8.6	295 45	+4°50'	86	" "	
	3.4	268 35	+5°10'	34	" "	
	12.0	66 10	+6°26'	202	" "	Jct. Top ridge & Spur to East.
	9.90					
P#2XC Sight on	#2CC				See F.B. 370-Pg. 165 Rt.	
	13	130°00'	Lev.	13	Bot Canyon	
	27'	45°45'	Lev	27	" "	
	54'	53 15	+14°00'	51	" "	
	85'	5345	+14°10'	80	" "	
	5.82	51°45'	+16°46'	104	" "	P#2C Set 1x1
	113			1/2		
	26'	174°40'	-36°52'	17	" "	
	51	197 50	-32°30'	37	" "	Av. Brg N 48°45' E
	67'	208 30	-28°25'	52	" "	
	91'	208 40	-28°36'	70	" "	
	108'	208 10	-28°49'	84	" "	
	123	209 45	-28°30'	86	" "	



Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ Plotted ____ Date ____ X-Sec. No. ____ Checked ____ Date ____

Job No. ____ Division No. ____ Notes Red ____ Date ____ Notes Chkd. ____ Date ____

Survey of ____ Notes ____ Date ____

Survey by ____

Indexed ____

FB 370 P.G. 164

STATION	B. S.	H. I.	F. S	ELEV.		
2℄ Sight	on 2 XC.				See F.B. 370 Pg 165 Rt.	
	33	161° 10	+22°35	29	Bot. Cliff	
	67	163°20	+23°05	58	" "	
	92	166°05	+23°23	79	" "	
					Deflects 25°± to Right about 60'	
POT 3C	Sight on	POT 2C	to East		FB 370 Pg 29	also pg. 165
	895	39°30'	+13°53	185	Top Ridge	
	103	43°50	+14°27	96	"	"
	50	46°40	+19°23	45	"	"
	9	180 00	Lev		"	"
	150	22010	-5°30'	15	"	"
	55	215 55	-8°27'	55		
POT 36C	Sight	on POT 3CC	to East.		See F.B. 370 Pg. 165 Right	
	243	29°55	+11°40'	239	Bot Dr in Canyon	
	164	28°15	+11°25	159	" " " "	
	121	29°30	+11°11	117	" " " "	
	80	51°30	+11°18	79	" " " "	
	34	44	+10°45	32	Ctr Canyon Cw. Side Wash	
	29	19 00	Lev	31	Bot Dr. in Canyon	
	35	272 00	-11°30	35	" "	
	72	248 25	-11°35	70	" "	

Form 107 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ Notes Red.____ Platted____ Job No.____ Division No.____
X-Sec. No.____ Date____ Date____ Survey of____
Notes Chkd.____ Checked____ Survey by____ Notes____ Date____
Date____ Date____ Map No.____ Indexed by C. Johnson

STATION	B. S.	H. I.	F. S	ELEV.		
	112	244°30	-10°35	109	Bot Dr. in Canyon	
	175	230°25	-8°20	172	W. Bank " " "	
	22[illegible]	②28°38'30	+9°09	221		P# 3xC Set 1x1
P#3xC Sight on		POT # 36C.			(See right side this pg.)	
	63	222°00	Lev.	64	Bot Dr in Canyon	
	109	220°30	+7°00	109	" " " "	
	163	223°80	+8°48	160	E. Bank (12'N) " "	

"P" LINE SKETCH



Ref. FB. 370 Pg. 16

B. 370 P.G. 166 | Job. No. | Division No. | Notes Red | Plotted | Profile
Survey of | Date | Date | No.
Survey by | Notes | Notes Chkd. | Checked | X-Sec.
Indexed | Date | Date | Date | No.



STATION | B.S. | H.I. | F.S | ELEV.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / — Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Notes Rod._____ Plotted_____ Job No._____ Division No._____

Date_____ Survey of_____

Notes Chkd._____ Surveyed by_____ Notes_____

Date_____ Date_____

Plotted & Checked by C. Johnson

FB 370 Pg. 167

Add'l Inform.

Form 301 10M 3-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
C#7	East on Transit Line				FB 370		-4 94 26								
			10.19	—	180 00		Level	—					C#7A - Set Nail		
C#7A	East on Transit Line														
			279	—	175 30	280	+ 2 10	—					Hd of 3m Dr. S.E.		
			448	—	142 50	449	1 00	—					Bot. Dr.		
		½ 212	425	—	135 10	424	3 52	—					" "		
			371	—	124 10	368	6 24	—					" "		
			382	—	117 25	373	9 27	—					" "		
			730	—	115 10	731	Lev	—					Bot Draw		
			317	—	110 20	304	12 06	—					" "		
			660	—	108 30	661	0 35	—					" "		
			335	—	101 50	309	13 02	—					" "		
C#7	East on Transit Line														
			347	—	95 30	318	17 08	—					Bot Dr.		
			630	—	98 35	629	3 25	—					" "		
			587	—	91 00	583	5 50	—					" "		
			352	—	83 35	305	21 40	—					" "		
			361	—	72 50	293	25 56	—					Int. "		
			344	—	64 50	281	25 33	—							
			585	—	85 05	576	7 26	—							
			392	—	55 10	318	25 49	—							

Topography Description Legend:
Hill ... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Point of Draw N.D. Toe of Slope T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. _____ Platted _____ Job No. _____ Division No. _____ F.B. 378 P. 1
Notes Chkd. _____ Date _____ Survey of _____
Checked _____ Date _____ Survey by _____ Notes _____ Date _____
Jas. A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
C#1 East on Transit Line,					° '		° '		1						
			605	—	79 ° 35	592	8 ° 35		2				Bot Drain		
			401	—	51 ° 55	328	25 ° 32		3				"		
			630	—	73 ° 55	615	10 ° 40		4				"		
			410	—	49 ° 20	358	21 ° 23		5				"		
			655	—	69 ° 50	626	12 ° 22		6				"		
			581	—	32 ° 30	484	24 ° 20		7				"		
			667	—	26 ° 40	563	22 ° 56		8				"		
			695	—	60 ° 45	637	17 ° 00		9				"		
385 S/-			771	—	28 ° 20	666	21 ° 37		10				"		Trail
			640	—	56 ° 55	578	18 ° 10		11				"		
			721	—	47 ° 00	645	19 ° 03		12				"		
POT SC - East on Transit Line					° '		° '		13						
					@ 103 ° 18 ' 45 "				14						
			50	—	② 206 ° 37 ' 30 "	502	3 ° 30 '		15	(S 43° 30' W)			P# 50 SC #1 x 1		
SC #50			(West)		° '		° '		16						
			176	—	353 ° 50	153	21 ° 28		17				Bot D.C. (on)		
			160	—	8 ° 25	127	27 ° 26		18				Int Bot Drain		
			195	—	21 ° 05	159	25 ° 47		19				"		
			266	—	33 ° 45	227	20 ° 02		20				"		
			333	—	33 ° 35	291	20 ° 20		21				"		
			388	—	35 ° 20	348	18 ° 51						"		

Add'l Interm.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia stereocepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
5C	East on Transit Line				0 19° 32' 15"		To Left		1						
			695		39 04 30		13 56	Horiz 656	2				P.T. 56C Sect.		
56C	5C				° '		° '		3				of		
			569		333 35	570	+ 1 45		4				Bot Canyon		
			517		334 30	518	Lev		5				" "		
			355		339 05	351	6 42		6				Int with Cn from South (N+S)		
			302		340 30	291	11 22		7				Bot Canyon		
			217		333 40	197	18 03		8				" "		
			152		290 50	119	27 50		9				" "		
			230		262 30	164	32 33		10						
			205		239 10	143	33 27		11				Ravine enters from S 12° E		
			240		198 25	161	35 05		12				Bot Cn		
			325		170 25	218	35 10		13				" "		
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Page 172

Topography Description Legend:
Bank..... B.H. Bottom Draw..B.D.
Bluff..... B.L. Bottom Wash B.W.
Bottom of Draw..B.D. Top of Ridge..T.R.
Bottom of Ridge..B.R. Toe of Slope..T.S.
Bottom of Draw H.D.

Top of Slope..... T.S.
Bottom of Slope..... B.S.
Top of Cliff..... T.Cl.
Bottom of Cliff..... B.Cl.
Top of Spur..... T.Sp.
Bottom Canyon..... B.Cn.

Top of Bank..... T.B.
Bottom of Bank..... B.B.
Top of Cut..... T.C.
Bottom of Cut..... B.C.
Top of Fill..... T.F.
Bottom of Fill..... B.F.

Fence..... Fce.
Ditch..... Dt.
Telephone Pole..... T.P.
Power Pole..... P.P.
Culvert..... Cul.

Pipe-Pl. Culvert..... Pipe
Eucalyptus..... Euc.
Pine, combination of three and common deciduous.....
Abbreviations.

Fence V.Fn.
Dt.
Euc.
Pine
Pipe
Cul.

Stake..... Stk.
Stone..... St.
Trail..... Tr.
Pavement..... Pvt.
Edge of Road..... E.Rd.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR ENCIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Location	Left	Right
#1B	1A	To	North		° '	STADIA LOCATION OF DIVINE SEC 3 & 4									
			149	—	40 10	149	+ 4 55						Bot Rock (Hd)		
			84	—	31 35	84	7 12						"		
			116	—	334 15	95	24 51						"		
			230	—	292 10	212	18 54						"		
			330	—	286 15	310	16 29						"		
			40	—	282 10	375	16 05						"		
#1C	#1B			—	° '		° '								
			453	—	293 10	416	17 16						Bot Rock		
			440	—	292 10	416	13 47						"		
			394	—	292 40	371	14 12						"		
	1A		337	—	293 10	317	14 35						"		
			301	—	291 25	282	14 55						"		
			233	—	288 30	214	16 55						"		
			203	—	289 10	184	18 05						"		
			144	—	291 20	124	21 49						"		
			62	—	350 15	50	26 30						"		
			433	—	74 05	419	+ 10 25						"		
			112	—	46 10	110	8 50								
			36	—	70 40	353	+ 8 51								
			165	—	51 15	166	1 41								

Notes Rod_____ Platted_____ Job No. 4993 Division No.____ F.B. 370 Pg. 111
Notes Chkd._____ Date_____ Survey of Soc. Land Co
Checked_____ Surveyed by_____ Notes_____ Date 7/15/25
Inform. C. Johnson

Form 391 10M 3-39

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
" IC	" IB		2	See	F.B. 370 Rg.		1.59								
			292	—	67.40	289	+ 7.00						Bot Boring		
			233	—	67.45	231	+ 6.18						" "		
POT #1F	POT #1E			See	F.B. 370 Rg		1.60								
			35	—	86.15	36	Lev						Bot {Creek in} Canyon	6'	Wide
			86	—	53.40	87	"							12'	"
			158	—	52.20	159	"							12	"
			23	—	180.00	24	Lev							15'	"
			227	—	63.40	227	+ 3.45							10'	"
			47	—	258.15	48	Lev							15	
			146	—	289.10	146	3.05							12	"
			377	—	75.10	377	+ 2.18							12'	"
			221	—	307.15	221	3.10							12'	"
			384	—	75.45	384	+ 2.21							12'	"
			266	—	311.35	266	2.36							12'	"
			290	—	① 311°35'30" ② 263°11'00"	290	2.45								
D# 1Fx	POT #1F			—	46.80								D# 1Fx	Set	1x1
			29	—	229.50	30	Lev						Bot Creek	5'	Wide
			115	—	189.20	115	4.00						" "	15	"
			172	—	195.10	172	2.40							10	"
			211	—	193.15	211	2.55							10	"

Fix-P. Cedar-Sd. Fill-Pt. Spreader Plus combinations of these and common standard abbreviations.

Dbl.-Sd. Fill-Pt. Fence ..... Fd. Fence, V.Fd. Ditch ..... Dt. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Pvt. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Bank ..... B. Fill ..... F. Bottom of Fill ..... B.F.

Side of Bank ..... S.B. Top of Cut ..... T.C. Bottom of Fill ..... T.F. Top of Bottom ..... B.Of.

Intak. of Brow Ditch ..... I.D. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Sewer ..... T.Sr. Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw ..... B.D.
Side of Draw ..... S.D. Bottom Wash ..... B.W.
Side of Ridge ..... S.R. Top of Ridge ..... T.R.
Head of Draw ..... H.D. Toe of Slope ..... T.S.

T.B. 390 P.1/72

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod_____ Platted_____ Job No._____
Notes Chkd._____ Checked_____ Date_____ Survey of_____ Division No._____
Date_____ Survey by_____ Notes_____ Date 7/16/46
Notes Rod_____ Chkd._____ Notes_____ Checked_____ Date_____

F.B. 370 Pg. 160

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
POT #1J	POT #1I.				° '		° '		1						
			Notes on Transit Line = FB 370 - Pg. 160												
			16		124.00,	17	Lev.		3				Old Mine ditch		
			40'		309.35,	41	"		4				" "		
			38		61.30,	39	"		5				" "		
			57		63.10,	58	"		6						
			80		51.35,	81	"		7						
					① 53°00'15"								Set 1x1 in ditch		
			123		②106°00'30"	124	Level		8				P# 1 East (at P.I.)		
P#1 East	POT #1J.				See FB 370 Pg 160				9				(at P.I.)		
					① 39°43'00"										
			247		② 79 26'15"	248	Level		10				P# 1 West (at P.I.)		
			217		39 40,	218	"		11				Old Mine ditch		
			180		34 40,	181	"		12				" "		
			155		24 55,	156	"		13				" "		
			32		203 50,	33	"		14				" "		
			65		205 45,	66	"		15				" "		
					①203°50'15"										
P#2 East	P#1 East		68		② 47°40'30"	69	Level		16				P# 2 East (at P.I.)		
									17						
			190		203 00,	196	+ 4.03		18				Old Mine ditch		
			140		193 15,	147	Lev.		19				"		
					①186°28'45"										
			165		② 12°56'30"	166	"		20				P# 3 East (at old ditch)		
P#3 East	P#2 East								21						
			124		354 00	125	Lev.						Old Mine ditch		

Add'l Inform.

Form 381 IDM 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red —	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#3 East	P#2 East				° '		° '		1				P#3 East in ditch		
			103		335 35	1.04	Lev		2				Old Mine ditch		
			105		314 35	1.05	+ 4 45		3				" " "		
			20		184 15	21	Lev		4				" " "		
			55		181 30	5.6	+ 3 40		5				" " "		
			81		178 30	8.1	+ 7 51		6				" " "		
P#1 West	P#1 East		(See Line #9 Pg 160)						7						
			6		169 10	7	Level		8				Old ditch ends here		
			27		218 20	2.8	4 45		9				Looks like it was flumed to bottom of Canyon to N.		
			63		232 20	6.0	14 00		10				Looks like old flume? (X)		
									11						
P#7 #16	P#7 1F		See F.B. 370 - Pg 160						12						
									13						
			42		3 00	42	6 20		14				Jct Old + New? Channel		
			158		84 40	1.59	Lev		15				Pct Old "		
			99		63 45	1.00	2 30		16				" " "		
			228		75 40	2.29	Lev		17				"		
			371		62 15	3.72	Lev		18				Jct Old + New "		
									19						
									20						
									21						

Topography Description Legend:
Hill...H. Bottom Draw...B.D. Ditch...Di. Fence...F. Equalytile Pole...T.P. Power Pole...P.P. Culvert...Cul.
Side of Hill...S.H. Bottom Wash...B.W. Telephone Pole...T.P. Pavement...Pvt. Edge of Road...E.Rd.
Side of Draw...S.D. Top of Ridge...T.R. Fill...F. Trail...Tr. Bottom of Fill...B.F.
Head of Draw...H.D. Toe of Slope...T.S. Bank...B. Cut...C. Top of Cut...T.C. Bottom of Cut...B.C.
Top of Bank...T.B. Bottom of Fill...B.F. Top of Fill...T.F. Edge of Road...E.Rd.
Side of Canyon...S.C. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom of Canyon...B.Cn.
Top of Bank...T.B. Bottom of Slope...B.S. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom of Canyon...B.Cn.
Intersection of Draw...I. Draw...D. Bank...B. Stone...St. Cliff...Cl. Gully...Gly. Spur...Sp. Canyon...Cn.
Intersection of Draw...I. Draw...D. Bank...B. Stone...St. Cliff...Cl. Gully...Gly. Spur...Sp. Canyon...Cn.
Fence...F. Ditch...Di. Telephone Pole...T.P. Power Pole...P.P. Culvert...Cul.
Fence...F. Ditch...Di. Equalytile Pole...T.P. Power Pole...P.P. Culvert...Cul.
Bldg. or Other Obstacles...Obst. Creek...Cr. Fence...F. Ditch...Di. Equalytile Pole...T.P. Power Pole...P.P. Culvert...Cul.
Bldg. or Other Obstacles...Obst. Creek...Cr. Fence...F. Ditch...Di. Equalytile Pole...T.P. Power Pole...P.P. Culvert...Cul.
Pile of Debris...Deb

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	R.E. Station	Sta. Left	Sta. Right
				Location of Fences ≠ Dolan Ranch								Sec	FB 370 Pg 157		
P#1	1X1 ← FB 370			—	150 & 157										
			276	—	95 40	277	Level						5' W.W. Fn		
			248	—	347 20	243	"						Fn Cor		
			183	—	99 30	184	Lev						A.P. W. of Fn		
			28	—	69 15	29	"						Fn Cor N.W. Fn.		
			204	—	290 10	205	Lev						Old barbed W. Fn		
P#2	P#1			FB 370	Pg 157										
			66	—	348 00	67	Lev						A.P.		
			32	—	315 45	33	"						Old Fn (Ext. Line)		
													" "		

Notes Rod. _____ Job No. _____ Division No. _____
Notes Plotted _____ Date _____ Survey of _____
Notes Chkd. _____ Date _____ Notes _____ Date _____
Notes Checked _____ Survey by _____

Notes: A. C. Johnson

F.B. 370 Pg. 157

Agr'd'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
		Stadia Location of Timbered Ravine at C.S. Mon 1/4 Cor between													
		Secs 34 & 3 T. 3 N R 15 W. FB 370 — Pg 130													
P.O.T.	Tie line	between 1/4 Cor and P.O.T. 4C			Sight on P.O.T. 4C										
		8.55			(1) 163-12-45										
		7.0			(2) 326-25-30	119	29.12						P# 1 (Set 1x1)		
			81		174.20	48	40.10						BOT Draw.		
			74		98.35	73	9.00						"		
			56		152.45	32	41.45						"		
			123		107.30	123	+ 4.45						"		
			161		114.00	156	+ 11.24						"		
			204		108.35	189	+ 16.22						"		
			223		107.40	206	+ 16.20						"		
		6.15			(1) 103-51-28										
		4.0			(2) 207-42-30	193	+ 19.39						P# A (Set 1x1)		
P# A	POT X		(Note		Timber end at P# A.										
			71		159.25	65	+ 18.10						BOT Draw.		
			113		157.30	104	+ 16.52						"		
			160		158.50	144	+ 18.45						"		
			285		162.05	257	+ 18.40						"		

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK; WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod____ Plotted____ Job No.____ Division No.____ F.B. 3370 Pg. 177

Notes Chkd.____ Date____ Survey of____

Checked____ Date____ Survey by____

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / —	Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
P.T.	P.O.T.				(See line #5 Pg. 176)					1						
			41		30 45	42	+	5 37		2				B.T. Draw		
			20		187 15	24	—	24 42		3				"		
			10		230 20	50		42 15		4				"		
			19		234 00	95		45 14		5				"		
			25		251 10	140		42 42		6				"		
			30		256 00	246		26 02		7						
										8				Int. of Draw to East.		
					Transit Topog. Near N Cor. Between Secs. 2 & 11 T.3N R.15W					9						
P.O.T. #1C	P.O.T. 2C									10						
										11				F.B. 370 - 20		
						45.09		Level		12				P.O.T. #1C to #1		
P.O.T. #1C4	P.O.T. 2C									13				"		
			17		331	18		Lev		14				Top Bridge Bench mark		
			90		35 15	90	—	6 00		15				" "		
			19		43 —	188		6 56		16				" "		
			8		290 30	88	+	3 25		17				" "		
		10 38			54 10	339		Lev		18				" "		
		7														
		3 28			290 40	213	+	15 05		19				" "		
		1														
		427			59 20	427	—	2 18		20				" "		
		2														
		1170			63 50	470	—	2 14		21				" "		
		7														
		496			298 10	367	+	15 50						" "		
		1														

Adjust Interm.

Form 891 10M 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia stereopts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
POT	POT				° '		° '								
#Ka	2C														
		9.40													
		4			63 40	541	Lev						Top Ridge (Firebreak)		
		8.00													
		2			63 50	600	+ 2 32						"	"	
		6.62													
		1			298 15	500	+ 19 21						"	"	"
		8.05													
		1			288 20	621	+ 20 20						"	"	"
POT	040				° '		° '								
#1C	INT	To East		Per	FB 370	Pg 20									
					0 0		(Chained) 18.74						POT Q(9) (Set nail)		
POT															
#Q9	INT														
		9.18													
		1			15 00	395	29 12						Bot ravine (Timbered)		
		8.55													
		0			60 20	844	+ 6 52						"	"	
		7.78													
		2			1 10	440	29 27						"	"	
		11.10													
		5			352 30	470	28 35						"	"	
	½ =	11.88													
		8	637		346 40	495	28 09						"	"	
	½ =	11.16													
		8	633		340 15	481	29 27						"	"	
?	½ =	11.90	8												
		8	701		55 15	780	1 28						"	"	
		12.00													
		5.40			335 15	531	28 37						"	"	
	½ =	9.00													
		6			45 40	587	8 45						"	"	
		2.00													
		1			327 05	654	25 26						"	"	
		10.60													
		5			37 50	527	14 15						"	"	
		10.92													
		6			29 25	421	22 30						Timber ends here from South		

Form 381 10M 3-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
					° '			° '									
			TER	S.T.	TOPOS OF			TOP. OF SAN		FERNANDO MT				SECS	9x10 T. SMELTON		
POT 10	POT #9				(See pg. 166 for sketch)					2		For 1x2		5	FB 370 Pg 33		
			18		139.25,	19		4.25,		3					TOP MT		
			50		227.15,	49		9.42,		4					"		
			71		78.25,	65	+	17.40,		5					" "		
			111		① 229° 35'					6					P.K. 10M		
					② 99.10,	107		11.35,		7							
					③ 78° 20'												
			71		② 156.40,	65	+	17.37,		8					P.K. 10M		
P.K. 10E	POT #10									9							
			84		186.50,	84	+	5.55,		10					TOP MT		
			147		198.30,	147	+	3.40,		11					" "		
			281		213.05,	281	+	3.07,							" "		
P.K. 10W	POT #10									12							
										13							
			60		231.10,	60		6.45,		14					TOP MT		
			171		231.45,	168		8.57,		15					" "		
			257		232.00,	253		8.20,		16					" "		
			400		① 231° 21' 15"										P.K. 10M		
					② 102.42,	394		7.40,		17							
POT #10	POT #9				150.00,												
								Chained		18					POT 10A on line		
					180.00,			13.82 @ 3°29'	= 43.73	19							
POT #10A	POT 11				① 39° 12' 45"					20							
					② 156° 53' 15"			Calc Dist				(Not Used)			P.K. 10M 1x2		
										21							

Notes Reg. _____ Platted _____ Job No. _____ Division No. _____ F.B. 370 Pg. 77

Data _____ Data _____ Survey of _____ Base _____

Notes Chkd. _____ Checked _____ Surveyed by _____ Rods _____ Sets _____

Johnson & Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
10W	10W														
			207		67 50	164	27 16						Bot Canyon		
	1/2 12W		349		54 15	300	22 00						"		"
			515		57 20	457	19 30						"		"
	11.60 8 3.60		721		59 05	653	17 54						"		"
	12.00 3.09 9.01		901		59 10	821	17 23						"		"
			489		108 30	489	Lev						Top Spur		
			390		112 35	390	"						"		"
			287		116 25	287	"						"		"
			218		127 30	218	"						"		"
			179		151 05	179	+ 1 22						"		"
12 8			74		203 49	58	+ 27 25						"		" Jct w Top Div.
			72		286 20	65	+ 18 14						Top "		
			100'		340 50	100	Lev						"		"
	18.95 4.95 14.00		991		59 15	906	17 14						Bot Canyon		
12 8	12 10.15 1.85		580		108 00	580	Lev.						Top Spur ✓		
		12.00 4.83	718		102 20	718	Lev.						"		"
		12.00 3.69	832		93 55	831	+ 1 09						"		"
		12 — 3.47	854		86 40	854	Lev.						"		" (2x) 12B
454	1/2	12.00 7.96	909		83 27	908	1 24						"		" (Ck. Shot)

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
1X2	POT				° '			° '		1							
#13	10A				° '			° '			#13 Fd 1X2 Top Spur						
		417								2					FB 370 P.44		
		1			320 28	293	+	16 16							Check Top Spur		
		627								3							
		4			319 50	217	+	12 26							Top Spur		
		1131								4							
		0			327 45	126		12 27							" "		
										5							
		~~66~~			~~338 20~~		+	~~11 27~~							~~Set Top Spurs~~		
										6							
		83			174 50	84		Lev							Top W Spur		
										7							
		1126													Set		
		10	127		162 10	127		120		8					C.S. Mon Pt 5' T.Sp		
					① 68 56 30												
					② 275 46 00	101.79				9					Fd 1X2 4/12 Fd 330 Rg 45		
	1/2=102																
			205		91 25	195		13 00		10					Top E Spur		
		574			① 125 18 00												
		0	575		② 250 35 45	563		8 14							P# 13Y		
					① 46 24 15												
					② 92 48 30	108.39			108.50 @ 2°34' = 108.39 ✓						P# 13X - Set 1X2		
P#	1X2									12							
13X	13																
		8.60								13							
	1/2=	6	52		192 10	362		33 35							Bot Conc		
	1085	10.85								14							
		6	486		169 30	383		27 24							S.H 25' E of Bot Con.		
		564			① 270 06					15							
		0	565		② 180 12	554		87 55	(89 54 to Left)						P# 13Y (Ok shot)		
		985								16							
		4	580		196 20	444		29 30							Bot Conc		
		1115								17							
		6			270 25	504		8 51							Top E Spur		
		1065								18							
		6			267 10	451		10 25							" "		
		1964								19							
		7			? 281 35	? 51		11 15							"		
		1082								20							
		8			259 10	264		14 57							"		
		1018								21							
		9			260 00	200		17 09							"		

Form 0-1
Interm.

Notes Red. ____ Platted ____ Job No. ____ Division No. ____
Date ____ Date ____ Survey of ____
Notes Chkd. ____ Checked ____ Survey by ____ Notes ____ Date ____

F.B. 370 Pg 43

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#	1x2				° '		° '		1						
13X	#13	1145													
		10			268 05	132	18 00		2						
		1042											Top E. Spur		
		7			278 50	126	20 11		3				" " "		
		12 3+0 658													
			658		211 00	491	30 15		4				Bot Canyon		
		12 1+0 790													
			791		220 20	650	24 53		5				S.H. 25 E Bot Canyon		
P#	1x2								6						
13Y	#13														
			114		197 30	110	10 20		7						
													Top E. Spur		
			171		198 55	168	7 00		8				" " "		
	1/2 =	145													
			291		185 25	278	12 06		9				FB 370 - Pg 34		
		11.75											P.O.T. #11 Fd 1x2 ✓		
		10			26 50	176	+ 105		10				Fd RK Nail (Scribed)		
		11.22													
		7			178 35	407	11 11		11				Top E. Spur		
		618													
		2			348 10	413	+ 647		12				" W. Spur		
		644													
		3			342 15	343	+ 428		13				" " "		
		610													
		3	311		326 00	311	Lev		14				" " "		
		500													
		2	301		297 40	297	6 24		15				" " "		
		632													
		3	331		276 00	323	902		16				" " "		
		692													
		3			258 30	381	1011		17				" " "		
		1140													
		6			253 10	526	1001		18				" " "		
POT	POT								19						
#11	10A		See	FB	370	Pg	34	and 179							
		975							20						
		6			166 45	373	5 16						Top E. Spur		
		1013							21						
		7			161 05	309	615								

4

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ —	Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
POT 11	POT 10A	1053			° '			° '		1				#11 is 1×2 PK.		
		8								2				FB 370 - Pg 30		
					153 25	251	—	6 07		3				Top E Slope		
			193		149 15	189	—	8 04		4				"		
		1200												(South on Top)		
		394	847		180 00	839	—	5 30		5				POT 11 X - 1×2		
POT 11X	POT 11	[illegible]	[illegible]		° '			° '		6						
		12								7						
		258			354 35	928	+	7 14						Jct. MxE Pg 3		
		1200								8						
		340			352 10	853	+	5 42						Top M Slope		
		12.00								9						
		460			321 30	740	+	1 55						" W "		
		1203								10						
		6			308 45	602	+	2 49						" W "		
		10.83								11						
		3			347 05	780	+	4 14						" M "		
		10.57								12						
		5			293 10	557	+	2 52						" W "		
		10.36								13						
		4			337 20	635	+	3 38						" M "		
		9.18								14						
		1			272 30	519	—	Lev						" W "		
		626								15						
		1			344 35	527	—	"						" M "		
		9.72								16						
		4			251 25	573	—	"						" W "		
		540								17						
		1			334 50	440	—	2 28						" M "		
		1200								18						
		564			245 50	637	—	Lev						" W "		
		566								19						
		2			322 35	361	—	7 06						" M "		
		633								20						
		3			312 20	323	—	10 34						" M "		
		586								21						
		3			294 40	275	—	13 10						" "		
		1160								22						
		9			275 35	239	—	16 51						" "		

Notes Rod. _____ Platted _____ Job No. 4999 Division No. F.B. 378 Pg. 1662
Data _____ Data _____ Survey of JEC Lines T 3N R15W
Notes Chkd. _____ Checked _____ Surveyed by _____ Noted A. C. Johnson Date 12/23/35

Form 301 Interm.

Form 381 IDM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '		1						
POT	POT								2						
11X	11				251 30				3				End Middle Spur		
			36		134 00	33	+ 18 00		4				Top E. Spur		
		866													
		5			3 15	367	Lev		5				" " "		
		1023													
		7			359 00	324	1 05		6				" " "		
			120		180 −	120	2 45		7				" " "		
		11.35													
		9			0 40	236	1 00		8				" " "		
		11.00													
		9			182 50	198	5 02		9				" " "		
		11.49													
		10			7 30	150	1 12		10				" " "		
		11.90													
		8			183 05	388	5 20		11				" " "		
		990													
		5			185 50	490	+ 3 03		12				" " "		
		12.00													
		5.80			187 25	621	1 05		13				" " "		
		12.00													
		5.79	622		180 00	620	3 02		14				P.O.T. 11Y-Set 1X		
POT	POT	[illegible]													
11Y	11X	[illegible]							15						
		6.50											F13 370-34		
		3.43	308			307	2 42		16		Ck shot.		POT #1E (1×2)		
		1086													
		6	487		193 25	486	+ 2 29		17				Top High Round Knob *See govt. notes		
		1046													
		6	446		193 25	446	+ 2 29		18				" E. Spur		
		9.50													
		6	351		197 −	350	+ 2 33		19				" " "		
		9 39													
		7	240		209 45	240	Lev		20				" " "		
									21						

Addn'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Plotted Job No. 4999 Division No.
Date Date Survey of SEC LINES T.3N R16W
Notes Chkd. Checked Survey by E.C. Howard Notes F.C.W. Over The Chief C. Johnson
F.B. 370 PG. 1

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	S Left	S Right
					° '		° '						STADIA LOCATION OF RAYMER NEAR 1/4 COR BETWEEN		
													SECS. 9 & 10 T. 3N R15W		
POT #7	POT #6				° '		° '								
							T 7°34'						FB 370 PG 3		
							208.50 @ 7°17' = 26.81						Chained		
POT #6A	POT #7				° '		° '						POT GA Set 1x2 driven		
		11.21													
		10			29 35	122	Lev						Bot Rock		
		9.65													
		8			34 30	166							Int Bot Rock		
		11.79													
		7			14 45	178	6 10						Bot Rock		
		6.92													
		5			29 55	193	Lev						"		
		5.71													
		5			341 05	66	15 45						"		
	1/2=67												"		
			135		278 41	130	11 35						"		
		11.96			① 28°00'30"										
		10	197		② 56°01'00"	197	+ 2.56						Pt 1W Set 1x1		
		4.54			③ 241°08'30										
		3	155		④ 122°17'00	154	5 52						Pt 1E Set 1x1		
Pt 1E	POT GA				° '		° '								
		6.54													
		6			268 40	49	19 25						Bot. Rock		
		10.88													
		10			202 35	84	14 24						" "		
		10.61													
		9			195 45	60	11 25						Set with tack 0.5' South and 0.5' E of		
	1/2=104														
			209		182 50	204	9 09						"		
					° '		° '								
Pt 1W	POT GA				° '		° '								
			49		273 25	49	2 45						Bot Rock		

Adv. H. Thiersen

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 1W	P.O.T. 6A				° '		° '		1						
			92		268 00	92	Level		2				Bot Ravine from WW		
			153		264 00	152	+ 4 32		3				" " " "		
		646			186 35	46	+ 8 55		4				" " " SW		
		962			178 20	61	+ 11 05		5				" " "		
		520			① 184 41 15"				6						
		4	121		② 9 22 30	118	+ 9 03		7				P# 2W. Set 1X1		
P# 2W	P# 1W								8				"		
			29		251 00	29	Lev		9				Bot Ravine		
		754			190 05	55	+ 4 50		10				" "		
		268			① 199 14 45										
		2			② 38 29 30	69	+ 4 55		11				P# 3W Set 1X1		
P# 3W	P# 2W								12						
		836			122 40	37	Lev		13				Set Ravines		
			16		210 40	16	"		14				Bot Ravine		
		655			222 50	56	"		15				" "		
		674	75		206 35	75	"		16				" "		
		709			205 25	110	+ 3 50		17				" "		
			131		203 05	121	+ 4 24		18				" "		
		520			① 131 22 00										
		4	121		② 263 22 00	117	+ 10 10		19	(S 3°45'W)			P# 3X		
		4.00			① 208 12 15										
		247	154		② 46 24 30	153	+ 4 17		20	(S 7°45'W)			P# 4W		
P# 4W	P# 3W								21						
			48		172 15	48	+ 3 55						Bot Ravine		

4

Form 301 1000 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red_____ Plotted_____ Job No._____ Division No._____
Notes Chkd._____ Checked_____ Survey by_____ Date_____ Survey of_____

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
P# 4W	P# 3W				° ′			° ′		1								
		1077								2								
		10	78		166 50	76	+	8 05								Bot Ravine		
		3.24			①170 02					3								
		2	125		②340 04	123	+	7 04		4						P# SW 5" V x I		
P# 5W	P# 4W									5								
			22		3 30	22	−	9 28		6						Bot. Ravine		
			23		245 50	23	−	Lev.		7						" "		
		8.75																
		8	76		234 40	72	+	13 42		8						" "		
P# 3X	P# 3W									9								
		10.57																
		10			358 50	55	−	13 20		10						Bot Ravine		
		8.24																
		8			269 50	23	−	17 13		11						" "		
		8.49																
		8			214 05	50	−	Lev.		12								
		11.88																
		11			205 20	86	+	11 01		13						"		
		11.50																
		10			194 50	150	+	8 40		14						"		
		9.09																
	1/2=	8	219		190 20	209	+	12 07		15						"		
										16								
										17								
										18								
										19								
										20								
										21								

Add'l Inform.

FB 378 Pg. 157

Surveyed C. Johnson

Form 321 10M 3-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

LOCATION OF CREEK AT COR TO SECS 5-6-7-8 - T3N R15W

Do not extend notes [illegible] this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	Vertical Angle	Elevation of Point	Back Sight	Difference Elevation	Height of Instrument	Vertical Distance	REMARKS Station	Left	Right
	North Ap				° '		° '		1						
R3A	INT		116	—	47° 00'		— ° '		2				℄ Cr.		
↑ 188			105	—	25° 00'		— ° '		3				"		
			89	—	00° 00'		° '		4				"		
SEE P8			71	—	335° 25'		° '		5				"		
			83	—	303° 45'		— ° '		6				"		
					° '		° '		7						
					° '		° '		8						
					° '		° '		9						
					° '		° '		10						
					° '		° '		11						
					° '		° '		12						
					° '		° '		13						
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Date _____ Notes by _____ Chief Party _____ F.B. 370 PG. 191

Platted by	W. O. No. _____ D. S. O. No. _____
Date	Location
Map No.	Surveyed by
Platting C'k'd by	Date
Date	Indexed C. Johnson 12-6-95

NOTES SHOWING RELOCATION OF SECTION COR.'S T3N-R15W

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 370 Pg. 192 Hoxie Chief Party Notes by R.L.V. Date 12-5-35

T. 3 N. R. 15 W.

SEC 9

SEC 10

SEC 15

SEC 16

Fd 1X2 POT #13

10400 = 101.48 = 10100 T = 62° = 101.78

10178

122°40'30" ① 130-41-45 ③

T = 64° = 345.09

101.15 @ 3.857 = 95.67

250.95 @ 6°13' = 249.47

345.14

Fd 1X2 POT #12

Random 122°40'26"

Line FB 370-45

S 90°06'30" E

S 38°00' ① 34-32-30 ④

345.09

290.48 Calc.

153+41.55 Calc.

Fd 1X2 POT #10A

105+41.32 Calc.

154.01 Calc.

Fd rock mo Reset with Cinc. Nail Marked LS 5 shown

COUNTY SURVEYOR T 3 N R 15 W

9	10
16	15

Note - This mon. moved from old location per pg 127

T = 62° = 175.26

175.39 @ 196 = 115.29

11403

68 46 45 ④

Fd 1X1 P.E. 2Y

171° 13' 15" ①

324 53 00 ④

T = 62° = 179.91

192.04 @ 843 = 179.94

147-18-45" ①

229-14-45 ④

Set 1X2 Traverse PT

This data is erroneous.

T = 62° = 113.81

119.80 @ 19°15' = 113.83

48°-11'-45" ③

192-47-00 ④

Fd 1X2 POT #11 See F B # 370-34

Fd 1X2 POT #10 FB 370-34

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Noted Ck'd by McPherson	Survey of Sec. Cor.
Map No. 3-468-3	W. O. 4993 Tape No 52 St'd 27 of.
Office Work Wood	Surveyed by Sec. Cor. Sec.
Checked McPherson	Notes Date 6-2
Date Oct. 1936	Indexed A. C. Johnson 2-19-36

F.B. 370 Pg. 193

T 3 N - R 15 W
SEC. COR. 10 11 14 15

W.S. 6 3 2 - 4

#13 per pg. 45.

SEC. 15

SEC. 10

NORTHWEST COUNTY SURVEYOR'S

R15W. T3N. 10 11 15 14

3435 Level - T=60° = 34.34
88.45 @ 14°03' - T=68° = 85.79
99.15 @ 13°15' - T=68° = 85.81
Avg. Total 120.14
-8.13
Total = 112.01

C.A. Pierson
A.F. Svenson
L.L. Latimer
W.T. McDonnell

(500' Tape #1 std. @ 84° F.)

Mon. Bur. of from S.W. Location Bar pg. 133 and Re-set per Description Co. Surv. Cone Brass Cap Mon. marked as shown Set on W. slope. 10± S.W. of bot. small swale. 420.± W. of make Drive

112.01 ch. + 4.2 lks.

101+59.05
T.L. Pt.
Set 1X2 PK. on West slope
See Line 7

S 22° 5' E - 84°02' - T=58° = 75.75
S 22° 22' E - 2°52' - T=58° = 75.75
7.61 Level T=58° = 7.61

83.36 ch. + 4.4 lks.

83.36

Line 7

Tie to Cor. per Rec. 37 #28

100+75.69
P.T. Set on W. slope
#8D = #9
Set 1X2 PK. per LR 272
N 13° 22' E - 28.37
103+55.40 going So.
100+75.69 going West.

SEC. 14

SEC. 11

Tie to Line 7

160.90 ch. + 2.2 lks.

#8 Set 1X2 PK. on W. slope.
99+14.79

D 132° 27' 00"
D 168° 15' 30"
47° 32' 30"

166.74 @ 14°45' - T=70° = 161.72
166.82 @ 14°13' - T=70° = 161.71

T.L. #7-A
Set 1X2 PK. on Fire-brake by Rec. Line S. on West.
97+53.08.

D 137° 56' 15"
D 191° 45' 15"
47° 56' 19"

U.S. Geod. & Geol. Tri. Station "Pacific" Reference No. 1. L.A. 4 Brass Bolt set in Conc. on Divide Ridge.

Tie

13° 56' 30"

13° 0'

L.A.Co. & City Triangulation Sta. Reference #2 Set Brass Bolt in Conc. on Divide Ridge.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

F.B. [illegible] Pg. 194

Re-Setting 1/4 SEC. COR. 10-15
T3N-R15W - Pg 24
Old Location per pg 129

12-27-35
C.A. Benson
A.E. Svensson
L.L. Latimer
W.E. McDonnell
Bm. T. 1.5' W. 54'

#13 Fd. 1" I.P. + Tk.
on top of 7" x 7" x 12" post
per Pg 15.

SEC. 15

T3N-R15W

SEC. 10

1/4 Corner
10-15
Monument

201.24'

S 2° 17' 45" E

2247.30'

#10 Fd. 1" I.P. + Tk.

S 2° 17' 45" E
4249.11'
62° 17' 45"

On South Slope 150.± S 30° W from Ent. of Spr. + 3 trees 100.± W. of R.R.C. 25.± S.W. of 2 prominent Rocks. Proposed Sta. 1 to be on a line between Sec. Cor. & E+W 1/4 Sec. Cor. [illegible] W. from this mon.

(500' Type 1 [illegible])

On S 60° E. [illegible] on S 1/4 line of Sec. 15 T 3 N R 15 W. 75' E. Mon. 500.± [illegible]

NOTE - [illegible]

75.5 Ft. S 15° E. [illegible]

580.± S. [illegible]

2.82

Tan = 68.58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W 52 D-4

Notes Ck'd by	M.S. Pherson	Survey of	Section Lines
Map No.	8-468-3	W. O.	4999
Office Work	Wood	Tape No	#1
Checked	M.S. Pherson	Surveyed by	C.A. Benson
Date	Oct. 1936.	Notes	(B)
		Date	1-21-36
		Indexed	L. C. Johnson

F.B. 370 Pg. 195

4S 63,64,P-4

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

T 3 N - R 13 W
F.B. 370 - 22.
(Cold. Location per pg. 133)

Sec. Line

Rancho Line

331.03 Rec.

Per pg. 22.

Rec. 602.37
Ch. 602.01
(Cross Fnc.)

SURVEYED T 3 N R 15 W MONUMENT

1/4 COR.

1/4 Sec. Cor. 11-14.
Re-Set Co. Sur. Cor. Stone Cap
Mon. Stamped "1/4 S 11 14"
Per Off. Rec. Vol. 2424 Page
Right in Low Saddle between
Knolls 1/2 mile on trail
Fernando #1 & #2. Near Gov't.
Trail Forks.
(Cold. Location as Mon. pg. 133.)

48.72 @ 21°45' - T = 54' =	45.24
49.16 @ 23°01' - T = 54' =	45.23
184.70 @ 28°26' - T = 54' =	171.12
184.66 @ 28°26' - T = 54' =	171.15
123.55 @ 17°0' - T = 54' =	117.83
123.70 @ 17°42' - T = 54' =	117.82
19.39 Level - T = 54' =	19.39
Avg. Total =	353.58

1/4 Sec Cor. 15-16
T 3 N - R 15 W.
F.B. 370 - 35.
(Cold. Location per pg. 129.)

1-23-36.
C.A. Benson.
Set Monument.
L.C.J.

POT #12
Fd. 1X2+Tk.
per pg. 34

233.16 Rec.
per pg. 34.

129+63.71
POT #13
Fd. 1X2+Tk.
Per pg. 34+35

67.92 @ 10°43' - T = 60° =	66.73
67.75 @ 9°54' - T = 60° =	66.73
96.72 @ 9°35' - T = 62° =	95.36
96.57 @ 9°03' - T = 62° =	95.36
24.38 @ 28°14' - T = 64° =	23.98
27.82 @ 30°29' - T = 64° =	23.97
103.70 @ 38°20' - T = 66° =	51.32
103.10 @ 37°56' - T = 68° =	81.31
Avg. Total =	267.39

Ⓓ 43°56'30"
Ⓐ 175°46'15"
43°56'34"

SURVEYED T 3 N R 15 W MONUMENT

1/4 COR.

1/4 Sec. Cor. 15-16.
Re-Set Co. Sur. Cone. Brass Cap
Mon. Stamped "1/4 S 15 16"
Per Off. Rec. Vol. 4134 Page 394 O.R.
100 ft. W. of Top of Low Saddle in
S 20° W., 800 ft. West of Trail
at Center of long Tangent
of a Gradually Ascending
Curve.

185.55 Rec.

131+56.24

Sec. Line

F.B. 370 Pg. 196

4562 B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Sec 7
T. 3N R 15W

COUNTY SURVEYOR
T 3N
R 15W
Sec 7
Sec 8
1/4 Cor.
1971

FIRE TRUCK TRAIL

90°

1.64

11.50

8.50

8.30

47°

28+97.07
R-2A
Set 1x2

25.39

40.38 Level

32.80

ES Post
Tag illegible

29+05.57
Fd base of old EW
4x4' in center of
large rock mound N
Edge Divide between
Elsmere & Newhall Cr
Reset with 2" I.P. & BC
10 Conc. marked P.S.
described in FB 439
Pg. 150

29+05.37
Fd 3" I.P. - 36" Up.
Marked 1/4 on N., - 8 on
E., and S 0.7 on W.
Mound of Rock
[illegible]

R-2
Fd Old 1x2
Reset 1x2
FB 439-150
28+56.69

10.6

11.50

28+71.68
Fd 2" I.P. - 36" Up.
So-on N., VIII on E
Loose

51.22 @ 17°47
@ T 66° = 48.76
28+08.83
Fd 1x2
S. Slope

97.84

Random Line per F.B. 439-150

27+68.31
Fd 1x2 + Tack

.01

10.27

27+58.91
Set Nail
Top Break

58.59 @ 31°37'
@ T. 78° = 49.89

56.69 @ 43°04'30"
@ T. 78° = 41.41

41.41

40.20 Calc

10.23

Fd CS. Mon
Here
Removed

9.92
Calc

Fd Nail .02

T.S. to Fd Nail
58.52 @ 46°23 @ T. 78°
= 40.23

Notes Ck'd by McPherson	Survey of SECTION LINES
Map No. B-468-3	W. 0.4999 Tape No. 33 St'd 84 °F.
Office Work Wood	Surveyed by F.C. HOWARD
Checked McPherson	Notes F.C.H. Date 2/4/36
Date Oct. 1936	Indexed [illegible] 2-6-36

F.B. 370 PG. 197

W.S. 2.4

232+54.55
Ed 1x2"19C
FB 370 - Pg 52

COUNTY SURVEYOR
T 3N
SEC 6
SEC 7
N 1/2 S 1/2
1/4 COR
RE 2/17

193.71 @ 5°32 @ T. 58° = 192.78

241+25.27
#19C1
Set 1x2

① 49°17'15"
④ 197°09'30"
49°17' 22½"

241+43.5
(0.1 Well
4½" Casing

18²
19¹

37.90 @ 2°40
@ T. 56° = 37.85

Ed Nail Ch. H
Too Shed
Not Solid

125.74 Calc

49°

7.25

167.71

242+51.01
Ed 4" I.P. in S.C.
Set in Cross Chiseled in Top
Marked 1/4
Replaced with
2" I.P. + B.C. Stamped
as above

146.13 Calc

179.00 @ 20°26 @ T. 56° = 167.71

242+92.98
#19C2
Set 1x2

0.87
Ed nail
on Ck

SEE PG 224
FOR NEW TIES
C.L.W. JULY 65

60.08 Level @ T. 56° = 60.07

243+53.05
Ed 1x2 #20C
FB 370 Pg 52

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 370 Pg. 198

MS 62 B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

90°46'10"

2.16+

08.34

Pt Transit Lines
Fd 1x2 FB 439-151
56+93.84

Random Line per Pg. 52

90°

2.20

N

COUNTY SURVEYOR'S MONUMENT
T. 3N
MS 12
6 | 5
7 | 8
Sec Cor.

SEE PG 225 FOR NEW TIES G.L.W. JULY '65

Blaze on SE face 24" L.O.

30° 15'

182.44

8.45

20.8

Set Nail

Fence ± Brg
Post ± 20.6

Set 1x2 By Prop
Mrs. + Record
from West

36° 35'

S 54° 15' E

39.59

20

0.25

22.49

Fd 1x2 + rock - 3' East of Old Rock Mound

Fd 1" I.P. 15" Up Not marked

This pipe accepted as Sec Cor and C.S.Mon. moved from location shown on Pg 151 FB 439 to replace Pipe 3-9-36

54+88.90
NEW E 3A.
Set 1x2 Stake near 1x2 E 3A which had been moved off line
FB 439-151

59.55 @ 23°30'
@ T. 68° = 54.60

54.60

Fd 1x2 Opposite C.S.Mon as shown on FB 439-151

SEE PG 188 FOR LOCATION OF CREEK

F.B. 370 Pg. 199

Notes	Ck'd by McPherson	Survey of	SEC LINES
Map	No. B-468-3	W. O. 4999	Tape No 25 St'd 84 °F.
Office Work	Wood	Surveyed by	E.C. HOWARD
Checked	McPherson	Notes	E.C.H.
Date	Oct. 1936.	Indexed	A. C. Johnson 4-24-38

W.S. 68 C-4

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

T.3N., R.15W.

COUNTY SURVEYOR
MONUMENT
Sec. Cor.
4 | 3
9 | 10
T.3N.
R.15W.

40.54

01 Sec. Cor. Set C.S. Mon. on N. side of low knoll. Spot on top of 40" S. 45° E. from Mon. Spot 4" Square

26° 59' 30" E.

79.60

89.33

1021+19.50
POT #5C
Fd 1x2
FB 370-

194+32.41
POT #6C.
Old 1x2 Bethod
off. Reset
by Inf.

16+61.47
POT #4
Fd Spk & Tin
FB 370-32

109+19.22
POT #7C
Fd 1x2

14+95.35
POT #3
Fd 1x2
Pg 32

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W562, D-4



F.B. 370 PG. 200

Notes Ck'd by	McPherson	Survey of	Section Lines
Map No.	B-468-3	W. O.	4997
Office Work	Wood	Tape No.	25
Checked	McPherson	Surveyed by	F.C.H. & Party
Date	Oct. 1936	Notes	F.C.H. Date 3-27-36
		Indexed	A. C. Johnson

F.B. 370 Pg. 201

W562 B-3

Sec 2 T.3N R15W

24+21.41 POT #4 Fd 2x2 B.17

Fd 2" GaN. I.P.+BC. in conc. Stamped 1/4 Cor to Secs 1+2 T3N R15W. Set by Thomason, L.S.

11.91

109.38

0.65

25+30.79 Set 1x2

11.84

0.57

Fd Nail FB. 370-128

Sec 1 T.3N R15W

1/4 SEC. COR. Set 2" I.P.+BC. in conc. for 1/4 Cor. to Secs 1+2. T.3N R15W. F.C.H. 3-27-36

COUNTY SURVEYOR T.3N R15W SEC 2 SEC 1 1/4 COR

COUNTY SURVEYOR T.3N R15W SEC 4 SEC 3 1/4 COR

To Forest Rd

22+47.27 Set 1x2

12.09

1/4 SEC. COR. Set 2" I.P.+BC. in conc. for 1/4 Cor to Secs 3+4 T.3N R15W 3-19-1936

79.57 @ 21°55' = 73.82 Level 21.69

95.51

@ T.72° = 95.50

95.50

23+42.77 POT #1 Fd Spike + Tin FB. 370-31+148

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 5M 2-34

F.B. 370 Pg 202

Apr 1- 1936

SEC 1 T.3N R15W

Z

1x2

100.70 @ 54° = 100.20 ✓
Level = 10.52
Level = 6.72
117.44 ✓
@ T 58° = 117.42 ✓

Pot* G-Z
Set 1x2

117.42 ✓

Set 2" I.P. + B.C. in conc for 1/4 COR to Secs 1-12-T.3N R15W.

Level 11.02
211.64 @ 13°12 = 206.05 ✓
217.07 ✓

@ T. 60° = 217.04 ✓

90°00'

217.04

31996

Fd 1x2 + Nail

102.92

Fd Nail FB. 370-138

COUNTY SURVEYOR T.3N R15W Sec 1 Sec 12 1/4 Cor

Set 1x2 for position of Sec. Cor to 1-2-11-12 T.3N R15W ~~A.C.H.~~ 4/1-36

Note- Mon. shown on pg 192 destroyed 4/1-36

Replaced the 1x2 with a C.S. Monument marked as shown. (July 3, 1936)

N

Level
83.37 @ 38°51' = 64.93 ✓
35.84 @ 25°01' = 32.48 ✓
102.38 ✓

@ T. 58° = 102.36

0.67
4.97 ✓

2444

24.54

12 1 11 2

99.40

13°48.5'

102.36

16° 04.0'

Fd 2" G.N.I. P. 1/2" Sec 1/4 Cor Set by Fred Thompson

Removed this monument July 3, 1936

COUNTY SURVEYOR'S MONUMENT CO. Sec. 11 12 1 T.3N

INT. Fd 1x2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

L.S.G.R.D.-4

Drawn by [illegible] Ch'd by MS Pierson
Map No. B-468-3
Checked MS Pierson
Date Oct. 1936

Survey of Section Lines
W. O. 4777 Tape No 25 Std 82 of F.C. Howard
Notes F.C.H. Date 4/3/36
Indexed L. C. Johnson

F.B. 370 Pg. 203

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

1/4 SEC. COR.
Set 2" I.P. & B.C. in Conc.
for 1/4 Cor. between
Secs. 2 & 11 - T. 3N R15W

68.62

27+21.58

35° 41' 45"

45.51

COUNTY SURVEYOR
R15W. T.3N.
Sec 2
Sec 11
1/4 Cor.

26+26.07
P.O.T. #1
Fd. 1x2
FB 370-20

SEC. COR.
Set 2" I.P. & B.C. in Conc.
for Sec. Cor. to Secs.
2-3-10-11. 4-2-36
Set on W. Slope of
very small spur sloping
N into deepCn

37.90

30.

116.30

54+18.53
POT #2d-C
Set 1x2

11690 @ 5°44
@ T. 58' = 116.30

53+02.23
POT 2c-C
Fd 1x2 Pg 165

COUNTY SURVEYOR
R15W
T3N
Sec 2
Sec 11
1/4 Cor.

50+00.11
POT #2C
Pg 20-29

F.B. 370 Pg. 204

MS 62 D-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHARGED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.



1/4 Sec Cor
Set 2" I.P. x BC. in
Conc. for 1/4 Cor
to Sec's 11 & 12
T 3N R 15W
[illegible]'s Monument set July 8, 1936

79+11.81

51.24

79+63.05
P.O.T. #7
Fd 1x2 FB 370-23

Notes Ck'd by	Mc Pherson	Survey of	Sec Lines T3N R14W
Map No.	B-468-3	W. O.	Tape No 57 St'd 22 OF.
Office Work	Wood	Surveyed by	L S Hammond
Checked	Mc Pherson	Notes	L S H Date
Date	Oct 1936	Indexed	A. C. Johnson

F.B. 370 PG. 205

RE-LOCATION OF CORNERS
FRACTIONAL SEC 23
T 3.N R14W



Party – L. S. HAMMOND
HUGH BAKER
K.C MURRAY

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

F.B. 370 PG. 206



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	McPherson	Survey of	Random Line T3N R15W
Map No.	B-468-3	W. O.	Tape No 1 St'd 56 OF.
Office Work	Wood	Surveyed by	L.S. Hammond
Checked	McPherson	Notes	L.S.H. Date
Date	Oct. 1936.	Indexed	A. C. Johnson

F.B. 370 PG. 207

WSG 2-13-5

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

0400 To S.

Set 1x2

Found 1x2 FB 439-46

Found 1x2 FB 370-40

3346

7816

4.92

9.72

Removed C.S. Mon
Fd per F.B. 439-46 p128

Forest Bdy*
Reset C.S. Mon
marked as shown

COUNTY SURVEYOR
T3N
R15W SEC 14
+
SEC 23
¼ COR
MONUMENT

N.E. ¼ of NW ¼
SEC 23.
T.3N. R.15W.

Random Line per F.B. 439-45,46

9474

L.A. Forest Bdy* 118
Set 1x2 Fd

71.51 03°-48' T=84° = 71.15'
5'1x2
76.27

13+46.42
T-15 Fd 1x2
per F.B. 439-45

13+64.86
Removed C.S. Mon.
Fd per F.B. 439-45

4.94

20.66

24.24

Forest Bdy * 118
Reset C.S. Mon. marked
as shown

COUNTY SURVEYOR
T3N
R15W N ¼ 16 C + C SEC 23
MONUMENT

T-9 Fd 1x2
per F.B. 439-45

101°-25'-15"

From Top Pg.

F.B. 370 PG. 208

Sta 132+61.9 P.T. 1½ FB 439-129
0+00 South

Set 1½ P.I.

P.T. Sta 114+25.44 Fd 1½ FB 370-59

Random

S 81½ E

205.57 per

FB 370-59 & 60

Removed C.S. 1½ in. Fd per FB 439-129

¼¼ Cor. by Prop.
Forest Bdy. * 125
Reset C.S. Mon. marked as shown

COUNTY SURVEYOR
T 3 N
SEC 14
+
SEC 23
¼ COR
MONUMENT

S 5°18' E

L.A. Forest Bdy * 124 Set 1½

T-2 Fd 1½ pr FB 439-130
2+38.67

N.E. ¼ OF N.W. ¼
SEC. 23

8+58.18
T.P. Fd 1½ per FB 439-130

L.A. Forest Bdy * 125

Random Line per F.B. 439-129

Removed C.S. 1½ in. Fd per F.B. 439-130

P.C. 7+72
Δ 39°22'
R 400

¼¼ Cor.
Forest Bdy * 122
Reset C.S. Mon. marked as shown

COUNTY SURVEYOR
T 3 N
NW. ¼
+
SEC 23
MONUMENT

13+87.39
Fd 1½ per FB 439-130 N.G.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

S 5 L 20 - b

Notes Ck'd by McPherson	Survey of
Map No. B-468-3	W. O. Tape No. St'd °F.
Office Work Wood	Surveyed by
Checked McPherson	Notes Date
Date Oct. 17-6	Indexed A. C. Johnson 5-13-36

F.B. 370 PG. 209

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

SEC. 14
T 3 N

SEC 13
R 15 W
[illegible] 370-120

17°32'40"
Random Line
56.17
18.09
58.31

Reset 6" spike marked as shown

COUNTY SURVEYOR'S MONUMENT
T 3 N
R 15 W
14 13
23 24

SEC. 23

SEC. 24

[illegible] 55.91

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 370 PG. 1/10

Notes Ck'd by McPherson
Map No. B-468-3
Office Work McM
Checked McM
Date Oct. 4, 1938

Survey of T3&4N; R-15W
W. of SBM Tape No. St'd of
Surveyed by Howard. Date 9/27-38
Notes
Indexed 10-3-38

F.B. 370 Pg. 211

W.S. 62 B-3

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



FORM 247 5M 10-37

F.B. 370 PG. 212

2562 B3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

To Twin Cor

26+68.24
1/4 Sec Cor
FB 370 P 57
FB 393 P 227

3.92

Nothing Set

187.44

Level: 187.44 @ T 88°

SEC 6 - T3N R15W

SEC 31 - T4N

TR 9943
LOT 11

Set 2 X 2 TK
by Fence Cor

71.57

Fd 2x2 lot stake
0.02 N. of Sec Line.
Set 2" I.P. & B.C. in cent
for WC 1/4 Cor.

LOT 12

16+63.96
Fd 1X2
POT = 4
F.B. 370 P 56
Replaced with
New 1 X 2 TK

Set 2 X 2 TK
Top high Ridge

2.44

90°

COUNTY SURVEYOR
RISN Sec 31
T 3N SEC C
R 21 W WC 1/4 Cor 23

Note!- This W.C. is set on R/W State Highway

0+00
Sec Cor
FB 693 P 256
FB 370 P 55-56

Notes Ck'd by McPherson	Survey of T3S4N;R15W	F.B. 310	Pg. 213
Map No. B-468-3	W. O. 4999 Tape No.	St'd	of
Office Work McPherson	Surveyed by Howard.		
Checked	Notes	Date 9/29/38	
Date Oct. 4 1938	Indexed		

US 62, B-3

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE
Data underlined in red is record per State Hwy.

SEC 31
T 4N R 15W

℄ STATE HIGHWAY
N 21° 51' 15" E 1729.35 to BC ℄

E.C. 88+03.94

Record from State Hwy
Δ = 25° 20' 00"
R = 3500
T = 786.62
L = 1457.53

STATE Highway
Right of Way
Maps 6 to 11 incl.
#9943.

12367

259.01

71.57

2 x 2 Stake

INC. ℄ Cor

(℄ S 70° 21' 40" E
STATE DATA)

187.44

241

61.13

40.93

78.45

37.52

2 x 2 Stake

INC. ℄ Cor
U.S. Mon
11

2 x 2 Stake

INC. ℄ Cor
11

SEC Cor
SEC 6
T 3N R 15W

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 570 PG. 214

Notes Ck'd by KRM
Map No. B-468 (163)
Office Work
Checked April 1950
Date

Survey of SECTION LINE
W. 04999 Tape No. 101 St'd, 64 °F
Surveyed by FHB LANCHRD
Notes F.H.B. Date 4-4-50
Indexed A. C. Johnson 4-11-50

F. B. 370 Pg. 215

601 pg - 217

W.S. 62-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

SECTION 2
T3N
R15W

SECTION 35
T.4 N.
T.3 N.

S-3
SET 1" I.P.
6+26.52

S-2
SET 1" I.P.
3+36.88

S-1
SET 1x2
2+39.76

1185.39
87° 24' 55"
289.64 Calc
LINE
10° 39' 20"
109° 00' 40"
97.12
239.76 TRUE

Calc 92° 35' 05"
Calc 80° 04' 12"
12° 30' 52" Calc

2 174° 49' 50"
4 349° 39' 40"
6 164° 79' 30"
87° 24' 55"

28 56 28
70 59 20
99 55 48
= 80° 04' 12"

151° 03 32
16 25 36
167 29 08
= 12° 30 52

179 59 60
87° 24 55
92° 35 05

12° 30' 52
80° 04' 12
92° 35' 04

TO Δ PT A.
PAGE - 216

2 57° 53' 00"
4 115° 46' 00"
6 173° 38' 50"
28° 56' 28"

28° 56' 28"

BASELINE
589.58

2) 218° 01' 20"
4) 76° 02' 40"
6) 294° 04 00"
109° 00' 40"

SET 1x2
P.T. B

433.48

T-70
296.12 @ 16° 17 = 284.72
297.05 @ 16° 55 = 284.21

102.08 @ 17° 55 T-74 = 97.12

1544 @ 0° 00 = 15.44
297 10 @ 12° 35 = 289 93
305.37

1596 @ 0° 00 = 1596
296.56 @ 12° 36 = 289.39
305.35

284.22
305 36
589.58

262.17 @ 23° 51 T-74 = 239.76

FD. C.S. MON
PER FB 310-5
FB 488-209
MARKED AS SHOWN

FB. 4312-29
1-9-76 R.L.S.

LAND SURVEYOR
T 4 N
R 15 W
S 34 35
S 1 3 + 2
R T 3 N
MONUMENT

76F3098 247 10M 1-49

F. B. 370 Pg. 216

SECTION 2

T. 3 N. R. 15 W.

16° 25' 36"
10 59 20
87° 24' 56" ✓ SEE ∠ at S-3

T-70°
207.35 @ 8°35' = 205.01
207.62 @ 9°03' = 205.02 } 209.01

T-68
243.28 @ 20°05' = 228.47
244.50 @ 20°51' = 228.47 } 228.47
433.48

NOTE
ANGLE ② turned as a check and to code angle at S-3 SEE Above and over

② 166° 03' 00"
④ 332° 06' 00"
⑥ 138° 09' 00"
83° 01' 30"

② 2 38° 51' 10"
④ 65° 42' 20"
⑥ 98° 33' 40"
16° 25' 36"

③ 2 137° 58' 30"
④ 275° 57' 00"
⑥ 53° 55' 30"
68° 59' 15"

SET 1 X 2

TO S-5 PAGE 217

TO S-4 PAGE 217

TO S-3 PAGE

16° 25' 36"
68° 59' 15"
83° 01' 30"

215 ← TO S-2 PAGE
433.48

Pt. A
SET 1 X 2 ON SMALL SPUR

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet, Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KAM
Map No. B-468 (163)
Office Work
Checked
Date April 1950

Survey of SAND CANYON SECTION LINE
W.O. 4999 Pope No. 191 St'd 84 °F
Surveyed by FHBlanchard
Notes FHB Date 4-4-50
Indexed E. C. Johnson

F. B. 370 Pg. 217

W 5 6 2 D-2

bot page = 218

Additions by HHS 6-16-75

PP # 1155BK Installed 1-9-76 1.5 NE of Mon.

F.B. 4312-30 1-9-76 R.L.S.

1/4 COR SET CS MON. MARKED AS SHOWN by PP

Mon. not set. 26+54.53 78.15 Up 2"

5 strand barb WIRE FENCE

299.01 @ 3°54'-70 = 298.29
298.73 @ 0°00'-70 = 298.70
596.99

596.99

T4N 1/4 Cor SEC 35 SEC 2 T3N

Monument noted on C.S.B-468(163) & C.S.B-745-5

Mon. does not have Range stamped on.

6' Chain Link Fence

SECTION 2

T3N R15W

Old Fence - Minutes 0 Yrs.

26+58

5-5 SET 1x2 26+54.53

2 51°58'20
4 103°56'50"
155°55'00
25°59'10

832.62 CALC.

25°59'10"

4x4 FOREST BDY MARKER 18+25.9

5-4 18+21.91 SET 1" IPON. ridge running E&W.

TO Δ PT A PAGE 216

2 80°02'50"
4 160°05'40"
6 240°08'30"
40°01'25"

1195.39 CALC.

40°01'25"

TO Δ PT A PAGE 216

to page 215

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3088 247 10M 5-49

F. B. 370 Pg. 218

bot page - 219

399.68

269.01 @ 0°00 7 60° = 268.97
130.73 @ 0°00 7 60 = 130 71
399.68

4 strand barb wire fence

SECTION - 2

T3N R15W

S-10 49+36.12 (36.12 ~~25.80~~)
SET 1" I.P.

296.61

296.71 @ 1°04' 7 60 = 296.61

S-9 42+39.51
SET 1 x 2

246.32

T-64
246.25 @ 0°00 = 246.22

4 strand barb wire fence

40+39.40

SET 1" I.P.
40+16.91
at base of
8 x 8 W.F. Post

39+97.00 4-strand barb wire fence

S-8 39+93.29
SET 1 x 2

5°

199.54

T-68
199.64 @ 1°39 = 199.54

S-7
SET 1 x 2
37+93.75

542.23

243.30 @ 0°00 T-7 = 243.28
299.01 @ 0°45 T-70 = 298.95
542.23

S-6
SET 1 x 2
32+51.52

596.99

top page 217

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No. B468(163)
Office Work
Checked
Date Oct. 1950

Survey of SAND CANYON SECTION LINES
W. O. 4922 Tape No. 101 St'd. 84 °F
Surveyed by FHB/Lanchard
Notes FHB Date 4-8-50
Indexed K. C. Johnson

F. B. 370 Pg. 219

W.S. 62 D-3

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

bot pg-

R. 15 W.

COUNTY ENGINEER T4N R15W 35 36 2 1 T3N R.E. 58 66

Fd. Co. Engr. Mon. 6-18-45 HHS
No Record in Field
Dr. 15" Top Mon. is 4ft. below Ground 3.0 East
Stone Well 10.0 North
10.0 E. of Edge Pvmt.
13.0 E. of Edge Pvmt.

SEC 36 SEC 1

chain link
53+57.10 6' WOOVEN WIRE FENCE

SEC. COR. 53+56.30
Fd CS Mon per 370-7
FB 488-210, MARKED AS SHOWN

SEC 35 SEC 2

T.4 N. T.3 N.

COUNTY SURVEYOR MONUMENT T4N R15W 35 36 2 1 T3N

52+96.10
0.50

SAND CANYON ROAD

420.50

52+34.70
4-strand barb wire

T-60'
298.92 @ 0°46' = 298.84
77.32 @ 0°00' = 77.31
44.36 @ 0°00' = 44.35
420.50

S-11 49+35.80
SET 1x2

199.68

top pg. 218

76F3088 247 10M 5-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 330 PG. 220

Notes Ck'd by [illegible]	Survey of [illegible]
Map No.	JN 0302.01 Tape 175 Std 84°F
Office Work	Surveyed by C. L. Wright
Checked	Notes C. L. W. Date JULY '65
Date	Indexed G. J. GALLI

F. B. 370 PG. 22

SECTION LINES -
RE-CHAINING OF
THE WEST 1/2 OF
THE SOUTH LINE
OF SEC. 6 - T3N R15W

J.N. 0302.01

REFERENCES
F.B. 370
C.S.B. - 468 - 3

Note: Any Additions or Changes of This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

F.B.
C. L. WRIGHT
P. D. ANDERSON
E. W. A. PERRY
H. B. MITCHELL

76F309S CE #310 663

CONT BOT PG 223

F.B. 370 PG. 222



MB 28-4

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	JN Tape 175 Std 84 °F
Office Work	Surveyed by
Checked	Notes Date JUL 65
Date	Indexed C. J. GALLE

F. B. 370 PG. 223

T 3 N
R 15 W

CONT. TOT PG 224

59.71

FD 1x2½ HUB THICK NO REC

0.26

21+80.18

T - 8°
LEV 59.71

2.39

2.17-77.79

A-5 SET 1x2 P.T.

T - 78°
LEV.

171.52 @ 3-24 = 166.85
171.62 @ 3-24 = 166.94

166.84
175.17
175.16

175.16 LINE

SEC. 6

20+02.63

A-4 SET 1x2 P.N.

T - 88°

169.21 @ 10-45 = 166.24
169.32 @ 10-45 = 166.26
LEV

166.25
139.27

SEC 7

LEV

286.84 @ 4-50 = 285.82
TWICE CHAINED

161.26
285.82
752.60
.02
752.62

75.62
8.61
SECTION

(nothing)
FD 1x2 & HUB THICK
19+34.02

0.48

T - 80°

69.83 @ 10-42 = 68.60
70.02 @ 11-29 = 68.62

CONT TOT PG 222

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6/63

F. B. 370 PG 224

CONT. FROM PG 225



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by A. [illegible]	Survey of SECTION LINE
Map No.	JN 0302 b/Tape 175 Std 84 °F
Office Work	Surveyed by C. L. WILKINS
Checked	Notes C. L. W. Date JUNE 66
Date	Indexed G. J. GALLI

F. B. 310 Pg. 225

T-3-N
R 15 W

SEC 5

SEC 8

SEC 7

FD 6" BOAT SPK UP 20' NO REF
12" SYCAMORE

SET NAIL & T
UP 24"
10" SYCAMORE

42.27

4.08

S. SEC. COR.
FD. 2" IP. CROSS O.R.
CAP SET IN
CONCRETE
FD. 2" I.P. 1.98
C.O.R. - 468-2

24.43

FD. 6" BOAT SPK
IN MOST N.W.LY
FORK OF 3-18" OAKS
NO REF
UP 24"

66.95

MARKED

SURVEYOR'S
T 3N
R 15
R 14 W
SECTION CORNER
MONUMENT

SEC. LINE PROD. FROM WEST

SET NAIL & T. N.W. SIDE
CTR. FORK OF
3-18" OAKS
UP 12"

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3093 CE #310 6/63

CONT. TO Pg. 224

F. B. 370 PG. 226

BLANK

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

.OM 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. St'd or.
Surveyed by
Notes Date
Indexed

F.B. Pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

ON THIS
INCED IN Red
PERSON MAK-

370