Date_____ Notes by_____ Chief Party_____ F.B.____ Pg.____

Platted by	W. O. No. D. S. O. No.
Date	Location
Map No.	Surveyed by
Platting C'k'd by	Date
Date	Indexed

ON THIS
Red.
MAKING

F.B. 395 Pg. Index Chief Party Notes by Date

F.B. 395

PAGES: Index, 1, ,3 to 33 incl., ,
35 to 39 incl., ,41 to 65 incl., ,
67, 68, 69, ,71 to 98 incl., 98A, 98B,
, ,99 to 125 incl.,

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 1

Platted by G.F. Holbrook	W.O. No. 916 D.S.O. No. _____
Date Aug. 1929	Location Santa Fe Springs
Map No. B-394	Surveyed by C.V. Crumley
Platting C'k'd by D.M. Finley	Date March - April, 1929
Date Oct. 1929.	Indexed A. C. Johnson

SURVEY OF

SANTA FE SPRINGS

TO RELOCATE CENTER LINES OF THE STREETS & ALLEYS, & LOCATION OF TOPOGRAPHY WITHIN RIGHT OF WAY

W. O. 916

L. C. Hammond
F. H. Blanchard
D. W. Reynolds
M. B. Rugg
F. G. Carson
A. S. Auer

C. V. Crumley
Ed Tomblesen
S. C. Barnhart
W. H. Harris
Wm. Scott
R. K. Allen

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 395 Pg. 2 Chief Party Notes by C. V. Crumley Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 3

Platted by G.F. Holbrook
Date Aug 1929
Map No. B-394-2
Platting C'k'd by G.A. Crowl
Date OCT 1929

W.O. No. 2[illegible] D.S.O. No. _____
Location Santa Fe Springs
Surveyed by [illegible]
Date [illegible]
Indexed A. C. Johnson

cont. bot. page 4

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Bal. to F.B. 382-Pg. 70 [illegible]

2-4" C.I. Fd. C.S. [illegible] F.B. 382-70 Pg 4

3' Valve Box

10.7
10.7
21.4
24.1

3.4' 26' Valve Box

25+86 T.P.
23.6
19.1
19.2
3' Valve Box
25+85
F.B. 382-120
23.8
24.4
25+81 T.P.

Cont. From F.B. 382-124

F.B. 395 PG. 4 LSH Chief Party Notes by LSH Date

cont. LOT page 5

29+07 ~~7.7~~ 0

+06 wire
29+33.4 guy ~~pole~~
-9.0 rt

Boiler Hse

Asc

34.3

28+81 gal iron boiler hse 28 20.3
+80.5 valve

28+80.6 guy pole 0 29.2

28+70 oil Tank (-9.2) 17.5

28+47.9 oil tank (-9.5) 22.5

27+98 Valve box 3.5 3.5 39.6 39.6

Gardner
F.B. 382-20

42.4 0 26+91. P/P

26+76.9 pipe line and valve 0 17.7

26+70.4 Fence

℄ BUTLER

Sta 26+90.61 (2x2
see F.B. 382-120 #10
This Book Pg 3

℄ Road

26+00

cont. From top of page 3

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by L S H Chief Party L S H F.B. 395 Pg 5

Plotted by G F Holbrook
Date Aug. 1929
Map No. B-394-2
Platting C'k'd by L.A. Croup
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by L S Hamilton
Date Nov 19 & 20 1929
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Sta 33+74.84 2 ℄s per F.B. 382-120

℄ Murray F.B. 382-85 & 91

Ave ℄

Ave

22'

130'

32+17.6 ℄ of Sump

bank appr 12' Thick

Sump

℄ Line

Transit ℄

D/C

Bank appr 12' Thick

20

13.5

31+04.6 edge Sump bank

31+03.2 Valve box

25 ☐ 14.6 — 25.6

25

30+98.9 Valve

Gardner F.B. 382-120

29+67.2 valve box

6.4 ☐ 6.2 25.8 25.8

cont. from this page 4

F.B. 395 Pg. 6 Chief Party Notes by C.V. Crumley Date 3/8/29

Cont'd on Bottom Pg 7

Topography of Alley Between Gardner Ave Park and Ave



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 7

Platted by G. E. Holbrook
Date Aug. 1929
Map No. B-394-2
Platting C'k'd by W. Croup
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C. V. [illegible]
Date 3/5/30 E. Johnson
Indexed _____

Topography of Alley Between Sorensen & Park Sts

Cont'd To Bottom Pg 8

3+97 Steel Tank
14.1
24.5 Dia

3+75 T. P.
5.0

3+00 Galv. Iron Tank
18.6
8.5 Dia

2+85.0
13.7
.6
72.2
1.8

2+58 Steel Tank
21.0 Dia
7.9
3.8
13.3
2+47

Tank Tower (4x4 post)
2+43.8
3.9
5.0
8.6

2+34 Steel Tank
15.8
3.5 Dia

2+33 Steel Tank
21.0 Dia
7.5
15.8
3.5 Dia
2+25 Steel Compressor Tank

2+21.7
2+21
15.8
15.1
2.0
1.3
6.5
0.5
0.5
1.9
Steel Tank
6-4" Valves

Cont'd From Top Pg 6

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cont'd from Bk. Pg 9

F.B. 395 Pg. 8 Chief Party Notes by C.V. Crumley Date 3/21



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 9

Platted by G.F. Holbrook
Date Aug. 1929
Map No. B-394-2
Platting C'k'd by J.A. Crouf
Date OCT 1929

W. O. No. 916 O. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.V. [illegible]
Date March 15 1929
Indexed A. C. Johnson

Cont'd to Bottom Pg 12

Topography of Alley Between Gardendale & Park St.

7+91 6" Valve

2.3'x2.3' Conc. Foundation Block

Valve Box

Sump Hole Basins 7' Wide

7+68 Steel Tank 20.5 Dia

7+57

7+74 4" valve

7+973 Boiler

Lot 92.6 one Story corrugated Iron House

Oil Derrick & House

6+78.5

6+69.8 out 13.7 To offset Line

Boiler

Valve Box 6+67.8

Meter House 6+64.2

P.P. 6+64

Valve Box

Pg 12+86

6+35.77 Top Pg 8 Bottom Pg 12

Cont'd From Top Pg 8

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR.

F. B. 275 Pg. 10 Chief Party Notes by C.V. Crumley Date Mar. 13, 1924

Cont'd To Bk. , Pg 11

Topography of Alley Between Gardner & Park 56



RETURN TO LOS ANGELES COUNTY SURVEYOR.

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 11

Platted by G.F. Holbrook
Date Aug 1929
Map No. B-394-2
Platting C'k'd by [illegible]
Date OCT 1929

W. O. No. 716 D. S. O. No. _____
Location Santa Anita Spring
Surveyed by C.F. Crandall
Date March 14, 1929
Indexed E. C. Johnson.

Cont'd To Bottom Pg 12

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Topography - Area Between Fair Oaks & Park Sts.

P.P. 0 — 12.1 — 14+67

Pressure Tank Dia. 3.5 — 16.1

4" oil Pipe — 3.9' — 12.7

6" Valve — 8.3 — +30.5

6" oil Pipe — 14.0 — +28.4

7.8 — 12.6 — 14+26

10X1.3 Valve Box — 10.6 — 10.6 — 13+99

P.P. — 10.1 — 13+99.5

P.P. — 10.9 — 13+98

13.8

5.7

Valve Box 13+65

139

3.6

11.0

52.5

Conc. Iron Engine House

37.5

18.2

7.6'

15.0

13+05 P.P. — 11.0

13+04 — 12.0

P.P. — 13.2 — 12+94.5

14.0

6.0

3.5 Valve Box

12+79 — 14.0

13.4 — P.P. 12+78

Spring

Pg. 75 - 77

Set Tie

12+55.5 S

F.B. 81-19

Cont'd From Top Pg 10

F.B. 395 Pg. 12 Chief Party Notes by C.V. Crumley Date 3/14/29

Cont'd To Bottom Pg 13



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 13

Platted by G E Holbrook	W. O. No. 916 D. S. O. No.
Date Aug 1929	Location Santa Fe Springs
Map No. B-394-2	Surveyed by
Platting C'k'd by	Date March 14 1929
Date OCT 1929	Indexed C. C. Johnson

Cont'd to Bottom Pg 14

Forest Pg. 96

20+11.50
1 of 2 x 2 1" Deep
Par Pg. 19

9 St

17.6

Sump Hole
Burns 8' Wide

P. I. 12.4 19+05.5

Topographic of Alley
Between Gangler
and Park Sts

18+93 14.0 72.0

18+62.9 0.9

3.0 2.5 Valve Box

0.9

Alley

15.0

9.9 Concrete Tank
9' Dia.

18+09 9.9 Plat Form 5.5 High

5.5 2.3 17+60.5

Valve Box

3.9 3.5 Valve Box

17+24.3 11.4

5.4 9.7

Pipe Rack

37.9 21.5

19.9 6.8 8.6 25.3

16-139.4

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

F.B. 395 Pg. 14 Chief Party Notes by C.V. Cuevas Date 3-18-64

Cont'd To Bottom Pg 15



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 15

Platted by G.F. Holbrook	W.O. No. 916 D.S.O. No.
Date Aug 1929	Location Sunnyside Springs
Map No. B-394-2	Surveyed by T.K. Sinnick
Platting C'k'd by Yarrow	Date March 15, 1929
Date Oct 1929	Indexed G. C. Johnson

Cont'd To Bottom Pg 16

Topography of Alley Between 2nd and 3rd & Park Sts

3.0

2.0 23+81

Valve Box

9.9

Cor. Iron 2 Hole Stamped out House 15.5

9.3 23+73.2

23+13.21

54.0 Wide Burns G'Wire

41.4 (For Pg 20)

12.0

Corrugated Asbestos Five Fence 22+03.2

For wall, Fire Fence

70.5

9.4

90°

15.5 1x2 21+93.76

Oil Engage 2.4 21+92

2" Pump 21+90

0.0

Sump Box

4.2

6.8

21+85

0.5 10.4 2' Dia

21+79 Steel Tank

21+78.5 Corrugated Iron Tank 11.5 2.6

Cont'd From Top Pg 14

RETURN TO LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F. B. 395 Pg. 16 Chief Party Notes by C. V. Cummings Date 3/15/57

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

24+40.36
For S.W. Cor. Per R 20
& 4.3 F.B. 382-70

Butler ℄ — Road ℄

Alley 15' R 20

9.5

one Story Con. Iron Bldg

12.6

1.0

25+68.3

3.5

3.8

5.4

11

Valve Box

24+95.3

2.1

1.0

3.3'

Valve Box

1.5

24+90

0.7

24+84.7

3" Valve

24+83.9

3" Valve

1.1

Contd From Top Pg 15

Date [illegible] Notes by [illegible] Chief Party [illegible] F.B. 395 Pg. 17

Platted By G.F. Holbrook
Date Aug. 1923
Map No. B-394-2
Platting C'k'd by D.M. Finley
Date Oct. 1923.

W.O. No. 216 D.S.O. No.
Location [illegible]
Surveyed by [illegible]
Date [illegible]
Indexed C. Johnson

cont bet page 18

Alley between Gardiner + Park

[illegible] ✓

695.77

See Pg. 6 for Topog.

Sta. 0+00

Norwalk - Puente

Mile P2

Sta 0+00

P.T. S.W.C.T.

96.41

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 395 Pg. 18 LS4 Chief Party Notes by LS4 Date 1-14-21



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date [illegible] Notes by [illegible] Chief Party [illegible] F.B. 385 Pg 19

18

Platted by G.F. Holbrook	W.O. No. 216 D.S.O. No.
Date Aug. 1928	Location [illegible]
Map No. B-394-2	Surveyed by [illegible]
Platting C'k'd by R.M. Finley	Date [illegible]
Date Oct. 17-28	Indexed [illegible]

cont. bot page 20

Set 1x2 — 15.50 Δ — 21+93.76 Set 1x2

15.50' offset

182.24' Adjusted Distance

182.29 @ 89°-59'-30" = 182.26 ✓ C.V.L.C.

Set nail on cob — 62.08 — 90° — 15.50 — 14.05 — Set nail on brass cap

Forest — Per Pg. 75 — Set Nail — ST.

Sta. 20+11.50 Fd 1/2 x 2 1/2 under per F.B. 385 Pg 87

See Pg 13 For Topography

70° — 26.52 — Set nail on rig — Set nail on pipe rock

755.12

155.14 @ 80° = 755.62 ✓

cont. from Top page 19

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 3975 Pg. 20 Chief Party [illegible] Notes by C.V.C. Date 1-11-28


Adjusted Distance
Top of Bank
Top Pg 19
Edge of Asph
Fd N.47.T.P.
Fd N.T.P.
Bank
Fd 1/2" Pipe
Fd Nail
Fd 3/4" Pipe
Fd 1/2" Pipe
Fd Nail
Fd Nail
Fd Nail

Date [illegible] 29 Notes by [illegible] Chief Party [illegible] F.B. 395 Pg. 21

Platted by G.F. Holbrook	W. O. No. [illegible] D. S. O. No.
Date Aug. 1929	Location [illegible]
Map No. B-394-2	Surveyed by [illegible]
Platting C'k'd by D.M. Finley	Date Nov 1928 & Feb 1929
Date Oct. 1929	Indexed A. C. Johnson

CONT. bot page 22

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



Note: See Pgs 25 To 28 For Topography. J.C.V.C.

F.B. 395 Pg. 22 — Chief Party — Notes by LSH — Date 1-15-24

cont. sht no 23

Spring St

Pg 76

E St

Sta 12+55.78 Recovered per F.B. 81-83

Nut on top of curb

Nut on top of curb

Nut on top of curb

Nut on top of curb

(30) (30)

Park

Note:- See Pg's 28 To 31 For Topography. C.V.C.

Nut on top of curb

Nut on top of curb

Nut on top of curb

Nut on top of curb

Willis

Sta 6+36.73 Recovered under per F.B. 81-84

St

Pg 73

Nut on top of curb

Nut on top of curb

cont. plan To sht no. 21

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 10-15-29 Notes by A.S.M. Chief Party L.S.H. F.B. 395 Pg. 23

Platted by G.F. Holbrook	W.O. No. 916 D.S.O. No.
Date Aug. 1929	Location
Map No. B-394-2	Surveyed by
Platting C'k'd by R.M. Finlay	Date Nov. 28 to Dec. 12, 1929
Date Oct. 1929	Indexed A. C. Johnson

cont. to T. page 24

628.81 @ T = 70° = 629.76

Note:- See Pg 33 For Topography J.C.V.C.

SET N+T PP

SET N+T stop

FOREST ST.

Sta 23+11.21 Fd C.S. Mon per F.B. 81-23

FD N+T cor. tag

SET N+T cor drive bolt

765.52 C.S.B. = 765.43 ✓

Note:- See Pgs 31 To 35 For Topography

cont. from Page 22

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 375 Pg. 29 — Chief Party — Notes by [illegible] — Date 1-[illegible]-[illegible]



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 25

Platted by G.F. Holbrook
Date Aug. 1929
Map No. B-39.4-2
Platted Chk'd by Holbrook
Date OCT 1929

W.O. No. 916 D.S.O. No. _____
Location Santa Fe Springs
Surveyed by C.L. Smith
Date March 16, 1929
Indexed A. C. JOHNSON

Cont'd To Bottom Pg 26

Topography of Park Ave

1+58.6 6"I.P. Guy Post 25.2
1+56 Oil Guage 34.5
Per 321
Valve Box 4.0 27.4
1+50 3.6 27.4 1+47
3.7 3.13 2.9
28.0
Cor. Iron Shed 8.7 6.0 29.0 1+37
1+35 27.1 6"I.P. Guy Post
6"I.P. Guy Post 26.2 1+31
2.9 34.8
Valve Shelf 34.8 1+08.5
29.8 1+00
0+93 6"I.P. Guy Post 24.9 26.8
0+60' 23.6
0+ 33.6
5+x Pg. 52 at 6+03
31.0
0+33.0 30.4
0+31.5 2" Iron F.P. 31.1 27.5
14" Cypress Tree 32.7 0+28.5
T.P. 29.2 6+20

0+67 End of Fence
P.P.
Steel Tank 28'-Dia
4'x4' Cor. Iron 2 Hole Standard Out House
Wooden Fence
6+31.5 73.0
38.0
31.4 33.6 32.9 31.6

Norwalk - Puente Mills Road
0+00 East
Fd S.W.+T. Per Pg 21
& Per F.B. 81-77

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 395 Pg. 26 Chief Party Notes by C.V. Cumiford Date 3/16/29

Cont'd To Bottom Pg 27

Topography of Park Ave



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 27

Platted by G.E. Holbrook
Date Aug. 1929
Map No. B-394-4
Platting Checked by Holbrook
Date OCT 1929

W.O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.K. Cummings
Date May & June 1929
Indexed _____

Cont'd To Bottom Pg 28

Topography of Park Ave

27.5 — 37.0 — 26.9 — 28.5 — 22.0

Sump Hole
Banks
8' Wide
39.0

37.5 — 26.7

2.3' x 2.3'
Valve Box
5+60

26.9 — 32.9 — 0 — 5+48
Derrick Guy Wire

5+42 — 32.2 — 0 — Derrick Guy Wire

24.0 — P.P. 5+25

Valve Box — 6.4 — 34.4 — 5+17.5
3.4'
4" Drive O — 34.4 — 29.7 — 5+16

4" Hyd — 29.1 — 5+14

16.0 — 4.0' x 4.0' Valve Box

Park Ave 5+10 — 16.0

15.2 — 4.4

15.4 — Valve Box 4+94.5

Cor. Iron Tank — 30.5 = Dia. — 29.8 — 6+03 — 31.1 — 4+95

2" Plank Wall
2'+19.2

29.2 — 4+79

Park Ave

6'x6' Cor. Iron Shed

32.9 — 32.1 — 31.3 — 4+05.7

8.0

4+06.0 — 23.5 — 0 — RR

4+02 — 31.3

Cor. Iron Shed

4+00.8 — 26.7 — 0 — 6" I.P. Guy Post

Cont'd From T3S Pg 26

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F. B. 395 Pg. 28 Chief Party Notes by C.V. Crumley Date 3/16/59

Contd To Bottom Pg 29

Topography of Park AVE

8+05 P.P 27.1

27.9

32.5

3.0' 12.3

2.4' 12.3 7+83 Valve Box

Corrugated Iron Boiler House 41.0

24.5 oil Guage 7+81.0

21.5 24" Pepper Tree 7+81.0

21.0 30" Pepper Tree 7+61.5

7+47 26.1 27.8 7+50 End of Fence

Sump Box 3.5'X3.5'

28.4 7+43

21.0 7+40 24" Pepper Tree Stump

Woven Wire Fence 26.8

AVE

Cor. Iron Tank .75= Dia.

4.97 33.7

Cor. Iron Sliced 7.0 28.6

150'

28.0 6+75

Park

31.2

P.P. 30.2 6+71.6

oil Guage 24.8

O.K 6+76.7

Boiler 18.0

6+69 31.2 5.0

6+64.19 Set S.M.H.

29.0 6+61.3 23.3 PP 2.4 1.3 Dia. Pipe Coming

6+59 Valve Box 29.0 28.3 3.3

6+58 24.4 PP 3.3 6+53.7 Valve Box

28.7

Willis

Pg 73+87

6+52.73 1" Dia. G.I.S. Brass Cap Mon 1' Deep Pt. in C.L. ± F.F. 3.2-2.4

Contd From Top Page 27

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 29

Platted by G. F. Holbrook
Date Aug. 1929
Map No. B-394-2
Platting Ch'd by Holbrook
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C. V. Cummins
Date March 16, 1929
Indexed A. C. JOHNSON

Cont'd to Bottom Pg 30

Topography of Pine AVE

3.5' Dia. 27.4 9+57.2

Steel Separator Tank 3.5' Dia. 27.4 28.7 9+60 AVE

This Tank Removed C.V.C. 12/18/29

20" Pipe Line Tie 9+49 25.5 20.8 9+44 32.2

1 Story Con. Iron Bldg. 20.0 12.0 16.3 one Story Con. Iron 21.0 8.0

Wire Fence 9+23 21.5 24.7 9+13.6 4" Valve 21.0 9+22 31.9 9+20.6 Stump

2" Pipe Line Wall 3' High

18.0 1 Story Con. Iron Bldg. Well Engine House 28.4 9+13 39 10.5 15.7 27.3 1 Story Con. Iron Bldg. 8+75.5 29.5

Con. Iron Tank 18' Dia. 8+39.0 39

Pine Rack 23.0' 32.0 22.9 P.P. 8+19.7 25.7

Cont'd From Top Pg 28

Notes: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 395 Pg. 30 Chief Party Notes by S.V. Crumley Date 3/16/29



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 31

Platted by G.F. Holbrook
Date Aug. 1929
Map No. B-394-2
Platting C'k'd by Galbraith
Date Oct 1929

W.O. No. 916 U.S.O. No. _____
Location Santa Fe Springs
Surveyed by _____
Date _____
Indexed A. C. Jan. 1930

Cont'd To Bottom of Pg 32

4.0'
5.0
2 Ho'e Standard Oil Houses
31.5
31.4
15+01
30.2
29.5 Dia Steel Tank
15+00

Topographic of Park AVE

14+93
21.3
6.5 Dia Steel tank
3.6
6"x8"x12" Oil Pump
14+74
27.5
6"x4"x6" Water Pump

14+48.8
16.7
P.P.
14+40.5
28.7
P.P.
4" Valves Couplings
29.2
1 Dia Tank
14+35

30.9
End of Fence
30.0
14+20
oil Well Engine Shed
25.0
1 Story Cor. Iron Bldg
14+07
30.9

13+98
30.0
2" Plank Fence 6' High
Fence
28.5
4'x4' Valve Box
13+04
28.9

28.6
1.7
3.8
Valve Box
12+99
28.6
Woven Wire Fence
30.2
16.6
P.P.
12+89
12+40

Spring
12+55.78
Ed Bing Cap C.S.
Mon. in Pav. Per Pg 22
& F.B. 81-53

St
Pg. 92

Cont'd From Top Pg 30

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 395 Pg. 32 Chief Party Notes by C.V. Crumley Date 3/19/62

Cont'd To Bottom Pg 33



Cont'd From Top Pg 31

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 33

Platted by G.F. Holbrook
Date Aug. 1929
Map No. B-394-2
Platting C'k'd by [illegible]
Date OCT 1929

W.O. No. 916 U.S.O. No. _____
Location [illegible]
Surveyed by [illegible]
Date [illegible]
Indexed A. C. Johnson

Cont'd To Bet 19th. Pg 35

Topography of Park AVE

T.P. — 23+14.5

4" Fire Hyd. — 35.8 — 26+17.0

Valve Box — 31.5 — 34.7 — 25+10.5

Valve Box — 35.9 — 25+98

Valve Box — 32.9

15' — 31.5 — PARK AVE

Valve Box — 27 — 31.5 — 24+72

32.5

3'x3' Valve Box — 32.6 — 23+95

31.6 — 31.9 — 3.7 — Park Pg 21

Valve Box — 22+03

P.P. — 36.9 — 6" C.I. Guy Post

4.5'x4.5' Valve Cover Made of 4" T.P. — 29.2 — 29.1 — 20+17

20+11.21
Fd. C.S. Brass Cap Mon.
1 ft. Dn. Per Pg 23 of F.B. 81-15

Forest Pg 76 — 5th.

3" Oil Pipe — 25.0 — 18+77

Cont'd From Top Pg 32

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 375 Pg. 34 Chief Party Notes by Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 35

Platted by G.F. Holbrook
Date Aug. 1929
Map No. B-394-2
Platting C'k'd by _____
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location _____
Surveyed by _____
Date Nov 1928 & Dec 1928
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



F.B. 395 Pg. 26 LSH Chief Party Notes by LSH Date

Park Ave

6+71.7 guy P/L

6+14.2

6+00

27.0

5+96.2 Valve

5+72.2 Valve at Tee

5+49.9 Stub

4+37 P/L

4+00

2+13 Valve

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 385 Pg. 37

Platted by G. F. Holbrook	W. O. No. 916 D. S. O. No.
Date Aug. 1929	Location
Map No. B-394-2	Surveyed by
Platting C'k'd by	Date
Date OCT 1929	Indexed A. C. Johnson

Park Ave

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



F. B. 395 Pg. 38 Chief Party Notes by C.V. Crumley Date 3/26/29



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 39

Platted by G.F. Holbrook	W. O. No. 916 T&B No. 059
Date Aug. 1929	Location Santa Fe Springs
Map No. B-394-2	Surveyed by C.K. Crowder
Platting C'k'd by D.M. Finley	Date May & June 1929
Date Oct. 1929	Indexed M. C. Johnson

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

84° Tan S'ly

Set N&T. Cor. 2.42 56.49 Fd N.&T. P.P.

Butler 628.72 Fd 2X2 Sta 21+79.71 Per F.B. 382-71 185.12

Rd. F.B. 382-71 175.11

38.36

Fd N.&T.T.P.

Alley Between Park Ave & Anaheim Telegraph Road

Rel. Pg 54

628.79 ℄ 78° 628.76

Adjusted Distance 628.71

Topog. Pgs 49 & 50

AVE.

Set "X" on Iron Plate - Cor. of oil Derrick X

Alley

0+00 E. & W. Fd 2X2 2' dn Per F.B. 81-86 Fnes Pg 79

Set N.&T. Cor. F.P.

52.60 29.38

Forest (Pg 79) ℄ 185.12 ℄ St 175.12

35.69

Set N.&T. Cor. Valve Box

Topog. Pgs 46 To 48

558.76 .93 .93

4+66.71 Set 2X2 18" Deep

Anaheim Telegraph Pg 53

Rec. Rel. Tr. Map: 558.50

5+38.76 End of St By Pt. Bet. Wrgs E. Forest & E. Spring St. Nothing Set on account Sump Hole

755.25 Calc. Rec. 754.90

Pg 23 & 24 Par. 4

℄ Pg 76 ℄ ℄

Spring Nothing Set

Cont'd From Top Pg 38 ST.

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Notes by

Chief Party

F.B. 335 PG. 40

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 41

Platted by G.F. Holbrook
Date Aug. 1929
Map No. B 394-2
Platting Ck'd by [illegible]
Date OCT 1929

W.O. No. 916 U.S.O. No. _____
Location Santa Fe Springs
Surveyed by C.V. Crumley
Date March 27, 1929
Indexed [illegible]

Topography of Alley Between Park Ave. & Anaheim Telegraph Rd

Contd To Bottom Pg 42

2+15.43 Fd 2x2 Per Pg 39

13.4 — 2+09

oil Separator Tanks Dia = 3.6'

14.4 — 2+01

1+39. 12.0 — 30'-Dia — Cor. Iron Tank

1+05 8.4 — 30'-Dia — Steel Tank

All Fd Pg 38

6" I.P. Guy Post 0+79 14.3 — 4" Valve

17.0 — 0+67

Cor. Iron Tank — 9.0'-Dia — 21.0 — 0+66

0+60 12.3 — 29.0'-Dia — Steel Tank

0+54 8.9 — oil Gauge

21.5' — 14.7

Boiler 7.7' — 2.2' — 0+45 9.0

Boiler — 0+43 9.7 — 6" valve — 2.4

Boiler 7.7' — 14.4 — 10' — 1 Story Cor. Iron Bldg

21.5 — 13.2 — 8.0

0+32.3 14.9

0+33.2

0+29 13.8 — 4.5 — 4.6 — Valve Box

0+26.6 6" I.P. Guy Post 13.3 — 13.6

P.P. 13.8 — 6+24

0+00 West Fd. 2x2 Per Pg 38

Willis ℄ ℄ AVE.

See Pg 43

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 395 Pg. 42 Chief Party Notes by C.V. Crumley Date 3/27/29

Topography of Alley Between Park Ave & Anaheim Telegraph Rd

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

See Pg 38
"X" = 3+50.86
Note - End of Alley Falls on E. face of Conc. Foundation Set "X" on Top 0.20 From Face & End of Alley
See Pg 38

End of Alley 3+52.66 N 0°41'00" E

2.6 2.3 1.9 1.0

3+50.4

3" Pipe Line

3+48.5 3+50.2

3+47.9 2" Pipe Line

8.4

4" Valve 3+46.6 4" Pipe Line

48.3 Pg 38 Alley

Sump Hole Banks 8' wide

2+91

14.4 63.3

Sump Banks Hole 8' wide

2+37

6.9 x 2.9' Pump

54.0 85.0

Mud Pump Platform

4.4 11.3 11.4 1.23' 0.3

2+24.1

Cont'd From Top Pg 41

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 43

Platted by G.F. Holbrook
Date Aug. 1929.
Map No. B-394-2
Platting C'k'd by [illegible]
Date OCT 1929

W.O. No. 916 D.S.O. No. _____
Location Santa Fe Springs
Surveyed by C.V. Crowley
Date March 27, 1929
Inexed A.C. Johnson

Cont'd To Bottom Pg 44

Sump Hole
Banks 8' Wide

Topography of Alley Between Park Ave & Anaheim Telegraph Rd

6" Conc. Ret'g Curb 18" High

Woven Wire Fence

4" Valve Out 5.1

4" Valve

4" Pipe Oil

0+82 Steel Tank

26.0 = Dia

Conc. Foundation

Sump Box 0+75

C" Valve

Oil Guage

Valve Box

W. End Woven Wire Fence. Iron Posts

Offsets To 10 ft. Line

Solid Wooden Fence. 3"x4" Posts.

Valve Box

P.I.

0+00 East Fd 2X2 Per Pg 38-41

Willis Ave

10'

See Pg. 41

Notes: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 395 PG. 44 Chief Party Notes by C.V. Crowley Date 7/27/29

Cont'd To Bottom Pg 45

Topography of Alley Between Park Ave & Anaheim Telegraph Rd



Cont'd From Top Pg 43

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 45

Platted by G F Holbrook
Date Aug 1929
Map No. B-394-2
Platting Ck'd by [illegible]
Date OCT 1929

W. O. No. 916 S. S. O. No. _____
Location Santa Fe Springs
Surveyed by C V Connelly
Date March 27, 1929
R. C. Johnson
Indexed _____

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Topography of Alley Between Park Ave & Alameda Telegraph Rd



F.B. 395 Pg. 46 Chief Party Notes by C.V. Crumley Date 3/28/29

Cont'd To Bottom Pg 47



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 47

Platted by G.F. Holbrook
Date _____
Map No. B-394-2
Platting C'k'd by _____
Date OCT 1929

W.O. No. 916 D.S.O. No. _____
Location Santa Fe Springs
Surveyed by C.V. Cummings
Date March 28 1929
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cont'd To Bottom Pg 48

Topography of Alley Between Park Ave & Alameda Telegraph Rd

End Fence 3+77.4

3+69 6" Valve

3+67.6

4" Water Main

3+60.3

3+51.0

1 Story Cor. Iron Tool Shed

Cor. Iron Tank & Tower 16.0 Dia

1 Story Cor. Iron Water Well House

Water Well Tower

3+48.3 Gas Meter Box

3+42.7

3+40

6" Steam Pipe

3+28.4

3+35.6

3+26.0 1½" I.P. Pipe Support

3+25.2 6" Steam Pipe

3+24.9

2" I.P. Pipe Support

1½" I.P. Pipes

Boiler

Boiler

Boiler

Boiler

3+23 Valve Box

3+19.4 Valve Box

3+19.2

1½ I.P. Pipe Support 3+17.8

Alley Pg 48

3+16.7

2" I.P. Pipe Support

3+15.4 Fence Post (E. End)

Valve Box 3+14.0

3+13.6

2+95.5

2" I.P.

2+97.9 1½" I.P. Pipe Support

2'x2' Valve Box 2+98.3

4" Steam Pipe Valve 2+97.6

Cont'd From Top Pg 46

F.B. 395 Pg. 48 Chief Party Notes by C.V. Crumley Date 3/28/57

5+58.96
End of Alley
Nothing Set
See Pg 39

7.2

5+58.51

To Intersection of Alley
Between Pine & Sva
& Anaheim Tel Branch Pa

50.8

Sump 7.5'
Banks 6' Wide

12.4

70.6

2.4

5+06.4

8.7

4+94.9
Gas Meter

3.2

9.3

Pump Platform
6.8

4+83.6

1.3

4+64.91
2" x 2" Pot Pg 39

1.3

3.7

4+58.3

Mover Wire Fence

8.7

4+25.6

4" Valve
4+22.8

4.9

4+18.3

17.6

2.3

6" Pipe

6" Valve
4+11.6

4" Valve

1.8

1.0

53.0

4+06
3" Valve

0.7

Sump Hole
Banks
8' Wide

4+03.4
3" Valve

0.8

3+97.5

7.6

47.0

Gas Meter

0.9

3+89.9

Cont'd From Top Pg 47

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 49

Platted by G.F. Holbrook
Date
Map No. B-394-2
Platting C'k'd by [illegible]
Date OCT 1929

W. O. No. 916 O. S. O. No.
Location Santa Fe Springs
Surveyed by C.H.
Date March 28, 1929
Indexed L. C. Johnson

Cont'd To Bottom Pg 50

Pole
High Voltage Transformer Pole
P.P.
3"Valve
Conc. Foundation For Water Cooler
Topography of Alley Between Park Ave & Anaheim Telegraph Rd
One story Concrete Engine House
Valve Box
6"Pipe Line
3"Valve
4"x6"Light Post
Alley
2" Pipe Line
Ct. on East Ed. 2x2 Post Pgs 39 & 46
Forest
Pg. 97
See Pg 46

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 395 Pg. 50 Chief Party Notes by C.V. Crumley Date 3/28/29

6+28.72
Fd 3x2 Per Pg 39
Butler

Pg

FB 352-71

Topographic of Alley Between Park Ave & Anaheim Telegraph Rd

8.6

2" Plank Retn Wall
2' High

7.7
8.5
7.7
6.0
27
5+82.8
4.1
5+84.5

Survey Box
7.9
8.0
33
4.7
8.7
5+65.7

Steel Tank Separator
37=Dia
10.8
5+95.2

Steel Tank Separator
37=Dia
10.6
5+71.1

Cor. Iron Tank
6" Pipe
4" Pipe
8.5=Dia
10.0
5+27

4" Valve
6" Valve
6" Pipe
2.0
4.4
5+36.2
7.9

Valve Box
7.1
3.0
3.0
2.0
27
5+17.2
1.0
5+17.8

Cont'd From Top Pg 49

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 51

Platted by G.F. Holbrook	W. O. No. 916 D. S. O. No. _____
Date AUG 1929	Location _____
Map No. B-39-1-3	Surveyed by _____
Platting C'k'd by D. M. Finley	Date _____ Feb 1929
Date OCT 1929	Indexed A. C. Johnson

Cont. Sect. Page

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

635°42'00" = 635°42 ✓

Topography on Pgs. 5-5 To 5-8

Telegraph Rd

Norwalk Pkwte

Mills Rd.

Sta 0+00 on 9 Feet Rd
Set Spk FS 81.76 (-5 Feet)

Anaheim

Set Spk

Set Spk

F.B. 395 Pg. 52 ZSH Chief Party Notes by ZSH Date 1-1-57

cont. 397 page

Spring St

Willis St

Topography

cont. from Top page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 53

Plotted by G.F. Holbrook	W.O. No. 916 D.S.O. No. _____
Date AUG 1929	Location _____
Map No. B-394-2	Surveyed by _____
Platting C'k'd by D. M. Finley	Date _____
Date OCT 1929	Indexed A. C. Johnson

Cont. bet. pages

628.79 @ 52° = 493.65 ✓

628.69

49

Pg 80

Forest

Stations & Offsets per F.B. 81-2

71.84

5t

& per page 79

755.06

Cont. from Top page

RETURN TO LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 395 Pg. 54 — L S H Chief Party — Notes by C.V. Crawley — Date Apr. 12, 1929



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 55

Platted by G.F. Holbrook
Date AUG 1929
Map No. D-394-2
Platting C'k'd by [illegible]
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.V. Cook
Date March 4 & 7 1929
Indexed C. Johnson

Cont'd To Bottom Pg 56

Topography of Anaheim Telegraph Rd

1+84 — 22.8 — 24" Stump

1+71 — 32.8 — 32.8 — 2.5 x 2.5 Valve Box

1+65 Light Pole? where?

40.8

1 Story Cor. Iron Shed

C.V.C. 12/18/29

40.8 — 6.0 — 1+53.7

29.2 — 3' Stump 1+53

2'x2' Valve Box 1+47.4

44.8

Woven Wire Fence

1+34.4

1.8 — 6" Water Pipe 0+1.26

32.6

1+14.7 End of Fence

Road

41.6

Valve Box 1+24 — 4.0 — 44.0

40.0

66.0

1 Story Cement Block Bldg

40.8

Valve Box 1+19.3 — 2.2 — 40.6

Macadam

1+0.8 — 18.8 — P.P.

P.P. 0+66.2 — 32.2 — where?

Telegraph Pg 51

Cone. Walk 8.0

49.8

15.8

21.0

2 Story Brick Bldg

4" Fire Hyd. 0+41.2 — 41.9 where?

9.6 one Story Frame Bldg

64.3

40.0

0+29

R=50'

B.C.

95.0

65.0

R=50'

B.C.

29.9

Mills Road

Norwalk-Puente

Pavmt

20.0

Cement

50'

B.C.

80.0

B.C.

0+00 East

Fd S.&W. Pr. Pg 51

R=25'

R=10'

24.0

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 395 Pg. 56 Chief Party Notes by C.V. Crowley Date 3/29/29

Cont'd To Bottom Pg 57

6" I.P. Guy Post 32.4 — 4+00 — 40.5 — Woven Wire Fence Cont'd

Topography of Amargosa Telephone Road — 3+89.5 — 45.8 — 42.5

End of Pipeline 37.3 — 3+87.0 — 22' Macadam — 3+02 — 41.9 — (Cor. Iron Shaft Attached To Oil Well Derrick)

P.P. 31.9 — 2+61 — 5.7 — Conc. Sump

Meters 2.8 — 37.1 — 3+56 — 43.5 — Conc. Sump Box

Valve 20 — 37.6 — 21.1 — P.P. 3+34 — 3+48 — 6 Conc. Walls 6" High

End 8" Pipe Line 3+32 — 4" Fire Hydt

3+61 — 30.0 — 3+14 — 48" Stump — Cor. Iron Tank

3+14.5 — 6" I.P. Guy Post — 37.8 — 30.0 — 42.0 — 30' Dia.

22' Macadam

2+64 — 41.9 — 30' Dia. — Cor. Iron Tank

2+60 — 6" I.P. Guy Post — 34.5 — 30.0 — 3' Gum — 2+52.2

2+42.8 — 30.2 — 4' Gum Tree

29.6 — 30' Gum Tree 2+23.1

6" I.P. Guy Post 3.1 — 31.0 — 2+13.6

P.P. — 2+13 — 29.9

2+06 — 29.9 — 24" Gum Tree

2+02 Valve Box — 38.7 — 38.7 — 1.9

Gas Main 2100 — 40.8

1+98.6 — 2+24 — P.P. — Woven Wire Fence Cont'd

1+93 — 29.8 — 30' Gum

Cont'd From Top Pg 55

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 57

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by [illegible]
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.K. Swanson
Date March 29, 1929
Indexed L. C. JOHNSON

Cont'd To Bottom Pg 58

Topography of Anaheim Telegraph Rd



Cont'd From Top Pg 56

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 385 Pg. 59 Chief Party Notes by [illegible] Date 3/29/29

Cont'd To Bottom Pg 59

22.0 Macadam

8+59 30" Pine Stump

30.3

8+52.7 Woven Wire Fence

39.9

Topography & Improvements Taken from Prop. No.

21.9

8-51

21.9

2.5'x2.5' Valve Box

3.0'x3.0' Valve Box

23.0

18" Stump

8+38

23.0

6.9

28.0

28.0

2'x2' Valve Box

8+36

29.8

2' Stump 8+29

29.9

2" Stump 8+17

28.5

30.2

2' Stump 8+07

7+96.9 P.R.

30.5

52.9

Ditch Mark

23.5

P.R. 7+77.6

37.4

27.9

7+56

30.2

Telephone Pole

Amherst Ave.

39.9

15.3

Corr. Iron Engine House

16.1

38.2

6+90

Platform

4.5

9.7

Valve Box

30.4

3" Stump 6+85.7

3.5

3.4'

25.3

3.5

6.0

25.8

6+65

1.3

P.R.

31.2

6+63

39.8

26.3

Steel Derrick (oil Well)

34.4

6+53.3

Valve Box

2.2

1.7

34.4

6+48

39.8

1 Story Cor. Iron Engine House

23.5

41.9

6+24.1

R 22.00 Macadam

Wilkie ST.

6+35.65 Fd S.W.T. Per P.S. L-2

Cont'd From [illegible]

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 59

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by [illegible]
Date OCT 1929

W. O. No. _____ D. S. O. No. _____
Location Santa Ana Spring
Surveyed by C. Connell
Date March 30, 1929
A. C. Jennson
Indexed

Cont'd T.C. Bottom Pg 60

10+06 P.P.

44.5

Topography of Anaheim Telegraph Rd

10+04 — 30' — 3

9+83 — 30' — 3 — 14" Stump

24" Palm — 30.6 — 9+78

9+73.6 4" Valve

42.7

3.2 — 2.8

42.7

3.0' — 3 — 9+74 — 18" Stump

42.7

Valve Box

22.00 Mag. Stump

9+68

9+65 — 44.8 — 4" Pipe Line

9+62 — 30.0 — 3 — 18" Stump

23.3 — P.P. — 9+58

9+52 — 30' — 3 — 24" Stump

30" Palm — 30.4 — 9+37

P.P. — 30.8 — 9+31.8

9+21.5 — 41.7

9+20 — 29.5 — Stump

9+18 — 42.4 — 3.6 Dia.

Sewer Manhole

37.8

9+05 — 30" Stump

30.2

10.8 — 30.4 — 9+00

30" Palm

1.0 — 2.2 — Drain Box

42.0

6+71.2 — 40.7

8+61.5 — 42.3 — 4" Pipe Line

Cont'd From Top Pg 58

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 325 Pg. 62 Chief Party Notes by C.V. Crumley Date 3/31/39

Cont'd To Bottom Pg 61

Topography of Annapolis Telegraph Rd



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 61

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-39-9
Platting C'k'd by [illegible]
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.D. Crowley
Date March 30, 1929
Indexed A. C. Johnson

Topography of Anaheim Telegraph Rd

Contd To Bottom 62

14+41 — 28.00 Macadam — 31.7 — 39.9 — 14" Palm — 38.0 — Sump Hole Banks 8' Wide — 14+ Wooden Fence

14+30 — 24" Palm — 31.0 — 39.9

14+10 — 30" Palm — 31.0 — 35.0

14+01 — 39.9

13+98 — 23.7 — T.P.

13+78 — 30.2 — 3 Palms — Sump Box — 7.8 — 10.0

13+62.8 — 39.7 — Rd

13+60 — 30.4 — 8" umbrella Tree

13+58 — 29.4 — 3 Palms

22.4 — 13+36

13+31.5 — P.P. — 31.8 — Anaheim Telegraph Pg 525

13+20.5 — 6" Valve — 43.3

13+17.7 — 2'X2' Valve Box — 42.5

6" Pipe Line — 42.5

13+05 — Oil Guage — 42.6

12+97 — 30" Palm — 37.0 — 28.7 — 30" Palm

2.4'X2.4' Valve Box — 42.8 — 23.1 — 12+89.2 P.P. — Wooden Wire Fence

12+91.4 — 42.8 — 40.0 — 12+89.2

6" Valve — 43.0 — 12+89

24.5 — 3.2

12+84 — 24.5 — 3.0 — Valve Box

35.5 — G.P. 12+78.2

12+55.7 — Fd S.+W Pen Pg 52

28.00 Mac. Down

SPRING ST.

℄

Tg 93

Contd To Top Pg 60

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 515 Pg. 62

Chief Party Notes by C.K. Crumley Date 3/23/29

Cont'd From Bottom Pg 63

Cont'd

17+07 — 44.5 — 40.5 — End of Fence

27.4 → P.P. 17+00 — 44.3 — 16+87

26'-Dia

16+77 — 44.5

Steel Tank

16+73 — 44.1

3.8 — 3.9 — 3.3 — 3.4

Valve Box

Cor. Iron Guage Shelter

16+58 — 42.6 — 26'-Dia

28.00 Macadam

44.2 — 16+49

16+37

Rd.

Steel Tank

3" Steel Pipe

49.5 — 16+33

16+28 — 42.8 — 26'-Dia

16+21 — 23.8 → T.P.

4.2

16+10 Valve Box

44.5 — 16+16 — 40.2 — Fence Woven Wire

Pump

Conc. Foundation — 2.5

43.0

Telegraph Line

16+01 — 42.7

P.P. — 30.2 — 15+99

W. End Wood Fence 15+74

40.0 — 15+57 — 43.0

6" P. Guy Rod

38.5

Pipe Rack

15+06 T.P.

21.5

38.9

20.0

14+99

14" Pine 14+97

31.0

39.4

40.6

2.3 x 2.3 Valve Box 14+85

40.6

14+69 — 39.2

183

3'x3' Valve Box 14+78 Out 42.1

P.P. — 31.4 — 14+66

1 Story Concrete Engine House

14" Palm — 31.6 — 14+54

26.8

2.5' x 2.5' Valve Box 14+48

26.8

20 cu Macadam

Cont'd From Top Pg 61

Anaheim Pg 53

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 63

Platted by G.F. Holbrook
Date AUG 1929
Map No. D-394-2
Platting C'k'd by [illegible]
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.K. Crumbaker
Date March 30, 1929
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cont'd Woven Wire Fence
4" Steam Pipe
20+86.9
4" I.P Guy Post
41.2
40.6
28.00 Macadam
Cont'd To Bottom Pg 64
20+86
Topography of Anaheim Telegraph Rd
20+56
P.P.
31.0
22.8
T.P.
20+45
44.9
Valve Box
5.8
44.8
20+49.4
Rd
20+15
40.4
Forest ST
Pg. 97
Pg. 98
45°
℄
℄
20+10.77
Fd. S. M&T. Per Pg 53
40.7
19+78
19+45
22.9
T.P.
40.9
Telegraph ℄
Steel Tank Tower
Conc. Foundation
Block 43
5.0
18+89
41.9
30.4
P.P. Cor
18+94
18+36
21.7
T.P.
38.6
Pipe Rack
35.3
Anaheim ℄
Pg 53
17+57
39.3
16.6
1 Story Cor. Iron Engine House
17+30
P.P
30.0
39.7
17+27
21.7
T.P.
28.4
17+21
40.2
16.9
16+95
2.4' Stump
42.3
28.00 Macadam
3" Steam Pipe
Cont'd
Cont'd From Top Pg 62

D.

F.B. 395 Pg. 64 — Chief Party — Notes by C.V. Crumley — Date 4/1/29

Cont'd To Bottom Pg 65

1.6'x1.6' Brick Column

0.9 26' Brick Wall

Conc. Wall 2' High

Brick Column

40.7 — 28.00 Macadam — 22.9 — T.P. 24+86

40.5 — 24+69.5

Top of Cut

Anaheim-Los Angeles Telegraph Rd

40.5

Brick Column

40.8 — 24+49

1.6'x1.6' Brick Column

40.80 — 24+41.7

E. End Wire Fence

40.8 — 24+40.3

23+85 P.P. — 30.7 R — 22.5 — 23+86 T.P.

41.0

Valve Box

41.0 — 23+06

W. End Woven Wire Fence 23+02.7

40.8

42.6

2'x2.5' Valve Box

42.6

Road

Telegraph

Fence Cor.

53.0

22.5 T.P. = 22+79

42.7

22+31

P.P. 31.4 — 22+21

22.5 C.T.P. 21+66

24

42.9

Valve Box 20+34

42.4

3.8

42.3

Cor. Iron Guage Shelter

42.3 — 21+20

42.3

21+17 — 40.8 — 71.0

Valve Box

3.1

42.3 — 21+17

Sump Hole

Bank's 10' Wide

6.3

43.5

Valve Box

43.5 — 21+01

28.00 Macadam — 42.9

Woven Wire Fence Cont'd

Cont'd From Top Pg 63 — 45.0

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 65

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by Holbrook
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by _____
Date April 1, 1929
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Macadam Rd.

Topographic of Anaheim Telegraph Rd.

Telegraph Rd. F.B. 378-98

26+39.45 Fds. W.T. Rec Pg 54

Butler F.B. 395-107

Road F.B. 382-79

14.0 15'

Anaheim Pg 54

6 25+15 T.P. 23.8 62

6 25+14 G.P. 32.6

39.1 T.P. 38.5

25+97 24.1 T.P. 38.6

23+12.5

Platform 24.0

38.5

1 Story oil Well

25+60 23.1 6 T.P. 38.5

Engine House (Cor. Iron) 13.4 2.8 17.0

25+57 39.4 P.P.

25+47 41.7

25+47 6" Lemon Tree 41.6 41.7

Platform 14.0 15.0

P.P. 31.4 25+43

6" Logan Tree 33.4 25+35

Conc. Wall 2' Hi. 41.3 25+13

Cl. Wire 22.5

Cont'd From Top Pg 65

F. B. 395 Pg. 66 Chief Party Notes by Date

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 67

Platted by G.F. Holbrook	W. O. No. 916 D. S. O. No.
Date AUG 1929	Location Santa Fe Springs
Map No. B-394-2	Surveyed by
Platting C'k'd by D. M. Finley	Date
Date OCT 1929	Indexed C. Jo...

Cont. bk. page 68

COUNTY SURVEYOR'S MONUMENT

Set 2" I.P. with Brass Cap in Conc. 6" Deep. Marked as shown. C.V.C. 8/29/29 on ℄ Prod.

Fd. N&T. P.P.

179.29

54.03 10' 90° 91° 30' 31.19 30.00 31.47 30.00 10' 10' 30' 31.85 56.38 10'

Fd. N&T. P.P.

Set 2" I.P. with Brass Cap in Conc. 6" Deep. Marked as shown. C.V.C. 8/29/29

℄ Pg 165 - F.B. 382

Set 2" I.P. with Brass Cap in conc. 6" Deep. Marked as shown. C.V. Crumley 8/29/29

Fd. N&T. T.P.

Fd. N&T. Cor. Rig

Fd. 5/8" W. Per F.B. 382-105 F.B. 81-78

Note Topog. on Pg 81

179.29

179.32 @ 60° = 179.29

179.32 @ 60° = 179.29

Set 2" I.P. With Brass Cap in Conc. 6" Deep - Marked as shown. C.V.C. 12/19/29

Fd N&T. P.P.

Fd N&T. P.P.

30.00

46.28 33.00 14.66 47.05

Clark

F.B. 382 - Pg 5

33.00

30.00 46.15 30.00 16.70

℄ Prod.

Set 2 I.P. With Brass Cap in Conc. 6 Deep Marked as shown C.V. Crumley 12/19/29

Fd N&T. P.P.

Set 2 I.P. With Brass Cap in Conc. - 6 Deep Pin Marked as shown. C.V.C. 12/19/29

0+00 North

Fd. S.W. & T. Per F.B. 382-5 F.B. 81-78

Fd "X" in Iron Gate Post

COUNTY SURVEYOR'S MONUMENT

COUNTY SURVEYOR'S MONUMENT

COUNTY SURVEYOR'S MONUMENT

COUNTY SURVEYOR'S MONUMENT

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 395 Pg. 68 — Chief Party — Notes by LSH — Date

Cont. from p. 69

Set 2" I.P. with Brass Cap in Conc. 8" Deep. Marked as Shown. C.V. Crumley 9/3/29

30.00

Set 2" I.P. with Brass Cap in Conc. 8" Deep on ℄ Produced. Marked as Shown C.V.C. 9/3/29

6+82.30 Fd. S.W.P.T. Per P.S. 214 F.B. 81-77

30.00 30.00 42.5° 42.45

Park Ave

Pg 21 ℄

30.00

Set 2" I.P. with Brass Cap in conc. 8" Deep - Marked as Shown. C.V.C. 9/3/29

160.41 @ 60° = 160.37

COUNTY SURVEYOR'S MONUMENT

Note: Tan. Pg 82

5+21.92 Fd. S.W.P.T. Per Pg 64-17

30.00 30.00 31.77 30.00 31.47 10' 10' 10' 30' Alley ℄ Pg 82

Set 2" I.P. with Brass Cap in Conc. 8" Deep. Marked as Shown. C.V. Crumley - 9/3/29

Set 2" I.P. with Brass Cap in Conc. 8" Deep. Marked as Shown. C.V.C. 9/3/29 and ℄ Prod.

163.37 @ 60° = 163.34

Fd. N&T PP. on ℄ Prod.

Fd. N&T. I.P. Set L&T. in Conc. Foundation of Boiler House C.V. Crumley

Set 2" I.P. with Brass Cap in Conc. 8" Deep. Marked as Shown. C.V.C. 9/3/29

30' 66.72 54.82 44.675 33' 33' 33'

Garage F.B. 395-11

5+59.52 Fd. S.W.P.T. Per F.B. 395-117 & F.B. 81-75

30' 30' 30'

66.72 54.82 44.675 41.77 33' 33' 33' 30'

Fd. N&T. I.P.

Fd. N&T. Cor. P.S. 9

Set 2" I.P. with Brass Cap in Conc. 8" Deep. Marked as Shown C.V.C. 8/29/29

COUNTY SURVEYOR'S MONUMENT

Cont. from p. 67

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 69

Platted by G.F. Halbrook	W.O. No. 916 D.S.O. No. _____
Date AUG 1929	Location _____
Map No. B-394-2	Surveyed by _____
Platting C'k'd by D. M. Finley	Date _____
Date OCT 1929	Indexed C. Johnson

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F. B. 395 Pg. 70 Chief Party Notes by Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 71

Platted by G. F. Holbrook	W. O. No. 911 D. S. O. No.
Date AUG 1929	Location
Map No. B-394-2	Surveyed by
Platting C'k'd by D. M. Finley	Date
Date OCT 1929	Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

cont. bot. pg 72

Replaced with 2" I.P. with Brass Cap in Conc. 10" Deep - Marked as Shown C.V.C. 9/16/29

1±79.26

Fd 2x2 8" Dm Per F.B. 382-106 " 81-87

63.75

Set 2" I.P. with Brass Cap in Conc. 8" Deep Marked as Shown C.V.C. 9/16/29

Fd N.&T. P.P.

31.875 31.875

136.16 47.90

33.36 33.42 33.36

76.00 74.89

Alley 10' 10' 10' 10' Alley F.B. 382-106

F.B. 382 Pg 106

Fd N.&T. Valve Box

Fd N.&T. P.P.

Set 2" I.P. with Brass Cap in Conc. 8" Deep Marked as Shown C.V.C. 9/16/29

Set 2" I.P. with Brass Cap in Conc. 8" Deep Marked as Shown C.V. Crumley 9/16/29

89°-50'-30"

Topog. on Pg 84

COUNTY SURVEYOR'S MONUMENT

COUNTY SURVEYOR'S MONUMENT

179.26 Meas. = 76 = 179.26

Williams

31.875 31.875

Set 2" I.P. with Brass Cap in Conc. 18" Deep Marked as Shown - C.V. Crumley 9/16/29

Fd N.&T. P.P.

90°-09'-30" 89°-50'-30"

Set 2" I.P. with Brass Cap in Conc. 15" Deep under 4" oil Pipe - Marked as Shown. Set Punch Hole + X Top of oil Pipe over Mon. C.V.C. 9/16/29

31.875 31.875

Clark

33 33.00 57.09 45.82 37.18 45.96 33.00 33

F.B. 382 Pg 95

31.875 31.875

44.14

Fd N.&T. P.P.

0°00' North

Fd. C.S. Brass Cap Mon 1' Dp. Per F.B. 382 + F.B. 81-80

F.B. 395 Pg. 72 Chief Party Notes by Date



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 73

Platted by G.E. Halbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. _____ D. S. O. No. _____
Location _____
Surveyed by _____
Date _____
Indexed S. C. Johnson

COUNTY SURVEYOR'S MONUMENT

Set 2" I.P. with Brass Cap in Conc. 10" Deep Marked as Shown in C.V.C. 9/27/29 On ℄ Produced

10+42.30 Fd S.W.&T. Per Pg 52+38

Anaheim Telegram Road

Pg. 52

40.00 31.875 40.00

Nothing Set-Oil well Sump in way

89°-50'-30"

185.12

Topog. on Pg. 88

ST.

89°-50'-30"

185.13@T=76°=185.12

Set 2" I.P. with Brass Cap in Conc. 6" Deep. Marked as Shown in C.V.C. 9/26/29

90°-09'-42½"

10'

Nothing set-Sump Box in way

Alley

Pg 38

10'

31.875 33.44 20' Alley

Pole Pg 38

Set C.S. Mon

32.44 31.875 31.38 31.875

9+57.46 Fd 2x2" 18" dn Per Pg 36 Replaced with 2" I.P. with Brass Cap in Conc. 8" Deep. Marked as Shown in C.V.C. 9/26/29

90°-09'-42½"

175.12

175.13@T=76°=175.12

Topog. on Pg 87

89°-50'-30"

Set 2" I.P. with Brass Cap in Conc. 12" Deep Marked as Shown in C.V.C. 9/13/29

Set 2" I.P. with Brass Cap in Conc. 6" Deep - Marked as Shown in C.V.C. 9/18/29

31.875 31.875

43.71 30.00 32.29 43.83 30.00 30.00

Park

Pg. 22

31.875 31.875

30.00 43.83 43.715 30.00

31.875 31.875

6+82.66 Fd C.S. Brass Cap Mon. 1' Dn. Per Pg 22 & F.B. 81-64

Set 2" I.P. with Brass Cap in Conc. 12" Deep. Marked as Shown in C.V.C. 9/18/29

Set 2" I.P. with Brass Cap in Conc. 12" Deep. Marked as Shown in C.V.C. 9/18/29

160.34@T=76°=160.33

63.75

COUNTY SURVEYOR'S MONUMENT

Cont. from prev. page

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN, Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 395 Pg. 74 Chief Party Notes by C.V. Crumley Date Apr. 2, 29

Cont'd To Bottom Pg 75

Topog. on Pg 90

(66)

COUNTY SURVEYOR'S MONUMENT

Replaced with 2" I.P. with Brass Cap in conc. 12" Deep. Marked as Shown. C.V.C. 9/5/29 179.29
Fd 2"x2" 12" Dn. Per F.B. 382-106 & F.B. 81-88

Fd N.&T. P.P.

Set 2" I.P. with Brass Cap in Conc. 6" Deep Marked as Shown C.V.C. 9/5/29

ST.

Alley

F.B. 382-106

Set 2" I.P. with Brass Cap in Conc. 6" Deep Marked as Shown C.V. Crumley 9/5/29

Fd N.&T. P.P.

Fd. N.&T. P.P.

Set 2" I.P. with Brass Cap in Conc. 6" Deep Marked as Shown C.V.C. 9/5/29

Topog. Pg 89

COUNTY SURVEYOR'S MONUMENT

179.31 @ T=70° = 179.29

Spring

Set 2" I.P. with Brass Cap in Conc. 12" Deep. Marked as Shown C.V.C. 9/4/29

Set 2" I.P. with Brass Cap in Conc. 12" Deep. Marked as Shown C.V.C. 9/4/29

0.40 North Fd C.S. Brass Cap Mon. 12" Dn. Sta. 12+50.3 Per F.B. 382-6 See F.B. 81-79

Fd N.&T. P.P.

Clark

F.B. 382-6

ST.

Set N.&T. Pos. Cor. of Block

Set 2" I.P. with Brass cap in conc. 12" Deep on ℄ Prod. Marked as Shown. C.V.C. 9/4/29

Fd. X" on Iron Fence Post

Fd. N.&T. P.P.

Set 2" I.P. with Brass Cap in Conc. 12" Deep Marked as Shown C.V. Crumley 9/4/29

F.B. 382-6

(20')

(33')

COUNTY SURVEYOR'S MONUMENT

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 75

Platted by G. F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C. V. Crumley
Date April 2 & 9 1929
Indexed C. Johnson

Cont'd To Bottom Pg 76

(66')

5+21.73
Fd 2X2 I'Dn. Per Pg 18 & F.B. 81-87
Replaced with 2" I.P. with Brass Cap in Conc. Marked as Shown C.V. Crumley 9/5/29

Set 2" I.P. with Brass Cap in Conc. 6" Deep - Marked as Shown C.V.C. 9/5/29

Alley

Pg 18

Set 2" I.P. with Brass Cap in Conc. 6" Deep - Marked as Shown C.V.C. 9/5/29

Set 2" I.P. with Brass Cap in Conc. 6" Deep - Marked as Shown C.V.C. 9/5/29

COUNTY SURVEYOR'S MONUMENT

Spring St

163.19 Adjusted Distance

163.19 @ T = 70° = 163.18

Topog. all Pg. 91

Fd. Cross Cut in Walk

Elev. 146.47

U.S.C.&G.S. DATUM

Set Punch Hole

Fd. Conc. Mon. With Brass Cap Marked as Shown. Set Punch Hole on Top Point of Fig. 4 C.V.C. 9/5/29

(33) (33)

Set 2" I.P. with Brass Cap in Conc. 6" Deep - Marked as Shown - C.V.C. 9/5/29

3+58.55
Fd. C.S. Brass Cap Mon. 1' Dp. Per F.B. 382-118 & F.B. 81-87

Fd. "X" on Fire Hydt.

Fd. "X"

Set Punch Hole

Fd. N. & T. G. P.

Farming

F.B. 382-118

Fd. N. & T. G. P.

Set 2" I.P. with Brass Cap in Conc. 6" Deep - Marked as Shown C.V. Crumley 9/5/29

Set 2" I.P. with Brass Cap in Conc. 6" Deep - Marked as Shown C.V.C. 9/5/29

179.26

179.28 @ T = 70° = 179.26

Cont'd From Top Pg. 74

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 385 Pg. 76 Chief Party Notes by C.V. Crumley Date 4/9/29

10+42.39
Fd. S.W.T. Per Pg 42
& F.B. 61-75

Set 2" I.P. With Brass Cap 1" in Conc. 12" Deep on ℄ Prod. Marked as Shown 9/13/29

Pg. 52

℄ Anaheim Telegraph ℄ Road

40.00 33.00 33.00 40.00 (40)

51.91 51.80

Set 2" I.P. With Brass Cap in Conc. 1" Deep - Marked as Shown - C.V. Crumley 9/13/29

Set L & T. in Conc. Base of 3" I.P. Fence Post C.V.C. 9/13/29

COUNTY SURVEYOR'S MONUMENT

Top ... 92 ... 93

ST.

(33) (33)

360.20 T = 70° = 360.17 ✓

360.17

Spring

82.22
6+81.93
Fd. 4" S. Brass Cap Mon. 1' Down Per Pg 22 &
Rec. 58-83

Set 2" I.P. With Brass Cap in Conc. 12" Deep Marked as Shown C.V.C. 9/11/29

Set L & T. in Conc. Base of 3" I.P. Fence Post C.V. Crumley - 9/11/29

33.00 33.00

30.00 44.64 44.54 30.00

Park ℄ Pg 22 ℄ AVE

33.00 33.00

30.00 44.64 44.54 30.00

COUNTY SURVEYOR'S MONUMENT

Set 2" I.P. With Brass Cap in Conc. 12" Deep Marked as Shown

160.20 T = 70° = 160.20

160.33 - 0.13 = 160.20 Adjusted Distance

Set 2" I.P. With Brass Cap in Conc. 12" Deep Marked as Shown

Cont'd From Top Pg 75

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 77

84°F.

Tape U.S.C. & G.S. No. 059-2 1½# Pull

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916
Location Santa Fe Springs
Surveyed by C.V.C. Crumley
Date April 10, 1929
Indexed C. Johnson

Cont'd To Bottom Pg 78

179.26 @ 7=62°=179.23

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

COUNTY SURVEYOR'S MONUMENT

Set 2" I.P. with Brass Cap in Conc. 8" Deep - Marked as Shown C.V.C. 8/29

Replaced with 2" I.P. With Brass Cap in Conc. 10" Deep. Marked as Shown C.V.C. Aug. 1929

1+79.26 Fd. 2x2" ⊥ Deep Per F.B. 382-107 & F.B. 81-87

Fd. "X" Base of all Valves

ST.

179.23

Alley

F.B. 382-107

Fd N&T. Valve Box

Fd W&T. Valve Box

Set 2" I.P. with Brass Cap in Conc. 8" Deep - Marked as Shown C.V.C. 8/29.

Topog. on Pg. 94

COUNTY SURVEYOR'S MONUMENT

N

C.V. Crumley 8/29

Set 2" I.P. with Brass Cap, in Conc. 8" Deep, Marked as Shown

Forest

Fd N&T. PP

179.26 @ 7=62°=179.26

C.V.C. 8/29

Set 2" I.P. with Brass Cap, in Conc. 8" Deep Marked as Shown

0+00 North

Fd. C.S. Brass Cap Mon. 1' Down Per F.B. 382-8 & F.B. 81-79

Fd. N&T. Mark & Tag in PP.

Clark

ST.

F.B. 382-8

Fd. S. W&T. in Pepper Tree

Fd old N&T. Mark & Tag in gate Post.

F. B. 1375 Pg. 78 Chief Party Notes by C.V.C. Crumley Date 4/18/29

Cont'd To Bottom Pg 79

163.33 @ 62° 163.31

Topog. on Pg 96

Replaced with 2" I.P. with Brass Cap set in Conc. 1 Deep. Marked as shown C.V.C. Aug. 1929 5+21.92 Fd 2"x2" I Dn Post Pg 14 T.A.B. 81-86

Set 2" I.P. with Brass Cap in Conc. 6" Deep - Marked as shown. C.V.C. Aug. 1929

Alley

Pg 19

31.61 31.63 31.625

Set 2" I.P. with Brass Cap in Conc. 6" Deep Inside Boiler House. Marked

Set 2" I.P. With Brass cap in Conc - 6" Deep - Marked as shown - C.V. Crumley Aug. 1929

COUNTY SURVEYOR'S MONUMENT

Topog. on Pg 95

163.31

Set 2" I.P. with Brass Cap in Conc. 6" Deep - Marked as shown

3+58.49 Fd C.S. Brass cap Mon. Per F.B. 382-119 & F.B. 81-

Set 2" I.P. With Brass Cap in Conc. 6" Deep - Marked as shown C.V.C. Aug 1929

Fd N.&T. T.P.

Fd N&T Cor. on R/W

Gardner

AVE

F.B. 382-119

44.56 35.04 44.625 44.625 48.20 45.00 44.625

Fd N.&T. P.P.

Fd "X" on Iron Fence

Set 2" I.P. with Brass Cap in Conc. 6" Deep Marked as shown C.V.C. Aug. 1929

Cont'd From Top Pg 77

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 79

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916 B. O. O. No. 0597
Location Santa Fe Springs
Surveyed by C.V. Crumley
Date April 4 1929
Indexed C. Johnson

Set 2" I.P. with Brass Cap in Conc. 6" Deep Marked as Shown C.V.C. Aug. 1929

Contd To Bottom Pg 80

Set 2" I.P. with Brass Cap in Conc. 6" Deep Marked as Shown

COUNTY SURVEYORS MONUMENT

Anaheim Telegraph Road

Pg 53

Replaced with 2" I.P. with Brass Cap in Conc. 1" Deep Marked as Shown. Set 2x2 over Mon.

1042.37

Fd. S.W. & T. Per Pg 53 & F.B. 81-74

GEN. PET. CORP'N OF CALIF. LAND DEPT.

Set 2" I.P. with Brass Cap in Conc. 6" Deep Marked as Shown

Replaced with 2" I.P. with Brass Cap in Conc. 10" Deep Marked as Shown C.V.C. 8/29

8+51.26

Fd. 2x2 -2' Deep Per Pg 39 & F.B. 81-80

Alley

Pg 39

Fd. Conc. Mon. with Brass Cap Marked as Shown. Set L&T. in Conc. N. of Brass Cap

Topag on Pg 97

Set 2" I.P. with Brass Cap in Conc. 6" Deep. Marked as Shown C.V.C. Aug 1929

175.13 @ T=78° = 175.12

Forest

Fd. Brass Cap Mon. in Conc. With No Marking Set "X" on Brass Cap C.V.C. Aug. 1929 (6" Deep)

Set 2" I.P. with Brass Cap in Conc. 6" Deep. Marked as Shown C.V.C. Aug. 1929

6+82.13

Fd. C.S. Brass Cap Mon. 1' Deep Per Pg 23 & F.B. 81-83

Park

Pg 23

Set 2" I.P. with Brass Cap in Conc. 6" Deep, Leaning East owing To all Line. Marked as shown

Contd From Top Pg 78

Set 2" I.P. with Brass Cap in Conc. 6" Deep Marked as Shown C.V.C. Aug. 1929

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 325 Pg. 80 Chief Party Notes by C.V. Crumley Date 5/15/29


3+70.02
Fd. 2X2 Per Pg.100
1ST ST.
Pg100
2+55.01 From South
=6+29.59 From West.
Set S.W.&T. By Prop.
Between 0+00 at ℄
Anaheim Telegraph Rd &
3+70.02 at ℄ 1st ST.
Road
Set C.S. Mon. 12" Deep
1st. ST.
Set N&T. Cor Iron Stake
Parallel To Anaheim Tel. Rd.
30 ft. of Set Line
628.59
T=84°
2+25.01
Set IXI By Intersection
Set N&T. Pipe Post
Set 2" I.P. with Brass Cap 12" Deep C.V.C. 4/5-150
First Ave.
Pg.99
1+90.01
Fd. S.W.&T. Per Pg.99
225.01 @ T=86° 225.01
COUNTY SURVEYOR'S MONUMENT
0+00 North
Set Shingle Spk.
Forest
Butler
Anaheim Telegraph Road
℄ & Pg.53
0+00 North
Fd. S.W.&T. Sts.
10+42.37 Per
Pg.79
Pg. 79
Cont'd From Top Pg. 79
0+00 North
Fd. S.W.&T.
Per Pg 99
Fd 38.71
Set 2" I.P. with Brass Cap 12" Deep Mon. with X on Nut 44 ft. S. of C.V.C. 4/5-150
Set 2 I.P. with Brass Cap 12 Deep-Leaning 0.5 ft. Mon. C.V.C. 4/5-150 Shows 2755.01
Set 2X2 16" Deep Mon. with Brass Cap Reset 0.3 ft. S. of C.V.C. 4/5-150
Set 2" I.P. with Brass Cap 12" Deep Mon. with X Cut 0.2 ft. S.W. of C.V.C. 4/5-150 Shows 2755.01
Set Prod. 12" Deep Mon. with Brass Cap in Conc. Shows 2755.01
90°-05-00"
360-20-00
720-40-15
628.59 @ T=84° = 628.59
Set C.S. Mon. 12" Deep
Set N&T. Cor Iron Stake
Set C.S. Mon. 12" Deep Per Tract Map
Set 4 S.T.
Set N&T. Pipe Post
Set N&T. Pipe Post
Set N&T. Pipe Post
Set 4 S.T.
Set 4 S.T. in Conc. Mon. Well in Road
Set N&T. Pipe Post
Set N&T. Pipe Post
Set N&T. Pipe Post

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 81

Platted by G.F. Holbrook
Date Aug. 1929
Map No. Gilbreath
Platting C'k'd by B-394-2
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.E.T. [illegible]
Date April 1, 1929
Indexed A. C. Johnson



Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 395 Pg. 82 — Chief Party — Notes by C.V. Crumley — Date 4/1/54

Topography of Norwalk Pacific-Mills Road

Cont'd To Bottom Pg 83

6+823.0
Fd. S.M.H.T.
Per Pg 21

Park Ave

℄ Pg 21 & 25

15'c 13'6 Macadam

0+ 26.5 6+57

P.P. 25.9 6+14

6" oil Pipe to Tank

30" Tank Size?

Oil Pump

28=Dia. 25 Steps

6+03 34.6

4" I.P.

5+85 32.2

25.4

5+81.7

Pacific Ave Road

Conc. Pad 4.5 4.6 0.4 1.6 0.4 4.8 8.1

Conc. Floor

28.4

5+21.92
Fd. S.M.H.T. Per Pg 6 & 17

All Pg 6+17.2

℄

Double 4" Fire Line

5+10 30.8

29.4

30

Pacific

Pipe Rack

39.2

4+62 30.5

Norwalk ℄

4+35 29.3 16.2

23.4

One Story Engineering Bldg.

29.6

4+31 30.0

12 Macadam 13

Cont'd From Top Pg 81

36" P.V.C. Valve

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 83

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by [illegible]
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by [illegible]
Date April 2, 1929
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Pg 54+55

℄ Anaheim Telegraph Rd

34.9

See Pg 55 For This Intersection

R=0.5

Conc. Island

7.3

Light Post

2.5

P.P.

R=1.50'

30.9 20+19.5

28.4 20+19

28.8 10+18

20.0 9+55 T.P.

10+42.59 Fd S&W. Per Pg 51 & 69

Topography of Norwalk Puente-Mills Road

1 Story Cor. Iron Storage Bldg

34.3

24.0

RR 25.5 9+50

32.7 9+49

℄ 69 Pg

Puente-Mills Road

42.8

G.P. 25.8 9+10

29.6

1 Story Cor. Iron office Bldg

10.0

11.8'

8+65 29.7

8+64 30.7 10"X10" So. Cal. Gas Meter Box

8+62.5 31.2 2" I.P. F.P.

8+38.5 19.6 T.P.

8+33 28.4 16" Cypress Tree

27.3

Pipe Rack

P.P.

36.7

25.8 8+07

27.6 7+96

16.7

Cont'd From Top Pg 82

F. B. 385 Pg. 84 Chief Party Notes by C.V.Crumley Date 4/2/29

Cont'd To Bottom Pg 85

Topography of Willis St.

4"I.P. Guy Post

20.5 — 2+14 — Cont'd

20.5 — 2+06

18.6 — Cor Iron Shelton

1+99 — 18.5 — 4'6

1+98 — 4"I.P. Guy Post — 20.3

1+89 — 22.9 — 3" Valve — 2.1'

Alley Pg 71 — St. — Alley

F.B. 382-106 & No —

1+78.26 Fd — 35.9 — 0+98 — 0+96 Pipe goes under ground here

0+93 — 32.6 — 4" Valve

0+91 — 32.6

0+76 — 30.9 — 3.3 — Guage Box

32

0+64 — 31.7

0+60 — 35.2 — 12" Plank Retg Wall

0+57 — 2" Pipe Line

33.9

0+43. — 33.8 — 3'x3' Valve Box

F.B. 382-5 & 12

Cl. N

0+00 North

Fd C.S. Mon Per Pg 71

St.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 85

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-394-2
Plotted by [illegible]
Date OCT 1929

W. O. No. 916 D. S. O. No.
Location Santa Fe Springs
Surveyed by C.V. Crowley
Date April 5 1929
Indexed A. C. Johnson

Cont'd To Bottom Pg 86

17.4
29.9
32.9
Pipe Rack
Sheet Iron Drain Box
35.8
38.3
19.8
32.0
4+20
33.9
3.5
4+16
Topography
WINNS
31.9
2.3'x2.3'
Valve Box
3+95
31.9
ST.
3+58.5 P
Fd. C.S. Mon. Per
Pg 72
Gardner
F.B. 382 Pg 118
AVE
P.P.
33.2
3+15
P.P.
33.2
3+13
33.9
23.5'
20.0
15.0
17.6
13.0
Pipe Rack
38.5'
2+57
17.6
Cor. Iron Tank
& Platform
10.0
28.6
9' Dia
10.0
Willis
Pg 72
2+34
28.3
Water Well
& Tower
2+30
27.3
2+23
22.7
End
18.7
26.9
8.7
2+21
21.5
P.P.
Light Pole
2+19
30.4
4" Pipe Line
Cont'd From Top Pg 84

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 395 PG. 86 Chief Party Notes by C.V. Crumley Date 4/3/29

Cont'd To Bottom Pg 87

Topography of Willis ST.



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 87

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Plotting C'k'd by Holbrook
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Square Springs
Surveyed by C.K.C. [illegible]
Date April 3, 1929
Indexed A. C. Johnson

Cont'd To Bottom Pg 88

Topography of Willis ST.

8+57.18
Fd 3"x2" Post Pg 38+73
18" Dn.

Alley
Pgs 38+41

Alley
Pgs 38+43

16.6 2" stand pipe
4" I.P. Guy Post 8+36
10" I.P. Guy Post
24.0 8+32
30.0
Pump Platform 3.7' x 3.5'
30.0 8+19
20.2
3.0 x 3.5' Valve Box
8+17 20.2
20.3
8+12 20.3 2.6 Valve Box 3.0'
30.0
23.7 7+71 Valve Box
30.9 7+64
25.6
Cor. Iron Pump House With Tower (Water Well)
7+54.7 25.6 Pipe Rack 13.7 14.5
oil Guage 24.5 7+53
32.3
3.0 Steel oil well Derrick
4" Valve
7+32.6
Out 23.8
Williams Pg 73
7+21 32.9
3.0' 24.0 2.0 24 2.7
6+52.0
Fd. C.S. Brass Cap Mon. In Dn. Per Pg 22
+73
Park
Pg 22+23
AVE

Cont'd From Top Pg 9

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 395 Pg. 93 Chief Party Notes by C. V. Crumley Date 4/3/29

Topography of Willis S.T.

10+42.30
Fd S.W.⊥T. Pg 73+52

Anaheim Telegraph Road

℄ 52,57.55,73 ℄

41.5

1 Story Cor. Iron oil well Engine House

4.0

16.0

5.3

47.0

3.2.0

2.0

28.6
9+94

23.1

31.5

Pipe Rack

37.5

22.8

53.6
9+71

29.2

24.6
9+68

6" Valve

8" Conc. Wall 3.5' High

Pipe Rack

25.6

20.6

32.9
9+24

9+23

18.0

1 Story Cor. Iron Oil Well Engine House

Cor. Iron Pump House Wing Tower. Water Well

21.1

14.0

10.0

PP

29.0
8+95

30.3
8+93

Cont'd From Top Pg 97

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 89

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Platting Chkd by _____
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.V. Crowley
Date April 9, 1929
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



F.B. 395 Pg. 90 Chief Party Notes by C.V. Crumley Date 4/9/29

Cont'd To Bottom Pg 91



Topography of Spring ST.

Cont'd From Top Pg 89

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 91

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting Chkd by [illegible]
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.V. [illegible]
Date April 10, 1929
Indexed A. C. Johnson

Cont'd To Bottom Pg 92



Cont'd From Top Pg 90

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 395 Pg. 92 Chief Party Notes by C.V. Crumley Date 4/10/29

Cont'd To Bottom Pg 93

Topography of Spring ST.



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 93

Platted by G.F. Holbrook	W.O. No. 716 D.S.O. No.
Date AUG 1929	Location Santa Fe Springs
Map No. B-394-2	Surveyed by C.V. Crumb
Platting Ch'k by [illegible]	Date April 10, 1929
Date OCT 1929	Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

10+42.10
Fd S.W.
Per Pg 76

Anaheim Telegraph
℄ Pg 61

14.00

Road
℄

Topography of
Spring ST.

Spring ST.

10+07 — 33.1 — Woven Wire Fence

9+80 — 26.7 — P.P.

25.1

Valve Box 3.3 3.6 — 25.1 — 9+68

9+67 4" Fire Hydt — 32.9

Pg 76 Spring

26" Pepper — 33.2 — 9+61

4' Pepper — 33.4 — 9+40

34.9
29.1
5.8
3.8
2.4
10.2

9+21 Valve Box — 34.9 — 3.4 — Valve Box

9+17

9+01
14" Pepper — 32.6 — 33.7 — 9+11 — 6" I.P. Guy Post

34" Pepper — 32.5 — 8+81 — Woven Wire Fence

Cont'd From Top Pg 92

F.B. 395 Pg. 94 Chief Party Notes by C.V. Crumley Date 4/11/29

Topography of Forest St

Cont'd. To Bottom Pg 95



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 95

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by Gilbrook
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.I.D.
Date April 11, 1929
Indexed A. C. Johnson

Cont'd To Bottom Pg 96

Topography of Forest St.

Forest St.

4+66 33.3
33.5
4+60 30.2
4+53 33.4
4+52 6"I.P. Guy Post
24.8
4+50 34.2
4+43 33.1
24.2
32.6
4+39 35.3
4+38 23.6
4+35 32.4
33.0
4+34 34.8
29.8
4+33
24.0
4+31
4+36
32.8
28.3
3+94.5 24.5
3+94 28.3

Boiler 3.0
Boiler 22.5
Cor. Iron Tank & Platforms
2"I.P. connection to Tank
9.0± Dia
10.2
9.7
2" Pipe connection
Platforms
Pumps
3.7
3.6
4" Valve
4.5± Dia
Steel Separator Tank
Oil Gauge
Boiler 22.5
4" Valve
6" Valve
4" Oil Line
6" Steam Valve
4" Steam Pipe
7.9
1 Story Oil well Engine House & Derrick (Cor. Iron)
4.2
Stairs & Platform
13.3

Gardner
AVE
FB. 382-126
3+58.49
Ex. C.S. Map For Pg 72

Cont'd From Top Pg. 94

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 385 Pg. 96 Chief Party Notes by E.V. Grumley Date 4/14/54

Contd To Bottom Pg 97

6+82.13
Fd. C.S. Mon. Per Pg 79

Park Ave

Pg 33

Topography of Forest ST.

6+68 16.3 6" I.P. Fence Post

2" Valve

6+28 35.1 4" Valve

6+41 26.5

Platform

23.0

14'

D1'a=3.6 3.8 23.7 6+21.0 K

3" Valve

4" Pipe 6+30 21.2

6+29.9 27.2

A'=7.0 Steel Tank

4" Valve

2.0

7.1

Steel Separator Tank 3.6'=Dia 3.8 24.0 6+11.5

4" Pipe 3" Valve

Oil Guage 6+08 19.3

21.0 Drain Box

6.0'

8.7

6+89 6" Oil Line 18.5 10 15 6" Valve

5+78.8 22.6 9.6

25.2 9.8

Sump Hole Bank 10' Wide

5+48.5 28.1 3.0

Valve Box 5+40 What? 12.5 2.4 2.4

12.8 33.2 58.0

5+34 26.7

Alley Pg. 13 ℄ ℄ Alley

5+21.82
Fd 2X2 Per Pg 78

Cont'd From Top Pg 95

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 97

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by [illegible]
Date OCT 1929

W.O. No. 916 D.S.O. No. _____
Location Santa Fe Springs
Surveyed by C.V. Cuttle
Date April 11, 1929
Indexed L. C. Johnson Jr.

Cont'd To Bottom Pg. 98

Anaheim Telegraph Pg. 63 — ℄ — 10.0 — 10+00 North of Set Spk — Road

10+42.37 P.C. S.W.St. Per Pg 79

23.6 — Pipe Rack 19.7

9+25.6 — 22.1

Topography of Forest St.

20.3 — 1 Story oil Well Engine House (Cor. Iron) 27.5 — Steel Derrick

18.4

8+93 — 19.3 — 19.0 — 5'o

4" Steam Exhaust Pipe

8+71 — 17.1

Alley Pg 96 ℄ — Alley ℄ Pg 49

8+57.25 Fd. 2X2 Per Pg 79

8+41.6 — 35.6

13.7 — 4" Valve 8+41

3X3' Valve Box — 31.2 — 7+55

7+28 — 8.8 — 2X2' Valve Box

8.8 — Barb Wire Fence

7+27.6 — 33.3

Cont'd From Top Pg 96

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 395 Pg. 98 Chief Party Notes by C.V. Crumley Date 5/15/29



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 98A

Platted by G. F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting Ch'k'd by _____
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C. V. Crumley
Date May 15, 1929
Indexed by C. Johnson

Topography of 1st St. W. of Butler Road

Cont'd To Bottom Pg



Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 395 PG. 98B Chief Party Notes by C.V. Crawley Date 5/15/29

6+28.59
Fd. S. W&T. Per Pg. 80

6+28.59
Fd. N&T. Per Pg. 85

Butler

Road

2.5

10.0 Macadam

Topography of 1st St. W. of Butler Road

1st St.

Cor. Iron Hose Cart Shelter

4.5

4.5

38.8

4+83.5

Woven Wire Fence

38.8

4+79.2

3" Cedar Tree

4" Pomegranate Tree

47.7

8.7

4+74.5

2" Fire Hydt.

46.7

4+65

20'

20.0

20.3

14.5

4+62

Row of 24" [illegible]

20

3.3' Brick Wall

13.0

4+33

16.4

23.5

Bldg. Cor. Iron Pipe

38.0

28.0

3+81

30 ft. of Fence

2+63

2" Fire Hydt. 0.0 out 5.2

1.9

3.0

3.0

2+62

Valve Box

1st St. 82.0

22.0

15' Wood Frame Dwelling

70.0

34.0

22.3

1+76.7

Contd. From Top Pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. _____ Pg. _____

Platted by _____	W. O. No. _____ D. S. O. No. _____
Date _____	Location _____
Map No. _____	Surveyed by _____
Platting C'k'd by _____	Date _____
Date _____	Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F. B. _____ PG _____ Chief Party _____ Notes by _____ Date _____



Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 99

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916 D. S. O. No. 059-2
Location Santa Fe Springs
Surveyed by C.V. Curtis
Date April 12-15, 29
Indexed A. C. Johnson

Cont'd To Bottom Pg 100

1st St Tract (Not Named)

Pg. 80

Note:- Set S.W.&T.'s at all Street & Alley Intersections By Proportion Between S.W.&T. at Anaheim Telegraph Road & P.I. of Santa Fe Springs & Whittier Rd. (5th St.)

Chord 1810.17 @ T=82°=1810.15
Rec. Per Tract M.B. 26-39=1810.00

Road 65.00

1800.15' T=82°

Tpoop on Pg 107

Set 2" I.P. With Brass Cap in Conc. 18" Deep - Marked as Shown - C.V.C. 1/27/30

Set 2" I.P. With Brass Cap in Conc. 12" Deep - Marked as Shown C.V.C. 1/27/30 on ℄ Prod.

First Alley Pg 117

1+90.015
Set S.W.&T. By Proportion See Note.

Set 2" I.P. With Brass Cap in Conc. 18" Deep - Marked as Shown C.V.C. 1/27/30

37½'

@ 89-55-45"
@ 359-42-30
@ 719-25-00

@ 90-04-30
@ 359-18-00
@ 720-36-00

1932.05' T=82°

Butler

Fd. N.&T. I.P.

0+00 North
Fd. S.W.&T. Per Pg 54
+F.B. 382-71
F.B. 81-73, F.B. 33-62

Fd. N.&T. I.P. Conc. Mon. Per F.B. 382-71

Fd. Conc. Mon. Per F.B. 382-71

89-

90-04-30

59.79

47.25

55-31-

Anaheim Telegraph Road

℄ Pg 54

40'

47.06

59.64

Fd. N.&T. I.P.

N.&T. Cut R.C.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 395 Pg. 100 Chief Party Notes by C.V. Crume Date 4/12-15-30

Cont'd To Bottom Pg 101

Set 2" I.P. With Brass Cap In Conc. 6" Deep, Marked as Shown - C.V.C. 1/29/30

7+30.06
Set S.W.T. By Prop.
(See Note, Pg 99)

Set 2" I.P. With Brass Cap in Conc. 6" Deep on ℄ Prod. Marked as Shown - C.V.C. - 1/29/30

2nd ST

℄ ℄ Pg 120

Top of on Pg 103

COUNTY SURVEYOR'S MONUMENT

Road

180.015
T=82°

Set 2" I.P. With Brass Cap in Conc. 6" Deep, Marked as Shown - C.V.C. - 1/29/30

COUNTY SURVEYOR'S MONUMENT

51+73.045
Set S.W.T. By Prop.
(See Note Pg 99)

Set 2" I.P. With Brass Cap in Conc. 6" Deep, Marked as Shown C.V.C. 1/28/30

Set 2" I.P. With Brass Cap in Conc. 6" Deep, on ℄ Prod. Marked as Shown - C.V.C. 1/28/30

Alley

℄ ℄ Pg 119

Set 2" I.P. With Brass Cap in Conc. 6" Deep, Marked as Shown C.V.C. 1/29/30

Butler

180.015
T=82°

COUNTY SURVEYOR'S MONUMENT

COUNTY SURVEYOR'S MONUMENT

Nothing Set on account of Pipe Fence Corner.

3+70.03
Set 2"X2" By Prop.
(See Note Pg 99)
on ℄ Produced

1st ST.

℄ ℄ Pg 118

Set 2" I.P. With Brass Cap in Conc. 6" Deep - Marked as Shown - C.V.C. - 1/28/30

Set 2" I.P. With Brass Cap in Conc. 12" Deep - Marked as Shown - C.V.C. 1/28/30

Cont'd From Top Pg 99

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 101

84°F 9h

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916 R. S. O. No. 059-21
Location Santa Fe Springs
Surveyed by C.V.C. Crumley
Date April 12 & 15, 1929
Indexed A. C. Johnson

Cont'd To Bottom Pg 102

COUNTY SURVEYOR'S MONUMENT

12+70.05
Set S.W.& T. By Prop.
(See Note Pg 99)

Set 2" I.P. With Brass Cap in Conc. 6" Deep, Marked as Shown, on ℄ Prod. 2/3/30

Set 2" I.P. With Brass Cap in Conc. 8" Deep - Marked as Shown C.V.C. 2/3/30

Fourth Alley

℄ Pg. 123

Set 2" I.P. With Brass Cap in Conc. 8" Deep - Marked as Shown - C.V.C. 2/3/30

Topog. on Pg 110

Road

180.015
T=82°

Set 2" I.P. With Brass Cap in Conc. 8" Deep. Marked as Shown - C.V.C. 2/3/30

10+90.09
Set S.W.& T. By Prop.
(See Note Pg 99)

Set 4 T. in Conc. Sidewalk on ℄ Prod. C.V.C. Crumley 1/30/29

3rd ST.

℄ Pg. 122

Butler

180.015
T=82°

Set 2" I.P. With Brass Cap in Conc. 8" Deep, Marked as Shown. C.V.C. - 2/3/30

Set 2" I.P. With Brass Cap in Conc. 8" Deep, Marked as Shown. C.V.C. 1/29/30

7+10.075
Set S.W.& T. By Prop.
(See Note Pg 99)

Third Alley

℄ Pg. 121

Set 2" I.P. With Brass Cap in Conc. 10" Deep on ℄ Prod. Marked as Shown C.V.C. - 1/29/30

Set 2" I.P. With Brass Cap in Conc. 8" Deep, Marked as Shown. C.V.C. 1/29/30

Cont'd From Top Pg 100

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 325 Pg. 102 Chief Party Notes by C.V. Crum Jr. Date 4/12 & 10/30

(used)

18+10.15
Set 2" I.P. in Conc.
(See F.B. 33-62
See Note in pg 99)

Set 2" I.P. with Brass Cap in Conc. on E. Prod. 12" Deep - Marked as Shown C.V.C. 2/10/30

1810.17 @ T = 82° = 1810.15

COUNTY SURVEYOR'S MONUMENT

16+30.35
Set S.W.T. 3" Projection

Set L.T. in Conc. Block 12" Deep on E Prod. - Base of Brace Pipe To End of Fence. C.V.C. 2/4/30

COUNTY SURVEYOR'S MONUMENT

14+50.12
Set S.W.T. 3" P.P.
See Pg 99

Set 2" I.P. with Brass Cap in Conc. 6" Deep, on E Prod. Marked as Shown. C.V.C. 2/3/30

① = 90-04-30"
② 360° 17' 45"
③ 180-35-15
Set 2" I.P. with Brass Cap in Conc. 12" Deep Marked as shown - C.V.C. 2/10/30

(54th ST.)

30.00

Santa Fe Springs Addition

Pg 106

Set 2" I.P. with Brass Cap in Conc. 12" Deep - Marked as Shown C.V.C. 2/10/30

Topog. on Pg 11

COUNTY SURVEYOR'S MONUMENT

Set 2" I.P. with Brass Cap in Conc. 6" Deep - Marked as Shown - C.V.C. - 2/4/30

Pg 125

Set 2" I.P. with Brass Cap in Conc. 6" Deep, Marked as Shown. C.V.C. 2/4/30

Topog. on Pg 11

COUNTY SURVEYOR'S MONUMENT

Set 2" I.P. with Brass Cap in Conc. 6" Deep, Marked as Shown. C.V.C. 2/4/30

4th ST

Pg. 123

Set 2" I.P. with Brass Cap in Conc. 6" Deep, Marked as shown C.V.C. 2/4/30

Set From Top Pg 101

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 103

COUNTY SURVEYOR'S MONUMENT

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by _____
Date April 12 & 15, 1929
Indexed _____

COUNTY SURVEYOR'S MONUMENT

Contd To Bottom Pg 104

360.08 @ T=66°=360.03

Set 2" I.P. With Brass Cap in Conc. 12" Deep. Marked as Shown - C.V.C. 2/5/30

Replaced 2x2 With 2" I.P. With Brass Cap in Conc. 12" Deep Marked as Shown. C.V.C. 2/5/30

3+70.03
Set 2x2 By Proportion (See Note) 12" Deep

Set 2" I.P. With Brass Cap in Conc. 12" Deep on ℄ Prod. Marked as Shown. C.V.C. 2/5/30

15th ST

℄ Pg. 118

30.00 30.00 42.44 30.00 30.00 42.37 30.00

Note:- Set 2x2 "s at Street Intersections, By Proportion Between S.M.&T. 98 ℄ Anaheim Telegraph Road & 1x2" on ℄ Santa Fe Springs & Whittier Rd, (5th St) Produced.

Topog'd F.B. 378-95

Set 2" I.P. with Brass Cap in Conc. - 12" Deep Marked as Shown C.V.C. - 2/5/30

AVE

1810.36 @ T=66°= 1810.15

Rec. Per Tract M.B. 26-39: 1810.00

℄ A.T. & S.F. R.R.

370.08 @ T=62°=370.03

MURRAY 370.03

Δ = 89°-55-15"
α 359-41-00
β 719-22-15

Fd. 2x2 - 3" down
Per Pg. 54

Set N.&T. Valve Box

Set N.&T. P.P.

Nothing set on account of Sump Hole

No C.S. Mon. Set account of Sump Hole

Anaheim Telegraph ℄ C Pg. 54

89°01' 55-15" 54.34 43.04 Road 80.00 ℄

66.88 40'

0+00 North
Fd 3.W.&T. Per Pg. 54
Rec. From ℄ A.T. & S.F. R.R.

Nothing set on account of Sump Hole

Set N.&T. P.P.

F.B. 382-86

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 375 Pg. 104 Chief Party Notes by C.V. Crumley Date 4

Cont'd To Bottom Pg 105

360.06 @ T = 70° = 360.03

To 2X2 at Fourth St.

Set 2" I.P. With Brass Cap in Conc. 12" Deep, Marked as Shown. C.V.C. 2/6/32

(30') 30' 30.00 42.44 360.03 (30')

3rd ST.

℄ ℄ Pg. 122

30.00 42.38 30.00

Set 2" I.P. with Brass Cap in Conc. 12" Deep - Marked as Shown - C.V.C. 2/6/32

AVE

Lot 90.09 Set 2X2 By Proportion 14" Deep (See Note Pg 103)

Replaced 2X2 with 2" I.P. with Brass cap in Conc. 12" Deep - Marked as Shown. C.V.C. 2/6/32

Top of in F.B. 378-26-97

MAIN 360.03

360.07 @ T = 65° = 360.03

Reset 2" I.P. with Brass Cap in Conc. 15" Deep Marked as Shown C.V.C. 2/6/32

T 30.06 Set 2X2 By Proportion 15" Down (See Note Pg 103)

Set 2" I.P. with Brass Cap in Conc. 12" Deep Marked as Shown C.V.C. 2/6/32

30.00

2nd ST

42.43 30.00 30.00

℄ ℄ Pg 120

Set 2" I.P. with Brass Cap in Conc. 12" Deep C/L ℄ Prod. Marked as Shown C.V.C. 2/6/32

(30') (30') (30')

Nothing Set as part of Stamp Hole

Cont'd From Top Pg 103

COUNTY SURVEYOR'S MONUMENT

COUNTY SURVEYOR'S MONUMENT

COUNTY SURVEYOR'S MONUMENT

COUNTY SURVEYOR'S MONUMENT

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 105

Platted by G.F. Holbrook	W.O. No. 916 D.S.O. No.
Date AUG 1929	Location Santa Fe Springs
Map No. B-394-2	Surveyed by
Platting C'k'd by D. M. Finley	Date April 15 & 16th, 1929
Date OCT. 1929	Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



F.B. 395 Pg. 106 Chief Party Notes by C.V. Crumley Date 4/15/29



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 107

Platted by G.F. Halbrook
Date AUG 1929
Map No. B-394-2
Platting Ck'd by Halbrook
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.V.Crumley
Date April 15, 1929
Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cont'd To Bottom Pg 108

Cont'd T.P. 24.2 3+48.5 Macadam 20.0

Topography of Butler Road

3 Pepper Tree 30.0 3+40

22.9 3+36 P.P.

3 Pepper 33.3 3+07

31.4 2+97 4 I.P. Guy Post

24" Pepper 32.3 Road 2+92

2+41 22.2 P.P.

T.P. 24.0 1+91 First Alley

1+90.015 Fd's. W.½ T. Per Pg 99 ℄ F.B. 378-102

Eastlet ℄ Pg 98

3.5 1+63 3.0 out 34.9 Pull Box

34.0 28.1 Pipe Rack 23.7

1+36.0 End Woven Wire Fence 3 rd post 30.2

4+19 33.4 0+90 ← 6x6 Post out 2.98

0+85.8 27.1 4" Fire Hyd. Stg?

31.7 Pull Box 3.0 4.4

0+83.5 27.5 0+83 Macadam 22.0

0+54 T.P. 24.4 6" I.P. Guard Post

21.7 P.P. > +42.5

Anaheim Telegraph ℄ F.B. 395-65 Road F.B. 378-99

Macadam Macadam

0+00 North Fd S.W.¼ T. Per Pg 99 Topog. South F.B. 382-79

F.B. 395 Pg. 102 Chief Party Notes by C.V. Crumley Date 4/18/24

Topography of Butler Road

Cont'd To Bottom Pg 109 Fence cont'd

6+43 32.8 4 32.8

6+41 31.6 Valve Box Cement Incinerator

6+38 22.5 P.P.

6+17 32.8 Valve B.V.

6+14 32.8 Valve B.V.

6+ E.P. Guard Post 30.3 5+95.5

End of Fence 29.6 5+94

4½' Pepper 27.6 5+53

10.0 10.0

Second Alley

℄ F.B. 378-10

5+21 3' Pepper 30.8

5+08 T.P. 22.5

5+50.045 Fd. S.W.&T. Pin F.B. 395-10

4+60

3' Pepper 30.6

22.2 4+41 P.P.

4' Pepper 4+35 32.1

4+07 4" Valve

4+04 30" Pepper 29.9

4+02.4 34.6 3.1

34.4 Valve Box

Woven Wire Fence Iron Posts

4+00 30.3

3+72 3' Pepper 30.3

10.3 5.0

1st St.

℄ F.B. 378-103

3+70.03 Fd. 2X2" Pet Pg 100

Macadam 19.

Woven Wire Fence Cont'd

Cor. From Top Pg 107

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 109

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-394.2
Platting Ck'd by [illegible]
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location South Fe [illegible]
Surveyed by [illegible]
Date April 15, 1929
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Woven Wire Fence

Cont'd To Bottom Pg 110

29.6 — 10+76.9 — cont'd

T.P. 29.5 — 10+75

33.6 — 10+67

12" Witrified Irrigation Standpipe

10+61 — 30.2 — Barb Wire Fence

10+60 — 29.8

10+33 — 22.8 — P.P.

12" Conc. Irrigation Standpipe — 34.2 — 10+24 — Woven Wire Fence Iron Posts

T.P. — 22.3 — 9+38 — Third Alley

End of Pipes — 32.9 — ℄ F.B. 378-111

9+10.075 Pd S.W.&T. per Pg. 101

8+39 — 22.4 — T.P. P.P. P.P.

34.0

Barb wire Fence — 29.5 — 8+22

T.P. — 22.3 — 8+21

29.5 — 8+09

34.3 — 30.1 — 3" Hyd. — 7+99

Macadam 20.0

2nd ST.

7+30.06 Fd. S.W.&T. Per Pg 100 — ℄ F.B. 378-108

Row 12" Witrified Irrigation Standpipes

B.C. 7+12 Pg 100

4.0 — 13.70

Conc. M.H. Box — 13.73 — 7+16

End of Pipes — 33.8 — 6+87

10.2 — 1 Story Cor. Iron Brick Stucco Shed

6+54 — T.P. — 22.8 — 34.0

6+51 — 34.0

Woven Wire Fence Iron Posts

Cont'd From Top Pg 108

F.B. 378 Pg. 110 Chief Party Notes by C.V. Crumley Date 4/17/29



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 111

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Platting Ck'd by Gilbreath
Date OCT 1929

W.O. No. 916 U.S.O. No. _____
Location Santa Fe Springs
Surveyed by C.H. Currie
Date 4-21 to 4-29 1929
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Cont'd. Cont'd To Bottom Pg 112

Valve Box 3.0 4.1 Valve Box

out 34.9 6" Valve Box 15+95

2" Fire Hydt

1 Story Cor Iron Bldg 52.0 Porch 22.0 4 Porch

Valve Box 5.2 4.5

2" Fire Hydt

T.P.

P.P.

Cor Iron Boiler House (Concrete Floor) 39.0 126.5

14+50.12 Fd. S.W.I. For Pg 102

4th ST. PB. 378-115

2" Fire Hydt

14+26 22.2 P.P.

Conc. Block & Guy Post 2.0 0.8 3.5

out 30.00 Transformer Pole

out 32.9 A.I.P. Conduits

Macadam 23.0

1 Story Cor Iron Shed 15.1 8.1

Woven Wire Fence Cont'd

Cont'd From Top Pg 116

16+07 32.0 16+03 P.P.

Topography of Butler Road

15+95 23.2 15+91.5 31.5 34.3 15+24 34.0

14+98 31.0 14+97 30.6 14+96.5 23.0 14+94 30.7

33.2 14+31 33.3 14+29 30.8 14+12 34.53 14+08 31.48

14+01 28.5 33.4 13+83 33.4

Cont'd

F. B. 395 Pg. 112 Chief Party Notes by C.V. Crumley Date 4/19/27

Topography of Butler Road



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 113

Platted by G.F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting Ck'd by D. M. Finley
Date OCT 1929

W. O. No. 916 D. S. O. No. _____
Location Santa Fe Springs
Surveyed by C.V.C. & wife
Date April 17 1929
Indexed A. C. Johnson

COUNTY SURVEYOR'S MONUMENT

Set 2" I.P. with Brass Cap in Conc. 12" Deep. Marked as Shown. C.V.C. 2/11/30

Contd To Bottom Pg 114

Nothing set Account Valve Box

1.57

37.

Set 2" I.P. With Brass Cap in Conc. 12" Deep. Marked as Shown. C.V.C. 2/11/30

3+70.03
Set 2x2 By Intersection
Replaced with Brass Cap Mon. in Conc. C.V.C. 2/11/30

370.05 @ T=74° = 370.03
190.015
180.015

Set Brass Cap Mon.

Set 2" I.P. With Brass Cap in Conc. Leaning E'ly. 12" Deep Marked as Shown C.V.C. 2/11/30

Alley Between Butler Road & Murray Ave.

First Alley S Pg. 117

Set 2" I.P. with Brass Cap in Conc. on ℄ Prod. 12" Deep. Marked as Shown. C.V.C. 2/11/30

1790.015
Set 2x2 By Proportion Between ℄ Analcim Telegraph & ℄ 12th ST. 5" Down
Replaced with 2" I.P. with Brass Cap in Conc. Marked as Shown. C.V.C. 2/11/30

Topog. in F.B. 378-91 & 92

190.025 @ T=74° = 190.015

Set 2" I.P. With Brass Cap in Conc. 12" Deep. Marked as Shown C.V.C. 2/10/30

(use 1 For Line)

0 to 0 North
Fd. S.W. & T. Rec. Pg. 54
Set By Prop. Between Butler Road & Murray Ave.

Set 2" I.P. With Brass Cap in Conc. 12" Deep Marked as Shown C.V.C. 2/10/30

Set N. & T. P.P.

Set N. & T. P.P.

Analcim Telegraph

F.B. 395 Pg 54-1

Road

(1) 89°-58-15"
(4) 359-53-15"
(5) 719-46-35"
89° 58' 20"

Set 2" I.P. With Brass Cap in Conc. 12" Deep. Marked as shown on ℄ Prod. C.V.C. 2/10/30

Set N. & T. P.P.

Set N. & T. P.P.

Sump Hole

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 385 Pg. 114 Chief Party Notes by C.V. Crumley Date 4/17/29

Cont'd To Bottom Pg. 115

Nothing Set account oil Tanks

Third Alley

Pg. 121

(10)

(10)

180.015

COUNTY SURVEYOR'S MONUMENT

Nothing Set account oil Tanks

9+10.075
Set EXE Ly Projection Between, E 2nd ST. & E 3rd ST. 15' Deep

Topog. in F.B. 378-92+93

Alley

Alley, Between Butler Road & Murray Ave.

Replaced EXE with 2" I.P. with Brass Cap 12" Deep. Marked as Shown C.V.C. 2/13/30 in Conc.

7+30.06

Set EXE 1' Dn.

180.015

Set 2" I.P. with Brass cap in Conc. 12" Deep. Marked as Shown C.V.C. 2/13/30

Set 2" I.P. with Brass cap in Conc. Deep. Marked as Shown. C.V.C. 2/13/30

10.00 10.00

2nd

30

ST.

30

28.04 at East Line

Set 1X2 By Intersection

Nothing Set account Pipe Line

Set 2" I.P. with Brass Cap in Conc. 5' Deep. Marked as Shown C.V.C. 2/13/30

180.025 @ T=14 = 180.015

360.05 @ T=7 = 360.03

2 360.03
180.015

Nothing Set on account of Sump Hole

COUNTY SURVEYOR'S MONUMENT

180.015

Alley

(10)

(10)

Second Alley

Pg. 119

(10)

E 50.045
Set 2X2 By Prop. Between E 1st ST. & E 2nd ST. 1' Down

Sump Hole Note

Nothing Set account of Sump Hole

Cont'd From Top Pg 113

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 115

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916 O. S. O. No. _____
Location Sheet 1 - Sheet 2
Surveyed by C.C. Crippen
Date April 17, 1929
Indexed A. C. Johnson

Contd To Bottom Pg 116

Alley Between Butler Road & Murray AVE.

Alley 180.015

360.05 @ T = 74° = 360.03
2 | 360.03
180.015 Nothing Set

10+70.105
Set 2X2 By Proportion
Between ℄ 3rd ST.
& ℄ 4th ST.

Fourth Alley
℄ Pg 123

(10) (10)

Nothing Set

Topog. in F.B. 378-93&94

180.025 @ T = 74° = 180.015

180.015

(10) (10)

Alley

10+90.09
Set 2X2 By Intersection
15" Deep.

Nothing Set

Notch in No. G.S. Brass Cap Mon's
Set at 3rd ST. & Alley Section
on Ocean Ave. Sump. C.V.C.

3rd

(30)

ST.

℄ Pg 122

Nothing Set

Nothing Set

Contd From Top Pg 114

Note: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 285 Pg. 115 Chief Party Notes by C.V. Crumley Date 4/17/29

90° 01' 45"
360 07 00
720 14 30

(Used as Line)

C.S. Mon. Pg 106

Set 10.15 Ft. S.W.T. Per Pg 106 Set By Proportion

Set N & T. T.P.

60.68

Santa Fe Springs & Whittier Road (ST.)

Pg 162

90° 01' 50" 56.39

32.21

36.92 Which checks

Set N & T. G.P.

Set N & T. P.P.

Set N & T. F.P.

C.S. Mon. Pg 106

360.105 @ T = 74° = 360.03 ✓

2 | 360.03

180.015

180.015

Alley Between Butler Road And Murray AVE

16+32.1635

Set 2x2 P. Mon.

Topogin FB. 378-94

Alley

Pg 125

Ties Pg 125

Nothing Set

Accept Brass Mark

180.025 @ T = 74° = 180.015 ✓

Set 2" I.P. with Brass Cap in Conc. 8" Dr. P. Mon. Set as Shown C.V.C. 2/13/29

Alley

180.015

Replaced 2x2" with 2" I.P. with Brass Cap in Conc. Mon. Set as Shown

14+50.12

Set 2x2 P. Ds

Set 1x2" By Intersection

10.00

10.00

Set 2" I.P. with Brass Cap in Conc. & Drill Marked as Shown C.V.C. 2/13/29

C.L. of Alley

Pg. 124

4th

ST.

Pg 123

30.00

30.00

10.00

10.00

Nothing Set

Cont'd From Top Pg 115

COUNTY SURVEYOR'S MONUMENT

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg. 117

Platted by G. F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting Ch'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916 D. S. O. No. 059
Location Santa Fe Springs
Surveyed by E. K. Combs
Date April 1929
Indexed A. C. Johnson

2½" Pull

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

4+40.98
Fd 2"x2" Per. Pg 113
Set By Prop.
Set N.&T. P.P.
Set N.&T. Valve Box
Alley
Pg. 113
(10)
18.68
7.78
49.01
90°-01'-50"
Set N.&T. G.P.
Δ = 90°-01'-45"
β 360-07-00
θ 720-14-00
90°-01'-45"
Set 2" I.P. With Brass Cap in Conc. 12" Deep Marked as shown C.V.C.-2/11/30
Topog. in F.B. 378-19
COUNTY SURVEYOR'S MONUMENT
441.01 @ T = 72°
440.98
East 440.98
Δ 89°-55'-30"
β 359-42-00
θ 719-24-15
89°-55'-32"
0+00 East
Fd. S.W.&T. Per. Pg 99
Set By Proportion
Set N.&T. N.W. Cor Pipe Rock
Set N.&T. P.P.
89°-55'-30"
58.63
Butler
Pg. 99
Road
30'
238.0
Set N.&T. T.P.

F.B. 385 Pg. 11E Chief Party Notes by C.K. Crumley Date



RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 119

84' Fou.

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916 D. C. O. No. 1059 - 2½ Pull
Location Santa Fe Springs
Surveyed by C.W. Crumley
Date April 1929
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Alley ℄ (10) (10) Alley ℄

Set N.&T. P.P.

Calc. 4+4.31
Fd. ½" Pipe Pg 11A.
See By Plat

33.20 S

S 51°E ± 81.9 ?

Set N.&T. P.P.

25.26

Set "X" on 6" I.P. Running up Large Tank

Note X's Not Turned on account Large Tank

Topog. in F.B. 378-107

Alley (10) (10)

440.31 (Calc.)

240 East
Fd. S. W. & T. Pipe 4.100
See By Plat

Set X on Iron Gate Post

set "X" in Iron Gate Post (Small Gate)

Butler 30 ℄ 30 Road ℄

32.81

N 34°E

55.02

48.21

set N.&T. T.P.

Set "X" 6" Iron Stand pipe

F. B. 395 Pg. 120 Chief Party Notes by C.V. Crumley Date



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 121

Platted by G.E. Holbrook
Date AUG 1929
Map No. B-394-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916 S. S. O. No. 059
Location Sawtelle Sp. Hgs
Surveyed by _____
Date _____
Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

(Set "X" in Iron Pipe Pipe Line Support)

Set N.&T. Valve Box

4439.49 Set N.&T.

(Calc) 4439.64 Fd. 2"x2" Per. Pg. 114

40.08

51.29

(Set "X" in Iron Pipe Pipe Line Support)

13.42

80.00

Alley

(10)

℄ Pg. 114

439.47 @ T=90°=439.49

Topog. in F.B. 378-111

Note: ℄ Not Turned on account of Large Tank on Line

439.49

439.64 (Calc)

Fd. C.N.&T. Per Pg 101

Butler

℄ Pg 101

Set N.&T. P.P.

80.24

Road

(30)

80.00

36.78

82.64

Set N.&T.

Set N.&T. T. P.

Set N.&T. T. P.

F. B. 325 Pg. 122 Chief Party Notes by C. V. Crumley Date Apr. 1, 1929



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 123

Platted by G. F. Holbrook
Date AUG 1929
Map No. B-394-2
Platting Ck'd by D. M. Finley
Date OCT 1929

W. O. No. 916 S. O. No. 057-B
Location
Surveyed by
Date 1929
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR



F.B. 385 PG. 12 Chief Party Notes by C.V. Crowley Date



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 395 Pg 125

Platted by G. E. Holbrook
Date AUG 1929
Map No. B-39-4-2
Platting C'k'd by D. M. Finley
Date OCT 1929

W. O. No. 916 D. S. C. No. 059-21/2
Location Santa Fe Springs
Surveyed by C.K.
Date April & May, 1929
Indexed A. C. JOHNSON

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR

4439.30
Fd 2X2' Post Pg 116
set By Prop. Lines

Alley
℄ Pg. 116
(10)
(10)
Alley

Set "X" on Iron Pipe Fence Post.

Set "X" on Iron Pipe Fence Post

52.1'
① 90°-01'-45"
② 360-07-30
③ 720-15-00

Topog. on F.B. 378-117

435.32 Δ=78°=
438.30

Alley
435.30

32"
① 89°-55'-30"
② 359-42-00
③ 719-24-15

Fd 3/4" I.P. Pg 102

Set "X" on conc. Walk

Set N&T. P.P.

Butler
℄ Pg. 102

Road
℄
(30)
(30)

Set N.&T. P.P.

F.B. 395 Pg. 126 Chief Party Notes by Date

T = .00260
T = .00180

35

26.6
124.12

LOS ANGELES COUNTY SURVEYOR

RETURN TO

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CHECKED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.