Date 2-4-30 Notes by Moore Chief Party Moore F.B. 419 Pg. 1

Plotted by	W. O. No. 930 D. S. O. No.
Traced	Location Thompson Cr Wash Rd
Map No.	Surveyed by L D Moore
Plotting C'k'd by	Date 2-4-30
Date	Inspected by C. Johnson

SURVEY
for
THOMPSON CREEK WASH ROAD
from
COVINA AVE
NORTH
to
CAMP BALDY ROAD
W O # 930

Party

Moore
Blanchard
Mc Bride
Ford
Stewart

Feb

100' band tape # 428 - 10.00 @ 68°

NOTE
For additional work
ON proposed Thompson Creek
Rd from BASELINE AVE. N'ELY TO JOIN
NEW CAMP BALDY RD. IN SAN ANTONIO CN
See Pg 85

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes thru side of this line

F.B. 419 Pg. 2 Chief Party Woods Notes by Moore Date 2-4-30
To bottom pg. 3



Date 2-4-30 Notes by Moore Chief Party Moore F.B. 419 Pg. 3

Plotted by
Date
Map No.
Plotting C'k'd by
Date

W. O. No. 730 D. C. O. No.
Location Thompson Cr Wash Rd
Surveyed by R. D. Moore
Date 2-4-30
Indexed A. C. Johnson

To bottom Pg. 4

WILLIAMS

GROVE ST

AVE

GREY

15 16 18 14 16 18

Y Boundary - City of Pomona

P. line

4th ST

14

ATSF PE

S.F. R.R.

R.R.

13 12

FULTON AVE

From top Pg. 2

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CINGLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 419 Pg. 4 Moore Chief Party Notes by Moore Date 2-4-30

To bot right pg. 5



RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes beyond this line of this line

1851 to 187

184 178

Transit Line 2

88 39 40 41 42

3 R 3 S

182 192 190 195

37 42

TIN R 8 W

178 182 184

Old Line

Forbes

36 23 24 25 43 44 45 46 47

Base Line Ave

From Pt

Date 3-6-30 Drawn by Moore Chief Party Moore F.B. No. 1442 Pg. 1

Plotted by
Date
Map No.
Planning Ck'd by
Date

W. O. No. 5130 D.B.B. No.
Location Thompson Cr Rd
Surveyed by A. D. Moore 3-6-30
Date
Inspected A. C. Johnson

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Chief Party Notes by

F.B. 414 Pg. 6



Date 2-3-30 Notes By A Moore Other Data By A Moore P.B. 118 Pg. 7 & 8

Plotted by
Date
Map No.
Plotting Ck'd by
Date

Location Thompson Creek Wash Rd
Surveyed by L.D. Moore
Date 2-3-30
Address A. C. Johnson

Fd 2" I.P. R/vsh. 1.0' H.
3 W. Cor. Lot 17
El Paraiso Tract

Set 1"x2"

Fd 2" I.P. - plug & tk
S.W. Cor. Lot 16
El Paraiso Tract
R/vsh.

1143.06 @ 84° = 1143.06'
1490.03 @ 84° = 1490.03'
412.60 @ 84° = 412.60'

(51°-35'-00")
(205-39-30)

Set N&T. recdist from S.W. Cor Lot 17 - Checks Split & gauge.

Set N&T Guard p.

Set N&T

Set N&T

Set N&T

F.B. 419 Pg 8 — Moore Chief Party — Notes by Moore — Date 2-3-30

182.71 @ 24° = 182.72 ✓
99.29 @ 74° = 99.29 ✓
205.31 @ 84° = 205.33 ✓
112.99 @ 84° = 113.00 ✓
1641.60 @ 74° = 1641.67 ✓

428

100.00 @ 68°

(128°-52'-30")
(155-29-30)

Prop FULTON To Pg 9 69.92

(96-10-00)
(24-39-45)

Fd Wire spk City of Pomona

Fd wire spk City of Pomona

GAREY AVE

Fd NIT - Guy P

LA VERNE AVE

℄ 69.24 To Pg 9

128°-52'-25"

99.291

96°09' Adj

378.02 Calc. Rec = 378.86

1641.67'

39.32

Fd punch mark. L.B. 514-379

Set NAT

30.00

182.701

Fd 2" IP Ely Cor Lot 2

113.00

Fd 2" IP E. Cor Lot 1

N/y Cor Lot 1

Fd 2" IP Gr Loop N.E. Cor El Paraiso

GAREY AVE

(147°-17'-15")
(229-09-30)

Rec
Δ = 32-41-30
R = 700'
T = 205.03
L = 399.40

Meas
Δ = 32-42-40 ✓
R = 700 ✓
T = 205.33 ✓
L = 399.64 ✓

147°-17'-20"

Por Pomona City Grid

AVE

205.33

Tics

PI

Set NAT Walnut

Set NAT Orange

40.00

53.85

See Pg 35.

B.C

Fd 1x1 4Tk flush City of Pomona pt

122.06

From top Pg 7

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 2-4-30 Notes by Moore Chief Party Moore F.B. 419 Pg. 9

Plotted by
Date
Map No.
Plotting C'k'd by
Date

W.O. No. 7330 S.B.S. No. 028
Location Thompson Creek Wash Rd
Surveyed by L.D. Moore
Date 2-4-30
Indexed A. C. Johnson

100.00(M) 100'

To bottom pg 11

Fd 2" iron retaining wall

Set N&T @ Guy P

Fd NAIL & PP

CUCAMONGA AVE

546.07'

To pg 10

2065.77'

(30)

To N&T PPC R=46.67

Fd N&T LB 514-2350

Fd N&T PP

Fd N&T T&P

Fd X" GABBEY AVE

Fd X" in conc pave Replaced with L&T LB 514-376' LB 444-25

(90°-22'-45" 361-30-30)

420.71'

50 M.J. proposed per Pomona Fulton Ave City Eng.

AVE

(23.1) (25)

FULTON

443.65'

(17°-21'-45" 29-27-00)

20'

20'

(172°-38'-45" 330-35-00)

Set S,T&N 30" Palm

Y 701.23'

58.90

29.80

Set N&T TP

Set N&T orange

Angle Point Fd 2x2- City of Pomona

L=4.20

T=2.12

Set N&T Witness

T. pg 10

LA VERNE

(30)

69.24'

AVE

Fd Wire spk LB 514-378' RB 326-23

(51°-08'-15" 204-33-30)

23.98

Fd N&T PP

From pg 8

From top pg 35

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLES IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not submit maps with this sheet.

70.20 @ 74° = 701.23'
546.05 @ 74° = 546.07'
443.63 @ 74° = 443.65'
2065.69 @ 74° = 2065.77'
420.69 @ 74° = 420.71'

F.B. 419 Pg. 10 | Moore Chief Party | Notes by Moore | Date 2-4-30



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 2-5-30 Notes by Moore Chief Party Moore F.B. 419 Pg. 11

Plotted by
Date
Map No.
Platting Ck'd by
Date

W. O. No. 930 C.S.G. No. 628
Location Thompson Cr. Wash. Rd.
Surveyed by L. D. Moore
Date 2-5-30
Indexed A. C. Johnson

To bottom pg. 12

(89°-37'-30")
(358-30-30)

AVE

690.04'

89°-37'-30"

Fd 2" IP 6" deep

(40) (40)

Set N+T top F.P.

Fd 2x2+tk 6" deep Pomona City Engr.

Dr. Set N+T. Camphor

set N+T F.P.

(30)

1893.99'

30.03

31.59

32.71

32.89

30.82

GREVILLIA ST.

Set N+T Top F.P.

Set N+T Walnut

(30)

60'

Fd 2x2+tk 6" deep Pomona City Engr.

(23.1) (25)

709.90'

FULTON

709.93 @ 67° = 709.90'
1893.87 @ 78° = 1893.99'

From top pg. 9

RETURN TO LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not subdivide drawn this side of this line.

F.B. 419 Pg. 72 — Moore Chief Party — Notes by Moore — Date 2-5-30

To bottom pg. 14



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note! ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 2-5-30 Notes by Moore Chief Party Moore F.B. 412 Pg 12

Plotted by
Date
Map No.
Plotting Ck'd by
Date

W.O. No. 930 S.O. No. 028
Location Thompson Cr Wash Rd
Surveyed by L.D. Moore
Date 2-5-30
Indexed A. C. Johnson

Note: ANY ADDITION OR CHANGES OF ANY SHEET MUST BE MADE ON CIRCULAR WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not subtract dates this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



F.B. 419 PG. 14 Moore Chief Party Notes by Moore Date 2-7-30



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 2-7-30 Noted by Moore Chief Party Moore F.B. 419 Pg 15

Plotted by
Date
Map No.
Plotting C'k'd by
Date

W. O. No. 930 T.B.M. No. 038
Location Thompson Cr. Rd
Surveyed by L. D. Moore
Date 2-7-30.
Inspected A. C. Johnson

Note: ANY ADDITIONS OR CHANGES OR ERRORS SHEET MUST BE MADE OR CHECKED IN Black WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not write below this line or on this sheet.

RETURN TO LOS ANGELES COUNTY SURVEYOR

FOOTHILL BLVD

LINCOLN AVE

GROVE

Fd. 6" T.N.W. Co. St. Hwy post

Set L+T

Set S by int

Set N+T 15" Acacia

Fd 2x24" tk FC 88-114 N.E. Cor Tr 3800

Set N+T

Set L+T

Calc. 1661.22 Calc. Rec. = 1661.19

2495.60 15' offset Line 51

Fd N+T 4" Orange

Fd ½" I.P. - 18" deep FC-88-114

Fd "x" top conc outlet

Fd ½" I.P 3" deep

Set 1x2 by inter

Set 1x2

Set N+T Walnut

Set "x" top conc. outlet

(25)

(20)

(20)

967.72'

To Left

East Line - Tr #3800

Lot 1

967.66 @ 78° = 967.72'
1475.84 @ 82° = 1475.97'
2495.40 @ 80° = 2495.60'

(87° 42' 15" 350° 48' 45")

F.B. 417 Pg. 16 — Moore Chief Party — Notes by Moore — Date 2-11-30



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 2-14-30 Plotted by [illegible] Chief Party Moore F.B. 419 Pg. 17a-2

Placed by
Date
Map No.
Plotting Ch'k'd by
Date

W.O. No. 230 Sht. No. 028
Location Thompson Cr. Rd.
Surveyed by L.D. Moore
Date 2-14-30
Indexed A. C. Johnson

To bottom pg 19

Fd 3/4" I P 24" deep F.C. 88-114

Set N4T - 30" Gum

Set N4T post

Set N4T - 20" Gum

Fd 3/4" I P 16" deep F.C. 88-114

Fd 2x2 F.C. 88-114

P#10 Set 1x2

P#12 Set N4T.

397.72 @ 82° = 397.76
300.00 @ 82° = 300.03

P#11 Set 1x2

(167-36-46 / 319-27-20)

(40)

(20)

P#9 Set N4T

Transit Line

Set 2x2 Parties F.C. 88-114

P#8 Set N4T

Fd 1/2" I P

WILLIAMS

Note: ANY ADDITIONS OR CHANGES OF ANY SHEET MUST BE MADE IN CIRCLES IN PENCIL WITH DATE AND NAME OF PERSON MAKING CHANGE

DEPARTMENT OF COUNTY ENGINEER
LOS ANGELES COUNTY SURVEYOR

F.B. 419 Pg. 18 — Moore, Chief Party — Notes by: Moore — Date: 2-7-30

To bottom pg. 21

FOOTHILL BLVD.

From right pg. 19

Fd NAT - not on ℄

Set N&T. 8D

2395.90 @ 70° = 2395.93

Fd S.T&W. Cal. State Highway Mon. 49+0.37 L.A.-9-J-Bk1-68-42

L.B. 614-119

Rd. F.B. 71-26

Set N&T conc Drain

316.78

To left pg. 26

Set N&T

Fd NAT.

1684.11

1684.0 @ 78° = 1684.11

316.76 @ 76° = 316.78

AVE

Fd 1½" IP 6" deep

Set N&T 30" Gum

GROVE ST

From right

Set N&T - 30" Gum

Set S.T&W by inter

1476.14

Set N&T 30" Gum

Set N&T 30" Gum

Set N&T 30" Gum

Fd N&T FB 326-50

Set S.T&W. - 8" deep per C.S.-B.147-sht C

FB 326-50

2290.34

N. Bdy - City of Pomona per C.S.-B.147-sht 6

Set N&T P.P.

Fd 1½" I.P. 8" deep per C.S. B.147 FB 326-50

Rd Dept F.B. 71-25

GAREY

Fd "X" - conc outlet

℄ per C.S. B.147-sht 6

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR ENCIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date Oct 1929 Notes by Moore Chief Party Moore F.B. 418 Pg. 1

Plotted by
Ties
Map No.
Plotting C'k'd by
Date

W.O. No. 930 C.S. No. 457
Location Thompson Cr. Wash Rd.
Surveyed by L.B. Moore
Date Oct. 1929
Indexed A. C. Johnson

To Location pg. 20

N 34.34 @ 70 = 213.43 ~

(33) (38)

WILLIAMS ST

N 34.37 ~

P#15 Set 1x2

300.03 ~

(92°-46'-15" 371-05-00)

(70°-57-45 283-51-00)

Ties

WILLIAMS ST

Set L&T

Set L&T

FOOT HILL BLVD

conc Bridge

Set L&T

Transit Line

300.03 ~

Fd N+T orange

FOOT HILL

1265.41
2468.30
From right ~

& Gary Ave

P#13 Fd N+T

1661.32 To Pg. 15 Calc.

Fd 1½" I.P. Flush - N.E. Cor Somers Property

WILLIAMS

(40)

(39)

Fd N+T orange

To Location pg. 17

BLVD

To Location pg.

NOTICE TO LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES OF THIS SURVEY MUST BE MADE BY SURVEYOR OR UNDER HIS DIRECTION

Record entered unless this date indicated

F.B. 419 Pg. 20 Moore Chief Party Notes by Moore Date Oct 1929

To bottom pg. 36

300.00 @ 52° @ 2-24 = 299.68 ✓
887.18 @ 52° @ level = 887.00 ✓
1186.68 ✓

Fd S.T.&W. Rd Dept FC. 76

0.40 E 32F.31

Fd N&T Sign post

1.5 1.0

BASE LINE ℄ WAY

Fd 2x2 4tk - flush R.D. FB. 71-54 ✓ F.B. 42-102

Set N&T P.P.

35.47 34.91 110.84

Fd N&T Tel. P.

Fd S.T.&W. 24" Palm

(33) (33)

AVE

COLLEGE WAY

710.41 ✓ To left pg.

(30) (30)

(66-21-00) (265-24-15)

1186.68

℄ Rd FC. 76

66°-21'-05"

Fd old N&T 15" Walnut

Fd N&T R.D. FB. 71-52 ✓ R.D. FB. 155-1 ✓ FB. 42-102

28.10 31.14 50.55 34.86

Fd N&T (old) 15" Walnut

Fd old N&T 15" Walnut

Fd N&T P.P. Rd F.B. 155-1

1071.56 ✓

300.00 @ 78° @ 2°-25' = 299.72 ✓
251.09 @ 78° @ 3°-10' = 250.70 ✓
160.00 @ 78° @ level = 159.99 ✓
710.41 ✓

300.00 @ 22° @ 2°-25' = 299.37 ✓
300.00 @ 22° @ 3°-10' = 299.07 ✓
171.14 @ 22° @ level = 171.14 ✓
770.58 ✓

WILLIAMS

1071.56 ✓

Fd N&T P.P.

90° 01'-35"

(90°-01'-45") (360-06-30)

Set N&T

Set N&T Tel. P.

23' offset Line

647.25 ✓

Fd old 1x24tk R.D. FB. 71-51 ✓ R.D. FR. 115-11 ✓ 3" deep FB. 42-102

60.00 33.24 32.12

DARTMOUTH (33) ST.

Fd old N&T cor bldg.

25.12 27.43

Fd 1" IP - flush

32.78 32.92

To left pg. 21

Set N&T Sign post

Fd 1" I.P. 6" high

300.00 @ 84° @ 2°-04' = 299.80 ✓
300.00 @ 84° @ 2°-04' = 299.80 ✓
47.65 @ 84° @ level = 47.65 ✓
647.25 ✓

Set N&T 16" Walnut

2134.37 ✓

From top pg. 19

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date Oct 1929 Notes by: [illegible] Office Party: [illegible] F.B. 418 Pg. 21

Plotted by
Date
Map No.
Plotting C'k'd by
Date

U.S. [illegible] Survey
Location: Hampson & Wash. Sts.
Surveyed by: [illegible]
Date: [illegible] 1929
Indexed: A. M. Johnson

Notice: ANY ALTERATION OR CHANGES OF THIS SHEET MUST BE MADE IN RED INK AND WITH NOTE AND DATE OF EACH CHANGE

Property of LOS ANGELES COUNTY SURVEYOR

Returned [illegible] when this data [illegible]

Fd nail in Hex conc. stand pipe

WAY

386.30'

To left pg. 22

Fd "I.P. flush R.S. F.D. 155-34" R.D. F.B. 71-52" F.B. 42-102

COLLEGE

710.41'

24.30

37.36

55.34

300.00 @ 78° @ -25 = 299.90'
86.40 @ 78° @ level = 86.40'
386.30'

Set N4T Tack P

178°

42.00

Set N4T - 6" orange

(178° - 42-00)
(355.4 - 48-00)

From right pg. 20

Set N4T + 6" Walnut

① 90-07-15"
② 360-28-45"
90-07-11 1/4"

(66°-12'-30")
(264-49-30)

① 180-16-15
② 721-05-00
180-16-15

(20')

ALAMEDA AVE

1355.71'

(20')

300.00 @ 84° @ -12° = 297.78'
300.00 @ 84° @ 2-24" = 297.78'
300.00 @ 84° @ 4-36" = 297.78'
300.00 @ 84° @ 6-48" = 297.78'
189.72 @ 84° @ level = 188.72'
1378.8'

(90°-07'-00")
(360-28'-15")

Gutter Elec

4x4 Under

Nat Walnut

Nat Walnut

Nat Stump

Nat Walnut 42.03

Dartmouth St

38.81

32.15

33.90

0.11

Nat P.P.

Removed

300.00 @ 84° @ 0-48" = 297.78'
300.00 @ 84° @ 0-36" = 297.78'
192.91 @ 84° @ level = 191.91'
787.47'

Set S.T.W. by inter.

212.40 @ 84° @ level = 212.40'

Set N4T - 24" Walnut

Fd old N4T 12" Walnut

90°-01'

90°-05'

38.47

25' to fence line

P.O.T. Set 1/2"

782.89'

831.40'

6 N7.25 E

DARTMOUTH ST

(33')

+23.00

Set 3/4" I.P. 12" deep Ties above

From right pg. 20

(7')

180°-16'-30"

24.82

52.07

1340 Adj

(20')

To left pg. 24

Set N4T P.P.

Removed H.S. 4-16-30

Fd 3/4" I.P. - 12" deep R.D. F.B. 71-52"

F.B. 42-102

179°-43'

1345.92

Set N4T 6" orange

Turned @ 2.77° 179°-43'-30" 358°-27'-00"

From Tr. pg. 23

F.B. 419 Pg. 22 Chief Party Notes by Moore Date 10-16-29

300.00 @ 60° @ 1°-44' = 299.81
11.94 @ 60° @ level = 11.94
311.75

707.73 @ 66° @ level = 707.65



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 10-16-29 Notes by: Moore Chief Party: Moore F.B. 419 Pg. 23

Plotted by:	W.O. No. 930 B.B.C. No. 46
Date:	Location: Thompson Cr. Wash Rd.
Map No.	Surveyed by: L.D. Moore
Plotting C'k'd by:	Date: 10-16-29
Data:	Indexed: A.C. Johnson

Note: ANY ALTERATIONS OR CHANGES OF THIS MAP, WHETHER OR NOT SIGNED OR INITIALED, MADE AFTER IT HAS BEEN CERTIFIED, WILL VOID THE CERTIFICATE.

Record original notes with data on this Map

RETURN TO LOS ANGELES COUNTY SURVEYOR

Fd 1½" I.C. - Top of ridge 5.84 S 45.24 E per C.S. 2237 & C.S. 7964

399.47

0.24

To right 29.36

Fd S.T.N. C.S. 2237 & 7964

Set 2x2-12" deep by rec. dist from N¼ Cor. Sec. 5 per C.S. 7964 and D.M. 12 N 182

1766.03'

To Sta. 47 P.G. 14

BASE LINE AVE

t=84° 287.50'

U.S.G.S. B.M. Brass

Pk nail in cement

(1.05-28-00) (61-52-00)

per Tie to U.S.C.&G.S. "Pinnacle" see Plead. Cont. Pg. 455-133

Fd old N+T limb of 3" oak Per Rd. FO. 155-8

288.06 @ 66° @ 1°55' = 287.87'

(30)

105°

Set N+T 6" lemon

W/A 0.4' 273.58'

300.00 @ 66° @ 1°38" = 299.84'
197.28 @ 66° @ level = 197.26'
497.10'

(140-54-15) (203-37-15)

30 Adj. 54.48'

Set N+T 6" lemon

P.I. Set 2x2 by rec angle and dist. from P.I. to S.W. per C.S. 7964 and D.M. 125-182 12" deep

(171°-38-00) (338-32-00)

140° 54' 15"

57.43

16.91

Set N+T 6" lemon

15.41

COLLEGE 497.10'

32.36

Set N+T 6" lemon

Hold 00 ~~00~~ Adj. 38'-~~00~~"

Set N+T - Tel.p

17A

P.I. Set N.+T. by rec. angle and dist. from P.I. to S.W. per C.S. 7964 and D.M. 125-182 This checks ties per Rd. FO. 165-5 nearly.

707.66'

50.43

37.74

45.72

Fd x" on side of conc. hyd

From 19 right 2.7

Set N+T - Sign post

P9 Set x" top Conc. stand Conc. Pipe

Fd x on top conc. hyd

300.00 @ 5.2° @ 5°46' = 298.42'
930.16 @ 5.2° @ level = 929.97'
190.80 @ 5.2° @ 20°-25' = 178.77'
234.00 @ 5.2° @ 3°-46' = 233.44'
129.88 @ 5.2° @ 15°00' = 125.43'
1766.03'

F.B. 412 Pg. 24 — Moore, Chief Party — Notes by Moore — Date 10-16-29

Fd 1" bolt in 3" I.P. in conc. - Flush N 1/4 Cor. Sec. 5 T 1S - R 8 W. FB 42-50+100 R.D. FO. 155-8 R.D. FR. 115-3-10 R.D. FB. 71-72 R.D. E.Q. 117-3

Tr. 2914

BASE LINE

℄ 287.50

From right pg. 23

(179°-59'-15") (359-57-30)

26+26.58 from S. Set NAT

300.00 @ 66° @ 2°-19' = 299.71
298.75 @ 66° @ 2°-49' = 298.36
583.95 @ 66° @ level = 583.88
1181.95

AVE 1181.95

To left pg. 25

Set L&T

Set L&T

28.30

28.30

10.61

56.30

30 Adj

(30)

(30)

Set x" on top conc. stand pipe 0°-13'-55" calc.

Fd x" on top conc. hyd. Per Rd FO. 155-8

(90°-15'-30") (361-01-45)

P.O.T - 17+26.55 Set 1x2 on edge of cliff

Transit Line

758.80

14.68

13+10.00 Fd 3/4" I Pin calc. 12" deep Per Tr No. 2914

13+09.87 Fd 1/8" I P in conc Per Tr No. 2914 15" deep

P.O.T - 9+67.75 Set 1x2

5.30

N 0°-08'-30" E 311.80

311.82 @ 72° = 311.80

(90°-21'-00") (361-23-30)

(20)

(20)

944.75

Set x" on side conc stand pipe

40 Adj

Set S.T.&W.

(89°-26'-45") (357-47-00)

23' offset line

981.63

To right pg. 21

P.O.T Set 1x2

89°-26'-45"

Set S.T.&W. in 30" Palm

50 Adj

16.81

23.00

311.80

1282.62

P.O.T Set 1x2

To left pg. 25

(90°-38'-30") (362-44-00)

Set x" on side conc. stand pipe

90°-38'-30"

0°-01'-30" Calc.

From top pg. 27

863.24 @ 62° @ level = 868.08
122.89 @ 8.4° @ 15°-16' = 113.55
981.63

Set x" on side conc stand pipe

SUMMER

From going N. Fd 1/2" I.P. in conc. - Center of Sec. 5 T. 1S - R. 8 W. Tr. 2914 R.D. FB. 71-70 R.D. FR 115-10-114 F.B. 412-103 Pr. Tr. No. 2914

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 10-16-29 Notes by: Moore Other sign: Moore Vol. 449 Pg. 25

Planned by
Date C
Map No.
Plotting C'k'd by
Date

W.O. No. 930 Dist. No. 45
Location Thompson & Wash Rd.
Surveyed by L. D. Moore
Date 10-16-29
Indexed A. C. Johnson

500.05 @ 74° W level = 500.00'

Fd N+T Guard post

Set N+T Tel CONE

BASE LINE

500.00'

Fd N+T Guard post

Set S,T+W per ties R.D. FB 115-5

Fd I.P. in car stone wall

Set S,T+W R.D. FB 71-22, R.D. FB 117-3, R.D. FB 115-10

Set N+T-5 tag post

To left pg 4

(88°-03-15") (352-13-15")

(92°-14-15") (08-56-30)

1282.72 @ 72° = 1282.62'

(30') (30')

SAN ANTONIO AVE.

2646.66'

Per L.S. 10-39

S. line N.E. 1/4 Sec 5 T1S - R8W per Tr 2914

1282.62'

From right pg 24

Fd N+T in 6" Post

Set S,T+W per ties R.D. FB 71-7

Set S,T+W by inter.

Fd 1/2" I.P. Set nail 0.05 N. of center per Tr. 2914

Set N+T

F. B. 419 Pg. 26 Moore Chief Party Notes by Moore Date 2-11-30



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red: WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 2-11-30 Notes by Moore Chief Party Moore F.B. 419 Pg. 27

Plotted by
Date
Map No.
Plotting C'k'd by
Date

W. O. No. 930 T.S.M. No. 028
Location Thompson Cr Rd.
Surveyed by L. D. Moore
Date 2-11-30
Indexed A. C. Johnson

To bottom pg. 24

2639.96 @ 68° = 2639.96'

Center Line Per F.B. 520-216

(20) (20)

SUMNER AVE.

Transit Line

0°01'30" Calc.

(90°-29'-00")
(361-56-00)

Fd N&T 6" Orange

Fd N&T 6" Orange

Set L&T

Set L&T

2639.96'

90°

FOOTHILL

AVE

BLVD

1122.40'

From right pg. 26

Fd S79W Cal State High 3"D. 86 @ 91.67
L.A. 9-J-621-68-42
L.B. 614-128
Rd. F.B. 71-10

Fd S Cal State Road

Set L&T

Set L&T

Set S.W.P.T. here in Aug. 1950. See F.B. 520-216.

SAN ANTONIO

Notice: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes THIS side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 419 Pg. 28 Moore Chief Party Notes by Moore Date 2-13-30



RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 2-13-30 Notes by Moore Chief Party Moore F.B. 419 Pg 22

Platted by	W.O. No. 930 S.P.O. No. 028
Date	Location Thompson Cr. Rd.
Map No.	Surveyed by L.D. Moore
Platting C'k'd by	Date 2-13-30
Date	Indexed A. C. Johnson

Notice: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CHALKED IN Red, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes into this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

1318.64 @ 68° = 1318.64'

(91°-41'-15" / 346°-45'-15°)

AVE

1318.64' — To S.T.& W. & Base Line Ave pg. 25

Fd 2" I.P. Brass Cap Marked J.F.D. 12" deep per L.S. 10-39'

Fd 3/8" I.P. in Conc. 1' deep per T.T. #2914 & L.S. 10-39'

91° 41' 30" 25.44

Set C.S. & W. 30" Palm

Set C.S. & W. 30" Palm

56.82

27.79

19.22

5.83

Set K & T by Walnut

691.21

1633.03'

Transit Line

Agreement Line per L.S. 10-39'

From right pg 24

2.32

a/18

36'

2.14

29.91

45.99

Fd 2" I.P. & Brass Cap per L.S. 10-39' Marked J.F.D.

Fd 2" I.P. & Brass Cap Marked J.F.D. 12" deep. S.E. Cor. Lot 10 Kluegel's Sub per L.S. 10-39'

Set N & T 8" Walnut

SAN ANTONIO

per pg 25

Set C.S. & W. 30" Palm

1632.99 @ 72° = 1633.03'

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 419 Pg. 30

Chief Party Moore Noted by Moore Date

Date 2-17-30 Notes by Moore Chief Party Moore F.B. 419 Pg. 31

Plotted by
Date
Map No.
Plotting Ck'd by
Date

W. O. No. 720 R.S. No. 838
Location Thompson Cr. Rd.
Surveyed by L.D. Moore
Date 2-17-30
Indexed A. C. Johnson

To bottom pg. 32

(164°-23-00)
(298-12-00)

298.84 @ 82° = 298.87'

Set plug & tk in Top iron fence post

298.87'
19.95
6.67
30.29
482.35'
P#19 Set 1X2

(47°-54'-45")
(191-38-45)

(138°-58'-45")
(195-58-00)

P#18 Set 1X2

(174°-10'-00")
(336-40-30)

Tape No. 06 Std @ 76°
H.S. Johnson

Transit Line

432.99 @ 78° = 433.00
~~444.85 @ 88° = 444.41~~
359.03 @ 88° = 359.08'
482.29 @ 88° = 482.35'

Set plug & tk in Top iron fence post

359.08'
39.14
16.75
42.4
174°-10'-00"
P#17 Set 1X2

54'-40'

GAREY AVE per Pg. 115 & 121

433.00
44.46

Set "X" on iron fence post

32.54
P#16 Set S.T & W.

Set "X" iron fence post

33.84
59.11
Set "X" on iron fence post

138°-58'-45" 40 Adj
T-64°
11479.02'
T. & 1 on Pg. 16

526.22'

Set "X" on iron fence post

From top right pg. 19

Notes: ANY ADDITIONS OR CHANGES TO THIS SHEET MUST BE MADE BY PERSON WHO MADE THE ORIGINAL CHANGE

Do not extend notes into this area of this sheet

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 419 Pg 32 Moore Chief Party Notes by Moore Date 2-18-30

To bottom pg. 33



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE SIGNED BY THE PERSON MAKING SAME AND DATE AND NOTE OF CHANGE.

Moore

Date 2-18-30 Noted by Moore Chief Party Moore F.B. 417 Pg. 33

Plotted by	W. O. No. 730 C.S.D. No. 228
Date	Location Thompson Cr Rd
Map No.	Surveyed by L.D. Moore
Plotting Ck'd by	Date 2-18-30
Date	Indexed A. C. Johnson

Notice: ANY ADDITIONS OR CHANGES SHEET MUST BE MADE ON CHECK-IN WITH DATE AND NAME OF PERSON CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



F.B. 419 Pg 34 Moore Chief Party Notes by Moore Date 2-18-30



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 2-20-30 Notes by L. D. Moore Computed by L. D. Moore F.B. 419 Pg. 25

Plotted by ____ Date ____ Map No. ____ Plotting Ch'k'd by ____ Date ____

C. S. No. 420 R.S. No. 928
Location Thompson Cr. Rd.
Surveyed by L. D. Moore
Date 2-20-30
Material A. C. Johnson

310.29 + 1.00 CSP = 310.29

PI - 2.12 City of Pomona Pg. 9

RUTH TON AVE

LAVERNE

wire spk Pg. 8

69.84

wire spk Pg. 8

99.29

wire spk Pg. 8

Spike

Line Pt. on C.L.

Spike

1434.0'

Fd 2x2 - PI City of Pomona Pg. 9

THOMPSON

310.29

99.90

Set N+T 12" Walnut

32.36

CREEK

50.81

25.91

PI Set STK by inter.

Set N+T 12" Walnut

Set N+T 12" Walnut

Fd 1x1 - City of Pomona B.O. Pg. 8

ROAD

(147°-18'-00)
(229-12-20)
147 18 07½ Av.

Δ =
R = 1000'
T =
L =

B.C.

40' 40'

(20) 1163.06 (20)

From top Pg 7

RETURN TO LOS ANGELES COUNTY SURVEYOR

Notice: ANY ADDITIONS OR CHANGES OF ANY SHEET MUST BE MADE OR CERTIFIED BY ME WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not cancel points. Mail this to the "Hub"

F.B. 419 Pg. 36 — Chief Party Moore — Notes by Moore — Date 2-27-30

To bottom pg. 37

69.56 @ 56° @ level = 69.55
278.00 @ 56° @ 6°-45' = 276.02
223.00 @ 56° @ 2°-33' = 222.74
263.44 @ 56° @ 3°-02' = 260.81
150.32 @ 56° @ 3°-50' = 150.00
979.12

60.00 @ 54° @ 10°-05' = 59.06
275.04 @ 54° @ 2°-45' = 274.67
199.95 @ 54° @ 21°-06' = 186.51
35.32 @ 54° @ level = 35.31
555.55

254.85 @ 52° @ 11°-08' = 250.00
244.81 @ 52° @ 21°-40' = 227.47
Tape # 46 = 300.00 @ 84°

300.00 @ 52° @ 9°-58' = 235.41
103.96 @ 52° @ level = 103.96
339.37

96.64 @ 52° @ 24°-26' = 87.97

24.38 @ 52° @ 27°-24' = 21.64

147.95 @ 52° @ 17°-13' = 141.29
189.17 @ 52° @ 8°-34' = 187.02
328.31

98.95 — 972.42 — 981.95

72.81 + 112.56 + 225.47 + 232.07 + 56.41 = 981.95

72.81 @ 56° 57'
113.17 @ 56° 04'
227.20 @ 3° 29'
233.10 @ 6° 40'
294.00 @ 0° 00'
52.41 @ 56° 57'

#4 - 10+33.02 Set 1x2 on ridge

#3 - 4+77.47 Set 1x2 on ridge

#2 - 2+27.47 Set 1x2 top of ridge

#1 - 0+00 going N. Set 2x2 by Inter. S.W. Cor. Sec. 32 - T 1N-R8W per C.S. 7964 + C.S. 7737

Set 1x2 top of ridge

Transit Line & Williams St produced

Tem. = 84°
300 Tape
#10 H.S. Johnston

2684.36
2011.88
1°-20'-00" Calc.
1227.47
250.00
555.55

T 1 N R 8 W

31 32 6 5

0.43
2.36
2.36

90° 07' 45"
(90°-07'-45")
(360-31-00)

87.97 — 90.57 — 399.37

Set 1x2 on ridge

Set 1x2 on ridge

Sec. Line per C.S. 7964 & C.S. 7737

21.64

328.31

To 2x2 & Basseltine Rd.

To 1x1 left pg 23

or 0.36' Fd. spk and two old 2x2's - E+W all in conc. C.S. ~~7964~~ 7737 FB. 42-A9

From Top pg 20

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 3-3-39 Notes by Moore Chief Party Moore F.B. 419 Pgs. 2

Plotted by
Date
Map No.
Plotting C'k'd by
Date

W.O. No. 930 Sec. 16 T1N R8W
Location Thompson Cr Rd
Surveyed by L. Moore
Date 3-30
Inspected by C. Johnson

To Lutton pg 35

(N8°-54-30 E 1607.09)
(N75°-30-15 E)
N85°-54-30 E 685.89
1°
685.89 @ 58° @ level = 685.77

A #7 - 33+87.48 Set 1x2

87.48

(L1°-30-45" 246-03-00)

To #8

Transit Line

685.89

61°-30-45"

Calc. 1°15'45" to 6" casing 38.39

1°15'45" Calc.

83.63
26+83.63 Fd old 1" iron pipe 3" deep in M.H. Cover Oak Glen Heights W'ly bdr sec 31 T1N-R8W

A #6 - 27+01.91 Set 1x2

27+01.91

18.28

77.44

180°44'15"

SUMMIT ROAD

686.94

31

T1N R8W

407.19 @ 58° @ level = 407.12
280.00 @ 58° @ 1°-42' = 279.82
686.94

32

670.12

#5 - 20+12.14 Set 1x2

.60
1°20'
Calc.

13.67
20+10.54 Fd old RR 2" flush apparently S.W. Cor Oak Glen Heights Tract

20+.97 Set 1/4

15.00

1.30

47.80

1.0
1°02'
Calc.

20+.39 Rec. per

Revised by Nov. 19, 1954

36

981.5

Transit Line

Top pg 36

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLES IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes beyond this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F. B. 419 Pg. 38 Moore Chief Party Notes by Moore Date 3-4-30



30

29

Sec Cor
53+41.72 from South
Fd 6" Casing filled with conc and nail. N.W. Cor. Sec. 32 T 1S R 8 W. per L.S. 18-47

Replaced 6" Casing filled with Conc. & Nail with a C.S. Conc. Mon. & B.C. marked as shown
A.N.H. - 12-3-34

136.07

90°

91°15'30" Calc.

91°31'15" Calc.

Transit Line

95

4699.96 (calc) +0°11'

2160.75 (calc) To #10

To bottom pg. 39

88.60

#9-52+88.77 from South = 0+00 going East
Set 1x2

89°33'30"

31

32

Section Line

94.77

#8-49+94.94
Set 1x2

T 1N R 8W

1°15'45" Calc. 2661.57

Transit Line

19.37

524.89	@ 60°	level = 524.81
299.63	@ 60°	6°-11' = 297.84
300.00	@ 60°	1°-26' = 299.86
299.99	@ 60°	4°-22' = 299.07
186.62	@ 60°	6°-10' = 185.51
		1607.09

From top of pg. 37

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY CORRECTIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 3-4-30 Notes by Moore Chief Party [illegible] B.M. 415

Plotted by
Date
Map No.
Plotting C'k'd by
Date

W. O. No. [illegible]
Location Henderson Cr. Rd.
Surveyed by L. D. Moore
Date 3-4-30
Indexed A. C. Johnson

To Ballarat

55.40 @ 62° @ 10°-21' = 54.10
60.00 @ 52° @ 2°-43' = 59.82
293.58 @ 52° @ 7°-18' = 291.74
29.36 @ 52° @ 4°-24' = 128.95
528.68

#11-46+99.98
Set 1x2 on top of ridge bearing N+S

Transit Line

(8°-23'-00"
33-32-00)

1/4 Sec Cor.
Fd 2" I.P. - old white top 2x2 laying on Ground beside it - apparent N 1/4 Cor Sec 32 T1N-R8W per T.M. 1471 - on W. side slope.

Replaced 2" I.P. & nail with C.S. Conc. Mon. & B.C. marked as shown. A.N.M. 12-3-30

28°-55'-00"

27+66.32

99.34

8°-23'-00"

Gully

28°-5'-00"
11.5-43.0 W

600ft Chs.

67.58 @ 12° @ 2°-46' = 66.
329.52 @ 7° @ 2°-48' = 328.
266.30 @ 7° @ 2°-10' = 265.

This Dist. Chad. on [illegible] line 12-3-30 W by [illegible] Between N 1/4 C. Sec 32 & [illegible]

25

32.10 @ 62° @ level = 32.10
300.00 @ 62° @ 7°-16' = 297.53
286.26 @ 62° @ 8°-26' = 283.18

Gully - SW

4699.95 (calc)

606.21

T1N R8W

655.95 calc

658.44 per T.M. No. 1671

A - #10-21+60.72
Set 1x2 on ridge bearing N+S

96.13 @ 62° @ 8°-16' = 95.12

(58°-30'-45"
234-03-00)

Fd 2" I.P. - old 3x3 laying on ground beside it - N.E. cor Tract #1671

372' Slope

To #1

From right P 943

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET SHOULD BE MADE TO CIRCLE 2 Blvd. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not detach sheets from this book of field notes

LOS ANGELES COUNTY SURVEYOR

F.B. 419 Pg. 40 L. Moore Chief Party Notes by Moore Date 3-5-30

To bottom pg. 41

Top of ridge

Bottom of ravine

Top of ridge

(163°-12'-30")
252-50-15

(27°-47'-00"
111-08-00

SURVEYOR'S STA. NUMBER 74
T 1N R 8W
29+28
32+33
Sec. Cor.

140' Stadia

410' Stadia

330 Stadia

226.68 (calc)

S.W.

S.W.

To N.F.A. & Base Line pg. 44

63°-12'-30"

S.W. 582.95 (calc)

217.27

28

33

To ½" I.P. Sec. Cor. pg.

4 # 13-54+12.5 Set 1x2 on South side slope.

See pg. 184

527.70

(P) 52+34.86 from N = 52+59.43 going N See pg. 184

79.28

Ed. nothing

Transit Line

T 1N R 8W

184.22

29

32

#12-52+28.4 Set 1x2 on South side slope

90°-56'-40" Pr. pg. 184

S.E.

186.64 @ 52° @ 9°-10' = 184.22

Gun 5+

528.68

From top pg. 39

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 3-5-30 Notes by A. Moore Checked by A. Moore R.S. 449 Sheet

Plotted by
Date
Map No.
Plotting C'k'd by
Date

R.S. 449
Location Thompson Cr. Rd.
Surveyed by A. C. Moore
Date 3-2-30
Inspected A. C. Johnson

To 1 of 7 Pg. 42

(48° 48' 30"
195 - 14 - 30)

Transit Line

48° 48' 30"

2274.50 (Calc.)

To E 1/4 Cor. Sec. 33 Pg 9

#15-83+~~22.90~~ 19.93
Set 1x2 on top of ridge bearing slightly S.E.

TIN ROW

365' Stadia

52+47.62 going North
Set 1x2 for lattice
pt. pg. 178

See pg. 178

gully

e726

10.52

9.0-01-15
pt pg. 178

28
1/4 SEC. COR
See Pg 178

Fence

41° 39' 00"
166 - 36 - 00

44° 04' 30"
176 - 18 - 00

95° 16' 30"
21 - 06 - 00

41° 39' 00"

44° 04' 30"

2923.84 (Calc.)

#14-76+~~73.89~~ 70.59
Set 1x2 on top of ridge bearing N+S.

To N 1/4 & Base Line Pg 44

95° 16' 30"
94 Adj

2264.68 (Calc.)

From Top Pg. 40

Return to LOS ANGELES COUNTY SURVEYOR

Notice: ANY ALTERING OR CHANGES OF THIS STAKE MUST BE REPORTED IMMEDIATELY WITH DATE AND NATURE OF PERSON MAKING CHANGE.

Do not disturb stakes other than those of this kind.

F.B. 419 Pg. 42 — Moore Chief Party — Noted by Moore — Date 3-4-30



28

See pg. 189 →

See F.B. 418-35

COUNTY SURVEYOR'S MONUMENT

T.1N.

Sec. 33 | Sec. 34

1/4 Cor.

27

Fd 2" I.P. plug & tk. mound of rock N.E. Cor. Sec 33 per LS-23-25 and Tr 3178 and Tr ~~2256~~ 982

Transit Line

2923.84 (calc)

Wash

20

27.32

94.43

#16-105+~~27.75~~ from West set 1x2 by inter

From top pg. 41

2274.50 (calc)

(90°-06'-45")
(360°-27'-15")

33

90°-06'-40"

1316.27
1316.62 Rec.

34

300.00	@64° @ 1°-24' =	299.83	
300.00	@64° @ 1°-17' =	299.87	
300.00	@64° @ 1°-26' =	299.87	
319.95	@64° @ level =	319.91	
96.86	@64° @ 0°-13' =	96.59	
		1316.18	

716.18	@60° @ level =	716.07	
300.49	@60° @ 1°-31' =	300.33	
300.00	@60° @ 1°-19' =	299.87	
		1316.27	

To #15 Pg. 41

(164°-18'-00")

(48°-14'-15")
(192°-56'-45")

0.22

Fd 1½" I.P. 4" deep in mound of rock Set plug & tk. Tr. 3178

A1°-04'-30"

To #14 Pg. 41

48°-14'-10"

TIN R8W

1316.18

(179°-58'-30")
(359°-54'-00")

Fd 2" I.P. 2" deep 1/4 Cor. Sec 33 R.D. 2.165-~~48~~ 108

MIRAMAR (25)

See F.B. 418-30
" F.B. 419-189

179°-58'-30"

2632.76

(25)

(25)

FORBES

To top pg. 45

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON SHEET LED IN R.O.S. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 3-5-30 Notes by Moore Field Party Moore

Plotted by
Date
Map No.
Plotting C'k'd by
Date

W. O. No. 7-32
Location Thompson Cr. Rd.
Surveyed by L. D. Moore
Date 3-5-30
Indexed A. C. Johnson

T.1N. R.8W.

Replaced 2x2 8½" I.P. in Conc. with C.S. Conc. Mon. & B.C. marked as shown 14" dp RM

COUNTY SURVEYOR'S MONUMENT T1N R8W 32 | 33 5 | 4 Sec. Cor. T1S

To #13 Pg 48

NOTE: This ¼ mile recovered by Burton & Jacoby, also by 10 & Tape & Sta. @ 24

32

33

(88°-46'-45" / 358-46-45)

1320.03 80-00 @ TBO

BASE LINE 320.00' 1320.97

952.12'

From right Pg 25

179°-54'-15"

Fd old nail approx & Mountain RECORD 117-4

(179°-54'-15" / 359-37-00)

4 See pg. 181 for ties
Fd ½" I.P. in Conc. 12" deep
per ~~Sec. Page~~ Tr No. 2914 and C.S. 27.37 - F.B. 42-51
Set 2x2 - 6 deep
S.E. Cor Sec. 32 T1N - R8W
Rd. F.B. 71-72
Rd R.O. 112-3

4/5

952.16 @ 62° = 952.12'
1321.02 @ 62° = 1320.97'
1320.34 @ 62° = 1320.29'

MOUNTAIN

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN INK AND DATED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Property of LOS ANGELES COUNTY SURVEYOR

F.B. 419 Pg. 44 Moore Chief Party Notes by Moore Date 3-5-30

1321.07
1320.30
2641.37
2640.84
0.53

Tape 1141 - 1321.41

To #13 Pg 40

S 58° 29' E 1141.4 (Calc)

(22°-31'-00")
(90-03-45)

NOTE:-
½ Mile Rechained by Butler + Party
5.11.32
100' Tape #043
Std. @ 84°

22°-30'-55"

(63°-26'-15")
(63-03-45-15)

Fd. 2"x2"-Plosh no ties or ref
Rd FD. 117-S = S.T.r.W.

NOTE: ¼ mile ~~Rechained~~ by Butler + Party 5.11.32 / 100 Tape #043 Std @ 84°

20'

63°-26'-

BASE LINE

1320.70 @ 180
1320.41
1320.29

100.00

1321.07
1320.81 Drawn

Set N&T A Sta.

(2641.07 @ 0-00 @ 70) AVE
2640.84

1320.03
Drawn

Fd. S T&W No ties or ref. approx S¼ Cor Sec. 33 - T1N - R8W See Pg. 177-179

INDIAN 1172
See Page #169

1321.12 @ 62° = 1321.07
1320.35 @ 62° = 1320.30

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date 3-6-30 Notes by Moore Chief Party Moore F.B. 418 Pg 45

Plotted by
Date
Map No.
Plotting C'k'd by
Date

W. O. No. 930 S. O. No. 4%
Location Thompson Cr. Rd
Surveyed by L. D. Moore
Date 3-6-30
Indexed A. C. Johnson

From bottom pg 42

33

34

FORBES

2632.76

(90°-08'-30"
360-33-45)

90°08'25"

300.00 @ 60° @ 1°-31' = 298.85
300.00 @ 60° @ 1°-31' = 298.85
300.00 @ 60° @ 1°-31' = 298.85
300.00 @ 60° @ 1°-31' = 298.85
300.00 @ 60° @ 1°-31' = 298.85
300.00 @ 60° @ 1°-31' = 298.85
300.00 @ 60° @ 1°-31' = 298.85
533.89 @ 60° @ Curve = 532.01
2632.76

26.40.84
1320.36

BASE LINE AVE

See F.B. 418-26

Fd 2x2 x 1/4 -6" deep
Cut 11 Q on
Per L.S. 23.25
S.E. Cor. Sec 23 - T1N-R8W
F.O. 117-6
Replace with C.S. Mon
per Pg. 169

4 T1N R8W 3

Notice: ANY ADDITIONS OR CHANGES TO THIS SHEET MUST BE MADE BY CAPABLE OF PROPER USAGE.

Do not discard sheet this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F. B. 419 PG 46

Chief Party _____

Notes by _____

Date _____



RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 411 Pg. 18

TOPOGRAPHY OF

THOMPSON CREEK WASH ROAD

W.O. 930

POMONA FAIR GROUNDS TO 800 FT.
NO. OF ARROW HIGHWAY

F.B. 419 Pg. 50 Tom Olsen Chief Party Notes by E.J.T. Date July 1931

To Baldwin Park

THOMPSON CREEK WASH ROAD

27.5

4+20

4" Walnut Trees

1" Orange Trees

+-27.5

10" Conc Standpipes

50'

50'

50'

24'

24'

27.5

5+06

4+85

27.5

4+97

2" Orange

4+95 2" Orange

Note 0+00
At Proposed Covina Blvd.
Large Culvert under
Construction at
CF 20

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date July 27 Notes by K. J. T. Field Party K. J. T.

Plotted by
Date
Map No.
Plotting Field by
Date

W. O. No. 230 R. O. S. No.
Location, Thompson Canyon Rd.
Surveyed by K. J. Trautwein
Date July 1950
Inked by C. Johnson

to bot pg 52

50'

35'

10411.5' — 24' — 18" Conc. Stand pipe
10407.2' — 24' — 24" □ 24"

4" Walnut Trees

THOMPSON CR. WASH RD.

℄

1" ORANGE TREES

22'

24" □ 24"

from top pg 50

LOS ANGELES COUNTY SURVEYOR

Not entered until this side of plate filled

F.B. 49 PG. 52 E.S.T. Chief Party Notes by E.S.T. Date July 31

to bot. pg 53

14

14+07.3

10" Conc. Standpipes

Average 10" Walnut

49'

49'

25'

Grapevine

24'

4" Walnut

12+70.5 5" Walnut

12+66.5

58°

24.5

12+35.9

57.3

12+04.5

50'

26.3

4 Walnut Trees

50'

THOMPSON CR. WASH RD.

℄

1 ORANGE TREES

22'

22'

24'

24'

from top pg 51

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Surveyed by B. S. Tomblesen

to bot. pg. 54

Orange Grove

17+83 ℄

17+28 ℄

24"

24"

24"

F.B. 419 Pg. 54 E.S.T. Chief Party Notes by E.S.T. Date July 31

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

To bot. pg 55

21

20

19

18

Grape Vines

49

50

49

Grape Vines

49

Row 10" Walnut Trees

49

Row 10" Walnuts Trees

50'

THOMPSON CR. WASH RD.

5" ORANGE TREES

10" Conc. standpipe

24'

24'

5" Orange Trees

17+995

17+995 +/- 28'

43 R

From top pg. 53

Date 5/19/93 Taken by E.S.T. Sheet No. 5 of 5

Project
Book
Map No.
Plotting Grid by
Date

Location Thompson Cr. Rd.
Surveyed by E.S. Tomblason
Date July 1993
Inked by C. Johnson

To bot pg. 5A

20"Cedr. Shadelopers

Row 10" Walnut Trees

Row 10" Walnut Trees

Thompson Cr. Wash Rd.

5" Orange Trees

5" Orange Trees

Cedar Hedge

Cedar Hedge

Cedar Hedge

F.B. 419 Pg. 36 E.S.T. Chief Party Notes by E.S.T Date 7-31

to left pg 37

27

26

25

10' WALNUT TREES

THOMPSON CR. WASH RD.

24 Trees in this row

24 Trees in this row

Trees spaced
20.4' N+S
20.0' E+W

from top pg 35

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY THE PERSON WHO MADE THE ORIGINAL CHANGE.

Date 7-31 Time 8:30 Weather

Plotted by
Date
Map No.
Plotting CVS by
Date

Location Thompson Orchard
Surveyed by E.J. Thompson
Date 7/31/91
Instrument Johnson

10" Walnut Grove

Thompson

Out

Edge of Grove

Wash Rd.

Edge of Grove

Broadcasting N. Edge of Grove

See Page 3 for

Edge of Grove from North

20'

20'

20'

B.B. 49 Pg. 58 E.S.T. Chief Party Notes by E.S.T. 7-31


Ave Lorze
Canoga Ave.
60' R/W
Wash
10" Walnut Tree
20"
Groundpipes
Ave.
60' R/W
THOMPSON CR
To Sta 69+57
See Pg. 3 for more
Pow 16" Conc
Pow
Pow
Pow

Thompson Creek Road + Wash

To Verna

Hot air balloon mooring

From pg. 58

B.B. 419 Pg. 60 Chief Party Notes by Date

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line




Cucamonga
To bot pg. 62
6" Curb
3.6
Pepper in Fence
Gate
Tank
Conc. Floor 12" Above Surface
Conc. Floor 2" Above Surface
11 Orange Trees
Conc. Slab
Conc. Stairway Bin
Woven wire fence
Chicken Pen
Rabbit Pen
Portable Hutches
2 hole standard
48" Pepper
Broken & Cracked Conc. Driveway
Road
Wash
THOMPSON CA Wash Rd.
20 Orange Trees
from top pg. 59

F.B. 419 Pg. 62 E.S.T. Chief Party Notes by E.S.T. Date 7-31

To bot pg. 63

RETURN TO LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR ENCLOSED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

5" Orange Trees spaced 20° each way

20'

4°

Thompson Cr. Wash Road

Row 1" Orange Trees

2 Rows 5" Orange Trees 24° each way

24°

24°

24°

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Notice: All writing must be confined to this side of this sheet.



B.M. 49 Pg 6K E.S.T. Chief Party Notes by Date

To bot page 65



Date _____ Notes by EST Chief Party _____ F.B. 419 Pg. 65

Platted by	W. O. No. 930 D. S. D. No.
Date	Location Thompson Ck Rd
Map No	Surveyed by EST
Platting C'k'd by	Date July 1931
Date	Indexed A. C. Johnson

To Left page 66

36³
21⁹
35⁹
20+40.6 8" Conc St
20+37.2 = Std. Pipe
20+37.2

20²
20²
20²

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line





W. O. No. 2812 R.S.O. No.
Location Tampico Jct. to Chula Vista
Surveyed by E.S.F.
Date 1-8-51
Indexed by A. C. Johnson
Plotted by
Date
Map No.
Plotting C'k'd by
Date
Notes by
Date

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Chief Party

Notes by

F.B. 619 Pg. 68 EST



Date _____ Notes by H.M.S. Chief Party _____ F.B. 419 Pg 69

Platted by	W. O. No. 930 D. S. O. No.
Date	Location Thompson Ck. Rd.
Map No.	Surveyed by E.S.T.
Platting C'k'd by	Date July 1931
Date	Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



To bot. page 71

F.B. 419 Pg. 70 — Chief Party — Notes by H.M.S. — Date



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by H.M.S. Chief Party _____ F.B. 419 Pg. 71

Platted by	W. O. No. 930 D. S. O. No.
Date	Location Thompson Ck Wash Rd.
Map No.	Surveyed by E.S.T.
Platting C'k'd by	Date July 1931
Date	Indexed A. C. Johnson

To Left page 72

CONT'D ON FOLLOWING PAGE.

1½" Orange Tree

55.7 → 32+87.8

64.2 → 32+64.2

60.2 → 32+57' 1½"

16" Conc. Standpipe

50.1 → 32+30 8" Walnut

FRAME HOUSE, SHRUBS AND TREES CONT'D ON FOLLOWING PAGE. LARGER SCALE

10" conc. standpipe 21.0' 16.3 12.5 20'

30.2 → 31+96.3

35.9 → 31+92.9

20.8 16" Conc STAMP

1.0 T.P. 31+63.9

Deadman 38.0 → 31+62.1 8" Walnut

31+50.

1.0

6" Orange

20.8

21.0

TRAVELED Road

WASH

10° 8° 3½ 24½

From Top page 70

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Chief Party _____ Notes by H.M.S. Date _____

Sta	Off	L or R	Description
32+15.40	49.2	Left	30" Elm Tree
32+32.5	39.6	"	10" Cedar
32+40.3	39.4	"	24" Redwood "
32+39.0	47.2	"	3" Conc. STANDPIPE
32+39.0	44.1	"	" "
32+55.4	23.1	"	Water meter
32+59.0	39.0	"	24" Redwood Tree
32+66.0	39.0	"	8" Pine "
32+67.4	32.4	"	Water Meter
32+54.7	56.3	"	Buried gas TANK. Size ? Gas, Elec.

To top Page 73

33+15.4' P.C.
22.3'
20.65'
33+09.25
24'
2-24'
22.30'
18'
18'
24'
8 Oranges
24'
24'
24'
24'
24'
24'
32+75.6
Fire Hydrant
Traveler Road
587
20.7
20.7
20.7
CON'T from preceding Page
32+87.6'
½ Chaine Tree
WASH
DIRT DRIVEWAY
32+44.43
58.40 To ℄
45.15
Cobble Stone Fish Pond 3' High
42.4' To ℄
5.6
5.8
Pumpkin Patch
3'
.065
10.00
3.5'
.92
.71
92
76.70
56.64
SPRINKLING SYSTEM IN LAWN
41.10
.006
.285
13.25
.006
1-STORY FRAME HOUSE
Wooden Porch
12.9'
2.10
Sidewalk
Fence
X from 3400.E
20.95
32+07.99
LAWN
12.00
.038
31.00
Gate
Conc. Curb
56.6
16"
Euch.
31+97.79
FRAME HOUSE SURROUNDED BY MANY SHRUBS

F.B. 419 Pg. 72

From Top Page 71

Date _____ Notes by _____ Chief Party H.M.S. F.B. 479 Pg. 75

Platted by	W. O. No. 930 U. S. O. No.
Date	Location Thompson Ck Rd.
Map No.	Surveyed by E.+S.T.
Platting ch'k'd by	Date July 1931
Date	Indexed by O. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

+24'

ALL TREES ON L. are 24' Apart
8"=D. of Trees.

+24'

+24'

From H.S.H. page 74

TRAVELED ROAD

12'

TP
33+67.2

WASH.

To Left page 74

All Around Trees are 22.5' Apart N. and S. and 20.7' E. & W. All 12" in D.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

To left page 75

Date

Chief Party Notes by L.M.S.

F.B. 419 Pg. 74

ORANGE TREES D=8" 24' apart N&S

11.0 18' 24'

ALL ORANGE TREES ON E. 22.0' apart N&S and 20.7' E&W ALL 1½" IN D.

74+58.2' P.C. 21.0'

TRIANGLED IRON

WASH

From right page 73


To Last page 76
79.2'
36+48.2
8" S Tond pipe
59.4'
36+43.2
60.2' from ℄ 8" S Tond pipe
38.4
36+35.45
STA 36+38.4
Fire hydrant
33.4'
36+32.2
34.5'
36+29.2
36+21.5'
58.1'
Last Row
36+13.2
Guy P.
Dead man
36+17.2'
45.6 from ℄
35.7'
36+13.8'
34.6
43'
20.7'
4.3'
Row 8" Std Pipes
18 Trees
16.2'
12'
24'
35+89.2 PP
21.5
8.9
T.P.
35+90.2
36+11.2'
47.6 from ℄
ALL Orange Trees are 2.2' Apart N+S and 20.7' E+W. ALL 1½" in D.
ORANGE TREES SAC 24' Apart N+S and E+W To STA. 36+13.8'
TRAVELED ROAD
WASH
From Right page 74
Do not extend notes this side of this line
RETURN TO
LOS ANGELES COUNTY SURVEYOR
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red, WITH DATE AND NAME OF PERSON MAKING CHANGE.
F.B. 419 Pg. 75
Chief Party
W. O. No. 958 D. S. O. No.
Location Thompson Ck Rd
Surveyed by E.T.
Date July 1931
Indexed A. C. Johnson
Notes by H.M.S.
Platted by
Date
Map No.
Platting Ch'd by
Date
Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Chief Party _____ Notes by H.M.S. Date _____

F.B. 419 Pg. 74




Wall surrounding well
Conc. 4" wide Well is
18" D. ± 250' deep Abandoned
No Water
8" S. Pipe
3" S. Pipe
2" S. Pipe
1.0
Conc Base
39+07
39+32
24.5 to E
Base of pump station is conc with with only pump base intact. Flooring is crumpled.
14" D. casing in well. ± 250' deep well is abandoned. No water
" 5' to 39+24
Blocks 8" thick on E side
Flooring are solid concrete — use unknown. 5' high.
38+95
Base of pump station is conc. with only pump base intact. Flooring is crumpled. Casing is 12" well ± 250' deep
Well has been abandoned. No water
5' to S.E. cor. flooring 38+73
1' to well = 38+81.25
25' Wood Tower over well
38+73
12" Peach
38+70
20" Conc S.P.
38+66
6" Orange
5 Pipe
20" S. Pipe meter Box
Well
8" Conc Wall 16" High
38.5 on Surface
8" Iron Pipe
Below Surface
Conc Covered Steel Mufflers Steam Heated
Large Meter
Automatic Shut off Valve 20" Dia
38+87.1
38+83.1
Galvanized Booster Ho Conted
23.05
35.2
12.2
THAN. PRO
From right page 76
W. O. No. 230
Location Thompson Ck Rd
Surveyed by E.S.T.
Date 1924
Indexed A. C. Johnson
Plotted by
Date
Map No.
Plotting Ck'd by
Date
Index by
Date
F.B. 419 Pg. 4
HMS
Do not extend notes this side of this line
RETURN TO
LOS ANGELES COUNTY SURVEYOR
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLES IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 419 Pg. 78 H.S. Johnson Chief Party Notes by H.S.J. Date
To Bot Pg.

To bot page 79

ROW #5

ROW #4

ROW #3

ROW #2

#17

First Row of Orange Trees 2' O.C. Apart 17 Trees ½" Dia.

GROVE OF ½" ORANGES

P. Line

1+16.2

2.14

1+14.0

21.2

21.3

Frame Garage

Edge of Wash 0+55

17.55

28.20

Beg. Curve R=20.0

EDGE OF WASH

WASH

0+52.75

1+49.3

57.18

EDGE OF WASH

0+30.9

0+20 Edge of Wash

Sta 36+49.58 From So. = 0+00 Going Ntheasterly
Fd. 21.2 6' under
Per Pg. 14 =
0+00 Going
Northeasterly

FULTON BLVD.

ARROW HIGHWAY

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party H.S. Johnson F.B. 449 Pg 79

Platted by	W. O. No. 930 D. S. B. No.
Date	Location THOMPSON CR. RD.
Map No.	Surveyed by H.S. Johnson
Platting C'k'd by	Date 7-29-31
Date	Indexed A. C. Johnson

To Bot Pg. 80

Row #10 14 Pipes

8" Std Pipes 14 Pipes

Row #9

Row #8

Row #7

Row #6

0

+20.5 → 37.6 → +2+50.5

→ 35.0 → 2+47.6

WASH

GROVE OF 2" ORANGES

+20.0 → E.C. 47.5

Last Tree

+28.0 → 42.5 → 1+52.0 = Md of Curve

Last Tree

WASH

"P" Line

From Top Pg.

From Left page 78

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 419 Pg. 80 H.S. Johnson Chief Party Notes by H.S.J. Date

To bot page 81

#10 16" Dia

#9 12" Dia

12" Std. P.

#10

#9

#16

End Tree Row #16

4+38.7

13.1

20.6 Apart Row No 15 10 Trees

Row No 14 11 Trees No 10 at 11" Dia

To Left Pg

4+23.2

0.75

21.5 27.0 4+00

10 Trees

Dia. of Trees Unless MKd. Diff.

11 Trees

13 Trees

Row No 12

#1

#1

#1

Wash

"R" Line

Row 20.6 Apart

20.5 36.5 3+00

From Top Pg. 79

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 519 Pg. 84

Platted by _____
Date _____
Map No. _____
Platting C'k'd by _____
Date _____

W. O. No. 930 D. S. O. No. _____
Location Thompson Rd
Surveyed by H S Johnson
Date July 1931
Indexed A. O. Johnson

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. 419 PG. 82 Chief Party Notes by Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 419 PG. 83

Platted by	W. O. No.
Date	Location
Map No.	Surveyed by
Platting C'k'd by	Date
Date	Indexed

D. S. O. No. _____

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. _____ PG _____ Chief Party _____ Notes by _____ Date _____



Notes Ck'd by	Survey of Thompson Creek Rd
Map No.	W. O. 930 Tape No. 25 St'd 84 °F.
Office Work	Surveyed by Butler
Checked	Notes " Date 3-82
Date	Indexed A. C. Johnson 3-14-82

F.B. 419 Pg. 85

Notice: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W.O. 930

THOMPSON CREEK RD.

(ADDITIONAL WORK)

Between W'LY terminus of new CAMP BALDY RD. constructed by L.A. Co. RD. Dept. Southw'ly to MILES AVE. BASE LINE AVE. A distance of ±1½ miles

PROPOSED ℄
80' R/W

C.L. Berger m# K.652
300' TADE #25 - Std 84°

Butler
McMillan
Braden
Willess
Van Deren

Ref - Map by Haskell Huntington used as basis for road location

Note D.R. 87, 88, 89 is retracement of old ℄ Camp Baldy RD.

NOTE: For previous work on this RD. See F.B. 419/1

NOTE: For "P" Line See pgs (125-128)

FORM 247 10M 5-31

F.B. 419 PG. 86

INDEX MAP

Proposed ℄ — Green LINE

T1N—R8W



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of THOMPSON CREEK RD
Map No.	W. O. 930 Tape No. 25 St'd 84 °F.
Office Work	Surveyed by BUTLER
Checked	Notes " Date 4/32
Date	Indexed

F.B. 419 PG 264

To P.L. #5 & P.169

P.161 → CONT. FROM BOT. LEFT PG 86

33-34

Pg-163&168

INDEX MAP
(CONT.)

T1N R8W

LINE

POMELLO DR

MILLS

P.I.'C PG107

PG 111 P.I.#7 P.169

"P0" BEGIN P.L. LINE

SEC. 33 SEC. 34

"P2" PG118

"P4" PG121 & 126

"P1" PG112

"P3" PG120

IDENTICAL POINTS

"P5" PG127

"P4" PG121 & 126.

PG128 "P6A"

"P7" PG128

"P5A" PG143

"P6" PG127

"P6A" PG128

SEC 32 SEC LINE SEC 33

END "P" LINE "P9" PG128

"P8" PG128

PG 143

BASE LINE AVE

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. _____ PG _____

FORM 247 10M 5-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHARGE.

Do not extend notes this side of this line



Notes Ck'd by Dyck
Map No. B-764-5
Office Work O.L. Pack
Checked
Date

Survey of Thompson Creek Rd
W. O. 930 Page No. 25 Sht 2 of
Surveyed by BUTLER
Date 2-52
Notes
Indexed A. C. Johnson

F.B. 417 Pg 67

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


F.B. 417 PG. 38
FRONT TO PREC. PG.
NEXT PG.
Proposed
See
PG 93 (Both)
See Rd. Dept.
F.O. 358-56 for
change note.
INT FLOOD
CONTROL
DEPT-CONTROL
LINE-SEE PG 102
CAMP
P.C.
P.T.
R.C.
R.D.
Rd 1x2 H
Rd 0x1x2
Rd 1x2+H
Rd 1x2+H
Rd 1x2+H

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red** Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 419 PG 90

Notes Ck'd by	Dreu	Survey of	Thompson Creek Rd
Map No.	B-764-5	W. O.	930 Tape No. 25 St's 84 °F.
Office Work	OL Pack	Surveyed by	BUTLER
Checked		Notes	Date 3/32
Date		Indexed	A. C. Johnson

F.B. 41 & 71

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 847 10M 8-31

F.B. 419 Pg. 92



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by D. Crew
Map No. B-764-5
Office Work Ok Pack
Checked
Date

Survey of Thompson Creek Rd
W. O. 7231 Twp No. 2S Rng 8W
Surveyed by Butler
Notes
Indexed A. C. Johnson Date 7/32

F.B. 419 Pg 43

8+70 TL E.C. Fd CSpk W&T per PB 88 = beg in prop ℄

8+12.07 P.I. CSpk per PB 88

7+53.48 E.C. CSpk per PB 88

6+88.04 B.C. CSpk per PB 88

6+50

6+00

5+60

Prop ℄

Proposed & Continued ELY - See Pg 103

CONT

21°08'50" Cspk per PB 88

N 77° 20' E 90.61

Gutter

3"

LINE

Macadam

Bot

Bank

Pave

LINE

FROM BOY

EXIST PAVE

Gutter

Top

Bot

Bank

Top

Rock

4"

Dry

Bank

Bank

8+08 T.P.

LINE

& Wire

Mat

channel

LINE

LINE

Bot

Top

NEXT PG

F.B. 419 PG 94

FROM BOT PREC PG.

8+70.71
CSPK E.C
IDEN. TO PT
bot prec pg.

9+00

10+00

11+00

12+00

13+00

14+00

15+00

16+00

(20')

3"

3.2'

3.1'

7' 30' 7' 12' 23'

3.10

9+85 T.P.

40 8 15

41.7

41' 9' 10'

ROCK

2.00

11+68 T.P.

905.7'

45 13.6

1.00

13+45 T.P.

48' 10.7'

WALL

N79°E MOG

PROPOSED

50' 10.7'

15+29 T.P.

1.0

MOG

52' 10.7' 23'

TO TOP NEXT PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by: Drew	Survey of: Thompson Creek Rd
Map No. B-764-5	W. O. 931 Tape No. 25 Bk'd 34 Pg.
Office Work O.K. Pack	Surveyed by: BUTLER
Checked	Notes " Date 3/32
Date	Indexed A. C. Johnson

F.B. 419 Pg. 3

FROM BOT. PREC. PG.

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

16+81

61'

N 17°55' E
905.72'

9 10 23' 23' 89'

F.D. 2½" AK Flush
= Sta. 60+84.88
per F.C. 145 (1-5)

167°15' Cap set FC 145/5

17+06 @ 9.8 T.P.

116.91 @ 0.00 @ 54° 11'

73'

108'

D = 16°55'20"
R = 340.00'
T = 55.02'
L = 100.44'
E = 4.41'

Cap on Bolt Hill Rd 0.92' above

65'

17+76.83 P.I.
Set 2x2 AK Flush

D 126°40'30"
@ 146°37'00"
Δ 126°40'30"

D 16°55'15"
@ 67°21'00"
Δ 16°55'15"

FLOOD CONTROL DEPT
CONTROL LINE
per F.C. 145/5

106'

18+90 T.P.

59.5

66'

STORM DRAIN

19+00

16°55'15"
16°55'20" (ADJ.)

62'

71'

CONCRETE DITCH

65'

88'

20+00

300.00 @ 2°40' @ 114.59 = 211.85'
300.00 @ 2°40' @ 114.59 = 211.85'
220.86 @ 2°00' @ 114.59 = 157.26'

299.66'

211.26'

56'

21+00

MOE DRIVE

N 19°29' E

47'

109'

22+00

50'

71'

23+0

CONT. TOP NEXT PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



FORM 247 10M 5-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by _____ Drawn _____
Map No. B-764-5
Office Work D.L. Back
Checked _____
Date _____

Survey of Thompson Creek RD.
W. O. 7231 Tape No. 25 Sht 84 of
Surveyed by BUTLER Date 3-82
Notes " "
Indexed _____ C. Johansen

F.B. 419 Pg. 3

To R. Slope PG87

To Top NEXT PG

From Bot Prec PG

300.00 @ 2-00 @ T74 = 299.80
300.00 @ 2-40 @ T74 = 299.66
20.06 @ 0-00 @ T74 = 20.06
619.52

61°33'15" (RAD)
61°35'20" (RAD)

DIVD.

TO W. SIDE

(30)

(30)

(60)

60.157

619.52

1196.85 TO WSDK
55°59'50"
SEE FB 418-41 & 216

1198.25 TO CTR LINE

1159.45 (RAD)

3266

980.52

BC

EC

S 41°54'39" E 1152 BOT

S 54°42'52" E 60.57

VISTA

MONTE

912.39 S

SEE FB 330-W
SEE FB 418-41 & 216

COUNTY SURVEYORS R8W T1N S27 S26 MACOMB MONUMENT

1/4 Cor Fd 2" B.C. GS MON 12" DN Per FB 418/41

180°

TO PG

300.00 @ 2-45 @ T74 = 299.63
300.00 @ 2-45 @ T74 = 299.63
300.00 @ 2-45 @ T74 = 299.63
81.63 @ 0-00 @ T74 = 81.63
980.52

F.B. 419 PG 98

From Prec

300.00@3-00@T.74=29.957
208.00@20-00@T.74=20.799
740.82@20-00@T.74=94.01
601.57

Copied Prec Pts
619.52

B.C.

Set 2x2 E.P. on S.H.

R.I. Set 1/2" I.P. IN Lemon Grove

Set 1/2" I.P. on S.H.

601.57

2x2 POST

Set 2x2 E.P. on S.H.

S 57°52'10" E

Δ=57°52'10"
R=200.00
T=115.57
L=201.94

Open Redwood Water Line

Set 2x2 E.P.

1105.57

266.20@3-00@T.72=265.67
221.03@20-00@T.72=220.98
221.03@1-40@T.72=220.40
718.99

330.00@3-00@T.72=329.57
87.53@20-00@T.72=87.53
36.465

Set 2x2 E.C.

300.29@1-20@T.70=300.15
174.98@20-00@T.70=174.92
74.808

74808

To Post-T
74808

CONT TO P(L) NEXT PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. 429 PG. 100

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Tracing Checked by: Draw
Map No. B-764-5
Office Work: D.A.L. Pack
Checked
Date

Survey of: Thompson Creek
W. O. 230 Tape No. 25 By: BA of.
Surveyed by: BUTLER
Notes
Indexed C. Johnson Date 3/32

F.B. 419 Pg 1

F.B. 419 Pg 102



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by Drew
Map No. B-164-5
Office Work O. L. Pack
Checked
Date

Survey of Thomason Creek Rd
W. O. 230 Tape No. 25 St's 84 of F.
Surveyed by BUTLER
Notes " Date 3/32
Indexed A. C. Johnson

F.B. 419 Pg. 28

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 5-51



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red** Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 219 PG 204

Notes Ck'd by Dereu	Survey of Thompson Creek Rd.
Map No. B-764-5	W. O. 930 Tape No. 25 St'd 84 of.
Office Work O.L. Pack	Surveyed by Butler
Checked	Notes " Date 3/32
Date	Indexed E. G. Johnson

F.B. 419 Pg 42

Note-This curve void.
See Pg. 176 for new P.I. CE&D

Note: This Tangent iden. to LINE on Pg. 99

50 adj

Δ=38-09-40
R=1000
T=
L=
E=

VOID

Set tag

122.84@0-00 T62 = 122.84

Back Pg. 100

R.O.S. 3/4"x2" Flush top rock dike

99.00@0-00 @T62=98.99

113.00@0-00 @T62=112.98

R.O.S. 3/4"x2" FLUSH

50.46

P.O.T. "SA" Set 2"x2" Flush

D.P. # 742 See Pg 108

nail

1/4"1/4 See

LINE Pg 108

76.62

CUT OFF LINE Pg. F.B. 444

93.00@0-00 @T62=92.99

100.00@0-00 @T62=99.99

300.00@0-00 @T62=299.96

CONT. TOP NEXT PG.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 5-51

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


FROM BOT REC PG
CONT TO NEXT PG
AVE
MILLS
3" Macadam
Proposed
Cont'd
Curb
Face
Edge
Pave.
Mon
Level
Set
Found
Tack
Nail
Lead
Plug
Tag
Stamped
Marked
Scribed
Chiseled
Punched
Drilled
Painted
Flagged
Boxed
Circled
Underlined
Overlined
Crossed
Hatched
Shaded
Dotted
Dashed
Solid
Broken
Curved
Straight
Angle
Point
Line
Curve
Tangent
Radius
Chord
Arc
Length
Delta
Central
Intersection
Beginning
Ending
Reference
Monument
Corner
Boundary
Property
Right-of-Way
Centerline
Offset
Perpendicular
Parallel
Bearing
Distance
Coordinate
Elevation
Datum
Benchmark
Control
Traverse
Triangulation
Trilateration
Leveling
Stadia
Transit
Theodolite
Compass
Tape
Chain
Meter
Foot
Inch
Mile
Kilometer
Hectare
Acre
Square
Rectangle
Triangle
Circle
Ellipse
Polygon
Grid
Zone
Projection
Mercator
Lambert
Albers
Polyconic
Transverse
Oblique
Universal
State
County
City
Township
Range
Section
Quarter
Sixteenth
Aliquot
Lot
Block
Tract
Subdivision
Addition
Map
Plat
Survey
Record
Deed
Grant
Easement
Lease
Mineral
Water
Oil
Gas
Timber
Agricultural
Residential
Commercial
Industrial
Public
Private
Feder

Notes Ck'd by Drew	Survey of THOMPSON CREEK RD. F.B. 419 Pg 102
Map No. B-164	W. O. 220 Tape No. 25 Sht 84 of
Office Work O.K. Pasek	Surveyed by BUTLER
Checked	Notes " Date 3/62
Date	Indexed A. C. Johnson

FROM BOT. PREC PG

BANK

62'

SET HUB

133.71

POST #5E Set 2x2" HK FLUSH

105.29@90-00 T60 = 105.27

Δ = 17°56'30"
R = 1000'
T = 157.27
L = 313.00

CONTROL

LEVEE

N 20° W
0 162.05 30
@ 288.44.00
N 162.05 30 E

45°

90°

53.1

1' Block wall 2' High

PI #6 Set 3"x2"HK Flush

119'

80'

FLOOD

59'

MH

SET HUB

44' C/WAY & FENCE

60.1

60.1

Note Base Conc. block 3.5 High

Conc. Pump Base 4' High

Abandoned water well 20" Casing 3' 3.5" Deep

124.00@90-00 @T70 = 123.99

2810.02

S 60° W

MH

105.00@90-00 @T70 = 104.99

174.00@90-00 @T70 = 173.98

TO TOP PG 109

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 847 10M 8-61

F.B. 419 PG. 108

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

℄ PB 8
105

NOTE:
FOR DETAIL of FLOOD CONTROL IMP. SEE PB 5 PG 100

ROCK PILE
See PG 100

25'
19'
57'
I #5 per PB 105
=0+00 SW

6' CUT
10' BANK
6' BANK
3+65
21.5
2x2 POST per PB

3.2' Rt
4+27
4+57 edge small

Δ 48-57-30
R 1955.00

1/4 1/4 COR
2.45' C.S.M.M.
per F.B. 419/13

FD 2"x2" TK "LS" 8.0' S.T. per PB 119/19

1208.87 @ 1-0 @ TG4 = 1208.87'

SWALE

6+39

48-57-30

FD 3"x3" TK
0.20' UP
with 1/2" IRON PIPE 2' long
0.5' IN ROAD
S 90° W RAD

6495

1/4 1/4

SET 2" x 2" TK FLUSH BY INT.

13'

7663.80-00 @ TG2 = 7662'

POT #5A per PB

LINE

1/4 1/4 COR
2.45' C.S.M.M.
per F.B. 419/13

Δ 48-57-30
R 1955.00

ENDING

Notes Ck'd by Drew		Survey of THOMPSON CREEK RD.	F.B. 419 Pg 109
Map No. B-764		W. O. 930 Tape No. 25 St'd 84 OF.	
Office Work DL Pack		Surveyed by Butler	
Checked		Notes " Date 3/32	
Date		Indexed A. C. Johnson	

FROM BOT PG 107

71.94 @ 0-00
@ T70 = 71.93

nail

173.98
per pg

LAND

P.O.T. #6A
Set 2x24
flush

1 Story
Frame Dwelling

130.00 @ 0-00
@ T70 = 129.99

nail

131'

137'

1.6

S 80° W.

80.00 @ 0-00
@ T70 = 79.99

nail

138.10 @ 0.2

130.00 @ 0-00
@ T70 = 129.99

nail

P.O.T. #6B
Set 2x24
flush

299.24 @ 1-45
@ T74 = 299.08

N 19°

UNIMPROVED

300.00 @ 0-00
@ T74 = 299.98

nail

300.00 @ 1-37
@ T74 = 299.86

P.O.T. #6C
Set 2x24
flush

300.00 @ 2-35
@ T72 = 299.68

To Top Pg 110

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 ION 5-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


From Box Spring Rd
F.B. 419 Pg 110
nail
nail
nail
299.68' at brass pg
299.68' @ 112-29754'
+Mag Scrw
2810'
Top Rock Pile
Rock Pile
Top Rock Pile
Base Rock Pile
Row of 18 Guns
Rock
Rock
Rock

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes: CV'd By [illegible]
Map No. 43-764
Office Work D.L. Peck
Checked
Date

Survey of Thompson Creek
M. B. 230 Tape No. 25 Sht 2 of
Surveyed by Butler
Date 3/52
Notes
Indexed A. C. Johnson

F.B. 419 Pg. 111



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red** Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



FORM 247 IOM 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


HILLS
LOW
Toe
Top
THOMPSON
Top
Top
Top


F.B. 419 Pg. 114
FROM BOT. PREC. PG.
13+53
179.1
13+54
4' Woven Wire
61.7
Barn
13+88
14+00
155'
165.5
14+61.5
Group of Buildings See NEXT PG 115
HILLS
Slope Bank
Creek
Bank
14+88
15+00
37'
144'
Top
15+72
15+26.4
Frame Shed (ch. & Coop) Conc. found
154.1
Chick Wire
P.I.A. Set 5/8 tk-flush.
16+00
127'
16+12
Clump of (3) 12" Sycamores
100'
15+29.26 going W. 1x1 pr. pg. 191
See pg. 191-195
LOMA
Toe
Top
Thompson
17+00
98'
64'
21+36.08 going W (X) in rock for inters.
54'
17+17
6" Sycamore
To Top Pg 116
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Ch'd by Drew	Survey of THOMPSON CREEK CO.
Map No. B-164	W. O. 930 Topo No. 25 Sh'ts 84 Of.
Office Work O.L. BACK	Surveyed by BUTLER
Checked	" Date 3/32
Date	Indexed A. C. Johnson

F.B. 419 Pg. 115

Add. TOPOG. adjoining top prec. pg. 114

134°51'

179.1

90°

61.7

14.7

98°

1 Story Frame Dwelling

23.0

20

39.5

Frame Garage

Cement Walk Around

Concrete Tank (Top Drops 5' Below)

Rock Wall 2' Wide-5' High

Frame Office 35'x15'

32'

24.0

4.7

6.5

Frame shed

19.0

low frame shed

L 5+05.6

Pumphse Windmill 5'x5'

24A'

prec.

see pg. 114

Row of Trees

2" drain

8" Irri-

Trees

stands

21 cks.

5.0

Trees

Eastland

See pg. 114 for Cor Tree.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLED IN Red Ink, WITH DATE AND INITIALS OF PERSON MAKING CHANGE.

Do not extend notes into this area

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 5-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


ORCHARD CONTINUES S.L.Y.
ORCHARD CONTINUES
Cone. water box
Pipe vault
Deep
Trees
Orange
Trees
Orange
Trees
Orange

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED LY Road Rec. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Name Ck'd by D.C. Reed
Map No. B-764
Office Work O.L. Peck
Checked
Date

Survey of THOMPSON CREEK RD
W. O. 930 Tape No. 25 81 Feet
Surveyed by BUTLER
Notes "
Indexed C. Johnson Date 3-32

F.B. 419 Pg. 1

RAVINE
LOW
"P" LINE
HILLS
SLOPE
BANK
CREEK (DRY)
FROM BOT DEEC. RD
THOMPSON
TOP
TREES
LEMON
ORCHARD
STREET
ROAD
CONT. TO
NEXT RD
W. REM. ORANGE
LEMONS
2340
2310
2280
2250
2410
2440
2470
2481
2497
2465
2455
2445
2435
2425
2415
2405
2395
2385
2375
2365
2355
2345
2335
2325
2315
2305
2295
2285
2275
2265
2255
2245
2235
2225
2215
2205
2195
2185
2175
2165
2155
2145
2135
2125
2115
2105
2095
2085
2075
2065
2055
2045
2035
2025
2015
2005
1995
1985
1975
1965
1955
1945
1935
1925
1915
1905
1895
1885
1875
1865
1855
1845
1835
1825
1815
1805
1795
1785
1775
1765
1755
1745
1735
1725
1715
1705
1695
1685
1675
1665
1655
1645
1635
1625
1615
1605
1595
1585
1575
1565
1555
1545
1535
1525
1515
1505
1495
1485
1475
1465
1455
1445
1435
1425
1415
1405
1395
1385
1375
1365
1355
1345
1335
1325
1315
1305
1295
1285
1275
1265
1255
1245
1235
1225
1215
1205
1195
1185
1175
1165
1155
1145
1135
1125
1115
1105
1095
1085
1075
1065
1055
1045
1035
1025
1015
1005
995
985
975
965
955
945
935
925
915
905
895
885
875
865
855
845
835
825
815
805
795
785
775
765
755
745
735
725
715
705
695
685
675
665
655
645
635
625
615
605
595
585
575
565
555
545
535
525
515
505
495
485
475
465
455
445
435
425
415
405
395
385
375
365
355
345
335
325
315
305
295
285
275
265
255
245
235
225
215
205
195
185
175
165
155
145
135
125
115
105
95
85
75
65
55
45
35
25
15
5

F.B. 419 PG 118

FROM BOT DREC. PG.

24+75

25+00

24+81

8'

71'

25+11

25+12

TRAV. RD

HILLS

Slope

AX. HT 5'

24.0

56'

15'

20'

25+65

29'

25+36

25+54

CREEK (DRY)

Pile

PILE

PILE

5'

BITTI-LINE

25+50

70.3

44'

25+55

127.0

93'

25+57

6'

24'

25+78

1-25+65 hole 8x10' 10 Deep

Rock

26+00

Clump of 3 (10") Sycamore

20'

40'

28'

15'

3'

25'

45'

239.77

CREEK & DRY

Pile

Rock

Rock

Rock

GROVE

TREES

CONTINUES S.W.

26+80

27+00

27'

21'

3'

26'

55'

20'

1x2 ch.pt

1426@0.00

@T70=1426

36'

27'

30'

3'

27+53

27+20.86

P"2"

Set 2x2" Top Rock

Pile pg See 126

Toe

Thomason Edge

TOP

BOT

28+00

28+58

LOW

19'

7'

28'

3'

18'

15'

28+05

55.0

19'

26'

28+26

245.74@245°

ORCHARD

AV. 8"

CONT. TO NEXT PG

29+43 ± See next pg

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Plotted CKV by Dr. ew
Map No. B-364
Office Work O.K. Pack
Checked
Date

Surveyed by Thompson Creek Rd
M. B. 930 Page No. 25 & 26 Bk. of
Surveyed by Butler
Date
Notes
Indexed
C. Johnson

F.B. 447 Pg. 121

LOW FOOT HILLS

39+20

39+00

37+00

15Ft frame Cabin

39+02.8

Note: "Plane" Corner Pg 126

Slope

CHANNEL

Ferry Bot. Rec. Dr.

TO TOP NEXT HILL

OLD

232'

21'

1945

2025

49'

93'

8.

38+57.25 "Plane" Corner Pg 126

58.1300-0.0670 = 58.12

299.82 MAG. S 85°30' W

ch. nail

105'

12'

37'

10'

Thompson Creek (Dry)

38+84

38+20 (3) 8" Oaks

37+87

52'

21'

17'

99'

38+59 24" Oak

TRAV

RD

MAG S

39+80

1880

2168

1700

67'

114'

192'

8'

55' adj

39+11 T.P. (16")

165°22'45"

0165-22-45
@301-31-00
Av. 165-22-45

No End Irrigation

12" Redwood Standard

Int. ROS 39+30

End bank line

76'

TOP

BANK

8' RD

22.5 CTRS.

Orange Grove

16" Trees

39+25

ORCHARD CONTINUES

ORANGE (40 TREES 22.5 CTRS)

Grove,

FROM BOT PREV PG.

F.B. 419 PG 122

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

STORE

209'

RD.

39+25

39+80

40+00

40+40

40+60

4"x6" T.P

162'

107'

41+00

61'

24'

70'

220'

TROY

CREEK

MAG S70°30'W

TRAV.

GROVE

5" TREES

41+30
20.0 NO.
INT RDS

41+51

Comb
Brick
Store
No Floor

Loan to

41+95
19.0 NO

OLD
FRAME
BRIDGE

42+00

42+02

42+10
Con Bridge

8' TRAV

78'

65'

59'

42+34
INT RD

42+40

42+44
4"x6" T.P

42+47
59.0
INT RDS

90°

42+45
112.0 NO

BRICK
PORCH
NO WALK

WALL 4

GROVE

42+60

42+80

43+00

43+015

43+235

43+429

43+45

43+65

43+85

43+92

44+06

44+27

44+47

44+68

ORANGE

TREES

22.5

5' Brick
Thompson
Rock Wall

20' TRS

5" TREES

See next pg

TO TOP NEXT PG


F.B. 412 Pg. 12
Survey of Thompson Creek
M.D. 230 Tape No. 25 Sht. 2 of
Surveyed by Butler Date 4/62
Notes " " "
Indexed A. C. Johnson
Notes Ck'd by Drew
Map No. 6-34
Office Work O.L. Back
Checked
Date
ORCHARD CONTINUES N to the slope
ORANGE GROVE
ORANGE AVE
TREES
CTRS
5"
4"
20'
Row ORANGES
Mag. S 70°30 W
TOP DG
CONT NEXT
8' HIGH
DOCK
Pile 10
Wall
Rock
Steps
Line of Redwood Fence
Be not extend notes this side of this line
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLES IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.
FORM 847 10M 2-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


F.B. 419 Pg 124
FROM Prec
MAG S70°30'W
Ctr
Pg.
Prec
Orchard Continues N.L.T.
To Toe slope
Lemon
4Y
5" Trees
Not To Scale
Note: Stretch
Toe
Slope
Bank
Creek (dry)
Thompson
Top
Cor. Tree
Small Trees 10 Ctrs E&W Lemon
Lemon Cor
Pole #44
Sdr Ctr Prec Pg
Sdr Ctr Prec
Pg
Prec
Ctr
Pg
Ctr
Pg
Prec
Sdr Ctr Prec Pg
Sdr Ctr Prec
Pg
Prec
Ctr
Pg
Prec

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by Drew
Map No. 13-764
Office Work O.L. Pack
Checked
Date

Survey of THOMPSON CREEK RD
W. O. 230 Tape No. 235 Sht 84 of
Surveyed by Butler
Notes
Indexed A. C. Johnson Date 4-82

F.B. 419 Pg 23



F.B. 419 PG. 126

FROM PREC BOT PG.

MAG S74°30'W
1721.73
per prec. pg

27+20 ℄
"D"
±2°
2x2 per Topog
pg 118

per pg 118 1°34'
1100.08

S70°30'W

"P" LINE
(CONT.)

MAG
1178.96
calc from pgs 118-123

165°43'08"
per pg 120

S85°30'W

34+99 ℄
"D"
2°
2x2 per Topog
pg 120

MAG
357.94

calc from pgs 120+121

38+57 ℄
"D"
2°
2x2 per Topog pg 121

300.00 @ 2.20 = 772
= 299.73

MAG S76°30'W
1111.47

per pg 121
165°22'45"

TO TOP

NEXT PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by Dieu
Map No. B-764
Office Work O.L. Back
Checked
Date

Survey of Thompson Creek
W. O. 930 Tape No. 25 Sht 84 of
Surveyed by Butler "
Notes Date 4-32
Indexed A. C. Johnson

F.B. 479 PG. 67

From Bot Prec Pg

300.00@1-40@T78=299.82'

300.00@1-54@T72=299.82'

2300.00@1-40@T78=299.82'

2300.00@0-00@T76=230.00'

1589.91@1-40@T74=158.83'

155.53@1-25@T74=155.47'

49+69.23
"D5"
Set 2x2 +K
TOPOG PG 124

300.00@2-52@T74=299.26'

290.00@0-00@T74=290.00'

590.00@0-00@T74=590.00'

299.73
Perp rec
Pgt

nail
on pt

S70°30'W
111.47'
(CALC)

MAG

nail
ch pt

"D4A"
45+41.18
Set 2x2 top
rock Pile
TOPOG PG 123

nail
ch pt

Δ 138-48-15
Δ 195-12-45
Δ 138-48-11"4

138°48'11"4

MAG 54°

MAG S 27°30' W

155°45'30"

Δ 155-45-30
Δ 26°3-02-00
Δ 155-45-30

"D5A"
2x2 @
Sec Line Int
See Pg 143

56+58.91
"D6"
Set 2"x2'
TOPOG PG 131

168.00@1-35
@T84=167.94'

TO TOP

NEXT PG

"P" LINE
(CONT.)

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line




Survey of Tract No. 9330 Map Book 135 Page 41
Drawn by Dran
Checked by B.L. Pack
Traced by
Checked by
Indexed by A. C. Johnson
Date
LOS ANGELES COUNTY SURVEYOR
RETURN TO
7100 HALL OF RECORDS
Do not extend notes into this area
FORM 847 10M 8-61

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



FORM 847 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING THE CHANGE.

Do not extend notes this side of this line



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



FORM 247 10M 5-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Traced Ck'd by Dr. D.W.
Map Bk. R-164
Office Work O.L. Pack
Checked
Date

Survey of Thompson Creek Rd
W. O. 230 Book
Surveyed by Butler
Notes
Indexed A. C. Johnson Date 4/32

F.B. 478 Pg.

FROM R SIDE DREC. PG.

69+00

69+23.5

"D" LINE per pg 1/28

1 Sty. Frame Cabin Conc floor (FRONT HSE)

1/3 184

84.0

88.9

4 1/2' 8' 47'

Orange Grove

BANK CREEK BANK

5' 12' 3' 40'

70+00

School Boys

App. Location of 2 Sty frame School Bld.

A.V. CTS = 20'

Approximate Location of 4" water Line

TOP THOMPSON TOP

A.V. Size = 5"

5' 24' 5' 48'

71+00

Webb For

63.5 70+37 270' Stadia To "D" Line

129' 71+43 219' Stadia

71+40

TO FOR NEXT PG (4 SHEET)

Next Pg

Along Thompson Creek Road Survey

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


LAND H
UNIMPROVED
From PG
Bot. 142
F.B. 419 PG 136
WEBB SCHOOL
Nothing located W this vicinity not shown.
THOMPSON
CREEK
Bank
Slope
Ditch
Curve
Drange
(E) SIDE
FROM PREC PG
4V
CTS =20'
4V Size = 3"
Cattle Shelter
Electric Dormitory
Wire Fence
Conc. Floor
Steel Shade Cover
15th
Bldg
Fd 1/2" IP
Set 3/4" IP
Fd Nail & Tag
Fd Spike & Tag
Fd Chiseled X
Fd Chiseled Cross
Fd Punch Hole
Fd Punch Hole & Tag
Fd Punch Hole & Disc
Fd Punch Hole & Tack
Fd Punch Hole & Tack & Tag
Fd Punch Hole & Tack & Disc
Fd Punch Hole & Tack & Tag & Disc
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag
Fd Punch Hole & Tack & Tag & Disc & Tag

FORM 247 10M 5-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink**, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Noted Ck'd by _____ Date _____
Map No. A-764
Drlg. Wkt. G.L. Pack
Drawn _____
Date _____

Survey of Thompson Creek Rd.
W. O. _____ Surveyed by _____
Notes _____
Indexed A. C. Johnson

FROM R SIDE PREC. PG

BRIDGE
WALLS 1' THICK @ TOP 2' THICK @ BASE BATTERING 1' ON EACH WALL
FRAME DECK 20x18
10' ABOVE FLOW LINE.

Conc. Understructure

BASE LINE AVE.

79+00
79+18
79+38
79+44
79+58
79+78
79+84

1" Lemon
2" Avocado
1" Avocado
1" Lemon

53.0
66
116
180
21.3

Fence 6' Chain Link

40'
30'
20'
68'

1PP
B0+07.88
=0+00 E 2.Y. +5 L.Y.
C Spk per PG 128 OH 15

Rock x Oil

3"
4" Conc. Line Cross Under Water Line
Guard Rail
Bollard
T.P.
Clump of 4 (3" G.)
4' Wooden Flood Control Fence
Conc. Reservoir ±10' Above G. 21.5 Radius
Conc. Top
Next Pg
1106.27
Fence
=
P.O.T.
Pg 128 1.19 Lt.

Power Pole
Anchor
Guy
Brace
Concrete Box

N

F.B. 419 Pg 140



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by B-W
Map No. B-144
Office Work O.K. Pack
Checked
Date

Survey of Thompson Creek Rd
W. O. 930 Tape No. 25 St. 84 of.
Surveyed by Duffield
Noted Dec 1932
Indexed A. C. Johnson

F.B. 417 Pg. 141

FROM (R) SIDE PG 132

LEMON GROVE TREES

20' CTRS

TOP OF BANK

Row of Avocados

6" DNC. IRR. LINE

1" LEMON TREES 20' CTRS

NOTE Creek disappears EVIDENCE

Rows 20' Apart N&S
Rows running E&W are 20' apart but have interset trees. Note large trees shown hereon 5" & small trees 1" in size

TO TOP OF BANK 6400 (L) NEXT PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes	Ck'd by Drew	Survey of THOMPSON CREEK Rd.	F.B. 419 Pg. 143
Map	No. B-764	W. O. 930 Tape No. 25 St'd 84 °F.	
Office Work	D.L. Pack	Surveyed by Butler	
Checked		Notes " Date 4/52	
Date		Indexed A. C. Johnson	

CONT. BOT. NEXT PG.

"D LINE per PG 127

"D" 2x2 per PG 127

per PG 127 / 689.68

"D5A" Set 2x2" by INT. ON E. bank W.O.sh. = P.O.T #1

280.34 @ 0-00 @ T84 = 280.34

132-55-30 adj

① 132-55-30
② 171-42-00
Δ 132-55-30

"D6" 2x2 per PG 127

1516.63

RANDOM LINE MAG-North

2256

TIN

R8W

1516.63 @ 0-00 @ T84 = 1516.63

S 0-01 E 2260 @ 2°30

To POT #13 per F.B. 419/43

① 89-22-30
② 357-59-30
Δ 89-22-22½

Sec. 32

Sec. 33

89°22'22½ adj

88°46'45"

per F.B. 419/43 952.12

℄

BASE LINE AVE.

TO C.S.pk @ SAN ANTONIO AVE. See PG 128

179°54'20" per F.B. 419/43

Sec. Cor. FD 2"x2" tk 6" DN per F.B. 419/43

Sec. 5

Sec. 4

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-51



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Notes Ck'd by	Drew	Survey of	THOMPSON CO. RD.
Map No.	B-764	W. O.	930
Office Work	D. L. Pack	Surveyed by	BUTLER
Checked		Notes	"
Date		Indexed	A. C. Johnson

Tape No. 17 St'd 54 °F.
Date 4/82

F.B. 419 Pg [illegible]

NOTE
500 Tape #17 Std 54° used on Hwy Pgs

END
Set 1x2 Top on Spur E+W

60' Stadia

116.27 @ A-54 @ T82 = 115.87
35.57 Level

P.O.T. #9
Set 1x2 ⊙A
S. Slope Spur 65.20

15.44

Δ 25-54-00
Δ 103-36-30
Av. 25-54-07½

Δ 64°30'00
R 129.00

1/4 Cor.
Fd Grain Rock (partially decomposed)
12"x10"x8" (deep)
on So. Slope 10' W Spur bear E+W
per L.S. 18-47 & C.S. 9338 =
Rock has ½" hole in top ¼" Deep

500' 18.43

Bovine 10' Wide
Bear N 45° W

97.4

Set 1x2 ⊙A
Top Spur
bear E+W

Δ 112-45-00
Δ 91-00-00
Av. 112-45-00

P.O.T. #8
Set 1x2
top Ridge
E+W

100'

190.32 @ 11-17 @ T86 = 186.68

Raining (no ID)
bear N.W.

500'

421.27 @ 0-27 @ T88 = 421.35

106' Stadia

7358.00 @ 0-50 @ T90 = 358.04

P.O.T. #7
Set 1x2 ⊙A
top Spur
bear S 70° W

78'

12'

Δ 138-30-15
Δ 194-37-00
Av. 138-39-15

52.56 @ 13-51 @ T84 = 52.98

Fd. 3" Mo. of rock 1" High on Line No Cut

nail

496.90 @ 15-21 @ T84 = 479.25

RANDOM LINE MAG. No.

nail

91.00 @ 2-26 @ T84 = 90.94

Sec 29

Sec 28

66'

P.O.T. #6
1x2 per top prec. pg

FROM Prec. Top Pg

T1N
R8W

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notice: ANY ABRATIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING THE CHANGE.

Do not extend notes this side of this line

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 319 PG 196

Notes Ck'd by D. M. Finley
Map No. B-764-6
Office Work K.V.MERIN
Checked
Date

Survey of THOMPSON CREEK Rd. F.B. 419 Pg. 147
W. O. 930 Tape No. 17 St'd 84 °F.
Surveyed by BUTLER
Notes " Date 8/32
Indexed A. C. Johnson 2-8-33

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

W.O. 930

THOMPSON CREEK RD.

ADDITIONAL WORK

CL Bergen #16151
300' Tape #17
Std 84

NOTE: This survey is retracement of ℄ CAMP BALDY RD. from N'LY terminus of THOMPSON (Proposed) Creek Rd. N'LY to INT. Camp BALDY RD. on W SIDE SAN ANTONIO CN. with CAMP BALDY ON E. SIDE; showing INT. with ANG. NAT. FOR BD'RY.

Butler
SVENSON
JOHNSON
WILLESS
TAYLOR

NOTE:

Ref.

THOMPSON Creek RD - F.B. 407/89-91
CAMP BALDY RD. - F.O. 358-43-54
ANG NAT FOR BD'RY - F.B. 482/11

NOTE: For Radial Ties to B.C.'s & E.C.'s
See F.O. 358/43-54

FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 419 Pg. 143

Notes Ck'd by D. M. Finley	Survey of Thompson Creek Rd
Map No. B-764-6	W. O. 930 Tape No. 17 St'd 84 °F.
Office Work K. KIMORIN	Surveyed by Butler
Checked	Notes " Date 8/8/42
Date	Indexed A. C. Johnson

F.B. 417 Pg. 149

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31




CONT BOT NEXT PG
F.B. 419 Pg. 150
78.64 @ 0-00
@ T92 = 78.64.
E.C. - RD
C Spk W+T 0.1DN
per R.D.F.O 358/53
3.345
B.C. - FD C Spk
W+T 0.1DN
per R.D.F.O
358/53
Δ 5-46-15
Δ 23-05-15
Δ V 5-46-18¾"
50.48 @ 0-00
@ T92 = 50.48.
DATA per R.D.F.O 358/53
Δ = 5° 46' 40"
R = 1000'
T = 50.46.
50.48 @ 0-00
@ T92 = 50.48.
RD.
50.48
P.I. #13
FD C Spk
W+T per
E.C. FD C Spk
per RD
FD 358/53
110.09 @ 0-00
@ T92 = 110.10.
110.10
B.C. FD C Spk
W+T per R.D.
F.D. 358/53
181.01 @ 60-00
@ T92 = 181.02.
DATA per R.D.F.O. 358/53
Δ = 41-58-35"
R = 720'
T = 27597'
BALDY
27596
Δ 41-58-00
Δ V 41-58-35"
94.87 @ 8-01
@ T92 = 94.94.
EC FD 2¼" IK
per R.D.F.O
P.O.S.T
FD C Spk W+T
0.1DN per R.D.
86.37 @ 4-10 S TO
86.10
Co. Boundary
rail
ch. pt
215.97
47.96 Level
142-43-00
Δ 210-52-00
Δ V 142-43-00"
2.55
Level
P.I. #14
FD 1½" 2¼"
per R.D.F.O
358/54
CA MAP
167.47
0.435
97.00 @ 6-05
@ T88 = 96.45.
STA 18A
FD 2BC-CS
Monmrk and
mkd
300.00 @ 2-43
@ T86 = 279.66.
179.72
@ 2-43 @ T88
= 179.52.
SB 1980
BENCH MARK
LOCO
FROM TOP
PREC PG.
LA San Bernardino Co
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by D. M. Finley	Survey of THOMPSON CREEK RD. F.B. 419 Pg. 25
Map No. B-764-6	W. O. 930 Tape No. 17 St'd 84 °F.
Office Work K.V. MORIN	Surveyed by Butler
Checked	Notes " Date 8/32
Date	Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

TO BOT. X NEXT PG.

149.88 00-00 T92
= 1499.

Δ 12-14 00
Δ 48-55-30
Sv. 12-13-52½
45 Adj.

B.C.
Fd. C Spk
W+T per
R.D.F.O. 358/52
DN 0.1

296.52

Data per R.D.F.O. 358/52
Δ = 12°14'10"
R = 500'
T = 53.59'

RD

53.60
Level-T90

BALDY

D.I. #11
Fd. C Spk
W+T DN 0.1
per R.D.F.O.
358/52.

53.60
Level-T90

E.C.
Fd. C Spk W+T
per R.D.F.O. 358/52

Δ 11-13-15
Δ 48-53-15
Sv. 11-13-78¾
25" Adj.

Level-T90
800

D.I. #12
Fd. C
Spk W+T
per R.D.
F.O. 358/53

Level-T90
78.64

B.C.
Fd. C Spk W+T
0.1 DN per
R.D.F.O. 358/53

Data per R.D.F.O. 358/53
Δ = 11°13'40"
R = 800'
T = 78.64'

CAMP

Level-T92
78.64'

E.C. per
prec. P.G.

33.45
FROM TOP PREC. P.G.

F.B. 419 Pg. 152

To Bot Next Pg.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by D. M. Finley	Survey of Thompson Creek Rd
Map No. B-764-6	W. O. 930 Tape No. 17 St'd 84 °F.
Office Work K.V. MORIN	Surveyed by Butler
Checked	Notes " Date 8/72
Date	Indexed A. C. Johnson

F.B. 419 Pg. 153

To Bot. Next Pg.

171.40 @ 2-07 @ T92 = 171.29

300.0 @ 2-07 @ T92 = 299.82

Rd

Baloy

1070.75'

300.0 @ 2-07 @ T92 = 299.82'

300.0 @ 2-07 @ T92 = 299.82'

1070.75

B.C.
FDC Spk-W4T
ON. 0.1'
per
R.E.O.
358/50

Data per R.O. Fo 358/50

Δ = 9°-17-10"
R = 1000'
T = 81.21

Δ 9-17-15
Δ 37-09-30
Av. 9-17-22½
30" Adj

Level-T92
81.21

P.I. #8
FDC Spk-W4T
0.1 ON per
R.O.F.O. 358/50

L = 181.86
181.20

100.55 @ 3-02
@ T82 = 100.41'

300.0 @ 3-02
@ T82 = 299.58'

Camino

E.C.
FDC Spk-W4T
0.1 ON per
R.O.F.O. 358/50

299.58'

From Top Prec. Pg.

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink., WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by D. M. Finley
Map No. B-764-6
Office Work K.V. MORAN
Checked
Date

Survey of THOMPSON CREEK RD
W. O. 930 Tape No. 17 St'd 84 °F.
Surveyed by Butler
Notes " Date 8/72
Indexed A. C. Johnson

F.B. 419 Pg. 152



Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

F.B. 419 PG. 156

To Bot Next Pg

224.75@2-37@T92
=224.53'

300'@2-37@T92
=299.71'

Q 17-37-15
T 10-29-15
Av 17-37-18 3/4'
20 Adj

ch pt

524.24'

RD.

BC
FD. C SpkW+T
DN 0.1
per R.O.F.O 358/47

155.07'@1-48@T92
= 155.01'

BALDY

PI #5
FD C SpkW+T
DN 0.1
per R.O.F.O
358/47

Per R.O.F.O 358/47
Q = 17°37'30"
R = 1000'
T = 155.03'

155.41@4-00@T92
= 155.01'

EC
FD. C. SpK
W+T DN 0.1
per R.O.F.O
358/47

0.68'

17.71'

FROM Top Prec. Pg

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by D. M. Finley
Map No. B-764-6
Office Work K.V. MORIN
Checked
Date

Survey of Thompson Creek Rd F.B. 419 Pg. 157
W. O. 930 Tape No. 17 St'd 84 °F.
Surveyed by Butler
Notes " Date 8/32
Indexed A. C. Johnson

TO BOT. NEXT PG.

Δ 32-46-45
Ø 131-07-15
Fr 32-42-45 ½
55' Adj

P.I. #3A.
FD 2½"-3" DN.
per R.D.
F.O. 358/45

300 @ 3-21
@ T92 = 299.59'

BC
FD C Spk W+T
DN 0.1'
per R.D.F.O.
358/45

0.21
Adopted P.I.

Data per R.D.F.O.
358/45
Δ = 32-46-50°
R = 400'
T = 117.65'

Proposed & Calculated to be 30' from and Parallel to Co. Bdry.

EC-FD C Spk
W+T DN 0.1
per R.D.F.O. 358/45

930 @ 2-45 @ T94 = 929.91'
300 @ 2-45 @ T94 = 299.67'
300 @ 2-45 @ T94 = 299.67'

BC-FD
C Spk W+T
DN 0.1
per R.D.F.O.
358/46

Data per
R.D.F.O. 358/46
Δ = 18°25'40"
R = 235'
T = 37.89'

Δ 18-25-15
Ø 73-42-00
Fr 18-25-30

0.36
Adopted P.I.

P.I. #4A
FD C Spk W+T
DN 0.1 per R.D.
F.O. 358/46

E.C.
FD C Spk W+T
DN 0.1
per R.D.F.O.
358/46

FROM TOP AREC PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 419 Pg. 158

To Bot Next Pg



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes C'k'd by D. M. Finley
Map No. B-764-6
Office Work K.V.L-MORAN
Checked
Date

Survey of THOMPSON CREEK RD
W. O. 930 Tape No. 17 St'k 84 of F.
Surveyed by Butler
Notes 1 Date 8/32
Indexed A. C. Johnson

F.B. 419 Pg. 159


SAN
COUNTY
C.S.Mon #19A
FD Cone Mon
12"x12"x12"
per
F.O. 358/43
FD Woods
1 plug 3/4" Pt
in conc.
pave. app. 2'
No Ref.
Found
Pipe
Fd 3/4" Pk
Ch No. 1 per
R.D.F.O. 358/43
FD Spk W+T
per R.D.F.O. 358/43
FD N+T
Per R.D.F.O.
358/43
FD S W+T
Per R.D.F.O.
358/43
Data per
F.O. 358/43
Δ = 49°24'30"
R = 300'
T = 138.87
DM of 458
FOR THIS INT.
RD
BALDY
CAMP
Set 3/4" Pk
Ch No. 1 per
R.D.F.O. 358/43
FD Spk W+T
Ch No. 1 per
R.D.F.O. 358/43
Set 3/4" Pk
Ch No. 1 per
R.D.F.O. 358/43
Found
Pipe

F.B. 419 Pg. 160

Brunty
Wallace
Kleineck
Willey R.L.
Porter

EC Fd. 2x2 Per Pg 98

Continued from Pg. 105

Δ = 60°16'05"
R = 1000
T = 580.47
L = 1051.88

Old Pt #3 Fd 2x2 Per Pg. 105

118.39 Level T73 = 118.38

118.38

Road

Post Fd 2x2 Per Pg. 105

116.17 Level T73 = 116.16

234.54

116.16

N 19°43'55" W

{PT #5 Set 1x2

Thompson Creek

537.69

119-44-00 ①
118-55-45 ④
119-43-55 Av.

Proposed

624.98

{Post #5A Set 1x2

POT #5B Set 1x2

cont. Bot. Pg. 161

288.78 @ 1°26 T48 = 288.62
288.81 @ 1°37 T48 = 288.62

262.91 @ 1°41 T48 = 262.74
262.93 @ 1°50 T48 = 262.74

73.64 Level T48 = 73.62

288.62
262.74
73.62
624.98

298.27 @ 2°22 T48 : 297.95
298.22 @ 2°10 T48 : 297.94
298.21 @ 2°00 T48 = 297.96
F.D. 297.95

239.89 @ 1°36 T48 = 239.73
239.93 @ 1°50 T48 = 239.75
F.D. = 239.74

297.95
239.74
537.69

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Bacon | Survey of Thompson Creek Road
Map No. | W. O. 930 Tape No. 48 St'd 84 °F.
Office Work | Surveyed by C.E. Brunty
Checked | Notes Brunty Date 12-2-32
Date | Indexed A. C. Johnson

F.B. 419 Pg. 161

1-10-33

POT #5E Set 1x2

¼ Cor Per F.B. 418 P. 33 Fd. C.S. Mon (2" IP + BC Set in Conc.)

286.65 @ 0°56' T 58 = 286.56
286.69 @ 1°08' T 58 = 286.57
286.72 @ 1°24' T 58 = 286.58
FD = 286.57

299.27 @ 2°51' T 50 = 298.81
299.30 @ 3°06' T 50 = 298.79
FD = 298.80

266.57
298.80
585.37

S 0°40' W 585.37

Ditch

Earthen Dyke 3.0' ±

MILLS AVE

Rock and Oil Pavement

POT #5D Set 1x2 top of Dyke

POT #5C Set Spk W+Tin by Intersection

56.08 Level T 68 = 56.07
+04
56.11

116°03'45" ⊕
104°15'30" ⊕
116°03'52½" Av.

116°04'15" ⊕
104°15'45" ⊕
116°04'11½" Av.

Road

358.16

N 16°05'52½" W 403.55

Sec. 27 T. 1 N. R. 8 W.

Creek

¼ ¼ Cor Per Pgs. 101 + 106 and FB 418-33 Fd. C.S. Mon. 2" IP + BC Set 1.1' concrete

POT #5B (1x2)

297.79 @ 1°50' T 68 = 297.61
297.81 @ 1°59' T 68 = 297.60
297.82 @ 2°05' T 68 = 297.59
FD = 297.60
106.00 @ 0°68' T 68 = 105.99

297.60
105.99
403.59
-04
403.55

Unimproved Land

Proposed Thompson

624.98

298.81
59.23
.17
358.21 Level T 68° = 358.17
-01
358.16

POST #5A (1x2)

From Bot. Left of Pg. 160

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

Cont. Bot. T-Pg. 163

F.B. 419 PG. 162

213.31 @ 2°25 T64 = 213.09 ✓
213.34 @ 2°40 T64 = 213.08 ✓
213.40 @ 3°02 T64 = 213.07 ✓
FD = 213.08 ✓

184.20 @ 2°26 T64 = 184.01 ✓
184.14 @ 1°35 T64 = 184.01 ✓

152.27 Val T64 = 152.25 ✓

300.35 @ 3°45 T64 = 299.67 ✓
300.27 @ 3°38 T24 = 299.65 ✓
F.D. 299.66 ✓

230.01 Level T64 = 229.98 ✓

250.75 @ 1°42 T66 = 250.61 ✓
250.79 @ 1°58 T66 = 250.61 ✓

299.22 @ 2°13 T64 = 298.96 ✓
299.28 @ 2°25 T64 = 298.97 ✓
299.29 @ 2°34 T64 = 298.95 ✓
FD = 298.96 ✓

299.35 @ 2°24 T64 = 299.01 ✓
[illegible] = 299.02 ✓
FD = 299.00 ✓

298.41 @ 3°01 T60 = 297.95 ✓
298.38 @ 2°54 T60 = 297.95 ✓

213.08 ✓
184.01 ✓
152.25 ✓
299.66 ✓
849.00 ✓

To POT #5G

144.34 ✓

POT #5G Set 2x2 by intersection

POT #5F Set 1x2 Ctop of Dyke

Ditch 46'

37'

Dyke N 88° 30' E 16'

137.50 ✓

Unimproved Land

Sec 27 T.1N.R8W.

213.08 ✓
256.61 ✓
298.96 ✓
299.66 ✓
297.95 ✓
1376.50 ✓

10' Ditch

S 2° 30' E

POT #5E (1x2)

19'

33'

Proposed Thompson Creek Road

S 5° 37' E

POT #5D (1x2)

From top of Pg. 161

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Drew
Map No.
Office Work
Checked
Date

Survey of Thompson Creek Rd.
W. O. 930 Tape No. 48 St'd 84 °F.
Surveyed by C.E. Brunty
Notes Brunty Date 12-6-32
Indexed A. C. Johnson

F.B. 419 Pg. 163

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-51

{1/4 Cor. Fd 1½" I.P. Plug & Tack Per FB 418-30

Continued Bot. Pg. 168

{Intersection Set 2x2 Proposed PI #6

Sec. Cor. Cor. to Secs. 27, 28, 33 and 34 T1N R8W Fd. 2" I.P. & C Set in concrete (C.S. Mon.) Per FB 418-35

229.04
89.22
318.26 Level T 56 = 318.19

116°40'15" ⓒ
106°41'00" ④
116°40'15" Av.

90°04'00" Ⓓ
360°16'00" ④
90°04'00" Av.

POT #5H Set 1x2

See pg 168 for new alignment

238.32 @ 2°43 T56 = 238.01 ✓
238.38 @ 3°02 T56 = 238.01 ✓

209.39 @ 3°00 T56 = 209.06 ✓
209.32 @ 2°35 T56 = 209.07 ✓
209.26 @ 2°19 T56 = 209.05 ✓
F.B. = 209.06 ✓

217.36 @ 1°10 T56 = 217.27 ✓
217.42 @ 1°49 T56 = 217.27 ✓

238.01 ✓
209.06 ✓
217.27 ✓
664.34
− 32.26
632.08

Creek Road

Thompson

Proposed

707.39

849.00

144.34

2.73 Level

0.04 0.11 0.15 =

318.19

Sec. 33 T1N R8W

Sec. 34

Sec. 28

Sec. 27

350'±

22°44'15"

26°44'15" Ⓓ
196°57'00" ④
26°44'15" Av.

POT #5G Set 2x2 by intersection with section line

Set 1x2

32.27 Level T 56 = 32.26 ✓

145.25 @ 6°9 T54 = 144.34 ✓
145.12 @ 5°50 T54 = 144.34 ✓

POT #5F (1x2)

Cont. from top of Pg. 162

F.B. 419 Pg. 164



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Drews	Survey of Thompson Creek Rd.
Map No.	W. O. 930 Tape No. 48 St'd 84 °F.
Office Work	Surveyed by C E Brunty
Checked	Notes Brunty Date 12-3-32
Date	Indexed A. C. Johnson

F.B. 419 Pg. 165

(P#1 Per Pg 112
Fd 2x2 tack

158°56'00" ⓒ
275°49'30" ⓑ
233°35'30" ⓐ
158°55'55" Av.

999.13

314.77
37.99
299.29
217.04
145.72
200.11
199.85
1414.77

14+14.77
Fd. 1x2 tack
PI#7=P"O"
Per Pg. 111

158°55'55"

1/4 Cor. Per Pg. 42

Sec 34
Sec 33

214.84
100.00
314.84 Level T50=314.77

38.00 Level T48=37.99

299.47 @ 1°44 T48 = 299.28
299.52 @ 1°52 T48 = 299.29
299.55 @ 2°02 T48 = 299.29
FD=299.29

217.20 @ 1°45 T46 = 217.05
217.22 @ 1°56 T48 = 217.05
217.23 @ 2°09 T " = 217.03
217.29 @ 2°26 T " = 217.04
F.D. = 217.04

21°53'07½"
05"

1414.77

145.76 Level T44 = 145.72

200.26 @ 1°46 T44 = 200.11
200.22 @ 1°24 T44 = 200.11
200.20 @ 1°08 T44 = 200.11

200.05 @ 2°14' T44 = 199.85
200.03 @ 2°05 T 44 = 199.85
199.99 @ 1°44 T 44 = 199.85

21°53'15" ⓓ
87°32'30" ⓒ
21°53'07½" Av.

2 x 2 Intersection
Per Pg. 163

To Cor. to Secs 27, 28, 33 & 34 T1NR8W

See Pg. 163

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

Cont. Bot. Pg. 167

F.B. 419 Pg 166



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Drew	Survey of Thompson Creek Road
Map No.	W. O. 930 Tape No. 48 St'd °F.
Office Work	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 2-13-32
Date	Indexed A. C. Johnson

F.B. 419 Pg. 167

To Pg 111



From top of Pg. 166

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 419 Pg. 165

Brundy
Wallace
Kleineck
Porter
Jan. 3, 1933

1/4 Sec. Cor. Per Pg. 163

200.03 Level / T60 = 200.00

Old PI #7 = P "O" = 14+14.77 Fd 1x2 + Tack Per Pgs. 111 + 165

155°35'00" ⓓ
262°19'30" ⓐ
155°34'52½" Av.
50' Adj.

Sec. 33
Sec. 34

See Pg. 170

P #1 Per Pgs. 112 + 165 Fd. 2x2 + Tack

Per Pg. 158

200.00

Proposed PI #7 Set 2x2 + Tack (4" deep)

155°34'50"

339.67 ✓
298.86 ✓
638.53 ✓

638.53
591.76
1230.29

638.53

Line Per Pg. 165

190.42
149.30
339.72 Level / T60 = 339.67

299.10 @ 2°04 T60 = 298.87 ✓
299.11 @ 2°10 T60 = 298.86 ✓
299.14 @ 2°20 T60 = 298.85 ✓

POT #6A Set 2x2

292.6 @ 1°20 T62 = 292.48 ✓
292.59 @ 1°11 T62 = 292.48 ✓

299.52 @ 2°06 T62 = 299.28 ✓
299.57 @ 2°20 T62 = 299.28 ✓

135°12'15" ⓒ
180°49'00" ⓐ
135°12'15" Av.

299.28
292.48
591.76

Per Pg. 165
2°05'30"

1414.77

591.76

135°12'15"

116°40'15"
Per Pg. 163

Proposed PI #6
Per Pg. 163 (2x2 Intersection)

Sec. 33
R 8 W

Sec. 34
T. 1 N.

707.39
Pg. 163

Cor. to Secs. 27, 28, 33 & 34 T 1 N R 8 W
Per Pg. 163

Sec. 28

POT #5 G
Per Pg. 162

632.08
Pg. 163

Sec. 27

Continued from top Pg. 163

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Record Dwg. by Drew
Map No.
Office Wk.
Checked
Date

Survey of Thompson Creek Road
W. O. 930 Tape No. 48 Std @ 66 ft. F.
Surveyed by C E Brunty
Notes Brunty Date Jan. 4, 1933
Indexed A. C. Johnson

F.B. 418 Pg. 19

Sec. 33. T.1.N. R.8.W.

Fd. 1/2" I.P. + Plug (No tack) 4" below surface. I set punch mark on S. rim of pipe by ties per F.B. 418 Pg. 20

Fd. Spk. Nail & T per Pg. 44

1321.07 Per Pg. 44
Drew 1320.91

1320.30 Per Pg. 45
1320.03 Drew

BASE LINE AVE.

33'

40.0'

90°11'00" ①
360°43'55" ②
90°05'24" Av.
181°05'45" ③
90°10'57½" Av.

LOT #1

Dug large hole in search of Tract Corner. Fd. nothing

Fd. 2"x2"x3' stk. (Reference Stake) 4" Bolt in face. I replace with a new 2"x2"x3' stk. + tack. See Pg. 44

Large Oak

LOT #2

Replaced 1/2" I.P. with 3" Brass Monument marked as set above 12" Sw. RH

SEC. 4 T.1.S. R.8.W.

TRACT #2906

LOT #3

Rad. 649.0
1319.13

Fd. Long Spike and Washer

41.63
24.89
48.33

1/2" I.P.

13+29.75
Fd. 3/4 I.P. Set in Concrete (4" deep) Per Map of Tract #2906

Indian Hill Ave.
264.24'

0.49°

13+29.26
Set Nail + Tin

127.85 Level T74 = 127.85

LOT #4

89°13'00" ①
356°52'30" ②
89°13'07½" Av.

Fd. 3/8" I.P. Set in concrete per Tract Map (8" deep) Tract #2906

Rock Apron
Rock End
Tablement
Rock Wall

1329.01

LOT #5

CENTER SEC. 1 S. 8 W. S.B.M.

40.00 Level T78 = 40.00
50.17 Level T78 = 50.17

89°10'07"

Rock Wall

46.2

@ 40.0 See marginal sketch

Fd. L & T in wall

Fd. L & T in wall

Fd. 2" I.P.

COUNTY OF L.A.
CITY OF CLAREMONT
Rock Wall

50.17

Fd. Carriage bolt + 2" washer

To Center Sec.

Center Sec. Cor. Fd. 2" I.P. set in 14" Concrete Mon. Pipe has plug but no tack. I set tack in center. Concrete marked as shown. (4" deep) Harry E Joos, an old resident and property owner states that this corner was here in 1912.

50.0

Curb

Curb

Fd. L & T in earth

Fd. L & T in earth

Fd. L & T in earth

Fd. L & T in earth

0.49' punch mark in top of curb

Fd. L & T in earth

Fd. L & T in earth

Fd. L & T in earth

Fd. L & T in earth

F.B. 419 Pg. 170

Note- Not having data on anything North of Base Line Ave, I run a line in a Northerly direction, from Base Line Ave to an intersection with the transit line shown on Pg. 111+112, using a 3/4" I.P. Fd. on fence line and Approx. 30' W. of ℄ of pavement to establish my azimuth Jan. 8, 1932 Co. Survey

Proposed P.I. = 72
Fd. 2x2 Per Pg. 168

Pg. 164 200.00

To See Cor Pgs 42 + 163

P.I. = 0 Per Pg. 111 Fd. 1x2 + tack

Pgs. 111+112 9.13

See pg. 195

P.I. = 1 Per Pg. 112
Fd. 2x2 + tack (Flush)

163.12

137°05'00" ①
188°20'00" ②
137°05'00" Av.

163.13 Level T72 = 163.12

236.25 ✓
300.46 ✓
300.49 ✓
300.45 ✓
300.40 ✓
300.27 ✓
300.50 ✓
300.39 ✓
300.13 ✓
2639.34 ✓

See pg. 195
Set 2x2 by intersection

Sec. 33, T. 1 N., R. 8 W.

146.87

146.88 Level T72 = 146.87

See pg. 195
Fd. ¾ I.P. on fence line and Approx. 30' W. of ℄ of pavement. X man states that it is his property corner. (Gurm)

Set Nail
0.02'

¼ Sec Cor Pg. 42

See pg. 195 for monument

236.27 Level T72 = 236.25 ✓

300.58 @ 1°30 T72 = 300.46 ✓
300.64 @ 1°51 T72 = 300.46 ✓

30.00

300.53 @ 1°00 T72 = 300.48 ✓
300.58 @ 1°12 T72 = 300.49 ✓ 300.49
300.61 @ 1°25 T72 = 300.50 ✓

300.65 @ 2°00 T72 = 300.45 ✓
300.68 @ 2°10 T72 = 300.45 ✓

300.46 @ 0°55 T74 = 300.40 ✓
300.44 @ 0°40 T74 = 300.40 ✓

300.36 @ 1°14 T74 = 300.27 ✓
300.42 @ 1°40 T74 = 300.27 ✓

300.60 @ 1°19 T74 = 300.50 ✓
300.57 @ 1°05 T74 = 300.50 ✓

300.53 @ 1°45 T72 = 300.39 ✓
300.64 @ 2°13 T72 = 300.39 ✓

300.18 @ 0°45 T72 = 300.13 ✓
300.16 @ 0°30 T72 = 300.13 ✓

SAN ANTONIO RD. #2
2639.34
(INDIAN HILL AVE.)
100'
FORBES

Spk W+T See Pg. 169.

See pg. 195
2x2 + tack per Pg. 169

Sec 33

Sec 34

1321.67
1320.81 Drew.

1320.30
1320.03 Drew

BASE LINE AVE

Sec 4

Sec 3

90°09'15" ②
360°37'00" ①
90°09'15" Av.

See Pg. 169
Indian Hill Ave.

Sec. Cor
See Pg 45

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink., WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notice Ck'd by Drew
Map No.
Office Work
Checked
Date

Survey of Thompson Creek Rd.
W. O. 9230 Tape No. 34'd 84 ch. F.
Surveyed by C.E. Brundy
Notes Brundy Date 1-23-33
Indexed A.E. Johnson 5-6-33

F.B. 419 Pg. 71
Proposed
Thompson Creek
Road

Continued on Bot. of Pg. 172

158-15-30 ©
273-02-00 ©

PI #23 set Spk. W+Tin

175.02 @ 8°36' T46 = 173.01 ✓
174.87 @ 8°16' T46 = 173.01 ✓

173.01

P.O.S.T. #2A Set 2x2

299.35 @ 1°40' T46 = 299.15 ✓
299.35 @ 1°53' T46 = 299.15 ✓

105.83 Level T44 = 105.80 ✓

299.15 ✓
105.80 ✓
404.95 ✓

158°15'30" ©
273°02'00" ©
158°15'30" Av
40 Adj

28.22 Level T44
= 28.21.

404.95

EC 4+92.18 Set Spk. W+Tin

A = 21°44'20" ✓
R = 750.00
T = 144.01
L = 284.56

PI 15

158°15'40"

28.21

PI Set Spk. W+T

157.00

Deflection - Chord - Station				
1	0°39'50"	17.38	2+25	
2	1°37'08"	25.00	+50	
3	2°34'26"	"	+75	
4	3°31'43"	"	3+00	
5	4°29'01"	"	+25	
6	5°26'19"	"	+50	
7	6°23'37"	"	+75	
8	7°20'54"	"	4+00	
9	8°18'12"	"	+25	
10	9°15'30"	"	+50	
11	10°12'48"	25.00	+75	
12	10°52'10"	17.18	4+92.18 EC.	

1+94.63
P.I. Per Pg. 149 Fd. Spk. W+T

BC. = 2407.62 Set Spk. W+Tin.

157.84 Level T44
= 157.00 -

Stop Thompson Creek Rd. Fd. Spk. W+Tin Per Pg. 149

194.62 Pg. 149

Adopted @ Pg. 149

P.O.S.T. Per Pg. 150 Fd. Spk. W+T.

96.45 Pg. 150

PI #14 Per Pg. 150 Fd. W+T.

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE AS CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 419 Pg. 172

Cont. Bot. Pg. 173

P.I. 3 Set Pg. 173
Fd. 2x2 Per Pg. 95

POST #2B
Fd. Spk. W.F.T.
Per Pg. 103

222.30@3°29' T42: 221.64
222.15@2°47' T42: 221.64

795.93' @ 5.70

EC = 11+79.18 Set 2x2

Δ = 40°25'40"
R = 750
T = 276.15
L = 529.20

Deflection	Chord	Station
1 =	0-57-20	25.02 - 6+75
2 =	1-54-38	25.00 - 7+00
3 =	2-51-56	" - +25
4 =	3-49-14	" - +50
5 =	4-46-32	" - +75
6 =	5-43-49	" - 8+00
7 =	6-41-07	" - +25
8 =	7-38-25	" - +50
9 =	8-35-43	" - +75
10 =	9-33-00	" - 9+00
11 =	10-30-18	" - +25
12 =	11-27-36	" - +50
13 =	12-24-54	" - +75
14 =	13-22-11	" - 10+00
15 =	14-19-29	" - +25
16 =	15-16-47	" - +50
17 =	16-14-05	" - +75
18 =	17-11-22	" - 11+00
19 =	18-08-40	" - +25
20 =	19-05-58	25.00 - +50
1 =	20-03-16	29.18 - 11+79.18 EC

139°34'20" @
198°18'15" @
139°34'40"
20" Adj.

221.64

PT #2

64.06 Level
T46: 64.04

139°34'20"

64.04

173.71

POST T. Per
Pg. 103 Fd.
1x2 T. of Bot.

POST #2A
Set 2x2

BC = 6+49.98 Set 2x2

17°30'

64.04

PT. Per Pg. 103
Fd. 2V2 IN rock
matting

PT #1 (Spk. W.F.T.in)

From top of Pg. 171

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Draw	Survey of	Thompson Creek Road
Map No.		W. O.	930
Office Work		Tape No.	St'd 84 °F.
Checked		Surveyed by	C.E. Brunty
Date		Notes	Brunty Date 4-27-33
		Indexed	A.C. Johnson

F.B. 419 Pg. 173

766.16
611.26
1377.44

Continued Bot. Pg. 174

34+22.83
PI #3 Fd. 2x2 Per Pg. 96

Fd 1x2 marked 20+21.00
Z-362-27

EC. = 23+82.41 Fd. 1x2

2x2 at 26+36.65 has been removed

97.44 Per Pg. 96

Δ = 16°55'20"
R = 2400.00
T = 35.7.02
L = 708.84

	Deflection	Chord	Station
1 =	0 18'56"	-26.43	- 17+00
2 =	0 54'44"	-49.9992	+50
3 =	1° 30'33"	"	- 18+00
4 =	2° 06'21"	"	+50
5 =	2° 42'10"	"	- 19+00
6 =	3° 17'59"	"	+50
7 =	3° 53'47"	"	- 20+00
8 =	4° 29'36"	"	+50
9 =	5° 05'24"	"	- 21+00
10 =	5° 41'13"	"	+50
11 =	6° 17'02"	"	- 22+00
12 =	6° 52'50"	"	+50
13 =	7° 28'39"	"	- 23+00
14 =	8° 04'27"	-49.9992	+50
15 =	8° 27'40"	-32.41	-23+82.41 EC.

PI #3 Fd. 2x2 Per Pg. 95
See Pg. 172

405.72

BC = 16+73.57 Fd. 1x2

Fd. 1x2 marked 27+29.84
Z-362-28

Post #2B Per Pg. 172

221.84

PI #2 Per Pg. 172

From Top of Pg. 172

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 419 PG. 174

PI #4 Per Pg. 98 Fd. 2X2

L = 51.00

Pg. 98

POST #4A
Fd. 2X2 per Pg. 98

BC = 45+51.46
Set 1X2 see Pg. 175

L = 619.52

Pg. 98

Camp Baldy Road

POT #3B = 44+36.01
Section Line
Intersection per Pg. 97
Fd. Cut Spk. w/ Tin

L = 1013.81

Pg. 97

Pg. 33

34+22.83 See Pg. 173
POT #3A

L = 1344.96

Pg. 96

E.C. = 23+82.41 See Pg. 173

PI #3 See Pg. 173

Cont. from top of Pg. 173

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink- WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Drew | Survey of Thompson Creek Road | F.B. 414 Pg. 176
Map No. | W.O. 930 Tape No. | St'd 84 ft.
Office Work | Surveyed by C.E. Brunty
Checked | Notes Brunty | Date 2-1-33
Date | Indexed A. C. Johnson

Continued Bot. Pg. 176

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE IOR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

POST & T.B. Fd. 2x2 Por. Pgs. 99+105

748.05

B.98 86.65

POST #4B Fd. 2x2 Por. Pg. 98

EC-65+71.48 Fd 2x2 Per. Pg. 98

Δ = 57°52'10"
R = 2000.00
T = 1105.64
L = 2020.02

B.98 718.89

(2x2) POST #4 Pg. 174

601.57 B Rs

POST #4A Pg. 174 (2x2)

BC-45+51.46 Set 1x2

B.98 619.98 B Rs

44+36.01 POT #3 Pg. 174

Deflection	Chord	Station
1: 0° 41' 43"	- 48.54	- 46+00
2: 1° 24' 41"	- 50.00	- +50
3: 2° 07' 40"	- "	- 47+00
4: 2° 50' 38"	- "	- +50
5: 3° 33' 36"	- "	- 48+00
6: 4° 16' 35"	- "	- +50
7: 4° 59' 33"	- "	- 49+00
8: 5° 42' 31"	- "	- +50
9: 6° 25' 30"	- "	- 50+00
10: 7° 08' 28"	- "	- +50
11: 7° 51' 26"	- "	- 51+00
12: 8° 34' 24"	- "	- +50
13: 9° 17' 23"	- "	- 52+00
14: 10° 00' 21"	- "	- +50
15: 10° 43' 19"	- "	- 53+00
16: 11° 26' 18"	- "	- +50
17: 12° 09' 16"	- "	- 54+00
18: 12° 52' 14"	- "	- +50
19: 13° 35' 13"	- "	- 55+00
20: 14° 18' 11"	- "	- +50
21: 15° 01' 09"	- "	- 56+00
22: 15° 44' 08"	- "	- +50
23: 16° 27' 06"	- "	- 57+00
24: 17° 10' 04"	- "	- +50
25: 17° 53' 03"	- "	- 58+00
26: 18° 36' 01"	- "	- +50
27: 19° 18' 59"	- "	- 59+00
28: 20° 01' 57"	- "	- +50
29: 20° 44' 56"	- "	- 60+00
30: 21° 27' 54"	- "	- +50
31: 22° 10' 52"	- "	- 61+00
32: 22° 53' 51"	- "	- +50
33: 23° 36' 49"	- "	- 62+00
34: 24° 19' 47"	- "	- +50
35: 25° 02' 46"	- "	- 63+00
36: 25° 45' 44"	- "	- +50
37: 26° 28' 42"	- "	- 64+00
38: 27° 11' 41"	- "	- +50
39: 27° 54' 39"	- "	- 65+00
40: 28° 37' 37"	- 50.00	- 65+50
41: 28° 56' 05"	- 21.48	- 65+71.48 EC

Cont. from top of Pg. 174

F.B. 419 PG. 176



Deflection	Chord	Station
1 = 1°16'55"	44.746	69+00
2 = 2°42'52"	49.995	+50
3 = 4°08'48"	"	70+00
4 = 5°34'45"	"	+50
5 = 7°00'42"	"	71+00
6 = 8°26'38"	"	+50
7 = 9°52'35"	"	72+00
8 = 11°18'32"	"	+50
9 = 12°44'29"	"	73+00
10 = 14°10'25"	"	+50
11 = 15°36'22"	"	74+00
12 = 17°02'18"	"	+50
13 = 18°28'15"	"	75+00
14 = 19°54'11"	"	+50
15 = 21°20'08"	"	76+00
16 = 22°46'05"	"	+50
17 = 24°12'01"	"	77+00
18 = 25°37'58"	"	+50
19 = 27°03'54"	"	78+00
20 = 28°29'51"	"	+50
21 = 29°55'48"	49.995	79+00
22 = 30°08'025"	7.13	EC

Cont. from top of Pg. 175

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Drew
Map No.
Office Work
Checked
Date

Survey of Thompson Crk Rd
W. O. 23 Tape No. 34 Std 84 °F.
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date 6-6-33
Indexed E. Johnson

F.B. 419 Pg. 177

@ 89-47-40
@ 359°-13-45
89°-47'-40
See pg. 179 = 89-47-32.5

Cont. on Pg. 128

This line is Appd. of Sec. 33

TIN ROW Sec. 33

23+02.18
Set Nail

2643.23 to Center Sec 33
2302.18
N 1°-15' W Mag.

Sec. 33

Bl'd.

②	125.12 @ 0-0 T58 =	125.10 ✓
②	200.94 @ 0-0 T58 =	200.91 ✓
①	300.59 @ 0-40 T 58 =	300.52 ✓
②	300.63 @ 0-51 T " =	300.55 ✓
②	46.56 @ 0-0 T60 =	46.55 ✓
②	173.95 @ 0-0 T60 =	173.92 ✓
②	219.89 @ 0-0 T60 =	219.86 ✓
②	179.43 @ 0-0 T60 =	179.40 ✓
②	200.02 @ 0-0 T58 =	199.97 ✓
②	200.02 @ 0-0 T58 =	199.99 ✓
①	300.38 @ 1-17 T 52 =	300.25 ✓
②	300.41 @ 1-28 T " =	300.26 ✓
②	174.70 @ 0-0 T58 =	174.67 ✓
②	181.06 @ 0-0 T58 =	181.03 ✓
	Avg. =	2302.18 ✓

90°05'30" (Calc)

89°-47'-32.5" pr. pg. 179

2640.84

1320.81 (Drawn)

℄ BASE LINE

100.00

35.26

Fd. N.&T. & Sta pr. F.B. 419-44

27.52

U.S.B.M. 36-D

Fd. Spk. W. & T (Flush) pr. F.B. 419-44

Fd. 2x2 - 4" dp. pr. F.B. 419-44 " - 169

Fd. Bross Cap Marked as shown Set in 16" x 16" Conc.

SURVEY BENCH MARK U.S.C.&G.S. D36 1923 GEODETIC SURVEY

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

FORM 247 10M 8-31


F.B. 419 Pg. 176
COUNTY SURVEYOR'S MONUMENT
TIN
Sec. 28
Sec. 33
R.E. ¼ COR 62
Set C.S. Mon. & BC marked as shown Located on Fence Line 8' to rdg.
10.52
10.50
53+34.88
Set 1X2
Ridge Road
See pg. 179 for triangulation
52+98.58
Set 1X2
Fd 1X2 "15 83' pr. pg. 41
14.43
Fd. 1X2 "14 (76+73.59) pr. pg. 441
Set 1X2
265.85
24.58
76+11.59
32+47.58 going N
Set 1X2 for Int. See pg 41
Base Line
½" I.P. pr. pg. 179 & Base Line & Forbes Ave. Int.
26+37.99 going West = 26+52.40 " North
1X2 for Inters pr. pg. 192
See pg. 192
Fd. old Fence Corner (4X4)
5.22
9.15
Old Fence x Line
Line of fence is quite straight
4.80
26+42.52
Set 1X1
See pg. 192
See pg. 192
33.
See F.B. 419-112-113 P.1 - Found 2X2 N.G. (4 stones)
73.74 @ 0-0 T 62 = 73.78
Located by Inters.
Set C.S. Cont. Mon. & BC marked as shown Iron pipe set in old Fire Control Road Bottom
(by intersect)
COUNTY SURVEYOR'S MONUMENT
TIN
CENTER
Sec. 33
¼ COR. 62
(25+16.1 Intersection
Set 2X2
See pg. 117
314.03
F.B. 419-117-118
P.1 A - Fd. 2X2 on pr. F.B. 419-114
P.1-B - Fd. 2X2 pr. F.B. 419-117
P.2 - Fd. 2X2 pr. F.B. 419-118
213.99
Approx. ℄ of Sec. 33 T1N R3W
211.56 @ 0-0 T 62 = 211.53
128.83 @ 0-0 T 58 = 128.81
Avg. = 340.34
23+02.18
N 41 pr. pg. 177
½ SEC. LINE
2302.18
Cont. from Pg. 177
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Drawl	Survey of Thompson Creek Rd.
Map No.	W. O. 930 Tape No. 34 St'd 84 °F.
Office Work	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 6-6-33
Date	Indexed A. C. Johnson

F.B. 419 Pg. 179

Triangulation of ℄ of Sec. 33 T1N R8W

Formula—

Sin 63°-49'-50" : Sin 26°-22'-37.5" :: X : 2640.84

.897498 .4442725

X = 5334.88

① 26°-22'-45"
② 105°-30'-30"
③ 158°-15'-45"
26°-22'-37.5"

5334.88
1/2 pr. pg. 178

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IOR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Sec. 33

℄ Approx of Sec. 33 T1N R8W

Calc. 5334.88

26°-22'-37.5"

264328 To Center Sec. 33

① 63°-50'-00"
② 255°-19'-30"
③ 332°-59'-00"
63°-49'-50"

① 89°-47'-45"
② 358°-10'-15"
③ 538°-45'-15"
89°-47'-32.5"

℄ BASE

℄ FORBES

℄ HILL BLVD.

℄ HILLSIDE

89°-47'-32.5"

63°-49'-50"

pr. pg. 44-45
2640.84

1320.81
pr. pg. 169

1320.03
pr. pg. 169

℄ LINE

Fd Spk W&T
pr. pg. 177

(On Line)
Fd 2x2 - 4" dp
Pr. F.B. 419-169-177

CS 1/16 on
Fd 4" I.P. with
punch mark on Std
pr. F.B. 419-169-177

See p. 169

COUNTY SURVEYOR
T1N
R8W
33 | 34
4 | 3
T1S
MONUMENT

FORM 247 10M 8-31

F.B. 419 PG. 180

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Drew
Map No.
Office Work
Checked
Date

Survey of Thompson Cyn. Rd
W. O. 730 Tape No. 34 St'd 84 °F.
Surveyed by A. N. HELLSTROM
Notes A.N.H Date 6-A3-33
Indexed A. C. Johnson

F.B. 419 Pg. 61

① 90°-43'
② 36°-52'
③ 54°-17'
90°-43'

Random-Line between Secs. 32-33 & 28-29 T1N-R8W

For Topography See pgs.

Cont. on bk'm Pg 182

Also end of 20' dirt Road called Glenny Way

17+19.14 Set Nail

17+18

25' End of 2' Cobble Wall

15+25

12' Wd. wash running S.W.

14+33

Fd group of trunk Oak. Avg. 24" On Line.

524.82

Mr. Slaughter says this wash was considerably farther North 14 yrs ago. It changes its course during heavy rains.

Did not show doorways in this wall

Mr. Glenny states that he has no definite corners estabd. They figure the points Mr. Slaughter set are fairly close. Slaughter says his corner calls for 10 4 rods 10½ feet from Sec. Cor.

11+94.32 Set N&T

① 260.09 @ 0-36 T 94 = 260.10
② 260.11 @ 0-47 T " = 260.11

① 264.77 @ 1-13 T 96 = 264.73
② 264.74 @ 1-06 T " = 264.71
Avg. = 524.82

10+73

19' Beginning of 2' Cobble Wall of Chas. Glenny Property.

10+65.6

5 Fd. piece of strap iron driven in by F.E. Slaughter of Claremont Coop. Wtr Co. 0.22 as pt. of R&W to Pump House Set by eyeball Survey.

Sec. 32

Meas. = N 0°-30' E 1194.32

Claremont Coop. Wtr Co own a 60' R/W along this line from Sec. Cor. to piece of strap iron shown on this stretch

③ 192.01 @ 0-0 T 94 = 192.02
③ 300.49 @ 0-0 T 94 = 300.51

③ 200.68 @ 0-0 T 94 = 200.69
③ 200.76 @ 0-0 T 94 = 200.77

① 300.32 @ 0-22 T 94 = 300.33
② 300.34 @ 0-37 T " = 300.34
Avg. = 1194.32

20' Dirt Road Called Glenny Way.

Sec. 33

N&T. in 24" Pepper Tree & Indian Hill Blvd a Base Line 2x2 pr. F.B. 419 pg. 197

L&T. in std pipe.

L&T. in Cobblestone Wall 1' E. of end of wall

49.19 69.69 37.02 25'

℄ BASE LINE (Hard 0.1 Print)

COUNTY SURVEYOR'S MONUMENT T1N R8W 32 | 33 5 | 4 Sec. Cor. T1S

1320.0'

Replaced 2x2 9½' I. Pin Cor. with C.S. Cone. Mon. & B.C. mrkd as shown 14" dp.

27.24

R8W | 32 | 33 T1N
5 | 4 T1S

Fd. 2x2 & Nail 4" under pvmt. 0+00 going N pr. pg. 431

Sec. 5

L&T. in N.E. Cor. of Reservoir Wall 3' Above ground.

Travelled Dirt Road runs South.

Sec. 4

Sec. F.B. 434 pg. 5 - 10. 1-24-78

5¼ Cor. Sec. 33 T1N R8W

Fd. S.K.W. & T (chisel) pr. F.B. 419 pg. 197

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN RED INK AND CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 10M 6-31

F.B. 419 Pg. 182

Hellstrom
Wiley
McCarver
Tombleson
Holmes

Cont. on bottom pg. 183

Replaced 1X2 (26+53.94) with C.S. Conc. Mon. mrkd as shown On sd. hill

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

T1N R8W SURVEYOR'S MONUMENT

Sec. 32 Sec. 33

R.E. 1/4 Cor.

See pg. 194

27+77.08
Fd. 1X2 on rdg. Also on Fnc Line.

Wire runs 150 W. from here and ends

@ 127.87 @ 15-40 T 104 = 123.14
② 127.78 @ 15-51 T " = 123.14
Avg. = 123.14

This Fence Corner is down and Line coming into it from the East is in poor shape. Corner could be anywhere within 10'. Did not tie it in. No Permanent Pt. here

Mr. Slaughter's Prop. comes to this 1/4 Cor He has no establ. Cor. here. It is not definite ba claims

26+53.94
Fd. 1X2 on Line Approx. on F. Line

Old Fence Runs East

Line

Looked for 1/4 Cor. No evidence. See pg. 194

Int. pr. pg. 194

① 235.60 @ 19-05 T 104 = 222.68 (531+21.78 from W. ② 264+49.91 goin N. pr. pg. 194)
② 235.27 @ 18-50 T " = 222.70
Avg. = 222.69

All posts on this Fence Line have been charred from Fire. Fire has probably destroyed old 4x4 Corners set by Guv.

24+31.25
Set Nail

Sec. 32 Sec. 33

① 300.85 @ 12-13 T 106 = 294.08
② 300.98 @ 12-19 T 106 = 294.09

23+74

1.30 S First F.P. of an old Fence Line running North

③ 36.00 @ 0-0 T 106 = 36.01

182.31 @ 8-24 T = 182.31
182.12 @ 8-17 T = 182.02

① 45.63 @ 16-44 T 96 = 43.70
② 45.49 @ 16-09 T " = 43.70
Avg. = 555.81

1948

This point falls in cutt. from Hill. No possible chance of point 30 chains N. of Sec Cor as per U.S. Gov. Notes

18+75.44
Set Nail

Top of Slope in Flats might be Wedge of old Wash.

Sht. Metal Garage

16'

15'

To be moved later on by Mr. Slaughter.

4.20

① 151.79 @ 0-0 T 98 = 151.80
② 4.50 @ 0-0 T 98 = 4.50
Avg. = 156.30

18+57

156.30

Random-Line between Secs. 32-33 T1N-R8W

17+25.44

0.54 S Fd Sq. Hd lag screw Set by F.L. Slaughter as S.W. Cor. of this Prop. - Approx. Cor. Mr. Slaughter says his deed calls for 104 rds. 10½ ft.

17+19.14
Nail pr. pg. 181

The only improvements along this Sec. Line are between the 0+00 and 19+00. From 19+00 on North to Sec. Cor 20-21-28-29 is sage brush country. No improvements.

Cont. from Top Pg. 181

Notes Ck'd by Drew	Survey of Thompson Crk. Rd.
Map No.	W. O. 930 Tape No. 34 St'd 84 °F.
Office Work	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 6-13-33
Date	Indexed A. C. Johnson

F.B. 419 Pg. 43

Cont. on bottom Pg 184

Random Line between Secs. 32-33 T1N R8W

Started to Use 500' chain "116 In order to correct the dists add .01 to every 100' from this pt. on to Sta. 109+93.40 to make correct Sta.

51'

45+74.68 Set 1X2 (No. I. on E. edg) On rdg. Bear E & W

Sec. 32

Sec. 33

82°-20-45"

112°-07-15"

Set 1X2 For Azim.

1218.68 Calc

Barbed Wire Fence Line

346'

703.84

38+00±

34°-32-00"

Deep Canyon Course = S. 1W

① 32°-21'-00"
④ 129°-22'-45"
32°-20-40"

⑤ 35°-31'-45"+
⑧ 142°-08'-00"-
35°-32'-00"-

① 112°-07'-15"
④ 445°-28'-30"+
112°-07'-10"

Fd. 1X2 @ No. I. 0.04

On Fnc. Line 33+56.01 Set Nail

On tp. rdg. Bears S 45° W & N 45° E

N 0°-30 E Mag.

578.93

Also Fnc. Line

dr. E & W

rdg 30+98

draw

draw

On Fnc. Line 27+77.08

1X2 pr. Pg. on tdg. Bears E & W

Cont. from Top. Pg. 182

① 55.81 @ 11°-51 T86 = 54.62 ✓
② 55.56 @ 10°-34 T " = 54.62 ✓

① 281.30 @ 14-35 T86 = 272.24 ✓
② 281.16 @ 14-28 T " = 272.24 ✓
③ 281.50 @ 14-44 T " = 272.24 ✓

① 254.37 @ 8-25 T86 = 251.63 ✓
② 254.26 @ 8-15 T " = 251.63 ✓
③ 254.20 @ 8-09 T " = 251.63 ✓

① 125.67 @ 4-00 T 90 = 125.36 ✓
② 125.72 @ 4-17 T " = 125.37 ✓
④ 125.78 @ 4-43 T " = 125.35 Use ✓

Avg = 703.84 ✓

⑧ 30.82 @ 0-0 T96 = 30.82 ✓

① 233.56 @ 13°-44 T96 = 226.90 ✓
② 233.75 @ 13-56 T " = 226.89 ✓

① 280.80 @ 2-39 T98 = 280.53 ✓
② 280.76 @ 2-28 T " = 280.53 ✓

⑧ 40.69 @ 0-0 T100 = 40.69 ✓

578.93 ✓

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 419 Pg. 184

Cont on bottm. Pg 185



60+48 St
Set
high

78'

48'

Fd. 1X2 ø Marker
marked Bud

0.14

60+48.33

623.06

East Line

TIN RBW

Set C.S. Com. Mon. 9.8' N marked as shown On top slope at top of bk. drain Set by Mon. ¼mi N. ¼mi S. Un. E.B. ¼mi SW.

COUNTY SURVEYOR'S TIN MONUMENT

29+28
32.33
Sec. Cor.

0.10

Fd. 1X2 ø (marker "6

Set Nail

Sec. 29

[(P) 52+34.86 from W.] = 52+59.29 going N.

Set Nail on S slope rdg

Rand Ln "12" could not read marker (52+28.64) from West. Fd 1X2 on S. slope pr F.B. 419-40

Sec 28 Avg = 684.67

Avg = 850.64

See pg. 40

Fd 1X2 ø marker "5 going North. on line

Rand Ln Line pr F.B. 419-40

6.22

0.11

6.2'

184.22 pr F.B. 419

Rand Ln "11 (46+99.96) from West

Fd 1X2 on rdg brs. N.85 pr F.B. 419-39

90°-56'-40"

684.67

Looked for Sec. Cor. No evidence of any survey found

Fd. 1X2 "5" 54+12.8 from W. pr F.B. 419-40

Sec. 32

Sec. 33

45+74.69 going N

1X2 pr. pg 183

51'

Cont from top Pg 183

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes Ck'd by Drew
Map No.
Office Work
Checked
Date

Survey of Thompson Cr. Rd.
W. O. 930 Tape No. 116 500' St'd ___ °F.
Surveyed by A. N. HELLSTROM
Notes A.N.H Date 6-15-33
Indexed A. C. Johnson

F.B. 419 Pg. 183

Cont. on bottom Pg. 186

TIN ROW

28+45.05
Set 1X1

Fence x Line

① 493.33 c 10-58 T 100 = 484.37 ✓
② 493.12 c 10-51 " = 484.35 ✓

① 246.07 c 4-08 T 96 = 245.45 ✓
② 245.95 c 3-47 T " = 245.43 ✓
729.80 = Avg.

729.80

71+~~45.32~~
Set Nail

0.13

~~Fd. 1/2 IP Mkr~~
~~Tagged~~ 0.8

Sec. 29

Sec. 28

44°-48'-45"

Last Fence Post

Approx loc. of fences trails in stp. draw. No Post

1066.53 Old

N 0°-30' E Meas

96'

265'

Old x Fnc. E & W. x Ln

Set 1X2 on E & W. Fnc. Ln.

① 44°-48'-45"
④ 179°-15'-00"
44°-48'-45" ✓

① 106°-03'-30" +
④ 424°-14'-15"
106°-03'-35" ✓

② 150°-52'-30"
③ 60°-29'-45"
150°-52'-25" ✓

29°-07'-40"

782.21 ✓

① 482.09 c 3-04 T 102 = 481.45 ✓
② 482.04 c 2-58 " = 481.44 ✓
③ 482.11 c 3-09 " = 481.43 ✓

① 300.84 c 1-33 T 102 = 300.77 ✓
② 300.81 c 1-21 T " = 300.77 ✓
Avg. = 782.21 ✓

.54
60+48.~~37~~
Nail pr pg.

25'

150°-52'

Cont. from top Pg. 184

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 419 Pg. 186

Cont. on bottom Pg. 187

14.31
91+~~33.85~~
Set 1X2 on rdg.
bears E & W.

103'

Coarse Bottom
Creek at 14

87+00±

Fd. Mining Claim Mon. with Tin Cap but no paper in it.

42°-20'-0"

89.80

82+78.~~05~~
Set 1X1

82.69

81+95.~~26~~
Set 1X2

89.11

Sec. 29

81+06.~~45~~
Set 1X2

Sec. 28

T1N R8W

COUNTY SURVEYOR TIN
T1N R8W Sec. 29 Sec. 28
NE 1/4 Cor 62±
MONUMENT

Fd. 1X2 8 mrkr 0.14
mrkd. RO.7' S
Appar. end of Ln. from S.

Replaced Gran. Stn with C.S. Mon. mrkd as shown
Left stone by Mon.

Fd 1X2 8 Marker
Mrkd. Sec. Cor.

136.52

Fd. Granite Stone set solidly in ground with good mound built around it. Per Lic. Surv. 18-47 Also has punch mark & X ich

80+22.20

261.53

28°-29'-30"

37°-37'-15"

To 1/4 Cor
① 231.18 @ 14-42 T 100 = 223.63
② 231.28 @ 14-47 T " = 223.64
Avg. = 223.63

① 28°-29'-30"
② 56°-59'-00"

① 37°-37'-00"
② 75°-14'-30"

① 53°-13'-00"
② 166°-38'-00"

177.15

Mag. N 0°-30' E

Fence E & W = Mag.

Line

This corner post is out x 1 tied in approx. line of fences

132

To Fence Int.
136.0 @ 13-55 = 132'

45.05
78+~~44.72~~
1X1 pr pg.

To 1X2 8 mrkr. Sec Cor
① 226.94 @ 15-18 T 100 = 217.92
② 227.00 @ 15-20 T " = 218.94
218.93 = Avg.

Cont. from top Pg. 185

① 466.74 @ 8-45 T 96 = 461.35
② 467.07 @ 9-00 T " = 461.36
③ 466.91 @ 8-52 T " = 461.37

① 452.97 @ 16-27 T 100 = 434.47
② 452.61 @ 16-19 T " = 434.42
Avg. = 895.89

② 85.86 @ 15-38 T 100 = 82.69
② 85.73 @ 15-19 T " = 82.70
Avg. = 82.69

② 89.10 @ 0-0 T 100 = 89.11

Avg = 261.53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Drew
Map No.
Office Work
Checked
Date

Survey of Thompson Crk Rd
W. O. 930 Tape No. 116 Sub St'd °F.
Surveyed by A. N. HELLSTROM
Notes A.N.H Date 6-16-33
Indexed A. C. Johnson

F.B. 419 Pg. 47

TINROW

Sec. 20

P.O.T. 9
Fd 1X2 Pg. 100 F.B. 418
105'
173.95'
129'±
Stadia

P.O.T. 8 (Found)
per F.B. 418-100

Sec. 21

107+94.02
107+ ~~82.45~~ going N.E.

Set 1X2 by int. in canyon.
See F.B. 418-100

P.O.T. 7
Fd 1X2
Per F.B. 418-100

Sec 29

Trail to J.B. Miller House.

Replcd. 2" I.P. in md. with C.S. Conc. Mon. & B.C. mrkd as shown

A.N.H. 12-6-34

To Sec. Cur.
① 352.39 @ 2-01 T88 = 352.18
② 352.53 @ 1-47 T " = 352.17

694.90

Sec 28

Fd. 2" I.P. in well built mound for L.S. 18-47 F.B. 418-100 - Also 3x3 lying beside pipe scribed S.Sec on one face and Sec. 20 on other face.

To Int.
① 82.64 @ 14-40 T88 = 79.95
② 82.96 @ 15-33 T88 = 79.94 S.Sec
① 100.09 @ 20-38 T88 = 94.02
② 100.40 @ 20-34 T " = 94.00
Avg 273.95

① 410.55 @ 11°-50' T88 = 401.84
② 410.47 @ 11-46 T " = 401.86

① 293.79 @ 4°04 T88 = 293.06
② 293.83 @ 4-12 T " = 293.05
694.90

① 73°-28'-00" —
② 293°-51'-30"
73°-27'-52½"

① 22°-16'-15"
② 89°-45'-00"
22°-26'-15"

13°-53'-20"

TIN
20 | 21
29 | 28
R8W
P.E. SEC. COR. G2

99.05
100+~~28.8~~ Set 1X2 on rdg.

106°-06'-40"

100+80.~~24~~
Set 1X2 on rdg with group of trees 3 pine - 2 Cypress & 2 Eucal.

① 469.24 @ 5°-23 T92 = 467.19
② 469.16 @ 5-15 T " = 467.21
③ 469.32 @ 5-29 T " = 467.19
469.19

① 58°-30'-45"
② 239°-02'-45"
58°-30'-40"

① 160°-06'-30"
② 66°-26'-45"
160°-06'-40"

① 90°-27'-30"
② 361°-49'-45"
90°-27'-25"

① 31°-01'-30"
② 124°-07'-00"
31°-01'-45"

184.36

192.21

63°19'-00"

Old Fence N74°E

Line

31°-01'-45"

Set 1X2 on rdg.

Course N 96+00

90°-27'-45"

58°-30'-45"

45° Adj

Old Fnc Post
Tied in for Corner. Fence going N. ends here.

Looked for a Survey Point at 93+34 thereabouts Fd. Nothing. Thought L.S. 18-47 might have set something.

103'

91+~~22.85~~ 74.31
1X2 pr. pg.

Cont. from top Pg. 186

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 419 PG. 188

Notes Ck'd by Drew
Map No.
Office Work
Checked
Date

Survey of Thompson Creek Rd
W. O. 930 Tape No. 34 St'd 8 ft. of.
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date 6-19-33
Indexed A. C. Johnson

F.B. 419 Pg. 169

@ 88°-48'-30"
@ 359°-13'-45"
88°-48'-25"

Cont'd on next pg. 170

Fd. 1" Iron Pin

See F.B. 419-42

0+225.26
0+225.26
8.03
0+242.29
15.80
22.15
8°-48'-30"
1178.57 pr. F.B. 419-42
6.26

Fd. Sq. hd. lag. Screw our Line hits E. edg.

℄ MIRAMAR

(25)

Fd. 2" I.P. & Nail pr. F.B. 419-42 F.B. 418-30 " R.D. 2-165-108

Fd. Small stc. iron pin with white marker This line of poles more-or-less for this runs West Apparently S. Sd. of rd.

Fd. x in large rock See Next pg. Random Line

Fd. ½" I.P. in rock wall

Sec 33

COUNTY SURVEYOR'S TIN. R8W Sec. 33 Sec. 34 E ¼ Cor. 62 MONUMENT

Replaced 2" I.P. & Nail with C.S. Mon. marked as shown under surface

℄ FORBES

2632.76 pr. F.B. 419-42

INDIAN HILL BLVD.

(25) (25)

TIN R8W

℄ BASE LINE

Fd. ½" I.P. with punch mark on S.S. Rec. F.B. 419-169 177-179

COUNTY SURVEYOR'S TIN R8W Sec. Cor. 33 34 4 3 T1S MONUMENT

See pg. 169 for Replacement

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED JOB Road Index. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

F.B. 419 Pg. 190

Cont. on Pg. 191

15+27.26
Set 1X1

Angle Pt. in Fence Line — 13.18 — 15+00.6

Fnc. x Line x

206.18

① 206.34 @ 2-20 T90 = 206.18
② 206.31 @ 2-07 T = 206.18
206.18 Avg.

Corner 4X4 Fnd. Post

Fence x Line x — 14.24 — 13+40.34

On W'sd. Indian Hill Blvd

13+21.08 going West
Set Nail.

INDIAN HILL
See pg. 195

13+19.47 going W
See pg. 195 for lot.

Fd. 1" Iron Pin In Approx ℄ of Indian Hill Blvd
See pg 195 for monument — 14.33 — this ℄ shoulder 13+19.49

Fd N&T in ℄ Indian Hill Blvd — 10.32 — 13+19.48

BLVD.

1321.08

N 0°25'09" W

First Row of Orange Trees practically 27' S of our Random Ln.

③ 200.30 @ 0-0 = 200.30
④ 200.28 @ 0-0 = 200.28
⑤ 174.88 @ 0-0 = 174.88
⑥ 200.08 @ 0-0 = 200.08
⑦ 199.38 @ 0-0 = 199.38

① 213.23 @ 1-57 = 213.23
② 213.20 @ 1-36 = 213.12
1321.03 = Avg
T90° +.05
1321.08

Sec. 33

Fd. Small Strp Iron Pin per prev. pg.

4.5' 189

8.9' 1.5' pr. pg

15.80 — 0+25 — 8.03 — 0+24.99 — Fd. 1" Iron Pin pr. prev. pg

(25)

℄ FORBES

22.15

Set N&T On Tang. from S. prod. 0+00 going West

Sec. 34

TIN R&W

℄ MIRAMAR

Fd. 2" I.P. & Nail pr. prev. pg. 189

(25) (25) (25)

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

not extend notes this side of this line

Notes Ck'd by Drew
Map No.
Office Work
Checked
Date

Survey of Thompson Crk Rd
W. O. 930 Tape No. 34, St'd
Surveyed by A. N. HELLSTR
Notes A.N.H Date
Indexed A. C. Johnson

F.B. 419 Pg. 81

① 15°-10'-15"
② 15°-10'-00"

Cont on Pg 192

P"I-B 2x2
pr. pgs. 117-178

24+14.44
Set Nail

15°10'-20"

278.36

③ 278.35 @ 0-0 T92 = 278.36

21+36.08
Set (X) in rock for Inters. See pg. 114

Sec. 33

59.88

① 249.70 @ 2-39 T92 = 249.44
② 249.74 @ 2-49 T = 249.45
③ 112.95 @ 0-0 T90 = 112.95
= 362.39

608.82

N89°-01'W

P"IA - 2x2.41 @
pr. pgs. 114-178

① 211.73 @ 2-09 T = 211.59
② 211.70 @ 2-03 T92 = 211.57
③ 144.65 @ 0-0 T94 = 144.66
① 233.17 @ 4-08 T88 = 232.57
② 233.13 @ 3-57 T = 232.59
608.82 = Avg.

Sec. 33

TIN ROW

12+27.26
1X1 pr. pg.

Cont from Pg 190

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED ... Red Ink. GIVING NAME OF PERSON MAK...

RETURN TO SURVEY DEPARTMENT
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS
Do not extend beyond this side of this...

FORM 247 10M 8-51

F.B. 419 Pg. 192

Cont. on pg 193

① 89°-44'-15"
② 358°-57'-45"
89°-44'-25"

123'

9⊆ 34+39.1
Set Ch. pt.

① 49.20 @ 7-17 T80 = 48.80
② 49.14 @ 6-40 T " = 48.81

③ 297.42 @ 0-0 T84 = 297.42

① 128.58 @ 0-45 T84 = 128.57
② 128.59 @ 1-09 T " = 128.56
Avg. = 474.79

N 89-0 W 474.79

Fence Bears

9⊆ 29+64.37
Set 1X2 on S.edg.rd. to Johnson
150'E of sheep Pasture
sagebrush

① 144.12 @ 7-09 T84 = 143.00
② 144.06 @ 6-57 T " = 143.00
Avg. = 143.00

143.00

Fence Line

Set C.S. Conc. Mon & BC
marked as shown it
replaces Old Fence Corners
Located by Inters.

9⊆ 28+21.37 going West
Set 1X2 on S.edg.rd. to Johnson Pasture

6" Oak

4X4 Corner Fence Post
See pg. 178

9.15

① 192.11 @ 17-21 T92 = 183.38
② 192.38 @ 17-36 T " = 183.38
Avg. = 183.38

153.38

26+42.52 going North
1X1 pr. pg 178

See pg. 178 for Line going North

15'

6 Syc.

89°-44'-25"

225

9.88

Sec. 33

① 99.98 @ 3-31 T92 = 99.80
② 99.95 @ 3-10 T " = 99.81
Avg. = 99.80

99.80

28°-11'-00"

87.47

26+37.99 going West
26+52.40 " North
Set 1X2 for Inters.

Set Nail

225.55

① 143.85 @ 3-50 T92 = 143.54
② 143.81 @ 3-34 T " = 143.54
Avg. = 143.54

143.54

19°-10'-00"

135.58

TIN R8W

24+14.44
Nail pr pg. 191

Cont. from Pg. 191

COUNTY SURVEYOR'S MONUMENT
T1N R8W
Center of Sec. 33
+
1/4 Cor. Sec. 33

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Drew
Map No.
Office Work
Checked
Date

Survey of Thompson Creek Rd
W. O. 230 Tape No. 34 St'd 84 °F.
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date 6-24-33
Indexed A. C. Johnson

F.B. 419 Pg. 193

Cont. on pg. 194

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Line

44+85.47
Set 1x1

① 299.96 @ 1-40 T84 = 299.83 ✓
② 300.01 @ 1-52 T " = 299.85 ✓

373.53

① 74.77 @ 9-44 T84 = 73.69 ✓
② 74.74 @ 9-34 T " = 73.70 ✓
373.53 = Avg.

75

41+11.94
Set 1x1

① 43.29 @ 8-01 T84 = 42.87 ✓
② 43.21 @ 7-16 T " = 42.86 ✓

Fence

410.72

① 298.64 @ 3-35 T84 = 298.06 ✓
② 298.60 @ 3-27 T " = 298.06 ✓

① 72.10 @ 14-41 T84 = 69.80 ✓
② 72.13 @ 14-36 T " = 69.80 ✓
410.72 = Avg.

37+01.22
Ch. Pt.

Fence Angles at this point

95

36+87

Sec. 33

58.74

① 59.41 @ 8-36 T84 = 58.74 ✓
② ~~59.56 @ 9-15 T " = 58.99~~
③ 59.44 @ 8-50 T " = 58.74 ✓
58.74 = Avg.

Mag N 89° 0W →

36+42.48
Set 1x2

245

Fence Angles at this point.

① 203.71 @ 3-32 T84 = 203.32 ✓
② 203.70 @ 3-27 T " = 203.33 ✓
Avg. = 203.32 ✓

203.32

Fence

TIN RBW

34+39.16
Ch. Pt.

Cont. from pg 192

FORM 247 10M 8-31

F.B. 419 Pg. 194

① 89°-20'-15"
② 357°-21'-00"
89°-20'-15"

TIN ROW

Sec. 32

See F.B. 2343 -127, 911, 1-24-78

53+21.78 from West =
26+49.91 going North
Set 1X2 for Inters.
See pg. 182

LOS ANGELES COUNTY SURVEYOR MONUMENTS
Sec. 32 T1N R8W
Sec. 33

26+53.24 going N.
1X2 pr. pg. 782
Replaced with C.S. Conc. Mon. marked as shown
See pg. 182

See pg. 182

4.03

Fence

53+21

2°

Line

See pg. 182 for Fnc Ln. N

89°-20'-15"

This is Approx Corner
Fnc. Corner is missing.

Sec. 33

30.91

① 45.01 @ 0-07 84 = 45.01 ✓
② 262.90 @ 0-07 84 = 262.90 ✓
Avg. = 307.91 ✓

From this point West the Fence is in very poor line

39°

75

50+13.87
Set 1X2

① 198.16 @ 9-25 T84 = 195.49 ✓
② 198.22 @ 9-33 T" = 195.47 ✓
Avg. = 195.48 ✓

Fence goes around top of cut of old road thru here.

193.48

20'±

75

48+19.39
Set Ch. Pt

① 199.74 @ 7-55 T84 = 197.84 ✓
② 199.68 @ 7-40 T" = 197.85 ✓

① 137.22 @ 10-08 T84 = 135.08 ✓
② 137.35 @ 10-29 T" = 135.07 ✓
332.92 ✓

332.92

44+85.47
1X1 pr. pg. 193

Cont. from Pg 193

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Drew
Map No.
Office Work
Checked
Date

Survey of Thompson Crk Rd.
W. O. 930 Tape No. 34 St'd 84 °F.
Surveyed by F. L. B.
Notes A N H Date 6-20-38
Indexed A. C. Johnson

F.B. 419 Pg. 168

Ⓓ 74°-37'-15"
Ⓦ 298°-29'-15"
74°-37'-20"

P-1A
pr pgs. 174-178-191

P-1B
pr pgs. 117-178-191

484.449

148°-17'-04½"

T 1 N R 8 W
Sec. 33

P-2 - pr pg. 112
Fd. 2x2 & tck
pr F.B. 419-170

Thru Angle 94°-37'-40"

Ⓐ 104.90 @ 0-0 T 82 = 104.90
Ⓑ 195.17 @ 0-0 T.. = 195.17
Ⓒ 184.60 @ 2-34 T.. = 184.41
① 184.58 @ 2-23 T.. = 184.42

Avg. = 484.49

Inters
Fd. 2x2 pr. pg. 170

pr. pg. 170

163.12

Set 1x2 for laters
Fnd. Ton. from P-1B thru P-1A to estab. E Thomp. Rd.

Ⓓ 89°-47'-30"
Ⓦ 359°-09'-30"
89°-47'-22½"

137°-05'-00" Adj
pr. pg. 170

132.62

Ⓑ 132.61 @ 0-0 T 92 = 132.62

13+21.08 going West
Nail - pr. pg. 190

See Pgs. -189-190

1.61

1319.47

E. MIRAMAR

89°-47'-00"

(13+19.47) going W.
laters
Set Spk. & Tin - 0.2' dp.
See pg. 190

Fd. ½" I.P. no pl. or tck
Per pg. 170

29.96

Fd 1" Iron Pin - 0.3 dp.
Set Punch mark in pin
On our ℄

131

Fd N&T 4.01 N of this pt.
& 0.02 E. of our Line

88.93 @ 0-0 T 84 = 88.93

Fnd
L 23 33
Ⓓ 90°-09'-15"
Ⓦ 360°-36'-45"
90°-09'-10"

Located by Inters
Set C.S. Conc.
Mon. B.C. marked
as shown
0.4' under pvmt.

COUNTY SURVEYOR'S MONUMENT
T 1 N
R 8 W
Sec. 33
C + C
E 1/16 Cor

90°-09'-10" Adj
90°-09'-10"
L 23.33
Pr F.B. 419-170

see Pg 254 for New Ties.

90°-08'-45"
Pr F.B. 419-45

E. BASE LINE

Fd. ½" I.P. with P. mrkg
pr. pg. 189.

Fd. 2x2 & tck
pr F.B. 419-170 & 179

FORBES

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 419 PG. 196

Notes Ck'd by Dr and	Survey of Thompson Cric. Rd
Map No.	W. O. 7930 Tape No. 10 St'd 84 °F.
Office Work R.W. M's A.	Surveyed by Hellstrom
Checked	Notes A.N.H Date 8-14-33
Date	Indexed A. C. Johnson 8-18-33

F.B. 419 Pg. 177

Cont. on bottm next pg.

10' 30± 2773

1-Story Frame House 20'

30± 2753

Space the trees between Corn. of Groves at Avg. 20-25 ft.

See pgs. 181 & 182

End of Lem. Tr. Outside Row Young Orch. 15± 2730

35± Orange Tree N.W. Cor. Grove #1 2706

Topography for showing old trees and improvements to establish Sec. Line 32-33

18" Stand Pipe 26± 1799

Begin. Lemon Trees Outside Row Younger Trees 16± 1771

T 1 N R 9 W

Small Prune Tree 17± 1732

Sec. 32

19± Power Pole. Sec. 33 1723

Note: I do not show rows between the Corners of Groves. The trees are from 20' to 25' apart. Just show a line as the outside row of trees. It is the offset that is important.

Small Prune Tree 17± 1710

15± 26' Pepper Tree. 0470

This Line runs to 12+84 with stubs at every tree row

Beg. of Line 10" Stand Pipe 25± 0442

4" Lemon S.E. Cor. of Grove #2 Old Trees. 30± 0438

34± 4" Orange Tree S.W. Cor. of Grove #1

4" Pine Tree 20± Not to scale

34± 10" Walnut Tree.

0425

0420 30± 18" Cobble Walls

0411 edg. ail. pvmt

Fd pc. pg. 181

COUNTY SURVEYOR T1N R9W Sec. 32 33 5 4 COR Sec. COR T1S MONUMENT

Base Line

edg. ail. pvmt

Sec. 5 T1S Sec. 4

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 847 10M 8-31

F.B. 419 Pg 196

Cont. on from next pg.

18" Std. Pipe ⊙ — 25.5 — 5+62

20.8 — Power Pole — 5+24

Young Orch. S.E. Cor. Tree of Orange Gr. — 15.3 — 5+12

End of Row of very old O. Trees Grove #4 — 31 — 5+03

16' — 8.1 — 5+00

Frame Garage 24'

See pgs 181-182

8.3 — 4+70

15 — 4+55

X Std. Pipe ⊙ — 25.5 — 4+02

Sec 32

45.9 — 4" Pepper Tree Sec. 33 — 3+95

T 1 N R 8 W

Peach Tree — 14.3 — 3+53

31.2 — Begin of Row of Young Orange Trees — 3+29

Begin of Row of very old Orange Trees Gr. #4 — 31.3 — 3+21

20.1 — Power Pole

Small Peach Tree — 15.3 — 3+14

46.7 — Begin of Row of old Orange Trees Grove #3 — 3+08

N.E. Cor 4 Cor. in Grove #2 — 30.4 — 3+01

Small Persimmon Tree — 14.4 — 2+92

Cont from Prec. pg

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by Drew	Survey of Thompson Crk Rd
Map No.	W. O. 2930 Tape No. 10 St'd 84 °F.
Office Work R.W.McA.	Surveyed by Hellstrom
Checked	Notes A.N.H. Date 8-4-33
Date	Indexed A. C. Johnson

F.B. 419 Pg. 199

Cont. on bottom next pg.

This Line Begins at 2+42

18" Std. Pipe End of Line

30°

12+84

End of row Old Lemon Tr. Gr. "6

19°

18°

12+80

End of Row of 1" Citrus

Chas Glenny Home See Next Pg

12+70

35°

End of Row of 1" Citrus Trees

12+53

40°

4" Peach Tree

12+42

21°

Power Pole

11+19

See Pgs. 181-182

TIN R8W

Sec. 32

Beginning 12" Cobble Stone Wall

19°

35°

Begin. of Row of 1" Citrus Trs.

10+73

Sec. 33

46°

End. of Row of old O. Trees Gr. 3

10+47

22°

3 prong Oak Avg. 6

10+23

14°

Begin of a row of Young 1" Trees 1st Tree is 2" Walnut the rest are citrus.

9+43

20°

Power Pole

9+21

3 prong Oak Avg. 24"

21°

9+16

28°

Old F.P. no piled rock No Value (?)

End 1" Cit. Row

14°

9+05

8+83

28°

Old F.P. no piled rock No value (?)

8+39

Begin of 1" Citrus Row

12°

7+93

Begin of row of Old Lemon Trees Gr. "6

6°

25°

7+20

20°

Power Pole

18" S.P.

N.E. Cor of Young O. Gr.

15°

7+13

32°

End of Row of Young O. Tr.

7+07

Cont. from Prec. Pg.

Notes: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 847 10M 8-31

F.B. 419 Pg. 20



Note: I have shown Mr. Glenny's house as 46 x 38 which is the maximum outside overall. I do not show the Ls and wings. His front yard also has a number of bushes and shrubs I do not show.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Dyed
Map No.
Office Work R.W.M.&A.
Checked
Date

Survey of Thompson Crk Rd
W. O. 7930 Tape No. 10 St'd 84 oF.
Surveyed by Hellstrom
Notes A.N.H. Date 8-16-33
Indexed A. C. Johnson

F.B. 419 Pg. 201

Orchard follows toe of slope

No Topog. Beyond Here

18482 32s End of Row of 5" Citrus Tr.

2o 14" Shade Tree

Sheet Metal Garage 16' x 15'

18+50 4.20

T1N R8W

Sec. 32

See pgs. 181-182

Sec. 33

18+24 32o Beg. of Row of 5" Citrus

18+12 41o Tel. pole

12" oak. 17s

18+07

10 x 10

18+01 33s 22 16

Slaughter's Home 20' x 28'

10' x 4' H

Large 2 trunk Oak Avg. 30" 26s

17+86 30'

51s

17+73 Group of 5 Syc.

82s 8s

17+67 Group of 3 trees 2-Syc 1-Shade Elder. Small Play House.

44o

17+67

82s

17+61

45L 8" Umbrella

17+51

26R 4" Oak.

17+36

Cont. from top Prec. pg.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 419 PG. 22

Date _____ Notes by P. T. DUNLAP Chief Party P. T. DUNLAP F.B. 419 Pg 203

Platted by	W. O. No. 8093 D. S. G. No.
Date	Location Sumner Ave
Map No.	Surveyed by P. T. DUNLAP
Plotting C'k'd by	Date 6-10-35
Date	Indexed A. C. Johnson 6-15-35

Hard Copy 8-73
C.S.B-1063.

H.C. 8-73
C.S.B-1063.

SURVEY OF
SUMNER AVE.
FROM
FOOTHILL BLVD.
TO
BASE LINE AVE.
Job No 8093

300' Tape No. 55
Std. @ 84°F

P.T. Dunlap
F.J. McNeal
F.H. Blanchard
R.C. Bowers

Note: See page 209 for Curve Staking data.
" See L.B. 707-63

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 419 Pg 204 P. T. DUNLAP Chief Party Notes by P. T. DUNLAP Date 6-4-35

Cont. on bot. page 205

① 179-40-15
② 358-41-00
179-40-15
③ 358-01-45
179-40-17½



26+39.94 ooint
CENTER OF SECTION
Fd ½" I.P. in conc. in 6" clay pipe per F.B. 419-24 (pipe bent over) Removed. Set 2" I.P. in conc. 12d. with brass cap marked by ties per F.B. 419-24

COUNTY SURVEYOR T.1S. R.8W. CENTER SEC. 5 1935

27+00 Going N Fd. C.S. W.T. per F.B. 419-27

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by P. T. DUNLAP Chief Party P. T. DUNLAP F.B. 419 Pg. 205

Plotted by _____
Date _____
Map No. _____
Plotting Chk'd by _____
Date _____

W. O. No. 8093 D. S. O. No. _____
Location Sumner Ave
Surveyed by P. T. DUNLAP
Date 6-10-35
Indexed A. C. Johnson

Cont. on Lower Right page 208

Cont. on bot. page 206

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Center Line Sec. 5

40+50

39

13'

24" Oak + BM #2
40+42

40-15-00 ✓
141-01-00
40-15-15
24-31-15
40-15-12½

T = 84°F
158.08 @ 1-50 = 158.00
158.14 @ 2-20 = 158.01 ✓

Level 270.53
" 170.07
" 166.39
297.78 @ 2-14 = 297.55 ✓
297.75 @ 1-57 = 297.58 ✓
Total 1062.56 ✓

Fence

73.30

P.I. No 2.
Set 2x24 nail

140

38+80.04 B.C.
Set 1x24 nail

Δ = 40-15-15
R = 200
T = 73.30
L = 140.51

See Pg. 212 for Final ℄

37+39.53 B.C.
Set 1x24 nail

T = 76°F
Level 160.52 ✓

35+79.00 P.O.T.
Set 2x24 nail

T = 76°F
Level 939.09 ✓

(20) (20)

939.04

SUMNER AVE

Cont. From top page 204

F.B. 419 Pg. 206 P. T. DUNLAP Chief Party . Notes by P. T. DUNLAP Date 6-10-35

Cont. on bot. page 207

T. = 90 °F.
Level 98.12
" 241.90
" 150.02
Total 490.04







① 177-25-15 ✓
② 349-41-45 ✓
177-25-26
③ 344-32-45
177-25-27½

52+00 205

P.I. No 3
49+42.60 ± pt
Set 2×2+ nail

49+00 20

46+00 20

44+00 26

42+00 25'

177-25-25 ✓

N 55° 10' W 490.04 ✓

See Pg. 212 for Final-2

Cont. from top page 205

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by P. T. DUNLAP Chief Party P. T. DUNLAP F.B. 419 Pg. 207

Cont. on Right side page 208

Plotted by	W. O. No. 8093 D. S. O. No.
Date	Location Sumner Ave
Map No.	Surveyed by P. T. DUNLAP
Platting C'k'd by	Date 6-10-35
Date	Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

56+39.24 E.C.
Set 1x2 + nail

① 142 - 54-30
④ 211 - 38-00 ✓
⑥ 142 - 54-30 ✓
137 - 27-15
142 - 54-32½

56+25 ℄ 201

Com. Res.

Δ = 37-05-30
R = 350'
T = 117.42
L = 226.58 ✓

See Pg. 211 for Final E

142-54-30

Proposed ℄

P.I. No. 4
Set 2x2 + nail

54+32.66 B.C.
Set 1x2 + nail

117.42

490.06 ✓

Cont. from top page 206

F.B. 419 Pg. 208 P. T. DUNLAP Chief Party Notes by P. T. DUNLAP Date 6-10-35



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by P. T. DUNLAP Chief Party P. T. DUNLAP F.B. 419 Pg 209

Plotted by	
Date	
Map No.	
Plotting C'k'd by	
Date	

W. O. No. 8093	S. S. O. No.
Location	Sumner Ave
Surveyed by	P. T. DUNLAP
Date	6 - 11 - 35
Indexed	A. C. Johnson

P.I. No 2	Δ= 40-15-15	R = 200'	T= 73.30	L= 140.51
37+39.53	B.C.			
+75		35.47	5 - 04 - 50	
38 +00		25.00	8 - 39 - 40	
+25		"	12 - 14 - 30	
+50		25.00	15 - 49 - 50	
+80.04	E.C.	30.04	20 - 07 - 37½	
P.I. No 4	Δ= 37-05-30	R= 350'	T= 117.42	L= 226.58
54+32.66	B.C.			
+75		42.37	3 - 28 - 00	
55+00		25.00	5 - 30 - 45	
+25		"	7 - 33 - 30	
+50		"	9 - 36 - 15	
+75		"	11 - 39 - 00	
56+00		"	13 - 41 - 45	
+25		25.00	15 - 44 - 30	
+59.24	E.C.	34.24	18 - 32 - 45	

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 419 PG. 210 P. T. DUNLAP Chief Party Notes by P. T. DUNLAP Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

ANY CHANGES OR CHANGES ON THIS SHEET, MUST BE INITIALED OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McKenzie | Survey of SUMNER AVE. | F.B. 419 Pg. 211

Map No. | W. O. 8093 Tape No 14 St'd 84 or.

Office Work | Surveyed by A. N. HELLSTROM

Checked | Notes A.N.H. A. C. Johnson Date 7-27-55

Date | Indexed

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

Ⓒ 70°-30'-15"
Ⓒ 282°-00'-30"
10°-30'-10"

Ⓒ 156°-39'-00"
Ⓒ 266°-35'-30"
156°-38'-55"

123.01 e 0-6.70 = 123.00
71.43 e 0-6.71 = 71.42
194.44

Final ℄ from P.I. "2 To Use Line Ave of Sumner Ave

Fd. Ch. Spk. W ℄ T pr F.B. 419-208.

Set Ch. Spk. W ℄ T For New Inters. SC+83.97 from S.

Fd. Ch. Spk. W ℄ T SC+84.45 from S.

500.15 to E. San Antonio Ave See F.B. 419-238

N.W. Cor. of 8'x6' Pumphouse

Outside edg. 42" Conc. Reservoir with Conc. Top.

P.I. "4 Fd. 2X2 pr. pg. 207

12.18
8.77
20.4
24.4
56+42
56+24
69°-24'
84°-14'-10" pr. pg. 208

New P.I. 4 Set 2x2 tack

54°-39'
56.44
27.33
55"
33.51
00' Adj.
70°-30'-10"
55 x 55 x 1x2 E.C. Set

Δ = 23°-21'-25"
½Δ = 11°-40'-32½"
R = 350
T = 72.34
L = 142.68

35.02 by deflection

B.C. 54+19.21 Set 1x2 Tk.

T.C. 55+61.89

F.B. 419-208
11182.05

BASE LINE AVE.

10.00
F.B. 419-208
30 rad.

Center Line Section 5

LIVE OAK DRIVE

Fd. ¼ Cor. Secs. 5-32 T1N R8W C.S. Nos. & B.C. ℄ dp pr F.B. 419-208

F.B. 419 Pg. 212

See F.B. 419-208 Lower Right for Cont. ↗

②	72.69	@ 0-0 T84 =	72.69
③	129.77	@ 0-0 T84 =	129.77
④	150.13	@ 0-0 T84 =	150.13
⑤	149.85	@ 0-0 T84 =	149.85
⑥	149.74	@ 0-0 T84 =	149.74
⑦	150.07	@ 0-0 T84 =	150.07
⑧	250.07	@ 0-0 T84 =	250.07
⑨	90.61	@ 0-0 T84 =	90.61
			1142.93 Avg.

Final 2 Summer Ave
from P.I. 2 to Base Line Rd

Point Only
P.I. 3
Fd 2x2
O/A Sta. = 49+42.66
Per F.B. 419-206 53
New Sta. = 49+40.44

R.P.P.I. 2 (New)
Set ¾" I.P. pl. stk
5" ± N. of N. Fac. Line
of Wash.

Cent. Line Sec. 3

See Pg. 211

551.02
To P.I. 4 (New)

25.02

F.B. 419-205
1135.86

F.B. 419-206
177°-25'

1143.00 Adj.
1142.93

177°-07'30" Adj.

(X) in 8" Short Std. Pipe

48.58
(X) on top 8" Std. Pipe

98.17

P.I. 2
Fd 2x2.
per F.B. 419-205

P.I. 2 (New)
Set 2x2 tacked ↑

138.70

140.00

B.C. 33+30.78
Set 1x2 ↑

Δ = 39°-50'-45"
½Δ = 19°-58'-27½"
R = 200
T = 72.70
L = 139.46

177°-07'-30"
348°-30'-30"
172°-07'-00"

224.42

B.C. 37+30.78
Set 1x2 ↑

151.77

35+79.00
P.O.T.
Fd 2x2
per F.B. 419-205

140°-03'-00"
200°-12'-30"
140°-03'-05"

SUMNER AVE.

939.04

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by	Survey of SUMNER AVE
Map No.	W. O. 8692 Tape No 14 300 St'd 84 OF.
Office Work	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 11-12-35
Date	Indexed A. C. Johnson 11-14-35

F.B. 419 PG. 213

TIE-IN OF PIPE LINES TO ℄ SUMNER AVE

NEAR BASE LINE AVE & THOMPSON CRK. WASH.

See L.B. 707 pgs. 120-124 for elevs.

Note lettering of points for elevs. "A" "B" "C" "D" "E" "F" & "H" "I" "J"



Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 5M 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 419 PG. 214

Notes Ck'd by D.M. Finley	Survey of Thompson Crk. Rd	F.B. 419	Pg. 215
Map No. B-764	W. O. 7930 Tape No.	St'd	of
Office Work H.M. Hall	Surveyed by A. N. HELLSTROM		
Checked D.M. Finley	Notes A.N.H	Date 8-10-38	
Date Sept. 1938	Indexed		

PROPOSED THOMPSON CREEK RD

ALONG

LINE PARALLEL AND 100 FT. NORTH

OF

℄ of R/W for Towers of High Voltage Line

Beginning at Inters. of Present Proposed Thompson Crk. Rd. between Camp Baldy Rd. (Monte Vista Ave) and Mills Ave and thence West.

Note: Any Additions or Changes on This Sheets Must be Noted or Initialed in Ink With Date and Name of Person Making Change.

RETURN TO COUNTY SURVEYOR
LOS ANGELES COUNTY
700 HALL OF RECORDS

FORM 247 BM 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line


119.40
49.86
219.82
260.86
100.00
334.32
30" Adj.
130°-19'-40"
Creek Rd.
60.57
619.57
559.49
Camp Baldy Road
Camp Monte Vista
Set Spk WRT
Fd 1½" I.P. pl 9 ck -12" dp
Fd 2x2 on slope
Set ¾" I.P. flush
Set 2x2 on slope
Fd 2x2 on flat
Set 1x2 on flat
Fd 2x2 - flush in Lemon Gr.
Set 1 1/2 x 2 with ¾" I.P. - flush
pr F.B. 419-98
Fd Spk 2" Dia
pr F.B. 419-12
Fd Spk WRT
pr F.B. 419-97
F.B. 987-20
F.B. 987-18
1909.85
F.B. 419
Pg. 216
Cont. on pg. 217
See pg. 238 for New ℄
℄ of R/W for Towers
Fd ½" I.P. pl 9 ck -12" dp
pr F.B. 987-19
Sta. 552+63.85
pr F.B. 987-19
553+45.99
Fd 2x2 on top of levee
pr F.B. 987-18
Fd 2x2 on top of levee
pr F.B. 987-18
Tel. Pole
pr 562-61
Fd ¾" I.P. pl 9 ck -12" dp
pr F.B. 419-89
Fd Spk WRT
pr F.B. 419-97
Fd ½" I.P. pl 9 ck -12" dp
pr F.B. 987-19
Fd 1½" I.P. pl 9 ck -12" dp
pr F.B. 987-19
Fd ½" I.P. pl 9 ck -12" dp
pr F.B. 987-19
Fd 2x2 on top of levee
pr F.B. 987-18
Fd 2x2 on top of levee
pr F.B. 987-18
Fd 2x2 on top of levee
pr F.B. 987-18

Notes C.k'd by D.M. Finley
Map No. B-764
Office Work H.M. Hall
Checked D.M. Finley
Date Sept. 1938

Survey of Thompson Crk. Rd.
W. O. 7930 Tape No. 13 Std. 84 OF
Surveyed by A. N. HELLSTROM
Notes B. & K. Date Jul 38
Indexed

F.B. 419 Pg. 219

① 126°-37-10"
② 146°-37-00
126°-39-15

See pg. 218

Fd. C.S. Mon 8 B.C. - 12" Jo
Loc. ¼ Cor Sec 27-3S T.1N.R8W
pr F.B. 419-101
" " 987-15
Set 2½" tang. this or surf.
Set 2x2 over Mon.

(Center of Tower) (#22807) 39'x39'

100.00

MILLS

pr F.B. 987-15
Rd. 4x2
on tg. to curve

372.1

E. POMELLO DR.

Fd. Spk. M&T. Inters. pr. F.B. 419-16

2027

S 12°46'E

Set Spk. M&T Sta. 5+20+14.17 pr F.B. 987-15

E. Thompson Cyn Rd. See 1 E 419-16

213.27 @ 0°0' T 100° = 213.29'

213.29'

¼/¼ Cor - 12" Fd. C.S. Mon 8 B.C. (Mtnd. ¼/¼ Cor Sec. 27 T.1N.R8W. pr. F.B. 419-101 -16

AVE

53°-20'-20" pr F.B. 987-15

Fd. 2½" I.P. pr F.B. 987-15

Sta 5+30+43.94

+30.30

100.00

Center Tower (#22806) 39'x39'

Set Spk. M&T

53°-20'-40" in field

126°-39'-15"

1145.91'

① 245.73 @ 2°13' T 102° = 245.58'
② 245.70 @ 2°06' T 102° = 245.57'
219.19 @ 0°00' T 102° = 219.22'
① 294.71 @ 3°38 T 100 = 294.15'
② 294.69 @ 3°30' T 100 = 294.17'
201.74 @ 0°0' T 98° = 201.76'
① 185.32 @ 2°17' T 100° = 185.19'
② 185.35 @ 2°32' T 100° = 185.89'
1145.91'

R of W for Towers

529+69.28 2x2 pr pg 216

100.00
9.55

6449.94
Set 2x2 on N sd. of rd.

Center of Tower (#22808) 39'x39'

1119.40'

533+54.00 2x2 pr pg 216

100.00

5430.54
¾" I.P. pl & tack pr pg 215

Cont. from pg. 216

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by D.M. Finley
Map No. B-764
Office Work H.M. Hall
Checked D.M. Finley
Date Sept. 1938.

Survey of Thompson Crk
W. O. 7930 Tape No. 13 St'd 24 of
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date 8-12-38
Indexed

F.B. 419 PG. 219

① 162-37-00
② 290-28-20
162-37-05"

③ 163-04-10"
④ 292°-16'-20
163-04-05"

TIE LINE
of
Imprvmnts (Orchard)
from Indian Hill Ave
to East to ℄ of Thomp. Crk. Rd.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

Set F.B. 419-162

Fd. 2x2 - flush = P.I. "6 pr F.B. 419-168

135°-12'-15"

541.24'

P.O.T. "6-A pr. F.B. 419-168
Fd. 2x2 - flush on N. edg. of Hor. rd.

68°-47'-00"

39°-11'-30"

1214.32'

58°-36'-30"

P.I. "7
2x2 on Rock mound
Fd. 3/4" I.P. no plug
flush in rock mound
0.05 ft. above ground

15°-39'-30"

534.87 Avg

T"1
Set 1"x1" in edge of
Hor. rd.
5+34.87

19°-42'-30"

169.63 @ 0-0 T 79 = 169.63'
174.06 @ 0-0 T 79 = 174.06'
194.83 @ 2-43 T " = 194.84'
191.29 @ 2-39 T " = 191.13'

297.94 @ 0-0 T 79 = 297.97'
117.44 @ 4-23 T " = 117.11'
117.40 @ 4-10 T " = 117.10'
299.08 @ 1-09 T 96 = 299.04'
299.55 @ 1-01 T " = 299.02

② 218.37 @ 0-0 T " = 218.37'
③ 282.15 @ 2-46 T " = 281.84'
④ 282.12 @ 2-40 T " = 281.84'
1214.32'

534.87'

437.81'

① 127°-11'-30"
② 148°-47'-00"
127°-11'-30"

T"0
Set 3/4" I.P. pl. stkr.
flush in N. sd. of Trail
20 ft. W. of cluster of sm. oak
0+00 going E.

298.31 @ 0-0 T 100 = 298.34'
139.46 @ 0-0 T 100 = 139.47'
437.81'

394'

SCALE 1" = 100'

0.71

F.B. 419-
2639.32'

INDIAN HILL AVE

LIME AVE

E BASE

Fd. 2x2 - 5" p/o
Fr. F.B. 419-170

Fd. 3/4" I.P. no pl. or tag
on Fnc. Line
pr. F.B. 419-170

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be [illegible] or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 419 PG. 220

Notes Ck'd by R.H. Finley
Map No. 5-764
Office Work Complete
Checked R.H. Finley
Date Sept. 1952

Survey of Pomona Coast Div.
W. O. 7933 & Tape No. 19 Std'd 74 of
Surveyed by A. N. HELLSTROM
Notes 2 Vol. 11 Date 6-13-52
Indexed C. J. Jacobsen

P.B. 419 Pg. 231

Notice: Any Additions or Changes on this Sheet must be Made or Called in Prior to Making Changes.

Do not submit notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

19th Row Bldg. E +

Young Lemon Grove Cty

Cntrs N&S are 20ft

Cntrs E&W are

534.87

Orchard 1/3 Bldg. E +

here south.

127°-15'

Angle of tree row Inter

0+07°

35°

T°0

0+00 going E

3/4" I.P. pl. & tck.

pr. pg. 219

1st Row

Indian Hill Ave Prod.

439.81

T. Nail

See pg. 218

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 419 Pg. 222

Notes Ckld by: R.M. Finley
Map No. R-764
Office Work Ck'd
Checked R.M. Finley
Date 5 Oct 1966

Survey of Thompson Car. Rd.
W. O. 2930 Tape No. 13 Std'd 62° F
Surveyed by J.N. MELLENTHIN
Notes 2.2.66 Date 12-30
Indexed

P.B. 449 Pg. 223

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend note this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Cont'd from pg. 222

50th Row

Young Lemon Grove (5 yrs.)

Cntrs. N & S. are 20 ft.

Cntrs. E. & W. are 15 ft.

To P.O.T. 6

℄ In 38th
1214.32

To P.O.T. 1
51°39'57"

39th Row

Col. 1 from pg. 222

FORM 247 SM 10-57

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 419 Pg. 224



FORM 247 SM 10-57

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



16 trees in this row

Young Lemon's Grove (Sprs.)
Cntrs N & S are 20ft
Cntrs E & W are 15ft

Notes Checked by [illegible]
Map No. [illegible]
Other Work [illegible]
Checked [illegible]
Date [illegible]

Survey of [illegible]
W. O. [illegible] Tract No. [illegible] Sht [illegible] of [illegible]
Surveyed by [illegible]
Notes [illegible]
Date [illegible]
Address [illegible]

P.B. [illegible] Pg. [illegible]

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 419 Pg. 226

Form 307 5M 10-57

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.	
B.M.				1718 53 ✓	Chis D° on Rock (2ft x 2ft) 43' E. of ℄ Sta 65+50 Adj. Elev. per L.B. 707-42
	1.25	1719 78 ✓			
T.P (2x2) ℄ Sta 65+71.28			2 60	1717 18 ✓	(1717.20) per LB 702 pg 46 ✓
	1.35	1718 53 ✓			
T.P 0+00 to West			11 71	1706 82 ✓	3/4" I.P. Intersection of Thompson Cr. Rd. ℄ line parallel 100' N. of Power Line 334' S of E.C. Sta 65+71.28
	2 23	1709 05 ✓			
T.P 2+60.86			9 68	1679 37 ✓	(1x2)
	2.37	1701 .74 ✓			
T.P 5+20 - 100' L			10 62	1691 12 ✓	(533+84.00 F.B. 987-18) F&2x2 on ℄ Power Line 100' L of ℄ Sta 5+30
	5.30	1696 42 ✓			
BM			9 10	1687 32 ✓	Rd "X" in NE Conc. Foundation Block of Power Line Tower #228
	1.66	1688 98 ✓			
6+49.96			1 44	1687 54 ✓	(2x2) 6+49.96
T.P	0		11 47	1677 51 ✓	
	0.03	1677 54 ✓			
T.P			11 47		
	1 23	1667 28 ✓			

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. X-Sec. No.

Plotted Date Checked Date

Notes Red. Date Notes Chkd. Date

Job No. 7930 Division No. Thompson Creek Rd.

Survey of E.S.T.

Surveyed by A. N. HELLSTROM Notes Date

Indexed Date

B 447 PG 228

STATION	B. S.	H. I.	F. S.	ELEV.		
		1667.28 ✓				
T.P.			10.51	1656.77 ✓		
	0.86	1657.63 ✓				
BM			6.22	1651.41 ✓	Set Chiseled "□" in Send of Rock + Conc. E. abutment F.C. Gate 450'± N. of Tower Line on W Side Mills Ave.	
B.M.				1687.32 ✓	'X' N.E. Foundation of Tower #228-D-S	
	6.58	1693.90 ✓			Adj Elev. 1685.542 ✓	
BM			8.35	1685.55 ✓	Chiseled "□" Top S. Abutment of F.C. Gate 50'N Sta. 76+00 per L.B. 707-46 ✓	

Form 381 10M 3-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+	−	Vertical Angle	Elevation of Point	+ Sight	+	Difference Elevation	Height of Instrument	+	Vertical Distance	NOTES
					° '				° '								
											1						
											2						"Note"
																	The Transit Used
2460'	0N0									1677	3 5°			1704			Has No Stadia
		783									4						Constant
		7	83'	7 5	80 30	83'				1696	5		7 5			0	& is dotted.
		1085	85'	10 8	119 15	85'				936	6		10 0			0	" "
		562	62'	5 2	39 30	62'				992	7		5 2			0	FL
		524	24'	5 1	100 20	24'				1690	8		5 1			0	"
		283									9						
		21	83'	2 0	356 25	83'				1702	10		2 0			0	"
		436									11						
		4	36'	4'	334 50	36'				1700	12		4 1			0	"
		4324									13						
		3	132'	4 0	338 20	132'	+		1 24	1703	14		0 8		+	8	"
		505									15						
		4	105'	5 0	318 40	105'	+		1 16	1701	16		2 7		+	23	"
		1199									17						
		10	199'	11 0	320 45	198'	+		3 24	1705	18	+	0 9		+	113	T.B.
		172									19						
		10	172'	11 0	318 20	171'	+		5 30	1703	20		0 5		+	105	"
		711									21						
		5	211'	6 0	327 55	211'	+		1 07	1702	22		1 2		+	41	Bot. Small Wash
		790									23						
		6	190'	7 0	317 00	190'	+		1 05	1701	24		3 4		+	36	" "
		874									25						
		7	174'	8 0	312 55	174'	+		1 17	1700	26		4 1		+	33	" "
		873									27						
		7	173'	8 0	308 05	173'	+		1 42	1701	28		2 9		+	51	T.B.
		458									29						
		3	158'	4 0	299 50	156'				1700	30		4 0			0	"
		647									31						
		5	147'	5 6	303 30	147'				1698	32		5 6			0	B.D. small
		747									33						
		7	147'	7 5	313 40	147'	+		2 01	1702	34		1 8		+	56	FL T.B.
		1118									35						
		10	118'	10 0	289 25	118'	+		0 44	1695	36		8 5		+	15	B.D.

Rev. 4-1
Interim.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 419 PG. 230

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Intern. of Draws, Y.D's & Ridges
Break in Slope ..... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon S.Cn.
Top of Bank ..... T.B.
Bottom of Bank B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr. Rd.
Fence ..... Fn.
Int. Fences ..... V.Fn.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
IN 2									1 22						
21604	0400			—				1699.4	50	—	170.4	—			
		5/2							2 23						
		4	112	5.0	297.35	112	—	16994		50		0	T.B.		
		617							3 24						
		5	117	6.0	285.45	117	—	984		60		0	"		
		671							4 25						
		6	71	6.0	281.45	71	—	984		60		0	"		
		787							5 26						
		7	87	7.0	265.25	87	—	16974		70		0	T.R 6at.2 - Sm. Dr.		
		361							6 27						
		3	61	3.7	296.05	61	—	17007		37		0	Fl.,		
		979							7 28						
		9	79	9.8	267.50	79	—	16946		98		0	B.D. Sm.		
		666							8 29						
		6	44	6.0	229.30	44	—	984		60		0	T.B.		
		1174							9 30						
		11	74	12.4	211.45	74	—	920		124		0	Int. BDs.		
		962							10 31						
		9	62	9.0	170.50	62	—	954		90		0	T.B.		
		1086							11 32						
		10	86	10.0	181.25	86	2.18	910		134		34	BD		
		1207							12 33						
		11	107	12.5	156.20	107	—	919		125		0	T.B.		
		1171							13 34						
		10	121	11.0	161.55	121	2.58	871		173		63	B.D.		
		1155							14 35						
		10	155	11.0	154.—	155	2.18	872		172		62	"		
		1152							15 36						
		10	152	11.0	150.10	152	0.54	910		134		24	T.B.		
		1179							16 37						
		10	179	11.0	151.40	179	2.15	864		180		70	BD & 10' Dirt Rd.		
		1179							17 38						
		9	229	10.0	148.45	229	2.11	857		187		87	"		
		1169							18 39						
		9	269	11.0	145.35	268	2.12	831		213		103	"		
		1144							19 40						
		10	144	11.0	137.00	144	1.17	902		142		32	& 10' Dirt Rd.		
		1178							20 41						
		10	178	11.0	169.15	178	0.56	905		139		29	T.S.		
		1130							21 42						
		10	130	12.5	180.55	130	—	1691.9		125		0	"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Sights Left	Rods
246[68]	0+00												1.70				
		268															
		1	168	2.0	186 05	166	+	6 22	1720[9]		+	16[5]			+ 18[5]	S.H.	
		1010															
		9	110	9.3	201 55	110	−	—	1695[1]			9[3]			− 0	T.S.	
		260															
		1	160	2.0	195 35	157	+	8 28	1725[7]		+	21[3]			+ 23[3]	S.H.	
		736															
		6	136	5.1	223 10	136	−	—	1699[3]			5[1]			− 0	T.S.	
		782															
		2	182	7.0	208 20	177	+	9 58	1728[5]		+	24[1]			+ 31[1]	S.H.	
		806															
		1	106	7.5	207 40	106	−	—	1696[9]			7[5]			− 0	BK SI.	
		698															
		5	188	6.0	218 55	183	+	9 14	1728[2]		+	23[8]			+ 29[8]	S.H.	
		1045															
		9	145	10.0	236 —	145	+	2 31	1700[8]			3[6]			+ 6[4]	T.S.	
		490															
		3	190	4.0	230 30	187	+	7 22	1724[6]		+	20[2]			+ 24[2]	S.H.	
		1130															
		10	130	14.0	246 05	129	+	3 42	1698[8]			5[6]			+ 8[4]	F.I.	
		301															
		1	201	2.0	243 10	198	+	7 00	1726[7]		+	22[3]			+ 24[3]	S.H.	
		995															
		9	95	9.0	254 30	95	−	—	1695[4]			9[0]			− 0	B.O. Sm.	
		326															
		1	226	2.0	254 30	223	+	6 49	1729[0]		+	24[6]			+ 26[6]	S.H.	
		829															
		7	129	7.7	274 20	129	−	—	1696[7]			7[7]			− 0	B.O.	
			129	5.0	277 10	129	−	—	1699[4]			5[0]			− 0	T.B.	
		1081															
		9	181	14.0	275 25	181	+	2 29	1698[3]			6[1]			+ 7[9]	B.O.	
			181	4.6	278 05	181	−	—	1699[8]			4[6]			− 0	T.B.	
		457															
		3	157	3.8	286 35	157	−	—	1700[6]			3[8]			− 0	F.I.	
		479															
		2	279	3.5	253 10	268	+	14 02	1767[0]		+	62[6]			+ 65[6]	S.R. F.I.	
		451															
		2	251	3.0	245 05	236	+	13 59	1765[2]		+	55[9]			+ 58[9]	S.R. "	

Add'n'l Inform.

Plotted [illegible] Date 8/38 Checked [illegible] Date [illegible]
Book Clerk [illegible] Survey of STAMPSON CREEK RD
Book [illegible] Page [illegible] Surveyed by [illegible] Date 5-11-38

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 419 Pg. 232

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Inters. of Draw ..... V.D's
Break in Slope ..... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon ..... S.Cn.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Traveled Rd. ..... Tr.Rd.
Fence ..... Fe.
Int. Fences ..... V.Fe.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Co. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	REMARKS Left
2+60	0+00								1		17044			
		399							2					
		2	199	3.0	267 55	199	+ 1 03	17049	69	+ 05		+ 35	T.S.	
		325							3					
		1	235	2.0	230 00	224	+ 12 44	17528	64	+ 484		+ 504	T.R.	
		672							4					
		5	172	6.0	257 10	172	+ 1 21	17025	50	− 19		+ 41	T.S.	
		421							5					
		2	221	3.0	217 10	210	+ 12 58	17495	54	+ 451		+ 481	T.R.	
		644							6					
		5	144	5.5	260 00	144	—	16989	17	− 55		− 0	Fl.	
		616							7					
		4	216	5.0	201 −	203	+ 14 12	17508	60	+ 464		+ 514	3/4 I.P.	
		664							8					
		5	164	6.0	239 55	163	+ 3 19	17079	69	+ 35		+ 95	S.H.	
		505							9					
		3	205	4.0	200 30	193	+ 14 11	17491	70	+ 447		+ 487	T.R.	
		360							10					
		2	160	3.0	227 −	160	+ 2 26	17083	71	+ 39		+ 69	S.H.	
		598							11					
		4	198	5.0	194 30	182	+ 14 16	17467	72	+ 423		+ 473	Point T.R.	
		257							12					
		1	157	2.0	213 10	156	+ 4 08	17137	78	+ 93		+ 113	S.H.	
		439							13					
		3	139	4.0	201 −	138	+ 3 51	17097	75	+ 53		+ 93	"	
		524							14					
		3	224	4.0	187 20	217	+ 10 26	17403	50	+ 359		+ 399	T.R.	
		1122							15					
		9	222	10.6	170 10	222	—	16936	74	− 108		− 0	Brk S	
		324							16					
		1	224	2.0	180 −	223	+ 4 48	17211	72	+ 167		+ 187	2x2 S.H.	
		1114							17					
		9	214	10.0	165 10	214	− 1 38	16889	74	− 155		− 55	T.S.	
		1054							18					
		8	254	9.0	180 −	252	+ 4 50	17168	78	+ 124		+ 214	S.H.	
		1200							19					
		10	200	11.0	160 −	200	− 1 15	16890	80	− 154		− 44	Fl.	
		1123							20					
		9	223	10.0	161 20	223	− 1 32	16884	82	− 160		− 60	& 10' dirt Rd.	
		1155							21					
		9	255	10.0	165 30	255	− 0 51	16906	82	− 138		− 38	" "	

Add'n'l Inform.

Form 301 IUM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	Notes
0+00											1704			
	737													
	7	239	8°	172 30	239	+	0 19	1697	82	67		+	13	S.H.
	1148													
	9	248	10°	156 55	248	−	1 41	1687	FH	173		−	73	F.L.
	1135													
	9	235	10°	151 35	235	−	1 47	1687	85	173		−	73	T.B.
								1687	52		1692			
4+00	420													
	3	127	4°	0 0	119	+	14 28	1719		267		+	307	Point on Ridge
	462													
	5	162	6°	349 50	147	+	17 24	329		402		+	462	edge FL Mesa
	477													
	3	177	4°	328 50	163	+	16 17	364		437		+	477	" "
	720													
	5	220	6°	317 50	206	+	14 27	399		472		+	532	" "
	876													
	6	274	7°	301 40	264	+	10 53	365		438		+	508	" "
	460													
	2	260	3°	295 30	255	+	8 02	257		330		+	360	T.C.
	417													
	2	217	3°	301 10	212	+	9 02	233		306		+	336	" "
	380													
	2	180	3°	307 25	177	+	6 47	108		181		+	211	" "
	256													
	1	152	2°	313 50	152	+	9 14	154		227		+	247	" "
	645													
	5	145	6°	323 30	135	+	15 15	235		308		+	368	" "
	317													
	2	117	2°	329 20	113	+	10 24	115		188		+	208	" "
	428													
	3	125	4°	345 40	119	+	15 05	200		282		+	322	S.H.
	194													
	1	94	1°	355 35	91	+	9 39	1707		143		+	153	T.C.
	405													
	3	105	3°	11 45	104	+	8 11	1689		65		+	95	S.H.
	291													
	2	91	2°	13 35	91	+	3 20	1693		33		+	53	T.C.

Adopted Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 419 PG. 214

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Inters. of Draws, V.O's | Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Side of Canyon S.Cn. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Traveled Rd. Tr.Rd. | Fence ..... Fn. | Int. Fences ..... V.Fn. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak ..... O. | Pine ..... Pn. | Cedar ..... Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '			° '		1		1692				
6449	0400	417		—			—						—			
		3	117	3.0	22 35	117	+	0 33	16908	2	12		+ 11	T.S.		
		530														
		4	130	4.0	39 15	130	+	0 45	904	3	23		+ 17	Fl.		
		441														
		3	141	3.5	61 40	141	—	—	892	4	35		− 0	"		
		602														
		5	102	5.4	83 10	102	—	—	873	5	54		− 0	"		
		164														
		1	64	1.6	32 05	64	—	—	911	6	16		− 0	Int. 10' Dirt Rds		
		239														
		2	39	2.7	7 —	39	—	—	900	7	27		− 0	T.F. edge Rd.		
		181														
		1	81	0.3	9 40	81	—	—	924	8	03		− 0	B.C. " "		
		170														
		1	70	1.0	328 50	70	+	2 17	945	9	+ 18		+ 28	T.F. " "		
		290														
		2	90	2.0	336 00	90	+	2 22	944	10	+ 17		+ 37	B.C. " "		
		310														
		2	110	2.0	309 00	110	+	3 34	975	11	+ 48		+ 68	T.F. " "		
		421														
		3	121	4.0	317 10	120	+	4 08	16974	12	+ 47		+ 87	B.C. " "		
		355														
		2	155	3.0	299 30	154	+	4 18	17013	13	+ 86		+ 116	T.F. " "		
		470														
		3	170	4.0	304 40	169	+	4 03	17007	14	+ 80		+ 120	B.C. " "		
		302														
		1	202	2.6	293 35	201	+	4 13	17055	15	+ 128		+ 148	T.F. " "		
		413														
		2	213	3.0	297 40	212	+	4 06	17049	16	+ 122		+ 152	B.C. " "		
		450														
		2	250	3.0	289 00	248	+	4 41	17101	17	+ 174		+ 204	T.F. " "		
		462														
		2	262	3.0	293 30	260	+	4 30	17102	18	+ 175		+ 205	B.C. " "		
		841														
		6	241	7.0	283 25	240	+	2 09	16947	19	+ 20		+ 90	B.F.		
		738														
		5	238	5.6	273 45	238	—	—	16871	20	− 50		− 0	Fl.		
		694														
		5	194	6.0	286 15	194	+	1 14	16909	21	− 18		+ 42	B.F.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distances	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS
					° ′ ″			° ′ ″								
6+49.4	0+00									1			16.82	+		
		11 40								2						
		9	240	12 2	259 05	240		—	1680 5			12 2			0	Fl.
		8 85								3						
		7	185	7 6	274 10	185		—	851			76			0	"
		10 95								4						
		9	195	10 0	255 50	195		0 43	803			124			24	"
		9.37								5						
		8	137	8 6	274 00	137		—	841			86			0	"
		11 46								6						
		10	146	11 3	250 45	146		—	814			113			0	"
		6 54								7						
		5	154	6 0	292 20		+	2 01	921			00		+	54	B.F.
		9 16								8						
		8	116	9 0	235 25	116		—	837			90			0	Fl.
		4 10								9						
		3	110	3 9	298 50	110		—	888			39			0	B.F.
		10 10								10						
		9	110	9 7	216 30	110		—	830			97			0	℄ 10' Dirt Rd.
		11 95								11						
		10	195	11 0	223 35	195		0 55	786			141			31	" " " "
		8 91								12						
		8	91	8 6	270 30	91		—	841			86			0	Fl.
		7 43								13						
		7	43	7 6	271 45	43		—	851			76			0	"
		3 80								14						
		3	80	3 6	310 25	80		—	891			36			0	B.F.
										15						
			47	5 1	333 20	47		—	876			51			0	"
										16						
			20	5 5	352 40	20		—	872			55			0	"
										17						
			12	5 0	120 45	12		—	877			50			0	℄ 10' Dirt Rd.
		9 93								18						
		9	93	9 5	168 50	93		—	16832			95			0	Fl.

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 418 PG. 226

Topography Description Legend:

Side Hill ..... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.

Side of Draw S.D. | Top of Bank T.B. | Bottom of Bank B.B. | Top of Cut T.C. | Bottom of Cut B.C. | Top of Fill T.F. | Bottom of Fill B.F.

Head of Draw H.D. | Top of Cliff T.Cl. | Bottom of Cliff B.Cl. | Top of Spur T.Sp. | Bottom Canyon B.Cn.

Intermittent Stream ..... Int. | Break in Slope ..... B.S. | Short Slope ..... S.S.

Oak-O. | Pine-Pi. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Fir-Fr. | Cedar-Ce.

Traveled Rd. Tr. Rd. | Fence ..... Fn. | Int. Fence V. Fns. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Culv.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E. Rd.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
									2						
									3						
									4						
									5						
									6						
									7						
									8						
									9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						

Add'l Remarks

Notes Ck'd by D. M. Finley	Survey of Thompson Crk. Rd.	F.B. 419	Pg. 237
Map No. B-764	W. O. 2936 Tape No. ____ St'd ____ OF		
Office Work H. M. Hall	Surveyed by A. N. HELLSTROM		
Checked D. M. Finley	Notes A.N.H. Date 9-6-38		
Date Sept. 1938	Indexed A. C. Johnson 10-2-38		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

Pages 237—

℄
of
PROPOSED THOMPSON CREEK ROAD (9-6-38)
along
Line Parallel and 100 Feet South
of
℄ of R/W for Towers of High Voltage Line
Beginning at Intersn. of Present Proposed ℄
of Thompson Crk Rd and Camp Baldy Rd. (Monte Vista Ave.)
And thence West thru Mills Ave etc.

F.B. 419 PG. 238

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Ø 124°-50'-20"
⊕ 139°-21'-00"
124°-50'-15"

New P.I.

P.I. (old)

1489.87'
284.31

213.43 @ 4-04 T = 212.87'
213.35 @ 3-46 T = 212.87'
192.23 @ 1-17 T = 192.17'
192.25 @ 1-34 T = 192.17'
290.55 @ 2-08 T = 290.39'
290.51 @ 1-56 T = 290.39'
268.93 @ 2-14 T = 268.71'
268.96 @ 2-16 T = 268.78'
174.96 @ 2-47 T = 174.68'
174.83 @ 2-22 T = 174.67'
156.07 @ 1-36 T = 156.03'
156.15 @ 1-51 T = 156.04'
195.21 @ 2-23 T = 195.04'
195.20 @ 2-23 T = 195.04'
1489.87'

0.06
64476.92 P.O.T.
Set 2"x2"
E.C. 64+76.92
86
61.66'
124°50'15"
54+00
35' Adj.
Δ = 55°-09'-
R = 2000
T = 1044.74' .68 .84
L = 1925.52'
42'
504.11
0.06
B.C. 45+51.68
Set 2"x2"
45+51.36 P.O.T.
1115.35
1115.25
124.55'
1275.99'
61.33'
Fd. 3/4" I.P.
Fd. Spike & Tag
P.P. no Z16
Fd. 3/4" I.P.
Fd. Spike & Tag
P.P. no Z17
Fd. 3/4" I.P.
Fd. Spike & Tag
P.P. no Z18
P.O.T. 3.B
44+30.00
Intersection
Fd. Spike & Tag
P.P. no Z19
Fd. 3/4" I.P.
Fd. Spike & Tag
P.P. no Z20
Fd. 3/4" I.P.
Fd. Spike & Tag
P.P. no Z21
Fd. 3/4" I.P.
Fd. Spike & Tag
P.P. no Z22
Fd. 3/4" I.P.
Fd. Spike & Tag
P.P. no

Notes Ck'd by D. M. Finley	Survey of Thompson Crk. Rd.	F.B. 419	Pg. 239
Map No. B-764	W. O. 7930 Tape No. 13 St'd 84 of		
Office Work H. M. Hall	Surveyed by A. N. HELLSTROM		
Checked D. M. Finley	Notes A.N.H Date 9-6-38		
Date Sept. 1938	Indexed A. C. Johnson		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Cont. from pg. 238

P.O.T. - 76+60.81
Set 2x2 on top of dike bnk

To Colc. PI

1265.31'

E of Towers

19.31

194.73 @ 1-51 T 88 = 194.64'
194.72 @ 1-39 T 88 = 194.65'
194.64' Avg

E.C. 75+80.50
Set 2x2 on N. edg. of F.C. channel
R.&.S.T.

2.0' th. edg. of dike bnk. bottom bnk.
Top of dike bnk.
South edg. of Channel
27'
35.00
194.64
115.50
N edge Channel

5+30.54
¾" I.P. on slope at nose of rdg. pr pg. 216

Set 1x2
120.00
100.00

Δ = 46°-57'
R = 1000
T = 434.44
L = 819.67

13° 28' 13° 28' 13° 28' pcd
Channel
Approx R/W Sect
See profile for true Section on New Fl.

2x2 - 533+54.00 pr pg. 216

319.11' Calc

200.00

Set ¾" I.P. pl 8 tck. by Inters - 8' dp in Grange Orchard

① 46°-57'-40"
④ 137°-50'-40"
46°-57'-40"

19.98'
Calc
184.74'

46°-57'-40"

P.O.S.T
Set ¾ I.P. - 3" dp.

P.O.S.T.
Set 2x2
+61.23

B.C.

0+00 going W
Fd. ¾" I.P. - Flush
Inters.
pr pg. 216

FORM 247 BM 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



①	175.54	e-o-TP =	175.55'
②	164.33	e3-07'90 =	164.30'
③	164.48	e2.51' T. =	164.29'
①	254.63	e2-10'790 =	254.46'
②	254.69	e2-28' T.	254.46'
③	54.37	e-o-TP =	54.37'
①	276.30	e1-26'790 =	276.82'
②	276.99	e1-53' T.	276.84'
③	50.00	e-o-TP =	50.00'
①	258.82	e3-36'790 =	258.32'
②	258.07	e3-25' T. =	258.32'
	Avg. = 1234.03'		

Notes Ck'd by D. M. Finley	Survey of Thompson Creek Rd
Map No. B-764	W. O. 2756 Tape No. 13 St'd 24.0 °F.
Office Work H. M. Hall	Surveyed by A. N. HELLSTROM
Checked D. M. Finley	Notes A.N.H. Date 9-7-38
Date Sept. 1938	Indexed A. C. Johnson

F.B. 419 Pg. 241

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink, With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 419 Pg. 242

Form 3G7 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET, MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
	PROFILE		FROM	CAMP BALDY RD. to WEST		
U.S.G.S. BM.				1819.1	⊠ in top of Large Rock By Rd. Sign (Marked 1819.1) W. side Camp Baldy Road at Int. Palmer Cr. Rd.	
	0.17	1819.27			B.M.# (U.S. 2263)	
TP			12.23	1807.04	Wire Spk. in Tin & Camp Baldy Rd. & S. line Forestry Bldg	
	0.69	1807.73				
44+36.01			4.68	1803.05	S.W.L.T. & Int. Camp Baldy Rd & Thompson Cr. Rd.	
+48			5.2	02.5	W. Gutter & Wedge of Pav.	
+55			4.6	03.1		
45+00			6.0	01.7		
BC +51 36			8.37	1799.36		
46+00			10.4	97.3		
TP			11.65	1796.08		
	0.53	1796.61				
+50			2.3	94.3		
47			4.3	92.3		
+50			6.3	90.3		
48			8.4	88.2		
+50			9.8	86.8		
49+09 (T.P.)			11.78	1784.83		
	0.54	1785.37				
+50			6.2	77.2		

Name Rd. Camp Baldy Rd. Profile No. 1332 Sheet No. 1
Date 11-23-38 Survey of Thompson Cr. Rd. Book No. 1332
Notes Chkd. W.K.S. Checked A.W.V. Survey By HELLSTROM Notes E.S.T. Date 2-15-39
Date 11-23-38 Comp. No. Survey By C. Johnson Date 11-23-38
X-Sec. Book No. 1332 Sheet No. 1

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 419 Pg. 244 | Job No. 7930 Division No. Notes Red. Plotted J.A.L. Profile
Survey of Thompson Creek Road Date Date 11-23-38 No.
Survey by N. HELLSTROM Notes E.S.T. Notes Clkd. J.H.S. Checked A.W.V. X-Sec.
Indexed C. Johnson Date 9-12-38 Date 10-26-38 Date 11-23-38 No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1785 37				
50+00			85	769		
+50			114	740		
(T.P.)			11.83	1773 54		
	1 01	1774 55				
51			35	719		
+50			46	700		
52			56	670		
+50			76	670		
53			91	655		
+50			112	634		
54 (T.P.)			11 77	1762 78		
	1 01	1763 79				
+50			45	753		
55			57	581		
+50			73	565		
56			94	544		
+50			105	533		
(T.P.)			11 45	1752 34		
	1.35	1753 69				
57			28	809		

Form 307 5M .10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.
		1753.69		
57 +50			41	49 6
58			57	48 0
+50			75	46 2
59			85	45 2
+50 (T.P.)			11 59	1742.10
	2 30	1744 40		
60			28	41 6
+50			44	40 0
61			60	38 4
+50			96	34 8
62 (T.P.)			11 70	1732 70
	1 10	1733 80		
+50			44	29 4
63			58	28 0
+50			85	25 3
64			97	24 1
(T.P.)			12 00	1721 80
	0 26	1722 06		
+50			11	21 0
E.C. +76 89			1 79	1720 27

Profile

No. _____ Notes Rod _____ Party of J.A.L. Job No. 733 Division No. _____ F.B. 4119 Pg. 245

Date _____ Date 11-23-38 Survey of Tapia Canyon Creek Road

X-Sec. _____ Notes Clkd. J.H.S. Checked A.W.Y. Survey by HELLSTROM Notes E.S.T. Date 2-12-39

No. _____ Date 12-28-38 Date 11-25-38 Map No. _____ Indexed A. C. Johnson

Form 307 SM 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 419 Pg. 246 | Job No. 7730 Division No. Notes Red. Plotted J.A.L. Profile
Survey of Thompson Creek Road Date Date 11-23-38 No.
Survey by N. HELLSTROM Notes 9-12-38 Notes Chkd. J.H.S. Checked A.W.V. X-Sec.
Indexed A. C. Johnson Date Date 10-26-38 Date 11-29-38 No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1722 06				
65 +50			48	1717.3		
B.M.			338	1718 68	□ on (GR Rck.) 43' E. Sta 65+50 per LB 707-42	
	0 58	1719 11		1718 53	adj. elev.	* FB 419-227
66			21	17 0		
+50			48	14.3		
67			63	12 8		
B.C. +61 23			861	1710 50		
68			94	09 7		
+50 (T.P.)			1116	1707 95		
	161	1709 56				
69			39	05 7		
+50			58	03 8		
70			70	02 6		
+50			87	00 7		
71			107	1698 9		
+50			109	98 7		
72			119	97 7		
(T.P.)			1200	1697 56		
	082	1698 38				
+50			34	95 0		

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1698 38				
73			44	940		
+50			71	913		
74			89	895		
+50			150	834		
+57 B.D.			157	827		
+64 T.B.			148	836		
75			147	837		
+20			142	842		
+28			123	861		
+50			120	864		
E.C. +80 86			1222	1686 16	2x2	
+90			171	813		
76+20			181	803		
+60 20 (T.A)			1004	1688 34	2x2 P.O.T.	
	000	1688 34				
+95			51	832		
77			53	830		
+50			68	815		
78			83	800		
+50			100	783		

Profile
Notes Book _____ Plotted J.A.L. Job No. 7732 Division No. _____
No. _____ Date _____ Date 11-23-38 Survey of Thompson Creek Road
X-Sec. _____ Notes Chkd. W.H.S. Checked A.W.V. Survey by HELLSTROM Notes E. S. T. Date 9-12-38
No. _____ Date 10-27-38 Date 11-23-38 Map No. _____ Index _____ C. Johnson
F.B. 419 Pg. 117

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 419 PG. 248 | Job No. 730 Division No. | Notes Red. | Plotted J.A.L. | No. | Profile
Survey of Thompson Co. Rd | Date | Date 11-23-38 | No. | X-Sec.
Survey by N. HELLSTROM Notes E. S. T. | Notes Chkd. V.H.S. | Checked A.M.W.
Indexed by C. Johnson Date 9-12-38 | Date 10-26-38 | Date 11-23-38

STATION	B. S.	H. I.	F. S.	ELEV.		
		1688 3L				
79+00 (T.P.)			11 57	1676 77 ~~67~~		
	0 75	1677 52 ~~42~~				
+50			19	75 6 5		
80			39	72 6 4		
+50			47	72 8 7		
81			58	71 7 6		
+50			75	70 0 9		
82			92	68 3 2		
+50			106	66 9 8		
83 (T.P.)			11 93	1665 59 ~~49~~		
	1 52	1667 11 ~~01~~				
+50			40	63 1 8 5		
84			56	61 4		
+50			73	59 8 4 7		
+90 B.D.			134	53 4		
85 "			139	53 2 + 8		
+50 "			163	50 8 ~~7~~ 90		
(T.P.)			11 21	1655 ~~40~~		
	0 76	1656 66 ~~56~~				
85+75			33	53 4 ~~3~~		

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1656 66 ~~56~~				
86+00			38	52 ~~8~~ 9		
+50			54	51 ~~2~~ 3 8		
87			69	49 ~~X~~ 8		
+50			89	47 ~~.7~~ 4		
88			103	46 ~~3~~		
+50			116	45 ~~0~~ 1		
+62			125	44 ~~+~~ 2		
+65			146	42 ~~6~~ 1	Gutter	
+79.20			148	41 ~~8~~ 9	℄ Int. Mills Ave	
+94			151	41 ~~5~~ 6 8	edge road	
89+00			149	41 ~~+~~ 6		
+29			151	41 ~~5~~		
89+41.21 (T.P.)			1040	1646 ~~46~~ 26	2x2 P.O.T.	
	689	1653 15 ~~05~~				
B.M.			167	1651 ~~38~~ 48	☒ on S. end of E. abutment R.C. Gate. 450± N. of Tower Line West Side Mills Ave per Pg. 228	

Profile

No. _____ Plotted J.A.L. Job No. 7730 Division No. _____

Notes Red. _____ Date 11-23-38 Survey of Thompson C.C. Rd.

X-Sec. Notes Chkd. W.H.S. Checked A.W.V. Survey By HELLSTROM Notes E.S.T. Date 9-12-38

No. _____ Date 10-26-38 Date 11-25-38 Map No. _____ Indexed A. C. Johnson

F.B. 49 Pg. 68

F. B. 419 Pg. 250 | Job No. 7930 Division No. | Notes Red. | Plotted | Profile

Survey of Tampico Crk Rd | Date | Date | No.

Survey by A. N. HELLSTROM Notes: | Notes Chkd. J.H.S. | Checked | X-Sec.

Indexed A. C. Johnson Date | Date 10-26-38 | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.	

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Indexed

Curve #1 West of Comp Baldy Rd.

Sta.	Def. ∠	Chd.
B.C. 45+31.30	0-00-00	0.00
46	0-41-48	48.64
47	1-24-41	49.998
+50	2-07-45	
48	2-50-43	
+50	3-33-41	
49	4-16-39	
+50	4-59-38	
50	5-42-36	
+50	6-25-34	
51	7-08-33	
+50	7-51-31	
52	8-34-29	
+50	9-17-28	
53	10-00-26	
+50	10-43-24	
54	11-26-22	
+50	12-09-21	
55	12-52-19	
+50	13-35-17	
56	14-18-16	
+50	15-01-14	
57	15-44-12	
+50	16-27-11	
58	17-10-09	
+50	17-53-07	
59	18-36-05	
+50	19-19-04	
60	20-02-02	
+50	20-45-00	
61	21-27-58	
+50	22-10-57	
62	22-53-55	
+50	23-36-53	
63	24-19-52	
+50	25-02-50	
64	25-45-48	
+50	26-28-47	
E.C. 64+76.89	27-11-45	26.89
	27-34-52	

2000 R.

0-42-52.3 per 50'

0.8594' per Ft.

Curve #2 — West of Comp Baldy Rd.

Sta.	Def. ∠	Chd.
B.C. 67+61.23	0-00-00	0.00
68	1-06-38	38.77
+50	2-32-35	49.995
69	3-58-32	
+50	5-24-28	
70	6-50-24	
+50	8-16-21	
71	9-42-18	
+50	11-08-15	
72	12-34-11	
+50	14-00-08	
73	15-26-04	
+50	16-52-01	
74	18-17-58	
+50	19-43-54	
75	21-09-51	
+50	22-35-47	
E.C. 75+80.86	23-28-50	30.86

1000 R.

50' = 1°-25-56.6

1' = 1.71883

Note: Any Additions, Changes or Deletions Must Be Made With Red Ink Making Changes

Do not extend notations outside of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-57

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

PG.

F.B.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SEC. COR
JN 2302 Tape 116 Sta 84 °F
Surveyed by G.E. DREIER
Notes G.E. DREIER Date 5-27-68
Indexed H. E. Ott [redacted] 31 68

F.B. 412 Pg. 253

ADDITIONAL TIES
ON
E. 1/16 COR.
SEC. 33 T1N R8W
may be disturbed
by sewer const.

DREIER
WILKS
SIEMANN
MCKNIGHT

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

75F5008 EE 310 8-67

F.B. 419 Pg 259



FINAL SEC +

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of INDIAN HILL BLVD
JN 030300 Tape 201 Buddy "F"
Surveyed by L.L. BROWN
Notes L.L. Brown Dated 1-8-68
Indexed C.J. GALEA Inc. 230

F.B. 419 Pg. 265

INDIAN HILL BLVD.

(CITY OF CLAREMONT)

J.N. 030300

MONUMENT PRESERVATION

TIES SET TO EXISTING ½" CORNER MON. FOR FUTURE REPLACEMENT.

MONUMENT WILL BE DESTROYED BY NEW ROAD CONSTRUCTION PER MR. JIM LORENZ OF CITY ENGINEERS OFFICE, CLAREMONT.

NOTE: MON. IS LOCATED AT NORTH END OF INDIAN HILL BLVD. NORTH OF BASE LINE RD

PARTY
BROWN, L.L.
MOORHMAN, W.
GUIZADO G.

Note: Any Additions or Changes on this Sheet Must Be Signed & Dated in Red Ink With Also the Name of Person Making Change.

Do not extend this side of this flap.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7573081 CE#310 9-67

F.B. #19 Pg 256



NOTE:
RE SET MON. IN LIEU AFTER CONST. ON 8 IN W.W. WITH C. & L.A. MARKED COUNTY ENGINEER
L. L. Braun
11-20-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any additions or Changes on this Sheet Must be Made or Called in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of INDIAN HILL BLVD.
JND303.00 Tape 912 Std 48 °F
Surveyed by G. PETRI
Notes G.G. Date 1-7-77
Indexed G. D. BAILEY JAN 20 1977

F. B. 419 PG. 257

INDIAN HILL BLVD
(CITY OF CLAREMONT)

TIES SET TO EXISTING 1/16 CORNER MON.
FOR FUTURE REPLACEMENT.
MONUMENT WILL BE UNDER NEW
CONC. WALK WHICH IS UNDER
CONSTRUCTION AT THIS TIME.

JAN. 7, 1977

PARTY:
PETRI, G
GUIZADO, G
WALSH, M
DOMINGUEZ, C

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES ENGINEER
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

6F309S CE#310 3-69

F. B. 419 PG. 258


SET L/D & CO. ENGR. TAGS IN CONC. CURB
3.00
3.00
22.59
34.38
30" PINE FD. NAIL & TIN ON (N) SIDE PER FB. 419-256
FD. SPK. & TIN FLUSH - NO REFER.
10.03
SET L/D & CO. ENGR. TAG IN CONC CURB
COUNTY SURVEYOR'S T.I.N. SEC. 33 C + C R.E. E 1/16 62 MONUMENT
FD. C.S. MON DN. 6" - MARKED AS SHOWN - PER FB. 419 - 252
168.87
INDIAN HILL BLVD.
FD. SPK. & WASHERS FLUSH-ND REFER.
TO ℄ INTER. OF INDIAN HILL BLVD & BASELINE RD FD. SPK & WASHER NO. REFER.