FORM 247 10M 5-51

LOS ANGELES COUNTY SURVEYOR

187

Notes Ck'd by

Survey of

W. O. Tape No. St'd °F.

Surveyed by

Notes Date

Indexed

F.B. Pg.

F.B. 487 Pg. Index

F.B. 487

PAGES: Index, 1 5 ,7 to 8D incl.,
9 ,11, 12, 13 to 15 incl., ,17 to 27
incl., 29, 31 to 89 incl., ,91, ,93
to 97 incl., ,99 to 116A incl., 117, ,
119 to 131 incl., ,133 ,135, ,137 to 160
160A incl., ,161 to 167 incl., ,169
to 171 incl., ,173 to 175 incl., ,
177 to 189 incl., ,191 to 193 incl.,
194 to 199 incl., 200 to 206 incl., ,
209 to 225 incl., , 227 to 232 incl.,
233 to 275 incl., , 277 to 284 incl,

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date_____ Notes by_____ Chief Party_____ F.B. 487 PG. 1

Platted by	W. O. No. D. S. O. No.
Date	Location Antelope Valley
Map No.	Surveyed by
Platting C'k'd by	Date
Date	Indexed

INDEX

T 5N. R11W Topog at Sec 4/5 Int. Ft. Tejon Rd. & Pear Blossom	Page 3-8.
T8N R10W SE. Cor. Sec. 23 Prop. Curve	" 9-10
Unloading grounds for Rd. Dept. at Lancaster	" 11-12
Elizabeth Lake Rd Proposed line change Pl. 30 to 33	" 13-16
Palmdale Streets Ties & Monuments & Ave R (Avenue Rd)	" 17-28
" " " " reserved for	" 29-30
T 5N R11W Little Rock Streets	" 31-90
T 7N R11W Cor. Sec 1/11/12 & Top	" 91-98
To EDM. 12-8 Bouquet Canyon Rd Sec. lines Sec 20 T6N R13W	" 99-112
" " " Realign " "	" 113-118
T 8 & 9N R10W Reestab'l of cor 34/35/2/3	" 119-120
T 8N R10W " " 19/20/30/29	" 121-122
T 6N R13 & 14W " " 12/7/13/18	" 123-124
Griffin Rd. Resurvey Por. washed out	" 125-132
T 7N R 11W Fence & house S.E. cor Sec 12	" 133-134
T 7N R 9W Por. of Rancho Sierra Madre	" 135-162
T 6N R 9W Line between Sec 4 & 9, 5 & 8, 5 & 6	" 163-168
Griffin Rd. Proposed ℄ Sec 33 T 5N R10W & Sec 4 T4N R10W	" 169-176
70TH St. W T 7N R13W line between Sec 15 & 16. Topog & fire area	" 177-182
Griffin Road. Proposed ℄ Sec 33 T 5N R10W Ave M R/W line S. side Sec 32 T 7N R12W	" 183-200 201-202
Sub of Sec 32 T 5N R10W	" 203-208
Sub Sec 7 T 6N R11W Palmdale Govt. Airport	" 209-214
Sierra Hgwy - Pear Blossom Hgwy Telephone line Ave N 158th E to 170th E & 90th E to 110th E	" 215-228 " 229-232

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B.____ PG.____

Chief Party_____ Notes by_____ Date____

Notes Ck'd by McPherson	Survey of T5NR11W	F.B. 487	Pg. 5
Map No. Sur. Div. 36-41	W. O. 107	Tape No. 34	Std. 84 °F.
Office Work McPherson	Surveyed by Boyer & Party		
Checked	Notes Boyer	Date Aug 1931	
Date Dec. '32	Indexed A. C. Johnson 12-8-32		

Survey
in
Sec. 4 & 9 T5NR11W
to locate
Return Radii
at the intersection
of
Pear Blossom Highway
&
Ft Tejon Road

30d Tape 34
Std @ 84°

Surveyed at request
of Mr. Boyer of
Rd. Dept

J O Bower
J H Bender " "
J G H Nichols " "
J S W Schaefer " "
A R Hale

Note:
The return at the SEly. cor. is incorrectly staked as the data furnished me showed a width of 20' for the south half of Pear. Blossom Highway East of Ft. Tejon Road. Actually 30' were deeded in 1927 for the S. ½

J W Boyer 11-20-32

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 487 Pg 6

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

WS 65 C-3, D-3

Notes by J.D. Boyer, C.H. Bender, H.C. Higginbotham, G.W. Schaefer, K.C. Arthold

Date

Chief Party

F.B. 487 PG. 7

Plotted by M.E. Thompson
Date
Map No. Sur. Div. 36-41
Plotting ch'd by M.E. Thompson
Date Dec. 1932

W. O. No. 107 D. R. O. No.
Location Stewarts Cor. Sec. 4, T5N R11W
Surveyed by Bouer & Parties
Date Aug. 1931
Indexed A. C. Johnson

Fd S & W, E.C. FB 85-144

PEAR BLOSSOM 20' 3 miles ±

138° 51' 00
195° 24' 00

Sec 4

41-09-00
164 36-00

Proposed Curve
Δ = 138° 51' 00
R = 20.00
T = 53.28
Ext = 36.91

Set 2x2

109° 30'

R = 300.

138° 51' 00

T = 53.28

53.28

30.

OLD NADEAU RD

64.72

1886.93

Fd S & W

751.47

HIGHWAY

53.28

Δ = 138° 51' 00
R = 20.00
T = 53.28
Ext = 36.91

Proposed curve

Fd S & W T Sec. Cor To Sec 3 & 4 FB 85-144

Set 2x2

FT. TEJON

100.15

Fd BC Mon & T Cor Sec 4 & 9 T5N R11W FB 85-144

Proposed Curve

R = 300.00
Δ = 41° 09' 00
Δ = 20° 34' 30
T = 112.61
Ext. = 20.44

Curve points
Tan. dist = 53.58
off = 9.82

Sec 9
T5NR11W

Note:
This portion is incorrectly staked as the data furnished me showed a strip 20' wide for Pear Blossom Highway on the south ½ but is deeded 30'
J.D. Boyer 11-22-32

ROAD

Fd 3" I.P. bent over. Reset by this F.B. 487-39

See next Page for location of building J.D.B. 11-22-32

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 65 D-3

Do not extend notes this side of this line

A-69-63

F.B. 487 PG. 8

Notes by Boyer Date 11-23-32

Chief Party Boyer

Ed Spkat Sec Cor. to 3,4, 5x10

Highway

Set Nail

Cobble stone Filling Station

Canopy 16.8

Cem. conc. Platform 10.8 x 8.2

Gas pump

Cobble stone Pillar

Pillar

Set Nail

P.C. 1+13

33.3

18.6

1+00

Old Pavement

99.33

Blacktop

P.C.

0+91

0+50

Ed Spkat Page

NWS & E

Old Nodeau Rd

Cut off

Barrel Springs

See Page 8A

Sec 4

Sec 9 T5NR11W

Old Nodeau Rd

See Page 8A

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by Mr. Peterson
Map No. Sur. Div. #41
Office Work Mr. Peterson
Checked
Date Dec. 1932

Survey of Sec 4 & 9 T5N R11W
W. O. 107 Tape No. 16 Std Ft of
Surveyed by Bauer
Notes Bauer
Indexed L.A. C. Johnson Date Dec. 1932

F.B. 487
PG. 64

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by McPherson
Map No. Sur. Div. 36-41
Office Work McPherson
Checked
Date Dec. 1932

Survey of S. of 4+9 T5N R11W
W. O. 107 Tape No. 16 St'd 84 °F.
Surveyed by Boyer + Party
Notes Boyer Date Dec 1932
Indexed A. C. Johnson

F.B. 487 Pg. 88

48.7
5+15
24.6 5+08
1" Sycamore
45.8
5+05
P.P.
5+01
56.7
20.0
9.2
9.1
Highway
46.0
1" Sycamore
25.3 4+84
4+80
50.8
4+84
Wire Fence
Slopes
57.4
4+72
T.R.
4+66
19.5
25.1 1" Sycamore 4+66
4+62
23.1
Picket Fence
26.7
35.8
Frame
Barn
Garage
20.4
4+47
20.0
22.0
Sq. T.R.
4+37
33.4
4+33
32.4
Pavement
35.4
4+36
35.4
Fence
Picket
4+22
23.1
4+14.5
25.4 4+12
1" Sycamore
4+00
Blossom
9.1
9.1
25.4 1" Sycamore 3+90
Row 12" Cem Standpipes
3+90
31.6
3+82
20.7
P.P
17.9
29.3
Anchor
3+82
2" Sycamore
24.8 3+69
Auto Sign
3+71
17.6
Oil
Fence
Pear
25.2 2" Sycamore 3+47
23.0 3+34
Wire
25.1 2" Sycamore 3+26
3+15
P.P
19.6
29.6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 5-31


F.B. 487 Pg 89
7+51.47
Ft. Spk. W Cor. to Sec 3,4,10 & 11 T5NR11W Page 7
9.3 9.3
23.6
7+ 81
7+32
20.0 12" cem Culv
15.0 14.9
7+31 Small bush
31.3
7+20
7+00
9' 9.1
Highway
24.7
54.1
1" Sycamore
6+53
1" Sycamore
46.5
6+46
61.4
18.0
5.0
5.0
5

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 9

Checked by _____
Date _____
Map No. _____
Plotted by _____
Date _____

W.O. No. 167
Location Sec 23 T8N R10W
Surveyed by Boyer & Party
Date Aug 193
Indexed

J.D. Boyer
J.H. Bender
G.H. Nichols
A.R. Held

Sta	Chord	Def
0+00		
+50	49.97	4-46-30
1+00	"	9-33-00
+50	"	14-19-30
2+00	"	19-06-00
+50	"	23-52-30
3+00	"	28-39-00
+50	"	33-25-30
4+00	"	38-12-00
+50	"	42-58-30
4+69.01	18.96	44-47-15

Proposed 300' Rad. Return

Fd BC Mon. for Cor. to Sec 22 & 23

Sec 23
T8N R10W

Set 1x2 P.C.

Δ = 89° 34' 30
R = 300.00
T = 297.78
Ext = 122.70
Arc = 469.0

R = 300.00

Fd B.C. Mon. for Cor. to Sec 23, 24, 25 & 26

297.78

297.78

90° 25' 30

Set 1x2 P.I.

Set 1x2 P.C.

Fd B.C. Conc Mon. Cor. to Sec 22, 23, 26 & 27 T8N R10W

REDMAN-MURRO

90° 25' 30
361° 42' 00

REDMAN RD

Sec 26

Sec 27

RETURN TO LOS ANGELES COUNTY SURVEYOR

DO NOT CUT OR DESTROY ANY PART OF THIS MAP

REQUIRED ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY CIRCLED AT R.C.E. WITH DATE AND NAME OF PERSON MAKING CHANGE.

1 M.S. Co

69 B-22

(4) (3)

F.B. 487 Pg. 10 Chief Party Notes by Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 11

Location Lancaster
Surveyed by Boyer & Party
Date Oct 30 1930
Indexed A. C. Johnson

Sta @ 76°

Survey for a site for unloading grounds for L.A. County Road Dept. at Lancaster

JD Boyer
GH Nichols
GW Schaefer
JP Pierce
AR Held

11TH ST

Fd SW•T CS 8200

50' 40'

AVE.

650.20 @ 80° = 650.18'

650.18

Set 1x2

Set 1x2 at end of R.R. Tie

29.00

Driveway

90°00'00"

40.00

Set Cut Spk

90°00'00"

90°00'00"

Set 1x2

Set 1x2

29.00

10.99

138.09

20' Driveway

ANTELOPE

Office

Shell Oil Co

211.96
211.97 Tem 80
=211.96

138.04 @80

Set 1x2 at end of R.R. Tie 1+72.98

12TH ST.

Fd SW•T CS 8200

Sketch made of this survey and given Mr. Evens of Rd. Dep.

X

RETURN TO
106 ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY CHECKER IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 487 PG. 12 J.D Boyer Chief Party Notes by Nichols Date Oct 31-1930



13804
24
1097
98
172

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by Boyer Chief Party _____ F.B. 487 Pg 13

Date _____ Location Elizabeth Lake Road
Map No. _____ Surveyed by Boyer + Party
Checked _____ Plotted _____
Date _____ Indexed A. C. Johnson

Survey of
Proposed Line Change
(in)
Elizabeth Lake Road
from
P.I. 29 to P.I. 33
thru
Property of Mr Schaefer
Line Change

ELIZABETH LAKE - PINE CANYON ROAD
Between P.I. 29 & P.I. 34

Surveyed at Request of Mr Weary of Rd Dept.
(Hold for word from Mr Weary)

J.D. Boyer
G.M. Nichols, R.
G.W. Schaefer, RC
J.P. Pierce, RC
A.R. Held

See FB 84-16, 45
" CS 875 D-1

300' Tape # 32
Std. @ 82°

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not enclose papers between sides of this book

F.B. 487 Pg. 14 Chief Party Notes by Date



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 15

Date July 1977
Map No. 2750-4
Checked by _____
Date July 1977

107
Location Elizabeth Lake Road
Surveyed by Boyer & Parly
Sept 11 12 1930
Indexed A. C. Johnson

J.D.Boyer
G.W.Schaefer HC
J.P.Pierce RC
A.R.Held RC
300' Tape #32
Std @ 68°

Notes: Any additions or changes on this sheet must be made in ink and initialed. Do not erase notes on this sheet.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line



To Top Page 14

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY ENGINEER IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 467 Pg. 16

Gridded Book

Date _____ Notes by Bauer Chief Party _____ F.B. A87 PG. 17

Platted by W and	W. O. No. 107 D. S. O. No.
Date Sept 1937	Location Palmdale Streets
Map No. B-657-1	Surveyed by Bauer
Platting C'k'd by McBurney	Date Jan 1932
Date 9-14-37	Indexed A. C. Johnson

W.S. 65, A2, A3, B-2, B-3

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



F.B. 487 PG. 18 Chief Party Notes by Date 1-8-02

W.S. 63, B-3

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.



CS 8712

W 565, A-3, B-3

Date 9/22/37 Notes by Border Chief Party Porter F.B. 487 Pg. 19

Platted by Wood	W. O. No. 107 D. S. O. No.
Date Sept. 1937	Location Pairie
Map No. B-657-1	Surveyed by Porter
Platting C'k'd by McPherson	Date Sept 9 1937
Date 9-14-37	Indexed E. C. Johnson

Ties @ int & Main & Atlantic

Hwy.

Fd L & T in curb return

Set L & T in curb tang. thru int. to L & T in curb return.

54.09

40.84

Fd L & T @ int & Main & Atlantic

& Main St.

To P.B.C. @ int Main & Glenham

51.93

47.05

Ave. Q 9

Sierra

Fd L & T in curb return

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

P.B.C. & ties @ int & Mission & Glenham

Glenham Ave

30

60

30

St. E.

45°00'

4x4

F. P. is 1/2 E. 0.15 W. of line

Set P.B.C. 12" below surface

Set 4x4. Side stakes as shown

42.43

Mission St

& Y

To L & T & Atlantic

Ave. Q-11

30

30

42.43

41.05

4x4

Fd 2" I.P. with bronze cap stamped as shown

SURVEYORS

COUNTY

MONUMENT

SOUTHERN CALIFORNIA EDISON COMPANY

60

30

30

10th

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 65 A-2, 4-3

Do not extend notes this side of this line

F.B. 287 PG. 20

Chief Party _____ Notes by _____ Date _____


ATLANTIC AVE.
N70°29'30"W (CSM. 8/73)
HWY.
SIERRA
HUTTARDDWG ST
EDMUNDSON-ELIZABETH LAKE ROAD
ANAVERDA RD.
Ave.
COUNTY SURVEYORS MONUMENT
COUNTY SURVEYORS MONUMENT
N.W.T. in N.Side P.Pole
N.W.T. in N.Side P.Pole
Fd P.B.C. & Hnt. Projecting 0.6' above surface This P.B.C. Control Monument To 23,24,25+26, T.6N.,R.11W
P.B.C. @ int. of Elizabeth Lake Rd. & S. line Sec. 26, Con. Continue on T.6N.,R.11W
Fd old S.W.T. 6" below surface Set P.B.C. 12" below surface Also Fd old 8"x2" O.I.S.N.T. line Conditions very poor
Fd old S.W.T. 0.3' below surface Set P.B.C. 12" below surface
Set X in Hnt. in Asph. & Hardin Monument
Fd S.W.T. 0.3' below surface P.O.B.N. of line Re-Set P.B.C. as Station Set 1'x2' Ver. 0.3' below
Set P.B.C. 12" below surface by Int.
Note: Fd old S.W.T. 2.4' below surface (Access of line) while Setting P.B.C.
P.B.C. Mon. Set Sec. 23,24,25,26 T.6N.,R.11W Set 2'x2' Ver. 0.3' below this point
P.B.C. Mon. Set Sec. 26,24,435
58.52
34.60
57.90
5.10
N 89°56' 45" E (C.S.M. 8/73)
N 89°56' 45" E (C.S.M. 8/73)
30
40
70
20
40
30
70
40
30
20
40
30
20
40
30
20

Date _____ Notes by Bauer Chief Party _____ F.B. 487 Pg. 21

Platted by Waad	W. O. No. 107 D. S. O. No.
Date Sept. 1937	Location Palmdale Street
Map No. B-657-1	Surveyed by Bauer
Platting C'k'd by McPherson	Date Jan 1932
Date 9-14-37	Indexed C. Johnson

W, S, 65, A-3, B-3

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR




F.B. 487 PG. 22
Chief Party
Notes by
Date
W.S. 65, A-3
Set 4X4 RW
WALNUT AVE.
To L&T & Atlantic
Fd 2" I.P Tie T
40.00
56.57
45°
45°
56.57
Set 4X4 RW
Set 4X4 RW
Q6
To Mon. at & Glenarm
ALLEY
Set B.C. Cone Mon. mkd as shown, 1' under
cut + in upright 10" casing
Set 4X4 RW
57.40
45°
56.57
OLIVE AVE.
ST
Q7
To L&T & Atlantic
Nail in Cor Brick Bldg.
56.15
Set Punch mk in 1" P. Tile & under bgint.
56.14
+ in Cem walk
To Mon & Glenarm
COUNTY SURVEYOR
MONUMENT
PEAR AVE.
BLOSSOM
HCWY
Q8
Fd 3/4" I.P
ANTELOPE
Set Stone
COUNTY SURVEYOR
MONUMENT
set L&T
MAIN AVE.
82.76
ST
Q9
To L&T & Atlantic
To Mon & Glenarm
Set L&T
Fd L&T Tan. Prod
Set Stone
COUNTY SURVEYOR
MONUMENT
ANTELOPE AVE.
RETURN TO LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 4187 Pg. 23

Plotted by	Wood	W. O. No.	107 D. S. O. No.
Date	Sept. 1937	Location	Fairview Streets
Map No.	B-657-1	Surveyed by	Bouck
Plotting C'k'd by	M. Peckham	Date	2-25-32
Date	Sept. 14, '37	Indexed	A. C. Johnson 7-13-34

W.S. 65, A-3

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Ave. Q12

E.

AVE. Q11

St.

Ave. Q10

9 Hill

8th St. E.

AVE. Q9

COUNTY SURVEYORS MONUMENT

Fd. 2x2" Brass

Fd. 4" Brass Cap Conc. Plug-T.

Fd. 4" Conc. Plug-T.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 165 - A-3

7+29.02
30.13
7+59.15

Notes by

Chief Party

F.B. 487 PG. 74


Ave Q-8
Ave Q-9
Ave. Q-8
Ave.
Q-8.
Q-9.
5th Place East
6th St. East
CENTER
Fd Conc Mon
Set B.C. Mon
Fd 1x2
Fd 1" I.P.
Set B.C. Mon. mkd as shown 1 under
Set B.C. Conc Mon. 1 under mkd as shown
Set B.C. Mon. mkd as shown 1 under from old 2x2 stake as shown
Set 4x4 and Prod.
Reset 1" I.P. 1 under
Fd Old 2x2 used for line
Fd. Old 2x2 used for line
Cut + Gor. Iron Pipe
Tape * S.L. Std @ 84°
Wooden Curb
N & T Tree
N & T P.P.
N & T Pole
Fd 2x2
Fd 1x2
Fd 2x2
Fd 2x2
Fd 2

Notes Ck'd by	Survey of Ave R. S. line Sec 26
Map No.	W. O. 7197 Tape No. 40 St'd 84 °F.
Office Work	Surveyed by Boyer + Parin
Checked	Notes Boyer Date 8-18-32
Date	Indexed 7-13-32

F.B. 487 Pg. 25

Survey to
Locate and Flag
the
Right of Way lines
of
Ave. R.
Along the Sky line
of
Sec 26 T6N R12W
from the
Sou. Pac. R.R. Wly.

Surveyed at Request of Mr. Stains

See C.S. Map 8098

J.D. Boyer
H B Rockhold
G.W. Schaefer
M.A. Van Deren

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 347 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 65, A-3



Notes Ck'd by	Survey of Palmdale Streets
Map No.	W. O. 7157 Tape No. St'd °F.
Office Work	Surveyed by Bauer & Parly
Checked	Notes Bauer Date 8-15 33
Date	Indexed A. C. Johnson

F.B. 487 PG. 27

W.S. 85/A-3

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



FORM 347 10M 5-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 487 Pg. 28

Notes Ck'd by McPherson	Survey of T 5 N. R 11 W.
Map No. B-750	W. O. 5058 Tape No 25 St'd 5-1 OF.
Office Work	Surveyed by Rosecrans
Checked	Notes Date 5-12-37
Date	Indexed A. C. Johnson JUN 5 37

F.B. 487 Pg. 29

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Staking station 125 radial
course N 89° 30' E. Johnson Steel.
1+12 T. 5 N. R. 11 W.
J. N. 5058

Forty Rosecrans Schaefer Pierce Morrison Jones

FORM 247 BM 2.34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 66 A-4.

Do not extend notes this side of this line



Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 31

Plotted by L. A. W.	B. B. No. 107 L. B. & D. No.
Date April 1932	Location T5N R11W
Map No. B-750	Surveyed by Bauer & Parks
Plotting C'k'd by Draw	Date Jan 1932
Date 4/[illegible]-1932	Indexed A. C. Johnson 5-10-32

300 Tape @ 77
Std @ 84°

JD Bauer
J.H. Bender R
G H Nichols HC
G W Schaefer RC
A R Held

SURVEY

To

Locate Roads in Sec 12 & 13

T 5 N R 11 W

Near the Town of

LITTLE ROCK

See FB 78-71
C.S. 8739

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



F.B. 487 PG. 32 Chief Party Notes by Date



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 33

Platted by F. A. W.	W. O. No. 107 O. S. O. No. _____
Date April 1932	Location T5N R1W
Map No. B-750	Surveyed by _____
Platting C'k'd by _____	Date Jan 1932
Date April 1932	Indexed _____

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

W 5661

From bottom Page 39

Set 2x2

CS Mon E¼ cor Sec 12
Set 1x2 Page 37

90° 14' 56"

90° 15' 00"
360° 59' 45"

1311.81 @ 66°
17
1311.64

1645.01 @ 66°
41
2644.60

Sec 12
T5N R1W

2644.60

Set 1x2

1325.51 @ 66°
16
1325.38

1325.38

732.42 @ 66° - .10 = 732.32

600.00 @ 66° = 599.93

90° 18' 30"
361° 14' 30"

89° 45' 30"

90° 18' 30"

1325.49

Fd 6x6 W 0.07 N. & 0.05 E. of ¼ cor Sec 12 C.S. 8730

Set 1x2

Set No 1 1/2

1325.49

3.39

1328.89 M
1332.25

Fd B.C. Mon
S.E. Cor Sec 1
N.E. Cor Sec 13

89° 45' 30"
359° 02' 30"

1325.49
1332.25
3.39
+1.9

To Top Page 35

Set 2x2 bs por

To Top Page 38

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W3.66A-4

F.B. 487 Pg. 34

Date

Notes by

Chief Party


HIGHWAY
PEAR BLOSSOM
Pavement
Set Nail
Wend Bridge
Set Nail
Wend
Set Nail
Wend
Fd Spk Cut HW
Set Nail
Fd Spk Cut HW
Fd Spk Cut HW
Fd Spk Cut HW

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 35

Platted by	F. A. W.	W. O. No.	107
Date	April 1932	Location	T5N R11W
Map No.	B-750	Surveyed by	Boyd & Bates
Platting C'k'd by	Drew	Date	Jan 1932
Date	April 1932	Indexed	Chas. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

1327.40
1330.66
1327.40

2645.11 @ 44°
-.69
2644.45

From bottom Left Page 33

Fd S&W Cen. Sec. 12 Page 32

PEAR 2644.45 BLOSSOM

Fd S&W

Set Nail & Tag 35.3 E

Set B.C. 35.3 N

HGWY.

90°10'30" 35.3

90°08'00" 360.00

90°10'30" 360.42

1330.84

Set B.C. Corner Monument

89°57'15" 1330.66

89°57'15" 359.00

90°

Set 2x2 by por.

Page 30

Set 2x2 by por.

Set 2x2

1.63

Set 1x2

T 5 N R 11 W

1327.40

Set 1x2 by por.

COUNTY SURVEYOR T5N R11W 11 12 14 13 MONUMENT

To Top Page 37

Fd 2" I.P. S.W. cor Sec 12 C.S. 8739 Replaced with B.C. Mon. mkd. as shown under

28.49

42.43

41.57

42.43

45°

45°

45°

Set 4x4 RW

Set 4x4 RW

Fd Spk. in Tree

1330.66
1327.40

Page 36

487 36

F.B. _____ Pg. _____ Chief Party _____ Notes by _____ Date _____

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN & Rcd. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W 5764-4

Fd 3/4" IP SW cor Sec 12

Page 34

B.C. Pg. 30

Sec 12 T5N R11W

To Page 37

Bottom Page 35

Set 2x2 Page 35

Set AXA RW

Set B.C. Cone Mon. in bkl. as shown, by pol.

COUNTY SURVEYOR T5N R11W 11 + 12 1/4 Sec. Cor MONUMENT

Fd. Cut Spk. Ha. Wall at Col.

Fd. Cut Spk. in Wall at Col.

Set 2x2 by pol.

Set Sq. Cut in Wall

Fd 2" IP SW cor Sec 12 LS 8739

2650.29

2638.25

2644.98

1326.40

1335.32

1331.43

1326.40

5.03

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 37

Platted by	F. A. W.	W. O. No.	107 B. S. O. No.
Date	April 1932	Location	T5N R11W Power's Point
Map No.	B-750	Surveyed by	
Plotting C'k'd by	Drew	Date	Jan 1932
Date	April 1932	Indexed	A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

From bottom Page 35

C.S. Mon SW Cor Sec 12

Set 2x2 Page 35

To Page 37

To Page 38

Sec 13 T5N R11W

Set B.C. Conc Mon Mkd as shown 1' under ties FB 56-47

Set SW. T by LFH. Cor Sec 13 Page 38

Set La Tin Conc. Mon. Mkd as shown FB 56-47

Fd Nail & T Cor Sec Chiseled on B.C. FB 56-47

Fd T Cor Sec Mon Mkd as shown FB 56-47

Fd Nail & T Top USGS BM FB 56-47

Set BW. T by USGS

Fd Tulip CS 8739 Replaced with B.C. Conc mon mkd as shown 1' under

Set B.C. Mon Flush, mkd. W.C.

Set 4x4 RW

Set 4x4 RW

Fd Sta Cor Sec 13 USGS 8739

COUNTY SURVEYOR R11W T5N 14 13 23 24 MONUMENT

F.B. 487 Pg. 38 — Chief Party — Notes by — Date 12-13-32



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 39

Surveyed by E. A. W.
Date April 1932
Map No. B-750
Plotting Field by _____
Date _____

Location T5N R11W
Surveyed by Boyer + Party
Date Jan 1932
Indexed A. C. Johnson

2-6-27
7-21-27
9-23-27

W.S.L.G.A. #4

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE AS CIRCLED AND Red. WITH NOTE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

S & W NW Cor Sec 12
Page 34

0+00 to 8.

channel
CREEK
channel

WASH

Main
LITTLE ROCK
side

Wash
+ wire Fence

Little Rock

52.0 → 19+19
19+21

19+57

21.4

Pear Orchard
spaced 20'±

SEly bank

52.0 → 19+60

21.4 → 19+80

52.0 → 20+07.0

Pear Orchard
average 5" trees
spaced 20'±

To Top Page 40

F.B. 487 PG. 40 Chief Party Notes by Date

W.S. 66, A-4

From bottom Page 39

Cor. tree 26+08 → 48.3

Pear Orchard

3' Conc Weir. 26+21

37.2 →

old F.P

B.C. Conc Mon W 1/4 Cor Sec 12 Page 36 26+49.27 →

~~DESCANSO AVE~~ AVE T8

AVE E.

land

23.8 → 26+76

Wood Garage 14

19

24.0

27.8 27+03 1" Pine

27.2 27+16

2" Pear

28.5 27+25.5

ROW

27.7 2" Balm of G 27+48

20.3 27+80

ALMENDRO - 77th ST.

31.2 27+90

Pear Orchard. 20'± spaced

29+00

34.2 over 20"

To Top

Page 41

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 41

Plotted by P. S. M.
Date April 1932
Map No. B-759
Plotting prod by [illegible]
Date April 1932

Checked by [illegible]
Location I5NR11W
Surveyed by Bowen
Date Jan 1932
Indexed [illegible] Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLES IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

From bottom Page 40

18.8 → 35.8 → 32+00 Pear Orchard

5" trees 20' spacing

18.5 → 35.3 → 32+89

32+91 10" conc Irr. line

AVE. L.

Fence

22.2 → 33+04 Conc. Weir 2.8

Land

Raw

Open field

18.5 → 35+00

ALMENDRO 77th ST.

23.5 → 36+27 Conc Weir 10" conc. line

18.1 3'

18.0 → 38+00

17.5 → 39+65

2.0

27.2 → 39+70

25.5 2.5

41.8 39+89

24.5 → 41+40

To Top Page 42

F.B. 487 PG 42

Chief Party Notes by Date

W.S. 66, A-4

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

From bottom Page 41



To Top Page 43

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 43

Checked by F. A. [illegible] | R. S. No. 107 | R. S. B. No.
Date April 1932 | Location T5HR11W
Map No. B-750 | Surveyed by Boyer
Position [illegible] by [illegible] | Date Jan. 1933 A. C. JOHNSON
Date April 1933 | Indexed

US 66 A4

From bottom Page 42

52+88.54

~~MARGARITA~~ AVE.

~~AVE~~ U.

16" Tree
53+14 30.1
53+11 26.3

24.7 53+16

59.3 53+30

32.1 53+51

Pear Orchard

29' Wood Shed 10.

53+74 18' 27.1

Wooden Shed

54+24 28.0

10" Pear
54+27 38.3

54+37 8" Fig 29.2

8" Fig

16" Joshua
54+70 17.7

10" Pear

54+90

Orchard

12" Tree
55+12 26.0

31.3 55+00

16" Umbrella
55+64 28.8

Pear

36" Palm
55+81 44.7

56+01 12" Umb 29.3

Bush
56+06 23.8

E. AVE

ALMENDRO

77th ST.

To Top Page 44

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLES IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 PG. 44

Chief Party _____ Notes by _____ Date _____

From bottom Page 43

56+12 × 24.3

× 22.8 31.0 → 58+00 Pear Orchard

30.3 → 58+27

Wire Fence — AVE E — 22.9 → × 58+38

58+47

2½' cypress

21.0 → 58+92

T.P

19.4 59+16

End Fence 59+51 × 23.2 22.2 → 59+19

21.6 59+72 36'

Old Frame Packing House 36'

21.6

60+08

38.6 → 60+44

77th ST.

T.P

20.5 60+73

Pear Orchard 25' spaced

To Top Page 45

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 PG. 45

Checked by C. A. W.
Date April 1932
Map No. B-750
Plotting Data by Draft
Date April 1932

U. S. No. 107 S. B. & B. No.
Location T5N R11W
Surveyed by Boyer
Date Jan 1932
Indexed A. O. Johnson

From Bottom Page 4f

12" Tree
61+44 ⊙ 26.5'
Bush
61+58 ⊙ 26.4

61+95 ← 27.5

Pear Orchard 6" trees 25' spaced

E.

Frame Packing House

62+95 ← 27.5

18" Almond
62+71 ⊙ ← 27.0 → 20.2 TP ⊙ 62+71
62+95 ← 45.0

P.P
63+14.5 ⊙ 19.0

Pear Orchard 2nd spaced

ALMENDRA 27th ST.

45.0 64 Top 40.5 →

To Top Page 4c

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 Pg. 46 Chief Party Notes by Date

From bottom Page 45

64+64.3 P.P 19.0 20.2 Guy P 64+74 Pear Orchard

65+95 44.0 39.2 65+95

66+08 P.P 19.2 39.0 12" conc. line 66+19 Rock Wall 66+13

Drive way

37.5 66+29

66+33 61.5 66+43 42.0 20.3 T.P 66+74 10" Trees

Pear Orchard 20' spaced

42.0 67+00 37.8 Pear Orchard 20' spaced

68+68 P.P 18.5 21.0 T.P 68+75

To Top Page 47

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 47

Plotted by F. A. W.
Date April 1932
Map No. B-750
Plotting Chkd by B.E.J.
Date April 1932

W. O. No. 107 C. O. No.
Location T5NR11W
Surveyed by Boyer
Date Jan 1932
Indexed A. C. Johnson

From bottom Page 96

2" iron faucet
20.5 O 69+26

Pear Orchard

40.0 70+00 38.0

Pear Orchard

14" almond
26.0
70+55

21.0 T.P. 70+76

71+19 P.P. 18.5

12" almond
72+08 26.5

ALAMEDA ST.

41.0
12" almond
72+51 26.4

72 +47

72+59 8" conc. line
Driveway

72+89 49.5 25.6

77th St.

4' Palm
16.5 24.7 72+66 72+70
T.P. 20.5 72+77

Little Rock

73+00 32.0

8" Tree

School

73+15 10" almond 25.3

Wire Fence

32.0

8" Tree

73 +30

73+31 12" almond 25.2

To Top Page 48

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLES IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 Pg. 48 Chief Party Notes by Date

From bottom Page 47

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

73+68 P.P. 18.0

10" Cottonwood 32.0 73+93

12" Cottonwood 32.0 74+20

Orchard spaced 20'

12" olive 74+27 25.0

T.P. 24.0 74+36

School

T.F. 24.8 74+78.5

14" Cypress 20.8 74+88

75+05.5 P.P. 18.2

75+14.2 43°

12" Palm 23.8 75+17

48" Palm 75+27 29°

Edge Cor 75+32 24°

36" Palm 75+91.5 42°

Olive Clump 18.5 75+48

36" Palm 75+62 39°

Umbrella 23.3 75+68

Palm 75+80 32.2 23.9

olive clump 19.10 75+75

77th ST. ALLEY

To Top Page 49

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 49

Plotted by P. C. Hill
Date April 1932
Map No. B-750
Plotting Chkd by Brau
Date April 1932

Ck. C. No. 197 C. S. C. No.
Location T5N R11W
Surveyed by Boyer
Date Jan 1932
Indexed © Johnson

Notes: ANY ADDITIONS OR CHANGES MUST BE MADE IN RED, CHECKED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

From bottom Page 48

75+97	16" Palm	27.0	22.7 / 24.0	75+78.5 / 75+79 T.P
76+20	Beg. Fence	24.0	24.6	76+08
76+25	16" Palm	29.2		
76+33	4' Gum	23.2	24.6	76+40
76+50		R.P. 17.9		
76+77	16" Olive	26.1	20.5 T.P.	76+78
76+93		34.4		
77+02	18" Olive	26.4	26.3	77+04
77+13		34.4		
77+23		33.7		
77+26	12" Olive	25.9		
77+32		34.5		
77+43		34.1		
77+53	16" Olive	25.4	26.5	
77+64		33.7		
77+70				
77+76	12" Olive	25.5		
77+92	End of Fence	23.5		To Top Page 50

79+32.81

Old Vineyard

Average 6" vines 11' spaced

Wire Fence

Frame Packing House 32' 72'

Old Frame Barn 40' 56'

ALLEY 15 FT.

To Top Page 50

F.B. 487 Pg. 50 Chief Party Notes by Date

W.S. 66, A-4

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

From bottom Page 49

6" Pear
78+33 ⊗ 25.6

14" Olive
78+49 ⊗ 25.0

P.P.
78+55 ⊗ 16.9

E. AVE.

26.2 78+43

T.P.
20.9 ⊗ 78+68

Store
55.3
Concrete
Lewis'

78+69 32.3

Old Frame Garage
30.3

Guy P.
19.3 ⊗ 78+91

26.5 32'
78+98

Conc. Pord

79+00 32.1
78.2

23.8

P.P.
79+08 ⊗ 23.4

77th ST. ALAMEDORO

FT. TEJON AVE. ROAD (Paved) U8

79+32.81 ~
B.C. Conc Mon
W.¼ cor Sec 13
T Page 37

Date _____ Notes by _____ Chief Party _____ F.B. 437 Pg 57

F. A. W.
Date April 1932
Map No. B-750
Plotted by Steward
Date April 1932

B.M. 187
Location T5NR11W
Surveyed by Boyer
Date Jan 1932
Indexed Wm. C Johnson

53° 21' 45"
213° 27' 15"

332.40 @ 50°
559.12 @ 50°
448.64 @ 50°

Fd SW & T W.end of Bridge
NE Cor NW¼ of NW¼ Sec 12
Page 39 & 36

Set SW & T 0+00 to SW

Set N. & T

Set N. & T Guard Rail

PEARBLOSSOM Wooden Bridge 332.33 HGWY.

AVE.

T.

Set S. & T

Set N. & T. 15 Guard Rail

90° 0' 36" Page

E. LITTLE ROCK WASH

Bank

High Bank

Traveled 150 559.00 Road

100'±

Fence

x wire x

3+20

36° 29' 00"

Set 2X2 4+48.64

4+48.64

4+20.8

4+67

4+68

14.9

26.0

40.5

Olive Ave. 80th St.

Wire Fence

P.P.

15.0

5+70

Pear Orchard Ave. 6" Trees 20' spacing

36° 29' 00"
145° 56' 15"

To Top Page 52

53° 21' 45"
213° 27' 15"

Notes: ANY ALTERATIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 PG. 52 Chief Party Notes by Date

From bottom Page 51

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Pear Orchard

23.4 → 38.4 6+49

19.7 → 6+66

6+75 15'

6+76 13.6

7+09 38.0

5" Trees 20' spacing

1" Pipe Line

Pear Orchard 5" Trees 20' spacing

36.4 → 7+02

20.0

8+00

wire fence

150 P.P. 8+03

Pear Orchard Ave. 4" Trees 20' spacing

9+19 25.8

9+36 16.0

6+49 25.8 37.7

wire fence

OLIVE

10+00

35.8 → 18.8 → P.P. 19.7 10+32

80th ST.

P.P. 14.1 12+39

To Top Page 53

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 53

Plotted by F. A. W.
Date April 1932
Map No. B-750
Plotting Chkd by Drew
Date April 1932

W.O. No. 107
Location T5NR11W
Surveyed by Boyer
Date Jan 1932
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

From bottom Page 52

10" Conc line
38.0
26.3
13+00
35.8
13+02
18.2
13+25
12.2
Conc Weir
13+28
3.9
38.8
Pear Orchard 5" Trees 20' o/c
22.5
Clump Olives
14+24
14.2
P.P
14+65
Clump Olives
21.0
14+77
17.0
38.8
38.3
26.5
16+00
Row Pears 4" dia.
13.8
P.P
16+97
1" P. Pipe Line
End Fence
18+32
26.7
18+48 Valve
23.4
80# 57
18+94
20.8
Frame Garage
19.0
26.8
13.5
P.P
19+07
To Top Page 54

F.B. 487 PG. 54 — Chief Party — Notes by — Date — 13.5

From bottom Page 53

19+10 — 36.1 — Pears — 19+27 — 46.0 — Row — 19+38 — 33.0 — 1 Story Cobble Stone House — 19+52 — 46.0 — 19+61

Cobble gate Posts — 19+33 — 26.0 — 18" Cobble Posts — 19+47 — 26.0 — Bushes

E.

Orchard — Pear — 37.7 — 19+65

19+69 — 38.0 — 27.1

17.7 — 19+83 — Conc. Weir — 15.7 — 19+85

Pear Orchard 25' spacing

43.2 — 20+03

13.7 — 21+60

Pear Orchard 20' spacing

43.9

39.3 — 22+00

22+31 — 22.4

Old Frame for Packing House — 39' — 45.6 — 22+70 — 22.0

Conc. Weir — 16" — 15.6 — 22+67

Survey 80+44.57

138 — P.P. — 23+24

40.20 — 25+00 — 42.2

41.5 — 26+04 — 26+08 — 10" conc. line — 10" Dia

26+10 — 41.5 — 33.5 — 6" Pipe — 10" conc line — 26+20 — 33.4

P.P. — 13.1 — 18.8 — 26+24 Conc. Weir

To Top Page 55

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 55

Planned by F.A.W. | W.O. or No. 167
Date April 1932 | Location T5NR1W
Map No. B-750 | Surveyed by Boyer
Plotting Chkd by Ryan | Date Jan 1937
Date 2-1-66 | Indexed C. Johnson

W.5166 4-4

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

From bottom Page 54

Cut + in Cem. Pipe 42.2
Fd 2x2 S E Cor NW¼ of NW¼ Sec 17 Page 36
26+44.98
S+T P.P
2.5 S
31.25
Cut + in Cem Weir
~~DESCANSO~~ ~~AVE~~
T8
AVE.

26+90
30.9
26+99
36.3
Row 10' Black Walnuts 20' o/c
Row 10' Lamb. Poplars 20' o/c
Pear Orchard Ave. 6" Trees 20' spaced
16.7
27+37
Fence
Wire
27+86
36.3
28+09
33.2
P.P
13.1
28+27
28+50
33.1
10" apple
28+68
37.4
24" Umberella
28+87
42.3
14' Umberella
28+97
31.9
31.5
29+00
16.9
19" Umberella
29+19
33.1
14" Umberella
29+28
43.4
29+46
43.6
Brows
Mountain
29+87
43.2
P.P.
13.2
29+59
80th ST.
To Top Page 56

F.B. 487 PG. 56 Chief Party Notes by Date

From bottom Page 55

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

P.P. 13.2 30+91

32+00 17.1 32.1

Pear Orchard

Wire Fence

P.P. 13.8 32+90 17.5 20.6 2.5 2.5 Conc Weir 32+93

32+93 10" Conc. Pipeline 42.4

1" I.P. in 32.1

33+30

41.5

P.P. 13.9 34+27

Pear Orchard

41.0 35+00 17.8 32.8

P.P. 13.8 35+52

P.P. 13.9 37+53

39.5 38+00 15 5 18.0 38.4

To Top Page 57

Date _____ Notes by _____ Chief Party _____ F.B. 487 PG. 57

Plotted by T. A. W.	W. O. No. 167 C. S. C. No.
Date April 1932	Location T5N R11W
Map No. B-750	Surveyed by Boyer
Plotting Chkd by [illegible]	Date Jan 1932
Date April 1933	Inspected [illegible] C. Johnson

From bottom Page 56

Pear Orchard

Wire Fence

39+44 39.6 39.4 10" Conc. P. line 39+48

P.P 15.0 39+49 32.8 39+51

Wire Fence 39+65 30.6

18.3 39+68 26.0 Conc. Weir 39+71

39+88 48.5 39+91 22.1 Small olive

+3.1 +.5 10.8

40.1 39+88 15 39+90

Row large Olive

Pear Orchard

Small olive

Small olive

Pear Orchard

48.1 21.5 30.0 41+00 15.6 24.9 39.7

Small olive

14.8 41+5

Average 25 spaced

Olives 80 Olives 57.

43+43 20.5

14.8 PP 43+58

Large Olives 25 spaced

44+00 15.4 23.7 38.3

16.9 23.5 21.5

To Top Page 58

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 Pg. 58 — Chief Party — Notes by — Date

From bottom page 57

Edge Olive Trees spaced 25'

Orchard

10" Conc line 46+14

47.4

72'±

Pear Orchard

Row Large Olive Trees

20.9

20.5

47+00

80th St.

49+83 10" conc line 20.7

20.7

28.7

50+00

To Top Page 59

15.7 P.P.

Large Olive Trees spaced 25'

Wire Fence

45+5

Orchard

37.0

10" conc line 46+13

23.1

Conc Weir

46+30

Pear

15.4

21.8

36.7

15.2 P.P. 47+58

15.3 P.P. 49+57

16.3

21.8

36.6

18.8

50+07

16'

Frame Chicken House

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 PG. 59

Plotted by F. R. W.
Date April 1932
Map No. B-750
Plotting Chkd by
Date

W. O. No. 107 C. O. No.
Location T5N R11W
Surveyed by Boyer
Date Jan 1932
Inspected A. C. Johnson

2CA 264A 5287 3635 79

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN RED AND CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

W.S.5.65

From bottom Page 58

51+06 46.1 Row 5" Pepper 25' spaced large Olives

51+51 P.P 27.3

51+78 45.0 Row

52+44 20.7 14" Poplar 52+62 30.5

52+68 28.4 Row large Olives 52+69 31.5 Nail in 3x4

MARGARITA AVE.

Frame Chicken Coop

19.1 22.3 25' spaced large Olives

Cobble Shed

22.9

51+36

51+54 P.P 15.4

Row

15.7 Cut +

52+44 Conc Weir 52+62

17.5 22.1 52+63

Row large Olives

20.7 52+69

33.27 31.79

Fd 2x2 3E Cor SW¼ of SW¼ Sec. 12 Page 35+36 52+89.29

AVE. U.

33.92 33.31

Wire Fence N.T 19.7 53+18

21.9 53+12 Wire Fence

53+34 33.6 Pear Orchard 10" Trees 20' spaced

2" Water Faucet 53+67 14.2

14.8 P.P N.T 53+20 47.0

Pear Orchard 5" Trees 20' spaced 53+27

51+29 33.9

To Top Page 60

80457

F.B. 487 PG. 60

Chief Party _____ Notes by _____ Date _____

From bottom Page 59

P.P. 14.1 55+43

21.7 56+00 22.0 46.7 Pear Orchard

Fence

Conc pipeline 56+11 22.5

25.0 22.0 Conc 10" Conc line 56+11

56+33 33.8

P.P. 13.7 57+04

Pear Orchard 58+50 35.2

21.2 59+00 47.3

Conc. Weir 6.5 19.1 2.8 59+50

10" Conc line 59+38 35.5

32.5 59+65

P.P. 14.0 59+85

21.4 62+00 33.4

P.P. 13.4 62+03

To Top Page 61

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 61

Plotted by F. A. W.	W. O. No. 107 Cor. W. O. No.
Date April 1932	Location T5NR11W
Map No. B-750	Surveyed by Boyer
Plotting Rvd by Dean	Date Jan 1932
Date April 1932	Indexed C Johnson

From bottom Page 60

P.P 13.0 64+24

21.9 65+00 32.9

31.7 65+43

Wire Fence

18.9 65+90

Conc Weir

Rear Orchard

20.8 66+06.5

66+32 43.1

P.P 13.3 66+99

44.0 23.0 68+00 19.0 33.9

Rear Orchard

P.P 12.5 68+65

P.P 12.2 70+86

43.8 23.5 71+00 18.8 33.7

72+02 34.5

To Top Page 62

Notice ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 PG 62

Oblist Party Notes by Date

From bottom Page 61

72+20
2' Palm
25.1
72+20
42'
House

Pear Orchard

Hedge

2' Palm
25.1
72+45

AVE E

23.3
72+53
12" Poplar
26.7
72+56
72+57

72+52
43.2
72+72
72+73 TP
31.4
24.5

Conc Weir
3.2
13.5
2.6
72+75

72+90
47.0

Olive T
73+01
23.4

P.P
11.2
73+09

Olive T
73+27
23.4

Olive T
73+53
24.0

24.4
74+00
18.8

46.8

P.P
11.5
75+88

SCALE 1"=40'

25.1
77+00
18.9

45.2

P.P
12.0
78+66

78+90
44.0
79+08
25.6

Conc Weir
3.2
13.2
2.6
19.4
79+08

Fd S W-T SE cor
SW¼ of NW¼ Sec 13
Page 37

79+24.74

To Top Page 63

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 PG. 63

Plotted by F. E. W.	W. O. No. 107 W. O. S. No.
Date April 1932	Location T5NR11W
Map No. B-750	Surveyed by Boyer
Plotting Chkd by Drew	Date Jan 1932
Date April 1932	Indexed Wm. C. Johnson



Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 Pg. 64 Chief Party Notes by Date

W.S. 66, A-4



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED IN Red WITH DATE AND NAME OF PERSON MAKING CHANGE.

0+28
0+47 ← 39.6
Wire Fence
AVE. E.
Wire Fence
0+46 38.5 →
39.8 ← 20.2 3+00 25.1 → 38.5
Pear Orchard 4" Trees 20' spaced
Pear Orchard 8" Trees 20' spaced
3+75 ← 45.4
P.P. 19.7
3+98 38.7 → 5+67
22.8 Valv 5+81
MANZANITA
85th ST.
Conc Weir 3.5 3.1 5.7 3.2
20.1 22.9
6+00 25.7 15.1 P.P.
6+38
6+60.5 ← 22.3
6+85 ← 40.0
Pear Orchard
Small Trees
7+03 ← 40.0

To Tulp Page W5

Date _____ Notes by _____ Chief Party _____ F.B. 487 Page 65

Plotted by P. A. W.
Date April 1932
Map No. B-750
Plotting C'k'd by [illegible]
Date [illegible]

W. O. No. 103 W. O. No.
Location T5NR11W
Surveyed by Boyer
Date Jan 1932
Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



F.B. 487 Pg. 66

Chief Party _____ Notes by _____ Date _____

From bottom Page 65



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CROSSED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 87

Plotted by F. A. W.
Date April 1932
Map No. B-750
Plotting C'k'd by Drew
Date April 1932

W. O. No. 107 U. S. O. No.:
Location T5N R11 W.
Surveyed by Boyer
Date Jan 1932
Indexed A. C. Johnson

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

From bottom Page 66

21+00 39.8

21+46 T.P. 16.0

Conc Weir 29.5

22+87

18.5 P.P

1" Hydrant 22+93 16.6

Pear orchard

23+27 T.P. 15.9

24+00 39.9

19.9 P.P 24+87

24+85 28.2

Frame Garage

25+07 28.1

25+20 T.P. 15.7

25+28 6" Tree 22.2

25+28 97.8

1 Story Frame Cottage

25+43 97.8

Wire Fence

Tree 25+53 46.6

25+61 53.2

25+76 46.2

26+00 46.0

MANZANITA 85th ST.

2646.10

To Top Page 68

F.B. 487 Pg. 68 Chief Party Notes by Date

From bottom Page 67

W.S. 6, A-4

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

AVE. ~~DESCANSO~~

78

N. T.P.P.

26+05 28.5

Conc. Weir 36" 12" 26+19

29.7 18.80 11.25

26+45.10

Pear Orchard

40.2 26+01 10" Conc P.line 40.2 27+04

P.P. 20.2 26+18.5 N&T P.P

33.78

Fd 2x2 SW cor Pat of AVE NE¼ Page 32

40.17

32.2 26+69

N&T FP

34.5 26+70.5

Frame Shack

34.6 26+92

10" Well 26+83 31.1

26+97 29.5

T.P 27+14 16.2

45.0 26+95

Fence

Wire

Pear Orchard Spaced 25'

29.8 28+00 31.5 45.1

P.P. 19.1 28+54

Pear Orchard spaced 20'

T.P 28+89 17.0

33.7 29+81

R.P 18.5 30+84

30.1 31+00 31.0 49.7

To Top Page 69

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 69

Plotted by F. A. W.
Date April 1932
Map No. B-750
Plotting Chkd by Proctor
Date April 1932

T. 2 S. R. 11 W. S. B. M.
Location T5NR11W
Surveyed by Boyer
Date Jan 1932
Inspected A. C. Johnson

From bottom Page 68

T.P 17.5
31+21.5
E
32+87
30.5
9.2
Conc Weir
6.8
3.2
24.0
33+02
33+07
24.5
30.9
32+89
45.0
44.5
32+93
10" conclin
31.5
10" Conc pipe around Valve
33+08
P.P
17.7
33+18
33+22
39.8
T.P 21.5
33+62
39.0
23.5
34+00
44.6
Pear Orchard
P.P.
16.8
35+60
36+01
T.P. 21.5
Conc. Weir
22.5
36+26
39.5
22.8
37+00
45.0
MANZANITA
85th ST.
P.P
15.3
37+75
38+49
T.P 22.0
To Top Page 70

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 287 Pg. 70 Chief Party Notes by Date

From bottom Page 69



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 467 Pg. 71

Plotted by P. A. W.
Date April 1932
Map No. B-750
Plotting C'k'd by Fred
Date April 1932

W. O. No. 163 S. O. No.
Location T3N R11W
Surveyed by Boye
Date Jan 1932
Inspected A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

From bottom Page 70

45+52 T.P. 22.9

E.

45+85

37.8

46+00

46+02

20.5

33.7

46+07 39.9

46+0 1 story Frame House

Valve 46+11

20.2

37.8

46+14

Pear

Conc Weir

46+24 34.6

46+25

25.5

13.3

0.5

P.P.

13.6

46+25

19.4

Wire

46+70.5

Fence

24.75

4x4 lot cor.

46+79±

46+45.5

46.2

47+78

T.P. 23.4

Orchard

MANZANITA

Citrus Trees

31.5

12'

Row large spaced 5'x25'

Vineyard

P.P.

13.1

48+71

46.3

30.5

49+00

19.1

32.1

Pear

50+13

T.P. 23.7

85th ST.

P.P.

14.0

51+29

51+70 end vines

To Top Page 72


F.B. 487 Pg. 72
Chief Party Notes by
Date
From bottom Page 71
end athol Wind break 51+88
Pear Orchard
Wire Fence
T.P
Pear Tree
Conc Weir 52+59
10" conc line 52+50
3" sycamore 52+56
10" sycamore 52+66
6" Sycamore 52+45
MARGARITA AVE.
Fd 2 1/2 BW cor SE 1/4 of SE 1/4 Sec 12 T2S R9W Page 33 67
AVE U.
N&T F.P.
Pear Orchard
large Athol Row
End of Row
To Top Page 73
LOS ANGELES COUNTY SURVEYOR
RETURN TO
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 73

Plotted by F A W. | W. O. No. 107 | D. S. O. No.
Date April 1932 | Location T5N R11W
Map No. B-750 | Surveyed by Boyer
Plotting Chkd by Drew | Date Jan 1932
Date April 1932 | Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

From Bottom Page 72

Conc Weir
59+45
3.6
5.7
22.2

39.0 59+53
59+51
20.6
42.6 59+64

59+54
22'
24.5
Frame Shed
22'
60+10
24.7

Canal
60+37 Athol T 17.0
22.2
60+46 Athol T. 20.8
60+65 22.0

Pear Orchard

60+66
37.7
60+68 T.P. 21.9

15.9 P.P 61+20
37.0 62+00 20.7 42.6

Pear Orchard
62+15 T.P. 21.5
Con Weir
62+53 2.7 22.8

MATCH LINE 85+57

12" Umbrella
62+78 21.5

15.9 P.P 63+64

To Top Page 74

F.B. 487 PG. 74

Chief Party _____ Notes by _____ Date _____



To Top Page 75

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notch this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 75

Date April 1932
Map No. B-750
Plotting by Drew
Date April 1932

Location J5N R11W
Surveyed by Boyer
Date Jan. 1932
Indexed A. O. Williams

From bottom Page 74

73+17 28.4
34' Story Frame House
7' Porch
Concrete Steps
28.4
73+34
35.3 P.P.
73+42 17.5
73+49 37.3
73+64 35.3
35.3
15.0 P.P.
73+68
Pear Orchard
74+00
26.2
44.2
Rear Orchard
Conc. Weir
T.P. 3.0
71.9
75+82
75+85 34.0
wire fence
76+03 29.7
76+09 29.2
Almond Trees
76+11
T.P. 19.0
15.4 P.P.
76+19
76+58 36.5
76+69 10.5
wire fence
77+00
25.5
43.3
Almonds
10" conc. line
Conc. Weir
21.7
77+49
40.6
77+51 25.7
15.8 P.P.
77+72
To Top Page 76

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 PG. 76 Chief Party Notes by rd f. Date

W.S. 64 A-4

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.



W.S.6.4-74

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 77

Plotted by E. A. W.
Date April 1932
Map No. B-750
Plotting [illegible] by [illegible]
Date April 1932

M. D. No. 107 S. B. & M.
Location T5N R11W
Surveyed by Boyer
Date Jan 1932
Indexed A. C. Johnson

To bottom Page 78

Notes ANY ADDITIONS OR CHANGES MUST BE MADE ON SHEETS OF THIS SHEET ONLY. DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

37.2
33.1
3+00
46.1
Rear Orchard
AVE T8
46.0
1+32
T+28 4'x4' bldg.
33.2
28.9
1+26
Power pole
17.3
(Board fence)
1+03
28.3
33.5
0+93
One story Frame shed
33.5
14.9
0+77
28.3
0+61
0+58
0+49
36.9
32.6
31.9
0+43
Frame garage (one story)
Conc. Weir box 0+35.8
22.3
14.3
0+24
31.2
DESCANSO AVE.
ALMENDRO
77th ST.
AVE E.

F.B. 487 PG. 78 Chief Party Notes by Date

To bottom Page 79

43.6

10+48 End, Pear Orch

Power Pole 9+43.5 16.8

T 8

31.6 32.5 9+00 43.7

Ave.

Power Pole 7+43 16.3

Pear Orchard 5" trees

Eucalyptus

38.1 34.0 6+00 45.3

Pear Orchard 5" trees

Power Pole 5+24 17.2

Pom. Orch. 5" trees

AVE.

Power pole 3+28 17.2

3+00

From Top Page 77

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notch this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 79

Printed by F. A. Dr.
Date April 1932
Map No. B-750
Plotting [illegible] by Drew
Date April 1932

W. O. No. 167 D. O. No.
Location T5NR11W
Surveyed by Boyer
Date Jan 1932
Inked A. C. Johns

Note: ANY ADDITIONS OR CHANGES SHOULD BE MADE BY CHECKER OF SURVEY WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

W.S. 64 A-4

13+93.5

Pear Orch.

Row of conc. Stakes

To bottom Page 80

13+73.5

37.9
42.1

Conc. Std. Pipe 13+51 8" dia 30" 21.4

Power Pole 13+45 21.4

T8

45.8

13+63.5

29.2

Fence 13+47.3

Olivos Ave
80th ST.

13+31.4 Fd 2x2 hub + tack @ S.E. Cor of SW. of NW. Sec. 12 See pg 86

E.

Pear Tree 12+97

12+89

31.9
58.1

50.1

Blk Walnut 12+94

End Pear row 12+96

37.6
33.4

53.2

12+10

37.4
33.2

12+00

Pear Orchard

Pear Trees

38.4

11+98

53.4

11+70

28.8

11+42.2

Power Pole 11+46.5

Std. pipe

16.2

28.2

Fence 11+19

Row Conc. Stakes

AVE Decatur

9+20

From Top Page 78

A.87 80
F.B. PG.

Chief Party Notes by Date

To bottom Page 81

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

43.6
39.1
24+00
48'
30.5

23.16.4.5
14.2
22.1

One story frame Pump House

T 8

23+39 Power Pole
15.2
23+32 well
29.2
23+21.5
21.9
14.2

Wire Fence

Post Orchard Ave S. Hoos

Post Orchard Ave S. Hoos

43.2
39.0
21+00
29.5
47.2

42.9
38.9
18+00
29.8
47.3

Rock Conc Std pipes

AVE

37.5
42.3
15+00
29.0
46.6

13+31.43

From Top Page 79

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 84

Plotted by P. A. W.
Date April 1932
Map No. B-750
Plotting Checked by Price
Date April 1932

W.O. No. 197
Location T5N R11W
Surveyed by Boyer
Date Jan 1932
Indexed A. C. Johnson

W.S. 66 A-4

Note: ANY ADDITIONS OR CHANGES MUST BE MADE BY CHECKER OF THAT SHEET AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To bottom Page 82

AVE T8

26+71.5 edge pavt

26+62.89 Ctr. Sec 1/2
Fd S.W. & T. Sec pg 36

PEAR BLOSSOM

HGWY.

82nd ST.

E.

26+53.5 edge pavt

Power Pole 26+49 — 16.2

26+37 Cent. line

Edd pear Orch. 25+13.5 — 20.2

10" 8" — 44.2 37.2

31.3

26+33

47.2

26103

Pear Orchard 4 Yrs

non cont. std pines

Power Pole 24+88 — 14.2

Pear Orchard

24+00

PECANSE AVE.

From Top Page 80


487 82
F.B. PG.
Chief Party
Notes by
Date
To bottom Page 83
WS 67 A-4
RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN R.C.E. WITH DATE AND NAME OF PERSON MAKING CHANGE.
40.6
43.6
36+00
40.0
T8
33+30
End of Fence
24.0
AVE.
Pear Orchard
44.0
39.3
25.0
33+00
40.0
Fence
40.6
30+28
30+00
24°
39½
44½
Pear Orch. Pr 7 Trees
Spac. 20'±
Pear Orch. Pr 3 Trees
27+92
P.O.
18°
DESOTO
AVE.
27+05
39°
43°
27+00
26+90
24°
PEAR BLOSSOM
82nd ST.
5 Ctr Sec 12
HGWY
From Top Page 82

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 83

Plotted by F.A.W. W.O. No. 147 Sec. No.
Date April 1932 Location 1S/R11W
Map No. B-750 Surveyed by Boyer
Plotting Chkd by Dicus Date Jan. 1932
Date Entered A. C. Johnson

W.S. 6 5/4

85th ST.
~~MANZANITA~~

Fd 2x2 SW Cor SE of NE¼ Sec 12 Page 32
39+94.89

E.
~~AVE~~

39+66.5 39.6 39+65.4 Conc Weir 2.63 9.5 9.5
39+49 43.0 8" Trees
39+22 43.1 Row
Wire Fence
2" Poplar 25.7 39+10
38+97 AA
38+93 39.2

51.5 10" Well 39+64
36.2 39+65
20.2 39+22
Orchard

19.8 37+37

36+78 40.4 44.
Pear Orchard
10" Conc Std Pipes
Row

20.0 Peach 36+65
20.0 36+

AVE DESCANSO

Pear

From Top Page 82

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CORRECTIONS SHALL BE MADE ON THIS SHEET ONLY AND NOT ON ANY PRINT MADE FROM IT. SHEET MUST BE DATED AND SIGNED BY PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 66, A-4

Chief Party _____ Notes by _____ Date _____

To bottom Page 85



F.B. 487 PG. 84

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 85

Plotted by P. A. W.	W. O. No. 1671 D. S. O. No.
Date April 1932	Location T5N R11W
Map No. B-750	Surveyed by Boger
Plotting Chk by Drew	Date Jan 1932
Date April 1932	Indexed by C. Tolman

W. S. 66, A-4

To Bottom Page 86

OLIVOS
80th ST.

Pg 2x2 SE Cor SW¼ of S W¼ Sec 12 Page 35
13+29.0

AVE E.

U.

13+01
12+90 14" Poplar
25.5
27.4
18.7
36.5
12+98
Spaced 25'

27.2
13+09.5
Wire Fence
41.2
12+96

Olives
Large
25.5
18.5
31.7
12+00

41.7
26.8
11+70

Row
Orchard

Wire Fence
59.7
36.4
18.6
25.5
9+00
42.5
Pear

AVE.

6+82
59.8
6+58
40.3

From Top Page 84

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 Pg. 86 Chief Party Notes by Date

To bottom Page 87

W.S. 64 A-4

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

13+29.03
26+58.06

8" trees
Orchard
36.5
39.3
20.3
24.3
18+00
20.7
37.4
AVE. C
25' spaces
Pear
14+91
40.0
15+00
36.6
Orchard
14+88
14+85
14+71
14+54
Trees
Frame
Garage
Large Olive
18.1
18.1
8" conc std. Pipe
Row
14+24
37.1
14+19.5
25.6
Row
MARGARITA AVE.
Wire Fence
14+00 Bush
29.8
Fence
13+53 Bush
23.0
13+51
20.0
26.3
13+51
21.8
36.6
13+77
Pear
Olive Trees
Conc Weir
4.8
26.3
13+46
3.5
P.P
29.7
13+44
OLIVES
80th ST.
AVE E.
2x2 13+29.03
From Top Page 85

Date _____ Notes by _____ Chief Party _____ F.B. A.87 PG. 87

Plotted by T. A. W.
Date April 1932
Map No. B-750
Plotting OKed by [illegible]
Date April 1932

W. O. No. 1-3 D. S. O. No.
Location T5N R11W
Surveyed by Boyer
Date Jan 1932
Inspected A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To bottom Page 88

23+27 — 29.9
8" W. 11 27+57 — 30.0
Pear Orchard
Fence
Wire
21+50 — 24.5
21+29 — 46.0
1½ Story Frame House
Conc. Stk.
46.4 — 19.5
36.7
10
52.1
20+94
20+92
20+85
Frame Garage
24.0
38.6
20+69.5
38.6
20+52
36.8
29.9
Pear Orchard
19+90
24.5
MARGARITA AVE.
P.P 20.7
22+41
21+00
20.8
37.1
Row
Fence
Wire
P.P 20.5
20+41

From Top Page 86


487 88
R.B. Pg.
Chief Party
Notes by
Date
To bottom Page 89
WS 66, A-4
Pear Orchard
26+88
Wire Fence
26+86
38.8
42.0
29.2
Fence
Wire
40.8
27+0
27.5
Bush
29.5
26+87
26+82
PEAR BLOSSOM
82nd ST.
nail
Fd ~~spike~~ & tag
Sec. 12 Page 35
26+58.06
HGWY.
E.
26+35
Conc. Weir
5.2
3.2
35.6
P.P
21.2
26+34
35.4
26+11
26+58.06
13 28
26+07
19.6
25+65
25.3
25+61 0
Dr. 40.3
Olive Trees
Row 10' Conc. Std Pipes
Row large
MARGARITA AVE.
Orchard
Orchard
P.P
21.0
24+39
Pear
40.5
37.1
24.8
18.9
24+00
37.3
Pear
From Top Page 87
RETURN TO LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 89

Platted by F. A. W.
Date April 1932
Map No. B-750
Platting C'k'd by Trow
Date April 1932

W. O. No. 1407 U. S. G. No.
Location T5N R11W
Surveyed by Bauer
Date Jan 1932
Inspected A. C. Tolmasoff

W.S. 66, A-4

MANZANITA 85th ST.

Fd 2x2 SWcor SE¼ of SE¼ Sec 17 Page 33 39+86.94 from W

E.

Conc Well 2.7 3.5

29.0 26.1 39+57 39+38 41.5 39.9

24.5 39+59.5 40.1 39+44

45.6 39.7 25.7 36+00 24.6 39.9

43.3 26.9 39.2 33+00 24.8 40.7

Conc. Line 0" 39' Fence Wire

27.2 30+00 24.5 Fence Wire 40.4

42.6 Guy P. 21.2 28+09

MARGARITA AVE.

Pear Orchard

Pear Orchard

From Top Page 88

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE AS CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 Pg. 90 Chief Party Notes by Date

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not record data on this line.

Date 8-8-32 Notes by Boyer Chief Party Boyer F.B. 487 PG. 91

Plotted by	W. O. No. 1871 U. S. O. No.
Date	Location Cor. Sec. 1, 2, 11 & 12 T7N R11W
Map No.	Surveyed by Boyer + Party
Plotting C'k'd by	Date Aug 1932
Calc.	Indexed S. Johnson 3-4-33

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

SURVEY
around
The Corner of Sec. 1, 2, 11 & 12
T 7N R11W

To Locate Center line and Topog.
and
To show structures intruding in road

For Profile see L.B.

Tape # 34 Std @ 84°

J.D. Boyer
H.B. Rockhold A
G.H. Nichols H.C.
G.W. Schaefer R.C.
M.A. Van Deren

Sketch of this survey made and given Mr. Stains of Rd. Dept

J.D.B.

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Notes by

Chief Party

F.B. 487 Pg 87


Notes Ck'd by
Office Work
Plotted
Survey of Cor. Sec 1, 2, 11 & 12, T1N R11W
Surveyed by
Notes
C. Johnson
Sec 2
Sec 1
T1N R11W
Sec 11
Sec 12
Set 1x2
30.00
Set Nail
270.00
Fd. B.C. Conc. Mon. 1 Cor. to Sec. 2, 11 T1N R11W & FB 430-83
Not Deeded
Fd 3x2 Cor. to Secs. 1, 2, 11 & 12 T1N R11W P.B. 430-83. Replaced with B.C. Conc. Mon. mkd. as shown. 1 ft. under
Fd. B.C. Conc. Mon. 1 Cor. to Sec. 11 & 12 T. P.B. 430-83
FB 430-83
90° 39' 20"
89° 40' 10"
90° 8' 30"
MONUMENT
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

WS 30, D-4



Notes Ck'd by _____

Office Work _____

Checked _____

Survey of Cor Sec. 1,2,11 & 12 T7NR11W F.B. 487 Pg. _____

Surveyed by Boller & Parks

Notes Dr. cr. Date 7-31-31

C. Johnson

Notice: Any alterations or changes of this sheet without the consent of the Los Angeles County Surveyor will void any liability on his part resulting therefrom.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

Do not extend notes this side of this line

28.5

25.6

Hub 3+0

Wire Fence

P.P

2+49

22.5

2+31

28.0

21.9

T.P.

2+25

2+11

27.6

2+07

25.8

Row 12 Poplars

Edge Alfalfa

1+29

29.0

0+71

28.6

12" Poplar

0+53

29.6

28.8

T.P.

25.2

0+22.5

B.C. Mon. Cor. Sec 1,2, 11 & 12 T7N R11W
0+00 To N

FORM 847 10M 8-31

F.B. 487 P. 916

3+00 N&T

22.5 → 6" Locust 2+80

2+57 6" Locust ← 22.1

22.9 → 2" Locust 2+29

2+12 T.P. ← 22.6

2+05 6" Locust ← 22.1

18.0 → P.P 1+62

1+50 8" Locust ← 22.1

8" Locust 22.5 1+49

0+67 Gasoline Sign ~~30.3~~ →

0+55 6" Locust ← 22.0

26.0 → 0+97

0+43.5 → 23.2 25.2 0+43 I.P. Valve

3" Gas Sign P. Cem. Grease Platform

30.00 30.00

0+25 T.P. ← 21.8

0+00 to E

B.C. Mon Cor to Sec 1, 2, 11, 12 T7NR11W

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.O. 70, D-4

70 1 D-4

Surveyed by Bayer & Tarte
Notes Bayer
C. C. Johnson
C.B.C. Mon Cor Sec 12, T4S R2W
F.B. 487 Pg. 97
W.S. 70
Notice: ANY ADDITIONS OR CHANGES ON THIS STREET MUST BE MADE ON CIRCULAR filed with DATE AND NAME OF PERSON MAK. ING CHANGE.
RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS
Do not extend notes this side of this line
P.P. 25.7 20.0
30.00
30.00
0+31
31.2
Cem. Grease Rack
0+35
6" Locust 22.3
0+39
6" I.P.
24.75
Sign Post 0+47
Conc. Gas Pump Stand
0+65
29.45
Fence
Wire
Not decked
Store
Front
29.6
0+83
0+85
27.5
Oil Tank
6" Locust 22.5
0+87
1+02
23.5
1+09
Conc. Wk
26.2
5" Locust
24.5
0+96
T.P
23.9
1+03
3" Locust 22.4
1+42
P.P
1+57
20.6
24.7
2" Locust
18.3
Gas Sign
1+72
12" Locust 29.5
1+85
3" Locust 22.5
1+95
T.P 29.4
2+00
Sign Post
22.1
2+03
3" Locust 22.6
2+98
T.P
23.9
2+23
2+27
3+00

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 487 Pg 98

Notes Ck'd by	Survey of Sec 20 T6N R13W
Map No.	W.O. 107 Tapes No. 34 & 47 Brg'd 86° E.
Checked	Notes Bouguet Date Aug 1932
Date	Indexed A. C. Johnson

F.B. 487 Pg. 10

SURVEY
OF
Sec 20 T6N R13W
to
Establish ½ ¼ lines and Cen. of Sec. for a Proposed Relocation of a portion of Bouquet Canyon Road

For Profile see L.B. 180 P. 8

Tapes 34 & 47 Std. @ 84°

J.D. Baker
H.B. Goodhue Jr.
G.H. McCabe Jr.
G.W. Schaefer R.C.
M.A. Van Deren

NOTICE: ANY ALTERATIONS OR CHANGES TO THIS SHEET MUST BE MADE ON CHECKED PRINT ONLY, WITH DATE AND NATURE OF EACH CHANGE.

LOS ANGELES COUNTY SURVEYOR
RETURN TO
700 HALL OF RECORDS
Do not detach notes from map of this book

FORM 247 10M 8-31

F.B. 487 Pg. 100

INDEX MAP
Sec 20 T6N. R.13W.
and
Proposed Change
in
Bouquet Canyon Rd



● = Monuments found or set

— — — = Preliminary lines

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Mangers

Notes Ck'd by McPherson	Survey of Proposed Change Boquet Canyon Rd. Sec 20 T6NR13W
Map No. B.438-11	W. O. 107 Tape No. 34 St'd 8A" °F.
Office Work Wood	Surveyed by Boyer + Party
Checked McPherson	Notes Boyer Date 8-17-32
Date	Indexed A. C. Johnson

F.B. 487 Pg. 101

J.D. Boyer
H.B. Rockwell II
G.H. Nichols HC
G.W. Schaefer RC
M.A. Van Deren

W.S. 64, A-2

See F.B. 429-8 & C.S. 8738
Found B.C. Conc. Mon
under. Cor to Sec 16, 17, 20 & 21 T6NR13W

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Sec 20

Set Red heads at 100' Stations

Boquet Canyon Road

26' St. 23 Rec.

Sec 21
T6NR13W

Fd B.C. Conc Mon 1/4 cor. to Sec 20 & 21
F.B. 429-6

To Top Next Page

FORM 247 10M 5-31

F.B. 487 Pg. 102

From Bottom Page

Fd. B.C. Mon. ¼ Cor. to Sec 20, 21

W.S. 64, A-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

T= 98°
119.32 @ 6°49 = 118.48
300.35 @ 3°58 = 299.63
300.65 @ 6° 33 = 298.69
59.66 @ 4° 03 = 59.51
776.31
+ .07

7+76.37
5 57.48
13+33.85
13 37.24
26 71 09

776.38

Set 1x2"1 Tap hill
7+76.38

T= 104°
300.85 = 300.85
256.95 @ 3°09 = 256.56
557.41
+ .07

Wire Fence

557.48

Sec 20
T6NR13W

13.16

1.15

Set 1x2"2
13+33.86

Sec 21

Set B.C. Conc. Mon.
Above ground
mkd as shown
Per. dist.
3-16-34 40 R.

115.82

T= 100°
299.72 @ 4°12 = 298.91
300.36 @ 5°06 = 299.17
1.00 = 1.00
300.12 @ 4°02 = 299.44
300.45 @ 2°42 = 300.12
139.16 @ 5° 46 = 138.46
1337.10
+ .14

1337.24

90° 25' 15"
361° 41' 30"
363° 22' 30"

T= 96°
198.38 @ 1°35 = 198.30
+ .02

111.83 @ 16°09 = 107.43
+ .01

272.59 @ 5°51 = 271.17
+ .02

90° 25' 25" M.
90° 25' 19" R.

1+98.32
2 71.19
1+69.51

26+71.09

Fd B.C. Conc. Mon
Std. cor. to Sec 21

Fd B.C. Conc Mon
C.C. to Sec 20 + 27
F.B. 413-42

89° 34' 41"

Set Nail
1+69.5

Fd B.C. Mon
C. Cor. to Sec
20 + 28
Flat

To Top next page

271.19

Set 1x2"3 by nit

107.44

198.32

1+98.32
to N

Notes Ck'd by	Survey of Sec 20 T6NR13W
Map No.	W. O. 107 Tape No. 34 St'd 84° oF.
Office Work	Surveyed by Boyer & Perry
Checked	Notes Boyer Date 8-18-32
Date	Indexed A. C Johnson

F.B. 487 Pg. 103

W.S. 64 A-2

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

From bottom left preceding page

10 A+06
15+62.65
13 30.67
18+93.32
1 84.20
26+77.52
2 30.05
29+07.57

Set Nail 9+69.51

T=100°
171.12 @ 12°00 = 167.32
300.70 @ 19° 55 = 282.72
195.40 @ 21° 23 = 181.95
299.85 @ 9° 32 = 295.71
168.52 @ 11° 10 = 165.33
1093.03
+ 11

T=60°
244.00 @ 11° 18 = 239.27
.03
239.24
244.76
5.52

3-23-34 JCB

Set 1x2 13+17.89

Set 1x2 #4 Top high N.E. spur

T= 90°
300.55 @ 3°08 = 300.10
30.54
330.64
.03

Set 1x2 #5 Top Nly. spur

T= 96°
77.94 @ 12°18 = 76.15
1.00 = 1.00
300.29 @ 13°49 = 291.60
49.96 @ 2°27 = 49.90
57.42 @ 11°49 = 56.20
300.17 @ 15°36 = 289.11
20.69 = 20.69
784.15
05

Set 1x2 #6 Nly side Nly spur

T= 90°
230.07 @ 1°05 = 230.03
02

Set 1x2 #7

To Top Next Page

Sec 20 T6NR13W

Fd. Schistose Rock 6x8x20 mkd N. face, setting in depression in cen small rock md. Old Rock & earth md. This rock was found by Adolph Ryck. He set it up on ending in the small rock md. from which it had fallen

This is on N.E. Slope of N+S spur J.D.B. 1-26-33

Set B.C. Conc. mon. mkd as shown 4-6-34

Replaced 1x2 with B.C. Conc. Mon. mkd as shown 3' above ground and put old mkd. rock at N. side of Mon. J.D.B. 1-26-33

26°25 = 47.31

52.83 @

Deep Gulch Spring

Draw

Draw

spur

spur

23+12

25+66 47.31

26+35.78

26+72

26+77.52

784.20

29+07.57

330.67

1093.14

244.76

17.0

41.7

FORM 247 10M 5-31

From bottom Preceding page

F.B. 487 Pg 104

Set 1x2 #7
29+07.57

T= 90°
135.39 @ 16°55 = 135.58
+ .01
T = 94°

95.50 @ 7°20 = 94.72
249.24 @ 6°22 = 247.70
+ .02
471.98

29+07.57
A 71.98
33+79.55
A 04.07
37+83.62
3 11.63
40+95.25
3 72.19
44+67.44

471.98

33+79.55 Set 1x2 #8 Top Ridge

T= 94
70.61 @ 10°40 = 69.39
299.27 = 299.27
36.09 @ 11°25 = 35.39
404.04
+ .03

404.07

37+83.62 Set 1x2 # 9 Top Ridge

Sec 20 T 2 N R 13 W

T= 94
49.07 @ 8°29 = 48.53
264.00 @ 4°47 = 263.08
311.61
+ .02

311.63

40+95.25 Set 1x2 # 10 Top Spur

T= 94
96.54 @ 10°13 = 95.01
278.80 @ 6°13 = 277.16
372.17
+ .02

372.19

44+67.44 Set 1x2 # 11

To Top Next Page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No.
Checked
Date
Survey of Sec. 20 T 6 N R 13 W
W.O. 107 Page No. 97 Sh'd 80° of.
Notes Berger Date 8-11&12-32
Indexed A. C. Johnson
F.B. 487 Pg. 48

W.S. 6-4

49+67.44 Set 1x2" w

From Notes Proceeding page

T = 94°
76.43 @ 13°32 = 71.31
+ 01

T = 96°
285.25 @ 16°12 = 280.74
85.30 @ 17°48 = 83.18
299.92 @ 60°00 = 298.28
+ 98
736.57

44+67.44
+ 36.57
52+04.01
57.35
52+61.36

Draw
46+74
36.57

Spur
48+22

Sec. 20
T 6 N R 13 W

89°56'15" 359.46'00"
359.30'15"

52+04.01 Set 1x2" w

T = 96°
57.35

89°56'15" Adj.
89°56'17"

57.35

70.20 @ 11°55 = 68.69

To N. ¼ Cor Sec. 20

68.69

Set 1x2 by int
52+61.36

Fd. B.C. Conc. Mon for Sec. 19/20
224.30 T 6 N R 13 W
See F.B. 429-17

Sec 19

Sec 30

Notes: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE BY THE SURVEYOR WITH DATE AND NAME OF PERSON MAKING THE CHANGE.

Do not remove from this file

LOS ANGELES COUNTY SURVEYOR
RETURN TO
700 HALL OF RECORDS

F.B. 487 P. 106

W.3.64, A-2

Fd B.C. Conc. Mon. w/ Elev. Sec. 20
T6NR14W FB 429-18

T = 36°

92.04	@	10°26	= 90.52
88.24	@	18°41	= 83.89
299.03	@	18°56	= 282.85
171.74	@	13°18	= 167.13
297.63	@	1°30	= 296.71
			920.80
			.07
			920.87

Sec. 19

920.87

Sec 20
T6NR13W

9+20.87
Fd 1x2" S FB 429-18

T = 96°

73.13	@	17°01	= 69.93
114.02	@	20°15	= 108.97
77.23	@	24°42	= 70.16
299.25	@	17°28	= 292.19
115.72	@	17°08	= 110.88
			649.83
			.05
			649.88

Sec line
649.88

15+70.75
Fd. 1x2" 2 F.B. 429-18

T = 94°

299.69	@	7°06	= 297.39
99.40	@	0°50	99.39
			396.78
			+ .03
			396.81

396.81

174°54'00" Adj.
174°53'56"

19+67.56
Fd 1x2 int 195B
F.B. 429-17+36

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by _____ Survey of Sec 20 T6NR13W F.B. 487 Pg 102

Chkd _____ Notes Beyer Date Aug. 32

Date _____ Indexed _____ A. C. Johnson

W.S. 8A2

Fd 1x2 Int

19+67.56

Road

T= 94°

282.89 @ 2°43 = 282.57

Traveled

① 5° 06' 00"
② 20° 24' 15"
③ 90° 48' 30"

T= 92°

23.17 = 23.17
23.30 = 23.30
37.15 = 37.15
300.00 @ 5°99 = 298.50
17.89 = 17.89
400.31

Sec 19

Old Orchard

Sec line

Sec 20
T6N R13W

Set 1x2

T= 98°

752.21 Calc.

79.23 @ 12°28 = 77.39

77.39

26+56.08
Fd B.C. Mon. Cor to Sec. 19, 20, 29 & 30 Page 105

① 84° 52'
② 339° 28'
③ 318° 42'

84° 52' 30" W

67.59

27+24.77
Set 1x2 by Int Page 105

Set 1x2 by Ind

T= 98°

67.59 = 6

NOTICE TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not deface this side of this Book

Notice: ANY ALTERATIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CARBON AT THE TIME OF PREPARATION AND WITHOUT ADDITIONAL CHARGE.

W 5 64 A-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 487 P. 10.8

To bottom of pg. # 103

25
25+18.96
Offset pt.
Set 1"X2"

90°00'

28.69

25+18.96
P.O.T. #2
Set 1"X2"
Top bank - Edge Wash

1352.14

+T98°
121.69 @ 1°23' = 121.65
300.18 @ 6°11' = 298.43
299.60 @ 3°48' = 298.94
300.50 @ 6°35' = 298.52
1017.54
+.09
1017.63

+T100°
299.90 @ 14°39' = 290.15
45.19 @ 14°32' = 44.33
334.48
+.03
334.51

11+66.82
P.O.T. #1
Set 1"X2"
top Spur

Sec. 20

+T100°
292.14 @ 10°36' = 287.16
74.81 @ 19°30' =
32.40 @ 12°07' = 31.68
94.63 @ 4°56' = 94.28
258.57 @ 15°20' = 249.37
69.69 @ 21°32' = 64.83
80.10 @ 13°45' = 77.80
300.42 @ 15°18' = 289.77
78.28 @ 23°28' = 71.81
1166.70
+.12
1166.82

1166.82

(1 - 90° 40' 00"
4 - 362° 40' 15"
3 - 365° 20' 00")

90° 40' 00"

O.K.

(Mag.)

1/4 Sec. Cor.
Fd. C.S. Mon.
Mkd - 1/4 Cor. Cor.
Sec 19 + 20 - T6N
R13W
Plan F.B. 429-18

Notes Ck'd by

Book No.

Office Work

Checked

Date

Survey of T.6N-R.13W

Surveyed by

Noted

Indexed A. C. Johnson

F.B. 457 Pg. 102

Sec. 21

50+39.09 from W-1/4 Sec. Cor. Fd. B.C.S. Mon. Ref. pg. 101 - see F.B. 429-5

50+39.09 offset Pt. Set 1"x2"

(1-89°49'15"
4-359°16'15"
8-358°33'00")

28.69

90°

89°49' 89°45' 10" Adj.

Sec.

Set B.C. Conc. Mon. as also shown. Under. Par dist. as shown for 1/4 cor. Set 1"x3" RW stk 4.30 out N.S. 3-16-39 J.D.B.

SURVEY OF T.6N. R.13W. SEC. 20 RE 1/4 COR. 62 MONUMENT

1344.35

1097.05 3-16-39

20

+T98°

55.52 @ 3°21' = 55.52
300.12 @ 2°21' = 299.97
206.24 @ 3°30' = 206.24
183.00 @ 0°05' = 183.00
299.94 @ 1°58' = 299.94
300.16 @ 0°47' = 300.16

1344.83

1344.83

36+94.74 P.O.T. #3 Set 1"x2"

N 39°15' E

1196.92 Calc. (M&F) Calc.

39+91.66 Reset this point for Par. new chaining as old line is graded Dist. S.D.B.

36+94.74 offset Pt. Set N&T

Offset 1116

1316.28 3-16-39

B.C. Mon. Mkd. Cor. 62 1/4 Page 115

1316.30 3-16-39 T=87°

102

1097.70

- 01

1175.78

+T96°

271.23 @ 0°00' = 271.23
300.20 @ 3°08' = 299.76
299.40 @ 4°01' = 298.66
300.39 @ 2°45' = 300.05

1175.69
+.09

1175.78

See Page 115 for Cen. of Sec.

J.D.B.

from Fd. Bk. Pg. #'s

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

W 5.64 A-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 487 Pg. 110

To bottom of pg. #111

12+60.05
P.O.T. #5
Set 1"x 2"

Fence
Road

+T98°
151.87 @ 3°39' = 151.54
298.33 @ 23°48' = 272.96
51.54 @ 20°09' = 48.39
472.91
+.04
472.95

7+87.10
P.O.T. #4
Set 1"x 2"
Tp spun Ridge

N 0°01'30" E 787.10

See bottom Page 115
for setting of cen. of Sec
Monuments J.D.B

+T98°
247.20 @ 18°46' = 234.06
255.70 @ 9°23' = 252.28
300.74 @ 0°59' = 300.69
787.03
+.07
787.10

Intns. #3
Set 1"x 2"
by Intns.

24.65

P.O.T. #3
per pg. #108

24.65 @ 0°00' + T 100° = 24.65

N 1°09' W

87°53'58"
87°53'55" Adj.
(1-87°54'00"
4-351°36'00"
8-743°11'45")

P.O.T. #2
Set 1"x 2"

Sec. 20

P.O.T. #1
Set 1"x 2"
by transit-in
Tp. Ridge

1/4 Sec. Cor
Fd. C.S. Mon.
Mkd. 17+20
T6N-R13W

Notes Ck'd by _____

Office Work _____

Checked _____

Survey of Sec. 20 - T6N - R3W F.B. 487 Pg. 114

Surveyed by Boyer

Notes H. Ehrhardt

Returned A. C. Johnson

W. 5 64, A-4

Notice: ANY ALTERATIONS OR CHANGES OF THIS SHEET MUST BE MADE ONLY BY OR UNDER THE DIRECTION OF THE COUNTY SURVEYOR AND WITH HIS NAME OF PERSON MAKING SAME. NO CHARGE

Do not extend notice to other side of this sheet

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

27+54.72 Intrs. Set 1"x2" by Intrs.

+T102°
2.25 @ 0°00' = 2.25

P.O.T. = 5'A Fd. 1"x2" per Pg. 103

2.25

T 102°
52.74 @ 26°07' = 47.36

47.36

87°17'30"

87°17'40" Adj.

(1 - 87°17'45"
4 - 349°10'45"
8 - 338°21'15")

27+07.36 1/4 Sec. Cor. Fd. 1"x2" per Pg. ± 103.

+T102°
71.24 @ 21°04' = 64.48
299.67 @ 13°25' = 200.65
135.35 @ 0°00' = 135.35
499.48
+.05
499.53

+T100°
94.39 @ 3°54' = 94.17
299.85 @ 13°20' = 290.12
385.29
+.05
385.34

+T94°
131.03 @ 7°47' = 130.82
300.14 @ 4°05' = 299.88
147.88 @ 3°54' = 147.74
578.44
+.04
578.48

(Mag) 64.15 N 3°00' E 1447.91

Set B.C. Conc. Mon mkd as shown .3 above ground for 1/4 cor. Pen point 3-23-34 JDB

SURVEYOR'S MONUMENT Sec 20 T6N R3W 1/4 Cor. 67 MCIB ILMORE

69.15

13+80.58

120.53

Set Pot. #5

T = 54°
121 @ 7°30 = 118.94
3-20-34
.02
118.92
+2.53
121.45

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

W.S. 64 1/2-2

487 P. 112

Proposed Relocation of portion Boquet Canyon Rd.

Fd B.C. Cone. Mon. Std. Cor to Sec 21 Page 102

160°00'30"
280°02'15"

127°30'15"
150°01'00"

① 17°50'15"
② 71°21'15"

21°46'30"
87°05'45"

Sec 21

T6NR13W

Set Nail Prop. P.I. Page 113

See Page 113

Set 1x2 for P.I. #2

Set 1x2 P.I. #3 Page 113, 116

301.62

177.73

127°30'15"

160°00'30"

21°46'26"

17°50'20"

See Page 114A for Curve data

Sec Line

H.I. Comly

Manger Line

Sec 20

Set 1x2 for Proposed P.I. #1

T = 98°
112.32 @ 4°49 = 118.48
300.35 @ 3°58 = 299.63
418.11
09
418.15
12.13
406.02
20 51.23
1 57.25
156.94
340.31

406.02

T = 88
300.24 @ 2°23 = 299.98
272.94 @ 4°16 = 272.92
572.92
+.81
300.60
1.01
301.61
01

177.88 @ 2°20 = 177.73
T = 92
469.46
469.48

301.62
177.73
479.35

Δ = 17°50'20"
R = 1000'
T = 156.94
Yt = 12.24
L = 311.25

For Curve data see Page 114

B.C. Mon. 1/4 cor. to Sec 20 & 21 T6N R13W Page 102
20+51.23

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Return to
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CANCELED AT LEAST ONE WEEK PRIOR TO DATE AND NAME OF PERSON MAILING CHARGE.

Do not extend notes this side of this line

W.S. 64 A-2

Sec 20
T6NR13W



F.B. 497 Pg. 114

Curve Data (Hi. Comly line) Page 112

No. 1

Δ = 17°50'20 R = 1000' T = 156.94 Xt. = 12.24 L = 311.35

Sta	Def	Chord	Arc
B.C. 29+00.31			
+50	1-25-15	49.69	49.69
30+00	2-51-15	50.00	50.00
+50	4-17-15	"	"
31+00	5-43-15	"	"
+50	7-09-15	"	"
32+00	8-35-15	"	"
E.C. 32+11.66	8-55-10	11.66	11.66

No 2

Δ = 19°59'26 R = 1000 T = 176.25 Xt. = 15.41 L = 348.90

B.C 34+51.30				
35+00	1-23-43	48.70	48.70	
+50	2-47-40	50.00	50.00	
36+00	4-15-37	50.00	50.00	
+50	5-41-34	50.00	50.00	
37+00	7-07-31	50.00	50.00	
+50	8-33-28	50.00	50.00	
38+00	9-59-25	50.00	50.00	
E.C. 38+00.20	9-59-43	0.20	0.20	

No. 3

Δ = 52°29'45 R = 600.00 T = 295.86 Xt = 68.99 L = 549.74

B.C. 38+07.44				
+50	2-01-56	42.55	42.56	
39+00	4-25-10	49.99	50.00	
+50	6-48-24	49.99	50.00	
40+00	9-11-38	49.99	50.00	
+50	11-34-52	49.99	50.00	
41+00	13-38-06	49.99	50.00	
+50	16-21-20	49.99	50.00	
42+00	18-44-34	49.99	50.00	
+50	21-07-48	49.99	50.00	
43+00	23-31-02	49.99	50.00	
+50	25-54-16	49.99	50.00	
E.C. 43+57.18	26-14-52	7.18	7.18	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by

Office Work

Checked

Survey of Sec 20 T6N R13W

F.B. A87 Pg. 115

Surveyed by Bauer & Parks

Notes Dec. 1932 C. Johnson

Mc 3-64, A 32

Curve data

Rd. Dep. Curve Page 113.

Δ = 90° 19' 30" R = 300' T = 301.71 L = 472.94 Lt = 425.48

Sta.	Def.	Chord	Arc.
B.C. 36+82.22			
37+00	1-41-53	17.77	17.78
+50	6-28-22	49.95	50.00
38+00	11-14-51	"	"
+50	16-01-20	"	"
39+00	20-47-49	"	"
+50	25-34-18	"	"
40+00	30-20-47	"	"
+50	35-07-16	"	"
41+00	39-53-45	"	"
+50	44-40-15	"	"
E.C. 41+55.14	45-09-45	5.19	5.14

Jan. 1933



Δ = 46°

107.79	=	107.77
130.19	=	130.17
53.81	=	53.80
105.57	=	105.55
133.25	=	133.23

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CARBON IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Reproduction Law Co. L.A.

Bottom Page 113

Set 1x2 Stakes at
50 foot stations per
Rd. Dep. line stationing
Rough chaining

Fence

177°-28'-30"
0°54'-57"

Set 1x1 P.I.
51+49.7

Set 1x1 Stakes at
100 ft. stations
Rough chaining

Set 1x1 P.I.
45+32.32

FORM 867 10M 8-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 64, A-2

Survey of SEC 20 TGN R13W

Drawn Ck'd by

Office Work Checked

Surveyed by C. Johnson 3-16-34

F.B. 487 Pg 102

133.20
1316.20
1097.60
296.92
21.14
0+00 South
131.37
42.13
48.22
0+53.80
112.20
Cen. of Sec Page 115
Set B.C. man for 1/4 cor Por dist Page 103
B.C. Man E 1/4 cor Page 102
N 2°-3' W Page 103
3+94.74
39+41.46
5a+35.64
SURVEY OF T.G.N. R.13W. SEC 20 + RE CEN. OF SEC. S.E. 1/4 MONUMENT
1449.68
1x2" #5 12+60.05 Page 111
128.33
Set B.C. Mon For 1/4 cor Por. dist Page 111
89°-54' 37½"
89°-55'20"
Calc.
Set B.C. Conc Mon mkd. as shown .3 above ground Dy Int 4-6-34
1x2" 2 13+33.5 Page 102
Set B.C. Mon for 1/4 cor Page 102
1272.42
89°54' 45"
359 38' 30"
1328.30
B.C. Man. S. 1/4 cor. Page 103
1318.16
Set B.C. Mon for 1/4 cor Por. dist. Page 103
Sec Cor CSMon Page 102
47.31
1318.10
264+35.78
7+44.76
23.86
1x2" # Page 102
15+42.69

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 487 Pg. 116B

Survey of Sec 20 T6NR13W

F.B. 487 Pg. 47

Sec 17

Sec 16

Fd B.C. Mon 1" under Cor to Sec 16, 17, 20 & 21 T6NR13W

30.00

30.00

Set 4x4 RW Stake

Set 4x4 RW Stake

30°

90°

Canyon Road

Bouquet

Sec 20
T6NR13W

Sec 21

T = 100°
192.395 ÷ 150.00
100ft @ 3°16' = 100.00

100.92 @ 1°9' = 100.00

90.00

Fd. B.C. Mon + Cor to Sec 20 & 21 Tan

100.00

50.00

100.00

50.00

Set 2x2 Lead

Set 2x2 Lead

Filed in LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Misc. 692

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Maps Ch'd by McPherson

Office Work McPherson

Checked

Survey of T8S9NR10W

Surveyed by Bauer & Party

Notes Bauer

Date 10-5-52

C. Johnson

F.B. 487 Pg. 114

Survey to
Re-establish and Lower
Monument
at
Cor. to Sec 34 & 35 T 9N
and
Sec. 2 & 3 T 8N
R. 10W

See C.S. 8731

J.D. Bauer
H.B. Rockhold T
G.H. Nichols H.C.
G.W. Schaefer R.C
M.A. Van Deren

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 3-51

F.B. 487 PG. 120

Noted on C.S. 823
by McPherson
Oct 19 '32

KW St 69 Rd (2)

COUNTY SURVEYOR
T9N
34 35
3 2
T8N
R11W R10W
COUNTY MONUMENT

Fd B.C. Conc. Mon. mkd. as shown leaving to N. 24" above ground. Marking reversed. 180° I.T. .05 S.E. of true location. Reset 1½ under lap Int. as shown.

Sec 34
T9N R10W

Sec 35

Fd B.C. Mon. ¼ cor. to Sec. 34 T9N R10W

Fd B.C. Mon. ¼ cor. to Sec. 2 T8N R10W

KERN COUNTY

T9N

Set 4x4

42.43 Tan 45°

Traveled Road

42.43

T 8 N

Set 4x4

LOS ANGELES COUNTY

R10W

Fd 2x2 flush Set 4x4 .2 above

Fd 2" I.P. with cut spk. set conc. l'under. ± cor. to Sec. 2 & 3 T8N R10W

Tan. 90° 30.00

30.00

Set 4x4 .2 above

Sec. 2

Sec 3
T8N R10W

Set 4x4 RW

Antelope School

wire Fence

Fd B.C. Mon. l'under. Cor. to Sec. 2, 3, 10 & 11 T8N R10W

42.43 Tan

Darwin Road

42.43 Tan

Sec. 10

Set 4x4 RW

Redman-Muroc Rd.

Sec 11

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notice this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CANCELED M. Rod [illegible] WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Office Work: MS Chapman
Checked: 10-10-52

Survey of: Co. to Sec. 19, 20, 29 & 30
Surveyed by: Bouer & Party
Notes: Bouer
Date: 5-26-52

F.B. 487 PG. 21

Survey to Establish Property line Corners at Corner to Sec. 19, 20, 29, & 30 T8NR10W

Tape* 47 Std. @ 84°

See C.S. 8731

J.D. Bouer
M.B. Rockfield
G.W. Schaefer
M.A. Van Deren

Surveyed at Request of Mr. Stairns of Rd. Dept.

LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-51

LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
RETURN TO
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
WS 691 A-2, A-3

F.B. 487 Pg 122

Set 2x2

Fd B.C. Conc mon. Cor. to Sec 17, 18, 19 & 20 T.8N R.10W

Tan 42.43

Fd white 3x3

Sec 19

Sec 20
T8N R10W

Fd. Unpainted 4x4 N&T. in Top

30'

30'

Set N&T

N&T Locust

N&T Poplar

Set 4x4 RW stk

Set 2x2

Fd 2" I.P. with cut spk. under 1/4 cor. to Sec 20 & 29

89° 36' 00
179° 12' 00

90° 24' 30
180° 19' 00

42.43

Set N&T

Fd B.C. Mon. under cor. to Secs 19, 20, 29 & 30

100.00

Set N&T

30.00

89° 52' 30
179° 45' 15

90° 06' 45
180° 13' 45

N&T. P.P.

36.99

Set 2x2

Set RW 4x4 Stk

Fd. Conc. mon. with 2" I.P. cut spk. 0.5 under & Cor. to Secs 19 & 30 T8N R10W

Sec 30

Set 2x2

Set N&T

Sec 29

Fd. Unpainted 4x4 N&T. in Top

Cross in Iron Cor Fence Post

Sec 31

Sec 32

Fd White 3x3

Set Nail by Int from 3x3 stakes for Cor. to Secs 31 & 32 T8N R10W & Secs 5 & 6 T7N R10W

42.43

Fd White 3x3

Fd. White 3x3

Notes Ck'd by _____ Survey of T6NR13W F.B. 487 Pg. 42

Office Work _____ Surveyed by _____

Checked _____

Date Nov 1st 32 Indexed R. C. Johnson

Survey To
Relocate Tower
Forest Boundary Monument
No. 91
Near the corner of
Sec 7 & 18 T6N R 13 W
&
Sec 1, 2 & 13 T6N R 14 W
Monument having been disturbed

J. D. Bauer
H. B. Rockwell
G. H. Nichols
G. W. Schaefer
M. A. Van Deren

Monument moved at request of Mr Stains of Rd. Dept. who got permission of Mr. Durhan Chief Forrester

Notice: ANY ALTERATIONS OR CHANGES IN THIS SURVEY MUST BE MADE ON THIS SHEET AND NOT ON ANY OTHER PAPER. NO CHANGE

RETURN TO LOS ANGELES COUNTY SURVEYOR 720 HALL OF RECORDS

Do not write outside of this line


Sec 7
T6NR13W
Elizabeth Lake
Leona Valley
Service Station
Road
Forest Reserve
Boundary Post
No 91
1905
Set B.C. Conc. Mons. mkd. as shown, 0.2' above ground, out 4 ways 28.28' at 45° from line Offset from For. Bdry. mon. to Sec. Cor. mon. for Witness monuments to Forest Bdry. Post. Set 1"x2"x4" markers, mkd. "Witness to Forest Bdry. Mon." on side nearest 28.28' out @ 45° on other side
Fd. B.C. Conc. Mon. 1½ under Cor. to Sec. 7 & 12 T6NR13W & Sec 12 & 13 T6NR13W
Fd 3x3 RW
Fd 4" I.P. with B.C. mkd. as shown 1' above ground, knocked to N.E. Reset 1½ under to former location as per F.B. 84-100 with 4 witness monuments as shown
Transit. line
Brass Cap Mon. ¼ Cor. per F.B. 139-42
Fd 3x3 RW
Fd. B.C. Conc. Mon. 1' under Cor. to Sec. 7 & 18, 17 & 18 T6NR13W
Leona
Ave
Set B.C. Wit. Mon.
Fd 3x3 RW
Sec. 18
0.34
8.28
28.28
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
W.S. Co. A-1

Notes Ckld by _____ Survey of Griffin Road F.B. [illegible] Pg. [illegible]

Office Work _____ Surveyed by [illegible] A. C. Johnson

Survey of Portions of Griffin Road To Relocate Portions Washed out by Cloud burst

For Proposed Relocation See Page [illegible]

Survey made at request of Mr. Stathe of Rd. Dep.

300 Tape #47 Std. @ 84°
100 " #16 " @ 76°

See FB 78
" C.S. [illegible]

LOS ANGELES COUNTY ROAD DEPARTMENT
200 HALL OF RECORDS

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Note:
Preliminary line to find points, run with 300' Tape # 47.
● = Monument found
points set rec. dist. not corrected for Tem. as no Tem. car. was used in original survey FB 18, Adjusted P.I.
points set by proportion of distance between P.I.s to cal. bearing & length of closing error. E.S. Mag used for bearings.
P.I. points reoccated tied out by 2x2 stakes for R.P. as shown.
as it is impossible to preserve R.W. points, Portions washed out mkd. by X stakes for construction purposes only.

F.B. 487 Pg 126

487 187

Notes Ck'd by _____ Survey of Griffin Road F.B. _____ Pg. _____

Office Work _____ Surveyed by Baker & Tams

Checked _____ Notes Bog & C. Johnson

To bottom next page

Fd 4x4

85.00

Set B.C. Conc. Mon. 3' above ground. mkd as shown

Std. Cor. 4x4 washed out

Rec 458.52

Fd. B.C. Mon mkd. as shown. 1' under FB78 90

Set Nail

Fd 2x2

20.00 20.00

Set 2x2

GENERAL LAND OFFICE R10W T5N S32 S33 S5 S4 1911 SURVEY

COUNTY SURVEYOR'S T5N R10W Sec. 33 Sec 4 Wit. to C.C. TAN MONUMENT

Bottom Wash

Set 1x1 Stakes 20' E & W @ 100'± for construction only

245.52 Rec

Set Nail

Set 2x2

Set 2x2

20.00 20.00

Fd. 2x2 FB78-138

T = 78

241.39

Tape #16

Sec. 5

Sec 4 T4N R10W

115.87

Set Nail

Set 1x1

Set Nail

20.00

Set 1x1

125.52

Δ = 38°00'10"
R = 700
T = 241.39
Lt = 10.45

Set 1x1

20.00

Fd. 1x2 P.I. # 222 FB 78-139

1/4 curve points

115.87 = Tan dist

.63 ± " ord

Set 1x1

Set 1x1

20.00

Set 1x1

20.00

Set 1x1

Sec Line

Fd 2x2

20.00

Set Nail

20.00

Pol. 2x2 FB78-139

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red Ink WITH NAME AND NAME OF PERSON MAKING CHANGE.

241.39 C.S.S. 78 58-1

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes outside this area

Wls. 1966, 13

F.B. 497 P. 128

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.



From Top Preceding Page

Survey of Griffin Road

F.B. 487 Pg. 122

Surveyed by Boyer & Party

Notes Boyer Date Oct. 30 '57

Office Work

Checked

Set 2x2 stakes

To bottom Page 130

Set Nail Rec. Angle & Dist. not cor. for Tem.

T = 68 Tape 16

154.11 - .01

T = 60°

154.06 - .02 — #47

126° 42' 30

176° 50.00

Set 2x2 split of angle

Set 1x2 por. dist for P.I. 230

Set 2x2 split of angle

71° 56' 15"

Set Nail Rec. Angle & Dist not corrected for Tem.

T = 60°

248.05 - .04 — #47

176° 46' 00

347° 04' 00

Set 1x2 por. dist. P.I. 232

126° 42' 45

176° 51' 30

154.04

157.10

Transit line

Δ = 53-11-08

R = 150

T = 75.25

Xt = 17.82

Set 1x1 stakes, 20' out each way from B.C. E.C. & Ext. for Construction only.

126° 42' 52"

126° 42' 30"

247.05

248.01

T = 68°

247.35 - .01

176° 46' 30"

347° 06' 15"

Sec 33

T5N R10W

Fd Old 2x2

Set Spike & Tin below surface

176° 46' 30

347° 06' 15

Fd old 1/2" pipe

Replaced with 3/4"

Notice: ANY ALTERATIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not remove from this side of this Map

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS


P.B. 457 PG 130
To Top Page 131
Tape 16
T=68°
Set 2x2 split of angle
228.57
01
265.72
01
T=60°
228.48
03
#47
265.70
01
#47
Set Nail
132° 34' 30"
Set 2x2 split of angle
169° 34' 15"
318° 17' 30"
169° 34' 00"
318° 16' 30"
265.66
Set Cut Spk P.L. 233
Set Nail
122° 08' 45"
Set Cut Spk .3 under P.L. 233
169° 34' 10"
169° 34' 22"
228.45
228.51
Set 2x2 Top bank split of angle
Set Cut Spk .3 under for P.L. #232
Set 2x2 Top Bank split of angle
Set N x T
74° 37' 15"
Sec 33
T 5 N R 10 W
Δ = 97-31-20
R = 300
T = 132.07
Lt = 27.79
132° 28' 30"
132° 28' 41"
Set 1x1 stakes 20' out both ways from B.C., E.C. & Ext. for construction
Tape 16
T=68°
726.83
04
Set 1x1 stakes 20' out each way at approx. 100' dist.
691.27
Tangent
694.76
132° 28' 30"
169° 54' 00"
T=60°
726.75
11
#47
132° 28' 45"
169° 54' 45"
Rec
Δ = 50° 36' 00"
R = 150
T = 70.92
Lt = 15.92
Set 1x1 stks. 20' out each Way at B.C. & Ext
129° 23' 15"
157° 33' 00"
129° 23' 15"
157° 33' 00"
129° 23' 15"
Set 1x2 P.I. # 231
Set Nail
64.61-57
From Top Page 129
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Griffin Road

F.B. 487 Pg. XX

Surveyed by Bauer & Parks

Checked

Notes Bauer Date Oct 26-52

Set 2x2 Top bank Split of angle

Set Cut Spk. 3 under P.I. # 234

From Top Page 180

Tape 16 T = 68°
256.05
- 01

171° 51' 30
351° 16' 00"

164° 44' 35
298° 52' 00

T = 68°
256.06 — 01

149.77 — 01

Dec 33
T 5N R 10W

Set 2x2 Top bank Split of angle

20.00

164° 49' 00"

Set 2x2

164° 44' 15"

140° 53' 00"

Set Nail

51.00

Set 1x2 P.I. # 235

T = 68° Tape 16
149.78
- 01

149.75

149.77

Set 2x2 Top Bank Witness Point

20.00

Set Nail

12.5° 27' 30"

95° 11' 00"

20.08

Set Cut Spk. 3 under P.I. # 236

Fd 1x2 FB 78-144

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE ON DUPLICATE Road Bk. WITH DATE AND NAME OF PERSON MAK. ING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-51

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

P.B. 137 Pg. 132

Date _____ Notes by _____ Chief Party _____ F.B. 487 PG 183

Platted by _____
Date _____
Map No. _____
Platting C'k'd by _____
Date _____

W. O. No. 187 D. S. O. No. _____
Location T7NR11W
Surveyed by Boyer + Party
Date Aug 1931
Endorsed C. C. Johnson 5-4-35

JD Boyer
JH Bowder "
GH Nichols HC
GW Schaefer "
AR Held

Survey to locate Topog SE Cor Sec 12 T7NR11W J

214.24
65
14921

W.S. 69, A-29

Fd C.S. Mon Cor to Sec 7 & 18 T7NR10W & Sec 12 & 13 T7NR11W

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes to this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Notes by

Chief Asst.

F.B. 787 PG. 134

Date _____ Notes by _____ Chief Party _____ F.B. 481 Pg. 135

Plotted by _____
Date _____
Map No. B-833.
Plotting C'K'd by _____
Date _____

W. O. No. 299 S. S. B. No. _____
Location T7NR9W
Surveyed by Power & Pair
Date June July 3
Indexed A. C. Johnson
10-10-37

300 lapc 17
Std. @ 840

INDEX MAP T. 7N. R. 9W.



● = Existing Monuments
○ = 2" I.P. Found

SURVEY OF
ADDITIONAL SECTION LINES
IN
T 7 N R 9 W

J.D. Boyer
J.H. Beheler T
G.H. Nichols T + H.C.
G.W. Schaefer HC + RC
A.R. Held RC
J.P. Pierce RC

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

RETURN TO

LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Date

Chief Party Notes by

F.B. 487 Pg. 136

Book _____ Notes by _____ Other Party _____ F.B. 487 Pg 137

Plotted by Mann
Date Apr. 1933
Chkd by _____
Plotting Chkd by McKinnon
Date May 1933

W. O. No. 999 D. S. O. No. _____
Location T7N R9W
Surveyed by Baker & Party
Date June 29 1931
Indexed _____

JD Baker
GH Nichols
GW Schaefer HC
AR Hole RC
300' Tape @ 84°

To bottom next page

Set N & T
28+32.32
Fd 6x6 conc post with cut spk

Fd 6x6 conc Post with cut spk

20.02 19.97

COUNTY SURVEYOR T7N R9W Sec + 34 W.C. MONUMENT

172.11 @ 96°

172.12

Set B.C. Conc. Mon. mkd as shown, .3 above ground JDB 3-8-33

Fd. 2" I.P. .5' under

30.00 30.00

Set B.C. Conc. Mon. mkd as shown .3 above ground JDB 3-8-33

ROAD

Set Cut Spk 26+60.20

COUNTY SURVEYOR T7N R9W Sec + 33 W.C. MONUMENT

Sec 33 T7NR9W

Sec 34

1329.20

1329.10 @ 96° = 1329.20

WILSONA Road

Set Cut Spk 13+31.00

1330.50 @ 96° = 1331.00

1331.00
1329.20
2660.20
172.12
28 32.32

COUNTY SURVEYOR T7N R9W 33 + 4 Sec. Cor T6N MONUMENT

89°09'00"
89°04'05" Adj.

1331.00

Rock & Oil

89°04'
35.6

Fd. 2" I.P. with Cut spk. set in conc. .5 above ground. Replaced with B.C. Conc. mon. mkd. as shown 1' under + 4.44 RW stakes 30' out N & S. account of road. 6-30-31 JDB

Fd 3x3 White Stake

42.43

Fd B.C. Conc Mon. Re... Sec. Cor to Sec 3... T7NR9W & Sec... T6NR9W, Sec... 8732

Fd. White 3x3

42.43

Oiled Road

RETURN TO LOS ANGELES COUNTY SURVEYOR

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY OR CHECKED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line W.S. 6-8-33 Auto Dec

F.B. 487 Pg. 138 Chief Party Notes by Date

To bottom next Page

W.S. 68, A+5

Replaced with RBC 17" down, 4x4 stake
Fd 2" I.P. ¼ Cor Set 3½E+1W
80+16.00

WILSONA ROAD

Sec 28

SURVEYORS T7N R28E27 SEC. COR MONUMENT

Sec 27

2674.54 @ 98°
-.24 = 2674.78

2674.78

179° 13' 00
35° 52 00

179° 13' 00
O.K.

Fd 6x6 Conc. Post with Cut Spk

20.00 20.00

Fd N&T supposed to be over 2.1'P
53+41.22

OK for Sec. Cor.

Fd 6x6 Conc. Post with cut spk

ROAD

Pavement

1345.26

1345.13 @ 98°
= 1345.26

WILSONA

Rock

0.11

Set Cut Spk
39+95.96

Sec 33
T7NR5W

Sec 34

2832.32
1163.64
3995.96
1345.26
5341.22
2674.78
2016.00

1163.64

1163.54 @ 98°
= 1163.64

Set N&T
28+32.32

From Top preceding page

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. A87 Pg 139

Plotted by MSP & Marsin
Date Apr. '33
Plotting C'k'd by MSP.
Date May 1933

W. O. No. 955 D. S. O. No.
Location T7N R9W
Surveyed by Bender + Party
Date June 29 1931
Inducted A. O. Johnson

J.H. Bender T.
C.H. Nichols RC
G.W. Schaefer RC
A.R. Hall

To bottom next page

Set 1x2
132+59.98

1347.00 @ 96°
= 1347.11

1347.11

Sec. 21
T.7N. R.9W.

Set 1x2
119+12.37

Sec 22

Tem 96°
300.00 @ 0° 29'
300.00 @ 0° 19'
300.00 @ 0° 51'
300.00 @ 1° 00'
21.56 level
= 1221.53

1221.53

80+16.00
26 79.84
106 90.84
12 21.53
119+12.37
13 47.11
132+59.98

179° 26' 30
357° 21' 30
179° 20' 22"

179° 20' 20"
179° 20' 30" Adj.

Replaced with P.B.C. 1½" down, Non Stamped as shown 4x4 side stakes set 42.49 N.E+S.W.

Fd. 2" I.P. Plug + Tack
106+90.84

COUNTY SURVEYORS MONUMENT
T7N
R9W
21 22
28 27

2674.84

2674.60 @ 90°
-.24
= 2674.84

Sec 28
T7N R9W

Sec 27

Fd 2" I.P.
80+16.00
OK for ¼ Cor

From Top preceding Page

W.S. 68 A

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN RED AND CIRCLED IN RED, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 Pg 140 Chief Party Notes by Date

W.S. 68 A-5

Sec 16 Sec 15

Black Hawk Rd

Fd B.C. Conc mon cor. to Sec 15, 16, 21 & 22 T7N R9W See CS 8732

160+37.05

Fd B.C. Conc Mon Cor to Sec 16, 17, 21 T7N R9W

89° 48' 15" 89° 48' 00" Adj.

359° 12' 45" 89° 48' 11"

Tem 96°

300.00 @ 1° 22' = 299.91
300.00 @ 1° 29' = 299.89
300.00 @ 1° 32' = 299.89
158.19 level # 158.12
1057.89

1057.98 - 1057.98

Set 1x2 149+79.07

Sec 21 T7N R9W

Sec 22

1498.01

1200.00 @ 96° 298.10 @ 200° = 297.81
1497.81
= 1498.01

132+59.48
2 21 58
134+81 06
14 98 01
149+79 07
10 57 98
160+37 05

COUNTY SURVEYORS T7N R9W 21 22 1/4 COR MONUMENT

1/17/12

Set 1x2 139+81.06

221.56 @ 96°
= 221.58

221.56

Set CS Mon 2" I.P. BC for 1/4 Sec Cor Stamped as Shown 4x4 Stakes 30' @ 90°

Set 1x2 132+59.48

From Top Page 139

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 PG. 141

Plotted by MEP + Marin
Date Apr. 1933
Plotting C'k'd by MEP
Date May 1933

W. O. No. 999 D. S. O. No. _____
Location T7NR9W
Date June 30 + July 1 - 5
Indexed C. Johnson

To be filed in Page 142

W.S. 69-4-4

Tem 102°

300.00 @ 4°19 = 299.15 ✓
96.33 10°47 = 96.63 ✓
205.73 4°19 = 205.00 ✓
598.78 ✓
+ .07
598.85 ✓

Set S W & T Tap Ely. spur Pecks Butte
32+66.38 ✓

598.85 ✓

COUNTY SURVEYORS
T 7 N
32 | 33
R 9 W
1/4 COR.
MONUMENT

Set C.S. Mon. 2" I.P. in Con
Stamped as shown

14.24 ✓

Set 1x2 #2 Foot Pecks Butte
26+67.53. ✓

Sec 32
T7N R9W

Sec 33

Tem 96°

300.00 @ 1°51 = 299.84 ✓
300.00 @ 2°06 = 299.80 ✓
300.00 @ 2°12 = 299.78 ✓
279.00 @ 2°17 = 278.78 ✓
290.00 @ 2°23 = 289.75 ✓
1467.95 ✓
300.00 @ 3°17 = 299.51 ✓
1767.46 ✓
+ .14
1767.60 ✓

1767.60 ✓

899.93
2667.53
598.85
3266.38

Set 1x2 #1
8+99.93 ✓

Tem 90

400.00 level
300.10 @ 2°00 = 299.90 ✓
899.93 ✓

90° 53' 00"
+ 363 32 30 ✓
90° 53' 08"

899.93 ✓

90° 53' 08" Adj.

Fd B.C. conc mon
Sec. Cor. to Sec
32 & 33 T7N R9W
& Sec 4 & 5 T6N R9W

Reset this mon
1/2 under + set 1/4
R/W stakes 97.93 out
NW + SE account of road

Fd B.C. conc mon
1/4 cor Sec 33
See Page 137

Notice: ANY ADDITIONS OR CHANGES OR THIS SURVEY MUST BE MADE OR CHECKED BY Rod. SEEN DATE AND SEAL OF PERSON MAKING CHANGE

Do not extend [illegible] this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

487 142

Chief Party Notes by Date

To bottom Page 143

53+93.55 ℄ Set 1x2 # 7

Sec 29

Sec 28

Set 1x2 # 6
53+87.67

5.88

33.85

524.02

10.80

53+53.82
Fd 2" I.P. with plug & Tack with remains of Orig. Mesquit stake wired to it. Sec. Cor.

Replaced Pipe with CS Mon 2" I.P.B.C. set flush Stamped as Shown

COUNTY SURVEYOR'S MONUMENT
T 7 N
R 9 W
29 28
32 33

Tem 100°

266.00 @ 6°30 = 264.29
240.66 @ 4°42 = 259.48
523.27
+ .05
529.02

Set 1x2 # 5
48+63.65

Tem 100°

300.00 @ 6° 33 = 298.04
300.16 @ 2°10 = 299.95
193.59 @ 1° 59 = 193.47
791.46
+ .08
791.54

179° 12' 30"
356° 50' 00"

Sec 33

791.54

Sec 32
T7NR9W

Set 1x2 # 4
40+72.11

179° 12' 30" (Adj.)

179° 12' 30"

Tem 100°

207.00 @ 6°51 = 200.56
721.00 Level = 721.00
8.88 " = 8.88
300.00 " = 300.00
75.21 " = 75.21
805.65
+ .08
805.73

805.73

53+87.67
33.85
53+53.82

3266.38
40+72.11
791.54
48+63.65
524.02
53+87.67
5.88
53+93.55

Set SW.T # 3
32+66.38

From Top Page 141

W.S. 69, D-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg 143

Platted by	M.E.P. & Marin	W. O. No.	999
Date	Apr. 1933	Location	T7NR9W
Map No.	B-833	Surveyed by	Boyce & Party
Platting C'k'd by	M.E.Ph.	Date	July 1933
Date	May 1933	Indexed	A. C. Johnson

W.S. 9, D-5

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To bal on P.144

Tem 102°
1650.24 level
+ .19
1650.43 ✓

Set ⊕ x T # 11
96+81.68 ✓

1650.43

WILSONA Parkway

179° 46' 30" ✓
4 | 859' 05" ✓
179° 46' 20"

179°46'25" Adj. ✓

Sec 28
ROAD

Sec. 29
T7NR9W

80+31.25 ✓

Fd 2" I.P. plug & Tack # 10

Replaced with CS Mon
2" I.P. B.C. Stamped as
shown 1/2" down
4x4 Stakes SW & NW
at 42.48

COUNTY SURVEYORS
T7N
R9W
29 28
N 1/4 Cor
MONUMENT

Tem 100°
1526.63 level
+ .16
1526.79 ✓

1526.79

Set 1x2 # 9
65+04.46 ✓

Tem 100°
301.00 @ 1°01 = 300.26 ✓
301.00 @ 1°00 1/2 = 300.35 ✓
300.30 @ 1° 26 = 300.21 ✓
900.87 ✓
+ .15
900.92 ✓

900.92

56+03.54 ✓

Set 1x2 # 8

Tem 100°
209.97 level
+ .02
209.99 ✓

209.99

5393.55
56+03.54
900.92
65+04.46
1526.79
8031.25
1650.43
96+81.68

From Top Page 142

Set 1x2 # 7
53+93.55 ✓

F.B. 487 PG. 144 Chief Party Notes by Date

W.S. 69 D-5

To bottom Page 145

Set 1x2 #17
151+95.01

Tem 106°
1475.88
+ .20
1476.08

1476.08

Set 1x2 #16
137+18.93

Tem 106°
401.42
+ .06
401.48

401.48

Set CS Mon 2" I.P. BC mkd as shown for 1/4 Sec Cor 12' down 4x4 Stakes 30' at 90° Por. dist.

70.56

Set 1x2 #15
133+17.45

COUNTY SURVEYORS MONUMENT T 7 N 20 | 21 R 29 | 28

Sec 20 T7N R29W

Sec 21

Tem 104°
784.40
+ .10
784.50

784.50

Set 1x2 #14
125+32.95

Tem 104°
1803.33 level
+ .23
1803.56
107+29.39
125+32.95
784.50
133+17.45
401.48
137+18.93
1476.08
151 95.01

1803.56

90° 32' 45"
362° 11' 00"

90° 32' 55" Adj.

90° 32' AS

107+29.39
Fd 1x2 #13

Fd 6x6 w/nail cut sink

Fd 6x6 Conc Post with Cut sink

WILSONA ROAD

Pavement

Fd 2" I.P. plug & tack #12
07+09.44 O.K. for Sec. Cor.

Replaced with B.C. Conc. mkd. as shown
JOB 3-8-38

90° 42' 30" O.K.

Fd B.C. Conc Mon for Cor to Sec 19, 20, 29 & 30 T7N R29W

Tem 102°
1027.04 level
+ .12
1027.16
96 81.68
107+09.44
19.95
107+29.39

Sec 29

Sec 28

90° 42' 30"
362° 50' 00"

1027.76

Set SOT #11
96+81.08

From Top Page 143

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 PG. 145

Platted by Mc Kee Maris	W. O. No. 999 D. S. O. No.
Date Apr. 1933	Location T7NR9W
Map No. B-833	Surveyed by Boyer & Parts
Platting C'k'd by MCPh	Date July 2 1931
Date May 1933	Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 69, P-6
W.S. 681, A-5

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Sec 16

Sec 17

Fd B.C. Conc Mon
Sec. Cor. to Secs
20, 21, 16 & 17
T7N R9W
Sec Page 140
160 + 66 ↘

Fd. B.C. Conc. Mon
Sec Cor. to Secs. 15 & 16
T7N R9W
Page 140

90° 37' 30" Adj.
90° 37' 38"

871.63

Tem 108°
871.49
+ .14
871.63 ✓
15195.01
16066.64

90° 37' 45"
+ 362° 30' 30"
90° 37' 38"

Sec 20
T7N R9W

Sec 21

Set 1x2" 17
151 + 95.01 ✓

From Top Page 144

F.B. 487 Pg. 146 Chief Party Notes by Date

W.S. 69 D-5

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Fd B.C. Conc. Mon Cor to Sec 17, 18, 19 & 20, 53+31.49

Fd. B.C. Conc. Mon Cor. to Sec 16, 17, 20 & 21 Page 145

Black Hawk Road

90°13'15"Rt. 90.13'08"

90°13'00
4 | 360°52'30
90°13'08"

Tem 102°
2665.20 level
+ .79
2665.99
2665.99
53+31.49

Road 2665.50

Pavement

Fence

Sec 19 T7NR9W

Sec 20

Wire Fence 19.92 20.08 Fd 6x6 Conc. Post with Cut spk Wire Fence

Fd 6x6 Conc Post with Cut spk

Set S.W.T. for 1/4 Sec. Cor 26+65.99

Tem 102°
1331.40 level
+ .16
1331.56

Wire Fence

Wire

1331.56

Set S & T 13+34.43

Wilson

Tem 102°
1334.27 level
+ .16
1334.43
1331.56
2665.99

1334.43

90° 03'00
360° 12'00

Fd. B.C. Conc. Mon. Cor. to Sec 20, 21, 28 & 29 T7NR9W See Page 144

COUNTY SURVEYOR T7N R9W 19 20 30 29 1927 MONUMENT

90°03'05"Rt.

Fd B.C. Conc. Mon. Cor. to Sec. 19, 20, 29 & 30 T7NR9W set by McHenry on Bernic Road. Mtd. as shown

See Page 15 Pavement

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 147

Platted by MS Pkt Mason	W. O. No. 999 D. S. O. No.
Date Apr. 1933	Location T1N R9W
Map No. B-833	Surveyed by Bauer & Party
Platting C'k'd by MS Pk.	Date July 10,11 1931
Date May 1933.	Indexed A.C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line W.S. 28, A-5 W.S. 69, D-5

RETURN TO LOS ANGELES COUNTY SURVEYOR

Sec 27

Sec 34

Sec 33

Sec 28

T1N R9W

Wilsonia Road

SF 2"I.P. 8.0+16.00 Page 138 Cor

Sec Cor 10 N & T 53+41.22 Page 138

Tem 100°
300.00
300.00
299.37
899.37
+ .09
899.46
1721.58
2621.04
176.68
2797.72

10' Adj.

89°43'-16"
358-52.45
89°43'11"

899.16

Set 1x2 #1 8+99.46

Tem 100°
300.00
300.00
300.00 @ 0°49'
600.00
221.93

= 300.00
= 300.00
= 299.97
= 600.00
221.93
1721.98
1721.58

N 89°10' E 2640.0

Trans line

Transit line

1721.58

Road

24+40

Traveled

Tem 100°
176.66
+ .02
176.68

Well

Derrick

Cor. Iron Pump House

171'

90°

Set 1x2" 26+21.04

Set C.S.Mon. 2"IPBC for 1/4 Sec Cor 12" down Stamped as Shown 4x4 Stakes 30' out 90° N & S

122.6

28

176.37

.86

Wire Fence

27+00.54

Set 1x2" 27+97.72

Note
This fence corner was assumed to be about the cor. and when the SE 1/4 of the SW 1/4 of Sec 28 was sold a strip 66' was taken off the north of it and added on the east so as to include the well with said 1/4 1/4 sec.

J.D. Bayer

COUNTY SURVEYORS T1N R9W 28/33 1/4 COR MONUMENT

To Top Page 148

F.B. 487 Pg. 148 Chief Party Notes by Date

W.S. 69 D-5

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED WITH DATE AND NAME OF PERSON MAKING CHANGE.

From bottom Page 147

Set 1x2 # 3 27+97.72

Tem 100'

1201.00
14.59
1215.59
.17
1215.66
2797.72
4013.38
1327.09
5340.47
10.82
5351.29

Alfalfa Field James Brewer

1215.66

x Fence

7.5

Set 1x2 #4 40+13.38

F.B. 102

Tem 100'

300.00 = 300.00
300.87 @ 2°55 = 300.48
300.00 @ 2°59 = 299.92
299.77 @ 2°59 = 299.08
127.66 @ 2°59 = 127.47
1326.95
.14
1327.09

1327.09

Sec 28 T7N R8W

Sec 33

Trans line

90°13'30" 90°13'45" 90°43'35" 90°13'40" Adj

90°43'38" 362°54'38" 90°43'38"

Fd 1x2 #8 Page 142

Set 1x2 etoc

46.50 90°

53+40.47 Fd 2" I.P. with old orig. mesquit stake attached Page 142

Trans line

Page 142

12.83

11.82

10.82

Tem 100'

300.00 @ 6°05 = 298.31
273.80 @ 15°21 = 269.03
40.42 @ 30°13 = 34.93
597.27
.06
597.33

Set 1x2 by Int 53+51.29 from E 53+53.90 from S

Set 1x2 by Int

Fd 1x2 #6 3348.67 33.72

597.33

Set Nail Top hug boulder 5+97.33

To Top Page 149

Sec 29

Date _____ Notes by _____ Chief Party _____ F.B. 487 PG. 149

Plotted by Mc Pher Mann	W. O. No. 999 D. S. O. No.
Date Apr. 1933	Location T7N R9W
Map No. B-833	Surveyed by Baker & Parties
Platting C'k'd by McPherson	Date July 13 - 31
Date May 1933	Indexed A. C. Johnson

From Bottom Page 148

5+97.33
Set Nail in
Top huge boulder

Tem 102°

79.14 @ 20°48 = 93.24 ✓
280.51 @ 23°02 = 258.15 ✓
257.22 @ 16°56 = 246.07 ✓
102.95 @ 20°51 = 96.21 ✓
693.77 ✓
.08
693.75 ✓
597.33
1249.08
48.21
13+39.29

693.75 ✓

Set 1x2 E. Top Pex Butte
[illegible] 91.05 ✓

Tem 102°

48.49 @ 6°14' = 48.20 ✓
.01
48.21 ✓

48.21 ✓

177°31'10" per F.B. 102-75

Sec 28
T7N R9W

Td. 1x2 Set by McHenry Top E end
Pex Butte F.B. 102-75
13+39.29 ✓

1x2

Traverse line F.B. 102-75

Sec 32

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR

F.B. 487 PG. 150 Chief Party Notes by Date

W.S. 68, 45, 44-6

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Fd B.C. Mon. Cor to Sec 26, 27, 34 & 35

Fd B.C. Mon. & Cor to Sec 34 & 35

89°55'00" 413 59' 38.30 89 54' 52"

53+89.25

89°54'52" Adj 89°54'50" Adj

Tem 98°

601.37 — = 601.33
300.16 @ 0°44 = 300.60
300.31 @ 0°57' = 300.27
300.90 @ 2°06 = 300.70
300.14 @ 2°09 = 299.93
293.75 @ 2°48 = 299.39
300.07 @ 2°44 = 300.03
286.61 @ 2°55 = 286.24
2688.49
+ .24
2688.73
2700.53
5389.26

2688.73

Sec 27 T7N R9W

Set 1x2" B

27+09.52

Tem 98°
100.00
+ .01
100.01

100.01

Set P.B.C. 18" below surface
Stamped as shown
4x4 side stakes set 30' N&S

Set 1x2" L

Sec 34

SURVEYORS COUNTY T7N R9W 27 34 MONUMENT Sec Cor

Tem 100°
1099.23
+ .11
1099.34

1099.34

Set 1x2" 1

89°20'00" 357° 19.20 89° 19' 52"

Tem 100°
1501.01
+ .16
1501.17
1099.34
2600.51

1501.17

89°19'52" Adj 89°19'50" Adj

Fd 2" I.P. & Cor to Sec. 21 & 28

Fd Nail & Cor to Sec 27, 28, 33 & 34 See Page 138

Wilsona Road

Sec 28

Sec 33

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 151

Platted by McPh+Martin	W. O. No. 999 D. S. O. No.
Date Apr. 1933	Location T7N R9W
Map No. B-933	Surveyed by Boyer + Party
Platting C'k'd by McPh.	Date June 13 '33
Date May 1933	Indexed A.C. Johnson

WS, 69 D5

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To Ballarm Page 152

Transit line

OK for Sec. Cor Fd 2" I.P. 5.37 1.06 Page 144

Page 144

Fd 2" I.P. Page 147

Tem 36°
2663.67
+ .21
2663.28

2663.28

Sec 20 T7N R9W

Fd 2" I.P. in Cairn 6' S. & 6' E. of Sec. Cor. set by Ass't

Sec 29

Set Spk 2707.78

Fd 6"x6" Con Mon Spk Center

20' 20'

2.23

Set Spk + T for 1/4 Cor

2670.62 25.06 1.37

Tem 90°
2707.57
+ .21
2707.78
2663.28
5371.06

Wire Fence

Graham Ranch

2707.78

See Page 146

Fd B.C. Mon Cor. to Sec. 19, 20, 29 & 30 T7N R9W See Page 146

Sec 19

Sec 30

F.B. 487 PG. 152 Chief Party Notes by Date

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Fd 2" I.P (10 L+90.84) Page 138 53+56.80 from W 85

Fd 2" I.P Page 138

W.S. 68, A-58 W.S. 69 015

Tem 100°

400.00 = 400.00
173.17 @ 1°56 173.07
300.61 @ 0°15 300.61
900.00 = 900.00
300.14 @ 1°09 300.09
168.54 168.54
2242.30
+ 23
2242.53

90°20'00" Adj. 90°20'04"

2242.53

90-20-00
36.1-20-16

Set 1x2 31+14.32

Tem 100°
436.04
+ .04
436.08

Set P.B.C. 18" below surface Stamped as shown 4x4 Stakes 30'N+S

436.08

Fd 2" I.P. plug & tack

0.18

26+78.24

0.01

Sec 21 T7N R9W

SURVEYORS MONUMENT COUNTY T-7N R-9W 21 28

Sec 28

Tem 98°
2677.99
+ .25
2678.24
436.08
3114.32
2242.58
53+56.90

2678.24

89° 29' 30
357° 58' 00

89° 15' 00
357° 00 00

Fd 1x2 # 14 Page 149

89° 15' 00 O.L. 89° 29' 30 89°29'35" Adj.

Fd 2" I.P Top Page 151

Road

Wilsona

Sec 20

Sec 29

Fd 2" I.P. Page 143

Date _____ Notes by _____ Chief Party _____ F.B. 187 Pg 153

Platted by MEPh + Marin	W. O. No. 999 D. S. O. No.
Date Apr. 1933	Location TYN R5W
Map No. B-823	Surveyed by Bauer + Party
Platting C'k'd by MEPh.	Date July 16 - 3
Date May 1933	Indexed C. Johnson

W S 68, A-5

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To b from P. 154

Set 1x2 #4
20+03.60

Fd Old 2½ RW Stake 12.75

Tem 100°
300.36@0°56' = 300.32
210.77 = 210.77
511.09
+ .05
511.14

511.14

Tem 100°
360.00
107.68
467.68
+ .05
4+67.73

Set 1x2 #3
20+92.46

Line between monuments

467.73

Sec. 27 T7N R5W

Sec 27

Tem 100°
213.33@1°09' = 213.29
211.03@1°57' = 210.91
424.20
+ .04
424.24

Set 1x2 #2
16+24.73

12+00.49
A 29.24
16+24 73
4+67.73
20+92.46
5 11.14
26+03.60

424.24

Set 1x2 #1
12+00.49

Tem 100°
900.00
300.63
=900.00
2°24' = 300.37
1200.37
+ .12
12+00.49

90°34'15"
362°17'00"

90°34'15" O.K.

1200.49

Traveled Road

Fd 2" I.P. Page 138

59.6

Fd 2" I.P.
53+56.90

from Top Page 152

F.B. 487 PG 154 Chief Party Notes by Date

W.S. 6781-5

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Fd B.C Mon ¼ cor to Sec 22 & 23 Tem 110°

301.00 @ 5°15' =
301.00 @ 5°29 =
274.55 @ 5°48 =

299.74
299.62
273.10
872.76
+ .14
872.90

90°55' 90° Adj.

Fd B.C. Mon. cor to Sec 22, 23, 26 & 27 T7N R9W
53+62.57

90° 55' 45"
363° 42' 45"

Set 1x2 45+39.67

71.38

Set 1x2 45+40.24

39.34

Set 1x2#7
45+00.90

Tem 100°

300.48 @ 3°07 = 300.04
300.36 @ 3°25 = 299.83
300.37 @ 4°45 = 299.34
895.21
+ .10
899.37

899.31

Sec 27 T7N R9W

True line between monuments

Set 1x2#6
36+01.59

Sec 27

26+03.60
97.08
27+00.68
9.00.91
36+01.59
899.31
45+00.90
39.34
45+40.24

Tem 98°

300.35 @ 1°57 = 300.18
300.52 @ 2°10 = 300.31
300.38 @ 3°28 = 300.33
900.82
+ .09
900.91

900.91

Set 1x2#5A
27+01.08

42.48

Set 1x2#5
27+00.68

Tem. 98°
9738 @ 4°36' = 97.07
+ .01
97.08

42.15

Set CS Mon 2" I.P.B.C 12" down. Stamped as shown 4x4 Stakes at 90° 30' out

97.08

LOS ANGELES COUNTY SURVEYORS
T7N
R9W
22
27
¼ COR
ALIGNMENT

Set 1x2#4A
26+03.93

40.95

Set 1x2#4
26+03.60

Date _____ Notes by _____ Chief Party _____ F.B. 181 PG. 155

Platted by MSP & Maria	W. O. No. 999 D. S. O. No.
Date Apr. 1933	Location T7NR8W
Map No. B-833	Surveyed by Bauer & Party
Platting C'k'd by MSPh.	Date July 20, 21, 1931
Date May 1933.	Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

W.S.68 A 5 1 A-6

Fd B.C. Conc mon SE cor. Sec 35

Fd 2" I.P. set in conc.

Fd B.C. conc mon SE cor Sec 34

Fd 2" I.P. set in conc .17 N of line. Reset on line

Fd B.C. conc mon SW cor Sec 34

Fd BC Conc mon NE cor Sec 34

Fd B.C. conc mon Reset Sec Cor Sec 34 1.57 E of line See Page 150

2.54 adj.

S 89° 54' 30" E 2640.00

S 0° 03' 25" E 2639.06

N 89° 54' 30" W 2640.00

N 0° 03' 25" W 2639.06

Transit line Page 150

Transit Line Page 137, 138

T 7 N R 8 W Sec 34

F.B. 487 PG. 156 Chief Party Notes by Date

W.S. 69, C-5

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.



Date _____ Notes by _____ Chief Party _____ F.B. 487 PG. 157

Plotted by	McP & Marin	W. O. No.	999 D. S. O. No.
Date	Apr. 1933	Location	T7NR9W
Map No.	B-833	Surveyed by	Bauer & Party
Plotting C'k'd by	McPh	Date	Oct 193
Date	May 1933	Indexed	A. C. Johnson

W5, 69 (-5) D-5

Fd 6x6 Conc Post with cut sp

Fd SW&T Page 146

Fd 6x6 conc Post with cut Sp

Fd. B.C. Conc Mon Cor to Sec 19 & 30 T7NR9W Page 146

Set 2x2 R.P.

Road

Set 1x2

Set 1x2 R.P.

Set 2x2 R.P.

Sec 19 T7NR9W

Sec. 30

Set B.C. Conc. Mon. Mkd. as shown hereon

Wire Fence

Proposed McCabe Rd

Set B.C. Conc. Mon. under 4 4x4 Stks. 30' Ont. & S. prop'd. on acc'd line of road Ext. from Old Fd. B.C. Mon. this point

COUNTY SURVEYOR T7N 19 & 30 R9W MONUMENT

Fd B.C. Conc. Mon. Cor to Sec 19 & 30 T7N R9W & Sec 24 & 25 T7N R10W 524 77.93 from E.

Page 156

Page 158

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 487 PG. 158 Chief Party Notes by Date

From bottom Page 156

B.C. Conc. Mon Cor. to 19, 20, 29 T7NR9W

T=92°
2669.02
+ .14
2669.16

2669.16

T7N
25 + 30
R9W
± Sec. Cor.

Fd old splinter of Juniper - wired to lathe. Doubtful Point.

90.7 0.

Set 1x2

Sec 30
T7NR9W

Sec 25
T7NR10W

Set B.C. Conc. Mon. Mkd. as shown. Par dist. .2' above ground

Set 1x2 Top Sand Dune

2678.73

Tem 92°
2678.59
+ .14
2678.73

85°43' 30"
358°52' 15"

Fd B.C. Cor. to Mon. SE. Cor. Sec. 30

Fd B.C. Conc Mon. Cor. to Sec. 30 & 31 T7NR9W & 25 & 36 T7NR10W Mon. 1' above ground lowered to .2' above 12-28-82

See Page 160

To Top Page 159

89°43' 30" (Adj.)
89°43' 30"

W.S. 69, D-5, C-5

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 487 Pg. 159

Platted by McP & Maria	W. O. No. 999 D. S. O. No.
Date Apr. 1933	Location T7N R9 & 10W
Map No. B-833	Surveyed by Bauer & Parks
Platting C'k'd by McP.	Date Oct 3 1931
Date May 1933	Indexed

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

W.S. 69, C-6, D-6, C-3

From bottom Page 158

Fd B.C. Mon. Cor to Sec 30 & 31 T7NR9W & Sec 25 & 36 T7NR10W

T=92
299.05
180.00
1.37
02
2236.07
11
2236.18
298.16
139.73
2674.01

2236.18

Set 1x2

90°

20.00

15.0

Road

T=94°
298.03
.02

Sec 36

T7NR10W

Set Nail

6.59

Sec 31

T7NR9W

12.2

12.97

15 Story Frame House

16.1

139.73

10.69

T=94°
139.72
.01

Ran line over house

90°

Fd 3x3 RW

T=94°
1147.21 = 1147.21
210.96 @ 3°32 = 210.60
1357.81
.09
1357.90

20.00

Replaced with B.C. Mon. mkd. as shown .3 above ground

1357.90
1314.98
2672.88

1357.90

Set 1x2

T=91
300.00 = 300.00
300.57 @ 1°03 = 299.84
300.00 @ 3°32 = 299.52
143.37 @ 4°32 = 142.66
275.04 @ 6°52 = 273.07
1314.89
.09
1314.98

1314.98

90°28'07"
361°52'38"

90°28'07"

90°28'00" Adj.

Fd B.C. Conc Mon Cor to Sec 31 T7NR9W, Sec 36 T7NR10W, Sec 6 T6NR9W & Sec 1 T6NR10W. N.E. cor of Rocky Butte

Fd B.C. Conc Mon SE Cor Sec 31

SURVEYOR T7N R9W 36 + 31 1/4 COR. & MONUMENT COUNTY

F.B. 487 Pg. 160 11

Chief Party Notes by Boyer Date 12-28-32

W.S. 69, E-5, D-5

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

To bottom Page 160A

Fd old 1x2 Set by Mc Henry FB 102-73, on W. ridge Pex Butte

PEX Pixie

BUTTE

333.29

Sec 29

Sec 32

Sec 30 T 7N R 9W

Sec 31

Sec 36

T= 48°
189.75 @ 28°37' = 146.57
171.18 @ 12°59' = 146.80
333.37
-.08

T= 44°
300.86
300.58 @ 2°22 = 300.11
300.47 @ 2°12 = 300.25
201.70 @ 3°05 = 201.40
300.92 @ 5°18 = 299.63
292.90 @ 8°03 = 290.01
225.36 @ 12°16 = 215.30
89.72 @ 14°23 = 86.94
300.34 @ 1°27 = 299.91
300.60 @ 15°00 = 290.35
2584.30
-.67

T= 46°
91.58 @ 28°22' = 80.58

Fd B.C. Conc. Mon. in large rock pile on W. ridge Pex Butte near top, 1 cert. to Sec 29 & 32 FB 102-73

Fd. B.C. Conc. Mon. Cor. to Sec 25, 30, 31, 32, T7N R9W Page 158

2664.15

2583.63
80.56
2664.19

S 89° 31' 45" E
2664.19

S 89° 31' 45" E
2664.19

Sec. line Page 161

T= 56°
2147.10
300.45 @ 1° 22'
183.56 @ 1° 31'
2630.49
2684.23
53.74

Set B.C. Mon.

2548.09 (40)

2548.09 Adj.

Set 1x2

Fd B.C. Conc. Mon. Cor. to Sec. 30 & 31 FB 102-72, 16.0 ft. W. of par. dist. Reset as shown

2666.63 (40.28)

2630.49 Adj.

See FB 102-72
Fd. B.C. Conc. Mon.
Cor. to Sec 30 & 31
T7N R9W & Sec 25
& 36 T7N R9W
Page 158

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 69, D-5

Notes Ck'd by [illegible] Survey of T7N R9W
Map No. E-233 W. O. 9330 Tape No. 16 Sta 8 of
Office Work [illegible] Surveyed by Boyer & Party
Checked [illegible] Notes Boyer & A. O. Johnson Date Dec 1932
Date May 1933 Indexed [illegible]

F.B. 487 PG. 160A

Sec 29
T7N R9W

① 178° 11' 15"
④ 352° 44' 45"
⑤ 345 29' 30

① 177° 31' 00" 52
④ 350° 03' 45"
⑤ 340° 08' 00"

178° 11' 11"
178°11'00" Adj.

Fd old 1x2 E. ridge Pex Bottle set by McHenry FB 102-75 See also Page 149

McHenry "TRAVERSE LINE" FB 102-75

1000.57

McHenry Transit line See Page 147, 148, 149 ▸ FB 102-75

177° 31'00"
177° 31'10" Adj.

Fd B.C. Common to Sec 29 32 FB 102-73

Fd old 1x2 W. ridge Pex Bottle set by McHenry FB 102-73

From top Page 160

T = 50.0°
223.70 @ 3° 50'
300.10 @ 7° 50'
179.83 @ 3°

R = 223.20
R = 297.73
R = 300.53
R = 179.83
1000.79
.22

To N.W. Cor. Sec 29 T7N R9W
33 ▸ 34 Page 138 ▸ 147

1-12-33

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 487 Pg 160D

Notes Ck'd by McPherson
Map No. B-833
Office Work MSP. + Morin
Checked McPh.
Date May, 1933.

Survey of Por. T7NR9W
W. O. 999 Tape No. 5 St'd 8M °F.
Surveyed by Boyer + Party
Notes Boyer Date 4-18-32
Indexed J. C. Johnson

F.B. 487 PG. 161

JD Boyer
JH Bender T
GI Nicholds RC
GW Schaefer RC
AR Mela

Fd B.C. Mon. Cor to Sec. 19, 29 & 30

Mc. Caleb Road

oiled

Alisona Road

Paved

Fd S.M. & T. N¼ Cor Sec. 29

2.0 E. & 2.0 S. of Conc. Mon

6"sq Conc Mon

88° 55' 00" 88°55'10" Adj

88° 55' 00"
355° 4' 00"

T = 78°
2682.73 = 2682.63
- .10

2682.63

Sec 30

Sec 29

T7NR9W

Fd B.C. Conc. Mon ¼ cor. to Sec 29 & 30

2683.19

T = 78°
2683.24 = 2683.19
- .10

179° 48' 30"
359° 12' 30"

179° 48' 30" 179° 48' 30" Adj

Bernie

Fd B.C. Conc Mon Cor to Sec 29, 30, 31 & 32

W S. 69, D-5,

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 847 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 69, D-5, D-6



F.B. 487 PG 162

Notes Ck'd by McPherson	Survey of T6NR9W
Map No. C.S. 8733	W. O. 107 Tape No. 16 St'd 84 °F.
Office Work Rice	Surveyed by Boyer
Checked McPherson	Notes Boyer & Rockhold Date Nov 1932
Date Feb. 1933	Indexed A. C. Johnson

F.B. 487 PG. 163

Survey to
Flag a Road
in
T6N R9W

Surveyed at request of Road Dept

J.D. Boyer
H.B. Rockhold
G.H. Nichols
W. Schaefer
M.A. Van Deren

K.H.C. & Notes
L. & K
R.C.

Reel Tape #16
Sta. 0 to 84+

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. 487 PG 164

Notes Ck'd by McPherson	Survey of Par T6N-R9W
Map No. C.S. 8723	W. O. 107 Tape No. 16 St'd 64° °F.
Office Work Rios	Surveyed by Boxer
Checked McPherson	Notes Location Date 11-21-32
Date Feb. 1933	Indexed

F.B. 481 Pg. 165

W.S. 66, D-1

To bottom of fig.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 5-31

Turned Point

2°

2743.30 @ 0°00' = 2743.16 ✓

9'

Sec. 1

Set 1x1 stks & lathe markers at approx 1500' stations 30' out

Pt #1
Set 1"x2"

2743.16 ✓

45.18

2697.98 ✓

Beg. Cor.
F.D. Brass Tube Surv. Mon. Cor. Sec. 5-6-7-8 T6N-R9W C.S. 8733
(Markings on this Mon. found illegible - Restamped this date - H.B.R.
N 0.30
Reset Mon. 12" deep & 1 set 4"x4" stakes - 42.43 @ 45°

1-90°12'00"
4-360°48'30"
8-361°36'48"

90°12'06" ✓

Road

T 6 N
R 9 W

2669.

Set B.C. Conc Mon. mkd as shown 1' under, Par. dist, (4 ch. + 40.70 ch) + Set 4x4 stakes out 42.43' NW + S.E. at 45°
3-8-33
J.D.B.

Set B.C. conc. mon. mkd as shown 1' under & set 4x4 R.W. 30' N & S

T82°
2692.37 @ 0°00' = 2692.33 ✓

Traverse

2692.33 ✓

COUNTY SURVEYOR T6N R9W 6 + 5 1/4 Sec Cor MONUMENT

Pt #2
Set 1"x2"

22.38

Sec. 5

Sec. 6
T6N R9W

T80°
1712.74 @ 0°00' = 1712.72 ✓

1712.72

COUNTY SURVEYOR T6N R9W 5 + 8 1/4 SEC. COR. MONUMENT

Pt #1
Set 1"x2" by fence 1' in

T80°
980.39 @ 0°00' = 980.36 ✓

980.36

Sec. Cor
Fd. B.C. Conc. Mon.
Secs. 31 + 32 - T7N &
Secs. 5 + 6 - T6N - R9W
C.S. 8733

Cross bottom of fig. 1.2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W 566, 2-1

To bottom next page

T= 7.6°
R 646.56
1.14

Set 1x1 stakes at approx 500' stations 30' east both ways with lathe markers

Sec. 9

Sec. 8

Sec. 4

Sec. 5

Set 3" Brass Cap
for 1/4 Sec. Cor.
Cs 873-45

2672.07 ft &/or

2646.42

Road

2652.80
Traverse
2697.98
To ¼ Sec. Cor.

179° 56' 00"
359° 44' 00"
359° 28' 00"

179° 56'

T 8 S
R 12 W

2652.80 - 2652.80
2652.76 00'00"

F.B. 487 Pg. 162

Notes Ck'd by McPherson	Survey of T6NR9W
Map No. C.S. 8733	W. O. 107 Tape No. 16 St'd 84 °F.
Office Work Rico	Surveyed by Boyer & Party
Checked McPherson	Notes Boyer Date Nov. '32
Date Feb. 1933.	Indexed

F.B. 487 Pg. 167

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

Sec. 3

Sec. 10

Fd 2" I. P. set in Conc. 1' below surface. 1/4 cor. to Sec. 3 & 4 Secys. 8733

2646.42
891.11
1806.61
2 5344.14
2672.07
2646.42
25.65

Fd. B.C. Concmon. 1' under ground Cor. to Sec. 3, 4, 9 & 10 T6NR9W CS 8733

Oiled Road

89° 36' 24"

Ⓓ 85° 56' 00"
Ⓡ 358° 25' 45"
Ⓢ 35° 51' 15"

T = 78°
1806.68
.07

1806.61

2672.07

Set 1x1 stakes at approx. 500' stations, 3' out both walls with lathe markers

Set 1x2

Sec. 4
T6NR9W

Set B.C. conc. mkd. as shown, 1' under 4x4 RW stakes 3' out W & S

1/4 SEC. COR. MONUMENT

SURVEY OF T6N R9W COUNTY

4 to 9

891.11

T = 78°
891.15
.04

2.5 Set 1x2

Traveled

From Top preceding page

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 481 PG. 168

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Griffin Road
W. O. 107 Tape No. 16 St'd 8ft. of.
Surveyed by Brocker
Notes Baker & Co Jobs
Indexed Date 1-15-33

F.B. 487 Pg. 169

J.D. Bowen
H.B. Rockwell
G.H. Nicholson H.C.
G.W. Schaefer R.C.
I.V.A. Van Deren

Proposed New Location
Griffin Road

See Page 183 for Index
a relocation of old location

Set 1x2 Top E&W spur
138+96.57
To bottom Page 170

P. line

Set 1x2 B.C.
143+35.71

L.B. 691-32

675.70

T= 60°
300.92 @ 1°30 = 300.82
150.82 = 150.82
224.85 @ 8°44 = 224.22
675.86
.10

Δ = 50° 39' 00"
R = 500.00'
T = 236.62'
Arc = 442.00'

See Page 173 for curve data

See Page 195 for later change

Fd 1x2 P.#16
L.B. 691-32

I = 9° 21' 00"
18° 45'

15.82

Set 1x2 P.I.
#232A

236.62

P.I. 232
Page 130

See Page 198 later

① 129° 21' 00"
② 14° 24' 00"
③ 14° 45' 00"

(1-129° 18' 45"
2-157° 14' 45"
3-31° 30' 00")

4-11-33
HBR

T= 60°
423.09

423.02

1° 37' 20"

L 38.00

Set 1x2 E.C.
147+71.11

136.65

T= 60°

① 1° 39' 00"
② 6° 35' 30"
③ 13° 11' 30"

1-10° 37' 15"
2-6° 29' 15"
3-12° 58' 45"

4-11-33
HBR

149+64.11
Fd Spk P.I. #233
Page 130

to Page 190

F.B. 487 PG. 170

To bottom Page 171

From bottom left Page 169

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 64B-6

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Cooper Road
W. O. 107 Tape No. 16 St'd 8A °F.
Surveyed by Cooper
Notes Cooper Date 1-5-33
Indexed A. C. Johnson

F.B. 487 Pg. 171

Fd 1x2 P.C.

① 98° 14' 15
④ 320° 57' 00
⑤ 65° 59' 15

P. line 487.67

T=62°
136.12 @ 12°20' = 132.98

Set 1x2 P.T. B
100+53.82

132.90'

T=62°
112.93 @ 1°48' = 112.87

Fd. 1x2 P.T.
LB. 691.38

T= 40°
184.60 @ 3°21 = 184.28
300.55 @ 4°07 = 299.17
484.05

Set 1x2 P.I. 229 A
101+66.67

Fd B.C. Mon Sec 4/33 T5N R10W

Fd 1x2 Top Spike

T= 62°
300.89 @ 2°38 = 300.57
251.70 @ 2°59 = 251.36
300.60 @ 2°52 = 300.28
300.51 @ 4°19 = 299.69
213.19 @ 3°29 = 212.75
1364.65
.20

250.29

T= 44°
248.17 @ 1°26 = 248.03

① 72° 48' 30"
④ 291° 14' 00"
⑤ 222° 28' 00"

Set 1x2 B.C.
112+09.32

Fd. B.C. Mon. Wit. to closing cor. Page 127

Δ = 24°13'00"
R = 1500.00
T = 321.80
Ch = 630.99
Xt = 34.13

See Page 174 for curve data

40' - Ø ct

155° 47' 00"
321.80'

Set 1x2 P.I. 230A

Sec 33
T5N R10W.

① 155° 47' 00
④ 263° 08' 00
⑤ 166° 16' 00

321.80'

Set 1x2 EC
118+93.31

FORM 847 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 487 Pg 172

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Grade Road
W. O. 107 Tape No. 16 St'd 84 °F.
Surveyed by Boyer
Notes Boyer Date Jan 1933
Indexed A. C. Johnson

F.B. 487 PG. 173

P.I. 232A

△ = 50°39'00" R = 500.00 T = 236.62 Arc = 442.00

Sta	Def	Chord	Arc
B.C. 143+35.71			
+50	0-49-08	14.29	14.29
144+00	3-41-01	49.98	50.00
+50	6-32-55	"	"
145+00	9-24-48	"	"
+50	12-16-42	"	"
146+00	15-08-35	"	"
+50	18-00-28	"	"
147+00	20-52-22	"	"
+50	23-44-15	"	"
E.C. 147+77.71	25-19-30	27.70	27.71

P.I. 231A

△ = 53°25'00 R = 500.00 T = 251.57 Arc = 466.15

B.C. 127+76.34			
128+00	1-21-21	23.66	23.66
+50	4-13-14	49.98	50.00
129+00	7-05-07	"	"
+50	9-57-00	"	"
130+00	12-48-53	"	"
+50	15-40-46	"	"
131+00	18-32-39	"	"
+50	21-24-32	"	"
132+00	24-16-25	"	"
E.C. 132+42.49	26-42-30	42.47	42.49

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 487 Pg. 174

P.I. 230 A

Δ = 24° 13' 00" R = 1500 T = 321.80 Arc = 633.99

Sta	Def	Chord	Arc.
B.C. 112+09.32			
+50	0-46-37	40.68	40.68
113+00	1-43-55	50.00	50.00
+50	2-41-13	"	"
114+00	3-38-30	"	"
+50	4-35-49	"	"
115+00	5-33-07	"	"
+50	6-30-25	"	"
116+00	7-27-43	"	"
+50	8-25-01	"	"
117+00	9-27-19	"	"
+50	10-19-37	"	"
118+00	11-16-55	"	"
E.C. 118+43.31	12-06-30	43.31	43.31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Griffin Road	F.B. 487	Pg 175
Map No. C.S. B-923	W. O. 107 Tape No. 16 St'd 89° °F.		
Office Work Krolle	Surveyed by Boger + Party		
Checked McPherson	Notes Boger Date Jan 1933		
Date July 1933.	Indexed A. C. Johnson		



Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 487 Pg. 176

Notes Ck'd by	Survey of T7N - R13W
Map No. H.C. 15-46	W. O. 107 Tape No. 14 St'd 88 °F.
Office Work H.N. Bradstreet	Surveyed by Boyer
Checked	Notes AB Jackknife Date 3-13-33
Date	Indexed A. C. Johnson

3-14-33

F.B. 487 Pg. 177

A Survey of a Portion of

70th Street W- South from the

State Highway - Showing improvements

and Area Covered by Fire —

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

X

F.B. 487 PG 178



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by _____
Map No. H.C. 15-46
Office Work H.N. Bradstreet
Checked _____
Date _____

Survey of T7N - R13W
W. O. 107 Tape No. 14 St'd 64°F.
Surveyed by Buyer
Notes H.B. Rockhold Date 3-13-33
Indexed A. C. Jones

F.B. 487 PG. 179

to bottom of pg. 180

Centerline of [illegible]

125'±

13.8 frame shelter 12'

3+02.7

stock corral

2+92.5 Con fence Post

fence 150'±

4.0 4.1 2 hole standard

2+78.7

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

50.7 fence

chicken yard

fence

34.3	6"	Cottonwood	3+28.8
26.3	5"	"	3+15.6
25.7	7"	"	3+07.7
40.9	6"	"	3+01.8
34.1	5"	"	3+00.0
26.3	4"	"	2+96.4
41.0			
25.7			
24.8			
34.5	10"	Cottonwood	2+92.5
25.2	5"	"	2+91.0
41.1	8"	Cottonwood	2+86.8
25.5			
34.8			
25.7			
40.4	10"	Cottonwood	2+81.0
25.3	2"	Cottonwood	2+77.0
40.8	9"	"	2+76.0
36.3	7"	"	2+72.1
25.3	6"	"	2+67.8
35.0	2"	"	2+66.8
35.9	3"	"	2+63.3
26.0	7"	"	2+60.4
36.2	6"	"	2+55.5
25.9			
25.5			
33.8	10"	Fence Cor	2+52.1
35.8	5"	Cottonwood	2+49.5
36.2	6"	"	2+45.6
36.0	2"	"	2+42.4
26.2	10"	"	2+40.8
35.4	4"	"	2+36.4
35.7	8"	"	2+34.3
36.8	2"	"	2+29.6
37.2	5"	"	2+24.6
26.1	6"	"	2+24.6
37.5	7"	"	2+20.0
25.9	10"	"	2+10.1
37.9	8"	"	2+08.1
25.6	10"	"	2+05.4

from top of pg. 178

FORM 247 10M 8-31

F.B. 487 PG 180

To bottom of pg 181

		23.7	9"	locust 5+47.2
		23.4	7"	" 5+40.6
		23.2	8"	" 5+85.3
(Maple willow)		23.2	2"	locust clump 5+29.0
		23.9	15"	twin locust 5+22.8
		23.6	7"	locust 5+11.9
		23.8	8"	" 5+05.6
		23.9	8"	" 5+06.0
		23.6	4"	" 4+93.8
		24.4	3-6"	locusts 4+88.3
		24.1	10"	locust 4+76.2
Red Line is fence covered by Fire		23.7	3"	" 4+70.0
		24.9	15"	" 4+54.7
		24.1	1"	" 4+54.0
		24.7	3"	" 4+48.3
		25.0	12"	" 4+41.6
(No plot) Limit of burnt grass		24.3	5"	" 4+34.8
		24.9	15"	locust 4+29.3
4+17.0 Limit of Fire		22.2	5"	locust 4+16.0
4+09.0		27.8	5-6"	locust clump
4+05.0		27.9		" " "
4+00.0		25.1	13"	locust
3+94.6		25.0	6"	"
3+89.7		25.1	12"	"
3+88.4		25.4	14"	"
3+77.4		25.1	15"	"
3+71.0		25.9	14"	"
3+66.5		25.6	14"	"
3+62.0		34.1	2"	locust clump
3+56.4		26.5	2"	Cottonwood
3+51.6		33.6	5"	"
3+49.0		33.3	3"	"
3+46.0		25.9	14"	"
3+42.3		34.0	8"	"
3+41.5		26.3	12"	"
3+35.5		27.0	5"	"
3+35.5		35.2	6"	"
3+31.0		25.9	10"	"
3+24.6		34.6	5"	cottonwood

from top of pg. 179

Field - unburned

Field

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No. H.C. 15-46
Office Work H.N. Broadstreet
Checked
Date

Survey of T7N-R13W
W. O. 107 Tape No. 14 St'd 84 °F.
Surveyed by Boyer
Notes HB Tockhold Date 3-18-83
Indexed A. C. Johnson

F.B. 487 PG. 181

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 847 10M 8-31

Field Inspected

Grain

5+83.0 Limit of fire

width of burnt grass

↑ to bottom of pg. 182				
23.6		8"	locust	7+94.6
23.7		8"	"	7+87.0
23.8		16"	"	7+82.0
23.6		5"	"	7+76.0
23.7		10"	"	7+69.0
23.7		11"	locust	7+57.0
23.6		12"	twin locust	7+46.0
23.8		5"	locust	7+39.0
23.6		10"	"	7+33.5
23.6		14"	clump locust	7+27.5
23.6		9"	locust	7+20.2
23.6		10"	"	7+14.0
23.6		10"	"	7+04.0
23.7		16"	locust clump	6+97.8
23.6		5"	locust	6+84.5
23.5		10"	"	6+78.5
23.8		8"	"	6+72.4
23.7		12"	"	6+66.3
23.9		10"	"	6+60.0
23.7		8"	"	6+42.4
X		7"	"	6+36.0
23.7		9"	"	6+30.4
23.7		12"	"	6+24.0
23.6		12"	"	6+18.6
24.2		12"	"	6+12.0
24.0		8"	"	6+06.0
23.7		10"	"	6+00.0
23.6		12"	"	5+94.0
24.6		5"	"	5+89.0
23.6		5"	locust	5+83.0
23.4		6"	twin locust	5+76.7
23.7				
23.8		14"	twin locust	5+71.0
23.8		15"	locust	5+65.0
23.8		6"	twin locust	5+59.7
23.4		7"	locust	5+53.9

↓ from top of pg. 180

F.B. 487 PG. 182

Fd. BC Cons. Mon.
MKd. Sec. 15-T7N-R13W 2.1+32
T7N-R13W
Per FB 209-85+86

x fence x x 15.8 19+75.0 fence cor.

End of grain Field 13+16.0 → 19.8 2" locust fence post
13+13.0 → 30.2 1" "

fence

8+98.0 Gate Post 19.4

8+87.0 Gate Post 19.4

22.6 16" locust 8+98.5
22.8 12" " 8+80.0
23.0 14" " 8+76.0
23.3 12" " 8+73.0
23.6 5" " 8+63.0
23.2 8" " 8+56.7
23.6 16" " (twin) 8+54.6
23.4 10" " 8+43.7
23.1 10" " 8+37.0
23.6 6" " (twin) 8+25.7
23.1 8" " 8+19.6
23.4 8" " 8+08.0
23.6 10" locust 8+02.0

from top pg. 181

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Griffin Road
Map No.	W. O. 107 Tape No. 47 St'd 84 °F.
Office Work	Surveyed by Boger & Party
Checked	Notes Boger Date Apr 14-33
Date	Indexed C. Johnson 5-8-33

F.B. 487 Pg. 153

Survey of Final Location of Proposed Changes in GRIFFIN ROAD

For levels See L.B. 691 & 722

INDEX MAP

See Page 200 for Prop. & Change JDB 11-25-33



J.D. Boger
H.B. Rackhold A.
G.H. Nichols H.C.
G.W. Schaefer R.C.
M.A. Van Deren R.C.

300' Tape # 47
Std. @ 84°

See F.B. 487
" L.B. 691-23
" F.B. 78-134
" C.S. 8715

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 347 10M 5-31

F.B. 487 Pg. 184

To Bottom Next Page



LS 81 D-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

WRONG MAP — SEE C.S. 8715-1 F.S.T.

Notes Ck'd by McPherson	Survey of Griffin Road	F.B. 487 Pg. 185
Map No.	W. O. 107 Tape No. 47 St'd 84° °F.	
Office Work	Surveyed by Boyer & Party	
Checked McPherson	Notes Boyer Date Apr. 14-33	
Date July 1933	Indexed A. C. Johnson	

M.S. 84 D-1

To bottom Next Page

151° 12' 45"
294° 51' 15"
129° 42' 30"

Set 1x2 E.C.

E.C. 48+62.08

Δ = 28° 47' 10"
R = 700
T = 179.64
L = 351.69

See Page 191 for Curve data

Set 2x2

T.S. 60.0

Set 2x2

300.00

A.S. 0.A.

Set 2x2

T = 50°
179.68
.01

Set 2x2 13 under New P.I. 207A

Set 2x2 R.P.

20.00 20.00

94.92 90°

130°

151° 12' 45"

L.B. 691-33

Set N.P.T.

T = 74°
133.64
.01

T = 76°

300.45 @ 3°05 = 300.01
239.00 @ 3°11 = 238.63
300.69 @ 3°16 = 300.20
838.64
.01

179.64

Wire Spk Old P.I. 208A
F.B. 78-134 See L.B. 691-33
This point was not set in the correct position to be a replacement of Old P.I. 208A
J.D.B. 4-14-33

Set 2x2

B.C. 45+10.39

30.00 30.00

Set 1x2 B.C.

Set 2x2

214.09 ch
214.44 Rec.

838.80

PROPOSED CENTER LINE

166° 48' 15"
307° 17' 15"

To New P.I. 206A

No T. Old P.I. # 207

From Top Preceding Page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 347 10M 8-31

F.B. 487 PG. 186



W.S. 81, D-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

WRONG MAP

Notes Ck'd by McPherson	Survey of Griffin Road
Map No. B-92.3	W. O. 107 Tape No. 91 St'd 84 of.
Office Work Knoffe	Surveyed by Boyer & Party
Checked McPherson	Notes Boyer Date Apr 17-33
Date July 1933.	Indexed A. C. Johnson

F.B. 487 Pg. 1567

To bottom Page 188

Fd 1x2 P#2 LB 691-23

50.00

Set 1x2 POST

T = 50°

50.01 .01

90°

94.19

Set 1x2 B.C.

B.C. 63+85.51

30.00 30.00

Set 2x2

Set 2x2

228.66

T = 64°

94.20 .01

T = 59°

230.00 @ 6°04 = 228.71 - .05

Set 2x2

30.00 30.00

Set 2x2

P.O.T. 62+51.04 Set 1x2

PROPOSED CENTER LINE

T = 54°

444.62

274.69 @ 4°40 = 273.78

170.93 = 170.93

444.71 - .09

Set 1x1 stakes at 50' Stations

Fd. 1x2 P#1B LB 691-23

Set 1x2 POT 58+06.42

Set 1x2

Set 2x2

EC. 58+04.39

2.04

30.00 30.00

Set 2x2

① 174° 41' 15

② 328° 45' 00

③ 317° 23' 30

Δ = 5° 18' 50"
R = 2000
T = 92.84
L = 185.49

See Page 192 for Curve Data

174° 41'

118.50

92.82

94.86

T = 53°

95.01 @ 2° 59' = 94.88 .02

30° 28.00

Set N&T

Set 2x2 New P.I. 209A

46.20 @ 10° 30

74.19 @ 11° 17

Set 2x2 RP

83° 00'

92.82

T = 50°

226.41 @ 6' 12 = 225.09 - .05

Set 1x2 B.C.

90°

B.C. 56+18.60

30.00 30.00

Set 2x2

Set 2x2

225.04

T = 68°

132.82 @ 8° 50 = 132.23 - .01

132.22

0.71

Fd. 1x2 P1A LB. 691-23

0.20

Set 1x2 P.O.T. 59+86.07

From Top Preceding Page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

To bottom Page 189

F.B. 487 Pg. 188



T = 48°
360.40 — .08
T = 70°
86.48 @ 6°53 = 85.86 — .01

T = 50°
300.50 @ 3°27 = 299.95
56.72 @ 20°57 = 52.97
352.92 .08

Δ = 127°54'30"
R = 15.00
T = 38'00
L = 303°15'45

Δ = 52°05'30"
R = 1500
T = 733.08
L = 1363.76

See Page 191 for Curve data

T = 67°
208.80 @ 5°00 = 206.23
1.07 — = 1.07
207.30 .07

T = 58
218.27 @ 7°08 = 216.55
216.64 @ 6°50 = 215.10
431.68 .07

Set 1x1 stakes at 50' stations

50.00
90°

From Top Page 187

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 8141-1

WRONG MAP

Notes Ck'd by McPherson	Survey of Griffin Road	F.B. 487 Pg 1097
Map No. B-283	W. O. 107 Tape No. 47 St'd 84 °F.	
Office Work Krolle	Surveyed by Boyer + Party	
Checked McPherson	Notes Boyer Date Apr 20-33	
Date July 1933	Indexed A. C. Johnson	

W.S.&D-1

To bottom Page, 196

Set 2x2 RP
Fd 1x2 P7 Page 171
36.69
Set 2x2 RP
47.36
Set 2x2 P.I. 211A
39.00
553°26' 15"
Fd 1x2 P7 Page 171
132.80
PL B C 91-25
① 110° 15' 45"
② 81° 02' 45"
③ 167° 05' 15"
110° 15' 39"
Δ = 69°44'20"
R = 550
T = 383.25
L = 669.45.
See Curve data below
T = 72°
300.44 @ 3° 10 = 299.98
100.00
399.98
.03
set 1x1
set 2x2
BC 84+41.15
Set 2x2
Set 1x2
Set 2x2
84+24.43
T = 48°
300.50 @ 6° 42' = 298.45
300.25 @ 3° 23 = 299.73
300.91 @ 4° 28 = 299.60
91.71
91.71
989.49
.23
Set 1x1 stakes at 50' stations
1x2 PG
Curve 211A
Sta.
Def.
Chd.
Arc
20' off chords
BC 84+41.15
+50 0°27'39" 8.85 8.85 8.82
85+00 3°03'55" 49.988 50.00 48.16
+50 5°40'10"
86+00 8°16'26"
+50 10°52'42"
87+00 13°28'58"
+50 16°05'13"
88+00 18°41'29"
+50 21°17'45"
89+00 23°54'00"
+50 26°30'16"
90+00 29°06'32"
+50 31°42'47"
91+00 34°19'03"
E.C. +10.62 34°52'10" 10.60 10.60 10.20
11-15-33 - H.B.P.
Fd 1x2 P.S.
Set 2x2
Set 2x2
Set 1x2 POT
78+35.12
From Top Page 188

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 487 Pg. 190

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Griffin Road
W. O. 107 Tape No. 47 St'd 84° °F.
Surveyed by Boyer
Notes Boyer Date Apr. 17-33
Indexed A. C. Johnson

F.B. 487 Pg. 191

New P.I. 206A

Δ = 14-23-10 R = 800.00 T = 100.96 L = 200.87

Sta.	Def	Chord	Arc	20' offset Line Chord
B.C. 37+51.32				
38+00	1-44-37	48.67	48.68	49.76
+50	3-32-03	49.99	50.00	51.24
39+00	5-19-29	"	"	"
+50	7-06-55	"	"	"
E.C. 39+52.19	7-11-35	2.19	2.19	2.21

New P.I. 207A

Δ = 28-47-10 R = 700.00 T = 179.64 L = 351.69

B.C. 45+10.30				
+50	1-37-17	39.60	39.61	40.74
46+00	3-40-04	49.99	50.00	51.42
+50	5-42-50	"	"	"
47+00	7-45-37	"	"	"
+50	9-48-23	"	"	"
48+00	11-51-10	"	"	"
+50	13-53-56	"	"	"
E.C. 48+62.08	14-23-35	12.08	12.08	12.42

New P.I. 208A

Δ = 23-57-34 R = 800.00 T = 169.75 L = 334.54

B.C. 50+37.80				
+50	0-26-14	12.20	12.20	11.90
51+00	2-13-40	49.99	50.00	48.14
+50	4-01-06	"	"	"
52+00	5-48-32	"	"	"
+50	7-35-58	"	"	"
53+00	9-23-24	"	"	"
+50	11-10-50	"	"	"
EC 53+72.34	11-58-50	22.34	22.34	21.78

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 487 PG 192

New P.I. 209A

Δ = 5° 18' 50 R = 2000 T = 92.82 L = 185.49

Sta.	Def.	Chord	Arc	20' offset Chords
B.C. 56+18.89				
+50	0-26-44	31.11	31.11	31.39
57+00	1-09-42	50.00	50.00	50.54
+50	1-52-40	"	"	50.54
58+00	2-35-38	"	"	50.54
EC. 58+04.38	2-39-25	4.38	4.38	4.44

New P.I. 210A

Δ = 52° 05' 30 R = 1500 T = 733.08 L = 1363.76

				20' offset Chords
B.C. 63+85.51				
64+00	0-16-30	14.49	14.49	14.59
+50	1-13-48	50.00	50.00	50.68
65+00	2-11-06	"	"	"
+50	3-08-24	"	"	"
66+00	4-05-42	"	"	"
+50	5-03-00	"	"	"
67+00	6-00-18	"	"	"
+50	6-57-36	"	"	"
68+00	7-54-54	"	"	"
+50	8-52-12	"	"	"
69+00	9-49-30	"	"	"
+50	10-46-48	"	"	"
70+00	11-44-06	"	"	"
+50	12-41-24	"	"	"
71+00	13-38-42	"	"	"
+50	14-36-00	"	"	"
72+00	15-33-18	"	"	"
+50	16-30-36	"	"	"
73+00	17-27-54	"	"	"
+50	18-25-12	"	"	"
74+00	19-22-30	"	"	"
+50	20-19-48	"	"	"
75+00	21-17-06	"	"	"
+50	22-14-24	"	"	"

To Top Page 193

77-49 27

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Griffin Road
W. O. 107 Tape No. 47 St'd 84 °F.
Surveyed by Boyer + Party
Notes Boyer Date Apr 20-33
Indexed A. C. Jackson

F.B. 487 Pg. 193

From bottom Page 192

P.I. 210A continued

Sta	Def	Chord	Arc.	20' off. chord
76+00	23-11-42	50.00	50.00	50.68
+50	24-09-00	"	"	"
77+00	25-06-18	"	"	"
E.C. 77+49.27	26-07-45	49.27	49.27	49.92

P.I. #212'J'

Sta.	Def.	Chd.	Arc.
Δ=24°13'05"	R=1500	T=321.82	L=634.03
B.C. 100+68.10			
101+00	0°36'33"	31.90	31.90
+50	1°33'51"	49.997	50.00
102+00	2°31'09"	"	"
+50	3°28'26"	"	"
103+00	4°25'44"	"	"
+50	5°23'02"	"	"
104+00	6°20'20"	"	"
+50	7°17'38"	"	"
105+00	8°14'55"	"	"
+50	9°12'13"	"	"
106+00	10°09'31"	"	"
+50	11°06'49"	"	"
107+00	12°04'07"	"	"
E.C. 107+02.13	12°06'32"	2.13	2.13

P.I. #213'J'

Δ=53°25'00"	R=500	T=251.56	L=466.15
B.C. 115+46.29			
+50	0°02'15"	3.71	3.71
116+00	3°04'38"	49.979	50.00
+50	5°56'31"	"	"
117+00	8°48'25"	"	"
+50	11°40'18"	"	"
118+00	14°32'11"	"	"
+50	17°24'04"	"	"
119+00	20°15'57"	"	"
+50	23°07'51"	"	"
E.C. 120+00	25°59'44"	12.44	12.44
12[illegible]	26°42'30"		

X

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247-10M-5-31

F.B. 487 PG. 194

P.I. #2147

Δ = 60°53'35" R = 750 T = 440.84 L = 791.09

Sta.	Def.	Chd.	Arc
B.C. 129+29.73			
+50	0°46'27"	20.27	20.27
130+00	2°41'02"	49.99	50.00
+50	4°35'38"	"	"
131+00	6°30'14"	"	"
+50	8°24'49"	"	"
132+00	10°19'24"	"	"
+50	12°13'00"	"	"
133+00	14°08'35"	"	"
+50	16°03'11"	"	"
134+00	17°57'47"	"	"
+50	19°52'22"	"	"
135+00	21°46'57"	"	"
+50	23°41'33"	"	"
136+00	25°36'08"	"	"
+50	27°30'44"	"	"
137+00	29°25'19"	"	"
E.C. 137+26.82	30°26'47½"	26.82	26.82

P.I. #2529

Δ = 72°52'10" D = 600 T = 442.92 L = 763.09

Sta.	Def.	Chd.	Arc
B.C. 142+03.76			
+50	2°12'28"	46.227	46.23
143+00	4°35'42"	49.986	50.00
+50	6°58'57"	"	"
144+00	9°22'11"	"	"
+50	11°45'26"	"	"
145+00	14°08'40"	"	"
+50	16°31'54"	"	"
146+00	18°55'09"	"	"
+50	21°18'23"	"	"
147+00	23°41'37"	"	"
+50	26°04'52"	"	"
148+00	28°28'06"	"	"
+50	30°51'21"	"	"
149+00	33°14'35"	"	"
+50	35°37'49"	"	"
E.C. 149+66.85	36°26'05"	16.85	16.85

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Grade Road
W. O. 107 Tape No. 47 St'd 84 °F.
Surveyed by Boyer
Notes HB Rockhold Date 5-4-33
Indexed A. C. Johnson

F.B. 487 Pg. 195

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

F.H. — Top
— Elevation —

From Sta 100+08.10 N 1°

For levels see LB 691 & LB 722

J.D. Boyer
H.B. Rockhold
G.W. Schaefer
G.H. Nichols
M.A. Van Deren

FORM 247 10M 5-31

F.B. 487 Pg. 196

T 68°

300.64	@	3°31'	= 300.07
300.39	@	3°33'	= 299.81
300.45	@	3°25'	= 299.92
300.57	@	3°18'	= 300.07
218.00	@	2°21'	= 217.82
			1417.69
			-.15
			1417.54

W.S. 66, B-6

Set 1x1 stakes at 50' stations

(1-155° 47'00"
2-263° 07'45"
B-166° 15'00")

Proposed Revised Line

1417.54 (ch.)
(1373.00 Dec.)

T 68°
300.07
21.79
22.86
-.01
344.71

95.60 Set 2x2 RD

97.72 @ 4°57 Set 2x2 RR

P.I. #21A
Set 3/4" I.P.
(12°30'00")

T 72°
175.56
-.01
175.55

175.55

Now Void
P.I. #230A
Ed. 1"x2"
Per F.B. 487-171

Set 2x2

155° 46' 50"

Δ = 24°13'05"
R = 1500
T = 321.82
L = 634.03

B.C. = 100+68.10
Set 1/2"

91+10.60

Ed. Set 1x2"

Set 2x2

T 68°
146.87 @ 5°06' = 146.29
-.02
146.27

(For curve data see Pg. 193)

Set 2x2

Page 171
1497.30

Set 2x2

For Tie to Sec. Line See Pg. 171

T 79°
300.26 @ 3°44' = 299.62
83.63 = 83.64
383.26
-.01
383.25

Fd. 1x2 P.T.B Page 171x189

39.00

P.I. 21A

From Top Page 189

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of
Map No.	W. O. 107 Tape No. 41 St'd 64 °F.
Office Work	Surveyed by Beyer 11-16-33
Checked	Notes AB Rockhold Date 5-4-33
Date July 1933	Indexed A. C. Johnson

F.B. 487 PG. 197

U.S. 6 B-6

To Cert. pg. # 198

Set 1x2 for New E.C. 120+12.44

Set 2x2

Set 2x2 2.00 N 30.00 P 74.11

Fd 1x2 old EC Now Post 1.70

P.I. 9051 See Page 125-11

P.I. 2x2 old Now Post

P.I. #21 1/4" Set 3/4" IP (12" deep)

Set 2x2 Now RRPI P.I. 23+14 Fd 1"x2" per F.B. 487-170

Set 2x2 R.P.

Set 1x2 BC 115+46.28

126.26
79.72
51.59
1 25.31
1 76.85
25 1.56
74.71

Δ = 53°24'00"
R = 500
T = 251.56
L = 466.18

(For Curve data see pg. 193)

(1-126°35'00"
4-146°20'15"
8-292°40'45")

T = 68°
251.80 @ 2°22 = 251.59
.03

Set 1x1 stakes at 50' stations

Set 2x2

Revised Line (changed 20 feet)

141 1/5 4 (changed 13 19.09)

78°
74.72 @ 0°00 = 74.72

From Top Page Sht. 196

Revised Line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31

F.B. 487 Pg. 198

To bottom of pg. 199

W.S. 66 B-6

R=Set 1x2 POT Top Spur
140+87.75

T= 68°
231.19 @ 2°07 = 231.03
300.13 @ 4°08 = 299.35
271.47 @ 6°00 = 271.47
801.85
801.79

Set 1x1 stakes at 50' stations

T= 74°
300.35 @ 0°52 = 300.32
60.63
360.95
.02

360.93
801.79

Set SW+T Bundar
E.C. 137+26.82
in Traveled Road
137+26.82
Set 2x2

30.00 30.00

Set 2x2

P/# 233
Fd. Cut Sq. ✓
Ref. F.B. 487-130+169

Δ = 60°53'35"
R = 750
T = 440.84
L = 797.09

(For Curve Data See Pg. 197)

119°00'30
116°26'00
232°52'00

119°00'30
25 Adj.

440.84

P/# 234 ✓
Set 3/4" IP S. Slope of Spur

103.00

48.59

P/# 232 ✓
Fd. 1"x2"
Ref. F.B. 487-169

Set 2x2 RP

45.05

Set 2x2 RP.

From Top Page 197

1506.69

T 68°
104.41 @ 9°24' = 103.01
-.01
103.00

93.64
48.59
45.05

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of G. W. Road	F.B. 487	Pg. 199
Map No.	W. O. 107	Tape No. 47	St'd 84° F.
Office Work Trella	Surveyed by Boyer	11-17-33	
Checked McPherson	Notes HB Rockwell	Date 5-4-33	
Date July 1933	Indexed A. C. Johnson		

W. S. 66, B 6

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

Fd 1" I.P. with 2" B.C. leaning to E. because of heavy sight having been tied to it. Moved to true line determined by Mc Henrys 1x2 stks. FB 78-91, USGLO ¼ cor to Sec. 32-33 T 5N. R 10W.

Set 2x2 RP

48.82

50.78

33-T5N-R10W

W. line Sec.

Pl #239
W. 1"x2"
Fd F.S. 78-141
Q.L.B. 691-373

Set 1x2 EC
149+66.85

Fd B.C. Mon NW Cor Sec 33

150+63.47 from S
= 167+66.68 going N

102.09

220.37

223.13

Fd 1x2 Top Spur
FB 78-144

Adj.

Δ = 72° 52' 20"
R = 600
T = 442.92
L = 763.02

(For curve data see pg. 194)

① 107° 07' 45
② 68° 31' 00
③ 137° 01' 00

107° 07' 45"

T = 64°
226.15 @ 12° 57'
= 220.40
- 03
220.37
+ 442.92
223.13

Set 3¼ I.P. RLS 215A

442.92

230.10 @ 5° 23'
= 229.09
- 03
229.06
223.13
5.93

Set 2x2

20.00

30.00

Set 1x2 B.C.
192+03.76

Set 2x2

558.99

116.01

T = 68°
290.40 @ 5° 28' = 289.08
270.60 @ 4° 05' = 269.91
558.99
- 00

Set 1x1 stakes at 50' stations to 175+00

Set 2x2

30.00

30.00

Set 1x2 P.O.T.
140+87.75

Set 2x2

From top of pg. = 198



W.S. 44, B-5

1900

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. 49 St'd 84 of F.
Office Work	Surveyed by Boyer & Party
Checked	Notes Boyer Date 8-8-33
Date	Indexed A. C. Johnson 5-4-35

F.B. 487 Pg. 201

Survey to
Locate * Flagg
the
North R. of W Line
of
Ave. M
along the
Sly. line of Sec. 32
T7N R12W

Surveyed at Request of Mr Stamis

See C.S. 3738

J.D. Boyer
G.W. Schaefer R
G.H. Nichols H.C.
M.A. Van Deren RC

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 8-31

W.S. 71, D-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. 487 PG 201A

Notes Ck'd by McPherson	Survey of Sec 32 T5NR12W
Map No. B-1/22-1	W. O. 7715 Tape No. 58 St'd 84 per
Office Work Wood	Surveyed by Boyer - Mankey
Checked McPherson	Notes Boyer Date 10-3 33
Date Feb 1934	Indexed A. C. Johnson 11-14-33

F. 487 Pg. 202

Survey to Subdivide

Sec. 32 T5N R12W. S.B.M.

INDEX MAP



● = Monuments found
○ = Monuments Set

See C.S.B. 193-1

Surveyed at request of Mr. E. T. Mankey

E.T. Mankey
J.D. Boyer
H B Reynold A
G W Schaefer HC
G.H. Nichols RC
M.A Van Deren

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 487 Pg. 203



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Sec 32 T5N R12W
Map No. B-193-1	W. O. 7715 Tape No. 58 St'd 8A of F.
Office Work Wood	Surveyed by Boger & Barry
Checked McPherson	Notes Boger Date 10-3 33
Date Feb. 1934.	Indexed A. C. Johnson

F.B. 487 PG. 204

W.S. 64 D-6

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 5-31

Fd B.C. Conc. Mon. 1' under Cor. to Sec. 29, 30, 31 & 32 T5N R12W F.B. 318-2

Fd. Old 2x4 with Chiseled Top Nail

Set B.C. Conc. Mon. Marked as Shown 1-18-34 H.B.R.

Set B.C. Conc. Mon. (Flush) MKd. as Shown 1-18-34 H.B.R.

Fd. B.C. Conc. Mon. 1' cor. to Sec 31 & 32

2672.23

2672.23

1320.79

1320.80

2649.40

1.35

3.35

0.67

Sec 32

T5N. R12W

COUNTY SURVEYOR T5N R12W 29 32 1/4 sec. Cor. MONUMENTED

COUNTY SURVEYOR T5N R12W 1/4-1/4 Cor. + sec. 32 S.W. 1/4 MONUMENTED

COUNTY SURVEYOR T5N R12W CENTER + OF SEC 32 MONUMENTED

To Page 206

To S. 1/4 Cor. Sec 32

To S. 1/4 Sec 32

To E. 1/4 Cor. Sec 32 P 205

To NE Cor. Sec 32

From Top Page 208

F.B. 487 Pg. 205

To bottom Page 206

W.S. 64 D-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Set 1x2 ▲C

To 1x2 AB Page 206

Set 1x2 by Int

Fd B.C. Conc Mon. 1/4 Cor. to Sec 4 32 + 33 FB

Set B.C. Conc. Mon (Flush) MM 65 Shown 1-18-34 HBR

COUNTY SURVEYOR T5N R12W 1/4-1/4-4 Cor. + Sec. 32 MONUMENT

① 89°07' 30"
Ⓐ 359° 38' 00"

① 89°54' 00"
Ⓐ 359° 35' 45"

① 90°52' 30"
Ⓐ 363°30' 30"

① 89°24' 00"
Ⓐ 357° 36' 00"

T= 90°
300.73 @ 1°15' = 300.66
103.70 @ 7°22' = 102.84
270.46 @ 1°05' = 270.41
673.91
+ .03
673.94

To 1x2

300.25 @ 2°36' = 299.94
300.56 @ 2°43' = 300.22
37.39
637.55
+ .02
637.57

From Page 203 To 1x2 + 3 Page 203

90° 05' 38"

2x2 half Vis. Comes on slope of wash bank

Set 1x2

89°24' 00" 10' Adj.

SEC 32 T5N R12W

673.94
637.57
655.75

Set 1x2 AD

673.94
655.75
18.19

Set 1x2 40A by int

116° 55' 00" 55' Adj.

Set 1x2 ▲D

116° 55' 00"
107° 40' 30"

62° 49' 15"
251° 17' 15"

0° 21' 45"
1° 27' 00"

26° 18' 00"
105° 15' 45"

T= 90°
65.97 @ 3°58' = 65.82
150.48 @ 5°48' = 149.71
215.53

89° 47' 45"
359° 11' 30"

To NW Cor Sec 32 R 203

Set 1x2 ▲B

Clean 1/4 Sec. 32

Set B.C. Conc. Mon. (Flush) MM 65 Shown 1-18-34 H.B.R

Set B.C. Conc. Mon. MM 65 Shown (Flush) 1-18-34 HBR

Set B C. Conc. Mon. 1/4 1/4 cor Sec 32

Rec. 215.59

Rec. 437.11

19.55

Set 2x2 in Mound Wash, Half Buried

Fd. 2x2 Intf 3.9 I.R.

Fd B.C. Conc Mon 5 1/4 Cor Sec 32

Notes Ck'd by McPherson	Survey of Sec 32 T5NR12W
Map No. B-123-1	W. O. 7715 Tape No. 58 St'd 84 °F.
Office Work Wood	Surveyed by Boyer & Party
Checked McPherson	Notes Boyer Date 10-3-33
Date Feb 1934	Indexed A. C. Johnson

F.B. 487 PG. 206

W.S. 64, D-6, B&W's 65, A-6

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

FORM 847 10M 8-31



RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 487 Pg. 207

Date _____ Notes by Bauer Chief Party _____ F.B. 481 PG. 209

Platted by McPherson	M. D. No. 7999 D. S. D. No.
Date March 1934	Location T6NR11W
Map No. B-962	Surveyed by Bauer + Party
Platting c'k'd by McPherson	Date Oct 1933
Date April Mar. 1934	Indexed A. C. Johnson 11-14-33

Survey in
T6N R 11 W
to
Locate lost corner
and
Subdivide
Sec. 7
for the
Palmdale Government Airport

Surveyed at request of Mr. E T Mankey
See U.C.S. 8738 & 9215
300' Tape #58 Std. @ 84°

E. T. Mankey
J D Bauer
H B Rockhold
G. V. Schaefer
G H Nichols
M. A. Van Deren

INDEX MAP

● = Mons. found
○ = Mons Set



Do not extend notes this side of this line

• Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR

F.B. 487 Pg. 210 Chief Party Notes by Date

W.S. 65 B-2

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

① 89°50'00"
④ 359°20'30"
⑤ 359°40'15"

Fd. B.C. Conc. Mon. T under Cor. to Sec. 6 & 7 T6NR11W & Sec. 31 & 32 T7NR11W, CS 8738

To N.W. Cor Sec 7

Sec 7 T6N R11W

Fd. 2x2 12.29

T = 58°
2705.09
- 46
2704.63

2704.63

1480

Set 1x2" I

T = 58°
2559.39
- 41.1
2598.95

2558.95

Set 1x2" 2

Fd. 3/4" I.P.

35.07

1.02

2499.97

Sec Page (213)

T = 58°
2663.03
- .45
2662.58

2662.58

Set 1x2" 24 Lft

90°02'30"

85.42

Fd. 1x4 Scribed "5" on N. "10" on E.

Sec 18

2350

Set 1x2" 3

Wire x Fence x

15.0

90°02'45"
360°00'00"

49.95

CITY OF LOS ANGELES SURVEY
B 1817
P 5

Set O.S.B.C. Mon. (1 1/2 dia.) in pipe - Ridge Stamp Disc
Set 1/2" Stakes - 30' out @ 90°
4 ER - 12-5-33

R.E. 1/4 Sec. Cor '62 Monument

To Top next page

Date _____ Notes by Boyer Chief Party _____ F.B. 497 Pg. 21

Platted by MsPherson	W. O. No. 7999 D. S. O. No.
Date March 1934	Location TGNR11W
Map No. B-962	Surveyed by Boyer & Reilly
Tracing Checked by Wood	Date 10-31-33
Plotting Checked by MsPherson	Indexed
Date March [illegible]	

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

W 5 5, B-2

From bottom Preceding Page

Sec 18
TGNR11W

Set 1"x2" # 3

T = 58'
2695.45
-.46 V
2694.99

2694.99

Accepted as Sec. Cor. by E. T. Marked Fd 2" I.P. 3' under Locks Sec Cor

27.3 56.76 — 36.38 — Sfd White 4"x4" Scribed "2" on S.W. side

Sec Page 214

20.62

Set 1"x2" # 1

9.01 7.19

Fd. 3" casing filled with cem. leaning to N. Reset over buried end

Sec 19

2636.78

T = 60'
2637.19
.41 V
2636.78 V

Fd. 3" casing filled w. th cement

27.53 14.83 77.55

Set 1"x2" #6 14.93 39.71 106.05 107.80

Fd. White 4"x4" 500. No. 4009 E. 49 1/2 N.

27.74

Fd. 3"x3"

Fd. 3" casing filled w. th cem. leaning S.S.

126.25

Set P.K. Spike Mon. Mkd. DS Shown 12-5-33 (by prot.) 42.13 @ 45° - N.E.R.

T6N R11W 19 20 Set 1/2" Pipe Monument

T69°
2666.76
.38'
2666.38

To Top Next Page

Set 1"x2" #6

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W 5 6 5 B-2, C-2

Do not extend notes this side of this line



FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

2708.88

W.S. 65, B-1, C-1

Notes Ck'd by MS Bressen
Map No. B-9012
Office Work Wood
Checked MS Bressen
Date March 1934

Survey of
W. O. 7999 Tape No. 58 Std 8 ft. of.
Surveyed by Barker & Party
Notes
Indexed Date 11-1-33

F.B. 487 Pg. 243

Fd. B.C. Conc. Mon. 1' under Cor. to Sec. 6 & 7 T6N R11W & 12 T6N R12W

T= 74°
1339.39
1338.85
1339.31
1337.34

1368.80

T= 76°
1342.76
1315.81

1342.69

89° 43' 32"

Set 3/4" I.P. 1' under Por. 4 Dist. for 1/4 cor.

Set 3/4" I.P. 1' under 1/4 cor.

13.48

Set N+T

1315.14

Fd B.C. Conc. Mon 1' under W 1/4 cor. Sec. 7

T= 58°
1324.92

T= 76°
2658.78
2658.64

1131.29
248.65
178.69

Set 3/4" I.P. 1' under 1/4 cor.

90° 18' 15"

1324.70

1131.10

Fd. B.C. Conc. Mon. 1' under. SW cor Sec 7

Set 1x2" N

Set 1x2" W

Set 1x2" S

Set 1x2" E

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S 65 B-2


Set CS Mon for 1/4 Cor Stamped as Shown 15" deep 4"x4" Stake S 45°W 42.43 from Wit Pt. to N 23.38
Set CS Mon for 1/4 Cor Stamped as Shown 15" deep 4"x4" Stake S 45°W 42.43 from Wit Pt. to N 23.38
Fd B.C. Conc Mon. for 1/4 Sec Cor
Fd B.C. Conc Mon. Under Cor to Sec. Cor
Fd B.C. Conc Mon. for Sec Cor
Fd B.C. Conc Mon. 5W Corner
Fd B.C. Conc Mon. for W 1/4 Cor Sec 18
Fd 3" Casing filled with Conc
Fd Nail & Tin Tag
Fd 1" I.P. Plug & Nail
Wire Fence x 19.6
Set 4x4
Fd 1" I.P. Set 4x4 Rew
Fd 1x2" Page 211
Replaced with B.C. Conc Mon. marked as shown thereon
Set SWT
Fd. Old RW 2x2
Fd. 3" Casing filled with conc
Fd 3" Casing filled with Conc
Fd 3" Casing filled with Conc
Fd 3" Casing filled with

F.B. 487 PG. 215

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Angeles National Forest Blossom
W. O. 8008 Tape No. Sr'd °F.
Surveyed by Boyer
Notes H B Rockhold Date Nov 33
Indexed A. C. Johnson
5-4-35

Survey to locate and Copy the North Right of
Way Line of
Mt. Wilson Highway
Fr. Sierra Madre Highway
For the County Forestry Dept. to build a
Fence Line from the Mount Wilson Road
to Big Rock Creek Ranger Station.

J D Boyer
H.B. Rockhold
G W Schaefer
G H Nichols
M A Van Deren

For R
4 sec Mt. Wilson Highway F.B. VII L.A. 23-E 5-pg. 50 to

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 847 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

To Bottom left Page 217



F.B. 487 Pg. 216

Notes Ck'd by	Survey of Sierra Highway - Pear Blossom Hgwy. Fairmont Cline
Map No.	W. O. 8008 Tape No. 58 Std 84° oF.
Office Work	Surveyed by Boyer & Party
Checked	Notes Boyer Date Nov 33
Date	Indexed A. C. Jonkers

F.B. 487 Pg. 217

Directions of Mr Geahr of Forr. Dept. related by Mr Simson & Ranger Reicher

Old Nadeau Rd. S Side to Maraposa St. S. Side Then Ft. Tejon Rd. N. Side to Little Rock Bridge. Then S. on L.R. Irr. Dist. E. Prop. line to Ave. V. Follow N. Side Ave V. E to Ft. Tejon Rd. Then follow Old Ft. Tejon Rd.

T 6 N
T 5 N
R 12 W
R 11 W

Sec 2
Sec 1
Sec 6

To bottom Page 218

Note: Jan. 23 - 34
Set 1/2" lath markers at 50' Sta on Curve & 140' Sta. on tan. 2' in from Sly line of road from Curve 3E to Int. of Ft. Tejon Rd.

NADEAU ROAD

Sec 7

Sec 11
Sec 12
Sec 14
Sec 13

From upper Right Page 216

HIGHWAY ROAD
OLD SIERRA CANYON

Set one half lath markers at approx. 150 ft. Stations on SELY. RW line of road and 1x1 stakes at missing B.C., E.C. & Ext. points

Sec 18

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

F.B. 487 Pg. 218

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

To lower left Page 219

T6N R11W
T5N R11W

Sec 2
Sec 3
Sec 11
Sec 4
Sec 9
Sec 5
Sec 8

PEAR STATE BLOSSOM HIGHWAY

ORR NATIONAL ROAD

TEJON ROAD

Set one half lath markers on each side of road at approx. 200 stations, on RW lines

Set one half lath markers at approx 200 ft. stations on Sly side of road on RW line

Jan. 23-39 Set ½ lath markers at 100 sta on line 2' N. of S. RW line

From Right Page 217

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Sierra Hwy, Pear Blossom Hwy, Palmdale Telephone line
W. O. 8008 | Tape No. 58 Std 88 of
Surveyed by Bauer Party
Notes Bayer Date
Indexed A. C. Johnson

F.B. 487 PG. 219

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 65 C-5, D-5

Do not extend notes this side of this line



Notes Ck'd by	Survey of Near Blossom Avenue, Tie Line
Map No.	W. O. 8006 Tape No. St'd °F.
Office Work	Surveyed by Bovar
Checked	Notes Kachina Date 2-8-34
Date	Indexed [illegible] 2-12-34

F.B. 487 PG. 221

WS 65 B-5

To bottom Page 222

Set 2x2 in Flats

(1) 485 @ 2°14 = 969.34
(2) 486 @ 2°58 = 969.14

969.34

Set 2x2 Top Red No 5 spur

865 @ 1°44 = 864.22
865 @ 1°38 = 864.31

Sec 22

Sec 15
T 5 N
R 11 W

Set 2x2 Top N. 5 spur

42 @ 12°38

Sec 22

1/4 Sec. Cor
Fd. 4" Juniper post
Bears N 145 15 on N. - 145 22 on E.
per R. 9212-5
Replaced with B.C. Cong. Mon.
No Ref. shown

80.00 Chains

COUNTY SURVEYOR
T 5 N
R 11 W
15
22
1/4 SEC. COR. 62
1933 MONUMENT

568.0

571.0 @ 1°09' = 568.0
572.0 @ 2°22' = 568.7

Continued on pg. 220

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 65, D-5

F.B. 487 PG 222

To bottom Page 223

From Top Page 221

Sec 22

Sec 15

T5NR11W

Set 2x2 on point of stone Side slide of wash of draw

Set 2x2

Set 2x2

Set 2x2 in flats

Theoretical Sec. Cor. cannot be accessibly placed.

Top of Hill

Wash

Foot

Slope

Replaced Old RW Post with B.C. cone mon. mk'd as shown 13 above ground in rock md.

Fd Old Redwood Post scribed "NE RW S23 T5N R11W" on NE, S22 and S15 on NW, Scribed on S on on E. in Old Rock md. To cliff Finds Witness to Sec. 14, 15, 22 & 23 S 52½ E 3.5'

Fd 1" I.P. 0.5' above ground in mound of stones. No mk. Witness to Sec. 14, 15, 22 & 23

Notes Ck'd by	Survey of Sierra Power-Pear Blossom Telephone
Map No.	W. O. 8008 Tape No. 58 St'd 8 ° F.
Office Work	Surveyed by Bauer
Checked	Notes Bauer Date 2-14-34
Date	Indexed A. C. Johnson

F.B. 487 Pg. 223

To bottom Page 224

Set 2x2

C.P.R. Flume

Traveled

E. bluff

30'

44'

line 42' wide

Road

Little Rock Creek

202.13 @ 4°51 = 202.40

192
11 8
74

118

202.4

Set N&T

Top

East Wash

of Bank

82'

Little Rock Creek

299.89

Sec 14
T 5 N
R 11 W

104'

300.05 @ 1°51 = 299.89

Set N&T

Main Wash

Top

of Bank

40.7

Dr. Dr. Little Rock Creek

2 57' wide

192.9

Chained

194 @ 0°11 = 192.87

235 @ 0°12 = 233.62

300.05 @ 1°47 = 299.01

Set 2x2 Point of Spur

From Top Page 222

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31

F.B. 487 PG. 224

To bottom Page 225

Fd. B.C. Mon. 1' under Cor. to Sec 13, 14, 23 & 24 T5N R11W

529.95
529.95
1058.90
529.45

796.00
529.45
606.45

796 @ 0°24' = 795.84
796 @ 1°00 = 795.76

629.28

628 @ 1°00 = 628.75
628 @ 0°57 = 627.81

Set 2x2

620 @ 1°00 = 619.60
619 @ 1°00 = 618.74
1238.34
619.21

Sec 23

Sec 14 T5N R11W

SURVEY MONUMENT
T5N
14 + 23
R11W
RE SEC. COR.
COUNTY

60'

620.21

old broken down wire fence

Set 4x4 stakes 30' out N+S on split of angle

Ⓐ 179°41'00
Ⓑ 359°41'00

Replaced rock with B.C. Conc Mon mkd as shown 1½' under. Rock alongside

Fd Old Granite rock about 6"x8" mkd. ¼" on N. face Sunk almost flush in ground in sunken rock md. 'Friel ¼ cor. to Sec 14 & 23 T5N R11W' RCS 9212-6 This cor. elev. rec. tie to E. bluff of stream by 2 or 3 ft. brush.

179°41'00

300.00

300.64 @ 1°01 = 300.59
19.41 @ — = 19.41
3100

Set 2x2

From Top Page 223

W5,65,D-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Sierra Hwy - Pear Blossom Hwy Tie Line
Map No.	W. O. 8008 Tape No. St'd °F.
Office Work	Surveyed by Boyer + Party
Checked	Notes Boyer Date 2-14-34
Date	Indexed A. C. Johnson

F.B. 487 PG. 225

W.S.6.5, D-5, M.S.66/45

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Ft. Tejon Rd

Fd B.C. Conc. Mon. Under
1/cor to Sec 13 & 24 T5N
& R11W

874 @ 0°24 = 874

874

Set SW.T

802 @ 1°10 = 801.68

Sec 13
T5N R11W

Sec 24

Road

801.68

Set 2x2

Traveled

568.8

568.94 @ 0°21 = 568.94

Set SW.T

400 @ 0°41 = 399.96

399.96

179°30' Rt

Ⓐ 179° 30' 45"
Ⓑ 358° 00' 00"

Fd B.C. Conc. Mon. Under
con to Sec 13, 14, 23 & 24
T5N R11W

From Top Page 224

FORM 847 10M 5-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 487 PG 226

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Sierra Highway-Pear Blossom
W. O. 8008 Tape No. Std. of
Surveyed by Bauer & Parks
Notes Date 2-18-34
Indexed

F.B. 481 Pg. 227

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


Sec 8
Sec 7
Sec 12
Sec 11
Sec 17
Sec 18
Sec 13
Sec 14
Sec 15
Sec 24
Sec 23
Sec 19
Sec 20
Sec 21
Sec 22
Big Rock Patrol Station
Big Rock Creek
Pallett Creek
Pallett Creek
Pallett Creek
Ft Tejon Road
Ft Tejon Road
Tejon
Tejon
Tejon
Tejon
Avenue T
Avenue T
Avenue T

Notes Ck'd by		Survey of Ave N-150E to 170E	F.B. 487 PG. 229
Map No.		W. O. 5058 Tape No.	St'd °F.
Office Work		Surveyed by Bayer	
Checked		Notes Bayer	Date 1-19-35
Date		Indexed A. C. Johnson	5-4-35

Survey
to
Establish & Flagg
the
Right of Way Lines
of
Ave N
from
150th St East
to
170th St East
and
from
90th St East
to
110th St. East

Surveyed at request of Geo. Lane of Rd. Dept
See CS 8733

JD Bayer
GW Schaefer
HW Gunderson
CH Morrison

RC.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 487 Pg. 230

W.S. 66, D-11, W.S. 67

RETURN TO
LOS ANGELES COUNTY SURVEYOR
789 HALL OF RECORDS
Do not detach this sheet from notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

170th St. East

Fd. B.C. Mon. 1' under Cor. to Sec. 3, 4, 9 & 10 CS 8733

Sec. 4 T6N R9W

Sec. 9

Found B.C. Mon. 1' under Cor. to Sec. 4, 5, 8 & 9 CS 8733

Set 1x1 stakes & lath' markers 30' apt N & S at approx. 530' stations

Ave

Sec 5

Sec. 8

Fd. B.C. Mon. 1' under Cor. to Sec. 5, 6, 7 & 8 CS 8733

150th St East

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 66, A-1, B-1

Notes Ck'd by
Map No. S'd of.
Office Work
Checked
Date

Survey of Ore N. 90th E. to North
W. O. 5058 Tape No. S'd
Surveyed by Bauer Baker
Notes A. C. Johnson Date 1-17-35
Indexed

F.B. 484 PG. 231

Sec 5
T6NR10W

90th

Set lath stakes & foll lath markers 30' out North & South at approx. 530' stations

Fd B.C. Mon. 1' under. Cor to Sec 5, 6, 8, 9 CS 8732

Fd B.C. Conc. Mon. 1 Cor to Sec 5, 8 CS 8732

This mon. 1' under on top sand dune. lowered 1/2

Fd. B.C. Conc. Mon Cor to Sec 4, 5, 8, 9 CS 8732

To bottom Page 232

Sec 8

8th East

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Ws. 66, B-1

F.B. 4-87 Pg 232

Fd B.C. Cor. Mon. Cor to Sec 31, 36 & 1 CS 87/33

Set 10in stakes & full lath markers 30' out N & S on approx 630' offsets

Sec 4 T6N R13W

Fd B.C. Cor. Mon. Cor to Sec 4, 5, 32 & 33 CS 87/33

Sec 5

Fd B.C. Cor. Mon. Cor to Sec 4, 5, 8 & 9 CS 87/33

From Top Page 231

Form 307 Rev 10-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK; WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile — Notes Ref. — Platted — Date — Job No. 7347 Division No. — L.B. 487 Pg. 23

X-Sec. — Date SEP 2 1955 — Survey of Griffith Rd — Date 7-11-35

Notes Chkd. — Checked — Survey by Holmes — Notes Pursuant Date 7-11-35

Date — Map No. — Indexed by C. Jones Date 9-21-35

STATION	B. S.	H. I.	F. S	ELEV.	Profile.
117+50	1.785	51.275		3549 51	L.B. 722-154
118+50			9.22	3542.07	" "
129+83.26	0.705	40.790	11.21	40.085	new stationing = T.P. #1
119+00			2.88	37.91	L.B. 722-154
130+00			2.72	38 07	
+50			6.20	34 59	
131+00			8.70	32 1	
T.P. #2	1.03	30.46	11.36	29.43	
+50			1.7	28.8	
121+00			4.0	26.46	old Sta.
132+00			4.2	26 3	new. "
+50			6.2	243	
133+00			7.8	227	
+50			5.4	221	
134+00			8	223	
134+13.12 P.I.	3.64	25.57	8.53	21.93	= T.P. #3
+50			4.1	215	
135+00			5.2	204	
135+11			5.8	198	
+15			8.5	171	
+50			8.7	169	

PROFILE TOPOGRAPHY AND SECTION Griffith Road
Along F.B. 18-141 to 143 + L.B. 722 old & F.B. 487 to 199 + L.N. 1349
See 193 to 199
Assumed #234 ED. 18 old & 130+00 old 143 + backed 2 stations - New F.I.
Note: old F.I. 143 + backed 2 stations - New F.I.
E.A. Rosecrans Surveyor
G.W. Pierce
L.H. Morrison

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 234 | Job. No. 1349 | Division No. | Notes Red | Plotted | Profile
Survey of Griffith Rd | Date | Date | No.
Survey by Roscrans | Notes | Notes Chkd. | Checked | X-Sec.
Indexed A.C. Johnson | Date 9-11-35 | Date | Date | No.

STATION	B. S.	H. I.	F. S	ELEV.		
135+85.91		25.57	7.7	17.9		
+87			7.0	18.6		
136+20.79			4.6	21.0		
+27			4.0	21.6		
+30			2.5	23.1		
+55.70			7.3	21.3		
+63.7			5.7	20.2		
+90.60			6.3	19.3		
137+25.73 E.C.			8.2	17.4		
137+32.31 B.C.			9.5	16.1		
+46			10.4	15.2		
+66.4			8.2	17.4		
137+99.67 T.P. #4	0.75	14.58	11.74	13.83		
138+32.68			4.7	09.1		
+65.81 E.C.			6.7	07.9		
139+00			9.3	05.3		
U.S.B.M. #1880			8.825	3505.755		
T.P. #5	1.92	3507.125		3505.705	L.E. 72.2 - 15 4/4	
139+50			4.5	02.6		
140+00			6.7	3500.4		
+50			9.4	3497.7		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		350.125				
141+00 T.P. #6	0.21	95.59	11.795	83.795	230'	
+50			2.8	92.7		
142+00			5.2	90.3		
+50			7.2	88.3		
143+00			9.4	86.1		
+50 T.P. #7	2.065	85.890	4.735	83.805		
+89.06 B.C.			4.0	81.9		
144+30.50			6.2	79.7		
+72.0			9.1	76.8		
+94			10.0	75.9	Top Bk	
145+13.5			18.0	67.9	Bot "	
+40.0			16.8	69.1	" "	
+54.9			11.7	74.2	Top "	
+62.0			10.2	75.7	" "	
145+96.4			9.7	76.2		
146+37.90 EC	0.87	75.855	1.0905	74.985	= T.P. #8	
+50			1.3	74.6		
147+00			3.2	72.7		
+34.3			4.1	71.8		
+50			4.4	71.5		
148+00			5.7	70.2		

Profile No.
Notes Red. C. J. TERRY Platted
Date SEP 9 1935 Date
X-Sec. No.
Notes Chkd. Checked
Date Date
Job No. 1342 Division No.
Survey of Gurley Rd
Survey by Parsons Notes Date 9-11-35
Map No. Indexed A. C. Johnston

L. B. 487 PG. 235

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 236 | Job. No. 7349 | Division No. | Notes Red | Plotted | Profile
Survey of Griffith Rd | Date | Date | No.
Survey by Holmes | Notes Observations | Notes Chkd. | Checked | X-Sec.
Indexed A. C. Johnson | Date 7-11-35 | Date | Date | No.

STATION	B. S.	H. I.	F. S	ELEV.		
148+50		75.855	6.4	69 5		
149+00			6.8	691		
+50			8.2	677		
150+00			10.0	659		
139+00			7 32	66.525	Old Sta.	L.B. 722-156
137+00			5.26	70.595	L.B. 722-317	
		X Sections.				
137+63.26 P.C.	5.4	45 48		3540 085		
6 R			47	408	Edge Rd	
10.5 R			6.5	390	Toe fill	
30 R			7 7	378		
10 L			6.3	392	Wedge Rd.	
14 L			6.5	390		
16 L			5 3	402		
34 L			8.3	372		
130+00	5.4	435		391		
8 R			4 6	389	E. edge Rd	
11 R			5.8	377	Toe fill	
30 R			6. 8	367		
9 L			5.7	378	Wedge Rd.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
11 L		435	6.9	371	B ditch	
19 L			5.8	377		
27 L			6.8	367	B Dr	
32 L			6.7	368		
120+50	5.4	400		346		
10 R			5.1	349	E edge Rd.	
12.5 R			5.5	342	Toe slope	
30 R			6.2	338		
8 L			5.1	349	W edge Rd	
11.0 L			6.5	335	B Dr.	
15 L			6.5	335	"	
20 L			2.3	375	Top BK.	
30 L			1.8	382		
131+00	5.1	375		321		
9.5 R			5.4	321	E edge Rd.	
30 R			5.3	313		
7 L			2.7	322	W edge Rd	
10 L			6.5	310	B. Dr.	
14 L			6.4	311	"	
18 L			4.0	335	T. BK	
30 L			1.4	361		

Profile No. ____ Notes Rdd. J. TERRY Platted ____ Job No. 2342 Division No. ____ L. B. 487 PG. 237

X-Sec. No. ____ Date SEP 24 1935 Date ____ Survey of Gruber Rd.

Notes Chkd. ____ Checked ____ Survey by Roscoe Notes C. Johnson Date 7-16-35

Date ____ Date ____ Map No. ____ Indexed ____

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 238
Survey of Griffin Rd. Job. No. 7347 Division No. Notes Red Plotted Profile
Survey by Rasmussen Notes K. Date No.
Indexed A. C. Johnson Date 9-16-35 Notes Chkd. Checked X-Sec.
Date Date No.

STATION	B. S.	H. I.	F. S	ELEV.		
131+50	5.4	34.2		288		
9 R			5.1	298	E edge Rd.	
30 R			5.8	284		
8 L			5.3	289	W edge Rd.	
13 L			5.4	288	℄ Dr.	
16 L			5.4	288		
30 L			4.0	302		
132+00	5.9			263		
8 R			5.3	264	E edge Rd.	
30 R			6.0	257		
9 L			5.0	267	W edge Rd.	
13 L			5.0	267		
16 L			4.8	269		
30 L			2.3	294		
132+50	5.4	29.7		243		
8 R			5.3	244	E edge Rd.	
30 R			5.5	242		
11 L			4.9	248	W edge Rd	
19 L			4.7	250		
30 L			3.6	261		
133+00	5.9	28.1		227		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
7 R		281	5.9	222	E edge Rd.	
30 R			6.6	215		
15 L			5.2	229	W edge Rd.	
31 L			5.0	231		
30 L			4.0	241		
133+50	5.9	275		221		
7.5 R			5.7	218	E edge Rd	
11.5 R			7.0	205		
30 R			8.0	195		
7.5 L			5.0	225	W edge Rd.	
11.5 L			5.5	220		
2.1 L			1.6	259	T. BK.	
30 L			0.6	269		
139+00	5.4	277		223		
9 R			5.2	224	E edge Rd.	
13 R			6.7	210	To S.	
18 R			7.7	200	Brk.	
30 R			8.0	197		
9 L			5.5	222	W. edge Rd.	
10.5 L			5.7	220		
18 L			0.8	269	T. BK.	

Profile Notes Reg. J. TERRY Platted Job No. 7217 Division No.
No. Date SEP 21 1935 Date Survey of Griffith Rd. L. B. 487 Pg. 259
X-Sec. Notes Chkd. Checked Survey by Rodriguez Notes 4" Date 7-16-35
No. Date Date Map No. Indexed A. C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 240 Job No. 2339 Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of Griffith Rd. Date ____ Date ____ No. ____
Survey by Rezeau & Notes R. Notes Chkd. ____ Checked ____ X-Sec. ____
Indexed A. C. Johnson Date 9-16-35 Date ____ Date ____ No. ____

STATION	B. S.	H. I.	F. S	ELEV.		
23' R		27.7	0.0	27.7		
30' R			+1.9	29.6		
134+13.17	5.4	27.3		21.9		
7.0 R			5.1	22.2	E edge Rd	
11.5 R			6.2	21.1	Toe sl.	
19' R			7.0	20.3	B. K.	
30' R			7.5	19.8		
10' L			5.1	21.6	W edge Rd.	
20' L			0.0	27.3		
30' L			+1.1	28.4		
134+30	5.9	26.9		21.5		
30' R			7.0	19.9		
4' L			4.9	22.0	E edge Rd.	
20' L			5.4	21.5	W " "	
27' L			4.4	22.5	T Bk.	
30' L			4.0	22.9		
135+00	5.1	25.8		20.4		
10' R			6.5	19.3		
30' R			7.7	18.1		
30' L			4.7	21.1		
135+15	5.4	22.5		17.1		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
30 R		225	7.0	155.		
4 L			2.8	197		
30 L			2.4	201		
136-55.7	5.1	223		169		
30 L			5.8	155	wash	
30 L			3.7	184		
136-55.7	5.1	233		179		
30 R			6.2	171		
8 L			4.5	188		
30 L			3.2	201		
136-55.7	5.1	264		210		
11 R			5.3	211		
30 L			1.0	254		
24.5 L			4.6	218		
30 L			4.8	216		
136-55.7	5.1	267		213		
1 R			4.5	222		
22 R			4.0	227	Tac. 51.	
30 R			1.0	257		
4 L			6.5	202		
30 L			6.1	203		

Profile No. ____ X-Sec. No. ____

Notes Red C. J. TERRY Plotted ____ Job No. 2347 Division No. ____ L.B. 487 Pg. 241

Date SEP 24 1935 Date ____ Survey of Levelling Ave.

Notes Chkd. ____ Checked ____ Survey by Assistants Notes ____ Date ____

Date ____ Date ____ Map No. ____ Indexed A. C. Job Date

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 142 Division No. Job. No. 7349 Profile No.
Survey of Griffith Rd. Date X-Sec. No.
Survey by Petersons Notes R. Notes Chkd. Checked
Indexed A. C. Johnson Date 9-16-35 Date Date

STATION	B. S.	H. I.	F. S	ELEV.		
136+90.6	5.4	247		193		
15 R			5.4	193	B. BK.	
18 R.			0.0	247		
30 R			+5.0	297		
30 L			6.0	187		
137+25.43	5.4	228		174		
1 R			5.0	178		
17 R			5.1	177		
20 R			0.0	228		
30 R			+5.0	278		
1 L			6.0	168		
30 L			6.3	165		
137+33.31	5.4	215		161		
2 R			3.7	178		
19 R			4.2	173	B. BK	
21 R			0.0	215		
30 R			+4.8	263		
30 L			5.3	162		
137+66.4	5.4	228		174		
20 R			7.0	158	B. BK.	
25 R			0.0	228		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ Noted by C. J. TERRY Job No. 2342 Division No.____
X-Sec. No.____ Date 1-19-21 1945 Date____ Survey of Century Blvd.
Notes Chkd.____ Date____ Checked____ Date____ Survey by [illegible] Notes [illegible] Date 9-16-21
Map No.____ Indexed A. C. Johnson

L. B. 487 PG. 142

STATION	B. S.	H. I.	F. S	ELEV.		
30 R		228	+3.3	261		
4 L			9.0	138		
30 L			9.0	128		
137+99.3	54	192		138		
1 R			7.1	151	Top. fill	
10 R			4.7	145	B. C.	
20.5 R			7.2	120	B. B R	
25 R			0.0	192		
30 R			+2.5	217		
6.5 L			5.2	110	Toe fill	
14 L			8.5	107	E edge Rd.	
22 L			5.1	111	W.	
30 L			7.7	113		
138+30.65	54	153		099		
5 R			4.0	113	Top fill	
15 R			1.2	110	B. C.	
19 R			6.4	89	B. B.	
24 R			0.8	145	Top B. C.	
30 R			+1.0	163		
4 L			6.2	91	Toe fill + E. edge Rd.	
16 L			6.1	92	Wedge Rd	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 244 Job. No. 2349 Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of Griffin Rd. Date ____ Date ____ No. ____
Survey by Reagans Notes K. Notes Chkd. ____ Checked ____ X-Sec. ____
Indexed A. C. Johnson Date 9-16-35 Date ____ Date ____ No. ____

STATION	B. S.	H. I.	F. S	ELEV.		
30 L			5.9	094		
138+65.81	5.4	133		079		
5 R			5.2	081		
15 R			6.6	067		
16 R			8.5	048	Dr.	
23 R			9.6	037	"	
25 R			6.2	071	T. Bk.	
30 R			6.0	073		
4 L			6.0	073	Edge Rd.	
12 L			6.1	072	W. " "	
30 L			5.3	080		
139+05?	5.4			053 ?		
10 R			6.9	043		
13 R			8.0	027	Dr.	
20 R			5.0	027		
30 R			5.3	042	T. Bk.	
7 L			5.6	051	Edge Rd.	
15 L			5.2	055	W. " "	
30 L			5.0	057		
139+50	5.4	080		026		
30 R			7.0	010		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
12 L		080	5.1	029	E edge Rd.	
21 L			5.3	027	W. " "	
24 L			4.7	033		
30 L			4.4	036		
140+00	5.4	058		35004		
30 R			6.0	998		
11 L			5.6	002	E edge Rd.	
19 L			5.2	006	W. " "	
30 L			5.0	008	E. "	
36 L			5.0	009		
141+50	5.4	031		34977		
30 R			6.1	977		
8 L			5.6	975	E edge Rd.	
13 L			5.4	977	W. " "	
30 L			5.0	981		
141+00	5.1	007		953	E edge Rd	
30 R			5.4	953		
8 L			5.1	95.3	W. " "	
30 L			5.0	957		
141+50	5.4	981		927		
30 R			5.2	929	E edge Rd.	

Profile No.
X-Sec. No.
Notes Red. C. J. TERRY Plotted
Date C F D 9 1 1935 Date
Notes Chkd. Checked
Date Map No.
Job No. 1347 Division No.
Survey of Griffith Rd.
Survey by [illegible] Notes R. Date 9-16-35
Indexed A. C. Johnson
L. B. 487 Pg. 245

L.B. 487 P.G. 244 Job. No. 2349 Division No. ___ Notes Red ___ Plotted ___ Profile ___
Survey of Griffin Rd. Date ___ No. ___
Survey by Roscrans Notes By ___ Notes Chkd. ___ Checked ___ X-Sec. ___
Indexed A. C. Johnson Date 7-16-35 Date ___ Date ___ No. ___

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
30 R		98.1	5.2	92.9		
1 L			5.1	92.7	W. edge Rd.	
30 L			4.7	93.4		
142+00	5.1	95.7		90.3	W. edge Rd.	
8 R			5.5	90.2	E. " "	
30 R			5.1	90.6		
30 L			4.9	90.8		
142+50	5.1			88.3		
85 R			5.6	88.7	W. edge Rd.	
16 R			5.5	88.2	E. " "	
30 R			5.5	88.2		
30 L			5.0	88.7		
143+00	5.1	91.5		86.1		
21 R			5.1	85.8	W. edge Rd.	
30 R			5.6	86.5	E. " "	
30 L			5.0	86.5		
143+50	5.1	89.2		83.8		
30 R			5.1	84.1		
30 L			4.6	84.6		
143+89.06	5.1	87.3		81.9		
30 L			5.0	82.3		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
30 R		873	50	823		
14+43.5	5.1	851		797		
00 L			51	800		
30 L			5.3	798		
14+43.5	5.1	822		768		
0 N			5.7	765		
30 R			4.8	774		
2 L			4.4	778	B.K.	
1 L			4.5	777		
20 L			6.6	756	E edge Dr	
14+43.5			5.0	756	N.	
30 L			2.0	772		
14+43.5	5.1	813		759		
1 R			9.5	718	W. Dr	
5 R			10.7	706		
11 R			5.8	755	T. BK.	
30 R			4.4	769		
6 L			5.3	760	T. BK.	
1 L			6.8	745	E edge Dr	
15 L			6.6	747	N.	
19 L			4.7	766		

Profile No.
X-Sec. No.
Notes Red. J. TERRY Platted Date SEP 24 1935
Notes Chkd. Checked Date
Job No. 7348 Division No.
Survey of Griffith Ave
Survey by Pasadena Notes 42 Date 9-24-35
Map No. Indexed A. C. Johnson
L. B. 487 Pg. 247

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do. not extend notes this side of this line

L.B. 487 P.G. 148 Job. No. 2349 Division No. ___ Notes Red ___ Plotted ___ Profile
Survey of Griffith Rd. Date ___ No. ___
Survey by Rasmussen Notes R Notes Chkd. ___ Checked ___ X-Sec.
Indexed A. C. Johnson Date 7-16-35 Date ___ Date ___ No. ___

STATION	B. S.	H. I.	F. S	ELEV.		
30' L		813	7.0	773		
14+135	10.5	784		679	B. Pt.	
10' R			9.2	692	" "	
13' R			3.0	754	T. BK.	
10' R			2.0	764		
24' R			1.6	768	S. edge Rd.	
30' R			1.0	774		
5' L			6.3	721	T. BK.	
13' L			9.6	698	W edge Rd.	
18' L			2.6	758	T BK.	
30' L			2.0	764		
14+319	5.1	796		742		
2' R			4.0	756	T. BK.	
10' R			3.0	766	S. edge Rd.	
24' R			2.0	776	" "	
28' R			1.3	733	T. BK.	
30' R			0.0	796		
5' L			7.2	704	Brk. T. [illegible]	
10' L			11.1	685	" "	
17' L			13.0	666	" "	
21' L			13.0	666	" "	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
26 L		796	8.8	708	Brk	
27 L			5.5	741	T. Brk.	
30 L			5.3	743		
40+76.17	5.9	816		762		
7 R			5.3	763	S edge Rd	
15 R			1.9	767	N. " "	
20 R			1.1	775	B. Brk	
23 R			0.0	816	Brk	
25 R			+3.6	852	TT Brk	
30 R			+5.6	872	S.H.	
8 L			5.2	763	T Brk	
13 L			10.5	711	Brk	
28 L			16.5	651	B. Brk	
30 L			16.5	651	"	
17 L			9.1	724	T. Brk	
40+23.9	5.4	804		750		
7 R			5.1	753	S edge Rd	
13 R			4.8	756	N. " "	
16 R			4.8	756	B. Brk	
20 R			3.3	781	Brk.	
22 R			0.0	804		

Profile

No. _____ Notes Ref. J. TERRY Plotted _____ Job No. 7317 Division No. _____ L. B. 487 PG. 249

X-Sec. _____ Date SEP 9 1935 Date _____ Survey of Griffith Rd.

No. _____ Notes Chkd. _____ Checked _____ Survey by _____ Notes _____ Date 9-11-35

Date _____ Date _____ Map No. _____ Indexed A. C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 250 Job No. 7349 Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of Griffith Rd. ____ Date ____ No. ____
Survey by Reservoirs Notes R. Notes Chkd. ____ Checked ____ X-Sec. ____
Indexed A. C. Johnson Date 9-16-35 Date ____ Date ____ No. ____

STATION	B. S.	H. I.	F. S	ELEV.		
23 R		804	+1.1	815	T. BK.	
30 R.			+3.2	836	S.H.	
5.5 L			4.8	756	T. BK.	
16 L			9.7	707	Brk	
22 L			10.0	704	"	
23 L			12.5	679	B. Br.	
37 L			17.1	633	" "	
50 L			11.0	694	T. BK.	
146+50	5.4	800		746		
3 R			5.1	749	[illegible]	
13 R			5.0	750	N. "	
20 R			4.8	752	B. BL	
21.5 R			0.5	795	T. BK.	
23 R.			0.0	800		
30 R			+2.2	822	SH.	
15 L			4.7	753	T. BK	
11 L			9.4	706	[illegible]	
23 L			10.0	700	[illegible]	
25 L			13.0	670	B. Br.	
37 L			17.0	630	" "	
50 L			11.0	690	T. BK.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
1+00	5.4	78.1		727		
2 R			5.4	727	2 edge [illegible]	
14 R			5.3	728	N. " "	
19 R			1.9	732	B BK	
23 R			2.0	761	T "	
30 R			0.0	781	S.H.	
3 L			5.2	729	Top [illegible]	
10 L			7.1	690	Toe "	
23 L			10.6	675	Top [illegible]	
31 L			17.0	611	B. [illegible]	
10+00			17.0	611	B [illegible]	
25 L			10.0	681	T [illegible]	
14+20	5.4	76.9		715	S edge [illegible]	
12 R			5.4	715	N " "	
19 R			5.2	717	B BK	
22 R			1.0	759	T BK	
30 R			+1.0	779	S H	
6 L			5.1	718	Top fill	
14 L			7.8	671	B "	
23 L			11.5	654	Top BK	
27 L			6.8	609	B "	

Profile

Notes Ref. J. TERRY Plotted

Date SEP 21 1935 Date

Notes Chkd. Checked

Date Date

No. X-Sec. No.

Job No. 2312 Division No.

Survey of [illegible]

Survey by [illegible] Notes [illegible] Date 7-16-35

Map No. Indexed A. C. Johnson

L. B. 487 Pg. 151

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 157 Job No. 7349 Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of Griffin Rd. Date ____ No. ____
Survey by Rogers Notes R. Notes Chkd. ____ Checked ____ X-Sec. ____
Indexed A.C. Johnson Date 9-16-35 Date ____ Date ____ No. ____

STATION	B. S.	H. I.	F. S	ELEV.		
90' L		769	18.0	589	B. Dr.	
54' L			11.5	654	T. Bk.	
148+00	5.4	756		702	S edge Rd.	
12' R			5.4	702	N. " "	
19.5 R			5.1	705	B. Bk.	
22' R			1.4	742	T. "	
29' R			0.0	756		
30' R			4.2	714		
148+00	00	702		702		
14' L			5.4	648	Toe fill	
20 L			6.6	636	T. Bk.	
29' L			10.2	600	B "	
34' L			13.7	565	B Dr.	
39' L			13.7	565	" "	
48' L			7.0	632	T. Bk.	
148+50	5.4	749		695	S edge Rd.	
11' R			5.1	695	" " "	
19' R			5.4	695	Ft. Bk.	
21' R			0.0	749	Top Bk.	
30' R			43.7	786	S.H.	
148+50	0.0	695		695		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
3' L		695	00	695	Top fill	
13 L			6.8	627	B. fill	
19 L			8.2	613	T. BK.	
27' L			14.8	547	B Dr.	
46' L			14.7	548	" "	
51' L			8.0	615	T. BK.	
149+00	5.9	745		691	S. edge Rd	
12' R			5.6	689	N " "	
18' R			5.4	691	B cut	
20' R			0.0	745	Rock Sta.	
21' R			11.8	763	T. cut	
30' R			14.5	790	B.H.	
149+00	2.0	691		691		
5' L			0.0	691	Top fill	
19' L			8.2	609	Toe "	
23' L			10.2	589	Toe B.C.	
26' L			15.7	534	B Dr.	
43' L			16.4	527	"	
51' L			10.0	591	Top B.C.	
149+50	5.9	731		677	S edge Rd	
~~50~~ R			5.4	677	N " "	

Profile Noted By C. J. Platted Job No. 7311 Division No.
No. Date Date Survey of Grading Rd
X-Sec. Notes Chkd. Checked Survey by Notes Date
No. Date Date Map No. Indexed A. C. Johnson

L. B. 487 PG. 253

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 274 Job. No. 7349 Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of Griffith Rd. Date ____ Date ____ No. ____
Survey by Rasmus Notes K. Notes Chkd. ____ Checked ____ X-Sec. ____
Indexed A. C. Johnson Date 7-16-35 Date ____ Date ____ No. ____

STATION	B. S.	H. I.	F. S	ELEV.		
17 R		731	5.1	680	B cut.	
21 R			0.0	731	cut Bk.	
22 R			+32	763	Top cut	
30 R			+52	783	S.H.	
149+50	0.0	677		677		
1 L			00	677	Top fill	
13 L			6.8	609	B " + Top. Bk.	
19 L			11.6	561	Brk	
27 L			16.0	517	B Ln.	
37 L			17.0	507	" "	
48 L			15.4	523	" "	
56 L			11.0	567	T. Bk.	
150+00	5.4	713		659	S edge Rd.	
5 R			5.2	661	N " "	
15 R			1.7	666	B cut	
19 R			+1.3	726	T. "	
30 R			+5.7	770	S. H.	
150+00	00	659		659		
5 L			0.0	659	Top fill	
18 L			13.0	529	B "	
41 L			17.0	489	B. Dr.	
60 L			10.4	555	T. Bk.	

Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Tested C. J. TERRY Job No. 2442 Division No. F.B. 411 Pg. 23
Date SEP 21 1935 Date SEP 20 1935 Survey of Griffith Rd.
Notes Chkd. Checked Survey by Reserves Notes P. Date 9-16-35
Plat Sht. No. Inspected A. C. Johnson 9-20-35

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station
E.C. 127483'	P.I. 131413'				° '		° '						
				—			—	3540 1	5.0		35.45		
		705						2					
	4	306	5.0	240.11	305	+	3.18	3557 6					℄ 12 Rd
		709						3					
	4	310	5.0	246.14	309	+	3.27	3558 8					S. BK. W.
		795						4					
	5	296	6.0	252.28	295	+	2.38	52 6					℄ W.
		862						5					
	6	263	7.0	265.25	262	+	3.52	55 8					Toe Sl.
		759						6					
	5	260	6.0	273.49	257	+	5.45	65 1					S.H.
		554						7					
	3	255	4.0	283.03	249	+	8.45	79 5					T. ridge
		603						8					
	4	204	5.0	284.03	199	+	8.46	70 8					"
		900						9					
	7	201	8.0	268.21	200	+	4.46	53 7					Toe Sl.
		696						10					
	5	197	6.0	253.50	196	+	3.19	50 3					NBK
		698						11					
	5	199	6.0	249.24	199	+	2.16	46 8					℄ 3 W.
		613						12					
	4	214	5.0	239.29	213	+	3.45	54 2					S BK.
		518						13					
	3	219	4.0	234.34	218	+	3.37	54 8					℄ 12' Rd.
		468						14					
	3	169	4.0	227.58	168	+	3.44	52 0					℄ " "
		359						15					
	2	160	3.0	231.49	159	+	3.17	51 2					S. BK.
		294						16					
	1	145	1.1	238.20	145	—	—	44 0					℄ 6 W.
		238						17					
	1	139	2.0	244.54	139	+	1.21	46 3					N. BK.
		831						18					
	7	132	8.0	268.42	131	+	4.15	46 9					Toe Sl.
		539						19					
	4	135	5.0	293.57	132	+	8.44	60 3					Top ridge
		300						20					
	2	101	2.5	301.42	100	+	6.17	54 2					" "
		1081						21					
	10	82	10.0	258.15	82	+	3.42	40 4					Toe Sl.

Form 361 Reform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
E.C.	P.I.	5.76			° '		° '								
129+83.2	134+13'	5	76	5 00	255 00	76	—	40.1			35 4.5 1		℄ 6' W.		
		4.68													
		4	69	4 1	236 51	69		41 0					Toe SI.		
		3.64													
		3	65	3 0	223 35	65	+ 3.35	46 2					Top BK.		
		1.71													
		1	72	1 0	207 24	72	+ 1.45	46 3					℄ 15' Rd		
		8.37													
		8	38	8 0	288 17	38		37 1					℄ 6' W.		
		5.50													
		5	51	7 8	309 41	51		40 3					Toe SI.		
		4.71													
		4	72	4 3	326 53	72		41 8					S.H.		
		1.57													
		1	58	0 2	179 12	58		44 2					Fl.		
		3.29													
		3	30	3 8	136 03	30		41 7					T. BK.		
		8.28													
		8	29	8 2	88 08	29		36 9					B.		
		10.75													
		10	76	10 5	37 32	76		34 6					Fl.		
		11.30													
		10	131	11 0	33 04	131	1.19	31 0					"		
		10.88													
		9	189	10 0	30 25	189	2.05	28 4					Fl.		
		10.46													
		8	247	9 0	28 16	246	2.51	24 0					Fl. + Edge 8' Tr.		
		10.64													
		8	265	9 0	17 37	264	2.56	22 6					Fl.		
		10.12													
		8	213	9 0	15 28	212	2.56	25 3					Fl		
		9.61													
		8	162	9 0	13 52	162	2.41	28 3					Fl.		
	P.I.							35 28 8	5 1		35 33 9				
134+20	134+13'	1.70													
		1	71	1 0	211 07	71	+ 9.09	37 8					S.H.		
		2.94													
		2	95	2 0	242 15	94	+ 5.57	41 7					Toe SI.		
		5.39													
		4	140	5 0	250 46	138	+ 6 45	45 13					"		

Add'n'l Inform.

Topography Description Legend:
Side Hill ... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Intersection of Draw, V.D's & Break in Slope ... B.S.
Steep Slope ... S.S.
Top of Cliff ... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Spur ... T.Sp.
Bottom Canyon ... B.Cn.

Side of Canyon Gully
Top of Bank ... T.B.
Bottom of Bank ... B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F.
Bottom of Fill ... B.F.

Saddle
Swale ... Sw.
Flat ... Fl.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road E.Rd.

Fir-Fr.
Pine-Pi.
Cedar-Ce.
Sycamore ... Sy.
Eucalyptus ... Eu.
Palm ... Pa.
Use combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd.
Fence ... Fe.
Int. Fences V.Fe.
Ditch ... Di.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ... Cul.

T.B. 487 PG. 275

Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Kept by C. J. TERRY Plotted C. J. TERRY Job No. 7346 Division No.
Date SEP 24 1935 Date SEP 26 1935 Survey of Griffith Pk.
Notes Chkd. Checked Survey by Passemans Notes F. C. Johnson Date 9-16-35
Date Map No. Inked

F.B. 487 PG. 107

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
	Pl.	795			° '			° '		1						
131+50	134+13	6	196	7 0	257 01	193	+	6 50	50 0			3533 9		Toe Sl.		
		732								2						
		5	233	6 0	265 00	230	+	6 05	52 4					" "		
		924								3						
		7	225	8 0	277 40	223	+	5 29	47 0							
		676								4				Sl.		
		5	177	6 0	272 31	175	+	5 24	44 4							
		626								5				"		
		5	127	6 0	270 18	126	+	5 21	39 1							
		268								6				"		
		2	69	2 0	270 58	68	+	5 07	37 9							
		267								7				"		
		2	68	2 0	290 50	68	+	3 30	36 0							
		329								8				T 3 BK W		
		3	80	3 3	308 11	80	+	—	30 6							
		895								9				℄ 3' W.		
		8	96	8 0	288 52	95	+	4 06	32 7							
		822								10				℄ 3' W.		
		7	123	8 0	289 56	122	+	3 57	34 3							
		638								11				℄ " "		
		5	136	6 0	288 09	135	+	4 24	38 2							
		686								12				W. BK		
		5	187	6 0	287 18	186	+	4 09	41 3							
		723								13				Sl.		
		5	224	6 0	289 42	223	+	4 26	45 2							
		833								14				"		
		6	234	7 0	301 10	233	+	4 01	43 3							
		745								15				Fl.		
		6	146	7 0	301 18	145	+	4 13	37 5							
		310								16				℄ 1 W		
		2	111	2 0	301 10	110	+	3 50	39 2							
		247								17				T. Sp		
		1	148	2 0	317 54	147	+	3 30	40 8							
		880								18				" "		
		7	181	8 0	313 06	180	+	4 07	38 9							
		1128								19				℄ 1 W		
		9	226	10 0	312 23	225	+	4 14	40 4							
		1160								20				Sl.		
		9	261	12 0	315 40	260	+	4 02	40 3							
		728								21				"		
X	X	6	257	7 0	329 24	256	+	3 50	44 0					T. R.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
	P.I.	596													
131+50	134+43.	4	19.7	5.0	331.03	-19.6	+ 3.55	42.3			35.33		T.R.		
		379													
		3	18.0	3.0	338.29	-18.0	+ 1.09	34.4					S.H.		
		352													
		2	13.3	2.0	331.53	-13.3	—	31.9					"		
		790													
		7	9.1	7.0	336.15	-9.1	—	26.9					℄ 3' W.		
		1046													
		9	14.7	9.4	347.12	-14.7	—	24.5					Toe SI.		
		419													
		2	22.0	1.0	343.27	-22.0	—	32.9					S.H.		
		567													
		3	26.8	4.0	393.30	-26.8	+ 0.95	33.3					T. Sp.		
		560													
		3	26.1	4.0	351.48	-26.1	—	29.9					" "		
		926													
		7	22.7	7.8	352.33	-22.7	—	26.1					B Dr.		
		865													
		7	16.6	8.0	58.58	-16.6	1.58	20.4					Fl. - W edge 8' T.		
	P.I.	Ec.													
	134+13	139+83						35 21.9	5.2		35 27				
		10.03													
		8	20.4	9.2	306.52	-20.4		17.9					Fl.		
		1186													
		10	18.7	10.7	291.47	-18.7		16.4					H. Dr.		
		990													
		8	19.1	8.9	291.20	-19.1		18.2					N. BK.		
		897													
		7	19.8	8.0	273.21	-19.8	1.25	14.3					S edge 10' Rd.		
		1003													
		8	20.4	9.0	267.46	-20.4	1.24	13.2					S BK.		
		1108													
		9	20.9	10.0	269.05	-20.9	2.17	09.0					℄ 3' W.		
		812													
		6	21.3	7.0	261.14	-21.3	2.16	11.7					N BK.		
		928													
		7	22.9	8.0	251.57	-22.9	2.11	10.5					S BK.		
		1131													
		9	23.2	10.0	250.21	-23.2	2.29	07.4					BBK. E.W.		
		1066													
		8	26.6	9.2	241.47	-26.5	2.22	07.2					N.BK. E.W.		

Add'l Inform.

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Road of Draw R.D. Toe of Slope..T.S.

Intersect. of Draw, V.D's Top of Cliff.....T.Cl.
Break in Slope.....B.S. Bottom of Cliff..B.Cl.
Sharp Slope.....S.S. Top of Spur.....T.Sp.
Top of Cliff.....T.Cl. Bottom Canyon...B.Cn.

Side of Canyon S.Cn. Top of Fill.....T.F.
Top of Bank.....T.B. Bottom of Fill..B.F.
Bottom of Bank..B.B. Top of Cut.....T.C.
Top of Cut.....T.C. Bottom of Cut..B.C.
Bottom of Fill..B.F. Top of Pavement..Pvt.
Top of Bottom of Fill..B.F. Edge of Road E.Rd.

Saddle.....
Spring.....Spr. Flat.....Fl. Stream.....Str. Trail.....Tr. Pavement.....Pvt. Edge of Road E.Rd.

Obli-Q. Fly-Ft. Pipe-Pl. Cedar-Ce. Spruce-Sp. Eucalyptus.....Eu. Pine combinations of these and all common standard abbreviations.

Trestle Tr. Br. Fence.....Fe. Tel. Poles V. Pol. Ditch.....Dit. Telephone Pole T.P. Power Pole.....P.P. Culvert.....Cul.

Transit Notes: 131+50 P.I. 134+43. Ec. 139+83

Field Book 487 Pg 258

Form 891 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Begun C. J. TERRY Plotted C. J. TERRY Job No. 7347 Division No.
Date SEP 24 1935 Date SEP 26 1935 Survey of Cecilia Rd.
Notes Chkd. Checked Survey by Fitzgerald Notes F. Date 9-16-35
Date Map No. Inked A. C. Johnson F.B. 487 Pg. 49

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I.	E.C.	10 17			° '		° '								
1321/3	129483	8	218	9°	234 25	218	2 21	094			3527 1		N edge W.		
		1086													
		9	187	10°	241 09	187	2 15	098					S " "		
		777													
		6	178	7°	243 03	178	2 24	126					S BK "		
		1137													
		10	138	11 6	258 15	138	—	155					N edge 10 Rd.		
		1067													
		9	168	7°	269 25	168	1 36	156					Send 1 for C.L. FL.		
		1082													
		9	183	10°	265 03	183	1 45	116					N " " " "		
		945													
		8	146	9°	282 15	146	1 49	135					V Dr. 8		
		1024													
		9	122	10 7	281 20	122		164					N BK Dr.		
		1024													
		9	125	10°	287 44	125	1 30	139					L 2 Dr.		
		1125													
		10	126	10 6	292 38	126		165					S BK. Dr.		
		938													
		8	139	8 4	313 21	139		187					FL.		
		669													
		5	170	5 7	330 56	170		214					"		
		634													
		5	135	6°	343 51	135		211					"		
		882													
		8	84	8 1	315 57	84		190					"		
		863													
		8	64	8 6	292 11	64		185					"		
		872													
		8	73	8 8	258 54	73		183					"		
		997													
		9	98	9 4	240 37	98		177					N edge 10 Rd.		
		1142													
		10	143	11 1	222 29	143		154					Tap SBK.		
		1048													
		9	149	10°	222 29	149		171					S edge W.		
		978													
		8	179	9°	247 47	179	2 00	119					N " "		
		1181													
		10	182	12 3	202 48	182		148					" " "		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. 134+13	E.C. 134+83	911			° '		° '								
		8.	112.	90	204.04	112	1.40	14.8			3527.1		S. edge W.		
		1009													
		7.	110.	97	205.03	110	. .	17.4					S. Bk "		
		760													
		100	61.	75	214.37	61	. .	19.6					N. edge 10' Rd.		
		796													
		8.	197.	87	191.35	197	. .	18.4					Toe SI.		
		309													
		1.	210.	19	193.18	210	. .	25.2					Brk. SH.		
		296													
		1.	197.	17	203.49	197	. .	25.4					"	"	
		394													
		2.	195.	33	212.23	195	. .	23.8					"	"	
		505													
		3.	206.	37	220.51	206	. .	23.4					SH.		
		314													
		1.	215.	20	215.47	215	+ 1.31	31.1					T.R.		
		319													
		1.	220.	20	203.41	220	+ 2.13	33.4					"		
		455													
		2.	256.	30	192.40	256	+ 2.15	34.1					"		
		481													
		3.	182.	40	114.51 ① 229.42 ② 232-09 ③ 467-18 ④	182	+ 1.25	3527.6		+ 0.5		+ 4.5	P# 1A Set iron		
		465													
		2.	266.	1.78			. .	3525.3 3527.6		1.8		0.0	P# 2A " "		
# P1A	P.1 134+13	1081													
		9.	182.	10 52		182	. .	21.9	48		3532.4				
		933													
		8.	134.	90	0 31	134	. .	23.4					Toe SI.		
		688													
		6.	89.	69	12.38	89	. .	25.5					"		
		473													
		4.	74.	46	43.27	74	. .	27.8					"		
		281													
		2.	82.	28	79.38	82	. .	29.6					" + Dr.		
		325													
		2.	126.	20	90.25	126	+ 1.13	33.1					"		
		857													
		1.	158.	80	102.02	157	+ 3.51	35.3					"		
		575													
		4.	176.	50	123.26	176	+ 2.43	35.7					"		

Add'n'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Oak-O. Pin-Pi. Sycamore ..... Sy.
Pine-Pi. Cedar-Ce. Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fe.
Int. Fence V.Fe. Ditch ..... Di.
Telephone Pole T.P. Power Pole P.P. Culvert ..... Cul.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Side of Canyon S.Ca.
Top of Bank T.B.
Bottom of Bank B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill B.F.

Inters. of Draw. V.D's
Break in Slope Sl.B.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

F.B. 487 Pg. 260

Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	Back Sight	+ / −	Difference Elevation	Height of Instrument	+ / −	Vertical Distance	REMARKS Station	Left	Right
# P1A	P1.	507			° ′			° ′										
	136½	3	208	4.0	131 50	208	+	2 30	37 4				3.53 24			E BK		
		916								2								
		7	217	8.0	135 37½	217	+	2 07	32 3							E edge W.		
		342								3								
		1	243	2.0	147 39½	243	+	0 25	32 2							W. " "		
		277								4								
		1	178	2.1	158 38	178			30 3							N " " ℄		
		929								5								
		2	130	9.0	166 22	130			28 4							"		
		594								6								
		6	95	5.6	178 10	95			26 8							"		
		750								7								
		7	51	7.6	199 54	51			24 8							"		
		555								8								
		9	56	9.6	263 28	56			22 8							"		
		1110								9								
		10	111	11.6	264 13	111			21 8							Wedge N. ℄		
		1021								10								
		9	122	10.0	271 25	122		1 20	19 6							E edge W.		
		1121								11								
		10	122	11.8	271 40	122			20 6							" BK.		
		962								12								
		9	63	9.8	277 57½	63			22 6							E edge W.		
		863								13								
		8	64	9.0	278 21	64			23 4							" BK		
		1075								14								
		10	76	10.0	290 10	76			22 4							N edge W. W. edge 12 R		
		1119								15								
		10	120	12.5	303 36	120			19 9							N " W.		
		1148								16								
		10	149	11.0	306 22½	149		1 00	18 9							" "		
		1150								17								
		10	151	11.0	304 13½	151		0 25	20 4							F1.		
		1121								18								
		10	122	11.0	299 20½	122			21 4							"		
		984								19								
		9	85	9.6	287 35½	85			22 8							" Wedge 12 R		
		1120								20								
		10	121	10.5	327 23½	121			21 9							N edge		
		1123								21								
		10	124	10.8	321 31½	124			21 6							T BK		

Add'l Inform.

Notes By C. J. TERRY Plotted C. J. TERRY Job No. 2347 Division No. F.B. 487 Pg. 241
Date SEP 24 1935 Date SEP 26 1935 Survey of Griffith Pk
Notes Chkd. Checked Survey by Pozzetta & Notes P. Date 9-26-35
Date Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
	P.I.	1123			° '		° '								
P.I.A	139+13.1	10	124	11 0	320 59	124	0 56	19 5			35 32 4		S edge W		
		1076													
		10	77	10 2	309 55	77		22 2					E edge Rd.		
		1177													
		11	78	11 1	306 14	78		21 3					" " ℄ W		
		958													
		9	59	9 5	321 56	59		22 9					S edge W		
		815													
		8	16	8 1	294 25	16		24 3					"		
		651													
		6	52	6 4	160 10	52		26 0					"		
		598													
		5	99	5 0	152 48	99		27 4					"		
		491													
		3	142	3 1	143 04	142		29 3					"		
		242													
		1	143	2 —	137 21	143	+ 1 23	33 8					Top Bk		
		500													
		4	101	4 0	140 29	101	+ 1 02	30 2					H. Dr.		
		378													
		3	79	2 8	158 37	79		29 6					Top Bk		
		456													
		4	57	4 1	157 43	57		28 3					"		
		654													
		6	55	6 3	147 25	55		26 1					Center 12' Pit		
		472													
		4	73	4 0	138 29	73	+ 1 40	30 5					Top side "		
		442													
		4	43	4 3	144 42	43		28 1					" " "		
		649													
		6	50	6 3	334 23	50		26 1					Top Bk		
		895													
		8	96	8 6	331 26	96		23 8					" "		
		924													
		8	124	9 0	342 19	124		23 4					" "		
		947													
		4	48	4 2	239 58	48		28 2					Brk Sh.		
		165													
		1	67	1 0	197 34	67	+ 5 51	38 3					" "		
		196													
		1	93	1 0	199 22	93	+ 11 53	51 0					"		

Add'n'l Inform.

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Intern. of Drain. V.B's
Break in Slope ..... B.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon & Ch.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sd.
Single ..... Sl.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Traveled Rd. Tr. Rd.
Fence ..... Fe.
Int. Fences ..... V.Fe.
Ditch ..... Dt.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cvt.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Page 487 Pg. 2162

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rec'd SEP 24 1935 Notes Plotted C. J. TERRY Job No. 2312 Division No.
Date SEP 24 1935 Date SEP 26 1935 Survey of Cecilia Rd.
Notes Chkd. Checked Survey by Escalante Notes F.B. 487 Pg. 20
Date Date Map No. Indexed A. C. Johnson Date 9-16-35

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P.T.	P.I.	2.42			° '		° '								
P.T.A.	134.12	1.	14.4	1 0	179 31	140	+ 9 30	355 48			35 32 4		Brk	S.M.	
		4.84													
		3.	18.5	4 0	177 47	179	+ 10 15	60 8					"	"	
		7.07													
		5.	20.8	6 0	183 36	201	+ 10 27	63 4					T.R.		
		6.75													
		5.	17.6	6 0	192 11	168	+ 12 36	63 4					"		
		3.27													
		2.	12.8	2 0	197 34	121	+ 13 03	58 6					"		
		6.29													
		5.	13.0	5 0	214 13	125	+ 11 20	52 5					"		
		1.98													
		1.	9.9	1 0	214 28	94	+ 11 41	51 2					"		
		2.94													
		2.	9.5	2 0	228 46	92	+ 9 11	45 4					"		
		5.27													
		4.	12.8	5 0	239 41	127	+ 6 01	40 7					"		
		5.28													
		4.	12.9	4 0	246 34	129	+ 1 45	32 3					"		
		1.82													
		1.	8.3	1 0	246 55	83	+ 1 01	32 8					"		
		11.27													
		10.	12.8	11 0	281 55	128	— ° '	21 4					℄ 12' Rd.		
		9.72													
		8.	17.3	9 0	258 19	173	— 1 44	18 4					"		
		10.18													
		8.	21.9	9 0	261 38	219	— 2 17	14 8					"		
		11.14													
		9.	21.5	10 0	275 11	215	— 1 19	17 6					Fl.		
		11.78													
		10.	17.9	11 8	286 09	179	— ° '	20 6					"		
		11.78													
		10.	17.9	11 1	294 14	179	— ° '	21 3					"		
		11.42													
		10.	14.3	10 4	292 35	143	— ° '	22 0					"		
		4.78													
		2.	27.9	0 0	293 52	279	— ° '	32 4					T.R.		
		4.77													
		2.	27.8	3 0	289 27	278	— ° '	29 4					"		
		4.84													
		2.	28.5	1 3	281 47	285	—	31 1							

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
		603			° '		° '		1						
		3.	304.	4.1	269.36	304	° '	277	2		3532.4		T.R.		
		628													
		3.	329.	4.8	268.03	329	° '	276	3				"		
#	P1.	965						35 27.6							
P2A	124/13	7.	26.6	8.6		266	° '	219	4	48	3530.1		T.R.		
		1066													
		10.	67.	10.1	29.31	67	° '	200	5				SH.		
		1036													
		10.	37.	10.4	4.09	37	° '	197	6				"		
		1025													
		10.	26.	10.0	249.52	26	2.31	190	7				"		
		707													
		7	8.	6.1	229.43	8	° '	240	8				T.R.		
		229													
		2.	30.	2.2	49.15	30	° '	279	9				"		
		163													
		1	64.	1.0	57.08	64	+ 2.35	327	10				"		
		917													
		9	18.	9.5	179.28	18	° '	206	11				SH.		
		1030													
		10	31.	10.3	105.01	31	° '	198	12				"		
		960													
		9	61.	9.4	91.59	61	° '	210	13				"		
		1088													
		10	89.	12.5	84.42	89	° '	176	14				"		
		1106													
		10.	107.	11.0	84.38	107	° '	291	15				"		
		1129													
		10	125.	11.2	78.46	125	° '	289	16				"		
		864													
		7.	165.	7.8	81.35	165	° '	223	17				"		
		1113													
		9	214.	11.0	81.55	214	0.53	158	18				"		
		1140													
		9.	241.	10.0	83.27	241	0.59	164	19				"		
		1180													
		9.	281.	11.0	83.11	281	1.29	123	20				"		
		1020													
		7.	321.	9.0	86.37	321	1.05	150	21				"		
		960													
		6.	361.	8.0	84.08	361	1.04	154					"		

Add'l Inform.

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope ... T.S.
Side of Draw S.D. | Side of Ridge S.R. | Head of Draw H.D.

Inters. of Draw, V.D's: Break in Slope ... B.S. | Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn.

Side of Canyon S.Cn. | Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F.

Saddle ... Sa. | Peak ... Pk. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road ... E.Rd.

Traveled Rd. Tr. Rd. | Fence ... Fe. | Inf. Fence ... V. Fe. | Ditch ... Di. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ... Cal.

Obt.-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ... Sy. | Eucalyptus ... Eu. | Piu sambinoense of these and all common standard abbreviations.

S.M. 487 Pg. 26 4

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red C. J. TERRY Plotted C. J. TERRY Job No. 3117 Division No. F.B. 487 PG. 265
Date SEP 24 1935 Date SEP 26 1935 Survey of Griffin Rd. Date 9-16-35
Notes Chkd. Checked Survey by P. Notes P. Date 9-16-35
Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.T.	P.I.	10.10			° '		° '								
P2A	134+13.5	6	411	8°	90 44	410	3 01	350 06			3530		Toe Sl.		
		11.40							1						
		8.	341	12°	95 10	340	2 50	01 3	2				"		
		7.80													
		5.	281	6°	90 00	280	4 06	04 2	3				"		
		11.48													
		9.	249	10°	94 10	248	3 28	05 2	4				"		
		8.40													
		7.	141	9°	97 27	140	4 44	09 6	5				"		
		8.08													
		7.	109	8°	107 03	108	6 10	10 6	6				"		
		9.89													
		9.	90	9°	113 07	89	6 31	11 0	7				"		
		11.55													
		11.	56	11°	146 57	55	6 36	12 8	8				N.E. Cor. garage		
		11.37													
		11.	38	11°	136 52	38	5 43	15 3	9				S.E. " "		
		11.51													
		11.	52	11°	119 05	52	4 40	15 0	10				S.W. " " (Rect.)		
		11.39													
		11.	40	11°	181 10	40	5 51	15 0	11				Toe slope		
		11.66													
		11.	67	11°	202 54	66	5 26	12 8	12				S.E. Cor. House		
		11.59													
		11.	60	11°	191 12	59	5 54	13 0	13				S.W. " "		
		10.90													
		10.	91	10°	185 21	90	5 41	11 2	14				N.W. " " (Rect.)		
		10.92													
		10	93	10°	238 07	90	9 44	04 7	15				N edge W.		
		10.87													
		10	88	10°	231 20	86	7 35	08 7	16				T.BK.		
		11.44													
		10.	145	11°	224 08	143	7 19	00 8	17				N. edge W.		
		11.42													
		10.	143	11°	223 18	141	6 05	04 0	18				T. BK.		
		10.89													
		9.	190	10°	245 04	188	5 45	01 2	19				S edge W.		
		11.63													
		10.	164	11°	255 38	162	5 45	02 8	20				"		
		9.22													
		8.	123	9°	271 38	120	7 34	05 2	21				" V.P.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P2A	P.I. 134+13.21	11.62													
		10.	164	11°	256.11	163	4.17	3506.9			3530.1		T.B.R.		
		1092													
		9.	193	10°	245.14	192	4.52	03.8					"		
		1002													
		7.	103	10°	168.18	102	5.23	106					F1.		
		1080													
		9.	181	10°	159.52	180	4.06	07.3					"		
		1042													
		8.	243	9°	157.02	242	3.46	05.3					"		
		1097													
		8.	298	10°	156.13	297	3.14	03.5					"		
		1065													
		7.	366	9°	155.23	365	2.57	02.4					"		
		1030													
		6.	431	8°	154.53	430	2.44	01.7					"		
		1130													
		7.	431	9°	146.49	430	3.00	3498.7					"		
		1068													
		7.	369	9°	145.28	368	3.20	99.7					"		
		1107													
		8.	308	9°	143.33	307	3.49	3500.7					"		
		1049													
		8.	250	9°	142.06	249	4.13	02.8					"		
		1072													
		9.	173	10°	136.31	172	4.46	05.8					"		
		1106													
		10.	107	11°	129.28	106	5.13	09.5					"		
		956													
		8.	157	9°	107.23	156	5.15	07.0					"		
		1006													
		8.	207	9°	116.26	205	4.56	03.4					"		
		870													
		6.	271	7°	122.31	269	4.55	3499.9					"		
		1135													
		8.	336	10°	126.02	334	3.58	97.0					"		
		1096													
		7.	397	9°	130.09	395	3.49	94.6					"		
		1065													
		6.	466	8°	131.52	464	3.39	93.2					"		
		1100													
		6.	501	10°	124.50	499	3.34	89.0					"		

Add'n'l Inform.

F.B. 487 Pg. 266

Topography Description Legend:
Side Hill...S.H. Bottom Draw...B.D.
Side of Draw...S.D. Bottom Wash...B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw...H.D. Toe of Slope...T.S.

Inters. of Draw, V.O's: Break in Slope...B.I.S. Stop Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Ca.

Side of Canyon B.Ca.: Top of Bank...T.B. Bottom of Bank...B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill...B.F.

Saddle.....Sa. Drain.....Dr. Flat.....Fl. Stream.....Str. Trail.....Tr. Pavement.....Pvt. Edge of Road...E.Rd.

Traveled Rd. Tr.Rd. Fence.....Fe. Int. Fence...Int.Fe. Ditch.....Di. Telephone Pole...T.P. Power Pole.....P.P. Culvert.....Cul.

Oak.....Ok. Pine-Pi. Cedar...Ce. Sycamore.....Sy. Eucalyptus.....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. C. J. TERRY Plotted C. J. TERRY Job No. 3342 Division No. E.B. 4867 Pg. 267
Date SEP 24 1935 Date SEP 27 1935 Survey of Cuyler Rd.
Notes Chkd. Checked Survey by Basecamp Notes by C. Johnson Date 9-17-35
Date Date Map No. Inked

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.#2A	P.I.	11.37			° '		° '								
	13+13'	7	438	9°	122.12	436	− 3.57	34908			3530		Fl.		
		10.90													
		7	391	9°	118.06	389	− 3.58	942					"		
		10.50													
		7	351	9°	113.08	349	− 4.11	956					"		
		10.20													
		7	321	9°	107.33	319	− 4.20	969					"		
	B.C.														
139+50	14+89'				° '		° '	35026	54		3507				
		6.73													
		4	274	5°	186.01	273	+ 3.07	175					Wedge W. + T.S.		
		5.66													
		3	267	4°	183.40	267	+ 2.54	171					E " "		
		4.66													
		2	267	3°	183.23	266	+ 2.50	178					T.BK.		
		5.00													
		3	201	4°	186.00	200	+ 2.50	136					E edge W.		
		5.00													
		3	201	4°	185.21	200	+ 2.56	136					T.BK.		
		5.00													
		3	201	4°	191.54	200	+ 2.44	132					W edge W.		
		5.00													
		3	201	4°	192.14	200	+ 2.55	138					T.BK.		
		5.39													
		4	140	5°	203.44	140	+ 2.47	094					W edge W.		
		5.40													
		4	141	5°	203.58	141	+ 3.01	101					T.BK.		
		2.00													
		1	101	1°	219.17	101	−	067					W edge W. + T.S.		
		5.36													
		4	137	5°	222.47	137	+ 3.04	100					Toe Sl.		
		2.36													
		1	137	2°	238.65	137	+ 1.05	083					" "		
		1.86													
		1	87	1°	226.55	87	−	058					" " + Wedge W.		
		1.99													
		1	100	1°	225.45	100	+ 1.29	093					Top Md.		
		2.26													
		1	127	2°	231.18	127	+ 2.18	108					" "		
		4.77													
		4	78	4°	261.16	78	−	029					Toe Sl + W. edge W.		

Add'l Inform.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
	B.C.	3.03													
139°50'	143°49'	2.	1.04	2 3	248° 32'	104	° '	3505 4			3.50 7		Toe Sl.		
		3.47													
		2.	1.48	3 0	250° 08'	148	+ 1° 31'	084					" "		
		1.086													
		9.	1.87	10 0	260° 57'	187	+ 2° 27'	058					" "		
		1.207													
		10.	2.08	12 0	271° 49'	208	+ 2° 01'	029					" "		
		7.62													
		6.	1.63	7 5	280° 23'	163	° '	002					" "		
		7.13													
		6.	1.14	7 3	279° 33'	114	° '	004					" "		
		2.17													
		1.	1.18	1 0	258° 09'	118	+ 2° 14'	112					Top Mt		
		4.47													
		3.	1.48	4 0	259° 11'	148	+ 2° 59'	112					" "		
		2.76													
		1.	1.77	2 0	267° 00'	177	+ 1° 25'	100					" "		
		9.13													
		8.	1.14	8 7	296° 37'	114	° '	3499 0					Wedge W.		
		9.69													
		8.	1.70	9 0	309° 46'	170	1° 23'	956					" " " V.Dr.		
		10.83													
		9.	1.84	10 0	312° 08'	184	1° 21'	934					" " 2 "		
		10.95													
		9.	1.96	10 0	312° 20'	196	1° 10'	937					T.Bk.		
		10.50													
		8.	2.51	9 0	320° 06'	251	2° 08'	894					Wedge W.		
		9.54													
		7	2.55	8 0	318° 52'	255	2° 02'	906					T Bk.		
		10.97													
		8.	2.98	10 0	329° 57'	297	2° 12'	864					Wedge W.		
		10.98													
		8	2.99	9 0	329° 56'	298	2° 10'	875					T. Bk.		
		10.97													
		8.	2.98	9 0	330° 31'	297	2° 21'	866					E edge W.		
		9.95													
		7	2.96	9 0	334° 10'	295	2° 00'	885					T. Bk.		
		11.48													
		7.	2.49	10 0	327° 41'	249	2° 02'	889					E edge W.		
		9.30													
		7	2.31	8 0	335° 17'	231	2° 00'	917					Fl.		

Add'n'l Inform.

Topography Description Legend: Side Hill ..... S.H. | Bottom Draw ..... B.D. | Side of Draw ..... S.D. | Bottom Wash ..... B.W. | Side of Ridge ..... S.R. | Top of Ridge ..... T.R. | Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Side of Canyon ..... S.Cn. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Inters. of Draw V.D's | Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Trees: Fir ..... Fir. | Pine-Ft. ..... Pine | Cedar ..... Ced. | Sycamore ..... Sy. | Eucalyptus ..... Euc. | Palm combinations of these and all common standard abbreviations.

Oak ..... O. | Fir ..... Fir. | Pine ..... Pine | Cedar ..... Ced. | Sycamore ..... Sy. | Eucalyptus ..... Euc. | Palm combinations of these and all common standard abbreviations.

Ditch ..... Ds. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Traveled Rd. ..... Tr. Rd. | Fence ..... Fe. | Fill ..... Fills | Vine Fnc. ..... V. Fnc.

Ref. 427 Pg. 268

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Plotted C. J. TERRY Job No. 7342 Division No. F.B. 487 Pg. 20
Date SEP 24 1935 Date SEP 27 1935 Survey of Ellis Ave.
Notes Chkd. Checked Survey by Pasadena Notes R Date 7-17-35
Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
	B.C.	984			° '		° '								
139+50	143+87	8	185	9.0	318.03	185	− 1.47	34928			3507		E edge Wk		
		1068													
		9	169	10.0	325.42	168	− 0.53	952					T Bk.		
		1014													
		9	115	10.0	313.43	115	− ° '	977					E edge W.		
		900													
		8	101	8 8	328.03	101	− ° '	989					Fl.		
		663													
		6	64	6.5	289.23	64	− ° '	35012					E edge W		
		552													
		5	54	5.5	292.23	54	− ° '	022					Fl.		
		339													
		3	40	3.6	231.57	40	− ° '	041					E edge W		
		338													
		3	39	3.2	231.37	39	− ° '	045					T. Bk.		
		485													
		2	286	3.0	192.31	284	+ 5.06	30.0					S.H.		
		475													
		2	276	3.0	200.42	274	+ 5.09	290					"		
		558													
		3	259	4.0	205.51	259	+ 5.26	282					"		
		768													
		7	269	8.0	212.46	267	+ 5.14	242					" SW.		
		868													
		6	269	7.0	222.06	267	+ 5.49	278					"		
		892													
		6	293	7.0	227.10	291	+ 4.58	260					"		
		755													
		4	356	6.0	228.42	353	+ 5.24	350					"		
		946													
		4	347	6.0	236.33	346	+ 2.40	172					Toe Sl.		
		590													
		3	291	4.0	233.35	290	+ 2.20	155					" "		
		629													
		4	230	5.0	232.25	230	+ 2.11	114					" "		
		608													
		4	209	5.0	219.36	209	+ 2.23	114					" "		
		422													
		2	223	3.0	204.18	223	+ 2.17	136					" "		
		1160													
		8	351	10.0	238.46	350	+ 2.43	142					℄ 9' W.		

* Add'l Inform.

Form 301 LAM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
	B.C.	1097													
139+50	142+59	8	298	10	240° 53'	298	+ 2° 31'	351 09			350 7		℄ 6' W.		
		1156													
		9	257	13	246° 32'	256	+ 3° 06'	350 84					" 4' Bks.		
		1095													
		9	196	10	258° 32'	196	+ 2° 49'	350 70					℄ "		
		617													
		4	218	5	279° 43'	218	° '	350 25					"		
		674													
		5	175	7	282° 53'	175	° '	349 99							
		1077													
		9	178	10	310° 45'	178	1° 14'	349 39					℄ 20' W.		
		1082													
		8	283	10	306° 18'	283	0° 49'	349 42					℄ 6' W.		
		873													
		6	274	6	290° 49'	274	° '	350 08					Fl.		
		574													
		3	275	3	284° 35'	275	° '	350 41					"		
		504													
		2	305	4	274° 10'	305	+ 0° 54'	350 84					"		
		1098													
		8	299	12	260° 20'	298	+ 2° 45'	350 98					Toe Sl.		
		1060													
		7	361	9	246° 48'	360	+ 2° 54'	351 76					" "		
		1089													
		7	390	12	240° 52'	389	+ 3° 15'	351 77					Toe Sl. + Dr.		
		1007													
		9	108	9	86° 47'	108	° '	349 79					" "		
		966													
		8	167	9	75° 41'	167	1° 25'	350 47					Fl.		
		1096													
		9	196	10	64° 18'	196	1° 21'	349 32					"		
		1135													
		9	236	10	55° 53'	236	1° 37'	349 11					"		
		996													
		7	297	9	41° 45'	297	1° 57'	348 87					"		
		1086													
		8	287	9	34° 31'	287	2° 11'	348 78					℄ 12' W.		
		1031													
		8	232	9	30° 15'	232	2° 06'	349 02					"		
		986													
		8	187	9	33° 21'	187	2° 04'	349 20					"		

Add'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Intern. of Draw, V.Str. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.Ct. | Bottom of Cut ..... B.Ct. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.
Break in Slope ..... S.B. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Ca.
Side of Draw, V.Str. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.Ct. | Bottom of Cut ..... B.Ct. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.
Saddle ..... Sa. | Spring ..... Sp. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.
Transit Rd. ..... Tr. Rd. | Fence ..... Fe. | Int. Fence, V. Fe. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.
Dist. Q. ..... Fl.-Fr. | Pipe-Pl. ..... Conc.-Co. | Eucalyptus ..... Eu. | Pine ..... Pi. | combinations of these and all common standard abbreviations.

P.B. 48 Pg. 170

Form 301 I&M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. C. J. TERRY Platted C. J. TERRY Job No. 7347 Division No. F.B. 4887 Pg. 211
Date SEP 27 1935 Date SEP 27 1935 Survey of Gallup Rd.
Notes Chkd. Checked Survey by Rasmussen Notes R. Date 9-27-35
Date Date Mis No. Inkings A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
	B.C.	1040			° ′ ″		° ′ ″								
13+60	143+87	9	14.1	10.0	39.22	141	1.29	3494.1			3507		℄ 12 W		
		1000													
		7	10.1	9.0	51.20	101	1.28	96.2					"		
		957													
		9	5.8	7.2	69.37	58		98.4					"		
		620													
		6	2.1	6.1	80.52	21		350.1					"		
		870													
		8	7.1	8.6	26.03	71		349.1					F1.		
		1126													
		10	12.7	11.2	21.15	127		96.2					"		
		1081													
		9	18.2	10.0	16.55	182	1.20	93.4					"		
		1137													
		7	23.8	10.0	16.19	238	1.41	90.8					"		
		1095													
		8	29.6	10.0	16.25	296	1.54	88.0					"		
		1111													
		8	31.2	10.0	7.43	312	1.55	87.6					"		
B.C.	E.C.														
143+87	138+48							348.1	4.9		3486				
		1010													
		8	21.1	9.0	59.44	211	+ 1.06	81.6					℄ 10 W		
		1086													
		9	18.7	10.0	58.51	187	+ 2.15	84.2					F1.		
		863													
		4	16.4	4.0	71.55	164		82.8					"		
		838													
		7	13.9	7.0	92.40	139		79.8					"		
		941													
		8	14.2	8.6	118.38	142		78.0					"		
		473													
		10	17.4	11.4	128.04	174		75.4					"		
		1125													
		10	12.6	10.4	138.12	126		76.4					"		
		669													
		6	7.0	6.3	114.12	70		80.5					"		
		473													
		4	7.4	4.2	64.08	74		82.4					"		
		1125													
		1	12.6	0.9	41.34	126		85.9					"		

X Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
B.C.	EL.	267													
142+89	138+65.8	1	16.8	2.0	25.39	168	+ 1.20	34.89.0			34.86.8		Fl.		
		318													
		1	21.9	2.0	15.00	219	+ 1.58	92.2					"		
		203													
		1	10.4	0.0	23.11	104	—	86.8					"		
		544													
		5	4.5	5.1	272.43	45		81.7					E 12 Rd		
		868													
		8	6.9	8.0	214.24	69		78.8					"		
		11.10													
		10	11.1	10.2	192.22	111		76.6					"		
		10.14													
		9	11.5	9.0	210.48	115		77.8					Toe SI.		
		8.24													
		7	12.5	7.3	238.58	125		79.5					" "		
		561													
		4	16.2	4.6	256.20	162		82.1					" "		
		594													
		4	19.5	4.1	272.31	195		82.7					" "		
		442													
		2	24.3	2.6	281.33	243		84.2					" "		
		504													
		2	30.5	2.0	293.34	305		84.8					" "		
		523													
		2	32.4	4.0	285.40	324	+ 1.20	90.3					SH. Brk.		
		472													
		2	27.3	3.0	277.33	273	+ 1.17	90.0					" "		
		415													
		2	21.6	3.0	267.47	216	+ 0.50	87.0					" "		
		288													
		1	18.9	0.0	255.18	189	—	86.8					" "		
		217													
		1	17.8	1.4	247.08	178	—	85.4					" Sw.		
		259													
		1	16.0	2.0	236.01	160	+ 1.40	89.3					SH.		
		453													
		3	15.4	4.0	218.38	154	+ 3.07	91.2					"		
		464													
		2	16.5	4.0	203.55	165	+ 2.39	90.4					"		
		480													
		3	18.1	4.0	188.12	180	+ 3.19	93.3					"		

Add'l Inform.

Topography Description Legend:
Side Hill..... S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash..B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw..H.D. Toe of Slope..T.S.

Index of Draw, Y.D.'s Breaks in Slope, Rk.S. Show Slope..... S.S.
Top of Cliff..... T.Cl.
Bottom of Cliff..... B.Cl.
Top of Spur..... T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon B.Cn.
Top of Bank..T.B.
Bottom of Bank..B.B.
Top of Cut..... T.C.
Bottom of Cut..B.C.
Top of Fill..... T.F.
Bottom of Fill..B.F.

Saddle..... Sa.
Swale..... Sw.
Flat..... Fl.
Stream..... St.
Trail..... T.
Pavement..... Pvt.
Edge of Road..E.Rd.

Obs. G. Fly-Fl.
Pine-Pl. Cedar-Ce.
Sycamore..... Sy.
Eucalyptus..... Eu.
Pine combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd.
Fence..... V. Fe.
Int. Fence. V. Fe.
Ditch..... D.
Telephone Pole T.P.
Power Pole..... P.P.
Culvert..... Cul.

Y.D. 487 PG. 211

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Computed C. J. TERRY Job No. 2222 Division No.
Date SEP 24 1935 Date SEP 27 1935 Survey of Griffith Pk. F.B. 487 Pg. 231
Notes Chkd. Checked Survey by Peterson Notes P Date P. 1935
Data Data Map No. Inked A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
B.C. 143.28	E.C. 138+65	4.22			° '				1						
		2	223	3°	193 41	220	+ 6 05	350 75			34 86		T.R.		
		2.96							2						
		1	197	2°	220 01	195	+ 5 46	8 46					"		
		5.13							3						
		3	214	4°	235 15	212	+ 5 09	0 22					"		
		4.33							4						
		2	234	3°	247 29	232	+ 1 54	0 38	X				"		
		4.78							5						
		2	279	3°	255 07	276	+ 5 26	1 03					"		
		4.30							6						
		1	331	3°	266 26	328	+ 5 24	1 50	X				"		
		7.94							7						
		4	395	6°	273 10	392	+ 5 13	1 68					"		
		8.17							8						
		4	418	6°	263 36	413	+ 6 20	2 68					"		
		7.18							9						
		5	419	7°	247 06	414	+ 5 54	2 28					"		
		6.85							10						
		3	386	5°	236 57	382	+ 5 58	2 20					"		
		7.68							11						
		4	369	6°	227 36	365	+ 6 00	1 94					"		
		8.43							12						
		5	344	7°	215 11	340	+ 5 59	1 57					"		
		6.15							13						
		3	316	4°	198 38	313	+ 5 48	1 47					"		
		5.87							14						
		5	88	5	291 39	88		8 17					F.I.		
		3.46							15						
		2	147	2°	291 13	147		8 39					"		
		3.03							16						
		1	204	1°	296 03	204		8 49					"		
		5.00							17						
		2	301	0°	307 18	301		8 63					"		
		3.42							18						
		1	243	0°	312 46	243		8 65					"		
		2.54							19						
		1	155	0°	319 45	155		8 61					"		
		2.09							20						
		1	110	1°	331 50			8 57					"		
		6.82			304 01 300				21						
		3	384	5°	248 03 00	384	+ 1 01	34 88 6		+ 1 8		+ 6 8	P. #3A	Set 1X2	

X Addn'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
	B.C.	683						3486							
#23A	4289	3	384	5 0		384	+ 1 02	955	47		3493		FI.		
		359													
		3	60	1 2	186 15	60	—	918					"		
		228													
		1	129	2 0	182 10	129	+ 1 11	942					"		
		488													
		3	189	4 0	178 44	189	+ 2 28	977					"		
		539													
		3	240	4 0	175 42	240	+ 2 26	973					"		
		535													
		3	236	4 0	161 58	236	+ 2 14	988					"		
		475													
		3	176	4 0	158 23	176	+ 1 59	956					"		
		420													
		3	121	4 0	153 16	121	+ 1 25	925					"		
		366													
		3	67	3 1	135 21	67	—	901					"		
		647													
		6	48	6 2	76 23	48	—	873					"		
		198													
		1	99	1 8	76 10	99	—	917					S.H. Brk.		
		233													
		1	134	2 0	97 27	134	+ 3 05	987					" "		
		233													
		1	134	2 0	122 50	134	+ 1 59	960					" "		
		484													
		3	185	4 0	136 21	184	+ 3 35	35012					" "		
		337													
		1	238	2 0	146 16	237	+ 3 00	040					" "		
		480													
		2	281	3 0	135 53	278	+ 5 43	185					S.H.		
		442													
		2	243	3 0	124 18	240	+ 6 07	165					"		
		311													
		1	212	2 0	113 11	210	+ 6 03	140					"		
		307													
		1	208	2 0	97 13	205	+ 6 54	164					"		
		546													
		3	247	4 0	95 31	243	+ 7 33	220					T.R.		
		787													
		1	288	8 0	105 10	284	+ 6 44	193					"		

Add'n'l Inforns.

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Inters. of Draw, V.D's, Break in Slope ... B.S.
Step Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff .. B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon .. B.Cn.

Side of Canyon S.Cn.
Top of Bank ..... T.B.
Bottom of Bank .. B.B.
Top of Cut ..... T.C.
Bottom of Cut .. B.C.
Top of Fill ..... T.F.
Bottom of Fill .. B.F.

Saddle ..... Sa.
Sprig ..... Spr.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road .. E.Rd.

Transit Rd. Tr. Rd.
Fence ..... Fe.
Int. Fence .. V. Fe.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole .... P.P.
Culvert ..... Cul.

Obs. G. Fir. Fir.
Pine Fi. Cedar Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combination of these and all common standard abbreviations.

F.B. 467 PG. 224

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
#3A	B.C. 143+89.1	795							1						
		5	296	6°	113 18	293	+ 6 17	351 99	2		349 35		T.R.		
		616													
		3	317	4°	126 05	313	+ 6 20	24 5	3				"		
		754													
		4	355	6°	133 55	350	+ 6 44	29 2	4				"		
									5						
									6						
									7						
									8						
									9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Notes Rec'd Date SEP 24 1935 Notes Plotted C. J. TERRY Date SEP 27 1935 Job No. 1349 Division No. Survey of Gaffey Rd. Survey by Becerra's Notes R - Date 9-17-35 Interval C. Johnson

Notes Chkd. Checked Date

R&B Re. F.B. 487 Pg. 44

Form 1 Inform.

Form 301 1000 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

ADD'N Sheets

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

SLOPE STAKES GRIFFIN ROAD

Do not extend notes this way

Profile Notes Red Platted Job No. 7348 Division No.
No. X-Sec. No. Date Date Date Survey of Griffin Rd
Notes CLERK TIMEKEEPER Checked Survey by Parsons Notes K Date 2-5-36
Date 9 1936 Map No. Indexed C. Johnson L. B. 487 Pg. 227

STATION	B. S.	H. I.	F. S	ELEV.				
		382.0.33		20'Rt.	H.I. taken from average of shots on Sta. 73+50 + 75+00 ℄ profile			
T.P. #1	10.03	29.76.	0.60	3819.73.				
T.P. #2	9.55	37.88	1.43	28.33				
T.P. #3	11.58	49.22	0.24	37.64	El. Gr.			
T.P. #4	11.565	60.015	0.77	48.45				
T.P. #5	12.00	71.0.0	1.015	59.00				
T.P. #6	12.03	82.835	0.195	70.805				
T.P. #7	11.185	93.790	0.07	82.165				
T.P. #8	9.195	3902.355	0.790	92.160				
60+50			2.5	99.9	98.10	C 0.2		
+75			5.5	96.8	96.15	C 0.3		
61+00			6.4	95.9	94.80	C 0.3		
+25			8.6	93.7	93.15	00/20.0 C 0.5	00/20.0	
+50			10.6	91.7	91.50	00/20.0 C 0.5	00/20.0	
+75			11.1	91.2	89.95	00/20.0 C 0.6	C 5.2/23.9	
62+00			8.9	93.4	88.20	C 1.0/20.8 C 1.7	C 9.0/26.8	
+25			5.0	97.3	86.55	C 10.0/26.9 C 7.6	C 10.9/26.7	
+50			5.7	96.6	84.90	C 12.0/27.8 C 9.9	C 12.0/30.0	
+75			9.8	92.5	83.25	C 2.2/19.7 C 2.4	C 8.5/24.6	
T.P. #9	2.175	93.33.	11.20	3891.155.				
63+00			9.1	84.2	81.60	00/17.5 Gr.	00/17.5	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 178 | Job No. 2349 | Division No. ____ | Notes Red ____ | Plotted ____ | Profile ____
Survey of Gallego Rd. | Date ____ | Date ____ | No. ____
Survey by Roserans | Notes R. | Notes Chkd. ALBERT E. TIMMONS | Checked ____ | X-Sec. ____
Indexed A. C. Johnson | Date 2-25-36 | Date MAR 9 1936 | Date ____ | No. ____

STATION	B. S.	H. I.	F. S	ELEV.				
				20 Rt.				
T.P. #10	0.910	82.960	11.78	81.550	Fl. Gr.			
63+25			2.0	80.5	79.95	00 / 16.9	0.0	00 / 16.9
+50			3.9	78.6	78.30	00 / 16.3	Co 4	00 / 16.3
+75			5.2	77.3				
+85.53 B.C.			5.7	76.8	75.96	00 / 15.5	Co 3	00 / 15.5
64+00			6.6	76.1	75.00	00 / 15.0	Co 4	00 / 15.0
+25			8.3	74.2	73.35	00 / 15.0	Co. 3	00 / 15.0
+50			10.6	71.7	71.72	00 / 15.0	Co. 2	00 / 15.0
T.P. #11	1.670	72.620	11.510	70.950				
+75			2.5	70.1	70.11	00 / 15.0	Co. 4	00 / 15.0
65+00			3.6	69.0	68.54	00 / 15.0	Co. 5	00 / 15.0
+25			4.3	68.3	67.00	00 / 15.0	Co. 4	00 / 15.0
+50			7.1	65.5	65.49	00 / 15.0	Co 2	00 / 15.0
+75			9.1	63.5	64.01	00 / 15.0	Co.	00 / 15.0
66+00			10.8	61.5	62.57		F. C. 3	
T.P. #12	0.440	61.895	11.165	61.455				
+25			3.1	58.8	61.15		F.C. 3	
+50			10.2	51.7	59.75	F 7.0 / 28.5	F.C. 0	F 8.2 / 27.3
+75			12.2	49.7	58.35	F 10.0 / 30.0	F.C. 3	F 8.8 / 28.2
67+00			13.9	48.0	56.95	F 10.0 / 30.0	F.C. 2	F 8.8 / 28.2
+25			15.4	46.5	55.55	F 10.0 / 30.0	F.C. 1	F 8.5 / 27.8

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ Notes Red.____ Platted____ Job No. 7344 Division No.____
X-Sec. No.____ Date____ Date____ Survey of Sheet 2
Notes checked by C.H.K.F. TIMMONS Survey by [illegible] Notes [illegible]
Date 9 1936 Date____ Map No.____ Indexed [illegible] Date [illegible]

L. B. 487 Pg. 279

STATION	B. S.	H. I.	F. S	ELEV.				
				20' R+.	El. Gr.	7 11.5		
67+50		3861.9	13.7	48.2	54.15	37.3	F 9. 4	F 6.4 / 24.6
+75			10.1	51.8	52.175		F 1. 0	
68+00			11.2	50.7	51.35		F 0. 2	
+25			12.3	49.6	49.95	00 / 15.0	0	00 / 15.0
+50			9.3	52.6	48.53	00 / 15.0	C 0. 8	C 0.6 / 15.3
+75			7.3	54.6	47.09	C 2.4 / 16.8	C 1. 1	C 11.6 / 23.1
T.P. #13	5.430	67.125	0.200	61.695				
69+00			4.4	62.7	45.61	C 8.7 / 21.5	C 1. 8	C 19.4 / 29.6
+25			3.5	63.6	44.10	C 14.0 / 25.5	C 4. 3	C 20.4 / 30.4
+50			6.1	61.0	42.56	C 11.4 / 23.5	C 1. 6	C 19.4 / 29.5
+75			6.9	60.2	40.99	C 9.0 / 21.8	C 1. 6	C 20.1 / 30.3
T.P. #14	2.850	58.235	11.790	55.385				
70+00			4.8	53.4	39.38	00 / 15.0	C 1. 4	C 14.0 / 25.5
T.P. #15	0.225	46.975	11.485	46.750				
+25			2.4	44.6	37.75	C 3.1 / 17.2	C 0. 9	C 7.8 / 20.5
+50			10.3	36.7	36.10	00 / 15.0	C 0. 2	C 0.5 / 15.4
+75			12.2	34.8	34.45	00 / 15.0	C 0 1	C 1.0 / 15.8
T.P. #16	1.210	36.705	11.480	35.495				
71+00			3.7	33.0	32.80	00 / 15.0	C 0 2	C 1.6 / 16.2
+25			5.8	30.9	31.15	00 / 15.0	F 0. 3	F 0.5 / 15.8
+50			5.6	31.1	29.50	00 / 15.0	0 0	00 / 15.0

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 487 P.G. 28 | Job. No. 7349 | Division No. ____ | Notes Red ____ | Plotted ____ | Profile No. ____

Survey of Griffith Road | Date ____ | Date ____ | X-Sec. No. ____

Survey by Pasquale | Notes R2 | Notes Chkd. ALBERT E. TIMMONS | Checked ____

Indexed A. C. Johnson | Date 2-6-36 | Date MAR 9 1936 | Date ____

STATION	B. S.	H. I.	F. S	ELEV.				℄	
				20.824	El. Gr.				
71+75		31.34.1	31	31.[illegible]	27.85	00 / 15.0	C 0	2	C 5.5 / 21.1
72+00			34	33.[illegible]	26.20	00 / 15.0	C 0.	4	C 7.6 / 22.7
+25			11.7	24.0	24.55	00 / 15.0	C 0	2	C 0.8 / 15.3
T.P. #17	9.350	25.085	11.760	24.945					
+50			6.3	18.7	22.90		F 3.	9	
+75			5.7	16.3	21.25		F 4.	5	
73+00			10.6	14.4	19.60		F 4.	6	
+25			12.2	12.8	17.95		F 4.	8	
T.P. #18	5.235	16.135	11.125	13.900					
73+50			5.150	10.985	16.30		F 3.	3	
+75	℄ Elev. from 73+50			09.0	14.65		F 3.	5	
74+00	(From 74+00 ahead fd. and used old ℄ pts. and elev.			07.8	13.00	F 3.1 / 22.6	F 2.	2	F 1.6 / 21.9
+25				06.4	11.35	F 5.0 / 22.5	F 2.	9	F 1.5 / 21.0
+50				05.6	09.7	F 4.2 / 16.3	F 4.	1	F 1.7 / 17.6
+75				08.5	08.05	00 / 4.0	C 0.	5	C 4.8 / 18.6
75+00				11.0	06.4	00 / 20.5	C 4.	6	C 7.9 / 24.6
+25				04.6	04.15		F 0.	1	
+50				00 8	03.1		F 2.	3	
+75				00. 5	01.45		F 1.	0	00 / 9.0 — C 0.6 / 15.4
76+00				3800. 3	3799.8	00 / 2.0	C 0.	2	C 1.0 / 15.7
+25				00.4	98.15	00 / 9.8	C 2.	2	C 5.4 / 19.1

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile Notes Red. Platted Job No. 7345 Division No. L. B. 487 PG. 281
No. Date Date Survey of
X-Sec. No. Notes CHECKED E. TIMMONS Checked Survey by Notes Date
Date MAR 9 1936 Date Map No. Indexed A. C. J[illegible] DRAWN

STATION	B. S.	H. I.	F. S	ELEV.	El. Gr.			
76+50				35 03.5	37 96.5	℄ 8.0 / 18.0	℄ 7. 0	℄ 11.0 / 23.3
+75				37 99.3	94.85	℄ 7.0 / 16.5	℄ 4. 4	℄ 7.8 / 20.7
77+00				94.3	93.20	00 / 15.0	℄ 1. 1	℄ 4. / 18.1
+25				92.9	91.66	00 / 15.0	℄ 1. 2	℄ 5.0 / 17.3
+49.27 E.C.				91.9	90.12	00 / 15.0	℄ 1. 8	℄ 2.4 / 17.6
+75				91.4	88.58	℄ 1.2 / 15.9	℄ 2. 8	℄ 5.0 / 15.5
78+00				91.6	87.05	℄ 4.5 / 18.4	℄ 1. 5 ✓	℄ 12.0 / 21.0
+25				99.1	85.51	℄ 10.0 / 22.5	℄ 13. 6	℄ 17.0 / 27.7
+50				90.6	83.97	℄ 8.0 / 21.0	℄ 8. 7	℄ 5.4 / 21.3
+75				82.4	82.43	00 / 15.0	00	00 / 15.0
79+00				76.9	80.89		F. 1. 3	
+25				75.4	79.35		F. 1. 9	
+50				74.2	77.81		F. 3. 6	
+75				72.6	76.27		F. 3. 7	
80+00				71.5	74.74		F. 3. 2	
+25				70.0	73.20		F. 3. 2	
+50				68.3	71.66		F. 3. 4	
+75				66.3	70.12		F. 3. 8	
81+00				65.3	68.58		F. 3. 3	
+25				66.6	67.04		F. 0 4.	00 / 1.0 ℄ 6 4 / 19.8
+50				66.4	65.50	00 / 1.8	C 0 1.	℄ 11.2 / 23.4

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 47 P.G. 182 Job No. 2344 Division No. Notes Red Plotted Profile
Survey of Cahuenga Rd Date No.
Survey by Rasmussen Notes K Date X-Sec.
Indexed A.C. Johnson Date 12-6-36 Notes Chkd. ALBERT E. TIMMON Checked
Date MAR 9 1936 Date No.

STATION	B. S.	H. I.	F. S	ELEV.	Fl. Gr.			℄	
81+75				66.3	63.96	2.0 / 9.0	C 2.	3	C 12.6 / 24.9
82+00				63.9	62.43	00 / 6.0	C 1.	5'	C 10.8 / 23.1
+25				60.3	60.89		F 0.	6	00 / 3.7 — C 3.3 / 12.5
+50				57.7	59.25		F 1.	5	00 / 13.0
+75				56.8	57.81		F 1.	0	
83+00				55.1	56.27		F 1.	2	00 / 13.0
+25				54.1	54.73		F 0.	6	00 / 3.5 — C 1.0 / 15.8
+50				50.3	53.19		F 2.	9	00 / 10.5 — C 1.3 / 16.0
+75				48.8	51.65		F 2.	9	00 / 4.5 — C 4.5 / 13.4
84+00				49.9	50.12		F 0.	2	C 4.2 / 18.1
+29.45				48.8	48.62		C 0	2	C 3.4 / 17.5
+41.15 B.C.				47.8	47.58		C 0	2	C 2.6 / 16.9
+50				47.2	47.04		C 0	2	C 3.0 / 17.2
+75				45.5	45.50		00		
85+00				42.6	43.96		F 0.	4	C 2.5 / 16.9
+25				42.0	42.42		F 0	4	C 2.9 / 17.2
+50				40.0	40.88		F 0	9	C 2.3 / 16.7
+75				38.1	39.34		F 1.	2	C 1.9 / 16.4
86+00				36.—	37.81		F 1.	6	00 / 12.5 — C 0.5 / 15.4
+25				34.2	36.77		F 2	1	00 / 13.0 — C 0.6 / 15.5
+50				32.4	34.73		F 2	3	00 / 15.0

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ Notes Red.____ Platted____ Job No. 7333 Division No.____ L. B. 487 Pg. 203
X-Sec. No.____ Date____ Date____ Survey of [illegible]
Notes CHAS. E. TIMMONS Checked____ Survey by [illegible] Notes____ Date____
Date MAR 9 1936 Date____ Map No.____ Indexed [illegible] C. J. [illegible]

STATION	B. S.	H. I.	F. S	ELEV.	El. Gr.	
86+75				30.8	33.19	F.2
87+00 B.V.C.				29.6	31.65	F.2
+25				30.0	30.07 / 30.11	F.1
+50				31.6	28.98 / 28.57	C.2
+75				36.0	26.83 / 25.33	C.7
88+00				40.2	25.11 / 25.50	C.18
+25				41.5	23.12 / 22.62	C.19
+50				23.0	21.96 / 21.75	C.11
+75				23.3	19.85 / 19.87	C.3
89+00 E.V.C.				15.6	18.00	F.2
+25				12.3	16.12	F.2
+50				10.8	14.15	F.2
+75				9.1	12.37	F.2
90+00				7.7	10.50	F.2
+25				6.2	8.62	F.2
+50				4.2	6.75	F.2
+75				2.3	4.83	F.2
91+00				3/00 0	3.00	F.2
+10.6 E.C.				3698.8	2.20	F.2
+50				95.5	36[illegible]	F.2
+75					97.37	

	00 / 15.0
00 / 9.0	284 / 16.8
	C 341 / 17.5
	C 9.4 / 22.3
	C 194 / 27.5
	C 102.1 / 32.3
	C 21.2 / 30.1
	C 72 / 22.0
00 / 9.5	C 27 / 16.7

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 417 P.G. 284 Job. No. 2349 Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of Gaffey St. Date ____ No. ____
Survey by Reserve Notes R. Date ____ X-Sec. ____
Indexed A. C. Johnson Date 2-6-36 Notes Chkd MAR 6 1936 Checked ____ No. ____
Date ____

STATION	B. S.	H. I.	F. S	ELEV.	H.I.	
92+00				92.50	3695.50	F.S. 3.
+25					93.67	
+50				87.5	91.75	F.S. 2.
+75					89.87	
93+00				86.0	3688.00	F.S. 0.

Notes Ck'd by D.M. Finley	Survey of Griffin Road
Map No. B-8715-2	W. O. 7349 Tape No. 1 St'd 84 °F
~~Office Work~~	~~Surveyed by~~ Rosecrans
Checked	Notes Date 11-28-45
Date	Indexed L. C. Jenkins 12-7-45

F.B. 487 PG. 285

PROPOSED LINE CHANGE ON GRIFFIN ROAD FROM P.I. 213 A TO P.I. 215 A

J. N. 7349

Party Rosecrans
Pierce
Clark
Gibbons

Berger transit

Sec C.S. 8715-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-41

F.B. 487 PG. 286

Cont. bottom next page



W.S. 44, B-7

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Griffith Rd
Map No.	W. O. 7349 Tape No. 1 St'd 87 °F
Office Work	Surveyed by Rasmussen
Checked	Notes C Date 11-28-45
Date	Indexed E. C. Johnson

F.B. 489 PG 289

To 1"x2" B.C. See next page #288

VOID

See 2nd page ahead

Sec Pg 289

133.99

RAILROAD

E. L.

170.13

GRIFFITH

152-40-40 ①
250-43-00 ④
152-40-45

R.P. Set 3/4" I.P. Fl.

73.42

60.07

R.P. Set 3/4" I.P. Fl.

P.I. #2 x Set 3/4 I.P. Fl.

Δ 27°-19'-15"
R 700.00
T. 170.13
Lc.

SEC. 33

T. 5 N. R. 10 W.

195.23

TANGENT

B.C.

E. 2.0

Set 1"x2"

195.57 @ 2-44 T.B. = 195.23

P.O.T.
See preceding page #286

Set 1"x2"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 11-41

F.B. 487 Pg. 288

VOLD
See 2nd page ahead
See Pg. # 290



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by D. M. Finley
Map No. 8752
Office Work
Checked
Date

Survey of Griffin Road
W. O. 7247 Tape No. 1 St'd 84 °F
Surveyed by Peterson
Notes R Date 12-7-15
Indexed by C. Johnson

F.B. 987 Pg. 289

W.S. 69, B-6

To Pl. #3X See next page

687.34 Calc

EC Set 1"x2" 129+52.44

Δ 19°-06'-25" Calc
R. 1500.00
T. 252.49
L. 500.29

GRIFFIN ROAD

73.42
R.P. Set 3/4" I.P. Fl.
P.I. #2X Set 3/4" I.P. Fl.

60.07
R.P. Set 3/4" I.P. Fl.

PROPOSED ℄

195.32
76°-20'-20"

SEC. 23
T. 5 N. R. 10 W.

N 26°-20' W 57.16

BC Set 1"x2" 124+52.15

344.85

To E.C Per Pg 289
~~See preceding page~~

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 11-41

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 66, B-6



F.B. 487 Pg. 290

Notes Ck'd by D.M. Finley
Map No. 8715-2
Office Work
Checked
Date

Survey of Griffin Road
W. O. 7349 Tape No. 1 St'd 84°F
Surveyed by [illegible]
Notes R Date 11-23-45
Indexed A. C. Johnson

F.B. 487 PG. 291

U.S. 66

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes to [illegible] side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 15-41

P.B. 292
Next better sheet page

2-1" to 1"x2" I.I. # 5K

144.26 @ 1-00 = 144.24
250.25 @ 4-07 = 249.60
285.65 @ 4-18 = 284.85
88.70
767.39
T. 54 = 767.25

E.C. 140+81.75 Set 1"x2"

767.39

ROAD

164-15-20 ①
[illegible]-01-40 ②
164-15-55

164°-15'-40"

Δ 15°-44'-20"
R. 1500.00
T. 207.32
Lc 412.04

P.I. # 4x Set 3" I.P. Fl.

111.79 @ 2-01 T. 74
= 111.71

℄ GRIFFIN

111.71

SEC. 35
T. 5 N. R. 10 W.

R.P. Set 3" I.P. Fl.
Tang. Prod.

PROPOSED SITE

B.E. 136+69.71 Set 1"x2"

291.21 T. 60 = 291.16'

1"x2" P.O.T.
See preceding page

F.B. 787 Pg. 292



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.