d by

rk

Survey of
W. O. Tape No. St'd °F.
Surveyed by
Notes Date
Indexed

F.B. Pg.

F.B. 526

P.M.D. file O.K. '88.

F.B. 526 Pg. Index

F.B. 526

PAGES: Index, 1 to 7 incl., 9 to 31 incl., , 33 to 65 incl., 105 to 109 incl., , 111 to 134 incl.,

147, 148, 149, 152 to 169 incl., 171, 172, 173, , 175, 176, 177, 180 to 195 incl., 197 to 199 incl., , 201 to 203 incl., , 205 to 212 incl., , 214 to 218 incl.,

255 to 257 incl., , 259 to 278 incl.,

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of
Map No.	W. O. 7184 Tape No. St'd °F.
Office Work	Surveyed by Brunty
Checked	Notes Date
Date	Indexed 7-6-33 C. Johnson

F.B. 526 Pg. 1

CITRUS AVE
Job # 7184

From Walnut Sta.

To Corina.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 526 Pg 2



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No. B-918-1
Office Work Noerr
Checked
Date

Survey of Citrus Ave
W. O. 7184 Tape No. 060 St'd 76 °F.
Surveyed by C.E. Brunty
Notes Brunty Date 6-16-33
Indexed 7-6-33 Johnson

F.B. 526 Pg. 3

Survey of Lemon Ave &

Cont. Bot. Pg. 4

170-52-00"
341-44-00"
85-26-00" Rt

100.10
54.45
154.55 Level T90 = 154.55

85°-26'-00"

1+79.20 Set Spk. W+Tin

154.56

0+24.64
Fd. L+Tk. in concrete

Concrete Pvt.

24.40 Level T90 = 24.40
24.79 Level T82 = 24.79

VALLEY BLVD

0+00.15
0+00.24 (Assume)
Fd. copper T.T. in macadam

Macadam

See Pg 31 Valley Blvd.

5.41 Level

5.4+ 502
Fd. L+Tk. in concrete

8.43 Level

Concrete Pvt.

8.43
Fd. L+Tk. in concrete

100.12
36.78
136.90 Level T90 = 136.91

0+14.30

136.91

WALNUT STATION

S.P.R.R.

Set Spk. W+Tin

(steel and concrete bridge)

300.10
300.55
300.63
300.38
300.52
49.81
1551.99 Level T84 = 1551.99

Set N+T. in 16" Walnut

Set X in top of 20" concrete standpipe

AVE

1551.99

CURRIER ROAD

300' tape standard @ 64°F.

58.81

78.62

Fd. N+T. in P. Pole per Z143-143

24.83

79.05

Set N+T in P. Pole

LEMON

Fd. ½" □ Spike (8 deep) per Z 143-143

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 3-31

Cont. Bot. Pg. 5

F.B. 526 Pg 4

26+11.43 Fd. cotton 2"x2"+tack (6" deep) I replace with new 2"x2" +tack 12" deep For ties see Sketch "B" Pg. 7

Wooden bridge

179° 40' 45" ⓒ
358° 43' 00" ⓓ
179° 40' 45" Av.

980.39

For ties see Sketch "A" Pg. 7 Replaced with new 2"x2"+Tk. 8 deep

100.675
100.83
100.72
100.745
100.52
100.84
100.755
100.59
100.725
73.71
980.310 Level T 88° = 980.39

16+31.04 Fd 2"x2" Stk. no tack. Set tack by ties per Z 143-144 See FB 75-137

179° 40' 45"

Fd 1¼" Iron wagon axle (10" deep) per F.B. 75-152

CARREY ROAD
1542.79 F.B. 75-152

5.004
38.71
32.53
Set Spk. W.T.
Set N.T.

Fd. remains of "X" on S.E. Cor. of concrete wier box Z 143-144

Fd. "X" on side of concrete standpipe Z 143-144

87° 46' 48" ✓

100.505
100.555
100.50
100.53
100.38
100.54
100.52
100.10
100.29
100.54
100.70
100.59
100.355
100.315
45.24
1451.718 Level T 90 = 1451.85

LEMON AVE.
1451.85

87° 46' 45" ⓒ
351° 07' 15" ⓓ
87° 46' 48" Av.

1+79.20 Spk. W.T. See Pg. 3

34.37 Level T 88 = 34.37

34.37
154.56

1+44.83 Fd. Spk. W.T. .04' East of line

0+24.64 L+Tk. in concrete See Pg. 3

24.40
24.79 Calc.

VALLEY BLVD

0+00.15
0+20.24 Copper Tk. in Macadam See Pg. 3

From top of Pg. 3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Citrus Ave
Map No. B-918-1	W. O. 7184 Type No. 060 St'd 76 °F.
Office Work K.V. MAEIN	Surveyed By C.E. BRUNTY
Checked	Notes Bruinty Date 6-19-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 5

Cont. Bd. Pg. 6

(34+44.60 Fd. 2"X2" stack bv. ties per Z 143-144. Replace same with square headed 5/8" iron bolt 14" long (14" deep)

100.47
100.67
100.60
100.82
76.23 ✓
477.79 Level T86
= 477.82 ✓

For ties, see Sketch Co Pg. 7
29+66.78 Fd. well dotted 2X2" stack (8" deep) per Z 143-144. Replace same with new 2X2" stack 10" deep

100.59
100.77
100.60
53.55 ✓
355.32 Level T88
= 355.35 ✓

477.82 ✓
AVE
355.35 ✓
LEMON
170°13'00"

170°13'00" ①
320°52'00" ④
170°13'00" Av. ✓

UNNAMED RD.
UNNAMED RD.
Wooden Bridge
26+11.48 Per Pg. 4
162°31'56" ✓
980.39
162°32'00" ①
290°07'45" ④
162°31'56" Av. ✓
16+31.04 Per Pg. 4

From top of Pg. 4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 526 Pg. 6

P# 1A Per L.B. 926-4

See Page 28

L.A. + S.B. Co. Rd.

45+11.96
Fd. 1½" I.P. 4" deep Set over Stone per Pg. 28.

100.60
100.50
100.715
100.645
100.515
100.73
100.685
100.445
100.285
100.48
61.63
1067.220 Level 1788 1067.30

1067.30

LEMON AVE

173°28'00"
333°52'30"
173°28'07½" Av.

173°28'07½"

34+44.6 & Per Pg. 5

477.82

29+66.78 & Per Pg. 5

From top of Pg. 5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No. B-918-1
Office Work K.V.MORIN
Checked
Date

Survey of Citrus Ave
W. O. 7184 Tape No. 060 St'd 16 °F.
Surveyed by C.E. Brunty
Notes Brunty Date 6-21-33
Indexed C. Johnson

F.B. 526 Pg. 7

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE IOR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

Sketch "A"



Sketch "B"



Sketch "C"



RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 226 Pg 8


F.B. 526 Pg. 9
Survey of Citrus Ave
W. O. 7184 Type No. 06C Sh'd 74 Sh.
Surveyed by C.E. Brunk
Notes Brunk
Date 6-21-33
A.C. Johnson
7-6-33
Notes Ck'd by
Map No. B-918-1
Office Work KEYSTONE
Checked
Date
0+96.3 = N.E. Cor. Bldg.
1+09.4 = Tel. P.P. #11280Y
1+07.8 = 5" Walnut
23.4
33.2
Guy wire
80.28
1+00
Cont. on next Pg. (Center Line)
0+94.2 Guy wire enters ground
0+92.2 = P.P. #47173E
68.94
23.25
26.3
35.60
0+92.1
0+95.6 = P.P. #41868E
74.3
3.0'
25.9
1 Story Store Bldg.
(Concrete Block Const.)
Foundation extends 4" on the S, E. & W. sides
23.2
2.8
Gas meter
35.5
0+82.5
37.0
40.0
Water hydrant
(Foster & Kleiser) 2 Pole Sign
Wooden Platform
50.0'
2.8
small 2"x4" fence
5' Cement walk
100.0
0+56.0
77.9
0+56.56 S.E. Cor. Bldg.
small 2"x4" fence
5.0' Cement walk
0+52.40
35.45
30.48
0+47.05
83.31
0+28.54
104.90
N. line of concrete Pvt.
0+25.19
0+25.59
41.15
VALLEY BLVD.
0+00
E. side of Lemon Ave
Per Pg. 4
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.
Do not extend notes this side of this line
FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Note → 4+20.6 -10"Walnut End of row of 7

40.8

Notes Ck'd by
Map No. B-918-1
Office Work KVR BRN
Checked
Date

Survey of Citrus Ave
W. O. 7164 Tape No. 060 St'd 66 of F.
Surveyed by Brumly
Notes Brumly 4+60 Date 6-22-33
Indexed A. C. Johnson

F.B. 526 Pg. 11
Cont. Bot. Pg 13

22.9
22.7
3+79.7 Guy Pole # 266436E
3+82.8 P+Tel Pole # 463+5E
6"Walnut
3+55.4 10"Walnut
3+53.6 10"Walnut
30.1
80.8
8"Walnut
10"
9"
3+00
2+96.5 1½ Toyon
31.4
9"Walnut
E Lemon Ave
Par Pg. 4
12"
14"
Walnut trees
10"Walnut
Concrete headwall
3.10
3.30
1+79.8 P+Tel. Pole # 332048E
2+00
12"
12"
IDENTICAL
23.4
10"Walnut
19.5
19.5
3"Toyon 1+46.9 offset = 30.5
1+46.8
10"
12"
1+27.3 10"Walnut Beginning of row of 7
76.6
1+06.2-10"Walnut beginning of row 17
31.6
81.2
1+00
1+02.5-12"Walnut beginning of row 17

From Pg. 10 (Bot. Rt.)

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE IN OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 526 PG. 12

Sketch of 2 story stucco dwelling located on Pg. 13



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No. B-918-1
Office Work KV MOEIN
Checked
Date

Survey of Citrus Ave
W. O. 7184 Tape No. 960 St'd 76 °F.
Surveyed by Brunty
Notes Brunty Date 6-28-33
Indexed A. C. Johnson

F.B. 526 Pg. 13

Cont. Bef. Pg. 14

6+60

6+69.0
4" Tangerine
60.4

6+44.4
3" Navel Orange
63.3

6+19.8
5" Lemon
65.9

6+08.5 = 12" Conc. Standpipe
43.5

6+00.8 = P. & Tel. P.
N 46°46' E
23.7

5+94.5 = 3" Navel Orange
68.6

Low Ridge Parallels House
107.8

5+93.6 = 2" Tayon
40.2

5+90.4
30.4

5+73.1 = Cor. B "See Pg. 12"

5+75.9: 12" Conc. Standpipe
44.4

5+72.8
5" C. Plumosa
60.95
31.3

5+62.7 = 3" Deodora
45.6

See Pg. 12
2 Story Dwelling
Stucco Occupied

5+40.1 = 3" Deodora
45.8

5+32.2 = Cor. "See Pg. 12"

5+32.6 = 5" C. Plumosa
31.5

61.03

5+14.0
3" Tayon
34.7

56.73

44.9

5+08.4
12" Conc. St. Pipe

5+14.6
2" Tayon

31.1

4+94.9
3" Tayon

4+69.6
3" Walnut
42.0

31.1

4+47.2
3" Tayon

40.8

4+20.6
10" Walnut
End of row of 7 trees

4+00

6+55.5
10" Walnut
30.1

80.7

6+59.6
12" Walnut

7"
10"
8"
10"
16"
14"
12"
14"
9"

℄ of Lemon Ave per Pg. 4

5+00

Walnut trees

From top of Pg 11

Notes: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

Cont. Bot. Pg. 15

F.B. 526 Pg. 14

9+80

9+64.9 = 1½" Grapefruit Beg. of row of 16

9+65.0 = 1½ Grapefruit Beg. of row of 16

33.0

57.1

9+50.2 = 1½" Grapefruit

45.4

69.4

9+51.0 = 1½" Grapefruit

9+46.1 = 12" Walnut Beg. of row of 16

9+44.4 = 6" Walnut Beg. of row of 16

30.3

72.4

9+33.6 Cement Standpipe 20"

32.5

35.5

9+33.8 - 12" Cement Standpipe

12" Cement Standpipe 9+29.6

30.1

80.0

9+21.9

9+17.7 11" Walnut

9+15.9 4" Walnut (Scrub)

43.9

80.6

9+95.9 = 8" Walnut End of row of 17 trees

30.3

79.8

9+60

9+03.9 = 10" Walnut End of row of 17

8+66.0 3" Walnut

45.3

See Pg 4

8"

6"

8+01.7 = P+Tel. Pole #46347E

22.6

8+00

11"

11"

47.20

Galvanized Iron

Hay Barn (Wooden frame structure)

34.0

7+52.75 = S.E. Cor. barn

71.2

47.05

7+52.2 = S.W. Cor of barn

7+43.7 3" Pear

76.4

64.4

51.9

E of Lemon Ave

Walnut trees

10"

12"

7+43.7 1¼" Avocado

7+42.8 7" Peach

7+19.0 5" Pear

54.7

79.2

7+17.8 8" Apricot

7+00

9"

8"

6+94.6 6" Cherry

82.4

57.3

6+93.3 5" Cherry

6+55.5 10" Walnut

6+53.6 12" Walnut

30.1

80.7

From top of Pg. 13

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Citrus Ave
Map No. B-981-1	W. O. 7184 Tape No. 06C St'd 16 °F.
Office Work K.V. ROBIN	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 6-23-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 15

Cont. Bof. Pg. 16

12+53.4 = 13th tree in row of 16-1½" G.F. trees

56.1

81.9

29.1

72.7

12+50.4 8" Walnut 7°

12+48.6 9" Walnut

12+53.1 — 13th tree in row of 16-1½ G.F. trees

12+19.2 = P.+Tel. P. #332050E

22.1

12+00

11+00

10+00

10+29.7 = P.+Tel. Pole #332049E

22.6

℄ of Lemon Ave per Pg. 4

1½" Grapefruit Trees

Walnut Trees

From top of Pg. 14

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31

6-23-33

F.B. 5126 Pg. 16

Cont. Bot. Pg. 17



From top of Pg. 15

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No. B-918-1
Office Work K.W.Hoerm
Checked
Date

Survey of Citrus Ave
W. O. 7184 Tape No. 060 St'd 76 °F.
Surveyed by C.E. Brunty
Notes Brunty Date 6-26-33
Indexed C. C. Johnson

F.B. 526 Pg. 17

Cont. Bot. Pg. 18

Sta. 26+11.43 per Pgs 4+5

23+47.3 = 12" Cement Standpipe — 33.0

22+97.6 = 12" Cement Standpipe — 32.9

22+47.8 P+Tel. pole # 303645E — 21.9

22+47.4 = 12" Cement Standpipe — 32.6

12" S. Pipe not in

21+47.9 = 12" Cement S. Pipe — 32.3

20+98 = 12" Walnut Beg. of row of 8 — 37.9

20+97.5 = 12" Cement S. Pipe — 32.3

12" Well casing (abandoned) — 51.4

20+73.9 = 12" Cement S. Pipe 2.0' high — 32.2

20+72.87 Fd. 2"x2" Sta. + tack — 29.90

20+71.0 = 10" Cement Standpipe 7.5' high — 32.2, 34.5

20+71.0 = 12" Cement Standpipe — 37.8

20+49.8 = 12" Walnut end of row of 10 — 22.0

20+47.9 P+Tel. P. # 303646E

4 Lemon Ave per Pg. 4

63.6 — 19+44.1 4" Valencia

63.6 — 18+99 4" Valencia

18+47.8 = P+Tel. P. # 303647E — 21.6

31.2 — 18+44.8 Gas meter

16+76.0 = 6" Walnut beginning of row of 18

32.3

61.0 — 16+51.5 = 12" Walnut beginning of row of 19 Note - Sixth tree is 1" in Diam.

16+54.8 = 12" Walnut beginning of row of 10 — 37.8

16+47.95 = P+Tel. P. # 303648E — 21.8

16+46.1 Guy wire to dead man enters ground — 29.1

16+33.01 Fd. battered 2" Galv. I.P. — 29.90

16+31.04 Per Pg. 4

From top of Pg. 16

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 526 Pg. 18

26 11.43

Cont. Bot. Pg. 20



Sta # 26+11.43 per Pgs 4 & 5

Bridge #168 See sketch Pg. 19

25+90.7 = 4" X 6" Tel. P. (2 Guys)

28.8

25+78.5 = 4" Walnut

37.0

25+34.43 = 12" Walnut

48.0

60.0

Cor "A" per sketch

Cor "B" per sketch

25+23 ℄ of 6' Creek

24+81.5 12" Cement standpipe

65.5

Bridge # 169 See Sketch Next Pg. (19)

Cor "B"

Cor "A"

65.5

6' Stream

24+61.8 = 12" Walnut End of row of 19

Narrow dirt Rd.

15" Walnut - end of row of 8 = 24+47.5

38.8

32.1

24+46.6 12" Cement standpipe

24+42.0 Guy wire to D'man

35.0

33.4

32.8

24+40.0 = 16" Walnut End of row of 18

24+40.0 12" Cement standpipe

22.9

24+39.6 = P+T Tel. pole # 3089 01E

33.3

23+97.5 = 12" Cement standpipe

Sta # 16+31.04 per Pg. 4

From top Pg. 17

Lemon Ave Per Pg. 41

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Notes Ck'd by	Survey of Citrus Ave
Map No. B-918-1	W. O. 7184 Tape No. 660 St'd 76 °F.
Office Work K.V. ROBIN	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 6-26-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 19



Sketch of Bridge #169 — (Wooden structure on concrete abuttments) See Pg. 18

Sketch of Bridge #168 — Identical to Bridge #169 except for length and angle of wing walls

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

6-28-38

Cont. Bot. Pg. 21

F.B. 526 Pg. 20



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Cont. Bot. Pg. 22

Notes Ck'd by
Map No. B-9197
Office Work K.K. Poerio
Checked
Date

Survey of Citrus Ave
W. O. 7184 Tape No. 660 St'd 76 °F.
Surveyor C.E. Bounty
Notes 28.0 Date 6-28-33
Indexed A. O. Johnson

F.B. 526 Pg. 21

33+23.9=6"Walnut
83.4
33+06
35°±ar. 9 B. k. fence
32+84.7 8"Walnut
32+54.0 6"Walnut
71.9
32+47.3 5"Walnut
32+14.7 12"Walnut
32+09.8 9"Walnut
56.9
42.8
32+85.8: 7"Walnut
32+64.2: 12" Cement St. P.
38.8
32+64.2 12"Walnut
10"Walnut
8"Walnut
8"Walnut
1"Walnut Not 1.0'
68.0
31+73.1 10"Walnut
27.1
31+58.4 P.P.# 213390E
8"Walnut
8"Walnut
10"Walnut
51.5
31+09.5: 9"Walnut
6"Walnut
8"Walnut
16"Walnut
73.0
30+69.6 10"Walnut
86.0
30+37.: 10"Walnut
30+50 & 6' Creek
6' Creek
30+15.0 10"Walnut
67.3
30+10.1=10"Walnut
22.2
55.5
30+00 & 6' Creek
33.1
29+93.0: 8"Walnut
29+65.9 11"Walnut
66.5
29+66 78 per Pg. 5
& Lemon Ave per Pgs. 586

From top of Pg. 20

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

6-29-33

F.B. 526 Pg. 22

Cont. Bot. Pg. 23

34+44.60 Per. Pg. 6

34+44.3 — 50.6 — 6" Peach

76.3 — 8" Walnut

34+42.8

34+29.9 — 33.8 — 6" Apple

34+25.2 — 21.7 — P. Pole # 213391 E

34+22.8 — 75.2

34+20.9 — 58.1 — 1" Orange

34+20.2 — 34.4 — Grapevine

34+12 — 34.2 — 9" Walnut

34+06 — 77.6 — 1" Orange

33+99.6 — 69.1 — 1" Orange

33+99.0 — 47.7

33+99.5 — 36.3 — 3" Apple

Pgs. 5 & 6

6' Creek

33+73.4 — 73.6 — 6" Walnut

33+70.3 — 38.0 — 10" Walnut

33+59.3 — 39.9 — Two grapevines

33+53.0 — 56.8 — 4 6' Creek

33+49.9 — 40.4 — 3" Peach

33+45.4 — 69.4

Private bridge to farm

Cor "B"

Bridge

Cor "A" See Sketch

33+34.1 — 61.7

42.5

33+28.9 10" Walnut

6" Water Pipe To 12" Standpipe

50'±

Cor "B"

Concrete

1.0'

3.00

40°±

13.6'

120'

Wooden Structure

Cor "A"

10'±

3.00

Concrete

3.00

40°±

IDENTICAL

Ave. 1 & Lemon

33+00

101.0

From top of Pg. 21

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Notes Ck'd by
Map No. B-918-1
Office Work K.V. MORIN
Checked
Date

Survey of Citrus Ave
W. O. 7164 Tape No. 060 St'd 76 °F.
Surveyed by C.E. Brunty
Notes Brunty Date 6-29-33
Indexed A. C. Johnson

F.B. 526 Pg. 23

Cont. Bot. Pg. 24

37+00 — 97.6
36+90.0 — 19.6 — P. POLE #213892E

74.2 — 36+12.6
12" Walnut Beg. row of 18
9" Walnut Beg. of row of 4
70.0
78.0
6' Creek
35+97.0
23.2 — 35+66.5
10" Walnut Beg. row of 19
35+53.5 — 76.0 — 5" Cherry
35+43.0 — 35.1 — 11" Walnut Beg. row of 5
35+33.3 — 71.0 — 6" Valencia
35+21.7 — 33.8 — 6" Fig
35+19.0 — 57.5 — & 6' Creek
35+15.7 — 67.0 — 6" Navel
Per Pg. 16

3 strand B. wire fence

34+96.1 — 62.5 — 6" Navel
34+91.9 — 36.3 — Grape vine

34+77.6 — 22.0
34+76.8 — 58.4 — 6" Valencia
34+73.0 — 34.3 — 6" Walnut — 78.3 — 34+74.8 6" Valencia
Lemon Ave
+0.8

34+57.7 — 54.5 — 73.0 — 5" Navel
34+56.3 — 5" Valencia

34+44.60 Per Pg. 6 — 42.0 — & 6' Creek
33.1 — 34+43.0 7" Walnut

From top of Pg. 22

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

6-29-33

F.B. 526 Pg. 24



From top of Pg. 23

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Citrus Ave
Map No. B-918-1	W. O. 7184 Tape No. 060 St'd 76 OF.
Office Work K.V. Rubin	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 7-3-33
Date	Indexed A. C. Johnson

F.B. 526 PG. 25

45+11.90 Per Pg. 6

45+10.0 — 69.4 — 10" Walnut

12" Cement standpipe

44+94.6 — 67.0

44+88.2 — 69.4 — 10" Walnut — 6" Orange last tree in row of 13

44+86.8 — 31.3 — 12" Cement standpipe

44+84.1 — 31.3

44+84.6 — 47.2 — 1" Orange - last tree in row of 16

28.5 — 6" Orange

49+60.3 - last tree in row of 19 - 13" Walnut

49.6 — 20.9 — 44+61.6 P.P. # 213395 E

98.8

44+59.0 - last tree in row of 18 - 12" Walnut

44+39.3 — 26.0 — 6" Walnut

44+15.4 — 24.0

43+91.7 — 24.1 — 6" Orange - last tree in row of 13

9" Walnut - last tree in row of 12

Per Pg. 6

44+00 — 95.0 — 6' Creek

E. Lemon Ave

43+24.5 — 17.9 — P.P. # 213394 E

43+07.1 — 67.8

5" Orange - Beg. of row of 13

1½" Orange

42+82.4 — 64.6 — 6' Creek

72.0

42+30.1 — 45.6 — 2" Orange Beg. of row of 16

41+09.2 — 78.8

41+06.5 — 44.7 — 1" Orange

From top of Pg. 24

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by		Survey of Citrus Ave.	F.B. 724 Pg. 37
Map No.		W. O. 7184 Tape No.	St'd 24 OF.
Office Work		Surveyed by C E Brunty	
Checked		Notes	Date 8-24-33
Date		Indexed A. C. Johnson 5-25-35	

Trees.

Row 17 trees beginning Sta 1406.2

Size	
10"	10"
10"	11"
12"	8"
12"	8"
10"	
8"	
9"	
12"	
10"	
8"	
7"	
8"	
9"	

Row beginning Sta 1403 - 17 trees

Size	
12"	12"
12"	8"
12"	12"
12"	11"
9"	6"
9"	10"
9"	
14"	
18"	
10"	
10"	

Row beginning Sta 1+27.3 - 7 trees

Size
10"
10"
9"
8"
6"
10"
8"

Row 16 trees beginning

Sta 9+46.1 - Size

12"	12"
12"	13"
9"	10"
7"	10"
6"	14"
9"	
7"	
7"	
13"	
10"	
12"	

Sta 9+44½ - Size

6"	3"
4"	10"
6"	9"
6"	9"
8"	10"
9"	
5"	
9"	
9"	
10"	
9"	

Row 18 trees beginning Sta 16+76.0 - Size

6"	6"
10"	11½"
10"	13
9"	14
10"	12
10"	12
3"	13
12"	15
12"	16

Row 19 trees beginning Sta 16+51.5 - Size

12"	11"
9"	8"
11"	11"
10"	12"
10"	9"
11"	10"
10"	10"
10"	11"
11"	12"
13"	

Row Beginning Sta 14+54.7 Size

12"
9"
9"
10"

Row Begin Sta 16+54.8

Size

12"

12"

All same

Row beginning Sta 20+98

Size

12"
16"
13"
12"
14"
12"
12"
15"

Copied from Loose Leaf Aug. 1933

W. H. Blackmer

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 526 Pg. 54
May 24, 1933

Tie of "P" line to Int. of Lemon Ave and L.A.-San Bernardino Rd.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS.

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Portion of N line Lot #2 Sentous
Map No. 3918-2	W. O. 7184 Tape No. St'd 84 °F.
Office Work MOE PM	Surveyed by C.E. Bruny
Checked	Notes Bruny Date 5-12-33
Date	Indexed A. C. Johnson

F.B. 524 Pg. 29

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

POT #4 Set 1x2

P#19 Per LB 721 Pg. 33

34°09'30"①
136°37'45"④
34°09'26½"Av.

Lot 26 T.R. 2371

276.00

537.42 B 72½' Pg

P#20 Per LB 721 Pg 331

FENCE (B.W.)

362.91

Property

Sentous Lot #2

121°55'00"

SW Cor of Lot 26 T.R. 2371

POT #3 Set 1x2

725.9

POT #2 Set 1x2

PROPERTY LINE

STRAND B.W. FENCE

TRANSIT LINE

POT #1 Set 1x2

737.36

Fd. 4" Sheet metal pipe filled with concrete and nail imbedded in center

90°

18.00

4.00

474.39

96°52'00"①
27°27'30"④
96°51'52½"Av.

To N.W. Cor Lot #2 Sentous Property
See F.B. 403-23
also F.B. 526-61

Note
For tie to ℄ of proposed Citrus Ave-See Pg. 62

280.33 @ 10°02 T 60 = 276.00
280.25 @ 9°57 T 60 = 276.00

68.08 @ 13°28 T 60 = 66.20
67.58 @ 11°34 T 60 = 66.20

297.09 @ 2°41 T 60 = 296.71
297.04 @ 2°29 T 60 = 296.71

66.20
296.71
362.91

738.3 @ 10°30 T 60 = 72.58
736.7 @ 9°47 T 60 = 72.59
735.7 @ 9°17 T 60 = 72.60

Fence lined out for 1200.' ± by eye

38.40 Level T 60 = 38.39

298.52 @ 16°56 T 60 = 285.53
298.23 @ 16°45 T 60 = 285.53

236.96 @ 23°07 T 58 = 217.90
237.35 @ 23°20 T 58 = 217.90

118.28 @ 22°42 T 54 = 109.10
117.54 @ 21°49 T 54 = 109.10

92.40 @ 20°39 T 54 = 86.44
91.81 @ 19°40 T 54 = 86.44

38.39
285.53
217.90
109.10
86.44
737.36

78.49 @ 6°17 T 52 = 78.00
78.42 @ 5°48 T 52 = 78.00

96°51'52½"

160.05 @ 4°20 T 62 = 159.60
159.98 @ 3°51 T 62 = 159.60

259.75 @ 5°31 T 62 = 258.51
259.83 @ 5°42 T 62 = 258.51

56.29 Level T 62 = 56.26

159.60
255.51
474.39

U.S. GEOLOGICAL SURVEY COOPERATION
BENCH MARK
ELEVATION
FEET
SAN TUSE
ONE DOLLAR FINE FOR DISTURBING THIS MARK

F.B. 526 Pg. 20

See F.B. 403-59 also see F.B. 526-61

Fd. 4" Sheet metal pipe filled with concrete and nail embedded in center

To N.E. Cor. Lot #2 Sentous Prop.

39°38'30" ④
155°34'00" ④
39°38'30" Av. ✓

POT #6 Set 1x2

46°18'30" ④
155°14'15" ④
46°18'33" Av.
30" Adj. ✓

4.00

44°42'15" ④
178°48'45" ④
44°42'15" Av. ✓
15" Adj.

91°00'45" ④
4°03'15" ④
91°00'45" Av. ✓
45" Adj.

94°03'00" ④
16°12'00" ④
94°03'00" Av. ✓

39°38'30"

2356.06 Calc. ✓

1787.55 Calc.

Lot 26 Tract 2371

B.W. Fence

(3183.84 Rad. (M.B. 23-98 & 99
3183.34 Rad. (M.B. 17-36 & 37
17.82 Ch. - Rec. C.D.M. 1260-163)

Property of Lot #2

4°03'00"

46°18'30"

POT #5 Set 1x2

1506.89 Calc.

91°00'45"

44°42'15"

224.37

85°57'00"

Sentous Lot

Pt. Set 2x2

POT #4 Set 1x2

Lot 116 Tract 1930

Prop. Line

(3183.08 Ch. & Tri Angulation)

Base Line

1397.29 Tri

Sentous Line

49°20'45"

85°57'00" ④
343°46'00" ④
85°57'00" Av.

1981.30 Calc.

49°20'45" ④
197°23'00" ④
49°20'45" Av.

SW. Cor. of Lot 26 Tract 2371

4" Sheet metal pipe Fd. Per Prec. Pg.

90°

78.00

4.00

POT #1 Per Prec. Pg.

Ot 00 Per Prec. Pg.

28.19
196.18
224.37 ✓

28.19 Level T 60 = 28.19

206.96 @ 18°33' T 58 = 196.18
207.29 @ 18°50' T 58 = 196.18 ✓

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No. B-918-1
Office Work K.V.MARIN
Checked
Date

Survey of Citrus Ave
W. O. 7184 Tape No. 260 St'd 76 OF.
Surveyed by C.E. Brunty
Notes Brunty Date 7-12-33
Indexed A.C. Johnson

F.B. 526 Pg. 31

16+31.05 Per F.B. 526 Pg. 4

0+00.25 Per F.B. 526 Pg. 3 Fd. Copper tack

Walnut Sta.

Fd. L+T

5.02

8.43

Lemon Ave

For this line See F.B. 526 Pg 4

29.81

Fd. L+T

Fd L+T

See FW 4510-89

85°26'00"

170°52'00" ②
34°44'00" ④
85°26'00" Av.

For this line see F.O. 328 + FW 4510 (Pg. 89) Valley Blvd. (U.S. 99) (Pg 32)

(Fd. N.+T. in Pepper berry tree

Set Boat Spk. by Ties per F.O. 328 Pg. 32

58.63 Level T 78°

30.00 Level T 78°

Fd. cut spk. W.+T. in 8" Concrete monument 16" deep

0.35'

Fd Cut Spk. + W. in Macadam 26270.09 Per F.O. 326-32

59.14 Level T 78°

0.04'

Fd. N.+T. in pepper berry tree

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 526 Pg 32

Notes Ck'd by
Map No. B411-1
Office Work RYORIN
Checked
Date

Survey of Citrus Ave
W. O. 7184 Sec Tape No. 48 St'd 84 OF.
Surveyed by C.E. Brunty
Notes Brunty Date 8-28-33
Indexed A. C. Johnson 9-11-33

F.B. 526 PG. 39

Continued Bot. of Pg. 34

10.00

179°40'45" 980.13' to 2x2 set Pg. 4

Ch. 79.73

Δ 12°16'32.5" Ch. 79.73

10.00

PI #1 = 16+31.61
Angle Pt. set 3/4" I.P. plug + copper tack 16" deep + 2x2 flush

1¼" iron axle Pg. 4

16+31.05 Pg. 4 (2x2 + tack 8" deep)

10.01

Set 1x2

5.00

5.00

16+26.05 Pg. 4 (Spk. W. + T)

Set wire spk. N + T Pg. 4

87°46'50" Pg. 4

℄ of Carrey Rd. Pg. 4

10.00

Transit line ℄ of Lemon Ave Pg. 4

℄ Citrus Ave (Proposed)

N 37°48'15" W. 1631.61 Calc.

10.00

Valley Blvd.

Boat Spk Pg. 31

85°26'00" Pg. 31

10.03

Valley Blvd.

Copper tack in "Macadam pavement = 0+00.15 to N pgs. 3 & 4

0+00 Set Spk. W. + Tin in "Macadam" pavement ℄ of Valley Blvd. from W. produced

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

Continued on Bot. of Pg. 35

F.B. 526 Pg. 34

POST #3A
Square headed 5/8" iron bolt 14" long. (14" deep) = 34+44.61
Pg. 5

N. 10°52'30" W.
147.82 Calc.

E.C. = 30+90.26
Set

POST #2C
2x2 + tack 8" deep = 29+66.79
Pg. 5

27°15'10" Calc.

170.00' Calc.

Δ = 27°15'10"
R = 1400.00
T = 339.38
L = 665.91

211.12 Calc.

℄ of Lemon Ave

P.I. #2 Set 2x2 + tack 16" deep

40.22 Calc.

119.50' Calc.

N. 38°07'30" W.
133.33

POST #2B
Set Spk. W. + Tin.

33.31 Level T86
= 33.31

138.54 Level T86
= 138.54
26+11.44 Per Pg. 5
(2x2 + tack 12" deep)
POST #2A
Set 2x2 (flush)

1326.54 Calc. from PI #1 Pg. 33

T0.00
9E0.39 To 2x2
= 16+31.05 Pgs. 4+33

T0.08

192.73 to PI #1

BC = 24+24.34
Set

From top of Pg. 33

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No. B-412-1
Office Work MERLIN
Checked
Date

Survey of Citrus Ave
W. O. 7164 Tape No. 48 St'd 84 of.
Surveyed by C.E. Brunty
Notes Brunty Date 8-26-33
Indexed A.C. Johnson

F.B. 526 Pg. 35

& La Puente Rd.) Set 3/4" I.P. Pg. 36
(L.A.-S.B. Co. Rd.)

1½" Galv. I.P. See Pg. 86

667.37

44+99.84 P.O.T. #3C
(Spk. W.T. See Pg. 36)
44+99.84

Cont. Bot. Pg. 36

131.20
140.83
190.58
462.61 Level T82
= 462.61

E.C. = 43+39.17
Set.

Δ = 13°00'15" Calc
R = 4800.00
T = 547.07
L = 1089.43

13°00'15" Calc.

℄ of Lemon Ave

POST #3B Set 2x2

178.96
66.17
245.13 Level T84 = 245.13

PI #3 Set 2x2 & tack (16" deep)

1967.30 To ½ Pipe Pet Pg. 6

357.00

300.19
56.81
357.00 Level T84
= 357.00

POST #3A Square headed ⅝" iron bolt See Pg. 34

N. 10°52'20" W.

B.C. = 32+49.74
Set

477.82

POST #2C - 2x2 & tack 8" deep. See Pg. 34

From top of Pg. 34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

Continued on Bot. of Pg. 37

F.B. 526 Pg. 36

227.92 @ 1°03' T74 = 227.87
227.94 @ 1°09' T74 = 227.88
227.96 @ 1°18' T74 = 227.88
Av. = 227.88

297.51 @ 3°17' T84 = 297.02
297.54 @ 3°23' T84 = 297.02
Av. = 297.02

227.88
297.02
524.90

159.54 @ 4°24' T84 = 159.07
159.59 @ 4°38' T84 = 159.07
Av. = 159.07

248.18 @ 4°49' T84 = 247.30
248.11 @ 4°36' T84 = 247.31
248.03 @ 4°20' T84 = 247.32
Av. = 247.31

159.07
247.31
406.38

162° 19' 00" ①
324° 38' 00" ②
289° 16' 15" ③
162° 19' 03" Av.
00" Adj

179.45
5.57
185.02

179.54 @ 1°45' T87 = 179.46
179.56 @ 2°01' T87 = 179.45
179.49 @ 1°20' T87 = 179.44
Av. = 179.45

5.57 Level T87 = 5.57

Set 2x2 POT #5A

Set 2x2 POT #4A 50+89.27

524.90

Set 3/4" I.P.-Plug + tack 12" deep, 10-18-33

Set 3/4" I.P.-Plug + tack 12" deep - 10-18-33

40.00 Level T88°

40.00 Level T88°

EC = 48+07.33
Set 1x2

406.38

Δ = 17°41'00"
R = 800.00
T = 124.44
L = 246.91

Deflection - Chord - Station
1 = 1°25'02" - 39.57 - 46+00
2 = 3°12'28" - 49.99 - +50
3 = 4°59'54" - " - 47+00
4 = 6°47'20" - 50.00 - +50
5 = 8°50'30" - 57.32 - 48+07.33

PI #4 Set 2x2 14" deep

162.19

10-18-33 Set 3/4" I.P.-Plug + tack 14" deep

10-18-33 Set 3/4" I.P.-Plug + tack 8" deep

BC = 45+60.42
Set 1x2

185.02

40.00 Level T88°

40.00 Level T88°

Fd. 1½" Galv. I.P. Per Pgs. 6+28

97°00'00" Calc.

163.14

(N+T Pg. 28

40.30

40.30 Level 784-40.30

Ed. Spk. W+T. Per Pg. 28

707.67 Pg. 28

667.37

Pg. 28 1745.8 & Rd. Pg. 28

Fd. 2x2-12" deep Per Pg. 28

POT #3C Set 3/4" I.P. Plug + copper tack 18" deep 44+99.84

1077.55 Pg. 28

Fd. 1½" I.P. Per Pg. 28

From top of Pg. 35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Citrus Ave
Map No. B-416-1	W. O. 7184 Tape No. 48 St'd 34 of.
Office Work MORIN.	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 8-29-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 37

41.18@13°45T100°F
=40.00 to R.W. Rt.

42.70@20°30T100°F
=40.00 to R.W. Lt.

Continued on Bot. of Pg. 38

P.O.T. #5E Set 2x2 (14 deep)
65+17.46

423.33

295.90
127.45
423.35 Level T76 = 423.33

60+94.13
{POST #5D
Set 2x2
{Set 3/4" I.P.-P+Tk
8" deep 10-18-33

185.00
93.35
278.35 Level T74
= 278.33

Set 3/4 I.P.-P+Tk.
deep 10-18-33

40.00

40.00

278.33

{POST #5C
Set 2x2

39.60 Level T74
= 39.60

EC=59+76.80
Set 1x2

Δ = 42°41'40"
R = 800.00
T = 312.67
L = 596.13

162°29'55"

{POST #5B
Set 2x2

162°30'00" ①
289°59'30" ④
162°29'55" Av.
5" Adj

Deflection	Chord	Station
1: 0-41-32	19.33	-54+00
2: 2-28-58	49.99	+50
3: 4-16-24	"	-55+00
4: 6-03-49	"	+50
5: 7-51-15	"	-56+00
6: 9-38-41	"	+50
7: 11-26-07	"	-57+00
8: 13-13-33	"	+50
9: 15-00-58	"	-58+00
10: 16-48-24	"	+50
11: 18-35-50	"	-59+00
12: 20-23-16	49.99	+50
13: 21-20-50	26.80	-59+76.80

112.07 Calc

176.52

{PI #5
(Nothing Set)

154°48'15" ②
259°13'30" ④
154°48'22½" Av.
25" Adj

154°48'25"

79.17 Calc

{POST #5A
Set 2x2

68.83

68.84 Level T72 = 68.83

{P.P. POST #5
Set 2x2

B.C.=52+80.67
Set 1x2

Set 3/4" I.P.-Plug+Tack
12" deep 10-18-33

178.97@4°00T74=178.52
178.93@3°49T74=178.52
Av.=178.52
to POST 5B

40.00
Level T98°

40.00
Level T98°

41.90

26.30

126.31 Level T72
= 126.30

Set 3/4" I.P.-P+Tk. 12" deep

{P.P. POST
Set 2x2

50+89.27
POT #4A-Pg. 36

From top of Pg. 36

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

Continued on Bot. of Pg. 39

F.B. 526 Pg. 38



From top of Pg. 37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Notes Ck'd by	Survey of Citrus Ave.
Map No. B-418-1	W. O. 7184 Tape No. 48 St'd 84 °F.
Office Work MORIN	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 9-5-33
Date	Indexed A./C. Johnson

F.B. 526 Pg. 39

Continued on Bot. of Pg. 40

116.31
299.28
173.69
589.28

POST #8A Set 2x2

116.31 Level T90 = 116.31

299.72 @ 30' T90 = 299.28
299.75 @ 31' T90 = 299.28
Av. = 299.28

173.72 @ 1°14' T90 = 173.69
173.76 @ 1°43' T90 = 173.69
Av. = 173.69

589.28

EC = 86+95.36
Set 1x2

Set 3/4" I.P. & Tk. 10" deep

POST #7A
Set 2x2

40'

40'

Curve #7

Δ = 62°49'20"
R = 1200.00
T = 732.80
L = 1315.75

Set 3/4" I.P. & Tk. 10" deep

Deflection	Chord	Station
1 = 0°29'12"	-20.39	-74+00
2 = 1°40'50"	-49.996	+50
3 = 2°52'27"	"	-75+00
4 = 4°04'04"	"	+50
5 = 5°15'41"	"	-76+00
6 = 6°27'18"	"	+50
7 = 7°38'56"	"	-77+00
8 = 8°50'33"	"	+50
9 = 10°02'10"	"	-78+00
10 = 11°13'47"	"	+50
11 = 12°25'24"	"	-79+00
12 = 13°37'02"	"	+50
13 = 14°48'39"	"	-80+00
14 = 16°00'16"	"	+50
15 = 17°11'53"	"	-81+00
16 = 18°23'30"	"	+50
17 = 19°35'08"	"	-82+00
18 = 20°46'45"	"	+50
19 = 21°58'22"	"	-83+00
20 = 23°09'59"	"	+50
21 = 24°21'36"	"	-84+00
22 = 25°33'14"	"	+50
23 = 26°44'51"	"	-85+00
24 = 27°56'28"	"	+50
25 = 29°08'05"	"	-86+00
26 = 30°19'43"	-49.996	+50
27 = 31°24'40"	-45.36	-86+95.36

113.76
169.95
91.25
232.57
138.19
722.72 Level T94
= 722.77

722.77

117°10'40"

PI #7
Set 2x2
(14" deep)

117°10'30" ⊕
108°42'15" ⊕
9°10'33¾" Av.
40" Adj.

Set 3/4" I.P. Plug + tack
8" deep 10-19-33

40.00 Level T90 = 40.00

40.00

B.C. = 73+79.61
Set 1x2

Set 3/4" I.P. Plug + tack
8" deep 10-19-33

40.00 Level T90 = 40.00

72+96.15
P.O.T. #6A (2x2 Pg 38)

From the C.I.

Note: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE IOR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

Continued on Bot. of Pg. 41

F.B. 526 Pg. 40

49.58 Level T82 = 49.58

298.78 @ 2°44' T82 = 298.44
298.75 @ 2°37' T82 = 298.44
Av = 298.44

95.91 Level T82 = 95.91

299.64 @ 2°22' T88 = 299.39
299.61 @ 2°16' T88 = 299.39
Av. = 299.39

125°47'30" ⓓ
143°10'30" ⓐ
125°47'37" Av.
30" Adj.

POST #8B
Set 2x2

2526.9 Calc.

PI #8
Nothing
Set

362.90 Calc.

POST #8A
See Pg. 39

145°36'45" ⓓ
222°27'15" ⓐ
145°36'48" Av.
40" Adj.

233.41 @ 1°35' T90 = 233.33
233.43 @ 1°34' T90 = 233.33
Av. = 233.33

213.91 Level T88 = 213.92

233.33
213.92
447.25

Set 3/4" I.P. plug & T. 12" deep 10-19-33

40'

40'

743.32

49.58
298.44
95.91
299.39
743.32

Set 3/4" I.P. & Tack 8" deep 10-19-33

Δ = 88°35'50"
R = 600.00
T = 585.49
L = 927.79

E.C. = 99+79.81
Set 1x2

125°47'30"

447.25

Deflection-Chord-Station

1 = 2°17'27"	- 47.97	91+00
2 = 4°40'42"	-49.986	+50
3 = 7°04'56"	"	92+00
4 = 9°27'10"	"	+50
5 = 11°50'25"	"	93+00
6 = 14°13'39"	"	+50
7 = 16°36'54"	"	94+00
8 = 19°00'08"	"	+50
9 = 21°23'22"	"	95+00
10 = 23°46'37"	"	+50
11 = 26°09'51"	"	96+00
12 = 28°33'06"	"	+50
13 = 30°56'20"	"	97+00
14 = 33°19'34"	"	+50
15 = 35°42'49"	"	98+00
16 = 38°06'03"	"	+50
17 = 40°29'18"	"	99+00
18 = 42°52'32"	-49.986	+50
19 = 44°17'55"	-29.80	99+79.81

145°36'40"

POST #8C
Set 2x2
103+90.33

BC = 90+52.02
Set 1x2

Set 3/4" I.P. & Tack 10" deep 10-19-33

40'

589.28

40'

Set 3/4" I.P. 10" deep

POST #7A
See Pg. 39

From to [illegible] Pg. 39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Citrus Ave
Map No. B-918-1	W. O. 7184 Tape No. 48 St'd 8# of F.
Office Work [illegible]	Surveyed by C E Brunty
Checked	Notes Brunty Date 9-4-33
Date	Indexed

F.B. 526 Pg. 41

Continued on Bot. of Pg. 40

PI #10
Set 2x2

275.67
127.00
118.28
105.35
626.30 Level 187 = 626.31

626.31

Set 3/4" IP + Copper tack - 8" deep

150°28'00" ①
241°52'00" ②
150°28'00" Av.

Set 3/4" IP + Copper tack - 8" deep

40.00 40.00

Set 2x2 - 12" deep

POST #9A
Set 2x2

EC = 107+47.89 Set 1x2

Set 2x2 12" deep

76.56'50"

153.26

26.74

150°28'00"

Δ = 35°41'10"
R = 500.00
T = 160.95
L = 311.42

Deflection - Chord - Station

1 =	0°46'31"	- 13.53 -	104+50
2 =	3°38'24"	- 49.979 -	105+00
3 =	6°30'17"	- " -	+50
4 =	9°22'10"	- " -	106+00
5 =	12°14'03"	- " -	+50
6 =	15°05'57"	- 49.979 -	107+00
7 =	17°50'35"	- 47.87 -	107+47.89

450.30 Calc.

PI #9
Nothing set

245.08

207.09 Calc.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE FOR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

B.C. = 104+36.47 Set 1x2

Set 3/4" I.P. Plug + Tk.
9-20-33 (6" deep)

40.00 40.00

Set 3/4" I.P. Plug + Tk.
8" deep 10-10-33

Set 2x2
12" deep

20°

103+90.33
POST #8C
Set 2x2

40.00 40.00

Set 2x2 - 12" deep

245.21 @ 1°50' T 4 = 245.08
245.19 @ 1°43' T 4 = 245.08
Av. = 245.08

173°50'45" ③
335°23'00" ④
173°50'45" Av.
50" Adj.

173°50'50"

74.32

POST #8B (Pg. 40)

From top of Pg. 40

FORM 247 10M 8-31


Cont. on Bot. of Pg. 43
F.B. 526 Pg. 42
54.35 Level T78 = 54.35
46.17 Level T78 = 46.17
Set 3/4" I.P. + Copper tack 8" deep
112°23'30"
112°23'30" ①
89°34'30" ④
112°23'37½ Av.
30" Adj.
40.00
40.00
538.76
577.93
54.35
46.17
PI #11 Set 2x2
(RPPI #11 Set 2x2 12" deep)
89.12
191.97
296.84
577.93
00'00"
125°89.12 Level T90 = 89.12
192.33 @ 3°34 T90 = 191.97
192.25 @ 3°09 T90 = 191.97
Av = 191.97
297.09 @ 2°24 T88 = 296.84
297.11 @ 2°28 T88 = 296.84
Av. = 296.84
Set 3/4" I.P. + Copper tack (8" deep)
PI #11 FB 403 Pg. 84
EC = 1144 C9.21
Set 1x2
POST #10A Set 2x2 by intersection with Temple Ave FB 403 Pgs. 84-86
℄ Temple Ave FB 403-84+86
8467
P #0 Fd 1x2
(RPPI #12 FB 403-86 Fd. 2x2)
PI #10 Set 2x2
34.67 Level T88 = 34.67
39.17 Level T88 = 39.17
39.17
1440
11'50"
Deflection - Chord - Station
1 = 3°02'59" - 53.21 - 111+50
2 = 5°54'53" - 49.979 - 112+00
3 = 8°46'46" - " - +50
4 = 11°38'39" - " - 113+00
5 = 14°30'32" - " - +50
6 = 17°22'25" - 49.979 - 114+00
7 = 17°54'05" - 9.21 - 114+09.21
Δ = 35°48'10"
R = 500.00
T = 161.51
L = 312.44
144°12'00" ①
216°47'45" ④
144°11'56½" Av.
50" Adj.
54.16
RPPI #10 Set 2x2 12" deep
45.00
Set 3/4" I.P. + copper tack 8" deep
40.00
40.00
BC = 110+96.77 Set 1x2
Set 3/4" I.P. + Copper tack 8" deep
54.16 Level T74 = 54.16
45.00 Level T74 = 45.00
P.O.S.T. # 9A (Pg. 41)
From top of Pg. 41
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Roser	Survey of Citrus Ave
Map No. B 918-2	W. O. 7184 Tape No. 48 St'd 64 °F.
Office Work MORIN	Surveyed by C E Brunty
Checked	Notes Brunty Date 9-14-33
Date	Indexed A. E. Johnson

F.B. 526 Pg. 43

Continued on Bot.-left of Pg. 44

BC of curve #12
Set 2x2 = 124+11.18

92.42 Level T72
= 92.41

92.41

POT #11A
Set 2x2
123+18.77

244.13
254.96
499.09

245.40 @ 5°44 T60 = 244.13
245.43 @ 5°49 T60 = 244.13
Av. = 244.13

256.16 @ 5°28 T60 = 254.96
256.14 @ 5°25 T60 = 254.96
Av. = 254.96

Set 3/4" I.P. + copper tack 6" deep

499.09

40.00

Set 3/4" I.P. + Copper tack-8" deep

40.00

EC = 119+52.05 Set 1x2

Δ = 29° 39' 20"
R = 500'
T = 132.37
L = 258.79

Deflection	Chord	Station
1 = 3°15'05"	- 56.71	- 117+50
2 = 6°06'55"	- 49.98	- 118+00
3 = 8°58'50"	- "	- +50
4 = 11°50'45"	- 49.98	- 119+00
5 = 14°49'40"	- 52.03	- 119+52.05

PI #11 (2x2)

150°20'40"

150°20'30" @
241°22'30" @
150°20'37" Av.

B.C. = 116+98.26 Set 1x2

Set 3/4" I.P. + copper tack-8" deep

40.00

40.00

Set 3/4" I.P. + copper tack-8" deep

POST #10A
Set 2x2

42°23'30"

53.76

47.93

℄ of Temple Ave
See Pg. 42

39.17

PI #10 (Pg. #2)

From Top of Pg. 42

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

Continued on Bot.-Rt. of Pg. 45

F.B. 526 Pg. 44

POT #12B
Set 2x2
=129+75.40

POT #12A
Set 2x2
=128+99.97

75.43

129.58

R.P.E.C. Set 2x2

178.72 @ 15°07 T 70 = 172.52
178.68 @ 15°18 T 70 = 172.52
Av. = 172.52

90°00'00" ①
360°00'00" ④
90°00'00" Av.

172.52

Calc to PI #12

75.83 @ 5°47 T 66 = 75.43
75.78 @ 5°25 T 66 = 75.43
Av. = 75.43

56.89 @ 19°22 T 66 = 53.66
57.42 @ 20°50 T 66 = 53.66
Av. = 53.66

81.62 @ 21°31 T 70 = 75.92
81.45 @ 21°13 T 70 = 75.92
Av. = 75.92

53.66
75.92
129.58

147.50 @ 18°20 T 70 = 140.00

90°00'00"

RP Set wire spk. on spur

140.00

70.39

Set 2x2
EC = 127+70.39

Δ = 147°00'30"
R = 140.00
T = 472.76
L = 359.21

PI #12 Nothing Set

147°00'30"

Radial Pt. of Curve #12 Set 2x2

147°00'30" ③
228°02'00" ④
147°00'30" Av.

Deflection	chord	station
1 = 7°56'35"	- 38.69	- 124+50
2 = 18°10'30"	- 49.73	- 125+00
3 = 28°24'24"	-	- +50
4 = 38°38'15"	-	- 126 +00
5 = 48°52'05"	-	- +50
6 = 59°06'00"	-	- 127 +00
7 = 69°19'55"	- 49.73	- +50
8 = 73°30'15"	- 20.37	- 127+70.39

BC = 124+11.18
Set 2x2

140.00

140.98 @ 6°43 T 72 = 140.00

90°00'00" ①
360°00'00" ④
90°00'00" Av.

90°00'00"

Set 3/4" I.P. + copper tack - 8" deep

40.00

40.00

Calc to PI #12

92.41

Set 3/4" I.P. + copper tack - 8" deep

279.50 @ 17°58 T 66 = 265.84
279.60 @ 18°02 T 66 = 265.84
Av. = 265.84

265.84
- 140.00
125.84

123+18.77
POT #11A See Pg. 43

R.P.B.C. Set 2x2

From top of Pg. 43

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Rosen	Survey of Citrus Ave
Map No. B-918-2	W. O. 7184-326 Tape No. 48 St'd 8H of F.
Office Work MORIN	Surveyed by C E Brunty
Checked	Notes Brunty Date 9-18-33
Date	Indexed A. C. Johnson

F.B. 524 Pg 45

Continued on Bot. of Pg. 46

Set 3/4" I.P. + copper tack 8" deep

PI #14 Set 2x2

298.43 @ 10°45 T80 = 293.18
298.53 @ 10°51 T80 = 293.18
Av. = 293.18

293.18
119.85
160.80
573.83

119.85 Level T80 = 119.85

161.97 @ 6°52 T80 = 160.81
161.88 @ 6°39 T80 = 160.79
161.84 @ 6°30 T80 = 160.80
Av. = 160.80

573.83

40.00

40.00

Set 3/4" I.P. + copper tack 8" deep

EC = 138+16.65 Set 1x2

POST #13B Set 2x2

140°26'00" ⓓ
201°43'45" ⓐ
140°25'56½" Av.

140°26'00"

A = 125°23'30"
R = 250'
T = 184.28
L = 547.12

Calc to PI #13 50.18

3+71.12
296.94

RP - Set 2x2 = POST 3B'

52.96 @ 18°39 T78 = 50.18
53.89 @ 18°26 T78 = 50.18
Av = 50.18

Deflection - chord - Station
1 = 3°29'30" - 30.45 - 133+00
2 = 9° 3'15" - 49.92 - +50
3 = 14°57'05" - " - 134+00
4 = 20°40'50" - " - +50
5 = 26°24'35" - " - 135+00
6 = 32°08'20" - " - +50
7 = 37°52'10" - " - 136+00
8 = 43°35'55" - " - +50
9 = 49°19'40" - " - 137+00
10 = 55°03'30" - " - +50
11 = 60°47'15" - 49.92 - 138+00
12 = 62°41'45" - 16.65 - 138+16.65

PI #13 Nothing set

283.73

285.64 @ 6°37 T78 = 283.73
285.60 @ 6°33 T78 = 283.73
Av = 283.73

94°10'30" ⓓ
16°42'00" ⓐ
94°10'30" Av.

94°10'30"

221.70 Calc to PI #13

Set 1x2

69.53

Be = 132+69.53

Set 3/4" I.P. & copper tack 8" deep

POST #13A Set 2x2

69.86 @ 11°37 T60 = ~~67.44~~ 68.42
69.69 @ 10°54 T60 = ~~67.44~~ 68.42
Av. = ~~67.44~~

556.71
555.73

40.00

40.00

40.00

40.00

128+99.97

299.51
50.42
138.44
488.37 Level T60 = 488.29
68.42 ~~67.44~~
~~555.73~~
556.71

P.O.T. #12B P.S. 44 = 129+75.40

Set 3/4" I.P. + copper tack 8" deep

P.O.T. #12A P.S. 44

From top of P.S. 44

Note: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE IOR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

Continued on Bot. of Pg. 47

F.B. 526 Pg. 46



From top Rt. of Pg. 45

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Roesler	Survey of Citrus Ave
Map No. B-918-2	W. O. 7184 Tape No. 48 St'd 8H OF.
Office Work MOEIN	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 9-13-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 47

Continued on Bot. of Pg. 46

PI #16 Set 2x2

248.70 @ 6°40 T 86 = 247.02
248.79 @ 6°50 T 86 = 247.02
Av = 247.02

247.02

118.11 @ 8°25 T 84 = 116.90
118.27 @ 8°44 T 84 = 116.90
Av. = 116.90

40.00

40.00

Set 3/4" I.P. + copper tack - 8" deep

Set 3/4" I.P. + copper tack - 8" deep

POST #15A Set 2x2

E.C. = 147+55.25 Set 1x2

116.90

Δ = 71°00'10"
R = 200.00
T = 142.67
L = 247.85

Deflection	chord	Station
1 - 6°06'10"	- 42.52	- 145+50
2 - 13°15'50"	- 49.87	- 146+00
3 - 20°25'35"	- "	- +50
4 - 27°35'15"	- 49.87	- 147+00
5 - 35°30'05"	- 55.08	- 147+55.25

PI #15 Set 2x2

108°59'50"

109°00'00" Ⓓ
75°59'30" Ⓐ
108°59'52½ Av.

B.C. = 145+07.40 Set 1x2

444.3

40.00

40.00

Set 3/4" I.P. + copper tack - 8" deep

Set 3/4" I.P. + copper tack - 8" deep

E.C. = 149+51.43 (2x2)

From top of Pg. 46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

Continued on Bot. of Pg. 49

F.B. 526 Pg. 48



From top of Pg. 47

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

continued on Bet. of Pg. 50

Notes Ck'd by Rosen
Map No. B-916-2
Office Work MORIN
Checked
Date

Survey of Citrus Ave
W. O. 7184 Tape No. 48 St'd 84 °F.
Surveyed by C.E. Brunty
Notes Brunty Date 9-13-33
Indexed A. C. Johnson

F.B. 526 Pg. 49

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RP POST #17C Set 2x2

58.93 Level T66 = 58.92

115.64 @ 4°20 T66 = 115.30
115.70 @ 4°39 T66 = 115.31
115.74 @ 4°50 T66 = 115.32
Av. = 115.31

160+74.21
POT #17C Set 2x2

196.80 @ 1°21 T66 = 196.73
196.81 @ 1°29 T66 = 196.72+
196.84 @ °41 T66 = 196.74-
Av. = 196.73

196.73 Set 3/4" I.P. + copper tack - 8' deep
91.27
288.00

91.28 Level T66 = 91.27

36.31 Level T66 = 36.31

265.78 @ 8°56 T66 = 262.48
265.92 @ 9°11 T66 = 262.48
Av. = 262.48

36.31
262.48
298.79

145°08'45"
220°35'00"
145°08'45" Av.

Set 3/4" I.P. + copper tack 8' deep

Δ = 103°19'40"
R = 400.00
T = 505.83
L = 721.36

POL Set 2x2

RP POST #17B Set 2x2 - 800'± W. of P.O.S.T. 17B

Calc.

PI #17 Nothing Set

Deflection-Chord-Station

1 = 3°44'40"	- 52.25	-	153+50
2 = 7°19'35"	- 49.97	-	154+00
3 = 10°54'25"	-	-	+50
4 = 14°29'15"	-	-	155+00
5 = 18°04'10"	-	-	+50
6 = 21°39'00"	-	-	156+00
7 = 25°13'50"	-	-	+50
8 = 28°48'45"	-	-	157+00
9 = 32°23'35"	-	-	+50
10 = 35°58'25"	-	-	158+00
11 = 39°33'20"	-	-	+50
12 = 43°08'10"	-	-	159+00
13 = 46°43'00"	-	-	+50
14 = 50°17'55"	- 49.97	-	160+00
15 = 51°39'50"	- 19.07	-	160+19.07

68°28'15" ①
273°53'30" ②
68°28'22½" Av.

68°28'25"

POST #17B Set 2x2

93.07 Level T70 = 93.06

Set 3/4" I.P. + copper tack - 8' deep

27.12
12.84
39.96 Level T70 = 39.96

POST #17A Set 2x2

BC = 152+97.71 Set 1x2

RP P.O.S.T. #17B Set 2x2

Set 3/4" I.P. + copper tack 8' deep

Pg. 48
PI #16

From top of

Cont. Bot. of Pg. 51

F.B. 526 Pg. 50

196.06 @ 4°14 T96 = 195.55
195.91 @ 3°34 T96 = 195.55

PI # 19 Set 2x2

195.55

169+44.86
P.O.T. # 18A
Set 2x2

225.73 Level T96
= 225.75
Set 3/4" IP + Copper tack - 8" deep

Set 3/4" IP + Copper tack - 8" deep

RPPI # 18
Set 2x2

40.00 40.00

236.01 @ 16°45 T56 = 225.96
236.03 @ 16°47 T56 = 225.94
236.16 @ 16°51 T56 = 225.98
Av. = 225.96

EC = 168+82.61 Set 1x2

225.75

44°27'50"

225.96

Δ = 44°27'50"
R = 400.00
T = 163.50
L = 310.42

Deflection	Chord	Station
1 = 1°59'30"	- 27.81	- 166+00
2 = 5°34'20"	- 49.97	+ 50
3 = 9°09'15"	- "	- 167+00
4 = 12°44'05"	- "	+ 50
5 = 16°18'55"	- "	- 168+00
6 = 19°53'50"	- 49.97	+ 50
7 = 22°13'55"	- 32.60	- 168+82.61

44°27'45" Ⓓ
17°51'30" Ⓘ
44°27'52½ Av.

PT # 18
Set 2x2

135°32'10"

270.73

BC: 165+72.19 Set 1x2
46.48
224.29
270.77 Level T60
= 270.73

Set 3/4" IP + Copper tack - 8" deep

40.00 40.00

Set 3/4" IP + Copper tack - 8" deep

POT # 17D
Set 2x2
164+64.96

296.79
94.02
390.81 @ 0°00 T62 = 390.75

390.75

160+74.21
POT # 17C (2x2)

From top of Pg. 49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Roeser		Survey of Citrus Ave	F.B. 526 Pg. 51
Map No. B-918-2		W. O. 7184 Tape No. 48 St'd. 04 °F.	
Office Work MORIN		Surveyed by C.E. Brunty	
Checked		Notes Brunty Date 10-3-33	
Date		Indexed A. C. Johnson	

Cont. Bot. of Pg. 52

POST #20A Set 2x2

123.15 Level T 106 = 123.17

299.65 @ 2°01 T 104 = 299.53
299.70 @ 2°09 T 104 = 299.53
Av = 299.53

183.95 @ 4°16 T 102 = 183.46
183.91 @ 4°06 T 102 = 183.46
Av = 183.46

123.17
299.53
183.46
606.16

606.16

R.P.P.I. Set 2x2

42.99 @ 11°52 T 100 = 42.08
42.82 @ 10°45 T 100 = 42.08
Av = 42.08

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

E.C. = 172+45.26 Set 1x2

Δ = 30°48'10"
R = 400.00
T = 110.19
L = 215.04

Deflection	Chord	Station
1 = 1° 25' 00"	19.78	170+50
2 = 4° 59' 50"	49.97	171+00
3 = 8° 34' 45"	"	+50
4 = 12° 09' 35"	49.97	172+00
5 = 15° 24' 05"	45.23	172+45.26

POST #19A Set 2x2

128.19

62.84

80.24

SPI #19 Set 2x2

B.C. = 170+30.22 Set 1x2

195.55

30°48'10"

Set 3/4" IP + Copper tack - 8" deep

40.00 40.00

(Set 3/4" I.P. + Copper Tk.-8" deep)

61°36'15" ①
123°12'30" ⑤
30°48'07½" Δ

POST #18A (2x2) 169+44.86

62.98 @ 4°00 T 100 = 62.84
63.00 @ 4°10 T 100 = 62.84
Av = 62.84

128.67 @ 4°59 T 140 = 128.19
128.72 @ 5°16 T 140 = 128.19
Av. = 128.19

225.75

From top of Pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

Cont. on Bot. of Pg. 53

F.B. 526 Pg. 52

80.99
199.67
280.66

81.68 @ 7°30 T 106 = 80.99
81.60 @ 7°35 T 106 = 80.99
Av. = 80.99

199.79 @ 2°14 T 106 = 199.67
199.76 @ 2°06 T 106 = 199.67
Av. = 199.67

66.01 Level T 106 = 66.02

E.C. of curve #21 Set 2x2

9°52'30" ①
39°30'30" ②
9°52' ~~37½~~ Av.
40" Adj.

280.66

RPPI #20 Set 2x2

EC. = 180+38.99 Set 1x2

POST #20B Set 2x2

Δ = 9-52-40
R = 2000'
T = 172.82
L = 344.80

20.69

234.06

PI #20 Set 2x2

Deflection	Chord	Station
1 = 6°48'00	55.81	177+50
2 = 1°30'55	50.00	178+00
3 = 2°13'55	"	+50
4 = 2°56'50	"	179+00
5 = 3°29'50	"	+50
6 = 4°22'50	50.00	180+00
7 = 4°56'20	38.99	+38.99

83.71

POST #20A Set 2x2

B.C. = 176+94.19 Set 1x2

91.96

235.28 @ 5°54 T 106 = 234.06
235.38 @ 6°09 T 106 = 234.06
Av. = 234.06

84.98 @ 9°57 T 106 = 83.71
84.84 @ 9°25 T 106 = 83.71
Av. = 83.71

POST #19A (2x2)

From top of Pg. 52

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Rowan	Survey of Citrus Ave	F.B. 526	Pg. 53
Map No. 5-416-2	W. O. 7184 Tape No. 48 St'd 84 of.		
Office Work MORIN	Surveyed by C.E. Brunty.		
Checked	Notes Brunty Date 10-3-33		
Date	Indexed X. C. Johnson		

142.99 @ 3°08 T96 = 142.80
143.02 @ 3°20 T96 = 142.80

cont. Bot. right of Pg. 54

142.80

POST #22A Set 2x2

EC of curve #21 Set 2x2 = 190+64.12

90°00'00" ①
360°00'00" ②
90°00'00" Av.

17°25'00" ①
69°40'00" ②
17°25'00" Av.

17.16 Level T96 = 17.16

297.35 @ 18°00 T96 = 282.84
297.24 @ 17°55 T96 = 282.84
Av. = 282.84

282.84
17.16
300.00

Radial Pt. of Curve #21 Set 2x2

52.12 @ 23°20 T100 = 47.67

Set 2x2

64.18 Level T100 = 64.14

Set 2x2

72.28 @ 10°18 T100 = 71.13
72.34 @ 10°33 T100 = 71.13
Av. = 71.13

122.38 @ 17°18 T104 = 116.86
122.61 @ 17°39 T104 = 116.86
Av. = 116.86

Set 2x2

90°00'00" ①
360°00'00" ②
90°00'00" Av.

280.66

POST #20B (2x2)

Set N+T in saddle

From top of Pg. 52

Δ = 162°35'00
R 300.00
T 1958.60
L 851.28

300.00
162°35'00"
47.67
64.14
71.13
300.00
116.86
90°00'00"
90°00'00"

Deflection	Chord	Station
1 = 3°32'55"	- 37.14 -	182+50
2 = 8°19'25"	- 49.94 -	183+00
3 = 13°05'50"	" -	+50
4 = 17°52'20"	" -	184+00
5 = 22°38'50"	" -	+50
6 = 27°25'20"	" -	185+00
7 = 32°11'45"	" -	+50
8 = 36°58'15"	" -	186+00
9 = 41°44'45"	" -	+50
10 = 46°31'15"	" -	187+00
11 = 51°17'45"	" -	+50
12 = 56°04'10"	" -	188+00
13 = 60°50'40"	" -	+50
14 = 65°37'10"	" -	189+00
15 = 70°23'40"	" -	+50
16 = 75°10'05"	" -	190+00
17 = 79°56'35"	" -	+50
18 = 81°17'30"	14.12 -	190+64.12

BC of curve # 21 Set 2x2 = 182+12.84

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLE IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 10M 5-31

Cont. Bot. Pg. 55

F.B. 526 Pg. 54

174.62 @ 3°20 T 82 = 174.32
176.67 @ 3°38 T 82 = 174.32

159.95 @ 3°59 T 82 = 159.50
159.92 @ 3°51 T 82 = 159.50

248.44 @ 8°41 T 82 = 245.59
248.49 @ 8°47 T 82 = 245.58
248.53 @ 8°51 T 82 = 245.57
Av. = 245.58

174.32
159.56
245.58
579.46

PI #235 Set 2x2

579.46

199+21.38
P.O.T. #22C Set 2x2

E.C. = 197+18.02 Set 1x2
90.56 Level T84
= 90.56

270.70 @ 3°05 T86 = 270.31
270.68 @ 3°00 T86 = 270.31

90.56
270.31
360.87

POT #1 Pg 29+62

660.57

360.87

POST #22 B Set 2x2

Calc. 280.91 to PI

100°10'30"
Pg 62
67°10'55"

A = 120°36'50"
R = 250.00
T = 438.42
L = 526.28

Deflection	Chord	Station
1 = 0°56'50"	8.26	192+00
2 = 6°40'35"	49.92	+50
3 = 12°24'20"	"	193+00
4 = 18°08'05"	"	+50
5 = 23°51'55"	"	194+00
6 = 29°35'40"	"	+50
7 = 35°19'25"	"	195+00
8 = 41°03'10"	"	+50
9 = 46°47'00"	"	196+00
10 = 52°30'45"	"	+50
11 = 58°14'30"	49.92	197+00
12 = 60°18'25"	18.02	197+18.02

100°10'30" ①
40°42'30" ④
100°10'37½ Av.

16.79 Pg 62

POT #2
Pg. 29+62

PI #2 Not Yet Set

40°47'30" ①
163°09'30" ④
40°47'22½ Av.

370.07

Transit line per Pgs 29+30 and Pg. 62

Calc. 291.52 to PI

40°47'20"

POST #22A 1/2
= R.P. POST #22A
Set 2x2

5.72

BC: 191+91.74 Set 1x2

POT #6
Pg. 30

POST #22A
Set 2x2

125.72 Level T84 = 125.72
173.75 Level T86 = 173.75
197.43 @ 6°04 T84 = 196.32
197.31 @ 5°46 T84 = 196.32

173.75
196.32
370.07

142.80

E.C. of Curve #12 (2x2)

From top-left Pg. 53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Poser
Map No. B-916-2
Office Work MORIN
Checked
Date

Survey of Citrus Ave.
W. O. 7184 Tape No. 46 St'd 83 °F.
Surveyed by C E Brunty
Notes Brunty Date 10-6-33
Indexed A. C. Johnson

F.B. 526 Pg. 55

Cont. Bot. Pg. 56

PI # 245 et 2x2

81.40 @ 14°54' T 96 = 78.67
81.31 @ 14°40' T 96 = 78.67

559.24 S 5°56'

POST # 23A
Set 2x2

78.67

EC = 206+39.22 Set 1x2

Δ = 32° 37' 30"
R = 500'
T = 146.33
L = 284.71

PI # 235 et 2x2

32°37'45" (1)
65°15'30" (2)
130°30'30" (4) 37½
32°37'30" Adj

BC = 203+54.51 Set 1x2

Deflection - Chord - Station		
1 = 2°	36'20" - 45.47 -	204+00
2 = 5°	28'15" - 49.98 -	+50
3 = 8°	20'10" - " -	205+00
4 = 11°	12'00" - " -	+50
5 = 14°	03'55" - 49.98 -	206+00
6 = 16°	18'45" - 39.21 -	206+39.22

579.46

32°37'30"

RPPI
Set 2x2

199+21.38
P.O.T. # 22C (2x2)

From top-right Pg. 54

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

Cont. Bot.-left Pg. 57

F.B. 526 Pg. 56

210.51 @ 6°29 T 108 = 209.19
210.55 @ 6°35 T 108 = 209.19

267.96 @ 12°14 T 108 = 261.91
267.89 @ 12°10 T 108 = 261.91

77.29 @ 4°58 T 102 = 77.01
77.35 @ 5°28 T 102 = 77.01

209.19
261.91
77.01
548.11

548.11

{BC of Curve #25
{Set 2x2 = 215+46.61

Δ = 78°33'10"
R = 500.00
T = 408.90
L = 685.50

EC = 214+07.40 Set 1x2

{PI #24 =
{Set 2x2

101°26'50"

Deflection	Chord	Station
1 = 1°36'35"	28.10	- 207+50
2 = 4°28'30"	49.98	- 208+00
3 = 7°20'20"	"	- +50
4 = 10°12'15"	"	- 209+00
5 = 13°04'10"	"	- +50
6 = 15°56'00"	"	- 210+00
7 = 18°47'55"	"	- +50
8 = 21°39'50"	"	- 211+00
9 = 24°31'40"	"	- +50
10 = 27°23'35"	"	- 212+00
11 = 30°15'30"	"	- +50
12 = 33°07'20"	"	- 213+00
13 = 35°59'15"	"	- +50
14 = 38°51'10"	49.98	- 214+00
15 = 39°16'35"	7.40	- 214+07.40

101°27'00" (1)
145°47'30" (4) 52
101°26'52½" Av.

BC = 207+21.40 Set 1x2

157.67
165.50
79.17
156.90
559.24

559.24

165.91 @ 18°09 T 100 = 157.67
166.00 @ 18°15 T 100 = 157.67

103.84
61.65
165.49 Level T 96 = 165.50

84.05 @ 19°38 T 98 = 79.17
83.89 @ 19°20 T 98 = 79.17

159.38 @ 10°09 T 96 = 156.90
159.43 @ 10°15 T 98 = 156.90

POST #23A

From top of Pg. 55

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Cont. on Bot. of Pg. 58

Notes Ck'd by Roesa	Survey of Citrus Ave
Map No. B-918-2	W. O. 7184 Tape No. 48 St'd 8H of.
Office Work MORTN	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 10-5-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 57

59.28
60.84
120.12 Level T98 = 120.13

POST #26A Set 2x2

90°00'00"

479.22

Set flag
296.58 @ 3°35 T98 = 296.03
296.62 @ 3°44 T98 = 296.02
296.69 @ 3°58 T98 = 296.01
Av. = 296.02
65.50 @ 15°42 T98 = 63.07
65.57 @ 15°54 T98 = 63.07

E.C. of Curve #25 Set 2x2
= 220+51.29

120.13
296.02
63.07
479.22

90°00'00" ①
360°00'00" ④
90°00'00" Av.

35°25'10"

35°25'00" ①
141°40'30" ④ 07'
212°30'30" ⑥ 05"

210.67 @ 18°20 T98 = 200.00

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

200.00

Δ = 144°34'50
R = 200.00
T = 626.32
L = 504.68

Radial Pt. Curve #25

Cal = 144°34'50

Deflection	Chord	Station
1 = 7°35'50"	53.24	216+00
2 = 14°48'35"	49.87	+50
3 = 21°58'20"		217+00
4 = 29°08'00"		+50
5 = 36°17'45"		218+00
6 = 43°27'25"		+50
7 = 50°37'10"		219+00
8 = 57°46'55"		+50
9 = 64°56'35"	49.87	220+00
10 = 72°17'25"	51.15	220+51.29

76.52 T98 = 76.52
76.52 T100 = 76.38
53.10 T108 = 53.10
20.00

77.81 @ 10°29 T98 = 76.52
77.76 @ 10°18 T100 = 76.38

71.68 @ 10°38 T100 = 76.38
71.53 @ 10°20 T108 = 53.10

59.48 @ 26°48 T108 = 53.10

Set 2x2

Set 2x2

Set 2x2

BC of Curve #25 Set 2x2
= 215+46.61

548.11

90°00'00"

90°00'00" ⑥
360°00'00" ④
90°00'00" Av.

PI #24 (2x2)

Set flag

From top Pg. 56

FORM 247 10M 8-31

Cont. Bot. Pg. 59

F.B. 526 Pg. 58

298.23 @ 2°40'T106 = 297.95
298.27 @ 2°48'T106 = 297.95

82.87 Level T106 = 82.88

294.51 @ 7°05'T104 = 292.30
294.46 @ 7°00'T104 = 292.30

808.97

POST #27A
Set 2x2 (8" deep)

242+#4.56

POST #26C
Set 2x2

136.31 @ 4°53'T104 = 135.84
136.36 @ 5°05'T104 = 135.84

297.95
82.88
292.30
135.84
808.97

POST #26B
Set 2x2

140°08'30" @
200°33'30" @
140°08'22½" Av.

67.74 Level T106
= 67.75
To RP

296.97 @ 3°23'T106 = 296.49
297.07 @ 3°42'T106 = 296.49

140°08'20"

A = 87°58'40"
R = 1150.00
T = 1110.11
L = 1765.83

EC = 240+52.23 Set 1x2

1005.95 Calc to PI #26

PI #26
Nothing
Set

Set 2x2

Set 2x2

866.00 Calc to PI #27

POST #26A
Set 2x2

Set 1x2

Set 3/4" I.P.
Plug & Tk. 12" dn.

R.P. Set
2x2

EC of Curve #25
= 220+51.29

From top-left of Pg. 57

Deflection	Chord	Station
1 = 0°20'20"	13.60	223+00
2 = 1°35'05"	49.996	+50
3 = 2°49'50"	"	224+00
4 = 4°04'30"	"	+50
5 = 5°19'15"	"	225+00
6 = 6°34'00"	"	+50
7 = 7°48'44"	"	226+00
8 = 9°03'30"	"	+50
9 = 10°18'10"	"	227+00
10 = 11°32'55"	"	+50
11 = 12°47'40"	"	228+00
12 = 14°02'25"	"	+50
13 = 15°17'10"	"	229+00
14 = 16°31'50"	"	+50
15 = 17°46'35"	"	230+00
16 = 19°01'20"	"	+50
17 = 20°16'05"	"	231+00
18 = 21°30'50"	"	+50
19 = 22°45'30"	"	232+00
20 = 24°00'15"	"	+50
21 = 25°15'00"	"	233+00
22 = 26°29'45"	"	+50
23 = 27°44'30"	"	234+00
24 = 28°59'10"	"	+50
25 = 30°13'55"	"	235+00
26 = 31°28'40"	"	+50
27 = 32°43'25"	"	236+00
28 = 33°58'10"	"	+50
29 = 35°12'50"	"	237+00
30 = 36°27'35"	"	+50
31 = 37°42'20"	"	238+00
32 = 38°57'05"	"	+50
33 = 40°11'50"	"	239+00
34 = 41°26'30"	"	+50
35 = 42°41'15"	49.996	240+00
36 = 43°59'20"	52.28	240+52.23

298.35 Level T106 = 298.39
76.70 @ 12°51'T106 = 74.79
76.50 @ 12°11'T106 = 74.79

298.37
74.79
373.18

47.25
295.81
92.92
435.98

47.46 @ 5°32'T106 = 47.25
47.44 @ 5°15'T106 = 47.25

295.77 @ 0°40'T104 = 295.81

92.87 @ 1°58'T102 = 92.92
92.90 @ 1°45'T102 = 92.92

541.16
435.98
373.18
1350.32

60.52 @ 12°33'T98 = 59.08
60.69 @ 13°15'T98 = 59.08

131°53'00" @
167°32'00" @
71°18'15" @

132.17
289.18
75.51
44.30
541.16

59.08

131°53'00"

132.15 Level T102 = 132.17

296.00 @ 12°21'T100 = 289.18
295.48 @ 11°53'T100 = 289.18

82.18 @ 23°16'T100 = 75.51
82.47 @ 23°43'T100 = 75.51

48.23 @ 23°18'T98 = 44.30
48.00 @ 22°39'T98 = 44.30

PC = 222+86.40

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CARRIED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Notes Ck'd by Rosen	Survey of Citrus Ave	F.B. 526	Pg. 59
Map No. B-918-2	W. O. 7184 Tape No. 48 St'd 8 ft. of.		
Office Work MORIN	Surveyed by C.E. Brunty		
Checked	Notes Brunty Date 10-4-33		
Date	Indexed A. C. Johnson		

Cont. Bot. Pg. 60

258+19.34
Int. of Vine & Citrus Aves.
Fd. 2" I.P. & B.C. set in cond. 14" deep

299.32
188.48
487.80 Level T 102
= 487.86 ✓

130.00 @ 12°31' T 104 = 126.93
129.91 @ 12°21' T 104 = 126.92
129.86 @ 12°14' T 104 = 126.94
Av. = 126.93 ✓

142.48 @ 10°19' T 106 = 140.20
142.42 @ 10°10' T 106 = 140.20
Av. = 140.20
14.99 Level T 106 = 14.99 ✓
EC = 257+27.58 Set 1x2
140.20
14.99
155.19

Set 3/4" I.P. Copper Tack 12" deep

RPPI #27
Set 2x2

POST #27B
Set 2x2 (6" deep)

33.83

46.17

(Set 3/4" I.P. Copper Tack 12" deep)
Δ = 19°53'30"
R = 1500.00
T = 263.03
L = 520.76

95°11'

1551.19

88.92

Deflection - Chord - Station
1 = 0°49'30" - 43.18 - 250+56.82
2 = 1°46'45" - 49.997 - 251+00
3 = 2°44'05" - " - +50
4 = 3°41'20" - " - 252+00
5 = 4°38'40" - " - +50
6 = 5°36'00" - " - 253+00
7 = 6°33'15" - " - +50
8 = 7°30'35" - " - 254+00
9 = 8°27'50" - " - +50
10 = 9°25'10" - 49.997 - 255+00
11 = 9°56'45" - 27.55 - 255+27.55

PI #27
Set 2x2
(8" deep)

106.80

160°06'30" ①
280°26'00" ②
160°06'30" Av.

45.0 ±

216.32

POST #27A Set 2x2
B.C. = 250+06.82 Set 1x2

40.00

40.00

RPPI #27
Set 2x2

Set 3/4" I.P. Plug & Tack 12" deep

217.60 @ 6°17' T 106 = 216.32
217.65 @ 6°24' T 106 = 216.32
Av. = 216.32

(Set 3/4" I.P. Plug & Tack 12" deep)

808.97

242+44.56
POT #26C = 2x2

From top of Pg. 58

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 526 Pg. 60



From top of Pg. 59

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Roeca	Survey of Citrus Ave	F.B. [illegible]	Pg. 61
Map No. B-918-2	W. O. 1184 Tape No. [illegible] St'd [illegible]		
Office Work MOPHN	Surveyed by C.E. Brunty		
Checked	Notes Brunty Date 9-14&15-33		
Date	Indexed A/C Johnson 10-16-33		

Fd. 1x2 = 0+00 F.B. 403-59

Transit line F.B. 403-59

(=Base) F.B. 403-59 906.92

Fd 1x2 = 9+06.92 F.B. 403-59

"A" 43°23'45" ① 173°34'30" ② 37½" 240°21'30" ③ 35" 347°08'30" ④ 33¾" 43°23'35" Adj ✓

"B" 101°13'00" ① 44°51'45" ② 12'56¼" Av. 101°12'56¼" Av. 55" Adj 13.00 "

"C" 35°23'30" ① 70°47'00" ② 30" 141°34'00" ③ 30" 35°23'30" Av + Adj

"D" 114°34'00" ① 229°08'00" ② 00" 45°16'00" ③ 00" 114°34'00" Av. ✓ 05" Adj

"E" 149°57'30" ① 239°50'15" ② 33¾" 179°45'30" ③ 35" 149°57'35" Av + Adj ✓

"F" 154°13'15" ① 256°53'00" ② 15" 205°19'30" ③ 15" 154°13'15" Av. + Adj ✓

1375.78 Calc.

1536.0 Calc.

"A" "B" "C" "D" "E"

Fd. 1x2 on 4' offset line = P.O.T. #6 Pg. 30

"G" 54°44'15" ① 218°57'15" ② 18¾" 328°25°45" ③ 17½" 54°44'20" Adj. ✓

"H" 151°02'30" ① 244°10'00" ② 30" 186°15'00" ③ 30" 151°02'25" Adj. ✓

See Pgs 29+30

"F" "I" 94°36'30" ① 18°25'30" ② 22½" 207°38'30" ③ 25" 94°36'25" Av. + Adj. ✓

"J" 30°39'15" ① 122°37'15" ② 18¾" 183°55'45" ③ 17½" 30°39'15" Adj. ✓

Fd 1x2 on 4' offset line = 0+00 Pg. 29

"H" "G" "I" "J"

— = Bdy. of Lot #2 (Sentous)

2839.94 Calc.

Set 1x2 by transiting in

1452.65 Calc.

Fd. 1x2 = 54+13.69 Per F.B. 463-23 p. 43

2326.41 F.B. 403-23 (=Base)

Fd. 1x2 = 30+87.28 Per F.B. 403-23

Survey of N. Bdy. of Lot #2 Sentous Property

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 526 Pg. 62



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Roeser	Survey of Citrus Ave
Map No. 8-916-2	W. O. 7184 Tape No. 48 St'd 84 °F.
Office Work MORIN	Surveyed by C E Brunty
Checked	Notes Brunty Date 1933
Date	Indexed A. C. Johnson

F.B. 526 Pg. 63

Citrus Ave

Additional angles to aid in closing and adjusting survey



Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31


Points destroyed by plow
F.B. 526 Pg. 64
(Nov. 9, 1938)
97.09 Level T86 = 97.09
94.94 @ 5°09 T86 = 94.56
95.00 @ 5°30 T86 = 94.56
69.20 @ 15°52 T86 = 66.56
68.93 @ 15°04 T86 = 66.56
299.31 @ 3°15 T86 = 298.83
299.42 @ 3°36 T86 = 298.83
132.94 @ 24°21 T84 = 121.11
133.18 @ 24°35 T84 = 121.11
140.51 @ 16°41 T82 = 134.60
140.28 @ 16°22 T82 = 134.60
101.81 @ 6°16 T82 = 101.20
101.72 @ 5°48 T82 = 101.20
97.09
94.56
66.56
298.83
121.11
134.60
101.20
913.95
Fd. 1x2 tack = 1+32.58 Per F.B. 431 Pg. 91
FB. 431 Pg. 91 174.20
913.95
3x3 tack Per F.B. 431 Pg. 91
Set 1x2 by transiting in
31°28'00" ①
125°52'30" ④ 07½"
188°48'30" ⑥ 05"
31°28'05" Adj.
2053.45 Calc.
31°28'05"
2,190.48 Calc
67°43'45" ①
270°54'45" ④ 41¼"
46°22'15" ⑥ 42½"
67°43'40" Adj.
80°48'15" ①
323°13'00" ④
124°49'30" ⑥
80°48'15" Av.
Lot 2 (West Bdy.) (Anna-Sentous)
Set 2x2
67°43'40"
80°48'15"
157°29'00"
(Base) 1158.37
Fd. 1x2 tack Per F.B. 463 Pg. 23 = 54+13.69 See F.B. 526 Pg. 61 also F.B. 931 Pg 91
299.68 @ 4°33 T82 = 298.74
299.64 @ 4°26 T82 = 298.74
4" Casing with tack in center and filled with concrete See F.B. 431-91 See Pg. 61
136.28
215.68
76.82
64.37
175.07
134.70
56.69
859.65 Level T80 = 859.63
298.74
1158.37
157°29'00" ①
269°56'00" ④
224°54'00" ⑥
157°29'00" Av.
1452.65 Pg. 61
Fd. 1x2 tack = 0+00 Coins E. on 4' offset line See Pg 29
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Citrus Ave
Map No. B-916-2	W. O. 7184 Tape No. 48 St'd 84 °F.
Office Work MORIN	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 11-23-33
Date	Indexed C. Johnson

F.B. 526 Pg. 65

1 X 2 = from S. Per Pg 64

2190.48 Per Pg. 64

1 X 2 per Pg. 64

Per Pg. 64

0.83 — Fd. 4" Casing with nail in center and filled with concrete

0.54 — Fd. 3" x 3" tack per FB -91 (Point is unstable)

77.29

76.90

Set 1 X 1

913.95'

97.37

Fd 1 X 2 = Per FB 931 Pg 91 & FB 526 - Pg 64

97.47 @ 2°33' T 92 = 97.36
97.50 @ 2°50' T 92 = 97.37
97.53 @ 3°10' T 92 = 97.37

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 526 PG. 66

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd °F.
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F.B. 526 Pg 103

DUDLEY ST.

J.N. 7130

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 5-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. _____ Pg 104

Notes Ck'd by
Map No.
Checked
Date

Survey of Dudley St.
W. O. 7130 Tape No. 960 St'd 76 of F.
Surveyed by C.E. Brunty Date 7-17-33
Notes Brunty
Indexed A. C. Johnson 8.6.33

F.B. 524 Pg. 108

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLED AREA in Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

154.46 Level T82 = 154.47

154.44

Found 2"x2" remains of old 2"x3" redwood stk. 6" deep. Iron pipe 54m with a 2x2" stk. steel 14" deep
31+79.87

153°03'40"

153°03'45" ①
25°14'45" ④
153°03'41¼" Av.

30+26.40
Fd. I.P.
No plug or tack, set nail in center

89.81 Level T86 = 89.82

89.82

29+35.58
Fd. ¾ I.P. (8" deep and top well battered) No plug or tack, I set nail in center of pipe .07' left of line

26.00 Fd. N+T in walnut

Note — Ties do not check with these in F.B. 292-42

137.32 Level T87 = 137.83

137.33

Fd N+T in walnut

27+98.25
Fd. 2" I.P. Plug + tack 4" deep. per F.B. 292-42

98°47'00" ①
35°08'00" ④
98°47'00" Av.

98°47'00"

Dudley St.
Sec T. 109

31.23

29.52

Orange

F.B. 326 Pg. 106


P#2-1x2-for "P" line see L.B 729-32 ✓
99.26@3°38'T90=99.07 ✓
112.71@0°00'T90=112.72 ✓
211.79 ✓
160°38'15" ①
282°33'15" ④
160°38'18½" Av. ✓
Dug large hole-Fd. nothing
109.09
211.79
160°05'15" ①
280°20'30" ④
160°05'07½" Av. ✓
Fd. 3/4" I.P.-bent & battered-4" above surface
160°05'05" Av.
160°38'20" ✓
84.98
85.22@4°01'T90 = 85.01 ✓
-.03 Level
84.98 ✓
Fd. 2" I.P. and old rattail plug (no tack) I set plug & tack in center (5' deep)
101°56'00" ①
47°44'15" ④
101°56'06" Av.
033 4
Fd. 1" I.P. in a horizontal position 12' deep, set 2x2 at record distance
37+35.58
421.10
Dudley St.
208.59
101°56'00"
235.10 ✓
421.07 Level T88 = 421.10 ✓
Fd. 3/4" I.P. in a semi-horizontal position, 8' deep, I reset same in a vertical position by proportion
33+14.64 ✓
235.08 Level T92 = 235.10 ✓
26.51 ✓
26.51 Level T90 = 26.51 ✓
Ave
143°37'30"
Fd. N&T in old redwood 1"x4" 5" deep
32+88.13 ✓
143°37'45" ①
214°31'30" ④
143°37'52½" Av. ✓
37.81 ✓
37.81 Level T88 = 37.81 ✓
32+50.32 ✓
Fd. 2" I.P. (flush-top well battered), .09' S. of line
37.81
Murchison
70.45
70.44 Level T88 = 70.45 ✓
151°03'45" ①
244°15'15" ④
151°03'48½" Av. ✓
31+79.87 ✓
2x2" (14" deep) See prec. Pg.
151°03'52½"
154.47
30+25.40
(1" IP (6" deep) (see prec. Pg.
RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by M. D. DARLING
Map No.
Office Work
Checked
Date

Survey of Dudley St.
W. O. 7130 Tape No. 066 St'd 76 of.
Surveyed by C.E. Brunty
Notes Brunty Date 7-31-33
Indexed R. C. Johnson

F.B. 526 Pg. 107

B
RCWallace
LA McCammon
JL Wiley
WE Ott

Fd. C.S. Monument 12" deep per F.B. 469-12 ✓

For Topography along this line see L.B. 729

For resurvey of this line See Pgs. 165 + 166 cc B1-26-34

Notes Red. by ____ Notes Ck'd by M. D. D.

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

100.19
21.24
121.43 Level T82 = 121.43 ✓

99.40 @ 4°30 T82 = 99.29 ✓
99.45 @ 3°17 T82 = 99.29 ✓
121.43 ✓
99.29 ✓
220.72 ✓

P# 12F Set 2x2

7.02 Level T82 = 7.02 ✓

100.27 @ 6°12 T82 = 99.68 ✓
100.36 @ 6°39 T82 = 99.68 ✓
7.02 ✓
99.68 ✓
96.49 ✓

99.15 @ 6°38 T82 = 96.49 ✓
98.97 @ 5°37 T82 = 98.49 ✓
99.16 ✓
304.35 ✓

99.51 @ 4°50 T82 = 99.16 ✓
99.62 @ 5°30 T82 = 99.16 ✓

P# 12E
Fd. 2"x2" tack (flush) at intersection of Pomona City Boundary and Walnut Ave. See F.B. 469-20 ✓

11.54
98.80
110.34 Level T82 = 110.34 ✓

92.00 @ 6°02 T82 = 91.49 ✓
91.93 @ 5°38 T82 = 91.49 ✓

99.79 @ 12°47 T82 = 97.32 ✓
99.65 @ 12°09 T82 = 97.32 ✓

55.36 @ 8°42 T82 = 54.72 ✓
55.43 @ 9°10 T82 = 54.72 ✓

P# 12D Set 2x2

110.34 ✓
91.49 ✓
97.32 ✓
54.72 ✓
353.87 ✓

N. W. Boundary - City of Pomona

33.33 Level T82 = 33.33 ✓

99.91 @ 6°03 T82 = 99.35 ✓
99.82 @ 5°33 T82 = 99.35 ✓

P# 12C Set 2x2

33.33 ✓
99.35 ✓
132.68 ✓

Fd. 2" I.P. Plug + tack per Tr. 10167 MB 173-6

124-21-45 ✓ 124°21'45" ⓐ
137-38-00 ✓ +36°16'15" ⓐ
124-21-45 ✓ 124°21'45" Av.

.08' ✓

For this line see next B

P# 13 See L.B. 729 Pg 35 ✓

This Pt. in error See Pg. 195 2-7-34 C.E.B.

P# 12 See next Pg. Per L.B. 729 Pg 35 ✓

P# 12B Set 5/8"

Fd. 2" I.P. Plug + tack (N. Westerly Cor. Lot 5 of Tract) See next Pg.

P# 11 Per L.B. 729 Pg. 35 ✓

FORM 247 10M 5-31

F.B. 526 Pg. 108

July 26, 1933



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Dudley St.
W. O. 7139 Tape No. 066 St'd 76 °F.
Surveyed by G.E. Brunty
Notes Brunty Date 9-18-33
Indexed A. C. Johnson
Ap. E. J.S.

F.B. 526 Pg. 109

818.74 Level T94 = 818.83✓

Cont. Bot. Pg. 105 → 27+98.25 Pg. 105

Fd. X on side of 36" St. Pipe Rd. 2341-15 & FB 292-41

ELWOOD ST.

818.83✓

Fd X in concrete coping Rd. 2341-15

52.30
20.94
20.46
59.63
52.51

19+79.42✓ Fd. ½" carriage bolt 2" deep set over ¾" I.P. 12" deep. I set tack in pipe and 2.2 — 1" deep

Fd. N+T in PP FB 292 -41✓

Fd X in conc. walk Rd. 2341-15

X in side of 36" St. Pipe Rd. 2341-15 & FB 292-41

UNDEEDED ST.

83.47
99.99
99.99
100.00
99.99
99.99
79.41✓
662.84 Level T88 = 662.89✓

DUDLEY ST.

88.29

13+16.53✓ Set Spk. W.+T.

44.44
96.47
99.45
99.81
99.99
100.00
29.66
569.82 Level T88 = 569.86✓

Bridge

88.98

86.86 Level T88 = 86.87✓

12+29.66✓ Set Spk. W.+T.

Fd. N+T in Guy pole

29.10

Fd. N+T in P. Pole

25.80

6+59.80✓ Fd ¾ I.P. + Tk. 9" deep + .17' W. of line

Set Nail = 6+59.80✓

ARROYO AVE.

Fd. N+T in Guy Pole

29.20

27.47

Fd. N+T in P. Pole

659.80

100.00
100.00
100.00
99.84
99.87
99.83
60.21✓
659.75 Level T88 = 659.80✓

0+00 = 2x2 + tack per Pg. 105

ORANGE GROVE AVE.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 526 Pg. 110

Notes Ck'd by	Survey of Dudley St.
Map No.	W. O. 7139 Tape No. C60 St'd 16 of F.
Office Work	Surveyed by C E Brunty
Checked	Notes Brunty Date 9-25-33
Date	Indexed A. C. Johnson 10-2-33

F.B. 526 PG. 111

Continued on Bot. of Pg. 112

6+59.80 per Pg. 109

6+40.2 Deadman
6+40.7 Guy Pole # 49003 E
6+40.7 P. Pole # 49002 E
6+40.0 26" Wal.
6+32.2 = 4" Fire Hydrant
6+30.8 = 18" St. Pipe
6+16.3 24" Wal. - end of row of 15 - Beg. at 0+22.8
6+15.2 = 10" St. Pipe end of row of 27 Beg. at 0+61.5
6+40.3 26" Wal.
6+21.5 Deadman
6+16.0 26" Wal. end of row Beg. at 0+23.9
5+95.0 12" Wal.
5+54.9 Cor. "A"
950 N. Dudley St. 1 story frame dwelling See Sketch "A" Pg. 128
Porch
5+13.7
Cor. "B."
4+69.0 14" Wal.
4+54.5
4'x7' Fish pond
3+85.2 10" Wal.
3+42.0 10" Wal.
1+73.2 10" Wal.
0+89.3 10" Wal.
0+61.5 Beg. of row of 27 10" St. Pipes
0+23.1 26" Wal.
0+22.8 20" Wal. Beg. of row of 15
0+23.6 26" Wal.
0+23.9 - 26" Wal. Beg. of row of 15

Transit line per Pg. 109

33.0 | 42.5 | 19.1 | 20.6 | 45.1 | 54.0 | 65.3 | 65.0 | 53.5 | 71.7 | 54.1 | 53.5 | 54.0 | 53.7

0+00 Per Pgs. 105 & 109

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

Continued on Bet. of Pg. 113

F.B. 526 Pg. 112

12+29.66 Per Pg 109

8+80.4 Water meter
20.3
8+79.7 10" St. P.
32.4

8+60.5 3/4 Hyd.
41.7
8+58.7 10" S.P.
32.5
8+54.6
69.1
Cor. "B"
59.5
1015 N. Dudley
St. - 1 story
frame dwelling
See Sketch "A"
Pg. 129
8+52.4 4" Cypress
Lawn
8+39.0 10" Standard P.
32.9
8+26.0 4" Cypress
59.7
Cor "A"
8+25.8-24" walk Beg. of row of 9
19.5
8+24.5
69.2
19.9
8+23.5 P+Tel. P. #49004E

8+21.0
33.2
Cement Drive
8+14.4
33.2
7+98.8 10" S. Pipe
Lawn
7+89.7 14" Lemon
26.8
33.5
7+94 2" = 3
42.9

Transit line per Pg. 109

7+85.0
62.5
36.0
46.0
22.7
18.6
68.8
23.5
7+76.4 Cor "B"
1003 N Dudley
St. 1 Story
frame dwelling
Lawn
See Sketch "B"
Pg. 128
7+44.4 Cor "A"

7+87.0-1" Deodara
7+85.5-1" Tayer
7+84.7 Cor. of lawn
7+81.5 End of row of 5 shrubs
7+76.1-2" Deodara

23.5
7+56.8-2" Deodara
20.0
7+50.0 water meter
18.7
7+46.6 Beg. row of 5 shrubs
21.5
7+42.8 Cor. of lawn
33.6
7+42.0 End of 20" cement strip
33.6
7+36.7 End of 20" cement strip
21.6
7+36.1 Cor of lawn
18.9
7+30.7 end of row of 5 shrubs
Lawn
23.5
37.0
7+25.8-2" Deodara
7+15.0
22.0
7+11.6-1" Hydrant
51.0
7+5.2 Cor of lawn
Small Trees
Shrubs Etc.
6+97.2 Beg. of row of 5 shrubs
19.3
19.8
6+79.8 (11th tree out) 6" Orange. Beg. of row of 16
This tree out
6+82.6-P+Tel. P. #67754Y
Shrub
Shrub
17.0
6+80.0 Deadman
Garden continues
21.5
21.1
19.5
20.3
20.0
6+80.2 Guy P. #7753Y
6+79.7 6" Lemon
6+79.3-6" Orange. Beg. of row of 17 (10th tree is out)
6+79.2-6" Orange Beg. row of 17
Corner of flower garden & shrubs

From top of Pg. 111

6+59.80 Per Pg. 109

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Dudley St
W. O. 7130 Tape No. 666 St'd 76 OF.
Surveyed by C E Brunty
Notes Brunty Date 9-27-33
Indexed A. C. Johnson

F.B. 526 Pg. 113

Cont. Bet. of Pg. 114

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

10+41.0-3/4" Hyd.
Privit hedge
10+43.5
Rose garden
10+39.4 10" St. Pipe
10+34.0 Cor of lawn
10+32.0 3/4" Hyd.
10+23.5 Cor. "B"
1033 N. Dudley St. 1 story stucco dwelling See Sketch "A" Pg. 130
Lawn
10+19.5 10" St Pipe
10+15.9 Water meter
Cement Walk
10+11.1
10+06.1
Cor. "A"
9+93.2
9+97.7 10" St. Pipe
Lawn
9+87.7
Cement Drive
9+80.7
9+77.5 3/4" Hyd.
Lawn
9+59.7 10" St. P.
Privit hedge
Cor. "B"
1025 N Dudley St. - 1 story Frame dwelling See Sketch "B" Pg. 129
9+40.0 10" St. P.
Privit hedge
Cor. "A"
10" St. Pipe
Rose hedge
Cement Lawn Drive
Rose hedge

69.3
32.0
21.0
3.2
32.2
69.1
31.0
31.0
32.1
31.0
32.3
26.8
62.1
32.1
32.4
61.5
41.4
20.4
32.2
79.0
26.5
33.2
12.0
33.2
33.2

10+46.7 2.9' cement walk
202
42.4
4.0
R: 8.0
50.3
18.6
19.7
20.3
36.9
17.7
10+39.6
Cor. "B" offset: 76.9
10+39.4 Cor of lawn
10+39.6 8" Orange
10+40.0 8" Orange
29
1032 N. Dudley St. See Sketch "B" Pg. 180
Lawn
R: 6.0
10+09.5 Cor. "A"
76.7
45.2
17.4
10+05.9
2.9 cement walk
20.0
20.0
20.0
9+99.4-6" Orange End of row of 16 Beg. at 6+99.6
9+99.4-6" Orange End of row of 17 Beg. at 6+79.2
9+99.4-6" Orange End of row of 17 Beg. at 6+79.3
19.9
9+83.7 P+Tel. P. #49005E
Transit line per Pg. 109
9+55.0
9+46.7 - Cor of house
9+46.3 - 4" Ornamental cedar
9+43.0 - 3" Palm
Privit hedge
9+31.2 - 4" Ornamental cedar
9+30.5 - water meter
9+30.0 - 3/4 hydrant
9+19.3
9+06.7 = Cor of house
9+01.8
9+00.1
8+92.9
8+90

From top of Pg. 112

FORM 247 10M 8-31

Cont. Bot. of Pg. 115

F.B. 526 Pg. 114

28.8 → 11+78.2 8" Orange

11+69.8 10" St. Pipe → 31.8

11+67.1 Cor. "B" → 20.0 → 26.7

11+67.2 11+67.4

1047 N. Dudley St. 1 story frame dwelling See sketch "B" Pg. 131

11+63.0 24" Wal. End of row of 9 Beg at 0+25.4 → 18.9 → 18.5

11+57.2 Cistern

19.7 → 18.7 → 20.6

11+63.5 Pk Tel. P #49066

11+64.0 8" Orange End of row of 6 Beg. at 10+59.7

11+42.0 → 19.1

Cor. "A"

11+39.1 → 69.8 → 31.6

11+39.1 10" St. Pipe

11+38.4 → 26.5

11+36.9 Water Meter → 19.7

19.6 → 1st. row irregular with remainder of grove

11+39.7 8" Orange End of row of 5 Beg. at 10+59.7

2.7 2.7

Rose Hedge 11+36.4 → 32.0 → 30.0

11+26.8 10" St. Pipe → 31.8

11+26.0 5" Curb → 29.9

11+27.5

11+19.4 4" Fig. → 9.4 → 31.7

11+19.1 10" St. Pipe

11+07.7 Cor. "B" → 69.8

Lawn

1041 N Dudley St. 1 Story frame dwelling See sketch "A" Pg. 131

10+98.9 10" St. Pipe → 31.5

Transit line per Pg. 109

10+85.7 water meter → 20.7

Cor. "A"

10+79.7 → 69.5

10+79.3 8" Lemon → 28.1 → 31.6

10+79.2 10" St. P.

10+74.5 → 31.8

Cement strip

2.7 6.7

Cement strip

10+67.8 → 31.8

31.7 → 19.5 → 20.0 → 20.0

10+58.7 10" St. Pipe

10+59.7 8" Orange Beg row of 5 3 missing

10+59.7 8" Orange Beg row of 6

8" Orange Beg of row of 6 = 10+79.7

From top of Pg. 113

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Cont. Bot. of Pg. 116

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Dudley St.
W. O. 7130 Tape No. 060 St'd 76 OF.
Surveyed by C.E. Brunty
Notes Brunty Date 9-27-33
Indexed A. C/Johnson

F.B. 526 PG. 115

14+19.3 10"Orange Beg. row of 13
14+19.3 10"Orange Beg. row of 12
14+18.6 6"Orange Beg row of 11
20.0
14+20.0 10"st. Pipe Beg. row of 12
22.1
30.9
19.6
13+69.7 Gas Meter #100348
End of Hedge
3000 Shrubs Garden
13+66.9 P. Pole #29007E
13+80 10"Orange
13+92.8 10"Orange
59.9
40.0
13+88.6 10"Orange
13+92.6 10"st. P.
34.2
22.0
61.6
13+36.0 6"Fruit Center of garden
13+30.6 4'X12' Stone Fish Pond
13+76.0
83.0
68.0
13+66.8 10"Orange
58.4
38.5
13+63.5 5"Orange
13+74.7 10"st. P.
34.8
13+46.8 10"Orange
58.4
40.0
13+41.6 10"Orange
13+40.6 10"st. Pipe
35.0
13+32.0 10"Orange
13+26.3 3" Orange offset: 40.2
60.4
34.6
13+26.1 10"st. Pipe
32.1
13+22.4 Gas meter #15745-26
13+18.5 Tel. Pole #G7752Y
15.5
23.3
20.8
13+19. 24"Wall Beg. row of 16
13+11.9 D. Man
28.4
12+95.0 14"Pepper tree
Cor "B" = 12+85.9
14.2
14.3
Bridge See Pg. 132 Sketch "A"
Cor "A" = 12+49.5
Transit line per Pg. 109
28.5
34.2
18.2
16.0 Wooden shed
16.0 Galv. Iron Garage
11.5
28.6
18.2
12+12.3
12+12.6
62.0
12+08.7 10"Walnut
12+10.1 1" Fig
62.2
12+03.3 26"Wal.
19.2
11+90.5 12"Wal.
61.0
From top of Pg. 114

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31


S-29-33
Cont. Bot. of Pg. 117
F.B. 526 Pg. 116
Lawn
Grounds at 1145 N. Dudley St.
16+86.4 - 4" Cypress
19.3
20.5
16+73.5 P.P. No 462533E
16+74.7 - 10" Palm
18.7
4" Cement Walk
16+60.9
14.4
16+59.0 10" Orange - end of row of 13 - Beg. at 14+19.3
60.5
16+54.1 - 10" Palm
19.2
16+45.1
16+44.2 - 5.8" Cypress
20.3
Oil Road
Lawn
5.3
34.8
16+35.1
15.8
16+31.0 = Tel. P. No G167Y
at end of row of flowers Cor of lawn
Row of flowers
16+39.0 10" Orange end of row of 12 - Beg. at 14+19.3
16+39.0 10" St. Pipe end of row of 12 - Beg. at 14+24.0
22.0
15+97.5
72.1
Cor "B"
33.3
15+93.5 Water meter
See Sketch "B" Pg 133
1128 N Dudley St.
72.3
15+64.0
Cor "A"
16+19.0 6" Orange End of row of 11 - 7th tree 1.5 2" Row Begins at 14+18.6
76.0
15+61.6 6" Wal.
20.9
16.4
15+62.4 10' D fish pond
15+60.9 P. Pole No 449068E
Transit line per Pg. 109
23.4
15+50.5
Hedge
33.8
15+43.1 Gas Meter # 15317363
14+85.4
67.7
Cor "B"
1116 N Dudley St See Sketch "A" Pg 133
14+59.0
67.5
Cor "A"
16.4
67.9
14+59.5 - Tel. P. No G168Y
14+46.4 - 3/4 Hyd
14+29.0
30.2
66.3
2' Privit hedge
14+26.3
14+13.5
34.5
30.4
14+03.7
14+06.2
71.8
Cor "B"
1108 N. Dudley St. See sketch "B" Pg. 132
Lawn & Shrubs
13+86.0
71.6
Cor "A"
13+80.3 - 4" Cypress
13+80.3
65.7
6.1
29.3
13+79.7
From top of Pg. 115
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Dudley St
Map No.	W. O. 7130 Tape No. 060 St'd 76 of F.
Office Work	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 9-29-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 117

Cont. Bot. Pg. 118

18+77.3 — 23.0 — Hedge

18+47.3 — 19.5 — Flag lilley hedge

18+30.8 small century plant

19.4

18+28.4 Gas meter #15392813

33.3

18+28.6 — 69.7 — Cor. "A"

1216 N Dudley St.

See Sketch "C" Pg. 133

18+01.4 — 69.1 — Cor. "B"

17+99.6 — 58.6 — Cement & stone fish pond

R = 6'

19.9

17+87.9 Century plant - SW. Cor. of lawn

17+79.0 Tel Pole #G166Y — 16.0 — 20.7 — 17+72.1 P. Pole #160744E

17+39.0 10" St. Pipe Beg. row of C10 — 34.1

Transit line per Pg. 109

17+19.9 12" St. Pipe — 34.6

17+19.0 6" Orange Beg. row of 13 — 22.4

8' Gravel Drive 17+14.2 — 17+06.2

16+99.0 10" Orange Beg. row of 14 — 14.9 — 46.4

16+94.0 3/4" Hyd. — 35.0 — 28.0

16+94.4 water meter #

Lawn (to drive)

16.0 — 34.0 — 17+00.5 water Meter

35.0 — 16+95.8 Gas meter #13350755

20.5 — 16+73.5 P Pole #462533E

From top of Pg. 116

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

247 10M 5-31

Cont. Bot. Pg. 119

F.B. 526 Pg. 118



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

From top of Pg. 117

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Dudley St.
W. O. 7139 Tape No. 660 St'd 76 of.
Surveyed by C.E. Brunty
Notes Brunty Date 9-19-33
Indexed C. Johnson

F.B. 526 Pg. 119

Cont. Bet. of Pg. 120

Cor. B
1 Story frame dwelling
1331 N. Dudley St.
See Sketch "B" Pg. 127

Cor. "A"

49.1 → 23+32.8
48.95 → 23+08.4
42.2 → 23+03.6
3/4" hydrant
10" Orange 40.4 → 22+99.6
50.3 → 22+96.7
Lath frame work arch
50.3 → 22+84.3
20.0 → 34.0 → 22+79.9
6.0
12" Lemon end of row of 14
10" Standpipe end of row of 14
20.1 → 24" Walnut = 22+52.1
22+36.3
54.9 → Tel. Pole * G7750Y
19.9 → P. Pole * 160746E = 22+33.4
20.1 → 24" Walnut = 22+09.3

Transit line per Pg. 109

20+77.6 → 53.8 → Tel. Pole * G7751Y
20+41.0 → 21.2 → 10" Walnut
40.1 → 14.7
20+39.7 = 8" Orange Beg. of row of 33

20+19.5
12" Lemon Beg. of row of 14
20+19.6 = 12" Lemon Beg. of row of 14
19.9 → 34.2
40.4
33.1
35.2
20+19.3 = 2" Fire Hyd.
24" Standpipe
(Cement) 10" Standpipe Beg. of row of 14

63.35 → 28.8 → 20+21.4
20+18.0
20+22.3 8" Palm
20+22.95 Cor "B"
24.2
2 Story occupied frame dwelling Cor. "A" 1300 N. Dudley St.
See sketch "A" Pg. 127

10" Standpipe → 20.1 → 20+08.4
42.0 → 20.0
20.6 → 63.1
28" Walnut 19+99.6
19+99.5 = 24" Walnut Beg. of row of 17
19+99.7 24" Walnut
19+98.76
44.2 → 19+9 3/4" hydrant
20.4 → Rose bush = 19+90
43.3 → 19+85.8 = 4" Avacado
66.0 → 3.5 x 6.0 Cement & rock fish pond (= 19+84.3)
19+79.3
22.4
20.2
41.7
19+80.2 Beg. of fence
19+80.4 = 2' steel Pilaster
Flower Bed
3" cement curb
20.2
20.5
113.6
19+76.2 = P. Pole # 160745E and Thermometer Elev = 113
19+75.7 (Beg.)
19+76.3 Guy wire enters ground
19+75.5 (end)

From top of Pg. 118

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

Cont. Bot. of Pg. 121

F.B. 526 Pg. 120



From top of Pg. 119

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Dudley St.
Map No.	W. O. 7139 Tape No. 060 Sh'd 76 of.
Office Work	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 9-20-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 121

Cont. Bot. right of Pg. 122

34.8
32.1
27+82.6 = 24" Wal.
27+79.5 = Gas Meter #29 on #153-27138

20.1
27+54.0 = 20" Wal.
36.0
"Deadman" from P. Pole
27+32.6 20.0
18" Wal.
9' in D. Smudge oil tank

27+13.4 20.1
12" Wal.
27+08.9 37.3
27+06.0 = 14" Wal. offset = 61.5
27+00
26+99.7 = P. Pole #140748E 20.6 26.7
"Deadman"
58.9
26+98.9
26+82.0 = T. Pole #G 7746 Y
57.7
8" Orange
26+79.2 40.0 20.2
24.6
10" Standpipe = 26+79.2
74.0
8" Orange - end of row of 33 Beg. at 20+39.7

11.0 9.0
8" Orange - end of row of 32 Beg. at 20+39.7
26+59.4
10" Standpipe
80.0
8" Orange - end of row of 32 Beg. at 20+39.7

9.7
8" Orange
26+39.7
10" Standpipe
106.8
Transit line per Pg. 109

26+20.3 = 10" S. Pipe
8" Orange
26+19.5
122.7
120.0
12.0
8" Orange - end of row of 30 Beg. at 20+39.7

8" Orange
10" Standpipe
25+99.6
140.3
8.1

25+79.6
140.0
8" Orange - end of row of 28 Beg. at 20+39.7

24+19.6
40.0
19.9 19.8 20.0 20.0 20.0
8" Orange - 20th tree in row Beg. at 20+39.7

From top of Pg. 120

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31


F.B. 526 Pg. 122
All stations shown are taken from ℄ of Dudley St.
27+35.0 - 175' offset
Set Nail
{28+09.3 1½" Wal.
{28+04.4 24" Wal.
{27+58.1 10" Wal.
{27+13.7 10" Wal.
{27+59.1 4" Peach
{27+81.0 5" Peach
{27+79.9 5" Peach
{27+59.5 10" Wal.
{27+15.2 12" Wal.
{26+55.2 Water Meter
{26+75.5 5" Wal.
{26+35.7 14" Apple
{26+16.0 6" Pear
{27+16.7 8" Wal.
{27+80.0 5" Peach
{27+60.4 5" Peach
{27+81.4 4" Peach
{27+60.8 5" Peach
{26+76.3 8" Cherry
{26+36.3 6" Peach
{26+57.7 8" Plum
{27+18.6 6" Wal.
{27+93.2 24" Wal.
{27+61.6 10" Wal.
63.2
18.5
40.1
18.1
21.2
40.8
45.0
59.5
99.3
19.7
18.3
98.7
58.7
77.3
16.4
147.7
104.0
126.8
166.7
123.6
141.5
161.9
175.00
90°
Cont. Bot. Pg. 123
℄ of Dudley St. Pg. 109
From top of Pg. 121
27+35.0 Set nail
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes outside this area
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Dudley St.
Map No.	W. O. 7130 Tape No. 060 St'd 76 OF.
Office Work	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 9-20-33
Date	Indexed A.C. Johnson

F.B. 526 PG. 123

Cont. Bot. of Pg 124


31+79.87 P.I. 5.105+106
10" Standpipe
57.2
31+68.4 10" Orange
38.6
31+56.9 10" Orange
19.3
31+51.4 12" Walnut
54.4
31+47.3 10" Orange
37.0
31+37.4 Triple 6" Orange
53.0
31+25.2 4" Orange
68.9
31+15.4 1" Orange
17.8
31+03.8 1" Wal.
51.0
31+03.8 1" Wal
67.3
30+93.4 1" Orange
49.5
30+83.2 1" Orange
19.4
30+62.4 8" Black Wal
48.0
30+61.3 8" Wal.
64.3
30+48.6 1" Orange
47.0
30+38.8 1" Orange
62.6
30+26.5 1½" Orange
30+25.4± P. Pole #161059 E and Thermometer Sta. 114
30+25.40 Pg. 105
Cont. from Bot. left of Pg. 122
Row of 7 Orange Trees Average
Row Continues
7" Orange
7" Orange
Orange Grove (8" Av.)
= outline of grove
35° 55'
124.4
N 56
N 46 E
N 41 E
N 34 E
N 47 E
N 43 E

F.B. 526 Pg. 124

Cont. Bot. of Pg. 125



From top of Pg. 123

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Dudley St.
W. O. 7130 Tape No. 060 St'd 76 OF.
Surveyed by C.E. Brunty
Notes Brunty Date 9-2-33
Indexed A. C. Johnson

F.B. 526 Pg. 125

Cont. Sat of Pg. 126

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

37+35.6 Pg. 106

43.5 → 35+59.7 10"St. Pipe end of row of 4

35+53.9 Odd tree ← 30.0

15.0 → 35+42.4 18"St. Pipe

Orange Grove 8" Average

27.8 → 35+17.2 8" Orange Beg. of row

33.2 27.5 → 35+00.0 = 10"St. Pipe Beg. of row of 4 3rd is 18"

34+98.0 Odd tree

43.7 → 34+76.6 10"St. Pipe End of row of 4

34+70.2 Odd Tree ← 32.7

27.1 → 34+36.0 = 8" Orange Beg. of row

34+29.7 = 10"St. Pipe Beg. of row of 16 → 12.0

33.0 27.8 → 34+15.7 = 10" St. Pipe - Beg. of row of 4

34+14.6 Odd tree

outline of regular planting 20 ft. apart in 54 bars

34+09.4 = 18"St.P. → 11.3

33+86.1 Odd tree ← 33.6

42.5 → 33+96.7 10"St. Pipe

33+81.8 = 10"St. Pipe ← 71.9

41.0 → 33+72.3 10"St. Pipe

33+56.0 Beg of row of 19 Parallel to Dudley St.

17.2 26.8 6.2 → 33+54.9 = 10"St. Pipe

33+54.1 Beg. of row ← 46.5

65.5 →

33+51.2 Beg. of row of 19 Parallel to Dudley St. → 17.3

33+49.2 Beg. of Row

33+44.1 Beg. of row

33+45.9 Beg. of row of 4 -N+S± ← 39.0

116.4

33+27.3 Beg of row of runnin N+S±

33+14.64 Pg. 106

From top of Pg. 124

F.B. 526 Pg. 126



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Dudley St.
Map No.	W. O. 7130 Tape No. 060 Std 76 OF.
Office Work	Surveyed by C E Brunty
Checked	Notes Brunty Date 9-9-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 127

SKETCH "A"



SKETCH "B"



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 526 Pg. 128





RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Dudley St.
Map No.	W. O. 7130 Tape No. 060 St'd 76 OF.
Office Work	Surveyed by C.E. Brunty
Checked	Notes Brunty Date 9-25-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 129

SKETCH "A"



Sketch "B"



Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 526 Pg. 130

Sketch "A"



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Dudley St.
Map No.	W. O. 7139 Tape No. 666 St'd 76 of F.
Office Work	Surveyed by C E Brunty
Checked	Notes Brunty Date 9-27-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 131

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

Sketch "A"

24.0

Cor. "B"

1041 N. Dudley St. - 1 story frame dwelling

See Pg 114

28.1

17.4

7.3

Cement porch

Lawn

Cement Porch

4.6

12.5

7.5

4.6

Cor "A"

24.0

4.5

4.9

7.3

4.5

5.0

5.0

Cement

Lawn

Drive

Sketch "B"

26.0

Cor. "B"

1047 N. Dudley St.

1 story frame dwelling

See Pg. 114

5.5

7.4

Lawn

28.0

28.0

18.0

Cement Porch

18.0

7.4

5.5

4.5

Cor. "A"

26.0

2.3

2.3

Cement strip

F.B. 526 Pg. 132



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Dudley St.
Map No.	W. O. 7130 Tape No. 060 St'd 76 °F.
Office Work	Surveyed by C E Brunty
Checked	Notes Brunty Date 9-25-33
Date	Indexed A. C. Johnson

F.B. 526 Pg. 133

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

Sketch "A"



Sketch "B"



Sketch "C"



F.B. 526 Pg. 134

Sketch of 1 story stucco dwelling at 1234 N. Dudley St.

See Pg. 118

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.



Notes Ck'd by Blackmer		Survey of	
Map No. B-940		W. O.	Tape No. St'd °F.
Office Work Wood		Surveyed by	
Checked Blackmer		Notes	Date
Date May 1934		Indexed	A. C. Johnson 5-7-34

F.B. 526 Pg. 147

GANESHA BLVD

("H" ST)

J. N. 7198

POMONA FAIR GROUNDS
TO
ARROYO STATE HIGHWAY AT
KELLOG RANCH

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 526 Pg 148



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 IGM 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



GANESHA BLVD.
FORMERLY
"H" STREET

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of _____
W. O. _____ Tape No. _____ St'd _____ of _____
Surveyed by _____
Notes _____
Indexed _____ Date _____
A. C. Johnson

F.B. 526 Pg. 149

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 576 Pg. 150

Notes Ck'd by Blackmor	Survey of H. St.
Map No. B-940	W. O. 7198 Tape No. 48 St'd OH OF.
Office Work Wood	Surveyed by C.E. Brunty
Checked Blackmer	Notes Brunty Date 1-9-34
Date May 1934	Indexed A. C. Johnson

F.B. 526 PG. 151

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this Map

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 847 10M 8-31


F.B. 526 Pg. 152
P#11 (Dudley) St. Survey Fd. 1x2 Pgr LB 729-34
72°05'00" ①
288°20'30" ②
72°05'07½" Av.
10".
Fd. ¾" I.P. 10" above surface and loose
S.E'ly Cor of Mt. Meadows. Fd. ¾ I.P. Pl. + Tc. Per FB. 78-311
See FB 483-45
Set 1x2 by Int.
Fd. 2x2 P.I.
Per FB 483-45
Fd. 2x2 x 2 deep 2 nt. to Hub + Tack R.E. FB 483-45
S & Walnut Ave
Please look up Hi. Jon's notes as these points were set by him
139°16'00" ①
278°31'30" ②
19°03'00" ③
139°15'45" Av.
40.
65.67 @ 4°14 T 66 = 65.48
65.73 @ 4°54 T 66 = 65.48 Av.
92.59 @ 2°26 T 66 = 92.50
92.63 @ 2°47 T 66 = 92.51 Av. 92.51
92.68 @ 3°13 T 66 = 92.52
Fd. 2" IP (no tack)
152.67 Level T 66 = 152.65
POT #3 Set 1x2
296.33 @ 6°08 T 66 = 294.60
296.23 @ 5°58 T 66 = 294.60 Av.
199.44 @ 1°18 T 70 = 195.37
199.46 @ 1°30 T 70 = 195.37
29.73 Level T 64 = 29.73
290.98 @ 9°37 T 64 = 286.85
291.26 @ 9°37 T 64 = 286.84
291.10 @ 9°41 T 64 = 286.83
Av. = 286.84
N.W'ly Cor of Pomona Water Dept. Lot
Fd. 2" IP Plug + tack near fence Cor.
See LB 514-535
F.B. 292-65
Set 1x2 by Int.
See Pg. 153
Fd. 6"x6" stone, 3" deep with cross on top per LB 514-535 & FB 292-65
Tel. P. Line
Transit line per Pg. 153
Transit Line
Set nail - See FB 292-65
8.00
1.33
Fd. notched stake
6.83
10.16
POT #6 Set 1x2
98.21 Level T 66 = 98.20
173.18 @ 1°05 T 66 = 173.13
173.16 @ 0°45 T 66 = 173.13 Av.
98.20
173.13
271.33
POT #5 Set 1x2
67°10'30" ①
268°42'00" ②
43°03'00" ③
67°10'30" Av.
246.20 @ 1°30 T 66 = 246.04
246.17 @ 1°41 T 66 = 246.03
246.14 @ 1°31 T 66 = 246.02
Av. = 246.03
95.53 Level T 66 = 95.52
POT #4 Set 1x2 by intersection
J. T. Lawrence
Pomona Water Dept.
POT #2 Set 1x2
100.68 @ 7°11 T 66 = 99.88
100.62 @ 6°53 T 66 = 99.88 Av.
P#10 Dudley St. Survey Fd. 1x2 Pc LB 729-34
B.W. Fence
See next Pg. (153)
POT #1 Fd. 1x2 Pc - F.B. 292-65
Mountain Meadows C.C.
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of 4 Sta.
Map No. C.S.B-940	W. O. 7198 Tape No. 48 St'd 8H of.
Office from Wood	Surveyed by C.E. Brunty
Checked Blackmer	Notes Brunty Date 1934
Date May 1934	Indexed A. C. Johnson

F.B. 2-6 Pg 153

Continued Bal. of Pg 154

Fd 2" I.P. near ℄ Pt. in B.W. Fence ℄ Pt. in Power Line Pen. L.B. 514-535

J.T. Lawrence

P#10 (H.St.) LB 729-172

P#11 (H.St.) LB 729 Pg 172

POL#6 Set 1x2

POL#5 Set 1x2 by intersection with "P" line Prod.

Transit line

POL#4 Set 1x2 by intersection

S.W'ly. Cor. of Pomona Water Dept. Lot. Fd. 1½" I.P. - Set temporary plug. ℄ Pt. is on fence L.

S.E'ly. Cor. of Pomona Water Dept. Lot Fd. 1" I.P. - 1' above surface. I set temporary plug

Fd. 2x2" tack .04' S. of line. I set new tack on line

POL#3 Set 1x2

POL#2 Set 1x2

POL#1 Set 1x2

Pomona Water Dept.

POT#1 Pg. 152

POT#2 Pg. 152

POT#3 Pg. 152

Set 1x2

Set 1x2 by Int.

Fd. 2" I.P. - I set temporary plug

Fd. 2" I.P. Plug & tack, pur. LB 514-535

Nothing Set

Set nail

Mt. Meadows C.C.

133.65 @ 4°06 T68 = 133.30
133.72 @ 4°34 T68 = 133.29
133.78 @ 4°55 T68 = 133.28
Av. = 133.29

47.41 Level T68 = 47.41

133.29
47.41
180.70

178.09 @ 15°59 T68 = 171.19
177.93 @ 15°49 T68 = 171.17
177.72 @ 15°34 T68 = 171.18
Av. = 171.18

96.05 Av.

15°08 T68 = 96.05
15°33 T68 = 96.00
15°00 T68 = 96.01
Level T65 = 146.62

146.64

99.51 @ 15°08 T68 = 146.64
99.72 @ 15°33 T68 = 146.64
99.92 @ 15°00 T68 = 146.64

37°55'15" @
151°41'00" @
37°55'15" Av.

98°17'30"

98°18'30" @
33°13'45" @
98°18'-6" Av.
20"

98°22'45" @
33°31'00" @
98°22'45" Av.
50"

98°22'30"

298.78 @ 3°45'5 T66 = 298.78
299.46 @ 3°45'5 T66 = 298.78
299.39 @ 3°33 T66 = 298.78

230.59 @ 4°45 T66 = 229.77
230.68 @ 4°01 T66 = 229.77

19.40

168

528.55

528.78

60.72

67.11 @ 25°11 T62 = 60.72
66.82 @ 24°39 T62 = 60.72

45.72

46.43 @ 10°02 T68 = 45.72
46.32 @ 9°14 T68 = 45.72

28.76

30.29 @ 18°19 T68 = 28.76
30.13 @ 17°22 T68 = 28.76

180.70

171.18

316.57
249.44

67.13

118.64 @ 25°34 T62 = 107.01
119.37 @ 26°17 T62 = 107.01

107.01

89.64

68.85 @ 129°48 T62 = 67.13
69.19 @ 130°57 T62 = 67.13 Av.

81°38'00" @
326°32'00" @
81°38'00" Av.

5.00
4.98

Mt. Meadows C.C.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-31

F.B. 526 Pg 154

Pomona City Limit

231.90 @ 21°29'30" T 66 = 215.75✓
231.66 @ 21°21'00" T 66 = 215.73✓ Av. = 215.74✓
231.39 @ 21°10'30" T 66 = 215.74✓

Naranja Val Vista Tract

143.50 @ 22°46 T 60 = 132.30✓
143.26 @ 22°32 T 60 = 132.30✓

P#9 Per LB. 729-171✓

(155) Cont. next Pg.

Fd. 2" I.P. and lath plug. I set nail in center. See LB 514-535✓

101.90 @ 15°46 T 58 = 98.05✓
101.66 @ 15°16 T 58 = 98.05✓

Set 1x2 by Int.

Set 1x2 (No trace of 2" I.P.)

Set 1x2

98.05✓

95.54✓

132.30✓

215.74✓

1.05

69°41'15"

See Pg 159

89°41'15" C
359°44'30" @
89°41'15" Av
C5.

Fd. 2" I.P. - 9" above surface. I set plug + tack + mound. LB. 514-535✓ 86.82 Level T 56°F = 86.80✓

P#9A Per LB. 729-171✓

B x W. Fence

462.37

70°48'00" @
283'12.30" @
70°48'00" Av
10".

190.14 @ 3°59 T 66 = 189.66✓
190.06 @ 3°36 T 66 = 189.66✓

189.66✓
272.71✓
462.37✓

297.23 @ 23°26 T 66 = 272.70✓
296.98 @ 23°19 T 66 = 272.71✓
296.62 @ 23°09 T 66 = 272.72✓

272.71✓ Av.

81.48 @ 18°33 T 62 = 77.24✓
81.10 @ 17°44 T 62 = 77.24✓

77.24

Mountain Meadows Country Club

123.70 @ 7°54 T 64 = 122.51✓
123.62 @ 7°37 T 64 = 122.51✓

122.51

172°56'00" ④
331°43'45" ④
172°55'56" Av
56'00"

172°56'00" ②

I.P. See Pg 153 and LB 514-535✓

4.98

POL #6 Per Pg. 153

J T Lawrence

153°53'40"

19.40

1.68

POL #5 Pe - Pg. 153

P#10 Pe - LB. 729-171 + 172✓

37°35'15"

P#11 Per LB 729-172

POL #2 Per Pg. 153

From top of Pg. 153

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this file

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of H. St.	F.B. 526 Pg. 155
Map No. C.S.B-940	W. O. 7198 Tape No. 48 St'd Eq. of.	Cont. Bol. of Pg. 156
Office Work Wood	Surveyed by C.E. Brunty	Fd. 2x2 + tack on line above surface
Checked Blackmer	Notes Brunty Date 1-15-34	
Date May 1934	Indexed A.C. Johnson	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Dudley St.

See Pg. 160 for Tract

137.33

89.82

.07'

Pomona City Bdy.

Murchison Ave

Fd. 2" I.P. at angle Pt. in old fence line. L.B. 514 Pg. 535. Pipe is unstable, so set plug & tack in center and construct rock mound. Fd. 1/4 I.P. Pt. Tk. Top spur

10.30

231.36

52°31'15"

231.63 @ 2°48 T 74 = 231.35
231.63 @ 2°38 T 74 = 231.37
231.61 @ 2°32 T 74 = 231.36

231.36

Fd. 1" I.P. + Set Pt. + Tk.

231.36

231.36

2 10°04'54"

135.24

231.36

52°31'15" @
210°05'00" ④
52°31'15" Av

Set nail by Intersection

Mt. Meadows Country Club

138°44'55"

51.92 @ 10°00 T 78 = 51.13
51.69 @ 8°25 T 78 = 51.13

292.85 @ 5°29 T 78 = 292.53
292.95 @ 5°37 T 78 = 292.53

51.13

29.53

348.66

69.30

0.21

Set 1x2

118°07'45" @
112°31'15" ④
118°07'48" Av
50.

P# 9

208.09 @ 10°33 T 64 = 204.54
207.94 @ 10°20 T 64 = 204.54

118°07'50"

157.34

2" I.P. Pg. 154

69.89 @ 7°27 T 78 = 69.30
70.10 @ 8°41 T 78 = 69.30

1x2 Per Pg. 154

95.51

Pomona City Bdy.

1x2 Intersection Pg. 154

157.51 @ 3°00 T 64 = 157.33
157.51 @ 3°15 T 64 = 157.34 Av. = 157.34
157.68 @ 3°34 T 64 = 157.35

96.23 @ 6°55 T 56 = 95.51
96.32 @ 7°19 T 56 = 95.52 Av. = 95.5
96.42 @ 7°49 T 56 = 95.50

98.05

96.88

70°48'10"

P# 9.A

Continued from top Rt. of Pg 154

FORM 247 10M 8-31

Continued on Bot. of Pg. 157

F.B. 526 PG. 156

Fd. 2½" I.P. Pl. + Tk. (6" above surface) Per LB. 514-534 and F.B. 292-69 ✓ plug is loose so I adjust to conform with survey by L.D. Moore

.67

116.72 ✓

Fd. 1x2 per F.B. 292-69 ✓

Set 1x2

81.38 ✓

118.27 @ 9°17 T 78 = 116.72 ✓
118.15 @ 8°55 T 78 = 116.72 ✓

81.94 @ 6°37 T 72 = 81.38 ✓
82.02 @ 7°06 T 72 = 81.38 ✓

Fd. 2" I.P. - 8" above surface, Per LB. 514-534 and F.B. 292-69 ✓ I set plug + tack

53°07'45" ⓐ
212°31'00" ⓑ
53°07'45" Av.
50.

202.25 @ 18°48 T 70 = 196.50 ✓
202.89 @ 18°29 T 70 = 196.50 ✓

196.50 ✓

Naranja Val Vista Tract
Lot 9

53°07'50" A5

Fd. 2" I.P. Pl. + Tk. on line - 6 above surface

Mt. Meadows C.C.

126.02 Level T 70 = 126.01 ✓

126.

170°19'00" ⓓ
321°15'45" ⓒ
170°18'56" Av.
19'00".

170°19'00"

Fd. 1½" I.P. Per LB. 514-534 ✓ Set plug + Tk.

8.59 Level T 70 = 8.59 ✓

8.59

P#7 Per LB. 729-170 + 171.

Set 1x2 by Intersection

90.40 @ 8°38 T 70 = 89.37 ✓
90.64 @ 8°39 T 70 = 89.37 ✓

89.37 ✓

P#7A Per LB. 729-170 + 171.

109°23'15"

Set 1x2 by Intersection

109°23'15" ⓔ
77°33'00" ⓕ
109°23'15" Av.

280.89

285.45 @ 10°13 T 70 = 280.89 ✓
285.57 @ 10°13 T 70 = 280.89 ✓
285.67 @ 10°28 T 70 = 280.89 ✓
Av. = 280.89 ✓

Set 1x2

4.97 Level T 78

2 x 2 + Tk. Pg. 155

231.36 ✓

2" I.P. per Pg. 155 ✓

Continued from top Rt. of Pg. 155

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of H. St.	F.B. 526	Pg. 157
Map No. B-940	W. O. 7198 Tape No. 46 Std'd 67 °F.		
Office Work Wood	Surveyed by C.E. Brunty		
Checked Blackmer	Notes Brunty Date 1-1934		
Date May 1934	Indexed A.C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

Irene D. Phillips

Fd. 1X2 P.O.T. Per F.B. 292-69 + 70 68

P#4 Per LB. 729-170

17.53

Set 1X2 by Intersection

5.80

P#5 Per LB. 729-170

5.80 Level T76

17.53 Level T76

94° 57' 45"

Mt. Meadows C.C.

94° 57' 45" ①
89° 51' 30" ④
74° 57' 52½" Au.
45.

483.20

See F.B. 292-69

F.B. 292-69

Lot A
J.E. Packards
Orange Grove
Tract

For Tie to Stevenson's Survey see Pg. 158

89° 51' 00" ①
359° 23' 30" ④
89° 50' 52½" Au
55.

2" I.P. Pg. 156

89° 50' 50"

F.B. 292-69

Fd. 1" I.P.

116.72

81.38

Fd. 2½" I.P.
(Pg. 156)
F.B. 292-69

2.6'

Fd. 1X2
(Pg. 156)

1X2 Pg. 156

Transit line per Pg. 156

Lot #9 Naranja Val Vista Tr.

Continued from top left Pg. 156

F.B. 526 Pg. 158

Mountain Meadows C.C.

T# 5 Pg. 157

Set 1x2 by Intersection

Fd. 10d nail in N. cor. of old redwood stk. (6" deep) per F.B. 292-56. I dig down to determine size as 3"x3" and set nail in center

Calc. 12.74

Calc. 12.82

292.90

POT. Pg. 157

17.53

172.77

80.55

18.38 Level

18.38

POT #9 Fd. 1x2 + Tk. per F.B. 292-56

104°31'10" 102.27

(2½" I.P. Pl. + Tk. per Pg. 157

102°29'15" ①
49°56'30" ④
254°55'30" ⑥
102°29'16" Av.

1x2 Tk. Pg. 157

94 Pg.

179.76 @ 16°01' T 72 = 172.77
180.31 = 16°37' T 72 = 172.77

POT #9 Fd. 1x2 + Tk. per F.B. 292-56

536.44

T# 4 Pg. 157

299.03
237.41
536.44

299.36 @ 2°35' T 76 = 299.03
299.33 @ 2°29' T 76 = 299.03
237.42 @ 0°20' T 76 = 237.41

POT #10 Fd. 1x2 + Tk. per F.B. 292-57

Irene D. Phillips

Lot A
J. E. Packard's
Orange Grove
Tract

P# 3 Fd. 1x2 + Tk. per L.B. 729-169

51.37 Level T 76 = 51.37
8.14 Level T 76 = 8.14
10.01 Level T 76 = 10.01

Set 1x2 by Intersection

51.37

130.39

130°39'30" ①
176°08'15" ④
73°52'30" ⑥
130°39'35" Av.

8.14

10.01

8.93

Fd. Redwood 2x2 + Tack - F.B. 292-57

POT #11 Fd. 1x2 + Tk. per F.B. 292-57

P# 2 Per L.B. 729-169

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of H. S. +	F.B. 526 Pg. 159
Map No. B-940	W. O. 7196 Tape No. 46 St'd 2H OF.	
Office Work Wood	Surveyed by C. E. Brunty	
Checked Blackmer	Notes Brunty Date 1-18-34	
Date May 1934	Indexed A. C. Johnson	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

P# 3 Per L.B. 729-32 ✓

Tie to Dudley St. P" line

Dudley St. P" line
177.78'

Naranja Val Vista Tract

24.67 Level T 70 = 24.67' ✓

P# 4 Per L.B. 729-32 ✓

2" I.P. Pg. 154 ✓

1.05

Set 1x2

2.12

.05

24.67'

113°19'00"

215.74' ✓ Pg. 154

Set 1x2 by Intersection

113°19'00" ①
93°16'00" ②
319°54'00" ③
113°19'00" Av.

Pomona City Limit

1x2 by Intersection Per Pg. 154 ✓

89°11'05"

325.86' Pg. 154

2" I.P. per Pg 154

J T Lawrence

Mt. Meadows Country Club

37.54' Pg. 154

46.2'

1x2 Per Pg. 154

FORM 247 10M 8-31

F.B. 526 Pg. 160

J.T. Lawrence

Mt. Meadows



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of H St.
Map No. B-940	W. O. 7198 Tape No. 48 St'd 64 of.
Office Work Wood	Surveyed by C E Brunty
Checked Blackmer	Notes Brunty Date 1-19-34
Date May 1934	Indexed A. C. Johnson

F.B. 526 Pg. 161

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

(NE'ly. Pg. 153)

Location of Concrete, Water Storage Tank and Electric Transformer—Pomona City Water Dept.

Transformer Circumference = 22'

97°43'00"
98°51'00"
108°22'30"
103°02'00"
116°43'30"
134°36'00"

7.28
96.05
1x2 Int. Pg. 153
22.74
67.55
10" W. Valve
108.05
74.80
67°30'00"
66.55
33.34
38°37'
1x2 Int. Pg. 153
1x2 Int. Pg. 153

Concrete Storage Tank Pomona Water Dept.

208.8 Outside circumference
20.0 high

N. 17° E. Mag.
Lot 6, 6 2
B.M. #D6 A. Brass Cap Monument Elev. 729.324 (Adj.)

Transit Line Pg 153

S.E. Cor. of Pomona Water Dept. Lot.

(1½" I.P. Pg. 153)

F.B. 526 Pg. 162
4-3-34 C.A.B.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Notes Ck'd by Blackmer	Survey of 4th St.		F.B. 526 Pg. 169
Map No. B-940	W. O. 7199	Tape No.	St'd ° F.
Office Work Wood	Surveyed by Beverly		
Checked Blackmer	Notes	Date 1-24-34	
Date May 1934	Indexed	A. C. Johnson	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

N.E'ly Cor. of Lot 56 Per Pg. 162

Fd. 1" I.P. - 4 Ft. deep - S.E'ly. Cor. of Lot 58 T. 9687 Per Tract map

159.99

Set 1x2 +tack

0.0165

157.24

Set 1x1, not good for line

7.07

Level 129.3

15.69

Fd. 1" I.P. (30" long) 8' deep badly bent and in semi-horizontal position. I replace with a 3/4 I.P. (18" long) plug + tack, 8" deep at record distance from S.E'ly. Cor. of Lot 58 T. 9687. This hits base of 1" I.P. as Fd.

Set L+Tk. in curb on line Prod.

16.16

2.33

Set L+Tk. in curb

90°02'

90°03'00" ①
360°11'30" ④
90°02'52½" Av.

89°44'30" ①
358°58'15" ④
89°44'33¾" Av.

89°44'35"

Ties.

To N.W'ly Cor. of Lot #59 Per Pg. 1081
2 I.P. Tgl. + Tk.

163.92 @ 18°23' T 52 = 157.24
164.07 @ 18°33' T 52 = 157.24

Set 1" Tgl. S.E. Cor. Comb. Prod. Cent. Sts.

Set 1" Tgl. Curve

20.92

Tk. in Fd. Cem. Curb

Remond. City Bdy.

25.92

15.85

1.13

1.50

P# 12 F Per Pg. 107

① 60°27'45"
④ 241°51'00"
60°27'45"

257.07

257.11 Level T 62

257.07

Line per Pg. 107 (for resurvey see Pgs. 165 + 166)

11.62

60°27'45" CAB.

Approx. ℄ of Hillcrest Drive

Set ¾" I.P. Plug + Copper Tk. 12" Deep per Office Sketch

Tk. in Fd. Cem. Curb

POMONA CITY BDY.

P# 12 B Per Pg. 107

218.01

① 113°50'15"
④ 95°21'30"
23°30'22½"

196.70 @ 13°59' T 66 = 190.85
196.52 @ 13°45' T 66 = 190.87 Av. = 190.86
196.32 @ 13°31' T 66 = 190.86

27.15 Level T 66 = 27.15

Set 1 X 2 (4" deep) Approx. ℄ Prod.

Dug large hole

190.86
27.15
218.01

12.34.50

113°50'15" CAB.

To 1 x 2 Int. Pt. #5 top of Pg. 164

FORM 247 10M 8-31

F.B. 526 Pg. 164



300.52 @ 1°55 T62 = 300.31'
300.57 @ 1°49 T62 = 300.32' 300.32'
300.50 @ 1°37 T62 = 300.34'

202.435 @ 2°05 T62 = 202.27'
202.420 @ 1°54 T62 = 202.28' 202.27'
202.390 @ 1°47 T62 = 202.26' 502.59'

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of H. St.
Map No. B-940	W. O. 7198 Tape No. St'd OF.
Office Work Wood	Surveyed by C.E. Brunty
Checked Blackmer	Notes Brunty Date 1-26-34
Date May 1934	Indexed A. C. Johnson

F.B. 526 Pg. 165

Brunty
Tomblesson
LC Wilson
GG Porter

(3/4" I.P. (flush) per F.B. 73-33 / F.B. 432 Pgs. 91-110 & 113 on Sly. R/W line of LaVerne Ave

P.E.R.R.

Continued on bottom of Pg. 166

(2" I.P. + B.C. 12" deep Per Pg. 107 (F.B. 469-12) See Pg. 166

Pomona City Bdy

Transit Line Per Pg. 107

P# 12 F Per Pg. 107

.06 ?

(2 x 2 stk. flush) at Int. of Walnut Ave. and Pomona City Bdy. Dig down 26" and find cut Stk. in center of 2" I.P. filled with concrete. Reset 2x2 + copper tack (flush) and set 2' tangent ties (boat spikes) as shown For reference see Pg. 107 / F.B. 73-33 / F.B. 469-20 / F.B. 432-91 & 109

P# 12 D per Pg. 107

.06

Set 1x2 on line

1.03

P# 12 C per Pg. 107

.13

P# 12 Per Pgs. 107 + 108 also L.B. 729-35

P# 12 B per Pg. 107 + Pg. 195

.09+

0.17

P# 11 Per Pgs. 107 & 108 also L.B. 729-35

For this line see Pgs. 107 + 108 also L.B. 729-35

(Set 1x2 on line (2.0' S. of top of fill

0.195

1x2 (4" deep) Approx. ℄ of Hillcrest Dr. Prod. See Pgs. 163 + 164

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 526 Pg. 166



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by L.K. Freeman | Survey of H.S.+ | F.B. 526 Pg. 167

Map No. 17-60 | W.O. 7198 | Tape No. 78 | St'd 84 of F.

Office Work L.K. Freeman | Surveyed by G.E. Brunty

Checked | Notes Brunty | Date 1-15-34

Date 1-19-33 | Indexed

— Note —
"P" Line used to Dudley St.
P Line

Location of Point of Intersection of "P" Line and Electrical Main

T	Sight	Rod	Slope Dist	Horiz Angle	Vert ∠	Ver D's	Hor D's	Elev	Remarks
P#10	P#9	4.7	0	0	0			1109.3	H.I. 4.7 - P#10
		4.7	69.00	258-30	-3-48	-4.6'	69'	1104.7	Top 10" Pipe
		4.7	69.00	258-44	-3-17	-4.0'	69'	1105.3	Top 3/4 Conduit
		4.7	69.00	258-40	-2-33	-3.2'	69'	1106.1	Ground
		4.7	29.00	261-41	-8-31	-4.2'	29'	1105.1	15" Pipe
		4.7	"	260-24	-5-33	-2.8'	29'	1106.5	Conduit
		4.7	"	"	-3-22	-1.7'	29'	1107.6	Ground
		4.7	18.5	73-47	-10-55	-3.5'	18.3'	1105.8	Pipe
		4.7	"	75-50	-5-20	-1.8'	18.5'	1107.5	Conduit
		4.7	"	"	0-00	0.0'	18.5'	1109.3	Ground
		4.7	54.00	78-35	-2-38	-2.5'	54'	1106.8	Pipe
		"	"	79-11	-1-00	-1.0'	54'	1108.3	Conduit
		"	"	"	+0-42	+0.5'	54'	1109.8	Ground
		"	92.00	80-12	-0-44	-1.1'	92'	1108.2	Pipe
		"	"	80-22	+0-34	+0.8'	92'	1110.1	Conduit
		"	"	"	+1-34	+2.6'	92'	1111.9	Ground
		"	142.00	82-00	+0-39	+1.6'	142'	1110.9	Pipe
		"	"	82-20	+0-49	+2.0'	142'	1111.3	Conduit
		"	"	"	+1-32	+3.8'	142'	1113.1	Ground
		"	179-00	83-06	+1-25	+4.4'	179'	1113.7	Pipe
		"	"	83-22	+1-48	+5.6'	179'	1114.9	Conduit
		"	"	"	+2-23	+7.4'	179'	1116.7	Ground
		"	218.00	83-50	+2-11	+8.3'	218'	1117.6	Pipe
		"	"	84-03	+2-28	+9.4'	218'	1118.7	Conduit
		"	"	"	+2-57	+11.2'	218'	1120.5	Ground
		"	279-00	84-40	+3-21	+16.3'	279'	1125.6	Pipe
		"	"	84-47	+3-31	+17.1'	279'	1126.4	Conduit
		"	"	"	+3-54	+19.0'	279'	1128.3	Ground
		Rod	Stadia	Horiz ∠	Vert. ∠				
		4.7	6.47 3.00 3.48'	85-09	+5-16	+31.8'	345'	1141.1	Pipe
		"	" 3.48'	85-18	+5-17	+31.9'	345'	1141.2	Conduit
		"	" 3.48'	" "	+5-34	+33.5'	345'	1142.9	Ground
		"	5.13 1.00 4.14'	85-40	+6-54	Approx #49.5'	+08.5'	1158.9	∠ Pt. in Pipe

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

F.B. 526 Pg. 168

Cont. on bot. pg. 169.

Ⓓ 20° 20' 30"
Ⓔ 81° 22' 00"
20° 20' 30"

Set. S.W. & T. By Int. Per Fd. 169.

This Line to be Abandoned.

141.44 Level-T=66°=141.42

248.96 Level-T=66°=248.94

20° 20' 30"

old P.I. = P.O.T. Fd. ½" I.P.P.+T. 15° Dn. per Fg. 171.

P.I. #6. Fd. S.W. & T. By Ties per F.B. 398-116

Ⓓ 164° 39' 00"
Ⓔ 298° 36' 30"
74° 39' 07½"

P.O.T. on D-S+ 174+49.83 Fd. 2X24 TK. -18 Dn. per F.B. 398-121-165.

D-S.T. per F.B. 403-129, 130, 71

Set. N & T. Fn. P.

Fd. N & T. Fn. P.

Fd. N & T. Fn. P.

Tr. Rd.

Set. + in Top So. bolt. of Gate Valve.

P.O.T. 185+28.98 D-S+ S.T.
Fd. 1½" Iron bar + P.M. -6" Dn.
per F.B. 403-33, 39, 71.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of "H" St.
Map No. C.S. B-940	W. O. 7198 Tape No. St'd 64 °F.
Office Work M.N. Bradstreet	Surveyed by G.A. Benson
Checked Blackmer	Notes B Date 6-6-34
Date June 1934	Indexed A. C. Johnson

F.B. 526 Pg. 169

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

486.24 Level-T=66°= 486.18
147.14 Level-T=66°= 147.12
P.C. of Int. Per pg. 172.
P.I. #3 Pot on D St. Fd. S.W.I.T. per pg. 171
B.C. Sta 70.65 Fd. Tacking Pt. Per F.B. 776-54.
E.C. of Tgt. Set L.I.T. Per F.B. 776-54
SAN PEDRO - SPADRA RD.
122° 25' 45"
129° 43' 30"
32° 25' 32½"
109.74 Level-T=66°= 109.73
61.39 Level-T=66°= 61.38
61.36
147.12
0.02
122° 25' 30"
51° 34' 15"
109.73 ARC
Set L.I.T. in Pav. By Int.
20° 20' 45"
81° 23' 00"
20° 20' 45"
MARROW Highway
145.93
20° 20' 45"
282.31
P.O.T. Per F.B. 398-16, 17
Fd. 1½" I.P. No Dm. F.B. 776-54
D-ST. per F.B. 403-129
97° 34' 15"
230° 17' 00"
51° 34' 15"
Es. Fd. L.I.T. Per F.B. 776-52
Set S.W.I.T. By Int. Per pg. 168
148.95 Level-T=66°= 148.93
282.34 Level-T=66°= 282.31
Proposed ℄ of D. St. Tan. Prod.
141.42
Con't. from top pg. 168.

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 526 Pg. 170

Notes Ck'd by Blackmer	Survey of H St	F.B. 526 PG. 171	
Map No. G.S B-940	W. O. 7198 Tape No. 100 FT St'd 84 °F.	C.A. Benson	
Office Work H.N. Bradstreet	Surveyed by C.A. Benson	A.E. Svenson	
Checked Blackmer	Notes (B) Date 5-10-34	H.F. Naumon	
Date June 1934	Indexed A. C. Johnson 5-14-34	C.M. MacDougall	

Con't on bot. of pg. 172

593.92 Level-T=98°=593.97

To P.I. 144+366 Rec. P.O.T. To P.O.T. 593.97 Per Pg 172

10" FB 395-115

P.I. #5 = P.O.T. on D.St 164+00.44 Fd. S.W.T. by Ties per F.B. 403-129 & FB 398-81-115

51.23 (51.24 Rec.) 30.98 30.97 (30.97 Rec.)

Set N.&T. in Fm. P. set in Conc.

Fd N.&T. in Fm. P.

150.00' (150.00' Rec.)

Δ 175°00'00"
Δ 340°00'30"
85°00'47"
6-6-34 J.M.B.

Rev. F.B. 403-129

S64.13

℄ of D St per FB 403-129

Permanent Location Rd per F.B. 403-129 & F.B. 398-81-82

Fd N.&T. in Fence Post

33.65 (33.66 Rec.) 2.45 (2.43 Rec.) 27.10 (27.07 Rec.) 37.48 (37.42 Rec.)

P.I. Fd Old Rotten 2X2 No TK -15 Replaced 2X2 with 3/4" PP Pin & Copper TK'-15' On By Ties per F.B. 403-129

See Pg. 169

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31


F.B. 526 Pg. 172
Cont. on bot. of pg. 173
Fnc. Line Continues on pg. 173
220.91 Level-T=102° 220.941
To P.T. #4 = P.I. #13 on pg.
220.94
5 strand Barb Wire Fnc.
81.17 Level-T=84° 81.171
5 strand B-b Wire Fnc.
E8. -445+55.47
Fd. L+T.
Set S.W. at P.O.T. By Int.
Δ 132°30'45"
④ 170°02'45"
42°30'41"
628.83 Level-T=102° 628.901
625.90
Δ 5°00'00"
④ 20°00'00" - 5°00'00"
The Fac. Line Line of Fnc. follows R/W of State Hwy
P.O.T.
Set S.W. 47 By Int.
Set L&T from this
5-12-38 - A.N.M.
Set L&T in Edge Pav. on Tang. Cont.
285.56 Level-T=88° 285.571
197.04 Calc
S 15°45'40" E
Per C.S. 940
D-51'
B.C. 427 +01.76
Fd. L+T. Per St. Highway F.B. 776-54
S. 20°15'05" E
Fd. L+T. at E.C. of Fnc. Curve. Proved Line to be OK. F.B. 776-52
416+92.58
Cont. from Pg. 171
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of H-5t
Map No. C.S.B-940	W. O. 7198 Tape No. 100 ft St'd 84 °F.
Office Work R.N. Bradstreet	Surveyed by C.A. Benson
Checked Blackmer	Notes 65 Date 5-19-34
Date June 1234	Indexed A. C. Johnson

F.B. 526 Pg. 173

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR HALL OF RECORDS

Do not extend notes this side of this line

FORM 247 10M 8-31

See F.B. 526-175

See pg 197

Set N&T. in Cor. P.

See pg 197 for Fnc. to E&S

P.I. 0+00 going N.Ely. H-5t. Per. F.B. 526-175 Fd. 2X2+Tk. 2' Dn. Per. F.B. 398-49 & 81 " F.B. 292-91 D.St. Station = 142+17.52 going S.W.ly.

Adopted D-5t. 739.26 per F.B. 398-48 & 81

739.23 Level-T.S. of = 739.32

Fd. 6"P. in Conc.

Fd. B.Spk. in Conc.

Fd. 2X2+Tk. 18" Dn. Per. F.B. 398-81 " F.B. 403-128

(449+51.66 (State Hwy.) Nothing set. See C.S. 485-2

(Holt Ave.)

Pomona Covina Rd.

State Hwy.

5 str'd Barb Wire Fnc.

Estrand Barb Wire Fnc.

Fd. 2X2+Tk. 3" up Loose.

Fd. S.W. + T.J.m.

Set M.T. on Split of Angle of Pl. of Fnc. A.P.

Pl #4 = Pl #13 of D. St. 149+56.78 - D. St. Sta. 1 See S.W. & T. on Line & By Ties per F.B. 398-48, 81 " F.B. 403-128 " F.B. 292-91

I turned this & for a check ① 174° 22' 30" ④ 337° 30' 00" 84° 22' 30"

Fnc. Lines Cont. from pg. 172

Cont. from top pg. 172

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 526 Pg. 174

Notes Ck'd by Blackmer	Survey of H Street
Map No. B-940	W. O. 7198 Tape No. 16 St'd Ext of.
Office Work Wood	Surveyed by C.E. Brunty
Checked Blackmer	Notes Brunty Date 2-9-34
Date May 19 34	Indexed A. C. Johnson 2-15-34

F.B. 529 Pg. 175

Cont. Bot. of Pg. 176

Fd. 2x2 + tack (7 deep) Per F.B. 297 - 91

Set nail .03

20.46

20.00

(Fd. 2" I.P. + Nail (Flush) per F.B. 292-91 Pt. is very solid

90°

44.92 Calc.

49.17

156°00'00"

Δ = 24-00-00
R = 1000
T = 212.56
L = 418.88

P.I. Set 3/4" I.P. Plug + Tk. (7" deep) by Int. Sec. Pg.

156°00'00" (B)
264°00'00" (F)
156°00'00" Bk.

1639.88

B.C. = 1+97.09 Set 1x2 + tack

Set 3/4" I.P. Plug + copper tack 10" deep

40.00

40.00

(Set 3/4" I.P. Plug + copper tack 18" deep

H. STREET

P.O.T. Set 2x2 (7" deep) 5+69.77

298.39 @ 1°19 T72 = 298.29
298.41 @ 1°24 T72 = 298.30
298.44 @ 1°32 T72 = 298.31
Av. = 298.30

271.59 @ 1°36 T72 = 271.46
271.58 @ 1°30 T72 = 271.47
271.57 @ 1°17 T72 = 271.48
Av. 271.47

569.77

2" I.P. & Angle

30.95

18.67

72.50 Ch.

Fd. 2x2 + tack (15" deep) (Per F.B. 398 - 81 & 113

1494.82 Calc.

298.30
271.47
569.77

0+00 Fd. 2x2 + tack (Flush) per F.B. 398-496 & F.B. 292-59 + 91

Romona + Covina Rd.

Set nail by ties per F.B. 292-91

72.51 Level T66
72.50

See Page # 173

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 326 Pg. 176

Cont. Bot. of Pg. 177

RPI Pg. 177 — Set 2x2

54.22

PI — Set 3/4" I.P. Plug + tack Pg. 177

Set 3/4" I.P. Plug + copper tack (8" deep)

40.00

Set 3/4" I.P. Plug + copper tack (18" deep)

40.00

EC = 24+15.97 Set 1x2 Hack

6.53

Δ = 24°00'00"
R = 1000.00'
T = 212.56'
L = 418.88'

Defl.	Chord.	Sta.
1 = 1° 30' 57"	- 52.91	- 20+50
2 = 2° 56' 53"	- 49.995	- 21+00
3 = 4° 22' 50"	- "	- +50
4 = 5° 48' 47"	- "	- 22+00
5 = 7° 14' 43"	- "	- +50
6 = 8° 40' 40"	- "	- 23+00
7 = 10° 06' 36"	- "	- +50
8 = 11° 32' 33"	- 49.995	- 24+00
9 = 12° 00' 00"	- 15.97	- 24+15.97 EC.

2" I.P. + Nail (flush) Pg. 175

49.17 @ 0.00 T74 = 49.17

49.17

156.00

PI Pg. 175

298.6 @ 2° 2' T74 = 298.33'
298.59 @ 2° 1' T74 = 298.34'
298.55 @ 2° 0' T74 = 298.33'
Av. = 298.33'

202.41
272.25
242.20
186.92
297.83
140.02
1341.63 Level T74
= 1341.54'
298.34'
1639.88'

BC = 19+97.09 See Pg. 175

3/4" I.P.

40.00

1639.88'

3/4" I.P.

40.00

5+69.77 POT Per Pg. 175

From top of Pg. 175

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of H. C. +
Map No. B-940	W. O. 7196 Tape No. 16 St'd E.H. of.
Office Work Wood	Surveyed by C.E. Brunty
Checked Blackmer	Notes Brunty/C. Tolmasoff Date 6-9-24
Date May 1924	Indexed

F.B. 526 PG. 177

Cont. on Bot of Pg. 180



Defl.	Chord.	Sta.
1°	1°20'20" -35.10 -	27+50
2°	2°26'17" -49.995 -	28+00
3°	3°52'13" - " -	+50
4°	5°18'10" - " -	29+00
5°	6°44'06" - " -	+50
6°	8°10'03" - " -	30+00
7°	9°36'00" -49.995 -	+50
8°	10°49'25" -42.72 -	30+92.72 E.C.

54.22 Level T 72 = 54.22 ✓

54.14 Level T 72 = 54.14 ✓

158°21'15" ①
278°24'45" ④
158°21'11¼" Av.

{RP PI Set (2" x 2" (12" deep)

54.22 Level T 72 = 54.22 ✓

A = 21-38-50 ✓
R = 1000 ✓
T = 191.19 ✓
L = 377.82 ✓

{PI Set ¾" I.P. plug + tack (6" deep)

203.19
222.24
282.35
707.78 Level T 74
= 707.73 ✓
- 54.22 ✓
653.51 ✓

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 326 Pg. 178

Notes	Ck'd by Blackmer	Survey of	
Map	No. B-940	W. O.	Tape No. St'd °F.
Office Work	Wood	Surveyed by	
Checked	Blackmer	Notes	Date
Date	May 1934	Indexed	A. C. Johnson

F.B. 526 Pg. 179

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
708 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 526 Pg. 180
Cont. Bot. of Pg. 181



From top of Pg. 177

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Notes Ck'd by Blackmer
Map No. B-940
Office Work Wood
Checked Blackmer
Date May 1934

Survey of H St.
W. O. 7198-399 Tape No. 2.6 St'd E. & W. of
Surveyed by C.E. Brunty
Notes Brunty A.C. Johnson Date 1-30-34
Indexed

F.B. 526 Pg. 181

Cont. Bot. of Pg. 182

B.C. of curve #2 = Prop. Cor. See Pg. 182

286.44 @ 1°06 T68 = 286.36 ✓
286.46 @ 1°15 T68 = 286.36 ✓

Void ✓
See F.B. 526-201

1 X 2 Prop. Cor.

41+19.22 ✓
P.O.T. #1B
Set 2 x 2

34.02 Level T62 = 34.01 ✓

154.00 @ 12°56 T62 = 150.07 ✓
153.81 @ 12°38 T62 = 150.07 ✓

37.18 Level T62 = 37.17 ✓

Set 3/4 I.P. Plug + Copper Tk. 6.62
41+19.34 Calc.

150.07 ✓
37.17 ✓
112.90 ✓

{P.O.S.T. #1A
Set 2 x 2

42.06 @ 18°00 = 40.00 ✓
41.61 @ 5°00 = 40.00 ✓

Set 1 x 2

EC = 40+97.54 ✓
Δ = 45°18'50" ✓
T = 300.00 ✓
L = 237.26 ✓

1 = 1°24'20"	- 14.72 -	38+75
2 = 3°47'34"	- 24.993 -	39+00
3 = 6°10'49"	" -	+25
4 = 8°34'03"	" -	+50
5 = 10°57'18"	" -	+75
6 = 13°20'32"	" -	40+00
7 = 15°43'46"	" -	+25
8 = 18°07'01"	" -	+50
9 = 20°30'15"	- 24.993 -	+75
10 = 22°39'25"	- 22.54 -	+97.54

2" I.P. Prop. Cor.

23.73 ✓

{PI #1 (1½" I.P. Plug and tack per Pg. 180) ✓

22.32 ✓
2 x 2 per Pg. 180
22.32 ✓

New P.I.
See Pg. 201

{1½" I.P. Plug + Tack Per Pg. 180

9.90 ✓

2 x 2 Per Pg. 180

28.12 ✓

B.C. = 38+60.28 Set 1 x 2

Set 3/4" I.P. Plug + copper tack 10" deep

40.00 ✓

40.00 ✓

{Set 3/4" I.P. Plug + copper tack (6" deep)

97.56 Calc. ✓

1½" I.P. Plug + tack at angle Pt. in fence Pg. 183

From top of Pg. 182

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31


F.B. 526 Pg. 182
Cont. Bot. of Pg. 183
RPPI #2 Set 2x2 on spur
53.49 Level T52 = 53.48
277.84 @ 6°23 T52 = 276.06
277.81 @ 6°19 T52 = 276.06
168.93 @ 2°57 T52 = 168.67
168.98 @ 3°11 T52 = 168.68
168.88 @ 2°39 T52 = 168.66
Av. = 168.68
PI #3 Set 2x2 (Per Staking Sht.
T = 28°
41.61 @ 16°00 = 40.00
42.30 @ 19°00 = 40.00
Set 1x1 (offset = 0.56)
53.48
276.06
Set 2x2 (offset = 3.48)
Set 3/4" IP Plug & Copper TK 12" Dn. 4-18-34 CAB
300.+
Set Copper Nail 6" Dn. 4-19-34 CAB
39.97
T = 76°
40.47 @ 9°00 = 39.97
40.59 @ 10°00 = 39.97
Calc
E.C. = 47+07.62
Set 1x2
RPPI #2 Set 2x2
18.8 Calc
Δ = 43°15'50"
48.8 Calc
R = 400.00
T = 158.63
L = 302.04
Calc 48.6
43°15'50"
421.59
112.95 @ 3°25 T52 = 112.73
112.99 @ 3°52 T52 = 112.71
Av = 112.72
112.72
42°39'30"
165.67
42°39'30" (B)
170°38'00" (B)
42°39'30" Av.
This ℄ is Void
See F.B. 526 202
PI #2 (Nothing Set)
Defl. Chord Sta.
1° = 3°10'53" - 44.48 - 44+50
2° = 6°45'45" - 49.96 - 45+00
3° = 10°20'36" - " - +50
4° = 13°55'28" - " - 46+00
5° = 17°30'19" - 49.96 - +50
6° = 21°05'11" - " - 47+00
7° = 21°37'55" - 7.62 - +07.62
7.68
POST #2B Set 2x2 at scaled distance for PI per staking sht.
34.16
34.17 Level T52 = 34.16
POST #2A Set 2x2
116.81 Level T52 = 116.79
T = 76°
7.22 @ 14°00 = 40.00
40.89 @ 14°00 = 40.00
116.79
P.C. = 44+05.58
Prop. Cor.
Fd. 2x2 Per. FB 526 182
Note - Staking Sht. shows P.C. and Prop. Cor. as same Pt. This tends line up the hill 3.53 at E.C.
400.00
400.00
Set 3/4" IP Plug & Copper TK 15" Dn 4-19-34 CAB.
Set 3/4" IP Plug & Copper TK 18" Dn 4-19-34 CAB.
T = 76°
40.15 @ 5°00 = 40.00
40.39 @ 8°00 = 40.00
186.36
POST #1A (2x2) Per Pg. 181
From top of Pg. 181
RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of U.S. Hwy
Map No. B-940	W. O. 7198 Tape No. 26 St'd 84 OF.
Office Work Wood	Surveyed by C.E. Brunty
Checked Blackmer	Notes Brunty Date 1-31-34
Date May 1934	Indexed A.C. Johnson

F.B. 526 Pg. 183

Cont. Bk. of Pg. 184

PI #4 Set 2x2+Tk.

289.80 Level T52 = 289.74 ✓

90.72 @ 1°34 T52 = 90.67 ✓
90.70 @ 0°58 T52 = 90.67 ✓

289.74 ✓
90.67 ✓
380.41 ✓

T = 28°
428.5 @ 21°00' = 40.00 ✓
423.0 @ 19°00' = 40.00 ✓

117.083

Set 4 T in Rock 6" Dn. 4-18-34 CAB

EC: 51+60.92 ✓ Set 1x2

152°41'15" ①
250°45'15" ④
152°41'18¾" Adv.

Δ = 27-55-00 ✓
R = 500 –
T = 124.28 ✓
L = 243.62 ✓

T = 28°
41.22 @ 14°00' = 40.00 ✓
40.75 @ 11°00' = 40.00 ✓

PI #3 (2x2+Tk.

152°41'15"

3.25

New P.I. #3 See F.B. 526-203

Set 4 spk. in T.B.M. in Rock 4-18-34 CAB

B.C. = 49+17.36 Set 1x2

N 61°45' E 499.

18.5' Calc

0°36'20"

Deflection / Chord / Sta.

	Deflection	Chord	Sta.
1	1°52'25"	-32.695	-49+50
2	4°44'18"	-49.979	-50+00
3	7°36'11"	"	+50
4	10°28'05"	"	-51+00
5	13°19'58"	-49.979	+50
6	13°57'30"	-10.92	+60.92

Set 4 spk. W.&T. in Rock 6" Dn. 4-18-34 CAB.

T = 28°
428.5 @ 21°00' = 40.00 ✓
423.0 @ 19°00' = 40.00 ✓

Calc 492.59

498.21

THIS IS Void
See F.B. 526-203

PI #2 Pg. 182

7.68 Calc

POST #28 Pg. 182

Cont. from top of Pg. 182

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 526 Pg. 184

Cont. on Bot of Pg. 185

POST #5A Set 2x2

167.32 @ 4°08' T62 = 166.86 ✓
167.39 @ 4°27' T62 = 166.87 ✓ .87 Av.
167.46 @ 4°47' T62 = 166.88 ✓

166.87 ✓

62.79 @ 10°18 T62 = 61.77 ✓
63.06 @ 11°34 T62 = 61.77 ✓ 61.77 ✓

297.63 ✓

526.27 ✓

N. 62°E. 499.

297.65 Level T60 = 297.63 ✓

95.61 @ 10°47 T60 = 93.91 ✓
95.68 @ 11°01 T60 = 93.91 ✓

121.14 @ 16°46 T60 = 115.97 ✓
120.95 @ 16°28 T60 = 115.97 ✓

POST #4A Set 2x2 + Tk. by I.F.

69+70

Line Per F.B. 292

115°05' 30" ⓒ
100°22' 00" ⓐ
115° 05' 30" Av.

32.48 Level T60 = 32.47 ✓

T.P. #1 (2x2 + Tk.)

115.97

115°05'30"

Δ = 28°07'00" ✓

R = 500 ✓

T = 125.20 ✓

L = 245.36 ✓

T = 76°

4022 @ 6°00' = 40.00 ✓
4050 @ 9°00' = 40.00 ✓

285.22

40.00 ✓ 40.00 ✓

RPPI #4 Set 2x2 + Tk.

28°07'00".

28°07'00" ⓒ
112°28'00" ⓐ
28°07'00" Av.

288.57 @ 8°40 T56 = 285.23 ✓
288.66 @ 8°49 T56 = 285.22 ✓ .22 Av.
288.83 @ 9°01 T56 = 285.21 ✓
To R.P.

382.11

56+21.89 ✓

POT #1B Set 2x2 + Tk.

40.50 @ 9°00' T = 76° 40.00 ✓
40.89 @ 12°00' T = 76° 40.00 ✓

Set ¾ I.P. Plug & Copper Tk 6" Dn. 2½" I.P. Post 4"x4"x34" Oak 156+157

(Fd 1½ Per Pg. 157)

400 ✓

17.53

EC = 55+37.21 ✓ Set 1x2

32.47 ✓

Set ¾" I.P. Plug & Copper Tk 12" Dn. Leaning E'ly. 4"x8"x34" Oak

BC = 52+91.85 Set 1x2

Defl.	Ch.	Sta.
1 = 0°28'01"	- 8.15 -	53+00
2 = 3°19'54"	- 49.979 -	+50
3 = 6°11'47"	" -	54+00
4 = 9°03'41"	" -	+50
5 = 11°55'35"	- 49.979 -	55+00
6 = 14°03'30"	- 37.20 -	55+37.21

T = 76°
4161 @ 16°00' = 40.00 ✓
4122 @ 14°00' = 40.00 ✓

PI #3 Per Pg. 183

From top of Pg. 183

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Cont. Bot. of Pg. 186

F.B. 526 Pg. 185

Notes Ck'd by Blackmer
Map No. B-940
Office Work Wood
Checked Blackmer
Date May 1934

Survey of 1st Street
W. O. 7198 Tape No. 26 St'd 84 °F.
Surveyed by C.E. Brunty
Notes Brunty Date 1-31-34
Indexed A. C. Jenkins

POST #6
Set 2x2
Pg. 184

41.61 @ 16°00' T=76=40.00 ✓ Set ¾" I.P. Plug & Copper Tk. 6B in 4" Con. 4-17-34

65+67.95 ✓
P.O.T. #5B
Set 2x2+Tk.

139°54'00" ①
199°36'30" ④
139°54'07" Av.

284.68 @ 70: 284.65 ✓
87.82 @ 70° 1' T74 = 87.30 ✓
87.82 @ 70° T74 = 87.30 ✓
284.65 ✓
−87.30 ✓
197.35 ✓

See next Pg.

91 Calc.
370
Set a Spike Mark in Crack of Rock 5' Dn. 4-17-34

139°54'

EC = 57+36.15
Set 1x2

A = 107°12'10" ✓
R = 250.00 ✓
T = 339.11 ✓
L = 467.76 ✓

44.14 @ 25°00' T=78=40.00 ✓
93.79 @ 44°00' T=78=40.00 ✓

1 = 0°	45'26"	- 6.61	60+75 ✓
2 = 3°	37'19"	- 24.99	61+00 ✓
3 = 6°	29'12"	"	+ 25
4 = 9°	21'06"	"	+ 50 ✓
5 = 12°	12'59"	"	+ 75
6 = 15°	04'53"	"	62+00
7 = 17°	56'45"	"	+ 25
8 = 20°	48'38"	"	+ 50
9 = 23°	40'32"	"	+ 75
10 = 26°	32'25"	"	63+00
11 = 29°	24'18"	"	+ 25
12 = 32°	16'11"	"	+ 50
13 = 35°	08'04"	- 24.99	+ 75
14 = 36°	51'12"	- 10.00	+ 90
15 = 37°	59'57"	- 14.99	64+00
16 = 40°	51'50"	- 24.99	+ 25
17 = 43°	43'44"	"	+ 50
18 = 46°	35'37"	"	+ 75
19 = 49°	27'30"	"	65+00
20 = 52°	19'24"	- 24.99	+ 25
21 = 53°	36'05"	- 11.15	+ 36.15

POT #5
Nothing Set

384.62

Set ¾" I.P. Plug & Copper Tk. 15' Dn. 4-18-34 Ca.

45°

1 25 9 34 Calc.

POST #5A
Set 2x2+Tk.

BC. = 60+68.39 ✓ Set 1x2

40.00 Excl-T=16=40.00 ✓

112°53'45" ①
91°35'00" ④
112°53'45" Av.

Set ¾" I.P. Plug & Copper Tk. 18" Dn. 4-18-34 Ca.

526.27

101.93 @ 12°31 − 60 = 99.49 ✓
101.88 @ 12°12 − 60 = 99.48 ✓ 99.49 Av.
101.67 @ 11°48 − 60 = 99.50 ✓

289.57 @ 10°01'30" T 70 = 285.13 ✓
289.21 @ 9°36'00" T 70 = 285.13 ✓

99.49 ✓
285.13 ✓
384.62 ✓

POT #4B
Pg. 184

From top of Pg. 184

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-33

Cont. Bot. of Pg. 187

F.B. 526 Pg. 186

78.68 @ 14°22'64" = 76.21 ✓
78.51 @ 13°52'64" = 76.21 ✓

266.36
110.68
377.04 Level T74 = 377.02 ✓

56.69 Level T72 = 56.68 ✓

76.21 ✓
377.02 ✓
56.68 ✓
509.91 ✓

POST #7A
Set 2x2 by
Intersection
See Pg. 187

43.14 @ 22°00'-T=74' = 40.00 ✓
42.30 @ 19°00'-T=74' = 40.00 ✓
Set ¾ I.P. Plug + Copper Tk. 12' Dn. 4-1734 CAB

POST 6C

125°55'30" ⓓ
14°42'15" ⓔ
125°55'33¾" Alve

POST #6C
2x2 Pg. 185

Set ¾ I.P. Plug + Copper Tk. 15' Dn. 4-1734 CAB

41.22 @ 14°00'-T=74' = 40.00 ✓
41.61 @ 16°00'-T=74' = 40.00 ✓

EC. = 71+39.41
Set 1x2

9.91 ✓

	Defl.	Chord.	Sta.
1 =	0°57'04"	9.96	66+25
2 =	3°20'18"	24.993	+50
3 =	5°43'33"	"	+75
4 =	8°06'47"	"	67 +00
5 =	10°30'02"	"	+25
6 =	12°53'16"	"	+50
7 =	15°16'30"	"	+75
8 =	17°39'45"	"	68 +00
9 =	20°02'59"	"	+25
10 =	22°26'14"	"	+50
11 =	24°49'28"	"	+75
12 =	27°12'42"	"	69 +00
13 =	29°35'57"	"	+25
14 =	31°59'11"	24.993	+50

Δ = 100-08-60 ✓
R = 300' ✓
T = 358.46 ✓
L = 524.37 ✓

POST #7B
Set 2x2

Continue

15 =	34°22'26"	24.993	69+75
16 =	36°45'40"	"	70+00
17 =	39°08'54"	"	+25
18 =	41°32'09"	"	+50
19 =	43°55'23"	"	+75
20 =	46°18'38"	"	71+00
21 =	48°41'52"	24.993	+25
22 =	50°04'25"	14.41	+39.41

43.79 @ 24°00'-T=74' = 40.00 ✓
44.14 @ 25°00'-T=74' = 40.00 ✓

91°00'00" ⓒ
4°00'00" ⓓ
91°00'00" Alve

POST 6A

133°55'30" ⓓ
175°42'15" ⓔ
133°55'33¾" Alve

POST 6B

147.08 @ 2°11' T70 = 146.96 ✓
147.12 @ 2°34' T70 = 146.96 ✓
from POST 6B to POST 6C

65+67.95 ✓
POT 5B
Per Pg. 185

P.C. = 69+75.00
Set 1x2

POST #6A
Per Pg. 185

29.93 Level T74 = 29.93 ✓

197.25

Set ¾ I.P. Plug + copper Tk. 15' Dn. 4-1734 CAB

Fd. I.P. Plug + Tack Per Pg. 156

From top of Pg. 185

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer
Map No. B-940
Office Work Wood
Checked Blackmer
Date May 1934

Survey of
W. O. 7198 Tape No. 26 St'd & H of.
Surveyed by C. F. B...
Notes Brush Date 2-2-34
Indexed A. C. Johnson

F.B. 526 Pg. 187

42.30 @ 1°04' T 74° = 40.00
42.57 @ 20°00' T 74° = 40.00

Pgs. 154, 155

Cont. Bot. of Pg. 188

19+16.06
P.O.T. #E Set 2x2

98.746 @ 5°20' T 70° = 98.30
98.83 @ 5°32' T 70° = 98.30

42.71 @ 6°19' T 70° = 42.45
42.986 @ 9°00' T 70° = 42.45

244.77 @ 2°52' T 70° = 244.44
244.72 @ 2°40' T 70° = 244.44
to POT 7D

98.30

P.O.S.T. POT #7D Set 2x2 by Int

42.45

40.00

Set 3/4" I.P. Plug + Copper Tk. 1.8' Dn 4-17-34 448

71.92

85°10'15"

1x2 Intersection Per. Pgs. 154+155

2" I.P. Plug + Tk. Per. Pgs. 154+155

95.51

40.39 @ 5°00' = 40.00
40.22 @ 6°00' = 40.00

A = 63°04'00"
R = 400.00
T = 245.44
L = 440.29

244.44

85°10'15" ①
340°41'00" ②
85°10'15" Av.

8°58 T 68 = 71.92
7°44 to PI #7

EC 78+18.76 Set 1x2

9°41'45"

9°41'45"

72.52
72.52

1 : 1°32'31" - 21.53 - 74+00
2 : 5°07'23" - 49.967 - +50
3 : 18°42'14" - -75+00
4 : 12°17'06" - +50
5 : 15°51'57" - -76+00
6 : 19°26'49" - +50
7 : 23°01'41" - -77+00
8 : 26°36'32" - +50
9 : 30°11'23" - 49.967 - 78+00
10 : 31°32'00" - 18.76 - 78+18.76

PI #7 Set 2x2

Nail Pg. 155

0.21

1" I.P.P.T. + Tk. Pg. 155

126°37'30" ①
146°00'30" ②
126°37'37" Av.

BC 73+78.47 Set 1x2

34.92

126°37'37"

71.92

P.O.S.T. #7C Set 2x2

4025 @ 8°00' T 74° = 40.00
4022 @ 6°00' T 74° = 40.00

34.91 Level T 64 = 34.91

105.24 @ 6°33' T 64 = 104.54
105.18 @ 6°15' T 64 = 104.54

139.45

P.O.S.T. #7B Set 2x2

14.15 Level T 64 = 14.15

P.O.S.T. #7A Set 2x2 by Int.

40.75 @ 11°00' T 74° = 40.00
40.39 @ 8°00' T 74° = 40.00

154.91
154.54
To P.O.S.T. 7C

Set L & T. in Rock 6' Dn. 4-17-34 CAB

97°22'30" ①
29°29'30" ②
97°22'22" Av.

91°02'20"

40.00

50.91

164.51

Set L & T. in Rock 16' Dn. 4-17-34 CAB

1x2 Pg. 155

165.22 @ 5°15' T 64 = 164.51
165.26 @ 4°36' T 64 = 164.51

P.O.S.T. 7C
Set Pg. 186

From top of Pg. 186

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-31

Cont. Bot of Pg. 189

F.B. 526 Pg. 188

PI # 9 Set 2x2

30.00 Level T62=30.00

POST # 9 H Set 2x2

219.43 Level T66 219.40

249.57 @ 10°11 T62=245.60

249.18 @ 9°40 T62=245.60

219.40

245.60

T6 5.00

Set ¾ I.P. Plug & Copper Tk. 12" Dn. 4-15-34 Cap.

4000 Level T 74 = 4000

Set ¾ I.P. Plug & Copper Tk. 12" Dn.

E.C. = 82+15.25 Set 1x2

1.0500 @ 1°00' T 74° 4000

40.50 @ 1°00' T 74° 4000

N 30° E 765.00

Δ = 24-38-50

R = 500

T = 109.23

L = 215.09

	Defl.	Chord	Sta.
1	2°51'20"	49.82	80+50
2	5°43'13"	49.98	81+00
3	8°35'06"	-	+50
4	11°27'00"	49.98	82+00
5	12°19'25"	15.25	82+15.25

T.T. # 8 Set 2x2

155°21'00" T

261°24'15" D

155°21'03" Av.

Set ¾ I.P. Plug & Copper Tk. 6" Dn. 4-16-34 Cap.

B.C. = 80+00.16 Set 1x2

Set ¾ I.P. Plug & Copper Tk. 12" Dn. 4-16-34 Cap.

193.75 @ 8°42 T66: 193.53

193.68 @ 8°21 T66: 193.53

42.85 @ 21°00 T 74° 4000

43.79 @ 24°00 T 74° 4000

40.75 @ 1°00 T 74° 4000

40.50 @ 1°00 T 74° 4000

79+16.06

POT # 75 Per Pg. 187

P.O.S.T. POT # 7 D Per Pg. 187

From top of Pg. 187

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of H. Street	F.B. 526 Pg. 189	
Map No. B-940	W. O. 1116 Tape No. 16 St'd 64 °F.		
Office Work Wood	Surveyed by C.E. Brunty		
Checked Blackmer	Notes Brunty Date 2-5-34		
Date May 1934	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

Cont. Bot. of Pg. 190

89+34.97

TRPP#89 Set 2x2

POL #4 Per Pg. 153 (1x2)

Line Per Pg. 153

POL #90 Set 2x2 on top of ridge

207.17 @ 11°55' T 70: 202.69
207.33 @ 12°08' T 70: 202.68
207.53 @ 12°24' T 70: 202.67
Av = 202.68
57.35 @ 0.0T70 = 57.34
260.02

46°23'00" ⊕
185°32'45" ⊕
46°22'56" Av.

46°23'00" ⊕
185°32'15" ⊖
46°23'03" Av.

21.89 @ 9°08' T 70 = 90.72
22.24 @ 10°25' T 70 = 90.71
Av 21

34.21 @ 0.0T70 = 90.71
34.21
124.92

EC 87+44.67 Set 1x2 Tk. 4-16-34 CAB.

POST #9B Set 2x2 by Int.

33°57'15" ⊙
135°48'45" ⊕
33°57'11½" Av.

33°57'11½" 08

124.92

POL #5 Per Pg. 153 (1x2)

82.92 @ 0.0T70: 82.91

PI #9 Set 2x2

Δ: 33-57-05
R = 500'
T = 153.13
L = 296.38

POST. #9A Per Pg. 188

BC 84+48.39 Set 1x2 Tk. 4-16-34 CAB

T.P. #4 Set 5/8 IPPCL 4.00 N 12° Dr. 4-16-34 CAB

40.00 @ 9°20' T 74° = 40.00
40.00 @ 10°30' T 74° = 40.00

Sta	Def.	cds.
BC 84+48.39	—	—
85+00	2°57'25"	51.587
+50	5°49'18"	49.979
86+00	8°41'11"	
+50	11°33'05"	
87+00	14°24'58"	
EC 87+44.67	16°58'32½"	44.655

4-2-34 CAB

PI #8 Per Pg. 188

From top of Pg. 188

Cont. Bot of Pg. 191

F.B. 526 Pg. 190

P.O.T. #10B 95+32.38
Set 2x2 by Intersection
See Pg. 191

163.29 @ 2°05 T 68 = 163.16
163.36 @ 2°41 T 68 = 163.16

Sta.	Def.	cds
BC 94+38.19		
+50	0°20'18"	11.81
95+00	1°46'15"	49.995
+50	3°12'N"	"
96+00	4°38'48"	"
EC 96+30.81	5°31'45"	30.81

4-2-34 G.A.B.

97+19.22
P.O.T. #10A
Set 2x2

133.79
+1.25
185.04 @ 0°57'70
= 186.02

40.00

Set ¾ I.P. Flush + Copper Tk. 6" Dm. 4-12-34 G.A.B.

40.00

EC 96+30.81
Set 1x24 Tk. 4-2-34 G.A.B.

Set ¾ I.P. Flush + Copper Tk. 16" Dm. 4-12-34 G.A.B.

40.00 Level Tk. 40.00

Δ = 11-02-10
R = 1000
T = 96.61
L = 192.62

PI #10
Sta. 96+02

BC 94+38.19
Set 1x24 Tk. 4-2-34 G.A.B.

Set ¾ I.P. Flush + Copper Tk. 12" Dm. 4-13-34 G.A.B.

40.00

46.99 @ 31°30'T 14° 40.00
46.43 @ 30°37'T 14° 40.00

86.39 @ 57°70' T 70 = 86.38

282.11 @ 2°18 T 70 = 282.48
282.25 @ 2°20 T 70 = 282.49
282.77 @ 2°18 T 70 = 282.50

231.25 @ 2°46 T 70 = 230.96
231.28 @ 2°46 T 70 = 230.96

40.00

40.00

P.O.T. #9C Per Pg. 189
59+34.97

Set ¾ I.P. Flush + Copper Tk. 4-13-34 G.A.B.

40.00 Level Tk. 40.00

Set ¾ I.P. Flush + Copper Tk. 12" Dm. 4-13-34 G.A.B.

86.38
282.49
230.96
599.83

P.O.S.T. #9B Per Pg. 189

From top of Pg. 189

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer
Map No. B-940
Office Work Wood
Checked Blackmer
Date May 1934

Survey of H Street
W. O. 7198 Tape No. 16 St'd all °F.
Surveyed by C.E. Brunty
Notes Brunty Date 2-6-34
Indexed A. C. Johnson

F.B. 526 Pg. 191

Cont. Bot. of Pg. 192



From top of Pg. 190

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31

Cont. Bot. Pg. 193

F.B. 926 Pg. 192

1x1 Pg 193

PI #13 Set 3/4 I.P. Pl. + Tk. 13" deep Per Pg. 193

New P.I. "12
Ⓓ 121°-48'-00"
Ⓒ 127°-11'-45"
121°-47'-55"

New ℄ 12-5-35

Set 3/4" I.P. plug & tack 18" dp.

Replaces 1X2" Tk. w/ 3/4" I.P. Plug & Copper Tk. 24" Dn. 4-12-34 CAB.

Set 3/4" I.P. plug & tack 18" dp.

Set 3/4" I.P. plug & tack For B.C. New Cut-off Curve, South R.O.W. Line

23.85 ⊗ 0-0-0 T 60 = 23.85

134.92 ⊗ 6°42'T 62 = 133.98
134.78 ⊗ 6°09'T 62 = 133.98

New P.R.C. = 111+88.86 = Set L&T. in Conc. Apron

P.R.C.

EC #12 = BC #13 Fd. 1" I.P. Pl. + Tk. on W'ly R/W Line of Alvarado St. (M.B. 173-5 & 6)

12-4-35 New ℄

Δ = 58-11-50
R = 232.92
T = 129.64
L = 236.59

Δ = 58-11-50
R = 240.73
T = 133.98
L = 244.52

Set 3/4" I.P. plug & tack 18" dp.

New P.I. "12 12-5-35 Set 3/4" I.P. pl. & tack down 12"

PI #13 Pg. 192 L 191

PT #12 Set 3/4 I.P. Pl. + Tack 12" deep

Sta.	Def.	Chd.
BC 109+39.69	—	—
+50	1°13'31"	13.81
+75	4°12'07"	24.99
110+00	7°10'38"	
+25	10°09'05"	
+50	13°07'38"	
+75	16°06'09"	
111+00	19°04'39"	
+25	22°03'10"	
+50	25°01'40"	
EC 111+84.27 4-2-34 CAB	27°05'52"	34.185

New BC 109+52.27 Set 1X2" Tk. 4-3-34 CAB. New 12-5-35 A.N.M.

Set 3/4" I.P. Ply + copper Tk. 15" Dn. 4-12-34 CAB. Reset same at New EC 12-5-35 A.N.M.

Sta.	Def.	Chd.
B.C. 109+52.27	0-0-0	—
+75	2-47-44	22.72
110+00	5-52-13	24.99
+25	8-56-42	"
+50	12-01-11	"
+75	15-05-40	"
111+00	18-10-09	"
+25	21-14-38	"
+50	24-19-07	"
+75	27-23-36	"
P.R.C. +88.86	29-05-55	13.86

New Curve

106+85.68 P.O.T. #11 A Per Pg. 191

P.O.T. #12 A Per Pg. 191

121°48'00" Ⓓ
127°11'45" Ⓒ
121°47'55" Alv.

PT #11 Per Pg. 191

From top of Pg. 191

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer
Map No. B-940
Office Work Wood
Checked Blackmer
Date May 1934

Survey of H. Street
W. O. 7198 Tape No. 16 St'd 84# OF.
Surveyed by C.E. Brunty
Notes Brunty Date 2-6-34
A. C. Johnson
Indexed

F.B. 526 Pg. 193

Cont. Bot. of Pg. 194

PI #14 Set
See Pg. 194

Set 2x2-18"d/p for B.C. New Cut of on So. Prop. Line

46.86 @ 0+00 T 62+40.85

Set 2x2-18"d/p for E.C. New Cut on South Prop Line (Wall) at Arc

23.55

Set 3/4" I.P. Plug + Tk. 18" Dn 4-5-34 C.E.B.

Set 3/4" I.P. Plug + Tk. 18" Dn 4-5-34 C.E.B.

Set LETin Conc Apron

E.C. = 116+24.62 (116+38.17)

Fd 2" I.P. Plug + Tk. Per Sht. 2 Tract 10467 (M.B. 173-5 to 7)

Set 3/4" I.P. plug + tk. down 18"

Set 3/4" I.P. plug + tk. down 18"

40.00

40.00

40.00

0.06

23.55

40.86

215.70 @ 3°36'58" = 215.27
215.73 @ 3°48'58" = 215.27

215.27
+ 4.69
219.96

219.96 Calc.
219.975 Rec.

New ℄ 13 5-35

Δ = 7°20'45"
R = 2700
T = 220.69
L = 440.41

Δ = 9°-20'-45"
R: 2693
T = 220.12
L = 439.27

5 @ 1 x 1 at split of long chord

170°39'30" ①
322°37'30" ④
170°39'22.5" Bv.

90°

New P.I. "13" Set 3/4" I.P. plug + tk. down 12" Set on split of Angle

PI #13 Set 3/4" I.P. Plug + Tk. 13" deep

27.02

17.98 Level

170°39'22.5"

70°39'22.5"

Sta.	Defl.	Chd	New ℄
P.R.C. 111+88.21	0-0-0	—	
112+00	0-07-07	11.14	
+50	0-39-07	50.00	
113+00	1-10-57	"	
+50	1-42-57	"	
114+00	2-14-47	"	
+50	2-46-42	"	
115+00	3-18-37	"	
+50	3-50-32	"	
116+00	4-22-27	"	
+25.13	4-40-22	25.13	

Long chord on W'ly R/W Line of Modvale Dr. Tract 10467 (MB. 173-5 to 7)

225.49 @ 4°56'58" = 224.65'
225.53 @ 5°04'58" = 224.65'

224.65
- 11.69
219.96

219.96 Calc.
219.975 Rec.

220 Calc.

New ℄ = 75' Parallel

(Replaced 2x2 + Tk. with 3/4" I.P. Plug + Copper Tk. 24" Dn. 4-12-34 C.E.B.)

111+84.21 P.R.C. 111+88.21

BC #13 = EC #12
2" I.P. Pl. + Tk. Per Pg. 192

Sta.	Defl.	c/s
BC. 111+84.21		
112+00	0°10'03"	15.79
+50	0°41'53"	50.00
113+00	1°13'43"	
+50	1°45'33"	
114+00	2°17'23"	
+50	2°49'13"	
115+00	3°21'03"	
+50	3°52'53"	
116+00	4°24'43"	
EC. 116+24.62	4°40'22½"	24.62
4-5-34 C.E.B.		

349.76 Calc.

40.00

40.00 Level 40.00

4001 @ 1°05' = 40.00
4108 @ 5°40' = 40.00

See pg. 192 for the sta. 3" I.P. plug + tk.

N 35°06' E Mag. 133.98

To New B.L. 13

PI #12 Per Pg. 192

From top of Pg. 192

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 526 Pg. 194

298.58 e/-36 T 66 = 298.42
298.60 e/-55 T " = 298.39
27.50 °0-0 T " = 27.50
325.91 Avg

① 71°-54-15"
② 287°-36'-45"
③ 71°-54'-45"
71°-54'-07½"

① 194°-20'-30"
② 339°-23'-00"
③ 326°-04'-30"
174°-20'-45"

℄ of Walnut Ave. as shown in F.B. 469 Pgs. 18+19 ✓

PI. (Walnut Ave.) Fd. 2x2-18" deep Per F.B. 469-19 ✓

325.91

PI #14 Set 3/4" I.P. Plug & tack (6" deep) by intersection

71°-54'-05"

116+67.96 Set 3/4" I.P. plug & tack 8" deep for New Int. 12-5-35

7.07 ✓

T. 2x2 W. 8d'y Ctr. of Pavmt.

174°-20'-45"

F.B. 469-19 (18+19) 254 CC 253.99 ✓

27.03 ℄ 74.04

89.61

See F.B. 483-47

Fd 2x2-6" p.

3.45 ✓

98°19'15" ①
33°17'00" ②
98°19'15" Av.

98°19'15" 25" Adj.

40.85 N 0°30'E Meas

Calc 39.83 ✓

PI (Walnut Fd. 2x2 -12" deep Per F.B. 469 Pg. 18 ✓

23.45 Level T62 = 23.45 ✓

17°00'

716+28.5

EC of 13 (Per Pg. 193 ✓ See Pg. 193 for E.C.R.P's

N 0°30'E Meas 12-5-35

Y 0.0

2+19.96

PI #13 Per Pg. 193

17.98 ✓

1X1 Per Pg. 193 ✓

From top of Pg. 193

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of H Street
Map No. B-940	W. O. 7198 Tape No. 16 St'd 84 °F.
Office Work Wood	Surveyed by C.E. Brunty
Checked Blackmer	Notes Brunty Date 2-7-34
Date May 1934	Indexed A. C. Johnson

F.B. 526 Pg. 195



Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. [illegible] Pg. 104

Notes Ck'd by Blackmer
Map No. B-940
Office Work HN Bradstreet
Checked Blackmer
Date June 1934

Survey of "A" Street
W. O. 7198 Tape No. 50 St'd 84 °F.
Surveyed by A. N. Hellstrom
Notes A.N.H. Date 6-19-34
Indexed A. C. Johnson

F.B. 526 Pg. 197

Hellstrom
Bender
Johnson
Porter
Holmes

Cont. on Next Pg. 198

Tieing in of Fence Line and Irrigating Line to E. 24th Street.

8+32
7+83
7+68
7+33
6+83
6+39
6+06
5+83
5+33
4+82
4+32
3+82
3+32
3+00
2+96
2+82
2+32
1+82
1+32

80°
40°
40°
Proposed R/W
Proposed R/W
Pipes on 12" Line
Row of 18" Std. Pipes
N 61°-02' E
"A" Street

5 Strand Barb Wire Fence

0+82
24'
12°
Fnc.
20°
0+31½
Culvert
20" Corr. Iron Pipe
17°
23°
0+24½

(Old) 11th St. Ave

0+00 Point Start
Fd. 2x2-3" Dp.
pr. F.B. 526-175

5 Strand Barb Wire Fence

See Pg. 173 for Fnc. Lines

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by Blackmer	Survey of 4th Street	F.B. 526	Pg. 199
Map No. B-940	W. O. 7198 Tape No. 50 St'd 25 °F.		
Office Work H.N. Bradstreet	Surveyed by H.N. Hellstrom		
Checked Blackmer	Notes H.N.H. Date 6-19-34		
Date June 1934	Indexed A. C. Johnson 6-21-34		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31



RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 526 Pg. 200

Notes Ck'd by TVCox	Survey of Ganesha Blvd
Map No. B-940	W. O. [illegible] Tape No [illegible] St'd [illegible] of.
Office Work Cox	Surveyed by Hellstrom
Checked [illegible]	Notes [illegible] Date [illegible]
Date [illegible]	Indexed A. C. Johnson 5-27-35

F.B. 526 Pg. 201

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

See F.B. 526-181

Old & pr. F.B. 526-181 = Void

Line Change P.I. No 3

① 129°-28'-15"
② 157°-33'-30"
128°-28'-20"

① 151.61 @ 14-08 T = 147.02
② 151.74 @ 14-20 T " 147.02
147.02 Avg
+ 25.88
from P.O.S.T. 1-A to P.I. 1 (New) 172.90

Sta.	Defl.	Chd.
B.C. 37+46.22	0-0-0	0.00
+50	0-13-30	3.78
38+00	3-54-53	49.98
+50	5-36-46	"
39+00	7-48-40	"
+50	11-40-33	"
40+00	14-32-26	"
+50	17-24-19	"
41+00	20-16-12	"
+50	23-08-05	"
E.C. 41+87.90	25-18-22½	37.89

591.90

346.37
P.O.S.T. 1-A
to P.O.S.T. 2A (New)
Set 2X2
120.34
N 73°-00' Mag.

P.I. 1 (Old) Fd. ½ I.P. pl. stk pr. F.B. 526-181
25.67
25.88

① 128-48-30
② 155-14-30
128°-48'-35"

New P.I. 1 Set 2X2
128°-48'-35"
Set 1X1
0.82
Fd. 2X2 pr. F.B. 526-181

Δ	50°-36'-45"	51°-11'-25"
R	530	500
T	250.42	239.51
L	467.68	446.72

20.00

For New Profile See L.B. 729-382

Sta.	Defl.	Chd.
B.C. 37+43.13	0-00-00	
+50	0-23-39	6.87
38+00	3-15-31	49.98
+50	6-07-23	"
39+00	8-59-16	"
+50	11-51-09	"
40+00	14-43-02	"
+50	17-34-55	"
41+00	20-26-48	"
+50	23-18-41	"
+ 89.85	25-35-42½	39.55

975.61 Calc. F.B. 526-181

① 150.14 @ 13-28 T = 146.01
② 150.42 @ 13-34 T = 146.02
146.01 Avg
- 25.67
from P.I. 1 (New) to P.O.S.T. 1-A = 120.34

20' Offset Lines

R/W B.C. 1
Set ¾" I.P. pl. & tack down 10"
43.13

B.C. 37+46.22
Set 1X2

40.00 — 40.00

Set ¾" I.P. pl. stake 15' ↓ R/W B.C. 1

20.00

1½" I.P. pl. stk at A.P. in fence pr. F.B. 526-181

See F.B. 526-177-180-181

F.B. 526 PG. 202


Cont. of pg.
Cont. from pg.
R/W E.C. 2
Set 3/4" I.P. pl. & Tck 6" above ground in mound of rock.
R/W E.C. 2
Set 3/4" I.P. pl. stick 6" down
R/W B.C. 2
Set 3/4" I.P. pl. stick
R/W E.C. 1
Set 3/4" I.P. pl. stick 10" down
R/W B.C. 1
Set 3/4" I.P. pl. stick
P.O.S.T. 2B (New)
Set 2 x 2
P.O.S.T. 2A (New)
Set 2 x 2
P.O.S.T. 2 (New)
Set 2 x 2
New P.I. 2
Nothing to Set
Fd 2 x 2 old Mon. Cor
E.C. 47+33.64
Set 1 x 2
E.C. 41+89.88
Set 1 x 2
To P.O.S.T. 2B
To P.O.S.T. 2A
Curve Table
Delta
Radius
Tangent
Length
Chord
Bearing
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Notes Ck'd by DW	Survey of Ganesha Blvd.
Map No. B-940	W O. 7176 Tape No — St'd — OF.
Office Work Cox	Surveyed by Hellstrom
Checked Drew	Notes A.N.H. Date 5-25-35
Date May 27	Indexed A. C. Johnson

F.B. 526 Pg 203

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34



RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note; ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 5226 PG. 204

Notes Ck'd by		Survey of	
Map No.		W. O.	Tape No	St'd	OF.
Office Work		Surveyed by	A. N. HELLSTROM
Checked		Notes	Date
Date		Indexed	A. C. Johnson

F.B. Pg. 205

JAN 7 1936

ARTERY from Curve 11 on GANESHA BLVD to S.W. COR. OF FAIR GROUNDS.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 5M 2-34

B.C. 0+00 — 0°-0'-00"
+25 — 2°-51'-53" — 24.99
+50 — 5°-43'-46"
+75 — 8°-35'-39"
1+00 — 11°-27'-32"
+25 — 14°-19'-26"
+50 — 17°-11'-20"
+75 — 20°-03'-13"
2+00 — 22°-55'-06"
+25 — 25°-46'-59"
+50 — 28°-38'-52"
+75 — 31°-30'-45"
3+00 — 34°-22'-38"
+25 — 37°-14'-31"
+50 — 40°-06'-24"
+75 — 42°-58'-17"
4+00 — 45°-50'-21"
+25 — 48°-42'-10"
P.C. 4+58.62 — 57°-33'-15" — 39.60

Curve 11 Following Pg 206

R/W Set 3/4 I.P. plastic plug 12"

Ch. 40 to 4+432.18 To P.I. Sta.

40 40

326.45 ✓

N 36° W 464'

New Curve See Page 210.

Void

15A

Δ 105°-46'-30"
R 250
T 326.45 P.I. 11
L 458.62 Fd 2X2 1.54 pr F.B. 526-191

P.C. 4+58.62

303.76

71.96 ✓

POST "A" Set 2X2 flush

GANESHA BLVD

To 80.58 P.I. 8+26.56 ✓

POST "11A" P. 75526-191 10+85.62 ✓

B.C. 10+91.84 From W. 400 to N. Set 1/2 x 2

Set 3/4 I.P. plastic Dawn 12" R/W

87.77 @ 0°-07'-04" = 87.76 ✓
215.98 @ 0°-07'-58" = 215.96 ✓
Avg. = 303.72 ✓

408 408

163.72

732.76

P.C. 10+56.25 ✓
R 400 ✓
T 58.38 ✓
L 115.94 ✓

P.C. 10+56.25 ✓
pr. F.B. 526-191 ✓

P.O.T. "10B" 2X2 pr. F.B. 526-191 98+82.38

P.O.T. "10A" Fd. 2X2 flush pr. F.B. 526-191 ✓ 97+19.22 ✓

163.16

To 1850 P.I. 11+10.16 ✓ 58° 44' 30" 1900

291.68 @ 4-52-7 = 296.58 ✓
297.59 @ 4-30-7 = 296.60 ✓
29.86 @ 0-0-7 = 29.86 ✓
Avg. = 326.45 ✓

POINT

F.B. 526 Pg. 206

Cont. on following pg. 207

158.53 ✓

245.03 ✓

200.27 ✓

This Line Void See P. 9-212

See F.B. 469-103

54°-02'-00" ✓
216°-07'-00" ✓
54°-01'-45" Avg.

10+90.80

67°-32'-00" ✓
292°-09'-30" ✓
67°-32'-25" Avg.

P.I. Sta. 10+79.71

Fd. 2x2 Replaced with 3/4" dia. rod 14 deep See F.B. 488-46

Set 2x2 Sc. Nail

Fd. 2x2 Sc. Nail

Fd. 2x2 Sc. Nail

Set

Notes Ck'd by	Survey of
Map No. B-940	W. O.	Tape No	St'd	OF.
Office Work F. A. W.	Surveyed by A. N. HELLSTROM
Checked	Notes	Date
Date	Indexed A. C. Johnson

F.B. 526 Pg. 207

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

Cont. on following pg. ~~526~~

Curve "B"

P.C. 13+20.55 — 0 - 0 - 0
+50 — 1 - 25 - 22 — 22.45
14+00 — 3 - 42 - 30 — 49.99
+50 — 5 - 10 - 51
15+00 — 8 - 34 - 00
+50 — 10 - 57 - 19
16+00 — 13 - 20 - 38
+50 — 15 - 43 - 48
E.C. 17+42.47 — 18 - 48 - 45 — 222.47

R/W Set 2" I.P. w/ Stick 12' Long

40.23

310.23

40°

E.C. 16+42.7

Set 1" I.P.

Pl. #B
See Pg. 212

FINAL LINE
See Pg. 212

R/W Set "B" 2" I.P. Flush

146.32-30

Δ = 33°-32'-30"
R = 560
T = 167.30
L = 322.12

210.84 @ 1°-32'
210.72 @ 1°-32'

210.78
210.74

13+20.55
Cont. on

R/W Set 2" I.P. (Plaster down 12")

40°

40°

12+91.37
Set 1" I.P.

Cont. from prev. pg. 206

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


MILLER
C.S. Map 55-C
Set 2x12 - 12" d/p on 6-5-56
Set L.S.T.P. Set 6" I.P. w/ punch
Set 2x12

Notes Ck'd by	Drew	Survey of	GANESHA BLVD
Map No.	B-940	W. O.	7198
Office Work	F. A. W.	Tape No.	60
Checked	Drew	Surveyed by	A. N. HELLSTROM
Date	2-25-36	Notes	A.N.H.
		Indexed	A. C. Johnson. 2-3-36

F.B. 526 Pg 209

NEW ℄ of PROPOSED
ARTERY
from
CURVE "11" on
GANESHA BLVD.
to
S.W. COR. of COUNTY FAIR GROUNDS
New ℄ [illegible], 1936
LB 729 - 169 - 179

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

F.B. 526 Pg. 210


RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.
POMONA
108' OFFSET LINE
P.O.S.T. "1-A" Set 1X2
483.21
To P.I. "A-3"
240.31
N41°W
83.17
(New P.I. "A" Set 2X2
P.I. "A" 2X2 pr FB 526 pg. 205
D = 116°-32'-30"
R = 200
T = 323.48
L = 406.83
2
P.O.S.T. "11A" 196+85.66
P.I. "11" 2X2-13"d/f pr FB 526-205
Δ = 16°-36'-25"
R = 400
T = 58.35
L = 115.94
10' = OFFSET LINE
S 27° E
P.C. 195+56.16 pr FB 526-205
To P.I. "B" 88+28.86
See F.B. 526-205

Notes Ck'd by	DRW	Survey of	GANESHA BLVD
Map No.	B-940	W. O.	7178
Office Work	F. A. W.	Tape No.	60
Checked	DRW	Surveyed by	A. N. HELLSTROM
Date	2-25-36	Notes	A.N.H.
		Indexed	

F.B. 526 Pg. 211

Cont. on pg. 212

33°-22'-53" Rt.

T. Sta. W.S.T. Int. in prod. line

66.61

11+55.79 Final Sta.
10+30.90
Set 1x2 for Int. on Tang. Prod.
See Next pg.

From A.C. To P.C.
44.55 @ 0-0 T84 = 44.55

44.55

P.C.

11+11.26
9+86.35
Set 1x2
Final Sta.

38.84

96°-50'-00"

R.P.P.I. "A-B"
Set 2x2-12" dp.

72.80

P.I. "A-B"
Set 2x2

Δ = 22°-21'-55"
R = 500
T = 98.84
L = 195.18
E =

157°-38'-10"

62.52

R.P.P.I. "A-B"
Set 2x2-12" dp.

Sta. 9+16.08 Final Sta.
9+91.19
Set 1x2

B.C.

R.P. Ints.

283.24 @ 3-03 T 70 = 282.81
283.21 @ 2-55 T " = 282.81
200.47 @ 2-57 T 80 = 200.39
200.74 @ 3-19 T " = 200.37
Avg. 483.20

62.52 @ 0-0 T78 = 62.52

Tests

45.26 @ 5-16 T 66 = 45.06
45.30 @ 5-48 T " = 45.06
198.90 @ 10-54 T " = 195.27
198.76 @ 10-43 T " = 195.25
Avg. = 240.32

72.80 @ 0-0 T78 = 72.80

N 22°-38'-10" W 483.20

To P.C. 44+05.83

Cont. from pg. 210

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

F.B. 526 Pg. 212


Cont. on F.B. 526-208
SEE F.B. 526-208
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.
Set 2x2 For New P.I. "B"
R.P.P.I. "New B" Set 2x2 -12"dp.
Set 2x2 -12"dp.
P.T. "B" 2x2
See F.B. 469-103
See F.B. 526-206
See F.B. 526-209
Set Spk. M.S.T.
Set 2x2 for Intr.
Sec 19-215 For Curve
Cont. from pg. 211
Cont. on pg. 213

Notes Ck'd by T V Ew	Survey of
Map No. B-940	W. O. ____ Tape No. ____ St'd ____ °F.
Office Work F. A. W.	Surveyed by A. N. HELLSTROM
Checked T V Ew	Notes ____ Date ____
Date 2-25-36	Indexed A. C. Johnson 2-5-36

F.B. 526 Pg. 213

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

F.B. 526 PG 214

164.81 + 0-0 T 60 = 164.78

① 93°-34'-30"
② 14°-18'-00"
93°-34'-30"

③ 90-00-00
④ 360 00 00
90°-00'-00"

Set

5' OFFSET NORTH

136.22

164.78

90°-00'-00"

10' OFFSET

4.96

Calc 135.91

175.09

See FB - 467-99

93°00'

R-50'

C.S. Mon. L.A. Co. FB 'CC C pg 58 Hwy

C.S. Mon. L.A. Co. FB '32 B pg 58 Hwy 429-95

R-50'

3°

93-34

136.25 @ 0-0 136.22

TIE-IN of Constructed Road to E. WALNUT AVE & L.A. Co. Engr. Cent. at South Bdy Line 200'± W. of City Boundary

D 299.30 + C-93 T 60 = 299.23
D 299.23 + 1-22 = 300.45
3°-20 T 5
170.03 + 2

-.03
466.81 ok

466.84

457.21

D = 85°-20-50
R = 50
T = 46.10
L = 74.48
Set 2x2 6" dp.

D = 94-39-10
R = 50
T = 54.23
L = 82.60
Set 2x2 8" dp

50' 30' 30' 50'

P.I. Fd. 3/4" I.P. Ld. = 526.206 & F.B. 483-46

173.04 Calc.

73.76

Set N&T

Set N&T

Fd. Mon. Spike & Tag

202.93

82.21

203.98 @ 0-0 T 60 = 203.92

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes Ck'd by D.C.J.	Survey of Ganesha Blvd
Map No. B-940	W. O. 2198 Tape No. 66' St'd 82° F.
Office Work F. A. W.	Surveyed by A. N. HELLSTROM
Checked Orew	Notes A.N.H. Date 2-4-36
Date 2-15-36	Indexed A. C. Johnson

F.B. 526 Pg. 216

See F.B. 526-212

See F.B. 526-206
F.B. 482 / 495

E WALNUT AVE

See F.B. 526-212

Fd. 3/4" I.P. pr F.B. 526-212

S10+97.51
Inters.
See F.B.

33°-22'-45"

@ 33°-22'-45"
@ 138°-31'-00"
33°-22'-45"

E.C. 0+84.47 going N
Set 1x2

S10+30.90
See F.B. 212

A = 33°-22'-45"
R = 145
T = 43.47
L = 84.47
E = 6.38

B.C. 9+87.74 going N
0+00 going W
Set 1x2

E.C. 9+86.35 going N.
1x2

Curve to West
Connecting E Walnut
and Ganesha Blvd

See F.B. 526-211

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


CURVES on N. side of INTERSECTION OF GANESHA BLVD & WALNUT
F.B. 526 Pg. 216
Set 1x2
Set 2x2 12"
Set 2x2-12"
25'
14+21.12 E.C.
65.00
D: 146°39'10"
R: 75.00
T: 150.09
L: 115.15
R: 45'
R: 59'
R: 12'
56°
GANESHA
120.65
198.72
13+00.47 E.C.
140.00
D: 64°-57'-05"
R: 100
T: 63.65
L: 113.36
R: 100'
R: 12'
edg. pvmt
WALNUT
80'
70.00
Prop. 2½ Sprinkler
10+99.51
12+22.40
Prop. 3½ Gas
Prop. 2½ Sprinkler
Prop. 3½ Gas
Prop. 2½
Prop. 2½
Prop. 2½

FORM 247 5M 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by _____

Map No. _____ Tape No _____ St'd _____ Of.

Office Work _____

Checked _____

Date _____

Survey of _____

W. O. _____

Surveyed by _____ Date _____

Notes _____

Indexed _____ Date DEC 30 1935

F.B. _____ Pg. 217



F.B. 526 PG. 218



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. Std.
Surveyed by Date
Notes
Indexed

F. B. Pg.

Poles 219 - 224 are Utility

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. _____ PG. _____

Date 11-20-35 Notes by A.W.H. Chief Party F.B. 526 Pg 255

Platted by L. K. FREEMAN	W. O. No. 2198 D. S. O. No.
Date 2 1935	Location Ganesha Blvd
Map No. 16-HS-1	Surveyed by Hellstrom
Platting C'k'd by	Date 11-20-35
Date	Indexed ~~C. Johnson~~ 11-22-35

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



F.B. 526 Pg. 256 Chief Party Notes by A.N.M. Date 12-16-35



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod K. FREEMAN Platted K. FREEMAN Job No. 7198 Division No.
Date NOV 28 1934 Date DEC 2 1935 Survey of Grassloe Blvd
Notes Checked Checked Surveyed by N. HELLSTROM Notes A.W.H. Date 11-21-35
Plotted A. C. Johnson F.B. 526 Pg 27

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
Int. E Walnut & Ivy Sts	P'12D							1017.1	5.3		1022.4		See L.B. 729 - 115		
		6.06													
		3	307'	5 0	—	304'	+ 5.31	1046.5		+ 24.4		+ 29.4	P'12D Inst. Horiz.		
		5.06													
		2	307'	3 0	—	304'	+ 5.10	1046.5		+ 24.5		+ 27.5	P'12D " Inv.		
		6.00													
		3	301'	4 0	—	299'	+ 5.05	1044.9		+ 22.5		+ 26.5	F.G. "1 Inst. Horiz.		
		6.50													
		3.50	301'	5 0	—	298'	+ 5.16	1044.9		+ 22.5		+ 27.5	F.G. "1 " Inv.		
				0 5	—	204'	0.0	1021.9		0.5		0.0	W. Sp. & T		
W. Spk. & T.	Int. E Walnut & Ivy Sts							1021.9	5.3		1027.2				
		7.42													
		1	43'	7 0	329.00	43'	—	20.2					edg. rd		
		6.32													
		6	33'	5 9	220.35	33'	—	21.3					" "		
		11.97													
		12	98'	11 0	293.05	98'	3.18	107.1					" "		
		10.99													
		9	101'	10 0	260.25	101'	3.16	111.7					" "		
		10.44													
		9	145'	10 0	286.20	144'	4.40	056.6					beg. ct.		
		6.47													
		5	148'	6 0	263.15	147'	4.41	092.2					tp "		
		2.03													
		2	104'	5 9	190.45	104'	—	21.3					bot. ct.		
		2.05													
		1	106'	1 5	193.30	106'	—	25.7					tp "		
		2.56													
		1	157'	2 0	224.25		+ 1.23	29.1					S.H.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
W. Spk	E Int. Walnut & Cty Bdy			—				—	5.53		1027.2				
E.T.		11.47													
		10	148	11°	265.00	147	3.59	1006.1					bot. ct		
		11.24													
		9	225	10°	282.10	223	5.00	997.8					" "		
		"			"		"								
			225	8.2		223		999.1					tp "		
		11.21													
		9	222	10°	268.10	220	5.05	997.7					bot "		
		11.21													
		9	222	10°	267.30	221	4.23	1000.3					tp "		
		5.07													
		3	208	3.8	237.40	208	—	1023.4					S.H.		
		10.85													
		8	286	9°	280.45	283	5.33	990.8					bot. ct.		
		10.86													
		8	287	9°	269.50	284	5.36	990.4					" "		
		10.86													
		8	287	9°	269.25	285	5.13	992.2					tp "		
		11.04													
		8	305	9°	249.45	305	2.03	1007.3					S.H. sm. sdl.		
		9.50													
		6	351	8°	279.45	347	5.44	984.5					edg. rd. end cut		
		9.50													
		6	351	8°	271.10	348	5.39	985.0					bot. ct		
		5.51													
		2	352	4°	270.40	349	5.44	988.8					tp. "		
		11.63													
		8	364	10°	256.15	364	0.56	1011.3					S.H tp knoll		
		10.52													
		6	454	8°	279.20	450	5.25	976.5					edg. rd. & fnc. cor.		
		9.45													
		5	446	7°	271.40	442	5.32	977.5					" "		
		11.13													
		7	414	9°	263.05	413	3.20	994.4					S.H		
		11.65													
		9	466	9°	—	462	5.11	976.2		51°		42°	1X1 end ℄		
		5.66													
		1	467	3°	—	462	5.55	976.3		50.9		47.9	" " "		
		9.45													
		6	346	8°	265.10	345	3.29	998.4					S.H.		

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draw.V.D's Break in Slope..B.L.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff.....B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Side of Canyon S.Ch. Top of Bank...T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Saddle.....Sd. Swale.....Sw. Flat.....Fl. Stream.....Str. Trail.....Tr. Pavement.....Pvt. Edge of Road E.Rd.

Travelled Tr. Rd. Fence.....Fn. Int. Fences..V.Fs. Ditch.....Dt. Telephone Pole T.P. Power Pole...P.P. Culvert.....Cul.

Oak.....O. Pine-Pi. Sycamore.....Sy. Eucalyptus.....Eu. Plus combinations of these and all common standard abbreviations.

Fir-Fr. Cedar-Ce.

PB 526 Pg 49

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. K. FREEMAN Plotted K. FREEMAN Job No. 7198 Division No. F.B. 524 Pg. 19
Date NOV 28 1935 Date DEC 2 1935 Survey of Genesee Blvd.
Notes Chkd. Checked Survey by HELLSTROM Notes A.N.H. Date 11-21-35
Plotted Plot No. Inspected A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
Wr. Spk & T.	Ant & Walnut Poly Bdy.				° '		° '		1 5 3		1027.7				
		10.82							2						
		8 10.96	283	9°	263.30	281	4.22	996.9	3				swale		
		7 10.83	397	9°	274.45	393	5.23	981.1	4				℄ rd.		
		8 11.44	284	9°	274.45	281	5.24	991.3	5				" "		
		10 11.73	145	11°	274.45	144	4.06	1006.0	6				" "		
		11 11.95	74	11°	274.45	74	1.31	1014.2	7				" "		
		10 8.92	196	11°	256.55	196	1.36	1010.9	8				S.H.		
		8 6.12	93	8°	230.55	93	—	1019.1	9				"		
		6 3.75	13	5°	271.50	13	—	1021.5	10				℄ rd. & edg. pvmt		
		2 5.75	176	3°	185.15	176	+ 2.15	1031.1	11				tp. cut		
		5 5.75	76	5°	189.30	76	—	1021.9	12				edg. pvmt		
		5 6.34	76	5°	171.20	76	—	1022.2	13				" "		
		5 6.34	135	5°	184.15	135	—	1021.6	14				" "		
		5 6.17	135	5°	174.30	135	—	1021.5	15				" "		
		6 5.78	18	6°	91.30	18	—	1021.1	16				bot. cut		
		5 3.32	79	5°	162.00	79	—	1022.1	17				"		
		1 6.34	233	2°	179.15	233	—	1025.1	18				tp "		
		5 10.50	135	5°	173.45	135	—	1021.3	19				bot ct.		
		8 2.92	251	9°	176.50	251	—	1017.3	20				" "		
		6 8.04	198	7°	172.40	198	—	1019.8	21				edg. pvmt.		
		6	207	7°	178.30	207	—	1019.7					edg. pvmt.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. T.Rd. Fence ....Fe. Int. Fences..V.Fns. Ditch ....Dt. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Saddle ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..T.B. Bottom of Bank..B.B. Top of Cut ....T.C. Bottom of Cut..B.C. Top of Fill ....T.F. Bottom of Fill..B.F.

Inters. of Draws..V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff....T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend:
Side Hill.....S.H.
Side of Draw..S.D.
Side of Ridge..S.R.
Head of Draw H.D.
Bottom Draw..B.D.
Bottom Wash..B.W.
Top of Ridge..T.R.
Toe of Slope..T.S.

F.B. 526 Pg. 160

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
W. 50	Int. Walnut & Cty. Bdy.				° '		° '		1						
27.				—				—	5 3	—	1027 2	—			
					° '		° '		2						
		198	7 2	171 30		198	—	10195		—		—	bot. ct.		
		10.60					° '		3						
		261	9 8	174 30		261	—	174		—		—	edg. pvmt		
		8					° '		4						
		7.90													
		191	6 8	181 50		191	—	204		—		—	bot ct.		
		6					° '		5						
		6.44													
		145	6 0	186 15		145	—	212		—		—	" "		
		5					° '		6						
		5.24													
		75	5 2	196 30		75	—	215		—		—	" " cont. ct.		
		5					° '		7						
		11.18													
		219	10 0	168 25		218	+ 3.00	287		—		—	fp. ct.		
		9							8						
		3.61													
		162	3 0	170 05		162	+ 3.03	328		—		—	" "		
		2							9						
		3.88													
		89	3 9	164 40		89	+ 2.34	282		—		—	" "		
		3							10						
		2.36													
		37	2 0	135 35		37	+ 2.40	271		—		—	" "		
		2							11						
		6.31													
		37	6 4	28 55		37	—	208		—		—	bot "		
		6					° '		12						
		2.39													
		40	2 0	34 30		40	+ 3.00	273		—		—	fp "		
		2							13						
		3.76													
		177	2 0	147 00		176	+ 4.08	381		—		—	flat S.H.		
		1							14						
		2.92													
		93	2 0	105 25		92	+ 5.37	342		—		—	" "		
		2							15						
		2.96													
		97	2 0	69 35			+ 5.53	345		—		—	" "		
		2							16						
		6.24													
		225	5 0	88 45		223	+ 5.50	1044 9		+ 177		+ 22 7	F.G. #1 Norm		
		4							17						
		8.26													
		227	7 0	—		224	+ 6.20	1045 1		+ 179		+ 24 9	" " Inv.		
		C							18						
				—	° '		° '	—	19						
F.G. 1	Int. Walnut & Cty. Bdy.							1045 0	5 3	—	1050 3	—			
					° '		° '		20						
		9.72													
		73	9 5	344 30		73	—	40 8		—		—	flat S.H.		
		9					° '		21						
		11.69													
		170	11 0	244 55		170	1 28	350		—		—	" "		

Add'n'l Inform.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. K. FREEMAN Plotted K. FREEMAN Job No. 2198 Division No. F.B. 3226 Pg. 21
Date NOV 23 1935 Date DEC 2 1935 Survey of Ganesha Blvd
Notes Checked Surveyed by N. HELLSTROM Notes Date 11-21-35
Plotted Checked A. C. Johnson Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ —	Vertical Angle	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ —	Vertical Distance	REMARKS Station	Left	Right
F.G.1	Int. & Walnut City Bdy.			—	° '		—	° '		1 5 3		10.50 3					
		4.44								2							
		4	45.	3 6	65 . 05	45		° '	10.46 7	3					flat S.H.		
		C. 31													" "		
		C	32.	6 2	331 . 10	32		° '	44 1	4							
		11.16															
		9	217.	10 °	223 . 40	216		3 . 58	25 3	5					S.H.		
		2.60															
		7	61.	7 6	272 . 35	61		° '	42 7	6					"		
		11.11															
		8	312.	10 °	206 . 15	310		4 . 44	146	7					N.S.d. dr. C'N 2' Dp.		
		10.82															
		10	83.	10 5	205 . 10	83		° '	39 8	8					S.H.		
		10.84															
		2	385.	9 °	198 . 45	382		4 . 43	09 9	9					flat		
		7.66															
		2	67.	2 2	167 . 50	67		° '	43 1	10					S.H.		
		8.79															
		8	80.	8 4	109 . 15	80		° '	41 9	11					"		
		11.10															
		10	111.	11 °	158 . 15	111		2 . 29	34 7	12					"		
		10.56															
		C	457.	8 °	194 . 45	455		3 . 37	13 6	13					flat		
		10.79															
		9	180.	10 °	154 . 50	179		4 . 32	26 1	14					bot. dr.		
		10.42															
		9	143.	10 °	121 . 45	143		3 . 00	32 9	15					T.S.		
		11.36															
		C	537.	9 °	190 . 40	536		2 . 21	20 1	16					S.H.		
		11.09															
		9	210.	10 °	172 . 35	208		5 . 05	21 8	17					bot. dr.		
		10.02															
		8	208.	9 °	123 . 50	208		2 . 19	33 0	18					" "		
		11.10															
		5	61.1	8 °	186 . 35	610		1 . 43	24 2	19					S.H.		
		9.64															
		8	165.	9 °	187 . 00	164		4 . 47	27 7	20					"		
		10.74															
		8	275.	9 °	126 . 05	275		1 . 08	36 0	21					T.S.		
		11.44															
		10	145.	11 °	210 . 05	145		3 . 12	31 2						S.H.		

Adj'd Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 524 Pg. 262

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw.B.D. | Bottom Wash B.W. | Side of Draw.S.D. | Top of Ridge.T.R. | Side of Ridge.S.R. | Toe of Slope..T.S. | Head of Draw H.D.

Inters. of Draws, V.D's: Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon S.Cn. | Top of Bank....T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr.Rd. | Fence .....Fn. | Int. Fences..V.Fns. | Ditch .....Di. | Telephone Pole T.P. | Power Pole...P.P. | Culvert .....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore .....Sy. | Eucalyptus .....Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
F.G.1	Intersection Irvine City Rds								5 3		10.50				
		11.70													
		6	571	9 0	180 . 15	571	0 . 40	1034 8					S.H.		
		10.54													
		9	155	10 0	236 . 30	155	2 . 21	34 1					"		
		4.22													
		1	323	2 0	127 . 40	323	+ 0 . 27	50 9					"		
		11.02													
		6	503	8 0	180 . 55	503	0 . 55	34 2					"		
		10.95													
		8	296	9 0	168 . 45	295	3 . 07	25 3					T.S.		
		4.10													
		1	311	1 7	137 . 40	311	—	48 6					S.H.		
		11.18													
		7	419	9 0	182 . 05	419	1 . 39	29 6					"		
		11.63													
		9	264	10 0	154 . 35	263	2 . 31	28 8					T.S.		
		4.25													
		1	326	3 3	148 . 10	326	—	47 0					S.H.		
		10.54													
		7	355	9 0	185 . 30	354	3 . 33	19 5					T.S.		
		10.55													
		7	356	8 5	159 . 15	356	—	41 8					S.H.		
		10.62													
		8	263	9 0	136 . 20	263	1 . 37	34 0					T.S.		
		9.74													
		7	275	8 0	198 . 15	273	5 . 09	17 8					S.H.		
		9.54													
		6	395	8 4	169 . 30	395	—	41 9					"		
		11.00													
		9	201	10 0	135 . 30	200	2 . 53	30 3					bot swl.		
		11.36													
		10	137	11 0	136 . 55	136	3 . 26	31 1					T.S.		
		8.54													
		3	5551	6 0	—	550	+ 5 . 19	1095 6		+ 45 3		+ 51 3	F.G. #2 Norm		
		12.00													
		6.45	556	9 0		551	+ 5 . 36	1095 2		+ 44 9		+ 53 9	" " Inv		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red: K. FREEMAN Plotted L. K. FREEMAN Job No. 7198 Division No. F.B. 526 Pg. 161
Date NOV 23 1935 Date DEC 2 1935 Survey of Gaviota Blvd
Notes Blue Surveyed by N. HELLSTROM Notes G.H.H. Date 11-22-35
Checked Inspected A. C. JOHNSON

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ —	Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
F.G.'2	F.G.'1			—	° '		—	° '	1095.4	1 .51		110.05				
		11.39								2						
		10	140.	11 1/2	304.15	136		9.22	1067.0	3				S.H		
		9.82														
		9	83.	9 1/2	8.15	81		9.17	782	4				"		
		11.09														
		9.	210.	10 1/2	45.50	210		1.11	861	5				"		
		11.18														
		10	119.	11 1/2	273.10	117		6.31	761	6				"		
		7.41														
		7	42.	7 1/2	271.20	41		6.15	888	7				"		
		10.42														
		9.	143.	9 8/10	48.40	143		—	907	8				"		
		6.85														
		6	86.	6 5/10	56.45	86		—	940	9				"		
		11.16														
		10	117.	11 1/2	246.35	115		8.17	729	10				"		
		11.54														
		11.	55.	11 1/2	239.55	55		3.04	865	11				"		
		4.24														
		4	25.	4 2/10	101.25	25		—	963	12				T.R		
		10.39														
		9	140.	10 1/2	224.00	136		10.10	662	13				in SW		
		5.97														
		5	98.	5 1/2	203.20	95		10.35	778	14				SW		
		2.67														
		2	68.	2 1/2	88.30	68	+	0.57	998	15				T.R.		
		10.17														
		8.	218.	9 1/2	245.25	209		11.51	475	16				SW		
		11.66														
		10	167.	11 1/2	206.15	166		4.38	761	17				S.H.		
		5.75														
		5	76.	5 2/10	140.15	76		—	953	18				~~T.R.~~ S.K.		
		10.48														
		8	249.	9 1/2	249.35	238		12.03	407	19				6ol dr.		
		11.28														
		9.	229.	10 1/2	210.10	228		3.16	775	20				S.H.		
		9.04														
		8	105.	8 2/10	163.35	105		—	918	21				"		
		11.02														
		8	303.	10 1/2	259.30	294		10.00	388					"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fe. Int. Fence. V.Fe. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill B.F.

Inters. of Draw. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw. S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw. B.D.
Bottom Wash B.W.
Top of Ridge. T.R.
Toe of Slope. T.S.

B.B. 524 PG. 264

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right ° '	Horiz. Distance	+ Vertical Angle — ° '	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
F.G.2	F.G.1								5.1		110.05				
		11.10													
		8	311.	10 0	212.15	310	2.26,	1077.3							
		11.67						89.8					S.W.		
		10	168.	10 2	191.25	168	— '								
		11.94						52.9					S.H.		
		9	295.	11 0	243.35	290	7.12,								
		10.27						87.0					"		
		7	378.	9 0	215.55	378	0.42,								
		4.88						97.0					"		
		3	189.	3 5	180.05	189	— '								
		11.15						66.1					T.R.		
		8	316.	9 1	230.20	314	4.39,								
		6.34						97.5					S.H.		
		2	435.	3 0	215.15	435	— '								
		3.66						99.9					"		
		1	267.	2 0	187.25	267	+ 0.20,								
		10.89						1079.8					T.R.		
		7	390.	9 0	229.25	390	1.43,								
		7.40						1110.2					S.H.		
		3	441.	5 0	201.55	440	+ 1.56,								
		3.48						1099.0					T.R.		
		1	249.	1 5	193.20	249	— '								
		11.81						63.9					S.H.		
		9	282.	10 0	222.25	279	5.26,								
		10.31						88.7					"		
		8	232.	9 0	202.10	232	0.42,								
		10.52						50.5					"		
		8	253.	9 0	234.45	246	9.26,						dot dr.		
		11.28						88.9							
		2	329.	10 0	204.45	329	0.18,						S.H.		
		2.55						1100.0							
		4	356.	6 0	198.30	356	+ 0.54,						"		
		10.06						1060.7							
		8	207.	9 0	223.50	202	8.40,						swale		
		5.87						1103.8							
		2	388.	4 0	195.05	388	+ 1.05,						T.R.		
		10.00						1111.5							
		2	801.	6 0	— '	801	+ 1.13,						P.O.T. "10A" Norm		
		12.00						1111.6							
		4.00	801.	8 0	—	801	+ 1.22						P.O.T. "10A" Nov.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Recd. K. FREEMAN Plotted L. K. FREEMAN Job No. 2176 Division No. F.B. 5226 Pg. 66
Date DEC 11 1953 Date DEC 12 1953 Survey of Gardena Blvd
Maps Closed Checked Survey by Helicium Notes C. Yohnen Date 12-10-53

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
					° '			° '	1044 9	1						0.?		
									− 0 7	2		See pg. 205	This point was buried after			Elev had been shot on it		
										3								
	Int. Co Bdy				True Elev as it now is →					4								
F.G.1	& Walnut	5.15							1044 2	5 8			1050 0					
		1.	416'	3 0		413		5.14	1009 2	5		40 8			37 8	P. F.G. 3 Norm		
		11.14								6								
		7.	415'	9 0		413		4.25	1009 1	7		40 9			31 9	P. F.G. 3 Inv.		
										8								
F.G.3	F.G.1								1009 2	5 2			1014 4					
		2.63								9								
		1	164'	2 0	116.45	164	+	1.45	17 5	10						Flat S.H.		
		2.63								11								
		1	164'	3 1	144.00	164			11 3	12						" "		
		2.95								13								
		2	96'	2 0	97.35	96			12 4	14						" "		
		6.80								15								
		6	81'	6 2	144.00	81			07 7	16						" "		
		3.66								17								
		3	67'	3 0	66.30	67			11 4	18						" "		
		1.78								19								
		1	79'	1 4	358.20	79			13 0	20						S. edg. dr. 8 W. 2 dp.		
		5.61								21								
		5	62'	4 9	317.30	62			09 5	22						and draw		
		2.31								23								
		1	132'	2 0	332.25	132	+	1.06	14 8	24						S.H.		
		5.09								25								
		4	110'	4 5	311.45	110			09 9	26						" T.S.		
		2.94								27								
		1	195'	2 0	321.40	195	+	2.15	20 2	28						S.H.		
		2.83								29								
		1	184'	2 0	330.30	184	+	0.22	13 7	30						"		
		3.56								31								
	X	1	257'	2 0	313.30	256	+	2.53	25 3	32	+	10 9		+	12 9	"		
		9.64								33								
		8	165'	8 2	281.30	165			05 7	34						T.S.		
		5.42								35								
		2	313'	3 0	311.25	312	+	2.32	25 7							Tp Cut		

Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
FG'3	FG'1			—	. ,		—	—			1014 4				
		10.05													
		9	106	9 1	265 30	106	—	1005 3					Flat		
		8.74													
		8	75	8 7	222 25	75	—	057					"		
		10.14													
		9	115	9 2	174 25	115	—	052					"		
		10.66													
		8	267	9 5	—	267	—	1004 9		9 5		—	FG'3A		
		6.23													
		4	224	4 2	153 35	224	—	10 2					Flat		
		10.32													
		8	233	9 0	214 45	233	1.11	007					BD		
		10.95													
		8	296	9 8	164 20	296	—	046					Flat		
		10.16													
		7	317	8 4	210 50	317	—	060					SH		
		11.21													
		8	322	10 3	167 30	322	—	041					BD		
		4.93													
		2	294	3 4	194 20	294	—	110					SH		
		11.73													
		9	274	11 2	177 45	274	—	027					BD		
		11.18													
		9	219	10 0	194 25	219	0.42	018					"		
		11.23													
		9	224	11 6	179 30	224	—	028					Flat		
		11.94													
		10	195	12 3	195 10	195	—	021					"		
		11.42													
		10	143	11 4	210 15	143	—	030					"		
		11.55													
		10	156	11 9	231 05	156	—	025					"		
				—	. ,		—	—							
	F.G.														
FG'3A	'3							1004 8	5 3		1010 1				
		5.44													
		2	345	4 0	290 15	345	+ 2.02	18 3					edg. pvmnt		
		6.44													
		3	345	5 0	291 00	345	+ 2.00	171					bot cut		

Add'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D. | Bottom Wash B.W. | Top of Ridge. T.R. | Toe of Slope. T.S.
Side of Draw. S.D. | Bottom Wash B.W. | Top of Ridge. T.R. | Toe of Slope. T.S.
Side of Ridge. S.R. | Top of Ridge. T.R. | Toe of Slope. T.S.
Head of Draw H.D. | Toe of Slope. T.S.

Intern. of Draws. V.D's: Break in Slope. Bk.S. | Steep Slope. S.S. | Top of Cliff. T.Cl. | Bottom of Cliff. B.Cl. | Top of Spur. T.Sp. | Bottom Canyon. B.Cn.

Side of Canyon S.Cn.: Top of Bank. T.B. | Bottom of Bank. B.B. | Top of Cut. T.C. | Bottom of Cut. B.C. | Top of Fill. T.F. | Bottom of Fill. B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr.Rd. | Fence ..... Fn. | Int. Fences. V.Fns. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak-O. | Pine-Pi. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Fir-Fr. | Cedar-Ce.

F.B. 5-326 PG 2611

Form 301 16M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. L. K. F. Plotted L. K. FREEMAN Map No. 2118 Division No. F.B. 526 Pg. 62
Date DEC 11 1935 Date DEC 12 1935 Survey of Gaeseke Blvd
Notes Chkd. Checked Survey by Hollstrom Notes D.N.H. Date 12-10-35
Date Rod No. Instrument C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
F.G. "3A	F.G. "3				° ′		° ′		1		1010 1				
		6.61							2						
		4	262.	5°	291.45	262	+ 1.58	1014 2	3				edg. pvmt.		
		2.79													
		1	180.	0°	294.00	180	—	10 1	4				" "		
		2.25													
		1	126.	1°	297.30	126	—	08 2	5				" "	Tp Fill	
		4.56													
		4	57.	3°	310.50	57	—	06 3	6				" "	"	"
		7.61													
		5	262.	6°	292.50	262	+ 1.51	12 4	7				Btm Cut.		
		5.32													
		3	233.	4°	295.30	232	+ 2.54	17 9	8				Tp "		
		2.75													
		1	176.	2°	297.45	176	+ 0.38	10 1	9				End of "		
		2.79													
		1	180.	1°	295.45	180	—	09 0	10				Btm Cut		
		5.28													
		4	129.	4°	300.15	129	—	05 9	11				" Fill		
		7.63													
		7	64.	7°	319.20	64	—	02 7	12				" "		
		8.32													
		8	33.	7°	22.30	33	—	02 4	13				" "		
		5.22													
		5	23.	4°	22.30	23	—	05 6	14				edg. pvmt		
		5.44													
		5	45.	4°	82.15	45	—	05 5	15				" "		
		4.27													
		4	78.	4°	102.40	78	—	05 6	16				" "		
		5.26													
		5	27.	5°	25.30	27	—	04 9	17				Tp Fill		
		9.57													
		9	58.	9°	71.10	58	—	00 8	18				Bt "		
		5.49													
		5	50.	4°	77.50	50	—	10 05 3	19				Tp. "		
		12.00											3" Pipe		
		11.32	69.	12°	88.20	69	—	99 8 0	20				B.D. hd. of Culvert		
		10.66													
		10	67.	10°	86.10	67	—	100 0 0	21				Back of Btm Wall		
		7.61													
		7	62.	7°	82.15	62	—	10 02 8					E. end tp	"	"

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
F.G. "3A	F.G. "3				° '		° '		1		1010 1				
		8.81							2				loose masonry		
		8	82.	8 4	97.15	82		1001 7	3				W. end hdwall top		
		10.89													
		10	90.	10 1	98.35	90		00 0	4				Bk. F.11		
		4.83													
		4	84.	4 6	102.50	84		05 5	5				Tp "		
		6.74													
		6	75.	5 9	123.45	75		04 2	6				" "		
		5.42													
		4	143.	5 3	117.40	143		1004 8	7				" "		
		10.84													
		10	85.	10 2	77.35	85		999 2	8				B.D.		
		9.29													
		8	130.	9 1	88.20	130		1001 0	9				Flat		
		5.74													
		5	75.	5 7	121.09	75		04 4	10				edg. pvmnt.		
		5.39													
		4	140.	4 7	118.45	140		05 4	11				" "		
		6.17													
		5	118.	5 4	125.50	118		04 7	12				" "		
		5.14													
		3	215.	3 9	125.45	215		06 2	13				" "		
		2.82													
		1	183.	2 0	130.15	183	0.55	05 0	14				" "		
		7.07													
		4	308	5 0	129.20	308	+ 0.32	08 0	15				" "		
		7.77													
		6	178	6 5	102.00	178		03 6	16				S.H.		
		6.12													
		5	118	5 4	127.55	118		04 7	17				Tp. F.11		
		10.25													
		9	126	9 4	111.10	126		00 7	18				Bk "		
		2.81													
		1	182	2 0	131.10	182	0.57	05 0	19				Tp. "		
		4.11													
		1	312	2 5	128.10	312		07 6	20				Bk. Cut		
		6.03													
		4	204	6 0	122.55	204		04 1	21				Bk. Fill		
	1/2	4.25													
	2	3	251	4 5	133 30	251		05 6					Tp "		

Add'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence .....Fe. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Canyon S.Cn. Bank .....T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut.....B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Side of Draw.V.D's Top of Slope..Sk.S. Bottom of Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Inter. of Draw. In Slope Break Steep Slope

F.B. 526 Pg. 268

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes filed DEC 11 1935 Plotted L. K. FREEMAN Job No. 2198 Division No. F.B. 526 Pg. 44
Date DEC 12 1935 Survey of Glendale Blvd.
Notes Chkd. Checked Survey by Hellstrom Notes A.N.H. Date 12-10-35
Date Map No. Inspected A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
F.G. *3A	F.G. *3				° ′		° ′		1		1010.1				
		5.54							2						
		3	255.	3 1/2	132.30	255	—	10064	3				edg. pvmt.		
		5.24													
		3	225.	4 1/2	123.05	225		0566	4				end. of Cut		
		6.14													
		3	315.	5°	126.05	314	+ 2.34	1911	5				Tp. Cut		
		6.33													
		3	335.	5°	135.05	334	+ 0.24	0733	6				end Cut Bt. Fill		
		6.73													
		4	274.	5°	125.35	274	+ 1.23	1177	7				Tp. Cut		
		4.51													
		2	252.	3°	135.25	252	— 1.42	9993	8				Bt Fill		
		5.32													
		2	333.	4°	133.55	333	+ 0.22	10082	9				edg. pv. mkr.		
		5.71													
		3	272.	4°	126.30	272	—	10061	10				Bt Cut		
		6.94													
		5	195.	6°	135.00	195	— 1.47	9980	11				Bt. Fill		
		7.33													
		6	134.	7°	133.15	134	— 2.16	9766	12				" "		
		8.66													
		8	67.	8°	131.45	67	— 2.57	9866	13				" "		
		6.99													
		4	300.	6°	143.40	300	— 1.24	9688	14				Flat		
		5.43													
		3	244.	4°	144.35	243	— 2.32	9952	15				"		
		6.00													
		5.65	36.	5 1/2	116.05	36	—	10045	16				edg. pv. mkr.		
		10.84													
		9	185.	10°	144.35	185	— 1.27	9953	17				Flat		
		11.43													
		11	44.	11°	134.50	44	— 1.27	9989	18				Bt. Fill		
		5.35													
		5	36.	5 1/4	122.35	36	—	10047	19				Tp. Fill		
		7.65											loose masonry		
		9	66.	9 1/4	128.35	66	—	10007	20				W. end. hdwall ft		
		11.54											3" pipe		
		11	55.	11°	131.20	55	— 3.28	9957	21				B.D. & Bl. in pipe		
		9.42													
		9	43.	9 1/5	131 10	43	—	10006					E. end. hdwall ft		

Asst'n't Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
F.G.	F.G.				° '		° '		1		1010 1/				
*3A	*3			—				—							
		10.10							2						
		10	11	10 4	216 15	11	—	9997					Bk. F.11		
		9.60							3						
		9	61	9 0	279 10	61	—	10011					" "		
		7.50							4						
		6	151	7 0	283 45	151	+ 1.32	10073					end "		
		12.00							5						
		10.32	169	16 0	159 40	169	—	9941					N. sd. wash		
		11.66							6						
		10	167	11 0	156 40	167	2.46	9910					B.D.		
		7.66							7						
		6	167	7 0	153 25	167	2.41	9952					S. sd. wash		
		11.13							8						
		10	114	11 0	162 00	114	2.22	9943					B.D		
		10.05							9						
		9	106	10 0	158 30	106	2.10	9961					S. sd. wash		
		4.55							10						
		4	56	4 3	288 30	56	—	10058					edg. prmnt. Tp Fill		
		2.60							11						
		1	161	0 9	287 00	161	—	10092					" "		
		4.61							12						
		2	262	3 0	286 30	262	+ 1.29	10139					" "		
		10.06							13						
		9	107	10 0	167 25	107	1.59	9963					N. sd. wash		
		10.80							14						
		10	81	10 0	161 50	81	3.47	9948					B.D		
		8.71							15						
		8	72	8 0	168 00	72	4.00	9970					N. sd. wash		
		8.78							16						
		8	79	8 0	152 00	79	3.56	9961					S " "		
		4.60							17						
		2	261	3 0	285 05	261	+ 1.19	10130					Bk. Cut		
		4.82							18						
		3	183	4 0	283 40	183	+ 1.12	10100					Beg. "		
		5.61							19						
		3	262	4 0	283 55	261	+ 2.28	10174					Flag. to Cut		
		9.62							20						
		9	63	9 3	275 35	63	—	10008					" Bk. F.11		
		2.98							21						
		1	199	2 0	273 35	199	+ 1.09	10120					" SH.		

Add'l Inform.

Topography Description Legend:
Side Hill...S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws V.D's In Slope..Bk.S.
Break Slope.....S.S.
Top of Cliff...T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur...T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut...T.C.
Bottom of Cut..B.C.
Top of Fill...T.F.
Bottom of Fill..B.F.

Saddle.....Sa.
Swale.....Sw.
Flat.....Fl.
Stream.....Str.
Trail.....Tr.
Pavement.....Pvt.
Edge of Road E.Rd.

Traveled Rd.Tr.Rd.
Fence.....Fn.
Int. Fences.V.Fns.
Ditch.....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert.....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ca.
Sycamore.....Sy.
Eucalyptus.....Eu.
Plus combinations of these and all common standard abbreviations.

T.B. 526 Pg. 180

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
F.G. *3A.	F.G. *3				° '		−	° '		1			1010 1					
		5.08																
		2	309	4 0	273 00	308	+	2 14	1018 2	2								
		9.76																
		9	77	9 2	251 20	77	−	—	1000 9	3						Saddle		
		2.60																
		1	161	2 0	261 20	161	+	0 47	1010 3	4						Flag. Plot		
		4.73																
		2	274	3 0	259 50	273	+	3 18	1022 9	5						" S.H.		
		10.73																
		10	74	10 9	205 45	74	−	—	999 2	6						S.H. "		
		4.35																
		3	136	3 3	241 20	136	−	—	1006 8	7						Flag. Flot		
		4.51																
		2	252	3 0	239 25	250	+	4 22	1026 3	8						" S.H.		
		8.85																
		7	186	8 0	240 45	185	+	4 16	1016 1	9						Tp. Knoll		
		11.08																
		10	109	11 0	178 55	109	−	0 49	997 5	10						S.H.		
		2.74																
		1	175	2 0	218 35	175	+	2 29	1015 7	11						Flag. Flot		
		4.29																
		2	230	3 0	217 20	229	+	4 06	1023 7	12						S.H.		
		4.30																
		3	131	4 0	217 35	131	−	—	1006 1	13						Top.		
		4.20																
		2	221	3 0	203 35	220	+	3 27	1020 5	14						Flag. S.H.		
		5.48																
		4	149	4 1	198 50	149	−	—	1005 4	15						Top. S.H.		
		6.82																
		5	183	5 2	182 10	183	−	—	1004 9	16						Flag. "		
		9.26																
		5	227	6 3	181 30	227	−	—	1003 8	17						" "		
		11.47	295															
1/2		10	118	12 0	207 00	294	+	3 39	1016 9	18						" "		
		12.06																
		9	307	11 0	213 05	305	+	4 03	1020 9	19						hd. swale		
		11.65																
		8	366	13 0	209 55	364	+	3 44	1021 0	20						T.R.		
		11.33																
		7	434	9 4	—	434	−	—	1000 2	21		9 4				"		
																F.G. *4		

Alt'd Inform.

Notes Red. L. K. F. Platted L. K. FREEMAN Job No. 2128 Division No.
Date DEC 11 1935 Date DEC 12 1935 Survey of Gaviota Blvd
Notes Chkd. Checked Survey by Hellstrom Notes ENH Date 12-10-35
Date Map No. Inked C. Johansen

F.B. 526 Pg. 22

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left Right
F.G. #3A	F.G. #3				° '		° '				1010 1			
		11.05												
		8	306'	10°	238. 25	304	+ 4. 15	1022 8					T.R.	
		11.61												
	1/2	10	323'	12°	255. 10	322	+ 3.40	1018 8					S.H.	
F.G. #4	F.G. #3													
								1000 2	5 0		1005 7			
		2.61												
		6	162'	7 3	1. 20	162	—	998 4					Flag. - S.H.	
		10.84												
		8	285'	9 3	5. 55	285	—	996 4					" Flat	
		3.08												
		1	209'	2°	358. 30	209	—	1003 7					" S.H. CK sht	
		11.09												
		10	110'	10 4	5. 05	110	—	995 3					" Swale	
		12.00												
		9.73	228'	11 6	13. 15	228	—	994 1					" Flat	
		9.57												
		9	58'	8 8	12. 20	58	—	996 9					" S.H.	
		9.12												
		9	13'	7 9	63. 25	13	—	997 8					" "	
		3.22												
		1	223'	2°	347. 55	223	+ 2. 27	1013 2					S.H. rdg.	
		5.33												
		4	134'	4 6	345. 20	134	—	1001 1					Sw.	
		11.21												
		9	222'	10 3	10. 25	222	—	995 4					T.S.	
		12.00												
		10.36	165'	11 9	16. 25	165	—	993 8					"	
		10.71												
		9	172'	10°	21. 50	172	— 0. 51	993 0					Flag. Flat	
		11.28												
		10	129'	11°	32. 50	129	— 0. 58	992 4					" "	
		10.90												
		10	91'	10°	52. 40	91	— 2. 36	991 4					" "	
		10.70												
		10	71'	10°	90. 25	71	— 4. 20	990 2					" "	
		10.58												
		10	59'	10°	57 55	59	— 3 59	991 5					T.S.	

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Side of Draw V.D's Top ...S.S. Bottom ...S.S. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom Canyon...B.Cn.

Interm. of Draw. Break in Slope ...S.S. Steep Slope ...S.S. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom Canyon...B.Cn.

Side of Canyon S.Cn. Bank...T.B. Bank...B.B. Top of Bank...T.C. Bottom of Bank...B.C. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.F. Bottom of Fill...B.F.

Saddle ...Sa. Swale ...Sw. Flat ...Fl. Stream ...Str. Trail ...Tr. Pavement ...Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence ...Fn. Int. Fences V.Fn. Ditch ...Dt. Telephone Pole T.P. Power Pole...P.P. Culvert ...Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ...Sy. Eucalyptus ...Eu. Plus combinations of these and all common standard abbreviations.

P.B. 52 PG. 22

Form 301 16M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rec'd DEC 11 1935 Platted L. K. F. Job No. 2158 Division No. F.B. 526 Pg. 121
Date DEC 11 1935 By L. K. FREEMAN
Notes Chkd. Checked Survey of Gaviota Blvd.
Survey by Electrical Engr. Notes A. H. H. Date 12-10-35
Map No. Inked C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
F.G.	F.G.									1							
*4	*3			—			—					1005.7					
		4.79								2							
		4	80.	4°	302.30	78	+	9.09	1014.7						S.H.		
		3.59								3							
		3	60.	3°	265.45	56	+	14.22	1017.1						"		
		10.90								4							
		10.	91.	10°	134.30	91	+	4.03	989.1						Flag	Flat	
		10.42								5							
		10.	43.	10°	168.50	43	—		995.6						"	S.H.	
		11.89								6							
		11	90.	12°	178.20	90	—		993.6						"	"	
		11.27								7							
		10	128.	11°	153.10	128	—	2.55	988.7						"	Flat	
		5.69								8							
		5	70.	5°	267.55	65	+	15.17	1018.5						brk.	S.H.	
		7.16								9							
		6	117.	7°	238.30	114	+	9.34	1017.9						brk.	S.H.	
		11.70								10							
		11	71.	11°	138.35	71	—	3.48	989.9						T.S.		
		1.29								11							
		1	80.	1°	213.25	80	+	0.45	1005.7						S.H.		
		11.08								12							
		10	109.	11°	162.15	109	—	2.47	989.4						T.S.		
		4.43								13							
		3	144.	4°	214.25	144	+	1.35	1005.6						S.H.		
		11.53								14							
		10	154.	14°	291.00	149	+	10.39	1019.7						T.R.		
		11.34								15							
		9	235.	10°	—	235	—	2.29	985.5		2.02			16.2	F.G. *5	Mark	
		5.35								16							
		3	236.	4°	—	235	—	3.58	985.4		2.03			16.3	"	"	Mk.
		12.00								17							
		10.82	119.	11°	263.10	113	+	12.52	1020.7						T.R.		
		9.76								18							
		8	177.	9°	142.05	177	—	2.51	987.9						Flat		
		11.01								19							
		9	202.	10°	135.10	201	—	2.48	985.8						BD.		
		9.22								20							
		8	123.	9°	287.25	118	+	11.05	1019.9						brk.	S.H.	
		11.13								21							
		9	214.	10°	133.55	214	—	2.02	988.0						W brk.	Dr	

Ass'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fe. Int. Fences V.Fe. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Bank ..... T.B. Top of Bank ..... B.B. Bottom of Cut ..... T.C. Top of Cut ..... B.C. Bottom of Fill ..... T.F. Top of Fill ..... B.F. Bottom of Canyon ..... B.Cn.

Inters. of Drain. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side of Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

F.B. 524 PG. 274

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
F.G. 4	F.G. 3				°		° '		1		1005.2				
		11.87							2						
		10	188	11	135.50	188	2.07	987.8					E. bnk. Dr.		
		11.27							3						
		10	128	11	108.50	128	2.27	989.2					Flat		
		10.57							4						
		9	158	10	108.50	158	2.29	889					E. bnk Dr		
		11.68							5						
		10	169	11	108.35	169	2.28	87.2					BD		
		8.83							6						
		7	184	8	108.10	184	2.31	895					W. bnk. Dr.		
		9.40							7						
		8	141	9	74.55	141	2.38	902					E " "		
		9.52							8						
		8	153	9	73.55	153	2.28	900					W " "		
		11.46							9						
		10	147	11	74.05	147	2.31	88.2					BD		
		4.16							10						
		2	217	3	73.50	217	2.32	930					Flat		
		11.28							11						
		9	229	10	110.30	229	1.13	907					"		
		11.64							12						
		10	165	11	44.50	165	1.02	916					W bnk. Dr.		
		8.48							13						
		7	149	8	44.30	149	2.12	917					E " "		
		10.55							14						
		9	156	10	44.35	156	2.30	889					BD.		
		4.24							15						
		2	225	3	51.25	225	2.10	942					Flat		
		5.28							16						
		3	229	4	88.25	229	2.06	932					"		
		7.84							17						
		8	185	9	24.45	185	1.03	932					E. bnk. Dr.		
		7.94							18						
		6	195	7	28.00	195	1.45	927					W " "		
		10.89							19						
		9	190	10	26.55	190	1.49	894					BD.		
		9.57							20						
		7	258	8	126.25	258	1.53	892					Flat		
		11.44							21						
		9	245	11	18.55	245	—	940					W. bnk. Dr.		

Add'l Inform.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
F.G. *4	F.G. *3				° ′		° ′		1						
					° ′		° ′		2		100.57				
		9.36													
		7	237	8 0	17 .25	237	− 1.42	990.6	3				B.D.		
		12.00													
		9.64	237	11 7	15 .35	237	—	93.8	4				E. bnk. Dr.		
					° ′		° ′		5						
F.G. *5	F.G. *4				° ′		° ′	985.4	5 3		990.2				
		3.06							6						
		2	107	2 7	41 .40	107	—	988.0					Flag	Flat	
		3.47							7						
		2	148	3 0	6 .25	148	+ 2.19	93.7					"	S.H.	S.H.
		2.44							8						
		1	105	2 0	8 .25	105	+ 1.26	91.4					"	"	
		2.60							9						
		2	61	2 0	7 .10	61	+ 0.22	89.2					"	"	
		4.64							10						
		4	65	4 5	64 .30	65	—	86.2					"	Flat	
		3.22							11						
		3	23	3 2	337 .15	23	—	87.5					"	S.H.	
		5.38							12						
		5	39	4 6	251 .05	39	—	86.1					"	S.H.	
		4.83							13						
		4	84	3 1	31 .00	84	—	87.6							
		5.40							14				T.S.		
		5	41	5 3	118 .45	41	—	85.4					Flag	Flat	
		6.78							15						
		6	79	6 2	243 .10	79	—	84.5					"	"	
		8.66							16						
		8	67	8 2	188 .05	67	—	82.5					"	B.D.	
		8.08							17						
		7	109	7 5	245 .50	109	—	83.2					"	S.H.	
		8.13							18						
		7	114	7 6	213 .25	114	—	83.1					"	Flat	
		8.37							19						
		7	138	7 6	252 .05	138	—	83.1					"	S.H.	
		6.75							20						
		6	76	6 5	189 .25	76	—	84.2					Tp bnk.	Dr.	
		9.45							21						
		8	146	8 7	224 .25	146	—	82.0					Flag	Flat	

Asst'n't Inform.

Notes By L. K. F. Plotted L. K. FREEMAN Job No. 2196 Division No. F.B. 526 Pg. 28
Date DEC 11 1935 Date DEC 24 1935 Survey of Gaposha Blvd
Notes Chkd. Checked Survey by Hall & Proctor Notes A.N.H. Date 12-16-35
Date Map No. Inspected C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 526 Pg 24

Topography Description Legend:
Side Hill....S.H. | Bottom Draw..B.D. | Bottom Wash B.W. | Top of Ridge..T.R. | Toe of Slope..T.S.
Side of Draw..S.D. | Side of Ridge..S.R. | Head of Draw H.D.

Inters. of Draw. V.D's | Break in Slope....Bk.S. | Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur....T.Sp. | Bottom Canyon..B.Cn.
Steep | Top of Bank..T.B. | Bottom of Bank..B.B. | Top of Cut....T.C. | Bottom of Cut...B.C. | Top of Fill....T.F. | Bottom of Fill..B.F.
Side of Canyon S.Cn.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road' E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences. V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole....P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
F.G. *5	F.G. *4				° '		° '				990.2				
		7.64											C.S. Mon. #56-C		
	6	9	165.	7 6	260. 30	165		983.1					Fnc. Corner		
		9.69													
		8	170.	9 0	233. 15	170		981.7					Flag	B.D.	
		9.82													
		8	183.	9 3	232. 25	183		81.4					"	"	
		11.00													
		9	201.	9 4	239. 50	201		81.3					"	"	
		10.24													
		8	225.	9 6	241. 45	225		81.1					"	"	
		10.52													
		8	253.	9 5	241. 35	253		81.2					" & Fnc.	Flat	
		8.28													
		7	129.	7 4	192. 30	129		83.3					Flat		
		11.14													
		8	315.	9 8	235. 25	315		80.9					Fnc.	Flat	
		7.57													
		6	158.	7 1	168. 25	158		83.6					Flat		
		10.43													
		8	244.	9 2	222. 45	244		81.5					"		
		7.12													
		5	213.	6 0	154. 05	213		83.7					"		
		9.85													
		8	186.	8 2	205. 10	186		82.0					"		
		5.66													
		4	167.	5 1	132. 20	167		85.6					"		
		10.07													
		9	108.	9 3	223. 10	108		81.4					B.T.D.		
		7.97													
		7	98.	7 3	228. 00	98		83.4					E. bnk.		
		6.53													
		6	54.	6 0	192. 10	54		84.1					E "		
		6.62													
		6	63.	6 0	128. 15	63		84.7					" "		
		4.67													
		3	168.	4 1	95. 05	168		86.6					Flat		
		7.76													
		7	77.	7 1	126. 20	77		83.6					B.D.		
		5.87													
		5	88.	5 5	125. 25	88		85.2					W. bnk.		

Add'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rcd. L. K. F. Plotted L. K. FREEMAN Job No. 7188 Division No.
Date DEC 11 1935 Date DEC 23 1935 Survey of Gaasha Blvd. F.B. 526 Pa. 27
Notes Chkd. Checked Survey by Hellstrom Notes L.K.H. Date 12-10-35
Date Date Map No. Inked A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ —	Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ —	Vertical Distance	REMARKS Station	Left	Right
F.G. "5	F.G. "4											990 7					
		5.14															
		4	115	4 8	81 25	115			985 9						W. bnk.		
		6.07															
		5	104	5 4	73 40	104			853						E "		
		7.05															
		6	110	6 1	78 20	110			846						B.D.		
		4.73															
		3	174	4 2	59 50	174			865						W. bnk		
		4.64															
		5	165	4 2	55 40	165			865						E "		
		5.68															
		4	169	5 3	57 50	169			954						B.D		
		6.60															
		5	161	6 4		161			984 3		6 4				FG. "6 1X2		
F.G. "6	F.G. "5																
									984 3	5 4		989 7					
		10.15													S.E Cor Conc. Apron		
		8	216	9 6	147 50	216			801						18' X 10'		
		10.33													N.E Cor Conc Apron		
		8	234	9 6	146 40	234			801						18 X 10		
		10.59															
		9	160	10 4	157 45	160			793						Flat. swale		
		10.15															
		9	116	9 5	187 30	116			802						"		
		8.10															
		7	111	7 5	218 10	111			822						Fnc.		
		293															
		2	94	2 0	339 60	94	+	3.10	929						S.H.		
		1.62															
		1	63	1 0	292 00	62	+	5.10	994 3						"		
		234															
		1	135	2 0	299 10	132	+	8.36	1007 7						"		
		303															
		3	104	3 0	256 35	104	+	3.12	992 4						"		
		257															
		1	158	2 0	280 00	155	+	7.33	1008 3						"		
		2.65															
		1	166	0 9	242 55	166			988 8						"		

AGE'R'I Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Flr-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

So. ..... Sw. Saddle ..... Fl. Swale ..... Str. Flat ..... Trl. Stream ..... Pvt. Trail ..... E.Rd. Pavement Edge of Road

Canyon S.Cn. Bank ..... T.B. Bottom of Bank ..... B.C. Cut ..... T.C. Bottom of Cut ..... B.C. Fill ..... T.F. Top of Fill ..... B.F. Bottom of

Side of Draw S.D. Top of Slope ..... T.Sl. Bottom of Slope ..... B.Sl.

Intern. of Draw V.D's Break ..... Bk.S. Steep Slope ..... S.Sl. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side of Hill ..... S.H. Bottom Draw ..... B.D.
Side of Draw ..... S.D. Bottom Wash ..... B.W.
Side of Ridge ..... S.R. Top of Ridge ..... T.R.
Head of Draw ..... H.D. Toe of Slope ..... T.S.

F.B. 526 Pg. 22

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
FG. "6	FG "5				° '		° '		1						
		3.10			° '		° '		2		989 2				
		1 3.65	21.1'	2 0	264 35	209	+ 4 42	1005 3	3				S.H.		
		1 4.82	266'	2 0	234 00	266	+ 1 34	9949	4				"		
		2 8.43	283'	3 0	250 45	282	+ 4 00	1006 5	5				"		
		6 5.39	244'	7 2	219 45	244	—	9825	6				Fnc.		
		5 8.86	40'	4 5	214 00	40	—	9852	7				"		
		7	187'	8 2	219 25	187	—	9815	8				"		
					° '		° '		9						
					° '		° '		10						
					° '		° '		11						
					° '		° '		12						
					° '		° '		13						
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'n'l Inform.

Notes Rod_____ Plotted_____ Job No._____ Division No._____

Date_____ Date_____ Survey of_____

Notes Chkd._____ Checked_____ Surveyed by N. HELLSTROM Notes_____ Date_____

Date_____ Date_____ Map No._____ Indexed_____ Date_____

F.B. 526 Pg. 279

Form 381 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 526 Pg. 220

Topography Description Legend:
Side of Hill...S.H.
Side of Draw...S.D.
Side of Ridge...S.R.
Head of Draw H.D.
Bottom Draw...B.D.
Bottom Wash...B.W.
Bottom of Ridge...B.R.
Top of Slope...T.S.

Inters. of Draw, Break in Slope: Steep Slope
Top of Cliff
Bottom of Cliff
Top of Spur
Bottom Canyon
V.D's: Bk.S.
S.S.
T.Cl.
B.Cl.
T.Sp.
B.Ca.

Side of Canyon: Top of Bank
Bottom of Bank
Top of Cut
Bottom of Cut
Top of FH
Bottom of FH
S.Bk.
T.B.
B.B.
T.C.
B.C.
T.F.
B.F.

Saddle
Swale
Flat
Stream
Trail
Pavement
Edge of Road
Sa.
Sw.
Fl.
Str.
Tr.
Pvt.
E.Rd.

Trav'ed Rd. Tr. Rd.
Fence
Int. Fence
Ditch
Telephone Pole
Power Pole
Culvert
Fn.
V.Fn.
Dt.
T.P.
P.P.
Cul.

Oak-O.
Pine-Pi.
Sycamore
Eucalyptus
Fir-Fr.
Cedar-Ce.
Sy.
Eu.
Pine combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'l Inform.

Notes Ck'd by Blackmer	Survey of
Map No. B-940	W. O. 7198 Tape No. St'd °F.
Office Work Wood	Surveyed by Brunty
Checked Blackmer	Notes Date 1934
Date May 1934	Indexed A. C. Johnson

F.B. 526 PG. 146

"H" Street J.N-7198-

Sanreha Blvd

J.N. 7198

Donna Fair Homes

to

Kellogg Ranch

Do not extend notes this side of this line

Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

700 HALL OF RECORDS


F.B._____Pg._____
Index to Pub. Inc. Surveys
on H. St.
Mountain Meadows Country Club
Pg. 153
Pg. 152
Pg. 159
Pomona
Water Dept
J T Lawren
Lot 7
Lot 8
Lot 10
Lot A
Loma Vista St.
Bdy. City of
Approx line
H. St. CPro
Los