d by

rk

Survey of
W. O. Tape No. St'd °F
Surveyed by
Notes Date
Indexed

F.B. Pg.

5 6 6

LOS

ORM

Microfilmed Feb. 86

F.B. 566 PG. INDEX

Pages 1 to 164

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F.B. 566 PG. 1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

ANGELES NATIONAL FOREST BOUNDARY

DIVISION K — J. N. 7078

FROM

COR. 36 | 31 / 1 | 6 TWP 3&4N R 10 & 11 W

TO

COR 18 | 17 / 19 | 20 T 4N R 13 W

FORM 247 5M 10-59

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. _____ PG. _____

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes outside of this line



RETURN TO
LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING [redacted]NGE.

Do not extend no[illegible]s side of this line

F.B. 566 Pg. 4

Chief Party _____ Notes by _____ Date _____



W.S. 78.D-2

Date _____ Notes by _____ Chief Party _____ F.B. 566 Pg. 5

DIV. K

Platted by R.W.Mc	W. O. No. 7078 D. S. O. No.
Date June '37	Location T4NR13W
Map No. C.S.B.745-5	Surveyed by Boyer & Party
Platting C'k'd by McPherson	Date Oct 30 1931
Date May 1938	Indexed A. C. Johnson 4-11-38

300' Tape # 47 Std. @ 84°

J.D. Boyer
J.H. Bender K
G.H. Nichols HC
G.W. Schaefer RC
A.R. Held

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Transit line to W. FB. 488-238

Sec 2

Sou. Pac. RR

Sec. 8

To Ravena 2 miles

75.32 @ 11-51 T 84 = 73.71

River

Santa Clara

Fd 1x2 Road

Draw

Line Prod Fr. W.

73.71

Fd B.C. Conc Mon. in Rock Md Top. Bears Small Ridge, Cor. to Sec 8, 9, 16 & 17 T4NR13W

T = 84°

294.82 @ 5°22' = 293.53

See FB 488 page 238 for tie to Div. L Forest Boundary W.H.B.

Soledad Canyon

293.53

Draw

89-48-35

2+93.53 Set 2x2 KIFB 1.5A

Set 1x2 KIR in Rock Md Top low spur bearing NW

T = 86°

300.00 @ 7°01' = 297.75
299.62 @ 6°09 = 297.94
84.63 @ 14°38 = 81.88
677.57
+ .01
677.58
293.53
971.11

89-48-30 ①
359-14-30 ②
89-48-37½

677.58

Sec line

Sec 17 T4NR13W

Sec 16

9+71.11 Set 1x2 K2R in Rock Md Nerd spur bearing SE

Set 2x2 K 2 FB

Draw

5.10

T = 84°

252.85 @ 4°31 = 252.06
971.11
1223.17

0-48-09

Opp Draw

252.06

Set 1x2 K3R in Rk. Md
12+23.17
Set 2x2 K 3 FB 2 # 6.42

To Top Page 6

1

F.B. 566 PG. 6 — Chief Party — Notes by — Date

2784.62
31

From bottom Page 5

Set 1x2 K3R 12+23.17

Set 2x2 K3FB 6.42

T = 86°

240.70 @ 10°16' = 236.85
160.22 @ 2°58' = 160.01
282.00 @ 3°17' = 281.54
678.40
+ .01
678.41

12 23.17
678.41
511.49
2913.07
107.98
2521.05

1189.90

Set 1x2 K4R on Ridge

Set 2x2 K4FB 12.68

21+13.07

T = 86°
294.69 @ 8°45' = 291.26
223.00 @ 9°03' = 220.22
511.48
+ .01
511.49
678.41
1189.90

T = 86°
108.00 @ 1°12' = 107.98

107.98

25+21.05
Set 1x2 K5R on low ridge

13.25

Set 2x2 K5FB

Draw

T = 82°
270.00 @ 5°54' = 268.57
.80
267.77

25+21.05
2 67.77
27+88.82
3 56.47
31+45.29
5 99.22
37+44.51
6 74.90
44+19.41

Line

267.77

Sec 17
T4NR13W

Sec 16

Set 2x2 K6FB 19.66

Set 1x2 K6R 27+88.82

T = 82°
300.10 @ 26°21' = 268.92
70.00 @ 28°22' = 61.60
28.43 24°06' = 25.95
356.47

Approx Sec

356.47

31+45.29 in rock md
Set 1x2 K7R Top high ridge bearing East & West

Set 2x2 K7FB 16.53

T = 94°

269.00 @ 4°03' = 268.33
299.53 @ 11°40' = 293.39
37.74 @ 6°19' = 37.51
599.18
+ .04
599.22

599.22

Draw

37+44.51
Set 1x2 K8R, in rock md. Top Divide.

T = 92°

Set 2x2 K8FB 19.68

121.00 @ 7°01' = 120.09
16.00 @ 2°18' = 70.81
300.00 @ 7°31' = 297.42
199.64 @ 20°52' = 186.55
674.87
+ .03
674.90

674.90

Draw

Set 1x2 K9R in Rock Md. Top Ridge
44+19.41

Set 2x2 K9FB 23.23

To Top Page 7

X

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 78, D-2

Date _____ Notes by _____ Chief Party _____ F.B. 566 Pg. 7

Platted by	R.W.Mc	W. O. No.	7078 D. S. O. No.
Date	June '37	Location	T4NR13W
Map No.	CSB 745-5	Surveyed by	Boyer & Party
Platting C'k'd by	McPherson Mar. 1938	Date	Oct 31 1931
Date		Indexed	A. C. Johnson

DIV. K

Set 2x2 K9FB 23.23

Set 1x2 K9R 44+19.41

44+19.41
5 31.23
49+50.64
A 23.68
54+84.96

T = 86°

300.00 @ 8°13' = 296.92
34.00 " = 34.00
200.86 @ 4°18 = 200.30
531.22
+ .01
531.23

531.23

Draw

Sec 16

0-18-01

Set 1x2" K10R in Rock Md. Top Ridge
49+50.64

Set 2x2 K10FB 26.02

Sec 17
T4NR13W

T = 85°

136.00 @ 5°45 = 135.32
300.00 " = 300.00
39.00 " = 39.00
474.32

1x2 Int. Page 11

Transit line

241.98

270

49.58

474.32

27.55

Draw

For Approx Sec. line to E. See Page 137, 138

Set 4x4 RW for Approx Sec. Cor at Perp. Distance between Sec Cor. 1 mile to East & 1 mile to West. and on line between the 2 said Section Corners. per instructions from Mr. E. T. Mankey

Set 1x2 K11 R in Rock Md. Top Ridge
54+24.80

For continuation of this line by triangulation, See pg 8

See Pg 11.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

1

F.B. 566 Pg. 8 — Chief Party — Notes by J.H. Reader — Date 11/17/31

52+54.74
- 35+38.94
= 1714.80 = Base CD

52+54.74
- 18+19.90
= 34 34.84 = Base CE

Δ ACE:- 40-38-45
88-46-25
50-35-50
180-00-00

Maybe = 5

92+66.94

Δ BCD:- 42-56-05
88-45-25
48-18-30
180-00-00

{A
Set 1x2 hub + tack on narrow ridge
See pg 14 for continuation of this line

(1) 40-38-45
(4) 162-39-45
(5) 40-38-41
-45.

N
9

SEC. 21

40°38'45"

SEC 20

Coz. Bds's
"C" to ΔB = 1879.87
"E" to ΔA = 4074.39

72.21
79+71.99

{B
6d nail in root
± 35N of small ridge
See pg 14 for chaining to approximate location of 4 car test Bar (2)

(1) 42-56-00
(4) 171-41-15
(5) 92-56-04
-05.

O.K.

420°38'05"

5412+4.96
K-118. Fd 1x2 hub + tack in rock mound on ridge. See pg 7

O.K.

Fd 1x2 hub + tack
See pg 11

(1) 50-35-45
(4) 109-22-45
(5) 50-35-41
50°35'50"
JHR 11/4/31

(1) 48-18-30
(4) 173-14-15
(5) 48-18-39-30
1771.60
5.00

3543.84
5.04

"E"

"D"

"C"

88°45'25"
See page 11

232.84

52+54.74 to sum E.
51+82.12 to sum N.

Sta. 51+9.12
Int. N-S + E.W. lines
Fd 1x2 hub + tack
See pg 11

241.48

35+39.94
Fd 1x2 hub + tack
on ridge
35 = Base

K-18 49+50.64
Fd 1x2 in rock mound on ridge
See pg 7

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 80, A-2

Date Nov. 1931 Notes by H. Bauer Chief Party F.B. 566 Pg. 9

Platted by R.W.MS		W. O. No. 7078	D. S. O. No.
Date June '37		Location TAN. R13W.	
Map No. CS.D.745-5		Surveyed by Bauer & Party	
Platting C'k'd by McPherson		Date Nov. 1931	
Date Mar. 1938		Indexed A. C. Johnson	

DIV. K

West on a random line between Secs 16 and 21, TAN, R13W

To bottom pg 10

Note:- This random line is run due West on a magnetic bearing - Var 16°20'

K18R Set 1x2 hub+tck on ridge

Ridge N45 Dy. 18+19.90

296.52 @ 14°28' = 287.12
114.34 @ 16°15' = 109.77
396.89
T = 90°F. F.T.D = 396.91

396.91

Set 1x2 hub+tck on slope K19R

14+22.99

1700

113.15 @ 26°01' = 101.68
300.82 @ 22°55' = 277.08
378.76
T = 90°F. F.T.D. = 378.77

378.77

Set 1x2 hub+tck on Slope K20R

10+44.22'

1.77 @ 0°00' = 1.77
300.65 @ 30°17' = 259.62
88.46 @ 0°00' = 88.46
291.20 @ 30°11' = 251.72
299.49 @ 37°38' = 238.72
127.96 @ 34°37' = 105.31
35.80 @ 19°46' = 33.69
979.29
T = 90°F, F.T.D = 979.33

979.33

Mg. Brg = 1°+

See Page 137.138 for offsets & approximate section lines.

218'±

610'±

brs N+S

0+64.89

Set 1x2 hub+tck K20 1R

65.67 @ 8°49' = 64.89'
T = 90°F. F.T.D = 64.89

64.89

Fd iron post. Cor to Secs 15, 16, 21, 22 Marked S.G.F.B. 40 K21 FB See FB 100 p. 55

See Pg. 17.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 566 Pg. 10 Chief Party Notes by Berger Date Nov 1931

W.S. 79, X-2

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

To bottom pg 11

48+15.59

Set 1x2 hb +tck on ridge Brs N+S K1AR

K1SR

Set 1x2 hb +tck on W. bnk of wash Not an integral part of station line

40+68.36

T = 72°F
159.18 @ 20°38' = 144.21
F.T.D. = 144.20

T = 84°F
20.00 @ 0°00' = 20.00
300.50 @ 9°52' = 299.84
72.85 @ 11°14' = 71.85
213.13 @ 16°18' = 207.16
299.56 @ 0°00' = 299.56
F.T.D. = 891.43

Set nail on line

39+24.16

264.72 @ 22°36' = 244.39
145.90 @ 16°32' = 139.87
T = 68°F 384.26
F.T.D. = 384.22
SEC. 16

SEC. 21

Set 1x2 on ridge. Brs N+S K16R

35+39.94

Fd old stake +2½" in. dia. in mound of rocks on E. side of wash. Be a point set during Nov. 1931 survey of Forest. Also set Gamma Nail on line. Witness cor. to be set 1 ft. E. of line. Also witness cor. to be set 1 ft. W. of line. Stakes not practical to set, the taken.

15.69 @ 3°00' = 15.69
176.84 @ 19°27' = 166.75
295.51 @ 4°22' = 294.66
477.10
T = 68°F
F.T.D. = 477.05

Set 1x2 on ridge running N+S. K1TR

30+62.91

T = 84°F.
102.10 @ 3°36' = 101.90

101.90

(1) 92-12-00
(2) 184-24-00
(3) 92-12-00

92°12'00"

200'±

82.88 @ 11°48' = 81.13
300.06 @ 0°00' = 300.06
241.58 @ 0°00' = 241.58
83.79 @ 14°36' = 81.08
129.05 @ 9°57' = 127.42
290.15 @ 34°05' = 240.31
141.39 @ 26°58' = 126.02
47.79 @ 18°20' = 45.36
draw 1242.96
T = 88°F. F.T.D. = 1242.99

Note:- There is a small ridge midway between these two draws. Brs N+S

draw

1957

Wash N 14+22.99

18+19.90

1T 1S R

14+22.99

See Pg. 9.

W.S. 39, D-2

Date Nov '31 Notes by J. H. Benton Chief Party Boyer F.B. 566 Pg. 11

Platted by	R.W.M.S.	W. O. No.	2678 D. S. O. No.
Date	June '37	Location	T1N R11W
Map No.	C.S.B. 745-5	Surveyed by	Boyer & Benton
Platting C'k'd by	McPherson	Date	1931
Date	Mar 1938	Indexed	A. C. Johnson

DIV. K

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

SEC 20 SEC 17

66+99.49
67+80.13

W-2 Set 1X2 hub+tack
See pg 12 for triangulation to W-2

19.73 @ 2°05' = 180.07
222.35 @ 13°26' = 216.27
68.47 @ 15°57' = 66.62
285.74 @ 14°43' = 277.17
116.89 @ 2°19' = 116.79
98.29 @ 0°56' = 98.24
169.65 @ 4°55' = 169.03
1124.28
T = 64°F. F.T.D = 1123.24

N 0°19' W

SET 1X2 HUB + TACK
From E. = 5.00 S 74°E
From W. = 5.00 S 74°W

241.51
T = 68°F. F.T.D = 241.48

NOTE:- Mound of rock stamped 20, 17, 2041, with 2 rocks of 20 bears S 74°E 5.00 ft. distant and 17 bears S 74°W 5.00 ft. distant. Witness corner set by Norman C.S. 9087-15

55+76.85
W-1 (Set 1X2 Hub+Tack)

299.62 @ 18°18' = 294.47
38.85 @ 18°20' = 36.88
T = 64°F
F.T.D = 321.31

321.35
321.31

241.48'

52+29.51

88-45-25 (Calc)

91-19-30
364-58-15
91-14-34
-35-

88-45-25 = Calc. SE. 1/4

359.23

48+70.88

54.19

48+15.59

SEC 21 SEC 16

39+24.16

49+50.64
241.48
49+92.12

See Pg. 10.

F.B. 566 PG. 12 Chief Party Notes by Bender Date

W.S. 79,92-2

To bottom pg 13

Note: Made thorough search within radius of 150' of W-3 for 19 contact 11+20. Fd no indications that this 19 car has ever been set. JHBender

17.60
80+18.26

W-3
Set 1x2 hub+tack on ridge

1200

Mainly ↓↓

22°59'55"

(1) 123-00-00
(A) 91-59-05
Δ 22-59-56
-55.

22-59-55
96-52-35
60-07-30
180-00-00

(Calc)

Fd 3" IP with B.C. stamped as shown. Pipe in center of fire-break + 1' above surface

Calc. Line
To Approx. Sec. Cor.
See Pg. 7, 137.

1408.92

48.28

15.28

N 96°52'35" W

(1) 96-52-30
(A) 27-30-15
Δ 96-52-29
-35.

W-2 66+99.99
(67+50.75)
See pg 11

W-1
55+76.25

(1) 60-07-30
(A) 240-30-00
Δ 60-07-30.

60°07'30"

593.92
Base Line

300.41 @ 5°30' = 299.03
295.05 @ 1°25' = 294.96 J = 64
593.99
F.T.D = 593.92

Fd 3" IP with B.C. stamped as shown

BOUNDARY POST
N 19.26
19.05

ARBEST. RESERVE

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notes this side of this line

W.S. 79.D-2

Date _____ Notes by J. H. Bender Chief Party _____ F.B. 566 Pg. 13

DIV. K

Platted by	R.W.Mc=	W. O. No.	7078 D. S. O. No.
Date	June '37	Location	T4N, R13W
Map No.	CSB 745-5	Surveyed by	Bayer
Platting C'k'd by	McPherson	Date	Bender
Date	Mar. 1938.	Indexed	A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

SEC. 19 — SEC 18 — SEC. 20 — SEC. 17

Fd 3" I.P. with B.C. Stamped as shown. See F.B. 100-119 ✓

Set 1"x2" hb+tck at Int of E-W. line ✓ Brunty's true N+S line See F.B. 100-119

Fd 1"x2" hb+tck on spur. Marked "True Section line" See F.B. 100-119

Set Adopted true line. Brunty's set on this line

105+82.35 → 105+68.86

67.76

100.40 ✓

3.40

88°34'15"

(1) 88-34-15
(2) 354-17-00
(3) 88-34-15.

Fd P.B.C. Stamped as shown. On W. edge dirt rd. ± 900' S. of Indian Cir. Rd + (or) ± S. of Soledad Cir. Rd. See F.B. 100-112 ✓

W-8 set 1"x2" hb+tck

14.96 @ 25°35' = 13.49 ✓
T = 48°F. F.T.D. = 13.491

289.63 @ 7°15' = 287.31 ✓
T = 48°F. F.T.D. = 287.24 ✓

100.74 @ 4°34' = 100.42 ✓
T = 48°F. F.T.D. = 100.40 ✓

W-7 Set 1"x2" hb+tck

94.01
102+76.14

295.24 @ 11°09' = 289.67 ✓
T = 50°F. F.T.D = 289.61 ✓

289.61

W-6 set 1"x2" hb+tck

84.40
100+05.50

112.19 @ 16°00' = 107.84
T = 50°F. T.D = 107.78
SEC. 17 82.

102.58

W-5 set 1"x2" hb+tck

96.68
98+47.92

295.42 @ 1°29' = 295.32 ✓
298.40 @ 7°48' = 298.32 ✓
72.68 @ 2°55' = 72.59 ✓
300.38 @ 15°46' = 299.08 ✓
953.31
F.T.D. = 953.10 2.63
952.42

T = 50°F

952.42

W-4 set 1"x2" hb+tck

16
89+49.82

42.64 @ 0°00' = 42.64 ✓
87.29 @ 0°00' = 87.29 ✓
300.45 @ 1°25' = 300.36 ✓
150.16 @ 18°19' = 149.55 ✓
100.59 @ 18°58' = 95.13 ✓
277.08 @ 28°01' = 244.61 ✓
14.11 @ 0°00' = 14.11 ✓
926.69 ✓
F.T.D = 926.56 ✓

T = 62°F

926.56

W-3. 80+17.26
17.60

W-2
60+00.13

F.B. 566 PG. 14 _____ Chief Party Notes by _____ Date _____

Note: The drawy shown on this page is the only one that approximates the description in Norway's Notes (CS 908713) Norway says in his notes that after leaving Station @ 31.50 chains he ascends to a ridge and sets 1/4 cor. Still ascending he crosses span at 98.00. A very thorough search for this 1/4. Cor. has been made; but no evidences of the Cor. have been found. There is no canon of this size & direction within a mile of this point J.H.S.



X

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 80.4-2

Date _____ Notes by Boyer Chief Party _____ F.B. 566 Pg. 15

Platted by R.W.McS
Date June '37
Map No. B-745-5
Platting C'k'd by McPherson
Date Mar. 1938

W. O. No. 7078 D. S. O. No. _____
Location T4N R13W
Surveyed by Boyer + Party
Date 1-22-38
Indexed A. C. Johnson
12-28-94

DIV. K
300' Tape @ 58 Std @ 84°
J.D. Boyer
H.B. Rackhold
G.H. Nichols
M.A. Van Derey

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To bottom Page 16

Set 2x2 K35 FB. 2 In Rock Mdn on N. Slope

352.67

T = 72°
240.81 @ 19°41 = 226.74
126.95 @ 7°10 = 125.96
352.70
.03

Set 2x2 K34 FB in Rock Mdn Top Spur

Spur

T = 72
265.75 @ 21°28' = 246.85
140.00 @ 3° 14 = 139.78
386.63
.03

Draw

386.60

Sec 14 T4N R13W

Sec 13 T4N R13W

189 @ 31° = 161.5

T = 68°
300.15 @ 24°24 = 273.34
162.40 @ 12°35 = 158.50
431.84
.04

Set 2x2 K33 FB Top Spur in rock mnd.

Spur

161

431.80

Draw

240 @ 25°00 = 217.5

Ed. B.C. with B.C. as shown Top N 45 Spur

Set 2x2 K32 FB Tow N 45 Spur. In Rock Mdn

0.89

90°

T = 68°
16.91 = 16.90
95.22 @ 24°57 = 86.33
103.23
.01

Fd B.C. Conc Mon. 1.5 Sec 14 T4N R13W FB 100 14.5

S 0°32' W 346.11
S 37°28'30" W 370.22
S 0°25'49" W

88-27-11

103.22

K31 FB.
Fd B.C. Conc Mon Cor to Sec 14, 15, 22 & 23 T4N R13W See FB 100-54 W. slope N 25 spur

Line produced Wly

To Top Page 18

F.B. 566 Pg. 16 Chief Party Notes by Date 1-24-34

W.S. 80, 14-2

Replaced with B.C. Cons. Mon. .3 above ground. Marked as shown in rock md

COUNTY SURVEYOR T4N R13W 1/4 SEC. COR 14 23 RE 62

K 38 FB
Fd Old Rotten Oak Post 4" dia. with old blaze on N. side and old scribe "1/4 S" in old md of earth & stone in small valley. 1/4 Cor to Sec 14 & 23 T4N R13W CS 9087
Replaced with 2x2

T=64°
300.37 @ 3°26 = 299.87 ✓
145.44 @ 2°30 = 145.36 ✓
145.13
.23 ✓
211.3 7-20 = 209.3 ✓

Valley
4+07
Was 6' wide
Was South
209.3
Spur
Set 2x2 K37FB in Rock Md Top Spur

Sec 14 T4N R13W

196 ft
494.52
Drain
T=70°
79.54 @ 7°52 = 78.79 ✓
299.25 @ 3°32 = 299.25 ✓
71.85 @ 22°17 = 66.48 ✓
444.56 ✓
.04 ✓

176.5
~~187.5~~

Spur
Set 2x2 K 36 FB, in Rock Md Top Spur

Wash
320.17 ✓

T=70°
130.80 @ 9°50 = 131.83 ✓
251.30 @ 7°48 = 248.97 ✓
380.80 ✓
.02 ✓

7.07
Set 2x2 K 35 FB

From Top Page 15

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W. S. 80, 9-2

Date _____ Notes by Boyer Chief Party _____ F.B. 566 Pg. 17

DIV. K.
300' Tape #58
Sta. @ 21°

Platted by RWMc	W. O. No. 7078 D. S. O. No.
Date June '37	Location T4NR13W
Map No. C.S.B. 745-5	Surveyed by Boyer & Party
Platting C'k'd by	Date 1-23-34
Date	Indexed A. C. Johnson

To bottom Page 18

Set 1x2 in rock md. Tee N & S Spur
K25R

Stadia 519 @ 0°04

519✓

See Page 139 for offsets to Sec. line.

Set 1x2 K24R
Top N & S Spur

Stadia 654 @ 1°53
= 653.28✓

653.28✓

Set 1x2 K23R. Top low N & S Spur

Stadia 596 @ 5°34 = 590.1✓

590.10✓

Set 1x2 K22R Top N & S Spur

Stadia 240 @ 5°47 = 237.58✓

237.58✓

Fd 1x2 18+20.86
B. 100-56

88-45-15
355-01-30
350-03-00
89-45-22

179-13-45
331-02-30
179-14-15

Fd. 4" sq. Iron post filled with Conc.
Mkd S. 2 on SW, S16 on NW T4NS15 on NE
& SGFR 40 S22 on SE. Cor to Sec 15, 16,
22 & 23 T4NR13W See FB 100-55 & 56✓
See Page 9 K21 FB

15'45"
179°
88-45-22

Fd 1x2 K20R Page 9

90-30-21
88-45-22
179-15-43

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

Sec 15
T4N R13W

To bottom Page 15

F.B. 566 PG. 18 Chief Party Notes by Date

W.S. 82, A-2

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Fd B.C. Conc Mon Cor to Sec 14, 15, 22 & 23 T4N R13W bottom Page 15
K31FB

Fd B.C. Conc Mon 1/4 cor to Sec 14 & 15 Page 18

90°48'15"
356°12'00"
90°48'13".

90° 48' 13"

308.89

Stadia 310 @ 1°17
= 309.84

Set 1x2 in rock Md. Top N & S spur
K30R

Stadia 1220 @ 5°30
= 1208.41

1208.41

Set 1x2 in Rock Md Top N & S spur
K29R

Stadia 9695 @ 2°36
= 967.46

967.46

Set 1x2 in Rock Md Top
High white N. side bridge
K28R

Stadia 358 @ 4°24
= 35.91

35.91

Set 1x2 in Rock Md N side N & S spur
K27R

Stadia 212 @ 73°23
= 178.61

178.61

179°05'16"
356°21'00"
179°05'16".

179-05-15

Made mark on B.C.
K26R

Fd B.C. Conc Mon. L cor.
to Sec 15 & 22 T4N
R13W FB 100-55

0.02

628.80

Stadia
630 @ 2°28'
= 628.80

237.58
590.10
553.28
519.00
628.80
2628.76

Set 1x2 K25R

From Top Page 17

Sec 15 T4N R13W

For offsets to true line
See Page 139

To bottom Page 20

W.S.80.A-2

Date _____ Notes by Boyer Chief Party _____ F.B. 566 Pg. 19

DIV. K.

Platted by R.W.M.S.	W. O. No. 7078 D. S. O. No.
Date June '37	Location T4N R13W
Map No. CSB-745-5	Surveyed by Boyer & Parry
Platting C'k'd by McPherson	Date Jan 26 1934
Date Mar 1938	Indexed A. C. Johnson

Set 1x2 K 39R in Rock md S.W. slope high mountain

Set 2x2 K 39FB

31.98

T = 65°
210.51 @ 21°04 = 196.44 ✓
300.75 @ 24°06 = 274.53 ✓
41.43 @ 25°27 = 37.41 ✓
508.38 ✓
- .00 ✓

1-35-16 col

Sec. 13 & 24 line

Set Nail

Spot

Sec 13

Sec 14 T4N R13W

Section

T = 68°
215.14 @ 8°34 = 212.74 ✓
254.82 @ 25°35 = 229.84 ✓
218.21 @ 21°41 = 202.77 ✓
645.35 ✓
- .07 ✓

Foot of high Mounta

252.00 @ 9°00 = 248.9 ✓

249.1

1/4 Cor K38FB Set 2x2 Co. Mon.

From Top Page 16

1

RETURN TO LOS ANGELES COUNTY SURVEYOR

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 566 Pg. 20 Chief Party Notes by Date 1-26,29-34



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 80, A-2

Date _____ Notes by Boyer Chief Party _____ F.B. 566 Pg. 21

DIV. K.

Platted by	R.W.ME	W. O. No.	7078 D. S. D. No.
Date	June '37	Location	T4N R13W
Map No.	C.S.D. 745.5	Surveyed by	Boyer & Parlin
Platting C'k'd by	McPherson	Date	1-29 1934
Date	Mar. 1938	Indexed	A. C. Johnson

To bottom Page 22

Section line See Page 141

Sec 13

T4N R13W

Sec 14

T4N R13W

Sec 24

T4N R13W

① 32 39 30
② 130 37 30
③ 201 13 15
32° 39 27.

32° 39 27
32 39 23
adj

171°13'00
324° 52' 00
289° 41' 15
171° 13' 02.

Canyon

Draw

Set 1x2 K4 CR Top Spur

Spur

T = 64°

64.55 @ 6°21 = 64.55 ✓
01 ✓

SEC. CORNER.
Set B.C. Conc. Mon mkd. as shown. In rock md.

COUNTY SURVEYORS

T4N R13W 14 13 23 24 62

MONUMENT

150 @ 120 = 146.69 ✓

Deep

146.7

64.54

This is 6 links W of Sec. Cor. per R.B. notes

K45 F.B.
Fd 3" I.P. with B.C. mkd as shown in old rock md on NW slope of spur. Also fd old 4"x4" hewn oak post 3' long lying on gd md. Scribed "S14" on 1 side "T4N S13 on 1 side "R13W S24" on 1 side 1 "S23 S6 PR" on 1 side

U.S. FOREST RESERVE BOUNDARY POST No 129 1908 R13W S23 S24 T4N

Canyon

T = 64°

582.24' Section line

Set 2x2 K44 FB

78.29 @ 24°51 = 71.09 ✓
194.12 @ 30°08 = 162.56 ✓
20.77 @ 30°22 = 67.46 ✓
286.13 @ 10°35 = 281.26 ✓
582.32 ✓

① 172° 30' 30
② 330° 01' 30
③ 300° 03' 90
172° 30' 22"

Set 1x2 K44 R2

59.93

172° 30' 22"

From Top Page 20

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 566 Pg. 22 Chief Party Notes by Boyer Date 1-29-31 - 31

To bottom Page 23

Set 1x2 K50 Rim Rock Md W bank of Cannon

Section Lines See Page 141

T= 76°
296.11 @ 6°25 = 294.16
258.43 @ 0°51 = 258.40
103.12 @ 1°51 = 103.06
655.62
.36

655.56

Set 1x2 K48 Rim Rock Md W bank Canada

T=66

143.42 @ 2°50 = 143.25

Sec 24

Sec 13 T 4N R13W

Set 1x2 K 48 K in Rk. Md

T=66

59.67

77° 27' 15"
305° 39' 00"
259° 33' 30"
77° 27' 11"

178° 44' 45"
354° 59' 00"
349° 58' 00"
178° 44' 45"

69° 53' 30"
279° 34' 00"
189° 09' 30"
69° 53' 34"

Set 1x2 KA

809.51

Set 1x2 KA7 R in rock md.

c.c.c. to W side of Mt Gleason

20' wide bearing built

77° 27' 07"

Dirt Road

T= 26°
300.97 @ 5°12 = 299.70
300.17 @ 4°23 = 299.20
211.02 @ 3°18 = 210.56
809.68
.08

To K46

Set 1x2 K

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

8.56
105
958.6
1597
1434
2991
2584

167 KA7K

W.S. 80, B-2

Date _____ Notes by Boyer Chief Party _____ F.B. 566 Pg. 23

DIV. K.

Platted by R.W.M.S.	W. O. No. 7078 D. S. O. No.
Date June '37	Location T4N R13W
Map No. B-745.5	Surveyed by Boyer & Parly
Platting C'k'd by McPherson	Date 1-31, 1934
Date Mar. 1938.	Indexed A. C. Johnson

Notes ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR



To bottom Page 25

F.B. 566 Pg. 24 Chief Party Notes by Date 2-5-34



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

180-03-36

W.S. 80, B-2

Date _____ Notes by Bauer Chief Party _____ F.B. 566 Pg. 25

DIV. K.

Platted by R.W.Mc	W. O. No. 7078 D. S. O. No.
Date June '37	Location T4N R13W
Map No. B-745.5	Surveyed by Bauer & Party
Platting C'k'd by McPherson	Date 2- 1934
Date Mar 1938	Indexed A. C. Johnson

Set Nail by In

Fd 4" sq. Bk filled with conc. in large Rock Md
Tie mkd. "S13" on NW "T4N S18" on NNE. "R13W
S24" on SW & "SGPR 41 R12W S19" on SE"
See C.S. 5036 KG3FB

To bottom Page 26

To E. line Sec 13

.05

Set Nail

① 90°01'45"
④ 360°00'00"
90°01'52"

290.34

Set 1x2" KG2R in Rock Md Toe Bank

T=72°
291.13@4 = 290.36
02

T=72°
62.13@1°00'12" = 62.13
01

110@1°25 = 109.67

T=68°
190.73@10°48 = 190.90
02

Set 1x2" KG1R in Rock Md

Old Road 10' wide

Arrastre Creek

Main road

Sec 24

Sec 23 T4N R13W

Top Bank

Set 1x2" KG6R in Rock Md Top Bank

T=68°
125.33@5°11 = 125.70
184.01@10°55 = 180.68
306.38
03

306.38

Section line

Set 1x2 KG9R in Rock Md

T=68°
113.09@5°47 = 113.31
01

113.09

Set 1x2 KG8R

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 566 Pg. 26 Chief Party Notes by Date

To bottom Page 27

Set 2x2 K & FB Top Spur

Spur

219.38

Sec 13
T4N R12W

Sec 18
T4N R12W

Spur

Spur

Drain

Set 2x2 K & FB Top Drain Stake

Set Nail & tag Int

Transect Line Page 24

F B Mon Tail Top Page 25

From Top Page 25

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by _____ Chief Party _____ F.B. 566 Pg. 27

DIV. K.

Platted by R.W.M^c.	W. O. No. 7078 D. S. O. No.
Date June '37.	Location T4N R12W
Map No. B.745-5	Surveyed by Boyce
Platting C'k'd by M^cPherson	Date 2-5,6 1934
Date Mar 1938	Indexed A. C. Johnson

To bottom Page 28

Set Nail

T= 67°
178.02 @ 2°53' = 177.79

Set 2x2 K 6 FB Top w.de cut at Node

T= 67°
300.72 @ 1°45' = 300.63
98.54 @ 0°51' = 98.48
399.11

399.54

Wash

Sec 13
T4N R12W

Sec 18
T4N R12W

Set 2x2 K 6 FB Top E.W. cut

T= 66
299.98 @ 1°41' = 297.73
225.48 @ 1°16' = 224.34
523.47

Wash

Set 2x2 K 6 SFB

From Top Page 26

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 566 Pg 28 Chief Party Notes by Boyer Date 2-C 34

To bottom Page 29

Set 2X2 K7 FB in Rock Md
Top Spur

T= 6A°
249.78 @ 8° 33 = 247.06

Spur

Draw

Set 2x2 K70 FB in Rock Md
on W. slope

T= 6A°
82.21 @ 3° 51 = 82.02

Set 2x2 K69 FB in Rock Md
Top high spur

Sec 13

Sec 13

30 @

Set 2"x2 K[illegible] FB Top high spur

T= 6A°

Draw

Set Nail Top Spur

From Top Page 27

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.80, B-2

Date _____ Notes by Boyer Chief Party _____ F.B. 566 Pg. 29 DIV. V.

Platted by	R.W.McE	W. O. No.	7078 D. S. O. No.
Date	June '37	Location	T4N R12&13W
Map No.	C.S.B. 745-5	Surveyed by	Boyer
Platting C'k'd by	M.E. Pherson	Date	2-C 34
Date	Mar. 1938	Indexed	A. C Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

To bottom Page 30

Set 1x2 K74FB in Rock Md. Top Spur

Set 2x2 K74FB

T= 66
300.99 @ 1°09'12" = 296.14 ✓
6.14 ✓
302.28 ✓
1.09 ✓

S 0°24' W 2,244' ✓

Section line

179°18'26"

① 179°18'30
② 359°13'45
179°18'26

Set 2x2 K73FB

Sec 13 T4NR13W

Set 1x2 K72 in Rock Md Tophigh Spur

Sec 18 T4NR12W

Set Nail & tag as projected from S.

T= 6°
266.24 @ 6°29' = 264.54 ✓
.03 ✓

① 0°03'45"
② 0°03'30"
0°03'52"

0°03'52"

SURVEY T4N R13W R12W

COUNTY 13 18

RE 1/4 SEC. COR 62

MONUMENT

Replaced with B.C. Conc Mon. mkd. as shown

K72FB
Fd Old Manganeto Post Scribed "1/4 S" on W. side & "SGF R on E. in large Old Rock Md on N. side of low E & W Spur Sec 13 Std 4" car Sec 18

T= 6°
82.04 @ 12°27 = 25.87 ✓
.01 ✓

Set 2x2 K71 F.B.

From Top Page 28

F.B. 566 PG. 30 Chief Party Notes by Boyer Date 2-6 -24

To bottom Page 31

Set 2x2 K78FB — 2.50 — 0.58 — Set 1x2 K78R on flat spur in Rock Md

T = 60°
300.46 @ 13°07 = 292.62
163.74 @ 5°07 = 163.09
455.71
.00

455.69

Set 2x2 K77FB — 1.15 — Set 1x2 K77R in Rock Md. on E. Slope

T = 66°
20.23 — = 20.23
300.45 @ 17°07 = 287.14
17.54 — = 17.54
324.91
.34

379.87

Section line

Sec 13 T4N R13W

High Ridge

Set 1x2 K76R in Rk. Md Top high Ridge

Sec 18 T4N R12W

Set 2x2 K76FB — 1.54

T = 66°
300.39 @ 4°33 = 299.74
198.30 @ 19°30 = 186.93
18.14 — = 18.14
504.81
.06

504.75

Wash

To Draw

145 @ 8°55 = 143.26

143.33

Set 2x2 K75FB — 2.97 — Set 1x2 K75R in Rock Md. Top Spur

Spur

T = 66°
268.25 @ 4°42 = 267.35

Wash

Draw

267.33

179'

Set 2x2 K74FB — 2.50 — Set 1x2 K74R

X

From Top Page 29

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmar	Survey of T4N R12&13W
Map No. CSB.745-5	W. O. 7078 Tape No. 58 St'd 84 of.
Office Work R.W. McA.	Surveyed by Boger
Checked McPherson	Notes Boger Date 2-7-34
Date Mar. 1938.	Indexed A. C. Johnson

F.B. 566 Pg. 31

DIV. K.

W.S. 80,8-1

To bottom Page 32

K82FB
Fd Old Post in Rock Md.
Scribed "S12" on W. "T4N R13W"
S12" on N. "T4N R12W" on E.
& "S18 SGFR" on S. Std. cor
to Sec 12 & 13 T4N R13W
Sec CS 9104-18 & 9080-10
Replaced with B.C.
Con'c. mon. mkd as
shown

COUNTY SURVEYOR
T4N
R13W 12 | 7 R12W
13 | 18
RE 62
STD. COR. MONUMENT

179°18'15" Gully Deep 125.13

① 179°18'15"
④ 357°13'00"
179°16'15"

T=70°
126.44@8°14 = 125.14
.01

Set 1x2 K81R in Rock Md
on point of spur

Gully Spur 101.20

T=56°
101.42@3°34 = 101.22
.02

41.@7°30 = 37.3

Fd. Rock 2Gx20x8" mkd
"CC T4N R12W" & with 6
grooves on E. side, 2 grooves
on N. side & 4 grooves on S.
in Rock md. with Rk. Md. to E.
Closing cor. to Sec 7 & 18 T4N R12W
See CS 9104-18 & 9086-10
On NE slope near point of N. spur

37.5

0.44

0.18

Set 1x2 K80R

T=56°
56.41@11°28 = 55.29
.01

Sec 13
T4N R13W

Sec 18
T4N R12W

Set B.C. Conc
mon. mkd. as
shown. in rk. md

COUNTY SURVEYOR
T4N
R13W 13 | 7 R12W
18
C.C.
RE 62

55.28

Set 1x2 K79R in Rock Md on NE. slope NW spur

T=56°
192.83@7°31 = 191.17
.03

0.34

Set 2x2 K79FB

191.14

Set 2x2 K78FB

0.58

Set 1x2 K78R

From Top Page 30

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-31

To bottom Page 33

F.B. 566 Pg. 32

W.S. 89, B-1

92@ 22°23 = 85
60

Deep Head

Gully

Set 1x2 K86R in Rock Md N side of E. End of Ridge

21.33
23.30

Set 2x2 K86FB

T = 66°
113.72 @ 10°35 = 111.79

High Ridge

Set 1x2 K85R in Rock Md. E. side Ridge

T = 66°
34.80 @ 3°17 = 34.79

111.78

34.74

20.72

Set 2x2 K84FB

Set 1x2 K84R in Rock Md. Top Ridge S. side E. end

T = 66°
300.14 @ 24°18 = 272.73
67.15 @ 26°33 = 60.07
31.14 @ 13°13 = 30.32
364.08 — 363.12

Section line

Sec 12
T4N R13W

Sec 7
T4N R14W

Gully

Set 1x2 K83R in Rock Md Top Spur

14.50

Set 2x2 K83FB

T = 70°
118.58 @ 2°37 = 117.15
234.78 @ 8°26 = 231.84
252.31 @ 8°58 = 249.33
214.68 @ 19°31 = 211.77
819.42 — 810.09

U.S. Meid. U.S. Forest Reserve
+
Boundary Post No 123
T4N S13 1905

Fd 3" I.P with B.C. mkd as shown in Old Rock Md.

4.07

667

Gully

4.07

Fd Old Post Cor. to Sec 12 & 13

From Top Page 31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 80, B-1

Notes Ck'd by Blackmer	Survey of T4N R12&13W
Map No. CSB-745-5	W. O. 7078 Tape No. 58 St'd of.
Office Work R.W. M&A.	Surveyed by Boyer
Checked McPherson	Notes Boyer Date 2-8-38
Date Mar. 1938	Indexed A. C. Johnson

F.B. 566 Pg. 33
DIV. K.

To bottom Page 34 & 148

Set 1x2 K89R in Rock Md S/E slope of SW spur

K89
Fd Old Juniper stake scribed "1/4 S" on W. side, + "SG FIR" on E. in large old Rock Md on NW slope of SW spur. 1/4 cor to Sec. 12 T4N R13W
C.S. 9086-11
Replaced with B.C. Conc. mon. mkd as shown .3 above ground

COUNTY SURVEYOR
T4N
R13W
R12W
12
SEC. COR
MONUMENT

T= 18°
180.31 @ 6°51 = 179.02
41.33 @ 17°16 = 41.20

Set 1x2 K88R in rock md on small NE-SW spur on SW slope high mountain

42.10

Set 2x2 K88 FB

Sec 12
T4N R13W

Wash in Deep Valley

Sec 7
T4N R12W

115 @ 18°35 = 114.34
527.37

527.3
601.32

Section Line

T= 66°
56.86 @ 20°22 = 53.31
133.62 @ 28°14 = 117.72
266.86 @ 22°09 = 247.31
184.41 @ 6°57 = 183.05
601.39
- .07

31.49

Ridge

Set 2x2 K87 FB.

Set 1x2 K87R in Rock Md. Top high Ridge

High

T= 68°
61.79 @ 13°29 = 60.09
210.82 @ 3°13 = 210.49
204.27 @ 23°56 = 186.71
6.86 = 6.86
464.15
- .05

464.10

Set 1x2 K86R

From Top Page 32

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by Blackmer	Survey of T4N R12
Map No. CSD-745-5	W. O. 7078 Tape No. 58 St'd 84 of.
Office Work R.W.M.S.A.	Surveyed by Boger & Party
Checked McPherson	Notes Boger Date 2-24 '34
Date Mar. 1938	Indexed A. C. Johnson

F.B. 566 Pg. 35
DIV. K.

To bottom Page 36 right side

Set 1x2 K97R in Rock Md. N. side flat top high E&W Ridge

T = 60°

T = 300.15 @ 6°24 = 298.28
23.26 23.26
321.54

Set 2x2 K97FB 15.06
Removed See pg 198

321.50

Set 2x2 K96FB 6.71
Removed See pg 198

Set 1x2 K96R in Rock Md cen of flat top of high E&W Ridge sloping w'ly

T = 66°
182.05 @ 1°38 = 181.98
03

U.S. FOREST RESERVE BOUNDARY POST No 122 1908

Fd 3" I.P. with B.C. mkd as shown in large rock Md. Top Ridge S. side

181.95

15.85

Sec 12
T4N R13W

Set 2x2 K95FB
Removed See pg 198

3.37

1.98

Set 1x2 K95R in Rock Md Top high E&W Ridge S. side

T = 60°
199.13 @ 13°28 = 193.66
03

Sec 7
T4N R12W

195.68

Set 1x2 K94R in Rock Md. on Rocky S. Slope

T = 56°
298.36 @ 22°07 = 276.40
174.49 @ 32°17 = 147.52
49.50 @ 26°34 = 44.27
468.18
08

3.05

Set 2x2 K94FB
Removed See pg 198

See pg 198 EAP 9/15/36

Set 1x2 93R
15.18

From Top Page 34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

To bottom Page 37

F.B. 566 Pg. 36

W.S. 89, B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Set 1x2 K101R in Rock Md.
Top Spur
Set 2x2 K101FB
46.27
Spur
T= 58°
161.16@ 6°30'2 = 160.11
- .08
160.08
Draw
Line 7
Set Nail
Set 2x2
37.55
Spur
190.31
147.13
145.14
188.98
- .08
T= 58°
206.06@ 17°09'2 = 196.31
Section
488.50
Spur
Set 1x2 K100R in Rock Md.
NE Stake
Set 2x2 K100 FB
T= 58°
165.20@ 27°03' = 147.13
163.75@ 27°03' = 145.14
T= 58°
252.87@ 15°36 = 243.56
- .08
19.76
Set 1x2 K99R on line
243.81
T= 60°
270.50@ 15°36' = 261.17
T= 60°
107.60@ 5°36' = 103.95
Set 1x2 K98R in Rock Mound
N. Stake Nail Tagged
T= 60°
56.84@ 3°15' = 54.95
Set Nail & Tag
94.05
Set Nail & Tag
From to Page 35
RE 12
SURVEYOR
T4N
R13W
COUNTY
1/6
1/12
S.C.
R.E. 2117
R.13W.
T.4N.
SURVEYOR
R12W
T4N R12W
Sec 7
T4N R12W
Sec C
T4N R12W
On Steel NE Stake
Fd Old 4x4 Juniper Stake Scribed
S.T.
on 1 side S6FR on 1 face
R12W on 1 face
on 1 face, lying in large rock Md at cor
of wire fences from N.E. to W., Std. cor
to Sec 1 T4N R13W C.S. 9086-
C.S. 9104-76
Stake with L.P. with brass cap
marked as shown
9-15-36 E.A.R.
See pg 148
Spliced 4x4 Juniper
Surf.
Set 1x2 K99R on line
T= 60°
270.50@ 15°36' = 261.17
T= 60°
107.60@ 5°36' = 103.95
Set 1x2 K98R in Rock Mound
N. Stake Nail Tagged
T= 60°
56.84@ 3°15' = 54.95
Set Nail & Tag
94.05
From to Page 35
RE 12
SURVEYOR
T4N
R13W
COUNTY
1/6
1/12
S.C.
R.E. 2117
R.13W.
T.4N.
SURVEYOR
R12W
T4N R12W
Sec 7
T4N R12W
Sec C
T4N R12W
On Steel NE Stake
Fd Old 4x4 Juniper Stake Scribed
S.T.
on 1 side S6FR on 1 face
R12W on 1 face
on 1 face, lying in large rock Md at cor
of wire fences from N.E. to W., Std. cor
to Sec 1 T4N R13W C.S. 9086-
C.S. 9104-76
Stake with L.P. with brass cap
marked as shown
9-15-36 E.A.R.
See pg 148
Spliced 4x4 Juniper
Surf.
Set 1x2 K99R on line
243.81
Set 1x2 K98R in Rock Mound
N. Stake Nail Tagged
95.11
94.05
Set Nail & Tag

Notes Ck'd by Blackmar	Survey of T4N-R12W	F.B. 566 Pg. 37
Map No. CSB745-5	W. O. 2075 Tape No. 58 St'd 89 °F.	DIV. K.
Office Work R.W.MFA.	Surveyed by Boyer	
Checked McPherson	Notes Boyer Date 2-24-34	
Date Mar. 1938	Indexed A. C. Johnson	

12A

To bottom Page 38

Set 1x2 K 102 R in rock md. N. side E-W spur

1524 Calc. 1524.64

Set 2x2 K 103 F.B. Set to correct location 9-15-36 E.A.R.

567.10

T = 56°
299.92 @ 4° 41 = 299.92
269.2 @ 4° 37 = 267.37
567.29
567.10

Set 1x2 K 102 R in rock md. s'ly side long flat spur

1529.99

Set 2x2 K 102 F.B.

T = 56°
300.74 @ 1° 51 = 297.92
72.42 @ 9° 50 = 71.36
369.28
- .07

369.21

Set Nail point on spur

T = 52°
264.91 @ 14° 15 = 256.76
.05

256.71

Draw

6
1X.27

175° 22' 15"

From Top Page 36

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 80, B-1



F.B. 566 Pg. 38

Notes Ck'd by Blackmer	Survey of T 4N R 12 W	F.B. 566 Pg. 39
Map No. C.S.B. 745-5	W. O. 7078 Tape No. 58 St'd 84 of.	DIV. K.
Office Work R.W. McA.	Surveyed by Bouer
Checked McPherson	Notes Bouer Date 2-26-34
Date Mar. 1938	Indexed A. C. Johnson 7-31

To bottom Page 40

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Set 2x2 K 106 F.B. in rock Md
Top N+S scar.

T = 50°
145.65 @ 1°97' = 145.58 ✓
170.80 @ 1°44' = 170.78 ✓2
316.30 ✓
.07 ✓

316.29

Set 2x2 K 109 F.B. in rock Md
on steep N. slope

T = 51°
184.95 @ 1°46' = 184.98 ✓
.03 ✓

Sec 7

184.95

Sec 6
T4NR12W

Set 2x2 K 108 F.B. in Rock Md on steep N. slope
near Rock outcrop

T = 54°
169.71 @ 12°00' = 166.00 ✓
256.47 @ 15°57' = 256.40 ✓
121.98 @ 16°07' = 117.19 ✓
539.56 ✓
.10 ✓

539.46

Set 2x2 K 107 F.B.

From Top Page 38

FORM 247 10M 8-31

F.B. 566 Pg. 40

To bottom Page 41

W.S. 80, R-1

Set 2x2 K111FB in rock md W. top high mountain

T = 68°

61.21 @ 14°47 = 59.38 18

Sec 5

Fd. 20" Juniper, old blaze "Scribed" S.5 T.4N R.12W

Set 2x2 K112FB in rock md W. slope mountain near top

T = 68°

172.85 @ 25°30 = 156.66 02

K112FE
Fd Stone 23x16x5in 16" in ground. Scratches on S & E edges. mkd 4N, 12 W on top. Old rock md 2' W. of rock W. slope mountain near top. Old rotten 4x4 Scribed "S5 R12W T4N" lying on mound.

① 179° 38' 15"
② 358° 37' 00"
179° 39' 15"

T = 60°

121.49 @ 17°17" = 114.00 02

Replaced with B.C. Cone mon. mkd. as shown

SURVEYOR
T 4 N
R 12 W
S 5

Set 2x2 K111FB in rock md. W. slope top steep slope

Sec 6 T4N R12W

Head of Gully

T = 60°

70.26	@ 31°38"	59.77	
117.06	@ 53°49"	93.37	
121.36	@ 35°12"	95.11	
294.12	@ 19°51"	276.64	
22.03		22.03	
121.99	@ 12°23	121.08	
		677.00	
		- .10	

676.90

Steep

Set 2x2 K110FB

From Top Page 39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of T.4N.R.12W.	F.B. 566	Pg. 41
Map No. CSB.745-5	W. O. 7078 Tape No. 58 St'd 84 of.	DIV. K.	
Office Work R.W.McA.	Surveyed by Boyer		
Checked McPherson	Notes Boyer Date 2-27-34		
Date Mar. 1938	Indexed A. C. Johnson		

To bottom Page 42

W. Side G-1

K 120 FB
Fd. 1x2 Top ridge Sta 21+92.62 FB 319-4
Replaced with 2x2 in rock md.

① 179° 57' 30"
⑧ 359° 59' 00"
179° 57' 30"

179° 57' 30"

443.11

K 119 FB
Fd. B.C. Cone Mon. near E. top
N&S spur ⊥ car to Sec 5 & 8
T4N R12W FB. 319-4

T = 62

86.3[illegible] = 24.65

Spur

Set 2x2 K 118 FB
in rock md. Top spur

Set 1x2

① 18° 30' 00
④ 74° 02' 30
⑧ 148° 05' 00
18° 30' 37"

Draw

Stadia
5[illegible] @ 0°51' = 559.99

Short Shot
18° 30' 37"
18° 30' 30
adj

Set 2x2 K 117 FB in rock md. Top spur

252.1

Sec 5
T4N R12W

7300.10

Stadia
[illegible]52 @ 13°09 = 144.13
108
252.13

① 54° 32' 00
④ 218° 08' 00
⑧ 76° 10' 30
54° 32' 04"

Set 2x2 K 116 FB
in Rock md. E. slope

T = 68°
82.26 @ 13°25 = 80.02

1000.98

54° 32' 04"

106° 57' 29"

Set 1x1 △

763.34

① 106° 57' 30"
④ 67° 49' 30"
⑧ 135° 39' 45"
106° 57' 29"

Set 2x2 K 115 FB in rock md. E. top mountain

T = 68°

300.80	@ 20°22 =	281.99
300.00	@ 0°21 =	299.93
130.58	@ 20°33 =	122.27
69.80	@ 8°18 =	59.17
		763.42
		763.34

T = 68°
110.52 @ 5°13 = 113.05

113.04

Set 2x2 K 114 FB

From Top Page 40

106-57-27
54-32-04
161-29-31

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 80, C-1

R.B. 566 Pg. 42



Notes Ck'd by Blackmer	Survey of T4NR12W	F.B. 566 Pg. 43
Map No. CSB-745-5	W. O. 7078 Tape No. 58 St'd 84° of.	DIV. K.
Office Work R.W.McA.	Surveyed by Bauer & Party	
Checked McPherson	Notes Bauer Date 2-23-34	
Date Mar. 1938	Indexed A. C. Johnson 1-34	

To bottom Page 44

Top of Ridge

of mountain

wash

64.85

Set 2x2 K 131 F B in rock md. Top S. bank

90.66

Set 2x2 K 130 F B in Rock md. Top W. bank

T= 70°
92.31 @ 10°50 = 90.67
- .01

73 @ 24°24 = 64.85

T= 70°
151.98 @ 2°34 = 151.79
- .01

151.79

Set 2x2 K 129 F B. in rock md Top bank

Wash

Sec 5
T4NR12W

187

320.26

Sec 4

T= 68°
145.33 @ 0°54 = 145.32
175.33 @ 3°39 = 174.97
320.29
- .03

Wash

44'

Set 2x2 K 128 F B in rock md. Top flat spur

T= 68°
294.52 @ 0°29 = 294.51
121.29 @ 2°34 = 121.17
415.68
- .04

Rolling Mesa

Wash

515.64

348

Set 2x2 K 127 F B

From Top left Page 42

X

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 566 Pg. 44

3-1-34

To bottom Page 45

N.S. 89°E-1

① 179°58'45
④ 359°55'30
179°58'52

K 136 FB

Fd stone 20x12x12 in. 14" in ground. 1/4" cut in W face, large rock md. 3' to W. on NW slope of ridge. 1 car to Sec 4 & 5 T 4N R 12W 1/4 CS 9104-16 Replaced with B.C. Conc mon. mkd as shown

SURVEY TOP

COUNTY T 4N R 12W

5 + 4

1/4 SEC COR

RE 1/4 SEC COR

MONUMENTS

Sec 5

T 4N R 12 W

59.61

T=70°

67.09 @ 16°13 = 58.62
01

Set 2x2 K 135 FB in rock md. N. Top ridge in rock outcrop

24.83

T=70°

24.83

Set 1x2 Top ridge

63.85

T=70°

63.80
01

Sec 4

Set 2x2 K 134 FB in rock md S. Top ridge

158.25

160.56 @ 9°43 = 158.26
01

Set 2x2 K 133 FB in rock md SW slope

T=70°

100.19 @ 15°47 = 96.41
01

96.40

Set 2x2 K 132 FB in rock md SW slope

543.37

T=70°

300.46 @ 14°28 = 290.93
165.97 @ 24°06 = 151.05
107.86 @ 19°52 = 101.44
543.42
05

Set 2x2 K 131 FB

From Top Page 43

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of T 4N R 12W
Map No. CSB-745-5	W. O. 7078 Tape No. 58 St'd 84 of.
Office Work R.W.M.E.A.	Surveyed by Boyer + Party
Checked McPherson	Notes Boyer Date 3-7-34
Date Mar. 1938.	Indexed A. C. Johnson

F.B. 566 PG. 45
DIV. K.

W. S. 80, 6-1

To bottom Page 46

Set 2x2 K 141 FB in rock md S. top SW Spur

T = 74°
8/12 4 @ 17°48' = 77.35 ✓
-.01 ✓
77.34 ✓

77.34

Set 2x2 K 140 FB in rock md S. slope

T = 74°
300.59 @ 18°30' = 288.84 ✓
158.79 @ 24°45' = 144.20 ✓
433.04 ✓
-.03 ✓

T = 74°
188.30 @ 18°30' = 188.23 ✓
100.81 @ 24°45' = 100.51 ✓
288.74 ✓
-.02 ✓

Set 2x2 K 139 FB in rock md Top N bank

Sec 5
T 4N R 12W

Sec 4

oldroad

Ravine

Ravine

Set 2x2 K 138 FB in rock md on N. bank

T = 72°
167.16 @ 25°43' = 150.60 ✓
245.25 @ 17°38' = 233.73 ✓
125.05 @ 70°36' = 123.95 ✓
508.28 ✓
-.04 ✓

508.24

T = 72°

Set 2x2 K 137 FB in Rock md N. slope

T = 72°
82.75 @ 21°[illegible] = 77.05 ✓
-.01 ✓

77.04

K 136 FB Fastener

From top Page 44

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 566 Pg. 46

W.S.6541-G

Notes Ck'd by Blackmer		Survey of T4N-R12W	
Map No. CSB-745-5		W. O. 7076	Tape No. [illegible] St'd [illegible] of.
Office Work R.W.M.S.A.		Surveyed by Bolar	
Checked McPherson		Notes [illegible]	Date 3-[illegible]-38
Date Mar. 1939		Indexed	A. C. Johnson

F.B. 566 Pg. 47
DIV. K.

DESIGNATED Forest Reserve Boundary Unit

747.21' Per F.B. 3183-208 W.E. 27-12-68

Replaced with B.C. Mon. mkd. as shown

COUNTY SURVEYOR T5N R12W 32 33 4 S.C. TAN RE 62

C.S. 9104-16

32

See line See Pg. 147

Removed 9-14-36 E.A.R.

Set B.C. Cone mon. mkd as shown. On Two line Removed 9-14-36 E.A.R.

0.79'

4.00'

Reset Mon. by Int. 9-14-36 E.A.R. See pg 147

COUNTY SURVEYOR T5N R12W 32 5/4 C.C. TAN RE 62

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

To bottom Page 49

F.B. 566 Pg. 48



W.1565, A-6

Notes Ck'd by Blackmer		Survey of T 4 S N R 11 W	F.B. 566 Pg. 49
Map No. CS.B-745-5		W. O. 7078 Tape No. 58 St'd 89 of.	DIV. K.
Office Work R.W.M.S.A.		Surveyed by Boger	
Checked McPherson		Notes Boger Date 3-7-39	
Date Mar. 1938		Indexed A. C. Johnson	

To bottom Page 50

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Set 2x2 K 158 F B in rock md. N. Slope ridge

T = 68°
115.67 @ 22° 08 = 107.15 ✓
- .01 ✓

107.14 ✓

COUNTY SURVEYOR T 5 N R 12 W 33 1/4 Sec. Cor. B.T. 4 N 62

Replaced with B.C. Mon. mkd. as shown

Set 2x2 K 157 F.B. in rock md N. slope of ridge

T = 68°
75.67 @ 17° 12 = 72.29 ✓
- .01 ✓

72.28 ✓

① 178° 15' 30
④ 353° 02 30
178° 15' 37"

Sec 33 T 5 N R 11 W

K 156 F B
Fd. Old Hewn Juniper Stake about 2"x4". Scribed "S 6 F R" on W. 3' S on E. in old rock mound on N. slope of ridge 1/4 cor to Sec 33 T 5 N R 11 W
LS 9095-24

45 Adj'

178° 15' 37"

T = 66°
275.07 @ 8° 12' = 272.27 ✓
- .00 ✓

Sec 4 T 4 N R 11 W

272.24 ✓

Set 2x2 K 155 F.B. in rock md. Top high rocky N.W. ridge

High ridge

T = 66°
110.60 @ 26° 29 = 98.99 ✓
295.53 @ 28° 51 = 258.85 ✓
357.84 ✓
- .09 ✓

357.80 ✓

Set nail

From Top Page 48

1

FORM 247 10M 8-21

F.B. 566 Pg. 50

To bottom Page 51

Set 2x2 K 162 FB in rock mound Top bank Deep ravine

581.35

T = 76°
300.76 @ 1°35 = 300.65
281.10 @ 2°47 = 280.77
581.42
.03

Set 2x2 K 161 FB in rock md Top bank

Ravine

Wash

T = 72°
159.85 @ 7°57 = 158.41
231.72 @ 3°28 = 231.31
389.72
.03

Set 2x2 K 160 FB in rock md top spur

Low

Spur

Draw

T = 72°
213.38 @ 10°13 = 209.88
81.04 @ 7°51 = 80.28
290.16
.08

290.24

Sec 33 T5NR12W

Steep rocky slope

Low Spur

Set 2x2 K 159 FB in rock md. Top Spur

Draw

379.69

T = 68°
137.78 @ 24°36 = 125.28
270.95 @ 20°06 = 259.45
379.73
.09

Set 2x2 K 158 FB.

From Top Page 49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W. S. 1654-6

Notes Ck'd by Blackmer	Survey of T4+5N R11W	F.B. 566 Pg. 51
Map No. CSB-745-5	W. O. 7078 Tape No. 58 St'd 84 of.	DIV. K.
Office Work R.W.M.S.A.	Surveyed by Boyer + Party	
Checked McPherson	Notes Boyer Date 3-7-34	
Date Mar. 1938.	Indexed A. C. Johnson	

To bottom Page 52

Set 2x2 K164 FB. in rock md. Top bank
Fd. Stone 26x16x12 in mkd "cc"
6 grooves on S. 3 grooves on W
These marks are rather new and someone has added "T4N R12E" on S. face. Comes on N.E. side of ravine about half way down from Top of bank. Closing cor to Sec 3 T4N R12W C.S. 9104-11

60 @ 28°40 = 52.65

62
26
36

SURVEYOR T5N R12W

33 / 4 13 U.S. R.E.S.

Set B.C. Conc. mon. mkd. as shown, on true line

T = 78°
239.63 @ 14°06 = 227.56 ✓
- .01 ✓

Set 2x2 K163 FB in rock md in out crop N side of ravine

26.65 @ 31°35 = 22.71 ✓

25.70 @ 28°03 = 22.62
.09
22.71 ✓

Sec 33 T5N R12W

Sec 4 T4N R12W

T = 78°
207.46 @ 5°24 = 206.54 ✓
238.35 @ 9°48 = 239.87 ✓
447.41 ✓
- .02

441.39 ✓

41 @ 27°00 = 36.53 ✓

58 @ 6°00 = 97.10 ✓

138 — 133.63 ✓

Ravine

365

Deep

Set 2x2 K162 FB

From Top Page 50

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-31

F.B. 566 Pg. 52

To bottom Page 53

W.S.65A-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Sec 34 T5N R12W

Set 1x2 K 16 IR in Rock md NE slope

T= 66
84.70 @ 0° 24 = 84.70

84.60

Set 1x2 K 16 IR in Rock md. Top wide NW spur

Spur

Sharp

Drive

Sec 3 T4N R12W

179° 23' 10"
357° 23' 00"
179° 23' 15"

T= 72°
203.28 @ 19° 30 = 274.46
162.69 @ 20° 20 = 165.51
428.97

179° 22' 15"

424.94

Set R 165 FB

...ers Rock md 3' north of cor
Fd 4" sq. iron post filled with conc. in rock md. inscr. "T4N S4" on SW face, "S33" on NW "T5N S34" on NE face "SGFR 43 R12W S3" on SE face. Old Oak brown stake Scribed "S34 3 notches on inside "S33 SGFR" 6 notches on inside "T4N R12W S4" & 3 notches on inside "T5N R12W S33" & 6 notches on either side being by iron post. Very old rotten orig stake lying alongside Std. cor. to Sec. 33 & 34
C.S. B095-24

① 95° 08' 00
② 180° 16' 15
95° 08' 00"

See Pg. 143

T= 72°
87.85 @ 8° 41 = 86.84

84.60

84-51-53 E

Set 2x2 K 16 AFB

Fd 10" Pine Blazed & scribed "T4N R12 W S3 SE BT"
See CS B104-1

Sec 33 T5N R12W

T= 76°
85.30 @ 17° 47 = 81.22
84.10 @ 0° 24 = 83.05

Set nail

Fd. Stone C.C.

Sec 4 Line

R 1.2

16° 32' 00"
33° 04' 00"

Fd. burned stub blazed & scribed "T4N R12W S4 SGBR" old scribed

From Top Page 51

Notes Ck'd by Blackmer	Survey of T 4 & 5 N R 12 W	F.B. 566	Pg. 53
Map No. CSB 745-5	W. O. 7078 Tape No. 58 St'd 84 of.	DIV. K.	
Office Work R.W.M.S.A.	Surveyed by Boyer		
Checked Mc Pherson	Notes Boyer Date 3-7-34 3-13-34		
Date Mar. 1938	Indexed J. C. Johnson		

To bottom, Page 54

Set 1x2 K 171 R in Rock Md SW Slope

297.28 ✓
163.13 ✓
460.41 ✓

460.41 ✓

T = 68°
297.42 @ 1°34 = 297.31 ✓
- .03 ✓

T = 78°
168.34 @ 14°17 = 163.14 ✓
- .01 ✓

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Sec 34 T5N R12W

See Page 143 for Offsets to True Section line

Top Ridge

Set 1x2 K 170 R in rock md. Top Ridge
T. in saddle

T = 68°
90.80 @ 14°29 = 87.97 ✓
- .01 ✓

87.96 ✓

Sec 3 T4N R12W

Set 1x2 K 169 R in Rock md NW slope

T = 66°
205.30 @ 25°24 = 185.46 ✓
- .02 ✓

185.44 ✓

Draw

Set 1x2 K 168 R in Rock md. N. Slope

T = 66°
267.80 @ 5°27 = 266.65 ✓
- .03

Draw

31.5°

Deep Ravine

266.62 ✓

Set 1x2 K 167 R.

From Top Page 52

FORM 247 10M 8-31

F.B. 566 Pg. 54

To bottom Page 55

WS 65A-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

wash

Set 2x2 K 175 FB in Rock Md

See FB 320-S for this line

24'

178.17

Found

178°14'15"

① 178°14'15"
④ 352°57'15"
178°14'19"

K 174 FB
Fd B.C. Conc. Mon. in Rock Md. top E. bent deep gulch See C.S. 9095-26 & F.B. 320-S 1/4 Cor. to Sec 34

T= 78°
108.33 @ 22°19 = 100.78 ✓
262.62 @ 24°40 = 238.00 ✓
297.57 @ 19°26 = 280.12 ✓
261.55 @ 57°41 = 260.76 ✓
879.82 ✓
- .03 ✓

+ 41 @ 2°

Sec 34 T5N R12W

Set 1x2 173 R.in Rock Md. S.E. slope

T= 78°
94.55 @ 17°32 = 90.16 ✓

See Pg. 143 for True Line West.

① 176°53'00"
④ 347°32'00"
176°53'00"

17°53'00"

90.16

Set 1x2 K173 R on S. slope

58.07

approx. ℄

Set Nail

Edison Trans. line

T= 78°
43.76 @ 1°
58.07 ✓ = 43.61 ✓

43.61

79°05'15"
159°50'30"

Set 1x2 K171 R

879.8
752
127.6

From Top Page 53

Notes Ck'd by Blackmer	Survey of T4S R12W
Map No. CSB-745-5	W. O. 7078 Tape No. 58 St'd 84 of.
Office Work R.W.McA.	Surveyed by Boger
Checked McPherson	Notes Boger Date 3-13-34
Date Mar. 1938	Indexed E. C. Johnson

F.B. 566 PG. 55
DIV. K.

To bottom Page 56

Set 2x2 K179 FB. in rock md
Top bank

2889.90

Set 2x2 K178 FB in rock md.

32.38 rough ch

Set 2x2 K177 FB in rock md

Sec 34 T3S R12W

Sec 3 T4S R12W

Meso

See FB 320-5

West

139 rough ch

20.8

Set 2x2 K176 FB in rock md

Hill rolling

3782.26 rough chain

Set 2x2 K175 FB

From Top Page 57

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 65, A-6

Do not extend notes this side of this line



F.B. 566 Pg. 56

Notes Ck'd by Bloekmer	Survey of T4*5N R12W	F.B. 566 Pg. 57
Map No. CSB745-5	W. O. 7078 Tape No. 58 St'd 84° of.	DIV. K
Office Work R.W.McA.	Surveyed by Boyer	
Checked McPherson	Notes Boyer Date 3-14-34	
Date Mar. 1938	Indexed A. C. Johnson	

W.S.S.S.A.-6

To bottom Page 58

Set 2x2 K 187 FB in Rock md
S. side rocky out crop

Stadia
224 @ 24°26 = 185.18 ✓

185.18 ✓

Set 2x2 K 186 FB in Rock md.
W slope

Stadia
591.5 @ 26°31 = 476.41 ✓

476.41 ✓

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Sec 35 T5N R12W

Toe

Slope

See FB 572 - 4 for this line

Sec T4N R12W

Set 2x2 K 185 FB in Rock md
near foot of slope of mountain

Stadia
795 @ 4°46 = 789.51 ✓

790.51 ✓
245.85
544.66 ✓

544.66 ✓

Set 2x2 K 184 FB in Rock Md

New 30'

Kentucky Springs Road

245.85

178.88

Stadia
178 @ 1°30 = 177.85 ✓

Stadia
245 @ 1°23 = 244.86 ✓

Fd B.C. mon. Corte
Sec 34 & 35 ✓

From Top Page 56

FORM 247 10M 8-31

To bottom Page 59

F.B. 566 PG. 58

W.S.65,B-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

189.73
173.36
363.09

Set 1x2 K192R in Rock md
SW side Peak of high ridge
T = 82°
194.45 @ 26°56 = 173.36 ✓

Set 1x2 K191R in Rock Md
W. slope Ridge
T = 82°
220.65 @ 30°42 = 189.73 ✓

① 179°26'30"
② 359°59'60"
179°26'30"

K190FB
Fd S.C. Concrete in rock
circle + cor to Sec 35
Sec T1S R13W 320-9
W. slope high ridge

Stadia
½ 590 @ 10°12 = 548.55 ✓
1097.10 ✓
1095.10 ✓
732.196 ✓
673.11 ✓

Sec 2
T2N R13W

Sec 35
T1N R13W

Set 2x2 K189FB in Rock md

Deep Gulch

Stadia
425 @ 5°35 = 420.90 ✓

Set 2x2 K188FB in Rock md
SE. side Rock outcrop

Stadia
24 @ 0°00 = 24 ✓

Set 2x2 K187FB

From Top Page 57

Notes Ck'd by Blackmer	Survey of T4S R12W	F.B. 566 Pg. 59
Map No. CSB-745-5	W. O. 7078 Tape No. 58 St'd 84 of.	DIV. K.
Office Work R.W.M.S.A.	Surveyed by Bauer	
Checked McPherson	Notes Bauer Date 3-14-34	
Date Mar. 1938	Indexed A. C. Johnson 3-34	

To bottom Page 60

Set 1x2 K 198 R in rock md on low spur

I = 82°

299.94 @ 15°31 = 289.01
14.29 = 9.29
303.30

303.30

T = 82°
131.65 @ 26°49 = 117.49
131.13 @ 26°40 = 117.10
259.56 @ 13° 24 = 233.44
468.03
.01

363.69
35.67
123.91
430.52
86.25
1039.14
467.52
303.30
1810.36

Set 1x2 K 197 R in Rk md

468.02

Drop heading in Gulch saddle

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Sec 35 T5N R12W

Section line

Set 1x2 K 196 R in Rock md S.E. slope

T = 82°
92.45 @ 21°06 = 86.25

Sec 2 T4N R12W

Set 1x2 K 195 R in Rock md Top N+S spur

See Page 140 for offsets to

280.14
76
356.90
75
281.4

430.52

T = 82°
280.79 @ 3°18 = 280.35
150.34 @ 2°49 = 150.18
430.53
.01

Draw

Set 1x2 K 194 R in rock md S. Slope

77 @ 13° = 75.03

123.91

T = 82°
124.72 @ 6°34 = 123.91

Set 1x2 K 193 R in Rock md

T = 82°
35.75 @ 8°22 = 35.37

High Ridge

Rough rocky S. Slope

35.37

Set 1x2 K 192 R

From Top Page 58

FORM 247 10M 8-31

F.B. 566 Pg. 60

To Top Page 61

Sec 35

178° 27' 37" short course

K 202 FB
Fd. old hewn Juniper stake scribed "T5NR12W S35" on NW "S36" on NE "T4NR12W S1" on SE "S2 SGF" R on SW in Old Rock md. Cor to Sec 1 x 2 T4NR12W & Sec 35 & 36 T5NR12W GLO 1905-26 & 1904-3
Combe on SE slope of N-S spur

Fd 3" I.P. with B.C. marked as shown in Rock Md

SEC. 2 SEC. 35
FOREST RESERVE
RESERVE BOUNDARY POST
T4N R12W T5N R12W
No 117
1905

T = 82°
51.45 @ 11°48 = 50.36

294.63 @ 0°36 = 294.62

Replaced with B.C. Mon. mkd. as shown

COUNTY SURVEYOR
T5N
35 36
2 1
R12W T4N
62

Set 1x2 K200R in Rock md
Top Spur

Spur

Draw

Draw

Set 1x2 K200R in Rock md

Draw

T = 82°
75.38 @ 19°42 = 73.11
205.83 @ 14°42 = 199.09
272.20

Ridge

272.20

177° 59' 18"
351° 57' 15"
177° 59' 17"

177° 59' 18"

Set 1x2 K199R in Rock Md. Top Spur

Spur

Sec 2 T4N R12W

Sec 35 T5N R12W

1810.36
181.91

T = 82°
182.79 @ 5°37 = 181.91

181.91

Set 1x2 K198R

From Top Page 59

1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.65, B-6

Notes Ck'd by Blackmer	Survey of T4&5NR12W	F.B. 566	Pg. 61
Map No. CSD.745.5	W. O. 7078	Tape No. 58	St'd 84 of.
Office Work R.W.M.E.A.	Surveyed by Bauer		
Checked McPherson	Notes Bauer	Date 3-20-34	
Date Mar. 1938	Indexed	A. C. Johnson	

DIV. K.

W. S. 65, B-6

To bottom Page 62

Set 2x2 K207 FB in rock md. Top low spur W. side

Draw

T = 76°
81.78 @ 14° 15' = 79.26
271.34 @ 17° 38' = 268.59
75.15 @ 1° 58' = 75.11
423.96
- 02
421.94

T = 76°
288.71 @ 1° 38' = 288.59
- 01

Set 2x2 K206 FB in rock md. N. slope

N. slope

Draw

288.58

Ridge

Set 2x2 K205 F.B. in Rock Md. Top ridge in saddle

Dividing

420.90

Sec BC T5N R12W

Gully

T = 78°
258.84 @ 13° 07' = 252.09
- 01

Set 2x2 K204 FB in Rk. md. Top Spur

276.52 @ 14° 41' = 267.49
157.30 @ 12° 44' = 153.13
420.92
- 02

Spur

99 @ 9° 46' = 97.57
51 @ 25° 00' = 46.22

Deep Gully

252.08

Set 2x2 K203 FB in Rock md. E. side Top of spur

Spur

T = 78°
231.38 @ 8° 45' = 228.69
- 01

228.68

K202 FB
Fd old hewn Juniper stake
Sec Cor

From Top Page 60

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 566 Pg. 62

To bottom Page 63

W.S. 65, B-5

11-AG-6-B



From Top Page 61

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Date _____ Notes by Bauer Chief Party _____ F.B. 566 Pg. 63.

DIV. K.

Platted by Blackmer (CHMK) W. O. No. 7078 D. S. O. No.
Date June '37 Location T4RS1W R12W
Map No. C.S.D 745-5 Surveyed by Bauer
Platting C'k'd by M.E. Thomson Date 3-20 & 21-34
Date Mar. 1938 Indexed A. C. Johnson

W.S. 65, B-6

To bottom Page 64

long

Set 2x2 K 215 FB in rock md. Top long spur

Spur

402.03

T = 7-20

300.63 @ 5°0A = 299.45
21.78 = 21.78
321.22
.22

15.7 @ 0°00

Set Nail

Gully

164.87 @ 2°0 = 164.76
-.01

117 @ 15°11 = 112.92

Gully

164.76

2 99.33 @ 10° 30 = 294.97
108.00 @ 7° 26 = 107.03
402.06
-.03

Set 2x2 K 214 FB in rock md. Top Spur

Spur

Sec 30
T5NR12W

Sec 1
T4NR12W

Draw

Draw

Set 2x2 K 213 FB in rock md. 11 circle flat spur

T = 7°

199.75 @ 3°28 = 199.38

Draw

Draw

Fd Old Juniper Stake K 212 FB
C.S. Mon.

From Top Page 62

RETURN TO
LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 566 Pg. 64 Chief Party Notes by Boyer Date 3-21-34

To bottom Page 65 left side



RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

From Top Page 63

W.S. 65, 8-6

Date _____ Notes by _____ Chief Party _____ F.B. 566 Pg. 65

DIV. K.

Platted by	R.W.McA	W. O. No.	7078
Date	June '37	Location	T4 S R12W
Map No.	C.S.B. 745-5	Surveyed by	Bowen
Platting C'k'd by	McPherson	Date	3-21-22 1934
Date	Mar. 1938	Indexed	A. C. Johnson

To bottom Page 66

Set 2x2 K 222 F.B. in rock mound Top Spur

T = 66°

118.37 @ 6°11 = 117.68 ✓

117.67

Set 2x2 K 221 FB in rock md. Top spur

T = 64°

286.12 @ 2°14 = 286.04 ✓

274.60 @ 12°23 = 268.21 ✓

554.25

54.18

Sec 26 T 4 N R 12 W

Sec 6 T 4 N R 11 W

Set 2x2 K 220 FB in Rock md. Top Spur

T = 64°

300.38 @ 6°46 = 298.22 ✓

45.60 @ 1°28 = 44.80 ✓

343.98

T = 62°

104.06 @ 6°51 = 103.32 ✓

T = 72°

108 @ 6°45 = 107.25 ✓

176.82 @ 2°13 = 176.69 ✓

Fd 12" Fir blazed

103.31

207.6 @ 30°01 = 198.92 ✓

53°14'00"

118°28'00"

105°

90°26'

90°26'45"

36°16'30"

90°26'37"

K 219 FB

Fd 4" square iron post Mkd "T5N S36" on NW "R11W S1" on SW. "T4N S6" on NE. " S6FR44 R11W" on SE. Set C.C. 30/30-24.14. Course near hd. of Canada

Fd 8" Fir blazed scribed "T4N R11W S6 BT"

Fd 12" Fir Tree Blazed & scribed "T4N R12W S1 BT"

Set 2x2 K 218 FB

Blaze Canada

Set 2x2 K 218 FB in Rock Pile Cairn

Sec 1 T4N R12W

From Top Page 66

107.3 ✓

176.68

440.99

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR

F.B. 566 Pg. 66 Chief Party Notes by Boyer Date

To bottom Page 67

Set 2x2K 22 G.F.B. in rock md
N. Slope of Ridge

T=C4°

71.39 @ 8°55 = 70.53 ✓
.01

Sec 31
T5N R11W

19 22 5 FB
Fd 2½" I.P. with B.C. mkd.
as shown in rock md.
rock md 2' To east
Closing Twp. Cor
W. slope

70.52

U.S. GENERAL LAND OFFICE SURVEY
T5N R12W S.B.M.
T5N R11W S31 C6 T4N R11W
1926

179°59'00"
359°56'00"
179°59'04"

179°59'04"

CLOSING TOWNSHIP CORNER
Nothing Set

0.17

T = 6 Ac

221.01 @ 1°50 = 217.00 ✓
21.37 21.37 ✓
238.37 ✓

238.34

Sec 36
T5N R11W

Deep

Gully

72 @ 22°00 = 66.76 ✓

Deep

Set 2x2 K 22A F.B. in rock md.
Top Spur
Steep Spur

Deep

Sec 6
T4N R11W

117 @ 20°50 = 109.35 ✓

Deep

109.4

371.92

Gully

T = 64°

148.55 @ 17°22 = 141.78
232.95 @ 8°51 = 230.18
371.96 ✓
.04

Set 2x2K 223 PB in Rock Md
W. slope of ridge NE+SW

T = 66°

57.21

57.63 @ 6°51 = 57.22 ✓
.01

Set 2x2 K 222 FB

From Top Page 65

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.65, 8-6

W.S.65.B-6

Notes Ck'd by Blackmer	Survey of T4N R11&12 W
Map No. CSB745-5	W. O. 7078 Tape No. 58 St'd 84 OF.
Office Work R.W. McA.	Surveyed by Bauer
Checked McPherson	Notes Bauer Date 3-22-34
Date Mar. 1938	Indexed A. C. Johnson

F.B. 566 PG. 67

DIV. K.

To bottom Page 68

① 179°31'00
④ 358°04'15
179°31'04"

179°31'04"

K229FB
Fd. 2" I.P. with B.C. mkd as shown in rock md. Rock md. 3' to E. Old juniper stk Scribed "1/4 S 36 R" lying on ground 1 ft. to Sec 36

LAND OFFICE REMOVAL
US GENERAL PENALTY $250 FOR
1926

T = 64°
300.07 @ 12°51 = 292.56 ✓
3.75 @ 90° = 3.75 ✓
296.31 ✓
.04 ✓

296.27

Spur

Set 2x2 K 228 FB in rock md.
Top Spur

T = 64
299.65 @ 10°20 = 294.79 ✓
61.95 @ 10°18 = 63.90 ✓
358.69 ✓
- .05 ✓

Draw

358.74

Sec 36
T 5N R 12W

Sec 31
T 5N R 11W

Spur

130

Set 2x2 K 227 FB in rock mound
Top Spur

48'

Deep Draw Gully

489.56

312.6

T = 66°
139.74 @ 26°12 = 125.38 ✓
299.48 @ 22°43 = 276.25 ✓
88.15 @ 3°27 = 87.59 ✓
489.62 ✓
- .06 ✓

Set 2x2 K 226 FB

From Top Page 66

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 5-31

F.B. 566 Pg. 68

To bottom Page 69

Set 2x2K 234FB in rock md.
Top Spur

T = 70°
233.28 @ 11°01 = 228.98 ✓
02

Spur

Prom

32

96.22

Set 2x2K 233FB in rock md
N. Slope

76.66 @ 8°19 = 75.85 ✓

75.84

Set 2x2K 232FB in rock md
Top Ridge

Ridge

T = 70°
86.30 @ 6°55 = 85.67 ✓
01

85.58

Sec 36
T5N R12W

Set 2x2K 231FB in rock md
S. Slope

Wash

461.44

T = 70°
138.21 @ 1°19 = 138.17 ✓
135.71 @ 6°35 = 134.83 ✓
204.68 @ 22°55 = 188.43 ✓
461.43 ✓
01

138.10

To Hunters Inn Traveled

Set 2x2K 230FB in rock md

Road

T = 0°0

212.10 @ 3°31' = 212.00 ✓
03 ✓

211.98

Fd 3/4" I.P. K 229 F.B.

From Top Page 67

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 65.B-6

Notes Ck'd by Blackmer	Survey of T5NR11W12W
Map No. CSB-745-5	W. O. 7078 Tape No. 58 St'd 84 °F.
Office Work R.W.M.E.A.	Surveyed by Boyer
Checked McPherson	Notes Boyer Date 4-5-34
Date Mar. 1938	Indexed E. C. Johnson

F.B. 566 Pg. 69
DIV. K.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

To bottom Page 76

Set 2x2 K 238 FB in rock md
T = 74°
120.02 @ 8°21 = 118.75 ✓
.01

118.74

Set 2x2 K 237 FB in rock md. point of spur

Draw

68'

T = 74°
195.48 @ 5°58 = 194.42 ✓
.01

194.41

Set 2x2 K 236 FB in rock md Top Spur

Spur

Sec 36
T5NR12W

Sec 31
T5NR11W

T = 74°
300.17 @ 60°31 = 298.20 ✓
79.93 @ 25°47 = 71.97 ✓
139.15 @ 16°35 = 133.33 ✓
503.50 ✓
- .03 ✓

Slope

503.47

Wash

K 235 FB
Fd. 3/4" I.P. with B.C. mkd. as shown
small rockmd. 2' to E. 1/4 cor
to Sec 31 T5NR11W

Small Valley

38'

179°59'30
359°58'15
179°59'34

179°59'34

210

361.15

U.S. GENERAL LAND OFFICE SURVEY
PENALTY $250 FOR REMOVAL
1/4
S31
1926

Toe Slope

T = 70°
300.25 @ 10°40 = 295.06 ✓
66.21 @ 3°04 = 66.12 ✓
361.18 ✓
- .02 ✓

Set 2x2 K 234 FB

From Top Page 68

FORM 247 10M 5-31

F.B. 566 Pg 70

To bottom Page 71

Set 2x2 K 243 FB in rock md

Dividing Ridge

N.S. 65 B-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

434.66

T=70°
278.70 @ 14°05 = 270.32
148.39 @ 21°37 = 137.95
26.45 @ 1°58 = 26.43
439.70

Sec 25
T5NR12W

Spur, 12

Set 2x2 K 242 FB in rock md
Point of spur

T=66°
18.62 @ 17°14 = 17.20
58.20 @ 17°30 = 53.66
271.86
-.13

Sec 31
T5NR11W

178° 28' 30"
353° 54' 30"
178° 28' 37"

SCENIC HIGHWAY
GENERAL LAND OFFICE
1926
T5N R11W S25
S36 R11W S31

K 241 FB
Fd 1½" I.P. with B.C. mkd as shown in rock mound. Old hewn scribed Juniper stk along side Rock Wall md. 3' W. Std Cor to Sec 25 & 30 T5N R12W On W slope

T=74°
81.19 @ 15°41 = 78.17

78.85

K 240 FB
Fd 3" I.P. with B.C. mkd as shown in rock md

SIGNED U.S. FOREST RESERVE
BOUNDARY POST
NF&C No 116
1903

Set 2x2 K 239 FB
In rock md W. Slope

Sec 36

T=74°
300.33 @ 12°56 = 292.71
32.02 @ 16°11 = 30.75
323.46
-.02

323.44

Set 2x2 K 238 FB

From Top Page 69

Notes Ck'd by Blackmer	Survey of T5NR11&12W	F.B. 566	Pg. 71
Map No. CSD:745.5	W. O. 7078	Tape No. 58	St'd 82 °F.
Office Work R.W.M.S.A.	Surveyed by Boyer		
Checked Mc Pherson	Notes Boyer	Date 4-5-34	
Date Mar. 1938	Indexed L. C. Johnson		

DIV. K.

To bottom Page 72

Set 2x2K 247 FB in rock mound N. Slope

T= 66

255.42 @ 25°57 = 229.67 ✓

03 ✓

229.64 ✓

Set 2x2K 246 FB in rock mound N. Slope

T= 66°

278.52 @ 26°37 = 244.53 ✓

03 ✓

244.50 ✓

Sec 25
T5NR12W

Sec 31
T5NR11W

Set 2x2K 245 FB in rock md. N. Slope

T= 66°

144.20 @ 23°47 = 131.95 ✓

m2 ✓

131.93 ✓

Set 2x2K 244 FB in Rock Md. N. Slope

T= 66°

105.38 @ 17°17 = 100.62 ✓

01 ✓

100.61 ✓

Set 2x2K 243 FB

From Top Page 70

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 5-31

F.B. 566 PG. 72

To bottom Page 73



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

From Top Page 71

Notes Ck'd by Blackmer	Survey of T5N R11&12 W
Map No. CSD745-5	W. O. 7078 Tape No. 58 St'd 84 of.
Office Work R.W.M&A.	Surveyed by Boyer
Checked Mc Pherson	Notes Boyer Date 4-9-34
Date Mar. 1938	Indexed A. C. Johnson

F.B. 556 Pg. 73
DIV. K.

To bottom Page 74

Ridge

Set 2x2 K 255 R in rock md S. side Top Ridge

T = 84°
297.80 @ 10°24 = 292.91 ✓
30.79 @ 12°52 = 30.02 ✓
322.93 ✓

322.93

draw

Set 2x2 K 254 R in rock md. near bottom draw

wide deep

T = 86°
79.54 @ 18°00 = 75.60 ✓
265.93 @ 16°23 = 255.18 ✓
330.78 ✓

330.78

Set 2x2 K 253 R in rock md Top Spur

T = 86°
129.89 @ 9°39 = 128.05 ✓

128.05

Sec 25
T5N R12W

See Page 144 for offsets to true sec line

Set K 252 R in Rock Md. Top Spur

Spur

Sec 30
T5N R11W.

T = 86°
188.00 @ 11°01 = 184.54 ✓

184.54

Gulch

Set 2x2 K 251 R in rock md. W slope

T = 88°
82.75 @ 4°44 = 82.47 ✓
94.85 @ 6°28 = 94.25 ✓
59.42 @ 3°34 = 59.30 ✓
236.02 ✓
+ 01

236.03

Fd 3/4 I.P K 250 FB

From Top Page 72

X

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 847 10M 5-31

F.B. 566 Pg 74

To Bottom Page 75

Set 2x2 K 261 FB in rock md. Top saddle of NNS divide

Draw

T = 82

298.38 @ 12°18 = 291.53 ✓

291.53

Set 2x2 K 260 FB in rock

T = 82°

114.808 @ 2°06 = 112.82 ✓

112.82

Set 2x2 K 259 FB in rock md. SW slope

T = 83°

269.85 @ 3°50 = 269.25 ✓

269.25

Draw

Set 2x2 K 258 FB in Rock md

Draw

T = 83°

291.94 @ 12°07 = 286.41 ✓

286.41

See Page 144 for offsets to true Section line

Sec 25
T5N R12W

GENERAL LAND OFFICE MONUMENT
GRANITE # 25
1926

Fd. 3" I.P. with B.C. mkd. 25 shown in rock mound on N. slope. Rock mkd. 3 east
closing corner to Sec 30
T5N R11W
K 257 F.B.

178°42'30"

Ⓐ 178°42' 30"
Ⓑ 354°50' 00"
178°42' 30"

T = 84°

179.02 @ 12°18 175.50 ✓

175.50

Ⓐ 178°45'45"
Ⓑ 355°03'00"
178°45'45"

175°45'45"

Set 2x2 K 256R in rock md.
N ridge Top ridge

T = 84°

75.19 @ 1°17 = 75.17 ✓

75.17

Set 2x2 K 255P

From Top Page 73

K-5.65, B-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W, S, 65, B-5

Notes Ck'd by Blackmer		Survey of T5NR11&12W	
Map No. CSB-745:5		W. O. 7078 Tape No. 58 St'd 84 °F.	
Office Work R.W.MSA.		Surveyed by Boyer	
Checked McPherson		Notes Boyer Date 4-5-34	
Date Mar. 1938		Indexed A. C. Johnson 4-16-34	

F.B. 566 Pg. 75
DIV. K.

To bottom Page 76 right

Set 2x2 K 267 F.B. in rock md. S. slope

302.42

T = 86°
299.90 @ 4°56 = 298.85 ✓
3.57 = 3.57 ✓
302.42 ✓

Set 2x2 K 266 F.B. in rock md S. slope

136.53

T = 81
139.65 @ 12°08 = 136.53 ✓

Set 2x2 K 265 F.B. in rock md. S. slope

505.37

T = 80°
250.33 @ 18°12 = 237.81 ✓
270.53 @ 8°30 = 267.56 ✓
505.37 ✓
+ .01 ✓

Sec 21
T5N R12W

75 @ 16°15 = 72 ✓

Set 2x2 K 264 F.B. in rock md N. slope

180.8

T = 82°
83.76 @ 12°26 = 81.80 ✓

Sec 30
T5N R11W

Set 2x2 K 263 F.B. in rock md. Top ridge

Ridge

107.52

T = 87°
108.45 @ 7°31 = 107.52 ✓

① 179° 39' 00"
② 358° 32' 30"
179° 39' 07"

179° 39' 07"

K 262 F.B.
Fd 1½" I.P. with B.C. mkd as shown in rock md. 6" x 12" basalt rock, 2 notches on S. & 4 notches on N. standing to north of I.R. Rock md. 2' to W. Std. cor. to Sec 24 & 25 T5N R12W S. slope

263.72

T = 82°
264.90 @ 5°23 = 263.73 ✓

Sec 25
T5N R12W

Set 2x2 K 261 F.B.

From Top Page 74

GENERAL LAND OFFICE SURVEY 1926 T5N R12W T5N R11W S24 S25 S30

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 65, B-5



F.B. 5566 Pg. 76

Notes Ck'd by Blackmer	Survey of T5NR11W
Map No. C.S.D.745-5	W. O. 7078 Tape No. 58 St'd 84 °F.
Office Work R.W.McA.	Surveyed by Boger
Checked McPherson	Notes Boger Date 4-11-34
Date Mar. 1938	Indexed A. C. [illegible]

F.B. 566 Pg. 77
DIV. K.

177
90
19

To bottom Page 78

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Spur

Set 2x2 K 278 FB in rock md. Top spur W. side

Toe slope

Wash

137
425.77
30
10'

Traveled

Gravel

Road

T=84°
300.21 @ 6°02 = 298.58
128.80 @ 9°11 = 127.15
426.73

Set 2x2 K 277 FB in Rock md. East of Spur

Sec 19 T5NR11W

T=84°
185.01 @ 25°28 = 167.03

Sec 20

167.03

Top

Set 2x2 K 276 FB in rock md. SE. side Top spur

34.80

T=84°
34.95 @ 5°17 = 34.80

Set 2x2 K 275 FB in rock md NW side Top spur

Heavy Spur

328.05

T=84°
300.30 @ 5°45 = 298.79
30.11 @ 13°18 = 29.30
328.09

Set 2x2 K 274 FB in rock md N.W. slope

192.06

T=84°
198.17 @ 14°16 = 192.06

Set 2x2 K 273 FB

From Top Page 76

X

FORM 247 10M 8-31

To bottom Page 79

F.B. 566 PG. 78

W.S. 65, B-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Set 2x2 K 283 FB 2' in rock md

82.50

T = 88°
82.50 @ 0°00

Set 2x2 K 282 FB in rock md.

Traveled Road

Valley

Wash

Small

T = 88°

300.15 @ 5°33 = 298.74
92.90 = 92.90
341.64
.01

Toe Slope

191.37

341.65

135 @ 13°36 = 131.27
275 @ [illegible] = 272.90
[illegible] 141.68

131.34

U.S. GENERAL LAND OFFICE SURVEY
$250 FOR REMOVAL
T
1/4 S 30
1926

Fd. 3" I.P. with B.C. mkd as shown Stone md. 2' S. of pipe. Built stone md. around pipe. Closing cor to Sec 30 T5N R11W. See TWP plat of survey of 1926

Set 2x2 K 281 FB in rock md
Top spur

T = 88°
141.35 @ [illegible] = 138.74

Small Wash

Stone

Fence

Wash

U.S. GENERAL LAND OFFICE SURVEY
$250 FOR REMOVAL
1/4 S 19
1926

353.29

T = 88°
391.58 @ 26°50 = 351.25

K 280 FB
Fd. 3" I.P. with B.C. mkd as shown, in rock md. Old hewn scribed oak stake along side. Rock md. 3' to North. Std 1/4 cor to Sec 19 T5N R11W. See TWP plat of 1926. Comes on W. bank of Gulch

① 179°55'
④ 359 42 45
179 55 45

179°55'45"

T = 84°
93.64 @ 19°28 = 88.29

88.29

Set 2x2 K 279 FB
In rock md. E. side
Top spur

T = 84°
91.02 @ 6°14 = 90.48

90.48

Set 2x2 K 278 FB

From Top Page 77

Notes Ck'd by Blackmar	Survey of T5NR11W	F.B. 566 Pg. 79
Map No. CSB.745.5	W.O. 7078 Tape No. 58 St'd 8# of.	DIV. K.
Office Work R.W.M.E.A.	Surveyed by Boyer	
Checked Mc Pherson	Notes Boyer Date 4-11-34	
Date Mar. 1938	Indexed E. C. Johnson 4-12-34	

To bottom Page 80

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Set 2x2 K 287 F.B. in rock md Top Spur

T = 84°
160.10 ✓

160.10

Draw

52'

Set 2x2 K 286 F.B. in rock md Top Spur

Spur

59'

407.79 ✓

T = 84°

174.01 @ 11°04 = 170.77 ✓
239.19 @ 7°43 = 237.02 ✓
407.79 ✓

Draw

Sec 12
T 5 S R 11 W

Ridge

Set 2x2 K 285 F.B. in rock md. Top Ridge

T = 84°

293.72 @ 10°03 = 288.72 ✓

288.72

Set 2x2 K 284 F.B. in rock md. Top Spur

T = 84°
132.88 @ 16°45 = 127.24 ✓

127.24

Toe Slope

31'

Traveled Road

10'

Set 2x2 K 283 F.B.

From Top Page 78

FORM 247 10M 8-31

F.B. 566 PG. 80

To bottom Page 81

Set 2x2 K 292 FB
In Rock md. W. slope

Deep

221.10

Solid

S 15° W 150.96'

K 291 FB
Fd. 1½" I.P. with B.C. mkdas shown in rock md. Old news scribed Juniper stake along side Rock md. 3' to W. on E. slope. Cor to Sec 19, 20, 29 & 30, T5N R11W

① 179° 21' 15"
② 359° 26' 00"
179° 21' 15"

GENERAL LAND OFFICE
T 5 N R 11 W
S 19 S 20
S 30 S 29
1926

Sec 20

Sec 29

T = 92°
221.74 @ 4°24' = 221.09
+ .01

T = 86°
171.33 @ 7°15' = 170.16

Set 2x2 K 290 FB in rock md. E. side Mesa

424.80

T = 84°
300.14 @ 1°27' = 300.04
184.95 @ 0°45' = 184.85
484.89

Set 2x2 K 289 FB in rock md. W. edge mesa

T = 84°
188.90 @ 12°01' = 181.76
68.40 @ 7°49' = 67.76
252.52

Sec 30

Set 2x2 K 288 FB in Rock md. W. slope

188.71

T = 84°
188.09 @ 3°27' = 188.71

Draw

Set 2x2 K 287 FB

From Top Page 79

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Bloekmer	Survey of T5N R11W	F.B. 566 Pg. 81
Map No. CSB-745-5	W. O. 7078 Tape No. 58 St'd 84 °F.	DIV. K.
Office Work R.W.McA.	Surveyed by Bauer	
Checked McPherson	Notes Bauer Date 4-12-34	
Date Mar. 1938	Indexed A. C. Johnson	

To bottom Page 82

Set hewn 2x2 K 298 FB in rock md W slope near bottom of Gully

Gully

19

209.22

T = 88°
209.6 @ 3°29 = 209.22
+ .01

Spur

25'

Set 2x2 K 297 FB in rock md. W. slope

T = 88°
298.48 @ 3°27 = 297.13
+ .01

191 @ 21°42 = 177.46

Deep

297.14

177.46

Set 2x2 K 296 FB in rock md, point of spur

Gulch

T = 88°
298.69 @ 9°22 = 294.71
7.50 = 7.50
302.21
+ .01

302.22

Gully

T 5 N R 11 W

Sec 20

Sec 29

Set 2x2 295 FB in rock md SE slope

T = 90°
87.17 @ 7°56 = 86.34

86.34

Set 2x2 K 294 FB in rock md. E side ridge

T = 92°
73.37

Ridge

25'

73.37

Set 2x2 K 293 FB in rock md W. side ridge

T = 92°
244.29 @ 14°31 = 236.44
43.37 @ 7°41 = 42.98
279.142
+ .01

279.15

Set 2x2 K 292 FB

From Top Page 80

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 566 PG. 82

To bottom Page 83

Set 2x2 K 305 FB. in rock md. bottom draw

Wide Draw

T= 84°
141.43 @ 13°13 = 137.68

137.68

Set 2x2 K 304 FB in rock md Top ridge

Ridge

T= 84°
211.51 @ 25°29 = 196.93

196.93

Set hewn 2x2 K 303 FB in rock md. W. slope near bottom gulch

T= 84°
106.29 @ 11°13 = 104.25

104.25

Deep Gulch

Set hewn 2x2 K 302 FB in rock md. N. slope

T= 84°
95.54 @ 10°51 = 95.54

95.54

T= 84°
108.18 @ 12°43 = 105.53

Sec 29

Sec 20 T5NR11W

Set 2x2 K 301 FB in rock md. N. slope

105.53

Deep Gulch

Set hewn 2x2 K 300 FB in rock md. W. slope near bottom Gulch

Gulch

T= 84°
257.59 @ 21°41 = 239.32

239.32

Set 2x2 K 299 FB in rock md

Ridge Top Ridge

T= 88°
158.09 @ 19°49 = 148.73

148.73

Set 2x2 K 298 FB

From Top Page 81

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.65, 6-5

Notes Ck'd by Blackmer	Survey of T5NR11W	F.B. 566 Pg. 83
Map No. CSB 745:5	W. O. 7078 Tape No. 58 St'd 84 °F.	DIV. K.
Office Work R.W.McA.	Surveyed by Boyer	
Checked McPherson	Notes Boyer Date 4-17-34 4-18-34	
Date Mar. 1938	Indexed A. C. Johnson	

To bottom Page 84

Set 2x2 K 311 FB in rock md in Small Valley

T = 86°
300.40 @ 10°44 = 295.11
34.08 = 34.08
329.19

Valley

329.19 N 31° W

Set 2x2 K 310 FB in rock md, E. edge mesa

E. edge mesa

282.62 N 3° E

283.18 @ 3°35 = 282.62

Mesa

W. edge Mesa

Set 2x2 K 309 FB in rock md W. edge Mesa

T = 86°
197.77 @ 6°12 = 196.61

196.61 N 6° W

Set 2x2 K 308 FB in rock md bottom of draw

Draw

T = 86°
299.52 @ 10°06 = 294.88
37.78 = 37.78
332.66

332.66 N 10° W

Set 2x2 K 307 FB in rock md Top spur

Spur

T = 84°
713.75 @ 12°54 = 711.89

711.89 N 13° W

K 306 FB
Found 3/4" I.P. with B.C. mkd as shown, in rock md. Old hewn, scribed Juniper stake alongside pipe. On W. slope. 1 cor to Sec 20 & 29 T5N R11W.

U.S. GENERAL LAND OFFICE
PENALTY $250 FOR REMOVAL
S 20 + S 29
1926

139.27 N 13° W

T = 84°
141.35 @ 9°50 = 139.27

Set 2x2 K 305 FB

From Top Page 82

Sec 20 T5N R11W

Sec 29

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 5-31

To bottom Page 85

F.B. 566 PG. 84



From Top Page 83

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.B.M. 65 C-5

Notes Ck'd by Blackmer	Survey of T5N R11W	F.B. 566 Pg. 85
Map No. CSB:745-5	W. O. 7078 Tape No. 58 St'd 81 °F.	DIV. K.
Office Work RW.McA.	Surveyed by Boyer	
Checked McPherson	Notes Boyer Date 4-13-34	
Date Mar. 1938	Indexed E. C. Johnson 4-14-34	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

See Note on Index Map Page 4

To bottom Page 86

From Top Page 84

Sec 21

Sec 28

Sec 20 T5N R11W

Sec 29

Wide Draw

Section line

Long Spur

Set 1x2 K324R Tan Corr

Set 2x2 K324FB in rock md
T = 70°
53.55 ✓

53.55

Spur

Set 1x2 K323R Tan Corr

Set 2x2 323FB in rock md
T = 70°
214.62 @ 11°07 = 210.59 ✓

210.57

True

Spur

Set 1x2 K322R in Rock md, Top Spur

Set 2x2 K322FB in rk. md
T = 70°
39.93 @ 25°23 = 36.08 ✓

36.08

Abandoned Graves Store

100'±

Set 1x2 K321R in Rock md batten guide

Gulch

Set 2x2 K321FB in Rock Md
T = 70°
148.70 @ 18°31 = 140.96 ✓

140.95

Transit

GENERAL LAND OFFICE SURVEY
8750 FOOT
T5N R11W
S20, S21
S29 S28
1926

Spur

Set 1x2 K320R in rock md, Top Spur

Set 2x2 K320FB in Rock md
T = 70°
2.00.0 5 —

Draw

K319FB
Fd. 1" I.P. with B.C. mkd as shown, in rock md. Old hewn Scribed Juniper Post alongside Rock md 3' to W, Cor To Sec 20, 21, 28 & 29

179°30'04"

0.22 ✓

210.03

33

Spur

32.78 ✓

32.80 @ 1°25 = 32.79 ✓

Set 2x2 K319FB in rock md
W. Side Top Spur

T = 70°

153.94 @ 21°58 = 142.76 ✓
2.58 = 2.58 ✓
145.34 ✓

145.33

Set 2x2 K317FB

N 179°30'00" E
358.1410
179°30'04"

Sec 21

FORM 847 10M 5-31

To bottom Page 87

F.B. 566 Pg. 86



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.65, C-5

Notes Ck'd by	Blackmer	Survey of	T5NR11W
Map No.	CSD-745-5	W. O.	7078 Tape No. 58 St'd 89 °F.
Office Work	RW.McA.	Surveyed by	Bayer
Checked	McPherson	Notes	Bayer Date 4-17-34
Date	Mar. 1988	Indexed	A. C. Johnson

F.B. 566 Pg. 87

DIV. K.

To bottom page 88

T=78
89.46 @ 4°55 = 89.13 ✓

Set 2x2 K335FB

89.13

draw

43'

Set 2x2 K334 FB

Ridge

1926

USGEN. LAND OFFICE SURVEY PENALTY $250 FOR REMOVAL

5 21
1/4
5 28

T=74°
118.70 @ 21°02 = 110.79 ✓
01

Set 1x2 K 333 R

110.78

K 333 F.B.
Fd. 3/4" I.P. with B.C. mkd as shown in rock md
Old hewn scribed Juniper stake alongside. Rock md 2' to N. on steep NE slope

339.66
6.77
332.89

30

12.37

2.41

179°38'41"

(2) 179°38'45"
(A) 358°34'48"
179°38'41" ✓

339.68

Sec 21

T5N R11W

T=7 c°
177.23 @ 14°53 = 171.28 ✓
173.55 @ 14°00 = 108.90 ✓
339.68 ✓
024

Set 1x2 K 332 R S. slope Ridge

2.11

Set 2x2 K 332 F.B. in Rock md

T=76°
90.41 @ 4°30 = 69.19 ✓

Transit line
69.19 ✓

True Section line

Set 1x2 K 331 R Top ridge

Ridge

2.0

Set 2x2 K 331 FB in rock md

Old Greenstone mine

T=70°
257.00 @ 12°16 = 257.00 ✓
02

256.96

Knoll

10'

17.7

50 @ 17°0 = 47.7 ✓

Set 1x2 K 330 R

From Top Page 86

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 647 10M 5-31

To bottom Page 89

F.B. 566 PG. 88

Fd "Square Forest Boundary Post #46
"R 11 W S 77° SE face
"SG FR 46"
"T 5 S 22° W E face
"S 21° W W"
"S 28° S W face

W.S.G.S. D-5

Little Rock
Water ditch
Little Rock Creek
Main flow
Channel
E bank
W bank main flow
Main
Over flow
W. Bank of Little Rock Creek
K 340 FB Dam
Roadside
Palmdale
Wide wash
K 339 FB
Deep drainage
Wooden flume
Palmdale Water Co.
K 338 FB
Drainage
Spur
Top ridge
K 337 FB
Slopes
K 336 FB Bedrock outcrop
Top
Slope
K 335 FB
From top Pg 87

T=80°
278.80 @ 1°03' = 278.70
273.23 @ 1°02' = 273.15
551.85
.01

T=80
239.16 @ 6°01' = 237.84
252.45 @ 8°22' = 254.71
492.55
.01

T=80
156.95 @ 4°57' = 156.86
150.17 @ 14°53' = 145.13
301.49
.01

T=80
196.00 @ 9°41' = 193.21
220.64 @ 15°05' = 213.04
406.25
.01

T=78
174.15 @ 10°12' = 171.49
254.22 @ 1°54' = 254.07
425.56
.01

T=78°
294.63 @ 12°04' = 288.12
.01

551.84
97
44
492.54
80'
100'
301.48
23'
406.24
116'
425.46
47'
288.11

T 5 S
R 11 W
Sec. 21

Return to
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.665.D-5

Notes Ck'd by Blackmer		Survey of T5NR11W	
Map No. CSB.74&5		W. O. 7078 Tape No. 58 St'd 84 of.	
Office Work R.W.McA.		Surveyed by Boyer	
Checked McPherson		Notes Boyer Date 4-18-34	
Date Mar. 1938		Indexed J. C. Johnson	

F.B. 566 Pg. 89

DIV. K.

To bottom Page 90

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 847 10M 8-31

Set 2x2 K344 FB in rock md

Set 1x2 Top Spur K344R W. edge high mesa

T=86°
180.95 @ 5°54 = 179.49 ✓
278.64 @ 4°02 = 277.95 ✓
188.96 @ 11°02 = 185.46 ✓
642.90 ✓
01

642.91 ✓

Set 1x2 Δ4 K343 R

Set 2x2 K343 FB in rock md.

Sec 22 T5N R11W

Sec 27

Long Spur Crest

709.55 ✓

TOC Sta.

0.29 ✓

Set 2x2 K342 FB in rock md.

Set 1x2 Δ3 K342 R

1531.11 ✓

Little Rock Cr

Main Channel

TOC

K341 FB
Fd F.B. Post 46
Top Page 88

821.16 ✓

T=80°
295.71 — = 295.71 ✓
295.71 @ 3°08 = 295.25 ✓
91.51 @ 3°06 = 91.23 ✓
186.19 ✓
291.48 @ 0°28' = 291.47 ✓
56.32 = 56.32 ✓
347.79 ✓
01

347.78 ✓

60° 31' 45"
242° 07' 15"

786.17

Sec 2

Sec. Line Page 88

Set 1x2 Δ#1

Sec 28

Set 4x4 #2

1°07'00"
4°27.95'
-4°56

From Top Page 88

F.B. 566 Pg. 90

W.S. 65, D-5

To bottom pg 91

Set 2x2 Top Spur

K352 FB

T80°
45.84 @ —

Set 2x2 N. Slope Spur
Red out Crop

K351 FB

T78
235.59 @ 10°20 = 231.77
01

Canyon

Set 2x2 bottom Spur

K350 FB

T78
238.35 @ 12°09 = 233.14
01

Set 2x2 Top Green Slate Ridge

K349 FB

T78
170.14 @ 8°47 = 168.14
109.05 @ — 109.05
277.19
01

Dry Canyon

38' E bank wash Red outcrop

deep Wash

55'

39'

Set 2x2 Top W bank Wash

K348 FB

T78
120.78 @ 27°02 = 107.54
104.03 @ 19°12 = 98.24
205.78
01

205.77

Set 2x2 top Spur

K347 FB

Steep Slope N.

T78
112.17 @ 8°51 = 110.83

drop

Set 2x2 K346 FB

E. edge of Mesa

T76°
229.74 @ 2°09 = 229.08
300.78 @ 1°57 = 300.62
529.70
03

Sec 22
T5N R11W

Sec 27
T5N R11W

U.S. GENERAL LAND OFFICE SURVEY
PENALTY $250 FOR REMOVAL
1926

1/4 S22

Fd 3/4" I.P. BC
Marked as Shown
for CC 1/4 Sec 27
Rock md 3.5' South

0.78

Set 1/2 K345 R

Fd 3/4" I.P. with B.C.
mkd. as shown
Old hewn scribed
Juniper post alongside Rockmd
Stdy. cor. to Sec. 22
Sec 4 T W P pint of 1926

179° 25' 15"
357° 40' 45"
179° 25' 11.5"

T = 84°

300.23
242.19 @ 3° 22 = 242.72
269.88 @ 1° 40 = 268.77
812.72

Set 1/2 K 344 FB in rockmd.

From Top Page 89

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.G.S.D.-5

Notes Ck'd by Blackmer	Survey of T5N R11W	F.B. 566 Pg. 91
Map No. CSD745-5	W. O. 7078 Tape No. 58 St'd 84 °F.	DIV. K
Office Work R.W. McA.	Surveyed by G Nichols	
Checked McPherson	Notes G Nichols Date 4-25-34 4-26-34	
Date Mar. 1938	Indexed E. C. Johnson	

To bottom pg 92

Set 2x2 K 360 FB Top ridge

T80
63.47 @ 2120 : 59.12
299.25 @ 4°47 = 298.21
357.33

Set 2x2 K 359 FB E Slope

T80
157.64 @ 12°42 = 153.78

Set 2x2 K 358 FB top Ridge

T80
90°29 @ 11°33 = 88.46
253.41 @ 8°08 = 250.86
339.32

Sec 26

Fd 3/4" I.P. B.C. for CC Mkd as Shown

40.25 @ 5°03 = 40.09

179°58'15
359°52'30

179°58'08"

Fd 3/4" I.P.B.C. in rockmd. for Std Cor. Marked as shown.

234.40 @ 9°50 : 230.96

Canyon

43'

Set 2x2 K356 FB

T84
110.30 @ 2°13 : 110.22

Set 2x2 K355 FB

T84
228.67 @ 11°05 = 224.41

Sec 21

Sec 22

Set 2x2 K 354 FB top Small Spur

T82
122.02 @ 2°47 = 121.88

Set 2x2 K353 FB Top Spur

T82
199.69 @ 2°16 = 199.53
122.94 @ 9°22 = 121.30
320.83

Small Spur

K 352 FB

From Top Page 90

Sec 23

T5N R11W S22 S23 S27 T5N R11W

GENERAL LAND OFFICE SURVEY

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

F.B. 566 PG 92

Cont bottom pg 93



Fd 3/4" IP B.C. Marked as shown with old orig Juniper along side Rock md 3' North Std. Cor to Sec 23

T84.
247.00 @ 1°26 = 246.92

draw
draw
Spur
246.92
Spur
draw
26
head of draw
103
draw
Spur
Set 2X2 K 368 FB high Spur
215.00
T84
223.80 @ 16°07 = 215.00
draw
86'
Set 2X2 K 367 FB Top Spur
deep Wash
211.99
T84
216.18 @ 11°18 = 211.99
ridge
Set 2X2 K 366 FB top ridge
156.24
T84
165.04 @ 18°48 = 156.24
Sec 23
Set 2X2 K 365 FB
18'
Bottom deep Wash
T84
192.23 @ 22°53 = 177.10
ridge
177.10
Set 2X2 K 364 FB Tp ridge
Sec 26
T84
169.14 @ 15°54 = 162.67
162.67
draw
41'
Set 2X2 K 363 FB Small Spur
27'
draw
drain
Wash
Spur
T82
222.64 @ 14°36 = 215.45
215.45
ridge
Set 2X2 K 362 FB Tp ridge
T80
179.73 @ 7°26 = 178.22
178.22
draw
Set 2X2 K 361 F.B. Spur
T80
192.00 @ 6°46 = 190.66
.01
Spur
draw
150.66
K 360 FB

From Top pg 91

W.S.65, D-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend plotes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 65, D-5

Notes	Ck'd by Blackmer	Survey of T5N R11W	F.B. 566 Pg. 93.
Map No.	C.B. 745-5	W. O. 7078 Tape No. 58 St'd 84 OF.	DIV. K.
Office Work	R.W. M.E.A.	Surveyed by G Nichols	
Checked	McPherson	Notes G Nichols Date 4-27-34	
Date	Mar. 1938	Indexed A. C. Johnson	

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Cont bot. pg 94

Set 2x2 = 379 Top Spur

204.97 @ 5°49 = 203.91 (90)

Set 2x2 K 378 FB Top Ridge

Wash R

378?

T 28
146.30 @ 2°58 = 146.11

Set 2x2 K 377 FB Top ridge

T 80
199.50 @ 2°15 = 199.35

Wash

47

Set 2x2 K 376 FB top Spur

T 80
157.53 @ 1°53 = 157.44

Wash

63

Set 2x2 K 375 FB top Spur

T 76
280.69 @ 4°38 = 279.77
01

Sec 23

Wash

62

Wash

Set 2x2 K 374 FB Bottom flat

T 76
160.35 @ 1°33 = 160.32
01

Wash

160.31

Set 2x2 K 373 FB top Spur

Sec 26

T 76
264.40 @ 00
01

VDS

Set 2x2 K 372 FB Small flat

T 76
248.42 @ 10°31 = 246.25
01

Set 2x2 K 371 FB top Spur

T 76
137.04 @ 8°46 = 135.44
01

Wash

Set 2x2 K 370 FB Top Spur

Spur

179-46-15 ①
357-04-45 ④
179-46-11

Copied from Nichols pg notes E.A.R. 9-16-36

Wash

Fd 3/4" I.P. B.C. for CC 0.16 1/4 Sec. Mkd as Shown

GENERAL LAND OFFICE SURVEY 1/4526

T 76
115.74 @ 13°40 = 112.46
11.55 @ 00 = 11.55
124.01
01

65.18 @ 34°10 = 53.93

Top Bank

K 369 FB

179-46-10

from top pg 92

FORM 247 10M 5-31

F.B. 566 Pg 94

W.S.65,D-5

K 385 FB
Fd 1½" I.P. with B.C. mkd. as Shown. Rock mkd. 2' to north per CS 9380-16

U.S. GENERAL LAND OFFICE SURVEY
C/C
T5N R11W
S23 S24
S26 S25
C/C
1926

239.30
129.79
106.94
66.67
57.03
599.79

Wash

Page 95

57.03

U.S. GENERAL LAND OFFICE SURVEY
AP
T5N R11W
Sec 23
1926

T 76
63.65 @ 26°14 = 57.09

Sec 23 T5N R11W

ANGLE POINT
Fd 3/4" I.P. and old orig. with Rock mkd 3' West 3/4" I.P. Stamped as Shown
K 384 FB

Sec 24

T 76
68.43 @ 13°01 = 66.67

Set 2x2 K 383 FB Top Spur

Spur
54'
106.94
Wash

106.95 @ — = 106.95

Set 2x2 K 382 FB Top ridge

Wash
139.46

139.46 @ 21°27 = 129.80

15
Set 2x2 K 381 FB bot Canyon

Spur
289.30
Page 96

58.18 @ 28°03 = 51.02
189.75 @ 7°07 = 188.29
239.31
- .01

Wash
105

70

T 78
187.95 @ 15°52 = 184.58
- .01

K 380 FB Set 2x2 Top Ridge
184.57

K 379 FB

from Top Pg 93

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS.
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.65.D-5

Notes Ck'd by Blackmer	Survey of T5NR11W
Map No. CSB-745-5	W. O. 7078 Tape No. 58 St'd 8A of.
Office Work R.W.McA.	Surveyed by Boger
Checked McPherson	Notes Boger Date 4-31-39
Date Mar. 1938.	Indexed A. C. Johnson

F.B. 566 PG. 95

DIV. K.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

From bottom Page 95

F.B. 566 Pg 96

W.S. 65, D-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

J.D. Boyer
G.W. Schaefer
V. P. Pierce
D.I. Passow

Set 2x2 K 391 FB

T = 68°
33.83 @ 5° 00 = 33.70

33.70

Set 2x2 K 392 FB in rock md. S. side Top high steep mountain

T = 68°
219.61 @ 24° 05 = 200.49
.03

200.49

Set 2x2 K 393 FB bottom draw in rock md

T = 68°
150.62 @ 4° 32 = 150.15
.01

150.14

Set 2x2 K 394 FB Top flat Spur in rock md

T = 68°
128.31 @ 6° 08' = 127.41
.01

127.40

Set 2x2 K 395 FB in rock md. N. edge deep gully

Sec 26
T5NR11W

T = 68°
233.61 @ 10° 28
= 227.00

Sec 25

Set 2x2 K 396 FB in rock md bottom Gully

195.76 @ 9° 44 = 192.76

192.76

Set 2x2 K 397 FB in rock md. Top Spur

88.81 @ 4° 46 = 88.50
.01

88.81

K 398 FB
Fd. 3" I.P. with B.C. mkd. as shown in rock md. on steep rocky N. slope
per C.S. 9380-20

179° 55' 00"
359° 40' 30"
179° 55' 04"

T = 60

299.51 @ 14° 24 = 299.16
9.11

299.16

Set 2x2 K 399 FB in rock md. N. slope

U.S. GENERAL LAND OFFICE
250 FOR REMOVAL
PENALTY FOR
1/4
S26 - S25
1926

To Top Page 97

Notes Ck'd by Blackmar	Survey of T5N R11W	F.B. 566 Pg. 97
Map No. C3.B-745-5	W. O. 7078	Tape No. 58	St'd 84 °F.	DIV. K.
Office Work R.W.M.E.A.	Surveyed by Boyer
Checked Mc Pherson	Notes Boyer Date 5-1-34
Date Mar. 1938	Indexed A. E. Johnson 5-1-34

From bottom Page 96

Set 2x2 K 399 F.B.

T = 58°

135.75 @ 7°27 = 134.60 ✓ .02

Rain hall @ 3 o'clock

Set 2x2 K 400 FB in rock md Top flat spur

T = 58°

156.75 = 156.75 ✓

215.10 @ 12°44 = 209.81 ✓

366.56 ✓

.06 ✓

draw

Set 2x2 K 401 FB in rock md NW slope

T = 66°

272.30 @ 3°54 = 271.67 ✓ .03

Sec 25

Sec 26 T5N R11W

Set 2x2 K 402 FB in rock md W. Slope

T = 66°

299.25 = 299.25 ✓

300.27 @ 8°30 = 296.97 ✓

239.71 @ 11°54 = 234.56 ✓

830.78 ✓

.10 ✓

Set 2x2 K 403 FB in rock md

T = 68°

121.71 @ 5°44 = 122.10 ✓ .01

Set 2x2 K 404 FB in rock md

T = 70°

154.84 @ 0°20 = 153.90 ✓ .01

draw

Set 2x2 K 405 FB in rock md N. slope

To Top Page 98

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 8-31

F.B. 566 Pg. 98



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of T5NR11W	F.B. 566 Pg. 99
Map No. C.S.B745-5	W.O. 7078	Tape No. 58	St'd 81 °F.	DIV. K.
Office Work R.W.M&A.	Surveyed by Bauer
Checked	Notes Bauer	Date 5-2-3f
Date	Indexed A. C. Johnson	5-3-34

From bottom Page 98

Set 2x2 K410 F.B.

Set 1x2 K410R

T = 76°
141.67 @ 7°31 = 140.45 ✓
- .01

140.44

Set 2x2 K411FB head draw In rock ma

Set 1x2 K411R

Draw

T = 76°
167.21 @ 12°56 = 163.49 ✓
.01

168.48

Gulch

Set 2x2 K 412 FB. in rock md.

Set 1x2 K412 R Top Spur

T = 76
195.14 @ 4°09 = 194.63 ✓
76.69 @ 20°08 = 72.00 ✓
266.63 ✓
.01

Sec 35
T5N R11W

Sec 36

Sec line

266.62

Spur

Road

Set 2x2 K413FB In rock md Top Spur

Set 1x2 K 413 R Top Spur

T = 76°
147.89 = 147.89 ✓
235.00 = 15°07 = 226.87 ✓
374.76 ✓
- .02

379.74

Set 2x2 K 414 FB In rock md. W. slope

Set K 414 R W. slope

To Top Page 100

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-31

From Bottom Page 99

F.B. 566 PG. 100

W.S. 65, 2-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Set 2x2 K 414 FB 2 in rock md

Set 1x2 K 414 R

T = 76°
205.68 @ 8°51 = 203.23
67.59 @ 21°24 = 67.93
266.16
- .01

2.91

615.72

Gulch

Set 2x2 K 415 FB 2 in rock md. Top Spur

Set 1x2 K 415 R Top Spur

3.42

T = 76°
106.14 @ 12°48 = 103.50
- .01

1039.49

Set 2x2 K 416 FB 2 In rock md Top Spur

Set 1x2 K 416 R Top Spur

3.61

T = 76°
279.83 @ 7°09 = 277.65
- .01

2777.64

Sec 35
T5N R11W

Sec 36

Set 2x2 K 417 FB 2 In rock md. Point spur

Set 1x2 K 417 R Point Spur

4.12

T = 76°
272.34 @ 1°44 = 272.21
-

2722.20

Set 2x2 K 418 FB In rock md. S.E. Slope

Set 1x2 K 418 R S.E. Slope

4.12

T = 76°
45.79 @ 16°09 = 43.98

4298.24

U.S. GENERAL LAND OFFICE SURVEY
PENALTY $250 FOR REMOVAL
1/4
S 35 + S 36

Set 2x2 K 419 FB in rock md Top bank

4.70

Set K 419 R

T = 76°
712.61 @ 29°35 = 693.14

6931.49

1926

K 420 FB
Fd. 3/4" I.P. with B.C. mkd as shown in rock md near bottom deep Gulch per C.S. 9380-17

27.03

Set 1x2

Gulch

Fd 8" Juniper blazed > scribed 1/4 S 36 BT

4.82

0.37

30.0 Deep

Fd 10 Juniper blazed > Scribed 1/4 S 35 BT

0.60

28.51

N 10.5 E

28.0

12.8

N 29° E

to Top Page 101

W.S.G.S.D.-6

Notes Ck'd by Bbckmer	Survey of T5NR11W
Map No. CSB745-5	W. O. 7078 Tape No. 58 St'd 84 °F.
Office Work R.W.M&A.	Surveyed by Boyer
Checked McPherson	Notes Boyer Date 5-4-34 5-7-34
Date Mar. 1938	Indexed C. Johnson

F.B. 566 PG. 101

DIV. K.

From bottom Page 100

Fd 3/4 I.P. K 420 FB

T= 80°

120.26 @ 0°57 = 125.33 ✓

125.33

180°00'00"

Gulch

Deep

Set 2x2 K 421 FB in rock md
N.W. slope

T= 80°

260.87 @ 17°16 = 269.11 ✓
01

249.10

Sec 35

T5N R11W

Sec 36

Set 2x2 K 422 FB in rock m
Top rock outcrop NW slope

T= 80°

280.86 @ 17°00 = 268.59 ✓
01

268.58

Spur

Set 2x2 K 423 FB in rock md
Top Spur N. side

T= 80°

40.08 ✓

40.08

Set 2x2 K 424 FB in rock md
Top Spur

T= 84°

66.85 ✓

66.85

Set 2x2 K 425 FB in rock md
Top Spur S. side

T= 86°

90.00 @ 22°08 = 83.37 ✓
270.97 @ 23°45 = 247.56 ✓
330.93 ✓

330.93

Set 2x2 K 426 FB in rock md
near bottom deep gulch

To Top Page 102

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 847 10M 8-31

136
11-7
19

From bottom Page 101

F.B. 566 Pg. 102



To Top Page 103

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of T5NR11W	F.B. 566 Pg. 103
Map No. CSB 745-5	W. O. 7078 Tape No. 58 St'd 84 oF.	DIV. K
Office Work R.W.McA.	Surveyed by Boyer	
Checked McPherson	Notes Boyer Date 5-7-34	
Date Mar. 1938	Indexed A. C. Johnson	

From bottom Page 102

Set Nail

T=86

45.18 @ 25°18' = 40.84 ✓

40.84

Set 2x2 K433 FB
In rock md. Stood
NW slope

50.01

53.50 @ 20°48' = 50.01 ✓

Sec 35
T5NR11W

Sec 36

Set 2x2 K434 FB in rock md
Top Spur

83.00

T=86°

83.76 @ 7°44 = 83.00 ✓

Spur

Set 2x2 K435 FB in rock md
E Slope

63.69

T=86°

63.69 ✓

Set 2x2 K436 FB
In rock md. Top
Spur

107

T=86°

255.59 @ 5°37 = 254.36 ✓

Draw

254.36

Spur

31

Draw

Spur

To Top Page 104

Set 2x2 K437 FB in rock md
Top Spur

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31

F.B. 566 Pg. 104

From bottom Page 103

Set 2x2 K 437 FB

T=86

166.20 @ 14° 42' = 160.76

Sec 35

T5N R11W

Sec 36

Draw

Spur Ridge

Set 2x2 K438 FB in rock md Top Spur

T = 86°

89.00 @ 9°27' = 87.73

Fd. 12" Pine blazed & Scribed "T5N R11W S35 BT"

50° 32' 00"
101° 04' 00"

87.73

Fd. Clump 12" Pines 1 blazed & Scribed "T5N R11W S36 BT"

89° 58' 27"

K439 FB

Fd. 1½" I.P. with B.C. mkd as shown in large rock md on N. edge of large rock 8.2 EC of Cor.

For C.S. 9380-13

To bottom P. 105

LAND OFFICE 250 FOR T4N R11W SEC. 1 SEC. 2 COMPANY PENN'A 1926

89° 58' 30"
359° 53' 30"
89° 58' 22"

Sec 2

T4N R11W

Sec 1

W.S.65, D-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.65.D-6

Notes Ck'd by Blackmer	Survey of T4S R11W
Map No. CSD-745-5	W. O. 7078 Tape No. 58 St'd 8A °F.
Office Work R.W.McA.	Surveyed by Boyer
Checked McPherson	Notes Boyer Date 5-8-39
Date Mar. 1938	Indexed A. C. Johnson

F.B. 566 Pg. 105

DIV. K.

To bottom Page 106

Dividing Ridge

T= 86°
47.40 @ 15° 42 = 45.63 ✓

45.63 ✓

Set 2x2 K 443 FB in rock md. Top Saddle in dividing ridge.

Set 2x2 K 442 FB in rock md W. side Saddle in dividing ridge

T= 86°
299.60 @ 22° 48 = 276.19 ✓
67.13 @ 28° 03 = 59.24 ✓
335.43 ✓

335.43 ✓

Set 2x2 K 441 FB in rock md near bottom canyon

Deep Canyon

T= 84°
201.36 @ 21° 36 = 187.22 ✓
179.77 @ 12° 23 = 175.59 ✓
362.81 ✓

362.81 ✓

Set 2x2 K 440 FB in rock md. Top Spur

Spur

Draw

395.79 ✓

T= 84°
181.26 @ 19° 40 = 170.69 ✓
230.24 @ 12° 08 = 225.10 ✓
395.79 ✓

Sec 36 T5N R11W

Sec 1 T4N R11W

Page 104

Fd 1½" I.P. K 439 FB G.L.O. Mon.

From Right Page 104

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 8-31

1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. 566 PG 106

W.S. 66.4-6

Notes Ck'd by Blackmer		Survey of T4+5NR11W	
Map No. C.S.D. 745-5		W. O. 7078	Tape No. 58 St'd 84 °F.
Office Work R.W.M.&A.		Surveyed by Boyer	
Checked McPherson		Notes Boyer	Date May 1934
Date Mar. 1938.		Indexed S. C. Johnson	

F.B. 566 Pg. 107

DIV. K.

To bottom Page 108

53-54
① 179° 54' 00"
② 359° 35' 45"
179° 53' 56"

K 454 FB
Fd. ¾" I.P. with B.C. mkd as shown in rock md. Wit. rock md 2' to W. on E. slope Ridge near Top. per C.S. 9380-13

179° 53' 56"

26.25 @ 15° 1'

15° 48' 30"
31° 37' 00"

88.16

T = 84°
93.51 @ 19° 28' = 88.16 ✓

U.S. GENERAL LAND OFFICE SURVEY
1926
250 FOR REMOVAL
GENERAL PENALTY
1 S 36

Fd 6" Pine Blazed + Scribed 1/4 S 36 BT"

Set 2x2 K 453 FB in rock md. E. slope
T = 84°
33.82

33.82

Sec 36 T5NR11W

Ridge

Set 2x2 K 452 FB in rock md
Top Ridge
84°
41.53

41.53

Sec 1 T4NR11W

Set 2x2 K 451 FB in rock md. W. slope
T = 84°
99.70 @ 20° 40' = 93.28 ✓

93.28

Set 2x2 K 450 FB in rock md W. slope
T = 84°
207.99 @ 33° 11' = 173.65 ✓

173.65

Set 2x2 K 449 FB

From Top Page 106

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 347 10M 8-31

To bottom Page 109

F.B. 566 PG. 108

W.S. Sheet A-6



From Top Page 107

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of T4S R11W
Map No.	W. O. 7078 Tape No. SS Std 84 °F.
Office Work	Surveyed by Boger
Checked	Notes Boger Date 5-10-34
Date	Indexed

F.B. 566 Pg. 109

DIV. K.

① 91° 38' 23"
④ 366° 33' 30"
91° 38' 22"

WS 566-6

Fd 1" I.P. with B.C. mkd as shown per C.S. 9380-12

Fd Co. Sur. B.C. mon. mkd as shown per C.S. 8735

FB 566-5

GENERAL LAND OFFICE SURVEY FOR REMONUMENTATION OF RIGHT OF WAY 250 FEET WIDE T5N R11W S36 S1 S6 T4N 1926

COUNTY SURVEY R11W T5N 1 6 T4N MONUMENT 1926

0.76

See Page 110

267.62

T = 94°
212.16 @ 30°48 = 182.24
85.36 = 85.36
267.60

Set 2x2 K 466 FB in rock md. bottom Gulch

T = 94°
140.30 @ 25°22 = 126.77
299.15 @ 35°15 = 244.30
371.07

371.09

Deep Gulch

Set 2x2 K 465 FB in rock md E slope

T = 96°
129.29 @ 24°38 = 117.52

117.53

Set 2x2 K 464 FB in rock md E. slope

T = 96°
142.70 @ 14°13 = 138.33

138.34

Sec 36 T5N R11W

Set 2x2 K 463 FB in rock md W. edge top ridge

T = 96°
178.60 @ 6°15 = 178.53

178.54

Flat ridge

Set 2x2 K 467 FB in rock md Top ridge

T = 94°
106.99 @ 1°43 = 106.94

105.95

Set 2x2 K 461 FB in rock md W. edge top ridge

T = 92°
93.94 @ 26°01 = 84.42

84.42

Set 2x2 K 460 FB

From Top Page 108

Notice: ANY ALTERATIONS OR CHANGES OTHER THAN THOSE MADE ON CIRCLED IN Red INK, WITH THE DATE AND NAME OF PERSON MAKING THE CHANGE SHEET MUST BE RETURNED TO THE ENGINEER Do not remove number from top right corner of this sheet

ENGINEER OF SURVEYS
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

F.B. 566 PG. 110

SEC. 6 & 1.

W.S. 66/4-6

Page 109

Fd C.S. mon. Page 109 K 467 FB

34.94 @ 25°03

40.20 @ 24°54

71-04-15
82-08-30

44-08-15
88-16-30

Fd. 4" Scrub Oak blazed & scribed "T4NR11W S1BT"

Fd 6" Juniper Blazed & scribed "T4NR10W S6 BT"

5.00
1.55 @ 13°01'
= 328.47

328.47

Distances for this mile are stadia unless otherwise noted

Set 2x2 K 468 FB in rock md
Top ridge

4.00
3.18 @ 0°00 = 53'
52

530.0

Ridge

Set 2x2 K 469 FB in rock md
E. slope Ridge

9.00
3.50
550 @ 5°36 = 548.72

544.42

Spur

Set 2x2 K 470 FB in rock md Top spur N. side

Sec 1
T4NR11W

Sec 6
T4NR10W

6.00
4.64
1.36 @ 10°04 = 136.96

136.96

Set 2x2 K 471 FB in rock md
Top spur S. side

10.00
4.95
5.05 @ 12°11 = 483.41

483.41

Set 2x2 K 472 FB in rock md.

chained
56.72 @ 32°43 = 47.712

Gulch

47.71

Set 2x2 K 473 FB in rock md
Top rock outcrop

8.00
4.53
3.47 @ 19°23 = 309.36

309.36

Set 2x2 K 474 FB in rock md
N slope

To Top Page 111

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer
Map No.
Office Work
Checked
Date

Survey of T4NR10&11W
W. O. 7078 Tape No. 58' St'd 84 °F.
Surveyed by Boyer
Notes Boyer Date 5-21-34
Indexed C. Johnson

F.B. 566 Pg. 111.
DIV. K.

From bottom Page 110

Set 2x2 K 474 FB

205.48'

6.00
3.89
2 11 @ 10°08 = 205.46'

Set 2x2 K 475 FB in rock md N. Slope

433.36'

8.00
3.43
4 57 @ 13°29 = 433.36'

Set 2x2 K 476 FB in rock md Top Spur

214.31'

9.00
6.86
2 26 @ 10°02 = 214.31'

Set 2x2 K 477 FB in rock md E. Slope

Sec 1
T4N R11W

Spur

Main Ridge

Sec 6
T4N R10W

117.91'

7.00
5.82
1 18 @ 5°30 = 117.91'

Set 2x2 K 478 FB in rock md E. Slope

Spur

195.84'

6.00
4.05
1.95 @ 1°37 = 195.84'

Set 2x2 K 479 FB in rock md Top Spur

136.27'

6.00
4.62
1 38 @ 8°05 = 136.27'

Set 2x2 K 480 FB in Rock md S. Slope

187.65'

7.00
4.90
2 10 @ 19°29 = 187.65'

Set 2x2 K 481 FB in rock md S. Slope

To Top Page 112

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

From bottom Page 111

F.B. 566 PG 112

W.S. 81, C-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Set 2x2 K 481 FB

6.00
5.29
71 @ 24°21 = 59.93

59.93

Fd B.C. Conc monument mkd. as shown See C.S. 8735 S. Slope

FB 360-58
K-4810

1/4 COR.

6.00
4.28
172 @ 4°03 = 172.14

172.14

COUNTY SURVEY TAN
1/4 SEC 1 + SEC 6
1/4 COR
MONUMENT
RIVERSIDE COUNTY

Draw

Set 2x2 K 482 FB in rock md Top Spur

Spur

9.00
7.31
169 @ 26-47 = 135.5

EAR - 9/16-36

Sec 1
T4N R11W

12.00
10.37
163 @ 28°03 = 127.96

Sec 6
T4N R10W

Draw

Set 2x2 K 483 FB in rock md near bottom draw

2.00
1.59
41 @ 5-49 = 41.6

6.00
5.40
60 @ 15-05 = 55.9

EAR 9/16-36 97.5

12.00
11.41
59 @ 7°09 = 59.09

Low spur

39.4

97.5

Corrections E.A.R. 9-16-36

Set 2x2 K 484 FB. in rock md. bottom draw

Draw

7.00
5.40
160 @ 15-13 = 150

6.00
4.43
157 @ 14°31 = 148.14

Ridge

Set 2x2 K 485 FB in rock md. Top ridge

To Top Page 113

Notes Ck'd by Blackmer
Map No.
Office Work
Checked
Date

Survey of T4N R10&11W
W. O. 7078 Tape No. 58 St'd 84 °F.
Surveyed by Boyer
Notes Boyer Date May 24
Indexed A. C. Johnson

F.B. 566 PG. 113
DIV. K

From bottom Page 112

Set 2x2 K 485 FB

7.00
3.60
3.40 @ 3°36 = 339.64

339.2

Draw

90'

Set 2x2 K 486 FB in Rock mdl. Point of Spur

Spur

30'

7.00
1.67
5.33 @ 10°27 = 516.46

515.8

Draw

Sec 1
T4N R11W

Sec 6
T4N R10W

Set 2x2 K 487 FB in rock mdl. Top Spur

Spur

Ridge

7.00
1.41
5.59 @ 4°42 = 550.29

549.6

Set 2x2 K 488 FB in rock mdl. Top Ridge

6.00
4.545
1.455 @ 2°41 = 100.26

106.2

Set 2x2 K 489 FB in rock mdl. Top Ridge

6.00
3.70
2.30 @ 6°02 = 228.47

*0

327

6.00 EAR 9/16/36
2.70
3.30 @ 6-02

Set 2x2 K 490 FB in rock mdl. Top Ridge

To Top Page 114

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-31

F.B. 566 Pg 114



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 84, C-1

Notes Ck'd by Blackmer
Map No.
Office Work
Checked
Date

Survey of T4NR10a11W
W. O. 7078 Tape No. 58 St'd 84 °F.
Surveyed by Boyer
Notes Boyer Date 5-25-34
Indexed A. C. Johnson

F.B. 566 PG. 115
DIV. K.

From bottom Page 114

Set 2x2 K497FB 17.32 Set 1x2 K497R
T=58°
121.18 @ 6°01 = 120.40
,02
131.68 @ 5-43 T 86 = 131.03
300.27 @ 6-57 T 86 = 278.16
78.39 @ 26-21 T 86 = 70.18
109.18 @ 10-52 T 86 = 107.52
606.89

Draw
120.42
120.38
8+04.38
Set 1x2 K497R
606.89 P.C.

Set 2x2 K498FB 20.37
368.83
Sec. line 3685

T=58
299.78 @ 16°40 = 287.10
82.44 @ 7°40 = 81.70
368.80
,00

Sec 12 T4NR11W
Set 2x2 K499FB 29.71
11+67.63
11+73.21
Set 1x2 K499R
T=60
133.35 @ 14°38 = 129.02
Sec 7 T4NR10W

High Ridge
129.04
129.00
P.C.

Set 2x2 K 500 FB 32.97
T=60
218.50
,03
218.54
Draw
218.47
70

T=60
132.08 @ 13-37 T 81 = 129.34
229.58 @ 00 7-37 = 229.58
358.92

Ridge
Set 2x2 K501 FB 38.50
198.53
Set 1x2 K501R 1520.55
15+20.68
55
T=60
198.63
,03
198.60
P.C.
198.60 2007.68

Draw
Set 2x2 K 502 FB 43.53
Set 1x2 K 502 R 17+19.15
T=60°
299.41 @ 9°11 = 295.57
69.71 @ 9°30 = 68.75
364.32
,00
364.51
364.26
P.C.

300.57 @ 8-57 T 84 = 296.88
68.40 @ 9-57 T 84 = 67.38
364.26

Set 2x2 K 503 FB 52.76
Set 1x2 K 503 R
20+83.54
41
20+83.41
Ridge

To Top Page 116

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 5-31

From bottom Page 115

F.B. 566 Pg 116



To Top Page 117

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Notes Ck'd by Blackmer
Map No.
Office Work
Checked
Date

Survey of T4NR10&11W
W. O. 7078 Tape No. 58 St'd 89 oF.
Surveyed by Boyer
Notes Boyer Date 5-28-34
Indexed A. C. Johnson

F.B. 566 Pg. 117
DIV. K.

From bottom Page 116

Set 2x2 K509FB — 82.98 — Set 1x2 K509R
T=68°
90.08@11°11 = 88.37
-.01

88.38
88.36

Set 2x2 K510FB — 85.22 — Set 1x2 K510R W Slope
T=68°
98.83@18°33 = 93.70
-.01
93.72
93.69
33.08
37.72@ 00 T. 64 = 37.72
300.78@ 1-23-64 = 300.35
338.08

31+59.27

Set 2x2 K511FB — 87.59 — Set 1x2 K511R W Slope
T=68°
104.10@18°02 = 156.09
-.02
156.07
156.02
Draw

Sec 12
T4NR11W

Sec 7
T4NR10W

Set 2x2 K512FB — 91.54 — Set 1x2 K512R Top Spur
T=68°
91.14
91.11
91.75@6°43 = 91.12
-.01

37+06.40

Set 2x2 K513FB — 93.87 — Set 1x2 K513R W Slope
T=68°
169.99@0°00
-.02
170.03
169.97
66.48

Set 2x2 K514FB — 98.18 — Set 1x2 K514 W Slope
T=68°
177.80@6°07 = 176.75
-.02
178.85
176.77

40+53.14

Set 2x2 K515FB — 102.65 — Set 1x2 K515R
Draw

To Top Page 118

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 5-31

From bottom Page 117

F.B. 566 Pg 118



W.S. 81 SC-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Sheet 13
Z 37

Notes Ck'd by Blackmer
Map No.
Office Work
Checked
Date

Survey of T4NR10+11W
W. O. 7078 Tape No. 58 St'd 84 oF.
Surveyed by Bayer
Notes Bayer Date 8-30-34
Indexed A. C. Johnson

F.B. 566 Pg. 119
DIV. K.

From bottom Page 118

Set 1x2 K522R Top Ridge
54+08.10
23.69 T=92
23.69

Set 1x2 #1 S.edge Top Ridge
T=92°
291.64 @ 16°55 = 279.02
+ 01
279.03

Spur

T=90°
103 @ 28°15 = 90.73
Set 1x2*2 Point of spur
57+10.82

Sec 13
T4NR11W

90.7

Sec 18
T4NR10W

Deep
296.03
T=90°
300.62 @ 10°02 = 296.02
+ 01
Ravine

Set 1x2 #3
Steep 11E Slope
No good line

T=90°
98.30 @ 29°52 = 85.24
154.98 @ 17°06 = 148.13
233.37
+ 01
233.38

Set 1x2 #4
Top Spur
62+40.23

200'
R=800'
L=1000'

To Topinga 12.0

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 566 Pg 120

T= 94°
238 @ 10° = 234.38

Set 1x2" #4

234.4

300.85 = 300.85
82.39 @ 25°35 = 74.27
375.12

Draw

375.14

66+15.37
Set 1x2" #5 Hi edge road

to Chilao Road

T= 94°
62.70 @ 11°35 = 61.42

61.42

Set 1x2" #6 Top Spur

79.03

Sec 13
T4N R11W

Sec 18
T4N R10W

Set 1x2" 7
S. edge road

T= 92°
45.92 @ 7°36 = 45.52
36.78 @ 24°21 = 33.51
79.03

177.58 @ 31°05 = 152.09

152.10

69+07.92
Set 1x2" #8 SW Slope
Not good char

113.5'

T= 86°
268.31 @ 16°15 = 256.93

Draw

256.93

Steep

Spur

low

Set 1x1

T= 86°
300.37 @ 8°51 = 296.19
11.86 = 11.86
309.65

90'

Draw

308.65

74+73.50
Set 1x2" #9 N. Side spur

To Top Page 121

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer
Map No. C.S. 8735
Office Work [illegible]
Checked
Date Mar. 1938

Survey of T4N R10 & 11W
W. O. 7078 Tape No. 58 St'd 84 °F.
Surveyed by Boyer
Notes Boyer Date 8-31-34
Indexed A. C. Johnson

F.B. 566 PG. 121

DIV. K.

W.S. 84, C-2

From bottom Page 120

Set 1x2 #9

T = 86°
25.23 = 25.23
151.35 @ 2°56 = 151.15
176.38

Spur

176.38

Set 1x2 #10

T = 88°
40.61 @ 159°09 = 38.36
293.74 @ 11°56 = 287.39
325.75

325.75

200.95 @ 14-20 T 28 = 202.28
-1.45
200.83

Sec 13 T4N R11W

Set 8"x2"

223.00

200.83

Draw

78+92.00 Set 1"x1"

82.69

79+75.64

Set 1x2 #11 Top low spur 79+75.64

5.17

Sec 18 T4N R10W

T = 88°
73.71 @ 14°13 = 265.33

265.34

¼ Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. Bearing Tree - portion 1½ Ins. N. 3½ Mi. S.

E.A.K.

Set 1x2 #12 N. edge road

Road

T = 88
107.71 @ 26°51 = 149.63

149.63

COUNTY SURV.
T.4N.
R.11W. | R.10W.
13 | 18
¼ Cor.
F.E. 21

Set 1x2 #13 top spur

T = 89°
182.39 @ 11°03 = 179.01

179.01

Set 1x2 #14

Channel

T = 88°
160.76 @ 35°41 = 130.58

130.58

87+00.20
Set 1x2 #15 S. edge of traveled road

To Top Page 122

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

From bottom Page 121

F.B. 566 Pg 122

Set 1x2 # 15
87+00.20

192.5'

277.49'

T = 92°

300.98 @ 25°08 = 272.48
+ .01

Draw

Set 1x1 not good line

10'

293.18'

Spur

T = 92°

+ 2.93.17
.01

Ridge

92+65.87
Set 1x2 # 16 Top Ridge

Sec 13
T4N R11W

T = 94°

241.52 @ 21°49 = 224.22
150.14 @ 8°39 = 19.79
412.20
+ .03

412.23'

Sec 18
T4N R10W

Draw

80'

Set 1x2 # 17 Top spur

217'

326.72'

T = 94°

298.12 @ 14°27 = 288.63
39.54 @ 16°00 = 38.01
326.70
+ .02

Draw

Set 1x2 # 18
100+04.82

To Top Page 123

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink: WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.81, C-2

Notes Ck'd by Blackmer	Survey of TAN R10&11 W
Map No. C.S.8735	W. O. 7078 Tape No. 58 St'd 84 of F.
Office Work McPherson	Surveyed by Boyer
Checked	Notes Boyer Date 9-4-34
Date March 1938	Indexed A. C. Johnson

F.B. 566 Pg. 123

DIV. K

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

100+04.82

Set 1x2 #18

COUNTY SURVEYOR T.4N. R.E. 217 P. Thomas

13	18
24	19

Sec 13
TAN R10W

Sec 18
TAN R10W

T=94°
200.11 @ 8°34 = 257.21
+ .02

257.23

Set 1x1 not good line

T=96°

Set 10" d. 1/8 rock. 6"

11" Draw

85

278.00

Set 1x2

267.77

360.38

299.00 @ 10°56 = 293.57
68.24 @ 11°53 = 66.78
360.35
+ .03

C 105+88.00

2 106+07.76

14.67

106+22.43

90°

Set 1x2 12" W. slope Ridge

Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. by proportion 2 Mi. N. + 3 Mi. S. 10-7-37 E.A.R.

A 24" pine bears S82° E. 36.3 from this Mon.

T=98°
108.80 @ 9°12 = 107.40
102.43 @ 21°08 = 151.50
258.90
+ .02

258.92

300.68 @ 28-50 T. 80 = 263.39
4.38 @ 00 T. 80 = 4.38
268.77

Set 1x2 #20

Set Nail

90°

10.00

T=96°
68.14 @ 21°14 = 63.51

36" Pinyon Pine

Offset for chaining 63.51

Sec 24
TAN R11W

Sec 19
TAN R10W

10.00

90°

Set 1x1

Set Nail

T=96°
56.67 @ 11°03 = 55.60

55.60

Set 1x2 # 21 N.W. slope

110+00.46

To Top Page 124

FORM 247 10M 8-31

From bottom Page 123

F.B. 566 Pg 124

110+00.46 ✓
Set 1x2 # 21

Spur

20'

T=96°
140.05@ 5°12 = 139.47 ✓
+ 01 ✓

139.48 ✓

Set 1x2 # 22 S. slope

T=80°
167.78@16°30 = 161.23 ✓
299.10@ 5°10 = 291.22 ✓
67.48@ 2°11 = 67.48 ✓
520.28 ✓
+ 02 ✓

520.30 ✓

116+60.24 ✓
Set 1x2 # 23 SW slope

Sec 24
T4N R1W

Sec 19
T4N R1W

92.30 ✓

T=92°
102.85@ 25°43 = 92.35 ✓

Set 1x2 # 24 SW slope

T=92°
110.11@ 30°21 = 57.02 ✓
293.25@ 32°34 = 241.13 ✓
292.39@ 16°18 = 78.08 ✓
624.13 ✓
+ 03 ✓

624.16 ✓

123+76.75 ✓
Set 1x2 # 25 Point of rock Spur

Wash or Little Draw

30'

65'

130'

Rock Creek

X

To Top Page 125

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmar	Survey of T4N R10+11W
Map No. C.S. 8735	W. O. 7078 Tape No. 58 St'd 84 of.
Office Work MS Pherson	Surveyed by Boyer
Checked	Notes Boyer Date 9-6-34
Date March 1938	Indexed A. C. Johnson

F.B. 566 PG. 125

DIV. K

W.S. 8,6-2

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

From bottom Page 124

Set 1x2 # 25
123+76.75

T= 94°
294.34 @ 2°14 = 294.12
+ .02
294.14

89-04-45
178-09-30
89-04-45

83.20 @ 35-30 = 74 = 67.69
1.36
69.05

A. 10" pine bears N. 50 W. 16.2
20" pine bears S 30° E 38.7
From this Mon

294.67

Set 1x2 # 26 E. Slope

T= 94°
208.45 @ 9°50 = 205.30
34.26 = 34.26
160.19 @ 7°03 = 158.99
398.64
+ .02
398.67

Sec 24
T4N R11W

COUNTY SURVEYOR
T4N.
R.11W.
R.10W.
1/4 19
1/4 COR.
R.E. 2172

Sec 19
T4N R10W

130+69.56
Set 1x2 # 27 in steel rock slide
not good line

89-04-45
403.77
63.05
403.82
4.53
Set 1x2
Set 6" x 12" with brass cap
marked as shown in Conc.
6 above Surf. by proportion
10-11-37 E.A.R.
203.41 @ 29-16 T 84
= 177.19

254.93

T= 92°
6.22
300.40 @ 34°07 = 248.70
254.92
+ .01
132+40.51
Set 1x2" 132+47.00

Sec. Cor.

133+24.48
Set 1x2 # 28 not good line

T= 92°
108.64 @ 36°01 = 87.87
160.52 @ 33°07 = 159.97
247.84
+ .01
247.85

300.84 @ 32-42 T 84 = 253.16
177.19 @ 32-04 T 84 = 150.66
403.82

Set 1x2 # 29 NE Slope

T= 92°
43.99 @ 36°30 = 35.36
127.43 @ 18°17 = 121.00
40.76 = 40.76
197.12
+ .01
197.13

Set 1x2 # 30 Top spur
137+69.47

spur

To Top Page 126

FORM 247 10M 8-31

From bottom Page 125

F.B. 566 PG 126

Set 1x2 " 30

T= 90°
48.62

48.62

Set 1x2 " 31 SE slope

T= 88°
203.09 @ 12°18' = 251.05
+ .01
251.06

257.06

Set 1x2 " 32 N. edge high rock cliff

T= 50'
286.65 @ 10°37 = 28.74
+ .01
T= 84°
123.38 @ 14°08 = 110.64
401.39

401.39

Sec 24
T4N R10W

Sec 19
T4N R10W

Reline
144+76.54
Set 1x2 " 33 N. slope ravine

40'

T= 84°
135.38 @ 37°40 = 107.16
49.46 @ 34°04 = 40.98
88.00 @ 28°11 = 77.57
47.88 @ 10°32 = 46.58
272.29

272.29

Set 1x2 " 34 Top high spur

T= 88°
49.35 @ 9°04 = 48.73

48.73

Set 1x2 " 35

T= 88°
23.40 @ 19°36 = 22.04
150.65 @ 28°34 = 140.21
248.00 @ 9°44 = 244.43
406.68
+ .01
406.69

406.69

Draw

Set 1x2 " 36 Top Spur

132'

Spur

152+04.25

56'

Draw

To Top Page 127

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer
Map No. C.S. 8735
Office Work McPherson
Checked
Date March, 1938.

Survey of T4NR10&11W
W. O. 7078 Tape No. 58 St'd 84 °F.
Surveyed by Bauer
Notes Bauer Date 9-11 12-37
Indexed A. C. Johnson

F.B. 566 PG. 127
DIV. K

W.S.81, C-2

From bottom Page 126

Set 1x2 # 36 152+04.25
T = 88°
258.00 @ 21°01 = 240.82
+ 01
240.83
56'
Draw

Sec 19
T4NR10W

Sec 24
T4NR11W

Spur
Set SW&T # 37
T = 88°
97.36 @ 0°00
97.36

low spur
Set SW&T # 38
T = 88°
286.20 @ 8°15 = 283.24
41.88 = 41.88
325.12 325.12
+ 01

145.98 @ 37-41 74 = 115.52
33.00 @ 28-37 74 = 28.97
300.32 @ 30-30 74 = 258.74
403.23
12.43
Set 1x2 # 39 158+67.57
T = 88
76.74
403.23
76.74
Set 1x2
1.57
2.33
Sta. 158+82.33
Set 1x1 Not good line
T = 92°
301.00 @ 6°50 = 298.86
+ 02
T = 90°
39.90 @ 31°05 = 34.17
333.05 333.05

COUNTY SURVEYOR T.4N. 24 19 25 30 R.E. 217

Sec. Cor. Set 2" I.P. with brass cap marked as shown in Desc. 6 above Surf. by proportion 2 Mi. S. +3 Mi. N. 10-8-37
Set Nail
T = 86°
301.00 @ 20°17 = 282.34
170.79 @ 40°54 = 129.09
108.34 @ 28°51 = 54.89
18.67 = 18.67
524.99
+ 01
524.99
A 13" Pine bears S 15° E 45.9 from this Mon.

Sec 25
T4N R11W

Sec 30
T4NR10W

Set 1x2 # 40 168+02.36

To Top Page 128

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-31

From bottom Page 127

F.B. 566 Pg 128

T= 78°
298.64 @ 12° 33' = 291.51
267.27 @ 21° 07' = 249.32
540.83
.02

168+02.36

Set 1x2" Ag

13.86

168+16.22

Set 1x2" #41
Top Ridge
E+W

42-06-30
84-13-00
42-06-30

540.81

72-25-15
289-40-45
72° 25' 11"

72°

25° 11' 05"

Set 1x2

500'

42-06-30

78° 44' 52"

78-44-45
314-59-30
78° 44' 52"

Ravine

099-79 Ave.

Sec 25
T4N R1W

Sec. 30
T4N R1W

28° 50' 07"
28° 50' 05"
.02

28-50-07
115-20-30
28° 50' 07"

178+16.01

Set 1x2" #42
Top Ridge
S+W

T= 74°
254.38 @ 11°44 = 249.06
.02

249.04

Set Nail

Draw

129'

295.30

T= 74°
296.75 @ 5°38 = 295.32
.02

184+60.35

Set 1x1
Not good line

188+70.76

To Top Page 129

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.84.C-3

Notes Ck'd by Blackmer
Map No. C.S. 8735
Office Work MMc Kinnon
Checked
Date Mar. 1938

Survey of T4NR10W11W
W. O. 7076 Tape No. 58 St'd 84 ft. of.
Surveyed by Boger
Notes Boger Date Oct 1934
Indexed A. C. Johnson

F.B. 566 Pg. 129
DIV. K

99.61 From bottom Page 128

41.50
520.10 Calc
520.
Set 1x1 Not good line
T = 74°
70.88 @ 28°24 = 62.35
185+19.62
Set 1x2 #43 Top E&W Spur
T = 74°
200.44 @ 10°10' = 197.29
Draw
A 24" pine bears N. 59°-30° E. 139 from this Mon.
Set 1x2 #44
High
Ridge
Sec 25
T4NR11W
Sec 30
T4NR10W
T = 74°
283.48 @ 4°38 = 282.55
Set 1x2 #45
190+02.50
T. = 76°
274.18 @ 33°04 = 229.77
Set 1x1
192+32.27
T = 82°
146.45 @ 25°10 = 132.55
Set 1x2 #46
Sly slope
T = 82°
Set nail
197+97.85

To Top Page 130

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 5-31

F.B. 566 Pg 130

From bottom, Page 129

W.S. 8,4,C-3

Set Nail

T = 84°
199.22 @ 10°46 = 195.71

94'
Draw
19.71

Set Nail Pt. spur E+W

T = 84°
117.50 @ 20°34 = 110.01 ✓

110.01

Draw
Set Nail

T = 84°
299.18 @ 35°03 = 294.92 ✓
120.33 @ 39°47 = 92.47 ✓
35.63 @ 25°59 = 32.03 ✓
183.70 @ 13°42 = 178.47 ✓
547.89 ✓

547.89

Sec 25
T4N R11W

Sec 30
T4N R10W

Set 1x2" #47
Top E+W Spur

T = 82°
45.93 @ 8°42 = 45.40 ✓

45.40

125.98 @ 37-26 T. 68 = 100.02 ✓
76.50 @ 33-33 T. 68 = 63.75 ✓
227.52 @ 30-03 T. 68 = 196.52 ✓
43.75 @ 10-55 T. 68 = 42.96 ✓
157.50 @ 6-51 T. 68 = 156.36 ✓
560.01 ✓

57.78 @ 14-32 T. 68 = 55.93 ✓

Set 1x2 #48

T = 82°
22.49 = 22.49 ✓
93.72 @ 33°33 = 78.11 ✓
288.45 @ 30°15 = 249.17 ✓
123.76 @ 6°14 = 123.03 ✓
36.12 = 36.12 ✓
508.92 ✓

508.92

Set 1x2
560.01 ✓
7.07 ✓
90°
2446
90°
55.93 ✓
212+05.27 ✓
Set 1x2 #49 Top low Spur E+W

Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. by proportion 1 Mi. S. and 4 Mi. W. 10-6-31 L.A.R.

T = 84°
296.30 @ 19°03 = 280.07 ✓
27.17 = 27.17 ✓
307.24 ✓

307.24

COUNTY SURVEYOR'S MAP
T. 4 N.
R. 11 W.
25 | 30
36 | 31

Sec 36

Sec 31

Set 1x2 #50 S Slope

2177

To Top Page 131

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

5280
2 1112 0

Notes Ck'd by Blackmer
Map No. C.S. 8735
Office Work McAnsh
Checked
Date March 1938

Survey of T4NR10&11W
W. O. 7078 Tape No. 58 St'd 84 °F.
Surveyed by Boyer
Notes Boyer Date 10-10-34
Indexed A. C. Johnson

F.B. 566 PG. 131
DIV. K

Set 1x2 # 50

T = 84°
170.38 @ 13°0C = 165.95

165.95

Set 1x2 # 51

T = 86°
128.41 @ 19°51 = 120.78
214.75 @ 18°04 = 223.18
343.96

343.96

Set 1x2 # 52
220+22.92

Sec 36
T4NR11W

Sec 31
T4NR10W

Trail

T = 86°
212.87 @ 17°36 = 202.91

202.91

Old Corral

Road

Traveled 22'

40'

Set 1x2 # 53

T = 86°
187.39 @ 1°37 = 187.32

45'

Little Rock Wash

187.32

Nly line

Cut + in rock

229+13.15

Little Rock Wash

Sly line 38'

To Top Page 132

X

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 8-31

2 1 4 2 0
26 4 6
23 24 60

From bottom Page 131

F.B. 566 Pg 132

W.S. 8 I C-3

224+13.15
Cut t. in rock

23-32-15
94-09-15
23-32-19.

104.50 @ 29-36 T.68 = 90.85
236.96 @ 34-01 T.68 = 196.39
108.93 @ 1-22 T 68 = 108.89
1.25 @ 00 T. 68 = 1.25
245.80 @ 14-08 T. 68 = 238.34
635.72

T = 54°
285.80 @ 30°42 = 245.75
61.52 @ 32°26 = 51.92
99.00 @ 27°56 = 87.47
385.14

T = 56°
104.29 @ 13°35 = 101.37
291.59 @ 5°13 = 290.38
300.20 @ 21°21 = 279.60
20.56 = 20.56
691.91

606.47 Calc .13

Pleasant View Tri. Pt. 1965.

Set 1x2 # 54 227+99.22

17°05'30
68° 22'15
17° 05'34.

Calc Sta 237+94.20

635.72

17°05'34"

Set 1x2 #55 238+97.05

4 Sec. Cor.
Set 2" I.P. with brass
Cap marked as shown
in Conc. 6" above surf.
By Proportion & M.S.
M & M. H. 10-5-37
E.A.R.

Sec 36
T4NR11W

33-35-45
134-21-45
33-35-41.

108-36-30
74-26-30
108-36-EQ

Sec 31
T4NR10W

65-40-30

262-42-00
65-40-30.

49-10-15
196-41-00
49-10-15.

97-14-00
28-56-00
97-14-00.

Base Line

Set 1x2 # 56 249+43.04 Top Sugarloaf Spur

COUNTY SURVEYOR
T. 4 N.
R. 10 W.
S.B.B.M.
36 | 31
1/4 COR.
R.E. 2177

82-46-00
331-04-00
82-46-00.

65-09-15
260-37-00
65-09-20.

32-04-45
128-18-45
32-04-45.

Set 1x2 # 57 N. Slope Spur

59.57 @ 19-30 T.70 = 56.14
10-4-37.

T = 60°
60 A1 @ 21°39 = 56.16

261+81.23
Set 1x2 # 58 Pt. Spur

To Top Page 133

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer | Survey of T4N R10&11W | F.B. 566 Pg. 133
Map No. C.S. 8735 | W.O. 7078 | Tape No. 58 | St'd 84 of F. | DIV. K.
Office Work McPherson | Surveyed by Boyer
Checked | Notes Boyer | Date Oct 1934
Date March, 1938 | Indexed E. C. Johnson

W.S.B.L. C-3

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M. 8-31

From bottom Page 132

Sec 36
T4N R11W

T = 58°
39.57 @ 13°18 = 38.51
2 86.36 @ 13°07 = 278.88
317.39
.05
2 52.32 @ 1°08 = 2 52.34
1 50.69 @ 15°42 = 1 45.07
397.41
.07

Fd 44" Fir blazed on S. face 9' above ground. Blaze scribed T4N R11W S36 BT

Set 1x2

317.34
397.34
714.68

Set 1x2 # 58
2 C14 81.23

Sec 31
T4N R10W

317.34
397.34
714.68

110-30-00
81-59-30
110°-29-52"

T = 58°
248.81 @ 10°19 = 241.84
68.80
310.64
.08

2 C4+ 31.49

669.13 cal

Fd 20" Fir blazed & scribed T4N R11W S36 BT

Fd 20" Fir blazed & scribed T3N R11W S1 BT

Found Granite Stone 18x10x10 in rock fd 6 Notches in each edge T WR Cor of T3+4N R10+11W CS 5377-14 Large rock outcrop to Westward 3 ft

Fd Bell Pine 30" Dia. Blazed & Scribed T3N R10W S6 BT Cones on N. side

Fd 30" Fir blazed on SE side. No scribes

COUNTY SURVEYOR
T4N
R.11W. 36 | 31 R.10W.
1 | 6
T.3N.
R.E.R.I.

T = 72°
99.00 @ 13°19 = 96.34
.01

Replaced stone with 2" I.P. with brass cap marked as shown in Conc. 6" above Surf.
10-5-37 E.A.R.

Sec 6
T3N R10W

T = 58°
100.50 @ 19°44 = 100.29
.21

37.22 @ 14°37 T.70 = 36.15
288.52 @ 13-00 T.70 = 281.10
317.25

10-4-37

90.19 @ 00 T.70 = 90.18
300.13 @ 8-41 T.70 = 297.21
995 @ 00 T.70 = 9.95
397.37

FB 566 Pg 134



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

X

Notes Ck'd by Blackmer	Survey of TAN R10 & 11 W	F.B. 566 PG. 135
Map No. CSB 745-5	W. O. 7078	Tape No. 58	St'd 84 OF.	DIV. K.
Office Work R.W. McA.	Surveyed by Boyer
Checked McPherson	Notes Boyer	Date Oct 1934
Date Mar. 1938.	Indexed A. C. Johnson

W.S. 8½ G-2

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

49.58 ✓
62.95 ✓
112.53 ✓
133.88 ✓
21.35 ✓

133.88 / 112.53 / 21.35

49.58 / 62.95 / 112.53

Fd 1x2 # 520R Page 118

Calc. pos. por. Sec Cor.

T = 68°
51.74 @ 1°00'34" = 49.50 ✓

67.96 @ 22°07' = 62.96 ✓

Set 1x2

133.88 ✓

67.95 ✓

49.58 ✓

90°

Set 1x2 52+86.29 ✓

T = 68°
86.08 @ 30°00" = 74.48 ✓

74.47

21.35

Set 2" I.P. with P.C. mkd as shown in concrete in rock outcrop

17.02

Blazed 6" forked scrub oak on N face
x Set S W T in fork
1' above root crown

Fd 1x2 # 521R Page 118

This corner on steep hillside covered with loose rock & outcrops. Reference would have stayed here long

SURVEY TAN 12+7 13+18 R11W R10W

REC 2

Blazed 10" Pine on N face
x Set S W T in E. face 1' above root crown

T = 78°
209.15 @ 16°15' = 200.82 ✓

T = 74°
51.12 @ 25°20' = 46.20 ✓

Fd 1x2 #10 Page 121

Set 2x2 for per ¼ Cor

90°00'

8" Pine

1.20' E

200.82 ✓

Set 1x2 79+29.44

46.20

Fd 1x2 # 11 Page 121

FORM 247 10M 8-31

F.B. 566 Pg 136

Fd 1x2" # 18
Page 120

T = 70
51.27 @ 13°00' = 49.92

W.S. 81, C-2

Set 2x_ for por. Sec Cor.



T = 70
299.06 @ 27°21' = 265.64

265.63
267.76
2.13

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.73, D-2

Notes Ck'd by Blackmer	Survey of T4N R13W	F.B. 566 Pg. 137
Map No. B 745-5	W. O. 7078 Tape No. 58 St'd 8 ft. of.	DIV. K.
Office Work R.C.U.M.C.	Surveyed by Boyer	
Checked McPherson	Notes Boyer A. C. Johnson Date Nov 1934	
Date Mar. 1938	Indexed 12-29-34	

To bottom Page 138

1x2 K17R — 29.09' — Set 2x2 K17 FB

1x2 K16R — 33.64' — Set 2x2 K16 FB

Page 9, 10 & 11

1x2 K15R — 38.65' — Set 2x2 K15 FB

Sec 16 T4N R13W

1x2 K14R — 45.74' — Set 2x2 K14 FB

Sec 21

Transit line

1x2 K13R

1x2 K12R

1x2 Int Page 11

Approx. Sec line

Transit line

Approx Sec. line Page 7

Set 4x4 approx Sec Cor. Page 7

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink**. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 79, D-2



Notes Ck'd by Blockmer	Survey of T4NR13W	F.B. 566 Pg. 139
Map No. B-745-5	W. O. 7078 Tape No. 58 St'd 81 °F.	DIV. K.
Office Work R.W.Mc	Surveyed by Boyer	
Checked McPherson	Notes Boyer Date Nov -34	
Date Mar. 1938.	Indexed A. C. Johnson	

W.S.80, A-2

B.C. Mon. Cor to Sec 14, 15, 22 & 23 T4NR13W

1x2 K 30 R 0.00 — Set 2x2 K 30 FB

1x2 K 29 R 0.01 — Set 2x2 K 29 FB

1x2 K 28 R 0.01 — Set 2x2 K 28 FB

1x2 K 27 R 0.02 — Set 2x2 K 27 FB

Sec 15 T4NR13W

Page 137 to Transit line

Sec 22

Mark K 26 R 0.02 — B.C. Cone Mon ± Cor to Sec 15 & 22

1x2 K 25 R 0.02 — Set 2x2 K 25 FB

1x2 K 24 R 0.01 — Set 2x2 K 24 FB

Sec. line

1x2 K 23 R 0.00 — Set 2x2 K 23 FB

1x2 K 22 R 0.00 — Set 2x2 K 22 FB

Cor to Sec 15, 16, 21 & 22

From Top Page 138

1

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 566 Pg. 140



W.S. 65, B-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 80; 4.8-2

Notes Ck'd by Blackmer		Survey of T 4 N R 13 W	
Map No. B-745-5		W. O. 7078	Tape No. 58 St'd 8A ft.
Office Work R.W.M.E		Surveyed by Boyer	
Checked McPherson		Notes Boyer	Date Nov 1934
Date Mar. 1938.		Indexed A. C. Johnson	

F.B. 566 Pg. 141

DIV. K.

To bottom Page 142

Set Nail

Set B.C. Conc. Mon. mkd. as shown

Moved from here to here (4-10-35)

1x2 K 51 — 5+20 — Set 2x2 K 51 F.B.

1x2 K 50 — 6+77 — Set 2x2 K 50 F.B.

1x2 K 49 — 11+5 — Set 2x2 K 49 F.B.

1x2 K 48 — 17+11 — Set 2x2 K 48 F.B.

1x2 K 47 — 23+8 — Set 2x2 K 47 F.B.

4.87
4.90
4.75 Calc.
47.11
5.07 Calc
234.84
6.60 Calc.
655.56
10.88 Calc.
149.23
11.82 Calc
153.65
12.86 Calc.

COUNTY SURVEYOR
T 4 N
R 13 W
13 + 24
1/4 SEC. COR
RE 62

Moved This 1/4 Cor 1.90 West and 1.12 North of its original position per instructions from office; 17 Nov 10 1935 R L Willey

Sec 13 T 4 N R 13 W

Section line

Tangent Page 21

SEE Pg. 170 FOR REPLACEMENT
C. J. Mills
11-DEC. 67

COUNTY SURVEYOR
T 4 N
R 13 W
14 + 23
13 + 24
RE 62

Set 2x2 K 46 F.B. — 1x2 K 46 — 8.82 Calc.

Set B.C. Conc Mon mkd. as shown

3.96

Fd. F.B. Wit. Cor No. 124 — See Page 21

RETURN TO:
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 10M 8-31

F.B. 566 Pg. 142

W.S. 89, B-2



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer		Survey of T4S R12W	F.B. 566 Pg. 143
Map No. B-745-5		W. O. 7078 Tape No. 58 St'd 84 °F.	DIV. K.
Office Work R.W.M.E.		Surveyed by Boyer	
Checked M.E. Pherson		Notes Boyer Date Nov 1934	
Date Mar. 1938.		Indexed A. C. Johnson	

W.S.65.A-6

Fd B.C. Conc mon 1/4 cor to Sec 34 4 See page 54

1-56-51 cal.

Set 2x2 K173FB — 29.92 — Fd. 1x2 K 173 R

Set 2x2 K172 FB — 32.97 — Fd 1x2 K172 R

Set 2x2 K171 FB — 30.90 — Fd. 1x2 K 171 R

Section line

Set 2x2 K170FB — 21.50 — Fd. 1x2 K 170R

Set 2x2 K169 FB — 19.71 — Fd 1x2 K 169R

Set 2x2 K168 FB — 16.92 — Fd 1x2 K168 R

10.18

Set 2x2 K167 FB — Fd 1x2 K 167 R

8.75

Set 2x2 K166FB — Fd 1x2 K 166 R

1-10-09 cal

Fd 4" sq. F.B. post # 43 See page 52

Sec 34 T5N R12W

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 566 Pg. 144

W.S.65, B-5



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 10M 5-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by

Map No.

Office Work

Checked

Date

Survey of

W. O. Tape No. St'd

Surveyed by

Notes

Indexed Date

F. B. 566 Pg. 145

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 566 Pg 146

Notes Ck'd by McPherson	Survey of T 4N R 12 W.	F.B. 566 Pg 147	
Map No. B-745-5	W. O. 1078 Tape No. 50 St'd 84° F.		
Office Work R.W.Mc	Surveyed by Reserans		
Checked	Notes Date 9-14-36		
Date	Indexed C. Johnson 9-21-56		

178-38-15 ①
354-33-00 ④
178-38-15 ✓

To 2x2 P.O.T. #2 Per F.B. 217-3

178°38'15" ✓

Fd Cor Secs. 5 & 32 Fd & S. Mon. F.B. 319-3

Rolling slope to w.

1939.17

Sec. 32

T. 5 N. R. 12 W.

Set 1x2 top spur 2 Bear. N. 30 E.

89-20-30 ③
257-22-00 ④
89-20-30

20" Adj.

Sec. 5

T. 4N. R. 12 W.

89°20'30" ✓

725.65

55.19 @ 00 T 82 = 55.19 ✓
300.93 @ 11-28 T 82 = 295.03 ✓
300.00 @ 7-55 T 82 = 297.54 ✓
79.02 @ 9-12 T 82 = 17.89 ✓
725.65 ✓

To 2x2 F.B. 566-46

K. 149 F.B.

Bottom of dry wash

0.79 3.21

Fd. C.S. Mon. F.B. 566-47 Removed it.

Fd. Stone C.C. Secs. 4+5 T. 4N. R 12 W. F.B. 566-47

Reset 2" I.P. with brass cap marked as shown in line. 6" above Surf. by Int.

Sec. 4

64.66 @ 13-16 T. 82 = 62.93 ✓

K. 149 F.B. Set 1x2 flush ✓

171.24 @ 7-31 T. 82 = 169.77 ✓

Sec. 32

179-10-00 ③
356-50-30 ④
179-10-07½ ✓

179°10'-05" ✓ 15" Adj.

169.77

0.49

Fd. Forest Bdry. Po. #119 See Pg. 41

4.03

K. 150 F.B. S.C. Secs. 32+33 T. 5 N. R 12 W. Fd. C. S. Mon. F.B. 566-47

Sec. 33

To 2x2 K. 151 F.B. F.B. 566-48

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line W.S.65.4-6; W.S.64.D-6

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 566 PG 148

W.S. Sec. B-1



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Angeles Forest Hdy.
Map No.	W. O. 1018 Tape No. 55 St'd 64° F.
Office Work	Surveyed by Rosecrans
Checked	Notes Date 10-37
Date	Indexed A. C. Johnson 10-28-37

F.B. 566 PG. 149

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 566 PG. 150

W.S. 66, B-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

To 2" I.P. with Spk
Scribe in Conc. Co. Sec. 33
T. 5 N. R. 10 W. F.B. 78-41

Set 1X2

55.67

11.51.58

Set 1X2 flush to replace G.L.O. Mon. which has been washed out. F.B. 78-41 +140

Fd. Spcs. 4+5 Fd. G.L.O. Mon. 1E Dn. F.B. 18-40 +1%

21-54-00

44-33-30
178-14-00
44-33-30

1X2-#6 F.B. 566-180

767

Set 1X2 - 66+91.46

21-54-00
87-36-00
21-54-00

T. 30 = 477.32
300.54 @ 20-12-00 T. 30 = 199.86
300.35 @ 15-51, T. 30 = 286.91
11.51.58

Set 1X2" - 15+91.26

53.61

93-6 @ 49 50 T. 84 - 23.24

Set 1X2 - 16+26.10

100.18

35.16 @ 48-03 T. 84 = 23.90
96.21 @ 37-24 T. 84 = 76.28
100.18

Set 1X2 - 17+36.38

286.76

17.93 @ 90 T. 30 = 17.83
216.11 @ 50-37 T. 91 = 188.93
206.76

Set 1X2 #56 - 249+43.04
F.B. 566-182

1

Notes Ck'd by		Survey of Angeles Forest Hwy	F.B. 566 PG. 151
Map No.		W. O. 1678 Tape No. 55 St'd 82°F.	
Office Work		Surveyed by Rasmussen	
Checked		Notes Date 2-17-37	
Date		Indexed	

W.S. 66, B-6

Cont. bottom next page.

Bottom to mark

3.0+1x2-18+05.95

T. 4 N. R. 10 W.

Sec. 5

T. 3 N. R. 10 W.

Sec. 32

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Wash

Jct. line to E.
See preceding page

FORM 247 10M 11-35

F.B. 566 PG. 152

W. S. 66, 8-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

0.65
2.98
37.05
2.73
557.39
T. 5 N., R. 10 W.
50
N. 21° E.
264.00
old 8' road

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 66, A-6

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Angeles Forest Hwy
W. O. 7078 Tape No. 22 Std. 62°F.
Surveyed by
Notes
Date
Indexed A. C. Johnson

F.B. 366 PG. 153



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled In **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 566 PG. 154

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Azusa Reservoir Site
W. O. 20/8 Tape No. St'd °F.
Surveyed by
Notes Date
Indexed

F.B. 566 Pg 155

W.S. 81, C-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 566 PG. 156

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK; WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red.____ Platted____ Job No. 2018 Division No.____ F.B. 5616 Pg. 157
Date____ Date____ Survey of Angeles Forest Hwy
Notes Chkd.____ Checked____ Survey by Pascarella Notes C. Johnson Date 7-3-37
Date____ Date____ Map No.____ Index____ Date 10-26-39

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
			Topog. near ℄ Cor Secs.						1		36	+31			
			T. 4 N. R. 9 + 10 W.						2						
									3						
					° ′		° ′		4						
P.# 1	1×2 #55	1138													
		11	39		301 ° 04′	36.2	15 ° 19′		5				T. R.		
		732													
		7	33		267 ° 32′	33	0 ° 0′		6				"		
		849													
		8	50		223 ° 06′	45	+ 18 ° 21′		7				"		
		1145													
		1060	86		205 ° 52′	76.4	+ 19 ° 32′		8				"		
		1000			90 ° 09′										
		773	228		180 ° 18′	199.0	20 ° 54′		9				P # 2 Set 1×2 B.W.		
P.# 2	P.# 1	800													
		615	186		85 ° 24′	186.0	0 ° 0′		10				B.W. 25' N.		
		700													
		580	121		85 ° 25′	121.0	0 ° 0′		11				B.W. 20' W.		
		508													
		446	55		82 ° 17′	55.0	0 ° 0′		12				" 25' "		
		600													
		571	30		19 ° 52′	30.0	0 ° 0′		13				" 50' "		
		600			19 ° 25′								1×2 P.#3		
		505	96		22 ° 31′	95.5	4 ° 03′		14				N. 37° 30' E.		
					° ′		° ′		15				B.W. 20' W.		
P.# 3	P.# 2	700													
		624	77		212 ° 21′	77.0	0 ° 0′		16				" 40' "		
		300													
		165	136		286 ° 25′	135.4	3 ° 11′		17				" 40' "		
		500			202 ° 42′								1×2 P.#4		
		349	152		45 ° 24′	152.0	1 ° 49′		18				N. 52° E.		
					° ′		° ′		19				B.W. 50' W.		
P.# 4	P.# 3	500													
		405	96		141 ° 14′	96.0	0 ° 0′		20				B.W. 50' W.		
		600													
		431	170		141 ° 54′	169.7	2 ° 17′		21				" 50' "		
X		500													
		267	239		140 ° 31′	238.6	2 ° 20′						" 50' "		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 516 PG. 158

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.
Side of Draw S.D. | Bottom Draw. B.D. | Bottom Wash B.W. | Top of Ridge S.R. | Toe of Slope T.S.
Head of Draw H.D.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ca. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. | Fence ..... Fe. | Int. Fences V.Fe. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Side of Canyon S.Cn. | Bank ... T.B. | Bottom of Bank B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill B.F.

Inters. of Draw W.D's | Break in Slope ... B.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon .. B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#1	P#3	800							1				P#5-1X2"		
		400	401'	—	283 ° 13'	400.5	2 ° 01'	—		—	—	—	N 14° 30 E		
P#5	P#4	200							2				B.W. 45' W		
		100	74'	—	7 ° 27'	74.0	0 ° 00'	—		—	—	—			
		50							3				" 40 "		
		19.2	17'	—	98 ° 35'	17.0	0 ° 00'	—		—	—	—	P#6-1X2"		
		62.0			103 ° 20'				4				N. 1-35 W.		
		537	64'	—	358 ° 10'	64.0	0 ° 00'	—		—	—	—			
									5				B.W. 40' W.		
		1000			° '		° '								
P#6	P#5	946	53'	—	155 ° 28'	53.0	0 ° 00'	—	6	—	—	—			
		500											" 30' W.		
		378	131'	—	51 ° 11'	130.7	2 ° 45'	—	7	—	—	—			
		500											" 20' W.		
		781	219'	—	150 ° 00'	218.7	2 ° 24'	—	8	—	—	—			
		400											" 30' W.		
		157	242'	—	180 ° 00'	241.7	2 ° 07'	—	9	—	—	—	P#7-1X2"		
		800											E.W. 30' W.		
P#7	P#6	791	80'	—	172 ° 10'	80.0	0 ° 00'	—	10	—	—	—			
		500			177 ° 33'								" 15 "		
		319	182'	—	355 ° 06'	182.0	0 ° 29'	—	11	—	—	—	P#8-1X2"		
		900											N. 5° W.		
P#8	P#7	876	25'	—	302 ° 15'	25.0	0 ° 00'	—	12	—	—	—			
		1000							13				B.W. 20' W.		
		746	55'	—	204 ° 11'	55.0	0 ° 00'	—		—	—	—			
		1000			191 ° 47'				14				" 20' W.		
		909	92'	—	79 ° 31'	92.0	0 ° 37'	—		—	—	—	P#9-Pt on rock		
									15				E.E.W. 30' W		
P#9	P#8	506											N.11° E.		
		430	71'	—	117 ° 03'	71.0	0 ° 00'	—	16	—	—	—	B.W. 50' W.		
		1200													
		1040	161'	—	172 ° 19'	161.0	0 ° 00'	—	17	—	—	—	B.W. 25' "		
		1200													
		947	259'	—	122 ° 32'	259.0	0 ° 00'	—		—	—	—			
		1200			123 ° 18'				18				" 40' W		
		868	333'	—	296 ° 36'	333.0	0 ° 00'	—		—	—	—	P#10-Pt on rock		
									19				N 47° W.		
					° '		° '								
									20				W.E.W. 50' W.		
P#10	P#9	706													
		616	85'	—	230 ° 16'	85.0	0 ° 00'	—		—	—	—	B.W. 80' W.		
		800			232 ° 20'				21				P#11-1X2"		
		654	147'	—	39 °	147.0	1 °	—		—	—	—	N.6° E.		

Add'l Inform.

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
# P 11	# P 10	392			° '		° '		1						
		300	98	—	71.31,	90.9	+ 8.44,	—		—		—	3 Govt trail		
		428							2				"		
		400	79	—	99.47,	77.4	+ 8.07,	—		—		—	"		
		1013							3				"		
		900	114	—	147.56,	113.1	+ 5.08,	—		—		—	" E 12" Rd		
		746							4						
		600	147	—	183.03	146.2	+ 7.18,	—		—		—	" "		
		410			219.59 ②				5		#1 12" Rd		#12 - 1x2		
		200	211	—	79.59 ②	211.0	+ 1.00,	—		—	6' E of #.		7.45° E.		
		1062							6						
		900	163	—	236.34,	163.0	0.0,	—		—		—	B.W. 36 W.		
		1065							7						
		1000	66	—	238.47,	66.0	0.0,	—		—		—	" "		
		592							8						
		500	43	—	317.99,	43.0	0.0,	—		—		—	" "		
		774							9						
# P 12	# P 11	100	75	—	195.13,	75.0	0.0,	—		—		—	℄ 12" Rd & Trail		
		936							10						
		800	137	—	195.04,	137.0	0.0,	—		—		—	" "		
		1080							11						
		1000	81	—	258.00,	80.4	7.55,	—		—		—	B.W. 100' W.		
		1103							12						
		1000	104	—	214.54,	103.4	7.21,	—		—		—	V.W. 100' W.		
		1002							13						
		800	203	—	241.37,	202.0	7.03,	—		—		—	E. fork 30 W.		
		1054			196.26 ②				14				#13 1x2		
		900	155	—	32.40 ②	155.0	0.0,	—		—		—	7.61° E. E. edge 10 Rd.		
		1172							15						
# P 13	# P 12	1100	73	—	307.29,	72.1	6.18,	—		—		—	B W fork 20 W.		
		605							16						
		500	106	—	239.17,	103.6	8.43,	—		—		—	" "		
		785½							17						
		700	171	—	240.07,	170.2	3.52,	—		—		—	B. E. Fork 20 W.		
		1168							18						
		1000	169	—	226.40,	167.9	7.31,	—		—		—	V. streams 24 W.		
		1120							19						
		900	221	—	201.20,	219.7	7.7,	—		—		—	B.W. 20' W.		
		1125							20						
		1000	126	—	163.22,	126.0	1.10,	—		—		—	℄ 12' Rd		
X		953							21						
		900	54	—	162 37	54.0	00	—		—		—	"		

Add'l Inform.

Notes Rod. _____ Platted _____ Job No. 2018 Division No. _____ F.B. 5566 Pg. 159

Date _____ Date _____ Survey of Angeles Forest Entry

Notes Chkd. _____ Checked _____ Survey by Polecraus Notes R. C. Johnson Date 8-7-37

Date _____ Map No. _____ Indexed _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5616 PG. 160

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences..V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Sa. Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Canyon S.Cn. Bank....T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Side of Drain. V.D's Top of Bk.S. Bottom of S.S. Top of Cli.T.Ci. Bottom of Cliff..B.Ci. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Inters. of Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Ci. Bottom of Cliff..B.Ci. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#13	P#12	5220			° '		° '		1						
		5000	34'	—	127.27,	34.0	0 00,	—		—	—	—	Govt trail	3'	
		4824							2						
		4000	83'	—	147.05,	83.0	0 00,	—		—	—	—	"	"	
		6744							3						
		5000	143'	—	146.99,	143.0	2 27,	—		—	—	—	"	"	
		8256							4						
		7000	177'	—	147.13,	176.5	3 05,	—		—	—	—	"	"	
				—	° '		° '	—	5						
				—	° '		° '	—	6						
Sec F	D.	5660		-147	° '		° '	—	7						
K512	K509	11220													
		7000	421	—	345.30,	415	6 52,	—	8				B.D.	12'	W.
		11115													
		9000	216	—	189.21,	216	+ 1 26,	—	9				"	"	
		10855													
		7000	386	—	345.12,	380	7 02,	—	10				B.D.	"	
		10330													
		9000	131	—	202.28,	131	+ 1 21,	—	11				"	"	
		10335													
		7000	336	—	341.32,	330	7 25,	—	12				"	"	
		11150													
		11000	51	—	270.34,	48	15 11,	—	13				"	"	
		11465													
		9000	266	—	316.51,	261	8 09,	—	14				"	8	"
		11090													
		10000	101	—	341.36,	95	14 10,	—	15				"	15	"
		11055													
		9000	206	—	346.22,	200	9 12,	—	16				V.Ds.	10	"
		10449													
		9.00	150	—	349.49,	144	11 48,	—	17				B.D.	15'	" W.F.
		10623													
		9000	164	—	8.52,	163	1 37,	—	18				B.D.	6'	" E.F.
		10556													
		9000	156	—	23.38,	156	0 00,	—	19				"	"	"
				—	° '		° '	—	20						
				—	° '		° '	—	21						
				—				—		—	—	—			

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod____ Platted____ Job No. 7078 Division No.____ F.B. 566 Pg. 46

Notes Chkd.____ Date____ Checked____ Date____ Survey of Angeles Forest Hwy. Date 3-10-37

Survey by Pasadena Notes R. Johnson Map No.____ Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
See	F.B.	566	—	118 ° '		° '		1							
	535			° '		° '		2							
1517	1516	300	236	—	89 30	235	3 16		3				3' Tr.		
		515													
		400	116	—	84 00	115	4 29		4				"		
		423													
		400	24	—	00 '	24	00 '		5				" "		
		387													
		300	88	—	324 45	88	3 06		6				" "		
		770													
		600	171	—	338 20	171	2 00		7				" "		
				—	° '		° '		8						
See	F.B.	566	—	118 ° '		° '		9							
				—					10						
		616			90 - 36 ①		° '								
519R	519R	400	217	—	181 - 12 ②	196	17 58		11				P #1 Set 1x1"		
	518R	535													
		400	136	—	315 28	136	3 19		12				B.D.		
		956													
		700	257	—	33 06	256	3 20		13				"		
		981													
		4	82	—	334 36	77	14 55		14				"		
		1200													
		10	201	—	345	201	2 12		15				"		
		1165													
		11	66	—	22 31	54	25 41		16				"		
		1160													
		10	161	—	46 51	158	7 18		17				"		
		1105													
		10	106	—	72 59	82	28 07		18				V Drs.		
		835													
		700	136	—	59 00	121	19 19		19				Dr		
		1120													
		10	121	—	91 28	10.2 ~~11~~ 11	22 56		20				"		
		1170													
		10	171	—	118 57	138	25 53		21				"		
X		1130													
		900	231	—	130 28	193	23 46						"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5666 PG 16 2

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Oak-O. Fir-Fr. | Traveled Rd. Tr.Rd. | Saddle ....Sa. | Side of Canyon S.Cn. | Intera. of Draws V.D's
Pine-Pi. Cedar-Ce. | Fence ....Fn. | Swale ....Sw. | Top of Bank ..T.B. | Break in Slope ..Bk.S.
Sycamore ....Sy. | Int. Fences V.Fns. | Flat ....Fl. | Bottom of Bank ..B.B. | Steep Slope ....S.S.
Eucalyptus ....Eu. | Ditch ....Di. | Stream ....Str. | Top of Cut ..T.C. | Top of Cliff ..T.Cl.
Plus combinations of these and all common standard abbreviations. | Telephone Pole T.P. | Trail ....Tr. | Bottom of Cut ..B.C. | Bottom of Cliff ..B.Cl.
| Power Pole ..P.P. | Pavement ....Pvt. | Top of Fill ..T.F. | Top of Spur ..T.Sp.
| Culvert ....Cul. | Edge of Road E.Rd. | Bottom of Fill ..B.F. | Bottom Canyon ..B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '	—	1	—	—	—			
Sec. P.		8.5	366	118											
		8.2			° '		° '	—	2	—	—	—			
SRR	SRR	5	33	—	305 00	33	00						T.R.		
		6.0			291-00				3						
		537	74	—	282-00	74	4 00	—							
#		5.5							4	—	10'S of T.-R.	—	P. #1 Set 1x1		
P1	SRR	5.00	34	—	180 00	95	13 30						P. #2 Set 1x1 V. Rs.		
P #2	P #1	5.7							5						
		5.0	71	—	206 00	54	29 35	—					T. Sp.		
		11.24							6						
		10	125	—	193 30	93	30 31	—					"		
		11.51							7						
		11	58	—	103 36	56	11 35	—					T.R.		
		11.15							8						
		9 00	211	—	180 16	151	30 18	—					T Sp.		
		11.20							9						
		10	171	—	121 19	105	21 09	—					T.R.		
		11.05							10						
		9 00	206	—	132 32	177	21 59	—					"		
		11.6.8							11						
		9 30	264	—	185 43	198	31 10	—					T. Sp.		
		10.96							12						
		8	277	—	136 28	259	20 59	—					T.R.		
									13						
Sec. P.		8.56	6-119	—	° '		° '	—	14	—	—	—			
		11.3													
1X2-2	1X2-1	10	114	—	181 00	95	13 59	—	15	—	—	—	B.D.		
		11.10													
		10	111	—	211 42	80	31 56	—	16	—	—	—	"		
		11.5.0													
		10	151	—	237 05	107	32 36	—	17	—	—	—	"		
		11.25													
		9 00	226	—	219 08	180	42 35	—	18	—	—	—	"		
		10.70													
		8 00	271	—	278 59	203	29 55	—	19	—	—	—	"		
		11.50													
		8 00	351	—	279 57	279	26 57	—	20	—	—	—			
				—	° '		° '	—	21	—	—	—			
				—				—		—	—	—			

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
See	F.B.	566-	117-		° '		° '		1						
" #	#	267			° '		° '		2						
K2-1	K2-2	500	70	—	323 21,	70	2 00,		3				T.R.		
		1020													
		9	131	—	324 44,	131	E 15,		4				" N. 36° W.		
		8 30			324-310										
		7	131	—	E89-15	131	3 06,		5				P # 1 Set 1x1" T.R.		
#	#	11 62													
P 1	K2-1	11	64	—	172 00,	64	3 22,		6				T.R.		
		1125													
		10	126	—	163 41,	124	7 52,		7				"		
		1166													
		10	167	—	145 23	162	10 27,		8				" N 69-30 W.		
		851			147 510										
		7	152	—	295-420	146	11 01,		9				P. # 2 Set 1x1"		
#	#	858													
P 1	P 1	8	83	—	159 28,	76'	16 47,		10				T.R.		
		1145													
		10	146	—	160 33,	129'	7 39,		11				"		
		1120													
		900	221	—	159 38,	194'	20 26,		12				"		
See	F.B.	566	-120	—	° '		° '		13						
#		780													
1x25	1x2 # 4	700	81	—	216 32,	81'	00 00,		14				T.R.		
		1130													
		10	131	—	242 30,	128'	9 23,		15				"		
		1100													
		900	201	—	249 46,	189	19 08,		16				"		
		1200													
		1054	193	—	259 30,	169	16 25,		17				"		
		1100													
		900	401	—	258 35,	368	16 17,		18				" # 1 Set 1x2		
		1166			23 270										
		10	167	—	46 54,	163	9 08,		19				N 20-30 E		
		1060													
P 1	# 1x25	600	161	—	80 07,	366	7 00,		20				B.D.		
		1170													
		8	371	—	82 50,	189	27 57,		21				"		
X		1090													
		800	291	—	86 50	220	29 42						"		

Add'l Inform.

Notes Rod. Platted Job No. 2078 Division No.
Date Date Survey of Angeles Forest Extn. F.B. 566 Pg. 63
Notes Chkd. Checked Survey by Aberamo Notes R. C. Johnson Date 9-10-37
Date Date Map No. Indexed

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#1	#1XV-5	11 10							1						
		9 0	211	—	52.52,	160	29.15,	—	2	—	#	—	B.D.		
		11 15													
		10	116	—	67.10,	83	32.17,	—	3	—		—	"		
		11 50													
		11	21	—	88.21,	91	2.53,	—	4	—		—	"		
				—	° ,		° ,	—	5	—		—			
				—	° ,		° ,	—	6	—		—			
				—	° ,		° ,	—	7	—		—			
				—	° ,		° ,	—	8	—		—			
				—	° ,		° ,	—	9	—		—			
				—	° ,		° ,	—	10	—		—			
				—	° ,		° ,	—	11	—		—			
				—	° ,		° ,	—	12	—		—			
				—	° ,		° ,	—	13	—		—			
				—	° ,		° ,	—	14	—		—			
				—	° ,		° ,	—	15	—		—			
				—	° ,		° ,	—	16	—		—			
				—	° ,		° ,	—	17	—		—			
				—	° ,		° ,	—	18	—		—			
				—	° ,		° ,	—	19	—		—			
				—	° ,		° ,	—	20	—		—			
				—	° ,		° ,	—	21	—		—			

Add'n'l Inform.

F.B. 566 Pg. 164

Topography Description Legend:
Side Hill....S.H. | Bottom....Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope....T.S.
Side of Draw S.D. | Bottom
Side of Ridge S.R. | Top of
Head of Draw H.D. | Bottom

Inters. of Draws V.D's: Break in Slope....Bk.S. | Steep Slope....S.S. | Top of Cliff....T.Cl. | Bottom of Cliff....B.Cl. | Top of Spur....T.Sp. | Bottom Canyon....B.Cn.

Side of Canyon S.Cn.: Top of Bank....T.B. | Bottom of Bank....B.B. | Top of Cut....T.C. | Bottom of Cut....B.C. | Top of Fill....T.F. | Bottom of Fill....B.F.

Saddle....Sa. | Swale....Sw. | Flat....Fl. | Stream....Str. | Trail....Tr. | Pavement....Pvt. | Edge of Road....E.Rd.

Traveled Rd. Tr.Rd. | Fence....Fn. | Int. Fences....V.Fns. | Ditch....Di. | Telephone Pole T.P. | Power Pole....P.P. | Culvert....Cul.

Oak-O. Flr-Fr. | Pine-Pi. Cedar-Ce. | Sycamore....Sy. | Eucalyptus....Eu. | Plus combinations of these and all common standard abbreviations.

Notes Ck'd by A. E. DART	Survey of SECTION LINES	F.B. 564	Pg. 165
Map No.	JN 0302.01 Tape 22.9 Std 84 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes C.L.W. Date 27-NOV-67		
Date	Indexed E. L. GALLI DEC 13 67		

SECTION LINES

SOUTH LINE SEC. 13 T4N R13W

ACTON AREA

J.N. 0302.01

K[illegible]
C.S. 2087

PARTY:
[illegible]
R. C. [illegible]
B. A. PEAVY
[illegible]

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7622038 CE #310 8-66

F.B. 566 Pg. 166

W.S. 89, A-2

T4N
R13W

CONT. FOT. Pg. 167

ONE TRACK DIRT ROAD

GATE

14+40

TWO STRAND BARB WIRE FENCE

762.97

T-46°

	LE.		97.12
	LEV		19.79
	LEV		28.66
	LEV		27.54
134.67 @	1-46 =	134.61	134.61
134.65 @	1-26 =	134.61	
156.16 @	5-31 =	155.44	155.44
156.14 @	5-23 =	155.45	763.16
			.19
			762.97

A-2
SET 1" I.P.
TOP BAR
8+60 -
END FENCE
P.L. MAIN

8+76.21

7+46

P.L.

P.L.

T 50°
LEV

299.65 @	7-08 =	297.39	11.48
299.56 @	7-01 =	297.32	297.32
256.75 @	15-25 =	247.51	247.52
256.82 @	15-28 =	247.52	

816.28

2709.14

TO 1/4 COR SEC. LINE

206.12	1.12 - 51 =	200.96	200.96
205.11	1.12 - 24 =	200.91	
60.58 @	1.12 - 20 =	59.18	59.18
60.72 @	1.12 - 65 =	59.18	816.46
			.18
			816.28

A-1
SET 1" I.P.
TOP BAR

0+60.09

T.I.E.

60.09

T-50°

LEV.	60.10	
	.01	
	60.09	

U.S. FOREST RESERVE BOUNDARY POST N 1/4 COR SEC 13 & 24 T4N R13W

0+00

399

0.13

F.D. FOREST RESERVE BOUNDARY MARKER 3" IRON PIPE & BRASS CAP UP 24" IN ROCK MOUND F.B. 566-21

S.C. 1-50 FD. 1" I.P. & C.S. MON. 2" I.P. & BRASS CAP SET IN CONC. F.B. 566-21

MARKED

SURVEYOR'S MONUMENT COUNTY T4N R13W 14 13 23 24

T.I.E. LINE PASS. FOR. EAST

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

Notes Ck'd by A. E. DART
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302 01 Tape 229 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date DEC '67
Indexed

F. B. 566 Pg. 169

T 1 N
R 13 W

W.S. 80, B-2

CONT'D Bot. Pg. 168

2709.74 39.62

28+15.74

A-5 SET 1"x2" TOP FLA STAKE

1/4 COR SEE PG. 170

6.54

106.66

CALC. 22"

T-50°
113.81 @ 09-37 = 106.68
113.97 @ 290-36 = 106.68
106.68
.01
106.69

0.05

27+09.08

A 4 P SET 1"x2"

179°

T-50°
81.87 @ 103-19 = 79.67
81.78 @ 256-59 = 79.68
79.67
.01
79.68

SEE PG 170 FOR ADD'L INFORMATION THIS AREA

CUT + ON BOULDER

26+29.43

MOODY

T-50°
214.10 @ 13-51 = 207.88
214.05 @ 13-49 = 207.86
207.87
.05
207.82

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

SEC 13

2709.14

207.82

24+21.61

SEC 24

A-4 A CUT + ON BOULDER TOP BANK

17+80 END FENCE

T-50°
100.16 @ 3-50 = 99.94
100.13 @ 3-33 = 99.94
279.75 @ 0-52 = 279.72
279.77 @ 1-05 = 279.72
294.93 @ 7-06 = 292.67
294.96 @ 7-08 = 292.68
99.94
279.72
292.67
672.33
.15
672.18

SEC COR TIE 672.18

SEC TO

A-4 SET 1"x2"

17+49.43

2 STRAND BARBED WIRE FENCE

T-50
110.27 @ 3-04 = 110.11
110.24 @ 2-44 = 110.11
110.11
.02
110.09

A-3 SET 1"x2"

16+39.34

42.97

CONT'D TOP Pg. 166

76F3095 CE #310 6-63

F. B. 566 PG. 168

CONT. FROM PG 169

T4N
R13W



CONT. TO PG 167

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.80,B-2

Notes Ck'd by A. E. DART
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 23221 Tape 229 Std 34 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 6-Dec 61
Indexed by E. GALL

F.B. 516 Pg 162

T 4 N
R 12 W

SET N.C.T. W. SIDE P.P. = 12/19/30 E

SET N.C.T. E. SIDE P.P. = 12/19/29 E

S0.41

68.09

RANGE LINE

2.79

THIS PILE BEARS S0. OF LINE HERE C.L.W.

S4+08 14' FD. 4"X4" CAST IRON MONUMENT FILLED WITH CONCRETE. UP 30" IN ROCK MOUND WITH FOLLOWING ON 4 FACES
SE. SCE R4I R12W S19
NE. TAN S18
NW. S13
SW. R13W S24

R13W

269901 to 1/4 Cor

LINE

793.49

51+14 TOP RKK

170'

ARR STRE

E.L. 49+45

C.L.

C.H.N.

FL.

60.

TOP RKK 48+85

270'

46+14 65'

A-10 SET 1"x2" W

SEC LINE

71.74

CONT. TOP P. 168

CR. T. 52°

244.72 @ 278-40 = 244.26 — 244.26
244.72 @ 86-30 = 214.26
299.92 @ 268-16 = 299.78 — 299.78
299.59 @ 268-30 = 299.79
254.34 @ 258-56 = 249.61 — 249.61
254.41 @ 101-08 = 249.62
793.65
.16
793.49

72/193 @ 263-40 = 71.75 — 71.75
72.15 @ 95-59 = 71.76 — .01
71.74

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

762305 CE #310 5-58



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by A. E. DART	Survey of SECTION LINES
Map No.	JN 0302 Tape 229 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes Date DEC '67
Date	Indexed

F. B. 566 PG. 171

W.S. 80, 8-2

PHOTO OF OUT OF POSITION 1/4 COR. SEC. 13, SEC. 24 T4N R.13W AS SHOWN ON PG. 170.



Looking east along section line from a point about 110 ft east of location of 1/4 corner as shown per CS F.B. 566 pg. 141 Picture taken by myself in the presence of Mr. C.L. Wright.

This photo shows that the monument as we found it is some 6 feet North of true line which is at the tip of brush hook blade and about 118.7 ft east of true location.

It is my opinion that this monument was not set at this location by the County but was moved to this location by another Person or Persons

Jack M. Laughter 12-18-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this space of this line.

76F3095 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 566 PG. 172

Notes Ck'd by A. C. GUIZADO	Survey of SECTION LINES
Map No.	JN 0302.01 Tape 10 Std 84 °F
Office Work	Surveyed by J.S. COATES
Checked	Notes JSC Date 2-20-71
Date JAN 26 1973	Indexed T. M. PALMERI APR 25 '73

F. B. 566 Pg. 173

J.N. 0302.01
SECTION LINES

T5N R12W

COATES
HUBBARD
ADAMS
BITTEL
CHOWE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F. B. 566 PG 174



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECT. LINES
Map No.	JN 9302 01 Tape 10 Std 8 °F
Office Work	Surveyed by JS BATES
Checked	Notes Date 3-30-71
Date JAN 28 1972	Indexed I. M. PALMER JAN 25 '72

F. B. 566 Pg. 175

W S 65 A-6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

TO LEFT SIDE PG 184

TO BOT. PG 176

7th St. E

RP SET 1" IP 1/2" OF TAG 2" UP

RP SET CMS PUNCH IN TOP OF BOLT IN CONC. WELL TAG

COR SEC 1, 34, 35, 2 T5N R12W FD. C.S. 1 IN FL. PER C.S.B. 745-5 PUT 300 FB 566-56 MARKED

FD. Forest Bdry Post #118 brass cap Mon. 12" UP Per C.S.B. 745-5 MARKED

FOREST RESERVE BOUNDARY POST No 118 1905

SURVEY TOP S 1/4 SEC 2 T4N R12W MONUMENT

COR. SEC. 2, 3 T4N R12W FD. 2" I.P. FL. CONC. PLUG NO POST REPLACED WITH 1" LEAD CEMENT MARKED 6" PROJECTION Per C.S.B. 745-5

NOTE: Use Post For Chainage

FD S.C. EDISON CO. MON. No Ref

SET 1" I.P. 2" UP CONC. FL. S.C.E. MKD

S 1/4 COR SEC 34 T5N R12W FD. C.S. MON. PER C.S.B. 745-5 CSB 300-1 FB 566-54

COUNTY ENGINEER T5N R12W C.C. 3 T4N R12W R.E. 707.8

SURVEY TOP S 1/4 SEC. COR SEC 34 T4N R12W COUNTY MONUMENT

TO TOP PG 211

6F3095 CE-310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 2302 Ø1 Tape 20 Std. 58 °F
Office Work	Surveyed by J.S.C. SMITH
Checked	Notes J.S.C. Date 9-30-71
Date JAN 26 1973	Indexed T. M. PALMERI APR 25 '72

F. B. 566 PG. 177

TO BOT PG. 178

1195.39 ↓

P.O.L. SET 1" IP 2" DN CONC. PI & C.S.B./TAG

203.79 @ 17°38' = 198.63
203.88 @ 16°38' = 198.63

Lov-1 32.04
T= 58° 230.67
.04
230.63

230.63

COUNTY SURVEYORS MONUMENT
T5N
R12W 34 35
1/4 SEC COR

1/4 COR SEC. 34, 35
T5N R12W
FD. C.S. MON. FI.
REF. C.S.B. 300
S 88° 74' E
MARKED

112.98 @ 79°36' = 111.12
113.18 @ 79°07' = 111.14
T= 58° 111.11

111.11 ↓

P.O.L. SET 1" IP 2" DN CONC. PI & C.S.B./TAG

300.71 @ 21°39' = 6.30
300.61 @ 21°35' = 5.24

Lov-1 1275.04
T= 58° 399.67
1674.71

7th St. E.

1674.71 ↓

TO TOP PG. 176

W.S.66/A.6

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

To BOT. PG 179

F. B. 566 Pg. 178

1213.72

P.O.L.
TOP MAIN RIDGE
SET 1" I.P. FLUSH

7th St E.

1195.39

To TOP PG 177

216.00	69° 17'	=	202.03
215.93	69° 21'	=	202.04
300.00	104° 39'	=	290.24
299.66	104° 45'	=	290.27
296.29	89° 06'	=	296.39
296.29	89° 11'	=	296.39
275.50	91° 18'	=	275.44
275.52	91° 50'	=	275.43
	Level		140.88
			1213.81
	T= 72°		.09
			1213.72
293.27	77° 17'	=	286.07
293.62	76° 59'	=	286.08
203.09	40° 15'	=	136.34
202.81	25° 31'	=	136.36
170.81	103° 41'	=	166.64
170.58	102° 20'	=	166.64
97.55	25° 15'	=	25.97
97.70	25° 10'	=	25.95
248.21	26° 26'	=	246.65
248.15	26° 27'	=	246.66
	Level		203.90
			1125.53
	T= 60°		.12
			1195.39

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by A. C. GUIZADO | Survey of SECTION LINES | F. B. 566 | PG. 179
Map No. | JN 0362-01 Tape 10 Std 54 °F
Office Work | Surveyed by J S COATES
Checked | Notes JSC Date 9-30-71
Date JAN 26 1973 | Indexed T. M. PALMERI APR 25 '72

TO BOT. PG. 180

Per F.B. 3118-119
1327.61'

P.O.L.
FD. 1" I.P. FI.
CONC. PI. & C.E. TAG
F.B. 3118-118

WS 45/76

Per F.B. 3118-118
358.85

7th St. E.

P.O.L.
FD. 1" I.P. FI.
CONC. PI. & C.E. TAG
F.B. 3118-118

① 99° 24' 00"
② 357° 36' 20"
③ 89° 24' 05"
④ 176° 24' 20"
89° 24' 03"

Per F.B. 3118-118
1870.05

89° 24' 20"
F.B. 3288-113

Per F.B. 3288-113
1063.38

FD. NAIL & T.

FD. NAIL & T.

FD. NAIL & T.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 65, A-6

Do not extend this side of this line.


7th ST E.
To BOT. PG 181
To BOT. PG 179
To TOP
F.B. 566 PG 180
1/4 Cor T5N R12W
FD. 1" I.P. FI. CON. C. PL. & C.E. TAG F.B. 3118-120
FD. 1" I.P. FI. CON. C. PL. & C.E. TAG F.B. 3118-119
FD. 1" I.P. FI. CON. PLUG & TAG
P.O.L. FD. 1" I.P. FI. CONC. PL. & C.E. TAG F.B. 3118-119
Per F.B. 3118-120
Pr. F.B. 3118-119
F.B. 3118-119
Pr. F.B. 3118-119
1/4 Cor T5N R12W
COUNTY ENGINEER
1/4 Cor. 69
R. E. 58
Ave. W-8
Mean 90°-11'-00"
90° 11' 00"
52+52.72 W
19 27.61
Pr. F.B. 3118-119
Pr. F.B. 3118-120
Pr. F.B. 3118-119
Pr. F.B. 3118-119
Pr. F.B. 3118-119

Notes Ck'd by A. C. GUIZADO
Map No.
Office Work
Checked
Date JAN 26 1973

Survey of SECTION LINES
JN 0302.01 Tape 10 Std 84 °F
Surveyed by JS COMTES
Notes JSC Date 9-30-71
Indexed T. M. PALMERI APR 25 '73

F. B. 566 PG. 181

W 565 A-6

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

7th St. E.

AVE. W

R/W
FD 2" IP FI
CONC. PLUGGING

66.57 TANG

1125.60 V

PG 202

COR. SECT. 22, 23, 26, 27
T5N R12W
FD. C.S. Mon. FI.
Per C.S.B. 300
C.S.B. 8739
FB 3118-120
MARKED

45°

66.57

60°

RP
FD 2" IP 2" UP
CONC. PLUGGING

TO BDY

89° 47'

COUNTY SURVEYOR'S
T5N
22 | 23
27 | 26
R12W
1926
MONUMENT

Per FB 3118-120
1297.27

1.) D 0° 0' 26"
R 180° 00' 09" 18

D 89° 50' 05"
R 269° 50' 01" 03

45°

2.) R 270° 05' 35"
D 90° 05' 43" 39

R 359° 55' 21" 25"
D 179° 55' 29

Mean 89° 49' 46" V

46

C.O.L.
FD 1" IP FI
CONC. PLUGGING
FB 3118-120

Per FB 3118-120
1151.11 V

TO TOP

PG 180

76F3095 C.E.#310 3-68

F. B. 566 PG. 182



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Level 31.40

V 31.45	@ 94° 46'	=	231.65 V
V 31.52	@ 55° 00'	=	230.64 V
300.48	@ 31° 10'	=	300.48 V
300.50	@ 20° 54'	=	300.46 V
300.63	@ 89° 32'	=	300.62 V
300.62	@ 91° 31'	=	300.61 V
300.66	@ 31° 07'	=	300.66 V
300.63	@ 31° 31'	=	300.63 V
300.14	@ 31° 27'	=	300.12 V
300.10	@ 89° 20'	=	300.16 V
300.52	@ 31° 25'	=	300.47 V
300.52	@ 31° 11'	=	300.47 V
300.64	@ 89° 21'	=	300.72 V
300.61	@ 88° 28'	=	300.50 V
			2125.40 V
T = 52°			44
			2124.96 V

Notes Ck'd by A. C. QUIZADO
Map No.
Office Work
Checked
Date JAN 26 1973

Survey of SECT LINES
JN 0302.01 Tape 10 Std 84 °F
Surveyed by JS CONTES
Notes JSC Date
Indexed T. M. PALMERI APR 25 '74

F. B. 566 PG. 183

300.57 @ 9[illegible] = 300.44
300.82 @ 32°55' = 300.43
300.56 @ 87°16' = 300.62
300.57 @ 87°00' = 300.50
300.57 @ 33°30' = 300.31
300.55 @ 33°20' = 300.04

234.69 @ 8[illegible] = 234.48
234.67 @ 87°45' = 234.49
1134.94
Loss Level 0.12
1134.82
T = 52° 24'
1134.58

255.78 @ 33°15' = 255.60
255.90 @ 33°01' = 255.67

300.42 @ 32°01' = 300.23
300.40 @ 31°51' = 300.24

300.25 @ 33°50' = 300.19
300.25 @ 33°02' = 300.21

300.30 @ 32°30' = 300.12
300.24 @ 31°47' = 300.07

300.92 @ 33°21' = 300.80
300.95 @ 33°14'30" = 300.81

300.68 @ 32°27' = 300.41
300.70 @ 32°35' = 300.43

300.36 @ 33°08' = 300.20
300.40 @ 33°02' = 300.22

300.55 @ 32°30' = 300.26
300.53 @ 32°29' = 300.25

300.79 @ 87°14' = 300.55
300.52 @ 87°36' = 300.56

300.28 @ 32°59' = 299.87
300.34 @ 33°56' = 299.90

284.32 @ 87°57' = 284.14
284.38 @ 87°48' = 284.19
3242.45
80
T = 46° 3241.65

To BOT
PG. 184
(40)
1134.58 ✓
ANGELES
(40)
44.37
Set Spk & T in 3" CMP/LS TAG
P.O.T. SET B.S.W.I.T. 53.22
Set M & T in F.F. 1.72992
FOREST
3241.65 ✓
P.O.T. SET 1"IP4" CONC. PI & C.E. TAG
HWY
530.47 ✓
Set 1"IP & C.E. TAG 1"LP
Set this cross on U. bolt on TOP OF FIRE BOX
74.21
90°
52.09
530.60 @ 46° = 530.47 ✓
P.I. #592
P.I. 3/4" CONC. PI & C.E. TAG
POT 43.22 N
CSB 2273-79
CSB 2264
36.50
Set 1"IP & C.E. TAG 1"LP ON P.C.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. CCC A-6



Notes Ck'd by A. C. GUIZADO
Map No.
Office Work
Checked
Date JAN 2 8 1972

Survey of SECTION LINES
JN 2202 Tape 10 Std 24 °F
Surveyed by JC GAILES
Notes JCG Date 10-1-71
Indexed T. M. PALMERI APR 2 5 72

F. B. 566 Pg. 185

TO BOT PG. 186

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

1136.93

N 0° 11' E

AVE. Y

P.O.T. SET 1"IP 2'UP CONC. MONUMENT Top of RIDGE

1256.95

163.31 @ 13° 32'	148.10
162.94 @ 14° 10'	148.49
202.15 @ 63° 15'	181.22
202.52 @ 63° 29'	181.22
101.50 @ 113° 07'	89.52
101.53 @ 115° 31'	89.52
297.33 @ 57° 55'	275.38
297.33 @ 67° 45' 30"	275.38
269.69 @ 86° 12'	267.96
269.81 @ 86° 20'	267.96
244.16 @ 86° 36'	243.63
244.12 @ 86° 45'	243.63
Level	50.51
T = 64°	1257.01
	.16
	1256.95

TO RT SIDE PG 184

16F3095 CE#310 3-68

F. B. 566 PG 186

D	'	"
179	56	30
359	46	35
179	56	38¾
359	39	50
179	56	38¾

To SOT. PG. 187

Level T= 84° 568.35

568.35

SET 1"IP LA.CO. TAG 2" UP

179° 56' 38¾" V

382.27

AVE. Y

SURVEYOR'S MONUMENT COUNTY T5N R12W SEC 35 T4COR T4N R12W

CALC. 56' 38¾"

179°

1/4 COR SEC. 35, T 5 N R 12 W, FD. C.S. B.N. H. POR. C.S.B. 745-B MARKED

1136.98

SEC 12 T4N R12W

To 70 P PG. 185

Lev. 37.75

177.019	116 49	158.86
177.353	116 45	158.87
218.678	120 50	187.76
218.560	120 47	187.77
T= 84°		883.87

Level 10.61

132.15	58° 28' 30"	112.67
131.32	59° 02'	112.68
87.780	241° 30'	76.84
87.47	241° 35'	76.81
155.79	60° 36'	135.50
156.048	60° 12'	135.52
125.96	240° 10'	109.27
125.50	240° 32'	109.27
218.070	71° 57'	264.39
218.448	71° 41'	264.41
297.76	272° 29' 30"	297.18
297.80	272° 35'	297.20
106.89	108° 37' 30"	101.29
107.08	108° 54'	101.31

Level

T= 58°

22.12	
1137.17	
.19	
1136.98	

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

W S C S, B-8

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

B-6

Notes Ck'd by A. C. GUIZADO
Map No.
Office Work
Checked
Date JAN 26 1973

Survey of SECT. LINES
JN 0302.01 Tape 10 Std 84 °F
Surveyed by J.S.C. DATES
Notes J.S.C. Date 10-4-71
Indexed T. M. PALMERI 1972 5 72

F. B. 566 PG. 187

149.17 @ 73 37 = 146.73 ✓
149.24 @ 73 29 = 146.73 ✓
T 54° = 146.70 ✓

To BOT PG 198

105+56.49
SET 1X2SH
BY INT

45.42

N 52° 89' 16" E
146.70'

902.55 ✓

W.S.65

PG 210

43.27

28

17th ST. E.

COR. SEC. 1, 2, 35, 36
T 4, 5 N R 12, 14
1 1/2" C.S. W/ NAIL FLUSH
per C.S.B. 745-5
F.B. 566-60, 140
MARKED

4.60

0.25

50.35

T=96°
Level 50.33

To BOT

FD 2" I.P. W/ TAG
F.B. 566, 140
SET 1" IPE CE TAG
2" SH

FD 3" Pipe with
Brass Cap
Marked
pe-C.S.B 745-5

2 lad

555.35'

151.05 @ 67 47 = 141.74 ✓
151.23 @ 67 36 = 141.74 ✓

Lev. 413.57
555.31 ✓
.04
555.35

T=96°

D.I. MESS. No. 1

S 4° 45' W

Forest Reserve
Reserve Post
Boundary Post
No. 117
S 52 E 19.05 Ft.

Set 1" I.P. 2' D.
Conc. Mon. TAG

1051.93

81.60 @ 68 15 = 75.79 ✓
81.46 @ 68 30 = 75.79 ✓

275.71 @ 243 52 = 247.52 ✓
275.89 @ 243 55 = 247.52 ✓

238.89 @ 76 36 = 232.39 ✓
239.09 @ 76 24 = 232.39 ✓

300.96 @ 74 00 = 289.32 ✓
300.71 @ 74 11 = 289.32 ✓

196.81 @ 96 13 = 195.62 ✓
196.75 @ 96 09 = 195.62 ✓

Lev. 1022
1051.85 ✓
.08
1051.93 ✓

T 96°

AVE. Y

568.35'

1) 0-0-34
180-00-36
89° 17' 10"
269° 17' 12"

Avg 89° 16' 36" ✓

2) 270°-05-26
90° 05-23
359°-22-03
179-21-51

To TOP P.S. 186

SURVEYOR
T 5 N
35 36
2 1
R 12 W T 4 N
COUNTY
RE 62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 566 PG. 188



To BOT
PG. 187

244.14 Vr

Fd. 1" I.P. 7.00 Spur
Conc. PIL & TAG
L.S. 2301
No. Rec.

244.55 @ 93°07' = 244.19 ✓
244.57 @ 93°15' = 244.18 ✓
T = 60° = 244.14 ✓

Level 206.95

110.11 @ 82° 00' = 109.84 ✓
110.12 @ 82° 05' = 109.85 ✓

294.08 @ 100° 42' = 288.07 ✓
294.30 @ 100° 56' = 288.96 ✓

191.26 @ 83° 23' = 189.99 ✓
191.30 @ 83° 15' = 189.97 ✓

291.83 @ 93° 53' = 291.46 ✓
291.87 @ 93° 05' = 291.45 ✓
T = 60° 1081.38 ✓
.17
1081.21 ✓

211.51 @ 272° 00' = 211.22 ✓
211.46 @ 272° 43' = 211.24 ✓

83.65 @ 104° 21' = 81.64 ✓
83.83 @ 104° 49' = 81.64 ✓

300.12 @ 279° 19' = 296.82 ✓
300.33 @ 279° 29' = 296.82 ✓

300.30 @ 85° 16' = 299.28 ✓
300.37 @ 85° 26' = 299.29 ✓
555.37
T = 60° .14
554.23

Level 411.48

299.41 @ 80° 47' = 295.57 ✓
299.34 @ 80° 53' = 295.56 ✓

129.42 @ 109° 28' = 122.02 ✓
129.85 @ 109° 59' = 122.03 ✓
829.06
T = 60° .13
828.93 ✓

Level 35.16

165.03 @ 282° 06' = 161.36 ✓
165.21 @ 282° 21' = 161.39 ✓

271.93 @ 105° 59' = 267.58 ✓
271.79 @ 104° 57' = 267.59 ✓

252.55 @ 103° 23' = 245.63 ✓
252.27 @ 103° 58' = 245.61 ✓

199.19 @ 82° 01' = 197.31 ✓
199.05 @ 82° 23' = 197.29 ✓
902.69
T = 60° .14
902.55 ✓

To 191 PG. 197

LS 05 B-6

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by A. C. GUIZADO
Map No.
Office Work
Checked
Date JAN 26 1973

Survey of SECTION LINES
JN 0302.01 Tape 10 Std 84 °F
Surveyed by JSC SMITH
Notes JSC Date 10-20-71
Indexed T. M. PALMER APR 25 '72

F. B. 566 Pg. 189

206.05'

TO LEFT SIDE PG. 190

MT.

140.74'

291.43'

T= 60° 291.43'

JET B.S. MET BY JNT.

EMIN.

AVE. Y

1017.69'

140.76 @ 60° - 140.74

Level 459.48

230.67 @ 97°51' - 228.45
230.59 @ 97°47'30" - 228.45

206.57 @ 92°56' - 206.30
206.62 @ 93°13' - 206.29

124.03 @ 85°29' - 123.64
125.95 @ 85°49' - 123.62

1017.85
1017.69

T= 60°

TO TOP PG. 198

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68



W.S. 65 B-4

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by A. C. GUIZADO	Survey of SECTION LINE
Map No.	JN 0302 01 Tape 10 Std 10 °F
Office Work	Surveyed by J.S. COATES
Checked	Notes 1.5C Date 10-31-71
Date JAN 26 1973	Indexed T. M. PALMERI APR 25 '73

F. B. 566 PG. 191

W.S. 65, B-6

TO BOT. PG. 192

1215.07

C-4

CROSSING TOWNSHIP CORNER SECT. 31, 6
T4.5N R11,12W
FD C.L.O. MON. 1600
PER F.B. 566-66
PER CSE 745-5
MARKED

.05

GENERAL LAND OFFICE SCALE

T5N R12W S36	T5N R11W S31 C; S6 C; T4N R11W

1926

27th ST. E.

655.18

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

P.O.T. C-3
1" IRR 3' TR
PER RD. FB 2826-153
REPLACED WITH 1" IPR
CONC. PL & CE TAG

TO TOP PG. 190

	Lot	59.92
295.56	107 17	279.01
295.75	108 30	278.99
300.71	38 55	73.57
300.34	79 55	295.69
31.76	15 30	8.75
31.56	101 35	39.75
295.93	106 16	286.67
295.59	106 16	286.64
168.20	60 36	147.19
169.25	61 30	147.19
61.53	111 47	57.14
61.31	111 47	57.14
T=66°		1215.25
		.15
		1215.07
	Lot	56.11
219.37	101 30	214.95
219.59	101 46	214.98
227.41	98 52	224.62
227.57	99 14	224.62
49.74	73 16	47.62
49.31	72 55	47.62
116.80	100 32	111.97
117.12	107 55	111.95
T=62°		655.27
		.09
		655.18
116.58	58 12	115.76
116.35	58 46	115.76
199.53	103 51	191.93
199.37	103 51	191.93
219.97	72 36	216.01
220.10	72 36	216.01
T=62°		526.69
		.08
		526.61

16F3095 CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.O. 65, B-6



Notes Ck'd by A. C. GUIZADO
Map No.
Office Work
Checked
Date JAN 26 1973

Survey of Section Lines
JN 0302.01 Tape 10 Std 84 °F
Surveyed by JS CONTES
Notes JSC Date 10-22-71
Indexed T. M. PALMERI APR 25 '72

F. B. 566 Pg. 193

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TO BOT PG 194

PG. 205

TO TOP AVE. X

27th St. E.

STD COR. SEC. 25, 36
T5N R12W
FD G.L.O. MON. IN ROCK MOUND
POB FB 566-70
CSB 745-5
MARKED

LAND OFFICE

FD U.S. FOREST RESERVE POST #116 IN ROCK MOUND
POB FB 566-70
MARKED

U.S. FOREST RESERVE BOUNDARY POST #116

T5N S25 | T5N R11W
S36 | R11W S31

GENERAL LAND OFFICE SURVEY

1926

TO TOP PG 192

76F3095 CE#310 3-68

F. B. 566 PG 10+

To Bot.
PG. 195

27th St. E.

272.08

C-11

CLOSING CORNER
SEC. 30, T5N, R11W
TIE G.L.O. MON. 1/2" UP
BRASS CAP
DEP. FB 566-72
CSB 745.5
MARKED

SET 1/2" IP & MARKER FLUSH

1.06

S. GENERAL LAND OFFICE SURVEY

T5N R11W S25

T5N R10W S30

T5N R11W

1325

708.60

C-10

SET 1" I.P. 2" UP
CONC. PLUG & TAG
FOR MAIN ROAD

15' DIRT ROAD

714.50

To TOP

PG. 193

C-13 TO C-10	1954.32	N 74° 55' 43" E	=	1887.10	C-10 TO C-11
C-13 TO C-11	779.90	N 81° 24' 02" E	=	1178.50	708.60
C-13 TO C-12	915.47	N 31° 56' 18" E	=	906.42	C-11 TO C-12
C-13 TO C-14	546.13	N 84° 27' 01" E	=	543.57	272.08

W565, B-6

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

16F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.O. 65, 13-5

Notes Ck'd by A. G. GUIZADO
Map No.
Office Work
Checked
Date JAN 26 1973

Survey of SECTION LINE
JN 2202 Tape Std °F
Surveyed by
Notes
Indexed T. M. PALMERI Date APR 25

F.B. 560 PG. 195


272.08
27th ST, E.
906.42
543.57
SET B.S.
SET B.S. & T.
SET B.S. & T.
SET B.S.
6" OAK
SET B.S.
SET B.S.
SET B.S.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S 65, B-5



Notes Ck'd by A. C. GUIZADO
Map No.
Office Work
Checked
Date JAN 26 1973

Survey of SECTION CORNERS
JN 0302 01 Tape 4.A.T.E. Std °F
Surveyed by J.S.C. & A.T.E.
Notes JSC Date 2-16-72
Indexed T. M. PALMERI JAN 25 '72

F. B. 566 Pg. 197

W 9 65, B-5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

I. V. 2° 0' 10".05
R 180° 00' 08".05
D 89° 11' 52"
R 269° 11' 59" 46"

2 R 270° 05' 20"
D 90° 05' 25".32

R 359° 16' 51" 54".32
D 179° 16' 56"

M = 89° 11' 34" V

70.21 R 05 18 E

557.68 V

AVE. W

70.71

574.44 V

C-18

T5N R12W
FD L.C. Mon. 18" D.P.
IN Cont. Mound
20 FT. S. 74.5 E.
FD 3/4" I.P. 3.3 E.

C-17

27± St. E.

648.16 V

To TOP

6F309S. CE#310. 3-68

F. B. 566 PG. 198

To LEFT SIDE PG. 197

557.68

0.39 D-1
FD 1X2" W
FB 3118-87

263.10

D-2
SET 1" IP 2" UP
CONC. MECCE TAG

474.36

D-3
FD 3/4" IP 4" UP
Wood Plug No Tag
LS 2572
FB 3118-87

0.25

1086.61

AVE. W

D-2 TO	D-3	491.22	10.5°	05' 00"	474.36	
D-1 TO	D-2	557.69	90°	16' 22"	557.68	
D-1 TO	D-2	263.25	92°	05' 40"	263.10	
D-1 TO	D-4	1830.16	90°	34' 02"	1830.07	

1086.61 D-3 TO D-4

TO TOP PG. 199

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by A. C. GUIZADO
Map No.
Office Work
Checked
Date JAN 28 1970

Survey of SECTION LINES
JN 0302.01 Tape HP*2 Std °F
Surveyed by
Notes Date
Indexed T. M. PALMERI APR 25 '72

F. B. 516 PG. 199

W.S.S.A.-3

TO EOT PG. 198

1086.61 W

D-4
SET 1" IP 2" UP
CONC. FILLED C.S.

220.74 W

D-5
FD 2" IP GUP
WOOD HUB TAG
K.S. 2572
See F.B. 3113-96

COUNTY ENGINEER
T 5 S
24
25
R 12 W
1/4 COR
R.E. 7078

0.86
7.86
1.66

FD. 6X6
CONC. POST
WITH CHIS X
See F.B. 3116-99

This point apparently set by a surveyor endeavoring to survey the E/L of the NW 1/4 of Sec. 25

D-6
1/4 Cor. Sec. 24 25
T 5 S R 12 W
SET C.E.MON GUP
BY PROPORTION
PER C.S. 2226
MARKED

No EVIDENCE OF
4" POST OR RICK MOUND
FALLS ON W. ST. LINE
OF AVE. 50' E. OF
DRAIN RUNNING N&S

DRAIN

169.78 W

AVE W

D-7
SET 1" IP 2" UP
CONC. FILLED C.S.

101.91 W

D-7A
SET 1X2 FN

986.45 W

TO TOP PG. 200

D-7 TO E-4	389.52	@ 70° 14'	383.52
D-7 TO D-5	170.61	@ 98° 23'	168.72
D-7 TO D-7A	101.94	@ 11° 17'	101.91
D-4 TO D-5	220.74		

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 9-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.65, B-5



76F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.6 B-5

Notes Ck'd by A. C. GUIZADO
Map No. _____
Office Work _____
Checked _____
Date JAN 26 1973

Survey of SECTION LINE
JN 2302 of Tape _____ Std _____ °F
Surveyed by J.S.C. & CATES
Notes J.S.C. Date 2-8-72
Indexed T. M. PALMERI APR 25 '73

F. B. 566 Pg. 201

D-12 WITNESS MONUMENT To TOP PS. 202

COUNTY SURVEYOR'S MONUMENT T5N R12W SEC 24 SEC 19 WITness

To TOP PS. 202

Set Yellow marker post

D-11 SET 1" I.P. & TAG

D-11A SET 1"x2" LEAD & TACK

To EOL

To EOL PS. 202

533.09 ✓

133749 ✓

219.08 ✓

488.00 ✓

AVE W

D-11A to D-10 Adj 436.97 @ 100° 54' 04" = 488.00 ✓

D-11A to D-11 219.65 @ 85° 51' 46" = 219.08 ✓

D-11 to D-12 1337.69 @ 89° 00' 09" = 1337.49 ✓

① D 0-0-32.34 ✓
R 180-0-36

D 180-00-13.70
R 360-00-21

② R 270-05-25.24
D 90-05-32

R 90-05-14.10
D 270-05-03

Adj 179° 59' 46" ✓

179°

59

50 and 1/16"

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 65 B-5



Notes Ck'd by A. C. GUIZADO	Survey of SECTION LINES
Map No.	JN 0302.01 Tape H.P Std °F
Office Work	Surveyed by J.S.COATES
Checked	Notes JSC Date 2-24-72
Date JAN 26 1973	Indexed M. PALMERI APR 25 '73

F. B. 566 PG. 203

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

W.3651.B.6

TO BOT PG. 504

E-7 71+17.39
Set NAIL

E-7A 71+35.41 (41)
SET 1" I.P. 2" UP
CONC. PI & C.E. TAG

823.34

18.02
18.12

585.43

FD. 24" 1 X 2
2 X 2 MOUND
6 ROCKS
THIS
ROCK
MY

E-7B 71+20.84
SET NAIL
SET YELLOW PIPE
195.41

16.40

90°

76.21

15.96

12" ZINC STE

BOT. PS 215

TO 1/4 COR. SEC. 26, 35

T5N R12W

SET C.E. MON IN
ROCK MOUND
BY PROPORTION
per C.S. 9226

Note: There was numerous other rock mounds in this area. I did not find the original 4" post stake set for 1/4 Cor. therefore reported to preform to measure to set said Cor.

643.38 S 14° 30' 13" E = 585.43

E-7A 70 E-7B 43.38

COUNTY ENGINEER
T5N
26
35
1/4 COR
R.E. 7078
R12W

NO EVIDENCE FOUND THIS POINT ON SOUTH SIDE OF STEEP SLOPE

1905.25

AVE

VALLEY

E-8 99+22.64
SET I.P. 2" UP
CONC. PI. & C.E. TAG

1421.88

(1) 89° 29' 00"
(4) 357° 55' 10"
89° 28' 47½"
(6) 176° 52' 40"
89° 28' 46⅔"

TO RT SIDE PG. 172

76F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 65, 13


AVE X
17TH
TO BOT. PG. 205
TO TOP PG. 203
F.B. 566 PG. 204
PG. 207
PG. 208
89° 52' 37" Calc. 26
89° 52' 37" Calc. mean
556.26
112.85
1142.25
1250.10
1256.12
0.59
SET 1" I.P. 2" SUP CONC. M.&C.E. TAG
CENTER LINE
FENCE LINE FROM NORTH
F-6 534+92.88
F-5 481+34.57
SET 1X2 I.P.
104.55
66.00
1/2 ST
1/2 ST
1/2 ST

76F3098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 65, B-6

Notes Ck'd by A. C. GUIZADO Survey of SECT. LINES
Map No. JN 2202.01 Tape H.P. Std. °F
Office Work Surveyed by J.S. COATES
Checked Notes
Date JAN 26 1973 Indexed T. M. PALMERI Date APR 25 73

F.B. 566 Pg. 205

COUNTY ENGINEER T5N R12W 25 36 1/4 COR'D R.E. 707

1/4 COR. S. 25, 36 T5N, R12W, S.B.B.&M. BY C.E. FIRM. REF. C.S. 9226 MARKED

4" SQ. STAKE & ROCK MOUND 3.00 CHAINS WEST PER C.S. 9226 THE TRUE CORNER DOES NOT FALL IN RANGE. CALLS. THIS CHECK CALLS. DOES NOT AFFECT LINE.

EVIDENCE OF

Top

E-3 254-52.52 SET 1" I.P. 2" UP CONC. PLUG & TAG REMOVED

1.52

89.90

2621.56

1329.30

742.57

480.65

AVE X

E-2 SET 1" I.P. 2" UP CONC. PLUG & TAG 12+23.42

DIRT ROAD TO TELEPHONE MICROWAVE STA.

E-1 1" I.P. SET 2" UP CONC. PLUG & TAG 4+80.65

80'

TO LEFT

SIDE PG. 193

H.P. Distances

SEC. COR. TO E-1	442.86	@ 74° 56' 32"	= 427.65 ✓
100' Tape # 0237	— 53.00	@ Level @ 64°	= 53.00 / 480.65 ✓
E-1 TO E-2	753.59	@ 101° 47' 50"	= 742.57 ✓
E-1 TO W.C.	4720.28	@ 96° 07' 14"	= 4633.37 ✓
E-3 TO E-2	1372.17	@ 75° 38' 24"	= 1329.30 ✓
E-3 TO W.C.	2621.57	@ 90° 09' 56"	= 2621.56 ✓

P.O.T. SET CONC. PLUG & 2" I.P. & C.E. TAG

P.G. 204

Note: Section Corner was within the Roadway. Not Recoverable.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by A. C. GUIZADO
Map No.
Office Work
Checked
Date JAN 26 1973

Survey of SECTION LINES
JN 0302.01 Tape H.P. Std. °F
Surveyed by J.S. GATES
Notes J.S.C. Date 2-29-72
Indexed T. M. PALMER APR 25 '72

F.B. 566 Pg. 207

Note: Gov. Calls 20ch to Start of Valley, This Call checks position with C.E. Mon Set for 1/4 Cor. Sec'n 206

TO SOT. PG. 206

AVE. W-8

519.68

PS 2x4

To Top

11'

3631

Taut barbed wire fm. Lying on ground

90°

185

130

68.74

1991.90

26+39.94
1/4 COR SEC. 25, 26
T5N, R12W
SET C.E. Mon. 4" UP
B/ PKOP
PER C.S. 9226
MARKED
Fit: Call to Mon.

COUNTY ENGINEER
T5N
R12W
26 25
R1/4 COR.
R.E. 7078

3.05

38.82

20'

88°
10 adj

27+11.75
FD. 6"X6" CONC. POST 6" UP IN ROCK MOUND
NO REF.
THIS IS A CALIF. HWY. R/W POST WITH A "C" IMPRINT ON SIDE AND A BRASS PIN IN CTR. OF TOP

And Johnson L.S. 1148" FD. this conc. post in 348. per map in possession of Dick Ralinger L.S. 2646

F-2 27+98.70
SET 1" I.P. 2" UP
CONC. H.E.C.E. TAG

935.47

(4) D 0-0-43.49
R 180-0-50.01
D 90-20-35.52
R 270-20-36

(3) R 270-05-35.86
D 90-05-37.02
R 0-25-43.45
D 180-25-48.47

Mean 90-20-08

F-3 36+44.17
SET 1" I.P. 2" UP
CONC. H.E.C.E. TAG
Edge of Dirt Rd

191

345

274

30'

3.95

2 Story Conc. Block House owner believes this house is in Section 25

1087.85

17TH ST E

F-4 47+32.02
SET 1" I.P. 2" UP
CONC. P.L.S. C.E. TAG

1045.53

TO LEFT SIDE PS 204

W 35-13-5

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

16F3098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W 565/C-6

Photo taken by Jim Mussett & Jack Samsel on 4-22-65 at 11:41 AM. Photo is looking Northeast.

Jack Dempsey
Field Engineer

RT-SIDE
PG. 204

F.B. 566 PG 208

76F3098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by A. C. GUIZADO Survey of SECTION LINES
Map No. JN3302-01 Tape H-P Std °F
Office Work Surveyed by J.S.C. & J.S.COATES Date 2-29-72
Checked Notes
Date JAN 26 1973 Indexed T. M. PALMERI APR 25, 73

F.B. 566 Pg. 209



F-7 TO F-4	1318.09 @ 94° 57' 32" =	1310.91 ✓	
F-7 TO F-5	1814.70 @ 35° 23' 40" =	1806.36 ✓	F-4 TO F-5 = 104.55
F-7 TO F-6	1276.67 @ 101° 42' 36" =	1250.10 ✓	F-5 TO F-6 = 556.26
F-7 TO F-3	1333.97 @ 34° 29' 32" =	1329.87 ✓	
F-7 TO F-9	1719.90 @ 99° 01' 57" =	1719.65 ✓	F-8 TO F-9 = 380.78
F-7 TO F-10	3292.68 @ 87° 50' 12" =	3290.33 ✓	F-9 TO F-10 = 1570.68

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


17TH ST E
618.11
518.75
15772.62
113.85
99+33.26
105+51.37
43.27
43.27
28
14
100.00
SET 1"LP 2"DP
SET 1"LP 2"DP
SET 1"LP 2"DP

76F3095 CE#310 3-66

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by A. C. GUIZADO
Map No.
Office Work
Checked
Date JAN 26 1973

Survey of SECTION LINE
JN 2352 ☑ Tape HP Std. °F
Surveyed by USC&GS Date 12-12-72
Notes USC&GS Date 12-12-72
Indexed T. M. PALMER APR 25 72

F. B. 566 PG. 211





H.P.#2 @ A-1 H.I. = 5.4 H_q = 26.5 T = 50°

STATION	Vert Δ	Slope Dist	HA	CK OFFSET	CHECK DIST	Horiz Dist
S. of Cor.	D 10° - 07' - 33" R 279° - 52' - 25"	1026.56	1.5	+2	1030.34	975.80 ✓
A-2	D 82° - 56' - 12" R 262° - 03' - 02"	94.65	4.5		94.68	94.52 ✓

H.P.#2 @ A-3 H.I. = 5.31 H_q = 26.6 AD = .34 T = 50°

A-2	D 81° - 29' - 45" R 270° - 31' - 25"	470.34	4.5	-1.0	472.15	465.19 ✓
A-4	D 98° - 04' - 19" R 261° - 53' - 14"	637.29	4.5	-2.0	635.20	630.91 ✓

H.P.#2 @ Sec. Cor. H.I. = 3.6 H_q = 26.8 PR @ 26 T = 54°

A-4	D 72° - 26' - 03" R 289° - 34' - 49"	443.94	3.7	+2.00	445.94	418.23 ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 65, A-6



Notes Ck'd by A. C. GUIZADO	Survey of SECTION LINE
Map No.	JN 03021 Tape H.P.#2 Std °F
Office Work	Surveyed by J.S. & M.E.S.
Checked	Notes C.C.S. Date 12-3-71
Date JAN 26 1973	Indexed T. M. PALMER Jan 25 '72

F. B. 560 PG. 213

W 1068, A-6

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

AVE "X"

2ND ST. E.

SET 1" I.P. F.T. CONC. PLACE MK.

FD. 1" I.P. F.T. CONC. PLACE MK. FB. 311/2-113

947.97'

1583.45'

TO TOP PG 212

COUNTY SURVEYOR'S MONUMENT T5N R12W 28 27 33 34

75F3095, CE#310 3-68

F. B. 566 PG. 214



K 565 B-5

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by A. C. GUIZADO
Map No.
Office Work
Checked
Date JAN 26 1973

Survey of Section Lines
JN 0302.9 / Tape Std °F
Surveyed by J.S.C. DATE 3-22-72
Notes J.S.C. Date 3-22-72
Indexed T. M. PALMER APR 25 '72

F.B. 566 PG. 215

To ET pg 214

①	109	08	50
②	56	35	10
	109	08	47½
③	264	52	35
	109	08	47½

1755.15

104°08'46"

H-3
SET 1X2 ½ IN

1.62

7.49

L.P. #16
FD 1" I.P. L.S. ENG. ING
TAG DATED 12-28-72

H-2A
SET 1X2 IN

L.P. #15
FD 1" I.P. L.S. ENG. ING.
TAG 1" DP. REF
R.S. 87-38-39

12TH ST. E.

4891.15

H.P.

T=3.68 L=7.49

H-2
SET 1" I.P. 2" UP
L.S. ENG. ING. TAG

T=54.0

175.99
10.00
185.99
.04
185.94

185.94

TO LEFT SIDE PG. 203

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3098 CE#310 9-67

F.B. 566 Pg. 216

3-20-79

Location of Calle to Topography in vicinity of 1/4 Cor.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76L266 Cdb 12-72

LOS ANGELES COUNTY LETTERGRAM

TO	Alden Chase	FROM	G.D. Bailey

Subject: SECTION 2, T.4.N.,R.12.W. S.B.M.

Date: April 11, 1974

JOB No. 0302.01

Transmitted is:

F.B. 566: 217-224 Section line survey of Sec. 2, T.4.N.,R.12.W. S.B.M.

F.B. + NOTES + POUCH

ASSIGNED Room 434

DATE 6-12-74

bj

G. D. Bailey

G.D. Bailey
Survey Records/Analysis

Notes Ck'd by J. Dougherty
Map No.
Office Work J. Dougherty
Checked
Date 4-8-74

Survey of SEC 2 T4N, R14W.
JN 03021 Tape 125 Std 3.4 °F
Surveyed by ALBRIGHT
Notes ALBRIGHT Date 3-74
Indexed G. D. BARLEY APR 10 1974

F. B. 566 Pg. 217

J.N. 03021

SECTION 2,
T.4N., R.14W.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CEA

F.B. 2073-16
F.B. 560-147
U.S. 8.64

DIRTY

ALESHIRE & WYNDER
ATTY

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 5116 Pg. 2/8

Notes Ck'd by J. Dougherty
Map No.
Office Work J. Dougherty
Checked
Date 4-9-74

Survey of R 27 4N, R9W
JN 0202C Tape 195 Std 84 °F
Surveyed by ALBRIGHT
Notes ALBRIGHT Date 3-74
Indexed G. D. BAILEY APR 10 1974

F. B. 5866 Pg. 219

W.S. 80 D-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS.90.D-1



222

Notes Ck'd by J. Dougherty	Survey of SEC. 2, T4N, R13W.
Map No.	JN 2320 Tape 195 Std 24 °F
Office Work J. Dougherty	Surveyed by ALBRIGHT
Checked	Notes ALBRIGHT Date 3-74
Date 9-8-74	Indexed by D. BAILEY APR 10 1974

F. B. 566 PG. 221

W.S. 65, B-6

SEC. COR. FD. 3" MON. (FLUSH) PER F.B. 566-187 MARKED AS SHOWN

COUNTY SURVEYOR T.5N. R.12W. 35 36 2 1 T.4N. R.E. 10

50.00 - 1/4 PER F.B. 566-187

ALLEY GRADED PER F.B. 566-187

SEC LINE

FD. 1" I.P. 2" ABOVE GND. & O.B. DIAM. (OR 3") PER F.B. 566-187

80° 37' 40" 30' Adj

1) 80° 37' 40"
2) 99° 22' 20"
3) 180° 00' 00"
80° 37' 36"
80° 37' 35"

17TH ST

R=1909.86'

TO TOP OF CURB

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE#310 3-69

T06 PG 222

Photos Taken by myself in the presents of Mr. Wm Voge on 3-26-74

Frank Haught
Field Engr.

40 of 10" Scrub Oak Showing 1a34 and Scribing (1/4 S.E.T.) still 79. Per C.S. 9104-4 Scribing

Photo of C.A. Engrs original Juniper (Cedar) 1/4 corner post set in 1896 with remains of scribing on west side partially showing. Per Fye 9/50

Shows Granite stone buried along side, Stone is 18"x8"x6" and no evidence of Marking could be found. Per CS. 9104-4

See F.B. 5W-220

WS 20-1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. Dougherty	Survey of
Map No.	JN Tape Std °F
Office Work	Surveyed by ALBRIGHT
Checked	Notes ALBRIGHT Date
Date	Indexed G. D. BAILEY APR 10 1974

F. B. Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 80 D-1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F3095 CE#310 3-65

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 80, D-1 & W.S. 65, A-6 Do not extend this side of this line.



Notes Ck'd by	Survey of S26, T5N, R12W	F. B. 566 Pg. 225
Map No.	JN 0302.01 Per Std °F	
Office Work	Surveyed by J.N. Dougherty	
Checked	Notes JND Date 4-15-74	
Date	Indexed G.D. BAILEY MAY 29 1974	

W, S, G, T, A, B, -5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

NOTES AS TO THE RECOVERY OF THE EAST AND WEST QUARTER CORNERS

We first became involved with said east 1/4 corner to Section 26 in February and March of 1965. At that time, we were retracing the section line between Sections 26 and 27, T5N, R12W, in order to establish the ownership of a property which contained a hazardous hole.

At the 1/4 section corner to Sections 26 and 27, we found a two-inch iron pipe set by Mr. A. G. Johnson, a Licensed Surveyor, from Lancaster, California. Though Mr. Johnson was deceased, his records were in the possession of Mr. Richard Ballinger, a Licensed Surveyor, also from Lancaster. Mr. Ballinger produced an unrecorded map of Section 26, made by Mr. A. G. Johnson, which was dated December, 1948. The map indicated that he was unable to find any evidence of the original west 1/4 section corner set by Henry Hancock in 1856. He therefore set the two-inch pipe we found by proportional measurement between accepted section corners 1/2 mile to the north and south. His map showed the east 1/4 section corner as a 6" x 6" concrete post. He gave no reference for this post, nor did he state of finding any evidence of any portion of the original scribed stake set by W. H. Norway for the 1/4 section corner in 1879. Mr. A. G. Johnson also showed setting a two-inch iron pipe on the east-west line between his above-mentioned 1/4 section corners for the center of Section 26.

Further inquiry led us to an old-time resident of Section 26, Mrs. Pauline Jenkins, of Pacoima, California. Mrs. Jenkins informed me that her father was one of the original homesteaders in Section 26, and she showed me the original patent, dated 1919, from the U.S. Government. She also had in her possession an unrecorded Survey Map of Section 26, prepared by J. A. Meersseman, a Licensed

Surveyor. The map was dated 1931, and was a breakdown of Section 26 and defined ~~of~~ their homestead boundary. The map had been prepared for recording with the County of Los Angeles but had not gone to record. The map showed that Mr. Meersseman had found evidence of the original scribed stake at the west 1/4 corner, 6.92 feet north of the position of Johnson's two-inch pipe, and showed setting a pipe at the east 1/4 corner as well as the center of Section 26 and at the corners of the homestead boundary.

Mrs. Jenkins informed me she was using the map at that time and could not let it out of her hands for copying. As this Department was interested in the west line of Section 26 only, I made a pencil copy of those bearings and distances on the lines in the immediate vicinity of that area. I made note only of the monumentation in other parts of the section. This information was conveyed in a letter from me to my Division, dated March 11, 1965. The penciled notes are now gone. Mr. Meersseman's map made no mention of a 6" x 6" post at the east 1/4 corner. As he was there in 1931, and the fact that the post in its rock mound is on a fairly open piece of ground and easily seen as one walks up to it, it is conceivable that it did not exist in 1931--or was not accepted by Meersseman as the perpetuation of Norway's original 1/4 section corner.

Pursuant to Mr. Meersseman's map, we made a diligent search for the monuments he had shown, without success. I then was able to locate and talk to J. A. Meersseman by phone and asked him about the survey. He said,"I remembered the survey well, and that it was preliminary only. That's all I can tell you; and don't write me about it." I asked him if he found the original west 1/4 corner as he had indicated on his map, and he said: "It was only a preliminary survey. Goodbye." He sounded in very poor health.

I again contacted Mr. R. C. Ballinger to see if he had any information on Mr. Meersseman. He informed me that Meersseman was a very capable surveyor in his day. He said he had worked with Meersseman in the 40's.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of S26, T5N, R12W	F. B. 566 PG. 227
Map No.	JN 0302.01 Tape Std °F	
Office Work	Surveyed by J.N. Dougherty	
Checked	Notes JND Date 4-15-74	
Date	Indexed G.D. BAILEY MAY 29 1974	

1/5 6S-4,8,9

Jack N. Dougherty

Mr. Ballinger said with regard to Section 26 that "he would not do any work in that section because the location of some of the section and 1/4 section corners had never been proven up."

Having found no evidence of the Hancock original west 1/4 section corner as shown by Meersseman on his 1931 map, we accepted the Johnson two-inch iron pipe as the best location of that corner and replaced the pipe with the present brass cap monument as shown in County Engineer Field Book 3118, page 116.

We conducted no further surveys in Section 26 until September of 1971. At that time, we completed the retracement surveys of Sections 25, 26, 35 and 36 of Township 5 North, Range 12 West for Master Plan Highway purposes.

The survey party searched in the locality of the section and 1/4 section corners where shown on government topographic map sheets. Those original corners found and identified were used as the basis for our survey control to locate or reestablish any remaining corners.

In our search for original government corners, we covered the area very thoroughly, examining old wood scraps, opening pack rat mounds and brush piles, and examining under thick clumps of grass or undergrowth. In some cases where we feel the corner could be in a small area, we even removed the top two or three inches of surface material to examine for evidence of an original hewn stake for a stone which may have been covered by dirt.

As this area was, and still is, subject to mining activities and prospecting, this Department has a rather rigid policy on the acceptance of rock mounds as evidence of the location of original corners. This is based on many years of field retracement experience and by

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309s CE#310 3-69

F. B. 566 PG. 228

direction of the U.S. Manual of Surveying Instructions. It is our policy to accept a rock mound only under the following conditions:

1. By its appearance--~~it is~~ is it good of proper age and size?

2. It either contains or has lying nearby, evidence of the original scribed stake or cut stone as called for.

3. It fits record, either to bearing objects, or close topographic calls.

4. It can, by unquestionable testimony or survey records, be traced to the original scribed stake or cut stone. (Restoration of Lost or Obliterated Corners, Chapter V, Manual of Survey Instructions, 1947 Edition.)

The east line of Section 26 was run by W. H. Norway in December, 1879, as shown on C.S. 9226, pages 2 and 3. In 1926, this Department found the original scribed juniper stake in a rock mound (C.S. 9226-3) and accepted it for the northeast corner to Section 26 (F.B. 85, page 108.)

In February, 1972, in our retracement, we found and accepted the 12-inch cedar (juniper) bearing tree to the 1/4 section corner between Sections 35 and 36 (F.B. 566-208). We found no evidence of this 1/4 corner, both the scribed post and rock mound were gone. We reestablished the 1/4 corner from the bearing tree per C.S. 9226, page 2, and proceeded north ~~on our retracement. At a distance of 2637.5 feet north of~~ said 1/4 corner (Record 2640', C.S. 9226-2) we found a one-inch iron pipe in the bottom of a deep draw with an old rock mound containing a two-inch iron pipe 66.00 feet to the west on top of spur. The rock mound was four feet at base and two feet high (F.B. 566-204). This rock mound fits the calls ~~well, and is within three feet of record distance from a~~ found corner to the south (C.S. 9226-2). We, therefore, accepted the rock mound as Norway's witness corner and the one-inch iron pipe as the southeast corner to Section 26.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of S26, T5N, R12W	F. B. 566	PG. 229
Map No.	JN 0302.01 Type Std °F		
Office Work	Surveyed by J.N. Dougherty		
Checked	Notes JND Date 4-15-74		
Date	Indexed G.D. BAILEY MAY 29 1974		

Jack N. Dougherty

We continued our retracement survey northerly on line from the one-inch pipe to the County Surveyor's monument at the northeast corner of Section 26, a distance of 5279.88 feet (5280' Record per C.S. 9226-2 & 3).

In the vicinity of the east 1/4 corner of Section 26, we made a diligent search for any evidence of the original Norway corner. We removed the rocks from around the 6" x 6" concrete post and dug to a depth of 12 inches in search of evidence of the original stake to no avail. As this concrete monument is an old State Highway right-of-way marker, we contacted the Division of Highways for any reference; they had none. We contacted Southern California Edison and the Los Angeles City Department of Water and Power for any reference; they had none. We examined the area around the existing fence corner in the vicinity and along an approximate line to the west 1/4 corner of Section 26 and were unable to find any other monuments identifiable as corners other than the one of A. G. Johnson's near the center of Section 26.

The fences, new and old, seemed to go in all directions as shown in F.B. 566-208. Only the fence to the north and a short section of one to the west seemed to be built on any type of line using the 6" x 6" concrete post.

We then established a temporary point on our retracement line midway between the northeast and southeast corners to Section 26 and compared it to the adjacent topography call of record (C.S. 9226-2). Norway calls 2.00 chains (132') northerly to the beginning of the valley; we found the distance to be 130 feet to the same from our temporary 1/4 corner (F.B. 566-206). The 6" x 6" concrete monument was 175 feet south of the same valley.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B. 566 Pg. 230

We evaluated our finding on the 6" x 6" square concrete monument as follows:

1. No direct perpetuation could be established between Norway's original scribed post.

2. No evidence of the original post was found in 1948 and 1931 by A. G. Johnson and J. Meersseman, and some doubt that the 6" x 6" post even existed in 1931.

3. It does not fit a fairly well defined topography call 132 feet to the north by some 43 feet.

4. It was 72 feet south and 39 feet west of the record position of the Norway original 1/4 corner; in a mile, that is exactly on record distance between the found original section corners.

We, therefore, felt it could not be accepted as the true position of the original Norway 1/4 section corner between Sections 26 and 27 and proceeded to monument our temporary position on line and midway between the accepted section corners to the north and south (F.B. 566-207).

Noting some months after we had concluded our survey that the Pacific Telephone Company had buried a cable along the line between the west 1/4 corner and the 6" x 6" concrete post, I contacted their Palmdale, California Engineering Office to inquire about said cable and its survey. I was shown a copy of Walsh-Borkert Civil Engineers notes. These notes to the best of my recollection had shown a fence or two along their survey line and no statement as to any perpetuation of the 6" x 6" concrete post or reason for accepting it.

When it became apparent there would be a law suit over our establishing the east 1/4 corner to Section 26 in its present location, I again contacted Mrs. Pauline Jenkins in an attempt to get a copy of the Meersseman 1931 map. She told me she no longer owned the property, and the map, along with the patent papers, went to the new owner, a Dr. John Jurgilas of Granada Hills, California. I have talked to Dr. Jurgilas on two

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of S26, T5N, R12W	F. B. 566	Pg. 231
Map No.	JN 0302.01 Tape Std °F		
Office Work	Surveyed by J.N. Dougherty		
Checked	Notes JND Date 4-15-74		
Date	Indexed G.D. BAILEY MAY 29 1974		

65 A1 B-5

occasions, and he has not been able to locate the map as yet. I will follow up with a letter, again explaining the importance of this map, with hope that he will look further.

I have contacted Mrs. Jenkins' brother, Frank Lancaster, of Pacoima, California, as to any maps he may have had. He informed me he had none, nor did he have any recollection of the 6" x 6" concrete monument being a 1/4 corner.

J. A. Meersseman is no longer listed as a current Licensed Surveyor in California, and there is no longer a listing for him at his last shown address; perhaps he is deceased.

This Department has made a further field check of the area to the north of the 1/4 corner in question, expanding our survey to include the next topographic call to the north. Norway gives a call of 10.50 chains (693 feet) to the point where he leaves the valley (C.S. 9226-2). This call is well defined and from our 1/4 corner we measure 700 feet to the call and from the 6" x 6" concrete post we measure 765 feet to the same call. Again, our position fits well while the other is out 71 feet, or well over a chain. (See F.B. 566-216.)

Mr. Walsh's report mentions the fact that Mr. Hobart Kreigh, a civil engineer, found and accepted the 6" x 6" concrete post in 1933 and used it again as the east 1/4 corner of Section 26 in July, 1937. He does not say he found any evidence of the original scribed stake or post at this location, while this Department had found four scribed posts at corners to Section 26--in October and November of 1926; and Meersseman found one in 1931. It would seem unlikely that no evidence of the scribed original post would not have been in existence in the location of the 6" x 6" concrete post.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 566 Pg. 232

It would appear that Walsh and Associates and the Pac[illegible] Telephone Company made their investigation into the v[illegible] of the 6" x 6" concrete monument after the survey, and [illegible] fact, after they had discovered they were in conflict [illegible] this Department as to the 1/4 corner location.

I have contacted Walsh and Associates and indicated I [illegible] like to see a copy of Mr. Hobart Kreigh's field notes so [illegible] I can see what he did survey. We have found no monum[illegible] either Section 25 or 26 which bear his registration [illegible].

It is my feeling we have a good replacement location and that there is no valid evidence to sustain the 6" x 6" concrete monument as the true perpetuation of the ori[illegible] Norway scribed post as the east 1/4 corner to Section

Jack N. Dougherty
Field Engineer
Survey Division

9957