Ck'd by
Map No.
Work
Date

Survey of
W. O. Tape No. St'd OF
Surveyed by
Notes Date
Indexed

F.B. PG.

5137

LOS

F.B. 573 PG. Index

F.B. 573

PAGES: Index, 1 to 7 incl., 8 to 123 incl.,

124 to 135 incl., 135 to 173 incl., 175 to 177 incl., 179 to 301 incl., 303, 305 to 307 incl.,

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 573 PG. 6

Cont to pg 125

Notes Ck'd by ALBERT E. TIMMONS	Survey of Johnson Rd.		F.B. 573 PG. 5
Map No.	W. O. 8065	Tape No.	St'd °F.
Office Work ALBERT E. TIMMONS	Surveyed by Boyer		
Checked	Notes Schaefer	Date 3-28-35	
Date	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

P#9A
See P96

Te P. 70° = 618.48
300.02 @ 4.48 = 298.97
298.25 @ 1.09 = 298.19
21.38 @ — = 21.38
618.54

P. #9.
1x2.

618.48

P. #8
1x2

172°-16'-00"
329-84-30
172-16-07½

Te P. 70° = 651.84
300.19 @ 3.50 = 299.52
300.41 @ 4.20 = 299.55
52.83 @ — = 52.83
651.90

651.84

172.21

P. #7A
1x2

Te P. 70° = 487.00
300.68 @ 4.40 = 299.68
187.77 @ 3.46 = 187.36
487.04

487.00

176°-31'-45"

176-31-45

346-07-00 ok?

P. #7.

52.50

P.I. #1 Set ¾" I.P. plug & Tk. flush.

E.

W.

N 89°-30' W 309.60

Transit 250.26

Line 2

To pg 94

300.35 @ 5-20 T. 100 = 299.08
10.52 @ 00 T. 100 = 10.52
309.60

251.22 @ 5-05 T. 100 =
250.26

P. #6A

Set 1x2

Boyers See P9

28-45-30

28-45-30 @
35-02-00
98-45-30

P. #23 Fd. pg 171 1x2

cont-from Top pg 94

P. #6

FORM 247 10M 8-31

F.B. 573 Pg. 4

Contact pg #5



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by ALBERT E. TIMMONS	Survey of Johnson Rd	F.B. 573	Pg. 3
Map No.	W. O. 8065 Tape No.	St'd °F.	
Office Work ALBERT E. TIMMONS	Surveyed by Boger		
Checked	Notes Schaefer Date 3-28-35		
Date	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Cont. Lot. Pg #4

Contd bot. next page

P#4

Tie P. 70° = 585.84 ✓
300.29 @ 4.56 = 299.18 ✓
287.14 @ 3.09 = 286.71 ✓
585.89 ✓

157°-52'-37½"

P#3
1X2.

157° - 52' - 30" 147.00
271 - 30 - 30 90°
157 - 52 - 37½ ✓ 99.50

Tie P. 70° = 549.38
300.07 @ 4.18 = 299.23 ✓
250.45 @ 2.34 = 250.20 ✓
549.43 ✓

#2 Set ¾" I.P. Flush.
P.I. I.P. plug in Tk.

POT. 1X2 #2B

Tie P. 70° = 293.33°
294.61 @ 5.21 = 293.33 ✓

293.33°

POT. 1X2 #2A

Tie P. 70° = 366.15 ✓
299.54 @ 5.40 = 298.08 ✓
68.10 @ — = 68.10 ✓
366.18 ✓

366.15'

N
W

148°-07'-30"

148°-07'-30"
232 - 30 - 00
148 - 07 - 30 ✓

P#2. 1X2

Tie P. 68° = 465.54 ✓
300.50 @ 5.12 = 299.26 ✓
166.77 @ 4.11 = 166.33 ✓
465.59 ✓

465.54'

Used 84° Calibration

Summit of Portal ridge 1X2. P#1.

Cont from Top Pg #2

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



FORM 247 6M 2.34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
706 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

P. LINE NOTES FOR
JOHNSON ROAD

Notes Ck'd by	Survey of Johnson Rd
Map No.	W. O. 8065 Tape No 51 Sh'd 87 of
Office Work	Surveyed by Associates
Checked	Notes Date 6-5-37
Date	Indexed C. Johnson

F.B. 573 Pg. 1

Form 381 (OM 3-34)

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

8

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
				Contd: From Page 8'					1		3538				
P#0	P#1	1083		—	° '		° '		2	—		—			
		10 1084	84	10 0	144 .45	84	3 .12	35234	3	147		47	TC		
		10 1089	85	10 0	143 .45	84	4 .36	213	4	168		68	BC N Edge Rd		
		7 1086	110	8 0	139 .49	109	4 .28	215	5	166		86	S " "		
		7 1086	187	8 0	164 .10	186	4 .23	158	6	223		143	T.C.		
		9 1095	187	10 0	163 .35	186	4 .19	141	7	240		140	B.C.N. Edge Rd		
		8 1080	196	9 0	158 .35	195	4 .16	145	8	236		146	S " Rd		
		8 1080	281	9 0	169 .25	280	4 .05	091	9	290		200	T.C. N. Edge Rd		
		8 1080	281	9 0	169 .55	280	4 .05	091	10	290		200	P.P.		
		8 1080	281	10 0	169 .05	279	4 .13	075	11	306		206	B.C. N. Edge Rd		
		8 985	286	9 0	165 .15	285	4 .06	087	12	294		204	" "		
		7 1086	287	10 0	161 .20	286	3 .22	113	13	268		168	T.B.		
		8 1090	291	10 —	159 .35	289	4 .33	050	14	331		231	B. Ditch 4' Wide		
		8 980	291	9 0	157 .40	290	3 .26	117	15	264		174	T B		
		7 1010	311	9 0	143 .10	310	2 .48	139	16	242		152	T.S.		
		7 1006	207	9 0	154 .05	206	4 .00	147	17	234		144	T.B.		
		8 1010	211	9 0	151 .55	209	4 .58	109	18	272		182	B. Ditch 6' Wide		
		8 616	217	5 0	150 .25	216	4 .29	162	19	219		169	T B		
		4 962	263	9 0	139 .05	262	2 .37	171	20	210		120	T.S.		
		7 627	228	5 0	122 .30	228	2 .33	229		152		102	T S		
		4 982	183	9 0	121 30	183	2 24	214	21	162		72	T.B.		

These Pages are Upside Down

Contd. on Page 10

Form R-1

Date APR 20 1935
Survey of Tapia Wash Rd
Surveyed by Albert E. Turnbull
Noted by Albert E. Turnbull
Job No.
Division No.
Map No.
Date
F.B. 573 Pg. 87

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
			Contd from Page												
P1	P2		Beginning					3533.41	4.8		3538.2		See Pg 2 L.B. 812		
		497											Bench Levels		
		4 98	98	5°	180.00	98	Lev.	3533.2		5.0		0.0	P.K. O 1x2		
P0	P1							3533.2			3538.1				
		650													
		4 1158	251	5°	195.40	251	1.44	3525.5	4.9	12.6		7.6	flat		
		9 583	259	10°	160.55	259	2.22	3518.4		20.7		10.7	T.S. to DC		
		4 611	184	5°	176.10	183	5.20	3517.1		21.0		16.0	flat		
		4 499	212	5°	187.55	211	3.44	3519.3		18.8		13.8	T.S. to DC		
		7 520	100	8°	123.55	100	2.53	3525.1		13.0		5.0	flat		
		4 346	121	5°	196.40	121	2.34	3527.2		10.4		5.4	T.S.		
		3 498	47	3°	201.25	47	2.40	3532.9		5.2		2.2	PP		
		4 141	99	4°	233.25	98	+ 4.26	3541.2	+	3.6	+	7.6	T.S.		
		1 301	42	1°	335.55	42	1.15	3536.2		1.9		0.9	flat		
		2 379	102	2°	275.10	101	+ 5.45	3546.3	+	8.2	+	10.2	S.H.		
		3 442	80	3°	308.45	79	+ 5.03	3542.1	+	4.0	+	7.0	flat		
		3 304	143	3°	299.10	142	+ 5.22	3548.4	+	10.3	+	13.3	T.S.		
		2 506	105	3°	53.05	105	2.52	3529.9		8.2		5.2	T.C.		
		4 423	107	5°	24.20	107	3.21	3527.5		10.6		5.6	B.C. N Ekl Pol		
		3 760	124	4°	31.10	124	2.46	3528.1		10.0		6.9	S " "		
		9 757	61	9°	61.05	61	2.01	3526.4		11.7		2.7	T.C.		
		7 776	58	7°	60.25	58	2.13	3528.9		9.2		2.2	BCN " "		
		8	79	8°	68.15	77	2.39	3526.5		11.6		3.6	S " "		

Additional Instructions: This P line was chained. See Pg. This FB except

Topography Description Legend: Hill ... Sk. Draw S.D. Ridge R.D. Wash B.W. Top of Ridge T.R. Toe of Slope T.S. Bottom Draw B.D. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Bank T.Bk. Bottom of Bank B.Bk. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F. Edge of Road E.Rd. Culvert Cul. Power Pole P.P. Equipment Eq. Stream Str. Trees Tr. Fence Fe. Rock Outcrop R.O. Bldg. Bldg. Corner Cor. Ditch D. Fence V.Fe. Shrubs Sh. Telephone Pole T.P. Pipe Line P.L. Gate Ga. Field Fd. Tank Tk. Flume Fl. Orchard Orch. Cross Cr. Rd. Road Rd. Tr. Rd. Dirt Rd. D.Rd. Cable Cab. Fr. Fr. Pine Pi. Oak O. Sycamore Sy. Eucalyptus Euc. Use combinations of these and all common standard abbreviations.

Intersection of Draw V.D.: Break in Slope Bk.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Bank T.Bk. Bottom Canyon B.Cn.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

10

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
* P1	P2				Contd From Page 10								3.53 82					
		1022			° '			° '		1								
		8 366	223	9 0	15.45	222	−	3.20	3516 2	2	−	22 0		−	13 9	TS		
		1 1070	267	2 0	26.10	266	+	1.38	43 8	3	+	5 6		+	7 6	SH		
		8 426	271	9 0	11.35	270	−	3.33	12 4	4	−	25 8		−	16 8	TS		
		1 1050	327	3 0	19.25	327	+	1.17	42 5	5	+	4 3		+	7 3	SH		
		8 1045	251	9 0	352.25	250	−	3.34	13 6	6	−	24 6		−	15 6	S. Side Rd		
		8 940	246	9 0	348.40	245	−	3.48	12 9	7	−	25 3		−	16 3	N " " BC		
		7 890	241	8 9	347.30	240	−	3.05	17 3	8	−	20 9		−	12 9	T.C.		
		7 1085	191	8 0	356.45	190	−	3.47	17 6	9	−	20 6		−	12 6	S side Rd		
		9 1085	186	10 0	350.55	185	−	3.31	16 8	10	−	21 4		−	11 4	N " Rd		
		9 1030	186	10 0	349.25	186	−	2.28	20 2	11	−	18 0		−	8 0	TC		
		9 1032	131	10 0	353.55	131	−	2.20	22 9	12	−	15 3		−	5 3	TC		
		9 940	133	10 0	355.45	133	−	3.29	20 1	13	−	18 1		−	8 1	N Side Rd BC		
		8 970	141	9 0	3.25	140	−	3.35	20 4	14	−	17 8		−	8 8	S " "		
		9 972	71	9 0	7.10	71	−	1.42	27 1	15	−	11 1		−	[illegible]	T.C.		
		9 1086	73	9 0	11.25	73	−	3.52	24 3	16	−	13 9		−	4 9	BC N Side Rd		
		10 351	87	10 0	21.25	87	−	2.21	24 6	17	−	13 6		−	3 6	" S " "		
		3 465	52	3 0	335.00	52	−	3.32	32 0	18	−	6 2		−	3 2	SH		
		4 398	66	4 0	28.30	66	+	2.55	37 6	19	−	0 6		+	3 4	P.P.		
		3 317	99	3 0	329.30	99	−	2.48	30 4	20	−	7 8		−	4 8	f lot		
		4	118	4 0	284.45	117	+	4.03	42 5	21	+	4 3		+	8 3	Toe Stone		

Add'l Inform. This Pg is upside down Contd on Page 12

Filed for Record at Request of ALBERT E. [illegible] APR 16 1935 at [illegible] Min. past [illegible] o'clock [illegible] M. and Duly Recorded APR 30 1935 Book No. 6265 Division No. [illegible] Survey of [illegible] Checked [illegible] Date [illegible] Map No. [illegible] Notes [illegible] Date [illegible]

F.B. 573 Pg 109

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
				Contd. From Page 7	° '		° '								
P0	P1			—	° '		° '	3530 2	4 9	—	3538	—			
		1192													
		10 702	193	11 0	121.35	192	2.56	172	—	209	—	99	B. ditch & in		
		5 625	203	6 0	119.55	203	2.47	222	—	159	—	99	T.B.		
		4 120	226	5 0	108.05	226	1.54	256	—	125	—	75	TB		
		9 14	221	10 0	106.40	221	1.49	211	—	170	—	70	B, ditch		
		5	215	6 0	104.30	215	1.38	260	—	121	—	61	T.B		
		1036													
		9 100	131	10 0	93.55	131	1.30	247	—	134	—	34	flat		
		9 1141	201	10 0	85.20	201	+ 0.20	293	—	88	+	12	"		
		10 800	142	11 0	64.40	142	Rev	271	—	110	—	00	"		
		6 940	201	7 0	63.10	201	+ 0.23	324	—	57	+	13	T.S		
		8 304	141	9 0	38.25	141	+ 0.29	303	—	78	+	12	T.S.		
		1 722	205	2 0	46.30	205	+ 1.47	3542 5	+	44	+	64	SH		
		7 966	29	7 0	82.20	23	1.12	306	—	75	—	05	flat		
		9	67	9 0	166.25	67	1.07	278	—	103	—	13	"		
P1	P2			—	° '		° '	3533 4	✓	—	3538 2	—	LB 81 V Pg 8 see Bench Level		
		985	86	9 0	43.50	86	1.58	263	4 8	119	—	29	T.S.		
		7 250	151	2 0	58.20	150	+ 4.02	3546 8	+	86	+	106	SH		
		1 834	135	8 0	29.00	135	2.58	232	—	150	—	70	TS		
		7 476	177	4 0	42.10	176	+ 4.07	469	+	87	+	127	SH		
		3 976	177	9 0	19.30	176	3.28	189	—	193	—	103	T.S.		
		8 337	234	2 0	31.30	234	+ 2.10	450	+	68	+	88	SH		
		1													

Add'l Inform.

Contd. on Page 9

Topography Description Legend:
Side Hill....S.H. | Bottom Draw. B.D. | Bottom Wash B.W. | Top of Ridge. T.R. | Toe of Slope..T.S.
Side of Draw. S.D. | Bottom Draw. S.D. | Side of Ridge. S.R. | Head of Draw H.D.

Fir-Fr. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Pine combinations of these and all common standard abbreviations.

Oak-O. Pine-Pi. Sycamore Sy. Eucalyptus Eu. Tin. Fences V. Fen. Telephone Pole T.P. Ditch Pipe Power Pole P.P. Culvert Cul.

Traveled Rd. Tr. Rd. Fence Fe. Ditch Di.

Saddle Sa. Swale Sw. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E. Rd.

Canyon C.Ca. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Side of Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Interv. of Drawn V.D's In Slope Bk.S. Break In Slope S.S. Steep Slope T.Cl. Top of Cliff B.Cl. Bottom of Cliff T.Sp. Top of Spur B.Cn. Bottom Canyon

F.B. 573 Pg. 10

Form 301 18M 3-34

12

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
		Contd	From	Pg	12		° '	3492 5	1		34968				
		632					° '		2						
P2 #	P1 #	4660	233	5 0	111.40	233	Lev	918	3	50		00	T.S		
		4515	261	5 0	119.25	261	1.36	845	4	123		73	T.P		
		2765	316	4 —	119.00	316	1.10	864	5	104		64	T.S.		
		5-1060	266	6 0	127.55	265	2.37	782	6	181		121	T.C		
		81094	261	9 0	128.40	260	2.24	769	7	199		109	BC N Side	Rd	
		181044	245	7 0	134.05	244	1.50	757	8	211		121	.S	"	"
		81044	245	9 0	133.40	244	1.54	761	9	207		117	T.C.S	"	"
		1717	221	2 0	121.35	221	2.37	847	10	121		101	TC N	"	"
		5696	218	6 0	122.15	218	2.34	811	11	157		97	BC	"	"
		5595	197	6 0	125.30	197	2.35	819	12	149		89	BC S	"	"
		4479	196	5 0	126.25	196	2.35	830	13	138		88	TC	"	"
		3776	180	4 0	110.40	180	0.24	915	14	53		13	TC N	"	"
		6553	177	7 0	111.10	177	1.15	859	15	109		39	BC	"	"
		5550	154	6 0	114.15	154	1.13	875	16	93		33	BC S	"	"
		4546	151	5 0	114.35	151	1.10	887	17	81		31	TC	"	"
		1542	147	2 0	92.15	147	Lev	948	18	20		00	TC N	"	"
		4516	143	5 0	92.15	143	Lev	918	19	50		00	BC	"	"
		4236	117	5 0	92.55	117	+ 0.09	921	20	47	+	03	S. Edge	Rd	
		1631	137	2 0	72.45	137	+ 2.00	996	21	28	+	48	T.C.		
		650	132	6 0	72.55	132	+ 2.09	957		11	+	49	BC N	"	"

Add'l Inform.

Contd on Pg 14

Notes Rdd. APR 16 1935 APR 20 1935 Platted ALBERT E. TIMMONS Job No. 6015 Division No. F.B. 5573 Pg. 47
Notes Chkd. Checked Survey of Tobruk Rd Date 4-15-35
Survey by E.L. Whitney Notes C. Johnson

Form 301 LAM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
			Contd.		From Pg 9										
P1	P23			—	° '		° '	3533 4	✓	—	3538.2	—			
		6 60							2						
		5	161	6 0	332 10	161	— 1 45	35273	—	10 9	—	4 9	flat		
		4 52							3						
		3	151	4 0	310 52	151	— 0 09	338	—	4 4	—	0 4	TS		
		5 25							4						
		3	226	4 0	335 20	226	— 2 20	250	—	13 2	—	9 2	flat		
		4 10							5						
		2	211	3 0	314 30	211	+ 0 45	380	—	0 2	—	+ 2 8	TS,		
		9 85							6						
		7	286	8 0	338 05	286	— 2 17	188	—	19 4	—	11 4	flat		
		6 54							7						
		4	255	5 0	326 30	255	— 0 37	305	—	7 7	—	2 7	TS.		
		10 34							8						
		8	235	9 0	11 25	234	— 4 23	113	—	26 9	—	17 9	B.D.		
		5 64							9						
		8	165	9 0	14 15	164	— 4 14	171	—	21 1	—	12 1	" "		
									10				L.B. 8877 Pg #2		
P2	P1			—	° '		° '	3492 5	4 7	—	3496 8	—	see Bench Levels		
		5 40							11						
		3	241	4 0	36 30	237	+ 7 06	35223	—	+ 25 5	—	+ 29 5	T.S.		
		4 17							12						
		2	218	3 0	42 25	215	+ 7 05	204	—	+ 23 6	—	+ 26 6	P.P.		
		3 07							13						
		1	208	2 0	52 20	205	+ 7 05	202	—	+ 23 4	—	+ 25 4	T.S		
		6 00							14						
		4	201	5 0	35 10	198	+ 6 45	152	—	+ 18 4	—	+ 23 4	flat		
		3 00							15						
		1	201	2 0	62 25	198	+ 6 32	175	—	+ 20 7	—	+ 22 7	S.S.		
		6 73							16						
		5	174	6 0	61 25	172	+ 5 56	087	—	+ 11 9	—	+ 17 9	T.S		
		3 04							17						
		1	205	2 0	78 55	204	+ 4 03	093	—	+ 12 5	—	+ 14 5	S.H.		
		4 68							18						
		3	169	4 0	81 15	169	+ 2 20	34997	—	+ 2 9	—	+ 6 9	T.S.		
		4 29							19						
		2	230	3 0	95 05	230	+ 2 32	35040	—	+ 7 2	—	+ 10 2	TS		
		2 95							20						
		1	196	2 0	100 55	196	+ 1 04	34984	—	+ 1 6	—	+ 3 6	flat		
		3 68							21						
		1	269	2 0	108 10	269	+ 2 05	35046	—	+ 7 8	—	+ 9 8	SH		

Add'l Inform.

Contd. on Pg. 11

Traverse Description Legend: Side of Hill S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Top of Slope T.S.

Interl. of Draws, Y.D's Break in Slope B.S. Top of Slope T.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Saddle Sw. Swale Sl. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence Fe. Tel. Fence T.F. Ditch Ds. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Oil Well O.W. Prod. Prod.-Pl. Cedar Cd. Spruce Sp. Eucalyptus Eu. Pine combination Pine or throw Pine common standard abbreviations.

P.B. 57 Pg. 11 1/2

Form 301 10M 3-34

14

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
			Conta	From Page 14	° '		° '								
								3492			34968				
P2	P1	533							1						
		4 F30	134	4 0	22 10	133	+ 5 01	350 47	2	+ 82		+ 117	Head d'rain		
		7	131	7 0	25 05	130	+ 5 16	01	3	+ 50		+ 120	B drain 4'		
		224	125	2 0	28 40	124	+ 4 07	03	4	+ 69		+ 89	N brk drain		
		188	89	1 0	8 10	89	+ 1 57	34 988	5	+ 20		+ 30	flat		
		287	88	1 0	350 35	88	+ 1 54	988	6	+ 09		+ 29	N brk drain		
		2 6 F2	83	6 0	345 35	83	+ 1 15	926	7	− 42		+ 18	B. drain 2'		
		6 279	80	7 0	337 15	79	+ 6 03	982	8	+ 14		+ 84	S brk drain-T		
		7 237	38	2 0	343 20	38	− 0 0	948	9	− 20		− 00	S " "		
		200 942	43	9 5	00 40	43	− 0 0	873	10	− 95		− 00	B. drain		
		920 348	49	3 5	8 30	49	− 0 0	933	11	− 35		− 00	S. brk drain		
		3 360	81	3 0	28 10	81	+ 2 16	970	12	+ 02		+ 32	S " "		
		3 383	84	3 6	333 55	84	− 0 0	932	13	− 36		− 00	Bot drain 4'		
		3 285	86	2 0	38 25	86	+ 1 57	972	14	+ 09		+ 29	N. Brk drain		
		2 446	47	4 6	23 10	47	− 0 0	922	15	− 46		− 00	G. flag		
		647	48	6 0	57 00	48	− 0 0	908	16	− 60		− 00	N. Brk drain		
		6 1126	27	11 0	68 40	27	− 6 55	825	17	− 142		− 32	V. drains 4'		
		11 939	40	9 5	79 45	40	− 0 0	873	18	− 95		− 00	N. Brk drain		
		9 714	15	7 4	76 05	15	− 0 0	894	19	− 74		− 00	S. " "		
		7 667	68	6 6	78 10	68	− 0 0	902	20	− 66		− 00	flat		
		6							21						
			8.0		125 10	8	− 0 0					− 00	G. flag		

Contd. on Pg 16

Notes Chkd. _____ Checked _____ Notes _____ Date _____

Date 4-5-1935 Party ALBERT E. TIMMONS Job No. 5265 Division No. _____ F.B. 573 PG. 73

Date APR 30 1935 Survey of Johnson Road Survey by R.L. Whitesell Notes W. Miller Date 4-1-35

Form 301 1M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

W

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left Right
		Contd From Pg 11					° '							
				—				3492 5		—	34968	—		
P2	P1	509							1					
		4 306	110	4 0	61 .20	110	+ 2.03	34967	2	— 01		+ 39	B.C. S. Side Rd.	
		2 541	107	2 0	61 .15	107	+ 2.43	999	3	+ 31		+ 51	TC " " "	
		4 737	142	5 0	51 .00	140	+ 6.07	35068	4	+ 100		+ 150	T.C. N " "	
		6 327	138	7 0	50 .55	138	+ 4.46	010	5	+ 42		+ 112	B.C.	
		1 225	128	3 0	35 .52	127	+ 4.48	045	6	+ 72		+ 107	BC S. Side Rd.	
		1 367	126	2 0	35 .35	125	+ 4.42	051	7	+ 83		+ 103	T.C.	
		2 766	168	3 0	31 .25	166	+ 6.34	129	8	+ 161		+ 191	T.C.	
		6 567	167	7 0	21 .05	165	+ 5.30	060	9	+ 92		+ 162	BC. N Side Rd.	
		4 [illegible]	168	5 0	19 .00	166	+ 5.3[illegible]	081	10	+ 113		+ 163	BC S. " "	
		[illegible] 39	168	4 0	19 .15	166	+ 5.37	092	11	+ 124		+ 164	TC	
		2 695	140	3 0	21 .30	139	+ 5.22	071	12	+ 103		+ 133	T.C.	
		5 280	196	6 0	21 .25	194	+ 5.21	090	13	+ 122		+ 162	BC N S. de Rd.	
		1 394	181	2 0	2 .05	180	+ 4.22	086	14	+ 118		+ 138	Flat	
		2 694	195	3 0	355 .45	194	+ 4.22	086	15	+ 118		+ 148	N. Bank drain	
		5 293	195	6 0	352 .52	194	+ 4.17	053	16	+ 85		+ 145	B. Drain 6' Wide	
		1 235	193	2 0	310 .35	192	+ 4.04	085	17	+ 117		+ 132	S Bank Drain	
		3 341	136	2 0	7 .00	135	+ 3.51	041	18	+ 73		+ 93	Stat	
		3 540	142	3 0	348 .35	141	+ 4.04	039	19	+ 71		+ 101	S Bnk drain	
		3 542	141	3 0	351 .55	141	+ 3.24	022	20	+ 54		+ 84	B. drain	
		3 543	143	3 0	355 .45	142	+ 3.57	036	21	+ 68		+ 98	N bnk drain	

Adjmt Indexes

Contd on Pg 13

Topography Description Legend:
Hill ..... S.H. | Bottom Draw S.D. | Side of Draw S.D. | Side of Ridge S.R. | Head of Draw H.D. | Top of Slope ..... T.S.

Side of Draw ..... S.D. | Bottom Draw S.D. | Bottom Wash B.W. | Top of Ridge S.R. | Toe of Slope ..... T.S.

Break in Slope ..... Br.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Fence ..... Fn. | Int. Fences ..... V.Fns. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak ..... O. | Pine-Pi. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Fir-Fr. | Cedar-Ce.

F.B. 673 Pg. 14

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
			Contd		From	Page 16		3492	1		34968				
P#2	P#1	1055							2						
		10	56	10 0	190 45	56	− 0 0	34912	3				Toe Slope		
		492	93	4 0	222 30	90	+ 10 53	35702	4				S. H.		
		4													
		125	26	1 0	244 40	26	− 0 0	34958	5				flat		
		1													
		272	73	2 0	252 30	70	+ 11 17	35091	6				S. H.		
		2													
		247	48	2 0	301 35	49	+ 8 43	021	7				flat		
		2													
		386	87	3 0	276 30	82	+ 13 47	140	8				Bot. Swale		
		3													
		271	72	2 0	312 40	71	+ 7 12	038	9				Toe Slope		
		2													
		312	113	3 0	301 35	105	+ 15 27	231	10				S. H.		
		2													
		622	123	6 0	339 50	121	+ 6 20	044	11				Toe Slope		
		3													
		950	151	4 0	320 50	141	+ 14 44	300	12				S. H.		
		3													
		372	173	3 0	345 0 0	172	+ 5 05	092	13				Toe Slope		
P.O.T. #2A	P#2	2													
								3461.4	4 0		34662		Bk Pg #2 See Bench Levels		
		633	234	5 0	315 50	233	+ 3 18	746	14				S. H.		
		4													
		857	158	7 5	318 05	158	− 0 0	687	15				flat		
		7													
		413	214	3 0	305 10	214	+ 0 54	664	16				Bot. Swale		
		2													
		1145	146	11 9	298 45	146	− 0 0	543	17				flat		
		10													
		760	161	7 1	293 10	161	− 0 0	591	18				Toe Slope		
		6													
		1143	144	10 0	276 25	144	− 2 42	493	19				flat		
		10													
		898	191	8 1	274 10	191	− 2 03	513	20				Toe Slope		
		7													
		960	161	9 9	255 10	160	− 4 45	459	21	223		133	flat		
		8													

Contd on Pg 18

Note By ALBERT E. TIMMONS Job No. 6065 Division No.
Date APR 16 1935 Survey of Tabulation
Notes Chkd. Survey by F.E. Kelley Notes K.W.Ley Date 4-15-35
Checked J.O.S.
Date

F.B. 573 Pg. 1

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

15

Oak-O. Fir-Fr.
Pine-P. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Pine combinations
Plus thees and all
common standard
abbreviations.

Traveled Rd. Tr. Rd.
Fence ..... Fe.
Int. Fences V.F. Int.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Culv.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E. Rd.

Side of Canyon S.Cn.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Intersect. of Draw. V.D's
Break in Slope ..... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope ..... T.S.

P.B. 573 Pg. 8 & 16

Set at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
		Contd		From Pg. 13				3492 5/5	1		3496 8/8				
P#2	P#1	1189							2						
		11	90	11 3/3	112 35'	90	0 0'	3485 5/5		11 3/3		0 0/0	flat		
		1152							3						
		11	53	11 0/0	148 35'	53	3 08'	3482 3/3		14 5/5		3 5/5	S. Bnk drain		
		1157							4						
		11	58	11 0/0	138 40'	57	8 31'	77 3/3		19 5/5		8 5/5	Bot. drain 4' wide		
		1165							5						
		11	66	11 0/0	129 20'	66	3 45'	81 5/5		15 3/3		4 3/3	N. Bnk drain		
		728							6						
		6	129	7 0/0	130 50'	128	3 40'	81 6/6		15 2/2		8 2/2	flat		
		866							7						
		8	67	8 0/0	106 20'	67	3 40'	84 5/5		12 3/3		4 3/3	Hd. drain		
		1077							8						
		10	78	10 0/0	148 20'	76	8 27'	75 5/5		21 3/3		11 3/3	V. drains 10' wide		
		1085							9						
		10	86	10 0/0	145 20'	85	5 43'	78 3/3		18 5/5		8 5/5	N Bnk drain		
		1072							10						
		10	73	10 0/0	156 05'	72	6 12'	79 2/2		17 6/6		7 6/6	S. Bnk. "		
		772							11						
		6	173	7 0/0	139 0'	172	4 42'	75 1/1		21 1/1		14 1/1	flat		
		1032							12						
		9	133	10 0/0	164 40'	131	7 01'	70 2/2		26 1/1		16 1/1	" end of drain		
		945							13						
		8	146	9 0/0	152 20'	145	6 02'	72 6/6		24 2/2		15 2/2	flat		
		724							14						
		5	225	6 0/0	144 00'	223	5 20'	70 0/0		26 8/8		20 8/8	"		
		1100							15						
		9	201	10 0/0	152 55'	199	5 33'	67 5/5		29 3/3		19 3/3	"		
		991							16						
		8	192	9 0/0	166 10'	189	6 51'	65 1/1		31 2/2		22 7/7	Toe slope		
		993							17						
		8	194	9 0/0	180 05'	193	4 18'	71 8/8		23 5/5		14 5/5	S. H.		
		1040							18						
		9	141	10 0/0	177 10'	140	5 16'	73 9/9		22 9/9		12 9/9	Toe slope		
		878							19						
		7	179	8 0/0	195 55'	179	0 21'	87 7/7		9 1/1		1 1/1	S. H.		
		1097							20						
		10	98	10 0/0	175 35'	97	5 10'	78 0/0		18 8/8		8 8/8	Toe slope		
		819							21						
		3	120	4 0/0	200 15'	120	+ 1 24'	95 7/7		11 1/1		+ 2 9/9	S. H.		

Addnl Inform.

Contd on Pg. 15

Form 301 10M 3-34

18

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
			Contd.		From	Pg. 18		3461 4	1		3466 2				
PoT# 2A	P# 2.	228							2						
		2 995	29	2 0	47.10,	29	+ 1.48,	651	3				T.C. S. side Rd		
		196	9 0		318.25,	196	+ 2.15,	649	4			+ 12	T.S		
		331	32	3 0	50.10,	32	+ 1.15,	638	5				S Side Rd		
		3 436	57	4 0	345.10,	57	− 0.50,	612	6				S H		
		4 297	98	2 0	29.35,	97	+ 4.08,	713	7				T.C. S Side Rd		
		2 298	99	2 —	31.00,	99	+ 3.39,	704	8				BC " " "		
		2 506	107	5 0	2.15,	107	+ 2.46,	663	9				Flat		
		4 1020	121	10 0	346.30,	121	+ 3.04,	626	10				"		
		9 326	127	1 0	41.35,	127	+ 2.27,	706	11				T.C. N Side Rd		
		1 424	125	4 0	40.15,	124	+ 4.24,	712	12				BC " " "		
		3 263	164	2 0	54.40,	162	+ 6.14,	818	13				Toe Slope		
		1 184	85	1 0	54.30,	84	+ 4.54,	724	14				T C N Side Rd		
		1 180	81	1 0	52.00,	81	+ 1.54,	678	15				BC " " "		
		1 527	128	4 0	70.15,	126	+ 7.20,	785	16				S H		
		4 155	56	1 0	72.50,	56	+ 4.25,	694	17				T.C. N Side Rd		
		1 251	52	2 0	72.15,	52	− Lev,	637	18				BC " " "		
		2 1012	113	9 0	91.10,	110	+ 9.30,	756	19				Flat		
		9 244	45	2 1	136.15,	45	− Lev,	633	20				T.C. N Side Rd		
		2 840	41	8 1	136.15,	41	− Lev,	581	21				BC " " "		
		8 1106	107	10 0	106.35,	105	+ 8.02,	709					S. Bnk drain		
		10													

Add'l Inform.

Contd on Pg 20

Form Checked by ALBERT E. TIMSON Plotted ALBERT E. TIMSON Job No. 6045 Division No.
APR 16 1935 APR 20 1935 Survey of Jebusser Tr.
Notes Chkd. Checked Survey by R.H.S. Notes
Date Date Map No. Indexed A. C. John Bar

F.B. 573 Pg. 17

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

17

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
		Contd. From Pg. 15						3461 4			3466 2				
Pot # 2A	P # 2	1015 / 8	216	9 0	259 25	217	3 46	3443 1					Toe Slope		
		987 / 8	188	9 0	241 20	186	5 38	388					Flat		
		1133 / 9	234	10 0	246 10	232	4 47	362					"		
		1035 / 8	236	9 0	231 30	233	5 52	333					"		
		971 / 7	272	8 0	236 20	269	5 35	318					"		
		967 / 7	268	8 0	223 30	265	6 18	289					"		
		1009 / 7	310	8 0	230 30	307	5 38	278					"		
		1135 / 9	236	10 0	214 25	233	6 14	307					BrK.		
		1092 / 9	193	10 0	197 20	192	4 25	413					T.C. S. side Rd.		
		891 / 7	192	8 0	195 40	190	5 23	403					S. " "		
		1063 / 9	164	10 0	217 40	162	5 38	402					S. H.		
		1042 / 9	143	10 0	197 20	142	3 16	481					T.C. S. side Rd.		
		1144 / 10	145	11 0	195 35	144	3 53	453					S. " "		
		1000 / 9	101	9 0	231 25	100	5 30	475					S. H.		
		591 / 5	92	5 0	196 55	91	5 20	527					T.C. S. side Rd.		
		690 / 6	91	6 0	194 10	90	5 40	512					S. " Rd.		
		1156 / 11	57	11 0	223 0	57	1 13	540					S. H.		
		731 / 7	32	6 8	188 40	32	0 0	594					T.C. S. side Rd.		
		832 / 8	33	8 6	181 10	33	0 0	576					S. " "		
		938 / 9	39	9 7	277 50	39	0 0	565					Flat		

Add'l Inform.

Contd. on Pg. 17

Topography Description Legend:
Side Hill....S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Bottom of Ridge T.R. | Top of Slope T.S.
Side of Draw S.D. | Bottom of Ridge B.R. | Top of Ridge T.R. | Toe of Slope T.S.
Head of Draw H.D.

Intern. of Draws, V.D's | Side of Canyon S.Ca. | Saddle | Traveled Rd. Tr. Rd. | Oak-O. | Fir-Fr. | Sa.
Break in Slope BI.S. | Top of Bank T.B. | Swale | Fence | Pine-Pi. | Cedar-Ce. | Sw.
Steep Slope S.S. | Bottom of Bank B.B. | Flat | Tel. Fences V.Fe. | Sycamore Sy.
Top of Cliff T.Cl. | Top of Cut T.C. | Stream Str. | Ditch Di. | Eucalyptus Eu.
Bottom of Cliff B.Cl. | Bottom of Cut B.C. | Trail Tr. | Telephone Pole T.P. | Plus combinations
Top of Spur T.Sp. | Top of Fill T.F. | Pavement Pvt. | Power Pole P.P. | of these and all
Bottom Canyon B.Ca. | Bottom of Fill B.F. | Edge of Road E.Rd. | Culvert Cul. | common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
#2A	P#2		Contd		From Pg 20			3461.4	1		3466.2				
POT		396			° '		° '		2						
		2	197	3 0	140 05	195	+ 6.00	836	3				P4 on SPUR		
		255													
		1	156	2 0	146 15	156	+ 2.48	717	4				SH		
		272													
		1	173	2 0	132 25	170	+ 7.36	867	5				SH		
		268													
		1	169	2 0	117 55	164	+ 9.25	913	6				SH		
					° '		° '		7						
					° '		° '		8						
					° '		° '		9						
					° '		° '		10						
					° '		° '		11						
					Got Wise To Myself and Turned				12						
					The Pages as They should be				13						
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'n

Cont'd on Pg 21

Date APR 16 1935 APR 30 1935 Job No. 8065 Division No. F.B. 573 Pg. 72

Survey of TOPANGA ROAD

Surveyed by [illegible] Notes [illegible] Date 4-9-35

Map No.

ALBERT E. TIMMONS, Chief Engineer

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
#2A	#	Contd From Pg. 17													
POT	P2							346 14			346 62				
		980							1						
		9 1078	81	9 0	172.05	81	Lev	345 72	2				TC N Side Rd		
		10 808	79	10 0	174.00	79	1.30	527	3				BC " " "		
		7 312	109	7 0	110.35	108	+ 4.10	671	4				B. Drain	T.S.	
		2 407	113	3 0	111.10	112	+ 4.06	717	5				N Bnk drain		
		3 800	108	3 0	137.10	108	+ 0.34	643	6 V	19		+ 11	N " " T.S.		
		7 398	101	7 0	137.50	101	+ 0.40	603	7 V	58		+ 12	B Drain		
		5 804	99	5 0	140.35	99	3.05	578	8	x83		52	S bnk drain		
		7 1106	105	7 5	163.00	105	Lev	587	9				S " "		
		10 814	107	10 5	161.00	107	Lev	554	10				B. drain		
		7 1126	115	7 6	158.55	115	Lev	586	11				N bnk drain		
		10 1025	127	10 0	182.05	127	1.57	518	12				T.C. N side Rd		
		9 933	126	10 0	183.30	125	4.12	470	13				BC " " "		
		8 1125	134	9 0	173.50	134	1.29	542	14				N. bnk drain		
		10 721	126	11 0	173.45	126	2.33	495	15				bottom drain		
		6 1045	122	7 0	175.45	122	2.22	542	16				S " "		
		9 1045	146	10 0	179.05	146	2.03	514	17				N bank "		
		9 559	146	10 0	180.35	145	4.08	457	18				bot. drain		
		4 326	160	5 0	164.50	160	1.47	563	19				P.P. & T.S.		
		2 5	127	3 0	154.15	127	1.27	599	20				T.S.		
		3 5	201	4 0	157 40	201	+ 1.01	662	21				T.S. Sur		

Add'n'l Interm.

Contd. on Pg. 19

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Obst.-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Pitch combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fe. Ind. Fences V. Fe. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Spur ..... Sp. Flat ..... Fl. Stream ..... St. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Toe of Bottom of Fill B.F.

Intern. of Draw V.D's Break in Slope ..... Bk.S. Stress Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Misc. 573 Pg. 20

1

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
		Contd	From	Page	20	° '							L.B.&P.L.P.9 # 2		
#23	#		—		° '	° '		3434 3	1 /		34390		See Bench Levels		
POT	P2		—		° '	° '		—	2 4 7				Fore elev see P9 #		
		204							3						
		1 707	105	1 0	355. 10,	105	+ 2. 23,	34423	4				T.N. Bnk drain		
		6 310	108	6 0	351. 50,	107	+ 4.09,	408	5				V of drain		
		2 401	111	2 0	348. 30,	110	+ 4.13,	452	6				BC N side Rd		
		5 811	102	3 0	6 . 45,	101	+ 5.59,	465	7				T. S.		
		7 357	112	7 0	346. 00	111	+ 4.07,	401	8				BC N side Rd		
		3 157	58	3 0	355. 05,	58	+ 4.15,	404	9				T.S.		
		1 34	52	1 4	332. 45	52	Lev,	376	10				T N bank drain		
		1 554	35	1 0	21 55,	34	+ 7.38,	427	11				G Flag.		
		5 257	55	5 1	327. 55,	55	Lev,	339	12				Bot drain 2' W.		
		2 361	58	2 6	325. 15,	58	" ,	364	13				T S Bnk drain		
		5 420	62	2 2	323. 10,	62	" ,	363	14				T.C N Side Rd		
		4 563	21	3 9	324. 10,	21	" ,	351	15				T.S.		
		5 630	64	5 5	321. 45,	64	" ,	335	16				BC N side Rd		
		6 933	31	6 6	293. 10,	31	" ,	324	17				N Bnk drain		
		9 536	34	8 9	292. 45,	34	" ,	301	18				Bot. drain 2' W.		
		5 644	37	5 7	290. 10,	37	" ,	333	19				T.S. Bnk drain		
		8 947	45	6 1	289. 55	45	" ,	329	20				T.C. N Side Rd		
		9 1043	48	9 3	289. 25	48	" ,	297	21				BC " " "		
		10	44	10 6	231 45	44	" ,	284					N bnk drain		

Add'l Inform.

Date Checked — Checked — Date

ALBERT E. TEMMONS, Surveyor

Job No. 6065 Division No. [illegible] F.B. 573 PG. 27

Survey of [illegible]

Survey by [illegible] Notes [illegible] Date 4-[illegible]-35

APR 30 1935

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '								
											3439 0				
#283 POT	P2	1146													
		11 1149	47	11 0	200.50	47	3.02	3425.6					Bot drain 2' Wide		
		11 1154	50	10 8	206.45	50	Lev.	282					S bank drain		
		11 1156	55	10 9	240.10	55	11	281					T.C, N. side Rd		
		11 1169	57	11 0	242.45	57	3.01	250					B.C. " " "		
		11 1173	70	11 0	217.10	70	2.31	249					N. bnk drain		
		11 874	74	11 0	211.10 (211)	73	4.55	218					bot drain		
		8 976	75	8 0	223.15 (224)	74	4.48	248					S. bank "		
		9 1176	77	9 0	204.45	77	4.27	240					T.C, N side Rd		
		11 1100	77	11 0	226.10	77	4.24	220					BC " " "		
		10 1095	101	10 0	215.30	100	4.26	213					N bnk drain		
		10 1090	96	10 0	217.20	95	5.47	195					T.C. N side Rd		
		10 961	91	10 0	219.20	90	4.27	221					N. side Rd		
		9 1136	62	9 0	195.20	62	4.20	253					End drain		
		10 1131	137	11 0	209.30	136	4.24	176					S bnk drain		
		10 1037	132	11 0	194.20	131	4.29	178					TC N side Rd		
		9 1000	138	10 0	210.35	137	5.36	156					P.P.		
		8 1096	201	9 0	196.05	199	4.53	143					T.C. N side Rd		
		9 1096	197	10 0	204.45	195	4.55	120					BC & side Rd		
		9 962	197	10 0	205.55	195	5.38	098					flat		
		7	263	8 0	195.55	261	5.04	079					TC N side Rd		
													BC, " " "		
													flat		

Add'l Inform.

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope. T.S.

Intern. of Drawn. V.B's: Break in Slope Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Side of Canyon & Ch: Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Traveled Rd. ..... Tr.Rd. Fence ..... Fe. Ind. Fence ..... V.Fe. Ditch ..... Dt. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Oak ..... O. Pine ..... Pi. Sycamore ..... Sy. Eucalyptus ..... Eu. Pine combinations ..... Pi. Use first letter of these and all common standard abbreviations.

Fir ..... Fir. Cedar ..... Ce.

F.B. 573 Pg. 23

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
#23	#				° '		° '		1						
POT	P2				° '		° '		47		34390				
		1064	265	9 0	200.30	263	5.13	34062	2				T.C. N side Rd		
		8													
		827	328	8 0	195.50	325	4.09	027	3				flat + P.P.		
		6													
		1063	264	9 0	200.55	262	5.51	033 ~~078~~	4	357		267	B.C. N side Rd.		
		F													
		1028	329	9 0	202.55	326	5.12	004	5				TC " " "		
		7													
		1128	329	10 0	203.45	326	5.34	33973	6				BC. " " "		
		8													
		1027	328	9 0	207.35	325	5.31	981	7				S. side Rd		
		7													
		1135	336	10 0	213.15	333	5.32	968	8				flat		
		8													
		1079	280	10 0	208.20	277	5.23	34028	9				S side Rd		
		8													
		1072	273	10 0	216.15	270	5.43	018	10				flat		
		8													
		1116	217	10 0	210.35	215	5.35	080	11				S side Rd		
		9													
		1109	210	10 0	222.40	208	5.44	082	12				flat		
		9													
		1046	147	10 0	218.00	146	5.30	150	13				S sid Rd.		
		9													
		845	146	5 0	220.15	145	5.17	207	14				T.C. S. side Rd		
		8													
		1063	164	10 0	233.00	163	5.09	144	15				flat		
		9													
		893	94	9 0	235.55	93	5.03	211	16				S. side Rd.		
		9													
		793	94	7 0	239.00	93	5.08	236	17				TC S. "		
		7													
		828	129	5 0	249.05	128	4.57	200	18				flat		
		7													
		1108	109	11 3	282.55	109	Lev.	277	19				"		
		10													
		970	71	9 4	282.25	71	" '	296	20				S side Rd		
		9													
		774	75	7 4	282.30	75	"	316	21				TC S. " "		
		7													

Add'n'l Inform.

Notes Rec'd. APR 16 1935 Date APR 20 1935 Division No. 8065
Notes Chkd. Checked
Survey of Tennsen Rd
Survey by R.L. Willey Notes R.L. Willey Date 4-2-35
ALBERT E. TIMMONS Date ALBERT E. TIMMONS Job No.
F.B. 575 PG. 21

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
#2 POT	P2			—	° '		° '	—			3439 0				
		1164													
		10 1173	165	11 0	286. 45,	165	1. 10,	24 7					flat		
		10 946	174	11 0	287. 10,	174	1. 05,	24 7					"		
		7 938	247	8 0	292. 50,	247	1. 07,	26 2					Head drain 3' wide		
		7 970	239	8 0	292. 55,	239	0. 48,	27 7					N bank " "		
		8 1132	171	9 0	269. 20,	170	3. 42,	19 0					flat		
		9 945	233	10 0	279. 45,	233	1. 33,	27 7					N bnk drain		
		7 1064	246	8 0	279. 05,	246	2. 11,	21 8					bot drain 6' wide		
		9 757	165	10 0	250. 20,	164	4. 31,	16 1					flat		
		5 990	252	6 0	279. 05,	251	2. 13,	23 2					S bnk drain		
		8 940	191	9 0	235. 10,	189	5. 40,	11 2					flat		
		7 1132	241	8 0	265. 25,	240	3. 10,	17 8					S bnk drain		
		9 1026	233	10 0	265. 25,	232	3. 05,	16 6					bot drain 3' wide		
		8 935	229	9 0	265. 25,	226	3. 06,	17 8					N bnk " " "		
		7 1030	236	8 0	224. 00,	233	6. 11,	05 8					flat		
		8 1135	231	9 0	253. 00,	230	4. 22,	12 5					N bnk drain		
		9 943	236	10 0	252. 40,	235	4. 15,	11 7					Bot "		
		7 972	244	8 0	252. 45,	243	4. 12,	13 3					S bnk "		
		7 1046	273	8 0	215. 40,	270	6. 06,	02 3					flat		
		8 1140	247	9 0	240. 05,	246	4. 17,	11 7					N bnk drain		
		9	241	10 0	240. 00	239	5- 16	06 8					Bot drain		

Add'l Informa.

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Intersection of Draws, V.D's
Break in Slope ... Br.S. | Slope ... S.S.
Steep Slope ... T.Cl. | Bottom B.Cl.
Top of Cliff ... T.Cl. | Bottom B.Cl.
Bottom of Cliff ... B.Cl. | Top T.Cl.
Top of Spur ... T.Sp. | Bottom B.Cr.
Bottom Canyon ... B.Cn.

Side of Draw, V.D's
Top of Bank ... T.B. | Bottom B.B.
Bottom of Bank ... B.B.
Top of Cut ... T.C. | Bottom B.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F. | Bottom B.F.
Bottom of Fill ... B.F.

Saddle ... Sa.
Swale ... Sw.
Flat ... Fl.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr. Rd.
Fence ... Fe.
Ind. Fences, V. Fe.
Ditch ... Di.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ... Cul.

Oak-O. Pin-Pr.
Pine-Pi. Cedar-Ce.
Sycamore ... Sy.
Eucalyptus ... Eu.
Plus combinations of these and all common standard abbreviations.

R 573 Pg. 24

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical — Angle	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
#23					° '		° '		1		3439				
POT	P#				° '		° '		2						
		1030													
		8 1002	231	9 0	239 55	229	5 24	34084					N bnk drain		
		7 980	303	8 0	232 00	300	5 18	033	3				S " "		
		7 878	281	8 0	231 00	278	6 10	011	4				Bot " 4'wide		
		6 1061	279	7 0	231 10	276	5 57	033	5				N bnk "		
		8 1065	262	9 0	235 20	260	5 28	052	6				" " "		
		8 772	266	9 0	235 20	263	5 53	029	7				bot drain		
		5 920	273	6 0	236 20	270	5 52	053	8				S bnk drain		
		6 1110	321	8 0	225 55	318	5 42	33993	9				" " "		
		8 1005	311	10 0	225 35	307	6 02	964	10				bot drain 3'wide		
		7 1032	306	9 0	224 30	303	5 45	996	11				N bnk "		
		7 835	333	9 0	188 10	331	4 07	34062	12				flat		
		5 1040	336	7 0	181 00	334	3 56	091	13				S bnk drain		
		7 1076	341	9 0	180 25	339	3 56	062	14				bot drain 4'wide		
		8 837	277	9 0	186 45	276	3 58	109	15				flat		
		5 1026	338	7 0	179 25	336	3 49	097	16				"		
		8 687	227	9 0	182 35	226	3 43	153	17				"		
		4 876	298	5 0	175 50	297	3 45	142	18				"		
		7 995	177	8 0	178 25	176	3 36	199	19				"		
		7 988	296	8 0	175 50	295	3 38	124	20				bot drain 3'wide		
		7	289	8 0	175 45	288	3 19	144	21				S bnk "		

Add'l Inform.

Name ALBERT E. TURNER and Associates Job No. 8665 Division No. F.B. 573 Pg.
Date APR 15 1935 DATE APR 30 1935 Survey of Johnson Rd
Notes Cmkd. Date Checked Date Survey by R.B. Willey Notes Willey Date 4-2-35

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
#28	#				° '		° '								
Pot	P2			—				—			3439.0				
		740													
		5 976	241	6 0	172 30	240	3.18	3419.3					flat		
		8 591	177	9 0	178.00	176	3.14	201					"		
		4 1016	192	5 0	166.30	191	3.14	233					"		
		9 644	117	9 0	169.00	117	3.17	233					"		
		5 772	145	6 0	150.20	145	1.54	283					"		
		9 714	73	9 0	151.30	73	1.40	279					"		
		6 646	115	6 4	127.45	115	Lev.	326					"		
		6 200	47	6 4	112.30	47	"	326					T.S.		
		1 558	101	1 3	100.25	101	"	377					flat		
		5 610	59	5 0	69.45	58	+ 7.40	420					S.H.		
		5 685	111	5 0	74.00	110	+ 4.44	434					T.S.		
		6 839	86	6 0	56.40	83	+ 10.46	486					S H		
		7 462	140	7 0	57.05	135	+ 10.23	568					S H		
		3 522	163	4 0	76.30	162	+ 4.33	478					T.S.		
		3 244	226	4 0	76.25	224	+ 5.25	563					T.S.		
		1 409	145	2 0	97.15	145	+ 2.16	427					flat		
		2 345	210	3 0	90.50	209	+ 4.09	512					"		
		2 407	146	2 0	119.20	146	Lev.	370					"		
		6 666	208	3 0	109.00	208	+ 2.37	455					"		
		5	167	6 2	137 25	167	Lev	328					"		

Add'l Inform.

Form 301 FOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
#25	#				° '		° '		1		3439				
POT	P2														
		317							2						
			218	2 0	125 30	218	+ 0 45	34398					flat		
		1822							3						
			223	7 0	127 45	223	+ 0 42	347					bot drain		
		6530							4						
			231	4 0	129 50	231	+ 0 53	387					N bnk "		
		3998							5						
			199	9 2	150 10	199	— Lev	298					flat		
		8823							6						
			224	6 8	141 45	224	— "	322					N bnk drain		
		6 1118							7						
			219	9 8	141 35	219	— "	292					bot "		
		7709							8						
			210	5 9	141 20	210	— "	331					S bnk "		
		5 1124							9						
			225	10 9	152 05	225	— "	281					" " "		
		9 740							10						
			241	6 0	139 30	241	— "	330					" " "		
		5 1135							11						
			236	10 0	152 55	236	— 1 35	226					V of drain		
		9 1144							12						
			245	11 9	153 50	245	— Lev	271					N. bnk drain + T.S		
		9 1146							13						
			247	10 1	139 35	247	— "	289					bot drain		
		9 654							14						
			255	5 6	140 25	255	— "	334					N bnk drain + T.S		
		4 1050							15						
			251	9 0	163 20	251	— 1 51	219					S " "		
		8 965							16						
			266	8 0	162 20	265	— 2 41	187					bot "		
		7 974							17						
			275	10 0	162 35	275	— 1 53	221					N bnk drain + TS		
		7 485							18						
			286	3 0	146 15	286	+ 1 10	418					S.H.		
		3 814							19						
			315	6 0	169 25	314	— 2 59	162					T.S.		
		5 425							20						
			326	2 0	152 00	325	+ 2 44	524					SH		
		8 859							21						
		5	360	7 0	174 35	359	— 3 30	101					TS		

Add'l Inform.

Plotted APR 15 1935
Drawing No. 10662
Notes Chkd.
Checked
Survey of Jamison Rd.
Survey by R.L. Willey Notes A.C. Johnson Date 4-2-35
Approved

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
#2B					° '		— ° '		1	—	3439.0	—			
POT	P#2														
		470							2	—		—			
		1	371	3 0	155 00	369	+ 4 01	3465.3					S.H.		
		582	383	3 0	154 55	380	+ 4 45	672	3	—		—	T. Spur		
		2													
		472	373	2 0	162 50	373	+ 1 13	449	4	—		—	" "		
		1							5	—		—			
							— ° '		6	—		—	LB 887 Pg #2		
P#3	P#2							3399.5	4 8	—	3404.3	—	See Bench Levels		
		440							7	—		—			
		2	241	3 0	43 45	230	+ 12 17	3451.3					SH		
		488							8	—		—			
		3	189	4 2	34 30	185	+ 8 20	276					SH		
		312							9	—		—			
		1	213	2 0	47 25	206	+ 9 59	382					SH		
		460							10	—		—			
		3	161	4 0	38 10	158	+ 7 42	217					SH		
		488							11	—		—			
		3	189	4 0	53 40	184	+ 9 01	296					TS		
		239							12	—		—			
		1	140	2 0	43 25	139	+ 5 13	149					TS		
		256							13	—		—			
		1	157	2 0	65 45	154	+ 8 05	241					flat		
		305							14	—		—			
		2	106	2 0	55 45	105	+ 5 28	123					"		
		342							15	—		—			
		2	143	2 0	54 40	140	+ 8 41	237					"		
		184							16	—		—			
		1	85	1 0	81 10	84	+ 7 06	137					"		
		343							17	—		—			
		2	144	3 0	95 45	141	+ 8 34	225					N bank drain		
		544							18	—		—			
		4	145	5 0	98 10	142	+ 8 09	196					bot "		
		349							19	—		—			
		2	150	3 0	101 35	147	+ 8 20	227					S. " "		
		387							20	—		—			
		3	88	3 0	114 50	87	+ 6 50	117					Flat		
		301							21	—		—			
		2	102	2 0	112 50	101	+ 6 02	129					S bnk drain		

Add'n'l Inform.

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw ... B.D. | Bottom Wash ... B.W. | Top of Ridge ... T.R. | Toe of Slope ... T.S.
Side of Draw ... S.D. | Side of Ridge ... S.R. | Head of Draw ... H.D.

Index of Draws, V-D's, Breaks in Slope, Side Slopes, Top of Cliff, Bottom of Cliff, Top of Spur, Bottom Canyon, Side of Canyon, Top of Bank, Bottom of Bank, Top of Cut, Bottom of Cut, Top of Fill, Bottom of Fill, Saddle, Swale, Flat, Stream, Trail, Pavement, Edge of Road, Fence, Int. Fences, Ditch, Telephone Pole, Power Pole, Culvert, Side of Road, Fir, Pine, Cedar, Sycamore, Eucalyptus, Plus combinations of these and all common standard abbreviations.

F.B. 573 Pg. 28

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P 3	P 2				° '		° '		1		3404 3				
		252	153	2 9	107 35	150	+ 7 30	34222	2				T.S.		
		1605	106	5 0	113 15	105	+ 6 21	109	3				End Spur		
		412							4				Bot drain		
		1367	113	3 0	112 40	112	+ 6 12	134					N bnk drain		
		397	168	8 0	123 40	167	+ 5 15	115	5				TS		
		601	98	3 0	131 05	98	+ 3 50	078	6				S bnk drain		
		405	102	5 0	132 05	102	+ 3 24	053	7				bot "		
		585	106	3 0	132 35	106	+ 3 25	074	8				N bnk "		
		542	186	5 0	137 05	186	+ 2 48	083	9				flat		
		515	143	5 0	148 55	143	+ 0 53	014	10				"		
		484	216	4 0	147 15	216	+ 1 32	059	11				"		
		342	185	3 4	157 50	185	— Lev	009	12				"		
		234	243	4 0	153 10	243	+ 1 15	057	13				T.S.		
		581	235	5 7	164 10	235	— Lev	33986	14				flat		
		485	282	4 0	158 45	282	+ 1 40	34085	15				TS		
		317	286	3 5	167 00	286	— Lev	008	16				T.S.		
		524	318	3 —	163 15	317	+ 2 14	136	17				S H		
		455	325	3 0	171 20	325	+ 0 54	064	18				S.H.		
		545	356	3 0	167 45	356	+ 2 00	137	19				B. SW.		
		484	346	4 0	175 25	346	+ 0 57	060	20				S.H		
			385	3 0	173 50	384	+ 3 23	238	21				S H		

Add'l Inform.

Note Sheet
Date Apr 16 1935
Checked
Date
Job No. 8065 Division No.
Survey of Jennson Rd
Survey by R.H.Willey Notes Willey Date 4-2-35
C Johnson
F.B. 573 Pg.
ALBERT E. TIERKORS

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
# P3	# P2				° '		— ° '	—	1	—	3404.3	—			
		610							2						
		2	411	4 0	179 .20	408	+ 4.44	34340	3				SH		
		480													
		1	381	3 0	181 .35	381	+ 1.05	086	4				S.H.		
		534													
		1	435	3 0	183 .05	432	+ 4.47	373	5				SH		
		510													
		1	411	3 0	187 .05	410	+ 2.19	183	6				SH		
		556													
		1	457	3 0	184 .20	454	+ 4.48	394	7				T. Ridge		
		652													
		2	453	4 0	190 .00	452	+ 1.50	162	8				" "		
		655													
		2	456	4 0	194 .40	456	— 0.56	33928	9				" "		
		862													
		5	363	7 0	198 .55	362	— 2.54	790	10				pt ~~Sr~~ Ridge		
		609													
		2	410	4 0	193 .25	410	— 0.46	947	11				T. "		
		710													
		3	411	5 0	198 .35	410	— 3.12	764	12				SH		
		470													
		1	371	3 0	190 .05	371	— 0.56	957	13				S.H.		
		650													
		3	351	5 0	197 .10	349	— 3.39	770		27.3		22.3	T.S. ? —		
		521							14						
		2	322	3 0	184 .50	322	— 1.41	918	15				T.S.		
		905													
		6	306	7 0	194 .10	305	— 2.58	815	16				flat		
		476													
		2	277	3 0	182 .35	276	— 2.06	91.1	17	13.7		10.2	SH		
		946													
		7	247	8 0	143 .55	246	— 3.36	807	18				flat		
		935													
		7	236	8 0	180 .45	236	— 2.0	880	19				"		
		893													
		7	194	8 0	194 .00	193	— 3.18	852	20				"		
		487													
		3	188	4 0	176 .10	188	— 2.04	935	21				"		
		1045													
		9	146	10 0	193 .30	146	— 1 5	893					"		

Add'n'l Inform.

Topography Description Legend:
Side Hill...S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope...T.S.

Interm. of Draws, V.D's
Break in Slope...Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff...B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon & Draw
Top of Bank.....T.B.
Bottom of Bank...B.B.
Top of Cut.....T.C.
Bottom of Cut...B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

Saddle
Swale
Flat
Stream
Trail
Pavement
Edge of Road E.Rd.

Sa.
Sw.
Fl.
Str.
Tr.
Pvt.

Traveled Rd. Tr.Rd.
Fence.....Fe.
Int. Fences..V.Fnc.
Ditch.....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert.....Cul.

Fir-Fr.
Pine-Pi.
Cedar-Ce.
Sycamore.....Sy.
Eucalyptus.....Eu.
Use combinations of these and all common standard abbreviations.

FB 573 RG 30

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P#3	P#2				° '		° '		1		3404.3				
		546	147	5 0	171 45	147	- 1 33	33940	2				flat		
		4 944	95	9 0	194 25	95	- 1 54	920	3				"		
		9 709	110	6 3	167 45	110	- Lev.	981	4				End drain		
		6 850	51	7 9	192 10	51	- "	964	5				flat		
		8 264	65	1 4	150 10	65	- "	34029	6				"		
		2 142	43	1 0	107 50	43	+ 3 47	062	7				"		
		1 344	45	3 1	13 25	45	- Lev	012	8				"		
		3 269	70	2 0	55 50	69	+ 4 53	082	9				"		
		2 399	100	3 3	15 10	100	- Lev	010	10				"		
		3 207	108	1 0	35 55	108	+ 2 06	072	11				"		
		1 349	150	3 0	12 30	150	+ 1 43	058	12				T.S.		
		2 242	143	2 0	28 30	143	+ 2 22	082	13				TS		
		1 490	191	4 0	355 05	191	+ 1 45	062	14				s bnk drain		
		3 686	187	6 0	356 20	187	+ 1 48	042	15				bot " 6"wide		
		5 477	178	4 0	357 30	178	+ 1 50	059	16				N bnk "		
		3 864	185	5 0	342 00	185	+ 1 44	019	17				S " "		
		7 1178	179	11 0	342 00	179	+ 1 53	33992	18				bot "		
		10 876	177	8 0	342 15	177	+ 1 49	34018	19				N bnk "		
		7 834	135	5 0	352 35	135	+ 1 58	008	20				flat		
		7 666	167	6 0	330 50	167	- 0 20	33972	21				N bnk drain		

Add'n'l Inform.

Date APR 16 1935 APR 30 1935 Job No. 8065 Division No.
Notes Chkd. Checked
Survey of Jackson Rd Notes J.W.Willey Date 4-2-35
Survey by R.L.Willey Computed by

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 573 Pg. 22

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D.
Side of Draw. S.D. | Bottom Wash B.W.
Side of Ridge. S.R. | Top of Ridge. T.R.
Head of Draw H.D. | Toe of Slope.. T.S.

Inters. of Draw. V.D's: Break in Slope .. B.S. | Steep Slope ..... T.Cl. | Top of Cliff .. T.Cl. | Bottom of Cliff .. B.Cl. | Top of Sur. .. T.Sp. | Bottom Canyon .. B.Cn.

Side of Canyon S.Cn. | Top of Bank .. T.B. | Bottom of Bank .. B.B. | Top of Cut .. T.C. | Bottom of Cut .. B.C. | Top of Fill .. T.F. | Bottom of Fill .. B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road .. E.Rd.

Traveled Rd. Tr. Rd. | Fence ..... Fnc. | Inf. Fence. V. Fnc. | Ditch ..... Dt. | Telephone Pole T. P. | Power Pole ..... P. P. | Culvert ..... Cul.

Oak. O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P3	P2				° '		° '		1		3404.3				
		1070							2						
		9 672	171	9 6	330 50	171	Lev	3394.7					bot drain		
		5 FF4	178	5 7	330 55	178	"	986	3				S bnks "		
		8 1132	85	8 4	340 00	85	"	957	4				S swale		
		10 944	151	10 4	320 00	151	"	939	5				S bnk d/rain		
		8 1138	145	9 0	320 05	145	1 58	903	6				bot " 5' wide		
		10 1046	139	10 1	320 20	139	Lev	942	7				SH		
		10 1007	47	10 2	307 00	47	"	941	8				S H		
		9 1057	108	10 0	302 10	108	2 20	897	9				S "		
		10 1106	52	10 0	251 35	52	3 52	907	10				"		
		10 996	107	10 0	275 15	106	4 56	850	11				"		
		9 929	97	9 0	226 05	96	5 02	862	12				"		
		8 745	130	8 0	249 10	128	7 24	797	13				"		
		9 968	146	7 0	215 40	144	5 52	824	14				"		
		8 997	169	9 0	234 15	167	6 44	756	15				"		
		8 1117	198	9 0	209 30	197	4 37	794	16				"		
		9 959	218	10 0	223 35	216	5 31	734	17				"		
		7 971	260	8 0	206 25	258	4 49	745	18				"		
		7 911	272	8 0	217 15	269	5 40	693	19				"		
		6 1122	312	8 0	205 00	310	4 35	715	20				"		
		8	323	10 0	213 45	320	5 07	657	21				"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
E	#				° '		° '								
P3	P2								1 4 7		34043				
		1065	366	9 0	203 45	364	- 4 25	33672	2				SH		
		7 867	368	7 0	212 30	364	- 5 39	612	3				"		
		5 1000	401	8 0	204 00	398	- 4 35	643	4				"		
		6 908	409	7 0	211 45	405	- 5 44	566	5				"		
		5 935	458	7 0	204 10	453	- 4 42	600	6				"		
		1162	463	9 0	209 35	458	- 5 36	502	7				"		
		7 922	423	7 0	217 10	418	- 6 05	527	8				P.P. Flat		
		5 948	449	7 0	224 50	443	- 6 28	470	9				Flat		
		5 980	381	8 0	219 40	377	- 5 58	571	10				"		
		6 1094	395	9 0	230 05	390	- 6 20	519	11				"		
		7 1032	333	9 0	223 10	329	- 5 59	607	12				"		
		7 1030	331	9 0	238 50	327	- 6 09	600	13				End drain		
		7 990	291	8 0	227 30	287	- 6 18	645	14				Flat		
		7 1067	268	9 0	247 45	265	- 6 16	662	15				bot drain		
		8 1146	247	10 0	234 25	244	- 6 11	678	16				Flat		
		9 1017	218	9 0	259 50	215	- 6 05	723	17				bot Drain		
		8 1105	206	10 0	244 05	203	- 6 18	718	18				Flat		
		9 976	177	9 0	254 45	175	- 6 19	758	19				P.P.		
		8 900	201	8 0	272 15	199	- 5 45	763	20				bot drain		
		7 958	159	9 0	267 45	158	- 5 28	802	21				Flat		

Add'l Inform.

Date Platted APR 16 1935 Job No. E945 Division No. T.B. 579 Pg. 33
Date APR 20 1935 Survey of Tehachapi Rd
Notes Clkd. Checked Survey by P.L.W. Notes W.W.
Date 4-20-35
ALBERT E. TIMMONS
C. Johnson

Form 301 LDM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	REMARKS Left	REMARKS Right
P3 #	P2 #				° ' "		° ' "		1		34043				
		1089							2						
		9	184	10 0	292 50	183	− 3 00	33842						Flat	
		985							3						
		8	186	9 0	307 15	186	− 1 41	896						"	
		1045							4						
		9	196	10 3	317 45	196	− Lev	940						"	
		918							5						
		7	219	8 0	330 20	219	+ 0 43	990						~~E Rd~~ Flat	
		1041							6						
		8	242	9 0	299 50	241	− 2 54	845						& Rd 25' wide	
		1071							7						
		8	272	9 0	270 45	270	− 4 59	717						" " " "	
		1050							8						
		7	351	9 0	250 50	347	− 5 49	600						" " " "	
		1150							9						
		7	451	9 0	239 55	446	− 5 57	487						" " " "	
P4 #	P3 #							33580	10 49		33629			L.B. ~~BM~~ P4 = 2	
									11					See Bench Levels	
		213							12						
		1	114	1 0	31 10	110	+ 10 47	33828						S H	
		362							13						
		2	163	3 0	40 15	149	+ 16 33	34047						" "	
		184							14						
		1	85	1 0	44 45	82	+ 9 47	33764						Swale	
		433							15						
		3	134	3 0	59 50	126	+ 13 47	908						"	
		181							16						
		1	82	1 0	75 55	80	+ 9 29	752						~~TOE~~ Spur	
		220							17						
		1	121	1 0	51 40	113	+ 14 55	919						Top "	
		365							18						
		3	66	3 0	108 10	66	+ 4 21	649						T.S.	
		222							19						
		1	123	1 0	101 05	119	+ 10 09	833						S H	
		299							20						
		2	100	2 0	131 10	100	+ 2 05	645						B Drain	
		536							21						
		4	137	4 0	119 35	136	+ 5 20	717						" " "	

Add'n'l inform.

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw..B.D. | Side of Draw..S.D. | Bottom Wash..B.W. | Side of Ridge..S.R. | Top of Ridge..T.R. | Head of Draw H.D. | Toe of Slope..T.S.

Intersection of Draw..V.D.'s | Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon..S.Cn. | Top of Bank...T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut..B.C. | Top of Fill....T.F. | Bottom of Fill..B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road..E.Rd.

Traveled Rd..Tr.Rd. | Fence .....Fn. | Int. Fences..V.Fns. | Ditch .....Di. | Telephone Pole..T.P. | Power Pole....P.P. | Culvert .....Cul.

Oak-O. Pine-Pi. Sycamore Eucalyptus Plus combinations of these and all common standard abbreviations.

Fir-Fr. Cedar-Ce. Sy. Eu.

F.B. 573 PG. 34

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P4	P5				° '		− ° '		1	−	33629	−			
		229							2						
		362	130	2 0	142 15	130	+ 2 14	33660	3				T.S.		
		2 263	163	3 0	128 55	161	+ 6 03	771	4				S.H.		
		1 395	164	2 0	150 00	163	+ 4 22	733	5				"		
		2 300	196	3 0	139 10	191	+ 8 46	893	6				"		
		1 328	201	2 0	155 20	199	+ 6 12	825	7				S H		
		1 435	229	2 0	147 10	221	+ 10 17	34013	8				"		
		2 550	236	3 0	161 25	233	+ 6 13	33854	9				T. Ridge		
		3 446	251	4 0	152 35	243	+ 10 12	34027	10				" "		
		2 580	247	3 0	170 35	246	+ 2 30	33702	11				" "		
		3 306	251	4 0	180 10	251	− 1 12	33532	12				" "		
		1 393	207	2 0	169 10	207	+ 1 55	33678	13				S H		
		2 263	194	3 0	181 00	194	− 2 26	512	14				S H		
		1 946	164	2 0	166 10	164	+ 0 25	621	15				S H		
		F 621	147	9 0	183 05	147	− 2 18	481	16				Toe Slope		
		V- 502	122	5 2	161 50	122	− Ler	572	17				" "		
		F 562	103	8 0	196 30	102	− 4 15	473	18				S H		
		V- 756	63	5 2	147 05	63	− Ler	571	19				B Drain		
		F 336	57	9 0	213 55	56	− 6 58	470	20				" "		
		3 1037	37	3 0	106 20	37	+ 4 10	627	21				S H		
		10	38	10 0	185 15	38	− Ler	529					G Flow		

Add'n'l Inform.

APR 16 1935 — Notes Chkd. — Checked — Survey of Johnson Rd — Survey by H. E. Kelley — Notes — Indexed — Date 4-2-35 — A. C. Johnson

APR 30 1935 — Survey of Johnson Division No. — H. E. Kelley — Notes — Date 4-2-35

F.B. 573 P.C. 35

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P4	P3				° '		° '		1		33629				
		244							2						
		2	45	20	38.40	44	+ 7.17	33666	3				SH		
		188	89	1 0	12.50	89	+ 3.12	668	4				" "		
		1							5						
		1034	35	10	268.55	35	- 3.30	508	6				" "		
		10							7						
		958	59	9 0	324.05	59	- 1.52	520	8				" "		
		9							9						
		1096	97	10 0	333.35	97	- 1.40	502	10				SH		
		10							11						
		946	147	9 0	221.00	147	- 2.56	464	12				Flat		
		8							13						
		1004	105	10 0	309.40	104	- 5.09	435	14				Toe Slope		
		9							15						
		1080	181	10 0	310.35	181	- .47	444	16				Flat		
		9							17						
		1079	80	10 0	281.35	79	- 7.07	432	18				SH		
		10							19						
		1140	141	11 0	289.20	140	- 5.32	384	20				Flat		
		10							21						
		1084	85	10 0	241.30	84	- 7.14	423					small Drain		
		10													
		1126	127	11 0	267.15	125	- 7.57	352					T.S.		
		10													
		906	107	8 0	224.30	105	- 7.31	410					SH		
		8													
		1140	141	11 0	246.55	139	- 7.04	347					Flat		
		10													
		837	138	8 0	214.05	136	- 6.42	389					P.P.		
		7													
		1066	167	10 0	229.40	164	- 7.20	318					Flat		
		9													
		1082	183	10 0	203.55	181	- 5.38	350					SH		
		9													
		1115	216	10 0	218.50	212	- 7.06	263					Flat		
		9													
		1126	227	10 0	199.30	224	- 5.54	295					SH		
		9													
		1053	254	9 0	212.10	250	- 6.56	234					Flat		
		9													

Add'n'l Inform.

Topography Description Legend: Side Hill....S.H. Side of Draw..S.D. Side of Ridge..S.R. Head of Draw..H.D. | Bottom Draw..B.D. Bottom Wash..B.W. Top of Ridge..T.R. Toe of Slope..T.S. | Intern. of Draws..V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn. | Side of Canyon & Gr. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut..T.C. Bottom of Cut..B.C. Top of Fill..T.F. Bottom of Fill..B.F. | Saddle.....Sa. Swale.....Sw. Flat.....Fl. Stream.....Str. Trail.....Tr. Pavement.....Pvt. Edge of Road..E.Rd. | Traveled Rd..Tr.Rd. Fence.....Fn. Intr. Fences..V.Fns. Ditch.....Di. Telephone Pole..T.P. Power Pole.....P.P. Culvert.....Cul. | Oak-O. Pine-Pi. Sycamore.....Sy. Eucalyptus.....Eu. Plus combinations of these and all common standard abbreviations. | Fir-Fr. Cedar-Ce.

F.B. 5573 Pg. 36

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#4	P#3				° '		− ° '		1		33.629				
		995							2						
		7	296	9 0	225 55	290	− 7 53	33.138	3				Bot drain.		
		1081	282	9 0	219 05	277	− 7 28	176					Flat		
		8							4						
		1173	274	10 0	245 40	270	− 6 55	202					bot drain		
		9							5						
		1041	242	9 0	228 15	237	− 8 07	202					Flat		
		8							6						
		1012	213	9 0	239 00	209	− 8 00	247					bot drain		
		8							7						
		953	254	8 0	276 55	252	− 5 22	313					Flat		
		7							8						
		1086	187	10 0	255 10	183	− 7 40	282					"		
		9							9						
		1100	301	9 0	279 55	300	− 3 47	343					℄ Rd 25' W		
		8							10						
		984	185	9 0	271 35	182	− 6 52	320					Flat		
		8							11						
		1025	336	9 0	251 45	333	− 5 21	228					℄ Rd "		
		7							12						
		1100	201	10 0	290 30	200	− 4 38	368					Flat		
		9							13						
		1110	411	9 0	233 45	407	− 5 41	135					℄ Rd "		
		7							14						
		1025	226	9 0	304 00	225	− 3 16	412					Flat		
		8							15						
#4A	P#4				° '		− ° '		16				F.B. 872 pg #4		
POT								3327 1/2 5'			33322		See Bench Levels		
		339							17						
		2	140	2 0	29 25	135	+ 11 03	565					S H		
		264							18						
		1	165	2 0	44 45	157	+ 12 56	662					" "		
		306							19						
		2	107	2 0	43 05	104	+ 8 48	463					" "		
		200							20						
		1	151	2 0	56 55	146	+ 9 50	555					" "		
		259							21						
		2	90	2 0	55 45	89	+ 6 54	408					T.S. & B.D.		

Add'l Inform.

ALBERT E. TIMMONS, County Surveyor
By _____ Deputy
Job No. 6905 Division No. _____
Survey of Tidelands Pg
Survey by F.A. Willey Notes W.W. Ivey Date 4-2-35
Checked _____ Date _____
Notes Chkd. _____ Date _____
Map No. _____
Indexed A. C. Johnson Date _____

APR 16 1935 APR 30 1935

F.B. 573 Pg. 12

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
#4A POT	PII 4				° '		° '		1		3332				
		545	146	5 0	66 25	142	+ 9 25	33502	2						
		4 279	80	2 0	78 45	78	+ 7 55	411	3				SF1		
		2 341	142	3 0	84 05	138	+ 9 18	512	4				"		
		2 196	97	1 0	110 50	96	+ 4 35	388	5				T; S,		
		1 248	149	2 0	101 45	145	+ 9 24	542	6				S H		
		1 216	117	2 0	123 50	116	+ 5 24	412	7				" "		
		1 458	159	4 0	117 55	154	+ 10 15	560	8				" "		
		3 345	146	3 0	132 10	143	+ 8 09	496	9				" "		
		2 487	188	4 0	131 15	182	+ 10 26	617	10				T, Spur		
		3 365	166	3 0	146 05	164	+ 6 04	465	11				" "		
		2 263	164	2 0	157 10	164	+ 0 29	315	12				" "		
		1 834	135	8 0	173 05	134	− 4 22	139	13				T, S,		
		219	120	0 0	149 40	120	− Lev	322	14				" "		
		1 1182	83	12 2	173 55	83	− "	200	15				S H		
		11 284	85	2 6	139 35	85	− "	296	16				" "		
		2 840	41	8 3	171 45	41	− "	239	17				" "		
		8 149	50	1 0	104 55	50	+ 2 35	333	18				" "		
		1 144	45	1 0	54 25	45	+ 4 20	345	19				" "		
		1 548	49	5 5	350 35	49	− Lev	267	20				" "		
		5 459	60	1 0	30 50	60	+ 3 21	317	21	− 05		+ 35	B SW ?		
		44													

Add'l Inform.

F.B. 573 PG. 38

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw. B.D.
Side of Draw. S.D. | Bottom Wash B.W.
Side of Ridge. S.R. | Top of Ridge. T.R.
Head of Draw H.D. | Toe of Slope. T.S.

Inters. of Draw. V.D's
Break in Slope. Bk.S.
Steep Slope. ..... S.S.
Top of Cliff. ..... T.Cl.
Bottom of Cliff. ..... B.Cl.
Top of Spur. ..... T.Sp.
Bottom Canyon. ..... B.Cn.

Side of Canyon S.Cn.
Top of Bank. ..... T.B.
Bottom of Bank. B.B.
Top of Cut. ..... T.C.
Bottom of Cut. ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill. B.F.

Saddle ..... Sdl.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Traveled Rd. T. Rd.
Fence ..... Fn.
Int. Fences. V. Fns.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ..... Cul.

Oak. O. Fir. Fr.
Pine. Pi. Cedar. Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
#4A	P#4				° '		— ° '								
POT											3332				
		680							1						
		612	81	6	352.55	81	— Lev	33259	2				B Sw		
		2	113	2 0	13.55	110	+ 8.02	459	3				SH		
		235	136	2 0	359.00	135	+ 3.23	382	4				G Flag		
		1	107	8 0	333.40	107	— 2.06	202	5				B, SW		
		842	143	8 0	318.15	143	— 2.06	189	6				Flat		
		7	67	8 0	320.15	67	— 2.38	210	7				Flat		
		1113	114	11 0	304.45	114	— 3.33	140	8				B SW		
		10	37	10 0	272.30	37	— 2.41	203	9				R.R.		
		890	91	8 0	277.40	89	— 7.35	122	10				Flat		
		8	61	10 0	212.15	61	— 4.40	172	11				SH		
		1095	96	10 0	241.15	94	— 7.00	105	12				" "		
		10	105	10 0	196.25	104	— 5.19	124	13				" "		
		1126	127	11 0	219.40	125	— 6.58	058	14				" "		
		10	156	9 0	188.50	154	— 6.33	055	15				" "		
		955	176	10 0	207.05	173	— 7.08	004	16				" "		
		8	233	10 0	220.45	229	— 7.34	32912	17				Bldrain		
		1075	286	8 0	228.35	283	— 6.00	943	18				& Rd. 25 Wide		
		9	171	9 0	249.00	167	— 8.09	992	19				B drain		
		1132	260	8 0	251.05	258	— 4.57	33018	20				& Rd		
		8	180	9 0	284.15	178	— 5.21	063	21				Drain		

Add'l Inform.

Notes Chkd. _____ Checked _____ Survey by R. L. Willey Notes W. Willey Date 4-2-35

Job No. 5265 Division No. _____ Survey of Johnson Rd

APR 16 1935 APR 30 1935

F.B. 673 P.B. _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P5	P4			—	° '	5	° '	3292 4			3297 4		F.B. 573 Pg 4 See Bench Levels		
		438													
		1	339	3 0	17.05	333	+ 7.49	3340 4					S H		
		560													
		2	361	4 0	25.30	351	+ 9.15	509					" "		
		501													
		2	302	4 0	19.15	298	+ 6.23	268					" "		
		420													
		1	321	2 0	29.30	314	+ 8.15	412					" "		
		563													
		3	264	4 0	22.15	261	+ 5.55	207					B. Swale		
		1188													
		9	289	11 0	34.40	280	+ 9.48	352					B "		
		610													
		4	211	5 0	28.25	207	+ 7.36	203					B. small drain		
		1131													
		9	232	10 0	34.35	225	+ 9.47	264					" " "		
		982													
		F	183	9 0	32.40	178	+ 9.30	184					T.S.		
		1215													
		10	216	12 0	37.35	208	+ 11.00	260					" "		
		986													
		8	187	9 0	46.30	174	+ 15.22	364					S.H.		
		446													
		3	147	4 0	39.50	140	+ 12.25	245					S H		
		272													
		1	178	2 0	56.20	158	+ 19.26	515					" "		
		219													
		1	120	1 0	53.05	110	+ 16.23	292					S H		
		465													
		3	166	4 0	67.00	142	+ 22.22	519					T spur		
		210													
		1	111	1 0	69.25	101	+ 17.32	284					" "		
		761													
		6	162	7 0	82.20	143	+ 19.42	419					B drain		
		308													
		2	109	2 0	94.45	104	+ 11.58	178					B. D.		
		260													
		1	161	2 0	91.10	147	+ 17.14	411					" "		
		214													
		1	115	1 0	118 45	109	+ 13.23	225					S H		

Add'l Inform.

F.B. 573 Pg. 40

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Inter. of Draw: Y.D's
Break in Slope ..... Sk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon: Sc.
Bank ..... B.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Stadia ft.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Transit Rd. ..... Tr.Rd.
Tanks ..... Tk.
Tel. Fence ..... T.Fnc.
Ditch ..... Dt.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Culv.

Oak-O.
Pine-Pi.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of those and all common standard abbreviations.

Fir-Fr.
Cedar-Ce.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#3	P#4				° '		° '				3.29 74				
		363							1						
		2	164	3 0	107.15	146	+ 19.06	33454	2				SH		
		355													
		2	156	3 0	140.05	152	+ 9.01	187	3				" "		
		275													
		1	176	2 0	121.00	160	+ 17.24	457	4				" "		
		397													
		2	198	3 0	149.15	196	+ 6.12	158	5				" "		
		417													
		2	218	3 0	137.15	206	+ 13.08	428	6				" "		
		555													
		3	256	4 0	155.40	255	+ 4.14	123	7				T Spur		
		550													
		3	251	4 0	143.15	248	+ 10.22	379	8				T "		
		670													
		4	271	4 6	164.30	271	+ Lev	32928	9				" "		
		487													
		7	287	8 0	174.20	286	- 3.43	708	10				P.P.		
		425													
		2	226	2 7	164.00	226	- Lev	947	11				S H		
		1030													
		8	231	9 0	173.30	230	- 1.55	766	12				S H		
		356													
		2	156	1 3	158.45	156	- Lev	961	13				" "		
		868													
		7	169	8 0	173.30	168	- 3.07	803	14				" "		
		309													
		2	110	2 0	152.30	110	+ 1.13	978	15				" "		
		1105													
		10	106	11 0	172.40	106	- Lev	864	16				" "		
		265													
		2	66	2 0	138.30	66	+ 3.10	991	17				T.S.		
		655													
		6	56	6 3	170.05	56	- Lev	911	18				S H		
		134													
		1	35	1 0	87.05	35	+ 4.11	990	19				B drain		
									20						
			5.:	5 0	129.05	5	- Lev	924					PP		
			8.	3 6	66.00	8	- "	938	21				G Flag		

Add'l Inform.

Notes Chkd. _____ Checked _____ Survey by R.L. Willey Notes K.Willey Date 4-2-35
Survey of Tehachapi Rd
Job No. 6125 Division No. _____
Indexed A. C. Johnson
Map No. _____
Notes Taken APRIL 1 1935 APR 30 1935
F.B. 573 Pg. 44

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 573 PG. 41

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Inters. of Draws, V.D's
Break in Slope ..... Bk. S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Ch.

Side of Canyon ..... Side
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Traveled Rd. ..... Tr.Rd.
Fence ..... Fe.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Dak.-O. ..... Fir-Fr. ..... Sy.
Pine-Pi. ..... Cedar-Ced. ..... Eu.
Sycamore
Eucalyptus
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
# P5	# P4				° '		° '				3297 4				
		160													
		1 050	61	1 0	37.50	61	+ 4.36	3301 4					S H		
		1.0 225	51	9 8	354.25	51	— Lev	3287 6					T.S.		
		1 406	126	2 0	20.25	125	+ 3.57	3304 1					T.S.		
		3 482	107	3 8	356.50	107	— Lev	3293 6					S H		
		4 260	183	4 0	11.25	182	+ 4.01	3306 4					B. drain		
		1 762	161	0 2	356.15	161	— Lev	3296 2					End "		
		5 507	263	6 0	6.35	262	+ 3.00	052					B. SW.		
		5 510	208	4 0	356.05	208	+ 1.00	872		04		+ 36	P.P.		X
		2 767	311	3 0	3.15	310	+ 2.28	078					T.S.		
		5 486	268	6 0	356.40	268	+ 1.20	3397					B SW,		
		2 831	287	3 0	346.10	287	+ 0.15	952					Flat		
		6 650	232	6 4	344.35	232	— Lev	910					Swale		
		3 981	351	4 9	335.15	351	— "	925					B drain		
		8 1082	182	8 4	342.10	182	— "	890					Swale		
		8 1036	283	9 3	331.30	283	— "	879					B. drain		
		9 1014	137	10 0	337.50	137	— "	874					S H		
		8 1090	215	9 0	327.40	215	— 1.16	832					Flat		
		10 1150	91	10 0	326.45	91	— 1.53	844					S H		
		10 1063	151	11 0	315.05	151	— 3.02	784					Flat		
		10	64	10 0	311 10	64	— 4 44	821					Swale		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P5	P4				° '		° '		1		3.29.74				
		1012							2						
		9	113	9	293 30	112	− 6 25	758	3				Flat		
		1043	44	10	260 40	44	− 5 38	830	4				STI		
		10 1100	101	10	267 55	99	− 7 58	735	5				T.S.		
		10 970	71	9	114 25	70	− 5 35	815	6				S H		
		9 1113	114	11	239 35	112	− 7 14	721	7				T.S.		
		10 1019	120	10	297 35	119	− 5 26	760	8				S H		
		9 1050	151	10	217 15	148	− 7 21	682	9				S H		
		9 1072	173	10	191 05	171	− 5 57	695	10				T.S.		
		9 1100	201	10	206 25	198	− 7 06	627	11				T.S.		
		9 1122	223	10	187 40	220	− 5 57	643	12				S H		
		9 1152	253	10	198 55	249	− 7 04	565	13				Flat		
		9 1075	276	9	186 25	273	− 6 15	584	14				S H		
		8 1100	301	9	194 25	296	− 6 54	525	15				B Streak		
		10 30	331	9	205 35	327	− 6 19	521	16				Flat		
		7 1072	273	10	211 00	270	− 6 27	568	17				"		
		8 992	393	8	219 25	389	− 5 34	513	18				E Rd		
		6 1115	216	10	222 05	213	− 7 04	608	19				Ed drain		
		9 1805	306	7	230 45	303	− 5 42	580	20				E Rd		
		7 1067	168	10	239 50	165	− 7 30	656	21				B Ditch		
		9 1140	141	11	261 25	139	− 7 03	691	22				" "		
		10													

Add'n'l Inform.

Notes Chkd. _____ Date _____ Checked _____ Date _____

Survey of Tehachapi Rd Survey by R.L. Willey Notes Willey Date 4-2-35
Indexed C. Johnson 4-8-35 Map No. _____

APR 16 1935 APR 30 1935

F.B. 573 Page

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
					° '		° '								
P5	P#4								1						
											3297 4				
		1112							2						
		9 1040	213	10°	256 55'	211	− 5.16,	32678					℄ Rd		
		9 813	141	10°	287 45'	139	− 5 5?	729	3				B. drain		
		6 976	214	7°	290 00'	213	− 3 49	762	4				℄ Rd		
		8 980	177	9°	308 25'	176	− 3 32	775	5				B. drain		
		7 1117	281	8°	315 05'	281	− 0 25	874	6				℄ Rd		
		9	218	10	323 55'	218	− 1 30	818	7				B drain		
									8						
1									9				FB 8TT Pg 4		
P6#	P5#							3259 1	5 1		3264 2		See bench Level		
		443 2	244	3°	26 25'	237	+ 9 53	33025	10				S.H.		
		396 1	296	2°	32 45'	281	+ 12 51	263	11				" "		
		416 2	217	3°	30 00'	213	+ 7 15	32883	12				" "		
		458 2	259	3°	40 10'	249	+ 11 05	33101	13				" "		
		487 3	188	4°	33 05'	185	+ 7 31	32846	14				T.S.		
		827 6	228	7°	45 00'	222	+ 9 33	944	15				T.S.		
		458 3	159	4°	37 30'	156	+ 7 25	804	16				B drain 3' wide		
		701 5	202	6°	49 15'	197	+ 8 48	886	17				" " 4 "		
		319 2	120	2°	52 30'	117	+ 5 10	790	18				S.H.		
		675 5	176	6°	64 35'	171	+ 9 58	880	19				T S		
		197 1	98	1°	83 30'	96	+ 5 04	967	20				S H		
		249 4	150	2°	82 00'	145	+ 9 55	876	21				" "		

Add'n'l Inform. High wind with a fine mist falling

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Inters. of Draw V.D's
Break in Slope Bk.S.
Steep Slope S.S.
Top of Cliff T.Cl.
Bottom of Cliff B.Cl.
Top of Spur T.Sp.
Bottom Canyon B.Cn.

Side of Canyon S.Cn.
Top of Bank T.B.
Bottom of Bank B.B.
Top of Cut T.C.
Bottom of Cut B.C.
Top of Fill T.F.
Bottom of Fill B.F.

Saddle
Swale Sw.
Fist Ft.
Stream Str.
Trail Tr.
Pavement Pvt.
Edge of Road E.Rd.

Travelled Rd. Tr.Rd.
Camp
Int. Fences V.Fn.
Ditch Dl.
Telephone Pole T.P.
Power Pole P.P.
Culvert Csl.

Oak O.
Pine Pn.
Sycamore Sy.
Eucalyptus Eu.
Plus combinations of these and all common arrangement abbreviations.

Fir Fr.
Cedar Ce.

T.B. 573 Pg. 44

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '		1				L.B. 332 pg #4		
P#6	P#5						—	3259		—	32.64	—	see bench Levels		
		304							2						
		350	105	2 0	107.10	103	+ 7.57	764	3	—		—	T.S.		
		222	151	3 0	99.50	145	+ 11.30	905	4	—		—	S H		
		363	123	1 0	131.15	120	+ 8.55	820	5	—		—	S H		
		245	164	3 0	122.05	154	+ 14.23	3300 7	6	—		—	" "		
		277	146	2 0	142.30	143	+ 8.12	3282 7	7	—		—	" "		
		286	178	2 0	133.53	169	+ 12.48	3300 7	8	—		—	" "		
		515	187	2 0	151.05	185	+ 5.05	3278 7	9	—		—	" "		
		618	216	4 0	141.15	208	+ 10.41	994	10	—		—	" "		
		614	219	5 0	153.15	218	+ 4.15	753	11	—		—	" "		
		1021	215	5 0	162.30	215	— 0.26	429	12	—		—	" "		
		1067	222	9 0	174.50	220	— 4.38	372	13	—		—	" "		
		1067	268	9 0	165.40	268	— 1.55	462	14	—		—	" "		
		1123	268	9 0	174.40	266	— 4.36	336	15	—		—	" "		
		1116	324	9 0	163.50	324	— 1.21	472	16	—		—	" "		
		1070	317	9 0	174.55	315	— 3.59	331	17	—		—	" "		
		1068	371	9 0	164.50	371	— 1.27	458	18	—		—	" "		
		1116	369	9 0	174.40	367	— 3.46	309	19	—		—	" "		
		1118	417	9 0	165.25	416	— 1.55	414	20	—		—	" "		
		1115	419	9 0	174.10	417	— 3.44	278	21	—		—	" "		
			416	9 0	171.50	415	— 3.15	316		—		—	P.P.		

Add'n'l Inform.

ALBERT E. SIMMONS, Chief Engineer

Notes Chkd. _____ Checked _____ Date APR 16 1935 APR 20 1935 Survey of Jenssen Rd Survey by P.L. Willey Notes Willey Date 4-2-35

Map No. _____ Indexed _____ C. Jenkins

F.B. 533 Pg. 46

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 573 Pg. 46

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw. B.D.
Side of Draw. S.D. | Bottom Wash B.W.
Side of Ridge. S.R. | Top of Ridge. T.R.
Head of Draw H.D. | Toe of Slope. T.S.

Inter. of Draw. V.D's | Side of Canyon S.Cn.
Break in Slope...Bk.S. | Top of Bank...T.B.
Steep Slope.....S.S. | Bottom of Bank. B.B.
Top of Cliff.....T.Cl. | Top of Cut.....T.C.
Bottom of Cliff...B.Cl. | Bottom of Cut. B.C.
Top of Spur.....T.Sp. | Top of Fill.....T.F.
Bottom Canyon..B.Cn. | Bottom of Fill. B.F.

Saddle..... Sa. | Traveled Rd. Tr. Rd.
Swale..... Sw. | Fence.....Fn.
Flat..... Fl. | Int. Fences. V.Fns.
Stream..... Str. | Ditch..... Di.
Trail..... Tr. | Telephone Pole T.P.
Pavement..... Pvt. | Power Pole...P.P.
Edge of Road E.Rd. | Culvert..... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					°		°		1						
P6	P5										3264				
		367							2						
		2	168	3 1	161 20	168	Lev	3261							
		616							3				S.H.		
		5	117	5 1	159 49	117	"	591							
		1067							4				P.P.		
		9	169	10 9	174 55	168	3 49	428							
		189							5				S.H.		
		1	90	1 7	148 55	90	Lev	625							
		819							6				" "		
		7	120	8 0	174 55	119	4 14	472							
		163							7				" "		
		1	64	0 6	124 25	64	Lev	636							
		1075							8				TS		
		10	76	10 0	170 45	76	2 20	510							
		146							9				" "		
		1	47	1 0	85 05	47	+ 4 07	666							
		834							10				SH		
		8	35	8 1	169 25	35	Lev	561							
		272							11				" "		
		2	73	2 0	38 00	72	+ 6 06	698							
		254							12				" "		
		2	55	2 4	355 30	55	Lev	618							
		321							13				" "		
		2	122	3 0	1 F 35	121	+ 4 27	706							
		202							14				Bidram		
		1	103	0 7	355 50	103	Lev	635					End "		
		554							15						
		4	155	5 0	14 40	154	+ 4 15	706					SH		
		544							16						
		4	145	2 7	355 05	145	Lev	615					SH		
		1027							17						
		9	128	10 0	331 05	128	Lev	542					SH		
		1083							18						
		10	84	10 7	318 15	84	"	535					" "		
		1153							19						
		10	154	11 0	318 35	154	1 48	484					F.S.		
		1151							20						
		11	52	12 3	272 35	52	Lev	519					S.H.		
		1107							21						
		10	110	11 0	290 15	110	330	464					TS		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical − Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ Vertical − Distance	REMARKS Station	Left	Right
P6	P5				° '		° '		1		3.26.42				
		1066							2						
		10	67	11 0	221 05	67	− 4 46	475	3				S H		
		1107													
		10	108	11 0	259 25	107	− 5 18	432	4				" "		
		1016													
		9	117	10 0	203 25	115	− 6 54	401	5				" "		
		1124													
		10	125	11 0	234 00	123	− 6 28	391	6				S H.		
		1169													
		10	170	11 0	294 50	167	− 6 57	328	7				" "		
		1066													
		9	167	10 0	216 10	164	− 7 30	325	8				" "		
		1016													
		8	217	9 0	207 30	213	− 7 44	262	9				T S		
		1124													
		9	225	10 0	190 00	221	− 7 22	254	10				~~S H~~ T.S.		
		1056													
		8	257	9 0	202 20	253	− 7 15	228	11				Flat		
		1070													
		8	271	9 0	185 25	268	− 6 22	252	12				T.S.		
		1093													
		8	294	10 0	197 45	290	− 6 42	201	13				Flat		
		1032													
		7	333	9 0	182 25	330	− 5 21	243	14				S H		
		1036													
		7	337	9 0	191 40	332	− 6 37	165	15				T S		
		993													
		6	394	8 0	180 50	391	− 5 02	218	16				Flat		
		1100													
		7	401	9 0	190 35	396	− 6 11	121	17				T.S.		
		1025													
		6	426	8 0	180 05	423	− 4 54	198	18				S H.		
		1140													
		7	441	9 0	187 05	436	− 5 51	104	19				T.S.		
		1066													
		6	467	8 0	198 25	462	− 5 41	101	20				Flat		
		1132													
		7	453	9 0	192 55	448	− 5 51	092	21				"		
		996													
		6	397	8 0	206 45	393	− 5 45	166					"		

Add'l Inform. It is raining

SHEET E. TIMMONS
Job No. 8065 Division No.
Date APR 16 1935 APR 30 1935 Survey of Johnsen Rd
Notes Chkd. Checked Survey by F.B. Willey Notes Willey Date 4-2-35
Plat No. Indexed F.B. 573 Pg. 47

Form 301 LDM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P6	P5				° '		° '				3264.2				
		1106							1						
		7	407	9.0	194.40	402	6.04	3212.3					Flat		
		1000	301	8.0	214.40	297	6.10	239	2				"		
		7													
		1145	346	10.0	198.20	342	6.07	174	3				"		
		8													
		1094	295	10.0	203.40	291	6.20	218	4				"		
		8	215			214									
		1174	275	10.0	233.25	271	6.23	237	5				"		
		9													
		1048	249	9.0	214.20	246	6.21	271	6	33.1		23.8	"		
		8													
		995	196	9.0	226.05	193	6.52	318	7				"		
		8													
		1162	163	11.0	238.25	161	6.44	342	8				"		
		10													
		1062	163	10	253.10	161	6.35	356	9				T6		
		9											3'deep		
		943	144	9.0	265.30	142	6.15	395	10				Bot drain 3'WHC		
		8													
		1044	145	10.0	293.15	144	4.43	422	11				T.S.		
		9													
		885	186	8.0	296.15	185	3.35	444	12				Bot drain 4'x3'		
		7													
		1048	149	10.0	306.05	148	3.43	450	13				Flat		
		9													
		951	252	8.0	285.50	251	2.46	440	14				Head drain 3'x3'		
		7													
		1035	236	9.0	253.05	234	4.50	353	15				& T.S.		
		8													
		1000	301	8.0	230.45	298	5.37	268	16				" "		
		7													
		1019	420	8.0	218.35	416	5.10	184	17				" "		
		6													
		1015	516	8.0	210.10	500	9.56	31684	18	95.6		87.6	" "		
		5													
									19						
									20						
									21						

Add'l Inform.

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break In Slope.....Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff...B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Toe of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle.....Sd.
Swale.....Sw.
Flat.....Fl.
Stream.....Str.
Trail.....Tr.
Pavement.....Pvt.
Edge of Road E.Rd.

Traverse Rd. Tr. Rd.
Fence.....Fn.
Int. Fences.V. Fns.
Ditch.....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert.....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore.....Sy.
Eucalyptus.....Eu.
Plus combinations of these and all common standard abbreviations.

F.B. 573 Pg. 46

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P7	P6							3204.7	5.0		32.09		LB 812-4		
		705							2						
		2	506	4.0	7 30	496	+ 7.48	3273.3		+ 6.40		+ 6.80	SH		
		740							3						
		2	541	5.0	14 15	526	+ 9.33	928					" "		
		762							4						
		3	463	5.0	12 55	455	+ 7.27	638					" "		
		695							5						
		2	496	4.0	16 50	484	+ 8.44	792					B SW		
		706							6						
		3	407	5.0	15 00	400	+ 7.39	578					S H		
		659							7						
		2	460	4.0	19 05	449	+ 8.44	743					" "		
		671							8						
		3	372	5.0	16 50	364	+ 8.01	642					" "		
		910							9						
		3	411	7.0	22 00	400	+ 9.28	689					B. SW		
		627							10						
		2	428	3.0	19 10	419	+ 8.03	657					S H		
		562							11						
		2	363	3.0	24 55	350	+ 10.36	718					" "		
		484							12						
		2	285	3.0	22 45	279	+ 7.57	453					" "		
		419							13						
		1	320	3.0	29 25	308	+ 11.14	673					" "		
		455							14						
		2	256	3.0	25 00	251	+ 8.11	423					B S W		
		985							15						
		1	286	8.0	33 45	273	+ 12.05	597					" "		
		304							16						
		1	205	2.0	29 15	199	+ 9.34	408					" "		
		444							17						
		2	245	3.0	37 15	231	+ 13.38	623					" "		
		258							18						
		1	159	2.0	40 25	154	+ 10.24	354					" "		
		409							19						
		2	210	3.0	48 05	196	+ 15.01	588					" "		
		229							20						
	t	1	130	2.0	54 05	126	+ 9.40	288					B SW		
		294							21						
		1	195	2.0	54 55	185	+ 13.14	506					S H		

Add'l Inform.

NAME ALBERT E. TITCOMB
DEPT. Co. Surveyor JOB NO. 2085
APR 16 1935
APR 30 1935
Notes Chkd. _____ Checked _____ Survey of Topo Survey by R. L. Wilson Notes C. Johnson Date 4-4-35

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 573 PG 52

Topography Description Legend:
Side Hill....S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope. T.S.

Intersection of Draw. V.D's: Break in Slope...Br.S. Steep Slope.....T.Cl. Top of Cliff...B.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Ca.

Side of Canyon: Top of Bank...T.B. Bottom of Bank...B.B. Top of Cut.....T.C. Bottom of Cut.....B.C. Top of Fill.....T.F. Bottom of Fill...B.F.

Saddle.....Sa. Swale.....Sw. Flat.....Fl. Stream.....Str. Trail.....Tr. Pavement.....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr. Rd. Fence.....V. Fn. Int. Fence...V. Fn. Ditch.....Di. Telephone Pole T.P. Power Pole.....P.P. Culvert.....Cul.

Oak-O. Pine-Pi. Cedar-Ce. Sycamore.....Sy. Eucalyptus.....Eu. Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
P#7	P#6							3204 2	✓		3209 2				
		314							1						
		2 482	115	2 0	78 25	111	+ 9 56	268	2				SH		
		3 373	183	4 0	66 25	175	+ 12 07	428	3				SH		
		2 415	174	3 0	74 25	165	+ 12 41	435	4				SH		
		3 271	116	3 0	104 55	112	+ 10 07	262	5				" "		
		1 537	172	2 0	92 25	165	+ 11 21	403	6				" "		
		4 483	138	4 0	128 15	136	+ 6 40	212	7				" "		
		3 654	184	4 0	110 15	179	+ 9 26	350	8				" "		
		3 300	165	6 0	137 10	164	+ 5 01	175	9				SH.		
		1 406	201	2 0	124 15	197	+ 8 35	357	10				T.S.		
		2 317	207	3 0	146 15	206	+ 4 [illegible]	208	11				S.H.		
		1 536	218	2 0	133 15	213	+ 8 01	378	12				" "		
		3 544	237	4 0	151 40	237	+ 2 10	141	13				SH		
		3 795	245	4 0	137 10	241	+ 7 30	379	14				" "		
		5 775	296	6 0	158 10	296	— Lev	032	15				" "		
		5 788	296	6 0	145 25	294	+ 4 34	267	16				" "		
		5 [illegible]	[illegible]	6 0	169 50	289	— 2 11	31922	17				" "		
		1636 8	239	9 0	166 10	239	— 1 20	946	18				" "		
		1093 8	294	9 0	180 55	293	— 3 41	813	19				" "		
		789 6	190	7 2	161 10	190	— Lev	32020	20				F.P.		
		744 7	245	8 0	180 00	244	— 3 53	31846	21				SH		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#7	P#6				° '		° '		1		32092				
		6.54													
		5	155	4 4	155.55,	155	Lev,	32048	2				SH		
		1084													
		9	185	10 0	180.05,	185	2.20,	31915	3				"		
		410													
		3	111	3 0	145.15,	111	+ 2.58,	32119	4				"		
		1165													
		10	116	10 2	179.05,	116	Lev,	31985	5				"		
		171													
		1	72	1 0	122.15,	71	+ 5.50,	32154	6				"		
		651													
		6	52	6 1	175.20,	52	Lev,	031	7				"		
			6	4 1	57.30,	6	Lev,	051	8				"		
		152											PP.		
		1	53	1 0	83.45,	52	+ 7.41,	152	9				SH.		
		256													
		2	57	2 0	9.55,	57	Lev,	072	10				"		
		180													
		1	81	1 0	44.40,	80	+ 6.37,	175	11				"		
		305													
		2	106	2 1	6.05,	106	Lev,	071	12				SW.		
		225													
		1	126	1 0	28.00,	125	+ 4.37,	183	13				"		
		266													
		1	167	2 0	4.35,	167	+ 2.25,	142	14				SH		
		274													
		1	175	2 0	19.15,	174	+ 5.03,	225	15				"		
		325													
		1	226	2 0	4.05,	225	+ 3.35,	214	16				"		
		321													
		1	222	2 0	14.10,	220	+ 5.27,	282	17				"		
		371													
		1	272	2 0	3.35,	270	+ 4.16,	274	18				"		
		473													
		2	274	3 0	10.55,	271	+ 5.30,	324	19				"		
		361													
		1	282	2 0	351.55,	282	+ 1.17,	134	20	+ 4 3	+ 6 3		"		
		331													
		1	232	2 0	350 15	232	+ 1 36	136	21				"		

APR 16 1935
APR 30 1935

Notes Chkd. _____ Checked _____ Date _____
Survey of Jefferson Rd
Survey by R.L. Miller Notes R. Miller Date 11-4-35
Indexed C. Johnson

ALBERT E. TIMMONS, Chief Engineer
F.B. 573 Pg. 21

Xdata Interm.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P7	P6			—	° '		° '	—	5 0		3209 2	—			
		488 / 2	289	3 0	340.35	289	+ 0.31	3209 3				—	T.S.		
		278 / 1	179	0 8	347.40	179	Level	084				—	S.H.		
		713 / 5	214	5 7	334.05	214	11	035				—	T.S.		
		835 / 7	136	7 2	341.20	136	11	020				—	S.H.		
		1065 / 9	166	9 3	325.45	166	11	3199				—	T.S.		
		096 / 10	97	10 4	334.40	97	11	988				—	S.W.		
		1157 / 11	58	12 3	310.35	58	11	969				—	~~Flat~~ S.H.		
		922 / 8	123	8 0	313.15	123	2.34	956				—	Flat		
		1147 / 11	48	11 0	252.45	48	3.47	949				—	S.H.		
		1179 / 11	80	11 0	290.30	80	4.06	924				—	T.S.		
		1176 / 11	77	11 0	219.20	77	4.21	922				—	S.H.		
		1192 / 11	93	11 0	252.05	92	6.06	883				—	T.S.		
		1117 / 10	118	11 0	205.35	117	4.11	895				—	S.H.		
		1146 / 10	147	11 0	224.00	145	6.53	807		284		174	T.S.		
		1067 / 9	168	10 0	198.30	167	4.28	860				—	S.H.		
		986 / 8	187	9 0	214.05	184	7.04	772				—	T.S.		
		1175 / 9	216	10 0	198.40	215	4.41	816				—	S.H.		
		1130 / 9	231	10 0	205.25	228	6.12	742				—	T.S. N. bnk drain		
		1136 / 9	237	10 0	206.25	234	6.39	718				—	S. drain 6' wide		
		1069 / 8	270	9 0	189.50	267	4.56	770		382		232	~~S bnk~~ S.H.		

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. | Bottom Draw..B.D. | Bottom Wash..B.W. | Top of Ridge..T.R. | Toe of Slope..T.S.
Side of Draw..S.D. | Side of Ridge..S.R. | Head of Draw H.D.

Inters. of Draw, V.D's: Break in Slope..Br.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Ca.

Side of Canyon S.Ca.: Top of Bank...T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle.....Sd. | Swale.....Sw. | Flat.....Fl. | Stream.....Str. | Trail.....Tr. | Pavement.....Pvt. | Edge of Road..E.Rd.

Traveled Rd..T.Rd. | Fence.....Fe. | Int. Fences..V.Fe. | Ditch.....Di. | Telephone Pole..T.P. | Power Pole...P.P. | Culvert.....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore.....Sy. | Eucalyptus.....Eu. | Pine combination of these and all common standard abbreviations.

RM 573 Pg 52

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#7	P#6				° '		° '		1 5 0		3209 2				
		1046							2						
		8 1105	247	9 0	206 35	244	5 55	31 748	3				S bnk drain		
		8 988	306	9 0	188 50	304	4 54	741	4				SH		
		7 1063	289	8 0	182 45	287	4 08	803	5				G. Flag		
		8 1110	264	9 0	196 25	261	6 06	722	6				N Bnk drain - TS		
		8 1162	311	9 0	193 40	308	5 38	697	7				N " "		
		9 1010	268	10 0	197 55	265	5 21	696	8				℄ Bot " 12' Wide		
		7 975	311	8 0	194 30	307	6 20	669	9				1 " " 5' "		
		7 1015	276	8 0	199 30	273	6 15	712	10				S bnk "		
		7 686	316	8 0	196 30	314	5 45	951	11	395		315	" " "		
		4 734	287	5 0	206 25	285	5 45	806	12				Flat		
		4 948	335	6 0	202 25	333	4 51	748	13				"		
		7 1060	249	8 0	217 20	247	5 16	784	14				S bnk drain		
		7 1045	361	9 0	209 25	360	3 14	798	15				℄ Rd 25' W ℄		
		8 991	246	9 0	218 00	244	5 41	759	16				bot drain 8' Wide		
		7 1040	292	8 0	221 45	291	3 31	833	17				℄ Rd		
		8 1120	241	9 0	219 00	239	5 34	768	18				N bnk drain		
		9 1065	321	10 0	223 35	318	4 58	714	19				Flat		
		8 1162	266	9 0	244 15	265	2 50	871	20				℄ Rd		
		9 985	263	10 0	263 20	263	2 01	899	21				Head drain N side Rd		
		8	186	9 0	234 45	185	4 07	845					Flat		

Add'l Inform.

Notes Chkd. _____ Checked _____ Date _____

Survey of Topo Map Notes Indexed

Survey by P.L.S. C. Johnson Date 4-4-35

Map No. _____

ALBERT E. TIMMONS Plotted APR 16 1935 APR 30 1935

ALBERT E. TIMMONS Topo No. 506 Triangulation No. _____

F.B. 573 Pg. 11

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P#7	P#6			—	° '		° '	—	5 1		3209 2	—			
		1088	289	10 2	262 30	289	1 44	3190 5				—	S Side Rd		
		F 1082	183	10 0	250 05	182	3 40	87 5				—	N bnk drain		
		9 1100	301	9 2	287 50	301	0 34	972				—	& Rd		
		8 1126	227	10 0	242 40	225	4 40	805				—	int. drains, 2' deep		
		9 1075	176	10 0	257 25	175	3 51	874				—	bot drain 2'wide		
		9 1092	193	10 0	276 15	193	2 25	911				—	" " 4'wx2'd.		
		9 1026	227	9 0	284 35	227	1 36	938				—	" " 5'wx2d		
		8 650	351	2 6	305 00	351	Lev	3206 6				—	& Rd		
		3 760	461	5 0	321 40	461	+ 1 20	152				—	head of drain		
		3 1146	247	10 0	295 40	247	0 39	3196 4				—	N Side Rd		
		7 1100	401	9 2	316 45	401	+ 1 17	3209 1				—	bot drain 5'wx2d.		
		7 1058	289	9 7	305 50	289	Lev	3199 5				—	" "		
		8 835	336	6 4	313 00	336	"	3202 8				—	" " 3'wx3'd		
		5 939	240	7 6	313 00	240	"	016				—	" " 3'wx3'd		
		7 5-14	315	1 0	325 05	315	"	077				—	Flat		
		2 1163	164	11 0	288 25	164	1 21	3194 4				—	"		
#7A POT	P#7	10		—	° '		° '	3165 6	5 1		3170 7	—	"		
		526	227	4 0	32 55	221	+ 8 52	3201 3				—	LB. 812-4		
		3 478	279	3 0	35 35	272	+ 9 10	112				—	bot drain		
		2 282	183	2 0	39 15	178	+ 8 57	3196 9				—	TS		
		1											bot SW		

Add'n'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D.
Side of Draw. S.D. | Bottom Wash B.W.
Side of Ridge. S.R. | Top of Ridge. T.R.
Head of Draw H.D. | Toe of Slope. T.S.

Int. of Draw. Y.D's | Break in Slope ..... Br. S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon .. B.Cn.

Side of Canyon & Cn. | Top of Bank ..... T.B. | Bottom of Bank. B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill. B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Trav'sed Rd. Tr.Rd. | Fence ..... Fn. | Int. Fences. V.Fn. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak ..... O. | Pine-Pi. Cedar ..... Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

P.B. 373 Pg. 54

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

ALBERT E. TURNORE
Notes Checked APR 15 1935 Job No. 2065 Division No.
Checked APR 30 1935 Survey of Topanga
Survey by R.L. Whitley Notes R.L. Whitley Date 4-4-35
Date Map No. Indexed A. C. Johnson

F.B. 5-73 Pg. 66

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
#7					° '		° '								
POT	P#7								5-1		31707				
		455							2						
		2 246	254	3 01	40.15	247	+ 9.38	32098	3				B.SW		
		1 306	147	2 01	52.10	142	+ 10.38	31952	4				SH		
		1 321	207	2 01	52.25	197	+ 12.18	32118	5				" "		
		2 377	122	2 01	74.35	118	+ 10.32	31906	6				B. SW,		
		2 215	178	2 01	67.35	168	+ 13.32	32093	7				SH		
		1 265	116	1 01	100.25	113	+ 8.59	31875	8				T.S.		
		1 230	166	2 01	80.40	161	+ 10.06	973	9				T.S. SVV.		
		1 260	131	2 01	122.00	128	+ 8.18	873	10				SH		
		1 260	161	2 01	96.20	154	+ 11.34	32003	11				T.S.		
		1 267	161	2 01	140.25	160	+ 5.23	31837	X 12				SH		
		1 296	168	2 01	109.35	159	+ 13.24	32066	13				"		
		1 290	197	2 01	151.55	196	+ 4.33	31842	14				"		
		1 439	191	2 01	125.15	183	+ 11.17	32053	15				"		
		2 315	240	3 01	151.10	239	+ 4.04	31847	✓ 16	+ 14 0		+ 17 0	T. SM. SPALT		
		1 277	216	2 01	137.45	210	+ 9.46	32048	17				SH		
		6 243	278	7 01	157.35	277	+ 3.26	31803	18				B. SW.		
		1 523	144	2 01	144.30	140	+ 9.23	919	19	+ 20 5		+ 22 5	SH		
		2 468	324	3 01	161.55	323	+ 2.54	840	20				"		
		2 500	269	3 01	148.00	263	+ 8.18	32063					"		
			301	6 01	150 05	296	+ 7 14	024	21				B.SW		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 573 Pg. 54

Topography Description Legend:
Side Hill...S.H. | Bottom Draw...B.D. | Bottom Wash...B.W. | Top of Ridge...T.R. | Toe of Slope...T.S.
Side of Draw...S.D. | Side of Ridge...S.R. | Head of Draw...H.D.

Oak-O. Pine-Pi. Sycamore Eucalyptus Plus combinations of these and all common standard abbreviations. Fir-Fr. Cedar-Ce. Sy. Eu.

Trav. Rd. Fence Int. Fence Ditch Telephone Pole Power Pole Culvert — Tr.Rd. Fa. V.Fn. Fn. Ft. Di. T.P. P.P. Cul.

Saddle Swale Flat Stream Trail Pavement Edge of Road — Sa. Sw. Fl. Str. Tr. Pvt. E.Rd.

Side of Canyon Top of Bank Bottom of Bank Top of Cut Bottom of Cut Top of Fill Bottom of Fill — S.Cn. T.B. B.B. T.C. B.C. T.F. B.F.

Side of Draw Top of Cliff Bottom of Cliff Top of Spur Bottom Canyon — V.D's Bk.S. S.S. T.Cl. B.Cl. T.Sp. B.Cn.

Intersection of Draw in Slope — Break in Slope

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
#7A					° '		° '								
POT	P#7			—	° '		° '		5.41		3.17.07				
		440	341	2.0	186.50	337	+ 6.04	320.48					SH		
		1720	321	6.0	168.25	321	− Lev.	316.47					"		
		4													
		F18	319	7.0	175.40	318	− 2.30	4.99					P.P.		
		5													
		568	269	4.0	166.25	269	− Lev.	667					SW		
		3													
		1017	320	9.0	177.55	319	− 2.37	47.2					T, brk.		
		7													
		419	220	2.5	164.15	220	− Lev.	682					SH.		
		2													
		1053	254	9.0	177.05	254	− 1.48	537					"		
		8													
		272	173	2.0	160.25	173	+ 0.41	702					"		
		1													
		1103	204	10.0	183.45	203	− 2.52	506					T. brk		
		9													
		230	131	2.0	152.40	131	+ 1.25	720					SH		
		1													
		1172	173	10.6	173.25	173	− Lev.	601					"		
		10													
		185	86	1.0	136.50	86	+ 1.32	721					SW		
		1													
		1129	130	12.0	178.15	130	− Lev.	582					G. Flag		
		10													
		254	55	2.0	89.20	54	+ 8.24	766					S.H.		
		2													
		1025	126	10.0	185.30	126	− 2.25	555					T. brk		
		9													
		219	20	2.0	123.45	20	− Lev.	682					P.P.		
		2													
		674	75	6.8	165.05	75	− Lev.	639					SH		
		6													
		263	64	2.0	80.15	62	+ 9.03	787					SH		
		2													
		148	49	1.6	3.30	49	− Lev.	691					"		
		1													
		155	86	1.8	45.55	85	+ 7.01	802					"		
		1													

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
7A					° '		° '								
POT	P#7								5.51		31707				
		310							2						
		2 / 228	111	2 0	1.50	111	+ 2.36	31738					SH		
		1 / 255	129	2 0	18.25	127	+ 7.05	845					"		
		1 / 274	156	2 0	358.35	156	+ 3.05	770					"		
		1 / 354	175	2 0	16.30	173	+ 6.07	877					"		
		2 / 656	155	1 8	341.45	155	Lev	689					N bnk drain		
		5 / 357	157	5 4	338.05	157	"	653					bot "		
		2 / 517	158	2 2	335.40	158	"	685					S bnk "		
		4 / 455	118	3 9	330.05	118	"	668					" " "		
		3 / 815	186	4 0	324.15	186	+ 2.27	747					SH		
		7 / 515	116	6 1	336.25	116	Lev	646					bot drain		
		4 / 512	116	4 8	340.10	116	"	659					S. Bnk "		
		3 / 674	213	4 0	312.25	212	+ 3.19	790					& Rd		
		6 / 435	75	6 6	340.00	75	Lev	641					N bnk drain		
		3 / 1075	136	4 2	308.15	136	+ 2.23	724					SH		
		10 / 780	76	10 4	332.50	76	Lev	603					bot drain		
		7 / 305	81	7 3	326.40	81	"	634					N bnk		
		2 / 953	106	3 4	286.50	106	"	673					SH		
		9 / 1146	54	9 4	303.55	54	"	613					S. bnk drain		
		11 / 554	47	12 3	306.45	47	"	584					Bot "		
		1	155	2 0	277 05	155	+ 1 20	723					& Rd		

Add'l Inform.

Date APR 15 1935 APR 30 1935 Surveyed ALBERT E. TIMMONS Book No. 8063 Division No. F.B. 573 Pg. 47

Notes Chkd. Checked Survey of Tobias Rd

Date Survey by PLM/Lee Notes Lee Date 4-4-35

Map No. Indexed A. C. Johnson Dat

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
TA	P# 7			—	° ′		° ′	—	5		3				
POT		1042							1702						
		10 1030	43	10 6	309. 15,	43	Lev,	601					N bnk drain		
		10 1023	31	10 0	310. 00,	31	" ,	607					bot brk		
		10 623	24	6 1	329. 25,	24	" ,	646					Top "		
		6 515	116	4 5	256. 25,	116	" ,	662					S.H.		
		4 1146	47	11 7	228. 25,	44	" ,	598				00	N bnk drain		
	11	7 1054	55	10 0	235. 35,	54	5. 35,	549					Bot "		
		10 962	63	9 0	240. 40,	63	3. 40,	576					S bnk "		
		9 931	132	8 2	232. 50,	132	Lev,	625					SH		
		8 677	178	5 4	239. 50,	178	" ,	653					& Rd,		
		5 1100	101	10 0	212. 15,	101	2. 55,	555					S bnk drain		
		10 1094	95	10 0	208. 55,	94	4. 54,	526					bot "		
		10 1091	92	10 0	205. 45,	91	4. 24,	537					N bnk drain		
		10 995	196	9 0	211. 35,	196	1. 25,	568					SH		
		8 1034	135	10 0	189. 25,	134	4. 10,	509					N bnk drain		
		9 1137	138	11 0	191. 50,	137	4. 16,	495					Bot " FW		
		10 1040	141	11 0	196. 05,	141	3. 52,	522					S bnk "		
		10 1047	248	9 0	203. 55,	248	1. 52,	536					SH		
		8 1074	275	9 0	214. 25,	275	0. 47,	581					& Rd		
		8 1167	168	11 0	185. 50,	167	3. 33,	493					bot brk		
		10 1096	297	10 0	199. 40	297	2 01	504					SH		

Add'l Inform.

F.B. 573 Pg. 58

Topography Description Legend:
Side Hill...S.H. Bottom Draw...B.D.
Side of Draw...S.D. Bottom Wash...B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw...H.D. Toe of Slope...T.S.

Inters. of Draw, V.D's in Slope...Bk.S. Break Slope...S.S. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom Canyon...B.Cn.

Side of Canyon, S.Cn. Top of Bank...T.B. Bottom of Bank...B.B. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.F. Bottom of Fill...B.F.

Saddle...Sa. Swale...Sw. Flat...Fl. Stream...Str. Trail...Tr. Pavement...Pvt. Edge of Road...E.Rd.

Traveled Rd., Tr.Rd. Fence...Fn. Int. Fence, V. Fn. Ditch...D. Telephone Pole T.P. Power Pole...P.P. Culvert...Cul.

Oak-O. Pine-Pi. Sycamore...Sy. Eucalyptus...Eu. Plus combination of these and all common standard abbreviations.

Fir-Fr. Cedar-Ce.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
7A					° '		° '		1						
POT	P# 7			—	° '		° '	—	5 L		31707				
		1108							2						
		9 1010	209	10 R	186.35,	208	3.50,	31462	3				N bnk of Ranch Rd		
		8 1111	211	9 R	188.15,	210	4.27,	454	4				bot "		
		9 980	212	10 R	190.55,	211	3.09,	501	5				S bnk "		
		7 1040	281	8 R	194.45,	280	2.46,	492	6				~~S~~ Flat		
		7 1080	341	9 R	196.20,	340	2.24,	474	7				Flat		
		8 1175	281	9 R	188.00,	280	3.13,	460	8				S bnk drain		
		8 1075	276	10 R	185.05,	275	3.54,	422	9				bot " TW		
		8 1071	276	9 R	183.45,	275	3.39,	443	10				N bnk "		
		7 1125	372	9 R	206.45,	372	1.41,	508	11				& Rd		
		8 1125	326	10 R	185.20,	325	3.10,	428	12				S bnk drain		
		8 1121	326	10 R	183.35,	325	3.48,	392	13				bot " TW		
		8 1154	322	9 R	182.40,	321	3.48,	404	14				N bnk "		
		9 1692	255	10 R	180.40,	254	3.07,	469	15				bot brk		
		8 1693	293	10 R	183.30,	292	3.33,	427	16				N bnk drain Br		
		8 1095	294	10 R	184.40,	293	3.53,	409	17				bot drain		
		8 1121	296	10 R	187.30,	295	3.03,	450	18				S bnk "		
		8	322	9 R	181.05,	321	3.47,	406	19				bot brk		
				—	° '		° '		20						
				—	° '		° '		21						
				—											

Add'l Inform.

Filed ALBERT E. TIMMONS Date APR 16 1935 Survey of TOPANGA TRL Survey by H.L. WILLEY Notes WILLEY Date 4-4-35
Notes Chkd. Checked APR 30 1935 Indexed A. C. Johnson Date
Map No. Date
ALBERT E. TIMMONS Division No. F.B. 573 Pg. 10

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P# 8	P# 7				° ′		° ′	3126 3	5 1		31 31 4		L B. 812-4		
		511						31 80 0							
		2 350	312	3 0	21.10,	303	+ 9.39,	609	8 2 4	+ 29 5		+ 32 5	S H		
		2 466	151	3 0	25.55,	143	+ 12.43,	704					" "		
		2 405	267	3 0	24.20,	260	+ 9.09,	926	5				" "		
		1 305	306	2 0	30.00,	292	+ 12.11,	548	6				" "		
		1 357	206	2 0	30.45,	203	+ 7.07,	766	7				T.S.		
		1 363	258	2 0	35.45,	249	+ 10.43	496	8				S.H.		
		2 309	164	3 0	37.30,	161	+ 7.24,	615	9				S H		
		1 439	210	2 0	43.35,	205	+ 8.53,	472	10				T.S.		
		3 370	140	4 0	44.30,	137	+ 8.09,	553	11				B. W. 12'x 2 deep		
		2 200	171	3 0	55.25,	167	+ 9.09,	449	12				B W		
		1 245	101	1 0	60.10,	99	+ 8.20,	536	13				S H		
		1 171	146	2 0	65.25,	142	+ 9.38,	372	14				"		
		1 219	72	1 0	94.00,	71	+ 5.46,	467	15				"		
		1 381	120	2 0	82.00,	117	+ 8.20,	280	16				T.S.		
		3 404	82	3 4	135.25,	82	LEV.	368	17				S H		
		3 623	105	3 0	109.25,	104	+ 4.31,	256	18				T.S.		
		5 1133	124	5 8	135.10,	124	LEV.	189	19				T.S.		
		10 1170	134	12 5	153.45,	134	LEV.	200	20				S W		
		1 981	171	11 4	146.45,	171	"	129	21				T.S.		
		8	182	9 0	163 05	181	2 59						S W.		

Add'l Interm.

Topography Description Legend:
Side of Hill... Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.
Side of Draw S.D. | Side of Ridge S.R. | Head of Draw H.D.

Intersection of Draw V.D's | Break in Slope Bk.S. | Steep Slope S.S. | Top of Cliff T.Cl. | Bottom of Cliff B.Cl. | Top of Spur T.Sp. | Bottom Canyon B.Cn.

Side of Canyon S.Cn. | Bank B.B. | Cut C. | Bottom of Cut B.C. | Top of Fill T.F. | Bottom of Fill B.F.

Saddle | Swale | Flat | Stream | Trail | Pavement | Edge of Road E.Rd.

Ba... Sw... Fl... Str... Tr... Prt... P.P... Cul...

Trav'sd Rd. Tr.Rd. | Fence | Int. Fence V. Fn. | Ditch | Telephone Pole T.P. | Power Pole | Culvert

Oak-O. | Pine-Pi. | Sycamore | Eucalyptus | Plus combinations of these and all common standard abbreviations.

Fir-Fr. | Cedar-Ce. | Sy. | El.

F.B. 572 Pg. 60

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#8	P#7				° '		° '		5 1		3 1314				
		1197							2						
		10 1018	198	12 1	153.30,	198	Lev,	31193					SH		
		8 1140	219	9 0	172.50,	218	4.06,	068	3				T.S.		
		9 968	241	10 0	161.10,	241	2.02,	128	4				S.H.		
		7 1082	269	8 0	174.25,	267	4.43,	014	5				T.S. + T brk		
		8 1071	283	9 0	163.10,	282	2.56,	080	6				S.H.		
		8 1120	272	9 0	175.25,	270	4.56,	30992	7				B, brk.		
		8 1080	321	9 0	163.45,	320	3.45,	31015	8				S.H.		
		8 1118	281	9 0	176.30,	279	4.47,	30991	9				N. Brk ~~Gravel~~ gravel		
		8 1085	319	10 0	168.10,	317	3.54,	998	10				P.P.		
		8 1026	286	9 0	177.40,	284	4.53,	982	11				bot drain 10' wide		
		7 990	327	9 0	172.45,	325	4.46,	953	12				" " 18'		
		7 1126	291	9 0	178.35,	289	4.39,	988	13				S. brk drain		
		8 1120	327	10 0	174.25,	325	4.25,	963	14				" "		
		9 1045	221	10 0	174.50,	220	4.04,	31058	15 ✓	252		152	" "		
		8 1071	246	9 0	189.25,	245	4.21,	039	16				" "		
		9 1034	172	10 0	174.35,	171	3.42,	104	17				SH		
		8 1006	235	9 0	188.05,	233	4.51,	022	18				int drain		
		9 1026	107	9 0	181.50,	107	3.34,	158	19				SH		
		8 1042	227	9 0	186.45,	225	4.49,	035	20				N brk drain		
		70	48	9 8	187 25	48	Lev	216	21				SH		

Add'l Inform.

Notes Clkd. _____ Checked _____ Date _____

Map No. _____ Indexed A. C. Jolliffe Date 4-4-35

Work Ordered by ALBERT E. TIMMONS Dept. No. _____ Division No. _____

Survey of Tract No. _____ Survey by F. L. Williams Notes [illegible] Date _____

APR 15 1935 APR 30 1935

E.B. 573 Pg. 61

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 6	P# 7			—	° '		° '	—	5 L		31 31 4	—			
		1082													
		9 1081	183	10 0	194.40,	182	4.29,	31 07 2					S bnk drain		
		9 1076	182	10 0	192.45,	181	4.51,	062					bot "		
		9 1132	177	10 0	189.25,	176	4.36,	07 2					N bnk		
		1 1136	33	1 0	98.10,	33	1.44,	293					P.P.		
		10 1132	137	11 0	206.05,	136	3.45,	115					S bnk drain		
		10 1126	133	11 0	203.00,	132	4.33,	100					bot " 12'W		
		10 1090	127	11 0	201.20,	126	4.24,	102					N bnk "		
		10 1092	96	10 0	226.40,	96	3.53,	150					S " "		
		10 986	93	10 0	223.25,	92	4.51,	136					bot " 10'W		
		9 1054	87	9 0	220.25,	86	5.10,	147					N bnk "		
		10 1044	55	9 0	265.15,	55	3.3	189					S " "		
		10 936	45	10 0	258.25,	45	4.23,	179					bot " 17'W		
		9	37	9 0	240.00,	37	3.39,	199					N, bnk "		
			7	6 0	293.50,	7	LCV,	254					T. Brk		
		160													
		1 120	61	1 0	38.10,	61	+ 4.51,	357					" "		
		10 184	21	10 —	286.10,	21	3.09,	202					B "		
		1 1126	85	0 5	18.20,	85	LCV,	309					" "		
		11 314	27	11 0	286.30,	27	0.46,	200					T.N		
		2 1129	115	2 0	32.25,	114	+ 6.05,	41 6					S H		
		11	30	12 5	256 30	30	LCV	189					B. drain 4'W.		

Add'l Inform.

Key to Abbreviations:
Oak-O. Fir-Fr. Cedar-Ce. Pine-Pi. Sycamore ... Sy. Eucalyptus ... Eu. Plus combinations of these and all common standard abbreviations.
Traveled Rd. ... T.Rd. Fence ... Fe. Isl. Fences ... V.Fe. Ditch ... Di. Telephone Pole ... T.P. Power Pole ... P.P. Culvert ... Cul.
Saddle ... Sa. Swale ... Sw. Flat ... Fl. Stream ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road ... E.Rd.
Side of Canyon ... S.Cn. Top of Bank ... T.B. Bottom of Bank ... B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill ... B.F.
Side of Draw ... V.D's Break in Slope ... Br.S. Steep Slope ... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ... T.Sp. Bottom Canyon ... B.Cn.
Inferior Ridge ... I.R. Side of Draw ... S.D. Side of Ridge ... S.R. Head of Draw ... H.D. Bottom Draw ... B.D. Bottom Wash ... B.W. Top of Ridge ... T.R. Toe of Slope ... T.S. Pg. 62

Topography Description Legend: Nil ... a.h.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P8	P7				° '		° '		1 5 1		3 1 3 1 4				
		1 1 3 2							2						
		11 520	33	11 2	286.10,	33	Lev,	3 1 2 0 1	3				5 bnk drain		
		4 552	121	4 0	30.25,	120	+ 5.43,	39 5	4				Bot drain		
		5 960	58	5 3	342.50,	58	Lev,	23 1	5				N bnk "		
		9 226	61	9 0	340.30,	61	"	22 4	6				bot "		
		1 863	127	1 0	25.15,	126	+ 4.52,	41 2	7				bot "		
		8 343	64	8 2	337.15,	64	Lev,	23 1	8				" "		
		2 275	144	3 0	13.45,	144	+ 1.25,	32 1	9				bot br		
		1 512	176	2 0	19.35,	175	+ 3.52,	41 2	10				T brk		
		4 612	113	3 9	0.50,	113	Lev,	27 5 ✓	11				N T bnk		
		5 317	113	5 1	357.45,	113	"	25 9	12				int drains		
		1 515	218	2 0	24.05,	215	+ 6.24,	53 6	13				SH		
		4 455	116	3 2	354.55,	116	Lev,	28 2	14				S. bnk drain		
		4 268	56	3 0	16.25,	55	+ 6.14,	34 6	15				SH		
		1 405	169	0 6	5.50,	169	Lev,	30 8	16				b. brk		
		1 268	306	3 0	12.15,	303	+ 3.54,	57 8	17				8 H		
		4 295	169	1 2	0.40,	169	Lev,	29 7	18				N bnk drain		
		1 R 68	196	1 0	3.05,	196	+ 2.56,	~~38 3~~ 39 4 ✓	19	+ 80		+ 10 0	" " "		
		2 270	169	2 0	359.55,	169	Lev,	29 4	20				bot "		
		1 392	171	0 0	358.00,	171	Lev,	31 4	21				S. bnk C "		
		1	293	2 0	358.25	293	+ 1.36	37 6					bot "		

Add'l Inform.

Notes Albert E. Timmons Job No. 5065 Division No.
Date APR 16 1935 APR 30 1935 Survey of Johnson Tr
Notes Chkd. Checked Survey by F. Whitley Notes Whitley Date 4-4-35
Date Map No. Indexed A. C. Johnson
ALBERT E. TIMMONS

F.B. 573 Pg. 63

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Pin-Pr. Pine-Pi. Oddo.-Od. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fe. Int. Fences. V. Fe. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Bldg. ..... Bg. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E. Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draws Y.D's Break in Slope ..... Br. S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Shar ..... T.Sh. Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Book 573 PG. 64

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P#8	P#7			—	° '		° '	—	5 1	—	3131 4	—			
		335	236	2 0	3.15	236	+ 1.02	31338		+ 2 3		+ 4 3	N bank drain		
		1 635	236	5 0	359.35	236	+ 1.50	340		+ 2 6		+ 7 6	bot "		
		4 490	291	3 0	355.25	291	+ 2.15	392					S bank "		
		2 429	230	3 0	356.20	230	+ 1.55	362					" " "		
		2 494	295	3 0	343.30	294	+ 2.58	436					flat		
		2 448	249	3 0	339.55	249	+ 2.25	390					"		
		2 490	291	3 0	320.25	290	+ 3.10	445					℄ Rd		
		2 282	183	2 0	335.15	183	+ 1.48	353					flat		
		1 332	233	2 0	298.10	233	+ 1.38	362					℄ Rd.		
		1 238	139	1 1	324.20	139	Lev	303					flat		
		1 526	227	3 0	272.05	227	Lev	284					℄ Rd		
		3 514	115	4 5	311.15	115	"	269					flat		
		4 1643	244	9 2	249.55	244	"	222					℄ Rd		
		8 901	102	8 2	282.25	102	"	232					Flat		
		8 1122	123	12 2	252.55	123	"	192					" "		
		10 1147	248	10 0	227.30	248	1.01	171					℄ Rd		
		9 1143	144	11 0	232.45	144	2.24	144					flat		
		10 960	261	8 0	215.45	261	2.10	136					℄ Rd		
		7 1079	180	10 0	217.05	179	3.18	112					small drain		
		9 1088	289	10 0	198.30	288	2.41	081					N side Rd		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
PP#	PP# 7				° '		° '		1						
		1098		—					5 1		31314				
		9 1110	199	10 0	201.30	198	4.17	31068	2				bet sm dirt		
		8 910	311	10 0	201.35	310	2.45	067	3				S.S. rd Rd		
		6 1044	311	7 0	201.52	310	2.48	094	4				T.C. S.S. Rd		
		8 940	245	9 0	197.05	244	3.40	068	5				flat		
		6 952	341	8 0	190.25	340	3.28	029	6				N.S. Rd		
		6 956	353	8 0	193.45	351	3.52	30998	7	318		238	BC N.S. Rd		
		5 984	357	7 0	194.15	356	3.29	31037	8	279		207	TC " " "		
		7 1032	285	8 0	189.35	284	3.58	038	9				Flat		
		7 952	333	9 0	181.40	331	4.12	30980	10				"		
		6 524	383	8 0	204.05	383	1.59	31104	11				"		
		2	325	4 0	215.35	325	1.52	169	12				"		
PP# 9	PP# 8			—	° '		° '		13						
								30968	5 0		31018		LB 81266		
		P62	263	7 0	14.05	263	Lev	30948	14				Flat		
		6 1091	292	9 4	27.55	292	"	924	15				N bnk was		
		8 515	216	4 1	5.05	216	"	977	16				N.S. Rd		
		3 600	201	5 0	359.45	201	"	968	17				" " "		
		4 600	201	2 6	358.35	201	"	992	18				T.C. N.S. Rd		
		2 1180	281	10 2	27.05	281	"	916	19				bet dirt		
		9 942	143	6 9	12.10	143	"	949	20				TC N.S. Rd		
		6 943	144	8 7	12.45	144	"	931	21				BC " " "		
		5													

Add'l Inform.

ALBERT E. TIMMONS
Computed APR 16 1935 APR 30 1935
Notes Chkd. Checked
Date Date
Survey of Johnson Rd Division No. 8065
Survey by R.L. Wiley Notes M. Wiley Date 4-4-35
Map No. Indexed A.C. Johnson
F.B. 573 Pg. 65

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#9	P#8				° '		° '		50		3101 8				
		961							2						
	7	1171	162	9 2	19.00	162	Lev	30 93 6					N S. Rd		
	9	1105	272	10 2	27.00	272	4	915	3				S. bnk wash		
	9	1049	206	12 5	28.40	206	4	893	4				Flat		
	8	1130	250	9 0	44.45	250	1.34	860	5				N bnk		
	10	1106	131	11 1	37.50	131	Lev	907	6				N S Rd		
	10	1004	107	11 6	35.10	107	11	902	7				BCS		
	9	1042	105	10 1	34.50	105	11	917	8				T.C.		
	8	932	243	9 0	44.50	243	1.54	849	9				bot wash, 10' wide		
	7	1097	233	8 0	44.40	233	1.53	862	10				S bnk Wash		
	10	1102	100	12 5	69.20	100	Lev	893	11				T.C.S.S. Rd		
	10	1125	103	10 0	69.00	103	2.55	865	12				BC " " "		
	10	1146	126	10 0	67.45	126	2.00	874	13				N.S. "		
	9	1040	247	10 0	65.00	246	2.38	805	14						
	8	1028	241	9 0	65.25	240	3.10	794	15				bot drain 10'W		
	8	1074	229	9 0	65.25	228	3.07	803	16				S bnk "		
	9	980	180	10 0	78.45	179	3.12	812	17				P.P.		
	8	1060	181	9 0	68.25	180	3.26	818	18				S bank drain		
	8	990	261	9 0	76.20	260	3.25	772	19				N " "		
	8	934	191	9 0	67.05	190	4.10	788	20				bot " 7' wide		
	7	1234	235	8	77.15	234	4 14	764	21				int " 535' "		

Add'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D.
Side of Draw. S.D. | Bottom Wash B.W.
Side of Ridge. S.R. | Top of Ridge. T.R.
Head of Draw H.D. | Toe of Slope. T.S.

Inters. of Draw. V.D's | Break in Slope ..... B.S.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon .. B.Cn.

Side of Canyon S.Cn. | Top of Bank ..... T.B.
Bottom of Bank. B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill. B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr. Rd.
Fence ..... Fn.
Trt. Fences Y.Fn.
Ditch ..... Dt.
Telephone Pole T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

P.M. 573 Pg. 26

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#9	P#8				° '		° '								
		896							1 50		3101 8				
		880	197	8 0	66 .20	196	4.07	30 797					N bnk drain		
		912	181	8 0	56 .05	180	4.05	808	3				Head drain 2 wire		
		860	213	8 0	82 .20	212	4.01	783	4				S. bnk drain		
		1043	161	8 0	93 .20	160	3.51	830	5				~~N~~ S. Rd		
		841	144	10	99 .25	143	3.45	823	6				S " Rd BC		
		1002	142	8 0	100 .05	141	3.36	848	7				" " " TC		
		1006	303	9 0	93 .45	301	4.31	689	8				Bot Drain		
		906	207	9 0	112 .35	206	3.12	813	9				T.C. S. Rd		
		921	207	8 0	112 .05	206	4.02	792	10				B.C. " "		
		985	222	8 0	106 .35	221	4.00	784	11				N S. Rd		
		1080	386	8 0	104 .15	383	4.41	623	12				B. Wash 20' W.		
		1077	381	9 0	107 .45	379	3.52	671	13				P.P.		
		891	278	9 0	99 .35	276	4.46	692	14				bot drain		
		986	92	8 0	112 .15	92	3.47	872	15				N. S. Rd		
		985	287	8 0	116 .45	286	3.44	751	16				BC S. S. Rd		
		745	286	8 0	116 .55	285	3.27	766	17				TC " " "		
		1049	346	6 0	119 .35	345	3.39	738	18				T.C. S " "		
		1054	350	9 0	119.00	348	3.33	712	19				BC " " "		
		1036	355	9 0	115 .15	354	3.19	723	20				N S. Rd		
			337	9 0	127 50	336	2 34	772	21				Flat		

Add'l Inform.

ALBERT E. TIMMONS
Plotted APR 16 1935
Checked APR 30 1935
Date
Notes Chkd.
Date
Survey of Tract No. 8067 Division No.
Survey by R.L. Willey Notes Willey Date 4-4-35
Map No. Indexed A. C. Johnson
F.B. 573 Pg. 57

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#9	P#8				° '		° '								
									50		31018				
		9F4													
		7 935	285	8 0	128.00,	284	2.34,	30811					Flat		
		7 886	236	8 0	128.05,	236	2.21,	841					"		
		7 836	187	8 0	128.25,	187	2.03,	872					"		
		7 786	137	8 0	128.35,	137	1.48,	895					"		
		7 783	84	7 0	129.15,	84	1.26,	926					"		
		7 742	43	6 8	130.05,	43	Lev.,	950					"		
		7 442	43	3 6	334.15,	43	" ,	982					"		
		4 291	92	1 6	332.45,	92	" ,	31002					"		
		2 245	146	2 0	332.55,	146	+ 1.34,	038					"		
		1 403	204	3 0	332.11,	204	+ 2.11,	31052					"		
		2 450	251	3 —	332.55,	250	+ 2.33,	31100					"		
		2 652	253	5 0	343.45	253	+ 2.00,	057					"		
		4 402	203	3 0	344.40,	203	+ 1.07,	030					"		
		2 356	157	2 4	351.55,	157	? Lev.,	30994	Figured Lev.				"		
		2 590	91	5 0	1.10,	91	" ,	968		"			"		
		5 754	55	7 6	31.05,	55	" ,	942		"			"		
		7 1062	63	9 8	85.25,	63	" ,	920		"			"		
		10 1104	105	10 0	108.15,	105	1.44,	886					"		
		10 1164	165	11 0	118.50,	165	1.51,	854					"		
		10													

Add'l Inform.

Topography Description Legend:
Bldg.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Side of Draw..V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Canyon S.Ox. Top of Bank...T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Saddle.....Sa. Swale.....Sw. Flat.....Fl. Stream.....Str. Trail.....Tr. Pavement.....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence.....Fn. Int. Fence..V.Fn. Ditch.....D. Telephone Pole T.P. Power Pole...P.P. Culvert.....Cul.

Dbl.-D. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore.....Sy. Eucalyptus.....Eu. Plus combinations of these and all common standard abbreviations.

Inters. of Draws in Slope

P.B. 573 PG. 62

Form 301 10M 3-34

11850 00
4752000
366
115

1200
724
474

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / — Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
P#9	P#8				° '		° '		50		31018				
		1063	164	10	107 45	164	2 53	30835					Fence		
		9 1104													
		10 1100	105	10	89 05	105	1 00	884					"		
		10	101	10	37 25	101	Lev	918					"		
		648	149	9	9 00	149	"	959					"		
		5 325	226	0	355 00	226	"	31018					"		
		1 1200			118 58 00										
		724	477	10	115 20 00	475	3 28	30630		388		288	P# 10 N. Side Ry Rd		
P#10	P#9														
		1200													
		726	476	10			+ 4 40						P# 9 Check Shot		
		1984		16	199 15		Lev						Elev 30579.76		
		9											USBM 1654		
								3063 1	50		30681		Backed in from BM 1654		
P#10	P#9														
		875	476	6		473	+ 4 11	30968					P# check shot		
		4 1084	185	10	199 15	185	Lev	580					Elev 30579.76		
		9 470	171	4	4 55	170	+ 4 07	763		82		122	USBM 1654		
		3 482	183	4	342 15	181	+ 5 05	803					Fm.		
		3 368	169	3	1 45	168	+ 3 42	757					Flat		
		2 238	139	2	332 25	138	+ 4 31	770					TC & S. Rd		
		1 268	169	2	2 35	169	+ 2 42	740					Flat		
		1 265	166	2	9 25	166	+ 2 44	739					BC, SS Rd		
		1 196	97	1	318 35	97	+ 2 09	721					N.S. "		
		1 170	71	0	11 15	71	— Lev	681					Flat		
		1											N.S. Rd		

Add'l Inform.

Notes Ahd. ALBERT E. TIMMONS
APR 16 1935
Notes Chkd.
Checked
Date
APR 30 1935
Survey of Tehipite Rd
Survey by A. C. Johnson
Date 11-4-35
Map No.
Indexed
Job No. 6065 Division No.
F.B. 573 Pg.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P#10	P#9				° '		° '		50		3068.1				
		174		—											
		1.175	75	0 4	350.15,	75	Lev,	3067.7					B.C. S.S. Rd		
		1.176	76	1 0	348.10,	76	+ 2.12,	70.0					TC " " Vit Fn		
		1.177	77	2 0	275.10,	77	+ 1.35,	67.2					Flat		
		3.522	23	5 5	275.35,	23	Lev,	626					B.C. S.S. Rd		
		5.325	26	3 4	276.20,	26	" ,	647					TC " " " +3'6 Fn		
		3.394	95	2 8	242.55,	95	" ,	653					Flat		
		3.766	67	7 6	211.50,	67	" ,	605					TC S.S Rd		
		7.966	67	9 2	210.20,	67	" ,	589					Flat		
		9.861	62	9 6	190.45,	62	" ,	585					N.S. Rd		
		9.615	116	5 0	229.45,	116	" ,	631					Flat		
		5.1120	121	12 6	192.45,	121	" ,	555					N.S. bot drain		
		10.926	127	8 2	227.20,	127	" ,	599					Bot drain 7' Wide		
		6.1117	118	11 3	204.20,	118	" ,	568					S.S. Rd bot drain		
		1.0.636	137	5 5	224.50,	137	" ,	626					bnk drain		
		5.1142	144	10 1	200.50,	144	" ,	580					TC S.S Rd		
		1.143	144	11 4	199.45,	144	" ,	564					BC " " "		
		1.0.1043	144	9 5	203.15,	144	" ,	586					X Fn Line Hilchcock Pit Rd		
		9.854	155	7 2	211.00,	155	" ,	604					Gate Post To N		
		7.865	166	7 1	211.05,	166	" ,	610					" " " "		
		1.073	174	9 3	202.40	174	" ,	588					X pt Fn		

Add'l Informa.

Topography Description Legend:
Hill...H. Bottom of Draw...B.D.
Side of Draw...S.D. Bottom Wash...B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw...H.D. Toe of Slope...T.S.

Intersection of Draws V.D's in Slope...Bk.S.
Break in Slope...S.S.
Top of Cliff...T.Cl.
Bottom of Cliff...B.Cl.
Top of Spur...T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon S.Cr.
Top of Bank...T.B.
Bottom of Bank...B.B.
Top of Cut...T.C.
Bottom of Cut...B.C.
Top of Fill...T.F.
Bottom of Fill...B.F.

Saddle...Sa.
Swale...Sw.
Flat...Fl.
Stream...Str.
Trail...Trl.
Pavement...Pvt.
Edge of Road...E.Rd.

Traveled Rd...T. Rd.
Fence...Fe.
Int. Fences...V. Fe.
Ditch...Dl.
Telephone Pole...T.P.
Power Pole...P.P.
Culvert...Cul.

Pine-Pi. Cedar-Ce. Sycamore...Sy. Eucalyptus...Eu. Plus combinations of these and all common standard abbreviations.

P.B. 57 PG. 72

Form 3pl 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#10	P#9				° '		° '		1						
				—	° '		° '	—			30.68				
		807							2						
		6	208	6 5	302.55	208	Lev.	30 616					SH		
		1179							3						
		10	180	12 5	195.25	180	"	556					S.S. Rd		
		750							4						
		5	251	5 6	196.05	251	"	625					SH		
		885							5						
		7	186	8 0	190.50	186	1 51	542					& Int Johnson & Hitchcock		
		980							6						
		8	181	9 0	187.35	181	1 24	545					N.S. Rd		
		997							7						
		7	298	7 6	190.50	298	Lev.	605					SH		
		1054							8						
		8	255	9 0	182.10	255	2.04	497					N.S. Rd		
		1061							9						
		8	262	9 0	186.30	262	2.07	495					S.S. Rd BC		
		760							10						
		6	261	7 0	187.25	261	1 52	527					" " " TC		
		1053							11						
		7	354	8 1	187.55	354	Lev.	600					SH		
		1064							12						
		8	265	9 0	188.25	265	1 09	538					Guy Pole		
		965							13						
		7	266	8 0	189.15	266	1 06	551					F.M.		
		1205							14						
		8	406	10 5	186.25	406	Lev.	576					S.H.		
		995							15						
		7	296	8 0	179.45	295	2.40	464					P.P.		
		1098							16						
		7	399	9 0	183.30	399	1 27	490					F.M.		
		1096							17				T.C. S.S. Rd		
		7	397	9 0	182.25	397	1 31	462					Guy Pole		
		1032							18						
		7	333	8 0	178.50	332	2.51	432					Toe Fill		
		732							19						
		6	333	7 0	179.55	332	2.43	454					N.S. Rd		
		1036							20						
		7	337	9 0	182.50	336	2.27	442					S " " BC		
		1036							21						
		7	337	8 9	183.35	337	1 57	486					" " " TC		

Add'l Inform.

ALBERT E. TIMMONS
Date APR 16 1935 APR 20 1935
Notes Chkd. Checked
Survey of Johnson Rd
Survey by R.L. Williams Notes Williams Date 4-11-35
Date Map No. Indexed A. C. Johnson Date
Book No. 5063 Division No.
F.B. 573 Pg. 71

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
P10	P9								50		30681				
		1097						30418							
		7 1095	398	90	181.30,	397	2.00,						B.C. S.S Rd		
		7 1093	396	90	178.50,	395	2.26,	424					✱ N 11 ¼		
		7 1122	394	90	178.05,	393	2.50,	397					Toe F.11		
		7 905	423	90	167.35,	421	3.56,	302					Bot wash 20' wide		
		5 1138	406	70	173.20,	404	3.46,	345					SH		
		8 1040	339	90	166.05,	337	4.10,	345					Bot wash 26' wide		
		7 1038	341	70	172.35,	340	3.28,	385					SH		
		7 987	339	90	169.20,	338	3.42,	373					S bnk wash		
		7 1077	288	80	173.25,	287	3.27,	428					SH		
		5 932	278	90	170.25,	277	3.32,	420					S bnk ¼		
		7 1080	233	80	172.30,	232	3.25,	463					SH		
		5 679	281	90	166.25,	279	4.25,	375					bot wash 14 W.de		
		5 1115	180	60	172.05,	179	4.07,	492					S bnk wash		
		9 1068	216	100	158.45,	215	4.15,	422					int. drain & wash		
		7 654	169	100	171.25,	168	4.46,	442		24C		14C	bot ¼ 10' wide		
		5 987	155	60	170.15,	154	4.37,	492					bnk drain		
		8 1025	188	90	142.45,	187	4.12,	453					bot wash 20 W		
		9 1028	126	100	165.15,	126	2.46,	520					P.P.		
		9	179	100	123.15,	179	2.51,	492					bot Wash 10' W		

Add'l Inform.

Topographic Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D. | Bottom Wash ..... B.W. | Top of Ridge ..... T.R. | Toe of Slope ..... T.S.
Side of Draw ..... S.D. | Side of Ridge ..... S.R. | Head of Draw ..... H.D.

Intersection of Draw, V.D's or Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.
Side of Canyon ..... S.Cn. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.
Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.
Traveled Rd. ..... Tr.Rd. | Fence ..... Fn. | Int. Fence ..... V.Fns. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.
Gas-O. ..... Gs-O. | Fir ..... Fir. | Fir-Fr. ..... Fir-Fr. | Pine ..... Pine | Pine-Pl. ..... Pine-Pl. | Cedar ..... Cedar | Cedar-Cl. ..... Cedar-Cl. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

P.B. 57 Pg. 72

Form 301 IBM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

ALBERT E. TIMMONS, Engineer
Date APR 1 6 1935 Book No. 2065 Division No.
Notes Chkd. Date APR 20 1935 Survey of Johnson Rd
Checked Survey by F.R. Willey Notes Willey Date 4-4-35
Map No. Indexed A. C. Johnson

F.B. 573 Pg. 23

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#10	P#9				° '		° '		1 5 0		3.68				
		1089			° '		° '		2						
		10 1148	88	11 0	148 .15	88	1 .53	30542	3				SH		
		10 1021	149	11 0	100 .55	149	1 .26	534	4				bot krack 10' wide		
		9 8 20	122	10 0	132 .10	122	2 .40	525	5				SH		
		7 1208	121	7 3	75 .05	121	Lev	608	6				S. bnk krack		
		11 1138	109	12 0	107 .40	109	"	561	7				bot " "		
		10 963	139	11 4	75 .20	139	"	567	8						
		9 318	64	9 3	107 .10	64	"	588	9				SH		
		2 567	119	2 6	47 .05	119	"	655	10				S. bnk krack		
		5 970	68	4 8	63 .50	68	"	633	11				SH		
		5 1155	471	8 0	179 .25	470	2 .31	394	12				& Rd		
		6 1145	556	9 0	179 .50	555	2 .19	367	13				" "		
		5	646	8 0	180 .15	645	2 .18	343	14				" "		
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
S.C.L. #10	P# 1A			—	° ′		° ′	3516.0	4.7		3520.1				
		945													
		5	446	7.0	calc	445	+ 2.37	3533.2		+ 12.5		+ 19.5	P#0 see Pg. 8		
		720													
		6	121	7	38.25	121	2.21	08.8					℄ 20' Rd		
		923													
		8	124	9	67.00	123	4.54	01.2							
		824													
		7	125	8	107.27	123	7.51	3495.9							
		864													
		7	165	8	131.22	162	7.29	91.6							
		930													
		7	231	8	145.31	228	6.22	87.2							
		10													
		7	301	9	151.33	298	5.17	84.2							
		985													
		6	386	8	154.34	378	8.03	59.2							
		958													
		5	459	8	154.50	456	4.20	78.2							
		1030													
		5	531	8	153.56	528	4.03	75.5							
		1104													
		5	605	8	153.41	602	3.50	72.7							
		975													
		3	676	6	154.26	673	3.50	69.8							
		12													
		5	701	8	156.03	700	3.27	70.9							
		1028													
		5	529	8	152.34	526	4.02	75.7					L		
		1016													
		6	416	8	148.46	413	4.47	78.3					L		
		1121													
		7	422	9	141.01	422	4.13	80.8					P. Pole		
		993													
		7	294	8	140.52	291	5.20	85.8					L		
		946													
		7	247	8	123.59	245	5.27	89.7					P. Pole		
		832													
		7	133	8	95.02	131	6.22	78.2					L		
		955													
		8	156	9.0	83.20	155	4.51	78.7					P. Pole		

Addn'l Intersts

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / — Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
P.O.T.#A	P.B			—	° '		— ° '	3117 2	4.9		3122 1		P.O.T. #8A		
		614							2						
		4	215	5 —	36 26	207	+ 11 21	58 6					S.H.		
		327							3						
		2	128	3 —	29 00	127	+ 5 32	31 2					S.H.		
		478							4						
		3	179	4 —	47 00	167	+ 15 00	62 9					S.H.		
		280							5						
		2	81	2 —	18 24	81	+ 1 35	22 2					Sta 2		
		255							6						
		1	156	2 —	61 57	146	+ 14 06	56 6					S.H.		
		195							7						
		1	96	1 —	57 04	94	+ 7 21	33 2					T.S		
		339							8						
		2	140	2 —	78 00	135	+ 11 06	46 4					T.S		
		182							9						
		1	83	1 —	86 48	81	+ 9 34	34 7					S1.		
		234							10						
		1	135	2 —	97 34	130	+ 10 19	44 9					T.S		
		182							11						
		1	83	1 —	113 40	82	+ 7 25	31 3					T.S		
		241							12						
		1	142	1 —	118 31	135	+ 12 52	51 6					S.H.		
		202							13						
		1	103	1 —	143 34	101	+ 7 35	34 7					S.H.		
		262							14						
		1	163	1 —	145 05	155	+ 12 51	56 4					S.H.		
		332							15						
		2	133	3 —	157 39	131	+ 6 28	36 8					S.H.		
		692							16						
		5	193	6 —	153 20	187	+ 9 55	48 7					S.H.		
		475							17						
		3	176	4 —	163 00	175	+ 3 31	28 7					S.H.		
		883							18						
		7	184	8 —	188 35	181	— 6 48	3092					T.S.		
		695							19						
		5	196	6 —	205 00	192	— 7 47	90					N.B. road		
		817							20						
		7	128	8 —	194 08	126	— 7 20	98					T.S.		
		982							21						
		8	133	9 —	211 40	131	— 7 48	96					N.B. [illegible]		

Add'l Inform.

Notes Rcd. Dunlap Platted P. T. DUNLAP Map No. Rabs Division No.
Date 6-20-35 Date JUN 27 1935 Survey of [illegible]
Notes Chkd. Checked C. J. TERRY Survey by [illegible]
Date Map No. Notes Date
Indexed [illegible] C. Johnson 6-7-35

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P.O.T.	#	8.82			° '		° '								
8A	P8	8	83	8	184 35	83	3 27	3108 7			3122 1		T.S		
		2.91													
		2.1	92	2.0	169 30	92	0 0	3120 1					S.H.		
		6.81													
		6	82	6	268 22	79	10 12	02					N Bank road		
		2.59													
		3	60	3	111 10	60	+ 2 17	21 2					T.S.		
		3.50													
		5	51	5	290 20	50	− 5 37	095					S1.		
		2.37													
		2	38	2	98 10	37	+ 6 57	215					S1.		
		9.86													
		9	87	9 1	339 35	87	− ° '	130					S1.		
		2.18													
		2	49	2	28 21	49	+ 2 11	217					S.H.		
		8.66													
		8	67	8	313 00	67	− ° '	141					S1.		
		8.23													
		8	24	8.0	310 07	24	− ° '	141					S1.		
		11.97													
		11	48	11.	212 49	48	− 1 41	100					S1.		
		2.17													
		1	118	2	13 35	118	+ 0 51	219					T.S		
	P.O.T.						− ° '	3092 6	1.8		3097 4				
P9A	8A														
		3.60													
		2	161	3	19 55	158	+ 8 17	3117 6					S.H.		
		4.20													
		3	221	3	30 26	208	+ 14 11	471					S.H.		
		4.30													
		3	131	1	32 26	128	+ 5 15	122					T.S + SW.		
		2.85													
		1	189	2	42 33	179	+ 13 10	379					S.H.		
		2.93													
		2	94	2	44 53	91	+ 3 0	119					S.H.		
		4.65													
		3	166	9	66 29	158	+ 13 02	301					T.S. + SW.		
		2.90													
		2	91	2	60 23	88	+ 10 32	120					Hd. Dr 6' wide		
		3.57													
		2	158	3	64 05	149	+ 13 32	3131 9					W BK. Dr.		

Add'l Inform.

F.B. 573 Pg 76

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope..T.S.

Side of Canyon S.Ca. Top of Bank....T.B. Bottom of Bank..B.B. Top of Cut....T.C. Bottom of Cut..B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Inters. of Draw.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff....T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

Traveled Rd. Tr.Rd. Fence .....Fe. Int. Fences..V.Fe. Ditch .....Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Pine combinations of these and all common standard abbreviations.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right ° '	Horiz. Distance	+ Vertical Angle — ° '	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P.94	P.O.T.	3.53							1						
	8A	2.	154	3—	68 15	146	+ 12 54	31270			30974		B. Z.		
		2.87							2						
		2.	88	2—	78 12	85	+ 10 59	120					T. S.		
		2.50							3						
		2.	51	3—	72 26	48	+ 4 37	068					I. 3/4 D.		
		2.97							4						
		2.	98	2—	111 09	97	+ 6 49	069					S.H.		
		2.90							5						
		1.	141	2—	88 41	130	+ 16 21	31335					S.H.		
		3.32							6						
		2.	133	3—	130 08	133	+ 2 00	30971					S.H.		
		2.50							7						
		1.	151	2—	109 20	143	+ 12 19	31281					S.H.		
		6.85							8						
		5.	186	6	139 35	186	— —	30912					S.H.		
		3.86							9						
		2.	187	3—	120 10	182	+ 9 50	31250					S.H.		
		8.43							10						
		6.	244	7 5	142 22	244	— —	30899					S.H.		
		5.20							11						
		3.	221	4—	125 20	218	+ 7 05	31206					S.H.		
		8.08							12						
		5.	309	6—	145 05	309	— 1 30	30833					S.H.		
		5.59							13						
		3.	260	4—	128 25	258	+ 5 01	31161					S.H.		
		6.86							14						
		3.	386	5—	147 12	385	— 2 11	30780					S.H.		
		5.03							15						
		2.	304	3—	132 40	302	+ 4 10	31164					S.H.		
		6.40							16						
		3.	341	5—	135 41	340	+ 3 10	110					S.H.		
		5.80							17						
		2.	381	4—	139 30	381	+ 1 31	037					S.H.		
		8.80							18						
		5.	381	7—	154 35	379	— 4 29	30608					SI.		
		7.20							19						
		4.	321	6—	154 10	319	— 4 17	678					SI.		
		7.85							20						
		4.	386	6—	161 10	382	— 5 18	527					FI.		
		8.56							21						
		6.	257	7—	152 17	256	— 3 08	767					S.H. & R.		

Add'l Inform.

Notes Rod. Duntap Plotted P. T. DUNLAP No. 8065 Division No.
Date 6-20-35 Date JUN 27 1935 Survey of Subdivision
Notes Chkd. Checked E. J. TERRY Survey by Notes
Date Map No. Indexed A. C. Johnson Date 7-3-35

F.B. 572 Pg. 77

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
	P.O.T.	7.36			° '		° '								
P9A	SA	4	337	6	160 . 15	334		3058 9	1		3097 4		S.H.		
		6.85													
		5	296	6	153 . 32	294		658	2				S.H.		
		7.02													
		9	303	5	161 . 15	300		615	3				S.H.		
		8.20													
		7	121	8	150 . 25	120		796	4				S.H.		
		5.97													
		2	270	4	127 . 12	268		700	5				S.H.		
		7.66													
		7	67	1 2	131 . 00	67		897	6				S.H.		
		7.16													
		5	217	6	158 . 00	215		710	7				N. B. of R.		
		2.26													
		2	37	2	83 . 00	36	+	000	8				D.		
		7.25													
		5	276	7	168 . 10	271		551	9				T.S.		
		10.36													
		8	237	7	152 . 20	233		542	10				T.S.		
		2.70													
		2	71	2	70 . 30	70	+	3101 5	11				S.H.		
		7.25													
		5	196	7	170 . 00	191		3059 4	12				T.S.		
		6.16													
		5	177	6	169 . 21	173		650	13				P.L.		
		5.22													
		9	123	5	6 . 00	123	+	710	14				Sw.		
		9.24													
		5	125	7	174 . 03	123		720	15				S.H.		
		9.70													
		7	71	7	183 . 15	70		806	16				S.H.		
		8.24													
		8	35	5	177 . 50	35		856	17				S.H.		
		4.80													
		3	181	4	1 . 35	181	+	3101 0	18				S.H.		
		8.18													
		8	19	8.6	259 . 35	19		3088 8	19				S.H.		
		7.80													
		6	181	6 2	351 . 27	181		707	20				Sw.		
		7.57													
		7	58	7 3	336 . 30	58		901	21				S.H.		

Add'l Inform.

Topography Description Legend:
Side Hill...S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Road of Draw H.D. | Toe of Slope..T.S.

Inters. of Draw. V.B's / Break in Slope..Br.S. | Top of Cliff..T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur...T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon S.Cn. | Top of Bank..T.B. | Bottom of Bank..B.B. | Top of Cut...T.C. | Bottom of Cut...B.C. | Top of Fill...T.F. | Bottom of Fill..B.F.

Saddle...Sa. | Swale...Sw. | Flat...Fl. | Stream...Str. | Trail...Tr. | Pavement...Pvt. | Edge of Road..E.Rd.

Traveled Rd. Tr.Rd. | Fence...Fe. | Int. Fences..V.Fe. | Ditch...Di. | Telephone Pole T.P. | Power Pole...P.P. | Culvert...Cul.

Obs.-O. | Pine-Pi. | Cedar-Ce. | Sycamore...Sy. | Eucalyptus...Eu. | Plus combinations of these and all common standard abbreviations.

P.B. 573 Pg. 78

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
	P.O.T.	7.10			° '		° '								
P.9A	B.A.	6.	111	6.2	347 50	111	— ° '	3091 2			3097 4		S.H.		
		10.95													
		9.	196	9.7	339 35	196	— ° '	87 7					N.B.L.W.		
		8.72													
		9	123	8	332 29	123	2 07	85 0					T.S.		
		9.18													
		9	149	9	326 21	149	1 39	84 3					N.B.L.W.		
		10.92													
		10	93	10	319 42	93	3 29	82 0					T.S.		
		11.05													
		10.	106	11	310 25	106	3 01	81 9					N.B.L.W.		
		10.56													
		10	57	10	281 00	56	6 41	81 2					S.H.		
		10.99													
		10	85	9	270 30	84	7 07	77 2					N.B.L.W.		
		10.61													
		10	63	10	238 15	62	7 11	79 6					S.H.		
		10.02													
		9	103	9	230 55	100	8 56	72 8					N.B.L.W.		
		10.95													
		10.	96	10	208 15	94	3 59	72 9					S.H.		
		8.30													
		9	131	8	213 31	128	8 52	69 6					N.B.L.W.		
		9.32													
		8	133	9	195 25	130	8 14	68 6					S.H.		
		8.60													
		9	161	8	200 10	157	8 19	66 7					N.B.L.W.		
		10.63													
		9	166	10	187 20	162	8 23	63 2					S.H.		
							—	3043 4	1.9		3048 3				
P.10A	P.9A				° '		° '								
		4.24													
		2	225	3	17 22	222	+ 6 19	70 0					S.H.		
		3.66													
		1	267	2	28 55	258	+ 10 32	96 1					S.H.		
		5.04													
		3.00	205	4	22 56	202	+ 6 56	69 0					T.S.		
		4.37													
		2	238	3	36 30	231	+ 9 41	85 0					S.H.		
		3.67													
		2	168	3	34 26	164	+ 8 44	70 4					S.H.		

Add'l Inform.

Notes Red. Dunlap Plotted P. J. DUNLAP Book No. 2068 Division No. F.B. 572 P. 79
Date 6-20-35 Date JUN 27 1935 Survey of Vasquez
Notes Chkd. Checked C. J. TERRY Survey by Notes
Date Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.10A.	P.9A.	506			° '		° '								
		3	207	4	45.73	200	+ 10 27	3081 0			3048 3		S.H.		
		1.34													
		3	135	1	58.36	130	+ 10 35	68 8					S.H.		
		4.89													
		2	190	4	58.38	183	+ 10 58	80 0					S.H.		
		3.24													
		2	135	3	84.38	132	+ 8 16	64 5					T.S.		
		4.96													
		3	197	4	76.41	190	+ 10 30	79 6					"		
		2.55													
		1	156	2	104.03	153	+ 8 09	67 9					S.H.		
		3.00													
		1	201	2	96.15	191	+ 12 56	90 0					"		
		2.88													
		1	189	2	108.30	187	+ 6 21	67 4					"		
		1.30													
		2	231	3	113.06	222	+ 11 07	89 0					"		
		4.22													
		2	223	3	129.15	222	+ 3 46	61 0					" + P. pole		
		4.60													
		2	261	3	122.05	256	+ 8 10	82 1					"		
		8.00													
		6	201	6	138.52	201	— —	41 7					"		
		7.93													
		6	194	7	153.00	193	— 3 07	31 0					Fl.		
		5.59													
		4	160	4 8	133.15	160	— —	43 5					"		
		11.53													
		10	154	10	141.10	154	— —	37 9					Sl.		
		11.23													
		10	124	11 8	154.02	124	— —	36 5					"		
		5.26													
		4	126	5	118.06	126	+ 2 59	49 8					T.S.		
		3.78													
		3	79	2	132.36	79	— —	45 4					S.H.		
		5.24													
		4	125	4	99.51	123	— 6 27	58 3					T.S.		
		2.53													
		2	54	2	77.21	53	— 6 51	40 0					S.H.		
		1.98													
		1	99	1	71.04	97	+ 8 20	61 8					"		

Add'nl Inform.

Topography Description Legend:
Side Hill S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Obs. O. Fir-Fr. Fire-Pl. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Pine combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence V.Fe. Int. Fences Fi. Ditch Ditch Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Saddle Sa. Swale Sw. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draw. V.Ds Break in Slope Br.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

P.B. 213 Pg. 80

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.10A	P.9A	2.91			° '		° '		1						
		2	92	2—	18.00,	91	+ 5.22,	3055.0			3048.3		S.H.		
		3.14							2						
		2	115	2—	36.53,	113	+ 8.09,	625.5					"		
		3.55							3						
		2	156	3—	4.08,	155	+ 3.27,	546.6					"		
		3.41							4						
		2	142	3—	22.07,	140	+ 6.43,	618.8					"		
		4.72							5						
		3	173	4—	14.49,	171	+ 5.30,	608.8					"		
		8.18							6						
		6	219	7—	358.16,	218	+ 3.30,	545.5					Sw.		
		9.08							7						
		7	209	8—	8.14,	208	+ 4.25,	564.4					Sw.		
		6.17							8						
		4	218	4 1/2	337.01,	218	— — ,	436.6					N.B. of W.		
		6.20							9						
		4	221	5—	347.22,	221	+ 0.45,	452.2					Sw.		
		8.54							10						
		1	155	7 1/2	333.33,	155	— — ,	406.6					N.B. of W.		
		3.56							11						
		2	157	1 6	346.26,	157	— — ,	467.7					S.H.		
		11.03							12						
		10	104	11 1/2	330.05,	104	— — ,	372.2					Brk.		
		3.04							13						
		2	105	1 6	348.22,	105	— — ,	467.7					S.H.		
		6.01							14						
		5	102	5°	338.35,	102	— — ,	433.3					Brk.		
		1.50							15						
		1	51	1 1/2	358.09,	51	— — ,	471.8					S.H.		
		6.39							16						
		6	40	6 5	324.42,	40	— — ,	418.0					Brk.		
		8.49							17						
		8	48	8—	296.54,	47	8.49,	330.5					"		
		8.13							18						
		8	14	7 8	218.28,	14	— — ,	405.5					P. pole		
		9.20							19						
		9	21	9 2	241.26,	21	— — ,	391.1					Brk.		
		9.51							20						
		9	55	9—	226.10,	54	11.40,	340.5					" N.B. of W.		
		10.70							21						
		10	71	10—	182.00,	71	E 38	383.3					S.H.		

Add'l Inform.

Note Rod. Dunlap Plotter P. T. DUNLAP Plat No. 6866 Division No.
Date 6-20-35 Date JUN 27 1935 Survey of Vegetation
Notes Chkd. Checked C. J. TERRY Survey by [illegible] Notes Date
Date Map No. Indexed E. C. [illegible] Date

E.B. 573 Pg. 21

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 572 Pg. 82

Topography Description Legend:
Hill Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Fir and combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence Fe. Dit. Ditch Fence V. Fe. Ditch Di. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Sand Sa. Gravel Gr. Clay Cl. Silt Si. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E. Rd.

Side of Canyon S. Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draw. V. D's Break in Slope B.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
P.10A	P.9A	10.11													
		10	72	10	238.06	71	7.01	3028.6			3048.3		℄ W.		
		9.00													
		8	101	9	242.29	100	5.15	29.1					S.B. of W.		
		9.06													
		8	107	9	243.56	106	7.18	31.4					" "		
		11.00													
		10	107	10	198.16	106	6.11	26.3					N " "		
		6.40													
		5	141	6	205.41	139	7.39	23.8					℄ W.		
		8.54													
		7	155	8	191.54	153	6.13	23.7					N.B. of W.		
		9.56													
		8	157	9	193.20	155	6.33	21.6					W " "		
		2.22													
		6	123	7	196.25	122	6.12	28.2					℄ W		
		10.10													
		8	211	9	189.40	209	5.11	20.5					W. B of W.		
		10.30													
		8	231	9	189.42	229	5.17	18.2					E " "		
		11.14													
		9	215	10	192.00	213	5.15	18.8					W " "		
		10.64													
		9	165	10	210.10	163	6.11	20.4					E " "		
		7.29													
		6	175	7	213.04	174	9.34	28.5					S.H.		
		9.35													
		7	236	5	206.29	235	2.36	29.8					"		
		8.50													
		7	181	8	211.30	181	2.17	33.2					"		
		9.49													
		8	150	9	234.09	150	2.00	34.1					"		
		10.22													
		9	123	10	235.07	123	1.36	35.0					"		
P.O.T.															
10A	P.10A							3016.4	5.0		3021.4				
		3.90													
		2	191	3	39.08	183	+ 11.93	3056.5					S.H.		
		4.30													
		2	131	3	53.30	120	+ 16.21	53.9					Sw.		
		3.61													
		2	162	3	49.06	153	+ 13.52	56.2					S.H.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. Dunlap Plotted P. T. DUNLAP Date JUN 27 1935
Date 6-21-35 Date Survey of Johnson Rd.
Notes Chkd. Checked C. J. TERRY Survey by A. Bassett Notes C. J. TERRY Date 6-28-35
Date Date Map No. Indexed Date

F.B. 572 Pg. 33

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P.O.T.		4.81			° '		° '		1						
10A	P.10A	1	182	2	68.10	162	+ 18.59	307 55			302 14		S.H.		
		3.30							2						
		2	131	3	69.55	121	+ 15.36	52 4					"		
		2.80							3						
		1	181	2	88.57	164	+ 17.41	71 9					"		
		3.28							4						
		2	129	3	89.21	120	+ 15.21	51 4					T.S.		
		2.88							5						
		1	189	2	102.15	174	+ 16.16	69 4					S.H.		
		3.25							6						
		2	136	3	110.55	129	+ 13.10	48 6					S.H.		
		2.94							7						
		1	195	2	121.43	183	+ 14.10	65 8					"		
		2.44							8						
		1	145	2	126.48	140	+ 10.34	45 7					T.S.		
		3.08							9						
		1	209	2	144.44	202	+ 10.49	58 0					S.H.		
		3.65							10						
		2	166	3	143.51	162	+ 9.03	44 2					"		
		2.87							11						
		1	188	2	156.05	186	+ 5.41	38 0					"		
		9.66							12						
		8	167	9 3	173.45	167	— . —	12 1					"		
		6.11							13						
		5	112	5 0	168.03	112	— . —	16 4					"		
		10.69							14						
		9	165	10	187.14	165	— 2.47	03 6					T.S.		
		3.58							15						
		3	59	3	155.33	59	+ 2.38	21 1					S.H.		
		11.90							16						
		11	91	11 8	194.21	91	— . —	09 6					"		
		3.25							17						
		3	26	3	96.00	26	+ 1.22	21 8					"		
		8.30							18						
		8	31	8 2	217.56	31	— . —	13 0					"		
		5.47							19						
		5	48	5 4	334.37	48	— . —	16 0					"		
		2.51							20						
		2	52	2	29.15	52	+ 3.56	23 0					6m.		
		3.91							21						
		3	92	3	366 13	92	+ 2.40	22 8					S.H.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.O.T.		3.27			° '		° '								
10A	P10A	2	128	2	22.50	126	+ 7.21	3036.0			30 21.4		S.H.		
		3.47													
		2	148	3	5.13	147	+ 3.47	28.1					"		
		6.86													
		5	187	6	19.47	184	+ 7.20	26.1					"		
		7.06													
		5	207	6	6.25	206	+ 4.21	31.0					"		
		7.63													
		3	164	4	345.32	164	+ 1.35	22.0					T.S.		
		2.89													
		1.	185	1½	330.25	185	— ° '	20.2					F.I.		
		4.95													
		4.	96	1½	331.32	96	— ° '	16.7					T.S.		
		6.91													
		5	142	5½	314.00	142	— ° '	15.9					F.I.		
		10.46													
		10	47	10°	275.25	47	— ° '	11.4					T.S.		
		11.03													
		10	104	10½	279.20	104	— ° '	11.1					F.I.		
		10.92													
		10	93	10	214.22	93	2.53	06.8					T.S.		
		10.72													
		7	173	10	201.07	172	4.10	2999.1					T.W.B. of W.		
		9.92													
		8	194	9	206.58	192	5.01	95.0					E.W.		
		10.80													
		9	181	10	203.57	180	1.56	95.9					W.B. of W.		
		9.10													
		7	111	8	211.03	110	1.41	3004.3					E " "		
		8.26													
		7	127	8	221.93	126	1.25	03.8					W " "		
		9.20													
		7	221	8	214.07	220	3.11	00.8					E " "		
		11.36													
		10	137	11	224.56	136	4.07	00.8					W " "		
		9.83													
		3	184	4	232.29	183	3.55	05.0					E " "		
		10.66													
		9	167	10	230.19	163	3.54	00.2					E " "		
		11.09													
		10	110	10	255.41	110	1.59	3008.0					W " "		

Add'n' Inform.

Intersection of Drawn Y.B.'s ..... Bk.
Break in Slope ..... Sw.
Top of Cliff ..... Fl.
Bottom of Cliff ..... Str.
Top of Spur ..... Trl.
Bottom Canyon ..... Pvt.
Side of Canyon S.Cn. ..... Saddle
Top of Bank ..... Swale
Bottom of Bank ..... Flat
Top of Cut ..... Stream
Bottom of Cut ..... Trailman
Top of Fill ..... Pavement
Bottom of Fill ..... Edge of Road
Traveled Rd. Tr. Rd. ..... Oak-O. Fir-Fr.
Fence ..... Pine-Pi. Cedar-Ce.
Int. Fence ..... Sycamore ..... Sy.
Ditch ..... Eucalyptus ..... Eu.
Telephone Pole ..... Pine combinations
Power Pole ..... of these standard
Culvert ..... common abbreviations.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

F.B. 573 Pg. 84

Form 301 16M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rcd. Dunlap Plotted P. T. DUNLAP Job No. 8065 Division No. F.B. 573 Rg. 86
Date 6-21-35 Date JUN 27 1935 Survey of Johnson Rd.
Notes Chkd. Checked C. J. TERRY Survey by Isaacs Notes Date 5-28-35
Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.O.T.		11.22			° '		° '		1						
10A	P.10A	10	123	11—	256 16	123	2 27	300 52			302 1/4		W.B. of W.		
		11.56							2						
		10	157	11—	258 13	157	E. 16	04 4					E " "		
		6.65							3						
		5	166	6—	258 26	166	E. 16	04 1					E " "		
		8.77							4						
		7	178	7 6	274 30	178	. .	13 8					E " "		
		10.66							5						
		9	167	10—	275 50	167	1 39	11 4					E " "		
		11.42							6						
		10	143	11 0	286 42	143	. .	10 4					W. " "		
		9.48							7						
		8	149	7—	281 02	129	1 29	09 2					W. " "		
		8.78							8						
		7	179	8—	285 89	179	1 22	09 4					F. B " "		
		10.81							9						
		9	182	10 2	284 12	182	. .	11 2					E. " "		
		6.73							10						
		5	174	5 6	312 42	174	. .	15 8					W " "		
		9.82							11						
		8	184	8 5	310 37	184	. .	12 9					W. " "		
		10.05							12						
		8	206	8 5	298 47	206	. .	12 9					E " "		
		7.15							13						
		5	216	5 8	299 38	216	. .	15 6					E " "		
		5.07							14						
		3	208	2 9	324 50	208	. .	18 5					W. " "		
		6.15							15						
		4	216	4 5	323 37	216	. .	17 4					W " "		
		4.36							16						
		2	237	2 6	316 38	237	. .	18 8					E " "		
		6.32							17						
		4	234	3 2	318 10	234	. .	16 2					E " "		
		6.52							18						
		5	253	5—	313 50	253	+ 1 10	11 2					T. S.		
		3.25							19						
		1	226	1 3	296 31	226	. .	20 1					S H.		
		6.06							20						
		7	207	5 9	282 27	207	. .	16 4					"		
		4.92							21						
		3	193	4 1	267 36	193		17 3					"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standards abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fe. Dirt Fence ..... D.Fe. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Culv.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Side of Canyon S.Ca. Bank ..... B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draw. Y.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

F.B. 573 Pg. 36

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.O.T.		11.87			° '		° '								
10A	P10A	1.0	188	1 3	215 57	188	—	3010 2			30 21 4		B.R.		
		10.28													
		8.	229	7	230 11	229	1 11	06 6					S.H.		
		10.17													
		8	248	7	211 10	247	2 25	03 1					S.H.		
								3000 3	49		3005 2				
P11	P10A														
		3.26													
		2.	127	2	37 10	120	+ 13 39	32 1					S.H.		
		2.72													
		1.	173	2	47 44	158	+ 17 18	52 6					"		
		3.11													
		2.	112	2	58 10	106	+ 13 27	28 7					S.B. Dr.		
		358													
		2	159	3	63 22	147	+ 15 55	44 4					" "		
		3.04													
		2.	105	2	62 13	100	+ 12 14	25 3					B.Dr.		
		455													
		3	156	1	66 27	145	+ 15 18	41 1					" V Dr.		
		3.06													
		2.	109	2	66 08	103	+ 13 40	48 5					N.B.Dr.		
		2.54					15°								
		1.	155	2	69 34	144	+ 5 38	43 8					" " " P		
		3.17													
		2.	118	2	92 28	107	+ 17 24	37 2					S.H.		
		2.72													
		1.	173	2	93 37	151	+ 20 25	60 1					"		
		2.26													
		1.	127	2	114 30	118	+ 15 22	35 8					"		
		6.87													
		5	111	6	108 25	170	+ 18 22	60 0					"		
		3.52													
		2.	153	3	122 16	145	+ 12 52	35 8					"		
		3.17													
		2.	120	2	143 27	119	+ 3 12	11 0					"		
		9.14													
		8	115	7	168 03	115	— 1 51	29 92 5					T.S.		
		1.67													
		1	68	1	120 27	67	+ 7 52	30 13 5					S.H.		
		6.60													
		6	61	6	161 40	61	—	29 98 8					"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P11	P10A.	2.32	33	16	7°50'	33	° '	300.36			300.62		S.H.		
		2.63	64	2—	55°23'	62	+ 10°01'	13.4					B.D.		
		3.87	88	31	354°42'	88	° '	02.1					S.H.		
		2.06	107	2—	16°41'	106	+ 5°19'	14.2					"		
		9.15	116	9—	314°10'	116	- 2°07'	299.20					Edge W.		
		8 10.02	103	10—	339°09'	103	° '	95.2					W.B. "		
		9 10.22	123	10—	310°06'	123	° '	95.2					E " "		
		9 10.06	106	9—	328°11'	106	- 2°15'	92.0					W edg W		
		9 10.18	79	10—	289°01'	79	- 2°26'	92.0					E.B. W		
		10 9.45	46	9—	302°11'	45	- 10°02'	87.4					W. edg W.		
		9 8.71	72	8—	291°52'	71	- 6°28'	89.0					E " "		
		8 9.62	63	9—	218°07'	61	- 10°55'	84.2					E edg W.		
		9 7.31	32	11	326°22'	32	° '	98.1					W. B. W.		
		1 9.69	70	9—	229°29'	69	- 8°07'	86.5					E " "		
		9 10.36	37	10	191°35'	37	° '	94.4					W " "		
		10 11.48	49	11—	211°14'	47	- 12°03'	84.0					W edge W.		
		11 7.04	105	6—	183°36'	104	- 6°28'	87.5					W. B. W		
		6 8.08	109	7—	185°25'	106	- 9°22'	80.6					W edg W.		
		7 6.17	118	6—	200°07'	115	- 8°49'	81.3					E edg W.		
		5 7.26	127	4—	203°29'	124	- 8°40'	82.4					E. B. W.		
		3 4.71	172	4—	207°42'	170	- 6°35'	81.4					S.H.		
		3													

Add'l Inform.

Notes Rod. Dunlap Platted P. T. DUNLAP Job No. 5065 Division No. F.B. 573 Pg. 47
Date 6-21-35 Date JUN 27 1935 Survey of Subdivision No. Notes
Notes Ckkd. Checked C. J. TERRY Survey by Rancho Map Co. Notes Date 6-28-35
Date Map No. Indexed by C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Use combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... V. Fe. Int. Fences ..... Fi. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Side of Canyon S.Ca. Bank ..... T.B. Bottom of Bank ..... B.B. Top of Slope ..... T.S. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draw, V.D's Break in Slope ..... Br.S. Bottom of Slope ..... T.Sl. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.Sl.

F.B. 573 Pg. 98

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
		4.98							1						
P.11	P.10A	3	149	4	228° 24'	148	− 4.56	2988.5			3005.2		FI.		
		5.14							2						
		4	115	5	220° 16'	113	− 7.03	86.0					"		
		4.31							3						
		3	132	4	251° 58'	131	− 7.09	91.8					"		
		4.90							4						
		4	91	4	251° 00'	90	− 6.77	90.5					"		
		3.39							5						
		2	140	3	277° 23'	140	− 2.55	95.0					"		
		9.30							6						
		3	131	5	300° 12'	131	−	97.0					"		
		6.25							7						
		5	176	5½	299° 17'	176	−	2999.6					"		
Rot.									8						
11A	P.11						−	2987.0	.50		2992.0				
		3.10							9						
		1	24	2	90° 28'	22.7	+ 13.50	3046.0					S.H.		
		3.53							10						
		2	154	3	54° 00'	150	+ 8.01	120					T.S.		
		3.17							11						
		8	218	2	50° 37'	210	+ 11.10	30.0					S.H. ?		
		9.92							12						
		3	143	4	68° 55'	140	+ 8.31	09.0					Fl. - Sl.		
		4.11							13						
		2	212	3	61° 57'	207	+ 9.03	22.1					" + TS		
		2.55							14						
		1	156	2	76° 29'	153	+ 7.41	10.9					T.S.		
		3.88							15						
		2	189	3	78° 74'	185	+ 8.16	178					S.H.		
		2.77							16						
		1	198	2	116° 56'	192	+ 10.20	25.1					"		
		3.94							17						
		2	195	3	73° 58'	191	+ 8.31	18.0					T.S.		
		3.15							18						
		1	216	2	111° 12'	208	+ 10.47	30.0					S.H.		
		3.50							19						
		1	251	2	130° 28'	243	+ 10.27	34.8					"		
		3.47							20						
		1	248	2	121° 50'	238	+ 11.53	40.3					"		
		3.85							21						
		1	286	2	133° 14'	275	+ 11.11	44.6					"		

Add'l Inform.

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.O.T.		4.87			° '		° '								
11A	P#11	2.	288	3	145.38	283	+ 1.22	30258			29920		SH.		
		5.18													
		2.	319	3	139.31	310	+ 9.51	430					"		
		4.56													
		2.	257	3	151.38	256	+ 2.46	015					"		
		11.95													
		9.	246	12 0	169.16	246	— . —	29800					"		
		2.82													
		1.	183	2	150.01	183	+ 1.44	957					"		
		10.96													
		9.	197	10 6	166.32	197	— . —	814					"		
		2.24													
		1.	125	2	133.37	124	+ 3.35	980					"		
		8.38													
		7.	139	7 2	160.22	139	— . —	848					"		
		2.94													
		2.	95	2	116.24	94	+ 4.25	974					T.S.		
		9.89													
		4.	90	4 2	151.59	90	— . —	878					S.H.		
		2.81													
		2.	82	2	86.10	81	+ 6.56	30000					Fn. - S.H.		
		1.49													
		1.	50	1 2	135.26	50	— . —	29907					" "		
		3.39													
		3	40	3	51.31	40	+ 5.01	926					SH.		
		3.17													
		2.	118	2	39.55	117	+ 5.47	30020					T.S.		
		3.75													
		3	76	3	19.43	76	+ 1.59	29917					S.H.		
		2.54													
		1.	155	2	21.57	152	+ 8.02	30117					"		
		2.32													
		1	133	2 0	2.10	133	— . —	29900					"		
		11.23													
		10.	124	11 0	336.53	124	— . —	810					W.B.W.		
		9.11													
		8	112	8 5	313.38	112	— . —	832					S.H.		
		11.29													
		10	130	11 —	333.25	130	— 1.35	810					Wag W.		
		8.64													
		8	65	8 6	332.23	65	— —	834					S.H.		

Add'l Inform.

Notes Rod. Dunlap Plotted P. T. DUNLAP Bas No. Bobb Division No. F.B. 573 Pg. 60
Date 6-21-35 Date JUN 21 1935 Survey of
Notes Chkd. Checked C. J. TERRY Survey by Notes Date 6-21-35
Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Traveled Rd. Tr. Rd. — Fence — Lvt. Fence — Ditch — Telephone Pole — Power Pole — Culvert — Sd. — Str. — Fl. — Str. — Trl. — Pvt. — E. Rd. — Cal. — Oak-S. — Pine-Pl. — Sycamore — Eucalyptus — Pine — Ev. — Fir-Fr. — Cedar-Ce. — Sy. — Eu. — combinations of these and all common standard abbreviations.

Saddle — Swale — Flat — Stream — Trail — Pavement — Edge of Road — Side of Canyon S.Ca. — Bank...T.B. — Bottom of Bank...B.B. — Top of Cut...T.C. — Bottom of Cut...B.C. — Top of Fill...T.F. — Bottom of Fill...B.F.

Interm. of Draw V.D's — Break in Slope...Br.S. — Steep Slope...S.S. — Top of Cliff...T.Cl. — Bottom of Cliff...B.Cl. — Top of Spur...T.Sp. — Bottom Canyon...B.Ca.

Topography Description Legend:
Side Hill...S.H. — Side of Draw S.D. — Side of Ridge S.R. — Head of Draw H.D. — Bottom Draw B.D. — Bottom Wash B.W. — Top of Ridge T.R. — Toe of Slope T.S.

R.B. 573 PG. 90

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.O.T.	P#	1095			° '		° '								
11A	P11	10	96	10	309.38	96	3.17	2976 4			2992 0 4		W.B.W.		
		8.21	22	8 1	291.58	22	- -	839					S.H.		
		11.02													
		10	103	10	306.09	102	4.47	735					W. of W.		
		9.80													
		9	81	9	275.05	80	1.26	725					W. B W.		
		2.91													
		9	92	9	213.38	90	7.35	710					W. of W.		
		8.60													
		8	61	8	270.08	59	9.51	735					B. Brk.		
		9.47													
		9	48	98	203.02	48	- -	822					S.H.		
		9.57													
		9	58	9	225.57	57	5.10	778					T. Brk		
		6.69													
		6	70	6	236.11	67	11.55	717					B "		
		5.79													
		5	80	5	242.33	76	12.07	707							
		10.84													
		10	85	118	191.58	85	° '	802					W. of W.		
		8.18													
		7	119	7	213.13	117	6.45	712					Fm + S.		
		9.27													
		8	128	9	226.14	125	8.00	655					W. B. W.		
		6.95													
		5	146	6	185.55	145	7.11	747					W. of W.		
		6.79													
		5	150	6	208.52	148	6.04	702					S.H.		
		5.06													
		5	207	6	182.43	206	7.32	696					T.H. + S.H.		
		10.20													
		8	221	9	197.49	219	1.47	645					S.H.		
		5.50													
		6	251	7	183.11	249	1.27	650					"		
		7.18													
		5	269	6	95.25	267	5.23	608					"		
		10.10													
		7	311	8	108.30	308	5.23	550					S.H.		
		7.90													
		5	291	6	203 55	288	5 42	570					E of W		
													W.B.W.		

Add'n'l Interm.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.O.T.	P#	198			° '		° '								
11A	11	5. 299		6	209.36	296	5.54	29 554	1		29920		W. eg. W.		
		720													
		4. 321		5	210.41	318	5.07	585	2				E.B.W.		
		747													
		5. 248		6	209.42	245	6.26	584	3				W. eg. W.		
		485													
		2. 286		3	216.00	283	5.29	615	4				E.B.W.		
		616													
		1. 277		5	214.41	274	6.11	572	5				E eg W.		
		616													
		1. 247		5	206.03	244	6.17	600	6				W. S.W. & R.R.		
		640													
		1. 241		5	222.03	238	6.19	605	7				E " " "		
		135													
		5. 236		6	210.41	233	6.18	600	8				E eg W.		
		656													
		5. 157		6	209.59	155	6.09	693	9				S.P. Fn.		
		772													
		6. 173		7	214.21	171	6.19	664	10				W.B. W. & Fn.		
		592													
		5. 193		6	218.02	190	7.09	621	11				W eg W.		
		551													
		2. 252		7	216.18	250	5.19	645	12				Fn. Con.		
		226													
		5. 227		6	223.10	225	5.10	655	13				W. & E.B.		
		920													
		7. 221		8	223.02	219	6.03	608	14				E eg W.		
		791													
		6. 142		7	231.36	139	7.59	657	15				E eg W.		
		550													
		4. 151		5	235.02	148	7.27	675	16				E.B.W.		
		495													
		3. 196		4	238.41	194	5.27	695	17				B.K.		
		883													
		7. 184		8	235.42	182	5.39	658	18				"		
		815													
		7. 116		8	254.07	114	7.51	683	19				E eg W.		
		715													
		6. 116		7	254.40	114	6.26	721	20				E.B.W.		
		455													
		3. 156		4	251.56	155	5.24	734	21				S.H.		

Add'l Inform.

Notes Red. Dunlap Platted P. T. DUNLAP Sec No. 8045 Division No. E.B. 6773 PG. 91
Date 6-21-35 Date JUN 27 1935 Survey of Johnson Ad
Notes Chkd. Checked C. J. TERRY Survey by Johnson Notes Date 6-28-35
Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
POT.	P#	910			° '		° '								
11A	11	8	111	9	281 07	110	6 11	2971 0			2992 0		E eg W.		
	P11	948													
		3	149	9	273 24	145	5 58	65 0					S H.		
		621													
		5	122	6	281 11	121	7	77 4					E B W.		
		1157													
		10	153	11 7	293 07	153		80 6					C.H.		
		927													
		8	130	9	303 01	129	2	74 2					E eg W.		
		936													
		7	137	8	301 54	137	2 09	76 6					I D W.		
		1074													
		9	175	9 5	308 21	175		52 5					C.H.		
		1130													
		10	136	11	318 48	136	2 01	76 2							
													eg W.		
P#12	P#11							29608	48		29656				
		258													
		2	59	3	96 31	56	+ 13 95	76 3					SH		
		491													
		3	192	4	58 26	178	+ 15 19	30108					"		
		347													
		2	148	3	62 08	141	+ 12 33	2994 0					"		
		300													
		1	201	2	77 07	190	+ 13 39	30084					"		
		491													
		3	142	4	74 05	136	+ 11 31	29897					Sw.		
		285													
		1	186	2	98 01	173	+ 15 31	30117					S.H.		
		235													
		1	136	2	97 34	130	+ 12 33	29924					"		
		299													
		1	200	2	114 56	190	+ 12 59	30075					"		
		262													
		1	153	2	114 01	147	+ 11 25	29932					"		
		327													
		1	228	2	122 02	220	+ 10 35	30048					"		
		386													
		2	187	3	126 21	183	+ 8 11	29890					"		
		414													
		2	215	3	131 03	212	+ 6 20	861							

Add'l Inform.

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Inters. of Draw, V.D's Break in Slope ... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff .. B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ... B.Cn.

Side of Canyon A.Cn.
Top of Bank ..... T.B.
Bottom of Bank .. B.B.
Top of Cut ..... T.C.
Bottom of Cut ... B.C.
Top of Fill ..... T.F.
Bottom of Fill .. B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Trl.
Pavement ..... Pvt.
Edge of Road .. E.Rd.

Traveled Rd. Tr.Rd.
Fence ..... Fe.
Int. Fence .. V.Fe.
Ditch ..... Dt.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

P.B. 573 PG. 98

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rcd. Dunlap Plotted E. T. DUNLAP Job No. 8065 Division No. F.B. 572 Pg. 68
Date 6-21-35 Date JUN 27 1935 Survey of Valmar Rd.
Notes Chkd. Checked C. J. TERRY Survey by R. Williams Notes Date 6-28-35
Date Map No. Indexed C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
P 12	P 11	293			° '		° '	2966.9	1		2965.6		
		2 587	194	3	143.52	194	+ 1.03						℄ 8' Rd.
		4 346	188	5	157.39	188	- 2.06	537	2				Brk
		2 1124	147	3	139.29	147	+ 1.32	665	3				℄ 8' Rd.
		10 306	122	11 1	155.41	122		545	4				Brk
		2 968	107	2	127.30	107	+ 3.98	706	5				S.H.
		9 171	69	9 4	156.32	69		562	6				Brk
		1 176	72	1 0	126.20	72		646	7				℄ 8' Rd.
		1 632	77	1	85.36	76	+ 6.59	737	8				S.H.
		6 185	33	6 2	325.55	33		589	9				Brk
		1 433	86	1	50.15	85	+ 7.18	755	10				S.H.
		4 213	34	4 1	359.09	34		615	11				℄ 8' Rd.
		1 188	114	1	29.23	112	+ 7.23	791	12				S.H.
		1 199	89	1 2	6.48	89		644	13				"
		7 923	100	6 8	332.42	100		588	14				℄ 8' Rd
		8 1056	124	8 0	312.45	124		576	15				Top Brk
		10 1113	57	10 2	293.18	57		554	16				T.S.
		10 1157	114	11 4	272.10	114		542	17				T Brk
		11 838	58	12 5	241.04	58		531	18				T.S.
		7 794	139	8	244.23	139	- 2.50	508	19				T.Brk
		7 595	95	7	200.25	94	- 5.25	495	20				T.S.
		4	196	5	220.30	195	- 4.33	450	21				T.Brk

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
#	#	840			° '		° '								
P12	P11	7	141	8	184 08	140	4 19	2947 0			2965 6		T.S.		
		650													
		4	251	5	206 49	249	1 27	41 2					T Brk		
		682													
		5	183	6	177 24	182	1 26	45 2					T.S.		
		764													
		5	265	6	213 40	263	5 16	35 1					W.B.W.		
		710													
		5	211	6	196 50	210	1 21	43 2					Fl.		
		766													
		5	267	6	214 95	265	1 37	38 0					W. eg W.		
		653													
		5	154	6	207 28	153	1 31	46 3					Fl.		
		721													
		5	222	6	219 28	220	1 47	41 0					W. eg W.		
		709													
		6	111 0	6	226 11	109	5 10	50 0					Fl.		
		679													
		5	180	6	237 22	179	1 49	44 5					W eg W.		
		588													
		5	89	5	255 51	88	1 54	53 0					Fl.		
		540													
		4	141	5	262 29	140	1 96	49 0					W eg W.		
		1122													
		10	123	12 2	279 30	123		53 4					W.B.W.		
		632													
		5	133	6	279 20	132	3 41	51 0					W eg W.		
		1039													
		9	140	9 8	304 47	140		55 8					W.B.W.		
		648													
		5	149	6	301 52	149	2 29	53 2					W eg W.		
		1172													
		10	173	11 7	296 48	173		53 9					E eg W		
		888													
		7	189	8 0	295 13	189		57 6					E.B.W.		
		769													
		6	165	7	275 27	165	2 55	50 3					E eg W		
		1083													
		9	184	11 1	275 28	184		54 2					E.B.W		
		592													
		4	193	5	252 52	192	4 18	46 2					E eg W		

Add'n'l Inform.

R.B. 573 PG. 94

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Intern. of Draw.V.D's Break in Slope...Br.S.
Steep Slope.....St.Sl.
Top of Cliff...T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur...T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon S.Cn.
Bank.....S.B.
Top of Bank...T.B.
Bottom of Cut..B.C.
Top of Fill...T.F.
Bottom of Fill..B.F.

Saddle .....Sd.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fe.
Dri. Fence..V.Fe.
Ditch .....Dt.
Telephone Pole T.P.
Power Pole....P.P.
Culvert .....Cul.

Oak-O. Pin-Pi. Sycamore .....Sy.
Cedar-Ce. Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Dunn Map Plotted JUN 27 1935 Page No. 2665 Division No. F.B. 573 Pg. 30

Date 6-21-35 Date Surveyed Robertson Rd.

Notes Chkd. Checked C. J. TERRY Survey by Preceding Notes Date 5-28-35

Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
#14	#13			—	° '		° '	2969 1/2	1 5.0		2974 1/2				
		4.51							2						
		1 489	52	4 1/2	6.41,	52	° '	69 7/8	3				± 8' Rd		
		4 341	90	4 1/2	84.35,	90	° '	70 1/2	4				"		
		3 804	42	3 6/8	84.55,	42	° '	70 5/8	5						
		3 664	105	5 3/8	132.20,	105	° '	75 3/8	6				"		
		6 948	65	6 3/8	146.38,	65	° '	77 3/8	7				"		
		8 1016	149	11 3/8	163.10,	149	° '	62 3/8	8				"		
		9 568	117	10 1/2	175.13,	117	° '	64 1/2	9				"		
		4 160	169	5 —	186.06,	169	2.44,	61 1/2	10				"		
		3 359	161	9 —	200.18,	160	3.31,	60 1/2	11				B. L.		
		2 980	160	3 —	206.21,	158	5.41,	55 5/8	12				± 8' Rd		
		9 760	81	1 7/8	198.50,	81	° '	62 4/8	13				℄ " "		
		3 285	161	9 —	222.02,	156	9.35,	43 9/8	14				S.H.		
		2 929	86	2 —	239.15,	80	14.32,	51 2/8	15				"		
		9 262	30	9 5/8	237.33,	30	° '	64 6/8	16				T. B. R.		
		2 00	63	2 —	301.26,	58	15.48,	55 5/8	17				S.H.		
		489		—	° '		° '		18				℄ 8' Rd	T	1
		4 425	90	4 —	330.02,	87	10.14,	54 3/8	19				S.H.		
		3 454	126	4 —	275.45,	116	16.17,	36 3/8	20				"		
		3	155	4 —	245.14,	146	13.16,	34 2/8	21				"		
				—											

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 513 Pg. 100

Topography Description Legend:
Hill ... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Intersection of Draw Y.D's: Break in Slope ... Bk.S. | Steep Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Escarpment ... T.Sp. | Bottom Canyon ... B.Cn.

Side of Canyon S.Cn.: Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F.

Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road ... E.Rd.

Traverse Rd. Tr. Rd. | Fence ... Fn. | Fences ... V.Fns. | Ditch ... Di. | Telephone Pole ... T.P. | Power Pole ... P.P. | Culvert ... Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Cy. | Sycamore ... Sy. | Eucalyptus ... Eu. | Pine combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P#15	P#14				° '		° '	2953 4	4 7		2958 1				
		370													
		2	171	3	27 46	171	+ 1 06	584					F1.		
		443													
		3	144	4 0	63 00	144		541					"		
		207													
		1	108	1 6	44 55	108		565					"		
		633													
		5	134	6 0	88 05	134		521					"		
		381													
		3	82	3 0	85 35	82		551					"		
		1080													
		9	181	11 0	113 21	181		471					"		
		820													
		7	121	7 2	117 46	121		509					"		
		542													
		3	243	1 —	121 37	242	2 45	426					"		
		390													
		2	191	3 —	178 38	190	2 51	458					"		
		545													
		3	246	4 —	132 05	245	3 00	414					"		
		640													
		9	241	5 —	143 41	240	4 02	361					D.K.		
		773													
		C	174	7 —	162 20	172	6 16	323					S.H.		
		272													
		1	173	2 —	147 08	172	4 22	430					Brk.		
		728													
		6	129	7 —	173 10	126	8 08	330					S.H.		
		1105													
		10	106	10 —	154 17	106		471					Brk.		
		687													
		6	88	6 —	190 99	85	10 57	357					S.H.		
		738													
		7	39	7 4	172 29	39		507					Brk.		
		460													
		9	61	4 —	226 28	56	16 04	380					S.H.		
		449													
		4	50	4 —	284 51	46	16 40	403					"		
		439													
		9	40	4 0	14 31	40		541					Brk.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#15	P#14	359 9 / 3 4 1 7	60	3	335 31	58	11 32	29 43 3	1		29 58 1		S.H.		
		3	118	3 1	16 15	118		54 4	2				B.K		
		10 1 2 9	113	9 1	6 09	113		49 0	3				S.H.		
		2 80 1	181	0 1	12 10	181		51 4	4				B.K		
		10 5 2 9	153	9 E	5 14	153		48 6	5				E 8' Rd.		
		3 00 1	201	2	349 46	198	6 16	34 3	6				S.H.		
		6 9 3	94	6	352 24	93	6 41	41 2	7				"		
		3 9 5 2	146	3	331 29	141	10 50	28 2	8				"		
		4 6 5 4	66	4	308 25	60	17 10	35 5	9				E 8' Rd. + S.H.		
		1 2 2 9	125	2 0	301 45	115	16 45	21 6	10				S.H.		
		4 4 6 9	70	4	261 30	61	20 11	31 4	11				E 8' Rd + S.H.		
		2 9 0	191	2	313 13	184	11 03	20 0	12				T.S.		
		1 6 9 4	95	6	231 16	87	11 57	24 2	13				E 8' Rd.		
		6 2 5 5	256	2	306 43	250	9 05	16 0	14				N. of W.		
		1 3 6 1	262	2	302 11	256	8 55	16 0	15				E of W.		
		1 7 2 9	126	6	213 09	116	16 15	18 4	16				E 8' Rd.		
		6 2 9 0	191	2	288 53	180	13 45	12 0	17				E of W.		
		1 4 7 6	177	4	292 24	165	14 46	10 6	18				N. of W.		
		3 4 6 5	166	4	293 06	156	14 14	14 6	19				W. B. M.		
		2 9 5 5	156	9	189 13	150	11 40	18 3	20				E 8' Rd		
		8 4 5 4	155	4	254 26	140	17 53	08 8	21				N.B.M.		
		3													

Add'l Inform.

Notes Rod. Dunlap Platted P. J. DUNLAP Date 6-21-35 Map No. 8065 Division No.
Notes Clkd. Date JUN 27 1935 Survey of Lehua Ave Rd
Checked C. J. TERRY Survey by Peterson Notes Date 7-25-35
Date Indexed A. C. Johnson Date

F.B. 573 Pg. 101

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#15	P#14	458			° '		° '								
		3	159	4	269.35	134	18.00	29072			29581		N. of W.		
		210													
		1	171	2	269.57	156	17.04	052					S. of W.		
		895													
		1	196	8	195.53	185	13.48	049					E. of R.		
		655													
		5	156	6	236.57	131	18.01	061					N. of W.		
		206													
		3	207	4	239.31	194	14.32	040					S. of W.		
		316													
		1	217	2	239.50	205	13.42	061					S. of W.		
		435													
		2	236	3	223.58	224	12.24	026					" " "		
		680													
		5	181	6	220.13	166	16.37	018					N. of W.		
		962													
		2	263	3	211.50	250	12.47	083					S. of W.		
		774													
		5	225	6	203.54	212	19.11	28988					N. of W.		
		516													
		3	217	4	202.09	204	13.31	29032					N. B. W.		
		510													
		2	311	3	202.45	299	11.30	28945					S. of W.		
		185													
		2	284	3	197.09	273	12.14	955					N. of W.		
		470													
		1	371	3	198.20	359	10.05	910					S. of W.		
		480													
		2	281	3	197.00	269	11.31	986					N. B. W.		
		555													
		2	356	4	197.36	344	10.14	910					N. of W.		
		540													
		2	341	4	189.11	330	10.19	941					N. B. W.		
		199													
		1	197	16	43.08	197		29565					Fl.		
			198.7 Chain	5	145.14		3.00	29401		17.97		12.77			P15x
P15x	P15								42		29450				
		541													
		5	42	5	255.13	39	15.15	2938					SH.		

Add'l Inform.

Topography Description Legend:
Hill ...S.H. Bottom Draw B.D.
Side of Draw...S.D. Bottom Wash B.W.
Side of Ridge...S.R. Top of Ridge T.R.
Side of Ridge...S.R. Top of Slope...T.S.
Head of Draw H.D. Toe of Slope...T.S.

Saddle ...Sd. Traveled Rd. Tr.Rd.
Swale ...Sw. Levee ...Lv.
Flat ...Fl. Fence ...Fe.
Stream ...Str. Ditch ...Dt.
Trail ...Tr. Telephone Pole T.P.
Pavement ...Pvt. Power Pole ...P.P.
Edge of Road E.Rd. Culvert ...Culv.

Side of Canyon S.Ca. Oak ...O.
Top of Bank ...T.B. Pine ...Pi.
Bottom of Bank ...B.B. Cedar ...Ce.
Top of Cut ...T.C. Sycamore ...Sy.
Bottom of Cut ...B.C. Eucalyptus ...Eu.
Top of Fill ...T.F. Pine combinations of these and all common standard abbreviations.
Bottom of Fill B.F.

Inters. of Draw. Y.D's
Break in Slope...Br.S.
Steep Slope...T.S.
Top of Cliff...T.Cl.
Bottom of Cliff...B.Cl.
Top of Spur...T.Sp.
Bottom Canyon...B.Ca.

F.B. 573 Pg. 102

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red Duplex Plotted P. T. DUNLAP Map No. 8065 Division No. R.B. 572 R.S. 103
Date 6-21-36 Date JUN 27 1935 Survey of Johnson Rd.
Notes Chkd. Checked C. J. TERRY Survey by Assistants Notes Date 5-28-35
Date Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical — Angle	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
		500			° '		° '		1						
P15X	P15	4	101	9—	293 13	96	12 [illegible]	29190			29450		S.H.		
		359							2						
		3	60	3—	211 61	55	16 26	258					"		
		189							3						
		1	90	1—	261 11	80	19 11	160							
		194							4						
		1	95	1—	232 52	84	R 41	139					"		
		446							5						
		3	147	9—	240 29	136	15 41	029							
		242							6						
		1	143	2—	271 42	133	15 36	29060							
		286							7						
		1	187	2—	259 17	176	14 07	28989					SH.		
		406							8						
		2	207	3—	245 30	196	13 23	28954					"		
P.O.T.									9						
15A	P.#16			—	° '		° '	29055	4 8		29103				
		406							10						
		2	207	3—	184 32	204	+ 7 15	335					Brk		
		289							11						
		1	185	2—	168 13	185	+ 1 98	131					SH.		
		340							12						
		2	141	2—	190 46	138	+ 8 33	291					Brk		
		229							13						
		1	130	2—	169 10	130	+ 2 09	132					SH		
		183							14						
		1	84	1—	202 49	81	+ 10 28	244					Brk		
		174							15						
		1	75	0 5	169 41	75	—	098					SH.		
		141							16						
		1	42	1—	259 05	40	+ 13 17	189					Brk = P. 15 Y.		
		317							17						
		3	18	3 3	175 22	18	—	070					SH.		
		850							18						
		8	51	8 3	350 15	51	—	020					SH		
		164							19						
		1	65	1—	321 40	65	+ 3 57	29140					Brk		
		315							20						
		2	116	2—	4 33	114	6 36	28950					SH.		
		224							21						
		1	125	0 8	341 52	125	—	29095					Brk		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 573 Pg. 104

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all standard common abbreviations.

Traveled Rd. Tr.Rd. Fence ....Fe. Int. Fence....V.Fe. Ditch ....Di. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Sk. ....Sk. Sw. ....Sw. Fl. ....Fl. Str. ....Str. Tr. ....Tr. Pvt. ....Pvt. E.Rd. ....E.Rd.

Saddle ....Saddle Swale ....Swale Flat ....Flat Stream ....Stream Trail ....Trail Pavement ....Pavement Edge of Road E. of Rd.

Side of Canyon S.Cn. Top of Bank....T.B. Bottom of Bank..B.B. Top of Cut....T.C. Bottom of Cut....B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Top of Slope....T.Sl. Bottom of Slope..B.Sl. Top of Cliff....T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

Intern. of Draw.V.D's Break in Slope ....B.S. Steep Slope ....S.S.

Topography Description Legend:

Side Hill ....S.H. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope..T.S.

Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.O.T.	#	240			° '		° '								
15A	P16	1	141	2	24 34	137	9 31	28852			29103		51.		
		214													
		1	175	2	12 16	170	7 46	7900							
		390													
		3	91	3	40 24	87	12 53	8822					"		
		341													
		2	142	3	28 12	137	10 34	8197					"		
		366													
		3	66	3	84 27	62	14 21	9144							
		334													
		2	135	3	87 49	131	7 51	8447					"		
		499													
		9	95	4	125 02	93	7 38	9371					"		
		258													
		1	159	2	114 48	156	7 14	8811					"		
		470													
		3	141	4	143 07	140	3 33	9775					"		
		513													
		3	214	4	131 25	213	3 44	9255					"		
		496													
		3	197	4	150 20	197	1 31	29011					"		
		450													
		2	251	3	139 12	250	2 45	28954					"		
		642													
		4	243	6 5	152 33	243		29038					"		
P15A	P16							29189	49		29238				
		302													
		1	203	2	183 32	202	+ 4 37	3807					T. Fl.		
		422													
		2	223	3	194 18	222	+ 4 35	3855					"		
		237													
		1	138	2	192 03	137	+ 4 45	3332							
		470													
		2	171	4	208 59	170	+ 4 29	3300					"		
		169													
		1	65	1	217 31	65	+ 3 46	2707							
		321													
		2	122	3	233 05	122	+ 3 15	2771					"		
		254													
		2	55	21	293 13			2144					"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Dunlap Plotted P. T. DUNLAP Job No. 8066 Division No.
Date 6-21-35 Date JUN 27 1935 Survey of Vehicular Rd.
Notes Chkd. Checked C. J. TERRY Survey by Angeles Mesa Notes
Date Date Map No. Indexed A. C. Johnson Date 7-29-35

F.B. 572 Pg. 106

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′								
P15Y	#P16	302							1						
		2	104	2	269° 29′	104	+ 0° 30′	292.25			292.38		T. F. 1.		
		596							2						
		5	97	6 8	325° 55′	97	— ° ′	170							
		532							3						
		4	133	6 2	304° 44′	133	— ° ′	173							
		242							4						
		1	144	2 —	336° 10′	144	— 2° 22′	160							
		269							5						
		1	170	2 —	318° 22′	170	— 2° 41′	140							
		443							6						
		4	44	4 —	74° 59′	39	— 19° 31′	059					P. O. T. 15 A.		
#P16	#P15			—	° ′		° ′	2888°	7 50		2893°				
		340							8						
		1	141	2 —	18° 42′	140	+ 3° 58′	2900 8					F1.		
		460							9						
		2	261	3 —	32° 06′	260	+ 3° 59′	080							
		285							10						
		1	186	2 —	20° 47′	185	+ 3° 55′	038							
		306							11						
		1	207	2 —	39° 49′	206	+ 3° 39′	042							
		221							12						
		1	122	1 —	28° 00′	122	+ 3° 18′	28992							
		358							13						
		2	159	3 —	55° 34′	158	+ 3° 31′	998							
		155							14						
		1	56	1 —	53° 50′	56	+ 2° 35′	945							
		358							15						
		2	159	3 —	78° 32′	159	+ 1° 54′	951							
		274							16						
		2	75	2 3	108° 58′	75	— ° ′	907							
		381							17						
		2	185	1 7	96° 40′	185	— ° ′	913							
		528							18						
		4	129	5 6	123° 23′	129	— ° ′	874							
		435							19						
		2	236	6 7	110° 44′	236	— ° ′	863							
		306							20						
		1	207	2 —	130° 32′	207	— 2° 32′	808							
		488							21						
		2	289	3 —	118° 03′	289	— 1° 33′	824							

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 573 Pg 106

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Inter. of Draw, Y.D's, Top ... T.S.
Break in Slope ... B.S.
Steep Slope ... T.Cl.
Top of Cliff ... B.Cl.
Bottom of Cliff ... T.Cl.
Top of Spur ... T.Sp.
Bottom Canyon ... B.Cn.

Side of Canyon S.Cn.
Wash ... T.W.
Bottom of Bank ... T.B.
Top of Cut ... B.C.
Bottom of Cut ... T.C.
Top of Fill ... T.F.
Bottom of Fill B.F.

Saddle ... Sa.
Swale ... Sw.
Flat ... Fl.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence ... Fe.
Fence, V. Fe.
Ditch ... Dt.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ... Sy.
Eucalyptus ... Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#16	P#15	362			° '		° '								
		1	263	2	132.25	262	2.45	28 78 5			1893 0		Fl.		
		465													
		2	266	2	143.58	265	2.51	72 0					Brk		
		566													
		3	267	4	156.47	264	6.08	61 6					S.H.		
		476													
		3	197	1	193.15	196	3.21	77 0					Brk		
		420													
		2	221	3	158.13	218	6.28	65 4					S.H.		
		331													
		2	132	3	145.02	131	3.47	81 4					Brk		
		552													
		4	153	5	163.06	151	5.	71 0					S.H.		
		475													
		4	76	4	149.01	76	3.29	84 7					Brk		
		605													
		5	106	5	179.29	104	7.51	13 7					S.H.		
		554													
		5	55	5	203.15	53	9.41	78 9					"		
		548													
		5	49	5	280.43	47	9.65	79 7					"		
		167													
		1	68	1.5	358.91	68		91 5					Brk		
		587													
		5	88	5	322.33	88	1.42	80 7					S.H.		
		232													
		1	133	2	3.11	133	+ 1.31	94 5					Brk.		
		542													
		9	143	5	342.30	143	1.53	83 1					S.H.		
		297													
		1	198	2	4.31	198	+ 1.21	97 7					Brk.		
		500													
		3	201	4	350.37	201	0.42	86 3					S.H.		
		450													
		2	251	3	7.30	250	+ 3.14	2904 2					Brk		
		460													
		2	261	2.5	355.13	261		2890 2					S.H.		
		570													
		3	271	4	343.07	271	1.28	83 1					Sl.		
		590													
		3	291	4	332.52	290	2.40	75 7					"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red Dunlap Plotted P. T. DUNLAP Job No. 6065 Division No.
Date 6-24-35 Date JUN 27 1935 Survey of Robinson Rd.
Notes Chkd. Checked C. J. TERRY Survey by Pasadena Notes Date 5-29-35
Date Map No. Indexed E. C. Johnson

E.B. 573 Pg. 147

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 16	P# 15	610			° '		° '		1						
		4	211	5	338 03	211	2 35	2878 7			2893 0		51		
		547							2						
		3	248	4	324 10	247	3 57	72 1					"		
		553							3						
		4	154	5	325 40	153	4 33	75 9					"		
		506							4						
		3	207	4	312 15	205	5 21	69 9					"		
		612							5						
		5	113	5	309 02	111	7 41	73 0					"		
		477							6						
		3	178	4	295 08	175	7 23	66 3					"		
		500							7						
		4	101	4	268 55	97	11 35	69 2					"		
		460							8						
		3	161	4	267 26	156	9 45	62 2					"		
		614							9						
		5	115	5	238 20	110	12 12	64 3					"		
		470							10						
		3	171	4	242 00	165	10 37	58 2					"		
		528							11						
		4	129	5	214 27	123	12 01	61 7					"		
		485							12						
		3	186	4	221 31	180	10 41	55 2					"		
		560							13						
		4	161	5	192 20	155	0 36	59 0					"		
		515							14						
		3	216	4	203 28	209	10 05	51 8					"		
		396							15						
		2	197	3	180 43	191	10 00	56 5					"		
		545							16						
		3	246	4	192 03	239	9 29	49 2					"		
		538							17						
		3	239	4	174 05	233	8 55	52 4					"		
		480							18						
		2	281	3	184 15	274	9 02	46 7					"		
		482							19						
		2	283	3	168 34	277	8 09	50 6					"		
		511							20						
		2	312	4	179 58	305	8 22	44 2					"		
									21						

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P 1	P 16				° '		° '	2853 1	48		2857				
		352													
		1	253	2	43 22	251	+ 4 22	75 2					Fl.		
		483													
		2	284	3	34 30	282	+ 4 39	77 2					"		
		286													
		1	187	2	25 14	186	+ 4 29	70 2					"		
		505													
		3	206	4	41 29	204	+ 5 00	71 8					"		
		324													
		2	125	2	29 16	124	+ 4 32	65 7					"		
		232													
		1	133	2	55 31	132	+ 4 40	66 7					"		
		668													
	?	1	169	1	49 35	168	+ 3 37	67 4					" ?		
		214													
		1	115	2	71 49	115	+ 2 35	61 0					"		
		150													
		1	51	1	109 21	51	+ 0 35	57 3					"		
		373													
		3	74	3 2	146 28	74		54 2					"		
		331													
		2	132	3	121 22	132	+ 1 01	57 2					"		
		327													
		2	128	3	159 35	128	2 04	50 6					"		
		487													
		3	188	4	145 37	188	1 05	50 6					"		
		478													
		3	179	4	166 06	179	1 07	47 6					"		
		450													
		2	251	3	159 15	251	2 22	44 8					"		
		420													
		2	221	3	171 09	220	3 05	43 1					"		
		504													
		2	305	4	169 31	304	2 21	41 1					"		
		565													
		3	266	4	178 36	265	3 10	39 5					"		
		464													
		2	265	3	190 15	263	4 31	33 7					S.H.		
		578													
		3	279	4	200 55	275	6 59	20 3					"		

Add'n'l Inform.

F.B. 573 Pg. 183

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Side of Draw: Y.D's Bk.S. S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Inters. of Draw: Y.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank B.B. Top of Cut ..... T.Cu. Bottom of Cut ..... B.Cu. Top of Fill ..... T.F. Bottom of Fill B.F.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence ..... V.Fe. Iron Fence V.Fe. Ditch ..... Dt. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Culv.

Oak ..... O. Fir-Pf. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
# P17	# P16	492			° '		° '		1						
		3	193	4	190 10	192	4 45	28 37 9			28 57 9		S.H.		
		510							2						
		3	211	4	203 29	208	6 59	28 8					"		
		436							3						
		3	137	4	189 49	136	5 10	41 8					"		
		454							4						
		3	155	4	208 02	152	8 09	32 2					"		
		477							5						
		4	78	4	189 37	77	5 20	46 8					"		
		502							6						
		4	103	5	220 05	100	9 27	36 2					"		
		560							7						
		5	61	5	244 10	58	12 06	40 5					"		
		558							8						
		5	59	5	0 37	59	+ 3 34	56 5					Brk		
		558							9						
		5	59	5	304 12	58	8 32	44 2					S.H.		
		318							10						
		2	119	2	1 08	119	+ 1 27	58 5					Brk		
		615							11						
		5	116	5	335 56	116	3 18	46 3					S.H.		
		483							12						
		3	184	4	1 39	184	+ 1 44	59 3					Brk		
		415							13						
		3	176	4	340 03	176	1 46	48 7					S.H.		
		442							14						
		2	243	3	0 58	243	+ 1 55	62 8					Brk.		
		530							15						
		3	231	6½	347 47	231		51 5					S.H.		
		457							16						
		2	253	3	335 25	252	2 28	44 1					Fl.		
		476							17						
		2	276	3	324 06	275	3 16	39 3					"		
		486							18						
		3	187	4	327 24	186	4 01	40 9					"		
		526							19						
		3	227	4	314 58	226	4 28	36 4					"		
		435							20						
		3	136	4	311 18	134	7 03	37 3					"		
		492							21						
		3	193	4	300 58	191	6 19	33 9					"		

Add'l Inform.

Notes Red. Dunlap Plotted P. T. DUNLAP Page No. 865 Station No. F.B. 572 R.S. 100
Date 6-24-35 Date JUN 27 1935 Survey of Johnson Fd
Notes Chkd. Checked C. J. TERRY Survey by Johnson Notes Date 6-29-35
Date Date Map No. Indexed A. C. Johnson

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
# P17	# P16	416			° '		° '	28 33 7			28 57 9		T.I.		
		3. 472	11.7	4	284 .40	113	10 .15								
		3. 620	17.3	4	279 .32	169	8 .38	28 5					"		
		5	12.1	5	285 .35	117	11 .09	30 3					"		
		483 3.	18.4	4	258 .30	179	9 .27	24 2					"		
		550 4	15.1	5	237 .15	146	10 .02	27 2					"		
		508 2.	20.9	4	241 .16	201	11 .07	14 3					"		
		486 3	18.7	4	224 .10	182	9 .07	24 7					"		
		550 3	25.1	4	219 .04	246	8 .18	18 2					"		
		232 3	23.3	4	216 .56	228	8 .13	21 0					"		
		590 3	29.1	4	223 .07	286	7 .28	15 7					"		
		580 3	28.1	4	211 .31	276	7 .21	18 0					"		
P.O.T. 17A	# P17							28 10 9	48		28 15 7		T. R.		
		478 2	27.9	3	15 .08	277	+ 9 .32	28 34 5					T R		
		592 3	29.3	5	45 .19	291	+ 9 .45	34 9					"		
		425 2	22.6	3	16 .10	224	+ 4 .40	31 0					"		
		432 2	23.3	3	34 .08	232	+ 4 .31	31 1					"		
		263 1	16.4	2	19 .13	163	+ 1 .22	26 2					"		
		474 3	17.5	4	13 .29	174	+ 4 .54	26 7					"		
		307 2	10.8	2	27 .15	107	+ 4 .28	22 0					"		
		331 2	13.2	3	61 .52	131	+ 4 .03	22 1					"		
		163 1	5.4	1	62 .44	54	+ 3 .13	17 8					"		

Add'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D. | Bottom Wash ..... B.W. | Top of Ridge ..... T.R. | Toe of Slope ..... T.S.
Side of Draw ..... S.D. | Side of Ridge ..... S.R. | Head of Draw ..... H.D.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. | Fence ..... Fe. | Ind. Fence ..... V.Fe. | Ditch ..... Dit. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Side of Canyon S.Cn. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Inters. of Draw. V.D's | Break in Slope ..... B.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

F.B. 573 Pg. 1/2

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod Dunlap Platted P. T. DUNLAP Plat No. 8045 Division No. E.B. 573 Pg. 44
Date 6-24-35 Date JUN 27 1935 Survey of Johnson Rd
Notes Chkd. Checked C. J. TERRY Survey by Patterson Notes A. C. Johnson Date 6-22-35
Date Date Map No. Indexed Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.O.T.	#	4.13			° '		° '		1						
17A	P17	3	114	3—	88 30	114	+ 2 25	28 17 5			28 15 7		T.R.		
		2.86							2						
		3	65	3	126 26	65		12 4					"		
		2.62							3						
		4	163	5—	139 03	163	1 24	06 8					"		
		3.21							4						
		4	122	5—	153 28	122	1 34	07 8					"		
		6.00							5						
		4	201	5—	151 01	201	2 42	01 3					"		
		5.72							6						
		4	173	5—	162 03	173	2 28	03 3					"		
		6.40							7						
		4	241	5—	163 10	240	3 46	27 94 9					"		
		5.35							8						
		3	236	1—	168 08	235	3 28	97 4					"		
		5.31							9						
		3	238	1—	183 19	237	4 11	94 4					51.		
		5.63							10						
		3	264	1—	191 30	262	4 56	89 2					"		
		4.78							11						
		3	179	1—	183 03	178	1 22	98 2					"		
		4.08							12						
		2	209	3—	198 40	207	6 53	91 4					"		
		2.91							13						
		4	122	1—	183 09	121	4 53	2801 2					"		
		1.88							14						
		5	154	5—	202 58	152	5 51	27 94 8					"		
		5.66							15						
		3	67	5—	183 44	67	4 38	28 05 2					"		
		6.07							16						
		5	108	5—	211 08	106	6 45	27 98 2					"		
		5.55							17						
		5	56	5—	234 38	55	8 16	28 02 8					"		
		5.54							18						
		5	55	5—	298 20	55	4 38	06 3					"		
		4.95							19						
		4	96	1—	321 49	96	1 51	08 7					"		
		4.43							20						
		3	144	3	337 21	144		11 8					"		
		3.90							21						
		2	191	3—	344 30	191	+ 0 54	15 7							

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
Rot.	P#	1.11			° '		° '								
17A	17	1	72	1	3.30	72	+ 1.28	28 16 5			28 15 7		S1.		
		3.15													
		2	146	3	1.19	145	+ 2.33	21 7					"		
		1.18													
		2	249	3	318.51	249	+ 1.33	18 0					"		
		3.18													
		1	219	2	359.95	218	+ 3.10	25 8					"		
		6.00													
		3	301	1	351.14	301	+ 1.51	21 8					"		
		4.89													
		2	290	3	307.35	289	+ 3.18	29 3					"		
		5.08													
		3	309	3	311.00	307	+ 0.91	15 3					"		
		7.20													
		4	321	4	332.16	321	—	10 9							
		1.12											S1.		
		2	244	3	325.58	244	—	12 4					"		
		4.10													
		3	271	3	306.10	271	— 1.38	06 9					"		
		5.88													
		1	189	6	332.01	189	—	09 5					"		
		6.22													
		4	224	5	318.55	224	— 1.03	04 9							
		5.30													
		1	131	1	313.15	131	— 1.07	06 8							
		5.81													
		4	185	5	301.19	184	— 3.00	00 8							
		6.00													
		5	100	5	348.35	99	— 1.19	02 4					"		
		5.60													
		4	161	5	282.12	160	— 1.17	27 97 2					"		
		5.92													
		5	94	5	260.07	92	— 7.23	78 7					"		
		5.66													
		4	167	5	258.12	162	— 5.45	94 1					"		
		5.12													
		4	114	1	231.58	112	— 1.15	96 3					"		
		5.85													
		4	186	5	237.00	184	— 5.51	91 8					"		
		4.52													
		3	153	1	216.21	151	— 6.55	93 3							

Add'l Inform.

Topography Description Legend:
Hill ... S.H. | Bottom Draw B.D.
Side of Draw ... S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope ... T.S.

Inter. of Draw. V.D's
Break in Slope ... Bk.S.
Steep Slope ... S.S.
Top of Cliff ... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Spur ... T.Sp.
Bottom Canyon ... B.Cn.

Side of Canyon S.Cn.
Top of Bank ... T.B.
Bottom of Bank ... B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F.
Bottom of Fill ... B.F.

Saddle
Swale
Flat
Stream
Trail
Pavement
Edge of Road E.Rd.

Ss. ... Sa.
Sw. ... Sw.
Fl. ... Fl.
Str. ... Str.
Tr. ... Tr.
Pvt. ... Pvt.

Trav'sd Rd. Tr.Rd.
Fence ... Fn.
Int. Fences ... V.Fn.
Ditch ... Di.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ... Cul.

Oak-G. ... Fir-Fr.
Pine-Pi. ... Cedar-Ce.
Sycamore ... Sy.
Eucalyptus ... Eu.
Pine combinations ... Pi.
of these and all common standard abbreviations.

D.B. 573 Pg. 112

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Dunlap Plotted P.T. DUNLAP Book No. 6065 Division No. F.B. 572 Pg. 118
Date 6-24-35 Date JUN 27 1935 Survey of Reinstein Rd
Notes Chkd. Checked C.J. TERRY Survey by Reinstein Rd Notes A. C. Johnson
Date Date Map No. Indexed Date Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
POT.	#	620			V ° '		° '								
17A	P 17	4	221	5	321.52	219	5.40	2788 9	1		2815 7		F.I.		
		600													
		4	201	5	205.35	199	5.44	90 8	2				"		
		570													
		3	271	4	212.01	269	5.18	86 8	3				"		
		535													
		3	236	4	198.12	234	5.19	89 9	4				"		
		610													
		3	311	4	207.38	309	4.52	85 5	5				"		
		585													
		3	286	4	201.02	284	5.04	86 7	6				"		
F# 18	P# 17				° '		° '	2786 3	7 49		2791 2				
		330													
		2	131	3	19.11	131	1.57	92 7	8				Brk.		
		415													
		3	176	4	36.95	176	1.40	81 1	9				S.H.		
		552													
		5	83	5 8	30.35	83	° '	85 4	10				Brk.		
		466													
		3	166	4	58.13	164	1.25	65 9	11				S.H.		
		552													
		5	53	5	66.40	52	7.51	78 9	12				"		
		571													
		4	172	5	73.49	167	9.09	59 5	13				"		
		575													
		5	76	5	116.47	72	12.10	70 7	14				"		
		585													
		4	186	5	81.52	181	9.04	57 2	15				E W. S. [illegible]		
		617													
		5	118	5	141.11	114	10.12	65 6	16				S.H.		
		415													
		3	176	4	105.15	169	11.20	53 4	17				E 6' W.		
		500													
		3	201	4	126.12	194	10.58	49 8	18				"		
		556													
		3	257	4	138.35	250	9.22	46 1	19				E 10' W.		
		594													
		4	195	5	138.55	189	10.00	52 9	20				S.H.		
		547													
		4	148	5	119.26	141	12.19	55 2	21				"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
#	#	5.35			°		°								
P.18	P.17	4.	136	5	90.49	130	11.55	2758 6			2791 2		S.H.		
		6.91													
		5.	98	5	88.44	94	11.52	66 2					"		
	?	5													
		.603	104	5	125.35	99	12.21	64 4					" ?		
		4.33													
		1	34	4	153.00	34	5.27	83 9					B.K.		
		9.75													
		3	176	4	154.29	173	7.[illegible]	64 8					S.H.		
		4.92													
		1	93	4	179.08	93	[illegible]	83 0					B.K.		
		5.10													
		2.	221	4	158.43	218	5.31	64 2					S.H.		
		4.52													
		2	153	4	175.35	153	1.[illegible]	83 2					B.K.		
		1.74													
		2.	275	4	162.31	273	4.28	65 8					S.H.		
		4.92													
		2	243	3	173.31	243	1.36	82 2					B.K. + Tr.		
		6.08													
		3	309	5	165.41	308	3.27	67 6					S.H.		
		5.30													
		2.	331	4	167.10	330	3.18	68 2					S.K. + Tr.		
		4.65													
		2	266	3	172.35	266	1.41	80 7					T.C. Tr Rd.		
		1.65													
		5.	265	6	174.09	265	1.77	78 3					B. out Tr Rd.		
		9.76													
		1	277	8	177.49	277	1.20	76 8					B " "		
		5.83													
		3.	283	6 1	179.41	283	°	85 1					T.C. T. side		
		3.80													
		1	181	5 2	183.16	181	°	85 7					" W "		
		1.86	87	7 0	185.19	187	°	84 2					T out W side		
		4.													
		5.28													
		3	239	5 2	181.38	239	°	86 0					T.C.E. "		
		5.00													
		3	201	4	190.15	201	1.06	83 2					B.C. " "		
		7.02													
		5	203	5 8	191 10	203		85 4					T.C.E. "		

Add'l Inform.

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.
Side of Draw S.D. | Side of Ridge S.R. | Head of Draw H.D.

Intern. of Draw. V.D's | Break in Slope ... Bk.S. | Steep Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn.

Side of Canyon S.Cn. | Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill B.F.

Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr.Rd. | Fence ... Fn. | Ind. Fence V.Fn. | Ditch ... Di. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ... Cul.

Oak-O. | Pine-Pi. | Cedar-Ce. | Sycamore ... Sy. | Eucalyptus ... Eu. | Pine combinations of these and all common standard abbreviations.

P.B. 57 Pg. 114

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod Dunlap Platted P. T. DUNLAP Rds No. 2665 Division No.
Date 6-24-35 Date JUN 27 1935 Survey of Johnson Rd
Notes Clkd. Checked C. J. TERRY Survey by Russell Rd
Notes Date
Map No. Indexed Compared C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
		5 54			° '		° '		1						
P 18	P 17	4 1	160	6 1	205 16	160		278 45	2		279 12		E. edge Rd		
		6 29													
		5	135	5 1	198 07	135		85 5	3				T.		
		4 28													
		4	139	6 2	201 07	139		84 7	4				W. edge Rd		
		572													
		5	73	6 2	206 54	73		85 0	5				F1.		
		4 29													
		3	130	4 —	240 52	130	1 48	83 2	6				E. edge Rd.		
		411													
		3	112	4 —	240 39	112	1 42	83 8	7				W. " "		
		424													
		4	25	4 1	274 37	25		85 5	8				F1.		
		103													
		6	104	6 9	240 21	104		83 3	9				F1.		
		267													
		2	68	2 3	341 02			88 9	10				F1.		
		586													
		5	87	6 5	275 29			83 7	11				"		
		221													
		1	122	0 7	343 13			90 5	12				"		
		609													
		5	105	5 1	307 36			86 1	13				"		
		439													
		3	135	3 5	326 40			87 7	14				"		
P 19	P 18							273 89	42		274 38				
		468						44 8	15						
		2	269	3 —	23 17	269	+ 1 00		16				W. B. M.		
		462													
		2	263	0 5	21 06	263		43 3	17				E. W.		
		469													
		2	260	3 —	19 00	260	+ 0 52	44 7	18				E. B. M.		
		310													
		1	211	1 7	23 22	211		42 1	19				W. B. M.		
		611													
		2	212	3 5	20 53	212		40 3	20				E. W.		
		211													
		1	212	0 8	18 35	212		43 0	21				E. B. M.		
		563													
		4	164	4 1	28 10	164		39 4					W. B. M.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#9	P#8	460							1						
		3	1.61	3 2	21.97	1.61		2740 6			2743 8				
		561							2						
		9	1.62	1 0	25.00	1.62		36 8							
		351							3						
		2	1.52	3	10.28	1.52	+	45 3							
		114							4						
		3	1.15	1	12.21	1.15		36 8							
		397							5						
		2	1.47	2	350.28	1.47	+	57 2							
		508							6						
		1	1.09	0	39.20	1.09		34 1							
		086							7						
		2	0.87	2	291.38	0.86	+	47 9							
		302							8						
		2	1.03	2	36.10	1.03		36 8							
		169							9						
		1	0.65	1 2	11.59	0.65		39 4							
		568							10						
		6	0.67	0	23.41	0.67	4	33 4							
		319							11						
		3	0.20	3 5	0.52	0.20		40 3							
		317							12						
		5	0.78	5	75.50	0.77	6.16	30 4							
		588							13						
		5	0.89	5	76.49	0.89	3.24	34 7							
		537							14						
		5	0.38	5	106.50	0.37	9.08	32 7							
		491							15						
		5	0.92	5	111.55	0.91	5.12	30 4							
		558							16						
		5	0.59	5	164.25	0.58	6.19	30 4							
		583							17						
		5	0.84	5	114.23	0.82	7.20	27 9							
		572							18						
		5	0.73	5	117.10	0.72	6.21	30 8							
		612							19						
		5	1.13	5	150.10	1.12	5.24	28 0							
		513							20						
		4	1.14	1	143.13	1.12	6.17	27 4							
		556							21						
		1	1.57	5	166.50	1.56	4.10	26 2							

Add'l Inform.

Topography Description Legend:
Side Hill ....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Side of Canyon S.Cn. Top of Bank....T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Inter. of Draw.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Obs.-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences..V.Fn. Ditch .....Dt. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Sa. .....Sy. .....Fl. Str. .....Tr. Pvt. .....Pvt. Edge of Road E.Rd.

Saddle .....Sa. Swale .....Sy. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

F.B. 572 Pg. 116

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Dunlap Platted P. T. DUNLAP Rob No. 8065 Division No.
Date 6-24-35 Date JUN 27 1935 Survey of Valuation Rd
Notes Chkd. Checked C. J. TERRY Survey by Kasselman Notes L. C. Johnson Date
Returned

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P19	P18	541 / 4 / 527	122	3	140 19'	120	6 47	2724 8			2743 8		℄ 10 W.		
		4 / 515	128	5	136 55'	127	5 23	269					W. B. M.		
		4 / 580	176	5	151 44'	175	5 07	232					E. B. M.		
		4 / 518	181	5	147 43'	180	4 57	235					W. B. M.		
		4 / 530	179	5	151 27'	177	5 37	214					E. W. 10'		
		3 / 628	231	4	153 05'	229	4 50	205					W. B. M.		
		4 / 530	229	5	158 15'	227	4 59	198					E. B. M.		
		3 / 522	231	4	155 36'	229	5 19	187					E. 10' M.		
		2 / 470	223	4	161 25'	221	1 50	212					In.		
		2 / 471	271	3	158 15'	269	5 13	162					End of M.		
		2 / 476	272	3	161 41'	270	1 15	185					In.		
		2 / 476	277	3	175 10'	275	4 10	208					E. of Rd.		
		2 / 421	276	3	170 43'	274	4 17	203					W. " "		
		2 / 518	222	3	177 46'	221	1 21	238					E. " "		
		3 / 341	219	4	172 07'	218	4 18	235					W. " "		
		1 / 541	148	3	184 32'	147	3 52	310					In. " "		
		4 / 628	147	5	189 03'	147	3 07	296					E. " "		
		5 / 269	136	6	175 15'	135	3 28	297					W. " "		
		2 / 668	68	2	207 39'	68	0 00	414					T. C. "		
		5 / 459	59	5	177 44'	59	4 31	342					E. 7 ft. W. of		
		4	60	4	184 29'	60	3 06	367					W. of Rd.		

Attn'n Inform.

F.B. 572 Pg. 117

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
#4 P19	#1 P18	564			° '		° '	2737 6	1		2743 8				
		5.	65	6 2	208 30	65							F. eg Rd.		
		122							2						
		1.	23	1	301 24	23	+ 3.	45 2					W. eg Rd.		
		150							3						
		1	51	1	283 07	49	+ 7.	51 3					T.C. F eg Rd.		
		2.42							4						
		2.	44	1	258 33	44	+ 1.	45 2					F. eg Rd.		
		2.99							5						
		2.	100	2	37 24	96	+ 13.	60 3					T.C. F eg Rd.		
		6.76	96	6	311 05	94	+ 7.	53 9	6						
		6.													
		4.84	83	2	34 36	81	+ 3.	54 2	7				I eg Rd.		
		3.52													
		1	154	2	330 40	148	+ 10.	70 5	8				W eg Rd.		
		350													
		2	151	3	346 17	147	+ 8.	62 8	9				T.C. E side		
		5.56													
		1	157	5	339 52	152	+ 9.	61 9	10				W. eg Rd.		
		4.16													
		2	217	3	337 24	210	+ 10.	79 8	11				B. cut E side		
		9.10													
		2	211	8	341	206	+ 9.	68 8	12				T.C. " "		
		5.08													
		3	209	4	316	204	+ 8.	71 5	13				B cut " "		
		10.6													
		2	207	2	327 36	202	+ 8.	72 3	14				W. eg Rd.		
		11.5													
		2	266	3	310 32	259	+ 9.	84 5	15				T.C. W eg Rd.		
		10.60													
		5	261	9	342 55	255	+ 8.	74 7	16				T.C. E eg "		
		6.55													
		4	256	5	347 24	250	+ 5.	75 2	17				F. eg Rd.		
		13.8													
		2	259	2	349 02	253	+ 9.	78 3	18				W eg Rd.		
		5.41													
		3	243	4	349 23	233	+ 11.	89 1	19				W. Top cut		
		2.45													
		1	146	2	316 03	138	+ 13.	75 1	20				S. H.		
		2.08													
		11	109	1	298 42	102	+ 14.	69 2	21				B. K		
													S. H.		

Add'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D. | Bottom Wash ..... B.W. | Top of Ridge ..... T.R. | Toe of Slope ..... T.S.
Side of Draw ..... S.D. | Side of Ridge ..... S.R. | Head of Draw ..... H.D.

Inters. of Draws, Y.D.'s in Slope ..... S.S. | Break ..... B.Cn. | Steep Slope ..... T.Cl. | Top of Cliff ..... B.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Side of Canyon ..... S.Cn. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Bottom of Cut ..... B.C. | Top of Cut ..... T.C. | Bottom of Fill ..... B.F. | Toe of Fill ..... T.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Traveled Rd. ..... Tr. Rd. | Fence ..... Fe. | Inf. Fence ..... I.F. | Ditch ..... Dt. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak ..... O. | Pine ..... Pi. | Cedar ..... Cd. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and other standard abbreviations.

F.B. 573 Pg. 112

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#19	P#18	359			° '		° '	2781 8	1		2743 8				
		2 184	160	3	297 55	148	+ 15 76		2				Br-L.		
		1 44	85	1	254 51	81	+ 11 54	60 0	3				S.H.		
		3	143	3	265 36	133	+ 14 30	76 3	4				Br-L.		
		1	121	1	213 19	121	+ 3 18	49 8	5				S.H.		
		2 318	141	3	230 15	137	+ 9 27	63 7	6				Br-L.		
		2	149	3	207 51	149	+ 1 11	43 8	7				S.H.		
		1	177	3	230 09	172	+ 7 26	66 3	8				Br-L.		
		3	236	1	157 33	236	— 1 26	33 5	9				S.H.		
		2	210	1	211 17	208	+ 4 52	57 4	10				Br-L.		
		3	286	4	126 00	286	— 2 13	29 0	11				S.H.		
		2	271	4	201 15	271	+ 0 01	49 2	12				Br-L.		
P.O.T. 19A	#19 P.				° '		° '	2713 5	43		2717 8				
		600					—	13 0	13						
		4 294	101	1 8	18 30	101	—	13 0	14				Sl.		
		2 294	95	1 8	358 15	95	—	16 0	15				B. F. ill		
		2 295	95	2 4	2 22	95	—	15 4	16				Fn.		
		2 438	96	2	355 10	96	+ 1 03	17 5	17				W. eg Rd.		
		4 297	39	4 4	5 30	39	—	13 4	18				Fn.		
		2 298	98	2	344 25	98	+ 1 14	17 9	19				E eg Rd.		
		2 548	99	2	343 06	99	+ 2 11	19 5	20				T.c. E eg Rd.		
		5 437	49	5	35 42	49	— 3 10	10 2	21				Fl.		
		4	38	3 8	0 15	38	—	14 0					Toe Fill		

Add'l Inform.

Notes Red. Dunlap Platted P. T. DUNLAP Plan No. 8065 Division No.
Date 6-24-35 Date JUN 27 1935 Survey of Johnson Rd
Notes Chkd. Checked C. J. TERRY Survey by Assisted Notes Date

F.B. 573 Pg. 102

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw .. S.D. | Bottom Wash B.W.
Side of Ridge .. S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope .. T.S.

Intersection of Draw, V.D's or Break in Slope .. B.S. | S.S.
Side Slope ..... T.Cl. | B.Cl.
Top of Cliff ..... T.Sp. | B.Cn.
Bottom of Cliff .. B.Cl. | T.Sp.
Top of Spur ..... B.Cn. | T.S.
Bottom Canyon .. T.S.

Side of Canyon S.Ca. | Top of Bank .. T.B. | Bottom of Bank .. B.B. | Top of Cut .. T.C. | Bottom of Cut .. B.C. | Top of Fill .. T.F. | Bottom of Fill .. B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road .. E.Rd.

Traveled Rd. Tr.Rd. | Fence ..... V.Fe.
Pipe-Fe. Cedar-Ce. | Ind. Fences .. D.Fe.
Sycamore ..... Sy. | Ditch ..... D.
Eucalyptus ..... Eu. | Telephone Pole .. T.P.
Plus combinations of these and all common standard abbreviations. | Power Pole .. P.P.
Cyp.-Cy. Fir-Fr. | Culvert ..... Cul.

R.B. 573 Pg. 120

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
POT.	P#19	236			° ' "		° ' "		1						
19A		2	37	2 L	234 15	37		2715 6			2717 8		W eg Rd.		
		157							2						
		1	58	1 E	235 31	58		16 3					E " "		
		166							3						
		1	67	1 —	235 31	67	+ 2 19	20 2					T.C. E eg Rd.		
		325							4						
		2	126	3 —	335 31	125	+ 3 16	16 9					S.H.		
		175							5						
		1	76	1 —	315 57	75	+ 5 27	24 0					"		
		153							6						
		1	54	1 —	265 56	53	+ 6 [illegible]	23 2					"		
		221							7						
		2	32	2 6	230 53	32		15 2					T.C. E side		
		527							8						
		5	28	5 —	222 00	28	4 41	10 5					E eg Rd.		
		521							9						
		5	22	6 5	183 00	22		11 3					W " "		
		177							10						
		9	93	11	215 11	93		13 4					S H.		
		623							11						
		6	24	6 —	167 25	24	5 30	09 6					F11 + Toe fill		
		483							12						
		4	84	4 —	194 25	84	1 29	07 8					T C E side		
		643							13						
		6	44	6 —	104 25	43	6 58	06 5					Fl.		
		582							14						
		5	83	5 —	192 16	82	5 22	04 8					E eg Rd.		
		581							15						
		5	82	5 —	178 55	81	5 11	05 5					W " "		
		589							16						
		5	90	5 —	157 00	89	6 1	03 1					Fl.		
		452							17						
		4	83	4 —	175 30	82	6 [illegible]	04 5					Fn.		
		550							18						
		7	151	5 —	165 38	150	[illegible]	26 79 7					Fl.		
		448							19						
		3	149	4 —	186 36	148	4 [illegible]	27 01 4					B.C.04		
		445							20						
		1	146	5 —	177 23	145	1 [illegible]	00 6					Fn		
		448							21						
		3	149	4 —	188 23	148	1 [illegible]	02 5					Toe Cut		

Add'l Interm.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.O.T. 19A	P.19	645			° '		° '		1		27 17 8		W eg Rd.		
		6 546	146	6	179.00	145	4.14	27 01 2	2				SH.		
		4 512	147	5	200.45	147	2.12	07 3	3				W eg Rd		
		3 605	213	4	179.06	212	4.09	26 98 5	4				S.H.		
		1 515	206	5	195.10	206	2.14	27 05 0	5				E eg Rd		
		3 513	216	4	184.10	215	4.05	26 98 8	6				Fn.		
		3 620	214	4	177.46	213	4.25	97 6	7				Fl.		
		4 570	221	5	171.30	220	4.25	95 9	8				E eg Rd		
		3 675	271	4	183.03	270	3.39	97 3	9				Fl.		
		3 470	376	4	173.37	374	4.18	85 8	10				T.C. E side		
		2 576	271	3	185.12	270	2.51	27 01 0	11				Fn.		
		3 480	277	1	178.22	276	3.14	26 96 0	12				S.H.		
		2 578	281	3	192.35	281	1.29	27 08 1	13				W eg Rd		
		3 439	276	1	179.12	275	3.29	26 97 2	14				S.H.		
		1 540	340	3	189.30	340	1.09	27 08 8	15				W eg Rd		
		2 536	341	1	179.15	340	3.09	26 95 8	16				T.C. E side		
		2 570	337	3	184.05	336	2.08	27 02 5	17				Fn.		
		2 435	341	1	178.43	340	3.05	26 95 7	18				E eg Rd		
		1 540	336	3	182.10	335	3.19	95 0	19				Fl.		
		2 590	341	4	173.56	339	4.01	90 0	20				B.C. E eg Rd		
		2 500	391	4	181.50	390	3.25	90 2	21				Fl.		
		1	401	3	175.04	399	4.01	86 9							

Add'l Inform.

Notes Red. Dunlap Platted JUN 27 1935 Job No. 8065 Division No.
Date 6-24-35 Date Survey of Patterson Rd
Notes Chkd. Checked C. J. TERRY Survey by Assessor's Notes
Date Date

P. T. DUNLAP
C. C. Johnson

P.B. 57 73 Pg 81

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.O.T.		790													
19A	P#19	1 600	391	6	183°46'	390	2°—	2698 0			2717 8		T.C.		
		2	401	4	179°16'	400	3°—	907					W edge Rd & Fm.		
		897 5	400	7	188°54'	400	1°—	27034					S.H.		
		755 3	456	5	179°13'	454	3°—	26862					W. edge Rd.		
P#20	P#19				° '		° '	26757	50		2680 7				
		800 3	501	6	3°18'	501	+ 0°—	839							
		700 2	501	5	353°31'	500	+ 1°—	916					T.I.		
		530 1	431	6	0°05'	431	+ 1°—	838					S.H.		
		810 5	376	7	356°29'	376	+ 1°—	837					W. edge Rd.		
		830 4	431	6	0°21'	431	+ 1°—	837					" "		
		1576 7	376	5	0°20'	375	+ 0°—	865					Fm.		
		738 3	339	7	1°05'	339	+ 1°—	802					S.H.		
		812 2	316	4	0°21'	316	+ 0°—	863					T.I.		
		1	340	5	0°19'	340	+ 0°—	821					T.I.		
		710 1	311	3	355°01'	311	+ 1°—	848					"		
		625 3	326	5	0°14'	326	+ 1°—	835					T. edge Rd.		
		410 1	311	3	359°38'	311	+ 1°—	838					Fm.		
		522 1	323	4	359°35'	323	+ 1°—	837					T. edge Rd.		
		351 1	252	2	351°04'	252	+ 1°—	838					W " "		
		446 2	249	3	359°12'	249	+ 1°—	830					I " "		
		451 2	252	3	353°12'	252	+ 1°58'	862					W " "		
													T.C. E side		

Add'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Top of Ridge T.R. | Top of Slope T.S.
Side of Draw S.D. | Bottom Wash B.W. | Top of Ridge S.R. | Toe of Slope T.S.
Side of Ridge S.R. | Top of Slope T.S. | Toe of Slope T.S.
Head of Draw H.D. | Toe of Slope T.S.

Side of Canyon S.Cn. ... Top of Bank T.B. ... Bottom of Bank B.B. ... Top of Cut T.C. ... Bottom of Cut B.C. ... Top of Fill T.F. ... Bottom of Fill B.F.

Side of Draw V.D's ... Top of Slope T.S. ... Bottom of Slope B.S. ... Top of Cliff T.Cl. ... Bottom of Cliff B.Cl. ... Top of Spur T.Sp. ... Bottom Canyon B.Cn.

Interv. of Draw. Bank & Slope ... Top of Slope ... Bottom of Slope ... Top of Cliff ... Bottom of Cliff ... Top of Spur ... Bottom Canyon

Slo.-O. ... Fls.-Fr. ... Pino-Pi. Cedar-Ce. ... Sy. ... Sycamore ... Eu. ... Eucalyptus ... Pl. ... Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. ... Fence ... V. Fn. ... Int. Fence ... V. Fn. ... Britch ... Telephone Pole ... T.P. ... Power Pole ... P.P. ... Culvert ... Cul.

Sa. ... Saddle ... Swale ... Flat ... Stream ... Trail ... Pavement ... Ped. ... Edge of Road E. Rd.

R.S. 573 Po. 128

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. Dunlap Platted P. T. DUNLAP Job No. 8165 Division No. R.B. 273 Pg. 121
Date 6-24-35 Date JUN 27 1935 Survey of Johnson Rd
Notes Chkd. Checked C. J. TERRY Survey by Assistant Notes Date
Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
		447			° '		° '								
		2	248	3	0.55	248	+ 1.07	26823	1		26801		Fn		
		455						872	2						
		2	256	3	344.46	256	+ 2.09						Fl.		
		347						808	3						
		1	248	2	6.40	248	+ 0.30		4				"		
		368						840							
		2	169	3	337.31	169	+ 2.12		5				"		
		283						784							
		1	184	2	9.23	184	. '		6				Fl.		
		383						848							
		2	184	3	347.50	184	+ 2.14		7				T. C. L side		
		280						827							
		1	181	2	350.53	181	+ 1.16		8				L edge Rd.		
		180						807							
		2	181	4	1.21	181	+ 1.19		9				Fn.		
		213						803							
		1	114	0	343.10	114	. '		10				L edge Rd.		
		201						803							
		1	103	0	351.09	103	. '		11				W " "		
		216						820							
		1	117	1	342.11	117	+ 1.10		12				T. C. L side		
		301						789							
		2	102	1	2.56	102	. '		13				Fn.		
		230						823							
		2	131	3	337.24	131	+ 2.02		14				Fl.		
		602						755							
		5	104	5	16.19	104	. '		15				"		
		190						799							
		1	81	0	315.27	81	. '		16				T. C. L side		
		211						785							
		2	78	2	315.27	78	. '		17				L edge Rd.		
		261						782							
		5	62	5	29.17	62	+ 2.26		18				Fl.		
		553						759							
		5	54	4	5.15	54	. '		19				Fn.		
		252						781							
		2	54	2	342.15	54	. '		20				W edge Rd.		
		305						785							
		2	109	2	283.55	109	. '		21				E edge Rd.		
		354						771							
		2	72	3	314.23	72	. '						W. edge Rd.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
		302			° '		° '								
		7	1.03	74	272 10	103		2678 0	1		2680 7		N edge E Rd		
		517													
		5	18	55	20 22	18		752	2				V fences N W		
		334													
		2	1.35	21	275 32	135		786	3				℄ E Rd (24)		
		330													
		3	31	36	277 07	31		771	4				℄ Int Tr Rds		
		104													
		1	5	50	203 39	5		751	5				P pole		
		464													
		4	6.5	44	264 40	65		763	6				edge Rd		
		310													
		2	7.1	72	268 16	71		778	7				T.C.		
		826													
		5	3.7	37	211 17	37		753	8				V edge Rd		
		582													
		5	83	55	216 09	83		752	9				T.C. E side		
		479													
		1	80	41	215 10	80		727	10				E edge Rd		
		681													
		5	70	57	211 12	70		733	11				" "		
		562													
		4	1.63	55	117 36	163		701	12				T.C. E side		
		251													
		4	1.52	55	188 10	152		682	13				W edge Rd		
		166													
		4	1.61	53	145 31	161		683	14				E edge Rd		
		681													
		5	85	53	150 24	85		719	15				T.C.		
		748													
		2	1.49	41	130 32	149		767	16				"		
									17						
									18						
									19						
									20						
									21						

Topographic Description Legend:
Bldg. ... S.H. Bathed Draw Bnd.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Indust. of Draw, V.D's
Break in Slope Br.S.
Slope ... S.S. Top of Cut ... T.C.
Top of Cliff ... T.Cl. Bottom of Cut ... B.C.
Bottom of Cliff ... B.Cl. Top of Fill ... T.F.
Top of Spur ... T.Sp. Bottom of Fill ... B.F.
Bottom Canyon ... B.Cn.

Side of Canyon V.S. Top of Bank ... T.B.
Bottom of Bank ... B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F.
Bottom of Fill ... B.F.

Flat ... Fl.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road ... E.Rd.

Oak ... Oak
Pine ... Pine
Cedar ... Cedar
Sycamore ... Sy.
Eucalyptus ... Eu.
Plus combinations of these and other common standard abbreviations.

Tr. Fence ... Tr. Fe.
V. Fence ... V. Fe.
Ditch ... Di.
Telephone Pole ... T.P.
Power Pole ... P.P.
Culvert ... Culv.

Side of Ridge ... S.R.
Flat ... Fl.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road ... E.Rd.

RG 12

Notes Ck'd by P. T. DUNLAP
Map No.
Computed by P. T. DUNLAP
Checked J. A. LYON JUN 27 1935
Date

Survey of Johnson Rd.
W. O. 5065 Tape No 57 St'd 57 or.
Notes
Date 5-23-35
Indexed A. C. Johnson
6-7-35

F.B. 212 Pg. 125

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

#13 X 1"x12" Pg 6

#12 Set 1x2

#11 Set 1x2

#10 Set 1x2

#10A Set 1x2

#10B Set 1x2

P.O.T. 11A Set 1x2

P.O.T. 10A Set 1x2

P.O.T. 10B Set 1x2

Pt. 28 1x2 Pg 145

Pt. 27 1x2 Pg 145

Beyers Transit Line

N 3° 30' W

151° 27' 30"

169° 14' 45"

N 35° E.

84.36 @ .00 T. 82 = 84.36
300.99 @ 1-31 T. 82 = 300.05
384.41

151-27-30 D
345-60-00 D
151-27-30

218.96 @ 2-59 T. 82 = 278.58

169-14-45 D
216-59-00 D
169-14-45

10.02 @ .00 T. 82 = 10.02
300.00 @ 3-07 T. 82 = 300.55
310.57

94.83 T. 102 = 94.84

300.77 @ 1-03 T. 82 = 300.02
86.75 @ .00 T. 76 = 86.75
386.77

53-27-00 D
233-46-00 D
53-27-00

25° 30'

E 216.58

310.57

26.33

94.84

N 35° E. 386.77

Cont. from Pg 6.

See Pg. 6

F.B. 573 Pg. 126

Cont. bottom next page



145-14-15
220-57-00
145-14-15

300.84 @ 6-34 T. 78 = 298.8 ✓
197.08 @ 3-23 T. 78 = 198.69 ✓
497.55

66.46 @ 1-56 T. 82 = 66.2 ✓
299.95 @ 1-11 T. 82 = 299.13 ✓
365.37

282.66 @ 3-43 T82 = 282.07 ✓

200.80 @ 7-1 T. 82 = 199.30 ✓
299.76 @ 4-0 T. 82 = 299.76
497.06

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by P. T. DUNLAP	Survey of Johnson Tr.	F.B. 573	Pg. 127
Map No.	W. O.	Tape No	St'd
Office Work J. A. LYON	Surveyed by		
Checked J. A. LYON	Notes	Date	
Date JUN 27 1935	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

P. #18 Set 1x2

161-00-45 ①
284-03-00 ②
161-00 45

161°-00'-45"

N. 14° E.

403.10

103.00 @ .00 T .14 = 102.99
300.59 @ 3-10 T .74 = 300.11
403.10

P. #19 Set 1x2 next page

200.14 @ 4-02 T .19 = 299.38
300.58 @ 4-38 T .76 = 299.58
598.96

N. 31°-30' E.
598.96

P. #17 Set 1x2

167-31-00 ①
31-04-00 ②
167 31 00

167°-31'-00"

N. 19° E.

545.87

247.30 @ 1-53 T .78 = 247.16
298.72 @ 4-10 T .78 = 298.11
545.87

P. #16 Set 1x2

151-02-45 ①
244-11-00 ②
151-02-45

151°-02'-45"

429.69

129.67 @ .00 T .76 = 129.66
300.23 @ 2-01 T .78 = 300.03
429.69

P. #15A Set 1x2 preceding page

F.B. 372 PG. 128

159.40 T/00 = 159.42 ✓

P.O.T. #20 B. Set 1x2

P. #20 Set 1x2

31.83

159.42 ✓

Boyers Transit line Per Pg 194-195

To 1x2 # See pg 194

89-05-45" 949.39 ✓

Pd. 1x2 at int. of transit lines See pg 195

101.45 @	00	T. 76 =	101.44 ✓
248.71 @	00	T. 76 =	248.76 ✓
299.75 @	2-45	T. 76 =	299.39 ✓
300.00 @	2-26	T. 76 =	299.80 ✓
			949.39 ✓

89-05-45
359-23-00
89-05-45 ✓

P.O.T. #19A Set 1x2

133.08 @ 00 T. 76 = 133.07 ✓
300.25 @ 1-29 T. 76 = 299.31 ✓
432.38 ✓

N. 0°-00' E.

168-32-15 ✓

168-32-15 D
314-59-00 D
168-32-15 ✓

P. #19 Set 1x2

531.6 ✓
N. 14°-00' E.

233.31 @ 1-58 T. 76 = 232.43 ✓
300.43 @ 5-04 T. 76 = 299.24 ✓
531.6 ✓

P. #18 Set 1x2
See preceding page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend ripes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
U.S.#1634					Del. Sur. 1.1 M. SW. of, E.5 Mi. E. of Elsinore Lake	
U.S.B.M.	3.150	65.723		3057.976	at entrance of C.A. Hitchcocks. ranch S. side of Rd	
					and 10' N.E. of gate. Conc. post with bronze	
					tablet stamped "R43, 1929" painted U.S.B.M. 3058.0	
⊙1	10.760	71.566	1.920	63.806		
⊙2	11.720	85.751	2.535	74.031		
⊙3	11.415	96.855	0.311	85.440		
⊙4	11.045	3107.115	0.785	96.070		
⊙5	11.920	17.545	1.490	3105.625		
P.O.T. #8A	0.870	18.025	0.390	17.155		
⊙6	0.110	06.595	11.540	06.485		
⊙7	7.600	3099.755	11.240	3095.355		
P. #9 A	2.420	94.975	7.400	92.555		
⊙8	4.675	89.395	10.266	84.720		
⊙9	1.820	79.870	11.335	78.050		
⊙10	1.915	70.500	11.885	68.585		
⊙11	1.110	60.170	11.440	59.060		
⊙12	2.130	51.410	11.190	48.980		
P. #10 A.	3.070	46.465	8.015	43.395		
⊙13	1.710	36.755	11.420	35.045		
⊙14	1.545	26.710	11.590	25.165		
P.O.T. 10A	2.780	19.145	10.345	16.365		
	1.820	09.605	11.360	07.785		

Profile Notes Red. Platted Job No. 8065 Division No.
No. Date Date Date Survey of Jellinger Rd. L. B. 573 Pg. 120
X-Sec. Notes Chkd. Checked Survey by Notes Date 7-35
No. Date Date Map No. Indexed Date 6-7-35

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 5573 P.G. 130 Job. No. 2065 Division No. Notes Red Plotted Profile
Survey of Date No.
Survey by Notes Notes Chkd. Checked X-Sec.
Indexed C. Johnson Date Date Date No.

STATION	B. S.	H. I.	F. S	ELEV.
		3009.605		
P.# 11	2.580	3002.890	9.295	3000.310
⊙15	2.200	2993.600	11.470	2991.400
P.O.T. #11A	2.750	82.705	6.695	2986.155
⊙16	1.735	30.460	6.195	28.725
⊙17	1.320	70.980	10.800	69.660
P#12	10.830	71.575	10.215	60.745
⊙18	11.460	82.380	0.675	70.920
⊙19	2.255	89.745	0.590	87.490
P#13	0.310	56.19	3.875	55.870
⊙20	1.470	75.470	11.610	74.000
P.#14	1.205	70.280	6.405	69.075
⊙21	1.915	60.460	10.675	58.605
P.#15	1.755	55.175	7.070	53.490
⊙22	1.890	45.795	11.270	43.905
⊙23	1.435	36.350	10.880	34.915
⊙24	0.645	25.635	11.360	24.990
⊙25	1.310	15.660	11.285	14.350
P.O.T. 15A.	1.090	06.550	10.200	05.460
⊙26	2.000	2898.510	10.040	2896.510
⊙27	3.405	95.300	6.615	91.895

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.
		2895.300		
P. #16	1.105	97.920	7.315	87.985
028	1.920	90.380	10.620	78.460
029	0.950	70.385	10.745	69.435
030	1.550	61.195	10.740	59.645
P. #17	2.355	56.500	8.050	53.145
031	1.065	45.460	11.105	44.395
032	0.850	35.175	11.135	34.325
033	1.700	26.045	10.830	24.345
034	1.515	16.710	10.850	15.195
1.O.T. #17A.	0.810	11.690	5.520	10.880
035	1.520	02.085	11.135	00.565
036	2.130	2794.100	10.115	2791.970
P. #18	1.320	97.595	7.775	96.275
037	1.955	78.310	11.270	76.355
038	1.325	68.605	11.800	66.820
039	1.555	59.240	12.470	57.715
040	1.310	49.405	11.145	48.095
P. #19	1.880	40.740	10.545	38.860
041	1.795	31.190	11.395	29.395
042	0.095	22.385	8.900	22.290

Profile Notes Red. Platted Job No. 2666 Division No. L. B. 2/12 Pg. 31

No. X-Sec. Date Date Survey of Compressor Sta.

No. Date Notes Chkd. Date Checked Date Survey by A. C. Johnson Date

Map No. Indexed Notes

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 5/13 P. G/32 Job. No. 6065 Division No. Notes Red Plotted Profile No.
Survey of Railroad Yard Date Date X-Sec.
Survey by Assistants Notes Notes Chkd. Checked No.
Indexed A. C. Johnson Date 5-4-35 Date Date

STATION	B. S.	H. I.	F. S	ELEV.		
		27 22.385				
T.O.T. 19A	0.540	14.025	0.700	13.485		
043	0.760	03.605	11.180	02.845		
044	0.125	2692.160	11.270	2692.035		
045	9.320	88.465	9.010	84.145		
046	2.610	82.165	9.710	78.555		
T. #20			6.180	72.685		
U.S.B.M. #1651			5.360	2676.805	T.1N. R.14W. near Cor. Secs. 23, 24, 25 + 26 at junction of and 20' W. of 4th St. Rd. in P. pole painted U.S.B.M. 2677.0. railroad Spk has been pulled out. Check in on Sp. hole where Spk. had been. El. 2677.00 final '28 adj.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

BENCH LEVELS OVER "P" LINE FOR TRANSIT TOPOGRAPHY

J.D. Boyer
R.L. Wiley
G.W. Schaffer
C.H. Morrison
P. Pierce

Profile No.____ X-Sec.____ Notes Red.____ Date____ Date____ Checked TIMMONS Platted____ Date____ Survey by Boyer Job No. 8065 Division No.____ Survey of Johnson Ranch Notes____ Date____ L.B. 573 Pg. 125

STATION	B. S.	H. I.	F. S	ELEV.		
B.M.	3.822	3534.662		3530.84	U.S. 1655 T.B.M. - Elizabeth Lake, 1.2 Mi E. of, at summit of Road over Portal Ridge, 30ft. N of Rd.; 2x4 post with copper nail and washer Painted "U.S. 3530.8 B.M." Field Elev. 3530.817	
P#1			1.252	3533.41	1x2 P Line 30'± NW of B.M.	
T.P.	0.125	3523.105	11.682	3522.980		
T.P.	0.305	3511.938	11.472	3511.633		
T.P.	0.516	3500.802	11.652	3500.286		
P#2	0.363	3492.509	8.656	3492.146	1x2 P Line S 8x Hash.	
T.P.	0.765	3481.914	11.360	3481.149		
T.P.	1.156	3471.342	11.728	3470.186		
P.O.T. #2A	0.352	3461.761	9.933	3461.409	1x2 P Line 30 ± So & T.R.	
T.P.	0.250	3450.581	11.430	3450.331		
T.P.	1.138	3441.686	10.083	3440.548		
P.O.T. #2B	1.062	3435.371	7.377	3434.309	1x2 P Line 50'± N & T.R.	
T.P.	0.735	3424.747	11.359	3424.012		
T.P.	0.581	3414.513	10.815	3413.932		
T.P.	3.583	3406.671	11.425	3403.088		
P#3	0.860	3400.333	7.198	3399.473	1x2 P Line S Slope Ridge	
T.P.	0.684	3389.092	11.925	3388.408		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 573 P.G. 134 Job No. 2065 Division No. Notes Red Plotted Profile
Survey of Johnson Road Date Date No.
Survey by Boyer Notes Schaefer Notes ROBERT E. TIMMONS Checked X-Sec.
Indexed 4. C. Johnson Date 3-29-35 Date Date No.

STATION	B. S.	H. I.	F. S	ELEV.	
TP	0.62	3378.123	11.589	3377.503	Hard Wind Blowing
TP	1.539	3368.480	11.182	3366.941	
P#4	0.207	3358.217	10.470	3358.010	1×2 P Line S Slope Ridge
TP	0.403	3347.432	11.188	3347.029	
TP	1.10	3336.858	11.674	3335.758	
POT #4A	0.842	3327.918	9.782	3327.076	1×2 P Line S. Slope Ridge
TP	0.096	3316.362	11.652	3316.266	
TP	0.774	3305.371	11.765	3304.597	
TP	1.932	3297.673	9.63	3295.741	
P#5	0.635	3293.008	5.30	3292.373	1×2 P Line S Slope
TP	0.339	3281.929	11.418	3281.590	
TP	0.589	3270.941	11.577	3270.352	
P#6	0.662	3259.737	11.866	3259.075	1×2 P Line S. Slope
TP	0.80	3249.296	11.241	3248.496	
TP	0.59	3238.725	11.161	3238.135	
TP	0.957	3228.318	11.364	3227.361	
TP	0.913	3217.626	11.605	3216.713	
TP	2.488	3211.691	8.423	3209.203	
P#7	0.64	3204.802	7.529	3204.162	1×2 P Line S Slope
TP	0.647	3194.121	11.328	3193.474	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		3194.121				
TP	0.247	3183.769	11.099	3183.022		
TP	1.544	3173.905	10.908	3172.361		
POT #7A	1.661	3167.272	8.294	3165.611	1x2 P Line 10± N draw	
TP	0.569	3156.481	11.360	3155.912		
TP	0.565	3145.786	11.260	3145.221		
TP	0.762	3135.178	11.370	3134.416		
P #8	0.722	3127.038	8.862	3126.316	1x2 P Line S Slope	
TP	0.540	3116.162	11.416	3115.622		
TP	0.984	3105.496	11.650	3104.512		
P #9	0.748	3097.564	8.680	3096.816	1x2 "P" Line	
T.P.	1.020	3087.067	11.517	3086.047		
TP	0.488	3075.945	11.610	3075.457		
TP	1.447	3067.386	10.056	3065.889		
U.S. #1654 B.M			9.360	3057.976	U.S. 1654 P.B.M. Fd. Conc. Post x Brass Tablet Stamped R 43-1929 S.E. Rd 40' N.E. of gate to Hitchcock Ranch. Elev. 3057.976 see P. 129	

Copied From small size sheets by A.C. Johnson
Ckkd. by A.E. Timmons

Profile
No. X-Sec.
Notes Red. Platted Job No. 6065 Division No.
Date Date Survey of Johnson Road
Notes Ckkd. by A.E. TIMMONS Checked Survey by A.C. Johnson Notes Willy Date 4-1-35
L.B. 573 PG. 195

L.B. 573 P.G. 136 | Job. No._____ Division No._____ Notes Red_____ Plotted_____ Profile

Survey of_____ Date_____ Date_____ No._____

Survey by_____ Notes_____ Notes Chkd._____ Checked_____ X-Sec.

Indexed_____ Date_____ Date_____ Date_____ No._____

STATION	B.S.	H.I.	F.S	ELEV.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by _____
Map No. _____

Survey of Johnson Road
W. O. 8065 Tape No. 57, 58 St'd 8" E.

Checked _____
Date _____

Notes Boyer Dec 1935
A. C. Johnson
Indexed 4-9-35

F.B. 573 Pg. 135

Survey to Locate Johnson Rd in T.7N. R.14W.

C.S.B-1068 (Boundary)

C.S.B-1073, 182 (Sec. Lines) H.C. 6-72-1, 2

Surveyed at request of Mr. Walter Keith of Rd. Dept

Pg 247
Pg 232

J.D. Boyer
G.W. Schaefer Jr.
H.W. Gunderson
C.H. Morrison

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAK. ING CHANGE

Do not upload notes, file, fold, or this Box

FORM 347 10M 8-31

F.B. 573 Pg. 136

INDEX MAP

T.7N.R.14W.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by McThurson
Map No. B-1073
Checked
Date Oct. 1939

Survey of Johnson Road
W. O. 8006 Type No. 58 St'd 84 or.
Notes
Indexed A. C. Johnson

F.B. 573 Pg. 37

To bottom Page 136

T = 56°

299.98 @ 0°00 = 299.98
68.59 = 68.59
368.57
- .07

28.7 @ 16°04 = 28.59

T = 56°
300.21 @ 1°21 = 300.13
300.51 @ 1°30 = 300.41
300.30 @ 1°44 = 300.16
300.27 @ 3°03 = 299.89
61.91 = 61.91
1263.65
- .23
12 62 82
391.90
1654.72
368.50
2023 22

T = 52°
299.77 @ 2°5C = 299.38
92.60 = 92.60
391.98
- .08

31.2 @ 41°17 = 28.45

Sec 28 T 7 N R 14 W

Ed. B.C. Mon. Corto Sec 28, 29, 32 & 33 T 7 N R 14 W.

Traveled Road

Wire Fence

20' bank

Ed. 30 Power Lines

Set SW T 84 PDT

FB. Post M 80 Sec FB 84-115

To B.C. Mon SW Cor Sec FB 84-116

90°00' 180°00'

50°00'

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.72, C-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

FORM 247 10M 8-31

To bottom Page 137

F.B. 573 Pg. 138

W.S. 72, F-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

36+50 AT 38
Set 1x2" # 6
Top Nail S. Spur

36.5

T= 54°
220.49 = 220.49
300.18 @ 3°29 = 299.62
53.30 @ 9°03 = 52.64
252.82 @ 4°18 = 252.11
829.86
10

824.70

Wire Fence

22.4

Set 1x2 #
Top Nail S. Spur
28+22.68
5

190.62 @ 10°37 = 187.36
03

187.33

SURVEYOR

Sec 28
T 1 N R 14 W

Sec 33

Set 1x2 POT # 4
26+35.35

18.5

36.2

Replaced 2"x2" with 2" I.P. with brass cap marked as shown in conc. 1' above. 1-B-36

Fd old split white 2x2 in old rock md, 26+32.73

26+36.10 R/C

55.62
21.46
00.00

172.13
42.2

T=56°

300.68 = 300.68
300.03 @ 3°30 = 299.47
15.09 = 15.09
615.24
11

Edison Power line

Wire 18.0

Fence 13.3

20+23.22
6 12.13
26+35.35
1 87.33
28+22.68
8 24.70
36+47.38

14'
12.3

P.P. angle pt

138.1

Set SW x T # 3
20+23.22

From Top Page 135

Notes Ck'd by M^cPherson	Survey of Johnson Road	F.B. 573	PG. 139
Map No. B-1073	W. O.	Tape No. 58	St'd 84 °F.
Office Work Complete	Surveyed by		
Checked M^cPherson	Notes Bayer	Date Dec 1934	
Date Oct. 1939	Indexed C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 8-31

Set 1x2 #7 15+~~20.00~~ 03.59

To bottom Page 140

553.61

T = 44°
298.61 @ 1°28 = 298.33
256.18 @ 1°24 = 255.42
553.75
- 14
61

Road

Set nail 39+~~46.80~~ 49.98

Sec 28 T1N R14W

Sec 33

15.5 6.0 18' 22'

Traveled

Fence

38' 81.5

799.57 60

T = 42°
300.28 @ 3°37 = 799.68
- 08

36+47.38
2 99.57
39 16.95
5 52.56
45 00.51

Wire

74'

105 @ 12°28 fence

36'

102.6

Set 1x2 #6 36+~~47.38~~ 50

From Top Page 134

F.B. 573 Pg 140

To bottom Page 141

Sec 27

Sec 34

Sec 33

Sec 28 T1NR1AW

Traveled

Traveled

Road

Road

Set 1x2"⊕

52+~~60~~ 87.75 ✓

Sec. Cor. Set
Co. Sur. Mon. Pg. 152

58+72.6

58+62.62

19.0

26.0

177

10'

79.89 ch rec

5272.74

167.87

18.0

T= 44°

299.70 @ 5°21 = 288.39
300.42 = 300.42
69.04 = 69.04
667.85

95+00.51
- 16.97
46+16.98
6 67.62
52+84.60

139

53.0

26.0

62.0

Set 1x2"⊕
46+~~60~~ 20.09 ✓

T= 44

116.51
03

116.48

Travelled

22.5

37.0

59.0

Set 1x2"⊕
46+~~60~~ 03.59 ✓

From Top Page 139

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Road
Map No. B-107.3	W. O. 8065 Tape No. 58 St'd 8# OF.
Checked McPherson	Notes Boyer Date 12-31-34
Date Oct 1939	Indexed C Johnson

F.B. 573 PG. 141

Set 1X2 on true Sec. Line

65+58 61.71

Set 1X2 #11

19.36

243.00

T = 52

293.57 @ 7°42' = 290.89
54.82 @ 17°52' = 52.18
343.07
- .07

P.#1.A See pg. 2

Set 1X2 #10 (See pg. 2)

62+ ~~54.48~~ 18.71

7.2

4.0

930.96

12.00

Sec 27

Sec 34

Traveled

297

212

123

177.0

2.4

2.40

52+84.60
9 30.88
62+15 48
3 93.00
65+58 48

T = 44°

300.20 @ 3°38 = 299.66
300.41 @ 1°56 = 300.29
297.79 @ 5°49 = 295.76
35.53 = 35.53
931.18
.23

Set 1X2 #9

From top Page 140

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 8-31

To bottom Page 143

F.B. 573 Pg 142

W.S. 72, C-5

~~88+67.79~~
87+71.02 ✓

Set 1x2 #16, Top N & S spur

T = 54°
294.16 @ 9°14 = 290.35
276.27 ——— = 276.27
105.92 @ 16°47 = 101.41
668.03
- .13

667.90 ✓

81+03.12 ✓
~~76+00.85~~

Set 1x2 #15 Top N & S spur

187.42 ✓

T = 54°
296.79 @ 17°44 = 282.69
292.47 ——— = 292.47
575.16
- .11

75.85 ✓
90°
DRAW
379'
575 ✓
79+15.70

#Sec. Cor. Set 2" I.P. with brass cap marked as shown in conc. 5" above Surf. 1-23-36

COUNTY SURVEYOR
ANT. INC.
27
34
#Cor.
RE 2.17
R. 14 W.

75+28.07 ✓
~~73+24.84~~

Set 1x2 #14 Top N & S spur

T = 52°
143.57 @ 11°13 = 140.82
279.01 @ 8°31 = 275.93
416.75
- .09

416.66 ✓

Sec 27
T 7 N
R 14 W

Sec 34

71+11.41 ✓
~~69+08.16~~

Set 1x2 #13 Top N & S spur

T = 52°
105.53 ✓

~~68+02.65~~
70+05.88 ✓

Set 1x2 #12 Top N & S spur
Just E. of summit

T = 52°
277.32 @ 2°43 = 277.01
168.07 @ 5° 39 = 167.25
444.26
- .09

65 58.48
294.17
68+02.65
105.53
6310 8118
416.66
73+24.84
5 75.05
78+99.89
6 67.90
85+67.79

794.17 ✓

Set 1x2 on true Sec. Line

65+61.71 ✓
90°
49.36

Set 1x2 #11 Top N & S spur

From top Page 141

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Road	F.B. 573	Pg. 143
Map No. B-1073	W. O. 8065 Tape No. 58 St'd 8A of.		
Office Work Completed	Surveyed by		
Checked McPherson	Notes Boyer Date 1-2 39		
Date Oct. 1939	Indexed A. C. Johnson		

To bottom Page 144

179° 14' 30
356° 58' 00

179° 14' 30

108+29.62
Set 1x2 #20 S. Slope E & W Ridge

T = 58°

290.76 @ 5° 20 = 289.50
144.89 @ 3° 14 = 144.66
434.16
- .07

105+92.34 rec

34.09

Sec. Cor. Set
& S. Mon. Pg 170 3896 = 2 705 + 68.78

80.60 ch rec

103+95.53

5319.60

3941

Set 1x2 #19 Top E & W Ridge

Set 1x2 on
True Sec. line

T = 58°

205.36 @ 14° 02 = 199.23
226.20 @ 11° 43 = 221.49
73.55 @ 2° 13 = 73.49
494.21
- .08

Sec 34

494.13

Head draw

99+01.40

Set Nail Top N & S spur

T = 56°

293.49 @ 3° 49 = 292.84
88.70 @ 15° 05 = 85.64
57.32 @ 2° 41 = 57.26
435.74
- .08

Head Draw

435.66

94+65.74

Sec 27

T 7 N R 14 W

Set 1x2 #18 Top N & S spur

T = 56°

295.71 @ 0° 46 = 295.68
25.93 = 25.43
321.11
- .06

321.05

Head Draw

85+67.79
3 73.67
89+41.46
3 21.05
92+62.51
4 35.66
96+98.17
4 94.13
101+92.30
4 34.09
100+58.39

91+44.69

Set 1x2 #17 Top N & S spur

T = 54°

373.67

162.22 @ 9° 52 = 159.82
215.18 @ 6° 10 = 213.93
373.75
- .08

Draw

Set 1x2 #16

87+71.02

From Top Page 142

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, D-5

FORM 247 10M 5-31

To bottom Page 145

F.B. 573 Pg. 144

106+26.39
10 59.86
116+86.25
3 76.86
120+63.11
3 43.76
124+06.87
2 40.18
126+47.05
1 24.21
127+71.26
1 61.70
129+32.96

Set 1x2 #26 E Slope
~~128+31.96~~
131+36.40
T=54°
177.52@24°21 = 161.73
161.70 .03

129+74.70
~~127+71.26~~
Set 1x2 #25 E Slope
T=50
128.59@14°56 = 124.25
124.72 .53

128+50.48
~~126+47.80~~
Set 1x2 #24 Top Ridge
T=50°
245.51@11°53 = 240.25
240.20 .05

Ridge

126+10.28
124+06.87
Set 1x2 #23 Top N.E Ridge
T=50
55.49@10°[illegible] = 54.87
285.61@2°12 = 289.30
343.80 343.87
.07

122+66.48
~~120+61.80~~
Set 1x2 #22 N. Slope
T=50°
295.87@8°14 = 292.87
84.36@4°00 = 84.10
376.97
376.89 .08

Sec 26 T7N R14W

80 ac ch rec

118+89.59
~~116+86.25~~
Set 1x2 #21 N. Slope
T=52°
107.79@8°21 = 106.65
221.40@30°50 = 218.15
55.87@14°50 = 54.00
73.38@21°30 = 68.27
298.30@11°05 = 292.82
74.60@10°22 = 73.91
21.15 = 21.15
1060.19
1059.97 .22

Head Draw

108+29.62
~~106+26.39~~
Set 1x2 #20

From Top Page 143

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Road	F.B. 573	Pg. 145
Map No. B-1073	W. O. 8065 Tape No. 58 St'd 84 °F.		
Checked McPherson	Notes Bayer Date Jan 3 '39		
Date Oct. 1939	Indexed A. C. Johnson		

To bottom, Page 146

141+59.85

Set 1x2 # 29

T = 54°
229.10 @ 16°40 = 219.48
246.21 @ 15°00 = 237.82
457.30
09

457.21

Set 1x2 # 28 137+02.64

T = 54°
241.31 @ 1°37 = 241.21
01

Traveled
+ Wire fence
Road
Main
96.
241.17
Wash
108.
77.0

Sec 26 T 1 N R 14 W

Sec 35

129+32.96
3 25.07
132+58.03
2 41.17
134+99.20
4 57.21
139+56.41

Sec 3

Set 1x2 # 27 E Slope 134+61.47

T = 54°
298.30 @ 21°12 = 278.11
47.02
325.13
00

Set P. 125
See P. 125
Set 64 Nail
Pol. 10.8
25.00
58.71
132+19.73
Power
Line
83.33
24.

1 Sec. Cor. Set 1" I.P. with brass cap marked as shown in conc. 5' above surf. 1-29-36

Set 1x2 # 26 131+36.40

COUNTY SURVEYOR
T. 1 N.
R. 14 W.
26
35
FLOOD CONTROL R.E. PLAT

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 72, D-5

FORM 847 10M 8-31

F.B. 573 PG 146

Set 1x2# 33 158+34.83

T=54°
281.70 @ 3°54 = 281.05
236.40 @ 1°42 = 236.30
517.35

Power Line

517.25

177

Set 1x2# 32 ~~156+34.14~~ 153+17.58

533.74

Wash

T= 54°
175.56 @ 0°00 = 175.56
286.84 @ 20°08 = 269.31
90.36 @ 10°04 = 88.97
533.84

Sec 26 T7NR1AW

116

Traveled Road

11'

Set 1x2# 31 147+83.84

T= 54
56.21 @ 11°03 = 55.17
151.91 @ 21°16 = 141.56
298.22 @ 17°00 = 285.19
72.74 @ 9°10 = 71.81
553.73

139+52.41
70.37
140+26.78
5 53.62
145+80.40
5 53.74
151+34.14
5 17.25
156+51.39

553.62

Set 1x2# 30 142+30.22 ~~140+26.78~~

70.37

T=54°
70.44 @ 2°20 = 70.38

Set 1x2# 29 141+59.85 ~~138+56.41~~

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Road	F.B. 573	Pg. 149
Map No. B-1073	W. O. 8066 Tape No. 58 St'd 84 °F.		
Checked McPherson	Notes Boyer Date Jan 3 & 4-39		
Date Oct. 1939	Indexed A. C. Johnson		

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.72, D-5

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

174+33.59 ~~172+50.10~~
Set 1x2" 37 bottom flat draw N.S
T = 48°
296.27 @ 22° 08 = 274.44 06

274.38

58.00
Set 1x2" 36 171+59.21 ~~169+75.73~~

T = 48°
295.32 @ 11° 39 = 289.25
179.56 @ 12° 08 = 126.67
88.82 @ 3° 06 = 88.69
509.61
12

504.49
Draw

Sec 2
T 1 N R 14 W

166+54.72 ~~164+71.28~~
Set 1x2" 35 E. edge Spur
T = 50°
71.62 @ 0° 00 01

71.61

Fence

Sec 36

Wire 66'
Set 1x2" 34 ~~163+99.67~~ 165+83.11

T = 52°
298.67 @ 19° 59 = 280.69
293.03 @ 4° 10 = 292.24
182.57 @ 15° 59 = 175.51
748.44
16

Draw

150+51.39
+ 48.28
163+99.67
71.61
164+71.28
04.45
169+75.73
+ 74.37
172+50.10

748.28

336

Replaced 2X2 with 2" I.P. with brass cap marked as shown in Conc. 4" above surface 1-28-36

COUNTY SURVEYOR
T.1 N.
R.14 W.
25 | 30
26 | 25

75.00

Set hewn 2x2 NW Cor. Cor. F.P. No 3x4 RW found Sec L.S. 16-46 Fd. Rusty nail in pot. of rotten wood from. Cor. F.P. This is probably the point used for Sec. Cor. in L.S. 16-46

5.30
3.00
75.00
35.00

Set 1x2" 33 ~~156+54.33~~ 158+34.83

from Top Page 146

FORM 247 10M 8-31


F.B. 573 Pg 148
Fd. B.C. Conc. Mon. E. 1/4 Cor Sec 25
Broken Wirefence
Cor. H.P. 0.6' North
T=48°
117.65@1°41 = 117.60
4.51 = 4.51
300.40@2°43 = 300.06
300.46@2°06 = 300.26
243.00 = 243.00
107.49@5°52 = 106.93
297.28@8°46 = 293.81
132.29@12°44 = 129.04
299.65@10°21 = 299.55
299.34@2°08 = 299.13
299.20@1°54 = 299.04
54.10 = 54.10
2447.03
57
92.89
10.36
87.53
118.85
201.38
8.24
193.14
Wire fence
Fd B.C. Conc. Mon. Cor. to Sec 30 & 31 T7NR13W & Sec 25 T7NR14W
210+52.63
212+36.38
Flat draw
Turkey Ranch
2446.76
Nash
SURVEYOR
COUNTY
T 7 N
R 14 W
Sec 30
Sec 25
6' Woven Wire Fence
187+89.92
186+06.39
Set 1x2 # 41
T=46°
298.00@7°23 = 296.13
95.37@13°05 = 92.89
118.85@0°00 = 118.85
507.27
.12
Set 1x2 # 40 Top low N&S Spur
182+82.77
Fd Rotten end of old fence post with wire sprung 1.1 feet above SYA. This is probably the point used for Cor. on L.S. 10.46 replaced post with 2" I.P. with brass cap marked as shown in conc. 5" above surf.
7-3-56
34.59
X.24
Draw
Wash
T=46
298.76@2°20 = 298.51
.07
179+84.33
Set 1x2 # 39 Top low N&S Spur
T=46°
300.31@7°50 = 297.51
65.75 = 65.75
363.26
+.09 T.C.
176+21.16
Set 1x2 # 38 Top low N&S Spur
T=46°
189.73@8°35 = 187.61
.09
187.57
Set 1x2 # 37
172+50.10
1 87.57
174+37.67
3 60.21
178+00.88
2 38.41
180+39.29
5 07.10
186+06.39
2 46.24
210+52.63
186+06.39
1 93.14
184+13.25
210 52.63
26 39.38
From Top Page 147
W.S. 72, p. 5
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Road	F.B. 573	Pg. 149
Map No. B-1073	W. O. 8065 Tape No. 58 St'd 8# of.		
Survey Work [illegible]	Surveyed by Boyer		
Checked McPherson	Notes Boyer Date 1-10-35		
Date Oct. 1939	Indexed A. C. Johnson		

To bottom Page 150

W, S.72, C-6

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Fd. Old hewn Juniper stake Scribed "S34" on East, "20" on South, & "S33" on West, Size about 1x3

Set Nail 13+10.99

5.4 6.65

22.30

T = 46°
66.34 @ 20°06 = 62.32
- .02

12+48.69

Set 1x2# 5 N. edge E&W Divide

T = 46°
56.66 @ 7°17 = 56.20
- .01

56.19

11+92.50

4.0

Set 1x2 #4 N. side E&W divide

T = 46°
149.28 @ 2°46 = 149.11
- .04

149.07

Sec 33

T7N R14W

Set 1x2#3 Top E&W divide
10+43.43

Sec 34

T = 46°
222.02 @ 1°25 = 221.95
- .05

3 6 9.59
4 5 1.87
8 2 1.46
2 2 1.88
10+43.34
1 4 9.06
11+92.40
5 6.18
12+48.58
6 2.30
13+10.88

90

221.88

Irregular

8+21.53

Set 1x2# 2 S. side E&W divide
1.0

T = 46°
298.48 @ 0°00 = 298.48
153.54 @ 0°00 = 153.54
452.02
- .14

451.97

91

Fence

3+69.62

Set 1x2 #1 Top E&W hill
4.0

T = 44°
266.66 @ 10°15 = 262.40
108.60 @ 8°48 = 107.32
369.72
- .10

Fd. B.C. Mon. 1/4 Cor to Sec 4 T6N R14W & Sec 33 T7N R14W

① 90°25'00"
② 361°40'00"

90°25'00"

369.62

11.5'±

Fd. B.C. Mon. Cor to Sec 3 & 4 T6N R14W & Sec 33 & 34 T7N R14W

12.21

3.3

Set 2x2 by Int

FORM 847 10M 5-31


To bottom Page 151
F.B. 573 Pg 150
Set 1x2" 9 SE slope 32+28 to
37
Toe slope
4.0
1.5
64
6.51
T=52°
296.63@0°57 = 296.59
297.70@15°36 = 286.73
70.62@19°14 = 68.42
651.77
+ Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. Bound Surf. 2-1-36
Set 1x2" & Point Spot
26+77.34 Crown
100.61
73
2.44
25+76.73
T=48°
264.51@7°49 = 267.05
.06
COUNTY SURVEYOR T.7N. R.14W. 33-34 COR. R.E. 2177
99
261.99
5.0
11.3
Traveled
Road
23+14.88
74
5.5
Set 1x2" 7
Sec 33
T7NR14W
Sec 34
Valley
1.8
428'
80
816.90
.20
Toe
Slope
T=46°
297.50@14°33 = 297.96
299.78@3°55 = 299.58
230.36 = 230.36
816.90
.20
13+10.86
1 87.04
14+97.90
8 16.63
23+14.53
201.84
25+16.37
6 51.64
32+28.16
98.04
14+98.01
Set 1x2" 6 N. slope
T=40°
193.99@15°18 = 187.11
.06
187.05
Nice
13+10.99
Set Nail
From Top Page 149
W.O. 72-7
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
RETURN TO
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Rd	F.B. 573	Pg. 151
Map No. B-1073	W. O. 8056.5 Tape No. 58 St'd 84 of.		
Office Work [illegible]	Surveyed by [illegible]		
Checked McPherson	Notes Boyer Date 1-14-35		
Date Oct. 1939	Indexed A. C. Johnson		

To bottom Page 152

45+43.~~15~~ 77 Set 1x2 #13 S. side E & W Spur

Draw

Draw

Deep

489.12

T = 48

61.33 @ 19° 39 = 58.32
149.35 @ 28° 52 = 130.79
216.93 @ 21° 55 = 200.84
101.30 @ 11° 28 = 99.28
489.23
— .11

714

Set 2x2 #12 Top E & W ridge
40+59.~~47~~ 65

Sec 33
T7N R14W

Sec 34

205
1121
929

Deep Dry

93'

9.6

348.30

T = 50°
298.50 @ 8° 1A = 295.42
54.06 @ 11° 59 = 52.88
348.30
.08

1121

Set 1x2 #11 Point Spur
37+06.~~87~~ 43

3.2

118 @ 18° 12 = 112.10

T = 52°
207.57 @ 4° 48 = 206.84
154.38 @ 9° 45 = 152.15
358.99
.07

358.92

Draw

wire fence

126

32+28.16
1 19.14
33+47.30
3 58.92
37+06.22
3 48.19

33+47.~~30~~ 51

Set 1x2 #10 E slope

40+54.41
4 89.08
45+43.49

T = 52°
119.18 @ 0° 55 = 119.16
02

119.14

Set 1x2 #9

32+28.~~16~~ 37

From Top Page 150

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 573 Pg 152

To bottom

Set 1x2" #17 Top NE & SW spur
56+57

W.S. 72C-5

Sec 28

T= 440
295.70 @ 9°12 = 291.90
68.64 @ 21°43 = 63.77
355.67
09

Sec 27

× Wire

× Fence

Johnson

Road

COUNTY SURVEYOR
R14W. T.1N.
26 | 27
33 | 34
R.E. 2.17

90°07'30"
360 29 30
Sec. Cor. Set 2" I.P. with 2" brass cap marked as shown in Conc. 4" above surf. by proportion
1-13-36

90°07'22"
90°
52.93
62.71
Fd. 1x2
10.2
7.33
35.5
17.91
Transit line Page 140
80°
7.22
Fd. Old White 2x2
3.65
Set 2x2 by int 53+01. from S.
89

T= 46
17.91
64.54
- 02

3.65
1.44
64.54
52+37.37
Set 1x2 #16
10.0
Road

Traveled

T= 46°
143.55 @ 15°33 = 138.30
290.64 @ 18°13 = 276.07
419.37
- 10

Sec 33
T7NR14W

Sec 34

48+23.10
Set 1x2" 15 N. Slope
T= 46°
146.12 @ 7°21 = 144.92
04

45+43.49
1 34.44
46+77.93
1 44.87
48+22.80
4 14.23
52+37.03
64.52
53+01.55
3 55.55
56+57.10

46+78.32
Set 1x2" 14 Top spur
T= 46°

134.48 @ 0°00
03

45+43.77
Set 1x2" 13

From Top Page 151

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson		Survey of Johnson Rd	F.B. 573 Pg. 153
Map No. B-1078		W. O. 3165 Tape No. 58 St'd 8# °F.	
Office Work Complete		Surveyed by Boger	
Checked McPherson		Notes Boger Date 1-14 -35	
Date Oct. 1939.		Indexed A. C. Johnson	

To bottom Page 154

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

37.5
76.0

Set 1x2 #18
Top E&W spur
65+9~~4.21~~
5.66

5.39

T= 36°
105.45 @ 1°19 = 105.42
~~.11~~
.03

Set 1x2 #18
37.0
3.01

64+~~89.83~~
90.27

Ft. Set 1x2 on true Sec. line

Sec 28
T7NR14W

Sec 27

Draw

56+57.10
8 32.73
64+89.83
1 04.38
65+94.21

832 ~~7.80~~

T= 42°
296.41 @ 10° 18 = 291.48
293.86 @ 11° 00 = 288.46
269.22 @ 19° 56 = 253.09
833.03
- ~~.10~~
-.23

+83 Draw

463

Set 1x2# 17

56+57 ~~.10~~
.47

From Top Page 152

FORM 247 10M 8-31

To bottom Page 155

F.B. 573 Pg 154

W.S. 72, C-5

COUNTY SURVEYOR
T. 7N.
R. 14W. | 28 | 27
R. 1/4 COR.
R.E. 2177

8.0 ⊞ Set 1x2# 23 Top E&W Spur
~~81+58.69~~
82+60.29
T = 42°
254.51 @ 7°59 = 25 2.04
17.05 ℄ Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 5' above by proportion 17.236

251.98

23.53

Spur

40°

Set 1x2# 22 S. side spur
~~79+00.73~~
80+08.31

Draw

T = 38°
167.30 @ 24°55 = 151.73
291.00 @ 4°00 = 290.29
442.02
13

Deep

441.89

240

75+~~66.42~~ 64.88

Set 1x2# 21 Top Spur

Spur

Sec 28
T7N R14W

312.76

Sec 27

T = 38°
281.74 @ 8°34 = 278.60
31.27 @ 2°09 = 34.25
312.85
09

Draw

150

Set 1x2 Top NE ly Spur #20

26.0

72+~~52.15~~ 3.66

65+94.21
6 57.94
72+52.15
3 12.73
75+64.88
4 41.85
79+06.73
2 51.96
81+58.69

+ 81 @ 21°41' draw

Fence

Draw

T = 36°
111.81 @ 15°46 = 107.70
123.50 @ 26° 33 = 110.48
209.53 @ 30 39 = 209.10
157.98 @ 10° 00 = 155.58
75.41 @ 2° 27 = 76.34
658.20
.20

6 57.94 8.00

292.4

Wire

Set 1x2# 19

65+~~94.21~~ 5.66

From Top Page 153

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red INK WITH DATE AND NAME OF PERSON MAKING CHANGE.

75 64.78
52 80
22 84.78
Tak.

JMF

Notes Ck'd by McPherson	Survey of Johnson Road
Map No. B-1073	W. O. 8065 Tape No. 58 St'd 84 OF.
Office Work Complete	Surveyed by Boyer
Checked McPherson	Notes Boyer Date 1-15-16-35
Date Oct. 1939	Indexed A. C. Johnson

F.B. 573 PG. 155

To Location Page 156

Set 1x2" 27 Point of Spur
~~90782.96~~
91+84.67

T = 44°
296.71 @ 12°14' = 289.97
-.08

289.89

Set 1x2" 26
N. Slope

~~87+93.09~~
88+94.78

T = 44°
163.85 @ 30°07' = 141.73
-.04

191.69

Fence

Sec 28
T7NR19W

Sec 27

Set 1x2" 25
N. Slope

87+53.09
~~86+51.45~~

T = 44°
293.30 @ 15°18' = 270.87
84.04 @ 19°13' = 79.08
356.55
-.09

356.42

Wire

81+58.69
1 36.33
82+95.02
3 56.43
86+51.45
1 41.64
87+93.09
2 89.87
90782.96

Set 1x2" 24
N. Slope

~~82+96.02~~
83+96.63

T = 46°
299.55 @ 12°16' = 130.37
-.03

130.34

Set 1x2" 23

82+60.29
~~81+58.69~~

From Top Page 154

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 373 Pg 156

To bottom Page 157

Sec 21

Set 1x2 # 31 N. Slope
~~110+98.56~~
111+98.33

Sec 22

T= 40°
298.34 @ 11°33 = 292.30
207.50 @ 7°14 = 265.85
498.15
-.15

497.96

107+09.09 — 41.43 — Sec Cor Set Co. Surv. Mon. See Pg. 189

3 wire Fence

105+98.54
6.47
106+05.01 = F. Cor
105+60 = Rec

87.2

Set 1x2 # 30 N. Slope
~~105+98.54~~
107+00.37

106.38

561

T= 44°
280.93 @ 18°38 = 265.73
188.13 @ 21°17 = 175.30
296.90 @ 15°17 = 286.51
297.65 @ 11°38 = 291.54
46.83 @ 16°05 = 45.100
1064.08
-28 T.Cr.
96+36.57
~~96+34.89~~

Sec 28
T7NR14W

Sec 27

Set 1x2 # 29 N. Side spur

90+82.96
3 87.12
91+70.08
64.75
95+34.83
10 63.71
105+98.54
9 97.96
110+96.50

T= 46°
65.21 @ 6°40 = 69.77

64.75

95+71.82
~~94+70.08~~

Spur

Set 1x2 # 28 S. Side of spur

T= 46°
290.35 @ 9°49 = 286.10
103.50 @ 12°14 = 101.15
389.25
10

387.5

Fence

Draw

45.0

Ravine

192 @ 29°22 = 167.33
289.97
122.64

Set 1x2 # 27 Point Spur
90+82.96
91+84.67

122.6

Deep

From Top Page 155

W.S. 72, C-15

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Notes Ck'd by McPherson | Survey of Johnson Road | F.B. 573 Pg. 157
Map No. B-1073 | W. O. 8065 | Tape No. 57 | St'd 81 °F.
Checked McPherson | Notes Bower | Date 1-14-37
Date Oct. 1939 | Indexed A. C. Jones

To bottom Page 158

COUNTY SURVEYOR

T 7 N.
R 14 W.
21 - 22
¼ COR.
R.E. 2177

134+04.61

Set 1x2" 33 in grain field

Set 4x4

T = 44°

296.75	@ 3°53	= 296.07
298.51	@ 3°32	= 298.94
299.23	@ 4°09	= 298.45
300.30	@ 3°17	= 299.81
294.28	@ 3°19	= 293.63
13.07		13.07
		1489.97
		.39

133+86.36

Set 4x4

¼ Sec. Cor. Set 2" I.P. with brass cap marked as shown in conc. 18 Dn. by proportion. 8-24-36

Sec 21
T7NR14W

Sec 22

Set 1x2" 32 118+03.12

119+05.03

110+96.56
7 06.02
118+03.12
14 99.44
133+02.56

Sec. line

Wire Fence

706.89

Draw

217 @ 14° 205.7

T = 40°

299.00	@ 11°58	= 292.50
298.35		= 298.35
116.04		= 116.04
		706.89
		.19

297.5
205.7
91.8

Set 1x2 # 31 111+98.33

From Top Page 156

Note: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W, S, 72, C-5

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 573 Pg. 158

To bottom Page 159



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, F-4

4 Sec. Cor. Set 2" I.P. with Brass cap marked as shown in Conc. 18" Dn. by proportion 12-17-36

COUNTY SURVEYOR
T. 7 N.
R. 14 W.
16 — 15
¼ COR.
R.E. 2177

Notes Ck'd by McPherson	Survey of Johnson Road	F.B. 573	Pg. 159
Map No. B-1073	W. O. 806 Tape No. 57 St'd. 99 °F.		
Office Work RCReynolds	Surveyed by		
Checked McPherson	Notes Bauer Date 1-18, 24-35		
Date Oct. 1939	Indexed A. C. Johnson		

To bottom Page 160

Set 1x2 * 39 220+14.72

Sec 10

T=40
297.80 @ 3°36 = 297.21
216.19 = 216.19
513.40
.15

215+01.47

Set 1x2 # 38 Top low N Ely ridge

Sec 9

TRIANGULATION STATION U.S. COAST & GEODETIC SURVEY INFORMATION WRITE DIRECTOR WASHINGTON D.C. FOR PENALTY OF $250 FINE OR IMPRISONMENT TO THE DISTURBING THIS MARK SPEC HT 1932

Fd Sq. Conc. Mon. flush with 4" B.C. mtd. as shown 75.67

16.46

TRIANGULATION STATION U.S. COAST & GEODETIC SURVEY INFORMATION WRITE DIRECTOR WASHINGTON D.C. FOR PENALTY OF $250 FINE OR IMPRISONMENT TO THE DISTURBING THIS MARK SPEC HT 1932

16.42

18.44

Sec Cor. Set 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. by proportion 12-17-36
R.A. & Sd. 213+11.42

Fence

15.90

74.99

T=40°
205.12
.08

Set 1x2 # 37 212+36.43

Wire

17.10

T= 44°
300.30 @ 2°09 = 300.09
298.56 @ 1°20 = 298.58
113.75 = 113.75
712.42
.19

211+20 Rec

Sec 16
T7NR14W

Sec 15

Set 1x2 # 36 205+24.20

33.0

T= 44°
298.24 @ 2°35 = 297.94
181.05 @ 4°33 = 180.48
299.40 @ 1°57 = 299.23
299.17 = 299.17
299.40 @ 5°12 = 298.17
276.76 @ 3°37 = 276.21
1651.20
.43

187+70.90
16 50.72
204+21.62
7 12.17
211+33.79
2 65.02
213+98.81
5 13.21
219+12.02

Set 1x2 # 35 187+70.90 188+23.43

42.0

From Top Page 158

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE. W.S. 72, 2-4

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS Do not extend notes this side of this line

IDM 8-31



219+12.02	
6	00.31
225+	12.33
2	40.84
227+	53.17
2	97.26
230+	50.43
6	99.39
236	94.82

Notes Ck'd by McPherson	Survey of Johnson Road
Map No. B-1073	W. O. [illegible] Tape No. 57 St'd 84 of.
Office Work Reynolds	Surveyed by Bauer
Checked McPherson	Notes Bauer Date 1-21 -35
Date Oct. 1939	Indexed A. C. Johnson

F.B. 573 Pg. 161

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, C-4

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

52.3
30.5
44.0
16.0
32.0
13.6
Set 2x2" 45 ~~254+65.22~~ 255+68.25
55.7
90°
88'
26.5
258.79
STATE
Oiled
27.0
5.0
Set 2x2" 44 ~~252+06.53~~ 253+09.53
4.6
HGWY.
Road
T= 40
261.33 @ 8°00 = 258.79 .09
Sec. line
COUNTY SURVEYORS
T. 1 N.
R. 14 W.
9 + 10
R.E. 1/4 COR. 2177
MONUMENT
Sec 9
T1NR14W
Sec 10
Set 1"x4"
230+94.82
15 11.71
252+06.53
258.69
25 + 65.22
90°
30.00
30.00
30.00
Set 1"x4"
2 Pts. Sta. 239+35.32
T= 42
15 12.26
41
4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 18" Dn. by Proportion. 12-16-36
13.6
38.2
Lane
27.0
Set 1x2" 43 237+97.68 ~~236+94.0~~
From Top Page 160

FORM 247 10M 8-31

F.B. 573 Pg. 162

To bottom Page 163

W.S. 72, 4-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.



Notes Ck'd by McPherson	Survey of Johnson Road
Map No. B-1073	W. O. 8005 Tape No. 57 St'd 84 °F.
Checked McPherson	Notes Bauer Date 1-22 - 31
Date Oct. 1939	Indexed A. C. Johnson

F.B. 573 Pg. 163

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, C-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Sec 33
T8NR14W

Sec 34

To C.S. Mon. Cor. Sec. 3, 4, 5, 32 & 33

Fd. C.S. Mon. 1/4 Cor. Secs. 4 & 33

Fd. B.C. Conc. Mon. 1 under Cor to Sec 3 & 4 T7N R14W & Sec 33 & 34 T8N R14W
~~2161.25~~ from S.
317+28.30

180°-00'-00"

89°38'-30"

30.62
16.44
19.50
29.75

90°20'45"

Ⓣ 90° 20' 45"
Ⓐ 361° 23' 00"

89-38-30 Ⓣ
358-34-00 Ⓐ
59-38-30

Fd. B.C. Conc. Mon. 1 under 1/4 Cor to Sec 33 T8N R14W & Sec 34 T8N R14W

Fence
Wire Fence
0.62
2581.32

Sec 4
T7N R14W

Sec 3

T= 42°
2581.32
-.70 T.C.

T. 7N. 4 3 1/4 COR MONUMENT C.E. 611

Wire

290+44.37
25 81.38
316+25.75

10.62

Set 4x4 30.00

1/4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc 18" Dn. By proportion 12-9-36

30.00

RH 291+83.12

Set 4x4

35.44

Set 1x2" 48

~~290+47.37~~
291+47.68

From Top Page 162

Form 257 15M 8-31

F.B. 573 Pg. 164

W.S. 72, D-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Sec 34
T8N R14W

Sec 35

Fd B.C. Conc mon. cor. to Sec 2 & 3, T7N R14W & Sec 34 & 35 T8N R14W
0+00 South

Fd. B.C. Conc. mon.
¼ cor to Sec. 3 & 34

Wire

Fence

89° 43' 15"
358° 53' 00

Road

T = 48°

22+28.78
52

Sec 3
T7N R14W

COUNTY SURVEYOR'S
T.7N
3 + 2
R.14W
R.E. ¼ COR 217
MONUMENT

Traveled

Sec 2

Set 1x2 #1 22+28.27

391.18
.59

9.97

Set 4"x4" 2' in 30.00

Pt 4 Sta 25+64.13

¼ Sec. Cor. 3 & 2 "LT"
with brass cap marked as shown in Conc. 18" Dn. by proportion. 12-9-36

55.24

30.00

Set 4"x4"

Set 1x2 #2 26+19.37

T = 50°
Very Windy

2450.78
54

Road

22+28.27	
3	91.10
26+19.37	
24	53.24
50+72.61	
2	80.64
53+53.25	
26	17.94
79+69.19	
29	93.32
104+62.51	

2453.24

Line

Fence

50+73.61

Set 1x2 #3

Road

Farm

Wire

Gate
40.0

Fence

10.3

Sec. Cor. Set
Mon. Pg. 2-1R

20.12

Pt 4 Sta 51+94.00

To Top Page 165

Notes Ck'd by McPherson	Survey of Johnson Pond	F.B. 573	Pg. 165
Map No. B-1073	W. O. 2065 Tape No. 57 St'd 84 °F.		
Office Work Complete	Surveyed by		
Checked McPherson	Notes Boyer Date 2-6-7 -35		
Date Oct. 1939.	Indexed L. C. Jamison		

From bottom Page 164

50+72.61 Set 1x2 #3

Sec. Cor. Set Mon. Pg. 272

Pg 19

5+94.0

T= 50' Very windy

283.69 − .05

283.64

Road

Fence

53+56.25 Set 1x2 #4 S. edge mesa

Sec. line

T= 50' Very windy

299.09 @ 4°21 = 298.23

210.07 − .71 0.02

214.87 @ 4°16 − 214.27

2613.52 − .158

Farm

Wire

2612.94

Wash

Sec 10

T 7 N. R. 14 W. 10 11 15 16 for MONUMENT

COUNTY SURVEYOR

Sec 11

T 7 N R 14 W

Set 4x4

90°

4. Sec. Cor. Set 2" I.P. with Brass cap. Marked as shown in Cor. 12-18-36

18" Dn. by proportion.

Set 4x4

R4. 4 Sta. 78+23.88

STATE HGWY

Wire fence

30.00

75.02

11.61

145.31

7946.19

Set Nail

Set 1x2 #5 H. edge flat E rw ridge

T= 50° Very windy

2493.87 − .55

Approx E.C.

1603.25

Wire fence

Paved

2493.32

Fd 6" sq. conc. mon with B.C. mkd. as shown in fence line at B.C. of curve of fence

approx B.C.

Power line

Farm Road

1.04+54 Rec

Sec. Cor. Set Mon Pg. 222

R4 34 Sta. 104+53.75

Set 1x2 #6 104+62.51

To Top Page 166

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, D-4

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

GEOLOGICAL SURVEY COOPERATION WITH LOS ANGELES COUNTY SURFACE ELEVATION DATUM IS SEA LEVEL THIS MARK FINE 50 DOLLARS FOR DISTURBING 1929 R38

F.B. 573 Pg. 166

W.S. 72, D-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

1891
1 43
3 63

104+62.81
Set 1x2" 6
187.12

1310

30'

66.50

104+39.81 Sec

T = 50° Very windy
2580.00
57

Road

Wire fence

1433

Wash

Wash 12' wide

2579.43

Sec 15
T7NR14W

Sec 14

56.0

22.60

35.39

Set 4"x4"

30.00

Set 1x2" 7 in fence line
130+42.39

Pt. 4' S. of a. 130+77.32

1.94

Set 4x4

T = 49° Very windy
2634.55
62

104+62.81
25.72
130+42.39
26.33.93
156+76.27

Sec. Cor. Set 3" I.P. with brass cap marked as shown in Cone. 18-D11 by proportion 12-18-36

COUNTY SURVEYOR'S
T. 7N.
R. 14W.
15—14
MONUMENT
2007
1571 74 Rec

Wire fence

1077

2633.93

30' wide Wash

Line 2

29.0

Set 1x2" 8

156+71

5.87

12.56

26.01

90°

49.5

59.5

157+00 BC

Sec. Cor. Set Mon.
Sec Pg. 210

57.0

2026
9 19
157

Notes Ck'd by McPherson
Map No. B-1073
Office Work Completed
Checked McPherson
Date Oct. 1937

Survey of Johnson Road
W. O. 8065 Tape No. 57 St'd 24 °F.
Surveyed by
Notes Bower Date 2-35
Indexed A. C. Johnson

F.B. 573 PG. 167

From bottom Page 166

42.56

Set 1x2 #8

25.01

Set C.S. Mon 2 Pg. 210

157+00.88

156+75.87

T = 48° Very windy

2663.30

Sec. line

2662.68

156+76.27
20 62 68
183+39.95
5 96.13
193+35.08

Road

Wash

T.7N. R.14W. 22 23 1/4 COR. R.E. 21.7

COUNTY SURVEYOR

Sec 22

T7NR14W

Sec 23

1/4 Sec. Cor. Set 2" I.P. with Brass cap marked as shown in Conc. 18 Dn. by proportion. 8-24-36

1.46' South of 1x2 #9

44.84

620

Set 1x2 #9

183+38.55

38.63

T = 48° Very windy

996.36
23

30.00

Set 4x4

90°

183+77.18

3.40

Wash

1 sq. conc. mon. with B.C. mkd as shown

Fd.

996.13

REFERENCE MARK TO U.S. COAST & GEODETIC SURVEY MONUMENT THE DIRECTOR WASHINGTON, D.C. FOR INFORMATION WRITE DISTURBING THIS MARK A $250 FINE OR IMPRISONMENT FOR

U.S. COAST & GEODETIC SURVEY MONUMENT GATE 1932 No 1

U.S. COAST & GEODETIC SURVEY MONUMENT GATE 1932 No 2

Farm

1.17

16.5

6.5 4.5

?

Fd. 1 sq. conc. mon. with B.C. mkd. as shown

See Pg. 206

Set 1x2

N10

193+25.00

34.68

18.51

34.62

Fd. 1 sq. conc. mon. with B.C. mkd. as shown

To Top Page 168

Note: ANY ADDITIONS OR CHANGES OR THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, D-5

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 8-31

F.B. 573 Pg. 168

From bottom Page 167

Set 1x2" I.D. 193+34.68

Sec 22
T7NR14W

Sec 23

T = 52°
300.31 @ 3°16 = 300.08
300.13 @ 3°39 = 299.52
214.18 @ 3°22 = 213.81
300.07 @ 4°02 = 299.28
300.06 @ 3°30 = 299.48
258.21 @ 4°30 = 257.41
1669.58
+.35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

7.58
1669.23
Fence
20.00
GATE
3.00
Wire Fence
2.00
1.70
210+03.91
Set 1x2" I.D.
210+53.48
35.77
T = 52°
142.20 @ 4°45 = 141.71
.03
Set Co. Sur. Mon.
Sec Pg. 192
(Checked from prev notes)
Holmes - 5/22-35
300.35 @ 4°02' = 299.61
142.20 @ 4°45 = 141.71
441.32
.09
441.23
T-52°
Wire
441.23
Set 1x2" I.D.
214+45.14 ft. North
= 211+45.59
going South
132.5
31.9
Frame
House
1 Story
132.0
11.3
10.9
10.3
Sec 27
6.58
56.9
Small
Frame
Shack
14.3
43.3
56.5
18.9
13.8
Frame
Garage
23.7
Set 1x2" I.D.
212+41.28
T = 52°
96.44 @ 7°03 = 95.71
.02
To Top Page 169

Notes Ck'd by McPherson	Survey of Johnson Road	F.B. 573	Pg. 169
Map No. B-1073	W. O.	Tape No.	St'd	of.
Office Work Reynolds	Surveyed by Boyer		
Checked McPherson	Notes	Date 2-8- 39	
Date Oct. 1939	Indexed C. Johnson		

From bottom, Page 168

Set 1x2 #13
212+41.28 ✓

T = 57°
298.45 @ 7°12' = 295.96 ✓
61.34 = 61.34 ✓
357.30
-.07

123.5

24.8

357.23

Wire Fence

215+98.51 ✓
Set 1x2 #14

Sec 27
T7NR14W

Sec 26

30.0

51.94

12.85

Conc Reservoir
Height 3.0

Top Knoll

746.77

28.0

178.78 @ 7°39' = 177.19 ✓
200.10 @ 16°47' = 287.32 ✓
289.22 @ 12°27' = 282.42 ✓
746.93 ✓
.16

223+45.28 ✓
Set 1x2 #15
Top Knoll

29.5

448'

Draw

T = 18°
244.47 = 244.47 ✓
65.78 @ 4°01' = 65.62 ✓
298.27 @ 2°53' = 298.93 ✓
68.20 @ 13°48' = 66.23 ✓
674.64 ✓ 674.81 ✓
.17

230+19.92 ✓
25.5 Set 1x2 #16 W. Slope

To Top Page 170

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 347 10M 8-31

From bottom Page 169

F.B. 573 Pg 170

W.S. 72, D-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN Red Ink WITH THE DATE AND NAME OF PERSON MAKING CHANGE.

COUNTY SURVEYOR
T. 7 N.
R. 14 W.
27 | 26
34 | 35

1/4 COR
R.E. 2177

2.34 ± 30.11-2

1/4 Sec Cor. Set 2" I.P. with brass cap marked as shown in Conc. 5" above Surf. by proportion 1-30-36

230+19.92
Set 1x2" 16

T = 52°
300.00 @ 2°40 = 299.68
27.68 = 27.68
32 71.36
01

327.29

24.5

233+47.21
Set 1x2" 17 W Slope

82.90

T = 52°
300.03 @ 4°17 = 300.03
278.10 @ 6°33 = 276.30
253.57 @ 8°28 = 252.45
140.52 @ 20°05 = 131.97
277.31 @ 22°33 = 256.11
80.42 @ 14°75 = 77.86
1294.71
27

5.72

1294.45

246+41.66
Set 1x2" 18 W Slope N/W x S/E ridge

78.0

T = 54°
145.88 @ 1°00 = 145.65
0

145.65

247+87.31
Set 1x2" 19 W. Slope

73.3

T = 56°

184'

Drop

115.08 @ 0°23 = 114.87
299.88 @ 12°30 = 292.77
164 @ 15°10 = 156.01
16.59 = 16.59
579.74
11

579.63

Sec 27
T7N R14W

Sec 27

253+66.94
Set 1x2" 20 E. Slope SW x NE ridge

84.0

369

Drop

T = 56°

184.67 @ 1°50 = 86.57
73.61 @ 13°15 = 71.55
195.33 @ 8°41 = 193.05
300.68 @ 27°01 = 278.75
49.80 @ 12°75 = 47.25
777.31
14

777.17

102'

COUNTY SURVEYOR
T. 7 N
R. 14 W
27 | 26
34 | 35
R.E. 2177

Section: Set 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. by proportion 1-30-36

27.5

24.33

38.93

38.96

90°

102.3

261+44.11
Set 1x2" 21 N edge E x W ridge

24.28

1.11

Transit line
Pg 143.

To Top Page 171

Notes Ck'd by McPherson	Survey of Johnson Road	F.B. 573	Pg. 171
Map No. B-1073	W. O. 3265 Tape No. 57 St'd 84 °F.		
Office Work Reynolds	Surveyed by Boyer Boger		
Checked McPherson	Notes Boyer Date Feb - 35		
Date Oct. 1979	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 10M 8-31

90-04-15 E 11
360-16-30

From bottom Page 170

Fd 1x2 # 19
Page 143

90°04'01"

197.53.

1.11

Set 1x2 # 21
261+44.11
261+45.22
Set 1x2 beg int

Set cap. Mon. at Sec. Cor. Pg. 170

Transit line page 143

54.15

T = 58°
199.08 @ 7°05 = 197.56
03

54.16
01

Set 1x2 # 22 S. edge E & W Ridge
261+99.37

484.8

Power line?

Sec 34
T1NR14W

See Pg. 172 #57

754.17

T = 58°
78.94 @ 21°06 = 73.65
300.27 @ 28°58 = 282.71
293.35 @ 13°49 = 265.44
152.50 = 152.50
754.30
13

P# 6A
Set by int
See pg 6

250.26

Set 1x2 # 23 bottom Valley
269+53.54

Sec 35

Traveled Road

11.6'

52'

403.84

T = 54°
276.00 @ 1°015 = 270.70
120.54 @ 21°51 = 109.33
24.69 @ 14°38 = 23.89
403.92
08

6' 28.9

273+57.38
Set 1x2 # 24 Top NE & SW Spur

To Top Page 172

From bottom Page 171

F.B. 573 Pg. 172

W.S. 72, D-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

273+57.38
Set 1x2" 24
T = 5.2°
47.11
295.15 @ 4°46 = 294.48
266.99 @ 9°44 = 263.15
609.75
3

205'
604.62

Wash 30' wide

279+62.00
Set 1x2" 25 W. Slope Spur
T = 52°
298.15 @ 7°18 = 295.73
44.28 = 44.28
34 0.01
07

339.34

283+01.94
20.0 Set 1x2" 26 W. Slope Spur Toe Slope
T = 40°
291.80 @ 14°16 = 28 2.80
221.24 @ 27°30 = 19 6.98
47 9.78
14

COUNTY SURVEYOR
T. 7N.
R. 14W.
34 35
R. Cor.
P.E. 2177

179.64

18.49

287+81.58
19.5 Set 1x2" 27 N.E. Slope Ridge in Spur
287+82.5 =
T = 40°
132.8 @ 29°38 = 116.31
72.56 @ 23°25 = 66.58
146.15 @ 27°12 = 136.65
76.1 @ 13°3 = 73.89
393 43
12

Sec 34
T7NR14W
Brass cap marked as shown in conc. 5' above surf. by proportion. 1-30-36

0.95

393.31

291+74.89
3.8 Set 1x2" 28 N. Slope
T = 46°
298.20 @ 6°21 = 296.41
91.85 @ 16°51 = 93.25
389 66
10

389.50

295+64.45
4.2 Set 1x2" 29 Top NE & E Ridge
T = 46°
120.64 @ 16°51 = 120.57
03

120.51

179° 35'30"

179 - 35-30
358 - 22-00

3.9 Set 1x2" 30 Top NE & SW Ridge
296+84.99

To Top Page 173

Notes Ck'd by McPherson	Survey of Johnson Road	F.B. 573	Pg. 173
Map No. B-1073	W. O.	Tape No.	St'd	° F.
Office Work Reynolds	Surveyed by Bouer		
Checked McPherson	Notes Bouer	Date Feb -35	
Date Oct. 1939	Indexed A. C. Johnson		

From bottom Page 172

296+84.99
Set 1x2 # 30

T=50
193.61@ 9°53' = 190.74
207.48@ 7°21' = 205.77
396.51
- 30
396.21

Sec 34
T7NR14W

W.S.72, D-6

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Wire Fence

396.42

300+81.41
Set 1x2H 31 SE Slope

T=50
151.67@ 16°01' = 145.78
299.05@ 9°29' = 294.96
23.40 — — = 23.40
263.08@ 8°28' = 260.21
297.33@ 7°30' = 294.78
67.61 — — = 67.61
294.70@ 9°01' = 290.98
1377.72
- 30
1377.42

Draw

90-21-00
361-24-15

Fd B.C. Cond Mon 34 SW Cor Sec

30°21'04"

Draw

314+58.83
Fd BC Mon, Cor to Sec 2 & 3 T6NR14W & Sec 34 & 35 T7NR14W

See Page 177

Sec 3
T6NR14W

Sec 2

FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 573 Pg. 124

Notes Ck'd by McPherson	Survey of Johnson Rd	F.B. 573	Pg. 175
Map No. B-1073	W. O. 2065 Tape No.	St'd	°F.
Office Work [illegible]	Surveyed by [illegible]		
Checked McPherson	Notes Schaefer Date 2-2b-35		
Date Oct. 1939	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line



FORM 247 10M 5-31

To bottom Page 177

F.B. 573 Pg 176

51+09.85

1X2 #10 S. Slope Spur S.W. + N.E.

Tap 58°
297.57 @ 13.52 = 290.84
300.48 @ 2.22 = 300.22
291.76 @ 2.42 = 291.44
882.50
-.15

882.35

42+27.50

1X2 #9 Spur S.W. + N.E.

Tap 58°
187.84 @ 2.57 = 187.59
-.03

187.56

draw

88.00

40+39.94

1X2 #8 S. Slope Spur S.W. + N.E.

Tap 58°
105.78 @ 5.42 = 105.46
279.60 @ 6.47 = 297.50
123.89 @ 5.28 = 123.33
281.48 @ 1.57 = 281.32
248.97 @ 8.38 = 246.15
84.93 @ — = 84.93
1138.69
-.22

Edison Power Line

35.00

Spur

draw

166.00

Edison Line

1139.47

T6N R14W Sec 2

T7N R14W Sec 35

County Surveyor 1/4 Cor.

Wire

5.0

2.60

1/4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. by proportion. Tap 64° 6" above Surf. 9-2-36

29+01.47

1X2 #7

33.04

28+67.83

299.80 @ 23.03 = 275.86
245.40 @ 12.20 = 239.74
515.60
.07

515.53

161

Spur S.W. + N.E. 1X2 #6

23+85.94

Tap 64°
297.06 @ 10.39 = 291.94
.04

291.90

20+94.04

1X2 #5

From Top Page 175

W.S. 72, D-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Ptn sec 3 T4S R14W	F.B. 573	Pg. 177
Map No. B-1073	W. O. 2245 Tape No.	St'd	°F.
Office Work Complete	Surveyed by Bayer		
Checked McPherson	Notes Schaefer Date 2-21-35		
Date Oct. 1939	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, D-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 5-31

Sec 3 T6NR14W

Sec 34

Sec 2

89°-38'-30"
358-33-30
89-38-22½

Cattle fence

55+22.03 from East.

8.80

17.95

0.37

1/2 Sec.

Page 173

112 #31

Ed B.C. Conc Monmkd as shown See Page 173

COUNTY R.14.W. 3 | 2 34 35 T.7N. SCHAEFER'S T6N. MONUMENT

89-38-22½

Tep. 58
196.39 @ 6.06 = 195.25
.03

195.25

53+26.78

112 #11 S. Slope Spur SW + NE.

RESERVE BOUNDARY POST T.6N. R.14W. S.2 1903 U.S. FOREST RESERVE T.7N. R.14W. S.35 1903 U.S.

1.0

Tep. 58°
217.59 @ 9.20 = 216.97
-.04

216.93

51+09.85

112 #10 Spur

From Top Page 176

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 573 Pg 178

Notes Ck'd by McPherson	Survey of N. Sec 35,36 T1N R14W	F.B. 573	Pg. 179
Map No. B-1073	W. O. 2265 Tape No.	St'd °F.	
Office Work Layouts	Surveyed by [illegible]		
Checked McPherson	Notes Schaefer	Date 2-26-35	
Date Oct. 1939	Indexed	Book L. C. Johnson	

To bottom Page 180

303+70.85 ✓
1x2 #4 spur S.W. + N.E.
Tcp. 50°
300.34 @ 25.26 = 271.23 ✓
77.39 @ 7.19 = 76.76 ✓
347.99 ✓
- .08

115.00
dra W
341.81
230.00
307+18.76
1x2 #3
spur N.E. + S.W.
Tcp. 50°
129.29 @ 13.03 = 125.95 ✓
14.00 @ — = 14.00
300.70 @ 23.36 = 275.55
92.29 @ 20.40 = 86.35
29.49 @ — = 29.49
531.34 ✓
- .12
42.00
W. E
fence
531.12
dra W
375.00
312+49.98 ✓
1x2 #2 E. slope spur NE. + SW.
Tcp. 46°
121.16 @ 16.52 = 115.95 ✓
248.33 @ 3.18 = 247.92 ✓
363.87 ✓
- .09
8.80
wire
dra W
363.78 ✓
107.00
316+13.76 ✓
1x2 #1 N. slope ridge NW. + SE.
0.9
Tcp. 46°
215.53 @ 5.0 = 214.71 ✓
- .05
214.66 ✓
sec. 35
sec. 36
89°-33'-30"
358-14-30 ✓
89-33-37½
89°33'37½"
0.85
21.0
6.4
318+28.42 ✓
1x2 #1
1.80
See Page 175
U. S. FOREST RESERVE
RESERVE BOUNDARY POST No. 88
T1N. R14W. 1905 S1.
Fd 3" I.P. with B.C. mkd. as shown

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.
Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

To bottom Page 181

F.B. 573 Pg 180

W.S. 72, D. 6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W E

203.00 → 1X2 #9 Top ridge E+W.

Tep. 56°
299.69 @ 5.23 = 298.37
279.06 @ 4.00 = 278.38
300.14 @ 10.45 = 294.87
86.64 @ 16.46 = 82.96
19.41 @ — = 19.41
973.99
— .18

973.81

draw

526.00

Old Trail

191.00

285+78.29
1X2 #8 Low Spur NE+SW.

Tep. 56°
295.96 @ 20.49 = 276.64
— .05

276.59

288+54.88
1X2 #7 E. Slope Spur N+E.

237.45

Tep. 50°
241.09 @ 19.49 = 226.81
279.85 @ 12.47 = 292.42
40.88 @ 13.30 = 39.75
558.98
— .12

558.86

290+92.33

294+13.74
1X2 #6 Spur SW+NE.

Tep. 50°
127.62 @ 17.48 = 121.51
300.07 @ 16.07 = 288.28
251.90 @ 10.04 = 248.02
657.81
— .14

657.67

Spur 1

300+71.41
208.00 → 1X2 #5 E. Slope Spur NE+SW.

Tep. 50
299.51 @ — = 299.51
— .07

299.44

draw

131.00

1X2 #4 303+70.85

COUNTY SURVEYOR
T. 2 N.
R. 14 W.
35 — 36
¼ COR.
RE. 2177

4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. by Proportion 9-1-36

204.83

From Top Page 179

Notes Ck'd by McPherson	Survey of SCC 35+36 T1N. R14W	F.B. 573	Pg. 181
Map No. B-1073	W. O. 80456 Type No. St'd of.		
Office Work Reynolds	Surveyed by Boyer		
Checked McPherson	Notes Schaefer Date 2-27-35 Boyer C. Johnson		
Date Oct. 1939	Indexed		

To bottom Page 182

Cont'd Bal. Next Page

1X2 #12 NE slope spur NE+SW 261+89.79

Tep. 54°

85.76 @ 3.04 = 85.64
79.25 @ 4.53 = 78.96
164.60
- .03

164.57

195.99 — 1X2 #11 263+54.36

7.10 6.90

Tep. 54°

82.92 @ 13.30 = 90.63 or

90°-26'-00"
361-43-30
90-25-52½

80.61

26 25

1X2 #33 = 230.77 Set 1X2. Intersec. 264+34.97 1X2 #34

Transit line Page 147

245.48 @ 19.56 = 230.77

S. slope spur

137.00

draw

35 36

Tep. 60°

300.18 @ 18.8 = 297.00
299.27 @ 12.05 = 292.64
227.33 @ — = 227.33
817.97
- .13

285.00

804.97

804.84

E. slope ridge

W. E.

Nail 272+39.81

54.00

dyke

311.74

Tep. 60°

300.50 @ 20.08 = 282.14
29.65 @ — = 29.65
311.79
- .05

275+51.55

203.00 — 1X2 #10 Top. ridge E+W. N. edge

Tep. 60°

52.94 @ — = 52.94
.01

52.93

276+04.48

1X2 #9. Top ridge S. edge.

From Top Page 180

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31


F.B. 573 Pg 182
To bottom Page 183
Co. Rd. 30.00
plowed field
237+09.97
Set 4"x4"
19.62
Set 4x4 ± 30.00
¼ Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 18 Dn. by proportion. 1-27-36
115.5 12°00' 2.80 157.60
1x2 #17 237+29.59
(26) (25)
COUNTY SURVEYOR
T. 7 N.
R. 14 W.
SEC 25
¼ COR.
P.E. 2177
W E
T. Road
10.0 wide
Tan. 58°
299.79 @ 4.02 = 299.05
300.44 @ 1.55 = 300.27
300.59 @ 2.19 = 300.74
250.37 @ 1.25 = 250.29
1149.35
- 19
Private Road
16' Wide
15.00 18.03 159.00
1x2 #16 248+79.35
Tan. 58°
84.83 @ 1.623 = 81.39
- 01
81.38
Main T. Road
184.00
1x2 #15 249+60.73
27.00
Tan. 54°
300.25 @ 2.00 = 300.17
281.27 @ 2.17 = 281.05
581.27
- 11
10.75
30.00
200.00
22.00
20.50
1x2 #14 255+41.84
Mesa
Tan. 54°
220.00 @ 2.35 = 219.78
- 04
219.74
1x2 #13 257+61.58
27.00
191.60
Edison Co. High Line
Tan. 54°
219.11 @ 13.08 = 213.38
220.94 @ 13.25 = 214.91
428.29
- 08
428.21
1x2 #12 264+89.79
From Top Page 181
W.S. 72, 0.5
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Rd	F.B. 573	Pg. 183
Map No. 7-1973	W.O. 8200 Tape No. 57 St'd 24 of.		
Office Work Reynolds	Surveyed by Boyer		
Checked McPherson	Notes Boyer Date 2-28-35		
Date Oct. 1939	Indexed A. C. Johnson		

To bottom Page 184

COUNTY SURVEYOR T. 1 N. R. 14 W. 23+24 FOR R.S. 211

Set 1x2 # 20
184+17.12

Set 4x4 1/4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in Cone. 18" Dn. by proportion 1-31-56

W.S.72, D-5

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK. ING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

T = 56

300.41 @ 2°22 =	300.15
300.95 @ 2°02 =	300.76
300.35 @ 2°24 =	300.09
300.80 @ 1°50 =	300.65
300.27 @ 2°41 =	299.94
300.34 @ 2°04 =	300.14
300.26 @ 2°04 =	300.06
300.18 @ 1°16 =	300.06
245.14 @ 1°07 =	245.09
	2696.94
	− 48

Sec 24

Fence

Road

Set 4x4

Set 1" I.P.P.

210+63.58

Set 1x2 # 19

Power line

Sec. Cor. Set Mon. 2" Pg. 195

Road

Set 2x2 # 18 0.3 under

210+63.58 going S. = 210+81.25 from N. EQUATION

(See pg. 195)

Sec 25

Sec 26 T7NR14W

Traveled See Line

T = 64

300.97 @ 2°38 =	300.64
300.76 @ 2°45 =	300.41
620.10	620.10
300.18 @ 6°13 =	298.36
300.12 @ 4°09 =	299.33
300.14 @ 4°06 =	299.37
300.13 @ 2°48 =	299.77
228.03 @ 1°51 =	227.96
20.42	20.42
	2666.36
	− 35

Set 1x2 # 17
237+29.59

From Top Page 182

FORM 247 10M 8-31

To bottom Page 185

F.B. 573 Pg. 184

W.S. 72, D-4

Fd. 3x4 Conc. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 18" Dia. by proportion.

Fd. 1" I.P. 0.25 N

Fd. 2x2 23.75

Culvert

8 3.81

6.9

2.6

5548

34.5

Set 1x2" 23 131+07.52 Set 4x4"

2.52 Set 4x4

23.85

Fd. 2x2

24.2

5.78

21 Drainage Ditch

COUNTY SURVEYORS T.7N. R.14W. 13 P.E.N. 2177 SCOR. MONUMENT

Sec 14 T7NR14W

Fence

Tel. + Fence line

2637.54

T = 58°

300.41 @ 1°21 = 300.03

2337.65 = 2337.65

2637.98

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Wire

82.4

157+45.06 Set 1x2" 22

Tel. + Fence line

175 44.4

Jec Cor. Set C.S. Mon. Pg 239

68.0

52.4

17.0 47.0

158+01.52 Set 1x2" 21

T = 58°

300.35 @ 1°51 = 300.19

2315.85 = 2315.85

2616.04

Sec 24

Fd 1" sq. conc. mon. with B.C. mkd. as shown

44.45

89.7

112.20

Fd. 1" sq. conc. mon. with B.C. mkd. as shown

2615.60

Sec 23

Wire Fence

COAST & GEODETIC SURVEY TRIANGULATION STATION WRITE TO THE DIRECTOR WASHINGTON D.C. FOR INFORMATION WHILE DISTURBING THIS MARK IS A FINE OR IMPRISONMENT

1932

COAST & GEODETIC SURVEY REFERENCE MARK WRITE TO THE DIRECTOR WASHINGTON D.C. FOR INFORMATION WHILE DISTURBING THIS MARK IS A FINE OR IMPRISONMENT

1932

Set 1x2" 20 184+17.12

From Top Page 183

Notes Ck'd by M.E. Pierson	Survey of Johnson Road	F.B. 573	Pg. 185
Map No. B-1077	W. O. 8065 Type No. 57 St'd 84 °F.		
Office Work Reynolds	Surveyed by Boker Sager		
Checked M.E. Pierson	Notes Boker Date 3-14-35		
Date Oct. 1939	Indexed E. C. Johnson		

To bottom Page 186

Sec 11 ✓

Sec 12

Set 4"x4"

Sec Cor. Replaced 3x4 Pg. 221 with E.I.P. with brass cap marked as shown in Conc. 18" Dn. 2-3-36

COUNTY SURVEYOR T.7N. R.14W. 11 12 14 13 MONUMENT RE.2177

Power line

STATE HGWY.

42.30

104+41.99

Oiled

23.3

16.0

38.0

0.6 0.10 0.14

48.4

42.43

Fd 4x4 45° 3.09 5.4 Fd.2x3 12.97

13.7

Set 4x4"

Rock Wall

10' Ditch

9.5 17.46

21.0 23.3 12.4 1.6

Set 1x2" 24

104+90.10

Sec 14

Wire fence

Traveled Road

See Line 12

Ditch

Wire fence

2617.42

Sec 13 T7N R14W

T= 58°

2617.86 - 44

Set 1x2" 23

131+07.52

From Top Page 184

W.S. 72, D-4

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

247 10M 8-31

To bottom Page 187

F.B. 573 Pg. 186

W.S. 72, D-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Set 1x2" 26
T=48
1150.30
- 27
Edison Power Line
1150.03
Sec 12
Road
COUNTY SURVEYOR'S
T. 7 N.
R. 11 W.
11 | 12
4 COR. MONUMENT
1.E. 2'11
9.0
11.8
Set 1x2" 25
77+65.22
Set 4x4
3000
3785
Set 4x4" 53.45
Rt. Tan. 78+18.67
T= 18°
2725.52
- 64
4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 18" Dia. by proportion
Sec 1
T7NR14W
Tel. Line
Wire Fence
Traveled Way
2724.88
STATE
HIGHWAY
Sec. Cor. Set 1" Iron. Pg. 185
104+90.10
Set 1x2" 24

From Top Page 185

Notes Ck'd by W.E. Runyon	Survey of Johnson Road	F.B. 573	Pg. 187
Map No. B-1073	W. O. 9	Tape No. 51	St'd 99 °F.
Office Work Reynolds	Surveyed by Boyer		
Checked W.E. Runyon	Notes	Date 3-5-35	
Date 8.2.1939.	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE. W, 3, 72, D-4

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

To bottom Page 188

Set 1x2" 28
51.35
8.15
Set Nail in End

T = 44°
2550.36
- 66
2550.30

Sec 2

Sec 1

Sec. line

Road

line

267

Set 1x2" 27
51+33.00
P.I. Sta. 51+95.36

50.57

Sec. Cor. Set
Mon Pg. 271

T = 48°
300.57 @ 2°11 = 300.35
1182.19
1482.54
- 35

30' Traveled

Tel.

1482.19

Sec 11
T7NR14W

Sec 12

Wire Fence

1045'

Set 1x2" 26
66+15.19

T

7 10M 8-31

F.B. 573 Pg 188

W.S. 72, D-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.



From Top Page 187

Notes Ck'd by McPherson
Map No. B-1073
Office Work Complete
Checked McPherson
Date Oct. 1939

Survey of Johnson Road
W. O. 8065 Tape No. 57 St'd ___ °F.
Surveyed by Dorr
Notes SC Baker Date 3-1-35
Indexed A. C. Johnson

F.B. 573 PG. 89

Set 1X2 #3 131+76.17
Contd. to Next Page.

Tap. 58°
137.12 @ — = 137.12
300.99 @ 4.51 = 299.36
300.03 @ 4.59 = 298.92
300.73 @ 4.56 = 299.82
236.44 @ — = 236.44
1271.66
122

66.80
Wash 6' Wide
237.00
1271.44
0.0
59.20
2.0
1X2 #2. Set 144+47.61
98.00
wire fence
Wash 6' Wide.

Sec 22 T7N R14W
Sec 21
Sec 27
Sec 28
T.T.H. SURVEYOR
1417.83
RE. 2177

Tap. 58°
300.10 @ 9.36 = 295.90
300.48 @ 9.52 = 296.04
210.22 @ — = 210.22
300.55 @ — = 300.55
117.69 @ — = 117.69
197.77 @ 3.10 = 197.47
1417.87
24

See for Set 2" I.P. with brass cap marked 6' above Surf. by proportion 8-31-36
Wire fence
Set 1X2 #1. 158+65.24
N. Slope Spur S.E. + N.W.

Tap. 58°
72.30 @ — = 72.30
01

89°-28'-00"
357-52-00
89-28-00
58.28
72.29
158+75.55
89°-28'-00"
41.98
159+37.53
Set 1x2 by Int
41.43
Fd. 1X2 #30
107+00.37 per B.B. 156
49.95
51.71 @ 15.00 = 49.95
Transite line Page 15c
E.
W.
107+79.07
8.72
19.89
56.90
106+50.42
wire Fence

T.O.B. 249

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, C-5

FORM 247 10M 8-31

To bottom Page 191

F.B. 573 Pg 190

117+70.31 1x2 ⌀5 Set

Cont'd Next Page

W.S. 72, C-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

64.00

Yard fence

Tep 58°

End of Fence

290.34 @ 3.20 = 289.85 ✓
67.75 @ — = 67.75 ✓
232.93 @ 3.06 = 232.59 ✓
134.49 @ 12.04 = 131.52 ✓
721.71
- 12

721.59 ✓

6.0

291.00

N+T. E. face almond tree 11.81

1x2 ⌀4 Set 124+91.90 ✓

71.00

Old almond Trees

Tep 58°

684.39 @ — = 684.39 ✓
- 12

684.27 ✓

Wire fence

22.00 22.00

E.

W.

SURVEYORS
T. 7 N.
22 27
R. 14 W.
R.E. & COR. 2111
MONUMENT

N+T. N. face of almond Tree

14.07

66.80

Set 1x2 #3 0.30 below surface

131+96.17 ✓

15.53

10.08

2.0

N+T. S face of N. fork of almond Tree

61.98

#Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 18" Dia. by proportion Set #x4

26.30

55.00

30.00

31.70 ✓

30.00

132+40.25

Set #x4 - 8" Dia.

8/31-26

90°

From Top Page 189

Notes Ck'd by McPherson	Survey of Johnson Road	F.B. 573	Pg. 191
Map No. B-1073	W.O. 8065 Type No. 5-7 St'd. of.		
Office Work Reynolds	Surveyed by 13092Y		
Checked McPherson	Notes Schaefer Date 3-12-35		
Date Oct. 1939	Indexed Beg. A. C. Johnson		

To bottom Page 192

Cont'd Next Page

114+79.41 Set 1X2" Lame

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

32.00
14.00
32.00
31.45
65.40
8.0
36.70
87.70
110.00
Sheet iron Barn
96.80
Corral Fence
47.00
Shed
29.50
86.85
28.00
33.00
67.50
16.00
34.00
13.00
13.00
14.00
Tep. 620
290.94 @ — = 290.94
— .09

yard fence

29.00
42+18.08
Set 1X2" 5
117+70.31

32.33
12.00
4.0
4.0
5.0
32.80
73.78
27.00
6.0
22.00
7.0
Frame House
14.80
Porch
7.0
72.40
25.50
69.68
18.50
20.0

73.30
yard fence
End of fence

E.
W.

FORM 247, 10M 8-31

F.B. 573 Pg 192

Cont'd Next Page



55.00

Set 1X2 #8 104+01.39

Tep. 66°

219.48 @ 1.28 = 219.41

03

E.

W.

5.13

21.38

23

26

105+84.9

35.77

35.81

Sec. Cor. Set 2" I.P. with brass cap marked as shown in Cone. 5' above Surf. by proportion 8-24-36

Transit line

Page 168

40.00

1X2 #11

54.99

Set 1X2 Intersec. 106+20.77

53+67.77

17.60

5.42

57.20

90°-28'-15"

361-53-00

90-28-15

Tep. 64°

632.70 @ - = 632.70

.05

632.57

22

27

T 1 N R 14 W

10.0

Hd. Wash

Wash 6'± Wide

224.00

Set 1X2 #7 flat spot N.+S. plowed field 112+53.39

Tep 64°

228.25 @ 7.58 = 226.05

03

20.22

3.30

Corral

fence

6.0

114+79.41

Lane

Set 1X2 #6

8.0

13.16 N.

From Top Page 191

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

W.S. 72, D. 5

Notes Ck'd by McPherson | Survey of Johnson Road | F.B. 573 Pg. 193
Map No. B-1073 | W. O. 8066 | Tape No. 52 | St'd 24 of F.
Office Work Leupold | Surveyed by Doty
Checked McPherson | Notes Schaefer | Date 3-12-35
Date Oct 1939 | Indexed | Book A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.
Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Cont'd Next Page

Set 1X2 #11 79+62.79
3.0
8.0
X & T. Road 10' Wide
Tep 66°
202.00
Wash 20' Wid
AGT 1.57
22.00
1X2 #10 Mesa 84+30.36

60.31 @ — = 60.31
300.29 @ 8.52 = 296.70
110.61 @ — = 110.61
467.62
- .05

Tep 66°
726.77
300.34 @ 2.29 = 300.07
426.78 @ — = 426.78
726.85
- .08

SW 1/4
100.00
Set 1X2 #9 SPUR. N.E. + S.W. 91+57.13
34.00
168.00
31.40
201.00
Fork Wash 5-20' Wide

Tep 66°
300.52 @ 4.01 = 299.78
300.43 @ 4.15 = 299.60
145.37 @ 4.14 = ~~145.26~~ 144.97
300.17 @ — = 300.17
201.38 @ 7.00 = 199.88
1241.40
- .14

N 2° E
1244.5

Set 1X2 #8 Mesa. 104+01.39
55.00

From Top Page 192

FORM 847 10M 5-31

F.B. 573 Pg 194

W.S. 72, D-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Cont'd Next Page

65+44.51
Set 1x2 #14 Mesa slopes N.
16.00
95.00

Tep. 64°
299.71 @ 10.47 = 294.42
268.44 @ 10.12 = 264.20
558.76
.07

558.05

Wash 12' Wide
210.00
Set 1x2 #13. SPUR NE+SW.
6.0
71+03.16

Tep. 62°
204.39 @ 14.17 = 198.07
245.63 @ 11.01 = 241.10
89.89 @ — = 89.89
529.06
.08

528.98

T7NR14W

COUNTY SURVEYOR T.7 N. R.14 W. 23 26 #COR. RE. 2177

Wash 10' Wide
235.00
Set 1x2 #12 SPUR. NE+SW.
12.20
76+32.14

Tep. 60°
300.03 @ 2.28 = 299.75
30.95 @ — = 30.95
330.70
.05

330.65

E
N
42.00

4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. by proportion 7-3-26

(23)

13.64
90°
79+27.99 Pt. of Sta.
34.80
(26)

Set 1x2 #11
15.50
79+62.79

37.20
40.20
14.35
140.80

From Top Page 193

Notes Ck'd by McPherson
Map No. B-1077
Office Work Reynolds
Checked McPherson
Date Oct. 1939

Survey of Johnson Road
W.O. Sht. Type No. Sht'd of
Surveyed by Boyer
Notes Schaefer Date 3-3-39
Indexed A. C. Johnson

F.B. 573 PG. 195

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

W.S. 72, D-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 5-31



F.B. 573 Pg 196



W.S. 72, D-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McMunn
Map No. 3-1073
Office Work Squires
Checked McMunn
Date Oct. 1939

Survey of Johnson Sd
W. O. 2665 Tape No. St'd °F.
Surveyed by Dodge
Notes Schaefer Date 3-15-35
Indexed L. C. Johnson

F.B. 573 Pg. 137

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W.S. 72, 8-5

C.S.M.

90°-32'-15"
362-08-30
90-32-07½

51°-29'-30"
229-58-30
51-29-37½

31°-58'-15"
127-52-30
31-58-07½

291+70.75
1x2" #4 & PT. bare ridge E&W.

27+88.69

179°-49'-30"
359-18-00
179-49-30
This & checked
2-17-36

62°-01'-45"
248-06-45
62-01-41

Tep. 50°
96.53 @ 8.29 = 95.47
237.90 @ 1.33 = 237.81
300.17 @ 1.27 = 300.07
299.39 @ — = 299.39
187.73 @ 1.38 = 187.65
1120.39
-.25 T.C.

1120.14
Hd. draw
230.00
1x2" #3 Spur N+S.

302+90.89

Tep. 58°
150.85 @ 18.06 = 143.39
243.48 @ 18.34 = 230.81
124.08 @ 4.47 = 123.65
497.85
-.08 T.C.

497.77
draw
40.00
1x2" #2 Spur S.W. + N.E.

309+88.66

Sec 19 T7N R14W

Sec 30

Tep. 58°
300.59 @ 16.47 = 287.78
267.93 @ 20.11 = 251.48
539.26
-.09 T.C.

50.00
draw
539.17
20.00
Low spur
draw
270.00
1x2" #1 Spur N+S.

313+27.83

Tep. 58°
258.22 @ 11.40 = 252.89
300.02 @ 4.05 = 299.26
55.60 @ 24.59 = 50.40
28.64 @ — = 28.64
631.19
-.11 T.C.

E.
W.
80.00
631.08
draw
Low spur.
70.00

Sec. 19
Sec. 30

90°-12'-45"
360-51-30
90-12-32½

182.40
80°-12'-52½"
draw

27°-45'-30"
111-02-30
27-45-39½

319+58.91
37.86

40 W
1.45
0.40

fd. Granite rock
with C. cut on
E. face in Md of Rocks,
41.58 @ 24.25 = 37.86
Set C.S. Mons.
Pg. 278
Sec. 24

See Next Page

fd. Granite rock
5 X 10 X 16 ins. on
S.E. Slope Spur N+S.
2 Notches on South +
4 Notches on North edge
C.S. 9123-2,11

fd. Juniper Post scribed
T.7.N. R.14.W. on N. Face
R.15.W. S.25. on W. face
S.36 on S. face
faint marks on E. face
Granite rock along side
with 1 Notch on S. edge
5 Notches on N. edge
2 Placed 4 on Granite
rock for point

Sec. 25

R14+15.W.

FORM 247 10M 8-31



W.S. 72, C-3 & C-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson
Map No. B-1073
Office Work Reynolds
Checked McPherson
Date Oct. 1939

Survey of Johnson No 1
W. O. Tape No. St'd °F.
Surveyed by [illegible]
Notes Schaeffer Date 9-28-35
Indexed A. C. Johnson

F.B. 573 Pg. 199

Look next page

SURVEYOR
T. 7 N.
R. 15 W.
R. 14 W.
L. P.
R.E. 2177

40+97.39
1X2 #5. toe slope spur

5.90
41+03.29
Black oak 8" dia. in line
Tep. 54°
101.35 @ 18.21 = 96.20
.19

4.67
7.20
41+02.06
fd Granite rock 10x8 x 12 10" in ground. Within scribed Oak Stake facing along side. Scribings faint O. W. P. are Letters that are visible. See C.S. 9123 - 2+16 Replaced rock with 2" I.P. with brass cap marked as shown in conc. 6" above surf 9-3-36

96.19

41+93.58
1X2 #6 N. Slope spur NTS.
Tep. 54°
194.70 @ 1452 = 188.18
-.04

188.14

43+81.72
1X2 #3. Top spur NTS.
Tep. 46°
238.78 @ 10.27 = 234.82
-.06

234.76

46+16.48
1X2. Chain P.T.
W. Slope spur
Tep. 40°
299.53 @ 16.25 = 287.32
-.08

287.24

49+03.72
1X2 #2 N.W. Slope ridge
Tep. 46°
236.95 @ 8.45 = 237.19
-.06

234.13

51+39.85
1X2 #1 E. Slope ridge
Tep. 40°
149.92 @ 2.48 = 149.74
-.04

149.70

52+87.55
Granite rock. 1 Notch on S. 3 Notches on N. + in top of rock. on NE. Slope ridge Bearing NTS.
C.S. 9123 - ~~16, 17, 41~~ 41

Set Mon. Sec Pg. 238
C, C, Te 30 & 31 set by Parsons 1901

Sec 25
Sec 30
Sec 36
R. 15 W.
Sec. 31.
R. 14 W.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 72, 8-5

FORM 247 10M 8-31

F.B. 573 Pg. 200



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Rd
Map No. B-1073	W. O. 8265 Tape No. St'd oF.
Office Work Reynolds	Surveyed by Dwyer
Checked McPherson	Notes Schaefer Date 3-21-35
Date Oct 1939	Indexed A. C. Johnson

F.B. 573 Pg. 201

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, 18-5

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

18+50.38
1x2 #11
Te P. 52°
8.26 @ — = 8.26
500.12 @ — = 500.12
144.18 @ 4.16 = 143.78
652.16
-.14
N. edge Water
652.02
Elizabeth Lake
S. edge Water
12.00
1x2 #10
25+02.40
Te P. 52°
245.56 @ 2.45 = 245.28
-.05
108.70
4.92
26+65.89
26+11.10
43.23
Fd. Juniper stake with S. scribed on E. face in Mound of Rock.
26+54.33
70.25
Set 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. by proportion 9-3-36
4.99
26+69.96
Set 1x2 Stake in center old Md. rock.
9.78
245.23
C.S. 9123-2, 11, 13, 16
COUNTY SURVEYOR T. 7 N. R. 15 W. 25 1/4 COR. R.E. 2177
COUNTY SURVEYOR T. 7 N. R. 14 W. 30 1/4 COR. R.E. 2177
81.45
W.
E.
27+47.63
1x2 T 9
8.99
0.56
27+48.19
Juniper Stake in old Md. Rock.
Sec. 25.
Sec. 30.
R. 15 W.
R. 14 W.

FORM 247 10M 8-31

F.B. 573 Pg. 202

W.S. 72, B-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Contd Next Page

Draw

28.00

6+41.04 1½" I.P. Tag "LS 6113" Top S.P.K. SE & N.W.

Tap 58
243.59 @ 9.25 = 240.31
295.43 @ 8.19 = 291.53
300.82 @ 23.42 = 275.45
211.43 @ 27.92 = 187.48
23.36 @ — = 23.36
1018.13
-.17 T.C.

W. E

edge brush, Toe Slope

Sec. 25. Sec. 30

1017.96

Old broken down fence

134.00

Tel. Line

126.00

Power Line 1.0 1½" I.P. 12 — 16+59.00

13.80

Nelles Rd.

Elizabeth Lake 19.00 Oiled Rd.

Tap 59
193.26 @ 7.55 = 191.42
-.04

Tel. Line 8.0

1911.38

18+50.38 1½" I.P. 11

18+50.81

0.43 ± 4.37 Hewed Juniper Stake 3" x 6" at base, 2 x 2 at top, 18" above ground, W. Scribed on West face and W.C. on East face
See C.S. 9123 - 16, 11, 13

R. 15 W. R. 14 W.

Notes Ck'd by McPherson	Survey of Johnson 4yd	F.B. 573	Pg. 203
Map No. 3-1073	W. O. 8-5 Tape No.	St'd	°F.
Office Work Reynolds	Surveyed by Porter		
Checked McPherson	Notes Schaefer Date 3-25-35		
Date Oct. 1939	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, 8-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Set C.S. Monu
Pg. 278

Granite Rock
C. on E. face

granite rock 0+00 South
5 X 10 X 16 inches, on S.E. slope
spur bearing N.+S. 4 Notches on
North edge, 2 Notches on South edge
C.S. 9123 - 2, 11, 18

37.86

Tep 62°
300.77 @ 17.07 = 287.45 ✓
258.41 @ 24.18 = 235.51 ✓
124.40 @ 18.13 = 118.17 ✓
641.13 ✓
-.09 T.C.

68.98 @ 21.37 = 64.13

64.13

1.03

fd. Granite stone
8 X 12 X 18 inches 12" above
ground. 4 Notches on North
edge, 2 Notches on South edge.
South East slope ridge bearing N+S.
C.S. 9123 - 2, 11, 13, 18

641.04

6+41.04

Sec. 25

Sec. 30

R. 15 W.

R. 14 W.

FORM 247 10M 8-31

F.B. 573 Pg. 204

U.S. Coast & Geodetic Triangulation

(Secondary Order)

Bearings on C.S.B-1073 are based on these Azimuths as "SPECHT" is practically on a Meridian running through the middle of The Township.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Rd	F.B. 573 Pg. 205	
Map No. B-1073	W. O. 8065 Tape No. 5	St'd 8V °F.	
Office Work Reynolds	Surveyed by		
Checked McPherson	Notes	Date 5-22-35	
Date Oct 1939	Indexed A. C. Johnson 5-24-35		

Ties County Surveyors Transit Lines to U.S.G.S. Triangulation System in T. 7 N. R. 14 W.

J. N. 8065

Party W. M. Holmes
E. A. Tosceano
G. W. Schaefer
J. P. Pierce
C. H. Morrison

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 573 PG. 206

Tunnel Line F.B. 573-184

Sec 24

Sec 23

Sec 22

T. 1N. R. 14 W.

59-24-00 ①
23-36-30 ②
35-24-07½

117-08-00 ③
108-31-30 ④
117-07-52½

Δ Gate, Bronze tablet in 12"x12" Conc. Mon.
F.B. 563-167

2-1x2
F.B. 563-167
#10-193+3468
6.49
2-3x4 1x2
5.9'
L.P.
1.41

55°-44'-30" ⑤

55-44-30 ⑥
222-58-00 ⑦
55-44-30

59°-24-05" ⑧
117°-07'-55" ⑨
130.28

Δ Sur. tablet in Bronze 12"x12" Conc. Mon.

1x2 - R. 22 2
F.B. 573-184

121°-45'-00"
121-45-00 ⑩
121-00-00 ⑪
121-45-00

To Δ Specht 2

Tunnel Line F.B. 563-167

Notes Ck'd by McPherson	Survey of T. 1 N. R 14 W.	F.B. 572	Pg. 207
Map No. B-1073	W. O. 5065 Tape No 37 St'd 64 OF.		
Computed by Rasmussen			
Checked McPherson	Notes	Date 6-1-35	
Date Oct. 1934.	Indexed A. C. Johnson 7-12-35		

Sec. 20

Sec. 21

1/4 Sec. Cor. Fd. C. S. Mon.

2620.11 Rec. per F.B. 64

T. 1 N. R 14 W.

Sec. 29

Sec. 28

19.80

Fd C.S. Mon. Set for 1/4 Cor. Removed

1/4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. by proportion per Pearsons Survey. 6-29-34

COUNTY SURVEYOR'S MONUMENT T. 1 N. R 14 W. 29 28 21 E. 1/4 SEC COR

2620.11 Rec. per F.B. 64

Sec. Cor. Fd. C.S. Mon. F.B. 64-113

Sec. 32

Sec. 33

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, C-5

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

F.B. 573 Pg. 208



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of T. 7N R 14W	F.B. 573	Pg. 209
Map No. B-1073	W. O. 8065 Tape No 57 St'd B4 of.		
Compiled Records	Computed Records		
Checked McPherson	Notes	Date 6-7-35	
Date Oct. 1939	Indexed	A. C. Johnson	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, D-4

Cont. bottom next pg

79+83.0 Set 2" flush

1x2

39.6

25.0

28.07

79+59.7 2" end of fence

30.00

14.9

79+68.9 Set 4x4

30.00

90°

Set 4x4 2' Sec. Cor. 4" I.P. with Brass cap marked as shown in Conc. 18 Dia in Conc. 18 Dia proportion 7-3-36

COUNTY SURVEYORS MONUMENT R.E. 2117

R.14W. 23 14 COR.

T.7N R.14W.

2781.83 T.100 = 2782.12

Dirt - Rd.

2782.12

Barbed wire Fn.

Tel pole line

Sec. 23

Sec. 14

52+10.1

12.0

Barbed wire Fn.

Set 4x4 2'

35.8

Sec. Line

7.8

31.8

52+93.3

2" Corr. iron pipe 52+87.7

52+88.2

45°

18.3

2.2

Road.

Sec. line

22.0

Dirt

2" Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 16" I.D. by proportion

4.0

52+47.5

29.1

68.0

24.2

90-25.45

36-43.00

90-25.45

52+45.0

90-25.42

68.0

Road.

52+45.1

Set 4"x4"

Boyers Transit

1.5

25.62

line 2

1x2

Sec. 24

T.7N. R.14W. COUNTY SURVEYOR

23 14 24 13

52+21.0 P.E. 3.W.T.

Set flush

3.0

815.63

Dirt

2.0

Sec. 13

Spk. 43+85.32 See preceding page

FORM 247 5M 2-34


W.S. 72, D-4
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.
F.B. 573 Pg. 210
Sec. 24
Sec. 15
Sec. 23
Sec. 14
Cont. bottom next page
112+85.3
Tel. pole line
Dry wash
20'
1347.16 T. 98
=1347.28
Barbed wire Fn.
Dirt Rd.
Dirt Rd
Bayers Transit
T. 7N. R. 14W.
Sec. Cor. Set 2" I.P. with brass cap marked as shown in conc. 18" Dia. Middle Tr. Rs and 30' off Fn. to W.
end of fence
106+11.6
Set 1x2
Line 2
Tel pole + Fn. Lines
1296.66 T. 100
=1296.79
Barbed wire fence
Set 1x2
Dry wash
Barbed wire Fn
1318.44 T. 100
=1318.58
Sec. Line 2
end of fence
35.4
Set 1x2
79+83.07 see preceding page
COUNTY SURVEYORS MONUMENT
R. 14 W.
T. 7N.
22
23
14
15

Notes Ck'd by Mc Mahon	Survey of T. 7N. R 14 W.	F.B. 573	Pg. 211
Map No. B-1073	W. O. 3005 Tape No 27 St'd S.T. of.		
Office Work Reynolds	Surveyed by Lockerbie		
Checked Mc Mahon	Notes	Date 6-7-35	
Date Oct. 1934	Indexed	A. C. Johnson	

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, C-4

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

from next Pg.

Boyers transit line

Pt. #34

Fd. 1x2

28.95

Dry Wash 8.0

Inf. 159+08.55 Set 1x2 Pg. 158

100

90°-01'-45"

137+62.3

4.0

157+12.0

Tel pole + Fn.

1330.13 T. 98 = 1330.25

1330.25

1x2 - 145+18.30

90°-01'-45"

90°-01'-45"

90°-01'-45"

30.5

8.5

T. 7N. R. 14W.

139+03.5

Dry Wash 5.0

1328.30 + T. 98 = 1328.42

1328.42

133+40.1

32.7

Dry Wash 13.30 8.0

Set 4x4

43.3

30.00

5.3

Set 4x4

132+88.3

120

98

132+88.30

132+49.88

Sec. 22

Sec. 15

40.2

Set 1x2

1/4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in conc. 18" Dn. on Fn. line

1304.04 + 98. = 1304.16

Barbed wire Fn.

Tel pole line

Dirt Rd.

Sec. line

T. 7 N. R. 14 W. S. BOUNDARY COUNTY SURVEYOR'S MONUMENT 1934

22 15

Set 1x2 - 119+45.12 See preceding page


F.B. 273 Pg. 212
W.S. 72, C-4
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.
Set 1X2
Cont. bottom next page
6°30'05" Calc.
Set 1X2 - 199+95.78
Set 1X2 - 187+92.44
T. 7N. R. 14W.
Sec. 16
Set 1X2
174+11.07
185+57.60
Dry Wash
Set N&T. in Tel. pole
Set N&T. in T. pole
Set N.T. in F.P.
Sec. Cor. Set 2" I.P. marked with brass cap as shown in Conc. 18 Dn. by proportion
R. 14W. COUNTY T. 7 N. SURVEYOR
Set 1X2 - 166+37.26
Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 18 Dn. by Prop. E+W. on line Fr E.
R. 14W. COUNTY T. 7 N. SURVEYOR
Barbed wire Fn.
Set 4X4"
Set 1X2 - 159+08.55 Sec. preceding page
159+23.39
Set 4X4
Wash
239.87 @ 2-08 T. 98 = 239.72
300.99 @ 5-29 T. 98 = 299.64
363.32 @ 00 T. 98 = 363.35
301.00 @ 2-58 T. 98 = 300.63
1203.34
1203.34
932.33
1381.37
773.81
728.71
1484

Notes Ck'd by McShane	Survey of T.7N. R.14W.	F.B. 573	Pg. 213
Map No. B-1073	W.O. 8065 Tape No 51 St'd 84 OF.		
Checked McShane	Notes	Date 6-6-35	
Date 28.1949.	Indexed A. C. Johnson		

Dry wash 16.0

226+80.0

Set 1x2 - 224+74.10

Barbed wire Fn

Cont. bottom of page

11.3 ft

Sec. 20

1282.28

U.S. M.C.

FOREST RESERVE

No. 81 Pipe R. 14 W.

Dry wash 10.0

211+71.75 Fd. 3" P. with brass cap marked as shown 1/4" above surface

Set 1x2 - 212+43.30

Fd. Sec. cor. 211+91.86 granite stone 16x8x6- 12" in the ground 3 notches on it. 4.48 E 281.35 E 3.3 S 23° E 278.22 Replaced stone with 2" I.P. with brass cap marked as shown 2734.2+ in line 4" high.

T.7N. R.14W.

281.33 T.94 = 281.35

278.20 T.94 = 278.22

180.71 @ 2-51 T.88 = 180.47

266.88 @ 4-06 T.88 = 266.21

190.70 @ 10-16 T.88 = 187.65

300.31 @ 3-09 T.88 = 299.87

133.05 @ ∞ T.88 = 133.05

215.44 @ 3-34 T.88 = 215.03

1282.28

79-20-15 ④

317-21-00 ④

79-20-15

Tel. pole line

79-26-30 ①

79-26-30 ④

317-16

79-26-30

174-36-30 ①

338-26-30 ④

174-36-30

COUNTY SURVEY

R.14W.

T.7N.

16 17 20 21

R.E. 2117

Sec. 21

315.16 T.98 = 315.19

Barbed wire

16+44.2

To 1x2 - 187+92.44 See preceding Pg. 6.0

Dry wash

210+55.0

1x2 - 209+22.11 See preceding page

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, 4-4

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

F.B. 573 PG. 214

2195

W.S. 72/C-4

Cont. bottom next page

10. Dry Wash

239+91.6

N.30° W.

S.

239+13 6 1/4" I.P. with 2" I.P. with brass cap Conc marked as above Surf.

Replaced 1/4" I.P. 12-36

238+56.34 Fd. 1/4" I.P. 6" above surface per F.W. 6458-13A, 30, 44

Ed. 3.4 feet E. of I.P. Top rocky of pile of rocks 3.1' E. of I.P. mound of Soldiers & Pipe. Top of Mt. is Approx. 2' E. Per Govt. notes fence about 600 of lines to pipe running N.W.

0.11

238+52.63

Set 1x2 - 238+38.0

Top rocky ridge

COUNTY SURVEYOR

R14W

17

20

T7N

26.28 @ 0° T. 88 = 26.28
150.53 @ 11-58 T. 88 = 147.32
300.53 @ 10-47 T. 88 = 295.23
468.83

P. pole

line

234+89.80

N. 5° E.

Sec. 20

Dry Wash 8.0

234+15.0

41½° E.

Dirt Rd. 30'

Tel. pole

232+90.3

Set 1x2 - 233+82.80

P. pole N. 1° W.

line?

233+74.8

N. 1° W.

233+53.6

45

41½° E.

T. 7 N. R. 14 W.

232+84.0

Barbed wire Fn.

633.87 @ 0° T. 88 = 633.87
275.87 @ 1-15 T. 88 = 275.81
909.70

Set 1x2 - 224+74.10 See preceding page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of T.7N. R. 14W.	F.B. 573	Pg. 215
Map No. B-1073 Reynolds	W. O. 8063 Tape No 7 St'd 54	Of.	
Checked McPherson	Notes	Date 6-10-35	
Date Oct. 1939	Indexed	A. C. Johnson	

Cont. bottom next page

T.7N.R.14W.

Sec. 20

T.7N.R.14W.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 BM 2-34

F.B. 573 PG. 216

W.S. 72, 8-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Cont. bottom next page

2 Set IXE - 14+12.30

64.52 @ ∞ T. 92 = 64.52
33.68 @ ∞ T. 92 = 33.68
98.20

13+23.2

13+14 Ed. 1.7 above 20 ft. Bottom

0.25

T. 1 N. R. 14 W.

Woven wire iron post Fn.

12+07.0

292.00 @ 7-08 T. 92 = 289.76
149.08 @ 12 5 3 T. 86 = 145.33
176.10 @ 8-51 T. 86 = 174.00
609.09

609.09

2 Set IXE
7+05.01

99.67 @ ∞ T. 92 = 99.68
300.56 @ 5-06 T. 92 = 299.39
399.07

246.28 @ ∞ T. 92 = 246.30
53.64 @ ∞ T. 92 = 53.64
305.94

399.07

Sec. 18

Sec. 17

2 Set IXE
3+05.94

Iron post wire Fn.

88-35-30 ①
354-22-00 ④
88-35-30

88° 35' 30"

Lo 659

N. 2° E. 659

0+00 to N. 26427.21
Sec. Cor. Stone
Fd. Granite stone
10 x 10 x 8" above ground
notched on E 3 notches on W
1 1/4" I.P. 2.3 ft. Replaced Cor. now
X cut with 2" I.P. with brass cap marked as shown in conc. 0.6 above ground

COUNTY SURVEYOR
T. 1 N.
R. 14 W.

18	17
19	20

R.E. 2177

Sec. 19

Sec. 20

Notes Ck'd by MR Hudson	Survey of T 1 N R 14 W.	F.B. 573	Pg. 217
Map No. B-1073	W. O. 8065 Tape No 57 St'd 84 OF.		
Checked MR Hudson	Notes	Date 6-11-35	
Date Oct 1939	Indexed	A. C. Johnson	

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, 8-4

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

Cont. bottom next Pg

Set 1X2 flush 32+30.09

Dirt Road

31+74.0

31+45.5

Barbed wire Fn

Creek

Bed N 70° E

28+97.8

612.34

50.09 @ 00 T 90 = 50.09
33.22 @ 00 T 90 = 33.22
235.03 @ 5-16 T 90 = 234.05
300.44 @ 10-57 T 90 = 294.98
612.34

179-57-00 ①
359-48-00 ④
179-57-00

Sec. 18

COUNTY SURVEYOR

R. 14 W.

T. 1 N.

E. 1/4 Cor.

2177

179°57'00"

Not c. Co. Bur. to N.

Set 1X2

Sec. 17

26+18.63

T. 1 N. R. 14 W.

0.75

0.88

6.12

26+17.75 Fd granite stone 14x10x7-10" in ground marked 4 on W. Fd Sec. Cor. 26+17.75 Fd old original 2x3 juniper stake Co. 9123 Replaced stake with 2" I.P. with brass cap marked as shown in Copy. 4 high.

5.10

438.77

Set 1X2" 21+79.86

Set 1X2 on Sec. line

90°

Calc.

767.56

300.63 @ 12-57 T 94 = 293.00
1.00 @ 00 T 94 = 1.00
148.43 @ 12-46 T 94 = 144.77
438.77

209.04 @ 7-55 T 94 = 207.06
265.16 @ 5-48 T 94 = 264.42
300.52 @ 9-53 T 94 = 296.08
767.56

1X2 - 14+12.30 See preceding page



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	McPherson	Survey of	T.7N. R.14W.
Map No.	B-1073	W. O.	8065 Tape No 57 St'd 87 of.
Checked	McPherson	Notes	Date 6/12/35
Date	Oct. 1939	Indexed	A. C. Johnson

F.B. 578 Pg. 219

Sec. 7

Sec. 8

52+73.44 Fd. 2" pipe 35.46 L.P. 6" Dn 1½" Set Mon. Pg. 229 Set Mon. 52+55.2

132

Set 1x2-52+98.17

265.04 ∠13-14 T. 90 = 258.00

96.4

Barbed wire I.P. Fn.

52+14.5

258.00

Set 1x2 50+14.17

Sec. 18

Sec. 17

Top break on flat

T.7N. R.14W.

Top break on to flat

11+38.0

38+58.0

N. 58 E.

Dirt Rd.

875.58 @ 00 T.90 = 875.61
277.00 @ 9-01 T.90 = 273.59
297.88 @ 2-41 T.90 = 297.56
148.15 @ 7-03 T.90 = 146.31
1593.07

37+59

Dry Wash

N. 86 W.

36+52

To M.+T. 34+21.10 See preceding Pg.

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

SM 2-34


F.B. 573 Pg. 220
W.S. 77 D-4
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.
Cont. bottom next page
27+46.18 Fd 4" bronze tablet in Conc. marked as shown 0.6' above surface.
78.74
Barbed wire fence
Steel Trans. tower.
35.8
24.2
26+21.38 Set 1x2
Set 4x4 2.5 Dn
Set 4x4
26+80.0
77.5
30°
18.53
2.38
Note: Stationing on this Line ~~same~~ changed by 10.00' thru error. To compensate, Stationing of Beginning point changed from 0+00 to 0+10.00
2621.31 T.-88 = 2621.38
U.S. COAST + GEODETIC SURVEY
ELEV. 8250 FINE
ABOVE MEAN SEA LEVEL
DISTURBING THIS MARK
MONUMENT
A 306
1935
BENCH MARK
R.E. 14W
T. 1N.
12
13
COR. 2177
COUNTY SURVEYOR'S MONUMENT
Oiled Rd.
I. 1N. R. 14W.
Sec. 13
Sec. 12
89-35-45
358-22-00
89-35-45
1/4 Cor. between Secs. 13 + 18 Fd. C.S. Mon. C.S. 813 F.B. 430-11
89°35'45"
T. pole line
10.00 to W.
Sec. Cor. 0+00 Fd. C.S. Mon. C.S. 813 F.B. 430-12
6.0
35.00
30.00
Set 2x2 3 Dn
Barbed wire Fn.
18.0
19.0
Sec. 18
Sec. 7
0-39.0
35.0
0-36.1
25.2
Barbed wire Fn.
T. 1N. R. 13W.

Notes Ck'd by McPherson | Survey of T.1N. R.14W.
Map No. B-1073 | W. O. 8065 Tape No 57 St'd 84°F.
Remarks: Reset cors.
Checked McPherson | Notes | Date 7-7-35
Date Oct. 1939 | Indexed A. C. Johnson

F.B. 573 Pg. 221

Cont. to next Pg.

Cont. to next Pg. 90° 4 Seq. Cor. Set 2" I.P. with Brass cap marked as shown in Conc. 6" above Surf.

Sec 11

78.16 78.97 30.00 30.00

19+87.85 Set 1x2

19+29.69

80+07

2781.15 T.84

Sec. 14

89-46-00 ①
359-04-00 ②
89-46-00 ✓

2781.15 T.84

Barbed wire

27.0

12.0

52+89.46 Fd. 2x4 stake 4' above

67.35

52+76.0

52+85.8

Fd. 1x2 6' Dn.

69.16

10.0

Set I.P.

34.78

Fd. 4" redwood stake .44' at stake

Fd. 3/4" I.P. in P. pole

Fd. 3/4" I.P. 6' Dn. Set M.T. in Road.

52+69.20

Dirt 97.46

Set C.S.Mon. Pg 185

89-46-00

6.5

Tel. pole line

52+26.1

128.4

52+86.5

61.8

66.91

52+29.37 Fd. 2x3 stake flush

Transit 48.11

49.18

Boyers

Int. Set 1x2 52+26.70 Fr. E. 12 Dn.

Pt. Fd. 1x2 Pg. 185

15.0

1520.80 T.84

Sec. 13

T. 1N. R. 14W.

Barbed wire Fnc.

Oiled Road

P. pole line

Bar. Bed wire Fnc.

Sec. 12

Set 1x2 38+85.90

1074.52

1074.99 T.88=
1074.52

40 1x2 26+71.38 See preceding Pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, D-4

SM 2-34


Coat bottom next Pg
Bk. 573 Pg. 222
Sec. 15
Dirt Rd.
Sec. 10
Barbed wire Fn.
W.S. 72, D-4
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.
Bayers transit
Set 1x2-12 Dn.
Sec Cor. Set 2" I.P. with brass cap marked as shown in conc. 18 Dn. by proportion 12-1-36
Sec. 14
Barbed wire Fn.
Oiled Rd.
Sec. 11
MONUMENT
T. 7 N.
R. 14 W.
COUNTY SURVEYOR'S
2664.39
2664.49 T.78
=2664.39
T. 7 N. R. 14 W.
Sec. line
Oiled Road
(State Hwy.)
Set 1x2
See preceding Pg.

Cont. bottom next page

Notes Ck'd by	McPherson	Survey of	T.1N. R.14W.
Map No.	B-1073	W. O.	8065 Tape No 57 St'd 84 OF.
Checked	McPherson	Notes	
Date	Oct. 1939	Indexed	A. C. Johnson Date 6-17-35

F.B. 573 Pg. 223

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, C-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

SM 2-34

Sec. 16 | Sec. 9 | Sec. 15 | Sec. 10 | T.1N. R.14W.

Boyers Transit line

Barbed Fn.

Barbed wire Fn.

Set 1x2 Flush

Set 1x2 - 196+N.57

Set 1x2 - 132+15.4 12' Dn.

Set 1x2 - 106+12.2 See preceding

Set N.T. in E.P.

4 Sec. Cor. Set E.I.P. with brass cap marked as shown in conc. 18 Dn. By Proportion 12-11-26

Dirt Road

Sec Line

P. pole line

Barbed wire Fence

Set 4x4 132+49.98 Stk. 4 Stks.

Set 4x4 132+80 2nd

Set 4x4 132+87.5

Set 4x4 132+86

Set 4x4 131+84.0

Set 1x2 Mon. Pg. 159

Pt. #37 Fd. 1x2 Pg. 159

Set 1x2 Flush

Int. 158+82.92

158+98.12

158+99.30

159+09.79

159+11.42

159+18.44

159+22.55

159+31.35

159+40.27

159+59.12

Sec. Cor. Set E.I.P. with brass cap marked as shown in conc. 18 Dn. By Proportion 12-11-26

Set 1x2 Flush

Set 1x2 Mon. Pg. 159

Set 1x2 Flush

Set 1x2 Flush

Set 1x2 Flush

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 72, C-4



Notes Ck'd by McPherson	Survey of T.7N. R.14W.
Map No. B-1073	W. O. 8065 Tape No 57 St'd 87 OF.
Checked McPherson	Notes
Date Oct. 1939	Indexed A. C. Johnson

Date 6-18-35

F.B. 573 Pg. 225

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

BM 2-34

To 142-212+46.32 See next page

Cont. bottom of page

Tel. Pole

Dirt Rd. N 39° W

12.0

42.3

200+50.8

Barbed wire fence

5

200+40.6

3

199+97.8

Line 7

N 60° E

N 76° E

T.7N. R.14W.

2535.81

N 65° E

198+19.1

Dirt wash

Sec 9

Sec. 16

Willow (Dirt)

N 65° E

Sec line

1+2-186+30.51

127.14	@ 00	T.96 =	127.15
200.83	@ 00	T.96 =	200.85
98.30	@ 00	T.96 =	98.31
39.17	@ 00	T.96 =	39.17
300.35	@ 1.20	T.96 =	297.91
273.86	@ 00	T.96 =	273.88
221.82	@ 00	T.96 =	221.84
289.30	@ 3.36	T.96 =	288.15
61.01	@ 00	T.96 =	61.01
300.26	@ 1.38	T.96 =	299.30
299.20	@ 2.50	T.96 =	298.85
159.71	@ 2.21	T.96 =	159.59
163.19	@ 00	T.96 =	163.20
			2535.81

197+30.32

185+48.23 Rd 1+4 2 pine 2' above surface marked L on

26.89

34.8

185+48.8

748.77

To 1+2-179+81.14 See preceding page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S.72, C-4



Notes Ck'd by McPherson	Survey of T. 7 N. R. 14 W.	F.B. 573	Pg. 227
Map No. B-1073	W. O. 8069 Tape No 57 St'd 84 of. Rosecrans		
Checked McPherson	Notes	Date 6-18-35	
Date Oct. 1939	Indexed A. C. Johnson		

W.S. 72, C-4

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

58.0
245+34.6 P.C. T.H.
To 1x2-24 Sta.
See next page
Wood mile iron post Fn.
Line 2
Pole
Dirt
840 Road.
245+76.3
Barbed wire Fn.
57.5
Sec. 17
38.0
Sec. 8
237+39.7 P.
738.11 @ ∞ T. 90 = 738.14
218.59 @ 150 T. 90 = 218.42
956.63
956.63
9.0
240+36.3
237+39.7
239+38.68
T. 7 N. R. 14 W.
Set 1x2
116.70
300.66 @ 8-12 T. 90 = 297.60
Sta. 238+31.98
Rx.
11.08
1/4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. by proportion. 11-24-36
Set
10d No. 236
2724.76
To 1x2-212 Sta. preceding
233+38.2
3' Dry
Wash
3'
COUNTY SURVEYOR
T. 7 N.
R. 14 W.
17
8
1/4 Cor.
1937

BM 2-34


F.B. 573 Pg. 228
S 64° W.
259+43.3
79.1
260+64.9
260+37.7
Cont. bottom next page
275.48 @ 00 T.%=275.50
277.90 @ 10-35 T%=275.16
550.66
550.66
258+87.8
23.6
258+67.0
62.4
Set 1x2-258+40.55
258+43.3
Barbed wire Fn.
258+88.9
57.9
56.70
257+86.6
257+81.31 Fd. 4"x4" pine with Cu. nail and washer flush marker by ft. marked U.S. 2815. B.M.
Woven wire iron post Fn.
P. pole line
Sec. 17
Sec. 8
945.17 T96 = 945.24
14.7
20.0
956+93.5
U.S. GEOLOGICAL SURVEY
250 DOLLARS FINE FOR DISTURBING THIS MARK
B.M.
ELEVATION ABOVE SEA 2803 DATUM
FEET L.A.
T. 7 N. R. 14 W.
945.24
Dirt Rd.
62.36
249+97.41 Fd. 4" I.P. with brass cap marked as shown 6" above surface
Set 1x2-248+45.31
47.3
19.0
28.0
14.7
11.5
956.63
To. 1x2-239+38.68 See preceding page.
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of T.1N. R.14W.	F.B. 573 Pg. 229
Map No. R-1173	W. O. 8065 Tape No 57 St'd 84 °F.	
Cyclo by Reynolds	Surveyed by Rosecrans	
Checked McPherson	Notes	Date 6-7-55
Date Oct. 1939	Indexed C. C. Johnson	

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W.S. 72, 8-4

Cont. bottom next page

Sec. 18

Sec. 7

T.1N. R.14W.

Sec. 17

Sec. 8

Dirt Road

Sec Line

Fence Line

Barbed wire Fn.

Woven wire iron post Fn.

Set 4x4

Set 1x2

Fd. 2½ I.P. with 2" brass cap marked Cont. 18 Dn. 3.4 4x4 AR 43

Replaced ½ I.P. with 2" brass cap marked Cont. 18 Dn. 3.4 4x4 AR 43

Fd. old 2x3 cedar post 1½ N. 1½ W. Scribed 4-5-40 1½ x 4 x 12" granite stone marked + 0.38 N. of stake

Fd. 2x3 cedar post 1½ high Scribed 4-5-40 1½ x 4 x 12" granite stone marked + 0.38 N. of stake

Set 1x2 - 290+39.39 Sec. Cor.

Set 1x2 - 290+39.36

Fd. 2½ I.P. with 2" brass cap marked Cont. 18 Dn. 3.4 4x4 AR 43

Set 1x2 - 52+72.17 Fr. 3. Pg 219

To 1x2 - 25+50.66 See preceding

Line Pg. 219

Fr. 3. Pg. 219

Fr. 2

Fr. 1

Fr. 7

Fr. 8

Lat. 264+53.6 Set 1x2

264+07.2

264+80.5

264+44.2

264+89.1

277+37.2

265+44.2

2630.04

3189.81 Calc.

N 24°40' Calc.

N 23° W

90-46-30 ①

363-06-00 ④

90-46-30

14.5

78.52

8.14

63.00

102.0

104.5

87.27

82.08

114.0

20

18.0

18.1

99.2

99.4

86.00 @ 7-46 T 88 = 84.75

347.73 @ 00 T 88 = 347.74

173.93 @ 2-53 T 88 = 173.71

177.41 @ 15-56 T 76 = 170.61

1853.06 @ 00 T 76 = 1853.23

2630.04

Barbed wire En.

Dry

Wash

Fence Line

Fence Line

Fence Line

F.B. 513 Pg. 230

W.S. 72, B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Sec. 13

T. 7 N. R. 15 W.

Sec. 12

Barbed wire fence

29+38.20 Sec. Cor. Fd. granite stone 8"x4"x12" above surface 2 notches on N. 4 on S. C.S. 9123
Replaced stone with 2" I.P. with brass cap marked as shown in Conc. 6" above surface

COUNTY SURVEYOR
T. 7 N. R. 15 W.
R. 14 W.
13 | 12
18 | 17

26+80.91 Fd. 3"x3" juniper post scribed S. 7 on N.E. 5.12 on N.W. 12 W.P.

33.88

Sec. 18

Sec. 7

T. 7 N. R. 14 W.

258.43 @ 2-15	T.	98	= 258.25
129.07 @ 00	T.	98	= 129.10
138.81 @ 4-47	T.	98	= 138.34
300.23 @ 4-36	T.	98	= 299.29
300.53 @ 3-03	T.	98	= 300.11
501.37 @ 00	T.	98	= 501.42
			1626.51

13+11.69 Fd. 1/4" I.P. 6" above surface

0.37

16.2

13+02.8

Woren wire iron post Fn. 2

115.02 @ 00	T.	98	= 115.03
136.79 @ 00	T.	98	= 136.80
112.90 @ 6-21	T.	98	= 112.82
300.29 @ 7-35	T.	98	= 297.69
222.05 @ 00	T.	98	= 222.07
298.20 @ 5-20	T.	98	= 296.94
130.93 @ 00	T.	96	= 130.94
			1311.69

1311.69

5+41.9

Dry wash

177-35-00 ①
349-40-30 ②
177-25-07½

Replaced stake with 2" I.P. with brass cap marked as shown in Conc. placed 4" above surface and old rock on N. side.

177.25+05

14.5

1/4 Sec. Cor. 0.00 to W. 2 Fd. old original stake See 3x3 cedar preceding page

To 1+2.258+5 x 0.55
See Pg. 228

Notes Ck'd by McPherson | Survey of T. 7 N. R. 14 W. | F.B. 573 Pg. 231
Map No. B-1073 | W. O. 8065 Tape No 37 St'd 87 of.
Checked McPherson | Notes | Date 12-29-39
Date Oct. 1939 | Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHARGE.

W.S. 72, B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 BM 2-34

Cont. to next page

Replaced stone 11"x4"x7" with brass cap marked as shown 6 above surface 26+52.97 4" Sec. Cor. Fd Granite stone 8"x10"x16" in ground marked 4 on A. C.S. 1923.

Fd. 14" manzanita stump B.T. 26+49.81

R.14W. COR. 18 19 T.7N. SURVEYOR

Set 1x2 26+55.99

Fd. 14" manzanita stump B.T. 26+48.1

Set 1x2 25+68.35

87.88 @ 4-20 T.7S = 87.64

18.85 @ 00 T.7S = 18.85
143.95 @ 17-08 T.7S = 137.57
300.34 @ 2-36 T.7S = 300.06
456.48

Dry wash 7.0

Set 1x2 22+06.8

Set 1x2 20+81.87

Woven wire iron post Fn.

T. 7 N. R. 14 W.

92.89 @ 6-07 T.7W = 92.43
300.96 @ 00 T.7W = 300.98
89.34 @ 5-54 T.7W = 88.88
772.29

Sec. 19

Set 1x2 16+09.58

Sec. 18

78.62 @ 00 T.7W = 78.63
251.51 @ 8-42 T.7W = 248.69
300.64 @ 11-16 T.7W = 297.31
60.38 @ 00 T.7W = 60.38
681.99

Set 1x2 9+27.59

178-51-00 ①
356-24-00 ④
178-51-00

57.89 @ 00 T.9W = 57.89
300.76 @ 1-52 T.9W = 298.09
120.00 @ 00 T.9W = 120.01
300.89 @ 2-39 T.9W = 299.99
154.09 @ 10-19 T.9W = 151.61
927.59

9.7 0+09.38

927.59

Sec. Cor. 0+00 to W. 2
Set Mon. See Pg. 216

Sec. 20

178-51-00

To Mon. S.E. Cor. Sec 17 See Pg. 213

Sec. 17

F.B. 573 PG. 232

Sec. 24

T. 1 N. R. 15 W.

Sec. 13

W.S. 72, B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Fd. stump of old oak B.T.

Fd 3" scribed oak B.T.

0+00 to N. ~~55+38.62~~

~~55+38.62~~ Fr. E ~~55+38.62~~

Sec. Cor. Fd. granite stone 21x6x6-16 in ground 3 notches on 5 + 3 notches on N. C.S. 9123 - Replaced stop with 2" I.P. with brass cap marked as shown in Conc.

Cont. South next page

653.37

Int. Set 1x2 55+38.62 Fr. E. Sec. Line 0+06.22 to N.

Set 1x2 - 61+59.59

267.46 @ 14-21 T. 88 = 115.46
155.12 @ 1-07 T. 88 = 117.66
00 T. 88 = 00
154.30 @ 1-40 T. 88 = 114.30
266.30 @ 1-40 T. 88 = 154.31
117.66 @ 1-00 T. 88 = 117.66
-53.37

Dry wash -3.-

Fd. stump of 3" B.T.

Fd. 6" oak scribed 2.1 T. 1 N. R. 14 W. B.T.

~~275.85~~ @ 14-24 T 94 = ~~276.99~~ ~~269.20~~
285.75

27.71

Note, original reduction is good.

27.71 @ 00 T. 94 = 27.71

52+61.83

Set 1x2 top N+3. Ridge

Set 1x2
52+34.12

Sec. 19

Sec. 18

T. 1 N. R. 14 W.

1707.39

15.17	@ 11-53	T. 92 =	16.72
300.83	@ 5-21	T. 90 =	299.55
76.91	@ 4-47	T. 98 =	76.65
143.43	@ 12-00	T. 98 =	140.31
300.81	@ 9-28	T. 98 =	296.74
64.00	@ 00	T. 98 =	64.01
300.25	@ 2-20	T. 98 =	300.03
69.57	@ 4-28	T. 98 =	69.37
295.55	@ 4-20	T. 98 =	294.18
75.16	@ 1-45	T. 98 =	74.30
			1707.39

50.38	@ 00	T. 98 =	50.38
154.06	@ 16-17	T. 98 =	147.51
300.32	@ 10-43	T. 98 =	295.11
92.29	@ 00	T. 98 =	92.30
285.61	@ 2-05	T. 94 =	285.44
			870.74

Ridge

Set 1x2 top N+0.
35+26.13

870.74

27+59.0

Dry wash 2'

Sec.

1x2 - 26+55.99

Preceding page

Notes Ck'd by Mc Pherson	Survey of T. 7 N. R. 14 W.	F.B. 573 Pg. 253	
Map No. B-1078	W. O. 8065 Tape No 57 St'd 84 of.		
Checked Mc Pherson	Notes	Date 6-26-35	
Date Oct. 1939.	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, B-4

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

BM 2-34

Sec. 13

T. 7 N. R. 15 W.

Sec. 18

T. 7 N. R. 14 W.

2+58.65 Set 1x2

Barbed Wire Fn.

Replaced stone with 2" I.P. with brass cap marked as shown in Conc. flush.

1/4 Sec. Cor. Ø too t.W.

Ed stone 18"x10"x7"-13" in ground marked ✠ on W. face and x on top C.S. 9123

179-57-15 ①

357-49-30 ②

179-57-22½

258.84 @ 2-15 T. 88 = 258.65

57.71 Calc.

26+44.14

Warren wire iron post x Fn.

248.60 @ 13-19 T. 84 = 241.92

13° 38'

241.92

534.91 Calc.

COUNTY SURVEYOR

T. 7 N. R. 15 W. / R. 14 W.

13 + 18

1/4 COR.

2177

52.58

Set 1x2

256.94 @ 8-42 T. 82 = 253.98

62.65 @ 00 T. 82 = 62.65

300.12 @ 9-47 T. 82 = 295.76

133.71 @ 8-05 T. 82 = 132.58

744.97

Set 1x2 - 24+09.80

744.97

Sec. Line

Ro. + 18.2

Dirt Rd.

S 75° E.

9.0

L 15-00"

.02182 Tang.

139.02 @ 3-31 T. 82 = 138.76

300.09 @ 00 T. 82 = 300.09

166.91 @ 7-29 T. 82 = 165.45

300.43 @ 00 T. 88 = 300.14

103.19 @ 13-13 T. 88 = 100.76

1005.24

Set 1x2 - 14+64.83

1005.24

1x2 - 6+59.59 ✠ See preceding page

F.B. 573 PG. 234



W.S. 72, B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of T.7N. R.14W.	F.B. 573	Pg. 285
Map No. B-1073	W. O. 8065 Tape No. 57 St'd 27 OF.		
Checked McP	Notes	Date 7-8-35	
Date Oct. 1939	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.72, B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Sec. 1

52+71.10 Sec. Cor. Fd. granite stone 22x9x5-16" in ground 3 notches on S face C.S. 9123

Set Mon. Pg. x 236

Sec. 6

52+61.5

28.0

52+61.0

30'

Dirt Road.

52+35.42

52+17.9

F. pole o line 2

307.5

52+16.4

1176.90

52+12.2

Sec. 12

Sec. 7

1176.90 @ 00 T. 84

71°-40'

Top of Hill

Set 1x2 10+94.20

164.24 @ 3.27 T. 84 = 163.94

163.94

335.5

Barbed wire Fn.

Set 1x2 -39+30.26

39+28.0

T. 7N. R. 15 W.

T. 7N. R. 14 W.

N 50° E 85.0

Barbed wire Fn.

31.89 @ 00 T. 84 =	31.89	
78.08 @ 16.51 T. 84 =	74.13	
300.20 @ 7.13 T. 84 =	297.82	35+94.0
299.88 @ 8.20 T. 84 =	296.71	
601.11 @ 00 T. 84 =	601.11	
	1302.26	

1302.26

8.0

COUNTY SURVEYOR

T. 7 N.

R. 15 W. | R. 14 W.

12 | 7

1/4 COR 2177 MONUMENT

33+14.11

foot of hill

Set 4x4

T. N. 65° W.

Set 4x4

30.00

30.00

90°

75°

Set 1x2 2-26+28.00

4 Sec. Cor. 26 35.55 Set 2" I.P. with brass cap marked as shown in conc. 18" Dp. by proportion 12-2.36

BM 2-34

F.B. 573 Pg. 236

W.S. 72, B-3 & B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

To 1+12-45+73.56 Page 12.1
See next

42+91.81

6.3

COUNTY SURVEYOR
T. 7 N.
R. 15 W.
1 6
12 7
R. 14 W.
R.E. 8177

1733.90

2.8+11.46 P.C.

6.4

1633.18 @ 00 T. 84 = 1633.18
300.27 @ 3-28 T. 84 = 299.72
1932.90

7.83

26+80.61 Ed. 2x4 with nail in 3" above Surf. U.S.
Cut No. 2 B.M. 1.40 #33 30.00
2820.0 Jet marked 2
Cor. 26+45.05 by proportion
Cor. brass cap 18" Dn. 30.00
2" I.P. with tin tag 9.0
as shown 11-27.36

1759

P.C. 24+52.36

20'

T. 7 N. R. 15 W.

64.72 @ 00 T. 84 = 64.72
137.04 @ 3-07 T. 84 = 136.87
200.36 @ 2-12 T. 84 = 200.23
401.79

401.79

Set 1x2" 21+38.81

COUNTY SURVEYOR
T 7 N.
R. 15 W.
1 6
12 7
R. 14 W.
R.E. 2177

14'

T. 7 N. R. 14 W.

192.62 @ 00 T. 84 = 192.62
300.88 @ 00 T. 84 = 300.88
300.54 @ 00 T. 84 = 300.54
143.81 @ 00 T. 84 = 143.81
300.66 @ 1-33 T. 84 = 300.55
300.37 @ 2-48 T. 84 = 300.01
300.30 @ 1-54 T. 84 = 300.13
300.33 @ 00 T. 84 = 300.33
2138.87

2138.87

Set 4x4" N. Fd. 0.70 above
Sec. Cor. 22" x 22" x 5
Granite Stone
16" in ground 5 notches on
Mon. on

Sec. 1

Sec. 6

179-59-45

Replaced Stone with 2" I.P. with brass cap marked as shown in conc. 18" Dn. Reset Stone in place over Mon. 11-E4-36

179-59-45
359-59-00
359-59-45
179-59-45

Sec. 12

To Mon. at S.W. Cor. Sec. 7 T. 7 N. R. 14 W. Fd.

Sec. 7

Notes Ck'd by McPherson	Survey of T. 7 N. R 14 W.	F.B. 573 Pg. 237
Map No. B-1073	W. O. 8065 Tape No 57 St'd 89 °F.	Sec 31
Checked McPherson	Notes A. C. Job Date 1-7-35	T 8 N R 14 W
Date Oct. 1937.	Indexed 10-9-35	

Sec. 36
T. 8 N. R. 15 W.

52+90.11 Township dar.
Ed. C.S. Mon 18 100
F.B. 134-16+138

Dirt Rd.
73.0
50.0
8.0
Dirt Rd
Dirt Rd.
20.0
10'
26.0
29.2
49.5
15.0
0 Iron Pipe
Barbed wire Fn
35.6
Sec. 1
T. 7 N. R. 15 W.
Sec. 6
T. 7 N. R. 14 W.
State Highway
19270

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W.S. 72, B-3

EM 2-34

F.B. 573 PG. 238

W.S. 72, B-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Set 1x2 22+97.32

Cont. bottom next page

106.51 @ 1-56 T.82 = 105.49
300.17 @ 2-17 T.82 = 297.75
403.24

Set 1x2 18+94.08

29.47 @ 00 T.88 = 29.47
306.21 @ 15-22 T.90 = 289.42
290.91 @ 14-53 T.90 = 281.16
85.62 @ 28-38 T.90 = 75.15
277.99 @ 00 T.84 = 277.99
953.26

Set 1x2 Top E+W. ridge

207.90 @ 00 T.84

T.7N. R.14W.

T.7N. R.15W.

Set 1x2

23.95 @ 00 T.88 = 23.95
300.86 @ 2-08 T.88 = 300.66
136.92 @ 00 T.88 = 136.92
461.53

Set 1x2

Sec. 31

276.18 @ 10-42 T.90 = 271.39

Sec. 36

R.E. 2171

SURVEY COUNTY T.1N. R.15W.

0+00 to S. Fd. granite stone 12x10x6 in ground - 1 groove on S. 5 on N. with old original scribed post on W. side of it.

Set 2" I.P. with brass cap marked as shown in conc. 6" above Surf. 9-3-26

Fd. granite stone 8x8-12" in ground marked c+c on E. 1 groove on S. 5 on N. C.S. 9123

Sec. 30

Sec. 25

Transit line to N. See Pg. 199

Notes Ck'd by MEPherson
Map No. B-1073
Checked
Date
Survey of T.7N. R.14W.
W. O. 8265 Tape No 57 St'd 8F of.
Notes
Date 7-15-35
Indexed
F.B. 573 Pg. 239
Sec. 1

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

T.6N. R.14W.

Take See next page

26.07

2.90

Set 1x2 - 0+00

2 Inl. 53+45.56 Fr N.

Set 1x2 - 53+35.66

80-35-00 ①
322-20-00 ④
80-35-00 ✓

Sec. 36
T. 7N. R. 15W.

89-10-00 ✓

Set 1" O. Mon. See next page

Township Cor. 24" granite stone 20x10x5 in ground 6 notches on each of 4 Cors. on N.E. + R 15 W. on Mound of stone E.2 S.W. C.S. 9123

89-10-00 ①
356-40-00 ④
89-10-00 ✓
42-18-45 ①
169-15-00 ④
42-18-45 ✓

Sec. 31
T. 7N. R. 14 W.

2344.59 Calc.

42°18-50"

80°-35-00"

57°-06-10"

Set 1x2

T. 102 = 266.01
T. 102 = 52.88
T. 102 = 273.15
T. 98 = 108.13
T. 98 = 179.61
T. 98 = 290.60
T. 98 = 252.46
1599.92

21.77 @ 11-51 T.
34.34 @ 16-03 T.
300.38 @ 24-36 T.
108.12 @ 10 00 T.
182.26 @ 8-38 T.
300.20 @ 14-33 T.
155.77 @ 12-12 T.

Base line

57-06-00 ①
288-24-30 ④
57-06-07½ ✓

1599.92 Base line

Set 1x2 - 22+91.07

R.E. 21.7 ± Cor.

SURVEY OF T.7N. R.14W. COUNTY

Set 1x2 - 22+91.07

R.E. 21.7 ± Cor.

SURVEY OF T.7N. R.15W. COUNTY

36

300.32 @ 14-55 T. 100 = 290.23
51.50 @ 12-19 T. 100 = 50.30
340.55

340.55

12.93

12.89

1.30

0.93

Set 1x2 - 26+50.52

4 Sec. Cor. 26+51.45 Fd. Granite stone 5x8" marked ft. out of ground 4 on W. C.S. 9123 Set 2" I.P. with brass cap marked as shown in Calc. 6 above Surf.

54.24 @ 13-24 T. 100 = 52.77
300.11 @ 2-30 T. 88 = 300.43
353.20

353.20

1x2 - 22+97.32 See next page


B.M. 573 Pg. 240
Sec. 32
Sec. 5.
W.S. 72, B-6
Sec. 31
Sec. 6
Sec. Cor. Fd. rock Pg. 243.
Set 1x2-0+24.41 to N. Ex. W.
Set 1x2-0+17.61 Ex. W.
See Pg. 242
486.01 Calc.
Set 1x2-6+05.60
78.20 @ 00 T. 92
18.20
Set 1x2-5+27.40
SURVEYOR
T. 7 N.
R. 15 W.
R. 14 W.
T. 6 N.
Calc.
Sec. 31
T. 7 N. R. 14 W.
Sec. 6
T. 6 N. R. 14 W.
31-28-00
124-32-00
31-08-00
297.78 @ 22-59 T. 92
= 274.15
527.40
Township Cor. 0+26.07
See preceding Pg.
Replaced rock with I.P. with brass cap marked as shown in Corr. 6 above Surv. 9-4-36
Transit line Fr. N
See preceding page
26.07
274.15
Base line
Int. 0+00 to Fr. N.
Set 1x2-53+45.56 Fr. N.
Sec. 36
T. 7 N. R. 15 W.
Sec. 1
T. 6 N. R. 15 W.
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of T.1N. R.14W.	F.B. 573	Pg. 241
Map No. B-1073	W. O. 8066 Tape No 2/ St'd 64 °F.		F.B. 536-93
Office Work			
Checked McPherson	Notes	Date 8-6-35	
Date Oct. 1939	Indexed		

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 8M 8-34

W.S. 72, C-6

26+21.18
4"Sq. Cor. Fd. 8x8x16 Cr. Stone, No. ingrooves Marked 4 on N.C.L. 9.40 W. Replaced rock with 2" I.P. with brass cap marked as shown in Conc. 5" above Surf. 4-13-36

Tangent Line 4.0 E

T.1N. R.14W. S.B.M. SURVEYOR 1935 Sec. 32 Sec. 5 T.6N. R.14W. S.B.M. Cor.

102.24 @ 10-47 T.90 = 100.43

209.54 @ 5-45 T.90 = 203.52
46.55 @ 00 T.90 = 46.55
250.07

Set 1x2

250.07

22+70.68

Set 1x2

T. 1 N. R. 14 W.

T. 6 N. R. 14 W.

40°-58-00 ①
40-58-00 ④
163-52-00
40-58-00

90°

179-38-25

48°-54-45 Calc.

179-38-15 ①
358-33-30 ④
179-38-22½

22+70.66

90-07-15 ①
360-00-00 ④
90-07-15

90-07-15

18-54-45 ①
195-38-30 ④
48-54-3½

Sec. 32

Sec. 5

Set 1x6 26 tie to Fr. 5 Pg. 244

40°-58-00

Base line 2

2610.40

0+00 East.
Sec. Cor. Fd. 2 Iron Pipes Sec. Pg. 243.
Set CDS. Mon.

Sec. 31

Tangent Line Fr. N. Pg. 240

2441

Sec. 6


F.B. 573 Pg. 242
Sec. 32
Sec. 5
Sec. 31
Sec. 6
T. 7 N. R. 14 W.
T. 6 N. R. 14 W.
Base line
542o.93
1762.60
Rock at Sec. Cor. Pg. 243
24.41
41° 42.55'
41° 27.15'
53° 03' 30"
Set 1x2 - 3+03.55
Set 1x2 - 29+00.56
Set 1x2 - 28+53.61
2269.06
202.29
46.75
10.26
0.71
1/4 Sec. Cor. 28+52.90 Fd. 9x9 granite stone marked 4 on N. Rock mound 3' N. - Replaced rock with 2" I.P. with brass cap marked as shown in Cone 6 above Surf. 7-4-36
20351 @ 4-0 T. 34 = 20.299
49.55 @ 18-38 T. 96 = 46.95
47° 49' 50"
47° 49' 45"
191° 19' 00"
47° 49' 45"
1871.01
1x2 - 6+05.60 Pg. 240
Transit line Fr. W.
Pg. 240
W.S. 72, B-6
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson | Survey of T. 7 N. R. 14 W. | F.B. 572 Pg. 243
Map No. B-1073 | W. O. 8065 Tape No 5 | St'd 21 OF.
Projection
Checked McPherson | Notes | Date 1-25-39
Date Oct. 1939 | Indexed

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, 8-6

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

cont. bottom next P.

C 16+95.34 Set 1x2

368.18

86.01 @ 16-42 T. 92 = 82.38
300.30 @ 17-53 T. 92 = 285.80
368.18

T. 7 N. R. 14 W.

13+28.03 Fd. 2x2 in mound of rocks

16.65

0.27

2 Set 1x2 - 13+27.76

13+06.3

6.0

old Trail

135.04 @ 00 T. 90 = 135.05
300.41 @ 00 T. 90 = 300.42
300.23 @ 18-10 T. 90 = 285.27
720.74

720.74

8+00 S edge valley

55.46 @ 18-30 T. 88 = 52.59
300.30 @ 23-37 T. 88 = 275.16
17.10 @ 17-10 T. 90 = 45.00
234.21 @ 5-44 T. 90 = 234.27
607.02

Set 1x2 - 6+07.02

S 77 E Fire Truck Trail

Sec. 31

Sec. 32

10'

90°-27-15" ① ④
241-45-00
90-27-15

90°-27-15

607.02

to rock at Tangt. P.

to rock at P.

Set 1x2

0+24.41

COUNTY SURVEYOR
T. 7 N
31 | 32
R 14 W | 6 | 5
T 6 N.
R. E 1/1

24.41

to N

Sec Cor. 6+00 to N
Fd. 4x5 granite stone
6 above surf 5 notches
on E I.W. with rock
mound 2½ base 3 north

Replaced rock with 2" I.P. with brass cap marked as shown in Conc. 5' above surf. 4-13-36

Sec. 6

T. 6 N. R. 14 W.

Sec. 5

FORM 347 BM 2-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, B-6

FB 573 PG. 244

Cont. bottom next page

Set 1x2 - 39+42.01

Fd. 2x2 pipe in mound of rock
39+72.41
Replaced 2x2" with L.P. with brass cap marked as shown in Cont. 5" above Surf.
4-14-36

55-50-30 @
111-41-00 @
55-50-30

250.68 @ 12-21 T. 96 = 244.90
181.69 @ 16-20 T. 104 = 174.38
419.28

419.28

25+22.73

25 set 1x2 - 35+22.73

173.91 @ 8-N T. 104 = 172.16

172.16

Sec. 31

COUNTY SURVEYOR T. 7 N. R. 14 W. 31 | 32 L.P. R.E. 217

25 set 1x2 - 33+50.51

26+47.12
4 Cor. Fd. field spar Stone 16"x10"x6-12" in ground marked 4 on W. face
Replaced rock with 2" I.P. with brass cap marked as shown in Conc. 5" above Surf.
4-14-36

32.43

194.83 @ 3-08 T. 98 = 194.56
39.01 @ 2-52 T. 98 = 38.90
288.00 @ 11-13 T. 98 = 282.53
119.45 @ 14-41 T. 96 = 115.56
48.62 @ 00 T. 96 = 48.62
740.17

740.17

48.29

COUNTY SURVEYOR T. 7 N. R. 14 W. 31 | 32 1/4 COR R.E. 217

26+10.40 Set 1x2

138°-33'-00" ①
277-06-00 ②
138-33-00

86.53 @ 4-39 T. 96 = 86.26
300.23 @ 2-07 T. 96 = 300.05
386.31

386.31

Set 1x2

22+24.09

T. 7 N. R. 14 W.

Sec. 32

246.69 @ 6-10 T. 92 = 245.27

245.27

19+78.82

Set 1x2

191.95 @ 2-44 T. 92 = 191.81
91.54 @ 5-50 T. 92 = 91.01
282.82

282.88

1x2 - 16+95.94 see prec. page

Cont. ng page

Notes Ck'd by MEPearson	Survey of T. 7 N. R. 14 W.	F.B. 573	Pg. 245
Map No. B-1073	W. O. 8065 Tape No. 58 St'd 84 of.		
Checked MEPearson	Notes A. C. Johnson Date 8-8-35		
Date Oct. 1939	Indexed 8-22-35		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK. ING CHANGE. W.S. 72, 8-S

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Sec. 30

Set 1½" SA+45.34

158.70 ∞ T 98 = 158.71

T. 7 N. R. 14 W.

20-59-45 ① ②
41-59-30
20-59-45

Sec. 31

92.25 @ ∞	T. 98 =	92.26
300.31 @ 2-31	T. 98 =	300.05
263.18 @ ∞	T. 98 =	263.20
300.66 @ 1-40	T. 98 =	300.56
300.48 @ 5-26	T. 98 =	299.16
190.95 @ 9-41	T. 94 =	188.24
64.97 @ 22-53	T. 94 =	52.86
		1503.33

Sec. 29

148.17

20-59-45 158.71

56.87

COUNTY SURVEYOR
T. 7 N.
R. 14 W.

30	29
31	32

R.E. 2177

Sec. Cor. 58 97.17 Fd. rock 1. 8x12 granite rock E. 10 ft. high 2 on E. 2 on W. Replaced rock 0.2 S. 0.3 E. 2" I.P. with tack in Cov. 5' above surf. with mark as above 4-14-36

45+58.0

Sec. 32

N 60° W

Set 1½" SA. 39+42.0 See preceding page

FORM 247 BM 2-34



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson | Survey of T.7N. R.14W. | F.B. 573 Pg. 247

Map No. B-1073 | W.O. 8065 Tape No 58 St'd 84 or.

Checked McPherson | Notes | Date 8-3-35

Date Oct. 1939 | Indexed A. C. Johnson

Sec. 21

Buyers 2 — 10.00

Barbed wire Fn. — Rd. to Hugh Sac. — transit line notes. — 211+87.80

Sec. 28

Sec. 20

Note original reduction is OK. Bottom Gr.

Final

155.54 @ 29.21	T. 90	=	135.44
300.61 @ 10-16	T. 90	=	295.81
300.06 @ 23-30	T. 90	=	215.18
85.78 @ 24-58	T. 90	=	77.76
23.77 @ 00	T. 90	=	23.77
300.48 @ 3-43	T. 90	=	299.86
81.17 @ 20-54	T. 84	=	75.83
256.37 @ 6-41	T. 84	=	255.22
58.25 @ 10-56	T. 100	=	57.20
29.21 @ 00	T. 90	=	29.31
226.24 @ 13-44	T. 90	=	219.78
300.52 @ 11-23	T. 90	=	274.62
100.00 @ 16-06	T. 90	=	96.08
72.09 @ 00	T. 90	=	72.09
300.35 @ 5-01	T. 90	=	299.21
84.48 @ 00	T. 90	=	84.48
71.35 @ 24-13	T. 90	=	65.87
			2656.50
			75
			.58
194.74 @ 17-21	T. 100	=	185.90

2656.58 − 185.90 = 2470.68

2470.68 − 30.74 = 2440.94

Sec. 19

22.00 @ 00	T. 100	=	22.00
300.44 @ 3-42	T. 100	=	299.85
219.73 @ 00	T. 100	=	219.75
44.26 @ 6-30	T. 100	=	43.98
300.54 @ 1-41	T. 100	=	300.43
28.48 @ 16-06	T. 100	=	28.32
300.74 @ 1-58	T. 100	=	300.59
47.08 @ 00	T. 100	=	47.08
240.92 @ 8-09	T. 100	=	238.51
191.25 @ 9-02	T. 100	=	188.90
261.27 @ 14-59	T. 100	=	252.59
134.38 @ 8-11	T. 100	=	133.02
83.90 @ 15-24	T. 100	=	80.90
300.76 @ 18-37	T. 92	=	285.02
			2440.94

Sec. 29

Sec. 30

Ed. Co. Sur. Mon. See Buyers Franklin line notes.

Ed. 6" white thorn marked B.T.

Ed. 10" manzanita no scribing.

Ed. 5.1 to 10 above

Ft. above

Sec. Cor. 1/4 granite surf. stone marked 4 on N.

238+46.46 Replaced stone with 2" I.P. with brass cap marked as above in Conc. 6" above surf. 8-31-36

240+30.28 Set 1x2

T.7N. R.14W.

Ed. 2" I.P. 0.31

264+62.97 Replaced 2" I.P. with 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. 9-1-36

264+71.22 Set 1x2

See Preceding page

Bearings 2.3.0

N.16° E. Tel. Pole line

N.68° E. 2256.0

N.22.5° E. 1100.0

S.35° E. 1046

2.08

31.30

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, B-5E-5

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

FORM 247 BM 2-34

F.B. 573 Pg. 248

W.S. 72, C-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.



300.85 @ 17-46 T. 72 = 280.51
75.41 @ 12-54 T. 72 = 73.50
90.96 @ 2-48 T. 72 = 90.84
300.70 @ 7-25 T. 72 = 238.16
115.36 @ 15-11 T. 72 = 111.30
50.17 @ 6-00 T. 72 = 50.17
910.78

31.89 @ 00 T. 82 = 34.89
71.27 @ 22-51 T. 82 = 65.68
300.51 @ 13-51 T. 82 = 291.77
392.34

300.80 @ 20-04 T. 82 = 282.54
156.44 @ 24-17 T. 82 = 142.60
62.33 @ 14-21 T. 82 = 60.39
785.53

36.38 @ 00 T. 82 = 36.58
151.04 @ 13-00 T. 82 = 147.12
299.42 @ 00 T. 82 = 299.42
184.11 @ 22-50 T. 82 = 169.68
59.32 @ 12-56 T. 82 = 57.82
710.62

43.66 @ 12-44 T. 82 = 43.01
300.31 @ 18-26 T. 82 = 301.58
185.11 @ 15-58 T. 82 = 177.97
294.20 @ 1-00 T. 82 = 294.16
191.39 @ 15-21 T. 82 = 184.56
29.89 @ 00 T. 74 = 29.89
22.72 @ 00 T. 74 = 22.72
300.60 @ 1-13 T. 74 = 300.50
150.80 @ 25-07 T. 87 = 136.54
1481.23

Notes Ck'd by K.E. McPherson	Survey of [illegible]	F.B. 573	Pg. 249
Map No. B-1073	W. O. [illegible] Tape No 11 St'd [illegible] OF.		
Office Work Reynolds	Surveyed by [illegible]		
Checked W.M. Pearson	Notes	Date 5-15-35	
Date Oct. 1939	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

Sec. 22

Sec. 27

Barbed wire Fn.

Boyers

N

Int. Fd. 1x2 159+37.53 E. per Pg. 189 & 198

Transit line

21.3

57.0

647.83

286.17 @ 4-29 T. 74 = 285.27
300.47 @ 17-36 T. 74 = 286.38
79.16 @ 7-00 T. 74 = 78.18
647.83

N. to S. ridge

Sec. 21

163.19 @ 2-58 T. 74 = 162.96
48.13 @ 00 T. 74 = 48.13
111.38 @ 10-26 T. 74 = 109.53
300.20 @ 3-29 T. 74 = 299.62
620.24

620.24

Fd. 1x2 top 165+87.36

Sec. 28

T. 7 N. R. 14 W.

N. 10° E. 13.2 to edge of orchard

Orchard

Orchard

N. 43° E.

7.0

18.0

Road

N. 43° E.

W. edge of road

94+29.0

48 Sec

To Na. 94+10. preceding page

S. edge

172+07.60

F.B. 573 Pg. 250

Cont. bottom next page

Set 1x2 - 31+56.80

75.5

234.60 @ 4-13 T.96 = 233.98
300.47 @ 1-45 T.96 = 300.35
337.33

Sec. 20

Replaced Hoge with 2" I.P. with brass cap marked as shown in Conc. 6 above Surf. 9-1-36

Fd 8x10 Conc. Post 2.47

¼ Sec. Cor.

Granite stone flush marked

1/4 cor. W. earth mound 3' W. pits 4 N + 5. C.S. 9206

337.33

179-20-15

50.1

359.48

COUNTY SURVEYOR
T. 7 N.
R. 14 W.
20 | 21
¼ COR
R.E. 2177

Sec. 21

W.S. 72, C-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

179-20-15 (D)
351-21-00 (R)
179-20-15

66.18 @ 6-07 T.96 = 65.81
300.03 @ 1-50 T.96 = 293.67
359.48

T. 7 N. R. 14 W.

3+43.0

Barbed wire Fn.

Set 1x2 - 22+62.99

1209.7

4.0

S 60° W

6x2

3.5

2191.22

90°-03'-40"

209.38 @ 7-11 T.96 = 207.75
110.27 @ 15-26 T.90 = 106.27
300.18 @ 1-14 T.90 = 300.12
300.18 @ 52-54 T.90 = 265.30
61.15 @ 14-38 T.90 = 59.09
72.30 @ 8-35 T.90 = 71.49
22.53 @ 00 T.90 = 22.53
300.22 @ 22-42 T.90 = 276.97

Barbed wire Fn.

300.23 @ 4-55 T.96 = 299.15
268.20 @ 5-00 T.96 = 267.20
300.57 @ 2-42 T.96 = 300.26
15.03 @ 00 T.96 = 15.03

Transit Loc Pg 247

Total: 2191.22

2.60

Fd. 1x2 Pg. 248

1481.23

Sec. 20

11.77 Fr 3

Int. of Set 1x2

Sec. 21

74.29 @ 14-58 T.90 = 11.77

Sec. Cor. 0+00 Sur. to N. Fd. Co. Mon. E.B.

Sec. 29

Sec. 28

Notes Ck'd by McPherson	Survey of T. 1N. R. 14 W.		F.B. 573 Pg. 261
Map No. B-1073	W. O. 6065 Tape No 41 St'd 66 of.		
Checked McPherson	Notes	Date 8-20-35	
Date Oct. 1939	Indexed	A. C. Johnson 10-9-35	

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

W, S, 72, C-4

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Cont. bottom page 253

370.21	@ 00	T.96 =	370.29
300.56	@ 4-36	T.96 =	299.63
300.27	@ 2-35	T.96 =	299.98
300.24	@ 3-59	T.96 =	298.62
210.88	@ 2-09	T.96 =	210.75
			1479.22

128.36	@ 3-13	T.96 =	128.17
209.01	@ 00	T.96 =	209.03
207.69	@ 10-52	T.96 =	203.99
242.12	@ 9-43	T.96 =	239.26
100.46	@ 00	T.96 =	100.47
300.32	@ 2-14	T.96 =	300.11
			1181.03

Sec. 17

10-31-15 ①
36-28-45 ②
90-59-11.4

Set 52+66.79 Ft. S. of Temp. Sta.

90°-32'-10"

1181.03

Sec. 16

Transit line to W. See Pg. 213

0.07

3.16

Sec. Cor. etc. Co. Surv. Mon. See Pg. 213

S 52 E 63.63 Ft. to I.P. with brass cap 15 above surf. Forest Bdry Mon. #81, C.S. 9206 apparently has been disturbed

88-47-40"

88-47-45 ①
365-19-30 ②
88-47-37 ③

Sec. 20

T. 7 N. R. 14 W.

Sec. 21

Barbed wire Fence

2106.83

80.26	@ 00	T.96 =	80.21
151.15	@ 00	T.96 =	151.16
217.68	@ 8-37	T.96 =	215.24
247.94	@ 1-47	T.96 =	247.84
300.31	@ 12-10	T.96 =	292.43
41.80	@ 00	T.96 =	41.80
208.99	@ 7-45	T.96 =	207.10
278.06	@ 3-03	T.96 =	277.69
300.41	@ 2-58	T.96 =	300.03
300.72	@ 12-48	T.96 =	293.27
			2106.83

Set 7.1 x 2 - 31 + 56.80 See preceding page

FORM 247 5M 2-34

F.B. 573 Pg. 252

W.S. 72, B-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

3c+1x2-31+76.65

140.00 @ 6-50 T. 94 = 139.02
184.13 @ 8-23 T. 94 = 182.16
248.47 @ 11-54 T. 94 = 237.75
558.93

Cont. bottom Page 267

558.93

1.5

Sec. 30

Sec. 29

Tel. pole on line 3+66.2

Barbed wire Fn.

Set 1x2 - 32+17.12 Buried Surf.

E. Lizabeth Lake Rd.

Iron Pa. Fn.

18.4

32+23.7

32+13.2

32+08.7

T. pole

261.50 @ 6-44 T. 92 = 259.71
300.21 @ 8-00 T. 96 = 298.20
559.91

559.24

64°-57

5178 Fd.

T. 1 N. R. 14 W.

COUNTY SURVEYOR
T. 1 N.
R. 14 W.
30 | 29
4 cor.
R.E. 2177

2 Sec. Cor. 26 | 35
8" x 10" granite post marked 4 on W. side. Set L.T. in top. Replaced with 2" I.P. with brass cap marked as shown in concrete 6 above Surf. 6-29-36

5123

S. edge dry lake bed.

17+03

2482.48

939.61 @ 00 T. 92 = 939.86
300.41 @ 1-11 T. 92 = 300.30
300.74 @ 1-58 T. 86 = 300.56
300.78 @ 1-52 T. 86 = 297.75
218.23 @ 8-04 T. 86 = 216.07
128.21 @ 4-06 T. 86 = 127.88
300.34 @ 3-15 T. 86 = 299.86
2482.18

Tr. Rd. E. 18.0

10+63.0

Set 1x2 - 1475.30

171.73 @ 00 T. 86 = 171.73

171.73

59°-31'-45"

Sec. 30

Sec. 29

1st. 3c+1x2-0+23.57 Fr. E.
52+19.89 Ft.

52.35

3.57

Tr. Rd. 1 sec. Fr. E. Pg. 264

1x2 - 52+96.24 Fr. E. See Pg. 264

Sec. 31

Sec. Cor. Stds. 9+00 to N. Pgs. 245+264
Fd. granite stone 6" Mon.
Set

Sec. 32

Notes Ck'd by McPherson
Map No. B-1073
Checked McPherson
Date Oct. 1929

Survey of T. 7N. R. 14W.
W. O. 2066 Tape No 21 St'd 21 of.
Majes
Indexed A. C. Johnson
Date 5-16-35

F.B. 573 Pg. 253

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 72, C-4

U.S. FOREST RESERVE BOUNDARY POST No. 80 1905

4+07.44 Fd. 4" I.P. with brass cap marked as shown 18" above surf. Removed it.

P. Pole line

10+87.5

N 30° W

N 28° W

967.57 T.B.A.

967.57

T. 7N. R. 14 W.

10+00.

Sec. 17

Sec. 16

7+69.5

N 38° E

16

COUNTY SURVEYOR T. 7N. R. 14W. 17 + 16 1/4 COR RE. 2177

Tel. pole line

Ditch

7+37.5

S 31° W.

S 42° W.

179.57 ① ④ ✓
179.57 ① ④
33.57 ① ✓
Ref. 4 - 2 - 11 - 26
0-02-00 ①
0-07-30 ④
0-01-52½ ①

1+29.92 Set 1"x2" Replaced stone with brass cap marked as shown in Conc. 6" above surf. 11-27 to stone

Set 1/2" Iron pipe 0.32 to granite stone Fd 8"x 11" granite flush Could not find a marking per C.S. 9206

1"x2" 11+81.03 Fr.

139.92 T.B.A.

To See Pg. 251

Court house next

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

W.S. 72, C-4

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.



Notes Ck'd by McPherson | Survey of T.7N. R.14W. | F.B. 573 Pg. 255
Map No. B-1073 | W. O. 8065 Tape No 47 St'd 24 of.
Computed by Ramelli | Computed by Torgersen
Checked McPherson | Notes | Date 6-22-36
Date Oct. 1939 | Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE. W.S. 72, C-4

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Sec. 5

Set 1x2-26+55.21

U.S. W.C.F.T.N.S. FOREST RESERVE

BOUNDARY POST No. 78 1905 R.14W.S.B.

946.15 @ .00 T 100 = 946.25
300.18 @ 12-25 T 96 = 223.18
48.15 @ .00 T 96 = 48.15
1487.58

Sec. 4

Produced S. Sec. line for transit line to N. Set Mon. in 256

Sec. Cor. 0+00 to N. Fd. 1"IP granite stone flush 4 notches on E. 5 on S. 2 ft L.T. using center of rock, and Bdry. post for line.

Fd 4" I.P. with brass cap marked as shown 12" above Surf. C.S. 9206

0.45 0.95 5.10 5.09

S 0° 06' 35" E Calc. 1287.58

Set 1x2-13+67.63

Set 1x2 on Sec. line

Sec. 8

300.33 @ 5-08 T. 96 = 299.15
206.33 @ 7-11 T. 96 = 203.70
266.38 @ 3-34 T. 96 = 265.88
768.73

Sec.

Sec. 9

2.62

Set 1x2-5+28.90

T. 7N. R. 14W.

299.77 @ 5-31 T 96 = 298.40
300.55 @ 1-13 T. 96 = 300.50
598.90

538.90

26+87.9 Fr. S.

900

Barbed wire Fn.

Set 4x4 30.00 Set 4x4

1/4 Sec. Cor. 0+00 to N. 26+56.68 Fr. S. Fd. 3"IP granite stone marked 1/4 on W. C.S. 9206 Set L.T. in center.

Set 2" I.P. with brass cap marked as shown in Conc. Bk. Fd. 12" Stone in place 12-11-36.

COUNTY SURVEYORS T.7N. R.14W. 8 9 1/4 COR MONUMENT R.E. 2117

379.54 @ .00 T 96 = 379.57
165.90 @ 5-25 T " = 167.67
704.19 @ .00 T " = 704.24
300.85 @ 1-34 T " = 300.76
300.93 @ 7-53 T 100 = 298.12
48.63 @ .00 T " = 48.69
300.86 @ 6-44 T " = 298.81
2197.81

2194.81

Set 1x2-4+61.87 See preceding page

F.B. 573 Pg. 256

Cont. bottom next page

W.S. 72, f-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

State oiled Rd.

68.0 Barbed wire Fn.

12+04.3

Highway N 20° W

11+81.6

Set 1x2 - 11+85.13 N 70° W

U.S. FOREST RESERVE

1185.23 T. 13 1185.13

1134.96 T. 76 = 1135.00

RESERVE BOUNDARY POST No 77

1155.13

12+15.88

26.45

T. 7 N. R. 14 W. e.11

Set 1x2 - 12+15.47

193.94 @ 8-11 T. 100 = 194.77
216.32 @ 5-38 T. 100 = 211.30
406.27

406.22

1°14'45" Calc.

Set 1x2 - 8+09.18

17.60

Set 1x2

302.30

300.28 @ 1-38 T. 100 = 300.17
181 @ .00 T. 100 = 181
300.98

0.40 to N. with brass tag 1/4 x 1/4 with 3/8 rod marked as shown 12" above surface 12.5 9206

Set 1x2 - 5+06.88

809.37 Calc.

1216.17 Calc.

2 Barbed wire Fn.

Sec. 5

Sec. 4

208.22 @ 6-44 T. 100 = 206.80
300.25 @ 2-06 T. 100 = 300.08
506.88

506.88

0+00.5

19.8

0+03.0

COUNTY SURVEYOR
T. 7 N
5 | 4
8 | 9
MONUMENT

Sec. Cor. 0+00. to N. Set 2" I.P. in marked stone Lft. see preceding page

Set 2" I.P. with brass cap marked as shown 18" Lin. Re-set stone in place over Mon. 12-11-36

To stone at 1/4 Cor. See preceding page

Sec. 8

Sec. 9

Notes Ck'd by McPherson	Survey of T. 7 N. R. 14 W.	F.B. 573	Pg. 257
Map No. B-1073	W. O. 5065 Tape No. 4 St'd. 5 of.		
Checked McPherson	Notes	Date Dec 35	
Date Oct. 1939	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

W.S. 72, 4-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

T.8N. R.14W.

Sec. 32

Sec. 33

Sec. 5

Sec. 4

T.7N. R.14W.

Sec. Cor. Surv. Mon. 12" Dn. F.B. 13

40+48.57 Co.

40+48.81 Set 1x2

40+48.68

40+34.23 Set 1" I.P. in Pile 3 Cap 15 Ft. to Pt. Forest Boy

4" I.P. in Pile 0.5 Above G.S. 376.59

Barbed wire fn

10.63 In +

10.68

14.8

40+39.0

37+86.5

37+86.6

11+61+18.7

13.6

91-17-15

To Co. Surv. Mon. N.& F.B. 124-120 Cor. Sec. &

91-17-15 ①

365.09-00 ④

91-17-15

65.55

65.42

Set 1x2-19+15.42

2083.12 T.94 = 2083.12

2083.96

501.96

202.15 @ 4.57 T.90 = 201.41

300.60 @ 1-11 T.90 = 300.55

501.96

¼ Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 18" Dn. by proportion 3.0 per Thorns notes. 12-11-34

Set 4x4

30.00

30.00

Set 4x4"

15.83

66.7

65.3

14+15.2

14+15.46

63.3

Set 1x2-14+13.46

278.46

279.74 @ 5-30 T. 90 = 278.46

Barbed wire fn

65.13

35.00

1x2-11+35.00 See preceding Page.

COUNTY SURVEYOR T.7 N. R.14 W. 5 4 ¼ COR R.E. 2177

65.7

14+15.7

FORM 8-34


F.B. 573 PG. 258
W.S. 72, 8-4
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
RETURN TO
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.
Sec. 7
Sec. 8
T. 7 N. R. 14 W. S.B.M.
T. 7 N. R. 14 W.
Barbed wire Fn.
Cor. Set 2" I.R. with 4 Set brass cap marked as shown in Conc. 6" above surf by proportion 11-27-36
Set 1x2 93+12.41
Cont. bottom next page
1030.06
Set 1x2 82+82.35
343.97
80+46.5
Set 1x2 79+63.56
Set 1x2 79+38.38
721.82
Set 1x2 72+16.56
1392.19
Set 1x2 58+24.07
462.82
P. pole line
Transit line Pg. 229
Sec. Cor. Set Mon. Pg. 229 Sec. 18
Set 1x2 53+73.49
Set Mon. to be Set between Sec. 17 & 18
See Pg for location
222.00 @ 00 T. 84 = 222.00
160.32 @ 12-27 T. 84 = 156.55
300.81 @ 2-09 T. 84 = 300.60
300.05 @ 6-12 T. 94 = 298.31
52.60 @ 00 T. 94 52.60
1030.06
48.75 @ 00 T. 94 = 48.75
300.32 @ 10-30 T. 94 = 295.22
343.97
438.57 @ T. 94 438.57
285.25 @ 7-21 T. 94 = 282.25
721.82
1392.40 T. 94 = 1371.49
462.79 T. 94 = 462.82

Notes Ck'd by McPherson	Survey of T 1 N R 14 W	F.B. 573	Pg. 259
Map No. B-1073	W. O. 8065 Tape No 11 St'd 64 OF.		
Office Work Reynolds	Surveyed by Roseclaire		
Checked McPherson	Notes	Date 8-26-35	
Date Oct. 1935	Indexed A. C. Johnson		

Set 1x2-129+32.50

90°

87.76

Set 1x2

23.79 @ 00 T. 76 = 23.79
300.52 @ 1-49 T. 76 = 300.25
164.98 @ 4-17 T. 76 = 164.51
300.51 @ 4-34 T. 76 = 299.35
219.62 @ 7-05 T. 78 = 217.95
1102.22 @ 0-00 T. 86 = 1102.22
2108.20

92.0

119+26.62

14.0

109+76.4

Dry wash

Sec. 6

Sec. 5

108+24.30

Set N.T. in F.P.

93.91

Set 1x2-12=Dn.

Barbed wire Fn.

128.81

170.75

T. 7 N. R. 14 W.

257.68

93.5

Sec. Cor. Gen. Set Pg. 275

107+36.0

Rt. & Std. 10.6 +53.63

972.41

124.25 @ 00 T. 90 = 124.25
300.75 @ 3-27 T. 90 = 300.21
300.19 @ 13-33 T. 90 = 291.85
258.10 @ 7-09 T. 90 = 256.10
972.41

Sec. 7

Set 1x2-128+51.97

Sec. 8

239.41 @ 00 T. 84 = 239.41
300.15 @ 00 T. 84 = 300.15
539.56

539.56

Set 1x2-93+12.41 page preceding

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK. ING CHANGE.

W.S. 72, B-4

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

SM 2-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W.S. 72, B-3

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by McPherson | Survey of T. 7 N. R. 14 W. | F.B. 273 Pg. 261.
Map No. B-1073 | W. O. 5065 Tape No 1/ St'd 54 OF.
Computed by Rosecrans
Checked McPherson | Notes | Date 8-26-35
Date Oct. 1939. | Indexed A. C. Johnson

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

W.S. 72, B-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

T. 8 N. R. 14 W.

Sec. 31

Sec. 32

Sec. 6

Sec. 5

T. 7 N. R. 14 W.

1482.19 T84

1482.19

Barbed wire Fn

Barbed wire Fn

1 1/2" I.P. See preceding page

SM 2-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 72, C-5



Notes Ck'd by McPherson | Survey of T. 1 N. R. 14 W. | F.B. 573 Pg. 263
Map No. B-1073 | W. O. Surd | Tape No 47 | St'd 50' OF.
Office Work | Surveyed by Rangeland
Checked | Notes | Date 2-27-35
Date | Indexed A. C. Johnson

See F.B. bottom of next page.

Sec. 32 | T. 1 N. R. 14 W. | Sec. 29

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, C-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 5M 2-34


F.B. 573 Pg. 264
Cont. bottom next page
Set 1x2-78+89.61
23.20
22.54
78+98.5
W.S. 72, B-5
210.22 @ 5-41 T.84 = 209.19
Set 1x2-76
Barbed wire Fn.
246.30 @ 9-6 T.84 = 243.70
63.93 @ 00 T.84 = 63.93
300.82 @ 00 T.84 = 300.82
30.06 @ 00 T.84 = 30.06
300.20 @ 00 T.84 = 300.20
153.30 @ 00 T.84 = 153.30
1112.10
76+72.82
T. 7N. R. 14 W.
Set 1x2-65+68.32
59.31 @ 7-51 T.84 = 58.75
300.50 @ 00 T.84 = 300.50
300.76 @ 4-0 T.84 = 299.68
658.93
Sec. 31
Sec. 30
Set 1x2-59+09.39
173.13 @ 00 T.84 = 173.13
191.05 @ 00 T.84 = 191.05
225.22 @ 4-52 T.84 = 224.41
588.59
53+00.80 Ft. E.
53+00.78 Ft. S.
Transit line Fr. S.
Pg. 245
144.56
4.56
89-56-00 D
89-56-00
Set 1x2-52+96.24
3.51
50+43.93 Fd 8x12"
Set Cor. granite stone
Set L.S. Mon.
Pg. 245
89°-56'-00"
266.04 @ 4-17 T.82 = 265.30
Sec. 32
Sec. 29
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McKinnon | Survey of T.1N. R.14W.
Map No. B-1073 | W. O. 5202 | Tape No 11 | St'd 84 of.
Office Work Reynolds | Surveyed by [illegible]
Checked McKinnon | Notes | Date 8-28-39
Date Oct. 1939 | Indexed A. C. Johnson

F.B. 573 Pg. 265

Cont. bottom next page

Set 1x2 - 98+58

73 Z

37.3

End of fence

1398.41

Barbed wire Fn.

Orchard

Road

6" Trees

32'

4.0

T.1N. R.14W.

Sec. 30

Sec. 31

T. Road

8.0

59+04.3

87+23.1

21.5

15.66 @ 00 T.94 = 15.66
295.58 @ 49-22 T.94 = 290.78
281.88 @ 19-18 T.94 = 266.06
418.94 @ 00 T.88 = 418.95
300.97 @ 12-58 T.88 = 292.82
114.14 @ 00 T.88 = 114.14
1398.41

Set 1x2 - 84+54.32

61.43 @ 8-48 T.88 = 60.71
222.60 @ 22-21 T.88 = 205.89
298.54 @ 3-06 T.88 = 298.11
564.71

564.71

22.63

10.24

Set 2" I.P. with brass cap marked as shown, in Conc. 5' above Surf. 4-16-38

18+89.61 See page 1x2 preceding

COUNTY SURVEYOR

T.1N. R.14W.

31 30

10 Ft. W.C.

R.E. 2177

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, B-5

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 BM 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

W.S. 72, B-5

Note; ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. 573 Pg. 266

Notes Ck'd by McPherson	Survey of T. 1 N. R. 14 W.	F.B. 573	Pg. 267
Map No. B-1073	W. O. 2065 Tape No 41 St'd Est of.		
Checked McPherson	Notes	Date 8-27-35	
Date Oct. 1935	Indexed A. C. Johnson		

Cont. to next page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W. S. 72, 13-5

FORM 247 8M 2-34

To nail 66+07.63 next Pg 274

193.44 @ 14-41 T. 94 = 187.13
178.87 @ 19-02 T. 94 = 169.10
240.12 @ 2-24 T. 94 = 239.93
269.17 @ 8-07 T. 94 = 266.49
136.06 @ 06 T. 94 = 136.07
300.41 @ 3-00 T. 94 = 300.02
1298.74

59+16.0 Tel. Pole 0.3 E

Line

30'

Elizabeth Springs Lake Wilson Road

57+45.0

Sec 19

Sec 20

159.28

Mon.

90-26-45 361.44 90-26-30 1/4

90-26-10

1298.74

Sec. Cor. Set Mon. Pg. 247

1at Set 1x2 53+08.82 Fr. S

Transit line Pg. 246

11.56

264+71.22 Fr. E.

1x2 Pg. 246

300.70 @ 12-16 T. 94 = 293.86
94.00 @ 3.58 T. 94 = 93.78
387.64

387.64

T. 1 N. R. 14 W.

Set 1x2 - 49+21.25

Sec. 30

Sec. 29

33.04 @ 00 T. 90 = 33.04
186.12 @ 4-11 T. 90 = 185.63
220.06 @ 18-49 T. 90 = 208.31
87.91 @ 10-00 T. 90 = 86.57
513.55

513.55

Set 1x2 - 44+07.70

244.44 @ 4-54 T. 90 = 243.56
86.90 @ 00 T. 92 = 86.90
300.69 @ 1-36 T. 92 = 300.59
631.05

631.05

Set 1x2 - 37+76.65 See top page 252


F.B. 573 Pg. 268
Set 10" No. 9
Cont bottom next page
21.95 @ 00 T.94 = 21.95
300.95 @ 7-46 T.94 = 298.21
167.37 @ 15-05 T.94 = 161.61
241.27 @ 16-56 T.94 = 230.82
246.37 @ 17-23 T.94 = 235.13
947.72
15.60 @ 00 T.94 = 15.60
195.66 @ 16-11 T.94 = 187.82
112.10 @ 26-20 T.94 = 106.78
302.90
Woven wire iron Po. Fn.
153.47 @ 5-42 T.94 = 152.72
246.24 @ 20-12 T.94 = 221.11
17.50 @ 10-01 T.94 = 76.28
154.64 @ 5-11 T.94 = 153.85
1881 @ 3-20 T.94 = 276.36
49.37 @ 00 T.94 = 49.37
146.91 @ 5-16 T.94 = 146.30
1088 00
99.86 @ 1-10 T.94 = 98.98
167.74 @ 3-22 T.94 = 166.99
193.12
Sec. 19
Sec. 20
T. 7N. R. 14 W.
Barbed wire Fn.
Set 1x2 - 82+43.37
Set 1x2 - 19+39.55
Fd. 3/4" I.P. 8" high 19+39.33 Replaced I.P. with 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. 7-1-36
78+98 Set 1 x 2 w. stake
Set 1x2 - 68+51.55
COUNTY SURVEYOR
W. T. 7 N.
R 14 W.
19+20
1/4 COR
RE 2177
Fd. 1/4" I.P. 12" above Surf.
Set nail
66+97.63
65+98.6
Trail
Set 1x2 - 53+08.89 Proceed ing page
1298.74
63+87.1
22.5
1 Floor Frame House
9.3
10.2
13.2
22.3
12.3
52.0
W.S. 72 18-5
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of T 1N. R 14W	F.B. 573	Pg. 269
Map No. B-1073	W. O. 6065 Tape No 17 St'd 84 of.		
Office Work Reynolds	Surveyed by Hesselgrave		
Checked McPherson	Notes	Date 7-5-35	
Date Oct. 1979.	Indexed	A. C. Johnson	

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line W.S. 72, B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Sec. 18

Sec. 17

Transit line to W. Pg 231

Set 1x2

12.08

Sec. Cor. Fd. Co. Mon. See Sur. Pg. 216

342.29 @ 00 T. 94 = 342.29 ✓
300.55 @ 14-08 T. 94 = 291.47 ✓
633.76 ✓

90-06-00 ✓

T. 1N. R. 14W.

Set 1x2 98+15.

Sec. 19

Sec. 20

90-06-00 ✓
360-24-00 ✓
90-06-00 ✓

624.14 ✓

232.30 @ 1-25 T. 94 = 231.62 ✓
225.67 @ 3-04 T. 94 = 225.36 ✓
170.50 @ 11-23 T. 94 = 161.16 ✓
624.14 ✓

Set 10" d. No. 91+91.
See preceding page

FORM 267 SM 2-34


Sec. 11
Set 1x2-52+33.60
Sec. R
F.B. 573 PG. 270
L96
15.0
Bayers Transit Line Pg. 187
W.S. 72, D-4
Cont. bottom next Page
Sec. 12
52+32.64
52+30.42
Rd. 89-49-30"
Sec. 1
Pg. 187
1st. Set 1x2
Fr. E.
2624.63 T.88 = 2624.70
43+36.0
89-49-30
89-49-30
114.0
29+59.
2624.70
Barbed wire Fn.
Set 4x4"
Set 4x4"
30.00
30.00
25.70
23.61
26+34.60
Rt 45°
13.0
Set 1x2-26+08.90
1/4 Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 18" Dn. by proportion 12-9-26
158.0
2608.83 T.88 = 2608.90
Sec. 12
2608.90
68.0
12.0
18+03.0
10 1.85°
Sec. 1
T. 1 N. R. 14 W.
89-39-15
359-39-30
89-39-07½
Sec's. 12" Dn.
1/4 Cor. between Secs. 12 & 13 Fd. C.S. Mon. 12" Dn. F.B. 430-12
89°-39-10"
57.0
0+00 to West.
Sec. Cor. Fd. C.S. Mon. 12" Dn. F.B. 430-10
10'
10'
10' Dirt Road. 10'
P. pole line
Barbed wire x Fn.
0-19.0
23.0
0-29.3
30.40
10'
10'
Sec. 7
T. 1 N. R. 13 W.
To 1/4 Cor. between Secs. 1 & 6
Mon.
Sec. 6
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson | Survey of T.7N.R.14W. | F.B. 573 Pg. 271
Map No. B-1073 | W. O. 8065 Tape No 47 Std 64 of.
Checked McPherson | Notes | Date 7-22
Date Oct. 1932 | Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.72, D-4

Do not extend notes this side of this line

RETURN TO:
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Sec. 10 105+76.7 — 18.38 — 139.8 — Sec Cor — Set — Sec 3
Set 1x2 105+70.45 — 8.48 — 11.53 — Mon. See next page — 18.0
Bayers transit line Pg. 164 — 18.18 — 127.51 — #32
Set 1x2 105+58.92 — Ft. Bayers 1x2 pg. 164
Int Set 1x2 105+10.
T. 7 N. R. 14 W.
2670.23 T.89
Ft. 4x4 — Barbed wire — Set 4x4 — Dirt Rd. — Fn. Cor. Set 2" I.P. with brass cap marked as shown in Cond. by proportion.
Ft. 4x4 — 30.00 — 32.80 — 30.00 — 2670.23 — 10.0 — in Fn. Po.
Set 1x2 79+00.22 — 125.32 — 119.0 — Set 4x4
119.46 — 136.70
122.00 T.88 = 122.00
2545.61 T.88 = 2545.68
Sec. 11 — Sec. 2
123°-13'
2545.68 — 62+76.3 — Voltage lines
Edison Co. High — Set 2" I.P. Set Cor. with brass cap marked as shown in Cond. by proportion 0.29 E 0.29 N
Set 4x4 — 45° — 110.0 — 47.22 — 125.0 — Dirt Road
Ft. 4x4 5+69.81 — 5+28.5 — 5+39.0 — Tel. pole — Set 4x4 — Line
Int 1x2 - 52+32.54
See preceding page
Sec. 12 — Sec. 1

F.B. 573 Pg. 272

W.S. 72 C - 42 D-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.



Notes Ck'd by Mr. Hansen	Survey of T. 1 N. R. 14 W.	F.B. 573	Pg. 273
Map No. B-1073	W. O. 8065 Tape No 47 St'd 99 °F.		
Office Work Reynolds	Surveyed by Rose Lewis		
Checked Mr. Hansen	Notes	Date 7-8-35	
Date Oct. 1939	Indexed A. C. Johnson		

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHARGED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, C-4

To Mt. 212+24.95 See next page

Cent. bottom next page

1629.33 @ 00 T. 92 = 1629.71
300.52 @ 6-56 T. 92 = 298.34
1927.75

192775

2 Set 1x2 - 192+97.20

T. 1 N. R. 14 W. COUNTY SURVEY 1929 TRIANGULATION STATION 1949

Sec. 9

185.50 @ 00 T. 92 = 185.51
178.73 @ 4-23 T. 92 = 178.22
363.73

Sec. 4.

363.73

2 Set 1x2 - 182+33.41

61.11 @ 8-56 T. 92 = 60.37
300.77 @ 7-33 T. 92 = 298.18
358.55

358.55

2 Set 1x2 - 12" D.A.

2 Set 1x2 - 185+14.92

Rt. x Sta. 185+51.82 23 10

185+13.6

Barbed wire Fn.

Set 4"x4"

Set 4"x4" 2

1/4 Cor. Set 2" I.P. with brass cap marked as shown in Cerc. 18". Do by proportion. 12-11-36

N. 39° W.

859.24 @ 00 T. 94 = 859.30
187.78 @ 12-30 T. 94 = 183.34
1042.64

T. 1 N. R. 14 W.

State Highway

Oiled surf.

Set 1x2 - 175+32.28

Checked 2-14-36

Sec. 9

1674.29 T. 94 = 1674.40

1674.40

Sec. 4

Barbed wire Fn.

Set Mon. Pg. 16

Beyers transit line

Set 1x2 - 158+57.80

Ref. #412 Pg. 162

Sec. 10

To 1x2 - 130+74.12 See preceding page

Sec. 3

2-34


F.B. 573 PG. 274
To 182 Int. 263+57.28 next page
240.83 @ 3-35 T.92 = 240.37
235.87 @ 3-41 T.92 = 235.39
254.44 @ 11-05 T.92 = 249.76
65.16 @ 00 T.92 = 65.16
300.55 @ 6-22 T.92 = 298.72
1089.34
223.59 @ 2-55 T.94 = 223.31
213.50 @ 3-08 T.94 = 211.36
235.70 @ 6-12 T.94 = 234.34
89.20 @ 5-24 T.94 = 88.81
300.04 @ 7-49 T.94 = 297.27
300.69 @ 00 T.94 = 300.71
1355.80
Sec. 8
2 set 4x4"
30.00
90°
11.32
Barbed wire Fn.
Set 1x2 - 239+12.06
180.83 @ 00 T.94 = 180.84
300.47 @ 6-44 T.94 = 298.42
479.26
40.05 @ 00 T.94 = 40.05
267.18 @ 3-90 T.94 = 266.65
519.00 @ 00 T.94 = 519.03
825.73
28.34 @ 00 T.94 = 28.34
200.32 @ 6-25 T.94 = 298.46
300.32 @ 2-44 T.94 = 300.00
166.32 @ 3-01 T.94 = 166.08
300.24 @ 5-17 T.94 = 298.98
290.24 @ 00 T.94 = 290.26
1382.12
Sec. 8
Sec. line Fr 2. Pg. 255
Sec. 9
Int. 212+12.4 Fr. 20.18.30"
Set 2" Tamp
1355.80
1089.34
479.26
825.73
1382.12
1227.75
Set 1x2 - 252+67.86
4 Sec. for Set 2 1.7. with brass cap marked as shown in Conc. 18"
Do by proportion 12-11-36
Set 4x4" 30.00
239+20.07
239+19.6
17.0
8.01
Sec. 5
T. 1 N. R. 14 W.
Set 1x2 - 234+32.80
Barbed wire Fn
Set 1x2 - 226+07.01
Pg. 255
Sec. Cor. Mon.
Sec. 5
3.28
0.12
Set L.T. in rock
Transit line to N.
Pg. 256
See Pg. 256
To 1x2 - 192+97.20 See preceding page.
Sec. 4
W.S. 72, C-4
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
RETURN TO
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McMahon	Survey of T.7N. R.14W.	F.B. 573	Pg. 275
Map No. B-1073	W.O. 8065 Tape No 47 St'd 84 of.		
Checked McMahon	Notes	Date 7-13-39	
Date Oct. 1939.	Indexed A. C. Johnson		

Cont. bottom of page

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.72, B-4

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

SM 2-34

290+63.8 — 181.3 — 290+62.80

R23+1x2 289+97.85

R.14W. T.7N. 1 6 / 12 7 8 5 SURVEYOR P.E. 2117

Sec. 7 — Sec. 6

Barbed wire Fn. 2

270+55.6

T.7N. R.14W.

Sec. Cor. Set 2" I.P. with brass cap marked as shown in Conc. 18" Dp. by proportion 12-P-36

R 10.65

54+4x4

R. Tch 43 — 261+23.7 — 266+15.18 Sta. Rt. 4

Sec. Line — 43.00 — 42.55

299.55 @ 10-29 T.94 = 294.57
217.70 @ 3-34 T.94 = 217.24
300.45 @ 9-21 T.94 = 296.48
174.88 @ 6-55 T.94 = 172.78
300.11 @ 2-31 T.94 = 299.82
1177.31 @ 00 T.94 = 1177.33
170.59 @ 18-03 T.94 = 162.21
20.11 @ 00 T.94 = 20.11
2640.65 Sec. 7

Sec. 7 — Sec. 6

Barbed wire Fn.

23.16 — 30.4 R. 55

Fd. 259 — Fd 1x2 - 108.484.37 Fr. 2. Pg. 259

257.98 — 257.68 — 6.38

Transit line Pg 259 — 144.37

144.65 @ 3-38 T.92 = 144.37

Rt. 4 Sta. 106+53.63 — 263+57.10

Int. Sec. 1x2 - 263+57.10 106+80.01 Fr. 3.

1089.34

To 1x2 - 252+67.86 See preceding page

Sec. 8 — Sec. 5



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of T.7N. R.14W.
Map No. B-1073	W. O. 6065 Tape No 5 St'd 64 OF.
Office Work Reynolds	Surveyed by A.C. Johnson
Checked McPherson	Notes
Date Oct. 1939.	Indexed A.C. Johnson 3-15-39

F.B. 513 Pg. 277

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, 8-4

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

Cont. to next page

156.27 @ 12-57 T. 74 = 152.29
161.62 @ 00 T. 74 = 161.61
153.79 @ 2-55 T. 74 = 153.58
80.14 @ 10-38 T. 74 = 78.75
296.72 @ 00 T. 74 = 296.70
14.91 @ 00 T. 74 = 14.51
297.64 @ 3-05 T. 74 = 297.19
1215.03

Set 2" I.P. with brass cap marked as shown in Conc. 5" above Surf. by proportion. 4-17-36

26.27 @ 00 T. 74 = 26.27
300.00 @ 2-33 T. 62 = 300.70
219.49 @ 10-36 T. 62 = 219.65
87.19 @ 00 T. 62 = 87.18
225.24 @ 00 T. 62 = 225.11
55.16 @ 7-21 T. 62 = 54.42
61.32 @ 00 T. 62 = 64.31
977.74

T. 7N. R. 14W.

T. 7N. R. 15W.

288.79 @ 5-52 T. 62 = 287.24
300.00 @ 1-14 T. 62 = 298.94
173.71 @ 4-24 T. 62 = 173.18
737.36

Warren wire iron Fo. Fn.

Sec. 19

103.10 @ 12-34 T. 62 = 100.62
121.48 @ 16-03 T. 62 = 116.73
127.85 @ 15-57 T. 62 = 122.91
289.80 @ 10-57 T. 62 = 294.30
280.45 @ 10-22 T. 62 = 275.83
910.39

Set 2" I.P. with brass cap marked as shown in Conc. 5" above Surf. by proportion. 4-17-36

Sec. 18

Sec. 24

Sec. 13

Transit line to N. See Pg.

Fd. grant to stone 18+6 L marked # by ... on ground. This does not appear to be the original location

26+71.25-35.06W.

Set 1X2

Set 1X2

Set 1X2

Fd. Cor. R.E. 2.17

Fd. Cor. R.E. 2.17

Fd. Cor. R.E. 2.17

SURVEYOR'S MARK

SURVEYOR'S MARK

SURVEYOR'S MARK

COUNTY T.7N.

COUNTY T.7N.

COUNTY T.7N.

R.14W.

R.15W.

178-50-30
355-22-00
178-50-30

F.B. 573 Pg. 278

W.S. 72, B-5

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

RETURN TO

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

90-00-30 ①
360-02-00 ②
90-00-30 ③

52+42.55 Fd. granite stone 10×12-½×12" out of ground 2 grooves on S. 4 on N.O Replaced on S. 4 on N.O with 2" I.P. with brass cap marked as shown in Conc. 5" above Surf. 4-16-36 0.65 P.91

364

Set 2 I.P. with brass cap marked as shown 5" above Surf. 4-16-36

51+78.41

Int. 51+78.44 Set 1×2

Transit line to E ?
See Pg. 197

51+78.44 Fd. granite stone 8"×7" 6×4 marked C.C. R.15 on W. 2 grooves on S and 4 on N. C.S. 9123.

89°-53'-30" 2.95 60.61

Sec 30
Sec 19

Sec. 25
Sec. 24

Set 2 I.P. with brass cap marked as shown in Conc. 5" above Surf. 4-16-36

T. 7 N. R. 15 W.

51+40.73 Fd. granite stone 16×8×8 marked C. on E. 2 grooves on S. 4 on N C.S. 9123 0.56

Set 1×2

45.58 @ 22-27 T 88 = 60.61
211.24 @ 15-04 T. 88 = 253.99

51+17.83

T. 7 N. R. 14 W.

90-00-15 ①
360-00-30 ②
90-00-15 ③

Set 1×2

49+13.84

131.06 @ 11-30 T. 68 = 134.30

134.30

Set 1×2

47+79.54

87.01 @ 2-04 T. 68 = 86.88

86.88

42.96

Set 1×2

46+92.66

47+07.91 Fd. 4" bronze tablet marked as shown in Conc. 10 above surface

29.70 @ 00 T. 80 = 29.70
268.05 @ 5-49 T. 80 = 298.49
97.95 @ 00 T. 80 = 97.95
426.14

426.14

2 Set 1×P. 42+66.52

110.24 @ 8-42 T. 74 = 108.96
300.14 @ 11-09 T. 74 = 295.04
404.00

404.00

187

38+90.31 Fd ½" I.P. 4" above surface

178-38+62.52 See preceding Pg.

Notes Ck'd by McPherson	Survey of T. 7 N. R. 14 W.	F.B. 573 Pg. 273
Map; No. B-1073	W. O. 8065 Tape No 57 St'd 84 of.	
Office Work Reynolds	Surveyed by Rees-Stults	
Checked McPherson	Notes Date 7-15-33	
Date Oct 1939	Indexed A. C. Johnson	

Cont. Next page.

Set 1x2 on sidehill
8+40.96

16.47 e 00 T. 94 = 76.47
237.96 e 00 T. 94 = 237.96
298.19 e 5-22 T. 94 = 298.20
177.20 e 5-27 T. 94 = 176.41
789.04

789.04

Set 1x2 - 0+51.92

Sec. 36

Barbed wire Fn. ↗

51.92 e 00 T. 92

Sec. 1

51.92

T. 7 N. R. 14 W.

0.00 x 8" x 4 ft. granite stone 16 in. marked C.C. on S. in the ground

4.29 Rotated to E. Fd. 4" I.P. with brass cap marked as shown 18" above surf.

U.S. W.C. N

FOREST RESERVE

Sec. 2

T. 6 N. R. 14 W.

RESERVE BOUNDARY POST No. 88 1905 T. 6 N. R. 14 W. S. 1 S. 2

Sec. 35

225.92

225.91 T. 92 = 225.92

3.58

12.88

Set 1x2

Fd. 18x10x8 granite stone 5 notches on W. 1 on E. on Fn. line rock is loose may have been removed. Replaced rock with 2" I.P. with brass cap marked as shown in Cone. 6" above surf. 9-E-36

Barbed wire Fn. ↗

To 1x2 #1 Peters Transit Line.

COUNTY SURVEYOR T. 7 N. R. 14 W. 35 | 36

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET, MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, D-6

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

M 237 346 2-34



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Noted	Ck'd by M.E. Pinson	Survey of T. 1 N. R. 14 W.	F.B. 573 Pg. 281
Map No.	B-1073	W. O. 8065 Tape No 57 St'd 84 OF.	
Office Work	Reynolds	Surveyed by Rosecrans	
Checked	M.E. Pinson	Notes	Date 7-31-33
Date	Oct. 1939	Indexed A. C. Johnson 10-9-35	

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

(30) (30)

Willow Springs Rd

Fd 1X2" P.O.T. 88+89.24
F.W. 6458-13 A.

84+75.51 Fr. E.
5+1X2"

1+90.01 Rd E

91.71

Fd 1X2" 2331.80
F.W. E. Pg. 214

Transit Line Pg. 214

0.66

Fd. 1X2 Rd. Dept. lot.
87+89.35 E. Willow
Springs E/L. Lake Rd.
F.W. 6458-13A

92°-15'-05"

92-15-00 ①
369-00-30 ②
92-15-01 ÷ 2

Elizabeth Lake

P.I. #11.B. Fd 2"x2"
F.W. 6458-13 A.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


Elizabeth Lake Willow Springs Rd
Fd. Rd.
Fd. 1/2" Pipe
FW. 6438-15
Fd. 1" Pipe
Fd. 1" Pipe
Fd. 1" Pipe

Profile No.	Notes Red.	Platted	Job No. 8065	Division No.	L. B. 573	Pg. 283
	Date	Date	Survey of T. 7N. R. 14W.			
X-Sec. No.	Notes Chkd.	Checked	Survey by [illegible]	Notes	Date 8-16-35	
	Date	Date	Map No.	Indexed A. C. Johnson	9-15-35	

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes showing new location and elevation on Forest Boundary Post #80, a line point between Secs. 16 & 17 T. 7N. R. 14 W. per C.S. 9206. Moved pipe to get it out of construction on Elizabeth Lake Willow Springs Road.

J.N. 8065

Party F.A. Kloeckrons
G.W. Schaefer
J.P. Pierce
E.H. Morrison.

STATION	B.S.	H.I.	F.S	ELEV.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 10-34

F.B. 573 P.G. 284 Job. No. 8065 Division No. ____ Notes Red ____ Plotted ____ Profile

Survey of T. 7 N. R. 14 W. Date ____ Date ____ No. ____

Survey by Rosecrans Notes Rosecrans Notes Chkd. ____ Checked ____ X-Sec.

Indexed ____ Date 8-16-35 Date ____ Date ____ No. ____

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

STATION	B.S.	H.I.	F.S	ELEV.	
To #80 T.P. #1	4.312		3.752		
To. #80 T.P. #2	3.325		5.075		New location
To #80 T.P. #1	4.838		2.935		
To #80	3.043		3.450		New location
					See sketch below for location

Sec. 8 — Sec. 9

3" I.P. + Cr. 3.96

Sec. Cor. 3rd A I.P. F.B. 573-254

Set Fd. 4" I.P. with brass cap Forest Bdry To. #79 F.B. 573-254

Sec. 17 — Sec. 16

1547.0

To. Moved Forest Bdry location to this #80 F.B. 573-254

98.55

T. 7 N. R. 14 W.

Old location Bdry. To. #80 Fd. 4" I.P. with brass cap F.B. 573-253

0.32

649.0

1101.1

Set 4 Sec. Cor. Fd. 8" x 11" granite stone F.B. 573-253

Sec. 17 — Sec. 16

FORM 247 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by _____

Map No. _____

Office Work

Checked _____

Date _____

Survey of _____

W. O. _____ Tape No. _____ St'd _____ °F.

Surveyed by _____

Notes _____

Indexed _____ Date _____

F.B. 578 Pg. 296

F.B. 573 PG. 286

Johnson Road

℄, Profile and X section notes from Elizabeth Lake Pine Cn. Rd. to Cor. Secs. 23, 24, 25 + 26 T. 7 N. R. 14 W.

J. N. 8065

Party

E. A. Rosecrans
G. W. Schaefer
E. P. Pierce
W. A. Rinner.

Note ● denotes 2"x2" R/W. stake set Jan. 1940. EAR

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by McPherson	Survey of Johnson Rd.	F.B. 573	Pg. 287
Map No. B-1258	W. O. 2066 Tape No 12 St'd 84 of.		
Office Work Cox	Surveyed by [illegible]		
Checked McPherson	Notes [illegible] Date 1-13-36		
Date Oct 1936.	Indexed A. C. Johnson 3-17-36		

Cont. from 286

Cont. next page

P.O.T. 20+12.78
Set S.W.+T. 6" Dn.

Rd.

1611.25

263.10 @ 2-03 T.62 = 262.98
300.53 @ 3-24 T.62 = 299.96
712.40 @ cc T.62 = 712.25
1611.25

P.O.T. 4+01.53
Set S.W.+T. 6" Dn.

30.00 30.00

Johnson

401.53

See line see pg 299

101.35 @ cc T.62 = 101.37
300.60 @ 2-50 T.62 = 300.19
401.53

Set H+T. in Pole # 27130 Bear E.

Set H+T. in Pole # 27130 E.

P.I. #1-01+00
to E. Fd. C.S. Mon.
Cor. Secs. 28, 29, 32
& 33 T. 7N. R. 14W.
C.S. 5750 F.B. 84-113

17.85

25.85

30.00 32.95 30.00 30.04

0.00 0.81 Fd 1" I.P. forest Bdry
with 1½" brass cap
for #53 F.B. 84-113

Set Cut Spk in
2" Hollywood.

Set H+T. Cor. Fn. Po.
Mon. S.W. Cor. Sec. 28
T.6 & 7N. R.14 & 15W.
33 C.S. 5750 F.B. 84-110

Palmdale Rd.

Elizabeth Lake Rd.

Note: Stakes have been destroyed

(25) (25)

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, 4-5

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


Rd.
Johnson
N 76° E.
165°-15'-40"
45" Adj.
519.91 @ S 5°05' T.S.
300.64 @ S 44°38' T.S.
129.35 @ S 7°68' = 129.34
Δ 14°44'38"
R. 1,000.32
T. 129.34
L. 257.25
5/19/16
F.B. 578 PG. 28
No P.I. at #4
No Next Sta.
See Next Sta.
#1 Sta. 1+12.12 Ahead
#2 Sta. 1+12.12 Ahead
#3 Sta. 1+12.12 Ahead
#4 Sta. 1+12.12 Ahead
#1 Sta. 1+12.12 Dn.
#2 Sta. 1+12.12 Dn.
#3 Sta. 1+12.12 Dn.
#4 Sta. 1+12.12 Dn.

Notes Ck'd by McPherson	Survey of Johnson Rd.	F.B. 212 Pg. 289
Map No. B-1158	W. O. 5066 Tape No 15 St'd 8/ of.	
Checked McPherson	Notes	Date 1/13/36
Date Oct 1936	Indexed A. C. Johnson	

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

FORM 247 BM 2-34

Cont. next page

#6

30.00

15?-07-30 ①
26?-29-30 ④
157-01-22 To P.I.

101.18 T.68=101.17 Set #3 I.P. plug

E.C. 47+15.22 Set #3 I.P. plug + Tk. 12" Dn.

Δ 22°-52'-45"
R 500.00
T. 101.18
L. 199.65

157°-01'-25" 35.40 See Page 89

See Line

Rd.

P.I. #5 Set ¾" I.P. plug + Tk. 12" Dn.

B.C. 45+15.57

94.87 @ 5.67 T.70 = 94.43

242.11 @ 2.56 T.70 = 241.77
300.30 @ 2.00 T.70 = 300.03
300.62 @ 1.22 T.58 = 300.49
842.35

Sta.	Defl. Δ	Chd.
45+15.57 BC	0-00-00	
+50	1-58-22	34.42
46+00	4-50-15	47.98
+50	7-42-08	"
47+00	10-34-01	"
+15.22 EC	11-26-20	15.22

R.P.P.I. Set ¾" I.P. plug + Tk. Bdry. Prod. Set 1½" I.P. flush

63.39 @ 6.05 T.58 = 82.91
Tan. 3-11 T.58 = 300.33
383.24

Johnson

P.T. 36+79.96 Set 5½" + T. 8" Dn.

E.C. 38+64.60 12" Dn. Set 2"x2"

P.I. #4 Set ¾" I.P. plug + Tk. 12" Dn.

Δ 7°-46'-00"
R 1000.00
T. 67.88
L. 135.55

172-14-00 ①
356-56-00 ④
172-14-00

E.C. 32+29.05 Set 2"x2" 6" Dn.

Sta.	Defl. Δ	Chd.
32+29.05 EC	0-00-00	
+50	0-36-00	20.95
33+00	2-01-51	49.99
+50	3-27-53	"
+64.60 EC.	3-53-00	14.60

To P.I. #3 See Preceding Page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note; ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 72, C-5



Notes Ck'd by MS Mason	Survey of Johnson Road	F.B. 573	Pg. 291
Map No. B-1150	W. O. 8065 Tape No. 45 St'd 64 °F.		
Checked MS Mason	Notes	Date 12-23-35	
Date Oct. 1936	Indexed C. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 847 10M 5-31

135.24 @ 6-01 T 60 = 134.47 ✓
293.86 @ 4-45 T 60 = 298.80 ✓
151.52 @ 5-22 T 60 = 150.84 ✓
295.31 @ 3-02 T 60 = 294.85 ✓
300.59 @ 7-38 T 60 = 297.58 ✓
1176.84 ✓
-32.72
1144.12 ✓

#8 3x1.7 Flush Plug + Tk next page

E.C. 76+82.16 Set 3" I.P. 12" Dp.

Rd. N 15° E 1144.12

149-02-30
236-10-30
149-02-30

Δ 30°-57'-25" ✓
R. 1900.00 ✓
T. 526.14 ✓
L. 1026.57 ✓

526.12 T 68 = 526.14 ✓
175.22 T 68 = 175.20 ✓

Johnson 526.14

149°-02'-35"

Sta.	Defl.	Chd.
0+00.00		
0+10.11	4-41	50.00
1+25.75	1-10-39	
2+55.53	2-55-53	
3+11.07	3-26-41	
4+26.35	5-11-35	
5+56.11	5-42-07	
6+42.17	6-27-31	
7+81.12		

Sta.	Defl.	Chd.
46+55.57 BC.		
47+00		
+50		
68+00		
+50		
69+00		
+50		
70+00		
+50		
71+00		
+50		
72+00		

#7 Set 1" I.P. Flush

Set 1" I.P. Flush

P.O.T. Set

350.94

BC. 69+53.59 12" Dp.

175.20

1605.91

To Pl. #6 See preceding page.

Sta.	Defl.	Chd.
72+50	8-57-45	50.00
73+00	9-42-59	"
+50	10-28-13	"
74+00	11-13-27	"
+50	11-58-41	"
75+00	12-43-55	"
+50	13-29-09	"
76+00	14-14-23	"
+50	14-59-37	"
+82.16 EC.	15-28-43	32.16

F.B. 573 PG. 292

P.I. #9 Set 3" I.P. Plug +Tk. Flush. See next page

P.O.S.T. Set 1x2

192.04 @ 6-46 T.60 = 190.67

135.84 @	00	T.60 =	135.82
212.59 @	4-18	T.60 =	211.78
126.72 @	00	T.60 =	126.70
300.60 @	3-55	T.60 =	299.85
276.86 @	4-36	T.60 =	275.93
155.08 @	4-02	T.60 =	154.65
300.74 @	4-47	T.60 =	299.64
188.56 @	4-22	T.60 =	187.98
300.30 @	5-02	T.60 =	299.09
			2051.47

190.67

Rd. 2051.47 S16°30'E

30.00

499.61 T.14 = 499.58

Johnson 199.58

P.I. #8 Set 3" I.P. Plug +Tk. Flush

30.00

151°-57'-00"

499.58

499.60 T.78 = 499.58

P.I. #7 Set 3/4" I.P. Plug +Tk. Flush

B.C. 18+00.56 Set 3/4" I.P. 6" Dn. Tie P.I. #7 See preceding page

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

P.I. #9	0-00-00				
49+44	0-42-19				
50+00	1-25-47				
"	2-08-25				
"	2-51-03				
"	3-33-41				
"	4-16-19				
"	5-00-57				
"	5-43-35				
"	6-26-13				
	7-08-51				
83+00	7-51-29				
+50	8-34-07				
84+00	9-16-45				
+50	9-59-23				
85+00	10-42-01				
+50	11-24-39				
86+00	12-07-17				
+46	12-32-55				
81+50	13-35-53				
+1969 EC.	14-01-30				
78+00.56 BC					
1.00					
19+00					
00					
80+00					
00					
81+00					
00					
82+00					
00					

P.I. #8

P.I. #7

Δ 28°-03'-00"
R 2000.00
T. 499.58
L. 979.13

151°-57'-00"

151°-57'-00"
241°-48'-00"
151°-51'-00"

Notes Ck'd by McPherson	Survey of Johnson Rd.
Map No. B-1158	W. O. 8065 Tape No 15 St'd 84 OF.
Office Work Cpk	Surveyed by [illegible]
Checked McPherson	Notes Date 12-20-32
Date Oct. 19 36	Indexed A. C. Johnson

F.B. 572 PG. 293



Sta.	Defl.	Chd.
103+25.03 B.C.	0-00-00	
+50	0-28-37	24.97
104+00	1-26-55	50.00
+50	2-23-13	"
105+00	3-20-31	"
+50	4-17-49	"
106+00	5-15-07	"
+50	6-12-25	"
107+00	7-09-43	"
+17.22 E.C.	7-29-27	17.22

Sta.	Defl.	Chd.
108+89.86 B.C.	0-00-00	
109+06	0-17-26	18.14
+50	1-43-23	50.00
110+00	3-09-20	"
+50	4-35-17	"
111+00	6-01-14	"
+18.33 E.C.	6-32-42	18.33

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


F.B. 573 PG. 294
To P.I. #10 5.T. See Page
P.O.T. 122+10.40
P.C. 127+80.35
P.I. #11
P.O.T. 121+82.59
To P.I. #10 See Preceding Page
Δ 29°-06'-10"
R 1000.00'
T 258.51'
L 507.24'
"D" 11°-27'-30"
Ch. 502.00'
N 25°-51'-00" E
N 64°-09'-00" W
S 64°-09'-00" E
S 25°-51'-00" W
N 78°-51'-00" E
S 78°-51'-00" W
S 11°-08'-00" E
N 78°-51'-00" E
S 78°-51'-00" W
N 11°-08

Notes Ck'd by McKhann
Map No. B-1158
Checked McKhann
Date Oct. 1936.

Survey of Johnson Road
W. O. 8065 Tape No. 45 St'd 64 °F.
Notes
Date 1/28/36
Indexed L. C. Johnson

F.B. 573 PG. 295

To P.I. #12

17.13 @ 00 T. 60 = 17.13
300.19 @ 3-21 T. 60 = 300.19
300.74 @ 3-01 T. 60 = 300.27
300.20 @ 4-19 T. 60 = 299.30
300.47 @ 5-19 T. 60 = 296.46
103.35 @ 00 T. 60 = 103.33
1316.68

Δ 42-30-50"
R. 1040.00
T. 404.58
L. 771.69

137-29-15
137-29-30
137-29-0 1/2

137°-29'-10"

Curve Data

Sta.	Total Δ	Chd.
131+80.82 P.C.	0-00-00	19.18
132+00	0-31-42	50.00
+50	1-54-20	"
133+00	3-16-58	"
+50	4-39-36	"
134+00	6-02-14	"
+50	7-24-52	"
135+00	8-47-30	"
+50	10-10-08	"
136+00	11-32-46	"

P.O.T. 1+44.18

Johnson

216.31

188.26 T.74 = 188.25

217.91 @ 6-53 T.60 = 216.31

Sta.	Total Δ	Chd.
136+50	12-55-24	50.00
137+00	14-18-02	"
+50	15-40-40	"
138+00	17-03-18	"
+50	18-25-56	"
139+00	19-48-34	"
+50	21-11-12	"
+52.98 E.C.	21-15-20	2.48

P.C. 131+80.82 Lt. 6 Dn.

188.25

558.67

To P.O.T.

See preceding page

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 447 10M 5-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by McPherson
Map No. B-1158
Checked McPherson
Date Oct. 1936.

Survey of Johnson Road
W. O. 8065 Tape No. 43 St'd 99.7 °F.
Surveyed by
Notes
Date 1-28-36
Indexed A. C. Johnson

F.B. 573 PG. 297

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

FORM 247 10M 5-31

Set 1"x4"

20.00 — 20.00

Set 1"x4"

1/4 Sec. Cor. between Sec. 25 & 26 T.7N.R.14W.
F.B. 573-182
P.O.T. 182+62.33

Set 3/4" I.P. in R/W. Pts. marked thus. ● on this page

948.92 E 00 T.56 = 948.78
300.67 @ 1-10 T.56 = 299.77
1248.52

Rd.

1248.52

E.C. 172+02.76

Set 2"x2"x6"Dn.

30.00 — 30.00

B.C. 168+77.15

105-50-00 ⓑ
63-20-00 ⓐ
105-50-00

Δ 74°-09-55"
R 250.00
T. 188.95
L. 323.61

188.95

124.46 @ 00-T.56 = 124.44
280.90 @ 3-00 T.56 = 280.47
300.23 @ 1-40 T.46 = 300.05
300.65 @ 2-23 T.56 = 300.31
300.17 @ 3-00 T.56 = 299.91
300.33 @ 4-26 T.56 = 299.38
143.84 @ 00 T.56 = 143.31
1747.93

105-50-00
05" Adj.

188.95 T.84

Set 2"x2"-6"Dn.

188.95

Johnson
1747.93

Sta.	Deflection	Chord
165+79.15 B.C.	0-00-00	
167+00	2-29-21	20.84
+50	8-07-07	49.92
170+00	13-50-53	" " "
+50	19-34-39	" " "
171+00	25-18-25	" " "
+50	31-02-11	" " "
172+00	36-45-57	" " "
+02.76 E.C.	37-09-56	2.76

To P.I. 14
See preceding page

To L.S. Mon. Co. Sec's. 25, 26, 35 +36 F.B. 573-141

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 72, D-5



Notes Ck'd by McPherson	Survey of Johnson Rd	F.B. 573	Pg. 299
Map No. B-1158	W. O. 5065 Tape No. 12 St'd 91 °F.		
Office Work CS	Surveyed by Rosecrans		
Checked McPherson	Notes	Date 1-12-36	
Date Oct. 1936.	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S. 72, C-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Cor. Secs. 27, 28, 33 + 34
Set Co. Sur. Mon. F.B. 573-152

P.I. #6 Set 3/4" I.P. plug & Tk flush Fg. 290'

14° 20' 30" ADAdj

464.19

164.47 @ 00 T.60 = 164.44
300.13 @ 2-41 T.60 = 299.75
464.19

Int. Set 2"x2" - 6" Dn.

216.23

14-20-30 D
51-12-00 D
14-20-30

216.26 @ 00 T.60 = 216.23

8-32-15 D
34-02-00 D
8-32-15

566.42

P.I. #5 Set 3/4" I.P. plug & Tk. Fg. 289

34.43

P.C.S.T. Set 1x2 Fg. 289

266.49

55.51 @ 5-17 T.60 = 55.26
121.45 @ 3-28 T.60 = 121.22
102.38 @ 00 T.60 = 102.36
288.12 @ 3-20 T.56 = 287.58
566.42

Int. Set 2"x2" - 6" Dn.

266.64 @ 1-35 T.56 = 266.49

8° 32' 15"

35.11

178-45-45 D
356-03-30 D
178-45-45

8° 15' 45"

1/4 Cor. Secs. 28 + 33 Set Co. Sur. Mon. F.B. 573-138

0-15-30 D
1-01-30 D
0-15-30

0° 15' 25"

35"

℄ Johnson Road.

0+00 ℄ Johnson Rd.
Cor. Secs. 28, 29, 32 + 33
Fd. Co. Sur. Mon. F.B. 84-113

See pg. 287

FORM 147 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

W.S. 72, C-5


#1 Mon.
To Mon. 291
15° 37' 50"
15° 37' 40" W
290.63 calc.
S 20° 59
New Mon. Tie 6.3 x 8 x 2
Mon. Tie 6.3 x 8 x 2
Mon. Tie 6.3 x 8 x 2

Notes Ck'd by McNamara	Survey of Johnson No. 2	F.B. 513	Pg. 301
Map No. B-1658	W. O. 8065 Tape No. 45 St'd 94 °F.		
Office Work GPK	Surveyed by Rosecrans		
Checked McNamara	Notes Date 1-30-36		
Date Oct. 1936.	Indexed A. C. Johnson		

W.S.72, 4-5

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

To C.L. Mon. & Cor. Seco. 34+35 between Pg. 172

92-03-00 ✓
268-12-30 ✓
92-03-01/2 ✓

0.08 ✓
02'55" ✓

P.I. # 10 Set 3/4" I.P. Pg. 292

P.C. Set 1x2 Pg. 293

Int. Set 2x2" Dia.

P.I. #9 Set 3/4" I.P. Pg. 293

166.17	@ 00	T. 50 =	166.17 ✓
166.61	@ 14-00	T. 50 =	161.68 ✓
300.89	@ 28-40	T. 50 =	263.95 ✓
80.37	@ 76-16	T. 58 =	72.13 ✓
55.14	@ 9-50	T. 58 =	55.07 ✓
58.31	@ 15-16	T. 58 =	56.24 ✓
			610.18 ✓

To C.L. Mon. & Cor. Seco. 26 between Pg. 145

2.5 Adj.

91,02 ✓ 2 Pg. 303 1 90°12'-49" ✓

To C.L. Mon. & Cor. Seco. 27 between Pg. 170

To C.L. Mon. & Cor. Seco. 27 between Pg. 142

To C.L. Mon. & Cor. Seco. 34+35 between Pg. 142 R. 14 W.

FORM 347 10M 8-31

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of thie line

E.B. 573 Pg 202

Notes Ck'd by McPherson	Survey of Johnson Rd	F.B. 573	Pg. 303
Map No. 3-1158	W. O. 5665 Tape No.	St'd °F.	
Office Work GR	Surveyed by Peterson		
Checked McPherson	Notes	Date 2-17-36	
Date Oct. 19-36.	Indexed	A. C. Johnson 3-17-36	

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. _____ Pg. _____

Notes Ck'd by McPherson	Survey of	F.B. 25 Pg. 305	
Map No. B-1158	W. O.	Tape No.	St'd °F.
Office Work OK	Surveyed by		
Checked McPherson	Notes	Date 2-11-36	
Date Oct. 1936	Indexed A. C. Johnson		

T. 8 N. R. 14 W.

T. 8 N. R. 13 W.

Cor. Fd. 16 Dn

Twp. Bdy. C.S. Mon.

S 0° 12' E 40.00"

T. 7 N. R. 14 W.

T. 7 N. R. 13 W.

119-39-25"

119-59-30 ①
119-57-30 ④
119-59-22 ⑦

12

1/4 Cor. of Secs. 1 & 6 Fd. Co. Surv. Mon. 18 Dn

Cor. Secs. 1, 6, 7 & 12 Fd. C.S. Mon. F.B. 420-70

N

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by McPherson	Survey of Sepulveda Rd.	F.B. 173	Pg. 307
Map No. 2-1159	W. O. 8005 Tape No.	St'd	°F.
Office Work Cox	Surveyed by Cox & Crane		
Checked McPherson	Notes	Date 2-14-36	
Date Oct. 1936.	Indexed A. C. Johnson		

T. 7 N. R. 15 W.

T. 8 N. R. 15 W.

Township Cor. Fd. C.S. 2" Mon. 18" Dn. F.B. 134-18+38

T. 7 N. R. 14 W.

179-46-15 ① ④
359-05-00
179-46-15

179°-46'-15"

Cor. Secs. 6+31 Fd. 2" C.S. Mon. F.B. 134-55+21

T. 8 N. R. 14 W.

179-56-15 ① ③
359-41-00
179-56-45

179°-56' A2

Cor. Fd. Secs. 5, 6, 31+32 C.S. Mon. F.B. 134-55+121

C.S. Mon. 4 Cor. between Secs. 5+32 To F.B. 134-55+121

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 573 Pg 308

3175