Survey of
W. O. Tape No St'd of.
Surveyed by
Notes Date
Indexed

F.B. 577 Pg. 1

SURVEY
of
PRAIRIE AVE
from
STATE ST
South to
POINT VICENTE ROAD
Job # 6070

May 1, 1935 To

5717

LOS AN

FORM

F.B. 577 Pg. 2

Index

				Page
P" Line - Station 51+16 Palos Verdes Drive				5 - 8
Bench Levels - State St to Palos Verdes Drive				9 - 15
Cross Sections on State St				16 - 20
Topography - P#1 to P#16				20 - 70
P" Line - Palos Verdes Drive to P 38				71 - 80
Bench Levels - P.V. Drive to P 38				81 - 86
Topog. P#18 - P#38				87 - 140
Alternate P Line - P#20 to P#30				141 - 144
Bench Levels	"	"	"	145 - 146
Topog.	"	"	"	147 - 168
P-Line	P# 38	to	P# 68	169 - 174
Bench Levels	"		"	175 - 178
& Crest Road	290+00	-	348+00	179 - 184
Topog.	P# 38	-	P# 68	185 - 240
N Line Ro. Palos Verdes	Sta 31	To	Sta 67	241 - 250

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 5M 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by _____

Map No. _____

Office Work _____

Checked _____

Date _____

Survey of _____

W. O. _____ Tape No _____ St'd _____ OF.

Surveyed by _____

Notes _____ Date

Indexed _____

F.B. _____ PG. _____

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note; ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 577 Pg. 41

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd °F.
~~Office Work~~	~~Surveyed by~~
Checked	Notes Date
Date	Indexed

F.B. 577 PG. INDEX

INDEX F.B. 577.

Pages 1 - 250

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7do HALL OF RECORDS

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. _____ PG. _____

Notes	Ck'd by J.A. Lyon	Survey of	F.B. Pg.
Map No.	B-1065-1	W. O.	Tape No St'd OF.
Office Work	J.A. Lyon	Surveyed by	
Checked	C.J. Terry	Notes	Date
Date	5-20-35	Indexed	A. C. Johnson

5-14-38

"F" Line
From
State St.
South To
Palos Verdes Drive

Prairie Ave
Jct PV Dr

Maria
Fannie
Gregory
Schneider

2" 1-36

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes beyond this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. 577 PG. 6

Notes Ck'd by J.A. Luon	Survey of		F.B. 5 PG.
Map No. B-1065-1	W. O.	Tape No St'd OF.	
Office Work J.A. Luon	Surveyed by		
Checked C.J. Terry	Notes	Date	
Date 5-20-35	Indexed	A. C. Johnson	

To bottom pg 8

P.T. 51.72 @ 3°-15' = 99.34
259.25 @ 72°-00' 1-37 = 247.11
[illegible] @ 72°-00' 1°-52 = 104.08
502.53

P#12 Set 1x2

66.57 @ 72°-00' Level = 62.56
299.75 @ 72°-00' 3°-21' = 297.37
298.43 @ 72°-00' 8°-49' = 234.89
594.82

P#11 Set 1x2

293.07 @ 66°-00' 1°-40' = 278.99
73.22 @ 66°-00' 1°-20' = 72.102
61.76 @ 66°-00' 1°-04' = 61.68
432.49

P#10 Set 1x2

P#9 Set 1x2

1559°-14'-00"
276-56-15

185.00 @ 66°-00' 4°-37' = 179.88
55.85 @ 66°-00' Level = 65.87
250.25

P#8 Set 1x2

376.39 @ 66°-00' level = 376.35
233.08 @ 66°-00' 7°-17' = 231.50
607.50

1122°-23'-15"
287-33-00

P#7 Set 1x2

143.87 @ 66°-00' 1°-10' = 143.82
221.33 @ 66°-00' level = 221.35
185.10 @ 66°-00' 6°-39' = 185.52
550.99

550.99

Form 76 1:16

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 5M 2-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Form 707 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
B.M. #13	11.222	476.685		465.463	B.M. #13 - Palos Verdes Drive - Chiseled L on top of E end of large rock 1'x3'x3½' at angle in curb N.E. of ℄ Sta 36+00 L.B. 701-23	
	4.648	479.451	1.882	474.803		
P #16	1.450	475.432	5.469	473.982	P #16	
	2.236	466.523	11.145	464.287		
P #15	0.947	460.173	7.297	459.226	P #15	
	0.710	449.611	11.272	448.901		
	0.091	437.994	11.708	437.903		
P #14	0.803	428.229	10.568	427.426	P #14	Void - See Pg 13
	1.904	421.191	8.942	419.287		
P #13	2.310	413.947	7.554	411.637	P #13	
	1.080	403.865	11.162	402.785		
	1.423	394.008	11.280	392.585		
	9.881	392.709	11.180	382.828		
P #12	8.000	384.789	10.920	381.789	P #12	
	1.028	374.673	11.144	373.645		
	2.400	365.841	11.232	363.376		
	2.176	362.951	11.068	360.773		
P #11	1.270	355.523	5.686	354.253	P #11	
	1.385	346.208	11.700	343.823		
	2.240	339.443	11.475	337.203		
P #10	2.500	328.083	10.390	325.583	P #10	

Profile No. _____ Notes Red. _____ Platted _____ Job No. 6611 Division No. V F.B. 577 Pg. 7
X-Sec. No. _____ Date _____ Date _____ Survey of Pavement Alignment Date 5-2-35
Notes Chkd. _____ Checked _____ Survey by _____ Notes _____ Date 5-14-35
Date _____ Date _____ Map No. _____ Indexed _____ Date 5-14-35

198-151

Form 307-5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

E.B. 377 P.G. 10 | Job No. 6696 Division No. | Page | No. | Plotted | Notes Red | No.
Survey of Prairie Ave | Date | Date
Survey by L.D. Moore Notes Tennis | Notes Chkd. | Checked | X-Sec. | No.
Indexed | Date 9-2-35 | Date | Date

STATION	B. S.	H. I.	F. S	ELEV.		
		328.083				
	1.920	319.053	10.950	317.133		
	3.805	314.058	8.850	310.253		
	3.545	303.318	10.735	303.773		
	1.326	293.145	11.499	291.819		
	0.930	282.566	11.510	281.636		
	1.629	272.763	11.432	271.134		
	2.900	267.009	8.654	264.109		
	0.489	256.114	11.384	255.625		
	1.842	246.236	11.720	244.394		
	5.189	246.212	5.213	241.023		
	5.238	249.241	2.209	244.003		
	3.851	241.158	10.910	237.307		
	1.678	231.040	11.796	229.362		
	4.064	223.561	11.503	219.497		
	3.395	221.014	3.942	217.619		
	3.561	213.475	11.100	209.914		
	2.097	202.088	10.484	199.991		
	2.297	196.650	10.735	194.353		
	7.320	178.330	5.820	171.010		
B.M. #2	0.032	178.312	0.050	178.280	P.I. #3 B.M. #2 - set chiseled X on top of water tank - 100' E. of P.I. #3	Chips between gate valve & - 203' Left of Sta.

VOID - See pg. 13

22493 - S. Crenshaw Blvd.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ X-Sec. No. ____ Notes Red. ____ Date ____ Notes Chkd. ____ Date ____ Platted ____ Date ____ Checked ____ Date ____ Job No. 2882 Division No. 1 Survey of Redondo Area Survey by ____ Map No. ____ Notes Fuller Indexed ____ Date 5-3-35 Checked ____ Date ____ E.B. 277 Pg. ____

STATION	B.S.	H.I.	F.S	ELEV.	
	132	198.312			
	1.330	186.570	11.072	187.240	Void - See Pg. 13
	0.790	177.662	1.698	176.872	
	5.050	173.547	10.465	168.197	
T.P.2	0.800	165.947	8.398	165.149	T.P.2
	1.842	166.244	12.050	164.402	
	3.470	160.181	9.133	146.711	Chiseled X in curb 39' S. of P.I. on State St. - B.M. #1
B.M. #1	2.022	146.153	6.110	144.071	B.M. #1 set c. spike in Expansion joint of curb opp. State St. Sta. 119+50 - 8' E. of P.P. = 365.66 E. - S. side of St. - 197' R. of Sta. 9+72 - & Crenshaw Blvd.
	2.201	141.119	7.245	138.918	
	3.982	138.821	6.280	134.839	
B.M.	2.983	134.864	6.550	132.271	State B.M. Fd. c. spike in N. face of 16" Gum tree S. side of Coldroad (Redondo-Wilmington) 150' R. of State St. Sta. 103+70 - B.M. #14 Elev. = 132.27
	3.140	130.741	7.263	127.601	
	5.614	131.826	4.529	126.212	
	2.318	128.923	1.221	126.605	
	8.100	146.413	0.610	138.313	
	7.344	151.527	2.230	144.183	Elev = 149.093
B.M.	2.230	149.611	2.146	149.381	(F.B.M. - Fd. chiseled X in S.W. cor. of conc. head wall - S. side of Redondo-Wilmington Hwy. 0.35 Miles E. of U.S. 1263. (Fd. c. & spike in N. face) - S. side of Redondo-Wilmington Hwy. of P.P. = 906.47 E 250' E. of B.M. above.
B.M.			5.832	143.776	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ Plotted ____ Date ____
X-Sec. No. ____ Checked ____ Date ____
Notes Red ____ Date ____
Notes Chkd. ____ Date ____
Division No. X
Job. No. 8070 Ave
Notes Adjust
Date 5-3-35

E.B. 577 P.G. 17
Survey of Francis Ave
Survey by L.B. Davis
Indexed ____

STATION	B. S.	H. I.	F. S	ELEV.		
B.M. #11-PVD	9480	444.753		435.273	B.M. #11 Palos Verdes Drive. Cut Spk & W. in root of 24" Gum Tree. 500' N. of ℄ Sta. 38+00 L.B. 701-19	
T.P.	10770	452 983	2540	442 213		
T.P.	7640	461 863	0760	452 223		
T.P.	3840	460 593	5110	456.753		
T.P.	4851	460 370	5074	455 519		
T.P.	11 513	467 305	4578	455 792		
T.P.	6750	472 800	1255	466 050		
B.M. #13-PVD.			7425	465 375	L.B. #13 Chiseled X on large rock ~100' E. of ℄ Station 66+00 Palos Verdes Drive Elev per L.B. 701-23 = 465.463	

Void - See pg. 13

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ Notes Red.____ Platted____ Job No.____ Division No. X E.B. 377 Pg. 63
X. Sec. No.____ Date____ Date____ Survey of Florence Ave
Notes Chkd.____ Checked____ Survey by [illegible] Notes [illegible] Date 5-6-35
Date____ Date____ Map No.____ Indexed [illegible] Patterson

STATION	B.S.	H.I.	F.S	ELEV.	
B.M.	1.088	150.592		149.092	B.M. (Brass tag - Witness mon. - Cross - South side of Florence Ave. - 0.2' East of Hawthorne Blvd. - Chiseled "X" on top of curb - Lat. 720 - 12)
T.P.	2.260	144.322	8.530	142.062	B.M. Elev. = 149.080, (1934 Adj.)
T.P.	0.395	136.543	8.174	136.148	
T.P.	2.235	130.228	8.550	127.993	
T.P.	7.010	132.988	4.250	125.978	
B.M.	7.040	139.028	1.000	131.988	B.M. (Cut in curb - South side of Florence Ave. - East side of Crenshaw Blvd. - Sta. 195+71 - State St. Elev. = 132.27)
T.P.	7.835	144.353	2.510	136.518	
B.M. #1	6.044	149.815	0.579	143.771	B.M. #1 - (Set 6 cut in curb - South side of Florence Ave. - Sta. 195+50 - 8' E. of P.P. #36566 E = 197.23 - Sta. 194+72 - ℄ Crenshaw Blvd.)
T.P.	7.102	150.440	3.900	143.338	T.P. - (B.M. #1 - Chiseled X - South curb State St - 39'5 of P.P.
T.P.	6.672	150.484	6.828	143.812	B.M. #1 Elev. = 143.761 (1934 Adj.)
	5.735	149.785	6.434	144.050	
P.T.2	10.358	152.168	4.922	141.810	P.T.2
	8.801	149.875	1.094	141.074	
	10.740	149.330	0.565	138.590	
	6.483	148.132	7.681	141.649	
B.M.#2	0.081	148.873	0.112	147.792	B.M.#2 - 203' Left sta. 28+93 (See pg. 10)
P.T.3	11.593	202.634	7.960	191.041	
	11.693	213.577	0.752	201.884	
	10.742	220.344	3.975	209.602	
P.T.4	11.152	228.486	3.010	217.334	P.T.4 B.M.#2. Elev. = 197.979 (1934 Adj.)
	11.678	239.376	0.788	227.698	

Florence Ave. Division
Sta. 195+50 - 8' E. of P.P. #36566 E
State St.
Sta. 194+72 - ℄ Crenshaw Blvd.
Pole Marks Division

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

B.B. 387 P.G. 12 | Job No. 8090 Division No. V Notes Red Plotted Profile No.
Survey of Prairie Ave Date Date X-Sec.
Survey by Moore Notes Fenner Notes Chkd. Checked No.
Indexed Date 4-6-34 Date Date

STATION	B. S.	H. I.	F. S	ELEV.		
		239.376				
	11.605	250.700	0.281	239.095		
	6.270	251.975	5.015	245.685		
P#5	6.544	250.177	8.342	243.633	P#5	
P#6	11.661	252.400	9.438	240.739	P#6	
		263.374	0.973	262.427		
	7.582	268.824	2.132	261.242		
P#7	11.200	270.202	4.922	258.922	P#7	
	14.780	285.172	1.810	270.392		
	11.720	295.588	1.304	283.868		
P#8	11.350	303.545	3.193	292.195	P#8	
	5.003	311.750	1.818	306.747		
B.M.#3	6.681	313.082	6.302	306.401	(B.M.#3 - Set 20" C.S. Mon. 200'± S.W. of P#8 on E. line of Sec. 4 and 5 feet West of Spur - 102.5 Right - Sta 45+77	
P#9	13.720	320.[illegible]	3.[illegible]	[illegible]	P#9 B.M. #3 Elev. = 304.385 (1934 Adj.)	
	11.502	350.363	[illegible]	318.[illegible]		
P#10	11.420	356.740	5.043	[illegible]	P#10	
	11.525	346.077	2.188	334.552		
	11.389	355.325	2.[illegible]	343.936		
P#11	11.773	365.787	1.309	354.014	P#11	
	12.050	375.742	1.915	363.872		
	2.761	376.125	1.509	374.434		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ X-Sec. No.____ Notes Red.____ Date____ Notes Chkd.____ Date____ Platted____ Date____ Checked____ Date____ Job No. 2092 Division No. V Survey of [illegible] Survey by [illegible] Map No.____ Notes [illegible] Indexed [illegible] E.B. 5'11" Pg. 1/3 Date 2-9-35 C. Johnson 5-14-35

STATION	B. S.	H. I.	F. S	ELEV.	
		384.195			
P#12	11.215	393.492	2.648	381.547	P#12
	11.590	403.490	1.592	391.900	
	11.273	413.201	1.212	402.278	
P#13	10.147	421.390	2.058	411.393	P#13
	9.312	427.812	2.892	418.498	
P#14	11.005	439.675	2.618	427.182	P#14
	11.243	449.627	1.411	438.384	
	11.121	459.293	0.915	448.172	
P#15	11.350	470.424	1.228	458.995	P#15
	9.228	478.856	1.226	469.628	
P#16	4.384	478.157	5.084	473.773	P#16
	2.336	482.011	8.482	479.675	
	11.220	476.463	2.768	465.243	B.M. #3 - P.V.Dr. Elev. = 464.495 See page 9 for elev. of B.M.
	4.845	478.988	2.320	474.143	B.M. #4 - Set C.S. Bench Mark - Stamped BM 2109 - 4" o.s. 38' N. of Sta. 68+00 Palos Verde Dr. - 14' E. of P#16
B.M.#4			3.645	475.343	

Cont on Pg. 81

98' Left - Sta. 80+14 This Mon disturbed See pg 81 for new elev

B. 577 P.G. 16 | Job. No. 8086 Division No. V | Notes Red | Plotted | Profile

Survey of Fiesta Ave | Date | Date | No.

Survey by E. D. Moore | Notes Moore | Notes Chkd. Lyon | Checked | X-Sec.

Indexed | Date 5-7-35 | Date 5-24-35 | Date | No.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.	

Cross Sections taken at right angles to ℄ State St

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.	
[illegible]		149.87	4.20	145.04	10' North Scale Corr.
			5.00	144.54	30' " " "
			5.80	144.04	30' " South
			5.13	144.71	30' " Top Curb
			6.1	143.8	20' "
			7.4	142.6	30' "
[illegible]			4.30	145.54	45 State St.
			4.05	145.79	10' South - Median Corr.
			3.82	146.02	20' " " "
			2.10	145.74	30' " South
			3.43	146.41	30' " Top Curb
			3.0	146.8	40' "
			2.6	147.2	50' "
			4.5	145.30	10' North - Median Corr.
			4.7	145.10	20' " " "
			5.13	144.71	30' " South
			5.48	144.36	30' " Top Curb
			6.3	143.5	45' "
			7.1	142.7	80' "
[illegible] #1			4.37	145.55	45' State St. #1
			4.25	145.67	10' South - Median Corr.

Profile

No. _____ Notes Red. _____ Platted _____ Job No. _____ Division No. _____

X-Sec. _____ Date _____ Date _____ Survey of _____

No. _____ Notes Chkd. Lyon Checked _____ Survey by _____ Notes _____ Date _____

Date 5-24-35 Date _____ Map No. _____ Indexed _____ Date _____

E. B. _____ Pg. _____

E.B. 577 P.G. 18 | Job. No. 6020 | Division No. V | Notes Red | Plotted | Profile

Survey of Pomona Ave | Date | Date | No.

Survey by L.D. Rhodes | Notes [illegible] | Notes Chkd. Lyon | Checked | X-Sec.

Indexed | Date [illegible] | Date 5-24-35 | Date | No.

STATION	B. S.	H. I.	F. S	ELEV.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
[illegible]		1498 4	5 00	1445 1	50' North - Top Curb	
			5 0	1438	50' "	
			8 0	1414	80' "	
[illegible]			5.02	[illegible]	45' South - Top center conc. head wall	
			8 72	[illegible]	45' South - Flow line - culvert 3'x2'	
			7 16	1422	45' North - Top curb	
			[illegible]	1392	45' " - Flow line	
[illegible]			5 62	1441	State St	
			5 33	1441	10' South - Top Curb	
			5 18	1441	20' " "	
			[illegible]	[illegible]	60' " "	
			[illegible]	[illegible]	30' " "	
			[illegible]	1454	50' " "	
			3.5	1463	50' " "	
			5 79	1438	10' South - Top curb	
			6 [illegible]	1437	20' " "	
			5 [illegible]	1429	30' " "	
			[illegible]	1436	30' " "	
			6 5	1433	40' " "	
			0 7	1414	80' " "	

Profile Notes Red. Platted Job No. Division No.
No. Date Date Survey of
X-Sec. Notes Chkd. Lyon Checked Survey by Notes Date
No. Date Map No. Indexed A. C. Johnson
E. B. Pg.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

E.B. 5277 P.G. 20 | Job. No. 5222 | Division No. K | Notes Red | Plotted | Profile No.
Survey of | Date | Date | X-Sec. No.
Survey by | Notes | Notes Chkd. Lyon | Checked | Date
Indexed | Date | Date 5-24-35 | Date

STATION	B. S.	H. I.	F. S	ELEV.		

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

3120 - 5-16-35

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left Right
P#1	P#2				° '		° '	146.4	3.7		150.1		TP-RPP#1	
		667			° '		° '							
		6	68.	6.4	240 35	6.8		143.7					36" standpipe	
		351												
		1	252.	2.8	296 30	252		147.3					PP	
		317												
		2	118.	3.1	207 30	118		147.0					PP	
		582												
		4	183.	4.8	95 05	183		145.3	X				PP	
		352												
		3	53.	3.4	58 —	53		146.7					PP	
		653												
		4	254.	5.5	95 55	254		144.6					FI	
		557												
		3	258.	3.0	71 30	258		147.1					FI	
		494												
		3	195.	4.5	93 35	195		145.6					Top bank	
		378												
		2	179.	2.0	55 25	179		148.1					"	
		878												
		2	179.	8.1	91 15	179		142.0					Bottom wash	
		365												
		2	166.	3.1	51 40	166		147.0					"	
		563												
		4	164.	4.5	91 —	164		145.6					Top bank	
		348												
		2	149.	2.2	37 35	149		147.9					" "	
		533												
		4	134.	4.3	85 45	134		145.8					℄ 8' dirt Rd.	
		340												
		2	141.	1.8	30 20	141		148.3					"	
		342												
		3	43.	3.3	0 20	43		146.8					G#1	
		246												
		1	147.	1.6	0 20	147		148.5					FI	
		441												
		3	142.	3.0	310 40	142		147.1					"	
		304												
		1	206.	1.5	230 45	206		148.6					"	
		623												
		2	224.	2.1	202 55	224		147.7					"	

Notes filed C. J. T. Plotted J. A. L. Date Nov 23 1935 Date Nov 23 1935 Survey of Prairie Ave F.B. 577 Pg. 44

Notes Chkd. Checked Survey by L. D. Moore Notes Moore Date 5-8-35

Date Map No. Indexed E. C. Johnson 5-14-35

Stadia 10000

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#1	P#2	369			° '				1						
		1	270.	08	318 40	270	— ° '	149 3	2		1.50'		F/		
		471													
		2	272	2	300 25	272	° '	147 7	3				"		
		403													
		1	304	0	31 55	304	— ° '	149 3	4				"		
		476													
		1	377	3 0	328 —	377	+ 0.49	152 7	5				"		
		638													
		2	439	4 0	334 40	439	+ 1.21	156 3	6				N.W. Cor. Hedge Cypress trees.		
		424													
		1	325	3 0	339 40	325	+ 0.50	151 9	7				F/		
		518													
		1	419	3 0	343 05	419	+ 1.06	156 3	8				"		
		481													
		2	282	3 0	356 —	282	+ 0.52	151 4	9				"		
		476													
		1	377	3 0	356 40	377	+ 0.56	152 3	10				"		
		314													
		1	275	2 0	4 50	275	+ 0.44	151 7	11				℄ 8' dirt Rd.		
		563													
		2	364	4 0	2 20	364	+ 1.12	153 8	12				"		
		579													
		3	280.	4 0	7 55	280	+ 1.07	151 7	13				Top bank		
		664													
		3	365	5 0	4 50	365	+ 1.17	153 3	14				" "		
		684													
		4	285	5 0	9 55	285	+ 1.09	150 8	15				Bottom wash		
		765													
		4	366	6 0	6 05	366	+ 1.18	152 6	16				" "		
		488													
		2	289	3 0	13 15	289	+ 0.54	151 7	17				Top bank		
		562													
		2	363	4 0	9 10	363	+ 1.09	153 8	18				" "		
		518													
		2	319	4 0	24 45	319	+ 1.05	152 2	19				F/		
		473													
		1	374	3 0	20 25	374	+ 1.—	153 8	20				"		
		498													
		1	399	3 0	30 45	399	+ 0.59	154 0	21				"		
							—								

Add'l Inform.

Topography Description Legend:
Side Hill ..... Bottom Draw ..... B.D.
Side of Draw ..... Bottom Wash ..... B.W.
Side of Ridge ..... Top of Ridge ..... T.R.
Head of Draw ..... Toe of Slope ..... T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fe. Int. Fences ..... V.Fns. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Sa. Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Side of Drwy. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Sag ..... T.Sg. Bottom Canyon ..... B.Cn.

Inters. of Drwy. Bottom Draw ..... B.D. Bottom Wash ..... B.W. Top of Ridge ..... T.R. Toe of Slope ..... T.S.

F.B. 577 Pg. 22

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notch Tag — Date MAY 20 1935 — Checked — Date — Map No. — Plotted J. A. L. Date MAY 20 1935 — Survey of Engineering Dept — Survey by L. D. Moore — Indexed A. C. Johnson — Map No. — Notes M. Moore Date 5-18-35 — Map No. — Base Division No. K — F.B. 577 Pg. 5

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#2	P#1	—		—	° ′		° ′	164.9	4.8		169.7		P#2 + BK		
		11.13							1						
		8	314.	10°	317.35	314	0.38	1.56.0	2				F1		
		11.78							3						
		9	279.	11 3/4	301.30	279	—	1.58.4	4				"		
		11.45							5						
		9	246	10 1/2	333.35	246	0.59	1.55.4	6				"		
		11.94							7						
		10	195.	12°	313.10	195	—	1.57.7	8				Top bank		
		12.28							9						
		10	229.	11°	340.50	229	0.50	1.55.3	10				" "		
		11.73							11						
		10	174.	11°	318.15	174	0.47	1.56.2	12				Bottom wash		
		12.17							13						
		10	218.	11°	344.20	218	1.09	1.54.1	14				" "		
		11.55							15						
		10	156.	11°	322.15	156	0.33	1.57.0	16				Top bank		
		12.08							17						
		10	209.	11°	348.35	209	0.45	1.55.8	18				"		
		11.48							19						
		10	149.	11°	324.50	149	0.44	1.56.8	20				℄ 8' dirt rd		
		11.03							21						
		9	204.	10°	351.—	204	1.23	1.54.7							
		11.15													
		10	116.	10 7/8	353.40	116	—	1.58.0					F1		
		11.99													
		10	200.	11°	7.40	200	0.48	1.55.9					"		
		93.													
		8	134.	8 9/10	35.50	134	—	1.60.9					"		
		12.75													
		10	216.	12 1/4	26.45	216	—	1.57.3					"		
		7.94													
		6	195.	7 5/8	57.15	195	—	1.62.2					Cypress tree + bldg		
		11.61													
		9	262.	11°	43.15	262	—	1.58.7					" "		
		1.345													
		2	146.	2 1/4	93.—	146	—	1.67.3					S.W. Cor "		
		3.74													
		3	75.	3 L	95.15	75	—	1.66.6					F1		
		5.10													
		5	111.	4 9/10	276.25	111	—	1.64.8					G#2		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 24

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope. T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fence. I. Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Intera. of Draw. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
		370			° ' "		° ' "								
P#2	P#1	2	171.	3.0	129° 50'	171	+ 1° 35'	171.3			169.7		F1.		
		217													
		1	118.	2.0	170° 10'	118	+ 1° 26'	170.5					"		
		588													
		5	89.	5.5	275° 10'	89	° '	164.2					"		
		240													
		1	141.	2.0	315° 55'	141	+ 0° 57'	170.0					"		
		992													
		8	193.	8.0	274° 10'	193	° '	161.7					@ 8' dirt rd		
		302													
		1	203.	1.6	236° 20'	203	° '	168.1					F1.		
		10													
		8	201.	9.5	275° 15'	201	° '	160.2					Top bank		
		659													
		4	260.	5.5	244° 45'	260	° '	164.2					F1.		
		1124													
		9	225.	10.5	276° 55'	225	° '	159.1					Bottom wash		
		778													
		5	279.	5.9	246° 10'	279	° '	163.8					@ 8' dirt rd		
		646			277° 40'										
		9	247.	8.0	247° 40'	247	° '	161.7	X				Top bank		
		693													
		4	294.	5.5	247° — '	294	° '	164.2					" "		
		923													
		6	324.	7.5	276° 50'	324	° '	162.2					F1.		
		908													
		6	309.	7.4	247° 25'	309	° '	162.3					Bottom wash		
		626													
		3	327.	5.1	247° 30'	327	° '	164.6					Top bank		
		581													
		2	382.	3.1	249° 40'	382	° '	166.6					F1.		
		521													
		1	422.	0.2	234° 30'	422	° '	169.0					"		
		806													
		3	507.	6.0	222° 45'	507	+ 1° 04'	173.2					"		
		796													
		4	397.	6.0	232° 25'	397	+ 0° 38'	168.1					Top bank		
		1077													
		6	478.	8.0	230° 45'	478	+ 1° 03'	170.2					" "		
		980													
		6	381.	8.0	230° 50'	381	+ 0° 28'	164.7					Bottom wash		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Tied C. J. T. Plotted J. A. L. Job No. 8090 Division No. L. E. R. 577 Pg. 25
Date MAY 29 1935 Date MAY 29 1935 Survey of
Notes Chkd. Checked Survey by Notes Moore Date 5-8-35
Date Map No. Indexed C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#2	P#1	11.50													
		7.	451.	9.0	219° 20'	451	+ 0° 48'	167.0			169.7		Bottom wash		
		763													
		4	364.	6.0	228° 25'	364	+ 0° 37'	167.9					Top bank		
		1040													
		6	441.	8.0	217° 40'	441	+ 1° 15'	171.1					" "		
		858													
		5.	359.	7.0	227° 30'	359	+ 0° 45'	167.3					& S' dir Trd.		
		932													
		5.	433.	7.0	216° 40'	433	+ 1° 15'	168.2					"		
		842													
		5.	343.	7.0	224° 30'	343	+ 1° —	168.6					Fl		
		395													
		1.	296.	3.0	214° 45'	296	+ 1° 28'	174.1					"		
		598													
		2.	399.	4.0	205° 30'	399	+ 1° 47'	178.0					"		
		552													
		3.	253.	4.0	199° —	253	+ 2° 07'	175.0					"		
		583													
		2.	384.	4.0	155° 25'	384	+ 2° 12'	180.3					"		
		438													
		2.	239.	3.0	182° 30'	239	+ 2° 08'	175.5					"		
		586													
		2.	387.	4.0	181° 55'	387	+ 2° 23'	181.6					"		
		451													
		2.	252.	3.0	161° 50'	252	+ 2° 08'	176.1					"		
		679													
		3	380.	5.0	171° 20'	380	+ 2° 33'	181.6					"		
		580													
		2.	381.	4.0	166° 10'	380	+ 2° 20'	181.1					"		
		491													
		2.	292.	3.0	147° 05'	292	+ 1° 55'	176.5					"		
		599													
		2	400.	4.0	159° 55'	399	+ 2° 20'	181.9					"		
P#3	P#2							191.0	5.0		196.0		P#3 4 BL.S. West edge of [illegible] tank - 16' high [illegible] 30' Pumphouse - [illegible] of East side of Tank - [illegible]		
		21.5													
		1	116.	1.4	81° 20'	116	—	194.6							

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 572 Pg 26

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Inters. of Draw. Y.D's | Top of Bank T.B.
Break in Slope ..B.S.S. | Bottom of Bank B.B.
Steep Slope ..... T.C. | Top of Cut ..... T.C.
Top of Cliff ..... B.C. | Bottom of Cut ..B.C.
Bottom of Cliff ..B.C. | Top of Fill ..... T.F.
Top of Spur ..... T.Sp. | Bottom of Fill ..B.F.
Bottom Canyon ..B.Cn.

Side of Canyon S.Cn.

Fls-Fr. Cedar-Ce. Sy.
Pns-Pi. Cypress ..... Cy.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
If two combination of these and all common standard abbreviations.

Traveled Rd. Tr.Rd.
Fence ..... F.
Int. Fences. V.Fe.
Ditch ..... Ds.
Telephone Pole ..T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Sa. ..... Sw.
Swale ..... Sl.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
P#3	P#2	309													
		2	11	2.8	75° 40'	110		193.2			196.0		8" iron water line		
		998													
		8	199.	8.7	57° 25'	199		187.3					Fl		
		380													
		2	181.	1.7	90° 10'	181		194.3					"		
		928													
		8	129.	8.4	42° 30'	121		187.6					"		
		588													
		8	89.	8.2	6° 35'	89		187.8					"		
		346													
		3	47.	3.2	90° 40'	47		192.8					NW Cor. 30x32 Frame House		
		345													
		3	46	2.9	128° 25'	46		193.1					SW " 12'x12' Frame Garage 9' E. of house S. side 6' farther S than S edge of house Parallel with house		
		260													
		2	61.	2.0	141° 50'	61		194.0					NW Cor. 9'x7' Shed		
		350													
		3	51.	2.5	149° 30'	51		193.5					12" Fig tree		
		523													
		4	124.	4.0	135° 20'	124	+ 3.16	199.1					NW Cor 4x5 Frame Toilet		
		668													
		5	169.	5.0	138° 15'	168	+ 4.05	203.1					Top bank		
		1079													
		8	230.	8.0	138° 50'	229	+ 4.10	204.8					Bottom wash		
		1134													
		9	235.	10.0	136° 05'	233	+ 5.17	207.7					Top bank		
		1154													
		9	255.	10.0	140° 30'	253	+ 5.—	208.2					" "		
		668													
		5	169.	9.0	142° 15'	168	+ 4.05	199.0					Bottom small wash		
		668													
		5	169.	7.0	143° 15'	168	+ 4.05	201.2					Top bank		
		403													
		3	104.	3.1	163° 15'	104		192.9					Top bank + Bk. S.		
		909													
		8	110.	8.4	163° 55'	110		187.6					Bottom wash - 9' wide		
		315													
		2	116.	1.8	164° —	116		194.2					Top bank		
		659													
		6	60.	5.7	166° —	60		190.3					13k. S		

Add'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Tied C.L.T. Plotted J.A.L. Job No. 8252 Division No. L F.B. 527 Pg. 23
Date MAY 23 1935 Date MAY 23 1935 Survey of [illegible]
Notes Chkd. Checked Survey by [illegible] Notes [illegible] Date 5-8-35
Date Map No. Indexed C. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#3	P#2	797			° '		° '		1						
		7	98	7.9	333 15	98	—	188 1			196°		Bk. S		
		625							2						
		6	26	5 8	303 05	26	—	190 2					G #3 + Bk. S		
		1228							3						
		11	129	12 1	308 50	129	—	183 9					Bk. S + 8' dirt rd		
		750							4						
		7	51	7 5	296 50	51	—	188 5					Bk. S		
		1110							5						
		9	211	10 0	308 25	211	2 37	176 3					& 8' dirt rd		
		1193							6						
		10	194	11 0	291 55	193	3 20	173 8					Top bank		
		1199							7						
		10	200	11 0	291 20	199	3 45	172 0					Bottom wash		
		1112							8						
		9	213	10 0	289 50	212	3 54	171 5					" "		
		1217							9						
		10	218	11 0	289 05	217	2 59	173 8					Top bank		
		1135							10						
		9	236	10 0	287 50	236	1 51	178 4					BK S		
		1191							11						
		9	292	10 0	281 55	292	0 55	181 4					S.H.		
		1203							12						
		9	304	11 0	309 40	303	2 23	172 4					Top bank + 8" water		
		1120							13						
		8	321	10 0	308 40	320	3 04	169 0					Bottom wash		
		1156							14						
		8	357	10 0	307 25	356	2 54	168 1					" "		
		1164							15						
		8	365	10 0	307 15	364	2 30	170 1					Top bank + 8" water		
		1169							16						
		8	370	10 0	297 15	370	1 25	177 0					S.H.		
		1161							17						
		10	162	11 0	286 05	161	3 31	175 1					Bk. S		
		392							18						
		1	293	2 0	268 35	293	0 49	189 9					S.H.		
		1158							19						
		11	99	12 0	267 —	98	4 00	177 1					Bk. S		
		446							20						
		2	247	2 4	253 30	247	—	193 6					"		
		1167							21						
		11	68	12 0	214 20	68	2 18	181 4	X				"		

Aud'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ca. Sycamore ....Sy. Escalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ....Fe. Int. Fences. V. Fns. Ditch ....Di. Telephone Pole T.P. Power Pole.... P.P. Culvert ....Cul.

Saddle ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Canyon S.Ca. Bank ....T.B. Bottom of Bank B.B. Top of Cut....T.C. Bottom of Cut....B.C. Top of Fill....T.F. Bottom of Fill B.F.

Side of Bank ....Bk.S. Bottom of Slope....S.S. Top of Cliff....T.Cl. Bottom of Cliff....B.Cl. Top of Spr....T.Sp. Bottom Canyon....B.Cn.

Drawn. V.D's in Slope....S.D. Intern. of Break Steep Slope Top of Cliff Bottom of Cliff Top of Spr. Bottom Canyon

F.B. 577 PG. 28

Topography Description Legend:
Side Hill....S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#3	P#2	325													
		1093	226	2°	233° 10'	226	+ 0° 55'	197 6			196°		Bk. S.		
		10	94	10 8	181° 20'	94	° '	185 2					" " N. Top bank		
		625													
		4	226	5°	214° 35'	226	+ 1° 32'	197°					S.H.		
		1197													
		11	98	12°	181° 20'	98	0° 55'	182 6					Bottom wash - 5' wide		
		658													
		4	289	5°	270° —	289	+ 1° 10'	196 8					S.H.		
		1201													
		11	102	10 2	181° 20'	102	— ° '	185 1					Top bank		
		884													
		7	185	8 3	189° 35'	185	— ° '	187 7					" "		
		698													
		4	299	5°	212° 05'	298	+ 3° 20'	208 3					S.H.		
		1185													
		10	186	11°	192° 25'	186	1° 15'	181 L					Bottom Bank		
		550													
		3	251	4°	217° 10'	250	+ 3° 06'	205 7					S.H.		
		1187													
		10	188	11°	203° 10'	188	1° 36'	179 8					Bottom bank		
		1185													
		10	186	11°	204° 50'	186	0° 32'	183 1					Top "		
		1137													
		10	138	11°	213° 55'	138	1° 52'	180 6					" "		
		1130													
		10	131	11°	208° 35'	130	4° 22'	175°					Bottom wash - 10' wide		
		1122													
		10	123	11°	205° 05'	123	1° 23'	182°					Point of top of bank		
		1118													
		10	119	11°	205° 15'	118	3° 51'	177°					Bottom bank		
		1193													
		11	94	12°	208° 35'	94	3° 03'	179°					" "		
		1189													
		11	90	12°	210° 35'	90	1° 22'	182°					Top "		
		559													
		3	260	4°	231° —	259	+ 4° 05'	210 4					S.H.		
		471													
		2	272	3°	241° 05'	271	+ 3° 45'	210 9					"		
		1117													
		10	118	11°	268° 20'	117	— 3° 57'	177 2					Top bank		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#3	P#2	1124			° '		° '		1						
		1.0	123	11.0	266 10	121	− 5 32	173 2			196°		Bottom mesh		
		1134							2						
		1.0	135	11.0	264 −	134	− 5 06	173 1					" "		
		1138							3						
		1.0	139	11.0	262 55	138	− 3 45	176 0					Top bank		
		588							4						
		3	289	4.0	249 −	288	+ 3 46	211 1					S.H.		
		535							5						
		2	336	4.0	249 20	333	+ 5 40	225 1					"		
		627							6						
		3	328	5.0	240 55	324	+ 6 27	227 8					"		
		523							7						
		2	324	4.0	229 55	320	+ 6 25	228 2					"		
		738							8						
		4	339	6.0	222 −	334	+ 6 36	228 8					Point of ridge		
		1114							9						
		1.0	115	11.0	213 35	114	− 5 12	174 7					V.Ds		
		679							10						
		3	380	5.0	217 25	376	+ 5 33	227 7					Top ridge		
		693							11						
		3	394	5.0	224 15	388	+ 7 03	239 2					" "		
		1168							12						
		9	269	10.0	201 30	269	− 1 13	180 3					Bottom W bank		
		675							13						
		3	376	5.0	229 30	370	+ 7 18	238 5					T.R.		
		772							14						
		4	373	6.0	236 45	366	+ 7 40	239 8					S.H.		
		1172							15						
		8	373	10.0	201 05	373	− 0 44	180 2					Bottom E bank		
		696							16						
		4	297	4.4	205 05	297	—	191 6					Top W bank		
		683							17						
		3	384	5.0	198 40	384	+ 0 38	195 2					" E "		
		1200							18						
		9	301	10.0	197 05	301	− 1 05	180 3					Bot " "		
		439							19						
		1	340	1.3	195 30	340	—	194 7					Top " "		
		1138							20						
		9	239	10.0	193 10	239	− 1 21	180 6					Bot " "		
		489							21						
		4	290	0.3	191 45	290	—	195 7					Top " " #6 #4		

Add'n'l Inform.

Notes Rod. C. J. T. Plotted J. A. L. Job No. 6252 Division No. L F.B. 527 Pg. 23
Date MAY 20 1935 Date MAY 20 1935 Survey of Ave
Notes Chkd. Checked Survey by L. D. Moore Notes Moore Date 5-8-35
Date Date Map No. Indexed A. C. Johnson

Form 301 LCM 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5577 PG. 30

Topography Description Legend:
Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Inters. of Draw, V.D's
Break in Slope ..... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon S.Ca.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Trawled Rd. T.Rd.
Fence ..... Fe.
Int. Fences ..... V.Fns.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak ..... Qk.
Pine-Fir ..... Pf.
Cedar ..... Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.

Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#3	P#2	11.37	238.	10	193 —	238	−	1 21	180 6	1		196		B.o.T.E. bank		
		9														
		4.38	239.	2	188 40	239		—	193 9	2				Top " "		
		2														
		11.92	193	11	192 45	193	−	1 09	181 3	3				Bot " "		
		1.0														
		.692	197.	5	188 20	197		—	190 5	4				Top " "		
		5														
		480	181.	4	172 10	181	+	2 07	198 8	5				SH		
		3														
		575	216	4	160 25	215	+	4 04	207 4	6				"		
		3														
		528	229.	4	176 40	229	+	2 27	201 8	7				"		
		3														
		570	271.	4	166 25	269	+	4 34	213 8	8				"		
		3														
		576	277.	4	180 20	276	+	2 42	205 1	9						
		3														
		620	321.	5	173 —	319	+	5 02	219 3	10				"		
		3														
		625	326	5	185 05	325	+	2 52	207 2	11						
		3														
		659	360.	5	179 10	357	+	4 47	221 1	12				"		
		3														
		706	407.	5	183 25	404	+	5 13	227 9	13				"		
		3														
		680	381.	5	191 50	380	+	2 32	214 0	14				"		
		3														
		645	446	4	185 45	442	+	5 30	234 8	15				"		
		2														
		634	435.	4	195 55	434	+	2 33	211 4	16				"		
		2														
		778	479.	5	189 10	475	+	5 26	236 2	17				"		
		3														
		724	525.	5	191 50	520	+	5 32	241 6	18				"		
		2														
		780	481.	5	201 10	480	+	2 06	207 2	19				"		
		3														
		873	574.	6	193 40	568	+	5 53	248 9	20				"		
		3														
										21						

Add'n'l Inform.

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / — Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	REMARKS Left
P#4	P#3			—	° '		° '	217 3	1 4 5		221 8		P#4 to S.H	
		245							2					
		2	46	2°	125	43	+ 15 52	233 9	3				S.H. Bk.	
		402												
		3	103	3°	107 05	88	+ 22 33	255 3	4				"	
		268												
		2	69	2°	48 45	66	+ 12 03	234 0	5				Bk S	
		757												
		6	158	7°	112 40	127	+ 21 15	268 1	6				S.H Bk	
		826												
		7	127	8°	35 30	125	+ 6 16	227 6	7				Bk S	
		1161												
		10	162	11°	95 35	135	+ 24 09	271 3	8				Top R.	
		946												
		8	147	9°	34 45	145	+ 5 55	227 8	9				S.H.	
		1158												
		10	159	11°	3 15	158	5 09	196 7	10				Top E bank	
		1115												
		10	116	11°	352 15	114	7 49	195 1	11				" " "	
		1139												
		11	40	11°	352	40	—	210 6	12				S.H.	
		1170												
		11	71	11°	330 35	68	11 03	197 5	13				Top E bank	
		1147												
		11	48	11°	300 20	45	15 06	198 1	14				Top E bank	
		1139												
		11	40	11°	322 10	39	6 57	206 0	15				G#54 S.H. E	
		1150												
		11	51	11°	247 10	48	13 25	199 3	16				Top E. bank	
		1178												
		11	79	11°	266 10	69	20 32	185 0	17				Bot E. "	
		1188												
		11	89	12°	308 10	80	18 34	183 0	18				" " "	
		1125												
		10	126	11°	335 50	120	13 —	183 2	19				" " "	
		1157												
		10	158	11°	350 50	153	10 40	182 1	20				" " "	
									21					

Add'n'l Inform.

Date MAY 20 1935 Surveyed by C.J.L. Plotted J.A.L. Job No. Sec. 36 Division No. V F.B. 57 Pg. 37
Notes Chkd. Checked Date MAY 20 1935 Survey of Topanga Ave.
Date Map No. Indexed A.C. Johnson Date 5-8-35

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 522 Pg. 32

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon B.Cn.
Side of Draw S.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.
Side of Ridge S.R. | Head of Draw H.D.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. | Fence ..... Fe. | Int. Fences V. Fnc. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Side of Canyon S.Cn. | Top of Bank T.B. | Bottom of Bank B.B. | Top of Cut T.Ct. | Bottom of Cut B.Ct. | Top of Fill T.F. | Bottom of Fill B.F.

Intersection of Draw. V.D's | Break in Slope Bk.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#4	C 3				° '			° '	217 3	4 3		221 6		P#4		
		405														
		2	206	3	207 45	206	+	2 02	225 9		+ 4 3		+ 7 3	P#4A		
		1209														
		10	210	11	356 —	206	−	7 48	182 3					Bot. W. bank of wash		
		1180														
		10	181	11	341 20	180	−	4 20	196 9					S.H		
		511														
		3	212	4	332 35	212	+	2 23	226 3					Bk. S.		
		1171														
		10	172	11	347 —	167	−	9 33	182 6					Bot W. bank		
		1175														
		10	176	11	328 50	175	−	3 35	199 8					Sw.		
		523														
		3	229	4	225 10	227	+	4 36	235 8		+ 14 3		+ 18 3	Bk. S.		
		1148														
		10	149	11	335 —	144	−	10 32	183 8					Bot W bank & Bot Sw.		
		1151														
		10	152	11	320 55	152	−	1 25	206 8					S.H.		
		427														
		2	228	3	316 20	225	+	6 02	242 4					Head Sw. & Bk S.		
		1125														
		10	126	11	325 45	120	−	12 37	183 8					Bot W. Bank		
		1127														
		10	128	10 3	308 25	128			211 3					S.H.		
		492														
		3	193	4	313 10	191	+	5 16	235 3					Bk S		
		470														
		3	171	4	289 20	169	+	6 07	235 8					S.H.		
		1100														
		10	101	11	284 05	94	−	14 50	185 6					Bot W. Bank		
		1211														
		11	112	12	278 30	112	−	0 36	208 3					S.H. + Bk. S.		
		363														
		2	164	3	269 35	162	+	5 36	234 6					SH		
		1194														
		11	95	12	236 35	90	−	13 02	188 7					T.S + B. Sm. D.		
		1207														
		11	108	12	248 40	108	−	2 29	205 0					S.H.		
		575														
		4	176	5	251 10	175	+	4 41	230 8					S.H		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rec'd. C. J. T. Plotted J. A. L. Job No. 8622 Division No. K F.B. 5217 Pg. 33
Date MAY 20 1935 Date MAY 22 1935 Survey of Pasture Area
Notes Chkd. Checked Survey by Moore Notes C. Johnson
Date Date Map No. Indexed Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point		+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#4	P#3	1182			° '			° '		1							
		11.	83.	12°	236 45	74	−	1 47	1843	2			2216		BD - 4' wide		
		1120								3							
		1.0	171.	11°	239 50	120	−	3 44	2027	4					B Small D		
		479								5					" " "		
		3.	180.	4°	245 50	180	+	2 39	2259	6					S H Bk		
		326								7							
		2.	177.	3°	239 25	176	+	3 21	2289	8					" "		
		1217								9							
		11.	118.	12°	229 35	118	−	0 50	2079	10	1909						
		1205								11	1460	307		187	B West Bank		
		11	106.	12°	202 30	103	−	10 18		12							
		480								13							
		3.	181.	4°	222 25	180	+	3 49	2297	14					S H		
		1215								15							
		11	116.	12°	208	116	−	2 27	2048	16					Bk S		
		1194								17							
		11	95.	16°	199	91	−	12 14	1860	18					18 D - 5' wide		
		618								19							
		4	219.	5°	210 20	218	+	3 42	2306	20					Top ridge		
		1143								21							
		1.0.	144.	11°	192 25	144	−	2 17	2049	22					Bk S		
		1144								23							
		1.0	145.	11°	182 30	143	−	7 27	1920	24					BD		
		652	253							25							
		.4	153.	5°	216 50	250	+	6 34	2453	26					Bk S		
		1168								27							
		10.	169.	11°	187 45	169	−	2 45	2026	28					"		
		1180								29							
		10.	181.	11°	183 20	179	−	5 48	1922	30					Bot W. Bank		
		525								31							
		3	226.	4°	230 55	222	+	7 26	2464	32					S H		
										33							
										34							
P#4A	P#4				° '			° '		35							
									2259	36	47		2306		P#4A + T S		
		1205								37							
		1.0	206.	11°	0 00	206	−	0 36	2174	38		132		22	P#4 Elev = 2		
		1146								39							
		10	142.	11°	8 50	142	−	11 09	1917	40					T S		
		1170								41							
		10	171.	11°	6 35	171	−	2 46	2113	42					S H Bk		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences. V.Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Sa. Saddle ..... Sw. Swale ..... Fl. Flat ..... Str. Stream ..... Tr. Trail ..... Pvt. Pavement ..... E.Rd. Edge of Road

Side of Canyon B.Ca. Top of Bank ..... T.B. Bottom of Bank B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill B.F.

Side of Drawa, V.D's Top of Slope ..... Bk.& S.S. Bottom of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Interm. of Drawa, Break in Slope ..... Steep Slope ..... Top of Cliff ..... Bottom of Cliff ..... Top of Spur ..... Bottom Canyon

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

P.B. 577 PG. 34

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#4A	P#4	311			° '		° '								
		1	212	2 0	14 20	212	+ 2 09	236 6			230 6		Top S.S		
		1160													
		10	161	1 10	18 50	157	− 8 33	195 9					T.S.		
		1196													
		10	197	10 6	19 55	197	—	220 0					S.S.		
		446					° '								
		2	247	3 0	23 40	243	+ 7 09	258 1					Top S.S		
		1132													
		10	133	11 0	26 05	127	− 11 58	192 6					T.S.		
		596													
		4	197	5 1	30 25	197	—	225 7					S.S.		
		527					° '								
		2	328	3 0	33 40	316	+ 10 50	288 0					Top Bk		
		1122													
		10	123	11 0	45 35	117	− 12 21	193 8					Bottom E. bank		
		367													
		2	168	3 0	41 40	168	+ 1 35	232 2					Point Small Ridge		
		392													
		1	293	2 0	40 45	283	+ 10 49	282 4					Top Bk Head Sw		
		332													
		1	233	2 0	35 25	231	+ 5 50	252 3					Sw + Top S.S		
		1119													
		10	120	11 0	59 05	114	− 12 37	194 0					Bot E bank.		
		262													
		1	163	0 5	46 45	163	—	230 1					S.S.		
		409					° '								
		2	210	3 0	50 15	204	+ 9 34	262 0					S.H.		
		1142													
		10	143	11 0	51 55	142	− 3 51	210 0					Bot S.S.		
		63													
		4	240	5 0	54 30	230	+ 11 56	274 1					Top Bk		
		43													
		3	164	4 0	58 25	162	+ 5 50	243 2					Top S.S.		
		1125													
		10	126	11 0	64 35	124	− 7 20	203 7					Bot S.S.		
		512													
		3	213	4 0	75 30	203	+ 12 43	272 3					Top Bk.		
		449													
		3	150	4 0	74 05	149	+ 5 24	240 8					Top S.S.		
		1195													
		11	96	12 0	81 15	89	− 15 27	193 8					Bot E Bank		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#4A	P#4	237			° '		° '		1						
		1. 518	138.	2°	88 25	137	+ 4 06	238 3	2		230 6		S.H.		
		3 1180	219.	4°	102 05	210	+ 11 25	269 0	3				Top Bk.		
		11. 248	81.	12°	147 10	73	− 18 16	194 7	4				Bot E Bank		
		1 1106	149.	2°	105 05	148	+ 4 13	239 4	5				S.H		
		1.0 1131	107.	11°	96 40	107	− 2 07	215 8	6				Bk S		
		1.0 1200	132.	11°	119 50	132	− 0 41	217 8	7				"		
		11 1108	101.	12°	131 25	100	− 5 23	209 2	8				" + Point Ridge		
		10 465	109.	11°	145 55	103	− 14 —	194 1	9				Bot E bank +		
		2 594	266'	3°	119 40	261	+ 8 06	264 6	10				Top bk		
		3 259	295.	4°	124 15	290	+ 7 06	262 8	11				"		
		1 1139	160.	4 3	120 45	160	— —	226 3	12				S.H bk		
		1.0 294	140.	11°	135 40	136	− 9 06	197 8	13				Bot E bank		
		1 1213	195.	2°	123 50	195	+ 1 04	232 2	14				Head Steep Sw		
		9 1183	314.	10°	116 25	307	+ 8 49	268 1	15				Fl.		
		1.0 1171	184.	11°	136 15	181	− 6 40	198 3	16				Bot E bank		
		9 338	272.	10°	101 35	263	+ 10 35	269 6	17				Fl.		
		1 1166	239.	2°	134 05	239	+ 1 25	234 4	18				Top ridge Spur		
		10 1161	167.	11°	142 35	164	− 7 21	198 6	19				Bot in bank		
		9 1115	262.	10 2	75 40	250	+ 12 35	276 1	20				Fl.		
		1.0 1106	116.	11°	148 40	111	− 11 30	197 1	21				Bot in bank		
		10	107.	11°	159 15	102	− 12 55	196 4					" "		

Add'n'l Inform.

Notes Red. C.J.T. Plotted J.A.L. Job No. F.B. 577 Pg. 52
Date MAY 20 1935 Date MAY 20 1935 Survey of Division No.
Notes Chkd. Checked Survey by Notes Date
Date Date Map No. Indexed A.C. Johnson

Form 301 10M 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#4A	P#4	11.24 / 10	125	11.0	165° 10'	122	−	9° 04'	2002			2306		Bot W bank + SS		
		1200 / 11.	101	12.0	175° 25'	95	−	13° 32'	1955					" " " "		
		737 / 7	38.	7.0	205° 05'	36	+	12° 14'	2316					Top S.S.		
		1164 / 11	65.	12.0	173° 55'	54	−	2° 16'	1943					Bot W. bank + SS		
		579 / 5	60.	5.0	197° 50'	78	+	8° 57'	2378					Top S.S.		
		1158 / 11	59.	12.0	113° 40'	46	−	27° 56'	1941					Bot W bank + SS.		
		417 / 3	118.	4.0	179° 40'	118	+	2° 18'	2313					Top S.S.		
		433 / 3	134.	3.0	174° —	134	+	1° 37'	2314					" "		
		761 / 6	162.	6.0	173° 15'	162	+	2° 06'	2307					Top Spur		
		644 / 5	145.	5.6	163° 35'	145		° '	2250					" "		
		1153 / 10	154.	11.0	151° 45'	154	−	1° 45'	2149					" "		
					° '			° '								
P#6	P#5				° '			° '	2402	48		2455		P#6 + S.H.		
		1164 / 9	265.	10.0	327° 05'	264	−	2° 43'	2230					Bk S.		
		1127 / 9	228.	10.0	331° 15'	222	−	9° 10'	1998					Bot W. bank		
		1129 / 9	230.	10.0	315° 25'	229	−	2° 39'	2249					Sw		
		1203 / 10	204.	11.0	323° —	198	−	9° 38'	2009					Bot W. bank		
		1124 / 10	175.	11.0	308° 25'	175	−	2° 23'	2272					S. H		
		1155 / 10	156.	11.0	323° 50'	149	−	11° 52'	2032					Bot W bank		
		1132 / 10	133.	11.0	306° 45'	132	−	5° 34'	2216					Top Spur		
		1118 / 10	119	11.0	325° 50'	110	−	15° 54'	2032					Bot W bank		

Add'l Inform.

F.B. 577 PG. 36

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope. T.S.

Traveled Rd. Tr. Rd. Fence ..... Fe. Int. Fences. V.Fe. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.
Oak-O. Pine-Pi. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.
Fir-Fr. Cedar-Ce.
Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.
Canyon S.Ca. Bank ..... T.B. Bottom of Bank. B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill. B.F.
Side of Draw. V.D's Top of Bk. ..... T.Bk. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.
Inter. of Draw. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
P#6	P#5	1159							1						
		1.0	160.	11°	342.10	159	4.45	221.3			2.45		G#6 + S.H		
		1111							2						
		1.0	112.	11°	307.—	104	15.40	205.4	3				Bot W bank		
		1146													
		1.0	147.	11°	339.40	145	6.37	217.8	4				Top Bk S		
		1124													
		1.0	125.	11°	300.35	123	8.01	217.2	5				Top bank		
		1204													
		11.	105.	12°	351.50	105	3.45	226.7	6				S.H + Stage Sw		
		1150													
		11.	51.	11°	338.45	51	4.50	230.2	7				S.H Bk		
		1124													
		11.	25.	11°	288.40	24	8.12	231.0	8				Top Spur		
		1133													
		1.0	134.	11°	285.30	132	7.40	216.7	9				Top bank		
		1131													
		1.0	132.	11°	276.25	126	12.42	205.2	10				bot W "		
		1103													
		1.0	104.	11°	272.50	99	12.50	212.1	11				Top E Bank		
		1139													
		1.0	140.	11°	272.05	137	8.03	215.1	12				Top W "		
		1130													
		11.	31.	11°	250.35	29	15.11	226.7	13				G# 7 + S H		
		1169													
		11.	70.	11°	277.30	65	15.34	216.4	14				Bk S on Spur		
		1212													
		11.	113.	12°	254.35	109	10.42	213.0	15				Top W Bank		
		1171													
		11.	72.	11°	265.10	66	16.19	215.0	16				" E " + 1245		
		1181													
		11.	82.	12°	244.55	73	19.19	207.9	17				Bot W bank		
		1187													
		11.	88.	11°	238.50	82	14.50	212.8	18				Top " "		
		1140													
		11.	41.	11°	233.05	36	19.20	221.6	19				" E "		
		1183													
		11.	84.	12°	214.15	76	18.10	208.8	20				Bot W "		
		1195													
		11.	96.	12°	216.35	93	9.51	217.3	21				Top " "		
		1185													
		11.	86.	12°	195.45	81	13.54	213.5					" E "		

Add'l Inform.

Notes Rec'd. C. J. L. Plotted J. A. L. Job No. Bear Division No. K F.B. 577 Pg. 37
Date MAY 21 1935 Date MAY 21 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by A. Moore Notes A. Moore Date 5-9-35
Date Date Map No. Indexed A. C. Johnson

Form 301 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 522 PG. 38

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Oak-O. Pine-Pi. Sycamore ....Sy. Eucalyptus ....Euc Plus combinations of these and all common standard abbreviations. Fir-Fr. Cedar-Ce.

Traveled Rd. Tr. Rd. Fence ....Fn. Int. Fences..V.Fn. Ditch ....Dl. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Sa. ....Sw. ....Fl. ....Str. ....Tr. ....Pvt. Edge of Road E.Rd.

Saddle Swale Flat Stream Trail Pavement Edge of Road

Side of Canyon S.Cn. Top of Bank....T.B. Bottom of Bank..B.B. Top of Cut....T.C. Bottom of Cut...B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Interm. of Draw.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff....T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon...B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#6	P#5	1126			° '		° '		1						
		10	137.	11.0	205 05	133	9 27	212 3			245		Bot. W. bank		
		1157							2						
		10	152.	11.0	206 25	151	4 12	223 3					Top " "		
		1129							3						
		10	130.	11.0	224 15	129	4 35	224 1					Point F/ Ridge		
		1136							4						
		10	137.	11.0	242 10	134	8 —	215 6					B. Small D.		
		1126							5						
		10	127.	11.0	197 —	124	8 30	215 9					Top E. bank		
		1162							6						
		10	163	11.0	185 30	160	7 34	213 2					Bot W. bank		
		1113							7						
		10	114.	11.0	182 30	112	8 12	218 4					Bk. S.		
		1186							8				Top W. bank & Top		
		10	187.	11.0	180 10	186	4 36	219 7					N. bank - side draw		
		1142							9						
		10	143	11.0	179 50	141	7 11	216 7					Top E. bank		
		1211							10						
		10	212.	11.0	185 35	211	3 35	221 2					Top N. bank - side D		
		1225							11						
		10	226	11.0	183 —	225	4 28	217 0					B. Side Draw - 18' wide		
		1185							12				Bot W. bank & Bot		
		10	186.	11.0	176 45	184	6 06	214 8					N. bank Side Draw		
		1133							13						
		7	234.	10.0	179 10	233	2 40	224 6					Top S. bank		
		1180							14				side Draw		
		10	181.	11.0	172 10	178	6 47	213 2							
		554							15				V. Ds		
		3	255.	4.0	172 —	255	2 20	231 2							
		1180							16				Top Cut		
		10	181.	11.0	162 15	180	4 43	219 8							
		1114							17				Top E. bank		
		9	215.	10.0	163 35	213	5 16	215 8							
		394							18				Bot. W. bank		
		1	295.	2.4	171 45	295	° '	243 1							
		1128							19				Top Cut		
		9	229.	10.0	164 20	228	3 55	220 0							
		1061							20				Top. W. bank		
		9	162.	9.8	150 35	162	—	235 7							
		414							21				S.H.		
		1	315.	0.9	164 25	315	—	244 6					Top Cut		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. C.J.T. Platted J.A.L. Job No. 8990 Division No. K F.B. 577 Pg. 38
Date MAY 21 1935 Date MAY 21 1935 Survey of Pearce Ave
Notes Chkd. Checked Survey by Wells Notes Wells Date 5-23-35
Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	Back Sight	+ Difference — Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#6	P#5	815			° '		° '		1						
		7	116	7 3	152 45	116	—	2382			245 5		S.H.		
		1225					° '		2						
		9	326	10 3	160 10	326	—	2352					Top Cut		
		876					° '		3						
		8	77	8 6	154 20	77	—	2369					S.H. Bk		
		1166					° '		4						
		11	67	11 5	155 45	67	—	2340					Small D		
		752					—		5						
		7	53	7 4	157 —	53	—	2381					S.H. Bk		
		1200					° '		6						
		9	301	10°	159 30	300	2 34	2221					B. Cut		
		1174					° '		7						
		9	275	10°	155 —	274	3 —	2212					Top W bank		
		1190					° '		8						
		10	191	11°	162 50	189	5 45	2154					Bot E bank		
		1184					° '		9						
		9	285	10°	166 35	284	2 40	2222					B. Cut		
		1152					° '		10						
		10	153	11°	179 05	150	8 21	2126					Bot E Bank		
		1142					° '		11						
		9	243	10°	168 35	242	3 24	2212					B. Cut		
		1130					° '		12						
		10	131	11°	198 35	127	10 08	2119					B & E bank		
		1167					° '		13						
		11	68	12°	206 15	60	20 40	2111					" " "		
		246					° '		14						
		2	47	2°	10 25	47	+ 2 51	2459					SH		
		1169					° '		15						
		11	70	12°	253 20	59	22 52	2085					Bot E bank		
		1113					° '		16						
		10	114	11°	275 45	107	14 40	2067					" "		
		401					° '		17						
		3	102	3°	8 30	102	+ 2 42	2473					Head Sw		
		1190					° '		18						
		11	91	12°	305 10	81	19 32	2049					Bot E bank		
		1204					° '		19						
		11	105	12°	334 10	99	14 21	2034					" " "		
		1153					° '		20						
		10	154	11°	331 50	147	12 21	2024					" " "		
		1198					° '		21						
		10	198	11°	332 35	193	— 9 45	2014					" " "		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#6	P#5	305			° '		° '								
		2	106.	2°	21.40	103	+ 9.04	260.0			245		Top Bk.		
		218													
		4	49.	3°	50.50	45	+ 16.30	257.0					" "		
		365													
		3	66.	3°	108.10	63	+ 11.31	255.3					" " + Head D		
		630													
		5	131.	5°	123.15	128	+ 8.28	259.7					" "		
		1146													
		10	147.	11°	103.20	140	+ 12.37	265.9					FL		
		1122													
		10	123.	16°	59.50	113	+ 16.51	263.7					"		
		223													
		1	323.	2°	163.25	323	—	243.5		2.0			P#6A		
P#6A	P#6							243.5	4.6		248.1		P#6A		
		922													
		6	323.	7.3	0.00	323	—	240.5		7.3			P#6 - Elev = 240.7		
		222													
		2	23.	2°	229.30	21	+ 16.45	252.6					Bk. S		
		553													
		5	54.	5°	183.15	52	+ 11.29	253.7					"		
		1003													
		9	104.	9°	173.50	103	+ 5.09	248.4					SH		
		283													
		1	184.	2°	25.40	184	+ 1.08	249.7					"		
		565													
		3	266	4°	51.30	255	+ 11.29	296.0					"		
		257													
		1	158.	2°	43.55	158	+ 1.44	250.8					"		
		333													
		1	234.	2°	63.05	221	+ 13.30	299.2					"		
		326													
		1	227.	2°	31.45	225	+ 4.58	265.7					"		
		1173													
		11	74.	12°	35.—	67	— 12.15	215.2							
		801											Bot W bank		
		5	302.	6°	29.50	300	+ 5.09	269.1					FL		
		1180													
		11	81.	12°	42.30	76	— 14.54	216.0					Bot E bank		

Add'l Inform.

F.B. 577 PG. 40

Topography Description Legend:
Hill...H. | Draw...D. | Wash...W. | Ridge...R. | Slope...S.
Side of Hill...S.H. | Bottom Draw...B.D. | Bottom Wash...B.W. | Top of Ridge...T.R. | Toe of Slope...T.S.
Side of Draw...S.D. | Bottom Ridge...B.R. | Top of Ridge...T.R. | Toe of Slope...T.S.
Head of Draw H.D.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Side of Canyon S.Cn. | Top of Bank...T.B. | Bottom of Bank...B.B. | Top of Cut...T.C. | Bottom of Cut...B.C. | Top of Fill...T.F. | Bottom of Fill...B.F.

Inters. of Draw, V.D's | Break in Slope...Bk.S. | Steep Slope...S.S. | Top of Cliff...T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur...T.Sp. | Bottom Canyon...B.Cn.

Dk.-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. | Fence ..... Fe. | Int. Fences. V.Fns. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
Pt 6A	Pt 6	11.52 / N 4.27	5.3	12°	113° 05'	48	− 17° 23'	221.0	1		2.48 1/2		BD - 6' inside		
		3.326	128.	3°	65° 40'	127	+ 5° 15'	256.8	2				SH.		
		1.11.46	227.	2°	86° 15'	207	+ 17° 13'	310.6	3				"		
		11.241	47.	12°	114° 20'	44	− 13° 46'	225.2	4				Top W. bank		
		1.339	142.	2°	105° 25'	138	+ 9° 47'	270.0	5				SH		
		1.1181	240.	2°	98° 25'	221	+ 16° 25'	311.3	6				" BK		
		11.485	82.	12°	141° 10'	80	− 8° 03'	224.8	7				BD - 4' into		
		2.404	286.	3°	110° −	270	+ 13° 47'	311.4	8				Head Small Dr.		
		2.610	205.	3°	127° 20'	201	+ 8° 16'	274.3	9				S.H. BK		
		4.556	211.	5°	128° 35'	207	+ 7° 44'	271.3	10				B. Small Drain		
		2.1179	355.	4°	120° 45'	338	+ 12° 33'	319.6	11				SH. BK		
		11.334	80.	12°	142° −	79	− 7° 07'	226.3	12				Top W. bank		
		1.695	235.	2°	130° 55'	230	+ 8° 05'	278.9	13				SH. BK		
		3.11.44	399.	5°	122° 45'	381	+ 12° 13'	325.9	14				"		
		1.605	85.	12°	140° 25'	84	− 6° 20'	226.8	15				Top E. bank		
		3.11.54	306.	5°	134° 35'	300	+ 8° 12'	286.2	16				SH		
		11.672	55.	12°	104° 40'	52	− 13° 13'	223.8	17				Top E bank		
		4.207	273.	5°	148° 05'	271	+ 4° 30'	264.6	18				SH.		
		1.325	208.	2°	155° 10'	208	+ 1° 03'	250.1	19				"		
		1.562	226.	2°	141° 35'	224	+ 5° 20'	267.0	20				SH. 13		
		14	163.	5°	148° 45'	163	—	243.1	21				13. Small D		

Notes By C.J.T. Plotted J.A.L. Job No. 8620 Division No. L F.B. 577 PG. 47
Date MAY 21 1935 Date MAY 21 1935 Survey of Mission Ave
Notes Chkd. Checked Survey by M. Taylor Notes A. Moore Date 5-8-35
Date Date Map No. Indexed A. C. Johnson Date

ASP'H Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 522 PG. 42

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Inters. of Draws, V.D's | Side of Canyon S.Cn.
Break in Slope ..... Bk.S. | Top of Bank ..... T.B. | Saddle ..... Sa.
Steep Slope ..... S.S. | Bottom of Bank ..... B.B. | Swale ..... Sw.
Top of Cliff ..... T.Cl. | Top of Cut ..... T.C. | Flat ..... Fl.
Bottom of Cliff ..... B.Cl. | Bottom of Cut ..... B.C. | Stream ..... Str.
Top of Spur ..... T.Sp. | Top of Fill ..... T.F. | Trail ..... Tr.
Bottom Canyon ..... B.Cn. | Bottom of Fill ..... B.F. | Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ca.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.
Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd.
Fence ..... Fn.
Int. Fences ..... V.Fnt.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
		599			° '		° '		1						
P#6A	P#6	4	200	5 0	136 30	198	+ 4 55	260 2			248 1		B Small D		
		567							2						
		5	68	6 0	96 05	67	6 40	234 2					BK.S		
		375							3						
		2	176	3 0	131 30	174	6 10	264 0					SH. Bk		
		1184							4						
		10	185	11 0	164 30	185	0 54	234 2					Top E bank		
		225							5						
		1	126	1 0	121 20	126	+ 3 07	254 0					S.H.		
		1134							6						
		10	135	11 0	156 35	135	2 03	232 2					Top E bank Mouth Small Draw		
		1187							7						
		11	88	12 0	58 30	88	0 54	234 8					Bk S.		
		200							8						
		1	101	1 0	95 50	101	+ 2 50	252 2					SH.		
		1195							9						
		11	96	12 0	131 45	96	0 32	235 2					Bk S.		
		1123							10						
		10	124	11 0	32 50	124	2 06	232 5					"		
									11						
									12						
P#7	P#6							260 28	5 1		269 0		P#7 + SH.		
		1131							13						
		10	132	11 0	332 50	125	13 05	228 9		40 1		29 1	Bot. D - 5' wide		
		1123							14						
		11	24	11 0	267 10	24	3 45	256 4					G#8 + S.H.		
		1128							15						
		10	129	11 0	330 55	123	12 22	231 1					Top E bank		
		1150							16						
		11	51	11 0	299 20	49	10 38	248 8					S.H.		
		1198							17						
		11	99	12 0	294 45	89	18 04	227 8		41 2		29 2	B.D. - 5' wide		
		1190							18						
		11	91	12 0	295 15	84	15 41	233 4					Top E bank		
		1148							19						
		11	49	12 0	242 25	47	11 06	247 8					S.H.		
		1196							20						
		11	97	12 0	255 —	91	13 54	234 4					B.D - 7' wide		
		1190							21						
		11	91	12 0	255 20	86	13 45	236 1					Top E bank		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#7	P#6	1164 / 11 / 1202	65.	11°	204°45'	-63	-10°45'	246.2			26.9		S.H		
		11 / 1198	103.	12°	213°50'	-98	-12°23'	235.5					B.D - 5' wide		
		11 / 495	99.	12°	212°55'	-95	-11°33'	237.7					Top E. bank		
		3 / 1137	196.	+0°	113°—	-183	+14°45'	313.2					S.H Bk		
		1.0 / 1135	138.	11°	187°45'	-130	-8°31'	237.8					B.D - 4' wide		
		10 / 1116	136.	11°	187°35'	-133	-7°53'	239.6					Top E bank		
		10 / 959	117.	11°	180°25'	-117	-2°53'	252.2					Bk S		
		7 / 1198	269.	8°	120°05'	-236	+13°25'	319.8					S.H		
		10 / 1199	199.	11°	173°15'	-198	-4°35'	242.2					B.D - 4' wide		
		10 / 661	200.	11°	174°20'	-199	-4°22'	242.9					Top W. bank		
		5 / 902	162.	6°	138°25'	-159	+8°—	285.4					S.H		
		7 / 216	203.	8°	122°30'	-193	+12°50'	305.0					" Bk		
		4 / 1150	117.	1°	134°20'	-114	+8°47'	285.6					"		
		10 / 551	151.	11°	185°45'	-149	-6°04'	242.1					Top W bank		
		4 / 1113	152.	5°	114°50'	-142	+14°44'	301.5					S.H		
		10 / 320	114.	11°	207°40'	-111	-8°46'	240.8					Top W bank		
		2 / 1188	121.	2°	100°10'	-113	+15°05'	297.3					S.H		
		1.1 / 1206	89.	12°	231°35'	-84	-13°47'	236.3					Top W bank		
		11 / 1122	107.	12°	258°30'	-103	-10°37'	237.7					" " "		
		10 / 1203	123.	11°	204°50'	-121	-7°42'	241.7					Bk S		
		10 / 1203	104.	12°	295°40'	-99	-12°25'	235.2					"		

Add'n'l Inform.

Notes Rec. C. J. T. Plotted J. A. L. Job No. 8030 Division No. V F.B. 577 Pg. 43
Date MAY 21 1935 Date MAY 21 1935 Survey of Riverside Ave
Notes Chkd. Checked Survey by Moore Notes Moore Date 5-9-35
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5277 PG. 44

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Abbreviations: D.O. Fir-Fr. | Fruit Trees Fr. | Grape Vines V.Fns. | Ditch Di. | Int. Fences Int.Fe. | Power Pole P.P. | Ext. Fences Ex.Fe. | Pavement Pvt. | Telephone Pole T.P. | Trail Tr. | Cedar-Ce. | Sycamore Sy. | Eucalyptus Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. | Fence | Int. Fences | Ditch | Power Pole | Telephone Pole | Trail | Pavement | Culvert | Edge of Road E.Rd.

Saddle | Swale | Flat | Stream | Cut | Fill | Bank | Cliff | Spur | Canyon

Side of Canyon S.Cn. | Top of Bank T.B. | Bottom of Bank B.B. | Top of Cut T.C. | Bottom of Cut B.C. | Top of Fill T.F. | Bottom of Fill B.F.

Side of Drawn S.D. | Top of Bank T.B. | Bottom of Bank B.B. | Top of Cut T.C. | Bottom of Cut B.C. | Top of Fill T.F. | Bottom of Fill B.F.

Intersection of Drawn V.D's | Break in Slope Bk.S. | Steep Slope S.S. | Top of Cliff T.Cl. | Bottom of Cliff B.Cl. | Top of Spur T.Sp. | Bottom Canyon B.Cn.

Transit at	Sighted on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#7	P#6	1131			° '		° '		1						
		10	132.	11.0	303 35	132	3 06	2509			269.0		S.H.		
		1118							2						
		10	119.	11.0	280 23	118	4 29	2487					Bk. S		
		1140							3						
		10	141.	11.0	257 —	141	1 36	2540					Sw.		
		1132							4						
		10	133.	11.0	225 45	133	1 22	2547					S.H.		
		1155							5						
		10	156.	11.0	187 50	155	4 30	2458					Bk. S		
		1188							6						
		10	189.	11.0	177 20	188	3 20	2470					Bk. S.		
		1184							7						
		10	185.	11.0	192 50	185	+ 0 36	2599					S.N. + Fence (N Line PV)	✓	V.
		279							8						
		1	180.	2.0	210 15	180	+ 1. —	2683					"	" V.	✓
		242							9						
		5	243.	6.8	180 40	243	—	2622					S.H.		
		600							10						
		3	301.	4.9	172 20	301	—	2641					"		
		540							11						
		2	341.	4.2	167 25	341	—	2648							
		427							12						
		1	378.	0.5	164 40	378	—	2685		0.5			Bk. S		
									13						
P#7A	P#7							2685	4.7		273.2		P#7A		
		1077							14						
		7	378.	9.3	0 00	378	—	2639		9.3			P#7 - Elev = 263.9		
		395							15						
		3	96.	3.3	24 50	96	—	2699					G#9 + Fence + S.H.	✓	
		1153							16						
		10	154.	11.2	8 40	154	—	2620					S.H.		
		360							17						
		1	261.	2.0	44 55	252	+ 10 57	3196					"		
		1211							18						
		10	212.	11.0	1 20	212	0 54	2589					"		
		426							19						
		2	227.	3.0	56 30	216	12 44	2214					"		
		324							20						
		1	225.	2.0	18 35	225	+ 2 33	2812					"		
		519							21						
		3	220.	4.0	75 55	208	+ 13 47	3202					" Bk.		

Add'l Inforns.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#7A	P#7	4.57			° '		° '		1						
		3	158.	4°	27.45	157	+ 4.40	2819			273		S.H		
		3.20							2						
		1	221.	2°	93.10	211	+ 12.23	3171					1 BK		
		3.22							3						
		2	123.	3°	36.35	122	+ 6.11	2834					S.H		
		1.88							4						
		1	89.	1°	51.30	88	+ 4.49	2796					1 BK - P.B + Fence		
		9.20							5						
		7	221.	8°	95 —	210	+ 13.06	3141					B D - 4 wide		
		1.82							6						
		1	83.	1°	59.55	83	+ 3.34	2773					S.H BK		
		1.82							7						
		1	83.	1°	68.20	83	+ 0.46	2733					B.D		
		1.82							8						
		1	83.	1°	75.05	82	+ 4.34	2788					S.H BK		
		3.16							9						
		1	217.	2°	96.50	207	+ 12.43	3180					" "		
		2.03							10						
		1	104.	1°	72.15	103	+ 6.03	2832					Head D		
		3.14							11						
		1	215.	2°	108 —	203	+ 13.24	3198					S.H + Fence		
		3.36							12						
		2	132.	3°	91.35	133	+ 9.18	2920					Head D + "		
		4.19							13						
		2	220.	3°	118.50	207	+ 13.48	3213					S.H BK		
		1.79							14						
		1	80.	1°	101.55	80	+ 1.53	2749					" "		
		2.78							15						
		2	79.	2°	97.20	79	— —	2712					B.D.		
		6.2							16						
		4	221.	5°	121.15	209	+ 13.13	3174					" - 14 wide		
		5.24							17						
		2	225.	4°	124.40	213	+ 13.31	3204					S.H BK		
		2.80							18						
		2	81.	2°	116.20	81	+ 3.06	2756					BK S.		
		2.80							19						
		2	84.	2°	119.50	81	+ 1.35	2734					S.H BK		
		4.44							20						
		2	245.	3°	130.05	233	+ 12.43	3230					" "		
		3.05							21						
		2	106.	2°	146.55	101	+ 2.22	2759					"		

Add'l Inform.

Notes Rec. C.J.T. Plotted CAJT Job No. 1928 Division No. F.B. 527 PG. 42
Date MAY 21 1935 Date MAY 21 1935 Survey of Drainage
Notes Chkd. Checked Survey by Moore
Date Date Map No. Indexed A. C. Johnson Moore Date 5-7-35

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 46

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Oak-O. Fir-Fr. | Traveled Rd. Tr.Rd. | Saddle ..... Sa. | Side of Canyon S.Cn. | Intern. of Draw. V.D's
Pine-Pi. Cedar-Ce. | Fence ..... Fn. | Swale ..... Sw. | Top of Bank ..... T.B. | Break in Slope .. Bk.S.
Sycamore ..... Sy. | Int. Fences. V.Fn. | Flat ..... Fl. | Bottom of Bank. B.B. | Steep Slope ..... S.S.
Eucalyptus ..... Eu. | Ditch ..... Di. | Stream ..... Str. | Top of Cut ..... T.C. | Top of Cliff ..... T.Cl.
Plus combinations of these and all common standard abbreviations. | Telephone Pole T.P. | Trail ..... Tr. | Bottom of Cut .. B.C. | Bottom of Cliff .. B.Cl.
Power Pole ..... P.P. | Pavement ..... Pvt. | Top of Fill ..... T.F. | Top of Spur ..... T.Sp.
Culvert ..... Cul. | Edge of Road E.Rd. | Bottom of Fill .. B.F. | Bottom Canyon .. B.Cn.

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
		575			° '			° '		1						
P#7A	P#7	3	276.	4 0	136 55	265	+	11 25	3228			273		S.H. Bk.		
		419								2						
		3	120.	3 0	151 15	118	+	6 25	2835					" "		
		1156								3						
		11	57.	11 0	167 20	56	−	6 44	2551					B.D. - 6' wide		
		1158								4						
		11	59.	11 0	163 45	59	−	2 47	2594					Top E bank		
		988								5						
		7	289.	8 0	138 —	279	+	10 56	3192					B.D. 10' wide		
		545								6						
		4	146.	5 0	159 45	144	+	6 06	2837					S.H.		
		1206								7						
		11	107.	12 5	176 10	107		—	2607					Bot E bank		
		312								8						
		2	113.	2 4	172 10	113		—	2708					Top " "		
		486								9						
		3	187.	4 0	171 45	185	+	5 45	2878					Bk S		
		495								10						
		2	296.	3 0	140 45	286	+	10 40	3241					Point small ridge		
		585								11						
		4	186.	5 0	165 25	184	+	5 45	2868					Bk S		
		1148								12						
		10	149.	11 0	184 40	149	+	0 00	2628					B.D - 8' wide		
		748								13						
		6	149.	6 4	183 40	149		—	2668					Top E bank		
		703								14						
		5	204.	6 0	173 30	203	+	4 40	2837					Sw.		
		707								15						
		4	308.	5 0	144 45	299	+	9 40	3193					B.D 10' wide		
		680								16						
		5	181.	6 0	180 20	181	+	1 12	2710					Top E bank		
		511								17						
		3	212.	4 2	173 50	210	+	5 06	2880					S.H. Bk		
		1084								18						
		9	185.	9 8	182 45	185		—	2634					B.D - 10' wide		
		519								19						
		2	320.	3 0	148 20	311	+	9 39	3233					Point small ridge		
		594								20						
		4	175.	4 8	184 20	195		—	2684					Top W. bank		
		582								21						
		4	188.	5 0	190 25	187	+	3 15	2788					Top bk		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. C.J.T. Plotted J.A.L. Job No. 8090 Division No. K F.B. 577 Pg. 47
Date MAY 21 1935 Date MAY 21 1935 Survey of Pasture Rd
Notes Chkd. Checked Survey by A. Moore Notes A.C. Johnson
Date Date Map No. Indexed Date 5-8-35

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#7A	P#7	492			° '		° '		1						
		3	193.	4°	158 10	189	+ 7 51	2954		+ 221	2732	+ 261	PP & BK S.		
		526							2						
		4	127.	5°	191 40	126	+ 3 40	2763	3				BK S		
		541													
		4	142.	4°	149 05	139	+ 8 12	2893		+ 161		+ 201	" "		
		1201							4						
		11	102.	12°	182 15	102	— ° '	2608	5				Bot W bank		
		258													
		1	159.	2°	129 40	156	+ 7 43	2923	6				BK S		
		598													
		5	99.	5°	186 45	99	— ° '	2680	7				Top W bank		
		242													
		1	143.	2°	125 50	140	+ 7 43	2902	8				Spur		
		396													
		3	97.	3°	197 35	97	+ 4 —	2769	9				Top bk		
		660													
		5	161.	6°	111 55	157	+ 9 28	2933	10				B bk		
		334													
		2	35.	3°	221 10	35	+ 6 45	2743	11				Top bk		
		1153													
		11	54.	11°	169 40	54	— 3 55	2586	12				Top W bank		
		470													
		3	171.	4°	101 45	166	+ 10 05	2986	13				B bk & Fence		
		1133													
		11	34.	11°	87 30	33	— 10 05	2563	14				Top W Bank		
		255													
		1	156.	2°	82 20	152	+ 9 07	2956	15				S.H		
		1138													
		11	39.	11°	88 35	36	— 15 32	2520	16				B.D - 8 W.O.		
		1144													
		11	45.	11°	90 25	43	— 10 33	2542	17				Top E bank		
		222													
		1	123.	2°	108 10	120	+ 8 09	2885	18				S.H.		
		1147													
		11	48.	11°	11 35	45	— 14 44	2504	19				Top E bank		
		1146													
		11	47.	11°	10 10	43	— 17 33	2487	20				B.D. - 4 W.O.		
		1144													
		N	45.	11°	7 30	42	— 15 53	2503	21				Top W bank		
		1125													
		N	96.	12°	2 35	94	— 8 18	2474					Top E		

Add'l Inform.

Form 301 10M 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 48

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw. S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw. B.D.
Bottom Wash B.W.
Top of Ridge. T.R.
Toe of Slope. T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Pitu combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ..... Cul.

Sa. ..... Sw. ..... Fl. ..... Str. ..... Tr. ..... Pvt. ..... E. Rd.
Saddle
Swale
Flat
Stream
Trail
Pavement
Edge of Road

Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank. B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill ... B.F.

Inters. of Drawa. Y.D's Break in Slope .. Bk.S. Steep Slope ..... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ... T.Sp. Bottom Canyon .. B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
					° '			° '								
P#10	P#7	1196														
		11	97	12	1.45	94	−	9.16	2458			273	−	B.D - 4' wide		
		1196														
		11	97	12	0.10	95	−	8.13	2474					Top W. bank		
		1148														
		10	149	11	349.05	147	−	6.26	2457					" " "		
		1150														
		10	151	11	350.10	149	−	7.23	2434					B.D - 5' wide		
		1150														
		10	151	11	350.45	149	−	6.51	2443					Top E bank		
		593														
		4	194	5	136.45	190	+	8.02	2952		+ 219		+ 269	B. Bk.		
		856														
		6	257	7	146.—	252	+	8.00	3018					"		
		476														
		4	77	4	297.55	77	+	4.29	2751					Bk S.		
		629														
		5	124	5	300.35	120	+	4.15	2772					" "		
		531														
		7	132	7	280.30	131	+	5.40	2793					"		
		889														
		8	92	8	269.10	88	+	8.32	2784					"		
		569														
		5	70	5	240.15	69	+	6.11	2782							
		805														
		7	106	7	216.45	104	+	7.08	2792					"		
		941														
		8	142	9	205.50	141	+	5.31	2779					"		
		671														
		5	172	6	191.25	171	+	3.37	2780					"		
P#8	P#7						−		2916	5.0		296.6		P#8 & Bk. S.		
		142														
		1	43	1	96.—	43	+	1.08	2964					Bk. S.		
		295														
		2	96	2	113.—	96	+	3.12	3000					Bk. S.		
		565														
		4	166	5	121.20	158	+	12.20	3263					S.H. Bk.		
		310														
		2	111	2	116.30	109	+	8.12	3103					Bk		
		912														
		9	13	9	301.45	13	−	—	2875					G# 70 & S.H.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#8	P#7	362			° '		° '		1						
		2	163	3°	128 —	153	+ 14 28	333 3			296 6		S.H Bk		
		284							2						
		2	85	2°	134 —	84	+ 6 27	304 2					Bk S		
		238							3						
		2	39	1	143 05	39	—	294 1					Bk S		
		165							4						
		1	66	0 8	136 50	66	—	295 8					"		
		747							5						
		7	48	7 6	154 20	48	—	289 0					B.D.		
		390							6						
		2	191	3°	146 40	180	+ 13 52	338 3					S.H.		
		449							7						
		4	50	4 2	162 30	50	—	292 4					Bk S		
		216							8						
		1	117	2°	170 40	116	+ 5 35	306 0					S.H		
		1149							9						
		11	50	11°	201 30	50	2 29	283 4					Bk S		
		729							10						
		5	230	6°	153 05	219	+ 12 34	339 7					S.H. Bk		
		1205							11						
		11	106	12°	205 20	106	— 0 42	283 2					Top E bank		
		388							12						
		2	189	3°	175 45	187	+ 6 03	313 7					S.H		
		406							13						
		2	207	3°	169 20	203	+ 8 20	323 4					" + PP		
		1138							14						
		10	139	11°	220 25	139	— 2 13	280 2					Top E bank		
		1491							15						
		3	192	3 9	195 35	192	—	292 7					S.H.		
		1156							16						
		10	157	11°	229 30	157	— 2 12	279 6					Top E bank		
		637							17						
		5	138	6°	208 30	138	— 2 53	283 7					Bk S		
		1162							18						
		10	163	11°	232 40	162	— 3 11	276 4					B.D - 10' wide		
		1171							19						
		11	72	12°	228 15	72	— 4 10	279 3					Top W. Bank		
		1133							20						
		10	134	11°	229 05	133	— 4 —	276 1					B.D - 12' wide		
		1123							21						
		10	1	11°	235 35	124	— 2 11	280 8					Top W bank		

Aug'n'l Inform.

Notes Rod. C. J. T. Plotted J. A. L. Job No. 6282 Division No. 6 F.B. 522 Pg. 42

Date MAY 21 1935 Date MAY 21 1935 Survey of Topo

Notes Chkd. Checked Survey by D. Price Notes D. Price Date 5-9-35

Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5771 Pg. 50

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Intersection of Draw ..... V.D's
Break in Slope ..... B.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon ..... S.Ca.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Traveled Rd. ..... Tr. Rd.
Fence ..... Fn.
Int. Fences ..... V.Fns.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Escalyptus ..... Es.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#8	P#7	1004			° '		° '								
		9	105.	9 9	283 15	105	—	2867			2966		BkS		
		11.71													
		10	172.	11 0	236 15	172	0 56	2827					Top W bank		
		12.05													
		11	106.	11 0	214 20	105	4 50	2756					BD - 12' wide		
		11.16													
		10	119.	11 0	253 20	119	0 24	2841					BkS		
		11.58													
		11	59.	11 0	220 45	57	10 34	2749					V.Ds 12' wide		
		11.21													
		11	42	11 0	206 40	41	10 31	2779					B side D		
		11.37													
		11	38.	11 0	217 30	37	7 32	2806					S H. Bk		
		11.38													
		11	39.	11 0	238 35	39	4 48	2833					Top E bank		
		12.03													
		10	204	11 0	226 10	204	1 —	2818					" W "		
		11.42													
		11	43	11 0	268 45	42	6 17	2808					" E "		
		11.37													
		9	238	10 0	217 10	238	1 10	2817					" W "		
		11.51													
		11	52	11 0	292 30	47	17 18	2708					B.D - 5' wide		
		11.32													
		9	233	10 0	213 10	233	2 14	2775					B.D - 9' "		
		9.53													
		9	254	10 0	213 10	254	0 50	2828					Top W bank		
		11.58													
		11	59.	11 0	265 10	56	12 28	2731					BD 5' wide		
		11.26													
		9	227	10 0	210 50	227	1 54	2803					Top E bank		
P#9	P#8							3098	5'		3150		P#9 + S.H.		
		11.96													
		10	197.	11 0	298 30	195	5 20	2858					T.S		
		11.42													
		10	143.	11 0	276 15	140	8 42	2827					Top W bank		
		11.31													
		10	132	11 0	275 15	127	11 14	2788					Bot " "		
		11.16													
		10	117	11 0	274 15	111	13 15	2780					" E "		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. C.J.T. Plotted J.A.L. Job No. E-693 Section No. L E.R. 577 P.G. 57

Date MAY 21 1935 Survey of Bauce Blk

Notes Chkd. Date MAY 21 1935 Survey by J. Pence Notes J. Pence Date

Checked Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
pt#9	pt#8	1208			° '		° '		1						
		1.0.	209.	11.0	283 10	208	4 34	287.5			315.0		T.S		
		1168							2						
		1.0.	169.	11.0	275 20	167	6 54	284.0					Top W. bank		
		1166							3						
		1.0.	167.	11.0	271 45	163	8 57	278.4					Bot " "		
		1164							4						
		1.0.	165.	11.0	268 45	161	8 37	279.6					" E "		
		1182							5						
		1.0.	183.	11.0	272 25	181	6 25	283.6					Top W. bank + Bks.		
		1199							6						
		1.0.	200.	11.0	270 55	197	6 45	280.8					B. Side D.		
		1173							7						
		1.0.	174.	11.0	268 05	170	8 22	279.0					V Ds.		
		1188							8						
		1.0.	189.	11.0	267 50	187	6 09	283.9					Bks. + Top W. bank		
		1179							9						
		9	230.	10.0	265 10	228	4 36	286.7					B. Side Draw		
		1167							10						
		1.0.	168.	11.0	251 15	165	8 12	280.3					B.D. - 5' wide		
		1177							11						
		1.0.	178.	11.0	251 45	176	6 41	283.4					Top W. bank		
		1216							12						
		1.0.	217.	11.0	251 40	216	4 20	287.6					S.H.		
		1169							13						
		1.0.	170.	11.0	228 35	167	7 44	281.5					Bot D 5' wide		
		1182							14						
		1.0.	183.	11.0	232 40	182	4 49	288.6					Top W. bank		
		1209							15						
		1.0.	210.	11.0	230 40	210	2 10	296.2					S.H.		
		1159							16						
		1.0.	160.	11.0	209 05	157	7 39	282.9					B.D. 5' wide		
		1188							17						
		1.0.	189.	11.0	212 25	188	4 29	289.3					Bk.s.		
		1165							18						
		1.0.	166.	11.0	209 50	164	6 03	286.7					Top W. bank		
		1147							19						
		9	248.	8.2	216 05	248	—	306.2					S.H.		
		1209							20						
		9	210.	10.0	200 50	209	4 11	289.7					Bk.s.		
		1197							21						
		1.0.	198.	11.0	192 35	196	5 40	284.6					B.D. - 4' wide		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Pipu combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences. V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole.... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Ca. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draw, V.D's Break in Slope ..... B.S. Steep Slope ..... S.Cl. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon.. B.Cn.

F.B. 5772 PG. 52

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	Back Sight	Difference Elevation	Height of Instrument	+ / −	Vertical Distance	REMARKS Station	Left	Right
P#9	P#8	720			° '			° '									
		5	271.	6.0	209.50	271	−	0	309.0	1		31.5			SH		
		1197								2							
		10	198.	11.0	198.10	197	−	4.30	2.88.6	3					Top W bank		
		1157															
		9	258.	10.0	191.40	257	−	4.10	286.3	4					B.D - 5' wide		
		205															
		4	306.	5.0	205.—	306	+	0.44	314.1	5					S.H		
		1156															
		9	257.	10.0	194.20	256	−	3.03	291.3	6					Top W bank		
		1127															
		8	328.	10.0	188.45	327	−	2.48	289.1	7					B.D		
		766															
		4	367.	6.0	204.30	366	+	2.46	326.6	8					S.H		
		1136															
		8	337.	10.0	195.10	337	−	0.45	300.6	9					"		
		1192															
		8	393.	10.0	187.40	392	−	2.13	289.8	10					B.D		
		907															
		5	408.	7.0	201.45	407	+	2.32	326.1	11					S.H		
		1123															
		7	424.	9.0	193.45	424	−	—	306.0	12					"		
		1135															
		7	436	9.0	187.—	435	−	2.—	291.1	13					B.D		
		1126															
		7	427.	9.0	183.40	427	−	0.32	302.0	14					BKS		
		730															
		3	431.	5.0	177.30	431	−	0	310.0	15					S.M. + PP.		✓
		626															
		2	427.	4.0	174.—	427	+	1.52	325.0	16					"		
		1169															
		8	370.	10.0	180.20	370	−	0.16	303.3	17					" + 6#12		
		663															
		2	464.	4.0	162.55	458	+	6.44	365.1	18					"		
		554															
		2	355.	4.0	170.15	354	+	2.30	326.5	19					"		
		1167															
		9	268.	10.0	179.50	268	−	0.59	300.3	20					"		
		692															
		3	393.	5.0	260.—	387	+	6.57	357.3	21					"		
		573															
		3	274.	4.0	164.20	273	+	3.13	326.3						"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#9	P#8	531			° '		° '		1						
		2	33.2	3.0	155.15	327	+ 7.16	353.7			31.5		S.H		
		1158							2						
		9	25.9	10.0	189.25	258	− 3.20	290.1					Top E. bank		
		409							3						
		2	21.0	3.0	161.35	209	+ 3.36	325.2					S.H		
		419							4						
		2	26.0	3.0	147 —	254	+ 8.43	351.0					"		
		500							5						
		3	20.1	3.2	171.55	201	— —	311.3					" + P.P. ✓		
		1177							6						
		10	17.8	11.0	187.50	177	− 3.43	292.6					Top E. bank Y-W.		
		405							7						
		2	20.6	3.0	136 —	198	+ 11.15	351.4					S.H.		
		375							8						
		2	17.6	3.0	152.25	174	+ 6.06	330.7					"		
		1181							9						
		10	18.2	11.0	177.50	182	− 0.42	301.8					Sw		
		264							10						
		1	16.5	2.0	119.15	157	+ 12.28	347.9					S.H. J		
		317							11						
		2	11.8	2.0	136.35	116	+ 7.03	327.4					S.H. Bk		
		1137							12						
		10	13.8	11.0	186.35	138	− 1.56	299.4					"		
		711							13						
		6	11.2	7.0	134.20	110	+ 8.11	323.8					B. Small D.		
		658							14						
		5	15.9	6.0	114.55	151	+ 12.56	343.8					" " "		
		294							15						
		2	9.5	2.0	131.55	93	+ 8.32	327.0					S.H. Bk		
		548							16						
		4	14.9	5.0	108.20	140	+ 14.—	345.0					"		
		1196							17						
		11	9.7	12.0	192.30	97	− 3.20	297.5					"		
		1187							18						
		11	8.8	12.0	197.50	88	− 2.40	298.8					S.H.		
		272							19						
		2	7.3	2.0	83.05	68	+ 14.33	330.7					" Bk.		
		327							20						
		2	12.8	2.0	84.45	119	+ 15.25	345.7					"		
		1154							21						
		11	5.5	11.0	229.25	54	− 6.18	298.1					"		

Add'l Inform.

Notes Rod C. J. T. Plotted C. J. T. Job No. 8090 Division No. K Fre F.B. 377 PG. 53
Date MAY 21 1935 Date MAY 21 1935 Survey of Traverse
Notes Chkd. Checked Survey by A. Moore Notes Moore Date 5-9-35
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5277 PG. 54

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Dbl.-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Pines combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd.
Fence ..... Fn.
Int. Fences ..... V. Fn.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Side of Canyon S.Cn.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Side of Draw. V.D's
Break in Slope ..... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Interv. of Draw.
Top of Cliff
Bottom of Cliff
Top of Spur
Bottom Canyon

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P#9	P#8	1153			° '		° '								
		11	54.	11.0	276 —	52	9 22	296 3			315		S.H + G#11		
		1206													
		11	107.	12.0	274 —	103	10 38	283 6					Top E bank		
		1144													
		10	145.	11.0	308 35	143	6 14	288 4					" " "		
		1191													
		11	92.	12.0	252 25	88	9 55	287 3					T.S.		
		1126													
		10	127.	11.0	264 10	124	9 19	283 7					Top E bank		
		1149													
		10	150.	11.0	223 —	148	6 34	287 1					Bk S		
		1168													
		10	169.	11.0	223 05	166	7 16	282 9					Top E bank		
		1108													
		10	109.	11.0	215 35	107	7 08	290 6					T.S.		
		1161													
		10	162.	11.0	264 10	159	7 23	283 3					Top E bank		
		1162													
		10	163.	11.0	245 15	160	7 47	282 2					" " "		
P#10	P#9				° '		° '	325 3	4.8		330 1		P#10 + S.H.		
		1123													
		10	124.	11.0	110 45	119	11 35	294 7					B.D. - 4' wide		
		594													
		7	195.	5.0	104 55	195	1 12	321 1					S.H.		
		464													
		2	265.	3.0	91 —	263	+ 5 33	352 7					"		
		1161													
		10	162.	11.0	135 55	159	8 14	296 2					B.D. - 9' wide		
		825													
		6	226.	7.3	124 50	226	— ° '	329 8					S.H.		
		463													
		2	264.	3.0	103 15	262	+ 4 18	346 9					"		
		1205													
		10	206.	11.0	154 40	204	6 03	297 7					B.D. - 10' wide		
		666													
		4	267.	4.9	136 30	267	— ° '	325 2					S.H.		
		682													
		4	283.	5.0	118 20	281	+ 4 37	347 9					"		
		1143													
		9	244.	10.0	159 35	243	— 4 02	303 0					Top E bank		

Add'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. C.J.T. Plotted C.J.T. Job No. 8056 Division No. 4 F.B. 5272 Pg. 52
Date MAY 21 1935 Date MAY 21 1935 Survey of Pauie Ave
Notes Chkd. Checked Survey by W.Moore Notes W.Moore Date 5-20-35
Date Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / —	Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
P#10A	P#10	749 / 4 / 729	350	6°	209° 30'	349	+	2° 50'	353 2			343		S.H.		
		3 / 212	430	5°	211° 50'	428	+	3° 31'	364 2					"		
		4 / 782	313	6°	194° 30'	312	+	3° 13'	354 4					" + PP		1
		4 / 866	383	6°	198° 30'	381	+	3° 58'	363 3					"		
		4 / 646	467	6°	202° 05'	464	+	4° 47'	375 8					"		
		3 / 716	347	5°	183° 30'	346	+	3° 35'	359 4					"		
		3 / 898	417	5°	187° 10'	415	+	4° 29'	369 8					"		
		4 / 686	499	6°	191° 25'	495	+	4° 57'	379 8					"		
		3 / 848	387	5°	172° 50'	385	+	4° 04'	365 4					"		
		4 / 963	449	6°	175° 40'	446	+	4° 37'	373 0					"		
		4 / 853	564	7°	196° 45'	559	+	5° 16'	387 8					" & PP		1
		4 / 1109	454	6°	167° 05'	451	+	4° 30'	372 4					"		
		8 / 1137	310	9°	160° 20'	309	+	3° 55'	355 0					Top S bank		1
		7 / 780	438	9°	157° 05'	435	+	4° 25'	367 7					S.H.		
		5 / 966	281	6°	169° 30'	280	+	2° 56'	351 2					Top S bank		
		4 / 846	567	7°	206° 50'	562	+	5° 06'	386 3					S.H.		
		6 / 637	247	7°	163° 35'	246	+	3° 16'	350 0					Top N bank		
		4 / 601	238	5°	181° 25'	238	+	1° 38'	344 8					" S "		
		4 / 603	202	5°	175° 50'	202	+	1° 24'	343 0					" N "		
		4 / 759	204	4 6	196° 20'	204	—	° '	338 4					" S "		
		6	160	7 2	192° 15'	160	—	—	335 8					" N "		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P# 10A	P# 10	961			° '		° '								
		4	562	7°	215 55	558	+ 4 54	384 0			343 0		S.H.		
		1162													
		10	168	11°	215 10	168	− 0 15	331 2					Top S bank		
		1115													
		10	116	11°	218 45	116	− 2 27	327 1					" N "		
		945													
		4	546	7°	223 —	542	+ 4 59	379 4					S.H.		
		1154													
		10	155	11°	224 40	155	− 1 54	326 9					Top S bank		
		925													
		4	525	7°	231 15	524	+ 3 50	371 4					S.H.		
		790													
		3	491	5°	236 50	489	+ 3 22	367 0					Sa. x Herd SW		
		1104													
		10	105	11°	263 10	104	− 6 42	320 0					Top N bank		
		1137													
		10	138	11°	260 40	137	− 4 30	321 2					" S "		
		962													
		5	463	7°	244 50	461	+ 3 31	364 4					Top Fl ridge		
		1162													
		10	163	11°	257 50	161	− 6 20	314 2					Top S. bank		
		1147													
		10	148	11°	202 45	145	− 7 52	~~312~~ 3 3 9 0		91		201	" N "		
		1198													
		10	199	11°	327 20	195	− 8 17	303 7					" NNE "		
		1158													
		10	189	11°	313 26	183	− 10 05	299 4					BO - 12' wide		
		786													
		4	387	6°	249 15	386	+ 3 20	359 4					Top Fl ridge		
		1156													
		10	157	11°	294 10	152	− 10 23	304 3					BD - S side		
		1162													
		11	63	11°	302 25	62	− 5 10	326 4					S H		
		1220													
		11	125	12°	272 25	121	− 7 45	310 3					B O " "		
		949													
		9	50	8°	216 05	50	— ° '	334 1					S H.		
		1122													
		10	123	11°	235 15	122	− 6 08	318 8					BD - 12' wide		
		261													
		2	62	2°	170 55	62	+ 2 16	343 4					S H & P P. ✓		

Add'n'l Inform.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Intersection of Draw, Break in Slope, Steep Slope
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon, Top of Bank, Bottom of Bank, Top of Cut, Bottom of Cut, Top of Fill, Bottom of Fill
S.Ca. T.B. B.B. T.C. B.C. T.F. B.F.

Saddle, Swale, Flat, Stream, Trail, Pavement, Edge of Road
Sa. Sw. Fl. Str. Tr. Pvt. E.Rd.

Traveled Rd., Fence, Int. Fence, Ditch, Telephone Pole, Power Pole, Culvert
Tr.Rd. Fn. V.Fn. Di. T.P. P.P. Cul.

Oak-O, Pine-Pi, Sycamore, Eucalyptus, Telephone Pole and Power Pole combinations
Oak-O. Pine-Pi. Sycamore ..... Sy. Eucalyptus ..... Eu. Telephone Pole ..... T.P. Power Pole ..... P.P.
Fir-Fr. Cedar-Ce. Plus combinations of these and all common standard abbreviations.

F.B. 527 PG. 58

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
O# 10	P# 9	802			° '		° '								
		5	303	7°	143 40	303	+ 0 23	325 2			330 1		S.H.		
		699													
		4	300	5°	126 10	299	+ 3 52	345 3					" BK + P.A.		
		1122													
		9	223	10°	147 10	222	− 3 07	308 1					BKS		
		758													
		4	359	6°	145 —	359	+ 0 59	330 2					S.H		
		766													
		4	367	6°	132 20	365	+ 4 —	349 7					"		
		1168													
		9	269	10°	155 15	269	− 2 03	310 7					"		
		1222													
		9	323	10°	154 10	323	− 0 33	317 0					G# 23		
		915													
		5	416	7°	141 30	416	+ 2 04	338 1		+ 8 0		+ 15 0	P# 10 A + S.H		
P# 10A	P# 10				° '		° '	338 1	49		343 0		P# 10A		
		1115													
		7	416	9°	0 00	416	+ 1 10	325 5		− 17 5		− 8 5	P# 10 - Elev = 325 2		
		1165													
		8	366	10°	0 20	365	+ 2 41	316 2					S.H		
		1111													
		8	312	10°	347 35	311	− 2 46	318 0					"		
		1180													
		9	281	10°	334 40	280	− 3 39	315 2					"		
		1115													
		9	216	10°	321 55	211	− 8 55	300 0		− 43 1		− 33 1	V.Ds		
		1187													
		9	288	10°	321 15	287	− 3 07	311 4					S.H		
		1207													
		10	208	11°	312 45	205	− 7 25	305 4					Point of Top of Hill		
		1131													
		9	232	10°	312 45	228	− 7 52	301 6					B.A - 5' inside		
		1204													
		9	305	11°	308 30	304	− 2 36	318 3					S.H		
		1140													
		9	241	10°	296 45	238	− 6 21	306 5					B.D.		
		1111													
		9	212	10°	282 15	211	− 3 51	318 8					S.H		
		1146						20							
		8	347	10°	297 10	345	− 2 —	316 8		− 2 2 2		− 12 2	"		

Add'n'l Inform.

Notes Rod C.J.T. Plotted C.J.T. Job No. 6038 Division No. K Fire F.B. 527 Pgs. 5
Date 5-20-35 Date MAY 21 1935 Survey of Prairie
Notes Chkd. Checked Survey by Moore Notes Moore Date 5-9-35
Date Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 66

Topography Description Legend:
Side Hill ..... S.H. | Side of Draw S.D. | Side of Ridge S.R. | Head of Draw H.D. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.

Intersect. of Draw. V.D's | Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Side of Canyon S.Cn. | Top of Bank ..... T.B. | Bottom of Bank B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr. Rd. | Fence ..... Fn. | Int. Fences V. Fns. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P# 10	#10	1191			° ' "			° ' "		1						
		.9	292.	11°	287 30	290	−	4 41	308 3			349°		BD		
		1164								2						
		9	265.	10°	274 50	265	−	1 51	324 7					SH		
		1183								3						
		7	414.	9°	290 40	414	−	1 27	323 6					"		
		1128								4						
		8	329.	10°	285 10	327	−	4 02	310 0					BD		
		1116								5						
		8	317.	10°	270 45	317	−	0 30	330 2					SH		
		1165								6						
		7	466.	9°	286 15	466	−	1 06	325 0					"		
		1200								7						
		8	401.	10°	280 05	400	−	2 56	312 7					BD		
		1159								8						
		8	360.	10°	269 20	360	−	0 10	332 0					SH		
		851								9						
		5	352.	6 3	266 35	352	−		336 7					" & G#14		
		1137								10						
		9	238.	10°	272 25	238	−	1 36	326 4					SH		
		735								11						
		4	336.	6°	260 35	336	+	1 29	345 6					"		
		1195								12						
		10	196.	11°	258 55	196	+	0 11	332 5					"		
		566								13						
		3	269.	4°	256 —	269	+	0 52	343 2					"		
		727								14						
		4	328.	6°	252 35	327	+	2 47	352 8					"		
		806								15						
		6	207.	6 8	235 55	207	−		336 2					"		
		668								16						
		4	269.	5°	236 20	269	+	1 26	344 7					"		
		730								17						
		4	331.	6°	239 05	330	+	2 44	353 7					"		
		535								18						
		3	236.	3 7	222 55	236	−		339 6					SW		
		701								19						
		4	302.	5°	224 35	302	+	1 36	346 3					"		
		780								20						
		4	381.	6°	226 10	380	+	2 42	354 9					"		
		576								21						
		3	277.	4°	205 40	277	+	1 43	347 2					SH		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. C.J.T. Platted C.J.T. Job No. 5290 Division No. V F.B. 5277 P.B. 5 P.

Date MAY 21 1935 Date MAY 21 1935 Survey of

Notes Chkd. Checked Survey by Notes Date

Date Date Map No. Indexed A. C. Johnson Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#10A	P#10	11.45 / 1.0 / 207	150	11 0	209 30	150	− 2.51	324.6			343 0		E.D. - 12' wide		
		1.08	108	1 0	173 20	108	+ 1.15	344.4					S.H.		
		1192 / 10 / 188	193	11 3	157 −	193	—	331.7					B.D. "		
		1 / 580	89	1 0	113 25	86	+ 11.12	359 0					S.H.		
		4 / 462	181	5 0	161 20	181	+ 4.02	350.8					"		
		3 / 232	163	4 0	135 25	159	+ 8.49	363.7					"		
		5	233	6 0	165 50	232	+ 3.01	349.2		+ 6.2		+ 12.2	P#10E		
P#10B	P#10A							349.2	4.9		354.1		P#10B		
		1131 / 9 / 1134	232	10 0	0 00	232	− 1.26	338.3		15.8		5.8	P#10A - Elev = 338		
		11 / 223	35	11 0	264 50	33	− 13.28	335.2					B.D. - 12' wide		
		1 / 195	124	2 0	82 05	122	+ 6.36	366.3					S.H.		
		1 / 784	96	1 0	129 35	96	+ 2.36	357.4					Top N. bank		
		7 / 662	85	7 1	142 45	85	—	347.0					B.D. - 12' wide		
		5 / 557	163	6 0	102 20	161	+ 6.41	367.0					S.H.		
		9 / 405	158	5 0	128 45	157	+ 4.27	361.2					Top N. bank		
		5 / 423	152	6 0	136 10	152	+ 2.10	353.8					B.D. 12' wide		
		2 / 814	224	3 0	113 −	223	+ 4.15	367.7					S.H.		
		6 / 485	215	7 0	129 10	214	+ 4.37	364.3					Top N. bank		
		2 / 886	286	3 0	173 10	285	+ 3.36	369.0					S.H.		
		7 / 1951	207	8 0	132 55	206	+ 3.39	359.2					B.D. - 12' wide		
		5 / 15	232	6 0	132 20	251	+ 3.56	365.4					Head Dam		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of those and all common standard abbreviations.

Traveled Rd. Tr. Rd.
Fence ..... Fe.
Int. Fence. V. Fe.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ..... Cul.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Side of Canyon S.Cn.
Top of Bank ... T.B.
Bottom of Bank. B.B.
Top of Cut ... T.C.
Bottom of Cut. B.C.
Top of Fill ... T.F.
Bottom of Fill. B.F.

Inters. of Drawe. V.D's
Break in Slope. Bk.S.
Steep Slope. ..... S.S.
Top of Cliff ... T.Cl.
Bottom of Cliff. B.Cl.
Top of Spur ... T.Sp.
Bottom Canyon. B.Cn.

Topography Description Legend:
Side Hill ... S.H.
Side of Draw. S.D.
Side of Ridge. S.R.
Head of Draw H.D.
Bottom Draw. B.D.
Bottom Wash B.W.
Top of Ridge. T.R.
Toe of Slope. T.S.

F.B. 572 Pg. 60

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#10	P#10	1013			° '		° '								
		7	314	8.0	133.40	313	+ 3.44	3664			3541		E Small D.		
		618													
		4	219	5.0	137.40	218	+ 4.05	3646					Top S. bank.		
		443													
		3	144	4.0	144.10	143	+ 4.01	3604					" " "		
		484													
		4	85	4.0	160.50	85	+ 3.26	3552					" " "		
P#11	P#10							3549	49		3589		P#11 + S.H.		
		1132			° '		° '								
		9	233	10.0	308.20	231	7.0	3268					S.H.		
		1178													
		10	179	11.0	284.50	173	10.21	3163					B.D.		
		1190													
		11	91	11.0	290.20	88	10.13	3321					S.H.		
		1201													
		9	242	10.0	274.55	240	4.51	3281					"		
		1197													
		10	198	11.0	262.55	193	8.39	3186					B.D.		
		1212													
		10	113	11.0	251.45	111	6.45	3341					S.H.		
		1166													
		9	267	10.0	259.15	266	4.03	3302					"		
		1212													
		9	218	10.0	246.45	214	7.31	3207					B.D - 2' wide		
		1116													
		8	317	9.0	246.25	316	3.10	3322					S.H.		
		1154													
		10	155	11.0	228.—	154	3.45	3380					"		
		1167													
		9	268	10.0	235.50	266	5.28	3235					B.D - 3' wide		
		1158													
		8	359	10.0	237.40	358	2.20	3346					S.H.		
		1211													
		9	212	10.0	218.45	211	3.05	3375					"		
		1230													
		8	331	10.0	228.30	329	3.54	3266					B.D - 4' wide		
		1177													
		9	278	10.0	222.40	277	3.54	3302					S.H.		
		1170													
		10	176	11.0	205.15	171	—	3479					"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / —	Vertical Angle	Elevation of Point	Back Sight	+ / —	Difference Elevation	Height of Instrument	+ / —	Vertical Distance	REMARKS Station	Left	Right
P#11	P#10	1025			° '			° '										
		9	126	10	211 10	126	—		348 8				358 9			S.H. & 6#15		
		964						° '										
		9	65	8 8	220 30	65	—		350 1							"		
		235						° '										
		6	136	7 0	186 20	136	+	3 02	358 2							"		
		837																
		7	138	8 0	166 10	137	+	5 51	364 8							Top of Rock		
		476																
		4	77	4 0	180 25	77	+	3 29	359 6							S.H.		
		429																
		4	30	4 0	136 35	29	+	7 57	359 1							"		
		1144																
		11	45	11 0	326 35	45	—	5 22	343 8							"		
P#12	P#11								381 5	42			386 2			P#12 & S.H.		
		1109			° '			° '										
		8	310	10 0	7 10	310	—	2 08	364 8							S.H.		
		1193																
		9	294	10 0	348 40	292	—	5 13	349 6							"		
		1209																
		9	310	11 0	337 25	306	—	6 28	340 6							"		
		1156																
		9	257	10 0	12 15	257	—	2 23	365 6							"		
		1153																
		9	254	10 0	349 20	251	—	6 09	349 2							SW		
		1179																
		9	280	10 0	334 35	275	—	7 45	338 8							"		
		1204																
		10	205	11 0	14 55	205	—	1 57	368 3							"		
		1192																
		10	193	11 2	348 50	191	—	5 54	355 4							S.H.		
		1222																
		10	223	11 0	321 25	219	—	7 49	345 2							"		
		1154																
		10	155	11 0	17 30	155	—	0 42	373 3							"		
		1198																
		11	99	12 0	327 20	98	—	5 42	364 4							"		
		1159																
		10	160	11 0	295 30	156	—	9 19	349 6							"		
		2107																
		81	108	8 8	18 20	108	—	—	377 4							"		

And'n'l Inform.

Notes Rec. C.J.T. Platted C.J.T. Map No. 8228 Division No. V F.B. 577 Pg. 6
Date MAY 2 Date MAY 2 Survey of Boundary Area
Notes Chkd. Checked Survey by Notes None Date 5-10-35
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 62

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D. | Bottom Wash B.W. | Top of Ridge.T.R. | Toe of Slope..T.S.
Side of Draw.S.D. | Side of Ridge.S.R. | Head of Draw H.D.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences..V. Fns. Ditch .....Di. Telephone Pole T. P. Power Pole....P. P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E. Rd.

Side of Canyon S. Cn. Top of Bank...T. B. Bottom of Bank. B. B. Top of Cut.....T. C. Bottom of Cut...B. C. Top of Fill.....T. F. Bottom of Fill. B. F.

Interc. of Drawa. V. D's Break in Slope..Bk. S. Steep Slope.....S. S. Top of Cliff.....T. Cl. Bottom of Cliff..B. Cl. Top of Spur.....T. Sp. Bottom Canyon..B. Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
P#12	P#11	1132							1						
		10	133.	11.0	263.20	128	10.31	3514			386		S.H.		
		1129							2						
		11	30.	10.1	246.50	30	—	3756					" & G#16		
		333							3						
		3	34.	3.0	31.15	34	+ 0.24	3833					"		
		1153							4						
		10	154.	11.0	222.15	152	7.10	3562					"		
		367							5						
		3	68.	3.0	160.10	68	+ 3.10	3869					"		
		1199							6						
		11	100.	12.0	203.40	100	1.44	3713					"		
		429							7						
		3	130.	4.0	164.50	130	+ 3.20	3898					"		
		1216							8						
		10	217.	11.0	212.45	215	5.31	3545					B.D		
		1185							9						
		10	186.	11.0	188.50	186	0.55	3723					SW		
		598							10						
		4	199.	5.0	168.50	199	+ 2.36	3902					"		
		1136							11						
		9	237.	10.0	220.25	236	3.31	3617					S.H.		
		1174							12						
		10	175.	11.0	227.20	171	8.40	3492					B.D.		
		1214							13						
		10	215.	11.0	232.30	214	3.58	3606					S.H.		
		615							14						
		4	216.	5.0	156.50	214	+ 5.10	4005					Head SW		
		1215							15						
		10	216.	11.0	249.15	215	4.26	3587					S.H.		
		1166							16						
		10	167.	11.0	253.20	161	10.40	3450					B.D.		
		547							17						
		4	148.	5.0	144.10	146	+ 7.08	3993					S.H.		
		1133							18						
		9	234.	10.0	263.40	232	5.32	3537					"		
		1114							19						
		9	215.	10.0	280.20	208	10.23	3382					B.D.		
		391							20						
		3	92.	3.0	113.—	90	+ 8.47	3972					SH		
		1163							21						
		9	264.	10.0	272.40	261	6—	3487					"		

Add'n'l Inform.

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#12	P#11	1166			° '		° '		1						
		9	267.	11°	289 45	261	− 8 47	335 0			386 2		BD & SH		
		1195							2						
		7	296	11°	277 50	293	− 6 15	343 3					SH		
		1106							3						
		8	307	10°	301 10	300	− 8 20	332 4					BD		
		1128							4						
		8	329	10°	287 25	326	− 5 38	344 2					SH		
		1167							5						
		8	368	10°	298 10	365	− 5 31	341 0					"		
		1195							6						
		8	396	10°	303 45	392	− 5 30	338 3					"		
		702							7						
		6	103	6°	66 05	101	+ 7 36	393 7		+ 7 5		+ 13 5	P#12A & SH		
P#12A	P#12							393 7	8 5		398 8		P#12A		
		1200							9						
		11	101	12°	0 00	101	2 54	381 2					P#12 Elev = 381.5		
		1150							10	17 1		5 1			
		9	251	10°	114 25	250	− 4 13	370 4					SH		
		1143							11						
		9	244	10°	138 10	244	− 1 55	380 2					"		
		843							12						
		6	244	68	167 15	244	—	392 0					"		
		1195							13						
		10	196	11°	145 10	196	− 0 41	385 5					"		
		1104							14						
		9	205	10°	116 45	204	− 4 33	372 6					"		
		789							15						
		6	190	7°	181 —	190	+ 1 54	398 2					"		
		944							16						
		8	145	8 8	154 —	145	—	390 0					"		
		1134							17						
		10	135	11°	119 50	135	− 3 22	380 —					"		
		389							18						
		3	90	3°	185 20	90	+ 0 56	397 4					"		
		557							19						
		4	158	5°	213 05	157	+ 3 59	404 8					"		
		852							20						
		8	53	8 3	134 15	53	—	390 5					"		
		286							21						
		2	87	2°	222 15	87	+ 3 35	402 4					"		

Add'l Inform.

Notes Rod C. J. T. Plotted Date Job No. 8020 Division No. K F.B. 577 Pg. 63
Date Date Survey of Pomona
Notes Chkd. Checked Survey by Moore Notes Moore Date 5-10-35
Date Date Map No. Indexed A. C. Johnson

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 522 Pg. 64

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd.
Fence ..... Fn.
Int. Fences. V. Fns. Di.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Sa. ..... Sw. ..... Fl. ..... Str. ..... Tr. ..... Prt. ..... E. Rd.
Saddle
Swale
Flat
Stream
Trail
Pavement
Edge of Road

Side of Canyon S.Ca.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Inters. of Draw. V.D's
Break in Slope ..... Bk.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
		683			° '			° '								
P#12A	P#12	5	184	6.0	334 40	182	+	5 09	4095			398		S.H		
		520														
		4	121	4.0	253 —	120	+	5 26	4064					"		
		1009														
		8	210	9.0	255 40	208	+	5 57	4117					F1		
		431														
		3	132	4.0	279 25	131	+	4 15	4047					13k. S.		
		564														
		4	165	5.0	275 —	164	+	4 47	4071					S.H.		
P#13	P#12						—		4112	5.0		416		P#13 + 13k. S.		
		606														
		3	307	4.8	35 20	307	—	—	4116					N.W. Cor Corral		
		1171														
		9	272	12.2	23 25	272	—		4042					S.H.		
		538														
		3	239	2.8	50 —	239	—		4136					S.W. Cor "		
		1100														
		9	201	10.4	24 —	201	—	—	4060					S.H.		
		448														
		2	249	3.3	52 15	249	—		4131					N.W. Cor Barn		
		851														
		7	152	8.2	24 50	152	—	—	4082					S.H		
		1127														
		9	228	10.0	2 05	226	—	5 27	3850					"		
		725														
		5	226	6.0	62 45	226	+	0 55	4142					S.W. Cor Barn		
		683														
		6	84	6.1	28 10	84	—	—	4103					S.H.		
		1150														
		10	151	11.0	354 45	149	—	5 51	3900					"		
		1193														
		11	94	12.0	341 20	93	—	6 40	3934					"		
		1188														
		9	289	10.0	68 05	289	+	1 25	4137					S.E. Cor Barn		
		755														
		7	56	7.6	218 45	56	—	—	4088					S.H + G#17		
		1164														
		11	65	12.0	285 45	64	—	8 35	3948					"		
		503														
		4	104	4.0	68 35	104	+	1 42	4156					F1		

Add'l Inform.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod C. J. Platted C. J. Job No. 8 033 Division No. L. F.B. 5227 Pg. 65
Date Date Survey of Prairie Ave
Notes Chkd. Checked Survey by Moore Notes Moore Date 5-10-55
Date Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#13	P#12	1169			° '		° '		1						
		10 925	170	11°	80 30	170	+ 3 —	414 4			416 4		℄ 10' rd		
		8 217	126	8°	99 —	126	+ 3 20	415 8	2				"		
		6 1203	118	6°	128 50	118	+ 3 15	417 2	3				"		
		11 482	104	12°	240 05	103	— 4 38	396 0	4				S.H		
		4 871	83	4°	195 45	83	+ 1 17	414 4	5				"		
		7 1143	172	8°	160 55	171	+ 3 53	420 2	6				℄ 12' rd		
		10 552	144	11°	230 35	143	— 4 11	394 8	7				S.H		
		4 1209	153	5°	197 20	153	+ 1 29	415 4	8				"		
		10 709	210	11°	222 35	209	— 3 20	393 3	9				B.D.		
		5 700	210	6°	197 25	210	+ 1 22	415 4	10				S.H.		
		4 985	301	5°	189 15	300	+ 2 40	425 4	11				"		
		7 1171	286	8°	198 30	286	+ 1 44	417 2	12				"		
		9 660	272	10°	215 40	272	— 1 20	400 0	13				B D		
		5 1153	161	7°	201 15	161	+ 1 46	414 5	14				S.H		
		8 766	354	10°	213 50	354	— 0 43	402 0	15				B D		
		3 1225	467	3°	217 35	467	— —	413 1	16				SH		
		8 835	426	10 4	214 25	426	— —	406 0	17				B.D		
		4 1028	436	6—	202 35	435	+ 2 08	426 7	18				S.H		
		5 10	529	4 5	216 40	529	— —	411 9	19				B.D		
		5 1049	501	7°	205 20	500	+ 2 00	426 8	20				S.H		
		17	350	8 2	220 20	350	— —	408 2	21				"		

Add'n'l Inform.

Form 301 N 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 Pg. 66

Topography Description Legend:
Side of Hill...S.H. | Bottom Draw...B.D.
Side of Draw...S.D. | Bottom Wash...B.W.
Side of Ridge...S.R. | Top of Ridge...T.R.
Head of Draw...H.D. | Toe of Slope...T.S.

Inters. of Draw in Slope: Break...Bk.S. | Slope...S.S. | Top of Cliff...T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur...T.Sp. | Bottom Canyon...B.Cn.

Side of Canyon: Bank...B.B. | Bottom of Bank...B.B. | Top of Cut...T.C. | Bottom of Cut...B.C. | Top of Fill...T.F. | Bottom of Fill...B.F.

Saddle...Sa. | Swale...Sw. | Flat...Fl. | Stream...Str. | Trail...Tr. | Pavement...Pvt. | Edge of Road...E.Rd.

Traveled Rd. Tr. Rd. | Fence...Fn. | Int. Fence...V.Fn. | Ditch...Di. | Telephone Pole T.P. | Power Pole...P.P. | Culvert...Cul.

Orch. Fir-Fr. | Pine-Pi. | Cedar-Ce. | Sycamore...Sy. | Eucalyptus...Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#13	P#12	1022 / 5	523	8.0	198°55'	521	+ 3°25'	439.7			416.4		S.H.		
		1140 / 9 / 856	241	10.0	279°25'	241	− 1°18'	401.0					S.H.		
		4 / 1165	457	6.0	195°15'	455	+ 3°24'	437.4					"		
		10 / 803	166	11.0	241°40'	163	− 7°04'	385.2					B.D.		
		4 / 1181	404	6.0	191°10'	403	+ 3°25'	434.6					S.H.		
		10 / 1136	182	11.0	259°40'	181	− 4°25'	391.3					"		
		10 / 1178	137	11.0	273°55'	131	− 12°15'	377.0					B.D.		
		10 / 1144	179	11.0	297°10'	176	− 7°26'	382.4					S.H.		
		10 / 1186	145	11.0	308°—	136	− 14°20'	370.7					B.D.		
		10	187	11.0	321°05'	177	− 13°38'	362.7					"		
P#14	P#13			—	° '		° '	427.2	5.4		432.3		P#14 + ℄ 12' rd.		
		1179 / 9 / 1214	280	10.0	32°—	280	− 1°53'	413.3					Head Sw.		
		10 / 1200	215	11.0	47°10'	214	− 3°12'	409.5	X				S.H.		
		9 / 1192	301	10.0	46°20'	300	− 3°33'	403.8					Sw.		
		10 / 1167	198	11.0	35°—	198	− 1°40'	415.7					S.H.		
		10 / 1142	168	11.0	58°45'	168	− 2°32'	414.0					"		
		9 / 1118	243	17.0	57°—	242	− 3°24'	401.0					Sw.		
		10 / 1132	119	11.0	48°05'	119	− 0°38'	420.0					S.H.		
		10 / 1182	133	11.0	75°50'	133	− 0°30'	420.2					"		
		10 / 676	188	16.0	68°35'	188	− 1°58'	410.0					BD. Sw.		
		6	77	6.8	87°50'	77	—	425.5					Fl.		

Add'l Inform.

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
pt 14	pt 13	837			° '		° '								
		7	138	7 2	101 —	138	—	425 1			432 3		F1		
		1172					° '								
		10	173	11 9	93 —	173	—	420 4					F1		
		510					° '								
		4	111	4 0	146 50	111	+ 2 22	432 8					"		
		761					° '								
		6	162	7 0	123 55	162	+ 1 44	430 2					SH		
		812					° '								
		6	213	7 0	117 40	213	+ 0 43	428 0					Head Sur		
		294					° '								
		6	195	7 0	164 20	194	+ 4 15	439 6					S.H		
		823					° '								
		6	224	7 0	145 20	224	+ 2 40	435 7					"		
		800					° '								
		5	301	6 0	138 30	301	+ 2 12	437 7					"		
		867					° '								
		6	268	7 0	166 30	267	+ 4 —	443 8					"		
		907					° '								
		6	308	7 0	154 —	307	+ 3 09	442 0					"		
		878					° '								
		5	379	7 0	147 30	378	+ 2 53	444 2					"		
		192					° '								
		1	93	1 0	194 05	93	+ 1 26	433 6					℄ 12' rd		
		1143					° '								
		8	344	10 0	212 —	342	+ 4 27	448 9					S.H		
		828					° '								
		5	329	6 0	201 10	327	+ 4 48	453 6					" F1		
		478					° '								
		3	179	4 0	188 45	178	+ 4 —	440 8					℄ 12' rd		
		922					° '								
		7	278	8 0	220 40	277	+ 3 20	440 3					S.H		
		250					° '								
		5	251	6 0	205 35	249	+ 4 33	446 2					" F1		
		665					° '								
		4	266	5 0	183 —	264	+ 4 27	447 8					℄ 12' rd		
		1116					° '								
		9	217	10 0	235 25	217	+ 1 36	428 2					S.H		
		564					° '								
		14	165	5 0	216 05	164	+ 3 38	437 7					" F1		

Add'n'l Inform.

Notes Rod. MAY 21 1935 C. L. T. Job No. 5645 Division No. K F.B. 5777 Pg. 62
Date Date MAY 21 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by J. Moore Notes J. Moore Date 5-10-35
Date Date Map No. Indexed C. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ca. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Intern. of Draws. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

F.B. 577 PG. 68

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw. S.D.
Side of Ridge. S.R.
Head of Draw H.D.
Bottom Draw. B.D.
Bottom Wash B.W.
Top of Ridge. T.R.
Toe of Slope. T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#15	P#14			—	° '		° '	459.—	5°		464°		P#15 + E. edge 12' rd.		
		1104													
		10	105	11°	53.50	105	1.51	449.8					F.L.S.H.		
		1151													
		10	152	11°	74.25	152	1.08	450.0					" "		
		1133													
		9	234	10°	90.—	234	1.—	450.0					" "		
		579													
		5	80	5°	121.30	80	—	458.8					" "		
		659													
		5	160	5°	114.50	160	—	458.3					" "		
		953													
		7	254	8°	113.—	254	—	455.8					" "		
		649													
		5	150	6°	159.50	150	+ 2.48	465.4					" "		
		703													
		5	204	6°	139.45	204	+ 1.36	463.7					" "		
		1110													
		8	311	9°	133.05	311	+ 1.25	461.0					" "		
		225													
		5	226	6°	169.—	225	+ 2.51	469.2					" "		
		857													
		6	258	7°	156.05	257	+ 2.29	468.2					" "		
		1150													
		8	351	9°	142.50	351	+ 1.23	463.5					" "		
		297													
		5	298	6°	172.15	297	+ 2.52	472.8					" "		
		935													
		6	336	8°	162.15	335	+ 2.43	471.8					" "		
		1200													
		8	401	9°	150.45	401	+ 1.51	468.2					" "		
		375													
		1	276	2°	190.50	276	+ 2.08	472.3					℄ 12' rd.		
		1185													
		9	286	10°	216.10	285	+ 2.33	466.7					BK S — F.		
		259													
		1	160	2°	191.30	160	+ 1.44	466.8					℄ 12' rd.		
		863													
		6	264	7°	205.25	263	+ 2.47	469.9					F.L.S.H.		
		961													
		8	162	9°	226.55	161	+ 3.13	464.2					" "		
Add'n'l Inform.			45 268 ÷ 14'				—	459.5					G#18		

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#15	P#14	11.24 / 9 / 8.20	225	16.0	244 30'	225	+ 2.23	457.3			464		S.H		
		7 / 11.04	121	7.0	250 25'	121	+ 2.08	461.6					" F1		
		9 / 7.16	205	15.0	262 45'	205	+ 1.46	455.3					"		
		6 / 11.82	117	5.0	285 05'	117	—	459.0					" "		
		10 / 9.43	183	11.0	291 —	183	—	453.0					"		
		8.	144	8.4	310 05'	144	—	455.6					" "		
P#16	P#15			—				473.8	5.1		478.9		P#16 + ℄ of R/W-P.V.		
		9.51 / 7 / 5.47	252	7.8	85 30'	252	—	471.1					S.H		
		6 / 7.44	248	6.9	88 —	248	—	472.0					Bot Fill		
		5 / 6.42	245	5.5	91 30'	245	—	473.4					Top "		
		4 / 7.42	243	5.1	94 45'	243	—	473.8					" "		
		5 / 6.40	243	6.2	95 10'	243	—	472.7					Gutter		
		4 / 7.39	241	5.8	98 35'	241	—	473.1					℄ rd		
		5 / 6.39	240	5.9	101 20'	240	—	473.0					Gutter		
		4 / 5.41	240	5.0	102 55'	240	—	473.9					Top bank		
		3 / 6.41	242	4.5	107 05'	242	—	474.4					Bot Cut		
		4 / 10.47	242	5.0	108 45'	242	+ 1.00	478.2					Top "		
		8. / 4.52	248	9.0	118 25'	247	+ 2.50	482.1					FL S.H		
		3 / 4.48	153	3.5	84 10'	153	—	475.4					Fl		
		3 / 5.46	149	3.4	91 —	149	—	475.5					Top bank		
		4.	147	4.6	93 —	147	—	474.3					Gutter		

Add'l Inform.

Notes Rod C.J.T. Plotted J.J.T. Job No. 8020 Division No. K F.B. 577 Pg. 64
Date May 8 1935 Date May 8 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by N Moore Notes Moore Date 5-10-35
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical —	REMARKS Station	Left	Right
P#16	P#15	444			° '		° '		1						
		3	145	4 4	97.10	145	—	474 5			478 8		℄ rd	—	
		543					° '		2						
		4	144	4 3	101.50	144	—	474 6					Gutter		
		344					° '		3						
		6	145	3 2	106 —	145	—	475 7					Top bank		
		344					° '		4						
		2	145	2 6	111.45	145	—	476 3					Bot cut		
		444					° '		5						
		3	145	4 0	113.40	145	+ 1.52	479 7					Top "		
		1069					° '		6						
		9	170	10 0	131.30	169	+ 4.46	483 0					Fl. S.H.		
		483					° '		7						
		4	84	4 3	54.50	84	—	474 9					" "		
		359					° '		8						
		3	60	3 5	71.30	60	—	475 4					Top bank		
		455					° '		9						
		4	56	4 6	80 —	56	—	474 3					Gutter		
		450					° '		10						
		4	51	4 5	98.20	51	—	474 4					℄ rd	—	
		451					° '		11						
		4	52	4 4	105.05	52	—	474 5					Gutter		
		354					° '		12						
		3	55	3 6	113.35	55	—	475 3					Top bank		
		361					° '		13						
		3	62	2 9	126.40	62	—	476 0					Bot Cut		
		266					° '		14						
		3	67	3 0	132.30	67	+ 3.13	478 8					Top "		
		564					° '		15						
		5	85	5 0	146 —	84	+ 5 —	481 3					Fl. S.H. + G#19		
		620					° '		16						
		6	81	6 0	319.45	81	—	472 9					" "		
		566					° '		17						
		5	67	5 2	304.50	67	—	473 7					Top bank		
		663					° '		18						
		6	64	6 8	297.05	64	—	472 1					Gutter		
		661					° '		19						
		6	62	6 6	288.15	62	—	472 3					℄ rd	—	
		660					° '		20						
		6	61	6 5	277.15	61	—	472 4					Gutter		
		561					° '		21						
		5	62	5 3	267.35	62	—	473 6					Top bank		

Add'n'l Inform.

F.B. 577 PG. 70

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fe. Int. Fences V.Fe. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill B.F.

Intern. of Draw. V.D's Break in Slope ..... B.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

8-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#16	P#15	466	67	4 5/10	253° 50'	67	— ° '	474 4/10			478 9/10		Bot. Cut		
		366													
		3	67	3 2/10	252° 05'	67	— ° '	475 7/10					Top "		
		807													
		7	108	7°	272° 40'	108	+ 3° 08'	477 8/10					Fl. S.H.		
		1191													
		10	192	11°	305° 10'	192	1° 44'	462 0/10					Bks.		
		1179													
		10	180	11°	300° 05'	180	1° 33'	463 0/10					Bot Fill		
		975													
		8	176	9 1/10	295° 15'	176	— ° '	469 8/10					Top "		
		972													
		8	173	8 8/10	289° 20'	173	— ° '	470 1/10					" "		
		1172													
		10	173	10 5/10	286° 30'	173	— ° '	468 4/10					Gutter		
		1071													
		9	172	10 1/10	283° 20'	172	— ° '	468 8/10					℄ rd	—	
		1171													
		10	172	10 6/10	279° 25'	172	— ° '	468 3/10					Gutter		
		971													
		8	172	8 8/10	277° 10'	172	— ° '	470 1/10					Top Fill		
		873													
		7	174	8 3/10	272° 30'	174	— ° '	470 6/10					Top Fill		
		1074													
		9	175	14 6/10	267° 45'	175	— ° '	464 3/10					Bot Fill		
		1087													
		9	188	15 4/10	252° 15'	188	— ° '	463 5/10					S.H. Bk		
		231													
		1	132	1°	176° 40'	132	+ 2° 12'	483 0/10		+ 41		+ 5 1/10	P#16 A ± 6 edge 12' rd		
P#16A	P#16				° '		° '	483 0/10	5 1/10		488 1/10		P#16A		
		1131													
		10	132	11°	0° 00'	132	1° 23'	473 5/10		14 2/10		3 2/10	P#16 - Elev 3.8		
		1134													
		10	135	10 9/10	254° 30'	135	— ° '	477 2/10					Bks.		
		670													
		6	71	6 5/10	257° 25'	71	— ° '	481 6/10					F/S.H.		
		105													
		10	106	0 3/10	186° 35'	106	— ° '	487 8/10					℄ 12' rd	—	
		678													
		5	179	5 7/10	230° 50'	179	— ° '	483 0/10					F/S.H.		

Add'n'l Inform.

Notes Tied [illegible] Date [illegible] Survey of 8020 Division No. K F.B. 577 Pg. 71
Date [illegible] Date [illegible] Survey by A. Moore Notes Moore Date 5-10-35
Notes Chkd. Checked Date Map No. Indexed A. C. Jobson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 Pg. 72

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Int. Fences..V.Fns. Eucalyptus .....Eu. Ditch .....Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Traveled Rd. Tr.Rd. Fence .....Fn.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut....T.C. Bottom of Cut...B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Intern. of Draws..V.D's Break in Slope.....Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#100	P#16	525			° '		° '								
		4	127	5°	215 55	126	+ 1 12	4856			488L		F/ S.H.		
		318													
		1	219	2°	185 20	219	+ 2 08	4942					℄ 12' rd.		
		652													
		4	253	5°	216 —	253	+ 1 31	4897					F/ S.H.		
		622													
		4	223	5°	30 05	223	+ 2 39	4928					" "		
		429													
		1	329	3°	185 —	329	+ 2 58	5022					℄ 12' rd.		
		748													
		4	349	6°	20 15	348	+ 2 35	4976					F/ S.H.		
		718													
		4	319	5°	194 40	318	+ 3 05	5002					" "		
		535													
		1	436	3°	184 15	435	+ 3 22	5104					℄ 12' rd.		
		942													
		5	443	7°	204 20	442	+ 3 10	5054					F/ S.H.		
		908													
		5	409	7°	193 05	407	+ 3 39	5070					" "		
		1087													
		6	488	8°	154 35	486	+ 3 24	5092							
		958													
		5	457	7°	160 35	457	+ 3 38	5102							
		1032													
		6	433	8°	171 30	431	+ 4 —	5104							
		1177													
		7	478	9°	144 25	477	+ 2 48	5023							
		909													
		5	410	7°	155 45	409	+ 3 25	5055							
		868													
		5	368	7°	168 55	367	+ 3 43	5050							
		1007													
		7	368	9°	136 25	367	+ 2 46	4967							
		827													
		5	328	7°	149 55	327	+ 3 09	4991							
		784													
		5	285	6°	165 40	284	+ 3 31	4994							
		903													
		6	304	7°	128 50	304	+ 2 08	4922							
		754													
		5	255	6°	142 05	254	+ 2 39	4938							

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rec. C. J. T. Plotted C. J. T. Sht. No. 8050 Division No. K F.B. 527 Pg. 23
Date MAY 21 1935 Date MAY 21 1935 Survey of Palmer Ave
Notes Chkd. Checked Survey by Moore Notes Moore Date 5-10-35
Date Date Map No. Indexed C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#16A	P#16	718			° '		° '		1						
		5	219.	6	161 —	218	+ 3 28	495 3	2		488		Fl. S.14		
		947							3						
		7	248.	8	116 10	248	+ 1 40	487 2	4				" "		
		792							5						
		6	193.	7	128 50	193	+ 2 29	489 4	6				" "		
		643							7						
		5	144.	6	149 40	144	+ 3 13	490 1	8				" "		
		908							9						
		7	209.	8	99 15	209	+ 1 —	483 8	10				" "		
		642							11						
		5	143.	6	104 —	143	+ 1 09	484 9	12				" "		
		424							13						
		4	75	4	112 40	75	+ 0 55	485 2	14				"		
								Cont. on Pg 87	15						
									16						
									17						
									18						
									19						
									20						
									21						

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					• ′		• ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					• ′		• ′		21						

Add'n'l Inform.

Topography Description Legend:

Side Hill....S.H. | Bottom Draw..B.D. | Bottom Wash B.W. | Top of Ridge..T.R. | Toe of Slope..T.S.

Side of Draw..S.D. | Side of Ridge..S.R. | Head of Draw H.D.

Intern. of Draws, V.D.'s Banks to Slope..B.S. | Sheer Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon & Dr. | Top of Bank..T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle.....Sa. | Ridge.....Rg. | Flat.....Fl. | Stream.....Str. | Trail.....Tr. | Pavement.....Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr. Rd. | Fence.....Fe. | Inf. Fences V.Fe. | Ditch.....Di. | Telephone Pole T.P. | Power Pole....P.P. | Culvert.....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore.....Sy. | Eucalyptus.....Eu. | Plus combinations of these and all common standard abbreviations.

F.B. 522 Pg. 74

Notes Ck'd by D.M.Finley
Map No. B-1065-1
Office Work J.D.Price
Checked
Date

Survey of
W. O. Tape No St'd OF.
Surveyed by
Notes Date
Indexed A. C. Johnson
5-27-35

F.B. Pg.

"P" Line
From
PALOS VERDES DRIVE
South 78
P#38

PRAIRIE AVE
Jo L# 8090

May 13-15-1935

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 2-34

F.B. 527 PG. 26



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

From Top Pg. 8

Notes Ck'd by D.M. Finley	Survey of		F.B. PG.
Map No. B-1065-1	W. O.	Tape No St'd °F.	
Office Work J.J. Price	Surveyed by		
Checked	Notes	Date	
Date	Indexed	A. C. Johnson	

To Lutheran pg 76



From Top 193.76

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note; ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by J. M. Finley	Survey of	F.B.	Pg.
Map No. B-1065-1	W. O.	Tape No	St'd OF.
Office Work	Surveyed by		
Checked	Notes	Date	
Date	Indexed A. C. Johnson.		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



Finish Map pg 76

FORM 247 BM 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 5772 PG. 8 C



Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
P# 15	11.765	470.250		458.995	P# 15 - See pg. 15	
	9.590	480.017	0.823	470.427		
B.M. #1	11.352	486.646	4.725	475.294	B.M. #1 C.S. Mon. See pg. New Elev.	35'N. of ... 98' Left - Sta. 80+12 - ... Crenshaw Blvd.
	11.310	497.488	0.468	486.178		
	11.165	508.206	0.470	497.018		
P# 17	11.815	518.983	1.038	507.168	P# 17	Note - This Mon has apparently been disturbed again (6-1-37) L.O.M.
	8.890	527.162	0.731	518.252		
P# 18	9.378	534.010	2.730	524.632	P# 18	
	11.232	544.727	0.515	533.495		
	11.412	555.474	0.725	544.062		
	11.140	565.774	0.640	554.634		
P# 19	11.817	567.476	8.295	557.659	P# 19	
	10.263	577.276	0.463	567.013		
P# 20	11.856	588.161	2.971	576.305	P# 20	
	11.503	599.086	0.578	587.583		
	11.536	609.908	2.415	598.372		
	11.500	620.587	0.851	609.087		
	11.304	631.681	2.580	619.977		
	11.133	642.759	0.060	631.626		
	5.110	644.544	3.325	639.434		
P# 21	12.000	651.224	5.320	639.224	P# 21	

Profile Notes Red. Platted Job No. 8011 Division No. E.B. 577 Pg. 81
No. Date Date Survey of
X-Sec. No. Notes Chkd. Date Checked Survey by Notes
Date Date Map No. Indexed A. C. Johnson Date 5-27-35

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

B. 277 P.G. 82 | Job. No. 8090 | Division No. V | Notes Red | Plotted | Profile No.
Survey of Prairie Ave. | Date | Date | X-Sec. No.
Survey by Neere | Notes Levels | Notes Chkd. | Checked
Indexed | Date Sept. 8, 34 | Date | Date

STATION	B. S.	H. I.	F. S	ELEV.		
		651. 224				
	9.770	658. 564	2.430	648. 794		
TP 22	11.635	666. 429	3.770	654. 794	TP 22	
	11. 880	676. 851	1. 458	664. 171		
	11. 790	687. 938	0.703	676. 148		
	11. 756	699. 227	0.467	687. 471		
TP 23	11. 140	709. 874	0.493	698. 734	TP 23	
	11.125	719. 659	1. 340	708. 534		
	9. 687	726. 956	2.390	717. 269		
TP 24	9. 780	737. 827	1.078	728. 878	TP 24	
TP 25	7. 881	735. 279	4.429	727. 398	TP 25	
TP 26	8. 860	734. 230	5. 609	725. 370	TP 26	
	10. 040	743. 460	1. 810	733. 420		
TP 27	11. 040	750. 785	4. 220	739. 740	TP 27	
	9. 240	758. 313	1. 312	749. 073		
	11. 870	767. 243	2. 770	756. 373		
	11. 842	778. 275	1. 810	766. 433		
	9. 000	776. 411	10. 864	767. 411		
TP 28	11. 767	795. 503	3. 675	783. 736	TP 28	
	10. 908	805. 571	0. 840	794. 663		
	11. 337	816. 275	0. 623	804. 938		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ X-Sec. No.____ Notes Red.____ Platted Date____ Notes Chkd. Date MAY 1 [illegible] Checked Date____ Job No. [illegible] Division No. V Survey of [illegible] Survey by [illegible] Notes [illegible] Map No.____ Indexed A. C. Jch Date [illegible]

E. B. 577 Pg. 6

STATION	B. S.	H. I.	F. S	ELEV.	
		816.272			
	[illegible]	827.217	0.478	816.739	
	10.240	836.937	0.560	826.697	
P.T. 29	[illegible]	833.482	3.855	829.627	P.T. 29 Alternate Line Cont. on Pg. 145
P.T. 30	10.505	[illegible]	5.975	831.507	P.T. 30
P.T. 31	10.405	850.342	0.200	839.937	P.T. 31
	[illegible]	850.82	0.200	850.142	
	[illegible]	869.700	[illegible]	860.550	
P.T. 32	11.502	874.612	6.640	863.060	P.T. 32
	[illegible]	885.399	[illegible]	[illegible]	
P.T. 33	[illegible]	874.710	[illegible]	[illegible]	P.T. 33
	[illegible]	905.346	[illegible]	[illegible]	
	[illegible]	[illegible]	[illegible]	[illegible]	
P.T. 34	[illegible]	926.531	[illegible]	[illegible]	P.T. 34
	[illegible]	[illegible]	[illegible]	[illegible]	
P.T. 35	[illegible]	[illegible]	[illegible]	[illegible]	P.T. 35
	[illegible]	[illegible]	[illegible]	[illegible]	
	[illegible]	[illegible]	[illegible]	[illegible]	
B.M. #5	11.690	939.749	[illegible]	[illegible]	Set B.M. #5 on W. slope. 100' N. 260' NW. of P.T. 35 Near Tr. Shed 345' Right - Sta. 149+78
	11.568	950.920	0.397	939.352	
	12.010	962.603	0.355	950.593	Adj. Elev. B.M. #5 = 927.967 (1934 Adj.)

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

E.B. 577 P.G. 84 | Job. No. 8092 Division No. | Notes Red | Plotted | Profile
Survey of Paine Ave | Date | Date | No.
Survey by Moore | Notes Levels | Notes Chkd. | Checked | X-Sec.
Indexed | Date 5-24-35 | Date | Date | No.

STATION	B. S.	H. I.	F. S	ELEV.		
		962.605				
	11.990	973.965	1.630	961.975		
	1.280	983.404	0.400	972.515		
P#33	9.161	990.648	1.917	981.487	P#36	
	1.435	992.253	4.210	990.438		
P#328	1.703	1003.217	1.439	991.434	P#329	
	11.326	1013.781	0.555	1002.662		
	10.735	1024.845	0.877	993.110		
P#37	10.148	1034.307	0.536	1024.301	P#37	
P#38			2.160	1022.447	P#38	Cont. on Pg. 175
P#32G	2.71	994.16		991.45	P#32G	See Above
P#32F	0.57	985.04	9.71	984.45	P#32F	
	0.11	975.77	9.38	974.36		
	2.88	970.79	7.86	967.91		
P#32E	3.73	967.32	7.20	963.59	P#32E	
	2.33	960.03	9.62	957.70		
P#32D	3.73	954.71	9.25	950.78	P#32D	
	2.22	947.56	9.37	945.34		
	0.63	936.96	11.23	936.33		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		936.76				
	2.03	938.36	0.63	936.33		
PT 32 C	2.75	938.23	1.48	935.48	PT 32 C	
PT 32 B	3.15	938.54	1.84	935.39	PT 32 B	
PT 32 A	2.23	938.43	2.34	936.20	PT 32 A	
	1.44	938.37	1.40	936.93		
	2.91	896.51	44.77	893.60		
PT 33			3.5	584.72	PT 33	pg. 83

Profile Notes Red. Platted Job No. 6092 Division No. 2

No. Date Date Survey of

X-Sec. Notes Chkd. Checked Survey by Notes

No. Date Date Map No. Indexed E. C. Johnson Date

E. B. 5172 Pg. 85

B.577 P.G.85 | Job. No. 8070 Division No. V | Notes Red | Plotted | Profile

Survey of Prairie Ave | Date | Date | No.

Survey by Vinere | Notes | Notes Chkd. | Checked | X-Sec.

Indexed | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S	ELEV.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

5-27-35 : 2:45 P.M.

Do not extend notes this side of this line

Notes Rec'd C. J. TERRY Plotted C. J. TERRY Job No. 8050 Division No. K
Date MAY 28 1935 Date JUN 5 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by Wilcox & Johnson Notes A. C. Johnson Date 5-22-35

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
F#18	P#17			—	° '		° '	524.4	1 50°		529.4		P#18 to P#17		
		1164							2	Cont. from Pg 73					
		9	265.	10.5	296 05	265		518.9	3				Fl.		
		552													
		3	25.3	4.1	272 50	253		525.3	4				"		
		1051													
		9	152	9.5	311 55	152		519.9	5				℄ 12' rd		
		310													
		2	111.	2.6	273 05	111		526.8	6				"		
		1192													
		11	93.	11.2	6 50	93		518.2	7				Fl		
		450													
		442	9.	4.5	284 10	9		524.9	8				" to #21 cut 5'		
		942													
		9	43.	9.0	105 55	43		520.4	9				Bk. S		
		1133													
		10	134.	11.0	51 40	134	1.46	514.3	10				" "		
		1167													
		10	168.	11.7	66 50	167	4.35	505.0	11				SD		
		1134													
		10	135.	11.0	106 30	133	6.09	504.1	12				BD - 5' wide		
		1211													
		10	212.	11.0	74 —	208	7.28	491.0	13				" - 5' wide		
		1191													
		10	192.	11.0	108 25	192	1.01	514.9	14				Bk. S		
		1140													
		9	241.	10.0	81 45	240	3.29	504.8	15				"		
		973													
		7	274.	7.9	258 35	274		521.5	16				Fl.		
		524													
		2	325.	4.0	241 —	325	+ 1 —	531.0	17				"		
		401													
		2	202.	2.6	251 10	202		526.8	18				"		
		464													
		2	265.	3.0	232 20	265	+ 0.43	529.8	19				"		
		232													
		1	133.	1.5	237 25	133		527.9	20				℄ 12' rd		
		303													
		1	204.	2.0	214 30	204	+ 0.54	530.7	21				℄ to N. Sub		
		625													
		5	126.	6.1	200 35	126	—	523.3					B. Sub		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 572 PG. 88

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.
Side of Draw S.D. | Top of Ridge S.R. | Head of Draw H.D.

Interv. of Draws, V.D's: Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.
Side of Canyon S.Ca.: Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.
Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.
Traveled Rd. Tr.Rd. | Fence ..... Fn. | Int. Fences ..... V.Fns. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.
Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '								
P#18	P#17	1102							1						
		10	103.	11.0	165.40	103	1.13	516.2			529.4		B.Sw.		
		1125							2						
		10	126.	11.0	129.55	125	4.45	508.0					H.D.		
		678							3						
		6	79.	6.5	199.50	79	—	522.9					S.H.		
		1166							4						
		11	67.	11.5	142.15	67	—	517.9					"		
		405							5						
		2	206.	22	184.05	206	—	527.3					"		
		1172							6						
		10	173.	12.4	121.—	173	—	517.0					Bk.S		
		1128							7						
		9	229.	11.5	155.55	229	—	517.9					B.Sw.		
		640							8						
		4	241.	5.5	117.—	241	—	523.9					S.H.		
		486							9						
		2	287.	3.9	139.45	287	—	525.5					"		
		550							10						
		2	351.	4.0	149.05	351	+ 0.53	530.9					"		
		544							11						
		1	445.	3.0	158.15	445	+ 1.47	539.8					"		
		420							12						
		1	321.	3.0	161.05	321	+ 0.49	530.2					"		
		605							13						
		2	406.	4.0	168.40	406	+ 1.57	539.2					"		
		505							14						
		2	306.	3.8	170.20	306	—	525.6					B.Sw.		
		460							15						
		1	361.	3.0	177.—	361	+ 1.23	535.1					H.Sw.		
		484							16						
		2	285.	4.0	187.50	285	+ 1.41	533.4					Bk.S		
		466							17						
		1	367.	3.0	189.50	366	+ 2.05	539.1					Fl.		
		402							18						
		1	303.	3.0	206.15	303	+ 1.42	535.3					E 12' rd	"	"
		476							19						
		1	377.	3.0	203.10	377	+ 2.02	539.1					"		
		442							20						
		1	343.	3.0	218.35	343	+ 1.28	535.2					Fl.		
		697							21						
		3	398.	5.0	212.10	398	+ 1.58	538.0					"		

Add'nl Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red C. J. TERRY Plotted C. J. TERRY Job No. 8090 Division No. K F.B. 577 Pg. 64
Date MAY 29 1935 Date JUN 6 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by Notes Date 5-22-35
Map No. Indexed Per C. John

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ —	Vertical Angle	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
		596			° '			° '								
P# 18	P# 17	2	397	4°	226 45	397	+	1 49	537 8			529 4		Fl.		
		653														
		2	454	4°	223 25	453	+	2 06	542 0					"		
P# 20	P# 18			—					576 3	48		581 2		P# 20 + El		
		1135														
		6	536	9°	323 50	535		2 36	548 0					Fl.		
		1094														
		6	495	9°	314 25	494		1 54	555 9					"		
		1204														
		7	505	9°	331 15	503		3 29	541 6					Sw		
		1115														
		7	416	9°	317 55	415		2 23	555 1					Fl		
		1152														
		7	453	9°	337 55	451		3 21	545 9	+				℄ 12' rd		
		1158														
		8	359	10°	325 —	358		2 47	553 9					"		
		1203														
		8	404	10°	347 30	403		3 18	548 1					Fl		
		1189														
		9	290	10°	330 35	289		2 23	559 2					"		
		1196														
		8	397	10°	357 30	395		3 43	548 8					S.H.		
		1079														
		8	280	9°	351 55	279		3 12	556 5					Fl		
		1198														
		8	399	10°	8 55	397		3 45	545 3	+				SH		
		1160														
		9	261	10°	0 05	260		2 56	557 8					Fl		
		1208														
		8	409	10°	18 15	407		3 41	545 2					SH		
		1078														
		8	279	10°	21 15	278		3 04	556 4					Fl		
		1126														
		7	427	9°	28 50	425		3 48	544 0					SH		
		1105														
		8	306	10°	35 25	305		3 17	553 8					Fl		
		1147														
		9	248	10°	47 25	247		3 47	555 0					Bk. S.		
		1171														
		10	172	11°	59 10	171	—	3 40	559 3					"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw B.D. | Side of Draw S.D. | Bottom Wash B.W. | Side of Ridge S.R. | Top of Ridge T.R. | Head of Draw H.D. | Toe of Slope T.S.

Inters. of Draw. Y.D's | Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Ca. | Side of Canyon S.Cn. | Top of Bank...T.B. | Bottom of Bank B.B. | Top of Cut.....T.C. | Bottom of Cut..B.C. | Top of Fill....T.F. | Bottom of Fill B.F. | Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road E.Rd. | Traveled Rd. Tr. Rd. | Fence .....Fn. | Int. Fences..V.Fn. | Ditch .....Di. | Telephone Pole T.P. | Power Pole....P.P. | Culvert .....Cul. | Oak-O. | Pine-Pi. | Cedar-Ce. | Sycamore .....Sy. | Eucalyptus .....Eu. | Plus combinations of these and all common standard abbreviations.

FB 577 Pg. 98

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
					° '		° '								
P#20	P#18	1195							1						
		14	196	11.0	34°45'	196	2°37'	561.3			581.2		F1		
		1105							2						
		10	106	11.0	34°25'	106	1°11'	568.0					"		
		1172							3						
		10	173	11.0	10°40'	173	1°50'	564.6					"		
		993							4						
		9	94	10.0	345°35'	94	—	571.2					"		
		1211							5						
		10	212	11.0	347°30'	212	1°57'	562.9					" ∠ G#22		
		1167							6						
		10	168	10.7	307°50'	168	—	570.5					"		
		1118							7						
		9	219	10.0	325°10'	219	1°40'	565.0					"		
		1168							8						
		9	269	10.0	313°45'	269	1°38'	563.6					"		
		1112							9						
		8	313	9.0	293°10'	313	0°33'	569.1					℄ 12' rd		
		1118							10						
		8	319	10.0	307°05'	319	1°24'	563.4					"		
		638							11						
		3	339	4.1	274°05'	339	—	577.1					"		
		861							12						
		5	362	7.0	259°55'	362	+ 1°35'	584.2					"		
		554							13						
		3	255	4.0	273°20'	255	—	577.2					F1		
		475							14						
		2	276	3.0	258°05'	276	+ 1°11'	584.0					"		
		432							15						
		3	133	3.3	271°50'	133	—	577.9					"		
		474							16						
		3	195	4.0	254°35'	195	+ 1°47'	583.3					"		
		330							17						
		3	31	3.3	267°50'	31	—	577.9					"		
		199							18						
		1	100	1.0	229°10'	100	+ 1°37'	583.1					"		
		273							19						
		2	74	2.1	184°15'	74	—	579.1					Bk. S		
		951							20						
		9	52	9.2	90°30'	52	—	571.5					"		
		1268							21						
		11	109	12.0	147°—	109	1°14'	566.8					"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes by C. J. TERRY Plotted C. J. TERRY Job No. 2880 Division No. K E.B. 577 Pg. 84
Date MAY 28 1935 Date JUN 3 1935 Survey of Paiute Mine
Notes Chkd. Checked Survey by Moore Notes Moore Date 5-22-35
Date Date Map No. Indexed C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ —	Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ —	Vertical Distance	REMARKS Station	Left	Right
P#20	P#18	1131			° '			° '		1							
		10	132.	1°	98.35	132	−	1.29	5655	X		5812			Bk S		
		1128								2							
		10	129.	1°	138.05	127	−	6.18	5542						S.H		
		1164								3							
		10	165.	1°	100.55	162	−	7.21	5463	X					"		
		1161								4							
		10	162.	1°	167.15	162	−	1.21	5614						"		
		1132								5							
		9	233.	1°	178.10	233			5662						"		
		356								6							
		2	157.	1°	184.25	157			5802						Bk S		
		551								7							
		3	252.	1°	188.50	251	+	2.50	5898						"		
		282								8							
		1	183.	2°	207.40	182	+	3.35	5907						Fl		
		584								9							
		3	290.	4°	195.05	288	+	5.15	6038						Bk S 4 6 #23		
		337								10							
		1	238.	2°	223.	237	+	3.57	5955						Fl		
		458								11							
		2	259.	3°	205.10	257	+	4.59	6007						Bk S		
		497								12							
		2	298.	3°	236.30	297	+	3.35	5967						Fl		
		380								13							
		1	281.	2°	219.10	279	+	4.45	6026						Bk S		
		865								14							
		5	366.	7°	244.20	365	+	3.29	5964						℄ 12 rd + Bk S		
		518								15							
		2	319.	4°	233.50	317	+	4.16	6010						Bk S		
		716								16							
		3	417.	5°	231.40	412	+	6.	6198						S.H.		
		766								17							
		4	367.	6°	229.45	363	+	6.03	6140						T.C.		
		937								18							
		5	438.	7°	225.15	430	+	7.32	6313						S.H		
		677								19							
		3	378.	5°	220.25	372	+	7.05	6227						T.C.		
		981								20							
		5	482.	7°	216.30	471	+	8.41	6464						S.H.		
		697								21							
		3	398.	5°	219.15	390	+	8.20	6334						T.C.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 572 PG. 92

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw ... B.D.
Side of Draw ... S.D. | Bottom Wash ... B.W.
Side of Ridge ... S.R. | Top of Ridge ... T.R.
Head of Draw ... H.D. | Toe of Slope ... T.S.

Inters. of Draws ... V.D's
Break in Slope ... B.S.
Steep Slope ... S.S.
Top of Cliff ... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Spur ... T.Sp.
Bottom Canyon ... B.Cn.

Side of Canyon ... S.Cn.
Top of Bank ... T.B.
Bottom of Bank ... B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F.
Bottom of Fill ... B.F.

Saddle ... Sa.
Swale ... Sw.
Flat ... Fl.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road ... E.Rd.

Traveled Rd. ... Tr.Rd.
Fence ... Fe.
Int. Fences ... V.Fe.
Ditch ... Di.
Telephone Pole ... T.P.
Power Pole ... P.P.
Culvert ... Cul.

Oak-O. ... Pine-Pi. ... Sycamore ... Sy.
Fir-Ff. ... Cedar-Ce. ... Eucalyptus ... Eu.
Pleu ... combinations of these and common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / —	Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
		1073			° '			° '								
		6	474.	8°	207.35	461	+	9.24	649.8			581.2		S.H.		
		738														
		3	439.	5°	199.—	428	+	9.04	644.7					T.C.		
		1056														
		6	457.	8°	196.30	445	+	9.12	645.5					B.C.		
		843	444			432			644.2							
		5	344.	7°	195.05	335	+	9.11	628.7					T.F.		
		656														
		3	357.	5°	195.10	351	+	7.16	622.2					Bk.S.		
		914														
		5	415.	7°	203.—	405	+	8.45	636.8					B.C.		
		641														
		3	342.	5°	204.25	336	+	7.20	619.9					Bk.S.		
		796														
		4	397.	6°	202.45	388	+	8.47	635.3					T.F.		
		736														
		4	337.	6°	212.15	332	+	7.10	617.2					Bk.S.		
		684														
		3	385.	5°	213.30	378	+	7.24	625.7					B.C.		
		562														
		2	363.	4°	213.25	357	+	7.24	624.0					T.F.		
		646														
		3	347.	5°	222.15	343	+	6.29	615.3					"		
		767														
		4	368.	6°	222.45	363	+	6.28	616.6					B.C.		
		764														
		4	365.	6°	235.45	363	+	4.32	604.2					B.C.		
		648														
		3	349.	5°	235.30	347	+	4.42	604.9					T.F.		
P#21	P#18								639.2	5.0		644.2		P#21 & Bk.S.		
		1156														
		10	157.	11°	333.20	157	—	1.30	627.8					Bk.S.		
		714														
		6	115.	6°	304.—	114	+	5.58	650.2					edge rd & Bk.S. ✓		
		1202														
		11	103.	12°	335.05	103	—	1.10	630.0					Bk.S.		
		724														
		7	75.	7°	267.25	70	+	15.12	656.2					edge rd & Bk.S. ✓		
		1149														
		11	50.	11½	336.15	50	—	—	632.5					Bk.S.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
		899			° '		° '		1						
#21	#18	8	100.	8.0	189 05	-93	+ 1 5	661.3			644.2		edge rd	Bk. S	
		1799							2						
		11	40.	11.0	9.35	-37	- 16 47	622.0					S.H.	6	24
		897							3						
		7	198.	8.0	156 05	-189	+ 12 25	677.8					Bk. S		
		681							4						
		4	282.	5.0	143 15	-272	+ 10 46	691.0					"		
		446							5						
		4	47.	4.0	191 40	-43	+ 16 18	653.0					"		
		885							6						
		6	286.	7.0	134 50	-280	+ 8 21	678.2					"		
		606							7						
		5	107.	5.0	146 45	-104	+ 8 55	655.7					"		
		812							8						
		6	213.	7.0	127 10	-212	+ 4 40	654.6					"		
		669							9						
		5	170.	6.0	139 40	-166	+ 9 03	664.7					"		
		775							10						
		6	176.	7.0	129 50	-175	+ 5 28	654.0					"		
		824							11						
		6	222.	7.0	138 10	-216	+ 9 27	673.3					"		
		1211							12						
		10	212.	11.0	122 35	-212	+ 2 26	642.3					"		
		787							13						
		7	88.	7.2	125 50	-88	— ° '	636.5					S.H.		
		1214							14						
		10	215.	12.4	119 50	-215	— ° '	632.8					"		
		1191							15						
		11	92.	12.0	95 55	-86	- 14 32	609.8					"		
		1170							16						
		10	171.	11.0	120 50	-171	- 1 13	629.4					"		
		1214							17						
		11	115.	12.0	118 55	-115	- 0 55	630.3					"		
		1130							18						
		10	131.	11.0	101 —	-123	- 14 26	601.6					"		
		1159							19						
		11	60.	11.0	100 05	-58	- 10 23	622.5					Bk. S		
		1132							20						
		10	133.	11.0	344 45	-130	- 8 01	614.8					S.H.		
		1178							21						
		10	179.	16.2	113 35	-177	- 5 35	610.8					"		

Add'l Inform.

Drawing No. K
Date MAY 23 1935 Drawn C. J. TERRY
Date JUN 3 1935 Checked
Notes Chkd.
Date
Job No. 8020 Division No.
Survey of Pasadena
Survey by Various
Map No.
Indexed A. C. Johnson
Notes Various Date 5-22-35
F.B. 377 Pg. 53

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#21	P#18	1147			° '				1						
		9	248.	10°	355 55	-236	12 49	581 3			644 2		S.H.		
		1164							2						
		10	165.	15°	9 50	-140	22 35	576 7					"		
		1182							3						
		11	83.	12°	48 20	-64	28 20	597 5					"		
		1108							4						
		10	109.	11°	17 10	-90	24 21	592 2					"		
		1236							5						
		11	137.	12°	13 45	-114	24 02	581 3					"		
		1147							6						
		10	148.	18°	46 30	-112	29 20	563 1					B.D. 5' wide		
		1206							7						
		10	207.	16°	18 10	-170	24 57	549 1					" 5' "		
		1172							8						
		9	273.	11°	11 40	-236	21 22	539 8					" 5' "		
		1166							9						
		10	157.	17°	72 25	-147	24 50	563 6					" 5' "		
		1174							10						
		8	375.	10°	12 05	-342	17 11	528 5					" 5' "		
		1181							11						
		10	182.	17°	92 —	-165	17 30	575 0					"		
		1205							12						
		9	306.	11°	27 20	-297	10 07	580 3					S.H.		
		1134							13						
		9	235.	10°	103 30	-226	11 18	589 2					B.D.		
		1126							14						
		9	227.	10°	29 15	-213	14 25	579 6					S.H.		
		1106							15						
		8	307.	20°	108 15	-304	5 46	593 6					B.D.		
		1174							16						
		10	175.	11°	51 40	-165	13 48	592 7					S.H.		
		1168							17						
		9	269.	15°	113 30	-268	3 44	611 7					S.H.		
		1183							18						
		10	184.	11°	69 —	-179	9 25	603 5					"		
		1218							19						
		10	219.	11°	83 35	-218	4 22	616 6					"		
		1157							20						
		9	258.	10°	92 25	-258	2 16	624 0					"		
		1145							21						
		9	246.	10°	123 15	-246	+ 1 57	642 6					" + 6+25		

Add'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.
Side of Draw S.D. | Side of Ridge S.R. | Head of Draw H.D.

Oak-O. Pine-Pi. Sycamore Escalyptus Plus combinations of these and all common standard abbreviations.
Traveled Rd. Fence Int. Fences Ditch Telephone Pole Power Pole Culvert
Saddle Swale Flat Stream Trail Pavement Edge of Road
Side of Canyon Top of Bank Bottom of Bank Top of Cut Bottom of Cut Top of Fill Bottom of Fill
Inters. of Draws in Slope Break Steep Slope Top of Cliff Bottom of Cliff Top of Spur Toe of Spur
V.D's Bk.S. S.S. T.Ci. B.Ci. T.Sp. B.Cn.

F.B. 577 Pg. 84

Form 381 19M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#21	P#18	925			° '		° '								
		6	326	7 2	100 45	326	— —	636 3			644 2		SH		
		712					° '								
		3	413	5°	104 40	413	+ 1 14	648 2							
		788													
		3	489	5°	106 10	488	+ 2 46	662 7							
		957													
		4	558	7°	108 15	556	+ 3 30	671 3							
		570													
		5	71	5°	217 15	66	+ 15 57	658 0		+ 13 8		+ 18 8	P#21A		
P#21A	P#21				° '		° '	658 0	5°		663 0		P#21A		
		1168													
		11	69	11°	0 00	66	11 02	639 0		24 0		13 0	P#21 - Elev = 639		
		1118													
		10	119	10 2	288 05	119	— ° '	652 8					TC		
		539													
		4	140	4 2	262 50	140	— ° '	658 3					TR		
		1216													
		11	117	11 5	288 55	117	— ° '	651 5					BC		
		686													
		6	87	6 2	232 55	87	— ° '	656 8					TR + BK S		
		643													
		6	44	6 2	265 05	44	— ° '	656 8					Wedge rd		
		240													
		2	41	2 5	141 35	41	— ° '	660 5					" "		
		663													
		6	64	6°	176 05	64	+ 1 38	658 8					TR + BK S		
		233													
		1	134	2°	114 40	133	+ 4 32	671 5					Wedge rd		
		525													
		4	126	5°	124 45	125	+ 5 20	669 6					TR + BK S		
		607													
		4	208	5°	105 45	205	+ 6 27	681 1					BC		
		949													
		8	150	14°	139 10	149	+ 4 30	660 6					SH		
		411													
		2	212	3°	107 20	209	+ 6 48	684 8					TC		
		Cal 6													
		4	217	5°	123 40	215	+ 6 —	680 4					SH		
		1471													
		2	272	3°	100 —	267	+ 7 33	695 4					TC		

Add'l Inform.

Notes by C. J. TERRY Party C. J. TERRY Job No. 8220 Division No. K
Date MAY 28 1935 Date JUN 1 1935 Survey of F.B. 5772 Pg. 82
Notes Chkd. Checked Survey by Notes
Map No. Indexed A. C. Johnson
Date Date 5-23-35

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 96

Topography Description Legend:
Hill ..... S.H. Bottom Draw B.D.
Side of Draw ..... S.D. Bottom Wash B.W.
Side of Ridge ..... S.R. Top of Ridge T.R.
Head of Draw ..... H.D. Toe of Slope ..... T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Pine combinations of these and all common standard abbreviations.

Trampled Rd. Tr. Rd. Fence ..... Fe. Int. Fence ..... V. Fn. Ditch ..... Di. Telephone Pole ..... T. P. Power Pole ..... P. P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E. Rd.

Side of Canyon ..... S. Cn. Top of Bank ..... T. B. Bottom of Cut ..... B. C. Top of Cut ..... T. C. Bottom of Fill ..... B. F. Top of Fill ..... T. F. Bottom of Fill ..... B. F.

Side of Draw ..... S. D. Top of Cliff ..... T. Cl. Bottom of Cliff ..... B. Cl. Top of Spur ..... T. Sp. Bottom Canyon ..... B. Cn.

Intersection of Draw with Slope ..... D. S. Break in Slope ..... B. S. Top of Steep Slope ..... T. S. Bottom of Steep Slope ..... B. S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
P#21A	P#21	.667	268	5°	99.15	264	+ 7.05	690.7			6.63		BC		
		.574													
		.3	275	4°	120.05	270	+ 7.54	696.4					TR + BK S		
		1.028													
		.7	329	8°	99.45	322	+ 8.20	702.2					TC		
		1.128													
		.8	329	10°	98.45	323	+ 8.—	698.3					BC		
		.836													
		.5	337	7°	106.40	329	+ 8.47	706.9					TR + BK S		
		1.191													
		.8	392	10°	104.20	383	+ 8.43	711.8					TC		
		1.191													
		.8	392	11°	104.20	384	+ 8.20	708.4					BC		
		.996													
		.6	397	13°	114.05	388	+ 8.50	710.2					TR + BK S		
		1.183													
		.8	384	10°	107.40	375	+ 8.55	711.9					TR		
		.930													
		.6	331	7°	109.10	323	+ 9.07	708.0					"		
		.762													
		.5	263	6°	112.10	257	+ 8.29	695.5					"		
		.843													
		.5	344	6°	95.—	338	+ 7.13	700.0					E. rd + BK S		
P#22	P#21							654.8	4.6		6.59		P#22 + S.H.		
		.523													
		.3	224	4°	290.30	210	+ 14.49	710.3					East E. rd		
		.653													
		.5	154	6°	328.45	150	+ 8.52	676.8					S.H.		
		.626													
		.4	227	5°	267.25	213	+ 14.36	709.9					H. Sw.		
		.429													
		.3	130	4°	305.30	125	+ 11.16	680.3					S.H.		
		1.033													
		.8	234	9°	249.20	216	+ 16.—	712.5					& 15' side rd		
		.434													
		.3	135	4°	279.10	127	+ 14.18	687.8					S.H. BK		
		.432													
		.3	133	3°	270.55	125	+ 13.47	687.2					B. Sw		
		.569													
		.5	70	5°	281.50	67	+ 12.42	668.4					"		

Add'l inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. C. J. TERRY Job No. 8030 Division No. K F.B. 5222 Pg. 82
Date MAY 23 1935 Date JUN 9 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by [illegible] Notes [illegible] Date 5-23-35
Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#22	P#21	271 / 2	7.2	2°	295.10	7.0	+ 10.21	67.02	1		6.59 4		S.H. Bk		
		246 / 2	47.	2°	325.40	47	+ 1.50	6.58 8	2				BLS		
		261 / 2	6.7	2°	180.—	6.1	+ 7.14	6.65 1	3	+ 5.7		+ 7.1	P#22A		
		629 / 5	13.0	6°	345.40	13.0	+ 0.52	6.55 4	4				S.H		
		680 / 5	18.1	6°	340.50	18.1	+ 0.72	6.55 6	5				"		
		434 / 4	3.5	4°	323.35	35	—	6.55 0	6				13.5W		
		1145 / 11	46	11°	14.05	43	14.28	6.37 3	7				"		
		1441 / 10	142.	11°	26.45	126	19.50	6.03 1	8				B.D. - 3' mud		
		1138 / 10	139.	11°	4.—	137	6.56	6.31 7	9				S.H.		
		904 / 8	10.5	9°	40.40	8.7	23.59	6.11 4	10				inter B.D. + Bk		
		1204 / 11	10.5	12°	11.10	102	10.09	6.29 2	11				S.H.		
		986 / 9	8.7	9°	59.55	7.7	20.14	6.22 2	12				B.D.		
		1043 / 10	44.	10°	55.55	40	17.14	6.37 0	13				S.H. Bk		
P#22A	P#22		—					6.65 1	14	4.8	6.69 9		P#22A + Bk S.		
		561 / 5	62.	5°	0.00	60	9.24	6.54 9	15				P#22 - 6" = 1.54		
		1182 / 11	8.3	12°	69.05	7.4	19.17	6.32 0	16	1.5°		10°	B.D. — 4' + 6"		
		234 / 1	1.35	0°	136.30	1.35	—	6.69 9	17				S.H.		
		1188 / 11	8.9	12°	178.30	8.6	10.08	6.42 5	18				B.D.		
		685 / 5	18.6	6°	150.35	18.5	+ 4.34	6.78 7	19				S.H.		
		1140 / 10	14.1	11°	158.10	14.0	4.28	6.47 9	20				B.D.		
		334 / 3	23.5	4°	156.35	23.3	+ 5.19	6.87 6	21				S.H. Bk		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 98

Topography Description Legend:
Side Hill ..... G.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Intersection of Draw V.D's
Break in Slope ..... Bk. S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Canyon Side
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Traveled Rd. Tr.Rd.
Fence ..... Fn.
Int. Fences ..... V.Fn.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
P#22A	P#22	610													
		3	311.	4°	158 50	309	+ 4 30	690 3			669 2		S.H		
		741													
		6	142.	7°	173 05	142	− 2 11	657 5					"		
		816													
		5	317.	7°	146 20	309	+ 9 17	613 5					T Bk.		
		376													
		3	77.	3°	177 35	77	+ 1 31	669 0					S.H		
		451													
		2	252.	3°	144 35	244	+ 10 08	710 7					T.Bk		
		489													
		3	190.	4°	128 05	182	+ 12 07	704 8					"		
		834													
		8	35.	7°	349 20	35	− 0	662 0					S.H & G#26		
		356													
		2	157.	3°	95 10	151	+ 11 58	697 0					T Bk		
		488													
		1	82.	4°	339 40	82	− 0	665 9					S.H Bk		
		591													
		3	100.	3°	311 10	99	+ 7 19	674 4					"		
		350													
		3	51.	3°	262 35	48	+ 13 20	678 3					"		
		380													
		3	81.	3°	204 15	78	+ 13 4	681 7					"		
		337													
		2	138.	3°	192	134	+ 9 43	689 8					"		
		660													
		5	161.	6°	206 55	151	+ 14 32	703 2					" "		
		886													
		6	287.	7°	165 20	287	+ 0 42	666 3					B.D		
		527													
		4	128.	4°	229 10	117	+ 16 40	701 1					S.H Bk.		
		1146													
		9	247.	9	168 55	247	− 0	660 7					B.D.		
		554													
		4	155.	5°	262 25	146	− 14 —	701 3					S.H.		
		708													
		5	209.	6°	258 15	197	+ 14 07	713 5					℄ 12 side rd		
		1145													
		9	246.	10°	175 25	245	+ 2 36	671 7					S.H. Bk		
		1188													
		10	189.	11°	229 45	174	+ 16 34	710 7					℄ 12 side rd		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes rec'd C. J. TERRY Notes ptd C. J. TERRY Job No. 8092 Division No. F.B. 577 Pg. 55
Date MAY 28 1935 Date JUN 3 1935 Survey of Fairview Area
Notes Chkd. Checked Survey by Wilcox Notes Wilcox Date 5-23-35
Date Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#22A	P#22	442			° '		° '		1						
		3	1.43	4.0	199.45	1.36	+ 12.35	696.3			669.9		S.H.		
		553							2						
		4	1.54	5.0	222.—	1.42	+ 15.55	705.7					"		
P#23	P#21			—	° '		° '	698.7	3 4.8		703.5		P#23 + S.H.		
		453							4						
		2	2.54	3.0	317.50	2.52	+ 4.57	722.3					S.H.		
		286							5						
		1	1.87	2.0	324.—	1.87	+ 1.04	705.2					℄ 12' side rd		
		323							6						
		1	2.24	2.0	305.20	2.22	+ 4.45	720.2					S.H.		
		623							7						
		5	1.24	5.3	306.10	1.24	— ° '	698.2					℄ 12' side rd		
		487							8						
		3	1.88	4.0	287.20	1.87	+ 3.—	709.3					S.H. BK.		
		1179							9						
		10	1.80	11.0	281.30	1.79	+ 3.57	705.0					B.D.		
		238							10						
		2	0.39	2.4	297.30	0.39	— ° '	701.1					℄ 12' side rd		
		864							11						
		7	1.65	8.0	278.—	1.64	+ 4.34	708.6					S.H.B.		
		424							12						
		3	1.25	4.0	263.30	1.23	+ 2.32	715.8					S.H.		
		546							13						
		8	0.47	8.3	155.50	0.47	— ° '	695.2					℄ 12' side rd		
		308							14						
		2	1.09	2.0	238.25	1.04	+ 11.47	723.3					S.H.		
		1134							15						
		10	1.35	11.0	151.—	1.35	— 2.25	686.8					℄ 12' side rd L.H.B.D.		25' wide
		412							16						
		3	1.13	3.0	200.15	1.10	+ 8.51	717.8					S.H.		
		657							17						
		5	1.58	6.2	182.55	1.57	+ 5.09	711.5					"		
		1148							18						
		10	1.49	11.0	148.10	1.49	— 2.10	687.0					B.C. + T.S.		
		904							19						
		2	2.05	8.0	176.10	2.05	+ 2.—	702.6					BK S		
		1116							20						
		8	2.17	15.0	170.55	2.17	+ 0.15	689.5					B.D - 6' wide		
		1129							21						
		10	1.30	11.4	117.40	1.30	— ° '	692.1					B.C.		

Add'l Inform.

Form 301 10M 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 527 Pg 100

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Oak-O. Fir-Fr. | Sa. | Traveled Rd. Tr.Rd. | Saddle | Side of Canyon S.Cn. | Intera. of Drawn. V.D's
Side of Draw S.D. | Bottom Wash B.W. | Pina-Pi. Cedar-Ca. | Sw. | Fence Fn. | Swale Sw. | Top of Bank T.B. | Break in Slope Bk.S.
Side of Ridge S.R. | Top of Ridge T.R. | Sycamore Sy. | Fl. | Int. Fences V.Fn. | Flat Fl. | Bottom of Bank B.B. | Steep Slope S.S.
Head of Draw H.D. | Toe of Slope T.S. | Eucalyptus Eu. | Str. | Ditch Di. | Stream Str. | Top of Cut T.C. | Top of Cliff T.Ci.
| | Plus combinations of these and all common standard abbreviations. | Tr. | Telephone Pole T.P. | Trail Tr. | Bottom of Cut B.C. | Bottom of Cliff B.Ci.
| | | Pvt. | Power Pole P.P. | Pavement Pvt. | Top of Fill T.F. | Top of Spur T.Sp.
| | | Cul. | Culvert Cul. | Edge of Road E.Rd. | Bottom of Fill B.F. | Bottom Canyon B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#23	P#21	1115			° '		° '								
		10	116.	12 2	117° 20'	-116		6908			703 5		E.rd + Bk.S.		
		452													
		2	253.	3°	166° 10'	-252	+ 3° 46'	7172					S.H.		
		238													
		1	139.	2°	86° 50'	-139	° '	7015					B.C.		
		525													
		4	126.	4 2	83° —	-126	° '	6986					E.rd + Bk.S + G#28		
		412													
		2	213.	3°	153° 30'	-211	+ 5° 28'	7208					S.H.		
		289													
		1	190.	2°	66° 20'	-189	+ 3° 55'	7144					B.C.		
		388													
		2	189.	3°	138° 15'	-187	+ 5° 29'	7184					S.H.		
		392													
		2	193.	3°	61° 45'	-192	+ 4° 26'	7154					E.rd + Bk.S.		
		374													
		2	175.	3°	117° —	-173	+ 5° 38'	7177					S.H.		
		297													
		1	198.	2°	66° 50'	-197	+ 4° 20'	7166					T.C.		
		480													
		3	181.	4°	95° 50'	-179	+ 6° 17'	7193					S.H.		
		359													
		2	151.	3°	83° 45'	-151	+ 3° —	7084					T.C.		
		246													
		1	147.	2°	65° 45'	-147	+ 1° 20'	7049					B.K.S.		
		338													
		2	139.	3°	101° 35'	-139	+ 2° 17'	7060					T.C.		
		1210													
		11	111.	12 2	64° 50'	-110	— 4° 32'	6827					S.H.		
		244													
		1	145.	1 4	123° —	-145	° '	7021					T.C.		
		1200													
		11	101.	12°	54° 05'	-95	— 14° 24'	6672					B.D.		
		1204													
		11	105.	12°	135° 15'	-103	— 8° 05'	6769					B.D. - 4' wide		
		1146													
		10	147.	17°	9° 20'	-142	— 10° 58'	6591					V.Ds.		
		1187													
		11	88.	12°	92° 55'	-84	— 12° 38'	6728					B.D.		
		1169													
		11	70.	17°	95° 50'	-68	— 8° 34'	6812					S.H.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#23		565			° ′		° ′								
		4	166	4.6	338 20	166	—	698.9			703.5		S.H		
		1169					° ′								
		11	70	12°	9 05	70	3.18	687.5					S.H. & G#27		
		1044													
		9	145	9.4	337 20	145	—	694.1					S.H. & L		
		1192					° ′								
		11	93	12°	358 05	93	2.48	686.9					" "		
		720													
		6	121	13	329 10	121	2.57	684.3					B.D.		
		1122													
		10	123	18°	351 45	122	6.05	672.5					"		
		994					—								
		9	95	9.1	329 45	95	° ′	694.4					S.H. Bk		
		1145													
		10	146	11°	351 10	145	3.50	682.8					"		
		1118													
		9	219	10°	357 50	218	3 —	682.2					S.H.		
		549					—								
		5	50	5.7	333 05	50	° ′	697.8					"		
		1154					—								
		1	55	0.4	293 55	55	° ′	703.1					TC		
		216													
		2	17	2°	209 50	17	2.56	700.6					TC		
		572					—								
		5	73	5.6	164 20	73	° ′	697.9					TC		
		1210													
		11	111	12°	158 25	111	0.15	690.8					"		
		361													
		3	62	3°	199 55	61	+ 8.32	709.7					S.H		
P#25	P#23							727.4	48		732		P#25 & TR & L#2		
		1209			° ′		° ′								
		9	310	11°	73 05	310	1.34	712.9					TR		
		1130													
		9	231	10°	88 05	230	2.58	710.3					" & 13k ℄		
		1125													
		9	226	10°	70 45	226	1.29	716.4					"		
		1157													
		10	158	11°	95 05	157	3.26	711.8					"		
		1159													
		10	160	11°	70 10	160	0.54	718.7					"		

Add'n'l Inform.

Notes Rod C. J. TERRY Visited C. J. TERRY Map No. 6250 Division No. 4 F.B. 577 Pg. 102
Date MAY 28 1935 Date JUN 10 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by Pierce Notes Moore Date 5-23-35
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5227 PG 102

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope. T.S.

Intern. of Draw. V.D's: Break in Slope ... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff .. B.Cl. Top of Serr. ..... T.Se. Bottom Canyon ... B.Cn.

Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank. B.B. Top of Cut ..... T.C. Bottom of Cut .. B.C. Top of Fill ..... T.F. Bottom of Fill. B.F.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fence. V. Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#25	P#23	1095			° '		° '		1						
		10	96.	11°	98 25	96	2 22	717 2			732 2		T.R & Bk.S.		
		1222							2						
		11	123.	12°	86 —	123	1 11	717					"	"	
		988							3						
		9	89.	9 4	0 30	89	—	722 6					Bk.S		
		914							4						
		6	115.	6°	321 50	115	+ 0 50	729 0					"		
		374							5						
		2	175.	3°	304 45	175	+ 3 03	738 5					T.R & Bk.S.		
		449							6						
		2	250.	3°	297 25	248	+ 5 16	752 0					"	"	
		164							7						
		1	65.	1°	280 30	65	+ 3 33	735 2					"		
		750							8						
		5	251.	6°	264 50	249	+ 4 57	747 8					"	"	
		353							9						
		2	154.	3°	280 25	153	+ 5 35	744 2					"		
		680							10						
		5	181.	6°	256 20	180	+ 4 14	739 6					"	"	
		328							11						
		1	229.	2°	282 05	226	+ 6 20	755 3					"		
		414							12						
		3	115.	3°	237 25	115	+ 1 58	733 2					"	"	
		1166							13						
		9	267.	10°	260 —	266	+ 3 59	740 7					"		
		977							14						
		9	78.	9 2	191 30	78	—	723 0					"	"	
		1202							15						
		11	103.	12°	139 35	102	5 25	710 5					S.H.		
		1154							16						
		10	155.	11°	108 50	153	5 47	705 7					"		
		1098							17						
		9	199.	10°	129 05	193	9 37	689 5					"		
		1158							18						
		10	159.	11°	150 10	155	8 45	697 4					"		
		1155							19						
		10	156.	11°	180 25	155	5 25	706 6					"		
		1161							20						
		10	162.	11°	206 05	162	1 40	716 5					"		
									21						

Add'n'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#26	P#25				° ′		° ′	728.7	4.8		733.5		P#26 + S.H		
		192													
		1	93.	1	233.25	93.		732.3					S.H.		
		819													
		8	20.	8	163.	20.		725.4					Bk. S		
		713													
		5	214.	6	234.55	214	+ 1.48	735.7					B.D		
		1142													
		10	143.	11	213.50	143	− 1.18	718.2					"		
		1042													
		9	143.	9	192.45	143		724.4					Bk. S		
		411													
		2	212.	3	225.25	211	+ 3.18	742.7					"		
		681													
		5	182.	6	179.50	182		727.0					S.H		
		407													
		2	208.	3	220.45	207	+ 2.54	741.0					Sw		
		438													
		2	239.	3	176.55	239	+ 0.97	731.1					S.H		
		392													
		2	193.	3	204.30	192	+ 3.45	743.2					"		
		432													
		2	233.	3	188.30	232	+ 3.27	744.6					"		
		694													
		4	295.	5	177.15	295	+ 0.58	733.4					"		
		598													
		3	299.	4	185.15	298	+ 4.—	750.2					"		
		645													
		3	346.	4	194.05	340	+ 7.24	773.6					"		
		663													
		3	364.	5	202.—	353	+ 9.53	790.0					"		
		495													
		2	296.	3	200.35	290	+ 8.04	771.6					"		
		655													
		3	356.	5	211.25	344	+ 10.30	792.0					"		
		494													
		2	295.	3	212.35	288	+ 8.45	774.8					"		
		676													
		3	377.	5	218.55	364	+ 10.36	796.5					"		
		620													
		3	321.	5	223.50	313	+ 9.18	779.7					"		

Add'l Inform.

Notes Red. C. J. TERRY Plotted C. J. TERRY Job No. 8220 Division No. K F.B. 577 Pg. 183
Date MAY 28 1935 Date JUN 3 1935 Survey of Riverside Ave.
Notes Chkd. _____ Checked _____ Survey by L.D. Moore Notes A. C. Johnson Date 5-23-35
Date _____ Date _____ Map No. _____ Indexed _____ Date _____

Form 301 10M 3-64

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ca. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fence ..... V. Fnce. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cal.

Sa. Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Side of Canyon S.Ca. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Intern. of Drawa. Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

V.D's

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

F.B. 577 PG. 104

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P#26	P#25	1197			° '		° '		1						
		9	298.	10.0	166 20	298	1 25	716 3			733 5		S.H.		
		1193							2						
		8	314.	10.0	152 35	312	4 02	701 4					"		
		1170							3						
		9	221.	10.0	163 55	221	2 08	715 3					"		
		1141							4						
		9	242.	10.0	146 15	240	5 35	700 1					"		
		1151							5						
		10	152.	11.0	165 40	151	3 42	712 7					"		
		1168							6						
		10	169.	11.0	142 —	166	7 40	700 2					Bk.S.		
		1200							7						
		11	101.	11.0	183 30	98	8 59	707 0					B.D.		
		1125							8						
		10	126.	11.0	143 55	121	11 39	697 1					"		
		1194							9						
		10	195.	11.0	76 30	190	9 23	691 2					S.H.		
		1150							10						
		10	181.	11.0	103 20	175	10 —	691 5					"		
		1205							11						
		10	206.	11.0	118 30	199	10 4	684 8					B.D.		
		1124							12						
		10	165.	11.0	126 35	159	11 —	691 6					"		
		1151							13						
		9	258.	10.0	128 50	251	7 06	683 3					S.H.		
		1140							14						
		9	241.	10.0	142 30	238	6 18	697 2					"		
									15						
P#27	P#25							739 2	16 5 0		744 2		P#27 + S.H.		
		1166													
		10	167.	11.0	88 40	159	12 37	697 6	17				S.H.		
		1166													
		11	67.	11.0	134 40	64	11 10	720 4	18				Bk.S.		
		1163													
		10	164.	11.0	119 25	157	11 37	700 7	19				S.H.		
		1100													
		10	101.	11.0	171 10	100	5 33	723 3	20				Bk.S.		
		1184													
		10	185.	11.0	149 15	181	8 —	707 6	21				F.I.		
		1154													
		10	155.	11.0	187 20	155	2 44	725 8					Bk.S.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#27	P#25	11.26 / 9 / 11.72	22.7	10°	164.55	225	− 5.38	712.0	1		744.2		F1		
		10. / 11.92	17.3	11°	178.	171	− 5.30	716.6	2				Bk. S		
		9. / 11.50	29.3	10°	175.55	292	− 3.22	717.0	3				F1.		
		9. / 9.59	25.1	14°	187.05	251	− 2.20	720.1	4				Bk S		
		7 / 11.66	26.0	8°	208.15	259	+ 4.05	754.8	5				S.H. & G #31		
		9 / 9.06	26.7	10°	218.40	258	+ 10.35	782.3	6				"		
		7 / 10.17	20.7	8°	207.25	206	+ 3.58	750.4	7				"		
		8. / 7.26	21.8	9°	219.35	210	+ 11.16	777.0	8				"		
		6 / 6.58	12.7	6°	207.30	126	+ 4.36	748.4	9				"		
		5 / 3.52	15.9	6°	222.10	152	+ 12.23	771.5	10				"		
		3 / 2.92	5.3	3°	206.50	53	+ 4.17	745.3	11				"		
		2 / 9.18	9.3	2°	231.20	87	+ 14.32	765.0	12				"		
		9. / 3.51	1.9	9 2/3	38.20	19	−	735.0	13				" & G #30		
		3 / 8.13	5.2	3°	274.45	45	+ 20.50	758.4	14				"		
		7 / 5.42	11.4	7°	271.30	96	+ 22.56	778.3	15				"		
		4 / 4.51	14.3	5°	262.35	123	+ 21.50	788.5	16				"		
		3	15.2	4°	247.30	131	+ 21.36	792.2	17				Bk S		
		11.13 / 9 / 9.06	21.4	10°	250.15	186	+ 21.15	806.6	18				S.H. Bk		
		6 / 11.72	20.7	7°	231.35	189	+ 12.05	795.4	19				Bk S		
		9 / 9.83	27.3	10°	240.55	242	+ 19.44	816.1	20				S.H. Bk		
		7	28.4	8°	227.10	265	+ 14.45	806.3	21				" "		

Add'l Inform.

Notes Red. C. J. TERRY Date MAY 28 1935 Sub No. Eagle Rock Division No. 1 F.B. 527 Pg. 185

Notes Chkd. C. J. TERRY Date JUN 6 1935 Survey of Pasadena Ave.

Checked Survey by Wilcox Notes Wilcox Date 5-24-35

Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ca. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ....Fn. Int. Fences. V. Fns. Ditch ....Di. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Sa. Saddle ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank....T.B. Bottom of Bank..B.B. Top of Cut....T.C. Bottom of Cut..B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff....T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend:
Side Hill.....S.H.
Side of Draw..S.D.
Side of Ridge..S.R.
Head of Draw H.D.
Bottom Draw..B.D.
Bottom Wash..B.W.
Top of Ridge..T.R.
Toe of Slope..T.Sl.

F.B. 5577 Pg 106

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#28	P#27			—	° '		° '	783 2	49		7886		P#28		
		886							2						
		5	387.	7°	338 20	383	+ 5 52	821 0					SH		
		823							3						
		5	324.	6°	341 30	322	+ 4 55	810 4					BLS		
		547							4						
		2	343.	4°	332 35	338	+ 6 56	826 8					SH		
		670							5						
		4	271.	5°	333 55	267	+ 6 38	814 9					BLS		
		400							6						
		1	301.	2°	322 25	294	+ 8 31	831 3					SH		
		337							7						
		1	233.	2°	320 10	228	+ 8 28	820 7					"		
		369							8						
		1	270	2°	311 45	261	+ 10 20	834 3					"		
		402							9						
		2	203	3°	303 30	194	+ 11 49	826 4					"		
		538							10						
		3	229.	4°	297 05	227	+ 12 05	836 1					"		
		804							11						
		6	205	7°	279 10	192	+ 14 39	832 0					"		
		1141							12						
		9	242	10°	276 45	226	+ 14 55	839 0					"		
		1114							13						
		9	215.	11°	256 35	200	+ 15 15	832 3					"	13E	
		1160							14						
		9	261.	11°	255 05	243	+ 15 15	844 0					"	"	
		835							15						
		9	240.	7°	238 30	225	+ 14 27	839 8					"	"	
		776							16						
		5	277.	6°	241 55	258	+ 15 08	852 4					"		
		632							17						
		3	333.	4°	231 50	311	+ 14 52	867 3					"	" + Fence	
		687							18						
		4	288.	5°	226 15	271	+ 13 35	850 8					"	"	" ✓
		608							19						
		4	209.	5°	205 55	204	+ 8 41	814 8					"		" ✓
		603							20						
		4	204.	5°	216 55	234	+ 11 21	830 9					"		" ✓
		562							21						
		4	163.	5°	214 10	157	+ 10 46	813 6					"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#		696			° '		° '		1						
		5	197.	6°	207 25	187	+ 13 05	826 2	X		788		SH		
		209							2						
		1	110	1°	233 —	104	+ 13 35	812 8	3				" BK		
		668													
		5	169.	6°	241 15	158	+ 14 38	824 1	4				"		
		196													
		1	97.	1°	295 30	93	+ 12 03	807 4	5				BK S		
		341													
		2	142	3°	271 25	132	+ 15 25	822 2	6				"		
		442													
		1	143	2°	322 15	141	+ 5 54	801 3	7				SH		
		355													
		2	150	3°	301 40	149	+ 11 54	817 2	8				"		
		585													
		4	196	5°	333 05	195	+ 4 05	797 4	9				"		
		653													
		4	254	5°	340 40	253	+ 3 12	797 8	10				"		
		628													
		3	329	4°	347 05	329	+ 1 56	795 6	11				"		
		523													
		2	324	4°	351 10	324	— 0 40	781 0	12				"		
		1210													
		9	311	10°	0 00	309	4 13	755 7	13				"		
		1163													
		9	264	11 2	349 55	264	— ° '	777 4	14				"		
		1144													
		9	245	10°	359 55	243	4 44	758 6	15				"		
		1185													
		10	186	11 9	347 40	186	— ° '	776 7	16				"		
		1172													
		10	178	11°	359 10	177	4 43	763 0	17				"		
		717													
		6	118	6 2	340 15	118	— ° '	782 4	18				"		
		1206													
		11	107	12°	359 10	107	3 35	770 0	19				"		
		168													
		1	89	1°	330 45	89	+ 0 43	788 7	20				" BK		
		243													
		9	44	9 6	359 10	44	— ° '	779 0	21				" "		
		158													
		1	59	1°	273 10	56	+ 13 03	800 7					"		

Add'l Inform.

Notes Rod C. J. TERRY Plotted C. J. TERRY Job No. 8052 Division No. 4 F.B. 577 Pg. 107
Date MAY 28 1935 Date JUN 6 1935 Survey of Private Notes None Date 5-24-35
Notes Chkd. Checked Survey by Moore
Date Date Map No. Indexed A. E. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5227 PG. 108

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.
Side of Draw S.D. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge S.R. | Toe of Slope T.S.
Head of Draw H.D. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill B.F.

Side of Drawn. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Ci. Bottom of Cliff ..... B.Ci. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.C. 20	P.O.T.	135			° '		° '								
		1	36.	0 3	190 55	36	—	788 3			788 6		S.H.		
		191													
		1	92.	1 0	322 20	88	+ 11 4	806 3					" BK		
		202													
		1	103.	1 2	188 30	103	+ 7 3	792 2					"		
		1135													
		3	136.	4 0	209 10	135	+ 5 2	797 3					"		
		585													
		4	186.	5 0	188 45	185	+ 4 21	797 7					" X G 324 Fence		
		400													
		2	201.	3 0	201 15	198	+ 7 03	810 3					"		"
		753													
		6	184.	6 4	169 05	184	—	782 2					"		
		1170													
		7	211.	10 0	149 10	210	— 3 20	766 4					"		
		1215													
		11	116.	12 3	155 10	116	—	775 9					"		
		1158													
		10	159.	11 0	133 50	157	— 5 36	762 2					BK. S		
		1164													
		11	65.	11 0	116 30	64	— 7 12	769 5					S.H.		
		1126													
		10	127.	11 0	107 10	123	— 10 14	755 4					BK. S		
		1163													
		3	68.	11 0	76 25	65	— 11 40	764 0					S.H. BK.		
		1132													
		10	133.	11 1	50 00	126	— 13 35	747 3					BK. S		
		1202													
		11	103.	12 0	33 45	99	— 11 01	757 4					S.H.		
		1165													
		10	166.	11 0	53 55	156	— 14 02	738 5					BK. S		
		1160													
		10	161.	11 0	18 05	157	— 7 20	751 8					S.H.		
		1122													
		9	223.	10 0	38 10	212	— 12 4	731 0					BK. S		
		1206													
		10	207.	11 0	12 05	203	— 8 09	748 6					S.H.		
		1191													
		9	292.	11 0	28 15	283	— 10 04	727 4					BK. S		
		1156													
		9	257.	10 0	9 20	252	— 7 51	743 4					"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Notes Checked C. J. TERRY Job No. Engr. Division No. F.B. 577 PG. 109
Date MAY 28 1935 Date JUN 3 1935 Survey of Public Works
Date Checked Survey by Moore Date 5-24-35
Date Map No. Indexed C. J. Terry Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#28	P#27	1178 / 8	379.	10°	22° 45'	369	− 9° 08'	719.3			78.6		FS		
		1127 / 8	328.	10°	8° 25'	323	− 7° 17'	737.4					BKS		
P#29	P#27	—	—	—	° '		° '	827.1	5°		83.2		P#29 + TR		
		1160 / 9	261.	10°	4° 45'	257	− 7° 22'	788.7					SH		
		1166 / 9	267.	10°	15° 05'	260	− 9° 29'	778.7					"		
		1183 / 10	184.	11°	11° 35'	180	− 8° 38'	793.8					"		
		1205 / 10	206.	11°	22° 20'	199	− 10° 18'	784.9					"		
		1116 / 10	117.	11°	24° 05'	114	− 8° 55'	803.2					SW		
		1166 / 10	167.	11°	37° 55'	163	− 11° 02'	789.4					"		
		1178 / 11	79.	11°	64° 35'	78	− 6° 43'	812.0					"		
		1141 / 10	142.	11°	65° 25'	138	− 9° 17'	798.4					"		
		588 / 9	89.	9° 8'	105° 45'	89	— ° '	822.3					SH		
		1147 / 10	148.	11°	87° 10'	147	− 5° 01'	808.3					"		
		962 / 8	163	8° 6'	104° 45'	163	— ° '	823.5					"		
		413 / 3	114.	3°	128° 50'	113	+ 4° 16'	837.7					BKS		
		580 / 4	181.	5°	114° 55'	180	+ 3° 28'	838.2					SH		
		467 / 3	168.	4°	139° 40'	165	+ 8° 09'	851.8					BKS + TR		
		409 / 2	210	3°	122° 20'	208	+ 6° 06'	851.4					"	"	
		542 / 4	143	4°	156° 20'	142	+ 5° 36'	842.0					"	"	
		297 / 3	98	2°	146° 35'	97	+ 4° 40'	838.1					BKS		
		581 / 5	82	5°	129° 20'	82	+ 2° 50'	831.3					TR + BKS		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 118

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.
Side of Draw. S.D. | Bottom Wash B.W. | Top of Ridge S.R. | Toe of Slope T.S.
Side of Ridge S.R. | Top of Ridge T.R. | Toe of Slope T.S.
Head of Draw H.D. | Toe of Slope T.S.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore Sy. | Eucalyptus Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. | Fence Fn. | Int. Fences V. Fns. | Ditch Dt. | Telephone Pole T.P. | Power Pole P.P. | Culvert Cul.

Saddle Sa. | Swale Sw. | Flat Fl. | Stream Str. | Trail Tr. | Pavement Pvt. | Edge of Road E.Rd.

Side of Canyon S.Cn. | Top of Bank T.B. | Bottom of Bank B.B. | Top of Cut T.C. | Bottom of Cut B.C. | Top of Fill T.F. | Bottom of Fill B.F.

Interm. of Draws, V.D's | Break in Slope S.S. | Top of Cliff T.Cl. | Bottom of Cliff B.Cl. | Top of Spur T.Sp. | Bottom Canyon B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P#29	P#27	475			° '		° '		1						
		4	76.	4.0	166 05	76	+ 2 47	831 8			832.1		T.R + BKS		
		526							2						
		5	21.	5.2	116 50	27	— —	826 9					"	"	
		629							3						
		6	30.	5.9	240 50	30	— —	826 2					"	"	
		859							4						
		8	60.	8.2	337 40	60	— —	823 9					"	"	
		677							5						
		6	78.	6.6	302 05	78	— —	825 5					"	"	
		929							6						
		8	130.	8.3	328 30	130	— —	823 8					"	"	
		753							7						
		6	154.	6.2	309 40	154	— —	825 2					"	"	
		804							8						
		6	205.	5.9	328 15	205	— —	826 2					"	"	
		536							9						
		3	237.	3.5	312 25	237	— —	828 6					"	"	
		582							10						
		4	183.	4.0	320 50	183	— —	828 1					Sa. + L# 33		
		853							11						
		6	254.	7.0	325 20	254	+ 1 26	831 5					T.R + BKS		
		716							12						
		4	317.	5.0	316 10	316	+ 3 20	845 4					BKS		
		595							13						
		3	296.	5.0	325 45	296	+ 2 02	837 6					S.H.		
		900							14						
		6	301.	7.0	334 50	301	+ 0 29	827 9					"		
		665							15						
		3	366.	5.0	317 —	363	+ 5 24	861 4					"		
		1172							16						
		9	273.	10.0	341 15	273	— 1 11	816 5					"		
		825							17						
		4	426.	6.0	315 50	420	+ 6 51	876 5					" + Fn		✓
		1141							18						
		9	242.	10.0	351 15	241	— 4 23	803 7					Sw		
		882							19						
		4	483.	6.0	309 30	476	+ 7 06	885 4					BKS + Fn		✓
		1168							20						
		10	169.	11.0	349 40	168	— 4 —	809 4					S.H.		
		1029							21						
		5	530.	8.0	304 30	521	+ 7 29	892 8					BKS + Fn		✓

Add'n'l Inform.

Form 301 IGM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#29	P#27	726			° '		° '		1						
		6	127.	5	315 50	127	— —	826 4			832		Sa		
		950					° '		2						
		4	551.	6°	297 15	543	+ 7 01	892 1					BKS		
		1050							3						
		5	551.	8°	291 15	544	+ 6 25	885 5					S.H.		
		1006							4						
		4	607.	6°	288 40	600	+ 6 08	890 6					Point Ridge		
		784							5						
		4	385.	5°	304 58	384	+ 3 23	849 8	X				S.H		
		1138							6						
		5	639.	8°	294 50	629	+ 7 13	904 0					Point Ridge		
		1135							7						
		5	636.	8°	290 35	628	+ 6 36	896 8					"		
		933							8						
		5	434.	7°	298 30	432	+ 3 40	852 9					SH		
		866							9						
		3	567.	6°	285 45	562	+ 5 06	876 4					Point Ridge		
		866							10						
		4	467.	6°	292 —	465	+ 3 30	854 5					S.H		
		543							11						
		4	544.	7°	283 15	542	+ 3 40	860 0					Point Ridge		
		898							12						
		4	499.	6°	287 10	497	+ 3 39	857 7					SH		
		812							13						
		3	513.	6°	278 05	513	+ 0 56	834 5					Point Ridge		
		1215							14						
		7	516.	10°	272 40	516	— 1 09	811 6					"		
		841							15						
		4	442.	6°	285 50	442	+ 0 29	829 8					S.H		
		1140							16						
		7	440.	9°	276 50	440	— 1 58	807 9					"		
		685							17						
		3	386.	5°	295 15	386	— —	827 1					"		
		1185							18						
		8	385.	10°	284 55	385	— 2 08	807 8					"		
		1276							19						
		5	326.	11°	291 45	326	— 2 15	808 8					"		
		620							20						
		3	321.	5°	304 30	321	+ 0 30	830 0					"		
		676							21						
		4	277.	5°	310 20	277	+ 0 43	830 5					"		

Date JUN 6 1935 Drawn C. J. TERRY Job No. 2030 Division No. 4 F.B. 577 Pg. 44

Notes Chkd. _____ Checked _____ Date JUN 6 1935 Survey of Prairie Ave

Date _____ Survey by Prairie Notes Date 5-24-35

Map No. _____ Indexed C. Job Date 5-29-35

Form 301 IGM 3-34

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 112

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Intersection of Draws, V.D's or Break in Slope
Bk. S. ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon & Cr.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Traveled Rd. Tr. Rd.
Fence ..... Fn.
Int. Fences ..... V.Fns.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P#30	P#29				° '		° '	831 5	5 2		836 7		P#30 + Point Ridge		
		1147													
		11	48.	12 3	0.00	48	—	824 4		12 3.			P#29A		
P#29A	P#29							824 4	4 7		829 1		P#29A + S.H.		
		448													
		4	49.	4 0	180 —	48	+ 7.32	831 5		+ 2 4		+ 6 4	P#30 - Elev. = 831.5		
		1162													
		9	263.	10 0	340 —	262	2.37	807 2					SW.		
		1200													
		9	301.	10 0	344.5	301	1.30	810 3					" + G P#34		
		1200													
		8	401.	10 0	16.05	400	3.12	796 8					S.H.		
		1126													
		8	327.	10 0	354.55	326	2.21	805 9					"		
		1148													
		8	349.	10 0	7.15	348	3.30	798 0					"		
		1185													
		8	386.	10 0	1.30	386	0.57	812 7					"		
		1136													
		7	437.	10 0	9.30	437	1.11	810 2					"		
		1157													
		8	358.	10 0	20.15	353	6.24	779 4					"		
		1210													
		9	311.	11 0	12 —	306	7.03	780 3					"		
		1196													
		9	297.	11 0	354.30	295	4.29	796 8					"		
		1164													
		9	265.	11 0	0.35	259	8.55	777 6					SW.		
		1152													
		9	253.	10 0	345.25	251	4.55	799 6					"		
		1116													
		9	217.	10 0	354.50	211	9.52	782 5					"		
		1089													
		9	190.	10 0	342.05	188	6.06	799 2					"		
		1121													
		10	122.	11 0	349.40	118	10.03	797 2					S.H.		
		1173													
		10	174.	11 0	357 —	166	12.01	782 7					Sw		
		1171													
		11	72.	12 0	26 —	66	16.04	798 0					S.H.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#29A	P#29	1134			° '		° '		1						
		1.0	13.5	11.0	10.25	126	15.40	783.1			829.1		S.H.		
		1153							2						
		11	54.	11.0	100.30	49	17.09	803.0					Point Ridge		
		1212							3						
		11	113.	12.0	32.35	102	18.09	783.7					S.H.		
		1201							4						
		11	102.	12.0	62.05	90	20.23	783.8					"		
		1171							5						
		1.0	172.	11.0	64.50	152	19.48	763.4					BK S + Ridge		
		1176							6						
		1.0	177.	11.0	39.15	158	19.13	763.3					"		
		1111							7						
		9	212.	10.0	20.35	191	18.12	756.3					B SW		
		1162							8						
		9	263.	11.0	20.05	249	13.25	758.9					S.H.		
		1112							9						
		8	313.	10.0	27.50	300	11.36	757.7					S.H.		
		1164							10						
		9	265.	10.0	38.10	243	16.48	746.0					SW		
									11						
P#30	P#29			—	° '		° '	831.5	5.2		836.7		P#30 + G#35		
		1168							12						
		11	69.	11.0	89.45	58	22.44	801.2					BK S.		
		1139							13						
		1.0	140.	11.0	80.50	111	26.45	769.4					S.H.		
		1179							14						
		11	80.	12.0	141.40	72	18.09	801.2					"		
		1146							15						
		1.0	147.	11.0	121.40	120	25 —	769.4					"		
		1143							16						
		1.0	144.	11.0	166.30	138	11.27	797.7					"		
		1182							17						
		1.0	183.	11.0	146.30	165	18.05	771.8					"		
		1127							18						
		9	228.	10.0	175.35	224	7.15	798.3					"		
		1135							19						
		9	236.	10.0	161. —	225	12.36	776.6					"		
		1176							20						
		9	277.	10.0	177.15	274	6.09	797.3					"		
		1154							21						
		9	295.	10.0	167.10	287	8.34	778.4					"		

Add'n'l Inform.

Notes Red C. J. TERRY Notes C. J. TERRY Job No. 8660 Division No. 4 F.B. 577 Pg. 113
Date JUN 6 1935 Date JUN 6 1935 Survey of Pt. Dume Ave
Notes Chkd. Checked Survey by Moore Notes Moore Date 5-25-35
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 114

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw. S.D.
Side of Ridge. S.R.
Head of Draw H.D.
Bottom Draw. B.D.
Bottom Wash B.W.
Top of Ridge. T.R.
Toe of Slope. T.S.

Inters. of Draws. V.D's
Break in Slope. . . . B.S.
Steep Slope. . . . . S.S.
Top of Cliff. . . . . T.Cl.
Bottom of Cliff. . . B.Cl.
Top of Spur. . . . . T.Sp.
Bottom Canyon. . . B.Cn.

Side of Canyon S.Cn.
Toe of Bank. . . . T.B.
Bottom of Bank. . B.B.
Top of Cut. . . . . T.C.
Bottom of Cut. . . B.C.
Top of Fill. . . . . T.F.
Bottom of Fill. . B.F.

Saddle . . . . . Sa.
Swale . . . . . Sw.
Flat . . . . . Fl.
Stream . . . . . Str.
Trail . . . . . Tr.
Pavement . . . . Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr. Rd.
Fence . . . . . Fn.
Int. Fences . V.Fns.
Ditch . . . . . Dt.
Telephone Pole T.P.
Power Pole. . . P.P.
Culvert . . . . . Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore . . . . . Sy.
Eucalyptus . . . . Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#30	P#29	1216			° '		° '								
		9	317.	11.0	159 20	303	− 12 —	761 4			836 7		S.H		
		662													
		4	263.	5.0	195 50	262	+ 2 45	844 3					" + G#36		
		1158													
		9	259.	10.0	149 35	240	− 15 47	758 8					"		
		1218													
		10	219.	11.0	134 45	188	− 21 54	750 0					"		
		802													
		6	203.	7.0	198 15	202	+ 3 21	841 4					"		
		1191													
		10	192.	11.0	118 40	156	− 25 40	750 8					"		
		832													
		7	133.	8.0	198 40	132	+ 3 32	836 8					"		
		1179													
		10	180.	11.0	91 10	139	− 28 16	750 6					"		
		454													
		4	55.	4.0	197 20	55	+ 2 13	834 8					" BK		
		461													
		4	62.	4.0	262 55	52	+ 23 —	855 0					"		
		402													
		3	103.	3.0	263 15	84	+ 25 06	873 2					T. BK.		
		498													
		4	99.	4.0	222 10	93	+ 14 20	856 4					S.H.		
		533													
		4	134.	4.0	238 15	116	+ 21 34	878 2					"		
		946													
		8	147.	9.0	214 45	141	+ 12 04	857 7					"		
		872													
		7	173.	8.0	227 45	158	+ 17 16	877 6					"		
		999													
		8	200.	9.0	208 05	195	+ 9 03	858 7					"		
		1012													
		8	213.	9.0	218 30	201	+ 13 36	876 3					"		
		674													
		4	275.	5.0	202 50	271	+ 6 40	863 3					"		
		774													
		5	275.	6.0	211 55	266	+ 10 36	880 3					"		
		833													
		5	334.	7.0	219 45	314	+ 14 12	909 2					BK.S. + Fn.		
		1181													
		9	282.	10.0	226 30	260	+ 16 22	903 0					S.H.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#30	P#29	640 / 5	141.	6°	260 50	115	+ 25 13	885 1		+ 484	836 7	+ 54	P#30A		
30A	30	1733 / 10 / 1134	134	11°	0 0		- 22 12	885	48		889 9		P#30A		
		10 / 726	135	11°	0 00	116	- 22 12	831 7		582		472	P#30 - Elev = 831 5		
		6 / 889	127	6°	128 50	125	+ 7 21	900 0					S.H		
		7 / 474	190	8°	130 35	186	+ 8 12	908 8					Bks & Fr		
		4 / 1142	75	4°	140 10	72	+ 11 11	900 2					"		
		10 / 618	148	11°	146 05	142	+ 11 56	908 9					S.H		
		5 / 654	119	6°	143 55	114	+ 11 50	907 8					Bks		
		6 / 682	55	6°	178 25	52	+ 14 -	896 7					"		
		6 / 1120	83	6°	174 50	78	+ 13 27	902 7					S.H		
		10	121	15°	174 20	114	+ 13 33	902 4					" & Fr		
P#32	P#31							863 0	5°		868 0		P#32 + Bks - Elev		
		1141 / 8 / 638	342	10°	354 30	342	- 0 20	856 1					S.H		
		3 / 1074	339	5°	346 05	338	+ 3 27	883 2					"		
		8 / 278	275	9 2	350 35	275	—	858 3					"		
		5 / 599	279	6°	340 50	277	+ 4 16	882 6					" & Fr		
		4 / 441	200	5°	340 45	200	+ 1 24	867 8					Bks &		
		2 / 523	242	3°	331 40	240	+ 5 41	888 8					S.H. Bks		
		3 / 448	224	4°	320 45	221	+ 6 23	888 8					T.R		
		3 / 813	149	4°	323 55	148	+ 5 15	877 4					" & Bks		
		6	214	7°	309 20	212	+ 5 27	881 2					S.H Bk		

Add'n'l Inform.

Notes Plotted C. J. TERRY Date JUN 6 1935 Job No. 8691 Division No. V F.B. 572 Pg 45
Notes Chkd. Checked Date Survey of Prairie Ave
Survey by Meece Notes Meece Date 5-27-35
Date Map No. Indexed C. Johnson

Form 301 10M 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 537 PG. 1/6

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D. | Bottom Wash B.W. | Side of Ridge.S.R. | Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws. V.D's | Break in Slope.....Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff.....B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon S.Cn. | Top of Bank.....T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Prt. | Edge of Road E.Rd.

Traveled Rd. Tr. Rd. | Fence .....Fn. | Int. Fences.V.Fns. | Ditch .....Di. | Telephone Pole T.P. | Power Pole...P.P. | Culvert .....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ca. | Sycamore .....Sy. | Eucalyptus .....Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#32	P#3	538			° '		° '		1						
		4	139.	5°	300 05	138	+ 3 51	872 4			868 0		S.H. Bk		
		11.04							2						
		9	205.	10°	299 25	204	+ 3 23	870 0							
		533							3						
		4	134.	5°	297 45	134	+ 2 30	868 8							
		339							4						
		3	40.	3°	312 45	40	— —	864 5					L4 G#37+ E.R.		
		1089							5						
		10	90.	10°	34 25	90	— —	857 8					Bk. S.+ Fn.		
		2.76							6						
		2	77.	2°	156	76	+ 6.55	875 2					S.H. +		
		1136							7						
		1	37.	11°	90 20	36	6.47	852 7					Bk. S.		
		1173							8						
		11	76.	11°	32 40	66	2.04	831 9					Sw.		
		1222							9						
		11	123.	12°	20 45	109	19.22	817 6					"		
		1177							10						
		10	178.	11°	352 10	176	5.46	839 3					"		
		1170							11						
		10	171.	11°	16 35	155	17.56	807 0					" + Bk. S		
		1147							12						
		9	248.	10°	354 35	246	4.27	839 0					"		
		1139							13						
		9	240.	10°	10 50	225	14.16	800 8					" " "		
		1122							14						
		8	323.	10°	358 10	322	3.42	837 3					S.H.		
		1195							15						
		9	296.	10°	11 20	283	11.52	798 7					Bk. S.		
		1163							16						
		8	364.	10°	359 15	363	3.43	837 7					S.H. Bk.		
		1173							17						
		8	374.	10°	10 30	365	8.47	801 7					S.H.		
		1207							18						
		8	408.	10°	15 25	396	9.41	790 7					Bk. S.		
		1134							19						
		7	435.	9°	21 15	418	11.16	775 9					"		
		1137							20						
		8	338.	10°	18 30	325	11.18	793 3					S.H.		
		1160							21						
		8	361.	10°	28 50	345	12.09	783 8					Bk S		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod C. J. TERRY Plotted C. J. TERRY Job No. 6040 Division No. V F.B. 577 Pg. 117
Date JUN 6 1935 Date JUN 6 1935 Survey of [illegible]
Notes Chkd. Checked Survey by [illegible] Notes [illegible]
Date Date Map No. Indexed [illegible] C. Johnson Date 5-29-35

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#32	P#31	1193 / 9 / 1200	294.	10°	23° 40'	277	− 13° 52'	889.8	1		868		S.H		
		.9.	301.	10°	34° 45'	282	− 14° 27'	785.5	2				"		
		1223 / 1.0	224.	11°	31° 45'	205	− 16° 44'	795.4	3				"		
		1164 / 9	265.	10°	49° 20'	244	− 16° 18'	786.8	4				"		
		1185 / 1.0	186.	11°	50° 35'	168	− 18° 03'	802.4	5				.		
		1148 / 9	249.	10°	60° 35'	231	− 15° 24'	794.5	6				Bk S		
		1166 / 1.0	167.	11	72° 25'	153	− 17° 05'	810.4	7				S.H		
		1145 / 9	246.	10°	74° 10'	231	− 14° 12'	799.7	8				"		
		1158 / 1.0	159.	11°	91° 50'	154	− 9° 52'	830.3	9				"		
		1135 / 9	236.	10°	88° 50'	230	− 8° 48'	822.5	10				Bk S		
		1167 / 1.0	168.	11°	113° 35'	168	− 1° 37'	852.5	11				S.H		
		1144 / 9	245.	10°	108° —	244	− 3° 26'	843.5	12				"		
		494 / 3	195.	4°	130° —	194	+ 3° 14'	874.9	13				"		
		769 / 5	270.	6°	124° 45'	270	+ 1° 32'	869.1	14				"		
		629 / 4	230.	5°	141° 40'	225	+ 8° 04'	895.0	15				"		
		900 / 6	301.	7°	138° 05'	297	+ 6° 58'	897.2	16				"		
		762 / 5	263.	6°	151° 05'	254	+ 10° 55'	911.0	17				Bk S		
		930 / 6	331.	8°	146° 20'	321	+ 10° 07'	917.2	18				S.H		
		568 / 3	269.	4°	158° 15'	259	+ 11° 08'	915.0	19				T.R.+ Fn		
		668 / 3	369.	5°	152° 30'	353	+ 11° 52'	937.3	20				S.H		
		800 / 4	401.	6°	154° 25'	383	+ 12° 06'	944.2	21				"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ....Fn. Inf. Fences. V. Fns. Ditch ....Di. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Sa. ....Sw. ....Fl. ....Str. ....Tr. ....Pvt. Edge of Road E.Rd.

Saddle Swale Flat Stream Trail Pavement

Side of Canyon S.Ca. Top of Bank T.B. Bottom of Bank B.B. Top of Cut....T.C. Bottom of Cut....B.C. Top of Fill....T.F. Bottom of Fill B.F.

Drawn V.D's Break in Slope....Bk.S. Steep Slope....S.S. Top of Cliff....T.Cl. Bottom of Cliff....B.Cl. Top of Sag....T.Sg. Bottom Canyon....B.Cn.

Interm. of

Topography Description Legend:
Side Hill....S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope....T.S.

F.B. 577 PG. 118

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P#32	P#31	1063			° '										
		6	464.	8.0	158 45	443	+ 12.17	956.5			868.		T.Bk. + Fn. N		
P#33	P#31				° '			884.8	5.0		889.		P#33 N E. Ridge		
		639													
		3	342.	5.0	101 49	325	+ 12.[illegible]	954.1					Bk. S.		
		794													
		5	295.	7.0	164 10	282	+ 12.[illegible]	942.8					"		
		684													
		3	365.	5.0	167 35	370	+ 11.22	958.3					"		
		536													
		5	337.	7.0	173 25	326	+ 10.36	943.8					"		
		742													
		3	443.	5.0	172 35	428	+ 10.35	964.9	X				"		
		714													
		4	395.	6.0	179 20	385	+ 9.[illegible]	945.6					"		
		1193													
		7	494.	10.0	174 45	479	+ 10.03	964.7	Y				"		
		963													
		5	464.	7.0	181 10	454	+ 8.34	951.3					S.H.		
		843													
		4	444.	6.0	186 10	439	+ 6.12	931.7					"		
		724													
		3	425.	5.0	192 25	424	+ 3.20	909.5					" + G#38		
		686													
		3	387.	5.0	184 50	382	+ 6.[illegible]	930.2					"		
		564													
		2	365.	4.0	191 15	364	+ 3.10	906.0					"		
		540													
		2	341.	4.0	182 20	336	+ 7.[illegible]	927.4					"		
		597													
		3	298.	4.0	187 40	297	+ 3.25	903.5					"		
		497													
		2	298.	4.0	178 50	293	+ 7.17	923.3					Bk. S.		
		332													
		1	233.	2.0	184 20	232	+ 2.53	899.6					S.H. Bk.		
		341													
		1	242.	2.0	172 55	238	+ 7.31	919.3					" "		
		391													
		2	192.	3.0	179 50	192	+ 2.29	894.6					" "		
		422													
		2	223.	3.0	169 50	219	+ 7.29	915.8					H. Sw.		

Add'n'l Interps.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rec'd C. J. TERRY Date JUN 6 1935 Notes Chkd. Date Checked Date Map No.
Date JUN 3 1935 Survey of Boise Division No. 4 F.B. 572 Pg. 44
Survey by Wilcox Notes Wilcox Date 5-27-35
Indexed C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#33	P#31	3.25			° '		° '		1						
		2.	120.	3°	171 25	-126	+ 3 26	894 3			889 8		Sw.		
		3.89							2						
		2	190.	3°	164 —	-186	+ 8 32	914 8					S.H. BL.		
		373							3						
		3.	74.	3—	157 45	-73	+ 7 27	896 3					" " NE Ridge		
		355							4						
		2	156	3°	154 55	-152	+ 9 28	912 2					" " " "		
		412							5						
		3	113	3°	154 25	-110	+ 8 31	905 3	X				TR + Fn.		✓
		1205							6						
		11	106	12°	347 30	-105	5 26	867 9					Sa		
		1208							7						
		11	109	12°	332 25	-108	5 57	866 7					E. ridge		
		1146							8						
		10.	147.	11°	314 30	-143	8 58	856 3					Bk. S.		
		1161							9						
		11.	62.	11°	305 10	-60	11 04	867 2					" "		
		1203							10						
		11.	104.	12°	281 25	-94	18 05	847 2					S.H.		
		1165							11						
		11	66.	11°	230 40	-63	12 58	864 5					"		
		1134							12						
		10.	135.	11°	234 10	-120	19 36	836 3					Bk S. + S. K.		
		1209							13						
		11.	11 0	12°	199 30	-108	6 41	865 2					"		
		1164							14						
		10.	165.	11°	223 50	-156	13 30	841 4					" Ext to D		
		1153							15						
		10	154.	11°	195 —	-153	4 54	865 7					Sw + Bk S.		
		1212							16						
		10.	213.	11°	214 —	-207	9 22	844 7					Bk into D		
		1186							17						
		10	187.	11°	191 50	-187	2 47	869 7					Bk S.		
		1128							18						
		9.	229.	10°	204 05	-227	5 31	857 9					Bk into D		
		1127							19						
		9.	228.	10°	195 10	-228	1 03	875 7					S.H. Bk		
		1159							20						
		9	300.	11°	206 45	-298	4 26	855 8					Bk into D		
		1200							21						
		9	301.	11 8	197 45	-301	—	878 0					S.H.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Escalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole... P.P. Culvert ..... Cul.

Sa. ..... Sa. Sw. ..... Sw. Fl. ..... Fl. Str. ..... Str. Tr. ..... Tr. Pvt. ..... Pvt. E.Rd. ..... E.Rd.

Saddle ..... Swale ..... Flat ..... Stream ..... Trail ..... Pavement ..... Edge of Road

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Interc. of Draws V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Top of Slope T.S.

F.B. 577 Pg. 1 & 2

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#33	P#31	1146			° '		° '		1						
		8	347.	10 0	203 40	346	2 26	865 3			889 8		Bk into D		
		590							2						
		5	391.	6 5	198 40	391	—	883 3					S.H		
		1115							3						
		7	416.	9 0	203 35	415	2 02	866 3					Bk into D		
		733							4						
		3	434.	4 8	198 45	434	—	885 0					S.H		
		1191							5						
		7	492.	9 0	203 35	492	1 04	871 7					Bk into D		
		1100							6						
		5	501.	9 0	206 10	500	2 38	857 8					BD - 5' wide		
		1142							7						
		7	443.	9 0	206 45	441	3 49	851 3							
		1142							8						
		7	443.	9 0	208 30	442	2 18	861 8					Bk into D		
		1100							9						
		7	401.	9 0	206 50	398	4 37	848 7					BD - 3' wide		
		1173							10						
		8	374.	10 0	210 35	373	3 24	857 7					Bk into D		
		1148							11						
		8	349.	10 0	209 05	345	5 52	844 4					BD		
		1208							12						
		9	309.	11 0	213 30	306	5 14	850 8					Bk into D		
		1208							13						
		9	301.	10 0	210 30	296	7 11	842 5					BD		
		1148							14						
		9	249.	10 0	218 05	244	7 55	846 0					Bk into D		
		1139							15						
		9	240.	10 0	214 30	232	10 20	837 6					BD		
		1192							16						
		10	193.	11 0	230 50	185	11 52	839 1					Bk into D		
		1192							17						
		10	193.	16 0	222 —	181	14 09	828 2					BD - 5' wide		
		1169							18						
		10	170.	11 0	248 30	156	16 47	831 8					Bk into D		
		1168							19						
		10	169.	11 0	236 25	148	20 37	823 2					BD - 5' wide		
		1172							20						
		10	173.	11 0	260 15	155	18 39	826 5					Bk into D		
		1171							21						
		10	174.	11 0	266 05	146	22 49	817 4					BD - 5' wide		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes by C. J. TERRY Date JUN 6 1935 Plotted C. J. TERRY Date JUN 6 1935 Job No. 55 Division No. K F.B. 577 Pg. 24

Notes Chkd. Date Checked Survey by Moore Notes Moore Date 5-27-35

Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#33	P#31	1203 / 10	204	11	274°	191	14.45	828.6	1		889.8		Bk. into I		
		1107 / 9	208	10	282.40	183	20	813.1	2				B.D.		
		1146 / 10	147	11	270.30	127	21.39	828.6	3				Bk. into D.		
		1221 / 10	222	11	260.50	218	7.34	849.8	4				S.H.		
		1215 / 10	216	11	248.40	214	5.33	858.1	5				"		
		1222 / 10	223	11	235.45	221	4.46	860.3	6				"		
		1148 / 9	249	10	228.55	248	3.40	864.1	7				"		
		1193 / 9	291	10	222.35	290	3.06	864.2	8				"		
		1135 / 8	336	10	217.35	335	2.33	865.0	9				"		
		1177 / 8	378	10	214.20	378	1.40	869.0	10				"		
		1228 / 8	429	10	212.35	417	9.48	8738 8081	11				"		
P#35	P#34						0.48	925.6	12		930.6		P#35 + S.H.		
		1112 / 7	413	9	338.25	406	7.35	867.5	13				Bk. into D		
		1219 / 8	420	10	335.10	416	5.27	881.0	14				S.H.		
		1147 / 8	348	10	337.35	341	8.18	871.2	15				Bk. into D		
		1100 / 8	361	10	332.20	357	5.55	883.5	16				S.H.		
		1193 / 9	294	10	335.55	287	8.31	877.6	17				Bk. into D.		
		1187 / 9	288	10	333.05	285	6.07	890.2	18				S.H.		
		1140 / 9	241	10	336.50	234	10.06	879.2	19				Bk. into D.		
		1141 / 9	242	10	327.35	239	6.18	894.3	20				S.H.		
		1169 / 10	170	11	328.20	164	11.09	887.5	21				Bk. into D		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 Pg. 122

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore.....Sy. Eucalyptus.....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence.....Fe. Int. Fences. V.Fnc. Ditch.....Di. Telephone Pole T.P. Power Pole.....P.P. Culvert.....Cul.

Sa.....Sw. Saddle.....Fl. Swale.....Str. Flat.....Tr. Stream.....Pvt. Trail.....E.Rd. Pavement Edge of Road

Side of Canyon B.Cn. Bank.....T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Side of Canyon V.D's Top of Bank..Bk.S. Bottom of Slope.....S.S. Steep Slope.....T.Cl. Top of Cliff.....B.Cl. Bottom of Cliff..T.Sp. Top of Spur.....B.Cn. Bottom Canyon

Intern. of Drawn Break in Slope

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P#35	P#34	11.79			° ' "		° ' "		1						
		10	18.9	11°00"	319°05'	178	5°54'	901.2			930.6		S 11		
		11.21							2						
		10	12.2	11°00"	315°10'	116	12°48'	893.3					BK into D		
		11.38							3						
		10	13.9	11°00"	304°20'	138	5°01'	907.5					S H		
		11.96							4						
		11	9.7	12°00"	286°20'	96	6°38'	907.5					Bk into D		
		9.36							5						
		8	13.7	8°06"	280°10'	137	—	922.0					S H		
		11.58							6						
		11	8.9	12°00"	245°15'	89	2°23'	914.9					Bk into D		
		4.31							7						
		3	13.2	4°00"	250°10'	132	1°11'	929.4					BK S		
		11.01							8						
		10	10.2	10°09"	209°	102	—	919.7					BK into D		
		9.46							9						
		3	14.5	4°00"	273°50'	145	3°16'	934.8					BK S		
		3.41							10						
		2	14.2	3°00"	190°50'	142	—	927.6					BK into D		
		3.76							11						
		2	17.1	3°00"	179°	171	2°24'	934.8					" " "		
		2.93							12						
		1	19.4	2°00"	198°25'	193	4°08'	942.6					S H		
		5.52							13						
		3	25.3	4°00"	164°50'	251	4°46'	947.7					BK into D		
		3.44							14						
		1	24.5	2°00"	181°55'	243	5°—	950.0					S H		
		6.20							15						
		3	32.1	4°00"	162°50'	319	4°59'	954.3					BK into D		
		4.17							16						
		1	31.8	2°00"	174°25'	315	5°39'	959.7					S.H.		
		7.93							17						
		4	39.4	6°00"	161°15'	390	5°50'	964.6					BK into D		
		5.02							18						
		1	40.3	3°00"	171°20'	398	6°33'	973.3					S.H.		
		5.61							19						
		4	16.2	5°00"	170°05'	161	3°16'	934.8					BK into D		
		9.57							20						
		8	15.8	9°00"	176°55'	158	0°58'	924.4					B.D. - 5' wide		
		6.35							21						
		5	13.6	6°00"	168°30'	135	3°28'	932.8					S.H BK		

Add'n'l Inforns.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod C. J. TERRY Plotted C. J. TERRY Job No. 8080 Division No. K Area
Date JUN 6 1935 Date JUN 6 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by Prairie Notes Date 5-27-35
Date Date Map No. Indexed A. C. Johnson Date

F.B. 577 Pg. 133

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#35	P#34	1220			° '		° '		1						
		11	121.	12°	191 20	121	1 02	916 3			930 6		B.D - 4 wire		
		815							2						
		7	116.	7 3	187 55	116	—	923 3					Bk. into I		
		1122					° '		3						
		11	73.	11°	225 15	73	3 52	914 7					" "		
		1180							4						
		11	81.	12°	227 50	80	7 05	908 7					B.D - 3 wire		
		1170							5						
		11	71.	12°	275 30	69	8 43	908 1					Bk. into I		
		1186							6						
		11	87.	12°	277 20	83	13 02	899 6					B.D 3 wire		
		1196							7						
		11	97.	12°	323 45	93	11 33	899 6					Bk into D		
		1200							8						
		11	101.	15°	306 20	94	15 29	889 7					B.D - 5 wire		
		1155							9						
		10	156.	11°	343 25	150	10 52	890 8					Bk. S.		
		1154							10						
		10	155.	11°	326 25	144	15 03	880 7					B.D - 3 wire		
		1202							11						
		10	203.	11°	339 25	195	11 40	879 4					Bk into D 5 wire		
		1113							12						
		9	214.	10°	337 20	203	13 03	873 7					B.D - 4 wire		
		1116							13						
		9	217.	10°	341 15	209	10 56	880 3					Bk into D		
		1166							14						
		9	267.	11°	341 —	257	11 23	868 1					3D - 3 wire		
		1162							15						
		9	263.	10°	344 25	256	9 16	878 7					Bk into D		
		1137							16						
		8	338.	10°	339 30	328	9 52	863 7					B.D - 3		
		1134							17						
		8	335.	10°	342 20	328	8 18	872 8					Bk into D		
		1196							18						
		8	397.	10°	339 50	387	9 09	858 4					B.D - 3		
		1186							19						
		8	387.	10°	342 20	380	7 26	871 0					Bk. into I		
		1168							20						
		8	369.	10°	351 30	367	4 36	892 2					S.H.		
		1156							21						
		8	357.	10°	0 20	357	0 51	915 3					" BM		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#35	P#34	1200			° '		° '								
		9	301.	11.0	352 30	299	4 44	894.8			930.6		S.H.		
		1182													
		9	283.	11.0	5 25	283	0 53	915.2					"		
		1206													
		10	207.	11.2	357 15	204	6 36	896.8					" BK		
		1098													
		9	199.	10.0	11 35	199	2 46	911.2					" "		
		1188													
		10	189.	11.0	356 15	184	9 04	890.2					B Sw		
		1184													
		10	185.	11.0	13 30	184	3 17	909.1					" "		
		1168													
		10	169.	11.0	354 50	166	8 05	896.2					S H Bk		
		1165													
		10	166.	11.2	15 50	166	1 32	915.3					"		
		1194													
		11	95.	12.0	350 10	94	7 03	907.1					S.H.		
		487													
		4	88.	4.0	35 20	87	+ 4 35	933.6					"		
		1133													
		11	34.	11.0	320 15	34	2 51	917.9					"		
		357													
		3	58.	3.6	182 40	58	—	927.0					"		
		749													
		6	150.	7.0	160 10	148	+ 6 03	939.3					"		
		159													
		1	60.	1.0	119 —	55.	+ 16 14	945.7		+ 15.1		+ 16.4	P#35A + G#39 + BKS		
P#35A	P#35							945.7	4.7		950.4		P#35A		
		1157													
		11	58.	11.0	0 00	55	— 13 57	925.8		24.6		13.6	P#35 — Elev = 925.8		
		264													
		2	65.	2.0	152 10	62	+ 11 34	961.2					BK S		
		662													
		5	163.	6.0	148 35	156	+ 12 —	877.6					S.H.		
		185													
		1	86.	1.0	106 10	85	+ 4 50	956.6					BK S		
		669													
		5	170.	6.0	119 —	166	+ 8 51	970.2					S H BK		
		1058													
		9	159.	9.8	80 30	159	—	940.6					"		

Add'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ..... Cul.

Sa. ..... Sw. ..... Fl. ..... Str. ..... Tr. ..... Pvt. ..... E.Rd.

Saddle ..... Swale ..... Flat ..... Stream ..... Trail ..... Pavement ..... Edge of Road

Canyon B.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Side of Top of Bottom of Top of Bottom of

Drawn. V.D's Brk. S. S.S. T.Cl. B.Cl. T.So. B.Cn.

Inters. of Break in Slope Steep Top of Cliff Bottom of Cliff Top of Spur Bottom Canyon

F.B. 577 Pg. 124

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod —	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 35A	P# 35	692 / 5	198.	6°	102° 15'	197	+ 4.08	958.6	1		950.4		S.H.		
		1195 / 10	196.	11°	77° 05'	196	- 1.30	934.4	2				" Bk.		
		536 / 3	237.	4°	93° 05'	237	+ 1.23	952.0	3				Sw		
		1206 / 10	207.	11°	75° 20'	206	- 3.05	928.4	4				"		
		395 / 1	296.	2°	82° 50'	296	+ 1.09	954.3	5				S.H.		
		1136 / 9	237.	10°	72° 10'	237	- 2.25	930.5	6 X				"		
		454 / 1	355.	3°	74° 40'	355	+ 1.46	958.3	7				"		
		1092 / 8	293.	10°	67° 50'	293	- 1.29	932.8	8				"		
		618 / 2	419.	4°	70° 05'	418	+ 2.07	961.2	9 X				" Bk.		
		1153 / 8	354.	9°	63° 40'	354		941.0	10 X				" "		
		1443 / 7	444.	9°	59° 25'	444	- 0.51	935.0	11				"		
		734 / 3	435.	5°	64° —	435	+ 0.44	950.9	12				Bk. S.		
		776 / 3	477.	5°	68° 40'	476	+ 1.55	961.2	13				T.R.		
		520 / 1	421.	3°	81° 35'	419	+ 3.34	973.6	14				"		
		440 / 1	341.	3°	90° 05'	340	+ 3.18	966.4	15				S.H.		
		600 / 3	301.	4°	96° 35'	300	+ 3.32	964.9	16				"		
		1045 / 8	246.	9°	107° —	244	+ 5.17	963.9	17				Sw.		
		1184 / 10	185.	11°	122° 55'	179	+ 10.12	971.7	18				S.H. Bk.		
		676 / 5	172.	6°	148° —	170	+ 11.27	978.8	19				"		
		700 / 5	201.	6°	167° 10'	195	+ 10.16	979.6	20				"		
		686 / 5	187.	6°	184° 45'	183	+ 8.16	971.1	21				"		

Add'n'l Inform.

Notes Rec'd. JUN 6 1935 Date Plotted C. J. TERRY Job No. 8090 Division No. V F.B. 577 Pg. 123
Notes Chkd. Checked Date Survey of Prairie Ave
Notes Chkd. Survey by Notes Date 5-27-35
Indexed C. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5377 Pg. 26

Topography Description Legend:
Side Hill ..... Sh.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Inters. of Draw, Break in Slope ..... Bk. S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon, Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Traveled Rd. ..... Tr. Rd.
Fence ..... Fn.
Int. Fences ..... V. Fns.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak ..... O.
Pine ..... Pi.
Sycamore ..... Sy.
Eucalyptus ..... Eu.

Fir ..... Fr.
Cedar ..... Ce.

Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P# 32	P# 35	1.09			° '		° '								
		1.00	100.	1.0	176 50	98	+ 8 56	964.1			950.4		S.H.		
		4.04													
		2.05	205.	3.0	205 35	204	+ 3 48	961.0					"		
		2.28													
		1.29	129.	2.0	211 35	129	+ 2.20	953.6							
		4.56													
		2.57	257.	3.0	221 45	257	+ 1.45	955.2					Bk into D		
		6.89													
		1.90	190.	6.2	232 20	190	— '	944.2					" " "		
		2.65													
		2.66	266.	3.8	227 15	266	— '	946.6					B.D. - 15' wide		
		8.97													
		.98	98.	8.3	235 10	198	— '	942.1					B.D. 10' "		
		5.83													
		2.84	284.	4.0	231 —	284	+ 1.34	954.2					Bk into D		
		5.07													
		2.08	208.	4.4	231 10	208	— '	946.0					"		
		5.43													
		3.44	344.	4.0	235 45	343	+ 3.31	967.4					S.H.		
		3.66													
		2.67	267.	2.0	242 30	267	+ 1.36	955.6					"		
		5.13													
		4.14	411.	3.0	239 55	411	+ 4.49	981.0					" Bk.		
		4.61													
		3.62	362.	3.0	251 05	360	+ 3.56	972.2					℄ 12' rd		
		6.49													
		4.50	450.	4.0	242 40	447	+ 4.42	983.2					" " "		
		5.03													
		4.04	404.	3.0	253 30	402	+ 3.52	974.6					Top knob		
		3.83													
		2.84	284.	2.0	261 20	284	+ 2.09	959.0					℄ 12' rd		
		6.94													
		1.95	195.	6.4	267 30	195	— '	944.0					S.H.		
P# 32F	P# 32E				° '		° '	984.5	49		989.4		P# 32F + Sa. to P#		
		12.12	313.	11.0	201 10	313	− 0.38	974.8					Bk into D		
		11.63													
		2.64	264.	10.0	225 35	263	− 3.55	961.4							
		11.92													
		2.93	293.	10.0	201 15	292	− 2.45	965.4					B.D. - 5' wide		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Note Red. C. J. TERRY Plotted C. J. TERRY Job No. 2010 Division No. K F.B. 577 Pg. 127
Date JUN 6 1935 Date JUN 6 1935 Survey of Pomona Blvd
Note Chkd. Checked Survey by [illegible] Notes [illegible] Date
Map No. Indexed C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#32F	P#32E	1142			° '		° '		1						
		9	243	10	226 35	239	7 04	949 7			98.94		B.D - 8' wia		
		1175							2						
		9	276	10	200 50	276	1 26	972 6					Bk into I		
		1132							3						
		9	233	10	226 50	230	6 07	954 7					Bk S		
		1205							4						
		10	206	11	206 25	205	2 47	968 5					S H Bk		
		1204							5						
		10	205	11	227 30	203	5 07	960 2					Bk into D		
		1168							6						
		10	169	11	249 20	168	5 05	963 6					S H		
		1204							7						
		11	105	11	228 50	105	2 48	973 3					"		
		1166							8						
		10	167	11	273 55	166	3 06	969 5					"		
		1084							9						
		10	85	10	279 45	85	0	979 1					Bk S		
		1179							10						
		10	180	11	296 35	180	0	978 0					"		
		924							11						
		8	125	9	320 40	125	0	980 4					TR		
		978							12						
		8	179	9	315 25	179	0	980 3					"		
		1188							13						
		10	189	11	338 40	189	0	978 0					"		
		1135							14						
		9	236	10	331 —	236	0	979 0					"		
		1154							15						
		9	255	10	343 20	255	0 58	975 2					"		
		1114							16						
		8	315	11	337 45	315	0 38	975 0					"		
		1135							17						
		8	336	10	348 15	336	1 28	971 0					" + Fn ✓ S 126 S		
		1120							18						
		7	421	9	347 35	421	1 17	971 0					" "		
		1163							19						
		10	164	11	23 15	162	5 52	961 7					H Sw + "		
		1132							20						
		9	234	10	1 30	233	3 24	965 5					G# "		
		1157							21						
		10	158	11	2 55	158	2 45	970 9					S H		

Add'l Inform.

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 Pg. 1/28

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw..B.D. | Bottom Wash B.W. | Bottom of Ridge..B.R. | Top of Ridge..T.R. | Toe of Slope..T.S.

Inters. of Draw..Y.D's | Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon..S.Cn. | Top of Bank.....T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road..E.Rd.

Traveled Rd..Tr.Rd. | Fence .....Fn. | Int. Fences..V.Fns. | Ditch .....Di. | Telephone Pole..T.P. | Power Pole...P.P. | Culvert .....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ca. | Sycamore .....Sy. | Eucalyptus .....Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
					° '		° '								
P32F	P32E	1087													
		10	88	10 4	3.55	88	—	979 0			989 4		BK S		
		689													
		6	90	6 6	53.20	90	—	982 8					"		
		578													
		1	79	5 3	179.55	79	—	984 1					BK S		
		167													
		1	68	1 0	136.20	68	1.35	986 6					T R + BK S		
		1157													
		10	158	11 0	178.50	158	1.25	974 4					S H		
		264													
		1	165	2 0	157.20	164	+ 4.05	999 1					"		
		535													
		6	236	7 4	180 —	236	—	982 9					BK S		
		362													
		1	268	2 0	164.05	262	+ 3.01	1002 0					S H		
		606													
		3	307	4 8	179.40	307	—	984 6					"		
		045													
		1	346	3 0	165.10	345	+ 3.—	1004 4					"		
		515													
		2	326	3 0	174.25	326	+ 0.49	990 2					BK S		
		777													
		4	380	6 0	181.35	380	+ 1.—	990 0					BK into D		
		+220													
		8	425	10 0	156.50	421	— 5.41	1021 8					S H		
		436													
		1	337	3 0	153 —	332	+ 6.56	1026 8					"		
		405													
		1	306	2 0	150.30	301	+ 7.31	1027 2					" BK		
		339													
		1	240	2 0	139.10	233	+ 10.02	1028 8					"		
		297													
		1	198	2 0	118.50	191	+ 10.29	1023 0					"		
		411													
		2	212	3 0	95.35	208	+ 7.48	1015 1					" + Fn + BK S		
					° '		° '								
					° '		° '								
					° '		° '								

Add'l Inform.

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Plotted C. J. TERRY Date JUN 6 1935 Notes Chkd. Checked Date Survey of Topanga Notes by [illegible] Date Job No. 8090 Division No. T.B. 577 Pg. 129

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#32G	P#32F			—	° ′		− ° ′	991.5	4.8		996.3		P#32 G to P#40 + Bk into D		
		454							1						
		3	155.	4°	96 30	-151	+ 8 59	1016.4	2				Bk into D		
		439							3						
		2	240.	3°	99 35	-233	+ 9 27	1032.4	4				" " "		
		846							5						
		7	147.	8°	103 05	-145	+ 6 34	1005.2	6				BD		
		1232							7						
		10	233.	11°	106 25	-228	+ 8 09	1018.3	8				"		
		448							9						
		3	149.	4°	110 15	-145	+ 9 52	1017.7	10				Bk into D		
		432							11						
		2	233.	3°	113 25	-226	+ 10 01	1033.4	12				" "		
		284							13						
		1	185.	2°	132 50	-177	+ 12 11	1032.7	14				SH		
		465							15						
		2	266.	3°	129 35	-254	+ 12 28	1049.5	16				"		
		434							17						
		2	235.	3°	145 45	-224	+ 12 13	1042.2	18				"		
		500							19						
		2	301.	3°	139 05	-287	+ 12 33	1057.3	20				"		
		496							21						
		2	297.	3°	154 10	-287	+ 10 24	1046.3	22				"		
		440							23						
		1	341.	2°	145 30	-326	+ 12 13	1065.0	24				"		
		457							25						
		1	358.	3°	158 55	-349	+ 9 14	1050.1	26				" Bk		
		1092							27						
		7	393.	9°	150 —	-378	+ 11 25	1063.6	28				"		
		847							29						
		5	348.	7°	163 —	-341	+ 7 57	1037.2	30				Bk S		
		815							31						
		5	316.	6°	169 —	-312	+ 6 22	1025.3	32				SH		
		388							33						
		1	289.	2°	179 15	-288	+ 2 29	1006.9	34				"		
		347							35						
		1	248.	2°	165 50	-244	+ 6 50	1023.7	36				"		
		325							37						
		1	226.	2°	178 50	-226	+ 2 05	1002.6	38				"		
		275							39						
		1	176.	2°	160 10	-172	+ 8 22	1019.8	40				"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 130

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D. | Side of Canyon S.Cn. | Inters. of Draw. V.D's
Side of Draw.S.D. | Bottom Wash B.W. | Side of Bank...T.B. | Break in Slope...Br.S.
Side of Ridge.S.R. | Top of Ridge.T.R. | Bottom of Bank.B.B. | Steep Slope.....S.S.
Head of Draw H.D. | Toe of Slope..T.S. | Top of Cut.....T.C. | Top of Cliff.....T.Cl.
| | Bottom of Cut.B.C. | Bottom of Cliff..B.Cl.
| | Top of Fill.....T.F. | Top of Spur.....T.Sp.
| | Bottom of Fill.B.F. | Bottom Canyon..B.Cn.

Abbreviations: Oak-O. Fir-Fr. Pine-Pi. Cedar-Ca. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. | Fence .....Fn. | Inf. Fences V.Fns. | Ditch .....Di. | Telephone Pole T.P. | Power Pole...P.P. | Culvert .....Cul.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road E.Rd.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
		245							1						
P#32G	P#32F	1	146.	2°	179°55'	-146	+ 1°20'	997 8	2		996 3		S.H.		
		204													
		1	105.	1°	144°20'	-103	+ 8°34'	1011 0	3				BKS.		
		562													
		5	63.	5°	189°40'	-63	° '	991 3	4				" + T.R.		
		466													
		4	67.	4°	109°35'	-66	+ 7°44'	1001 4	5				" + B. into D.		
		462													
		4	63	4°	95°10'	-63	° '	991 9	6				BD. - 3' wide		
		1014													
		10	15.	10'	1°30'	-15	° '	986 2	7				" 14' "		
		969													
		3	70.	3°	80°15'	-69	+ 5°24'	1000 0	8				Bk into D.		
		535													
		5	36.	5°	0°25'	-36	° '	990 9	9				" " "		
		1203													
		11	104.	12°	318°05'	-104	2°15'	980 2	10				B.D.		
		1127													
		10	128.	11°	319°50'	-128	3°24'	977 6	11				"		
		1198													
		10	199.	11°	328°25'	-198	4°17'	970 4	12				Bk into D.		
		1180													
		10	181.	16°	323°25'	-180	4°47'	965 2	13				B.D.		
		1165													
		10	166.	11°	316°50'	-165	3°23'	975 4	14				Bk into D.		
		972													
		9	73.	9°	281° — '	-73	° '	987 2	15				T.R.		
		1144													
		10	145.	12°	295°05'	-145	° '	983 8	16				"		
		1137													
		10	138.	10°	280°05'	-138	° '	985 8	17				℄ 12' rd. + T.R.		
		1092													
		10	93.	10°	227° — '	-93	° '	985 5	18				" " " "		
		1144													
		10	145.	12°	255°40'	-145	° '	983 8	19				Bk. S.		
		1162													
		10	163.	11°	197°10'	-163	° '	985 0	20				℄ 12' rd.		
		1183													
		10	184.	11°	230°25'	-183	4°50'	969 7	21				S.H.		
		1155													
		9	256	10°	191°30'	-256	—	986 0					℄ 12' rd.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. C. J. TERRY Plotted C. J. TERRY Job No. 2090 Division No. K F.B. 577 Pg. 1&2
Date JUN 6 1935 Date JUN 6 1935 Survey of Pacific Lake
Notes Chkd. Checked Survey by Meade Notes Wilson Date 5-28-35
Map No. Indexed C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#32G	P#32F	1160 / 9	261.	10°	208° 40'	260	3° 43'	969.3			996.3		S.H.		
		1182 / 9	283.	10°	217° 30'	281	5° —	961.7					B Sw + H D		
		1137 / 8	338.	10°	220° 05'	337	2° 49'	969.7					S.H.		
		1131 / 8	332.	10°	209° 15'	331	3° 14'	967.5					B Sw		
		1177 / 8	378.	10°	213° 20'	378	1° 10'	979.6					S.H.		
P#37	P#36			—	° '		° '	1024.3	5°		1029.3		P#37 + S.H.		
		1139 / 9	240.	10°	341° 25'	234	9° 09'	981.7					B Sw		
		1181 / 9	282.	10°	333° 55'	278	6° 34'	987.2					S.H.		
		1189 / 10	190.	11°	319° 30'	187	7° 38'	993.3					inter Sw.		
		1152 / 9	253.	10°	320° 10'	251	5° 38'	994.6					S.H.		
		1127 / 10	128.	11°	306° 30'	126	6° 41'	1002.6					Sw		
		1144 / 9	245.	10°	301° 30'	243	5° 07'	997.6					S.H.		
		1155 / 9	256.	10°	290° 45'	254	5° —	997.2					Sa		
		1202 / 10	203.	11°	279° 05'	202	3° 46'	1005.1					S.H.		
		1180 / 11	81.	12°	264° 25'	81	— ° '	1017.1					Sw.		
		1179 / 10	180.	11°	261° 30'	180	1° — '	1015.3					S.H.		
		190 / 1	91.	12°	208° 25'	91	— ° '	1027.4					H Sw.		
		262 / 1	163.	09°	233° 25'	163	— ° '	1028.4					S.H.		
		232 / 1	133.	2°	187° 30'	133	1° 56'	1033.4					L #41 + Sa. cut 3'		
		390 / 2	191.	3°	205° 45'	191	2° 32'	1034.8					TR		
		335 / 1	236.	2°	218° 15'	235	2° 38'	1038.2					"		

Asst'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 132

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw B.D. | Bottom Wash B.W.
Side of Draw S.D. | Bottom Wash B.D. | Top of Ridge T.R.
Side of Ridge S.R. | Top of Slope..T.S.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draw, V.D's: Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cli#.....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Ca.

Side of Canyon S.Cn. | Top of Bank..T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvd. | Edge of Road E.Rd.

Traveled Rd. Tr. Rd. | Fence ..... Fn. | Int. Fences..V.Fns. | Ditch ..... Dl. | Telephone Pole..T.P. | Power Pole....P.P. | Culvert ..... Cul.

Blk. O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#37	P#36	308			° '		° '		1						
		1	209.	1 0	238 30	209		1028 3			1029 3		S.H		
		1214							2						
		101	215.	11 0	259 40	215	1 10	1014 0					"		
		1176							3						
		9	277.	10 0	257 50	277	2 08	1009 2					"		
		879							4						
		6	280.	7 2	245 25	280		1022 1					"		
		484							5						
		2	285.	3 0	234 15	285	+ 1 16	1032 5					"		
		704							6						
		4	305.	5 0	222 35	304	+ 2 41	1038 4					T.R		
		181							7						
		1	82.	1 0	144 50	81	+ 5 12	1035 8					℄ 12' rd	✓	.
		536							8						
		5	37.	5 8	218 05	37		1023 5					" " "	✓	.
		1167							9						
		11	68.	11 0	315 10	67	5 13	1012 2					" " "	✓	.
		1121							10						
		10	122.	11 0	344 25	120	7 34	1002 5					" " "	✓	.
		1197							11						
		10	198.	11 0	1 25	195	7 08	994 1					" " "	✓	.
		1143							12						
		9	244.	10 0	19 30	243	3 35	1004 2					S.H		
		1166							13						
		10	167.	11 0	20 25	167	2 42	1010 6					"		
		1171							14						
		11	72.	11 0	20 05	72		1018 3					"		
		353							15						
		2	154.	3 0	117 55	151	+ 7 54	1047 2					℄ 12' rd + T.R.		
		177							16						
		1	78.	1 0	86 —	77	+ 5 03	1035 1					S.H		
		257							17						
		1	158.	2 0	101 50	155	+ 8 23	1050 0					T.R.		
		224							18						
		1	125.	2 0	59 05	125	2 16	1022 4					S.H		
		281							19						
		1	182.	2 0	76 50	179	+ 7 36	1051 2					13 L.S.		
		299							20						
		1	200.	0 8	43 B5	200	—	1028 5					.		
		517							21						
		3	218.	4 0	54 05	216	+ 5 46	1047 0					"		

Add'n'l Inform.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#37	P#36	7.95 / 5 / 3.48	296.	6.0	68° 30'	290	+ 8.24	1066.2			1029.3		Bk S		
		1.652	249.	2.0	80° 50'	244	+ 7.57	1061.0					T.R		
		4.	253.	5.0	100° 10'	248	+ 8.20	1060.5					℄ 12' rd	✓	✓
P#38	P#36			—	° '		° '	1032.6	5.1		1037.5		P#38 + Sa		
		2.74 / 1. / 441	175.	2.0	88° —	174	+ 4.20	1048.7					S.H		
		2. / 279	242.	3.0	85° 05'	240	+ 4.51	1054.9					"		
		1. / 642	180.	2.0	106° 35'	180	+ 1.38	1040.6					"		
		4. / 914	243.	5.0	142° 45'	243	+ 2.30	1043.1	X				"		
		7. / 866	215.	8.1	128° 05'	215	— ° '	1029.4					Bk S		
		6. / 1139	267.	7.2	118° 35'	267	— ° '	1030.3					S.H		
		9. / 1196	240.	10.6	142° 30'	240	— ° '	1026.9					Sa		
		9. / 1059	297.	10.0	131° 30'	297	0.56	1022.8					Bk S		
		8. / 636	260.	9.4	150° 25'	260	— ° '	1028.1					T.R		
		3. / 1131	337.	5.3	160° 40'	337	— ° '	1032.2					" + Bk S		
		8. / 538	332.	11.1	144° 50'	332	— ° '	1026.4					Bk S		
		2. / 621	339.	2.4	170° 45'	339	— ° '	1035.1					" + T.R		
		3. / 668	322.	4.2	181° —	322	— ° '	1033.3					Bk S		
		4. / 1132	269.	5.7	163° 20'	269	— ° '	1031.8					T.R		
		9. / 1157	233.	11.4	169° 55'	233	— ° '	1026.1					S.H		
		9. / 1167	258.	10.0	186° 30'	258	2.12	1011.7					S.H.		
		10.	166.	11.0	161° 05'	168	0.55	1023.8					Sa		

Add'l Inform.

Notes Red. C. J. TERRY Plotted C. J. TERRY Job No. 2210 Division No. V F.B. 577 Pg. 133
Date JUN 6 1935 Date JUN 6 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by Wheeler Notes Wheeler Date 5-28-35
Computed C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 134

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Side of Ridge S.R. | Top of Ridge T.R. | Head of Draw H.D. | Toe of Slope T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Sa. ..... Sy. Fl. ..... Str. Tr. ..... Pvt. Pvt. ..... E. Rd.

Saddle ..... Single ..... Flat ..... Stream ..... Trail ..... Pavement ..... Edge of Road

Side of Canyon B.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draws V.D's Break in Slope ..... Bk. S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#38	P#36	1184			° '		° '								
		10	185.	11.0	186 20	184	4 10	1013 2			1037 5		H.D.		
		902													
		8	103.	8	141 30	103		1029 4					S.H.		
		1156													
		10	157.	11.0	202 55	157	2 03	1020 8					BkS		
		180													
		1	81.	1.0	96 50	81	1 07	1038 2					S.H.		
		896													
		7	197.	7.9	224 35	197		1029 6					Bk. S		
		962													
		7	263	7.5	234 10	263		1030 0					"		
		980													
		9	81.	9.2	187 45	81		1027 8					S.H.		
		400													
		2	201.	1.6	234 35	201		1035 9					TR.		
		406													
		3	107.	3.1	228 45	107		1034 4					"		
P#32E	P#32F														
		572						963 6	5°		968 6		P#32E + S.H.		
		4	173.	4.2	311 10	173		963 7					S.H.		
		1186													
		10	187.	11.0	296 20	187	0 39	955 5					"		
		1109													
		10	110.	11.0	308 10	109	4 17	949 4					B.Sw.		
		1137													
		10	138.	11.0	269 20	138	3 11	950 0					Bk.S.		
		1202													
		11	103.	12.0	276 50	99	11 19	936 8					B. Small D.		
		1147													
		11	48.	11.0	283 20	47	7 08	951 7					S.H.		
		1170													
		11	71.	11.0	244 05	68	10 56	944 4					"		
		934													
		9	35.	8.9	187 35	35		959 7					"		
		1182													
		11	83.	12.0	202 10	82	7 02	946 5					"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
		797			° '		° '		1						
P#32E	P#32F	7	98.	7 3/5	158.00	98	—	961 3/5			968 6/5		S.H		
		1134					0		2						
		10	135.	11 0/5	178.35	134	3.48	948 6/5	3				"		
		570													
		4	171.	4 2/5	158 —	171	—	964 4/5	4				BK S		
		1197					0								
		10	198.	11 0/5	170.40	198	2.33	949 0/5	5				S.H + G#		
		1238													
		10	239.	11 0/5	150.45	239	+ 0.57	961 5/5	6				"		
		1145													
		9	246.	14 0/5	159 —	246	—	954 6/5	7				BK S.		
		993					0								
		8	194.	9 0/5	136 —	193	+ 3.11	970 3/5	8				T.R + Fn	1	
		740													
		6	141.	7 0/5	133.35	140	+ 4.06	971 1/5	9				" "	1	
		1212													
		10	243.	11 0/5	180.20	210	7.00	931 8/5	10				BK S.		
		1153													
		10	154.	11 0/5	193.05	150	9.21	933 0/5	11				"		
		1109													
		10	110.	11 0/5	223.10	105	11.41	935 8/5	12				"		
		1122													
		10	123.	11 0/5	257.45	113	16.46	923 7/5	13				B Small D		
		1143													
		10	144.	11 0/5	270.30	141	8.22	936 9/5	14				S.H		
		1157													
		10	158.	11 0/5	212.10	149	14.10	920 2/5	15				"		
		1200													
		10	201.	15 0/5	198.10	193	11.11	915 4/5	16				"		
		1148													
		9	249.	15 0/5	192.15	241	10.24	909 4/5	17						
P#32C	P#32D			—	° '		° '	924 5/5	5°		929 5/5		P#32C + Fl Sp		
		914							18						
		6	315.	7 0/5	350.10	315	+ 0.32	925 5/5	19				S.H		
		1128													
		8	329.	10 0/5	339.30	328	3.50	898 7/5	20				"		
		754													
		7	255.	8 0/5	347.35	255	—	921 5/5	21				"		
		1177													
		9	278.	10 0/5	335.30	276	5.22	893 7/5					"		

Notes Rod C. J. TERRY Plotted C. J. TERRY Job No. 6228 Division No. K F.B. 577 PG. 185
Date JUN 6 1935 Date JUN 6 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by Moore Notes Moore Date 5-28-35
Date Date Map No. Indexed C. Johnson

Augment Informa.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#32C	P#32D	1203			° '		° '								
		10	204.	1	343 20	204	1 11	914 0			929 5		S.H Bk.		
		1216													
		10	217.	15	328 35	213	7 18	887 2					" "		
		1132													
		10	133.	15	338 55	132	4 40	903 8					M. Small D.		
		856													
		8	57.	8 4	340 05	57	—	921 1	8 4				P#32C,		
P#32C,	P#32C							921 1	5 0		926 1		P#32C,		
		1114													
		10	115.	11	156 15	106	16 16	884 3					B. Small D.		
		1149													
		11	50.	11	115 50	50	2 33	913 0					S.H Bk.		
		1124													
		10	125.	11	129 10	119	12 53	888 0					" "		
		1188													
		11	89.	11	105 45	88	5 17	907 0					Bk. S.		
		1132													
		10	133.	15	115 05	129	9 40	889 2					S.H.		
		1198													
		11	99.	12	73 35	99	1 32	911 6					"		
		1150													
		10	151.	16	92 40	148	7 34	890 4					" Bk.		
		1133													
		10	134.	11	51 25	134	1 44	911 1					"		
		1140													
		10	141.	13	78 40	140	5 06	900 6							
		1160											" "		
		10	161.	15	40 15	161	0 50	908 8					"		
		1142													
		10	143.	14	46 05	143	—	912 1					Bk. S.		
		712													
		6	113.	6	5 45	113	+ 1 07	922 3					Fl. Spur 4G		
		593													
		5	94.	5	29 —	94	1 03	919 5					Top Fl. Spur		
		567													
		5	68.	5	52 25	68	4 05	916 3					" " "		
		639													
		6	40.	6	60 20	40	—	919 5					Bk S		
		119													
		11	20	1	300 10	20	—	925 0					Fl. Sp.		

Add'n'l Inform.

F.B. 527 PG. 136

Topography Description Legend:
Side Hill....S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash..B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw..H.D. Toe of Slope..T.S.

Intern. of Draw..V.D's
Break in Slope..Br.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon S.Cn.
Top of Bank....T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

Saddle .....Sd.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road..E.Rd.

Traveled Rd..Tr.Rd.
Fence .....Fe.
Int. Fence..V.Fe.
Ditch .....Di.
Telephone Pole..T.P.
Power Pole....P.P.
Culvert .....Cul.

Oak-O. Pine-Pi. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common abbreviations.

Fir-Fr. Cedar-Ce.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rec. C. J. TERRY Job No. Rose Division No. 4 F.B. 577 Pg. 33
Date JUN 6 1935 Date JUN 6 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by Meere Date 5-22-35
Date Map No. Indexed A. C. Johnson 6-7-35

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#324	P#320	761			° '		° '		1						
		7	62.	7	207 45	62	—	918 4			926		S.H.		
		697					° '		2						
		6	98.	6 3/4	207 50	98	—	919 8					Sw		
		279					° '		3						
		2	80.	2°	240 25	79	+ 5 42	932 0					S.H		
		#43							4						
		3	144.	4°	228 10	142	+ 6 24	938 1					Sw		
		352							5						
		2	153.	3°	207 35	152	+ 4 23	934 8					S.H		
		589							6						
		4	190.	5°	222 40	185	+ 8 56	950 3					"		
		410							7						
		2	211.	3°	205 50	209	+ 5 52	944 6					"		
		653							8						
		4	254.	5°	219 15	247	+ 9 25	962 2					"		
		659							9						
		4	260.	5°	204 20	257	+ 6 06	948 6					" + G* 37 C		
		663							10						
		4	264.	5°	211 45	258	+ 8 33	960 0					Bk S		
		871							11						
		6	272	7°	235 40	264	+ 10 09	965 3					S.H + Fn		
		535							12						
		3	236.	4°	227 50	230	+ 9 33	960 7					"		
		742							13						
		5	243.	6°	247 —	224	+ 10 54	965 2					"		
		495							14						
		3	196.	4°	240 45	190	+ 10 —	956 5					"		
		629							15						
		4	230.	5°	261 45	219	+ 12 46	970 6					"		
		478							16						
		3	179.	4°	260 —	171	+ 12 25	959 7					"		
		526							17						
		3	221.	4°	277 20	216	+ 12 50	971 2					"		
		471							18						
		3	172.	4°	278 20	164	+ 12 06	957 4					"		
		755							19						
		5	256.	6°	293 10	246	+ 11 14	969 0					"		
		494							20						
		3	195.	4°	296 —	188	+ 10 31	957 0					"		
		805							21						
		5	306.	11°	302 55	297	+ 9 51	966 7					"		

ASE 8-1
Interm.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE! ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#32C	P#32C	245	246.	6°	309° 25'	239	+ 9° 21'	959 9	1		926 1		S.H.		
		5							2						
		1024													
		8	285.	9°	316° 20'	279	+ 8° 24'	958 3	3				"		
		1014													
		7	315.	13°	319° 20'	309	+ 7° 48'	955 6	4				"		
		900													
		6	301.	11°	325° 45'	297	+ 6° 46'	950 3	5				"		
		834													
		3	195.	4°	337° 10'	194	+ 3° 50'	935 2	6				Bk.S		
		954													
		7	255.	8°	325° 35'	251	+ 6° 4'	947 8	7				S.H		
		838													
		7	139.	8°	331° 55'	137	+ 6° 13'	933 0	8				Bk.S		
		706													
		5	207.	6°	321° 10'	203	+ 7° 44'	947 6	9				S.H		
		368													
		3	69.	3°	302° 40'	68	+ 7° 55'	932 5	10				Bk.S		
		560													
		4	161.	5°	306° 10'	157	+ 9° 22'	946 9	11				S.H		
		364													
		3	65.	3°	246° 30'	64	+ 6° 36'	930 3	12				"		
		435													
		3	135.	4°	285° 20'	130	+ 10° 48'	946 9	13				"		
		430													
		3	135.	4°	258° 30'	130	+ 11° 12'	947 8	14				"		
P#32A	P#32B						−	916 2	49		921 1		P#32A + S.H		
		482							15						
		4	83.	4°	89° 25'	73	+ 20° 13'	944 1					S.H. BK		
		825							16						
		7	126.	8°	108° 10'	112	+ 19° 25'	952 7					"		
		536							17						
		4	137.	5°	139° 10'	133	+ 9° 30'	938 5					" "		
		602							18						
		5	103.	5°	147° 40'	102	+ 5° 40'	926 3					"		
		672							19						
		5	173.	6°	160° 20'	173	+ 0° 37'	917 0					"		
		1142							20						
		10	143.	11°	168° 40'	143	− 0° 49'	908 1					"		
		1028							21						
		9	199.	10°	179° 10'	198	− 4° 44'	894 8					"		

Add'l Inform.

F.B. 522 PG 38

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Trav. Rd. Tr. Rd. | Fence ..... Fn. | Int. Fence ..... V. Fns. | Ditch ..... Dt. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cal.

Saddle ..... Sd. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Side of Canyon ..... S.Cn. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Intersection of Draw ..... I.D's | Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Sewer ..... T.Sw. | Bottom Canyon ..... B.Cn.

Form 301 16M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#32A	P#32B	1164			° '		° '		1						
		9.	2.65.	10.0	177 —	264	3 41	894.2			921.0		S H Bk.		
		1137							2						
		9.	2.38.	10.0	185 50	234	7 18	881.3					"		
		1215							3						
		1.0.	2.16.	11.0	199 15	207	11 52	866.7					"		
		1125							4						
		9.	2.26.	10.0	188 55	221	8 40	877.5					"		
		1143							5						
		1.0.	1.44.	11.0	204 45	137	12 58	878.7					"		
		1134							6						
		1.0.	1.35.	11.0	188 25	132	8 10	891.2					"		
		1185							7						
		11.	86.	12.0	218 30	81	14 18	888.6					"		
		1171							8						
		11.	72.	11.0	184 10	71	5 24	903.4					"		
		1157							9						
		11	58.	12.0	262 50	54	15 24	894.3					"		
		1134							10						
		11.	35.	11.0	241 —	34	11 31	903.3					" + G# 37A		
		1191							11						
		11.	92.	12.0	317 30	90	8 05	896.3					"		
		447							12						
		4.	48.	4.4	354 20	48	—	916.7					"		
		1131							13						
		1.0.	1.32.	11.0	334 45	131	4 02	900.8					"		
		1135							14						
		1.0.	1.36.	11.0	1 05	135	+ 3 31	918.4					"		
		1165							15						
		1.0.	1.66.	11.0	328 05	163	8 13	886.7					Bk. S.		
		1145							16						
		1.0.	1.46.	11.0	307 35	137	14 05	875.7					S. H. Bk.		
		1183							17						
		1.0.	1.84.	11.0	296 35	165	18 28	854.9					" "		
		1142							18						
		1.0.	1.43.	11.0	269 40	130	17 27	869.3					"		
		1125							19						
		9.	2.26.	10.0	270 10	203	18 22	843.7					Bk. S.		
		1175							20						
		1.0.	1.76.	11.6	246 20	161	16 40	861.8					S. H.		
		1135							21						
		1.0.	2.36.	10.0	250 10	214	17 50	842.5					Bk. S.		

Add'l Inform.

Notes Tkd. C. J. TERRY Job No. 8229 B Distance No. K-B-577 Pg. 124
Date JUN 6 1935 Date JUN 8 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by Wiese Notes Wiese Date 5-28-35
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P#32A	P#32B	1206			° '		° '		1						
		10	207.	11.0	233 —	191	16 03	855.0	2		921.1		S.H		
		1162													
		9	263.	10.0	235 —	240	17 05	837.4	3				BK S		
		1180													
		9	281.	11.0	222 05	260	15 51	836.4	4				"		
		1139													
		8	340.	10.0	230 10	313	16 30	818.6	5				"		
		1138													
		8	339.	10.0	216 35	316	15 08	825.8	6				"		
		1158													
		8	359.	10.0	207 40	338	13 58	827.2	7				"		
		1192													
		9	293.	10.0	209 35	274	14 32	840.1	8				"		
					° '		° '		9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Side of Canyon S.Cr. Bank ..... B.B.
Top of Bank ..... T.C.
Bottom of Bank ..... B.C.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Intern. of Draws, V.D's
Bottom of Slope ..... B.S.
Top of Slope ..... T.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Head of Draw ..... H.D.

Traveled Rd. ..... T.Rd.
Fence ..... Fe.
Inf. Fences, V. Fnl. ..... Fnl.
Ditch ..... Dt.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak ..... O.
Pine ..... Pi.
Cedar ..... Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Bridge ..... Br.
Stake ..... St.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Trl.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Intern.

FORM 247 5M 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by _____ Survey of _____

Map No. B 1065-1 W. O. _____ Tape No _____ Std _____ or.

Office Work Surveyed by _____

Checked _____ Notes _____

Date _____ Indexed A. C. Johnson Date 6-3-35

F.B. _____ PG. _____

F.B. 5172 PG. 142

To lower right pg. 143



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

FORM 247 5M 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by _____

Map No. B-1065-1

Office Work

Checked _____

Date _____

Survey of _____

W. O. _____ Tape No _____ Std _____ of _____

Surveyed by _____

Notes _____ Date _____

Indexed _____ C. Johnson

F.B. _____ PG. _____

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. [illegible] PG. [illegible]

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.	
P#29	2.315	829.395		827.08	P#29 - 300 page 83
	3.50	822.145	10.75	818.645	
	2.38	816.775	7.75	814.395	
P#203	2.56	812.59	6.745	810.03	P#203
	1.74	803.43	10.90	801.69	
	2.17	794.90	12.81	792.62	
P#202	4.43	793.13	6.29	788.70	P#202
	1.73	783.93	12.90	782.23	
	3.76	776.76	12.93	773.00	
P#204	3.36	770.41	9.36	767.41	P#204
	4.71	762.17	11.47	757.46	
P#206	5.07	752.69	9.55	747.62	P#206
	1.76	742.90	11.55	741.14	
P#205	9.48	746.42	6.36	736.94	P#205
	1.32	734.06	11.68	732.74	
	2.48	726.98	12.56	724.50	
P#210	0.48	720.97	7.01	719.49	P#210
	0.26	709.94	11.29	709.68	
	0.26	699.45	10.84	699.19	
	0.20	688.28	10.40	688.08	
P#202			9.13	679.15	P#202

Profile Notes Bed. Platted Job No. Division No. E. B. Pg.
No. Date Date Survey of
X-Sec. Notes Chkd. Checked Survey by Notes Date
No. Date Date Map No. Indexed C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

E.B. 577 P.G. [illegible]

Job. No. [illegible] Division No. [illegible] Notes Red [illegible] Plotted [illegible] Profile No. [illegible]

Survey of [illegible] Date [illegible] Date [illegible] X-Sec. No. [illegible]

Survey by [illegible] Notes [illegible] Notes Chkd. [illegible] Checked [illegible]

Indexed [illegible] Date [illegible] Date [illegible] Date [illegible]

STATION	B. S.	H. I.	F. S	ELEV.		
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]		2	[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	6[illegible]7	613	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	

81

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#20A	P#20				° '		− ° '	578.0	4.3		582.3		P#20A + B.L.S.		
		1169							2						
		9	270.	10°	72.10	254	− 14.05	509.3	X				B.D. - 3'		
		1159							3						
		9	260.	10°	61.25	254	− 8.56	533.1					S.H.		
		1117							4						
		9	218.	10°	73.10	200	− 16.34	513.4					B.D. - 3'		
		1197							5						
		10	198.	11°	62.55	190	− 11.24	533.7					S.H.		
		1172							6						
		10	173.	11°	20.35	154	− 19.01	518.7					B.D. - 3		
		1127							7						
		10	128.	11°	70.30	119	− 15.26	539.2					S.H.		
		1138							8						
		10	139.	11°	95.30	121	− 21.01	525.4					B.D. - 2'		
		1191							9						
		11	92.	12°	91.15	82	− 19.22	542.2					S.H.		
		1216							10						
		11	117.	12°	137.20	100	− 22.−	530.3					B.D. - 8'		
		1171							11						
		11	72.	12°	143.50	64	− 19.41	548.2					S.H.		
		1138							12						
		10	139.	11°	153.45	129	− 15.36	535.9					B.D. - 6'		
		1215							13						
		11	116.	12°	169.55	114	− 6.31	557.9					S.H.		
		1181							14						
		10	188.	1°	150.35	188	− 1.31	567.0					"		
		423							15						
		2	224.	3°	139.05	223	+ 4.14	596.4					"		
		1164							16						
		10	165.	11°	138.55	165	− 2.21	565.3					"		
		604							17						
		11	205.	5°	124.10	204	+ 2.56	588.3					"		
		1152							18						
		10	153.	11°	120.25	151	− 5.59	556.0					"		
		905							19						
		7	206.	8°	111.40	206	− —	574.7					"		
		1176							20						
		10	177.	11°	104.20	175	− 6.−	553.7					"		
		1145							21						
		9	246.	12°	101.20	246	− —	570.4					"		

Add'l Inform.

Notes Red. C. J. TERRY Plotted C. J. TERRY Job No. 2020 Division No. 4 F.B. 577 P.B. 43
Date JUN 6 1935 Date JUN 6 1935 Survey of Pauline Tract
Notes Chkd. Checked Survey by Notes Date
Map No. Indexed A. C. Johnson Date 6-3-35

Form 301 10M 8-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 Pg. 1438

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D. | Bottom Wash ..... B.W. | Side of Draw ..... S.D. | Top of Ridge ..... T.R. | Side of Ridge ..... S.R. | Top of Slope ..... T.S. | Head of Draw ..... H.D.

Gen. Fir-Fr. | Fine-Pl. Cedar-Co. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Trav. Sta. ..... Sta. | Fence ..... Fn. | Int. Fences ..... V. Fns. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Side of Canyon ..... S.Cn. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Intersection of Drainage ..... V.D's | Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P# 20A	P# 20	11 2.0													
		9	221.	10	90° —	217	— 7.20	545.0			582.?		S.H.		
		11 96													
		9	297.	10	91° 55'	296	— 2.24	560.7					"		
		11 83													
		9	284.	10	84° 20'	280	— 6.22	541.7					"		
		11 63													
		8	364	10	82° 10'	362	— 3.42	549.6					"		
		11 46													
		8	347.	10	77° 35'	343	— 6.15	535.6					"		
		11 11													
		7	412.	9	86° 30'	412	— 0.42	568.9					"		
		6 54													
		2	455.	0	91° —	455	— —	582.9					"		
		11 56													
		8	357.	9	92° 55'	357	— —	573.2					"		
		5 02													
		1	403.	3	97° 50'	403	+ 1.42	591.8					"		
		4 13													
		1	314.	2	99° 35'	314	— —	580.4					"		
		4 55													
		1	356.	3	105° 25'	355	+ 3.29	601.5					"		
		4 72													
		2	273.	3	108° 45'	273	+ 2.02	589.5					"		
		5 19													
		2	320.	3	114° 40'	317	+ 5.28	610.3					"		
		2 41													
		2	42.	2	222° 10'	42	+ 4.44	583.4					B.K. S. + G# 22A		
		4 52													
		2	253.	3	122° 20'	251	+ 5.20	603.3					S.H. + G# 22B		
		5 00													
		2	301.	3	125° 30'	295	+ 8.11	622.4					"		
		4 60													
		2	261.	3	136° 50'	257	+ 7.16	612.8					"		
		5 12													
		2	313.	3	138° 25'	303	+ 10.—	633.4					B.K.S.		
		6 00													
		3	301.	4	145° 05'	294	+ 8.55	625.9					"		
		6 52													
		3	353.	5	141° 05'	342	+ 10.03	638.5					T.R.		
		4 05 3													
		7	354.	9	147° 05'	345	+ 8.57	628.3					S.H.		

Add'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 20A	P# 20	995			° '		° '								
		6	396.	8°	139.10	383	+ 10.34	646.4			58.9		S.H		
		687													
		3	388.	5°	133.30	375	+ 10.30	647.3					T.R		
		853													
		4	454.	6°	134.45	439	+ 10.38	659.2					T.R		
		856													
		4	457.	6°	125.45	442	+ 10.28	658.4					"		
		686													
		3	387.	5°	124.45	376	+ 9.50	643.0					S.H.		
		972													
		5	473.	7°	121.30	459	+ 9.49	655.3					"		
		812													
		4	413.	6°	118.05	404	+ 8.25	636.9					"		
		1016													
		5	517.	7°	124.25	501	+ 10.14	666.1					"		
		1066													
		5	567.	8°	126.35	549	+ 10.23	675.2					T.R		
P# 20B	P# 20A				° '		° '								
								613.8	48		618.6		P# 20B + S.H.		
		1182													
		10	183.	11°	239.10	164	+ 18.41	663.2					S.H.		
		522													
		4	123.	5°	247.20	109	+ 19.17	651.9					"		
		1142													
		9	243.	14°	226.25	220	+ 17.46	675.1					"		
		653													
		5	154.	6°	226.55	139	+ 17.49	657.4					"		
		1172													
		9	273.	14°	213.40	253	+ 15.41	675.6					"		
		811													
		6	212.	7°	208.05	199	+ 14.26	662.8					"		
		666													
		5	167.	6°	191.05	162	+ 10.17	641.9					"		
		685													
		5	186.	6°	176.20	184	+ 6.15	632.8					"		
		512													
		4	113.	5°	202.15	107	+ 12.59	638.4					"		
		536													
		4	137.	4°	175.45	136	+ 5.31	627.7					"		
		368													
		3	69.	3°	239.00	63	+ 17.03	635.0					"		

Add'n'l Inform.

Noted by C. J. TERRY Date JUN 6 1935 Checked Date Survey of Survey by Notes Map No. Indexed Date

Job No. 8282 Division No. K F.B. 5277 Pg. 1451

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical — Angle	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P# 20B	P# 20A	268													
		2.	69.	2 0	175 35	69	+ 4	621 3			618 6		S.H		
		1180													
		1.	81.	11 0	76 10	75	− 15 31	586 6					"		
		1155													
		1.0	156.	11 0	83 50	146	− 14 51	569 0					"		
		1192													
		11.	93.	12 0	116 10	92	− 7 02	595 2					"		
		1156													
		10.	157.	11 0	104 05	152	− 10 38	579 2					"		
		1152													
		10.	153.	11 0	137 45	152	− 3 12	599 0					"		
		1192													
		10	193.	11 0	121 20	190	− 7 29	583 1					"		
		1210													
		10	211.	11 0	145 10	211	− 1 18	602 8					"		
		1144													
		9	245.	10 0	133 15	243	− 4 53	587 8					"		
		970													
		7.	211.	8 5	151 20	271	−	610 1					"		
		1198													
		9.	298.	10 0	140 30	298	− 3 03	592 9					"		
P# 20C	P# 20B						−	657 6	4 7		664 7		P# 20C + S.H.		
		1131													
		9.	232.	10 0	56 10	219	− 13 50	600 8					B.K.S.		
		1175													
		10.	176.	11 0	47 40	167	− 12 49	616 0					S.H.		
		1206													
		10.	207.	11 0	59 45	192	− 15 30	600 0					"		
		1130													
		10.	131.	11 0	63 05	124	− 13 30	624 0					B.K.S.		
		1154													
		1.0	195.	11 0	84 15	177	− 17 21	598 1					S.H.		
		1215													
		11	116.	12 0	79 25	109	− 14 05	625 3					"		
		1192													
		1.0	193.	11 0	94 55	175	− 17 38	598 0					"		
		1205													
		11.	106.	12 0	113 15	101	− 12 53	629 6					"		
		1200													
		10	201.	16 0	113 —	185	− 16 06	595 2					B.D.		

Add'l Inform.

Traverse Rd. Tr. Rt. Fence ... Fe. Fence ... V. Fn. Int. Fence ... Int. Ditch ... Di. Telephone Pole ... T.P. Power Pole ... P.P. Culvert ... Cul.

Buildings ... Bldg. Shed ... Sh. Flat ... Fl. Stream ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road ... E. Rd.

Side of Canyon ... S. Cn. Top of Bluff ... T. Bl. Bottom of Bank ... B. B. Top of Cut ... T. Cl. Bottom of Cut ... B. Cl. Top of Fill ... T. F. Bottom of Fill ... B. F.

Break in Slope ... Br. S. Top of Slope ... T. S. Bottom of Slope ... T. Sl. Top of Spur ... T. Sp. Bottom Canyon ... B. Cn.

Topography Description Legend:
Side Hill ... S.H.; Bottom Draw B.D.
Side of Draw S.D.; Bottom Wash B.W.
Side of Ridge S.R.; Top of Ridge T.R.
Head of Draw H.D.; Toe of Slope ... T.S.

F.B. 577 Pg. 150

Gas. G. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ... Sy. Eucalyptus ... Eu. Pine combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.T. 200	P.T. 203	1.205							1						
		1.005	10.0	12 0	141 40	7.04	- 7 36	638 7	2		664		B.K. S.		
		2.10													
		10	21.1	11 2	119 40	200	- 12 52	607 8	3				S.H.		
		1.25													
		10	12.6	11 0	138 25	1.22	- 10 58	631 8	4				S.H.		
		11.54													
		10	15.5	11 0	142 30	1.50	- 10 14	626 5	5				B.D.		
		1.34													
		9	22.8	10 0	132 20	224	- 7 04	626 8	6				S.H.		
		11.58													
		10	18.9	11 2	145 50	1.88	- 4 58	637 4	7				"		
		11.55													
		9	25.6	10 0	144 30	256	- 1 51	646 4	8				B.K. S.		
		12.9													
		10	22.0	11 0	151 05	220	- 1 18	648 7	9				"		
		11.17													
		8	31.8	10 2	146 40	318	- —	654 0	10				S.H.		
		5.88													
		3	28.9	4 5	157 20	289	- —	660 2	11				"		
		5.89													
		2	39.0	4 3	147 40	390	- —	660 4	12				"		
		4.58													
		1	35.9	3 0	162 10	359	+ 1 03	668 2	13				"		
		5.48													
		1	44.9	3 0	156 35	449	+ 0 55	668 7	14				T.R.		
		6.69						6704							
		3	39.8	5 0	163 50	398	+ 1 32	649 2	15	X			"		
		4.72													
		2	27.3	4 0	176 15	272	+ 2 23	672 0	16				" & L.T. 22 D		
		4.68													
			36.9	3 0	188 05	368	+ 3 33	684 3	17				"		
		4.10													
		1	31.1	3 0	174 15	311	+ 1 45	671 0	18				" & B.K. S.		
		3.95													
		1	29.6	2 0	188 55	295	+ 3 06	678 4	19				"		
		3.75													
		2	25.2	1 0	171 —	252	— —	663 7	20				S.H.		
		3.16													
		1	21.7	2 0	190 10	217	+ 2 —	670 0	21				"		
		1.182													
		10	18.3	12 5	165 45	183	— —	652 2	22				B.K. S.		

Add'l Inform.

Notes Red C. J. TERRY Plotted C. J. TERRY Job No. 5028 Division No. X F.B. 522 Pg. 151
Date JUN 6 1935 Date JUN 6 1935 Survey of Regular
Notes Chkd. Checked Survey by Notes
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 527 PG. 152

Topography Description Legend:
Side Hill....S.H. | Bottom Draw..B.D. | Oak-O. Fir-Fr. | Transit Rd. Tr. Rd. | Sta. Sta. | Saddle | Side of Canyon S.Cn. | Inters. of Draw. V.D's
Side of Draw..S.D. | Bottom Wash..B.W. | Pine-Pi. Cedar-Ce. | Fence Fe. | Int. Fence..V.Fe. | Swale Sw. | Top of Bank T.B. | Break in Slope Br. S.
Side of Ridge..S.R. | Top of Ridge..T.R. | Sycamore Sy. | Ditch Di. | Flat Fl. | Stream Str. | Bottom of Bank B.B. | Steep Slope S.S.
Head of Draw H.D. | Toe of Slope..T.S. | Eucalyptus Eu. | Telephone Pole T.P. | Trail Tr. | Trail B.C. | Top of Out T.O. | Top of Cliff T.Cl.
Pine combinations of these and all common standard abbreviations. | Power Pole P.P. | Pavement Pvt. | Bottom of Cut B.Ct. | Bottom of Cliff B.Cl.
Culvert Culv. | Edge of Road E.Rd. | Bottom of Fill B.F. | Top of Fill T.F. | Top of Spur T.Sp.
Bottom Canyon B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P 20	P 20	3.41 / .72	142.	3.0	191.15	142	+ 0.55	663.8			664		S.H.		
		1154 / 1.40	155.	11.0	162.25	154	− 3.42	643.7					H.D.		
		429 / 2.71	80.	2.5	191.25	80	—	662.2					S.H.		
		1102 / 1.71	93.	11.0	147.15	92	− 6.21	642.2					"		
		1131 / 1.41	32.	11.0	114.35	32	− 3.21	651.8					Bk S.		
		766 / 1.79	67.	7.2	349.05	67	—	657.5					S.H.		
		1168 / 1.40	70.	11.0	67.05	67	− 12.05	639.4					" + 6" ∠ C		
		1134 / 1.40	135.	11.0	349	135	—	653.7					"		
		1204 / 1.40	105.	12.0	27 50	103	− 7.46	638.6					"		
		1202 / 1.40	203.	11.7	345 50	203	—	653.9					"		
		1168 / 1.40	169.	11.0	11 50	167	− 6.21	634.8					"		
		1173 / 1.40	274.	10.0	347.15	274	− 1.00	649.7					"		
		1124 / 1.40	225.	10.0	6.05	222	− 6.21	629.8					"		
		774 / 1.40	275.	6.0	336.10	275	+ 1.25	665.3					"		
		558 / 1.40	281.	4.0	320.25	279	+ 4.25	682.4					"		
		509 / 1.40	210.	4.2	332.40	210	+ 1.45	666.8					"		
		524 / 1.40	222.	4.0	314.05	222	+ 6.01	684.0					"		
		434 / 1.40	135.	4.0	325.55	135	+ 3.00	667.8					"		
		361 / 1.40	162.	3.0	302.30	159	+ 8.13	684.5					"		
		377 / 1.40	78.	3.0	294.10	76	+ 9.04	673.7					"		
		429 / 1.40	130.	4.0	281.55	125	+ 11.18	685.6					"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
		2.56							1						
P#20C	P#22B	4	.57	2°	247°	84	+ 1.00	677.7			664.7		S.H.		
		4.52							2						
		1.	153.	3°	253.20	146	− 12.24	694.7					B.L.S		
		640							3						
		3.	141.	4°	221.10	138	+ 8.06	680.3					S.H		
		785							4						
		1.	180.	7°	232.05	180	+ 10.24	690.7					"		
		506							5						
		3.	207.	4°	201.05	205	+ 5.12	679.2					"		
		645							6						
		4.	246.	5°	219.50	242	+ 7.24	691.7					"		
		375							7						
		1.	276.	2°	202.20	274	+ 9.30	684.2					"		
		611							8						
		3.	312.	4°	212.45	307	− 6.56	698.0					"		
		550							9						
		2.	351.	4°	197.15	348	+ 5.12	692.3					"		
		507							10						
		1.	406.	3°	199.25	405	+ 5.16	698.8					"		
		816							11						
		4.	417.	6°	206.15	411	+ 7.—	709.3					"		
									12						
P#20D	P#20C							679.2	49		684.1		P#20D + TR		
		1113							13						
		10	114.	11°	116.55	114	− 2.25	668.3					T.R		
		1196							14						
		10	197.	11°	107.20	197	− 1.45	667.1					" + B.L.S		
		1128							15						
		10	129.	11°	133.40	128	− 4.13	663.6					B.L.S		
		1109							16						
		9	210.	10°	117.35	209	− 3.14	662.3					S.H. B.L.		
		1137							17						
		10	138.	11°	144.45	136	− 6.55	656.7					B Small I		
		1147							18						
		9	248.	10°	134.25	245	− 6.38	645.8					" " "		
		1196							19						
		10	197.	11°	155.50	197	− 1.32	668.0					S.H.		
		1162							20						
		9.	263.	10°	140.35	262	− 4.07	655.2					"		
		1064							21						
		8	265	9.4	160.25	265	—	671.1					"		

Add'l Inform.

Notes Rod C. J. TERRY Initial C.J.T. Job No. 2228 Division No. 4 F.B. 5777 Pg. 153
Date JUN 6 1935 Date JUN 1935 Survey of [illegible] Date 5-31-35
Notes Chkd. Checked Survey by [illegible] Notes [illegible] Date
Date Map No. Indexed [illegible] Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 527 Pg. 1/54

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw B.D. | Bottom Wash B.W.
Side of Draw S.D. | Top of Ridge T.R.
Side of Ridge S.R. | Top of Slope ... T.S.
Head of Draw H.D.

Dik.-D. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ... Sy.
Eucalyptus ... Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#20D	P#20C	11.26			° '		° '								
		8.	327.	10°	149.55	327.	1.14	667.1			684.1		S.H.		
		44.0													
		4.	341.	0°	164.20	341.		684.1					"		
		10.63													
		.7	364.	8°	152.25	364.		675.3					"		
		.448													
		2.	249.	4°	187.45	247.	+ 4.36	700.0					"		
		43.6													
		.1	337.	3°	178.45	336.	+ 2.57	698.3					"	+ G#22E	
		3.74													
		.1	275.	2°	190.05	273.	+ 4.52	705.3					"		
		3.82													
		.4	283.	2°	178.35	282.	+ 2.47	696.0					Bk S.		
		3.31													
		.1	232.	2°	191.05	230.	+ 4.55	702.0					"		
		3.17													
		.1	218.	2°	177. —	218.	+ 1. —	686.0					S.H.		
		2.58													
		.1	159.	2°	196.30	158.	+ 3.48	692.5					"		
		5.55													
		.4	156.	5.3	174. —	156.		678.8					"		
		2.79													
		.2	80.	2°	206. —	80.		681.5					" Bk		
		11.29													
		.11	80.	12°	163.45	80.	2.56	668.2					B. Small D.		
		7.61													
		.7	62.	7°	209.30	62.		676.7					" " "		
		7.29													
		.7	30.	7.5	115.55	30.		676.6					T.R. + Bk S.		
		3.54													
		.3	55.	3°	217.55	55.		680.6					Bk S.		
		2.45													
		.2	46.	2°	258.35	46.	+ 3.30	684.8					T.R.		
P#20E	P#20D							719.5	5.0		724.5		P#20E + Fl. S.		
		11.84													
		.9	285.	10°	1.55	284.	2.38	701.5					S.H.		
		11.64													
		.9	265.	10°	14.55	264.	3.54	696.6					"		
		12.02													
		.1	203.	11°	359.50	203.	1.33	708.1					"		

Add'n'l Interm.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#20E	P#20D	1192			° '		° '								
		10.	193.	11°	16.50	193	− 2.21	710.57			724.5		S.H		
		1136													
		10.	137.	11 7	358.05	137	−	712.8					BK.S		
		1121													
		10.	122.	11°	23.45	122	− 1.08	711.1					"		
		753													
		7.	54.	7	347.25	54	−	717.4					Fl. S		
		1060													
		10.	61.	10 5	47.40	61	−	714.0					BK. S		
		865													
		8.	66.	8 4	113.40	66	−	716.1					H Small D		
		1205													
		11.	106.	12 6	100.35	106	−	711.9					S.H		
		1200													
		11	101.	12°	75.35	100	− 6.—	702.2					B. Small D		
		1125													
		10.	126.	11°	52.35	126	− 3.30	706.0					SH		
		239													
		2.	40.	2	208.—	40	−	722.4					F/S + 6 #20F		
		304													
		2.	105.	2 5	161.40	105	−	722.0					"		
		508													
		4.	109.	4°	195.05	109	+ 1.57	724.1					"		
		273													
		1.	174.	2°	170.45	174	+ 0.25	723.7					"		
		592													
		4.	193.	5°	190.10	193	+ 1.54	725.8					BK S		
		350													
		251.	2°	175.30	251	+ 1.21	728.3					"			
		1487													
		2.	288.	3°	201.55	286	+ 4.27	743.7					S.H		
		304													
		207.	2°	208.05	206	+ 3.06	733.4					"			
		1458													
		3	154.	4°	215.45	158	+ 3.48	730.9					BK.S		
		362													
		263.	2°	187.—	263	+ 2.03	731.8					S.H			
		1366													
		267.	2°	162.55	267	+ 1.18	728.3					"			
		1478													
		2	279.	3°	155.15	279	+ 0.47	725.2					BK.S		

Add'n'l Inform.

Note Rod C. J. TERRY Plotted C. J. TERRY Job No. 6220 Page No. 4 F.B. 577 Pg. 155
Date JUN 11 1935 Date JUL 11 1935 Survey of
Notes Chkd. Checked Survey by Notes Moore Date 6-11-35
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 Pg. 56

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Side of Ridge S.R. | Toe of Slope T.S. | Head of Draw H.D.

Intersection of Draw, V.D's Break in Slope ... Br.S. | Top of Bank T.B. | Bottom of Bank B.B. | Top of Cut T.C. | Bottom of Cut B.C. | Top of Cliff T.Cl. | Bottom of Cliff B.Cl. | Top of Spur T.Sp. | Bottom Canyon B.Cn.

Saddle ... Sa. | Sandia ... Sn. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road E.Rd.

Top of Fill T.F. | Bottom of Fill B.F.

Transit Rd. Tr. Rd. | Fence ... Fe. | Int. Fence ... V. Fe. | Ditch ... Di. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ... Cul.

Obs. O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ... Sy. | Eucalyptus ... Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′								
P# 20E	P# 20D	294							1						
		711	195.	12	155 —	195	—	723 3		—	724 5	—	S.H.		
		5	212.	5 2	141. 30	212	—	719 3		—		—	Bk S		
		439	140.	3 4	136 40	140	—	721 1		—		—	S. H.		
		985	186.	8 5	122. 10	186	—	716 0		—		—	Bk S.		
		911	112.	8 3	109. 20	112	—	716 2		—		—	"		
		1107	168.	11 0	104. —	168	1 43	709 6		—		—	S.H.		
		1125	176.	11 0	84. 40	174	5 52	695 8		—		—	"		
		1156	157.	11 0	37. 20	156	3 24	704 3		—		—	"		
		1125	226.	17 0	72.	221	8 48	673 6		—		—	B. Small D.		
		1164	215.	10 0	57. 10	212	6 18	691 2		—		—	S.H. Bk		
		1118	219.	10 0	27. 20	218	4 09	698 8		—		—	"		
		1143	244.	10 0	41. 20	242	5 02	693 2		—		—	"		
		1188	289.	10 0	22. 35	287	4 32	691 8		—		—	"		
		1198	299.	10 0	34. 10	297	4 54	689 2		—		—	"		
		1150	351.	10 0	19. 55	348	4 59	684 2		—		—	"		
		1163	364.	10 0	31. 20	361	5 29	679 8		—		—	"		
P# 20F	P# 20E							744 5	5 0	—	749 5	—	P# 20 F + S H.		
		1194	95.	11 0	43. 50	95	2 28	734 4		—		—	Bk S		
		1135	136.	11 0	61. 45	134	6 37	723 9		—		—	S H		
		1150	51.	11 2	86. 50	51	—	736 8		—		—	Bk S.		
		1132	133.	11 0	87. 40	130	8 12	719 7		—		—	S.H.		

Addn'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes filed JUN 11 1935 Printed C. J. TERRY Job No. 6048 Stadia No. ✓ F.B. 577 Pg. 55
Date JUN 11 1935 Date JUL 11 1935 Survey of Prairie Ave
Notes Chkd. Checked Survey by Moore Notes Moore Date 5-31-35
Date Date Map No. Indexed C. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P# 20F	P# 20E	1166 / 11	67.	8°	137° 20'	67	—	741.5	1		749.5		Bk. S + Fr.		
		1164 / 10.	165.	11°	112° 20'	162	− 7° 54'	716.0	2				S.H. Bk.	"	
		1213 / 11.	114.	12°	144° 35'	113	− 3° 50'	729.8	3				Sw		
		1179 / 10.	180.	11°	117° 05'	176	− 9° —	710.7	4				Sw		
		1132 / 10.	133.	11°	144° 30'	133	− 2° 55'	731.7	5				S H Bk		
		1197 / 10.	198.	11°	123° 50'	195	− 7° 15'	713.8	6				"	"	
		1199 / 10.	200.	11°	149° 35'	200	− 2° 19'	730.4	7				"		
		1135 / 9	236.	10°	131° 35'	233	− 6° 44'	712.2	8				Bk. S.		
		1147 / 9.	248.	10°	148° 35'	247	− 2° 54'	727.2	9				"		
		1162 / 9	263.	10°	141° 10'	260	− 6° 09'	711.4	10				"		
		1202 / 9.	303.	11°	153° 35'	303	—	738.4	11				S.H.		
		1127 / 8	328.	10°	140° 45'	325	− 5° 28'	708.5	12				Bk. S.		
		1109 / 8.	310.	10°	149° 35'	310	− 1° 48'	730.0	13				"		
		1171 / 8.	372.	10°	137° 25'	324	− 5° 47'	706.8	14				H Small D.		
		1168 / 8.	369.	12°	151° 10'	369	—	737.3	15				Bk S		
		1190 / 8.	391.	10°	138° 30'	388	− 5° 08'	705.5	16				S.H. Bk.		
		1113 / 7.	414.	9°	139° 25'	412	− 3° 38'	714.4	17				"	"	
		1087 / 7.	388.	9°	151° 15'	388	− 0° 44'	735.7	18				B. Sw		
		1202 / 3	403.	5°	155° 15'	403	+ 0° 40'	749.2	19				H. Sw		
		1599 / 2	400.	4°	162° 35'	399	+ 2° 47'	765.0	20				S.H		
		1545 / 2	346.	2½	156° —	346	—	747.4	21				"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 527 PG. 135

Topography Description Legend:
Side Hill S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Road of Draw R.D. | Toe of Slope T.S.

Intersection of Draws V.D's
Break Slope B.S. | Top of Cliff T.Cl.
Steep Slope S.S. | Bottom of Cliff B.Cl.
Cliff Cl. | Top of Spur T.Sp.
Bottom Canyon B.Cn.

Saddle Sa. | Swale Sw. | Flat Fl. | Stream Str. | Trail Tr. | Pavement Pvt. | Edge of Road E.Rd.

Side of Canyon S.Cn. | Top of Bank T.B. | Bottom of Cut B.C. | Top of Cut T.C. | Bottom Fill B.F. | Top of Fill T.F. | Bottom of Fill B.F.

Traveled Rd. Tr. Rd. | Fence Fence. V.Fn. | Ditch Ditch | Telephone Pole T.P. | Power Pole P.P. | Culvert Culv.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore Sy. | Eucalyptus Eu. | Pine combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
P#205	P#206	628							1						
		3	329.	5°	163.05	328	+ 2.46	760.2			.749.5		S.H		
		789					—		2						
		5	29.9	6 4	156.05	290	—	743.1					Pk S		
		469							3						
		2	270.	3°	164.55	269	+ 2.32	758.4							
		1136							4				S.H BK.		
		9	237.	10°	155.20	237	— 0.52	736.0							
		539							5				S.H.		
		3	240.	4°	166.10	240	+ 1.05	750.3					"	"	
		1180							6						
		10	181.	11°	154.50	181	— 0.54	735.6					"		
		368							7						
		2	169.	3 1	170.35	169	—	746.4					"		
		1125							8						
		10	126.	11°	151.50	126	— 1.27	735.2					"	"	
		616							9						
		5	117.	5 2	174.35	117	—	744.3					"	"	
		1208							10						
		11	109.	12°	152.	109	— 2.52	732.2					Sw.		
		8:0							11						
		7	101.	7 6	176.50	101	—	741.9					"		
		1063							12						
		10	64.	10 6	141.	64	—	738.9					S.H & Fn.		
		342							13						
		3	43.	3 1	195.30	43	—	746.4					"	"	
		224							14						
		2	25.	2 7	278.10	25	—	746.8					"		
		1079							15						
		10	71.	10°	9.15	71	—	739.5					"		
		371							16						
		3	72.	3 6	324.25	72	—	745.9							
		214							17				Pk S & G #22 G		
		1	115.	2°	304.	115	+ 2.06	751.4					S.H		
		283							18						
		2	84.	2°	245.25	84	+ 3.48	752.1					" & Fn.		
		538							19						
		4	139.	5°	245.	137	+ 6.27	760.0					"		
		611							20						
		5	112	5°	219.15	111	+ 5.18	754.8					"		
		466							21						
		2	167	4°	218 30	165	+ 5.48	762.2					"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rec'd JUN 11 1935 Notes Chkd. Checked Date
Notes Rec'd C. J. TERRY Survey of Date JUN 1935 Survey by Notes Date 5-31-35
Job No. 8020 Division No. F.B. 571 Pg. 157
Indexed A. C. Jahnsen Map No. Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#20F	P#20E	448							1						
		3	149.	4°	208 05'	148	+ 4.41	757.6					S H BK		
		701							2						
		5	202.	6°	209 15'	200	+ 6.	764.5					Su		
		762							3						
		6	163.	7°	205 35'	162	+ 4.44	756.0					"		
		509							4						
		3	210.	4°	206 30'	208	+ 6.03	767.4					S H BL		
		304							5						
		2	205.	3°	198 15'	203	+ 5.13	765.0					"		
		439							6						
		2	240.	3°	206 55'	237	+ 6.27	773.3					"		
		540							7						
		3	241.	4°	192 50'	238	+ 6.02	770.8					" "		
		587							8						
		3	288.	4°	197 25'	283	+ 7.30	782.7					BK S.		
		395							9						
		1	296	3°	183 05'	292	+ 6.49	781.3					S. H		
		537							10						
		2	338.	4°	188 35'	331	+ 8.25	794.3					"		
		555							11						
		2	356.	4°	179 25'	350	+ 7.37	792.2					"		
		605							12						
		2	406.	4°	185	396	+ 8.53	807.4					"		
		698							13						
		3	399.	5°	177 35'	392	+ 7.30	796.0					BK S		
		642							14						
		2	443.	4°	191 50'	429	+ 10.04	822.0					S H		
		825							15						
		3	524	5°	200 20'	502	+ 12.26	855.2					T. Knob		
		787							16						
		4	388.	6°	196 10'	377	+ 9.48	807.4					S H		
		695							17						
		2	496.	4°	201 50'	474	+ 12.12	848.2					S.H BK		
		536							18						
		2	337.	4°	202 20'	329	+ 8.43	795.8					"		
		832							19						
		4	433.	6°	205 35'	418	+ 10.34	821.6					"		
		682							20						
		4	283.	5°	211 25'	278	+ 7.48	782.7					" "	H	
		682							21						
		3	383.	5°	209 45'	373	+ 9.22	806.2					4		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 Pg 60

Topography Description Legend:
Hill...H. Bottom Draw...B.D.
Side of Draw...S.D. Bottom Wash...B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw...H.D. Toe of Slope...T.S.

Intersection of Draw, V.D's or Break in Slope...B.S. Top of Steep Slope...T.S. Bottom of Cliff...B.Cl. Top of Cliff...T.Cl. Bottom of Spur...B.Sp. Top of Spur...T.Sp. Bottom Canyon...B.Cn.

Side of Canyon & Ch. Top of Bank...T.B. Bottom of Bank...B.B. Bottom of Ditch...B.D. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.F. Bottom of Fill...B.F.

Saddle...Sd. Flat...Fl. Stream...Str. Trail...Tr. Pavement...Pvt. Edge of Road...E.Rd.

Ditch...Dch. Telephone Pole...T.P. Power Pole...P.P. Culvert...Culv.

Fence...Fce. Tel. Fence...T.Fce. Electrolyte...El. Pipe Line...P.L. Cedar...Cd. Sycamore...Sy. Oak...O. Pine...Pn.

Transit Rd. Tr. Rd. V. Fl. Pumphouse...P.H. Other...Oth. Use abbreviations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Interocepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
		642			° '		° '								
P#20F	P#20E	4	243.	5°	224.30	239	+ 7.40	776.7	1	—	749.5	—	S.H.		
		722													
		3	123.	5°	212.40	410	+ 9.56	816.7	2	—		—	"		
		610													
		4	211.	5°	241.25	207	+ 7.33	772.0	3	—		—	"		
		714													
		3	415	5°	219.15	403	+ 9.53	815.3	4	—		—	"		
		557													
		1	458	3°	197.—	441	+ 11.12	833.8	5	—		—	"		
		835													
		3	536	6°	208.15	513	+ 11.54	851.8	6	—		—	T. Knob		
		707													
		2	508	5°	194.45	487	+ 11.41	845.2	7	—		—	S.H.		
							—		8	—		—			
P#20H	P#20F							767.4	9	5'	772.5	—	P#20H + T.R.		
		556													
		3	257.	4°	294.30	244	+ 13.85	825.2	10	—		—	S.H.		
		846													
		5	347.	7°	284.20	323	+ 15.20	854.0	11	—		—	T Knob		
		560													
		3	261.	4°	281.30	246	+ 14.03	830.1	12	—		—	S.H.		
		833													
		5	334.	6°	274.20	314	+ 14.19	846.7	13	—		—	T. Knob		
		687													
		4	288.	5°	269.45	272	+ 13.43	834.0	14	—		—	S.H.		
		911													
		6	312.	8°	266.35	295	+ 13.20	834.6	15	—		—	T. Knob		
		1005													
		7	306.	8°	258.—	295	+ 11.06	822.2	16	—		—	S.H. Bk		
		1202													
		9	303.	10°	250.45	296	+ 8.53	808.8	17	—		—	"	"	
		771													
		5	272.	6°	249.15	266	+ 8.28	805.3	18	—		—	"	"	
		534													
		3	235.	4°	257.30	227	+ 10.44	811.4	19	—		—	"		
		512													
		3	233.	4°	249.35	228	+ 8.08	801.2	20	—		—	"		
		361													
		2	162.	3°	248.20	160	+ 5.42	718.5	21	—		—	"		
		371													
		2	172.	3°	266.—	165	+ 11.24	802.8		—		—	"		

Add'l Interm.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#20H	P#20F	302			° '		° '		1						
		2	103	2°	251 30	102	+ 6 20	781 8			772 5		BKS		
		332							2						
		2	133	3°	283 10	128	+ 11 23	795 2					S.H.		
		540							3						
		5	41	5°	282 10	40	+ 8 30	773 4					T.R + G 22 H.		
		374							4						
		2	175	3°	285 20	167	+ 12 24	806 3					S H		
		381							5						
		2	182	3°	301 45	175	+ 11 37	805 4					"		
		171							6						
		1	72	1°	306 40	71	+ 5 15	778 2					BKS		
		348							7						
		2	149	3°	311 —	145	+ 9 06	792 8					S H		
		214							8						
		1	115	2°	322 15	114	+ 5 24	781 2					Bk S		
		261							9						
		1	162	2°	336 55	161	+ 3 42	780 8					S H Bk		
		907							10						
		8	108	8°	357 05	108	— —	763 8					"		
		1103							11						
		10	104	11°	24 40	103	— 5 08	752 2					" "		
		533							12						
		5	34	5°	40 40	34	— —	766 7					T.R + Bk S		
		1161							13						
		11	62	11°	55 35	62	— 2 12	759 2					" + "		
		1162							14						
		11	63	11°	114 45	63	— —	760 7					"		
		1202							15						
		11	103	12°	146 10	103	— 2 06	756 8					" + " "		
		1118							16						
		10	119	11°	150 35	119	— 3 25	754 6					S.H.		
		1171							17						
		10	172	11°	158 50	170	— 5 30	745 3					Bk S		
		1167							18						
		11	68	11°	177 50	68	— 1 09	760 3					T.R + Bk S		
		1135							19						
		10	136	11°	174 35	135	— 5 09	749 5					Bk S		
		1206							20						
		11	107	12°	186 40	106	— 3 55	753 4					"		
		1116							21						
		10	117	11°	118 30	116	— 3 58	753 6					T.R		

Add'l Inform.

Notes Rec. JUN 11 1935 Plotted C. J. TERRY Job No. _____ Division No. _____ F.B. 577 Pg. 66

Date JUN 11 1935 Survey of _____

Notes Chkd. _____ Checked _____ Survey by _____ Notes _____

Date _____ Map No. _____ Indexed C. J. Johnson Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 527 PG. 162

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D. | Side of Draw. S.D. | Bottom Wash B.W. | Side of Ridge. S.R. | Top of Ridge. T.R. | Head of Draw H.D. | Toe of Slope. T.S.

Oak-O. Fir-Fir. | Pine-Pi. Cedar-Ce. | Specimens ..... Sp. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. | Fence ..... Fe. | Int. Fences. V.Fe. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Gate ..... Ga. | Str. ..... Str. | Fl. ..... Fl. | Tr. ..... Tr. | Pvmt. ..... Pvt. | Edge of Road E.Rd.

Saddle ..... Sa. | Ridge ..... Ri. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Canyon S.Cn. | Bank ..... T.Bk. | Bottom of Bank B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill B.F.

Side of Draw. V.D's | Top of Bk. S. | Bottom of ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Inters. of Draw. V.D's | Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
P#120H	P#120F	1112													
		1.0	113.	11 0	77 05	112	5 30	750 8			772 5		BK S		
		1139													
		1.0	140.	11 0	135 —	139	4 22	751 0					JR		
		1142													
		1.0	143.	11 0	54 40	138	10 11	736 8					SH		
		1160													
		1.0	161.	16 0	45 30	156	10 33	727 7					BK S		
P#120I	P#120H							788 7	52		793 9		P#120I + 6#221 + BK S		
		1142													
		9.	243.	10 0	—	243	2 27	773 5					BK S		
		1218													
		1.0	219.	11 0	12 30	215	7 12	755 7					SH		
		1191													
		1.0	192.	11 0	357 40	192	1 29	777 8					"		
		1158													
		1.0	159.	11 0	13 30	155	8 43	759 2					"		
		1137													
		1.0	138.	11 0	356 25	138	1 44	778 8					"		
		1203													
		11	104.	12 0	20 55	101	9 18	765 3					"		
		1001													
		9	102.	9 8	356 40	102	—	784 1					"		
		1160													
		11	61.	11 0	44 —	57	15 08	767 6					"		
		966													
		9.	67.	8 9	354 25	67	—	785 0					BK S		
		1168													
		11.	69.	11 0	8 10	68	5 50	776 9					"		
		1145													
		11	46.	11 0	96 25	37	25 32	765 0					SH		
		231													
		2	32.	2 0	304 45	32	—	791 9					BK S		
		623													
		6	24.	6 4	214 15	24	—	787 5					" - rocky point		
		624													
		6.	25.	6 4	262 50	25	—	787 5					"		
		1193													
		11.	94.	12 0	169 50	73	27 47	743 2					"		
		1126													
		10	127.	11 0	105 30	96	29 38	728 4					SH		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red C. J. TERRY Plotted C. J. TERRY Job No. 8092 Division No. 4 F.B. 522 Pg. 163
Date JUN 11 1935 Date JUN 1935 Survey of Lawndale
Notes Chkd. Checked Survey by A. C. Johnson Notes Date 5-31-35
Map No. Date Indexed

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P20I	P20H	1149	50.	11°	183°30'	42	− 23°33'	764 7	1		793 8		S.H.		
		1155							2						
		1156	156.	11°	89°40'	122	− 27°45'	718 7	3				"		
		1102	103.	11°	135°20'	77	− 30°15'	738 1	4				Bk S.		
		1172													
		1092	173.	11°	78°45'	138	− 26°42'	713 7	5				S.H.		
		1140	193.	11°	65°30'	156	− 25°40'	707 8	6				"		
		1147	244.	10°	49°15'	206	− 22°30'	698 8	7				"		
		1188	244.	10°	46°40'	212	− 22°10'	697 4	8				Sw.		
		1127	289.	11°	42°40'	270	− 14°53'	711 3	9				S.H.		
		1105	328.	10°	40°05'	315	− 11°27'	720 3	10				"		
		1155	306.	10°	31°45'	298	− 9°09'	736 0	11				"		
		1197	256.	10°	22°25'	248	− 10°15'	739 2	12				"		
		1140	198.	11°	19°05'	190	− 11°09'	745 6	13				Sw		
		1148	141.	11°	23°20'	133	− 13°23'	751 2	14				S.H.		
		1286	49.	11°	224°45'	46	− 13°35'	771 7	15				"		
		1188	87.	2°	280°55'	86	+ 6°35'	801 8	16				"	Ck.	
		1236	89.	12°	227°05'	86	− 11°—	765 2	17				"	"	
		1205	137.	2°	297°55'	129	+ 14°04'	824 4	18				"	"	
		393	106.	12°	234°10'	103	− 9°—	765 6	19				"	"	
		695	194.	3°	291°40'	182	+ 14°29'	838 0	20				Top Bk S.		
		518	96.	6°	258°05'	96	— —	787 5	21				S.H. Bk		
		3	219.	4°	290°15'	206	+ 14°16'	842 4							

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 427 PG. 164

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw. B.D. | Side of Draw. S.D. | Side of Ridge. S.R. | Head of Draw H.D.
Top of Slope ... T.S. | Bottom Wash B.W. | Top of Ridge. T.R. | Top of Slope ... T.S.

Intern. of Draw, V.D's: Break in Slope ... Br.S. | Steep Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn.

Side of Canyon S.Cn.: Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F.

Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road ... E.Rd.

Transit Rd. T.R. | Fence ... Fe. | Lat. Fence. V.Fn. | Ditch ... Di. | Telephone Pole ... T.P. | Power Pole ... P.P. | Culvert ... Cul.

Pipe-Pt. Outlet ... Pp. | Squeeze ... Sq. | Excelsior ... Ex. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#201	P#	547													
		4.	148.	5°	284° 30'	144	+ 8° 52'	811 6			793 9		BkS - +13 Steep Sw		
		408													
		2.	209.	3°	284° 45'	200	+ 12° 12'	834 3					S.H Bk		
		936													
		8.	137.	9°	270° 50'	137	+ 2° 44'	791 4					B S Sw		
		501													
		3.	202.	4°	279° 05'	197	+ 8° 37'	820 2					S.H Bk		
		1136													
		10.	137.	14°	255° 25'	137	− 3° 18'	772 0					B S Sw		
		606													
		4.	207.	5°	268° 20'	205	+ 5° 03'	807 3					S.H Bk & Bk S		
		508													
		3.	209.	4°	260° 15'	209	+ 1° 16'	794 6					Pt Spur		
		1197													
		10.	198.	11°	248° 10'	197	− 4° 25'	767 7					" "		
		1222													
		9.	323.	11°	245° 10'	322	− 3° 48'	761 7					S.H Bk		
		762													
		5.	263.	11°	258° 10'	263	+ 0° 45'	786 4					B S Sw		
		1204													
		9.	305.	11°	238° 55'	297	− 9° 20'	734 2					S.H Bk		
		1161													
		9.	262.	10°	251° 40'	261	− 3° 17'	768 9					B S Sw		
		1182													
		9.	283.	10°	249° 25'	282	− 3° 17'	767 7					Spur		
		1139													
		8.	340.	10°	235° 35'	337	− 5° 26'	751 8					S H		
		1162													
		8.	363.	10°	236° 05'	362	− 2° 40'	767 1					"		
		1120													
		8.	321.	9°	251° 45'	321	—	784 6					"		
		663													
		3.	364.	5°	247° 50'	364	+ 0° 27'	791 7					"		
		205													
		3	406.	4°	238° 40'	406	+ 0° 25'	793 1					" 13 k		
							—	810 0	5°		815 0		P#20J + G# 22J + T.R		
P#20J	P#201														
		1213													
		11.	114.	12°	87° 30'	114	− 3° 07'	796 9					T.R & Bk S		
		1163													
		16.	164.	11°	90° 25'	164	− 1° 52'	802 0					" "		

Add'n'l Interm.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rev. C. J. TERRY Plotted C. J. TERRY Book No. 8998 Division No. K E.B. 577 Pg. 165
Date JUN 11 1935 Date JUN 11 1935 Survey of [illegible]
Notes Chkd. Checked Survey by [illegible] Notes [illegible] Date 5-31-35
Date Date Map No. Indexed A. C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 20J	P# 20I	11 22			° '		° '		1						
		10	123.	11°	100.40	123	− 2.	799 8			815°		T.R		
		11 63							2						
		11	64.	11 7	108.50	64	− —	803 6					"		
		11 22							3						
		10	123.	11°	125.10	122	− 4.31	794 4					" & Bk. S		
		11 75							4						
		11	76	11°	146.30	76	− 3.27	799 6					Bk. S		
		11 33							5						
		10	134.	15°	150.50	132	− 7.29	782 8					S.H		
		11 88							6						
		11	89.	11°	177.10	88	− 4.43	798 8					"		
		11 26							7						
		10	127.	16°	174.10	124	− 8.25	780 8					"		
		11 95							8						
		11	96	12°	188.15	96	− 3.52	796 7					"		
		11 57							9						
		10	158.	11°	192.35	155	− 7.56	782 6					"		
		11 24							10						
		10	125.	11°	206.25	125	− 3.21	796 8					"		
		11 26							11						
		10	127.	11°	204.15	126	− 5.51	791 2					"		
		9 43							12						
		9	44.	9 6	191. —	44	− —	805 4					Bk S		
		11 16							13						
		10	117.	10 7	224.20	117	− —	804 3					S H		
		228							14						
		2	29.	1 8	313.45	29	− —	813 2					T.R		
		574							15						
		3	75.	5°	252. —	75	+ 1.50	812 3					Bk. S		
		347							16						
		3	48.	3°	321. —	48	+ 1.25	813 2					S.H Bk		
		400							17						
		3	101.	3°	298.10	98	+ 8.56	827 4					" "		
		673							18						
		6	74.	6°	326.20	74	+ 1.07	810 4					"		
		454							19						
		3	155.	4°	319.20	154	+ 3.57	821 6					SW		
		328							20						
		2	129.	3°	337.45	129	− —	812 0					"		
		472							21						
		3	173.	3 2	344.10	173	− —	811 3					S.H		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / —	Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
		682			° '			° '								
P#20J	P#20I	3	183.	4°	327.35	182	+	3.42	822.8			81.5		SH		
		1167														
		10	168.	11°	353.50	168	—	1.27	802.3					BkS		
		439														
		2	240.	3°	327.20	235	+	8.23	846.7					TR + BkS		
		1118														
		10	11.9.	10 4	347.25	119	—	—	804.6					BkS		
		427														
		2	228.	3°	313.30	220	+	10.26	852.4					TR + BkS		
		1248														
		12	49.	12 4	17.35	49	—	—	802.6					BkS		
		488														
		3	189.	4°	298. —	180	+	12.22	850.5					TR + BkS		
		443														
		3	144.	4°	290. —	138	+	11.40	839.4					TR		
		460														
		3	161.	4°	272.40	157	+	8.56	835.6					SH		
		1240														
		12	41.	12 3	50.05	41.	—	—	802.7		12.3			P#20J1		
		508														
		4	109.	5°	193.50	107.	—	7.12	796.5		18.5		13.5	P#20J2		
P#20J1	P#20J								802.7	5°		80.7		P#20J1 + BkS		
		1150														
		10	151.	11°	182. —	115	—	29.13	732.4					SH		
		1104														
		10	105.	11°	176.55	80	—	29.12	752.0					"		
		1190														
		10	191.	11°	159.40	142	—	30.21	713.6					BS Sw		
		1138														
		10	139.	11°	147.50	112	—	25.56	742.2					" " "		
		1211														
		10	212.	11°	153.45	181	—	22.16	722.5					SH		
		1186														
		10	187.	11°	141. —	172	—	16.09	746.8					Spur		
		1223														
		10	224.	11°	151.20	198	—	19.55	725.2					"		
		1127														
		9	228.	10°	139.10	213	—	14.58	741.0					BS Sw		

Add'l Inform.

F.B. 577 PG. 16

Topography Description Legend:
Side Hill...S.H. Bottom Draw B.D.
Side of Draw...S.D. Bottom Wash B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw H.D. Toe of Slope...T.S.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank...B.B. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.F. Bottom of Fill...B.F.

Side of Draw, V.D's Top of Slope...T.S. Bottom of Slope...B.S. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom Canyon...B.Cn.

Intersection of Draw, Ridge, Slope, Cut, Fill, Spur, Canyon

Transit Pt...Tr.Pt. Fire Pl...F.Pl. Fence...Fe. Fence, V.F...Fe. Int. Fence...Int. Ditch...Ditch Telephone Pole...T.P. Power Pole...P.P. Culvert...Culv.

Side...Sd. Swale...Sw. Flat...Fl. Stream...Str. Trail...Tr. Pavement...Pvt. Edge of Road...E.Rd.

Cedar...Ced. Pine...Pi. Sycamore...Sy. Eucalyptus...Eu. Pine combinations...Pine and all of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / — Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
P#20½	P#20J	11.48							1						
		9.	249.	10°	141° 05'	238	— 12.23	745.7			807.7		Pt. Spur & Bk		
		12.34							2						
		10.	235.	11°	148° 05'	208	— 19.58	721.4					BS Sw.		
		12.03							3						
		9.	304.	10°	139° 30'	292	— 11.14	739.8					S H		
		11.86							4						
		9.	287.	11°	149° 50'	260	— 18. —	712.6					Pt. Spur Bk. S		
		11.48							5						
		8.	349.	10°	140° 15'	336	— 11.05	732.2					Pt. ridge		
		11.44							6						
		8.	345.	10°	148. —	312	— 17.54	697.0					Bk S		
		11.58							7						
		8.	359.	10°	134. —	351	— 6.58	754.6					Pt. ridge		
		11.28							8						
		8	329.	10°	146° 10'	308	— 14.26	718.4					" " & Bk S		
									9						
									10						
								796.5	11		801.2		P#20½ & S H		
P#20½	P#20J	4.08													
		3	109.	3°	0° 00'	107	+ 6.17	810.5	12	+ 8.9		+ 11.9	P#20J - 4.08		
		11.73	74.	12°	102° 40'	72	— 9.50	776.7					S H		
		11.35							13						
		11.	36.	11°	164. —	35	— 8.22	785.0					"		
		11.16							14						
		1.0	117.	11°	121° 35'	107	— 17.04	757.4					"		
		11.04							15						
		1.0	105.	11°	165° 20'	97	— 16.21	761.8					"		
		11.68							16						
		1.0	169.	11°	132° 50'	156	— 19.38	736.8					"		
		11.65							17						
		1.0	166.	11°	168° 25'	153	— 16.14	745.7					Sw + H Small D		
		11.24							18						
		9.	225.	10°	141° 45'	196	— 21.03	715.8					B Small D		
		11.24							19						
		9.	225.	10°	165° 10'	215	— 12.12	744.8					Sw		
		11.55							20						
		9	254.	10°	145° 30'	240	— 14.20	729.8					S.H. Bk		
		11.34							21						
		9	235.	10°	164° 30'	226	— 10.55	747.6					"		

Add'n'l Inform.

Notes Rec. C. J. Ferguson Drawn by LRY Sht. No. 6 E.B. 522 Pg. 167
Date JUN 11 1935 Date JUN 1935 Survey of Pacific Ave
Notes Chkd. Checked Survey by Wheeler Notes A. C. Johnson Date 5-31-35
Date Map No. Indexed

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.# 20 J$_2$	P.# 20 J	4.06 / 8.	30.7	10 —	141° 8.40'	298	— 9.52'	739.5	1	—	8.01.2	—	Pt Small Ridge		
		11.75 / 9.	27.6	10 —	162° 10'	27.0	— 8.44'	749.8	2	—		—	BKS		
		1.20 / 8.	32.1	10 —	160° 10'	31.6	— 6.51'	753.2	3	—		—	TR		
		1.16 / 9.	31.7	11 —	155° 25'	31.1	— 7.32'	749.0	4	—		—	" + BK S		
					° '		° '		5						
					° '		° '		6						
					° '		° '		7						
					° '		° '		8						
					• '		• '		9						
					° '		° '		10						
					° '		° '		11						
					° '		° '		12						
					° '		° '		13						
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Topography Description Legend:
Base Hills...B.H. Bottom Wash...B.W.
Side of Draw...S.D. Bottom of Slope...B.S.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw...H.D. Toe of Slope...T.S.

Heads of Draws...H.D's
Brow of Slope...B.S.
Base Slope...S.S.
Bottom of Cliff...B.Cl.
Base of Cliff...B.Cl.
Bottom of Spur...B.Sp.
Bottom Canyon...B.Cn.

Top of Slope...T.S.
Top of Cliff...T.Cl.
Top of Cut...T.C.
Bottom of Cut...B.C.
Top of Fill...T.F.
Bottom of Fill...B.F.

Edge of Road...E.Rd.
Culvert...Cul.
Power Pole...P.P.
Telephone Pole...T.P.
Trail...Tr.
Stream...Str.
Bank...Bk.
Pavement...Pvt.

Fence...Fce.
Ditch...Dtch
Electrolier...El.
Pipe Connections...Pipe Con.
Spring...Spr.
Gate...G.
Corner...Cor.
Fence, V.Fce.

Abbrev. Interm.

Notes	Ck'd by D. M. Finley	Survey of Prairie Ave	F.B. 577 Pg. 169
Map	No. B-1065-1	W. O.	Tape No St'd of.
Office	Work	Surveyed by	
Checked		Notes	Date
Date		Indexed A. C. Johnson 6-14-35	

"F" Line
from
1+38 to 1+68
PRAIRIE AVE
Sc 1"=5'-0"

6-3-35 — 6-6-35

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

F.B. 577 PG. 170

To right pg 171

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by D. M. Finley
Map No. B-1065-1
Office Work
Checked
Date

Survey of
W. O. Tape No St'd OF.
Surveyed by
Notes Date
Indexed A. C. Johnson

F.B. PG. 171

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34



RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note; ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by D. M. Fiske	Survey of		F.B. Pg.
Map No. B-1065-1	W. O.	Tape No St'd °F.	
Office Work	Surveyed by		
Checked	Notes	Date	
Date	Indexed A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34



RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. _____ PG. _____

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ X-Sec. No.____ Notes Red.____ Date____ Notes Chkd.____ Date____ Date____ Platted____ Date____ Checked____ Date____ Job No. 8622 Division No. 4 Survey of____ Survey by____ Map No.____ Notes____ Indexed____ Date 6-14-35 Date____ F. B. 577 Pg. 125

STATION	B. S.	H. I.	F. S	ELEV.		
P#38	1.230	1044.277		1043.047	P#38 - See pg. 84	
P#39	11.821	1053.697	2.401	1041.876	P#39	
	10.368	1063.310	0.755	1052.942		
P#40	11.728	1073.257	1.781	1061.529	P#40	
	7.601	1081.966	0.892	1072.365		
P#41	9.503	1084.961	6.508	1075.458	P#41	
P#42	7.601	1088.922	5.730	1081.281	P#42	
P#43	2.792	1085.675	6.039	1082.883	P#43	
P#44	11.430	1091.148	5.987	1079.682	P#44	
	11.265	1100.512	2.351	1088.597		
	11.310	1109.995	1.827	1098.685		
	11.520	1119.806	1.799	1108.286		
	10.310	1127.454	2.662	1117.144		
P#45	10.361	1132.240	5.575	1121.879	P#45	
P#46	11.573	1135.023	5.790	1126.450	P#46	
	11.676	1148.628	1.071	1136.952		
	11.660	1159.385	0.933	1147.725		
	10.819	1169.871	0.333	1159.052		
	9.785	1179.124	0.532	1169.339		
P#100	6.170	1179.303	5.991	1173.133	P#100 (F.B. 591-89)	
	11.630	1190.333	0.60	1178.703		

Bench Levels from P#38 to P#37

31

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

E.B. 577 P.G. 116 Job. No. 6022 Division No. X Notes Red Plotted Profile No.
Survey of Palos Verdes Ave. Date Date X-Sec. No.
Survey by Mare Notes Fenner Notes Chkd. Checked
Indexed by C. Johnson Date 6-5-35 Date Date

STATION	B. S.	H. I.	F. S	ELEV.		
		1190.333				
	2.703	1197.867	2.169	1188.164		
T"47	9.023	1203.901	2.989	1194.878	T"47	
P"48	1.193	1199.223	5.871	1198.030	P"48	
	2.770	1191.921	10.072	1189.151		
T"49	11.250	1193.655	10.246	1182.405	T"49	
	11.470	1201.201	3.850	1189.731		
	11.810	1212.440	0.570	1200.630		
	7.603	1218.934	1.109	1211.331		
P"51	6.561	1223.189	2.306	1216.628	P"51	
T"52	11.580	1227.426	7.343	1215.846	T"52	
	10.120	1236.956	0.590	1226.836		
P"53	11.915	1238.648	9.223	1226.733	P"53	
	11.309	1236.245	3.622	1224.936		
	11.532	1247.349	0.828	1235.817		
	2.537	1248.121	0.765	1245.584		
P"54	4.165	1252.201	5.985	1248.036	P"54	
P"55	0.610	1243.503	9.308	1242.893	P"55	
	0.435	1243.338	0.600	1242.903		
B.M.	1.493	1248.478	1.853	1246.985	CREST RD. B.M. "563	25' L Sta 320+00± Elev. = 1261.46 — Palos Verdes Elev. Top Ford axle
	0.470	1248.178	10.880	1247.708	Adj. Elev. B.M. "563 = 1257.106 (1934 Adj.)	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		1248.178				
	2.171	1236.687	11.662	1236.516		
	0.940	1225.561	11.936	1225.151		
	1.395	1215.166	11.790	1213.771		
B.M. #2			9.690	1205.476	B.M. #2 Elev. = 1205.443 { Per L.B. 591-96 - L.B. 759-49 / Fd. C.S.B.M. Stamped R.P.L.S. B.M. 100 ft. N. of Sta. 100+34 - Pt. 10 ft. Rt.	
					Elev. B.M. #2 = 1257.106 (1934 Adj.)	
	8.111	1223.76		1215.649	PT #52	
	2.68	1212.73	11.68	1212.08		
	2.54	1204.56	10.91	1202.22		
PT #59	10.43	1201.54	7.45	1197.11	PT #59	
	5.94	1212.33	1.25	1206.39		
PT #60	11.95	1218.21	5.77	1206.26	PT #60	
	11.03	1226.81	3.43	1215.78		
PT #61	8.70	1235.20	2.31	1226.50	PT #61	
PT #62	4.98	1236.62	3.33	1231.87	PT #62	
PT #63	5.60	1233.76	6.35	1228.16	PT #63	
PT #64	2.37	1229.77	6.36	1227.40		
	1.33	1224.49	6.61	1223.16		
PT #65	2.58	1223.70	3.37	1221.12	PT #65	
	0.52	1209.74	9.48	1209.22		
T.P.			11.16	1198.58		

Profile Notes Red. Platted Job No. Division No.
No. Date Date Survey of
X-Sec. Notes Chkd. Checked Survey by Notes
No. Date Date Map No. Indexed Date

E.B. 377 PG.

B. 527 P.G. 178 Job. No. 5070 Division No. 6 Notes Red _____ Plotted _____ Profile

Survey of _____ Date _____ Date _____ No. _____

Survey by _____ Notes _____ Notes Chkd. _____ Checked _____ X-Sec.

Indexed _____ Date _____ Date _____ Date _____ No. _____

STATION	B.S.	H.I.	F.S	ELEV.

Form 307 M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by D.M. Finley	Survey of		F.B. Pg.
Map No.	W. O.	Tape No	St'd OF.
Office Work	Surveyed by		
Checked	Notes	Date	
Date	Indexed C. Johnson 6-14-33		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by D.M. Finley	Survey of	F.B.	Pg.
Map No.	W. O.	Tape No	St'd OF.
Checked	Notes	Date	
Date	Indexed	Johnson	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 5M 2-34



F.B. 577 Pg. 182



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by P.M. Finley	Survey of		F.B. 577 Pg. 182
Map No. C.S.B-1065-2	W. O.	Tape No	St'd	OF.
Office Work J. P. Price	Surveyed by		
Checked P.M. Finley	Notes	Date	
Date Jan. 1937	Indexed		

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

ROAD

PT 346+50.22
Fd 4x4 - Flush
L.B. 776-156

Fd 2" I.P.
Plug & Tk
6" deep
L.B. 776-155

Fd 2" I.P.
Plug & Tk
6" deep
L.B. 776-157

Fd 2" I.P.
Plug & Tk
6" deep
L.B. 776-157

50.00

50.00

BL.VD.

346+70.26 P.C.
Fd 4x4 - Flush
L.B. 776-157

376.17

337+94.09 P.O.T. on Crest Road per C.S. B-886
= 193+67.09 P.O.T. on Crenshaw Blvd. See F.B. 591-27.

CRENSHAW

63°15'15"

CREST

From top pg 181

FORM 247 5M 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 577 PG. 184

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. C.J. TERRY Plotted C.J. TERRY Job No. 8020 District No. 4 F.B. 527 Pg. 165
Date JUL 11 1935 Date Survey of [illegible] Date 1-2-35
Notes Chkd. Checked Survey by [illegible] Notes
Date Date Map No. Indexed A. C. Johnson 6-14-35

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#39	P#38				° '		° '	1041.9	5°		1046.9		P#39 to S.H.		
		177							2						
		1 349	98.	1°	91.50	-77	+ 6.09	1054.0	3				S.H.		
		2 210	150.	3°	95.45	-148	+ 7.05	1057.2	4				"		
		1 281	111.	1°	134.45	-111	+ 3.22	1052.4	5				"		
		1 219	182.	2°	120.20	-180	+ 5.42	1062.8	6				"		
		1 352	120.	2°	151.25	-120	+ 2.20	1049.8	7				H. Small D		
		1 289	253.	2°	140.15	-251	+ 5.20	1068.3	8				S.H.		
		1 726	190.	2°	158.	-189	+ 4.52	1061.0	9				"		
		4 355	327.	6°	151.35	-324	+ 5.49	1073.8	10				"		
		1 383	256.	2°	164.35	-254	+ 5.06	1067.4	11				"		
		1 486	284.	2°	166.25	-282	+ 5.	1069.4	12				"		
		2 324	287.	3°	189.55	-287	+ 2.03	1054.0	13				"		
		1 322	225.	2°	179.10	-224	+ 3.57	1060.2	14				BK S		
		1 273	223.	2°	191.45	-223	+ 1.33	1050.9	15				S.H.		
		1 262	174.	2°	179.10	-173	+ 3.13	1054.6	16				"		
		1 220	163.	2°	190.40	-163	+ 1.15	1047.3	17				" 13 k		
		1 101	121.	0° 5'	179.10	-121	— —	1046.4	18				"		
		10 873	102.	11°	203.05	-102	— —	1035.9	19				"		
		2 1171	74.	8° 2'	178.50	-74	— —	1038.0	20				B Small D		
		14 533	72.	11°	211.45	-72	— 3.30	1031.6	21				" "		
		5	34.	5° 8'	176.45	-34	— —	1041.1					S.H.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#39	P#38	11.44			° '		—								
		11..	45.	12 3	246 45	45	° '	1034 6	1		1046 9		S.H		
		11.97													
		14	98.	12 0	252 30	97	6 25	1024 2	2				"		
		11.66													
		1.0..	167.	11 0	255 35	166	5 26	1020 3	3				"		
		11.13													
		1.0	114.	11 0	242 15	111	9 15	1017 8	4				B Small D.		
		11.59													
		1.0.	160.	11 0	243 —	155	9 53	1009 0	5				" " "		
		11.17													
		1.0	118.	11 0	236 55	116	7 22	1021 0	6				13k S		
		11.84													
		1.0	185.	11 0	235 25	180	9 42	1005 3	7				" "		
		11.54													
		1.0	155.	11 0	223 30	154	4 45	1023 7	8				S.H		
		12.09													
		1.0	210.	11 0	230 05	206	8 04	1006 8	9				"		
		11.99													
		1.0.	200.	11 0	216 05	199	2 52	1026 1	10				"		
		11.56													
		.9	257.	10 0	225 45	254	5 51	1011 0	11				"		
		11.48													
		.9	249.	10 0	212 50	249	1 —	1032 7	12				"		
		11.91													
		.9.	292.	10 0	223 30	290	4 36	1013 6	13				" Bk		
		7.88													
		5	289.	6 4	208 25	289	—	1040 5	14				"		
		11.43													
		.8	344.	10 0	221 45	343	3 41	1015 0	15				" "		
		11.58													
		.9	259.	11 7	213 45	259	—	1035 2	16				Bk		
		12.02													
		.8	403.	10 0	222 25	401	3 41	1011 2	17				Pt ridge		
		11.53													
		.8	354.	10 0	212 05	354	—	1036 9	18				Bk S + Pt ridge		
		530													
		2	331.	4 4	206 40	331	—	1042 5	19				T R		
		506													
		2	307.	4 0	198 40	307	+ 0 57	1048 0	20				"		
									21						

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D. Bottom Wash B.W. Side of Draw S.D. Top of Ridge T.R. Side of Ridge S.R. Head of Draw H.D. Top of Slope....T.S. Bottom of Slope....B.S. Top of Cliff....T.Cl. Bottom of Cliff....B.Cl. Top of Spur....T.Sp. Bottom of Spur....B.Sp. Top of Fill....T.F. Bottom of Fill....B.F. Edge of Road....E.Rd. Pavement....Pvt. Culvert....Cul. Power Pole....P.P. Telephone Pole....T.P. Fence....Fce. Ditch....Dit. Ravine....Rav. Int. Fence....I. Fnc. Trawled Rd....Tr. Rd. Fill....Fl. Pipe....Pipe Cr. Creek....Cr. Bluff....Bl. Sandstone....Sd. Shale....Sh. Stream....Str. Gravel....Gvl. Bank....T.B. Bottom of Bank....B.B. Cut....T.C. Bottom of Cut....B.C. Gully....Gul. Eucalyptus....Euc. Pine....Pine Trees of these and all common standard abbreviations.

F.B. 522 Pg. 186

Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#40	P#39			—	° '		— ° '	106.15	1 5°	—	106.65	—	P#40 + S.H. or T.B.		
		156							2						
		1	57.	1°	85 —	57	+ 3.02	106.84	3	—	—	—	S.H.		
		218													
		1	119.	2°	83.30	119	+ 3.32	107.16	4	—	—	—	"		
		183													
		1	84.	1°	135.10	84	+ 3.18	107.03	5	—	—	—	"		
		336													
		2	137.	3°	117.35	136	+ 5.17	107.60	6	—	—	—	"		
		237													
		1	138.	2°	156.10	138	+ 2.21	107.00	7	—	—	—	SW		
		266													
		1	167.	2°	141.15	166	+ 4.40	107.79	8	—	—	—	"		
		394													
		2	195.	3°	167.50	194	+ 3.48	107.63	9	—	—	—	S.H.		
		321													
		1	222.	2°	156.45	220	+ 5.53	108.71	10	—	—	—	"		
		452													
		2	253.	3°	169.05	251	+ 5.38	108.82	11	—	—	—	"		
		569													
		3	270.	4°	159.15	264	+ 8.18	110.1L	12	—	—	—	"		
		609													
		3	310.	4°	169.55	309	+ 6.40	109.86	13	—	—	—	"		
		719													
		4	320.	5°	162.40	311	+ 9.38	111.44	14	—	—	—	"		
		867													
		5	368.	7°	169.45	362	+ 7.30	111.72	15	—	—	—	"		
		756													
		4	357.	6°	163.35	346	+ 9.52	112.09	16	—	—	—	"		
		1191													
		8	392.	10°	181.10	391	+ 3.02	107.72	17	—	—	—	" + G#43		
		766													
		4	367.	6°	159.35	355	+ 10.38	112.72	18	—	—	—	Bk.S.		
		511													
		2	312.	4°	156. —	302	+ 10.26	111.82	19	—	—	—	"		
		1032													
		7	333.	9°	181.50	332	+ 3.11	107.58	20	—	—	—	S.H.		
		339													
		1	240.	2°	152.35	236	+ 7.14	109.44	21	—	—	—	"		
		627													
		4	278.	5°	182.25	277	+ 2.28	107.32		—	—	—	"		

Add'n'l Inform.

Notes By C. J. TERRY Visited Date JUL 11 1935 Date Survey of Pacific Ave
Notes Chkd. Checked Survey by Notes Date
Date Date Map No. Indexed A. C. Johnson Date
Job No. 8090 Division No. V F.B. 577 Pg. 167

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 527 Pg. 168

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope T.S.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd.
Fence ..... Fn.
Int. Fences V.Fns.
Ditch ..... Dt.
Telephone Pole T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Sa. ..... Sw.
Fl. ..... Pvt.
Str. ..... E.Rd.
Tr. .....

Saddle
Swale
Flat
Stream
Trail
Pavement
Edge of Road

Side of Canyon S.Cn.
Top of Bank T.B.
Bottom of Bank B.B.
Top of Cut T.C.
Bottom of Cut B.C.
Top of Fill T.F.
Bottom of Fill B.F.

Inter. of Draw. V.D's
Break in Slope Bk.S.
Steep Slope .....
Top of Cliff T.Cl.
Bottom of Cliff B.Cl.
Top of Spur T.Sp.
Bottom Canyon B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#40	P#39	4.20													
		2.	221.	3.0	184 05	221	+ 0 38	1066.0			1066.5		S.H		
		3.18													
		1.	21.9.	2.0	126 30	216	+ 6 18	1088.2					Sw		
		8.65													
		7	166.	8.4	185 45	166		1058.1					S.H		
		4.02													
		2.	203.	3.0	107 05	202	+ 4 47	1080.3					"		
		11.40													
		10.	141.	11.0	185 35	141	— 0 20	1054.7					" Bk.		
		11.28													
		10.	129.	11.0	185 10	129	— 1 52	1051.3					Sw		
		5.02													
		3	203.	4.0	89 10	202	+ 4 —	1076.6					S.H.		
		6.65													
		6.	66.	5.9	183 20	66	— —	1060.6					"		
		10.39													
		10	40.	10.5	248 05	40	— —	1056.0					" + G#42		
		11.59													
		11	60.	11.0	258 50	60	— 2 25	1053.0					"		
		11.21													
		10	121.	11.0	257 50	120	— 4 30	1046.1					"		
		11.95													
		11.	96.	12.0	218 40	96	— 2 29	1050.4					"		
		11.37													
		10	138.	11.0	235 10	137	— 5 26	1042.6					Bk S.		
		11.44													
		10	145.	11.0	207 45	143	— 7 26	1036.8					Sw		
P#41	P#40						—	1075.5	5.0	—	1080.5	—	P#41 + S.H.		
		11.87													
		10	188.	11.0	316 15	178	— 13 34	1026.8					S.H		
		11.74													
		10.	175.	11.0	310 30	157	— 18 38	1016.7					B.Sw		
		11.08													
		10	109.	11.0	320 35	103	— 13 34	1044.7					S.H.		
		11.42													
		10	143.	11.0	281 25	126	— 19 45	1024.2					"		
		11.73													
		11.	74.	12.0	297 05	69	— 15 37	1049.4					"		
		11.37													
		10	138.	11.0	258 —	120	— 20 57	1023.6					"		

Add'n'l Inform.

Form 301 IUM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. C. J. TERRY Initial Job No. 8090 Division No. K F.B. 577 Pg. 181
Date JUL 11 1935 Date Survey of Ave
Notes Chkd. Checked Survey by Notes Date 6-11-35
Date Date Map No. Indexed C. J. 7-22-35

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#41	P#40	1158							1						
		11	59.	11°	252 30	55	− 14 18	1055 4			1080 5		S.H		
P#42	P#41							1081 2	2 49		1086 1		P#42 + S.H.		
		1140							3						
		10	141.	11°	293 50	117	− 24 12	1022 6	4				S.H		
		1182													
		11	83	12°	324 30	80	− 11 01	1058 6	5				"		
		1135													
		10	136	11°	255 10	108	− 27 01	1020 2	6				"		
		1161													
		11	62	11°	290 10	53	− 21 43	1053 9	7				"		
		1182													
		11	83	12°	233 05	70	− 22 40	1044 8	8				"		
		1183													
		10	184	11°	227 35	160	− 21 16	1013 1	9				Bk into D		
		1114													
		10	115	11°	207 25	107	− 15 36	1045 4	10				S.H.		
P#43	P#42							1082 9	49		1087 8		P#43 + S.H.		
		1191							11						
		10	192	11°	275 45	160	− 24 12	1005 2	12				B.D - 12' wide		
		1125													
		10	126	11°	262 10	106	− 23 10	1031 4	13				S.H.		
		1187													
		10	188	12°	255 05	159	− 22 58	1008 6	14				B.D. "		
		1137													
		10	138	11°	235 35	123	− 18 59	1034 5	15				S.H		
		1203													
		10	204	11°	239 10	184	− 18 11	1016 4	16				B.D. " "		
		1155													
		10	156	11°	217 55	149	− 12 28	1044 0	17				S.H		
		1137													
		9	238	10°	222 45	225	− 13 28	1024 2	18				B.D - 24' "		
		1192			205 30										
		10	193	11°	225 20	187	− 8 02	1050 0	19				S.H		
		1172													
		9	273	10°	210 30	263	− 10 45	1028 0	20				B.D 12' "		
		1136													
		9	237	10°	209 15	230	− 9 46	1038 4	21				Bk into D		
		1200													
		9	301	11°	214 10	298	− 6 08	1045 0					" " "		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore Eucalyptus Pine combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence Int. Fence. V. Fns. Ditch Telephone Pole T.P. Power Pole P.P. Culvert

Sa. Saddle Swale Flat Stream Trail Pavement Edge of Road Bw. Fl. Str. Tr. Pvt. E.Rd.

Side of Canyon S.Ca. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draw. V.D's Break in Slope Bk.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Ca.

Topography Description Legend:
Side Hill S.H.
Bottom Draw B.D.
Bottom Wash B.W.
Side of Draw S.D.
Side of Ridge S.R.
Top of Ridge T.R.
Toe of Slope T.S.
Head of Draw H.D.

F.B. 577 Pg. 190

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#43	P#42	11.72			° ' "		° ' "								
		9	273.	10°	225 40	269	− 7 03	1044 6	1		1087 8		Bk. into D		
		11.97													
		10	198.	11°	220 30	187	− 13 26	1032 3	2				"	"	"
		11.37	238.	10°	233 55	230	− 10 52	1033 8	3				"	"	"
		9													
		11.82	183.	11°	241 10	164	− 18 56	1020 8	4				"	"	"
		10													
		12.22	223.	11°	244 35	213	− 12 16	1030 7	5				"	"	"
		10													
		11.53	154.	11°	254 05	131	− 22 35	1022 5	6				"	"	"
		10													
		12.13	214.	11°	254 10	203	− 13 —	1030 0	7				"	"	"
		10													
		11.87	288.	10°	245 30	286	− 4 19	1056 3	8				S.H.		
		9.650													
		3	351.	4°	241 20	351	− —	1083 8	9						
		11.94	295.	10°	234 50	294	− 3 35	1059 6	10				"		
		9.562													
		2	363.	4°	235 —	363	+ 1 37	1094 0	11				"		
		12.07	308.	11°	226 55	307	− 2 27	1063 8	12				"		
		9.678													
		3	379.	5°	227 15	378	+ 3 14	1104 2	13				"		
		11.28													
		8	329.	10°	218 30	328	− 2 18	1063 8	14				"		
		7.03													
	+	3	404.	5°	219 45	402	+ 3 52	1110 2	15				"		
		11.65													
		10	166.	11°	187 15	166	− 0 52	1074 3	16				"		
		11.61													
		10	162.	11°	162 15	161	+ 3 47	1087 4	17				"		
		12.13													
		11	114.	12°	193 10	114	− 2 29	1070 9	18				"		
		5.11													
		4	112.	4°	160 15	111	+ 4 36	1092 8	19				"		
		11.62													
		11	63.	11°	208 35	61	− 10 34	1065 6	20				"		
		2.56													
		2	57.	20	154 —	57	+ 4 30	1090 2	21				"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Tied by [illegible] TERRY Plotted
Date JUL 11 1935 Date
Notes Chkd. Checked
Date Map No.
Job No. 8050 Division No. K F.B. 527 Pg. 44
Survey of Pauline Lake
Survey by [illegible] Notes [illegible] Date 6-11-35
Indexed C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#43	P#42	11 49			° '		° '		1						
		11	50.	11°	262 05	45	− 18 56	1061 6			1087 8		S.H.		
		2 14							2						
		2	15.	2°	37 —	14	+ 10 57	1088 6					"		
		11 67							3						
		11	68.	11°	310 35	63	− 15 04	1059 8					"		
		3 55							4						
		3	56.	3°	3 20	56	+ 1 15	1086 0					"		
		11 02							5						
		10	103.	11°	331 —	99	− 11 02	1057 6					"		
		6 06							6						
		5	107.	6°	4 30	107	+ 2 —	1085 3					" + G Copper line		
		9 63							7						
		8	164.	9°	58 35	145	+ 19 42	1131 0					Top BK		
		8 11							8						
		7	112.	7°	38 30	105	+ 14 22	1107 9					S.H		
		6 88							9						
		6	89.	6°	69 15	78	+ 20 35	1111 2					"		
		7 52							10						
		6	153.	7°	78 —	132	+ 21 28	1133 0					Top BK		
		4 29							11						
		3	130.	4°	78 30	112	+ 21 33	1128 2					BK S.		
		5 95							12						
		5	96.	5°	101 —	85	+ 19 46	1113 3					S H.		
		9 59							13						
		8	160.	9°	100 —	140	+ 20 26	1131 2					BK S.		
		6 20							14						
		5	121.	5°	124 —	112	+ 15 45	1114 6					S H		
		10 96							15						
		9	197.	10°	123 15	183	+ 15 25	1128 3					"		
		7 56							16						
		6	157.	7°	134 35	149	+ 12 49	1114 8					"		
		5 27							17						
		4	128.	5°	146 25	124	+ 9 32	1103 8					" + G Copper line		
P#44	P#43				° '		° '		18						
								1079 7	5°		1084 7		P#44 + S.H.		
		3 13							19						
		2	114.	2°	76 —	106	+ 14 48	1110 8					S.H BK		
		4 89							20						
		3	190.	4°	87 45	176	+ 15 28	1129 7					"		
		4 50							21						
		3	151.	4°	101 —	142	+ 13 44	1115 6					BK S		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 92

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Side of Draw S.D. | Top of Ridge T.R. | Side of Ridge S.R. | Toe of Slope T.S. | Head of Draw H.D.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ... Sy. | Eucalyptus ... Eu. | Pine combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. | Fence ... Fe. | Int. Fences V.Fe. | Ditch ... Di. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ... Cul.

Bk. ... Br. | Fl. ... Flr. | Tr. | Pvt. | E.Rd.

Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road E.Rd.

Side of Canyon S.Ca. | Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F.

Top of Draw V.D's | Break in Slope ... Br.Sl. | Steep Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Ca.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical — Angle	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P#44	P#43	618													
		4	219.	5°	102 10	206	+ 14 17	1132 0			1084 7		S.H.		
		372													
		2	173.	3°	116 45	165	+ 12 36	1118 4					Bk.S.		
		549													
		3	250.	4°	113 20	236	+ 13 43	1138 2					S.H.		
		298													
		1	199.	2°	131 25	190	+ 12 03	1123 3					Bk.S		
		685													
		4	286.	5°	125 30	276	+ 13 08	1142 9					Fl.		
		427													
		2	228.	3°	140 35	217	+ 12 24	1129 4					S.H.		
		565													
		3	266.	4°	133 25	251	+ 13 45	1142 2					Bk.S		
		551													
		3	252.	4°	150 10	240	+ 12 21	1133 3					S.H.		
		1222													
		9	323.	14°	138 25	304	+ 13 57	1146 2					Fl.		
		685													
		4	286.	5°	144 15	271	+ 13 17	1143 7					Bk.S.		
		428													
		2	229.	3°	156 05	221	+ 10 42	1123 4					S.H + G (upper line)		
		595													
		3	296.	4°	150 10	282	+ 12 42	1144 2					Bk.S.		
		737													
		6	138.	7°	142 35	135	+ 7 44	1096 0					" "		
		451													
		2	252.	3°	161 35	243	+ 10 38	1127 4					S.H Bk.		
		713													
		6	114.	7°	128 25	112	+ 7 41	1092 7					Bk S		
		431													
		2	232.	3°	170 50	228	+ 7 36	1112 3					S.H		
		683													
		6	84.	6°	114 50	82	+ 7 42	1089 7					Bk S		
		399													
		2	200.	3°	166 50	187	+ 7 31	1107 7					S.H		
		663													
		6	64.	6°	157 —	64	+ 1 56	1080 7					Sw.		
		467													
		3	168.	4°	157 05	165	+ 7 36	1102 7					S.H		
		508													
		4	109.	5°	169 25	109	+ 1 40	1082 8					Sw		

Add'n'l Inform.

Form 301-10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical — Angle	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P#2	P#3	728	134	7	165° 22'	138	0° 0'	1091.0	1		108.7				
		353							2						
		154	154	3.0	175° 20'	154	+ 2° 0'	1086.8							
		1155							3						
		56	56	11.0	184° 12'	56	1.07	1072.6	4						
		1008													
		203	203	3.0	179° 58'	203	+ 3.31	1094.3	5						
		1178													
		79	79	11.2	180° 25'	79	0° 0'	1073.7	6						
		504													
		241	241	4.0	179° 15'	241	+ 4.23	1099.2	7						
		203													
		130	130	1.2	181° 22'	130	0° 0'	1073.3	8						
		1055													
		186	186	7.6	189° 05'	186	0° 0'	1075.1	9						
		635													
		236	236	5.0	185° 39'	236	0° 0'	1079.7	10						
		1142													
		246	246	10.2	198° 30'	246	3.25	1060.0	11						
		1120													
		261	261	10.7	204° 32'	261	0° 0'	1041.1	12						
		1302													
		199	199	4.2	208° 0'	199	0° 0'	1052.2	13						
		1138													
		224	224	12.5	204° 0'	224	0° 0'	1035.9	14						
		1156													
		156	156	1.8	208° 0'	156	0° 0'	1049.8	15	X					
		1102													
		139	139	11.2	208° 0'	139	0° 0'	1049.0	16						
		1100													
		189	189	2.8	208° 0'	189	12.25	1033.3	17						
P#5	P#4	1102													
		275	275	11.2	315° 10'	275	0° 0'	1066.8	18						
		1202													
		285	285	10.0	328° 45'	285	0° 0'	1046.2	19						
		1100													
		251	251	10.2	311° 10'	251	9.22	1075.3	20						
		1161													
		232	232	10.0	325° 10'	232	16.12	1049.4	21						

Addn'l Inform.

Notes Red C. J. TERRY Platted Job No. 8694 Division No. V F.B. 577 PG. 193
Date JUL 11 1935 Date Survey of Date
Notes Chkd. Checked Survey by Notes Date
Date Map No. Indexed C. C. Johnson

Form 301 rum 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#45	P#44	1.36			° '		° '								
		9	229.	10	2 32 20	220	0	10784					S.H.		
		1.13			° '		° '								
		9	212.	11	312 45	195	14	10591					Bk. with D.		
		1.22			° '		° '								
		9	152.	10	300	161		10578					" " "		
		1.32			° '		° '								
		9	332.	10	290	218	2	10879					S.H.		
		11.66			° '		° '								
		10	167.	11	291 25	149	19	10636					Bk. with D		
		1.20			° '		° '								
		9	225.	10	277	222	6	10928					S.H.		
		1.59			° '		° '								
		10	169	11	275 10	144	15	10680					Bk. with D		
		1.49			° '		° '								
		9	245.	10	266 45	244	4	10982					S.H.		
		1.09			° '		° '								
		10	178.	11	259 10	168	13	10752					Bk. with D		
		1.08			° '		° '								
		10	177.	11	243 30	169	13	10758					" " "		
		1.46			° '		° '								
		9	247.	10	255 30	246	9	10990					S.H.		
		1.95			° '		° '								
		10	197.	11	224 30	192	10	10798					Bk. with D		
		1.59			° '		° '								
		9	268.	10	245 30	259	2	11043					S.H.		
		1.21			° '		° '								
		10	228.	10	228 30	224	7	10857					Bk. with D		
		1.71			° '		° '								
		9	272.	10	228 30	270		10923					" " "		
		1.86			° '		° '								
		9	287.	10	235 45	287	1.03	11118					S.H.		
		1.23			° '		° '								
		8	324.	10	215 30	323	3.07	10994					Bk. with D		
		1.24			° '		° '								
		8	325.	10	228 00	325	0.34	11136					S.H.		
		1.54			° '		° '								
		8	355.	10	223 50	355	0.33	11136					"		
					° '		° '								
					° '		° '								
					° '		° '								

Add'n'l Inform.

F.B. 577 PG. 124

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Inters. of Draws V.D's
Break in Slope ..... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon S.Cn.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole .....P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET, MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
		1120			° '		° '		2						
		6	524	9	17.50	520	2.21	11479	3						
		1154	458	9	7.45	456	3.18	11431	4						
		9													
		1148	451	9	2.45	449	2.06	11530	5						
		1202													
		6	403	10	5.40	402	2.22	11498	6						
		1123													
		6	394	10	17.30	394	1.37	11572	7						
		1150													
		8	351	10	9.05	350	2.28	11532	8						
		1153													
		8	354	10	4.05	352	4.24	11412	9						
		1154													
		8	355	10	23.45	355	1.14	11606	10						
		1124													
		8	305	10	18.50	305	1.55	11582	11						
		1125													
		8	326	10	28.10	326	1.09	11618	12						
		1160													
		9	261	10	29.15	261	1.41	11607	13						
		1182													
		9	283	10	37.50	283	0.18	11668	14						
		1123													
		9	221	10	38.35	221	1.18	11632	15						
		1204													
		10	205	11	35 —	205	1.40	11613	16						
		1116													
		9	217	10	54.40	217	° '	11680	17						
		1154													
		10	155	11	39.15	155	2 —	11619	18						
		1174													
		10	175	11	69.10	175	0.56	11644	19						
		1162													
		10	163	12	58.10	163	° '	11659	20						
		1125													
		10	126	12	56.50	126	° '	11657	21						
		1141													
		10	142	11	86.20	142	—	11672							

Add'n'l Inform.

Notes Red. C. J. TERRY Platted
Date JUL 11 1933 Date Survey of
Notes Chkd. Checked Survey by Notes
Date Date Map No. Indexed A. C. Johnson Date

Job No. Division No. F.B. PG.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 196

Topography Description Legend:
Side Hill...S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash..B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw..H.D. Toe of Slope..T.S.

Inters. of Draws..Y.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon..S.Cn. Top of Bank...T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ...Pvt. Edge of Road E.Rd.

Traveled Rd..Tr.Rd. Fence.....Fn. Int. Fence.....I.Fn. Ditch.....Dt. Telephone Pole..T.P. Power Pole....P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of those and all of mmon standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#100	P#16	914			° '		° '								
		8	115	2	23 10	115	—	1170 0			1178 2		Bk. S		
		867			° '		° '								
		8	68	1	53 05	168	—	1170 3					F1 + G		
		513			° '		° '								
		4	114	4	108 50	114	—	1173 3					S.H.		
		268			° '		° '								
		2	69	2	108 10	69	—	1175 6					℄ 12' rd ✓		
		1179			° '		° '								
		11	80	1	17 40	80	3 33	1161 3					Bk. S		
		1145			° '		° '								
		11	46	1	319 10	46	5 24	1162 9					"		
		448			° '		° '								
		3	149	4	154 10	148	+ 3 37	1183 4					F1		
		1145			° '		° '								
		11	46	1	251 20	46	—	1166 8					Bk. S.		
		1107			° '		° '								
		1	98	1	109 40	97	+ 4 05	1184 2					F1		
		422			° '		° '								
		4	83	1	319 05	83	+ 2 32	1175 0					Bk. S.		
		975			° '		° '								
		1	176	2	191 25	174	+ 5 25	1192 7					F1		
		208			° '		° '								
		1	199	2	183 50	197	+ 5 12	1194 2					℄ 12' rd ✓		
		503			° '		° '								
		11	144	5	212 30	143	+ 3 34	1182 2					Bk. S		
		396			° '		° '								
		1	297	2	171 30	293	+ 6 29	1209 6					℄ 12' rd ✓		
		358			° '		° '								
		2	259	2	208 35	257	+ 4 57	1198 3					Bk. S		
		316			° '		° '								
		1	277	2	198 10	274	+ 6 22	1206 8					S.H.		
		722			° '		° '								
		4	323	6	216 20	321	+ 4 24	1196 8					Bk. S.		
		455			° '		° '								
		1	356	3	103 40	351	+ 7 02	1218 6					"		
		496			° '		° '								
		1	397	3	199 40	390	+ 7 32	1227 1					℄ 12' rd ✓		
		706			° '		° '								
		3	407	5	215 —	403	+ 5 31	1212 2					S.H.		
		555			° '		° '								
		1	456	3	206 20	448	+ 7 24	1233 5					"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
Pt.	Pt.	4.05			° '		° '		1						
		4.32	301.	2.0	182 42	297	+ 6 32	1209 4			1178 2		S.H.		
		3	3.37	3.0	165 35	237	+ 4 42	1194 7	2				Pt.		
		3.05	2.46	2.0		206	+ 2 32	1167 2	3				H. Sur		
		1							4						
		5.58													
		1	160.	1.3	123	185	—	1172 9	5				B. Sur		
		1.05													
		9	2.16	10	74 10	206	2 18	1160 2	6						
		1.00													
		10	2.10	1.0	28 35	210	2 09	1159 4	7				S.H.		
		1.20													
		10	2.06	1.3	6	205	—	1166 9	8				Pt.		
		2.11													
		2	4.12	4	224	410	+ 2	1205 2	9				S.H.		
		6.80													
		3	3.86	5	21	386	+ 3	1195 0	10						
		5.11													
		2	3.66	4.7	226 50	366	+ 3 14	1194 8	11						
		1.30													
		3	3.90	5	238	390	+ 2 12	1188 3	12						
		5.11													
		2	3.12	4	234	312	+ 2	1181 8	13						
		1.53													
		2	3.54	4.2	232 28	354	+ 1 55	1186 0	14						
		5.18													
		2	2.59	3	221	259	—	1170 4	15						
		5.18													
		3	3.01	3.5	211	301	—	1171 4	16						
		4.05													
		1	2.06	10	232 50	206	1 50	1161 7	17						
		2.06													
		2	2.51	3	221	251	+ 3	1155 0	18						
		5.00													
		10	1.66	11	232	166	+ 4 55	1154 0	19				Sw.		
		12.10													
		15	2.11	1.0	207 25	208	+ 6 55	1142 0	20	X					
		11.10													
		9	2.21	10	251 05	213	+ 11 06	1125 6	21	X			"		
		11.68													
		9	2.29	10	222 40	258	+ 11 39	1115 2					Pt. into 2		

Add'n'l Inform.

Notes Red. C. J. TERRY Matted
Date JUL 11 1935 Date Survey of
Notes Chkd. Checked Survey by Notes
Map No. Indexed A. C. Johnson Date

Job No. 6222 Division No. F.B. PG. 162

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 527 PG. 1-25

Topography Description Legend:
Side Hill: Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.
Inters. of Draws, V.D's or Break in Slope: Bk.S. | Top of Cliff T.Cl. | Bottom of Cliff B.Cl. | Top of Spur T.Sp. | Bottom Canyon B.Cn.
Side of Draw: S.D. | Side of Ridge S.R. | Head of Draw H.D.
Side of Canyon: S.Cn. | Top of Bank T.B.B. | Bottom of Bank B.B. | Top of Cut T.C. | Bottom of Cut B.C. | Top of Fill T.F. | Bottom of Fill B.F.
Saddle: Sa. | Swale Sw. | Flat Fl. | Stream Str. | Trail Tr. | Pavement Pvt. | Edge of Road E.Rd.
Traveled Rd. T.Rd. | Fence Fn. | Int. Fences V.Fn. | Ditch Di. | Telephone Pole T.P. | Power Pole P.P. | Culvert Cul.
Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore Sy. | Eucalyptus Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
1									1						
						250		11328							
						276		11397	2				"		
						298		11263	3						
						320		11472	4						
						331		11622	5						
						362		11405	6						
						374		11652	7						
						411		11526	8						
						404		11667	9						
								11265	10		11315				
						382		11265	11						
						363	+	11412	12				"		
						232		11214	13						
						309		11408	14						
						274		11182	15						
						264	+	11414	16						
						245		11215	17						
						216		11387	18						
						217		11186	19						
						169	+	11328	20				"		
						195		11160	21						

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#4	P#3	507	148.	3	180 ° 00 '	148	— ° '	11276	1		11315				
		4							2						
		10	10.	1	96 ° 10 '	163	2 ° 00 '	11128	3						
		1													
		505	145.	1	195 ° 54 '	143	6 ° 14 '	11054	4						
		7	110.	1+6	176 ° 10 '	110	— ° '	11269	5						
		12 °													
		2	124.	1	200 ° 13 '	124	5 ° 00 '	11094	6						
		2													
		1	104.	1	220 ° 35 '	104	2 ° 13 '	11064	7						
		1500													
		5	60.	1	270 ° 00 '	60	— ° '	11267	8						
		1	73.	1	310 ° 52 '	73	3 ° 00 '	11084	9						
		1162													
		1	63.	1	248 ° 35 '	58	6 ° 00 '	11027	10						
		1	55.	2	288 ° 50 '	55	2 ° 00 '	10988	11						
		1158													
		1	59.	1	354 ° 10 '	59	— ° '	11202	12						
		1													
		1	85.	2	321 ° 51 '	85	16 ° 29 '	10943	13						
		1													
		12	110.	1	359 ° 20 '	110	2 ° 53 '	11150	14						
		1162													
		1	125.	1	300 ° 00 '	117	12 ° 25 '	10896	15						
		1162													
		10	163.	1	90 ° 00 '	162	4 ° 47 '	11056	16						
		1161													
		10	158.	1	90 ° 00 '	160	— ° '	10841	17						
		1163													
		10	191.	1	270 ° 46 '	174	17 ° 31 '	10658	18						
		1													
		9	212.	2	321 ° 50 '	192	19 ° 56 '	10472	19						
		1161													
		15	152.	1	313 ° 45 '	135	19 ° 47 '	10723	20						
		1177													
		12	178.	1	303 ° 25 '	156	22 ° 35 '	10526	21						
		1124													
		10	122.	1	290 ° 50 '	108	21 ° 14 '	10784							

Addn'l Inform.

Notes Rod. C. J. TERRY Platted Job No. 8[illegible] Division No. 1 F.B. [illegible] PG. [illegible]
Date JUL 11 1935 Date Survey of
Notes Chkd. Checked Survey by Notes Date
Date Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5X1 PG. 2

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Oak ..... O. | Fir ..... Fr.
Pine ..... Pi. | Cedar ..... Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and standard abbreviations.

Traveled Rd. ..... Tr.Rd. | Fence ..... Fn.
Int. Fence ..... V.Fn. | Ditch ..... Dt.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw.
Flat ..... Fl. | Stream ..... Str.
Trail ..... Tr. | Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Side of Canyon ..... S.Cn. | Top of Bank ..... T.B.
Bottom of Bank ..... B.B. | Top of Cut ..... T.C.
Bottom of Cut ..... B.C. | Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Inters. of Draws. ..... V.D's | Break in Slope ..... Bk.S. | Steep Slope ..... S.Sl. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P05	P05	1158			° '		° '								
		10	159.	11 2	277 40	134	− 23	10628	1		11315		B.D		
		1126			° '		° '								
		10	127.		356 55	115	− 17	10837	2				Bk. into D.		
		1200			° '		° '								
		10			348 35	154	− 15 4	10688	3				B.D	5'	
		1140			° '		° '								
		10	144.	11 2	330 25	135	− 14 39	10856	4				Bk. into D.		
		1200			° '		° '								
		10	181.	11 2	339 34	167	− 16 20	10717	5				V.Ds.	- 5'	
		1152			° '		° '								
		10	154.		336 30	147	− 13 21	10884	6				Bk. into D.		
		1208			° '		° '								
		10	217.	11 2	2 55	209	− 11 17	10789	7				B.D.	8'	
		1164			° '		° '								
		10	165.	11 2	20 25	157	− 12 21	10860	8				B. Small D		
		1132			° '		° '								
		9	249.	14	99 55	234	− 1	10793	9				B.D.	6'	
		1126			° '		° '								
		10	192.	11 2	22 55	181	− 1 59	10888	10				Bk. into D.		
		1208			° '		° '								
		9	282	12 2	219 30	278	− 5 40	10834	11				B.D.	10'	
		1125			° '		° '								
		9	226.	10 2	217 30	223	− 6	10977	12				Bk. into D.		
		1201			° '		° '								
		9	322.	14 2	220 40	320	− 2 55	10947	13				B.D.	10'	
		1151			° '		° '								
		9	283.	12 2	218 55	282	− 3	11062	14				Bk. into D.		
		1148			° '		° '								
		8	349.	10 2	225 45	347	− 3	10951	15				B.D	5'	
		1200			° '		° '								
		8	391.	10 2	221	390	− 3	11000	16				"	4'	
		1156			° '		° '								
		8	357.	10 2	312	357	− 0	11081	17				Bk. into D.		
		1134			° '		° '								
		9	235.	10 2	208 35	234	− 3	11067	18				S.H.		
		608			° '		° '		X						
		4	209.	5 2	208 35	207	− 2	11043	19				"		
		1137			° '		° '		X						
		8	338.	13 2	311 05	338	−	11183	20				"		
		713			° '		° '								
		3	414	5 2	309 50	413	+ 2 18	11430	21				Bk. 5.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / — Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
		1214			° '		° '		1						
		9	315.	11 2	306 05	315	—	1120 3			1131 5		S.H.		
		594							2						
		2	395.	4 0	302 15	393	+ 3 44	1153 1					B.K.S		
		1106							3						
		8	307.	9 2	300 —	307	—	1122 3					S.H		
		684							4						
		3	385.	5 0	297 —	383	+ 3 52	1152 6					B.K.S		
		1205							5						
		9	306.	10 2	291 35	306	—	1121 2					S.H		
		590							6						
		2	391.	4 0	290 30	390	+ 3 15	1150 1					B.K.S		
		1240							7						
		9	311.	10 2	283 20	311	—	1120 7					S.H. V<5"+5		
		2							8						
		696	397.	5 2	279 35	396	+ 3 04	1147 6					B. Level Sur		
		3	397.	5 0	274 —	396	+ 3 18	1149 2							
		1105							10						
		8	306.	9 8	275 10	306	—	1121 7					S.H		
		502							11						
		2	303.	3 2	267 50	303	—	1128 2							
		685							12						
		3	384.	5 0	266 10	384	+ 4 22	1155 8					B.K.S		
		596							13						
		3	297.	4 0	261 35	297	— 1 25	1133 8					S.H		
		553							14						
		2	354.	4 0	256 45	350	+ 5 43	1162 6					" B.K.		
		502							15						
		2	303.	3 0	254 10	303	+ 2 05	1139 3					"		
		588							16						
		8	389.	4 8	248 20	384	+ 6 45	1172 8					"		
		424							17						
		3	325.	5 0	246 25	324	+ 3 10	1144 2					"		
		742							18						
		3	443.	5 0	244 10	436	+ 7 23	1182 8					"		
		662							19						
		3	365.	5 0	240 35	364	+ 3 10	1146 5					"		
									20						
					° '		° '								
									21						

Add'n'l Inform.

Notes Red. C. J. TERRY Plotted
Date JUL 11 1935 Date
Notes Chkd. Checked
Date Date
Map No. Survey by Notes
Indexed A. C. Johnson Date
Job No. 5232 Division No. 4 F.B. 577 PG. 93
Survey of

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 202

Topography Description Legend:
Hill..S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash..B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw..H.D. Toe of Slope..T.S.

Inters. of Draws..V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon..S.Cn.
Top of Bank.....T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut...B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road ..E.Rd.

Traveled Rd..Tr.Rd.
Fence .....Fn.
Int. Fences..V.Fnt.
Ditch .....D.
Telephone Pole..T.P.
Power Pole....P.P.
Culvert .....Cul.

Oak..O. Fir-Fr.
Pine-Pi. Cedar..Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
P#47	P#46							11945	5°		11799		P#47 + S.R.		
		485	286	1L	54 40	286		11988					S.H.		
		2													
		446	247	3°	68 50	246	+ 3 33	12122					S.R.		
		2													
		1125	226	12½	42 10	226		11874					S.H.		
		9													
		227	178	0°	69 10	178		11999					S.R.		
		1													
		1141	142	11°	40 10	140	− 5 58	11744					Sw.		
		16													
		285	136	7°	69 45	136		11929					"		
		6													
		1126	117	11°	16 45	113	− 10 32	11680					S.H.		
		10													
		1183	84	11½	60 —	84	—	11883					S.R.		
		11													
		1139	140	11°	347 10	134	− 11 32	11616					S.H.		
		10													
		1145	46	11°	12 15	46	− 4 08	11857					Bk.S.		
		11													
		1180	181	11°	307 —	177	− 8 20	11628					"		
		16													
		1123	84	11°	314 25	83	− 5 33	11808					S.R.		
		11													
		1123	224	10°	316 10	221	− 5 40	11639					Ft. ridge		
		9													
		1115	146	11°	5 30	145	− 5 17	11756					T.R.		
		15													
		1100	265	9°	328 20	260	− 7 46	11543					S.H.		
		9													
		1184	185	11°	294 10	183	− 5 30	11713					T.R. + Bk.S.		
		10													
		1170	231	10°	291 45	228	− 7 23	11614					S.H.		
		9													
		1132	233	10°	277 15	230	− 6 09	11652					"		
		9													
		1116	217	14°	258 55	216	− 4 26	11694					"		
		9													
		1183	184	11°	269 40	183	− 3 14	11786					Spur		
		10													

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Book No. C. J. TERRY Visited
Date JUL 11 1935 Date Survey of
Notes Chkd. Checked Survey by Notes
Map No. Indexed A. C. Johnson Date
Job No. 8930 Station No. 4 F.B. 522 Pg. 44

Transit at	Sight on	Stadia Measurements	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ —	Vertical Angle	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ —	Vertical Distance	REMARKS Station	Left	Right
		11 85			° '			° '		1							
	10		186	11°	251.40	186	−	2.47	1180.0	2		1199.9			S R		
	11 44																
	10		145	11°	264	145	−	1.36	1185.0	3					T R Y		
	11 53																
	10		154	11°	241.40	154	−	1.30	1185.0	4					S R		
	8 94																
	8		95	8°	248.35	95	−	.	1191.0	5					T R		
	7 24																
	6		115	6°	216.35	115	−	—	1193.8	6					S R		
	6 69																
	6		70	6°	189.30	69	T	5.38	1200.7	7					T R + L #4		
	6 24																
	5		125	6°	155.40	124	+	4.06	1202.8	8					S R		
	1 58																
	1		59	1°	138.15	59	+	3	1202.0	9					T R		
	1 36																
	2		162	3°	130.40	161	+	4.24	1209.4	10					S R		
	2 12																
	1		118	2°	115.35	117	+	4.43	1207.5	11					T R		
	1 32 0																
	1		221	2°	115.45	219	+	5.56	1220.7	12					S R		
	1 36 7																
	2		168	3°	104.55	166	+	6	1214.3	13					T R		
	5 82																
	3		283	4°	106.25	280	+	6.24	1227.3	14					S R		
	4 22																
	2		223	3°	97	220	+	6.15	1221.1	15					T R		
	6 65																
	3		366	5°	99.50	361	+	6.40	1237.2	16					S R		
	4 78																
	2		279	3°	92.05	275	+	6.34	1228.6	17					"		
	3 80																
	1		281	2°	80.10	278	+	5.37	1225.3	18					"		
	3 05																
	1		206	2°	81.50	205	+	4.14	1213.0	19					"		
	2 33																
	1		134	2°	84.15	134	+	1.40	1201.8	20					"		
	2 84																
	2		85	2°	85.55	85	−	—	1197.9	21					Sw		
							−										

Acc'n Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 572 Pg. 20

Topography Description Legend:
Side Hill....S.H. | Bottom Draw..B.D. | Side of Draw..S.D. | Side of Ridge..S.R. | Head of Draw H.D. | Bottom Wash B.W. | Top of Ridge..T.R. | Toe of Slope..T.S.

Intern. of Draw..V.D's | Break in Slope..B.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Ca. | Side of Canyon S.Ca. | Top of Bank.....T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F. | Saddle.....Sa. | Swale.....Sw. | Flat.....Fl. | Stream.....Str. | Trail.....Tr. | Pavement.....Pvt. | Edge of Road..E.Rd. | Traveled Rd. Tr.Rd. | Fence.....Fe. | Barb Wire Fence..B.W.Fe. | Pipe Line.....P.L. | Cedar.....Ce. | Sycamore.....Sy. | Eucalyptus.....Eu. | Ditch.....Dt. | Telephone Pole..T.P. | Power Pole...P.P. | Culvert.....Cul.

Add'l Interm.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#48	P#47				° '		° '	11 98	5		12 03		P#48 + TR + BK S.		
		482													
		2	28.3	3	86.30	282	3.10	12 16					S.H.		
		1166													
		9	26.7	10	96.20	267	0.53	11 97					"		
		623													
		4	22.4	5	91.50	223	2.49	12 09					BK S		
		1217													
		10	21.8	11	104.15	218	0.46	11 89					S.H.		
		4.6													
		3	16.7	2	97.35	167		12 01					BK S		
		707													
		6	10.8	6	108.35	108		11 96					"		
		1193													
		11	6.4	1	137	64		11 91					"		
		1153													
		11	5.4	1	187.10	54	4.56	11 87					"		
		1184													
		11	8.5	1	241.25	84	5.9	11 82					"		
		1123													
		10	12.4	11	265.40	123	5.36	11 80					"		
		1168													
		10	16.9	11	268.10	166	7.4	11 69					SH		
		1210													
		10	21.1	11	270.10	206	9.13	11 58					"		
P#49	P#46							11 61	4.6		11 86		P#49 + BK S.		
		759													
		6	16.0	7	91.35	160		11 79					SH		
		1227													
		12	12.9	11	94.20	129		11 75					"		
		1195													
		11	9.6	12	98.10	96		11 73					"		
		1158													
		11	5.9	11	121.	57	10.07	11 65					"		
		1166													
		11	6.7	11	189.10	56	23.49	11 50					" + G#47		
		1196													
		11	9.7	12	226.40	86	19.15	11 44					"		
		1132													
		10	13.3	11	244.10	123	16.11	11 39					"		

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#49	P#48	1167			° '		° '		1						
		1.0	1.68	11°	251. —	158	1427	1134 9			1186 3		S.H.		
		1202							2						
		1.0	2.03	11°	257.05	192	1306	1130 6					"		
		1190							3						
		1.0	1.91	13°	270.35	187	804	1146 7					"		
		1145							4						
		1.0	1.46	11°	267.05	142	9 —	1152 7					"		
		1198							5						
		11	99	12°	261.05	97	8.46	1159 4					"		
		1154							6						
		11	55	11°	244.10	53	10.55	1165 1					"		
		1211							7						
		1.0	2.12	11°	244.25	194	17.01	1116 0					"		
		1136							8						
		9	2.37	10°	236.50	208	20.21	1099 3					B. into D		
		1169							9						
		1.0	1.70	11°	234.35	152	18.54	1123 2					S.H.		
		1205							10						
		1.0	2.06	11°	227.10	179	21.13	1105 9					Bk. into D		
		1145							11						
		1.0	1.46	11°	217. —	125	22.12	1124 4					S.H.		
		1198							12						
		1.0	1.99	11°	210. —	166	23.42	1102 3					Bk. into D		
		1129							13						
		1.0	1.30	11°	199.35	108	24.26	1126 4					S.H		
		1171							14						
		1.0	1.72	11°	191.05	141	25.02	1109 6					Bk. into D		
		1115							15						
		1.0	1.16	11°	174. —	95	25.11	1130 7					S.H		
		1149							16						
		1.0	1.50	11°	170.15	120	26.18	1115 8					Bk. into D		
		1108							17						
		1.0	1.09	11°	142.25	94	21.16	1138 5					S.H		
		1138							18						
		1.0	1.39	11°	150.40	115	24.22	1123 0					Bk. into D		
		1136							19						
		1.0	1.37	11°	119.30	130	12.35	1146 3					S.H.		
		1158							20						
		1.0	1.59	11°	131.50	144	17.43	1129 4					Bk. into D		
		1162							21						
		1.0	1.63	11°	109 29	160	7 49	1153 4					S.H		

Add'l Inform.

Notes Ref. J. J. TERRY Platted
Date JUL 11 1935 Date
Notes Chkd. Checked
Survey of Survey by
Job No. 8010 Division No. V
F.B. 577 PG. 205
Notes
Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 Pg. 206

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Side of Draw H.D. | Head of Draw H.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Inters. of Draws, V.D's or Break in Slope ... Bk.S. | Side of Canyon S.Cn. | Saddle ... Sa. | Traveled Rd. Tr.Rd. | Oak-O. Fir-Fr. | Sta. at ... Sta.
Steep Slope ... S.S. | Top of Bank T.B. | Swale ... Sw. | Fence ... Fe. | Pine-Pi. Cedar-Ce.
Top of Cliff ... T.Cl. | Bottom of Bank B.B. | Flat ... Fl. | Inf. Fences V.Fe. | Sycamore ... Sy.
Bottom of Cliff ... B.Cl. | Top of Cut ... T.C. | Stream ... Str. | Ditch ... Di. | Eucalyptus ... Eu.
Top of Spur ... T.Sp. | Bottom of Cut ... B.C. | Trail ... Tr. | Telephone Pole T.P. | Plus combinations of these and all common standard abbreviations.
Bottom Canyon ... B.Cn. | Top of Fill ... T.F. | Pavement ... Pvt. | Power Pole ... P.P.
Bottom of Fill B.F. | Edge of Road E.Rd. | Culvert ... Cul.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '								
#49	#46	1184							1						
		10	155.	11	118. 45	177	12. 05	1137 3			1186 3		Bk. into D.		
		1204							2						
		10	205.	11	102. 55	203	4. 51	1158 1					S.H.		
		1125							3						
		9	226.	10	109. 45	221	8. 10	1144 6					Bk. into D.		
		1164							4						
		9	265.	10	106. 50	262	6. 07	1148 2					" "		
		1145							5						
		9	246.	10	99. 40	245	3. 35	1161 0					S. H.		
		1170							6						
		9	271.	10	111. 40	264	9. 12	1133 6					B.D. - 6' wide		
		1194							7						
		9	295.	10	114. 45	293	5. 15	1149 6					Bk. into D.		
		1137							8						
		9	238.	10	116. —	228	12. 02	1127 9					B.D. - 8' "		
		1151							9						
		9	252.	10	119. 25	247	8. 21	1141 5					Bk. into D.		
		1215							10						
		10	216.	11	122. 25	201	15. 17	1120 4					B.D - 6' "		
		1120							11						
		9	221.	10	129. 15	214	10. 19	1137 4					Bk. into D		
		1188							12						
		10	189.	15	134. 40	168	19. 34	1111 8					B.D — 8' "		
		1198							13						
		10	199.	11	138. 35	188	13. 30	1130 2					Bk. into D.		
		1180							14						
		10	181.	15	152. 10	146	26. 05	1100 0					B.D — 8' "		
		1187							15						
		10	188.	11	154. 25	173	16. 33	1124 0					Bk. into D.		
		1188							16						
		10	189.	15	169. 20	147	27. 52	1093 3					B.D — 5' "		
		1197							17						
		10	198.	11	170. 20	182	16. 35	1121 3					Bk. into D		
		1205							18						
		10	206.	15	187. 35	164	26. 53	1188 3					B.D — 6' "		
		1121							19						
		9	222.	10	184. 55	199	18. 46	1109 1					Bk. into D		
		1122							20						
		9	223.	15	196. 35	181	25. 42	1084 4					V.Ds		
		1133							21						
		9	234.	10	190 40	209	19 —	1104 6					Bk. into D's		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Note Red C. J. TERRY Platted
Date JUL 11 1935 Date
Notes Chkd. Checked
Survey by Notes
Job No. 8090 Division No. V
Survey of
Date
Indexed by
F.B. 577 Pg. 207

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#49	P#48	1142	243.	10°	193° —	213	20° 21'	1097.3	1		1186.3		B. Small D		
		9							2						
		1043	243.	10°	195° —	215	19° 40'	1099.6	3				Bk. into Ds		
		9							4						
		1240	241.	18°	204° 05'	194	26° 06'	1073.3	4				B.D. 6' W. to		
		9							5						
		1162	263.	10°	209° 15'	234	19° 26'	1094.0	5				Bk. into D		
		9							6						
		1174	275.	10°	217° 30'	245	19° 10'	1091.2	6				" " "		
		9							7						
		1168	269.	17°	219° 55'	223	24° 23'	1068.3	7				B.D. — 8'		
		9							8						
		1207	308.	10°	225° 05'	280	17° 31'	1088.2	8				Bk. into D		
		8							9						
		1181	282.	26°	227° 25'	241	22° 23'	1061.3	9				B.D. — 8'		
		9							10						
		1128	329.	10°	221° 58'	320	9° 47'	1123.9	10				S.H.		
		8							11						
		1158	359.	10°	218° 30'	356	4° 45'	1146.7	11				"		
		8							12						
		1136	337.	10°	211° 55'	335	4° 11'	1151.9	12				"		
		8							13						
		1203	304.	10°	213° 35'	295	9° 47'	1125.5	13				"		
		9							14						
		1119	320.	10°	202° 50'	318	4° 10'	1153.2	14				"		
		8							15						
		1184	285.	10°	206° 35'	275	10° 49'	1123.9	15				"		
		9							16						
		1120	321.	10°	196° 35'	320	3° 43'	1155.6	16				"		
		8							17						
		1176	277.	10°	198° 05'	267	10° 52'	1125.2	17				"		
		9							18						
		1126	327.	10°	188° —	325	4° 06'	1153.2	18				"		
		8							19						
		1123	274.	10°	188° 30'	265	10° 41'	1126.6	19				Bk. into Small D		
		9							20						
		1133	334.	10°	183° 40'	332	4° 16'	1151.6	20				" " " "		
		8							21						
		1175	276.	11°	184° 15'	266	11° 03'	1123.6	21				B. Small D		
		9													
		1136	337.	10°	181° 05'	335	4° 16'	1151.4					" 4 "		
		8													

Add'l Inform.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference − Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P49	P48	1163	264.	10	181° 15'	256	10° 04'	1131 0			1186 3		Bk. to Sta 11 D		
		9 1135													
		8	336.	10	178° 40'	334	3° 52'	1153 8					" "	"	"
		1139	240.	10	173° 45'	232	10° 30'	1133 4					S.H		
		9 1123													
		8	324.	10	175° 25'	323	3° 48'	1155 0					Bk S		
		1212	213.	11	166° 15'	206	12° 49'	1136 6					S.H		
		10 1186													
		9	281.	10	166° 20'	286	2° 25'	1164 3					"		
		1110													
		9	211.	10	154° 35'	204	10° 15'	1139 4					"		
		1155													
		9	256	12	156° 50'	256	1° 38'	1169 1					"		
		1117													
		9	218.	10	140° 40'	213	8° 31'	1144 4					"		
		1157													
		9	258.	10	147° 35'	258	0° 57'	1172 0					"		
		1149													
		9	250.	10	128° 45'	247	5° 52'	1150 9					"		
		1075													
		8	276.	9 8	138° 10'	276	° '	1176 5					"		
		1173													
		9	274.	10	123° 30'	272	4° 34'	1154 6					"		
		607													
		3	308	4	131° 10'	308	° '	1181 9					"		
		599													
		2	400	1 5	191° —	400	° '	1184 8					"		
		573													
		2	374	2 4	197° 30'	374	° '	1183 9					"		
		767													
		4	368	6	204° 35'	368	° '	1180 2					"		
		1083													
		7	384	8 7	212° 05'	384	° '	1177 6					"		
		1205													
		8	406	12 5	216° 55'	406	° '	1173 8					"		
					° '		° '								
					° '		° '								

Add'n'l Inform.

F.B. 577 Pg. 208

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd.
Fence ....Fn.
Int. Fences V.Fns.
Ditch ....Di.
Telephone Pole T.P.
Power Pole....P.P.
Culvert ....Cul.

Sa. ....Sa.
Sw. ....Sw.
Fl. ....Fl.
Str. ....Str.
Tr. ....Tr.
Pvt. ....Pvt.
E.Rd. ....E.Rd.

Saddle ....Saddle
Swale ....Swale
Flat ....Flat
Stream ....Stream
Trail ....Trail
Pavement ....Pvt.
Edge of Road E.Rd.

Side of Canyon S.Ca.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut....T.C.
Bottom of Cut..B.C.
Top of Fill....T.F.
Bottom of Fill..B.F.

Inters. of Draws, V.D's
Break in Slope..Bk.S.
Steep Slope....S.S.
Top of Cliff....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur....T.Sp.
Bottom Canyon..B.Cn.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#51	P#48			—	° '		° '	1216.6	49		1221.5		P#51 + T.R + B.K.S.		
		756							1						
		4 505	357.	6°—	42 35	357	+ 0.40	1219.4	2				BKS		
		2 1121	306.	4°—	52 40	306	+ 2.03	1228.3	3				SH		
		8 367	322.	12°—	33 25	322	—	1209.0	4				BKS		
		1 1174	268.	2°—	50 05	268	+ 0.43	1222.8	5				SH		
		9 818	275.	10°—	27 35	274	3.40	1194.0	6				BKS		
		6 1113	219.	7°—	48 30	219	—	1214.4	7				SH		
		9 1151	214.	10°—	24 05	210	7.27	1183.9	8				SH		
		10 1173	152.	11°—	45 35	152	1.44	1205.9	9				SW		
		10 1200	174.	11°—	14 35	168	10.38	1179.0	10				"		
		11 1143	101.	12°—	32 30	100	5.18	1200.2	11				SH		
		10 1169	144.	11°—	358 55	137	12.50	1179.4	12				" + G#48		
		11 1188	70.	11°—	357 15	69	8.01	1200.8	13				"		
		11 1142	89.	12°—	322 20	88	4.41	1202.3	14				"		
		10 1128	143.	11°—	336 45	140	8.48	1188.9	15				"		
		10 1168	129.	11°—	308 30	129	1.38	1206.5	16				BKS		
		10 1198	169.	11°—	322 55	168	3.42	1199.7	17				"		
		10 1116	199.	11°—	303 10	199	0.48	1207.9	18				T.R		
		9 1158	217.	10°—	316 55	217	2.41	1201.4	19				" + BKS		
		9 1179.0	259.	10°—	300 —	259	1.55	1202.9	20				SR		
		9	291.	10°—	310 05	290	3.51	1192.1	21				"		

Add'l Inform.

Notes Red C. J. TERRY Platted Date JUL 11 1935 Checked Notes Chkd. Date
Survey of Survey by Notes Date
Map No. Indexed A. C. Johnson
Job No. 60220 Division No. K F.B. 377 PG. 209

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ca. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fe. Int. Fences. V. Fe. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Top of Draw V.D's Break in Slope ..... Br. Sl. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

F.B. 572 Pg. 210

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope ..T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#51	P#48	1145							1						
		9	246.	10	288.50	246	0.58	1207 4	2		1221 5		T.R.		
		1158													
		9	259.	10	275.30	259	1.20	1205 6	3				"		
		1089													
		9	190.	10	288.30	190		1210 9	4				"		
		1200													
		10	201.	12	272.10	201		1209 5	5				"		
		1111													
		10	112.	10	291.45	112		1211 3	6				"		
		1044													
		9	145.	9	267.10	145		1211 8	7				"		
		1143													
		11	44.	11	320.50	44	2.34	1208 5	8				S.R.		
		788													
		7	89.	8	257.15	89		1213 5	9				T.R.		
		641													
		0	42.	6	54.30	42		1214 8	10				S.R + B/S		
		536													
		5	37.	5	202.50	37	+ 2.35	1218 2	11				T.R + L #49		
		212													
		1	113	1	67.45	113		1219 6	12				Sw.		
		148													
		5	50.	1	121.10	50	+ 3.32	1223 4	13				T.R.		
		289													
		1	190.	2	65.30	190	+ 2.05	1224 6	14				S.R.		
		217													
		1	118	1	117.05	117	+ 6.05	1232 8	15				T.R.		
		353													
		1	254.	2	64.10	253	+ 3. —	1232 8	16				S.R.		
		272													
		1	173.	2	109.45	170	+ 7.13	1241 2	17				T.R.		
		391													
		1	292.	2	56.55	291	3.49	1200 0	18				T.R.		
		859													
		6	260.	7	44.25	260		1214 5	19				S.H.		
		1174													
		10	175.	11	36.40	174	4.16	1197 6	20				"		
		1131													
		10	132.	11	27.10	130	7.33	1193 2	21				Sw.		
		1098													
		11	99.	12	0 25	96	10.02	1192 4					S.H.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#51	P#48	328			° '		° '								
		1.20	229.	2 0	103 55	225	+ 7 48	1250 3	1		1221 5		T.R		
		1.28	107.	1 0	88 40	106	+ 3 54	1227 8	2				" + Bk.		
		1.57	185.	2 0	85 30	183	+ 6 03	1238 9	3				S.R		
		3.33	277.	4 0	101 25	271	+ 8 12	1256 6	4				T.R		
		1	236.	2 0	86 45	232	+ 6 58	1248 0	5				S.R		
P#52	P#51							1215 6	6 51		1220 7		P#52 + S.R		
		565			° '		° '		7						
		3.45	266.	4 0	95 25	261	+ 8 08	1253 8	8				S.R		
		2.31	256.	3 0	105 55	253	+ 5 52	1243 6	9				"		
		1.40	213.	2 0	93 30	209	+ 7 52	1247 6	10				"		
		2.25	219.	3 0	107 10	208	+ 5 49	1238 8	11				"		
		1.36	159.	2 0	90 50	156	+ 7 47	1240 0	12				"		
		2.20	161.	3 0	109 20	160	+ 5 08	1232 0	13				"		
		1.20	107.	1 0	87 05	105	+ 6 58	1232 3	14				"		
		1.14	110.	1 0	115 05	110	+ 2 17	1224 0	15				Bk.S		
		1.46	47.	1 0	75 35	47	+ 4 58	1223 6	16				S.R		
		4.11.32	62.	4 4	126 50	62	— ° '	1216 3	17				Bk.S		
		11.42.0	33.	11 5	194 50	33	— 3 34	1208 7	18				"		
		4.11.71	21.	4 8	311 55	21	— ° '	1215 9	19				S.R.		
		11.87.0	72.	12 0	204 45	69	— 11 29	1194 7	20				SH + G#50		
		8.10.25	71.	8 8	287 55	71	— ° '	1211 9	21				S.R		
		9	126.	9 8	287 10	126	—	1210 9					"		

Add'l Inform.

Notes Red C. J. TERRY Platted F.B. 57 / PG. 21
Date JUL 11 1935 Date Survey of Division No.
Notes Chkd. Checked Survey by Notes Date
Date Date Map No. Indexed C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5777 PG. 212

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw. S.D.
Side of Ridge. S.R.
Head of Draw H.D.
Bottom Draw. B.D.
Bottom Wash B.W.
Top of Ridge. T.R.
Toe of Slope. T.S.

Inters. of Draws. V.D's
Break In Slope ... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ... B.Cn.

Side of Canyon S.Ca.
Top of Bank ... T.B.
Bottom of Bank . B.B.
Top of Cut ..... T.C.
Bottom of Cut ... B.C.
Top of Fill ..... T.F.
Bottom of Fill . B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence ..... Fn.
Int. Fences. V.Fns.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ca.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P#52	P#51	1166			° '		° '								
		16	67.	11°	240 50	66	5 °	1203 2			1220 7		Bk.S		
		1164													
		10	105.	11°	248 40	104	5 15	1200 2					"		
		1174													
		10	175.	12°	283 25	175	°	1208 2					S R		
		1174													
		10	175.	11°	253 55	173	5 29	1193 1					BK S		
		1150													
		9	251.	10°	260 50	249	4 50	1189 7					"		
		1150													
		9	251.	10°	278 05	251	2 08	1201 4					S R		
		1155													
		9	256.	10°	248 40	251	7 40	1176 7					S H		
		1169													
		9	270.	10°	233 25	258	12 17	1154 7					"		
		1208													
		10	209.	11°	244 25	205	8 16	1180 0					"		
		1212													
		9	218.	10°	224 10	205	14 °	1159 7					"		
		1155													
		10	156.	11°	237 35	151	9 53	1183 4					"		
		1172													
		10	177.	11°	210 35	164	15 33	1164 0					"		
		1173													
		10	114.	11°	223 55	109	12 28	1185 7					"		
		1155													
		10	156.	11°	189 50	145	15 43	1169 1					"		
		1188													
		11	89.	12°	196 50	85	12 40	1189 7					"		
		1157													
		10	158.	11°	169 25	150	13 13	1174 7					"		
		1190													
		11	91.	12°	166 05	89	9 03	1194 6					"		
P#53	P#52			—	° '		° '	1233 6	5 0		1238 6		P#53 & BK S		
		1158													
		10	159.	11°	315 45	146	16 33	1184 2					S H		
		1129													
		10	130.	11°	336 —	125	10 45	1203 8					"		
		1115													
		10	116.	11°	297 —	102	20 24	1189 8					"		

Add'n'l Inform.

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rcd. C. J. TERRY Plotted
Date JUL 11 1935 Date Survey of
Notes Chkd. Checked Survey by Notes
Date Date Map No. Indexed C. C. Johnson Date
Job No. 8080 Division No. 4 F.B. 527 PG. 213

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#53	P#52	1184 / 11 / 1204	85.	12°	324° 25'	81	12° 09'	1209 2	1		1235 6		S.H.		
		11 / 1154	105.	12°	268° 05'	92	20° 40'	1192 0	2				"		
		11 / 1143	55.	11°	285° 45'	50	16° 40'	1212 6	3				"		
		10 / 1160	114.	11°	240° 35'	105	15° 57'	1197 5	4				"		
		11 / 1154	61.	11°	227° 10'	58	11° 52'	1215 3	5				"		
		10 / 1196	155.	11°	231° 15'	150	10° 42'	1199 4	6				Sw.		
		11 / 1140	97.	12°	209° 25'	96	6° 48'	1215 3	7				S.H.		
		10 / 1181	141.	11°	198° 20'	141	2° 49'	1220 7	8				" + G# 51		
		10 / 1162	182.	11°	238° 30'	177	9° 20'	1198 4	9				S.H.		
		10 / 1213	163.	11°	208° 10'	162	5° 07'	1213 2	10				Sw.		
		10 / 1189	214.	11°	251° 05'	208	9° 12'	1193 8	11				S.H.		
		10 / 1161	190.	11°	223° — '	189	4° 26'	1213 0	12				"		
		9 / 1111	262.	10°	261° — '	257	7° 52'	1193 0	13				"		
		9 / 1194	212.	10°	232° 35'	211	4° 27'	1212 2	14				"		
		9 / 1140	295.	11°	264° 45'	291	6° 33'	1194 2	15				" + G# 60		
		9 / 1127	241.	10°	240° 30'	240	3° 36'	1213 6	16				"		
		9 / 1159	278.	10°	274° 05'	264	12° 49'	1168 8	17				"		
		9 / 1182	260.	10°	245° 55'	259	2° 57'	1215 2	18				"		
		9 / 1146	283.	10°	252° 15'	282	2° 54'	1214 3	19				"		
		9 / 1240	247.	10°	269° 50'	235	13° — '	1174 6	20				"		
		10	211.	11°	265° 45'	197	15° 05'	1174 7	21				Bk. into D		

Addn'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 5277 Pg. 214

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope T.S.

Inters. of Draws V.D's
Break in Slope ..... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Sper ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon S.Cn.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Traveled Rd. Tr.Rd.
Fence ..... Fn.
Int. Fences ..... V.Fns.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Escalyptus ..... Es.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#53	P#52	1123			° '		° '		1						
		8	324.	10	258 —	323	2 13	1216 2			1238 6		S.H		
		1184							2						
		10	185.	11	262 10	163	20 06	1168 0					BD - 12' wide		
		1150							3						
		10	151.	11	249 —	140	15 49	1188 0					H.D.		
		1156							4						
		10	157.	11	266 10	139	19 54	1177 4					Bk. into D		
		1165							5						
		10	166.	11	287 40	145	20 33	1173 2					" " "		
		646							6						
		3	347.	5	250 35	347	0 34	1230 2					S.H		
		1194							7						
		10	195.	11	297 30	173	19 30	1166 4					"		
		1136							8						
		9	237.	10	306 55	214	18 18	1158 2					"		
		608							9						
		3	309.	4	242 45	309	0 54	1229 8					"		
		1193							10						
		9	294.	10	313 30	270	16 20	1149 3					"		
		481							11						
		2	282.	3	236 05	282	0 20	1237 2					"		
		1135							12						
		8	336.	10	314 30	311	15 40	1141 4					"		
		458							13						
		2	259.	2	226 45	259	—	1236 4					"		
		1152							14						
		8	353.	10	303 55	319	18 08	1124 4					Bk. into D		
		632							15						
		4	233.	5	214 20	233	—	1232 7					S.H		
		1133							16						
		8	334.	10	300 40	299	18 47	1127 0					Bk. into D		
		530							17						
		3	231.	4	200 50	231	0 32	1236 6					S.H.		
		1179							18						
		9	280.	11	300 25	251	18 57	1142 2					Bk. into D		
		216							19						
		1	217.	1 6	189 45	217	—	1237 0					S.H		
		1128							20						
		9	229.	10	296 —	203	19 37	1156 3					Bk into D		
		300							21						
		1	201.	2	181 50	201	—	1236 6					Sw		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#53	P#52	1186			° '		° '		1						
		10	187.	11 0	284. —	165	20.02	1167.6			1238.6		B.K. into D		
		253							2						
		1	154.	2 0	171.55	154	+ 1.40	1241.0					S.H.		
		1121							3						
		9	222.	10 0	281.20	190	22.12	1151.0					B.D. — 6 in Le		
		206							4						
		1	107.	1 0	160.45	107	+ 3.17	1243.6					S.H.		
		1137							5						
		9	238.	10 0	276.15	219	16.20	1164.6					Bk. into D		
		1184							6						
		9	285.	11 0	280.35	266	14.51	1157.0					S.H.		
		1172							7						
		9	273.	10 0	286.35	247	17.49	1149.3					Bk. into D		
		1198							8						
		9	299.	11 0	289.55	272	17.35	1141.7					" "		
		1200							9						
		9	301.	11 0	295.10	263	20.40	1128.4					B.D. — in Le		
		1173							10						
		9	274.	10 0	292.35	238	21.07	1136.7					"		
		648							11						
		5	149.	6 0	134.05	144	+ 10.45	1260.0					S.H.		
		283							12						
		1	184.	2 0	149.30	181	+ 7.01	1259.0					"		
		425							13						
		2	226.	3 0	160.30	224	+ 5.07	1256.7							
		360							14						
		1	261.	2 0	172.10	260	+ 3.29	1252.4					H.Sw		
		393							15						
		1	294.	2 0	185.40	293	+ 3.40	1255.2					S.H.		
		533							16						
		5	34.	5 6	188.50	34	— '	1233.0					Bk. S.		
		570							17						
		5	71.	5 6	184. —	71	— '	1233.0					"		
		500							18						
		2	301.	3 0	196.50	299	+ 4.33	1259.4					S.H.		
		500							19						
		2	301.	3 0	206.55	298	+ 5.19	1263.4					"		
		509							20						
		2	310.	3 0	217.45	307	+ 5.18	1264.0					"		
		625							21						
		3	326.	5 0	225.30	323	+ 5.35	1265.2					"		

Add'l Inform.

Notes Rec'd C. J. TERRY Plotted
Date JUL 11 1935 Date Job No. 8212 Division No. 4 F.B. 477 PG. 42
Notes Chkd. Checked Survey of
Date Date Survey by Notes Date
Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 216

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D. | Oak-O. | Fir-Fr. | Trailed Rd. | Tr.Rd. | Sa. | Saddle | Side of Canyon | S.Cn. | Side of Draw | V.D's | Intern. of Draw
Side of Draw ..... S.D. | Bottom Wash ..... B.W. | Pine-Pi. | Cedar-Ce. | Fence | Fn. | Sw. | Swale | T.B. | B.B. | Top of Bank | B.K.S. | Break in Slope
Side of Ridge ..... S.R. | Top of Ridge ..... T.R. | Sycamore | Sy. | Int. Fences | V.Fns. | Fl. | Flat | Top of Cut | T.C. | Bottom of Bank | B.K. | Steep Slope
Head of Draw ..... H.D. | Toe of Slope ..... T.S. | Eucalyptus | Eu. | Ditch | Di. | Str. | Stream | Bottom of Cut | B.C. | Top of Fill | T.F. | Cliff
Plus combinations of these and all common standard abbreviations. | Telephone Pole | T.P. | Power Pole | P.P. | Culvert | Cul. | Trail | Tr. | Pavement | Pvt. | Edge of Road | E.Rd. | Bottom of Fill | B.F. | Top of Cliff | T.Cl. | Bottom of Cliff | B.Cl. | Top of Gear | T.Ge. | Bottom Canyon | B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
P#53	P#52	454			° '			° '								
		1	35.5	3°	232 40	352	+	5 30	1269.4	1		1238.6		S.H.		
		776								2						
		4	37.2	6°	239 55	374	+	5.12	1266.4					"		
		807								3						
		4	40.8	6°	244 20	405	+	4.33	1264.8					"		
		972								4						
		8	17.3	9°	118 05	166	+	11.48	1264.2					T.R.		
		592								5						
		4	19.3	5°	132 35	187	+	9.49	1266.0					S.R.		
		527								6						
		3	22.8	4°	145 10	223	+	8.03	1266.2					"		
		369								7						
		1	27.0	2°	155 —	267	+	6 —	1264.7					"		
		586								8						
		2	38.7	4°	224 10	380	+	7.48	1286.6					BKS		
		513								9						
		2	31.4	4°	165 35	311	+	5.14	1263.2					S.H.		
		447								10						
		1	34.8	3°	175 40	345	+	4.57	1265.4					"		
		472								11						
		1	37.3	3°	214 20	366	+	7.30	1284.4					BKS		
		455								12						
		1	35.6	3°	184 50	353	+	5.25	1269.0					S.H.		
		768								13						
		4	36.9	6°	206 25	362	+	7.46	1282.0					BKS.		
		576								14						
		2	37.2	4°	193 —	372	+	6.29	1276.8					S.H.		
										15						
P#54	P#53								1271.9	5'		1277.0		P#54 + Sa+L#52		
		295								16						
		1	19.6	2°	289 35	196	+	2.24	1283.1					TR		
		619								17						
		4	22.0	5°	276 20	220	+	2.31	1281.4					TC		
		269								18						
		1	17.0	2°	293 40	170	+	1.54	1280.4					TR+BKS		
		367								19						
		2	16.8	3°	276 15	168	+	2.16	1280.4					TC		
		316								20						
		2	11.7	3°	295 30	117	+	0.48	1275.7					BKS		
		210								21						
		1	11.1	1°	274 30	111	+	0.38	1277.2					TC		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. C. J. TERRY Platted _____ Job No. 8090 Division No. 4 F.B. 577 Pg. 242
Date JUL 11 1935 Date _____ Survey of _____
Notes Chkd. _____ Checked _____ Survey by _____ Notes _____ Date _____
Map No. _____ Indexed _____ C. Johnson 8-20-35

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#54	P#53	663			° '		° '		1						
		6	64.	6°	308 50	64	— —	1271 0			1277 0		BK.S		
		352					° '		2						
		3	53.	3 6	273 50	53	° '	1273 4					T.C		
		744							3						
		7	45.	7 5	3 15	45	— —	1269 5					BK.S		
		422					° '		4						
		4	23.	2 8	115 30	23	— —	1273 2					T.C		
		570					° '		5						
		5	71.	5°	57 10	71	— —	1272 0					F.I		
		182					° '		6						
		1	83.	1 6	104 05	83	— —	1275 4					T.C		
		222					° '		7						
		1	123.	1 8	73 50	123	— —	1275 2					F.I		
		~~242~~					° '		8						
		1	143.	2°	101 20	143	+ 1.35	1278 8					T.C		
		400							9						
		2	201.	3°	100 50	201	+ 1.48	1280 3					"		
		709							10						
		6	110.	6 3	44 40	110	— —	1270 7					S.R		
		907					° '		11						
		7	208.	8°	85 05	207	+ 3.02	1279 8					F.I		
		675							12						
		5	176.	5 8	35 45	176	— —	1271 2					S.R		
		313					° '		13						
		1	214.	2°	68 05	214	+ 1.02	1279 0					F.I		
		428							14						
		2	229.	3°	50 25	229	— 0.56	1270 4					"		
		263					° '		15						
		1	164.	2°	59 40	164	+ 0.34	1276 6					"		
							— —		16						
P#55	P#54						° '	1272 9	42		1277 8		P#55 + Top F.I.		
		387							17						
		2	188.	3°	92 45	188	+ 1.17	1278 8					B.C.		
		295							18						
		1	196.	2°	84 50	196	+ 1.06	1278 4					"		
		316							19						
		2	117.	1 8	88 20	117	— —	1276 0					"		
		234							20						
		1	135.	0 8	78 10	135	— —	1277 0					"		
		529							21						
		5	30.	5 6	66 30	30	— —	1272 2					"		

Add'l Inform.

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 527 Pg. 218

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Side of Draw S.D. | Side of Ridge S.R. | Top of Ridge T.R. | Head of Draw H.D. | Toe of Slope T.S.

Inters. of Draw. V.D's | Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Side of Canyon S.Cn. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Traveled Rd. Tr. Rd. | Fence ..... Fn. | Int. Fence ..... V.Fn. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#55	P#54	465			° '		° '								
		4	66.	4 4	55 40	66	— —	1273 4			1277 8		B.C		
		959													
		9	60.	8 9	286 45	60	— —	1268 9					"		
		752													
		7	53.	7 7	336 05	53	— —	1270 1					"		
		1158													
		10	159.	11 0	278 25	159	0 50	1264 7					"		
		1113													
		10	114.	11 1	299 —	114	— —	1266 7					"		
		1199													
		10	200.	11 0	278 20	200	1 07	1263 0					"		
		1195													
		10	196.	11 0	258 10	196	1 02	1263 4					"		
		1199													
		10	200.	11 0	276 55	200	0 57	1263 6					T.C		
		1110													
		9	211.	10 0	264 20	211	1 17	1263 3					T.F		
		1129													
		10	130.	11 5	278 45	130	— —	1266 3					T.C		
		1149													
		10	150.	11 6	258 35	150	— —	1266 2					T.F		
		849													
		8	50.	8 1	288 30	50	— —	1269 7					T.C		
		988													
		9	89.	9 2	250 45	89	— —	1268 1					T.F		
		638													
		6	39.	6 6	242 05	39	— —	1271 2					"		
		441													
		4	42.	4 1	76 50	42	— —	1273 7					T.C		
		334													
		3	35.	3 0	97 30	35	— —	1274 8					T.F		
		230													
		1	131.	0 0	90 —	131	— —	1277 8					T.C		
		197													
		1	98.	1 3	101 35	98	— —	1276 5					T.F		
		286													
		1	187.	2 0	93 30	187	+ 1 15	1279 4					T.C		
		659													
		5	160.	6 0	107 50	160	+ 1 45	1276 4					T.F		
		395													
		1	196.	3 2	112 35	196	— —	1274 6					B.F		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red C. J. TERRY Matted Job No. 8090 Division No. V F.B. 577 Pg. 219
Date JUL 11 1935 Date Survey of Pierce Ave
Notes Chkd. Checked Survey by A. C. Johnson Notes 11 2nd Date 6-14-35
Date Date Map No. Indexed

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#55	P#54	620			° '		° '		1						
		4	2.2.1.	4 7	130.05	221		1273 1			1277 8		S.H		
		1.31					° '		2						
		10	132.	12 6	118.45	132		1265 2					B.F		
		1162					° '		3						
		10	188.	11 3	134.35	188		1266 5					S.H		
		1198					° '		4						
		11	99.	12 0	117.35	99	1.37	1263 2					B.F		
		1145							5						
		10	146.	11 0	145. —	145	5.05	1254 2					S.H		
		1192							6						
		11	93.	12 0	133.25	91	8.12	1252 8					H.D.		
		1125							7						
		10	126.	11 0	155.10	122	10.43	1244 0					Bk into D		
		1154							8						
		11	55.	11 0	125.10	54	8.17	1259 0					B.F		
		1118							9						
		10	119.	11 0	136. —	118	5.37	1255 4					Bk into D		
		1176							10						
		11	77.	12 0	136.15	74	10.56	1251 6					"	"	
		1179							11						
		11	80.	12 0	158. —	75	14.06	1247 0					"	"	
		1128							12						
		11	89.	12 0	144.30	83	14.58	1243 7					B.D.		
		1212							13						
		11	113.	12 0	159.45	102	17.36	1233 4					B D - 2 in 16		
		1197							14						
		11	98.	12 0	173.55	90	16.13	1239 7					Bk into D		
		1170							15						
		11	71.	12 0	169.25	66	14.37	1248 6					S.H		
		1133							16						
		11	34.	11 0	195.15	32	14.14	1258 8					B.F		
		1105							17						
		10	106.	11 0	198.55	98	15.46	1239 2					S.H.		
		1172							18						
		11	73.	12 0	229.45	72	7.25	1256 6					B F		
		1132							19						
		10	133.	11 0	217.50	126	13.33	1236 7					S.H		
		1122							20						
		10	123.	11 0	245.10	122	5.40	1254 7					BF		
		1149							21						
		10	150.	11 0	228.05	144	11.47	1236 9					S.H		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 527 PG. 220

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope ..... T.S.

Inters. of Draw V.D's | Side of Canyon S.Cn.
Break in Slope ..... Bk.S. | Top of Bank ..... T.B.
Steep Slope ..... S.S. | Bottom of Bank ..... B.B.
Top of Cliff ..... T.Cl. | Top of Cut ..... T.C.
Bottom of Cliff ..... B.Cl. | Bottom of Cut ..... B.C.
Top of Spur ..... T.Sp. | Top of Fill ..... T.F.
Bottom Canyon ..... B.Cn. | Bottom of Fill ..... B.F.

Saddle ..... Sa. | Traveled Rd. Tr.Rd. | Oak-O. Fir-Fr.
Swale ..... Sw. | Fence ..... Fn. | Pine-Pi. Cedar-Ce.
Flat ..... Fl. | Int. Fences ..... V. Fn. | Sycamore ..... Sy.
Stream ..... Str. | Ditch ..... Di. | Eucalyptus ..... Eu.
Trail ..... Tr. | Telephone Pole ..... T.P. | Plus combinations
Pavement ..... Pvd. | Power Pole ..... P.P. | of these and all
Edge of Road ..... E.Rd. | Culvert ..... Cul. | common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle D° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#55	P#54	1196 / 10 / 1151	197.	11.0	220° 45'	185	14° 23'	1219.7			1277.8		S.H.		
		9 / 1278	252.	10.0	216° 10'	234	15° 21'	1203.8					"		
		10 / 1132	179.	11.0	241° 20'	167	15° 03'	1222.0					"		
		9 / 1166	233.	10.0	204° 30'	215	16° 23'	1205.7					Bk. into D.		
		10 / 1129	167.	11.0	202° —	155	15° 50'	1223.2					" " "		
		9 / 1158	230.	10.0	200° 15'	210	16° 55'	1204.0					B.D. & G #53		
		10 / 1159	159.	11.0	184° 50'	142	18° 56'	1218.2					" 7' wide		
		9 / 1155	260.	10.0	201° 15'	237	17° 11'	1194.3					V.Ds - 12' wide		
		10 / 1133	156.	11.0	175° 40'	147	13° 59'	1230.7					Bk. into D.		
		9 / 1179	234.	10.0	196° 05'	216	15° 54'	1206.4					Bk. into Ds.		
		10 / 1126	180.	11.0	164° —	175	9° 01'	1239.0					S.H.		
		9 / 1170	201.	10.0	185° —	215	13° 01'	1218.2					Bk. into D.		
		9 / 1144	180.	11.2	152° 10'	179	4° 42'	1252.2					S.H.		
		9 / 1210	241.	10.0	183° 05'	229	12° 59'	1215.6					B.D. - 10' wide		
		10 / 1152	220.	11.2	139° 35'	220	° —	1266.6					S.H.		
		9 / 1134	253.	10.0	171° 50'	246	9° 26'	1227.2					B.D. - 6 "		
		9 / 357	235.	10.0	170° 05'	230	8° 43'	1232.8					Bk. into D.		
		1164	258.	2.4	132° 05'	258	° —	1275.4					S.H.		
		9 / 1192	265.	10.0	159° 05'	263	5° —	1245.0					H.D.		
		9 / 1211	298.	10.0	146° 05'	298	0° 57'	1263.2					Sw		
		18	312.	10.0	148° 40'	312	1° —	1262.6					S.H.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. C. J. TERRY Platted Date JUL 11 1935 Job No. 8090 Division No. V F.B. 577 Pg. 221
Notes Chkd. Checked Date Survey of Prairie Like Date
Survey by A. C. Johnson Notes A. C. Johnson Date
Map No. Indexed Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P55	P54	161	262	10	169 50	258	7 19	1234 8	1		1227 8		Bk into I		
		9 1150							2						
		8 1155	351	10	158 10	351	1 24	1259 3	3				S H		
		9 1135	256	10	183 —	247	10 36	1221 7	4				Bk into D		
		8 1151	336	10	166 50	335	3 40	1246 6	5				S H		
		9 1126	253	10	193 10	238	13 57	1209 0	6				Bk into I		
		8 1172	327	10	177 35	323	5 57	1234 3	7				S H		
		9 1132	273	10	200 40	256	14 28	1202 0	8				Bk into D		
		8 1202	333	10	185 30	328	7 16	1226 2	9				S H Bk		
		9 1158	301	10	203 05	284	13 55	1196 8	10				Bk into D		
		8 1157	359	10	194 20	350	9 17	1210 7	11				S H		
		8 1215	358	10	198 25	345	10 46	1202 4	12				Bk S		
		8 1103	416	10	202 15	400	11 29	1186 9	13				S N & S H		
		7 1170	404	9	198 20	392	10 14	1198 2	14	79 6		70 6	P#56 & S H		
		8 1164	371	10	189 50	365	7 32	1219 6	15				S H		
		8 1165	365	10	181 40	362	5 35	1232 6	16						
		8	366	10	171 15	365	3 22	1246 6	17						
P#56	P#55							1198 2	4 6		1202 8		P#56		
		605 2 1134	406	4	—	392	+ 10 46	1273 3	18	+ 70 5		+ 74 5	P#55 - elev = 1272 2		
		10 856	137	11	342 —	137	1 44	1187 7	19				B. D		
		7 506	159	7 8	336 25	159	—	1195 0	20				B.K. into D		
		3	207	4	323 45	207	+ 1 54	1205 4	21				S H		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 Pg. 222

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw B.D. | Side of Draw S.D. | Side of Ridge S.R. | Head of Draw H.D.
Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope ..T.S.

Intersection of Draw. V.D's: Break in Slope..Br.S. | Steep Slope.....S.S. | Top of Cliff....T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon S.Ca.: Top of Bank...T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road..E.Rd.

Traveled Rd. Tr. Rd. | Fence .....Fe. | Int. Fences..V.Fe. | Ditch .....Di. | Telephone Pole T.P. | Power Pole....P.P. | Culvert .....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore .....Sy. | Eucalyptus .....Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P#56	P#55	435			° '		° '								
		2	236.	3°	316 25	235	+ 3 37	1214 6			1202 8		SH		
		261													
		1	262.	2°	306 50	261	+ 3 56	12187					"		
		389													
		1	290.	2°	299 —	289	+ 4 03	12212					"		
		425													
		1	326.	3°	292 —	324	+ 4 27	12250					"		
		494													
		1	395.	3°	290 50	392	+ 4 50	12330					TR		
		597													
		2	398.	4°	298 30	394	+ 5 53	12393					SH		
		557													
		2	358.	4°	305 35	354	+ 6 12	12372					"		
		418													
		1	319.	3°	312 —	316	+ 5 52	12322					"		
		382													
		1	283.	2°	321 45	280	+ 5 33	12282					"		
		459													
		2	260.	3°	330 25	258	+ 5 20	12238					"		
		519													
		2	320.	4°	334 45	313	+ 8 15	12442					BF		
		631													
		3	332.	5°	325 50	326	+ 7 37	12414					"		
		559													
		2	360.	4°	319 —	354	+ 7 17	12441					"		
					° '		° '								
					° '		° '								
					° '		° '								
P#52	P#51				° '		° '	12156	5°		12206		P#52		
		1082													
		8	283.	10°	202 05	257	17 33	11292		91 4		81 4	P#58		
P#58	P#52				° '		° '								
					° '		° '	11292	4 7		1133 9		P#58 + Bk into D		
		887													
		6	288.	7°	—	257	+ 19 —	12155		+ 81 6		+ 88 6	P#52 - Elev = 1215 6		
		615													
		6	16.	6 6	99 —	16	—	11273					Bk into D		
		1161													
		6	62.	11°	116 10	61	− 7 31	11148					BD - 6' wide		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. C. J. TERRY Platted Date JUL 11 1935 Date Survey of Prairie Ave
Notes Chkd. Checked Survey by Pierce Notes Pierce Date 6-11-35
Date Date Map No. Indexed A. C. Johnson Date
Job No. 8090 Division No. V F.B. 577 PG. 223

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#58	P#52	492			° '		° '		1						
		4	93.	4	115 40	93	— —	1129 5			1133 5		Bk. into D		
		613							2						
		5	114.	5	136 20	114	+ 1 20	1131 4					S.H.		
		684							3						
		5	185.	6	113 —	179	+ 10 16	1160 3					"		
		628							4						
		5	129.	5	153 20	129	+ 1 35	1132 3					"		
		573							5						
		4	174.	5	128 10	170	+ 8 48	1155 0					"		
		447							6						
		3	148.	4	166 —	148	+ 1 30	1133 7					"		
		582							7						
		4	183.	5	173 40	182	+ 3 44	1140 8					"		
		619							8						
		4	220.	5	186 10	219	+ 3 53	1143 6					"		
		477							9						
		3	178.	4	143 15	175	+ 7 48	1153 7					"		
		550							10						
		3	251.	4	193 40	250	+ 3 08	1143 4					"		
		687							11						
		4	288.	5	198 —	287	+ 3 20	1145 4					"		
		721							12						
		4	322.	6	199 50	321	+ 3 40	1148 3					"		
		796							13						
		6	197.	7	157 50	193	+ 8 20	1155 0					"		
		846							14						
		5	347.	7	200 45	346	+ 3 43	1149 2					"		
		975							15						
		6	376.	8	200 40	374	+ 3 49	1150 8					"		
		514							16						
		3	215.	4	169 05	211	+ 7 40	1158 2					"		
		642							17						
		4	243.	5	179 30	238	+ 8 06	1162 7					"		
		750							18						
		4	351.	6	177 55	335	+ 12 11	1200 3					13 k s		
		663							19						
		3	364.	5	173 35	346	+ 13 —	1208 8					"		
		759							20						
		4	360.	6	167 30	339	+ 14 04	1212 8					"		
		635							21						
		3	336.	5	167 45	317	+ 13 36	1205 7					S.H		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 PG. 224

Topography Description Legend:
Side Hill...S.H. | Bottom Draw B.D. | Top of Cliff...T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur...T.Sp. | Bottom Canyon...B.Cn.
Side of Draw...S.D. | Bottom Wash B.W. | Top of Ridge...T.R. | Top of Slope...T.S.
Side of Ridge...S.R. | Toe of Slope...T.S. | Head of Draw H.D.

Inters. of Draw. V.D's | Break in Slope...Br.S. | Steep Slope.....S.S. | Top of Cliff...T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur...T.Sp. | Bottom Canyon...B.Cn.

Side of Canyon & Cr. | Top of Bank...T.B. | Bottom of Bank...B.B. | Top of Cut...T.C. | Bottom of Cut...B.C. | Top of Fill...T.F. | Bottom of Fill...B.F.

Saddle.....Sa. | Swale.....Sw. | Flat.....Fl. | Stream.....Str. | Trail.....Tr. | Pavement.....Pvt. | Edge of Road...E.Rd.

Traveled Rd. Tr.Rd. | Fence.....V.Fe. | Dit. Fence..V.Fe. | Ditch.....Dt. | Telephone Pole..T.P. | Power Pole....P.P. | Culvert.....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore.....Sy. | Eucalyptus.....Eu. | Pine combinations of those and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '								
P#58	P#52	792							1						
		5	293.	6.0	182.40	285	+ 9.20	1174.7			1133.9		SH		
		726							2						
		4	327.	6.0	160.25	307	+ 14.25	1206.7							
		651							3						
		3	352.	5.0	188.05	343	+ 9.—	1183.3							
		805							4						
		5	306.	6.0	152.45	289	+ 13.41	1198.0							
		693							5						
		4	294.	5.0	145.—	278	+ 13.15	1194.2							
		1081							6						
		8	252.	9.0	136.40	266	+ 13.45	1190.0							
		1038							7						
		6	439.	8.0	169.30	415	+ 13.38	1226.4							
		760							8						
		5	261.	6.0	127.30	247	+ 13.25	1186.7							
		911							9						
		5	412.	7.0	162.35	385	+ 14.54	1229.3							
		552							10						
		3	253.	4.0	116.35	239	+ 13.45	1188.2							
		684							11						
		3	385.	5.0	155.25	359	+ 15.—	1225.2							
		754							12						
		5	255.	6.0	106.50	238	+ 15.—	1191.6							
		767							13						
		4	368.	6.0	146.30	343	+ 15.03	1220.0							
		748							14						
		4	349.	6.0	138.05	327	+ 14.36	1213.0							
		797							15						
		4	398.	6.0	109.20	361	+ 17.41	1243.0							
		848							16						
		5	349.	7.0	131.15	325	+ 15.02	1214.3							
		806							17						
		4	407.	6.0	116.05	372	+ 17.03	1242.0							
		832							18						
		5	333.	7.0	121.10	309	+ 15.35	1213.2							
		1021							19						
		6	422.	8.0	123.10	387	+ 16.44	1242.4							
		827							20						
		5	328.	7.0	111.20	300	+ 16.46	1217.4							
		831							21						
		4	432.	6.0	130.25	398	+ 16.24	1245.0							

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Date JUL 11 1935 Notes Chkd. Date
Platted C. J. TERRY Date Checked Date
Survey of Pasadena Survey by Notes A. C. Johnson Date 6-11-35
Map No. Indexed
Job No. 5020 Division No. V F.B. 577 Pg. 225

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#58	P#52	845			° '		° '		1						
		5	346.	6°	139 05	318	+ 16 24	1220 6			1133 9		S.H		
		859							2						
		4	460.	6°	148 05	425	+ 16 03	1250 2					"		
		1056							3						
		6	457.	8°	154 —	423	+ 15 55	1246 3					"		
		1087							4						
		6	488.	8°	113 25	440	+ 18 13	1270 8					"		
		903							5						
		4	504.	6°	160 25	470	+ 15 04	1254 4					Bk S		
		1008							6						
		5	509.	7°	120 45	463	+ 17 25	1272 2					"		
		793							7						
		3	494.	5°	151 55	456	+ 15 58	1259 6					"		
		890							8						
		4	491.	6°	128 30	449	+ 16 58	1264 8					"		
		883							9						
		4	484.	6°	140 10	444	+ 16 40	1260 8					"		
									10						
P#61	P#52							1226 5	50		1231 5		P#61 + Bk S		
		342			° '		° '		11						
		1	243.	2°	26 20	242	+ 3 08	1242 8					Bk S		
		341							12						
		1	242.	2°	39 —	239	+ 6 15	1255 8					"		
		293							13						
		1	194.	2°	20 10	194	+ 1 13	1233 4					"		
		286							14						
		1	187.	2°	37 55	185	+ 5 34	1247 4					S H		
		1146							15						
		10	147.	11°	8 35	147	— —	1220 0					"		
		220							16						
		1	121.	2°	34 25	121	+ 2 46	1235 2					"		
		856							17						
		8	57.	8°	14 35	57	— —	1223 5					"		
		1110							18						
		10	111.	11°	339 05	107	— 10 53	1200 0					H Sw		
		1141							19						
		11	42.	11°	309 30	42	— 5 09	1216 7					Bk S.		
		1118							20						
		10	119.	11°	303 35	116	— 9 45	1200 7					S.H.		
		1182							21						
		11	83.	11°	270 25	82	— 4 35	1214 0					"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 577 Pg. 226

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Oak-D. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences ..... V.Fns. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draws V.D's In Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#61	P#52	1149			° ' "		° ' "		1						
		1.0	150.	11.0	285 50	149	4 26	1209 6			1231 5		S.H		
		1154							2						
		10	155.	11.0	256 25	155	2 03	1215 0					"		
		1184							3						
		10	185.	11.0	281 05	184	3 09	1210 4					T.R.		
		1205							4						
		10	206.	11.0	256 30	206	—	1220 5					"		
		1123							5						
		9	224.	10.0	268 25	223	3 07	1209 4					S.H		
		1146							6						
		9	247.	10.0	290 —	244	6 17	1194 8					Spur		
		1195							7						
		9	296.	10.0	297 10	289	9 —	1175 8					Spur		
		1119							8						
		9	220.	10.0	295 15	216	7 13	1194 2					S.H		
		1149							9						
		9	250.	10.0	305 20	241	10 55	1175 2					"		
		1186							10						
		10	187.	11.0	299 50	183	8 16	1193 8					"		
		1121							11						
		9	222.	10.0	315 —	209	13 56	1169 7					"		
		1166							12						
		10	167.	11.0	312 —	159	12 20	1185 8					"		
		1155							13						
		10	156.	11.0	325 35	147	14 08	1183 8					SW.		
		1110							14						
		9	211.	10.0	334 15	198	14 15	1171 2					"		
		1157							15						
		10	158.	11.0	337 50	150	13 04	1185 8					S.H		
		1174							16						
		10	175.	11.0	346 55	169	10 29	1189 3					"		
		1142							17						
		9	243.	10.0	343 —	234	10 50	1176 8					"		
		1182							18						
		10	183.	11.0	357 50	181	5 21	1203 6					"		
		1210							19						
		10	211.	11.0	6 40	211	1 08	1216 4					"		
		1172							20						
		9	273.	10.0	350 25	269	6 34	1190 4					"		
		834							21						
		4	235.	6.4	13 30	235	—	1225 1					"		

Add'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red —	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#61	P#52	11.71 / 9.	272.	10°	7 45	272.	−	0 47	1217.8	1		1231.5		S.H		
		11.96 / 8.	307.	10°	359 20	306.	−	3 —	1205.7	2				" + G#61		
		11.04 / 8.	305.	10°	6 40	305.	−	1 20	1215.7	3				"		
		11.20 / 8.	321.	10°	348 25	316.	−	6 47	1183.9	4				"		
		11.35 / 8.	336.	10°	337 15	323.	−	11 17	1157.2	5				"		
		11.96 / 9.	297.	10°	343 15	290.	−	8 49	1176.7	6				"		
		11.47 / 8.	318.	10°	332 30	300.	−	13 32	1149.4	7				"		
		11.86 / 9.	287.	10°	336 45	274.	−	12 07	1162.7	8				"		
		12.13 / 9.	314.	11°	326 30	292.	−	15 15	1141.0	9				"		
		11.66 / 9.	267.	10°	324 50	247.	−	15 40	1152.2	10				SW		
		11.10 / 8.	311.	15°	322 —	289.	−	15 33	1136.3	11				"		
		11.78 / 9.	279.	10°	315 30	260.	−	15 02	1151.7	12				S.H		
		11.11 / 8.	312.	14°	319 20	290.	−	15 12	1138.6	13				"		
		11.10 / 8.	311.	10°	305 50	297.	−	12 25	1156.4	14				"		
		11.30 / 8.	331.	13°	311 10	312.	−	13 54	1141.5	15				"		
		12.04 / 10.	205.	13°	245 30	205.		—	1218.5	16				T.R		
		11.56 / 9.	257.	10°	234 20	257.	−	1 40	1214.2	17				"		
		11.47 / 10.	148.	11°	244 30	148.	−	1 47	1216.0	18				Sa		
		11.02 / 9.	203.	10°	228 55	203.	−	1 47	1215.3	19				Sa		
		11.77 / 11.	78.	11°	239 05	78.	−	1 38	1218.3	20				S.H		
		11.23 / 10.	124.	10°	241 50	124.	−	—	1221.3	21				" + G#62		

Add'n'l Inform.

Notes Taken C. J. TERRY Date JUL 11 1935 Date _____ Date _____
Notes Chkd. _____ Checked _____
Map No. _____ Indexed A. C. Johnson
Job No. 8220 Distance No. 1 E.B. 522 Pg. 227
Survey of Pauline Ave
Survey by Wpoore Notes Wpoore Date 6-14-35

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Ef. Pine-Pi. Cedar-Ce. Sycamore ... Sy. Eucalyptus ... Eu. Plus combinations of these common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ... Fn. Int. Fences ... V.Fn. Ditch ... Dt. Telephone Pole T.P. Power Pole ... P.P. Culvert ... Cul.

Sq. Ft. ... Sq. Ft. Str. ... Str. Pvt. ... Pvt. Edge of Road E.Rd.

Saddle ... Sa. Swale ... Sw. Flat ... Fl. Stream ... Str. Trail ... Tr. Pavement ... Pvt.

Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank ... B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill ... B.F.

Inters. of Draws V.D's Break in Slope ... Bk.S. Steep Slope ... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ... T.Sp. Bottom Canyon ... B.Cn.

F.B. 577 PG. 228

Topography Description Legend:
Side Hill ... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#61	P#52	728			° '		° '								
		7	29.	7°	218 50	29	— —	1224 5			1231 5		S.H		
		885													
		8	86.	8°	188 30	86	+ 2 52	1227 8					"		
		473													
		4	74.	4°	153 30	73	+ 5 40	1234 8					"		
		135													
		1	36.	1°	88 05	36	+ 4 50	1233 4					"		
		209													
		1	110.	1°	114 50	108	+ 8 16	1246 2					"		
		193													
		1	94.	1°	76 15	92	+ 8 35	1244 3					"		
		460													
		3	161.	4°	95 25	156	+ 10 11	1255 4					Fl.		
		376													
		2	177.	3°	66 10	172	+ 9 27	1257 2					"		
		608													
		4	209.	5°	89 —	203	+ 9 45	1261 4					"		
		280													
		1	181.	2°	50 30	178	+ 7 46	1253 7					S.H		
		212													
		1	113.	1°	49 35	112	+ 5 44	1241 8					"		
		169													
		1	74.	1°	41 45	70	+ 1 32	1226 2							
P#62	P#52						—	1231 9	5°		1236 2		P#62 + Fl.		
		1206													
		10	207.	11°	272 20	205	— 4 51	1208 7					S.H		
		1185													
		10	186.	11°	254 40	186	— 2 09	1219 0					Bks		
		1145													
		10	146.	11°	281 35	145	— 3 55	1216 0					S.H		
		1189													
		10	190.	11°	240 15	190	— 1 30	1221 0					T.R		
		1186													
		11	87.	12°	296 —	87	— 1 50	1222 2					S.H		
		1135													
		10	136.	11°	238 25	136	— 0 57	1223 8					Fl.		
		959													
		9	60.	9°	331 30	60	— —	1227 2					S.H		
		961													
		9	62.	9°	237 —	62	— —	1227 8					Fl.		

Add'n'l Inform.

Form 301 16M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes by C. J. TERRY Plotted
Date JUL 11 1935 Date Survey of Prairie Ave
Notes Chkd. Checked Survey by Moore Notes Moore Date 6-14-35
Date Date Map No. Indexed A. C. Johnson

Job No. 5822 Page Distance No. 4 F.B. 5822 Pg. 222

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
F#62	P#52	385			° ′		° ′								
		3.	86.	3 0	15 15	86.	—	12339			12369		SH		
		159													
		1.	60.	1 0	59 55	60.	+ 3 02	12390					"		
		226													
		1.	127.	2 0	33 10	127.	+ 3 18	12422					"		
		217													
		1.	118.	2 0	68 —	117.	+ 6 05	12472					"		
		290													
		1.	191.	2 0	42 15	189.	+ 5 06	12518					"		
		575													
		4.	176.	5 0	70 35	173.	+ 7 07	12534					"		
		301													
		4.	202.	2 0	83 40	200.	+ 5 47	12552					"		
		741													
		5.	242.	6 0	94 05	239.	+ 6 02	12563					"		
		246													
		1.	147.	2 0	90 50	146.	+ 5 42	12493					"		
		294													
		1.	195.	2 0	102 20	193.	+ 5 05	12520					TR		
		182													
		1.	83.	1 0	112 10	83.	+ 3 13	12404					"		
		553													
		4.	154.	5 0	122 20	153.	+ 4 39	12443					"		
		366													
		3.	67.	3 5	161 —	67.	—	12314					"		
		246													
		1.	147.	1 4	148 40	147.	—	12355					"		
		793													
		7.	94.	7 8	201 50	94.	—	12291					"		
		1049													
		9.	150.	10 1	181 50	150.	—	12268					SR		
		1143													
		10.	144.	12 2	216 20	144.	—	12247					TR		
		1180													
		10.	181.	11 0	195 50	181.	1 09	12223					SR		
		1204													
		10.	205.	11 0	228 25	205.	1 33	12204					TR		
		1213													
		10.	214.	11 0	220 30	214.	2 22	12172					SR		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / — Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
P#63	P#62			—	° '		— ° '	1227 9	5'	—	1 233 0	—	P#63 & Fl.		
		1208													
		10	209.	11°	298 50	208	— 4 07	1207 2		—		—	Sw		
		1204													
		10	205.	11°	279 35	204	— 4 09	1207 3		—		—	S R		
		1155													
		10	156.	11°	307 15	156	— 2 39	1215 0		—		—	Sw		
		1147													
		10	148.	11°	282 25	147	— 3 34	1212 8		—		—	S R		
		1115													
		10	116.	10 5	326 55	116	— —	1222 5		—		—	"		
		1188													
		11	89.	12°	288 30	89	— 1 04	1219 3		—		—	"		
		402													
		3	103.	3 9	0 50	103	— —	1229 1		—		—	"		
		632													
		33.	6 8		334 55	33	— —	1226 2		—		—	Fl		
		322													
		1	223.	2°	31 —	222	+ 2 40	1241 3		—		—	S R		
		168													
		1	69.	1°	60 05	69	+ 1 25	1233 4		—		—	"		
		265													
		1	166.	2°	45 40	165	+ 4 12	1243 0		—		—	"		
		236													
		1	137.	2°	69 45	136	+ 3 44	1239 8		—		—	"		
		310													
		1	211.	2°	55 10	210	+ 4 42	1248 2		—		—	"		
		483													
		3	184.	4°	75 10	183	+ 3 58	1241 7		—		—	T R		
		465													
		2	266.	3°	61 40	264	+ 4 54	1252 6		—		—	T R		
		737													
		5	238.	6°	78 25	237	+ 3 30	1241 4		—		—	S R		
		958													
		9	59.	9°	263 10	59	— —	1224 0		—		—	"		
		344													
		3	45.	3 5	157 20	45	— —	1229 5		—		—	"		
		580													
		5	81.	5 7	213 55	81	— —	1227 3		—		—	T R		
		250													
		2	81.	2 9	149 55	81	—	1230 1		—		—	" + L# 63		

Add'n'l Inform.

F.B. 527 PG. 230

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D.
Side of Draw. S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Inters. of Draw. Y.D's | Fir-Fr. | Oak-O. | Pine-Pi. | Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Pine combinations of these and all common standard abbreviations.
Break in Slope ..... B.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Sper. ..... T.Sp. | Bottom Canyon ..... B.Cn.
Side of Canyon S.Ca. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.
Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.
Traveled Rd. Tr.Rd. | Fence ..... Fn. | Ins. Fences V.Fn. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Form 301 JOM 3-34

PLEASE RETURN TO.
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / −	Vertical Distance	REMARKS Station	Left	Right
P#63	P#62	575			° '			° '		1							
		4	11.6	4.9	180 05	11.6	−	—	1228.1			1233.0			T.R		
		546								2							
		4	14.5	3.2	149 16	14.5	−	—	1229.3						S.R		
		667								3							
		5	16.8	5.7	161 55	16.8	−	—	1227.3						"		
		789								4							
		6	19.0	7.3	148 —	19.0	−	—	1225.7						"		
		1007								5							
		8	20.8	9.1	155 55	20.8	−	—	1223.9						"		
		1029								6							
		8	23.0	9.1	169 15	23.0	−	—	1223.9						"		
		787								7							
		6	18.8	6.9	175 30	18.8	−	—	1226.1						"		
		1168								8							
		9	26.9	10.1	154 10	26.9	−	—	1222.9						"		
		663								9							
		5	16.4	6.1	189 25	16.4	−	—	1226.9						T.R		
		1033								10							
		8	23.4	8.8	196 40	23.4	−	—	1224.2						"		
		733								11							
		6	13.4	6.3	210 45	13.4	−	—	1226.7						"		
		1010								12							
		8	21.1	9.3	214 15	21.1	−	—	1223.7						"		
		716								13							
		6	11.7	6.5	233 30	11.7	−	—	1226.5						"		
		1170								14							
		10	19.1	10.8	233 20	19.1	−	—	1222.1						"		
		1011								15							
		9	11.2	9.5	257 55	11.2	−	—	1223.5						"		
		1186								16							
		10	18.7	11.0	257 —	18.7	−	0 58	1219.0						S.R		
		247								17							
		2	4.8	2.2	103 35	4.8	−	—	1230.8						T.R		
		200								18							
		1	10.1	1.0	108 40	10.1	+	0 49	1233.4						"		
		550								19							
		4	15.1	5.0	106 25	15.1	+	2 06	1233.4						S.R		
		618								20							
		5	11.9	5.0	134 30	11.9	+	1 28	1231.0						T.R		
		572								21							
		4	17.3	5.0	107 50	17.3	+	1 25	1232.2						S.R		

Add'l Inform.

Notes by C. J. TERRY Plotted Date JUL 11 1935 Job No. 8020 Division No. K E.B. 577 P.B. 231

Notes Chkd. Date Checked Date Survey of Pacific Ave

Survey by A. Jones Notes Moore Date 6-14-35

Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#63	P#62	666			° '		° '								
		5	167.	6°	128 30	167	+ 0 57	1229 8					SR		
P#65	P#64														
								1214	5°		1233				
		680									1219		P#65 + TF + G#64		
		4	281.	5°	123 50	278	+ 5 29	1241 0					TC		
		480													
		2	281.	3°	127 50	281	+ 1 26	1223 0					BC		
		427													
		2	228.	3°	121 15	226	+ 5 09	1236 4					TC		
		421													
		2	222.	3°	124 50	222	+ 1 20	1221 3					BC		
		462													
		3	163.	4°	115 15	162	+ 5 15	1230 0					TC		
		356													
		2	157.	3°	119 —	157	+ 1 19	1219 7					BC		
		208													
		1	109.	1°	98 20	108	+ 4 49	1227 2					BLS		
		198													
		1	99.	1°	106 30	99	— —	1217 2					BC		
		201													
		1	102.	1°	102 30	102	+ 3 24	1224 0					TC		
		452													
		4	53.	3°	74 10	53	— —	1215 3					BC		
		195													
		1	96.	1°	84 10	95	+ 5 30	1227 2					BKS		
		187													
		1	88.	1°	91 —	88	+ 2 40	1222 2					TC		
		153													
		1	54.	1°	38 50	54	+ 3 08	1221 0					"		
		558													
		5	59.	5°	359 45	59	— —	1213 5					BC		
		166													
		1	67.	1°	359 45	67	— —	1217 9					TC		
		618													
		5	119.	7°	332 —	119	— —	1212 1					BC		
		320													
		2	121.	2°	335 05	121	— —	1216 3					TC		
		1090													
		2	191.	10°	322 —	191	— —	1209 0					BC		
		790													
		6	191.	6°	323 —	191	— —	1212 5					TC		

Add'n'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Bottom Wash B.W.
Side of Draw S.D. | Bottom of Ridge T.R. | Toe of Slope ..T.S.
Side of Ridge S.R. | Top of Ridge T.R. | Toe of Slope ..T.S.
Head of Draw H.D.

Inters. of Draws V.D's: Break in Slope ..Bk.S. | Steep Slope ..... S.C. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ...B.Cn.

Side of Canyon S.Cn. | Top of Bank ...T.B. | Bottom of Bank ..B.B. | Top of Cut ..... T.C. | Bottom of Cut ..B.C. | Top of Fill ..... T.F. | Bottom of Fill ..B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr.Rd. | Fence ..... Fn. | Int. Fences. V.Fns. | Ditch ..... D. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

F.B. 5772 PG. 2-32

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#65	P#64	1101			° ' "		—	° ' "		1						
		9	202.	10 3	314 50	202			1208.8			1219.1		℄ Crest Rd (20' Macadam Pave		
		1078								2						
		9	179.	9 5	308 40	179			1209.6					T.F.		
		952								3						
		8	153	9 0	318 20	153			1210.1					℄		
		998								4						
		9	99.	9 1	308 10	99			1210.0					T.F		
		804								5						
		7	105.	7 6	324 05	105			1211.5					℄		
		657								6						
		5	58.	6 2	337 25	58			1212.9					℄		
		633								7						
		6	34.	6 1	314 20	34			1213.0					T.F		
		525								8						
		5	26	4 8	36 50	26			1214.3					℄		
		253								9						
		2	54.	2 7	134 —	54			1216.4					T.F		
		353								10						
		3	54.	3 4	105 —	54			1215.7					℄		
		527								11						
		4	128.	5 0	135 40	128	+	2.13	1219.0					T.F		
		299								12						
		2	100.	1 8	120 —	100			1217.3					℄		
		596								13						
		4	197.	5 0	137 05	197	+	2.09	1221.3					T.F		
		245								14						
		1	146.	0 1	125 55	146			1219.0					℄		
		752								15						
		5	253	6 0	137 20	253	+	2.18	1223.2					T.F		
		397								16						
		2	198.	3 0	129 25	198	+	1.17	1220.4					℄		
		973								17						
		6	374	8 0	137 55	373	+	2.32	1227.6					T.F		
		344								18						
		4	245.	2 0	131 05	245	+	1.12	1222.2					℄		
		496								19						
		2	297.	3 0	132 50	297	+	1.32	1223.9					℄		
		1066								20						
		7	367.	9 1	142 25	367	—		1210.0					B.F		
		1181								21						
		8	382	10 0	150 30	382	—	1.31	1199.2					S.H		

Add'l Inform.

Notes Rcd. C. J. TERRY Plotted Sheet No. 4 F.B. 5727 Pg. 223
Date JUL 11 1935 Date Survey of Prairie Ave
Notes Chkd. Checked Survey by Noorian Notes Date 6-14-35
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#5	P#4	1203			° ' "		—								
		9	304.	10 2	142 40	304		1208 9			1219 1		B.F.		
		1113					2 22								
		8	314.	10 0	152 45	313		1196 2					S.H.		
		1134					—								
		9	235.	10 5	143 10	235		1208 6					B.F.		
		1144					3 31								
		9	245.	10 0	57 05	244		1194 2					S.H.		
		1162					1 20								
		10	163.	11 0	145 30	163		1204 5					B.F.		
		1183					4 51								
		10	184.	11 0	165 50	183		1192 6					S.H.		
		1109					3 14								
		10	110.	11 0	148 20	110		1202 0					B.F.		
		1128					7 35								
		10	129.	11 0	176 45	127		1191 3					S.H.		
		1154					8 54								
		11	55.	11 0	169 25	54		1199 8					B.F.		
		1202					10 27								
		11	103.	12 0	202 30	100		1188 8					S.H.		
		1134					15 28								
		11	35.	11 0	256 50	32		1199 2					B.F.		
		1108					11 31								
		10	109.	11 0	236 30	105		1286 8					S.H.		
		1098					4 24								
		10	99.	11 0	297 45	98		1200 6					B.F.		
		1128					9 17								
		10	129.	11 0	265 30	126		1187 6					S.H.		
		1145					3 08								
		10	146.	11 0	301 15	146		1200 2					B.F.		
		1166					7 14								
		10	167.	11 0	278 45	160		1173 6					S.H.		
		1207					3 —								
		10	208.	11 0	301 25	207		1197 4					B.F.		
		1120					6 03								
		9	221.	10 0	284 40	219		1186 0					S.H.		
		1136					7 48								
		9	237.	10 0	266 —	233		1177 4					"		
		1185					7 17								
		9	286.	10 0	254 10	281		1173 2					SW		
		1157					9 05								
		10	188.	11 0	251 10	183		1178 9					S.H.		

Add'n'l Inform.

F.B. 527 Pg. 234

Topography Description Legend:
S.H. Side Hill
Draw S.D. Side of
Ridge S.R. Side of
Draw H.D. Head of

Traveled Rd. Tr.Rd. Fence Int. Fences V. Fn. Ditch ... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ... Cul.

Sa. Saddle ... Sw. Swale ... Fl. Flat ... Str. Stream ... Tr. Trail ... Pvt. Pavement ... E.Rd. Edge of Road

Side of Canyon S.Cn. ... Top of Bank ... T.B. Bottom of Bank ... B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill ... B.F.

Inters. of Draw V.D's ... Break in Slope ... Bk.S. Steep Slope ... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ... T.Sp. Bottom Canyon ... B.Cn.

Oak-O. Pine-Pi. Sycamore ... Sy. Eucalyptus ... Eu. Plus combinations of these and all common standard abbreviations.

Fir-Fr. Cedar-Ce.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
P#65	P#64	1152								1							
		9	253.	10°	343 45'	248		7 58'	1174 4			1219'			Sw		
		1170								2							
		10	171.	11°	322 —	166		9 40'	1180 0						SH		
		1142								3							
		9	243.	10°	326 25'	238		8 05'	1175 4						Sw		
		1184								4							
		10	185.	11°	199 50'	181		8 34'	1180 9						SH		
		1153								5							
		9	254.	10°	313 05'	250		7 30'	1176 3						Sw		
		1129								6							
		9	230.	10°	179 45'	227		6 40'	1182 6						SH		
		1167								7							
		7	268.	10°	200 30'	264		6 42'	1178 2						Sw		
		1180								8							
		9	281.	10°	170 20'	279		5 06'	1184 2						SH		
		1197								9							
		9	298.	10°	190 55'	295		5 40'	1180 0						Sw		
		1135								10							
		8	336.	10°	165 10'	334		4 02'	1185 7						SH		
		1133								11							
		8	334.	10°	182 40'	332		4 36'	1182 4						Sw		
		1201								12							
		8	402.	10°	161 —	401		3 09'	1187 2						SH		
		1178								13							
		8	379.	10°	176 15'	377		3 44'	1184 7						Sw		
		1128								14							
		7	429.	9°	171 —	428		3 09'	1186 8						Sw		
		1178								15							
		7	479.	9°	175 10'	478		2 20'	1190 8						SH		
		1117								16							
		6	518.	9°	180 45'	518		1 10'	1199 7						"		
		1139								17							
		7	440.	9°	181 40'	439		2 29'	1191 2						"		
		1190								18							
		7	491.	10°	185 35'	491		0 54'	1201 6						"		
		1191								19							
		8	392.	10°	190 50'	391		2 40'	1191 0						" + G* G		
		1166								20							
		7	467.	9°	192 10'	467		0 40'	1205 0						"		
		1178								21							
		8	379.	10°	199 10'	378		2 43'	1191 3						"		

Add'n'l Inform.

Notes by C. J. TERRY Plotted Date JUL 11 1935 Job No. 8216 Division No. L.B. 377 Pg. 235
Notes Chkd. Date Checked Date Survey of Bruce Tract
Survey by Notes Date 6-14-35
Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Cedar-Ce. Pine-Pi. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Lft. Fences..V.Fn. Ditch ..... Dl. Telephone Pole T.P. Power Pole..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Spur ..... Sp. Flat ..... Ft. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Canyon S.Cn. Bank ..... T.B. Bottom of Bank..B.B. Top of Cut..T.C. Bottom of Cut..B.C. Top of Fill..T.F. Bottom of Fill..B.F.

Side of Slope..S.S. Top of Cliff..T.Cl. Bottom of Cliff..B.Cl. Top of Spur..T.Sp. Bottom Canyon..B.Cn.

Inters. of Draw V.D's Break in Slope..Bk.S. Steep Slope ..... St. Top of Bottom ..... T. Bottom of Bottom ..... B.

Topography Description Legend:
Side of Hill ..... S.H.
Bottom Draw..B.D.
Side of Draw..S.D.
Bottom Wash..B.W.
Side of Ridge..S.R.
Top of Ridge..T.R.
Head of Draw..H.D.
Toe of Slope..T.S.

F.B. 527 Pg. 2-34

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#65	P#64	1141			° ' "										
		7	442.	9°	200 —	442	— 0.48	1204.0			1219		SH		
		1162													
		8	363.	10°	207.45	362	— 3.20	1188.0					"		
		1124													
		7	425.	9°	207.15	425	— 1.05	1202.3					"		
		1164													
		8	365.	10°	218.10	364	— 3.37	1186.2					"		
		1117													
		7	418.	9°	215.50	418	— 1.38	1198.3					"		
		1150													
		8	381.	10°	227.25	380	— 3.34	1185.6					"		
		1129													
		7	430.	9°	223.45	430	— 1.29	1199.2					"		
		676													
		2	477.	2	222.30	477	—	1216.8					"		
		775													
		3	476.	5°	216.10	476	+ 0.53	1221.4					"		
		679													
		2	480.	4°	208.55	480	+ 1.—	1223.2					"		
		696													
		2	497.	4°	202.45	497	+ 1.28	1227.7					"		
		730													
		2	531.	4°	196.45	531	+ 1.15	1226.6					"		
		867													
		3	568.	5°	190.40	568	+ 1.06	1225.0					"		
P#66	P#65						—	1198.0	5.0		1203.0		P#66 SH		
		555			° ' "		° ' "								
		2	356.	4°	268.10	354	+ 3.57	1223.4					SH		
		461													
		2	262.	3°	266.25	262	—	1200.0					"		
		738													
		4	339.	6°	258.25	337	+ 4.06	1221.2					"		
		460													
		2	261.	05	249.05	261	—	1202.5					"		
		631													
		3	332.	5°	248.10	331	+ 3.46	1219.7					"		
		673													
		4	274.	5°	234.05	274	+ 1.56	1207.2					"		
		702													
		4	343.	6°	237.45	341	+ 3.52	1220.0					"		

Addn'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rec'd JUL 11 1955 Plotted Date Job No. 8990 Division No. 4 F.B. 5772 Pg. 437
Notes Chkd. Date Survey of L.S. Price Inc
Checked Survey by V. Perez Notes V. Perez Date 6-11-55
Date Map No. Indexed A. C. Johnson Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
		690			° '		° '		1						
P#66	P#65	4	291.	5°	225 10	29.0	+ 2 28	1210.4			1203°		S.H.		
		660							2						
		3	361.	5°	228 —	36.0	+ 3 34	1220.4					"		
		714							3						
		4	315	6°	217 25	31.4	+ 2 36	1211.0					"		
		686							4						
		3	387	5°	219 30	38.6	+ 3 06	1218.8					"		
		676							5						
		3	377	5°	207 35	37.7	+ 1 42	1209.0					"		
		536							6						
		1	437	3°	215 55	43.6	+ 3 02	1223.0					"		
		631							7						
		3	332	4°	194 10	33.2	+ 0 34	1202.2					Sa + G#66		
		613							8						
		3	314	4°	182 20	31.4	+ 1 04	1204.8					S.H.		
		569							9						
		3	270	4°	203 —	27.0	— —	1199.0					"		
		453							10						
		2	254	1°	185 05	25.4	— —	1201.5					"		
		818							11						
		6	219	6°	216 45	21.9	— —	1196.2					"		
		599							12						
		4	200	5°	192 10	20.0	— —	1297.6					"		
		1087							13						
		9	188	9°	235 —	18.8	— —	1193.1					"		
		1045							14						
		9	146	9°	204 35	14.6	— —	1193.1					SW		
		1181							15						
		10	182	11°	249 30	18.2	— —	1192.0					S.H.		
		1206							16						
		11	107	12°	230 35	10.7	— —	1190.2					SW		
		1187							17						
		10	188	11°	269 40	18.8	— —	1191.1					S.H.		
		1113							18						
		10	114	11°	273 55	11.4	— 2 04	1188.0					SW		
		1158							19						
		11	59	12°	299 35	5.9	— —	1291.0					S.H.		
		461							20						
		4	62	4°	2 35	6.2	— —	1198.8					"		
		1037							21						
		10	38	9°	228 20	3.8	— —	1193.2					"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 67 PG. 238

Topography Description Legend:
Hill..S.H. | Bottom Draw B.D. | Side of Draw S.D. | Bottom Wash B.W. | Side of Ridge S.R. | Top of Ridge T.R. | Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws with Steep Slope..S.S. | Top of Cliff..T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur..T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon S.Cn. | Top of Bank..T.B. | Bottom of Bank..B.B. | Top of Cut..T.Cc. | Bottom of Cut..B.Cc. | Top of Fill..T.F. | Bottom of Fill..B.F.

Saddle..Sa. | Sandy..Sy. | Flat..Fl. | Stream..Str. | Trail..Tr. | Pavement..Pvt. | Edge of Road..E.Rd.

Wooded..Wd. | Rd. Tr. Rd. | Fence..Fn. | Fences..V.Fn. | Sycamore..Sy. | Eucalyptus..Eu. | Ditch..Dt. | Telephone Pole..T.P. | Power Pole..P.P. | Culvert..Culv.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
					° '		° '								
P#66	P#65	228							1						
		2	29.	2°	112 30	29	+ 5 48	1204 0			1203 0		S.H		
		578							2						
		5	79.	5	187 20	79	— —	1197 3					"		
		276							3						
		7	77.	2°	154 10	77	+ 3 43	1206 0					"		
		332							4						
		2	133.	2	178 25	133	— —	1200 5					"		
		440							5						
		3	141.	4°	160 35	140	+ 4 —	1208 8					"		
		492							6						
		3	193.	4°	171 —	193	+ 2 10	1206 2					"		
		400							7						
		2	201.	3°	162 —	200	+ 3 42	1213 0					"		
		450							8						
		2	251.	3°	169 05	250	— 2 31	1189 2					"		
		553							9						
		3	254.	4°	160 45	252	+ 4 31	1219 0					"		
		609							10						
		3	310.	5°	169 20	309	+ 3 03	1214 4					"		
		618							11						
		3	319.	4°	161 30	317	+ 4 42	1225 0					"		
		618							12						
		3	319.	4°	156 50	316	+ 5 57	1232 0					B F		
		232							13						
		4	333.	6°	153 10	326	+ 8 —	1243 0					T F		
		652							14						
		4	253.	5°	154 —	250	+ 6 27	1226 3					B F		
		774							15						
		5	275.	6°	148 —	268	+ 8 56	1239 2					T F		
		482							16						
		3	183.	4°	149 20	180	+ 7 20	1222 2					B F		
		417							17						
		2	218.	3°	142 —	211	+ 10 30	1239 0					T F		
		426							18						
		3	127.	4°	137 35	124	+ 8 51	1218 2					B F		
		364							19						
		2	165.	3°	131 25	156	+ 13 07	1236 4					T F		
		376							20						
		3	77.	3°	103 10	74	+ 11 38	1215 2					B F		
		325							21						
		2	126.	3°	113 45	116	+ 16 22	1234 0					T F		

Add'l Inform.

IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#66	P#65	389 / 3	90	3°	41°40'	88	+ 7°26'	1211.5			1200		B.F		
		208 / 1	109	1°	86°55'	100	+ 17°06'	1232.7					T.F		
		219 / 1	120	1°	52°05'	113	+ 14°09'	1230.4					T.F		
P#68	P#67							1208	5°		1213		P#68 & S.H		
		913 / 5	414	7°	0°25'	414	—	1206.1					S.H		
		947 / 5	448	7°	9°—	448	+ 1°36'	1218.2					"		
		968 / 6	469	7°	15°05'	468	+ 3°06'	1231.3					"		
		949 / 6	350	7°	0°40'	350	—	1205.4					"		
		781 / 4	382	6°	11°—	382	+ 1°40'	1218.2					"		
		790 / 4	391	6°	19°30'	389	+ 3°48'	1233.0					"		
		1186 / 9	287	10°	0°10'	287	—	1202.9					"		
		712 / 4	313	6°	12°05'	313	+ 1°52'	1217.2					"		
		833 / 5	334	6°	23°50'	332	+ 4°24'	1232.7					"		
		1015 / 8	216	9°	359°30'	216	—	1203.6					"		
		623 / 4	224	5°	14°45'	224	+ 2°—	1216.0					"		
		448 / 2	249	3°	33°30'	246	+ 5°55'	1235.6					"		
		755 / 6	156	6°	356°25'	156	—	1206.2					"		
		370 / 2	171	3°	16°10'	171	+ 2°15'	1216.7					"		
		809 / 6	210	7°	40°55'	205	+ 8°29'	1236.7					& 7' rd		
		1098 / 10	99	10°	349°10'	99	—	1202.8					" " "		
		122 / 1	123	1°	16°45'	123	+ 1°32'	1215.3					" " "		

Notes by J. HENRY Date JUL 11 1935 Notes Chkd. Date

Survey of Parcel Map Checked Date

Survey by A. C. Johnson Notes Date 6-11-35

Map No. Indexed Date

Job No. 8212 Maps No. 1 F.B. 577 Pg. 239

Form 301 10% 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 522 Pg. 240

Topography Description Legend:
Side of Hill...S.H. | Bottom Draw...B.D. | Bottom Wash...B.W. | Side of Draw...S.D. | Top of Ridge...T.R. | Side of Ridge...S.R. | Head of Draw...H.D. | Toe of Slope...T.S.

Fir...Fr. | Pine-Pi. | Cedar...Ce. | Sycamore...Sy. | Eucalyptus...Eu. | Oak...O. | Plus combinations of these and all common standard abbreviations.

Traveled Rd...Tr.Rd. | Fence...Fe. | Int. Fence...I.Fe. | Ditch...Dt. | Telephone Pole...T.P. | Power Pole...P.P. | Culvert...Cul. | Saddle...Sa. | Bench...Bn. | Flat...Fl. | Stream...Str. | Trail...Tr. | Pavement...Pvt. | Edge of Road...E.Rd.

Edge of Stream...S.Cn. | Top of Bank...T.B. | Bottom of Bank...B.B. | Top of Cut...T.C. | Bottom of Cut...B.C. | Top of Fill...T.F. | Bottom of Fill...B.F.

Inter. of Draw V.D's | Break in Slope...B.S. | Steep Slope...S.S. | Top of Cliff...T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur...T.Sp. | Bottom Canyon...B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Pt 68	Pt 67	360			° '		° '		1						
		2	161.	3 0	57 25	157	+ 9 27	1236 2			1213		S.H.		
		267							2						
		2	68.	2 0	36 10	68	+ 3 21	1215 0					"		
		1040							3						
		10	41.	10 7	318 10	41	— —	1202 4							
		145							4						
		1	46.	1 0	85 05	46	+ 5 —	1216 0					"		
		345							5						
		2	146.	3 0	70 40	142	+ 9 02	1232 8					"		
		1124							6						
		10	125.	11 0	266 45	120	— 11 05	1178 6					℄ Sta 149+00 Point Vicente Rd + G#68		
		1120							7						
		10	121.	11 0	303 35	119	— 7 12	1187 0					℄ 1st rd + Sw.		
		1187							8						
		10	188.	11 0	308 10	187	— 3 16	1191 4					S.H.		
		1140							9						
		9	241.	10 3	303 50	241	— —	1202 8					"		
		1151							10						
		10	152.	11 0	328 15	151	— 3 42	1192 3					Sw		
		1111							11						
		9	212.	10 0	342 20	212	— 1 38	1197 2					" + G#67		
		1144							12						
		9	245.	10 0	326 50	245	— 0 49	1199 7					S.H.		
		467							13						
		2	268.	2 4	311 45	268	— —	1210 7					S.H.		
		1175							14						
		9	276.	10 0	346 25	276	— 1 07	1197 8					Sw		
		1104							15						
		8	305.	10 2	334 30	305	— —	1202 9					S.H.		
		507							16						
		2	308.	4 0	318 35	308	+ 1 10	1215 2					"		
		1140							17						
		8	341.	10 0	347 55	341	— 0 44	1198 8					Sw		
		876							18						
		5	377.	7 3	337 45	377	— —	1205 8					S.H.		
		623							19						
		2	424.	4 0	328 05	424	+ 1 40	1221 3					"		
		1105							20						
		7	406	12 5	349 25	406	— —	1200 6					Sw		
		847							21						
		4	448.	6 2	339 25	448	— —	1206 9					S.H.		
Add'l Inform.		666 2	467	4 0	330 45	467	+ 2 0	1197							

Notes Ck'd by	Survey of Prairie Ave
Map No. B-1065-1	W. O. 5090 Tape No 54 St'd 54 OF.
Checked	Notes M. Cole Date 6-17-53
Date	Indexed A. C. Johnson 6-27-53

F.B. 577 Pg. 241

Survey of North Line
Rancho Palos Verdes
from
Sta 31 to Sta 69

PRAIRIE AVE
Job # 5090

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 2-34

F.B. 577 PG. 242

To bottom pg. 243

Sta. #32
Fd 2" I.P. + B.C.
6" high - Stamped
as shown.
C.S. 8607
Tr. 9765
Tr. 4400

Cal. 0.46 N.E. of True Line.

N.E. of True Line.

216.41 @ 76° @ 2°07' = 216.25

60.92 @ 6° @ level = 60.92
197.37 @ 86° @ 1°25' = 197.31
258.23

Fd 2" I.P.
Set plug + tk.
6" deep
H per Tr. 9765

0.40 S.W. of True Line.

Adopted Ranch Line is a straight line from Station No. 31 to Sta. 69

∠ between Random & True Line = 0°00'10" Tan = .0000

238.84 @ 86° @ 6'16" = 237.41

TRACT 9765

Fd 2" I.P.
Set plug + tk.
"I" per Tr. 9765

Cal. 0.39 S.W. of True Line.

PALOS VERDES RANCHO

135.45 @ 86° @ 1°12' = 130.71

Fd 2" I.P.
Plug + tk.
flush
Tract 9765

Cal. 0.02 S.W. of True Line.

Sta #31
Fd 2" I.P. - plug + tk.
3" deep
C.S. 8607-1
Tract 9765
Tract 4400

297.94 @ 86° @ 10°18' = 293.14
14.32 @ 86° @ level = 14.32
307.46

(134°-51'-45")
(179-27-30)

#1
Set 1x2
by miter

Fd 2" I.P.
Plug + tk.
S.W. Cor. Lot A
Tr. 954
Tr. 9765

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by A.A.R + M.S.P. | Survey of Frame Alg
Map No. B-1065-1 | W. O. [illegible] | Tape No [illegible] | St'd [illegible] OF.
Checked | Notes M Moore | Date 5-10-38
Date | Indexed A. C. Johnson

F.B. 527 PG. 243

To bottom pg 244

Fd 2" I.P. Plug & Tk. 1.25 E" per Tr 9765
Calc. On True Line

802.5
(802.5)
20.40
9.83
330.22

82.67 @ 84° @ 1.00 = 82.61
260.39 @ 80° 15' = 247.61
330.22

PALOS VERDES RANCHO

#9 Set 1x2

300.62 @ 64° @ 1.00 = 300.46
214.79 @ 86° @ 2.33 = 214.58
515.04

53.39
(53.57)
515.04

#8 Set 1x2

Fd 2" I.P. Plug & Tk. 6" deep "E" per Tr 9765
Calc. 0.02 N.E. of True Line.

20.40
6.52
600.63

600.66 @ 76° @ level = 600.63

TRACT 9765

#7 Set 1x2

879.87
(879.94)
279.40

279.44 @ 75° @ level = 279.40

Sta #33
Fd 2" I.P. & B.C. 6" high, Stamped 25 Shows
C.S. 86.97
Tr 9765
Tr 4460
Calc. 0.30 N.E. of True Line.

#6 Set 1x2

20.15
6.36
209.75
(209.78)
0.90
2.62

From top pg 242

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

F.B. 577 PG. 244

To bottom pg 245



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by A.A.R. & M.E.P. | Survey of Prairie Ave
Map No. B-1065-1 | W. O. Segm Tape No 54 St'd 6" OF.
Office Work | Notes Date 6-30-55
Checked | Indexed A. C. Johnson
Date

F.B. 572 Pg. 245

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 8-34

Tie Latham pg. 246

Fd 2" I.P. Plug & tk Graves Tr 9765
.04 S.W. of True Line.

502.23
(502.45)
20.31
39.91
#16 Set 1x2

295.30 @ 74° @ 9°-49' = 290.96
201.53 @ 74° @ 4°-43' = 200.84
169.64 @ 74° @ 3°-58' = 169.22
661.02

PALOS VERDES RANCHO

711.62
(712.45)
661.02
#17 Set 1x2

Fd 2" I.P. Plug & tk Graves Tr 9765
1.09 N.E. of True Line

Sta #47
Fd 2" I.P. Pluq 6" high-Stamped as Shown on CS 8607-1 Tr 9765 Tr. 4400
3.80 S.W. of True Line.

81.15
(81.22)
20.21
6.34
104.70 @ 80° @ 7°-58' = 103.69
TRACT 9765
103.69
24.10
16.20
#16 Set 1x2

211.53 @ 80° @ 6°-15' = 210.26

Sta #46
Fd 2" I.P. Pluq BC 6" high-Stamped as Shown on CS 8607-1 Tr. 9765 Tr. 4400
3.15 S.W. of True Line.

(228.10)
228.55
398.44
(398.35)
210.26
#15 Set 1x2
23.46
2.09

123.91 @ 80° @ 5°-15' = 123.39

(79.03)
78.94
123.39
3.30
20.27
142.96
#14 Set 1x2

Fd 2" I.P. Plug & tk 5' Geod. "B" per Tr 9765
.04 N.E. of True Line.

521.23
586.57

From Tie pg. 244


F.B. 577 Pg. 246
To bottom pg. 247
TRACT 7143
Fd 4" Conc. Mon. w/ Brass plate "A" per Tr. 4400 FB 400-135
Fd 4" Conc. Mon. w/ Brass plate Stamped "A" Tr. 4400 Tr. 7143 Tr. 9765 FB 400-135 Mush
.06 N.E. of True Line.
PALOS VERDES RANCHO
Begin fence
End fence
WALTERIA
TRACT 9765
Fd 2" I.P. Plug & Tk 6" deep Tr. 9765
0.39 S.W. of True Line.
Fd 3/4" I.P. Plug & Tk 6" deep
0.05 S.W. of True Line
(502.15)
502.23
741.85
(741.90)
644.91
(45°-18'-45")
(181-15-00)
#23 Set 1x2
#22 Set 1x2
#21 Set 1x2
#20 Set 1x2
#19 Set 1x2
Set 1x2 by inter
(44°-56'-30")
(179-46-15)
1404.03
(1404.28)
326.46
353.07
184
76.12 @ 66° @ 4°-30' = 75.88
110.71 @ 70° @ 29°-30" = 96.35
250.10 @ 20° @ 23°-41' = 238.14
272.41 @ 74° @ level = 272.39
267.63 @ 74° @ 0-53 = 267.58
539.97
Fd 2" I.P. Plug & Tk 12" high Tr. 9765
PI Fd Conc. Mon 18" deep Tr. 9765
From top pg. 245
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by AAR & K.R.M.	Survey of Prairie Ave	F.B. 577	Pg. 247
Map No. B-1065-1	W. O. 8600 Tape No — St'd — OF.		
Office Work	Surveyed by		
Checked	Notes	Date 6-7-38	
Date	Indexed	A. C. Johnson	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 BM 2-34

To Location pg. 246

207.5 to #21
End of fence

771.41
(627.27)
1027.41

255.43 @ 80° @ 1°29' = 249.20
177.93 @ 80° @ 2°36' = 177.75
391.46 @ 80° @ 1°6'61 = 391.25
818.20

Sta #57
Fd 2" I.P.Y.B.C.
Stamped as
Shown on C.S. 8607-1
To mark
1.87 S.W. of True Line.

22.02
11.46
#26
Set 1x2

TRACT 7143

Fd 2" I.P.
Plugged
4" deep.
To 7143
.07 N.E. of True Line.

256.00
247.37

WALTERIA

93.29 @ 80° @ 1°0'16" = 91.80
164.51 @ 80° @ 1°9'17" = 155.59
247.39

Sta #58
Fd 2" I.P.Y.B.C.
6" high. Stamped
as Shown
C.S. 8607-1
2.98 S.W. of True Line.

20.09
2.85
#25
Set 1x2
23.14
0.77

VIA
FINZON

(50.11)
132.81

Fd 2" I.P.
Plugged
4" deep
To 7143
.05 N.E. of True Line.

20.11

132.82 @ 76° @ level = 132.81

#24
Set 1x2

286.89 @ 76° @ 1°36' = 286.77
175.00 @ 76° @ level = 174.99
186.85 @ 76° @ 11°24' = ~~183.66~~ 186.79
644.91
~~648.54~~

From Top pg 246

F.B. 577 PG. 248

To bottom pg 249

182.23 @ 70° @ 1-10' = 182.17
1010.37 @ 70° @ level = 1010.28
1192.45

Fd 2" I.P. Plug & Tk Tr 7143 6" deep
.08 N.E. of True Line

This distance checked by Moore in field and found to be 1148.04

VIA VERDEROL

1148.11
1192.45
19.98
50.01
19.95
4.92
#28 Set 1x2
1.7

Fd 2" I.P. Plug & Tk 4" deep Tr 7143
0.11 N.E. of True Line

TRACT 7143

1011.59
(1011.45)
965.37

108.60 @ 84° @ level = 108.60
297.75 @ 84° @ 2°30' = 297.47
56.17 @ 84° @ 9-29 = 55.40
160.74 @ 84° @ 5-14 = 160.07
220.60 @ 70° @ 2-57 = 220.29
124.01 @ 70° @ 4-51 = 123.54
965.37

Begin 7143

22.0
21.0
20.06
35.62

Fd 2" I.P. Plug & Tk 6" deep
0.05 N.E. of True Line

HAWTHORNE BLVD

#28 Set 1x2

Fd 2" I.P. Plug & Tk Flush Tr 7143
0.14 ~~S.W.~~ N.E. of True Line.

194.15
(194.49)
200.12

200.12 @ 84° @ level = 200.12

Fd 2" I.P. Plug & Tk Flush
0.03 S.W. of True Line.

Fd 2" I.P. Plug & Tk Tr 7143
On True Line.

#27 Set 1x2
13.18
20.14
22.15
20.11
8.20

From top pg

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by AA.R+K.R.M. | Survey of Prairie Ave | F.B. 57 Pg. 249
Map No. B-1065-1 | W. O. [illegible] Tape No [illegible] St'd [illegible] OF.
Checked | Notes [illegible] Date [illegible]
Date | Indexed A. C. Johnson

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

To bottom pg. 250

Set 1x2

Fd 2" I.P. Plug + Tk 6" deep Top illegible

2.09

Sta #70
Fd 2" I.P. I.N.B.C.
6" high Stamped as shown
C.S. 960-7
Tr. 4400

2.01

Set 1x2

20.00

24.32

20.1

17.11

#32
Set 1x2
by inter

Sta #69
Fd 2" I.P. I.N.B.C.
6" high in conc
Stamped as shown
C.S. 960-7
Tr. 7143
Tr. 4400

134°-55'-45"

(134°-55'-45"
179-43-00)

RANCHO PAIS VERDES

Property Adopted ~~Rancho~~ Line = a straight Line from Sta. 31 to Sta. 69.
+ between Random + True Line = 0°00'10" Tan. = .0000472.

(363.76)
363.77

#31
Set 1x2

VIA CARVELINA

19.99

0.5

#30
Set 1x2

TRACT 7143

Fd 2" I.P. Plug + Tk 6" deep Tr. 7143

.02 N.E. of True Line.

From top pg. 248

FORM 247 SM 2-34

F.B. 577 PG. 250



From Top Pg 249

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of
Map No.	W. O. Tape No St'd OF.
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F.B. 577 PG. 251

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO

LOS ANGELES COUNTY SURVEYOR

709 HALL OF RECORDS

FORM 247 5M 8-34


LLS
LLS
F.B.
PG.