Book Ck'd by
Office Mk. CSB-445-1
Office Book RW.McA.
Checked
Date

Survey of CRYSTAL LAKE PARK
W. O. 7910 Tape No. 60 100 St'd 84 °F.
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date 6-16-36
Indexed A. C. Johnson 11-18-37

F.B. 648 PG. 5

℄ of 12 Foot Road
from
North End of Parking Area
At North End of Lake
Thence South and East
To
Paved Highway at North End
of
West Pine Flats

Pages 6-11

THIS Red MAR.

LOS ANG

M B-91

F.B. 648 PG. 6



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. C.S.B 445-1	W. O. 7910 Tape No. 60 3:30 St'd 84 °F.
Office Work R.W.M&A.	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 6-17-36
Date	Indexed A. C. Johnson 11-19-37

F.B. 648 PG. 7

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

See pg 8 for Interc



FORM 847 10M 8-31

F.B. 648 PG 8

INTERSECTION OF E of LAKE ROAD OUT OF LAKE TRAFFIC AND GRID-LINE OF PARKING AREA "2" AT SWITCHBACK.

0+60
2X2 pr. F.B. 462-231

S 68°-44'-00" W
660.00

Set 1X2 for Intersect

P.O.S.T. "25A-B" pr. pg. 7

22.95

142.75

93.07

P.C. 48+69.85

51+03.67 EC

88°-47'-35"

161.39

P.O.T. 3+60
2X2 pr.

P.I. 7+89
To P.I. 12+60

P.I. 4+27
To P.I. 2+40

253.96

Δ 22.95 R 3-0 T 7.98 L 22.95

Δ 93.07 R 0-0 T 78.93.07

Δ 107°-44'-30"
Δ 72°-52'-00"

For Notes of Parking Area See F.B.

See File 5-85 for plan of Parking Area

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. C.S.B. 445-1	W. O. 2910 Tape No. 60 — 300 St'd 84 °F.
Office Work R.W.M.&A.	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 6-15-36
Date	Indexed A. C. Johnson 11-18-37

F.B. 648 PG. 7

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Cont. on pg. 10

N 28°-15' W

120.20

E.C. 54+47.76

Δ = 15°-59'-55"
R = 200
T = 28.11
L = 55.85
E = 2.0

P.I. "27A" Set 1x1

① 120.71 e 5-20 T92 = 120.21
② 120.52 e 4-32 T = 120.17
Avg. = 120.20

① 164-00-00
② 296-00-30
164-00-05

B.C. 53+91.91

211.72 N 31°-45' E

① 212.60 e 5-16 T92 = 211.71
② 212.47 e 4-48 T = 211.73
211.72 Avg

E.C. 53+00.16

Δ = 49°-20'-15"
R = 200
T = 91.96
L = 172.22
E = 20.1

① 130°-39'-45"
② 162°-39'-00"
130°-39'-45"

P.I. "26A" Set 1x1

130°-39'-45"

B.C. 51+27.94

161.39 N 0°-0' E

Cont. from pg. 7

② 161.39 e 0-0 T88 = 161.39

FORM 247 10M 5-31

F.B. 648 PG 10



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. B-445-1	W. O. 7910 Tape No. 66' Std 84° F.
Office Work R.W. McA.	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 6-16-36
Date	Indexed A. C. Johnson 11-18-37

F.B. 648 Pg. 11

C.S. Mon Fd. STA. 21 TR. 2 pr F.B. 135 pg. 60

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-33



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. C 48 PG. 12

Notes Ck'd by
Map No. C.S.B. 445-7
Office Work R.W. McA
Checked
Date 3/15/39

Survey of CRYSTAL LAKE PARK
W. O. 2910 Tape No. 66' St'd 64° F.
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date 5-22-36
Indexed C. Johnson 11-16-37

F.B. 648 PG. 13

① 79°-17'-30"
② 158°-35'-00"
79°-17'-30"

92.05 ℄ ∪-∪ 92.05

3/4" Water Line to Supt. of Parks Camp Site

To STA. "7"

24470.39
Sta "8"
1x2 pr F.B. 462-90

For Profile
See L.B. 684-120-121

151.95

3/4" L
3/4" faucet
5ft 3/4" riser
3/4" line
3/4" L

26122.34
Sta "8A"
Fd 1x2
pr F.B. 462-90

79°-17'-30"

57.30

3/4" line

Set 1x1

F.B. 462-90

Water Valve

3/4" Valve
3/4" nipple
3/4" union
3/4" line
3/4" St. L
3/4" Coupling welded in
3/4" nipple-riser 10"
4" Line

4"

23

92.05

28455.59
Sta "9"
Fd 1x2 pr F.B. 462-90

To Sta "9A"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 648 Pg. 14

TIES TO TOILETS IN SEC. 6

MFA C.S.B. 445-7 10/15/40



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of	
Map No. C.S.D.445-7		W. O.	Tape No	St'd	of.
Office Work R.W.M&A.		Surveyed by A. N. HELLSTROM	
Checked		Notes A.N.H.	Date 5-27-36
Date		Indexed A. C. Johnson 11-18-37	

F.B. 648 PG. 15

SKETCH of Water Pipes Near REGISTRATION BLDG.
See L.B. 684 - 129 - 131

("E") 2.6 of 3/4" pipe — 6" of 3/4" pipe — 3/4" Cock Valve — 6" of 3/4" pipe — 3/4" T — 3/4" Line — 75' — 107'

C.S. Mon & B.C. ΔC-7 pr. pg. 36, F.B. 462

22'-00"

4' X 3' Conc. Floor

7'-15

S 3°-42'-15" E 181.81'

3/4" T — 3/4" nipple — 3/4" Cock Valve — 3/4" T — 3/4" nipple — 3/4" Cock Valve — 3"

PT 28 - 10 + 21.62 IX pr. F.B. 462-31

N. 5603.42 E. 10388.31

158°-29-01 This angle is less than 180°

11+45.5-01.0

35°

3/4" Line T

11.5

2" T — 2" Gate Valves — 2" Nipple — 2" Valve — 2" Nipple — 2" Valve — 2" T — 0.5 — 1' — 0.5 — 2" x 3/4" T — 36.6 — 3/4" Line — 2" Pipe

2'8" X 1'2" Conc. Box with Cover

Registration Bldg.

See L.B. 639 - 37 for Cont.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 648 PG. 16

Notes	Ck'd by	Survey of CRYSTAL LAKE PARK	F.B. 648 Pg. 17
Map No.	C.S.B. 445-2	W. O. 7910 Tape No 60 St'd 6% of.	
Office Work	R.W.M.S.A.	Surveyed by A. N. HELLSTROM	
Checked		Notes A.N.H. Date 6-12-36	
Date		Indexed	11-18-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 BM 2-34

50-13-05
200'-55'-15"
50-13-50

P.I. 5A
Fd. 2x2 flush
per F.B. 462-45

To P.I. 6A
See F.B. 462-45

97-51'-45"

TIE-IN of Paved Road to LAKE ROAD on N. end of Lake Road Near Upper Comfort Stations

Cont. to Next Pg 18

D = 129-46-10
R = 60
T =
L =
E =

To P.I. 2A

12 Foot Road

550.56

50-13-50

B.C. 12+16.07

286.87
per F.B. 462-45

E.C. 14+55.27

Set Spk. at P.I. No. 4 for Intersection

D = 50-13-50
R = 250
T =
L =
E =

E.C. 10+64.51

135.89

154-09'-25" F.B. 462-45
154-08'-52" Field A.N.H.

Reset Spk. W.9.T. for P.I. 4A from files 462-45

B.C. 9+29.20

Δ 154-08-45
Ⓒ 286-35-39
154-08-52"

Ⓐ 299.96 e-0 T82 = 299.96
Ⓑ 250.85 e 2-34 T = 250.60
Ⓒ 250.81 e 2-17 T = 252.61
550.56 Avg.

135.890 - 0T82 = 135.89

238.84

E.C. 8+03.04

Reset Spk. W.9.T. for P.I. 3A from files F.B. 462-44

P.I. 2A
F.B. 462-44
Set Spk.

To
See

F.B. 648 PG. 18



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. C.S.D. 445-17	W. O. 7910 Tape No 60 300 St'd 84 OF.
Office Work R.W. M.S.A.	Surveyed by A. N. NELSTROM
Checked	Notes A.N.H Date 6-[illegible]
Date	Indexed A. C. Johnson 11-18-37

F.B. 648 PG. 19

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK-ING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend [illegible] this line

FORM 247 BM 2-34

LOCATION OF PROPOSED TENNIS COURTS
See F.B. 684-134 for Plat

120.00

Set Nail in 40" old Pine Stump 2737.75

2720
2700
1780
1760
1740
1720
1700
0780
0760
0740
0720
0700

133.00

79°-50'-55"

304.18

87.23

Set 1X2 "I" pr. F.B. 135-28 & 29

To North Base 324642.72 pr. F.B. 135-28

C.S. Mon. Br. Cp. South Base pr. F.B. 133-28 0+00

N&T 10" Ca. Pipe

N&T 10" Ca. Pipe

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 648 PG. 20

Form 381 1000 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Ref. C. J. TERRY Plotted L. K. FREEMAN Job No. 2010 Division No. F.B.C.S.P. Pg. 22

Date JUN 16 1936 Date JUN 16 1936 Survey of CRYSTAL LAKE PARK Date 6-15-36

Notes Chkd. Checked Survey No. HELLSTROM Notes AMH Date 6-15-36

Date Map No. CB-445-7 Traverse C. Johnson Date 6-15-36

Transit at	Sight on	Stadia Interval	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
									1						
									2						
			TOPOGRAPHY OF					AREA OF	PROPOSED		TENNIS		COURTS		
									4						
									5						
2+00	2+37.25							5664 3	4 8		5669 1				
		2.32							6						
		2	33	2 2	201 15	33		5666 9					8" Pine		
		3.19							7						
		3	20	3 1	179 50	20		5666 0					Flat		
		3.39							8						
		3	40	3 10	232 30	40		5666 1					3" Pine		
		2.47							9						
		2	48	2 0	191 15	48		5667 1					18" "		
		3.46							10						
		3	42	3 2	233 00	47		5665 9					7" "		
		2.46							11						
		2	47	2 1	203 20	47		5667 0					6" "		
		2.49							12						
		2	50	2 2	203 20	50		5667 1					18" "		
		5.62							13						
		5	63	5 7	249 55	63		5663 4					S.H.		
		2.53							14						
		2	54	2 3	205 40	54		5666 8					24" Pine		
		5.71							15						
		5	72	5 4	226 50	72		5663 7					S.H.		
		2.53							16						
		2	54	2 1	201 00	54		5667 0					12" Pine		
		10.75							17						
		10	96	10 3	250 00	96		5658 8					36" "		
		4.60							18						
		4	61	3 8	219 50	61		5665 3					S.H.		
		11.93							19						
		11 "	94	11 5	270 40	94		5657 6					"		
		5.18							20						
		5	19	5 10	270 00	19		5666 1					"		
		2.53							21						
		2	54	2 0	271 10	54		5662 1					"		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
0400	243775										5669 1				
		7.29							2						
		7 8.54	30.	7 1	312.30,	30	— ° '	5662 1	3				S.H.		
		8 8.44	55.	8 4	289.40,	55	— ° '	5660 7	4				"		
		8 11.86	45.	8 4	330.20,	45	— ° '	5660 7	5				"		
		11 9.53	87.	12 0	281.25,	87	— ° '	56 57 1	6				"		
		9 11.05	54.	9 3	316.15,	54	— ° '	5659 8	7				40" pine		
		10 11.73	106.	11 0	289.25,	106	2.0?	5654 4	8				"		
		11 10.92	74.	11 2	299.30,	74	— ° '	5657 9	9				S.H.		
		10 11.23	93.	10 0	308.30,	93	3.10,	5654 0	10				"		
		10 9.74	124.	11 0	302.30,	124	2.50,	5651 8	11				26" pine		
		9 11.07	75.	9 0	321.45,	75	3.12,	5656 1	12				S.H.		
		10 11.70	108.	11 0	318.30,	108	3.30,	5651 7	13				"		
		11 11.28	71.	12 3	335.40,	71	— ° '	5656 8	14				24" pine		
		10 10.82	129.	11 0	309.35,	129	3.20,	5650 7	15				S.H.		
		10 11.92	83.	10 0	344.45,	83	2.18,	5655 8	16				18" pine		
		11 11.82	93.	11 0	329.35,	93	2.26,	5654 3	17				S.H.		
		11 11.56	83.	11 0	16.00,	83	2.35,	5654 5	18				"	lat	
		11 10.94	57.	11 1	17.20,	57	— ° '	5658 0	19				3" pine		
		10 11.67	95.	10 0	30.30,	95	2.52,	5654 3	20				Fig		
		11 11.02	68.	12 5	21.15,	68	— ° '	5656 6	21				"		
		10	108.	11 0	41.00	108	1 21	5655 7					"		

Add'nl Inform.

Topography Description Legend:
Side Hill....S.H. | Bottom Draw.B.D. | Bottom Wash B.W. | Top of Ridge.T.R. | Toe of Slope..T.S.
Side of Draw.S.D. | Side of Ridge.S.R. | Head of Draw H.D.

Inters. of Draws, V.D's: Break in Slope...Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon...B.Cn.

Side of: Canyon S.Cn. | Top of Bank...T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut..B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road..E.Rd.

Traveled Rd. Tr.Rd. | Fence .....Fn. | Int. Fence..V.Fnc. | Ditch .....Dt. | Telephone Pole T.P. | Power Pole....P.P. | Culvert .....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore .....Sy. | Eucalyptus .....Eu. | Plus combinations of those and all common standard abbreviations.

F 2248 PG. 22

Form 301 IBM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
0+00	27+32.7										5669.1				
		11.86							2						
		11.19	87.	11 0	42.30	87	1.41	5655.6	3				Flat		
		10.07	120.	11 2	47.15	120	— ° ′	5656.9	4				T.S.		
		10.27	108.	11 1	50.45	108	— ° ′	5657.4	5				"		
		6.23	128.	5 0	56.25	128	— ° ′	5664.1	6				S.H. - 12" & 8" Pine		
		2.51	124.	6 0	60.15	124	+ 0.36	5664.4	7				S.H.		
		2.43	152.	2 0	59.05	152	+ 2.02	5667.5	8				"		
		4.14	144.	2 0	66.10	144	+ 2.27	5673.2	9				"		
		9.96	115.	3 6	70.55	115	— ° ′	5665.5	10				10" Pine		
		10.89	97.	9 2	68.50	97	— ° ′	5659.9	11				T.S.		
	1/2	10.20	139.	1 0	70.55	139	+ 2.24	5673.8	12				8" Pine S.H.		
		10.78	79.	10 1	65.30	79	— ° ′	5659.0	13				Flat		
		2.29	130.	2 0	79.20	130	+ 2.41	5673.2	14				8" Pine S.H.		
		8.50	51.	8 7	44.35	51	— ° ′	5660.4	15				Flat		
		3.12	113.	3 3	78.25	113	— ° ′	5665.8	16				8" Pine - S.H.		
		6.37	38.	6 2	55.30	38	— ° ′	5662.4	17				Flat		
		10.96	97.	8 2	78.15	97	— ° ′	5660.9	18				T.S.		
		5.16	17.	5 2	62.45	17	— ° ′	5663.9	19				2 prong - 3" Pine		
		9.76	77.	9 3	75.10	77	— ° ′	5659.8	20				F.J.		
		5.21	22.	5 0	94.00	22	— ° ′	5664.1	21				"		
		8.69	70.	8 0	78.45	70	— ° ′	5661.1					4" Pine		
		8													

Add'l Inform.

Notes Ref. J. TERRY Plotted FREEMAN Job No. 2210 Division No. F.B. 648 Pg. 20
Date JUN 16 1936 Date JUN 16 1936 Survey of CRYSTAL LAKE PARK
Notes Chkd. Checked Surveyed by N. HELLSTROM Notes A.H.H. Date 6-15-36
Date Date Map No. 5D445 Indexed C. Johansen 11-18-37

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fe. Int. Fence. V.Fe. Ditch ..... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ..... Cul.

Sa. Saddle ..... Sd. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Ca. Top of Bank ..T.B. Bottom of Bank..B.B. Top of Cut ..T.C. Bottom of Cut..B.C. Top of Fill ..T.F. Bottom of Fill..B.F.

Inters. of Draw. V.D's Break in Slope..Bk.S. Steep Slope ..... S.S. Top of Cliff ..T.Cl. Bottom of Cliff..B.Cl. Top of Spur..T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.

F.B. 6618 PG. 24

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / — Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
0+00	2+32.7								1		5669 1				
		4.40							2						
		4	41.	4 2	103 50	41		5664 9	3				50" Pine		
		7.66													
		7	67.	7 3	85 30	67		5661 8	4				6" Pine		
		9.53													
		9	54.	7 2	65 15	54		5661 4	5				Fig		
		5.55													
		5	56.	5 10	114 20	56		5664 1	6				12" Pine		
		4.56													
		4	57.	4 6	122 55	57		5664 5	7				14" Pine		
		10.65													
		10	66.	10 0	98 50	66	+ 3 08	5662 8	8				4"		
									9						
									10						
1+20	2+32.7							5650 8	4 9		5655 7				
		2.31							11						
		2	32.	2 0	226 30	32		5653 7	12				Flat		
		2.47													
		2	48.	1 8	237 40	48		5653 9	13				36" Pine		
		5.33													
		5	34.	5 0	277 25	34		5650 7	14				3 prong Pine 60" brush		
		3.48													
		3	49.	3 0	247 25	49		5652 7	15				26" Pine		
		6.51													
		6	52.	6 2	267 10	52		5649 5	16				S.H.		
		5.83													
		5	84.	5 2	250 00	84		5650 5	17				"		
		8.73													
		8	74.	8 6	276 40	74		5647 9	18				36" Pine		
		7.14													
		6	115.	6 5	256 20	115		5649 2	19				S.H.		
		10.4													
		9	115.	9 9	269 45	115		5645 8	20				"		
		11.86													
		12	87.	12 4	282 50	87		5643 3	21				"		
		11.88													
		11	89.	11 0	305 45	89	1 25	5642 6					24" Pine		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Obs.-O. Fe.-Fe. Pine-Pi. Cotton-Co. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fe. Int. Fences ..... V.Fe. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Sa. Saddle ..... Sw. Swale ..... Fl. Flat ..... Str. Stream ..... Fr. Trail ..... Pvt. Pavement ..... E.Rd. Edge of Road

Canyon B.Cn. Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Side of Canyon W. Sides: Top of Slope ..... T.Sl. Bottom of Slope ..... B.Sl. Intern. of Brow & Break in Slope ..... B.Cl. Steep Slope ..... T.Cl. Top of Cliff ..... T.Sp. Bottom of Spur ..... B.Cn. Top of Bottom Canyon

Topography Description Legend: Side Hill ..... S.H. Bottom Draw ..... B.D. Side of Draw ..... S.D. Wash ..... B.W. Bottom Ridge ..... B.R. Side of Ridge ..... S.R. Top of Slope ..... T.S. Head of Draw ..... H.D.

R.S. 548 Pg. 26

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
1+20	2+37.7										5655.7				
		11.57							1						
		10 / 8.66	158.	11 0	4.30	157	5.05	5630.8	2				S.H.		
		7 / 8.74	167.	8 0	349.20	166	5.05	5633.0	3				"		
		7 / 8.63	175.	8 0	12.25	174	4.48	5633.2	4				"		
		7 / 9.63	164.	8 0	359.00	163	4.40	5634.5	5				"		
		8 / 10.66	164.	9 0	16.35	164	2.09	5640.1	6				12" Pine - Brk.		
		9 / 5.21	167.	10 0	15.00	167	1.56	5640.2	7				16 " "		
		4 / 9.70	122.	5 0	1.15	122	3.44	5642.8	8				4" Oak		
		8 / 11.26	171.	9 0	16.40	171	2.02	5640.7	9				24" Pine		
		10 / 8.83	127.	12 2	14.30	127	—	5643.5	10				Flat		
		7 / 7.34	184.	8 0	19.55	184	2.32	5639.6	11				18" Pine		
		6 / 9.87	135.	7 0	24.30	135	1.09	5646.2	12				S. H.		
		8 / 9.51	188.	10 8	25.00	188	—	5644.9	13				2 - 24" Pine		
		8 / 7.68	152.	9 5	24.00	152	—	5646.2	14				14" Pine		
		6 / 9.53	169.	7 4	31.30	169	—	5648.3	15				S. H.		
		8 / 5.53	154.	8 8	27.00	154	—	5646.9	16				20" Pine		
		4 / 7.20	154.	4 6	38.45	154	—	5651.1	17				S. H.		
		6 / 3.39	121.	7 0	35.00	121	—	5648.7	18				"		
		2 / 11.06	140.	2 4	46.10	140	—	5653.3	19				30" Pine		
		12 / 12.01	107.	10 6	20.50	107	—	5645.1	20				Flat		
		11	102.	11 6	9 45	102	—	5644.1	21				"		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '		1						
1+20	27+37.9										5655.7				
		9.60			° '		° '		2						
		9	61.	9 3/4	289 35'	61	— '	5646.4					S.H.		
		11.96							3						
		11	97.	11 1/4	307 10'	97	2 07'	5641.2					28" Pine		
		7.30							4						
		7	31.	7 5/8	311 50'	31	— '	5648.2					S.H.		
		11.67							5						
		11	68.	11 1/4	304 15'	68	— '	5644.7					"		
		9.64							6						
		9	65.	9 1/4	336 45'	65	— '	5646.3					Flat		
		9.45							7						
		9	46.	8 1/8	328 10'	46	— '	5647.0					"		
		11.77							8						
		11	78.	11 3/8	318 15'	78	— '	5644.4					"		
		10.83							9						
		10	84.	10 3/8	345 40'	84	— '	5645.4					"		
		11.92							10						
		11	93.	12 2/8	330 40'	93	— '	5643.5					"		
		11.04							11						
		10	105.	12 1/8	349 30'	105	— '	5643.6					"		
		11.07							12						
		10	108.	11 0/8	317 00'	108	2 57'	5639.7					S.H.		
		11.27							13						
		10	128.	11 0/8	351 50'	128	0 58'	5642.7					Flat		
		11.22							14						
		10	123.	11 0/8	321 30'	123	3 21'	5637.6					26" Pine - S.		
		11.51							15						
		10	152.	11 0/8	355 50'	152	1 55'	5639.7					Flat		
		11.07							16						
		10	108.	11 0/8	333 15'	108	1 51'	5641.4					"		
		10.47							17						
		9	148.	10 0/8	344 20'	148	1 44'	5641.3					"		
		11.26							18						
		10	127.	11 0/8	338 50'	127	1 40'	5641.0					S.H.		
		11.39							19						
		10	140.	11 0/8	333 55'	140	2 32'	5638.6					"		
		9.33							20						
		8	134.	9 0/8	6 40'	134	2 19'	5641.3					"		
		10.57							21						
		9	158.	10 0/8	337 50'	158	3 52'	5635.2					"		

Add'n'l Inform.

Notes Rod C. J. TERRY Plotted L. K. FREEMAN Job No. 2710 Division No.
Date JUN 16 1936 Date JUN 16 1936 Survey of CRYSTAL LAKE PARK
Notes Chkd. Checked Surveyed by H. HELLSTROM Notes A.W.H. Date 6-15-36
Date Date Map No CSB-445-7 Index A. C. Johnson Date 11/18/37

F.B. 648 Pg. 25

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / −	Difference Elevation	Height of Instrument	+ / −	Vertical Distance	REMARKS Station	Left	Right
					° '			° '		1								
1720	2+377.5												5655.7					
		431								2						S.H. a S.W. Cor. of		
		5	132.	0 4	54.25	132			5655.3							Area of small Pine		
		10.83								3								
		10	84.	10 4	13.45	84			5645.3							Flat		
		8.54								4								
		8	95.	8 5	34.50	95			5647.2							"		
		5.09								5								
		4	110.	4 9	46.00	110			5650.8							S.H.		
		7.78								6								
		7	79.	7 4	41.20	79			5648.3							Flat E Cor of Sm. Pine Area		
		4.75								7								
		4	76.	4 0	62.50	76			5651.7							60" Pine		
		8.64								8								
		8	65.	8 9	20.05	65			5646.8							Flat.		
		3.01								9								
		2	102.	3 0	68.25	102	+	2.11	5656.4							S.H. in Sm. Pine Area		
		8.49								10								
		8	50.	8 1	35.00	50			5647.6							Flat N.W. Cor of		
		2.02								11								
		1	103.	0 0	80.00	103	+	1.46	5658.7							10" Oak in Sm. Pine Area		
		5.56								12								
		5	57.	5 5	61.40	57			5650.2							5" Pine		
		2.59								13								
		2	60.	2 0	89.40	60		1.32	5657.4							Flat		
		6.35								14								
		6	36.	6 4	54.20	36			5649.3							"		
		5.25								15								
		5	26.	5 0	93.00	26			5650.7							"		
		7.85								16								
		7	86.	7 0	90.20	86	+	4.29	5655.3							S.H.		
		4.42								17								
		4	43.	3 9	96.40	43			5651.8							Cluster of 3 - 6" Oak		
		3.33								18								
		3	34.	3 0	132.50	34			5652.7							Flat		
		3.68								19								
		3	69.	3 6	76.20	69			5652.1							5" Pine		
		4.60								20								
		4	61.	4 6	25.45	61			5651.1							3" "		
		2.59								21								
		2	69.	2 3	118 30	60			5653.4							Flat		

Add'n'l Interm.

Notes Rob. F.B. 644 P.B. 33 Plotted L. K. FREEMAN Map No. 2910 Division No.
Date JUN 16 1936 Date JUN 16 1936 Survey of CRYSTAL LAKE PARK
Notes Chkd. Checked Surveyed by N. HELLSTROM Notes Adj. H. C. Johnson Date 6-15-36
Date Date Map No. CSR 44S-7 Indexed Date 11-12-36

Form 381 1000 8-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
1+20	2+37.25								1						
		1.92							2		5655				
		1	93	1°	109°20'	93	+ 1°40'	5657	3				T.S		
		2.17													
		1	118	2°	108°30'	117	+ 5°18'	5664	4				S.H.		
									5						
									6						
									7						
									8						
									9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Abbreviation Legend:
Bk. Brick ... Cr. Creek ... Dr. Drive ... Ft. Feet ... Gr. Grade ... Ins. Inside ... Pl. Place ... Pt. Point ... Rd. Road ... Sq. Square ... St. Street ... Tr. Trail ... Yd. Yard
Adobe ... Ad. Bottom of Bank ... B.B. Bottom of Cut ... B.C. Bottom of Fill ... B.F. Concrete ... Co. Edge of Road ... E.Rd. Flume ... Fl. Gate ... Ga. Pavement ... Pvt. Power Pole ... P.P. Telephone Pole ... T.P. Top of Bank ... T.B. Top of Cut ... T.C. Top of Fill ... T.F. Top of Slope ... T.S.
Bottom of Ditch ... B.D. Bottom of Gully ... B.Gy. Bottom of Slope ... B.S. Bottom of Wash ... B.W. Top of Ditch ... T.D. Top of Gully ... T.Gy. Top of Ridge ... T.R. Top of Wash ... T.W.
Oak-O. Pine-Pi. Cedar-Ce. Sycamore ... Sy. Ditch ... Di. Telephone Pole ... T.P. Power Pole ... P.P. Culvert ... Culv.
Fence ... Fence. Gate ... Ga. Stream ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road ... E.Rd.
Saddle ... Sa. Flume ... Fl. Flat ... Fl. Stream ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road ... E.Rd.
Side of Draw S.Dr. Top of Bank ... T.B. Top of Cut ... T.C. Top of Fill ... T.F. Bottom of Bank ... B.B. Bottom of Cut ... B.C. Bottom of Fill ... B.F.
Inside of Draw ... In. Draw Knoll ... Kn. Shoulder ... Sh. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Sewer ... T.Sr. Bottom Canyon ... B.Cn.
Sec. 22

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. CSD 445-12	W. O. 7910 Tape No. 60 St'd 70° F.
Office Work R.W.McA.	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 6-22-36
Date	Indexed A. C. Johnson 11-18-37

F.B. 648 PG. 29

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



RESETTING
C.S. MON OF P.9 TR. 2
on 6-22-36

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 648 PG. 30

Notes Ck'd by	Survey of [illegible]
Map No. C.B. 445-7.	W. O. [illegible] Tape No. 60 St'd 84° F.
Office Work R.W.McA.	Surveyed by A. N. HELLSTROM
Checked	Notes [illegible] Date 8-10-36
Date 3/15/39	Indexed C. Johnson 11-18-37

F.B. 648 PG. 33

1) [illegible] 3-45
2) 3°-34'-30
90°-53'-45

3+15.27
See 1 X 2

3+09.7 — 3/4" T with end plugged and 6' vertical riser with 3/4" hand hyd on top

[illegible] 13-22 T50 [illegible]
[illegible] 28-38 [illegible]
[illegible] 03-05 T [illegible]
28.38 [illegible]

3/4" WATER LINE on North Side of EAST PINE FLATS

See L.B 684-144 for Profile

3/4" Line

To 1+96.1 end of line pr F.B. 462-97

3/4" Union

1" 3/4" Line

1+38.4

1.50

This connection is made at the identical 3/4" T shown 36+22.3 = 0+070 on pg. 97 F.B. 462. The orig. 3/4" T. has had a 6" vert. nipple put in place of orig riser with hydrant. The 6" nipple has a 3/4" T on it and a 5 ft riser with hand hydrant The 3/4" Line runs N.E. out of the other opening in the T.

N 42 E Mag.

90°-53'-45"

0+00 going N.E.
36+26.09
W.A. '15
Fd. 1 X 2
pr. F.B. 462-70-80

162.44
pr F.B. 462-70

37+88.53
W.A. '15
Fd. 1 X 2
pr. F.B. 462-70-80-85-91

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 648 PG. 34

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. B-445-5,7	W. 0.2910 Tape No. St'd °F.
Office Work R.W. McA.	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 9-30-36
Date	Indexed A. C. Johnson 11-18-37

F.B. 648 Pg. 35

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

This Line is Tang. of S. Line of Building Produced

0477

68?

2nd Cesspool Dry Wall Box Tank

8?

0472

15? Cesspool with dry rock wall 7' x 7' x 8' dp See F.B. 462-147

TIES of Septic Tank and Cesspool from Comfort Station "277

Scr. Cp 15? for New Access See F.B. 684-146 for profile

0458

4" V.C. Pipe

Conc. Diversion Box 2" Weirs

22?

34?

62?

36?

15?

0438

Near old "Y" Cabin or New Ranger Station

16' x 6' Top of Conc. Septic Tank

15? x 5 x 5' Inside Meas.

See F.B. 462-147 for ties to Road Line

76

2 - 90° C.I. elbows 4" Pipe risers

15?

4" C.I. Pipe

84

0400

2' square stone pillar

Conc. Floor of Entrance to Mens Toilet

Double Comfort Station "277 See F.B. 462-147

2' square stone pillar

7-10-40

F.B. 646 Pg. 36

SOURCE OF PROPOSED WATER SUPPLY
JULY - 1940 M&A-C.S.B.-4457 10/15/40

① 115.93 = 3-24 Tan = 115.93
② 115.96 = 3-40 T... = 115.92
115.92 Avg

58° from ... for ... stream

Set 1x2

58°

Blue Gum

3...

1152.72

C.S. Mon. ... C
N. 12085.69
E. 13257.69

N 68-30 E 1152.72 Tan

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Drew	Survey of CRYSTAL LAKE PARK	F.B. 648	Pg. 37
Map No. C.S.B.A.45-2,7	W. O. 7910 Tape No. 14 St'd 84 of		
Office Work R.W.M.S.A.	Surveyed by A. N. HELLSTROM		
Checked Drew	Notes A.N.H. Date 6-7-39		
Date 5-17-39	Indexed L. O. Johnson 6-10-39		

LOCATION OF
6" WELDED PIPE (steel)
FROM TUNNEL "B" (North of Alexander Drive)
TO
INTAKE TO WATER TANKS
Location of Place Wiers in this Vicinity (Wiers "40 and "41)

See pages 41-43 for Profile.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 648 PG. 35



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by DFW	Survey of CRYSTAL LAKE PARK	F.B. 648	Pg. 39
Map No. C.S.B.445-2,7.	W. O. 7910 Tape No. 14 St'd 84 OF		
Office Work R.W.V. M.E.A.	Surveyed by A. N. HELLSTROM		
Checked Dre-J	Notes A.N.H Date 6-14-39		
Date 8-17-39	Indexed C. C. Johnson		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

64.00 @ 19-11 T 70 = 20.44

N. 12,447.97
E. 13,486.47
"D"

6+00.73
Set Chis (X) in top of Conc. Wall

64+00.7
offset 4.5

Wood Planks on top

Conc. Water Basin Conc. Walls with wooden boards across top

Concrete Headwall

Cast Iron outlet pipe directly over Welded pipe

5+98°

5+74°

0.2

5+21.08 on main line
0+00.00 on spur

Intake of 6" Welded Steel pipe from Conc Dam with wooden covers or submerged dam. Pipe comes out of main line with a small riser

140.09
N. 74°26'35" E.
0+27.5 end of pipe

See pg. 44 for prof.

① 149.18 @ 20-04 T 50 = 140.09
② 149.36 @ 20-15 T = 140.10
Ave. 140.09

① 163°-47'-20"
② 295°-09'-20"
163°-47'-20"

Note: This 6" pipe falls 6 inches down at North corner of Conc. Dam

"C"
Set 1x2 - flush
4+60.64

N-12440.39
E-13351.52

4+46°

6" Steel Welded Pipe

Cont. from pg. 38

7-10-40

F.B. 648 PG. 40

July - 1940

Source of Water Supply Proposed

C.S.B. 445-7
10/15/40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. _____ Notes Red. _____ Plotted _____ Job No. 7910 Division No. _____ F. B. 648 Pg. 41

X-Sec. No. _____ Date _____ Date _____ Survey of CRYSTAL LAKE PARK

Notes Chkd. R.W.M. Checked _____ Survey By HELLSTROM Notes A.N.H. Date 6-14-32

Date 8/17/32 Date _____ Map No. CSB 445-2 Indexed A. C. Johnson

STATION	B. S.	H. I.	F. S.	ELEV.	
					(Sheet 2)
					PROFILE OF 6" STEEL WELDED PIPE
					FROM JUNCT. "B" to INTAKE for WATER TANKS.
					See pages 37-40 for plan
STA. 10 TR. 1				5980 38	Brass cap in conc. STA. 10 TR 1 pr. pg. 38 Elev. pr. L.S. 5927-20
	9 95	6	0 34		
T.P.			.59	5990 25	
	11 81	6002 06			
T.P.			.18	6001 88	
	9 82	6011 70			
T.P.			0.24	6011 80	
	10 26	6021 76			
T.B.M.			5.17	6016 59	3/4" I.P. "A" Per PS 38 0+30 Base No.
			3 59	6018 26	Top of Wall of INTAKE.
0+052			5 30	6016 46	Top of 6" Pipe
T.P.			0.18	6021 58	
	11 31	6032 89			
T.P.			0.17	6032 72	

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 648 Pg. 42 | Job No. 7910 Division No. | Notes Red. | Plotted | Profile
Survey of CRYSTAL LAKE PARK | Date | Date | No.
Survey by A. N. HELLSTROM Notes | Notes Chkd. | Checked | X-Sec.
Indexed by C. Johnson Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				43.[illegible]		
	11 78	6044 50				
T.P.			0 00	6044 50		
	11 69	6056 19				
T.P.			0.56	6055 63		
	11 09	6066 72				
1+44			7 0	60597	Top of 6" pipe exposed	V.P.I.
1+44			7 5	60592	Ground	
T.P.			0.01	6066 71		
	11 98	6077 69				
2+08			4 [illegible]	60746	Top of 6" pipe exposed	L
2+08			4 [illegible]	60741	Ground	
T.P.			0.04	6073 65		
	11 25	6089 90				
2+36			[illegible]	[illegible]	Top of pipe	L
2+36			[illegible]	[illegible]	Ground	
T. B.M.			[illegible]	82 41	¾ I.P. "B", [illegible]	30
T.P.			[illegible]	[illegible]		
	[illegible]	6100 76				
T.P.			[illegible]	6100 [illegible]		
	[illegible]	[illegible] 12 [illegible]				

Form 307 SM 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		6112 ST				
			1.01	6112 58		
	11 35	6124 - 13				
T.P.			1.22	6123 91		
		134 94				
4+92			1.00	134 90	Top of 1" pipe flush to	Exposed.
4+46			1.01	6133		
T.P.			1.01	6134		
	11	145 75				
0+00			1.00	136	Top of 4" C.M.P. V.P.L.	Exposed.
			1.00	6136		
T.B.M.			1.27	6136 43	Top of Pin in Top of	
T.P.			1.00	6141		
	11 3115	6156				
T.P.			1.00	6156		
	11 3.00	167 16				
T.P.			1.00	6166		
	11 3.00	6173				
T.P.			1.00	6178		
	11 3.00	6188				
5+74			1.00	61827	Top of 4" C.M.P. & GROUND	V.P.L.

Profile
Notes Red. _____ Plotted _____ Job No. 1290 Division No. _____ F. B. 645 PG. 43
No. _____ Date _____ Survey of CRYSTAL LAKE PARK
X-Sec. _____ Date _____ Survey By HELLSTROM Notes R.M.H. Date
No. _____ Notes Chkd. R.M.H. Checked _____ Date 8/17/29 Date _____ Map No. _____ Indexed A. C. Johnson Date

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ X-Sec. No. ____
Job No. ____ Division No. ____ Notes Red. ____ Platted ____
Survey of ____ Date ____ Date ____
Survey by A. N. HELLSTROM Notes ____ Notes Chkd. R.W.M. Checked ____
Indexed ____ Date ____ Date 8/17/39.
F. B. 648 Pg. 44

STATION	B. S.	H. I.	F. S.	ELEV.		
		6188 05				
			4.17	6184 635	Wire Spk. 87 in 16" Cotton	20' S. of mon. L.B. 639 116
						6184.63 S
						-988.39
						5195.24 S pr 648 44
					6184.13	
					5999.94	
					204.19 Dif pr L.B. 639 pg. 116-122	
				6182 8	Top of 6" pipe	
			4 00	6184 .	Ground	
			5 5	6183 3	Top of 6" CAST IRON cut . F.	
11/13/39. 6+11.5 E "D" (T.B.M.)			0 45	6188 37	(X) Top of Head Wall.	
ELEVS. OF INTAKE (6") LINE TO MAIN (6") LINE — See pg. 39 for plan				(10+31.38)		
3+ E "D" (T.B.M.)				6188 37	(X) on top of hdwall pr. elev.	
	0 03	6188 40				
T.P.			4 28	6184 17		
	0 05	6189 22				
0+27 E on spur line			10 76	6182 46	Flow line of pipe at submerged end	
T.P.			11 52	6182 70		
E 21.0 on main line	1 99	6189 98				
0+00 on spur line			5 22	6184 19	Top of 6" pipe = Vertical P.I.	
0+01. on spur line			3 06	6186 31	" " " = Vertical P.I.	
				6182 14	= Top of conc. wall of dam	
				6184.3	= Top of wooden cover over dam	

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by _____
Map No. C.S.B. 445-7
Office Work R.W.M.S.A.
Checked _____
Date _____

Survey of Crescent Lake Park
W. O. 2916 Tape No. 60 Str'ds 2 of
Surveyed by A. N. HELLSTROM
Notes _____ Date 6-11-37
Indexed _____ Co. C. Jones
8-18-39

F.B. _____ PG. _____

F.B. 648 PG. 46

TIE LINE To BASE LINE
for
TOPO. SHEET
for
GAS PUMP at Store
8-7-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

pr. F.B. 135-28
poor shape

Set 1X1 - T 1X2

124.02

95.80

242.72

87.23

Set 1X2 - T 1

Reset new 1X2
8-7-39 D.N.H.

with Base
Elev. = 5732.07
F.B. 135-28-72)

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile | Notes Red. | Plotted | Job No. | Division No. | F. B.

No. | Date | Survey of | X-Sec. | No. | Date | Survey by | Notes | Date

Notes Chkd. R.W.M. Checked | Date 8/17/32 Date | Map No. C.S.D. 445 | Indexed | Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		Bench Levels for Topo. Sheet Nr. Gas Pump (at Store)				
					Note: This Brass Cap is stamped (5656.03) Elev	
B.M. "26				5652.49	B.M. "26 = U.S.B.M. "1932 2" I.P. with Brass Screw 10' each in N.W. of Post 25' N. of [illegible]	2.8 ft. S.E. of L.B. pr L.B 681-146
	2.51	5658.00				
T.P.			0.37	5657.63		
	11.52	5669.15				
T.P.			0.13	5667.02		
	11.75	5680.77				
T.P.			0.18	5680.59		
	8.69	5689.28				
T.B.M.			9.57	5679.71	T.B.M. — T-"1 pr. F.B.	pg.
T.B.M.			3.82	5685.46	T.B.M. — T-"2 pr. F.B.	pg.
B.M. "Store			4.35	5684.93	B.M. "Store	Set L&T. in centre of stone step in front of Store door - 2' from door
	4.39	5689.32				
T.P.			9.89	5679.43		
	0.05	5679.39				

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 6-48 Pg. 48 | Job No. 2910 Division No. | Notes Red. | Plotted | Profile
Survey of CRYSTAL LAKE PARK | Date | Date | No.
Surveyed by A. N. HELLSTROM Notes A.N.H. | Notes Chkd. | Checked | X-Sec.
Indexed [illegible] Date 8-7-39 | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		5679 39				
T.P.			12 05	5667 34		
	0 87	5668 21				
T.P.			1 91	[illegible]		
	1 95	5668 25				
B.M. #26			2 76	5665 49	B.M. #26 = U.S.B.M. #1858	pr. prev. pg

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No. CSD-445-7
Office Work R.W. McA.
Checked
Date

Survey of
W. O. Tape No. Sr'd °F.
Surveyed by A. N. HELLSTROM
Notes
Indexed Date 11-2-39

F. B. 339 Pg. 117

F.B. 648 PG. 50



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ Notes Red. ____ Plotted ____ Job No. ____ Division No. ____ F. B. ____ PG. ____

X-Sec. No. ____ Date ____ Date ____ Survey of ____

Notes Chkd. RWMS Checked ____ Survey by H.E.L.S. FROM Notes ____ Date ____

Date 11/8/39 Date ____ Map No. See C.S. 445-7 Indexed ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
					PROFILE of 3/4 WATER LINE CHANGE	
					By Upper Comfort Sta.	
B-2					Sta-B-2 (2" I.P. 4 B.C. Set in conc. Per LB. 527-12	
BM #30				5783 134	BM #30 50' ± W. of Upper Comfort Station	
	1.26	5787 39				
12 R						
0+27½			6 21	81 17	top 3/4" Pipe	
"			4 0	83 4	Ground	
33 R						
0+20			6 3	81 02	top 3/4" Pipe	
"			4 2	83 2	Gr	
23 R						
0+52			6 7 2	80 65	top pipe	
"			4 6	82 6	Gr.	
7 R						
0+69			6 97	80 42	top pipe	
"			4 6	82 8	Gr.	
24 R						
0+66			7 5	79 9	top pipe	
"			6 5	80 9	Gr.	
62 R.						
1+14			7 9	79 5	top 3/4" Pipe	
"			5 9	81 5	Gr.	
45 R						
1+52½			8 7	78 7	top pipe	
"			6 4	81 0	Ground	

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

F. B. — Pg. 4Z | Job No. | Division No. | Notes Red. | Plotted | Profile
Survey of | Date | Date | No.
Survey by A. N. HELLSTROM | Notes | Notes Chkd. | Checked | X-Sec.
Indexed | Date | Date | Date | No.

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.	UPPER COMPOSITE #4.	
Bearings from Compass Traverse Along N Base	Dist	Vertical & Curve Dist			LOCATION of Lateral Line:	
155°56'	61.1	—	61.1		Beg. Line "A"	Plotted on p. 13+66
131°01'	111.0	—	111.0		& Pt " "	
129°30'	123.3	—	123.3		End " "	
139°32'	120.3	3°29'	119.8		" " "B"	
124°25'	75.8	—	75.8		Beg. " "	
169°47'	94.4	6°44'	93.1		" " "C"	66' long
172°09'	109.8	6°37'	108.3		" " "D"	{ 32.3
159°00'	127.2	5°48'	125.9		1st ⊥ " "	{ 12.9
155°07'	136.4	5°02'	135.4		2nd ⊥ " "	{ 4.1 to end of line extended
144°18'	136.5	—	136.5		End " "C	
143°56'	173.3	2°42'	172.6		" "D"	to be extended 30

Notes Ck'd by		Survey of CRYSTAL LAKE	F.B. 648 PG. 53
Map No. CS.4457		W. O. 7910 Tape No. 60 St'd 82 OF	
Office Work R.W.McA.		Surveyed by E. S. TOMBLESON	
Checked		Notes E. S. T. Date 8-24-37	
Date		Indexed	

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-37

Straight Line Stake

SURVEY For
NEW LEACHING LINES
at
Upper Camp #1 Station
See pg. 55 & 56 for Grades

See F.B. 462-204 & 205 for Cesspools
" " 208 for Digging Locations of Septic Tank & Cesspools
" 462-54 for Location of "A" Line
" 648-52 " " Leaching Lines

Line 42

Line 36-42

Line 30

Line 24

15°

18°

15°

Upper Camp #1 Station

Rock Pillar

Septic Tank
See F.B. 462-45

Old Leaching Line

Fire Hydrant

33.80

62.97

Set 1x2

18.20

Set 1x2

Bisc. Line
Mt. Base

6" ø
Sta. 4+12 C.J. Mon.
Cor.
F.B. 462-193
F.B. 185-28&31

See pg. 58 for Ties
59

Old Div. Box
See F.B. 462-265-45-
2&4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
						See p. 52 for continuation

Profile Notes Red. Plotted Job No. Division No.
No. Date Date Survey of
X-Sec. Date Date Notes Date
No. Notes Chkd RWM Checked Survey by HELGSTROM Notes Date
Date 11/10/32 Date Map No. CS 8445-7 Indexed Date

F. B. PG. 5

F. B. 648 Pg. 56 | Job No. 7910 Division No. | Notes Red. | Plotted | Profile

Survey of Crystal Lake | Date | Date | No.

Survey by A. N. HELLSTROM Notes E-S-T | Notes Chkd. | Checked | X-Sec.

Indexed | Date | Date | Date | No.

Form 367 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.

Notes Ck'd by		Survey of		F.B. 648 Pg. 57
Map No. CSB 1457		W. O.	Tape No.	St'd. of
Office Work R.W.M.E.A.		Surveyed by	E. S. Tomblin	
Checked		Notes	Date	
Date		Indexed		

COMFORT STATION

Comfort Station
at
3rd Crossover
and
Dividing Line

Comfort Station #19
See Dwg 35 for Location of other Crossovers
" Pg. 462-147 " " " of Comfort Sta.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 648 PG. 52

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
			11.30			
			0.0		Top Grate of Inlet to Catchpost	

Profile Notes Red. Plotted Job No. 7910 Division No.
No. Date Date Survey of
X-Sec. Notes Chkd. Checked Survey By A. N. HELLSTROM Notes Ex. 5-7 Date 8-2-39
No. Date 11/10/39 Date Map No. CSB 445-7 Indexed Date

F. B. Pg. 3

F. B. 4 PG. 60 | Job No. | Division No. | Notes Red. | Plotted | Profile

Survey of | Date | Date | No.

Survey by A. N. HELLSTROM Notes | Notes Chkd. | Checked | X-Sec.

Indexed | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by	Survey of	F.B.	PG. 1
Map No. C.S.D.445-7	W. O.	Tape No. 60	St'd
Office Work R.W.M.S.A.	Surveyed by E. S. Tomblesson		
Checked	Notes	Date	
Date	Indexed		

TIES TO PARCEL MAP

N-9542.74
E. 11377.78

25' Adj.

35' Adj.

N-9270.92
E-10858.20

N-9751.29
E.-10436.52

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 648 PG. 47

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ Notes Red. ____ Date ____ Plotted ____ Date ____ Job No. 1916 Division No. ____
X-Sec. No. ____ Notes Chkd. RWMFA Date 11/10/29 Checked ____ Date ____ Survey of Cristobal Canyon Survey By H.E.S. & C.S.D. Notes E.S.T. Date 9-1-29 4-8-29
Map No. ____ Indexed ____ Date ____

F.B. 644 PG. 63

STATION	B. S.	H. I.	F. S.	ELEV.		
				Elevation of Base Line at Southerly Boundary of Rancho Las Flores		
	"Bobbie Comfort 37th"			Base Line on Ridge to the East	See pgs. 52 & 54 for location	
				See pg. 52 for Base Line		
	1.42	5782.89		5781.13 BM. #35	See F.B. 327-12	
A			4.42	78 12	Top of pipe Set in Rock	
B			7.97	74 92	"	Base Line
C			11.13	71 76	"	Set in Rock Between Sta. Corner
D			9.78	73 12	"	"
E			12.22	70 57	"	Set in Rock Base Line
			ELEV. of Locating Lines		SEE Pg. 52 for location	
			5782.13			
	0.63	5783.76				
			7 24	76 52	Top pipe Beg. Line A	A Line 76' Long
			7 62	76 14	" " & pt " "	
			7 68	76.08	" " End " "	
			8 61	75 15	" " Beg " B	B Line 60' Long
			9 07	74 69	" " End " "	
			10 64	73 12	" " Beg " C	C Line 61' Long
			11 97	71 77	" " " " D	
			12 31	71 45	" " 1st & pt " "	32'

F. B. 648 PG. 64 | Job No. | Division No. | Notes Red. | Plotted | Profile

Survey of | Date | Date | No.

Survey by A. N. HELLSTROM Notes | Notes Chkd. | Checked | X-Sec.

Indexed | Date | Date | Date | No.

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.
		5783 ft		
			12 40	
			12 68	
			10 91	
				71 30. Top Pipe
				11.08. " "
				2.94 PM 1/29 D
				ends " "
				" " " C
				Tops of

Notes Ck'd by
Map No. C.S.B445-6.7
Office Work RW MEA.
Checked
Date

Survey of CRYSTAL LAKE PARK
W. O. 7910 Tape No. St'd OF
Surveyed by A.N. Hellstrom
Notes A.N.H. Date 10-31-39
Indexed

F.B. 648 PG. 65

TIE TO WIERS
CRYSTAL CANYON

WIER #38

INTAKE #38

Set N.M. in Conc.

Set N.M. in Conc. wall directly over pipe line

Set 1X2

Set 1X2 pr tie in F.B. 462-91-92

Set N.M. in Conc.

Set N.M. in Conc. wall

Set N.M. in Conc. wall

Set N.M. in Conc. wall

7-10-40

F.B. 648 PG. 66

C.S.B. 445-7
M.S.A. 10/15/40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

23"

Notes Ck'd by		Survey of Crystal Lake	F.B. 648 Pg. 101
Map No. C.S.B.445-7		W. O. 7919 Tape No. 60 St'd 84 OF	
Office Work R.W.M.E.A.		Surveyed by Tenbleson	
Checked		Notes S. S. T. Date 7-1-39	
Date		Indexed 11-2-39	

LOCATION OF
12' ROAD to SOUTH HAWKINS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Calc. Lindsay P.L.s and enter in notes.

FORM 247 5M 10-37

F.B. 648 PG. 102

Seal on pg. 103



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of Crystal Lake Farm	F.B. 648 Pg. 103
Map No. C.S.B.445-7		W. O. 7910 Tape No. 60 St'd 84 OF	
Office Work RWM&A.		Surveyed by E. S. Tomblesons	
Checked		Notes E. S. T. Date 9-1-39	
Date		Indexed E. S. Tomblesons	

Cont. on pg. 104

Sta. 0+00

Pl #18A (Set 1X)

Δ 125° 54' 36" - 50.
R = 50
T = 97.32
L = 109.62

① 54°23'00"
② 217°32'00"
54°23'00"

E.C. 1+40.87

228.88 @ 3°42' T = 82° = 228.40
228.86 @ 3°37' T = 82° = 228.40

To P.I. #1 South Hamilton

To P.I. #2

To P.I. #1

54°23'00" 10

E.C. 0+94.92

Δ = 54°23'00" 10
R = 100'
T = 51.39
L = 94.92
Ex = 12.4

Pl #1 Set 1X

144.02 @ 3°20' T = 82° = 143.78
144.04 @ 3°30' = 143.75
144.08 @ 3°44' = 143.77

B.C. 0+00

79.63 @ 0°0' T = 82° = 79.63

Pl #17A (Set 1X)

① 157°01'30"
② 268°05'50"
67°01'27½"

Δ = 22°58'30" 20
R = 100'
T = 20.32
Ex = 2.0

157°01'30" 40

To P.I. #17A

Cont. from pg. 102

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 648 PG. 104

Cont on pg. 105



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No. C.S.B.445-7
Office Work R.W.M.S.A.
Checked
Date

Survey of Crystal Lake Park
W. O. 7916 Tape No. Le St'd 84 OF
Surveyed by E. S. Tomlinson
Notes F. S. T. Date 9-1-37
Indexed

F.B. 648 PG. 105

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37



F.B. 648 PG. 106

Cont. on pg. 107





Δ 168°17'40"
Δ 313 10 40"
"9° 17 40" I

Δ = 10°-42'-30"
R = 400
T = 41.01'
L =
E = 2'

76.97 @ 0°0'00" = 76.97

122.76 @ 2°14' T 58° = 122.67'
122.78 @ 2°32' T " = 122.26

Δ 160°25'00"
Δ 281°39'40"
70°-24'-55"

Δ 19°34'-55"
R 250
T 43.15
L
E 32

Cont. from pg. 105

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of Crystal Lake Park	F.B. 648 Pg. 107
Map No. C.S.B 445-7		W. O. 7910 Tape No. 60 St'd 84 OF	
Office Work R.W.M^S A		Surveyed by [illegible]	
Checked		Notes E.S.T. Date 9-8-39	
Date		Indexed [illegible]	

cont on pg. 108

Set 3/4" IP By I.F. On. 4"

S 20° 46' 24" W 135.95

To S. Base PB 1 & 2 = 27.72

N 12676.13 E 11547.69

107.93

73° 41' 00"

40.00

156.26 @ 29° 32' T = 85° 35.14

155.88 @ 29° 17' T = 84° 135.96

107.93 @ 0° 00' T = 42.5 = 107.93

136° 22' 20"

145° 29' 30"

73° 41' 00"

294° 44' 00"

73° 41' 00"

Δ 73° 37' 30"

R 100

T 40.03

L 72

222.46 @ 2° 04' T = 84 = 222.32

222.43 @ 1 51' " = 222.31

222.31' N 42° 30' W

Δ 50° 22' 45"

R 50

T 23.61

L 53

P.I. 8

157° 49' 40"

39° 27' 25"

Cont from pg. 106

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 648 PG. 108

To P.B. 109

P/M #12

107.82

P/M Set 1/4"

N-12800.21
E-11428.38

Δ = 41°-15'-20"
R = 150
T = 37.64
L = 64

138°44' 40" ✓
194°58' 50" ✓
48° 14' 42½

107.82 @ 0°00' 7=82° = 107.82

128°47' 10" ✓

238.47' N 0°05' E

124.64 @ 0°00' 7=82° = 124.64

124.77

113° 23' 35" ✓

32.84

113° 23' 40" ✓
93° 36' 20" ✓
23° 23' 35" ✓

76.78

Set 1/4"
10" Oak

P/M #10
Set 1/4"

N-12682.31
E-11468.78

79.10

79.10 @ 0°00' 7=84° = 79.10

From P.B. 107

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of Crystal Lake	F.B. 644 Pg. 109
Map No. CSB-445-67		W. O. 2910 Tape No. 60 St'd 84 OF	
Office Work R.W.M.F.A.		Surveyed by Tomblinson	
Checked		Notes E. J. T. Date 9-12-39	
Date		Indexed A. E. Johnson	

T. 2 S., R. 13 W.

242.51 @ 2°45' T = 242.19
.57 @ 2°5[illegible] T = 242.21

242.20

Δ = 148°39'50" ✓
Δ = 148°39'50" ✓
58°39'50"

P/I #13
N-12856.02
E-11210.93

148°39'50" ✓

Δ = 31°-20'-10" ✓
R = 10[illegible]
T = 28.05
L =
E = 3[illegible]

124.17 @ 3°1[illegible] T = 123.95
124.23 @ 3°3[illegible] T = 123.96

123.45

N 89° 41' 30" W

Δ = 151°10'00" ✓
Δ = 244°40'10"
61°10'02"

151°10'00" ✓

Δ = 28°-50'-00" ✓
R = 200
T = 51.42
L =
E = 6[illegible]

P/I #14
N-12853.85
E-11334.85

From P/I 13

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 648 PG. 110



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of Crystal Lake	F.B. 648 PG. 111
Map No. C.S.B. 44567		W. O. 7910 Tape No. 60 St'd 84° OF	
Office Work R.W. M.S.A.		Surveyed by E. S. Tomlinson	
Checked		Notes M. S. T. Date 9.10.29	
Date		Indexed E. C. Norris	

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Cont from E9 1/2

Δ 112° 29' 30"
R 80° 57' 40"
T 99.25

N-13222.38
E-10547.95

Δ: 67°-30'-35"
R: 100
T: 66.83
L:
E: 20.3

235.06 @ 1°32' T=41°= 234.92
235.11 @ 1°50' " = 234.93
Avg 234.93

Δ: 67°-15'-20"
R: 100
T: 66.51
L:
E: 20.1

295.38 @ 2°18' T=48°: 295.07
295.41 @ 2°28' " : 295.07
38.00 @ 0°0' T: 48°= 37.99
Avg 295.37

112° 44' 40"

Set "X" on Rock
N-13172.02
E-10893.65

Δ 112° 44' 40"
@ 90° 58' 30"
22° 44' 37 1/2

Set N+T 48" Pipe

171.83

Cont from E9 1/10

FORM 247 5M 10-37

F.B. 648 PG. 112

Cont on pg. 121

① 108.95 @ 1-50 T 72 = 108.88
② 108.93 @ 1-36 T = 108.88
108.88 Avg.

① 149-51-40
② 239-27-00
149-51-45

88.80'

P.I. #19
Set tin
N-12854.15
E-10349.64

Δ = 30°-08'-15"
R = 200
T = 53.84
L =
E = 7.

184.08 @ 3-11 T 72 = 183.79
184.11 @ 3-19 T = 183.79
183.79 Avg

① 174°22'-00"
② 33°29'00"
24°22'-15"

Δ = 5°38'45"

P.I. #18
Set tin

± N 13020.53
E 10427.74

Cont from pg. 111

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by M. D. Darling	Survey of CRYSTAL LAKE PARK	F.B. 648	Pg. 113
Map No. C.S.B-445-7	W. O. 7910 Tape No.	St'd	OF
Office Work MSA-11/4/40	Surveyed by A. N. HELLSTROM		
Checked	Notes A.N.H. Date 12-20-39		
Date	Indexed A. C. Johnson 12-21-39		

J.N. 7910

TIE LINE TO PARK BOUNDARY
FOR
LOCATION OF A SPRING FOR
WATER DEVELOPMENT WORK
SECTION COR. 16-17-20-21 T3N. R9W (Chain N. Section 17)

Note:

In the S. boundary of ... W"4 is the location
picked by ... [illegible] ... W"4 ... [illegible] ...
... (Park Dept.) — and W"2
is where stream comes from under ... then the stream
is live again.

Approx. ... by guess on 12-20-39 — 5 gals. per min.
The ... under surf. is probably rock. The surf. is
... [illegible]

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 0448 PG. 114



Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red.____ Platted____ Job No. 2916 Division No.____ F.B. 648 Pg. 115

Date____ Date____ Survey of Contours around Springs

Notes Chkd.____ Checked____ Survey by N. HELLSTROM Notes N.H. Date 12-20-39

Date____ Date____ Map No. C-SB-445 Indexed A. C. Jobson Date____

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '		1						
					° '		° '		2						
					° '		° '		3						
					Contours around Springs Locations				4						
					The distances shown are slope distances				5						
					° '		° '		6						
					° '		° '		7						
					° '		° '		8						
P"2					° '		° '	6859.65	4 5		6864.15				
			Chnd. 292.55	4 5	° '		+ 2.25	6872.0	9 Aperox Elevation per F.B.		135	+ 12.35	(Elev. per topog. 6877) D A-7		
					° '		° '		10						
					° '		° '		11						
					° '		° '	6860.05	12 4 5		6864.55				
W"1			Chnd. 117.59	4 9	° '		Level	6859.65	13			0	P"2		
					° '		° '		14						
			Chnd. 95.93	4 5	° '		+ 16.10	6887.86	15			+ 27.81	W"2		
					° '		° '		16						
			Chnd. 192.43	4 5	° '		14.24	6810.64	17			49.41	W"3		
					° '		° '		18						
W"3					° '		° '	6810.64	19 4 4		6815.04				
			Chnd. 15.25	9 9	° '		Level	6805.14	20			0	W"4		
					° '		° '		21						

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '								
W'1	W'3				° '		° '	6860 05	4 5		6864 55				
			7.5	0	134. [illegible]		° '	6864 6					S.H.		
			18.5	0	174. 30		° '	6864 6					"		6th m.
			19.5	0	222. 55		° '	6864 6					S.H.		
			21.8	0	258. 30		° '	6864 6					"		
			14.8	0	51. 30		° '	6864 6					"		
					° '		° '								
			23.5	5	20. 30		° '	6859 6					S.H.		
			9.2	5	17. 20		° '	6859 6							
			6.2	5	214. 45		° '	6859 6							
			14.5	5	281. 30		° '	6859 6					in s[illegible] n 6th m.		
			22.8	5	298. 10		° '	6859 6					S.H.		
					° '		° '						"		
			32.9	10	319. 30		° '	6854 6					S.H.		
			21.2	10	382. [illegible]		° '	6854 6					"		
			11.3	10	344. 25		° '	6854 6					in ch[illegible] 6th m.		
			23.1	10	0 .00		° '	6854 6					S.H.		
			28.4	10	7. 52		° '	6854 6							
					° '		° '								

Add'l Inform.

F.B. 648 PG. 116

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D. | Bottom Wash B.W.
Side of Draw.S.D. | Top of Ridge.T.R.
Side of Ridge.S.R. | Toe of Slope..T.S.
Head of Draw H.D.

Intera. of Draws, V.D's
Break in Slope...Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd.Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
					° '		° '		2						
W2	W1				° '		° '	6887.86	4.2		6892.56				
					° '		° '		3						
			26.5	1.0	128.40		° '	6891.6	4				In dry bottom stream		
			21.5	1.0	106.40		° '	6891.6	5				S.H.		
			26.3	1.0	70.30		° '	6891.6	6				"		
			12.6	1.0	192.45		° '	6891.6	7				In dry bottom stream		
			10.2	1.0	291.15		° '	6891.6	8				S.H.		
					° '		° '		9						
			20.5	6.0	336.20		° '	6886.6	10				S.H.		
			5.0	6.0	220.45		° '	6886.6	11				In dry bottom stream		
			6.0	6.0	94.00		° '	6886.6	12				18" Cedar tree		
			16.0	6.0	66.00		° '	6886.6	13				In dry bottom stream		
			28.2	6.0	45.35		° '	6886.6	14				S.H.		
			42.9	6.0	36.00		° '	6886.6	15				"		
					° '		° '		16						
			48.2	11.0	24.15		° '	6881.6	17				S.H.		
			32.0	11.0	25.00		° '	6881.6	18				In dry bottom stream		
			23.0	11.0	7.00		° '	6881.6	19				" " "		
			32.4	11.0	344.40		° '	6881.6	20				S.H.		
			46.2	11.0	337.10		° '	6881.6	21				"		
			29.2	12.0	2.00			6875.6					V-notch		

Add'l Inform.

Notes Red. _____ Platted _____ Job No. 7916 Division No. _____ F.B. 648 PG. 117

Date _____ Date _____ Survey of CRYSTAL LAKE PARK

Notes Chkd. _____ Checked _____ Surveyed by N. HELLSTROM Notes A.N.H. Date 12-20-37

Date _____ Date _____ Map No. CSB 445-7 Indexed A.C. Traced [illegible]

Form 301 LACM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 648 Pg. 72

Topography Description Legend:
Side Hill...S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope...T.S.
Side of Draw S.D. | Side of Ridge S.R. | Head of Draw H.D.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fence..V.Fn. Ditch ..... D.I. Telephone Pole T.P. Power Pole....P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Canyon S.Cn. Bank..T.B. Bank..B.B. Top of Cut...T.C. Bottom of Cut..B.C. Top of Fill..T.F. Bottom of Fill..B.F.

Side of Drawn Top of Bank Bottom of Bank Top of Cliff Bottom of Cliff Top of Spur Bottom Canyon

Inters. of Drawn Break in Slope Steep Slope ..... S.S. Top of Cliff...T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
N°4 W°3								6805 14	4 3		6809 44				
			10[illegible]	1 °	344 [illegible]			6808 4					S.H.		
			14 1	1 °	294 50			6808 4					"		
			21 3	1 °	229 00			6808 4					[illegible] strm.		
			12 °	1 °	230 30			6808 4					S.H.		
			14 6	1 °	170 45			6808 4					"		
			25 °	1 °	143 [illegible]			6808 4							
					° '		° '								
			25 5	6 °	122 15			6803 4					S.H.		
			12 4	6 °	130 00			6803 4					"		
			3 5	6 °	134 00			6803 4					[illegible] strm.		
			9 3	6 °	62 00			6803 4					S.H.		
			23 5	6 °	53 [illegible]			6803 4					"		
			18 4		78 25								14' [illegible]		
			37 3	11 °	60 [illegible]			6798 4					S.H.		
			21 8	[illegible]	[illegible]			6798 4							
			17 5	[illegible]	[illegible]			6798 4					[illegible]		
			23 4	11 °	105 50			6798 4					S.H.		
			34 2	11 °	107 00			6798 4					"		
													"		

Add'l Inform.

Notes Ck'd by		Survey of CRYSTAL LAKE Tract	F.B. 648 Pg. 119
Map No. CSB 445-6		W. O. 7918 Tape No.	St'd OF
Office Work 10/9/40 - McA.		Surveyed by A. N. HELLSTROM	
Checked		Notes	Date 9-23-40
Date		Indexed C. Johnson	9-10-40

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RESET T.P.'s on Main Hwy. to Locate New Maintenance and Construction Camp April - 1940

Set Spk & SW in Twin Oak

Set Spk & SW in Twin Oak

Set Spk & SW in Twin Oak

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

C.S.B. 445-G
MEA-10/9/40.

Location
New Maintenance Camp
400
West Pine Flats.

F.B. 548 Pg. 120.



Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. CSB.AAS:6:7	W. O. 7910 Tape No. 25 St'd 84°F
Office Work R.W.M.S.A.	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 4-10-40
Date	Indexed A. C. Johnson 4-25-40

F.B. 648 Pg 121

Cont. on pg. 122

~~① 288.89 @ 2-51-40 = 288.43~~
② 288.93 @ 2-59 T = 288.46
③ 288.95 @ 3-02 T = 288.47
76.65 @ 0-0 T = 76.63
Avg 365.09

Δ = 37°-58'-25"
R = 100
T = 34.41
L =
E = 5.8

P.I. "22"
Set 1X2
N-12199.42
E-9869.41

① 127°-35'-10"
② 150°-20'-40"
37°-25'-30"

① 142°-01'-40"
② 209°-06'-20"
142°-01'-35"

157.37 @ 0°00' T=22.5=157.37

Δ = 52°-24'-50"
R = 100
T = 49.22
L =
E = 11.5

P.I. "21"
Set 1X2
N-12238.31
E-10021.89

300.24 @ 2°-52' T/4 = 299.52
300.20 @ 3-42 T/4 = 299.54
3.23 @ 0-0 = 3.23
① 300.56 @ 2-55 T/4 = 300.13
② 300.58 @ 3-0 T = 300.13
602.89

① 147°-59'-30"
② 231°-58'-20"
147°-59'-35"

Δ = 32°-00'-25"
R = 100
T = 28.67
L =
E = 4.2

P.I. "20"
Set 1X2
N-12792.15
E-10260.14

Cont. from pg. 112

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-39

F.B. 648 PG. 122



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. CSD-445-6.7	W. O. 7910 Tape No. 25 St'd 84°F
Office Work R.W.V.C.A.	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 4-15-40
Date	Indexed A. C. Johnson

F.B. 648 Pg. 123

Cont. on pg. 124

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

① 300.08 93 35 T 46 299.42
② 300.10 93 43 T " 299.40
① 300.27 94-36 T " 299.28
② 300.25 94-30 T " 299.26
① 110.85 86-32 T " 110.10
② 110.75 86-01 T " 110.11
Avg. 70877

① 164°-30'-00"
② 297°-59'-40"
164°-29'-55"

Set Nail & Tag in 24" Pine

P.I. "28"
Set 1/2" I.P. 10" Up
N-13185.24
E-9396.17

Set Nail & Tag in 48" Spruce

76.04

① 213.39 24-15 T 44 = 212.74
② 213.38 24-10 T " = 212.76
Avg. 212.95

Δ = 15°-30'-05"
R = 500
T = 68.05
L =
E = 4.6

70.81 - 29
208.77
59°-40'
164°-29'-55"
212.95

Δ = 22°-35'-20"
R = 100
T = 19.97
L =
E = 2°

P.I. "27"
Set 1/2" I.P.
N-13026.2
E-9226.9

136.36 0-0 T 40 = 136.26

① 127°-24'-40"
② 269°-38'-40"
151°-24'-40"

N 72°-24' E
136.26
N 79°-19' E

① 154°-13'-00"
② 256°-52'-00"
154°-13'-00"

Δ = 25°-47'-00"
R = 100
T = 22.89
L =
E = 2.9

P.I. "26"
Set 1/2" I.P.
N-12963.47
E-9135.05

154°-13'-00"
154.25
N 79°-19' E
110

Cont. from pg. 122


F.B. 648 PG. 124
Cont. on pg 125
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
N-14007.08
E-10296.92
N-13824.19
E-10410.33
N-13795.68
E-10273.07
N-13816.24
E-9965.80
N-13577.73
E-9986.33
C-14
C.S. Mon.
R.P.P. 29
Set 3/4" I.P. Flush
Cont. from pg 123

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. CSD 4456-7	W. O. 7910 Tape No. 25 St'd 84°F
Office Work R.W. MSA	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 4-12-40
Date	Indexed A. C. Johnson

F.B. 648 Pg. 125

Cont. on pg. 126



Cont. from pg 124

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39


F.B. 6048 PG. 126
Cont. on pg. 127
To P.I. 42
236.32
94.68
141.64
236.32
67.55@0°0'T=67.55
N-14686.34
E-11760.71
NET in 10" Pine
Avg Point only
P.I. 41
Set 1X
Δ = 110°27'05"
168°-33'-00
314°-12'-00
168°-33'-00
This is now the Forest & Fire Wardens Const. & Camp Rights
CORRAL
See pg. 131 for Water Fence Location
NET 36" Pine
BM-L8527
183.622 0-0 T52 = 183.58
N-14763.61
E-11594.19
P.I. 40
Set 1X2
Δ = 25-58-40
R = 200
T = 45.98
L = 92
154°-06'-20
256°-25'-20
154°-06'-20
271.57@3-26 T=90 = 271.02
271.53@3-19 T= = 271.91
271.02 Avg
112°-23'-00
89°-31'-40
112°-22'-55
P.I. 39
Set 1X2
N-14758.88
E-11323.21
Δ = 67°-37'-00
R = 100
T = 66.96
L = 204
146.450 0-33 T52 = 145.46
146.51 0-47T = 145.42
Avg. = 145.46
155°-50'-00
263°-23'-05
155°-50'-05
Δ = 24-10 00
R = 100
T = 21.41
L = 23
P.I. 38
Set 1X
N-14623.42
E-11270.17
Cont from pg. 125
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. CSD-445-G-7	W. O. 7910 Tape No. 25 St'd 84°F
Office Work R.W.M.F.A.	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 4-16-40
Date	Indexed A. C. Johnson

F.B. 648 PG. 127

Cont. on pg. 128



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Cont. from pg. 126

FORM 247 5M 10-39

F.B. 648 PG. 128

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

111.33 @ 0-0-7.50 = 111.21
73.54 @ 0-0-7.50 = 73.52
184.83 Avg

Cont. on pg. 129

73.52
184.83

Δ = 98°-45'-50"
R = 25
T = 29.15
L = 43.11

81°-14'-20"
324°-57'-00"
81°-14'-15"

114.92 @ 0-0-7.56 = 114.90

N-14215.60
E-13017.79

P.I. "48"
Set 1"x1"

114.90

74°-32'-50"
295°-11'-00"
74°-32'-45"

252.68 @ 3-42-7.48 = 252.09
252.74 @ 3-55-7.48 = 252.09
Avg. = 252.09

252.09

Δ = 105°-27'-10"
R = 30
T = 39.42
L = 55.22

P.I. "49"
Set 1"x1"

N-14106.95
E-12980.44

Δ = 75°-48'-50"
R = 30
T = 23.36
L = 39.70

104°-11'-10"
56°-45'-00"
104°-11'-15"

P.I. "47"
Set 1"x1"

N-14231.06
E-12766.17

N-14330.64
E-12747.40

To Islip Trail
P.I. "46"
Set 1"x1"

101.56 @ 3-36-7.46 = 101.34
101.53 @ 3-19-7.46 = 101.34
Avg. = 101.34

106°-17'-20"
116°-34'-20"

Δ = 93°-25'-35"
R = 50
T = 50.90
L = 81.54

Cont. from pg. 127

Notes Ck'd by	Survey of CRYSTAL LK PARK
Map No. CS.D.445-G.7	W. O. 7910 Tape No. 25 Std 84°F
Office Work R.W.M.S.A.	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 4-16-49
Date	Indexed A. C. Johnson

F.B. 648 PG. 129

Δ 139°-19'-40"
2 197°-19'-00"
139°-19'-45"

104.48 @ 0-0 T 70 = 104.47

Cont. on pg. 130

Δ = 40°-40'-10
R = 100
T = 37.06
L =
E = 6

71.13 @ 0-0 T 70 = 71.12

Δ 113°-01'-50"
2 92°-07'-00"
Set 1X1 113°-01'-45"

P.I. "52"
N-13916.89
E-13120.02

71.12

P.I. "53"
Set 1X1
N-13911.38
E-13190.93

Δ = 66°-58'-20
R = 50
T = 33.08
L =
E = 9

Δ 130°-35'-40"
2 162°-23'-00"
130°-35'-45"

P.I. "51"
Set 1X1
N-13992.34
E-13101.57

Δ = 49°-24'-20"
R = 50
T = 23.00
L =
E = 5

57.90 @ 0-0 T 70 = 57.89

Δ 110°-37'-00"
R = 40
T = 57.78
L =
E = 30

Δ 69°-22'-50"
2 277°-32'-00"
69°-23'-00"

N-14074.21
E-13162.35
P.I. "50"
Set 1X2

1 118.71 @ 1-53 T 58 = 118.63
2 118.74 @ 2 1C T " = 118.63
118.63 Avg

Cont. from pg. 128

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-49

F.B. 648 PG. 130



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of CRYSTAL LK PRK.
Map No. C.S.D. 445-7	W. O. 2910 Tape No. 49 Std 84 °F
Office Work M.S.A. Oct. '40	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 4-24-40
Date	Indexed A. C. Johnson 8-13-40

F.B. 648 Pg. 131

LOCATION

For a fence to enclose water works

Development's in vicinity of Big Creek as per J. J. Davis and Lee Parry

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

FORM 247 5M 10-39



F.B. 646 Pg. 132

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by		Survey of CRYSTAL LAKE PARK	F.B. 628 PG. 133
Map No. C.S.B445-1		W. O. 7910 Tape No. St'd °F	
Office Work MSA - 11/6/40		Surveyed by E. S. Tomblinson	
Checked		Notes K. J. T. Date	
Date		Indexed A. C. Johnson	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Cont to page 134

Cor # 20 C.S.Mon
in Bot Swale Set
Mtd. of Rock - 3' E
Per R.S. 135:99

213.4'

Cutting

R.R. ... Set Nail & Tack

Cor # 19 C.S.Mon
on S.E. Slope of
Spur Set Nail &
Rock 1' N.
Per F.B. 135:101

Cor # 18
C.S.Mon on
Top of Ridge
Set Stone & Mtd
4' W.
Per F.B. 135:101

See Page 128

FORM 247 5M 10-39

F.B. 648 Pg. 134

Cont. page 135



Top Ridge

Set Nail of Rock
Top Ridge

38'± ⊙ {P#49 FB135-93

Small

Draw

Spur

Set Nail of Rock

Ridge

Small

2754

Draw

Small Spur

Set Nail of Rock

Draw

Ridge

40'±

330'±

Cor #21 C.S. Mon
in Rocky Side
Set Nail of Rock LW
Per F.B. 135-98

330'±

Cor #22 Brass
Cap in Rock Cairn
Set Nail & Rock N&E's
Per F.B. 135-97

Set Nail in Rock
Small Rock Break

Cont from page 133

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No. C.S.B. 445-1,2
Office Work MSA-11/6/40
Checked
Date

Survey of Crystal Lake Park
W. O. 7910 Tape No. St'd °F
Surveyed by E. S. Tomlinson
Notes E. S. T. Date 5-29-40
Indexed A. C. Johnson

F.B. 648 Pg. 135

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39



F.B. 648 PG. 136



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of CRYSTAL LAKE Park
Map No. CSD 445-2	W. O. 7910 Tape No. St'd °F
Office Work	Surveyed by E. S Tomlinson
Checked	Notes E. S. T. Date 5-27-46
Date	Indexed A. C. Johnson

F.B. 248 PG. 137

Cont to page 138

Set Nail of Rock

400 ± Feet

Set Flag

225 ± Feet

Dry Wash

75' ±

Cor 29 Fd C.S Mon. in Mid of Rock. Conc. Set Rock Xd 6' W. Per F.B 135-82

Cor "28" Fd C.S Mon. Set at Cinder 2' N+W of Dead Spruce Set N.S. of Rock 2' N+2' E Per. F.B 135-83

Set Mid. of Rock

Cor. 27 Fd. Sp. Co. in Rock Set Nail of Rock 3' North Per. F.B. 135-84

Cont. from page 136

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 648 PG. 138

Cont. to page 139



Cont. from page 137

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this link.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. CS.B.4415-2
Office Work McA. 11/9/40
Checked
Date

Survey of CRYSTAL LAKE PARK
W. O. 7910 Tape No. St'd °F
Surveyed by E. S. TOMBLESON
Notes E. S. T. Date 5-28-40
Indexed A. C. Johnson

F.B. 648 Pg. 139

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39



Cont on page 139

F.B. 648 PG. 140

top Small Spur
Set Nail at Creek

Bot. Draw

Stadia
186 @ 15°00' = 173.5'

STA A-1 173.5'±

112°38'30"

N. 07°12'05" E. 1145.5'±

Set Nail & Tag on Ridge

Set Nail & Tag on Break

Set Nail & Tag
25'± W. of Wash
5' N. of Telephone Pole "No Wire"

Set 1½" Pipe Sta. ±
Nail & Tag 6'± S. of Line
on top of Spur Ridge
~~330'± N of~~
450 per cs B-445-2

Set Nail & Tag on Rock outcrop
at Head of Draw above Big Cienega

Set Nail & Tag on Knoll

COR #2 Fd. C.S. Mon.
Set Nail & Tag 5' W.
Per F.B. 135

Cont'd page 141

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of CRYSTAL LK. PARK
Map No. CS.B-445-2.	W. O. 7912 Tape No: Std °F
Office Work MSA-11/9/40	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 4-18-40
Date	Indexed A. C. Johnson

F.B. 648 PG. 141

Cont. on page 140

COR #2 C.S. Mon
Under Fallen Tree
Set 1/10 of Rock S.W.

Set 1x2 in md. of rock on Approx. Line on side slope

18.3'+

70'+

Set 1x2 in md. of rock on Approx. Line on side slope

210'+

Set 1x2 in md. of rock on Approx. Line on side slope

213'+

Md. of rock alongside Flush on side slope
N 14745.49
E 13330.90
COR. #4
Fd. C.S. Mon. B.C. as per F.B. 135 pg. 122

N 89°-52'-22" W
658.63

N 14746.95
E 12672.27
COR. #3
Fd. C.S. Mon B.C. as per F.B. 135-123
Md. of rock alongside

N 0°-24'-14" E - 673.70

+70 COR #5

200'+

See top pg. 142

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.


Set 1X2 on inside edg. of road
Set ¾" I.P.-tag for Road Tie E. 12 rd. to Mt. Hawkins See pg. 136
Set LOT in C stump on top of ridge
Fd. C.S. Mon flush - mkd as appears on slope of ridge; Mod. of rock alongside See F.B. 135-121 N-14069.65 E-139849.90
Set N&T in C stump on W. edg. of Mt. Islip trail Approx. Line also a mnd. of rock with mrkr. on E sd. of trail
Set 1X2 on Approx. line on W. sd. of Islip Trail in mnd of rock Pine Tree on line
Set 1X2 in mnd. of rock on Approx line on E. sd. Mt. Islip Trail
A-1 C.S. 1Iron. on slope of ridge near Islip Trail See F.B. 135-23 N-13908.77 E-139458.11
Set Mound of Rocks on Slope
24" King Blazed 35° E
Fd. Iron Pipe
Set Nail & Tag in Root
Set 1X2 on Approx. line on E. sd. Mt. Islip Trail
Set 1X2 on Approx. line on W. sd. Mt. Islip Trail
F.B. 244 PG. 142
See F.B. pg. 141
Set 1X2 in mnd. on Approx line on E. sd. Mt. Islip Trail
Set 1X2 in mnd. rock Approx. line on N. sd trail
C73.70 N0°-24'-14"E
57'± 101'±
N. 14071.81
E. 1332[illegible].15
COR. 5
Fd. C.S. Mon. with Br. Cp. as per F.B. 135-121 on W. sd. of Mt. Islip Trail
180.65
246.94
N 0°-23'-36" E
4061.69
157'± Stadia
58'± Stadia
520.83
L1 = 111.2
R = 1995.92
R = 1995.92
R = 1995.92

Notes Ck'd by R.W.McA	Survey of COASTAL LAKE PARK	F.B. 648	Pg. 149
Map No. CSD-445-7	W. O. 7910 Tape No. 149 St'd & W of F		
Office Work R.W.McA.	Surveyed by A.N. STROMBERG		
Checked	Notes E.S.T. Date 5-17-40		
Date	Indexed D. C. Johnson		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

LOCATION of New ADMINISTRATION BUILDING and CESSPOOL for Camp and GASOLENE PUMP and TANK.



F.B. 648 PG. 150



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by		Survey of CRYSTAL LAKE PARK	F.B. 648 Pg. 147
Map No. CSB-445-1		W. O. 7910 Tape No. 49 St'd 84°F	
Office Work M=A-11/20/40		Surveyed by E. S. TOMBLESON	
Checked		Notes E.S.T. Date 5-14-30	
Date		Indexed A. C. Johnson	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

COUNTY SURVEYORS MONUMENT
STA. C-6

RCS Mon Per F.B. 135-

N 38°08'20"W

Δ Sta. A3

46°02'50"

56°37'57"

180.06

① 56° 38' 00"
② 226° 31' 50"
56° 37' 57½"

16°09'10"
to P.T. A

Pt. B
Set 1x1

142°43'15"

① 180.08 @ 0°32' T=78° = 180.06
② 180.08 @ 0°22' T=78° = 180.07

① 16°09'10"
② 62° 34' 00"
16° 09' 00"

① 46°02'50"
② 184° 11' 20"
46° 02' 50"

① 142° 43' 20"
② 210° 53' 00"
142° 43' 15"

① 299.97 @ 1°48' T=76° 299.80
② ~~299.97 @ 1°37' T=76°~~ ~~299.83~~
③ 300.00 @ 2°05' T=76° = 299.78
146.23 @ 0°0' T=76° = 146.22
144.73 @ 0°0' T=78° = 144.72
114.63 @ 0°0' T=78° = 114.63
705.36

① 124° 49' 30"
② 139° 18' 00"
124° 49' 30"

705.36

124°49'30"

Pt "C"
Set 1x2

① 227.43 @ 3°54' T=78° = 226.89
② 227.45 @ 3°58' T=78° = 226.89
① 107.54 @ 3°25' T=78° = 107.35
② 107.63 @ 4°06' T=78° = 107.35
334.24

334.24

Pt. B
Set 1x2

123°27'10"

① 123° 27' 10"
② 133° 48' 40"
123° 27' 10"

58.48 @ 11°00' T=78° = 57.38
58.42 @ 10°53' " = 57.37

COR #12A Set C.S. Mon
Marked See page 145 for ties

See page 146

① 46° 01' 00"
② 184° 03' 20"
46° 00' 50"

① 38° 39' 40"
② 154° 38' 40"
38° 39' 40"

COUNTY SURVEYOR
PARK BOUNDARY
COR. 12. A.
R.E. 2177

① 208.64 @ 8°58' T=78° = 201.14
② 208.57 @ 8°48' T=78° = 201.16
37.27 @ 0°0' T=78° = 37.27
238.42

to C.L.

46°02'50"

Δ Sta. A3

to Cor 13
PARK BORY

to Cor 12

See Page 145

S 10°55'05" W

38°39'40"

38°42'30"

Set Pt on Rock

Per Work Sheet
N 7335.04
E. 1199.34

P.T. 18 Fd 1x2
Per F.B. 135-111

193.67 @ 0°0' T=76° = 193.66

46°00'50"

148°35'35"

193.66

① 148° 35' 40"
② 234° 22' 20"
148° 35' 35"

28.47 @ 0°0' T=78° = 28.47

P.T. 1C Fd. old 1x2 house nail
F.B. 135-111

FORM 247 5M 10-39

F.B. 642 Pg. 148



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. C.S.D-44-5-1	W. O. 791-A Tape No. Std °F
Office Work McA-11/6/40	Surveyed by E. S. TOMBLESON
Checked	Notes E. S. T. Date 5-10-40
Date	Indexed A. C. Johnson

F.B. 648 PG. 145

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39



See page 146

F.B. 648 PG. 146

See page 145

Stadia
102 @ 5°43 = 50'
160 @ 5°41 = 158
306

1x2 cor #12A.

+ 309.7

Set Nail of Rock Top Slope

224.4

Stadia
382 @ 30°41' = 382
-158
224

Top Spur

Set 1x2 + Nail of Rock on top of Spur

Stadia
264 @ 30°41' = 195

Edge of Flat

195.4

Ridge

Set Nail of Rock E. edge of Flat at Conif. Camp

Drain

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Set Flag

Set Nail of Rock

76'±

87'±

Nail of Rock

N. Side of Top of Ridge

Cor #14 Fd. Brass Cap in Rock Shelf at Cliff. Set 5' Flag 8±' N. of Mon. Marked

Cor #13 Fd. Brass Cap in Rock Per F.B. 135-109 Set Mound of Rock with 10" Stump in Center 4' E ± I.S.N. of Mon. Marked

COUNTY PARK BOUNDARY SURVEYOR
Cor. 14
Monument

COUNTY PARK BOUNDARY SURVEYOR
Cor. 13
Monument

42.7'±

Set 1x2+ Nail of Rock on Top of Ridge

See page 148

Notes Ck'd by	Survey of Crystal Lake Park
Map No. CS.13-445-1,2	W. O. 7910 Tape No. Std °F
Office Work MsA-11/6/40	Surveyed by E. J. Tomblesen
Checked	Notes E.S.T. Date 4-20-40
Date	Indexed A. C. Johnson

F.B. 648 PG. 143

See Bot. pg. 142.

259'± Stadia

x Set Md. of Rock

253'± Stadia

x Set 1x2 + Md. of Rock on W. Slope

211'±

{Set 1x2 + Md. of Rock on N. Bank of Stream

210°

Spring goes to pg. 36 {Small Stream

195' Stadia

{Set 1x2 + Md. of Rock on top of Ridge

150' Stadia

{Set 1x2 in Md. of Rock on Small Spur

Stadia 78'

Set N.T. in N. Side of 6" Fir Tree on S. Side

{Set 1x2 + Md. of Rock in Rock Slope

125'±

{Set Md. of Rock in Flat

408'± Stadia

Wash

Dry

20'

{Set 1x2 + Md. of Rock S. Bank Dry Wash

492'± Stadia

{Set 1x2 + Md. of Rock

355'± Stadia

Set ¾" I.P. in Md. of Rock

N10008.06
E.13957.02

COUNTY SURVEYORS PARK BOUNDARY COR. 8 MONUMENT

{Fd. C.S. Mon. Flush, Marked as Shown. Set Md. of Rock alongside
N 10006.72 E. 13297.53

183'± Stadia

290'±

{Set 1x2 + Md. of Rock

Fd. C.S. Mon. Flush, Marked as Shown Set Md. of Rock Along Side

COUNTY SURVEYORS PARK BOUNDARY COR. 7 MONUMENT

See Top pg 144

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 648 Pg. 144

See Bot. pg. 143

666.73

Set 1x2 + Md. of Rock

160± S 89° E.

Set 1x2 + Md. of Rock

4.33' E. Stadia

N 00° 09' 59" E.

SURVEYOR'S PARK BOUNDARY Cor 10 MONUMENT

Fd C.S. Mon Flush 1.4' N of Small Ravine Set Md. of Rock alongside Marked as shown

N 71° 51' 30" E 659.57

48' ±

Stadia 74 @ 17-11 = 68'

1x2 Md. of Rock on Small Spur

DRY Wash

+1.58

Set Md. of Rock

Stadia 348 @ 6° 18 = 344'
151 @ 5° 21 = 150'
494'

Fd C.S. Mon Flush in Circle Set Md. of Rock alongside Marked

SURVEYOR'S PARK BOUNDARY Cor 9 MONUMENT

N 00° 10' E. Stadia 1,320'

Set 1x2 + Md. of Rock on top of Ridge N.E.

660.75

Top Ridge

Ridge 145

Top Ridge 441± Stadia

Cor #12

660.75
N 89° 49' 11" E.

Fd. C.S. Mon Flush on S. Slope of Ridge 100'± from Top Set Md of Rock alongside Marked

SURVEYOR'S PARK BOUNDARY Cor. 11 MONUMENT

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Crystal Lake Park	F.B. 648 Pg. 151
Map No. CSB-445-7		W. O. 7910 Tape No. Std. °F	
Office Work RW TMS		Surveyed by A. E. J. Tomlinson	
Checked		Notes E. S. T. Date 5-6-40	
Date		Indexed A. C. Johnson 6-18-40	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

Garbage Pit

Pt #C. Fd 1X1 Per Pg. 147

① 38° 15' 00"
② 76° 30' 00"
38° 15' 00"

end of Road.

56'

38° 15' 00"

(End of 2" Pipe Double Fire Hyd

700 @ 0° 12' Stadia = 700'

① 95° 11' 20"
② 190° 22' 20"
95° 11' 10"

705.36

152 @ 4° 50' Stadia = 15'

① 175° 25' 10"
② 251° 10' 10"
175° 35' 05"

175° 35' 05"

Stadia
145 @ 4° 20' =

114'

118'

57'

Pt #D Fd 1X1 Pg. 147

54'

Stadia Location for Tempory 2" Pipe Line and 8' Roadway to Garbage Pit.

279 @ 44° 29' Stadia =

92° 11' 10"

Center of 8' Road

144.11'

① 138° 07' 00"
② 276° 14' 00"
138° 07' 00"

121' @ 2° 25' = Stadia

N 17° E Tempory 2" Pipe Line to Garbage Pit on Surface

① 168° 29' 40"
② 336° 59' 10"
168° 29' 35"

38'

Set 1X1

138° 07' 00"

22"

121' Stadia

Punch Mk. on Pipe

168° 29' 35"

Set 1X1

128 @ 3° 06' Stadia =

167° 41' 15"

① 167° 41' 10"
② 335° 22' 30"
167° 41' 15"

157' @ 3° 21 = 156'

Pt # 2 F Per FB 462-35-34

① 165° 45' 50"
② 331° 31' 50"
165° 45' 55"

77° 50'

① 77° 50' 00"
② 155° 40' 00"
77° 50' 00"

93.32

to Scout Camp

Pt # 2 E Per FB. 462-34

F.B. 648 PG. 152



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Date 5-3-40 Notes by E.S.T Chief Party E.S. Tomkinson F.B. 1188 Pg 153

Platted by R.W.McA.	W. O. No. 7910 U. S. O. No.
Date	Location Crystal Lake Park
Map No. CS.D.4457	Surveyed by E.S.T.
Platting C'k'd by	Date 5-3-40
Date	Indexed A. C. Johnson

Cont. Pg. 154

Notes: ANY ADDITIONS OR CHANGES OMITTING SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO LOS ANGELES COUNTY SURVEYOR

Do not extend notes this side of this line

ROAD + 2" Pipe line To Boy Scout Camp

Note See Pages 155 + 156 for Profile

Set N+T 20" Pine

Set 3/4" IP Pt #21 H 2+63.93

N+T. twin 6" Fir

Set N+T in top 5' Stump

2" Line To Scout Camp

N+T 6' twin Fir

N+T. 10" oak

Pt #21 G Set 3/4" IP 1+21.98

N+T 10" Fir

Temp. 2" Line to Garbage Pit

2" Union

2" Nipple

2" to 3/4" TEE

2" Nipple

45° ELL

2" TEE With 45° Riser + Gauge Fire Hydrant

2" Nipple

2" Valve

2" Union

Short N. 2" TEE

3/4" Union

3/4" Valve

Short nipple

3/4" Tee with Short Nipple + Cap.

3/4" Line to Barn.

Pt #21 F

3/4" Line

2" Line

Otoe Going E

F.B. 462-34

F.B. 962 See Pg. 84

To Pt #21 E

To Pt #21 H

To Pt #21 G

To Pt #21 F

Otoe

Otoe

Otoe

F.B. 648 PG. 134 — E.S.T. Chief Party — Notes by E.S.T. — Date 5-3-40

① 57° 36' 40"
② 239° 27' 00"
54° 36' 25"

① 84° 04' 00"
② 336° 16' 10"
84° 04' 02½"

① 143° 41' 00"
② 216° 43' 20"
143° 40' 50"

Set N+T 30" W. Pine

Pt #211 Set ¾" IE flush 5+17.11

Set N+T 30" W. Pine

Pt #213

Set N+T 30" W. Pine

52.27

21.37

63.29

59° 36'

½ Pt #212

End of 12" Pipe with Tack & Ring in Pkg

4469.3

4450

4400

3750

3700

253.18

12" Line

253.35 @ 1°52' T=60 = 253.18
253.32 @ 1°43' T=60 = 253.17

S 36° 30 E Mag.

½ Pt #214

RETURN TO
LOS ANGELES COUNTY SURVEYOR
Do not extend notch this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ Notes Red.____ Platted____ Job No. 711 Division No.____
X-Sec. No.____ Date____ Date____ Survey of____
Notes Chkd.____ Checked____ Survey by____ Notes____ Date 5-6-30
Date____ Date____ Map No. CD 445 7 Indexed A. C. Johnson
No Profile

L. B. 698 Pg. 159

STATION	B. S.	H. I.	F. S	ELEV.	
					LEVELS for 2" Pipe line To Boys Scout Camp
T.B.M.	6.40	5029.53		5023.13	Top of Stake 11 Top of Stake Near NW Cor of
T.P.			0.75	5028.78	Foundation at Mess Hall Sec 22 T2S-R6
	7.30	5036.08			
P.I. 21 F			0.43	5035.65	182
0+05			3.5	34.6	Top of Bank
" Gr.			2.5	33.6	
0+64			3.3	34.3	Top of Bank
" Gr.			2.5	33.8	
0+80			8.2	29.9	
" Gr.			6.2	31.2	
T.P.			1.27	5036.81	
	0.16	5036.97			
P.I. 21 S			2.78	5034.19	36" RR
1+00			1.3	35.6	
Gr.			2.1	34.8	
1+22			4.1	32.8	
Gr.			2.8	33.1	
1+50			7.3	29.6	
Gr.			5.4	30.5	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 6/8 P.G. 15 6 | Job. No.____ Division No.____ Notes Red____ Plotted____ Profile____
Survey of____ Date____ No.____
Survey by____ Notes____ Notes Chkd.____ Checked____ X-Sec.____
Indexed by C. Johnson Date____ Date____ No.____

STATION	B.S.	H.I.	F.S	ELEV.		
		5026.47				
2+00			1.15	15.0		
" Gr.			10.1	16.4		
pk #21.4 (F3)			11.74	5014.73	3/4" I.P.	
	1.67	5016.20				
2+30			2.8	13.4		
			1.3	14.7		
2+64			3.1	13.3		
			1.5	14.9		
3+00			3.1	13.3		
			1.4	15.3		
3+50			5.2	11.2		
			3.8	12.6		
4+00			7.5	8.9		
Gr.			6.1	10.3		
4+69.3			8.1	8.3		
Gr.			6.8	9.6		
pk #21.2	6.18	5013.91	1.67	5007.73		
T.P.			0.10	5013.81		
	12.07	5025.88				
T.B.M.			2.74	5023.14	Chiseled ☐ in Top of Pipe W of Cen. Mdn. Sta. 4+69.1 El. 5023.13	

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No. C.S.D. 445-7
Office Work M'S A Oct. 1940
Checked
Date

Survey of Crystal Lake Park
W. 0750 Tape No. Std. °F
Surveyed by A. N. HELLSTROM
Notes Good Date 6-17-40
Indexed A. C. Johnson

F.B. 644 PG. 157


See F.B. 462-72
F.B. 648 Pg. 158
① 120.47 ∠ 4-44 T 82 = 120.04
② 120.42 ∠ 4-20 T " = 120.08
120.07
TIE-IN OF NEW 100,000 GAL. WELDED STEEL TANK Adjacent to old 100,000 gallon tank near Alexander Cabin
6" steel drive pipe
4+48.48
Sat 1+11
4+40°
4+38°
Angle Pt. in 4" steel drive pipe
6" to 4" Welded reducer pipe
① 25°-14'-40"
② 50°-29'-00"
25°-14'-30"
6" Welded pipe
25°-14'-30"
120.07
107.97 ∠ 0-0 T 84 = 107.97
① 35°-06'-00"
② 70°-12'-00"
35°-06'-00
107.97
3+87°
15°
3+84.5
3+83.5
6" gate valves
4" pipe Weld
4" gate valve
"B"
V.P.I. 6" line "B"
4" gate valve
4" screw pipe
19'
5+31.4
5+32.4
3+79.5
2°
3+61.7
1°
"D" 6" elbow 90°
6" gate valve
B.M. cntr Spiker on 18" Pipe
Sand Fill
See F.B. 462-72
Sand Fill
6" Welded pipe
Sand Fill
Sand Fill
Sand Fill

Notes Ck'd by	Survey of CRYSTAL LAKE PARK
Map No. CSB-445-7	W. 0.7910 Tape No. Std. °F
Office Work MCA-10/11/40	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 6-24-40
Date	Indexed A. C. Johnson 7-10-40

F.B. 648 PG. 159

WIER WORK at BIG TUJUNGA

Set 1x2 Elev. = 658.87

Set 1x2

Set 1x2

"A"

"B"

"C"

"D"

"E"

"F"

"G"

"H"

"I"

Cntr. of a rock with 38' Radius

See Pg 161 For file

Yellow Lines indicate outline of Excavations at Wier #39 For Water Developments

See L.B. 527-114 for Elevs.

end of ditch also Temp. Wier

Set 1x2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

FORM 247 5M 10-39

F.B. 648 PG. 160

Measurement of Water in a Temporary Wier at Big Cienega On June 24, 1940 at 11:00 A.M. was 0.11 ft In a V type right angled Wier

Using Formula — $Q = 2.54 H^{5/2}$

Q quantity of water in cu. ft. pr. second
H Head of water,

Calculated flow = 4.56 gals. pr. minute

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of CRYSTAL LAKE PARK	F.B. 648 Pg. 61
Map No. CSB-445-7		W. O. 7910 Tape No.	St'd °F
Office Work MSA 10/11/40		Surveyed by A. N. HELLSTROM	① 61°-46'-00"
Checked		Notes E.S.T Date 6-26-40	② 247°-14'-40"
Date		Indexed C.J. Johnson 7-10-40	61°-47'-55"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

① 242.15 @ 2-56 T 74 = 241.81
② 242.11 @ 2-50 T " = 241.79
241.80 Avg

① 56.13 @ 11°43' T=76° = 54.96
② 56.31 @ 12°30' T=76° = 54.98

① 79°20'00"
② 158°40'00"

N+T 36" Cedar
N+T 24" Pine
N+T 12" Pine
Set 3/4" IP
54.97
1X2 Per pg. 159
23.2
17.8
90°
0+00
Set 1X2
C-1
N=14912.26
E=11996.94
S 64°-47'-55" E
79°20'
241.80
See Pg. 162
To C-2
For Steel Tanks and Line Connect See pg 188
623
2" Pipe Line
1X2 pg. 159
Mag. N 54.4
367.89

① 219.87 @ 14°52' T=76° = 211.53
② 219.00 @ 14°59' T=76° = 211.54
③ 161.42 @ 14°22' T=76° = 156.36
④ 161.58 @ 14°35' T=76° = 156.36
367.89

ES 48°17'20"
179°09'10"
48°17'17½" ✓

P/#42
3/4" IP
Pg. 127
48°17'20" ✓
286.32
P/#41 1X1
Per page 126
67.55
N. 14686.34
E. 11760.71
3/4" IP RPP P/#41
Per pg. 126
N=14702.04
E=11695.01

F.B. 648 PG. 162

Cont on pg. 167



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
BENCH-LEVELS TO WATER TANK at N. END of DEER FLATS						
C.S. Mon. Sta. C-14				6360.305	B.M.- STA. C-14 Brass Cap Mon. on N. end of ridge at E. side of Deer Flats pr. L.B. 627-100	
	10.05	6370.355				
T.P.			0 65	6369.705		
	11 375	6381.08				
			37	6377 4	top of rd. in draw - low spot	
			24	6378 7	top of rock shown N.E.	
T.P			000	6381 08		
	11 66	6392.74				
T.P.			0 42	6392 32		
	11 62	6403 94				
T.P.			025	6403 69		
	11 80	6415.49				
T.P.			039	6415 10		
	11 45	6426 55				
T.P.			028	6426 27		
	11 32	6437 87				
T.P.			0.62	6437 19		
	9 03	6446 22				
			33	6442 9	Gr. at tank site	
T.B.M.			519	6441 03	cut Spk in Root of 54" Pine 50'± S. of Tank	

No profile

Profile
No.____ X-Sec. No.____

Notes Red.____ Platted____ Job No. 7910 Division No.____
Date____ Date____ Survey of CENTER LAKE TRACT
Notes Chkd. MSA Checked____ Survey by HELLS Notes B.M.'s Date 6-26-40
Date____ Date____ Map No. 0445-7 Indexed ● Date 7/10/40

L.B. 648 Pg. 163

B.B. 648 P.G. 164 | Job. No. 7910 | Division No. | Notes Red | Plotted | Profile

Survey of CRYSTAL LAKE PARK | Date | Date | No.

Survey by HELLSTROM | Notes A.N.H. | Notes Chkd. | Checked | X-Sec.

Indexed | Date | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

See F.B. 462-163 for Misc. Ties to Lake Park area

Notes Ck'd by		Survey of CRYSTAL LAKE PARK	F.B. 648 Pg. 165
Map No.		W. O. 7910 Tape No.	St'd °F
Office Work		Surveyed by A. N. HELLSTROM	
Checked		Notes C. S. T. Date 6-26-40	
Date		Indexed C. Johnson 7-10-40	

CONTROL LINE For Pipe Line from Tank Site at DEER FLATS

Approx. Loc. Ft. Destroyed. See pg. 163

250'@ 6°44' Stadia = 247'

Tank Site 131,642.9 Var. page 123

① 76°34'20"
② 306°17'20"
76 34 20.

① 135°18'10"
② 270°36'20"

296' @ 12°29' Stadia = 282'

282' Stadia

103'@ 12°59' Stadia = 98'

① 86°22'40"
② 345°31'20"
86-22 50.

① 172°16'40"
② 344 33' 40
172° 16' 50".

247'

10°10'20" Calc.

Pl #31 1X2 Per pg. 124

11+54.38 going N

See pg. 168 — C-11 Set 1X2

98' Stadia

Set 1X2

N.T. 20" Spruce

N.T. 12" Spruce

86°22'

+76°34'20"

382.17

Pl #30 Per page 124

①	298.74	@ 3-56	T78 =	298.24
②	298.29	@ 3-42	T =	298.24
③	108.74	@ 5-35	T82 =	108.20
④	108.29	@ 5-19	T82 =	108.20

406.51 Avg.

412.25

280.90
280.62
54.71
335.62 Avg.

7+42.13 Set 1X2

N.E.T. in 3" Pine

335.62

going N 4706.51 Set 1X2 C-12

nail in N.W. Cor. Mont. Tail 61

57.51

①	223.77	@ 6-43	T84 =	222.23
②	223.84	@ 6-53	T =	222.23
①	191.64	@ 7-27	T =	190.02
②	191.55	@ 7-15	T =	190.02

412.25 Avg

See pg. 191

① 11°50'30"
② 47°21'40"
11°50'25".

406.51

11°50'25"

N. 21°30' E.

Pl #29 Per page 124 3/4" I.P.

N.E.T. in 30" Spruce

N.E.T. in 20" Spruce

13.41

11.92

16.08 N.E.T. in 18" Pine

C-13 Set 1X2

471

13°22'00"

708.17

Pl #28 3/4" I.P. pg. 123

① 13°22'00"
② 53°28'00"
13°22'00".

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 648 PG. 166

Notes Ck'd by	Survey of CRYSTAL LK. PK.
Map No. CSB-445-7	W. O. 2910 Tape No. 49 Std 84°F
Office Work MSA-Oct.'40	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 7-1-40
Date	Indexed A. C. Johnson 7-10-40

F.B. 648 PG. 167

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.


N-14078.57
E-10229.36
N-14007.08
E-10296.92
N-14282.09
E-10369.62
N-14480.28
E-10573.48
N-14667.07
E-10876.02
F.B. 648 Pg. 168
Pg. 165
Pg. 167
Cont. on Pg. 170
Cont. from Pg. 165
247.20
284.34
355.58
136.57
293.20
C-10 Set 3/4" I.P. Approx. Cntr. of Tank
C-9 Set 3/4" I.P.
C-8 Set 1x12
C-12 1x2
C-11 1x2
C-10A Set Spk. in long Pine root
C-9A Set 3/4" I.P.
C-9B Set 3/4" I.P.
C-7B Set 1x2
Pl. "31" 1x2 pr. pg. 165
Set Nail in 12" Spruce
Set Nail in 20" Pine
Set Nail in 18" Pine
C.S. Spk. N 85° E. 48' Pine
B.M. H-188 Elev. 1441.15
Pr. P.I. Elev. 1441.15
2" Galv. Water Pipe Line
1/2" pipe line for air vent 6" below surf. with 36" 1/2" pipe running up along side 28" Pine Tree at end.
Fd. 1/2" pipe with tag "LS 5599" 0.2' above ground
To C-9B+10.22
To C-9B+10.22
To 12+40.55
To 12+29.76
To 13+20
To 13+37
To 14+00
To 14+34.20
To 14+44.23
To 14+54.38
To 14+64.23
To 14+74.38
To 14+84.23
To 14+94.38
To 15+04.23
To 15+14.38
To 15+24.23
To 15+34.38
To 15+44.23
To 15+54.38
To 15+64.23
To 15+74.38
To 15+84.23
To 15+94.38
To 16+04.23
To 16+14.38
To 16+24.23
To 16+34.38
To 16+44.23
To 16+54.38
To 16+64.23
To 16+74.38
To 16+84.23
To 16+94.38
To 17+04.23
To 17+14.38
To 17+24.23
To 17+34.38
To

Notes Ck'd by		Survey of CRYSTAL LAKE PARK	F.B. 648 Pg. 167
Map No. C.S.D. 445-G		W. O. 7910 Tape No.	St'd °F
Office Work MSA. 10/28/40		Surveyed by A. N. HELLSTROM	
Checked		Notes A.N.H. Date 8-6-40	
Date		Indexed by C. Johnson 10-7-40	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

LAKE

APPROXIMATE LOCATION of OLD WATER TUNNEL outlet of CRYSTAL LAKE

See p. 171 for Elevs. and Details

4' x 6' Conc. Shaft. - 12" Walls

153'±

536'±

Approximate Location of old Mouth of tunnel from Lake Elev. 5486° Approx.

Trail

108'±

T.O.L. Pt. Set both in old tailings dump.

142°-10'-00"

142°-10'-00"
284°-20'-00"
142°-10'-00"

201.04

201.04

112°-09'-10"
112°-09'-05"
112°-09'-05"

N 63° W ±

P.I. "110" Fd. Spk. W.S.T. in cement pr. F.B. 648-119

403.71

To (N.E.) P.I. "109" See p. 119

318.46

In W. Pine Flats Fd. C.S. Mon. Brass Cap TRAV. 2 STA. 24 Sec. F.B. 648-119

① 209.68 & 16-29 T.S.° 201.05
② 209.50 & 16-20 T.S.° 201.03
Avg. = 201.04

① 112°-09'-10"
② 112°-09'-05"
112°-09'-05"

F.B. 648 PG. 170



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. _____ Platted _____ Job No. 7910 Division No. _____ F.B. 648 PG. 171
Date _____ Date _____ Survey of CRYSTAL LAKE
Notes Chkd. _____ Checked _____ Surveyed by N. HELLSTROM Notes R.N.H. Date 8-4-40
Date _____ Date _____ Map No. C.S. 445-G Indexed _____ Traced C. Johnson 10-7-40

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '		1						
					° '		° '		2						
					° '		° '	5484 02 7	3	Adj Elev of B.M. 59 Pr. L.B. 483-144					
					° '		° '	+4 1		Cut Spk. in root of 48" Spruce - 75' South					
					° '		° '	5488 8	4	of mouth of tunnel from Crystal Lake					
					° '		° '	-3 3	5	and 4° W. of Trail					
					° '		° '	5485 6	6	elev of T.M. Pt. Pr. F.B.					
Pt. T.M.	P.O.T. "1"				° '		° '	5485 6	7	5 1	5490 7		El. T.M. Pt.		
		4.23			° '		° '		8						
		3	123	3 01	° '	103	+ 24 03	5533 4	9	+ 42 7		+ 45 7	P.O.T. "1"		
		4.23			° '		° '		10						
		3	123	4 01	° '	102	+ 24 30	5533 2		+ 42 5		+ 46 5	P.O.T. "1"		
					° '		° '		11						
P.O.T. "1"	P.O.T. "2"				° '		° '	5533 3	12	4 7	5538 0		P.O.T. "1"		
		7.79			° '		° '		13						
		7	79	7 01	° '	74	+ 14 34	5550 2		+ 12 2		+ 19 2	P.O.T. "2"		
		7.79			° '		° '		14						
		7	79	8 01	° '	74	+ 15 18	5550 2		+ 12 2		+ 20 2	P.O.T. "2"		
					° '		° '		15						
P.O.T. "2"	P.O.T. "3"				° '		° '	5550 2	16	5 0	5555 2		P.O.T. "2"		
		2.88			° '		° '		17						
		2	88	2 01	° '	88	+ 4 21	5559 8		+ 4 6		+ 6 6	P.O.T. "3"		
		2.88			° '		° '		18						
		2	88	3 01	° '	88	+ 5 01	5559 8		+ 4 6		+ 7 6	P.O.T. "3"		
					° '		° '		19						
P.O.T. 3	P.O.T. "4"				° '		° '	5559 8	20	4 9	5564 7		P.O.T. "3"		
		4.80			° '		° '		21						
		4	80	4 01	° '	72	+ 18 01	5584 2		+ 19 5		+ 23 5	P.O.T. "4"		
		4.80			° '		° '								
		4	80	5 01	° '	72	+ 18 46	5584 0		+ 19 3		+ 24 3	P.O.T. "4"		

ELEVS. & STADIA ON WATER TUNNEL
As Profile
See pg. 169 for Location

Abstr'd

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 548 Pg. 172

Topography Description Legend:
Side of Hill...S.H. | Bottom Draw..B.D. | Bottom Wash..B.W. | Side of Draw..S.D. | Top of Ridge..T.R. | Side of Ridge..S.R. | Toe of Slope...T.S. | Head of Draw H.D.

Oak-O. | Fir-Fr. | Pine-Pi. | Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of those and all common standard abbreviations.

Traveled Rd. Tr.Rd. | Fences ..... Fn. | Inf. Fences..V.Fn. | Ditch ..... Dt. | Telephone Pole..T.P. | Power Pole.....P.P. | Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..E.Rd.

Side of Canyon S.Cn. | Top of Bank..T.B. | Bottom of Bank..B.B. | Top of Cut..T.C. | Bottom of Cut..B.C. | Top of Fill..T.F. | Bottom of Fill..B.F.

Interc. of Draws..V.D's | Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.O.T. 4	POT 5			—	° '		° '	5584.1	4 5	—	5588.6	—	P.O.T. 4		
		3.75		—	° '		° '			—		—			
		3	75	3 0	° '	58	+ 27.67	5616.6		+ 28 0		+ 31 0	P.O.T. 5		
		4.76		—	° '		° '			—		—			
		4	76	4 0	° '	58	+ 28.43	5616.6		+ 28 0		+ 32 0	P.O.T. 5		
				—	° '		° '			—		—			
				—	° '		° '			—		—			
POT 5	POT 6			—	° '		° '	5616.6	5 1	—	5621.7	—	P.O.T. 5		
		4.48		—	° '		° '			—		—			
		3	148	4 0	° '	142	11.10	5589.7		32 0		28 0	on S. 1st Edition Concrete		
		5.47		—	° '		° '			—		—			
		4	147	5 0	° '	142	10.45	5589.7		32 0		27 0	on Co. Station Short.		
				—	° '		° '			—		—			
POT 6	POT 7			—	° '		° '	5589.7	4 8	—	5594.5	—	P.O.T. 6		
		5.09		—	° '		° '			—		—			
		4	110	5 0	° '	98	18.25	5556.4		38 1		33 1	POT 7		
		5.09		—	° '		° '			—		—			
		4	110	4 9	° '	98	18.57	5556.6		37 9		33 9	POT 7.		
				—	° '		° '			—		—			
POT 7	POT 8			—	° '		° '	5556.5	4 9	—	5561.4	—	P.O.T. 7		
		2.76		—	° '		° '			—		—			
		7	76	7 0	° '	57	30.11	5521.4		40 0		33 0	old water (lake)		
		10.73		—	° '		° '			—		—			
		10	73	10 0	° '	57	28.01	5521.1		40 3		30 3	" " (")		
			The reading on the measuring ptg measured - 5521.55 by J.H. and D.E. Jones												
				—	° '		° '			—		—			
				—	° '		° '			—		—			
				—	° '		° '			—		—			
				—	° '		° '			—		—			
				—	° '		° '			—		—			
				—	° '		° '			—		—			

Add'l Inform.

Notes Ck'd by
Map No. CSD 445-6.7
Office Work McA-10/14/40
Checked
Date

Survey of CRYSTAL LK. PARK
W. O. 7910 Tape No. St'd °F
Surveyed by A. N. HELLSTR.
Notes A.N.H. Date 8-21-40
Indexed A. C. Johnson

F.B. 644 Pg. 173

Cont. on pg. 174

4+66.5

1½ T. with 5½ft ¾ riser and faucet

C-12
1 x 2 pr pg. 165
4+06.5 going N.

3+71²

LOCATION
OF
2" & 1½" PIPE LINE
ON
DEER FLATS

For Elevations
See
F.B. 648-177-181

3+65⁹ — 1³ — 1½ T with 5½ft ¾ riser and faucet

2+98² — 5³

2+66¹ — 5⁸ — 1½" T with 5½ft ¾ riser and faucet

1+67¹ — 6⁹ — 1½ T with 5½ft ¾ riser and faucet

0+66⁹ — 1½" T with 5½ft ¾ riser and faucet

0+65⁶ — 1½" Globe Valve

1½" Pipe

0+64⁵ — 6⁹ — End of 1½" Pipe

3" Iron Drain Pipe

27¹

36°

Pipe at this end is out on surf.

C-13
1 x 2 pr pg. 165
0+00 going North

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

F.B. 648 PG. 174 — Cont. on pg. 175



Cont. on pg. 173

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No. CSB-445-7
Office Work MSA 10/14/40
Checked
Date

Survey of CRYSTAL LK PARK
W. O. 2910 Tape No. St'd °F
Surveyed by A. N. HELLSTROM
Notes A.N.H Date 8-29-40
Indexed A. C. Johnson

F.B. 641 PG. 172

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 642 PG. 176

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile Notes Red. Plotted Job No. Division No.
No. Date. Date. Survey of
X-Sec. Notes Chkd. Checked Survey by Notes
No. Date Date Map No. Indexed Date
F. B. PG.

STATION	B. S.	H. I.	F. S.	ELEV.		
					ELEVATIONS ON 2" & 1½" PIPE LINE IN DEER FLATS — FOR PLAN SEE PG. 173	
					NOTE: THE INVAR ROD WAS USED FOR TURNS TO B.M. H-19. CAN BE USED AS A PERMANENT BENCH MARK	
B.M. H-19				6316.97	B.M. H-19 Ch. Set in 6" Pipe - South End Deer Flats on W. sd. Mt. Hawkins Rd. See L.S. 527-100	
	0.32	6316.29				
0+66			1.45	6314.5	Top of 2" Pipe	
			1.20	6315.0	ground.	
1+67			7.5	6321.5	Top of 2" Pipe	
			5.7	6320.6	ground	
T.P.			0.56	6315.73		
	11.61	6327.34				
2+26			11.0	6316.3	Top 1½" Pipe	
			9.2	6319.1	ground	
2+98			7.5	6319.8	Top 1½" Pipe	
"			5.7	6321.6	ground	
"						

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. ___ Pg. ___ Job No. ___ Division No. ___ Notes Red. ___ Plotted ___ Profile No. ___
Survey of ___ Date ___ Notes Chkd. ___ Checked ___ X-Sec. No. ___
Survey by ___ Notes ___ Date ___ Date ___
Indexed ___ Date ___

STATION	B. S.	H. I.	F. S.	ELEV.		
		6327.34				
3465?			2.0	6325.3	Top 1½" T	
"			0.5	6329.3	ground	
T.P.			0.265	6327.070		
	11.71	6338.785				
4455?			3.0	6335.8	Top 1½" T	
			4.2	6334.6	ground	
T.P.			0.28	6338.505		
	3.395	6349.90				
37622			9.0	6340.9	Top 1½" T	
"			9.1	6340.8	ground	
T.P.			0.34	6349.56		
	11.695	6361.255				
6704			12.7	6348.6	Top 1½" T	
"			11.0	6350.3	ground	
7+63?			2.0	6359.3	Top 1½" T	
"			0.0	6361.3	ground	
T.P.			0.54	6360.715		
	11.52	6372.235				
T.P.			0.625	6371.91		
	11.80	6383.71				

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		[illegible]				
P.T.C.S.			12 3	[illegible]	[illegible]	
"			[illegible]	[illegible]	ground	
T.P.			[illegible]	3223 [illegible]		
	1 CH.	2215 [illegible]				
T.P.			0 [illegible]	[illegible] 765		
	11 62	[illegible] 5				
10+42			11 [illegible]	[illegible]	Top 2" [illegible]	
			9 4	[illegible]	ground	
10+62			8 2	[illegible]	Top 2" [illegible]	
"			[illegible] 2	[illegible]	ground	
10+[illegible]			7 [illegible]	[illegible]	Top 2" [illegible]	
			5 [illegible]	[illegible]	grd	
T.P.			3 25	[illegible]		
	11 97	[illegible]				
[illegible]			[illegible]	[illegible]	[illegible]	
"			[illegible]	10 [illegible]	[illegible]	
11+82			[illegible]	157	Top 2" T	
"			2 [illegible]	159	[illegible]	
T.P.			[illegible]	6417 [illegible]		
	[illegible]	6429 [illegible]				

Plan for offset to pipe

No profile

Profile
No. _____ Notes Red. _____ Plotted _____ Job No. 22[illegible] Division No. _____
X-Sec. No. _____ Date _____ Date _____ Survey of _____ F. B. 5[illegible] Pg. 179
Notes Chkd. _____ Checked _____ Survey by [illegible] Notes _____ Date 5-23-40
Date _____ Date _____ Map No. CSB445-6 Indexed A. C. Johnson

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 6488 Pg. 180 | Job No. ____ Division No. ____ Notes Red. ____ Plotted ____ Profile
Survey of Crystal Lake Park No. ____ Date ____ No. ____ X-Sec.
Survey by Hallstrom Notes B.M.H Notes Chkd. ____ Checked ____
Indexed ____ Date ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
		6429 19				
2+00			4 3	6424 7	Top 2" Pipe	
			2 0	27 2	grd.	
T.P			0 23	6428 96		
	10 50	6439 46				
T.P			2 31	6427.15		
	6 21	6443 315				
B.M. "H-18A			2 16	6441 15	B.M. H-18A	Spk in S.T. in R.C. at E. end of 25' N of & Parall. to [illegible] 50' S of & Parall. to Cntr. of W. [illegible] of N. end of Deer [illegible] See Pg. 183
		ELEVS. FOR 60,000 gal. Water Tank at DEER FLATS				
B.M. "H-18A				6441.15	B.M. H-18A - See above	
	9 58	6450 73				
			6 00	6444 73	grade for outside edg. of 60,000 gal. tank	
			5 75	6444 98	grade for Cntr. of 60,000 gal tank	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
B.M. M-18A				6441 15		
	590	6447 05				
			88	6438 3	top pipe	
			69	6440 2	ground	
			69	6440 2	on pipe - 45° elbow	
			14	6445 7	top pipe - above grd. - 45° elbow	
			11	6446 0	top 6" fitting into tank for outlet	
			235	6444 70	bottm of tank.	

Profile Notes Red. Platted Job No. 1210 Division No. L. B. 648 Pg. 181
No. Date Date Survey of CRYSTAL LAKE PARK
X-Sec. Notes Chkd. Checked Survey by HELLSTROM Notes AMW Date 9-24-40
No. Date Date Map No. CS 8-44567 Indexed A. C. John Baker

L.B. 648 P.G. 182 | Job. No._____ Division No._____ Notes Red_____ Plotted_____ Profile

Survey of_____ Date_____ Date_____ No._____

Survey by_____ Notes_____ Notes Chkd._____ Checked_____ X-Sec.

Indexed A. C. Johnson Date_____ Date_____ Date_____ No._____

STATION	B. S.	H. I.	F. S	ELEV.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
B.M.				6586.95	Spk. in 4" Cedar [illegible] stop & tack 2.0 in. Sly Cor. Sec. [illegible]	
	2.62	6589.58				
T.P.			12.19	6577.39		
	0.91	6578.30				
T.P.			11.45	6566.85		
	0.45	6567.195				
2+41.8			1.34	65.86	Top Pipe	
			4.8	62.4	Top Ground	
3+00			2.06	65.14	Pipe on top of Ground	
+50			2.90	64.30	" " " "	
4+00			3.85	63.35		
T.P.			6.105	6561.09		
	4.57	6565.66				
4+50			3.04	62.62		
5+00			3.45	62.21		
+50			4.71	60.95		
6+00			5.71	59.95		
T.P.			6.86	6558.80		
	2.07	6560.87				

Profile
No. ____ Notes Red. ____ Plotted ____ Job No. ____ Division No. ____
X-Sec. ____ Date ____ Date ____ Survey of ____ F. B. 648 PG. 182
No. ____ Notes Chkd. ____ Checked ____ Survey by HELLSTROM Notes ____ Date 7-24-23
Date ____ Date ____ Map No. CS 8445-7 Indexed A. C. Johnson Date ____

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. L48 Pg. 184 | Job No. 7111 Division No. | Notes Red. | Plotted | Profile
Survey of | Date | No.
Survey by A. N. HELLSTROM Notes | Date | Checked | X-Sec.
Indexed A. C. Johnson Date | Notes Chkd. | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.
		6560 87		
6+50			1 65	59 22
7+00			2 55	58 32
+50			3 12	57 75
8+00			4 25	56 42
+27			4 70	56 17
T.P.			4 47	6556 37
	2.79	6559 18		
+50			3 24	55.94
+975			4 00	55.18
9+30			3 99	55 19
+49			4 92	54 26
+55			5 20	53 98
10+00			6 26	52 92
T.P.			6 58	6552 60
	1 79	6554 39		
+50			2.23	52.16
11+00			3 35	51.04
+50			6 02	48 37
+87			7 52	46 87
			8 37	6546 02

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
				6542 02		
	2 53	6544 55				
12+44.5			2 05	42 50	T. for Vert.	
+56			3 00	42 55		
13+20			11 00	37 55		
T.P.			12 02	6536 53		
	0 82	6537 35				
13+66.3			7 20	6530 15		
T.P.			11 71	6525 64		
	0 92	6526 56				
14+37			8 30	18 26		
T.P.			11 92	6514 64		
	0 72	6515 36				
15+11			9 10	06 26		
T.P.			11 98	6503 38		
	0 33	6503 71				
16+12			11 55	6492 16		
T.P.			11 76	6491 95		
	0 76	6492 71				
16+57.5			8 29	82 42		
16+78.2			10 95	81 76		

Profile No. _____ Notes Red. _____ Plotted _____ Job No. _____ Division No. 7711

X-Sec. No. _____ Date _____ Date _____ Survey of _____ F. B. 6410 Pg. 185

Notes Chkd. _____ Checked _____ Survey by HELLSTROM Notes E.S.T. Date 7-22-40

Date _____ Date _____ Map No. C.S. 445-7 Indexed A. C. Johnson

No profile

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Profile No. ____ X-Sec. No. ____

Survey of ____ Plotted ____ Date ____

Survey by A. N. HELLSTROM Notes ____ Checked ____ Date ____

Indexed A. C. Johnson Date ____ Notes Chkd. ____ Date ____

Job No. ____ Division No. ____ Notes Red. ____ Date ____

F. B. 448 PG. 186

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		644.71				
T.P.			11.97	632.74		
	0.72	643.48				
17+[illegible]			4.18	[illegible]		
T.P.			4.58	638.90		
	0.41	643.30				
17+40.0			1.37	[illegible]		
+89			4.15	639.15	Top L.	
+59			4.71	638.59	Bot. L.	
18+02			11.83	[illegible]		
T.P.			12.05	638.26		
	0.83	639.09				
T.P.			11.62	637.47		
	1.17	644.88				
18+83			2.15	642.73	Top Pipe	
+75			16.3	628.3	Bot [illegible]	
19+08			7.71	[illegible]		
+35			4.30	[illegible]	Top of 24" RCP Stand	
Ent. H 189			7.52	[illegible]	Cut Set N+T in base 48" Pipe 2.5'± N of Mon. [illegible] Tel. 5'± S El. 644.11 per F.B. 448-180 (of Tank at Mon. [illegible] Conc. Slab	

18+
19+85
19+85

Notes Ck'd by	Survey of CRYSTAL LK PARK
Map No. CS 10 445-7	W. O. 7910 Tape No. St'd °F
Office Work MPA-10/25/40	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date 10-17-40
Date	Indexed A. C. Johnson 12-4-40

F.B. 648 Pg. 187

LOCATION
of
4 STEEL TANKS and CONNECTIONS
at
BIG CANOE

FOR LEVELS
SEE pg. 189

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
				6580.35	Spk W.S.T. in 18" Cedar near stake 7 to S.D. B.M. Socket at Big Cienega pr L.B. 527-114	
	3.21					
			6.72	6583.41	Top of top of W	
			5.82	24.21		
			1.63	88.53	Top of 2 rock	
			13.4	74.2	Top of	
			13.6	74.55	Top of 7	
			4.17	83.39		
			6.0	84.2		
			10.4	74.8		
				6575.32		
	1.39	9 5.42				
				71.01	Top	
			5.22	6983		
			8.75	69.69	" 4"	
					ELEV. [illegible] 4" [illegible] TANKS AT BIG CIENEGA for plan [illegible]	

Profile

No. _____ Notes Rod. MSA. Plotted _____ Job No. _____ Division No. _____

X-Sec. _____ Date 10/25/40 Date _____ Survey of _____

No. _____ Notes Chkd. _____ Checked _____ Survey by HELLSTROM Notes _____ Date _____

Date _____ Date _____ Map No. CSD 445-7 Indexed _____ Date _____

F. B. 6[illegible] PG. 189

F. B. 648 PG. 190 | Job No. 7910 Division No. | Notes Red. | Plotted | Profile

Survey of Central Ave. Park | Date | Date | No.

Survey By N. HELLSTROM Notes 9 N H | Notes Chkd. | Checked | X-Sec.

Indexed | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Ck'd by Drew	Survey of CRYSTAL LK. PK.
Map No. C.S.D. 445-67	W. O. 7910 Tape No. St'd °F
Office Work 10/28/40 M.F.A.	Surveyed by A. N. HELLSTROM
Checked Drew	Notes A.N.H. Date 10-17-40
Date 12-30-40	Indexed A. C. Johnson

F.B. 642 PG. 191

298.91 @ 0.770 = 298.88
136.55 - 4.447 = 136.17
136.52 - 21.7 = 136.17
435.05 Avg.

LOCATION OF TOILETS
ON
DEER FLATS

Set 1x2 Offset 1 ft. W.

N.&T. in 18" pine

435.05

4+06.51 going N.
C-12
1x2 pr pg 165

23?

3+54.4 going N.

27°

33?

3+32.5 going N.

36?

6° 7°

Gate Tie
Toilets

C-13
1x2 pr pg 165

96?

3+16.8 going South.

94?

0+27.7

85?

0+81.2

84?

0+57.2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 648 Pg. 192

LOCATION OF TOILETS ON DEER FLATS



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by Drew	Survey of Crystal Lk. Park
Map No. C.S.D. 445-6	W. 07910 Tape No. 62 St'd 64°F
Office Work MSA. 10/30/40	Surveyed by A. N. HELLSTROM
Checked Dr. Ewe	Notes A.N.H. Date 10-17-40
Date 12-30-40	Indexed A. C. Johnson

F.B. 648 Pg. 193

LOCATION
OF
Service Road into Lake (Average Width 10 Ft)
FROM
Exit Road from Lake

No Profile

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

Cont on pg. 195

F.B. 648 Pg. 194



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by DPCW	Survey of CRYSTAL LK. PRT	P.B. 648 Pg. 195	
Map No. ~~CSB-445-6~~	W. O. 2919 Tape No. 67 Std 84°F		
Office Work MCA-10/30/40	Surveyed by A. N. HELLSTROM		
Checked DPCW	Notes A.N.H Date 10-17-40		
Date 12-30-40	Indexed A. C. Johnson		

Cont. on pg. 196

D = 13°-31'-00"
R =
T =
L =
E = 1°

T 127.34

127.34

16°-29'-00"

℄ 166°-29'-00"
℄ 305°-56'-10"
166°-29'-00"

PI "7"
Set 1"x1"

℄ 128.47 ≈ 7-37 T80 = 127.34
℄ 128.40 ≈ 7-25 T" = 127.33
Avg 127.34

℄ 96.48 ≈ 9-10 T80 = 95.25
℄ 96.39 ≈ 8-52 T" = 95.24
Avg = 95.24

℄ 143°-43'-50"
℄ 214°-55'-20"
143°-43'-50"

PI "6"
Set 1"x1"

143°-43'-50"

D = 36°-16'-10"
R =
T =
L =
E = 3°

℄ 142.07 ≈ 9-28 T80 = 140.14
℄ 141.94 ≈ 9-09 T" = 140.13
140.14 Avg.

140.14

N 24°-30'W Bdy

PI "5"
Set 1"x1"

D = 31°-56'-40"
R =
T =
L =
E = 3°

148°-03'

℄ 148°-03'-10"
℄ 232°-13'-20"
148°-03'-30"

9.32

P.I. "4"

Cont. from pg. 194

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

F.B. 648 Pg. 196



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by DrCW	Survey of CRYSTAL LK. PRK.
Map No. C.S.B. 44-5-6,7	W. O. 2912 Tape No. ___ St'd at ___ °F
Office Work R.W. M.S.A.	Surveyed by A. N. HELLSTROM
Checked DrCW	Notes A.N.H. Date 11-19-40
Date 12-30-40	Indexed A. C. Johnson

F.B. 648 Pg. 197

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

LOCATION
OF
POWER and PHONE LINES
AS
OF Nov. 1940

Poles from old Construction Camp To South Bdy of Park — pgs. 197-201

Edison Line - Southern W. Pine Flats — pgs. 202

Spur Line To Low or Gate Admin. Bldg. — pgs. 203

Poles from Transformer To Lake — pgs. 205-207

Poles from Transformer North to Camp Grounds — pgs. 209-214

Poles to Upper Comfort Station and Trailer Connects. — pg. 215

Poles from Camp Grounds to Big Cienega — pgs. 209-220.

Poles to Pine Crest — pg. 216

F.B. 648 Pg. 198


RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Cont'd on Next Sht. 199
Angle Pt.
R.S.T.P.
Ang. Pt.
117°
269.65
113°-27'-50"
92.46 ° 7-57 = 91.57'
178.44 ° 3-38 = 178.08'
269.65
P.P. with
Ang. Pt.
P.P. with
(Large Transformer)
P.P.
134°
82°
132°-28'-05"
214.14 ° 4-41 = 214.02'
214.02
C.S. Mon.
204-A-3
174°-20'-40"
2746.43
174°-20'-40"
6°-55'-35"
2746.43
6°-55'-35"
13°-51'-10"
POLES FROM LINCOLN
CONST. CAMP TO
SOUTH BDY OF RANCH
N-6823.37
E-10768.98
C.S. Mon.
ST. A. C-6
0+00
See F.B. 135-65
247.46 ° 5-14 = 246.43'
Temp 50°F - Very Windy
COUNTY LINE (P.-1.)

Notes Ck'd by Dr ewn
Map No. CSB 445-6.7
Office Work RW+YFA
Checked Drewn
Date 12-30-40

Survey of CRYSTAL LK. PARK
W. 0.7910 Tape No. St'd °F
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date 11-19-40
Indexed A. C. Johnson

F.B. 645 Pg. 197

Cont. on next pg. 200

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

Cont. on next pg. 198

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by PV Cam	Survey of CRYSTAL LK. PARK
Map No. CSB445-6	W. O. 2910 Tape No. ____ Std ____ °F
Office Work RW.MFA.	Surveyed by A. N. HELLSTROM
Checked PV Cam	Notes A.N.H Date 11-20-40
Date 12-30-40	Indexed A. C. Johnson

F.B. 648 PG. 201

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

Sta 1+0
287 @ 5-18 = 285

Sta 1+0
335 @ 17-00 = 306

① 175°-56'-20"
② 351°-52'-20
175°-56'-10

N - 4685.73
E - 9322.07
C.S. Mon. & B. Cor.
Park Bdy. #17
See F.B. 135-102

New U.S. T.P.

T.P. (old U.S.)

30.4

248'

225'

05

T.P. (New U.S.)

T.P. old U.S.

113°

172°-51'-00"

177°-30'-00"

Edison double Pole

292'

-10"

T.P. old U.S.

29+58.4
Set (x) in rock

-56'

162°-33'

119°-54'-00"

30°-0'

19°-37'-0"

157°

T.P. (old U.S.)

T.P. Brg. P13

Cont. from pg 200 Rt Sd

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 448 Pg. 202

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by _____
Map No. CS 13445-67
Office Work R.W.M.A.
Checked _____
Date 12-30-40

Survey of _____
W. O. 7716 Tape No. _____ Std. _____ °F
Surveyed by _____
Notes A.M.A. C. Date 11-22-40
Indexed _____

F.B. 6448 Pg. 203

POLES TO LOWER U.S. RANGER STATION Near Lower Gate.



Cont. from bottom pg. 200

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 648 PG. 204

Notes Ck'd by Drew	Survey of CRYSTAL LK FDR
Map No. CSD-445-G	W. O. 7912 Tape No. Std °F
Office Work	Surveyed by N. HELLSTROM
Checked Drew	Notes D.K.H. Date 11-22-40
Date 12-30-40	Indexed A. C. Johnson

F.B. 678 Pg. 205

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Cont'd on Next Pg. 206

TP 1°

275.08 Tot 12 N 78-30 W 1147

Station 11 ft Pt. 113 pr pg. 112

N 5006.52
E 8433.27

℄ 16' prd Highway

STA. 24+
TP 2
CS. Mon
pr pg 119

318.46

Pt. 111 2x2 Mon pg 119

745.06

294.65 = 21-00 E
275.07

8+20
Set 1x2

TP 2°

1763

3°-32'-40"

15°-45'-30"

177°-32'-10"

TP 2½

TP 3°

920'

Cond's S 22° W 2.0

Poles

Telephone

TP 3½

287' span (?)

TP 1°

Temp. 38° F., Cloudy.

Set 1x2 at 100 yards N.

TP

Poles

FROM TRANSFORMERS
TO
LAKE

TP

Line of poles going to Indian Camp are already shown on topog.

For this Line of poles to North See pg. 209

FORM 247 BM 10-39

F.B. 648 PG. 206

Cont. on pg. 207



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Drew	Survey of CRYSTAL AIR PARK	F.B. 243	Pg. 207
Map No. C.S.B. 445-6	W. O. [illegible] Tape No. St'd °F		
Office Work RW.MS A	Surveyed by A. N. HELLSTROM		
Checked Drew	Notes A.N. Date 11-22-40		
Date 12-30-40	Indexed C. Johnson		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. [illegible] Pg. [illegible]

Notes Ck'd by DVCW	Survey of CRYSTAL LN. PROP	F.B. 648	Pg. 201
Map No. CSB-4456.	W. O. 2914 Tape No.	St'd °F	
Office Work RW-DASA	Surveyed by A. N. HELLSTROM		
Checked DVCW	Notes A.N.H.	Date 11-22-43	
Date 12-30-43	Indexed	A. C. Johnson	

Cont. on pg. 414

POLES from TRANSFORMERS North to Canyon Rock

2° ± P.S.T.P. "A"

1° ± P.S.T.P.

2° ± P.S.T.P.

2° ± P.S.T.P.

2° ± P.S.T.P.

1° ± P.S.T.P.

1° ± P.S.T.P.

T. 123.80 C.

137°

136°

126°

107°

N 10° 23' E

1075.31

1212.31

974

Set 1x2 O.T.S. going N.

163° 27' 00"

36°

299.87 @ 4-11 = 299.05
298.75 @ 6-10 = 297.02
296.28 @ 9-14 = 292.44
178.28 @ 1-56 = 178.18
8.62 @ 0-0 = 8.62
1075.31

P.S.T.P. with elec. Transformer

1/2 of paved road

P.S.T.P.

P.S.T.P.

See pg 205

136°

P.S.T.P. — See pg. 205

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 648 PG. 210

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by DY EW	Survey of Crystal Lk Rec	F.B. 644	Pg. 211
Map No. C.S.B-445-6,7	W. O. 7914	Tape No.	St'd °F
Office Work R.W.M's A.	Surveyed by A. N. HELLSTROM		
Checked DY EW	Notes	Date 11-22-40	
Date 11-30-40	Indexed A. C. Johnson		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

Cont. on Pg. 212

23+89.80
Ang. Pt
Set 1x2

536.52

0° 05' - P.S.T.P. Ang. Pt.

4° 12' - P.S.T.P.

4° 18' - P.S.T.P.

4° 12' - P.S.T.P.

5° - P.S.T.P.

507.05

Δ 171°-52'-00"
Δ 342°-44'-00"
171°-52'-00"

209.32 @ 5-20 = 208.41
299.25 @ 3-44 = 298.64
507.05

Δ 135-57-40"
Δ 271-55-20"
135-57-40"

3° - P.S.T.P. - Ang. Pt.

2°

18482.73
Ang. Pt.
Set 1x2

S 61°-57'-40" E

N 72°-30' W 184.65

2° - P.S.T.P.

102°

2° - P.S.T.P. Ang. Pt.

182.67 @ 6-04 = 181.65

Δ 150°-52'-30"
301°-45'-20"
150°-52'-40"

17401.10
Ang. Pt.
Set 1x2

150°-52'-40"

150.00'

Trail

135.12

Cont. from pg. 214

F.B. 648 PG. 212

292.82 @ 2-30 = 292.54

271.89 @ 6-17 = 270.26

@ 35°-16-20"
@ 70°-33-00"
35°-16-30"

223.68 @ 4-34 = 222.97
297.28 @ 4-55 = 296.19
151.41 @ 5-45 = 150.65
669.81

@ 159°-44-20"
@ 319°-29-00"
159°-44-30"

264.00 @ 4-44 263.10

@ 65°-42-20"
@ 131°-24-30"
65°-42-15"

@ 85°-13-00"
@ 170°-26-30"
85°-13-15"

241.29 @ 4-41 = 240.49

@ 146°-24-45"
@ 292°-48-00"
146°-24-15"

@ 154°-52-10"
@ 309°-44-40"
154°-52-20"

@ 16°-42-00"
@ 33°-24-00"
16°-42-00"

34+37.07
Set 1X2

699.39

T.P.

T.P. - B

154°-52'-20"

T.P.

135°

207

T.P.

P.P. with Service to 2 Tents and Woodshed

26'

Set 1X2

31+66.81
Set 1X2

159°-44'-30"

164'

Cont. on pg. 215

P.P. with Service to Ranger 6047

36°

15.5

45.5

P.O.T.P.

240.49

35°-16'-30"

P.P.

22°

T.P. - 4 Wires

173 Approx

669.81

Cont. on pg. 215

Remove (P)

To be Removed

R1.2
2X2
Pr pg. 18

137°

P.O.T.P.

29+26.32
Ahead
Set 1X2

352.52

+16°42'-00"

103.25

R1.1
L&T. pr pg. 18

P.O.T.P.

125.5

(P.O.T.P. with Switch for Hot Tub Room)

140°

292.54

85°

42.15

65°

P.P.

86°

27+37

123°

27+00

Small Service Pole with Transformer, Box - Power to Ranger's Trailer

536.52

P.O.T.P.

138.5

P.O.T.P.

23+89.80
1X2 pr

Cont. from pg. 211

Cont. on pg. 213

21.12

52.44

164.91 = 5-1/3

1/6 - 24

53.52

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by Drew	Survey of CRYSTAL KI- POOL
Map No. C.S.B. 445-7	W. O. 3914 Tape No. St'd °F
Office Work	Surveyed by A. N. HELLSTROM
Checked Drew	Notes A.N.H. Date 11-27-40
Date 12-30-40	Indexed A. C. Johnson

F.B. 648 Pg. 213

Cont. on pg. 214

POLES to Dance Hall and Amphitheatre

P&TP

944.17

P&TP

148° 214°

P&TP

148°

P&TP

123.7

72°-16'-00"

P&TP

(Pole * 1/2) P&TP with Small Transformer & Meter and Switch Box Near Store

131.27 @ 0-0 = 131.27
217.58 @ 0-0 = 217.58
298.33 @ 3-48 = 297.67
298.51 @ 4-20 = 297.65 7+53.05
944.17 Set 1X2

@ 73°-16'-00"

℄ 22' pvd Rd

125.0

7+27

254.5

WIRES

P&TP

223.74 @ 3-22 = 223.35

223.35

P.P. with Search Lite

@ 165°-14'-30"
@ 330-29-20"
165-14-40"

P&TP Ang. Pt.

5+29.70 Set 1X2

C.S. Mon. Base Line B"L"

89.26 @ 0-0 = 89.26
147.94 @ 1-22 = 147.90
237.16

P&TP

237.16

WIRES to Comfort Station

This line of poles is in but not E wires. The old line is in a little West of this line. Old Lines to be removed.

2+92.54 ga. at ℄ Set 1X2

P&TP with guy

P&TP

292.54
542.0
Mag

Cont. from Rl. 212 pg. 212

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by Drew
Map No. C.S.B. 445-7
Office Work
Checked Drew
Date 12-30-40

Survey of Crystal Lake Park
W. O. 7910 Tape No. St'd °F
Surveyed by A. N. HELLSTROM
Notes AN/L Date 11-27-40
Indexed A. C. Johnson

F.B. 64 Pg. 215

POLES to Upper Comfort Station and Trailer Camp

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

Small P.P. with connects to Poly Meters

Set N.T.

Small P.P.

Small P.P. Ang Pt

Small P.P.

Small P.P. - This is new pole that will eventually take the line thereby

C.S. Mon. Base Line B-2

Set N.T.

Ang Pt Small P.P. with Service Line to Upper Comfort Station

This line to be removed and placed on line West as shown here

Pole "A"

P.P.

P.P.

P.P.

P.P.

℄ of Rd

Noted-M.C.A.

173 Approx.

Cont from pg. 212

F.B. 648 PG. 216

POLE LINE from Camp Grounds to BIG CIENEGA

C.S.D-4457



153.47 @ 7-44 = 251.79
84.89 @ 11-34 = 83.19
334.76

253.56 @ 7-07 = 251.60
105.71 @ 8-12 = 104.63
356.23

271.39 @ 5-06 = 270.32
269.17 @ 4-46 = 268.24
161.25 @ 4-09 = 160.83
699.39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by Drew	Survey of CRYSTAL LK. PARK	F.B. 648	Pg. 219
Map No. CSB-445-7	W. O. 7910 Tape No. St'd °F		
Office Work R.W. MSA.	Surveyed by A. N. HELLSTROM		
Checked Drew	Notes A.N.H. Date 11-25-40		
Date 12-30-40	Indexed A. C. Johnson		

Cont. on pg. 220



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

FORM 247 5M 10-39

F.B. 648 PG. 220



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Notes Ck'd by Drew	Survey of CRYSTAL LK. PARK	F.B. 648	PG. 217
Map No. C.S.D. 4457	W. 0.7912 Tape No.	St'd °F	
Office Work R.W.M.F.A.	Surveyed by A. N. HELLSTROM		
Checked Drew	Notes A.N.H.	Date 11-28-40	
Date 12-30-40	Indexed A. C. Johnson		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

See Top pg 220

T.P.

80'±

382.53

T.P. - Bay Pt

℄ of Road to Mt. Hawkins

547+52.48 going N
207+03.86 going S
Set 1x2

D 188°-32'-20"
E 317°-04'-20"
158°-32'-10"

T.P.

212.32 @ 11-18 = 208.21

208.21

T.P. Bay Pt

52+45.27
Set 1x2

D 126°-20'-40"
E 252°-40'-20"
126°-20'-10"

T.P.

1032

TP Bay Pt

249.94 @ 6-24 = 248.32'

49+96.89
Set 1x2

D 151°-33'-40"
E 303°-07'-20"
151°-33'-45"

172.520 11-12 = 169.24

169.24

T.P.

T.P.

D 165°-20'-30"
E 330°-41'-00"
165°-20'-30"

48+27.65
Set 1x2

334.96

Cont from pg. 216

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

C.S.B. 4457

F.B. 648 PG. 218



Notes Ck'd by Dr ewl	Survey of CRYSTAL LK. PARK
Map No. CSD.445-7	W. O. 7910 Tape No. St'd °F
Office Work RW.McA	Surveyed by A. N. HELLSTROM
Checked 12-30-46	Notes A.N.H Date 11-28-46
Date Dr ewl	Indexed A. C. Johnson

F.B. 648 PG. 221

LOCATION
of
¾" Water Line at Rangers House
on N. side of Road to Lake
Near where Lake Road starts
from Camping area

Y-2
1X2
5709.86
pi FB 462-208



Y-1
1X2
FB 462-208

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 648 PG. 222

Profile No._____ Notes Red._____ Date_____ Plotted_____ Date_____ Job No._____ Division No._____ Survey of_____ F. B. _____ PG. _____

X-Sec. No._____ Notes Chkd._____ Date_____ Checked_____ Date_____ Survey by_____ Map No._____ Notes_____ Indexed_____ Date_____ Date_____

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 10-37

F. B. PG. | Job No. | Division No. | Notes Red. | Plotted | Profile

Survey of | Date | Date | No.

Survey by | Notes | Notes Chkd. | Checked | X-Sec.

Indexed | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.	

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by	Survey of	F.B.	PG.
Map No.	W. O. Tape No. St'd of		
Office Work	Surveyed by		
Checked	Notes Date		
Date	Indexed		

Horz. Ang. to Right at B-2 from N. Base	Dist.	Vertical Angle	Corr. Dist.		Remarks
155-56	61.1	—	61.1	Beg. Line A	A Line 74.0 Long
131-01	111.0	—	111.0	4 Pl. "	
129-20	123.3	—	123.3	End Line A	
139-32	120.3	3-29		" " B	B Line 60.5 Long
164-25	75.8	—	75.8	Beg " "	
169-49	94.4	6-44		" " C	
172-09	109.8	6-37		" " D	
159-00	127.2	5-48		137 4 Pl. " "	
				From B to C	272.5 Long
				A to B 189	
				B to C 194	
				C to D 154	
155-07	136.4	5-02		2nd Line D	

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B._____ PG._____

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by_____
Map No._____
Office Work_____
Checked_____
Date_____

Survey of_____
W. O._____ Tape No._____ St'd._____ °F.
Surveyed by A. N. HELLSTROM
Notes_____ Date_____
Indexed_____

F. B._____ PG._____

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. _____ PG. _____