Notes Ck'd by

Survey of AGUA DULCE RD F.B. 683 Pg 3
W. 08167 Tape No. 52 St'd 84°F.
Surveyed by Johnson
Notes H.S.& A.E. Johnson Date
Indexed 11-19-36

J.N. 8167

AGUA DULCE ROAD

CENTER LINE SURVEY

&

SURVEY for LINE CHANGE

from

[illegible] CAÑON Hwy

To

ESCONDIDO RD

C.S.B-1312

[illegible]hnson
[illegible]-for
VAN HORN
G.S. Morse.
CO[illegible]

See Pg 1

FORM 347-10M-11-36

F.B. _____ PG. _____



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No. R-1312
Office Work
Checked
Date

Survey of Azusa Duarte Road
W. Of Citrus
Surveyed by Johnson
Notes M.S.U. Johnson
Indexed

Tape No. St'd at °F.
Date 10-22-36

F.B. 688 Pg. 7

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red** Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by McPherson	Survey of Aqueduct Conn. #1
Map No. B-1312.	W. 0.816 Tape No. 5 St'd 84 °F.
Office Work	Surveyed by Johnson
Checked	Notes H.T.J. Date 10-22-36
Date	Indexed A. C. Johnson

F.B. 683 PG. 7

To Bot Next Pg.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 683 PG. 8

To Bot Next Pg 9

T=70°
300.00 @ 3-49 = 299.30
T=70°
279.63 @ 2-28 = 279.34
T=70°
73.89 Level = 73.88
T=74°
94.81 Level = 94.81
74733

Proposed ℄
632.58
7+17.33

7+21.86
4" Dia Pipe Post
4" Dia Perc S. 82 E
Ref. F.B. MS-123

Found P with Brass Cap Per C.S.B. 39 P.B. 176-97 Marked as Shown

7+27.75

Sec 14 Monument

Surveyors Monument County

4+96.43

T=74°
299.57 @ 3-25 = 298.77
51.87 Level = 51.81
351.68

Δ = 15°49'50"
R = 500.00
T = 69.52
L = 138.15

5+85.6
5+76.0
5+75.9
5+14.1

Proposed P.I.

Split of ℄

Fd. 2" IP 2' Above Perc S. 82 E

30' Road

3+58.28

C.V.C. 3-2-37
See Pg 8A For New ℄

22.37

PROPOSED LINE CHANGE
Curve Prod. from South

89.15

371.02

From Top Rec. Pg.

From Rt. Side Pg 6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by McPherson	Survey of Agua Dulce Canyon Rd F.B. 683 Pg. 8A
Map No. B-1312	W. O. 8167 Tape No. 65 St'd 34° F.
Office Work	Surveyed by C.V. Crumley
Checked	Notes Date 3-[illegible]-37
Date	Indexed

Cont'd To Blueprint Page [illegible]

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

30 30
60

3+70.64 P.O.T.
Nothing Set.
C.V.C.

Angle Point
Set 2x2 Stake. See fg. 8.

AGUA DULCE CN. RD.

Line Change wanted by the Road Dept. Feb. 1939.

(See pg 8 for topog.)

161.59

Angle Point
Set 2x2 Stk. See fg. 7

370.64
Calc. C.V.C.

371.02

Proposed Right of Way Lines

(Cal.) (Cal.)
(Cal.) (Cal.)

Calc. C.V.C.
721.48
Proposed ℄

225.50

89°16'20"

Set Nail See fg. 6.
Fd. Nail. See fg. 6.

Fd. State Highway Cor. Mon. See fg. 6
Fd. Leads To Rod. See fg. 6.

42.23
30.08
4.56
49.96
0.51
50.04

Leads To Rod See fg. 6

0+00 To South

Set Cut Spike If Not Tonq. Tie

F.B. 683 Pg. 8 B.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M=Pherson	Survey of Aqua Dulce Canon Rd.
Map No. B-1312.	W. O. 8167 Tape No. St'd ° F.
Office Work	Surveyed by Johnson
Checked	Notes H S U Date 10-22-36
Date	Indexed A. C. Johnson

F.B. 688 Pg. 9

To Bot. Next Pg. 10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

20+67.89 P.O.T. Set 2x2 6"Dn.

Fd 2" I.P. in Conc. with Brass Cap Per C.S. 8289 & F.B. 46-123 as shown

SURVEY MONUMENT
COUNTY
23
14

T=76°
245.24 Level

602.13

1396.87

529.55

From 12 P.I.

T 78°
299.99 @ 1-38 = 299.86
T=78°
194.51 Level = 194.51
T=78°
299.21 @ 0°-36 = 299.19
237.09 @ Level = 237.08
254.61 Level = 254.60
T=80° 111.63 " = 111.63

299.86
194.51
299.19
1.18
794.74

1396.87

15+46.60 from N =
15+38.34 going S.

F.S.W.+T. Down 18" Per C.S. 5259 & F.B. 46-123

See Pg. 8B For New ℄ And Equation C.V.C. 3-2-27

I.P. Set 2x2 6" Down By Instr.

E.C. 15+60.61

22.27
27.64
0.15
0.14
10.00
19.80
46.39
27.22
19.1
15.1

Fd 2" I.P. 1" Down (Has been disturbed by Grader) 2 Brass South) Per C.S. 8289 & F.B. 46-123

Δ = 26-40-50
Δ = 13-20-25
R = 400
T = 94.85
L = 186.27

B.C. 13+74.34

Fd 2" I.P. Per C.S. 8289 & F.B. 46-123 4" Down

153+19-15
253-16-30
153-19-07½

245.24
140.61
261.94
299.19
35.25
245.62
194.86
256.58
189.24

T=76° 1918.37 = 1918.27

13+60.33

632.50

From Tan. Prec. Pg.


F.B. 683 Pg. 10
To Bot Next Pg. 11
179-40-15
358-41-00
179-40-15
Fd 2X2 Tck Per C.S. 8289 & F.B. 46-124
Fd 2" I.P. in Conc With Brass Cap Per C.S. 8289 & F.B. 46-114
1/4 Sec Cor.
Fd S. w/T. Per F.B. 598-219
P.I. E 35+40.00
Fd 2" I.P. & Nail Flush Per C.S. 8289 & F.B. 46-124 F.B. 598-219
Fd 2" I.P. & Nail Flush Per C.S. 8289 & F.B. 46-124
Fd 2X2 Tck Per C.S. 8289 & F.B. 46-124
30+49.13
30+48.94
153-18-45
Δ = 26-41-15
R = 400
T = 94.88
L = 186.31
P.I. 'D' Set 2X2 6" Down By Iron Pipe
Sct 2X2 12" Under
Fd 2X2 Tck Per C.S. 8289 & F.B. 46-123
Fd 2" I.P. & Nail Flush Per C.S. 8289 & F.B. 46-124
Fd 2" I.P. & Nail Flush Per C.S. 8289 & F.B. 46-124
MOUNUMENT
COUNTY SURVEYORS
22 23
14 1/4
F/E From Top Prec. Pg. 9
RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS
Do not extend notes this side of this line
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by MS Pherson	Survey of Agua Dulce Canyon Rd
Map No. B-1212	W. O. 2167 Tape No. 57 St'd 72 °F.
Office Work	Surveyed by Johnson
Checked	Notes A.S.V. Date 10-26-56
Date	Indexed C. Johnson

F.B. 683 PG. 11

To Bo Next Pg 12

84.8 49+60

49-30E

Fd 2x2

17.8

22.3

42.1 44+30

39.6 46+69

25.4 46+28

23.7

46+00

23.0

F.C. 44+96.2

T: 7'8

300.00 @ 1-09 : 299.93

125.30 Level

110.38 "

115.96 "

351.64 Level = 351.63

651.56

Δ = 26-17-00

R = 500'

T = 116.74

L = 228.37

FX = 13.45

① 153-43-00

② 254-52-00

153-43-00

Fd 2x2

341

42+68

pt. in Fence

215.0

S 57 E

216

40+00

3P+84

38+64

7.5

N 26° 57' 43" W

From Top Pres. Pg. 10.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-48

F.B. 683 PG. 12

To Bot Next Pg. 13

1148.50 = Prop Dist

1148.30 = Rec

946.26 to B.C.

T = 10°

299.43 @ 1°15' = 299.33

299.87 Level = 299.84

169.47 Level = 169.45

300.37 " = 300.34

T = 76° 79.54 = 79.54

11 18.50

Rec =
Δ 163-43-00
Δ 294-52-00
163-43-00

E.C. Sta 73.12

163-43-00
294-52-30
163-43-07½

R = 500
T = 272.73
L = 142.09

Fd Old Bg Hog 2X2
Replaced with new

71.53

163-43-00

B.C. 50+31.09

Fd 1X2 + Tck
6" Down

534.82

6.51.56

From Top Prec Sh 11.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. Hanson	Survey of Agua Dulce Canyon Rd
Map No. B-1312	W. O. 8167 Tape No. 57 St'd 84° F.
Office Work	Surveyed by
Checked	Notes Date 6-27-86
Date	Indexed C. Johnson

F.B. 683 Pg. 13

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7OD HALL OF RECORDS

FORM 247 10M 11-85

To Bot Next Pg | To Bot Pg. 2-3

T=74
298.60 @ 0°-46 = 298.55
65.70 Level = 65.70
230.32 " + 230.30
594.55

T=74°
212.75 @ 2-39 = 212.47
85.99 @ 1-36 = 85.48
327.72

POT 67+97.28
Set 1x2 Flush

Prop. Dist.
594.55 = Rec Dist.
587.81
496.81

①162-25-00
②289-40-00
162-25-00

①162-24-15
②289-39-00
162-24-45

①169-35-45
②318-23-00
169-35-45

T=74°
300.51 Rad 400.49
287.41 @ 5°-22 = 287.36
587.85

PROPOSED LINE CHANGE

63+00.97

Δ=10°24'15"
R=1000
T=91.04
L=181.59

PI 74
Set 3/4" I.P. By Proportion
3' Down

Present ℄
Δ=17°35'00"
R=500.00
T=77.33
L=153.44

39.67
0.24
5-43°-15-25"
Set 1x2 Peg

PI 71
Set 3/4" I.P. Plug in
12" Down For
Proposed ℄ Pt

11+48.50 Proj Dist
11+48.36

61+19.38

From Top Sht Pg 12

F.B. 683 Pg. 14



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by McPherson	Survey of Agua Dulce Canyon Rd
Map No. B-1312	W. O. 8167 Tape No. 57 St'd 64 °F.
Office Work	Surveyed by Johnson
Checked	Notes A 9 Date 10-20-36
Date	Indexed A. C. Johnson

F.B. 683 PG. 15

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

To Bot Next Pg

491.64 Prop. Dist

491.44 Rec.

T 80°
300.00 @ 1-37 = 299.87
191.57 Level = 191.57
491.44

T 80°
300.00 @ 1-37 = 299.87
191.77 Level = 191.77
491.64

155-56-30
263-46-00
155-56-30

PI. J.
Sqt 3/4 I.P.
Plug & Tck
BC Prop.
12" under

0.13
S 14° 00 E

Set 1x2 Rec

Rec
155-56-15
263-46-30
155-56-07½

Δ = 24°03'30"
R = 400
T = 85.24
L = 167.96

155°56'30" Rec

Rec

26.38 2J = 80.

From Tap Rec. Pg

F.B. 683 PG. 16

To Rt Side Next Pg



From Tap Prec. Pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by [illegible]	Survey of AGUA DULCE CANYON RD.
Map No. B-1312	W. O. 8167 Tape No. S1 St'd 84° F.
Office Work	Surveyed by Johnson
Checked	Notes H S Date 10-31-46
Date	Indexed Jan. C. Johnson

F.B. 683 PG. 17

T=72°
210.23 @ 2-03 = 210.08 ✓

P.I. "M"
Fd 2" I.P.
36" Under
Per F.B. 46-116

P.I. "M"
Fd 2" I.P. in Conc. With
brass cap Mkd As Shown
Per C.S. 8789 & F.B. 46-116 & 126

set 2x2
6" Under

0.15

210.08

88°-52'-15" ✓

394.58

MONDELL

COUNTY

22-4-23 W.M.

GRAVEL

PROPOSED LINE change

From 16

33.79 Level
T=74° 299.35 @ 1-29 = 299.23
108.80 Level = 108.79
49.93 " = 49.93
457.95 ✓

88-52-15 ✓
355-29-00 ✓
88-52-15

457.95

20.00 (20.00)

From 321

① 97-44-00 ✓
② 30-55-30
97-43-22

POT. set 1x1

97-43-55 ✓

P.I. "L"
Fd 2" I.P. Plugged
In Conc. Per
F.B. 46-116 & 126

33.79

S 14°00E Mag.
0.55

388-90

389-08

From Top Page 18

$\Delta = 82°16'05"$ ✓
$R = 100.00$ ✓
$T = 87.34$ ✓
$L = 143.58$ ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 683 PG. 18

To Bot Next Pg



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by MS Pherson
Map No. B-1312
Office Work
Checked
Date

Survey of Agua Dulce Canyon Rd
W. 08167 Tape No. 57 St'd 84 °F.
Surveyed by Johnson
Notes H.S.J. Date 10-30-36
Indexed A. C. Johnson

F.B. 683 Pg. 19

T=76
257.05 @ 1-53 = 256.90
300.55 @ 1-50 = 300.38
300.65 @ 2-28 = 300.35
300.42 Level = 300.40
183.[illegible] = 123.07
1084.20

222.25 @ 1-58 @ T=66 = 222.03
300.25 @ 1-48 @ T=66 = 300.06
75.61 @ 0-0 @ T=66 = 75.60
597.69

To Bot Next Pg

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35





RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by McPherson	Survey of Eng. Trip D
Map No. B-1312	W. O. / Tape No. St'd °F.
Office Work	Surveyed by DO
Checked	Notes Date 11-13-36
Date	Indexed E. C. Johnson

F.B. 683 Pg. 21

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
708 HALL OF RECORDS

FORM 247 10M 11-35

Cont. To pg 115

1319.42

To pg 115 Per C.S. 8889-1

1500.00 Level = 1500.00
300.16 @ 2-24 = 299.90
300.48 @ 1-59 = 300.23
300.32 @ 2-26 = 300.05
269.31 Level = 269.31

T = 18° 13' 27" = 131.93

Set "X" on 4" I.P. Fence Post E.V.C.

300.97 Level
134.33 "
T 78° 435.30 = 435.28

Set Nail & Tag "LS 3988" 0.V.C.

1/4-1/4 SECTION COR.
Fd 2" I.P. in Conc.
w/ 1/2 Ch. Spike in Center
8" Dr. Per C.S. 8889-1
F.B. 97-30

1/4-1/4 SECTION COR
Fd. 2" Pipe in Conc
with Ch Spike in Center
8" Dr. Per C.S. 8889-1
F.B. 97-31 F.B. 486-169

143+87.35

21.26 37.65 87.35

80.00

435.28

B.C. Per C.S. 8889-1 F.B. 97-73

S 1° 15-30 E
359-02-00
89-45-30

(See pg 169 for fence locations)

1319.94

Cont from top left Pg 20

F.B. 683 PG. 22

To Top Pg 17

Note: Location of improvements shown on this sheet could not hold coordinates to make improvement stations coincide with R.S. stations

T=72
237.83@8-13 = 235.27
159.56@3-45 = 159.21
394.58

POT. Set 1x2 78+64.3 6

28.4 393.5 326.03

T=72
243.59@ Level = 243.57
82.47 " = 82.46
326.03

1700E From SE Corner Tract

18.2 3.0 4FT 11.8 119.0

POT. Set 1x2 75+38.3 3

130.5 118.9 1.2

72+08.09 330.24

Corrugated Iron Shed

105.5

T=72
199.15@2-02 = 199.01
214.56@3-12 = 214.40
413.41

413.21

Chicken Yard

6.2 6.0 6.2 6.0 8.0 6.0 6.2 6.0 6.2 6.0 6.2

Notes Ck'd by	Survey of AGUA DULCE RD
Map No.	W. O. 2167 Tape No. St'd °F.
Office Work	Surveyed by H. S. Johnson
Checked	Notes H. S. J. Date 11-13-36
Date	Indexed A. C. Johnson

F.B. 688 Pg 23

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



FORM 247 10M 11-35

F.B. 683 PG. 24



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of Agua Dulce Rd.	F.B. 683 PG. 25
Map No.		W. 0816 Tape No. 57 St'd. °F.	
Office Work		Surveyed by Nahas	
Checked		Notes H.S.V. Date	
Date		Indexed A. C. Johnson	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

19.3 — 118+00

Woven Wire Fence

19.5 — 115+77.0

20.5 — 115+64.5

Wooden Fence

20.8 — 115+52.0

21.5 — 110+95

20.0 — 109+23

20.3 — 108+80

Drive

20.0 — 108+67.5

20.3 — 102+96 H

6 2.3 — 103+62.4

FORM 247 10M 11-35

F.B. 683 Pg. 26



RETURN to
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		

AGUA DULCE RD J.N. 8167

CROSS SECTION

from

MINT CANYON Hwy

To

ESCONDIDO RD

Profile No. ____ X-Sec. No. ____

Notes Red ____ Plotted ____ Job No 8167 Division No. ____

Date ____ Date ____ Survey of AGUA DULCE RD

Notes Chkd ____ Checked ____ Survey by [illegible] Notes [illegible] Date 11-14-36

Date ____ Date ____ Map No. ____ Indexed C. Johnson Date 11-[illegible]-36

F. B. 682 PG. 27

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

B. 683 PG. 28 | Job No 8167 | Division No. | Notes Rod: KEAGLE Plotted: C. L. Keagle Date 11-20-36 | Notes Chkd McMackin Checked | Date 12-3-36 | Profile No. | X-Sec. No.

Survey of Quarry Notes W.F.L. | Survey by C. C. Johnson Date | Indexed Date

STATION	B. S.	H. I.	F. S.	ELEV.	
					U.S. 2120 - P.B.M. 5 (LAMINT STORE, 11.5 MI. N.E. OF AGUA DULCE SCHOOL 2000' N.W. OF "T" SUMMIT BETWEEN MINT CN. AND SIERRA PELONA VALLEY, 200' N.W. OF HILL CREST SERVICE STA.) S.W. SIDE OF HIGHWAY, CONCRETE MONUMENT WITH BRONZE TABLET STAMPED R 12-1929 ELEV. 2754.678
	2.30	2756.18		2754.68	
	1.31	2747.02	11.27	2745.71	
	0.85	2736.01	11.86	2735.16	
	2.76	2727.55	11.22	2724.79	
					Fd
					CUT SPIKE IN TEL. POLE 4.2' S/E - 2721.08
					REF F.B. 669-109
	0.62	2731.70	11.10	2730.50	
				2702	T.P. IN CUT

NOTE Pgs. 28 to 39 VOID See F.B. 692 Pg 105

T.P.	5.08	2726.16		2721.08	CUT SPIKE IN TEL. POLE 4.2' S/E - 2721.08 PER F.B. 669-109
0+00			4.50	2165	℄ STATE HWY.
"			4.00	2216	" " " 100' E.
"			3.58	2258	" " " 200' E.
"			11.06	2120	" " " 100' L.
"			6.26	1990	" " " 200' L.
0+30			11.25	2191	TOP FILL STATE HWY.
"			4.9	213	30' RT.

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		2726.16 ✓				
0+30 12'L			4.8	214.	12' L. TOP FILL	
28'L			4.8	214.	28' L. TOP FILL	
92'L			5.1	211	92' L BOT. CUT.	
T.P. 94'L			0.0	2726.16 ✓	Side cut.	
98'L			12.5	31.66	98' L TOP CUT	
124'L			7.1 HL	3506	124' L BRL.	
156'L			+8.0 HL	3416	156' L "	
196'L			+9.2 HL	3536	196 L "	
T.P.			+10.72	2715.24 ✓		
B.M.	4.57	2720.81 ✓				
0+50 L			8.9	102	℄ TOE FILL	
31'L			8.2	116		
52'L			2.0	118	B.C.	
92'L			3.1	164	TOP CUT	
102'L			3.8	110	BRL.	
123'L			1.5	123	TOE FILL	
40'27.5'R.			0.00	2712.31 ✓	Side of Fill	
42'L			+1.0 HL	208	TOP BRL.	
50 L			+1.0 HL	208	TOP "	
54 L			+0.5 HL	203	CULT. EQ. TRAV. RD	

See note pg 28

Profile

No. _____ Notes Red. R.A.G. Plotted O. L. Kaagle Job No. 8167 Division No. _____

X-Sec. Date 1-20-36 Date 1-22 Survey of Bell Canyon Rd. F.B. 6823 PG. 27

No. _____ Notes Chkd. H.M.M. Checked _____ Survey by _____ Notes _____ Date 11-4-36

Date 2-3-36 Date _____ Map No. _____ Inspector C. Johnson

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 6[illegible] Pg 30 | Job No 8[illegible] | Division No. | Maps Red EAGLE | Plotted | Profile
Survey of [illegible] | Notes | Date 11-20-36 | No.
Survey by [illegible] | Notes Clkd. M/Martin | Checked | X-Sec.
Indexed by C. Johnson | Date | Date 2-3-37 | No.

STATION	B. S.	H. I.	F. S.	ELEV.	
		2719 .81			
85 L			+1.0	20 8	EG RD Bot. Cut.
92 L			+9.4	29 2	Top Cut.
[illegible] L. T.P			+120	2731 21	S.A.
[illegible] L			+111 7	34 15	B.C.
156 L			+13,6	33 14	"
[illegible] L			[illegible]	35 10	"
1400 L.			+2 15	2707 66	GEN.
26' E			+2 0	7 8	B.C.
30' E			+7 0	12 8	"
37' L			+11 5	8 3	Top Hill
54' L			+2 3	17 10	Top "
60 L			+2 8	17 10	" " EG RD.
62 L			+3 2	16 6	GUTTER
73' L			+2 4	17 14	4 Rear. Rd.
8[illegible] L			[illegible]	17 1	Bot. Cut. Eg Rd.
T.P			0 0	[illegible]	Side Str.
91' L			+2 3	22 1	Top Cut
[illegible] L			+5 8	25 16	B.C.
[illegible] 15 L			+8 6	28 4	"
147 L			+7 2	27 10	"
174 L			+12.0	31 8	"

See note pg 28

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. _____ Noted C.L. Keanin Job No. 816-7 Division No. _____
Date _____ Date Plotted 11-22-38 Survey of AGUA [illegible]
X-Sec. No. _____ Notes Chkd. HMM Checked _____ Survey by [illegible] Date [illegible]
Date 2-3-38 Date _____ Map No. _____ Index [illegible] Notes [illegible]

F.B. 683 PG. 31

STATION	B. S.	H. I.	F. S.	ELEV.	
		2-19 2			
T.P.	8.0	2-12 2	1 [illegible]	27 10 32	
1+50 ℄			6 85	2705 27	GEN.
35' R.			7 6	4 15	BEL.
60' R.			6 5	5 6	GEN SL.
21' L.			6 6	5 5	BEL.
52 L.			6 2	5 7	T. SLOPE
30 ℄ T.P.			0 0	27 12 12	S. [illegible]
64 L.			+2 [illegible]	14 1	TOP FILL
53 L.			+10	13 1	GUT. EG FG
72 L.			+2 0	14 1	" FG
93 L.			+1.7	13 8	EG FG.
102 L.			-3 4	15 5	BOT SW. T. CUT.
118 L.			+7 0	19 1	GEN SL.
143 L.			+12 0	24 1	" "
2+00 ℄			9 7 5	8 36	" "
90' R.			10 3	1 18	" "
60' R.			10 5	1 16	" "
45 L.			6 2	5 19	BOT FILL
57 L.			[illegible] 2	10 19	TOP "
61 L.			2 0	10 1	GUTTER

See note pg. 28

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 683 Pg. 32 | Job No. 8167 Division No. | Profile No.
Survey of Agua Dulce Rd. | Noted KEAGLE Plotted | X-Sec. No.
Survey by Johnson Notes W.F.H. | Date 11-20-36 Date | Notes Chkd. H.M. Checked | Date 2-3-37 Date
Indexed C. Johnson Date 11-24-36

STATION	B. S.	H. I.	F. S.	ELEV.	
		2712.12 ✓			
72' L			17	10 1/2	℄ Rd.
87' L			20	10 1/2	Edge Rd Bot Cut.
92 L			00	12 1/2	Top Bnk.
2+50 ℄			11 80	2700.32	Gen.
30' R			13 8	2698.3 1/2	"
60' R			9 8	98 1/2	"
35' L			2 8	2703.5 1/2	Bot Fill
45' L			3 6	8 5 1/2	Top "
47' L			4 4	7 7 1/2	Edge Rd
61' L			3 9	8 2 1/2	℄ Trail Rd
78' L			3.8	8 3 1/2	Edge Rd.
92' L			2 6	11 5 1/2	Top Bnk.
T.B.M.	-3.86	27.64 ✓	2 12	2700.90	2" I.P. Flush.
2+99.30 ℄			10 90	27 00.96	
28' R			13 8	2698.1	
60' R			16 2	2695.7	
11' L			9 7	2702.2	
2 N' L			4 6	7 3 1/2	
26' L			4 8	7 1 1/2	Edge Rd
39' L			5 0	6 9 1/2	℄ Rd

See note Pg 28

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		2711 86	✓			
57' L			53	27066	EG Rd.	
73' L			34	27085		
100' L			09	27110		
3+50 ℄			41	27045	Eg. Rd.	
30' E			84	27035		
60' E			131	26988		
90' E			174	26945		
15' L			55	27064	℄ Rd.	
29' L			67	52	Eg Rd.	
30' L			56	63		
39' L			42	77		
70' L			43	76		
4+00 ℄			683	503		
10' R			66	53	Eg Rd	
30' R			63	531		
60' R			75	441		
90' R			01	28	Eg Rd.	
13' L			81	318	Eg Rd.	
100' L			71	418		
60' L			64	55		

See Note pg 28

Profile

No. _____ Notes Red [illegible] Plotted C.L. Job No. 217 Division No. _____ F.B. 683 PG 33

Date 1-20-36 Date 11-22-36 Survey of _____

X-Sec.

No. _____ Notes Chkd. H.M. Checked _____ Survey by _____ Notes W.F.H. Date 11-22-36

Date 2-3-37 Date _____ Map No. _____ Indexed by C. Johnson

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 663 PG. 34 | Job No. 2167 Division No. | Note Red KEAGLE Plotted | Profile No.
Survey of Agua Dulce Rd | Date 11-20-36 Date | X-Sec. No.
Survey by Tom Sarsi Notes N.F.H. | Notes Chkd. H. Martin Checked
Indexed A. C. Johnson Date 11-5-36 | Date 2-3-37 Date

STATION	B. S.	H. I.	F. S.	ELEV.	
		2711 86 ✓			
T.P.	0 285	2702 635	9 51	2702 1.9	T.B.M. [illegible]
5+00 ℄			2 26	2700.375	℄ Rd
12' R			2 6	2700 0	EG Rd
15' R			2 0	2700 1/6	
31' R			2 0	00 1/6	
60' R			2 0	00 1/6	
15' L			3 2	2699 1/4	EG Rd.
15' L			2 0	2700 1/6	
30' L			1 8	00 1/8	
60' L			1 7	00 1/9	
6+00 ℄			6 90	2695 735	℄ Rd
16' R			7 8	94 8	EG Rd
16' L			6 8	95 8	
41' R			5 7	96 7	
60' R			5 3	97 3	
15' L			8 0	94 6	EG Rd
16' L			7 1	95 5	
30' L			6 3	96 3	
60' L			5 3	96 3	

See note pg 28

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ X-Sec. No. ____ Notes Rcd ____ Plotted ____ Job No. 2447 Division No. ____ F.B. 683 PG. 24

Drawn ____ Date 11-27-36 Survey of Agua Dulce Rd. Date 11-5-36

Notes Chkd. H.M.J. Checked ____ Survey by ____ Notes H. F. J. C. Johnson

Date 2-3-36 Date ____ Map No. ____ Indexed ____

STATION	B. S.	H. I.	F. S.	ELEV.		
		2702 635 ✓				
7+	0 415	2691 350 ✓	1 510	2691 125 ✓		
1+00 E			11 02	268753	E Rd.	
18' R			4 4	871	Eg Rd.	
20' R			2 3	892		
40' R			1 5	900		
20' R			+0 30	918		
18' L			0 6	859	Eg. Rd.	
[illegible]			3 9	876		
28' L			2 4	891		
[illegible]			0 6	909		
40' L			0 0	915		
7+	.045	2680 245 ✓	[illegible]	2680 200 ✓		
8+00 E			1 60	267864		
16' R			2 6	776	Eg. Rd.	
18 R			0 4	798		
20 R			0 0	802		
110 R			+0 7 H.I.	809		
60 R			+4 7 H.I.	849		
84 R			+7 8 H.I.	880		
44' L			-2 5	26777	Eg Rd	

See note p. 28

Pronotion by Johnson 11-27-36

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 823 PG. 36 | Job No. 8167 | Division No. | Profile No. | X-Sec. No.
Survey of Agua Dulce Rd. | Notes | Plotted | Date
Survey by Johnson | Notes W.F.H. | Mass Rod. FB 2 1937 | Date | Checked
Indexed A. C. Johnson | Date 11-5-36 | Notes Chkd. H. MacArthur | Date 2-3-37 | Date

STATION	B. S.	H. I.	F. S.	ELEV.	
		2680 245 ✓			
16' L			11	26791	
24' L			00	802	
26' L			+07 H.L.	809	
56' L			+29 H.L.	831	
86' L			+04 H.L.	806	
9+00 ℄			7 88	7236	℄ RD.
3' R			2 2	720	E & RD.
20' R			10 4	755	
26' R			5 5	747	
60' R			0 3	799	
11' L			2 3	719	E & RD.
14' L			7 3	729	
20' L			8 4	721	
60' L			7 5	26727	
T.P.	1 50	2670 HUB	0 710	2669 290	✓
10+00 ℄			2 4 5	266780	
12' R			2 8	677	
17' R			2 0 5	700	
25' R			-0 3	702	
35' R			+1 0	26715	

See note pg 26

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ X-Sec. No. ____

Notes Red ____ Plotted ____ Job No. 2167 Division No. ____
Date ____ Date ____ Survey of Agua Dulce Rd.
Notes Chkd. ADM Checked ____ Survey by ____ Notes ____ Date 11-5-36
Date 2-3-37 Date ____ Map No. ____ Indexed A. C. Johnson

F. B. 603 PG. 37

STATION	B. S.	H. I.	F. S.	ELEV.		
		26790 456				
60' E			+44 M.P.	26749		
8' L			-33	672	Eg. Rd.	
10' L			21	678		
24' L			27	678		
30' L			41	664		
60' L			36	669		
11+00 ℄			205	6440		
11' E			17	638		
12' E			42	657		
17' E			28	677		
41' E			00	705		
60' E			+24 H.I.	729		
16' L			73	632	Eg Rd.	
76' L			94	611		
12+00 ℄			1113	5932		
13' E			115	590	Eg Rd	
18 E			92	613		
60 E			50	655		
18' L			123	582	Eg Rd.	
60' L			146	26559		

See note 1928

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 6 & 7 Pg. 38 | Job No. 8167 | Division No. | Profile No. | X-Sec. No.

Survey of Storm Drain | Notes | Plotted | Date

Survey by Johnson | Notes Chkd. A. Martin | Checked | Date

Indexed A. C. Johnson | Date 2-3-37 | Date

M. D. DARLING
Rod | Date FEB 2 1937

STATION	B. S.	H. I.	F. S.	ELEV.	
		2670 455 ✓			
T.F.	1045 1660 160		1340	26597 ✓ 15	
2+60 ℄			31	26571	
10' E			40	562	E G Rd
13' E			03	599	
60' E			+59 HL	652	
4' L			80	572	E Rd
23' L			50	552	E G Rd
60' L			71	531	
13+00 ℄			62	540	
12' E			72	530	E G Rd
18' E			23	573	
30' E			03	599	
60' E			+1 HL	314	
6' L			62	540	E Rd.
18' L			70	532	
60' L			93	503	
13+74.34 B.C.			126	476	
13' E			134	468	E G Rd.
20' E			92	508	
60' E			95	26507	

See note pg 39

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		2660 160				
7' L			121	26481	E Ro	
19' L			125	477	E & Ro	
60' L			139	2643		
T.P.	0 605	2649 325	1 440	2648 720		
14+61.47 Ex			67	26426		
8' L			12	425	Ro Ro.	
20' L			73	420		
60' L			59	435		
3' L			63	430	E Ro	
16' L			63	430	E & Ro.	
60' L			68	425		
15+63.2 E.C.	= 15+66.61		92	401		
10' L	For F.B. 692-Pg 165		95	398	E & Ro	
25' L			96	407		
60' L			93	400		
13.11' L			98	398	E & Ro	
10' L			93	410		
60' L			71	416		
16+00 E.C.			99	394		
17' L			101	26392	E & Ro	

Note - Pgs. 28 to 39 Void
See F.B. 692 Pg 165

Profile No. ____ Notes Red ____ Plotted ____ Job No. ____ Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of ____
Notes Chkd. H.M. Checked H.D. DARLING Survey by ____ Notes ____
Date 2-3-37 Date MAR 13 1937 Map No. ____ Indexed A. C. Jobs Date 11-6-36

F.B. 693 PG. 39

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 683 Pg. 40 | Job No. 247 | Division No. | Profile No. B-1825-1
Survey of Alondra Blvd | Notes Kid. DARLING | Plotted C.L.K.
Survey by C. Johnson | Notes Chkd. H. Martin | Checked W.D.W. | Date 3-12-37
Indexed A.C. | Date 4-6-37 | Notes Chkd. | Date 2-3-37 | Date FEB 2 1937 | X-Sec. No. B-1826-1

STATION	B. S.	H. I.	F. S.	ELEV.	
		11.99	✓		
60' R			11 11	26339	
13' L			10 1	392	
14' L			9 1	404	
60' L			8 0	413	
11+00 B			11 4	379	
13' R			10 2	391	
14' R			10 8	385	
60' R			11 9	374	
14' L			12 2	371	
16' L			9 7	386	
60' L			7 8	26395	
T.P.	4.10	26.37	25.5 ✓	1.37	✓
15+00 E			3 8	26355	
13' R			4 3	350	
14' R			3 5	358	
60' R			3 6	357	
15' L			4 4	349	
26' L			2 1	372	
60' L			0 3	26390	

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
19+00 ℄			5 2	26341		
18' E			5 2	331	Eg Co.	
14' E			5 4	339		
60' E			6 0	333		
18' L			6 1	332	Eg Co.	
2' L			2 2	371		
30' L			0 0	393		
60' L			+ 6 6 H.L.	459		
11+00 ℄			7 2	321		
12' E			7 7	316	Eg Co.	
16' E			6 6	327		
60' E			6 8	325		
16' L			7 4	319	Eg Co	
2' L			5 6	337		
60' L			3 1	362		
20+00 ℄			6 2	311		
20' E			2 2	309	Eg Co	
[illegible]			7 -	316		
60' E			7 0	26318		

Profile No. F
Notes Red. Date 2-1937 Plotted Date 3-13-37 Job No. 614 Division No.
X-Sec. No.
Notes Chkd. Date 2-3-37 Checked By W. EARLING Survey of
Survey by Notes Date
Map No. Indexed A. C. Johnson

F. B. 683 PG. 41

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 642 PG. 42 | Job No. 8167 | Division No. | Notes Red. 1937 | Plotted 2-14 | Profile No. 8-1325-1

Survey of Agoura | Notes | Date | Date 3-12-37 | X-Sec. No. 8-1326-1

Survey by J. C. Fisher | Notes Chkd. H. Martin | M.D. DARLING | Checked MAR 18 1937

Indexed A. C. Fisher | Date 11-6-36 | Date 2-3-37 | Bkfl.

STATION	B. S.	H. I.	F. S.	ELEV.	
12 L		2639 2559	83	26310	
20 L			92	311	Eq. Rd.
22 L			71	322	
60' L			55	333	
21+00 ℄			102	291	
10' C			102	291	Eq. Rd.
12' C			97	296	
60' C			95	298	
11' L			103	290	
10' L			95	298	
60' L			86	307	
22+00 ℄			117	276	
9' C			117	276	Eq. Rd.
1' R			108	285	
60' R			104	289	
10' L			116	277	Eq. Rd.
11' L			113	283	
60' L			116	277	
23+00 ℄			120	273	
9' C			120	273	Eq. Rd.
14' C				26253	

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		2639 255				
55' E			9 6	26297		
25 E			- 9	314		
12' L			12 2	271	E & Co.	
13' L			11 7	276		
60' L			13 0	26263		
T.P.	1.82	2630.17	10 905	2622 35		
24+00			1.8	26284		
8 R			2.1	281	edge Rd.	
14 R			0.2	300	Top cut	
60 R			+2.0	322		
14 L			2.1	281	edge Rd.	
15 L			1.5	287	Top cut	
60 L			3.8	264		
25+00			2.8	274		
9. R			3.3	269	edge Rd.	
15 R			1.6	286	Top cut.	
60 R			H.L. +0.4	306	H.L.	
14 L			3 2	270	edge Rd	
15 L			2.3	279	Top cut	
60 L			4.3	26259		

Profile No. [illegible] Plotted by C.L.K. Job No. [illegible] Division No. [illegible]
Date Received 1937 Date 3-12-37 Survey of [illegible]
X-Sec. No. [illegible] Notes Chkd. [illegible] Checked by [illegible] Survey by [illegible] Notes [illegible] Date 1-6-37
Date 2-3-37 Map No. [illegible] Indexed A. C. Johnson

MAR 18 1937

F.B. 663 PG. 10

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 6823 Pg. 44 | Job No 2167 | Division No | Profile No 8-1325-1 | X-Sec. No 8-1326-1

Survey of | Notes Red. | Plotted C LK

Survey by C. Johnson | Notes | Date 3-12-37 | Checked R. P. DARLING

Indexed A. | Date | Notes Chkd. A. Mackie Date 2-3-37 MAR 13 1937

STATION	B. S.	H. I.	F. S.	ELEV.	
26+00		2630.17	5.3	2624.9	
9. R			5.5	247	edge Rd.
15. R			3.0 HL. +5.1	272	
60 R				360	
12 L			5.8	244	edge Rd
15 L			4.8	254	Top cut
60 L			6.8	234	
27+00			6.9	233	
10, R			6.9	233	edge rd
15. R			5.5	247	TOP CUT
60, R			1.8	284	
12 L			7.3	229	edge rd.
15 L			6.8	234	Top cut
60 L			9.2	210	
27+60			7.1	231	
9. R			7.6	226	edge Rd
17. R			5.2	250	Top cut
27. R			4.8	254	Top soil
60. R			H.I. +5.0	352	
12 L			7.5	227	edge Rd.
15 L			6.4	2623.3	Top cut

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
60 L		630.17 ✓	9.8	26204		
28+00			8.7	215		
9 R			8.6	216	edge of [illegible]	
18 R			6.6	236	Top cut	
60 R			+7.4	376		
12 L			9.1	211	edge of [illegible]	
13 L			8.1	221	Top cut	
60 L			11.1	191		
28 B.C. 27+62.63			10.6	194		CLK 3-12-37
9 R			10.5	197	[illegible]	
18 R			9.5	207		
31 R			7.6	226		
60 R			5.5	297		
12 L			11.4	188	edge R	
13 L			10.6	196	Top cut	
60 L			12.7	175		
29+55.79 EXT.			12.0	182		
11 R			11.5	187	edge R/W	
15 R			10.3	199	Top cut	
60 R			5.7	245		
13 L			12.8	26174	edge R/W	

Profile No. _____ M. B. DARLING Notes Red Dab 2 1937 Plotted C L K Job No. _____ Division No. _____ F. B. _____ PG. _____

X-Sec. No. _____ Date 3-12-37 Survey of _____ Notes _____

Notes Chkd. H.O.L. Date 2-3-37 M. B. DARLING MAR 18 1937 Survey by _____ Date _____

Map No. _____ Indexed A. C. Job Date _____

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 682 PG. 16 | Job No. 8162 | Division No. | Profile No. 8-1325-1 | X-Sec. No. 8-1326-1

Survey of [illegible] | Notes Red. [illegible] | Date 3-11-37 | Plotted C L K

Survey by A. C. Jobson | Notes Chkd. H. Martin | Checked W. D. DARLING

Indexed A. C. | Notes [illegible] | Date 2-3-37 | MAR 13 1937

STATION	B. S.	H. I.	F. S.	ELEV.	
15 L		2630.17	12.3	26179	
60 L			14.8	154	
30+48.72 EC.			14.0	162	
8 R			13.2	166	edge rd.
16 R			11.6	186	Top cut
60 R			3.5	257	
12 L			12.1	155	edge rd
15 L			14.0	162	Top cut
60 L			24.5	26137	
T. P.	1.56	2622.35	9.38	2620.79	
31+00			8.2	26141	
8 R			8.0	143	edge rd
16 R			6.3	160	Top cut
60 R			+2.7	250	
12 L			8.4	139	edge rd
15 L			8.2	141	Top cut
60 L			7.9	124	
32+00			9.5	125	
7 R			10.0	123	edge rd
13 R			7.0	153	Top cut
60 R			3.7	26186	

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
13 L		2622.35	11.3	26110.	edge RY	
15 L			9.1	132	Top curb	
60 L			11.7	106		
33+00			12.3	100		
7 R			12.5	098	edge RY	
13 R			10.0	123	Top curb	
60 R			6.3	160		
12 L			12.5	098	edge RY	
15 L			11.2	111	Top curb	
30 L			13.1	092	Brk.	
60 L			14.3	080		
34+00			14.7	076		
9 R			14.6	077	edge RY	
14 R			13.6	087	Top curb	
60 R			9.2	131		
3 L			14.7	075	edge RY	
14 L			13.7	084	Top curb	
60 L			15.8	26065		
T.P	0.38	26 10.65	12.08	26 10 27	✓	
35+00			5.4	26052		
9 R			5.5	26051	edge RY	

Profile

No. _____ Notes Red _____ Plotted K. L. Kaagle Job No. _____ Division No. _____

X-Sec. _____ Date _____ Date 3-15-37 Survey of _____ F. B. 668 PG. 7

No. _____ Notes Chkd. H.M. Checked M. P. DARLING Survey by Volunteer Crew Notes C.W.S. Date 2-26-36

Date 2-3-37 MAR 18 1937 Map No. _____ Indexed A. C. Johnson Date _____

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. B-1325-1
X-Sec. No. B-1326-1

F. B. 683 Pg. 48 | Job No. 8162 | Division No. [illegible] | Notes Red. [illegible] | Plotted G. L. Keagle
Survey of [illegible] | Notes [illegible] | Date [illegible] | Date 3-1-37
Survey by [illegible] | Notes Chkd. H. MacLaughlin | Chief Mapper DARLING
Indexed A. C. Johnson | Date 2-26-37 | Date 2-3-37 | MAR 1 3 1937

STATION	B. S.	H. I.	F. S.	ELEV.	
12 R		[illegible]	3.8	26068	Top cut
60 R			1.0	036	
11 L			5.4	052	edge Rd.
19 L			4.2	064	Top cut
26 L			5.6	050	B.R.
60 L			7.0	036	
36+00			7.7	029	
11 R			4.1	025	edge Rd
15 R			6.2	044	Top cut
60 R			2.1	085	
10 L			8.0	026	edge Rd
12 L			7.5	031	Top cut
32 L			8.7	019	B.R.
60 L			8.0	026	
37+00			9.5	011	
12 R			9.7	007	edge Rd
15 R			8.7	017	Top cut
60 R			6.7	039	
9 L			9.6	008	edge Rd
21 L			8.2	014	Top cut
60 L			7.0	26016	

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
39+00		2610.65 ✓	10.5	26001		
10 R			12.9	25997	edge rd	
16 R			9.4	26002	top cut	
60 R			9.4	26012		
9 L			12.7	25999	edge Rd	
10 L			9.7	26009	Top cut	
60 L			7.4	26032		
39+00			11.2	25994		
12 R			11.7	25989	edge Rd	
14 R			12.6	25998	Top cut	
60 R			9.2	26014		
10 L			12.0	25986	edge Rd	
14 L				25993	Top cut	
43+00			10.6	26000	Toe slope	
60 L			6.7	26039		
T.P.	1.90	2601.02 ✓	11.53	2599.12 ✓		
40+00			2.9	25981		
13 R			3.4	25976	edge Rd	
16 R			2.6	25984	Top cut	
60 R			0.6	26004		
9 L			3.3	25977	edge Rd	

Profile No. ____ X-Sec. No. ____ F. B. ____ PG. 49

M.B. Red Book 2 1937 Plotted by L. Keagle Job No. ____ Division No. ____

Date 3-17-37 Survey of ____

Notes Chkd. HDM Checked by D. DARLING Survey by ____ Notes ____ Date ____

Date 3-3-37 Date MAR 13 1937 Map No. ____ Indexed ____ Job Date ____

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 482 PG. 50 | Job No. 2467 | Division No. 2D | Notes Red. | Plotted G. L. Keagle | Profile No. B-1325-1
Survey of Highland Park | Date 11-6-36 | Date 3-17-37
Survey by Victor Wash. | Notes Gaviota St. | Notes Chkd. H. Martin | Checked R. D. DARLING | X-Sec. No. B-1326-1
Indexed A. G. Johnson | Date 11-6-36 | Date 2-3-37 | MAR 18 1937

STATION	B. S.	H. I.	F. S.	ELEV.	
7 L		[illegible]	2.8	25982	Top curb
30 L			2.4	25986	Top curb
60 L			H.L. -5.0	26040	
41+00			4.[illegible]	25968	
14 R			4.6	964	[illegible]
15 R			7.0	970	Top curb
60 R			2.6	984	
7 L			1.[illegible]	966	[illegible]
9 L			4.0	970	Top [illegible]
30 L			2.8	25982	Top curb
60 L			+.1	2047	
42+00			5.2	25953	
15 R			5.[illegible]	954	[illegible]
17 R			4.9	961	Top curb
60 R			5.0	960	
6 L			5.2	958	[illegible]
7 L			2.7	963	Top curb
25 L			[illegible]	25965	[illegible]
60 L			H.L. +5.[illegible]	26063	[illegible]
42+66 Bk.			5.3	25957	
18 R			6.0	25952	[illegible]

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
20 S		2601.02	5.3	25957	Top cut	
60 R			6.2	25948		
6 L			5.2	25958	edge Rd.	
7 L			6.4	25966	Top cut	
51 L			+6.7	26077	Top spur	
[illegible] P.O.C.			+5.5	26065	S.T.	
43+18			4.7	25963	P.O.C.	
18 R			5.8	25952	edge Rd	
21 R			5.0	25960	Top cut	
60 R			6.4	25946		
9 L			4.8	25962	edge Rd	
11 L			4.1	25969	Top cut	
60 L			1.8	25992		
43+21.54 EXT.			4.5	25965		
16 R			6.3	25947	edge Rd.	
21 R			4.7	25963	Top cut	
60 R			6.0	25950		
13 L			4.3	25967	edge Rd	
16 L			3.7	25973	Top cut	
3 L			3.2	25978		
60 L			2.7	25983		

M. B. DAWKINS

Profile No. B-1325-1 Notes Red. FEB 2 1937 Plotted H. Martin Job No. 218 Division No.

X-Sec. No. B-1326-2 Date Notes Chkd. HMM Date 2-3-37 Checked G. L. Koagle Date 3-23-37 Survey of [illegible] Survey by [illegible] Map No. Indexed [illegible] Notes G.W.S. Date [illegible] Job Date

F. B. [illegible] Pg. 17

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 6883 PG. 12 | Job No. 8167 | Division No. [illegible] | Notes Checked Date | Plotted H. Martin Date MAR 10 1937 | Profile No. B-1325-1
Survey of [illegible] | Notes G.M.S. Date 11-6-36 | Notes Chkd. H. Martin Date 2-2-37 | Checked L. Nagle Date 3-23-37 | X-Sec. No. B-132 6-2
Survey by Thompson
Indexed A. C. Johnson

STATION	B. S.	H. I.	F. S.	ELEV.	
44+96.22		2601.02	5.5	25955	
15 R			6.6	944	edge Rd
60 R			7.5	935	
19 L			5.7	953	edge Rd
60 L			5.8	952	
46+00			7.1	939	
12 R			7.8	932	edge Rd
10 R			7.2	938	Top cut
60 R			9.6	914	
13 L			7.6	934	edge Rd.
16 L			6.9	941	Top cut
23 L			8.9	921	Brk
60 L			6.9	25941	
T.P.	[illegible]	2593.64	8.69	2592.95	
46+25			0.30	259334	
13 L			2.80	9234	
15 L			HI. +.20	9384	Top cut. N. edge Rd
25 L			0.0	936	Brk
60 L			+3.4	970	
46+54			1.0	926	
11 R			1.6	25920	edge Rd

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
14 R		2593.64	0.0	25936	Top Curb	
60 R			3.5	901		
97+00			1.5	921		
2 R			4.2	914	edge Rd	
19 R			+5.5	991	Top Curb	
21 R			+5.5	991		
45 R			2.8	908	Top Curb	
60 R			4.6	890		
8 L			1.9	25917	edge Rd Top Curb	
17 L			+12.0	26056	Top Curb	
30 L			+16.0	26096		
50 L			+17.4	26110	Top Curb	
47+50			3.1	25905		
12 R			3.7	899	edge Rd.	
15 R			1.5	921	Top Curb	
17 R			1.5	921		
42 R			5.3	883	Dirt	
60 R			6.4	872		
78+00			4.6	890		
12 R			5.5	881	edge Rd	

Profile No. _____ Division No. _____
Plotted H. Martin Date MAR 19 1937 Job No. _____
Checked G. H. Keagle Survey of _____
Survey by _____
Map No. _____ Indexed A C John Date _____
Notes _____ Date _____

X-Sec. No. _____
Notes Chkd. H.M. Date 2-3-37
Date 3-23-37

F. B. _____ PG. _____

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 682 Pg. 54 | Job No. [illegible] | Division No. [illegible]
Survey of [illegible]
Survey by [illegible] C. Johnson Notes [illegible] Date [illegible]
Indexed A. C. Johnson Notes Red. DARLING Date FEB 2 1937
Notes Chkd. H. Martin Date 2-3-37
Checked H. L. Keagle Date 3-23-37
Plotted H. Martin Date MAR 19 1937
Profile No. B-1325-1
X-Sec. No. B-1326-2

STATION	B. S.	H. I.	F. S.	ELEV.	
14 R		2593.54	4.4	2589.2	TopCoT
16 R			4.4	892	
21 R			7.2	854	RR C.
60 R			5.1	855	
12 L			5.2	884	edge RY
14 L			4.2	894	TopCoT
23 L			5.5	881	[illegible]
6 L			[illegible]	891	
47+00			8.2	853	
12 R			7.2	846	edge RY
10 L			4.4	852	TopCoT
[illegible]			7.2	837	[illegible]
60 R			10.0	836	
14 L			9.1	845	edge RY
17 L			9.2	842	
60 L			9.1	845	
[illegible]			11.0	[illegible]	
14 R			[illegible]	818	edge RY
60 R			11.2	824	
13 L			[illegible]	817	[illegible]
14 L			11.0	2582.6	TopCoT

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
24 L		2593 64 ✓	12.0	2581 6	Fire	
43 L			10.5	831		
60 L			10.5	25831		
T.P. RC	1 68	2584 06 ✓	1 26	2582 38 ✓		
50+31.04			2.0	25821		
17 R			2.8	813	edge Rd	
18 R			2.1	820	Top Cut	
60 R			2.4	817		
11 L			2.9	812	edge Rd	
31 L			2.8	813		
60 L			1.1	830		
EXT 51+02.38			3.8	803		
19 R			4.3	798	edge Rd.	
30 R			3.4	807	Top Cut	
60 R			3.4	807		
15 L			3.9	802	edge Rd.	
17 L			3.4	807	Top Cut	
60 L			3.8	803		
EC. 51+79.12			4.9	792		
14 R			5.7	784	edge Rd	
15 R			4.7	25794	Top Cut	

Profile No. ____ Plotted H.M. Job No. ____ Division No. ____
Date ____ Date MAR 19 1937 Survey of ____
X-Sec. No. ____ Notes Chkd. H.M. Checked C.A.S. Survey by ____ Notes ____ Date ____
Date 2-3-37 Date 3-24-37 Map No. ____ Indexed A. C. Johnson
F. B. ____ PG. ____

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 662 Pg. 56 | Job No. 8167 Division No. V | Profile No. B-1325-1
Survey of Azusa Road | Notes Red. FEB 2 1937 | Plotted H. Martin | Date MAR 10 1937
Survey by L.A.C. Surveyors | Notes Chkd. H. Martin | Checked ELK
Indexed A. C. Johnson | Date 11/8/36 | Date 2-3-37 | Date 3-24-37 | X-Sec. No. B-1326-2

STATION	B. S.	H. I.	F. S.	ELEV.		
60 R		2584.06	4.7	25794		
11 L			5.3	788	edge of	
12 L			4.7	794		
60 L			5.2	789		
53+00			7.2	769		
12 R			7.7	764	edge of	
14 R			1.1	770		
[illegible]			5.3	788		
12 L			7.3	768	edge of	
14 L			6.6	775		
[illegible]			6.9	25772		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	(approx) Elev. 2575.6 per F.B. 669-112
5+00 L			6.2	25752		
10' E			[illegible]	754	[illegible]	
12' E			[illegible]	761	[illegible]	
60' E			[illegible]	802	[illegible]	
13' E			[illegible]	752	[illegible]	
11' E			[illegible]	759	[illegible]	
61' E			[illegible]	754	[illegible]	
54+00 E			6.1	754		
[illegible]			[illegible]	754	[illegible]	

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		2V8'52				
15' E			M 1	25773	T.C.	
60' E			2 3	812	B.H.	
13' E			4 5	752	E.G.Fo	
15' E			5 7	758	T.C.	
60' E			7 7	738	B.H.	
[illegible]			7 5	750		
15' E			6 6	749	E.G.Fo	
15' E			4 4	771	T.C.	
15' E			3 0	815	B.H.	
13' E			1 9	746	E.G.	
15' E			4 9	752	T.C.	
60' E			9 5	720	B.H.	
[illegible]			5 4	761		
[illegible]			5 6	759	E.G.Fo.	
15' E			3 1	784	T.C.	
60' E			1 4	829	B.H.	
15' E			2 0	755	E.G.Fo	
[illegible]			5 5	760	T.C.	
			1 6	25719	B.H.	

Profile No. [illegible] F.B. [illegible] Pg. [illegible]
X-Sec. No. [illegible] Division No. [illegible]
Notes Chkd. HM Checked VCLK Survey by [illegible] Date [illegible]
Date 2-3-37 Date 3-24-37 Map No. [illegible] Indexed A. C. John Notes [illegible]
Plotted H. Martin Job No. [illegible]
Date MAR 10 1937 Survey of [illegible]

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 482 Pg. 58 | Job No. 8167 Division No. | Profile No. B-1325-L | X-Sec. No. B1326-2

Survey of | Plotted H. Martin Date MAR 10 1931

Survey by C. Johnson Notes Checked

Indexed Date | Notes Chkd. H. Martin Date 2-3-37

STATION	B. S.	H. I.	F. S.	ELEV.	
		25.81.52			
57+00 E			H 5	25770	.
			H 9	766	L & Co.
			2	794	T.C.
50 E			H.C. +2.0	835	S.H. Gun
14' L			H 9	766	L & Co.
12' L			H 2	771	T.C.
60' L			H 5	720	Gun
58+00 E			H 9	766	
			5 3	762	L & Co.
			2 9	791	T.C.
65' E			H.C. +2.0	833	S.H.
13' L			H 3	762	L & Co.
			2 1	769	T.C.
60' L			H 7	718	Gun
54+00 E			H 8	737	
			H 8	737	L & Co.
			2 6	757	T.C.
50' E			H.C. +2.0	870	S.H.
			H 3	729	L & Co.
			2 8	25687	Gun

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		258.52				
59+20 E			3	25732.		
11 E			2	729.	[illegible]	
15 E			5 6	759	T.C.	
40 E			1 4	329	[illegible]	
12 E			5 7	728	[illegible]	
14 E			6 1	734	[illegible]	
[illegible]			13 5	680	[illegible]	
60+00 E			10 2	713		
2 E			9 2	713	[illegible]	
32 E			2 9	732	T.C.	
[illegible]			[illegible]	815	[illegible]	
2 W			[illegible]	709	[illegible]	
[illegible]			10 3	712	[illegible]	
[illegible]			[illegible]	667	GEN	
61+00 E			11 1	698		
11 E			1 3	702	[illegible]	
19 E			9 3	722	T.C.	
66 E			8 7	306	[illegible]	
11 E			9 1	694		
3 E			[illegible]	25698		

Profile

No. _____ Notes Red _____ Plotted H. Martin Job No. _____ Division No. _____ F. B. _____ Pg. _____

Date _____ Date MAR 19 1937 Survey of _____

X-Sec.

No. _____ Notes Chkd. H.M. Checked C.L. Keagle Survey by _____ Notes _____ Date _____

Date 2-3-37 Date 3-23-37 Map No. _____ Indexed C. Johnson

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 623 PG. 60 | Job No. 2187 Division No. | Survey of [illegible] | Survey by [illegible] | Indexed A. C. Johnson | M. D. DARLING | Notes Red. FEB 2 1937 | Notes Chkd. H. Martin Date 2-3-37 | Plotted H. Martin Date MAR 19 1937 | Notes Chkd. G.H. Kaegle Date 3-23-37 | Profile No. B-1325-1 | X-Sec. No. B-1326-2

STATION	B. S.	H. I.	F. S.	ELEV.	
		2581 52			
60' L.			130	25685	GEN.
61+19.40 E.C.			109	706	"
13' R			109	706	E & C.
20' R			121	731	T.C.
60' R			128	787	S.H.
11' L			116	699	E & C.
13' L			112	703	T.C.
60' L			123	692	GEN.
62+[illegible] E.C.			97	718	"
8' R			89	726	E & C.
[illegible]			[illegible]	738	T.C.
60' [illegible]			[illegible]	746	S.H.
14' L			92	723	E & C.
16' L			121	731	T.C.
60' L			101	714	S.H.
[illegible]			99	716	"
7' L			101	714	E & C.
13' L			86	723	T.C.
60' L			95	760	S.H.
[illegible]			[illegible]	2571	E & C.

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.	NOTES
		2581 52			
18' L			97	25718	T.C.
60' L			111	704	GEN.
64+00 ℄			103	712	EG F. = NEW ℄
~~64 ℄~~			~~132~~		
7' R			78	737	T.C.
60' R.			+13 HUB	828	
11' L			100	715	℄ RD.
25' L			106	709	EG RD
26' L			100	715	T.C.
60' L			135	2563O	GEN.
T.P.	1056	2581 27	1021	2571 31	
2 1/4 SQ. ℄			70	25749	T.C.
5.1' R			+25 HUB	844	S.H.
22' R			+4 2 "	865	S.H.
8' L			109	710	EG RD
100' L			108	711	℄ RD
31' L			115	704	EG RD
60' L			150	669	
65+25 ℄			73	746	
12' R			70	25749	BHR

Profile No. _____ X-Sec. No. _____

Notes Rod. M. D. DARI. Plotted H. Martin Job No. 2147 Division No. _____
Date FEB 2 1937 Date MAR 10 1937 Survey of _____ F.B. _____ PG. _____
Notes Chkd. H. Martin Checked W. L. Keough Survey by _____ Notes _____ Date _____
Date 2-3-37 Date 3-23-37 Map No. _____ Indexed A. C. Johnson

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 683 Pgs. 2 | Job No. 2167 Division No. | Survey of Alley Dec 65 Rd | Survey by H.S. Jenssen Notes NFH | Indexed C. Johnson Date | Notes Chkd. H. Martin Checked C. E. Keagle | Date 2-3-37 Date 3-23-37 | Profile No. 8-1325-1 | X-Sec. No. 8-1326-2

STATION	B. S.	H. I.	F. S.	ELEV.	
		25881.87			
41' E			35	25784	BMC
14' E			410 HI	829	"
13' L			72	727	T.C.
12' L			121	698	E of Rd.
38' L			117	702	E Rd
42' L			125	694	E of Rd
44' L			106	704	T.C.
60' L			121	678	GLN.
62 + 00 ℄			67	752	
52' E			+78 HI	897	SH.
62' E			+100 HI	919	S.H.
77' E			+120 HI	939	T.B.
23' L			128	691	T.C.
28' L			149	670	E of Rd.
39' L			150	669	E Rd
50' L			141	661	E of Rd
71' L			184	635	BMC.
63+ 00 ℄			71	748	S.H.
21' C			12	807	BMC.
63' C			+5 ±	25873	"

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		2581.27 ✓				
[illegible] C			+6 1 HUB.	25880	BAR.	
30' L			15 1	668	T.C.	
35' L			17 2	647	Edge Pvt.	
45' L			17 5	644	Edge Pvt.	
55' L			17 9	640	Edge Pvt.	
5[illegible]' L			16 0	650	T.C.	
99' L			21 0	599	Edge Pvt.	
[illegible]			[illegible]	710		
42' C			[illegible]	770	S.H.	
27' C			[illegible]	819	"	
82' C			14 2 HUB	863	"	
58' ± L			11 4	675		
42' ± L			11 2	657	Edge Pvt.	
54' ± L			14 5	654	Edge Pvt.	
[illegible] ± L			[illegible] 2	647	Edge Pvt.	
35' ± L			15 7	662	T.C.	
[illegible] ± L			[illegible]	629	Edge Pvt.	
[illegible] ± C			[illegible]	759	S.H.	
5' C			4 5 HUB	869	Edge Pvt.	
[illegible]			4 5 HUB	2587 6	S.H.	

Profile
No.
X-Sec.
No.
Notes Red Date
Notes Chkd. H.M.M. Date 2-3-37
Plotted H. Martin Date MAR 19 193
Checked C.H. Keogh Date 3-23-37
Job No. Division No.
Survey of
Survey by
Map No.
Notes Date
Indexed A. C. Johnson Date

F. B. PG. 63

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 6488 Pg. 64 | Job No. 8467 Division No. | Notes Red. 7 | Plotted H. Martin | Profile No. 8-1325-1
Survey of 4669 Dulce Rd. | Date | Date MAR 22 193 | X-Sec. No. 8-1326-2
Survey by C.S. Johnson Notes Sheet 1 | Notes Chkd. H. Martin Checked R. L. Kouth
Indexed A. E. Johnson Date 11/6/36 | Date 2-27-37 Date 3-23-37

STATION	B. S.	H. I.	F. S.	ELEV.	
		2581.87			
41' L			15.3	2566	T.C.
49' L			17.6	643	Lg Fo
59' L			18.0	639	"
72' L			19.0	629	Lg Fo
73' L			18.3	636	T.C.
100' L			20.2	617	Gen.
67+97 PC ℄			4.5	774	Sm.
75' C.			0.0	819	Brk.
65' C			+2.2 H.I.	841	Brk.
76' C			+2.4 H.I.	843	"
51' L			16.9	650	T.C.
56' L			18.4	635	Fo
67' L			19.8	631	"
77' L			19.8	621	Lg
81' L			19.0	629	T.C.
100' L			20.6	613	Gen.
68+05 ℄			5.8	761	
31' C			1.5	806	Brk.
50' C			2.4	803	"
95' C			2.4	2579.5	"

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		2581.87 ✓				
26' L			163	25656	T.B.	
57' L			177	642	T.C.	
67			188	631	Eg. Po.	
71			192	627	"	
83			200	619	Eg Po	
82			192	627	T.C	
100' L			210	609	Grn	
68+50 R			125	694		
20' R			106	713	Brc	
76' C			91	728	"	
100' C			81	738	"	
140' L			185	534	T.C.	
73' L			193	626	Eg Po	
84' L			194	625	"	
77' L			210	609	Eg Pl	
5' L			196	621	T.C.	
29+00			144	670		
100' R			120	719	Grn	
72' L				635	T.C.	
			116	25624	EC Po.	

N. B. DARLING
Plotted H. Martin Job No. [illegible] Division No.
Notes Rod [illegible] Date MAR 23 1937 Survey of [illegible]
Notes Chkd. H.M. Checked A.L. Keagle Survey by H.E. Jones Notes [illegible] Date
Date 2-3-37 Date 3-23-37 Map No. Indexed C. Johnson

Profile No. X-Sec. No.

F.B. [illegible] PG. [illegible]

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 683 Pg. 66 | Job No. 8127 Division No. | Plotted H. Martin | Profile No. B-132.5-1

Survey of Sierra Drive | Notes Red | Date FEB 2 1937 | Date MAR 22 1937

Survey by [illegible] | Notes Chkd. H. Martin | Checked A. L. Kaegle | X-Sec. No. B-132.6-2

Indexed A. C. Johnson | Date 11-2-37 | Date 3-23-37 | Date 23-37

STATION	B. S.	H. I.	F. S.	ELEV.	
		2581.87			
105' L			19.5	2562.4	E.P.
118' L			21.0	609	E.P.
120' L			19.5	624	T.C.
70+00 ℄			11.6	673	SLOPE.
[illegible]			[illegible]	703	SL.
[illegible]			[illegible]	630	[illegible]
[illegible]			14.6	673	SL.
[illegible]			11.2	707	SL.
[illegible]			[illegible]	631	SL.
[illegible]			[illegible]	682	[illegible]
119' R			27	732	[illegible]
100' R			[illegible]	763	[illegible]
100' L			[illegible]	631	[illegible]
[illegible]			[illegible]	703	[illegible]
[illegible]			[illegible]	798	[illegible]
[illegible]			[illegible]	819	[illegible]
[illegible]			[illegible]	830	[illegible]
[illegible]			[illegible]	639	[illegible]
[illegible]			[illegible]	758	[illegible]
[illegible]			[illegible]	2582	[illegible]

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		2589.89 ✓				
87' E			+7.5 H.L.	25894	Brk.	
100' R			4.9	904	S.H.	
25' L			13.7	682	T.S.	
54' L			17.4	645	Brk	
100' L			16.2	2563.7	Swale	
T.P.	12.12	2589.89 ✓	[illegible]	2577.77 ✓		
71+50			12.5	2577.4		
23 R			+4.4 HL	943	Brk.	
10 R			+6.8 HL	967	Top slope	
33 L			21.7	682	Toe slope	
56 L			24.4	655		
100 L			26.2	637		
71+75			13.7	762	Swale	
83 R			+6.0	959	Brk.	
108 R			+7.8	977		
40 L			21.0	689	Brk	
67 L			24.1	658	"	
100 L			26.2	637	Flat	
72+08.13			11.8	781		
62 R			00	2589.9	Brk	

Profile No. ____ Notes Red. [illegible] Platted H. Martin Job No. [illegible] Division No. ____ L. B. 67 Pg. 67
Date [illegible] Date MAR 22 1937 Survey of [illegible]
X-Sec. No. ____ Notes Chkd. H. Martin Checked C. L. Keagle Survey by [illegible] Notes [illegible] Date 11/6/36
Date 2-3-37 Date [illegible] Map No. [illegible] Indexed A. C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683-P.G. 48

Job. No. 8167 Division No. ___ Notes Red ___ Plotted H. Martin Profile No. B-1325-1

Survey of Aqua Dulce Rd. Date ___ Date MAR 22 1937 X-Sec. No. B-1326-2

Survey by Johnson & Notes G.W.S. Notes Chkd. H. Martin Checked C. Vaughn

Indexed A. C. Johnson Date 11-6-36 Date 2-3-37 Date 3-23-37

STATION	B. S.	H. I.	F. S	ELEV.		
100 R		2589.89	+0.3	2590.2		
47 L			21.6	683	Toe slope	
100 L			25.2	647		
72+25			11.3	786		
38 R			3.0	869	Brk	
96 R			4.0	859	"	
50 L			22.1	678	Toe slope	
100 L			25.0	649		
72+54			15.3	746		
26 R			11.2	787	Brk	
53 R			10.4	795	"	
81 R			7.9	820	Toe slope	
100 R			2.5	874		
70 R			9.1	808	swale	
48 L			21.0	689		
100 L			25.2	647		
72+97			15.3	746	draw	
100 R			4.8	851	Toe slope	
55 L			16.0	739	Brk	
79 L			21.1	688		
100 L			24.00	256589		

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ X-Sec. No. ____ Notes Red ____ Plotted H. Martin Date MAR 22 1937 Notes Checked H. Martin Date 2-23-37 Checked K. L. Kaaga Date 3-23-37 Job No 8167 Division No ____ Survey of ____ Survey by Johnson Map No. ____ Notes G. W. S. Date 11-6-36 Indexed A. C. Johnson F. B. ____ PG. ____

STATION	B. S.	H. I.	F. S.	ELEV.		
73+00		25[illegible]	10.8	25791.		
58 R			10.7	792.	draw	
100 R			6.2	837.	Brk.	
52 L			11.8	731.		
90 L			21.4	685.		
100 L			23.4	665.		
73+17			5.5	844.		
1[illegible] R			5.2	847.	Brk	
100 R			3.7	862.		
40 L			7.2	817.	Brk	
57 L			12.0	779.	11 spur	
100 L			22.2	677.	Fire Place	
73+24			5.6	843.		
30 R			1.0	889.	[illegible] Brk	
100 R			+2.5	924.	Brk	
61 L			15.2	747.	Brk	
93 L			20.7	692.		
100 L			22.9	670.		
73+41			12.0	779.	Shed	
43 R			7.6	823.		
82 R			2.7	25872.		

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 682 Pg. 70 | Job No. 8167 Division No. | Profile No. B-1325-1 | X-Sec. No. B-1326-2

Survey of Rosa Duke Rd. | Plotted H. Martin Date MAR 22 1937

Survey by: A. C. Johnson Notes E.W.S. | Notes Chkd. H. Martin Checked Albert Keagle

Indexed | Date 11-6-36 | Date 2-3-37 Date 3-27-37

M.P. DARLING
Referenced Date FEB 2 1937

STATION	B. S.	H. I.	F. S.	ELEV.	
100 R		2577.4	0.5	2580.4	
23 L			5.7	772	B.M.
47 L			14.7	752	
100 L			22.5	674	
72+00			9.4	805	
47 R			7.4	825	
61 R			5.6	843	
81 R			4.4	855	
100 R			3.2	866	Top of bk
32 L			7.1	805	Top of bk
52 L			12.8	771	Top of bk
100 L			20.3	696	
74+18			4.0	859	
21 R			7.7	822	Bk
43 R			6.4	835	"
69 R			+1.0	909	"
86 R			0.1	898	Bk
100 R			2.0	879	
12 L			4.5	854	Top of bk
66 L			13.5	744	Bk
100 L			20.0	2569.2	

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
T+42.0		25873.9 ✓	0.6	25873	R/W	
11 R			1.4	885	"	
42 R			3.0	869	"	
65 R			3.0 +L	899		
100 R			+5.1	950		
24 L			7.3	826	Ft	
11 L			11.2	787	S	
T+42.0			2.0 +L	879		
33 R			+3.3	932	Ft	
65 R			+3.5	934	"	
100 R			+8.0	979		
30 L			1.9	880	S	
42 L			1.7	882	"	
69 L			4.4	855		
100 L			6.3	25836		
T.P.	17.93	25910.32 ✓	0.00	25892.39	✓	
75+50			6.8	25939		
100 R			2.2	985	Flat mud	
72 L			13.4	903	Dirt	
100 L			14.5	862		
75+50 POT			4.7	25959		

Profile

No. Notes Red Date: Plotted H.L.Martin Job No. Division No.

X-Sec. No. Date MAR 22 1937 Survey of Agua Dulce Rd

Notes Chkd H.L.Martin Date 2-3-37 Checked L. L. Keagle Date 3-24-37 Survey by John Sayre Notes G.W.S. Date 11-6-36

Map No. Indexed Jn. C. Johnson

F. B. PG.

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 623 Pg. 72 | Job No. 8167 Division No. | Profile No. B-1325-J
Survey of Agua Dulce Rd. | X-Sec. No. B-1326-2
Survey by Teamsen | Notes G.W.S. | Plotted H. Martin Date MAR 2 2 1937
Indexed A. C. Johnson Date 11-6-36 | Notes Chkd. H. Martin Checked Carl Kaiser
M.P. DARLING Noted Feb 2 1937 | Notes Chkd. H. Martin Date 2-3-37 | Date 3-24-37

STATION	B. S.	H. I.	F. S.	ELEV.	
[illegible]		26003.72 ✓	1.2	25995	T = 78.03
79 L			10.0	907	
[illegible]			7.3	864	
76+00			4.2	25955	
100 R			3.4	26003	
100 L			8.1	25922	
76+50			3.1	25968	
[illegible]			+0.4	26011	
100 L			8.2	25925	
77+00			3.1	25970	
[illegible]			8.2	25925	
100 R			+1.0	26017	
77+50			3.2	25971	
100 R			+0.4	26016	
100 L			7.9	25933	
78	3.45	25999.17 ✓	4.38	[illegible] ✓	
78+00			3.1	25969	
100 R			+1.5	26015	
100 L			7.3	25927	
78+64 PT			4.5	25955	
26 R			2.8	25972	

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
155R		2599.90	3.4	25966		
88R			5.2	948		
100R			4.0	960		
35L			6.5	935		
62L			7.5	925		
100L			11.8	882		
77+00			11.5	885		
27R			7.5	925		
36R			8.3	917		
100R			12.0	770		
21L			4.9	851		
42L			7.2	858		
100L			14.2	25738		
T.P.	0.15	2600.16	11.77	[illegible]		
79+40 ℄			7.1	25764		
50'℄			11.1	801		
73'℄			12.3	732		
100'℄			13.3	722		
[illegible]			11.6	706		
[illegible]			13.0	732		
[illegible]			26.0	25632		

Profile No. _____ Notes Rcd. 1-27-37 Plotted H. March Job No. _____ Division No. _____ F. B. 683 Pg. 73

X-Sec. No. _____ Date _____ Date MAR 22 1937 Survey of _____ Notes _____ Date _____

Notes Chkd. H. March Checked C. L. Keagle Survey by _____ Indexed A. C. Johnson

Date 2-3-37 Date 3-24-37 Map No. _____ Date _____

F. B. 683 PG. 74 | Job No. 8167 | Division No. | M. D. DARLING

Survey of Agua Dulce Road | Notes Rec. FEB 2 1937 | Plotted H. Martin | Profile No. B-1325-1

Survey by H. S. Johnson | Notes W. F. H. | Notes Chkd. H. Martin | Checked C. L. Keagle | X-Sec. No. B-1326-2

Indexed A. C. Johnson | Date 11/10/36 | Date 2-3-37 | Date 3-24-37

STATION	B. S.	H. I.	F. S.	ELEV.
T.P.				
	1.57			
		2559.14		
			2.57	
				2556.57
			56	25614
			43	613
			24	633
			44	656
			46	646
			13	633
			17	617
			20	620
			28	628
			15	615
			04	604
			75	575
			35	535
			30	630
			39	639
			26	626
			24	624

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. B-1325-1 Dist. Notes Red. Plotted H. Martin Job No. 817 Division No. F. B. Pg.
X-Sec. No. B-1326-3 Date Notes Chkd. H. Martin Checked P. DARLING Survey by Date MAR 23 1937 Survey of Notes Date 11/10/36
Date 2-3-37 Date Map No. Indexed A. C. Johnson

STATION	B. S.	H. I.	F. S.	ELEV.		
		2573				
				2559.8		
3+L			3+L	~~5603~~	Sta. 3+L	
12+L			12	618	Top of bank Sta.	
51+L			35	595	E Sta.	
90+L			57	573	E of Sta.	
130+L			98	572	Sta.	Plotted to here Sh. 2 3-22-37 H.M.
8+00 P.O.C.			06	624	Top of bank	
			01	629	Top of bank	
			72	601	Top of bank	
			12	616	Sta.	
			17	623	Sta.	
			23	610	Sta.	
			39	590	Top of bank	
			42	582	Sta.	
81+52 P.O.C.			91	591	"	
			98	597	Sta.	
			94	636	Top of bank Sta.	
			99	651	E Sta.	
				659	Top of bank	
			05	625	Top of bank	
			09	2563.1	Sta.	

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 683 Pg. 76 | Job No. 8167 Division No. | Notes Red | Plotted H. Martin | Profile
Survey of Agoura-Calle Joaquin | Date | Date MAR 23 1937 | No. R-1325-1
Survey by H.S. Johnson | Notes Chkd H. Martin | Checked | X-Sec.
Indexed A. C. Johnson | Date 11/16/36 | Date 2-3-37 | Date MAR 26 1937 | No. R-1326-3

STATION	B. S.	H. I.	F. S.	ELEV.	
		2573.01			
70' L.			168	2555	GEN.
82+00 P.O.C.			98	532	SL.
13' E			73	657	BOT FILL
19' E			44	686	TOP CUT
2' E			97	673	EXP.
3' E			80	680	T.P.
24' E			79	681	TOP CUT
46' E			73	680	TOP CUT
42' E			83	690	TOP CUT
52' E			1.83	716	S.C.
0'			73	600	BCE
85' L.			1.99	574	T.S.
82+00 P.O.C.			2.03	684	
2' E			1.41	726	
12' E			2.03	700	TOP CUT
24' E			1.96	706	S.C.
38' E				698	TOP CUT
37' E			2.07	768	
47' E			2.33	2530	WELL
				2553	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.	
		2573 01			
83+00 R.P.			+1.5 H.L.	25748	Side Cut
3' E			-0.4	726	E 3 Ft Bot Cut
12' E			-1.2	718	E Ft.
22' E			-1.6	714	E G Ft Bot Cut.
30' E			+8.6 H.L.	816	Top Cut
54' E			+11.7 H.L.	847	S.H.
80' E			+8.4 H.L.	814	S.H.
41' L			+5.0 H.L.	780	Top Cut.
30' L			+0.6 H.L.	736	Slope.
47' L			+1.0 H.L.	740	Brc
76' L			-0.3	25727	"
T.P.	1.92	2573 [illegible]	1.5	25[illegible]86	C.L. Ext. Sec. Line FS
83+20 P.T.				25713	
5' R				715	± Ft
15' R				713	Bot Cut. Ex. Ft.
21' E			+4.0 H.L.	772	Top Cut
80' E			+0.8 H.L.	740	S.H.
4' L			-2.0	712	Ex Ft.
10' L			+6.8 H.L.	780	Top Cut.
35' L			+7.2 H.L.	25810	Brk.

Profile No. [illegible] Notes R&R. FEB 2 1937 Platted H.Martin Job No. 2172 Division No. [illegible] L.B. 623 Pg. 37
X-Sec. No. [illegible] Notes Chkd. H.Martin Checked V Date MAR 23 1937 Survey of Degg Ducee Road
Survey by [illegible] Notes [illegible] Date 11/10/36
Date 2-3-37 MAR 26 1937 Comp No. Indexed [illegible] Tab [illegible]

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 78 | Job. No. 847 Division No. | Notes in Red | Plotted H. Martin Profile No. B-1325-1
Survey of Aerojet Excess Easement | Date FEB 2 1937 | Date MAR 23 1937 X-Sec. No. B-1326-3
Survey by H. Stevenson Notes N.F.H. | Notes Chkd. H. Martin Checked M. B. DARLING
Indexed A. C. Johnson Date 11/10/36 | Date 2-3-37 Date MAR 6 1937

STATION	B. S.	H. I.	F. S	ELEV.		
60' L			+2.0	2581.2	GEN.	
84+00 B.C.			3.1	701		
2' E			3.1	701	E. CO.	
13' E			4.1	691	E. CO.	
16' E			2.0	712	TOP CUT	
50' E			2.0	712	GEN.	
70' E			1.0	722	"	
8' L			5.9	693	E. & P.	
10' L			1.0	722	TOP CUT.	
60' L			1.0	742	GEN.	
84+55.27 E.C.			6.1	671	E. CO.	
12' E			7.0	662	E. CO.	
12' E			5.7	675	TOP CUT	
60' E			0.0	732	C.H.	
12' L			5.1	681	E. CO.	
[illegible]			[illegible]	693	[illegible]	
[illegible]			1.0	682	[illegible]	
25+00 P			[illegible]	647	[illegible]	
9' E			4.2	640	[illegible]	
[illegible]			[illegible]	2566.2	[illegible]	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		25723 18 ✓				
			H.L.			
60' R			+11	25743	S.H.	
12' L			9 2	638	EG FO.	
13' L			8 4	648	TOP CUT.	
60' L			8 5	647	SLOPE.	
84+30 ℄			12 7	595	℄ FO.	
11' R			14 0	592	EG FO	
14' R			12 2	610	TOP CUT	
60' R			8 1	651	S.H.	
12' L			14 2	587	EG FO.	
14' L				587	TOP CUT.	
				25594	S.H.	
T. P.			✓		24 ✓	
				25546		
				543		
				554		
				594		
				636		
				542		
				549		
				25581		

Profile No. ____ X-Sec. No. ____ Notes Rec. R. DARLING Platted H. Martin Job No. ____ Division No. ____ L. B. 6 Pg. 79
Notes Chkd. H. Martin Date MAR 23 1937 Notes Checked R. DARLING Survey of ____ Notes ____
Date 2-3-37 Date MAR 26 1937 Map No. ____ Survey by ____ Date ____
Indexed A. C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 482 P.G. 80 | Job. No. 8167 Division No. | Profile No. B-1325-1 | X-Sec. No. B-1326-3

Survey of | Plotted H. Martin Date MAR 2 3 1937

Survey by | Notes Red FEB 2 1937 Notes Chkd. H. Martin Checked M. D. DARLING

Indexed A. C. Johnson Date 1/10/36 Notes | Date 2-3-37 MAR 2 6 1937

STATION	B. S.	H. I.	F. S	ELEV.		
				25507		
				501		
				509		
				525		
				548		
				504		
				517		
				557		
89+00 L				473		
				470		
				477		
				476		
				472		
				485		
				25533		
				25433		
				423		
				439		
				2544 9		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
				2543 7		
				442		
				451		
				411		
				405		
				413		
				424		
				438		
				406		
				411		
				410		
				2539.4		
				391		
				404		
				461		
				386		
				25382		
				25378		
				25371		

Profile

No. _____ Notes Red. _____ Platted H. Martin Job No. 8127 Division No. _____ L. B. 623 PG. 81

X-Sec. _____ Date 1-30-37 Date MAR 23 1937 Survey of Agua Dulce Area

No. _____ Notes Chkd. H. Martin Checked _____ Survey by _____ Notes _____ Date _____

Date 2-3-37 DMAR 26 1937 Map No. _____ Indexed A. C. Johnson

L.B. 683 P.G. 82 | Job. No. [illegible] | Division No. _____ | Notes Red _____ | Plotted H. Martin | Profile

Survey of [illegible] | Date _____ | Date MAR 23 1937 | No. B-1325-1

Survey by _____ | Notes _____ | Notes Chkd. H. Martin | Checked M. D. DARLING | X-Sec.

Indexed A. C. Johnson | Date _____ | Date 2-3-37 | Date MAR 26 1937 | No. B-1326-3

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.
				2539.7
				387.
				367.
				374.
				353.
				2533.2
				326.
				336.
				324.
				327.
				333.
				366.
				311.
				310.
				353.
				303.
				310.
				336.
				294.
				2529.1

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		2539.74 ✓				
[illegible]			9.9	25298	Top Cut	
60' R			3.0	337	SH	
13' L			10.8	289	E.G. Rd	
16' L			10.2	295	Top Cut	
26' L			10.2	295	Bot	
60' L			3.2	333		
9[illegible] L			12.2	275	E	
15' L			13.0	267	E of Rd	
15' L			12.5	272	[illegible]	
[illegible]			12.3	274	Bot	
[illegible]			[illegible]	317	S.H.	
			12.9	268	E of Rd	
12' R			[illegible]	281	Top Cut	
30' R			[illegible]	290	Bot	
				25327	S.H.	
	4 22	2531.96 ✓	[illegible]	[illegible]	✓	
97+00			7.3	25247	E	
11, R			8.1	239	edge Rd.	
12 R			6.6	254	Top Cut	
60 R			4.1	25279		

Profile Notes Red. ____ Platted H. Martin Job No. [illegible] Division No. ____ L.B. 6[illegible] Pg. 8[illegible]
No. ____ Date ____ Date MAR 23 1937 Survey of [illegible]
X-Sec. ____ Notes Chkd. H. Martin Checked [illegible] Survey by ____ Notes ____ Date ____
No. ____ Date 2-3-37 Date MAR 26 1937 Map No. ____ Indexed ____ C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 84 | Job. No. [illegible] | Division No. [illegible] | Notes Red | M.D. DARLING

Survey of [illegible] | Date FEB 2 1937 | Plotted H. Martin | Date MAR 23 1937 | No. B-1325-1

Survey by [illegible] | Notes [illegible] | Notes Chkd H. Martin | Checked M.D. DARLING | X-Sec. No. B-1326-3

Indexed A. C. Johnson | Date [illegible] | Date 2-3-37 | MAR 26 1937

STATION	B. S.	H. I.	F. S	ELEV.		
15 L		25319 6	8.2	25238	edge Rd.	
16 L			7.4	246	Top cut	
28 L			7.2	248	Brk	
60 L			3.4	286		
98+00			10.2	213	℄	
15 L			11.2	208	edge Rd.	
29 L			10.6	214		
60 L			6.8	252		
12 R			11.1	209	edge Rd	
15 R			8.3	237	Top cut	
30 R			7.5	245	Brk	
60 R			3.2	25288		
B.M.	2.46	2524.02	1040	2521 56	Tel. Pole #66 ?	Elev. 2521.61 per F.B. 669 - 115
99+00			5.8	25182	℄	
11 R			6.7	173	edge Rd	
13 R			4.0	200	Top cut	
60 R			H.I. +5.5	295		
14 L			6.4	176	edge Rd	
42 L			6.3	177	Brk	
60 L			4.2	193		
100+00			9.3	2514 7		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
60 L		252402	9.3	25147		
38 L			10.0	140	Brk	
13 L			9.8	142	edge Rd	
12 R			9.8	142	" "	
14 R			7.9	161	Top cut	
60 R			5.0	190		
101+00			12.0	120		
11 R			13.0	110	edge Rd	
60 R			9.1	149	slope	
13 L			13.0	110		
14 L			12.4	116	Top cut	
36 L			11.8	122	Brk	
60 L			9.5	145		
102+00			14.6	094	℄	
14 L			15.3	087	edge Rd	
15 L			14.7	093	Top cut	
60 L			12.2	118		
13 R			15.0	090	edge Rd	
15 R			14.4	096	Top cut	
36 R			13.2	108	Brk	
60 R			10.8	25132		

Profile No. _____ X-Sec. No. _____ Notes Rod. _____ Date 2/ 1937 Notes Chkd. H. Martin Date 2-3-37 Platted H. Martin Date MAR 23 1937 Checked D. MARLING Date MAR 26 1937 Job No. 8167 Division No. _____ Survey of Agua Dulce Rd Survey by Johnson Notes G.W.S. Date 11-10-36 Map No. _____ Indexed A. C. Johnson

L. B. 622 PG. 82

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 86 | Job. No. 8167 Division No. | Profile No. B-1325-1
Survey of Azusa Duke Rd. | Plotted H. Martin Date MAR 23 1937 | X-Sec. No. B-1326-3
Survey by Talasera Notes G.W.S. | Notes Chkd. H. Martin Checked M.P. DARLING
Indexed A. C. Johnson Date 11-10-36 | Date 2-3-37 Date MAR 6 1937
M.P. DARLING Plotted Feb 2 1937

STATION	B. S.	H. I. 2524.02	F. S	ELEV.		
T.P.	2.71	2514.96	11.77	2512.25		
103+00			7.1	2507.9	℄	
12 R			7.9	071	edge Rd	
13 R			5.9	091	top cut	
60 R			4.7	103		
14 L			7.6	074	edge Rd	
39 L			7.5	075	Brk.	
60 L			6.1	089		
104+00			9.3	057	℄	
12 R			9.6	054	edge Rd	
14 R			8.7	063	top cut	
60 R			6.7	083		
14 L			9.9	051	edge Rd.	
40 L			10.0	050	Brk.	
60 L			9.2	058		
105+00			11.1	039		
12 L			11.3	037	edge Rd	
42 L			12.4	026		
60 L			12.0	030		
12 R			10.8	042	edge Rd	
15 R			8.9	2506.1	Top cut	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
45 R		2514.96	3.5	2511.5	Brk	
60 R			+1.5	165		
106+00			9.4	056	℄	
12 R			9.8	052	edge Rd	
16 R			8.1	069	Top cut	
54 R			0.8	142		
60 R			+0.5	155		
10 L			9.4	056	edge Rd Fill	
17 L			12.0	030	Bot Fill	
60 L			15.0	25000		
107+00			4.9	101	℄	
9 L			4.7	103	Top Fill edge Rd	
17 L			8.4	25066	Bot Fill	
60 L			15.3	24997	slope	
11 R			5.3 H.I.	25097	edge Rd	
16 R			+0.5	155	Top cut	
39 R			+5.9	209	Top Ridge	
60 R			+5.1	201		
108+00			3.6	25114	℄	
12 R			4.1	109	edge Rd	
14 R			1.0	25140	Top cut	

Profile No.
X-Sec. No.
Notes Red. Date 2-7-1937 Platted H. Martin Job No. 816 Division No. L. B. PG. 87
Notes Chkd. H.M. Date MAR 23 1937 Survey of Aqua Duct Rd
Date 2-7-37 Checked M.D. DARLING Survey by Johnson Notes G.W.S. Date 11-18-36
Map No. MAR 26 1937 Indexed A. C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 85 Job. No. 8167 Division No. ____ Notes Red H. Martin Plotted H. Martin Profile No. 8-1325-1
Survey of Agua Dulce Rd. Date 1-30-37 Date MAR 23 1937 X-Sec. No. 8-1326-3
Survey by Johnson Notes G.W.S. Checked P. DARLING
Indexed A. C. Johnson Date 11-10-36 Date 1-30-37 MAR 26 1937

STATION	B. S.	H. I.	F. S	ELEV.	
60 R		2514 96	+L +0.3	2515 3	
10 L			3.3	2511 7	edge rd
14 L			1.3	2513 7	Top cut
60 L			7.6	2505 4	Slope
T. P.	1.34	2511.83	4.47	2510 49	
109+00			3.4	2508 4	℄
10 R			3.8	2508 0	edge rd.
12 R			0.5	2511 8	Top cut
34 R			+L +2.8	2514 6	B.R.
48 R			+2.6	2514 4	Top bank
60 R			+0.6	2512 4	
12 L			3.3	2508 5	Top bk. at rd.
16 L			5.1	2506 7	Gutter
60 L			9.4	2502 4	
110+00			5.2	2506 6	℄
10 R			5.7	2506 1	edge rd
15 R			1.8	2510 0	Top cut
60 R			7.2	2504 6	
11 L			5.2	2506 6	edge rd
60 L			11.9	2499 9	Slope
111+00			8.7	2503 1	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile Notes Red. H.M. Platted H.Martin Job No. 7167 Division No. L. B. [illegible] Pg. [illegible]
No. D-1325-C Date 1-30-37 Date MAR 23 1937 Survey of Agua Dulce Rd
X-Sec. Notes [illegible] Checked [illegible] DARLING Survey by Johnson Notes G.W.S. Date 11-10-36
No. B-1326-3 Date 1-30-37 Date MAR 26 1937 Map No. Indexed C. Johnson

STATION	B. S.	H. I.	F. S	ELEV.		
11, R		2511.83	9.4	2502 4	edge Rd	
18, R			10.6	2501 2	Brk	
60 R			12.2	2499 6		
11, L			9.0	2502 8	edge Rd	
25, L			8.1	2503 7	Brk	
48. L			4.3	2507 5	Top Ridge	
60. L			3.8	2508 0	" "	
? 112+00			~~11.5~~ 7.5	~~2509.3~~ 2504 8	℄	
11 L			11.8	2500 0	edge Rd	
12 L			10.1	2501 7	Top cut	
60 L			6.6	2505 2	top ridge	
11, R			12.5	2499 3	edge Rd	
18 R.			12.6	2499 2		
21 R			13. 6	2498 2	Brk	
60 R			16. 1	2495 7		
T. P	0.99	2501 .06	11.76	2500.07	✓	
113+00			7.8	2493 3	℄	
11. R			8. 2	24929	edge. Rd.	
12 R			7.7	24934	Top cut	
60 R			6. 8	2494 3		
11 L			8. 4	2492 7	edge Rd	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 92 | Job. No. 8167 Division No. ____ Notes Red H. Martin Plotted ____ Date 1-30-37 Profile No. ____
Survey of Aqua Dulce Co. Notes ____ Date ____ Checked ____ Date ____ X-Sec. No. ____
Survey by Johnson Notes H.S.J. Date 11-12-36
Indexed A. C. Johnson

STATION	B. S.	H. I.	F. S	ELEV.	
		2493 90			
118+00			8.0	2485 9	℄
10 Ft Rt			8.8	2485 1	Ed. Rd.
20 Ft Rt			5.1	2485 0	
60 Ft Rt			5.8	2488 1	
10 Ft Lt			8.5	2485 4	Ed. Rd. Top Fill
13 Ft Lt			10.0	2483 9	Bk. Fill
60 Ft Lt			12.2	2481 7	
119+00			7.7	2486 2	℄
11.0 Lt			7.4	2486 5	Ed. Rd.
20.0 Lt			7.8	2486 1	
60.0 Lt			13.1	2480 8	
12.0 Rt			8.3	2485 6	Bk. Cr Ed. Rd.
15.0 Rt			5.0	2488 9	Tp Ct.
60.0 Rt				2491 6	
119+84			7.1	2485 8	℄ B. C.
15 Rt			8.8	2485 1	Ed. Rd. Bk. Ct
19 Rt			7.4	2486 5	Tp. Ct.
60 Rt			2.8	2491 1	
10 Lt			8.2	2485 7	Ed. Rd. Top Fill
17 Lt			11.7	2492 2	Bk. Fill

VOID

See over pg 90

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ Notes Red. H.M. Plotted ____ Job No. 816 Division No. ____
X-Sec. No. ____ Date 1-30-37 Date ____ Survey of ____ F. B. 6 3 3 PG. 93
Notes C.R.N. Checked ____ Survey by Johnston Notes ____ Date 11-16-36
Date 1-30-37 Date ____ Map No. ____ Indexed A. C. Johnson

STATION	B. S.	H. I.	F. S.	ELEV.		
119+84		2493.90				
60' Lt			15.5	2478.4		
120+00			8.0	2485.9	℄	
10' Lt			7.8	2486.1	Top Fill	
10' Lt			12.5	2481.4	Bt. "	
60' Lt			15.3	2478.6		
16' Rt			8.8	2485.1	Ed. Rd. Bot of	
18' Rt			6.2	2487.7	Top of	
60' Lt			0.5	2493.4		
120+45			6.9	2487.0	℄	
31' Rt			7.3	2486.6	Ed. Rd. Bot of	
36' Rt			0.5	2493.4	Top of	
60' Rt			3.5	2490.4		
11' Lt			6.8	2487.1	Ed. Rd Top Fill	
19' Lt			10.8	2483.1	Bt. Fill	
60' Lt			16.5	2477.4		
120+71			4.6	2487.3	℄	
6.1' Rt			6.4	2487.5	Ed. Rd. Bot of	
71' Rt			+4.6	2498.5	Top of	
10' Rt			+6.1	2500.0		
2.2 Lt			8.3	2485.6	Ed. Rd. Top Fill	
35' Lt			13.8	2480.1	Bt. Fill	

See Note per pg. 90

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 483 Pg. 94 | Job No. 8167 | Division No. | Notes Red. H. Martin Plotted | Profile No. | Date 1-30-37 Date | X-Sec. No.
Survey of | Notes | Checked | Date 1-30-37 Date
Survey by Johnson | Notes | Checked | Date 1-12-36 Date
Indexed

STATION	B. S.	H. I.	F. S.	ELEV.	
120+71		2493.90			
60' Lt			16.8	2477.1	
	11.77	2494.57	11.10	2482.80	
120+81			7.5	2487.1	℄
90' Rt			3.1	2491.5	Cottonwood
120' Rt			0.6	2493.0	Cottonwood
50' Lt			11.7	2482.9	Top Fill along ℄ Escondido Rd.
100' Lt			14.4	2480.2	Top " " "
120+89.77					
100' Lt			14.5	2480.1	℄ of Escondido Rd
200' Lt			11.1	2477.1	" " " "
120+89.77			7.9	2486.7	℄ Intse
78' Rt			3.0	2491.6	℄ Asco [illegible]
100 Lt			2.2	2492.4	" " " "
165 Rt			0.0	2494.6	" " " "
			11.77	2482.80	B.M. U.S. Mon W.T. Cor. Per R.S. 1467-117 Elev. = 2482.82

See Note on pg 90

Profile No. ____ X-Sec. No. ____

Notes Red. L. Keagle Plotted ____ Job No. 8167 Division No. ____ F. B. 683 Pg. 95

Date 12-7-36 Date ____ Survey of Aqua Dulce Edge

Notes Chkd. ____ Checked ____ Survey by H.S. Notes NFH Date 12/6/36

Date ____ Date ____ Map No. ____ Indexed C. Johnson Date 12-1-36

Cross Sections on Sierra Highway

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 11-35

F. B. 683 PG 96 | Job No. 2167 | Division No. | Notes Red C. L. Keagle | Plotted | Profile

Survey of | Date 12-7-36 | Date | No.

Survey by H. S. Jarvis & Co. | Notes W.F. | Notes Chkd M. D. DARLING | Checked | X-Sec.

Indexed C. C. Johnson | Date 12/11/36 | Date FEB 2 1937 | Date | No.

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.
15				2721.08
16				2716.4
17				2714.4
18				2712.5
19				2711.3
20				2710.2
21				2708.8
22				2707.5
23				2706.8
24				2706.0
25				2705.2
26				2704.8
27				2704.0
28				2703.2
29				2702.4
30				2701.6
31				2700.8
32				2700.0
33				2699.2
34				2698.4
35				2697.6
36				2696.8
37				2696.0
38				2695.2
39				2694.4
40				2693.6
41				2692.8
42				2692.0
43				2691.2

F.B. 683-28 F.B. 669-109

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		2726.01				
0+92			4.7	2721.3	E Mon.	
10'R			5.7	21.3	Lg Pine	
5'R			5.2	21.0	Bot Cut	
51'R			3.8 H.L.	29.8	Top Cut	
23'R			1.20 H.L.	28.10	" "	
79'R			1.6 H.L.	27.6	" "	
135'R			1.2 H.L.	24.8	" "	
192'R			1.3	23.7		
14+00 E			4.9	21.1	E Mon.	
10'R			4.7	21.-	Lg Pine	
10'L			6.2	20.2	Bot Cut	
7'L			1.6 H.L.	33.6	Top "	
34'R			2.6	34.6	Can Top	
77'R			2.3	34.3	"	
102'R			1.8	29.8	"	
14+13 E			5.4	20.6	E Mon.	
5'R			6.2	20.2	Lg Pine	
40'R			5.7	20.2	Bot Cut	
49'R			2.4	34.4	Top Cut	
57'R			2.5	34.5	Top	

Profile
No.
X-Sec.
No.
Notes Rec'd L. Keagle Plotted
Date 12-7-37 Date
Job No.
Division No.
Survey of
Notes Checked
Date Dec 2 1937
Survey by
Map No.
Notes
Indexed C. Job
Date 6/1/38
F. B. 683 PG. 97

F. B. 683 PG. 98 | Job No. [illegible] Division No. | Notes Red C. L. Keagle Date | Plotted Date | Profile No.

Survey of | Notes | Notes Chkd. M. R. DARLING Date FEB 2 1937 | Checked Date | X-Sec. No.

Survey by | Indexed A. C. Johnson Date

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

STATION	B. S.	H. I.	F. S.	ELEV.

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		2722.9 ✓				
B.M. [illegible]			4.7	2718.2 ✓	E. [illegible]	
[illegible]			4.6	18.3 ✓	" "	
[illegible]			4.9	18.0 ✓	" "	
[illegible]			6.2	16.7 ✓	" "	
[illegible]			5.4	17.5 ✓	E. [illegible]	
[illegible]			5.1	16.8 ✓	" "	
[illegible]			6.2	16.7 ✓	" "	
[illegible]			5.8	17.1 ✓	" "	
[illegible]			5.0	17.9 ✓	" "	
					[illegible]	
T.P.	[illegible]	[illegible]	[illegible]	[illegible] ✓	T. Bond	
				2721.28 ✓	F.B. 683-28 ; F.B. 669-109 T.B.M. [illegible]	

Profile

No. _____ Notes Red by Keagle Plotted _____ Job No. _____ Division No. _____

X-Sec. _____ Date 12-7-36 Date _____ Survey of _____

No. _____ Notes Cked _____ Checked _____ Survey by _____ Notes A. C. Johnson Date _____

Date 2-1937 Date _____ Map No. _____ Indexed _____ Date _____

F. B. 683 PG. 99

F. B. 683 PG. 100 | Job No. | Division No. | Notes Red. | Plotted | Profile No.

Survey of | Date | Date | X-Sec. No.

Survey by | Notes | Notes Chkd. | Checked

Indexed A. C. Johnson | Date | Date | Date

Form 307 5M 11-35

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
						J.N. 8167

AGUA DULCE RD

PROFILE
of
Private Drives & Rds
intersecting Agua Dulce Rd.

H. S. Johnson
G. W. Schaefer
W. F. Harris
A. B. Morse
L. T. Cory

Profile No. ____ Notes Red. M. R. DARLING Platted ____ Job No. 8167 Division No. ____ L. B. 683 Pg. 101
X-Sec. ____ Date ____ Date ____ Survey of AGUA DULCE RD
Notes Chkd. ____ Checked ____ Survey by Johnson Notes W.F.H. Date 12-2-36
Date ____ Date ____ Map No. ____ Indexed C. C. Johnson 12-6-36

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 102 | Job. No. 8167 Division No. | Notes Red | Date FEB 2 1937 | Plotted | Profile No.
Survey of Agua Dulce Road | Date | Checked | X-Sec. No.
Survey by H.S. Jameson Notes W.F.H. | Notes Chkd H. Martin | Date 2-3-37
Indexed | Date 12/2/36

STATION	B. S.	H. I.	F. S	ELEV.		
T.B.M.	43	2543.7		2539.4	(N&T) Stg. 92+00 & El. 2539.4	Per. Page 81
92+14 ℄			45	392	℄ Rd. & Prin. Drive (Dirt) 11' Wide.	
15' L.			53	384	E.G. Rd	
82' L			63	374	℄ Or. Brk.	
134' L			30	407	" "	
			43	25394	Stg. 92+00 & El. 2539.4	Per Page 81
T.B.M.	89	2542.1		25332	(N&T) ℄ Rd. Stg. 94+00 El. 2533.2	Per. Page 82
94+48			110	311	℄ Gully Dulce & Darling Rds	10' Wide, East. 14' Wide, West.
65' R			110	311	Gutter ℄ Darling	
21' R			95	326	Brk. "	
89' R			42 H.L.	379	Slope "	
160' R			+32 H.L.	453	Brk. "	
213' R			+53 H.L.	474	" "	
300' R			+43 H.L.	464	" "	
389' ℄			-12 H.L.	409	" "	
439' R			-20 H.L.	401	" "	
15' L			114	307	Gutter "	
27' L			109	312	Brk. "	
77' L			68	353	" "	
100' L			68	25353	" "	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ X-Sec. No.____

Notes Red. Dated 12-7-37 By J.D.B. Date

Notes Chkd. H.M. Martin Checked Date 2-3-37 Date

Job No. 816.7 Division No.____ Survey of Gaus Dulce Road

Survey by H.S. Clemmens Notes N.F.L. Date 2-2-37

Map No.____ Indexed by C. Johnson

L.B. 683 Pg. 103

STATION	B. S.	H. I.	F. S	ELEV.	
		25421 ✓			
157' L			133	25288	& Dgeling Rogo Brk.
189' L			146	25275	" "
279' L			120	301	" "
T.B.M.			89	25332	Stg. 94+00 ℄ (N&T) El. 2533.2 Per. Page 82
T.B.M.	116	25195 ✓		25079	103+00 ℄ (N&T) El. 2507.9 Per Page 86
103+44			125	070	Int. Gaus Dulce & Private Rd. (Dirt) 15' Wide.
14' L.			132	063	Gut. Lg Rd & Priv Rd
21' L.			123	072	Brk "
66' L.			107	088	" "
100' L			75	120	Sh. "
156' L			07	188	Top Brk "
200' L			07	188	" " "
238' L			38	157	" "
320' L			137	058	" "
364' L			163	032	" "
T.B.M.			116	25079 ✓	Stg. 103+00 ℄ (N&T)
T.B.M.	03	25117 ✓		25114	Stg. 108+00 (N&T) ℄ El. 2511.4 Per Page 87
108+73 ℄			27	090	Int. Gaus Dulce & Priv. Drive (Dirt) 11' Wide

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 6f3 P.G. 104 Job No. 816Z Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of Azusa Ave. Road Date 1-5-37 Date 1-7-37 No. ____
Survey by H.S. Sanders Notes W.F.E. Notes Chkd: H. Martin Checked ____ X-Sec. ____
Indexed A. C. Johnson Date 12/2/36 Date 2-3-37 Date ____ No. ____

STATION	B. S.	H. I.	F. S	ELEV.		
		25117 ✓				
11' L			28	25089	EG Fo. & DRIVE.	
55' L			75	042	BCL "	
126' L			98	25019	" "	
212' L			160	24957	" "	
237' L			173	24944	GLN. "	
T.B.M.			03	25114	STA 108+00 (N&T) & EL. 25114	Per Page 87
T.B.M.	21	25087 ✓		25066	STA 110+00 (N&T) & EL. 25066	Per Page 88
110+59 E			42	045	INT S.D. Fo & Prin. Dr. (Diet) 10' Wide	
11' L			43	044	Gut. "	
15' L			35	052	BCL "	
37' L			27	060	" "	
83' L			83	25004	" "	
200' L			170	24917	" "	
T.B.M.			21	25066	STA 110+00 (N&T) & EL. 25066	Per Page 88
T.B.M.	32	24913 ✓		24881	115+00 (N&T) & EL. 2488.1	Per Page 90
115+59 E			40	873	INT SD Fo & Prin. Dr (Diet) 12' Wide	
11' L			44	869	EG Fo. & "	
21' L			51	24862	BCL "	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		2491 3 ✓				
100' L			55	24858	GEN. PER. OF ℄	
200' L			57	856	" "	
T.B.M.			32	24881	(N&T) 115+00 ℄ EL. 2488.1	Per Page 90

Profile Notes Red. Plotted Job No. 47-7 Division No. L. B. 683 Pg. 105
No. Date Date
X-Sec. Notes Chkd. H.M.Martin Checked Survey of AGUA DULCE Road
No. Date Date Survey by Notes WEST Date
Map No. Indexed A. C. Johnson

B. 683 P.G. 106 Job. No.____ Division No.____ Notes Red____ Plotted____ Profile No.____

Survey of____ Date____ Date____

Survey by____ Notes____ Notes Chkd.____ Checked____ X-Sec. No.____

Indexed A. C. Johnson Date____ Date____ Date____

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.	

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of ROAD DEPT
W. O. 5058 Tape No. 65 St'd 84 of
Surveyed by F.C. HOWARD
Notes F.C.H Date 3-27-40
Indexed ~~C. Johnson~~ 6-20-40

F.B. 683 Pg. 113

Fd 2x2 at NE Cor of Fence Cor

13+34.12
Fd 2" I.P. P&T
8" Under.
FB 98 Pg 82 & 93
FB 683-19

30.14

29½ 12+00
28¼ 11+00
26⅓ 9+00

7+26.4

19⅔
18⅞ 24⅝ 7+00
19⅓ 25⅜ 6+00
19⅚ 23⅛ 5+00
20.0 22⅝ 4+00
20.6 21⅜ 3+00
20.4 21⅓ 2+00
20.9 20.5 1+00 E
20.2 20.3 0+74.14 E

0+34.2 20.8
0+26.2 E 26.1

(20) (50) (30)

0+00.4 E
0+00.1 E
20.7
6.2

℄ AGUA DULCE ROAD

19.7 19.5 19.4 19.6 (20) (40)

2+00 N
1+00 N
0+74.14 N
0+32.8 N

0+00
Fd 3½" I.P. 8" Under FB 683 Pg. 19
29.5 0+27° W.
29.6 0+50 W

(20) (20)

℄ AGUA DULCE CN ROAD 2

29° 1+00 W
28° 1+50 W
27⅓ 2+00 W

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 683 PG. 114

Notes Ck'd by M. D. DAWLING	Survey of Grading D. - P.D.	F.B. 683	Pg. 115
Map No.	W. 0.8/67 Tape No. [illegible] St'd at °F.		
Office Work	Surveyed by Johnson		
Checked	Notes H.S.W. Date 12/2/36		
Date	Indexed A. C. Johnson 12-28-36		

See F.B. 116

NOTE Survey cont. to South in F.B. 738 Pg 95

50.00 Level = 50.00 ✓
260.68 @ S 37° 260.41 ✓
310.41 ✓

310.41

P.O.T.
1½ x 2
[illegible] 1.486

T. 82
199.94 @ Level = 199.92 ✓

199.94

175-39-45
342-39-00
167-39-45 ✓

Set ¾" I.P. 15" Dp.
By Inter. of
Line from 1.86 ft
& Line E.-W.
See F.B. 738 Pg 96

2 x 2 Per F.B. 486-169

Set 4 x 4 Per
F.B. 486-169

39' 45"

87-45

87-45-0
359-00-00
87-45-00 ✓

MONUMENT
COUNTY SURVEYORS
LA
T. 5 N

Found 1" I.P. No Tag
Per C.S. 8712
& C.S. 4203.2
F.B. 23-2
Mkd. [illegible]

1½ Section Corner
S½ Cor. Sec. 27 T5N R11W
Found Spike & Tag
Per C.S. 8712
& F.B. 23-2

From Top Pg. 21

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

116

To Bot Pg 117 ✓

F.B. 683 Pg. ~~##~~

Fd 1/2" I.P
Per 1885-3
4 F.B. 486-169
Checked Line
Thru To Same

P.B.
370.31 [illegible] 217.55 ✓
183.61 [illegible] 182.66 ✓
488.27 ✓

P.I. "C"
[illegible]
10' Under
Per F.B. 486-

[illegible] 05-30
300-11-30
[illegible] ✓

From Top Pg 115

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

117

M. D. DARLING

Notes Ck'd by	Survey of Agua Dulce #2
Map No.	W. O. 8176 Tape No. 57 St'd 84° F.
Office Work	Surveyed by Johnson
Checked	Notes A S U Date 11-18-36
Date	Indexed A. C. Johnson.

F.B. 168 Pg. 47

to Bk 118 ✓

T 78'
299.77 @ 52½ 238.38 ✓
83.30 ✓
382.68 ✓
Tomo 382.02
385.66 ✓

"I" N Fd 1x2
486-169

482.01

From Top Pg 116 ✓

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 683 Pg. 118

To Bot Pg 119

300.22 @ 4-56 = 299.11
63.10 @ Level = 63.10
T=78° 362.21 = 362.20



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by M B DARLING	Survey of Spring Street SD
Map No.	W. O. 8167 Tape No. 57 St'd 84 °F.
Office Work	Surveyed by Johnson
Checked	Notes H S U Date
Date	Indexed A. C. Johnson

F.B. 683 Pg. 119

To Sur. Pg. 120

214.93

245.99 - S 18 - 214.93

157-16-30
269-06-30
157-16-37½

PI "L"
Adjusted 6" Dia.
Per R 486-168

35'

63.63
2 30°13'

109.00 @ 29°13'

157°-16'

PI "M"
Adjusted 6" Dia.
Per R 486-168

392.20

From Top Pg. 118

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 683 PG. 120

To Bof Pg. 121 ✓

285.42 @ T = 78° 4-49 = 284.40 ✓

284.40 ✓

(1) 164-12-00
(2) 296-48-00
= 164-12-00 ✓

164-12-00 ✓

P.I. ℄
Rd Wire Spk. 2'Rt.
Rad. N 48-48-16E

CB N 62-36-16E

Spike & Tag
Rad. N 48-48-16E

From Top Pg. 119 ✓

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

M.B. DARLING

Notes Ck'd by	Survey of AGUA DULCE PD
Map No.	W. O. 8167 Tape No. 57 St'd 68 °F.
Office Work	Surveyed by Johnson
Checked	Notes H Std Date 11-18-36
Date	Indexed A. C. Johnson

F.B. 683 Pg. 121

To Bot Pg 122 ✓

N 09°-17'-43"-29876 ✓
107.09 @ 1-21-10706 ✓
T-78° 40'-58" = 1105.80 ✓

1105.80

① 139-39-00
② 198-35-30
= 139-38-52½ ✓

139°-38'-55"

105.50 @ 25.28

P.I. "J"
Fd Wire Spk
C" DH
Por 96.+86-167

Fd 2x2 C.P.P.I.
F.B. 486-167

From Top Pg 120 ✓

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 683 Pg. 122

To Bot Pg 123

T=78°
300.20 @ 4°-30 = 299.27 ✓

T=82°
227.40 @ 1°-44 = 227.30 ✓

526.57 ✓

524.57

172-09-00
328-36-00
- 172-09-00 ✓

FD 5/8" I.P. NO TAG
0.48 S 1.27 E

43.26
@ 29.19

43.92
@ 29.27

405.20

From 121

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Agua Dulce Rd
Map No.	W. 08167 Tape No. 57 St'd 24 °F.
Office Work	Surveyed by Johnson
Checked	Notes H. S. J. Date 11-14-35
Date	Indexed A. C. Johnson

F.B. 692 Pg. 123

To Sht. 124

T=32°
2443.20@2-08=2443.03 ✓

2443.03 ✓

146-14-15

224-57-00

146-14-15

P.I. "H"
10"x12"x36" Dm
in Fill of Rd.

57.56
@9-07

2"x2"x2' R.P.P.I
Per F.B. 486-167

From Top Pg 122 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 683 Pg. 124

To Bot Pg 125 ✓



300.46@2-48 = 300.10 ✓
111.74@3-03 = 111.58 ✓
T= 80° 411.68 = 411.67 ✓

411.67 ✓

173-30-00 ✓
33-11-00 ✓
173-00-03½ ✓

243.03 ✓

From Top Pg 123 ✓

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by W.D. DARLING	Survey of Field Date 7-9	F.B. 683	Pg. 125
Map No.	W. 08167 Tape No. 7 St'd 84 °F.		
Office Work	Surveyed by Johnson		
Checked	Notes H. S. Date 11-18-36		
Date	Indexed A. C. Johnson		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

298.15 @ 4-21 = 297.29
4.19 — 4.19
T = 80° 301.48 = 301.47

T 301.47

130-07-00
160-28-00
130-07-00

130-07-00

P.I. F
Fd 2XZ Flush
Per F B, 486-166

64.14
@ 9°-12

116.94 @ 17°-11.5

Fd 2x2.5 PPH
± Prod
Per F B 486-166

411.67

T 301.47

124.1

FORM 247 10M 11-35

F.B. 683 Pg. 126

To Bot Pg. 127

T=76°
246.98' Level = 217.53' NSL

217.53' NSL

P.I. "E"
S.W.ct. 2" Dm
Por F.B. 486-162

Fd 2x12
RPPT
R - 5.0
486-162

154-28-15
257-53-00
154-28-15

From Top Pg. 125

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of AGUA DULCE RD
Map No.	W. O. 8167 Tape No. 21 St'd 8 OF.
Office Work	Surveyed by Johnson
Checked	Notes Date 11-12-36
Date	Indexed A. C. Johnson

F.B. 083 Pg. 127

To Bot Pg. 128

120.00 Level = 120.00

179.35@0-51 = 179.33

T=76 299.33 = 299.31

299.31

93.46@33°03

11148 @31-09

FD 2x23 NPPI PSLFB#486-165

FD "I" 3'DM SWST PSLFB#486-165

159-47-30

279-09-46

159-49-26

159.47

246.94

From Top Pg 126

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

F.B. 683 Pg. 125

To Bot Pg 129 ✓

299.94 @ Level = 299.94 ✓
131.43 " = 131.43 ✓
T=76° 431.37 = 431.35 ✓

431.35 ✓

159-04-15
276-16-45
159-04-11.4 ✓

P.I. "C"
Fd SW 4"T 4" Dn
Per F.B. 486-165

90.31 @ 27-03

159-04-10.4 ✓

143.14
@ 27.00

Fd 2x2s C.T.S.
Per F.B. 486-165

From Top Pg 127 ✓

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by M. B. DARLING	Survey of AGUA DULCE ED.	F.B. 282	PG. 129
Map No.	W. O. 2167 Tape No 57 St'd 84 OF.		
Office Work	Surveyed by Johnson		
Checked	Notes H.S.N. Date 11-19-36		
Date	Indexed A. C. Johnson		

To Cot FB 130

300.19 @ 1°-20' = 300.11
18.20 Level = 18.20
T = 76° 318.31 = 318.29

318.29

① 160-02-00
② 280-08-30
160-06-30

Fd 2x2½ R.P.M.
Per F.B. 486-164

20.86

70.95 @ A-09

HI B"
= d S.M.T
12" Dri
Per F.B. 486-165

1.05
1.31

From Top Pg 128

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

F.B. 683 PG. 130



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	M.D. DARLING	Survey of Agua Dulce RD	F.B. 68 Pg. 131
Map No.		W. O. 8167 Tape No 57 St'd 8H OF.	
Office Work		Surveyed by Johnson	
Checked		Notes Date 11-19-36	
Date		Indexed A. C. Johnson	

To B-4 Pg 132 ✓

T=76
412.56 Level = 412.54 ✓

412.54 ✓
Rec = 412.52

145-58-15"
223-53-00
145-58-15 ✓

Rec = 145-58-15"
145-58-15 ✓

⊥ Pt #19
20 1/2 FT
FB.
Set ¾" I.P. & Tag

1917 ✓
Rec 1911.36

From Tape Pg 130 ✓

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

FORM 247 BM 2-34

F.B. 683 Pg. 132

To Bat Pg 133

T = 1/2
177.00 Level - 176.99

176.99

℄ Schaefer Rd

Rec = 632.87

"Bent Pin
F.D. 100 L.P.
set 3/4" I.P.
6" D.I."

T = 76°
300.09 @ 2-0 = 299.87
156.01 Level = 156.00
455.88 .87

455.87

Rec = 147-50-55

117-59-5
231-32-45
147-53-11-1/4

P.I. #19
Set 1x2 Bar
F.D. 100.09

Rec = 147-53-10"

From Top Pg 131

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of AGUA DULCE RD
Map No.	W. O. Tape No 57 St'd S. of E.
Office Work	Surveyed by Johnson
Checked	Notes Date
Date	Indexed A. C. Johnson

F.B. 1004 Pg. 133

To Bat Pg 134

424.84

Fd SW & T P.L.S. 8583

2000

T=76° 424.84

P.I. # 209"

set ¾" I.P. By Inter

176.99

From Top Pg 132

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 BM 2-34

F.B. 6883 PG. 134



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by M.D. DARLIN	Survey of
Map No.	W. O. Tape No St'd
Office Work	Surveyed by
Checked	Notes Date 11/34
Date	Indexed A. C. Johnson

F.B. 683 Pg. 135

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

300.20 @ 1°44 = 300.016
184.73 Level = 184.73
T=64 184.79 484.23

484.73 Rec. =

Fd 2x2 Per F.B. 85-11

20.01

20.01

Fd 2x2 Per F.B. 85-11

① 171-43-30
② 326-54-30
171-43-37½

PI = 24
Fd 1x2 Replaced
W. 24" T.P.
12 under

Fd 2x2 Per F.B. 85-11

20.00

20.00

Fd 2x2 Per F.B. 85-11

1442.37 Rec.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



F.B. 683 PG. 136


M.D. DARLING
Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of
W. O. 8216 Tape No 57 St'd 84 °F.
Surveyed by Johnson
Notes Date
Indexed A. C. Johnson
F.B. 683 Pg. 137
A
185.79
E Prod. R.P.P.I. Folk 24 Tek Ref. P.B. 85-12 Replaced 3/4" I.P.
P.I. Ref. 28 set 3/4" I.P. By Iron Rush
R.P.P.I. Folk 24 Tek Ref. P.B. 82-12
157-11-15
268-45-00
157-11-15
Ref. 157.14
188.89
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.
Do not extend notes this side of this line
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
FORM 247 SM 2-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line


300.79
2.43=300.45
19.47
4 eus/
T=80° 31' 19" 21' 91"
1556-08-15
2644-33-30
1554-08-22
Rec=319.81
319.81
Rec=319.81
Rec=319.81
Rec=

Notes Ck'd by	Survey of [illegible]
Map No.	W. O. [illegible] Tape No. 57 St'd [illegible] F.
Office Work	Surveyed by Johnson
Checked	Notes H. S. J. Date Dec 1936
Date	Indexed A. C. Johnson

F.B. 683 PG. 139

297.15 @ 2-3 = 296.86
19.74 Level = 19.74
7.80 316.60 = 316.59

316.55
Rec. 316.58

E. Prop. RPF - Fd 1 x 2 Perf B 05-13

130-44-30
162-44-30
186-41-07½

40-50
130-41-05

Rec. 130

34.93

PI #28
Sec 13 T 2 S R 13 W
6" Dr. Rec. From R.R

319.91

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 683 Pg. 140

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 8267 Tape No. 3½ Std. °F.
Surveyed by
Notes
Indexed

F.B. 665 Pg. 141



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 683 Pg. 142

Notes Ck'd by	Survey of Aqua Dulce Rd
Map No.	W. O. 2161 Tape No. 57 St'd °F.
Office Work	Surveyed by Johnson
Checked	Notes H.S.T. Date Dec. 1936
Date	Indexed A. C. Johnson

F.B. 683 Pg. 143

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
706 HALL OF RECORDS

FORM 247 10M 11-38



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by	Survey of Gulf Oil Co.
Map No.	W. O. 8167 Tape No. 57 St'd °F.
Office Work	Surveyed by H.S. Johnson
Checked	Notes H.S.J. Date Dec. 1936
Date	Indexed A. C. Johnson

F.B. 1123 PG. 145

to bet. pg. 147

299.98 rec = 299.98
289.15 " = 289.1
F=76 589.13 = 589.10

589.10 rec 589.16

1" = 14-00
2" = 56-00
1" = 14-00

F 4 2x2 Post
20.00 Ec 2.5 - 15

PI #34
Sta 159 + 71.71

14 - 8" C-Rec

176.27 rec 176.30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 683 Pg. 146



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Dodge Rd.
Map No.	W. O. 8167 Tape No. 57 St'd 64 F.
Office Work	Surveyed by H.S. Johnson
Checked	Notes H.S.J. Date Dec. 1/31
Date	Indexed A. C. Johnson

F.B. 483 PG. 147

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
708 HALL OF RECORDS

FORM 247 10M 11-38

299.76 Long = 299.76
13.13 " = 13.13 ✓
T = 76 312.87 = 312.87 ✓

148-18-30 ✓
233-14-30 ✓
148 18 37

312.87
R = 13.00

+ Prod. B.R.L. Fd 1x2 14" in V.B.C.S. 16

20.00

N 9 22

P.T. 35

Set 3/4" I.P. & Tag Flush

R = 148-18-37 ✓
148-18-37 ✓

N 58 22 E

P.P.P.T. Prod. Fd 1x2

S 89 10 E ✓
Rec. S 89 16 E ✓

From Top Pg. 145

F.B. 683 Pg. 148

297.54 @ 1-00 = 297.43
136.25 @ 4-00 = 136.38
T = 769 433.68 = 433.66

153°-44'-00"
254-40-30
153-44-07½

Rec = N 33°42'

1999 1999

Rec = 153°-44'-00"
153°-44'-07½"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of AGUA DULCE RD	F.B. 683 PG. 149
Map No.	W. O. 8167 Tape No. 57 St'd 84 F.	
Office Work	Surveyed by H.S. JOHNSON	
Checked	Notes H.S.J. Date DEC. 30	
Date	Indexed A. C. Johnson	



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-33

F.B. 683 Pg. 150

286.96 @ C-4 = 278.99
7.97 " = 7.97
T = 72° 294.91 = 294.89 ✓

294.89 ✓
Rec - 294.84 ✓

(1) 147-20-30
(2) 229-21-30
= 147-20-22½ ✓

(Fd 1x2 Per F.B. 86-17

Fd 2x2 Per F.B. 86-17

147-20-30 Rec

Fd 1x2 Per F.B. 86-17

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of H.S. JOHNSON
Map No.	W. O. 8167 Tape No. 57 St'd 84° F.
Office Work	Surveyed by H.S. JOHNSON
Checked	Notes H.S.J. Date Dec. 56
Date	Indexed A. C. Johnson

F.B. 693 Pg. 151

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7OD HALL OF RECORDS

FORM 247 10M 11-38

300.75 [illegible] = 300.66
132.231 [illegible] = 132.23
T = 76° 432.89 = 432.87

R.P.R.I. Eq 1X2 Pe
F.B. 8C-17

Rec = 432.12

D 163-21-00
293-21-00
= 163-21-00

Rec = 432.12

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by	Survey of Agua Dulce Rd.
Map No.	W. 0.8/67 Tape No. 57 St'd 68° F.
Office Work	Surveyed by H.S. Johnson
Checked	Notes H.S.J. Date Dec. 36
Date	Indexed A. C. Johnson

F.B. [illegible] Pg. 153

266.13 @ 2-32 = 265.87 ✓
158.00 Level = 158.00
T = 70 423.87 = 423.83 ✓

① 157-21-30
② 269-26-00
= 157-21-30 ✓



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by	Survey of Gang Dulce #3
Map No.	W. O. 8167 Tape No. 57 St'd 24 F.
Office Work	Surveyed by H. Sloan & Son
Checked	Notes H S & J. C. Johnson Date Dec. 30
Date	Indexed

F.B. [illegible] Pg. 155

242.56 T=74° 1.0000 = 242.54

338.73 overall
Rec. overall = 338.76

142-24-15
209-37-15
142-24-19¾

Rec=142°-24'-10"
142-24-20"

Pit #3
4' - Sight
3' on Bight

287.55=Rec

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38


F.B. 683 Pg. 156
149-36-15
238-25-00
149-36-15
T=68
161.80 @ 3-15 = 161.52
Rec.
161.52
52.61
71-44-03
286-56-15
71-44-03
Set 1X2
242.54
96.19
T=74
97.96 @ 10-53 = 96.19
Rec. 71-41-30
71-44-05
Fd 1X2 E Pod
Per F.B. 83-19
Fd 1X2 E Pod
Pc-F.B. 83-18
T=10
181.86
352.04 = 352.0'
170.18
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line

Notes Ck'd by	Survey of AGUA DULCE #2
Map No.	W. O. 8167 Tape No. 57 St'd 66 F.
Office Work	Surveyed by H.S. JOHNSON
Checked	Notes H.S.J. Date DEC 56
Date	Indexed A. C. Johnson

F.B. [illegible] PG. 157



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

F.B. 683 Pg. 15?

T=60
187.98 @ 1-HH = 187.86



① 168-10-5?
@ 312-41-30
= 168-10-22½

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of AGUA DULCE
Map No.	W. O. 8167 Tape No. 57 St'd 54 F.
Office Work	Surveyed by E.S. JOHNSON
Checked	Notes 4.5.61 Date
Date	Indexed A. C. Johnson

F.B. 463 Pg. 159

207.17 (COMP)
63.93 "
T=54 271.10 = 271.05

① 152-14-15
② 248-57-00
= 152-111-15

271.05
R&C-270.93

Fd 1x2 & Prod
Pk 6.28.90

6.94

RIGHT

R&C-152-14-15

152-14-15

187.86
R&C-187.91

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-33

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 1683 PG. 160

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of AGRS DOLGE RD
W. O. 2167 Tape No. 57 St'd 14 F.
Surveyed by H.S. JOHNSON
Notes H.S.J. Date 12/36
Indexed A. C. Johnson

F.B. [illegible] Pg. 161

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

195.19 Rad
78.91 —"
T=54° 274.10 = 2744.05

① 168-51-15
② 315-25-00
= 168-51-15

Rec. 33 E of SW'ly

Rec. 274.10

SFd 2x2 Per
F.B. 95-21

PI. HDC
Set 3/4" I.P.
Lead & Tack

Rec. 168-51-15

Rec. 195.19

F.B. 683 Pg. 162

300.41 T=72° 33-38 = 299.77

△ Pt Fd 1X2 Per F.B. 85-21

510.96 R=511.96

213.29 38-00 - 211.17 510.96

36-35-10 Per

① 36-35-10
② 73-11-00

172-38-00
330-32-15
172-38-03¾

43-1/16 22.54 = 34.1

RI #5' Set S.W.T. 2" T.C. From [illegible]

397'

Fd 1X2 Per F.B. 85-21

T=54
64.52 Level = 64.51

64.51

172°-21'-40" 172°-38'-40" Rec.

Fd 2X2 Per F.B. 85-21

20.00

Set Nail

274.05' R=272.34'

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Aeug Dulce Rd
Map No.	W. 08167 Tape No. 57 St'd 99°F.
Office Work	Surveyed by H.S. JOHNSON
Checked	Notes H.S. ✓ Date 12/36
Date	Indexed A. C. Johnson

F.B. [illegible] Pg. 163

294.61 @ 4-66 = 293.86 ✓
78.93 Long = 78.93 ✓
T = 66 372.79 = 372.75 ✓

372.75 ✓

① 145-46-45
② 223-07-00 ✓
- 145-46-45

Rec. 372.75'

4 Pt Fd 1x2 Per RB 85-21 See Pg. Identical Point

308.62

T. 66°

293.73 @ 7°27' = 29.22 ✓
Long = 29.49
308.62

145-46-45 ✓

P.I. 52
Fd 1x2 Per RB 85-21

145

① 62-40-00 ✓
② 125-20-00
62-40-00

210.96
Rec. 211.16

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

F.B. 683 PG. 164



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Aqua Dulce Rd
Map No.	W. O. 816 Tape No. 57 St'd 94 F.
Office Work	Surveyed by H. S. Johnson
Checked	Notes W.E.H Date 12/36
Date	Indexed A. C. Johnson

F.B. L-2 B Pg. 165

80.70 @ 3-04 = 80.58
215.55 Level = 215.55
T = 50° 296.13 = 296.06

48-05-15
192-21-00
48-05-15

296.06
Rec. = 295.96

48-05-15

131-54-45 Calc.

Rec. 131-55-10

P.I. 54
Found Par
P.B. 5 1/2
Reset
with 3/4 in
3" Under

Rec. 50 1/2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

F.B. 663 Pg. 166



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Agua Dulce Rd
Map No.	W. O. 8167 Tape No St'd Of.
Office Work	Surveyed by Schaefer
Checked	Notes Schaefer Date
Date	Indexed A. C. Johnson

F.B. 683 Pg. 167

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 2-34

Cont'd to Top right pg 168

℄ BC. 12+54.47

94.08

EC. 3+13.39
Set N+T.

Proposed ~~line~~ curve

99.23

VOID
See 99.19

BC. 0+00
Set N.+T.

Agua Dulce Cyn Rd

199.23

From Top 99.

℄ Sec. Cor.

F.B. 683-?

Δ = 89°-46'-45"
½Δ = 44-53-22½
L arc. = 313.39
Tang = 199.23
R = 200

Essex Ridge Cyn Rd.

BC = 0+00		Chord L.
+50	= 7°-09-43"	49.97
1+00	= 14-19-26	
+50	= 21-29-09	
2+00	= 28-38-52	
+50	= 35-48-35	
3+00	= 42-58-18	
EC. 3+13.39	= 44-53-23	13.38

$\frac{1718.87}{R}$ = 8.5943 deg Per 1' Arc.

F.B. 683 Pg. 168

$\Delta 90°-13'-25''$
$\frac{1}{2}\Delta 45-06-42\frac{1}{2}$
$R = 200$
$Tang = 200.78$
$L.arc = 314.94$

Proposed Line change on Curve

13+00 = 6°-31'-18
+50 = 13-41-01
14+00 = 20-50-44
+50 = 28-00-27
15+00 = 35-10-10
+50 = 42-19-53
+69.41 = 45-06-42



VOID
See Pg. 20

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes	Ck'd by	Survey of	Agua Dulce Rd
Map	No.	W. O.	8167 Tape No St'd
Office	Work	Surveyed by	Schaffer
Checked		Notes	Date 12-10-34
Date		Indexed	A. C. Johnson

F.B. 683 Pg. 169

From ~~Page~~ #21

Davenport Rd.

30'

21.0

4 Wire Fence

143+87.30

SW. Im. Co. Circle

FB 683-21

Agua Dulce Rd.

Set 100' Sta's for Cross Section.

30+56

1319.53

36.0

8.0

Rivulet

Cattle Guard

220

41.5

33+97

34+42

29

Fd. 3/4" I.P. FB 683-95

~~40+08.89~~

157+06.82

55.0

See Stadia topog. So. of this pt.

N

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

FORM 247 BM 2-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 683 Pg. 170

Profile No. ____ X-Sec. No. ____ Notes Red. ____ Date ____ Notes Chkd. ____ Platted ____ Date ____ Checked ____ Date FEB 4 1937 Job No. ____ Survey of ____ Survey by ____ Map No. ____ Division No. ____ Notes ____ Date ____ L. B. 683 Pg. 171

M. P. DARLING

C. Johnson 12-28-36

For Rerun see
F.B. 738-153 to 173

BENCH LEVELS
AGUA DULCE. R D.
AND
ESCONDIDO RD.
TO
SOLEDAD CANYON

STATION	B.S.	H.I.	F.S	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 10-34

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Job. No. 2167 Division No. Notes Red Plotted Profile
Survey of Agua Dulce Rd. Date No.
Survey by Johnson Notes Schaefer Checked X-Sec.
Indexed by C. Johnson Date 12-7-36 Date 1937 No.
FB 683 P.G. 172

STATION	B. S.	H. I.	F. S	ELEV.	
				✓	F.B. 683-94 F.B. 669-117
B.M.	11.76	2494.58 ✓		2482.82 ✓	B.M. P.B.C. W.T. cor. ¼ Sec. 26+27 T4N. R14W.
T.P.	3.87	2498.30 ✓	0.15	2494.43 ✓	
T.P.	11.51	2498.95 ✓	10.86	2487.44 ✓	
T.P.	4.39	2503.15 ✓	.19	2498.76 ✓	
T.P.	9.48	2512.56 ✓	.07	2503.15 ✓	
P.I. #	1.40	2510.25 ✓	3.91	2508.65 ✓	✓ F.B. 683-190 - 2508.65 ¾" I.P. for ¼ ¼ Sec cor See F.B. 683-?
T.P.	.20	2498.59 ✓	11.46	2498.59 ✓	
T.P.	.62	2487.99 ✓	11.22	2487.37 ✓	
T.P.	3.61	2484.53 ✓	7.07	2480.92 ✓	
T.P.	5.70	2483.54 ✓	6.69	2477.84 ✓	
P.I. #					✓ F.B. 683-196 - 2476.29
S.W.T. concrete	1.81	2478.10 ✓	7.25	2476.29 ✓	¼ ¼ Cor S.W.T. set in concrete inter. Sec. Davenport Agua Dulce Rds See F.B. 683-? (See L.B. 309-B pg. 134
T.P.	.36	2466.56 ✓	11.90	2466.20 ✓	
T.P.	1.13	2458.57 ✓	9.12	2457.44 ✓	
T.P.	.50	2449.78 ✓	9.29	2449.28 ✓	
T.P.	1.91	2441.46 ✓	10.23	2439.55 ✓	
P.I.	9.88	2439.22 ✓	12.12	2429.34 ✓	✓ F.B. 683-201 - 2429.34 ¾" I.P. See F.B. 683-115 ¼ ¼ Sec. cor
T.P.	.56	2428.09 ✓	11.69	2427.53 ✓	
P.I. # O.	1.43	2417.82 ✓	11.70	2416.39 ✓	S.W.T. See F.B. 683-116
	0.31	2406.68 ✓	11.45	2406.37 ✓	
	0.85	2395.53 ✓	12.00	2394.68 ✓	

Form 297 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. _____ Notes Red. _____ Platted _____ Job No. 6167 Division No. _____
X-Sec. No. _____ Date _____ Date _____ Survey of Agua Dulce Rd
Notes Chkd. Feb 4 1937 Date _____ Checked _____ Survey by Johnson Notes Johnson Date 12/8/36
Map No. _____ Indexed C. Fobares

L.B. 683 Pg. 173

For Rerun in 1948
See F.B. 738-153 & 173

STATION	B.S.	H.I.	F.S	ELEV.		
		2395 53		2386 27		
	114	2387 41	926	~~2385 27~~		
P.I. "N"	196	2379 91	939	2378 02	3/4" I.P.	F.B. 683-117
	050	2382 53	12 13	2367 98		
	034	2358 22	1065	2357 88		
P.I. "M"	148	2347 68	1202	2346 20	F.D. C.S. W.N.T.	F.B. 683-118
	042	2336 56	1154	2336 14		
	115	2325 79	1092	2325 64		
P.I. "L"	125	2318 80	924	2317 55	F.D. S.W.N.T. SEE	F.B. 683-119
	020	2307 90	1110	2307 70		
P.I. "K"	133	2297 57	1166	2296 24	F.D. WIRE SPLICE	F.B. 683-120
	031	2286 05	1180	2285 77		
	121	2275 61	1169	2274 40		
	530	2269 46	1145	2264 16		
U.S. #969	1164	2269 48	1162	2257.84	U.S. GEOLOGICAL SURVEY MON. 3" I.P. ELEV MARKED 2258.0	SEE L.B. 309-5 Pg 13 CUT AND ADOBE SURVEY. F.B. 85-48
	1005	2279 46	007	2269.41		
P.I. "J"	077	2274 46	577	2273 69	F.D. WIRE SPL.	SEE F.B. 683-121
	048	2262 96	1198	2262 48		
	013	2252 98	1011	2252 85		
P.I. "I"	102	2244 13	987	2243 11	F.D. S.W.N.T.	F.B. 683-122
	057	2238 19	1151	2232 62		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Job. No. 8167 Division No. Notes Red Plotted Profile
Survey of Dr. Duke Road Date No.
Survey by H.S. Jenkinson Notes W.E.M. Date M. D. DARLING Checked X-Sec.
Indexed A. C. Johnson Date 12/18/36 Date FEB 4 1937 Date No.

STATION	B. S.	H. I.	F. S	ELEV.		
		2233 19	11 87	2221 32		
	0 17	2221 49	9 22	2212 27		
P.I. "H"	3 34	2215 61	7 44	2208 17	FD. 2x2 F.B. 683-123.	
P.I. "G"	3 55	2211 72	7 85	2203 87	F.D.S.W.T. F.B. 683-124	
	0 83	2202 70	9 77	2192 93		
P.I. "F"	2 20	2195 13	7 71	2188 42	F.D. 2x2. F.B. 683-125	
	1 78	2195 20	11 29	2183 91		
	3 17	2187 08	7 55	2179 53		
P.I. "E"	1 14	2180 67	8 62	2172 05	F.D.S.W.T. F.B. 683-126	
P.I. "D"	0 27	2172 32	4 75	2167 57	F.D.S.W.T. F.B. 683-127	
P.I. #C.	4 28	2171 85	9 38	2162 47	F.B. 683-128	S.W.T.
P.I. #B	1 21	2163 68	5 32	2158 36	F.B. 683-129	S.W.T.
P.I. #A.	3 34	2161 70	8 61	2153 09	F.B. 683-130	S.W.T.
T.P	.71	2153 80	11 05	2142 75		
P.I. #18	6 06	2148 .81	7 99	2140 82	F.B. 683-131	3/4" I.P.
T.P.	7 96	2148 78	5 05	2143 73		
P.I. #19	6 31	2150 04	1 19	2148 85	F.B. 683-132	1x2
T.P	34	2149 19	7 38	2141 81		
P.I. #20A	2 22	2144 02	5 20	2138 83	F.B. 683-133	3/4" I.P.
T.P	3 47	2142 30	9 16	2133 14		
P.I. #21A	3 80	2136 94	8 13	2128 .81	F.B. 683-134.	3/4" I.P.

Form 3[illegible] 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.	
				2128.81	
P.I. #24	266	2131.47	9 10	2122 37	F.B. 683 - 135 3/4" I.P.
T.P.	77	2123.14	7 03	2116 11	
P.I. #25	346	2119 57	6 74	2112 83	F.B. 683 - 136 3/4" I.P.
P.I. #26	316	2115 99	5 43	2110 56	F.B. 683 - 137 3/4" I.P.
P.I. #27	331	2113 [illegible]	5 89	2108 86	F.B. 683 - 138 3/4" I.P.
T.P.	214	2110 20	11 43	2098 77	
P.I. #28	240	2101 7	7 26	2093 [illegible]	F.B. 683 - 139 3/4" I.P.
T.P.	151	2095 42	10 94	2084 48	
P.I. #29	241	2086 89	9 10	2077 79	F.B. 683 - 140 3/4" I.P.
T.P.	642	2084 21	11 28	2072 93	
P.I. #30	311	2076 04	5 36	2070 68	F.B. 683 - 141 3/4" I.P.
P.I. #31	73	2071 41	9 12	2062 29	F.B. 683 - 142 S.W.T.
P.I. #32	682	2069 11	4 80	2064 31	F.B. 683 - 143 3/4" I.P.
T.P.	783	2072 14	11 99	2060 15	
P.I. #33	67	2060 82	4 40	2056 42	F.B. 683 - 144 " " "
P.I. #34	176	2058 18	9 36	2048 82	F.B. 683 - 145 3/4" I.P.
P.I. #35	629	2055 71	2 14	2047 57	F.B. 683 - 147 3/4" I.P.
P.I. #36	226	2055.83	5 26	2050 57	F.B. 683 - 148 S.W.T.
P.I. #37	203	2052 60	11 96	2040 64	3/4" I.P. Per F.B. 683 - 149
P.I. #38	889	2049 47	5 73	2043 74	3/4" I.P. " " " - 150

Profile
Notes Red. Platted Job No. 2[illegible] Division No.
X-Sec. Date Date Survey of Azusa Duarte Rd
No. Notes Chkd. Checked Survey by Notes
Date Map No. Indexed A. C. Johnson Date 12-8-6
L. B. 683 - Pg. 175

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

B.683 P.G. 178 | Job. No. 813 | Division No. | Notes Red | Plotted | Profile
Survey of Los Duce Rd. | Date | Date | No.
Survey by H.S. Johnson Notes W.F.H. | Notes Chkd. DARLING | Checked | X-Sec.
Indexed A. C. Johnson Date 12/9/36 | Date 12/9/36 | Date 1937 | Date | No.

STATION	B. S.	H. I.	F. S	ELEV.	
P.I. #38				2042 74	
P.I. #39	357	2047 31	7 67	2039 64	3/4" I.P PER F.B. 683 - 151
	356	2043 18	3 72	2039 46	
P.I. #40	298	2037 44	7 92	2039 46	3/4" I.P PER F.B. 683 - 152
P.I. #41	558	2035 24	7 20	2028 04	3/4" I.P PER F.B. 683 - 153
	1127	2039 54	061	2038 93	
P.I. # 42	833	2047 26	406	2043 20	3/4" I.P PER. F.B. 683 - 154
P.I. # 43	403	2047 23	7 25	2039 98	S.W.+T. PER. F.B. 683 - 155
P.O.S.T.	367	2043 65	1 37	2042 28	FD. 1X2 PER. F.B. 683 - 156
	078	2043 06	11 52	2031 54	
	381	2032 35	917	2023 18	
P.I. # 45	174	2024 92	707	2017 20	S.W.+T. PER. F.B. 683 - 156
	021	2018 06	787	2010 19	
P.I. # 46	163	2012 82	882	2004 00	3/4" I.P. PER. F.B. 683 - 157
	101	2005 01	880	1998 21	
P.I. # 47	217	1998 38	836	1990 02	C.S. W.+T. PER. F.B. 683 - 158
P.I. # 48	153	1991 55	941	1982 14	3/4" I.P PER F.B. 683 - 159
P.I. # 49	835	1990 49	491	1985 58	3/4" I.P PER F.B. 683 - 160
P.I. # 50	1072	1996 30	2 23	1994 07	3/4" I.P PER F.B. 683 - 161
P.I. # 51	661	2000 68	993	1990 75	S.W.+T. PER. F.B. 683 - 162
	106	1991 81	1143	1980 38	

Form 357 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
				1980 52 ✓		
	0 67	1981 05 ✓	7 77	1973 28 ✓		
	5 62	1978 42 ✓	3 42	1975 82 ✓		
P.I. # 53	10 03	1985 55 ✓	3 62	1981 73 ✓	3/4" I.P. for F.B. 123 - 164	
	10 49	1991 22 ✓	5 07	1986 15 ✓		
P.I. # 54	4 83	1990 26 ✓	11 30	1980 66 ✓	3/4" I.P. for F.B. 123 - 165	
T.P.	11 28	1991 94 ✓	11 95	1979 99 ✓		
T.P.	10 76	1990 75 ✓	1 34	1979 99 ✓		
T.P.	0 84	1990 30 ✓	10 81	1979 51 ✓		
T.P.	0 59	1960 10 ✓	1020	1949 90 ✓		
T.P.	1 68	1951 59 ✓	11 37	1950 22 ✓		
	0 33	1950 85 ✓	11 74	1939 11 ✓		
	1 83	1930 74 ✓	6 15	1922 59 ✓		

For Rerun in 1948
See F.B. 738 - 153 to 173

Elev. per L.B. 462 p. 229 ~ 1925.223 ✓
L.B. 723 p. 81 ~ 1925.17

B.M. S.E. Cor. of Concrete Abutment of R.R. bridge
painted White square with chisled square in cent
Elev. ?

Profile No. _____ Notes Red. _____ Platted _____ Job No. 8117 Division No. _____ L. B. 6823 Pg. 177
X-Sec. No. _____ Date _____ Date _____ Survey of Base Line Road
Notes Chkd. Date 1937 Checked _____ Survey by _____ Notes Date 12/31/36
Map No. _____ Indexed A. C. Johnson

L.B. 683 P.G. 178 Job. No.____ Division No.____ Notes Red____ Plotted____ Profile

Survey of____ Date____ Date____ No.____

Survey by____ Notes____ Notes Chkd.____ Checked____ X-Sec.

Indexed A. C. Johnson Date____ Date____ Date____ No.____

STATION	B. S.	H. I.	F. S	ELEV.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Profile No. | Notes Red. H.M. | Platted | Job No. | Division No. | L. B. 653 Pg. 179
Date 1-27-37 | Date | Survey of
X-Sec. No. | Notes Chkd. | Checked | Survey by | Notes | Date
Date | Date | Map No. | Indexed C. Johnson 12-28-36

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.
CROSS SECTIONS. 0+00 TO 39+00 AGUA DULCE RD.				

See F.B. 683-167.

See F.B. 692 Pg 121 for final profile & X sections

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 10-34

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 180 Job No. 8147 Division No. ___ Notes Red H. Martin Plotted ___ Profile ___
Survey of AG & Duarte Rd Date 1-27-37 Date ___ No. ___
Survey by ___ Notes ___ Notes Chkd. C.T.T. Checked ___ X-Sec. ___
Indexed A. C. Johnson Date 12/10/36 Date 1-27-37 Date ___ No. ___

STATION	B. S.	H. I.	F. S	ELEV.	
					F.B. 683-94 F.B. 669-117 ✓
B.M.	11 70	2494 5		2482 5	B.M. Brass Cap Mon. W.I.T. 1/4 Cor. 26 & 27 T4N, R14W
0+00 B.C. &			82	2486 3	&
11' R			88	2485 7	Bot Cut
16' R			55	2489 0	Top "
50' R			37	2490 8	Bck.
75' R			14	2493 1	S.H.
11' L			84	2486 1	E of Rd
15' L			79	2486 6	Toe Fill
60' L			135	2481 0	Toe Sl.
0+50 P.O.C.			86	2483 9	&
6' R			91	2485 4	E of Rd
7' R			83	2486 2	Top Cut
36' R			43	2491 2	Bank
50' R			55	2492 0	"
17' L			86	2485 9	E of Rd Top Fill
24' L			117	2482 5	Bot Fill
60' L			146	2479 9	Sl.
1+00 P.O.C.			68	2487 7	&
60' R			28	2491 7	S.H.
8' L			77	2486 8	Top Cut
10' L			92	2485 3	Bot Cut

See note pg 179

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ X-Sec. No.____ Notes Red. H. Martin Platted Date 1-27-36 Date____ Notes Chkd. Checked C.J.T. Date 1-21-37 Map No.____ Job No. 2167 Division No.____ Survey of Agua Dulce Rd Survey by Schlaefer Notes Schlaefer Date 12-11-36 Indexed A. C. Johnson L. B. 6 P. 3 Pg. 181

STATION	B. S.	H. I.	F. S	ELEV.		
		2494 52				
25'L			85	2486 0-	E.P.	
30'L			87	2486 3-	Top Fill	
46'L			113	2482 2-	Bot Fill	
72'L			124	2479 1	SL.	
T.P.	10 88	2504 06	134	2493 18	T.P.	
1+50			81	2496 0-		
60 R			71	2497 0-		
23 L		See	100	2491 1-	Top cut	
29 L			170	2487 1-	Bot cut edge Rd.	
60 L			170 109	2488 5-	T.R.	
2+00			42	2499 9- 2479		
29 R			54	2500 9		
60 R			93	2500 8-		
14 L			57	2498 4-	Top cut	
24 L			127	2491 1-	Bot cut edge Rd	
45 L			125	2491 6-	℄ T.R.	
60 L			138	2490 3-	edge R.	
2+50			95	2494 6-	Side of cut	
6 R			33	2500 4-	Top cut	
60 R			24	2501 7-		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Job. No. 8167 Division No. ____ Notes Red H. Martin Plotted ____ Profile ____
Survey of Agua Dulce Rd Date 1-27-37 Date ____ No. ____
Survey by ____ Notes Schaefer Notes Chkd. C.J.T. Checked ____ X-Sec. ____
Indexed A. C. Johnson Date 12-11-36 Date 1-27-37 Date ____ No. ____

L.B. 683 P.G. 182

STATION	B. S.	H. I.	F. S	ELEV.		
		2504 06				
2 L			10 6	2493 5	BoT CUT	
12 L			10 6	2493 5	& T.R.	
24 L			11 1	2493 0	edge Rd BoT CUT	
29 L			7 7	2497 4		
34 L			10 1	2494 0	BrK	
60 L			15 0	2489 1		
3+13.39 EC			8.8	2495 3	40 R	
8 R			8.7	2495 4	BoT CUT	
10 R			4.8	2499 3	TOP CUT	
21 R			3.0	2501 1	BrK	
60 R			2.5	2501 6		
12 L			9 1	2495 0	BoT CUT	
16 L			4 6	2499 5	TOP CUT	
26 L			4 3	2499 8	BrK	
60 L			5 5	2498 6		
T. P	5 20	2503.91	8 35	2495 71		
4+00			5 3	2495 6	& TR	
8 R			5 4	2495 5		
19 R			2 5	2498 4	TOP CUT	
60 R			0 8	2500 1		

See 170 109

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
12L		2500 91	5 6	2495 3	BOT CUT	
3L			4 7	2496 2	TOP CUT	
60L			2 0	2491 0		
4+37			6 2	2494 7	ETR	
10R			6 2	2494 7	BOT CUT	
17R			4 0	2496 9	TOP CUT	
60R			4 7	2496 7		
11L			6 1	2494 2	BOT CUT	
14L			4 2	2496 7	TOP CUT	
26L			4 9	2496 0	BRK	
[illegible]			7 8	2493 1		
5+00			7 3	2491 6	℄	
9R			7 3	2491 6	Edge Rd.	
11R			7 7	2491 0	BRK	
60R			6 2	2492 7		
11L			9 3	2491 3	Edge Rd.	
60L			3 8	2497 1		
6+00			13 7	2487 2	℄	
9R			13 6	2487 3	TOP FILL	
12R			14 1	2486 8	BOT FILL	
60R			12 4	2488 5		

See Pg 179

Profile

Notes Red. HHMartin Platted

Date 1-27-37 Date

Notes Chkd. C.J.T. Checked

Date 1-27-37 Date

Job No. 8117 Division No.

Survey of Agua Dulce Rd

Survey by Schaefer Notes Schaefer Date 12-11-36

Map No. Indexed A. C. Johnson

L. B. 683 Pg. 183

X-Sec.

No.

No.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 184 | Job. No. 8167 Division No. | Notes Red H. Martin Plotted | Profile
Survey of Aqua Dulce Rd | Date 1-27-37 Date | No.
Survey by Schaefer Notes Schaefer | Notes Chkd. C.F.C. Checked | X-Sec.
Indexed A. C. Johnson Date 12-11-36 Date 1-27-37 Date | No.

STATION	B. S.	H. I.	F. S	ELEV.		
11 L		2500 91	13 5	2487 4	edge T.R. start of Private driveway	
38 L			15 5	2485 4	℄ Private Rd	
100 L			16 0	2484 9	" " "	
200 L			17 0	2483 9	" " "	
7+00			13 0	2487 9	℄ TR.	
8 R			12 2	2488 7	Top Fill	
15 R			15 5	2485 1	Bot Fill	
60 R			14 2	2486 5		
11 L			13 2	2487 7	Top Fill	
17 L			16 0	2484 9	Bot Fill	
60 L			16 5	2482 4		
7+84			10 3	2490 7	℄	
9 R			10 3	2490 6	edge TR start of Private driveway	
24 R			11 5	2489 4	℄ Private driveway	
60 R			11 0	2489 9	" " "	
100 R			9 3	2491 6	" " "	
150 R			8 8	2492 1	end of Private Rd.	
8+00			9 2	2491 7		
9 R			9 5	2491 4	edge Rd	
15 R			10 2	2490 7	Brk	
40 R			9 5	2491 4	Brk	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.
X-Sec. No.
Notes Red. H.Marble Plotted Date 1-27-32 Date
Notes Clkd. C.J.T. Checked Date 1-27-32 Date
Job No. 8167 Division No.
Survey of Agua Dulce Rd
Survey by Schaefer Notes Schaefer Date 12-11-31
Map No. Indexed A. C. Johnson
L. B. 683 PG. 185

STATION	B. S.	H. I.	F. S	ELEV.		
60 R		2500 91	6 6	2494 3		
11 L			9 7	2491 2	edge Rd	
15 L			13 0	2487 9	Brk	
60 L			11 1	2489 8		
8+46			6 0	2494 9	℄ TR.	
9 R			6 7	2494 7	edge Rd start of cut	
13 R			6 6	24944	Brk	
38 R			3 0	24979	Brk.	
60 R			1 0	24999		
11 L			6 7	2494 2	edge Rd	
18 L			6 9	24940	Brk. start of cut	
35 L			5 6	24953		
60 L			7 5	24934		
T. P.	10 56	2506 60	4 67	2496 24		
9+00			7 6	2497 2	℄ TR	
10 R			9 1	2497 7	edge Rd Bot Cut	
13 R			7 6	2499 2	Top Cut	
36 R			7 4	2499 4	Brk	
60 R			3 0	25038		
16 L			9 9	2496 9	Bot Cut	
21 L			5 6	2501 2	Top Cut	

See pg 179

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 186 Job No. 8167 Division No. _____ Notes Red H. Martin Plotted _____ Profile

Survey of A9 Dulce Rd Date 1-27-36 Date _____ No. _____

Survey by Schaefer Notes Schaefer Notes Chkd. C.J.T. Checked _____ X-Sec.

Indexed A. C. Johnson Date 12-1-36 Date 1-27-36 Date _____ No.

STATION	B. S.	H. I.	F. S	ELEV.		
60 L		2506.50	8.9	2497.6		
10+00			7.0	2499.5		
11 L			7.0	2499.5	BotCut	
18 R			+3.5	2510.3	TopCut	
34 R			+5.0	2511.8	Brk	
60 R			+3.1	2509.9		
15 L			7.6	2499.2	BotCut	
19 L			3.7	2503.1	TopCut	
39 L			3.5	2503.3	Brk	
60 L			5.6	2501.2		
10+64			7.0	2499.5	℄ T R	
11 L			7.8	2498.7	edge Rd. end of cut	
19 L			7.2	2499.3	Brk	
60 L			12.6	2493.9		
10+84			7.4	2499.4	℄ T R.	
12 R			7.3	2499.5	edge Rd. end of cut	
15 R			8.0	2498.8	Brk	
60 R			6.2	2500.6		
11+19			8.0	2498.8		
11 R			7.7	2499.1	Top Fill	
18 R			11.4	2495.4	Bot Fill	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
31 R		2506 80	12 0	2494 8	BVK	
60 R			11 2	2495 6		
11 L			8.4	2498 4	TOP FILL	
21 L			14 0	2492 8	BOT FILL	
60 L			16 4	2490 4		
12+00			[illegible]	2498 4	[illegible]	
10 R			8 0	2498 8	TOP FILL	
21 R			13	2492 5	BOT FILL	
60 R			3 8	2493 0		
10 L			9 0	2497 8	TOP FILL	
22 L			15 1	2491 7	BOT FILL	
60 L			17 0	2489 8		
BC, 12+54.41			7 3	2499 5	℄ T.R.	
11 R			6 8	2500 0	TOP FILL	
20 R			11 5	2495 3	BOT FILL	
60 R			11 4	2495 4		
10 L			8 0	2498 8	TOP FILL	
18 L			2 5	2494 3	BOT FILL	
60 L			14 0	2492 8		
13+00			5 7	2501 1		
19 R			4 0	2502 8	edge Rd	

See pg 179

Profile No. _____ Notes Red. _____ Platted _____ Job No. 2169 Division No. _____ L. B. 6930 PG. 187

X-Sec. No. _____ Date 6-27-37 Date _____ Survey of A 9 ya Duke Rd to vertex

Notes Chkd. D. DARLING Checked _____ Survey by _____ Notes Schaefer Date 12-11-36

JAN 29 1937 Date _____ Map No. _____ Indexed _____ C. Jackson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 1683 P.G. 188 | Job. No. 8167 | Division No. | Notes Red H. Martin | Plotted | Profile
Survey of Aqua Vice Rd | Date 1-27-37 | Date | No.
Survey by [illegible] | Notes [illegible] | Checked | X-Sec.
Indexed A. C. Johnson | Date 12-11-36 | Date JAN 29 1937 | No.

STATION	B. S.	H. I.	F. S	ELEV.	
27 R		2506.80	5.6	2501.2	BRK.
60 R			4.0	2502.8	
6 L			6.1	2500.7	edge AC.
14 L			8.5	2498.3	BRK.
60 L			11.2	2495.6	
13+18			5.5	2501.3	POC. BOT CUT. NEW LOCATION
T.P.	9.87	2512.76	3.91	2502.85	
13+38			6.3	2506.5	POC TOP CUT
13+50			4.5	2508.3	
5 R			4.5	2508.3	TOP CUT
12 R			10.1	2502.7	BOT CUT
28 R			7.3	2505.5	℄ T.R.
41 R			5.9	2506.9	edge T.R.
44 R			6.5	2506.3	Gutter BOT CUT
54 R			3.0	2509.8	TOP CUT
70 R			3.3	2509.5	
39 L			6.2	2506.5	BRK
63 L			8.7	2504.1	
14+00			6.3	2506.5	
60 L			6.7	2506.1	
27 R			4.8	2508.0	TOP CUT

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.	
35 R		2512.76	8.4	2504.4	BOT CUT
45 R			6.2	2506.6	℄ TR
60 R			4.2	2508.6	edge Rd
76 R			4.4	2508.4	
14+50			6.5	2506.3	
60 L			9.8	2503.0	
20 L			5.8	2507.0	TOP CUT
25 R			9.1	2503.7	BOT CUT
50 R			7.0	2505.8	℄ TR
50 R			5.3	2507.5	edge Rd
66 R			7.5	2505.3	DY
14+74			6.7	2506.1	BRK
60 L			10.5	2502.3	
8 R			7.2	2505.6	TOP CUT
13 R			10.5	2502.3	BOT CUT
38 R			8.4	2504.4	℄ TR
41			6.9	2505.9	edge Rd
49 R			10.0	2502.8	BRK
76 R			10.9	2501.9	
15+00			10.3	2502.5	BRK
2 R			10.5	2501.3	BOT CUT

See pg 179

Profile
No. ____ X-Sec. ____
Notes Red. H.M. Platted ____ Job No. 8167 Division No. ____ L. B. 653 Pg. 189
Date 1-27-37 Date ____ Survey of Agua Dulce Rd
Notes Chkd. ____ Checked ____ Survey by ____ Notes ____
Date 1/29/1937 Date ____ Map No. ____ Indexed A. C. Johnson Date ____

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 190 Job. No. 5167 Division No. ____ Notes Red H. Martin Plotted ____ Profile
Survey of Agua Dulce Rd Date 1-22-37 Date ____ No. ____
Survey by Schaefer Notes Schaefer Notes Chkd. DARLING Checked ____ X-Sec.
Indexed A. C. Johnson Date 12-11-36 Date JAN 29 1937 Date ____ No. ____

STATION	B. S.	H. I.	F. S	ELEV.		
15 R		2512.76	9.7	2503.1	℄ T R	
29 R			8.6	2504.2	edge R	
39 R			11.7	2501.1	Brk	
81 R			12.6	2500.2		
12 L			8.1	2504.7	Brk	
60 L			12.3	2500.5		
T.P.	1.80	2510.50	4.11	2506.65	Pt "P" 3/8 I.R. Elev 2508.65	~ p.172
T.P.	0.35	2499.22	11.63	2498.87		
Ec. 15+69.41			1.7	2497.5		
14 R			0.8	2498.4	edge Rd	
20 R			3.3	2495.9	Brk.	
60 R			3.8	2495.4		
11 L			2.6	2496.6	Bot Cut	
14 L			0.8	2498.4	Top Cut	
37 L			+1.0	2500.2	Brk	
60 L			1.2	2497.9		
16+00			3.9	2495.3	℄ T R	
16 R			3.3	2495.9	edge R	
18 R			4.5	2494.4	Brk	
60 R			5.0	2494.2		
12 L			4.8	2494.4	edge Rd	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
13 L		249922	3.7	2495 5	Brk	
38 L			2.1	2497 1	Brk	
60 L			2.5	2496 7		
17+00			8.5	2490 7	& TR	
12 R			8.8	2490 4	edge Rd	
60 R			8.0	2491 2		
11 L			9.0	2490 2	edge Rd	
18 L			9.6	2489 6	Brk	
60 L			8.6	2490 6		
18+00			10.5	2488 7	& TR	
12 R			11.2	2488 0	edge Rd start of cut	
60 R			7.8	2491 4		
13 L			11.6	2487 6	edge Rd	
20 L			12.3	2486 9	Brk	
60 L			12.5	2486 7		
18+63			11.8	2487 4	& TR	
13 R			12.2	2487 0	Bot cut	
16 R			9.3	2489 9	Top cut	
34 R			8.7	2490 5	Brk	
60 R			10.3	2488 9		
12 L			12.4	2486 8	edge Rd. start of cut	

D

See pg 179

Profile
No.
X-Sec.
Notes Red. H. Martin Platted
Date 1-27-37 Date
Notes Chkd. Checked
Date Survey by C. Hughes
Map No.
Job No. 8167 Division No.
Survey of Agua Dulce Rd
Notes
Indexed A. C. Johnson Date 2-11-37
L. B. 683 Pg. 191
FEB 1 1937

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 192 Job. No 2167 Division No. Notes Red H. Martin Plotted Profile
Survey of Alp Duce Rd. Date 1-27-37 No.
Survey by Schaefer Notes M.R. PARLING Checked X-Sec.
Indexed C. Johnson Date 12-11-36 Date FEB 1 1937 No.

STATION	B. S.	H. I.	F. S	ELEV.	
14 L		2499 22	12 8	2486 4	Brk
60 L			14 3	2482 9	
19+00			12 6	2486 6	℄ TR
11 R			13 2	2486 0	Bot cut
15 R			9 6	2489 6	Top cut
26 R			9 7	2489 5	
60 R			11 6	2487 6	
11 L			13 1	2486 1	Bot cut
14 L			10.0	2489 2	Top cut
60 L			14 2	24850	
T.P.	0 11	2487 48	11 85	2487 37	
20+00			3 8	24837	℄ T.R.
14 R			4 8	24827	edge Rd end of cut
21 R			3 2	2484 3	Brk
40 R			5 6	2481 9	Brk.
60 R			5 7	2481 8	
14 L			4 6	2482 9	edge Rd end of cut
60 L			1 0	24865	
21+00			7 2	2480 3	℄ TR
10 R			7 7	2479 8	edge Rd
17 R			9 2	2478 3	Brk

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ X-Sec. No. ____ Notes Red. H.M.Medlin Platted Date 1-27-37 Checked Date ____ Job No 816 Division No. ____ Survey of Agua Dulce Rd. Survey by Schaefer Notes Schaefer Date 12-11-36 Map No. ____ Indexed A. C. Johnson L. B. 183 Pg. 193

STATION	B. S.	H. I.	F. S	ELEV.		
49 R		2487 48	7.6	2479 9		
60 R			5.8	2481 7		
12 L			8.2	2479 3	edge Rd	
18 L			9.0	2478 5	BRK	
38 L			8.5	2479 9		
60 L			6.7	2480 8		
22+00			7.9	2479 5	℄ TR	
10 R			8.3	2479 2	edge Rd	
15 R			9.1	2478 4	Bot Cut	
18 R			7.0	2480 5	Top Cut	
60 R			5.6	2483 9		
11 L			8.7	2478 8	edge R	
16 L			10.2	2477 3	BRK	
60 L			12.6	2474 7		
T. P.	299	2482 50	7.97	2479 51		
23+00			3.2	2479 3	℄ T.R.	
9 R			3.8	2478 7	edge Rd	
14 R			4.4	2478 1	Bot Cut	
17 R			1.8	2480 7	Top Cut	
60 R			+3.3	2485 8	Hand Level Shot	
12 L			3.7	2478 8	edge Rd	

See pg 179

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 194 | Job. No 8467 Division No. | Notes Red H. Martin Plotted | Profile No.
Survey of Agua Dulce Rd | Date 1-27-37 Date | X-Sec. No.
Survey by Schaefer | Notes Schaefer | Notes Mrs. DARLING Checked
Indexed A. C. Johnson Date 12-11-36 | Date FEB 1 1937 Date

STATION	B. S.	H. I.	F. S	ELEV.		
22 L		2482 50	4 7	2477 8	Brk	
60 L			7 0	2475 5		
23+57			4 0	2478 5	℄ Rd	
9 R			4 4	2478 1	edge Rd	
13 R			4 9	2477 6	Bot cut	
16 R			0 8	2481 7	Top cut	
47 R			7 0 7	2483 2	Brk	
60 R			0 0	2482 5		
14 L			4 5	2478 0	edge Rd Top Fill	
21 L			5 7	2476 8	Bot Fill	
60 L			8 8	2473 7		
24+00			4 6	2477 9		
9 R			4 7	2477 8	edge Rd Top Fill	
15 R			6 5	2476 0	Top Fill Bot cut	Fill turns into cut
17 R			4 6	2477 9	Top cut	
50 R			3 7	2478 8	"	
60 R			3 9	2478 6		
12 L			4 7	2477 8	Top Fill	
20 L			7 1	2474 8	Bot Fill	
38 L			9 7	2472 8	Brk	
60 L			10 6	2471 9		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ Notes Red. H. Martin Platted____ Job No. 8167 Division No.____
X-Sec. No.____ Date 1-27-37 Date____ Survey of Aqua Dulce Rd
Date Feb 1 1937 Checked____ Survey by [illegible] Notes [illegible] Date 12-11-36
Map No.____ Indexed A. C. Johnson
L. B. 683 Pg. 195

STATION	B. S.	H. I.	F. S	ELEV.		
24+50		2482.50	4.7	2477.8		
9 R			4.7	2477.8	TOP FILL	
16 R			2.4	2474.1	TOE FILL	
60 R			8.0	2474.5		
14 L			5.1	2477.4	edge Rd	
21 L			9.0	2478.5	Toe fill	
54 L			7.4	2475.1	RVS	
60 L			8.0	2474.5		
25+00			4.2	2478.3	℄ TR	
9 R			4.6	2477.9	edge Rd	
16 R			6.1	2476.4	Gutter	
21 R			4.5	2478.0	Top cut	
32 R			4.2	2478.3		
60 R			6.0	2476.5		
14 L			4.8	2477.7	edge Rd	
17 L			5.1	2477.4	Bot cut	
20 L			3.7	2478.8	Top cut	
60 L			4.5	2478.0		
26+00			3.5	2479.0	℄ TR	
10 R			4.1	2478.4	edge Rd	
14 R			4.2	2478.3	Bot cut	

See pg 179

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 176 Job No. 8167 Division No. Notes Red H.Martin Plotted Profile No.
Survey of Agua Dulce Rd Date 4-27-37 Date X-Sec. No.
Survey by Schaefer Notes Schaefer Checked
Indexed A. C. Johnson Date 12-11-36 Date FEB 1 1937

STATION	B. S.	H. I.	F. S	ELEV.		
12 R		2482 50	2.3	2480 2	Top cut	
60 R			1 2	2481 3		
13 L			4 0	2478 5	edge Rd	
19 L			4 5	2478 0	Bot cut	
21 L			3 3	2479 2	Top cut	
60 L			3 1	2479 4		
26+88.57			5 0	2477 5	℄ Davenport + Agua Dulce Rd	
100 R			3.0	2479 5	℄ Davenport Rd	
187 R			1.1	2481 4		
T.P.	2 57	2478 86	6 21	2476 29	pg. 172 ¼¼ Sec cor Inter Sec Agua Dulce + Davenport Rd	
27+00			1 5	2477 4	℄ TR.	
10 R			1 3	2477 6	edge Rd.	
42 R			0 0	2478 9	South edge Davenport Rd.	
60 R			+0 7	2479 6		
13 L			2 4	2476 5	edge Rd.	
46 L			4 6	2474 3		
60 L			4 1	2474 8		
28+00			2 7	2476 2	℄ TR	
9 R			3 0	2475 9	edge Rd	
21 R			1 9	2477 0	Brk	
60 R			2 8	2476 1		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
10 L		2478 86	30	2475 9	edge Rd	
15 L			37	2475 2	Brk	
60 L			77	2471 2		
28+50			42	2474 7	℄ TR	
9 R			45	2474 4	edge Rd	
60 R			47	2474 2		
15 L			47	2474 2	edge Rd	
18 L			4	2474 8	Brk	
60 L			6	2472 7		
29+00			73	2471 6	℄ TR	
7 R			79	2471 0	edge Rd	
11 R			82	2470 7	Outer	
12 R			77	2471 2	Brk	
60 R			76	2471 3		
14 L			78	2471 1	edge Rd	
19 L			70	2471 9	Brk	
60 L			75	2471 4		
T. P.	028	2467 10	1204	2466 82		
30+00			23	2464 8	℄ TR	
10 R			28	2464 3	edge Rd	
11 R			23	2464 8	Brk	

See pg 179

Profile
No.
X-Sec.
No.

Notes Red. H. Martin Platted
Date 1-27-37 Date
Notes Chkd. Checked
Date Date

Job No. 2164 Division No.
Survey of Azusa Duarte Rd
Survey by Schaefer Notes Schaefer Date 12-11-36
Map No. Indexed A. C. Jahnsen

L. B. 683 Pg. 197

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G 198 | Job. No. 8169 Division No. ____ Notes Red H. Martin Plotted ____ Profile ____
Survey of Alpine Duke Rd Date 1-27-37 Date ____ No. ____
Survey by Shaefer Notes Shaefer Checked ____ X-Sec. ____
Indexed A. C. Johnson Date 2-11-37 Date FEB 1 1937 No. ____

STATION	B. S.	H. I.	F. S	ELEV.		
60 R.		246710	17	24654		
14 L			29	24642	edge Rd	
20 L			22	24649	Brk	
60 L			17	24654		
31+00			66	24605	℄ T R	
11 R			69	24602	edge Rd	
48 R			61	24610	Brk	
60 R			65	24606		
13 L			72	24599	edge Rd	
18 L			62	24609	Brk.	
60 L			62	24609		
32+00			106	24565	℄ T R	
12 R			109	24562	edge rd.	
60 R			130	24541		
12 L			110	24561	edge Rd	
19 L			100	24571	Brk.	
43 L			103	24568		
60 L			114	24557		
T. P.	200	249720	1190	245520		
33+00			39	24533	℄ T R	
13 R			33	24539	edge Rd	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.	
17 R		2457 20	2 6	24546	Brk.
50 R			8 4	24488	Brk
60 R			8 9	24483	
10 L			3 4	24538	edge Rd
17 L			1 6	24556	Brk
60 L			4 8	24524	
33+56			4 8	24524	℄ T R
10 L			4 6	24526	edge Rd
19 L			4 0	24532	Brk & Private Rd
36 L			3 8	24534	℄ Cattle Guard 7'x8' Square Private Rd.
87 L			6 0	24512	℄ Private Rd.
200 L			5 4	24418	" " "
34+00			5 8	24514	℄ T.R.
14 R.			6 2	24510	edge Rd Brk
60 R			15 0	24422	
9 L			6 4	24508	edge Rd
17 L			4 5	24527	Brk
60 L			3 2	24540	
T. P.	067	24542 7	3 63	24535 7	1x2 Fence Line 30' east Sta 34+56
34+56			4 4	24498	℄ T.R.
15 R			4 7	24495	edge Rd

See pg 179

Profile

No. ____ Notes Red. H.Martin Platted ____ Job No. 8167 Division No. ____ L.B. 683 Pg. 179

X-Sec. No. ____ Date 1-27-37 Date ____ Survey of Agua Dulce Rd

Notes Chkd. [illegible] Checked ____ Survey by Schaefer Notes [illegible] Date 12-11-36

Date Dec 1 1936 Date ____ Map No. ____ Indexed A. C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 683 P.G. 200 | Job No. 8163 | Division No. | Notes Red H. Martin | Plotted | Profile
Survey of Avenue 80 | Date 1-27-37 | Date | No.
Survey by Schaefer | Notes Schaefer | Checked | X-Sec.
Indexed C. Johnson | Date 12-14-36 | Date 1-31-37 | No.

STATION	B. S.	H. I.	F. S	ELEV.		
21 R		2454 24	7 2	2447 0	BrK.	
54 R			11 0	2443 2	BrK	
60 R			13 1	2441 1		
6 L			5 0	2449 2	edge Rd BotCut	
19 L			1 1	2453 1	Top Bk.	
60 L			+2 0	2456 2	Hand Level	
35+00			7 3	2446 9	TR.	
15 R			7 2	2447 0	edge T.R.	
21 R			9 2	2445 0	BrK	
60 R			16 2	2438 0	BrK	
5 L			7 8	2446 4	edge Rd BotCut	
13 L			4 7	2449 5	TopCut	
60 L			+0 8	2455 0	Hand Level	
T.P.	1 06	2443 74	11 56	2442 68		
36+32			7 6	2436 1	TR BrK.	
13 R			7 7	2435 8	edge Rd.	
21 R			10 9	2433 3	BrK.	
60 R			15 6	2428 1		
6 L			8 3	2435 4	edge Rd. BotCut	
13 L			6 0	2437 7	TopCut	
60 L			+1 0	2444 7	Hand Level	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
37+00		2443 74	9 6	2434 1	TR	
11 R			9 7	2434 0	edge Rd	
19 R			12 7	2431 0	Brk toe fill	
41 R			16 4	2427 3	Brk	
60 R			20 9	24228		
7 L			10 2	2433 5	edge Rd Bot cut	
12 L			7 2	2436 5	Top cut	
60 L			0 9	2448 7		
38+00			10 6	2433 2	TR	
13 R			10 6	2433 1	edge Rd	
24 R			7 2	2426 5	Bot fill	
60 R			24 7	2419 0		
10 L			11	2432 6	Bot cut edge Rd	
14 L			5 2	2438 5	Top cut	
60 L			+3 4	2447 1	Ground Level	
T.P.	2 83	2446 11	10 46	2433 28	F.B. 683 P 172 ~2429.34	
40+08 ±T			6 77	2429 34	3/4 R/R Sta on C of	F.B. 683-115

See pg 179

Profile Notes Red. H. Martin Platted Job No. 2467 Division No. L. B. 683 Pg. 201
No. X-Sec. Date 1-27-37 Date Survey of Agua Dulce Rd
No. Notes Chkd. Checked Survey by Notes Date 12-17-36
Date 5-1 1937 Date Map No. Indexed A. C. Johnson

L.B. 683 P.G 202 Job. No._____ Division No._____ Notes Red_____ Plotted_____ Profile

Survey of_____ Date_____ Date_____ No._____

Survey by_____ Notes_____ Notes Chkd._____ Checked_____ X-Sec.

Indexed A. C. Johnson Date_____ Date_____ Date_____ No._____

STATION	B. S.	H. I.	F. S	ELEV.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Red. _____ Platted M. D. DARLING Job No. 8167 Division No. _____ F.B. 683 Pg 203

Date _____ FEB 17 1937 Survey of AGUA DULCE RD.

Notes Chkd. _____ Checked _____ Survey by SHEPLER Notes _____ Date _____

Date _____ Date _____ Map No. 7-67-3 Index A. C. Johnson 1-14-37

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 301 10M 3-34

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	Vertical Angle + −	Elevation of Point	Back Sight +	Difference Elevation + −	Height of Instrument	Vertical Distance + −	REMARKS Station	Left	Right
						G.W. Schaefer W.F. Harris		SOLEDAD CANYON RD.	1 2 3 4 5 6 7 8 TO 10 11 12 13 14 15 16 17 18 19 20 21	1/4-1/4 Sec 34 & 27 T. 5N R 14W.	TOPOGRAPHY from	AGUA DULCE RD	N.J. 8167		
						A.B. Morse L.T. Cory									

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Phis combinations of these and all common standard abbreviations.

Traveled Rd. T.Rd. Fence ..... Fn. Int. Fences. V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..T.B. Bottom of Bank. B.B. Top of Cut. ..T.C. Bottom of Cut. .B.C. Top of Fill ..T.F. Bottom of Fill. B.F.

Side of Draw. V.D's Top of Break in Slope. .Bk.S. Steep Slope. ..... S.S. Top of Cliff. ..... T.Cl. Bottom of Cliff. .B.Cl. Top of Spur. ..... T.Sp. Bottom Canyon. .B.Cn.

Inters. of Draw. Top of Ridge. T.R. Bottom of Slope. .T.S.

Topography Description Legend:
Side Hill ..... S.H.
Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope. .T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
	R.I. "O"								1		2435.04				
									2						172
		1 10		4 0	186 18	110		24310	3				& Rd.		
		510 / 4	1 11	4 6	191 52	111		24304	4				to to		
		408 / 3	109	3 7	181 48	109		24311	5						
		311 / 2	1 12	2 0	195 51	112	+ 3 20	394	6	+ 44		+ 64	T.C.		
		920 / 1	1 21	2 0	207 44	119	+ 7 30	488	7				T.C. FENCE		
		117 / 10	1 18	1 9	164 33	117	— 5 11	133	8				24		
		731 / 6	1 38	6 0	218 44	134	+ 9 55	524	9				T.C.		
		1130 / 10	1 37	1 3	148 05	134	— 6 55	24076	10	274		164	BANK		
		375 / 5	76	5 0	262 45	71	+ 5 11	495	11	+ 145		+ 195	T.C.		
		1 / 9	1 77	10 2	181 03	173	— 4 55	040	12	— 310		— 210	A.D.		
		357 / 3	58	3 0	261 40	53	+ 17 10	483	13	+ 133		+ 163	T. BAR FENCE		
		127 / 1	30	1 0	256 04	29	+ 9 49	390	14	+ 40		+ 50	T.C.		
		1105 / 9	2 06	10 2	125 24	202	— 7 46	23974	15	— 376		— 276	R/W DR 15' WIDE		
		521 / 5	22	2 2	250 37	22	—	24291	16				E.C. E.C.		
		411 / 4	12	1 1	226 26	12	—	24302	17				E.C.		
		410 / 4	11	1 0	173 26	11	—	24301	18				T.C.		
		1320 / 10	132	11 0	77 10	125	— 12 27	23964	19	— 386		— 276	R/W DR 15' WIDE		
		1103 / 10	101	10 1	106 04	94	— 15 04	23982	20	— 368		— 258	R/W DR 15' WIDE		
		1130 / 11	31	1 0	119 32	27	— 13 58	24141	21	— 209		— 99	E.C.		
		192 / 1	93	1 3	4 19	93	—	24337					T.C.		

Add'l Interm.

Form 301 IBM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit Set	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / −	Difference Elevation	Height of Instrument	+ / −	Vertical Distance	REMARKS Station	Left	Right
¼ ¼ cor.	P.I. "O"				° '		−	° '	2429.84	1			2435.0			See L.B.		
													2429.84			See F.B. 1183 - 95-152		
		759	60							2						Inlet 18"	172	
		7		76	199-45	60			2427.4									
		1157	58							3						C.I. Culvert		
		11		123	169-11	58			2422.1							outlet 18" Culvert		
		273	94							4						Extends beyond S'ly side of hill		
		2		22	352 21	94			2432.8	5								
		11121	122													LG FO. Bot. Cut		
		10		110	48 12	116		13 26	2398.3	6		36.7			25.7	Top Slope		
		197	98															
		1		10	348 59	97	+	4 56	2442.4	7	+	7.4		+	8.4	Top Cut		
		11132	133													12 W.O.F.		
		10		110	48 44	126		13 14	2394.3	8		40.7			29.7	Bot. Slope		
		10/10	111															
		9		90	336 35	107	+	11 21	2447.8	9	+	12.2		+	21.4	F.L. X.B.		
		290	191															
		1		08	3 09	191			2434.2	10					32.7	Top Fill, Eg Rd.		
		11116	217															
		2		100	33 15	211		9 01	2392.7	11		42.3			32.3	Bot. Wast. S'ly Slope		
		290	191															
		1		01	6 13	191			2434.3	12						E Rd.		
		10 15	216															
		8		90	32 19	210		8 56	2392.8	13		42.2			33.2	Bnc Wast		
	?	293	194															
		1		14	352 08	194			2433.6	14						Bot. Cut Eg Rd		
		10 12	213															
		9		90	78 16	208		8 11	2394.0	15		41.0			32.0	B.F.K.		
	?	293	194															
		1		20	356 38	194	+	1 28	2437.9	16	+	2.9		+	4.9	Top Cut		
		11102	203															
		9		100	21 00	200		6 42	2401.8	17		33.2			23.2	B.F.K.		
		11195	196															
		10		95	6 51	196			2425.5	18						Bot. Fill		
		295	246															
		2		17	359 53	246			2433.3	19						E Rd.		
		344	245															
		1		16	2 51	245			33.4	20						Top Fill		
		446	247															
		2		22	358 13	247			32.8							Bot. Cut E ½ Rd		
	✓	345	246															
		1		20	357 49	246	+	3 56	2436.8		+	1.8		+	3.8	Top Cut		

Notes Chkd. _____ Checked _____ Notes Red. H. Martin Platted _____ Survey by Engineering Notes _____ Date 1-11-54 Job No. _____ Division No. _____

Form 301 IBM 3-34
Inform.

Form 301 10-33-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
1/4 1/4 Cor F	P.I. 0				° '		° '	2429.7			2435.0		FB. L83 - 55-152 172		
		745	246	4 9	4 55	246		24301			2433.0		TOE FILL		
		5 1153	254	10 0	20 34	252		24003		347		247	BRK.		
		8 1170	271	10 9	30 10	267		23922		428		328	BNK. WASH		
		9 1071	272	9 0	31 55	267		23900		450		360	BOT. WASH		
P.I. 6	1/4 1/4 Cor	8											P.O.B. L/B " F.B. 183 - 172		
								23984		240	24224				
		115 9	216	10 2	326 06	215						140	BRK		
		993 8	194	8 8	337 57	194		24136					BRK		
		986 8	187	9 0	344 09	187	+ 2 07	24203		21		+ 69	BRK		
		782 6	183	7 0	354 47	182	+ 3 15	258		+ 34		+ 104	TOE FILL		
		281 1	182	2 0	356 30	182	+ 2 24	280		+ 56		+ 76	TOP FILL		
		1016 6	417	7 0	5 45	414	+ 4 54	24509		+ 285		+ 355	F. LINE		
		180 1	81	1 2	2 31	81		212					E RD.		
	?	585 3	286	4 0	19 43	284	+ 4 53	24427		+ 203		+ 243	F. LINE		
		968 7	269	7 0	5 19	267	+ 5 31	412		+ 188		+ 258	F. LINE		
		280 1	181	2 0	0 18	181	+ 2 26	278		+ 54		+ 74	E RD.		
		383 2	184	3 0	3 48	183	+ 2 29	266		+ 42		+ 72	EG. RD. BOT. CUT.		
	✓	282 1	183	2 0	5 21	182	+ 2 47	293		+ 69		+ 89	TOP CUT.		
		285 1	186	2 0	11 02	185	+ 3 08	24306		+ 82		+ 102	FENCE LINE		
		179 1	80	1 6	11 04	80		24208					EG RD. BOT. CUT.		
		180 1	81	0 0	14 11	81		24224					TOP CUT		

Topography Description Legend:
Base Line ... B.L. Bottom ... B.
Base of Draw ... B.D. Bottom ... B.
Base of Draw ... S.D. Bottom ... B.
Base of Ridge ... S.R. Top of Ridge ... T.R.
Head of Draw ... H.D. Toe of Slope ... T.S.

Fig. Fir. Cedar ... Ce.
Fig.-Fir. Cedar ... Ce.
Sycamore ... Sy.
Eucalyptus ... Eu.
Pine combination ... Pi.
Plus those and all common standard abbreviations.

Traverse Rd. ... Tr. Rd.
Fence ... Fe.
Int. Fence ... V. Fe.
Ditch ... Di.
Telephone Pole ... T.P.
Power Pole ... P.P.
Culvert ... Cul.

Sta. ... Sta.
Elev. ... El.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road ... E. Rd.

Saddle ... Sd.
Swale ... Sw.
Flat ... Fl.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road ... E. Rd.

Bank of Stream ... B.S.
Top of Bank ... T.B.
Bottom of Bank ... B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F.
Bottom of Fill ... B.F.

Top of Slope ... T.S.
Bottom of Slope ... B.S.
Top of Cliff ... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Spur ... T.Sp.
Bottom Canyon ... B.Cn.

Index of Draw ... I.D.
Break in Slope ... B.S.
Steep Slope ... S.S.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / −	Vertical Distance	REMARKS Station	Left	Right
P.I. "O"	1/4 1/4 COR				° '		−	° '	2416.39 ✓			2422.88					
	✓	586 / 5	87	50	28 30	86	+	4 2	237		+ 13			+ 63	FB. 603 - 24 - 152		
		180 / 1	81	19	354 41	81	−	—	24205						FENCE LINE		
	✓	414 / 3	115	30	53 14	114	+	5 15	299		+ 75			+ 105	EQ. LINE		
		482 / 4	83	43	350 18	83	−	—	181						T.B.		
	✓	391 / 3	92	30	89 10	90	+	8 26	328		+ 104			+ 134	BOT. FILL		
		786 / 7	87	70	334 14	87	−	—	154						T.B.		
	✓	132 / 1	33	10	71 28	33	+	2 50	230		+ 06			+ 16	BRK.		
		1152 / 10	153	110	297 43	152	−	5 09	23977		− 241			− 137	FENCE		
	✓	218 / 2	19	23	52 01	19	−	—	24201						SLOPE		
	✓	514 / 5	15	51	46 41	15	−	—	24173						TOP CUT		
		1135 / 10	136	110	264 20	135	−	5 10	23992		− 232			− 122	BOT. ILL EQ RD.		
		408 / 4	09	48	348 57	9	−	—	24176						FENCE		
		514 / 5	15	54	293 36	15	−	—	170						EQ RD.		
		1046 / 10	47	102	229 17	47	−	—	122						TOP CUT		
		348 / 3	49	35	351 06	49	−	—	189						FENCE CRK		
		649 / 6	50	66	344 33	50	−	—	158						TOP FILL EQ RD.		
		962 / 9	63	95	323 32	63	−	—	129						BOT FILL		
		1092 / 10	93	100	302 35	92	−	4 12	24056		− 168			− 68	SLOPE		
		1180 / 11	81	118	195 02	81	−	—	106						11		
		1180 / 11	81	117	201 41	81	−	—	24107						EQ RD.		

Add'n'l Interm.

Notes Red. L.L. Machin — Plotted M. D. DARLING Job No. 7175 Division No. — Date 12/14/34

Notes Chkd. — Checked — Survey by SHEETS — Notes C.H.H. — Date 12/14/34

FB. 603 - 24 - 152

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. "D"	¼-J Cor			—	° '		° '	24139	1	—	24229	—	L.B.		
		1092	93	12	187 32	93	—	24103	2	—		—	F.B. 683-152		172
		2											EG PD		
		1394	95	11	210 16	95		24080	3	144		34	FENCE		
		10													
		892	93	8 3	185 14	93		24141	4	—		—	TOP CUT		
		8													
		1121	122	11	233 32	121		025	5	199		89	SLOPE		
		10													
		301	102	2 1	165 36	102		203	6	—		—	FENCE LINE		
		2													
		1155	156	11	295 37	155		23983	7	241		131	SL.		
		10													
		1145	196	10 2	177 01	196		24122	8	—		—	FENCE		
		10													
				3 2	236 10	285.2		24184	9	340		310	See Sketch FB 683-275 FENCE N&E LINE		
				4 0	232 15	261.4		23901	10	323		283	N.E. " "		
				4 0	228 32	282.1		23886	11	338		298	S.E. " "		
		951													
		2	157	9 2	189 52	157		24077	12	147		37	TOP CUT		
		1084	185	10 3	190 27	185		24037	13	187		87	BRK. END CUT		
		9													
		7	216	10 0	191 13	216		04 0	14	184		84	BRK. BEG CUT		
		646	247	5 0	218 40	245		23913	15	311		261	SLOPE		
		4													
		1131	232	10 3	210 09	231		940	16	284		184	B.S.		
		7													
	?	1157	158	12 3	123 19	158	—	24101	17	—		—	F.LINE		
		10													
		1818	219	9 5	200 39	218		23972	18	252		162	F. LINE		
		8													
	?	760	161	7 3	174 42	161	—	24151	19	—		—	B.F.		
		6													
		1194	195	11 0	183 10	195		065	20	159		49	B.S.		
		10													
		1115	216	10 0	198 25	215		23982	21	244		142	B.F.		
		9													

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D. Bottom Wash B.W. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D.

Side of ..... Sa. Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Stream S.B. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Intersection of Draw V.D. Break in Slope Br.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend: Side Hill ..... S.H. Bottom Draw B.D. Bottom Wash B.W. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D.

Side of ..... Sa. Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Stream S.B. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Intersection of Draw V.D. Break in Slope Br.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Ditch ..... Dt. Fence ..... Fe. Int. Fence V.Fe. Ditch ..... Dt. Telephone Pole T.P. Power Pole T.P. Calvert ..... Cal.

Transit Rd. T. Rd. Fence ..... Fe. Int. Fence V.Fe. Ditch ..... Dt. Telephone Pole T.P. Power Pole ..... Cal. Calvert ..... Cal.

Fr.-Fr. Chas.-Fr. Cedar-Ce. Driveway ..... Dy. Easement ..... Es. Explanation ..... Ex. Plus combinations of main and all these standard abbreviations.

Add'n'l Info.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point		+ Back Sight	+ − Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
P.I. "O"	K 1/4 Cor.				° '		−	° '					24224			FB 683 - 172 - 1452		
		11125								1								
		9	R 26	11 4	178 10	226	−	—	24110	2						FENCE		
		11113								3								
		9	216	10	197 02	215	−	3 04	24009	4		215			115	T.C. E RD		
		11115								5								
		9	216	10 0	194 32	216	−	2 57	24013	6		211			111	E T RD		
		11115								7								
		9	216	10 0	191 48	215	−	3 09	24005	8		219			119	B. CUT E RD		
P.I. "N"	P.I. "O"								23780	9	62		23842			LB 173 - 153 FB 683 - 172 - 1452		
		3 28	229	2 0	—	229	+	4 08	23987	10						P.I. DRIVE E SIDE ROAD		
		3 28	229	2 0	351 35	228	+	4 02	23984	11		142			162	PRIV. DRIVE E		
		11335	236	13 0	346 37	234	+	5 12	924	12		82			212	" "	E	
		470	271	3 0	334 54	271	+	1 50	23899	13		57			87	"	E	
		326	227	2 0	3 09	236	+	3 56	984	14		142			162	BOT. C E RD.		
		428	229	3 0	4 17	227	+	5 14	24020	15		178			208	T.C.		
		642	243	5 0	17 30	239	+	7 14	094	16		252			302	FENCE		
		2 52	153	2 9	—	152	+	3 51	23924	17		82			102	E RD		
		353	154	3 0	356 35	153	+	3 53	23916	18		74			104	T.F. E RD		
		553	154	5 0	355 17	153	+	4 06	23902	19		60			110	B.F.		
		253	154	7 0	352 58	153	+	4 35	895	20		53			123	FENCE		
		692	193	6 0	27 04	189	+	8 45	24072	21		230			290	"		
		11159	160	15 0	341 56	158	+	6 33	23873	22		31			181	SL.		
		3357	158	3 0	6 06	157	+	4 47	23913	23		101			131	T.C.		
		267	158	2 0	5 07	158	+	3 39	23922	24		80			100	B.C. E RD		

Notes Red. H. Martin Plotted D. DARLING Job No. 3172 Sheet No. F.B. 683
Notes Chkd. Checked Survey by SURVEY Notes F.B. 683 Date 12-16-36

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. N	P.I. O			—	° '		° '	23722	62		2384		L.B. 683-		-153
		1062											F.B. 683-	96-97	173
		9	167	109	329 57	166	+ 3	23845		+ 3		+ 103	B.L.S.		
		185	86	19	101	86	+ 2	23865		+ 23		+ 33	E. R.O.		
		126	87	12	8 43	87	+ 1 21	852					E. & R.O. B.C.		
		1											T.C.		
		86	87	10	10 34	87	+ 5	889					D.T. DC. 4th Line		
		1											T. B.M.		
		1153	154	112	286 08	154		23724					T. P.B.		
		10											FENCE		
		745	147	68	289 46	147		774					FENCE		
		6											FENCE		
		510	111	40	31 17	109	+ 8	963					FENCE		
		4											FENCE		
		745	146	70	47	142	+ 9	24020					FENCE		
		6											FENCE		
		5	109	56	308 28	109		23786					FENCE		
		733											FENCE		
		6	134	60	63	130	+ 10	24014					FENCE		
		5											FENCE		
		6	84	30	331 24	84	+ 2	23812					FENCE		
		7											FENCE		
		9	80	39	347 30	79	+ 5	826					FENCE		
		9											FENCE		
		5	83	42	44 59	81	+ 7	912					FENCE		
		981											FENCE		
		9	82	90	350 27	81	+ 5	832					B.M.		
		179	80	15	354 05	80	+ 1	858					T.P. E. & R.O.		
		1													
		379	80	32	36 03	79	+ 5	893					S.W.		
		5													
		146	47	09	22 12	47		23833					T.C. S.W.		
		1													
		344	45	34	20 16	45		23811					S.R. I.V.Co.		
		3													
		1124	125	118	283 49	125		23724					& DR. W. Line		
		10											of Tract		
		1184	85	11	247 23	85	+ 1 23	23712		13 0		2 0	B.D. FENCE		
		11													

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom wash B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw H.D. Toe of Slope..T.S.

Index of Draw..V.D's Side of Canyon..S.Cn.
Break in Slope..B.S. Top of Bank..T.B.
Brow Slope.....S.S. Bottom of Bank..B.B.
Top of Cliff.....T.Cl. Top of Cut.....T.C.
Bottom of Cliff..B.Cl. Bottom of Cut..B.C.
Top of Spur.....T.Sp. Top of Fill.....T.F.
Bottom Canyon...B.Cn. Bottom of Fill..B.F.

Fir-Red Cedar....Cd.
Pine-Pi. Cedar....Cy.
Sycamore.....Sy.
Eucalyptus.....Eu.
Plus combinations of these and common abbreviations.

Oak-O. Fir-Fir.
Trees.....Tr. Fir.
Int. Fences..V. Fir.
Ditch.....Di.
Telephone Pole T.P.
Power Pole....P.P.
Culvert.....Cul.

Sw. Fl. Str. Tr. Pvt. E.Rd.
Saddle.....
Swale.....
Flat.....
Stream.....
Trail.....
Pavement.....
Edge of Road

PS 710

Form 307 RBM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. H. Martin Platted [illegible] M. D. DARLING Job No. 8116 Division No. [illegible]
Notes Obtd. [illegible] Checked [illegible] Survey by SHEFFIELD Notes [illegible] Date 12-16-36

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I. "N"	P.I. "O"			—	° '		° '	2378.2 ✓	1 6.2				LB		153
											2384.2 ✓		FB 683		175
		9710	71	90	245 —	71	—	2375.2	2				B.D. & E		
		9													
		6617	18	67	155 20	18	—	775	3				E. RD.		
		6													
		8227	28	83	128 41	28	—	759	4				B.C. & E&W		
		8													
		5279	30	57	124 00	30	—	785	5				T.C.		
		5													
		7223	24	73	209 15	24	—	769	6				INT FENCE		
		7													
		10955	96	100	94 20	94	+ 7.28	866	7				BRK		
		10													
		6188	19	65	191 57	19	—	777	8				E.G. RD.		
		6													
		10064	105	90	92 48	103	+ 7.35	890	9				BRK		
		9													
		9555	56	97	164 49	56	—	745	10				INT E BRDG CR		
		8340	141	70	91 29	138	+ 7.55	964	11				E. LINE		
		1557	60	105	181 21	60	—	737	12				E PRIV RD & E CR		
		11174	75	112	195 55	75	—	730	13				℄ PRIV DR		
		11													
	?	11148	98	?		98 ?		708	14 ?						
		11	49	112	196 57	49	1.21	728					" & EDGE		
		11128							15						
		10	129	110	196 57	129	—	732	16				℄ " " BRK		
		10150	151	94	202 44	151	—	748							
		9											P.C. " "		
		5179	220	35	232 58	220	—	807	17 65		2384.5 ✓				
		3											SE. COR. HOUSE		
		5088	209	40	239 31	209	—	805	18						
		3											NE. " "		
		3333	234	23	241 22	234	—	822	19						
		1											NW. COR. HOUSE		
		10913	84	100	220 17	94	2 41	700	20						
		10											BOT CR 6 WIDE		
		4841	182	40	116 11	181	+ 4 35	950	21				Fence & Hwy		
		9													

Form 301 Rev. 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '	2378.02	16.5		2384.5				
P.I. N.	P.I. O	981 / 9	82	9 8	220 08	82	— ° '	2374 1					BK dr.		
		831 / 7	132	8 0	129 34	131	+ 3 0	834					Brk.		
		1122 / 10	123	10 5	142 03	123	— ° '	23740					swale		
		1108 / 10	109	13 0	154 57	109	— ° '	2371 5					Top cut		
		1101 / 10	102	14 0	185 34	102	2 20	663					X PT dr		
		1108 / 10	109	11 0	156 43	109	2 31	687					Bot cut		
		1105 / 10	106	13 5	164 34	106	— ° '	2371 0					℄ T.R.		
		1094 / 10	95	10 0	182 00	95	2 20	701					T.B.		
		1075 / 9	176	10 0	162 34	175	3 42	631					℄ T.R.		
		1076 / 9	177	10 0	166 02	176	3 31	637					edge Rd.		
		1126 / 10	127	11 0	178 19	126	4 31	655					4½ x 4 x 3' Spring water Concrete Box		
		874 / 7	175	8 0	159 14	174	4 32	626					B.C.		
		476 / 3	177	4 0	157 47	176	4 45	659					T.C		
		1180 / 10	181	13 6	152 00	181	— ° '	23709					BK. S.		
		931 / 8	132	9 0	176 27	131	5 30	627					2½ x 1½ x 2' Spring water Concrete box		
		584 / 4	185	5 0	141 16	185	— ° '	2379 5					BK. S.		
		941 / 8	142	9 0	173 06	140	5 52	61 0					Bot. dr.		
		1031 / 8	232	9 0	130 08	230	+ 2 49	869					BK.S.		
		1148 / 9	249	10 0	133 21	249	+ 1 53	826					Fn.		
		599 / 5	100	5 1	129 24	100	— ° '	23788					BK.S.		
		512 / 4	113	5 0	123 15	113	+ 1 39	827							

Transit Description Legend:
Side Hill ..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope. T.S.

Side of Canyon S.Cn. Top of Bank. T.B. Bottom of Bank. B.B. Top of Cut. T.C. Bottom of Cut. B.C. Top of Fill. T.F. Bottom of Fill. B.F.

Saddle ..... Sd. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Fence ..... Fn. Int. Fence. V.Fn. Ditch ..... Dt. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Oak ..... Or. Pine ..... Pn. Sycamore ..... Sy. Cedar ..... Ce. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ / −	Vertical Distance	REMARKS Station	Left	Right
					° ′			° ′	2378.01	1		2384.5					
P.L.N.	P.L.O.	1067 / 9	168	10	172.24	167	−	4.43	2360.7						BO.T.C. PIPE LINE		
		325 / 2	126	3	115.35	125	+	3.42	887	2					BK. S.		
		1086 / 9	187	10	169.57	185	−	5.10	576	3					B. D. FN. 1" PIPE LINE		
		480 / 3	181	4	130.19	181	+	2.30	885	4					BK. S.		
		1440 / 9	241	10	136.21	241	+	1.20	800	5					FN.		
		1624 / 9	225	12	145.22	225	−	—	725	6					FN. BK. S.		
		1041 / 8	242	9	167.15	240	−	5.26	526	7					B. D. 1" PIPE LINE W. end 36" WOOD		
		929 / 7	230	8	152.43	229	−	3.02	642	8					SPUR		
		933 / 7	234	8	169.41	233	−	4.16	590	9					N.E. COR. CONCRETE RESERVOIR		
		935 / 7	236	8	171.53	235	−	4.04	597	10					NW " "		
		948 / 7	249	8	169.24	248	−	3.59	591	11					NE " "		
		934 / 7	235	8	171.29	234	−	4.01	600	12					CENTER ON RESERVOIR WINDMILL TANK		
		1136 / 9	237	10	168.44	236	−	4.0	579	13					T. B.		
		1088 / 9	189	10	172.45	188	−	4.09	570	14					T. B. OPP. 4" PIPE		
		1142 / 10	143	11	176.46	143	−	1.98	665	15					T.B.		
		1132 / 10	133	11	180.13	133	−	2.04	686	16					T.B.		
		1119 / 10	120	10	172.06	120	−	2.50	685	17					T.B. FN.		
									2346.20	18		2351.8					
									2340	19	5.6	2 PTS			FB. 683-[illegible] 153		
P.L.M.	P.L.N.																
		379 / 2	180	3	4.13	179	+	3.28	2359.9	20					B.C.		
		382 / 2	183	3	5.38	182	+	4.22	628	21					T.C.		
		216 / 2	117	3	4.03	117	+	2.40	34.3						end T.C.		

Notes Rod H. Martin Plotted Date 12-17-36 Job No. 8117 Division No.
Notes Chkd. Checked Date
Survey by Chester Notes Chester Date 12-16-36
FB. 683 PG. 153

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '	2342.20	3.6		2351.8				
P.I.M.	P.I.N.	319 / 2	120	3 0	359 46	120	+ 2 52	2354.8					℄ TR.		
		421 / 3	122	4 0	8 52	122	+ 2 40	536					E. end Top of 36" Culvert		
		461 / 3	162	4 0	0 30	161	+ 3 41	586					℄ Private Rd + Aqua Dulce		
		458 / 3	159	4 0	4 18	158	+ 3 37	579					edge " " " "		
		678 / 6	79	6 2	19 33	79	—	2345.6					T.B.		
		951 / 7	152	8 0	10 36	151	+ 5 35	586					℄ Private Rd + Gate		
		1062 / 10	63	10 3	34 49	63	—	415					T.B.		
		234 / 1	135	2 0	18 33	135	+ 3 06	572					℄ Private Rd.		
		1047 / 10	48	10 0	66 58	47	− 6 57	364					T.B.		
		307 / 2	108	2 2	23 27	108	—	496					3' high 1" Pipe Line + Hydrant		
		303 / 2	104	2 3	29 02	104	—	495					" " + Private Pg		
		501 / 4	102	5 2	45 42	102	—	466					" " " "		
		951 / 9	52	9 0	103 45	50	− 11 19	329					T.B.		
		323 / 2	124	2 0	34 13	124	+ 2 52	563					℄ R.S.		
		1164 / 10	165	11 0	49 17	159	+ 11 01	722					Fn		
		1135 / 11	36	11 0	107 30	35	− 7 17	364					B.F.		
		849 / 7	150	8 0	57 02	146	+ 8 44	664					Fn B.K.S.		
		914 / 8	115	8 7	77 09	115	—	431					Fn. Cor. 1" Pipe Line		
		845 / 8	46	8 5	18 05	46	—	433					B.F.		
		296 / 1	147	2 0	82 27	147	+ 1 27	536					Fn		
		1141 / 10	142	11 0	102 14	141	− 3 39	319					℄ Private Rd.		

Add'n'l Inform.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D. | Bottom Wash ..... B.W. | Top of Ridge ..... T.R. | Toe of Slope ..... T.S.
Side of Draw ..... S.D. | Side of Ridge ..... S.R. | Head of Draw ..... H.D.

Intersection of Draw with Break in Slope ..... B.S. | Strap Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn. | Side of Creek & Ch. ..... S.C. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd. | Traveled Rd. ..... Tr.Rd. | Fence ..... Fe. | Int. Fences ..... V.Fns. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul. | Oak ..... Oak-D. | Pine ..... Pine-Pl. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations. ..... Fir-Fr. | Cedar ..... Ce.

Form 301 IDM 5-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point 2346.2	+ Back Sight 15.2	+ − Difference Elevation	Height of Instrument 2361.8	+ − Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
B.M.	P.I.N.	11137													
		10	138	11 0	104 18	137	4 11	2330.8					T.B.		
		306													
		2	107	3 0	13 17	107	—	2348.8					T.B.		
		1088													
		10	89	10 0	74 01	89	2 09	385					T.B.		
		702													
		6	103	6 1	10 31	103	—	451					B.D. 4' wide		
		782													
		1	83	7 1	36 57	83	—	441					T.B.		
		1189													
		11	90	11 1	21 27	90	—	401					B.D. 5' wide		
		496													
		4	97	4 1	25 14	97	—	471					T.B.		
		960													
		8	161	9 0	31 43	157	+ 9 0	678					S.H.		
		1173													
		11	74	11 0	38 03	73	4 39	348					B.D. 4' wide		
													T.B.		
		388													
		3	89	3 0	346 50	89	+ 3 31	543					clump of 4 10" willows		
		961													
		9	62	15 0	47 56	62	3 16	339					B.D. Brk. 8' wide		
		1095													
		10	96	10 0	342 14	95	+ 6 33	527 ✓					Spring		
		145													
		1	46	1 0	327 32	45	+ 7 25	567					end of Fnc. T.E.		
		1770													
		11	71	11 0	82 02	68	12 12	263					B.D. 13' wide		
		180													
		1	81	0 9	349 28	81	—	509					edge Rd.		
		185													
		1	86	0 3	4 47	86	—	515					edge Rd. Brk.		
			31	7 6	357 21	31	—	442					℄ TR.		
		338													
		3	39	3 2	338 43	39		486					B.C.		
			20	5 7	36 21	20		459					edge Rd. T.E.		
			6	5 7	253 09	6	—	461					B.C.		
		122													
		1	23	1 0	255 11	20	+ 22 16	391					T.C.		

Date

Date

Date

Maps Sec. H. Martin Plotted

Date 2-4-37 Date B T T 1937 Survey of

Map No.

Job No. 8167 Division No.

F.B. 683 PG. 27

Scale 1" = 100'

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P.I.M.	P.I.N	884 / 8	85	8 0	170 11	82	+ 11	2346.20 / 23600	5 4		2346.8 / 2361.8		T.C.		
		714 / 6	115	6 0	167 00	114	+ 5	564					T.C.		
		577 / 5	78	5 0	161 16	77	− 5	398					B.C. edge Rd		
		477 / 4	78	4 0	145 02	77	− 5	407					edge Rd T.F.		
		512 / 4	113	4 0	159 22	112	− 3	369					B.C. edge Rd		
		412 / 3	113	4 0	150 55	112	− 5	377					edge Rd T.F.		
		1127 / 10	148	15 0	162 29	147	+ 4	483					T.C.		
		547 / 4	148	5 0	158 46	147	− 5	338					BC. edge Rd		
		506 / 4	147	5 0	152 57	146	− 4	344					edge Rd. T.F.		
		1057 / 9	158	10 0	128 14	152	+ 11	723					S.H. swale		
		814 / 7	115	7 0	179 23	109	+ 12	687					S.H.		
		681 / 6	82	6 0	217 02	66	+ 26	781	12 ✓				S.H.		
		367 / 3	68	3 0	259 45	51	+ 29	822	13				S.H.		
		495 / 4	96	4 0	298 16	84	+ 23	798	14				S.H.		
P.I.L.	P.I.M.							2317.55 ✓	15 5.6		2323.2 ✓		FB. 653 - ~~77~~ 173 - 153		
		249 / 1	150	2 0	357 55	150	+ 2	283	16				B.C. edge Rd		
		249 / 1	150	2 0	4 59	150	+ 2	285	17				edge Rd T.F.		
		858 / 7	157	8 0	354 02	154	+ 10	437	18				T.C.		
		417 / 3	118	4 0	351 48	114	+ 10	405 ✓	19				T.C.		
		168 / 1	69	0 8	351 40	69	—	224	20				B.C. edge Rd		
		166 / 1	67	1 2	9 40	67	—	220	21				edge Rd T.F.		

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Road of Draw H.D. Toe of Slope ..T.S.

Intersection of Draw V.D's
Break in Slope ..B.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..B.On.

Side of Canyon S.Cn.
Top of Bank ..... T.B.
Bottom of Bank ..B.B.
Top of Cut ..... T.C.
Bottom of Cut ..B.C.
Top of Fill ..... T.F.
Bottom of Fill ..B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence ..... Fe.
Int. Fences V.Fe.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole ..P.P.
Culvert ..... Cul.

Oak ..... O.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

F.B. 653 PG 23

Form 384 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
								2317.5	1.56		2325.2				
P.L.L	P.I.M.	1.71 / 1	72'	1 0	345 32	71	+ 7 55	2331 8					T.C.		
		1.32 / 1	33'	1 0	321 01	29	+ 20 16	330					T.C.		
			25'	4 7	332 40	25	—	185					B.C. edge Rd		
			21'	3 5	25 17	21	—	197					edge Rd T.F.		
		1.47 / 1	48'	1 0	225 21	47	+ 9 41	301					T.C.		
		6.08 / 5	109'	5 0	256 45	86	+ 27 21	627					S.H.		
		7.07 / 6	108'	6 0	277 12	77	+ 32 04	659					S.H.		
		7.19 / 6	120'	6 0	313 06	99	+ 24 35	625					S.H.		
		6.88 / 5	189'	6 0	338 46	172	+ 17 31	714					S.H.		
		3.34 / 2	135'	3 0	328 52	119	+ 20 22	642					S.H.		
		11.22 / 9	223'	15 0	8 47	222	+ 2 51	192					FENCE		
		11.11 / 9	212'	16 0	13 39	212	—	2307 2					W. BOT DK T.F.		
		11.17 / 9	218'	10 0	28 13	217	— 3 10	014					E. BOT DK		
		11.43 / 9	244'	13 0	38 20	244	—	102					S.H.		
		11.47 / 10	148'	16 0	18 19	148	0 44	2305 4					FENCE LINE		
				0 2	8 22	74.0	—	2323 0		0 2			SET NAIL P.L.L.		
P.I-L	P.I. "L"							2323 0	5.1		2328.1				
				10 5		74.0	—	2317.6		10 5			P.I. "L" BM S 40T		
		11.13 / 10	114'	11 0	230 34	103	18 10	2283 3					ROCK & CAN 1.54 POND NW COR		
		11.18 / 10	119'	11 0	238 48	107	18 20	2281 6					N.E. COR " "		
		10.08 / 10	101'	16 0	241 39	91	17 50	828					So. Pk Fence		

Date 2-4-37 Date FEB 17 1937 Survey of [illegible] Date [illegible] Map No. [illegible] F.B. 683 PG. 21

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P.M.	P.I. "L"			—	° '		° '	23230	1		2328 1				
I-L		1205	106	12 0	227 03	91	22 01	22793	2				SEE NOTE		
		11											EG FISH POND BOT. DR.		
		1165	66	11 0	212 34	62	13 23	23023	3				INT FENCES T.F.		
		11											W. BNK. DR.		
		1175	76	11 0	217 48	71	15 09	22981	4				E. " " DRAIN.		
		1100	101	10 0	225 21	90	19 23	8671	5				TOP BNK.		
		10													
		523	124	8 0	230 —	112	17 52	8710	6				BOT DR 12 WIDE		
		4													
		825	126	12 0	249 48	113	18 40	7811	7				EAST BNK DR. 4		
		7													
		636	137	6 0	258 58	121	20 11	7833	8				BOT DR 6' WIDE		
		5													
		1136	137	11 0	262 43	120	20 50	7188	9				W. BNK DR. 4		
		10													
		1135	136	8 0	266 55	120	20 04	7631	10				F.B. 683 - 173		
		10													
P.I. "L"	P.I. "M"							23176	5 5		2323 1				
		682	183	6 0	71 01	172	14 10	22736	12				E. BNK DR 4		
		5													
		1060	161	10 0	77 49	149	15 31	7147	13				W. BNK DR 4		
		9													
		1173	174	11 0	74 00	161	15 40	6681	14				BOT DR 12' WIDE		
		3													
		682	183	6 0	99 50	166	17 21	6411	15				END OF BNK DR.		
		5													
		1155	156	11 0	105 42	138	19 20	6271	16				" " " "		
		10													
		767	168	7 0	102 24	149	19 23	6341	17				BOT DR		
		6													
		1088	189	15 0	65 52	183	9 55	7601	18				N.W. COR. HOUSE		
		9													
		697	198	6 0	81 40	188	13 12	7311	19				S.W. " "		
		5													
		1014	215	9 0	80 04	209	9 16	7981	20				S.E. " "		
		8													
		10 10	211	12 0	65 45	206	8 43	7955	21				N.E. " "		
		8													

FISH POND 6 IN BOT OF DRAIN

Topography Description Legend:
Side of Draw B.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Mesa S.R. Top of Ridge T.R.
Side of Draw H.D. Toe of Slope T.S.

Side of ..... Sa.
Bank ..... Bk.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Canyon B.Cn.
Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Side of Draw Y.D's
Top of Mesa Bk's. S.S.
Bottom of Mesa Bk's. T.Cl.
Slope ..... S.S. B.Cl.
Top of Cliff ..... T.Sp.
Bottom of Cliff ..... B.Cn.
Top of Spur
Bottom Canyon

Intersection of Draw Y.D's
Break in Mesa Bk's.
Steep Slope
Top of Cliff
Bottom of Cliff
Top of Spur
Bottom Canyon

Fls. Fl.
Cedar Ce.
Pine Pi.
Sycamore Sy.
Eucalyptus Eu.
Live Oak L.O.
Pine Pi.
Cedar Ce.
Sycamore Sy.
Eucalyptus Eu.
Live Oak L.O.
Plus combinations of these and all common abbreviations.

Traveled Rd. Tr.Rd.
Fence ..... Fe.
Int. Fences ..... V.Fe.
Ditch ..... Fe.
Telephone Pole ..... D.L.
Power Pole ..... T.P.
Culvert ..... P.P.
Culvert ..... Cul.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
P.I. "L"	P.I. "M"				° '			° '	2317			2323					
		1134	135	11°	75° 06'	122		17° 57'	2872						T.S. FENCE		
		1048	149	10°	86° 52'	134		18° 28'	684						COR. "		
		1005	106	14°	78° 17'	96		18° 01'	770						BEG IN SLOPE		
		1134	135	15°	107° 50'	119		20° 15'	643						T.S. FENCE		
		860	61	13°	107° 10'	54		20° 16'	903						BOT. FILL FENCE		
		1062	63	10°	86° 09'	56		20° 03'	927						L PT. FENCE		
		1046	47	10°	55° 23'	45		11° 51'	23038						BOT. FILL		
		1020	221	12°	8° 38'	221	+	2° 15'	23196						T.F. FENCE		
P.I. "K"	P.I. "L"								2296	57		2301			L.B. 683-158-179 SEE F.B. 643-100		
				12	②29° 36' ①148° 48'	113			2289		12				P.I. K-1		
P.I. K-1	P.I. K								2289	47		2294			SET IX I STK ON TOP OF FILL		
		1132	333	10°	45° 48'	331		4° 26'	2258						COR. ON TOP		
		1079	300	10°	39° 25'	298		4° 17'	622						T.S.		
		1052	253	9°	47° 41'	249		6° 46'	558						A FENCE		
		1200	301	11°	31° 09'	301			2282						BOT FILL FENCE		
		1140	241	14°	56° 29'	238		5° 58'	554						FENCE ON		
		1025	226	9°	27° 11'	226			853						BOT FILL		
		1110	211	10°	51° 41'	207		8° 08'	548						T.S.		
		919	220	8°	31° 49'	219		3° 03'	747						FENCE		
		1125	130	11°	49° 35'	124		12° 48'	563						T.S.		

Date 2-4-37 Date FEB 17 1937 Survey of LAKE DUCKE Date

M. P. DARLING 8117 Pasadena E. R. 643 Pg. 77

Map No. 10073 Indexed

Form 301 I 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distances —	REMARKS Station	Left	Right
P.I.	P.I.			—	° '		° '	2289 7			2294 4				
K-1	K	1090	191	10 0	28 32	191	2 02	776					B. FILL		
		9 1090	91	10 0	81 54	76	23 29	513					T.S		
		10 1158	155	11 0	38 06	153	5 56	676					FENCE		
		10 1138	139	11 0	133 36	128	16 08	463					11 INT FLGT DES		
		246 1	147	2 2	20 31	147	—	22922					BOT. FILL		
		1115 10	116	11 0	146 50	102	20 00	463					FENCE		
		1100 10	101	15 0	35 11	99	8 04	655					BRK IN FLGT		
		1090 10	91	14 0	165 32	81	19 26	520					B.F.		
		1070 10	71	14 0	35 15	70	8 03	707					FENCE Cor. T.S		
		1133 11	34	11 0	93 36	30	20 16	724					B. F.		
		1072 9	173	10 0	157 20	163	13 46	444					B. F.		
		1073 10	74	10 0	174 54	66	10 27	612					BAT. WASH (FLGT)		
		957 8	158	9 0	177 27	146	15 48	440					B. F.		
		1100 9	201	10 0	184 35	191	12 57	406					TOE SLOPE		
		1110 10	111	11 0	185 57	105	13 03	589					T.S.		
		860 7	161	8 0	184 39	153	3 01	512					B.F.		
		940 7	241	8 0	171 21	232	11 05	409					B.F.		
		979 8	180	9 0	22 37	173	1 05	515					BOT FLGT WASH		
		1100 10	161	11 0	102 58	151	14 37	443					B.F.		
		1110 10	111	11 0	112 50	98	19 29	487					FLGT		
													11		

Nature of Draw: V.D's Bank: R.B. L.B. Side of Draw: Top of Bank: T.B. Bottom of Bank: B.B. Canyon: S.Cr. Bank: T.B. Bottom of Cut: T.C. Top of Fill: T.F. Bottom of Fill: B.F. Saddle: Swale ... Sw. Flat ... Fl. Strm ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road: E.Rd. Gul.-G. Fr-Fr. Cedar-Ce. Plum-Pl. Cedar-Sy. Sycamore ... Sy. Eucalyptus ... Eu. Pine combinations of these and all common standard abbreviations. Traveled Rd. Tr. Rd. Fence ... Fence: V. Fn. Int. Ditch ... Ditch: D.I. Telephone Pole: T.P. Power Pole ... P.P. Culvert ... Cul.

Description Legend: Bottom Draw: B.D. Bottom Wash: B.W. Top of Ridge: T.R. Toe of Slope: T.S.

Form 381 IBM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#	P.I.														
K-1	K							22897	1		22947				
Helmet		1139	140			131		23037	2						
		9		110	72 36		14 05			442		330	FLAT		
		10 73							3						
		9	174	10	59 56	168	10 41	528					"		
		11 24							4						
		9	225	10	177 20	218	11 34	402					"		
	?	470							5						
		2	271	30	13 50	259	+ 12 11	23472		+ 530		+ 560	T.C.		
		366							6						
		1	267	20	16 08	266	+ 3 40	096					B.C.		
		360							7						
		1	261	20	20 28	260	+ 4 00	108					T.F.	RD	
		428							8						
		2	229	30	8 09	226	+ 6 39	179					T.C.	SW	
		317							9						
		1	218	20	11 18	217	+ 3 18	052					B.C.	RD	
		310							10						
		1	211	20	17 14	210	+ 3 32	055					T.F.	"	
		278							11						
		1	179	20	1 25	173	+ 10 10	238					T.C.		
		270							12						
		1	171	20	6 90	171	+ 2 53	23012					B.C.	RD	
		260							13						
		1	161	20	14 29	160	+ 3 15	017					T.F.	"	
	?	249					+???	23152	14						
		1	150	20	357 31	146	− 8 50	22671					T.C.		
		209							15						
		1	110	10	346 51	109	+ 5 00	23032					T.C. SW.		
		200							16						
		1	101	10	353 02	101	+ 0 55	22950					B.C. RD		
		191							17						
		1	92	10	6 30	92	+ 1 22	957					T.F. "		
		179							18						
		1	80	10	335 24	77	+ 11 09	23088					T.C.		
		166							19						
		1	67	10	307 10	58	+ 21 42	23165					"		
		438							20						
		8	39	40	321 58	39	— —	22897					BC RD		
		222							21						
		2	23	30	358 04	23	— —	22910					BC RD		

Notes Rod. H.Martin Platted W.D. DARLING Job No. 810 Division No. 6
Date 2-4-37 Drawn 2-17-37 Checked
Transit Child Checked
Survey by SMEE & Notes D.F.H. Date 12-17-36

W. D. DARLING

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#	P1				° '		° '	2289.7	1		2294.4				
E-1	E	4.20													
		4	21	4.4	26 00	21	—	2290.0	2				T.F.		
		1.58													
		1	59	1.0	265 20	58	6 30	2286.8	3				T.C.		
		7.20													
		7	21	7.2	196 40	21	—	2287.2	4				T.F.		
		10.20													
		10	81	10.0	234 26	81	2 28	812	5				ENO Cuts S.H.		
		5.74													
		5	75	5.0	226 36	74	6 33	810	6				E G Rd		
		2.12													
		1	113	1.0	226 44	113	+ 0 24	943	7				T.C.		
		5.67													
		5	68	5.0	206 06	67	6 13	821	8				T.F. E G Rd		
		3.42													
		2	143	3.0	220 27	143	+ 2 43	2298.3	9				T.C. P1		
		5.41													
		4	142	5.0	212 53	140	6 05	746	10				S.C. G		
		5.46													
		5	47	5.0	199 03	47	4 50	857	11				T.F.		
		3.60													
		2	161	3.0	236 31	155	+ 10 49	2321.2	12				T.S.P.		
		3.36													
		2	137	3.0	246 35	133	+ 10 19	157	13				S.H.		
		3.18													
		2	119	2.0	263 20	116	+ 9 28	120	14				S.H. S.H.		
		3.17													
		2	118	2.0	279 01	108	+ 16 37	252	15				S.H.		
		3.32													
		2	133	2.0	309 33	110	+ 19 14	426	16				T.S.P.		
		7.37													
		6	138	6.0	320 14	121	+ 20 17	337	17				S.H.		
		5.50													
		4	151	4.2	330 —	140	+ 15 26	292	18				S.W.		
		2.02													
		1	193	2.0	341 14	176	+ 17 08	471	19				S.H.		
		7.25													
		5	226	6.0	347 24	202	+ 18 47	577	20				T.S.P.		
		4.08													
		2	267	3.0	354 12	248	+ 5 20	591	21				S.H.		

Addn'l Inform.

Fir-Pf. Fir-Douglas Pine-Pi. Pine-Ponderosa Cedar-Ce. Cedar-Incense Sy. Sycamore Ed. Eucalyptus Plus combinations of these and all common standard abbreviations.

Transverse Tr. Rd. Fence ..... Fe. Int. Fence V. Fns. Ditch ..... Dt. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sd. Sweis ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E. Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draw, V.D's Creek in Slope ..... Cr. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope ..... T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P# K-1	P.I. "K"				° '		° '	2289 7	1		2294 4				
		495 / 2	296	30	0 33	278	+ 14 22	2362 7	2				S.H.		
									3				LB 683 - ~~173~~ 113		
P.I. I	P.I. J.							2243 11	4	55	2248 6		SEE F.B. 683 - 101 & 102		
					4-54-30								P.# I-1		
				30	59 49-00	194 5	+ 3-45	2258 4	5	+ 98		+ 12 8	Set 1x1 Stk		
P# I-2	P.I. "I"							2258 4	5 2		2263 6				
					° '		° '		6						
				11 0		194 5	− 2 47	2243 2		− 20 4		− 9 4	P.I. "I" Check Sta. I		
		618 / 4	219	50	157 27	212	+ 10 22	2297 3	7				T.C.		
		312 / 1	213	20	163 44	212	+ 2 46	718	8				B.C.		
		420 / 2	221	30	172 47	220	+ 3 50	754	9				T.F. edge Rd.		
		378 / 2	179	30	159 52	176	+ 7 44	845	10				T.C.		
		457 / 3	158	40	158 25	155	+ 8 11	819	11				T.C. Swale		
		252 / 1	153	20	163 27	153	+ 2 29	682	12				B.C. edge Rd.		
		318 / 2	119	30	154 55	115	+ 10 55	827	13				T.C. Spur		
		752 / 1	153	20	173 54	153	+ 3 08	699	14				T.F. edge Rd.		
		299 / 2	100	20	150 00	97	+ 9 31	779	15				T.C.		
		263 / 2	64	21	136 43	64	—	2261 5	16				B.C. T. Swale and Cut		
		358 / 3	59	31	144 02	59	—	605	17				edge Rd.		
		247 / 2	50	21	169 54	50	—	615	18				T.F. edge Rd		
		543 / 5	44	50	105 07	40	+ 16 18	704	19				T.C.		
		152 / 1	53	10	72 31	47	+ 20 03	797	20				TC		
		226 / 1	27	12	70 01	27	—	8256 4	21				B.C. edge Rd		

Notes Red. A. Martin Date 2-24-37 Plotted Date 2-25-37 Checked Date

H.D. DARLING Job No. 2117 Division No. Survey by Schaefer Notes Schaefer Date 12-17-36 Checked Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '	2258.4	1 5.2		2263.6				
P.I.#1	P.I.#2			5.3	328 20	10°	—	2258.3					T.F. edge Rd.		
		263/2	64	2.0	55 01	61	+ 12 01	74.5	2				T.C.		
		274/2	75	2.0	30 18	75	+ 4 06	66.9	3				T.C.		
		1125/10	126	11.0	11 32	126	— 2 11	47.8	4				T.F. Swale		
		1114/10	115	10.0	12 11	115	— 1 50	50.0	5				end cut		
		1040/9	141	10.0	9 41	141	— 1 40	49.4	6				start cut		
		435/3	136	4.0	2 07	135	— 5 38	46.3	7				west end 18" culvert		
		565/4	166	5.0	8 06	166	—	2258.6	8				T.C.		
		943/8	144	9.0	354 47	143	— 5 0	42.1	9				East end 18" Culvert		
		586/4	187	5.0	7 11	187	+ 1 40	64.0	10				T.C. spur		
		1024/9	125	10.0	8 10	125	— 2 22	48.4	11				edge Rd.		
		1119/10	120	11.0	358 07	120	— 1 53	48.6	12				" " T.F.		
		611/4	212	5.3	3 09	212	—	58.3	13				T.C.		
		1030/8	231	9.0	1 39	231	—	54.6	14				T.C.		
		1155/9	256	10.0	1 25	256	— 1 04	48.7	15				T.C. Swale		
		1150/9	251	10.0	359 24	250	— 3 15	39.3	16				BC.		
		1051/8	252	9.0	354 24	251	— 3 26	39.3	17				T.F. edge Rd.		
		694/4	295	6.0	0 29	295	— 0 50	53.3	18				T.C.		
		1026/7	327	9.0	348 57	327	— 1 20	47.2	19				T.C.		
		1042/7	343	9.0	357 04	341	— 3 44	32.3	20				BC. edge Rd.		
		939/6	340	8.0	358 25	339	— 2 39	2240.0	21				T.C. Swale		

Add'l Inform.

Interv. of Draw. V.B's: Draw Slope ... B.S. | Side of Canyon S.Ch.: Bank ... T.B. | Saddle ... Sa. | Travsed Rd. Tr. Rd. | Cap.-D. Fir-Ff. | Pipe-Pl. Cedar-Ce.
Draw Slope ... B.S. | Bottom of Bank ... B.B. | Swale ... Sw. | Fence ... V. Fn. | Sycamore ... Sy.
Top of Cliff ... T.Cl. | Bottom of Cut ... B.C. | Flat ... Fl. | Int. Fence ... D. Fn. | Eucalyptus ... Eu.
Bottom of Cliff ... B.Cl. | Top of Fill ... T.F. | Stream ... Str. | Ditch ... Di. | Use combinations of these and all common standard abbreviations.
Top of Spur ... T.Sp. | Bottom of Fill ... B.F. | Trail ... Tr. | Telephone Pole ... T.P.
Bottom Canyon ... B.Cn. | | Pavement ... Pvt. | Power Pole ... P.P.
| | Edge of Road ... E.Rd. | Culvert ... Cul.

Topography Description Legend:
Side of Hill ... S.H. | Bottom Draw ... B.D. | Top of Ridge ... T.R. | Toe of Slope ... T.S.
Side of Draw ... S.D. | Bottom Wash ... B.W. | Side of Ridge ... S.R. | Head of Draw ... H.D.

S.B. 183 Pg 24

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '			° '	2258.4	1.55		2263.9				
PI-1	PI #1	838 / 5	339	7.0	352 25	337	−	4 °	2233.5					T.F. edge Rd		
		788 / 4	389	6.0	357 17	389	−	1 59	433	2				T.C.		
		922 / 5	423	7.0	356 46	423	−	1 48	437	3				T.C.		
		1123 / 7	424	9.0	355 20	422	−	3 49	264	4				B.C. edge Rd.		
		1116 / 7	417	9.0	352 24	415	−	3 47	273	5				T.F. " "		
		732 / 3	433	5.0	3 18	432	+	2 04	763	6				S.H.		
		1122 / 7	423	9.0	348 49	419	−	5 43	125	7				B.F.		
		594 / 2	395	4.0	4 25	394	+	2 0	732	8				S.H.		
		1044 / 7	345	9.0	349 40	341	−	5 58	188	9				B.F.		
		1145 / 8	346	10.0	7 21	345	+	3 14	732	10				S.H. swale		
		1157 / 9	258	10.0	349 29	255	−	6 16	2225.4	11				B.F.		
		604 / 3	305	4.0	9 15	303	+	4 32	837	12				SPUR		
		1110 / 9	211	10.0	347 01	207	−	7 47	253	13				B.F.		
		983 / 7	284	8.0	11 46	281	+	5 24	822	14				S.H. SW.		
		926 / 8	127	9.0	346 41	123	−	9 55	331	15				B.F.		
	?	1261 / 10	262	9.0	14 54	259	+	6 24	836	16	+ 20		+ 29	S.H. SPUR		
		434 / 2	235	3.0	16 31	231	+	7 25	907	17				S.H. Brk.		
		316 / 1	217	2.0	19 56	212	+	8 54	947	18				Top SPUR		
		679 / 5	180	6.0	27 06	177	+	7 07	798	19				S.H.		
		654 / 5	155	6.0	34 51	153	+	7 01	762	20				SW.		
		1085 / 9	146	10.0	38 56	141	+	10 14	2279.1	21				Small SPUR		

Plotted Date
Checked Date
Surveyed by SC Hastert Date 12-17-36
Notes SC Hastert
Recorded by M.D. DARLING Job No. 816 Division No.
Date 2-5-37 Party Chief H. Machia Date 12-17-36 F.B. 683 Pg. 25

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle D° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ / −	Vertical Distance	REMARKS Station	Left	Right
					° '			° '	2258.4			2263.2					
P#1-1	Pl.#1	1133 / 10	134	11.0	44.10	128	+	11.41	2279.1	1					swale		
		977 / 9	78	9.0	335.34	73	−	14.15	351	2					B.F.		
		729 / 6	130	7.0	63.52	111	+	22.33	2302.1	3					side SPur		
		327 / 2	128	3.0	76.26	104	+	25.28	2310.6	4					Top SPur		
		1147 / 11	48	11.0	255.17	43	−	18.35	2238.0	5					B.F.		
		862 / 8	63	8.0	201.42	60	−	12.36	42.2	6					BF.		
		618 / 5	119	5.0	100.56	105	+	20.17	973	7					S.H.		
	?	424 / 2	125 / 223	4.0	114.56	219	+	14.11	2289.3 / 2313.2	8					SW.		
		442 / 3	143	4.0	126.15	132	+	15.57	2297.4	9					S.H.		
		481 / 3	182	4.0	137.23	164	+	18.12	2313.6	10					SPur		
	?	492 / 3	193	4.0	142.40	172	+	19.07	195	11	+55.7			+59.7	Hd SW.		
		529 / 3	230	4.0	145.34	212	+	16.21	21.8	12					SPur		
		897 / 8	98	8.0	191.49	98	−	4.01	2248.6	13					B.F.		
		946 / 8	147	9.0	188.34	146	−	3.49	44.1	14					B.F.		
		1095 / 9	196	10.0	189.22	195	−	3.98	40.7	15					T.S.		
	?	1137 / 9	238	10.0	242.44	237	−	3.43	38.2	16					& PT Alamo Wash		
		1192 / 10	193	11.0	203.26	192	−	4.46	36.5	17					Flat		
		1162 / 10	163	11.0	216.15	161	−	6.58	33.0	18					BW.		
		1107 / 10	108	11.0	206.48	105	−	8.51	36.1	19					TS. SPur		
		1088 / 10	89	10.0	225.41	85	−	11.58	35.4	20					BrK		
		1107 / 10	104	10.0	232.14	99	−	12.03	22.3	21					Flat Slope canyon		

Add'l Notes

Intersection Description Legend: Brow of Hill ... B.H. | Bottom Draw ... B.D. | Bottom Wash ... B.W. | Top of Ridge ... T.R. | Toe of Slope ... T.S. | Side of Draw ... S.D. | Side of Ridge ... S.R. | Head of Draw ... H.D.

Obj.-O. Fir.-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ... Sy. | Eucalyptus ... Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. | Fence ... F.Fe. | Dirt Fences ... D.F. | Telephone Pole ... T.P. | Power Pole ... P.P. | Culvert ... Cul.

Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road ... E.Rd.

Side of Canyon S.Cn. | Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.Ct. | Bottom Fill ... B.Cl. | Top of Fill ... T.Fl. | Bottom of Fill ... B.Fl.

Inters. of Draw, V.D's | Brook in Slope ... Br.S. | Steep Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn.

F.B. 623 Pg. 2 24

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° '		° '	2258	1		2263.6				
P.I.-1	P.I. #	1154 / 10	155	11 0	234 04	151	8 45	22293	2				W. Bk draw 8' Wide		
		1097 / 10	98	11 0	255 59	92	12 20	291	3				Slope		
		1141 / 10	142	11 0	256 27	137	10 33	271	4				W. Bk draw		
		1029 / 9	130	10 0	297 42	122	14 15	225	5				Slope		
		542 / 4	143	5 0	281 16	133	15 12	223	6				W. B. draw		
		1062 / 9	163	10 0	295 43	156	11 56	206	7				" " "		
		1149 / 10	150	11 0	311 38	143	12 21	204	8				Slope		
		1085 / 9	186	10 0	304 45	178	11 30	173	9				W. B. draw		
		1050 / 9	151	10 0	329 53	145	11 23	244	10				Slope		
		600 / 4	201	5 0	323 42	192	12 26	168	11				W. B. draw		
		1094 / 9	195	10 0	335 50	189	10 00	203	12				Slope Brk.		
		623 / 4	224	5 0	330 27	216	11 08	2216	13				W. B. draw		
		1114 / 9	215	10 0	344 05	210	8 44	213	14				T.S.		
		1028 / 8	249	9 0	335 30	242	9 26	144	15				W. B. draw		
		1062 / 8	263	9 0	341 31	257	8 31	160	16				Slope		
		912 / 6	313	8 0	340 47	307	8 03	120	17				W. B draw		
		1004 / 7	305	9 0	346 09	299	7 52	133	18				Slope		
		958 / 6	359	8 0	340 55	353	7 09	111	19				W. B. draw		
		1055 / 7	356	9 0	341 12	352	6 14	162	20				Slope		
		1023 / 6	424	8 0	346 17	419	6 36	101	21				Slope 7' Wide		
		1059 / 6	460	8 0	343 10	455	6 11	22064					Bot dr. W. Flat tens out		

Add'l Inform. This draw averages 4' deep & 8' Wide

Notes Rod H. Martin Plotted Date 2-4-37 Checked Date FEB 19 1937 Job No. 8167 Division No. F.B. 683 PG. 22
Notes Chkd. Checked Survey of Agua Dulce Rd
Date Date Survey by Schaefer Date 12-17-36
Map No. 7-87-3 Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank. B.B. Top of Cut ..... T.C. Bottom of Cut. ... B.C. Top of Fill ..... T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope. Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff. B.Cl. Top of Spur ..... T.Sp. Bottom Canyon. B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw. S.D.
Side of Ridge. S.R.
Head of Draw H.D.
Bottom Draw. B.D.
Bottom Wash B.W.
Top of Ridge. T.R.
Toe of Slope. T.S.

F.B. 683 Pg. 2

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '						L 683 - ~~154~~ 174		
P.I.# H	P.I.# I			—				2208 17	79		2216 1		FB. 683-103		
		1049													
		8	250	10 0	7 00	250	+ 6 29	22083	2				BF.		
		1120													
		9	221	12	13 59	221	+ 3 14	072	3				W. B. draw		
		1117													
		9	218	10 0	7 45	218	—	061	4				BF.		
		1168													
		9	169	14 0	18 00	169	+ 1 31	066	5				W. B. Wash.		
		1065													
		9	166	8 2	7 22	166	—	079	6				BF.		
	?	113													
		10	114	11 0	31 24	114	+ 2 37	103	7				W. B. Wash		
		1005													
		9	109	9 3	11 00	109	—	068	8				BF.		
		470													
		4	71	4 0	51 20	70	7 26	040	9				W. B. Wash		
		1050													
		10	51	10 2	21 51	51	—	059	10				BF.		
		1140													
		11	41	11 0	112 32	41	5 00	22014	11 ✓						
	P.I.# H	P.I.# I						22098.2 ✓	12 7.2		2215.4 ✓		W. B. Wash		
				10 6	151 22	135	—	22048	13				BF.		
		1142													
		11	43	11 2	184 37	43	—	22042	14				B. F.		
		1086													
		10	87	10 1	200 38	87	—	22053	15				B.F.		
		1187													
		11	88	18 0	156 07	88	+ 1 18	21994	16				W. S.D.		
		1005													
		9	106	7 1	221 20	106	—	22055	17				F. LINE 18" CULV		
		1126											" "		
		10	127	12 2	206 33	127	—	22032	18				R/W DITCH 3' WIDE 2' DEEP		
		1050													
		9	151	10 0	200 10	151	1 26	22019	19				DITCH ⊥		
		1160													
		10	161	15 0	173 09	161	2 32	21987	20				W. S.D.		
		11 70													
		10	179	11 5	220 16	179	1 16	22007	21				BOT. DITCH		
		1164													
		10	165	10 5	207 30	165		22049					B. F.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. "H"	P.I. "I"				° '		° '	22082	1		22.15				
		11.30			° '		° '		2						
		9	231	10	209 51	231	1 11	22007	3				TS		
		12.20			° '		° '								
		10	221	8	180 45	221	1 07	21932	4				W.B.D.		
		11.25			° '		° '								
		9	226	10	236 47	226	1 58	971	5				BT Sta.		
		11.30			° '		° '						" " TB.		
		9	231	12	199 11	231	1 40	989	6						
		11.82			° '		° '						Bot. Brg.		
		11	165	6	199 00	165	1 25	954	7						
		11.52			° '		° '						Top		
		8	305	17	199 24	305	1 01	931	8						
					° '		° '						Bot. Mon.		
			206		148	206	1 12	22004	9						
					° '		° '						Sight		
			161		188 37	161	0 48	023	10						
					° '		° '								
			152			152		010	11						
					° '		° '								
			90			90		019	12						
					° '		° '								
			261			259		347	13				TB IN		
					° '		° '								
			216			216		195	14						
					° '		° '								
			216			216	1 05	206	15						
					° '		° '								
			217		?	215		326	16				TB.		
					° '		° '								
			162		355	162		160	17				SU.		
					° '		° '								
			163		2 03	163	1 18	169	18						
					° '		° '								
			159		351 12	158	5 11	281	19						
					° '		° '								
			104		352 32	104		128	20						
					° '		° '								
			104		353 55	104		131					TS		
					° '		° '								
			106		32	104		22241	21						

Add'l Inform.

Notes Rod. H. Martin Platted Date 2-5-37 Job No. 816-7 Division No.
Notes Chkd. Checked Survey of Agua Dulce Rd
Date Date Survey by Schlatter Notes Date 12-18-36
Map No. 7-87-3 Indexed A. C. Johnson
F.B. 683 Pg. 22

DEC 18 1936

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 4883 PG. 220

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw.B.D. | Bottom Wash B.W. | Side of Draw.S.D. | Side of Ridge.S.R. | Top of Ridge.T.R. | Toe of Slope..T.S. | Head of Draw H.D.

Intern. of Draws.V.D's | Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon...B.Cn.

Side of Canyon S.Cn. | Top of Bank...T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr.Rd. | Fence .....Fn. | Int. Fences..V.Fns. | Ditch .....Di. | Telephone Pole T.P. | Power Pole...P.P. | Culvert .....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore .....Sy. | Eucalyptus .....Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I. 4	P.I. 1				° '		° '	22082	1		22154				
		652	53	4		53		22103	2				BC		
		348	49	3		49		119	3				T.F.		
		139	60	1	334	59		229	4				T.C.		
		137	38	1	225	36		232	5				T.C.		
		324	25	3	279	25		094	6				B.C.		
				4	264	22		110	7				T.F.		
		149	50	1	245	49		218	8				T.C.		
		320	81	3	22	81		164	9				T.C. T.Sp.		
		641	42	1	281	42		088	10				B.C.		
		336	37	5	202	37		22102	11				T.F.		
		228	67	2	243	64		279	12				T. Sp.		
		202	103	8	229	103		073	13				E.P. Cut		
			102	8	212	102		074	14				E. of C.		
			99			99		083	15				T.S.		
			72			65		349	16				T. Sp.		
			137			125		521	17				"		
			197			178		700	18				"		
			245			228		729	19				S.H.		
			285			261		732	20				"		
									21						

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
				—	° '		° '	22087	5 8		22074		F.B. 623-10		
					° '		° '		1						
			164	7 0	332 40	163	+ 5 47	22112	2						
			205	5 2	332 36	204	+ 3 32	156	3						
			275	5 2	333 37	273	+ 4 21	233	4				T.S.		
			240	2 5	334 15	238	+ 2 10	256	5				S.H.		
			200	2 0	334 49	199	+ 1 42	222	6				S.H.		
			176	3 0	342 45	175	+ 2 07	200	7						
			135	2 0	336 16	135	+ 1 01	083	8				Rim Cut.		
			94	1 0	360 00	94	0 00	092	9						
			231	2 0	33	230	+ 1	163	10						
			92	1 0	360 00	92	0 00	22057	11						
			235	2 0	33	233	+ 1 50	204	12						
			89	1 0	360 00	89	0 00	063	13						
			197	1 0	360 00	195	0 00	195	14						
			162	1 0	360 00	161	+ 0 47	101	15						
			162	1 0	360 00	161	0 00	114	16						
			57	0 0	360 00	57	0 00	069	17						
			114	1 0	360 00	113	0 00	167	18						
			139	1 0	360 00	137	— 2 23	186	19						
		359	55	3 2	346 08	55	0 00	042	20						
		284	85	2 0	346 05	84	+ 7 03	158	21				T.S.		

Add'n'l Inform.

Notes Red. H. Martin Platted Date 2-5-37 Date FEB 18 1937 Survey of Agua Dulce Rd. F.B. 683 PG. 28

M. D. DARLING Job No. 2127 Division No.

Notes Chkd. Checked Survey by [illegible] Notes A. C. Johnson Date

Date Date Map No. 7-87-3 Indexed

Form 30f 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I. G	S.I. 21				° '		° '	22019	1		22074				
		353							2						
		2	54			54		22048							
		1	20			20		0311	3						
		0	19			19		0211	4						
		519	19			19		0255	5						
		3	57			57		1000	6						
		256													
		2	96			96		1188	7						
		1	43			43		0855	8						
		142													
		3	38			38		21998	9						
		737													
		2	38			38		9991	10						
		1	70			69		22143	11						
		2													
		1	126			124		2222	12						
		1	121			121		21962	13						
		10													
		1	123			123		9711	14						
		2	144			137		22343	15						
		2	156			143		4771	16						
		1	102			90		3955	17						
		1	94			83		3671	18						
		192													
		1	93			84		3433	19						
		1	85			72		3688	20						
		1	129			115		22370	21						

Add'n'l Inform.

Intera. of Drawn. V.D's: Break in Slope...Bk.S. / Steep Slope...S.S. / Top of Cliff...T.Cl. / Bottom of Cliff...B.Cl. / Top of Spur...T.Sp. / Bottom Canyon...B.Cn.

Side of Canyon S.Cn.: Top of Bank...T.B. / Bottom of Bank...B.B. / Top of Cut...T.C. / Bottom of Cut...B.C. / Top of Fill...T.F. / Bottom of Fill...B.F.

Saddle...Sa. / Swale...Sw. / Flat...Fl. / Stream...Str. / Trail...Tr. / Pavement...Pvt. / Edge of Road...E.Rd.

Traveled Rd. Tr.Rd. / Fence...Fn. / Int. Fences...V.Fns. / Ditch...Di. / Telephone Pole...T.P. / Power Pole...P.P. / Culvert...Cul.

Oak-O. Fir-Fr. / Pine-Pi. Cedar-Ce. / Sycamore...Sy. / Eucalyptus...Eu. / Plus combinations of these and all common standard abbreviations.

Topography Description Legend:
Side Hill...S.H. / Bottom Draw B.D. / Side of Draw...S.D. / Bottom Wash B.W. / Side of Ridge...S.R. / Top of Ridge...T.R. / Head of Draw H.D. / Toe of Slope...T.S.

F.B. 683 Pg. 22

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. H. Martin Platted M. D. DARLING Job No. Division No.
Date 2-5-37 FEB 18 1937 Survey of Agua Dulce
Notes Chkd. Checked Survey by Notes
Date Date Map No. 7-07-3 Indexed A. C. Johnson Date
F.B. 403 PG. 23

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '	22019	5 9		22074				
		1020							1						
		7	121	10	297 21	114	+ 13 57	257	2				TP.		
		279	80	2 0	301 21	76	13 16	221	3				S.H.		
		1													
		1.32	37	1 5	140 37	37		21959	4				B.F.		
		11													
			33	2 1	70 00	33		21992	5						
			42	2 5	43 14	41	10 29	952	6						
			74	16 0	150 44	74	0 49	905	7						
			63	1 [illegible]	26 [illegible]	63		925	8						
			63	1 [illegible]	[illegible]	62		98 2	9						
									10						
P.I. G	P.I. H							22019	5 6		22075				
									11						
P"G-1"	P.I. "G"			1.35	188 24 30	125.5	+ 8 17	2224.3		+ 16 8		+ 18 2	P.I. "G-1" Nail		
								2224.3	12 4 9		2229.2				
			50			125.5	10 03	22020		27 2		22 2	Check SAST P.I.S.		
		982							13						
		8	183	9 1	56 44	180	7 33	21964					T.B.		
		1.32	84?			708		21866	14						
	?	11	34	1 1	80 05	28	23 12	22055	?				B.F.		
		1.22							15						
		9	203	1 2	2 [illegible]	200	6 42	21918					T.B.		
	?	1.16							16						
		10	117	1 0	17 46	110	12 13	857					[illegible]		
		1.22	209	2 2	30 56	207	6 11	968	17				Flow Line 6 Ditch		
		617													
		5	118	6 0	47 32	105	19 18	864	18				Bot. [illegible]		
		1075													
		9	176	1 6 0	24 11	174	6 49	921	19				Bot. ditch		
		1117													
		10	118	1 1 0	32 19	111	13 47	910	20				B.B.		
		1072													
		9	173	1 4 0	43 24	170	7 30	21928	21				T.S.		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations. ✓

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences..V. Fn. Ditch ..... Di. Telephone Pole T. P. Power Pole....P. P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut..T.C. Bottom of Cut..B.C. Top of Fill..T.F. Bottom of Fill..B.F.

Inters. of Draw V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff..T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend:
Side Hill.....S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw..B.D.
Bottom Wash B.W.
Top of Ridge..T.R.
Toe of Slope..T.S.

F.B. 683 Pg. 234

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° ' "		° ' "								
P1	P1	1032									2229.2				
G-1	G	9	133	10.0	19° 29'	127	12° 00'	2192.1	2				BrK.		
		1264	165	10.0	45° 16'	162	7° 03'	99.2					slope SH		
		9							3						
		1133	134	11.0	12° 27'	131	8° 07'	98.3					BrK.		
		10							4						
		961	162	9.0	64° 23'	158	9° 10'	94.3					Slope SH		
		8							5						
		753	154	9.0	64° 32'	147	12° 01'	88.5					T.S.		
		8							6						
		1116	117	11.0	128° 40'	106	18° 07'	83.7					BF.		
		10							7						
		1124	125	18.0	63° 16'	119	12° 59'	84.6					Bot Canyon		
		12							8						
		1119	120	11.0	125° 05'	107	17° 50'	81.6					T.S.		
		10							9						
		827	130	10.0	115° 16'	119	12° 59'	83.6					Bot Canyon		
		8							10						
		1027	130	12.0	52° 45'	123	13° 29'	84.9					" "		
		9							11						
		1173	174	11.0	109° 32'	166	11° 01'	82.9					T.S. E. edge canyon		
		10							12 ✓						
		211	212	14.0	120° 49'	206	9° 00'	81.0					T.S. " "		
		8							13						
		1059	160	10.0	91° 50'	153	12° 24'	85.7					4 PT T.S. E. edge canyon		
		9							14						
		1193	194	16.2	133° 08'	188	9° 46'	80.8					Bot canyon		
		10							15						
		764	165	7.0	95° 42'	159	11° 25'	90.2					Slope S.H.		
		6							16						
		992	193	9.0	104° 16'	189	8° 21'	92.4					S H.		
		8							17						
		1172	173	11.0	144° 17'	166	11° 48'	83.6					BF		
		10							18						
		1121	222	10.0	120° 00'	219	6° 55'	92.1					S H.		
		9							19						
		1020	221	9.0	149° 09'	215	9° 23'	84.1					B.F.		
		8							20						
		1064	265	9.0	126° 33'	261	6° 42'	89.1					S H.		
		8							21						
		1119	220	10.0	144° 49'	214	9° 49'	82.3					BrK.		
		9													

Add'n'l Inform. Flow Line flattens out in Bot. Canyon

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. H. Martin Plotted
Date 2-5-37 Date FEB 18 1937 Job No. 2167 Division No.
Notes Chkd. Checked Survey of Azusa Duke Rd
Date Date Survey by Schlaefli & Notes Date 12-18-36
Map No. 7-87-3 Indexed A. C. Johnson

F.B. 623 PG. 23

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
P.I.	P.I.	1109													
G-1	G	8	310	10 0	128 23	308	- 4 42	2194 0					S.H.		
		1126													
		9	227	16 0	138 02	222	- 8 37	791					Bot conc pipe		
		1124													
		8	325	9 0	122 55	325	- 1 50	22101					Brk S.H.		
		1133													
		9	234	15 0	130 19	228	- 8 53	21785					T.S. Edge of Concrete		
		928													
		6	329	6 6	122 43	329	- —	22226					Brk Spur		
		1129													
		8	310	10 4	128 24	310	- —	188					" "		
		510													
		2	311	4 0	118 57	311	+ 1 14	31 1					Top Spur		
		267													
		1	268	2 0	112 42	268	+ 053	313					S.H. Spur		
		550													
		1	251	2 2	104 23	251	+ 0 47	304					S.H. "		
		338													
		1	239	2 0	95 07	239	- 2 29	168					S.H. "		
		623													
		4	224	5 2	104 35	223	- 2 55	129					S.H.		
		502													
		3	243	4 0	115 21	242	- 3 06	123					S.H.		
		371													
		1	272	3 0	122 47	271	- 3 40	090					S.H.		
		1162													
		11	63	11 2	156 15	60	- 12 12	052					T.C.		
		852													
		9	53	7 0	195 06	53	- 2 42	238					Edge Creek		
		662													
		8	61	8 0	212 06	60	+ 2 23	300					" "		
		776													
		1	75	15 0	215 29	74	+ 6 13	223					Bot drain		
		1071													
		10	72	14 0	187 45	72	- 2 08	125					Brk "		
		970													
		9	71	14 0	181 51	70	- 5 26	073					" "		
		1082													
		10	83	10 2	154 10	76	- 17 00	21960					T.C. Bot drain		

Add'n'l Inform. Location of of S.H. for possible new Rd. location.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Co. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combination of these and all common standard abbreviations. ✓

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences. V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draws V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

F.B. 683 Pg. 236

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope ..... T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '						L.C.B.S. T.C. = 174		
P.I.	P.I.							2193 42	5 2		21986		F.B. 683-104		
F.	G.	564		—											
		3	65	5.0	32 25	64	7 18	854					BF.		
		569	70	5.0	50 01	68	8 20	835					BF		
		5													
		572	73	5.0	66 44	71	8 06	834					Brk.		
		5													
		1008	109	10.0	54 29	108	5 41	778					Brk in flow Line Canyon		
		9													
		1126	107	11.0	61 15	106	4 51	787					W. B. Wash.		
		10													
		1109	110	15.0	81	109	4	754					Bot 2' Wash		
		11													
		12	113	11.0	61	112	1 58	781					E. B. Wash		
		10													
		1124	125	12.5	61 10	124	4 0	789					T.S.		
		10													
		1051	52	5.5	46 41	52	—	21881					Brk		
		10													
		1142	43	12.8	46 02	43	—	858					edge Rd Brk.		
		11													
		613	114	6.5	84 22	111	8 57	752					W. B. Wash.		
		5													
		1056	57	10.2	52 16	57	3 07	855					Brk.		
		10													
		1016	117	10.5	52 36	115	7 16	740					Bot 8' Wash		
		9													
		1119	120	11.2	62 28	118	8 31	746					E. B. Wash		
		10													
		921	42	—	71 35	41	6 09	851					Cliff Brk		
		9													
		1046	47	11.5	78 51	47	2 10	859					Top Brk.		
		11													
		1179	80	11.0	73 11	80	4 01	820					Brk		
		11													
		1330	135	11.2	83 21	134	4 51	763					T.S.		
		10													
		1105	106	11.0	72 51	105	5 34	774					W. B. Wash		
		10													
		1110	111	11.2	72 42	110	6 25	753					Bot. 5' Wash		
		10													

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I.	P.I.	1066			° '		° '		'		2198.6				
F	G.	10	61	10	110 07	61	4 38	2183 6					edge Rd. BM		
		963							2						
		9	64	9	106 05	64	4 55	841					BK.		
		1168							3						
		11	69	11	102 32	68	5 12	813					BK.		
		1083							4						
		10	84	10	91 24	83	6 05	791					BK.		
		1 72							5						
		1	173	11	79 32	172	4 49	732					T.S.		
		1131							6						
		10	132	11	93 24	131	5 54	742					E. B. Wash		
		1126							7						
		10	127	11	96 21	125	6 28	735					B. Wash		
		1 8							8						
		10	119	1 2	100 05	118	6 12	748					W. B. Wash		
		1072							9						
		1	173	11	100 08	172	5 11	731					T.S.		
		1							10						
		9	165	1	107 23	163	5 45	723					B. W.		
		1081							11						
		8	150	1	124 11	149	3 55	784					edge Rd		
		1250							12						
		2	151	10	122 15	150	2 50	759					B.F.		
		0 35							13						
		9	156	10	126 25	154	5 46	732					W. B. Wash		
		10							14						
		1	227	10	134 34	226	3 10	740					T.S.		
		1							15						
		2	204	1	122 50	203	4 21	757					edge Rd		
		9							16						
		9 20	205	8	122 05	203	5	709					W. B. Wash		
		7							17						
		2	222	2	132 46	220	4 44	704					E. B. Wash		
		1							18						
		8	213	7	127 10	211	5 25	707					W.		
		1							19						
		0	268	8	126 25	267	5 49	728					edge		
		1066							20						
		8	267	10	124 16	266	4 05	691					B.F. W. B. Wash		
		1067							21						
		8	268	10	116 11	267	4 01	696					E. B. Wash		

Add'n'l Inform.

Notes Red. H. Martin Plotted M. D. DARLING Job No. 5117 Division No. F.B. 603 PG. 23
Date 2-5-37 Date FEB 18 1937 Survey of Agua Dulce Rd
Notes Chkd. Checked Survey by Notes Date 2-21-37
Date Date Map No. 7-87-3 Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 693 PG 24

Topography Description Legend:
Side Hill....S.H. | Bottom Draw..B.D.
Side of Draw..S.D. | Bottom Wash..B.W.
Side of Ridge..S.R. | Top of Ridge..T.R.
Head of Draw..H.D. | Toe of Slope..T.S.

Inters. of Draws V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Cliff.....Cli.
Bottom of Cliff..B.Cl.
Top of Cliff.....T.Cl.
Bottom of Swr...B.Sw.
Top of Swr.....T.Sw.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut...B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road..E.Rd.

Traveled Rd..Tr.Rd.
Fence .....Fnce.
Ditch Fence..V.Fn.
Telephone Pole..T.Pl.
Power Pole....P.P.
Culvert .....Culv.

Oak-O.
Pine-Pi.
Sycamore .....Sy.
Eucalyptus .....Eu.
Pluss combinations of those and all common standard abbreviations.

Fir-Fr.
Cedar-Ce.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P1	P1	1066			° '		° '	2193.4	1		2198.2				
F	G	8	267	12 0	120.31,	266	3.30,	2168.4					BoT, Wash		
		1080	281	9 2	106.43,	280	3.0,	74.1	2				T.W.		
		8													
		1115	316	10 0	119.41,	315	3.51,	67.4	3				BoT Wash		
		8													
		1125	326	10 0	115.42,	325	3.20,	69.6	4				B.C.		
		8													
		1033	334	9 2	109.35,	333	2.51,	75.2	5				B.C.		
		7													
		1054	355	9 2	93.0,	354	2.46,	72.4	6				B.C.		
		7													
		1	370	3 2	107.10,	370	0.0,	91.3	7				T.C.		
		1													
		1	418	8 2	104.11,	417	+ 5.0,	2218.3	8				S.H.		
		1													
		312	314	9 2	102.0,	314	0.0,	2191.1	9				S.H.		
		6													
		385	386	10 2	101.31,	386	+ 2.0,	2213.7	10				S.H. Slope		
		5													
		419	370	5 2	1.51,	369	3.0,	18.2	11				S.H. Top		
		547	348	4 2	93.12,	347	+ 2.0,	16.8	12				S.H.		
		2													
		218	319	3 2	90.7,	317	+ 4.2,	19.8	13				S.H. Brk		
		1													
		544	245	2 1	2.39,	245	+ 2.0,	2196.4	14				S.H.		
		3													
		403	261	3 2	84.50,	259	+ 3.2,	2220.4	15				S.H. Brk		
		2													
		5	211	2 0	83.51,	210	+ 6.2,	10.8	16				S.H.		
		3													
		403	233	2 2	91.51,	229	+ 7.40,	26.6	17				S.H.		
		2													
		790	191	1 2	35.21,	191	— 0.0,	2191.6	18				B.C.		
		5													
		971	192	2 1	87.07,	192	— 0.0,	94.7	19				T.C.		
		3													
		364	165	2 2	355.39,	165	— 0.0,	96.4	20				T.C.		
		2													
		1019	120	1 3	355.51,	120	— 0.0,	2189.1	21				B.C.		
		9													

Add'l Inform.

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '	2193.4	1		2.98				
P.I.	P.I.	519													
F	G.	4	120	2 2	353 37	120	— ° '	21946	2	—	—	—	T.C.		
		1080													
		10	81	1 0 4	355 03	81	— ° '	880	3	—	—	—	B.C. [illegible] Rd.		
		518													
		5	79	5 0	350 30	79	— ° '	936	4	—	—	—	T.C.		
		1138													
		11	39	1 2	4 53	39	— ° '	870	5	—	—	—	B.C. [illegible] Rd		
		583													
		5	50	5 4	351 14	50	— ° '	930	6	—	—	—	T.C. [illegible]		
		522													
		5	27	6 1	340 20	27	— ° '	917	7	—	—	—	T.C. "		
		1116													
		11	17	1 1 2	78 06	17	— 5 57	858	8	—	—	—	B.C. [illegible] Rd		
		211													
		7	12	7 2	82 10	12	— ° '	912	9	—	—	—	T.C. [illegible]		
		[illegible]	38	3 [illegible]	324 41	38	— ° '	956	10	—	—	—	T.S. [illegible]		
		[illegible]	18	1 [illegible]	271 43	18	— ° '	976	11	—	—	—	" "		
		[illegible]	49	2 0	307 [illegible]	49	+ 4 30	22004	12	—	—	—	" "		
		281	41	2 0	274 23	41	+ 7 16	018	13	—	—	—	" "		
		[illegible]	90	2 2	277 56	88	+ [illegible]	111	14	—	—	—	" "		
		[illegible]	79	5 0	247 [illegible]	76	+ 11 [illegible]	091	15	—	—	—	" "		
		1038	39	1 [illegible]	298 [illegible]	39	+ [illegible]	21997	16	—	—	—	[illegible]		
		[illegible]	115	[illegible]	272 35	106	+ 15 [illegible]	22270	17	—	—	—	SH		
		1141	100	1 [illegible]	317 10	94	+ 14 [illegible]	217	18	—	—	—	[illegible]		
		[illegible]	156	2 [illegible]	310 [illegible]	137	+ [illegible]	462	19	—	—	—	" "		
		2011	142	2 0	338 04	137	+ 10 37	242	20	—	—	—	" "		
		[illegible]	183	3 0	319 57	174	+ 12 40	349	21	—	—	—	" "		
		6203	181	3 0	334 15	175	+ 10 23	248					SH.		

Add'n'l Inform.

Notes Rod. H. Martin Platted [illegible] Job No. 0117 Division No. [illegible] F.B. 683 PG. 239
Date 2-5-37 Date FEB 13 1937 Survey of Agua Dulce Rd
Notes Chkd. [illegible] Checked [illegible] Survey by [illegible] Notes [illegible] Date 12-21-36
Date [illegible] Date [illegible] Map No. 3-87-3 Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 623 PG 142

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Co. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. | Fence ..... Fn. | Int. Fences V.Fs. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Side of Canyon S.Cn. | Top of Bank ..... T.B. | Bottom of Bank B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill B.F.

Inters. of Drawn. V.D's | Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° '		° '	2193.4			2198.6				
P.1	P.1	911							1						
F	G	7	212	8.0	322 31	195	+ 16 25	2248.2					SH. BRK		
		849							2						
		6	250	7.0	328 30	234	+ 14	524					SH. BRK		
		821							3						
		4	232	5.0	321	226	+ 7	294					Bk. draw		
		1175							4						
		9	276	10.2	327 37	260	+ 12	538					Bk. draw		
		1139							5						
		11	40	11.0	132 14	40	− 1 13	21861					T.C.		
		1059							6						
		10	60	10.2	133 26	60	− 4 45	836					BC. edge Rd		
		660							7						
		6	61	6.2	146 05	60	− 5 51	864					T.C. T.S.		
		859							8						
		8	60	8.2	135 47	59	− 6 13	842					T.C.		
		1083							9						
		10	84	10.1	151 29	84	−	885					T.S.		
		1206							10						
		11	107	12.2	139 29	107	−	864					T.C. Mouth draw		
	?	1142							11						
	?	10	143	1.2	135 49	142	− 3 37	791					B.C. edge Rd		
	?	1141							12						
		10	142	11.6	137 45	142	− 2 02	826					T.C. T.S. draw		
		1076							13						
		9	177	10.0	132 25	176	− 3 48	768					BC. edge Rd		
		674							14						
		5	175	6.1	138 22	175	−	925					T.C.		
		1136							15						
		9	237	10.0	132 33	236	− 3 15	750					B.C. edge Rd.		
		639							16						
		4	240	5.0	136 13	240	−	936					T.C.		
		1073							17						
		8	274	10.2	131 34	273	− 3 08	21731					B.C.		
		973							18						
		7	274	5.0	133 16	273	− 2 31	786					T.C. Swale		
		1014							19						
		7	315	9.0	130 21	314	− 2 11	715					BC. edge Rd		
		715							20						
		4	316	6.0	132 42	316	− 1 38	839					T.C. SPUR		
		1064							21						
		7	365	9.0	128 30	364	− 3 15	691					END COT		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '	2193.4 ✓	1		21 9 5 ✓				
P.I.	P.I.	942													
F	G.	6	343	8 0	131 52	343	— 1 54	21795					T.C.		
		975							2						
		6	376	8 0	130 01	375	— 3 15	694					T.S.		
		426							3						
		1	327	0 6	136 46	327	— —	980					SPUR		
		538							4						
		2	339	4 0	144 12	337	+ 4 17	22200					"		
		817							5						
		5	318	7 0	145 15	316	+ 4 19	22156					S.SPUR		
		407							6						
		1	308	1 0	137 57	308	— —	21976					" "		
		1047							7						
		8	248	9 0	146 34	246	+ 4 36	22096					" "		
		421							8						
		2	222	3 0	148 17	220	+ 5 31	265					S.SPUR		
		333							9						
		1	234	2 0	140 02	234	+ 1 18	018					SPUR		
		281							10						
		1	182	2 0	142 36	182	+ 2 16	039					SPUR		
	?	188							11						
		1	89	2 0	152 45	88	+ 5 26	059					BRK ST.		
		253							12						
		1	154	2 0	161 50	153	+ 4 20	083 ✓					S. SPUR		
		529							13				S.		
		4	130	4 9	153 30	130	— —	21937					edge drain		
		1032							14						
		9	136	10 6	165 46	135	+ 4 30	22009					BOT drain		
		723							15						
		6	124	6 2	154 25	124	— —	21919					BOT drain		
		309							16						
		2	110	2 5	171 43	108	+ 4 49	22097					SPUR		
		304							17						
		2	105	2 6	157 54	105	— —	21960					SPUR		
		390							18						
		3	91	3 0	177 52	89	+ 7 55	22081					SWALE		
		380							19						
		5	81	3 2	161 45	81	— —	21954					SWALE		
		251							20						
		2	52	2 0	207 17	46	+ 20 34	22137					SPUR		
		248							21						
		2	49	2 0	173 22	49	+ 5 29	013					S. SPUR		

Add'l Inform.

Notes Rod. H. Martin Party M. D. DARLING Job No. 5117 Division No.
Date 2-5-37 Date FEB 19 1937 Survey of Agua Dulce Rd
Notes Chkd. Checked Notes Checked Date
Date Survey by Schaefer Notes Checked Date
Map No. 7-87-3 Indexed A. C. Johnson

F.B. 6663 PG. 24

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 683 PG. 182

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D. | Side of Draw.S.D. | Bottom Wash B.W. | Side of Ridge.S.R. | Top of Ridge.T.R. | Head of Draw H.D. | Toe of Slope..T.S.

Traveled Rd. Tr.Rd. | Fence ..... Fn. | Int. Fences..V.Fns. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole....P.P. | Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Canyon S.Cn. | Top of Bank..T.B. | Bottom of Bank..B.B. | Top of Cut....T.C. | Bottom of Cut..B.C. | Top of Fill....T.F. | Bottom of Fill..B.F.

Side of Draw..V.D's | Top of Bk.S. | Bottom of S.S. | Top of Cliff....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur....T.Sp. | Bottom Canyon..B.Cn.

Inters. of Draws in Slope.... | Break in Steep Slope..... | Top of Cliff..... | Bottom of Cliff.... | Top of Spur..... | Bottom Canyon....

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.	255			° '		° '	1193.4	1		3.18				
F	G.	2	56	2.0	250 08	51	+ 17 56	2213.1					S. SPUR		
P.I.	P.I.								2				LB.683 — 154 174		
D.	E.							2167.6	5.7		2.17.3		F.B.683 — 107		
		1099							3						
		8	300	10.0	354 38	299	+ 4 31	2186.7					BOT SWALE		
	?	1120							4						
		8	321	13.9	350 08	317	+ 6 43	2197.6					" "		
		563							5						
		4	164	5.0	344 50	164	—	2168.3					FLAT SLOPE		
		619							6						
		5	120	6.4	339 21	120	—	2166.9					" "		
		1167							7						
		11	68	1.2	294 14	68	+ 2 03	2164.8					" "		
		640							8						
		5	141	5.9	354 26	141	—	2167.4					edge RD.		
		881							9						
		8	82	8.7	6 33	82	—	2164.6					N. end 18" culvert Flow Line		
		787							10						
		7	88	7.7	13 43	88	—	2165.6					T.S.		
		749							11						
		7	50	7.1	344 20	50	—	2166.2					edge RD.		
		884							12						
		8	85	8.7	7 12	85	—	2164.6					flow line		
		1049							13				flow line.		
		10	50	10.5	339 49	50	—	2162.8					S. end 18" culvert		
		685							14						
		6	86	6.6	2 40	86	—	2166.7					edge RD.		
		933							15						
		9	34	9.7	316 44	34	—	2163.6					BF. flow Line		
		783							16						
		7	84	7.1	351 53	84	—	2166.2					edge RD.		
		937							17						
		9	38	8.7	313 26	38	—	2164.4					W. B.F flow Line		
		784							18						
		7	85	7.6	8 25	85	—	2165.7					BF		
		319							19						
		5	20	5.1	258 00	20	—	2167.6					T.F.		
		1194							20						
		1	97	10	330 19	97	—	2166.3					FLAT		
		1027							21						
		10	28	10.1	264 51	28	—	2162.6					BF. flow Line ditch		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. H. Martin Platted M.D. DARLING Job No. 8117 Division No.
Date 2-5-37 Date FEB 18 1937 Survey of Agua Dulce Rd
Notes Chkd. Checked Survey by Schlefer Notes Date 12-22-36
Date Date Map No. 7-07-3 Indexed C. Johnson

F.B. 683 PG. 24-3

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '	2167.6	1		2173.1				
P.I. D	P.I. E	866													
		8	67	7 8	15 03	67	—	21655					START OF CUT		
		1032							2						
		10	33	10 0	264 47	33	—	633							
									3				BNC DITCH		174
P.I. D	P.I. E												F.B. 683-107		
								2167.6	55		2173.1		12-22-36		
									4						
		3	51	3 3	218 32	51	—	21698					T.R.		
		1056							5						
		10	57	10 5	228 25	57	—	626					B.F. TBNK.		
		1158							6						
		11	59	11 0	237 30	59	—	607					B.D. SLOPE		
		1262							7						
		12	64	12 0	240 50	64	—	618					N.P.V.C. DR.		
		025							8						
		0	86	0 2	256 07	86	—	629					C.G.I. BOTTOM		
		772							9						
		7	93	7 3	208 23	93	—	702					T.F.		
		694							10						
		6	95	6 6	212 02	95	—	665					B.F.		
		1106							11						
		11	106	11 2	232 05	106	— 2 29	21591					E. CONC. DR.		
		1255							12						
		12	106	12 0	239 15	106	2 34	584					S. CONC. STORM DR.		
		1209							13 ✓						
		12	106	12 0	241 00	106	+ 0 19	606					W.B.K. DR.		
		468							14						
		4	151	4 5	208 07	151	—	690					T.F.		
		1323							15						
		13	151	13 5	208 09	151	—	635					B.F.		
		1							16						
		1	161	1 4	223 31	161	—	591					SEW. BOT.		
		527							17						
		5	48	5 1	42 17	48	—	664					P.C.		
		1							18						
		1	35	1 2	43 11	34	+ 2 46	765					T.C.		
		1220							19						
		12	21	12 1	171 29	21	—	681					B.F.		
		1258							20						
		1	29	1 0	103 39	25	+ 2 39	818					T.C.		
		363							21						
		3	63	3 1	159 43	63	—	694					B.F.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
B.M. "D"	B.M. "E"			—	° '		° '	2167 6	1		2173 1				
		268													
		2	69	2 9	177 15	67		21833	2				T.C.		
			91			91		691	3				B.C.		
		162													
		1	83	1 2		83		746	4				T.C.		
		221													
		2	92	1 5		92		732	5				T.C.		
		306													
		4	107	2 0	184 44	107	+ 1	743	6				T.C.		
		55													
		2	153	4 2	190 14	153		683	7				B.C.		
		254													
		1	155	2 9	190 28	154	+ 4	822	8				T.C.		
		472													
		3	173	4 8		167	+	22011	9				C.H.		
		423													
		3	194	4 3		180		196	10				"		
		1													
		4	144	3 1		136		22000	11				BMK Sta		
		560													
		4	169	4 2	142 23	160	+	063	12				S.B.P.		
		220													
		1	121	2 0	151 44	117	+ 10 32	21928	13				Bot. DK		
		371													
		6	72	3 0	144 03	58	+ 26 41	988	14				T.S.P.		
		603													
		5	104	5 0	128 17	79	+ 29 16	22126	15				"		
		259													
		2	60	2 0	81 45	46	+ 25 27	2196	16				T.B.		
		414													
		3	115	3 2	125 59	79	+ 33 38	22233	17				S.P.		
		373													
		3	74	3 5	89 34	63	+ 22 15	21961	18				S.W.		
		721													
		6	122	6 0	91 41	85	+ 33 17	22230	19				B.C.		
		415													
		3	116	4 3	81 26	91	+ 27 30	178	20				S.W.		
		189													
		1	90	1 0	56 09	82	+ 17 17	21971	21				S.H.		

Add'n'l Inform.

F.B. 603 PG. 24 4

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D. | Bottom Wash B.W. | Top of Ridge.T.R. | Toe of Slope..T.S.
Side of Draw.S.D. | Side of Ridge.S.R. | Head of Draw H.D.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank.. T.B. Bottom of Bank. B.B. Top of Cut.... T.C. Bottom of Cut.... B.C. Top of Fill..... T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope.. Bk.S. Steep Slope..... S.S. Top of Cliff..... T.Cl. Bottom of Cliff.. B.Cl. Top of Spur..... T.Sp. Bottom Canyon.. B.Cn.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. "D"	P.I. "C"				° '		° '	2167 6	1		2173				
		3233							2						
		3355	123	2	67 51	102	+ 24 18	22185	3				BER		
		2	136	30	42 48	132	+ 10 06	21934	4				S.H.		
		3522											"		
		2	153	30	57 40	135	+ 19 39	22187	5				LB 683 - ~~45~~ 174		
P.I. "C"	P.I. "D"							21625	52		2108		AB 683 - 108		
		2800							6						
		2	81	21	352 00	81		21659					T.F.		
		5885							7						
		5	85	55	347 18	85		623					B.F.		
		9725							8						
		0	97	25	332 06	87		585					Tank S.E.		
		2							9						
		1	105	10	315 10	105		540					Bot. SE.		
		1 10							10						
		1	116	12	301 54	116		572					S.B.S. DE		
									11						
			167	16	288 32	167		547					Bot. SE at Nail		
									12						
			131	12	313 11	131		590					S.E.M. Bot.		
		1 56							13						
		1	187	17	321 16	187	+ 2	621					S.B.S. DE.		
		6274							14						
		5	25	5	322	25		21630					T.L.		
									15						
			30	3	312	30		591					B.T.		
									16						
			101	9	274 19	101		566					S.M.M. Bot		
									17						
			64	5	2	64		560					A.B.M. DE		
									18						
			88	8	278	88		555					M		
									19						
			76	7	270	76		525					Bot. SE. 4 Nail		
									20						
			91	9	270	91		505					" " "		
									21						
			55	5	270	55		615							

Add'n'l Inform.

Notes Rod. H.Martin Plotted M. D. DARLING Job No. Division No. V F.B. 683 PG 24-5
Date 2-5-37 Date FEB 18 1937 Survey of A.C. Johnson Tract
Notes Chkd. Checked Survey by Notes Date
Date Date Map No. T-87-3 Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I.	T.P.				° '		° '	2162	1		2168				
					° '		° '		2						
		8	58	8	° '	38	° '	21593	3				B.F.		
		11	87	11	° '	87	° '	544	4				W.BNK. DR. 4		
		7	73	7	° '	73	° '	557	5				B.C.L.		
		11	84	11	° '	84	° '	544	6				E.BNK. DR.		
		15	157	15	° '	157	° '	536	7				" "		
		6	79	6	° '	79	° '	616	8				E.D. RD.		
		8	80	8	° '	80	° '	609	9				B.F.		
		15	151	15	° '	151	° '	497	10				S.F. DR. 6" PIPE		
		14	148	14	° '	148	° '	523	11				L.BNK. DR.		
		11	86	11	° '	86	° '	21565	12				B.C.L.		
		11	98	11	° '	98	° '	538	13				E. BNK DR		
		6	111	7	° '	111	° '	609	14				T.F.		
		8	111	8	° '	111	° '	591	15				B.F.		
		12	124	12	° '	124	° '	552	16				B.C.L.		
		3	187	3	° '	187	° '	588	17				T.F.		
		10	189	12	° '	189	° '	558	18				B.F.		
		3	291	3	° '	291	° '	583	19				T.F.		
		8	291	10	° '	291	° '	534	20				B.F.		
		12	199	12	° '	199	° '	523	21				L.BNK. DR.		
		7	291	14	° '	291	° '	503					C.L.		

Add'n'l Inform.

Intern. of Drawn. Break in Slope / Steep Slope: V.D's, Bk.S., S.S., T.Cl., B.Cl., T.Sp., B.Cn.
Top of Cliff / Bottom of Cliff / Top of Spur / Bottom Canyon
Side of Canyon: Top of Bank, Bottom of Bank, Top of Cut, Bottom of Cut, Top of Fill, Bottom of Fill: S.Cn., T.B., B.B., T.C., B.C., T.F., B.F.
Saddle, Swale, Flat, Stream, Trail, Pavement, Edge of Road: Sa., Sw., Fl., Str., Tr., Pvt., E.Rd.
Traveled Rd., Fence, Int. Fences, Ditch, Telephone Pole, Power Pole, Culvert: Tr.Rd., Fn., V.Fns., Di., T.P., P.P., Cul.
Oak-O., Pine-Pi., Cedar-Ce., Sycamore, Eucalyptus, Plus combinations of these and all common standard abbreviations: Fir-Fr., Sy., Eu.

Topography Description Legend:
Side Hill: S.H.
Side of Draw: S.D.
Side of Ridge: S.R.
Head of Draw: H.D.
Bottom Draw: B.D.
Bottom Wash: B.W.
Top of Ridge: T.R.
Toe of Slope: T.S.

T.B.M. 288 PG 244

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Note Rod: Martin — Plotted — Job No. — Division No. — F.B. 688 Pg 22

Date: 2-25-37 — Checked — Date: 3-18-37 — Surveyed by: [illegible] — Notes — Date: 12/22/36

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	± Vertical Angle	Elevation of Point	+ Back Sight	± Difference Elevation	Height of Instrument	± Vertical Distance	REMARKS Station	Left	Right
P.I. "C"	P.I. D							21625 ✓	1		21680 ✓				
		1103							2						
		9	204	15.0	223 23	204	1 12	21488	3				BOT. DR. 5' HIGH		
	212-57 ?	1090													
		8.	291	15.0	17 57	291	0 40	496	4				" " 10' "		
		1106													
		9	207	10.0	224 16	207	1 35	523	5				W. BNK D.C.		
		1098													
		8.	296	12.0	214 27	296	0 45	536	6				" " "		
		273													
		2.	74	2.8	10 39	74	—	21652	7				B.C.		
		176													
		1.	77	0.0	13 51	77	—	680	8				T.C.		
		255													
		2.	56	2.0	17 05	56	+ 1 53	678	9				"		
		437													
		4.	38	4.6	160 2	38	—	634	10				B.C.		
		139													
		1.	40	1.0	25 30	40	+ 5 51	710	11				T.C.		
		635													
		6.	36	6.5	189 35	36	—	615	12				B.C.		
		229													
		2.	30	2.6	182 16	30	—	654	13				T.C.		
		786													
		7.	87	7.3	194 57	87	—	607	14				B.C.		
		187													
		1.	88	0.2	191 40	88	—	678	15				T.C.		
		946													
		8.	149	8.8	196 17	149	—	592	16				B.C.		
		549													
		4.	150	4.8	194 57	150	—	632	17				T.C.		
		1084													
		9.	185	9.5	196 55	185	—	585	18				B.C.		
		484													
		3.	185	4.0	195 39	185	—	640	19				T.C.		
		1020													
		8.	221	9.6	197 31	221	—	584	20				B.C.		
		620													
		4.	221	5.7	196 41	221	—	623	21				T.C.		
		1091													
		8.	292	9.8	198 36	292	—	582					B.C.		

Add'l Inform.

RECORDING

Form 381 HM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences..V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole..... P.P. Culvert ..... Cul.

No. ..... Sw. Fl. Str. Tr. Pvt. E.Rd.

Saddle ..... Swale ..... Flat ..... Stream ..... Trail ..... Pavement ..... Edge of Road

Side of Canyon S.Cn. Top of Bank ..T.B. Bottom of Bank..B.B. Top of Cut ..... T.C. Bottom of Cut..B.C. Top of Fill ..... T.F. Bottom of Fill..B.F.

Inters. of Draw, V.Ps Break in Slope..Br.S. Steep Slope ..... S.S. Top of Cliff..... T.Cl. Bottom of Cliff..B.Cl. Top of Spur..... T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend:
Side Hill..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge..T.R.
Toe of Slope..T.S.

F.B. 662 Pg. 28

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. "C"	P.I. "D"				° '		° '								
	? 1973							2162			2168				
		391							1						
		1 493	292	2 3	192 36	292		657	2				T.C.		
		2 406	294	3 0	191 11	293	+ 3 37	833	3				S.H.		
		1 356	307	2 0	186 10	303	+ 6 29	2200	4				"		
		1 374	257	2 0	189 35	256	+ 3 38	2182	5				"		
		1 826	276	2 0	183 51	271	+ 7 02	993	6				"		
		6 1026	227	7 0	187 31	226	+ 4 12	773	7				S.W.		
		8 392	227	9 0	179 32	222	+ 8 25	917	8				"		
		2 460	193	2 0	185 43	191	+ 5 27	838	9				S.P.		
		3 501	161	4 0	182 04	159	+ 6 31	821	10				S.W.		
		3 227	202	4 0	178 14	197	+ 9 17	957	11				S.P.		
		1 475	128	2 0	176 52	125	+ 8 29	845	12				S.H.		
		3 297	176	4 0	175 40	171	+ 10 —	940	13				S.W.		
		2 239	98	2 0	169 55	96	+ 2 27	802	14				"		
		1 257	140	2 0	167 17	132	+ 13 15	972	15				S.H.		
		2 415	58	2 0	140 34	52	+ 18 28	831	16				"		
		3 380	116	3 0	158 20	110	+ 13 24	910	17				S.W.		
		3 364	81	3 0	125 05	67	+ 24 18	954	18				S.H.		
		3 288	65	3 0	51 33	58	+ 18 31	846	19				BRK SH.		
		2 1184	89	2 0	74 08	64	+ 23 57	990	20				" "		
		11	85	11 0	36 01	81	+ 11 54	742	21				DR		

Add'n'l Instr. No.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I. "C"	P.I. "D"				° '		° '	21625	1		21680				
		1106							2						
		1.0	107	15 0	46 34	99	+ 15 54	810	3				DR		
		231													
		1	132	2 0	23 51	126	+ 12 12	930	4				S.H BRK.		
		256													
		1	157	2 0	36 52	145	+ 16 18	2208	5				" "		
P.I. "B"	P.I. "C"												L.B. 683 - 124		
								21584	6		21646		See F.B. 683 - 109.		
		563													
		5	64	5 2	355 10	64	—	21594	7				T.F.		
				4 5	330 —	40	—	601	8				T.F.		
		1063													
		1.0	64	10 5	346 54	64	—	541	9				B.F.		
				8 9	284 35	90	—	557	10				B.F.		
		1174													
		11	75	11 6	323 06	75	—	530	11				GEN BRK		
		1038													
		10	39	10 4	270 02	39	—	542	12				" "		
		996													
		9	97	14 6	306 05	97	—	21500	13				E. BNK DR.		
		1169													
		11	70	12 0	264 43	70	—	526	14				BRK.		
	197'	1146													
		11	47	17 2	304 50	47	—	474	15				BOT. DR 5' WIRE		
		1006													
		9	107	14 4	304 45	107	—	502	16				W. BNK DR.		
		1193													
		11	94	11 0	266 11	94	2 13	500	17				E " "		
		1198													
		11	99	14 0	265 46	99	1 17	486	18				BOT. DR 6' WIRE		
		1202													
		11	103	14 0	265 44	103	0 30	497	19				W. BNK DR		
		1129													
		9	230	10 0	199 30	230	1 45	476	20				BOT DR 7' WIRE		
		693													
		6	94	6 4	168 27	94	—	21582	21				T.F.		
		11140													
		9	241	11 0	191 50	241	1 19	484					BOT. DR 10' WIRE		

Notes Red H. Martin Date 2-5-37 Platted M.B. DARLING Job No. 8167 Division No. F.B. 683 Pg. 224
Notes Chkd. Checked Date
Survey by SHAEFER Notes CLEM Date 12/27/36
FEB 19 1937

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences. V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ..... Cul.

Sa. ..... Sw. ..... Fl. ..... Str. ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Saddle ..... Swale ..... Flat ..... Stream ..... Trail .....

Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank ... B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill ... B.F.

Side of Draw V.D's Top of Slope ... Bk.S. Bottom of Slope ..... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon .. B.Cn.

Intersection of Draw in Slope ... Break in Steep Slope ..... Top of Cliff ... Bottom of Cliff ... Top of Spur ..... Bottom Canyon ..

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope .. T.S.

F.B. 1263 PG. 2

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P.I. "B"	P.I. "C"			—	° '		° '	21584	1		264				
		1100							2						
		10	101	10.3	194 11	101		21543	3				BRK.		
		1135													
		9	236	10.2	200 05	236	1 35	484					T.S. W. BNK.		
		1158							4						
		10	159	11.0	211 32	159	1 33	495					E. BNK DR.		
		1165							5						
		10	166	11.0	212 24	166	2 12	474					BOT. DR. 5' WIDE		
		1072							6						
		9	173	10.0	212 38	173	1 53	480					W. BNK. DR.		
		1125							7						
		9	226	10.0	197 29	226	1 36	495					E. " "		
		1149							8						
		9	250	10.0	193 21	250	1 21	488					W. BNK. DR.		
		1134							9						
		9	235	10.0	190 49	235	1 22	491					E. BNK DR.		
		1126							10						
		9	227	10.0	182 06	227	0 47	517					GEN.		
		888							11						
		7	189	8.7	162 47	189		564					EG. RD LINE OF WASH		
		1018							12						
		8	219	8.8	162 13	219		558					" "		
		1125							13				5' WIDE		
		9	226	10.8	167 41	226		538					BOT. WASH.		
		1007							14						
		8	208	8.8	162 48	208		558					EG RD BOT WASH.		
		667							15						
		6	68	6.0	11 11	168		586					B.C.		
		178							16						
		1	79	1.0	13 47	79	+ 2 11	675					T.C.		
		639							17						
		6	40	5.9	22 15	40		587					B.C.		
		241							18						
		2	42	2.0	28 54	41	+ 6 02	670					T.C.		
		620							19						
		6	21	6.4	77 55	21		582					B.C.		
		127							20						
		1	28	1.0	78 10	28	+ 5 36	663					T.C.		
		636							21						
		6	37	6.7	130 20	37		579					END CUT BC		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / −	Difference Elevation	Height of Instrument	+ / −	Vertical Distance	REMARKS Station	Left	Right
P.I. "B"	P.I. "C"			—	° '		—	° '	2154	1			2164					
		539								2								
		5	40	56	126 40	40			2139	3						T.C		
		240								4								
		2	41	20	74 55	39	+	12 00	709	5						T. SP.		
		558								6								
		5	59	44	107 20	59			602	7						T.S.		
		172								8								
		1	73	10	49 50	67	+	16 17	833	9						T. SP.		
		360								10								
		3	61	30	38 55	57	+	14 42	766	11						S.H.		
		189								12								
		1	90	10	28 53	86	+	11 11	807	13						"		
		313								14								
		2	114	20	41 23	104	+	17 12	947	15						T. SP.		
		352								16								
		2	153	30	18 01	150	+	7 46	821	17						S.H.		
		487								18								
		3	188	40	15 04	185	+	6 33	819	19						" B&K		
		1031								20								
		9	132	10	48 12	121	+	17 07	914	21						S.O.E. SP		
		804																
		7	105	74	153 24	105			572							B.C.		
		705																
		6	106	60	154 23	106			586							T.C		
		421																
		3	122	34	129 21	122			612							F.L.		
	? 161	266																
		2	61	18	119 10	61			628							BNC W&S L		
		969																
		8	170	86	155 41	170			560							EG RD N&S H		
		1002																
		8	203	85	156 21	203			561							" S.W.S H		
		986																
		8	187	84	155 55	187			562							E W&S H		
		671																
		5	172	50	170 54	172			596							BOT. W&S H	5' W&S C	
		769																
		6	170	66	154 31	170			580							T. BNC W&S H		
		376																
		2	177	24	127 46	177			622							"	"	

Add'l Inform.

Note Red. H. Hadden Date 2-5-37
Date Checked
Date Surveyed
Survey by W.D.B. No.
M.D. DARLING Job No. 8167 Division No.
Date 12-22-36 Survey No. F.B. 683 PG 2
Notes C.H.H. Date 12/22/36

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Pine combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Canyon S.Cn. Bank ..... T.B. Bottom of Bank B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Side of Top of Bottom ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Inter. of Draws V.D's in Bks. ..... Bk.S. Slope ..... S.S. Brush Top of Cliff ..... B.Cl. Bottom of Cliff ..... T.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

R.B. 2A3 Pg 252

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. "B"	P.I. "C"			—	° '		° '	21584	1		2164				
		561							2						
		4	162	48	137 32	162		21598					T. BNK. Wgs.M.		
		387							3						
		2	188	18	121 58	188		628					T.S.		
		772							4						
		6	173	68	138 —	173		578					BOT WASH 10' WIDE		
		572							5						
		4	173	46	137 26	173		600					SA BNK		
		435							6						
		3	136	21	112 29	136		625					BRK.		
		588							7						
		4	189	45	137 57	189		601					T.S.		
		335							8						
		1	236	20	141 12	236	+ 1 49	709					SH BRK		
		829							9						
		6	230	67	151 40	230	—	579					T.S.		
		379							10						
		1	280	20	142 47	278	+ 5 14	880					S.H. BRK		
		380							11						
		1	281	20	152 08	281	+ 1 28	697					" "		
P.I. "A"	P.I. "B"			—	° '		° '	21531	12		21586		L.B 683 - ~~174~~ ~~184~~ SEE F.B. 683 - 110		
		1123							13						
		8	324	90	19 27	324	+ 2 40	21644					T.S.		
		456							14						
		1	351	30	16 30	350	+ 3 32	21772					S. SPUR		
		373							15						
		3	74	32	11 36	74	—	21554					START CUT		
				54	22 28	25		532	16				B.C.		
		229							17						
		2	30	20	31 34	30	+ 5 06	592					T.C.		
		217							18						
		2	18	20	136 16	17	+ 14 07	608					TC.		
		612							19						
		6	13	60	158 25	13	—	526					B.C.		
		141							20						
		1	42	10	171 16	42	+ 1 54	588					TC.		
		739							21						
		7	40	70	178 16	40	—	21516					BC.		

Add'l Notes

Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Date 2-5-97 Plotted by J.B. PARKING Job No. 8117 Division No. F.B. 1301 Pg. 23
Notes Checked Date Checked Survey by Schaefer & Dyke Inc. Notes schaefer Date 12-22-96

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.	684			° '			° '	2153.1	1		2153.6					
A	B	6	85	6 5/8	182 44	85	−	—	2152						T.C. Swale		
		883						° '		2							
		8	84	8 4/8	185 20	84	−	—	502						BC		
		532						° '		3							
		4	133	4 3/8	187 00	133	−	—	543						TC		
		1031						° '		4							
		9	132	9 2/8	189 04	132	−	—	494						BC		
		1105						° '		5							
		9	206	9 4/8	189 10	206	−	—	492						TC.		
		1205						° '		6							
		10	206	11 2/8	190 02	206	−	—	474						BC.		
		923						° '		7							
		7	224	8 0/8	189 06	224	−	—	506						TC. fenceline		
		1180						° '		8							
		9	281	13 0/8	190 30	281	−	—	456						BC.		
		1060						° '		9							
		8	261	8 9/8	189 40	261	−	—	497						TC.		
		384						° '		10							
		1	285	2 0/8	182 49	284	+	2 21	680						S. S Pvt		
		397						° '		11							
		1	298	3 0/8	177 10	294	+	6 22	883						" "		
		558						° '		12							
		3	269	4 0/8	180 44	258	+	2 30	658						swale		
		576						° '		13							
		3	271	4 0/8	173 19	268	+	6 17	840						"		
		431						° '		14							
		2	232	3 0/8	179 09	232	+	2 34	659						S.H. fenceline		
		450						° '		15							
		2	251	3 0/8	171 15	247	+	7 10	866						" " "		
		411						° '		16							
		2	212	3 0/8	177 37	211	+	2 55	662						S.H.		
		426						° '		17							
		2	227	3 0/8	168 17	222	+	8 10	871						S.H.		
		375						° '		18							
		2	176	3 0/8	174 10	175	+	3 15	653						S.H. Brk.		
		392						° '		19							
		2	193	3 2/8	162 12	188	+	9 24	866						" "		
		941						° '		20							
		8	142	9 0/8	168 56	141	+	5 44	635						Swale		
		503						° '		21							
		9	104	4 2/8	163 11	102	+	7 28	677						Brk		

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '	2153.1			2158.6				
P.I.	P.I.	1176							1						
P.A	B 1/2	11	153	15 0	157 08	148	+ 10 19	2170 6					Swale		
	1/2	1167							2						
		11	135	12 0	152 06	129	+ 12 28	752					Brk.		
		264							3						
		2	65	2 0	145 03	60	+ 15 58	738					Sh. Brk		
		294							4						
		2	95	2 0	116 22	76	+ 26 24	944					" "		
		349							5						
		3	50	3 0	116 36	40	+ 25 24	750					Sh.		
		294							6						
		2	95	2 0	80 21	78	+ 25 03	931					Sh.		
									7						
				5 7	314 09	25	—	21529					T.F.		
		727							8						
		7	28	7 0	310 09	28	—	516					BF.		
		871							9						
		8	72	8 0	202 35	72	—	506					T.F.		
		859							10						
		8	60	8 4	193 04	60	—	502					flat		
		1072							11						
		10	73	10 3	205 45	73	—	483					B.F.		
		1180							12						
		11	81	11 0	220 30	81	—	476					Brk.		
		899							13						
		8	100	8 1	289 31	100	—	505					flat wash 5' wide		
		1098							14						
		10	99	10 2	235 34	99	—	484					flat.		
		1144							15						
		10	145	10 6	287 14	145	—	480					F. Bk wash		
		1145							16						
		10	146	12 5	253 03	146	—	461					" " "		
		752							17						
		6	153	7 0	286 28	153	2 22	453					Bot wash 5' wide		
		752							18				14' wide		
		6	153	7 0	254 40	153	2 20	454					Inter. sec. washes		
		1163							19						
		10	164	11 0	285 38	164	—	476					W Bk. Wash		
		1160							20						
		10	161	12 4	256 11	161	—	462					" " "		
		1078							21						
		9	179	13 0	231 52	179	—	456					" " "		

Add'n'l Inform.

Topography Description Legend:
Hill ..... S.H. | Bottom of Draw ..... B.D. | Top of Ridge ..... T.R. | Toe of Slope ..... T.S.
Side of Draw ..... S.D. | Bottom Wash ..... B.W. | Top of Ridge ..... S.R. | Head of Draw ..... H.D.

Inters. of Draw V.D's | Break in Slope ..... B.S. | Stock Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Side of Canyon S.Cn. | Saddle ..... Sd. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Transited Ed. Tr. Rd. | Fence ..... Fe. | Int. Fences ..... V. Fe. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak ..... O. | Pine ..... Pi. | Cedar ..... Ce. | Sycamore ..... Sy. | Eucalyptus ..... Euc. | Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.	1072			° '		° '	2153.1	1		2158.6				
A.	B.	9	173	10°	229. 15,	173	1. 30,	2145					BoT. 13' wash		
		967							2						
		8	168	9 2	227. 04,	168	1. 25,	454					E. BK. wash		
		1151							3						
		10	152	12 3	210. 24,	152	— ° '	463					Brit.		
		1220							4						
		10	221	10 1	197. 35,	221	— ° '	479					T.F.		
		1046							5						
		9	147	9 1	201. 03,	147	— ° '	489					BF		
		1124							6						
		9	225	13 2	199. 12,	225	— ° '	454					BF fenceline		
		949							7						
		8	150	8 4	199. 17,	150	— ° '	502					TF		
		1125							8						
		9	226	14 1	205. 23,	226	— ° '	445					F. BK wash fenceline		
		1125							9						
		9	226	10 0	206. 50,	226	1 21,	434					BoT 5' wash " "		
	?	928							10						
		7	229	8 0	210. 09,	229	2 25,	411					W. BK Wash " "		
		1154							11						
		9	255	13 0	226. 06,	253	— ° '	456					fenceline ES. LB 683 - 174		
P.I.	P.I.							2140.82	12	5.8	2146.6		FB 683 - 111		
18	A			—	° '		° '		13						
		503							14						
		4	104	4°	355. 20,	104	+ 2. 03,	2146 3					TF		
		1102							15						
		10	103	10 2	353. 10,	102	+ 4. 20,	443					BF.		
		1102							16						
		10	103	10 0	352. 00,	102	+ 4. 20,	443					fenceline		
		1103							17						
		10	106	10 0	343. 46,	105	+ 3. 31,	431					E.BK. 9' wash		
		710							18						
		6	111	6 0	341. 15,	111	+ — ° '	406					BoT wash		
		508							19						
		9	109	3 3	339. 16,	109	— ° '	433					W. BK wash		
		418							20						
		3	119	3 2	328. 00,	119	— ° '	434					flat		
		541							21						
		4	147	3 1	312. 45,	147	— ° '	429					"		
				0 9	118. 37,	11	— ° '	457					T.F.		

Notes Red. H.Martin Date 2-8-37 Checked Date Notes Blue Checked Date

Plotted M.D. DARLING Date FEB 19 1937 Job No. 8167 Division No. Survey of Tract No. Book Page Sheet No. 1 of 1 Sheets Notes Schaefer Date 12-22-36

F.B. 683 Pg. 244

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '	2140.8			2146.6				
P1	P1			5 2	174 42	8	—	2141 4	1				BF.		
18	A			4 9	196 50	8	—	41 7	2				Fence Line & PT.		
		432													
		4	33	4 3	232 20	33	—	42 3	3				BrK		
		546													
		5	47	4 8	263 22	47	—	41 8	4				BoT ; Wash		
		561													
		5	62	4 9	262 10	62	—	41 7	5				TS. edge Wash.		
		295													
		2	96	2 0	261 34	96	+ 2 20	48 5	6				Slope		
		745													
		6	146	5 5	198 57	146	—	41 1	7				T.S.		
		638													
		3	139	6 0	192 24	139	—	40 6	8						
		740													
		6	141	6 3	177 02	141	—	40 3	9				flow Line 15' flat wash		
		737													
		6	138	6 1	162 20	138	—	21405	10				flat		
		638													
		5	139	5 9	153 00	139	—	40 7	11				"		
		638													
		5	139	5 4	149 38	139	—	41 2	12				fence Line		
		038													
		3	139	3 6	148 11	139	—	43 0	13				BF.		
		508													
		3	209	3 2	147 44	209	—	43 4	14				T.F.		
		708													
		5	209	5 0	149 27	209	—	41 6	15				T.F		
		806													
		6	207	5 8	151 45	207	—	40 8	16				B.F		
		910													
		7	211	8 3	167 03	211	—	38 3	17				fence Line		
		923													
		7	224	7 0	187 17	224	—	39 6	18				flat		
		155													
		1	56	1 7	19 48	56	—	44 9	19				T.S.		
		158													
		1	59	1 0	27 34	58	+ 6 20	52 1	20				B.C		
													T.C.		
				2 6	97 57	29	—	44 0	21				BC		

Add'l Interm. Wash flattens OUT and Spreads over floor of canyon.

Topography Description Legend: Hill ... H.; Draw ... D.; Bottom ... B.; Side of Hill ... S.H.; Bottom Draw ... B.D.; Side of Draw ... S.D.; Bottom Wash ... B.W.; Side of Ridge ... S.R.; Top of Ridge ... T.R.; Head of Draw ... H.D.; Top of Slope ... T.S.

Intersection of Draw ... V.D's; Break in Slope ... Br. S.; Steep Slope ... S.S.; Top of Cliff ... T.Cl.; Bottom of Cliff ... B.Cl.; Top of Spur ... T.Sp.; Bottom Canyon ... B.Cn.

Saddle ... Sa.; Swale ... Sw.; Flat ... Fl.; Stream ... Str.; Trail ... Tr.; Pavement ... Pvt.; Edge of Road ... E.Rd.

Side of Canyon ... S.Cn.; Top of Bank ... T.B.; Bottom of Bank ... B.B.; Top of Cut ... T.C.; Bottom of Cut ... B.C.; Top of Fill ... T.F.; Bottom of Fill ... B.F.

Transited Rd. ... Tr. Rd.; Fence ... Fe.; Dit. Fence ... V. Fe.; Ditch ... Dt.; Telephone Pole ... T.P.; Power Pole ... P.P.; Culvert ... Cul.

Oak ... O.; Pine ... Pi.; Sycamore ... Sy.; Eucalyptus ... Eu.; Other combinations of these and all common standard abbreviations.

Fir ... Fr.; Cedar ... Ce.

F.B. 483 Pg 2 ✓

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
								2148.8			2142.6				
P.I. 18	P.I. A	140 / 1	41	1.0	90° 04'	37	+ 17° 02'	21581	1				T.C.		
		257 / 2	58	2.0	116 46	56	+ 10 10	541	2				T.C		
		349 / 3	50	3.0	125 45	50	—	436	3				B.C.		
	?	386 / 3	87	3.2	126 23	87	—	434	4				BC		
		184 / 1	85	1.0	133 01	85	+ 1 07	472	5				T.C. Mouth draw		
		444 / 3	145	3.7	140 12	145	—	429	6				B.C.		
		442 / 3	148	4.0	138 31	148	+ 1 15	458	7				T.C.		
		359 / 1	260	2.7	142 44	260	—	439	8				B.C.		
		560 / 3	261	0.0	141 46	261	—	21466	9				T.C.		
		593 / 4	194	5.0	135 05	193	+ 3 15	526	10				S.H. Brk.		
		571 / 3	272	4.0	134 00	271	+ 3 37	597	11				S.H.		
		499 / 2	300	4.0	126 53	294	+ 8 09	847	12				S.H.		
		1133 / 9	234	10.0	130 06	231	+ 6 25	624	13				S.H. Brk.		
		877 / 6	278	8.0	125 11	270	+ 9 34	840	14				" "		
		807 / 6	208	7.0	125 20	202	+ 9 18	727	15				" "		
		1135 / 9	236	15.0	121 55	226	+ 11 39	783	16				" "		
		268 / 1	169	2.0	119 45	161	+ 12 57	814	17				SH.		
		609 / 4	210	5.0	117 05	196	+ 15 04	943	18				SPUR Brk		
		240 / 1	141	2.0	113 14	133	+ 14 05	778	19				S SPUR		
		395 / 2	196	3.0	112 40	178	+ 17 33	22000	20				SPUR		
		1020 / 9	121	15.2	104 02	110	+ 17 48	21668	21				BOT. draw		

Note Red. H. Martin Plotted M.G. DARLING Job No. 2167 Division No.
Date 2-8-37 Date FEB 10 1937 Survey by Schaefer Notes Schaefer Date 12-22-36
Checked Date
Map Red. F.B. 683 Pg. 24

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.	260						2140.8	1		2146.6				
18	A	1	161	2.0	104 24	146	+ 17 54	2191.6					S.S PVR		
		371							2						
		3	72	3.0	79 53	58	+ 25 57	719					BRK. SPVR		
		1171							3						
	½	11	143	18.0	94 56	124	+ 21 05	767					BOT draw		
		934							4						
		8	135	9.0	79 42	108	+ 26 49	919					S.H. BRK.		
		190							5						
		1	91	1.0	48 01	80	+ 20 35	755					SH		
		343							6						
		2	144	3.0	65 45	110	+ 28 53	2204.6					TOP SPVR		
		520							7						
		4	121	4.0	37 21	106	+ 20 26	2182.2					SH. BRK.		
		446							8						
		3	147	4.0	55 46	114	+ 28 18	2203.9					TOP SPVR		
		552							9						
		4	153	5.0	45 47	128	+ 23 58	2198.4					S. SPVR		
P.I.	P.I.								10				L.B. 683 - ~~454~~ 174		
19	18							2148.5	5.2		2154.1		P.B. 683 - 112		
		881							11						
		8	82	8.3	5 46	82	—	2145.8					B.C.		
		280							12						
		2	81	2.4	8 24	81	—	517					TC		
		840							13						
		8	41	8.0	5 45	41	—	461					BC		
		241							14						
		2	42	2.0	13 03	42	—	521					TC		
									15						
				8.7	90 00	3	—	454					BC		
		1040							16						
		10	41	10.2	207 20	41	—	439					BC		
		639							17						
		6	40	6.2	201 10	40	—	478					TC		
		1192							18						
		11	93	12.1	206 26	93	—	420					BC		
		1093							19						
		10	94	10.3	205 23	94	—	438					TC		
		1844							20						
		10	145	13.0	207 55	145	—	411					BC		
		842							21						
		7	143	8.0	206 06	143	—	2146.1					TC		

Add'l Intercepts

Topography Description Legend:
Side Hill....S.H. · Bottom Draw..B.D. · Side of Draw..S.D. · Bottom Wash..B.W. · Side of Ridge..S.R. · Top of Ridge..T.R. · Head of Draw..H.D. · Toe of Slope..T.S.

Intersection of Draw V.D's: Brink in Slope..Br.S. · Top of Slope..T.S. · Top of Cliff..T.Cl. · Bottom of Cliff..B.Cl. · Top of Spur..T.Sp. · Bottom Canyon..B.Cn.

Edge of Road: Top of Bank..T.B. · Toe of Bank..T.B. · Top of Cut..T.C. · Bottom of Cut..B.C. · Top of Fill..T.F. · Bottom of Fill..B.F.

Saddle..Sa. · Swale..Sw. · Flat..Fl. · Stream..Str. · Trail..Tr. · Pavement..Pvt. · Edge of Road..E.Rd.

Trans'd Rd. Tr. Rd. · Fence..Fe. · Int. Fence..V.Fe. · Sycamore..Sy. · Ditch..Di. · Telephone Pole..T.P. · Power Pole..P.P. · Culvert..Cul.

Oak..O. · Fir..Fr. · Pine..Pi. · Cedar..Ce. · Eucalyptus..Eu. · Pine combinations..Pi. · Use any of these standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P1	P1	11.77			° '		° '	2148.9	1		2154.1				
19	18	1.0	178	11 0	208 25	178	− 0 52	2140.3	2				BC		
		10.77													
		9.	178	9 4	207 31	178	—	2144.7	3				TC		
		10.08													
		8.	209	9 0	209 40	209	− 1 28	39.7	4				BC		
		5.03													
		3.	204	3 1	206 40	204	—	504	5				TC		
		8.17													
		6.	218	7 0	201 39	217	+ 4 14	633	6				SH BRK		
		8.45													
		6.	246	7 0	196 25	242	+ 7 22	783	7				SH		
		8.17													
		6.	218	7 0	194 03	215	+ 6 55	731	8				SH BRK		
		10.27													
		9.	178	10 0	199 11	177	+ 4 07	569	9				" "		
		8.89													
		7.	190	8 0	189 55	186	+ 8 14	731	10				SH		
		11.41													
		10.	142	11 0	193 31	140	+ 6 32	592	11				" "		
		9.55													
		8.	156	9 0	180 43	150	+ 11 30	755	12				" "		
		10.19													
		9.	120	10 0	190 16	118	+ 7 58	2160.6	13				" " BRK		
		11.19													
		10.	120	11 0	172 40	112	+ 14 40	725	14				" " "		
		11.99													
		11.	100	11 0	186 17	98	+ 8 12	573	15				SH "		
		7.94													
		7.	95	7 0	160 02	84	+ 19 46	773	16				SH		
		7.76													
		7.	77	7 0	181 34	75	+ 9 59	602	17				SH "		
		4.78													
		4.	79	4 0	125 05	65	+ 25 30	808	18				" "		
		11.47													
		10.	148	10 0	152 32	122	+ 24 16	997	19				" "		
		1.30													
		1.	31	1 0	100 30	30	+ 11 49	593	20				" "		
		3.70													
		3.	71	3 0	97 59	61	+ 22 19	760	21				" "		
		3.40													
		3.	41	5 0	69 03	39	+ 13 53	587					SH BRK		

Add'l Inform.

Notes Rcd. H. Martin Date 2-8-37 Plotted M. D. DARLING Job No. 5107 Division No. 24
Notes Chkd. Checked Date
Survey by Schaefer Notes Schaefer Date 12-22-36
F.B. 693 Pg. 25

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P.I.	P.I.	983			° '		° '		1		2154.1				
19	18	9	84	9.0	71 04	73	+ 20 53	2173.1					S.H.		
		500							2						
		4	101	4.0	53 17	97	+ 11 13	693					S.H.		
		652							3						
		6	53	6.0	46 43	51	+ 10 27	584					" "		
		609							4						
		5	110	5.0	44 50	105	+ 12 13	719					S.H. Brk		
		495							5						
		4	96	4.0	32 03	94	+ 7 15	620					" "		
		550							6						
		4	151	5.0	37 55	146	+ 10 44	766					S.H. Brk		
		420							7						
		3	121	3.0	27 12	120	+ 4 50	613					S.H.		
		1145							8						
		10	146	10.4	356 05	146	— ° '	21437					T.F.		
		1147							9						
		10	148	12.5	353 22	148	— ° '	416					B.F.		
		1147							10						
		10	148	11.0	350 41	148	1.0	406					fence Line		
		947							11						
		9	48	9.3	328 18	48	— ° '	448					T.F.		
		1092							12						
		9	193	10.0	329 50	193	1.26	394					flat		
		1048							13						
		10	49	10.0	325 45	49	— ° '	441					B.F.		
		857							14						
		6	258	8.0	318 45	258	1.31	393					T.S.		
		1144							15						
		11	45	10.1	317 16	45	— ° '	434					⊄ P.T. fence Line		
		1086							16						
		10	87	10.0	311 42	87	3.59	380					Brk.		
		1069							17						
		8	270	10.0	280 30	270	1 31	371					T.S. flow Line 2' wide		
		1158							18						
		10	159	11.2	303 10	159	1 41	385					flat		
		1108							19						
		9	209	10.0	274 10	209	2 07	364					" "		
		1101							20						
		10	102	10.0	243 55	101	4 32	361					Brk.		
		1142							21						
		9	243	10.0	303 49	243	1 30	407					T.S. flow Line 2' wide		

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Side of Draw ..... S.D. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Infers. of Draw ..... V.D's | Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Canyon ..... Cn. | Draw ..... Dr. | Ridge ..... Rg. | Saddle ..... Sd. | Knoll ..... Kn. | Peak ..... Pk. | Cliff ..... Cf.

Travelled Rd. Tr. Rd. | Fence ..... Fe. | Inf. Fences ..... V.Fe. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak ..... O. | Pine ..... Pi. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Fir ..... Fr. | Cedar ..... Ce.

EB 1483 PG 240

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.								1		2154.1				
19	18	1183 / 11	84	11 0	227 34	84	2 20	2139.7					B.F. fence Line		
.		581 / 5	82	5 0	221 52	81	4 48	423	2				T.F.		
.		1188 / 9	289	10 0	263 44	289	1 45	355	3				T.S. flow line 6' wide		
.		498 / 3	199	4 0	215 00	198	2 54	401	4				T.F.		
.		1143 / 9	244	10 0	253 01	244	2 15	346	5				Flat		
.		1095 / 9	196	10 0	218 35	196	2 32	355	6				B.F. fence Line		
.		1115 / 9	216	10 0	238 24	215	2 47	337	7				flat		
.		1099 / 9	200	10 0	223 34	199	3 05	334	8				D.K.		
.		1092 / 8	293	10 0	215 10	293	0 50	400	9				T.F.		
.		1102 / 8	303	10 0	223 36	302	2 27	314	10				flat		
.		1192 / 9	293	11 0	216 35	293	1 50	339	11				B.F. fence Line		
.		938 / 6	339	8 0	238 35	338	2 24	320	12				flat	174	
P.I. #20-A	P.I. #19						MIKE DARLING	2138.8	13	6.1	2144.9		SEE L.B. 683 - 133 F.B. 683 - 133		
		1033 / 8	234	8 7	357 18	234	—	362	14				T.F.		
		1133 / 9	234	11 3	356 05	234	—	336	15				B.F.		
		1135 / 9	236	11 5	354 48	236	—	334	16				FENCE		
		1145 / 9	246	12 6	346 03	246	—	323	17				GEN. BOTTOM.		
		1057 / 9	158	9 7	356 35	158	—	352	18				T F		
		1158 / 10	159	11 6	354 39	159	—	333	19				B.F.		
		1158 / 10	159	11 6	352 39	159	—	333	20				FENCE		
		1200 / 9	301	10 0	320 17	301	0 42	2131.3	21				GEN		

Add'n'l Inform.

Notes Recorded by H. Machia Date 2-8-37 Plotted by LB Date 2-9-37 Job No. 817 Survey of 3rd Division No. F.B. 683 Pg. 28

Checked Date

Reviewed by W&F No. Date

Notes Checked Date 12/23/36

Form 301 NM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I. #20A	P.I. #19			—	° '		° '	21388	1	—	21449	—			
		1185													
		10	186	12.1	335 21	186	—	21322	2	—	—	—	GEN.		
		1220													
		10	221	12.7	324 04	221	—	322	3	—	—	—	"		
		696													
		5	197	6.0	289 52	197	2 14	312	4	—	—	—	"		
		1082													
		8	283	9.0	212 11	283	1 03	307	5	—	—	—	E. BNK DR. 10' DR.		
		1100													
		10	101	11.0	300 01	101	1 17	315	6	—	—	—	32" COTTON WOOD TR.		
		1197													
		9	293	16.0	309 54	293	—	289	7	—	—	—	BOT. W&SW 10' WIDE		
		1153													
		11	54	12.3	342 48	54	—	326	8	—	—	—	FENCE		
		1151													
		11	52	12.0	348 41	52	—	329	9	—	—	—	B.F.		
		850													
		8	51	8.3	357 25	51	—	366	10	—	—	—	T.F.		
		326													
		3	27	3.9	180 48	27	—	21410	11	—	—	—	T.F. See Sketch		
		366													
		3	67	3.8	172 44	67	—	411	12	—	—	—	TOP BRIDGE N.W. COR.		
		463													
		4	64	3.9	155 55	64	—	411	13	—	—	—	" " S.W. "		
		425													
		4	26	3.9	139 21	26	—	410	14	—	—	—	" " S.E. "		
		1116													
		8	317	13.5	308 47	317	—	314	15	—	—	—	" " N.E. "		
		426													
		4	27	3.8	186 34	27	—	411	16	—	—	—	W. BNK DR.		
		1027													
		10	28	10.9	203 54	28	—	349	17	—	—	—	T.F.		
		831													
		8	32	7.8	214 02	32	—	371	18	—	—	—	B.F.		
		831											TOP 1' WIDE		
		8	32	12.0	214 02	32	—	329	19	—	—	—	END N.W. WING WALL		
		1113											" " " "		
		11	14	11.6	251 59	14	—	333	20	—	—	—	BOT. (FENCE)		
		1133											~~4 FT~~ B.F.		
		11	34	11.7	283 51	34	—	21332	21	—	—	—	FENCE		
													36" COT. WOOD TREE		

Add'l Remarks

FORM 247 10M 11-25

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by
Map No. 7-87-4
Office Work H. Martin
Checked
Date 2-25-37

Survey of Arroyo Duarte Rd.
W. O. 4167 Tape No. St'd. °F.
Surveyed by E. Johnson
Notes H. E. U. Date 1-7-37
Indexed A. C. Johnson

F.B. 683 PG. 263


F.B. 683 Pg. 264
Note: This end of Abutment Sketched out of Proportion, Dist. shown on Line are O.K. End of Abutment should Be Lower Ahead of Pl.
P.I. #34
Fd 3/4" I.P. Flush
Per F.B. 683
See Topog. F.B. 692-33
Frame Bridge
Elev. is 2.5 Lower Than This
Conc. Abutment Bridge Rests on
Conc. Abutment
Elev. is 2.5 Lower Than This
Conc. Abutment Bridge Rests on
Conc. Abutment
Edge of Asphalt
Edge of Asphalt
12" Conc. Culvert
12" Conc. Culvert
P.I. #33
Fd L4T in Rock
Per F.B. 683
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by
Map No. 7-67-4
Office Work H. Martin
Checked
Date 2-23-37

Survey of
W. O. 8167 Tape No. St'd. °F.
Surveyed by
Notes Date 1-7-37
Indexed A. C. Johnson

F.B. PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 6683 Pg. 266

See Topog. Notes
F.B. 6925 84

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Interceptx	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.				° ′		° ′	2138			2144				
Bo-A	#19														
		11 48													
		11	49	11 0	193 33	49	2 24	2131					N. BNK DR		
		10 56													
		10	57	10 0	189 50	57	4 46	303					BOT. DR		
		7 67													
		7	68	7 0	183 08	68	4 21	327					S. BNK DR 48" COT. LOG		
		12 13													
		11	114	12 1	228 57	114	—	328					T. BNK DR 36" " "		
		12 14													
		11	115	11 0	225 44	115	2 47	284					BOT. DR		
		11 21													
		10	122	11 0	218 27	122	0 51	322					TOP BNK DR		
		11 35													
		10	136	11 0	217 39	136	—	339					48" COT. LOG		
	1/2	11 65											ESCONDIDO	HIGH	DUCE
		10	331	16 0	332 36	331	0 55	237					WASH INTERSECTION		
		11 10												See Pg. 203	
		10	111	11 0	253 01	111	1 07	317					GEN. BOT		
		6 74											END FENCE		
		6	75	6 0	144 25	75	4 02	337					SE WING WALL BOT.		
		9 73													
		9	74	9 0	142 54	74	1 10	344					54" COTTONWOOD		
	?	10 76													
		10	77	9 0	253 41	77	1 36	338					BOT. DR		W. SIDE
		11 52													
		11	53	11 0	134 05	53	2 15	318					S. BNK DR		
		10 46													
		10	47	10 0	130 46	46	5 20	307					BOT. DR		
		11 28											FENCE		
		11	29	11 0	103 47	29	—	338					NE WING WALL & BOT.		
		11 39													
		11	40	11 0	121 37	40	2 31	314					N. BNK DR		
		11 26													
		11	27	12 1	66 53	27	—	328					4 PL. FENCE		
		11 84													
		11	85	11 0	57 11	85	—	339					GEN.		
		11 80													
		10	181	12 5	66 07	181	—	321					4 PL.		
		11 15													
		8	316	10 0	31 31	316	—	1348					WASH		WIDE

Date 11-23-37 Plotted H. Martin Job No. 8447 Division No. T.B. 2695 Pg. 267

Date Checked

Date Traced

Date

Form 301 [illegible] 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.			—	° '		° '	2138 8	1		2144				
20-A	19								2						
		1157	58	12 1	23 12	58		2132 8					FENCE B.F.		
		11							3						
		853	54	8 3	13 41	54		366					T.F.		
		8							4						
		1053	154	9 6	4 14	154		353					T.F.		
		9							5						
		1154	155	11 2	6 11	155		337					B.F.		
		10							6						
		1154	155	11 7	7 41	155		332					FENCE COR.		
		10							7				INT SHEFFER & GUN		
		1100	201	9 5	0 27	201		354					DULCE RDS.		
		9							8						
		1178	179	11 0	11 05	179		339					℄ SH. RD.		
		10							9						
		1165	166	10 3	23 05	166		346					FENCE. E & W.		
		10							10						
		1118	219	9 8	51 32	219		351					" "		
		9							11						
		1196	191	10 3	9 52	191		2134 5					T.S. L & F.C.		
		10							12						
		1227	228	9 5	54 31	228		354					" " "		
		9							13						
		1172	173	11 2	27 12	173		337					" " "		
		10							14						
		7558	359	6 0	1 32	359		382					B.C.		
		4							15						
		6556	357	5 0	2 59	357	+ 0 5	457					T.C.		
		3							16						
		4113	311	0 9	3 12	311		440					T.C.		
		1							17						
		3775	277	8 3	2 30	277		366					B.C.		
		7							18						
		3805	281	0 0	3 42	281		449					T.C.		
		1							19						
		1133	234	9 5	3 15	234		354					B.C.		
		9							20						
		4237	238	4 7	4 52	238		400					T.C.		
		11							21						
		6000	201	4 7	11 03	201		2140 2					T.C.		
		4													

Add'l Inform.

Topography Description Legend:
Hill ... H. | Side of Draw S.D. | Head of Draw H.D. | Bottom Draw B.D. | Bottom Wash B.W. | Side of Ridge S.R. | Top of Ridge T.R. | Toe of Slope ... T.S. | Inters. of Draws Y.D's | Bank ... Bk. | Base ... Bs. | Steep Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn. | Side of Canyon S.Cn. | Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F. | Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road E.Rd. | Traveled Rd. T.Rd. | Fence ... Fe. | Ind. Fences ... V.Fe. | Ditch ... Di. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ... Cul. | Sta.-O. | Pine-Pi. | Sycamore ... Sy. | Eucalyptus ... Eu. | Plus combinations of these and all common standard abbreviations. | Fir-Fr. | Cedar-Ce.

FB 263 Pg 248

Form 391 IBM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I. #20-A	P.I. #19				° '		° '	2138	1		2449				
		812 / 6	213	7.0	15 19	213	+ 2 34	2147	2				S.H. BRK		
		800 / 6	201	4.1	20 52	201	—	408	3				" "		
		498 / 3	199	4.0	28 54	199	+ 1 24	457	4				" "		
		1185 / 10	186	10.6	15 26	186	—	343	5				B.S.		
		694 / 5	195	6.1	31 53	195	—	388	6				BRK		
		1180 / 10	181	10.6	32 21	181	—	343	7				"		
		437 / 2	238	3.0	22 30	237	+ 4 31	606	8				S.H.		
		740 / 5	241	6.0	9 32	241	+ 1 35	454	9				"		
		462 / 2	263	3.0	20 35	260	+ 6 08	697	10				" BRK		
		749 / 5	250	6.0	14 —	249	+ 3 56	559	11				S.H. BRK		
		680 / 4	281	5.0	17 19	278	+ 6 00	691	12				S.H.		
		955 / 7	256	8.0	12 45	255	+ 3 54	54 2	13				S.H.		
		507 / 2	308	3.0	15 34	303	+ 7 09	791	14				S.H.		
		1195 / 9	296	10.0	7 55	294	+ 4 30	580	15				"		
		940 / 6	341	7.0	12 35	336	+ 6 55	787	16				" BRK		
		777 / 4	318	5.0	6 45	317	+ 3 17	578	17				" "		
		465 / 1	366	3.0	10 18	362	+ 6 17	817	18				" "		
		730 / 4	331	6.0	6 14	330	+ 2 46	546	19				S.H.		
		760 / 4	361	6.0	5 22	360	+ 2 49	566	20				S.H.		
		1041 / 8	142	7.5	1.61 18	142	—	21354	21				T.F.		

Add'l Inform.

Date 2-28-97 Date 2-25-97 Date

Survey of SHAFER TRACT

Map No. Tract

F.B. 683 PG. 22

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I.	P.I.			—	° '		° '	2138			2144				
209	#19														
		1142													
		10	143	12	157 08	143		2132					B.F. FENCE		
		1145													
		9	246	10 8	162 16	246		341					T.F. BEG. CUT.		
		1178													
		10	179	10 8	129 20	179		341					GEN. FLATS		
		1144													
		9	245	11 9	160 40	245		330					FENCE.		
		1144													
		9	245	10 0	158 10	245	0 41	321					T.S.		
		1165													
		9	266	11 7	141 07	266		332					FLATS		
		632													
		3	333	5 0	146 13	333	1 15	328					T.S.		
		271													
		0	273	2 0	152 01	273	2 15	323					T.S.		
		1045													
		9	146	9 6	168 48	146		353					T.F.		
		1149													
		10	150	11 0	172 —	150	0 44	2131					B.F. FENCE		
		1155													
		10	156	11 0	189 08	156	0 45	318					GEN. BOT.		
		733													
		3	234	6 0	216 47	234	2 09	305					" "		
		1145													
		9	246	11 2	167 05	246		337					T.F.		
		1043													
		8	244	9 0	168 15	244	1 02	317					B.F.		
		1087													
		8	288	10 0	208 44	288	1 22	283					GEN.		
		645													
		4	246	5 0	169 05	246	2 05	312					FENCE.		
		1070													
		8	271	15 2	175 47	271		292					28" COTTON WOOD		
		1165													
		9	266	15 7	193 00	266		292					GEN FLATS		
		1130													
		8	331	10 0	186 14	331	1 15	278					" "		
				—				—							

Add'n'l Inform.

Abbreviations: Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fa. Fence ..... Fe. Int. Fences. V. Fns. Di. Ditch ..... Str. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Tr. Trail ..... Pvt. Pavement ..... E.Rd. Edge of Road

Side of Canyon S.Ca. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draw. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Ca.

Topography Description Legend:
Side Hill ..... S.H.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.

PG. 270

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.				° '		−	° '	2128.81	1 59			2134.7			F.B. 683 - 14		
21-A	20-A			—	° '		−	° '								BCR L.B. 683 - 54		174
		253								2								
		1	154	1 2	3 04	154	−	—	2133.5							B.C.		
		558								3								
		4	159	5 0	5 49	158	+	4 42	426							T.C.		
		279								4								
		2	80	2 5	8 16	80	−	—	322							B.C.		
		283								5								
		2	84	2 0	13 40	83	+	6 01	414							T.C.		
		424								6								
		4	25	4 4	32 27	25	−	—	303							B.C.		
		129								7								
		1	30	1 0	38 48	30	+	4 19	360							T.C.		
		315								8								
		3	16	3 3	95 04	16	−	—	314							T.C. S.W.		
		511								9								
		5	12	5 5	94 12	12	−	—	292							B.C.		
		745								10								
		7	46	7 4	172 56	46	−	—	273							B.C.		
		446								11								
		4	47	4 2	168 54	47	−	—	305							T.C. BRK		
		874								12								
		8	75	8 6	179 15	75	−	—	261							B.C.		
		174								13								
		1	75	1 0	172 30	75	+	3 02	376							T.C. S.H.		
		995								14								
		9	96	9 0	157 40	88	+	16 56	524							T. SP.		
		632								15								
		5	133	5 0	144 20	120	+	18 29	697							T. SP.		
		720								16								
		6	121	6 0	138 16	107	+	19 01	659							BKR SH		
		588								17								
		5	89	5 0	145 54	81	+	16 50	544							"	"	
		1046								18								
		10	47	10 9	118 40	45	+	12 38	345							S.H.		
		827								19								
		8	88	8 0	113 03	82	+	14 53	486							S.H. SET		
		145								20								
		1	46	1 0	86 22	43	+	16 18	470							S.H.		
		288								21								
		2	89	2 0	98 48	81	+	17 13	570							"		

Add'l Inform.

Date 2-8-37 Date 2-25-37 Survey of Eagle Rock Blvd. Date 12-2-36

F.B. 683 PG. 2-71

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 4613 Pg 272

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D. | Top of Ridge. T.R. | Toe of Slope. T.S.
Side of Draw. S.D. | Bottom Wash B.W. | Top of Ridge. S.R. | Head of Draw H.D.

Inters. of Draws, V.O's: Break ... Bk.S. | Steep Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn.

Side of Canyon: Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F.

Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road ... E.Rd.

Traveled Rd. Tr.Rd. | Fence ... Fe. | Int. Fences ... V.Fnc. | Ditch ... Dt. | Telephone Pole ... T.P. | Power Pole ... P.P. | Culvert ... Cul.

Bldg. ... B. | Pine-Pi. Fir-Fr. | Cedar-Ce. | Sycamore ... Sy. | Eucalyptus ... Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.				° '		° '								
21-A	20-A			—				2128 8			2134 7				
		252							1						
		2 492	53	2 0	52 44	47	+ 14 50	498	2				S.H.		
		4 904	93	4 0	79 19	76	+ 25 04	664	3				"		
		8 291	105	8 0	71 25	84	+ 26 33	681	4				" SP.		
		2 510	92	2 0	25 27	88	+ 12 01	512	5				"		
		4 292	111	4 0	32 24	102	+ 16 26	601	6				SP.		
		2 526	93	2 0	51 15	82	+ 21 02	642	7				"		
		4 340	127	4 0	20 07	123	+ 10 20	536	8				"		
		2 189	141	3 0	11 57	139	+ 6 43	481	9				BP.		
		1 287	90	1 8	351 13	90	—	21329	10				T.F.		
		3 387	88	4 0	349 01	88	—	301	11				B.F.		
		5 811	88	5 1	346 12	88	—	296	12				& FENCE		
		7 —	112	7 2	325 15	112	—	270	13				GEN.		
		— 712		5 5	295 55	82	—	292	14				T.F.		
		7 915	13	7 3	270 6	13	—	274	15				& PH. FENCE B.F.		
		9 950	36	9 2	284 18	36	—	257	16				BRG. FENCE		
		6 1890	351	8 0	355 55	351	+ 1 11	339	17				S.W. WING IN BRIDGE		
		10 182	91	10 3	281 —	91	—	244	18				FLAT.		
	½	1 752	165	1 0	280 37	164	3 17	243	19				"		
		7 1053	53	7 2	196 30	53	—	275	20				T.F.		
		10	54	10 2	205 07	54	—	21245	21				FENCE BF.		

Add'l Inform.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	B Left	B Right
P.I. 21-A	P.I. 20-A				° '		° '	212 8 8	1		21347				
		11161							2						
		111	62	12 5	214 13	62	—	222	3				BRK.		
		11112													
		10	113	11 0	251 10	113	—	237	4				"		
		11171													
		10	172	15 0	250 35	172	0 42	21176	5				"		
P.I. #24	P.I. 21-A												L.B. 683 — 155		
		154						21223	6 0		212847		SEE F.B. 683 — 175		
	1/2	1	109	1 0	265 40	107	7 04	21140	7				BRK.		
		364													
		3	65	3 0	266 43	63	10 18	138	8				"		
		742													
		7	43	7 0	269 47	42	9 29	143	9				LO SPOT		
		924													
		9	25	9 4	274 00	25	—	190	10				BRK		
		914													
		9	15	9 5	274 40	15	—	189	11				B.F. FENCE		
				5 5	275 26	5 0		229	12				T.F.		
		1055													
		10	56	10 0	230 15	56	4 51	136	13				BRK.		
		11180													
		11	81	11 0	206 35	81	2 43	21135	14				" FENCE		
		9170													
		9	71	9 0	179 27	71		194	15				T.F.		
		11172													
		11	73	10 0	187 04	73	—	175	16				COR. FENCE		
		1095													
		10	96	10 0	219 21	95	4 13	113	17				E.L.O FENCE & DITCH		
		10171													
		10	72	10 1	180 45	72	—	183	18				B.F.		
	?	11000													
		10	101	18 0	231 45	101	3 21	045	19				BOT DITCH & FENCE		
		11171													
		11	72	11 0	241 05	72	4 29	116	20				BEG. DITCH		
	1/2	10105						07 2							
		950	111	10 0	237 54	110	5 49						BRK. BOT. DITCH		
		909													
		8	110	18 6	241 40	110	—	21098	21				W. BNR. CYC 4		

Date 2-8-37 Date 2-25-37 Survey of Douglas Tract Map No. 4167 Indexed F.B. 683 Pg. 77 3

Date Date Map No. Indexed

KEUFFEL & ESSER CO.

Form 301 1M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	± Vertical Angle	Elevation of Point	+ Back Sight	± Difference Elevation	Height of Instrument	± Vertical Distance	REMARKS Station	Left	Right
P.I. #24	P.I. #2 L.A				° '		° '	2122.49			2128.49				
		11 50													
		70	151	11 0	226.10	150	5 00	2104 3					E. BNK. DITCH.		
		11 26													
		10	127	11 0	206.50	127	2.56	109					BRK SL.		
		11 12													
		10	113	12 0	180.19	113		2116 4					FENCE.		
		2 19													
		1	120	12 0	233.11	118	7.14	2101 3					BOT. DITCH 8' WIDE		
		11 10													
		10	111	11 2	178.36	111		172					B.F.		
		10 10													
		9	111	9 9	177.15	111		185					T.F.		
		3 51													
		3	52	3 5	13.02	52		249					B.C.		
		3 51													
		3	52	0 2	17.23	52		282					T.C.		
				4 5	32.02	26		239					B.C.		
		1 27	28	1 1	41.44	28		273					T.C. swale		
		1													
		1 20	21	1 0	85.31	20	+ 6.23	299					T.C.		
				6 1	116.35	18		223					B.C.		
		8 53													
		9	54	7 8	156.48	54		206					Tc swale edge Rd		
		8 70													
		8	71	8 1	162.37	71		197					BC.		
		4 70													
		4	71	4 8	159.22	71		236					T.C		
		9 90													
		9	91	9 4	163.43	91		190					BC		
		7 91													
		7	92	7 1	161.38	92		201					TC.		
		11 93													
		10	194	11 8	166.57	194		166					BC.		
		11 94													
		10	195	10 1	166.11	195		171					TC.		
		11 53													
		9	254	12 6	167.59	254		2115 8					BC.		

NOTE
TOPOGRAPHY CONTINUED IN F.B. 692-5

Topography Description Legend
Top of Hill ... T.H.
Side of Draw ... S.D.
Side of Ridge ... S.R.
Head of Draw ... H.D.
Bottom of Draw ... B.D.
Top of Ridge ... T.R.
Top of Bank ... T.B.
Toe of Slope ... T.S.
Edge of Road ... E.Rd.
Edge of Pvmt. ... E.P.
Culvert ... Cul.
Fence ... Fe.
Flat ... Fl.
Stream ... Str.
Trail ... Trl.
Pavement ... Pvt.
Edge of Road E.Rd.
Bottom of Fill B.F.
Top of Fill T.F.
Top of Cut T.C.
Bottom of Cut B.C.
Top of Bank T.Bk.
Bottom of Bank B.Bk.
Edge of Water E.W.
Bottom of Channel B.Ch.
Top of Gully T.Gy.
Bottom of Gully B.Gy.
Top of Wall T.W.
Bottom of Wall B.W.
Top of Curb T.C.
Bottom of Curb B.C.
Top of Gutter T.Gu.
Bottom of Gutter B.Gu.
Top of Culvert T.Cul.
Bottom of Culvert B.Cul.
Top of Ditch T.Dch.
Bottom of Ditch B.Dch.
Top of Levee T.Lv.
Bottom of Levee B.Lv.
Top of Dike T.Dk.
Bottom of Dike B.Dk.
Top of Pond T.Pd.
Bottom of Pond B.Pd.
Top of Rip-Rap T.R.R.
Bottom of Rip-Rap B.R.R.
Top of Retaining Wall T.R.W.
Bottom of Retaining Wall B.R.W.
Top of Abutment T.Abut.
Bottom of Abutment B.Abut.
Top of Pier T.Pr.
Bottom of Pier B.Pr.
Top of Footing T.Ftg.
Bottom of Footing B.Ftg.
Top of Pile T.Pile
Bottom of Pile B.Pile
Top of Foundation T.Fdn.
Bottom of Foundation B.Fdn.
Top of Slope T.Slope
Bottom of Slope B.Slope
Top of Levee T.Lev.
Bottom of Levee B.Lev.
Top of Dike T.Dike
Bottom of Dike B.Dike
Top of Pond T.Pond
Bottom of Pond B.Pond

Notes Ck'd by	Survey of AGUA DULCE RD
Map No. 7-87-3	W. O. 8167 Tape No. St'd °F.
Office Work	Surveyed by Johnson
Checked FEB 13 1937	Notes H S J Date 1-8-37
Date	Indexed A. C. Johnson

F.B. 683 Pg 275

NOTE: TOPOGRAPHY CONTINUED IN F.B. 692 — Pgs 5 & 76



See Pg. 208

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not write notes this side of this line

683

F.B._____ PG._____