FORM 247 10M 11-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not erase entries this side of this line

684

Noted Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. St'd °F.
Surveyed by
Notes
Date
Indexed

F.B. PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 684 PG. 2

Notes Ck'd by Drew	Survey of Palm Ave
Map No.	W. O. 8168 Tape No. 49 St'd 84° F.
Office Work	Surveyed by Evans
Checked	Notes HE Date 11-19-36 to
Date	Indexed A. C. Johnson 12-2-36

F.B. 684 PG. 3

SURVEY OF PALM AVE. FROM TR. 3635 TO ARROYO BLVD.

Hugh F. Evans - Dep. 300 ft. Tape # 49
Henry L. Martin - π Calibrated 300.000 @ 84° F.
Delbert S. Sedig - H.C.
Nathan R. Smith - R.C.
Arlie B. Landtiser - Rod.

INDEX.

	Pgs.
Pelim. Line	5-7
Bench Levels	9-13
Stadia Topog.	15-74
Prop'ty Lines	75-82
Center Line	84-94
Profile	95-112
X-Sections	113-

C.S. B-1250

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 684 PG. 4

INDEX SKETCH
to
PALM AVE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

TRACT 3635.

T.2N. R.12W.

T.1N. R.12W.

Magnolia Dr.

Magnolia St.

Laguat St.

Palm Ave.

Pierson Palm Ave.

Arroyo Blvd.

Notes Ck'd by Drew	Survey of Palm Ave
Map No. Sur. Div. T-86	W. O. 8168 Tape No. 49 St'd 84° F.
Office Work	Surveyed by Evans
Checked	Notes IE Date 11-25-36
Date	Indexed A. C. Johnson 12-7-36

F.B. 684 Pg. 5
(61-10-15 ✓
244-40-45)
61°-10'-11¼" ✓

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35



To Rt. side / pg. 7

F.B. 684 PG. 6

289.88 @ 7-00-30 - T84° = 287.71

154.73

155.23 @ 4-37-T84°
= 154.73

P#10
set 1x2

287.71

P Line

(146-48-45)
227-15-15
146°-48-48¾"

294.65 @ 3-57-30 = 293.95
71.14 @ 0-0 = 71.14
T84° 365.09

294.62 @ 4-13-30 = 293.82
71.15 @ 0-0 = 71.15
364.97
T78° .01
364.96

P#9
set 1x2

146°-48-50"

(81-29-00)
325-55-45
81°-28-56¼

92.25

P#6
set 1x2

P#8
set 1x2

93.17 @ 10-23-15 - T78° = 92.25

132.18

365.09

81°-28-55"

50.00

364.96

S68°-30W

9°-5°-13'-40"

124°

11-25-36

P#7
set 1x2

To Ridge

P#5
set 1x2

410.67

P Line

(124-49-45)
139-19-15
-124°-49'-48¾"

(95-12-45)
20-50-45
95°-12'-41¼"

From Lot 5 / pg. 5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by Dr. Cal	Survey of Palm Ave.
Map No. Sur. Div. 7-86	W. O. 8168 Tape No. 49 St'd 84°F.
Office Work	Surveyed by Engle
Checked	Notes Date 11-25-36
Date	Indexed A. C. Johnson

F.B. 684 PG. 7

234.24 @ 3°-03-T84° = 233.91

109.68 @ 6°-58-30-T84° = 108.87

236.46 @ 9°-40-30-T 70° = 233.08 ✓

(101-44-15)
(46-56-45)
101°-44'-11¼"

236.59 @ 5-40-T64° = 235.40

(104-25-45)
(57-42-45)
104°-25'-41¼"

P#12 set 1x2

(93-35-45)
(14-23-15)
93°-35'-48¾"

233.08

108.87

64°-07'-15"

33.

93°-35'-50"

P#11 set 1x2

P#12A. set 1x2

P#13 set 1x2

P Line

101°-44'-10"

235.40

P Line

154.73 N52°W

P#14 set 1x2

25'-40"

91.63

(53-13)
(212-52)
53°-13'-00"

53°-13'-00"

Cor. to Sec 31/32 6/5
2" I.P. + B.C. in conc.
C.S. Mon. per pg. 76

Sec. Line

1x1 pg 76

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 684 PG. 8

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.	
U.S. 668	7.191	1262.091		1254.700	BM. U.S. 668, Altadena at S.W. Corner Foothill Blvd. and Lincoln Ave., in Lincoln Ave parking 7ft. South of South end of Curb return, against and flush with Top of curb, concrete post with bronze tablet stamped "S 67-1933" El. 1254.900 Final Elev. 1928 Relim. Adj.
T. P.	12.012	1273.275	0.828	1261.263	
T. P.	11.746	1284.167	0.854	1272.421	
T. P.	10.633	1294.050	0.750	1283.417	
T. P.	7.906	1301.200	0.756	1293.294	
T. P.	9.242	1309.503	0.939	1300.261	
T. P.	9.502	1318.349	0.656	1308.847	
T. B. M.	9.673	1322.900	5.122	1313.227	Set C. SPK. on North side of P. Pole Number-199728E at S.W. Cor. of Milard Canyon Rd. & Canyon Crest. Elev. 1313.227
T. P.	7.146	1325.464	4.582	1318.318	
T. P.	11.904	1336.584	0.784	1324.680	
T. P.	9.556	1345.277	0.863	1335.721	
T. P.	12.007	1354.956	2.328	1342.949	
T. P.	0.451	1350.521	4.886	1350.070	
T. P.	9.826	1348.474	11.873	1338.648	
T. P.	8.053	1355.719	0.808	1347.666	
T. P.	5.708	1363.724	0.703	1355.016	
T. B. M.	7.760	1370.829	0.655	1363.069	Set C. SPK. in E. side of P. Pole #A.50492. T on W. side of Canyon Crest 50ft ± South at Frame House Number 415. Elev. 1363.069
T. P.	3.888	1369.482	5.235	1365.594	
T. P.	11.637	1379.296	1.823	1367.659	
T. P.	10.453	1388.346	1.403	1377.893	
T. P.	11.528	1399.394	0.480	1387.866	

Profile Notes Red. Platted Job No. 8168 Division No.
No. Date Survey of Palm Ave
X-Sec. Notes Chkd. Date Survey by Evans Notes Sealed Date 11-17-36
No. Date Checked Date Map No. 7-86 Indexed A. C. J. Date 12-7-36

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED ICK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ___ X-Sec. No. ___
Notes Red ___ Plotted ___ Date ___
Division No. ___ Date ___ Checked ___ Date ___
Notes by A. C. Jch Date 11-20-36 Noted by C. D. DARLING Date DEC 11 1936

STATION	B. S.	H. I.	F. S	ELEV.		
		1399.394				
T.P.	11.858	1410.759	0.493	1398.901		
T.P.	11.880	1421.121	1.518	1409.241		
T.P.	11.032	1431.837	0.314	1420.807		
T.P.	9.809	1440.827	1.621	1430.219		
T.P.	6.589	1445.616	1.000	1439.027		
T.B.M.	6.680	1451.350	0.946	1444.670	Set C.S.P.K.+W. in crotch on North side of 36 inch Oak 50 ft East of int. of Palm Ave + Forest Rd'y & 90 ft South of 70 inch Rd'y	
B.M. #P1	2.628	1451.453	2.525	1448.825		Elev. 1444.670
P.Pt. #1 (pg. 5)			6.12	1445.33	B.M. #P1 - Near S. end Palm Ave, Tract 8635 on E. side of street & on row of gum trees, midway between 2nd & 3d tree from South end. 51.0 North of Sec. Line & 24.4 E. of ℄ Palm Ave, Set 2" I.P. + B.C. in conc., 12" dmt. Marked	
P.Pt. #2 (pg. 5)			4.71	1446.74		
T.P. - P.Pt. #3	2.884	1442.957	11.380	1440.073		
T.P.	3.109	1434.489	11.577	1431.380		
T.P. - P#3A.	5.988	1429.052	11.425	1423.064		
P.Pt. #4 (pg. 5)			9.92	1419.13		
T.P.	2.377	1420.117	11.312	1417.740		
T.P.	6.182	1414.827	11.472	1408.645		
T.P.	1.342	1405.134	11.035	1403.792		
T.P.	4.548	1398.286	11.396	1393.738		
P.Pt. #5 pg. 6			7.19	1391.10		
T.P.	1.663	1388.331	11.618	1386.668	Set Cut S.P.K.+W. in South side of power & Telephone Pole #35-MR. Pole Line bears North West, Pole is situated	
B.M. #P2	0.639	1387.583	1.387	1386.944	100 ft North of Point #6.	Elev. 1386.944

COUNTY SURVEYOR
R.E. 2177

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ X-Sec. No. ____ Notes Red. ____ Platted ____ Job No. 8168 Division No. ____
Date ____ Checked ____ Survey of PALM AVE.
Date DEC 1 1939 Survey by E. WARNS Notes Sept. 1939
Date ____ Map No. ____ Indexed A. C. JOHNSON Date ____

STATION	B. S.	H. I.	F. S	ELEV.		
		1387.583 ✓				
T.P.	0.902	1377.482	11.003	1376.580	✓	
P.Pt. #6 (P9.6)			3.36	1374.12	✓	
T.P.	1.529	1367.280	11.731	1365.751	✓	
T.P.	2.363	1359.461	10.182	1357.098	✓	
P.Pt. #7 (P9.6)			9.20	1350.26	✓	
T.P. - P.Pt. #8	1.898	1349.835	11.521	1347.940	✓	
T.P. - P.Pt. #9 (P9.6)	1.353	1339.261	11.935	1337.903	✓	
			7.95	1331.31	✓	
T.P.	1.285	1328.959	11.587	1327.674	✓	
T.P.	1.446	1318.693	11.712	1317.247	✓	
T.P.	0.215	1306.929	11.979	1306.714	✓	
P.Pt. #10 (P9.6)			9.18	1297.75	✓	
T.P.	0.381	1295.805	11.505	1295.424	✓	
T.P.	1.617	1286.506	10.916	1284.889	✓	
P.Pt. #11 (P9.7)			3.99	1282.52	✓	
T.P.	0.786	1276.031	11.261	1275.245	✓	
P.Pt. #12 (P9.7)			4.29	1271.74	✓	
T.P.	1.008	1265.734	11.305	1264.726	✓	
P.Pt. #12-A			5.78	1259.95	✓	
T.P.	0.447	1255.687	10.494	1255.240	✓	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 6874 P.G. 12 | Job. No. 8168 | Division No. | Notes Red | Plotted | Profile
Survey of Palm Ave | Date | No.
Survey by EVANS | Notes S 20/19 | Checked | X-Sec.
Indexed A. C. Johnson | Date 11-27-36 | Date DEC 1 1936 | No.

STATION	B. S.	H. I.	F. S	ELEV.		
		1255.687				
T.P.	1.489	1245.589	11.487	1244.200		
T.P. P.Pt. #13 (Pg. 7.)	1.275	1235.103	11.829	1233.160		
			2.51	1232.60		
T.P.	3.703	1226.943	11.863	1223.240	B.M. # P 3 - 300± S. of S. end of bldgs. of U.S. Forest Service, Headquarters Arroyo Seco Div., on N. side Arroyo Seco Rd. near rock loading platform # on top of small knoll; set 2" I.P. + B.C. in Conc 6" high Elev. 1220.888.	
B.M. #P.3.	1.031	1221.919	6.055	1220.888		
T.P. P.Pt. #14	2.795	1212.818	11.896	1210.023		
T.P.	4.561	1205.733	11.646	1201.172		
T.P.	0.193	1197.330	8.596	1197.137		
T.P.	4.141	1191.319	10.152	1187.178		
B.M. #P.4.	3.314	1190.444	4.189	1187.130	Fd. Large Brass Plug in Conc. Set in Large Rock. Marked B.M. Chiseled in Rock 5.9 ft. South on Bearing S.24° 15' E from int. of Forest Duty and E. of Arroyo Seco Rd. & 46.2 ft. S.E. of Spring in 4x4 Conc. Box. B.M. & Spring Box are on the East Side of said Angeles Nat. Forest Duty Sign Stands 47 ft. West of B.M. Elev. 1187.130	
T.P.	0.569	1179.159	11.854	1178.590		
T.P.	3.523	1170.874	11.808	1167.351		
T.P.	1.231	1167.547	4.558	1166.316		
T.P.	2.986	1162.701	7.832	1159.715		
T.P	0.719	1152.911	10.509	1152.192		
T.P. U.S.C.G.S. Geodetic B.M. 8.172-1934	5.980	1158.320	0.571	1152.340	Fd. U.S. Coast & Geodetic Brass Cap set in Conc. Corner of Concrete Bridge crossing Arroyo Seco Canyon approx. 1½ MILES above Devils gate Dam. 1152.475 per U.S.C.G.S. 1934 Elev. 1152.572	
	5.792	1158.364	5.748	1152.572		
T.P.	3.932	1158.027	4.269	1154.095		
T.P.	0.664	1147.103	11.588	1146.439		
T.P	0.162	1135.576	11.689	1135.414		

Marked R.E. 2177

Marked Elev. 1152.572

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		1135.576 ✓				
T.P.	2.360	1125.947 ✓	11.989 ✓	1123.587 ✓	B.M.#3A. - Foothill Blvd Survey - Fd bart spk conc. abutment S.E. cor. wooden bridge over Arroyo Seco at proposed Foothill Blvd.-LB.384-140	
B.M. #3A.			6.362	1119.585 ✓	El. per L.B.384-140 = 1119.575 Error = 0.010 ✓	

Profile Notes Red. Platted L. B. 6854 Pg. 15
No. Date Date Job No. 8168 Division No.
X-Sec. Notes Cpkd. Date Survey of Palm Ave
No. Date Checked Survey by E. Evans Notes Sedig Date 11-27-36
Date Map No. Indexed A. C. Johnson

B. 584 P.G. 14 Job. No._____ Division No._____ Notes Red_____ Plotted_____ Profile

Survey of_____ Date_____ Date_____ No._____

Survey by_____ Notes_____ Notes Chkd._____ Checked_____ X-Sec.

Indexed_____ Date_____ Date_____ Date_____ No._____

STATION	B. S.	H. I.	F. S	ELEV.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Form 381 40M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
P#1	P#2	7.58							1445.33	1			1449.12					
		6	139	7.0	0.00	139	+	1.48	1446.79	41	−	2.64		+	4.36	P#2 = G.L.		
		5.73								2								
		4.	174	5.0	111.35	173	−	4.54	1429.7	3						E. Rd		
		9.75																
		8.	176	9.0	99.30	174	+	5.41	1457.6	4						T. B.		
		11.78																
		10.	179	16.0	107.50	179	−	1.19	1429.3	5						E. Rd.		
		9.55																
		8.	156	9.0	99.10	154	+	6.12	1457.0	6						T. B.		
		8.53																
		7	154	8.0	100.25	153	−	4.07	1430.4	7						E. Rd		
		10.25																
		9.	136	10.0	98.05	134	+	7.09	1456.0	8						T. B		
		10.49																
		9.	150	10.0	106.15	149	−	3.23	1430.6	9						E. Rd.		
		4.93																
		4	94	4.0	102.15	93	+	4.54	1453.3	10						T. B.		
		4.20																
		3	121	4.0	113.30	120	−	5.40	1433.4	11						E. Rd.		
		4.71																
		4.	72	4.0	98.50	71	+	6.22	1453.4	12						T. B.		
		11.16																
		10.	117	11.0	108.50	117	−	2.22	1433.5	13						E. Rd		
		9.8.8																
		9	89	9.0	115.00	89	−	2.22	1436.6	14						T.		
		2.30																
		2	31	2.0	59.50	31	+	6.55	1451.1	15						T. B		
		8.86																
		8	87	8.0	111.15	87	−	3.31	1436.0	16						E. Rd		
		2.49																
		2	50	2.0	11.45	50	+	2.25	1449.5	17						T. B		
		10.51																
		10	52	10.0	117.20	52	−	0.11	1439.4	18						E. Rd		
		10.52																
		10.	53	9.9	107.05	53	−	0.00	1439.5	19						E. Rd		
		5.98																
		5	99	5.0	8.00	99	+	1.72	1447.5	20						E. Rd		
		6.46																
		6	17	6.4	100.25	17	−	3.50	1439.8									
		4.22																
		4	23	6.2	25.00	23	−	6.00	1447.5									

RECEIVED DEC 18 1936 Surveyor

Notes Checked Surveyor

Date Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
P#1		411 / 4	12	4 0	5 20	12	− 0 00	1445 4	1		1449 43		E. Rd.		
		421 / 4	22	3 8	24 40	22	− 0 00	1445 6	2				E. Rd.		
		111 / 1	12	0 5	305 10	12	− 0 00	1448 9	3				T. B		
		246 / 2	47	2 5	2 50	47	− 0 0	1446 9	4				E. Rd		
		248 / 2	49	2 4	351 05	49	− 3 0	1447 3	5				" "		
		541 / 5	48	5 2	281 25	48	+ 2 31	1446 5	6				T. B.		
		603 / 3	104	6 0	359 10	104	+ 2 11	1447 4	7				E. Rd		
		895 / 8	96	8 0	278 25	96	+ 1 46	1444 4	8				T. B		
		838 / 7	139	7 2	278 00	139	− 0 00	1441 5	9				T. B		
		1108 / 10	109	11 0	71 10	107	+ 8 20	1454 0	10				FL		
		1104 / 9	205	10 0	84 20	203	+ 5 23	1458 5	11				FL		
		317 / 3	18	3 0	315 30	18	+ 8 54	1449 2	12				4 st. B.W. FM.		
		284 / 2	85	2 0	357 05	85	+ 0 21	1447 9	13				" "		
		522 / 4	123	5 0	359 36	123	+ 1 05	1446 7	14				FM Gate		
		535 / 4	136	5 0	0 00	136	+ 1 03	1446 8	15				" "		
		662 / 5	163	6 0	0 50	163	+ 1 22	1447 3	16				V. FM's.		
		448 / 4	49	4 0	24 45	48	+ 5 51	1450 4	17				T. P		
		445 / 4	46	4 0	16 15	45	+ 6 13	1450 5	18				TP		
		362 / 3	63	3 0	357 50	63	+ 1 46	1448 4	19				6" O		
P#2	P#3	1445 / 9	246	11 7	0 00	246	− 0 00	1446 74 / 1440 24	20 / 21	5 0	1451 74	0 0	" " P3		
		592 / 5	93	5 0	182 45		+ 51						T.B.		

Index of Draw Y.D's: Break in Slope ... Br.S. Steep Slope ... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ... T.Sp. Bottom Canyon ... B.Can.

Side of Canyon S.Cn.: Flat ... F.B. Bank ... B.B. Bottom of Cut ... B.C. Top of Cut ... T.C. Bottom of Fill ... B.F. Top of Fill ... T.F. Bottom of Fill ... B.F.

Saddle ... Sa. Swale ... Sw. Flat ... Fl. Stream ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road ... E.Rd.

Traveled Rd. Tr.Rd. Fence ... Fe. Int. Fence ... V.Fe. Sycamore ... Sy. Ditch ... Di. Telephone Pole ... T.P. Power Pole ... P.P. Culvert ... Cul.

Oak-O. Pine-Pi. Cedar-Ce. Live Oak ... Liv. Eucalyptus ... Eu. Pine combinations of these and all common standard abbreviations.

Topographic Description Legend: Hill ... Draw A.D. Side of Ridge S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope ... T.S.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ —	Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#2	P#3				° '		—	° '		1		1451.74				
		297								2						
		7	98	70	223.15	98	+	0.25	1445.4					FL.		
		342								3						
		3	43	30	128.10	43	+	0.36	1449.2					36" EU.		
		441								4				End of Rock		
		4	42	40	121.35	42	+	0.11	1447.8					Ditch 3' Wide		
		626								5						
		5	127	60	245.20	127	—	1.54	1441.6					3" Pipeline		
		446								6						
		4	47	40	124.50	47	+	0.47	1448.4					24" EU		
		445								7						
		4	46	40	113.45	46	+	0.28	1448.2					End Gutter		
		598								8						
		5	99	50	251.55	99	—	2.18	1442.8					40" O		
		371								9						
		3	72	30	116.05	72	+	1.33	1450.7					40" EU.		
		383								10						
		3	84	30	113.30	84	+	1.31	1451.0					18" EU		
		289								11						
		2	90	20	112.10	90	+	1.02	1451.3					40 EU		
		393								12						
		3	94	30	112.00	94	+	1.36	1451.4					8" EU.		
		380								13						
		3	81	30	258.30	80	—	4.20	1442.7					6" O		
		312								14						
		2	113	30	110.15	113	+	1.43	1452.1					24" EU		
		22A								15						
		1	122	20	108.50	122	+	1.26	1452.6					16" EU		
		353								16						
		2	154	30	106.30	154	+	1.55	1453.7					24" EU		
		440								17						
		4	41	40	236.55	41	—	2.54	1445.7					BK FL		
		453								18						
		5	154	40	104.55	154	+	2.05	1453.2					B. R. D.		
		452								19						
		5	153	40	102.05	153	+	2.08	1453.3					T. C		
		283								20						
		1	184	20	105.25	184	+	1.45	1455.3					30" EU		
		100								21						
		1	201	20	104.45	201	+	1.50	1456.1							

M. D. DARLING
Rodman
Note Rod.
Note Chkd.
Date
Checked
Date
Survey by
Date
Traverse by
Date

DEC 18 1936

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 614 PG. 4

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Intersection of Draw ..... V.D's
Break in Slope ..... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon ..... S.Cn.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sd.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvd.
Edge of Road ..... E.Rd.

Transit Rd. Trail ..... Tr.Rd.
Fence ..... Fe.
Int. Fence ..... V.Fe.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Pine ..... Pi.
Pine-Pi. Cedar ..... Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P2	P3				° '		° '				1451.74				
		398													
		2	199	3 0	103 40	199	+ 1 51	1455 0					BRock Di,		
		395													
		1	196	2 0	101 05	196	+ 1 47	1455 8					T.C.		
		395													
		2	196	3 0	100 40	196	+ 1 51	1455 0					B.C.E Rd.		
		393													
		2	194	3 0	97 25	194	+ 2 00	1455 4					E Rd.		
		393													
		3	194	4 0	94 30	194	+ 2 14	1454 9					B. Gutter		
		394													
		2	195	3 0	94 00	195	+ 2 08	1455 9					T.C		
		393													
		3	194	4 0	92 40	194	+ 2 14	1455 1					Bot of Rock Outcrop 3' Wide		
		382													
		2	183	3 0	90 55	183	+ 2 03	1455 2					30" Palm		
		385													
		2	186	3 0	90 15	185	+ 2 56	1458 2					" "		
		450													
		3	151	4 0	89 20	151	+ 2 07	1453 2					6" "		
		532													
		4	133	5 0	88 25	133	+ 2 27	1452 4					30" "		
		516													
		4	117	5 0	86 50	117	+ 2 21	1451 4					28" "		
		485													
		4	86	5 0	83 50	86	+ 2 25	1450 4					28" "		
		480													
		4	81	5 0	81 10	81	+ 2 31	1450 3					End FM.		
		514													
		4	115	5 0	88 50	115	+ 2 00	1450 7					Bot. Rock Di.		
		513													
		4	114	5 0	91 00	114	+ 2 23	1451 5					T.B		
		612													
		3	113	6 0	91 30	113	+ 2 41	1451 0					B.C.		
		611													
		3	112	6 0	96 40	112	+ 2 53	1451 3					E Rd.		
		611													
		3	112	6 0	103 05	112	+ 2 36	1450 7					B.C.		

Add'n'l Inform.

Form-801 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P2	P3				° '		° '				1451.74				
		555							1						
		5	56	5	78 10	56	+ 1 26	1448 1	2				End of R. D. 3" wide		
		437											Beg. Dirt Wash		
		4	40	4	74 20	40	+ 1 38	1448 9	3						
		539							4				End & T.C.		
		5	40	5	77 35	40	+ 2 08	1448 2	5				B. C.		
		436													
		4	37	4	94 25	37	+ 0 56	1448 3	6				℄ Rd. at angle point		
		522											T.C. of Wash		
		5	23	5	14 40	23	+ 1 16	1447 3	7						
		620													
		6	21	6	17 10	21	— 0 00	1445 6	8				B. W.		
		517													
		5	18	4	18 55	18	— 0 00	1447 2	9				T. W.		
		530													
		5	31	5	262 35	31	— 3 21	1445 0	10				T.C. E. Rd.		
		629													
		6	30	6	268 40	30	— 3 21	1444 0	11				3" Pipe		
		621											3" Pipe Line		
		6	22	6	282 20	22	— 3 34	1444 5	12				E. Rd.		
		546											Top Wash		
		5	47	5	277 30	47	— 3 57	1443 5	13				E. Rd.		
		548													
		5	49	5	280 40	49	— 5 20	1442 4	14				B.W. E. Rd.		
		451													
		4	52	4	283 10	52	— 4 34	1443 6	15				E. Rd. T. B.		
		439													
		4	40	4	299 20	40	— 5 12	1444 3	16				E Rd. Beg Curve		
		468													
		4	69	4	281 45	68	— 4 49	1442 1	17				8" Oak		
		407													
		3	108	4	270 35	107	— 4 33	1439 3	18				T. W. at Angle Pt		
		507													
		4	108	5	268 53	107	— 4 41	1438 0	19				B.W.		
		405													
		3	106	4	267 15	105	— 4 30	1439 5	20				T.B.		
		432													
		5	133	4	258 00	132	— 3 36	1439 5					B.K. in F.L.		
		561							21						
		4	162	5	244 15	162	— 2 10	1440 8					B.K. in F.L.		

Add'l Inform.

R.D. DARLING
Notes Red. DEC 14 1936 Plotted DEC 18 1936 Division No. 168
Notes Chkd. Checked Survey by E. Davis Notes 5-6-36 Date 11-2-36
Date Mag No. Traverse C. Jones

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical — Angle	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P#2	P#3								1		1451.74				
		540							2						
		5	41	50	312 30	41	- 2 15	1445 2							
		543							3				BK. S		
		4	144	50	270 00	143	- 3 57	1437 1					E.B. Bank Wash.		
		645							4						
		5	146	60	270 45	145	- 3 47	1436 2					B.W.		
		645							5						
		5	146	50	271 50	145	- 3 52	1437 0					W. Bank W.		
		450							6						
		3	151	40	273 45	150	- 4 10	1436 9					8" O		
		461							7						
		3	162	40	273 20	161	- 4 04	1436 4					10" O		
		320							8						
		3	21	30	350 25	21	- 4 27	1447 1					T. P.		
		535							9						
		4	136	50	357 55	136	- 0 25	1445 9					T. P.		
		433							10						
		3	134	40	19 30	134	- 0 00	1447 6					BK T. Wash		
		534							11						
		4	135	48	20 53	135	- 0 00	1446 9					B.W.		
		436							12						
		3	137	36	22 45	137	- 0 00	1448 1					BK. wash		
		359							13						
		3	60	29	122 22	60	- 0 00	1448 8		29		0	Bench Mark. #P1		
		422							14						
		3	173	40	46 55	173	+ 1 11	1451 2					FL		
		516							15						
		4	117	50	289 45	116	- 3 45	1439 2					FL.		
		509							16						
		4	110	50	301 45	110	- 3 13	1440 6					E Rd		
		906							17						
		8	107	90	309 20	107	- 1 09	1440 6					E Rd. & C		
		906							18						
		8	107	90	310 10	107	- 0 40	1441 5					T.C.		
		495							19						
		3	196	40	55 30	196	+ 1 32	1452 9					Pipe Line		
		435							20				Angle PT.		
		3	136	40	54 10	136	+ 1 35	1451 4					Pipe Line		
		565							21						
		5	66	52	19 40	66	+ 0 21	1447 2					FL		

Add'n'l Interm.

Topography Description Legend:
Side of Hill: Draw...S.H. Bottom Draw...B.D.
Side of Ridge...S.R. Bottom Wash...B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Ends of Draw H.D. Top of Slope...T.S.

Intersection of Draw...V.D's Break in Slope...Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Side of Canyon S.Cn. Saddle Swale Flat Stream Trail Pavement Edge of Road E.Rd.
Top of Bank...T.B. Bottom of Bank...B.B. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.F. Bottom of Fill...B.F.

Traveled Rd. Tr.Rd. Fence Int. Fences...V.Fs. Ditch Telephone Pole T.P. Power Pole...P.P. Culvert
Oak...O. Pine-Pi. Sycamore Eucalyptus Pine combinations of these and all common abbreviations.
Fir-Fr. Cedar-Ce. Sy. Eu. standard

E.B. 664 Pg. 29

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#2	P#3				° '		° '				1451.74				
		482							1						
		8	83	4	329 55	83	− 2 43	1443.9	2				FL		
		888							3						
		7	189	8	292 30	189	− 2 15	1436.5	4				FL.		
		743							5						
		6	144	7	300 30	144	− 2 14	1439.3	6				BK.		
		640							7						
		5	141	6	304 10	141	− 1 55	1441.2	8				T. C.		
		840							9						
		5	141	8	305 50	141	− 2 06	1438.6	10				B.C. S.E. Rd.		
		1035							11						
		9	136	10	311 00	136	− 1 31	1438.3	12				B.C. N.E. Rd		
		836							13						
		7	137	8	311 50	137	− 1 27	1440.4	14				T. C		
		533						1440.07			1444.87				
P#3	P#4	2	334	4	0 00	332.6	− 3 45	1419.07	4 8	25.8		21.8	P4		
		945							16						
		7	246	8	144 00	246	+ 0 44	1440.9	17				14" O		
		965							18						
		7	266	8	152 10	266	− 0 00	1436.9	19				10" O		
		882							20				Cluster 8" & Dia. of 6-18" Oaks		
		6	283	7	157 15	283	− 0 00	1437.5	21						
		355							22						
		3	56	3	87 10	56	+ 2 22	1444.2	23				10" O		
		1164							24						
		10	165	11	162 10	165	+ 1 40	1438.7	25				T.C. N.E. Rd.		
		967							26						
		8	168	9	162 45	168	− 0 05	1435.7	27				B.C. N.E. Rd		
		972							28						
		8	178	9	165 50	178	− 0 00	1435.9	29				S.		
		410							30						
		4	11	4	145 20	11	− 0 00	1440.6	31				T.P.		
		356							32						
		5	57	3	72 05	57	+ 2 39	1444.5	33				BK.		
		366							34						
		5	67	3	65 45	67	+ 2 06	1444.4	35				BK.		
		270							36						
		5	71	2	63 45	71	+ 1 31	1444.7	37				BK.		
		376							38						
		5	77	3	62 20	77	+ 2 45	1445.6	39				BK.		

Add'l Interm.

Date DEC 14 1936 Plotted by M.P. DARLING Date DEC 18 1936 Traced by E.L. Date Checked by Date Map No. Index No. Notes Checked by Survey by EVANS Notes Sheet No. 2 of 2 Sheets

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P#3	P#4				° '		° '		1		144.87				
		781							2						
		6	182	7 0	166 45	182	− 0.09	1437.5					T.C.S. Ed Rd		
		544							3						
		4	145	5 0	40 05	144	+ 3.81	1448.8					FL		
		987							4						
		8	188	9 0	168 40	188	+ 0.38	1438.1					BK.		
		892							5						
		7	193	8 0	169 35	193	− 0.32	1435.2					BK.		
		458							6						
		2	259	4 0	30 45	258	+ 2.37	1452.9					FL.		
		1022							7						
		8	223	9 0	177 50	223	− 2.00	1428.2					S.H.		
		978							8						
		8	179	9 0	185 45	178	− 4.04	1423.2					BK. S.H.		
		541							9						
		3	242	4 0	20 10	242	+ 1.50	1448.6					Ed. of FL.		
		858							10						
		7	159	8 0	178 05	159	− 2.00	1431.4					BK.		
		652							11						
		3	153	6 0	175 40	153	− 1.55	1433.7					Ed. Rd.		
		555							12						
		4	156	5 0	18 55	156	+ 2.18	1446.1					Ed. FL.		
		844							13						
		7	145	8 0	172 35	145	− 1.32	1433.0					B.C. N. E Rd		
		643							14						
		5	144	6 0	172 00	144	− 1.25	1435.3					T.C. " " "		
		263							15						
		2	64	2 0	21 26	64	− 0.06	1442.6					T. BK. FL & Wash		
		557							16						
		5	58	5 3	20 40	58	− 0.00	1439.6					B. W.		
		552							17						
		5	53	5 0	18 45	53	− 0.18	1439.6					B. W.		
		330							18						
		3	31	3 0	13 25	31	− 0.35	1441.5					BK Ed. FL.		
		331							19						
		3	32	3 0	358 35	31	− 7.41	1437.6					BK.		
		423							20						
		4	24	4 0	203 05	24	− 4.13	1439.1					BK.		
		808							21						
		3	109	8 0	184 45	109	− 1.39	1438.7					TC N E Rd		

Fir-Pf. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Pine combinations of these and all common standard abbreviations. Oak-O.

Traveled Rd. Tr. Rd. Fence ....Fe. Int.-Fences..V.Fe. Ditch ....Dt. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Sw. ....Sw. Fl. ....Fl. Str. ....Str. Tr. ....Tr. Pvt. E.Rd. ....Pvt. E.Rd.

Saddle ....Sd. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ....T.B. Bottom of Bank..B.B. Top of Cut ....T.C. Bottom of Cut ..B.C. Top of Fill ....T.F. Bottom of Fill..B.F.

Inters. of Draw..V.D's Break in Slope..Bk.S. Steep Slope ....S.S. Top of Cliff ....T.Cl. Bottom of Cliff ..B.Cl. Top of Spur ....T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend:
Hill ....H.
Bottom of Draw ....B.D.
Top of Ridge ....T.R.
Toe of Slope ....T.S.
Bottom of Draw ....B.D.
Top of Ridge ....T.R.
Toe of Slope ....T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P3	P4				° '		° '				144.87				
		777							1						
		7	78	7	200 35	78	− 2 27	1434.5					Fm. Line		
		364							2				Int of FL + TC		
		3	65	3	171 55	65	− 2 03	1439.5					End Fm.		
		405							3						
		3	106	4	148 50	106	+ 0 48	1442.4					FL.		
		809							4						
		7	110	8	185 50	110	− 3 03	1431.9					B.C. N.E. Rd.		
		818							5						
		7	119	8	190 50	119	− 2 33	1431.5					T.F.S.E. Rd.		
		823							6						
		7	124	8	192 15	123	− 3 52	1428.5					B.F.		
		746							7						
		7	47	7	222 25	46	− 7 12	1432.0					T.C.		
		1038							8						
		9	139	10	196 30	138	− 4 56	1422.9					BK. SL.		
		851							9						
		8	52	180	328 50	50 ✓	− 10 14	1427.8 ✓		17.1		9.1	T.C.		
		1060							10						
		10	61 ✓	10	333 25	58 ✓	− 12 57	1421.5 ✓		23.2		13.2	BK. T.C.		
		468 ✓							11						
		4	69	4	335 10	65 ✓	− 13 13	1425.5 ✓		19.4		15.4	T.C.		
		652							12						
		6	53	6	345 15	52	− 7 35	1431.9					B.K.		
		1062							13						
		9	163	10	203 40	161	− 6 08	1417.5					S.H.		
		954							14						
		9	55	9	356 05	55	− 0 20	1435.5					B.K.		
		559							15						
		5	60	5	1 45	60	− 0 00	1439.2					B.K.		
		962							16						
		9	63	8	7 00	63	− 0 00	1436.1					E & B.W.		
		865							17						
		8	66	8	9 55	66	− 0 00	1436.9					B.W.		
		569							18						
		5	70	4	12 20	70	− 0 00	1440.1					B.K.		
		938							19						
		9	139	9	227 40	134	− 10 47	1410.4					End Fm.		
		797							20						
		7	98	7	213 20	96	− 7 34	1425.0					B.F.		
									21						

Add'l Inform.

Date Rod. DEC 14 1936 Party DLM P. Phillips
Notes Chkd. Checked Survey of Palm Ave.
Date Map No. Assessed C. 50

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#3	P#4				° '		° '				1444.87				
		833 / 7	134	8	348 50	132	− 7.46	1418.9					T.C.		
		788 / 7	89	7	209 40	88	− 5.05	1430.0					T.F. S.E Rd.		
		729 / 6	80	7	204 25	79	− 4.37	1429.5					B.C. N.E Rd		
		529 / 4	130	5	354 40	129	− 5.40	1427.1					B.K.		
		628 / 5	129	6	355 35	128	− 5.28	1426.6					B.W.		
		630 / 5	131	6	357 45	130	− 5.13	1426.9					B.W.		
		630 / 5	131	6	359 50	130	− 3.37	1430.8					B.K.		
		943 / 9	44	9	236 40	42	− 13.0	1426.9					B.C. N.E. Rd		
		250 / 4	51	7	242 30	48	− 12.57	1426.6					E Rd.		
		653 / 6	54	6	244 35	51	− 12.46	1427.2					T.F.		
		250 / 4	51	7	317 10	46	− 18.52	1422.4					B.C. E Rd.		
		558 / 5	59	5	310 40	53	− 18.22	1422.1					E Rd.		
		362 / 3	63	3	308 45	57	− 15.41	1422.5					T.F.		
		984 / 8	185	9	9 05	185	+ 0.59	1439.1					B.K.		
		996 / 9	97	9	341 10	93	− 11.18	1417.3					B.C. E.Rd		
		700 / 8	101	9	335 25	97	− 11.13	1416.5					E. Rd		
		901 / 8	102	9	333 35	98	− 10.44	1417.2					T.F.		
		889 / 7	190	8	0 35	189	− 3.02	1426.9					B.K.		
		1045 / 9	146	10	347 10	142	− 8.47	1412.8					B.C.		
		1092 / 9	193	10	358 40	192	− 4.23	1420.2					B.K. B.W.		

Add'n'l Intercepts

Fir-Fr. ... Oak-O. ... Pine-Pi. ... Cedar-Ce. ... Sycamore ... Sy. ... Eucalyptus ... Eu. ... Pine combinations of these and all common standard abbreviations.

Xcrossbed Rd. Tr. Rd. ... Fence ... V. Fn. ... Ind. Fences ... I. Fn. ... Ditch ... Ds. ... Telephone Pole ... T.P. ... Power Pole ... P.P. ... Culvert ... Cul.

Saddle ... Sa. ... Swale ... Sw. ... Flat ... Fl. ... Stream ... Str. ... Trail ... Tr. ... Pavement ... Pvt. ... Edge of Road ... E.Rd.

Side of Canyon ... S.Cn. ... Bank ... T.B. ... Bottom of Bank ... B.B. ... Cut ... T.C. ... Bottom of Cut ... B.C. ... Fill ... T.F. ... Top of Fill ... B.F. ... Bottom of Fill ... B.F.

Inters. of Draw, V.R.'s or Streams ... S.S. ... Top of Cliff ... T.Cl. ... Bottom of Cliff ... B.Cl. ... Top of Spur ... T.Sp. ... Bottom Canyon ... B.Cn.

Top of Slope ... T.S. ... Bottom Draw ... B.D. ... Bottom Wash ... B.W. ... Top of Ridge ... T.R. ... Toe of Slope ... T.S.

Top of Bank ... T.B. ... Bottom Draw ... B.D. ... Top of Ridge ... T.R. ... Head of Draw ... H.D.

Add'n'l Intercepts

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P.E. 3	P.E. 4				° '		° '				1444.87				
		1093 / 893	194	100	357 40	193	− 4.52	1418.5					B.W.		
		893 / 748	194	80	356 10	193	− 4.43	1421.0					B.K.		
		748 / 586	149	90	343 35	145	− 8.57	1413.2					T.F. E. Rd		
		1186 / 1088	187	110	352 25	185	− 6.03	1414.2					T.C.		
		1088 / 988	199	110	357 20	195	− 7.45	1407.4					B.C.		
		1088 / 988	199	100	349 05	195	− 7.57	1408.2					E. Rd		
		1088 / 886	201	90	348 00	197	− 8.00	1408.1					T.F.		
		606 / 305	301	50	14 05	301½	− 1.35	1448.2					Ed. FL		
		605 / 305	306	50	23 05	306	+ 2.03	1450.6					BK.		
P.E. 3	P.E. 4	356 / 305	57	30	298 50	50¾	− 20.17	1423.3		21.52		18.52	P.E. 3A.		
P.E. 3A	P.E. 5							1423.00	4.5		1427.56		—		
		547 / 504	47	60	79 00	47	− 2.37	1419.5					B.F.		
		504 / 500	05	40	66 30	5	− 0.00	1422.7					T.P.		
		1015 / 10.	16	100	198 00	15	− 10.24	1414.6					B.F.		
		544 / 500	45	50	173 15	36	− 26.14	1404.8					T.P.		
		1125 / 11.	26	110	204 25	25	− 10.14	1412.0					B.F. E. & W.		
		1131 / 11.	32	110	210 20	30	− 15.12	1408.5					B.W.		
		836 / 8.	37	80	213 10	35	− 14.48	1410.5					B.F. E. & W.		
		732 / 6.	133	70	175 20	107	− 25.59	1368.2					E. & W.		

Add'n'l Inform.

M.C.D. DARLING Notes Red. Notes Chkd. DEC 14 1936 Checked DEC 18 1936 Dwgs No. 1166 E. Dwgs No. F. Dwgs No. Plat at Palm Ave. Survey by Fellows Notes Red. C. Johnson Date Date Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#3A	P#3				° '		° '		1		1427.56				
		1635	136	11.0	178 00	112	24 46	13648	2				T.P. B.W.		
		1636	137	11.0	180 00	113	24 26	13652	3				B.W.		
		840	141	8.0	182 20	116	24 26	13665	4				Ed. W.		
		769	70	7.0	234 10	68	8 17	14106	5				B.F.		
		447	248	3.0	179 50	213	21 56	13387	6				P.P.		
		1010	111	10.0	237 25	110	5 47	14064	7				B.F.		
		950	251	8.0	178 50	225	18 31	13439	8				T.P.		
		1070	171	10	238 55	169	5 44	14007	9				B.F.		
		1860	261	7.0	184 20	235	18 05	13415	10				B.K.		
		664	265	5.0	186 45	238	18 [illegible]	13428	11				S.W.		
		1090	191	10.0	231 05	186	9 23	13868	12				S.H.		
		972	273	8.0	191 25	250	16 33	13448	13				B.K.		
		1022	123	10.0	220 00	116	13 16	13901	14				S.H.		
		790	291	7.0	197 50	271	15 13	13469	15				B.K., FL.		
		1070	71	10.0	183 20	61	21 57	13930	16				S.H. Ed. Wash		
		1806	307	10.0	201 05	289	14 02	13455	17				S.W.		
		820	321	7.0	202 25	302	13 55	13456	18				B.K. S.W.		
		1070	71	10.0	178 50	57	26 12	13895	19				B.W.		
		1046	347	9.0	205 15	332	11 48	13493	20				P.P.		
		867	68	8.0	174 10	56	24 40	13937	21				Ed. W.		

Add'n'l remarks

Pg. 26

Fr.-F. Fm.-Pl. Ceda.-Ca. Ch.-O. Eq. Eucalyptus ... Eu. Pine combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. ... Fence ... Fn. Int. Fences ... V. Fn. Ditch ... Dt. Telephone Pole ... T.P. Power Pole ... P.P. Culvert ... Cul.

Saddle ... Sa. Sta. ... Sta. Flat ... Fl. Stream ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road ... E.Rd.

Ocean ... O.Sh. Bank ... B.B. Top of Bank ... T.B. Bottom of Bank ... B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill ... B.F.

Side of Draw ... S.D. Top of Bk. ... T.Bk. Bottom of Slope ... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ... T.Sp. Bottom Canyon ... B.Cn.

Intersection of Draw with Bk. ... S.Bk. Sloping Break in Slope ... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ... T.Sp. Bottom Canyon ... B.Cn.

Description Legend: Fill ... F. Side of Draw ... S.D. Bottom Draw ... B.D. Bottom Wash ... B.W. Top of Ridge ... T.R. Toe of Slope ... T.S.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
BA	B3										1427.56				
		803							1						
		7	104	8	118.35	95	16.38	1391	2				SH		
		1116							3						
		8	317	10	217.20	305	11.10	1357					BK. FL.		
		950							4						
		8	151	9	133.45	132	20.46	1368					T. S. BK.		
		992							5						
		7	293	9	213.20	276	13.37	1351					B. SW.		
		685							6						
		4	286	5	212.30	267	14.48	1352					B. SW		
		1075							7						
		9	136	10	160.10	111	25.07	1365					BK.		
		1065							8						
		8	266	10	211.10	250	13.53	1355					8" O		
		1175							9						
		9	276	10	208.50	259	14.05	1352					8" O		
		1000							10						
		9	101	10	177.45	84	23.54	1380					Ed. W.		
		960							11						
		7	261	8	207.30	244	14.49	1355					BK.		
		1106							12						
		10	107	11	182.55	86	26.32	1374					B. W.		
		1238							13						
		5	239	6	200.50	218	17.12	1354					BK		
		1103							14						
		10	104	11	190.05	90	21.33	1381					Ed. W		
		726							15						
		5	227	6	196.45	205	17.56	1355					B. SW.		
		1053							16						
		9	154	10	202.20	136	19.43	1368					BK. T. S.		
		620							17						
		4	221	5	193.00	195	19.47	1352					BK		
		910							18						
		7	211	8	189.00	186	19.54	1352					B. SW.		
		900							19						
		7	201	8	220.15	188	14.24	1371					T. S.		
		606							20						
		4	207	5	184.40	180	20.54	1353					BK.		
		928							21						
		7	229	8	216.50	216	13.45	1386					BK		

Ass't Inform.

M.B. DARLING Plotted by P. DARLING Plotted No. 2
Notes Red. Checked DEC 18 1936 Book No.
Notes Clkd. Checked Survey by E. BRIMS Notes C. Jobson
Date Date Index Map No.

Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 4	P# 3				° '		° '	1419.13	4.2		1423.33				
		1110	111	110	13.30	110	- 4.00	1404.6					Ed. Rd B.C.		
		512	113	50	18.20	111	- 6.58	1404.8					" " T.F.		
		814	115	80	19.35	114	- 5.12	1405.0					T.F		
		527	128	50	332.25	123	+ 10.56	1442.1					B.Sw.		
		979	80	90	20.25	78	- 9.43	1401.1					B.C. Ed. Rd.		
		883	84	80	26.50	81	- 9.54	1401.2					E. Rd T.F.		
		285	86	70	28.20	83	- 10.16	1401.4					T F		
		1099	100	100	314.25	90	+ 18.11	1443.0					BK		
		848	49	80	63.45	40	- 25.43	1396.3					B.C. E Rd.		
		460	61	40	67.10	50	- 25.27	1395.6					E Rd. T.F.		
		364	65	30	68.40	54	- 23.56	1396.3					T. F		
		295	96	20	349.25	96	+ 3.14	1426.9					BK. Sw.		
		565	66	50	347.00	65	+ 4.52	1423.9					" "		
		443	44	40	321.00	41	+ 16.00	1431.0					BK. S.H.		
		864	65	80	131.25	54	- 24.46	1391.1					B.C. E. Rd.		
		574	75	50	122.30	63	- 23.21	1391.0					E Rd. T.F.		
		709	110	70	144.45	101	- 16.24	1386.5					T. F		
		908	109	90	147.00	101	- 16.13	1385.2					E Rd		
		901	102	90	153.30	94	- 16.10	1387.9					B.C		
		696	97	60	154.50	89	- 16.06	1391.5					T.C.		

Add'n'l Intercepts

Topography Description Legend:
Hill: B.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Interp. of Draw, V.O's Broad Slope W.S. Top of Cliff T.Cl.
Steep Slope S.S. Bottom of Cliff B.Cl.
Top of Ridge T.Sp. Bottom of Spur B.Sp.
Bottom Canyon B.Cn. Top of Slope T.S.

Side of Canyon S.Cn. Top of Bank T.B.
Bottom of Bank B.B.
Bottom of Cut B.C.
Top of Fill T.F.
Bottom of Fill B.F.

Saddle
Swale
Flat
Strip
Trail
Pavement Pvt.
Edge of Road E.Rd.

Fence V. Fnc.
Ditch
Telephone Pole T.P.
Power Pole P.P.
Culvert Culv.

Fr. Fr.
Conc.-Pvt. Conc.-Co.
Sy.
Eucalyptus Eu.
Pine, combinations of them and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point		+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P4	P5				° '		° '					1423.33				
		894	95	8°	158.25	89	− 14.30	1392.3						B.K.		
		8 793														
		7	94	7°	160.05	89	− 12.46	1396.0						T.C.		
		904					+	1398								
		8	105 ✓	9°	359.05	105 ✓	3.04	1408	✓		− 3.4 1.06		+ 5.6	E.W.		
		1003														
		9	104 ✓	9°	1.45	104 ✓	0.19	1414.9	✓		8.4		+ 0.6	B.W.		
		606						1423								
		5	107 ✓	6°	4.15	107 ✓	1.37	1416.2			9.0		3.0	B.W.		
		602														
		5	103 ✓	6°	6.50	103 ✓	1.00	1415.5	✓		7.8		1.8	T.W. B.K.		
		1104														
		10	105 ✓	11°	11.30	105	− 0.40	1411.2	✓		1.22		1.2	T.C.		
		827														
		8	78	8°	158.20	74	− 12.35	1398.7						T.C. B.K.		
		880														
		8	81	8°	156.00	75	− 15.27	1394.5						B.C.B.K.		
		982														
		9	83	9°	153.40	77	− 15.21	1393.1						B.K. W.		
		890														
		8	91	8°	151.25	82	− 18.28	1388.0						B.W. E.Rd.		
		485														
		4	86	4°	149.50	77	− 18.30	1393.5						T.C.		
		886														
		8	87	8°	147.50	78	− 18.46	1389.0						B.C. E.Rd.		
		767														
		7	68	7°	20.20	67	− 8.06	1407.0						T.C.		
		564														
		5	65	5°	17.10	64	− 8.17	1409.1						B.K.		
		662														
		6	63 ✓	6°	15.30	62 ✓	8.38	1408.0	✓		1.53		9.3	B.W.		
		860														
		8	61 ✓	8°	10.10	60 ✓	6.10	1408.8	✓		1.45		6.5	B.W.		
		458														
		4	59	4°	7.15	59	− 5.03	1414.1						T.B.K.		
		540														
		5	41	5°	100.55	33	− 26.36	1401.9						T.C.		
		737														
		7	38	7°	103.25	30	− 27.00	1400.9						B.W.		

Add'l Inform.

Note Kept by: W.E. DARLING Job No. 6766 Book No.
Date: DEC 14 1936 Page
Notes Checked: DEC 18 1936 Survey by E. Watts Notes
Date: Map ckd. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 614 Pg. 30

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Bed of Draw ..... B.D. | Toe of Slope ..... T.S.

Intern. of Draw V. D'e ..... Ve.
Swale ..... Sw. | Top of Slope ..... T.S.
Shoe ..... T.Cl. | Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp. | Bottom of Canyon ..... B.Cn.

Side of Canyon ..... S.Cn.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Toe of Fill ..... B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Station ..... Sta.
Transition ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Fence ..... Fe.
Int. Fence ..... I.Fe.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Sycamore ..... Sy.
Eucalyptus ..... Eu.
Pine ..... Pi.
Cedar ..... Ce.

Use these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P4	P3				° '		° '		1		1423.33				
		920 / 9	21	9.0	106 30	17	− 26 59	1405.8	2				B.W.		
		624 / 6	25	6.0	106 15	20	− 25 35	1407.6	3				T. B.K.		
		517 / 4	118	5.0	147 10	108	− 16 52	1385.5	4				T.F. S. Bank W.		
		626 / 5	127	6.0	149 35	116	− 16 45	1382.5	5				B.W.		
		330 / 2	131	3.0	151 05	120	− 16 35	1384.4	6				T.F. N. Bank W		
		980 / 7	281	8.0	356 25	279	+ 4 54	1439.2	7				Gr. 2		
		848 / 7	149	8.0	155 30	142	− 12 42	1383.5	8				T.F.		
		1043 / 9	144	10.0	159 10	137	− 12 42	1382.5	9				E Rd		
		1139 / 10	140	11.0	163 15	133	− 12 41	1382.5	10				B.C.		
		837 / 7	139	8.0	164 00	133	− 12 16	1386.5	11				T.C.		
		554 / 4	155	5.0	358 35	154	+ 4 04	1429.2	12				Gr. 3		
		982 / 8	183	9.0	160 00	177	− 10 40	1381.1	13				T. F.		
		975 / 8	176	9.0	163 50	170	− 10 40	1382.5	14				T.C.		
		876 / 7	177	8.0	165 05	169	− 11 50	1379.9	15				E.Rd. B.C.		
		1071 / 9	172	10.0	168 30	165	− 11 33	1379.7	16				B.C. E.Rd.		
		704 / 7	05	7.1	89 05	5	− 0 00	1416.2	17				Gr. 4		
		505 / 3	206	4.0	160 50	198	− 11 03	1380.6	18				T. F		
		1000 / 8	201	9.0	167 30	195	− 9 41	1381.1	19				T.C. S. E.Rd		
		1098 / 9	199	10.0	168 55	192	− 10 43	1377.2	20				B.C. S.E. Rd.		
		1095 / 9	196	15.0	171 50	191	− 9 05	1377.9	21				B.C. N. E Rd.		

Add'n'l

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P4	P3				° '		° '				142 33				
		492													
		4	93	4°	183.35	93	− 3.28	14137					S.H.		
		1021													
		9	122	10°	165.15	119	− 9.26	13936					T.C.		
		979													
		8	180	9°	172.30	176	− 8.14	13889					F T.C.		
		801													
		6	202	7°	156.30	192	− 12.38	13733					B.F.		
		959													
		8	160	9°	151.30	150	− 14.11	13763					B.F.		
		864													
		7	165	8°	182.45	164	− 3.49	14045					Gr. S		
		749													
		6	150	7°	198.55	149	+ 4.54	14291					S.H.		
		1133													
		10	134	11°	145.05	124	− 15.29	13779					T.F Bank W.		
		1134													
		10	135	11°	144.45	124	− 16.21	13758					B.W.		
		1029													
		9	130	10°	143.53	119	− 16.26	13781					Bank W. T.F.		
		980													
		9	81	9°	213.30	76	+ 14.25	14339					S.H.		
		1095													
		10	96	10°	122.05	81	− 22.51	13799					B.F.		
		949													
		9	50	9°	285.20	38	+ 29.47	14358					8" O		
		1120													
		10	121	15°	265.30	103	+ 22.20	14510					FL.		
		1078													
		10	79	10°	79.45	66	− 23.24	13846					T.F		
		602													
		5	103	6°	238.05	92	+ 18.31	14483					18" O. BT FLOWLINE		
		945													
		8	146	9°	228.30	134	+ 16.09	14533					10" O		
		1060													
		9	161	14°	235.10	147	+ 17.10	14548					FL		
		792													
		7	93	7°	37.50	86	− 15.49	13918					B.F.		
		1017													
		9	118	10°	69.10	101	− 22.24	13718					B.F.		

ABS'N 1 Interm.

Date DEC 14 1936 Checked
Notes Chkd. Checked
Date Map No.

M.M. DARLING Chief Deputy
Recd. DEC 14 1936 Chief Deputy
Bureau of Public Works
Survey by E. HOLMES Notes by E. HOLMES and YESTADT
Inked C. JOHNSON

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#4	P#3				° '		° '		1		1423.33		—		
		705 / 6	106	7.0	221 40	98	+ 15 55	1444.2	2				BR		
		898 / 8	99	8.0	109 25	80	− 25 36	1376.8	3				B.R. S.L.		
		1183 / 10	184	11.0	226 50	172	+ 14 45	1457.5	4				30"O		
		786 / 6	187	7.0	100 15	168	− 18 30	1360.0	5				FL.		
		764 / 6	165	7.0	214 55	158	+ 11 58	1449.8	6				6"O		
		850 / 7	151	8.0	217 00	143	+ 12 58	1448.3	7				8"O		
		690 / 5	191	6.0	125 10	174	− 17 00	1363.5	8				FL.		
		498 / 3	199	4.0	126 30	181	− 17 15	1363.2	9				Mouth of Ch. FL.		
		757 / 6	158 ✓	7.0	138 30	144 ✓	− 17 07	1372.0 ✓	10 ✓	− 5 14		+ 4 44	T. W. N. Bank		
		1456 / 10	157 ✓	11.0	138 25	142 ✓	− 17 37	1366.7 ✓	11 ✓	+ − 5 68		− 4 58	B.W.		
		757 / 6	158 ✓	7.0	138 07	144 ✓	− 17 23	1371.4 ✓	12 ✓	− 5 21		− 4 51	S. Bank T. W.		
		425 / 2	226	3.0	140 55	210	− 15 10	1363.5	13				FL.		
		580 / 3	281	5.0	145 40	268	− 12 09	1360.6	14				FL.		
		885 / 6	286	7.0	148 35	275	− 11 11	1361.9	15				T.C. S. E. Rd.		
		891 / 6	292	8.0	148 30	281	− 11 20	1359.3	16				B.C. S. E. Rd.		
		605 / 3	306	4.0	149 20	294	− 11 25	1360.2	17				N-E Rd.		
		710 / 4	311	6.0	149 15	300	− 10 45	1360.5	18				Bank T.W.		
		1420 / 8	321	9.0	149 30	311	− 10 15	1358.2	19				B.W.		
		1200 / 10	201	11.0	173 25	197	− 7 56	1385.0	20				T.C.		
		1412 / 8	313	10.0	156 40	303	− 9 54	1360.5	21				B.W.		

Oak-O. Pine-Pi. Sycamore ..... Sy.
Fir-Fr. Cedar ..... Ce.
Plus combination of these and all common standard abbreviations.

Inters. of Draw V. D's
Break in Slope ... Bk.S.
Steer Slope ..... S.S.
Toe of Cliff ..... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ... B.Cn.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ... E.Rd.

Canyon's B.Cr.
Bank ..... T.B.B.
Bottom of Bank. T.B.C.
Top of Cut ..... T.C.
Bottom of Cut .. B.C.
Top of Fill ..... T.F.
Bottom of Fill .. B.F.

Side of Draw V.D's
Toe of Slope ... T.S.
Bottom of Slope . B.S.
Top of Ridge ... T.R.
Bottom Wash ... B.W.
Bottom Draw ... B.D.

Traverse Sta. Tr.Sta.
Fence ..... Fn.
Int. Fence ... I.Fn.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ..... Cul.

Addn'l

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360°	Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#4	P#3											1423.33				
		1023														
		8	224	9	173.05		219	− 8.15	1382.6					T.C.		
		1192														
		9	293	11	156.20		285	− 9.34	1364.5					B.K.		
		938														
		7	239	8	171.55		234	− 8.26	1380.8					T.C.		
		1088														
		8	289	9	156.25		279	− 10.21	1363.4					N. E Rd		
		1155														
		9	256	10	168.40		250	− 8.41	1375.1					T.C.		
		1175														
		9	276	11	156.35		266	− 10.37	1362.5					B.C. S.E Rd		
		1167														
		9	268	10	165.10		261	− 8.58	1372.2					T.C.		
		1166														
		9	267	10	156.55		258	− 10.11	1367.0					T.C. S.E Rd.		
		1061														
		8	262	9	157.05		254	− 9.58	1369.6					B.K.		
		1154														
		9	255	10	156.50		247	− 10.00	1369.8					B.K.		
		1153														
		9	254	10	156.35		245	− 10.30	1368.0					B.K.		
		883														
		6	284	8	160.00		276	− 9.48	1367.8					T.C.		
		1038														
		8	239	9	158.30		230	− 10.47	1370.9					B.F.		
		840														
		8	241	7	159.50		233	− 10.17	1374.1					T.F.		
		928														
		7	229	8	166.55		222	− 9.41	1377.5					T.C.		
		1146														
		9	247	10	161.05		240	− 9.23	1373.7					B.K.		
		1124														
		9	225	10	165.25		219	− 8.51	1379.1					T.C.		
		1152														
		9	253	14	161.35		247	− 8.48	1371.2					T.C. S.E Rd		
		1055														
		8	256	14	162.05		249	− 9.38	1367.2					B.C. E. Rd.		
		1073														
		8	274	14	165.25		267	− 7.00	1377.1					B.C. N. Rd.		

Page 1 Forward

Main DARLING
Notes Rod. Plotted
Date DEC 18 1936 Drawn
Notes Chkd. Checked
Date Surveyed by EDAMS Notes
Date Inked C. J.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#4	P#3				° '		° '				1423.33				
		952 / 7	253	9	168 15	245	− 9 54	13715					B.C. E. Rd.		
		1042 / 8	243	15	165 50	237	− 9 12	1370					B.C. S.E. Rd.		
		1426 / 9	227	10	162 15	221	− 8 55	1378					B.K.		
		1018 / 8	219	15	172 10	214	− 8 43	1375					B.C. E. Rd.		
		1028 / 8	229	9	157 30	220	− 11 24	1370					B.K.		
		1018 / 8	219	9	168 50	212	− 10 31	1375					B.C. S. E Rd.		
		818 / 6	219	7	168 00	212	− 10 05	1378					T.C. S. E Rd		
		993 / 7	294	8	129 45	280	− 12 29	1353					S.D.		
		825 / 6	226	7	113 20	208	− 16 11	1356					FL		
		738 / 5	239	6	102 40	220	− 16 17	1353					FL.		
		848 / 6	249	7	91 15	230	− 15 42	1352					FL		
		882 / 6	283	7	85 50	264	− 14 41	1347					10"O		
		898 / 6	299	7	79 45	280	− 14 18	1345					End. Fn.		
		712 / 3	413	5	180 00	411	− 3 49	1390.9		324		274	P#5		
P#5	P#4							1391.10	46		1395.70				
		732 / 6	133	7	32 45	128	− 10 47	1364					B.D.		
		425 / 4	26	4	26 30	25	− 11 02	1386					Gr. 6		
		1006 / 9	107	10	9 30	105	− 6 57	1372					B.D.		
		1115 / 10	116	16	353 05	116	− 0 35	1378					B.D.		

Add'n'l Notes

F.B. 684 Pg. 34

Topography Description Legend:
Side Hill.....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E. Rd.

Transit Sta. Tr. Rd.
Fence ..... Fe.
Int. Fences V. Fe.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Chg. of Grade P.I.G.
Pine-Pl. Conc. Co.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Pine combinations
of these and all
common standard
abbreviations.

Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Azimuth Reading	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point		+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P5	P4			° '	° '		° '					1395.70				
		879							1							
		765	180	8°	4.40	180	− 1.29	1383.0	2					8"O.		
		8	166	9°	357.25	166	− 0.00	1386.7	3					T. B.K.		
		1136							4							
		10	137	12°	343.45	137	− 0.00	1383.7	5					B.D.		
		1000														
		8	201	9°	358.50	201	+ 2.23	1395.0	6					S.H.		
		770														
		6	171	7°	334.40	171	+ 2.25	1395.8	7					B.D.		
		948														
		7	249	8°	358.20	248	+ 3.51	1404.5	8					G.T. 5		
		1092														
		9	193	10°	326.05	190	+ 6.28	1407.4	9					B.D.		
		636														
		4	237	5°	350.30	234	+ 6.26	1417.2	10					S.H.		
		595														
		2	196	3°	346.25	195	+ 4.27	1408.0						S.H.		
		992							11	✓	+ 27.0		+ 36.0			
		8	193	9°	314.25	186	+ 10.57	1422.8	12					B.D.		
		575														
		3	216	4°	334.20	212	+ 7.31	1419.8						S.H.		
		1204							13							
		10	205	11°	305.50	193	+ 13.42	1432.1	14					B.D.		
		440														
		2	241	3°	327.30	234	+ 9.58	1434.9	15					S.H.		
		475														
		2	276	3°	326.05	263	+ 12.36	1451.5	16					B.T. SL.		
		1638														
		9	239	10°	299.25	220	+ 16.11	1449.8	17					Int. B.D. & Rock Dam		
		1018														
		7	319	9°	324.50	302	+ 13.20	1458.4	18					Ed. FL.		
		991														
		7	292	8°	315.35	275	+ 13.46	1455.1						Ed. FL.		
		1026							19	✓	+ 31.0		+ 40.0			
		8	227	9°	314.10	220	+ 10.19	1426.8	20					side of D.		
		983														
		7	284	8°	304.20	265	+ 14.52	1458.3						Ed. FL.		
		1173							21							
		7	274	14°	298.05	251	+ 16.46	1457.5						Ed. FL.		

Add'l Inform.

DARLING, W.D. DARLING Inc. Engineers
Notes Ckd. DEC 15 1936 Checked DEC 18 1936 Survey by E.P.G. 12-15-36 Notes C. Jeffers
Date Date Map No. Indexed Map Bk. Page

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit At	Sight on	Stadia Intercepts	Stadia Distance	Stadia Roll→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P#5	P#4				° '		° '				1395.70				
		983/9	284	8	315 30	267	+ 13 11	1453.7					BK. SL.		
		1128/10	129	11	348 45	129	− 0.56	1382.6					Both in Draws		
		1122/10	123	11	0 20	123	− 2.51	1378.9					BK. Bet. D.		
		1138/10	139	16	359 00	139	− 0.55	1377.5					E. Fork D.		
		916/8	117	9	336 30	117	+ 1.52	1390.5					BK.		
		840/7	141	8	11 40	139	− 5.57	1373.1					B. D.		
		545/5	46	5	326 10	46	+ 2.26	1392.7					BK.		
		725/6	126	7	10 55	124	− 6.57	1374.2					BK. Bet. D.		
		263/2	64	2	202 10	63	+ 6.12	1400.7					BK.		
		515/4	116	5	174 45	115	+ 4.19	1399.5					BK		
		523/4	124	5	190 10	122	+ 7.39	1407.1					BK		
		1020/9	121	10	25 10	118	− 9.06	1366.7					Jc. of 2 D.		
		560/4	161	5	207 20	150	+ 14.55	1430.9					BK.		
		344/2	145	3	213 00	135	+ 15.12	1429.6					BK		
		635/5	136	6	215 50	125	+ 16.21	1426.5					B. Sw.		
		1132/10	133	11	217 10	119	+ 18.31	1425.1					" "		
		831/7	132	8	219 05	118	+ 18.36	1427.7					BK		
		658/5	159	6	22 35	156	− 7.03	1370.3					BK		
		498/4	99	4	192 35	98	+ 6.26	1402.8					Mo. Sw.		
		806/6	207	7	43 50	203	− 8.10	1359.6					BD		

Add'n'l Interm.

M. B. DARLING

F.B. 682 Pg. 16

Topography Description Legend:
Hill ..... Bk. Fea. ..... Sw. Fea. ..... Tr. Fea. ..... Oak-O. Fir-Fr.
Side of Draw S.H. Bottom Draw B.D. Int. Fences V. Fs. Dit. Fences ..... Sy. Fire-Pl. Cedar-Ce.
Side of Draw S.D. Bottom Wash B.W. Ditch ..... Str. Telephone Pole T.P. Sycamore ..... Eu. Eucalyptus
Side of Ridge S.R. Top of Ridge T.R. Power Pole ..... P.P. Pine combinations of these and all common standard abbreviations.
Road of Draw R.D. Top of Slope ..... T.S. Culvert ..... Cul.

Transit Rd. Tr. Rd. ..... Saddle ..... Side of Canyon S.Cn.
Fence ..... Sw. ..... Swale ..... Top of Bank T.B.
Int. Fences ..... Fl. ..... Flat ..... Bottom of Bank B.B.
Ditch ..... Str. ..... Stream ..... Top of Cut T.C.
Telephone Pole ..... Tr. ..... Trail ..... Bottom of Cut B.C.
Power Pole ..... P.P. ..... Pavement ..... Top of Fill T.F.
Culvert ..... Cul. ..... Edge of Road E. Rd. ..... Bottom of Fill B.F.

Interm. of Draw V. D's
Break in Slope B.S.
Steep Slope ..... T.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
PE 5	PE 4				° '		° '		1		1395.70				
		503							2						
		4	104	3	229.00	92	+ 19.39	1423.8	3				S.H.		
		826													
		6	227	7	49.25	223	− 7.56	1357.8	4				B.D.		
		495													
		4	96	4	270.35	83	+ 21.28	1424.6	5				S.H.		
		420													
		5	121	4	300.05	112	+ 15.16	1422.9	6				S.H.		
		1110													
		9	211	10	53.10	208	− 6.32	1361.8	7				B.K.		
		654													
		5	155	6	314.00	149	+ 11.26	1419.9	8				S.H.		
		861													
		7	162	8	56.30	159	− 7.26	1367.9	9				FL		
		876													
		7	177	8	319.30	172	+ 9.32	1416.7	10				BK.		
		1136													
		10	127	11	35.20	125	− 7.27	1368.3	11				Post Bank W.		
		616													
		5	117	6	49.00	114	− 9.31	1370.7	12				FL. BK.		
		594													
		6	195	5	302.45	182	+ 14.37	1438.5	13				S.H.		
		769													
		7	70	7	41.40	68	− 9.43	1377.9	14				B.K.		
		802													
		7	103	8	12.45	101	− 7.51	1373.7	15				Bank W.		
		470													
		5	171	4	277.05	147	+ 21.57	1451.1	16				S.H.		
		529													
		5	30	5	98.00	29	− 11.10	1384.9	17				B.K.		
		920													
		7	221	8	288.25	196	+ 19.27	1457.3	18				S.H.		
		776													
		7	77	7	151.20	77	+ 1.00	1390.9	19				BK. FL		
		529													
		4	130	5	160.20	130	+ 1.28	1394.1	20				B.K.		
		595													
		4	196	5	261.40	166	+ 22.46	1460.7	21				S.H.		
		935													
		8	136	9	154.35	136	+ 1.50	1391.9					B. Sw.		

Date: DEC 15 1936 Checked: Survey by: E.D.B. Notes Checked: Date: Map No. Indexed: Book No. Page No. Scale: 1" = 100'

Form 391 10M 3-34 Interm.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	− Difference of Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P3	P4								1		1395.70		—		
		553/4	154	5.0	253 50	129	+ 23 40	1447.5	2				SH.		
		845/7	146	8	151 45	146	+ 1 55	1392.5	3				E SW.		
		615/4	216	5.0	243 40	184	+ 22 18	1466.8	4				S.T.		
		799/6	200	7.0	164 05	199	+ 3 40	1401.5	5				FL SH.		
		672/5	173	6.0	236 05	146	+ 21 53	1451.9	6				S.H. BK		
		1059/8	260	9.0	155 55	259	+ 2 54	1399.8	7				FL		
		578/4	179	5.0	228 05	158	+ 19 53	1448.3	8				H. SW.		
		490/3	191	4.0	221 30	171	+ 18 50	1450.2	9				S.H. BK		
		620/3	321	4.0	152 45	321	+ 1 39	1400.8	10				42" O		
		946/7	247	8.0	144 30	247	+ 1 18	1393.3	11				FL		
		995/8	196	9.0	131 55	196	− 0 05	1386.4	12				FL		
		490/2	291	3.8	137 50	291	− 0 00	1391.9	13				T.P.		
		965/8	166	9.0	119 50	166	− 1 38	1381.9	14				S.H. FL.		
		955/7	256	8.0	123 10	256	− 0 45	1384.4	15				B.K. FL.		
		920/8	121	9.0	121 25	121	− 2 05	1382.3	16				Bank SW		
		1411/8	312	10.0	134 35	312	+ 0 45	1389.6	17				H. SW.		
		1138/8	339	10.0	128 55	339	+ 0 35	1389.1	18				H. SW.		
		809/7	110	8.0	121 00	109	− 3 48	1380.4	19				B. SW.		
		643/3	344	5.0	117 20	344	− 1 12	1383.5	20				10" O		
		887/8	88	8.0	120 20	88	− 2 53	1383.3	21				Bank E.SW.		

Add'n'l Inform.

Topography Description Legend:
Hill....S.H. Side of Draw....S.D. Side of Ridge....S.R. Head of Draw....H.D. Bottom Draw....B.D. Bottom Wash....B.W. Top of Ridge....T.R. Toe of Slope....T.S.

Inters. of Draw with Slope....D.S. Break in Slope....B.S. Steep Slope....S.S. Top of Cliff....T.Cl. Bottom of Cliff....B.Cl. Top of Spur....T.Sp. Bottom Canyon....B.Cn.

Side of Canyon....S.Cn. Bank....B.K. Top of Cut....T.C. Bottom of Cut....B.C. Top of Fill....T.F. Bottom of Fill....B.F.

Saddle....Sa. Swale....Sw. Flat....Fl. Stream....Str. Trail....Tr. Pavement....Pvt. Edge of Road....E.Rd.

Traveled Rd....Tr.Rd. Fence....Fn. Int. Fence....I.Fn. Ditch....Di. Telephone Pole....T.P. Power Pole....P.P. Culvert....Cul.

Pine....Pi. Cedar....Ce. Sycamore....Sy. Eucalyptus....Eu. Pine combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#5	P#4				° '		° '				1395.70				
		917													
		6	318	8	118 45	318	− 0.56	13825					BK. SW.		
		1005													
		7	306	9	119 50	306	− 1.06	13808					B. SW.		
		887													
		6	288	7	121 10	288	− 1.12	13826					BK.		
		911													
		8	112	9	87 05	111	− 6.05	13748					Bank SW.		
		885													
		7	186	8	107 30	185	− 3.00	13781					FL.		
		825													
		7	126	8	88 30	124	− 6.36	13732					B. SW.		
		543													
		4	144	5	90 25	142	− 6.31	13745					Bank SW.		
		1618													
		9	219	10	105 30	218	− 2.38	13756					BK.		
		1072													
		9	178	10	92 45	177	− 3.49	13738					FL.		
		967													
		7	268	9	103 45	267	− 3.04	13724					B. SW.		
		785													
		5	286	7	103 30	285	− 2.39	13749					BK.		
		793													
		6	194	7	73 05	192	− 5.57	13688					FL.		
		734													
		4	335	6	109 45	335	− 1.33	13808					S.H.		
		849													
		7	150	8	69 15	148	− 7.00	13695					SW.		
		819													
		7	120	8	66 05	117	− 8.38	13698					B.S.W.		
		1088													
		7	389	8	111 33	389	− 0.00	13869		88		0	P.P. & T.P. Bench Mark #P2		
		565													
		5	366	4	95 12	365	− 2.45	13742		215		175	P#6		
		810													
		7	111	8	116 25	110	− 3.57	13800					QT. 7 B. SW.		
		640													
		4	241	5	95 40	239	− 4.39	13712					E. SW.		

Form 301 10M 3-34

Filed DEC 13 1938 Plan No. 2487 Sheet No. 2
Date DEC 24 1938 Book 111 Page 13
Recorded by E.W.B. Date 12-1938
Checked by [illegible] Date [illegible]
Map No. [illegible]

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#3	P#4				° '		° '				1395.70				
		1123 / 9	224	10	82 45	223	− 4 24	13685					G.r. 8		
		927 / 7	228	8	71 50	226	− 5 33	13657					8" O		
		857 / 6	258	8	74 20	256	− 5 30	13630					B. SW.		
		282 / 5	283	7	62 20	280	− 5 47	13603					G.r. 9		
		935 / 7	236	8	63 20	233	− 5 55	13635					FL		
		774 / 5	275	6	75 40	272	− 5 41	13627					B. Sw.		
		696 / 4	297	5	76 15	295	− 5 03	13646					36" O		
P#6	P#5							1374.12	49		1379.02				
		559 / 5	60	5	225 10	59	+ 5 26	13798					FL		
		700 / 6	101	6	201 25	101	+ 3 16	13788					FL. BK		
		467 / 4	68	4	1 55	68	− 2 48	13716					BK		
		593 / 5	94	5	2 30	94	− 2 52	13694					B. Sw.		
		845 / 7	146	8	186 10	146	+ 0 22	13729					E. FL		
		411 / 3	112	4	3 25	112	− 3 06	13690					6" O		
		515 / 4	116	5	9 40	116	− 2 46	13684					8" O		
		514 / 4	115	5	11 00	115	− 2 41	13686					6" O		
		835 / 7	136	8	164 50	136	− 0 41	13694					E. FL.		
		400 / 3	101	3	39 00	100	− 5 02	13672					BK.		
		1053 / 9	154	10	142 40	154	− 2 37	13629					BK. FL		

Add'n'l Entries

Topography Description Legend:
Side of Draw...S.D. Bottom Draw...B.D.
Side of Hill...S.H. Bottom Wash...B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw...H.D. Toe of Slope...T.S.

Interv. of Draw Vars: Break Slope...B.S. Top of Slope...T.S. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom Canyon...B.Cn.

Side of Channel & Cn. Bank...S.B. Top of Bank...T.B. Bottom of Bank...B.B. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.F. Bottom of Fill...B.F.

Saddle ... Sa. Swale ... Sw. Flat ... Fl. Stream ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road ... E.Rd.

Traveled Rd. Tr.Rd. Fence ... Fn. Int. Fence ... V.Fn. Ditch ... Dt. Telephone Pole ... T.P. Power Pole ... P.P. Culvert ... Cul.

Oak ... O. Pine-Pi. Cedar-Ce. ... Cy. Sycamore ... Sy. Eucalyptus ... Eu. Pine combinations of these and all common standard abbreviations.

Fig. 202

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#6	P#5				° ′		° ′				1379.02				
		387							1						
		3	88	3 0	56 05	87	− 5 07	1368'	2				P.P. & I.P.		
		879							3						
		7	140	8 0	139 40	140	− 1 45	1366	4				BK		
		862							5						
		7	163	8 0	58 50	162	− 3 10	1362	6				E. SW.		
		880							7						
		7	181	8 0	125 10	180	− 3 42	1359	8				E. FL.		
		885							9						
		7	186	8 0	54 05	185	− 3 36	1359	10				B. SW.		
		820							11						
		6	221	7 0	117 15	220	− 4 16	1356	12				E. FL.		
		835							13						
		6	236	7 0	60 10	235	− 3 54	1356	14				B. SW.		
		1165							15						
		9	266	10 0	113 00	265	− 4 02	1350	16				BK		
		1157							17						
		9	258	10 0	106 30	257	− 3 25	1353	18				End. Fn.		
		1033							19						
		8	234	9 0	94 50	233	− 3 02	1357	20				FL.		
		732							21						
		5	233	6 0	73 15	232	− 3 40	1358					FL.		
		792													
		6	193	7 0	105 20	192	− 3 36	1359					FL.		
		678													
		4	279	5 0	85 50	278	− 3 47	1355					FL.		
		535													
		4	136	5 0	119 20	135	− 3 42	1365					FL.		
		692													
		5	193	6 0	89 50	192	− 3 46	1360					FL.		
		292													
		2	93	2 0	145 50	93	− 3 29	1371					FL.		
		613													
		5	114	6 0	98 30	114	− 3 33	1366					FL.		
		485													
		4	86	4 0	179 05	86	+ 0 26	1375					FL.		
		547													
		5	45	5 6	157 35	45	− 0 00	1373					FL.		
		1003													
		9	104	10 0	72 15	104	− 1 35	1366					FL.		

Date DEC 15 1958 Original M.B. 84 Page 58
Date DEC 24 1958 Page 58

Notes Checked _____ Checked _____ Survey by _____ Notes _____ Page _____
Date _____ Date _____ Map No. _____ Indexed _____ Date _____

Assist't Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#6	P#5				° '		° '				1379.02				
		1483													
		9	184	10	73 20	184	− 2 27	1361 1							
		542													
		5	43	5	24 50	43	− 3 01	1371 7					FL.		
		565													
		2	366	4	81 30	364.3	− 3 53	1350 4		28 6		24 6	P#7		
P#7	P#6							1350.26	4 8		1355.06				
		1408	209	10	48 35	208	+ 3 00	1355 9					N-E. Rd. Bank W.		
		826													
		7	127	8	29 50	127	+ 3 08	1353 9					P.P. + T.P.		
		1605													
		9	206	10	42 50	205	+ 2 47	1354 9					B. W. E. Rd.		
		206													
		6	107	7	29 55	107	+ 2 49	13532					Beg. Cut.		
		897													
		7	198	8	41 50	198	+ 2 41	1356 2					N. E. Rd. W. Bank W.		
		804													
		7	105	8	31 15	105	+ 3 09	13527	X				E. Rd. B.C.		
		500													
		4	101	5	39 50	101	+ 1 26	13526					E. Rd. Gx.10		
		800													
		6	201	7	37 00	200	+ 2 57	13583					B.T.		
		902													
		8	103	9	44 30	103	+ 2 42	13508					B. SW.		
		662													
		3	163	6	36 40	163	+ 2 02	13547	X				N. E Rd.		
		960													
		8	161	9	40 35	160	+ 3 07	13546					S.E. Rd.		
		802													
		7	103	8	46 45	103	+ 2 29	13514					S. BT		
		860													
		7	161	8	44 00	161	+ 2 46	13547					W. Bank W.		
		808													
		7	109	8	53 30	109	+ 1 49	13504					BT		
		1069													
		9	170	10	47 50	170	+ 2 17	13516					B. Wash		

Add'n'l Instrm.

M.B. DARLING

Topography Description Legend: Side Hill ... S.H. | Side of Draw ... S.D. | Head of Draw H.D. | Bottom Draw ... B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope ... T.S. | Intersection of Draw V.P's ... Int. of Draw | Break in Slope ... Br. S. | Tree ... Tr. | Bottom of Bank ... B.B. | Top of Bank ... T.B. | Bottom of Cut ... B.C. | Top of Cut ... T.C. | Bottom of Fill ... B.F. | Top of Fill ... T.F. | Bottom of Gully ... B.Gl. | Top of Gully ... T.Gl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn. | Gas ... Gas | Fire Pl. Cedar ... Cd. | Fire Pl. Sycamore ... Sy. | Eucalyptus ... Eu. | Pine combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. | Fence ... Fce. | V. Fn. | Int. Fence ... I.F. | Ditch ... Dit. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ... Culv.

Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road ... E. Rd.

F.B. 644 Pg. 42

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P7	P6								1		1355.06				
		1113							2						
		10.	114	11	60.25	114	+ 0.55	1345.8	3				B. Wash		
		975													
		8.	176	9	52.40	176	+ 2.35	1353.9	4				Bank W.		
		917													
		8.	118	9	66.00	118	+ 2.08	1350.4	5				T. C. W.		
		1085													
		10.	86	10	81.55	86	+ 1.30	1347.3	6				E. Bank W.		
		1176													
		11.	77	11	76.10	77	− 1.36	1341.9	7				Jc. of W.		
		583													
		5.	84	5	124.05	84	− 2.21	1346.7	8				Bank of W.		
		980													
		9.	81	9	57.10	81	− 1.37	1343.9	9				Angle Bank W.		
		581													
		5.	82	5	39.15	82	+ 0.55	1351.3	10				Beg. C. E Rd.		
		860													
		8.	61	8	116.45	59	− 9.47	1336.8	11				B.W.		
		439													
		4.	40	4	110.20	39	− 8.56	1344.9	12				Bank W.		
		233													
		2.	34	2	105.40	32	− 11.57	1346.2	13				Gr.-11-		
		857													
		8.	60	8	61.15	60	+ 1.02	1348.1	14				B.K. Top Bank		
		516													
		5.	17	5	72.40	17	− 7.02	1348.9	15				B.K.		
		653													
		6	54	6	51.10	54	+ 0.41	1349.6	16				B.K.		
		412													
		4.	13	4	58.30	13	− 0.00	1350.9	17				B.K		
		452													
		4	53	4	47.00	53	+ 1.27	1352.4	18				B.T		
		612													
		6.	13	6	19.30	13	+ 2.54	1349.6	19				T.C.		
		553													
		5.	54	5	39.40	54	+ 2.24	1352.2	20				T.C.		
		815													
		8.	16	7.6	6.30	16	− 0.00	1347.5	21				B.C. E Rd		
		554													
		5.	55	5	36.05	55	− 0.00	1349.2					B.C. E Rd		1347

Form 301 IOM 3-34

M.P. DARLING Co. Los Angeles Cal.
DEC 15 1936
DEC 29 1936
Checked by E. Watts
Notes Sealed
C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Right on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P7	P6				° '		° '		1		1355.02				
		824 / 8	25	8	346 05	25	− 0 00	1347 1	2				B.C. E. Rd		
		557 / 5	58	5	21 20	58	− 0 00	1349 7	3				" " " "		
		236 / 2	37	1	337 55	37	− 0 00	1353 3	4 ✓				T.C.		
		260 / 2	61	2	16 10	61	+ 1 54	1355 0	5				T.C.		
		440 / 4	41	4	337 25	41	+ 1 41	1352 2	6				BK		
		562 / 5	63	5	18 05	63	+ 3 04	1353 4	7				BK		
		295 / 7	96	7	314 30	96	+ 2 35	1352 4	8				Fm. L.		
		640 / 6	41	6	294 05	41	+ 0 56	1349 6	9				Fm. T.C., E. Rd.		
		1129 / 11	30	10	277 05	30	− 0 00	1344 4	10				West side Fm. Gate		
		922 / 9	23	9	253 50	23	− 0 0	1345 9	11				E. Rd, East E. Draw.		
		887 / 8	88	8	162 45	88	− 3 58	1340 9	12				Fm. L.		
		822 / 8	23	8	240 00	23	+ 0 53	1347 4	13				T.C. Fm. L.		
		822 / 8	23	8	222 50	23	− 2 11	1346 2	14				Fm. BK		
		946 / 9	47	9	176 45	47	− 5 16	1341 7	15				Fm. & Bank W		
		1468 / 10	69	10	167 50	66	− 11 58	1331 1	16				B. W. Fm.		
		628 / 5	129	6	171 25	128	− 4 32	1338 9	17				East E. Bank		
		1141 / 10	142	11	182 50	140	− 6 14	1328 8	18				Beg C. / E. Rd.		
		843 / 7	144	8	184 00	141	− 8 15	1326 9	19				B.C.		
		549 / 5	50	5	81 30	50	− 4 34	1346 1	20				E. of Bank		
		951 / 8	152	9	189 10	149	− 7 42	1325 9	21				T. F. S. E. Rd		

Add'n'l

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#7	P#6				° '		° '		1		1355.06				
		1128													
		10	129	13	185 40	126	− 8.24	1323.4	2				BW. North End 24" Cul.		
		829													
		7	130	8	186 20	127	− 9.07	1326.8	3				E. Rd.		
		797													
		7	98	7	198 30	97	− 6.46	1336.5	4				B.K.		
		1043													
		9	144	10	191 45	141	− 7.57	1325.4	5				S. E. Rd.		
		790													
		5	91	7	207 50	90	− 5.34	1339.3	6				B.K.		
		829													
		8	80	8	226 25	79	− 4.56	1340.2	7				Gr. -12-		
		1153											BW.		
		10	154	13	194 05	151	− 8.15	1320.2	8				S.End 24" Cul.		
		775													
		7	76	7	251 00	76	− 4.12	1342.5	9				Beg. Cut		
		982													
		8	183	14	199 30	179	− 8.24	1314.5	10				B.W.		
		976													
		9	77	9	252 55	77	− 3.05	1342.1	11				E. Rd. B.C.		
		976													
		9	77	9	267 25	77	− 3.36	1341.2	12				B.C. E. Rd		
		1230													
		10	231	16	201 40	227	− 7.05	1310.8	13				B.W.		
		480													
		4	81	4	272 30	81	− 4.07	1345.3	14				T.C.		
		1033													
		8	234	9	199 50	230	− 7.49	1314.9	15				T. Bank East		
		556													
		5	57	5	280 10	57	− 1.53	1348.2	16				T.P.		
		734													
		5	235	6	190 20	232	− 6.12	1323.9	17				T.S.P.		
		833													
		6	34	8	237 45	34	− 2.34	1345.5	18				E.C.T.		
		935													
		7	236	8	190 25	234	− 5.44	1323.5	19				T.S.P.		
		563													
		5	64	5	217 35	63	− 7.01	1342.3	20				10" O		
		1123													
		9	224	10	185 30	222	− 4.53	1326.1	21				T.P.		

Add for Intercept

R.P. DARLING
M.D. DARLING
DEC 15 1936
DEC 28 1936
Palm Ave
Notes Chkd.
Checked
Date
Notes
Survey by
Notes
Inked

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#7	P#6				° '		° '				1355.06				
		1184/10	185	11	176 45	181	8 18	13175					Bank of W.		
		589/4	190	5	188 45	186	7 39	13249					B.K.		
		887/7	188	8	186 00	186	6 01	13274					E. Rd.		
		887/7	188	8	183 00	186	5 56	13276					E Rd. B.C.		
		1085/9	186	10	181 25	185	4 22	13309					T.C		
		920/8	121	9	200 10	119	6 38	13322					T.C		
		1413/9	214	10	181 30	212	5 08	13260					Beg.C. E.Rd		
		1024/9	125	10	211 25	124	5 06	13349					T.C.		
		938/7	239	8	173 10	238	3 37	13321					SL.SH		
		530/4	131	5	219 50	129	7 12	13337					8" O + T.C.		
		1451/9	252	10	178 00	250	4 45	13244					BW. E. Rd		
		823/7	123	8	226 10	122	5 35	13352					T.C.		
		1460/9	261	10	168 50	261	2 09	13353					BW. BK.		
		997/9	98	9	237 45	97	4 43	13380					T.C.		
		1007/8	208	9	168 15	208	2 11	13382					B.K.		
		890/8	91	8	253 05	90	4 30	13399					℄ Rd.		
		886/8	87	9	263 25	87	3 18	13411					Jc. ℄ Rds		
		767/6	168	7	161 15	168	2 02	13422					SL. S.H.		
		904/8	105	9	259 15	105	2 38	13413					Ed. Rd		
		958/8	159	9	180 45	158	5 00	13322					T.C		

Add'l Interm.

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Intersect. of Draw V.P's: Break in Slope S.B.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Ca.

Canyon B.Ca. Bank ..... T.B. Top of Bank B.B. Bottom of Bank T.C. Top of Cut ..... B.C. Bottom of Cut ..... T.C. Top of Fill ..... T.F. Bottom of Fill B.F.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... St. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Transit Rd. Tr. Rd. Fence ..... Fn. Int. Fences V.Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Cr. O. Fir-Pf. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Pine combinations of three and other common standard abbreviations.

FB 214 Pg. 46

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod—7	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#7	P#6								1		1355.06				
		1065							2						
		9	164	10	182 45	162	- 6 25	1327	3				B.C. E Rd.		
		1012													
		9	113	10	243 00	112	- 4 09	1337	4				E. Rd.		
		962													
		8	163	9	188 15	160	- 6 58	1326	5				T. F + E Rd.		
		1198													
		11	99	11	239 35	99	- 3 45	1337	6				B.C. E. Rd.		
		1062													
		9.4	123	10	229 00	122	- 5 29	1333	7				B.C. E. Rd.		
		1125													
		10	126	11	233 30	125	- 4 25	1334	8				E. Rd.		
		918													
		8	119	9	266 30	118	- 4 08	1337	9				B.F.		
		713													
		6	114	7	268 15	113	- 4 52	1338	10				T.F. E. Rd.		
		833													
		7	134	8	222 25	132	- 6 25	1332	11				B.C. E. Rd.		
		1104													
		10	105	11	273 30	105	- 2 30	1339	12				B.C. E. Rd.		
		843													
		7	144	8	222 30	142	- 6 05	1332	13				E. Rd.		
		801													
		7	102	8	275 10	102	- 2 28	1342	14				T. C.		
		830													
		7	131	8	210 50	129	- 7 21	1330	15				B.C. E. Rd.		
		842													
		7	143	8	208 40	141	- 6 50	1330	16				E. Rd.		
		1037													
		9	138	10	201 05	136	- 7 13	1327	17				T. F E Rd.		
		1225													
		11	126	12	200 10	124	- 6 58	1327	18				B.C. E Rd.		
		1178													
		10	179	16	202 10	176	- 6 47	1318	19				W. Bank of Draw.		
		878													
		7	179	8	211 05	176	- 7 14	1324	20				S.H. St.		
		1023													
		8	224	9	208 30	220	- 7 28	1317					B.K. S.H.		
		761							21						
		7	262	13	205 55	258	- 7 81	1310					W. Bank of Wash		

Add'n'l Inform.

EDGAR WATKINS
Notes Chkd. DEC 15 1936 Checked DEC 28 1936
Date Survey by [illegible] Notes [illegible]
Map No. Indexed

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#7	P#6				° '		° '				1355.06				
		863 / 6	264	7.0	212 10	260	− 7 11	1315.3					S.H.		
		631 / 5	132	6.0	304 53	132	− 0 30	1347.9		7.2		12	P#8		
P#8	P#7							1347.94	.48		1352.74				
		965 / 9	66	9.0	191 10	66	− 0 05	1343.6					T.C.		
		1131 / 10	132	11.2	66 44	131	− 4 55	1330.5					SH		
		838 / 8	39	8.0	152 30	39	− 5 51	1340.8					T.C.		
		1190 / 10	191	11.0	68 20	189	− 5 27	1323.7					S.H. BK.		
		837 / 8	38	8.0	82 50	38	− 6 06	1340.9					T.C.		
		237 / 2	38	2.0	19 45	38	− 3 01	1348.7					FL.		
		936 / 9	237	8.0	58 20	235	− 5 12	1323.4					T.P.		
		1070 / 8	271	9.0	67 30	269	− 5 21	1318.5					T.R.		
		569 / 4	170	5.0	240 30	168	+ 5 23	1363.6					T.P.		
		978 / 9	279	9.0	78 30	275	− 6 20	1313.1					S.H. SL.		
		1557 / 9	258	10.0	82 20	255	− 6 26	1313.9					S.H. SL.		
		494 / 4	95	4.0	180 00	91.7	− 10 43	1331.3		21.4		17.4	P#9		
		906 / 9	207	8.0	83 10	203	− 7 25	1318.2					T.P.		
		911 / 7	212	8.0	83 10	208	− 7 14	1318.4					T.P.		
		897 / 8	98	8.0	80 05	96	− 7 36	1331.9					G.T. -13-		
		665 / 5	166	6.0	82 55	162	− 8 45	1321.7					S.H. SL.		

Add'l Interm.

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Inters. of Draw V.D's
Break in Slope ... B.S.
Sheer Slope ... S.S.
Top of Cliff ... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Spur ... T.Sp.
Bottom Canyon ... B.Cn.

Side of Grade S.Gr.
Bank ... B.B.
Bottom of Bank B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F.
Bottom of Fill B.F.

Saddle
Drain ... Dr.
Flat ... Fl.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road E.Rd.

Traverse Sta. Tr. Rd.
Fence ... Fe.
Fence, V. Fe.
Sycamore ... Sy.
Eucalyptus ... Eu.
Ditch ... D.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ... Cul.

Oak ... O.
Pine ... Pi.
Fir ... Fr.
Cedar ... Ce.

Use combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P.E 8	P.E 7				° '		° '				1352.74				
		273													
		7	74	1 0	81 10	[illegible]	[illegible]	1334.8					B. F.		
		366													
		3	67	3 0	79 40	[illegible]	[illegible]	1338.4					T. F E. Rd.		
		1047													
		10	48	10 0	73 50	47	5 58	1337.7					B. C. " "		
													M.D. DARLING		
P.E 9	P.E 8							1331.31	50		1336.31				
		226													
		2	77	2 0	19 50	77	+ 1.29	1336.3					B.C. E Rd		
		226													
		2	77 ✓	2 0	47 50	77	+ 1.11	1336.0 ✓		0 4		+ 1 6	E. Rd. T. E		
		580													
		5	81 ✓	5 0	37 55	81	+ 2.21	1334.6 ✓		1 7		+ 3 3	B. D.		
		236													
		2	37	2 0	279 35	36	+ 9.14	1340.2					T.C.		
		274											Beg. Top Canada		
		5	75	7 0	47 30	75	− 1.00	1328.0					T. S.L.		
		1114													
		10	115	11 0	54 55	115	− 0.23	1324.5					BK Rim Canyon		
		739													
		6	140	7 0	62 10	139	− 4.03	1319.4					BK. R.Cn.		
		395													
		3	96	4 0	244 05	96	+ 1.15	1334.3					T.C.		
		1080													
		9	181	10 0	60 40	181	− 2.17	1319.2					BK. R.Cn		
		923													
		7	224	8 0	64 15	223	− 3.07	1316.2					" R.Cn.		
		748													
		5	249	6 0	68 05	248	− 4.00	1312.9					" R.Cn.		
		430													
		3	131	4 0	235 55	131	− 1.20	1329.2					T.C.		
		491													
		3	192	4 0	226 20	190	− 5.06	1315.3					T.C		
		632													
		5	133	6 0	73 30	124	− 14.42	1297.5					T. S.P.		
		441													
		2	242	3 0	222 00	239	− 5 59	1308.3					T.C.		

Add'l Inform.

RECEIVED DARLING DEC 15 1936 DEC 29 1936 Surveyor's Office Los Angeles County

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight to	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P9	P8										1336.31				
		1944	145	10	86 40	125	− 21.38	1276.6					14" SY. & T. SP.		
		593	294	5	217 10	291	− 5.37	1302.8					T.C.		
		1022	153	10	86 35	133	− 20.53	1275.3					16" SY.		
		632	333	5	216 05	330	− 5.26	1300.9					T.C.		
		1115	116	18	88 35	94	− 25.44	1273.0					B.D.		
		546	347	4	226 00	347	+ 0.14	1333.7					S.H.		
		502	403	3	234 55	398	+ 6.22	1377.9					P.P. & E. FL.		
		485	286	3	233 05	285	+ 2.29	1345.6					S.H.		
		331	132	3	122 35	102	− 28.15	1278.5					36" O		
		627	228	5	232 00	228	+ 0.31	1333.3					S.H.		
		830	131	8	129 30	107	− 25.19	1277.7					T. SP.		
		556	157	5	247 05	155	+ 7.02	1350.4					S.H.		
		992	93	9	129 05	72	− 28.07	1288.5					BK. SL.		
		383	84	3	262 20	82	+ 9.35	1347.1					S.H.		
		251	52	7	124 30	39	− 29.52	1306.9					SL.		
		852	53	8	95 40	44	− 23.37	1308.8					BK. SL.		
		1175	76	11	66 55	72	− 12.23	1309.5					BK		
		523	24	5	338 20	24	− 2.05	1330.5					B.C. E. Rd.		
		571	12	5	11 45	12	− 1.25	1331.0					B.K. E. Rd.		
		309	10	3	25 05	10	− 4.43	1332.4					T.E.		

Add'n'l Inform.

Side of Canyon S.Os. | Top of Bank...T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road..E.Rd.

Traveled Rd. Tr.Rd. | Fence .....Fe. | Int. Fences..V.Fe. | Ditch .....Di. | Telephone Pole..T.P. | Power Pole.....P.P. | Culvert .....Cul.

Pine-Pi. Cedar-Ce. | Oak-O. | Sycamore .....Sy. | Eucalyptus .....Eu. | Plus combinations of these and all common standard abbreviations.

Inters. of Draws, V.D's | Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Topography Description Legend: | Side Hill.....S.H. | Side of Draw..S.D. | Side of Ridge..S.R. | Head of Draw H.D. | Bottom Draw..B.D. | Bottom Wash..B.W. | Top of Ridge..T.R. | Toe of Slope..T.S.

F.B. 684 Pg. 52

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
D#9	D#8				° '		° '		1		1336.31				
		310 / 3	11	30	50 20	11	- 7.07	1331.9	2				T.F Edge		
		231 / 2	32	20	266 35	30	- 12.25	1327.5	3				B.C. E. Rd.		
		523 / 5	24	50	238 10	23	- 8.30	1327.8	4				E. Rd.		
		1052 / 10	53	10	179 15	41	- 28.25	1304.0	5				BK. SL.		
		423 / 4	24	40	230 20	23	- 8.12	1329.0	6				T.F. Cem'd in		
		898 / 8	99	80	155 40	69	- 33.28	1282.7	7				BK		
		391 / 3	92	40	237 40	90	- 7.48	1319.9	8				B.C. E. Rd.		
		589 / 5	90	60	229 30	88	- 7.22	1318.9	9				E. Rd.		
		488 / 4	89	50	227 30	88	- 7.12	1320.2	10				T. F		
		950 / 7	151	80	143 40	118	- 27.25	1266.6	11				BK. S. SL.		
		328 / 2	129	30	232 30	127	- 7.24	1316.8	12				B.C. E. Rd.		
		527 / 4	128	50	226 10	126	- 7.09	1315.5	13				" "		
		930 / 8	131	90	225 05	130	- 4.45	1316.5	14				T. F.		
		564 / 4	165	50	155 50	124	- 29.31	1260.9	15				36" O B.Co.		
		1190 / 10	191	110	225 10	189	- 5.24	1307.5	16				B.C. E. Rd.		
		987 / 8	188	90	221 10	186	- 6.00	1307.7	17				E. Rd.		
		987 / 8	188	90	220 45	186	- 5.52	1308.2	18				Edge FILL		
		1358 / 10	139	130	181 25	118	- 22.53	1273.5	19				36" O.		
		936 / 7	237	80	221 00	234	- 6.20	1302.3	20				B.C. E Rd		
		257 / 6	152	70	168 50	117	- 28.44	1265.3	21				B. Co.		

Add'l Interm.

DEC 15 1936

Notes Checked Date
Survey by Eugene Notes Seelig Date 12-15-36
Field Bk. No. Page
Plotted Date
Traced Date
Checked Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference − Elevation	Height of Instrument	+ Vertical −	REMARKS Station	Left	Right
P9	P8				° '		'		1		1336.31				
		933 / 7	234	8.0	217 45	231	6.21	13026	2				E. Rd. & T. F		
		992 / 7	293	8.0	216 30	289	6.13	12967	3				B. C. E. Rd.		
		890 / 6	291	7.0	213 10	287	6.15	12978	4	38.5		31.5	P II / 10 E Rd.		
		1207 / 11	108	12.0	188 20	87	26.04	12817	5				B.T.		
		990 / 7	291	8.0	211 35	286	7.04	12928	6				B.F.		
		1118 / 10	119	11.0	159 50	88	30.21	12733	7				B.T.		
		938 / 7	239	8.0	215 40	234	7.57	12955	8				B.F.		
		1137 / 10	138	11.0	189 35	120	21.03	12790	9				12"0		
		895 / 7	196	8.0	216 20	191	9.23	12968	10				B.F.		
		237 / 1	138	2.0	196 55	117	22.34	12854	11				Cluster of 4.0 4' DIA. 16"0		
		960 / 5	161	9.0	215 05	155	11.05	12969	12				B.F.		
		1112 / 10	113	11.0	205 20	103	17.28	12929	13				B.T.		
		839 / 7	140	8.0	219 30	137	8.18	13083	14				G of 16-		
		451 / 3	152	4.0	199 35	134	19.58	12839	15				16"0.		
		842 / 7	143	8.0	213 45	136	12.42	12979	16				B.F.		
		461 / 3	162	4.0	193 00	142	20.38	12790	17				10"0.		
		1011 / 9	112	10.0	214 10	106	12.32	13021	18				B.F.		
		321 / 2	172	3.0	185 15	145	22.54	12718	19				2-10"0 B.T.		
		375 / 2	176	3.0	192 30	154	20.42	12751	20				Cluster of 4.0. 6"To 10" in Dia		
									21						

Add'l Interm.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw S.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope T.S.

Interm. of Draw, V.D's
Break in Slope ..... Br.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon's
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Traveled Rd. Tr.Rd.
Fence ..... Fe.
Int. Fences ..... V.Fes.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Fir-Fr.
Pine-Pi.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Pine combination of these and all common standard abbreviations.

F.B. 614 PG. 52

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#9	P#8										1336.31				
		579													
		5	20	5°	178.20	15	-29.37	1322.5					Gr. 15-		
		200													
		022	179	1°	191.50	155	-21.13	1275.0					16" O.		
		565											G #14-Control P		
		5	66	5°	47.40	66	-2.28	1328.5					6"up & 1" Dn		
		1171													
		10	172	11°	195.25	157	-17.04	1277.2					12" O.		
		1120													
		10	121	11°	109.20	89	-30.30	1272.4					BT.		
		650													
		5	151	6°	111.00	112	-30.09	1264.7					Side SP		
		543											Set 1/2		
		4	144	5°	61.33	143?	-4.24	1320.3		16°		11°	P#9A.		
P#9A	P#9.	543						1320.3			1324.9				
		4	144	5°	000	143!	+4.35	1331.4	4.6	+6.5		+11.5	P#9		
		1132													
		10	133	11°	309.45	92	-33.30	1252.6					B.D.		
		1071													
		10	72	10°	270.45	36	-44.40	1278.9					S. SL.		
		1084													
		10	85	10°	239.10	43	-44.24	1272.3					S. SL.		
		585													
		5	86	6°	221.25	56	-36.26	1277.6					S. SL.		
		592													
		5	93	5°	219.20	68	-31.38	1278.3					S. SL.		
		798													
		7	99	7°	214.25	77	-27.50	1277.1					S. SL.		
P#10	P#9														
								1297.75	4.8		1302.55		Cluster of 3. Oak		
		934											#4. 14"		
		8	135	9°	18.00	133	-6.43	1277.9					Cluster of 3		
		459													
		4	60	4°	301.50	56	+1.513	1313.8					S.H.		
		450													
		4	51	4°	236.00	47	+1.501	1311.4					S.H.		

Add'l Inform.

Notes Cmkd. _____ Checked _____ Date _____ Notes _____ Date _____

Survey by Evans & Johnson Date 12-4-36

Field Book No. 1166 Page No. _____ F.B. 6846

DEC 5 1936 DEC 7 1936

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 614 Pg. 52

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Intersection of Draw, V.D's or Break in Slope ..... Int.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon, S.Cn.
Top of Cut ..... T.C.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle
Swale
Flat
Stream
Trail
Pavement
Edge of Road

So. ..... Sw. ..... Fl. ..... St. ..... Tr. ..... Pvt. ..... E.Rd.

Traveled Rd. Tr.Rd.
Fence ..... Fn.
Int. Fences ..... V.Fn.
Ditch ..... Dt.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Oak ..... O.
Pine-Pi, Cedar ..... Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Pine combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference − Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P10	P9								1		1302.55				
		623/5	124	60	22 50	120	− 10 13	1275.0	2				20" 0		
		722/6	128	70	23 50	124	− 9 44	1274.2	3				8" + 12" 0		
		844/7	145	80	26 35	141	− 9 50	1270.2	4				30" 0		
		607/5	108	60	189 20	108	− 0 07	1296.3	5				T.C.		
		483/3	184	40	35 20	175	− 12 22	1260.2	6				BK 07. S.SL.		
		415/3	116	40	209 20	112	+ 11 05	1320.4	7				S.H.		
		698/5	199	60	39 25	188	− 13 19	1252.1	8				BK S.SL.		
		558/4	159	50	218 45	145	+ 17 10	1342.5	9				S.H.		
		870/7	171	80	50 00	157	− 16 15	1248.6	10				BK, S.SL.		
		1153/10	184	110	65 30	169	− 16 14	1242.2	11				BK		
		492/3	193	40	225 45	168	+ 20 50	1362.8	12				S.H.		
		489/3	190	40	77 20	172	− 17 32	1244.9	13				BK. S. SL,		
		627/4	228	50	218 00	207	+ 17 35	1363.2	14				S.H.		
		988/8	189	90	87 05	174	− 16 03	1243.5	15				BK. S. SL.		
		1077/9	178	100	98 10	164	− 15 57	1245.6	16				BK S. SL.		
		1202/10	203	110	108 20	187	− 16 00	1237.6	17				BK S.SL.		
		590/7	191	50	211 10	181	+ 12 57	1339.3	18				S.H.		
		1479/10	180	110	114 10	168	− 14 30	1248.0	19				BK.		
		529/4	180	50	203 30	176	+ 7 56	1322.2	20				S.H.		
		656/5	157	60	124 05	144	− 16 44	1253.4	21				BK		

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	— Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P10	P9				° '		° '								
									1		1302.55				
		679							2						
		5	180	6	195 30	179	+ 3.15	1306.7							
		935							3				S.H.		
		8	136	9	105 10	122	- 18.57	1251.8							
		1180							4				FL.		
		10	181	11	190 40	181	+ 1.20	1295.8							
		532							5				T.C.		
		4	133	5	78 40	116	- 20.32	1253.8							
		627							6				FL.		
		5	128	6	62 15	113	- 19.53	1255.6							
		240							7				FL. BK.		
		1	141	2	50 00	124	- 19.54	1255.5					Cluster of 7 oaks		
		990							8				6' Dia. Av. 8"		
		8	191	9	186 30	190	- 4.57	1277.5					B.C. E Rd		
		992							9						
		8	193	9	181 00	192	- 4.49	1277.4					T.F. E. Rd.		
		752							10						
		6	153	7	38 50	144	- 14.03	1259.9					BK		
		1068							11						
		9	169	10	177 05	167	- 6.11	1274.5					G.T. 18-		
		1125							12						
		10	126	11	39 20	119	- 13.54	1262.3					FL		
		555							13	20		151			
		4	156	5	180 00	154	- 5.34	1282.5					P#11- E. Rd.		
		534							14						
		4	135	5	186 00	134	- 5.29	1284.7					B.C.		
		392							15						
		3	93	4	67 30	74	- 26.16	1261.5					BK.		
		431							16						
		3	132	4	178 35	130	- 6.00	1284.9					T.F. E. Rd.		
		569							17						
		5	70	5	192 50	69	- 6.03	1290.2					BC		
		657							18						
		6	58	6	183 05	57	- 6.9	1290.2					E. Rd. Bot. Drain		
		808							19						
		7	109	8	86 00	93	- 22.09	1256.5					BK		
		568							20						
		5	69	5	180 55	68	- 6.25	1289.9					T.F.		
		475							21						
		4	76	4	81 25	75	- 7.51	1288.3					Bot. Drain		

A88-51 Inform.

Map Rec'd. DEC 15 1939 Dept. of Public Works
Map Checked DEC 30 1939 Surveyor
Notes Checked Date
Notes Checked Date
Map No. Issued

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P10	P9				° '		° '		1		1302 55				
		479	80	4Q	181 05	79	6 35	1289 5	2				E. of F.		
		524	125	5Q	106 25	107	21 56	1254 4	3				B.K.		
		429	30	4Q	209 10	29	10 03	1293 3	4				B.C. E. Rd.		
		523	24	5Q	173 00	24	5 44	1295 1	5				T F E. Rd.		
		913	14	9Q	125 45	14	6 12	1292 1	6				Gr 17+B.F.		
		1142	143	11Q	137 00	134	14 29	1257 0	7				BK		
		949	50	9Q	42 40	45	18 39	1278 4	8				S.H, BK		
		870	77	8Q	21 20	75	9 05	1282 6	9				S.H.		
		817	120	8Q	149 30	112	15 02	1264 5	10				Bank of Wash.		
		488	89	4Q	94 40	71	26 23	1263 2	11				S.H, BK		
		989	90	9Q	156 25	85	13 42	1272 8	12				Bank of Wash.		
		773	74	7Q	168 35	71	11 38	1281 0	13				(Bank Wash + B.F.		
		803	104	8Q	125 50	92	19 25	1262 0	14				BK.		
		960	61	9Q	151 20	56	17 00	1276 5	15				BK.		
		863	64	8Q	126 10	56	20 19	1273 7	16				BK		
		842	43	8Q	161 40	41	12 53	1285 2	17				BF		
		1073	74	10Q	173 30	73	7 36	1282 9	18				B.W.		
		979	80	9Q	173 30	78	7 59	1282 5	19				B.F. E. Wash		
		1008	109	10Q	170 15	106	8 57	1275 9	20				B.F.		
		1116	117	11Q	135 30	109	15 16	1262 0	21				S.P.		

Add'n'l Inform.

F.B. 1884 Pg. 55

Topography Description Legend:
Side of Hill....S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash..B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw..H.D. Toe of Slope..T.S.

Intern. of Draw V.B's: Break in Slope..Br.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Bank.....S.B. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut....B.C. Top of Fill.....T.F. Bottom of Fill....B.F.

Saddle.....Sa. Swale.....Sw. Flat.....Fl. Stream.....Str. Trail.....Tr. Pavement.....Pvt. Edge of Road..E.Rd.

Triangulation Sta.Tr.Sta. Fence.....Fe. Int. Fence..I.Fe. Ditch.....Di. Telephone Pole..T.P. Power Pole....P.P. Culvert.....Cul.

Oak-O. Pine-Pi. Sycamore.....Sy. Eucalyptus.....Eu. Plus combinations of these and all common standard abbreviations.

Fir-Fr. Cedar-Ce.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical — Angle	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P11	P10				° '		° '	1282.52	5.4		1287.62				
		977							2						
		9	78	9Q	36.00	75	− 10.48	1264.3	3				B.W.		
		725													
		7	76	7Q	36.00	74	− 9.56	1267.7					Edge Wash		
		792							4						
		7	93	7Q	62.05	87	− 15.00	1257.2					E. Wash		
		1091							5						
		10	92	10Q	62.40	85	− 15.23	1254.1					B. W.		
		888							6						
		8	89	8Q	63.00	83	− 15.17	1257.0					E Wash		
		357							7						
		3	58	3Q	218.15	58	+ 2.23	1287.0					T.C.		
		378							8						
		3	79	3Q	232.30	74	+ 13.51	1303.0					B.Sw.		
		816							9						
		7	117	8Q	81.35	105	− 18.10	1245.2					B.W.		
		620							10						
		5	121	6Q	245.35	99	+ 24.44	1327.7					B. Sw.		
		1055							11						
		9	156	10Q	76.15	145	− 14.56	1238.8					B.T.		
		560							12						
		4	161	5Q	251.50	124	+ 28.32	1350.3					H. Sw.		
		564							13						
		4	165	5Q	243.40	132	+ 26.04	1347.8					S.P.		
		937							14						
		8	138	9Q	90.30	127	− 16.29	1241.1					S.H.		
		526							15						
		4	127	5Q	236.30	108	+ 22.30	1327.5					S.P.		
		897							16						
		8	98	8Q	105.45	84	− 21.37	1246.0					16" O.		
		399							17						
		3	100	3Q	225.40	93	+ 15.06	1309.8					E. S.P.		
		560							18						
		5	61	5Q	74.15	50	− 25.30	1258.9					S.H.		
		782							19						
		3	83	3Q	203.00	83	− 1.07	1283.0					T.C.		
		415							20						
		3	116	4Q	194.40	115	− 4.06	1275.3					T.C.		
		846							21						
		8	47	8Q	29.50	46	− 9.57	1271.7					B.F. 8"		

Assn't Inform.

M. D. DARLING No. 8668 Drawn by M.D.D. Date DEC 30 1936 Plotted by M.D. DARLING Date DEC 30 1936 Traced by Ruth Rice Date DEC 30 1936 Surveyed by E. Ramos Date 12-4-36 Notes Chkd. Date Checked by J. C. Johnson Date Index No. F.B. 622 P. 57

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P#11	P#10				° '		° '		1		1287.62				
		248 / 4	49	7 0	129 30	37	− 2 38	1259.5	2				BK B.F.		
		250 / 2	51	2 0	212 10	49	− 0 19	1276.6	3				B.C. E. Rd.		
		862 / 8	63	8 0	110 10	50	− 2 19	1254.5	4				10" O.		
		444 / 4	45	4 0	183 30	44	− 0 21	1276.4	5				T. F. E. Rd.		
		326 / 3	77	3 0	197 00	75	− 0 23	1272.3	6				B.C. E. Rd.		
		283 / 2	84	2 0	133 30	70	− 2 41	1254.2	7				3" clump of 11- small oaks, 4' Dia		
		273 / 2	74	2 0	182 15	72	− 0 10	1272.7	8				T. F. E. Rd.		
		313 / 2	114	3 0	191 30	111	− 0 42	1267.5	9				B.C. E. Rd.		
		508 / 4	109	5 0	183 40	107	− 0 37	1268.4	10				T. F. E. Rd.		
		506 / 4	107	5 0	179 10	105	− 0 39	1268.5	11				B.F.		
		514 / 4	115	5 0	173 55	110	− 1 15	1260.6	12				B.F.		
		408 / 3	109	4 0	139 50	98	− 1 03	1251.2	13				FL		
		722 / 6	123	7 0	117 00	112	− 1 23	1245.5	14				FL		
		679 / 6	80	6 0	175 00	76	− 1 07	1265.2	15				B.F.		
		753 / 7	54	7 0	169 10	50	− 1 00	1266.3	16				B.F.		
		760 / 6	161	7 0	98 40	148	− 1 00	1238.9	17				FL.		
		513 / 4	114	5 0	157 45	107	− 1 26	1255.1	18				FL.		
		472 / 410	163	1 0	116 50	148	− 1 30	1239.8	19				FL		
		434 / 2	235	3 0	180 00	234.3	− 3 07	1271.8	20	1.58		1.28	P#12.		
		403 / 9	204	10 0	174 30	202	− 6 10	1256.9	21				Gr. 19-		

Add'l Inform.

F.B. 614 PG. 57

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Intern. of Draws, V.D's in Slope ..... Bk.s.
Break in Slope ..... S.S.
Steep Slope ..... T.Cl.
Top of Cliff ..... B.Cl.
Bottom of Cliff ..... T.Sp.
Top of Spur ..... B.Cn.
Bottom Canyon

Side of Draw ..... Bk.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle ..... Sa.
Single ..... Si.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Travelled Way ..... T.W.
Fence ..... Fn.
Ind. Fences ..... V.Fn.
Ditch ..... Dt.
Telephone Pole ..... T.P.
Power Pole ..... Pol.
Culvert ..... Cul.

Blk.-O. ..... Blk.-Oak
Fir-Pi. ..... Fir-Pine
Pine-Pi. ..... Pine-Pine
Cedar-Ce. ..... Cedar
Sycamore ..... Sy.
Eucalyptus ..... Eu.

Pine combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P12	P11			—	° '		° '	1271.74	4.8		1276.54		—		
		791							2						
		7	92	7 a	348.00	92	− 3.29	1264.0	3				B.C. E. Rd		
		894													
		8	95	8 a	356.00	95	− 3.33	1262.6	4				E. Rd.		
		795													
		7	96	7 −	359.20	96	− 2.56	1264.6	5				BK		
		330													
		2	131	3 a	339.00	130	+ 5.58	1287.2	6				S.H.		
		797													
		7	98	7 a	3.25	98	− 2.58	1264.5	7				BK		
		905													
		8	106	9 a	8.50	105	− 5.01	1258.2	8				BK - B.F.		
		360													
		2	161	3 a	338.25	158	+ 8.07	1296.1	9				S.H.		
		1005													
		9	106	10 a	24.50	104	− 7.06	1253.5	10				BK.		
		326													
		2	177	3 a	334.30	169	+ 12.07	1309.9	11				S.H.		
		1125													
		10	176	13 a	41.15	173	− 6.58	1242.3	12				B. W. + Bise at Knoll		
		620													
		4	221	5 a	322.30	194	+ 20.05	1342.9	13				S.H.		
		1167													
		10	168	11 a	26.05	166	− 5.36	1249.2	14				F.L.		
		423													
		2	224	3 a	315.50	191	+ 22.15	1352.2	15				SH		
		321													
		1	222	2 a	309.10	189	+ 22.33	1353.2	16				S.H. on S.P.		
		412													
		2	213	3 a	302.45	179	+ 23.06	1350.7	17				S.P.		
		1052													
		10	53	10 −	346.20	53	− 4.51	1262.0	18				B.C. E. Rd		
		410													
		2	211	3 a	297.35	180	+ 22.16	1347.7	19				S.H. on S.P.		
		770													
		7	71	7 a	7.05	69	− 8.39	1259.1	20				E. Rd.		
		572													
		5	73	5 a	8.25	71	− 8.42	1260.5	21				B.K. T.F.		
		1023													
		8	224	9 a	294.35	190	+ 22.53	1347.8					S.H. on S.P.		

Add'n'l Inform.

M.B. PARLING No. 8168
DEC 16 1936
DEC 30 1936
Surv. of P.L. & P. Rs
Notes Chkd.
Checked
Surveyed by E. Hall M.S. Recm. 5301 Y. Date 12-2-36
Date
Map No.
Inform. C. Johnson
F.B. 6644

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 614 Pg. 60

Topography Description Legend:
Hill ... S.H. | Bottom Draw ... B.D.
Side of Draw ... S.D. | Bottom Wash ... B.W.
Side of Ridge ... S.R. | Top of Ridge ... T.R.
Head of Draw ... H.D. | Toe of Slope ... T.S.

Drk. O. Fir-Fr. | Fir-Pi. Cedar ... Ce. | Pine-Pi. Cedar ... Ce. | Sycamore ... Sy. | Eucalyptus ... Eu. | Pike combinations of these and common standard abbreviations.

Traveled Rd. Tr.Rd. | Fence ... Fe. | Int. Fences ... V.Fe. | Ditch ... Di. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ... Cul.

Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road E.Rd.

Side of Canyon S.Ca. | Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F.

Inters. of Draw, V.D's | Break in Slope ... Br.S. | Steep Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Ca.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#12	P#11				° '		° '		1		1276.54		—		
		985 / 9	86	9	12.10	85	− 5.52	1258.7	2				BK		
		1038 / 10	39	10	16.30	37	− 14.15	1257.3	3				B.C.		
		886 / 7	187	8	289.40	166	+ 19.26	1327.2	4				S.H.		
		1042 / 10	43	10	18.50	41	− 13.13	1256.9	5				BK.		
		947 / 9	48	9	16.15	46	− 10.34	1258.9	6				E. Rd.		
		674 / 5	175	6	300.00	150	+ 22.07	1331.7	7				BK. S.P.		
		1061 / 10	62	10	21.40	61	− 8.20	1257.9	8				E. Rd. + E. Wash		
		827 / 7	178	8	311.20	152	+ 22.18	1331.2	9				SH.		
		871 / 8	72	8	23.40	70	− 10.03	1256.2	10				B.W. Edge		
		780 / 7	81	7	24.00	78	− 9.56	1255.8	11				B.W. Edge		
		851 / 7	152	8	297.10	128	+ 23.16	1323.6	12				T. S.P.		
		523 / 4	124	5	304.25	108	+ 21.04	1313.2	13				T.P.		
		1018 / 9	119	10	40.35	117	− 7.34	1251.0	14				Ba. of Rm.		
		342 / 2	143	3	311.05	126	+ 19.52	1319.5	15				S.H. BK		
		894 / 8	95	8	53.45	92	− 10.03	1252.1	16				Ba of Rm.		
		355 / 2	156	3	320.00	143	+ 16.45	1316.7	17				BK S.H.		
		287 / 2	88	2	77.35	81	− 16.30	1250.5	18				Ba of Rm. + E. Rd.		
		574 / 4	175	5	324.40	159	+ 17.14	1321.2	19				S.H.		
		1046 / 10	47	10	59.10	43	− 16.51	1253.5	20				T.SL.		
		554 / 5	55	7	54.30	50	− 17.22	1253.9	21				E. Rd.		

Add'n'l Interval

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not write notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P 12	P 11				° '		° '				1276.54				
		366							1						
		3	67	3 0	50 30	61	− 17.14	1254.7	2				E. Rd.		
		371							3						
		3	72	3 0	49 25	65	− 17.19	1253.1	4				B K		
		534							5						
		4	135	5 0	330.00	129	+ 11.51	1298.8	6				S.H.		
		467							7						
		4	68	4 0	298.50	64	+ 13.42	1288.2	8				S.H. on S.P.		
		826							9						
		8	77	8 0	85.53	72	− 14.53	1249.5	10				T. C.		
		826							11						
		9	77	9 0	85.20	73	− 13.54	1249.6	12				B. C.		
		522							13						
		5	123	5 0	327.40	119	+ 10.43	1294.9	14				S.H. B K		
		250							15						
		2	51	7 0	82.50	46	− 18.58	1253.7	16				T. SL.		
		505							17						
		5	106	5 0	322.45	101	+ 12.07	1293.3	18				S.H.		
		296							19						
		2	97	2 0	319.30	93	+ 12.14	1294.9	20				S.H.		
		1062							21						
		10	63	10 0	114.30	60	− 12.59	1252.9	22				B K SL + T.C		
		1022							23						
		10	23	10 0	120.30	23	− 5.45	1264.9	24				B K on B.P. + T.C.		
		466							25						
		4	67	4 0	275.00	63	+ 13.28	1287.9	26				S.H. B K		
		538							27						
		5	39	5 0	274.00	37	+ 12.20	1279.7	28				S.H. B K		
		317							29						
		3	18	3 0	260.50	18	+ 5.54	1275.4	30				T. P. + B K		
		797							31						
		8	18	8 0	37.20	18	− 5.57	1266.7	32				B K.		
		325							33						
		3	26	3	317.25	26	+ 5.29	1276.0	34				B K		
		1021							35						
		10	32	10 0	18.25	31	− 9.51	1261.2	36				T C		
		465							37						
		4	66	4 0	327.25	65	+ 4.50	1278.2	38				B S H.		
		764							39						
		7	65	7 0	336.15	65	+ 2.08	1271.9	40				T. C.		

Add'l Inform.

Date DEC 16 1936 Plotted by [illegible] Plotting Sheet No. 8166
Notes Chkd. Date DEC 30 1936 Checked Survey by EVANS Notes Sadie Date 12-2-36
Map No. Indexed A. C. Jobbins

F.B. 6 Pg. 64

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 6884 Pg. 62

Transit at	Sight to	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P12	P11				° '		+ '		1		1276.54				
		286 / 9	87	7.0	342 45	87	+ 1.38	1272.1	2				T.C		
		901 / 9	82	9.0	238 10	78	− 13.18	1249.2	3				B.C. + E. Rd.		
		775 / 7	76	7.0	239 40	73	− 10.35	1255.7	4				T.C.		
		186 / 1	87	1.0	230 25	79	− 17.53	1250.2	5				E. Rd.		
		401 / 3	102	4.0	223 45	92	− 17.43	1243.0	6				B.C.m.		
		807 / 7	108	8.0	221 35	104	− 11.33	1247.4	7				T. Ba. Bank		
		982 / 9	83	9.0	96 45	79	− 11.49	1250.9	8				B.K.		
		1903 / 9	104	10.0	101 10	101	− 9.54	1248.9	9				T.C		
		1138 / 11	39	11.0	200 20	32	− 23.53	1251.1	10				T.C.		
		796 / 7	97	7.0	96 00	94	− 9.45	1253.4	11				T.C		
		1045 / 10	46	10.0	198 30	35	− 29.09	1246.9	12				B.C. E. Rd.		
		1014 / 9	115	10.0	96 25	112	− 8.44	1249.2	13				JC. of Cuts		
		163 / 1	64	1.0	194 45	64	− 3.08	1272.0	14				E. Rd.		
		785 / 7	80	7.0	183 00	70	− 24.52	1236.6	15				B.C.m.		
		997 / 9	98	9.0	92 00	93	− 12.13	1247.2	16 X				B.C. E Rd.		
		993 / 9	94	9.0	185 55	93	− 6.14	1257.5	17				B.T. in Bank		
		505 / 4	106	5.0	85 15	100	− 13.24	1247.0	18				B.C. E. Rd.		
		318 / 2	119	3.0	88 05	112	− 13.51	1245.9	19				E. Rd. B.C.		
		409 / 3	110	4.0	145 50	100	− 16.57	1241.8	20				B.T. Ba.		
		820 / 7	121	8.0	97 00	116	− 11.47	1244.3	21				B.C. V of Rds		

Add'n'l Notes

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Pits combinations of these and all common standard abbreviations

Traverse Sta. Fence Fe. Int. Fences V.Fe. Ditch Di. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Saddle Sa. Swale Sw. Flat Fl. Stream St. Trail Tr. Pavement Pvt. Edge of Road E.Rd.

Canyon S.Ca. Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Side of Draw S.D. Top of Bk. Bk. Bottom of S. S. Top of Obstr. T.Ob. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Intersection of Draw V.D's Break in Slope Bk. Sheep Slope S.S. Top of Obstr. T.Ob. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Topography Description Legend:
Side Hill S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope T.S.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 12	P# 11				° '		° '				1276 54		—		
		987													
		9	88	9	150 40	72	− 24 42	1234					B. Cm.		
		822													
		7	123	8	107 30	117	− 12 00	1243					E. Rd.		
		825													
		7	126	8	111 35	119	− 13 53	1239					T. Ba. & Cm		
		1164													
		11	65	11	138 50	58	− 19 23	1245					E. Rd & Ba. & Cm		
		1137													
		10	138	11	117 35	127	− 15 52	1229					B. Cm.		
		1129													
		10	130	11	132 50	125	− 11 20	1240					T. Ba		
		914													
		8	115	9	57 15	115	− 3 24	1260					T. & Km.		
		1130													
		10	131	13	49 50	131	− 2 10	1258					Bk. on Km.		
		246													
		6	147	7	47 25	145	− 6 15	1253					Km.		
		509													
		4	110	5	64 06	108	− 6 03	1260		165		115	P# 12-A		
											M. D. DARLING				
P# 12A	P# 12							1259 95	48		1264 75				
		935													
		9	36	9	139 55	36	− 4 49	1252					S.H., Km.		
		517													
		5	18	5	294 00	18	− 7 10	1257					T. Km.		
		812													
		8	13	8	203 00	13	− 7 59	1254					S.H. Km.		
		1074													
		10	75	10	144 40	72	− 10 56	1240					B. Km.		
		1132													
		11	33	11	289 20	33	+ 1 26	1254					T. C.		
		841													
		8	42	8	269 20	41	− 8 37	1250					T. C.		
		947													
		9	48	9	260 35	47	− 8 43	1248					T. C.		
		947													
		9	48	9	177 30	44	− 15 31	1243					B. Km.		

Entered
Indexed

M. D. DARLING
Plotted by
Traced by
Notes Checked DEC 16 1936
Checked DEC 31 1936
Date
Survey by E. Morris
Date 12-2-36
Map No.
Indexed
Notes C. Johnson
Date
Field Book No. 5168 Division No.
E. H. 6844

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left / Right
P#12A	P#12										1264.75			
		251 / 7	52	7.0	262 20	48	- 15 24	1244.5					B.C	
		882 / 8	83	8.0	181 35	79	- 12 46	1238.8					F.L.	
		875 / 8	76	9.0	252 55	75	- 7 44	1245.6					T.C	
		978 / 9	79	9.0	253 40	76	- 10 43	1241.4					B.C. E.Rd.	
		904 / 8	102	9.0	161 00	98	- 11 11	1236.4					F.L.	
		118 / 11	36	11.0	241 50	34	- 11 44	1246.5					B.SL.	
		1031 / 10	32	10.0	203 50	30	- 11	1246.5					B. SL.	
		1072 / 10	73	10.0	203 00	70	- 10 52	1241.2					FL	
		1131 / 10	132	11.0	148 25	129	- 8 05	1235.3					FL.	
		627 / 5	128	6.0	191 45	124	- 10 26	1236.0					T. BK.	
		611 / 5	112	6.0	207 25	108	- 10 08	1239.5					T. BK.	
		1161 / 10	162	14.0	143 50	160	- 5 57	1234.1					FL.	
		311 / 2	112	3.0	225 40	108	- 10 54	1241.9					T. BK	
		406 / 3	107	4.0	222 53	103	- 10 38	1241.4					P.P.	
		915 / 8	116	9.0	230 00	113	- 8 23	1239.0					T.C. + E.C.	
		1000 / 9	101	10.0	239 20	99	- 7 47	1241.2					T.C.	
		762 / 7	63	7.0	223 40	59	- 13 27	1243.4					FL.	
		565 / 5	66	5	261 00	62	- 14 31	1243.7					Gr 20-	
		1150 / 10	151	11.0	230 40	148	- 8 04	1232.7		32.9		21.9	P# 13	

Add'n'l Interm.

Side of Saddle ..... Sa. | Canyon S.Cn. ..... | Draw V-D's ..... | Inters. of Draw ..... | Topography Description Legend: Hill ..... Sm. Side of Draw ..... Sm. Side of Ridge ..... Sm. Head of Draw ..... H.D.

Side of Swale ..... Sw. | Bank ..... T.B. | Top of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Fill ..... T.F. | Bottom of Fill ..... B.F.

Side of Flat ..... Fl. | Top of Bank ..... S.B. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Side of Stm. | Top of Gully ..... T.G. | Top of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Trail ..... Trl. | Top of Gully ..... T.G. | Bottom of Cut ..... B.C. | Top of Spur ..... T.Sp. | Top of Canyon ..... B.Cn.

Pavement ..... Pvt. | Top of Slope ..... T.S. | Bottom of Slope ..... T.S. | Top of Ridge ..... T.R. | Top of Slope ..... T.S.

Edge of Road ..... E.Rd. | Bottom of Slope ..... T.S. | Bottom Draw ..... B.D. | Bottom Wash ..... B.W. | Top of Ridge ..... T.R. | Top of Slope ..... T.S.

Culvert ..... Cul. | Bottom of Slope ..... T.S. | Top of Slope ..... T.S. | Top of Ridge ..... T.R. | Top of Slope ..... T.S.

Fence ..... Fe. | Traveled Rd. ..... Tr. Rd. | Pipe-Pl. ..... P.P. | Cedar ..... Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu.

Ditch ..... Dit. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Oak ..... O. | Fir ..... Fir.

Use these combinations and all common standard abbreviations.

F.B. 6881 Pg. 64

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P 13	P 12				° ′		° ′	1232.60	1 .49		1237.50		—		
		898							2						
		7	199	8	353 45	195	+ 8 07	1257.4	3				T.C.		
		482							4						
		4	83	4	346.35	82	+ 4.40	1240.2					E. Rd.		
		895							5						
		7	196	8	351.50	195	+ 4.46	1245.8					B.C. E. Rd		
		885							6						
		8	86	8	338.00	85	+ 4.49	1236.7					T. Ba.		
		532							7						
		5	53	5	359.55	53	+ 4.31	1236.7					B.C. E. Rd		
		452							8						
		4	53	4	342.50	53	+ 3.07	1236.4					E. Rd.		
		655							9						
		6	56	6	332.50	56	+ 3.24	1234.8					T. Ba.		
		326							10						
		3	27	3	22.50	27	− 0.20	1234.5					B.C. & E.C.		
		419							11						
		4	20	3	354.50	20	− 0.00	1233.6					E. Rd.		
		520							12						
		5	21	4	316.00	21	− 0.00	1232.7					E. Rd.		
		724							13						
		7	25	6	295.50	25	− 0.00	1231.0					T. Ba.		
		934							14						
		9	35	9	192.45	35	− 0.00	1228.2					T.C.		
		738							15						
		7	39	7	282.50	38	− 1.01	1223.9					B.C.		
		257							16						
		2	52	2	274.00	52	− 4.1	1231.8					T. Ba.		
		738							17						
		7	39	7	153.20	39	− 4.14	1227.5					B.M. EL.		
		1056							18						
		10	57	10	125.00	57	− 4.21	1223.2					B.M. EL.		
		254							19						
		5	55	7	85.45	55	− 4.00	1226.8					B.M. in SL		
		897							20						
		8	98	8	94.05	98	− 3.24	1223.6					B.M.		
		528							21						
		4	129	5	84.20	129	− 1.13	1229.7					B.M.		
		429											Cl w M @ 5		
		3	130	4	89.20	129	− 3.53	1226.7					Mk. E. Rd.		

Add or Subtract Intercepts

W. E. BARLING, County Surveyor
DEC 16 1936
DEC 3 1936
Notes Checked
Survey by
Notes Computed
Plotted
Traced
Map No.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 6414 PG. 86

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Drk.-D. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Pitu combinations of these and all common standard abbreviations.

Transit at ..... Sta. | Sight on ..... Sta. | Fence ..... Fe. | Inf. Fence ..... V.Fe. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul. | Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd. | Canyon ..... Cn. | Side of Bank ..... S.B. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F. | Side of Draw ..... S.D. | Top of Slope ..... T.S. | Bottom of Slope ..... B.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn. | Intern. of Draw, V.D's Break in Slope ..... Stress Slope .....

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P13	P12				° '		° '		1		1237.50				
		849/8	50	8.0	198 45	49	− 6 48	1223.6	2				B.C. E.Rd.		
		954/9	55	9.0	208 05	54	− 7 08	1221.7	3				BCn. E.Rd.		
		175/1	76	1.0	227 10	74	− 8 21	1225.5	4				B. Ba.		
		635/5	136	6.0	94 50	135	− 4 43	1220.3	5	X			BK		
		377/3	78	3.0	229 50	78	− 3 03	1230.4	6				T. Ba. E. Cn.		
		506/4	107	5.0	103 25	106	− 5 23	1222.5	7				BK.		
		625/5	126	6.0	106 55	125	− 5 26	1219.6	8				L-22		
		511/4	112	5.0	112 00	110	− 6 53	1219.3	9				BK.		
		792/7	98	8.0	195 05	97	− 6 03	1219.2	10				B. Ba.		
		297/2	98	2.0	191 15	97	− 6 28	1224.5	11				T. Ba.		
		898/8	99	9.0	199 00	98	− 5 43	1218.9	12				B.Cn E.Rd		
		800/7	101	5.0	205 20	100	− 5 23	1220.2	13				E. Rd		
		575/4	116	5.0	120 05	114	− 6 42	1219.0	14	Y			BK		
		206/7	107	2.0	209 15	105	− 7 57	1220.9	15				B. Ba.		
		522/4	123	5.0	128 50	120	− 8 47	1214.0	16				BK		
		496/4	97	4.0	131 45	94	− 9 53	1217.9	17				BK		
		587/5	88	5.0	132 45	86	− 8 12	1220.1	18				BK		
		204/7	105	1.0	221 40	104	− 3 54	1229.4	19				T. Ba.		
		567/4	168	5.0	127 50	165	− 7 56	1209.5	20				10"O		
		342/2	143	3.0	191 40	142	− 4 53	1222.4	21				T. Ba.		

Add'n'l Informa.

Form 391 16M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P# 13	P# 12				° '		° '		1		1237 50				
		368 / 2	169	3 Q	126.25	165	− 8.19	1210 4	2				12" Cottonwood		
		649 / 5	150	6 −	193.40	148	− 5.44	1216 6	3				B. Ba. E. Rd		
		650 / 5	151	6 Q	198.10	149	− 5.57	1216 4	4				E. Rd. B. Cm.		
		443 / 3	144	4 Q	203.50	142	− 5.47	1219 2	5				B. Bq.		
		242 / 1	143	2 Q	206.45	142	− 3.27	1227 0	6				T. Ba.		
		473 / 5	174	4 Q	127.10	170	− 8.08	1209 2	7				8" O.		
		479 / 5	180	4 Q	126.05	176	− 8.07	1208 4	8				10" O.		
		276 / 8	177	9 −	203.15	177	− 2.31	1220 8	9				T. Ba. Ja Rd		
		1081 / 9	182	10 Q	202.50	181	− 3.28	1216 9	10				E. of Arroyo Seco		
		1100 / 9	201	10 Q	201.30	200	− 3.30	1215 4	11				" " " "		
		584 / 4	185	5 Q	195.00	183	− 5.34	1214 7	12				& V of Rds & B. Cm		
		424 / 3	175	4 Q	200.05	173	− 5.39	1216 5	13				E. Rd. B. Ba.		
		677 / 5	178	6 Q	191.20	177	− 5.11	1215 4	14				" " " "		
		406 / 229	172	3 Q	190.25	170	− 5.37	1217 8	15				T. & V of Cut		
		470 / 3	171	4 Q	125.20	168	− 7.44	1210 7	16				6" O.		
		466 / 3	167	4 Q	124.10	164	− 7.39	1211 5	17				6" O		
		265 / 1	166	2 Q	129.50	161	− 9.33	1208 4	18				BK - B. Sv.		
		1070 / 9	171	10 Q	184.45	170	− 3.36	1216 9	19				E. of F.S. Rd.		
		992 / 8	193	9 Q	184.50	192	− 3.44	1216 9	20				" " " "		
		482 / 3	183	4 Q	130.15	178	− 9.08	1204 6	21				B. Bq.		

Plotted by M. B. DARLING Date DEC 16 1936
Notes Chkd. Date
Checked Date
Map No. Index
Job No. 8165 Sheet No. 6
Date DEC 31 1936
Survey by E. Ellis
Notes J. Gentry
Map No. 6
Index

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 13	P# 12				°		°		1		1237.50		—		
		485 / 3	186	4 0	132 30	181	− 8 58	1205 0	2				18" O		
		1873 / 9	174	10 0	171 05	173	− 4 32	1213 9	3				E. Rd.		
		995 / 8	196	9 0	171 10	195	− 4 29	1213 4	4				E. Rd		
		1193 / 10	194	11 0	123 00	192	− 6 00	1206 5	5				8" C of Wood		
		1085 / 9	186	10 0	153 45	184	− 5 11	1210 8	6				E. Rd		
		1403 / 9	204	10 0	153 50	202	− 5 06	1209 5	7				E. Rd.		
		692 / 3	193	6 0	123 45	190	− 7 19	1207 1	8				18" Pop		
		298 / 1	199	2 0	132 50	194	− 8 48	1205 5	9				E. Rd		
		221 / 000	222	1 0	132 45	217	− 8 26	1204 4	10				E. Rd,		
		488 / 3	189	4 0	120 35	186	− 7 12	1210 1	11				BK. of T. Ba.		
		383 / 2	184	3 0	118 45	181	− 7 18	1211 4	12				8" O		
		552 / 4	153	6 0	187 35	151	− 5 42	1216 5	13				T. SL. & 18" O.		
		250 / 1	151	2 0	189 20	150	− 5 25	1221 4	14				T. Ba. & 36" O		
		375 / 2	176	3 0	118 45	173	− 7 01	1213 2	15				20" O.		
		1118 / 10	119	11 0	185 40	118	− 3 45	1218 8	16				T. SL.		
		474 / 3	175	4 0	116 15	172	− 6 43	1213 3	17				15" O.		
		464 / 3	165	4 0	114 45	163	− 6 40	1214 5	18				18" O		
		1142 / 10	143	11 0	173 05	142	− 4 20	1215 8	19				T. SL.		
		353 / 2	154	3 0	113 50	152	− 6 57	1216 1	20				18" & 22" O's		
		1158 / 10	159	21 0	157 00	159	− 2 05	1210 9	21				Loading T. SL. & Con PLATFORM		

Add'n'l Notes on

Topography Description Legend:
Side of Hill...S.H. | Bottom of Draw...B.D. | Bottom of Wash...B.W. | Side of Ridge...S.R. | Top of Ridge...T.R. | Head of Draw...H.D. | Top of Slope...T.S.

Intersection of Draw with Slope...Br. of Slope...S.B. | Top of Cliff...T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur...T.Sp. | Bottom of Canyon...B.Cn.

Side of Draw...S.Dr. | Top of Bank...T.B. | Bottom of Bank...B.B. | Top of Cut...T.C. | Bottom of Cut...B.C. | Top of Fill...T.F. | Bottom of Fill...B.F.

Saddle...Sa. | Swale...Sw. | Flat...Fl. | Stream...Str. | Trail...Tr. | Pavement...Pvt. | Edge of Road...E.Rd.

Gas-G. | Fir-Fr. | Pipe-Pl. | Cutter-Cu. | Fence...Fe. | Survey...Sy. | Telephone Pole...T.P. | Electrolyte...El. | Power Pole...P.P. | Culvert...Cul.

Traveled Rd. Tr.Rd. | Intersection...Int. | Fence...Fe. | Ditch...Di. | Telephone Pole...T.P. | Power Pole...P.P. | Culvert...Cul.

Use of these combinations and all of these standard abbreviations.

D

F.B. 684 Pg. 58

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P#3	P#2				° '		° '		1		1237.50				
		1164							2						
		10	165	11 0	153 20	164	− 5 00	1212	3				T.S.L. + Cor. of L.P.		
		447													
		3	148	4 0	115 30	146	− 6 57	1215	6				18" O.		
		138							4						
		0100	139	1 0	146 48	137.3	− 6 27	1221	5	165		155	Bench Mark #P3		
		1156													
		10	152	11 0	150 25	152	− 2 43	1219	6				T. Ba. & T.C.		
		853													
		9	154	8 0	152 20	153	− 4 50	1216	7				B.C.		
		1147													
		10	148	13 0	155 00	148	− 2 56	1217	8				B.C.		
		1043													
		9	144	10 0	156 20	144	− 2 43	1220	9				T.C. T. Ba.		
		623													
		5	124	6 0	153 30	123	− 4 20	1222	10				T.C.		
		711													
		8	112	7 0	153 05	111	− 4 06	1222	11				T.C. & E.d.		
		1015													
		9	116	10 0	149 45	115	− 4 50	1217	12				B.C.		
		619													
		5	120	6 0	146 30	118	− 6 32	1218	13				B.C. & E.Cut		
		622													
		5	123	6 0	145 30	122	− 5 48	1219	14				T.C.		
		476											Clump of 5 5" to 10" 5'.		
		4	77	4 0	147 50	75	− 9 00	1221	15						
		871													
		8	72	8 0	162 25	71	− 5 07	1223	16				B.K.		
		633													
		5	134	6 0	149 30	133	− 4 33	1220	17				T.C.		
		1138													
		10	139	14 0	142 50	139	− 1 23	1220	18				B.K. T. of Ka.		
		692													
		6	93	6 0	163 15	92	− 4 47	1223	19				B.K.		
		399													
		3	100	3 0	171 45	99	− 5 00	1225	20				T. Ka.		
		830													
		7	131	8 0	172 10	131	− 3 04	1225	21				T. Ba.		
		280													
		7	81	7 2	184 05	81	− 3 16	1226					B.K.		

Date DEC 31 1936 Surveyed by E. Peters Notes by A. C. Jones

Notes Chkd. Checked

Date Plotted Plotted by

Date Traced Traced by

Scale

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P#13	P#12				° ' "		° ' "				1237.50				
		1008 / 9	109	10	184 05	109	− 1 57	1223.8					T. Ba		
		867 / 8	68	8	176 40	68	− 3 46	1225.0					BK		
		825 / 8	76	8	187 50	76	− 2 03	1226.9					3-8" SV.		
		987 / 9	88	9	153 30	87	− 5 10	1220.5					T. SL		
		640 / 5	141	6	135 35	138	− 1 32	1213.2					24" O		
		406 / 4	07	4	92 30	7	− 0 00	1232.9					Gr. 21		
		437 / 2	238	3	101 45	235.5	− 5 54	1210.2		27.3		24.3	P#14		
P#14	P#13							1210.02	4.7		1214.72				
		376 / 3	77	3	298 30	76	− 7 23	1201.9					E. Rd.		
		282 / 7	83	7	284 50	82	− 4 23	1202.5					E Rd		
		652 / 5	153	6	312 45	153	− 1 32	1204.7					16" Pop		
		727 / 7	28	7	273 10	20	−16 52	1199.8					E. Rd. B. Ba		
		240 / 7	41	7	250 30	39	− 11 46	1199.6					E. Rd.		
		640 / 5	141	6	312 45	141	− 0 55	1206.5					6" Pop		
		544 / 5	45	5	167 30	43	−12 35	1200.2					E. Rd		
		335 / 3	36	3	143 10	32	−20 28	1199.8					E. Rd. B. Ba.		
		539 / 4	140	5	319 00	140	+ 0 44	1211.4					36" O		
		642 / 5	143	6	325 50	143	+ 1 36	1212.6					16" + 10" O's		
		126 / 1	77	1	131 10	75	− 10 15	1200.4					E Rd B. Ba		

Add'n'l Stations

Transit at ..... Sight on ..... Saddle ..... Canyon B. Cs. Bank ..... T.B. Bottom of Bank B.B. Cut ..... T.C. Bottom of Cut B.C. Fill ..... T.F. Top of Fill B.F. Side of Drain ..... S.D. Top of Ridge ..... T.R. Head of Drain ..... H.D. Intersection of Drain & Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn. Traverse Sta. ..... Fence ..... Fc. Int. Fence ..... V.Fc. Ditch ..... Dt. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul. Fire Hydrant ..... F.H. Flow Line ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E. Rd. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Pine combinations ..... Pi. Oak-O. Use first and all of them as common standard abbreviations.

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope ..... T.S.

F.B. 644 Pg. 70

Form 391 1988 3-24

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P14	P13				° '		° '				1214.72				
		480													
		4	81	4Q	147.05	80	− 7.21	1200.4					E. Rd		
		758													
		7	59	7Q	322.00	58	+ 6.02	1213.9					2-12" O's		
		788													
		7	89	7Q	151.30	88	− 6.20	1198.0					Beg. T. Con. Head W.		
		655													
		5	156	6Q	143.28	155	− 3.37	1199.0					Angle Pt. " "		
		409													
		3	110	4Q	142.30	109	− 5.10	1200.9					E. Rd		
		1060													
		10	61	10Q	314.35	60	+ 7.30	1212.6					30" O. & T. Bq.		
		506													
		4	107	5Q	130.25	106	− 4.59	1200.5					E. Rd. B. Bq		
		755													
		7	56	7Q	307.10	56	− 0.00	1207.7					6" SY		
		1056													
		9	157	10Q	131.10	157	− 1.17	1201.3					E. Rd.		
		459													
		4	60	4Q	303.10	59	− 5.41	1204.9					8" SY		
		858													
		7	159	8Q	128.30	159	− 1.40	1202.2					B. Bq.		
		354													
		2	155	3Q	140.50	154	− 3.57	1201.2					E. Rd.		
		532													
		3	38	5Q	318.10	38	+ 4.54	1213.0					BK. + T. Bq		
		907													
		7	208	8Q	146.10	208	− 2.03	1199.4					Beg. H. Wall		
		513													
		7	214	8Q	146.05	214	− 2.01	1199.3					End. H. Wall		
		342													
		3	43	3Q	328.05	43	+ 3.51	1214.6					22" O.		
		625													
		4	226	5Q	144.15	226	− 2.16	1200.9					Fn.		
		533													
		5	34	5Q	295.05	34	− 6.12	1206.0					5" O.		
		725													
		5	226	6Q	143.35	226	− 2.05	1200.6					E. Rd		
		728													
		6	229	6Q	139.00	229	− 2.05	1200.6					E. Rd. B. B.		

Field Book No. 5165 Drawing No. 1
Notes Checked DEC 16 1936 Plotted DEC 21 1936 Sheet No. 1
Checked Survey by Ellis & Johnson Notes Sept 1936
Date Field Work No. Date 12-23-36

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P14	P13			—	° '		° '		1		1214.72				
		618 / 6	19	60	252 25	19	− 3 58	1207.4	2	7.3		1.3	20"O.		
		416 / 4	17	40	295 20	17	− 3 31	1209.7	3				20"O		
		1095 / 9	196	100	133 50	196	− 0 29	1203.2	4				B. Ba.		
		880 / 7	181	80	129 35	181	− 0 46	1204.4	5				B. Ba		
		127 / 1	28	10	22 30	28	− 0 15	1213.6	6				10"SY.		
		436 / 4	37	40	26 00	37	+ 5 56	1214.5	7				8"SY.		
		1073 / 8	274	90	146 05	274	− 1 35	1198.2	8				Fn. E. Rd.		
		776 / 7	277	80	142 05	277	− 1 44	1198.3	9				E. Rd. B. Ba		
		912 / 8	313	80	148 30	312	− 2 08	1195.3	10				E. Rd. Fn		
		707 / 4	308	60	144 10	307	− 2 17	1196.5	11				E. Rd. B. Ba.		
		483 / 4	84	40	10 05	83	+ 6 33	1220.2	12				Clump P. of 3-SY 6" to 10"		
		256 / 2	57	20	1 00	57	+ 2 55	1215.6	13				FL		
		259 / 2	60	20	34 10	60	+ 4 04	1217.0	14				BK.		
		31.3 / 3	14	20	5 25	14	− 0 00	1212.0	15				BK		
		415 / 4	16	40	25 35	16	+ 1 07	1211.0	16				B. W SW		
		265 / 2	66	20	40 05	65	+ 7 36	1221.4	17				T. BK		
		319 / 3	20	30	40 30	20	+ 2 27	12.12.6	18				BK		
		272 / 2	78	20	43 25	77	+ 2 39	1223.0	19				BK		
		381 / 3	82	30	46 50	79	+ 10 47	1226.8	20				BK		
		608 / 6	09	60	149 00	9	− 5 13	1207.9	21				T. T. BK		

Added on reverse

Traveled Rd. Tr. Rd. ... Sec. Sw. Fence ... Fe. Int. Fence ... V. Fl. Ditch ... Ditch Telephone Pole ... T. P. Power Pole ... P. P. Culvert ... Culv.

Swale ... Swale Flat ... Fl. Stream ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road ... E. Rd.

Side of Canyon ... S. Cn. Bank ... Bk. Bottom of Bank ... B. Bk. Top of Cut ... T. Cut Bottom of Cut ... B. Cut Top of Fill ... T. F. Bottom of Fill ... B. F.

Inters. of Draw ... Y. D's Break in Slope ... Br. S. Top of Slope ... T. Sl. Bottom of Cliff ... B. Cl. Top of Cliff ... T. Cl. Top of Spur ... T. Sp. Bottom Canyon ... B. Cn.

Fir ... Fir Pl. ... Pl. Cedar ... Ce. Sycamore ... Sy. Eucalyptus ... Eu. Plus combinations of these and all common standard abbreviations.

Topography Description Legend:
Bottom Draw ... B.D.
Bottom Wash ... B.W.
Top of Ridge ... T.R.
Toe of Slope ... T.S.
Side Hill ... S.H.
Side of Draw ... S.D.
Side of Ridge ... S.R.
Head of Draw ... H.D.

F.B. 684 Pg. 22

Form 301 16M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station Left Right
P 14	P 13				° '		− ° '		1	−	121472		
		524							2	−			
		577	25	5	131 55	24	− 13 36	12049	3	−			B.Sw.
		936	78	5	22 30	77	+ 7 07	12195	4	−			B.F.
		930	37	9	123 05	37	+ 4 48	12088	5	−			T. Ba. B.F.
		396	31	9	112 55	30	+ 7 44	12098	6	−			L. 23
		957	97	3	31 00	94	+ 9 59	12282	7	−			T. B.F.
		481	58	9	118 30	58	+ 3 30	12093	8	−			T. Ba.
		680	82	4	65 10	78	+ 12 22	12278	9	−	44	+ 16	T. [redacted] B.F.
		566	81	6	123 40	76	+ 0 10	12208	10	−			T. Ba.
		256	67	5	59 50	65	+ 10 15	12214	11	−			S.H.
		205	51	2	66 20	51	+ 2 53	12152	12	−			T. SL.
		255	106	6	123 10	106	+ 0 45	12091	13	−			30"O
		457	56	2	53 50	56	+ 4 50	12175	14	−			4"SY.
		708	52	5	83 20	52	+ 4 10	12134	15	−			60"O
		421	109	6	123 10	109	+ 0 45	12091	16	−			10"O
		560	122	5	125 00	122	+ 0 16	12111	17	−			T. C.+T. SL
		700	61	5	95 55	61	+ 2 35	12125	18	−			24"O
		365	101	6	111 30	101	+ 2 42	12124	19	−			T. SL
		721	66	3	97 50	66	+ 0 18	12120	20	−			28"O
		571	122	6	102 30	118	+ 9 41	12280	21	−			T. B.F.
			72	5	92 50	71	+ 5 33	12134		−			T. SL

Filed DEC 16 1936

Form 301 1958 2-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P14	13				° '		° '		1		1214.72		—		
		8.14 / 5	115	80	87.25	110	+ 12.00	1230.1	2				T. BK		
		2.88 / 2	89	20	91.20	89	+ 2.30	1216.7	3				18" O		
		4.94 / 4	95	40	81.50	92	+ 10.20	1227.5	4				T. Bk.		
									5						
									6						
									7						
									8						
									9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

To bot. pg. 76

Notes Ck'd by Drew	Survey of Palm Ave.	F.B. 684	Pg. 75
Map No. B-1250	W. 08168 Tape No. 49 St'd 84 °F.		
Office Work Wood	Surveyed by Evans		
Checked Drew	Notes HE Date 11-24-36		
Date 3-3-37	Indexed A. C. Johnson 12-9-36		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

Fd. 3/4" I.P., 12" dn.
Tr. 8635, C.S. 7801

PALM AVE

2525

2527

2x2 - inters'n per pg. 77

per pg. 77

Fd. 2" I.P. P.t.T. flush Tr. 8635

0.03

1140.5

Fd. 2" I.P. P.t.T. flush Tr. 8635

C-7 - Set new plug & cpr. tk. on line.

0.04

T. 1 N., R. 12 W., S.B.B.&M.

T. 2 N., R. 12 W., S.B.B.&M.

TWP. LINE

1/4 Sec. Cor. - Fd. C.S. Mon., 2" I.P. 9' B.G., in conc. 12" high, marked as shown in F.B. 473-9 & C.S. B-745-1

1602.4

Set 1x2 Top ridge.

F.B. 684 Pg. 76

Cor. to Sec. 31/32 6/5

Fd. C.S. Mon. 2" I.P. + B.C. in Conc. marked as shown F.B. 473-7 Bot. @ S. side Arroyo Seco.

237.76 Meas.

(91-33-45) (366-15-15) 91°33'-48 3/4"

To Bet pg. 78

390.09 @ 0-0 = 390.09

(275.63 @ 1-04 / 275.65 @ 1-20) = 275.58

T64° = 665.67 / .09 / 665.58

665.58

1X2 pg. 79

21.78

Set 1X1

(196.23 @ 40-49'-15" / 195.25 @ 40-28'-45") T80° = 148.50

148.50

0.10 0.05

Fd 2" I.P. con. w/ N cor. F.B. 473-7. Tr. 8127 & Tr. 8635

C-4 per C.S. B-745-1. Fd. 3/4" I.P.

28.18 @ 0-0 = 28.18

(253.79 @ 18-12 / 253.94 @ 18-20) = 241.06

(292.09 @ 4-21 / 292.04 @ 4-15) = 291.25

52.55 @ 0-0 = 52.55

T90° = 613.04 / .02 / 613.02

613.02

T. 1 N. - R. 12 W. 5

T. 2 N. - R. 12 W. 32

M.W.P. Line

W. Line M.R. 60-7 per pg. 82

11-2536

0.04

Fd. 2" I.P. P & T. 10" high. Tr. 8635

Fd. 3/4" I.P. & N C-5

20.13

Palm Ave

Propose 16' per pg 984

1.84

Set 1X2

1.49

From top pg. 75

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Drew	Survey of Palm Ave.
Map No. B-1250	W. O 8168 Tape No. 49 St'd 84° F.
Office Work Wood	Surveyed by Evans
Checked Drew	Notes LE Date 11-27-36
Date 3-3-37	Indexed A C. Johnson

F.B. 684 PG. 77

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

Fd. 2" I.P. P&T. Flush. Tr. 8635

25.00

25.09

0.16

89°-56'-05" Rec. & turned.

Identical

Fd. 2" I.P. P&T. 10" high. Tr. 8635. Apparently disturbed.

N&T 12" alive.

Set 3/4" I.P. cem. & 1/2 Fr. ctr. 14" dn.

1735.11

GRAVELIA ST.

90°

Nail.

25.02

Fd. 2" I.P. P&T. Flush. Tr. 8635. 1" I.P. 14" high, guard stake, along N. side of 2" I.P.

PALM AVE.

LOQUAT ST.

N. 89° 56' W. 911.81

S. 89° 56' W. 911.81

N. 81° 41' 40" E.

(81-41-45) 326-46-45 81°-41'-41 1/4"

per R.S. 75

90°

25.00

3.67

Set 2x2 dn. [illegible]

Fd. 2" I.P. P&T. Flush. Tr. 8635. 0.03 N. of sec. line.

Sec. Line

25.25

0.08

Fd. 3/4" I.P. dn. Tr. 8635

Fern Canyon

F.B. 684 PG. 78

High Ridge

W. ¼ Cor. Sec. 32
Fd. 12" x 6" stone & nail,
12" high, mkd. ¼ on
W. face per F.M. 14-125
& Tr. 8635
Replaced with 2" I.P. & B.C. in conc. 6" above surface & built rock mound — Marked. 3 ft. west.

4.99

100'±

1" I.P. P.T. 4' high, On line

100'±

Deep canyon

set 1"x2" top of spur by transiting in.

600'±

Covered Res.

set 2"x2" on spur 2' S.E. of S.E. cor Conc. Mon. Well

R.P. Int'sn. ¾" I.P. corner for wall, 10' dist. per pg. 80

(See pg. 80)
Set S.W.T. by Int'sn. Rec. Angle from P.I. #6 F.M. 14-77

788 Rec.

54.30

℄ Arroyo Blvd per pg. 80

set S.W.T. fork of 12" Syc.

P.I. #7 per F.M. 14-178
Nothing set.
Nothing set.

Meas. 237.76

From I.P. Rt. pg. 76

COUNTY SURVEYOR
¼ COR
R.12W. S.31 S.32
T.2N.
R.21W.

12-3-36

N

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by Drew	Survey of Palm Ave.
Map No. B-1250	W. O. 8168 Tape No. 072 St'd 84° F.
Office Work Wood	Surveyed by Evans
Checked Drew	Notes 4" Date 12-4-36
Date 3-3-37	Indexed A. C. Johnson

F.B. 684 PG. 79

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

(177-31)
(350-04)
177°31'-00"

Tan 8.16

Tan 8.16

Meas. Rec. 12.80

Meas. Rec. 150.00

Turned Rec. 177°-31'-00"

X in iron in post Angle point

P.I. #4 - F.M. 14-75
Angle Point - Set S.W.I.T. Rec. angle & dist. from P.I. #3.

P.I. #3 - F.M. 14-74
Set S.W.I.T. rec. bear. & dist. from P.I. #2.

set L&T boulder base of 24" Syc.

R.P. set 3/4" I.P. cem. & spl. nail 8" dp.

set L&T Granite outcropping

53.54

Set 1X2 on Sec. line, rec. bearing & dist. P.I.

ARROYO BLVD.

Meas. 166.60 Rec.

40°-19'-00" Turned Rec.

(Rec.)
Δ = 7°58
R = 100
T = 6.96
L = 13.90

RP. Set 3/4" I.P. cem. & spl. nail & tack in.

Sec. 24 Line per R.S. 76.

Sec. 32

1X1 per R.S. 76.

S8 W. 24 Syc.

(172-02)
(328-08)
172°-02'-00

(40-19)
(161-16)
40°-19'-00

(Rec.)
Δ = 38°-32
R = 50
T = 17.48
L = 33.63

set L&T conc. water box.

Fd. bolt & cem. - B.M. in granite boulder.

P.I. #2 - F.M. 14-73 Fd. 3/4" I.P. & tack 0.4 E. & 0.3 S. of Creek

Replaced with 3/4" I.P. cem. & spl. nail & tack 8" dp. and Witness 2.0 E.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red** Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line


P.I. #5. F.M. 14-76
Set S.W.+T. rec. angle & dist. from P.I. #4
R.P. - Set 3/4" I.P. cem. & chis. nail. Base of cliff on S. Prod.
R.P.P.I. - Fd. remains of very rotten & old stake, see F.M. 14-76
Meas. Rec. 92.80
43.90
87.67
50.14
Tunnel
145°
50.00 Rec.
13.6
21.7
Set L.T. Hdw. 1/2
Fd. Lead & tack in Hdw.
Set L.T. Hdw.
(Rec.) = 34-10 = 50 = 15.37 = 29.82
166.60 Meas. Rec.
ARROYO BLVD.
166°-26'-00" Turned Rec.
Rec. = 13°-34 = 250 = 29.74 = 59.20
R.P. - Set 3/4" I.P. cem. & chis. nail. Ext. 10 dia. in rubble loading platform
R.P. - Set 3/4" I.P. cem. & chis. nail. Base of cliff on S. Prod.
Fd. 1/2" I.P. 0.11 E. of line
Fd. 3/4" I.P. 0.11 E. of line
Fd. 3/4" I.P. 0.11 E. of line
Fd. 3/4

Notes Ck'd by Drew	Survey of Palm Ave
Map No. B-1250	W. O. 8168 Tape No. 42 St'd 84° F.
Office Work Wood	Surveyed by Evans
Checked Drew	Notes H. C. Johnson Date 12-8-36
Date 3-3-37	Indexed

F.B. 684 Pg. 81

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

(To top pg. 82)

From bot. pg. 81.

F.B. 684 Pg. 82

125.65 @ 7-51-768" = 124.46

308.68

(25)

2+22.73 - Fd. 2" IP Pit, 2' dp. per Tr. 8635

224.53

3+24.95

2.71 Rec.

3+37.79 Set nail

9.69

1.71

8.66

124.46

GRAVELIA ST.

-1+62.25 Set 1X2

141.97 @ 1-09 = 140.54

288.92 @ 6-52 = 286.85

74.55 @ 0-00 = 74.55

501.94

T 72° = .04

501.90

12-5-36

501.90

Line

10.21

T 72°

6431.24

LOCUST ST.

9+64.15 Set 1X2

N 17° 09' 11" W

143.16 @ 9-21 = 141.26

237.48 @ 7-54 = 235.25

376.51

T 74° = .02

376.49

376.49

12+93.55 - Fd. chiseled 2X3 & mon. 0.11 east wk. per Tr. 8635

W. Line NR 60-77

13+40.90 Fd. 2" IP Pit, cor. NR 60-77, Reference Mon. 8.00 N. Set 1X2 Ref. Mon. 8.00 W. Set 1X2 Ref. Mon. 8.00 E. Set 1X2 Ref. Mon. 8.00 S. Set 1X2

2" IP Pit, 0.76 East per Tr. 8635

87° 53' 05"

10.13

7.00

S. Line Sec. 32 per pg. 76

(87-53-00)
(351-32-15)
~~87° 53' 03¾"~~

13+40.64 Set 1X2 by water's edge

44.57 (144.62 Feet)

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by Drew	Survey of Palm Ave.	F.B. 684	Pg. 83
Map No. B-1250	W. O. 8168 Tape No. 49 St'd 84° F.		
Office Work Wood	Surveyed by Evans		
Checked Drew	Notes HE Date 2-8-37		
Date 3-3-37	Indexed L. C. Johnson 2-23-37		

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

℄ NOTES
ON
PALM AVE.

pgs. 84 to 94

H.F. Evans - Dep.
F.H. Blanchard - R.M.
D.S. Sedig - H.C.
N.R. Smith - R.C.
W.D. Willeford - Axe.

300 ft. tape #49
calibrated to 300.00 @ 84° F.

see pgs 14- for profile.
" " 9-14 " Bench Levels.

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red** Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



To lower left side pg. 86.

Notes Ck'd by Drew	Survey of Palm Ave.	F.B. 684	Pg. 85
Map No. B-1250	W. 08168 Tape No. 49 St'd 100°F.		
Office Work Wood	Surveyed by Evans		
Checked Drew	Notes HF Date 2-8-37		
Date 3-3-37	Indexed A. C. Johnson		

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Proposed PALM AVE. (20)

R.P.P.I. - Set 3/4" I.P. cem. & tin tag prod. flush.

12 45'24" T53= 124.52

63.32 @ 6°54-15 T56= 62.85

PI #2 Set 2x2

12 43 @ 5°46 - T70 = 120.65

N.I.T. 5 8100 K.

2.28

E.C. Set 2x2 flush. 7+35.08

N15°45' W. Mag. (20)

12 45'24"

1 ft. offset line per 9.82

W. Line M.R. 60-77

120.65

L & T

20 rad.

Fd. I.P. 9+15.15 from N. per pg. 82

156°26'15" 62.85

R.P.P.I. - Set 3/4" I.P. Cem. Str. nail & tin tag Prod. Fill (& Prod.)

P.O.T. Set 2x2 by intersn.

119.41

14.18

1020.52 To 2 I.P. 99.81

Δ = 23°-33'-40"
R = 350
T = 72.99
L = 143.93

14.06

12.19

B.C. Set L&T 5+91.15 in boulder

3.92

5+87.23 P.O.T.

P.O.T. - 5+52.18 Fd. 1X2, P#4 per pg. 5

identical

To 1X2-13+40.64 per pg. 82

(156-26-15 265-45-00 156-26-15)

(29-52 49-28 49-52)

320.38 To 2 I.P. pg. 82

252.14

120.03 @ 5°-46 - T 74° = 119.41

From top pg. 84

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red** Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by Drew	Survey of Palm Ave.
Map No. B-1250	W. O. 8168 Tape No. 49 St'd 84° F.
Office Work Wood	Surveyed by EVANS
Checked Drew	Notes FE Date 2-8-37
Date 3-3-37	Indexed A. C. Johnson

F.B. 684 Pg. 87

144.37 @ 4°38.20 - T 60° = 143.87 ✓ from upper left side of 87

(20) Mag. Solar 143.87 ✓ (20)

(163°30'45" 294°03'00" 163°30'45")

13+56.63 ✓

B.C. Set 2"x2" Flush

Δ = 16°29'10" ✓
R = 500
T = 72.43 ✓
L = 143.87 ✓

R.P.P.I. Set 3/4" I.P. cem. & pr. nail flush

P.I. #4 Set 2"x2" Flush.

S 0°04' W

S 81°45'25" E

38.73

47.02

163°30'45"

RALM AVE

R.P.P.I. Set 3/4" I.P. cem. & pr. nail flush

15+00.50 ✓

125.38 @ 3°27 = 125.05 ✓
20.79 @ 0°0 = 20.79
145.84 ✓
T 56° .03
145.81 ✓

E.C. Set wire S 87° in stump. Flush

14581 ✓

(20) (20) Proposed

N

To Blk 17 Pg. 88

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

To Bk. pg. 84

F.B. 684 PG. 88



Notes Ck'd by. Drew	Survey of Palm Ave.
Map No. B-1250	W. 08168 Tape No. 49 St'd 84°F.
Office Work Wood	Surveyed by EVANS
Checked Drew	Notes HE Date 2-9-37
Date 3-3-37	Indexed A. C. Johnson

F.B. 654 PG. 29

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

To Sta. 149. + 70

175.36 @ 5°19'18" = 4° = 174.58

174.58

(20) (20)

AVE.

E.C. 18+82.28
Set 2x2 Flush

R.P.F.I. - Set 3/4" I.P. cem. & spr. nail Flush.

N&T 24" dia.

10362 @ 29°20'15" = 90.32

N&T 12" Syc.

14.92

90.32

P.I. #6
Set 2x2 Flush

83.32

49.01

173°-06'-10" Rad.

R.P.F.I. - Set 3/4" I.P. cem. & spr. nail Flush.

Δ = 6°-53'-50"
R = 500
T = 30.13
L = 60.19
Ex. = 0.91 - 18+52.18

PALM

B.C. 18+22.09
Set 2x2 Flush

Proposed

122.67

122.89 - T60° = 122.57

(173°-06'-10")
332°-24'-00"
173°-06'-50"

Sta. 1+00 Lg. 2.0

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by Drew	Survey of Palm Ave
Map No. B-1250	W. O. 8168 Tape No. 49 St'd 84 °F.
Office Work Wood	Surveyed by Ennis
Checked 3-3-37	Notes TE Date 2-9-37
Date Drew	Indexed A. C. Johnson

F.B. 684 Pg. 91

(34-40-30
138-41-30
34-40-22½

To lower left side pg. 92

To R.R. Sta. 49

Calc. B.M. 802.39

246.09

249.35 @ 9°-13'-15" = 246.09

R.P.O.I. set 1/2" I.P. cem. & chis. mon. 10 min.

E.C. set 2x2 flush. 89.76

34°-40'-25" Calc. & Turned

AVE.

Δ = 13°-56'-35"
R = 500
T = 61.14
L = 121.68

159°-16'-15" 51.03

44.94

set 3/4" I.P. cem. & chis. mon. flush. R.P.P.I.

P.I. #8 set 2x2 flush

83°-04'-45"

55.49

PALM

P.O.S.T. set 2x2 flush

B.C. 21+68.08 set 2x2 flush

(20) (20)

149.77

Proposed

(159-16-15
277-05-00
159°-16-15"

56.99 @ 13°-07'-10"
T 60° = 55.49

from top pg. 90

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by Drew	Survey of Palm Ave
Map No. B-125°	W. O. 8168 Tape No. 49 St'd 84 F.
Office Work Wood	Surveyed by Emmons
Checked Drew	Notes HE Date 2-9-37
Date 3-3-37	Indexed A. C. Johnson

F.B. 684 Pg. 93

(from upper left pg. 92) 69.84 @ 16-11 = 67.07
@ 5-04 45 = 103.66
170.73
.03
170.70

T 66° =

(20)

(20)

Calc. & M.

9767

BC 29+40.96
Set 2X2 Flush

170.70

Curve #9

From Rod. Pt.

Calc. & Tan. at Y

55°-56'-00

Tan. at Y

Δ = 18°-40'-05
R = 300
T = 49.31
L = 97.75
Ex = 4.02 - 29+89.84

5 Stw bear S 48° E

80°-40'-

127.77

Tan. at X

Tan. at X

P.I. #10
Set 2X2 Flush

Stw 1.0 E

42.71

38.66

5 Stw base 2.4 S 42° E

Calc. & Tan. at X

106°-44'-

50.10 Tang.

73°-46'-00"

adj. 05"

Tan. at X

EC. 30+38.71
Set 2X2 Flush

Robbeson

PALM AVE.

S 16° E

Tang.

121.49

10 foot sidewalk

(73-46)
(295-04)
73°-46'-00"

(124-54)
(139-36)
124°-54'-00"

To top pg. 94

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

FORM 247 10M 11-36

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red** Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



Profile No. ____ X-Sec. No. ____

Notes Red. ____ Platted ____ Job No. 8168 Division No. ____ L. B. 684 Pg. 45

Date ____ Date ____ Survey of Palm Ave.

Notes Chkd. L. K. F. Checked ____ Survey by Evans Notes E Date 2-15-37

Date MAR 2 1937 Date ____ Map No. ____ Indexed A. C. Johnson 2-23-37

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PROFILE

on

Proposed & PALM AVE.

from

TRACT No 8635

to

ARROYO BLVD.

STATION	B. S.	H. I.	F. S	ELEV.
				Proposed Grade Sedig Smith Willeford.

PLEASE RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Form 307 5M 10-34

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 54 P.G. 96 | Job No. 8168 | Division No. | Notes Red LE | Plotted | Profile
Survey of Palm Ave | Date | No.
Survey by Evans | Notes Dasseng | Date | Notes Chkd. L. K. F. | Checked | X-Sec.
Indexed A. C. Johnson | Date 2-15-37 | Date MAR 2 1937 | Date | No.

STATION	B. S.	H. I.	F. S	ELEV.		
B.M. #P1	3 597	1452.122		1445 525 ✓	B.M. # P1 per pg 10. described on pg. 10	Fd. C.S. Mon as
T.B.M.	10 398	1455 068	7 752	1444.670	spk in crotch 36" ok per pg. 10	El. 1444.67
		North	on	℄ Present	Palm Ave	
0+00 going W.					0+00 west on proposed ℄ Palm Ave	
= 0+00 " N.			8 3	1446 .	= 0+00 North on present ℄ Palm Ave.	
0+50 " N.			6 2	1443 9 .	℄ Star Rd.	
1+00 " "			4 3	1450 8 .	"	
1+50 " "			2 2	1452 9 .	"	
T.P.	9538	1464.023	0583	1454.485 .		
2+00			8.2	1455 8 .	" " "	
2+50			5 5	1458 5 .	" " "	
3+00			2 5	1461 5 .	" " "	
T.P.	2443	1454 591	11.875	1452.148		
		See	Next	Pg.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		1454.591				
		West	21 L	Profile Palm	Ave.	
0+00 West			7 R	1446.8		
0+50			8 L	1446.5		
1+00			5.5	1446.1		
1+41.08 BC			7	1445.6		
1+50			7	1445.3		
2+00			11	1443.6		
2+50			12	1442.-		
T.P.		1446.478	5.588	[illegible]		
3+50			5 L	1438.4		
3+82			6 L	1439 8/8		

Profile Notes Red. LT Platted Job No. 2166 Division No. L. B. 684 PG. 27
No. Date Date Survey of Palm Ave
X-Sec. Notes Chkd. L. K. Checked Survey by [illegible] Notes [illegible] Date 2-15-37
No. Date MAR 2 1937 Map No. Indexed A. C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 6844 P.G. 78 | Job. No. 8168 Division No. ___ Notes Red HE ___ Plotted ___ Profile ___
Survey of Pipe Line ___ Date ___ No. ___
Survey by EVANS ___ Notes 25 Seeds ___ Notes Chkd. L. K. E. ___ Checked ___ X-Sec. ___
Indexed A. C. Johnson Date 2-15-37 Date MAR 2 1937 Date ___ No. ___

STATION	B. S.	H. I.	F. S	ELEV.		
		1446.795				
2+92 ~~92~~ EC.			6.2	1439 6.		
3+00			7.2	1439 3.		
3+50			10.8	1435 7.		
3+80			11.2	1435 1.		
T. P.	1.973	1436.768	11.505	1434.795		
3+86			3.4	1433 3.		
4+06			5.5	1431 4.		
T. P.	0.961	1426.768	11.491	1425.807		
4+50			3.2	1422 6.		
4+94			8.3	1418 2.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		1433.485				
5+00			7	1419 4.		
5+16			8	1418 5.		
5+50			7	1418 6.		
5+77			11	1415 3.		
T. P.	1.413	1416.398	11.521	1414.977		
57+48 Sta.			2	1413 9.		
6+00			8	1413 3.		
6+50			5	1409 8.		
7+00			7	1408 6.		
7+16			9	1406 8.		

Profile Notes Red. LE Platted Job No. Division No. L. B. Pg.
No. Date Date Survey of
X-Sec. Notes Chkd. L. K. F. Checked Survey by Notes Date
No. Date MAR 2 1937 Date Map No. Indexed C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 100 | Job. No. 8165 | Division No. | Notes Red HE | Plotted | Profile No.
Survey of Palmdale Ave | Date | Date | X-Sec. No.
Survey by Evans | Notes 5 sheets | Notes Chkd. L. K. F. | Checked
Indexed A. C. Johnson | Date 2-15-37 | Date MAR 2 1937 | Date

STATION	B. S.	H. I.	F. S	ELEV.		
		1416.500				
7+35 ~~35~~ E.O.			8.2	1407.5		
7+50			7.3	1406.7		
7+76			11.7	1404.7		
T.P.	3.618	1408.637	7.341	1405.019		
7+86 ~~86~~ B.S.			7.0	1401.1		
8+00			12.5	1396.1		
T.P.	2.046	1397.003	11.680	1396.957		
8+35			13.0	1386.0		
8+50			10.6	1388.4		
9+00			6.2	1392.4		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		1349.302				
9+50			9 P.C.	1340.0		
			14 ½	1284.4		
T.A.	4.851	1353.753	11.751	[illegible]		
10+00			4 ½	1380.6		
10+50			15 ½	1376.4		
11+00			15 ½	1376.5		
B.M.* P-2			4.819	1368.753	B.M. & P-2. Pg. 10 Sec. 10 R.R. El. B.M. 1382.2 Elev. 13.1	
B.M.* P-2	3.017	1371.770		1368.753 ✓		
T.A.	0.218	1376.853	11.663	1376.102		
11+50			2 ½	1373.5		
12+00			8 ½	1368.2		

Profile Notes Red. LE Platted Job No. 2165 Division No. L. B. 6594 Pg. 161
No. Date Date Survey of
X-Sec. Notes Chkd. L. K. F. Checked Survey by EVANS Notes Sept 12 Date 2-15-37
No. Date MAR 2 1937 Date Map No. Indexed A. C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 102 | Job. No. 8168 Division No. | Notes Red | Plotted | Profile
Survey of Alley Ave | Date | No.
Survey by A. C. Notes | Notes Chkd. L. K. F. | Checked | X-Sec.
Indexed | Date 2-15-37 | Date MAR 2 1937 | Date | No.

STATION	B. S.	H. I.	F. S	ELEV.		
		1376.350				
12+50			13.2	1363.4		
T.P.	0.570	1364.925	11.913	1363.355		
12+85.18 E.C.			4.4	1360.9		
13+00			4.2	1360.7		
13+50			4.2	1356.9		
13+56.52 E.C.			3.5	1357.5		
14+00			11.5	1353.5		
T.P.	0.847	1354.598	10.924	1354.357		
14+50			3.2	1351.1		
15+00.59 E.C.			5.2	1349.1		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		1357.82				
15+26 at SC			7 ½	1347.3		
15+50			9 ½	1348.5		
16+00			4	1353.5		
T. A.	0.049	1343.684	14.23	1329.5		
16+50			4 ½	1337.5		
			6 ½	1337.2		
			9 ½	1334.5		
17+50			12 ½	1321.1		
17+75 at EC			13 ½	1320.8		
18+00			14 ½	1320.1		

Profile No.____ Notes Red. ____ Platted ____ Job No. 2655 Division No. ____ L. B. 685 Pg. 187
X-Sec. No.____ Date ____ Date ____ Survey of [illegible] Date [illegible]
Notes Chkd. L. K. F. Checked ____ Survey by [illegible] Notes ____
Date MAR 2 1937 Date ____ Map No. ____ Indexed A. C. Johnson Date ____

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 6 P.G. 104 | Job. No. S-160 | Division No. | Notes Red | Plotted | Profile
Survey of Palm Ave | Date | No.
Survey by E. C. Johnson | Notes | Date | Notes Chkd. L. K. F. | Checked | X-Sec.
Indexed | Date 2-15-37 | Date MAR 2 1937 | Date | No.

STATION	B. S.	H. I.	F. S	ELEV.		
		1343 63'				
18+22 BC.			13	1329.1'		
T.P.	0.978	1332 78'	11.657	1321.783'		
FX. 18+52			4	1326.1'		
18+62 FC.			6	1326.3'		
19+00			10	1323.5'		
T.P.	0.635	1321.701'	11.635	1321.266'		
19+24 BC.			5	1317'		
19+50			8	1313.1'		
T.P.	0.349	1310 674	11.576	1310.325'		
19+97			6	1304.5'		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		1310.67				
20+00			4.5	1306.2		
20+03			2.9	1307.8		
21+70			2.8	1301.1		
21+82			1.2	1296.7		
[illegible]			1.5	1295.2		
T.P.	9.8	1309.5	11.7	1297.8		
21+66			2.1	1297.7		
21+68 [illegible]			3.2	1297.2		
21+77			3.5	1296.1		
[illegible]			1.2	1289.2		

Profile No. _____ Notes Red. LE Platted _____ Job No. 5162 Division No. _____ L. B. [illegible] PG. [illegible]

X-Sec. No. _____ Date _____ Date _____ Survey of [illegible]

Notes Chkd. _____ Checked _____ Survey by [illegible] Notes [illegible] Date 2-15-52

Date MAR 2 1952 Map No. _____ Indexed A. C. Jobbagy

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 6811 P.G. 1/2 Job. No. 8165 Division No. Notes Red Plotted Profile No.
Survey of Dec 27 Date Date X-Sec:
Survey by E.W.P.J.S. Notes S 2219 Notes Chkd. L. K. F. Checked No.
Indexed A. C. Johnson Date 2-15-37 Date MAR 2 1937

STATION	B. S.	H. I.	F. S	ELEV.		
		1297.066				
T.P.	0.965		11.367	1285.7		
22+32.2			2	1284.3		
22+00			5 4	1280.6		
21+67.7			2	1278.8		
21+00			12 2	1272.6		
20+42.5			12 2	1272.3		
T.P.	0.600	1277.729	11.893	1265.829		
23+50			7 2	1272.5		
24+00			13 2	1264.5		
24+30			11 0	1266.7		

Profile No. _____ X-Sec. No. _____

Notes Red. DSS Platted _____ Job No. _____ Division No. _____ L. B. 654 Pg. 102

Date _____ Date _____ Survey of Burton Ave

Notes Chkd. L. K. F Checked _____ Survey by _____ Notes _____ Date _____

Date MAR 2 1937 Date _____ Map No. _____ Indexed A. C. Johnson Date _____

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.
24+81 B.C.		277.734	13	264.734
T.P.			13	264.734
24+84				

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 10-34

L.B. 684 P.G. 105 | Job. No. 5168 | Division No. | Notes Red D 53 | Plotted | Profile

Survey of Palm Ave | Date | Date | No.

Survey by E.L.A.R.S. | Notes Secty | Notes Chkd. L. K. F. | Checked | X-Sec.

Indexed A. C. Johnson | Date 2-15-37 | Date MAR 2 1937 | Date | No.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.
26+72		100.76	16 6	1234.8
T.P.	0.233	1251.19		1250.96
26+20			11 4	1242.5
26+50			12 2	1240.5
T.P.	0.605	1244.00	11.464	1238.40
27+00			8 2	1235.5
26+90			13 2	1231
T.P.	0.421	1230.80	14.504	1226.38
25+62			4 2	1226.8
25+25			7 2	1224.3

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes *this side* of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		1233.98				
28+00			10.2	1223.8		
T.P.	1.521	1225.41	3.57	1221.9		
29+00			4.2	1219.1		
29+35 ± 2.5			4.1	1217.2		
29+40.96 BC.			9.0	1217.4		
29+61.5 ± X.			13.1	1212.3		
30+06			12.4	1209.4		
R.M. "A"			2.592	1220.901	R.M. "A" Brass C. on C.M. on top of C.B. at N.E. cor. of Ave. "A" & 12th St.	
B.M. "A"	1.760	1222.661		1220.901	✓	
T.P.	0.498	1221.989	11.151	1221.491		
T.P.	3.320	1204.988	10.337	1201.668		

Profile
No.
X-Sec.
No.

Notes Red. D.S. Platted
Date Date
Notes Chkd. L. K. F. Checked
Date MAR 2 1934 Date

Job No. Division No.
Survey of
Survey by C. Notes
Map No. Indexed C. Job Date

L. B. Pg.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 8811 P.G. 16 | Job. No. 8455 Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of ____ Date ____ No. ____
Survey by ____ Notes ____ Notes Chkd. L. K. F. Checked ____ X-Sec. ____
Indexed A. C. Johnson Date ____ Date MAR 2 1937 Date ____ No. ____

STATION	B. S.	H. I.	F. S	ELEV.		
		1204.1 138				
30+12			0 6	1204.3		
30+24			3 6	1201.3		
30+38.4 E.C.			3 9	1201 9		
[illegible]			[illegible]	[illegible]		
31+54			4 2	[illegible]	W. Macadam	
30+94			3 2	1201.2		
EX. 31+18.49			3 2	1201.1		
31+57.54 E.C.			3 2	1201.1	End of line.	
N.W. & S.E.			on	℄ Fran. Rd. Arroyo Blvd.		
31+10.44 EX. =0+00 N.W.			2 8	1201.1	0+00 N.W. on ℄ Fran. Rd.-Arroyo Blvd.	
0+50			4 3	1206.6		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
T.P.						

Profile No.
X-Sec. No.
Notes Red. DSS Platted Job No. Division No. L. B. Pg.
Date Date Date Survey of
Notes Chkd. L. K. Fchecked Survey by Notes
Date MAR 2 1937 Map No. Indexed A. C. T. Date

L.B. [illegible] P.G. [illegible] Job. No. 3165 Division No. _____ Notes Red D 55 Plotted _____ Profile

Survey of Palm Ave Date _____ Date _____ No. _____

Survey by Evans Notes Book Notes Chkd. L. K. F. Checked _____ X-Sec.

Indexed A. C. Johnson Date 2-16-37 Date MAR 2 1937 Date _____ No. _____

STATION	B.S.	H.I.	F.S	ELEV.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Profile No. ____ X-Sec. No. ____

Notes Red. ____ Platted L. K. FREEMAN Job No. 8168 Division No. ____ L. B. 684 Pg. 113

Date ____ Date MAR 3 1937 Survey of Palm Ave

Notes Chkd. L. K. F Checked H. Martin Survey by Evans Notes F Date 2-18-37

Date MAR 2 1937 Date MAR 3 1937 Map No. ____ Indexed A. C. Tohn DRC 2-23-37

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 10-34

STATION	B. S.	H. I.	F. S	ELEV.

X-SECTIONS

ON

Proposed PALM AVE

from

TRACT No. 9635

to

ARROYO BLVD.

Evans
Blanchard
Seitz
Smith
Willeford

Note

Sections on Proposed & taken with hand level, using profile elevations to obtain F.S.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 114 | Job. No. 868 | Division No. | Notes Red | Plotted L. K. FREEMAN | Profile
Survey of Palm Ave | Date | Date MAR 3 1937 | No.
Survey by Ervin | Notes | Notes Chkd. L. K. F. | Checked A. Martin | X-Sec.
Indexed A. C. Johnson | Date 2-18-37 | Date MAR 2 1937 | Date MAR 3 1937 | No.

STATION	B. S.	H. I.	F. S	ELEV.		
B.M.#P1	7.29	1456.12 ✓		1448.83 ✓	per pg. 10	
		North	on	Present Palm Ave.		
0+00 West						
0+00 North				1448 ✓	0+00 West on present Palm Ave. see pg. 96	
5R.			9.3	1446.2		
13R.			10.8	1445.3		
16R.			9.4	1446.7		
24R.			9.0	1447.1		
5L			10.1	1446.0		
6L			11.1	1445.0		
7L			9.6	1446.5		
15L			9.6	1446.5		
17L			10.5	1445.6		
18L			9.3	1446.8		
24L			8.5	1447.3		
0+21 —			8.1	1447.7		
11R.			8.7	1447.1		
24R.			8.6	1447.2		
8L.			8.7	1447.1		
11L.			9.1	1447.0		
13L			8.6	1447.2		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(0+22)		1456 12				
20 L.			8.1	1448 0		
22 L.			8.8	1447 3		
24 L.			8.1	1448 0		
0+50				1448 9		
5 R.			7.9	1448 2		
12 R.			7.2	1448 9		
15 R.			7.0	1449 1		
17 R.			7.7	1448 4		
20 R.			7.6	1448 5		
22 R.			6.6	1449 5		
9 L.			7.0	1449 1		
11 L.			7.0	1448 7		
14 L.			7.1	1447 0		
15 L.			6.4	1449 7		
17 L.			6.7	1449 4		
18 L.			7.5	1448 5		
21 L.			7.3	1448 8		
23 L.			6.4	1449 7		

Profile

No. _____ Notes Red. ME Platted K FREEMAN Job No. 2444 Division No. _____ L. B. 694 Pg. 15

X-Sec. No. _____ Date MAR 3 1937 Survey of Foothill Blvd Notes _____ Date 2-16-37

Notes Ckkd L. K. F. Checked H. Martin Survey by E. Evans Notes _____ Date 2-16-37

Date MAR 2 1937 Date MAR 3 1937 Map No. _____ Indexed _____ C. Johnson

L.B. 684 P.G. 116 | Job. No. 8168 | Division No. | Notes Red. 42 | Plotted L. K. FREEMAN | Profile

Survey of Palm Ave | Date | Date MAR 3 1937 | No.

Survey by Evans | Notes 42 | Notes Chkd. L. K. F. | Checked H. Martin | X-Sec.

Indexed C. Johnson | Date 2-16-37 | Date MAR 2 1937 | Date MAR 3 1937 | No.

STATION	B. S.	H. I.	F. S	ELEV.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(1+50)		1473.12 ✓				
19 L.			3.4	1452 7.		
19 L.			2.8	1470 3.		
22 L.			2.7	1470 3.		
T.P.	8.43	1464.55	0.50	1455 12		
2+00				1455.7 ✓		
9 R.			9.	1455 4.		
13 R.			6.2	1456 2.		
16 R.			6.5	1457 7.		
19 R.			9.2	1455 2.		
20 R.			8.4	1456 0.		
22 R.			7.1	1455 7.		
13 L.			8.5	1455 6.		
14 L.			8.7	1455 2.		
22 L.			7.0	1457 5.		
7+50				1458 5 ✓		
9 R.			6.2	1458 2.		
10 R.			5.5	1459 9.		
13 R.			5.2	1459 2.		
19 R.			6.4	1458 0.		

Profile Notes Red. L Platted K FREEMAN Job No. 1156 Division No. L. B. 2 Pg. 117
No. Date Date MAR 3 1937 Survey of
X-Sec. Notes Chkd L. K. F. Checked H. Martin Survey by Notes Date
No. Date MAR 2 1937 Date MAR 3 1937 Map No. Indexed Date

L.B. 684 P.G. 18 | Job. No. 5144 | Division No. | Notes Red | Plotted L. K. FREEMAN | Profile

Survey of Palm Ave. | Date | Date MAR 3 1937 | No.

Survey by Evans | Notes | Notes Chkd. L. K. F. | Checked H. Martin | X-Sec.

Indexed A. C. Johnson | Date 2-18-37 | Date MAR 2 1937 | Date MAR 3 1937 | No.

STATION	B. S.	H. I.	F. S	ELEV.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(3+00)		1456.15				
T.P.	0.78	1456.15	8.98	1455.37		
B.M. #1			7.32	1448.83 ✓		
West						
	5.2	1452.0		1446.8 ✓		
25R.			4.2	1447.8		
50R.			3.1	1448.9		
13L.			6.4	1445.6		
16L.			7.1	1444.9		
43L.			9.0	1443.0		
0+10.5			5.4	1446.6		
16R.			4.4	1447.6		
21R.			5.0	1447.0		
50R.			3.0	1449.0		
4L.			5.7	1446.3		
6L.			6.8	1445.2		

Profile Notes Red. [illegible] Platted K. FREEMAN Job No. [illegible] Division No. [illegible] L. B. [illegible] PG. 119
No. [illegible] Date MAR 3 1937 Survey of [illegible]
X-Sec. Notes Chkd. L. K. R. Checked Hallorin Survey by [illegible] Notes [illegible] Date [illegible]
No. [illegible] Date MAR 2 1937 MAR 3 1937 Map No. [illegible] Indexed [illegible] Date [illegible]

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. P.G. Job. No. Division No. Notes Red Plotted L. K. FREEMAN Profile
Survey of Date MAR 3 1937 No.
Survey by C. Johnson Notes Date Notes Chkd. K. F. Checked H. Martin X-Sec.
Indexed Date MAR 2 1937 Date MAR 3 1937 No.

STATION	B. S.	H. I.	F. S	ELEV.		
(4+10.5)		14520.				
16 L.			62	14458.		
47 L.			82	14438.		
0+20			48	14472.		
4 R.			48	14472.		
5 R.			60	14460.		
13 R.			61	14459.		
15 R.			47	14473.		
33 R.			36	14484.		
18 L.			53	14467.		
23 L.			69	14451.		
38 L.			7.7	14443.		
0+50	55	14520.		14465	per pg. 97	
30 R.			43	14477.		
30 L.			76	14444.		
1+00	59	14520.		14461	" " "	
30 R.			45	14475.		
30 L.			73	14447.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ X-Sec. No.____ Notes Red.____ Platted L. K. FREEMAN Job No. 5168 Division No.____ L. B. 684 PG. 121
Date____ Date MAR 3 1937 Survey of____ Notes____ Date____
Notes Chkd. L. K. F. Checked H. Martin Survey by____ Notes____ Date____
Date MAR 2 1937 Date MAR 3 1937 Map No.____ Indexed A. C. Johnson

STATION	B. S.	H. I.	F. S	ELEV.	
1+41.2 B.C.	5.4	1457.0		1445.6	per pg. 97
30 R.			4.9	1447.0	
30 L.			6.8	1444.2	
2+00	5.4	1479.0		1443.6	" " "
34 R.			3.0	1442.0	
35 R.			3.4	1440.4	
44 R.			3.7	1442.3	
7 L.			6.3	1442.7	
30 L.			7.2	1441.8	
2+50	3.4	1445.0		1442.6	" " "
25 R.			3.4	1442.6	
20 R.			3.1	1442.4	
12 R.			3.0	1443.0	
20 R.			3.8	1442.2	
33 R.			1.3	1444.7	
6 L.			4.4	1441.6	
20 L.			4.6	1441.4	
24 L.			7.4	1438.6	
37 L.			11.0	1435.0	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 122 | Job. No. 8168 Division No. | Notes Red | Plotted L. K. FREEMAN Profile
Survey of | Date | Date MAR 3 1937 No.
Survey by C. Johnson Notes | Notes Chkd. L. K. F. Checked H. Martin X-Sec.
Indexed A. C. Johnson Date 2-18-37 | Date MAR 2 1937 Date MAR 3 1937 No.

STATION	B. S.	H. I.	F. S	ELEV.		
		1446 5.				
2+80				143.4 ✓	No change in HI	
ER.			3 2	1442.7		
30R.			1 0	1445.0		
40R.			0 2	1446.8		
6L.			9 2	1437.0		
13L			5 7	1440.3		
15L.			7 7	1438.3		
29L.			13 9	1432.1		
2+92.9	64	1446.0		1439.6 ✓	per pg. 98	
15R.			2 4	1443.6		
40R.			0 2	1445.8		
2L.			6 0	1439.1		
7L.			10 1	1435.9		
12L.			11 3	1434.7		
17L.			10 0	1436.0		
35L.			18 0	1428.0		
3+30	123	1448.0		1435.7 ✓	" " "	
26R.			4 1	1443.9		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(3+20)		1468.				
40R.			17	1446 3.		
10L.			15 2	1453.		
14L.			18 2	1429 8.		
19L.			18 8	1429 2.		
22L.			18 1	1429 9.		
39L.			26 7	1421 3.		
3+50	11 9	1447 0.		1435 1 ✓	per pp. 82	
12R.			5 4	1441 6.		
33R.			2 2	1444 8.		
12L			16 4	1430 6.		
17L			20 7	1426 4.		
22L			20 8	1426 2.		
25L.			20 3	1426 6.		
40L.			28 2	1418 4.		
3+85	11 7	1445 0.		1433 3 ✓	" " "	
19R.			5 2	1439 8.		
38R.			0 0	1445 0.		
8L.			15 6	1429 4.		

Profile
No.
X-Sec.
No.

Notes Red. LE Platted K. FREEMAN Job No. 2168 Division No.
Date Date MAR 3 1937 Survey of
Notes Chkd. L. K. F. Checked H. Martin Survey by
Date MAR 2 1937 Date MAR 3 1937 Map No. Indexed C. Johnson

Notes Date
Date

L. B. 684 PG. 123

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 124 | Job. No. 8160 | Division No. | Notes Red | Plotted L. K. FREEMAN | Profile No.
Survey of Pasadena | Date | Date MAR 3 1937 | X-Sec. No.
Survey by L. K. Freeman & C. Johnson | Notes | Checked [illegible] | Date MAR 3 1937
Indexed A. C. Johnson Date 2-18-37 | Notes Chkd. L 2 K 1937 | Date MAR 2 1937

STATION	B. S.	H. I.	F. S	ELEV.		
(3+88)		1445.0				
15 L			20.6	1424.4		
21 L.			22.0	1423.0		
24 L.			22.0	1423.0		
35 L.			28.3	1417.0		
4+00	11.6	1443.0		1431.4 ✓	pg. 98	
4+16			14.9	1428.4		
21 R.			5.6	1437.4		
39 R.			0.9	1442.1		
7 L.			17.5	1425.5		
14 L.			25.0	1418.0		
20 L.			22.5	1420.5		
33 L.			29.2	1413.8		
4+50	12.4	1435.0		1422.6 ✓	" "	
19 R.			4.2	1430.8		
30 R.			0.0	1435.0		
4 L.			15.4	1419.6		
8 L.			20.2	1414.8		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(4+50)		1435.				
14L.			21	1414 0.		
19L.			19 4	1415 6.		
27L.			23 7	1411 3		
4+94	118	14300.		1418 2 ✓	pg. 98	
10R.			6 5	1423 5.		
36R.			45 2	1435 2.		
10L.			15 4	1414 6.		
13L			20 5	1409 5.		
18L			22 0	1408 0.		
23L			21 0	1409 0.		
28L.			23 0	1407 0.		
5+00	116	14310.		14194 ✓	Pg. 99	
5+20			116	14194.		
18R.			28	1428 2.		
46R.			49 2	1440 2.		
16L.			20 3	1410 7.		
19L.			24 0	1407 0.		

Profile No.
Notes Red. LE Platted K. FREEMAN Job No. 2168 Division No.
Date MAR 3 1937 Survey of Fairfax
X-Sec. No.
Notes Chkd. L. K. F. Checked H. Martin Survey by Evans Notes LE Date 2-18-37
Date MAR 2 1937 Date MAR 3 1937 Map No. Indexed C. C. Johnson
L. B. 684 Pg. 125

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 126 | Job. No. 8168 | Division No. | Notes Red 42 | Plotted K. FREEMAN | Profile

Survey of Palms Ave

Survey by Evans & Notes HC | Date | Notes Chkd. L. K. F. | Checked H. Martin | X-Sec.

Indexed A. C. Johnson Date 2-18-37 | Date MAR 2 1937 | Date MAR 3 1937 | No.

STATION	B. S.	H. I.	F. S	ELEV.		
(5+20)		1431.0				
24 L.			25.6	1405.4		
29 L.			24.7	1406.3		
5+50	11.5	1430.0		1418.5	Pg. 09	
5+55			11.5	1418.5		
17 R.			4.8	1425.2		
39 R.			+5.0	1435.0		
18 L			21.6	1408.4		
22 L.			27.0	1403.0		
28 L			29.3	1400.7		
32 L.			27.9	1402.1		
5+74	11.7	1427.0		1415.3	" "	
21 R.			1.0	1426.0		
40 R.			+8.7	1435.7		
12 L.			18.0	1409.0		
22 L			22.3	1404.7		
25 L.			26.6	1400.4		
30 L.			28.6	1398.4		
33 L.			27.0	1408.0		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
6+00	11.7	14250.		14133 ✓	Pg. 99	
15 R.			42	14208.		
40 R.			468	14318.		
23 L			232	14020.		
25 L			28°	13970.		
31 L			30°	13950.		
34 L			283	13967.		
6+50	12.2	14220.		14098 ✓	" "	
21 R.			15	14205.		
46 R.			474	14294.		
31 L			22°	14000.		
31 L.			275	13945.		
32 L.			302	13918.		
39 L.			33°	13890.		
42 L.			357	13863.		
7+05	11.4	14200		14086 ✓	" "	
23 R.			0°	14200.		
40 R.			491	14291.		
23 L.			230	13970.		

Profile Notes Red. L.L. Platted K. FREEMAN Job No. 8168 Division No. L. B. 6894 Pg. 127
No. Date Date MAR 2 1937 Survey of Paint Mt. C.
X-Sec. Notes Chkd. L. K. F. Checked H. Martin Survey by Evans Notes L.L. Date 2-16-37
No. Date MAR 2 1937 Date MAR 3 1937 Map No. Indexed A. C. Tobin Paton

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 128 | Job. No. 8168 | Division No. | Notes Red | Plotted by K. FREEMAN | Profile
Survey of Palm Ave | Date | Date MAR 3 1937 | No.
Survey by Evans | Notes | Notes Chkd. L. K. F. | Checked H. Martin | X-Sec.
Indexed A. C. Johnson | Date 2-18-37 | Date MAR 2 1937 | Date MAR 3 1937 | No.

STATION	B. S.	H. I.	F. S	ELEV.		
(7+00)		1420.0				
38L.			31.0	1389.0		
45L.			12	1410.7		
53L.			39.2	1380.4		
7+35.0 BC	11.5	1419.0		1407.5 ✓		
24R.			0.0	1419.0		
46R.			41.2	1377.8		
34L.			23.0	1396.0		
46L.			34.0	1385.0		
51L.			41.2	1377.8		
64L.			42.2	1376.8		
7+50	12.2	1419.0		1406.8 ✓		
7+61			12.3	1406.7		
25R.			0.0	1419.0		
49R.			42.4.0	1443.0		
65L.			24.0	1395.0		
48L.			34.5	1384.5		
60L.			37.2	1381.8		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		1419 ±				
7+76				1404.7 ✓	p9. 100 (same B.M. as preceding Sec)	
29R.			21	14169.		
50R.			47 4	14264.		
20L.			24 0	13950.		
48L			26 ±	13830.		
8+00	11 ±	14080.		1396.1 ✓	" "	
25R.			33	14047.		
40R.			25	14105.		
16L.			15.8	13972.		
37L.			23 6	13844.		
8+00	6 ±	14030.		1396.1 ✓	" "	
8+26			14 2	13888.		
17R.			11 0	13920.		
40R.			1 3	1401.7.		
30L.			21 3	13817.		
48L.			26 ±	13768.		

Profile
No.
X-Sec.
No.

Notes Red. HE Platted L. K. FREEMAN Job No. 8168 Division No.
Date Date MAR 3 1938 Survey of Parkway Ave
Notes Chkd L. K. F. Checked HMartin Survey by Evans Notes HE Date 2-18-37
Date MAR 2 1938 Date MAR 3 1938 Map No. Indexed A. C. Johnson

L. B. 684 Pg. 129

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 130 | Job. No. 8168 | Division No. | Notes Red HE | Plotted J. K. FREEMAN | Profile

Survey of Palm Ave | Date | Date MAR 3 1937 | No.

Survey by A. C. Johnson | Notes HE 12-18-36 | Notes Chkd. L. K. F. | Checked H. Martin | X-Sec.

Indexed | Date 2-18-37 | Date MAR 2 1937 | Date MAR 3 1937 | No.

STATION	B. S.	H. I.	F. S	ELEV.		
E+50	11 6	1400 c.		1388 4 ✓	pg. 100	
25R.			c °	1400 c.		
35R.			15 °	1405 c.		
22L.			18 °	1382 0.		
50L.			22 2	1377 8.		
9+00	11 6	1404 0.		1392 4 ✓	" "	
25R.			0 2	1404 c.		
35R.			+48	1408 8.		
10L.			16 °	1388 0.		
37L.			23 5	1380 5.		
9+50	12 °	1402 0.		1390 0 ✓	" 101	
25R.			5 2	1396 8.		
11L.			14 8	1387 2.		
35L			20 3	1381 7.		
10+00	7 6	1392 0.		1384 4 ✓	" "	
25R.			30	1389 c.		
35L.			12 6	1379 4.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
10+50	7 4	1388 0·		1380.6 ✓	pg. 101	
25R.			4 3	1383 7·		
35L.			11 8	1376 ✓		
10+70			9 5	1378 5·		
27R.			8 1	1379 3·		
40R.			6 3	1381 7·		
35L.			12 8	1375 ✓		
11+00	6 5	13830·		1376.5 ✓	" "	
25R.			3 5	1379 5·		
28L			10 0	1373 0·		
35L.			10 5	1372 8·		
11+50	6 5	1380 0·		1373 5 ✓	" "	
25R.			5 5	1374 5·		
25L.			7 1	1372 3·		
11+75			9 0	1371 0·		
13R.			9 0	1371 0·		
18R.			10 0	1370 0·		

Profile Notes Red. LE Platted L. K. FREEMAN Job No. 8468 Division No. L.B. 684 Pg. 131
No. Date MAR 3 1937 Survey of Palm Ave
X-Sec. Notes Chkd. L. K. F. Checked H. Martin Survey by Evans Notes LE Date 2-18-37
No. Date MAR 2 1937 Date MAR 3 1937 Map No. Indexed A. C. Johnson

Form 307 SM 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 132 Job. No. 8168 Division No. 1 Notes Red HE Platted K. FREEMAN Profile
Survey of Palm Ave Date Date MAR 3 1937 No.
Survey by Ervin S Notes HE Notes Chkd. L. K. E. Checked H. Martin X-Sec.
Indexed A. C. Johnson Date 2-1-37 Date MAR 2 1937 Date MAR 3 1937 No.

STATION	B. S.	H. I.	F. S	ELEV.		
(11+75)		1380 0.				
20 R.			8 2	1371 1.		
25 R.			6 5	1371 5.		
25 L.			9 3	1370 7.		
12+00	7 8	1376 0.		1368 2 ✓	pg. 101	
9 R.			7 3	1368 7.		
25 R.			6 6	1369 4.		
4 L			6 8	1369 2.		
25 L.			7 2	1368 8.		
12+50	5 6	1369 0.		1363 4 ✓	pg. 102	
7 R.			5 9	1363 1.		
25 R.			5 6	1363 4.		
15 L.			4 7	1364 3.		
16 L.			5 5	1363 5.		
19 L.			4 4	1364 6.		
25 L.			4 6	1364 4.		
12+85 19 E.C.	6 1	1367 0.		1360 9 ✓	11. 11	
18 R.			6 5	1360 5.		
25 R.			5.6	1361.4.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(12+85.19)		1367.0				
8L.			52	1361.8		
18L			54	1361.6		
20L			48	1362.2		
25L.			46	1362.4		
13+56.63 B.C.	65	1363.0		1356.5 ✓	pg. 102	
17R.			60	1357.0		
25R.			47	1358.3		
7L.			59	1357.1		
16L.			70	1356.0		
29L.			59	1357.1		
14+00	55	1359.0		1353.5 ✓	" "	
25R			35	1355.5		
3L			64	1352.6		
22L			46	1354.4		
14+50	61	1358.0		1351.1 ✓	" "	
2R.			60	1352.0		
5R.			64	1351.6		

Profile Notes Red. HE Platted K. FREEMAN Job No. 8164 Division No. L. B. 684 PG. 133
No. Date Date MAR 3 1937 Survey of Palm Ave.
X-Sec. Notes Chkd. L. K. Checked H. Martin Survey by Evans Notes HE Date 2-16-37
No. Date MAR 2 1937 Date MAR 3 1937 Map No. Indexed A. C. Date

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

L.B. 6894 P.G. 134 | Job. No 8168 Division No. ____ Notes Red ____ Plotted L. K. FREEMAN Profile
Survey of Paving Date ____ Date MAR 3 1937 No.
Survey by Engrs. Notes 1-25 Notes Chkd. L. K. F. Checked H. Martin X-Sec.
Indexed A. C. Johnson Date 2-18-37 Date MAR 2 1937 Date MAR 3 1937 No.

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(14+50)		1358 ±				
19 R.			6 7	1351 3		
23 R.			4 6	1353 4		
27 R.			2 7	1355 3		
11 L.			7 ±	1350 6		
15 L.			8 2	1349 8		
16 L.			7 5	1350 5		
25 L.			8 1	1349 9		
15+00.50 EC.	5 9	1355 0		1349 1 ✓	pg. 102	
5 R.			5 0	1350 0		
8 R.			3 4	1351 6		
17 R.			3 5	1351 5		
21 R.			6 3	1349 7		
17 L.			10 ±	1345 0		
15+26.64 BC	5 7	1353 0		1347 3 ✓	pg. 103.	
11 R.			5 ±	1348 0		
17 R.			2 ±	1351 0		
25 R.			3 3	1349 7		
30 R.			5.9	1347 1		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.
X-Sec. No.
Notes Red. LE Platted H.M.Martin Job No. 8168 Division No.
Date Date MAR 3 1937 Survey of Pasadena Area
Notes Chkd. L. K. F. Checked L. K. F. Survey by Evans Notes LE Date 2-18-37
Date MAR 2 1937 Date MAR 3 1937 Map No. Indexed A. C. Johnson
L. B. 684 Pg. 135

STATION	B. S.	H. I.	F. S	ELEV.		
(15+26.64)		13530				
17L.			78	1345.2		
15+50	65	13520		1345 5	pg. 103.	
17R.			53	1346 7		
23R.			22	1349 8		
28R.			33	1348 7		
13L.			75	1344 5		
26L.			13	1339 0		
16+00	65	1349 0		1342 5	" "	
30R.			45	1344 5		
25L.			84	1340 6		
16+50	65	13440		1337 5	" "	
25R.			28	1341 2		
25L.			85	1335 5		
17+00	61	1341 0		1334 3	" "	
22R.			32	1337 8		
31R.			05	1340 5		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 136 | Job. No. 8168 | Division No. | Notes Red HE | Plotted H. Martin | Profile
Survey of Patton | Date | Date MAR 3 1937 | No.
Survey by Evans | Notes HE | Notes Chkd. L. K. F. | X-Sec.
Indexed C. Johnson | Date 2-18-37 | Date MAR 2 1937 | Date MAR 3 1937 | No.

STATION	B. S.	H. I.	F. S	ELEV.		
(17+00)		1341.0				
30 L.			12.8	1328.2		
17+30			8 1/2	1332.6		
15 R.			5.0	1336.0		
22 R.			2.4	1338.6		
34 R.			2.5	1338.0		
25 L.			13.0	1328.0		
17+59.35 E.C.	8 2	1339.0		1330.8 ✓	pg. 103.	
8 R.			6 3	1332.7		
21 R.			1 3	1337.7		
28 R.			2.0	1337.0		
17 L.			11.7	1327.3		
33 L.			18.0	1321.0		
18+00	7.9	1337.0		1329.1 ✓		
10 R.			0.9	1336.1		
22 R.			0.4	1336.6		
8 L			12 3	1324.7		
18 L.			19.0	1318.0		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(18+00)		1337.0				
40 L.			36.0	1301.0		
18+22.09 B.C.	7.2	1337.0		1329.8 ✓	pg. 104	
9 R.			0.5	1336.5		
16 R.			0.9	1336.1		
19 R.			1.8	1335.2		
32 R.			1.3	1335.7		
17 L.			19.0	1318.0		
40 L.			37.0	1300.0		
18+52.18 E.C.	6.9	1335.0		1328.1 ✓	" "	
8 R.			1.5	1333.5		
12 R.			1.2	1333.8		
14 R.			2.1	1332.3		
29 R.			3.2	1331.8		
17 L.			18.0	1317.0		
40 L.			32.4	1302.6		
18+82.28 E.C.	6.4	1333.0		1326.6 ✓	" "	
7 R.			2.4	1330.6		

Profile
Notes Red. LE Platted H. Martin Job No. 8168 Division No. L. B. 6844 PG. 137
No. Date Date MAR 3 1937 Survey of Palm Ave
X-Sec. Notes Chkd. L. K. F. Checked L. K. F. Survey by E. Ellis Notes LE Date 2-18-37
No. Date MAR 2 1937 Date MAR 3 1937 Map No. Indexed C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 6844 P.G. 138 | Job. No. 8168 | Division No. | Notes Red LE | Plotted H. Martin | Profile
Survey of Palmdale Area | Date | Date MAR 3 1937 | No. | X-Sec.
Survey by Evans Notes LE | Notes Chkd. L. K. F. Checked L. K. F. | No.
Indexed A. C. Johnson Date 2-18-37 | Date MAR 2 1937 Date MAR 3 1937

STATION	B. S.	H. I.	F. S	ELEV.		
(18+82.8)		1333.0				
11R.			2.2	1330.8		
13R.			3.5	1329.5		
29R.			3.9	1329.1		
15L.			12.0	1317.0		
40L.			20.2	1312.8		
19+26.5	48.2	111	1328.0		1319.4 ✓	39.104
11R.			3.1	1324.9		
15R.			3.5	1324.5		
27R.			3.2	1324.8		
15L.			23.0	1305.0		
40L.			40.1	1287.9		
19+50		111	1324.2	1313.1 ✓	11 11	
12R.			2.5	1321.7		
15R.			3.6	1320.6		
28R.			3.2	1321.0		
16L			23.0	1301.2		
46L.			40.5	1283.7	Toe slope	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
20+00	10.8	1317.0		1306.2 ✓	per pg. 105	
14R.			0.8	1316.2		
18R.			1.2	1315.8		
22R.			1.0	1316.0		
19L.			12.6	1304.4	Toe slope	
35L.			30.0	1287.0		
20+50	10.1	1312.0		1301.9 ✓	pg. 105	
12R.			2.8	1309.2		
16R.			3.7	1308.3		
26R.			3.8	1308.2		
13L			18.2	1293.1		
35L.			27.2	1285.0		
20+50	6.1	1308.0		1301.9 ✓	" "	
20+68			9.4	1298.6		
10R.			0.8	1307.2		
12R.			1.3	1306.7		
24R.			1.7	1306.3		
18L.			17.4	1290.6	Toe slope	
35L.			23.2	1284.8		

Profile Notes Red. HE Platted H. Martin Job No. 8162 Division No. L. B. 684 Pg. 139
No. Date Date MAR 3 1937 Survey of Palm Ave
X-Sec. Notes Chkd. L. K. F. Checked L. K. F. Survey by Evans Notes HE Date 2-19-37
No. Date MAR 2 1937 Date MAR 2 1937 Map No. Indexed C. J. Job Date

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 140 | Job. No. 8168 Division No. ____ Notes Red LE ____ Plotted H. Martin Profile
Survey of Palos Verdes Date ____ Date MAR 3 1931 No. ____
Survey by E. C. Johnson Notes LE Notes Chkd. L. K. E. Checked L. K. F. X-Sec.
Indexed A. C. Johnson Date 2-19-37 Date MAR 2 1931 Date MAR 2 1931 No. ____

STATION	B. S.	H. I.	F. S	ELEV.		
21+26 15 E.C.	9.8	1305 0.		1295.2 ✓	per pg. 105	
7R.			47	1300 3.		
22R.			5 2	1297.8.		
20L.			18 9	1286 1.		
35L.			25 0	1280 0.		
21+68 98 B.C.	08	1298 0.		1297 2 ✓	" " "	
20R.			1 5	1296 5.		
16L.			9 3	1288 7.		
36L.			19 7	1278 3.		
22+80	6 8	1296 0.		1289 2 ✓	" " "	
7R.			2 7	1293 5.		
23R.			3 2	1292 8.		
20L.			16 4	1279 6.		
37L.			22 2	1273 8.		
22+28 92 E.x	9 7	1292 0.		1282 3 ✓	" " 106.	
12R.			1 1	1290 9.		
16R.			2 2	1289 8.		
28R.			0 9	1291 1.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(22+28.9)		1292.0 ✓				
72.			13½	1278.7		
41.			[illegible]	1267.8		
22+50	11.5	1292.0		1280.5 ✓	for pg. 106	
11 R.			3.0	1289.0		
26 R.			2.0	1290.0		
12 L.			17.4	1274.6		
23 L.			20.3	1271.7		
25 L.			[illegible]	1267.3		
36 L.			22.4	1269.6		
22+89.76 E.C.	9.2	1288.0		1278.8 ✓		
8 R.			2.8	1285.2		
26 R.			2.3	1285.7		
18 L.			20.4	1267.6		
33 L.			25.5	1262.5		
23+00	7.4	1286.0		1278.6 ✓	" " "	
23+25				1276.3 ✓	" " "	
9 R.			3.2	1282.8		

Profile Notes Red. 45 Platted H.H.Martin Job No. 5168 Division No. L. B. 624 Pg. 141
No. X-Sec. Date Date MAR 3 1931 Survey of Fellows Ave
No. Notes Chkd. L. K. Checked L. K. F. Survey by E. Rowe Notes 45 Date 2-9-31
Date MAR 2 1931 Date MAR 3 1931 Map No. Indexed A. C. Job Date

L.B. 684 P.G. 142 Job. No. 8168 Division No. Notes Red HE Plotted H. Martin Profile

Survey of Palm Ave Date Date MAR 3 1937 No.

Survey by Evans Notes HE Notes Chkd. L. K. F. Checked L. K. F. X-Sec.

Indexed A. C. Johnso Date 2-19-37 Date MAR 2 1937 Date MAR 3 1937 No.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B.S.	H.I.	F.S	ELEV.	
(23+25)		12880.			
27R.			43	12818.	
22L.			24°	12620.	
33L.			20	12575.	
23450	95	12800			
11R.			15	12715.	
32R.			18	12682.	
12L.			176	12624.	
34L.			237	12563.	
23458	105	12750.			
12R.			139	12611.	
34R.			45	12575.	
26L			46	12704.	
24400			213	12537.	
9R.			40	12711.	
30R.			42	12708.	
30L.			18	12570.	

Aerial, 106.

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes *this* side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
24+31.2 B.C.	6 9	1271 0		1264.1 ✓	per pg. 107	
6R.			26	1262 4.		
12R.			1 9	1269.1.		
15R.			3 0	1268 0.		
28R.			3 2	1267 8.		
14L.			12 5	1258 5.		
40L.			17 0	1254 0.		
24+50	3 4	1268 0		1264.6 ✓	" " "	
10R.			2 5	1265 5.		
15R.			3 9	1264 1.		
25R.			3 5	1264 5.		
12L			9 7	1258 3.		
33L			12 8	1255 2.		
25+00	5 9	1264 0		1258.1 ✓	" " "	
13R.			4 8	1259 2.		
21R.			5 0	1259 0.		
24L.			9 0	1255 0.		

Profile Notes Red. HE Platted H. Martin Job No 8168 Division No. L. B. 684 Pg. 143
No. Date MAR 3 1936 Survey of Fairview Ave
X-Sec. Notes Chkd. L. K. F. Checked L. K. F. Survey by E. Evans Notes HE Date 2-19-37
No. Date MAR 2 1937 Date MAR 2 1937 Map No. Indexed A. C. Job 1866

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 144 | Job. No. 8168 | Division No. | Notes Red E | Plotted H. Martin | Profile
Survey of Palm Ave | Date | Date MAR 3 1937 | No. | X-Sec.
Survey by Evans | Notes E | Notes Chkd. L. K. F. | Checked L. K. F. | Date MAR 3 1937 | No.
Indexed A. C. Johnson | Date 2-19-37 | Date MAR 2 1937

STATION	B. S.	H. I.	F. S	ELEV.		
25+50	10 3/4	1263 0.		1252 7	Pg. 107	
9R.			8 2/4	1254 8.		
29R.			1 8/4	1261 2.		
8L.			11 4/4	1251 6.		
21L.			10 3/4	1252 7.		
27L.			10 9/4	1252 1.		
25+77			12 0/4	1251 0.		
18R.			10 4/4	1252 6.		
28R.			8 7/4	1254 3.		
5L.			11 9/4	1251 1.		
8L.			14 0/4	1247 2.		
22L.			11 0/4	1251 0.		
36L.			8 0/4	1255 0.		
26+00	5 2/4	1256 0.		1250 8	" "	
9R.			6 0/4	1250 0.		
12R.			11 4/4	1244 6.		
28R.			11 2/4	1244 8.	Edge canyon.	
5L.			3 0/4	1253 0.		
12L.			10 0/4	1246 0.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(26+00)		1256 ±				
24 L.			8 I	1247 3		
32 L.			16	1254 4		
26+50	7 ±	1249 0		1242 ±	pg. 108	
26+22			5 4	1243 6		
18 R.			5 ±	1244 0	Edge Conc.	
27 R.			10 3	1238 7	Side "	
2 L.			5 4	1243 6		
6 L.			0 ±	1249 0	Point of Span	
10 L.			5 ±	1244 0		
21 L.			4 2	1244 8		
37 L.			0 6	1248 4		
26+26			5 4	1243 6		
17 R.			5 2	1243 8	Edge Conc.	
26 R.			10 2	1239 0	Side "	
6 L.			4 8	1244 2	Point of Span	
37 L.			4 6	1244 4		

Profile

Notes Red. LE Platted H.H.Martin Job No. 2168 Division No. L. B. 684 PG. 145

Date Date MAR 3 1937 Survey of Eaton Canyon

No. X-Sec. No.

Notes Chkd. L. K. Checked L. K. F. Survey by Evans Notes LE Date 2-12-37

Date MAR 2 1937 Date MAR 3 1937 Map No. Indexed C. Job Date

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 146 | Job. No 8468 | Division No. | Notes Red LE | Plotted H. Martin | Profile
Survey of Pavement | Notes | Date 2-19-37 | Date MAR 3 1937 | No.
Survey by L.A.C.E. | Notes LE | Notes Chkd. L. K. F. | Checked L. K. F. | X-Sec.
Indexed by C. Johnson | Date MAR 8 1937 | Date MAR 2 1937 | No.

STATION	B. S.	H. I.	F. S	ELEV.		
		1249.0				
26+50				1242.0	pg. 108	
8R.			7.0	1242.0	Edge Conc.	
19R.			15.8	1233.2	side "	
25R.			18.9	1230.1	toe slope	
34R.			21.0	1228.0	Bot. Conc.	
17L.			6.6	1242.4		
24L.			2.8	1246.2		
27+00	4.2	1240.0		1235.8	pg. 108	
14R.			4.2	1235.8	Edge Conc.	
17R.			6.1	1233.9		
21R.			12.7	1227.3	Toe slope	
34R.			13.7	1226.3	Bot. Conc.	
6L.			4.7	1235.3		
11L.			1.7	1238.3		
16L.			+2.0	1242.0		
40L			+3.0	1243.0		
27+00	7.2	1243.0		1235.8	pg. 108	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
		1243 0.				
27+27			10 0	1233 0.		
7R.			10 3	1232 7.		
29R.			11 6	1231 4.		
3L.			10 0	1233 0.		
8L.			7 9	1235 1.		
23L.			2 2	1240 8.		
35L.			1 4	1241 6.		
27+50	9 9	1241 0.		1231.1	pg. 108	
20R.			11 9	1230 0.		
14L.			10 1	1230 9.		
28L.			6 5	1234 5.		
43L.			1 2	1239 8.		
28+00	6 2	1230 0.		1223 3	pg. 109	
22R.			8 0	1222 0.		
34R.			8 7	1221 3.		
21R.			9 1	1220 9.		
39R.			1 5	1228 5.		

Profile No.
X-Sec. No.
Notes Red. LE Platted H. Martin Job No. 8168 Division No.
Date Date MAR 3 1937 Survey of Pg. 108 Date 2-19-37
Notes Chkd. L. K. F. Checked L. K. F. Survey by Notes Date
Date MAR 2 1937 Date MAR 3 1937 Map No. Indexed C. Job Desc.
L.B. 684 Pg. 147

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 148 Job. No. 8168 Division No. ____ Notes Red LE ____ Plotted H. Martin Profile
Survey of Palos Verdes Date MAR 3 1937 No. ____
Survey by Evans & Date MAR 3 1937 No. ____ X-Sec.
Notes ____ Checked L. K. F.
Indexed A. C. Johnson Date 2-18-37 Notes Chkd. L. K. F. Date MAR 2 1937

STATION	B. S.	H. I.	F. S	ELEV.		
28+50	5 9	1225 0.		1219 1 ✓	per pg. 109	
17R.			6 8	1218 2.		
29R.			10 5	1214 5.		
40R.			12 0	1213 0.		
13L.			3 6	1221 4.		
26L.			3 3	1221 7.		
36L.			1 9	1223 1.		
28+92.6 EC	5 8	1223 0.		1217 2 ✓	pg. 109	
23R.			8 0	1215 0.		
30R.			9 5	1213 5.		
33L.			3 4	1219 6.		
43L.			0 0	1223 0.		
29+40.96 EC	4 6	1219 0.		1214 4 ✓	" "	
5R.			5 0	1214 0.		
28R.			5 0	1214 0.	Top bank	
41R.			12 6	1206 4.	edge "	
30L.			2 2	1216 8.		
35L.			0 0	1219 0.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
29+40.96 B.C.	3.6	1218.0		1214.4 ✓		
29+74			5.8	1212.2		
6 R.			6.4	1211.6		
11 R.			9.5	1208.5		
21 R.			7.7	1210.3		
29 R.			10.1	1207.9		
32 R.			15.1	1202.9		
37 R.			18.0	1200.0	Expected	
23 L.			3.8	1214.2		
36 L.			1.6	1216.4		
29+89.83 Ex	4.1	1215.0		1210.3 ✓	per pg. 109	
5 R.			6.0	1209.0		
13 R.			11.4	1203.6		
23 R.			15.1	1199.9		
50 R.			15.2	1199.8		
23 L.			2.2	1212.8		
30+06				1209.4 ✓		
11 R.			14.6	1200.4		

Profile Notes Red. LE Platted H.Martin Job No. 2168 Division No. L. B. 1884 PG. 149
No. Date Date MAR 3 1937 Survey of Pacific Electric
X-Sec. Notes Chkd. L. K. Checked L. K. F. Survey by Notes Date 2-19-37
No. Date MAR 3 1937 Map No. Indexed by C. Johnson

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 150 | Job. No. 8168 Division No. ___ Notes Red 12 ___ Plotted H. Martin Profile
Survey of Palm Ave. ___ Date ___ Date MAR 3 1937 No. ___
Survey by Evans ___ Notes 12 ___ Notes Chkd. L. K. F. Checked L. K. F. X-Sec.
Indexed A. C. Johnson Date 2-19-37 Date MAR 2 1937 Date MAR 3 1937 No. ___

STATION	B. S.	H. I.	F. S	ELEV.		
(30+06)		12150.				
14R.			15.6	11994.		
38R.			150	12000.		
16L.			35	12115.		
33L.			20	12130.		
29+89.83 Ex.	1.7	12120.		1210.3 ✓	pg. 109	
30+24				12013 ✓	"	"
11R.			120	12000.		
32R.			121	11999.		
11L.			23	12097.		
31L.			02	12118.		
30+38.71				1201.9	"	"
2R.			11.4	12006.		
28R.			119	12001.		
7L			7.4	12046.		
10L.			3 2	12088.		
34L.			03	12117.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
30+54	10.8	1211.1	0.	1200.2 ✓	per pg. 110	
30+61.35 B.C.			10.8	1200.2		
22 R.			10.6	1200.4		
4 L.			10.7	1200.3		
13 L.			2.8	1208.2		
29 L.			0.9	1211.0		
31+10.46 E.C.	2.9	1204.0		1201.1 ✓	" " "	
13 R			3.0	1201.0		
21 R.			12.4	1191.6		
16 L.			3.0	1201.0		
22 L.			1.0	1203.0		
31+59.54 E.C.	3.9	1205.0		1201.1 ✓	" " "	
8 R.			4.2	1200.8		
14 R.			5.7	1199.3		
15 L.			3.9	1201.1		
22 L.			2.5	1202.5		

(See pg. 152 for X-Sections on Arroyo Blvd.)

Profile No.
X-Sec. No.

Notes Red. LE Platted H. Martin Job No. 8168 Division No.
Date Date 3-4-37 Survey of Pasadena Notes 12 Date 2-19-37
Notes Chkd. L. K. F. Checked Leonard Survey by Lewis Notes
Date MAR 2 '37 Date 3-4-37 Map No. Indexed A. C. Job Book

L.B. 684 Pg. 151

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 52 Job. No 8168 Division No. Notes Red HE Plotted A. Martin Profile
Survey of Palm Ave Date Date 3-4-37 No.
Survey by Evans Notes HE Notes Chkd. L. K. F. Checked Hammond X-Sec.
Indexed A. C. Johnson Date 2-19-37 Date MAR 2 1937 Date 3-4-37 No.

STATION	B. S.	H. I.	F. S	ELEV.		
		N. W. & S.E.	on & Arroyo Blvd. as staked on pgs. 79 & 80.			
		Note:- this is not & Trav. Rd				
B.M. # P4	12.00	1199.13.		1187.13 ✓	per pg. 12	
T.P.	5.36	1202.83.	1.66	1197.47.		
PI #5 - pg 80						
= 0+00 S.E.			1.6	1201.2.	0+00 going S.E. on & Arroyo Blvd.	
17 R.			1.9	1200.9.	Edge print	
23 R.			3.9	1198.9.		
25 ± R.			4.1	1198.7.	Top conc. Hdwl.	
12 L.			1.9	1200.9.	Edge print	
18 L.			0.0	1202.8.	Bot cliff.	
0+50			1.7	1201.1.		
6 R.			1.8	1201.0.	edge print	
13 R.			3.4	1199.4.		
16 R.			3.5	1199.3.	Top conc Hdwl.	
15 L.			1.7	1201.1.	edge print.	
23 L.			0.3	1202.5.	Bot cliff.	
0+85			2.3	1200.5.	Edge print	
3 R.			1.8	1201.0.		
6 R.			0.0	1202.8.	Top Bnk.	
11 R.			12.2	1190.6.	Bot. can.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No.____ X-Sec. No.____

Notes Red. LE Platted H. Martin Job No 8168 Division No.____ L.B. 684 Pg. 153
Date 2-4-37 Survey of Palm Ave Date 2-19-37
Notes Chkd. L. K. Fenech Checked Hammond Survey by Evans Notes LE Date 2-19-37
Date 3-4-37 Map No. Indexed Jim C. Johnson Date

STATION	B. S.	H. I.	F. S	ELEV.		
		120283				
15L			25	12003.	Edge Rd.	
21L.			01	12021.	Base cliff	
1+00			21	12001.	Edge pvmt	
2R.			21	12007.		
5R.			+1.6	12044.	Edge Canyon	
12R			105	11923.	Bot "	T.S.
16L			30	11998.	Edge Pvmt	
22L			01	12021.	Base cliff.	
1+50			51	~~12071~~ 11971.		
4R.			60	11968.		
13R.			109	11919.		
27R.			123	11905.		
31R.			142	11886.	Bot can.	
3L			59	11969.	Edge pvmt.	
22L			56	11972.	" "	
26L			42	11986.	Base cliff	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 684 P.G. 154 | Job. No. 8168 | Division No. | Notes Red HE | Plotted H. Martin | Profile
Survey of Palm Ave | Date | Date 3-4-37 | No.
Survey by E. Evans | Notes HE | Notes Chkd. L. K. F. | Checked [illegible] | X-Sec.
Indexed A. C. Johns | Date 2-19-37 | Date MAR 2 1937 | Date 3-4-37 | No.

STATION	B. S.	H. I.	F. S	ELEV.		
		1202.83				
2+00			9.5	1193.3		
2R.			9.7	1193.1	Edge Pvmt.	
5R.			9.7	1193.1		
7R.			11.6	1191.2		
36R.			12.1	1190.7	Top Bnk.	
45R.			14.3	1188.5	Bot. "	
19L			10.0	1192.8		
27L.			5.9	1196.9		
34L			0.0	1202.8		
2+50			12.9	1189.9		
10R.			12.9	1189.9	Edge Pvmt.	
24R.			13.2	1189.6		
48R.			14.1	1188.7	Top Bnk.	
10L.			18.3	1189.5	Edge Pvmt.	
23L.			11.6	1191.2		
33L.			7.0	1195.8		
3+00			15.4	1187.4		
13R.			15.3	1187.5	edge Pvmt.	

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S	ELEV.		
(3+00)		120283.				
17R.			15 0	11878.		
24R.			10 5	11923.		
33R.			13 7	11896.		
45R.			14 0	11888.	Top Bk.	
8L.			15 8	11870.	edge pvmt.	
11L.			14 0	11888.		
21L.			12 6	11902.		
30L.			6 6	11962.		
0+00 SE.	N.W. on ℄ Arroyo Blvd as staked.					
=0+00 N.W.	(See pg. 152 for Sec.)				PI #5 pg. 80 = 0+00 N.W.	
T.P.	3.79	120502	16 0	120123.		
0+50			4 3	12007		
16R.			4 8	12002	Edge pvmt.	
26R.			+3 1	12081		
47R.			+6 8	12118	T.S.	
9L.			4 2	12007	Edge Pvmt.	
11L.			3 9	12011		
15L.			6 4	11986.		
17L.			7 0	11980.	Top Hdwl.	
17.5L.			15 0	11900.	Bot can.	

Profile Notes Red. LE Platted H.H.Machin Job No. 8168 Division No. L.B. 684 Pg. 155
No. X-Sec. Date 3-4-37 Survey of Palm Ave
No. Notes Chkd. L.K. Checked Hermann Survey by Evans Notes LE Date 2-19-37
Date Date 3-4-37 Map No. Indexed C. Johnson Date

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

B.684 P.G.36 | Job. No. 8168 Division No. | Notes Red HE | Plotted H. Martin Profile
Survey of Palm Ave | Date | Date 3-4-37 No.
Survey by Evans | Notes HE | Notes Chkd. L. K. F. Checked Measured X-Sec.
Indexed A. C. Johnson | Date 2-19-37 | Date MAR 2 1937 Date 3-5-37 No.

STATION	B. S.	H. I.	F. S	ELEV.		
		120502				
1400			4.9	1200 1.		
17R.			5 2	1199 8.	Edge Pvmt.	
25R.			1 5	1203 5.		
30R.			+3 7	1206 7.	Top Bnk.	
57R.			+8 9	1213 0.		
6.5L			5 1	1199 9.	Edge pvmt.	
11L.			3 3	1201 7.		
23L.			9 4	1195 6.		
35L.			12 1	1192 9.		
1450			5 5	1199 5.		
14R.			5 0	1200 0.	Edge Pvmt.	
27R.			+6 1	1211 1.		
44R.			+6 8	1211 8.		
8L.			5 5	1199 5.	" "	
9L.			5 2	1199 8.		
18L.			9 2	1195 8.		
21L.			7 3	1197 7.		
37L.			7 7	1197 3.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ X-Sec. No. ____

Notes Red. LE Platted H. Martin Job No. 8168 Division No. ____
Date ____ Date 3-4-37 Survey of Falls Ave.
Notes Chkd L. K. Checked Hammond Survey by Evans Notes LE Date 2-19-37
Date ____ Date 3-6-37 Map No. ____ Indexed A. C. John Date ____

L. B. 684 Pg. 157

STATION	B. S.	H. I.	F. S	ELEV.		
		120502				
2+00			45	12005.		
9R.			41	12009.	Edge pvmt	
29R.			+75	12125.		
43R.			+102	12150.		
12L			48	12002.	" "	
15L			38	12012.		
21L			45	12005.		
54L.			57	11993.		
2+50			11	12039.		
3R.			11	12039.	" "	
16R.			10	12040.		
23R.			+31	12081.		
33R.			+68	12118.		
49R.			+90	12140.		
18L			15	12035.	" "	
20L			08	12042.		
42L.			20	12030.		
T.P.	11 55	12131 5	342	12016 0.		

Form 307 5M 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 6844 P.G. 158 | Bab: No. 2158 Division No. ___ Notes Red ___ Plotted H. Martin Profile No. ___
Survey of Palm Ave Date ___ Date 3-4-37 X-Sec.
Survey by Evans Notes ___ Notes Chkd. L. K. F. Checked ___ No.
Indexed A. C. Johnson Date ___ Date MAR 2 1937 Date 3-4-37

STATION	B. S.	H. I.	F. S	ELEV.		
		1213'15.				
3+00			58	1207.4.		
1R.			51	1207.3.	Edge print.	
17R.			61	1207.1.		
37 R.			42	1213.2.		
20L			62	1209.0.		
42L			66	1206.6.		
T.P.	11.30	1272.53	192	1211,23.		
B.M.#P3			164	1220.89	per pg. 12	

Profile No. Notes Red. Date Plotted Date Job No. Division No. F B 684 PG. 159

X-Sec. No. Notes Chkd. Date Checked Date Survey of Survey by Map No. Notes Indexed Date Date

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

STATION	B. S.	H. I.	F. S.	ELEV.		

Form 307 5M 5-39

Form 307 5M 5-39

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. PG. Job No. Division No. Notes Red. Plotted Profile

Survey of Date No. X-Sec.

Survey by Notes Notes Chkd. Checked No.

Indexed Date Date Date Date

STATION	B. S.	H. I.	S.	ELEV.

6884