Field Ck'd by

Office Work

Plotted

Traced

Survey of

W. O. Tape No. St'd. °F.

Surveyed by

Notes Date

Indexed

F. B. Pg.

Red
Blue
Green
Brown
Inf. Red
Magic O

LOS ANGELES COUNTY SURVEYOR
ENGINEERING DIVISION

Keuffel & Esser Co. Made in U.S.A.

660

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

E. B. _____ PG. _____

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4913 Tape No. 0641 St'd 24 F.
Office Work	Surveyed by Butler
Checked	Notes Date 1937
Date	Indexed A. C. Johnson 2-18-37

F.B. 620 PG. 1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

J.N. 4913

SURVEY CONTROL SYSTEM

CITY of COMPTON

Description of Station

BUTLER
KLINKE
STANWOOD
RAMSDELL
MOSER

For higher to stations
See Book 85

Long Beach P. 71

FORM 247 10M 11-35

F.B. 696 PG. 8

INDEX - STATIONS

NO	NAME	Sketch	Description
1	COMPTON L-3	Pg 9	Pg 10
2	" 9-1	" 11	" 12
3	WATTS T-2	" 13	" 14
4	COMPTON L-1	" 15	" 16
5	" 2-2	" 25+27	" 28
6	Dominguez #1, Rec #2	" 31	" 32
7	Watts T-1	" 33+35	" 34
8	BELL C-11	" 39	" 40
9	Clearwater C-3	" 43	" 44
10	Watts 2-10	" 45	" 46
11	Denker	" 47-1	" 48
12	Watts 5-5	" 49-50	" 51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of City of Compton
W. O. 4913 Tabs No. 06454 'd °R.
Surveyed by Butler, SE
Notes Grenquist Date 1-22-37
Indexed A. C. Johnson

F.B. 69 Pg. 9

W.S. 32 ✓

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION "COMPTON L-3"

Noted on Gen. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sta. Div. W. & Mo.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



"REF. MARK. NO 1"
SET 4" BRASS TABLET IN 12"x12"x36" CONC. POST FLUSH WITH GRD. MARKED L.A. COUNTY SURVEY CONTROL SYSTEM. REFERENCE MARK. DISTANCE STAMPED: "REF MARK #1 COMPTON L-3 1937 R.E. 5255, SET BY COMPTON CITY ENGR."

IN CONCRETE

"REF MARK NO 1-A" SET 4" BRASS TABLET MKD L.A.CO. SURVEY CONTROL SYSTEM REF. MARK, DIST & STAMPED NO 1-A COMPTON L-3 1937 R.E. 5255, SET BY COMPTON CITY ENGR.

IN 12"x12" CONC. POST FLUSH

"COMPTON L-3" SET 4" BRASS TABLET MKD L.A.CO. SURVEY CONTROL SYSTEM TRIANGULATION STATION & STAMPED COMPTON L-3 1937 R.E. 5255, & SET BY COMPTON CITY ENGR. SEE NOTE PG FOR DISCRIPTION.

SUB SURFACE MARK: SET 4" BELOW SURFACE TABLET A LEAD PLUG & COPPER TACK IN A 9" DIA CYLINDER APPROX. 9" DIA BY 10" DEEP SEPARATED FROM SURFACE MON. BY 6" SANDY LOAM CUSHION.

For Compton L-3 Exc. See F.B. 923-4, 27

FORM 247 10M 11-35

F.B. 696 PG. 10

L. A. COUNTY SURVEY CONTROL TRIANGULATION STATION COMPTON

L-3

IN L.A. Co., So. of South boundry of City of COMPTON. Southeast of INTERSECT of GREENLEAF ~~ST~~ DRIVE & LONG BEACH BLVD.

DRIVE 116 ± So of So. Curb Line of Greenleaf ~~ST~~ PROJ. East 3.42' East of East Curb of Long Beach BLVD.

Sub Surface Mark:
Set 44" below Surface Tablet a Lead & Copper Tack in a Concrete Cylinder Approx. 6" in Dia. 24" deep and separated by an 8" Sand & Loam Cushion.

Surface Mark:
Set A br. Tablet in Conc. flush with Grd surface marked: "L. A. County Survey Control System - Tri-Angulation Station" and Stamped Compton - 3, 1937, R.E. 5255. Set by Compton City Engr.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4941 Trace No. 1234 Sh'd F.
Office Work	Surveyed by Butler S.E.
Checked	Notes GRANQUIST Date 2-11-37
Date	Indexed A. C. Johnson

F.B. 676 Pg. 11

WS 21

Noted on Geo. Index Card
Placed on U.S.C.S. Quad. Shts.
Placed on Sur. Div. W. S. No.
Sketch on Geo. Index Card

L.A. COUNTY SURVEY CONTROL

TRIANGULATION STATION "COMPTON - G-1"

"AND R.M. #1 & #1-A."



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 12

1/4 mi West of

L.A. County Survey Control

Triangulation Station "Compton G-1"

In L.A. County, 1/4 mi. W. of west side of city of Compton. S.W. of Compton Blvd and Compton Ave.

118.50 ± Intersection of Compton Ave. and Compton Blvd. and 21 ± West.

Surface Mark:-

Set a 4" Brass Tablet in 12" x 12" x 36" Deep, Conc. post Flush with surface of Grd. Marked: "L.A. County Survey Control System - Triangulation Station." and Stamped "Compton - G-1. 1937. R.E. 5255." set By. "Compton City Engr."

Sub-Surface Mark: set 44" below surface Tablet a Lead plug & copper Tack in a concrete Cylinder Approx. 16" in Dia. by 10" Deep and separated from Surface Monument by an 8" sand & Loam Cushion.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4913 Tape No. 064 St'd °F.
Office Work	Surveyed by Fuller, SE
Checked	Notes GRANQUIST Date 1-21-37
Date	A. C. Johnson Indexed

F.B. 695 Pg. 13

W.S. 26 ✓

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sec. Div. W.S. No.
Sketch on U.S. Desc. Card

L.A. COUNTY SURVEY CONTROL
TRIANGULATION STATION "WATTS J-12"
AND R.M. #1 & #1-A.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-38

F.B. 696 PG. 14

L.A. COUNTY SURVEY CONTROL. TRIANGULATION STATION. "WATTS-J-12".

IN L.A. Co., CITY OF COMPTON. ON EAST SIDE OF PACIFIC ELECTRIC R. OF W. N.W. COR. OF INTERSECTION OF WILLOWBROOK AVE. WITH MONA AVE.

27.5' west, of west curb of East Barrel of WILMINGTON AVE prod. North. and 103.5' North of ℄ IN SAME CURB. OR

28.2' So of E.C. & PERRM. P.E. Elect. Ry & 48.4' East of ℄ of P.E. Ry R/W.

SURFACE MARK:- Set a 4" brass Tablet in a 12"x12"x36" CONCRETE POST FLUSH WITH Grd. MARKED: L.A. COUNTY SURVEY CONTROL SYSTEM-TRIANGULATION STATION" AND STAMPED, "WATTS J-12. 1936, R.E. 5255, AND SET BY "COMPTON CITY ENG'R."

SUB-SURFACE MARK:- SET 44" below SURFACE Tablet A LEAD PLUG & COPPER TACK IN A CONCRETE CYLINDER APPROX 16" IN DIA. BY 10" Deep AND SEPARATED FROM SURFACE MONUMENT BY AN 8" SAND CUSHION.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of	City of Compton
W. O.	49/3 Tape No. 264 St'd °F.
Surveyed by	Butler, SE
Notes	FRANQUIST Date 1-22-37
Indexed	A. C. Johnson

F.B. 696 Pg. 15

W.S. 32 ✓

Noted on Gen. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION, "COMPTON-L-1 AND - "AUX. No 1-2+3"

See Description Next Page



FORM 247 10M 11-35

F.B. 696 Pg. 16

L.A. County Survey Control

Triangulation Station "Compton L-1 and Auxiliary Stations No 1, No 2, and No 3.

In L.A. Co. in City of Compton, near intersection Long Beach Blvd & Compton Blvd. on N.W. Cor. of Tower Roof of "Bldg F" Abbey of Flowers." of Angeles Abbey Mausoleum

7.8' from inside Edge of North wall.
2.4' from inside Edge of West wall.
Tower Roof is Approx. 55 ft above Grd. Level. (See detail Sketch Pg 18 F.B. 696)

For Detail Sketch of Aux No 1 see F.B. 696 Pg 19
For Detail Sketch of Compton L-1-Aux #2: See F.B. 696-Pg 21
For Detail Sketch of Compton L-1 Aux. #3. See F.B. 696 Pg 23

Surface Mark:

Set A 4" Brass Tablet in Conc. Tower Roof. Marked: L.A. County Survey Control System. Triangulation Station" and Stamped Compton L-1 ,,1937, R.E. 5255. and Set By Compton City Eng'r.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4913 Tape No. 064 St'd °F.
Office Work	Surveyed by Butler S.E.
Checked	Notes GRANQUIST Date 2-9-37
Date	Indexed A. C. Johnson

F.B. 696 PG. 17

W.S. 32 ✓

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sec. Div. W.S. No.
Sketch on Geo. Desc. Card

L. A. COUNTY SURVEY CONTROL TRIANGULATION STATION. "COMPTON-L-1.

DETAIL SKETCH of Bldg. "F" Abbey of Flowers Grd LEVEL.



Note: Not to Scale)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 18

Detail Sketch of Roof. L.A. County Survey Control. Triangulation Station. "Compton L.1.

"Set H.4" Brass in Conc. Tower Roof stacked "L.A. County Survey Control System Triangulation" & Stamped "Compton L-1 1937. R.E. 5255, and set by Compton City Engr.

For floor Plan of Bldg "F" see Previous Pg.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4913 Tape No. 64 St'd
Office Work	Surveyed by Butler SE
Checked	Notes GRANQUIST Date 2-9-37
Date	Indexed A. C. Johnson

F.B. 696 PG. 19

W.S. 32 ✓

L.A. COUNTY SURVEY CONTROL AUXILIARY STATION No 1. OF COMPTON L-1.

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on U.S. No.
Sketch on Geo. Desc. Card



For General Sketch
see Pg 15 - F.B. 696

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7dO HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 Pg. 20

L.A. County Survey Control
Auxiliary Station No 1 of
Compton L-1.

In L.A. Co., City of Compton.
N.E. cor of intersection of
Long Beach Blvd and Compton
Blvd.
161 ft ± North of North Curb of
Compton Blvd. and 4.2 ft E'ly of East
Curb of Long Beach Blvd.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4913 Tape No. 064 St'd °F.
Office Work	Surveyed by Butler SE.
Checked	Notes DWR+HEG Date 2-9-37
Date	Indexed A. C. Johnson

F.B. 696 Pg. 21

W.S. 32

L.A. COUNTY SURVEY CONTROL AUXILIARY STATION No 2. of COMPTON L-1



Note for General Sketch see P. 15 F.B. 696 For Description see Next Page 22

Set a 4" Bross Tablet in Conc. Flush Grd. Marked "L.A. County Survey Control Reference Mark K. and Stamped: Compton L-1 Aux #2 1937 - RE 5255 and Set By Compton City Engr.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 22

L.A. COUNTY SURVEY CONTROL

AUXILIARY STATION No 2 OF COMPTON. L-1.

IN L.A. Co, CITY OF COMPTON.

S.W. COR. OF INTERSECTION OF LONG BEACH BLVD AND EAST PALMER AVE.

23 FT SOUTH OF SOUTH CURB OF EAST PALMER AVE. AND

7.5 FT WEST OF WEST CURB OF LONG BEACH BLVD.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4913 Tape No. St'd °F.
Office Work	Surveyed by Butler, SE
Checked	Notes Crandquist Date 2-9-37
Date	Indexed A. C. Johnson

F.B. 696 PG. 23

W.S. 32 ✓

L.A. COUNTY SURVEY CONTROL AUXILIARY STATION. No. 3. OF COMPTON L-1

Noted on Geo. Index Card
Placed on U.S.C.&G. Quad. Shts.
Placed on Sys. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



FORM 247 10M 11-35

F.B. 696 PG. 24

L.A. COUNTY SURVEY CONTROL
AUXILIARY STATION No 3 OF
COMPTON L-1.

IN L.A. Co, CITY OF COMPTON
SO. EAST OF INTERSECTION OF
LONG BEACH BLVD AND EAST
ELM ST.

108± SO OF South Curb of
East ELM ST PROD. East AND
21' East of East Curb of Long
Beach Blvd.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4913 Tape No. St'd °F.
Office Work	Surveyed by But/ap - S.E.
Checked	Notes Graphquick H Date 1-21-37 A. C. Johnson
Date	Indexed

F.B. 696 PG. 25

W.S. 26 ✓

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION. "COMPTON I-2. AND AUX. No 1-2-3

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sta. Riv. W.S. No.
Sketch on Geo. Desc. Card



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 696 PG. 26

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4913 Tape No. 064 St'd °F.
Office Work	Surveyed by Butler-SE
Checked	Notes GRANQUIST Date 2-9-37
Date	A. C. Johnson
	Indexed

F.B. 696 PG. 27

W.S. 26 ✓

L. A. COUNTY SURVEY CONTROL TRIANGULATION STATION. COMPTON I-2.

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sht. Div. W.S. No.
Sketch on Geo. Desc. Card



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 28

L. A. COUNTY SURVEY CONTROL

TRIANGULATION STATION.

COMPTON-I-2.

IN L.A. Co., CITY of COMPTON.

ON ROOF of STAGE of AUDITORIUM Bldg. of COMPTON JUNIOR College. Located ACACIA ST. AND INDIGO ST.

SET A 4" BRASS Tablet IN Concrete Roof of Stage 7½' South of INSIDE face of North FIRE WALL. AND 8º' East of INSIDE FACE of WEST FIRE WALL. AND 59' ABOVE GROUND LEVEL.

TABLET MARKED:

"L. A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STATION. AND STAMPED: COMPTON I-2. 1937. RE. 5255. AND SET by COMPTON CITY ENGR.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of City of Compton	F.B. 696 Pg. 29
Map No.		W. O. 4913 Tape No. 0644 St'd °F.	
Office Work		Surveyed by Butler, S.E.	W.S. 26 ✓
Checked		Notes GRANQUIST Date 1-22-37	Noted on Geo. Index Card
Date		Indexed A. C. Johnson	Placed on [illegible] Quad. Sht.
			Placed on S[illegible] W.S. No.
			Sketch on Geo. Desc. Card

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION. "COMPTON I-2 AUX. No 1. AUX. No. 2. AUX. No. 3."

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 720 HALL OF RECORDS

Set 4" BRASS Tablet IN CONC. IN Well cut THRU PAVEMENT 12" below Surface Grade & Covered with C.I. Lid, Marked L.A. Co. Surv. MON. Tablet Marked L.A. COUNTY SURVEY control system. Ref. Mark. stamped: COMPTON I-2 AUX #3 RE 5255, 1937, Set By Compton City Engr.

RIVERSIDE

REDONDO BLVD.

Compton I-2 Aux. #3

Edge Conc. Pav.

CONC. CURB

CONC. CULVERT

L.A. Co. SURVEY Control Station COMPTON I-2 FOR data, L. Sta. #1 See 18-27 PB. 696

Edge Conc. Pav.

Compton I-2 AUX #2

Tel. Pole #100

MAG = N 90° E

Set a 4" Brass Tablet in Conc. Mkd: L.H. County Survey Control, Ref. Mark, Stamped Compton I-2 Aux No 2 1937, RE 5255, Set By Compton City Engr.

Roof of stage, COMPTON JR/OR High School

Tel. Pole #110

W. OLIVE STREET.

(MAG = N 90° W)

Set A 4" BRASS Tablet in Well cut Thru. Conc. Pav. 12" below surface of Grd. Covered with CI Lid Marked L.A. Co. Surveyor. MON. Tablet Marked "L.A. County SURVEY Control System". Reference Mark. Stamped: COMPTON I-2 AUX No. 1. 1937. RE 5255 + set by: Compton City Engr.

N. WILMINGTON AVE.

W. RAYMOND ST.

Oil Surf.

Compton I-2 AUX #1

FORM 247 10M 11-35

F.B. 696 PG. 30

L.A. COUNTY SURVEY CONTROL
AUXILIARY STATION No 1 of
COMPTON-I-2.
IN L.A. Co. CITY of COMPTON.
SO. AND EAST of INTERSECTION OF
WILMINGTON AVE AND WEST OLIVE
ST.
615.9' South of APPROX ℄ of W. OLIVE ST.
17.2' East of APPROX ℄ of WILMINGTON
AVE.

AUXILIARY STATION No 2 of
COMPTON I-2.
IN L.A. Co. City of Compton.
IN West Side of WILMINGTON AVE
AND North of West OLIVE ST.
926.± North of APPROX. ℄ of W. Olive St.
21.± West of APPROX. ℄ of WILMINGTON AVE

AUXILIARY STATION No 3 of
COMPTON I-2.
IN L.A. Co., City of Compton.
S.E. of INTERSECTION of WILMINGTON
AVE AND COMPTON AVE.
4.3' WEST of EAST CURB of WILMINGTON
AVE PROD. SOUTH.
32.3' South of NORTH CURB OF
COMPTON AVE PROD. West.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4913 Tape No. 064 St'd °F.
Office Work	Surveyed by Butler SE.
Checked	Notes GRANQUIST Date 2-10-37
Date	Indexed

F.B. 694 Pg. 81

W.S. 26

L. A. COUNTY SURVEY CONTROL TRIANGULATION STATION. DOMINGUEZ-NO 2-ECC-2

Noted on Geo. Index Card
Plotted on U.S.C.&G.S. Quad. Shts.
Plotted on Co. Div. U.S. No.
Sketch on Geo. Desc. Card



Fd 3½" Brass Tablet; Marked: "Survey Control Mark ... Engineer" and Stamped "L.A. County Triangulation No 2. Ecc-1. 1936. RE 2177"

See F.B. 625-87

Set 2½" C.S. Brass Cap in Grd. Flush, Marked: County Surveyor. R/E 2177 and Stamped. Dominguez 2, Ecc 2. 1937.

Fd 3½" Brass Tablet in Conc Pad 8"x8" Flush with Grd. Marked: "U.S. Coast & Geod. Survey. Triangulation Station" and Stamped "Dominguez 2. 1932."

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

47 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red** Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 694 PG. 32

Notes Ck'd by	Survey of Cont. Tyr. Comb't
Map No.	W. O. 4913 Tape No. Clear St'd [illegible] F.
Office Work	Surveyed by J.E. Butler
Checked	Notes All work Date 1-24-37
Date	A. C. Jobbins Indexed

F.B. 696 Pg. 33

W.S. 26 ✓

L.A. CO. SURV. CONT. TRIANG. STA. WATTS H-10

& AUX. STA'S NOS 1, 2 & 3

See p. 35 Sheet

Watts H-10 Aux. No. 1

Noted on Geo. Index Card

Plotted on U.S.C. & G.S. Sht.

Plotted on Thos. Bros. Sht.

Sketch on Mon. Desc. Card

Gold Line

St.

Ave

Not a thru St.

See F.B. 928-200 For add'l ties.

Watts H-10 Aux. No. 2.

Watts H-10 - Center

Steel Water Tank & Tower - Not Controlled

Not a thru St.

Note: Aux. Sta's Nos 1, 2 & 3 are marked with 4" br. tablets set in conc. flush with ground surface marked: "L.A. CO. SURVEY CONTROL SYSTEM - TRIANGULATION STATION" and stamped "WATTS H-10, AUX. No 1, 2 & 3 (respectively) 1937 - R.E.Z.J." and set By: "COUNTY SURVEYOR" Marks set 1-22-'37

Watts H-10, Aux. #3

R. of W. Lands

See pg. For description

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 - 10M 11-36

F.B. 696 Pg. 34

~DESCRIPTION~

L.A. CO. S.P.R. CONT. TRANS. STA. - WATTS

10 L.A. Co about 1.8 miles

City of [illegible] on 1.6 miles [illegible] from City of [illegible] known as [illegible]

[illegible] 83.7' [illegible] from [illegible]

Fnd. 17.5' [illegible] from ch. of [illegible]

top of tower 23.2' N.W. of from ch. of [illegible]

of tower.

[illegible]

[illegible]

[illegible]

[illegible]

CONTACT [illegible]

[illegible]

See pg [illegible] for [illegible]

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Gen. Sys - Compton Area
Map No.	W. O. 4963 Tape No. 2-4 St'd. 3-1 F.
Office Work	Surveyed by S.E. Butler
Checked	Notes Klamock Date 1-29-37
Date	Indexed Mr. C. Johnson

F.B. 696 Pg. 35

W.S. 26 ✓

Noted on Geo. Index Card
Plotted on Maps
Plotted on U.S.L.
Sketch on Sub. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



See F.B. 928 - 200
For add'l ties.

Set 4" br. tack in conc. flush with gr. surface marked: L.A. Co. Sur. Cont. Sys. - Triang. Station and stamped: "Watts H-10, 1937 R.E. 21177" and Set Sq. "County Surveyor" Mon. 20' E 1-29-37

L.A. Co. Sur. Control Triang. Sta. "Watts H-10" and Ground Plan of L.A. Co. Water Works Plant - Steel Tower & Tank & Pump House - No 10, Willowbrook District.

113.30'
N. 29° 30' W.
150.0'
West Curb
North Curb
54'
12.4th

For Sketch Showing Aux. Pts., Street, R.E. Tract & Etc. See Page 33 Also pg 37 for elevated observing Structure on tank Tower.

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red** Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 696 PG. 30

Notes Ck'd by	Survey of
Map No.	W. O. 4913 Tape No. 264 St'd 36 F.
Office Work	Surveyed by
Checked	Notes Butler Date 11/12/
Date	Indexed A. C. Johnson

F.B. 6960 Pg. 57

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M-11-60



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 696 Pg. 38

Notes Ck'd by	Survey of Cont. Sys. - complete
Map No.	W. 0491-3 Tape No. 064 St'd 14 F.
Office Work	Surveyed by [illegible]
Checked	Notes K'Hauser C Date 12-22-36
Date	A. C. Schnaser Indexed

F.B. 696 Pg. 39

W.S. 32

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION "BELL C-11"



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 696 PG. 40

Meineck

~DESCRIPTION~

L.A. CO. SUR. CONT. TRIANG. STA. "BELL C.H."

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Control Traverse
Map No.	W. O. 4913 Tape No. 264 St'd 84° F.
Office Work	Surveyed by SE Butler
Checked HNB	Notes Geodolite Date 12-23-36
Date 3-5-37	Indexed A. C. Johnson

F.B. 696 Pg. 41

LACO. SUR. CONTROL TRIANGULATION

STA. "BELL C-11"

Tape #264 = 100.0
TENSION 21½# STD-84°
H.C. D.M.R.
CC. H.E.G.

Chaining.

FROM Reference PT #1 TO 1-A

Meas. Dist.	Vert.	Forward/Reverse	Temp	Temp Corr.	True Dist.
99.630	0+00		66°		
99.520	"		66°		
99.000	"		66°		
12.085	"		66°		
310.235	"		66°	.0363	310.199
99.800	0+00	Reverse	66°		
99.700	"		66°		
99.055	"		66°		
11.690	"		66°		
310.245	"		66°	.0363	310.209
11.815	0+00	Forward	66°		
98.860	"		66°		
99.620	"		66°		
99.930	"		66°	.0363	
310.225			66°	.0363	310.189
12.030	0+00	Reverse	66°		
98.950	"		66°		
99.545	"		66°		
99.690	"		66°		
310.215	"		66°	.0363	310.179
				4	1240.786
				Mean	310.196

FROM — Meas. Dist.	Vert.	Temp	TO R.M. #1-A Corr.	True Dist.
22.585	0+00	72°		
32.330	0+00	72°		
54.915	0+00	72°	.0039	54.911
22.760	0+00	72°		
32.150	0+00	72°		
54.910	0+00	72°	.0039	54.906
32.220	0+00	72°		
22.690	0+00	72°		
54.910	0+00	72°	.0039	54.906
32.350	0+00	72°		
22.565		72°		
54.915	0+00	72°	.0039	54.911

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 42

Meas Dist. From Ref. Mk. 2 to 2-A.

Distance	Vert.	Temp	Corr.	True Dist
		Forward		
98.655	0+00	74°		
90.290	0+00	74°		
84.340	0+00	74°		
273.285		74°	.0178	273.267
		Reverse		
99.030	0+00	76°		
90.180	0+00	76°		
84.090	0+00	76°		
273.300	0+00	76°	.0143	273.285
		Forward		
99.900	0+00	74°		
99.840	"	74°		
73.550	"	74°		
273.290	"	74°	.0178	273.272
		Reverse.		
99.770	"	74°		
99.810	"	74°		
73.430	"	74°		
273.290	"	74°	.0178	273.272
			4 | 1093.0973	
			273.2743	

From ctr Mon.			To R.M. #2-A.	
82.410	0+00	70°		
99.580	0+00	70°		
2.143	0+00	70°		
184.485	0+00	70°	.0168	184.463
82.660	0+00	70°		
99.672	0+00	70°		
2.122	0+00	70°		
184.475		70°	.0168	184.458
99.625		70°		
84.860		70°		
184.485	0+00	70°	.0168	184.468
99.880		70°		
84.590		70°		
184.470	0+00	70°	.0168	184.453
			4 | 737.8428	
			184.4607	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Sur. Cont. Tri. - Completed
Map No.	W. O. [illegible] Tape No. 264 St'd 84 F.
Office Work	Surveyed by S.E. Ruter
Checked	Notes Klemeck Date 1-20-37
Date	Indexed A. C. Johnson

F.B. [illegible] Pg. 43

W.S. 52 ✓

L.A. CO. SUR. CONT. TRIANG. STA—
"CLEARWATER C-3"

Noted on Gen. Index Card.
Placed on U.S. Quad. Shts.
Placed on [illegible] U.S.C.&G.S. No.
Sketch on Gen. Desc. Card.

Aux. #3 — 340' — NEW TIES F.B. 942-18

N

46.5' AVE.

INED ST.

Curb

102.6'

to ctr.

to ctr.

to ctr.

Aux. #2

NEW TIES F.B. 942-16

40' 40'

80'

50'

15' Park-Way

Park-Way

62' Curb

30.6'

67TH

NEW TIES F.B. 942-14

192' ST.

Aux. #1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 6910 Pg. 44

Notes Ck'd by	Survey of City & County
Map No.	W. O. 491.2 Tape No. 064 St'd 84 °F.
Office Work	Surveyed by [illegible]
Checked	Notes Date 1/27/37
Date	Indexed A. C. Johnson

F.B. 696 Pg. 45

W.S.26 ✓

L.A. COUNTY SURVEY CONTROL

[illegible] 1"=40' Sheet 10"

Noted on Geo. Index Card
Plotted on U.S.C. & G.S. Quad. Shts.
Plotted on Co. Hy. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35



F.B. 696 PG. 46

Description

L.A. Co Survey Control Triangulation Sta. "Watts C-10"

In L.A. Co. in City of L.A.

163.9' E of E. Cb. Figueroa St.
87'± N. " N. " 120th St.

Sub-Surface Mark:

Set 44" below surface
[illegible] copper tack in a
conc. cylinder [illegible] 15" diam. x 10"
deep & separated from surface mon.
by an 8" sand cushion.

Surface Mark: Set a 4" [illegible]

Survey Control System Triangulation
Station "Watts" established 1933
& re-surveyed by County Surveyor.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Cal. Spec. Surv. Inc.
Map No.	W. O. 4913 Tape No. St'd °F.
Office Work	Surveyed by Staff
Checked	Notes Book Date 2-17-37
Date	Indexed A. C. Johnson 3-2-37

F.B. 227 Pg. 47

L.A. COUNTY CO-ORDINATE SURVEY CONTROL STATION "DENKER".

See F.B. #

No additional information.

Found brass tag in rock in good condition under 3 4" ft. soil.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 696 PG. 18

FORM 347 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

SEE PG. 58 FOR TOP OF BUILDING SURFACE TIES.

111TH ST.

WATTS G-8, Cit.

STATION LINE OF L.A. CO. SURVEY CONTROL TRIANGULATION

CONANT AVENUE

DALE AVENUE

Noted on Rec. Index Rec'd
Plotted on Sht. No. Deed Sht's
Plotted on Sht. No. W.S. No.
Sketch on Rec. Desc. Card

Roof Area - Main Bldg. 12,982

111TH ST. Grade School

Fire wall 4.5' high

Sta. mark is 37' above ground

Set 4" br. tab. in conc. cap in block, top of fire-wall marked: "L.A. CO. SURVEY CONTROL SYSTEM - TRIANGULATION STA. and Stamped: WATTS G-8, 1937 - R.E. 2177 and Set by: "COUNTY SURVEYOR".

See pg. 56 for general sketch

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Cal. Triangulation
W. O. 4221-3 Tape No. 0665 St'd at 66° F.
Surveyed by Fire Station Date 2-28-39
Notes Indexed C. Johnson

F.B. 570 Pg. 19

W, S, 26

F.B. 616 PG. 50

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sec. Div. U.S. No.
Sketch on Geo. Desc. Card

Kleineck
2-22-37

A. CO. SURVEY CONTROL TRIANGULATION STATION "WATTS G-5" & AUX. STA'S Nos 1, 2 & 3.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 49[illegible] Tape No. 210 St'd 66°F.
Office Work	Surveyed by Fuller SE
Checked	Notes Ground Sight Date 2-27-37
Date	Indexed [illegible]

F.B. 696 Pg. 51

W.S. 26

L.A. COUNTY SURVEY CONTROL "AUXILIARY" TRIANGULATION STATION. "WATTS - G-8. AUX. NO 1."

See pg. 50 for ties to J.T. Watts G-8.

Noted on Geo. Index Card
Plotted on U.S.C.&G.S. Quad. Shts.
Plotted on Div. W.S. No.
Sketch on Geo. Desc. Card



WATTS G-E. AUX'Y. SET A 4" BRASS PLUG STAMPED WITH CONCENTRIC RING & CYL. CUT IN 3"x3" CONC. SLAB 12" BELOW SURF. AND EMBEDDED WITH ACCOMPANYING DESCRIPTION AND SKETCH BY COUNTY SURVEYOR. THE CENTER PUNCH MARK ON THE BRASS PLUG MARKS THE L.A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STATION "WATTS G-8 AUX. NO 1." 1937. R.E. 2177 AND SET BY COUNTY SURVEYOR.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 52

L. A. COUNTY SURVEY CONTROL
TRIANGULATION STATION.-
"AUXILIARY"
"WATTS G-8. AUX. NO 1.

IN L.A. CO. IN CITY OF L. A.
WATTS DISTRICT. SO. 1 BLK. OF E.
IMPERIAL HWY. ON WEST SIDE OF
SO CENTRAL AVE.
55.5' SOUTH OF NORTH CURB OF ROBIN
ST PROD. WEST AND
54' WEST OF EAST CURB OF SO. CENTRAL
AVE.

SURFACE MARK

SET A 4" BRASS TOILET IN CONC. 12" BELOW SURFACE
Grade. (IN A 6" WELL CYLINDER, cast in 3'x3' CONC SLAB AND
COVERED WITH A CAST IRON LID Marked L.A. COUNTY SURVEYOR
MONUMENT) TOILET MARKED L.A. COUNTY SURVEY
CONTROL SYSTEM TRIANGULATION STATION
AND STAMPED: WATTS G-8. AUX. NO 1. 1937. R.E. 2177,
AND SET BY COUNTY SURVEYOR.

SUB SURFACE MARK:
NOT SET.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of
Map No.	W. 0413 Tape No. 137 St'd 14 F.
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed A. C. Jacobson

F.B. 69 PG. 53

W.S. 26 ✓

Noted on Bas. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sec. Sht. U.S.Hy.
Sketch on Co. Desc. Card

L.A. COUNTY SURVEY CONTROL
(AUXILIARY)
"TRIANGULATION STATION"
WATTS G-8 AUX. NO. 2

See pg. 50 for ch. Sta. & general

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

WATTS G-8-AUX. NO. 2.
SET 3/4" BRASS PLUG & TAG IN CONC IN 6" WELL CYL. CAST IN 5'x5' CONC SLAB 12" BELOW FINISH GRADE SURFACE. WITH A CAST IRON LID MARKED COUNTY SURVEYOR MON. BOLT MARKED L.A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STATION WATTS G-8 AUX. NO. 2. 1937. RE 2177. AND SET by County Surveyor.

TO AUX No 3

ELECT

Ky.

23½'

10°-1'

END CURB
END WALK

GUTTER

BOARD FENCE 7' HIGH

LA NEST AVE.

26'

46°

28.6'

40°

80°

SO. CURB

Radi. 45'

South La Nem Steel Co. Property

17.2' 36° 17.6' 9.5' 5'

TO AUX No 1

(Mag N-5°E)

FORM 247 10M 11-35

F.B. 696 PG. 54

L.A. COUNTY SURVEY CONTROL SYSTEM. TRIANGULATION AUXILIARY STATION.

WATTS G-8. AUX. NO 2.

IN L.A. CO. IN CITY OF L.A. IN WATTS DISTRICT. NORTH .35 MILE OF IMPERIAL HWY. ON EAST SIDE OF SO CENTRAL AVE.

16' WEST OF EAST CURB OF SO. CENTRAL AVE.

46° NORTH OF SO. CURB OF LANZIT ST. PROD. EAST.

SURFACE MARK:

SET A 4" BRASS TABLET IN CONC. 12" BELOW SURFACE GRADE (IN 6" DIA. WELL CASING) SET 2" SOUTH OF E. & W. CONC. CURB COVERED WITH A CAST IRON LID MARKED "COUNTY SURVEYOR MONUMENT" AND MARKED "L.A. COUNTY SURVEY CONTROL SYSTEM", "TRIANGULATION STATION" AND STAMPED "WATTS G-8. AUX. No. 2. 1937, R.E. 8177. AND SET BY - COUNTY SURVEYOR.

SUB SURFACE MARK:
NOT SET.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of City of Compton
Map No.	W. O. 4913 Tape No. 137 St'd 4° F.
Office Work	Surveyed by Butler et al
Checked	Notes Grid Adjust H Date 2-23-37
Date	Indexed A. E. Johnson

F.B. 696 PG. 55

W.S. 26 ✓

L. A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION AUXILIARY STATION. "WATTS G-8. AUX. No. 3."

See pg 56 for Sta. Desc. & General Sketch.

Noted on Prin. Index Card
Placed on Quad. Shts.
Placed on Sec. Dia. W. S. Ba.
Sketch on Mod. Desc. Card



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 696 PG. 56

L.A. COUNTY SURVEY CONTROL SYSTEM.

TRIANGULATION AUXILIARY STATION.

WATTS G-8. AUX. No-3.

IN L.A. CO., CITY OF L.A. IN WATTS DISTRICT. .7 MI. NORTH OF E. JEFFERSON HWY. AND ON WEST SIDE OF S. CENTRAL AVE. SOUTH AND WEST OF INTERSECTION OF 108TH ST. AND S. CENTRAL AVE.

61.8' SOUTH of South curb of 103rd ST. ROAD EAST 12.4' EAST of West curb of So Central Ave.

SURFACE MARK:

SET A 4" BRASS TABLET IN CONC 12" BELOW GROUND SURFACE IN 6" WELL CYL. CAST IN 3'x3' CONC SLAB AND COVERED WITH CAST IRON LID MARKED COUNTY SURVEYOR MONUMENT. TABLET MARKED: "L.A. COUNTY SURVEY CONTROL SYSTEM." TRIANGULATION STATION. AND STAMPED: WATTS G-8. AUX. NO 3. 1937. R.E. 2177. SET BY COUNTY SURVEYOR.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of L.A. Co. Control Traverse	F.B. 694 Pg. 59
Map No.		W. O. 4913 Tape No. St'd °F.	
Office Work		Surveyed by S.E. Butler	
Checked		Notes Kleiner Date 2-24-37	
Date		Indexed A. C. Johnson	

~DESCRIPTION~

L.A.Co. SUR. CONTROL TRIANG. STA. "WATTS G-8"

In L.A. Co, City of Los Angeles about 0.6 mile So. of town of Watts on roof of highest part of 111th St. Grade School at intersection of Compton Ave. with 111th St.

369' E. along top of No. fire-wall from E. face of W. firewall.

4.0' So. along top of fire-wall W/S of bay from So. face of No. wall of same.

Surface Mark: Set 4" brass tablet in conc. Coping block top of north fire-wall at S.W. Cor. of bay marked: "L.A. COUNTY SURVEY CONTROL SYS. 1934 - TRIANGULATION STATION" and stamped "WATTS G-8, 1937 - B.E." and set by "COUNTY SURVEYOR"

See pg. 45 for blue sketch
" " 50 for General sketch
See pgs 51, 53 & 55 for auxiliary sta. sketches.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 576 PG. 58

TOP OF BUILDING SURFACE TIES TO "WATTS G-8"

W. D. BAY 6-6-58

100' TAPE # 0119



ALL DIST. MEAS. LEVEL @ T = 60°

10.68	=	SAME
21.89	=	"
21.78	=	"
21.69	=	"
28.89	=	"

9-5-58

THIS STATION HAS BEEN REMOVED AND RESET IN NEW WALL, PROBABLY BY CONTRACTOR. TIES CHECK O.K. STAMPED CAP "RESET 1958".

W. D. BAY

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PROJECT CENTRAL AVE DRAIN — INDEX

SURVEY BY BLAND — DATE 12-5-5

REVIEWED BY J.M — DATE 8-3-56

LOS ANGELES COUNTY FLOOD CONTROL DISTRICT

TO BOT PG-H.C. 11

H.C. 9



TO TOP PG H.C. 7

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 4491 Tape No. St'd 44 F.
Surveyed by
Notes
Date
Indexed 3-1-38

TRIANGULATION STATION ~ [illegible] E-W BASE

F.B. 696 PG 59

W.S. 26

F.B. 696 PG. 60

W.S. 26

STATION SHOWING LOCATION OF TRIANGULATION STA. [illegible] ON [illegible], AUX. NO. 4



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 696 PG. 61

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
W. O. 0301.08 Tape No. 75 St'd. 84 °F
Surveyed by H. D. S.
Notes H. D. S. Date 1-30-56
Indexed A. C. Johnson 2-6-55

Direction Tesan Take

L.A. CO. SURVEY CONTROL TRIANGULATION STATION "LABREA-A-6"

Mountain dirt Rd.

Fd 12-16-58 H.R.S
Set R.M. #1
See Next Pg.

12°40'08"

44°48'03"

Fd 12-16-58 H.R.S.
Fd. R.M. #1
Ref F.B. 696-129
See next Pg

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Note: Dist. & angles to R.M.'s Ltd. per F.B. 696-129 and Geod. Card: Checked O.K.

165.65

219.63

87°29'37"

36.08

57.09

95°36'11"

Fd. U.S.G.S. bl. cap. per F.B. 696-129 Disturbed See Next pg.

32.79

151.67

Set L.B.T. in boulder cerfiles LA BREA A-6
See Next Page
Set tack & tag HRS 12-16-58

Fd. R.M. #2 Ref F.B. 696-129 See next Pg.
Destroyed out 12-16-58 H.R.S.

All dist meas level @ T=56°

Set R.M. #3
See next Pg.

Destroyed April 5, 1956 H.K.S. - R.M. #3

165.65 = 165.62
219.67 = 219.63
151.70 = 151.67

See pg 129 for old sketch 2/1/56

(1) 12-40-00
(4) 50-40-40
(6) 76-00-30
(A) 12-40-08 1/3

(1) 87-29-30
(4) 347-58-20
(6) 164-57-10
(A) 87-29-36 1/3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F. B. 646 Pg. 62 (old desc. pg 130)

STATION DESCRIPTION

LA BREA A-6

This station is in LOS ANGELES COUNTY, 5.5 miles S. of the town of PUENTE, on the highest point of the Ely. half of the PUENTE HILLS, 4 miles S. of VALLEY BLVD. & on the approx. prod of NOGALES ST.

To reach this station from the intx. of POMONA AVE. & CENTRAL AVE, (near BREA in ORANGE COUNTY) go W. 0.4 miles to side road, "KELL" sign, go right (N) 0.5 miles to fork of 3 roads, take left (W) fork 0.5 miles up to top of saddle. Fork L (N'ly) fork down into ravine, keeping to N. side 0.3 miles to gas refinery. Circle refinery coming to a gate, N. side. Go left, past a cattle gate & a pump 1.2 miles to saddle & side road. Turn right & down 0.1 miles to ravine bottom & a fork. Take R. fork 0.2 miles to saddle & side road. Take L fork up 0.3 miles to fork. Take L fork up, past a lone storage tank, 0.4 miles to summit & station.

STATION MARK: Fd. a std. U.S.G.S. in co-op with L.A. Co. brass cap cemented in a boulder but lying on its side 2.0' S. of its correct location. Set a LAT in same boulder per ties F.B. 696-129.

R.M. NO. 1: Fd. a std. L.A. CO. 4" brass cap R.M. in conc. stamped "R.E. 2177, NO. 1, LA BREA A-6, COUNTY SURVEYOR, 1937" 2" below surface.

R.M. NO. 2: Fd. Same as R.M. NO. 1 except stamped "NO. 2".

R.M. NO. 3: Set a std. L.A. CO. 4" brass cap R.M. in conc. stamped "LA BREA A-6, R.M. NO. 3, 1956, CO. ENGR. R.E. 5867", extending 4" above the ground.

R.M. NO. 4: Set same as R.M. NO. 3 except stamped "R.M. NO. 4".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not write notes this side of this line.

76F309S 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W.O. Spec No. Sht.
Surveyed by
Notes Date
Indexed

F. B. 686 PG. 63

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. _____ PG. _____

Notes Ck'd by	Survey of
Map No.	W. O. 4911 Tape No. 06 St'd 0 F.
Office Work	Surveyed by
Checked	Notes " Date 2/37
Date	Indexed A. C. Johnson APR 8 '37

F.B. Pg.

J.N. 4911

SURVEY CONTROL SYSTEM

CITY of LONG BEACH

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

BUTLER
KLEINECK
BROADWAY

FORM 247 10M 11-35

F.B. 696 PG. 72 52

INDEX - [illegible]

No	Name	Sketch		Remarks
1	Dawson, Sur.	Pg.	53.	Pg. 54.
2	N.W. Base, Sur.	"	55	" 56
3	Wilmington F-10	"	57 *79	" 58.
4	General Sketch	"	81	[illegible]
5	Wilmington J-5	"	83	" 84
6	" H-5	"	85	" 86
7	" I-5	"	87	" 88
8	" J-4A	"	89	" 90
9	" J-5A	"	91	" 92
10	" J-4	"	93	" 94
11	(U.S.C.&G.S. Knight	"	95	" 96
12	Long Beach J-4	"	97	" 98
13	" " I-5	"	99	" 100
14	" L-6	"	101	" 102
15	" K-6	"	103	" 104
16	General Sketch	"	105	Seal Beach Agr.
17	La Habra E-12	"	107	" 108
18	San Juan (U.S.C.&G.S.)	None		" 110
19	Wilmington F-11 pg 113			" 114
20	Wilmington I-3 (B.M.)	"	120	None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Survey of [illegible] Triangulation
W.O. 6911 Topo No. 56 Sht. 3 of [illegible]
Checked [illegible] 9/2/37 (Chas. Aich) Notes Meinecke Date 12-9-36
Inplaced [illegible] C. Johnson

Sheet on Sta. Index Card
Placed on F. F. Description
Placed on Sta. Desc. Card
Sketch on Sta. Desc. Card

LA COUNTY SURVEY CONTROL TRIANGULATION STATION "DAWSON"

"CENTER", "DAWSON-ECC." & "DAWSON-RAY." As Supplemental Control

Chained Distances:

Pt. "A" to Pt. "B" { 298.56' @ 5°21'30" T. = 70° = 297.23 / 202.69' @ 0°00' T. = 70° = 202.67 } Distances Superseded
Total 499.90

Pt. "B" to Pt. "C" = 84.82' @ 10°50' T. = 70° = 83.304

Corrected Dist.

For final Invar measurements see F.B. T-1-13

"Fd. L.A. Co. Tri. Sta. DAWSON" Sta 4" br. Cap set in conc. marked "DAWSON, 1933-RE 62 COOPERATIVE SURVEY CONTROL TRIANGULATION STATION - COUNTY OF LA. ANGELES - CITY OF LOS ANGELES" = Pt. A



See page [illegible] for descriptions of Reference Marks

See Page 117 for Chained Distances between Reference Marks

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Notice: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CANCELED IN Red Ink WITH DATE AND NAME OF PERSON MAKING THE CHANGE.

Do not write or print below this line

96 Pg 54

Dec. 14-36 - Meineke

— DESCRIPTION —

~~L.A. Co. Sur. Control Triangulation Station "DAWSON AUX."~~ Made "REF. MARK No. 3"

In L.A. Co., Municipality of Signal Hill in Signal Hill oilfield NE. side of Long Beach City On N.W.ly side of Signal Hill Knoll near top and approximately 1 blk. E. of "Cherry Ave" at N'ly end of Dawson Ave

583.2' S. 10° E. from "Dawson," ctr. Mon.
40.9' E. of E. curb line of Dawson Ave.
25.3' S'ly from approximate E. of 23rd St.

Sub Surface Mark:

Set 4" below surface tablet, a lead plug in a cast iron pot in a concrete cylinder approx. 16" in dia. and 10' deep and [illegible] by an 8" sand and loam cushion.

Surface Mark:

Set a 4" brass tablet in conc. flush with ground marked "L.A. Co. CITY SURVEY CONTROL STATION ~~TRIANGULATION STATION~~ and stamped "DAWSON AUX, 1936 - RE. 2177" and set by "COUNTY SURVEYOR"

REFERENCE MARK No. 3

See page 73 for detail

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by		Survey of Cont. 545 - L. Beach Area		F.B. 6940	Pg.
Map No.		W. O. 4911	Tape No.	St'd	ø F.
Office Work		Surveyed by	E. Butler		
Checked		Notes Niemeck		Date 12-10-26	
Date		Indexed	A. C. Johnson		

Note: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line

L.A. COUNTY SURVEY CONTROL STATIONS. NOS.

WEST BASE (CENTER) U.S.C.+G.S. & NORTH WEST BASE-AD

Fd. N.W. Base (U.S.C.+G.S.) (Triangulation Mon.) See Sketch

Gray granite pyramid 2.5' high set on a block of red sand stone 3' sq. x 6" thick which in turn rests upon a 4' sq. block of brick + cone for a base.

5/8" Br. U.S.C.+G.S. reference mark toilet stamped N.W. Base - 1889

U.S.C.+G.S. 1889 Inscribed on S.E. face of granite pyramid

Low Frame Bldg.

Garage

Home of E.C. Baker Address, 2037 Bloomfield Road

Note: Because of construction work on Imperial Hwy. the monuments indicated were lowered and are shown as recovered. See F.B. 629 pg. 19

Date: 4-1-27

This line to be invar taped. Distance will be recorded in F.B.T-1. For theodelite L[illegible] See F.B. G-?

308.41' N 30° E Approx.

Set 4" br. tab in conc. flush with ground marked "L.A. COUNTY SURVEY CONTROL SYSTEM - REFERENCE MARK No 2 - RE 2177, 1926" and "COUNTY SURVEYOR"

Set 4" br. tab in conc. flush with ground marked "L.A. CO. SURVEY CONTROL SYSTEM - TRIANGULATION STATION "N.W. BASE - AUX" RE 2177, 1926" and "COUNTY SURVEYOR" Num. set 12-10-26

Approx. ℄ E & W brg.

Proposed Imperial Hwy.

Set R.M. No 1. Balance of description same as for R.M. No 2 above. See pg. 2[illegible] for description

F.B. 696 Pg. 76

Dec. 14-'36
Meineck

-DESCRIPTION-

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION-"NORTH WEST BASE-AUX"

In L.A. Co; about one mile S.E. of Norwalk State Hospital, about 1½ miles N.E. of town of Norwalk and one mile So. of S.E'ly limits of Sante Fe Oil Field on E.C. Baker Ranch 800'± W. of Shoemaker Road on proposed E'ly projection of Imperial Hwy.

3038'± approx. S 30°W from N.W. Base-Ctr. (U.S.C. & G.S.) Sta.

450' So. of approx. ℄ of proposed location of Imperial Hwy

Sub Surface Mark:- Set 4" below surface [illegible] Cylinder approximately 10" in dia. x 10" deep and separated from surface monument by an 8" loam cushion.

Surface Mark:- Set 3/4" brass tack in conc. 2" above ground. Surface marked "L.A. COUNTY SURVEY CONTROL SYSTEM- TRIANGULATION STATION" and Stamped "N.W. BASE-AUX., 1936, R.E." "LOS" and set by "COUNTY SURVEYOR"

See page 209 for sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by		Survey of	F.B. Pg.
Map No.		W. O. 4911 Tape No. 064 St'd. 84° F.	
Office Work		Surveyed by	W.S. 29
Checked		Notes Date	
Date		Indexed C. C. Johnson	

L.A. CO. SURV. CONT. TRAVERSE STA.
"WASHINGTON D-10" + "RESERVATION POINT" -
TERMINAL ISLAND

See pg. 79 for further details.
" " 78 for description

1500'

500'

500'

New Fence Along
new under construct.

Noted on Map, Index Card
Plotted on ... Quad. Shts.
Photo ... W. S. No.
Sketch on Sec. Desc. Card

U.S. Govt
Property
Terminal
Island

Harbor Waters

1500'

50' R.O.W. Easement

Harbor Waters

See pages
209, 210

"A"

S. Pac. R.R.
Co. and
Santa Fe
200'

500'

"C"

Harbor Waters

Fd. 3 1/2" sq. conc. mon. 1' below surface - Lead & Tack in top

See pg. 79 for detail
as shown on face
of this map.

L.A. Co. Surv. Sta.
Washington D-10

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

78

F.B. 6414 PG. 58

Reinert.

See pages 239, 240

Card checked [illegible]

See pgs 77 & 79 for Notches.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map By
Office Work
Checked
Date

Survey of Coast Sys - Long Beach
W. O. 4911 Tape No. St'd °F.
Surveyed by S.E. Butler
Notes Kleineck Date 2-4-37
Indexed C. C. Johnson

F.B. 694 Pg. 77

W.S. 29

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

L.A. CO. SUR. CONT. TRIANG STA. -
"WILMINGTON D-X, 1937" -
See pg. 77 for general sketch

RESERVATION POINT

TERMINAL ISLAND

Pt. "A" pg. 77 Fd.
L.+T. in 6" sq. conc. mon. 0.1' above grd.

Power-line pole set in conc.

pole line

present 12' trav. road

Pole line

42'

8'

30'

20

48'

50'

30'

Gas Meter

See pages 239, 240

½" I.R. in 6" pd conc. mon.

Set of Govt Tract

Occupied by -
U.S. Public Health Service. (Quarantine Sta.)

300.00'

66'

6" Fire-plug 3' high

2 story conc. house.

28.2'

13.8

29.5'

23.5.4'

14.2'

90°

176.4'

Pt. "B" pg. 77
Estab. pt. on line bet. "A" + "C" on 6" sq. conc. post 0.1' above gr. sur.

18.15'

18.03'

2600'

N 11° W (Mag.)

Set 4" br. tablet in conc. flush with gr. surface marked: "L.A. CO. SUR. CONT. TRIANG. STA. and stamped: "WILMINGTON D-X, 1937, RESET" and set by "COUNTY SURVEYOR" 10' Mon. set 2-4-37.

Pt. "C", pg. Fd.
L.+T. in 6" sq. conc. mon 0.1' above gr. surface

10'

Stone revetment

30'±

water level

F.B. 696 Pg. 80

80

Kleineck
2-4-37

L.A. CO. SUR. CONT. TRIANG. STA. - BELL B-4, CTR. AND SKETCH OF A PORTION OF BELL HIGH-SCHOOL BLDG.

To Bell B-4, Aux. #4. See pg.

Position of Sta. point as determined by 90° ties (2.500' ea. way) to lead & tacks set in west face wall

L+T.

L+T.

2.500'

2.500'

3 story conc. portion of bldg. over auditorium stage

Bldg.

N 89° 14' (mag) E

250'

To Bell B-4 Aux. #3 See pg.

To Bell B-4 Aux. #2 See pg.

To Bell B-4 Aux. #1 See pg.

Note: This sketch transferred to pg. 212 F.B. #695

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of CITY OF LONG BEACH
Map No.	W. O. 4911 Tape No. 064 St'd 4 F.
Office Work	Surveyed by BUTLER, S.E.
Checked	Notes GRANGUIST Date 2-23-37
Date	Indexed A. C. Johnson

F.B. 696 PG. 53

Noted on Geo. Index Card
Plotted on U.S.C.&G.S. Quad. Shts.
Plotted on State Div. W.S. No.
Sketch on Geo. Desc. Card

L.A. COUNTY SURVEY CONTROL SYSTEM.

TRIANGULATION STATIONS: WILMINGTON J-5.

WILMINGTON J-5 AUX. NO. 1.
" U.S.
" J-3
" J-4
" J-4-A.
" J-5-A.

ANAHEIM.

CUSHING AVE.
FOOTE AVE
S. P. R.R. ST

L.A. Co. Surv. WILMINGTON I-3 FOR DETAIL SKETCH SEE F.B. 696 - PG. 87

Note: For theodolite L's See F.B. G-?

Base line to be invar taped Record in F.B. T-1

Bdy
Bdy
E. 184.
C.L. P.R. LINE
C.L. P.R. LINE
LOS ANGELES RIVER
LOS ANGELES RIVER
EAST CHANNEL
SLIP 2
SLIP 3
7TH ST.
WATER ST.
West Ocean Blvd
BRIDGE AVE
DRAW Bridge
CERRITOS
CHANNEL
BASE LINE
DOCK ST.
U.P.R.R.Y.
PACIFIC
OCEAN.

WILMINGTON J-4 FOR DETAIL SEE PG 93 F.B. 696

WILMINGTON J-4-A. FOR DETAIL SEE PG 89 F.B. 696

WILMINGTON J-5-A FOR DETAIL SEE PG 93 F.B. 696.

WILMINGTON H-5 FOR DETAIL SEE PG 85 F.B. 696

So. Cal. Edison Co. Steam Plant #2.

WILMINGTON J-5, AUX. #1 FOR DETAIL SEE PG 83

WILMINGTON J-5 FOR DETAIL SEE PG 83 F.B. 696

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

82

F.B. 696 PG. 54

Referencing L.A County Survey Control Triangulation Station WILMINGTON H-5

W.S.28

Note - All Ref. Mons. are marked "L.A. County Survey Control System - Reference Mark - Wilmington H-5 - R.M. No. - 1941 - Set by County Surveyor RE 2177."

Draw Bridge

Noted on [illegible] Ward ... Skids ... Pal. ... Plan[illegible] ... Card

Set L+T conc cor base of well

3[illegible]9.20 @ 85° = 349.25

149.99 @ 85 = 150.01

Roadway

Set L+T Concrete cor at wall

319.95 @ 85 = 319.99

Fd 4" brass tablet in 6" wall in conc slab Tablet marked "L.A. Co Surv. Control Sys" "Triangulation Station" "Wilmington H-5 1937" RE 2177 Set by County Surveyor FB. 696 - 54

1 - 192 - 50 - 20
4 - 51 - 21 - 20
6 - 77 - 02 - 10
M - 192° 50' 10"

R.M. No 2 Set 4" Brass Tablet in conc 6" up - marked "R.M. No 2"

R.M. No 1 Set 4" brass Tablet in conc 6" up - marked "R.M. No 1"

33° 59' 50"

150.01

319.99

Flagpole

St.

Dock

50' 20"

19[illegible]

35° 26' 40"

135.12

77° 43' 19"

Set L+T Conc wall

Tanks

1000

1 - 53 - 59 - 50
4 - 215 - 59 - 20
6 - 323 - 59 - 00
M - 53° 59' - 50"

1 - 35 - 26 - 40
4 - 141 - 46 - 40
6 - 212 - 40 - 00
M - 35° 26' 40"

R.M. No 3 Set 4" brass Tablet in conc 6" up - marked "R.M. No 3"

300.01

Ferry

Tanks

1 - 77 - 43 - 10
4 - 310 - 53 - 00
6 - 106 - 19 - 10
M - 77° 43' 10"

135.10 @ 88 = 135.12

259.77 @ 85 = 300.01

499.93 @ 88 = 500.00

500.00

R.M. No. 4 Set 4" brass Tablet in conc 6" up - marked "R.M. No 4"

DDDDD

Smoke stacks

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of City of Long Beach	F.B. 696 Pg. 55
Map No.		W. O. 4911 Tape No. 064 St'd °F.	
Office Work		Surveyed by	W.S.30
Checked		Notes [illegible] Date 2-14-57	
Date		Indexed A. C. Jones	

83

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION. WILMINGTON J-5 AUXILIARY STATION. WILMINGTON J-5 AUX. NO 1.

See pg. 81

LONG Beach So. Calif. Edison PLANT. STRUCTURE-B" PLANT No 2

Roof Plan.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

TIES TO AUX. STA. "PLANT" (U.S.C.&G.S.)
See pg. 251



Noted on Gen. Index Card
Placed on U.S.C.&G.S. Stat. Sht.
Placed on [illegible] U.S.B.M.
Sketch on Geo. Desc. Card

For ∠'s see F.B. G-115/1.

For ∠'s see F.B. G-112/31.

SET A 4" BRASS TABLET IN CONC. ROOF MARKED "L.A. COUNTY SURVEY CONTROL SYSTEM" "TRIANGULATION STATION" AND STAMPED WILMINGTON J-5 AUX. NO 1. 1937. CE 2177 SET BY COUNTY SURVEYOR.



SET A 4" BRASS TABLET IN CONC. ROOF MARKED "L.A. COUNTY SURVEY CONTROL SYSTEM" "TRIANGULATION STATION" AND STAMPED WILMINGTON J-5 R.E. 2177 1937 SET BY COUNTY SURVEYOR.

Steel tape corrected +.01' per 100'

H.N.B.

Top of Brass Shaft 1.4' Above Roof Main Bldg.

Slope Dist.	Ver. Nº	Vert. ∠	Aver. Vert. ∠	Corr. Dist.
99.782'	@ I. 100°28'30"	10°28'30"		98.119'
"	@ II. 280°28'30"			
99.559	@ I. 99°44'20"	9°44'20"		98.124
"	@ II. 279°44'20"			Aver. 98.122'

FORM 247 10M 11-35

84

F.B. 696 Pg. 56

L. A. COUNTY SURVEY CONTROL
TRIANGULATION STATION
WILMINGTON J-5. AND
AUXILIARY STATION -
WILMINGTON J-5. AUX. No. 1.

IN L. A. COUNTY OF LONG BEACH
END OF [illegible] STATE [illegible]
EAST U. S. MAIN [illegible] STRUCTURE
B PLANT NO. 2. ON EASTERLY END
OF TERMINAL ISLAND. NORTH AND
EAST OF SEASIDE AVE. AND 27TH ST.

SURFACE MARK:
SET A 4" BRASS INLET IN CONC. ROOF
MARKED: "L. A. COUNTY SURVEY
CONTROL SYSTEM."
TRIANGULATION STATION. AND
STAMPED: WILMINGTON J-5. 1937. RE.-
2177. SET BY COUNTY SURVEYOR.

SURFACE MARK:
SET A 4" BRASS TABLET IN CONC
ROOF. MARKED: L.A. COUNTY SURVEY
CONTROL SYSTEM. TRIANGULATION
STATION. AND STAMPED: WILMINGTON
J-5. AUX. NO 1. 1937. RE 2177. SET BY
COUNTY SURVEYOR.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

85

S 69° W.

Notes Ck'd by	Survey of
Map No.	W. O. 4211 Tape No. 137 St'd. °F.
Office Work	Surveyed by
Checked	Notes Date 3-8
Date	Indexed C. Johnson

F.B. 67 Pg. 57

H-5

W.S. 28

L.A. COUNTY SURVEY CONTROL

TRIANGULATION STATION

WILMINGTON H-5

See pg 81

Posted on Geo. Index Card
Placed on U.S.C. & G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38



86

F.B. 696 PG. 58

L.A. COUNTY SURVEY CONTROL

TRIANGULATION STATION. WILMINGTON H-5.

IN L.A. COUNTY, CITY OF LONG BEACH. SOUTHEAST OF INTERSECTION OF DOCK ST AND HENRY FORD BLVD.

3± NORTH OF SOUTH EDGE OF CONC. PAVEMENT, 18½± EAST OF [illegible]

723± SOUTH FROM SOUTH CONC. RETAINING WALL OF DRAW BRIDGE, HENRY FORD BLVD & CERRITOS CHANNEL.

SURFACE MARK:

SET A 4" BRASS TABLET IN CONC. (IN WELL CAST IN 3'x3'x10" THICK CONC. SLAB) 12" BELOW SURFACE GRADE AND COVERED WITH CI LID MARKED L.A. CO. SURVEYOR 1936. THE 3" MARKER: "L.A. COUNTY SURVEY CONTROL SYSTEM." "TRIANGULATION STATION." AND STAMPED: "WILMINGTON H-5" 1937. R.E. 2177. SET BY COUNTY SURVEYOR.

Note: No SUB SURFACE MARK SET.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

87

Notes Ck'd by	Survey of City of Long Beach
Map No.	W. O. 4911 Tape No. B7 St'd °F.
Office Work	Surveyed by Gutlaff & Lee
Checked	Notes GRANQUIST Date 2-5-37
Date	Indexed A. C. Johnson

F.B. 676 PG. 54

W.S. 28 ✓

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION. WILMINGTON I-3.

See pg. 81

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



FORM 247 10M 11-35

F.B. 696 Pg. 88 82

L.A. SURVEY CONTROL

TRIANGULATION STATION.
WILMINGTON I-3.

IN L.A. CO. IN CITY OF L.A. AND WEST OF CITY OF LONG BEACH.
ON SOUTH SIDE OF ANAHEIM BLVD. BETWEEN CUSHING AVE AND FOOTE AVE.

71 FT. WEST OF WEST CURB OF FOOTE AVE. AND 80 FT. SO OF NORTH CURB OF ANAHEIM AVE.

SURFACE MARK:
SET A 4" B. TABLET IN CONC. 1.0 FT ABOVE GUTTER FLOW LINE GRADE AND FLUSH WITH GRD. MARKED:
L.A. COUNTY SURVEY CONTROL SYSTEM. TRIANGULATION STATION. AND STAMPED: WILMINGTON I-3.
1937. NE. 2" SET BY COUNTY SURVEYOR.

No SUBSURFACE MARK SET.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of City of Long Beach
Map No.	W. O. 4911 Tape No. 56 St'd ·F.
Office Work	Surveyed by Butler SE.
Checked	Notes GRANQUIST Date 2-10-37
Date	Indexed C. Johnson

F.B. 696 PG. 64

Noted on Geo. Index Card
Placed on U. S. G. S. Quad. Shts.
Placed on Co. Div. W. S. No.
Sketch on Geo. Index Card

L.A. COUNTY SURVEY CONTROL
TRIANGULATION STATION
"WILMINGTON-J-4-A."

See sht. 81.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



FORM 247 10M 11-35

F.B. 696 PG. 62

90

L.A. COUNTY SURVEY CONTROL
TRIANGULATION STATION
"WILMINGTON ~ J-4-A.

IN L.A. Co., CITY OF LONG BEACH.
WEST END OF W-7TH STREET AND EAST SHORE OF CERRITOS CHANNEL BETWEEN SLIP NO 2 AND SLIP NO 3. HARBOR DISTRICT.

1292 5/± WEST OF END OF NORTH CURB OF WEST 7Th. STREET.
19.0± SOUTH OF NORTH CURB OF WEST 7-TH. STREET PROD. WEST.
AND 260± SOUTH OF SOUTH BANK OF SLIP NO 2.
6'± FROM EAST SHORE BANK OF CERRITOS CHANNEL.

SURFACE MARK:
SET A 4" BRASS TABLET IN CONCRETE 2" ABOVE SRD. SURFACE MARKED: "L.A. COUNTY SURVEY CONTROL SYSTEM." "TRIANGULATION STATION AND STAMPED: "WILMINGTON J-4-A. 1937. R.E. 2177." SET by COUNTY SURVEYOR.

No. Sub SURFACE MARK SET.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

91

Notes Ck'd by	Survey of City of Long Beach
Map No.	W. O. 4911 Tape No. 137 St'd °F.
Office Work	Surveyed by Bartlett, Jr.
Checked	Notes Geo. Smith Date 2-5-27
Date	Indexed C. Dominguez

F.B. 696 PG. 63

Noted on Geo. Index Card
Placed on U. S. C. & G. S. Quad. Shts.
Placed on Sky Div. W. S. No.
Sketch on Geo. Desc. Card

L.A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STATION "WILMINGTON-J-5-A."

See pg. 61

Conc. Found around oil derrick

May 1940 RBE



SLip #3

Tel. poles

NEW TIES F.B. 923-196

Top Bank

Set 4" Brass Tablet in Conc. Marked: "L.A. County Survey System, Triangulation Station, Stamped: "Wilmington J-5-A 1927, RE 2177 Furnished by County Surveyor."



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 696 PG. 92/54

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION "WILMINGTON J-5-A."

IN L.A. Co., City of Long Beach.

IN SURFACE OF CONCRETE MONUMENT, 1 FOOT SQUARE AND 3 FEET DEEP, SET AT INTERSECTION OF CENTER LINE OF PACIFIC COAST HIGHWAY AND NORTH LINE OF [illegible] ST.

SURFACE MARK:

SET 4 INCH TOILET IN CONC. FLUSH WITH GRADE SURFACE MARKED "L.A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STATION" AND STAMPED "WILMINGTON J-5-A." 1937.

R.E. 2177. SET BY "COUNTY SURVEYOR."

Note: No Sub surface set.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of City of Long Beach
Map No.	W. O. 4913 Tape No. 137 St'd °F.
Office Work	Surveyed by Butler & SE
Checked	Notes Div. Key 166 Date 2-10-37
Date	Indexed

F.B. 596 PG. 65

W.S. 30

L.A. COUNTY SURVEY CONTROL
TRIANGULATION STATION
"MILLER" 1937
See pg. 81.



SET A 4" BRASS TABLET
IN TOP OF CONCRETE
BASE OF STEEL LATTICE TOWER
FOR STATION "MILLER" L.A. COUNTY SURVEY CONTROL
SYSTEM, AS SHOWN ON RECORD
OF SURVEY FILED IN BOOK 17
PAGE 21 OF RECORDS OF SURVEY
IN THE OFFICE OF THE COUNTY SURVEYOR.
JAN. 1937. RE 21-77. SET BY
COUNTY SURVEY OK.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-36

F.B. 696 PG. 66

94

L. A. COUNTY SURVEY CONTROL
TRIANGULATION STATION
WILMINGTON J-4

IN L.A. CO. IN CITY OF LONG BEACH. ON [illegible] FOOT WAY OF TERMINAL ISLAND, 1/2 WAY BETWEEN FOCAL AVE. & [illegible] AVE. ON WEST SIDE OF SO. CALIF. EDISON CO. POWER LINE Steel Towers, ON SOUTH SHORE OF CERRITOS CHANNEL, AND NORTH OF LONG BEACH So. Calif. Edison Co. STEAM PLANT.

1.8'± No. of South Edge of Cone Base.
1.8'± West of East Edge of Cone Base

SURFACE MARK:

SET A 4" BR. TABLET IN TOP OF CONE TOWER LINE STEEL TOWER BASE Marked: L.A. County Survey Control System TRIANGULATION Station" stamped: WILMINGTON J-4. 1937. R.E. 2177. SET By: County Surveyor.

No Sub.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

696-95

Notes Ck'd by	Survey of
Map No.	W. O. 4911 Tape No. St'd °F.
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

Area F.B. Pg. 95

W.S. 31 ✓

See M.9.105.

Noted on Geo. Index Card
Plotted on Qual. Shts.
Plotted on Geo. Hdv. W.S. No.
Sketch on Geo. Desc. Card



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

F.B. 696 PG. 96

Recovered 2-5-38

—DESCRIPTION—

U.S.C. & G.S. TRIANGULATION STATION "KNIGHT" = L.A.CO. SURV. CONTROL TRIANG. STA. "LONG BEACH K-7"

In Orange Co. at San Juan Beach on an old rock at the lighthouse, about 60 ft. S.E. of the flagstaff, previously owned by Eaton Co., now by L.A. County of which I am informed since 2-4-38.

Station is marked by a standard U.S.C. & G.S. copper bolt stamped "KNIGHT, 1933."

30' S'ly from northerly face of the first wall, top of elevation, sidewalk, base.

2.1' W'ly from inside S.E. of E'ly fire wall of same.

(Also Copied in F.B. G-590-9)

12-8-52



(1) 59°-54'-30"
(2) 119°-48'-50"
= 59°-54'-25"

(1) 120°-04'-00"
(2) 240°-08'-10"
= 120°-04'-05"

For Knight E-cc.*2 See Page 98

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of City of Long Beach	F.B. 491 Pg. 77
Map No.		W. O. 4911 Tape No. 137 St'd °F.	
Office Work		Surveyed by Butler, Sie	W.S. 31
Checked		Notes Granquist Date 2-1937	
Date		Indexed C. C. Johnson	

L.A. COUNTY SURVEY CONTROL
TRIANGULATION STATION.
"LONG BEACH - J-7." See pg. 105

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card



Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

696-98

F.B. 696 Pg. 98

- DESCRIPTION -

L.A. Co. Surv. Cont. Triangulation Sta. "Long Beach J-7."

In L.A. Co, City of Long Beach, in Alamitos Bay District, on 64th Place North of East Ocean Blvd. Near South Shore of Alamitos Bay.

349' ± North of North curb of East Ocean Blvd.
10' ± East of West curb of 64th Place.

For Ecc. #1 See Page 96



Surface Mark:

Set a 4" brass tablet in conc. stamped: L.A. County Survey Control Station, Triangulation Station. Also stamped: Long Beach-J-7. 1937. R.E. & 177. Set by County Surveyor.

Sub Surface Mark:

None Set.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of City of Long Beach
Map No.	W. O. 4911 Tape No. 64 St'd 8½ F.
Office Work	Surveyed by Fuller, Se.
Checked	Notes GRANDVIEW, H.E. Date 2-16-37
Date	Indexed C. Johnson

F.B. 696 Pg. 99

W.S. 31

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION "LONG BEACH J-6". See pg. 105.

Noted on Geo. Index Card
Placed on Quad. Shts.
Plotted on W.S. No.
Sketch on Geo. Desc. Card

SET A 4" BRASS TABLET IN CONC. FACE OF BRIDGE E. FLY MARKED "L.A. COUNTY SURVEY CONTROL SYSTEM" "TRIANGULATION STATION" AND STAMPED "LONG BEACH J-6" 1937 H.E. 2-16-37 AND SET BY COUNTY SURVEYOR. FOR CONTROL SKETCH SEE F.B. 696 PG. 105

Rd. 8°

ANGLE PT

11°

56°

Rd. 8°

6' Walk

Toledo

Parkway

6' walk.

Rd. 8°

PT.

178°-08'-0"
356°-16'-(22)

Rd. 8°

Curb

Conc. Walk

6°

Wood Abutment

14'

7°

South Half Bridge Wood Piling

Pipe Rail 4'Ht.

Asph. Conc. Surface

2½' Conc. Surf.

16'

Conc. Abutment

6°

45°

2°

North Half of Bridge Concrete Piling

ALAMITOS

Wood Walk

6°

24'

25°

Conc. Rail 4' Ht. 18" Thick

BAY

14'

8°

45°

16'

6'

Conc. Abut. 13" Thick.

Wood Abut. 12" Thick

ALAMITOS BAY BRIDGE

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 686 PG. 100

~ DISCRIBTION ~

L. A. COUNTY SURVEY CONTROL
TRIANGULATION STATION.
"LONG BEACH J-6."

IN L.A. CO. IN CITY OF LONG BEACH. NEAR ALAMITOS BAY. 1.4 mi. SOUTH OF ORANGE COUNTY LINE ON NORTH WEST CORNER OF ALAMITOS BAY Bridge. EAST OF THE TOLEDO AND ON SECOND ST.
2.4' EAST FROM WEST END OF BRIDGE.
2.2 SOUTH OF NORTH SIDE BRIDGE.

[illegible] STATION IS A BRASS DISC STAMPED "L.A. COUNTY SURVEY CONTROL SYSTEM. TRIANGULATION STATION AND STAMPED "LONG BEACH J-6." 1931 RE-2172 SET BY COUNTY SURVEYOR.

SUB SURFACE MARK:
NONE SET

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of City of ...
Map No.	W. O. 4911 Tape No. St'd °F.
Office Work	Surveyed by Pullan, CE.
Checked	Notes Grade ... Date 2-16-37
Date	Indexed A. C. Johnson

F.B. ... PG. ...

W.S. 31

L.A. COUNTY ... SURVEY ...
TRIANGULATION ... STATION ...
... Sec 7 ... See pg. 105.

Noted on Geo. Index Card
Placed on U.S.S. Quad. Sht.
Placed on Sta. Div. W.S. No.
Sketch on Geo. Desc. Card

40

N 38° ...

... Proj. ...

... Ctr. Line ...

... Cond. ...

P.C.C.

1.3'

... Proj. End of Bridge

... Concrete ... Bridge

... Cond. Pole

... Conc. Pole

... Conc. Pole

... Conc

F.B. 696 Pg. 102

DISCRIPTION.~

L. A. COUNTY SURVEY CONTROL TRIANGULATION STATION.

"LONG BEACH. L-8."

IN L.A. CO; IN CITY OF LONG BEACH
ON [illegible] of N.W. cor. of Conc. Bridge.
STAMPED "#8 L" AND L.A.C. SURVEY CONTROL
CHANNEL OF SAN GABRIEL RIVER.
12' SOUTH OF NORTH END OF Bridge.
21' WEST of West curb of Bridge.

SURFACE MARK.

SET A 4" BRASS TABLET IN CONC.
WORK OF CONC. BRIDGE. MARKED.
"L. A. COUNTY SURVEY CONTROL
SYSTEM. TRIANGULATION STATION
AND STAMPED: LONG BEACH
1937. R.E.&.W. SET BY COUNTY SURVEYOR

SUB SURFACE.
NOT SET.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of City of Long Beach	F.B. 694 PG. 102
Map No.		W. O. 4911 Tape No. St'd °F.	
Office Work		Surveyed by Butler, S.E.	W.S.31
Checked		Notes Graquist Date 2-16-37	
Date		Indexed A. C. Johnson	

L.A. COUNTY SURVEY CONTROL
TRIANGULATION STATION. -
"LONG BEACH K-7-A. See pg. 105

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Ser. Div. W.S. No.
Sketch on Geo. Desc. Card



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 104

~ DISCRIPTION.~

"L.A. COUNTY SURVEY CONTROL"
"TRIANGULATION STATION."

"LONG BEACH - K-7-A.

IN L.A. CO. IN THE CITY OF LONG BEACH ON NORTH SIDE OF SECOND STREET AND NEAR WEST BANK OF SAN GABRIAL RIVER.
225.5 FT. EAST OF WEST END OF NORTH CURB OF SECOND STREET BRIDGE OVER SAN-GABRIAL RIVER. AND
12.9' SOUTH OF NORTH CURB OF SECOND STREET AND SAN GABRIAL RIVER, PRED. WEST.

SURFACE MARK:

SET A PUNCH TABLET IN 6" WELL CAST IN CONC SLAB 3'X3'.5" BELOW SURFACE GRADE AND COVERED WITH CAST IRON LID MARKED COUNTY SURVEYOR MON. TABLET MARKED:

"L.A. COUNTY SURVEY CONTROL SYSTEM" TRIANGULATION STATION AND STAMPED: "LONG BEACH K-7-A. 1937. E.E. ZIFF." AND SET BY COUNTY SURVEYOR.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Long Beach Sec. No. 1
Map No.	W. O. 4911 Tape No. St'd °F.
Office Work	Surveyed by Butler, S.E.
Checked	Notes GRANGE 1ST Date 3-16-37
Date	Indexed A. C. Johnson

F.B. 696 Pg. 105

All on U.S. 31

Noted on Gen. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Dup. Desc. Card

L.A. County Surveyor's ... No.

TRIANGULATION STATIONS

LONG BEACH K-7 (U.S.C. & G.S. KNIGHT)
" " K-7-A.
" " L-6.
" " J-7.

(See pg. 95)
" " 103)
" " 101)
" " 99)
" " 97)

Note: For theodelite
L's see F.B. G-?
Base line to
be inverted
Record in
F.B. & T-1

LONG BEACH L-6
FOR DETAIL SKETCH
See F.B. 696
18 F 1

LONG BEACH J-6
FOR DETAIL SKETCH
See F.B. 696-99

LONG BEACH J-7
FOR DETAIL SKETCH
See F.B. 696-Pg 99

LONG BEACH K-7
(U.S.C. & G.S. KNIGHT)
FOR DETAIL SKETCH
See F.B. 696-Pg 95

LONG BEACH K-7
FOR DETAIL SKETCH
See F.B. VC3-F.B. 696

Pacific Electric Ry.
Long Beach City Hwy.
Alamitos Bay
Los Angeles River
San Gabriel River
Line 2
Base
Bridge
Seal Beach
L.A. City
Pt. Int. Bur. Eqy of Bdrys 4 Lib 6 Yt. L.A. City

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-36

F.B. 696 PG. 106



Tape #077 Std @ 68°
52.53' @ 20°27' @ 68° = 49.22'
52.99' @ 21°45' @ " = 49.22'

Tape #077 Std @ 68°
112.805' @ 68° = 112.795'
159.14' @ " = 159.125'
100.085' @ 6°57' @ 68° = 99.940
99.955' @ 6°13'30" @ 65° = 99.955
118.693 - 99.25'

Tape #077 Std @ 68°
99.97' @ 2°05' @ 65° = 99.89
100.00' @ 2°25'30" @ 65° = 99.90
99.895
100.08' @ 68° = 100.07
101.75' @ " = 101.74
99.35
99.895
401.055'

99.35
99.895
8.865
207.610

LA HABRA E-12 & REF. MARKS.
Conditions as found showing existing relation between Ctr. Sta. and original Ref's. Findings indicate that this station has shifted from its set position.

See F.B. 696-107 for original sketch.

G. Kleineck
4-10-'45

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Orange Co. Sys. La Habra Area
Map No.	W. O. 4911 Tape No. 266 St'd 24°F.
Office Work	Surveyed by J. E. Butler
Checked	Notes Alignment Date 2-18-37
Date	Indexed

F.B. 694 Pg. 107

Outside limits of C.S. Index Maps

L.A. CO. TRIG. CONT. TRIANGULATION

STATION "LA HABRA E-12." - "Orange County"

Imperial Hwy

~TIE SYSTEM~

La Habra E-12 (Ctr)

49.24' pg. 111.

R.M. #1

S 73° E (Mag) R.M. #2

401.05' pg. 112

112.50' pg. 109

R.M. #3

S 16° W (Mag)

100.51' pg. 109

R.M. #4

See pg. 106 G.H.K. 4-10-'45

Hwy #39

Standard Oil Co. Field Head Quarters

Oiled

Service station

Set 4" or caps in conc. flush with ground surface marked "L.A. Co. Surv. Cont. System - Reference Mark" and stamped No. 1, 2, 3 & 4 as shown, also "La Habra E-12, 1937 - R.E. 2177 and set by "L.A. Co. Surveyor."

For Check on Position see Page 106 Reset Pg 257 2-16-39

Noted on Geo. Index Card

Placed on U.S.G.S. Quad. Shts.

Placed on Sec. Div. W.S. No.

Sketch on Geo. Desc. Card

For theodelite L's to R.M's see F.B. G-? Distances hereon are final (steel taped)

Set 4" pt. flush with ground surface in concrete "L.A. Co. Sur. Cont. Sys. - Triang. Station" and stamped "La Habra E-12, 1937 - R.E. 2177" also set by "L.A. Co. Surveyor."

Mon. set 2-18-'37

Earth reservoir

302'

Employees' Cottages

Steel tower 55' dia.

Steel derrick Oilwell #110

Contour of hill

For notes on La Habra E 12 Etc #1 See F.B. 696-241 RBE

See pg. 108 for description

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 696 PG. 108

2-18-31

—DESCRIPTION—

L.A. CO. SUR. CONT. TRIANGULATION

STA. "LA HABRA E-12"

In Orange Co. about two miles S.W. of town of La Habra on highest knoll in Coyote Hills oil field controlled by Standard Oil Co.

Sta can be reached by roads out of Whittier Blvd. from town of Whittier to state highway #39.69 South to base of Coyote Hills and field roads of the Standard Oil Co. 1.8 miles entering upper side of the oil field at 1.6 miles. Post flag can be seen from the road. Take road to the right for 1.1 miles to top of highest hill occupied by 4 legged steel tank 177' S.W. to lower steel tank 55' in dia.

378' S. to N.W. leg of steel derrick-oil well #10.
300' W. to N.E. cor. frame cottage.

Sub. Surface Mark

Tube 42" below surface filled with concrete and copper bolt with cross cut in end capped at surface with 6" sq. x 12" deep redwood post. Surface mark 6" sq. redwood post.

Surface Mark

Tube 42" below surface filled with concrete and copper bolt with cross cut in end capped at surface marked "L.A. CO. SURVEY CONTROL SYSTEM-TRIANGULATION STATION" and stamped: "LA HABRA E-12. 1931-DESIGN" and set by L.A. COUNTY SURVEYOR"

See pg 107 for Sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of City of Long Beach
Map No.	W. O. 211 Tape No. 964 St'd 54° F.
Office Work	Surveyed by A. Bilbrey
Checked	Notes [illegible] Date 2-19-37
Date	Indexed C. Johnson

F.B. [illegible] Pg. 104

TIE HE Grenouille
TO DH Reynolds
RE. RC Moser
Tape # 064 - Std @ 54°
Ten. 21lbs

MEAS. DIST. FROM LAHABRA E-12 CHK. TO RM #3 & RM #4

FROM LA HABRA E-12 CHK TO RM #3

	Meas Dist	Vert.	Temp	Temp Corr.	Distance	Mean Dist
#1	34.0 12 425		62°	.0157	112.7543	112.7505
#2	100. 430 12 336		62°	.0157	112.7543	112.7505
#3	19. 030 93 336 112. 760		62°	.0157	112.7443	112.7505
#4	93 [illegible] 13 340 112. 760			.0157	112.7493	112.7505
	[illegible] RM #2 to RM #4					Mean Dist
#1	[illegible] 200. 610		62°	.0286	200. 5814	200. 5739
#2	100 314 100 296		62°	.0286	200. 5764	200. 5739
#3	100 430 100 236		62°	.0286	200. 5664	200. 5739
#A	100 [illegible] 100 [illegible]		62°	.0286	200. 5714	200. 5739

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 110

Kleinsel
3-15-'37

~DESCRIPTION~

U.S.C.+G.S. TRIANGULATION STATION, "SAN JUAN" - Orange County.

NEW DESCRIPTION PAGE 253

In Orange County approx. 4 miles NE. of Town of Jorba - in a 3" on top of knoll - trail to the Ely [illegible] and 21 feet to [illegible] Spa River, of the "Chino Hills"

[illegible] Found in [illegible] a chiseled [illegible] mon. [illegible] 14½ inches [illegible] cut [illegible] and [illegible] cut [illegible] a punched [illegible] and [illegible] and [illegible] U.S.C. + G.S. [illegible] and [illegible]

To reach Sta from [illegible], go Ely 2.5 miles from intersection of Carbon Cit Road with Pipe Line Ave. So. of [illegible], over dirt road marked with Kramer-Bates No. [illegible] to fork in road at dairy ranch, thence Ely right approx. along [illegible] over dirt road to [illegible] to [illegible], follow road [illegible] to [illegible] board [illegible] on [illegible] to [illegible] Ranch, [illegible] to [illegible] Ely direction [illegible] to [illegible] Descending into [illegible] Cit, [illegible] highest knoll in range of hills [illegible] in [illegible] to [illegible] of head of [illegible]

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Notes Ck'd by		Survey of City of La Habra	F.B. 6-76 Pg. 111
Map No.		W. O. 4411 Tape No. Cty St'd 14°F.	
Office Work		Surveyed by Butler, SE	
Checked		Notes [illegible] Date 2-17-32	
Date		Indexed C. Johnson	

N. H.E.G.
E.E. R.C.M.

MEAS. DIST. FROM L.A.Co. CONTROL MONUMENT STATION L.A. HABRA E-12. ON #1, 2, 3 & 4. FROM LA HABRA E-12 CTR. TO [illegible] E-12 #1

	Meas. Dist.	Vert. Angle	Temp. Corr.	Distance
#1	18.380 8.360 18.490 1.120			
	47.250	62°	.007	49.243
#2	18.[illegible] 8.420 8.390 13.840			
	49.240	62°	.007	49.233
#3	18.790 8.440 8.330 13.690			
	49.250	62°	.007	49.243
#4	18.[illegible] 8.540 8.260 13.495			
	49.255	62°	.007	49.248

4 | 196.967
49.241 = AV

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 112

Chain Dist from:-

FROM LA HABRA E-12 R.M. #1 TO R.M. #2

	Meas Dist	Temp	Temp Corr	Distance	Mean Dist
#1	34.550 56.830 55.450 98.620 99.440 55.955	64°			
	401.115	64°	.0520	401.063	401.068
#2	35.550 56.795 55.460 98.610 99.450 55.710	64°			
	401.125	64°	.0520	401.073	401.068
#3	55.825 99.530 98.350 55.630 56.760 35.130	62°	Void		
	401.225				
#4	55.730 99.600 98.260 55.760 56.785 34.920	62°	Void		
	401.195				
#5	34.995 56.830 55.610 98.125 99.715 55.950				
	401.125		.0520	401.073	401.068
#6	35.070 56.955 55.600 98.145 99.705 55.740				
	401.115		.0520	401.063	401.068

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Cont. Sys. Long Beach Area
Map No.	W. 0491 Tape No. 264 St'd 84° F.
Office Work	Surveyed by SE Butler
Checked HNB	Notes Above Date 3-11-37
Date 11-2-'37	Indexed

F.B. 626 PG. 113

Plotted on Shad. Topo. Card
Placed on U. S. Topo. Sht.
Placed on Sur. Ln. - W. S. No.
Sketch on Geo. Desc. Card

L. A. Co. Survey Control Triangulation Station "WILMINGTON E-11, 1937" Showing San Pedro Light-house & Break-water.

RE-SET 7-2-59

SEE FD 912+53154

REMOVED

Control Deck

Set 3" dia. tablet flush in conc. deck marked "L.A. Co. Survey Control System - Triangulation Station" and stamped "Wilmington E-11, 1937 - SE 2.1' from S. cor. of Co. - County Surveyor"

Cont. lines prod'd

20'

416'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 114

Kleinas
3-15-57

~DESCRIPTION~

L.A. CO. SURVEY CONTROL TRAVERSE STATION "WILMINGTON E.H."

In L.A. Co. San Pedro Harbor at San Pedro. Right-lines on N.E'ly end of breakwater 2.1 miles from Cabrillo Beach

1.5' N.E'ly from a line prolonged N.W'ly along face of curb at base of lighthouse structure on N.E'ly side.

2' N.W'ly from a line prolonged N.E'ly along face of curb at base of lighthouse structure on N.W'ly side.

Sub-Junction Point Mark

Set 3/4" [illegible] Rod

COUNTY SURVEYOR

[illegible]

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Sec. 7, T5S-R10W, S.B.B.&M.
Map No.	W. O. 4911 Tape No. 664 St'd 84 F.
Office Work	Surveyed by S.E. Butler
Checked	Notes K leyneck Date 4-7-37
Date	Indexed A. C. [illegible] MAY 21 '37

Plan #1
F.B. 696 PG. 715

Outside limits of C.S. Index Maps

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

L.A. Co. Survey Control Trianng. Sta. "S.E. Base." Estab. by U.S.C. & G.S. in 1889.

2.85 mi's. to Firestone Blvd.

1.1 mi's. to Garden Grove

"EUGLID" AVE.

Approx. ℄

Conc. Pav.

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sta. div. W.S. No.
Sketch on Geo. Desc. Card

Way

Drive

2980'

93'

135'

79'

137'

30.5'

38.5'

36.5'

1 Story Frame House (A.D. Smiley ranch)

44.5'

11'

Fr. Garage & Store house 18.5' X 43.5'

Fd. USC&GS Mon. as shown

31.0'

Pump House 8' X 9.5'

Elev'd Water Tank

Conc. base wall 13.5' X 13.5'

Gray granite shaft
Base: 2.0 sq.
Top: 1.0 sq.
Hght: 2.0

Brick base 1.6' high X 4.5 sq.

1.0'

2.0'

4.5'

Elev. No. 6

Inscription
U.S.
C & G.S.
S.E. BASE
1889

TIE TO ELG MON.

Conc. base wall

39.2'

4.7'

4.0'

Elg. Mon.

Set 2" I.P. & br. cap 20' below ground Surface marked "COUNTY SURVEYOR MONUMENT" and stamped: "S.E. Base Elg. No 1, RE-2177-) 1937.

For description see next pg.

FORM 247 10M 11-35

F.B. 696 PG. 116 ~DESCRIPTION~

L. A. CO. SURV. CONTROL TRIANG. STA

S.E. BASE - (USC+GS)

In Orange Co., 11 miles North of Town of Garden Grove on Euclid Ave in A.J. Turkey ranch, 35' E. of garage bldg.

3.81' West from spindle of fence on Euclid Ave. adjacent to [illegible]

Sta. can be reached by going north from town of Garden Grove on Euclid Ave. 11 miles or so on Euclid Ave. 295 miles from Firestone Blvd. to A.J. Turkey ranch.

Fd. monument is [illegible] Set by U.S.C.+G.S. in 1869 to mark a very [illegible] Station consists of [illegible] top, and 20' high [illegible] on a concrete brick base 4.5' square X 16' high. [illegible] S.E. corner [illegible] mounted. NW face of Station, with elevation of 126' cut in S.E. face.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of LONG BEACH ARM #1	F.B. 1-76 Pg. 117
Map No.		W. O. 4911 Tape No. 064 St'd 84°F.	
Office Work		Surveyed by BUTLER, SF	
Checked		Notes GRAVAUST Date 3-16-37	
Date		Indexed A. C. Johnson MAY 25 '37	

HC: Row B. Sec. 12 T. 3 S. R. 13 W. No C64 - 2 1/2" Mon.

L.A. CO. SURV. CONT. TRIANGULATION SYS.

CHAIN DISTANCE FROM "DAWSON AUX" R.M. #1" TO "DAWSON AUX. R.M. NO 2."

	Dist. Meas.	Vert'l.	Temp.	Temp Cor.	Vert'l. Cor.	Distance.
①	99.815 91.380	Level "	64° 64°			
	191.195	"	64°	-0.030 ✓		191.165'
②	97.740 93.450	Level "	64° 64°			
	191.190	"	64°			191.165'
③	91.190 99.990	Level "	64° 64°			
	191.180	"	64°			191.155'
④	91.420 99.770	Level "	64° 64°			
	191.190	"	64°			191.165' Ave = 191.162 ✓

FROM "DAWSON AUX R.M. NO 1" TO "DAWSON AUX."

	Dist. Meas.	Vert'l.	Temp.	Temp Cor.	Vert'l. Cor. Dist.	Distance.
①	63.970	+12° 03'	62°	-0.004	61.966	
②	63.650	+13° 19'	62°	"	61.968	
③	63.970	+12° 17'	62°	"	61.968	
④	63.910	+14° 09'	62°	"	61.971	

FROM "DAWSON AUX" TO "DAWSON AUX. R.M. NO-3."

①	83.910	6° 46'	60°	-0.010	83.325	
②	83.990	7° 13'	60°	"	83.325	
③	84.090	7° 43'	60°	"	83.328	
④	84.230	8° 21'	60°	"	83.321	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 118

CHAIN DISTANCE FROM "DAWSON" TO "DAWSON AUX."

	MEA. DIST.	YDS. FT.	TAPE	TEMP. COR.	VERT. COR.	DISTANCE
①	99.150		66	-.0547 ✓	E.C. MENTZ V.H.E. Hall 4/6 1937	
	99.760		"			
	66.270		"			
	44.745		"	-.0253 ✓		
	44.145		"			
	46.170		"			
	59.810		66			
	500.230 ✓			-.0800 ✓		500.150 ✓
②	99.150		66	"		
	99.760		"			
	66.270		"			
	44.745		"			
	44.145		"			
	46.170		"			
	59.809		66			
	500.229 ✓			-.0800 ✓		500.149 ✓
	FROM DAWSON-SECT. TO DAWSON ECC.-ECC.					
	15.083	LEVEL.	"	-.003 ✓		15.080 ✓
	15.083	"	"	-.003 ✓		15.080 ✓

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of LONG BEACH AREA
Map No.	W. O. 4911 Tape No. 016 St'd 2L OF
Office Work	Surveyed by Butler
Checked	Notes Date 8/19/36
Date	Indexed

F.B. 696 PG. 11

W.S. 28

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

J.N. 4911.

Sketch
showing
Reference monuments
set
to
TRI. STA.
Wilmington I-3
acc't possible
destruction by
oil lines

Butler
Willey
Kleineck
MOSER
Cunningham

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control
JN 0301.00 Tape 0106 Std 84 °F
Surveyed by AC GUIZADO
Notes ACG Date 4/3/64
Indexed C. J. GALEB APR 1 5 '64

F. B. 696 Pg. 121

FOR ORIGINAL NOTES SEE FB 696 pgs 235, 236

L. A. Co. Survey Control System

CLEARWATER D-7

(T=83 300' radius NO CORR NEEDED)

1) 67-43-10
4) 22-52-40
6) 46-19-00
67-43-10

RM #3

SET L&TAG

3.37

SET L&TAG on pnd

19.28

NORTHBOUND LANE

CLEARWATER

D-7

JDX 26"

SEE NEXT M

SET L&TAG

98.23

14.77

14.88

53°-35'-00"

CLEARWATER AVENUE

Approx

30'

92.50

106.87

SET L&TAG

27"

RM #4

SET L&TAG

SET L&TAG on pnd

10.62

12.04

69-35

SOUTHBOUND LANE 121'-0"

9°

1) 121-18-10
4) 125-12-30
6) 07-48-40
121°-18'-07"

181.2

1) 69-35-30
4) 78-22-00
6) 57 32 40
69°-35'-27"

1) 53-35-00
4) 74-20-00
6) 31-30-00
53°-35'-00

SPIKE ON TOWER USED AS CUT-IN POINT FB 696 Pg 235

DEL

HARD

BLVD

DAWSON

ECG #2
FB 251-127, 128

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Attachment Becomes Part of This Sheet Must Be Made With Ink Will Not Show On Prints Making Of Prints

Do not extend notes this side of this line

763098 CE #247 7-58

F. B. 696 PG. 122

L. A. Co. Survey Control System

'CLEARWATER D-7'
NORTH LONG BEACH AREA

THIS STATION IS IN THE COUNTY OF LOS ANGELES, APPROX. 3.0 MILES NORTH OF SIGNAL HILL, NEAR THE INTERSECTION OF DEL AMO BLVD & CHERRY AVE, 228'± NORTH OF DEL AMO BLVD & 13.5 WEST OF WEST CURB ON CHERRY AVE.

SUB-SURFACE MARK: DID NOT ATTEMPT TO LOCATE AS SURFACE MARK APPEARED IN GOOD CONDITION & THERE WERE NO APPARENT MARKS TO INDICATE THAT MARK HAD BEEN DISTURBED.

SURFACE MARK: FD 4-STD. 4" TRIANGULATION BRASS TABLET STAMPED "CLEARWATER D-7, 1938 COUNTY SURVEYOR RE 17"

REFERENCE MARK #1 - FOUND LYING ON SIDE — DESTROYED — OUT.

REFERENCE MARK #2 - ATTEMPTED TO LOCATE BY ANGLE & DISTANCE — DUG 3' down FD NOTHING.

REFERENCE MARK #3: SET A STD 4" RM BRASS TABLET & IRON PIPE STAMPED "CLEARWATER 'D-7' RM #3 1964 RE 5869" dn 14"

REFERENCE MARK #4: SET SAME AS RM #3 EXCEPT STAMPED "RM #4' dn 14"

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3098 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. Sec'd. °F
Surveyed by
Notes Date
Indexed

F. B. Pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. _____ PG. _____

Notes Ck'd by	Survey of POMONA VALLEY
Map No.	W. O. 4914 Tape No. 064 St'd 84 F.
Office Work	Surveyed by BUTLER
Checked	Notes " Date 9/37
Date	Indexed 12-2-37

F.B. 696 PG. 129

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

J.N. 4914
POMONA VALLEY
SURVEY CONTROL SYSTEM

Record of monumenting
&
Description of stations

Survey began Sept. 10, 1937. Note: Index next pg.

Butler
Kleinrock
Granquist

Maser
Cunningham
Durbin

FORM 247 10M 11-35

F.B. 696 PG. 126

INDEX TO STATIONS

NO	ORIGIN	NEW NAME	Sketch	Desc	Remarks
1	U.S.G.S. [illegible]	La Habra J-4	Pg 127	Pg. 128	[illegible]
2	" "	Brea C Brea A-6	" 129	" 130	not disturbed
3	" Anaheim	La Brea L-5	" 131	" 132	Control mon.
4	New Sta.	" " J-7	" 133	" 136	Set new mon.
5	UNION OIL CO.	UNION OIL #118	" 137	" 138	not disturbed
6	USGS San Dimas	Covina C-7	" 139	" 140	" "
7	" Puente	[illegible]	" 141	" 142	" "
8	" Pomona	Claremont C-8	" 143	" 144	" "
9	" Anaheim	La Brea G-1	" 147	" 148	Set new mon.
10	" San Jose	Covina G-6	" 149	" 150	not disturbed
11	" [illegible]	Claremont A-6	" 151	" 152	" "
12	C.A. "M.A. Meadows"	" C-3	" 153	" 154	" "
13	U.S.G.S. Pinkwood	Glendora G-10	" 155	" 156	Set new mon.
14	" Azusa	" B-6	" 159	" 160	not disturbed
15	" Godolia	Claremont A-1	" 161	" 162	" "
16	" Duarte	AZUSA E-7	" 163	" 164	" "
17	" REYNOLDS	LA VERNE E-5	" 165	" 166	" "
18	" [illegible]	GLENDORA L-5	" 167	" 168	Set new mon.
19	New Sta.	LA VERNE A-5	" 169	" 170	See 158 " "
20	" "	GLENDORA C-5	" 171	" 172	" " "
21	" "	AZUSA L-5 10 HNB 6-21-38	" 173	" 174	" " "
22	" "	CLAREMONT J-7	" 175	" 176	" " "
23	" "	LA VERNE J-5	" 177	" 178	" " "
24	" "	" " K-11	" 179	" 180	" " "
25	U.S.G.S. P.P.M. E. Base #2 Meridian	None	" 181	" 182	Not disturbed

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd. by
Office Work
Checked JMR 7/12/38
Date

Survey of Geod. Cont. Sys. Romoland Quad
W. O. 491 Type No. 059 Sec. 24 T. 4 S. R. 3 W.
Surveyed by J. E. Butler
Notes G. Kriemeck Date 9-10-37
Indexed C. Johnson

F.B. 696 P.

W.S. 38

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts.
Plotted on Sec. Div. W.E. Ms.
Sketch on Geo. Quad. Sht.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Notice: ANY ADDITIONS OR CHANGES OF THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION "LA HABRA G-4" (U.S.G.S. "LA HABRA")

Transfer of elevation from old ctr. to new ctr. monument.

		STA	+	H.I.	−	ELEV.
Set UP #1.	Old Mon.		4.435	1004.435		1000.00 Assd
	TP #1				4.185	1000.250'
	TP #2				3.730	1000.705'
Set UP #2	Old Mon.					1000.00 Assd
	TP #1		+5 missing		3.695	1000.250
	TP #2				3.240	1000.705
Set UP #3	TP #1 New Mon.		4.015	1004.265	3.460	1000.250' 1000.805' V
	TP #2 New Mon.		3.560	1004.265	3.460	1000.705' 1000.805' V

FB 2979-88 TO WHIRLI

=63.0936
-63.096-T76-LEVEL FROM #2

FROM #1

N 78° W
40.227-Level
T 76 = 40.227

Set standard ... Reference Mark ... in concrete ... ground surface ... L.A. COUNTY SURVEY ... CONTROL ... STATION ... LA HABRA G ... RE 2177 ... COUNTY SURVEYOR

FB 2979-88 TO WHIRLI

N 78° W
40.227
T 76

Ctr.

Std. 4" brass cap ... conc. post ... below ground surface ... U.S. GEOLOGICAL ... IN COOPERATION WITH ... ANGELES COUNTY ... stamped "LA HABRA ... 1923"

SET L4 CE THIS IN CONC. STEP

Note: This monument recovered with Sta L.A. Co. Sur. Cont. Tri. Mon. set a 4" brass tablet in conc. 4" above ground surface marked "L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION" and stamped "LA HABRA G-4 1937 RE 2177" and set by "COUNTY SURVEYOR". Mon. set 9-13-37.

Conc. set 4" above ground surface marked: L.A. County Survey Control Station-Reference Mark-and stamped "LA HABRA G-4 1937 RE 2177 and set by "County Surveyor" 9-20-37

DIR. OBS. IRON 43.44

Az. #139 LC 28.7'
40.235
45.34'
63.06

For description See pg. 128

FORM 247 10M 5-31

F.B. 696 Pg. 128

DESCRIPTION

L.A. CO. SURVEY CONT. TRIANG STA. LA HABRA 6-4 (U.S.G.S. "LA HABRA")

In L.A. Co., about 3 miles South of town of Puente on highest point of Puente Hills; T.2S, R.10W., near northeast corner and in Sec. 29.

Sub-Surface Mark: Set 4" below surface tablet in a conc. cylinder approx. 16" in dia. x 12" deep and separated from surface monument by an 8" earth cushion, the original U.S.G.S. 4" Br. tablet marking the Station and Stamped: "LA HABRA", R.S. 1923.

Surface Mark: Set a 4" brass tablet in conc. 8" above ground surface marked: "L.A. CO. SURVEY CONTROL SYSTEM - TRIANGULATION STATION" and Stamped - "La Habra 6-4, 1937, R.E. 2179 and set by - "County Surveyor".

Sta. may be reached by going east 1.6 mi.s on Pomona Blvd. from business district of town of Puente to Anaheim-Puente Road, turn right and go 1.2 mi.s, turn left and go 1.2 mi.s to Fullerton Road, turn right and go 2.45 mi.s to East and Skyline Roads (Fullerton Road becomes East Road), turn right 0.1 mi. to fork and continue to right over dirt road 2.5 mi.s to Sharpless Court, a cross road; continue ahead on Skyline 1.1 mi.s; turn to right and ascend to summit of highest point via hills and to Station.

Alternate Routes: From Puente or La Habra via Hwy #39; thence thru Hacienda Country Club or from La Habra by way of Anaheim-Puente Road.

For Sketch See pg 127

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this Line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Ramona Valley Area
Map No.	W. O. 4913 Tape No. 064 St'd 64° F.
Office Work	Surveyed by J.E. Butler
Checked	Notes Granquist # Date 9-20-37
Date	Indexed

F.B. 696 PG. 127

W.S. 38

Noted on Gen. Index Card
Placed on U.S.C.S. Quad. Shts.
Placed on Sup. Div. W.S. Ho.
Sketch on Geo. Desc. Card

L.A. Co; SURVEY CONTROL TRIANG. STATION. "LA BREA - A-6."

Fd Std 4" Br tablet cemented in boulder Marked U.S.G.S. in Cooperation With L.A.Co. Etc. Above Sea. Bnd. Stamped LA-BREA. R.S. 1923. This Mark Not Disturbed.

36.082' LEVEL T-86°
(MAG. N 51° E

R.M. No. 1. Set 9-10-37.

Mag S 33½ E 32.791' Level T-86

Set 4" Br. tablet in Conc. 12"x12" 4" Above Gd. Marked L.A. Co. Surv. Control System Mark AND Stamped: LA BREA - A-6" RE. 2177. Set By County Surveyor. 1937

R.M. No. 2. Set 9-10-37

SEE FC. 61 FOR NEW R.M.s.
2/1/56

For description see pg 130

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 130

Station Description.
L.A. Co, Survey Control Triang. Sta.
La Brea. A-6.

In Los Angeles County, 5.5 miles South-East of town of Puente, on highest point of La Brea Hills, T-2S, R-10-W, in Northwest Quarter of Sec. 35.

~~Road~~ Description.
From Int. Pamona Ave & Central Aves, .5 Mi. West To Entrance Shell, Fullerton Oil Co. Turn Right & Proceed Northerly on Oil Rd to Fork of 3 Rds. Follow Left Westerly Rd 0.6 Mi up Hill to top of ridge. Take Left Rd 0.5 Mi. Into ravine pass West Side of refinery Thence up hill to Steel gate at pumping plant. Thence 1.0 Mi. to Saddle. Thence down Hill 0.1 Mi. to bottom of ravine. Thence Right 0.2 Mi to Saddle. Thence 0.6 Mi. to Blue water tank. Thence 0.2 Mi up ridge to top of Hill & Station.

Sub-Surface Mark: Non Set.

Surface Mark:
Found 4" Br. Tablet cemented in boulder.
Marked U.S.G.S. in Cooperation with Los-Angeles Co. Elev. above Sea Level and Stamped "La Brea R.S. 1923." This Mon. Not disturbed.

New Desc. pg. 62
2/1/56

For Sketch see pg. 129

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Pomona Valley Area F.B. 696 Pg. 131
Map No.	W. O. 4914 Tape No. 264 Std. 84° F.
Office Work	Surveyed by Butler, S.E.
Checked	Notes Granjours Date 9-20-37
Date	Indexed

M.E.G.
E.E.C.

W.S. 39

L.A. Co. Survey Control Triang. Station. "La Brea - L - 5"

For description see pg. 132.

U.S.G.S. "ROWLAND"

Noted on Geo. Index Card
Placed on U.S.C.S. Quad. Shts.
Placed on Cor. Div. W.S. No.
Sketch on Geo. Desc. Card

Set 4" Brass Tablet in Conc. 17" x 12" 6" above gr. Marked: L.A.Co. Survey Control System Ref. Mk. & Stamped: "LA BREA - L-5" Set by County Surveyor 1937. R.E. 2177. These Mons Set 9-14-37

Ridge

Rd.

N

R.M. #1

69.430± LEVEL

R.M. #2.

55.649 LEVEL 7.86 N. 40° W.

55.660

41.559

41.560 LEVEL 7.86 N. 50° E. (Mag.)

This Mon Set 9-13-37

Fd Std. 4" U.S.G.S. BR. TABLET IN 24" x 10" x 8" SANDSTONE ROCK FLUSH WITH GRD. MARKED U.S.G.S. Cooperate With Los Angeles County. Elev. Above Sea. Stamped "ROWLAND" R.S. 1923. This Point Was Countersunk 44" As A Subsurface Monument Set 4" Brass Tablet in Conc. over This Point. See Description Next Pg.

For Grade Change See F.B. 694 Pg. 133

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 132

STATION DESCRIPTION.

L.A. Co., SUR. CONT. TRI ANG. STA. "LA BREA - L - 5"

IN L.A. COUNTY, 7.0 MILES SOUTH by 3.0 MILES WEST OF TOWN OF POMONA, T2S, R9W, ABOUT 900 FT. WEST by 250 FT. NORTH OF CORNER OF SECTIONS 26, 27, 34, & 35, 0.75 MILE SOUTH OF SOUTH FORK BREA CANYON ROAD, ON HIGH PEAK ON ROWLAND CATTLE RANCH.

TO REACH STA. FROM SOUTH OR INT. OF CENTRAL AVE & POMONA AVE, NO. OF TOWN OF BREA. TRAVEL NORTHERLY ON BREA CANYON Rd 1.1 MILES TO INT. OF TONNER CANYON Rd. TAKE ROAD ON RIGHT GO 1.1 TO INT. OF DIRT AND OIL ROAD. FOLLOW DIRT Rd. UP MAIN CANYON 1 MILE TO 1ST GATE. 2.4 MILES MORE LEAVE LAST GATE. 1.1 MILE UP CYN TURN RIGHT UP SIDE HILL Rd 1.1 MILES TO SUMMIT, TURN LEFT 0.2 MILE TOP OF PEAK & STATION.

FOUND 4" STANDARD BRASS U.S.G.S. TRIANGULATION TABLET, IN 24"x 10"x 8" SANDSTONE ROCK FLUSH WITH GD, MARKED U.S.G.S. COOPERATE WITH L.A. COUNTY. ELEV. ABOVE SEA. & STAMPED R.S. 1923

SUB-SURFACE MARK: SET 44" BELOW SURFACE TABLET THE ABOVE SANDSTONE ROCK TRIMMED DOWN TO 10"x 8"x 8". FOR GRADE CHANGE SEE NEXT PG. FB. 696 PG. 133

SURFACE MARK:- SET 4" BR. TABLET IN CONC. 6" ABOVE GR. SURFACE MARKED: "L.A. COUNTY SURVEY CONTROL SYSTEM-TRIANGULATION STATION" AND STAMPED, LA BREA - L-5. R.E. 2177. AND SET BY COUNTY SURVEYOR 1937

For Sketch See pg. 131

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of POMONA Valley Area
Map No.	W. O. 4914 Tape No. 064 St'd 84° F.
Office Work	Surveyed by Butler, SE
Checked	Notes Ericquist Date 9-13-34
Date	Indexed

F.B. 694 Pg. 133

GRADE CHANGE. L.A. Co. SURVEY CONTROL TRIANGULATION STATION. "LA-BREA-L-5" O/O U.S.G.S. TO NEW L.A.CO. MON.

Sta.	+	H.I	−	Elev.
ctr. Sta. U.S.G.S. T.P. B.M. #1	4.805	104.805	4.413	100.00 ASSUMED. U.S.G.S. old MON. 100.392
ctr. Sta. U.S.G.S. T.P. B.M. #2	4.705	100.705	4.630	100.00 ASSUMED. ELEV. U.S.G.S. OLD MON. 100.075
T.P. B.M. #1 ctr. NEW MON.	4.375	104.767	4.350	100.392 100.417 = ELEV. L.A.CO SUR MON.
T.P. B.M. #2 ctr. NEW MON.	4.692	104.767	4.350	100.075 100.417 - ELEV. L.A.CO. SUR. MON.

For Details see pg. 131.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 6016 PG. 134

61 137
62 138
129

Notes Ck'd by	Survey of L.A. Co. Surveys
Map No.	W. O. 4914 Tape No. 044 St'd 44 F.
Office Work	Surveyed by Sutter
Checked	Notes " Date 4-3-39
Date	Indexed

F.B. 696 PG. 135

Orange County

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Map
Placed on Sec. Div. W.S. Co.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

L.A. Co. Surveys
System
Triangulation
STATION
La Brea J-7

+50'
Triangle Co.
Tube Cast Iron Frustum
Stamped J-7 1934 3" High
Set Flush

TRIANGLE
RADIAL
+50'

* New Ties F.B. 2456-17

La Brea J-7
at Intersection
Wall Stone 12"
Set Flush with
Co. Surveys
Standard
Set in Sidewalk
Easterly Side
La Brea Ave.

Remeas 45.475
45.520 Level
45.520 = 45.520
7.858 Level
7.858 Remeas.
50.864 Remeas.

RM #2
11 Ns
3.14.39
Set 4" Brass
Plug in Conc.
Wall 6" above
Ground "L.A. Co. Surveys
Triangulation System Ref. Marks
Stamped "La Brea J-7"
"Set by L.A. County Surveyor
1937 - R.E. 2177. Mon. set 9/13/39

RM #1

For description
See pg 136.

FORM 247 10M 11-35

F.B. 696 PG. 136

Description

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

SURFACE MARK:

For Tie Sh See pg. 135

Notes Ck'd by	Survey of Santiago Valley
Map No.	W. O. 4914 Tape No. 964 St'd 44° F.
Office Work	Surveyed by Butler
Checked	Notes Butler Date 9/15/37
Date	Indexed

F.B. 64 PG. 137

Orange County

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on S.P. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

L.A. Co. Survey Control

Triangulation Sta.

Union Oil #118

Town of Linda (Ranch).

1 mile

N

Union Oil Co. Derrick Floor #7

Union Oil #118

Fd. 4"C.I. Cor. on 3½" iron pipe, 12" high, set in conc. mon. (Hole filled with lead)

Union Oil Co. #118

McFalls

186'

118.5'

Set 4" Brass Tablets in Conc. 12"x12", 6' Deep at Sta. & Sta. Union Oil #118 Set by L.A. Co. Surveyor 1937 B.C. 2177. Mon set 9/15/37.

For description see pg. 138.

F.B. 696 PG. 138

Description

Los Angeles Co Survey Control
"R.L.S."
UNION OIL #118

In Orange Co; about 1.2 miles
[illegible] On highway
[illegible]

From [illegible]

Set standard USC&GS bronze 3½"
iron pipe, 12" deep, set in concrete
with "UNION OIL Co. Control
Unit #118"
Mon.

For station description see page 139

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

valley

F.B. C-96 Pg. 139

Notes Ck'd by	Survey of Geod. Cont. Sys.-Pomona
Map No.	W. O. 4914 Tape No. 064 St'd 24.0 ea.
Office Work	Surveyed by S.E. Butler
Checked	Notes E. Meinert Date 9-24-'37
Date	Indexed A. C. Johnson

W.S. 39

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Maps.
Placed on Sur. Div. W.S.M.
Sketch on Geo. Base Sheet

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION-"COVINA C-7"; (U.S.G.S. CO-OP MON. "SAN TUZE").

SEE LB. 942-181, 182 FOR NEW ROUTE DESCRIPTION AND R.M. # 3 11-76 OMR

Set two std'd 4" br. Ref. Mark tablets in conc. 6" above ground surface marked: "L.A.CO. SURVEY CONTROL SYSTEM-REFERENCE MARK" and Stamped: COVINA C-7, R.M. NE, + R.M. #2. (resp.) R.E. 77, 1937" and set by "COUNTY SURVEYOR" Mons. set 9-16-'37



F.D. 4" std brass tablet set in conc. post 6" square flush with ground marked "U.S. GEOLOGICAL SURVEY IN CO-OPERATION WITH LOS ANGELES COUNTY" and stamped "SAN TUZE - R.S. 1923. Note: Did not disturb. No sub-monument.

See pg 140 for description.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 8-31

F.B. 696 Pg. 140

~ DESCRIPTION ~

L.A. CO. SURVEY CONTROL TRIANGULATION STATION "COVINA C-7" (U.S.G.S. "SAN TUZE")

In L.A. Co., 3.75 miles South from town of Covina and about 2.0 miles Southwest from Buzzard Creek on most westerly high peak of San Jose Hills.

SEE FB. 942-182 FOR NEW ROUTE DESCRIPTION ONLY. 11-76

To reach Sta. go east from business center of town of Pueblo on Pomona Blvd. 3.35 miles to J.B. Galleano Ranch road leading north; proceed along same 0.6 mi. to ranch bldgs and open fields; go to right for 0.35 mi.; go left for 0.9 mi. to fork in road; keep to right for 0.85 mi. to base of point of ridge; ascend along same about 1.0 mi. to summit and sta.

Alternate route: From town of Walnut on Pomona Blvd., go north on Lemon St. 0.9 mi. to San Jose Ranch bldgs.; pass thru ranch holding to road on left for about 1.5 miles to fork in bottom of wash; turn right, go 0.4 mi. to point of ridge and ascend for approx. 1.0 mi. to summit and sta.

Sub-Surface Mark: None

Surface Mark: Fd std 4" brass tablet set in concrete 6" square at surface and flush with ground marked: "U.S. GEOLOGICAL SURVEY IN COOPERATION WITH LOS ANGELES COUNTY" and stamped: "SAN TUZE — R.S. 1923"

Note: Did not disturb.

For sketch see pg. 139

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by	Survey of Geod. Cont. Sys. from
Map No.	W.O. 8914 Tape No. 264 St'd [illegible]
Office Work	Surveyed by S.E. Birch
Checked	Notes [illegible] Date 1-22-39
Date	Indexed

B. 69 Pg. 4

W.S. 38

L.A. CO. SURVEY CONTROL TRIANGULATION STATION - "PUENTE H-10" (U.S.G.S. "PUENTE")

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Rec. W.S. No.
Sketch on Geo. Geog. Card

Set 2 std 4" [illegible] tablet in conc. 5" [illegible] ground surface marked "L.A. CO. SURVEY CONTROL SYSTEM - REFERENCE MARK AND STAMPED "PUENTE H-10, R.M. No 1 and R.M. No 2 (resp.) R.E. 211.1 1939" and set by "COUNTY SURVEYOR" Nov. set 9-20-39

R.M. No 2.

HMB 3,14.39

M's. 31.162

Remeas 26.375

387.5'

Remeas 13.879

R.M. No 1

Remeas 26.375

7.- 84°

153.15'

Fd. NOT Fd. "1/63 Ach" LA Flood Control Mon. 0.1' above ground

Center

Fd. a 4" br tablet set in a 6" square conc. post 0.1' above ground surface in good condition marked: "U.S. GEOLOGICAL SURVEY IN CO-OPERATION WITH LOS ANGELES COUNTY" and stamped "PUENTE, R.S. 1925" Did not disturb No sub-monument.

RESET 11/63 CeCh

SEE Pg 267, 268

NOTE: SEE FB 942-177-180 FOR LINEAR SURVEY W.A.R 10-76

For description See pg. 142.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-38

B. 696 PG. 142

~ DESCRIPTION ~

L.A. CO. SURVEY CONTROL TRIANGULATION STATION "FUENTE #13"

Sta. is 1.25 miles east of town of Fuente on highest part of range of isolated hills which lay to the east of town.

11-76 aor

SEE EB. 942 - 178 FOR NEW ROUTE DESCRIPTION

Can be reached from intersection of "Pass and Covina Road" with Pomona Blvd. which is easterly from town of Puente .8 miles; thence northerly on P.+C. Rd. 0.4 mi. to gate on road on left leading thru Turney ranch; follow same thru field 0.5 mi. to gate on southerly side of hills; thence northwesterly along bottom of ravine 0.6 mi. to old cypress tree at top of ridge; ascend to highest point and station 800'± distant.

Sub-Surface Mark: None.

Surface Mark:

Fd. a 4" brass tablet set in a 6" square concrete post 0.1' above ground surface in good condition, marked: "U.S. GEOLOGICAL SURVEY IN COOPERATION WITH LOS ANGELES COUNTY" and stamped: "FUENTE, R.S. 1923."

For Sketch See pg. 141

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of POMONA Valley Area
Map No.	W. O. 4914 Tape No. 064 St'd 84° F.
Office Work	Surveyed by J.E. Butler.
Checked	Notes N.E. Quadrant Date 9-21-37
Date	Indexed

F.B. 696 PG. 142

W.S. 49

L.A. COUNTY SURVEY CONTROL SYSTEM.

TRIANGULATION STATION "CLAREMONT C-10."

U.S.G.S. "POMONA"

N

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

R.M. #1.

S4.1E

T. 80°

(Mountain Station)

T. 80°

44.035 Level

(Mag. Bear N. 46° E)

R.M. #2.

Set 4" Br. tablet in Concrete, Marked L.A. County Survey Control System Reference Mark + Stamped "Claremont CL10" R.E. 2177. 2ND Set By County Surveyor 1937.

Monits Set 9/21/37

Fd. 4" std. U.S.G.S. Br. Tablet Cemented in place SANDSTONE 18"x12"x12" Marked U.S. Geological Survey In Cooperation With Los Angeles County, Elev. Above Sea A and Stamped POMONA. R.S. 1923. This Point Was Counter-sunk 4" Used As A Subsurface Monument. Set A 4" Br. tablet in Conc. over this pt. See Description Next Pg. For Grade Change Recd Notes See F.B. 696 P.B. 145. Mon. Set 9-21-37

Road

Top

Pipe

See pg 144 for description.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 696 Pg. 144

STATION DISCRIPTION.

L. A. COUNTY SURVEY CONTROL TRIANGULATION STATION: "CLAREMONT C-10."

IN LOS ANGELES COUNTY, 2.0 MILES SOUTH & BY 2.0 MILES WEST OF TOWN OF POMONA. T2S, R9W, 0.25 MILE EAST BY 0.12 MILE SOUTH OF CORNER OF SECTIONS 1, 2, 11, AND 12, ON HIGHEST PEAK OF PUENTE HILLS.

ROAD DISCRIPTION.

FROM: INTERSECTION of So. PARK AVE & LEXINGTON AVE'S. Proceed South ON So. PARK AVE. 0.3 Mile TURN Right ON to dirt Rd. THENCE 0.5 Mi. to FORK IN Rd take LEFT Rd 0.1 MI. to FARM YARD. (Phillips Place) THENCE go West of barn & East of Trees to CORRAL Gate ENTER CORRAL & Proceed 150 ft So to FENCE CORNER. TURN Right & Proceed 0.8 Mi. on cow Path So of Fence on North Side of Hill to Gate. thence 0.3 Mi. to Saddle, Thence 0.3 Mi. down Valley turn Right Leaving Travel Road 0.2 mile up Small TURN Left up Side Hill, 35 to top Hill thence westerly on top of Ridge to A CLAREMONT C-10.

Sub-Surface MARK:

USED ORIG. 4" Std Br Tablet IN SANDSTONE Marked: U.S.G.S. SURVEY IN COOPERATION With L. A. County, Above Sea Level & Stamped R.S. 1923. This Stone was cut 10" x 8" x 8" AND Set 40" Below Surface Tablet.

SURFACE MARK:

SET 4" Br tablet IN CONC. 6" ABOVE SURFACE Grd. Marked L.A. COUNTY SURVEY CONTROL SYSTEM. TRIANGULATION Station & Stamped CLAREMONT C-10" RE 21 77. & Set by County SURVEYOR. 1937.

MON Set 9/21/37

See pg 145 for sketch

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of POMONA Valley Area
Map No.	W. O. 4914 Tape No. 2644 St'd 84 °F.
Office Work	Surveyed by Butler. SE
Checked	Notes GRANDVIEW Date 9-21-37
Date	Indexed

F.B. 1676 PG. 145

THE GRANDVIEW

J. C.E. DURBIN.

GRADE CHANGE.

L.A. COUNTY SURVEY CONTROL

TRIANGULATION STATION "CLAREMONT C-10.

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Surv. Div. W.S. No.
Sketch on Geo. Desc. Card

STATION	+	H.I.	−	ELEV.	
CAIRN MON. U.S.G.S. POMONA.				100.000	ASSUMED Elev.
T.P.B.M. #1.	5.183	105.183	5.070	100.113	T.P.B.M. #1. Flood Cont. R.M. #1
CAIRN MON. U.S.G.S. POMONA.				100.000	ASSUMED ELEV.
T.P.B.M. #2	5.042	105.042	5.085	99.957	Top Rock 40' East of Cairn
T.P.B.M. #1	5.498	105.611		100.113	T.P.B.M. #1. Flood Cont. R.M. #1
L.A.Co.A. POMONA.			4.185	100.626	New Sta. L.A.Co. A Pomona.
T.P.B.M. #2	5.654	105.611		99.957	T.P.B.M. #2 Top Rock 40' East of Cairn
L.A.Co.A. POMONA.			4.985	100.626	New Sta. L.A.Co. A Pomona.

For Notes See pg. 142

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 Pg. 146

L.A. CO. SURV. CONT. SYS. TRIANG. STA. "LA BREA G-1 AUX #1 THATCHER AUX #1

Notes: H.R. Stock
6-7-57

Tape #138
Std @ 84°

For New Ties F.B. 696-211



1. 96° 27' 45"
4 25° 51' 00"
= 96° 27' 45"

1. 110° 24' 30"
4. 81° 37' 30"
= 110° 24' 22½"
6 302° 26' 15"
= 110° 24' 22½"

1. 66° 14' 15"
4. 264° 57' 00"
= 66° 14' 15"
6 37° 25' 30"
= 66° 14' 15"

Tape #138
78.93 level T = 84° = 78.93'

Aux 1 to 1X2 level 28.21 T = 84° = 28.21
1X2 to 1X3 266.45' @ 0E° 30' T = 84° = 266.20
266.42' @ 0E° 17" = 266.20 } = 266.20
1X2 to 1X3 66.66' @ 9° 36" = 65.73
66.84 @ 10° 27" = 65.73 } = 65.73
1X2 to Nail level 43.49 T = 84° = 43.49
403.63

RANGE STA. + 22 PRINCETON E. LEWIS

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Geod. Cont. Sys. Panel 1
Map No.	W. O. 4914 Tape No. 064 St'd 84° F.
Office Work	Surveyed by S.E.Butler
Checked	Notes Extension Date 9-22-37
Date	Indexed

F.B. 69a PG. 147

W.S. 39

L.A. CO. SURVEY CONTROL TRIANGULATION

STATION "LA BREA G-1" (U.S.G.S. "THATCHER.")

Transfer of Elevation From Old Ctr. To New Ctr. Monument.

	Sta.	+	H.I.	−	Elev.
Set up #1 - U.S.G.S. Tab.		3.935	1003.935		1000.00 Ass'd.
T.P. #1.				3.715	1000.220
T.P. #2.				3.505	1000.430
Set up #2 - U.S.G.S. Tab.		4.415	1004.415		1000.00 Ass'd.
T.P. #1				4.195	1000.220
T.P. #2				3.985	1000.430
3rd set up - T.P. #1. New Tablet		3.680	1003.900	3.690	1000.220 / 1000.210 ✓
T.P. #2 New Tablet		3.470	1003.900	3.690	1000.430 / 1000.210 ✓

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Six Div. W.S. No.
Sketch on Geo. Desc. Card

11 NW
3.14.37

FOR LATER TIES SEE 211



(Set two 5/8" & 4" br. Ref. Mark tablet in conc. 3" above ground surface marked: "L.A. CO. SUR. CONT. SYS. - CEF. MARK" and stamped: "LA BREA G-1, R.M. #1 & R.M. #2 Resp. R.E. 21.77 1937 and set by "COUNTY SURVEYOR"

R.M. #2.

Fd. a 4" br. tablet, set in small lime-stone in limestone outcrop, marked: "U.S. [illegible] CAL. TRIANGULATION COOPERATION L.A. COUNTY" and stamped: "THATCHER, E.S. 1923"

Note: used U.S.G.S. tablet for sub-mon. and set a 4" S/8 br. tablet in conc. 6" above ground surface marked: "L.A. CO. SURVEY CONTROL SYSTEM - TRIANGULATION STATION" and stamped: "LA BREA G-1, 1937 - R.E. 21.77 and set by "COUNTY SURVEYOR."

Mon. set 9-22-'37

For description see pg. 148

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 696 PG. 148

~DESCRIPTION~

L.A. CO. SUR. CONTROL TRIANGULATION

STATION— "LA BREA G-1"

Sta. is about 1.0 mi. Southeast from Walnut (a station on the Southern Pacific Railway), 0.5 mi. West of Brea Canyon Road on Blvd. T.2 S., R. 9 W. in Southwest quarter of Section 3, 1320' W. of, 2640' North of South 1/4 Cor. of Sec. 17 on summit of hill.

Station can be reached from intersection of Lemon Road with Pomona Blvd (State Hwy #39) at town of Walnut go Southerly on Lemon Road 0.5 mi. to "T" intersection near U.P.R.R. station for "Walnut"; thence 0.1 mi. to left on Lycoming Rd.; thence to right 0.35 mi. on Brea Canyon Hwy to Brea Canyon Creek and intersection with 5th St. Dirt road and [illegible] thence [illegible] in grove of [illegible] and E. to

Sub. Surface Mark: Set 4" below surface a 3/4" diameter cylinder 3" long, the top face engraved by an "x" with a point, the original U.S.C. & G.S. 4" Sta. Id. tablet marks the center and stands [illegible] 1923.

Surface Mark: Set a 4" brass tablet in concrete drive. Stamped: "L.A. Co. Survey Control SYSTEM - Triangulation Station" and "Triangulation Station G-1, 1927 - Recovered and Set by County Surveyor."

For Tech See p. 149

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Geod. Coll. St. Helena
Map No.	W. O. 4914 Tape No. 064 St'd 64 °F.
Office Work	Surveyed by S.E. Butler
Checked	Notes [illegible] Date [illegible]
Date	Indexed [illegible]

F.B. 696 Pg. 149

W.S. 48

L.A. CO. SURVEY CONTROL TRIANGULATION - "COVINA 6-6" (U.S.C. "SAN JOSE")

Noted on Geo. Index Card	
Placed on U.S.C.&G.S. Quad. Sht.	
Placed on Sur. Inv. W.S. No.	
Sketch on Geo. Desc. Card	

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



Fd. 1" I.P.S. Flood Con. Pipe, Mark - a br. tablet in a [illegible] post flush with ground marked "San Jose R.M. #1."

3.4" Std. Br. tablet set in a limestone rock approx. 2.0 X 1.5 X 0.2' below the surface, marked "U.S. GEO. SURVEY" CO-OP. ELEVATION WITH L.A. CO. FLOOD CONTROL DATUM ADJUSTED TO L.A. COUNTY DATUM OF 1928. Mark in good condition. Did not disturb.

Set two Std. 4" br. tablets in cone. at above mentioned station marked L.A. COUNTY SURVEY CONTROL STATION "COVINA 6-6" RM #1 Stamped "COVINA 6-6 RM #1" and "R.M. No 2 - 2.4' E. - 2.4' N." and set flush with ground surface. 1937.

Mons Set 9-23-'37.

For description see pg. 150.

FORM 247 10M 11-35

F.B. 696 PG. 150

—DESCRIPTION—

—L.A. CO. SUB CONTROL TRIANGULATION STA. "COVINA 2-6"

About 2.3 miles East of, and 2 miles South of town of Covina on highest point of San Jose Hills, locally known as "Bonanza Peak".

From the intersection of Fourth Street and Barranca Ave, Azu 119° 30' 30" 2.30 chains to Covina Blvd; thence Southerly on Barranca Ave 1.1 miles to Covina Ave; thence to left on Barranca 1.8 mis. to summit; pass thru wire gate on left (good dirt road) 0.2 mi. and keep North eastward ½ mile to highest point of hill.

Station mark from which true point of intersection of Barranca Ave and Covina Blvd. bears Azu 119° 30' 30" 2.30 chains, is a chiseled "+" on top of concrete curb on the North side of Covina Blvd. at the point of intersection of the prolongation of the East curb line of Barranca Ave and the prolongation of the North curb line of Covina Blvd.

Sub-Surface Station Mark:

Surface Mark: A 5/8" 4" brass tablet set in a hole in the rock. Sub-surface: 20" X 1" Stand 2.2' below ground surface marked "U.S. GEOLOGICAL SURVEY IN COOPERATION WITH L.A. COUNTY" and stamped "Sta. 2, R.S. 1933".

For sketch see pg 149.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes
Indexed Date

F. B. PG.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. _____ PG _____

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F. B. PG.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B.____ PG.____

Notes Ck'd by	Survey of Pomona Valley Area
Map No.	W. O. 4914 Tape No. 064 St'd 84 °F.
Office Work	Surveyed by Butler S.E.
Checked	Notes H.E. Granquist Date 9-24-37
Date	Indexed

F.B. 611 PG. 157

T. H.E. Granquist
Rc R.E. Cunningham.
9/24/37
W.S.48

L.A. County Survey Control System. Triangulation Station. "Claremont-A-6"

U.S.G.S. "SPADRA"

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Stn. Div. W.S. No.
Sketch on Geo. Desc. Card

FOR Ecc #1
SEE Pg 265
arb

Top of ridge

RM No. 2
Set 4" Brass tablet Cemented IN Place IN Large Boulder Marked: L.A. County Survey Control System. Reference Mark. Stamped RE. 2177 Claremont A-6 RM No. 2 Set By County Surveyor. (Sch 9/24/37)

43.91 Level T.95.0
43.91
S-89½ E.

U.S.G.S. "Spadra" "Claremont A-6"

S-51° E.

24.66 Level. T. 95.0.

Rd. 4" Br tablet cemented in Large Boulder. Marked: L.A. Co. Flood Control District + Stamped: "Spadra" RM 1.

58.28 Level T. 95.0
58.28

S-10° W.
46.42
32.46 Level T. 95.0

27.50 Level T. 95.0

Rd 4" Br. Tablet IN Boulder Cemented IN Place. Marked U.S.G.S. IN Cooperation with Los Angeles County. Stamped R.E. 1933 "Spadra A". See description Next Pg This Pt Not Disturbed.

RM. #1.

Set 4" Br. tablet cemented IN Place IN Large Boulder Marked: L.A. County Survey Control System. Reference Mark and Stamped: Claremont A-6 RE 2177 RM No. 1. Set By County Surveyor

Set 9/24/37.

For description see Pg. 152.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 152

"Station Description"

L.A. County Survey Control System

Triangulation Station.

"Claremont-A-6.

In Los Angeles County. California,
1 mile East of Spadra (A.R.R. Station
on Southern Pacific Railroad) 0.5
miles South of Track, on most
Northerly High poit of Fuente Hills

Road discription:
From Buena Vista Ave & West Fifth Ave.
(Westerly section of town of Pomona)
Proceed Westerly on West Fifth Ave
1.6 Mile. to Larged Cut. Thence Walk
up side Hill on North Side of Fifth Ave
to Highest peak.

Sub-Surface Mark:
None Set.

Surface Mark:
Ed std. 4" Br. tablet cemented in
Place in Boulder flush with Grd. marked:
U.S.G.S. in cooperation with Los Angeles
County. Above "Sea Level" and Stamped:
R.S. 1923. "Spadra"
This Point Not disturbed.

Set 2 Ref. Marks See previous Pg for
description

See pg. 151 for Sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making change.

Notes Ck'd by	Survey of Pomona Valley Area
Map No.	W. 0.4914 Tape No. 064 St'd 44° F.
Office Work	Surveyed by EE Butler.
Checked	Notes H.E. Granquist Date 9/27/37
Date	Indexed A. C. Taylor

F.B. 671 Pg. 153

H.E. Granquist.
H.C. K.C. Moore.
K.C. R.E. Cunningham.

W.S. 49

L.A. County Survey Control System Triangulation Station "Claremont-C-3".

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS



Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

See F.B. 526-161

See pg. 154 for description.

FORM 247 10M 11-35

F.B. 696 PG. 154

STATION DESCRIPTION.

L. A. COUNTY SURVEY CONTROL TRIANGULATION STATION:

"CLAREMONT C-3".

IN LOS ANGELES County, CALIF., ON TOP OF HIGH RIDGE N.W. OF TOWN OF POMONA 2MI. & 1MI. S.W. OF L. A. COUNTY FAIR GROUNDS.

Rd discription:

FROM INTERSECTION of CANON WAY AND PARK DRIVE. PROCEED 0.3 MILE South on CANON-WAY. TO Top of Hill & HILLCREST DRIVE. THENCE Westerly ON Gillcrest DRIVE TO Gate IN Fence THENCE THRU. gate PROCEED 0.15 MI. Southwesterly TO Top of HILL AND STATION.

SUB-SURFACE MARK: NONE SET.

SURFACE MARK:
A 4" Br. tablet IN CONC. MARKED:
LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. 500 DOLLARS FINE FOR DISTURBING THIS MARK.
AND STAMPED: "MT. MEADOWS C.A."
This station Not Disturbed.

See pg. 153 for sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Pomona Valley Area
Map No.	W. O. 4914 Tape No. 664 St'd 84° F.
Office Work	Surveyed by S.E. Butler
Checked	Notes H.E. Gandy Date 9/28/37
Date	Indexed A. C. Johnson

F.B. 496 Pg. 155

T. 4S. R. 9W. S.B.B.M.
M.C. x K.C.M.
E.C.: K.F.L.

W.S. 48

L. A. COUNTY SURVEY CONTROL TRIANGULATION STATION: GLENDORA - G-10.

Noted on Geo. Index Card
Placed on U.S.C. & G.S. Quad. Sheets
Placed on Sys. Dia. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Set 4" Br. tablet in conc. 6" above Gd. Marked: L.A. County Survey Control Sys. Reference Mark # Stamped: Glendora G-10 R.E. 2177. R.M. No. 2. Set 1937 by County Surveyor.

SET 4" Br. tablet in conc. 6" above Gd. Marked: L.A. County Survey Control Sys. Reference Mark # and Stamped: "Glendora G-10" R.E. 2177. R.M. No. 1. Set 1937 By County Surveyor.

R.M. #1 Set 9/28/37

R.M. # 2 Set 9/28/37.

59.70' Level. T-74°
54.69 ÷ 6

37.5± No Clr. N.50°W. Level. T-74°

15.91' Level. T-74° N.31°W.

49.60' Level. T-74° N.41°E.

Fd. 4" Br. tablet Cemented in Place in Rock 9"x12" flush with Gd. & Marked: [illegible] Flood Control Station [illegible] Disturbing This Mark. Stamped "Blackwood R.M. 1."

Fd. 2" I.P. with cap 10" below Gd. Stamped L.A.C. [illegible] R.M. 12 12. C/S. Set

20.5± No Clr. S.86½°W. T-74°

Fd. 4" Br. tablet cemented in Place in Rock 12"x15" Flush with Ground. Marked: U.S.C.G.S. Cooperation with Los Angeles County Elev. Above Sea. Stamped: "Blackwood" E.S. 1923 This Mark used for Sub-Surface Mark. Set 4" below Surface Mark. For Description of Surface Mark See Next Pg. for Triangle Change Note See Pg. 157 FB 696.

Mon. Set. 9/29/37

See pg. 156 for description.

FORM 247 10M 11-35

F.B. 696 PG. 156

Station Description.
L.A. County Survey Control
Triangulation Station
"Glendora - G-10.
"U.S.G.S. Blackwood." Old Point

In Los Angeles County California.
1.5 miles Southeast of Town of Glendora on highest point of range of Hills which lies to the Southeast of Glendora.

Road Description.

From intersection Foothill Blvd and Glendora Ave
Proceed 0.8 miles East on Foothill Blvd. to Turn Rd on South Side of Blvd. Turn Right or South on dirt Rd 0.1 Mile to Gate thence 1.05 Mile to top of Hill. thence 200' East Ely to Station.

Sub-Surface Mark:
Set 4" Br. tablet cement in Place in Rock 44" below Surface Ft. Marked U.S.G.S. in Cooperation with L.A. County and Stamped "E.S. 1923. Blackwood." The above Ft. was Only Surface Mark.

Surface Mark:
Set 4" Br. tablet in Conc. 6" above Gd. Marked: L.A. County Survey Control System Triangulation Station. + Stamped "Glendora G-10." E.E. 2177. + Set by County Surveyor. 1937.

See pg. 155 for sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of POMONA-Valley Sec
Map No.	W. O. 49/4 Tape No. 064 St'd at 34° F.
Office Work	Surveyed by J.E. Butler
Checked	Notes HE Glennquist Date 9/28/37
Date	Indexed A. C. Johnson

F.B. 696 PG. 157

T-HE-G
Rod KCM.

Grade Change, FROM U.S.G.S. Blackwood
To L.A. Co. Surv. Cont. Triangulation
Station "Glendora G-10,
U.S. Sta. U.S.G.S. Blackwood

Station	+	H.I.	−	Elev.	
U.S.G.S. Ctr. T.P.B.M. #1	4.520	104.520	3.890	100.000 100.630	U.S.G.S. Blackwood Assumed Elev. L.A.F.C. B.M. 2"I.P. (V-12-678)
U.S.G.S. Ctr. T.P.B.M. #2	4.159	104.159	4.706	100.000 99.453	U.S.G.S. Blackwood Assumed Elev. 4" Br. tab. L.A.C. F.C. B.M. #1
T.P.B.M. #1	5.583	104.513		100.630	
New Ctr. L.A. Co. Surv. Glendora-G-10			4.258	100.255	4" Br. Tablet L.A.C. Triang. Sta. Glendora G-10
T.P.B.M. #2.	5.060	104.513		99.453	4" Br. tablet L.A.C. F.C. B.M. #1.
L.A. Co. Surv. Cont. U.S. Triang. Sta. Glendora G-10			4.258	100.255	Glendora G-10. 4" Br. tab. L.A. Co.

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

See pg. 155 for sketch.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 158

Oct 13-1937

By Functional

DETAILS FOR TRANSFER OF ELEVATION OF ALL MONUMENT MARKERS

- U.S. GEOLOGICAL SURVEY BY COOPERATION

WITH THE LOS ANGELES COUNTY & STANDARD

STAMPED 25, 1933

TO

NEW MONUMENT - STAMPED:

"L.A.C.S. SURVEY" BOTTOM STATION - TRIANGL-

LATION STATION & STAMPED "SURVEY" DOG L-3.

RE, 19.3' SET BY - COUNTY SURVEYOR

	Sta	+	Ht.	—	Elev.	Remarks
Set. Sta #1						
	Orig. Mon.	4.25	1004.225		1000.00 - Top of Cap	
	TBM #1			1.577	1002.648	
	TBM #2			3.590	1000.635	
Set Sta #2.						
	Orig Mon	4.913	1004.913		1000.00 - Top of Cap	
	TBM #1			1.914	1002.999	
	" #2			3.940	1001.053	
Set Sta #3.						
	TBM #1	1.915	1004.913		1002.998	
	TBM #2	3.940	1004.964		1001.024	
	New Mon.			4.300	1000.664 - Top of Cap	
	For [illegible]				[illegible]	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Pomona Valley Area
Map No.	W. O. 4914 Tape No. 064 St'd 84° F.
Office Work	Surveyed by Butler S.E.
Checked	Notes Granquist Date 9-30-37
Date	Indexed

F.B. 676 Pg. 159

T-N.E.G.
Hc. K.C.M.
R.B. R.E.C.

Noted on Geo. Index Card
Placed on U.S.C. & G.S. Quad. Map
Placed on Sec. Div. W.S. Map
Sketch on Geo. Desc. Card

L.A. County Survey Control Triangulation Station: "Glendora B-6"

Set 4" Br. tablet IN CONC. 6" ABOVE Gd. MARKED: L.A. COUNTY SURVEY CONTROL SYSTEM. REF. MARK. AND STAMPED: R.E. 2177. R.M. No. 2. & Set by COUNTY SURVEYOR. 1937.

R.M. No. 2. Set 10-1-37

23.440 LEVEL T=83° (N 13½° W)

40.97 Level T-83°

24.753' Level T. 83° (S 86° E)

32.190 LEVEL T-83° (S 76° W.)

R.M. No. 1. Set 10-1-37

(Set 4" Br. tablet IN CONC. 6" ABOVE Gd. MARKED: L.A. COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK. & STAMPED: R.E. 2177. R.M. No. 1. & Set by COUNTY SURVEYOR. 1937.

Fd. 2" GALV. CAP IN CONC. FLUSH With Grd. STAMPED: L.A.C.E. 1926 B.M. 20.78747 J.W.P.

Fd. Std 4" Br. tablet cemented IN CONCRETE PLUG FLUSH With Fd. and Marked: "Set in Cooperation With Los Angeles County 1926 Above" U.S.C. & G.S. 1923.

(This Mark not disturbed Concrete Post set Beyond Boulder Toe of Slope.) 9/30/37.

See pg. 160 for description

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 160

STATION DISCRIPTION.

L. A. COUNTY SURVEY CONTROL

TRIANGULATION STATION

"GLENDORA B-6"

U.S.G.S. ITUSA.

In Los Angeles County, Calif. 2.0 miles North by 0.8 mile East of town of AZUSA, on high hill 0.5 mile east of mouth of SAN GABRIEL CANYON, about 300 ft. East of Forest Ranger or Govt. trail. OR. 350 ft. Westerly of int. of forest trail and ridge.

Road discription: FROM town of AZUSA proceed North on AZUSA AVE. from Foothill Blvd. 0.75 mile turn Left. Proceed 0.2 mile to JUNCTION of old SAN GABRIEL CAÑON Road turn Right 0.15 mi. to Steel Gate of Sw Cor. of HENRY VAN GINKEL Property thence 2.3 mile to top of ridge, thence Walk 400 ± Southerly on top of ridge to Station.

Sub-Surface Mark: NONE SET.

Surface Mark:
Fd Sta. + Dr. Tack set connected by Boulder Mk. Ref: U.S.G.S. in Cooperation with Los Angeles County Elev. 1.6 above. Set Level 2. Dr. Stamped U.S.G.S. 1923. (This Mark not obstructed 3 ft. 2 rods set for observing.

See pg. 159 for Sketch.

RETURN to LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Pomona Valley Area
Map No.	W. O. 4914 Tape No. 964 St'd 84° F.
Office Work	Surveyed by S.E. Butler
Checked	Notes H. Gennovis Date 10-5-37.
Date	Indexed

F.B. 690 Pg. 161

T: H.E.G.
H.C.: K.E.M.
C.C.: R.E.C.
W.S. 48

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION. "CLAREMONT -A-1."

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Surv. Div. W.S. No.
Sketch on Geo. Desc. Card

Set 4" br. tablet in Conc. 4" above Grd. Surface. Marked: L.A. County Survey Control System - Triangulation Station, and Stamped: "Claremont A-1." R.E. 2177. Set by County Surveyor 1937.

Claremont A-1 set 10/6/37

(S. 85° E.)
20.49' Level. T. 77°
20.489

29.024
29.025 Level. T. 77°

(S. 4° E.)

8.844 Meters @ Sea level
log meter log # 0.946 94494

32.739'
32.74 Level. T. 77°

Ref. Mark. No. 1 - Set 10/6/37
Set a 4" br. tablet in Conc. 4" above Grd. Surface. Marked: L.A. County Survey Control System Reference Mark, and Stamped: "Claremont A-1, R.E. 2177, R.M. No. 1, Set by County Surveyor 1937."

12" Conc. Mon. Foundation. Free Look Out Tower.

Fd. Std. 4" brass tablet Cemented in Solid Rock, 1" above Ground, Marked: U.S. Geological Survey: In Cooperation with Los Angeles County Flood Control Dist. and Stamped "Goddard" R.S. 1923.

This Pt not disturbed used as R.M. No. 2 for Claremont A-1.

End of Road.

See pg 162 for description

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 696 Pg. 162

Station Discription.

L. A. County Survey Control Triangulation Station.

CLAREMONT - A - 1.

In Los Angeles County Calif, 1.5 miles west of town of La Verne, 0.5 mile southwest of Bonita, Union High School, on highest point of East end of range of hills which lay to the Southest of town of San Dimas.

road discription:

From town of San Dimas at Bonita Ave proceed South on San Dimas Ave. 0.2 Mile to Cienega Ave. turn Left or east on Cienega Ave. 0.2 mile to Walnut Ave. turn right on Walnut Ave 0.3 to private dirt road turn Left or East this follows main dirt rd 0.6 mile to highest peak and Sta. + Ranger Lookout tower.

subsurface mark:

Set 44" below surface tablet a Lead plug & Copper tack in a conc. cylinder approx. 16" in dia. by 10" deep and Separated from surface monument by an 8" Sand & Loam Cushion.

Surface Mark:

Set a 4" br. tablet in conc. 4" above Grd. Surface marked: L. A. County Survey Control System. - Triangulation Station, and Stamped: Claremont A-1. R.E. 2177 Set by County Surveyor. 1937.

See pg 161 for sketch.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Pomona Valley Area	F.B. 691 Pg. 163
Map No.		W. O. 1914 Tape No. 964 Sys. 84 F.	T-H-E-G.
Office Work		Surveyed by S.E. Butler	H.C.-R.E.M.
Checked		Notes H. Granquist Date 10/4/37.	E.C.-R.E.C.
Date		Indexed	W.S.46

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION: "AZUSA-E-7."

Set 4" Br. tablet in Conc. 4" above Gd. Marked: L.A. County Surv. Control Sys. Reg. Mark. Stamped: "AZUSA-E-7" E.E. 2177, R.M. No. 1. set by County Surveyor.

R.M. No. 1 Set 10/4/37.

Set 4" Br. tablet in Conc. 4" above Gd. Mrk'd. L.A. County Surv. Cont. Sys. Reg. Mark and Stamped. "AZUSA-E-7 E.E. 2177. R.M. No. 2. Set by County Surveyor 1937.

R.M. No. 2. Set 10/4/37

31.01 Level

23.990 Level

N 33½° W

T-86°

T-86°

19.750 Level

Bears N. 51° E

20.68 N. 4° W.

AZUSA-E-7.

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Fd 2" GAM I-P in C.P. stamped: L.A.F.C. 1926 B.M. 875.187 T.W.R. 6" above Gnd.

Fd 4" Std. Br. tablet in Conc. 4" above Ground Mark. Set by U.S.G.S. in cooperation with Los Angeles County Surveyor. 4" above Sea Level and Stamped: "Duarte." R.S. 1923. This mark not disturbed. Reinforced with 5-10"x12" Conc. Pads for Observing Tripod. Poured 10/5/37

See pg. 164 for description

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

F.B. 696 PG. 164

Station Discription.

L. A. County Survey Control

Triangulation Station.

"AZUSA-E-7."

In Los Angeles County, Calif.

Station is one mile North east of DUARTE, on south slope and near top of timbered hill which lies to the Northeast from the town of Duarte.

Road Discription:

Station can be reached from E. Huntington Dr. or foothill Blvd. by going North 2.2 Mi. on old foothill Blvd. to fish Canyon Road, thence east 0.1 Mi. to Duarte Ave. Cross S.P. Ry. tracks to north and Go West 0.1 Mi. turn right and go Northerly on dirt rd. winding among hills 0.75 Mi. to a point 400 ft. East of high N. & S. P/L fence. Walk to Saddle in ridge on right. Keep to right along ridge to Station.

Sub-Surface Mark: None Set

Surface Mark:

Fd. 4" Std. Br. Tablet in Conc. 4" above Ground, marked: U.S.G.S. in Cooperation With Los Angeles County. A above Sea Level and Stamped: E.S. 1923. "Duarte". This Point not disturbed 2-Ref. Marks set in Concrete.

See pg. 163 for sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of POMONA Valley AREA
Map No.	W. O. 4914 Tape No. 064 St'd 4 °F.
Office Work	Surveyed by S.E. BUTLER
Checked	Notes GRANQUIST Date 10/7/37
Date	Indexed

F.B. L.A.C. PG. 12.5

T: H.E. Granquist
H.C.: R.C. Moser.
R.C.: R.E. Cunningham.

W.S.50

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION. "LAVERNE-F-9."

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Dir. W.S. No.
Sketch on Geo. Desc. Card

Set 4" br. tablet in conc. 6" above Ground Surface. Marked: L.A. County Survey Control System. Reference mark and Stamped: LA VERNE F-9 R.E. 2177. R.M. No. 1. Set by County Surveyor. 1937.

Rd. 4" br. tablet cemented in boulder. Marked: U.S. Geological Survey in cooperation with Los Angeles County. above Sea A. and Stamped: "Reynolds. R.E. 1923. This pt not disturbed (erroneously stamped meant to be Reynolds.) Set 3 Concrete pads for reinforcing + observing 10/8/37

Ref. Mark No. 1 Set 10/7/37.

2,895' Level, T 92° (Magbear: S 82° W.)

2,764' Level, T 9° .

2,046' Level, T 92° (Bear, North, T South)

End of top peak.

Ref. Mark No. 2 Set 10/7/37.

Set 4" br. tablet in conc. 6" above Ground Surface. Marked: LA County Survey Control System. Reference Mark and Stamped: LA VERNE F-1 RE 2177. RM No. 2. Set by County Surveyor. 1937.

Old Rd.

Rd.

See pg 166 for description

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 166

STATION DISCRIPTION.

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION.

"LA VERNE F-9."

In Los Angeles County, Calif. 3 Miles North by 0.5 mile east of town of LAVERNE; about 0.75 Mile northwest of intersection of Williams Ave. and Live Oak Canyon Road, on high rocky hill West of Live oak Canyon.

road discription:

From Foothill blvd & Williams Ave. which is north of town of La Verne, proceed north on Williams ave. 0.5 mile to College Way. turn RIGHT on College way and proceed 0.5 mile to junction with Live Oak Canyon Rd. turn Left onto Live Oak Cn Rd Proceed 1.1 Mile to end of oil road, thence angle off to Left and proceed Westerly on dirt road 0.5 Mile to Station.

Sub-Surface Mark: None Set.

Surface Mark:

Fd Std. 4" Bi. tablet cemented in boulder. Marked: U.S. Geological Survey in Cooperation with Los Angeles County Elev. above Sea. △ and Stamped Reynods R.S. 1923. (Note: this tablet erroneously Stamped Reynods for Reynolds.)

Set 3 conc. pads for reinforcing Station & observing.

2 RM's Set. 10/7/27 See pg 165 for Sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Pomona Valley Area
Map No.	W. O. 4914 Tape No. 64 Std. 84° F.
Office Work	Surveyed by Butler. S.E
Checked	Notes Geonaught H Date 10/8/37
Date	Indexed C. C. Johnson

F.B. 696 Pg. 167

T: M.E.G.
N.C.: K.C.M.
R.C.: R.E.C.
W.S.48

L.A. County Survey Control Triangulation Station.

"Glendora L-9"
(U.S.C. & G.S. "Shay")

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Skts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card



Note: This tablet is for Sub-mark. Set same 4" brass surface tablet a new monument. See description, next page.

Set Oct. 13-37.

For transfer of elevation from old to new monument See pg. 158.

See pg. 168 for description.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS.

FORM 247 10M 11-35

F.B. 696 Pg. 168

STATION DISCRIPTION.

L. A. COUNTY SURVEY CONTROL TRIANGULATION STATION. "GLENDORA L-9" "U.S.G.S. SHAY." R.S. 1923.

In L.A. Co., Calif., 20 miles north by 0.5 mi. east of town of San Dimas, 1 mi. N. of Foothill Blvd. on high hill on ranch owned by A.L. Stevens.

18± ft. N.W.ly to S.W. cor. and 18± ft. N.E.ly to S.E. cor. of Substation & water reservoir 36' x 96' and 12' high with corrugated sheet iron gable roof.

To reach sta. go North on road to San Dimas Foothill County Park from Foothill Blvd. 0.5 mi. to 1st double gate to motorway to right. To San Dimas Lookout Tower, 3.2 mi. to fork; R. on R. 1st of three mesa gate for 0.8 mi.; continue thru locked wooden gate 0.4 mi. to locked wire fence gate on left; pass thru same & on 0.2 mi. to sta. 50 ft. W. of Surveyor's S.O. & 10 ft. S. of Surveyor's Substation.

Sub-Surface Mark: Set 3" dia. Surface tablet marked: "L.C.S." "Shay" R.S. 1923, 4" below surface. Tab. in 4" dia. cyl. conc. post 16" deep & 8" dia. at base and separated from surface monument by an 8" earth cushion.

Surface Mark: Set 3½" dia. brass tablet in conc. 4" above ground surface marked: "L.A. Co. Survey, Control System - Triangulation Station" and stamped: "GLENDORA L-9, R.A. 2N7, 10W37" and set by: "County Surveyor".

See pg. 167 for sketch

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Road Line No. 2
Map No.	W. O. 22-4 Tape No. 6-4 St'd. 52° F.
Office Work	Surveyed by E. E. Butler
Checked	Notes Checked Date 10-14-37
Date	Indexed A. C. Johnson

F.B. 696 PG. 159

W.S. 14

L.A. Co. Sur. CONTROL TRIANGULATION

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

FD. LA VERNE A-5

Set 2 Std 4" Dr. Tablets
10 conc. 4" Sq. 9" Deep
Stamped "A-5" "REF."
"1937 and "L.A. COUNTY SURVEYOR"

Conc. 8"x8"

"San Dimas" Fourth Lookout Tower

189521 Level-T.B.M.

R.P.

N. 68° E. 696

LA VERNE A-5-Ctr.
(For description see pg. 170 Main set 10-15-37.)

NEW TIES PAGE 215

See pg 170 for description

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 516 Pg. 13

~ DESCRIPTION ~

L.A. Co. Dr. Control Triangulation

Sta. "LA VERNE A-5"

In L.A. Co. Cent. 36 mile road by 0.4 mi. East of Mouth of San Dimas Canyon, Sunset of high ridge, Station 9 N. 65° E and about midway between the Pomona-Dalton & San Dimas Canyon

in SE¼, NW¼ Sec. 23, T. 1 N., R. 9 W.

690'± S. 67° W. from center of L.A. Co Forestry Look-out Tower, at top of Sharp Break in Slope of ridge, on Wly side of fire break

To reach Sta. go South on San Dimas Canyon Road 1.6 miles from Foothill Blvd. ~~about 1½ mi. East of L.A. Co. Forestry Foothill Park~~, thence E. 0.35 mi. to Ford, thence S. Southerly 0.55 mi. to Fork, thence Southerly 0.6 mi. to Forestry look-out Tower, Sta. is 700' down ridge in a S.Wly direction on fire-break

Sub-Surface Mark:

44" below surface tablet a lead plug and copper tack in a conc. cylinder approx 16" ϕ dia. x 10" deep and separated from surface mon. mark by a 8" earth cushion

Surface Mark:

Set a 3" dr. tablet in conc. 4" above ground surface marked: "L.A. Co. SURVEY CONTROL SYSTEM TRIANGULATION STATION" and stamped: "LA VERNE A-5, RE. 2177, 1937 and set by "COUNTY SURVEYOR"

Use pg. 14 for Sketch

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Topo Sec. Pomona
Map No.	W. O. 4914 Tape No. 664 St'd 84° F.
Office Work	Surveyed by C.E. Butler
Checked	Notes O.M.K. Date 10-18-37
Date	Indexed C. M. Johnson

F.B. 690 PG. 171

W.S.13

L.A. CO. SURVEY CONTROL TRIANGULATION STATION - "GLENDORA C-5"

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Diagram: Set Std. 4" sq. tablet in Conc. 6" above surface marked "L.A. CO. S.R. CONTROL-TEN-REFERENCE MARK and "GLENDORA C-5 RM. NO. 2, RE 177-1937" and "COUNTY SURVEYOR."

Reneas. 43.711'

Reneas. 67.179'

Reneas. 79.647'

RM NO 1

Set Std. 3" disc tablet in Conc. Base marked "RM NO. 1 GLENDORA C-5 1937 L.A. CO. SURVEYOR" stamped "FIRE BREAK"

See pg. 172 for description

FORM 247 10M 11-35

F.B. 696 Pg. 172

~DESCRIPTION~

L.A. CO. SUB-CONTROL TRIANGULATION STA. GLENDORA C-5"

In L.A. Co, Calif. 1½ miles north by 0.6 mi. west of town of Glendora on high point of firebreak ridge running S.W.ly between San Gabriel Cañon and the valley, in NE¼ Sec. 24, T.1N. R.10W.

To reach sta. from west go north from Foothill Blvd. at center of town of Glendora Ave. 0.75 mi. to Gate, keep to left for 0.3 mi. to junction of old Sierra Madre Road on right. Go Northeast 0.3 mi. to Station on right at S.W. Cor. of Henry Van Gieson property. Thence ascend in a N.E.ly direction over L.A. Co. Forestry fire-road along fire-break ridge 1.25 miles to Angeles Crest Highway with sign "Angeles Crest Hwy. Sta. on north side of fire-road.

Or: Drive north by way of Glendora Mountain Road from Little Dalton Cr. Ascend to summit of main ridge. Pass thru locked gate on left and follow L.A. Co Forestry fire-road about 1½ miles N.W.ly direction to sta.

Sub-Surface Mark:- Set 44" below surface tablet of lead alloy & copper 3" dia. x 10" long cylinder approx 16" in dia. x 10" deep and centered from surface monument by an 8" north offset.

Surface Mark:- Set a 4" br tablet in conc 4" above gr. surface marked: "L.A. CO. SURVEY CONTROL TRIANGULATION STATION" ~~TRIANGULATION STATION~~ and stamped: "GLENDORA C-5, CE 2 1/2 inches" Set by "COUNTY SURVEYOR"

See pg 171 for sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Great Am. Tie Co. Pomona Valley F.B. 1616 PG. 173
Map No.	W. O. 4914 Tape No. 064 St'd 84 °F.
Office Work	Surveyed by S.E. Butler
Checked	Notes G.W.K. Date 10-14-37
Date	Indexed

W.S. 47

L.A. CO. SURVEY CONTROL TRIANGULATION

STATION - AZUSA L-10.

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Chts.
Placed on Sur. Div. W.S. Bd.
Sketch on Geo. Desc. Card

① 92-23-30
② 09-33-45
③ 194-21-15
91. 92-23-32½"

AZUSA L-10 Stk (See pg. 174 for description) 67 Mon. Set 10-20-37.

Level T. = 89° 62.79

R.M. No 2.

Remeasured 62.787

59.532
69.532 Level
T60 = 69.525

59.525 HNB

PARAMOUNT ST.

Level T. = 89° 88.320

88.320 Level - T60 = 88.311

R.M. No 1

R.M. #1 Washed out by flood HNB 2/11/38

Note: This mon. replaced in vertical position by Butler & Kleinck Mar. 17, 1939. New measurements hereon made with Tape # 611-Std. 76°

Set two std. 4" dr. tablets in conc. at curb line as marked. L.A. CO. SURV. CONTROL SYSTEM. REFERENCE MARK "L.A. CO. R.M. No 1 AZUSA L-10 1937 AND SET BY: COUNTY SURVEYOR."

HNB 6-21-38

55'

See pg. 174 for description

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 174

~DESCRIPTION~

L.A. Co. Geo. Cont. Triangulation
~ AZUSA L-10"

In L.A. Co., City of Azusa about 99 mi. due South from center of town on Foothill Blvd. at N.W. Cor. of intersection of Azusa Ave with Paramount Ave.

12.6' West of West curb line of Azusa Ave. 59.7' North from approx. ℄ of Paramount Ave. as fixed by existing curb retouts.

Sub. Surface Mark: Set 24" below surface tablet, a lead plug in a copper tack in a concrete cylinder approx. 12" in dia. x 6" deep and separated from surface pavement by an earth cushion

Surface Mark:- Set a 4" brass tablet in top of 4" above ground surface marked: "L.A. CO. SURVEY CONTROL SYSTEM - TRIANGULATION STATION" and stamped: AZUSA L-10, E.E. 2177 1937 and set by "COUNTY SURVEYOR".

See pg. 173 for Sketch

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Geod. Cont. Sys. - Pomona
Map No.	W. O. 4214 Tape No. 064 St'd 84° F.
Office Work	Surveyed by S.E. Butler
Checked	Notes G.A.K. Date 10-22-37
Date	Indexed

Varied F.B. 1696 Pg. 177

W.S. 50

L.A. CO. SURVEY CONTROL TRIANGULATION
STATION "LA VERNE J.F."

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Str. Div. W.S. No.
Sketch on Geo. Desc. Card

R.M. No. 1

Set two std 4" br. tablets in conc. 6" above ground marked "L.A.CO. SURVEY CONTROL SYSTEM - 1937 - ERENKE MARA and stamped LA VERNE J.F. RE 2177 - 1937 - N.G.S.M. No. L.T. 1650 and set by "COUNTY SURVEYOR."

R.M. No. 2

LA VERNE J.F.
(For description see p. 178.)

Center of steel tower of electric trans. mission line of Metropolitan Water Dept.

Conc. Pier

Diameter of Tower Leg

For description see pg. 178.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 Pg. 178

~DESCRIPTION~

L.A. CO. SURV. CONTROL TRIANGULATION
STATION "LA VERNE J-8"

In L.A. Co., Southerly ends of tangents of San Dimas Ave. and Arrow Hwy. with E'ly corp. lim. of City of Claremont; in SE. cor. of SW¼ of Sec. 29, T.1N., R.8W. Rancho La Puente. Sets 2A and 3A.

Station can be reached by way of North on Mountain Ave. (part of Foothill Blvd.) from Downtown Claremont, 0.95 m. to Arrow Hwy., thence East 0.2 m. to Station.

Steel disc set in top of concrete monument.

Set 4" diam. concrete monument flush with ground, 1' East of Station and 1' North of fence corner. Scribed "+" on top of monument. L.A. CO. SURV. CONTROL TRIANGULATION STATION "LA VERNE J-8, RESET 1971" and "L.A. CO. SURVEY".

For north, see p. 179

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of L.A. Co. Flood Control Dist.
Map No.	W. O. 4914 Tape No. St'd °F.
Office Work	Surveyed by S.E. Butler
Checked	Notes Date 12-23-37
Date	Indexed A. C. Johnson

F.B. 644 Pg. 179

W.S. 49

See Page 256 for Late Sketch

L.A. Co. Survey Control Sta. No. 19 Vesuvius Sta. - 2.19 15 11.11

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Geo. Div. W.S. No.
Sketch on Geo. Desc. Card



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 180

~Description~

L.A. Co. 2nd Cent. Triangulation

Sta. "La Verne K-11"

In L.A. Co., Sou. end corner of Indian Hill Golf Club grounds 1/4 mi. north of Foothill Blvd. on a production of College Ave, north. Dse of Claremont.

Mon. to Sta. in Indian Hill Club House

Feet measured to cups of brass plug

set in

produced

hill.

Sub-Surface Mark:- Set 4" x 4" x 24" redwood stake 2 ft. below surface of ground and 1 ft. in a 24" dia. hole filled with approx. 2 cu. ft. of crushed rock and tamped with earth cushion

Surface Mark:- Set a 4" x 4" redwood stake in cent. of 1' below above described marks: L.A. County Survey Control System- Triangulation Station "La Verne" Stamped "La Verne K-11, F.B. 277-1937 and set by County Surveyor.

For street see C.S. 177

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Romona Valley	F.B. 696 Pg. 137
Map No.	W. O. 4914 Type No. 2/6 St'd 76 of	
Office Work	Surveyed by Butler	W.S. 49
Checked	Notes " Date 8/38	
Date	Indexed	

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

USC+GS TRIANGULATION STATION EAST BASE #2

Fd 3½" brass tablet set in conc. block 18"x18"x4" high, Tablet nicked U.S.C.+G.S. Reference Mark, and stamped East Base 1, 1923

SKETCH BELOW
DESC. NEXT PG.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 SM 10-37

F.B. 696 PG. 182

DESCRIPTION
USC+GS TRI. STA - E BASE #2

In San Bernardino Co; near L.A. Co. LINE; about 1.6 miles N. of City of Claremont & 1.5 miles E.

about 365' S. of ℄ Baseline Rd.
about 0.60 mile E of Monte Vista Ave.
about S 32½° W - 313' from sta.

Cor. of 10'x38' Common pump shed of W.E.C. Water Co.

Surface Mark: Fd. a 3½" brass tablet mkd. US Coast & Geod. Svy. TRIANGULATION STATION & stamped E. BASE #2 - 1923 set in conc. vault 19"x19" & 3" above gr.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of Pomona Valley	F.B. 696 Pg. 183
Map No.		W. O.	Tape No. St'd °F.
Office Work		Surveyed by Butler	
Checked		Notes "	Date 12/23/37
Date		Indexed 12-30-37	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

J.N. 4914

— Mt Wilson —

Sketch

Showing

check

of

location

of

R.M. #1

@

Triangulation Sta.

"Michelson"

F.B. 696 PG. 184

W.S.15

USC&GS.

"Michelson"

Reduced to sea level = 12.5986 M ANB MSL

TO ANTONIO" (4" Lite)

99°44'52.5" ANB

Measured with transit

① 99-44-45
④ 38-59-30 ANB
AV. 99-44-52.5

① 99-44-45
② 238-59-30
AV. 99-44-52.5 ANB

80°14'04" 3.67

To Antonio 4" Lite

① 80-14-00
④ 320-56-15
⑧ 281-51-79
AV. 80-14-04 03.67

RM #1

VOID

270°44'22" Theodolite #3 Repeated Direct

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of
Map No.	W. O. 4914 Tape No. St'd °F.
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed 2-18-38

F.B. 696 Pg. 185

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 186



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. O.
Tape No. C & St'd. °F.
Surveyed by
Notes
Date
Indexed 4-20-38

F.B. 69 Pg. 187

F.B. 696 PG. 188

INDEX TO STATIONS

No.					
1	La Habra	G-6	Pg. 189	Pg. 190.
2	"	D-6	" 191-192	" 193
3	"	A-6	" 195-196	" 194
4	"	F-4	" 197-198	" 199
5	"	K-5	" 200-201	" 202.
6	"	J-7	" 203-204	" 205.
7	"	F-2	" 206	" 208.
8	"	J-3	" 209	" 210

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-36

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 676 PG. 8
190.

~ DESCRIPTION ~

L.A. Co. Surv. Cont. Tr. 4 Sta. -
"La Habra G-6"
In Puente Hills
In L.A. Co., S. central portion of La Habra
Heights Tract No. 3, Town of La Habra and
1.0 mi. North of Whittier Blvd. bet. Fairway Dr. Road
(Hwy #39) and Anaheim - Puente Road

474' N. 13°W. ± from C.L. Cor. at E. Hwy. Trans Hwy
To 1' S. 48°W. ± SW. " " " " "
78.1' S 68°W to 2" I.P. at ground in 6' Wood
Wire P/L fence.
109.8' S 24°W. ± 2" I.P. in ground

Property Corner.
84'± Northerly from center of Fairway Crest
Court.
Found
Station [illegible]

S.E. [illegible] Hwy #39.
0.8 mi. to Fairway Crest Road, turn to right, then
same 1.2 miles to point 30'± S. of large white brick
and stone 2 Story "Norfleet" residence, turn left
up driveway 200'± to Sta. * on circle.

Sur. Sta. [illegible] 3/4" pipe, 2" Copper
tack in concrete [illegible] Cut X
monument [illegible]

[illegible] 1-1/2" Iron Pipe
10 cons. [illegible] Surface
[illegible] L.A. County [illegible] Survey-
Triangulation Station, Concrete and Stamped.

Horiz. Cont. 6. [illegible] - 1938' and Set by
"Cross" [illegible]

* Sta. cannot be reached from units W. Crest
over Hwy. #39, Crescent Crest Road to E. 0.5 mi. to
East Road leading to Hacienda Country Club.

For Sketch See pg. & 189.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of LA County Survey No.
Map No.	W. O 4917 Tape No. C64 St'd 124 °F.
Office Work H. BENDER	Surveyed by S.E. Butler
Checked H. N. B.	Notes R. L. Willey Date 8-25-38
Date 8-25-'38	Indexed

F.B. 608 PG. 191

W.S. 34

LA COUNTY SURVEY
CONTROL TRIANGULATION
STATION
LA HABRA D6

Plotted on Geo. Index Card
Placed on U. S. G. S. Quad. Sht.
Placed on Sec. Div. W. S. No.
Sketch on Geo. Desc. Card



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 696 PG. 48 192

T-15-38.

Note: There is a question as to whether R.M. #1 & R.M. #2 are marked as shown on this sketch.

Refer to F.B. 696-13 pg. 6 for observing to be done at a later date.

Notes Ck'd by	Survey of Pomona Valley #3
Map No.	W. O. 4414 Tape No. 64 St'd 74°F.
Office Work	Surveyed by S.E. Potter
Checked	Notes P.L.S. Date 12-1-38
Date	Indexed

F.B. 198 PG. 91 193

L.A. County Survey control Triangulation Station, La Habra 26.

In La Habra Heights, Los Angeles County 1.60 Miles west of the intersection of Hacienda blvd (Hwy 39), and west road.

From the intersection of Hacienda blvd and West road, go west on West road 0.8 Miles to inter. West rd. and Las Palmas Dr. Thence N.W. on Las Palmas dr. 0.3 Miles to Pinnacle dr. Thence S.W. on Pinnacle dr. 0.55 Miles to a Flag Pole 15 ft. to Large Concrete reservoir. See pgs 191 & 192 This F.B. 9x10 8x9

Sub. Surface Mark. - Set 44" below surface Inlet a Iron pipe & copper tack in a concrete cylinder approx. 16" in dia. x 10" deep, separated from surface Monument by an 8" sand cushion.

Surface Mark. - Set a 4" Brass Tablet in concrete monument 4" above the ground surface, marked as shown.

LOS ANGELES COUNTY SURVEY CONTROL TRIANGULATION STATION LA HABRA - 26 SET BY C.S.U.S. SURVEYOR 1938 FOR INFORMATION SEE COUNTY SURVEYOR

191-192
9x10
See page 8x9 for Stations.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-38

F.B. 696 PG. ~~72~~ 194

L.A. County survey control Triangulation Station La Habra A6.

In the La Habra Heights district, county of Los Angeles, .75 miles north of the intersection of Whittier Blvd, and SantaGerTrudes Drive. SanTagerTrudes drive is called West road per. Rancho La Habra Sales map, but by street signs is called SanTagerTrudes drive.

From City of Whittier follow Whittier Blvd East 4.2 miles to intersection Whittier Blvd. and SanTagerTrudes drive. Murphy Ranch Pumping plant #3 is on the N.W. corner of this intersection. Thence North .35 miles on SanTagerTrudes drive to graded dirt road nearing with Murphy Ranch. Thence Westerly on dirt road .10 Mile where road crosses swale, thence North 30 yds to ten pound round mill. Elev. app. 540' See pg ~~134~~ ~~135~~ 195 & 196.

Set 44" below surface Tablet, a lead plug & copper tack in a concrete cylinder approx 16" in dia. x 10 in deep and separated from surface monument by 8" sand cushion, for sub. surface Mark.

Surface Mark. Set 4" Brass cap in concrete Monument 4" above ground surface.

Marked as shown.



195 + 196

For satellites See pgs ~~12~~ + 13

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of [illegible]
Map No.	W. 0.49/4 Tape No. 064 St'd 84° F.
Office Work H. BENDER	Surveyed by [illegible]
Checked	Notes [illegible] Date [illegible]
Date 8-25-'38	Indexed [illegible]

F.B. 696 Pg. 13
195

W.S. 38

41

L.A. COUNTY SURVEY

CONTROL TRIANGULATION

STATION

LA HABRA A6

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Slots.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 696 PG. 13

Notes Ck'd by	Survey of Pomona Valley
Map No.	W. O. 4914 Tape No. 06 St'd 24 F.
Office Work H. H. BENDER	Surveyed by S. E. Butler
Checked H. N. B.	Notes R. A. Willey Date 2-26-38.
Date 8-26-38	Indexed

F.B. 696 PG. 17

Triang. Sta. LA Hhbta D-4 Geod. 1984, 199

W.S. 38

L.A. COUNTY SURVEY CONTROL TRIANGULATION STATION LA HHBTA D4

Note
This F.B. 696 p. 16 + 17 → 198 + 197

Noted on Geo. Index Card
Placed on H.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-36

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by	Survey of Pomona Valley Area
Map No.	W. O. 4914 Tape No. 664 St'd 84° F.
Office Work J. H. BENDER	Surveyed by SE BUTLER
Checked H. N. B.	Notes R. A. Willey Date 2-25-38
Date 8-25-'38	Indexed

F.B. 672 PG. 17, 197

L.A County Survey Control Triangulation Station, La Habra D 4.

In the La Habra Heights area, County of Los Angeles, 2.1 miles N 4° W of intersection Hacienda Blvd (Hwy 39) & West road

From intersection of Hacienda Blvd & West road 30' West on West rd. 0.5 miles to intersection of West rd & Las Palmas Dr. Thence North West 1.5 miles to Sub Tropic Dr, Thence take dirt road to N.W. at 2.1 Miles. This road [illegible] Topographic Map, See Fb 197 & 198.

Thence West on ridge 250' to Station, [illegible] This F.B.

Sub. Surface Mark: Set 4" below surface Tablet Large nail and brass Tag #2317 replacement.

[illegible] Set 4" brass Tablet in cone 4" above ground surface in cone. Mon. Marked as shown

L.A. COUNTY CONTROL SYSTEM
TRIANGULATION STATION
RE 2177
1938
LA HABRA D 4
SET BY
L.A. COUNTY SURVEYOR 1938
L.A. COUNTY SURVEYOR

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red** Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by	Survey of Fountain Valley
Map No.	W. O. 4914 Tape No. 64 St'd 24 F.
Office Work	Surveyed by E. A. Fuller
Checked	Notes N. L. W. 1/16 Date 2-25-38
Date	Indexed A. C. Johnson

F.B. 64 Pg. 19 201

W,S.38

LA COUNTY SURVEY CONTROL

TRIANGULATION STATION

LA HABRA K 5.

See Pg 18+19

This E.B. 200+202

LA HABRA K5, APPROX 100' E. END PA.

Noted on Geo. Index Card

Placed on U.S. Quad. Shts.

Placed on W.S. No.

Sketch on Geo. Desc. Card

1.8 MILES

81st Rd

Fuller Rd

100' SYMM.

End road

Fence

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

F.B. 696 PG. 202

L A County Survey control triangulation station La Habra 5

in La Habra Heights district Los Angeles County, 1.8 Miles North of the intersection of Whittier Blvd. and Fullerton Rd.

From the intersection of Whittier Blvd. and Fullerton Rd. go North on Fullerton Rd 1.8 Miles to Intersection of Fullerton and East Rd. at Sign Post. Turn east on graded dirt Rd. 1/2 mile to Station is approx 100 ft. East of Rd on top of round knoll. see pg 18+19 17+15 200+201

Sub surface mark: - set 2' below the surface, tube a lead plug and copper tack in it. Cover [illegible]

From Surface mark

Surface mark - [illegible] in a hole approximately 4" above the surface of the ground, marked to show

LA HABRA 5 1938.
SET BY
COUNTY SURVEYOR
FOR INFORMATION
SEE COUNTY SURVEYOR

200+201.
18+19
17+16

For Sketches See pgs

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

203

Notes Ck'd by	Survey of [illegible]
Map No.	W. O. 44,414 Tape No. 4 St'd 74 E.
Office Work H. BENDER	Surveyed by [illegible]
Checked H. N. B.	Notes [illegible] Date 3-1-38
Date 8-25-38	Indexed [illegible]

F.B. [illegible] PG. 19

W.S. 38

L.A. CO. FOR. DIST. TRIANG. STA.
"LA HABRA E.T."
Road Intersection

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



TR. [illegible] 204 + 205

See pg. 204 + 205

FORM 247 10M 11-38

204
22

F.B. 696 PG. 20

Noted on Geo. Index Card
Placed on U.S. Geod. Stkts.
Placed on Geod. Rec. U.S. No.
Sketch on Geod. Card


Group Palm Trees
Road
R.M. No 17
12" Stan. Pipe Stamped with numeral "17"
Mon. Set 2' above gr.
37.370
47.
53.6'
R.M. No 2
5.5° E.
38.177 MHS
R.M.'s No's 1 & 2 Set in brass tacks in tops of bolts 10' below surface. Mon. L.A. County Survey Control System Reference Mark and Stamped: L.A. County Survey Control Station No. 12 1940 Set in Concrete Mon. Set 8' below
Mon. Set 8' below
Stamped "17"
Mon. Set 8' below
Telephone Pole
Road
Stone Pipe
Stone Pipe
Stone Pipe

Notes Ck'd by	Survey of Pleasant Valley #2
Map No.	W. O. 4914 Tape No. 64 St'd 24 °F.
Office Work	Surveyed by C.E. Sutton
Checked	Notes R. Walker Date 3-1-58
Date	Indexed C. Jacobsen

F.B. 690 Pg. 21
205

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

County Survey control triangulation station
La Habra J 7.
in La Habra Heights situated on Los Angeles County 1.4 miles North of the Inter. of Whittier blvd and Fullerton Rd. From Inter. of Whittier blvd and Fullerton go North 0.7 Miles to Vista de Monte thence easterly on Vista de Monte, thence South on private Rd through lemon grove to top of steep hill. The station is east
of the top of [illegible]
[illegible] 20 + 11. 203 + 204
Sub surface mark:- Set 4" below surface
Tablet, [illegible] stamped [illegible] approx.
[illegible] [illegible] [illegible] related from surface
[illegible] [illegible] [illegible] [illegible]
Surface mark- Set 3" brass tablet in cmc.
[illegible] [illegible] [illegible] [illegible]

COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RE 177
LA HABRA J 7
SET BY
COUNTY SURVEYOR
FOR INFORMATION
COUNTY SURVEYOR

203 + 204.
See pgs 20 + 21 for Ties

FORM 247 10M 11-56

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 696 PG 22, 202

Valley #2

F.B. 694 PG. 207

Notes Ck'd by	Survey of Geod. Cont. Sys. - Pacific
Map No.	W. O. 4214 Tape No. 066 St'd 76 F.
Office Work J. H. BENDER	Surveyed by S.E. Butler
Checked H. N. B.	Notes G. Reinecke Date 3-21-38
Date 8-26-38	Indexed

W.S. 38

Co.

L.A. Sec. Cont. Sys. - Pacific Sta "LA Harbor F-2" 1.75 mil. to Valley Blvd. & town of Puente.

(Hwy. #39 Road)

Puente 0.2 mil.

0.6 mil.

Puente Road

T = 58
68,360
68,355

RM #2

68,350 - 1 mile

54,690 - 1 mile

T = 58
54,690
54,690

RM #1

43,575
43,575

T = 58°
43,580
43,580

All distances measured level.

Glendora Blvd. (Hudson)

Steel Gate — Entrance to Ranch Lands. Owner: Mrs. Minnie Page.

Road

Stock Corral

RM #1

RM #2

L.A. Harbor F-2 top of hill, elev. 675' Geod. Sheets. See next pg. for description. Ref. 3-21-38.

RM's Nos 1 + 2

3/4" bx. tablet in conc. 4" above gr. Stamped: "L.A. Co. Sec. Cont. Sys. - Pacific" "L.A. Harbor F-2" 1955 and RM No. 1 or 2 RE. 2' W. & 5' S. of [illegible] by [illegible] Surveyor

See map for description

Noted on Geo. Index Card
Placed on U.S.C.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

F.B. 696 Pg. 208

~ PESCADERO ~
CO.

L.A. CO. SURV. CONT. SYS. - TRIANG. STA.
"LA HABRA F-2"

In L.A. Co., about 2 miles south of town of Puente & 0.5 mi. east of Hudson Road (Hacienda Blvd. - Hwy #39) near edge of La Puente Hills on a flat knoll 625' S. of Hwy. (1938)

To reach sta. from north: go south on Hudson Road (Hwy #39) from Valley Blvd. in Puente 1.75 miles; turn left onto Puente Road, at 0.2 mi. turn right and go north 0.4 mi. to gate, entrance to Mrs. Minnie Hayes' ranch lands; proceed S. westerly along a dry creek 0.55 mi. to sta. - road on right; thence northwesterly across dry creek and up a long ridge to highest hill & sta. 1500' distant.

3500' S. 27° E. from junction of Puente Road with Hudson Road.

Sub-Surface Mark: Set 4" x 10" sq. surface tablet of cast plug and copper set in a conc. cylinder approx. 10" in dia. x 10" deep and separated from surface mark by an 8" sand & earth cushion.

Surface Mark: Set a 4" sq. tablet in conc. 4" above gr. surface marked: "L.A. CO. SUR. CONT. SYS. - TRIANG. STA." and stamped: "LA HABRA F-2, R.E. 2177 and set by "COUNTY SURVEYOR, 1938".

Sketch for sketch

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work J. H. BENDER
Checked H. N. B.
Date 8-26-'38

Survey of Pomona Valley Co.
W. O. 4914 Tape No. 018 St'd. 76 OF
Surveyed by J. E. Butler
Notes P. L. Valley Date 3-30-38
Indexed

F.B. 696 PG. 209

W.S. 38

L.A.CO. SUR. CONT. SYS. TRIANG. STA.
LA HABRA J.3
3-30-38

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

T=64°
51.257
51.260
51.355
51.355

T=62°
76.865
76.870

N 6°W
N 83°W
200'±

54.738
54.743
54.740

Wire fence
Wire fence
Wire fence

600'±
800'±

2.7 M'.

Bridge over small dry creek

RETIES
PAGE 249

Noted on Rec. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

LA Habra J.3
Top round hill
Elev 800.1'
For dist. see p. 210

1 Pin 1/2" diam. 4" above

dirt Rd

1.2 M

Valley Blvd

PUENTE ROAD

See sp. 210 for description

FORM 247 5M 10-37

F.B. 696 PG. 210

DESCRIPTION

LA CO. SURVEY CONT' TRIANG STA

L.A. HABRA J 3

In L.A. Co. about 3 Mi. S.E. of Puente in the Puente Hills. Elev' about 800' on top of round knoll. Rowland school N N. 70° E, 3000' ±.

From the intersection of Valley Blvd & Puente Anaheim Rd, S. on Puente Anaheim Rd 1/4 Mi To curve. Thence E 0.2 Mi To dirt rd Bears S. Follow dirt rd To its end, Sta is east of the end of the road on top of a round Hill.

Sub. Surface Mark:
Set 44" Below the surface Tablet a lead plug and copper Tack in a conc. cylinder Approx. 16" in diameter x 10" Thick and separate from the surface mon. by an 8" sand cushion.

Surface mark:
Set a 4" br. Tablet in conc. about 6" above the ground surface Marked L.A. Co. Sur. Cont' System Triang. Sta' Stamped L.A. Habra. J 3 1938. RE 2177 and set by COUNTY SURVEYOR.

FOR SKETCH SEE PG 209

TIES ON PAGE 249

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 8301.00 Tape 142 Std. 84 °F
Office Work	Surveyed by STOCK
Checked	Notes STOCK Date 8-58
Date	Indexed C. Johnson 11-28-58

F.B. 696 Pg. 211

L.A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATIONS THATCHER AUX #2 & AUX #3



1. 20° 37' 20" 1. 26° 52' 00"
4. 82° 29' 10" 4. 107° 28' 00"
= 20 37 17½ = 26° 52' 00"
6. 123 43 40 6. 161° 12' 00"
= 20 37 16⅔ = 26° 52' 00"

1. 158° 59' 00" 1. 152° 41' 20"
4. 275° 56' 20" 4. 250° 45' 20"
= 158° 59' 05" = 152° 41' 20"
6. 233° 54' 30" 6. 196° 08' 00"
= 158° 59' 05" = 152 41 20

Note: All distances meas. @ T = 84° no Corrections Shown or needed

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F309S CE #247—3-57

F.B. 696 Pg. 212

THATCHER AUX #2 & AUX #3

These triangulation stations are in the Puente hills, 1500'± west of Brea Canyon road and 2000'± South of 5th Ave on the summit of flat hill Top. Aux #2 is at east edge of flat and Aux #3 is at West edge of flat.

STATION MARK – THATCHER AUX #2 Set a Standard 4" brass Tablet Triangulation mark in Conc. flush & lettered "La Brea G-1, Thatcher Aux #2, 1958, Set by L.A. Co. ENGR. R.E. 5869."

STATION MARK – THATCHER AUX #3; Set Same as for Aux #2 only Stamped Aux #3.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 192 Std. 84 °F
Office Work	Surveyed by H.R. STOCK
Checked	Notes RICHARDS Date 8-58
Date	Indexed C. Johnson

F. B. 696 PG. 213

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA VERNE G-4



1.	28°	27'	30"
4.	113°	49'	45"
	28°	27'	28 1/4"
6.	170°	44'	30"
	28°	27'	25"
1.	151°	27'	45"
4.	245°	51'	15"
	151°	27'	48 3/4"
6.	188°	46'	45"
	151°	27'	47 1/2"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S S&E #241 1-56

F. B. 696 PG. 214

LA VERNE 6-4

-DESCRIPTIONS-

THIS STATION IS IN L.A. COUNTY, IN THE SAN DIMAS CANYON AREA, AND ON THE SUNSET RIDGE, ELEV = ±.

TO REACH THIS STATION TAKE THE SUNSET MOTOR WAY GRADED MOUNTAIN ROAD 3.2 MILES FROM END OF PAVED ROAD. (CONC. BLOCK PUMP HOUSE AND TWO LARGE WATER STORAGE TANKS).
THE SUNSET MOTOR WAY IS THE PROLONGATION OF WHEELER-LA VERNE RD. FROM SAN DIMAS CANYON ROAD

STATION MARK: SET A STANDARD 36" PRE-CAST CONCRETE TRIANGULATION STATION MON. UP 4" WITH 4" BRASS CAP STAMPED "LA VERNE 6-4 1957, R.E. 5869."

REFERENCE MARK NO. 1: SET A STANDARD 4" BRASS CAP PRE-CAST CONCRETE MON. UP 4" STAMPED: "LA VERNE 6-4, R.M. 1, 1957, R.E. 5869."

REFERENCE MARK NO. 2: SAME AS R.M. 1 EXCEPT STAMPED "R.M. 2"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.09 Tape 142 Std 84 °F
Office Work	Surveyed by STOCK
Checked	Notes STOCK Date 8-1-58
Date	Indexed C. Johnson

F. B. 696 PG. 215

25.67
12.34
38.01

L.A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION

LA VERNE A-5

⊗ Wood Pole mast
none

Wood Pole mast
#G-214452Y ⊗

Fd L.M. Nail flush OK
Per F.B. 696
169, 170

7.0'
1.5'
37.6'
38.01'
25.97'
114° 34' 13"
18.95'
7.5'
6.7'

Set R.M. No 4 dn a Stand. 4" brass Cap R.M. in Conc.

Pole #622050Y

Fd LA VERNE A-5 OK
Per F.B. 696-169, 170

1. 114° 34' 20"
4. 98° 16' 40"
= 114° 34' 10"

6. 327° 25' 20"
= 114° 34 13⅓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 696 PG. 216

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 142 Std 84 °F
Office Work	Surveyed by H-R. STOCK
Checked	Notes RICHARDS Date 8-58
Date	Indexed C. Johnson

F. B. 696 PG. 217

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
U.S.C. & G.S. "FORESTER"
COVINA F-10



2-3

1.	91°	49'	20"
4.	07°	17'	30"
	91°	49'	22½"
6.	190°	56'	30"
	91°	49'	25"
1.	232°	43'	00"
4.	210°	51'	50"
	232°	42'	57½"
6.	316°	17'	30"
	232°	42'	55"
1.	35°	27'	30"
4.	147°	50'	10"
	35°	27'	32½"
6.	212°	45'	10"
	35°	27'	31½"

J-9-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 SSE #247 1-56

F. B. 696 PG. 218

COVINA F-10
DESCRIPTIONS

THIS STATION IS IN L.A. COUNTY, IN THE WALNUT AREA, ON A PROMINENT KNOLL, 675'± ELEV., 0.80 MI. FROM THE INTERSECTION OF CAREY ROAD AND A PRIVATE DRIVE TO HOUSE # 20819.

TO REACH THIS STATION FROM THE INTERSECTION OF VALLEY BLVD. AND LEMON AVE., TAKE LEMON AVE. NORTHERLY 0.35MI. TO CAREY ROAD, RIGHT AND EASTERLY ON CAREY ROAD 0.65MI. TO HOUSE NO. 20819, THENCE 0.80 MILES TO THE STATION AS SHOWN ON THE SKETCH.

STATION MARK: FOUND A STANDARD U.S.C. & G.S. 4" BRASS DISC. DOWN 6" IN CONCRETE STAMPED "FORESTER 1938".

REFERENCE MARK NO. 1: NOT FOUND.
" " " " " 2: FOUND A STANDARD 4" U.S.C. & G.S. BRASS REFERENCE DISC. IN CONC. UP 4" STAMPED "FORESTER, R.M. 2, 1938."

REFERENCE MARK NO. 3: FOUND A 2" IRON PIPE WITH A STANDARD 4" U.S.C. & G.S. BRASS REFERENCE DISC. UP 3" STAMPED "FORESTER, R.M. 3, 1938."

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76298 S & E #307—7-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0301.00 Division No. 10 F. B. 696 Pg. 219
No. Date Date Survey of GEODETIC CONTROL
Sec. Notes Chkd. Checked Survey by H.R. STOCK Notes H.R. Stock Date 6-7-57
No. Date Date Map No. Indexed C. Johnson Date

L.A. BRCA G-1 "THATCHER"
Elevation Differentials – THATCHER to THATCHER Aux #1 & its new R.M.'s

STATION	B. S.	H. I.	F. S.	ELEV.		
THATCHER	1 190	101 190		Assumed 100 000	THATCHER	L.A.Co. Surv. Cont. Mon.
T.P.	2.202	91 542	11 850	89.340	T.P. 1X2	
T.P.	2 332	83 404	10 470	81.072	T.P. 1X2	
T.P.	5 325	78 639	10 090	73 314	T.P. 1X2	
Aux #1 THATCHER	3696	77 387	4 948	73691	THATCHER Aux #1 on	L.A. Co. Surv. Cont. Mon.
R.M. #1	1 184	72 001	6 570	70 817	R.M. #1 for THATCHER Aux #1	
T.P.	1 530	62 793	10 738	61 263	T.P. 1X2	
R.M. #2	7 466	63 286	6 973	55820	R.M. #2	
T.P.	11.146	72 409	2.023	61 263	T.P. 1X2	
R.M. #1	6 562	77 378	1 593	70 816	R.M. #1	
Aux #1	5.082	78 774	3 686	73 692	THATCHER Aux #1	
T.P.	9 230	82 544	5 460	73 314	T.P. 1X2	
T.P.	9 943	90 997	1 490	81 054	T.P. Rock	
T.P.	10 398	99 617	1 778	89 219	T.P. Rock	
T.P.	5311	104 575	0 353	99 264	T.P. 1X2	
			4 573	100 002	THATCHER	

F. B. 696 Pg. 220 Job No. Division No. Notes Red. Plotted Profile

Survey of Date Date No.

Survey by C. Johnson Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.

76293 S & E #307—7-55

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

76F3098 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. Std. °F.
Surveyed by
Notes Date
Indexed

F. B. 696 PG. 221

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. _____ PG. _____

F. B. 696 Pg. 223

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geod. Cont. Sys.
W. O. 4900 Tape No. 0106 St'd. 68 °F
Surveyed by M. A Van Doren
Notes Van Date 9-20-51
Indexed A. C. Johnson

SEP 24 '51

JN 4900

NEW TIES ON TRIANGULATION STATION

"CLEARWATER C-9"
(Prior to it's desrtuction)
NORTH LONG BEACH AREA

See FB 696-227-230

9-20-51
Van Doren
Blankenship
Richards
Molinari
Thompson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

F. B. 696 PG. 224

℄ CARSON ST



RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of La Long Extension
Map No.	W. O. 491 Tape No. 064 St'd 64° F.
Office Work	Surveyed by [illegible]
Checked	Notes [illegible] Date 3/38
Date	Indexed 5-21-38

F.B. 69 Pg. 225

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

J.Y. 491
No. Long Extension
Survey Control
System

Description
of
Stations
of
Record
Monumenting

Boyle
Engineering
Commission

Angle
Instruments

FORM 247 10M 11-38

F.B. 696 PG. 226

INDEX TO STATIONS SURVEYED

NO.	NAME			
1	Clearwater	C-8.	Pg. 227	Pg. 228.
2	"	C-9.	" 229	" 230
3	"	E-9	" 231	" 232
4	"	B-7	" 233	" 234
5	"	D-7	" 235	" 236.
6	"	F-9	" 237	" 238.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Sec. Contract No. 3 W. O. 4911 Tape No. 0-5 St'd 76 F.
Map No.	Surveyed by [illegible]
Office Work	Notes [illegible] Date 2-4-38
Checked	Indexed [illegible]
Date	

F.B. 696 PG. 227

W.S. 30

L.A. CO. SUR. CONT. TRIANG. STA. - "CLEARWATER C-B"

Triang. Sta. Clearwater C-B (See Triang. typ. for description)
Recovered Oct. 3-1-38.

Tablet 0.7 behind walk
-(53.779)
53.76 level. T. = 72°

RM N.C.L. on line to AZ. Mark.
Set 4" br. rod & tie" beneath sidewalk Sur. Mon. III conc. in well covered with 2 C.I. lids ~~marked "COUNTY SURVEYOR"~~, tablet marked: "L.A. COUNTY SUR. CONT. SYS. - REFERENCE MARK" and stamped "CLEARWATER C-B, R.M. No. 1, R.E. 2177-1938" and set by County Surveyor. (6 sta. mark 2" E. of N. edge of walk)

Dated on Geo. Index Card
Placed on U.S.C. & G.S. Quad. Sht's.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

2 Story Frame House

Prod. Cen. Line

TEHACHAPI DR.

EVENT #

Azimuth Mark: Set 4" br. tablet on inside of walk 9.6' below surface marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK" & stamped AZIMUTH MARK TO CLEARWATER C-B R.E. 2177-1938 Set by County Sur. Surveyor.

Gateway 6.8' Walk 4.5' & walk

436'

122'

190'

No. Curb Line

CARSON

STREET

C.F.I. EVENT #

See pg. 228 for description

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 10M 11-36

F.B. 696 PG. 228

~DESCRIPTION~

L.A. CO. SUR. CONT. TRIANG. STA. - "CLEARWATER C-8"

In L.A. Co, North Long Beach on California Ave, via First Street and Atlantic Blvd. About 1500' North of Carson St. on East side of Atlantic

Drive

NOTE: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

for North

Notes Ck'd by	Survey of Geod. Cont. Sys. No. Line B
Map No.	W. O. 491 Tape No. 025 St'd 76 °F.
Office Work	Surveyed by
Checked	Notes Date 3-7-31
Date	Indexed

F.B. C-20 Pg. 229

W.S. 30

L.A. Co. Sur. Cont. Trians. Sta. "CLEARWATER"

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sta. Div. W.S. No.
Sketch on Geo. Desc. Card

C-9

CARSON

Rock 6 Cr. 3in.

30'

R.M. No 1 on the prod. of a line from the azimuth mark, 3 ins. center stg. set 4" br. tablet, 0.2' below gr. surface in conc. marked: "L.A. Co. Sur. Cont. Sys.-Ref. Mark" & stamped: R.M. No 1 — CLEARWATER C-9, R.E. 211' and set by "County Surveyor 1938."

R.M. #2 30.5' W. of E. of Parm. Mer. = 61.26' 61.27' level T. = 71°

29.3'

<30'

Trimo Sta. "CLEARWATER C-9" 642.5' ± So. of ℄ of Carson St. & 292' W. of ℄ of Parm. on Orange Ave. (See next pg. for description)

Mon. set - 3-4-38

Note: A 4' observing stand was erected over this Sta.

Destroyed 9/21-51
See pg 224 for ties

37th

New Trail

5th

AVE.

ORANGE

292.6'±

Azimuth Mark: Set 4" br. tablet in parkway flush with top of curb marked: "L.A. Co. Sur. Cont. Sys.-Ref. Mark" & stamped: "Azimuth Mark to CLEARWATER C-9, R.E. 211' and Set by "County Surveyor, 1938."

Tablet 1.2' E. of curb line.

<50'

8' Parkways & 5' Walks

See pg 230 for description

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

F.B. 696 Pg. 230

~DESCRIPTION~

L.A. Co. Surv. Cont. Telang. Sta. -
CLEARWATER

in L.A. Co. North Long Beach Area
South Lakewood City Ft. Orange
Ave. between Gardon St. and Bixby Road.

643.5' ± S. of ℄ of Gardon St.
29.3' W. of ℄ of Orange Ave.

Sub-surface Mark: 5/8" rebar with tack

Surface Mark: 2" dia. brass tablet in
3" dia. concrete monument with 1/2" dia.
dot. Stamped: CONTROL, TRAVERSE
and Elevation. Elevation is 21.61 feet
above Sea Level datum.

Note: All distances & Stations
are feet unless noted.

Set pp tack for center.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Tract 10 [illegible]
Map No.	W. O. 4911 Tape No. 064 St'd 24 F.
Office Work	Surveyed by [illegible]
Checked	Notes [illegible] Date 2-24-28
Date	Indexed [illegible]

F.B. 696 Pg. 231

W.S. 30

L.A. Co. Surv. Dist. Bixby Sta. – "Clearwater E-9"

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Carson Street

Bixby Road

"Clearwater E-9" (Found)

New Set 2"

R.M. A.E. (72.617) 72625 level T. = 68°

NEW TIES PG. 248

469' W. of E of Mark.

E.M. No. 1: Set 4" on line. To agree with mark 4" above ground marked "L.A. Co. Surv. Co." "E.M. Mark" 200 stamped "Clearwater E-9" E.M. No. 1, R.E. 2.77 and set by County Surveyor, H.E.

Note – See F.B. 696 Pg 248 for tangent ties set 2/24/28 before using this sta. H.E.N.

See pg. 232 for description

FORM 247 10M 11-58

F.B. 696 PG. 232

~DESCRIPTION~

LA. CO SUR CONT. TRIANG. STA - CLEAR -

WATER E.J"

N. Long Beach Area

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

See pg 231 for sketch

Notes Ck'd by	Survey of
Map No.	W. O. 4911 Tape No. 264 St'd 84° F.
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F.B. 690 PG. 23

W.S. 30

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Surv. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 234

~ DESCRIPTION ~

L.A. CO. SURV. CONT. VR. 9-15. STA -
CLEARWATER B-7"

To L.A.C.F.C.D. with Long Beach Area overhead bridge crossing Atlantic Ave. 0.6 mi. North of Del Amo Blvd.

2352' easterly of ℄ of Atlantic Blvd along ℄ of Union Pacific R.R. track.
87.7' southerly from ℄ of U.P.R.R. track.
38.1' " " " S. R/W fence of A.T.&S.F.R.R.
18.9' easterly from east edge of east sidewalk along ℄ of A.T.&S.F. track.

Said station mark set in the top of a 6" x 6" concrete post, the "X" of which is 0.2' southerly from the ℄ of the A.T.&S.F. track, as shown by an 8" square x 2' deep concrete monument.

Survey mark, a 4" dia. hole in a 5" square brass plug, further marked "L.A. COUNTY SURVEY CONTROL SYSTEM - TRIANGULATION STATION" and stamped "CLEARWATER B-7, 1933" and set in the "County Triangulation, 1933."

Note: A 4' observation stand was erected over this mark.

See pg. 233 for sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of Road Curb Inspection	F.B. 69 Pg. 235
Map No.		W. O. 4911 Tape No. 064 St'd 24 °F.	
Office Work		Surveyed by S.E. Butler	W.S. 30
Checked		Notes Clearwater Date 3-21-24	
Date		Indexed	

L.A. CO. SURV. CONC. MONU. STA.

"CLEARWATER D-7"

Concrete Bridge

UNION PACIFIC R.R.

Azimuth Mark (see inset)

R.M. No 1

R.M. No 2

CLEARWATER

R.M. #1

R.M. #2

CTR

Sunnyside Memorial Park

Northerly Portion of San Gabriel Mar. Sol. Grant

R.M.'s Nos 1 & 2 - 4" brass caps in conc. flush with ground surface marked "L.A. CO. SURV. CONT. SYS. - REF. MARK" and stamped: CLEARWATER D-7 R.M. No 1 and R.M. No 2, 1938. R.E. 2.77 and set by COUNTY SURVEYOR, 1938.

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

FOR REPLACEMENT TIES SEE FB 696 pg 121, 122 CCS 4/9/64

See pg. 236 for description

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 696 PG. 236

~DESCRIPTION~

L.A. Co. Eng. Survey. Tract
"Clear Water Park"

N. Long Beach Area

Set 4" x 4" [illegible] in the [illegible]

Set 4" x 4" [illegible] in [illegible]

Set 4" x 4" [illegible] in [illegible]

Set 4" x 4" [illegible] in

Notes Ck'd by	Survey of Geod. Cont. Sys. - No. Long
Map No.	W. O. 491 Tape No. 264 St'd 66 F
Office Work	Surveyed by S.E. Butler
Checked	Notes E. Klumker Date 3-17-38
Date	Indexed

Book F.B. 696 PG. 237

W.S. 31

L.A. Co. Sur. Cont. Trians. Sta. "Clearwater G-9"

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card



Note Δ Clear. G9 surface monument and RM #1 destroyed Reset G9 from sub. surface mon. and RM #1 69.7 ft on line to Azimuth Mark both 6" below surface May 19, 1941 R.B.E. Marked same as originals

See pg. 238 for description. SEE F.B. 923-77, 78

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

F.B. 696 PG. 238

~Description~

STA. = "CLEARWATER" L.A. CO. SURV. CONT. TRIANG. G-9.

N. Long Beach Area

In L.A. County Lakewood Village on the east side of Lakewood Ave (Curtis Ave) South of Carson St.

963.2' South of Spring St. & of Carson St.

5' South of a typical fence line on the South side of a private road (Ref. to Lakewood Ave. projected Easterly)

41.0' East of approx. C. L. of Lakewood Ave.

Set 1" dia. Iron Pipe 2' long in a 6" dia. cylinder approx. 10" in depth & 10" deep & 6" below surface. From monument by an 8" South & East

Surface Mark:- Set 1" dia. Iron Pipe 3" below gr., surface and 2" below crown of pavement at center of drive into L.A. Co. Dept. Sys. - Triang. Sta. "Clearwater" G-9, Reset and Stamped "County Surveyor 1938"

See pg 237 for Sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Area
W. O. 4911 Tract No. 0611 Sh'd 24-F
Surveyed by R.E. Emmott
Notes RWW Date 12-2-40
Indexed 12-5-40

F.B. 696 PG. 29

W.S. 29

Noted on Gen. Index Card
Placed on U.S.G.S. Quad Shts.
Placed on Sur. Div. W.S. No.
Sketched on Gen. Desig. Card

WILMINGTON D-10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 696 PG. 240

DESCRIPTION

LA COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STA. "WILMINGTON D10"

Note - Original surface monument described on page 78 of this book has been destroyed This is a replacement of that monument set in position over the sub-surface mark which lies undisturbed

In the County of Los Angeles on the southerly end of Terminal Island on Reservation Point in the grounds of the US Public Health Service and Federal Prison in the 1.9' east of the west edge of pavement of the roadway to the end of the point and 103.2' south of the south edge of a concrete roadway to the Public Health buildings in a well in the pavement protected by a cast iron cover marked "County Surveyor Monument"

Surface Mark:

Set a standard 4" brass tablet in concrete 2" below subgrade of road marked "LA COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STATION" and stamped "WILMINGTON D10 RE 2107" and "SET BY COUNTY SURVEYOR 1940"

Sub-surface Mark:

See page 77

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Cadastral Work
Map No.	W. O. 4982 Tape No. St'd 76 °F
Office Work	Surveyed by 919 Emmatt
Checked	Notes R.U.W. Date 2-6-41
Date	Indexed 2-8-41

F.B. 696 Pg. 241

Orange County

LA HABRA
E12 E.C.C.

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts.
Platted on Work Sht.
Sketch on Mas. Desc. Card

See F.B. 696 - 107

Reset Pg. 25

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS

82° 37' 45" (1)
330 30 15 (4)
135 45 15 (5)
82 37 32 1/2

N. 17° 22' 30" E. 237.5

8° 50' 00" (1)
235 20 00 (4)
53 30 15 (6)
58 30 02

8° 50' 02"

82° 37' 32"

81 53 L&V
81 9H "
163.47 T=76

23 47 45 (1)
95 10 00 (4)
142 45 15 (6)
23 47 32

163.47

37° 03' 15" (1)
48 13 00 (4)
22 19 30 (5)
37 03 15

37° 03' 12"

119 09 15 (1)
116 36 45 (4)
354 55 15 (6)
119 09 12

6" I.P. 1' high

La Habra E12 RM #3

45.51

31.35

31.39

La Habra E12
Ecc #1
Set 1x2

Brass rivet 4" above ground

Water tank

See Pg. 242

T=78°
1551 level

FORM 247 5M 10-39

F.B. 696 PG. 242

LA HABRA E 12
Eccentrics

Temporary Notes

Eccs to be used in
Montebello - Seal Beach Net



See FB 696-187
241

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


F.B. 696 Pg. 143
Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of Cadastral Map
W. O. 4474-4 Tapp No. 230 St'd 66°F
Surveyed by P.B. Emmott
Notes N.L.V. Date 12-30-40
Indexed
W.S. 31
Fd Lgt in curb
ARDMORE
AVE
Fd Wire Spike Washer
30.0
25.58
30.35
CLEARWATER J2C
Noted on Geo. Index Card
Placed on U.S.C.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card
30,35 Lev
T=67
30.0
BELLFLOWER
AVE
Fd Lgt
Clearwater J2B
43.12
41.24
500
400
CLEARWATER J2A
65.22 Lev
T=67°=65.22
40.0
Fd Lgt in curb
32.29
32.68
BIXBY
AVE
Fd S Wkt, down 0.8'
31.24
32.24
Fd Lgt in curb
64 ft broken
380
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change
Do not extend notes this side of this line.
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
FORM 247 SM 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 696 PG. 244

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes outside of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CLEARWATER TRUNK
W.O. 0330 Strip No. 0330 Station
Surveyed by P.B. Emmett
Notes A.C. Johnson Date 12-20-40
Indexed

CLEARWATER
J-2

F.B. 69 Pg. 72 & 73
W.S. 31

Noted on Gen. Index Card
Placed on U.S.G.S. Permit Bks.
Placed on Co. Bkt. W. S. Bk.
Sketch on Desk Diagr. Card

F.B. 696 PG. 46

DESCRIPTION

L A COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STATION CLEARWATER J2.

In the business center of the City of Bellflower on the roof of the stage to the Bellflower Theater 66' ± North of the of the North curb on Flower St and 79' ± West of the West curb on Bellflower Blvd.

Surface Mark ± Nothing set

Subsurface Mark ± None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Long Beach

F.B. 696 Pg. 247

Notes Ck'd by	Survey of Geo Cont SYS No.
Map No.	W. O. 49.1 Tape No. 958 St'd. 68 °F
Office Work	Surveyed by
Checked	Notes Date 2-24-48
Date	Indexed A. C. Johnson 4-13-48

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

TANGENT TIES

to

TRIANGULATION STATION

CLEARWATER "E-9"

H. F. Naumann
V. F. Ochsner
O. Loub
G. A. Sosse

FORM 247 5M 5-46

F. B. 696 PG. 248


AZIMUTH MARK
of CARSON ST.
has been destroyed
51.365 Level @ 60°
52.245 " @ 60°
R.M. No 1
Fd 4" br. tablet in conc.
4" above ground surface
Marked L.A. Co. Sur. Cont.
Sys. - REF. Mark and Stamped
"CLEARWATER E-9, R.M. No 1,
R.E. 2177 and Set by County
Surveyor - 1938
Per F.B. 696-231
Set 3/4 Iron Pipe
Plug & Nail - On 24"
L.A. Co. Sur.
TRIANG. STA.
CLEARWATER "E-9"
Fd 4" br. tablet in
Conc. 4" above gr. sur.
marked - L.A. County
Survey Control System
Triangulation Station
and Stamped CLEARWATER
E-9, R.E. 2177 and Set
by County Surveyor
1938
Per F.B. 696-231
Set 3/4" Iron Pipe
Plug & Nail - On 24"
Set 3/4" Iron Pipe
Plug & Nail - On 24"
Edge Mac Pvmt
(10) PRIVATE ROAD
MONTANA LAND CO
Edge Mac. Pvmt
To Gate 5
DOUGLAS AIRCRAFT Co.
UNION PACIFIC
Railroad. (Main Line)
West Rail
Note - This should be checked for Position by Construction of Sewer has a tendency to shift Easterly.
RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
72.62'
51.36'
65.36'
71.20'
50.38'
45°00'00"
45°00.0'
41.64'
15.1
30.2
44.3
58.555'
41.76'
27.1
12.0
65.41'
172.4'
91.6'
Iron Pipe
Nail On 24"
Set 3/4
Plug &
72.62' Level @ 45°
50.32 " @ 45°
41.76 " @ 45°
41.64 " @ 45°
50.38 " @ 45°
71.20 " @ 45°
65.41 " @ 45°
58.555 " @ 45°

Notes Ck'd by	Survey of Coast Control Sys.
Map No.	W. O. 490 Tape No. 100 Std. 66° F
Office Work	Surveyed by F.W. Hamnack
Checked	Notes F.W.K. Date 6-6-49
Date	Indexed E. C. Johnson 7-22-49

F.B. 696 Pg. 249

GEOD. SURV. CONT. STA. "JOAQUIN-BASSETT PROJ."

(3) 158-16-00
79-08-00
(4) 316-32-30

(6) 114-48-30
79-08-05
(3) 201-12-15
100-36-07½
(4) 42-24-30

(6) 243-36-30
100-36-05

"JOAQUIN-ECC. No 2"

BASSETT

BASSETT

C.M. No 2

47°39'50"

54.71'

100°36'05"

100°36'05"

42°52'50"

181.895'

"LA HABRA J-3"
F.B. 696-209

"JOAQUIN-BASSETT PROJ."
Mon. set 6-6-49
See next pg. for desc.

51.21'

C.M. No 1

Note: Tape measurements are horizontal. Tape was corrected for temperature, sag, slope and standardization. Angles are mean of direct and reversed measurements.

76.78'

183.29' @ 7°05' @ 90° = 181.895' (Tape #100-84°)
183.285' @ 7°04' @ " = 181.899' (" #56-84°)
Av. = 181.895'

54.71' @ 88° = same
51.21' @ " = "
76.78' @ " = "

(2) 95-19-30
47-39-45
(4) 190-39-15
(6) 285-59-00
47-39-50

(2) 185-45-30
92-52-45
(4) 11-31-15
(3) 197-16-45
92-52-45

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-46

F. B. 696 PG. 250

~DESCRIPTION~

For location see "LA HABRA J-3".

Station Mark:- Set a Std. 2½" bronze C.S. tablet in concrete 18" below ground surface inscribed "JOAQUIN-BASSETT RROD-1949, COUNTY SURVEYOR R.E. 329".

Subsurface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	W. O. 4900 Tape No. St'd °F
Office Work	Surveyed by G.W. Hewicker
Checked	Notes G.W.H. Date 3-29-50
Date	Indexed A. C. Johnson 4-4-50

F. B. 696 Pg. 251

A CHECK ON THE POSITION OF AN AUX. STATION "PLANT" OF THE TRIANG. STA. "WILMINGTON J-5" ON THE EDISON POWER PLANT - LONG BEACH, CALIF., LOCATED BY THE U.S.C.&G.S.



(2) 283-23-45
141-41-32½
(4) 206-28-30
141-41-30
(6) 130-08-45
141-41-32½
30

U.S.C.&G.S. notes are in pencil.
L.A. Co " " " ink.
See next pg. for measd dist's.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 5M 5-46

F. B. 696 PG. 258

Determination of Distance From "W.L.J.-5, Aux" TO Prod. Pt. "A"



300' Tape #100 std. @ 84°
215.35' @ 26°31'30" @ 68° = 193.11' } From edge of bldg. to Pt. "A"

300' Tape #056 std. @ 84°
215.86' @ 26°31'30" @ 68° = 193.12' }

Tape #100
137.625' @ 0°00' @ 68° = 137.61' } From "Plant" to Prod. "A".

Tape #056
137.625' @ 0°00' @ 68° = 137.61' }

Distance From "W.L.J.-5, Str." TO "PLANT"
300' Tape #100 std. @ 84°.

18.14' (level) @ 64°	=	18.140'
162.16' @ 32°34'40" @ 64°	=	136.625'
		154.765'

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed R. O. Johnson 5-2-51

F. B. 696 Pg. 259

OLD DESC. PG. 110

Aug. 31 - 49.

TRIANG. STA. "SAN JUAN"

New Road Description:- (Continues mileage from Romona).

0.00 = Intersection of Holt & Garey Aves. South on Garey.

5.90 = Intersection with Pipeline Ave. South on Pipeline.

6.45 = Intersection with Carbon Canon Road. East on Carbon Cn Rd.

7.50 = Intersection with Pomona Rincon Rd. South on Pomona Rincon Rd.

8.30 * Cross Los Serranos Road.

9.00 Turn right on dirt road running S.W. & N.W. to the Mollin Ranch in the China Hills.

13.20 = Cattle guard gate 1000'± South of Ranch Bldgs. Bear to left and follow graded road up ridge to the West and more or less parallel to a line of transmission towers to the South.

15.60 = Road fork. Leave road and proceed to top and along ridge in S.W'ly direction to the top of the highest hill in the range and the Station.

Note:- Old described route by way of McDermont Ranch difficult and impracticable. AMK

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 5M 11-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 496 Pg. 22

F. B. 696 Pg. 255

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd. °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed C. Johnson 6-30-52

Tie Ref. for La Verne K-11
FB 696-179

6-26-52

Note: Found R.M #1 plowed out returned cap & pipe to warehouse - Note Golf Course & Club house removed.

Parker & Pauly

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 696 PG. 256

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Survey Investigation
JN 0301.00 Tape 0.12 Std 84° 69° °F
Surveyed by D. Sappell
Notes D.S. Date 2-16-59
Indexed A. C. Johnson 2-24-59

F. B. 696 Pg. 257.

"La Habra E-12 E.C.C." Fd 1x2 with tap broken off dwn 18" Per F.B. 696-241 Set N. in 1x2 by tics & 1x2 R&S & N Ft. 31.85

To sight on RM

RESTABLISHMENT OF L.A. CO. SURVEY CONT. TRIANGULATION STATION "LA HABRA E-12" ORANGE COUNTY. - Original & sub-monument destroyed by road construction. RM's 1, 2, & 4 also destroyed - See F.B. 696-106 & 107 & 241

Steel Tank 55' Diameter

Fd P.K. in rivet 2' above grnd. per F.B. 696-241

N 37° 32' E 37.32

N 37° 32' E 37.32

142.56

37° 00' 00" 2460

To N.W. Base Aux.

"LA HABRA E-12" Pg 260 See Pg 260 for description Set by R&C & F.B. & L.S.T. pg. F.B. 696-241 & 107

To La Habra C.9A"

P.O.T. Set Nail

156° 12' 15"

Ø 8" C.M.

To Top Pg 259

Fd. Pr.

M = 244.75 Pg 259

RM #3 Fd 4" Br. cap set in conc. flush with grd. surf. Mkd. L.A. Co Sur. Cont. System - Reference Mark" & stamped "110. 3, LA Habra E-12, 1937 - RE. 2.17 & set by "L. A. Co. Surveyor" Pg F.B. 696-106, 107, 241

R&C 112.78

121.49 Pg 259

S 15° 48' 00" W

Service Rd

R40

TOP

Ø 16"

R 259

276.30

P.O.T. Set Nail

91°

60' Travelled

Main Travelled Road

To sight on RM #1

Set N&T. in L.T.P.

60.73

R40 Service Rd.

R40 Service Rd.

Note: Original RM #2 destroyed by road construction. See F.B. 696-106 & 107

RM No 1, Set See Pg 260 For description

See Pg 259 for chaing data

Set L.A. Co Engr Tag

Conc. platform

Pg 259 189.445

109.61

91.89

84.34

RM No 2 - Set See Pg 260 For description

Std. of 6" M.C. 165 oil well

Conc slab of top

A 429

10.0

Set N&T. in 6" RP with conduit box

1) 142° 32' 45" 2) 211 47 15 3) 137 41 15 4) N 42° 56' 52 1/2 E

1) 31° 34' 00" 2) 4 02 12 00 3) 180 31 00 4) 31° 34' 00"

1) 119° 09' 15" 2) 116 32 45 3) 354 55 15 4) N 119° 09' 12 E

1) 156° 12' 15" 2) 244 49 30 3) 217 13 30 4) N. 156° 12' 15" W.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 Los Angeles County Engineering Bldg.

763098 CE #247—7-59

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


FROM LEFT PG 257
F. B. 696 PG. 253
Set L.A.Co Engr Tag in conc
Set Chis'd + P.K. in top of iron reset 0.15 ft of Service Pole
Wall #110
Set X RM No 4 See pg 260 for description
Set L.A.Co Engr Tag in conc
Stag 1 Ft
Stag 1 Ft
Top
Top
Top

Notes Ck'd by		Survey of Survey Investigation	F. B. 696 Pg. 359
Map No.		JN 2201.00 Tape Std °F	
Office Work		Surveyed by D. Sawpell	
Checked		Notes D.S Date 2-17-59	
Date		Indexed A. C. Johnson	

300' Tape 114 Std 84°

① 72.905 @ 3°03'00" T=62° = 72.79
② 73.08 @ 5°00'00" " = 72.79
Av. = 72.79 From Sta. to P.O.T. Nail

① 122.36 @ 6°45'30" T 56° = 121.49
② 122.10 @ 5°37'30" " = 121.49
Av. 121.49 From R.M #3 to P.O.T. Nail

① 276.45 @ 5°07'30" T=60° = 275.30
② 276.32 @ 4°58'00" " = 275.30
Av. = 275.30 From Sta. to R.M. Nº 1.

100' Tape Nº 0112 Std 68°

① 189.45 T 58° Lev. = 189.44
② 189.46 " " = 189.45
Av = 189.445 From RM Nº 1 To R.M. Nº 2

① 244.75 T 60° Lev. = 244.74
② 244.77 " " = 244.76
Av. = 244.75 From RM Nº 3 to R.M. Nº 4

90.64 T 60° Lev = 90.64 From P.O.T. Nail to "La Habra E-12 E.C.C."

75.51 T 60° " = 75.51 From RM Nº 3 To " " "

79.42 T 58° Lev = 79.42
69.93 " " = 69.93
58.92 " " = 58.92
} Tie distances to R.M. Nº 4

40.03 " " = 40.03

109.62 T 60° " = 109.61
91.39 " " = 91.39
84.34 " " = 84.34
44.29 " " = 44.29
25.35 " " = 25.35
60.73 " " = 60.73
} Tie distances to R.M. Nº 2 & RM Nº 1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

763098 CE #247—7-55

F. B. 696 PG. 269

-DESCRIPTION-

RE-ESTABLISHMENT OF L.A. CO. SUR. CONT. TRIANGULATION STA "LA HABRA E-12"

Surface Mark:

Set 2 std. 4" brass cap in conc. pre-cast mon. - Mkd. "L.A. Co. SURVEY CONTROL SYSTEM - TRIANGULATION STATION" & stamped "LA HABRA E-12, 1959, R.E. 5869" - 10" below the surface w/ the pvmt. in a well prot. by a cast iron cover mkd "County Engineer Monument"

See F.B. 696-108 For add. location information

Sub-Surface Mark:

None set.

R.M. NO 1, 2, & 4

Set a std. C.E. brass cap mon. - Flush. Mkd "County Engineer" & stamped "LA HABRA E-12, R.M. NO 1, 2, & 4 (as shown on page 267 & 268) 1959, R.E. 5869"

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0162' Std 68 °F
Office Work	Surveyed by STOCK
Checked	Notes STOCK Date 6-4-59
Date	Indexed L.C. Johnson 6-8-59

F. B. 696 PG. 161

Original Sketch of Book Pages 170, 171

L.A. COUNTY SURVEY CONTROL SYSTEM

"TRIANGULATION" STATION

AZUSA L-10

Fd AZUSA L-10
Per F.B. 696-173
GOOD CONDITION

Set R.M. #4 a 3½" I.P. Lead & Tag dn 13" below Curb grade

Set R.M. #5 a 3½" I.P. L&Tag dn 13"

Conc Drive Hse # 247

Conc. Walk Hse # 247

25.63'

49.57'

56.5'

67'

℄ Curb & gutter

5.06'

Set L&T. Tan

36.18' Set L&T. Tan

℄ Curb Line Prod

STATE HWY 39

PARAMOUNT

New ℄ Curb Line

82.40'

Note: All distances meas. level @ 68° No Corr. shown or needed.

Set R.M. #3 a 3½" I.P. L&Tag dn 13" below New Curb grade

3.31'

30.08'

Set L&Tag Tan in Conc Apron drive To Hse # 305

TO AZUSA L- AT GLADSTONE

AZUSA AVE

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes Entered on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

763098 CE #247—7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 590 PG. 162

Noted | Index Card | Plotted | U.S.G.S. Quad. Shts. | Planed | Checked | Surv. W.S. No. | Sketch on Sheet | Recor. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 84 Std 84 °F
Surveyed by DREIER
Notes MOODY Date 12-60
Indexed H. E. Ott JAN 9 61

F. B. 696 Pg. 263

L.A. COUNTY SURVEY CONTROL SYSTEM

NEW TIES TRIANGULATION STATIONS THATCHER AUX #2, & #3

SET THATCHER AUX #5
A STANDARD TRIANGULATION STATION MARK IN CONC FLUSH
SEE NEXT PAGE FOR DESC.

TO COVINA I-9

SET THATCHER AUX #4
A STANDARD TRIANGULATION STATION MARK IN CONC FLUSH
SEE NEXT PG FOR DESC.

140.55'
124.43'
68.25'
19.72'
65.34'

140.56' @ 70° = 140.55
124.44 @ " = 124.43
68.26 @ " = 68.25
19.72 @ " = 19.72
65.35 @ " = 65.34
124.64 @ " = 124.63
131.39 @ " = 131.38
41.75 @ " = 41.75

89°-45'-35"
90°-00'-10"

FD THATCHER AUX #3
A STANDARD TRIANGULATION STATION MARK IN CONC FLUSH
SEE FB 696-211

SET 3/4 I.P. ON 12"

TO COVINA I-9

FD THATCHER AUX #2
A STANDARD TRIANGULATION STATION MARK IN CONC FLUSH
SEE FB 696-211

53°-10'-40"

124.63'

41.75'

131.38'

SET RM. NO 1
A STAND. 4" BR. CAP IN CONC FLUSH
SEE NEXT PG

71°-36'-00"

36°-14'-00"

SET RM NO 2
A STAND 4" BR. CAP IN CONC. FLUSH
SEE NEXT PG.

D 90°-00'-00"			
A 360°-00'-40" 90-00-10			
B 180°-01'-00" 90-00-10			
D 36°-14'-00"			
A 144°-56'-00" 36-14-00			
B 217°-24'-00" 36-14-00			
D 71°-35'-50"	1. 53°-10'-40"	1. 89°-45'-20"	
A 286°-24'-00" 71-36-00	4. 212°-43'-00" 53-10-45	4. 359°-02'-20 89-45-35	
B 69°-36'-00" 71-36-00	6. 319°-04'-40" 53-10-46 3/3	6. 178°-33'-20" 89-45-33 1/3	

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3098 CE #247—3-57

F.B. 696 PG. 264

LA BREA G-1
DESCRIPTIONS

THATCHER AUX #4 & #5

THESE TRIANGULATION STATIONS ARE IN THE PUENTE HILLS, 1500± WEST OF BREA CANYON ROAD AND 2,000± SOUTH OF 5TH AVE ON THE SUMMIT OF FLAT HILL. TOP. AUX. #4 IS AT N.E. EDGE OF HILL FLUSH ON 3' WIDE SPUR, AUX. #5 IS AT N. W'LY EDGE OF HILL FLUSH ON 3' WIDE SPUR.

STATION MARK. SET A STANDARD 4" BRASS TABLET TRIANGULATION MARK IN CONC. FLUSH AND STAMPED LA BREA G-1 THATCHER AUX #4, SET BY L.A. CO. ENGR. R.E. 5860, 1960

STATION MARK. THATCHER AUX #5 SET SAME AS THATCHER AUX #4 ONLY STAMPED AUX #5

R.M. NO. 1 SET A STANDARD 4" BRASS TABLET IN CONC. FLUSH AND MARKED LA CO. SUR. CONT. SYS. - REF. MARK, AND STAMPED LA BREA G-1 AUX #2 R.M. NO. 1 SET BY L.A. CO. ENGR. RE. 5869, 1960. (ON A 3' WIDE SPUR)

R.M. NO. 2 SET SAME AS RM. NO 1 ONLY STAMPED RM NO 2.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC Control
JN 0301.00 Tape 0173 Std 68 °F
Surveyed by A.C. GUIZADO
Notes ACG 9/24/61
Indexed C. J. GALLI OCT 4 '61

F. B. 696 PG. 265

Ticked on Index Card
Plotted on U.S. Quad. Sht.
Placed on Str. Div. M. S. Sht.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

L.A. CO SURVEY CONTROL SYSTEM

CLAREMONT A6B MUX 1 1958

SPADRA
CLAREMONT A-6

COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
CLAREMONT A6
RESET
1972
RE 7018
BELOW
1 FOR INFORMATION SEE COUNTY SURVEYOR

ctr. sta. reset using record distances from RM 2 & center of flood control system. A 4" L.A.CO. SUR. CONT. SYS. BRASS TRIANG. DISC STAMPED & ORIENTED AS SHOWN ON 3" ø SETTING rock outcrop. 4-13-72 RMW

T=88
22.13

ECC 1 Destroyed 4-13-72

99°26'40.82"
FB 696 p 149 24 27

ECC #1 SEE Next Pg.

SPADRA
CLAREMONT A6
FB 696-151, 152

FD RM #2 SEE NEXT PG.

43.915'
43.91

28.35'
24.65'
25.82'
28.81'
32.45'
29.50'

LA. CO FLOOD CONTROL RM SEE NEXT PG

1.17'

RM #1 SEE NEXT PG

RM 1 DESTROYED 4-13-72 RMW

T=88° #221 STOC 84°
43.915' = 43.915'
28.35' = 28.35'
25.82' = 25.82'
24.65' = 24.65'
28.81' = 28.81'

SET RM 3: A 4" L.A.CO SUR. CONT. SYS. BRASS REF. MARK DISC STAMPED "CLAREMONT A6 RM 3 1972 RE 7018" IN set flush in flat rock outcrop 4-13-72 RMW

COVINA L-6 1935

Flood control disc destroyed, but stem found in rock out crop center used for tie to re-set ctr. sta.

T=88°	
22.13 @ LEV	= 22.13
43.90 @ "	= 43.91
24.65 @ "	= 24.65
28.81 @ "	= 28.81
32.45 @ "	= 32.45
29.50 @ "	= 29.50

62

76F3095 CE 8310

F. B. 696 PG. 266

TRIANGULATION STATION CLAREMONT A-6 USGS "SPADRA"

THIS STATION IS IN THE COUNTY OF LOS ANGELES, WEST OF THE CITY OF POMONA IN THE AREA CALLED "SPADRA" FROM THE INTERSECTION OF CORONA FRWY & 5TH AVE. PROCEED 1.5 MI EAST ALONG 5TH AVE TO A LARGE CUT ON NORTHLY SIDE OF 5TH AVE, WALNUT SIDE HILL TO HIGHEST PEAK & TO STATION.

STATION MARK: ~~FD A 4 INCH BRASS TARGET~~ Ctr. Std. ~~INSCRIBED "USGS IN COOPERATION~~ re-set 4-13-72 ~~WITH LOS ANGELES COUNTY~~ A 4" L.A.CO. SUR. SPADRA RS 1963" SAWS IN A CONT. 5/8. BRASS ~~TUBE, CEMENTED IN PLACE~~ TRIANG DISC ~~NOTE: THIS STATION IS IDENTICAL~~ STAMPED "CLAREMONT A6 RESET 1972 ~~ETC.~~" RE 7078" DN. 3" & SET IN ROCK OUT CROP. RLW

ECC # 1: ~~FD A 3/4 INCH IRON PIPE WITH LEAD 4 1/2 NAIL UP ABOUT 4 INCHES.~~ Destroyed 4-13-72 RLW

RM 1 ~~NO~~ Fd. Destroyed 4-13-72 RLW ~~- FD IN STD L BRASS RM PROJECT STAMPED "CLAREMONT A 6 1937 RE 2177 RM #1 IN CO SURVEY" IN LARGE BOULDER CEMENTED IN PLACE~~

RM NO 2 - SAME AS RM #1 EXCEPT "RM #2 FD 4-13-72 RLW

~~FD ON FLOOD CONTROL DISTRICT FOUND A TABLET 4" BRASS IN A LARGE BOULDER CEMENTED IN PLACE STAMPED "SPADRA RM NO 1"~~ DISC Fd. Destroyed 4-13-72, BUT stem found imbedded in rock outcrop 4-13-72 RLW

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 230100 Tape 0139 Std GB °F
Office Work	Surveyed by A.C. GUIZADO
Checked	Notes ACG Date 11/24/63
Date	Indexed R. J. GALLI No. 2 9 63

F. B. 696 PG. 267

PUENTE H-10



FOR ORIGINAL DESCRIPTION SEE FB 696 PG 141, 142

NOTE: SEE FB 942-177-180 FOR LATER SURVEY 10-76 WAR

Note: Any Additions Must Be Made on Circled Sheet Must be Signed and Dated Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 C.E. #310 6-62

F. B. 696 PG. 268

TRIANGULATION STATION
PUENTE H-10

THIS STATION IS IN THE COUNTY OF LOS ANGELES, SAN GABRIEL VALLEY, ABOUT 1.25 MILES EAST OF THE TOWN OF LA PUENTE.
TO REACH THIS STATION, PROCEED NORTH FROM THE INTERSECTION OF PASS & COVINA ROAD & VALLEY BLVD, ON PASS & COVINA RD 0.4 MI TO ROAD ON WEST SIDE LEADING TO PUBLIC DUMP, GO WEST ON DUMP ROAD 0.6 MI TO DIRT ROAD ON NORTH SIDE, GO NORTH ON DIRT ROAD ABOUT 0.3 MI TO FLAT AREA. STATION IS ON HIGHEST POINT OF EAST WEST RIDGE.

STATION MARK: SET A STD 4"
TRIANGULATION PRECAST MONUMENT STAMPED "PUENTE H-10 RESET 1963 LACO ENGR RE 5869" UP ABOUT 4 INCHES. SET A YELLOW GUARD PIPE ABOUT 3 FT. NLY OF STATION.

REFERENCE MARK #1 FD A STD 4" BM TABLET IN CONC. 2" ABOVE GROUND STAMPED "PUENTE H-10 RM No 1 RE 3177 1957 COUNTY SURVEYOR"
NOTE: THIS MONUMENT APPEARS TO HAVE BEEN HIT TOWARD THE WEST

REFERENCE MARK #2 SAME AS RM #1 EXCEPT STAMPED RM #2.
NOTE: THIS MONUMENT APPEARS TO HAVE BEEN HIT TOWARD THE NORTH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

763095 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN
Tape Std °F
Surveyed by
Notes Date
Indexed

F. B. PG.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. _____ PG. _____

76F309S 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. St'd °F
Surveyed by
Notes Date
Indexed

F. B. 676 PG. 2

COUNTY OF
LOS ANGELES COUNTY SURVEYOR
900 SOUTH FREMONT AVENUE
ALHAMBRA, CALIFORNIA

For Additions or Changes on This
Print Submit as Dicted in Red
Ink With Date and Name of Person
Making Change.

By this offering notice the Public of this line.

696

F. B.____PG.____