
R19W
R18W
R17W
R16W
T7N
T6N
T8N
T7N
T6N
Sec FB 512-2
NOTE: Main blue - FB 736
FB 736
Ford
Rock
Reservoir


R19W
R18W
R17W
R16W
T8N
T7N
T6N
Reservoir
Buck
Pipe Line
Ford
Red Rock
Frio
Tick
Dick
Sec 18 512-2
NOTE, Main blue-FB736
NOTE Main blue-FB

Notes Ck'd by		Survey of	F.B. 736 Pg. 1
Map No.		W. O. Tape No. St'd of	
Office Work		Surveyed by	
Checked		Notes Date	
Date		Indexed	

ANGELES NATIONAL FOREST
BOUNDARY SURVEY.

DIV. M & R

J.N. 7080-7079 and 4999.

See FB. 652-1 for Index

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. _____ PG. _____

FORM 247 5M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. Std °F
Surveyed by
Notes
Indexed Date

F.B. PG.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. _____ PG. _____

736 5

F.B. 512 Pg. 305

Notes Ck'd by Blackmer	Survey of A.N.F. Babyfoot
Map No. B 745-	W. O. 7080 Tape No ____ St'd ____ of.
Office Work ____	Surveyed by ____
Checked ____	Notes ____ Date ____
Date ____	Indexed A. C. Johnson 8-15-35

SURVEY

To

Ckeck Location of Corner

To

Sections 28, 29, 32, 33

T 6 N - R 17 W

Note—Shots to U.S.G.S. BARREN are Weak as the sight on Barren is very poor.

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 347 RM 2-34

F.B. 236 6 Pg.

W.S. 17, 4-3

Cont. to bet pg. 7.

689 @ 7°20' =

26+48.3 Top Spur

Set 1x2

20+41.4 Set 1x2 ± 4.3 N. Edge Spur.

Searched for ¼ COR.

SEC. 28 T.6N. R.17W.

SEC. 32 T.6N. R.17W.

(Note-this corner can be set very closely by Topog)

12°00'

6°00'

1411.4

1550' Stadia

678 @ 5°40' = 671.1

934 @ 6°30' = 922.1

1593.1

Less 43.1

1550.0

444' Level

Leave Valley

6+74

12+68.26 Set 1x2

12+30.0 RL" 2 B. Set 1x2 in flat

38.26

Set 1x2

300.00 Base

90°

9+64

Gulch

9+29

1145 @ 8°57' = 1111.5

28

33

SEC 16N

SEC

1412.5 RL" 1 B. Set 1x2 W. Edge Spur NW x SE Flat topped about 8' wide

15-00-56 See pg. 8

to USGS-Townsend FB 512-218

Stadia

113' @ 3°11' = 112.5

0+00 E+W. SEC. COR. to 28-29-32+33, T.6N. R.17W. FB 512-218

28

33

29

32

RL" 1 B. Set 1x2 top Spur See pg 8.

Line to west on pg 8

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of ANF Bdy
Map No. B7.2C	W. O 7080 Tape No 13 St'd 84 of.
Office Work	Surveyed by
Checked	Notes Date 7/16/35
Date	Indexed

F.B. 736 Pg. 7

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

(END of line)

Searched for SEC. COR.

51+78 ✓
RL 65
Set 1x2

8°0'21"

R 17 W

37+13.6 ✓
RL = 53
Set 1x2

2486.8 ✓

74' @ 12°40' = 69'

Stadia
111.9 @ 11°17' = 107.6

8°51'45"

1072 ✓

T 3 N

SEC. 6

SEC. 1

78°08'

Top

X/g

Base 349.21

Set Nail

26+41.4
RL 46
Set 1x2

353.65 @ 9°08' @ T.100° = 349.21

Cont from pg. 6

FORM 247 5M 8-34

736 8

F.B. 512 Pg. 2-3-6

July 19-1935

Cont. to bot pg. 9



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

736 B 2

Notes C'k'd by Blackmar	Survey of Stations FGH; R17W
Map No. 9745	W. O. 4999 Tape No 13 St'd 84 of.
Office Work	Surveyed by AC Howard
Checked	Notes FCH Date 7/22/35
Date	Indexed C. Johnson

F.B. Other Pg.

Cont. to Ref. pg. 10

23+58.72
RL #7A
Set 1x2 NW Slope of Spur

74.95 @ 13°01' @ T 88° = 73.02

24+60.70
RL # 6A
Set 1x2 on N Slope

141.85 @ 3°17' @ T 88° = 141.62

23+19.08
RL # 5A
Set 1x2 top spur NE Slope.

Level = 13.45
271.57 @ 29°15 = 236.94

82.87 @ 25°17' = 74.93
300.30 @ 1°38' = 300.18
59.72 @ 10°21' = 58.75
Level = 88.27
772.52
@ T 94° = 772.87

15+46.51
RL # 4A
Set 1x2 top Spur

Level = 11.34
280.57 @ 24°02' = 256.25
267.59
@ T 92° = 267.60

267.60

12+78.91
RL # 3A
Set + in conc. pavement.

Cont from pg. 8.

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 347 BM 2-34

736 10
P.B. ~~577~~ PG. ~~288~~

Cont. to Det. pg. 11.

36+84.~~21~~ 32
RL # 11A
Set 1x2

66.45 @ 9°28' @ T. 84° = 65.~~54~~ 53

36+18.98
RL # 10A
Set 1x2 in F Brk
top spur NE

145.16 @ 20°25' @ T. 84° = 136.04

34+82.74
RL # 9A
Set 1x2 E Edge
Firebreak

104.52 @ 24°00' = 95.48
272.26 @ 24°56' = 246.89
179.57 @ 23°29' = 164.70
56.66 @ 24°57' = 51.37

280.27 @ 19°09' = 264.16
823.20
@ T. 90° = 823.23

7/23/55
26+59.51
RL # 8A
Set 1x2 N. SI

132.56 @ 18°24' @ T. 92°
= 125.79

25+33.72
RL # 7A
Set 1x2

Cont. from top pg. 9.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes Ck'd by Blackmer	Survey of Sec lines T5N R11W
Map No. R245-	W. O. 4999 Tape No 13 St'd 84 or.
Office Work	Surveyed by Howard.
Checked	Notes A. C. Johnson Date 7/
Date	Indexed

F.B. 736 P 11 Pg.

SEC. COR
Set 2" I.P. & B.C. in cone
of Record distance from
W.C. May 28 1937

COUNTY SURVEYOR T6N R.11W

30	29
31	32

Sec Cor

R2177

To A Trail
FB. 652 Pg. 224

0.35

① 22-19-15
② 89-17-30 162.83
③ 178-34-45 201.79 @ 33°53 @ T.72° = 167.51
Less 4.68
162.83

Set 1x2

73.85

83.62 @ 27°58' @ T.72° = 73.85

Set 1x2

82.57 @ 20°50 @ T.72° = 77.16

77.16

98.72 @ 4°36' @ T.76 = 98.41

45+43.75
Set 1x2

44+45.43
RL# 14A
Set 1x2 on SW Slope

98.41

Level = 1.24
300.96 @ 11°20' = 295.09
296.33
@ T.88° = 296.34

MARGINAL SKETCH
F.C.H. June 3 1937

NOTE See pg. 19 — for W.C. on N & S Sec line Per C.S. 922.2 - Pg 11.

296.34

See pg 12 for Traverse.

See pg 12

41+49.02
RL# 13A
Set 1x2 on W. Edge Main Divide

40+25.27
RL# 12A-1
Set 2x2
See pg. 19

To A Trail
See pg. 19.
See sketch above

138.20 @ 4°29' @ T.88 = 137.78

40+06.19
W.C. SEC COR
Fd 7"x10"x16" Granite rock on top of high ridge near East edge Per C.S. 9222 Pg. 11
Rock marked as shown below.

137.78

14.05

40+11.24
RL# 12A
Set 1x2 on E. Edge Main Divide

35.03

3.35

Found June 3-1937 F.C.H.

Level 31.81

299.21 @ 9°32' = 295.08
326.89
@ T.85° = 326.90

326.90

COUNTY SURVEYOR T.6 N R.11W

30	29
31	32

N.C. Sec Cor
RE 11A

Set June 7-1937 F.C.H.

RL# 11A
Set 1x2

Cont. from top pg 10

W.S. 17, C-3

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 2-34

736 12

F.B. 5-12 Pg. 2-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.



LOS ANGELES COUNTY SURVEYOR

HALL OF RECORDS

AND BANK OF AMERICA MARINE OFFICE

Do not extend entries past this line

Point No.	Point No.	Station Distance	Station Distance	Station Back	Horizontal Angle or Bearing	Station Ahead	Vertical Angle	Elevation of Point	Rod Readings	+	Difference in Elevation	Height of Instrument	+	Vertical Distance	Notes	Date
				To	006.00	Top	Rock	at	Cor	To	Sec 5 29-30 S/R 32					
															Seq	
			(See	09.12	)										Top	
		100			161 15	160	+ 3.40									
		54			349 20	44	Low									
		238			161 30	204	+ 7.22									
		128			2 10	189	11.00									
		365			165 45	357	+ 8.43									
	346	235			4 00	224	12.34									
		457			177 25	149	+ 7.26									
		374			357 45	362	12.00									
		16			184 10	507	+ 7.33									
		518			350 05	511	6.55									
		671			181 00	655	+ 8.42									
	Brass	Tag	Sec	Cor	on	Knoll	4.1	ft							(See	
		99			60 15	99	Low								Top	
		277			218 20	278	+ 2.15									
		267			46 10	267	Low									
		660			202 00	660	+ 2.37									

Form 81 rev. 3-58

PLEASE PRINT OR TYPE

LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY CANCELED IN RED, INK, WITH INITIALS AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Station	Backsight	Distance	Radius	Horizontal Angle Left or Right	Horiz. Distance	+	Vertical Angle	Elevation of Point	Rod Right	Elevation	Instrument	Remarks
				° '			° '					
		66		170 15	44'		Lev					Top Curb
		20		111 30	30'		Lev					

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

Notes Ck'd by Blackmer	Survey of Sec. Lines T6N R17W
Map No. B746-	W. O. 4999 Tape No 13 Std 84 of.
Office Work	Surveyed by P.C. Howard
Checked	Notes F.C.H. Date 7/24/35
Date	Indexed C. Johnson

N-1
Fd Rock Mound
Top Divide C/L Traverse
point shown in Norway
original notes.

① 8°09'30"
② 16°19'00"
8°09'30"

8°09'30" 54.09

54.64

To Sec. Cor. F.B. 512-218 7.75

4 2x2
AB 512-
19 218

0°56'40" Calc

N 13°51' W 470.34 T.I.C.

N

416.19

① 171°54'15"
④ 327°37'30"
171°54'22½"

USGS. TOWNSEND
F.B. 512-194
See pg. 16-27

To RL 8W
See F.B. 512-192

Level
57.70 @ 13°50' = 84.87'
56.03'
140.90'
@ T.90° = 140.91'

Random

56.48
N 27° W

116.08

TWP Line Produced
(See pg. 27)

N-2
Fd large mound
of rocks top div-
ide 33' W. of
Summit. Set by
Norway as point
58.80 Ch. W. of
Cors to Secs 33 & 34
T. 6 N R. 17 W
Reset with 2" I.P. in
Conc. with B.C.
stamped as shown:
Holmes 5/16-40

COUNTY SURVEYOR
T6N.
SEC. 33
N.2.
W.C. SEC. Cor
T5N.
R17W R16W R.2.1.T.

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W S,17, C-3

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 8-34



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.


Notes Ck'd by Blackmer
Map No. 8245-
Office Work
Checked
Date
Survey of Sec. LINES T4N R17W F.B.
W. O. 4999 Tape No 13 Sta 24 of
Surveyed by F.C. HOWARD
Notes FCH Date 7/31/35
Indexed C. Johnson
7.36
W.S. 17, 4-3
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAK. ING CHANGE.
Do not extend notes this side of this line
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
FORM 247 5M 2-34
TO WHITTAKER (No. 1 Pg 22)
USGS (Pg 21)
WHITTAKER
① 25° 24' 00
④ 101° 35' 45"
⑧ 203° 12' 00
25° 24' 00.
TO N-5 (Pg. 20)
① 14° 14' 45"
④ 56° 58' 30
14° 14' 37½.
TO N-5 (Pg 20)
TO A TRAIL (Pg. 19)
USGS Townsend See pg 16
① 141° 34' 15
④ 206° 17' 00+
⑧ 52° 34' 15+
141° 34' 17"
① 46° 24' 00
④ 185° 36' 00"
⑧ 1° 11' 45"
46° 23' 58.
U.S.G.S. R.C.M. 1921 — 518.5
60° 33' 45"
141° 34' 15"
46° 23' 55"
① 60° 33' 45
④ 242° 15' 00
⑧ 124° 30' 00
60° 33' 45"
COUNTY SURVEYOR
R17W T6N
WITNESS COR
N.W. cor. of old stake mound top remains of small rock mound
N.W. cor. of Sec 28
Car to W. 31'
Pipe 2" 22.27' 28
T5N R17W
N-4 (NW Sec. Cor)
See note on (Pg. 5)
14° 55' 55"
50° 24' 40"
35° 29' 52½"
23' 25"
50° 24' 05"
To A 1A FB 512 Pg. 211-212
① 50° 23' 45"
④ 201° 33' 45
⑧ 43° 08' 30
50° 23' 34.
To A 1A FB 512-211
32-12-05 FB 512 Pg 220
U.S.G.S. BARREN FB 512 Pg 218-219-220
① 32° 47' 35"
④ 131° 07' 30"
⑧ 262° 16' 00"
32° 47' 00"
① 83° 07' 30"
④ 338° 00' 00"
⑧ 360° 00' 00"
83° 07' 30"
① 35° 30' 00
④ 141° 59' 30
35° 29' 52½"
① 14° 56' 00
④ 59° 43' 30"
14° 55' 52½"
RL # 2 N FB 512-180
① 53° 57' 30"
④ 215° 30' 30
⑧ 71° 40' 00"
53° 57' 30"

36 18

F.B. Pg.

Aug. 2-1935

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

To USGS WHITTAKER Pg 21

To N-6 Pg 20.

To USGS SPAR Pg 16.

29-48-6655 U.S.G.S Rec.

① 20° 35' 30
② 82° 22' 00
③ 164° 44' 00" - 20° 35' 30" = 20° 35' 30"

83° 10' 40"

① 53° 22' 30
④ 213° 30' 30"
⑧ 67° 01' 00
53° 22' 30"

To N-3 See Pg. 16.

9° 21' 05" Pg 16.

① 83° 10' 30
④ 332° 47' 30"
⑧ 305° 25' 45"
83° 16' 43.

To N-4 Pg 17.

(USGS) BARREN See Pg 17. See F.B. 512-220

83° 07' 30" Pg 17

① 174° 00' 30"
④ 306° 02' 30"
⑧ 312° 05' 15"
174° 00' 39.

174° 00' 35"

To RLB FB 512-180

736

F.B. [illegible] Pg. [illegible]

Notes Ck'd by Blackburn	Survey of Sec Lines T.6N R17W
Map No. 8745-	W. O. 4999 Tape No 13 St'd 84 of.
Office Work	Surveyed by RC Howard A.C.H.
Checked	Notes Date 7/31/35
Date	Indexed A. C. Johnson

SEC. 30
T. 6N R17W

W.C. SEC. COR.
Found large mound of Rock in Saddle on top of high ridge. Per C.S. 4222 Pg. 11.

This W.C. is 12.62 N. of Sec. Cor. (REC) Found June 3. 1937
832.27 calc.

COUNTY SURVEYOR
R17W T.6N
30 29
31 32
RNC SEC COR

Set June 7-1937

48+80.69

44° 12' 50"
Calc.

SEC 29
T.6N R17W

Transit line Pg. 8 to 11
N 89° 45' 25" W
855.42 Calc.

① 139° 58' 00"
④ 199° 61' 30"
139° 57' 56"
139° 57' 55"

1193.47 Ch.

To Divide

Old trail from Oak Flat to Norwalk Proj Cr (Norwalk Notes Pg. 78)
73 80 @ 5.38
= 73.44

140° 20' 00"

TRAIL
Set 2x2 Under Steel Tower top Divide (Edison Tower)
See F.B. 652 Pg. 224

4424.58 Calc.

24° 46' 55"

Reset 2x2
40+25.36
Set 2x2

1405

40+11.27
RL# 120
1x2 Pg 11.

96° 31' 50"

① 96° 32' 00"
④ 26° 07' 30"
96° 31' 52½"

30° 45' 15"

① 21° 47' 00"
④ 99° 07' 30"
21° 46' 52½"

① 30° 45' 15"
④ 183° 01' 30"
30° 45' 22½"

TO USGS TOWNSEND 1917.

Base 2843.68

42.55
52° 43' 08"

135° 47' 10"

11481.591
RL 12A
1x2
Pg. 8.

① 127° 17' 00"
④ 149° 08' 00"
127° 17' 00"

① 135° 47' 15
④ 183° 08' 45
⑧ 6° 17' 30"
135° 47' 11¼

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

W.S.17, C-3

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 247 BM 8-34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. [illegible] Pg. 298

To R.L.2N F.B. 512-180

To Ideal (Pg. 19)

To USGS Barren Pg. 18

5° (Pg. 5, note ch)

To USGS Townsend Pg. 17.

To S. End Norway Base N-5 (Pg. 16-21)

To USGS Whittaker Pg. 21 Pg. 22

To 2 2 at Mile Tower (Pg. 23)

① 22°38'45
④ 90°35'15
⑧ 181°10'30 –
28°38'49.

① 23°36'45" Turned to
④ 94°27'00" – Pinning
⑧ 188°52'15" Sight
or

① 18°39'30"
④ 74°38'30" OR
⑧ 149°16'30"
18°39'34.

(Overall 2N to Whittaker)
① 93°45'00 –
④ 14°59'30 –
⑧ 29°58'00" +
73°44'48¾"

① 25°47'15"
⑧ 103°08'15"
206°17'15"
④ 107°03'30"

① 8°35'30
④ 34°22'00"
⑧ 68°43'45"
8°35'28.

① 7°37'48
④ 30°31'00 –
⑧ 61°01'30"

① 51°28'45"
④ 205°54'45"
⑧ 51°49'30"

① 52°26'30
④ 209°45'30"–
⑧ 59°30'30
62°26'29

① 43°50'30+
④ 175°23'30"–
⑧ 350°46'30
43°50'49.

① 13°16'30
④ 53°05'30"+
⑧ 106°11'30"
13°16'26.

Note See F.B. 6572 Pg. 222 & 226

18°39'35"

22°38'50"

8°35'30

75°05'15"

52°26'25"+
54°22'40"

43°50'50"

N-5
Fd large rock md Δ point top high divide. Set by Norway per orig notes at 3.35 Ch E. and 13.19 Ch N. of Cor to Secs 22 & 25 T1GN R18W 19. 30 T1GN R17W

Set 6/7/37
F.C.N.

COUNTY SURVEYOR
N.S.
RE 2177

Notes Ck'd by Blackmer
Map No. 37-5-2
Office Work
Checked
Date

Survey of SEC LINES T6NR11W F.B. 554 Pg. 29
W. O. 4999 Tape No 13 St'd 54 of F.
Surveyed by F.C. Howard
Notes F.C.H. Date 8/1/35
Indexed A. C. Johnson

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

USGS
N.4
See pg 22

Unable to set inst on this point good, new post sight

N-5
2x2 in rk mnd top of divide
See pg. 20

S 52°-36'-25" E
4-43-50-50
pg 20

8-35-30
pg 20

116-
-35-45
calc

122-09-35
calc

S 25-24-00 E
pg 17.1

49
14-48-10
calc

1-45"
calc.

USGS
TOWNSEND
pg 17.

N 34°-5'-
pg 17.

(19)
2-16-
-45

① 19°10'45"
② 76°22'30"
③ 153°25'15"
1.9-10-40.

① 36°32'45"
④ 146°11'00"
⑤ 292°21'30"
36°32'15"

① 55°43'00"
④ 222°52'30"
⑤ 85°45'15"
35°43'07½"

N-3
2x2 in rock mnd of
S. End Norwalk base
See pg. 16

FORM 247 SN 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ALL CORRECTIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH INITIALS AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line



Notes Ck'd by Blackmer	Survey of A.F.B. D.M.
Map No. E-4	W. O. 7080 Tape No 13 St'd 84 of.
Office Work	Surveyed by F.C. Howard
Checked	Notes F.C.H. Date 6/25/35
Date	Indexed A. C. Johnson 6-28-35

F.B. 796 25

Cont to bot. p. 24

180+94.00
RL # 28 E
Set 1x2 top of spur in firebreak

① 66°06'45"
④ 264°27'00"
66-06-45.

66°06'45"

Calc

1319.66

① 27°24'15"
④ 109°36'30"
27-24-07½'

SEC 15
T 5N, R 16W

167+74.34
RL # 27 E
Set 1x2 top of Low spur 5'0"W

BASE LINE

Level = 17.50
292.09 @ 2°11' = 292.58
298.86 @ 3°09 = 278.41
608.49
@ T. 90° = 608.51

504.96

Level = 30.19
259.52 @ 12°25' = 253.45
221.54 @ 2°38 = 221.31
504.95
@ T. 86° = 504.96

162+69.38
RL # 26 E
1x2 F.B. 512 Pg 275

156+08.90 Cont from F.B. 512 Pg 275
RL # 25 E
F.B. 512-274

Ridge

Set 1x2 in Firebreak

70° 24'

B.C. 24.

29 E

86°29'05"

① 86°29'00"
④ 345°56'30"
86-29-07½'

SEC 22
T 5N R 15W

Notes: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 347 3M. 2-34

206 24

F.B. 512 Pg. 502

Cont. on bot. Pg. 25

Sec 15 T.5N R16W

To R# 154-M FB 518-144

① 40° 05' 15"
④ 160° 21' 00"
40-05-15.

40° 05' 15"

Z

187+83.46
CL #29E
Set 1x2 top of spur overlooking main San Francisquito Can
Spur bears approx N/S.

Sec 22 T.5N R16W

① 30° 44' 00"
④ 122° 55' 45"
30-43-56½.

Calc 689.46

30° 43' 55"

① 84° 49' 30"
④ 339° 17' 45"
84° 49' 26½"

184+86.94
Fd Oil Co. 3x with 2"x2"x48" alongside. No rock mound.

① 35° 22' 45"
④ 141° 31' 15"
35-22-48¾.

① 25° 20' 15"
④ 101° 21' 15"
25 20-18¾.

Calc 186.07

186.83

(Calc) 168.96

184+70.08
Set 1x2

376.08

115.53

53° 20' 15"

63.15 per Pg.

172.57 @ 7°48' = 170.77
208.99 @ 11°02 = 205.30
376.07
@ 7°30' = 376.08

180+94.00
CL #28E
Set 1x2
(Pg. 23)

35° 22' 58"

608.51 Base See Pg. 23

Set 1x2 See Pg. 23.

Cont. from top Pg 23.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE, AND NAME OF PERSON MAKING CHANGE.

736 25
F.B. 512 Pg. 146

Notes Ck'd by Blackmer	Survey of ANER DIV M
Map No. 8745	W. O. 7090 Tape No 13 St'd 84 of.
Office Work	Surveyed by AC Howard
Checked	Notes F&H. Date 6/12/25
Date	Indexed

END OF SURVEY

SEC 14

Set 1x2 top Bluff E. Side of Canyon

T. 88°
Level
183.46 @ 8°44' = 181.33 ✓
183.15 ✓

211+36.73 ✓
RL ✓ 31E
Set 1x2 by lot

Fd 1x2 with 1x2 Stake marked B 16 A M. FB 512-146

183.15

SEC 23

① 90°18'30"
④ 1°13'45"
90-18-26¾.

Fd 1x2 E 154-M FB 512-145 ✓

Transit Line from S

FB 512-146
1788.75

40°13'10"

① 50°13'15"
④ 206°52.45"
90-13-11¼.

RL ✓ 30E
Set 1x2 for line only

2353.27 ✓ Calc

40°05'14"
B 24

SEC 15
T. 5 N R 16 W

1874 83.46 ✓
RL ✓ 29E
Set 1x2
See pg. 24

SEC. 22

Cont. from top pg 24

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN Red Ink WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

FORM 247 SM 2-34

RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

Note: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

1" = 2640
1320

Notes Ck'd by McPherson	Survey of T.5+6N R17W	F.B. 736 Pg. 27	
Map No.	W. O. 4799 Tape No. 67 St'd 81 °F.		
Office Work	Surveyed by F.C. HOWARD		
Checked	Notes F.C.H Date 12/13/37		
Date	Indexed		

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S.17, C-3

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 10M 11-35

Cont. to bot. fig 28.

RL# 15W Set 1x2 top sharp rocky spur 100+67.36

① 28° 36' 45
④ 114° 27' 30
⑧ 228° 54' 45 ✓
28° 36' 50"

Base Line

201.16	@	7°29'	= 199.45
264.03	@	1°32'	= 263.94
242.46	@	20°47'	= 226.68
72.10	@	8°33'	= 71.30
	@	T. 64°	= 73.12

℄ 1399.20

℄ 28° 36' 50"

930.77 Calc

91+66.54

56.13

U.S.G.S. TOWNSEND FB 512-197 (See pg 15)

RL# 14W Set 1x2

32.15

64.68

30.13

64.69 Lev @ T. 64° = 64.68

91+13.91 N2+W Rock Md See B. 15 C.S. Main.

91+34.39 RL# 13W Set 1x2 top ridge

17.36

20.48

74.60

74°39'00"

119°48'

① 35° 56' 15"
④ 143° 45' 15" ✓
⑧ 287° 30' 45"
35° 56' 20"

① 119° 48' 15" ✓
② 239° 36' 15"
119° 48' 10"

Set 1x2 Top ridge

161.27 Base

64° 33' 10"

49+77.67 RL# 12W - 1x2 FB 512-193

Transit line per FB 512-193

¼ Cor See FB 512-193

78.70 @ 10° 34'
@ T. 64° = 77.36

① 64° 33' 15" ✓
④ 258° 12' 45"
⑧ 156° 25' 45"
64° 33' 13"

Cont. from F.B. 512-193

F.B. 736 P. 28

W.S. 17, E 3

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

COUNTY SURVEYOR R17W SEC. 32 | 33 SEC. COR. T5N T6N

T 5 & 6 N R 17 W

SEC. COR. Set 2" I.P. & B.C. in conc. at Record dist from W.C. N2 and on line with Standard Cor. to South 35.36 FB 512-197 5-22-40

Sec. Cor. Set 1x2 at 21/20 W of Mo of Rocks top ridge FB 512 Pg. 29 & 1, and on Line with N2 and S.C. Per Pg 197 F.B. 512 105+13.76

72.26

12.11

12.29½

Set 1x2

5.29

Sec 6

Sec. 5

105+70.25 (RL # 19 W Set 1x2 E. Side

105+13.76

78.25

93.67 @ 33°20' @ T. 64° = 78.25

104+92.00 (RL # 18 W Set 1x2

184.61

212.03 @ 29°27' @ T. 62° = 184.61

103+07.39 (RL # 17 W Set 1x2 on steep N. Slope

190.52

231.02 @ 34°26' @ T. 68° = 190.52

191+16.87 (RL # 16 W Set 1x2

49.51

57.36 @ 30°18' @ T. 68° = 49.51

100+67.36 (RL # 15 W Set 1x2

1399.20 Calc.

W.C.

C.C. Set 2" I.P. & B.C. in conc. at record (26 & 1) from Standard Cor. to South 32.33 S- 12-40

COUNTY SURVEYOR R17W SEC. COR. T5N 5 | 6 C.C.

Cont from pg. 27

Notes Ck'd by KRM
Map No. B-1606
Office Work
Checked
Date

Survey of T. 6N R. 17W
W. O. 4999 Tape No. 1 St'd 84 °F
Surveyed by EC HOWARD
Notes FCH Date 5-17-40
Indexed A. C. Johnson

F.B. 736 Pg. 29

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this time.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W. S. 17, 4-3

FORM 247 5M 10-39



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 736 PG. 30

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. Str'd. °F
Surveyed by
Notes
Indexed Date

F.B. 736 PG. 37

F.B. 736 PG. 32

U.S. 17, E-3

To STD. COR Sec 35-36 T6N; R17W Per F.B. 512-197

254.91 @ 39° 55' 30" @ T. 78° = 195.48
253.76 @ 39° 36' 40" @ T. 78° = 195.48

Set 1x2

C.C. 1/4 Cor. Set 2" I.P. & B.C. in conc. by prop. May. 21-1940

8.89

23.10

COUNTY SURVEYOR T 6 N C.C. SEC. 5 MLI & RE 2177 TACOR T. 5N

COUNTY SURVEYOR T 6 N SEC. 33 S.C. 1/4 COR T 5N MLI & RE 2177

See Pg 34

195.48

STD. 1/4 COR. Set 2" I.P. & B.C. in conc. by prop. This cor falls in south edge of deep ravine course East and near foot of bluff sloping South. May. 21-1940

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC 33 T6N R17W

Set 1x2 top spur - SE slope

SEC 4 T5N R17W

① 39° 38' 50"
④ 158° 35' 10"
⑧ 317° 10' 20"
39° 38' 47½

39° 38' 50"

1015.62 C&G 1243.08

73° 12' 05"

Set 1x2

67° 09' 05"

232.52 @ 5° 29' = 231.46
233.57 @ 3° 49' = 233.05
220.50 @ 15° 34' = 212.41
676.92
@ T. 82° = 676.91 = Base

Base

① 73° 12' 00"
④ 292° 48' 00"
⑧ 25° 36' 10"
73° 12' 01¼

676.91

Set 1x2 on E. Edge of firebreak

63.90 @ 6° 37' @ T. 86° = 63.47

63.47

① 67° 09' 00"
④ 268° 36' 20"
⑧ 177° 12' 40"
67° 09' 05"

W.C. ∘ Δ N 2
A C.S. Map per F.B. 736-15-27

To Sec Cor See pg. 27 & 28

Notes Ck'd by KRM	Survey of T6N R17W
Map No. B-1606	W. of 4999 Tape No. St'd 84°F
Office Work	Surveyed by F.C. Howard
Checked	Notes F.C.H. Date 5-25-40
Date	Indexed C. Johnson

F.B. 736 PG. 33

N

Cont. to pg. 37

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W. S. 17, 6-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Cor. to Sec Cor. see next pg

0.23½

To 1x2 on Transit Line set for angle only. See next pg.

Set 2x2

5+89.24 Set 1x2

98°25' 25" Adj

① 96° 53' 00
④ 27° 32' 10
⑧ 55° 04' 30
96° 53' 03¾

① 98° 25' 30
④ 39° 41' 50
⑧ 67° 23' 40
98° 25' 27½

① 48° 10' 50
④ 192° 43' 20 V
⑧ 25° 26' 50
48° 10' 51¼

48° 10' 50 Adj

10° 00' 10" Calc

5137.74 Calc

01

Calc 20

38° 48' 75

88° 48' 30

43° 00' 50 Adj

2384+71.26 from E

0+52.20 Set 1x2

54.69

54.69

5611.98 Basis

2384+71.75 PL 26 W

2384+69 512-217

1x2

Practically identical to 1x2

① 43° 00' 50
④ 172° 03' 20+
⑧ 344° 07' 00"
43° 00' 52½

52.20

52.20

① 88° 48' 20
④ 355° 13' 30
⑧ 350° 37' 00+
88° 48' 22½+

182+05.08 PL ¾ 24 W

2x2 FB 512-216

SEC. 33

0+00

1/4 SEC. COR
2" I.P. & B.C. in conc
FB 512-Pg 217

SEC. 28

FORM 247 5M 10-39

F.B. 736 PG. 34

SEC. 5-T5N; R17W

Standard 1/4 Sec. Cor. ACS Mon. (Pg 32)

SEC COR ACS Mon. See pg 29

54+69.37

Int Not Set

to N2=WC Per pg 32

2642.28 Calc. base — 0.25

34 33

8109 Calc

6°02'30" Calc

0°05'45" Calc

90° 50' 35" Calc & Adj

① 9°10'10
④ 36°40'50
⑧ 73°21'40
9°10'12½

Set 1x2

Transit Line ER Tie Point

Copper wire set in conc top of S Stone boulder by Int of transit line and true line from North See pg 29

Calc Int Not Set

90°44'50" Calc & Adj

10°49'15" Calc

155.90 Meas

229.86 @ 47°17'30"
@ T.76° = 155.90

Set 1x2 top of bluff.

280.16

① 6°02'30
④ 24°10'10
⑧ 48°26'10
6°02'31½

109.01 @ 21°38'
@ T.76° = 101.32

101.32

Set 1x2

22.94

SEC 33
T6N; R17W

Set 2x2

21
51789.34
Set 1x2

0.23½

Cont. from pg 33

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W, S, 17, C-3

Notes Ck'd by K.R.M
Map No. B-1606
Office Work
Checked
Date

Survey of T. 6N R 17W
W. O. 4999 Tape No. St'd 84°F
Surveyed by
Notes Date 5-24-40
Indexed A. C. Johnson

F.B. [illegible] Pg. 35

Cont. to bottom next pg.

Top at knob

10± 29+04.26
Set 1x2
on side hill

① 29-01-20
④ 116-05-20
⑧ 232-11-00
29-01-22½

Sec 33
T6N R17W

W.S. 17 C-3

① 135°38'50
④ 182°35'10
⑧ 5°10'20
135°38'47½

29°01'30" adj.

28+73.70
Set 2x2 top of sharp spur

78.15

27+95.55
Set 1x2

5.69

27+89.86
¼ COR
Set 2" I.P. & C.
by prop

44°21'10
Calc. adj.

83.35 @ 20°21
④ T 20° = 78.15

① 15°19'40" ① 62°21'20"
④ 61°18'40 ④ 240°25'30"
⑧ 122°37'30 ⑧ 138°51'00
15°19'41¼ 62°21'22½

15°19'40"

4758.44
Calc

2727.88
Calc

COUNTY SURVEY
T7N R17W
1907
27-33

Sec 32

238+71.75
RL*2GN-Fd 1x2
FB 512-217

62°21'25"

47°01'45"

88°57'05" Adj

Per F.B. 512-1-25 70.03

2606.24 Base

36.31

1+45.82
Set 1x2

① 47°01'40"
④ 188°06'50"
⑧ 16°13'50"
47°01'43¾

264+41.78
RL*29N-Fd 1x2
FB 512-218

1+45.82

0-100 S
Sec Cor
A.C.S. Mon
FB 512-218

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

F.B. 736 PG. 36

U.S. 17 C-3

55+79.73
SEC COR
Std. Cor.
Sec. 32-33
T6N R17W
C.S. Mon Br
Pg. 28

Sta Cor.
Sec 35-36
T6N R17W
FB 512-Pg 197

N-2 = W.C.
C.S. Mon
Br. Pg. 27

Base = 1399.20 Per Pg. 28

5 6 33 32

155-53-00 10" Adj

155-53-00
263-32-10
167-04-00
155-53-00

115-08-30
100-34-00
201-05-00
115-08-30

Cliff
49+94.00
Set 1X2
Top of bank
(1x2 leans)
north
49+48.24
Set 1X2
on side hill

Motorway
Top of
Top of bank
Level
49+04.26
1X2 See
Prec. pg.

46.39 @ 9°28' @ T80° = 45.76

115-06-30
40 Adj

Cont from prec. pg.

Sec Cor
See prec.
Pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M.
Map No. B-1606
Office Work
Checked
Date

Survey of T.6N R17W
W. Of 4999 Topo No. 1 St'd 88 °F
Surveyed by F.C. Howard
Notes SCN Date 5-20-40
Indexed C. Johnson

F.B. 736 Pg. 37

Sec 27

Sec 22

Motorway to castaic Cn.

FB 652-218

SEC COR.
Set 2" I.P. B.C. in conc. on dye
East bearing and Record 15.00 Cns
from W.C. See FB 736-17 & FB 652-218.
This Mon. falls in road and is set
12" below surface.

COUNTY SURVEYOR
2/1/22
28 27
SEC COR
RE-SET

Set 1x2
Edge road

3.61

21 22 28 27

206.75

Transit line from So
See Pg. 38-39

208.79 @ 8°00'
@ T. 74° = 206.75

Set 1x2
Top bank

258.54 @ 10°59' = 253.80
300.52 @ 33°48' = 249.73
503.53
@ T. 74° = 503.50

503.50

East 990.00

Set 1x2

Level = 3.82
298.40 @ 20°28' = 279.56
283.38
@ T. 74° = 283.36

283.36

105°15'00
61°00'20
122°00'40"
105°15'05"

S 15°15'05" W
To 11565
Townsend
Pg 17 #27

W.C.
A.C.S. Mon
Per FB 736-17

Sec 21
T.6N R17W

Sec 28

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change
Do not extend notes this side of this line.

W.S. 17, C-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39


F.B. 736 Pg. 38
Cont'd to bot. pg. 39 & 40
Set 1x2
27+53.54
74.79
26+78.75
15.685
¼ Corner
By Proportion
W.S. 17 C-3
299.52 @ 3°50' @ T. 100° = 298.86
24+54.68
Set 1x2
252.35 @ 1°39' = 252.25
Level = 148.87
Level = 199.99
217.45 @ 3°10' = 217.12
818.23
@ T. 100° = 818.32
1117.18
818.32
14°24'55"
COUNTY SURVEYOR
T. 6N
R. 17W
SEC. 28
SEC. 27
¼ COR
RE 2177
① 14°25' 00
④ 57°39' 50
⑧ 115°19' 30
14°24' 56¼
SEC 28
T6N
R17W
16+36.36
Set 1x2
2678.80 Calc.
SEC 27
① 59°47' 50
④ 239°11' 40
⑧ 118°23' 10
59°47' 53¾
① 29°57' 20
④ 119°57' 40
⑧ 239°55' 20
29°59' 25
59°47'55" Adj
29°59'25" Adj
1594.96
True line from south produced
Base
31°11'35" Adj
266.52
Transit line RB. 512-2177
Int. 1x2 Per R.B. 512-217
211+55.54 From E
0+41.40 to north.
0+00 to North
SEC Cor
See pg 29
41.40
69.29
① 31°11' 30
④ 124°46' 00
⑧ 249°32' 10
31°11' 31¼
To USGS
Townsend
True line per pg. 29
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M.
Map No. B-1606
Office Work
Checked
Date

Survey of T 6N R 17W
W. O. 4999 Tape No. 1 St'd 84°F
Surveyed by F.C. HOWARD
Notes F.C.H. Date 6-11-40
Indexed A. C. Johnson

F.B. 941 Pg. 49

① 89°29'20
④ 357°57'10
⑧ 355°54'10
89°29'16¼

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W.S. 17, C-3

W.C. 4 E. MON 6174 37

① 75°04'30"
④ 300°17'50" ✓
⑧ 240°35'30" ✓
75°04'26¼

89°29'20"

Set 1x2 by Int.

31.37

SEC COR See Pg 37

Transit Line F.B. 652-218

Int. not set impractical

91°23'40" Calc.

75°04'25" ✓

74°12'25" ✓ Calc

① 74°12'30
④ 296°49'50" ✓
⑧ 238°39'40

See Next Page for Chaining

SEC 28

46+07.03 ✓
Set 1x2 top divide

1.86

USGS B.M. 3" I.P. & C. Elev 2807'

1.67

1853.49 ✓

194.17 @ 4°15' = 193.64 ✓
300.12 @ 5°59' = 298.49 ✓
Level = 54.00
55.86 @ 10°45' = 54.88 ✓
300.00 @ 1°35' = 299.89 ✓
211.44 @ 3°34' = 211.03 ✓
244.20 @ 3°09' = 243.83 ✓
Level 210.00
128.13 @ 1°10' = 128.10 ✓
159.88 @ 4°15' = 159.44 ✓
1853.30 ✓
@T. 100± 1853.49 ✓

14°24'55"

27+53.54 ✓
Set 1x2 Top Pg. 38

1117.18 ✓

21°54'10"

SEC 27 T6N-R17W

① 21°54'10
④ 87°36'40" ✓
⑧ 175°13'20

To USGS Townsend

Set 1x2 - Pg. 38
16+36.36 ✓

Cont from Pg 38

FORM 247 5M 10-59

F.B. 736 PG. 40



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed A. C. Johnson 8-15-40

F.B. 734 Pg. 41

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS.

FORM 247 5M 10-39

ANGELES FOREST BOUNDARY

DIVISION R

J. N. 7 0 7 9

RECHAINAGE OF TOWNSHIP LINE
BET. T 7 & T 8 N R 17 W

ORIG. CHAINING IN F.B. 652-73
AND
ADDITIONAL SECTION LINES
T 7 & 8 N R 18 W
T 8 N R 17 W
SEE F.B. 652 Pg 1 & 2
FOR INDEX

F.B. 736 PG. 42

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Notes Ck'd by KAM
Map No. B-1798
Office Work KM-Brown
Checked McNamara
Date Dec. 1947

Survey of Aztec Div R
W. O. 7979 Tape No. 1 St'd 84 F
Surveyed by F.C. HOWARD
Notes F.C.H. Date 6-20-40
Indexed C. Johnson

F.B. 736 PG. 43

Cont on Bot Pg 44

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled in Red With Date and Name of Person Making Change

Do not extend notes this side of this line.

W.S. 17, C-2

FORM 247 SM 10-39



F.B. 736 Pg. 44

Cont on bot Pg 45

SEC 5 T. 1N R17W

25+43.60
Fd 1x2
FB 652-Pg 74

63.16 @ 10°52' @ T.92 = 62.03

62.03

24+81.57
Fd 1x2
FB 652 Pg 73 & 74

SEC 32 T 2N R17W

Level = 8.81

300.26 @	6°48'	= 298.15
123.06 @	11°52'	= 118.94
292.90 @	N°50'	= 286.68
79.03 @	6°12'	= 78.57
300.38 @	9°25'	= 296.83
153.09 @	21°38'	= 139.16
75.87 @	23°50'	= 69.40
92.24 @	19°48'	= 86.79
		1382.83

1382.90

@ T. 92° = 1382.90

10+98.67
Fd 1x2

This point used for making tie to Fire tower FB Pg

80.43 @ Level 10°35' = 79.06
33.79

76.91 @	7°54'	= 76.18
300.37 @	8°45'	= 296.87
297.69 @	21°48'	= 276.40
177.50 @	21°44'	= 164.88
94.27 @	15°28'	= 90.86

1018.04

@ T. 84° = 1018.04

0+80.63
Fd 1x2

Cont from Top Pg 43

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM.	Survey of ANFD Div 2
Map No. B-1708	W. O. 7079 Tape No. 214 Std. 84°F
Office Work MRM-Brown	Surveyed by F.C. HOWARD
Checked McPherson	Notes FC 11 Date 6-20-40 6-21-40
Date Dec. 1947	Indexed A. C. Johnson

F.B. 136 PG. 45

Cont on bot PG. 46

W. S. 17, B-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

Sec 5 T7N R17W

Sec 32 T8N R17W

① 90°21'40
④ 1°27'00
⑧ 2°54'00
90°21'45

53+24.57 W
Fd 2x2 nail
FB652-69+74

61.29

(Fd nail FB 652-74)

31.09

96.54

SEC COR FB652-69

0.58

4.20

Fd 1x2 FB652-74

57.95 @ 29°03 @ T. 88° = 50.66

50.66

52+73.91
Fd 7x2
FB652-74

Old Bridge

To 1/4 Cor FB652

43+17.15

Level = 13.08
293.48 @ 4°29' = 292.58
300.21 @ 19°06' = 283.68
119.82 @ 14°04' = 116.23
231.69 @ 1°33' = 231.61
249.24 @ 18°28' = 236.41

21°53 30 Adj

Level = 4.00
299.66 @ 4°15' = 298.84
108.69 @ 28°56' = 95.12
68.95 @ 17°52' = 65.62
300.89 @ 22°58' = 277.04
62.87 @ 23°48' = 57.81
75.49 @ 22°22' = 69.81
275.41 @ 12°38' = 268.74
295.71 @ 21°16' = 275.57
2586.14
@ T. 87° = 2586.19
Less 0.26
2585.93

2585.93

FOR 1/4 COR SEE FB 652 PG 74

① 21°53'30
④ 87°34'10
⑧ 175°08'20
21°53'32½

26+87.98
Fd 1x2
FB 652-74

124.38

150.09 @ 15°52' @ T. 92° = 144.38

Fd 1x2

Cont from top PG. 44

F.B. 736 Pg. 46 — Cont on bot Pg 47

Old Road

Sec 6 T2N R11W

5'

145'

82+30.24
Set 1x2 in bot of Canyon.

Lizard Gulch

613.33

237.62 @ 4° 26' = 236.91
266.18 @ 26° 31' = 238.18
78.25 @ 22° 56' = 72.07
68.68 @ 15° 41' = 66.11
613.27
@ T. 98° = 613.33

Set 1x2 top spur
76+16.91

Sec 31 T3N R11W

~~138.99 @ 2° 28' = 138.86~~
300.99 @ 6° 23' = 299.12
192.54 @ 3° 51' = 191.54
267.91 @ 3° 25' = 267.43
200.92 @ 4° 25' = 200.37
Level = 168.29
177.45 @ 32° 54' = 148.99
211.82 @ 20° 32' = 198.36

72.29 @ 19° 41' = 68.07
214.48 @ 9° 37' = 211.47
88.79 @ 11° 29' = 87.01
73.73 @ 24° 59' = 66.83
273.23 @ 25° 48' = 245.99
2292.28
@ T. 88° = 2292.34

2292.34

53+24.57
Fd 2x2 lot

6-25-80

Cont from top Pg 45

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM	Survey of ANFB DIV R
Map No. B-1748	W. O. 7272 Tape No. 14 St'd 66 F
Office Work KRM-Drawn	Surveyed by F.C. HOWARD
Checked McPherson	Notes FCH Date 6-25-40
Date Dec. 1947	Indexed A. C. Johnson

F.B. 134 PG. 47

Cont to FB 658 PG. 66

~~1051+32.90~~
Fd 1x2
FB 652 - PG 67

13.98

1051+32.90
INT. Fd 1x2
FB 652 - PG 66-67

To 1/4 Cor
FB 652-66-67

(827.95)

Twp Cor
FB 652-67

300.66 @ 8°27' = 297.40
Level = 45.04
67.22
409.66
@ T. 100° = 409.70

409.70

101+23.20
Fd 2x2 lot
FB 652 - PG 66 & 145

See Pg 145 for line from South

Calc from FB 652-66 8°34' Adj

480.13

91° 47' Adj FB 652-67

260.13 @ 19°04' = 245.86
244.03 @ 16°17' = 234.24
480.10
Set 1x2 top @ T.94° = 480.13
Spur
96+43.07

221.74 @ 7°41' @ T.94° = 239.59

239.59

94+03.48
Set 1x2 top
Spur

SEC 6
T.7N. R.18W.

SEC 31
T.8N R.18W.

54.61 @ 15°45' = 52.56
Level = 10.00
300.00 @ 23°08' = 275.88
273.43 @ 20°32' = 256.06
245.21 @ 23°21' = 225.13

15.

Level = 207.43
147.57 @ 8°05' = 146.10
1173.16
@ T.94° = 1173.24

1173.24

82+30.24
Set 1x2 bottom
Canyon.

Cont from top PG 46

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

W.S. 17, B-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 736 PG. 48

Notes Ck'd by K.R.M.	Survey of ANFB Div. K
Map No. B-1708	W. O. 7079 Tape No. 14 St'd 24°F
Office Work K.R.M.-Drawn	Surveyed by F.C. Howiarl
Checked McPherson	Notes F.C.H. Date 7-25-40
Date Dec. 1947	Indexed A. C. Johnson

F.B. 736 PG. 49

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W.S. 17, 8-2

Sec. 35 T4N R18W

57+91.04 from N.
RL # 145 = lot
Fd 1x2 FB652-160
211+95.85 from East

57+80.72
RL # 135.
Fd 1x2-FB652
PG 160

55+60.61
RL # 125
Fd 1x2 on line
FB 652-160

52+29.27
RL # 115
Fd 1x2 FB652
PG 160

34+23.54
RL # 105
Fd 1x2 FB 652
PG 159

Sec. Cor Set 4" I.P. x B.C. in conc
By proportion
7-23-41

25.96 @ 27°56' = 22.94
@ T.92° = 22.94

212+18.79
Fd 1x2
FB 652-160

63.21 @ 34°27' = 37.54
@ T.92° = 37.54

212+71.38
4.95
212+76.33
Fd 1x2
FB 652-160

Cont. to 64+98.58

10.32

220.11

224.92 @ 11°53' = 246.76
@ T.92° = 220.11

89°59'55" O.K.

248.65 @ 7°04' = 246.76
85.05 @ 6°10' = 84.56
331.32
@ T.92° = 331.34

331.34

15°41'40"

125.97 @ 3°31' = 125.73
236.68 @ 6°45' = 235.04
Level = 299.77
300.36 @ 12°41' = 293.03
57.24 @ 20°39' = 55.66
127.53 @ 10°42' = 125.31
Level = 76.33
85.00 @ 1°35' = 84.97
136.08 @ 3°44' = 136.79
Level = 33.43
280.85 @ 19°48' = 264.25
81.50 @ 15°47' = 78.43
1805.64
@ T.92° = 1805.73

1805.73

Sec. 34

COUNTY SURVEYOR
R.21.7
Sec. Cor
T.1.N.
3 2
34 35
T.2.N.
R.18.W.

FORM 247 5M 10-39

F.B. 736 PG. 50

SEC 34
T8N R18W

SEC 3
T7N R18W

① 74° 19' 00
④ 297° 15' 50
⑧ 234° 31' 40 ✓
74° 18' 57½

218 + 60.64 ✓
Fd 1×2
FB 652-60

154.86 @ 1° 43' = 154.79 ✓
4.74
159.53 ✓
@ T. 92° = 159.54 ✓

159.54

To RL 105 ✓
FB 652-159

Adj 0
74° 19' 0"

217 + 01.10 ✓
Fd 1×2 FB 652
PG 60

132.68 @ 6° 58 @ T. 92° = 131.71 ✓

131.71

215 + 69.39 ✓
Fd 1×2 - FB 652
Pg 60

① 46° 35' 30 ✓
④ 186° 22' 00
⑧ 12° 44' 00 +

154.76 @ 13° 05' @ T. 92° = 150.75 ✓

① 64° 31' 30
④ 258° 06' 20 ✓
⑧ 156° 12' 40

64° 31' 33.84" Adj

150.75

46° 35' 32.24" Adj

To USGS BRASS CAP

214 + 18.64 ✓
Fd nail in pine
Stamp

To RL 12 Pg 144
To FB 652

50.27 @ 14° 25' @ T. 94° = 48.69 ✓

48.69

213 + 69.95 ✓
Fd 1×2
FB 652-60

97.52 @ 16° 17' @ T. 94° = 93.62 ✓

93.62

212 + 76.33 ✓
Fd 1×2
FB 652-60

Cont from Top Right Pg 49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Checked in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M.	Survey of ANFB DIV R	F.B. 736	PG. 51
Map No. B-1709	W. O. 7079	Tape No. 68	St'd 84 °F
Office Work KRM-Damm	Surveyed by F.C. HOWARD		
Checked McPherson	Notes F.C.H. Date 7-30-40		
Date Dec 1947	Indexed A. C. Johnson		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

① 48°49'40
④ 195°18'30
⑧ 30°37'10

243+61.52
Set 1x2 on steep S. Slope

① 42°32'20
④ 170°09'10
⑧ 340°18'20

79.69 @ 24°54' = 72.28
280.23 @ 32°03' = 237.52
@ T.86° = 309.80
309.80

240+51.72
C.P. at
Set 1x2

48°49'40
42°32'15

To RL Pg. 152

To RL Pg. 152

Set 1x2 on line

3165.67

To Int Pg. 49

F.B. 736 Pg. 52

W.S. 17, B-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

267+20.61
Set 1x2 on W. Slope

173.57 @ 15°43 @ T.88°
= 167.08

℄ Sec Line B 93

266+27.68

198.38

SEC. COR. Set 2" I.P. B.C. in cone by proportion

(78.20 B 93)

265+53.53
Set 1x2 on W. Slope

74.15

82.05 @ 10°36' @ T.88°
= 80.65

COUNTY SURVEYOR
COR. 33 | 34
4 | 3
R18W T7N
SEC. COR.
AS 2177

Triangulation See pg 65

264+72.88
Fd 2x2 top of divide. FB652 Pg 58

① 34° 26' 50 ① 32° 23' 30
④ 137° 47' 10 ④ 129° 34' 30"
⑧ 275° 34' 30 ⑧ 259° 09' 10

To RL #IRN FB652-144

34° 26' 49" Adj

32° 23' 39" Adj

To RL #7-S FB652-157

To USGS BEACON #01

To RL #8-S FB652-158

55° 53' 23"

28° 49' 53" Adj

① 55° 53' 20"
④ 223° 33' 30
⑧ 87° 07' 00
55° 53' 22½

① 28° 49' 50
④ 115° 19' 30"
⑧ 230° 39' 00
28° 49' 52½

To Int Pg 49
S27.03 Grid

Notes Ck'd by K.A.M.	Survey of A.C.F.C.D.
Map No. B-1708	W. O. 7079 Tape No. 68 St'd 84°F
Office Work Dem-Dunn	Surveyed by F.C. HOWARD
Checked M.S. Hinman	Notes F.C.H. Date 7-26-40
Date Dec 1947	Indexed A. C. Johnson

F.B. 736 PG. 53

286+87.73
Set 1x2 top spur
sloping N.

SEC 4
T. 7N R18W

635.15

Level = 48.91
160.58 @ 7° 59' = 159.02
210.89 @ 11° 54' = 206.36
243.52 @ 24° 55' = 220.85
635.14
@ T. 86° = 635.15

SEC 33
T. 8N R18W

280+52.58
Set 1x2 on W.
edge of spur
N+S

1203.23

89.84 @ 1° 31' = 89.81
207.45 @ 15° 09' = 200.24
157.32 @ 13° 42' = 152.82
281.15 @ 19° 12' = 265.51
Level = 269.75
228.20 @ 9° 32' = 225.05
1203.20
@ T. 88° = 1203.23

268+49.35
Set 1x2 on W.
Slope

131.30 @ 11° 20'
@ T. 86° = 128.74

128.74

267+20.61
Set 1x2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

F.B. 736 PG. 54

W.S. 17, B-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

294+20.79
Fd 1x2 top of ridge
near West side
FB 652 Pg 58
for angles here

To W1/4 Cor
FB 652 Pg 58

1/4 Cor
Set 2" I.P. & B.C.
by proportion in conc

COUNTY SURVEYOR
RIVERSIDE
SEC. 33
T.7N.
R.2W.
1/4 COR
REC 2/77

1149.7

Set 1x2

293+05.82

93.52

733.06

Level = 12778
300.66 @ 1°40' = 300.53
189.50 @ 6°16' = 188.37
119.21 @ 12°32' = 116.37
733.05
@ 7.86° = 733.06

286+87.73
Set 1x2
Top Pg 53

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd. °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F.B. 736 PG. 55

ANGELES FOREST BOUNDARY

DIVISION R

J. N. 7079

FROM COR. $\frac{33|34}{5|4}$ T 7 & 8 N R 18 W

TO COR. $\frac{36|31}{1|6}$ T 8 N R 18 W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 736 PG. 56

Notes Ck'd by KRM.	Survey of RFFD Div R
Map No. B-1708	W. O. 7072 Tape No. 65 St. 84°F
Office Work KRM-Brown	Surveyed by FC HOWARD
Checked McPherson	Notes FC.H Date 12-18-40
Date Dec. 1947	Indexed A.C. Johnson

F.B. 736 PG. 57

F.C. Howard
B.D. Scott
C.C. Halpden
H.I. Baker
R.W. Scott
(Rain & Fog)

Cont on bot Pg. 58

19+65.51
RL#4N
Set 1x2 top of high spur East slope

Sec. 33
T2N R18W

96.61 @ 16°30' = 99.63
279.50 @ 1°06' = 279.45
372.08
@T. 44° 371.98

371.98

15+93.53
RL#3N
Set 1x2 top high spur East slope

60.06 @ 26°36' = 53.70
300.84 @ 26°18' = 269.70
300.23 @ 4°50' = 299.16
622.56
@ T. 50° = 622.42

622.42

9+71.11
RL#2N
Set 1x2 top of low spur S 22° E.

191.45 @ 6°09' = 190.35
129.67 @ 13°48' = 125.93
300.69 @ 4°05' = 299.93
616.21
@ T 52° = 616.08

Mag N 1° E
616.08

3+55.03
RL#1N
Set 1x2 on point of low spur SW slope

88° 21' 03"
2055.4 Adj.

47.11 @ 19°27' = 44.42
300.18 @ 4°18' = 299.34
343.76
@ T. 50° = 343.68

① 93°53'20"
② 15°33'20" 93°53'25"
③ 31°06'40"
93°53'20" 0+11.35N = 319+83.64W
Set 2"x2"-12" under by Tot

343.68

2+64
Toe of slope and edge of Valley

342+90.27
N.C.
FB 652-58

342+60.65

100.48

True Line Prod

Set 2x2 on true line prod from East

Ewi Transit Line
FB 652-58

11.35

32 33 5 4

0+00N
SEC COR
C.S. Mon per FB 652-58
FB 65 Pg. 33

① 88°21'00"
② 353°24'10"
③ 346°48'30"
88°21'03¾"

see pg. 141

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W.S. 17, A-2
Sec 32

FORM 247 5M 10-39

F.B. 736 PG. 58 Cont on bot Pg 59

50+70.21
RL #8N
Set 1x2 top spur
E&W

Level = 10.91
54 130.35 @ 30°20' = 112.51
54 159.05 @ 32°11' = 134.61
Level = 297.19
56 145.68 @ 34°51' = 118.55
84.10 @ 31°34' = 71.65
746.42
@ T 52 = 746.26

746.26

43+23.95
RL # 7N
Set 1x2 top sharp
Spur E&W

258.37 @ 27°46 = 228.62
254.40 @ 6°51 = 252.58
481.20
@ T 48° = 481.08

481.08

W.C.
Set 2" I.P with
cut spike in conc

38+42.87
RL # 6N
Set 1x2 top spur
S 25° E

SEC 32
T 8N R 18W

90.59

32+59.61
15.00

32+44
Toe of slope
Edge of Valley

950.93

56 113.34 @ 14°47' = 109.59
56 143.29 @ 20°43' = 134.03
54 281.38 @ 16°48' = 269.37
178.58 @ 11°12' = 175.18
262.98 @ 0°34' = 262.97
951.14
@ T 50 = 950.93

420.00

352

28+91.94
RL # 5N
Set 1x2 in Valley

Fence Line

250

52.33
28+39.61

28+18

Wash

27+35

1/4 Cor.
Set 2" I.P & B.C. in
conc by proportion

130.

COUNTY SURVEYOR
T. 8N
R 18W
SEC 32 | SEC 33
1/4 COR
RE 2177

500.00

926.43

W.C.
Set 2" I.P with
cut spike in
conc

23+39.62

Level = 237.90
Level = 193.92

299.78 @ 21°48' = 278.34
93.59 @ 30°54' = 80.31
152.75 @ 26°55' = 136.20
926.67
@ T 44° = 926.83

10.77

19+65.51
RL # 4N
Set 1x2

Cont from top Pg. 57

C.S. 17, B-1

SEC 33

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No. B-1708
Office Work KRM-Brown
Checked McPherson
Date Dec. 1947

Survey of ANAHEIM
W. O. 76 Tape No. 65 St'd 84 °F
Surveyed by EC HOWARD
Notes F.C.H Date 12-19-40
Indexed A. C. Johnson

F.B. 736 Pg. 59

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

W.S. 17, B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Transit Line
Prod

SEC COR
Fd 2½" I.P. & BC in Conc.
FB 651 - Pg 31
FB 652 - Pg 8
FB 303 - Pg 107

① 89°07'20"
④ 356°29'40"
⑧ 358°59'10"
89°07'23¾

89°07'
35.40

0+26.18E =
56+88.60N.
Int. Set 1x2

E & W. Transit Line
FB 652-8

29 28
32 33

26.18
26.18
0.27
0.13
37.90
56+88.47
Fd 1x2
FB 652-8

30 @ 28°00' @ T.48° = 27.17

27.17

56+61.43
RL#10N
Set 1x2 on N Slope

129.71 @ 13°32' @ T.48° = 126.08

126.08

55+35.85
RL#7N
Set 1x2 top spike
E & W

210.14 @ 10°35' = 206.57
209.82 @ 25°21½ = 189.60
75.19 @ 23°16 = 69.08
465.25
@ T.48° = 465.14

465.14

50+70.21
RL#8N
Set 1x2

Cont from top Pg. 58

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 736 Pg. 60

Notes Ck'd by K.R.M.	Survey of ANFB DIV R
Map No.	W. O. 7078 Tape No. 65 St'd 84 F
Office Work	Surveyed by F.C. HOWARD
Checked	Notes F.C.H. Date 12-27-40
Date	A. C. Johnson
	Indexed

F.B. 736 PG. 61

① 44°38'50
④ 178°35'30 ✓
⑧ 357°11'00
44°38'52½ ✓

① 45°09'50"
④ 180°39'00 ✓
⑧ 1°18'10
45°09'46¼

① 89°48'40"
④ 359°14'40 ✓
⑧ 358°29'10
89°48'38¾

20 21 21 22
29 28 28 27

44°38'50" ✓
89°48'40" ✓
45°09'50" ✓
89°48'50"
45°32'20"
91°34'45"
46°02'25"
FB 652-12

SEC. 28
T 8N R 18W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 736 PG. 62

Notes Ck'd by K.R.M.	Survey of A.N.F.B. Div. R
Map No. B-1708	W. 0707 Tape No. 65 St'd 84 °F
Office Work M.M.-Brown	Surveyed by F.C. HOWARD
Checked McPherson	Notes F.C.H. Date 12-27-40
Date Dec. 1947	Indexed A. C. Johnson

F.B. 736 PG. 63

① 27° 59' 20"
④ 111° 57' 20
⑧ 223° 54' 40
27° 59' 20" ✓

50+45.96
Set 2"x2" M. Edge of spur

① 45° 08' 10"
④ 180° 32' 30" ✓
⑧ 1° 05' 00
45° 08' 07½" ✓

45° 08' 10" ✓

To 2x2 at 2+88.20 E

27° 59' 20" Adj

To 1x2 at 26+94.38 E

26+94.05
Fd 2" I.P. in conc. with cut spike set in conc. plug on line

5045.96 ✓ to c. from NE

SEC 27 T 8N R 18W

W.S. 17, B-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

40.06 @ 14° 52'
@ Cor 38.71 ✓

38.71 ✓

SEC 28 T 8N R 18W

26+55.34
Set 1x2 top spur

To 2x2 at 2+88.20

① 45° 19' 40
④ 181° 18' 50
⑧ 2° 38' 00
45° 19' 45" ✓

62° 25' 40" ✓

① 62° 25' 40"
④ 249° 42' 30" ✓
⑧ 39° 25' 00"
62° 25' 37½" ✓

Cold 7° 16+35

45° 19' 45" Adj ✓

To 1x2 at 26+94.38 E

2655.34 ✓

4°

11+80

.04 O.K.

.87 .98

0+00 South
SEC. COR
C.S. Moo. FB 652
Pg.

27 28
22 21

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39


F.B. 736 Pg. 64
N
SEC. 34 T.8N R.18W
Cont to bet. pg 65
65.54
1/4 SEC. COR.
Set 2" I.P. & B.C. in conc
by Prop. 5-6-'43
80+96.58
SEC 33
W. S. 17, B-1
Calc
Calc
5851.28
53+93.09
1st. Set 1x2
Pg.
See Pg 89
4.66
53+88.43
1st per FB 652
Pg. 1N
SEC COR
FB. 652 Pg 115
O.K.
To 1x2 at 294+20.79
FB 652-58. FB 736-54
131.61 @ 26°47
@ T. 42° = 117.46
117.46
252.08
52+75.63
1x2
138.24 @ 27°32' = 122.58
Level 12.08
134.66
@ T. 42° = 134.62
134.62
51+41.01
Fd 2" I.P. B.C. set
for W.C. per FB 65
Pg. 32 FB 652-11
① 153°21'10"
④ 253°24'20"
⑧ 146°48'40"
153°21'05"
153°21'05"
① 44°35'50"
④ 178°23'40"
⑧ 356°47'20"
44°35'55"
95.17 @ 2°49'
@ T. 60° = 95.05
95.05
51+41.01 calc
to Sec. Cor.
To 2x2 at 2+18.20
Set 2x2 on
N Edge spur
44°36'00"
Adj
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM.	Survey of ANFB DIV R
Map No. B-1788	W. O. 7079 Tape No. 65 St. 84°F
Office Work KM Brown	Surveyed by F.C. HOWARD
Checked MS Watson	Notes F.C.H. Date 12-27-46
Date Dec. 1947	Indexed A. C. Johnson

F.B. 736 Pg. 65

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-59

W.S. 17 B-2

E & W Traverse Line
F.B. 652 - Pg. 52
F.B. 736 - Pg. 52

22.44

Set 2x2 by lot
109+92.29 from North

Sec Cor
Sec Pg. 52

N

SEC. 35

① 90°26'00"
④ 1°44'00"
⑧ 3°28'00"

264.72.88
1x2 FB 652-58
F.B. 736-52

00°06'00" 10" Adj.

SEC. 34
T. 8N R. 18W.

From W.C. S85°51'28"E
2119.72
Calc

To 1x2 at 294+20.79
FB 652-58
FB 736-54

① 125°38'40"
④ 142°34'20"
⑧ 285°08'50"

125°38'36¼"

88+72.57
Set 2x2 top spur
West Slope

① 55°34'20"
④ 222°17'00"
⑧ 84°33'50"
55°34'13¾"

125°38'
Calc

To 1x2 at 0+44.08
FB 652-8

55°34'14"

Cont from Pg 64

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 736 PG. 66

F&W Transit Line
F.B. 652-PG 58
F.B. 736 Pg 52-54

924+20.79
1"x2" SS 652-58

N 43° 55' 30" E
116° 13' 05"

① 116° 13' 10"
② 104° 52' 20"
③ 209° 44' 40"
④ 143° 55' 40"
⑤ 215° 42' 20"
⑥ 71° 24' 30"
143° 55' 33¾"

To 2+2 PG. 65

To 2" I.P. & C. for W.C. PG. 64

Notes Ck'd by KRM	Survey of ALLEN & R
Map No. B-1708	W. O. 7077 Tape No. 65 Std 91 °F
Office Work KRM-Brown	Surveyed by E.C. HOWARD
Checked MG Pierson	Notes Date 7-9-41
Date Dec. 1947	Indexed A. C. Johnson

F.B. 736 Pg. 67

W. S. 17, 13-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

26+64.38
Set 1x2

212.41 @ 0°52' = 212.39
Level = 89.17
" = 98.00
" = 104.44
" = 126.46
" = 143.69
774.15
@ T. 48 = 773.97

773.97

18+90.41
Set 1x2

23.61

18+66.80
Fd 2x2 tack on line

To 1+2 at 26+55.4 Pg.

177.56 @ 8°08' = 175.77
96.56 @ 12°42' = 94.20
269.97
@ T. 48° = 269.91

269.91

16+20.50
Set 1x2 top of spur

27°45'40"

To 2" I.P. a B.C. See Pg.

300.42 @ 3°43' = 299.79
Level = 40.21
300.15 @ 2°19' = 299.90
300.14 @ 1°37' = 300.02
300.29 @ 4°13' = 299.48
93.45 @ 4°05' = 93.21
1332.61
@ T. 48° = 1332.30

13+19

45°32'20" Adj

1332.30

① 27°45'40"
② 111°02'40"
③ 222°05'20"
27°45'40"

2+88.20
Set 2x2-1/2 N. of fence

Level
190.64 @ 1°28' = 97.69
190.58
288.27
@ T. 48° = 288.20

288.20

① 45°35'20"
④ 182°21'30"
⑧ 4°43'00"
45°35'22½

21 28 29 20

0+00 E
Sec. Cor
C.S. Mon. at fence corner
F.B. 652-Pg 6 & 12
F.B. 65 Pg 21

Angles Sec F.B. 652 Pg 12

FORM 247 5M 10-39

F.B. 736 PG. 68

W.S. 17, 8-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this life.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

53+41.52
SEC. COR
C.S. Mon. per FB 65 Pg.

21 22 27 28

298.59 Level @ T. 52° = 298.53

298.53

50+42.89
Set 1x2 W. edge of knoll

SEC 28

Level	=	40.91
300.56 @ 9°53'	=	296.10
300.45 @ 1°17'	=	300.37
300.47 @ 2°12'	=	300.25
300.00 @ 1°41'	=	299.87
Level	=	266.83
Level	=	139.69
Level	=	221.61
Level	=	178.72
Level	=	130.13
199.26 @ 2°11'	=	199.12
Level	=	5.40
		2379.00
@ T. 52° =		2378.51

23
44+06

To 1x2 Pg

39+91

2378.51

21

39+62

12.5

① 44°51'40
④ 179°26'40
⑧ 358°53'20
44°51'40

SEC 21
T8N R18W

175

12°

44°51'40

14°

35+38

62°12'03

Adj

175

81.5

1°

To 2x2 Pg

COUNTY SURVEYOR
SEC 21
SEC 28
T 8 N
R 18 W
1/4 Cor
RE 2177

Not Set F.C.H.

26+69.80
Fd Conc. Mon with cut spike in conc in 2" I.P.

① 62°12'10"
④ 248°48'20
⑧ 137°36'30"
62°12'03¾

6.42

10Z

26+64.38
Set 1x2

Notes Ck'd by KRM.	Survey of ANFB Div R
Map No. B-1798	W. O. 7079 Tape No. 65 St'd 84 °F
Office Work KRM-Brown	Surveyed by F.C. HOWARD
Checked McElhinney	Notes F.C.H. Date 1-3-41
Date Dec. 1947	Indexed C. Johnson

F.B. 736 PG. 69

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-39

W, S, 17, B-1

27+00.19
¼ Cor.
Fd Conc Mon with cut spike set in conc in 2" I.P.
FB 65

27+02.96
Set 1x2

2.77
1.84

54.98 Lev. @ T. 52° = 54.97

Replaced with 2" I.P. & BC in conc. Jan. 15-1941

26+47.99
Set 1x2 under fence

52.20
52.27

COUNTY SURVEYOR
T 3 N
SEC. 22
SEC. 27
¼ COR
RE 2177
1918

Sec. 22 T 3 N R 17 W

57.73 @ 3°49'	=	57.60
300.11 @ 3°14'	=	299.63
300.13 @ 3°34'	=	299.55
299.97 @ 2°21'	=	299.72
300.27 @ 3°04'	=	299.84
300.39 @ 2°06'	=	300.19
300.43 @ 3°01'	=	300.01
300.32 @ 2°17'	=	300.08
202.45 @ 2°43'	=	202.22
Level	=	234.80
"	=	54.90
		2648.54
@ T. 52° =		2647.99

3° 22+90
6° 16+92
8° 13+92
3° 10+92
6° 7+92
4° 4+92

2647.99

① 61°20'00
④ 245°20'00
⑧ 130°40'00
61°20'00

(29+08.92 E)
1+2 East Line
to PB

61°40'20"

① 28°34'40
④ 114°19'00
⑧ 228°38'00
28°34'45

Adj. 40
Adj. 40
28°34'

0+00 E
SEC. COR
C.S. Mon at Fence Cor.
FB 652

① 89°54'50
④ 359°39'00
⑧ 359°18'10
89°54'46½

① 89°48'40
④ 359°14'40
⑧ 358°29'10
89°48'38¾

① 179°43'20
④ 358°53'20
⑧ 357°47'00
179°43'22½

179°43'22"

Transit Line
PG 63-64

21
28

89°48'40"


F.B. 736 PG. 70
54+40.74
Set 1x2
34.70 Level @ T. 44° = 34.69
34.69
54+06.05
SEC. COR
Fd C.S. Mon at fence
Corner FB 652-156
23
26
22
27
52+34.36 N =
53+88.15 E
Set 1x2 by
lot
23.90
N. & S. Transit Line
FB. 652 Pg 156
52+39.68 from S.
Fd 1x2 " 13N
FB 652-156
5.32
513.39 ?
1x2" 12N
FB 652-156
300.15 @ 3°21' = 299.64
174.40 @ 3°58 = 173.98
Level = 29.53
503.15
@ T. 44° = 503.02
Adj. 90°
89°39'00"
38.50 (M)
① 89°39'10
④ 358°36'40
⑧ 357°13'20
89°39'10
48+79.13
E 3 E
Set 1x2 top of
bank sloping
West
98
43°11'40"
Fence leaves
line
To 2x2 at 50+45.96
182.11 @ 15°20' = 175.63
50.21 @ 37°07' = 42.99
198.26 @ 37°36 = 157.08
198.35 @ 12°34' = 193.60
209.08 @ 11°38 = 204.79
300.52 @ 5°31' = 299.13
52.88 @ 13°30 = 51.42
203.62 @ 10°52 = 199.97
227.92 @ 3°38' = 227.46
228.40 @ 3°51 = 227.88
290.94 @ 3°00' = 290.54
77.20 @ 4°14' = 76.99
Level = 29.23
2176.71
@ T. 46° = 2176.17
① 43°11'40
④ 172°46'40
⑧ 345°33'20'
43°11'40"
Fence ends
200 ±
42+05
18°
SEC 27
8°
41+05
37+55
35+55
31+00
10
15
14
SEC 22
T 9N R 18W
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
W.S. 17, B-1

Notes Ck'd by K.R.M.	Survey of ANFB Unit R	F.B. 796	Pg. 71
Map No. B-1702	W. 070T? Tape No. 14	Std 84°F	
Office Work KRM-Brown	Surveyed by F.C. HOWARD		
Checked McPherson	Notes F.C.H.	Date 1-15-41	
Date Dec. 1947	Indexed A. C. Jahn		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Sec 23

Sec 26 T 1N R 15W

73+88.05
Set 1x2 top of spur N Slope

23°

57.57 @ 12°36 = 56.18
300.35 @ 1°21' = 300.27
356.45
@ T.46° = 356.36
356.36

70+31.67
Set 1x2 top of spur N Slope

20°

① 24°04'50
④ 96°19'40"
⑧ 192°39'20
24°04'55

Calc
24°04'50"
Adj

1599.73

86°06'40"
Adj

Set 1x2

68°48'30"
Adj

① 69°48'30
④ 279°14'10"
⑧ 198°28'30
69°48'33¾

650.63

① 86°06'40
④ 344°26'40
⑧ 328°53'20
86°06'40"

54+40.71
Set 1x2

Base Line @ T.44°

299.24 @ 2°38' = 298.92
241.35 @ 10°43' = 237.14
115.18 @ 4°59' = 114.74
650.80
- .17
650.63

FORM 247 5M 10-39

F.B. 796 PG. 72

W.S. 17 B-1

93+58.71
Set Nail

62°26'

87°

38°

82°

SEC 26

187.83 @ 12°16' = 183.54
300.71 @ 6°18' = 298.89
482.43
@ T. - 48° = 482.32

88+76.39
Set 1x2 on N
Slope

41°

226.64 @ 5°21' = 225.65
300.45 @ 5°30' = 299.07
524.72
@ T 48° = 521.60

old wire fence

SEC 23
T 8N R 18W

83+51.79
Set 1x2 on N.
Slope

51°

45

80+17.26
1/4 COR
Fd 2" I.P. in conc
with cut spike, set in
top. Under East
fence and 0.6 E. of
fence to South
FB 65 Pg

70.13 @ 6°37' = 69.66
Level = 300.36
370.02
@ T. 48° = 369.93

369.93

33.06

79+81.86
Set 1x2 on N.
Slope

5°

35.40

48.44

old fence post

Tie to Cor
48.54 @ 3°30' @ T. 48°
= 48.44

35.40

+36

New 5' strand
barbed wire F.

Level 46.90
247.12 @ 3°14' = 246.73
Level = 300.34
593.97
@ T. 48° = 593.83

593.83

73+88.03
Set 1x2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Notes Ck'd by KRM.	Survey of ANFB DIV R
Map No. B-1708	W. O. 7077 Tape No. 14 St. 84°F
Office Work KRM-Dumm	Surveyed by FC Howard
Checked McPherson	Notes FCH Date 1-17-41
Date Dec. 1947	Indexed C. Johnson

F.B. 736 Pg. 73

W.S. 17 B-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

114+42

56.9

113+86.00
Set Nail

Meandering Pasture fence

① 90°21'30"
④ 1°26.00
⑧ 2°52.10
90°21'31¼

74.00 @ 3°05' = 73.89
70.69 @ 2°10' = 70.64
299.75 @ 5°36' = 298.32
77.00 @ 14°38' = 68.70
228.30 @ 5°46' = 227.14
738.69
@ T 50° = 738.53

738.53

90°21'30" Adj

106+47.47 from W
52+35.52 from S
Set 1x2 by lot.

Transit Line F.B. 652465
122.95
98.89 Calc.

51+36.63

51+12.57
Fd 1x2 2" N
F.B. 652-165

39.90 @ 16°45
@ T 48° = 38.20

106+09.27
Set 1x2 on E Edge of spur

38.20
46.39

112.77 @ 14°51' @ T 48°

108.9

14°48.10

45.78 Calc.

71.39 @ 10°53 @ T 48°
= 70.09

105+39.18
Set 1x2 top spur on N slope

70.09

98.60 Calc.

106+01.08
SEC COR
Fd 2" I.P. & C. in conc. at fence cor.

24 25 26 23

12448 @ 8°54
@ T 48° = 122.95

Level = 195.79
208.58 @ 3°43' = 208.14
182.99 @ 8°18' = 182.06
299.54 @ 10°54' = 294.14
Level = 300.62
1180.75
@ T 48° = 1180.47

1180.47

93+58.71
Set Nail

FORM 247 5M 10-59

F.B. 736 PG. 74

130+72.78
Set 1x2 on bank of canyon

181.48 @ 9°49' = 178.82
Level = 53.24
232.06
@ T. 50° = 232.01

232.01

128+40.77
Set 1x2 in field top of flat spur sloping N

240.59 @ 2°30' @ T. 50°
= 240.31

240.31

126+00.46
Set 1x2 on W slope of spur

Sec 24 T9N R15W

Level = 38.12
300.29 @ 8°21' = 297.11
223.80 @ 2°22' = 223.61
226.13 @ 3°15' = 225.77
225.22 @ 0°49' = 225.20
119.60 @ 6°04' = 118.93
87.61 @ 11°03 = 85.99
1214.73
@ T. 50° = 1214.46

1214.46

113+86.00
Set Nail

Sec 25

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM.	Survey of ANFR D.I.R	F.B. 736	Pg. 75
Map No. B-1788	W. O. 7079 Tape No. 48 St'd 84-F		
Office Work KRM-Jimm	Surveyed by F.C. HOWARD		
Checked McPherson	Notes F.C.H. Date 4-26-41		
Date Dec 1947	Indexed C. Johnson		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 17 B-1

Sec 24 T8N R18W

Waite's Boundary Line See F.B. 65-36

Fence Line

28°

29°

687.19

144+20.93
Set 1x2 top of flat ridge near edge of wheat field

Level

= 51.44
= 299.47
= 146.11
= 109.54
81.72 @ 9°05' = 80.70
687.26
@ T.68' = 687.19

137+33.74
Set 1x2 on W. Slope of spur

273.48 @ 20°49' = 255.63
92.58 @ 16°00' = 88.99
201.20 @ 11°18' = 197.30
541.92
@ T. 68° = 541.86

541.86

132+43.93

31.45

59.40

131+84.55 Calc.

32.96 Calc.

1/4 Corner - By Rec. from Bearing Tree.

SEC 25

Calc. Location of Bearing Tree used by Waite. from F.B. 65-36

Fd 28" Pine tree. Has old axe marks on ~~east center and looks~~ like an old blaze

40°

F.B. 65-36

W.C. 1/4 Cor. Set B.I.P. & B.C. in conc. 6/3/43

131+91.88
Set 1x2 on SE Slope

20" White Oak Set N.T.

76°00' per F.B. 65-36

96.16 per

60.24

34°21'45"

57.91

131+60.88

34.24

119.10

88.10

22°04' @ T. 66°
= 119.10

Fd 1x2 on S Side Hill. Set by Waite FB 65-36 (131+56.31)

130+72.78
Set 1x2

To Sec. Cor. Pg. 73

COUNTY SURVEYOR
T. 8 N.
Sec. 24
Sec. 25
N 81 W
W.C. 1/4 COR
RE 2177

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 736 PG. 76



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Notes Ck'd by KRM.	Survey of ANFB DIV R
Map No. B-1748	W. O. 7079 Tape No. 48 St'd A °F
Office Work KRM-Dimm	Surveyed by F.C. HOWARD
Checked McPherson	Notes ACH Date 4-25-47
Date Dec. 1947	Indexed C. Johnson

F.B. 736 PG. 77

14+18.01
RL" 4N
Set 1x2

207.68 @ 6°55' = 206.17
74.19 @ 20°21' = 69.56
293.98 @ 12°11' = 287.36
218.45 @ 5°57 = 217.27
Level = 73.63
@T 68° = 853.99 / 853.90
853.90
5+64.11
RL" 3N
Set 1x2

38.85 @ 5°42' = 38.66
224.45 @ 21°08 = 209.35
185.89 @ 2°11' = 185.76
433.77
@ T. 68° = 433.72
433.72
1+30.39
RL" 2N
Set 1x2

132.40 @ 9°59 @ T. 68° = 130.39
130.39

0+00 % N.
RL" 1N
Set 1x2

178°22'55" o.k.
① 178°23'00
④ 353°31'40
⑧ 347°03'20
178°22'55"

32.19 @ 17°45' = 30.66
70.78 @ 22°13' = 65.53
96.19
@ T. 68° 96.18
96.18

1/4 SEC. COR
Fd C.S. Mon
Pg 47

SEC 36
T 2N R 18W

Typ Cor
Fd C.S. Mon
See pg 47

SEC 31
T. 8N R 17W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change. Do not extend notes this side of this line.

W.S. 17, B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 736 Pg. 78



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM	Survey of ANFB DIV K
Map No. B-1708	W. O. 7079 Tape No. 43 St'd 72 °F
Office Work KRM-Brown	Surveyed by F.C. HOWARD
Checked McPherson	Notes F.C.H Date 5-1-41
Date Dec. 1948	Indexed C. Johnson

F.B. 736 PG. 79

48+06.80
RL# 11N
Set 1x2

SEC. 25
T8N R18W

641.50

202.70 @ 14°56' = 195.94
300.14 @ 15°30' = 289.22
161.84 @ 14°49' = 156.46
641.62
@ T.56 = 641.50

41+65.30
RL# 10N
Set 1x2

SEC. 30
T8N R17W

277.44

207.99 @ 4°00' = 206.59
Level = 70.90
277.49
@ T.54° = 277.44

39+87.86
RL# 9N

192.72 @ 3°51' = 192.26
Level = 187.00
" = 199.35
172.73 @ 2°52' = 172.51
751.12
@ T. 54° = 750.97

750.97

31+36.89
RL# 8N
Set 1x2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 736 PG. 80

61+34.91
RL # 13 N
Set 1×2 top of break

27

8.5

127.23 @ 3°18' = 127.02
Level = 79.54

300.78 @ 6°03' = 299.10
263.24 @ 10°33' = 258.79
286.32 @ 15°02' = 276.52
1040.97
@ T58 = 1040.79

12°

1040.79

6°

SEC 30
T 8N R 17W

SEC 25
T 8N R 18W

SC1

16.40

54+48.49
Fd 1½" I.P set in conc with cut spike in center
FB 65 PG 38

Tie dist
59.38 @ 16°57' @ T56° = 56.79

34.37

16°47'10"

56.79

50+94.12
RL # 12N
Set 1×2

5°

3°

3°

287.32

300.88 @ 17°14 @ T56°
= 287.32

48+06.80
RL # 11N

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM.	Survey of ANFB Div K
Map No. B-1708	W: O. 7079 Tape No: 48 Std 84°F
Office Work KRM-Drawn	Surveyed by E.C. HOWARD
Checked McPherson	Notes E.C.H. Date 5-1-41
Date Dec 1947	Indexed C. Johnson

F.B. 736 PG. 81

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

W.S. 17, 8-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

78+72.80
Set 1x2 by Int
26.64
Transit Line to East
FB 652 Pg. 173
① 89°00'40
④ 356°02'40
⑧ 352°05'20
89°00'40
25.02
78+47.78
L 15N
Set 1x2
50' Adj.
89°00'40
46.16 @ 9°21' @ T.60°
Level = 45.54
0.22
45.76
Transit Line from West. Pg. 76
① 89°49'00"
④ 359°16'00"
⑧ 358°32'10"
89°49'01½"
159+18.42 E.
1x2 Pg.
89°49'00"
10" Adj.
0.17
45.76
159+18.59 from W.
RL 14N
Set 1x2 by Int
78+02.02
72.78
72.76
24
19
25
30
SEC. COR.
Fd 2" I.P. B.C. in conc.
FB Pg.
1.4°
Top of bank
1667.11
196.28 @ 2°59' = 196.01
268.28 @ 13°29' = 260.89
217.92 @ 3°20' = 217.55
171.15 @ 21°36' = 155.62
32.42 @ 19°15' = 30.61
149.11 @ 5°54' = 148.32
279.43 @ 9°52' = 275.30
88.18 @ 36°49' = 70.59
71.50 @ 32°58' = 59.99
262.21 @ 15°28' = 252.71
1667.59
@ T.60° = 1667.33
Less 0.22
1667.11
Fence leaves line
SEC. 25 T.8N R.18W
SEC. 30 T.8N R.17W
48°
RL = 13N
Set 1x2
0+34.91

F.B. 736 PG. 82



@ 5, 17, B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red** Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of	ANFD LINE
Map No.	B-1708	W. O.	7079 Tape No. 74 Std. 84 °F
Office Work		Surveyed by	F.C. HOWARD
Checked		Notes	F.C.H. Date 5-2-41
Date	Dec 1947	Indexed	C. Johns

F.B. 736 PG. 83

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 M 12-40

Fd 2" I.P. with cut spike set in conc. FB 652-162

5.19

19.81

62.45 @ 26°40' @ T. 66 = 55.80

25+97.66 East Fd 1x2 FB 652-162

Transit Line FB 652-162

55.80

See Next page for line to East

26+53.46 East. Set 1x2 bk Int

6.46

5.00

Set 1x2

85.69 @ 21°50' @ T. 68° = 79.53

79.53

5' Offset Line

Set 1x2

206.79 @ 14°16' @ T. 64° = 200.38

B.T.

Fd N&T. in S. Center of 12" Oak FB 652-162 Use for line

Fd SW&T. in West center of 12" Oak FB 652-162 Use for fixing dist to 1/4 Cor.

5.06

4.70

200.38

924.46

20.20

19.56

24.77 @ 35°22' @ T. 68° = 20.20

5.00

Set 1x2 on 5.00 offset line

149.40

152.86 @ 15°14' @ T. 68° = 149.40

Set 1x2



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by McJohnson	Survey of ANFB Unit K	F.B. 736 Pg. 85	
Map No. B-1708	W. O. 7079 Tape No. 74 Std. 84 °F		
Office Work KMM-Brown	Surveyed by F.C. Howard 5-5-41		
Checked McJohnson	Notes F.C.H. Date 5-7-41		
Date Dec. 1947	Indexed J. C. Johnson		

Continued on pg. 86 (Bottom)

RL "13E
Set 1x2
58+85.40
.69

Level = 65.62
180.07 @ 1°25' = 178.94
300.09 @ 5°10 = 298.87
55.00 @ 4°54' = 54.80
598.23
@ T.62° = 598.14
53+20.78
SEC. COR.
CS.MM
Pg. 78

598.14
P. Pole
2°
0.5
0.57
30
31
18

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S.17, 8-1

① 89°51'00
④ 359°24'00
⑧ 358°48'00
89°51'00

89°51'
25
36
33.52
0.6
52+87.26
RL "12E
Set 1x2 by Int
2.80
N & S transit line
Pg. 78

① 90°09'30"
④ 0°38'00
⑧ 1°16'00
90°09'30"

RL "SN
Pg. 78
90°09'30"
306.12

238.10 @ 2°5' = 237.88
Level = 68.28
306.16
@ T.62° = 306.12

0.8
P. Pole
49+81.14
RL "11E
Set 1x2
38
15

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Level
181.00 @ 0°33'
Level

143.47
= 180.99
= 156.83
481.29
@ T. 62° = 481.22

481.22
8°
Power Pole

157
10
45+00.16
44+99.92
RL "10E
Set 1x2

FORM 247 5M 12-40

F.B. 736 PG. 86

09.03
80+08.79
RL ≠ 18E
Set 1x2

69.85 @ 15°38' = 67.27 East slope
184.19 @ 17°55' = 175.26
242.53
@ T.66° = 242.50

53
77+66.29
RL ≠ 7E
Set 1x2
East slope of ridge

192.52 @ 9°36' @ T.66° = 189.80

73
75+76.49
RL ≠ 16E
Set 1x2
Top of ridge

SEC 30

SEC 31

T. 8N R. 17W

242.50
282
189.80
259

Level = 151.86
Level = 100.92
Level = 300.42
183.10 @ 2°35' = 182.91
229.82 @ 3°37' = 229.36
965.47
965.36

Road
965.36
219

37
66+11.43
RL ≠ 15E
Set 1x2

142
115

423.16
115

279.88
143.33
423.21 Lev @ T.66° = 423.16

88.21
61+87.97
RL ≠ 14E
Set 1x2

89
15

192.30
110.31
302.61 Lev. @ T.64° = 302.57

64
58+85.40
RL ≠ 13E
Set 1x2

302.57
55
14
18

Continued on top pg 85

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by McPherson	Survey of RANCHO SANTA FE
Map No. 3-1708	W. O. 1079 Tape No. 74 Std 84 °F
Office Work LMM-Brown	Surveyed by EC + HOWARD
Checked McPherson	Notes ECH Date 5-7-41
Date Dec. 1947	Indexed C. Johnson

F.B. 736 PG. 87

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W, S, 17, B-1

SEC. 30
T 8N R 17W

SEC. 31

101+59.36
RL # 20 E
Set 1x2

428

183.05 @ 9°27 @ T 68° = 180.55

180.55

99+78.81
RL # 19 E
Set 1x2 top
spur

42°

40' Road

74.90 @ 4°45' = 74.64
180.00 @ 16°30' = 172.80
1257.79 @ 8°41' = 225.18
207.32 @ 15°15' = 200.02
184.98 @ 2°18' = 184.83
255.48 @ 23°21' = 234.56
61.19 @ 9°40' = 60.32
131.77 @ 6°23' = 130.95
257.84 @ 9°06' = 254.59
234.38 @ 17°38' = 213.84
236.52 @ 22°40' = 218.25
1969.98
@ T 68° = 1969.78

1969.78

10.11
80+09.87

14 Cor
Fd 2" I.P. with Ct. 50 Ks
Set 10 spoc FB 6.5 FB

09.03
80+08.79
RL # 18 E
Set 1x2

4.08

30.71

30.73

FORM 247 5M 12-40

F.B. 736 PG. 88

W.S. 17, B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC. 29
T. 8N R. 17W

To 1x2 Lath Post

① 89°17'30
④ 357°10'30
⑧ 354°21'00
89°17'35"

89°17'35" 50" Adj.

106+44.72 96
℄ℓ 8' E
Set 1x2 by lot
Lather-Surveyor

SEC Cor
Fd 2" I.P. & B.C. in conc
FB 652-169

106+45.27 51

0.55

44.62
44.62

29 32 30 31

Transit Line
FB 652-169

210.75 @ 12°54' = 205.43
288.74 @ 13°57' = 280.22
485.65

@ T. 68° = 485.60

485.60

SEC. 30

101+59.12 36
℄ℓ 20' E
Set 1x2

42.8

FORM 247 5M 10-59

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 17, B-1

Notes Ck'd by [illegible] Map No. B-1780 Office Work [illegible] Checked [illegible] Date [illegible]

Survey of [illegible] W. 07077 Tape No. [illegible] Std. °F
Surveyed by [illegible] Date [illegible]
Notes [illegible]
Indexed [illegible]

F.B. 736 PG. 89

Transit Line from N
PG 64

To NW cor Sec 27

SEC 27

COUNTY SURVEYOR
T. 3 N
SEC. 27
SEC 34
1/4 COR
RE 2114

88° 56' Calc. 30 0.4

Transit Line from
W. FB 652-11

1 1/2 per FB 652 Pg 11

4.66

Set 1X2
0+00E =
53+93.09S

2908.92 Cor

3.855

61° 16' 40" 35"

251.24

1/4 Cor.
Set 2" I.P. & B.C. in conc.
by prop. This point
falls 6.1' W. of small drain
in bot. of canyon - steep
N & E. slope.

26+57.68

SEC 34

4 29+08.92
Set 1X2 top of
steep N. slope

61° 16' 30"
2445° 06' 20"
61° 16' 35"
224.58 10
89° 56' 20"
56° 14' 32½"
56° 14' 30"
62° 28' 50"
62° 28' 50"
139° 50' 40"
210° 55' 20"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.



FORM 247 5M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O.
Surveyed by
Notes
Indexed

Tape No. Std. °F
Date
E. C. Johnson

F.B. 736 PG. 21

F.B 736 PG. 92

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM.	Survey of ANEB DIV R.
Map No. B-1729	W. O. 7078 Tape No. 74 St'd 84 °F
Office Work	Surveyed by FC Howard
Checked	Notes Schaefer Date 9-17-41
Date	Indexed A. C. Johnson

F.B. 736 PG. 93

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 17, B-1, B-2

T. 7 N. R. 18 W.

SEC. 3

SEC. 4

Ty. Sec. Cor.

Adjoining Ty.

Cont'd next Page

set 1x2 #3 4+58.04

5.07

set 1x2 #2 4+52.97

10.02

0.14

1/4 Cor. 1+52.50 Set 2" I.P. & B.C. in conc by Prop.

set 1x2 #1 4+42.95

9.55

T. 84
246.34 @ 6.46 = 244.62

244.62

88° 49' 25" W.

① 88-49-30
② 355-17-40
③ 350-35-20
88-49-25

78.20

To W.C. Cor.

Fd. 1x2. 265+53.53 F.B. 736-52.

266+31.73 set 1x2 inter. sec. 1+98.33 South.

T. 82
42.51 @ 1
156.81 @ 6.27 = 155.82
198.33

198.33

0+00

N.E. Corner of Sec. 4
Fd. P.B.C. Sec. Cor.
F.B. 736-52

FORM 247 5M 10-39

F.B. 736 Pg. 94

W.S. 17 18-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Contd bot. Next Page

Set 1x2 For Temp Sec. Cor. 31+36.24

18.07

0.95

Set Replaced With P.B.C. in Concrete. Jan. 19-1944 S.E. Corner Sec. 4.

COUNTY SURVEYOR
RE 21 T3S R18W
SEC. COR.
4 | 3
9 | 10
T.7N.

T 80

156.85 @ 1.12 = 156.82
187.00 @ — = 187.00
55.02 @ — = 55.02
248.61 @ — = 248.61
99.46 @ 4.41 = 99.13
112.75 @ 1.07 = 112.73
129.40 @ 16.14 = 124.24
49.03 @ 26.05 = 44.04
296.72 @ 17.04 = 283.65
49.63 @ — = 49.63
145.64 @ 4.21 = 145.22
1506.09
- .04
1506.05

1506.05

Adopted Section Line

SEC. 3. T. 7 N. R 18 W.

SEC. 4.

1x2 Chain Pt. 16+30.19

T 84

114.94 @ 5.42 = 114.37
244.07 @ 3.52 = 243.51
204.18 @ 5.32 = 203.23
187.93 @ 12.04 = 183.78
192.65 @ 12.17 = 188.24
288.25 @ 33.59 = 239.02
1172.15

1172.15

4+58.04 1x2 #3

Cont from pg 93

Notes Ck'd by KRM.	Survey of A.N.F.B. Div. R.
Map No. B-1709	W. O. 7079 Tape No. 74 St'd °F
Office Work	Surveyed by F.C. Howard
Checked	Notes SC Haefer Date 9-18-41
Date	Indexed A. C. Johnson

F.B. 736 Pg. 95

Cont'd to NEXT Page

Set 1x2 Chain Pt. Steep side Hill 27+82.32 ✓

¼ cor. will fall in Steep Gulley

dee Pt. diam. ✓

T. 76

290.70 @ 36.25 = 233.93 ✓
299.60 @ 2.33 = 299.30 ✓
278.65 @ 22.53 = 256.72 ✓
155.71 @ 18.43 = 147.48 ✓
235.59 @ 13.31 = 229.06 ✓
279.83 @ 9.07 = 276.30 ✓
13.71 @ = 13.71 ✓
294.97 @ 8.28 = 287.36 ✓
15.93 @ = 15.93 ✓
283.89 @ 13.05 = 276.49 ✓
146.62 @ 14.15 = 142.11 ✓
177.69 @ 13.36 = 172.71 ✓

2355.41 ✓
-12
2355.35 ✓

① 89-24-00 ✓
② 357-36-00 ✓
③ 355-12-00 ✓
89-24-00

T. 82.

244.20 @ 5.26 = 243.10 ✓

S. 89° 18'-55" E ✓

Transit Line F.B. 652 Pg 109

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS

W.S. 17, B-2

SEC. 10. T. 7 N. R. 18 W.

SEC. 9.

2355.35

1945.0

Adopted Section Line

Set 1x2 #5 4+26.97 ✓

89° 24'-00" 2355.35 (Meas.) ✓

F.B. 652-109 ✓

Fd 1x2 52+91.85 ✓

243.10 ✓

0.39

0.91

Set 1x2 Inter. Sec. 52+90.94 ✓ 1+83.87 S.

Set 1x2 Inter. Sec. 52+90.55 33+20.11 From N.

183.87

90°-43'-35" (Calc.) ✓

① 90-43-20
② 2-54-20 ✓
③ 5-48-40
90-43-35

179-52-25 Calc. ✓

10

9

1x2 Temp. Sec. Cor. Replaced with P.B.E. 31+36.24 ✓

0+00 South

4

18.07

0.95

Sec. Cor. N.E. Cor. Sec. 9

See Pg. 94

FORM 247 5M 10-38

F.B. 736 PG. 96

W.S. 17 #-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

See note Next page.

To Sec. Cor. S 1-30-W

35-55-30

Adopted Section Line S 32° W

① 35-55-30
② 143-42-00
③ 287-24-10
35-55-31¼

Set 1x2
29+43.21

SEC. 10

SEC. 9 T. 7 N. R. 18 W.

45.79

Set 1x2
Top Stake P. Spur.
Place for W.C. ¼ Cor.
28+97.42

2.90

W.C. ¼ COR
Set 2" I.P. & B.C. in Conc.
Feb 1-1944
Wit Cor. is 249.92' S. of Prop. Point for ¼ Sec. Corner

T 70°
0.26 @ — = 0.26
73.58 @ 39.14 = 72.48
72.74
01
73

72.73

Set 1x2
Chain PT.
28+24.69

T. 76
55.04 @ 39.40 = 42.37

42.37

27+82.32
1x2 Chain PT.

Notes Ck'd by KRM
Map No. B-1709
Office Work
Checked
Date

Survey of A.N.F.B. DIV. R.
W. O. 7079 Tape No. 74 St'd °F
Surveyed by FC Howard
Notes Schaefer Date 9-24-41
Indexed A. C. Jahn

F.B. 736 Pg. 97

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

W. S. 17 13-2

SEC. 10. T. 7 N. R. 18 W.

SEC. 9.

53+61.67

Set Copper C. 1.P. Cone.

Ø 21°-49'-40"
Ø 87-19-00
Ø 170-38-00
21-49-45

48.55
S 20°-45'-15" E 481.25
4.54

21°-49'-45"

Set 1x2

N 1°-04'-30" E

S 22°-09'-53" E 1912.63

Adopted Section Line

Calc. 40
24 18.3#

Set 1x2

Ø 120-01-00
Ø 120-04-00
Ø 240-08-00
120-01-00

S 37°-00'-00" W 1116.73

Set 1x2
29+43.21

T. 84
172.75 @ 1.05 = 172.72
25.11 @ — = 25.11
299.47 @ 14.52 = 289.45
487.28

Ø 177°-46'-20"
Ø 351-04-40
Ø 342-09-40
177-46-12

T. 84
83.37 @ 5.33 = 82.98
172.00 @ 0.37 = 171.99
199.40 @ 2.15 = 199.25
55.90 @ — = 55.90
299.33 @ 7.35 = 296.71
196.28 @ 7.20 = 194.67
161.83 @ 5.21 = 161.13
1162.63

T. 84
72.07 @ 5.31 = 71.72
66.56 @ 8.20 = 65.86
224.81 @ 15.32 = 216.60
295.66 @ 8.33 = 292.37
247.15 @ 3.55 = 246.57
226.36 @ 8.56 = 223.61
1116.73

F.B. 736 PG. 98

W.S. 17, B-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T 1N R 18W

SEC. 15

SEC. 9

1X2 Chain PT.
20+64.81

See bot. Next Page.

T. 82
229.26 @ — = 229.26
168.90 @ 15.35 = 162.69
9.58 @ — = 9.58
300.35 @ 7.32 = 297.76
6.70 @ — = 6.70
295.16 @ 5.55 = 293.59
186.85 @ — = 186.85
299.94 @ 8.54 = 296.33
87.48 @ 4.02 = 87.26
163.87 @ 4.54 = 163.27
1733.29
-02
1733.27

1733.27 Line
Section Line
Rancho

Set 1X2
Top Ridge
3+31.54

T. 86
130.00 @ 15.56 = 125.01

125.01

90° 32' 35"
Calc

3.89

Transit Line 652-87

6712

Fd 1X2
158+00.52
F.B. 652-87

Set 1X2
Intersec.
158+71.53
2+06.53
South.

1X2 Inter sec.
158+67.64
55+68.05
South.

0° 32' 10"
Calc.

206.53

206.53

This Monument Reset in position shown on Pg. 97

0+00.S.
See pg 97

SEE PG. 97 FOR NEW LOCATION OF SEC. COR.

Set C.S. MON. PBC. IN Concrete
9-25-41.

97

Notes Ck'd by KRM.	Survey of A.N.F.B. DIV R.
Map No. B-1209	W. O. 7077 Tape No. 74 St'd. °F.
Office Work	Surveyed by F.C. Howard
Checked	Notes Schaefer Date 9-26-41
Date	Indexed L. C. John

F.B. 736 PG. 99

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-39

W. S. 17, B-2

SEC. 15. T. 7 N. R. 18 W.

SEC. 16.

See bot. Next Page

34+42.19
Set 1x2
Top Ridge.

① 13-37-20
② 54-29-40
③ 108-59-20
13-27-25

① 130-06-30
② 160-26-00
③ 320-52-00
130-06-30

762.04 Calc.

Adj 13-37-25

① 102-31-00
② 50-04-00
③ 100-08-00
102-31-00

① 127-22-30
② 149-30-00
③ 299-00-00
127-22-30

102° 31' 00" Adj

130° 06' 30"

To W 1/4 Cor Sec. 16.

Set 1x2
1/4 Cor. Sec.
26+80.15

183.86 Calc.

63.91

127° 22' 30" Adj

Set 1x2
in Saddle

Pa 84

Calc. Line

217.00 Calc.

1/4 Sec Cor
Set 2" I.P. & B.C. in conc.
by Prop.

T. 84
13.77 @ — = 13.77
299.66 @ 7.40 = 296.98
310.75

Random Line

310.75

Set 1x2
Top Spur
24+33.15

43° 55'

143° 43' 40" Adj

① 143°-43'-40"
② 214-55-30
③ 69-51-00
143-43-52½

T. 84
140.81 @ 15.03 = 135.98
236.68 @ 10.58 = 232.36
368.34 T. 84°

368.34

Section Line

20+64.81
1x2 Chain Pt.

COUNTY SURVEYOR
T 7 N
R 18 W
Sec 15
Sec 16

F.B. 736 PG. 100

W.S. 17, 8-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC. 15

T. 1 N. R. 18 W. SEC. 9

89°45'00" Lt

51.90 @ 28.57 = 45.41

26+02.22

26+07.37 East =
54+88.47 South.
Set 1x2 by
lot

45.41

Fd. 1x2 RL #8E.

25+61.96
F.B. 652-110

Level = 20
121.59 @ 27.04 = 108.27
@ T. 84° = 128.39

128.39

207.39

SEC. Cor.
Set 2" I.P. & B.C. in cone
of Record distance
from W. and prop.
3 Mi N. and 1 Mi South
Feb. 1-1944

53+60.08
Set 1x2

77.37 @ 17°41'
@ T. 94° = 73.71

73.71

52+86.37
Set 1x2

52.21

52+81.10

6.05

49.20 @ 8°13'
@ T. 94° = 48.69

48.69

52+37.68
Set 1x2

① 16°46'10
④ 67°04'30
⑧ 134°09'00
16°46'07½

16°46'10"

① 116°51'40
④ 107°26'50
⑧ 214°53'30

1795.49
Calc

116°51'40"

Set 1x2

46°22'10"

580.69

① 46°22'10
④ 185°28'30
⑧ 10°57'00
46°22'07½

1X2
Top Ridge
34+42.19

193.30 @ 10°30' = 190.06
238.96 @ 6°50' = 237.26
Level = 153.36
@ T. 86° = 580.68
580.69

Notes Ck'd by L.R.T. & S.P.	Survey of A.N.F.B. DIV. R.
Map No. B-1709	W. O. 7079 Tape No. 74 St'd. 84 °F
Office Work	Surveyed by F.C. HOWARD
Checked	Notes F.C.H. Date 5/12
Date	Indexed A. C. Johnson 4-30-44

F.B. 736 PG. 103

Top Pg 104

Sec 9
T. 7 N.
R. 18 W.

N

0.12

269.21 @ 3°11' = 268.79
231.67 @ 7°28' = 229.71
231.24 @ 11°01' = 226.98
725.48
@ T. 56° = 725.35

16+04.33
FB 270 R
Set 2x2 top of low spur N. of canyon

725.35

¼ Section Line

Transit Line

8+78.98
FB. 271 R
Set 2x2 top spur

0.07

30.41 @ 22°49' = 28.03
300.82 @ 8°59' = 297.13
230.82 @ 23°29' = 211.70
536.86
@ T. 50° = 536.74

536.74

3+42.24
FB. 272 R
Set 2x2 top of spur

0.03'

81.65 @ 6°28' = 81.13
Level = 261.19
342.32
@ T. 50° = 342.24

342.24

FB 273 R.
¼ Cor.
Fd 2" I.P. & B.C. in conc.
FB 652 Pg 112-486

90°25'20" Calc
90°25'00" Turned

9.80
9.76 Rec.

E & W Transit Line
FB 632 Pg. 86

Set Nail

Fd 1x2. Loose. Looks like it has moved south.
FB 632 Pg. 86-112

SEC. 16

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W. S. 17, 3-2

FORM 247 RM. 11-41

F.B. 936 Pg. 104



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M.S.M.	Survey of ANFB DIV R
Map No. B-1709	W. O. 7079 Tape No. 74 St'd 84 °F
Office Work	Surveyed by F.C. HOWARD
Checked	Notes F.C.H. Date MAY 1944
Date	Indexed A. C. Johnson

F.B. 736 PG. 105

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 RM 11-41

U.S. 17, S-2

1/4 COR.
Set 2" I.P. & B.C. in conc. FB 652-109
FB 264R.

9.04
54+57.63
1/4 COR
Fd 3/4 I.P. & B.C.
FB 652 PG. 109
FB 264 R
VOID

94.76
85.72

26+42.46
17.16
26+42.07
Set 1x2 by int.
0.41

E & W TRANSIT LINE
FB 652 PG. 109

26+25.30
Fd 1x2
FB 652-109

157.13 @ 15°22' @ T. 60° = 151.49

151.49
0.40

① 17°38'20
② 70°33'00
③ 141°06'00"

52+20.42
FB 265 R
Set 2x2 top of spur

Sec 9
T-7N
R-18W.

Transit Line

894.78
17°38'20

① 66°23'30
② 265°34'00
③ 171°08'00"

1/4 Section Line

0.33
66°23'30"

43+25.64
FB 266R
Set 2x2 on spur

295.90
Set 1x2

84°01'50
74°31'10

① 74°31'10
② 298°04'30
③ 236°09'00

300.92 @ 13°46' = 3.67
292.28
295.95
@ T. 56° = 295.90

5466.67

① 84°01'50
② 336°07'10
③ 312°14'30"

779.80
21°27'00"

From Sec. 9 - 1/4 Cor.

① 21°27'00
② 85°47'40
③ 171°35'30

705.

35+45.84
Set 2x2
0.27
From P.B. -104

F.B. 736 PG. 106



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R. 7-42
Map No. B-1709
Office Work
Checked
Date

Survey of ANFB Div R
W. O. 707 Tape No. 74 St'd 84 °F
Surveyed by F.C. HOWARD
Notes F.C.H Date MAY 1942
Indexed A. C. Johnson

F.B. 736 PG 107

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 BM 11-41



F.B. 736 Pg. 108

W.S. 17, B-2

To Pg. 109

FB 257 R
31+08.47 N. ✓
¼ Cor.
FB 736 - Pg. 54

93.53 ✓

0.01

See FB 736 - Pg 54

30+14.94 N = 293+06.93 W ✓
Set 1x2 at Int of Ea W
Transit Line

52.61 @ 12°50' @ T.68° = 51.29 ✓

51.29

0.02

FB 258 R ✓
29+63.65
Set 2x2

¼ Section Line

118.04 ✓

118.05 Level @ T.68° = 118.04 ✓

FB 259 R ✓
29+45.61
Set 2x2

0.03

SEC. 4 T. 7N R. 8W

195.39 ✓

141.17 @ 7°34' = 139.94 ✓
56.14 @ 8°50' = 55.47 ✓
195.41 ✓
@ T.68° = 195.39 ✓

26+50.22 ✓
Set 1x2

0.055

From Pg - 107

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M&K.
Map No. B-1748
Office Work
Checked
Date

Survey of ANFB Div. R
W. O. 7272 Tape No. 74 St'd. 84 °F
Surveyed by F.C. HOWARD
Notes F.C.H Date May 5, 1943
Indexed A. C. Johnson

F.B. 736 PG. 109



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 17, 3-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 RM 11-41

F.B. 736 PG. 110

T. Pg. 111

W.S. 17, B-1

36+46.66
FB 251 R
Set 2x2 top ridge

Level = 33.84
202.10 @ 21°06' = 188.55
125.02 @ 3°45' = 124.75
Level = 90.13
251.08 @ 18°34' = 238.01
211.52 @ 16°26' = 202.88
878.16
@ T. 68° = 878.07

878.07

27+68.59
FB 252 R.
CENTER OF SEC. 33
Set 2" I.P. in conc. with cut spike center by int of true lines between 1/4 Corners
MAY 11, 1943

To E. 1/4 Cor

To WEST 1/4 Cor

88°06'10"

404.26

① 88°06'10
② 352°24'50
③ 344°49'40
88°06'12"

Level = 115.52
299.05 @ 15°04' = 288.77
404.29
@ T. 72° = 404.26

FB 253 R.
23+64.33
Set 2x2 top spur

675.87

278.18 @ 5°08' = 277.06
91.32 @ 11°49' = 89.38
297.00 @ 19°41' = 279.65

Level = 29.82
675.91
@ T. 74° = 675.87

16+88.46
Set 2x2

From Pg. 109

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R. 7-25-41
Map No.
Office Work
Checked
Date

Survey of ANFB DIVR.
W. O. 7070 Tape No. 74 St'd 84 °F
Surveyed by F.C. Johnson
Notes F.C.J. Date May 11-41
Indexed A. C. Johnson

F.B. 736 PG. 111

To Pg. 112

52+89.38
FB. 248 R
Set 2x2 top spur

155.70 @ 21°56' = 144.43 ✓
299.30 @ 15°53' = 287.87 ✓
159.65 @ 2°50' = 159.45 ✓
591.75 ✓
@ T. 74° = 591.71 ✓

591.71 ✓

SEC. 33
T. 8N. R. 18W.

46+97.60
FB. 249 R.
Set 2x2 top of low spur

121.74 @ 6°09' = 121.04 ✓
92.92 @ 11°53' = 90.93 ✓
239.33 @ 17°15' = 228.56 ✓
Level = 145.50
586.03 ✓
@ T. 72° = 585.98 ✓

585.98 ✓

41+11.62
FB 250 R
Set 2x2 - 8' N. of wash in valley

Level = 6.00
299.47 @ 21°06' = 279.39 ✓
96.34 @ 34°39' = 79.25 ✓
30.34 @ 25°00' = 27.50 ✓
73.93 @ 9°45' = 72.86 ✓
465.00 ✓
@ T. 70° = 464.96 ✓

464.96 ✓

36+46.66
Set 2x2

From Pg-110

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 RM 11-41

F.B. 736 PG. 112

W.S. 17, B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC. 28

N

26+59.00 E

E & W. Transit Line
FB 652 Pg. 9

1.03 ✓

1/4 Cor.
A 2" I.P. B.C. in conc. FB 652-9
55+46.83

90° 23' 50" Calc.

222.89 ✓

271.04 @ 34° 40' @ T. 62°
= 222.89 ✓

SEC. 33
T. 8 N R 18 W

53+23.94
FB 247 R
Set 2x2 N. Edge of Fridge

34.63 ✓

36.68 @ 19°12' @ T. 60°
= 34.63 ✓

52+89.31
Set 2x2

From Pg. 111

Notes Ck'd by K.R.M.S.M.
Map No.
Office Work
Checked
Date

Survey of ANFB DIV R
W. O. 7078 Tape No. 74 Std 84 °F
Surveyed by E.C. HOWARD
Notes F.C.H. Date 6/2/43
Indexed A. C. Johnson

F.B. 736 PG. 113

Cold & windy

To Pg. 119

N

7+77.79
FB 169 R
Set 2x2 top of sharp spur

655.48

268.04 @ 7°30' = 265.75
120.11 @ 6°12' = 119.41
Level = 270.45
655.61
@ T. 54° = 655.48

1+22.31
FB 170 R
Set 2x2 on W. slope

123.38 @ 7°29 @ T. 54° = 122.31

122.31

SOUTH THROUGH CENTER SEC. 35 T. 8 N. R. 18 W.

SEC. 35

FB 171 R
0+00 South
1/4 COR.
A 2" I.P. & B.C. in conc.
FB 652-150

20°30'25" Calc.

23.70 1/2

166.47

Sec. 26
T. 8 N R 18 W

26+46.46
Set 1x2

28+12.93
Fd 1x2
FB 652 Pg 150

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 17, B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-41

F.B. 736 PG. 114

To Pg-115

22+51.36 ✓
=B 167R
Set 2x2 top of spur W. of Canyon

N. 5° E. Sec. 35

254.63 ✓

60.46 @ 5°24' = 60.19 ✓
199.36 @ 12°43' = 194.47 ✓
254.66 ✓
@ T. 68° = 254.63 ✓

19+96.73 ✓
FB 168 R
Set 2x2 in bot of canyon -10' W. of old road

45'±

40'±

WEST FORK LIBRARY GULCH

102'

241.38 @ 2°45' = 241.10 ✓
258.80 @ 10°19' = 254.62 ✓
251.14 @ 9°46' = 247.50 ✓
134.70 @ 9°21' = 132.91 ✓
62.46 @ 13°22' = 60.77 ✓
300.92 @ 20°17' = 282.26 ✓
1219.16 ✓
@ T. 56° = 1218.94 ✓

1218.94 ✓

7+77.79 ✓
FB 169 R
Set 2x2

From Pg-113

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R. Mc Ch.	Survey of ANFB DIV R
Map No.	W. O. 7079 Tape No. 74 St'd. 84 °F
Office Work	Surveyed by F.C. HOWARD
Checked	Notes F.C.H. Date 6/2/43
Date	Indexed A. C. Johnson

F.B. 736 PG. 115

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 BM 11-41



0+00 East
26+21.32 From N.
FB 166 R
CENTER SEC. 35
Set 2" I.P & B.C. in conc.
by Int of true lines
between 1/4 corners.
Falls on top of low sharp
spur N 84° E

To 1/4 COR.

To 1/4 COR.

FB. 164 R
Set 2x2
3+57.21

28 22 @ 18°59'
@ T. 74° = 266.85

0+90.56
FB 165 R
Set 2x2

90.56

Cont. on bot. Pg 116

① 88°40'10"
④ 354°40'50"
⑧ 349°21'40"
88°40'12½

3.65

26+17.67
Set 2x2 top of spur

9.79
300.36 @ 3°15' = 299.88
57.58 @ 10°10' = 56.68
366.35
@ T. 68° = 366.31

366.31

Mon. & Sec. 35

22+51.36
FB 167 R
Set 2x2

From Pg-114

F.B. 736 PG. 116

To Pg- 117

15+96.28
FB 162R
Set 2×2

53.32 @ 23°21' = 48.96
56.31 @ 30°32' = 48.50
295.43 @ 32°34' = 248.98
147.24 @ 16°40' = 141.05
~~104.73 @ 19°02' = 99.00~~
197.88 @ 31°46' = 168.24
252.55 @ 10°35' = 248.25
90.11 @ 6°20' = 89.56
1092.53
@T 72° = 1092.46

1092.46

5+03.82
FB 16m R
Set 2×2

S 89° W E Sec 35

147.40 @ 18°09' = 140.07
Level = 6.35
146.42
@T 74° = 146.41

146.41

EDISON Co ROAD

25°

3+57.41
FB 164 R.
Set 2×2 in bottom of Liebre Canyon

42°

Creek 17' wide

From Left Pg- 115

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H.R.M.	Survey of ANFB Div R
Map No.	W. O. 7079 Tape No. 74 St'd 84 °F
Office Work	Surveyed by F.C. HOWARD
Checked	Notes F.C.H Date 6/8/43
Date	Indexed A. C. Johnson

F.B. 736 PG. 117

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

FORM 247 SM 11-41

W.S. 17, B-1

COUNTY SURVEYOR
T. 8 N.
SEC. 36
SEC. 35
1/4 COR
R 18 W.
RE 2177

26+62.61
FB 160R
1/4 SEC. COR
Set 2" I.P. & B.C. in conc
FB 652 PG 147
6/8/43

To SEC COR

FB 159R
Set 2x2
See next page #118

7.86
7.86
8.65

262.13

26+54.75
Set 1x2 by Int

26+06.885
0.16
25 Calc
1° 06'
271.99

28+69.17
Set 1x2
FB 652-147

273.34 @ 5° 40'
@ T. 78° = 271.99

23+82.76
FB 161R
Set 2x2

S.W. ¼ SEC. 35 T. 8 N. R. 18 W.

88.73 @ 2° 43' = 88.63
275.65 @ 13° 09' = 268.42
299.52 @ 7° 25' = 297.01
53.32 @ 10° 07' = 52.49
Level = 79.97
786.52
@ T. 76° = 786.48

786.48

15+96.28
FB 162R
Set 2x2 top of high ridge

From Pg-116

F.B. 736 Pg. 118

To Pg-119

FB. 155 R
Set 1x2 top of spur

926' @ 3°07½ = 923'

923'

Transit Line
FB. 652

FB. 156 R.
Set 2x2 top of low spur

By stadia
878' @ 15°35½ = 815'

815'

SEC. 35

FB. 157 R
Set 2x2

9.47

31+41.35
Fd 1x2

SEC. 36
T. 8N R 18W

FB 158 R.
Set 2x2

9.25

30+68.93
Fd 2x2 loose
Reset 1x2
FB 652-147

FB. 159 R
Set 2x2

8.65

Fd 1x2 - 28+69.17
FB 652-147

From Pg-117

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	W. O. 7029 Tape No. St'd °F
Office Work	Surveyed by
Checked	Notes Date 6-8-43
Date	Indexed R. C. JOHNSON

F.B. 736 Pg. 119

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-59

W.S. 17, 8-2

E & W. Transit Line

Cont. bot Pg. 120

FB. 153 R.
Set 2x2

Stadia
185 @ 14°27' = 174

417.82

159+15.08 E

Lot 1
58+21.81 S.
159+30.83 E.
FB. 662

T. 7 N
T. 8 N
R 18 W

174

1

2

36

35

15.68

52+03.99

FB 154 R
SEC. COR.

Stadia
429 @ 30°36 = 318

318'

FB. 155 R
Set 2x2

From P3-118

F.B. 736 Pg 120

To Pg. 121

148A-R
FB ~~148R~~
Set 2x2

Stadia
143' @ 6°14' = 141'

149A-R
F.B. ~~149R~~
Set 2x2

Stadia
Level 745'

150A-R
FB ~~150R~~
1/4 SEC. COR.
FB 652 Pg.

SEC. 36
T.5N R.18W

231.69

SEC. 1
T.4N R.18W

134+28.45
FB 652-66

40.00

FB 151R
Set 2x2 on
true line

713.68 Calc.
713.76 Ch.

134+68.45
Set 1x2 Pg.

Stadia
1180 @ 4°16' = 1174'

FB 152R
Set 2x2 top of spur.

By stadia
1130 @ 10°01' = 1096

E & W
Transit Line

FB 153R.
Set 2x2

From Pg. 119

W.S. 17, B-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of	
Map No.		W. O.	Tape No. St'd °F
Office Work		Surveyed by	
Checked		Notes	Date 6-8-43
Date		Indexed	A. C. Johnson

F.B. 736 Pg. 121

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W.S. 17, B-2

150R
FB ~~1428~~
SEC. COR.
FB 652 Pg 72

36 31 6

206' Calc

1100' @ 3°20' = 1096'

144A-R
FB ~~144R~~
set 2x2 on W. slope to canyon

150' @ 7°01' = 148'

148'

1096'

908' @ 7°59' = 890'

FB 145A-R
FB ~~145R~~
set 2x2 top of low spur in canyon

890'

SEC. 36
T. 8N, R. 18W

SEC. 1
T. 7N, R. 18W

146A-R
FB ~~146R~~
Set 2x2

341' @ 9°41' = 331'

331'

147A-R
F.B. ~~147R~~
Set 2x2

377' @ 9°01' = 368'

368'

148A-R
FB ~~148R~~
Set 2x2

From Pg. 120

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1336 PG 122

Notes Ck'd by KRM	Survey of Section Lines
Map No. Surv Div. 149-37-46	W. O. 0850-2 Maps No. 120 Sht'd. 84
Office Work [illegible]	Surveyed by Uharriet
Checked	Notes Uharriet Date 10-25-55
Date Nov '55	Indexed A. C. Johnson 10-26-55

F. B. 736 Pg. 123

SECS. 16, 17, 20, 21
R18W, T8N

Survey to reestablish corner to Sections 16, 17, 20, 21 R18W, T8N

Ref:
F.B. 65
F.B. 303.
C.S. Map #8579
C.S. 9164

Uharriet
Lind
Goodwin
Harner
Voge

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F309S S&E #247, 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


T8N
R18W
SEC. 16
SEC. 17
SEC. 21
SEC. 20
Old Ridge Route
Golden State Hwy
127
821'
127
127
127

Notes Ck'd by KRM
Map No. Sur. Div. 149-37-46
Office Work [illegible]
Checked
Date NOV. '55

Survey of Section Lines
W. O. [illegible] Tape No. 120 Std. 64 °F
Surveyed by
Notes [illegible] Date
Indexed A. C. Johnson

F. B. 724 Pg. 125

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W, S, 17, B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

15+59.9 39.0 126

15+44 bottom ridge

Set Nail

Top of ridge

1.8

13+29 Top of ridge brs. N.W. & S.E.

2613.64 Calc.

10+46 Edge of valley

Barbed wire fence

Dry Wash

(55)

5+03

T8N

R18W

3) 178°37'30"
4) 357°14'45"
5) 75°52'15"
89°18'42"

89°18'42"

0+00.00 [illegible] brs. [illegible]

[illegible], C.S. Map 8579

20 21
29 28

5342.67 C.S. 8579

Ft. Pg.

76F309S S&E #247. 8-54

F.B. 736 Pg. 126

COUNTY ENGINEER
T8N
R18W 20 21
R.E. 5869

C.S. 17, B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Bot. Pg. 127

34.12

33+10.08
Set 1"x2" Nail
on Small Knoll

30+47.1
End Fence

8.2

26+50.59
Set C.E. brass cap in mon.
flush in mound of rock
m'kd. as shown
J.M. 11-10-55

Searched for ¼ corner
unable to find corner
or any remains

26+45

39.23

36.95

3.0

SEC. 21

SEC. 20

22+60
End fence

Barbed wire fence

Dry

21+98

18+80
bottom spur

17+on.10

top spur

16+96
top spur

1.0

16+12
bottom spur
brs. E & W

Top Pg. 125

Notes Ck'd by KRMc	Survey of Section Lines
Map No. Sur. Div. 149-37-46	W. O. ____ Tape No. 130 St'd. 84 °F
Office Work MS Pierson	Surveyed by
Checked	Notes ____ Date 2-24-55
Date Nov. '55	Indexed C. Johnson

F. B. 58 Pg. 127

COUNTY ENGINEER T8N R20 17 16 21 R. E. 5869

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change. W.S. 17, B-1

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

SEC. 17

SEC. 20

SEC. 21

T8N

Dry Wash bears SE.

Golden State Hwy

T74

T82

Fd. 1/2" I.P. removed 2" I.P. replaced with C.E. 6+0 cap mon. 2" up mkd. as shown in J.M.B. 11-9-55

53+01.18 fr. South

Fd. 3/4" I.P. 0.2 N. of line

Fd. 3/4" I.P. 0.2 N. of line

Fd. 3/4" I.P. 0.2 N. of line

F.B. 732 PG. 128

bot Pg. 129

T62
R=8.97@16°31'=238.39
T62
29?.34@0°17'=296.04
T62
295.97@0°17'=295.69
830.12

T60
70.57@18°02'=69.49
T60
295.97@16°38'=294.34
360.32

top Pg. 127

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM	Survey of Section Lines
Map No. Sur. Div. 149-37-46	W. O. 20-3 Tape No. - St'd. - °F
Office Work MS/PW	Surveyed by
Checked	Notes Date 10-21-55
Date Nov. '55	Indexed C. Johnson

F. B. 736 Pg. 129

130

224+80

OLD RIDGE ROUTE

CONCRETE PVT.

12+00

SEC. 17

SEC. 16

23.0

T56
164
T54

200.00 = 200.01
204.22 x 1.15 = 203.95
206.12 x 1.36 = 206.26
208.74 x 1.12 = 203.67
218.00 x 1.257 = 212.51
1396.63

15+50

1.0

128

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F309S S&E #247. 8-54

F.B. 726 PG. 130

Bot Pg. 131



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

to P Pg. 129

Notes Ck'd by KRM	Survey of Section Lines
Map No. Sur. Div. 149-27-46	W. O. 30x Tape No. 120 St'd. 64 °F
Office Work [illegible]	Surveyed by Wharmet
Checked	Notes Wharmet Date 10-[illegible]
Date Nov. '55	Indexed C. Johnson

F. B. 736 PG. 133

40

Bot. Pg. 134

W. S. 17, A-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

SEC. 20

SEC. 17

1475.17

Barbed wire fence

40+03.75
Set 1x2 top of spur

3.5

32+17
Back of spur

T100
1924 @ 17°51' = 183.91
T100
286.69 @ 3°56' = 285.83
T102
119.91 @ 0°00' = 119.92
T100
41.03 @ 0°00' = 41.03
T100
298.37 @ 9°28' = 294.34
T100
294.69 @ 2°24' = 294.46
T100
265.60 @ 0°00' = 265.63
14.75.17

1.5

26+67.3

3.50

112.56

Searched for 1/4 corner unable to find corner

T76
112.57 @ 0°00' = 112.56

25+28.28
Set 1x2, 5" up on a small Knoll

26+40.84
Set C.S. brass cap mon. 2" up, in rock, in mound noted as shown
J. M. 11-5-55

R18W
T8N
20
17
COUNTY SURVEYOR
R.E. 5869

17+12
Bottom of ridge

T98
154.43 @ 6°42' = 153.39
T98
298.83 @ 2°00' = 298.83
T98
149.37 @ 0°00' = 149.38
T98
298.27 @ 1°28' = 298.20
899.80

899.80

Top Pg. 132

76F3095 S&E #247. 8-54

F.B. 736 PG. 134

W.S. 17, A-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
72d LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

52+81.68
Fd. 4"x6" post, w.i. 18" up
per C.S. 9164
Marked: S 17 on NW face
S 19 on SW face
Sec. 17 on NE face
S 20 on SE face
Removed 4"x6" post, replaced with C.E. brass cap mon. 2" up in Kg as shown
J.M.H. 11-9-55

6.99
6.0
38.59
T58
38.62 @ 0°00' = 38.59

52+45.09
Set 1"x2" s.w.i.

51+10
Bottom of 5' sump, open brs. NE, S.W.

50+52.2
Angle in fence
6.3

1239.64

SEC. 17

T58
51.62 @ 0°00' = 51.62
T58
298.79 @ 4°45' = 297.71
T58
222.39 @ 4°20' = 221.72
T58
299.77 @ 1°21' = 299.61
T58
71.16 @ 11°17' = 69.77
T58
299.31 @ 1°08' = 299.20
1239.64

SEC. 20

DRY WASH
brs. NE & SW.

48+12
Angle in fence
9.9

47+88.9
Angle in fence
6.3

(25)

Edge of pavement

43+67
T&P Sm'l
spot brs. N & S

top pg 133

Notes Ck'd by KRM	Survey of Section Lines
Map No. Sur Div. 149-37-46	W. O. — Tape No. 120 St'd. 24 °F
Office Work [illegible]	Surveyed by
Checked	Notes — Date
Date Nov. '55	Indexed C. Johnson

F. B. 936 Pg. 131

53+27.64

SEC 17

SEC 16

T6S

T6S

T6S

T6S

T6S

T6S

T6S

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

Fol. Pg. 130

bot. pg. 133

F.B. 726 Pg. 132



RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC. 17

F.B. 7361 PG. 135

Notes Ck'd by KRM
Map No. Sur. Div. 149-37-46
Office Work McElhaney
Checked
Date Nov. '55

Survey of Section Lines
W. O. 3390 Type No. 120 St'd. 84 °F
Surveyed by Unknown
Notes
Date
Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

60' Pg. 136

15+95 Top of ridge brs. N & S

15+55.40
S & T 1 X 2 P Nail

830.47

12.3

T 100
39.58 @ 0°00' = 39.58

39.58

15+15.62
S & T 1 X 2 P Nail

Barbed wire fence

177.22

SEC. 16

T 100
101.88 @ 15°33' = 98.16
T 100
88.84 @ 27°39' = 79.06
177.22

SEC 21

2.17 6.0
0.8

13+38.60
Fd. 2" I.P. plug & tag flush. R.E. 2059

Bottom of ridge
7+05

T 86
294.82 @ 9°04' = 291.17
T 86
298.88 @ 10°30' = 293.88
T 86
296.63 @ 3°40' = 296.02
T 86
249.60 @ 3°38' = 249.00
T 86
209.57 @ 5°47' = 209.53
1339.60

1339.60

Ht. Pg. 127

F.B. 736 PG. 136

bot. pg. 137

U.S. 17 B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

COUNTY ENGINEER
T8N
16 21
R18W COR
R.E. 5869

Barbed wire fence

SEC. 16

SEC. 21

1008.50

26+55.12
set C.E. brass cap
mon. flush in mound
of rock & rod as shown
[illegible]

T100
177.35@12°25' = 173.13
T100
247.80@2°02' = 247.67
T100
298.64@2°55' = 298.25
T100
292.76@8°35' = 289.51
1008.56

CULTIVATED FIELD

25+58

97.0

58.0

269.25

24+98 west side of a valley extending to south

T76
263.17@9°25 = 259.61
9.64@0°00' = 9.64
269.25

23+85.87
set 1x2 wood on
side of small knoll

23+77 center of
small knoll

T100
178.91@10°28 = 175.76
T100
282.61@4°50' = 281.63
T100
299.15@9°11' = 295.37
T100
77.79@2°24' = 77.71
830.47

830.47

top pg. 135

Notes Ck'd by KRM
Map No. Sur. Div. 149-39-46
Office Work [illegible]
Checked
Date Nov. '55

Survey of Section Lines
W. O. 80201 Tape No. 120 St'd. 54 °F
Surveyed by [illegible]
Notes [illegible] Date 9-2-55
Indexed A. C. Johnson

F. B. 736 Pg. 137

60ft pg. 138

54

43+03
center of dry wash 40' wide
brs. N&S

(40)

1073.50

9.1

37+40.50
set 1x2" Nail
top of ridge brs. N&S

Barbed wire fence

SEC. 16

SEC. 21

T100
97.65@Y°38' = 96.79
T100
239.59@4°18' = 239.23
T100
10.02@0°00' = 10.02
346.04

346.04

34+03
top of ridge on East side of valley
extending to south, brs. N&S

9.7

33+94.46
set 1x2" Nail
on ridge

33+11

1085.50

top pg. 136

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 736 Pg. 138

W.S. 17, B-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7201 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T8N R18W

53+10.24 ✓
Fd. C.S. brass cap monument flush per F.B. 65-31, C.S. Maps 8579 ✓ marked as shown

15 22 16 21

5269.12 C.S. 8579

Top Pg. 137

SURVEYORS COUNTY MONUMENT T8N M18W 15 22 16 21

89°59'00" ✓

2) 179°58'00"
4) 359°56'00" ✓
6) 179°54'00"
89°59'00" ✓

496.44 ✓

T98
163.70@4°54' = 163.11 ✓
T98
91.01@8°00' = 91.02 ✓
T98
247.24@11°29' = 242.31 ✓
496.44 ✓

1.0
48+19

48+13.80 ✓
Set 1X2" nail top ridge brs. N&S

T96
297.22@5°15' = 295.99 ✓
T100
289.63@23°44' = 289.05 ✓
T98
295.29@10°37' = 290.27 ✓
T100
54.46@22°10' = 143.06 ✓
T100
57.25@16°25' = 54.93 ✓
1073.30 ✓

1073.30 ✓

Barbed wire fence

Top Pg. 137

Now Orig. by KBM
Map No. Sur Dir. 149-37-46
Office Work [illegible]
Checked
Date Nov. '53

Survey of Section Lines
W. O. 9302.2 Tape No. 120 Std. 84 °F
Surveyed by Chevriet
Notes [illegible] Date 10-21-53
Indexed C. Johnson

F. B. 224 Pg. 139

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 17, 8-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54



F.B. 736 PG. 140

C. Johnson
NOV 14 '56



Note: Set 3/4" I.P., conc. plug, ¢ cap. wire flush at lot corners.

149-37-46.

X.I. ~~137~~

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. BRENNER	Survey of SEC. LINES
Map No. B-1705	JN 02.02.01 Tape 141 Std. 84 °F
Office Work T. M. L.	Surveyed by C. L. WEIGHT
Checked M. Miller	Notes C.L. W. Date 8-10-60
Date Nov. 21, 1960	Indexed M. L. on OCT 20 '60

F. B. 736 PG. 141

T8N R18W

SEC. 33

SERVICE POLE FOR ELECTRIC WATER PUMP (No Pole Number) SET N. & T. E. SIDE

SET 2" I.P. CONC. PLUG, BRASS NAIL & L.A. CO. ENGR. TAG, DN. 40" SET C.E. MON. - 2" I.P. BRASS CAP IN CONC. DN 10" MARKED

FD. R.W. 2x2, NO NAIL DN 20" SET #60 NAIL IN CTR. F.B. 652-97

863 0+00

SEC. 32

SET N. & T. N. SIDE P.P. # 708808E

MON. AS PER C.S. B1709 & F.B. 652-97 BROKEN OFF & KNOCKED OUT

54.66

EDISON POWER

53.34

11.34

0+11.34

REV. 7.43
" 126.59
297.15 @ 1-19 = 297.07
431.09

THIS MON. SET FROM RECORD AS PER F.B. 652-97

12.16

SET N. & T. N.W. SIDE P.P. # 708860E

431.09 RECORD MEASURE

T7N

45°

SET 2" I.P. CONC. PLUG, BRASS NAIL L.A. CO. ENGR. TAG UP 3"

14.14

THIS MON. SET ON RECORD PLUS FROM NORTH & ON LINE BETWEEN N.W. & S.W. CORS. SEC 4.

SEC. 5

FD. 2" I.P. SET CONC. FLUSH WITH CAP BROKEN OFF REPLACED WITH C.E. MON. - 2" I.P. BRASS CAP SET CONC. DN 12" MARKED

SEC. 4

4+31.09 R & M. SET NAIL

T 80°

300.27 @ 2-39 =		299.98
299.92 @ 1-33 =		299.81
300.60 @ 1-24 =		300.54
300.31 @ 0-52 =		300.28
300.43 @ 1-08 =		300.37
LEV.		178.43
"		11.60

F.B. 652-97 C.S. 1709 SET 2" I.P. CONC. PLUG, BRASS NAIL & L.A. CO. ENGR. TAG UP 2"

14.14

100

45°

298.76 @ 0-42 =		298.74
273.17 @ 0-48 =		273.14
LEV.		129.47
"		170.42
"		85.89
		2648.66
		.07
		2648.59

POWER & FENCE LINE

2648.58

SET N. & T. S.W. SIDE P.P. # 708868E

SET 2" I.P. CONC. PLUG, BRASS NAIL & L.A. CO. ENGR. TAG, DN. 30" SET C.E. MON. 2" I.P. BRASS CAP SET CONC. UP 5" MARKED

10.42

SEC. LINE

TRANSIT LINE

EDISON

552.1

45.42

FD. OLD R.W. 2x2 & NAIL DN. 15" F.B. 652-98

30+79.67 M.
30+79.63 K.
12.37

90°

THIS MON. SET FROM TRANSIT LINE PLUS & OFFSET AS PER F.B. 652-98

MON. AS PER C.S. B-1709 & F.B. 652-98 DESTROYED

735

SEC. 8

SEC. 9

COUNTY ENGINEER T.8N. R.18W. 32 | 33 / 5 | 4 SEC. COR. T.7N. R.E. 5869

COUNTY ENGINEER T.7N. R.18W. 5 | 4 1/4 COR. R.E. 5869

COUNTY ENGINEER T.7N. R.18W. 5 | 4 8 | 9 SEC. COR. R.E. 5869

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.17.B-2

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

76F309S S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 736 Pg. 142

Notes Ck'd by [illegible]	Survey of GORMAN POST RD.
Map No. B- 5976	JN 00218 Tape 201 Std 31 °F
Office Work MASUDA	Surveyed by ALEXANDER
Checked L. F. RAMOS	Notes ALEXANDER Date 4-3-
Date 4-27-88 5/85	Indexed by [illegible] JUN 1 19[illegible]

F. B. 246 Pg. 145

GORMAN POST ROAD

J.N. 00218

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PART 1
W/ BASIS
MAP
[illegible]

76F309S CE#310 3-69

1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by TOLLISON	Survey of CORNWALL RD TRAD
Map No. B-5476	JN 2005-13 Tape 221 Std 64 °F
Office Work MASUDA	Surveyed by R. PRIEST
Checked LF RAMOS	Notes [illegible] Date 3-77
Date 4-27-83 5/85	Indexed E. M. FOWLER JUN 5 1978

F. B. 736 Pg. 145

WS 17B-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F3095 CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 17, B-1


SEC. LINE
SEC. COR.
FD. CUT X
MARKED
PK. NAIL
F.I. 1938
SET NAIL & TAG
SET SPIKE & TAG
SET SPIKE & TAG
SET NAIL & TAG
SET NAIL & TAG
SET NAIL

Notes Ck'd by [illegible]	Survey of NORMAN FOSTER RD
Map No. B-5476	JN [illegible] Tape 221 Std SA °F
Office Work MASUDA	Surveyed by [illegible]
Checked LF RAMOS	Notes [illegible] Date [illegible]
Date 4-27-83 5/85	Indexed T. M. PALMER JUN 5 19[illegible]

F. B. 136 PG. 147

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE#310 3-69

WS 17, B-1

F. B. 736 Pg. 148



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by LLL 12-11	Survey of GERMAN POST RD.
Map No. B-5476	JN 1008.12 Tape 231 Std. EA °F
Office Work MASUDA	Surveyed by AI BRIGHT
Checked LF RAMPS	Notes AI BRIGHT Date 3-76
Date 4-27-83 5/89	Indexed M. PALMER JUN 5 1976

F. B. 726 PG. 149

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 736 Pg. 150

TO POT PG. 149



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by [illegible]	Survey of GOODMAN POST RD.
Map No. B-5476	JN XX2813 Tape 231 Std 84 °F
Office Work MASUDA	Surveyed by HK/KIGHT
Checked LF RAMOS	Notes ALEX HT Date 4-75
Date 4-29-85/85	Indexed T. M. PALMER JUN 5 19[illegible]

F. B. 736 PG. 151

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 17, B-1

F. B. 736 Pg. 152



Notes Ck'd by [illegible]	Survey of GORMAN POST RD.
Map No. B-5476	JN [illegible] Tape [illegible] Std [illegible] °F
Office Work MASUDA	Surveyed by [illegible]
Checked LF RAMOS	Notes [illegible] Date 4-13
Date 4-27-83 5/85	Indexed by M. PALMER JUN 5 1974

F. B. 726 PG. 152

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

W.S. 1181-1

SURVEYOR'S MONUMENT COUNTY

SEC. COR. FD. C.S.M.C. (FLUSH) 1.0' BELOW GRADE FIELD NOTES: F.B. 3720 pg 36 MARKED ASPHALT

TO INT. 429.21

H.P. #2

171.54
500.00
1709.86
622.61

1721.65
622.61
1099.04

1721.65
-622.61
1099.04

TO INT. 429.21

TO INT. 429.21

TO INT. 429.21

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 17, B-1

F. B. 730 Pg. 154



Notes Ck'd by [illegible]	Survey of [illegible]
Map No. B-5476	JN [illegible] Tape [illegible] Std [illegible] °F
Office Work MASUDA	Surveyed by [illegible]
Checked LF RAMOS	Notes [illegible] Date [illegible]
Date 4-27-83 5/85	Indexed T. M. PALMER JUN 5 1985

F. B. [illegible] Pg. [illegible]

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE#310 3-69

F. B. 726 Pg. 126

TO EST A = 152

(40)

(40)

SET N&T IN TOP OF 4"x4" GUARD POST

FD CHISELED "X" IN CONC. CULVERT HDWL WALL 57A 50'+50' FROM PE #6 AT ANGLE

SET PK NAIL IN CONC. CURB AT EXTENSION OF LINE FROM PE #6 AT ANGLE CHISELED "X" FD & CHISELED "X" SET ELEC EM 18CLE AT ANGLE OF AFF

H.P. #2

20+27 c 03°11'55" = 203.51/4

GUARD RAIL

SET N&T IN TOP OF 4"x4" GUARD POST

X

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by JOLLISON	Survey of CULMAN ACCESS RD.
Map No. B-5476	JN [illegible] Tape [illegible] Std [illegible] °F
Office Work MASUDA	Surveyed by [illegible]
Checked LP RAMOS	Notes [illegible] Date 5-75
Date 4-29-83 5/85	Indexed T. M. PALMERI JUN 5 [illegible]

F. B. 736 Pg. 127

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 791 Pg. 158

Notes Ck'd by	Survey of
Map No. B-5476	JN CC2915 Tape 221 Std 91 °F
Office Work MASUDA	Surveyed by
Checked LF RAMOS	Notes Date
Date 4-27-83 5/85	Indexed J. M. PALMER JUN 5 19

F. B. Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W317, B-1



Notes Ck'd by	Survey of
Map No. B-5476	JN Tape Std °F
Office Work MASUDA	Surveyed by
Checked LF RAMOS	Notes Date
Date 4-27-83 5/85	Index T. M. PALMDALE 5 1974

F. B. Pg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.




Notes Ck'd by
Map No. B-5476
Office Work MASUDA
Checked LF RAMOS
Date 4-27-83 5/85
Survey of
JN Tape Std °F
Surveyed by
Notes Date
Index L. M. PALMER JUN 5 1974
F. B. PG.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


F. B. 756 Pg. 154
SET LEAD & TACK TAG "LS 6501" FLUSH
SET LEAD & TACK TAG "LS 6501" FLUSH
SET LEAD & TACK TAG "LS 6501" FLUSH

Notes Ck'd by TOLLISON	Survey of
Map No. B-5476	JN	Tape	Std °F
Office Work MASUDA	Surveyed by
Checked L F RAMOS	Notes	Date
Date 4-27-83 5/85	Indexed J. M. PALMER JUN 5 1974

F. B. Pg.

WS 17 B-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

SET SMALL POT. SHK

FD. LATH IN OLD CONC. NWY (ON L) PER C.C.M. 78-5

SET #14 SET LEAD & CUT TAG IN CONC. NWY (ON L) BY INT. F.M. 16013-E AT OF A17

FD. 7/8" CHC CONC. BENCH MARK (1966) PER C.C.M. 1965 F.M. 16013-E AT OF A17

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F.B. 736 Pg. 16

Notes Ck'd by TOLLISON	Survey of
Map No. B-5476	JN Tape Std °F
Office Work MASUDA	Surveyed by
Checked L F RAMOS	Notes Date 10-12
Date 1-27-89 S/89	Indexed M. PALMER JUN 1978

F. B. Pg.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 726 PG. 168

Notes Ck'd by	Survey of
Map No. B-5476	JN	Tape	Std °F
Office Work MASURA	Surveyed by
Checked L F RAMOS	Notes	Date
Date 4-29-83 5/85	Indexed M. PALMERI JUN 5 1974

F. B. PG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 796 Pg. 170

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W5,7 A+/

Notes Ck'd by JOHNSON
Map No. B-5476
Office Work MASUDA
Checked LF RAMOS
Date 4-14-83 5/85

Survey of
JN
Surveyed by
Notes
Index M. PALMERLUND
Tape Std °F
Date 5-1984

F. B. 7220 PG. 111


70.98'
70.98'
70.98'

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 726 Pg. 1710

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 17A-1

Notes Ck'd by
Map No. B-5476
Office Work LF RAMOS
Checked 4-27-83 5/83
Date

Survey of
JN
Surveyed by
Tape Std °F
Notes
Indexed T. M. PALMER Date JUN 9 1974

F. B. PG.

COUNTY ENGINEER
R.E. 7078

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 736 Pg. 174

Notes Ck'd by TOLL LOAN	Survey of GRAND AVE
Map No. B-5476	JN 00813 Tape 100 Std 64 °F
Office Work MASYDA	Surveyed by
Checked LF RAMOS	Notes
Date 4-27-83 5/85	Date
	Indexed by M. PALMER JUN 5 1984

F. B. _____ PG. _____

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 17, A-1

COUNTY ENGINEER R.E. 7078

F. B. 1316 PG. 1716

Notes Ck'd by Tollison	Survey of
Map No. B-5476	JN ____ Tape ____ Std ____ °F
Office Work MASUDA	Surveyed by
Checked LF RAMOS	Notes ____ Date ____
Date 4-27-83, 5/85	Indexed T. M. PALMER JUN 5 1984

F. B. 150 Pg. 177



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 17, A-1

F. B. 726 Pg. 176



Notes Ck'd by	Survey of
Map No. B-5476	JN Tape Std °F
Office Work MASUDA	Surveyed by
Checked LF RAMOS	Notes Date
Date 4-27-83, 5/85	Indexed J. M. PALMER JUN 5 19

F. B. Pg.

WS17A-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS17, A-1

F. B. 1316 Pg. 160


SET NAIL & TIN
A.P. #1609 E.E.
SET NAIL & TIN
A.P. #1609 E.E.
SET NAIL & TIN
A.P. #1609 E.E.

Notes Ck'd by TOLLISON	Survey of OK MINERAL RD.	F. B. 730	Pg. 191
Map No. B-5476	JN ____ Tape ____ Std ____ °F		
Office Work NIASUDA	Surveyed by ____		
Checked LF RAMOS	Notes ____ Date ____		
Date 4-27-83, 5/85	Indexed M. PALMER JUN 5 1974		

W 5176 A-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

COUNTY SURVEYOR'S

SEC. 12
T.5N. R.13W.

SEC. 7
T.5N. R.13W.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.17, A-1

F. B. 726 Pg. 162



Notes Ck'd by	Survey of
Map No. B-5476	JN Tape 77 Std °F
Office Work MASUDA	Surveyed by
Checked LF RAMOS	Notes Date
Date 4-27-83 5/85	Indexed T. M. PALMER JUN 3 1974

F. B. PG.

WS 17 A-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 726 Pg. 184



TO EOT 10-182

TO TOP 2-185

H.P. # 2

320.25' @ 0° 45' 22" = 320.20

704.72 @ 0° 31' 40" = 704.69

724.97

20.28

704.69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by TOLLESON	Survey of
Map No. B-5476	JN ____ Tape ____ Std ____ °F
Office Work MIASUDA	Surveyed by
Checked L F RAMOS	Notes ____ Date ____
Date 4-27-83, 5/85	Indexed T. M. PALMERI JUN 5 1984

F. B. ____ PG. ____

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 17A-1

F. B. 736 Pg. 106



Notes Ck'd by	Survey of
Map No. B-5476	JN 0096.12 Tape 125 Std 24 °F
Office Work MASUDA	Surveyed by
Checked L F RAMOS	Notes Date
Date 4-27-83, 5/85	Indexed M. PALMER JUN 5 1974

F. B. 725 PG. 18

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS.17.A-1

F. B. 7516 Pg. 195


COUNTY SURVEYOR
GORMAN SUBSTA
COUNTY SURVEYOR
FD L & T IN OLD CONC HWY (CENTER) PER RECORD 4002-10
FD STA IN & T IN CORE OF SHERIFF STATION PHASING LOT PER RECORD 4002-10
INTERSECTION OF FD CHISELED X IN OLD CONC HWY (CENTER) PER RECORD 4002-11 AND CORNER OF THIS SET L & T IN CORE OF CHISELED X IN CENTER OF CHISELED X
FD L & T IN OLD CONC HWY (CENTER) PER RECORD 4002-11 AND COR-46
FD L & T IN OLD CONC HEADWALL PER RECORD 4002-10
FD L & T IN CONC HWY (CENTER) PER RECORD 4002-11 AND COR-46
FD C.S. MON (FLUSH) PER C.S.B. 2199 MARKED AS SHOWN
SET NAIL IN P.A. # 1604
SET NAIL IN P.A. # 1604
TO EOT AT 1246
TO EOT AT 1294
TO EOT AT 1241
TO EOT AT 1241
TO EOT AT 1241

Notes Ck'd by Geo. Nakaoka
Map No. B-5476
Office Work MASUDA
Checked L F RAMOS
Date 4-27-83, 5/85

Survey of GERMAN POST RD.
JN 0006.2 Tape 125 Std 84 °F
Surveyed by AL KNIGHT
Notes ALL CAIII Date 2-84
Indexed by M. PALMER JUN 5 1974

F. B. 736 Pg. 100

WS 17A-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by TOLLISON	Survey of
Map No. B-5476	JN Tape Std °F
Office Work MASUDA	Surveyed by
Checked LF RAMOS	Notes Date
Date 4-27-83, 5/85	Indexed I. M. PALMER JUN 1974

F. B. Pg.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 17A-1



Notes Ck'd by TOLLISON	Survey of CENTERLINE COST ZONE
Map No. B-5476	JN [illegible] Tape 100' Std [illegible] °F
Office Work MASUDA	Surveyed by [illegible]
Checked LF RAMOS	Notes [illegible] Date 2-84
Date 4-27-83, 5/85	Indexed T. M. PALMER JUN 5 1984

F. B. 756 PG. 58

WS 17A-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.17,A-1



F. B. 154 Pg. 194

Notes Ck'd by TOLLESON	Survey of
Map No. B-5476	JN Tape Std °F
Office Work MASUDA	Surveyed by
Checked LF RAMOS	Notes Date
Date 4-27-85, 5/85	Indexed by M. PALMER JUN 5 1974

F. B. Pg.

W 5.17 A 1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

SURVEYORS

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 17, A-1

F. B. 736 PG. 156



Notes Ck'd by Geo. Kuroki
Map No. B-5476
Office Work MASUDA
Checked LA RAMOS
Date 4-27-83; 5/85

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed M. PALMERI JUN 5 1984

F. B. Pg.

W.S.17, A-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

COUNTY ENGINEER
R. E.

SET 60 HAIL & TAG (ONLY) IN A LARGE ROCK

SET 60 HAIL & TAG (ONLY) IN A LARGE ROCK

TO CENTERLINE

TO CENTERLINE

TO CENTERLINE

TO CENTERLINE

P6F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS17, A-1



76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 17, A-1

Notes Ck'd by Tall
Map No. B-5476
Office Work MASCUA
Checked L F Ramos
Date 9-27-73, 5/85

Survey of
JN
Surveyed by
Notes
Indexed T. M. PALMER JUN 5 1974

Tape Std. °F
Date

F. B. PG.



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 736 PG. 20

Notes Ck'd by TOLLISON	Survey of GEODETIC TIES
Map No. B-5476	JN 0098.13 Tape 195 Std 84 °F
Office Work MASUDA	Surveyed by VAN NESS
Checked LF RAMOS	Notes VAN NESS Date 2-9-74
Date 4-27-83, 5/85	Indexed C. J. GALLI JUL 17 1974

F. B. 756 Pg. 201

J. N. 0098.13

GEODETIC TIES

ON

GORMAN POST ROAD

(ZONE 7)

VAN NESS
HILL
EAST-ROM

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 736 PG. 202

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

T8N; R18W

T8N; R19W

2 11 12 10 9 8 7 15 16 17 18 22 21

N

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.17 A-1

SEC. 2, T8N; R.1W

TO PCT

PG. 4 OF

FD 1" I.P. I.M.
FOR E.COR. SEC. 2
PER R.B. 736-117, 118

FD 3/4" I.P. I.M.
FOR N.1/4 COR. SEC. 2
PER R.B. 736-117, 118

1170.95
CALC. PER R.B. 736-117, 118

127.15 @ 85-51: 123.80
124.31 @ 85-15: 123.79

235.26 @ 100-10: 290.62
235.61 @ R5A-33: 290.62

178.37 @ 88-30: 177.32
178.42 @ 88-07: 177.32

LEVEL 45.07
637.80
.07
T = 68° 637.73

1/4 COR
SECS. 2 & 11 T8N; R1W
FD 1" I.P. I.M. 3" BRASS CAP
PER R.B. 736-117
MARKED

COUNTY ENGINEER
T.1N.
R.1W.
11
1/4 COR. 14
R.E. 701

SEC. 11; T8N; R1W

Notes Ck'd by Tolle Olson
Map No. B-5476
Office Work MASON
Checked LF Ramos
Date 4-27-83, 5/83

Survey of GEODETIC TIE
JN 007217 Tape 195 Std 84 °F
Surveyed by [illegible]
Notes [illegible] Date 7-9-74
Indexed C. [illegible] JUL 17 1974

F.B. 736 PG. 117

F. B. 736 Pg. 204



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by TOLLISON	Survey of GEODETIC FIELD	F. B. 736	PG. 205
Map No. B-5476	JN ____ Tape ____ Std ____ °F		
Office Work MASUDA	Surveyed by J.J. VALLES		
Checked LF RAMOS	Notes VALLES Date 2-9-74		
Date 4-27-83, 5/85	Indexed C. J. GALLI JUL 17 1974		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 17, B-1



F.B. 736 Pg. 206

16F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Ndtes Ck'd by Tomlinson
Map No. B-5476
Office Work MASKIDA
Checked L.F. Lamos
Date 4-27-83, 5/83

Survey of GEODETIC TIES
JN00981.13 Tape 1925 Std. 27 °F
Surveyed by C.L. VAN NESS Date 7-11-74
Notes
Index G. J. GALLI JUL 15 1975

F.B. 736 Pg. 207

KM2 LEB.
FD USC&GS BRASS DISC
MON IN 10" DIA. CONC POST FL.
OFR F.S.
MARKED

U.S. COAST & GEODETIC SURVEY
W434
1935
RESET
1965
TRANSMISSION STATION
WRITE TO THE DIRECTOR, WASHINGTON, D.C. FOR INFORMATION
WASHINGTON, D.C. $250 FINE FOR DISTURBING THIS MARK

SEC. 15; T8N; R18W

M-13B LEB.
FD USC&GS BRASS DISC
MON. IN 10" DIA. CONC POST
3" UP PER F.B.
MARKED

U.S. COAST & GEODETIC SURVEY
X434
1935
RESET
1965
TRANSMISSION STATION
WRITE TO THE DIRECTOR, WASHINGTON, D.C. FOR INFORMATION
WASHINGTON, D.C. $250 FINE FOR DISTURBING THIS MARK

SET NAIL & BR# 16992022

47.60 ↓

SEC. LINE

36.38

109.51'

199.29

CALC. PER F.B. 736-146

1" I.P.

TO LEFT

TO INT. SECTION

2585.21 CALC. PER F.B. 736-153,146

2790.37 ↓

SET 1" I.P. FL CONC FL. SE AG & N BY INT.

FROM R.T. SIDE

SIDE OF 208

PG. 206

N.P.		
2790.48	@ 89-27-50 =	2790.37 ↓
47.60	@ 89-22-45 =	47.60 ↓
634.75	@ 91-10-22 =	634.62 ↓

19°

49'

41"

634.62 ↓

STA M13A

TO TRA

PG. 209

1) 99-49-43
2) 39-18-45
3) 99-49-41½ ↓
4) 238-58-05
5) 99-49-49½ ↓

SEC. 22; T8N; R18W

F. B. 736 PG. 208

WS 17, 12-1



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by TOLLISON	Survey of GEODETIC TIES
Map No. B-5476	JN CC78.13 Tape 125 Std 84 °F
Office Work MASUDA	Surveyed by G.L. VAN NESS
Checked LF RAMOS	Notes VAN NESS Date 7-11-74
Date 4-27-83, 5/85	Indexed D. J. GALLI JUL 17 1974

F. B. 756 PG. 207

FROM RT. SIDE PG. 207



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

RETURN TO
LOS ANGELES
COUNTY ENGINEER
ENGINEERING BLDG.

Note: Any Additions ... this
Sheet Must be ... Red
Ink With Date ... Person
Making Change ...

Do not extend this side of this line.

736

F. B. 734 PG. 210