The original pages of this book are of poor quality. Care has been taken to make the best scans possible. If necessary you can arrange to see the original book at:

Department of Public Works

900 S. Fremont Ave

Survey Public Counter

Alhambra, CA 91803

FB.776-3

FB.776-4

LA City FB 9534


FH. LOCOCK
12919-24
Ties by Knight & Forty
1930
Nov.
SET
10.54
10.81
10.54
SET
SET
SET

FB. 776-5

FB. 776-6





FB776-7

FB.776-8


Tabeltom Ry Co
NOV 3 1932
INDEXED
Tract # 2594
Sheet # 2
Blvd
Burbank
Line
Tract Line
2x2 Pg 19
2x2 in pit
2x2 Pg 19
2x2 in pit
2x2 in pit
2x2 in pit

FB. 776-9



FB. 776-10

L.A.City, FB. 12918

NOV 3 1932
INDEXED



FB. 776-11

FB. 776-12

L.A. City FB. 12918

INDEXED NOV 3 1932

Lane

El Escorpion Rd to 1113± W'ly of El Escorpion Rd

& Dists, Angles & Ties

Sept 1932

Winters
Blair
Miller
Rairland

& Resp 8114-40
Tract #2594 Sheet #1
Tape & 198 Std. @ 68°
17½ lbs suspended
Survey Pg. 25



FB776-13

FB.776-14

L.A.City FB 12918

34

NOV 3 1932

INDEXED

W'ly Line Tract # 2594

Goodall Rd to 9785 ± Southerly

Survey

Oct 1932

Winters

Blair

Miller

Rowland

Previous Survey Pg's 27 to 31



FB.776-15

FB.776-16

35






To bottom Pg. 35
Not Fence Post
set 2x2 in pit
brow hill
2x2 Pg 29
Not Fence Post
1112.39' calc Pg 30
Tract #2594
Not Fence post
set 2x2 in pit
2x2 Pg 30
Not Fence post
To 2x2 at angle SW-NE
671 HR calc
set 2x2 in pit
2x2 8114-44
Not Gate post
El Escorpion Rd
To Top opp. pg.


To bottom opp. pg.
L.A. City FB. 12918
set 2x2 in pit on brow hill
Tract #2594
2" IP Mouth of Wood Inlaid
set 2x2 in pit
To Bottom opp. pg.
2" IP Wood inlaid
8114-39
4" IP Set in Masonry SF=38

FB 776-20

12919

FB. 776-19

To Bottom Opp. Pg.



12919

JUN 29 1931

INDEXED 19

43



FB 776-21

12919



FB 776-22

12919

JUN 29 1931

INDEXED 19

52



FB.776-23

12919

FB.776-24

12919

55

JUN 29 1931

INDEXED 19

Rancho El Escorpion



FB.776-25

12919


To Bottom Opp. Pg
60'
30'
30'
Fenwood Ave
M 447.50 E 56°
447.47
T 447.70
Fd 2" I.P.
Set Nail
72.79
Fd 2" I.P.
Set Nail
Set Axle
Prod
53.04
Set Axle
Prod
Set Axle
Prod
Set Axle
Prod


To Pg 69
Δ=102°-03'-33"
R=10'
T=11.81'
L=17.90'
Set PK
10' Offset
R=102.35'
M 109.04 @63°
Cross on
Tall Stanchion
Δ= 77°-56'-57"
R=10
T=11.81'
L=13.60'
Set PK
10' Offset
R=31
69.02
M 90.75 @62°
90.75
R 90.75
M 351.13 @62°
351.12
R 350.94
Set PK
10' Offset
92.75
50.09
T=52.40
L=91.40'
Set PK
10' Offset
45°
77°-56'-57" M
77°-55'-46" R
Set PK
10' Offset
Δ=77°-56'-57"
R=10'
T=11.81'
L=13.60'
Δ=102°-03'-03"
R=10'
Cross on
Storm Pipe
Convent St
M 316.82 @88°
316.82
60'
30'
30'
Tract 10327
Sheet 3
To Pg 67


Tract 10327
Sheet 2
Fenwood Ave
M 447.50 @56°
447.37
R 447.40
Overall 799.59 M
799.34 R
10'
30'
90°
L=39.28'
Set PK
10' Offset
Set PK
10' Offset
Tract 10327
Sheet 2

FB.776-29

12919



FB.776-30

12919

69




To bottom of Fg
Set Ax2 20' deep
48°
45°
55.99
50.50
Tract 10327
Sheet #5
30'
33.70
53.69
Wire fence
Δ = 107°-33'-30"
R = 10'
Convert St
M 284.18 est°
284.11
Overall 1272.51 M
1272.67 R
18.71
Sonoma Ave
M 425.84 @ 82°
425.88
R 425.96
To 15209-52
25'
50'
165°
25.57
Ex 2" IR
12' deep
To 10327 Sheet #4
Δ = 72°-26'-30"
R = 10'
12.64
HB. 90
40.39
22.47
45°
HY. 02
To Fg 69


To Fg 71
30'
Tract 10327
Sheet #5
Convert St
M 284.18 est°
Wire fence
N.T. Post
42.82
Set Ax2 20' deep
Wire
M 284.18 est°
284.11
Overall 1272.51 M
1272.67 R
Rancho El Escorpion
To Top of Fg

12919



12919

71



12919


To bottom app. Pg
70'
20'
20'
Tract 2594
Sheet #1
N 526.49 E82°
526.54'
N 2660.16 overall
T 2660.58
Set RR2
20° Deep
N 44W17 E51
524.81
Convert St
Rancho
El Escorpion
To Pg 71

12919


To Pg 73
N.T. Post
167.23
Tract 2594
Sheet #1
N.T. Post
31.64
Set RR2
20° Deep
Wire Fence
43.05
70'
20'
20'
N.T. Post
N 433.68 E 90
433.71'
T 2660.16
2660.58 overall
Convert St
Rancho
El Escorpion
Set RR2
20° Deep
31.62
Set RR2
20° Deep
26.87
Set RR2
20° Deep
Top of Hill
Set RR2
20° Deep
33.81
70°
36.07
Set RR2
20° Deep
To Top app. Pg

12919



12919

73



12919

FB. 776-39
JUN 29 1931
INDEXED 19



12919

FB. 776-40
JUN 29 1931
INDEXED 19

Oxnard Street

Shoup Ave to 543.68' W of Fenwood Ave

Survey

and

Center Line Ties

Feburary 28, 1931

Knight GB.
Shaw DE
Fisher H.R
Hendricks J.R

L Ref 1809-9
9570-67
This book 830

Tract Maps	Sheet
1000	21, 24
9528	2
9538	3
9537	2
3558	1
10377	3, 4

Type "L" 18" Stone set 0.6'

FB.776-41

15209



FB.776-42

15209

56



FB.776-43

15209

FB.776-44

15209

JAN 11 1932

INDEXED

66



F.B. 776-45

STATE OF CALIFORNIA

C2 Line

Station	Azimuth	Course	Curve Data	Def.	R/P
401				401 = 1°00'	
				+50 = 0°43'	
400				400 = 0°26'	
				+50 = 0°08'	
+24.23 B.C				B.C = 0°00	
399					
		N 89°59'25" E			
398					
397					
396					
395					

F.B. 776-46

92

DIVISION OF HIGHWAYS

W.S. 4B

Co. L.A. Rt. 26 Sec. C

Date 5-13-32 (Clear & warm.) Page 1

Wiley
Silverthorne
Hudson
Peabody
Nesbitt

(uncultivated)

54

47

399 + 24.23 = B.C - C' - line change
399 + 24.23 = P.O.T. - Orig. L. A.Co.

B.C

Equation (Bg. of line change)

(Set 1" x 2" in flat (buried 8")

Set L & T on Conc. Pav. 4-1-33 Wiley

61°14'

+199

grain field.

ARROYO AVE.

400 + 10.00

FB.776-47

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

W.S.48

FB.776-48

93

C^2 Line

Co. 4,A Rt. 26 Sec. 6

Date 5-13-32 Page 2

Station	Azimuth	Course	Curve Data	D or R	R/P
408				408 = 4°26'	
				450 = 4°09'	
406				406 = 3°52'	
				450 = 3°35'	
405				405 = 3°18'	
				450 = 3°00'	
404				404 = 2°43'	
				450 = 2°26'	
403				403 = 2°09'	
				450 = 1°52'	
402				402 = 1°34'	
				450 = 1°17'	
401					

N 89°59' 25" E



FB.776-49

STATE OF CALIFORNIA

C^2 Line

Station	Azimuth	Course	Curve Data	Def.
413				413 = 7°53'
				+50 = 7°35'
412				412 = 7°18'
				+50 = 7°01'
411				411 = 6°44'
				+50 = 6°27'
410				410 = 6°09'
				+50 = 5°52'
409				409 = 5°35'
				+50 = 5°18'
+17.87 P.I. 408	159°44' 339°28'	N 69°43'25" E	Δ = 20°16' R = 5000' T = 893.64 L = 1768.60 E = 79.25	408 = 5°01'
		N 89°59'25" E		+50 = 4°43'

FB.776-50

94

DIVISION OF HIGHWAYS

W.O. 48

Co. LA Rt. 26 Sec. C

Date 5-13-32 Page 3



FB.776-51

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

W.S.-18

Co. L.A. Rt. 26 Sec. 6

Date 5-13-32 (Windy) Page 4

C 2 Line

Station	Azimuth	Course	Curve Data	Def.	R/P.
419					
418					
419 +92.83 E.C		N 69° 43' 25" E		E.C = 10° 08°	
				+50 = 9° 53 3	
416				416 = 9° 36 L	
				+50 = 9° 18 9	
415				415 = 9° 01 2	
				+50 = 8° 44 6	
414				414 = 8° 27 4	
				+50 = 8° 10 2	

FB.776-52 95



F.B. 776-53

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

C 2 Line

Station	Azimuth	Course	Curve Data	Def.
425				
424				
423				
		N 69°43'25" E		
+15.12 Int. point				
422				
+55.89 P.O.T.	180°00'			
421				
420				
419				

F.B. 776-54

96

W-5.48

Co. L.A. Rt. 26 Sec. C — Date 5-13-32 — Page 5



FB.776-55

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

W.J.A.

FB.776-56 97

Co. L.A Rt. 26 Sec. C Date 5-14-32 Page 6

C 2nd Line

Station	Azimuth	Course	Curve Data	Def.
431				431 = 4°34'
				+50 = 3°59½
430				+30 = 3°25½
				3°08
				+50 = 2°50½
				34'
429				429 = 2°16½
		N 69°43'25" E		+50 = 1°42½
				25
428				428 = 1°07½
				+50 = 0°33½
401.36 B.C 429				B.C = 0°00
426				

Ed St W. to R.R. Co. R/W Corona Pomona Rd. buried 2"

Sat. Nail in Intersection Semi-Tangent with ℄ of Pomona-Covina Co. Rd.

Ed. Iron L. & T. on ℄ buried 2" below Surface of Roadway

Fence Straight for 500'±

Cultivated grain fields

ARROYO AVE

175°00'00" H

858.61

+51 x Hog Fence

119.59

30'

B.C. To Int. 284.70

403.46

Cultivated grain fields

½ mile long ℄ Hedge Fence

264°05 From Semi-tangent

50° Curve

29'

B.C

Set 1"x2" buried 4" in gutter on ℄ old Rd. B.C

Set L & T. on Conc. Pav. 4-14-33 H.H.W

Ed St W. to R.R. Co. R/W Covina-Pomona Rd.

22'

℄ E.

Ed St W. to R.R. Co. R/W Covina-Pomona Rd. buried 2"

FB.776-57

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

Showing ℄ and Curve to ℄ of 30' Conc. Pav.

Co. L.A Rt. 26 Sec. C

W.S. 48

FB.776-58

Date 2-17-33 Willy

Page 69

Line Station	Azimuth	Course	Curve Data	Def.	Def.
				439 = 13°39'	
Equation				+50 = 13°04'	
445+60.93 Orig. P.O.T. opposite				438 = 12°30'	
445+62.87 New E.C				+50 = 11°55'	
				437 = 11°21'	50'6 = 0°34.38
					1'6 = .686'
				+50 = 10°47'	
				+35.81 = 10°37.4'	
				436 = 10°12.8'	
				+50 = 9°38.4'	
			Δ = 42°29'35"	435 = 9°04'	E.C = 21°14'47"
P.I. (New)	222°29'35"		R = 2500'	+50 = 8°29'	+50 = 21°06'
			T = 972.02	434 = 7°55.3'	445 = 20°31.6'
			L = 1854.11	+50 = 7°20.9'	+50 = 19°57.3'
			E = 182.31	433 = 6°46.5'	444 = 19°22.9'
				+50 = 6°12.2'	+50 = 18°48.5'
				432 = 5°37.8'	443 = 18°14.1'
				+50 = 5°03.4'	+50 = 17°39.7'
				431 = 4°29.0'	442 = 17°05.4'
				+50 = 3°54.6'	+50 = 16°31.0'
				430 = 3°20.3'	441 = 15°56.8'
				+50 = 2°45.9'	+50 = 15°22.5'
				429 = 2°11.5'	440 = 14°47.8'
				+50 = 1°37.1'	+50 = 14°13.5'
				428 = 1°02.7'	
				+50 = 0°28.4'	
				B.C = 0°00	

S 67°47'35" E

N 69°43'25" E

New B.C 427+08.76 B.C

Equation = New E.C ℄ Pav. 445+60.93 / 445+62.87

445+55.40 Orig. E.C = ℄ of R/W

S 67°47'35" E

S 62°42'E

New P.I.

Orig. P.I.

5.46

5.46

17.40

N 69°43'25" E

ARROYO AVE

Orig. Curve
Δ = 42°29'35"
R = 2500'
T = 972.02
L = 1854.11
E = 182.31

427+08.76 B.C New Curve

17.40

427+01.30 Orig. B.C — B.C Orig Curve

℄ of Survey and Point and R/W

FB.776-59

FB.776-60 98

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

W.S.45

Co. LA Rt. 26 Sec. C — Date 5-14-32 Page 7

℄ Line

Station	Azimuth	Course	Curve Data	Def.
432				432 = 11°20'
				17
				1°06'
+73.38 P.I.	288°29'35"		Δ = 42°29'35"	
	Bk 59°10"		R = 2500'	
			T = 972.08	
			L = 1854.11	430 = 10°52'
			E = 182.31	17
				1°03'
+28.41 Middle of Curve				
436				436 = 10°19'
				17
				1°00'
				450 = 9°43'
				17
				9°26'
435				435 = 9°09'
				17
				8°52'
				450 = 8°34'
				17
				8°17'
434				434 = 8°00'
				17
				7°43'
				450 = 7°25'
				17
				7°09'
433				433 = 6°51'
				17
				6°35'
				450 = 6°17'
				17
				6°01'
432				432 = 5°42'
				17
				5°26'
				450 = 5°08'
				17
				4°51'
431				

N 69°43'25" E

Set 1" iron Rod 15" long in 1½" iron pipe in field buried 12" P.I.

P.I.

(188.31 Ex. Tunnel)

Cut X in Conc. 4-18-33

R.R. Mon. Point

R.R. Co. 1½" buried 6"

Cut X in Conc. 4-15-33

ARROYO AVE

Centerline Arroyo Ave.

Co. Rd. To Pomona

+26: 30" C.M. pipe Culvert in block under Co. Rd. 92 = 71°00 (No good Cond.) 40' long

71°00'

40'

+29'

FB.776-61

FB.776-62

5201

44



5201



FB.776-63

FB.776-64

5504

17

5504

17

FB. 776-65

FB. 776-66

7405

13

7405

13

FB. 776-67

FB. 776-68

7405

21 ○

Howell Ave
Parkchester Ave to S.B.R.R. Right of way
Or Mar Survey

July 27-28

Tessero Surv
Ray Matteo Asst
Mc. Turnin Chain
Clegg do.

℄ Refs - Pg 14

7405

○ 21

PARKCHESTER AVE

set 2x2

set 1x1 STK.

N

See P. 13

Found Rough 2x2

set head and Tack in granite Rock
Found 3/4" manbolt

FB.776-69

FB.776-70

7405

42

VAQUERO AVE ℄ SURVEY

ANGLES - TIES - DISTS - Pg 114

AVE

CHESTER

ST

To Pg 24

To Pg 23

Rec = 40.00
Meas = 153.90

VAQUERO

Top Appl Pg 1

TRACT

Found 3/4"

Set 5/8" Rebar

Found 1/2"

Rec = 223.33
MEAS. = 223.23

To Pg 33

AVE

Found 1/2" Pipe

103°58'50"

ITHICA

LINE

To Pg 44

228

229

231

230

231

231

241

172

173

171

170

169

168

167

166

247

249

251

165

164

163

152

162

161

160

FB.776-71

FB.776-72

7405

44

VAQUERO AVE
Angles-Ties-Dists
Survey Pg. 42



7405

44

FB.776-73

FB.776-74

7405

46

Alley N'ly of Pasa-Hambra Blvd.
284.29' W. of Hollister Ave. To Dorchester Ave.
± Survey
Ties Pg. 50 51-52



7405

46



FB.776-75

FB.776-76

7405

50

Title Pg 33.

ANGLES TIES DISTS

SURVEY PHEL 46 & 48 HH

7405

50



FB.776-77

FB.776-78

7405

INDEXED 9/17 1928

HIGHBURY AVENUE

Valley Blvd. To Borrego Ave

E. Meas. Ties & Angles

Sept 5. 1928

Ridley

Wolfe

Donker

Brown

Survey Page-62

7405



FB.776-79

7405



FB.776-80

7405

INDEXED 9/17 28



FB.776-81

FB.776-82

7405



7405



FB.776-83

FB.776-84


7405
7405
to P. 27
Camino
Alhambra
Ave
Meas 53.94
Meas 45.72
Meas 148.575 @ Rec
Corr 148.59
Rad 1470.87
St. Meas 47.34
St. Meas 47.34
176°25'25"
(4°39'20" Copd. P.27)
(2°16'32" Copd. P27)
Total Δ 53°43'37"
Rad. 1510.51
L ST. 47.34
to Warwick Arc P 22
to BC 113.30'
Alley
to P. 13
Dorchester Ave
(1525 Chord P. 13)
(1525 Chord P. 27)
(1450 Chord P. 27)
Alley
Set Mark
Found 2" IP
Set Spk Alhambra P. 2
Set Spk from this P. 27
Set Spk from Pt. in Alley
Set Spk from this P. 13
Set Spk from Dorchester P. 13
Set Spk from Pt. in Alley
Set Spk from this P. 13
Set Spk from Pt. in Alley
Set Spk from Dorchester P. 13
Set Spk from this P. 13
Set Spk from Pt. in Alley
Set Spk from this P. 13
Set Spk from Pt. in Alley
Set Spk from this P. 13
Set Spk from Pt. in Alley

FB. 776-85

FB. 776-86



8907


Alley
54.675 Meas.
233.13 Rec.
233.375 Cal.
71.795 Meas
Tract Line
146° 03' 30" Rec.
146° 03' 15" Cal.
93.665 Cal.
90.67 Cal.
90.34 Rec.
146° 03' 30" Rec.
146° 03' 15" Cal.
Set 1x1
Set 2x2
Tract Line
Note: Ties 14008-16
To Valley Blvd.
Alley
131.115 Cal.
128.665 Cal.
93.81 Rec.
Highbury Ave.
fd. 6"x6" 7405-65
Alley
To 7405-66


To R. 12
Tract Line
Set 1x1
Set 2x2
Ties 14008-10
111.90 Rec.
111.50 Cal.
20'
10'
10'
139.405 Corrected to 68°
139.40 Meas @ 74°
Alley
108.355 Cal.
108.78 Rec.
To R. 5 E
fd 2" pipe
Tract Line
Lot #1
fd. 2x2
Set 1x1
2
fd. 2x2
3
fd. 2x2
4
fd. 2x2 No good
5
To R. 5 E

FB. 776-89

FB. 776-90

8902

8907

INDEXED MAY 24 1929

To R. of

5

6 Tract Line

7

8

9

10

11

12

13

14

15

16

17

18

19

To Opp. R.

1' offset line

Fd. 2x2

Gone

To Opp. P.

Walk

Lot 20

Lot 21

Lot 22

Lot 23

Lot 24

25

26

27

28

29

30

31

Lot # 32

Tract Line

1' offset line

Fd. 2x2 O.K.

Set 1x1

Off set in curb

Gravois Ave.

40'

30'

10'

135.00 Cal. Rec.
129.535 @ 76°
129.54 Corrected

99° 46' 00" Rec.
89° 46' 25" Meas.

90° 00' 00" Rec.
89° 59' 25" Meas.

111.71 R.S.14
@ 65° Temp.

Std Lot.

Set P.K. nail

Fd 2" Pipe

FB.776-91

FB.776-92

8907


INDEXED AUG 12 1938
N
Total Rec. Δ: 59° 23' 23"
Rec. Rad
Set L&T
Set L&T Rad
Set L&T Prod
Set L&T Rad
Set L&T
Set L&T Rad
Set L&T
Set L&T Rad
Set L&T

8907


Δ=17°59'30" E R=333.68 E T=58.81
98.98 Calc & Rec
Set LAT
Set LAT & Prod
42.5
67.5
160° 00' 30"
Set Spk
Set Lat & Prod 58.81 Tan
42.5
89.99
50.00
Set Spk
249.92
58.81
50'
To Page 59
249.92 M @ 66°
193.06 Point Blvd
S03
58.81
53.00
63.8
39
40.56
VALLEY
103.45
109° 59' 35" M
Set Spk
52.5
28
HIGHBURY AVE
30'
60'
30'
7405-65

8902


62.48 Rec
62.56 Calc
Set LAT
206.25
BLVD
206.25 @ 66°
Set LAT & Prod
50'
100'
50'
To Page 61

FB. 776-95

FB. 776-96

8907



8907



FB. 776-97

FB. 776-98

8907

8907





INDEXED AUG 12 1930

Alhambra Ave

Lowell Ave to 671.50 ft N'ly

℄ Survey & Ties.

July 19, 1930

Wyman
Tierney
Chapman
Hoover

℄ 7405-13-14-21-12
5504-17

Tape No. L-190
Tension 13½ lbs Suspended

Tracts - #5986
#5277

L.A. City FB. 12804 - 47



FB.776-101

FB.776-102

LA City F.B. 12804-

48

Rec Δ - 59°15'30"
E Rad - 326.04

Δ - 59°16'10
E Rad - 32592
E Tan - 185.41

TRACT 5986

Alhambra

Set Spk-Tin

2x2 at P.I

Set CT in

Rd null in end

62

For this Line see B.50

Last TRACT LINE

Alhambra Ave

120°43'30" 80 40

Mean 185.40 @ 78°E

185.41-ST.

62.105

Set Spk-Tin

St Pg 50

To Pg 47

64.96 Set St.

62.05

Set St

Fd ¾" Pipe in Conc. (Witness bar has moved)

S.P. RR R/W

Main Line

Old tracks

rails

rails

To B.50

E.C.

Westminster Ave

Fremont Ave

30

30

W. Mission Rd (Alhambra)

30

30

Set Spk-Tin

30.89

79.89

Fd ¾" Pipe in Conc. Tract 5471 M B 62-26

Old tracks

FB.776-105

FB.776-106

LA. City FB. 12804-

50

AUG 12 1930

INDEXED





FB.776-107

FB.776-108

14008



14008

2



FB. 776-109

FB. 776-110

14008





F.B. 776-111

F.B. 776-112

14008



14008



FB.776-113

FB.776-114

14008



14008



FB. 776-115

FB. 776-116

14008

14008

6



FB.776-117

FB.776-118

14008

14008





FB.776-119

FB.776-120

14008



14008



FB.776-121

FB.776-122

14008

14008

9


Δ = 37°35'55"
R. Rad. = 136.83
Δ = 37°35'55"
L Rad. 136.83
71°12'02"
71°12'02"
22°19'42"
15°16'13"
To B.6
V.38.21
Bobig Rd.
To B.10
60'
30'
30'
Avenue
Spk.
Borrgoa Ave.
431.105'
Note: Survey 8907-50
Set L.n.T.
Set L.n.T & Rod.
39.16
Set L.n.T.
Set L.n.T.
Clonmwood
40°19'50"
Set L.n.T.
Set L.n.T.
Set L.n.T.
Set L.n.T.
Set L.n.T.
Set L.n.T.
129.715
Walk.
Set L.n.T.
Set L.n.T.
89°39'30"
89°39'45"
Set L.n.T.
Set L.n.T.
Set L.n.T.
Set L.n.T.
Set L.n.T.
Set L.n.T.

FB. 776-123

FB. 776-124

14008



14008

10



FB. 776-125

FB. 776-126

14008

14008

11



FB.776-127

FB.776-128

14008



14008



FB.776-129

FB.776-130

14008



14008

13


To B. 14
Note: Survey 8907-54
90°17'30"
Vandalia Ave.
286.935
Set L.o.T.
Burrgoa
299.885
44.85
2x2
Ave.
289.91
To B. 12
60'
30'
30'
44.95
45.54
Set L.o.T.
60'
30'
30'
89°42'30"
174°59'20"
To B. 15
Set L.o.T.
Set L.o.T.
Set L.o.T.

FB.776-131

FB.776-132

14008



14008



FB.776-133

FB.776-134

14008

14009

15





FB. 776-135

FB 776-136

14008

INDEXED APR 4 1929

14008

16



FB.776-137

FB.776-138

14008
14008
Tract #8289
Tract #7669
339
341
343
Tape #2.99
Standardized 68°
Scudder
Road
City Terrace
Tract line
Rec = Calc
Rec = Mea
Set 2x2
Ties
Calc. Rec = 89.265
Calc = 89.24'
Rec = 89°
Calc = 89°
Rec = 90°
Calc = 90°
Rec = 270°
Calc = 270°
Rec = 180°
Calc = 180°
Rec = 360°
Calc = 360°
Rec = 270°
Calc = 270°
Rec = 90°
Calc = 90