N[illegible] Ck'd by	Survey of	F.B. [illegible] Pg.
Map No.	W. O. Tape No. St'd °F	
Office Work	Surveyed by	
Checked	Notes Date	
Date	Indexed	

F.B. 787 PG. 6

Greenleaf Cr. Rd. J.N. 8261

— Index. —

Pages From	Pages To	Contents
9	86	— ℄ of Survey
87	89	— old Topanga Rd. Tie
93	100	— ℄ to T.P. 3944 (Malibu Jct.)
101	104	— Topanga Summit M.M.W. Tie
105	108	— Henry Ridge " Tie
109	128	— Section + Prop. Lines +
129	146	— P-Line
147	148	— Henry Ridge M.M.
149	200	— Topography - Trav. Rd + Wash
201	208	— Imprmts - Bridge - Culverts Etc

Notes Ck'd by	Survey of Greenleaf Cn. Rd	F.B. 487	Pg. 7
Map No.	W. O. 8261 Tape No. LC St'd [illegible] of		
Office Work	Surveyed by L. S. Hammond		
Checked	Notes L.S.H. Date 2-39		
Date	Indexed 3-30-39		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

SM 10-37

GREENLEAF CN. RD.

J.N. 8261

SURVEY TO LOCATE THE EXISTING TRAVELED ROAD AT THIS DATE IN GREENLEAF CANYON, FROM TOPANGA CANYON RD. TO INTERSECTION WEST LINE SEC. 6 T.1N. R.16W.

B-1486
H.C. 20-84

L.S. HAMMOND
F.H. BLANCHARD
K.C. MURRAY
H.E. FRENEY

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 787 PG. 8

Notes Ck'd by McPherson	Survey of Brenkof Co. et al
Map No. B-1486	W. O. 2216 Tape No. 15 St'd 24F
Office Work H. T. H.	Surveyed by L.S. Hammond
Checked K.R.M.	Notes SH Date 5-7-39
Date 5/5/39	Indexed

F.B. 787 PG: 9

W 5 30, C-3

To right pg. 16

166.13 @ 2°18' T = 82.56 = 165.97

To B.C.

S 82° W

165.97

54.56

P.I. #1

P.I. #1 set ¾" I.P.
dn. 3"

(a) 248-05-30
(b) 136-11-15
(c) 24-16-30
124-02-45

Δ = 55°-57'
R = 75'
T = 39.84
L = 73.24
E = 9.92

10

124°-02'-45"

I.P. 38.16 B.C.

138.16

178.04 = 0°-00' T = 50.00 = 178.00

178.00

46.50 = 0°-00' T = 50.00 = 46.50

(a) 173-46-30
(b) 347-32-45
(c) 166-19-15
86-53-15

20" Adj.

86.63'

TOPANGA CANYON ROAD

408.41

46.50

S 32° 53' W

454.91
- 46.50
408.41

Ref. Cond. mon. set
Ext. 23-24 158.26

Ref. Cond. mon. set
Ext. 23-22
158.26

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-37

F.B. 287 PG. 10

To 607. pg. 11

To B.C.

W.S. 89 C-3

93.88 @ 0°-00' T=540=93.88

Δ= 9°-43'-40" Adj.
R= 500
T= 42.69
L= 85.18
Ex= 1.82

28.12
22.36

N. 30°W.

93.88

4 E.C.

3+18.88

P.I. #3
P.I. #3 Set 3/4" I.P. dn. 4" in road.

(2) 340°-28'-30"
(4) 320°-57'-00"
(2) 201°-24'-30"
170°-14'-15"

170°-14'-15"

6

4+83.14 B.C.

227.28 @ 1°-21' T=540=227.18

112.92

227.18

4

E.C. 3+70.74

Δ= 100°-03'-05"
R= 60'
T= 71.57
L= 104.78
Ex= 33.39

15" Adj.

(2) 139°-53'-45"
(4) 319°-47'-30"
(2) 119°-41'-45"
79°-56'-30"

79°-56'-30"

45"

From Tie pg. 9

P.I. #2
P.I. #2 Set 3/4" I.P. dn. 4"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by M.E. Pearson		Survey of Street Imp. Co. Rd	F.B. 787 Pg. 11
Map No. B-1486		W. O. 822 Tape No. 4 St'd 74 of	
Office Work H.M.H.		Surveyed by L.S. Hammond	
Checked L.R.M.		Notes L.S.H. Date 3-9-39	
Date 5/5/39		Indexed	

To Sht pg. 12

W 389, C-3

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

57.62

141.32

61.82

1+ B.C.

141.780 4°-28'-36" = 141.32

(a) 331°-01'-00"
(b) 302°-02'-00"
(c) 273°-03'-00"
165°-30'-30"

E.C. 2+27.84

P.I. 5
Pt. #5 -20- 3/4" I.P.
1.0' W. 2" ch. edge

100'

40°-30'-00"

Δ = 14°-29'-30"
R = 300'
T = 38.15
L = 75.89
Ex = 2.42

6+51.95

8.48

75.440 0°-00'-52" = 75.44

6+43.47 E.C.

(a) 240°-12'-00"
(b) 120°-24'-00"
(c) 0°-36'-30"
120°-00'-00"

53°50"

Δ = 59°-
R = 50.00
T = 28.05
L = 47.02
Ex = 6.16

4+74

4+38.78

120°-00'

P.I. 4
P.I. 4 set 3/4" I.P.
1.0' ch. edge rd.
P.I. #37 per F.B.
609-175

Δ = 59°53'50"
R = 50.00
T = 28.81
L = 52.27

B.C.

5+91.20 B.C.

From Sht pg. 10

F.B. 287 PG. 12

W.S. 49 C-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

From Tape pg. 13

To Tape pg. 11

(a) 290°-31'-00"
(b) 201°-01'-45"
(c) 151°-32'-00"
145°-15'-30"

P.O.S.T.
Pt. #7 Set 3/4" IP
6" dn. in Pcl.

144.84 @ 4-15 T=52 = 144.41

10+07.25 E.C.

E.C. 9+85.20

145°-15'-30"

Δ = 34°-44'-25"
R = 140
T = 44.41
L = 84.70
EX = 5.26

Meas. 66.19

66.06
-0.15
65.91

B.C. 9+18.46

67.95 @ 4°19 T=52 = 67.75

56.10 @ 3°-57 T=52 = 55.24

P.I. E 165
3/4" IP pl

37.25

Δ = 63°32'15"
R = 200
T = 123.85
L = 221.79

78.30 N 0°-41'-30" W

T.I.W. E.10

E.C. 7+85.20

Δ = 28°-47'-50" Adj.
R = 200
T = 51.35
L = 100.52
EX = 6.42

B.C.

Set 1x2 see pg. (13)
8+85.46 = This Point is a P.O.T.

Pt. #6 Fd 3/4" IP pl. edge rd. per E.R. P.O.S.T.

45.55

(a) 237°-44'-30"
(b) 115°-29'-00"
(c) 352°-13'-15"
118°-52'-15"

(a) 302°-24'-45"
(b) 244°-49'-30"
(c) 187°-14'-15"
151°-32'-20"

7+85.46 B.C.

W.I.W. 2

SEC.

LINE

SEC. 7

B.C. 7+80.73

From Tape pg. 11

Notes Ck'd by McPherson	Survey of Greenleaf Canal	F.B. 287 PG. 13	
Map No. B-1486	W. Of 226 Tape No. 15 St'd 84 OF		
Office Work H.V.P.	Surveyed by L.S. Hammond		
Checked L.R.M.	Notes L.S.H. Date 3-9-39		
Date 5/5/39	Indexed		

W.S. 89 E-2

Tan. bet. pg. 14

268.50 Δ 7°-30' T = 52° = 266.14

185.72 ← T.B.C.

186.00

(a) 249°-40'-45"
(b) 139°-31'-30"
(c) 29°-02'-15"
124°-50'-30"

EC 12+ 24.64 B.C.

30"
Δ = 55°-09'-25"
R = 100
T = 52.83
L = 96.27
EX = 12.81

P.I. #8
Set 3/4" I.P. under edge of rd.

11+ 28.39

6.97

B.C.

92.33 Δ 0°-00' T = 52° = 92.31

45"
Δ = 57°-40'-40"
R = 60'
T = 33.11
L = 60.37
EX = 8.33

O.K.

21.40

P.I. #7
Edge of Rd. 1.5 ft. N. 17° W. from I.P.
3/4" I.P. under edge of rd.

(a) 244°-26'-45"
(b) 128°-53'-15"
(c) 13°-20'-00"
122°-13'-20"

60.89

53.64 From E.C.

From Tan. pg. 12

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

W98 9, 62



F.B. 282 PG. 14

Notes Ck'd by McPherson	Survey of Greenleaf Canyon Rd.	F.B. 797	Pg. 15
Map No. B-1486	W. Of 824 / Tape No. 11 St'd 82 of		
Office Work H.M.H.	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L 54 Date 3-22-39		
Date 5/5/39	Indexed		

W.S. 89, C-3

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

P.I. #14 A Set 3/4" I.P. L on bank.

8.00

(2) 126°-35'-00"
(4) 253°-10'-15"
(6) 19°-45'-30"
63°-17'-35"

Δ = 76°-42'-20"
R = 50.
T = 39.64
L = 66.96
E = 22.72

64.90
81.48

17+41.54 B.C.

151.99 Calc

P.I. #12 Set 3/4" I.P. on bank.

136.54 c 0°-00' T=54° = 136.51

18+35.47 E.C.

136.51

44.19 to B.C.

32.92

Δ = 107°-38'-20"
R = 50.
T = 68.37
L = 93.93

53.68

100.63 3-47 T=54° = 100.59

91.69

4.69

(2) 324°-52'-15"
(4) 289°-52'-45"
(6) 234°-58'-50"
142°-29'-40"

Δ = 17°-30'-25"
R = 200.
T = 30.80
L = 61.11
E = 2.36

48.95

17+90.49

60.27

142°-29'-40"

P.I. #13 A Set 3/4" I.P. L"dm. in rd.

55.89 c 0°-00' T=56° = 55.88

55.88

3.19

16+81.27

(2) 290°-32'-45"
(4) 225°-05'-30"
(6) 145°-32'-00"
145°-16'-20"

P.I. #11 Set 3/4" I.P. L"dm. in rd.

Δ = 26°-17'-10"
R = 100.
T = 23.35
L = 45.88

E.C. 16+58.69

145°-16'-20"

Δ = 24°-42'-40"
R = 70.
T = 15.49
L = 30.18
E = 3.34

42.26

16+35.39 B.C.

From Top Pg. 14

F.B. 787 PG. 16



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by McPherson	Survey of Greenleaf Canal	F.B. 787	Pg. 17
Map No. B-1486	W. O. 2241 Tape No. N St'd 74 of		
Office Work H.M.H.	Surveyed by L.S. Hammond		
Checked K.E.M.	Notes L.S.H. Date 5-10-39		
Date 5/5/39	Indexed		

To 60T. pg 18

To B.C.

5.80

(2) 342°43'00"
(4) 325°25'45"
(6) 302°09'00"
171°21'30"

.94.19 @ L=60 T=48°= 93.50

93.50

35'

Δ = 8°38'30"
R = 500'
T = 37.78
L = 75.42
E = 1.43

70

22+32.93 E.C.

P1.15

1.P. 6"dia. iron rd.

17.72

11.92

1°30'

21+57.51 B.C.

21+92.25 B.C.

110.54 L=900' T=60°= 110.54

N 68°34' W

110.54

45.17
44.03

21+13.48

28.73

P.O.S.T.

1.P. 6"dia. edge rd.

Δ = 24°53'40"
R = 25
T = 5.51
L = 10.87
E = 0.95

20+02.72

135°01'20"

Δ = 64°09'05"
R = 150
T = 94.01
L = 167.95

65.28 To P1.

(3) 310°12'45"
(4) 260°25'30"
(6) 212°32'00"
133°01'20"

From Top pg. 16

US 89, C-2

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 787 PG. 18



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by M.R. Pherson	Survey of Encinitas Canal	F.B. 787	PG. 19
Map No. B-1486	W. O. 24 Tape No. 15 St'd ~~26~~ of		
Office Work H.M.H.	Surveyed by L.S. Hamrond		
Checked K.R.M.	Notes L.S.H. Date 3-1-39		
Date 5/5/39	Indexed		

To Sht No 20

111.44 c S-96 T = 56 = 110.92

Δ = 38° 20' 40" ✓

R = 100 ✓

T = 34.77 ✓

L = 66.92 ✓

Δ = 43°-23'-25" ✓

R = 75' ✓

T = 30.84 ✓

L = 56.80 ✓

26+38.53 E.C.

P.I. *22A Set 3/4" I.P. 6" dia. edge rd.

Mon. 5.00 ✓

(a) 273° 13' 15"

(d) 186-26-45 ✓

(c) 89°-70-00-

136°-36'-40"

25+71.61 ✓

P.I. 19 Set 3/4" I.P.

87.46 c 0°-00' T = 56 = 87.44 ✓

N 32° E

21.29 ~~21.29~~ ✓

11.36 ✓

P.I. 18 ~~Set 3/4"~~ I.P. Pt. edge conc.

60.25 ✓

(b) 292°-39'-30"

(a) 225°-19'-00" ✓

(c) 157°-58'-45"

146°-19'-45"

24+89.73

0.K.

Δ = 33°-40'-10" ✓

R = 120' ✓

T = 36.31 ✓

L = 70.52 ✓

EX = 5.37

From Top pg. 18

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 20

To bot pg 21

To B.C.

10.74

65.22 c 9°-28 T = 540 = 6432

64.32

Δ = 16°-27'-55"
R = 200'
T = 28.94
L = 57.47
Ex = 2.00

a) 327°-04'-15"
b) 284°-08'-30"
c) 261°-13'-00"
173°-32'-10"

P.I. 27+51.47

E.C.

28+

P.I. #24A set 3/4" i.p. L.dn. edge rd

N 13°-53'-10" E 249.86 Calc. P.I.

27+

14.86

69.70 c 8-18 T = 54.9 = 6896

a) 331°-19'-15"
b) 202°-38'-30"
c) 272°-57'-45"
165°-39'-40"

P.I. #23A set 3/4" in sand stone 3" c/n in rd

27+79.14

Δ = 14°-20'-15"
R = 200'
T = 25.16
L = 50.05
Ex = 1.58

P.C.

27+29.50

.09

55.98

To E.C.

From top pg. 19

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by McPherson	Survey of Cucamonga Co Rd	F.B. 787 PG. 21	
Map No. B-1486	W. O. 2264 Tape No. 45 St'd 84 OF		
Office Work H.M.H.	Surveyed by L.S. Hammond		
Checked L.R.M.	Notes L.S.H. Date 3-10-39		
Date 5/5/39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 287 PG. 22 To bot. pg. 23

WS 89 C-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by	McPherson	Survey of	Greenleaf-Co
Map No.	B-1486	W. O.	Tape No. 13 St'd 24 of
Office Work	H.M.H.	Surveyed By	L.S. Hammond
Checked	L.P.M.	Notes	Date
Date	5/5/39	Indexed	

F.B. 787 PG. 28

W.S. 89 C-2

Note: Any Additions or Changes on This Sheets Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 787 PG. 24

To bot. pg 25



W.S.80 E-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	McPherson	Survey of	Evergreen Cem. Assn.
Map No.	13-1486	W. O.	Tape No. 15 St'd
Office Work	H.M.H.	Surveyed by	L.S. Hammond
Checked	L.P.M.	Notes	Date 5-13-39
Date	5/5/39	Indexed	

F.B. 787 PG. 25

W.S. 89 C-7

Note: Any Additions or Changes on This Sheets Must be Made in Ink With Date and Name of Person Making Change. Do not extend notes this side of this life

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 287 PG. 26 To bot. pg. 27



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by McPherson	Survey of Encinal Ave. Co. Rd.
Map No. B-1486	W. O. 2261 Tape No. 14 St'd 24 OF
Office Work H.M.H.	Surveyed by L. S. Hammond
Checked K.R.M.	Notes — Date 3-13-39
Date 5/5/39	Indexed

F.B. 287 PG. 27

W.S. 59.2

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

From top pg 28

Δ = 15°17'00" ✓
R = 100' ✓
T = 13.42 ✓
L = 26.67 ✓
E = 0.90

44+10.00 T = 13.42 = 43+96.58 ✓

20.83 ✓

N 3°

44+86.58 ✓

241.10 ✓

164°43'00"

P.I. *384 Set ¾" I.P. 6" dn. in rd.

(a) 328°26'00" ✓
(b) 293°52'00" ✓
(c) 248°18'00" ✓
164°43'00"

39.9 ✓

45+40.43 ✓

44+55 + 0.00 T = 13.42 = 44+41.58 ✓

(a) 294°33'30" ✓
(b) 229°07'30" ✓
(c) 163°41'50" ✓
131°16'50"

3.77 ✓

Δ = 58°41'10" ✓
R = 150 ✓
T = 83.36 ✓
L = 153.71 ✓
E = 4.22

Δ = 24°58'40"
R = 300
T = 66.45 ✓
L = 130.78 ✓

P.I. 29
P.I. *37 Set ¾" I.P. 6" dn. edge rd.

147°16'50" ✓

44+09.65 ✓ B.C.

From top pg 26

F.B. 787 PG. 28

To bot. pg. 29

62.14 46°26' T 70 = 41.74

To B.C.

41.74 N 3° E

25.57

Δ = 12°44'10"
R = 100'
T = 11.16
L = 22.23
E =

46+73.59

P.I. *40A set 3/4" I.P. 6" dn. in rd.

(a) 334°31'30"
(b) 289°03'00"
(c) 283°34'15"
147°15'50"

P.I.

46+53.36

P.I. To

46+73 = 0°46' T 70 = 46.73

25.11

Δ = 11°56'20"
R = 200'
T = 10.46
L = 20.84
E = 0.55

N 17°W 41.73

S 75.80

5 EC

46+28.25

P.I. *39A set 3/4" I.P. in sandstone 3' dn. edge rd.

(a) 336°07'30"
(b) 312°15'00"
(c) 288°22'30"
168°03'45"

46+07.41

P.C.

From Top pg. 27

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	McPherson	Survey of	Encinitas Co. Rd.
Map No.	B-1486	W. O.	8214 Tape No. 1 St'd 2 OF
Office Work	H.M.H.	Surveyed by	L.S. Hammond
Checked	L.R.M.	Notes	L.S.H. Date 3-1-39
Date	5/5/39	Indexed	

F.B. 207 PG. 29

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

From Top Pg. 28

X

F.B. 287 PG. 30

W S 89 C-2

T. 607. 199 31

138.86 e f-12 T=70° =138.48

T.B.C.

77.14

T.B.C.

138.48

131.37

(a) 327° 10'-35"
(b) 294° 21'-05"
(c) 241° 31'-30"
163° 35'- 15"

121. #44A SCT SWAT 3"dia. in sandstone edge rd.

50"

Δ= 16°-24
R= 150
T= 21.63
L= 42.97
E= 1.53

49+06.47 E.C.

49+94.1 EC

135.35 0 7°-12' T=72 = 134.27

91.07

Δ=57°16'10"
R=125
T= 68.25
L=124.94
E=

40'00"

Δ= 46°-
R=
T= 21.57
L= 40.72
E= 4.45

SET 3/4" IP P.I.30

P.O.S.T.
SET 3/4" IP 6"dia. edge rd

153°-20'-05"

45+ 42.36

PC

20100 MINUS

(3) 266°-40'-15"
(4) 173°-20'-30"
(5) 80°-00'-45"
133°-20'-05"

47+81.53 B.C.

49.46

From E.C.

From top Pg 29

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by McPherson	Survey of Stanislaus Co. Rd.	F.B. 787	PG. 31
Map No. B-1406	W. 0.8261 Tape No. 6 St'd 24 OF		
Office Work H.M.H.	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 3-12-39		
Date 5/5/39	Indexed		

W.S.8, C-2

To Sht. No. 31

43.07 ℄ 0°00' = 43.07 = 43.07

Δ = 6°-28'-25"
R = 300'
T = 16.97
L = 33.90
EX = 0.48

(a) 347°-03'-15"
(b) 234°-36'-45"
(c) 321°-29'-45"
173°-31'-40"

N 43.07

5+24.60

52+29.

P.I. #46 SET 5/8" rd. in sandstone in rd.

17°-31'-40"

51+54.36

3.00

59.69 ℄ 0°00' = 60 = 59.68

415.19 TO B.C.

Δ = 22°-34'-00"
R = 300
T = 59.71
L = 118.09
EX = 5.45

(a) 308°-52'-00"
(b) 257°-44'-00"
(c) 206°-36'-00"
154°-26'-00"

31

P.I. #45 SET 5/8" rd. in sandstone 3" dn. edge rd.

51+92.36

Δ = 22°15'10"
R = 300
T = 59.00
L = 116.52

51+42.6

B.C.

50+37.84 B.C.

From Top Pg. 29

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

F.B. 787 PG. 32



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by M.S.Pherson	Survey of Greenleaf Co. Rd.	F.B. 257	Pg. 33
Map No. B-1486	W. 0.82 L. Tape No. 4' St'd 8' of		
Office Work H.M.H.	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 3-14-39		
Date 5/5/39	Indexed		

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 BM 10-37



F.B. 787 Pg. 34

To sheet 35

W S89 C-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

(2) 331°-45'-30"
(4) 303°-30'-45"
(6) 274°-16'-15"
166°-52'-45"

(3) 339°-56'-45"
(4) 299°-53'-30"
(6) 269°-58'-15"
164°-58'-30"
15°-01'-30"

To B.C. 56+90

21.69

57+02.55 E.C.

32.75

Set 1x2 Pg. 113

Set 3/4" I.P. 6" dn. edge rd.

Set 1x2 Pg. 113

57+40

20.00

20.50

Set 3/4" I.P. 6" dn. by meter

Mag. N 36.31

Δ = 38°00'55"
R = 200
T = 69.06
L = 133.00

Set 3/4" I.P. Fl P.I. 32

8' offset Radius Line

BC 57+01.09
EC 56+96.41

10.68

Δ = 22°00'40"
R = 100
T = 19.63
L = 38.42
E = 3.29

Set 1x2 Pg. 111

16.90

3 E.C.

21.80

T#2 Set 3/4 I.P. Pg. 111

150°-59'-15"

P.I. #5 (A) Set 3/4" I.P. 6" dn. edge rd.

41.65 C 0°00' : 90° = 41.65

169.61

56+43.71

415.19

(3) 301°-58'-30"
(6) 243°-57'-45"
(1) 185°-59'-15"
150°-59'-15"

55+69.55 B.C.

From E.C.

From Top Pg. 33

Notes Ck'd by McPherson
Map No. B-1486
Office Work H.M.H.
Checked K.R.M.
Date 5/5/39

Survey of Arcadia Loop Co. #1
W. O. 2264 Tape No. 5 St'd 24 of
Surveyed by E.S. Hammond
Notes E.S.H. Date 3-24-39
Indexed

F.B. 787 PG. 3

W.S. 89 C-2

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

To bot. pg. 36

10 B.C. #55 A Line

To P.1 57+23 Mon.

(2) 299.07 - 15"
(3) 238.14 - 30"
(4) 170.22 - 30"
168.32 = 4 Ft +

P.O.S.T.
S.L.T. 34"
1/2" Pipe

Δ = 55°53'15"
R = 200
T = 106.09
L = 195.08

48.86

58+30.81

61.54

(2) 332°-06'-15"
(3) 304°-12'-30"
(4) 276°-19'-45"
166°-08'-30"

57+69.27

O.K.
Δ = 13°56'50"
R = 185
T = 22.63
L = 45.03
Ex = 1.66

33
1/2" I.P. 2" dia.

57+24.24

From Top pg. 36

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

W589, C-2



Notes Ck'd by McPherson	Survey of Crenshaw Cut	F.B. 297	Pg. 37
Map No. B-4886	W. O. 824 / Tape No. 11	St'd 11 of	
Office Work H.M.H.	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L&H Date 3-25-39		
Date 5/5/39	Indexed 4-18-39		

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

N 5 89 E - R

61+70.02 B.C.

360.09 - P.I. - 95.14

Δ = 13°-21'-30"
R = 500'
T = 58.13
L = 99.94
Ex = 2.03

97.96

60+74.88 E.C.

Δ = 22°-11'-15"
R = 100
T = 19.56
L = 38.74
Ex = 1.90

Δ = 26°22'45"
R = 100
T = 23.44
L = 46.04

60+28.84 B.C.

2.95

From E.C.

From Top pg. 36

F.B. 787 PG. 38



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by McPherson	Survey of Arroyo Seco Fwy
Map No. B-1486	W. O. 8264 Tape No. 4' St'd at °F
Office Work H.V.H.	Surveyed by L.S. Hammond
Checked K.R.M.	Notes Date
Date 5/5/39	Indexed

F.B. 787 PG. 29

W.S. 89 ct 2

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 282 PG. 40



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by MEPharsen	Survey of Ave. L - 6th St. W.
Map No. B-1486	W. of 22nd St. Tape No. 45 St'd 44 of
Office Work H.M.H.	Surveyed by K.S. Hammond
Checked K.R.M.	Notes 4-514 Date 2-22-39
Date 5/5/39	Indexed

F.B. 787 PG. 41

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37



F.B. 787 PG. 42

To bot. pg. 43



W.S.89 C-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by McPherson	Survey of Tieton Canal Co Rd	F.B. 227	Pg. 42
Map No. B-1486	W. O. 8226 Tape No. 15 St'd 84 OF		
Office Work H.M.H.	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L & M Date 3-24-39		
Date 5/5/39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 287 PG. 44

To bot pg 45

POB C.

190.83 @ 3°24 T=60°=190.46

(a) 320°-40'-45"
(b) 281°-21'-45"
(c) 242°-02'-15"
160°-20'-25"

190.46 N 10° W

144.25

Eq. 74+49

Pl. #21 A&T 34" I.P. #1

160=20'-25"

Δ=19°-39'-30"
R=100
T=17.31
L=34.31
Ex=1.49

74+39.84 92 L

30'

33.32

30.86 C=POT=60°=30.82

30.85 N 31° W

(a) 281°-41'-15"
(b) 205°-32'-45"
(c) 125°-19'-00"
160°-53'-10"

Eq

60 Ft

73+99 55"

Δ=39°-06'-55"
R=45'
T=32.20
L=52.03
Ex=5.20

Pl. #22 A&T 34" I.P. #1

160°-53'-10"

73+41.52

80.24 C=0°-00'-10"=80.23 B.C.

80.23 N 49° E

34.48

POB C.

From Pg. 43

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	McPherson	Survey of	Arcadia C.H.
Map No.	B-1486	W. O. 8226	Tape No. 15 St'd 82 of
Office Work	H.M.H.	Surveyed by	K.S. Hammond
Checked	K.R.M.	Notes	K.S.H. Date 3-24-37
Date	5/5/39	Indexed	

F.B. 284 PG. 45

W.S. 3,89, C-2

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

From Top pg. 44

77+27.03

(a) 250-04-15
(b) 40-05-15
(c) 30-12-15
125-02-05

190.71

78+90.86 Δ=125°-02'-05" T=60°=190.71

P.I. 41
P.I. 34" Rt. Ft.

Δ=54°57'50"
R=100
T=52.02
L=95.93

Δ=54°-57'-50"
R=100
T=52.02
L=95.74
E=10.13

77+32.19

BC. 77+32.19

76+31.90

136.08 Δ=180°-00'-00" T=60°=136.08

46.77

N 136.08

(a) 273-45-45
(b) 191-31-15
(c) 107-17-15
187-52-30

75+85.13

E.C.

62

26+66.53

Δ=42°-07'-15"
R=100
T=38.98
L=73.54
E=7.53

P.I. 40
P.I. 34" Rt. Ft.

Δ=40°52'50"
R=100
T=37.27
L=71.35

.48

BC.

75+13.78 B.C.

448.97
From E.C.


F.B. 787 PG. 46
218.77 To B.C.
To 60+ pg. 47
Δ=32°47'20"
R=250
T= 73.55
L= 143.07
101.05
80+67.74 E.C.
WS 89 C-2
43
79+24.67 B.C.
27.89
78+96.78 E.C.
P.1.42
Δ= 35°53'50"
R= 100
T= 32.39
L= 62.65
106.30
From E.C.
78+34.13 B.C.
From Top pg 45
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line
Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M.E. Pherson	Survey of Greenleaf Co. #1	F.B. 287	Pg. 47
Map No. B-1496	W. O. 8226 Tape No. 11' St'd 66F		
Office Work H.W.H.	Surveyed by L.S. Hammond		
Checked K.E.M.	Notes L.S.H. Date 3-24-37		
Date 5/6/39	Indexed		

To Lot pg. 47



Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 89 C-2

Notes Ck'd by M. Thurn
Map No. B-1486
Office Work H.M.K.
Checked K.R.M.
Date 5/6/39

Survey of [illegible]
W. O. 8211 Tape No. 25 St'd 24°F
Surveyed by L.S. Hammond
Notes L.S.H. Date 3-27-39
Indexed

F.B. 787 PG. 49

WS89, C-2

86+70.22

(2) 227°-51'-30"
(4) 167°-42'-45"
(6) 71°-34'-45"
131°-53'-45"

46

P.I. [illegible] 36T
3/4" I.P. F.I.

Δ = 42°20'25"
R = 100
T = 38.73
L = 73.90

85+96.32

85+89.81

(2) 248°-23'-00"
(4) 176°-42'-00"
(6) 65°-02'-00"
134°-11'-30"

120.72

P.I. [illegible] 36T 3/4"
I.P. F.I.

56

45°-18'-30"
R: 100
T: 41.90
L: 81.78
Ex: 3.42

P.I. 45
36T 3/4" I.P. F.I.

EC 86+34.48

1.23

EC 86+33.25

.33

Δ = 34°-59'-40" O.K.
R: 100
T: 32.07
L: 61.05
Ex: 3.48

41.70

P.O.S.T.
36T 3/4"
I.P. F.I.

(2) 292°-00'-45"
(4) 220°-01'-30"
(6) 150°-02'-15"
146°-00'-30"

33.78

84+68.80 B.C.

85+90.58

Δ = 86°40'05"
R = 80
T = 75.48
L = 121.01

From Top Pg. 48

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

F.B. 287 PG. 50

To B.C.

To bot. pg. 41

29.89

R=205 C 0°00' T=15'=73.04

96

89+89

Δ=64°13'30"
R=35'
T=21.97
L=39.24
A=6.32

P.I. #8 A Set
3/4" I.P.

(2) 231°32'45"
(4) 102°04'30"
(6) 334°32'45"
115°46'10"+

83.74 C 0°20' T=15'=83.72

42.23

53.32

Δ=58°13'00"
R=35'
T=19.92
L=35.61
A=5.08

P.I. #23 A Set
3/4" I.P.

(2) 243°24'00"
(4) 126°48'00"
(6) 10°12'00"
121°42'00"

378.23 P.I. To P.I.

84.07

139.65 C 4°02' T=5'=139.27

139.27

To B.C.

From Top pg. 49

WS 89, C-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by McPherson
Map No. B-1496
Office Work H.M.H.
Checked K.R.M.
Date 5/5/39

Survey of Circulation Cut-off
W. 08261 Tape No. X St'd 24 OF
Surveyed by L.S. Hammond
Notes L.S.H. Date 3-20-39
Indexed

F.B. 787 PG. √1

W.S. 89 C-1

2% Cut. 90 x 2

N 39° E

To B.C. 49.77

90+43.57 E.C.

158.06 Δ 3°19' T= 56° 157.76

P.I. 47

(2) 267°42'30"
(3) 175°35'00"
(6) 23°07'50"
133°51'15"

Δ = 40°42'25"
R = 100
T = 37.20
L = 71.05

133°

Δ = 46°08'42"
R = 100
T = 42.04
L = 80.51
Ex = 3.48

B.C. 91+30.40

115.26 Δ 0°00' T= 56° = 115.26

77.04

89+72.52 B.C.

302.30

N 60° W

E.C. 90+53.06

(2) 335° 48' 45"
(4) 311° 27' 15"
(6) 23° 21' 30"
147° 57' 25"

Δ = 12°05'
R = 200
T = 21.18
L = 42.21
Ex = 1.12

P.I. #8 Set 3/4" I.P. F.I.

From E.C.

90+10.77
.85

B.C.

From Top 49.55

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37


F.B. 787 PG. 52
To bot 109.33
To B.C.
112.16
169.61 C 2°45' T: 56°: 169.38
94+70.40
169.38
96
1.89
8.0'
Δ: 14°44'40"
R: 1910
T: 249.09
L: 490.02
Ex: 0.85
94+35.94
.94
B.C.
147.07 C 2°11' T: 56°: 146.93
Δ = 43°12'30"
R = 500
T = 198.01
L = 377.06
93+52
56
45"
Δ: 12°05'45"
R: 500
T: 53.46
L: 105.99
Ex: 1.21
92+52
5.74
B.C.
90+93.34 B.C.
10.79
284.98
P.I. To P.I.
From Top pg 51
P.I. #88A set 3/4" I.P. F.I.
(2) 330°10'45"
(4) 300°51'30"
(5) 270°32'45"
165°05'25"
set 3/4" I.P.
P.I. 48
93.38
(3) 321°48'45"
(4) 283°39'20"
(5) 245°21'55"
160°54'20"
127.22
M.C.
P.O.S.T.
set 3/4" I.P. F.I.
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line

Notes Ck'd by McPherson	Survey of Greenleaf Canal	F.B. 207 Pg. 52
Map No. B-1496	W. 08261 Tape No. 21 St'd 21 of	
Office Work H. H. H.	Surveyed by L.S. Hammond	
Checked K.R.M.	Notes L SM Date 3-27-39	
Date 5/5/39	Indexed	

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

(2) 311°-44'-00"
(4) 263°-28'-15"
(6) 215°-12'-30"
155°-52'-00"+

Fd. ⌀ 90 A.S.-T
3/4" I.P. Fl.

B.C.
4.77
E.C.
97+81.49
To P.I.

Δ: 24°-08'-00"
R: 100'
T: 21.38
L: 42.12
Ex: 2.26

155°-52'-00"

97+39.39
A.A.
352.88
77.69
265.49

143.40 e 2°-48' T=52°-14'.20

143.20

(2) 326°-31'-45"
(4) 298°-03'-30"
(6) 232°-35'-30"
163°-15'-45"

To B.C.

75
49

13 C

94+61.49

10"

Δ=16°-44'-
R=300'
T=44.13
L=87.63
Ex=3.05

94+80.97
P.O.T.
3/4" I.P. Fl.

From E.C.
10.57
208.58
To P.I. 49

From Top pg. 52

F.B. 787 PG. 54

To bot. pg. 53

117.38
57.61' To

117.40 L 0°00' T 52 = 117.38

P.I. *92.45CT
3/4" IP. Fl.

Δ = 60°31'-15" Rt.
R = 40'
T = 27.42
L = 42.07
E = 8.49

222°17'30"
84°35'45"
204°52'-00"
111°08'-30"

98.54

16.90

72.10 3°45 T 52 = 72.03

Δ = 59°02'00"
R = 60'
T = 28.31
L = 51.52
E = 7.46

98.33

P.I. *91.45CT
3/4" IP. Fl.

241°54'-15"
123°52'-15"
118°02'-00"
120°58'-30"

54.42 L 0°00' T 52 = 54.46

From top pg. 53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by M. Peterson	Survey of Gravelly Co. Rd	F.B. 287	Pg. 57
Map No. B-1886	W. O. 5261 Tape No. 15 St'd 24 of		
Office Work H. M. H.	Surveyed by L. S. Hammond		
Checked K. R. M.	Notes L S H Date 3-27-39		
Date 5/5/39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

To P.I. 50
409.38
W. Sn. 89, E

P.C.
3/4" I.P. F.I.

Δ = 10°-54'-10" O.K.
R = 400'
T = 38.29
L = 76.35
Ex = 1.83

(2) 330°-07'-45" L
(3) 316°-14'-15"
(4) 294°-23'-15" V
169°-03'-30"

E.C.
162+62.27

290°-03'-30"

92.92

80.10 V

99.53 e 11°-39 T = 52°-99 V
260.58 e 21°-48 T = 52° = 241.89
162.80 e 3°-39 T = 54' = 162.52

283.53 e 19°-22 T = 52° = 267.45 V
74.14 e 5°-40 T = 52' = 73.26 V
341.21 V

74

100+68.89
Set 3/4" I.P. F.I.

99+20.81

9.20 V

Line
341.21 V

Random Sec
SEC
SEC

36 T. 1 N. R. 17 W.

Δ = 9°59'25" V
R = 1000 V
T = 87.40 V
L = 174.36 V

45.31 V

43

E.C.

2820 V

(2) 200°-24'-00"
(4) 40°-48'-00" V
(5) 241°-12'-00"
100°-12'-00"

100+23.56

O.K.

Δ = 26°-24'-30"
R = 200
T = 37.89 V
L = 63.54
Ex = 5.27

143°-35'-30"

P.I. 49
R4 ... 93 Set
3/4" I.P. F.I.

(2) 287°-11'-00"
(4) 214°-21'-45" V
141°-33'-00"
143°-35'-30"

7820 e 0°-00' T = 52° = 7820.00 V

97+46.45 V

From [illegible] pg. 54

FORM 247 5M 10-37

F.B. 287 PG. 56

To bot. pg 57

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

371.34 From E.C. to E.C.

Pl. *9 CA Set 3/4" I.P. Fl.

(a) 279°-11'-30"
(b) 198°-22'-00"
(c) 117°-34'-30"
139°-35'-00"

Δ = 40°-24'-20"
R = 50.00
T = 18.40
L = 35.26
E = 3.28

L.C. 1054.99 L.C.

1054 63.87

266.20 e 3°-04' T = 80°-26'-30"

(a) 217°-20'-30"
(b) 274°-41'-00"
(c) 53°-01'-30"
158°-40'-00"

1034.54 12

Δ = 21°-19'-40"
R = 200.00
T = 37.66
L = 74.46
E = 3.72

L.C. 1079.62 130.

Pl. *9 CA Set 3/4" I.P. Fl.

86.50 e 3°-20' T = 80°-26.35

86.35

From Top pg 57

Notes Ck'd by R.R.M.	Survey of Greenleaf Ca Rd.	F.B. 787	PG. 57
Map No. B-1486	W. Of 26th Tape No. 14 Sta 24 of		
Office Work H.M.H.	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 4-15-39		
Date 7/31/39	Indexed 5-6-39		

To bot pg 58

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

N 5° 89 E-1

P.O.S.T.

(2) 346°-29'-30"
(4) 352°-59'-00"
(6) 319°-28'-30"
173°-14'-45"

P.C. 108+

20'

Δ = 6°-45'-14"
R = 500'
T = 29.50'
L = 58.94'
Ex = 0.87

173°-14'-45"

54.73

60.12 N 20° W

B.C. 118.33 c 0°-00' T=80°=118.23

N 30° W 118.33

(2) 268°-57'-00"
(4) 177°-54'-00"
(6) 86°-57'-30"
134°-28'-30"

106+84

80' E.C.

25'

Δ = 45°-31'-30"
R = 54'
T = 22.98'
L = 39.73'
Ex = 4.22

45°-1'-2"

134°-28'-30"

P.I. 97A+27.74
Δ = 14°-1'-2"

Δ = 8°45'15"
R = 2500'
T = 191.36'
L = 381.97'

106+74.12 E.C.

P.I. 50

128.05 c 0°-00' T=84°=128.05

87.40 c 0°-00' T=80°=87.40

102+92.15 B.C.

From Tap pg. 58

F.B. 787 PG. 58



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.	Survey of Greenleaf Co Rd	F.B. 781	Pg. 59
Map No. B-1496	W. O. 8261 Tape No. 11 St'd 24 of		
Office Work Hand	Surveyed by L. S. Hammond		
Checked K.R.M.	Notes L S H Date 6-39		
Date 7/31/39	Indexed		

To 6+T pg 60

(2) 316°-35'-15"
(1) 273°-10'-45"
(3) 229°-42'-15"
158°-17'-40"+

Δ = 21°-42'-40"
R = 125'
T = 23.97'
L = 47.35'
Ex =

P.I. * 102A Set 3/4" I.P. Fl.

942.06 P.I. To P.I.

246°-45'-15"
133°-30'-30"
20°-16'-15"
12.2°-22'-40"+

P.I. * 101A Set 3/4" I.P. Fl.

Δ = 52°-37'-20" a.t.
R = 50
T = 24.93'
L = 49.41'
Ex =

52.85 @ 0°-00' T = 82° = 52.85

52.10 @ 14°-39' T = 82° = 50.41

From Top pg 58

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

F.B. 787 PG. 60

To Sht. 119 61

162.34 ℄ 10°-30' T=80° = 159.62

N 38° W

1194+15.06
P.O.T. #104A
Set 1x2 Fl.

139.62

℄

117

88.07

(a) 227°-28'-45"
(b) 94°-57'-45"
(c) 322°-26'-15"
113°-44'-25"

P.I. #104A Set
3/4" IP Fl.

Δ = 66°-15'-35"
R = 50'
T = 32.63'
L = 57.82'
Ex =

113°-44'-25"

40

117+30.35

℄

180. 242.356 11°-52' T=82°-23'07"
22.15 ℄ 5-04' T=80° = 76.45

1x2 Fl.

P.I.

To

273°-12'-00"
186°-24'-00"
99°-36'-00"
13°-36'-00"

℄

456.35

23.07

P.O.T.
T-103 Set
3/4" IP Fl.

115+02.45

117+05.93

Δ = 43°-24'-00"-0.1K.
R = 50'
T = 19.90'
L = 37.87'
Ex =

136°-36'-00"

30.23

98.26

117+28.04

P.O.T. Set
1x2 Fl.

98.47 ℄ 3-44' T=80° = 98.26

P.O.T. #102
Set 1x2 Fl.

N 61° W

To P.I. 51
485.71

39.82 ℄ 13°-30' T=82° = 38.67

From Top pg. 59

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by KRM
Map No. B-4786
Office Work Book
Checked K.R.M.
Date 7/31/37

Survey of Greenleaf to Co. Rd
W. O. 8264 Tape No. 4' St'd 24° F
Surveyed by L. G. Hammond
Notes L.S.M. Date 6-18-37
Indexed

F.B. 787 PG. 41

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

W.S.89 E-1

P.I. 152

P.O.S.T. 3/4" I.P. Fl.

(2) 340° 06' 45"
(3) 320° 13' 15"
(4) 300° 20' 00"
170° 03' 20"

80.63 M.S.

20.39 E.C. to B.C.

21.02

26.56

E.C. 120+57.72 E.C.

170° 03'

45

Δ = 22° 59' 00"
R = 500
T = 101.65
L = 200.57

1.38

122+06.28

121+63.91

Δ = 22° 33' 00" O.K.
R = 150
T = 29.90
L = 59.04
Ex:

3.0

137° 27' 00"

456.35

118+59.15 B.C.

121+06.87

(2) 314° 54' 00"
(3) 269° 48' 00"
(4) 224° 42' 00"
157° 27' 00"

3/4" I.P. Fl.

18.6

(2) 299° 05' 15"
(3) 238° 10' 45"
(4) 177° 16' 15"
149° 32' 40"

31.16

120+

Δ = 30° 27' 20"
R = 150'
T = 40.83'
L = 79.73'
Ex:

15

149° 32' 40"

5/8" I.P. Fl.

61.43

77.20

77.20 0° 00' T 80° = 77.20

From Top pg. 40



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.	Survey of Atlas of Co. Rd.	F.B. 787	Pg. 63
Map No. B-1486	W. O. 24 Tract No. 15	St'd [illegible]	
Office Work [illegible]	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 4-26-37		
Date 7/31/39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-37

N. 5° 89.0 W.

To bdy pg 64

To P.I. 118.38 V

(2) 168°-32'-15"
(4) 337°-04'-45"
(6) 145°-37'-00"
84°-16'-10"

(2) 111°-44'-00"
(4) 223°-32'-00"
(6) 335°-18'-00"
55°-59'-00"

51.28 V

18.02 V

128+10.00
P.O.T. * 111 A = P.I. * 40
Topanga Summit MM
3/4" I.P. 6" dia. See page 103

EP-POST 3/4" I.P. P.I.

69.44

EC. 127+94.97

51.28 V

84°-16'-10" V

CONNECTION ALTA DR.
See page 93

69.79

24°-22'-20"

55°-53'-30" V

127+25.42

Δ = 39°-50'-50"
R = 100'-
T = 36.25'-
L = 69.55'-
E = 6.37

P.I. * 39 Topanga Summit MM
3/4" I.P. 6" dia.
See page 102

P.O.S.T.

18.02 V

CK. RD.

P.C. = 0+00
P.O. Connection
3/4" I.P. 6" dia.

ALTA DR.

302.37 To P.I.

Per pg. 108
7°-56'-10"

TOPANGA
Per pg. 102

HENRY RIDGE
Per pg. 108

MM.

F.B. 287 PG. 64

To Sht 19 63

127+74.89 E.C.

P.I. #113 = P.I. #42
Topanga Summit MM.
Set 3/4" I.P. 4" dn.
See page 103

81.01

109.65

P.I. 54

B.C. 129+16.79
Δ = 80°33'15"
R = 225
T = 190.66
L = 316.34
E.C. 128+89.34

P.I. #112 = P.I. #41
Topanga Summit MM.
Set 3/4" I.P. 4" dn. See
page 103

118.38

124+58.55 B.C.

From P.O.T.

From Sht. pg 63

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Changes

Do not extend notes this side of this line


Notes Ck'd by R.R.M.
Map No. B-1486
Office Work R.R.M.
Checked
Date 7/31/39
Survey of Exc. Hgy. Co. Rd.
W. O. 226 Tape No. 15 St'd 25 OF
Surveyed by C.S. Hammond
Notes
Date 4-24-39
Indexed
F.B. 787 PG. 45
To Lot 19, 11.
Δ= 71°56'55" ℓ
R= 125 ℓ
T= 90.73 ℓ
L= 156.97 ℓ
160.21
36.19 E.C.
129+
49.92
E.C.
131+
Δ= 0°47'10"
R= 1432.69'
T= 19.87'
L= 39.38'
E= 0.14
P.I. #113A = P.I. #44
Topanga Summit
Mon. 3/4" I.P.
Top bent 500
page 104
130+89.04
B.C.
130+39.22
Δ= 19°37'35" E.C.
R= 100'
T= 17.30'
L= 34.25'
E= 1.48
12+78.22 B.C.
4.33
4.80
E.C.
85.93
M.S.
P.I. #43
P.I. #114A = P.I. #43
Topanga Summit M.M.
Set 3/4" I.P. 6" dm.
See page 104
85.93 CC-00 T = 84° = 85.93
From Top Pg. 44
Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
FORM 247 5M 10-37

F.B. 787 PG. 66

To 60T 109.67

93.95 40°00'T=76°=93.95

250.90 To BC.

93

93

TOPANGA SUMMIT LAW

158.36

P.I. #2 Topanga Summit Law Set 3/4" IP 6" dn. See pg. 104

P.I. #4 Topanga Summit Law Set 3/4" IP 6" dn. See pg. 104

132+78.07 E.C.

29.39

E.C. 132+29.74

P.I. 56

Set 3/4" IP 6" dn.

(a) 314°21'43"
(b) 268°43'43"
(c) 222°05'30"
157°10'55"

Δ = 24°57'25"
R = 500
T = 110.65
L = 217.79

Δ = 22°49'03"
R = 340
T = 68.18
L = 135.33
Ex = 3.42

P.C. 138+89.93

130+60.28 B.C.

132+60.82

Δ = 13°30'05"
R = 340
T = 39.92
L = 80.12
Ex = 1.82

325.47

P.I. #11 = P.I. #5 Topanga Summit Law Set 3/4" IP 6" dn. See page 104

131+94.84

B.C.

124.21

To 70T 124.21

From Top pg 65

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.	Survey of Arcadia & Co. Rd	F.B. 287	Pg. 67
Map No. B-1456	W. O. 8226 Tape No. 15 St'd 24 of		
Office Work A. Hall	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 4-11-37		
Date 7/31/37	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

To 6ft pg 68

E.C. 138+10.48

P.I. 142+

Pt. 119A Set 3/4" I.P. 6" do.

Δ = 31°-47'-20"
R = 17
T = 5.11'
L = 9.60'
Ex = .08

(2) 296°-03'-15"
(4) 282°-10'-30"
(6) 268°-16'-00"
148°-02'-40"

139+ 3.08

B.C. 163.20 08-28 T=72.00 = 161.41

475.22

(2) 336°-01'-15"
(4) 310°-02'-30"
(6) 284°-00'-00"
147°-30'-40"

E.C. 136+ 84.41

Δ = 12°-19'-20"
R = 300
T = 32.23'
L = 64.39'
Ex = 1.73

P.I. 119A Set 3/4" I.P. 6" do.

136+ 19.02

Ret Set 1x2 B. Pg 29

B.C.

43°-50'-15"

149.18 C 6°-07' T=72.00 = 148.32

(2) 87°-40'-30"
(4) 175°-21'-00"
(6) 263°-01'-45"
43°-50'-15"

135+ 03.53
Pot *117A
Set 1x2 Fl.

from top pg 66

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



F.B. 787 PG. 68

Notes Ck'd by K.R.M.	Survey of Greenleaf Cyn Rd.	F.B. 787	Pg. 69
Map No. B-1486	W. O. 8264 Tape No. 15 St'd 24 of		
Office Work K.R.M.	Surveyed by L.S. Hammond.		
Checked K.R.M.	Notes L.S.H. Date 4-1-39		
Date 7/31/39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

From Sht. 19 To

Δ = 17°27'40" ✓
R = 500 ✓
T = 76.78 ✓
L = 152.38 ✓
P.I. 58

To B.C. 263.33

142+09.67 E.C.

P.I. * 23 A.L.S. set 3/4" I.P. & 6" dia.

(a) 330°-38'-30"
(b) 30°-17'-00" ✓
(c) 27°-55'-45"
165°-19'-15"+

Δ = 14°-40'-45"
R = 300'
T = 38.64'
L = 76.86'
E.M. = 2.48

B.C.

140+57.29 B.C. ✓

143+34

29.900 0°-00' T = 6.8° = 29.80 ✓
175.180 1°-37 T = 1.8° = 175.10 ✓
205.00 ✓

205.100' N 2°-30' W ✓

495.22 ✓

142+36.84 E.C.

Δ = 18°-16'-30"
R = 200'
T = 32.55'
L = 63.79'
E.M. = 3.86

P.I. * 12 A.L.S. set 3/4" I.P. & 6" dia.

(a) 323°-27'-00"
(b) 286°-54'-15" ✓
(c) 250°-21'-00"
461°-43'-30"+

N 43°-30' W

P.I. 76 P.I. ✓

From Top pg. 68

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

4589 : 2



Notes Ck'd by K.R.M.	Survey of Greenleaf Ave.	F.B. 787	PG. 71
Map No. B-1486	W. 0826 Tape No. 4' Sheet of		
Office Work Hall	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 7-11-37		
Date 7/31/37	Indexed		

WS84, Sh 1

To 1 Sht. pg. 72

152+05.42 E.C.

P.I. 127.5 S 8° E
I.P. 6" dia. edge rd.

(2) 245°-51'-00"
(4) 131°-42'-00"
(6) 17°-22'-45"
122°-55'-30"

Δ=57°-04'-30"
R=50'
T=27.19'
L=49.81'
E=6.91

Δ=42°05'30"
R=250
T=96.20 L=183.66
206.20 L 5°-1' T=70 =205.31

P.I. 60
S 8° E 37.4' I.P.
6" dia.

(2) 327°-52'-45"
(4) 285°-45'-45"
(6) 126°-38'-00"
63°-56'-25"

150+21.76 B.C.

Δ=16°-03'-35"
R=500'
T=70.53'
L=140.15'
E=4.95'

P.I. 126.5 S 8° E 37.4' I.P.
6" dia.

163°-56'-25"

247.21 L 5°-27' T=720 =204.94

398.27

204.94

From Top pg. 70

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-37

F.B. 287 PG. 72



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.	Survey of Greenleaf Co. #1	F.B. 787	Pg. 73
Map No. B-1486	W. O. 8264 Tape No. 4 St'd 24 of F		
Office Work Kstall	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 4-14-37		
Date 7/31/37	Indexed		

To Det. pg. 74

To B.C. 366.58

1.50

159+38.19 E.C.

P.I. 131 A Set ¾" I.P. 6" dn. in rd.

Δ = 12°32'55"
R = 400
T = 43.98
L = 87.61

P.I. 163 Set ¾" I.P. 6" dn.

158+50.58 B.C.

9.16

158+41.42 B.C.

P.I. 162 Set ¾" I.P. 6" dn. edge rd.

Δ = 34°56'10"
R = 250
T = 78.67
L = 152.44

156+88.98 B.C.

From Tap pg. 72

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 24

To Sot ... pg. 24



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.
Map No. B-1486
Office Work Nothall
Checked K.R.M.
Date 7/31/39

Survey of Crenshaw-Co. Rd.
W. O. 8264 Tape No. 1 Std 94 of
Surveyed by L. Hammond
Notes [illegible] Date 4-12-39
Indexed

F.B. 787 PG. 74

217.33

172+36.08

To Loot. pg. 74

E.C. 172+03.32

Δ = 48°-38'-15"
R = 500
T = 45.23
L = 97.19
Ex = 4.01

Δ = 322°-43'-30"
Δ = R5°-27'-00"
Δ = 288°-10'-30"
161°-21'-45"

P.I. 66

Δ = 18°38'15"
R = 500
T = 82.05
L = 162.64

174+08.40

P.C.

170+93.44 B.C.

424.40

623.83

2 L0.466 2°-59' T=60°=240.07
LL70 C 0°-00' T=60° LL.49
298.72 C 5°-54' T=60°=297.07
623.83

(3) 22°-35'-30"
(4) 283°-54'-00"
(4) 24°-46'-30"
160°-57'-45"

166+69.04 E.C.

O.K.

Δ = 19°-02'-15"
R = 700
T = 117.38
L = 232.57
Ex = 9.77

P.I. 65

164+36.45 B.C.

251.37 C 3°-59' T=60°=250.62

250.62

24.68

From Top pg. 74

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 26

W.S.60, C-5

195.90 ℄ 8°46' T=℄℄°= 193.59

To Bot. Pg. 27

E.C. 177+82.23

193.59

P.O.S.T.
~~Ap. 137~~ Set 3/4" I.P.
6" dia.

(2) 322°19'-
(4) 284°18'30"
(6) 241°58'00"
161°09'40"

124.94

Δ=18°60'20"
R= 100'
T= 16.59'
L= 32.88'
Ex= 1.37

180

1700+09.59 B.C.

P.I. 67
Not Set

167.05 ℄ 6°04' T=60°= 166.08

Δ = 58°58'50"
R = 300
T = 169.66
L = 308.82

(2) 279°-00'-
(4) 199°-26'-
(6) 139°-19'-
139°-19'-35"

128+99.28 E.C.

Δ= 47°18'30"
R= 300'
T= 132.54'
L= 247.66'
Ex= 29.47

62.50

P.O.S.T.
~~I.P.~~ Set 3/4"
I.P. 6" dia.

11.35

29°-41'

21.62

297.81 ℄ 8°19' T=60°= 297.36
109.12 ℄ 20°-0' T=60°= 109.10
406.46

406.46

174+73.41 B.C.

From top pg 75

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.	Survey of Greenleaf Co. Rd.	F.B. 787	Pg. 77
Map No. B-1486	W. O. 8261 Tape No. 15 St'd 24 of		
Office Work H. Hall	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L & H Date 7-12-37		
Date 7/31/37	Indexed		

To 607 pg. 78

To P.I. 6

Δ = 37°28'55" ✓
R = 500 ✓
T = 169.64 ✓
L = 327.09 ✓

(2) 3[illegible]2°-52'-30"
(3) 3[illegible]5°-45'-00"
(4) 328°-37'-45"
LL = 24-14

108.47 ✓

P.O.S.T.
[illegible] 5.0 ft 3/4"
I.P. 6" dia.

180+78.10 B.C. ✓

Δ = 13°-38'-45"
R = 500'
T = 59.45'
L = 118.36
E = 3.52

50"

166°-26'-15" ✓

180+86.66 E.C.

211.58 @ 8°-06' T = LC' = 209.4

209.45 N 50° W

98.60 ✓

(1) 315°-02'-30"
(3) 270°-04'-45" ✓
(5) 225°-07'-30"
157°-31' = 15 1/2°

P1.68
[illegible] 5.0 ft 3/4"
I.P. 6" dia.

179+79.50 E.C. ✓

Δ = 22°-28'-45"
R = 250'
T = 49.68 ✓
L = 98.08
E = 5.29

O.K.

178+81.42 B.C. ✓

B.C. 181+69.89

99.19 ✓

From Top pg. 76

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 28

To Lot pg 29

256.02 Δ 7°-46' T=66.32 53.64

(2) 336°-52'-45"
(4) 313°-45'-15"
(6) 290°-38'-00"
168°-26'-20"

Pl. 1.4 in A 3/4" I.P. 6" dia.

To B.S.

258.61

N 89 W

13.64

187+94.84

Δ=11°-23'-40"
R=400'
T=40.49'
L=80.71'
Ex=2.04

187+14.13

143.14 Δ 5°-46' T=62°=142.40

142.40 S 89 W

(2) 297°-32'-00"
(4) 235°-04'-00"
(6) 172°-36'-00"
168°-46'-00"

184+05.19 E.C.

Pl. 68.12 E.C.

Δ=31°-14'-00"
R=200'
T=55.90'
L=109.02'
Ex=7.47

Pl. 1.40 in 3/4" I.P. 6" dia.

N 85 W 19.10

N 005 25.00

POST Set 3" W&T 3" dia.

189.34 Δ 7°-14' T=62°=187.80

N 70° W 187.8

N 005 62.75

Pl. 69
Set 3/4" I.P.H.

from / Top pg 27

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.
Map No. 18-1486
Office Work Kad
Checked K.R.M.
Date 7/31/39

Survey of Orangeface Co. F.B. 787 PG. 29
W. O. 8264 Tape No. 1½" Std. 1 of
Surveyed by L.S. Hammond
Notes E-H Date 4-12-39
Indexed

To Sta. 189.80

189+61.41 E.C.

(a) 260-16-30
(b) 140-29-15
(c) 60-11-05
130°-07'-20"

0.K.

Δ = 49-52-40
R = 125'
T = 58.13
L = 108.82
Ex = 12.85

130°-07'-20

P.I. 71
Set 3/4" I.P. L" dm.

(a) 259-52-00
(b) 155-44-00
(c) 49-34-45
129-56-00

188+52.59 B.C.

65.04 ∠ 0-30-00 T 66° = 65.03

136.99 ∠ 4-48 T 62° = 136.49

19.82

(a) 314-38-30
(b) 269-17-15
(c) 223-54-30
157-19-15

157 ∠ 9°-47' T 72° = 152.01
+ 24.99
177.00

188+32.77 E.C.

Sta. 142.18
Set 3/4" I.P. L" dm.

P.O.S.T. 3/4"*142.18 Nail Set

Meas. 15.00

P.I. 70
Set 3/4" I.P.

Δ = 77°27'00"
R = 125
T = 100.23
L = 168.97

186+63.80 B.C.

Pat. Set 1½ 6" dm.

(a) 313-42-30
(b) 267-27-00
(c) 221-10-30
156°-51'-30"

From Sta. 78

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 20

To 60T pg. 51

WS 60, C-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

To B.C.

140.67 = 8-56 T = 74° = 138.9

Δ = 20-40-10"
R = 200'
T = 36.48'
L = 72.16'
EX = 3.30

122.19

(a) 318-39-N
(b) 227-18-30
(c) 23-59-45
159-19-40"

194+53.96 E.C.

93.59

(a) 229-38-40
(b) 311-19-5
51-53-45

-24" 3/4" I.P. L.
d/o. 560 pg. 124

190+55.12 E.C.

93.59

Δ = 115°32'25"
R = 40
T = 63.45
L = 80.66

189+91.46 B.C.

-24" 3/4" I.P. L.
d/o. 560 pg. 124

200.27

13.05

From E.C.

153.86 47-08 T = 62 = 134.63

From Top pg. 29

Notes Ck'd by K.R.M.	Survey of Greenleaf Co #1	F.B. 787	Pg. 81
Map No. B-1486	W. O. 8226 Tape No. 14 St'd 24 of		
Office Work [illegible]	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 5-17-39		
Date 7/31/39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

From Top pg 80

192+69.37 E.C.

191+77.31 B.C.

P.I. 73

Δ = 26°22'25"
R = 200
T = 46.86
L = 92.06

F.B. 287 PG. 82



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by McPherson
Map No. B-1486
Office Work Hall
Checked C.P.M.
Date 7/31/39

Survey of Riverside Co. El
W. of 26 Tape No. 14 St'd 14 OF
Surveyed by L.S. Hammond
Notes [illegible] Date 5-17-39
Indexed

F.B. 287 PG. 83

W.S.66, Co.5

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 282 PG. 84

To Sht. pg. 85

213+75.16 E.C.

(1) 323°-43'-00"
(2) 287°-26'-15"
(3) 35°-09'-00"
161°-51'-30"

Δ = 18°-08'-30"
R = 500'
T = 79.84
L = 158.34
Ex = 6.33

O.K.

*1 Set 1X2 Fl. Sec 19. 127

30.00

90°

212+16.82 B.C.

213+37

222.02 C 4°44' T=720=221.25

P.I. 78

210+75.41

213+38.84
POT 15.24
Set 1X2 Fl.

(1) 313°-57'-30"
(2) 267°-55'-00"
(3) 225°-57'-45"
136°-58'-45"

210+38.64 E.C.

213+40.29

Δ = 23°-01'-10"
R = 500'
T = 101.87
L = 200.98
Ex = 10.20

O.K.

P.I. 77

211+42.20

B.C.

208+37.76

279.82 C 0°-CD T=20°=279.09

208+10.78

POT *15.18
Set 1X2 Fl.

128.80 C 0°-00' T=24°=128.79

206+59.78

209+27.23
POT *15.24
Set 1X2 Fl.

Scem Tap pg 83

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by McPherson	Survey of Greenleaf Co Rd	F.B. 787	Pg. 85
Map No. B-1486	W. 0826 Tape No. 1V St'd 84 OF		
Office Work H.Hall	Surveyed by L.S. Hammond		
Checked K.P.M.	Notes L.S.H. Date 1-4-39		
Date 7/31/39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

To 6+79.86

222+41.88 E.C.

222+68.96

0K.

45"

Δ = 15°-45'-55"
R = 500'
T = 69.21
L = 137.55
Ex = 4.77

222+26.39 B.C.

(2) 328-28-15
(4) 296-26-30
(6) 26-15-00
164-14-10

P.I. 80
3/4" I.P. 6"do.

221+04.33 B.C.

633.88 ∠ 0°-01'-24" = 633.84

216+31.79 E.C.

P.I. 77
3/4" I.P. 6"do.

139°-33'-30"

Δ = 40°-26-35"
R = 250'
T = 92.09'
L = 176.47'
Ex = 4.57

*2
5x5 1x2 F.I.
See pg. 127

30.00

90°

Δ = 40°26'35" V
R = 250
T = 92.09 V
L = 176.47 V

318+79.02

(2) 279-07-00
(4) 198-41-15
(6) 41-51-00
39-33-30

B.C.

346.46 ∠ 3°-00 T = 72°-252.09

214+55.32 B.C.

252.09

From Top pg 84

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS60, B-5



Notes Ck'd by K.R.M.	Survey of Encino-Topanga Co Rd	F.B. 782	PG. 62
Map No. B-1486	W. O. 8266 Tape No. 14 St'd 14 of		
Office Work Hand	Surveyed by K. S. Hammerly		
Checked K.R.M.	Notes	Date	
Date 7/31/39	Indexed 5-26-39		

D.A.D. TOPANGA CN. RD.

RETRACING ℄ PER Z-50 PAGES 91+92

W.S. 60, B-5

To bot. p9

(Rec.)
Δ = 42°41'
R = 732.03
T = 286.03
L = 455.89

Fd remains of 2x2 No 7K

0.02 Fd Nail

0.09

P.I. ✱ 6 Set 3/4" I.P.
4" W.L. Tgt. from I.P. Ret. 2-26-92

Fd 2x2 w 7K 2'dn. 2-26-92

(R) 258°38'45"
(R) 212°14'45"
(R) 145°24'00"
114°19'25"

47.66 0°20'07" : 62° = 67.59
47.09 0°20'07" : 62° = 47.08
314.72 0°00'07" : 66° = 314.68

P.I. ✱ 7 Fd remains 2"dia. 2x2 Set 3/4" I.P. 12"dn. per Ties Z-50-92

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S 60, B-5



Notes Ck'd by R.R.M.	Survey of Encinal Co #2	F.B. 287	Pg. 89
Map No. B-1496	W. 0826 / Tape No. 14' St'd 84 of		
Office Work H.H.All	Surveyed by L.S. Hammond		
Checked R.R.M.	Notes	Date 6-16-39	
Date 7/31/39	Indexed		

OLD TOPANGA CN BD

W.S. 69, B-5

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

(Rec)
Δ = 13°42'
R = 400'
L = 95.64
El = 2.88

P.I. #3 Fd 1/2" IP stake & tag per 2-50-91

69°44'30"
69°29'00"
69°46'30"

66.41 c 0°00' T = 66 = 66.40

93.99 c 0°00' T = 66 = 93.98

93.98
66.40
27.48

Fd 3/4" IP 2-50-91

2.72

30.70 c 0°00' T = 62 = 306.66

Fd. 2" IP radial Mkd. L.S. 1869

Property Line pg. 128

Set 3/4" IP in pave. by inter

10.00

20'

91°20'45"

182°41'30"
91°23'00"
182°04'30"
91°20'45"

361.72 c 0°00' T = 62 = 361.67

From Top pg 88

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 282 PG. 92

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No. 13-1486
Office Work
Checked
Date

Survey of
W. O. Tape No. St'd
Surveyed by
Notes Date
Indexed

OF

F.B. 2877 Pg. 91

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 287 PG. 92

Notes Ck'd by K.R.M.	Survey of Greenleaf Co Rd	F.B. 787	Pg. 98
Map No. B-1486	W. O. 2266 Tape No. 14 St'd 66 OF		
Office Work Hall	Surveyed by L. S. Hammond		
Checked K.R.M.	Notes 5M Date 4-27-39		
Date 7/31/39	Indexed 5-26-39		

W.S. 89 C-1

CONNECTION WITH
ALTA DRIVE TR. 3944

267.12 02°55' T = 90° = 266.78
7.08
239.69

(2) 297°-11'-45"
(4) 234°-23'-30"
(6) 121°-36'-15"
148°-35'-30" +

#1 P.I. Set 3/4" I.P. 6" div.

Greenleaf Co Rd

189.41 To P.O.T.

2+38.67 P.C.

Δ = 31°-24'-10"
R = 250
T = 70.28
L = 137.02

BC 1+48.82

171.95 ℄ 0°-00' T = 60° 171.93

1+01.65 P.C.

55°-53'-00" per pg. 63

ROAD ℄ per pg. 63

101.63

CN.

GREENLEAF
℄ per pg. 63

0+00 = Pt. #111
Greenleaf Co Rd
Set 3/4" I.P. 6" div.
See page 63

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 282 PG. 94

To 60T. pg. 95

94.10 ∠0-00 T=94+94=94.11

94.11 / 3 44.0

E.C. 5+89.17

15"

P.I. #3 A Set 94"
Lip 1" Dia.

Δ = 19-28-40
R = 300
T = 34.31
L = 67.96
E = 2.92

160-31-50

(2) 321-03-45
(1) 282-07-30
(6) 243-11-00
160-31-50

3+21.61

B.C.

119.67 0-7-21 T=90=119.67

148.91 To B.C.
490.56

P.I. #2 P.O.T. 4+28.08

P.I. #1 To

EC.

4+66.27

Δ = 6-38-50 O.K.
R = 500
T = 29.04
L = 58.01
E = 0.84

178-21-10

(1) 246-42-15
(4) 353-24-30
(6) 320-06-45
178-21-10

4+08.26

B.C.

from Top pg 93

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.
Map No. B-1486
Office Work Hall
Checked K.R.M.E.P.
Date 7.31.39

Survey of Crowley-Co Rd
W. 0826 Tape No. 4 St'd 24 of
Surveyed by L.S. Hammond
Notes L S H Date 4-29-39
Indexed

F.B. 787 PG. 95

W S 89 C J

To Lot 99 24

P.I. 3 Sta 92+93 = 0-00 T=88°=92.93

Δ=43°-32'-00" R=120 T=47.36 L=91.19

(a) 286°-68'-00"
(b) 213°-36'-00"
(c) 140°-24'-00"
143°-24'-00"

P.O.S.T. Sta 3/4" I.P. 6" dia.

92.93

N 24°-

E.C.

9+37.97

Δ=34°-36'-00"
R=220'
T=68.80'
L=132.91'
Ex=14.00

8+29.98 B.C.

20.43

8+09.55
Sta 28.97
P.O.T. & A Sta 1x2 Fl.

8+90.06 B.C.

93.89 = 0-00 T=90°=93.89

70.09

7+39.46 E.C.

17 [illegible] = 6-00 T=90°=174.44

(a) 292°-06'-45"
(b) 234°-13'-45"
(c) 172°-20'-15"
118°-32'-26"

7+02.83 E.C.

Δ=31°-[illegible]
R=200'
T=56.30'
L=109.76'
Ex=7.67

30"

P.I. 2 Sta 3/4" I.P. 6" dia.

22.39 M Cos

P.I. #4A Spk 3/4" I.P. 6" dia.

5+76.99 B.C.

Δ=18°37'05" R=500 T=81.96 L=162.47

5+93.07

From Top pg 24

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

F.B. 227 PG. 96



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.	Survey of Greenleaf Co Rd	F.B. 287	PG. 97
Map No. B-1486	W. O. 2214 Tape No. 15 St'd 16 OF		
Office Work [illegible]	Surveyed by L.S. Hammond		
Checked K.R.M.E.P.	Notes L 514 Date 4-27-39		
Date 7/31/39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

To POT 19.98

P.I. * 9 Set 3/4"
I.P. 6" d.

(2) 303°-40'-30"
(4) 247°-21'-00"
(6) 191°-01'-15"
151°-50'-15"

Δ = 28°-09'-50"
R = 100'
T = 25.08'
L = 49.15'
Ex = 3.10

15+28.20

151°-50'-15"

15+29.05

120

L = 49 c = 9°-04' T = 88' = 113.06

N 77° E 113.06

EC.

14+96.42

(2) 334°-44'-00"
(4) 309°-38'-00"
(6) 284°-12'-15"
167°-22'-00" +

Δ = 12°38'-00" a.k.
R = 500'
T = 55.35'
L = 110.23'
Ex = 3.05'

167°-22'-00"

P.I. * 9 Set 3/4"
I.P. 6" d.

13+36.19

BC.

From Tap pg. 96

FORM 247 SM 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 89, C-1



Notes Ck'd by K.R.M.	Survey of Greenleaf C. 1561
Map No. B-1486	W. O. 2261 Tape No. 15 St'd 24 OF
Office Work Hall	Surveyed by E.S. Hammond.
Checked K.R. McEP.	Notes L & H. Date 5-8-29
Date 7/31/29	Indexed

F.B. 287 Pg. 29

To 6QT Pg. 150

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W.S.P.Co.

(2) 320°-23'-
(4) 280°-46'-30"
(6) 241°-09'-30" V
160°-11'-35"

(2) 131°-08'-15" -
(4) 262°-16'-30" -
(6) 33°-25'-15" -
65°-34'-10" +

TR. 3944
Set 3/4" I.P.

24+28.91
Set 3/4" I.P. L'dn.
by Inter

1.61 V

31
36

10.19

24+05.58 E.C.

SEC.
SEC.

Random Sur. Line for pg 11

P.I. 8
Set 3/4" I.P. C.H.

19.95

P.O.S.T.
Set
3/4" I.P. 6" dn.

Δ = 21°56'05" V
R = 170 V
T = 32.94 V
L = 65.00 V

162.87 = 5-1/2° T = 68° = 162.17 V

71.00 V

23+40.50 B.C.

B.C. 23+70.27

(2) 301°-34'-30"
(4) 243°-09'-00"
(6) 184°-43'-30"
150°-47'-15" V

22+69.50 E.C.

22+51.62

Δ = 29°12'40" V
R = 300
T = 76.96
L = 150.9
Ex = 3.34

P.I. 7
Set 3/4"
I.P. 6" dn.

21+16.55 B.C.

156.85 = 8°-52' T = 68° 154.96 V

154.9 V

Δ = 29°12'40" V
R = 300 V
T = 78.18 V
L = 152.95 V

P.O.T. V
76.78

To P.O.T. Tape pg 28

FORM 247 5M 10-37

F.B. 787 PG. 100

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by McPherson	Survey of Encino Tract Co Rd	F.B. 787	PG. 1 of 1
Map No. B-1486	W. 08261 Tape No. 15 St'd 84°F		
Office Work	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 4-24-39		
Date 7/31/39	Indexed 5-26-39		

TOPANGA SUMMIT MN

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 287 PG. 102

To bot. pg. 103

63.42 0°-00' T 70°- 63.42

TOPANGA SUMMIT M.W.

63.42

63.39

P.I. #39 Set 3/4" I.P. L.L.D. by proportion

Set 1x2 P.I. Eng.

140°-44'-55"E 0.87

(a) 277°-23'-00"
(b) 194°-43'-30"
(c) 112°-05'-30"
139°-40'-

101.75 C 0°-00' T 70°- 101.79

(a) 318°-29'-15"
(b) 266°-58'-30"
(c) 220°-28'-00"
131°-44'-45"

P.I. #38 Set 3/4" I.P. L.L.D. by proportion

Set 1x2 P.I. Eng.

34°-11-10"E 0.96

160.19 C 0°-37' T 60°- 160.13

160.15

P.I. #37 Set 3/4" I.P. L.L.D. by proportion

Set 1x2 P.I. Eng.

141°-35'-20"E 1.01

(a) 332°-19'-30"
(b) 204°-39'-00"
(c) 276°-58'-15"
166°-09'-45"

163.44 C 3°-37' T 60°- 163.08

From top pg. 101

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by M.S. Emerson	Survey of Greenleaf Co. Rd.	F.B. 787	Pg. 108
Map No. 13-148	W.O. 8261 Tape No. 15 St'd 14 of		
Office Work Hall	Surveyed by E.S. Hammond	TOPANGA SUMMIT MW.	
Checked K.R.M.	Notes L.E.W. Date 4-24-39	To dot. pg. 104	
Date 7-31-39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

90.40 c 4-16 T=71° = 90.14

(2) 287°-00'-45"
(4) 214°-15'-45"
(6) 141°-23'-30"
143°-33'-30"

90.14
S 51°-30'-10" W
90.14

Set 1x2 Pl. Rec.

0.74
S 39°-30'-40" E

P.I. *42 Set 3/4" I.P. 6" dn. by proportion

68.46
13°-23'-30"
68.56

68.46 c 2°-39' T=76° = 68.56

P.I. *41 Set 3/4" I.P. 6" dn. by proportion

(2) 341°-45'-15"
(4) 322°-30'-15"
(6) 303°-45'-45"
170°-37'-30"

Set 1x2 Pl. Rec.

S 39°-42'-20" E
0.78

54.85

54.85 c 4°-25' T=76° = 54.85

(2) 233°-00'-45"
(4) 306°-17'-45"
(6) 279°-26'-45"
166°-34'-25"

Set 1x2 Pl. Rec.

S 40°-04'-20" E
0.82

P.I. *40 Set 3/4" I.P. 6" dn. by proportion

From top pg. 102

FORM 247 5M 10-37


F.B. 787 PG. 104
Fd 2x2 Bd. 0.91' N. per F.B. 513-284
39.51
158.36
24.10
Pl. #46 3/4" I.P. 6" dn. per Ties
211.80
Pl. #47 Fd 1x2 3' dn. per F.B. 513-284 S.T. 3/4" I.P. 18" dn.
TOPANGA SUMMIT MW
158.40 L 1°07 T 76° = 158.36
(2) 244° 45' 00"
(4) 129° 30' 15"
(6) 14° 45' 15"
122° 22' 30" +
182.34 L 5° 45' T 71° = 182.41
29.82 L 6° 00' T 76° = 29.39
211.80
(2) 334° 47' 45"
(4) 209° 35' 15"
(6) 284° 23' 30"
167° 23' 45"
Pl. #45 Set 3/4" I.P. 6" dn. by proportion
Set 1x2 Fl. Rec.
347° 29' 20" E 0.16
103.63 L 1° 45' T 78° = 102.91
102.91
(2) 236° 25' 30"
(4) 112° 51' 15"
(6) 349° 17' 15"
118° 12' 60" +
Pl. #44 Set 3/4" I.P. by proportion
Set 1x2 Fl. Rec.
S 36° 40' 30" E 0.59
112.72 L 6° 30' T 76° = 111.99
111.99
112.00'
S 32° 13' 00" W
Set 1x2 Fl. Rec.
S 38° 23' 45" E 0.68
(2) 320° 44' 45"
(4) 327° 29' 45"
(6) 212° 14' 45"
160° 29' 15" +
From Tape pg. 103
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line

Notes Ck'd by		Survey of Encinal Co Rd.	F.B. 787 PG. 106
Map No. 19-1486		W. O. 8261 Tape No. 4 St'd 84°F	
Office Work Hall		Surveyed by L.S. Hammond.	HENRY RIDGE M.M.
Checked K.R.M.		Notes L.S.H. Date 4-24-39	
Date 7/31/39		Indexed 5-26-39	

To Bot. pg. 104

RE-ESTABLISHING THE RECORD ℄ OF HENRY RIDGE M.M. FROM P.I. #11 TO P.I. #1 PER F.B. 609-pg. 58 TO 67 INC.

P.I. #10 Set 1x2 Rec. per F.B. 609-57

(2) 316°-57'-45"
(4) 278°-43'-30"
(6) 238°-35'-14"
158°-26'-29"

142.70
N 10° E

142.71 ∠ 0°-00' T=70°=142.70

P.I. #11 Set 1x2 Sup. 6"d.o. per Rec. F.B. 609-57

N.R. P.I. Fd 3/4" IP per F.B. 609-57

(3) 310°-09'-00"
(4) 260°-18'-15"
(6) 210°-27'-30"
155°-04'-35"

1153.53

1153.53 ∠ 8°-15' T=72°=1153.53

P.I. #12 Fd 1x2 per F.B. 609-58

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 206

HENRY RIDGE HW.

83.23 c 0°00' T=84° = 83.23

To bot. pg. 107

83.23

P.I. #7 Set 1x2 Rw. per F.B. 609-56

(1) 338°-09'-15"
(2) 310°-18'-45"
(3) 285°-28'-00"
167'-34'-40"

167'-34'-40"

63.29 c 0°00' T=84° = 63.29

79.24 c 15°-51' T=82° = 76.23
+4.48
80'

80'

0.22

0.12

Fd 1x2

P.I. #8 Set 1x2 Rw. per F.B. 609-56

70.23 c 9°-14' T=70° = 69.31

80.24

(1) 218°-09'-15"
(2) 76°-18'-30"
(3) 294°-27'-45"
109°-04'-40"

P.I. #9 Set 1x2 Rw. per F.B. 609-56

0.02

0.35'

Fd. 1x2 Loose

(1) 220°-53'-00"
(2) 97°-45'-30"
(3) 320°-38'-30"
114°-26'-25"

114°-26'-25"

69.31

From top pg. 105

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by R.R.M.
Map No. B-1486
Office Work Hold
Checked R.R.M.
Date 7/31/39

Survey of Greenleaf Co Rd
W. of 82nd Tape No. W' St'd 82 E of
Surveyed by K.S. Hammond
Notes L & M Date 7-24-39
Indexed

F.B. 287 PG. 107

HENRY RIDGE M.M.

To Int. 1st Ang. Pt. 062

Fd 1x2 poor condition

(2) 311°-38'-45"
(4) 268°-16'-45" V
(6) 214°-55'-45" V
155°-49'-10" +

0.13

POST + 4A Set 1x2 Re. per F.B. 609-54

31.54 C 0°00' T=80°=31.54

(2) 290°-18'-45"
(6) 218°-37'-45" V
(4) 147°-56'-45" V
144°-39'-25" +

Fd 1x2 poor condition

POST + 5 Set 1x2 Re. per F.B. 609-54

Pt. #5 Set 1x2 Re. per F.B. 609-54

75.64 C 0°00' T=86°=75.64

(2) 230°-05'-30"
(4) 96°-10'-45" V
(6) 324°-16'-00"
114°-02'-40"

85.92 C 0°00' T=90°=85.92

0.19

0.24

Fd 1x2 poor condition

Pt. #6 Set 1x2 Re. per F.B. 609-54

(2) 268°-26'-15"
(4) 174°-52'-00"
(6) 226°-18'-45"
134°-13'-05" +

From Top pg. 106

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 108

HENRY RIDGE M.M.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.	Survey of Crestlea Sub'd	F.B. 787	PG. 109
Map No. 13-1486	W. O. 8261 Tape No. 1/1 St'd 2 OF		
Office Work Hall	Surveyed by L. S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 3-8-39		
Date 7/31/37	Indexed 5-26-39		

To bdry pg 1/2

W.S. 89, C-2

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

SEC

SEC

90° 45' 20"

¼ SEC LINE F.B. 760-20-30

¼ Cor. F/C.S. mon. inkd. as shown per F.B. 524-62

To 3/4" I.P. ctr. sec. per F.B. 760-20-30

(2) 18/- 30-45.
(4) 3- 01-30.
(6) 69- 32-00.
90- 45-20.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 112

To Supt pg. 111

55.86 c 18-05 T=70°=53.99

T*2 Set 1x2 S.H.

66.12 c 25-38 T=68°=59.69

T*3 Set 1x2 S.H.

SEC. SEC. 255.82

288.94 c 25-01 T=62°=26.80'
-.98
255.82

Tk Line

Set IP 1.38 up 25 pc

Tk Rd.

T*5 Set 3/4" IP
Fd. Top Ridge

From Top pg. 109

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Only Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M.	Survey of Brookleaf Tract	F.B. 297	Pg. 111
Map No. B-1496	W. O. 821 Tape No. N St'd 84 OF		
Office Work HAM	Surveyed by L. S. Hammond		
Checked K.R.M.	Notes 4 SM Date 3-8-39		
Date 7-39	Indexed		

W.S. 89, C-2

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

[redacted]: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by K.R.M.	Survey of Greenbrier Co. P.I.	F.B. 287	PG. 113
Map No. B-1486	W. O. 8264 Tape No. N St'd 44 of		
Office Work Hall	Surveyed by L. S. Hammond		
Checked K.R.M.	Notes	Date 3-8-37	
Date 7-39.	Indexed		

Set pg. 114

(2) 296° 45' 15"
(4) 221° 30' 30"
(6) 162° 06' 45"
145° 22' 40"
34° 37' 20"

(2) 191° 18' 45"
(4) 22° 37' 15"
(6) 216° 41' 00"
76° 37' 20"

(2) 99° 27' 00"
(4) 198° 53' 30"
(6) 281° 20' 45"
49° 43' 30"

Set 1x2 ft.

34° 37' 20"

8' offset 372.98

Random

SEC.
SEC.

Set 1x2 ft.

Set 1x2 ft.

214.24 C.L.C. T = 68° 212.94

10.53

T. 7 Set 3/4" I.P. in edge bank.

From Top Pg 112

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.8 C-2



F.B. 287 PG. 114

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.589, C-1

Notes Ck'd by RRM
Map No. B-1486
Office Work Hall
Checked RRM
Date 7-39

Survey of W. of 22nd Tape No. 1 1/2 Std. 22 of
Surveyed by F.S. Hammond
Notes & Sk. Date
Indexed

F.B. 727 PG. 1/2

Random Line to N Sec 09

0+00 N.

0+42.09

2702.65

1002.4 calc

+6.09

1686.

2960.18 calc

This Line is a Continuation of Random Line from South per F.B. 609-

SEC

SEC

36

31

Sec Cor Fd C.S. Mon. accepted as shown on F.B. 609-127

COUNTY SURVEYOR

R.17W.

T.1N.

36 31

1 6

T.1S

R.16W.

F.B. 282 PG. 116

To bdy. 129 117

Fd 1½" IP Sdr
Plug + TK. in Ctr.

18+64.78
P.C. 21A 36C
1x2 Pl.

1482

838

39 ##

5778 Δ 4°36' T 88° = 59

CONNECTION WITH ALTA DR 39 90

ND.

TRACT

10888 Δ 24°30' T 80° = 259.58

P.C. 20A 36C

18+07.19

36

31

(2) 53-24-1#
(4) 114-48-30
(6) 118-18-45
286-42-16

(2) 105-22-30
(4) 210-45-00
(6) 316-07-45
632-14-15

(2) 143-21-30
(4) 286-43-00
(6) 358-04-30
787-40-45

(2) 197-19-00
(4) 394-21-00
(6) 591-23-00
1182-04-00

Fd 2" IP Sdr
Plug + TK in
Ctr. S.W. Cor
Tr. 39 ##

11+14.35
P.C. 18A 36C
1x2 Pl.

10+99.13
P.C. 18A 36C
1x2 Pl.

SET 1x2 T 5 Pl.

Δ 52°-41'

35°

90°-36'

1422

147.39

280.17

SET 1x2

71°-40'-45"

71° 146.62 Δ 18°-43' T 82°-147.39
284.79 Δ 10°-20' T 82°-280.17

SEG.

SEG.

From Tap pg. 115

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by K.R.M.	Survey of Clearwater Co #31	F.B. 787	Pg. 117
Map No. B-1486	W. O. 8261 Tape No. 1 St'd 4 of		
Office Work Hall	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 5-4-39		
Date 7-39	Indexed		

U.S. 99, C-1

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

Fd 1" Oak Tg No evidence of stake

189.13'

190.00 S-27 T=21'= 189.13

2000

25+25.82 Set 1x2

P* 24 A Set 1x2 ±

18.68=21°25' T=10'= 169.12

Fd 1/4 Cor. Fd 3"x3"x3' stake very loose and fastened to fence wire. nail in Top This stake has been burned and there is faint evidence of scribing. Fd M.P. PAT 12" Up.

Fd 12" pole ± Set on pole Towards ¼ Cor. No evidence of Scribing.

P* 23 A Set 1x2 ±

23+56.70

1308'

TRACT No 3344

281.60 S-44 T=80'= 39.50

48.82 = 0-00 T=80'= 40.32

3.24' 40

20+28.30

P* 22 A Set 1x2 ±

103.52

75.72 = 28-30 T=82'= 40.32

103.52

SEC

SEC

From Tape pg 116

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by K.R.M.	Survey of Section Cor. to 21	F.B. 207	Pg. 119
Map No. B-1486	W. of 8261 Tape No. 1/1 St'd 24 of		
Office Work HAN	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 5-7-37		
Date 7-39	Indexed		

W.S. 80, C-5

To Corner No. 23
Set Nail & Tin Tag
As per FB. 220-25A

166.62 @ 15°-30' = 72.1 = 159.00
- 3.50
155.47

285.76 @ 15°-06' = 72.0 = 275.87
204.62 @ 3°-17' = 28.0 = 203.68
191.03 @ 9°-52' = 28.0 = 188.88
Base - 668.43

Fd Remains of old
1X2 Nail & Tag per FB.
220-25A
3.50

Set 3/4" I.P.
in ridge.

(1) 48°-22'-00"
(2) 24°-43'-30"
(3) 115°-05'-30" V.
24°-10'-15"

(1) 89°-20'-10"
(2) 48°-40'-25" V.
(3) 24°-00'-30"
42°-10'-05"

668.43

112.64 Calc

(1) 178°-48'-15"
(2) 357°-32'-30" V.
(3) 176°-24'-45"
89°-24'-10"

35°-00" adj

Set 1X2 P.

Sec Cor Fd. G.S.
from N.K.o.r. Shown
per FB. 220-26A

SEC 36
SEC 31

(1) 72°-09'-50"
(2) 84°-19'-30" V.
(3) 23°-27'-20"
179°-36'-40"

76.38 @ 3°-21' = 76.00 = 75.32
29.51 @ 24°-30' = 29.00 = 28.42
142.17 @ 27°-32' = 126.00

COUNTY SURVEYOR
R.17 W. T.1 N.
25 30
31 36
R.16 W. S.B.B.M.
SEC. COR.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 120

To bot pg. 121

182.56 c 0°00' T=72° = 182.56
295.39 c 2°39 T=72° = 295.13
313.38

204.32 c 5°36 T=72° = 203.98
192.53 c 5°11 T=68° = 191.02
9.66 c 6°00 T=48° = 9.66
296.09 c 2°39 T=540 = 295.81
699.91

(3) 123°-51'-50"
(4) 247°-42'-45"
(5) 11°-34'-30"
61°-43'-35"+

(2) 121°-24'-45"
(4) 242°-49'-30"
(5) 4°-14'-15"
60°-42'-30"+

102.45 c 24°-32' T=70° = 42.31
47.85 c 29°-59' T=70° = 41.46
88.01 c 8°-56' T=70° = 86.10
486.1 c 0°-20' T=70° = 486.1

(2) 114°-44'-05"
(4) 229°-26'-50"
(5) 344°-12'-15"
57°-22'-00"+

699.91
313.38
60°-43'-35"
60°-22'-00"
0.09
1/4 Cor Sec 25 Mon in Well
(RB 220-254)
COUNTY OF LOS ANGELES ENGINEER
ITW SEC 25 T1N R15W + 1/4 SEC 36 N1W COR
SEC 25
SEC 36
Set 1x2 edge rod. Top
Set 1x2
Set 1x2 edge rod.
Set 1x2
Set 1x2
Set 1x2
Set 1x2
Fd. c/c 1x2 Top Bridge 1.2' E.S. 220-254
Brass Top

WS 60, C-5, WS 80, C-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Additions or Changes on This Page Must be Made or Circled in Red Ink and Name of Person Making.

109 119

Notes Ck'd by K.R.M.	Survey of Greenleaf Canal	F.B. 287	Pg. 121
Map No. B-1486	W. O. 824 / Tape No. W	St'd 14 OF	
Office Work Hall	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes [illegible] Date 5-6-39		
Date 7-39.	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

W5.60, C-5



Notes Ck'd by L.R.M.	Survey of [illegible]	F.B. 287	Pg. 12?
Map No. B-1486	W. 0826 / Tape No. 15 St'd 14 of		
Office Work Hall	Surveyed by L.S. Hammond		
Checked L.R.M.	Notes L.S.H. Date 5-12-39		
Date 7-39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

2 - 60' [illegible]

38°-17'-45"

(3) 77°-51'-30"
(4) 155°-51'-15"
(5) 233°-41'-45"
360°-00'-30"

Set 1x2 P.I.
7+20.49

102.60 = 15-39 T = 98.59

26
25

6+21.90
Set 1x2 P.I.

87.23 = 11-06 T = 78° = 87.59

SEC.
SEC.

Set 1x2 P.I.
5+35.01

25.19 = 14-55 T = 20° = 22.54
154.61 = 25-09 T = 100° = 101.47
29.199 = 0-20 T = 100° = 295.81
535.01

135.01

From Monument 12 2

F.B. 207 PG. 124

To bot. pg. 124

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

17+95.12

Property Line

241.38

621.32

17+13.67

17+07.77

16+27.45

From Top pg. 123

Notes Ck'd by K.R.M.	Survey of Encinal Ave Ext	F.B. 287	Pg. 125
Map No. B-1496	W. O. 2261 Tape No. 11 St'd 24 of F		
Office Work Hall	Surveyed by L.S. Hammond		
Checked K.R.M.	Notes L.S.H. Date 5-18-39		
Date 7-39	Indexed		

W.S. 60-C-5

223.82 c 2°16' T=11.0°=222.62
295.87 c 2°52' T=11.0°=295.45
159.40 c 0°58' T=11.0°=160.38
678.45

6+78.45 Set 1"x2" F.I. #1

TP. 9893

To 6+78.45 129.12 c

478.45

1100 018

6+78.27 Fd 2"IP P&T per TP. 9893

0+00. To West. Set 1"x2" F.I.

27+19.99 1/4 Cor. Fd 2" I.P. P&T pcr. in 6" high medium shaped boulder 12"x6" 8" high on East side. Sandstone boulder is badly decomposed and no evidence of any marking.

1100

(a) 179°00'30"
(b) 358°59'00"
(c) 122°02'00"
360°-01'30"+

239.50 c 0°00' T=11.0°=239.49
295.79 c 6°26' T=11.0°=295.94
132.22 c 0°28' T=11.0°=132.27
91.27 c 5°00' T=11.0°=91.24
764.94

Set 1"x2" F.I. 19+55.05

SEC. SEC.

From Tap pg. 124

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 787 PG. 126



(a) 121°-57'-00"
(b) 243°-00'-00"
(c) 5°-45'-30"
60°-57'-30

222.26 c 11°-27' T=88°= 217.83
2.64
220.47

228.21 c 0°-00' T=22°= 226.19
238.40 c 9°-18' T=88°= 234.25
460.44

250.72 c 2°-49' T=72°= 250.40
259.80 c 9°-30' T=72°= 257.92
508.32

187.25 c 6°-35' T=70°= 186.00

136.92 c 3°-42' T=61°= 136.61

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R.R.M.	Survey of Greenleaf Co. Rd	F.B. 787	PG. 127
Map No. B-1496	W. O. 8226 Tape No. 15 St'd 66 OF		
Office Work Hall	Surveyed by L.S. Hammond		
Checked R.R.M.	Notes L.S.H. Date 1-12-39		
Date 7-39	Indexed		

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 287 PG. 128

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

OLD TOPANGA CN RD.

351.67 PP. 89

25.02

Fd 2" IP. tdg. LS
Inkd L.S. 1869

N 89° 20' E

213.69 c 0°49' T 74° = 211.44
93.44 c 10°18' T 74° = 93.86
49.27 c 0°00' T 74° = 49.27
356.28

*4 Set 1x2 Fl

100.20 c 0°00' T 74° = 100.19

*3 Set 1x2 Fl.

157.25 c 5°24' T 74° = 156.54
296.23 c 5°22' T 74° = 294.91
451.45

From Top pg. 127

Notes Ck'd by		Survey of Greenleaf Canyon Rd	F.B. 287 Pg. 129
Map No.		W. O. 8261 Tape No. 15 St'd 24°F	
Office Work	H.M.H.	Surveyed by L.S. Hammond	
Checked		Notes L.S.H. Date	
Date	5/5/39	Indexed 5-26-39	

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

GREENLEAF CANYON RD.

J.N. 8261

"P" LINE

Note: "P" line notes were not checked and not platted.

X

F.B. 287 PG. 130



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Greenleaf Co Rd
Map No.	W. 0826 Tape No. 15 St'd ft of
Office Work	Surveyed by L.S. Hammond
Checked	Notes 4 SA Date 2-4-39
Date	Indexed

F.B. 207 PG. 131

3 Sht 1 pg. 66

160.79 e 3°-20' T=68' = 160.50'

(2) 220°-49'-30"
(4) 81°-38'-45"
(6) 302°-28'-15"
110°-24'-45"

11th SEC. LINE

160.50' N 18° W

38.04 e 22°-50' T=64' = 36.06

67.04 e 0°-00' T=64' = 67.03

228.20 e 13°-25' T=64' = 221.94'

T*5 Fd 1X2 per F.B. 760-28

5ht 1X2 T. bk.

5ht 1X2 6" o/n by inter

87+11.80 P*5 5ht 1X2 Fl Top cut bank.

SEC. 1 221.94' T. 1N. R. 16W.

(2) 266°-59'-45"
(4) 173°-59'-45"
(6) 80°-59'-00"
133°-29'-30"

N 65°-45' W 214.04'

21441 e 3°-16' T=70' = 214.04'

(2) 236°-58'-45"
(4) 113°-57'-45"
(6) 50°-57'-00"
118°-29'-15"

97+97.76 P*4 5ht 1X2 Fl on bank above road.

139.44 e 5°-28' T=68' = 138.80'

138.80'

from top pg. 64

X

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

F.B. 287 PG. 132

To bot. pg. 67

13+47.59
P#10 Set Smkt.
4"dn. in road.

(2) 208°-12'-00"
(4) 56°-24'-45"
104°-06'-00"

119.18 @ 23°-38' T = 59.49 = 109.49'
161.20 @ 9°-45' T = 59.49 = 158.85'

N 10°-06'-00" W

109.49'

P#10A Set 1x2 Ctr.

11+88.74
P#9 Set 1x2
4"dn. edge rd.

158.85'

Set 1x2
Line prod.

58.96 @ 0-00 T = 58.96 = 58.96'

11+29.79
P#8 Set 1x2
Fl. Top Spur

N 10°-06'-00" W

(2) 39°-27'-30"
(4) 78°-54'-45"
(6) 118-22-00
19°-43'-40"
160°-16'-20"

30.17 @ 13°-28' T = 58.96 = 29.34'
27.30 @ 22°-58' T = 58.96 = 25.14'
54.48'

(2) 237°-42'-45"
(4) 111°-24'-45"
118°-37'-30"

P#7A Set
1x2 Side Spur

48.54'

10+75.21
P#7 Set 1x2
Fl. Top Spur

(2) 239°-18'-45"
(4) 118°-37'-30"
119°-37'-25"
60°-20'-35"

106.56 @ 14°-49' T = 60.20 = 103.01'
49.78 @ 12°-47' T = 60.20 = 48.54'

N 19°-30'-00" W
103.01'

P#6A Set
1x2 Fl.

63.59'

72.94 @ 29°-19' T = 60.20 = 63.59'

9+72.30
P#6 Set 1x2
3"dn edge rd.

From Top pg. 65

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of Greenleaf Co Rd	F.B. 357 Pg. 133
Map No.		W. O. 8261 Tape No. 15 St'd 24 OF	
Office Work		Surveyed by L.S. Hammond	
Checked		Notes L.S.H. Date 2-14-39	
Date		Indexed A. O. Johnson	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 SM 10-37

To Sta. 199.68

(2) 218°-05'-15"
(4) 76°-10'-30"
(6) 294°-15'-15"
109°-02'-30"

(2) 137°-10'-00"
(4) 274°-20'-00"
(6) 51°-30'-00"
LP 35°-00"

(2) 82°-10'-00"
(4) 164°-20'-00"
(6) 246°-30'-00"
41°-05'-00"

(2) 203°-16'-45"
(4) 50°-33'-30"
(6) 253°-50'-00"
102°-38'-20"

(2) 111°-51'-30"
(4) 223°-43'-00"
(6) 335°-34'-45"
57°-51'-45"

74.40 c 0°-38' T = 66° = 73.55'
82.48 c 0°-00' T = 66° 82.48'

P*12 Set 1x2 fl. Top P.11 edge road

(2) 201°-57'-15"
(4) 43°-54'-45"
(6) 245°-51'-45"
100°-59'-30"

(2) 59°-45'-15"
(4) 119°-30'-30"
(6) 179°-15'-45"
59°-45'-15"

P*11 B Set 1x2 fl. Top of boulder S.H.

P*11 C Set 1x2 fl. edge rd.

P*11 D Set 1x2 edge rd.

P*11 E Set 1x2 edge rd.

(2) 315°-25'-00"
(4) 270°-50'-00"
157°-42'-30"

(2) 81°-36'-15"
(4) 162°-12'-45"
40°-48'-30"

From Top Pg. 66

149.79
260.46
223.04
374.65
N 32° W
Calc.
39°-52'-30"
41°-05'-00"
LP 35°-00"
198.46
P*11 Top fl 1x2
102°-38'-20"
74.34
157°-42'-30"
82.48
73.55
40°-48'-30"
120°-18'-30"
143.91
87.64
95.28 c 5°-00 T = 47° = 94.91
89.47 c 33°-59 T = 42° = 74.34'
199.33 c 7°-58 T = 42° 197.42'
P*11 A Set 1x2 fl. Top Cr.

F.B. 287 PG. 134

To 6+T 19.



(1) 329°-32'-45"
(2) 329°-11'-30"
(3) 202°-47'-10"
(4) 140°-47'-10"

(1) 38°-47'-10"
(2) 20°-24'-45"
(3) 142°-23'-35"

(2) 32°-42'-10"
(4) 291°-24'-45"
162°-51'-10"

292°-27'-10"
22°-41'-00"
146°-13'-40"

	145.63 ∈ 0°-00'-30" T = 77° =	145.63'
	149.99 ∈ 2°-29' T = 77° =	149.79'
	128.55 ∈ 11°-21' T = 77° =	126.02'
	44.27 ∈ 40°-21' T = 77° =	33.73'
	145.47 ∈ 3°-21' T = 77° =	141.20'
	92.02 ∈ 2°-45' T = 77° =	91.90'
	104.61 ∈ 13°-28' T = 77° =	101.72'
	69.06 ∈ 8°-54' T = 77° =	68.23'
	104.61 ∈ 6°-30' T = 77° =	103.93'
	144.19 ∈ 2°-56' T = 77° =	143.99'
(2)	202°-47'-10"	(2) 160°-18'-00"
(4)	45°-34'-45"	(4) 320°-36'-10"
(6)	249°-22'-00"	(6) 120°-51'-10"
	101°-23'-40"	80°-09'-00"
(2)	307°-42'-10"	(2) 241°-42'-10"
(4)	255°-24'-30"	(4) 123°-24'-30"
(6)	203°-02'-10"	(6) 3°-06'-45"
	153°-51'-10"	120°-51'-10"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of Ferndale Co. Rd	F.B. 297 Pg. 185
Map No.		W. O. 8216 Tape No. 15 St'd 24°F	
Office Work		Surveyed by L. S. Hammond	
Checked		Notes L 514 Date 2-22-39	
Date		Indexed	

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

P#18 Set 1x2 3" dn. edge rd.

(2) 298°-48'-45"
(3) 237°-37'-30"
(4) 176°-26'-15"
149°-24'-25"

(3) 218°-14'-45"
(4) 76°-29'-45"
109°-07'-25"

49°-24'-25"

153.84'

109°-07'-25"

125.47' N 15°E

154.02 a 2°-43' T = 70° = 153.84'
125.76 c 3°-45' T = 64° = 125.47'
174.00 a 3°-43' T = 58° = 173.59'

P#17 Set 1x2 6" dn. edge rd.

(2) 280°-57'-00"
(4) 201°-41'-45"
(5) 122°-32'-45"
140°-25'-30"

140°-25'-30"

(3) 306°-49'-45"
(4) 259°-39'-15"
(5) 200°-29'-15"
153°-24'-50"

125.19' N 24°W

P#16 Set 1x2 3" dn. edge rd.

153°-24'-50"

P#15 Set 1x2 3" dn. edge rd.

257.40
-141.14
116.26

257.71 c 2°-38' T = 60° = 257.40'
141.46 c 3°-44' T = 60° = 141.14'

141.14'

From Tap pg. 68

F.B. 787 PG. 136

To bat. pg 71



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Greenleaf Ch Rd
Map No.	W. O 8226 Tape No. 15' St'd 24 of
Office Work	Surveyed by L.S. Hammond
Checked	Notes L 54 Date 2-24-39
Date	Indexed [illegible]

F.B. 297 PG. 137

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 787 PG. 138

To Lot pg 73

(2) 349°-19'-00"
(4) 330°-38'-15"
(6) 32°-57'-15"
174°-39'-30"

P* 26 Set 1x2 el. Top brk.

174°-39'-30"

129.69' @ 3°-28' T=66°=129.69'

T* 4 Set 3/4" I.P. pg. 110

(2) 306°-39'-00"
(4) 251°-17'-45"
(6) 194°-57'-15"
152°-49'-30"

(2) 140°-23'-15"
(4) 280°-46'-30"
70°-11'-40"

P* 25 Set 3/4" I.P. Slight Lft. rear.

(2) 178°-41'-00"
(4) 35°-22'-00"
(6) 176°-02'-00"
89°-20'-30"

SEC 35 82 24 80

SEC

T* 3 Set 1x2 pg 110

-20'-30"

110.07'

36.48' @ 0°-00' T=0°=36.48'

P* 25 A 1x2 Top Set brk.

P* 24 Set 1x2 b"da edge rd.

110.08' @ 0°-00' T=0°=110.07'
143.10' @ 8°-49' T=70°=141.40'

141.40'

P* 23 Set 1x2 edge rd.

From Top pg. 71

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by		Survey of Greenleaf Canyon Rd	F.B. 787 Pg. 139
Map No.		W. 0826 Tape No. LS St'd 24 OF	
Office Work		Surveyed by L.S. Hammond	
Checked		Notes L.S.H. Date 2-27-39	
Date		Indexed	

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

To Sht pg 74

P* 28 A 5ft 1x2
6" dia. hole

82.23 @ 19°09' T = 62° = 77.67'

N 15°30' E 77.47'

112.48'

P* 28 5ft 1x2
6" dia. edge rd.

(2) 224°-43'-45"
(4) 89°-27'-30"
112°-21'-50"

(2) 345°-36'-45"
(4) 331°-13'-30"
(6) 216°-50'-20"
172°-48'-25"

164.37 @ 5°-39' T = 62° = 163.55'
293.07 @ 5°-36' T = 62° = 293.62'

293.62'

N 11°-30' E

P* 27 A 5ft
1x2

(2) 55°-42'-15"
(4) 111°-24'-15"
27°-51'-05"

(2) 317°-02'-15"
(4) 274°-04'-30"
(6) 231°-07'-15"
158°-31'-10"

S 29 E
173.10'

27°-51'-05"

180°-31'-10"

P* 27 5ft 1x2
4" dia. edge rd.

174.38 @ 6°-54' T = 62° = 173.60'
279.45 @ 1°-24' T = 62° = 279.34'

279.34'

From Top pg 72

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line


F.B. 287 Pg. 140
To 6bt. pg. 21
From 139 pg. 28
To right pg. 21
From pg. 28
158°-43'-45"
159.61'
165°-35'-00"
134°-38'-
124.52'
N 43°-30 W
97.53'
115°-12'-40"
122.68'
135°-29'-
R=30
R=29
R=25
R=35
R=30
R=25
R=30
R=35
R=30
R=25
R=30
R=35
R=30
R=25
R=30

Notes Ck'd by		Survey of Greenleaf Co Rd.	F.B. 787 Pg. 141
Map No.		W. O. 8261 Tape No. 45 St'd 24 of	
Office Work		Surveyed by L.S. Hammond	
Checked		Notes L.S.H. Date 3-7-39	
Date		Indexed	

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

From Top pg. 74

(2) 337°-49'-15"
(4) 315°-38'-30"
(6) 293°-27'-45"
168°-54'-35"+

(2) 124°-14'-00"
(4) 248°-38'-00"
62°-07'-00"

P*34 Set 1x2 4"dia. in road.

(2) 261°-05'-00"
(4) 162°-10'-00"
130°-32'-30"

64.79 e 13°-03' T = 56° = 63.11'
133.56 e 0°-00' T = 52° = 133.47'

168°-54'-35"

62°-07'-00"

63.11'

130°-32'-30"

89.33'

P*30 6 Set 1x2 fl 3 in.

133.47'

P*30 E Set 1x2 fl 6 cm.

81.04'

P*32 Set 1x2 fl edge rd.

51°-22'-15"

P*30 E Set 1x2 fl 6 cm.

175°-50'-00"

(2) 339°-12'-30"
(4) 318°-25'-00"
(6) 297°-37'-00"
169°-36'-15"

(2) 351°-40'-00"
(4) 343°-20'-00"
175°-50'-00"

46.52 e 0°-00' T = 52° = 46.51'
161.74 e 0°-56' T = 52° = 161.69'

161.69'

160°-07'-35"

P*32 Set 1x2 4"dia. edge rd

P*30 Set 1x2 fl 6 cm.

96.40 e 4°-42' T = 70° = 96.07'
81.13 e 2°-33' T = 68° = 81.04'
92.15 e 14°-10' T = 54° = 89.33'

137.47'

(2) 320°-15'-15"
(4) 280°-38'-30"
160°-07'-35"+

From Top pg. 74

To bot pg 77

F.B. 727 PG. 142

P*37 SET 1X2 FI. edge rd.

(2) 251°30'00"
(4) 143°00'15"
(6) 34°30'30"
125°45'05"

125°45'05"

211.32

20°29 c 463' T=60°=207.33
7406 c 0°00 T=60°=23.99
261.32

(2) 225°01'45"
(4) 190°03'00"
(6) 185°05'00"
137°30'50"

137°30'50"

P*36 SET 1X2 FI. edge rd.

213.88 c 1°33' T=60=213.76

SET 1X2 pg 61

N 57°30' E pg 113

80.56

(2) 20°35'00"
(4) 51°50'00"
(6) 22°45'00"
12°57'30"

SET 1X2 FI. by inter

(2) 301°34'15"
(4) 248°08'45"
(6) 184°43'15"
150°47'15"

Barden

1/6

T*3 SET 1/2" pg 113

80.52 c 0°00 T=52°=80.50
55.15 c 0°00 T=52°=55.14

8' OFFSET

SEC 5 & 6

16.90

P*35 SET 1X2 edge rd.

T*2 SET 3/4" IA pg. 111

173.22 c 4°12 T=54°=172.78

172.78

From top pg 75

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Arco. Lot = Co. Rd
Map No.	W. 0826 Tape No. W St'd 22 of
Office Work H. M. H.	Surveyed by L.S. Hammond
Checked	Notes L.S.H. Date 3-20-39
Date 5/5/39	Indexed

F.B. 287 PG. 143

"P" LINE

To 60T pg.

109.49 ∠ 3°-16'-T = 60° = 189.16

189.16

N 30°-19'-W

(a) 349°-21'-00"
(b) 338°-42'-00"
(c) 328°-03'-30"
174°-40'-30"

174°-40'-30"

P*39 50T 1½ 2

(a) 80°-14'-15"
(b) 60°-28'-30"
40°-07'-10"

40°-07'-10"

1020

P*39A 50T 1X2 FT S.H.

222.79

(a) 34°-16'-15"
(b) 332°-32'-30"
(c) 218°-48'-45"
173°-08'-10"

228.06 ∠ 2°-35'-T = 60° = 227.79

102.26 ∠ 3°-48'-T = 60° = 102.02

173°-08'-10"

P*38 50T 1½ P. edge rd

118.90 ∠ 6°-00'-T = 60° = 118.88

118.88

From Top pg

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by		Survey of Sec. 16 T. 2 S. R. 21 W.	F.B. 727 Pg. 14
Map No.		W. O. 8266 Tape No. 15 St'd 84 of	
Office Work H. M. H.		Surveyed by L. S. Hammond	
Checked		Notes L.S.H. Date 3-20-39	
Date 5/5/39		Indexed	



Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by	Survey of Greenleaf Co. #21	F.B. 287	Pg. 147
Map No.	W. O. 8261 Tape No. 14 St'd 22 OF		
Office Work	Surveyed by L. S. Hammond	HENRY RIDGE MM	
Checked	Notes L. S. H. Date 8-21-39		
Date	Indexed 5-26-39		

To Left MP.

NOTE
RE-TRACING A PORTION OF HENRY RIDGE MM PER F.B. 609-169 P. 171

P.I. #125 54 1X2 Pcc.

(2) 338°-22-15
(4) 316°-44-30
(6) 295°-06-30
169°-11-05

169°-11'-07"

1638

Pt. 98.6 0-00 P = 62°-8897

CPPI. #124 FD 3/4" I.P. Fl. Pcc F.B. 609-169

153°-34'-35"

13.93

P.I. #124 54 1X2 4" dia. Pcc from R.P.s.

(2) 307°-09-00
(4) 253°-18-30
(6) 201°-27-30
153°-34-55

96.76 C 0-00 P = 62° = 9674

9674

CPPI. #123 FD 3/4" I.P. Fl. Pcc F.B. 609-168

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Notes Ck'd by	Survey of Greenleaf Canyon
Map No. B-1486	W. O. 8264 Tape No. LK St'd 24 OF
Office Work Hall	Surveyed by L. S. Hamilton
Checked K.P.M.	Notes L.S.H. Date
Date 5/5/39	Indexed 5-26-39

F.B. 227 Pg. 169

LOCATION OF EXISTING TRAVELED ROAD AT THIS DATE IN GREENLEAF CANYON BY PLUS AND OFFSET FROM CENTER LINE SURVEY PER PAGES 7 TO 86

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 150

STATION	LEFT	RIGHT	STATION	LEFT	RIGHT
0+00	Inter on para		8+31	6.0	5.0
+27	edge para 20.0	9.0	+52.1	5.0	6.0
+50	5.0	5.0	+81.26 EC	5.0	6.0
+75	6.0	4.0	9+00	5.5	5.0
1+00	5.0	4.5	+18.50 BC	5.5	5.5
+25	6.0	5.0	+51.9	5.0	5.5
+36.16 BC	6.0	5.0	+85.23 EC	4.5	6.0
+72.8	5.0	5.0	10+00	6.0	5.0
2+11.40 EC	6.0	5.0	+25	6.5	4.5
+25	6.0	5.0	+50	5.0	5.0
+50	5.0	6.0	+62.10 BC	6.0	4.5
+65.76 BC	1.0	9.0	+92.3	5.0	5.0
+92.2	1.0	10.0	11+22.60 EC	5.0	5.0
3+18.4	7.0	6.0	+29.57 BC	5.5	5.5
+44.6	2.0	2.0	+53.6	5.0	5.0
+70.73 EC	3.0	8.0	+77.7	7.0	6.0
4+00	6.0	5.0	12+01.8	4.0	6.5
+25	6.5	4.0	+25.84 EC	3.5	6.5
+50	5.0	3.0	+50	4.0	6.0
+75	4.5	4.5	+75	4.0	6.0
+83.64 BC	4.5	5.0	13+00	5.5	4.5
5+04.9	4.5	5.0	+25	7.0	3.5
+26.2	5.0	4.5	+50	6.5	4.5
+47.5	4.5	4.5	+75	4.0	5.5
+68.83 EC	3.5	4.5	14+00	4.5	6.5
+94.94 BC	5.0	3.5	+11.00 BC	6.5	6.0
6+17.9	5.0	4.5	+31.6	5.5	6.0
+38.76 EC	3.0	5.0	+62.18 EC	6.0	5.0
+53.92 BC	3.5	5.0	+75	6.5	4.5
+91	4.0	5.0	15+00	8.0	3.5
7+28.90 EC	5.0	5.5	+15.79 BC	8.4	3.5
+50	6.0	4.5	+39.4	6.5	4.5
+75	6.5	4.5	+63.02 EC	5.5	6.0
+80.75 BC	7.0	5.0	+75	5.5	6.0
8+05.9	4.5	6.5	16+00	4.5	8.0

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No. B-1484
Office Work H. M. H.
Checked KRM
Date 5/5/39

Survey of Encinal Ave
W. of 226 Tape No. N St'd 24 OF
Surveyed by L. S. Hammond
Notes L.S.H. Date 3-17-39
Indexed E. C. Johnson

F.B. 287 PG. N1

STATION		LEFT	RIGHT	STATION		LEFT	RIGHT
16+25		5.5	7.0	24+79 VV EC.		5.0	V.0
+42.24	BC.	7.0	6.0	25+00		5.5	5.0
+63.5		6.0	6.0	+24.77 BC.		4.5	6.0
+84.69	EC.	5.5	5.0	+50		4.0	6.0
+87.89	BC.	5.0	5.0	+75.29 EC		6.0	5.0
17+18.4		4.5	6.0	26+16.58 BC.		5.5	5.5
+49.00	EC	5.0	5.0	+45		4.5	5.0
+68.00	BC.	6.0	5.0	+73.38 EC.		6.5	4.0
18+08.0		5.5	7.0	27+00		4.0	5.0
+43.95	EC.	5.5	5.5	+29.36 BC.		6.5	4.5
+75		4.5	5.5	+54.4		5.5	4.5
19+01.09	BC.	5.5	4.0	+79.41 EC.		6.5	5.0
+29		4.5	5.5	+94.28 BC		7.5	5.5
+56.79	EC.	6.0	4.0	28+23.1		5.5	5.5
+75		5.0	4.5	+51.75 EC		4.5	5.0
20+01.27	BC.	6.5	4.0	+62.50 BC.		6.0	5.0
+28.7		5.5	5.0	+85.4		4.5	5.0
+56.79	EC.	4.5	5.0	29+08.29 EC.		4.5	6.0
+75		5.0	5.0	+25		3.5	5.0
+92.80	BC.	5.0	5.0	+50.98 BC.		5.5	4.5
21+20		5.0	4.5	+87.2		5.0	4.0
+47.11	EC.	5.5	5.0	30+15.32 EC.		4.0	5.0
+75		5.0	5.0	+25		5.0	V.V
+92.28	BC.	6.0	4.0	+50		4.5	5.V
22+30		5.0	4.5	+82.30 BC		6.0	4.5
+67.69	EC.	5.5	4.5	+99.6		7.0	5.0
+73.48	BC.	6.0	5.0	31+16.94 EC.		5.0	5.V
+98.1		7.0	4.0	+45.28 BC.		6.0	4.5
23+22.7		5.0	5.0	+53.3		6.0	V.V
+47.3		5.0	5.5	+61.35 EC.		7.0	4.0
+72.04	EC.	5.5	5.5	+75		6.5	3.5
+86.03	B.C.	V.5	V.5	32+00		5.0	4.5
24+09.4		5.5	4.0	+25		4.5	4.5
+32.8		5.0	5.5	+50		5.0	4.5
+56.2		4.0	5.5	+75		4.0	5.0

Note: Any Additions or Changes on This Sheets Must be Made or Circled in. Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 152

STATION		LEFT	RIGHT	STATION		LEFT	RIGHT
33+00		5.0	5.5	41+75		6.0	5.5
+25		4.5	4.5	42+00		4.5	5.0
+50		4.0	4.5	+25		6.5	4.0
+75		5.0	4.5	+50		7.0	4.0
+90.78	BC	4.5	4.5	+75		5.0	5.0
34+02.5		4.5	4.5	43+00		4.0	6.0
+14.2	EC	4.5	4.0	+25		4.0	6.0
+25		4.5	5.0	+50		4.0	6.0
+50		5.0	5.0	+75		5.5	5.5
+75		5.5	5.0	44+00		6.0	5.5
35+00		7.0	6.0	+25		5.5	4.5
+25		6.5	5.0	+50		5.5	5.0
+50		5.5	5.5	+75		5.5	4.0
+78.14	BC	4.5	5.5	+99.02	BC	6.0	3.0
+98.5		5.0	5.0	45+27.5		5.0	7.5
36+18.94	EC	5.0	5.5	+56.13	EC	5.0	4.0
+52.79	BC	5.5	5.5	+59.90	BC	5.0	3.5
+72.5		6.5	5.0	+82.2		6.0	4.0
+94.82	EC	4.0	5.5	+86.97	EC	4.5	4.0
37+00		5.5	5.5	46+01.40	BC	4.5	4.0
+25		5.0	6.0	+17.8		3.0	6.0
+50		6.0	5.5	+28.23	EC	4.0	6.5
+57.98	BC	6.5	5.5	+53.34	BC	5.0	5.5
+92.3		6.5	5.0	+14.5		5.0	5.5
38+21.60	EC	5.5	7.0	+75.57	EC	5.0	5.0
+50		6.5	5.0	47+01.14	BC	5.0	5.5
+76.32	BC	5.5	4.0	+21.0		4.5	6.5
39+10.8		5.0	5.5	+50.90	EC	4.5	6.6
+45.27	EC	6.5	4.5	+75.04	BC	5.0	5.5
+78.36	BC	7.0	4.5	+94		5.0	4.0
+95.5		6.5	7.0	48+12.88	EC	4.5	4.5
40+21.94	EC	7.0	5.0	+36		4.5	4.5
+33.65	BC	6.3	5.0	+62.32	BC	4.0	5.5
+66.4		6.5	4.0	+82.7		4.6	5.0
+99.11	EC	7.0	9.0	49+03.04	EC	4.5	5.5
41+21.61	BC	5.0	7.5	+25		5.0	5.5
+40.5		5.0	7.5	+50		5.5	5.0
+59.85	EC	6.5	6.0	+75		4.5	5.0

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work H.M.M.
Checked K.R.M.
Date 5/5/32

Survey of Greenleaf Canal
W. O. 820 Tape No. 2 St'd 74 of
Surveyed by S. Hammond
Notes L.S.H. Date 2-24-32
Indexed A. C. Jensen

F.B. 287 PG. 1 & 3

STATION		LEFT	RIGHT	STATION	LEFT	RIGHT
49+94.11	BC	5.0	5.0	57+31.3	√√	√0
50+15.6		4.0	5.0	+49.80 EC.	√.0	√.0
+37.08	EC.	5.0	5.0	+71√	4√	√0
+50		4√	5.0	+85.94 BC	4√	√.0
+75		5.0	5.0	58+08.1	4.0	6√
51+00		6.0	3.6	+30.31 E.C.	5.0	√√
+14.32	BC.	5.0	4.0	+50.	5.0	√√
+33.8		5.0	6√	+71√	√√	6√
+92.31	EC	√√	6.0	59+02.91 BC.	6.0	√.0
+9.32	BC.	5.0	6.0	+40.1	5.0	√0
52+12.3		4.5	6.0	+77.24 E.C.	6.0	5√
+29.21	E.C.	√.0	√√	60+00	√√	4√
+40.96	BC.	4.0	5.0	+22.87 BC.	6.0	6.0
+55.2		6.0	4.5	+49.1	4.5	11.0
+69.46	EC.	4√	4.0	+71.28 EC.	√√	5.5
+94.96		4.5	4.0	CONTINUED ON PAGE 1N4		
53+11√		5.0	4.0	"C" LINE PER PAGE 36		
+21.03	E.C.	5.0	5.0	0+12 Vine.	7.0	
+50		6.0	√√	+44 "	6.0	10.0
+73.41	BC.	7√	√0	+75	√√	6.0
+90.3		7√	4.5	1+00	4.5	6.0
54+08.15	E.C.	7√	6.0	+25	5.0	5.5
+25		6.0	6.0	+50	6.0	5.5
+49.50	BC.	6.0	6.0	+75	7.0	4.0
+79.3		6.0	6.0			
55+08.8		6.5	6.0	B" LINE PER PAGE 36		
+38.3		6.0	6.0	0+00 BC.	5√	5.0
+67.81	EC	4.0	√√	+11.8		4.0
+75		4.0	√√	+33.4 EC		5.0
56+00		4√	√√	+34.74 BC		√0
+25		4.5	5.0	+49.2		7.0
+51.51	BC	6.0	5.0	+63.6	6.5	8.0
+76.8		5.0	4.5	+78.0	4.0	11.0
57+02.11	E.C.	4.5	5.0	+92.46 EC	4.0	10.6
+12.2	BC.	5.0	4√	1+00	4.5	9.0

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 154

STATION	LEFT	RIGHT	STATION	LEFT	RIGHT
1+25	6.5	7.5	64+12.86 EC.	4.5	5.5
+50	7.0	6.0	+25	6.0	4.5
+75	6.5	4.5	+50	5.5	3.0
2+00	5.0	5.5	+64.08 BC.	5.0	3.5
			+85	6.5	6.5
Location of a portion of Newport Ridge M.M. at junction with the Greenlee Co. R.R. + pac jogie			65+12.96 EC.	6.5	6.5
			+25	8.5	6.0
			+50	11.0	3.5
144+77.14 BC.	4.5	6.0	+75	7.5	4.0
145+04.3	5.0	6.0	66+00	8.0	3.5
+32.51 EC.	4.0	6.5	+25	5.5	7.0
+50	5.5	6.5	+43.20 BC	7.5	3.5
+75	6.0	7.0	+61.7	6.0	4.5
+93.50 BC.	6.0	6.5	+80.20 EC.	5.0	4.0
142+11.4	7.5	6.5	67+00	4.5	6.0
+29.1	6.0	9.5	+25	3.0	8.5
+46.9	6.5	7.0	+37.95 BC.	3.0	4.0
+64.23 EC.	6.5	7.0	+62	5.5	7.0
+75	5.5	4.5	+80.05 EC.	4.0	8.5
+90	5.0	6.5	68+15.39 BC.	5.0	7.5
147+03.13 Spl.	4.5	14.5	+31.2	7.0	4.5
+21	15.0	0	+46.99 EC.	5.0	5.0
+34	16.5	2.0	+58.03 BC	4.0	5.5
+41	20.0	13.0	+80.5	5.5	6.0
			69+02.87 EC.	6.0	5.0
Cont. from	pg. 153		+20.38 BC	7.0	5.5
61+50	1.5	8.0	+42.7	7.0	6.0
+75	3.0	7.5	+57.02 EC.	6.0	5.0
62+00	3.5	7.0	+75	7.5	4.0
+25.05 BC.	4.5	5.0	+99.24 BC.	6.0	5.0
+50	5.5	8.0	70+31.9	7.5	6.5
+9.00 EC.	4.5	6.0	+46.51 EC.	8.0	6.0
63+21.68 BC.	4.0	6.5	+75	5.0	4.5
+37.9	5.0	5.5	71+00	5.5	3.0
+54.72 EC.	6.5	5.5	+25	5.5	2.5
+75	6.5	5.5	+48.96 BC	5.0	4.0
+93.88 BC.	5.5	6.0	+78.3	6.0	5.0
64+03.4	5.0	7.0	72+07.65 EC.	6.0	3.5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by _____
Map No. _____
Office Work H. M. H.
Checked K.R.M.
Date 5/5/39

Survey of Acreage Co. 2d
W. O. 2211 Tape No. 15 St'd 26 of
Surveyed by L. S. Hammond
Notes L S H Date 4-3-39
Indexed _____ Chas. C. Johnson

F.B. 757 PG. 141

STATION		LEFT	RIGHT	STATION	LEFT	RIGHT
72+11.06	B.C.	5.5	3.0	79+44.99	B.C. 2	4
+34.0		4.0	4.0	+57	4.0	4.0
+59.00	E.C.	5.5	3.5	+70.05	E.C. 2	4.5
+71.86	B.C.	6.0	4.0	80+00	1.0	7.5
+92.0		5.5	3.5	+25	4.0	6.0
73+07.01	E.C.	5.0	4.5	+50	3.0	7.5
+25		5.5	4.0	+72.73	B.C. 0.0	8.5
+41.49	B.C.	6.0	4.0	+90.2	5.0	6.0
+70.0		5.5	5.5	81+07.63	E.C. 5.0	5.0
+99.52	E.C.	5.5	4.5	+25	5.0	4.0
74+31.84	B.C.	7.0	3.5	+50	3.0	3.0
+50.0		7.0	4.0	+77	1.5	6.0
+67.15	E.C.	8.0	2.0	82+00	1.0	7.0
+75		7.0	3.0	+08.68	B.C. 3.0	6.0
75+00		7.0	4.5	+23.4	4.0	4.5
+25		4.0	6.5	+38.11	E.C. 4.0	4.5
+50		3.5	6.5	+50	4.0	4.0
+75		4.0	5.0	+75	4.5	4.5
76+00		6.0	3.5	+81.92	B.C. 4.5	4.5
+11.40	B.C.	5.0	4.5	+99.0	2.5	4.0
+39.0		3.5	4.0	83+16.22	E.C. 5.0	4.0
+62.53	E.C.	4.0	5.0	+25	5.0	4.5
+75		4.0	5.5	+49.59	B.C. 5.0	5.0
77+00		5.0	5.5	+66.9	6.0	4.5
+25		6.5	4.5	+84.17	E.C. 4.5	5.0
+32.10	B.C.	6.0	3.5	84+00	3.0	5.5
+51.3		6.5	3.0	+25	3.0	6.0
+70.5		5.5	4.5	+50	4.0	7.0
+89.7		3.5	6.0	+75	4.0	5.0
78+08.85	E.C.	2.5	6.0	85+00	2.5	9.0
+25		5.5	4.0	+11.16	B.C. 2.5	7.0
+50		7.0	2.0	+22.0	4.0	6.0
+75		8.5	0.0	+32.76	E.C. 4.5	4.0
79+00		8.5	1.0	+50	4.5	5.0
+25		8.5	6.5	+75	5.5	2.5

Note: Any Additions or Changes on Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 146

STATION	LEFT	RIGHT	STATION	LEFT	RIGHT
85+90.50 BC.	3.0	√.0	78+75√	0.0	9√
86+11.9	3.0	6.0	94+00	8.0	1.0
+33.21 EC.	3.0	6.√	+25√	√.√	1.√
+34.48 BC.	3.0	6.√	+35√86 BC.	2.0	√.0
+50.√	3.√	4.√	-49.0	0.0	11.√
+66.46 EC.	√.√	√.0	+61.89 EC.	0.0	11√
+75√	6.√	3.5	+75√	1.√	6.√
87+50	√.0	4√	95+50	1.√	2.0
+124.1 BC.	6.0	4.0	+25√	2.0	7.0
+46.3	8.5	7.0	+50?	0.0	8.5
+79.73 EC.	√.√	3.0	+74.06 BC	3√	7.0
88+00	4.0	4.5	+71.0	7.0	4.0
+25√	2.0	6.0	97+22.9	6.0	6.0
+50	3.0	√.√	+39.8	2√	√.√
+63.80 BC	4.0	2√	+1168 BC.	0.0	6.√
+81.6	5.0	4.0	+75√	0.0	6.√
+92.41 EC.	4.0	√.0	97+00	√.0	4.5
90+25√	2.√	√.0	98+25√	2.√	6.0
+41.24 BC.	5.0	6.0	+39.30 BC.	6.√	1.0
+61.2	5.√	2.0	+60.2	√.√	3.0
+80.87 EC.	4.0	4.5	+81.50 EC.	3.√	5.0
90+10.72 BC	6.0	3.√	+86.27 BC.	4.0	√.0
+31.9	4.√	2.√	98+46	3.0	6.0
+52.97 EC.	4.0	3.√	+37.79 EC.	6.√	2.0
+75√	4.√	4.√	+54.19 BC.	8.√	1.√
91+00	√.√	4.√	+82.1	2.√	2.√
+25√	√.√	1.√	99+02.76 EC.	1.0	√.√
+32.01 BC.	√.0	3.√	+25√	√.0	4.√
+46.1	√.0	4.0	+50	8.0	√.0
+62.23 EC.	4.0	4.0	+59.83 BC.	6.0	6.0
+75√	√.√	3.√	+92.7	6.0	6.0
92+00	4.0	√.0	1+23.37 EC.	6.0	6.0
+25√	4.0	4.0	+50	4.√	4.√
+52.49 BC	6.√	1.0	+78.68 Into Section	7.0	2.0
+77	4.√	3.0			
93+02	3.0	4.√			
+27	√.√	2.0			
+52.47 EC.	1.0	2.√			

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No. B-148
Office Work M. M. H.
Checked K.R.M.
Date July 39

Survey of Brackley Co Rd
W. of Bell Tape No. 15 St'd 99° F
Surveyed by C. S. Hammond
Notes C.S.H. Date 4-27-39
Indexed

F.B. 787 PG. 147

STATION	LEFT	RIGHT	STATION	LEFT	RIGHT
Cont. From pg.	4.5	5.0	CONNECTION ALTA DR.		
101+00			Location of Trav. Road		
			± Point Sta. 99+93.100		
+25	3.0	7.5			
+50	4.0	4.5	0+10	2.5	
+75	6.0	5.0	+25	0.0	13.0
+92.92 BC.	6.0	5.0	+50	0.0	10.5
102+31.1	6.5	4.5	+75	1.5	9.0
+69.27 EC.	5.0	3.5	1+00	3.5	7.0
+79.67 BC.	4.5	4.5	+25	5.0	5.5
103+17.4	4.5	6.0	+38.2 BC.	5.0	4.5
+54.1 EC.	5.0	4.5	+71.9	4.0	5.0
+75	1.5	6.5	+98.63 EC.	5.5	4.5
104+00	5.0	5.0	2+00	3.5	5.5
+25	10.5	0.0	+25	3.0	6.0
+50	7.0	2.5	+50	5.0	4.5
+75	1.5	7.5	+75	6.5	3.0
105+00	3.5	8.5	3+00	6.0	4.0
+25	6.5	5.0	+25	7.0	3.0
+50	6.0	4.0	+50	5.5	4.0
+63.87 BC.	3.0	6.0	+75	4.5	4.5
+82.2	3.5	6.0	4+08.26 BC.	4.5	5.0
+99.13 EC.	5.0	4.5	+37.3	5.5	4.5
106+25	6.0	3.5	+61.27 EC.	5.0	4.0
+48.17 BC.	4.5	4.5	5+00	4.5	4.5
+68.2	4.5	5.5	+21.61 BC.	6.5	4.0
+87.96 EC.	2.0	7.5	+56	8.5	3.5
107+00	5.5	3.0	+89.37 EC.	6.0	5.0
+25	10.0	0.0	+93.07 BC	5.5	6.0
+36.77 BC.	4.5	3.5	6+20.3	4.0	6.0
+86.3	4.0	5.0	+47.8	3.5	7.5
108+15.71 EC	1.3.0	10.0 left	+75.2	5.0	4.5
			7+02.83 EC.	8.0	6.5
			+25	7.5	7.0
			+50	9.5	5.5
			+75	12.0	3.5
			8+00	13.0	2.5

Note
Old Travelled Road from this point North was in the bottom of Canyon and has been completely destroyed by erosion.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 287 PG. 152

STATION		LEFT	RIGHT	STATION	LEFT	RIGHT
8+25		13.0	2.0	17+11.3	7.0	2.5
+50		10.0	5.0	+34.86 EC.	7.0	6.5
+75		6.5	6.0	+50	8.0	7.0
+90.06	BC.	4.5	7.5	+75	10.0	6.0
9+14.9		5.0	7.5	18+00	11.0	4.0
+37.97	EC.	6.0	5.5	+10.78 BC.	11.5	4.5
+50		6.0	4.5	+36.1	9.0	7.5
+74.25	BC.	6.5	5.0	+66.5	7.0	7.0
10+06.1		6.0	12.5	+86.8	7.0	8.5
+37.02	EC.	7.0	5.0	19+12.1	10.0	8.5
+50		7.0	4.5	+37.41 EC.	10.0	6.5
+75		8.0	5.0	+50	9.0	3.5
11+00		7.0	6.0	+75	9.0	3.5
+25		7.0	7.0	20+00	8.0	6.0
+50		7.0	8.0	+25	10	13.0
+75		7.0	7.5	+50	55.2	22.5L
12+00		7.0	8.0	+75	45.2	20.0L
+25		7.0	7.5	21+00	4.5	10.0
+50		8.0	8.0	+25	6.0	5.5
+83.30	BC.	8.0	9.0	+50	7.0	5.0
13+04		8.0	7.5	+75	4.0	9.0
+24.2		9.0	6.5	22+00.63 BC.	6.0	9.5
+45.3		9.0	6.5	+26.7	9.0	7.0
+45.90	EC	9.0	6.0	+51.62 EC	8.0	6.0
+86.17	BC.	7.5	5.5	+75	6.5	8.0
14+13.7		6.0	7.0	23+00	3.5	9.0
+41.3		6.5	7.0	+25	2.0	9.5
+68.9		7.0	6.5	+50	4.0	10.5
+94.42	EC.	8.0	6.0	+70.27 BC.	5.5	10.0
15+00		7.0	6.5	+87.8	8.5	7.5
+29.05	BC.	7.0	6.5	24+04.84 EC.	12.0	7.5
+53.6		7.0	6.0	+25	12.5	6.0
+78.20	EC.	9.0	3.5	+50	8.5	7.5
16+00		9.0	7.5	+75	7.5	7.5
+25		7.5	6.0	25+00	6.0	6.0
+40.81	BC.	6.5	9.0	+25	6.0	6.0
+63		6.0	8.0	+43.47 BC.	7.5	7.5
+87.8		5.5	11.0	+14.0	9.5	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No. B-1486
Office Work H.M.H.
Checked KRM
Date July 39

Survey of Greenleaf Cn Rd
W. O. 2264 Tape No. 4 St'd 4 OF
Surveyed by L.S. Hammond
Notes L.S.H. Date 6-3-39
Indexed A.C. Johnson

F.B. 287 PG. 159

STATION		LEFT	RIGHT	STATION		LEFT	RIGHT
25+82.43	EC.	11.0		GREENLEAF CN RD. Loc. Trav. Rd. cont.			
+86.4		10.0	14.0				
+96.4		9.0	10.0	127+25.42 BC.			
26+10		7.0	9.0	+42.8			
+25		6.5	9.0	+60.1		2.0	5.0
"A" Line per pg. 100				+77.4		12.0	6.0
0+00	BC.		10.0	+94.97	EC.	6.5	10.5
+10.7			11.0	128+25		3.0	12.0
+21.56	EC.		13.5	+40.26	BC.	1.0	11.0
+26.15	BC.		14.0	+64.8		1.0	9.5
+47.7		10.5	10.5	+89.34	EC.	0.0	10.0
+69.11	EC.	9.0	8.5	129+16.79	BC.	1.0	10.0
+80.0		10.0	9.0	+32.7		0.0	11.0
1+00		11.0	8.0	+48.59	EC.	1.5	9.0
				+75		4.0	7.0
HENRY RIDGE M.W. Location Trav. Road. See notes pg. 108				131+04.97	BC.	5.0	7.0
				+22.1		5.0	6.5
0+00	BC.	4.0	9.5	+39.22	EC.	6.0	6.5
+18.3		7.0	10.0	+50		5.0	8.0
+36.7			6.5	+75		5.5	2.0
+55.0		7.0	9.0	+89.04	BC.	5.0	7.0
+73.35	EC	5.0	6.5	132+09.3		5.0	4.5
1+00		7.0	5.5	+29.5		3.5	6.5
+22.16	BC.	6.5	5.0	+49.7		2.5	7.5
+59.8		5.0	5.5	+69.92	EC.	1.0	9.0
+97.41	EC.	4.5	5.5	+94.84	BC.	1.5	2.5
2+25		4.5	7.0	132+28		2.5	8.0
+40.36	BC.	2.0	8.0	+60.82	EC	3.0	7.5
+68.1		2.0	10.0	+75		5.5	7.0
+94.91	EC.	5.0	6.0	133+00		6.0	5.0
3+00		5.0	5.5	+25		6.5	4.0
+25		6.0	4.0	+50		8.0	5.0
				+75		7.0	6.0
				+89.93	BC.	5.0	6.5
				134+09.8		5.0	7.0

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY 700 HALL OF RECORDS

37

F.B. 287 PG. 160

STATION		LEFT	RIGHT	STATION		LEFT	RIGHT
134+29.96	EC.	6.0	7.5	143+54.95	BC.	6.5	6.5
+50		3.5		+74.2		6.0	8.0
+75		3.5		+93.4		3.5	10.0
135+05		5.0	14.5	144+12.6		3.5	11.5
+15		4.0	8.0	+31.81	EC.	1.0	11.5
+35		6.0	7.0	+50		0.0	11.0
+50		6.0	6.0	+75		0.0	12.5
+75		6.0	5.5	145+00		0.0	11.0
136+00		5.5	7.5	+25		0.0	10.5
+19.02	BC.	5.5	6.5	+50		1.5	8.5
+51.7		6.5	5.5	+75		4.0	6.5
+84.41	EC.	4.5	5.0	146+00		6.5	3.5
137+00		5.0	5.5	+25		2.0	2.0
+25		5.5	5.5	+50		0.5	2.0
+50		4.5	6.0	+75		2.5	3.0
+62.88	BC.	4.0	6.0	147+00		4.5	5.5
+87.3		4.0	6.5	+25		1.0	10.0
138+11.7		4.5	4.5	+50		0.0	10.0
+36.1		5.5	4.5	+79.75	BC.	1.0	9.5
+60.48	EC.	3.0	4.5	148+08.7		4.5	8.0
+85.42	BC.	6.0	4.0	+37.72	EC.	6.0	6.5
139+12.3		6.5	4.0	+50		5.5	7.5
+39.17	EC.	5.5	4.5	+83.25	BC.	5.5	6.5
+50		5.0	5.0	149+09.8		5.0	6.0
+75		3.0	4.0	+35.7		6.0	7.0
+96.80	BC.	6.0	4.0	+61.7		6.5	7.0
140+30.6		6.0	4.5	+87.7		6.5	7.0
+64.4		7.0	5.5	150+13.6		6.5	7.5
+98.2		7.0	5.0	+39.6		6.5	7.0
141+32.06	EC.	7.0	6.5	+65.6		6.0	7.0
+41.15	BC.	6.5	6.0	+91.53	EC.	6.0	6.0
+65.1		6.0	8.0	151+21.48	BC.	6.5	5.5
+89.0		4.5	9.0	+44.8		5.0	7.0
142+12.9		4.0	8.5	+68.2		3.0	8.0
+36.84	EC.	5.0	7.5	+91.6		4.0	8.0
+75		6.0	6.0	152+15.0		5.0	6.5
143+00		7.5	4.0	+38.3		6.5	5.5
+25		7.5	4.5	152+61.63	EC.	6.5	5.5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes beyond this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red with Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. B-1486
Office Work H.M.H.
Checked K.R.M.
Date July '39

Survey of Greenleaf Ave. Ext.
W. O. 8206 Tape No. 1 St'd 84 of
Surveyed by L. S. Hammond
Notes L.S.H. Date 6-6-39
Indexed _____

F.B. 357 Pg. 16

STATION	LEFT	RIGHT	STATION	LEFT	RIGHT
152+75	5.0	7.5	160+00.0	6.0	6.5
153+01	5.0	8.0	162+00.2	5.5	6.0
+25	4.5	7.0	+33.6	5.0	6.0
+50	5.5	5.5	+40.94 EC.	4.5	5.0
+99.22 BC.	8.0	5.5	+75	4.5	5.0
+99.1	9.0	4.0	163+00.0	4.5	5.5
153+19.03 EC.	4.0	8.0	+25	4.5	5.5
+50	7.5	7.5	+50	5.5	6.5
+75	7.0	5.0	+75	5.0	6.0
154+00	6.5	2.5	164+00	6.0	5.5
+21.40	6.0	7.0	+25	6.5	5.5
+40.0	5.5	7.5	+52.48 BC.	7.0	5.0
+60.12 EC.	5.5	8.5	+75.4	7.5	5.5
+75	4.0	8.0	+94.2	6.5	6.0
154+90.0	3.5	9.0	165+00	6.0	6.0
+25	4.0	7.5	+35.79 EC.	5.0	5.5
+50	4.0	7.0	+43.75 BC.	4.0	6.0
+75	5.5	4.5	+64.9	7.5	4.5
155+19.0	6.5	2.5	+80.0	6.5	4.5
+25	3.5	4.5	166+07.1	5.5	5.5
+50	8.5	5.0	+28.19 EC.	5.0	6.0
+75	6.0	5.0	+50.	5.5	6.5
+99.28 BC.	4.5	5.5	+72.5	6.0	6.0
156+28.1	4.5	5.0	167+10	5.5	7.0
+60.8	4.5	6.0	+18.58 BC.	5.5	7.5
+93.6	5.5	4.0	+44.4	5.0	6.5
156+26.33 EC.	5.5	5.0	+70.2	6.0	5.5
+50	5.0	6.5	+95.0	6.5	5.5
+75	4.5	5.0	168+21.8	8.0	5.5
157+03.19 BC.	5.0	5.0	+47.7	7.0	6.5
+43.3	6.0	4.0	+73.5	6.5	6.5
+81.41 EC.	5.5	4.5	+99.4	8.0	5.5
158+00	6.5	4.0	169+12.2	8.0	5.5
+25	7.0	5.5	+51.10 EC.	9.5	4.5
+55.43 BC.	6.0	5.5	+75	7.5	5.0

Note: Any Additions or Changes on Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 787 PG. 162

STATION	LEFT	RIGHT	STATION	LEFT	RIGHT
170+00	6.0	√.√	180+42√7 EC.	√.0	6.0
+25	6.0	√.0	+75	√.0	7.0
+50	6.0	6.0	181+00	√.0	6.√
+75	6.0	6.0	+25	6.0	6.0
171+00	6.√	√.√	+50	√.√	6.√
+25	6.√	√.√	+69.97 EC.	√.0	6.√
+50	6.0	√.0	+94.4	4.√	6.√
+75	6.0	4.√	182+18.9	√.0	6.0
172+00	√.0	√.0	+43.√	4.√	6.√
+25	√.√	4.√	+67.97 E.C.	√.0	6.0
+50	√.√	4.√	+75	√.0	6.0
+75	√.√	√.0	183+00	√.0	6.√
173+00	√.0	6.0	+25	6.0	6.0
173+08.40 B.C.	√.0	√.√	+50	4.√	√.√
+32.8	6.0	√.0	+68.29 BC.	6.0	√.√
+57.2	7.0	4.0	173+25	√.0	6.0
+81.6	6.0	3.0	+50	√.√	√.√
174+08.40 E.C.	6.0	6.0	+75	√.0	√.0
+25	4.√	√.0	174+00	√.0	√.0
+50	√.0	6.0	183+97.9	6.√	√.√
+75	√.0	6.0	184+27.√	√.√	6.0
175+00	√.√	2.√	+57.1	4.√	6.0
+25	√.√	7.0	184.65 EC	√.0	6.0
+50	6.0	6.0	185+00	√.0	6.0
+75	6.√	√.0	+25	√.0	√.√
176+00	6.√	4.√	+39.10 BC.	√.0	√.√
+25	6.√	4.√	+81.4	5.0	√.√
+50	6.0	√.√	186+13.6	4.0	7.0
+75	7.0	5.√	+40.9	3.√	6.√
177+00	7.√	4.√	+68.12 EC.	4.0	7.√
+26.25 BC.	9.0	3.0	187+00	5.0	6.0
+61.7	9.0	6.√	+14.13 BC.	4.√	5.0
+91.76 E.C.	√.√	8.0	+34.3	4.√	√.√
188+25	√.√	7.0	+54.√	4.√	√.0
+50	7.0	√.0	+74.7	4.√	√.√
+75	7.0	4.√	+94.8 EC.	4.√	6.√
189+09.10 EC.	6.0	7.0	189+25	4.√	6.0
+24.√	√.√	6.0	+50	4.0	√.√

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No. B-1486
Office Work H.M.H
Checked K.R.M
Date July '39

Survey of Crenshaw Blvd
W. O. 22 Tape No. 1 St'd 24 OF
Surveyed by L. S. Hammond
Notes L.S.H. Date 5-14-39
Indexed

F.B. 357 PG. 163

STATION	LEFT	RIGHT	STATION	RIGHT	LEFT
			+94.2	4.0	4√
188+75√	5.0	√√	192+14.08 EC	4.0	√.0
189+00	4.√	6.0	+25√	4.0	√.0
+25√	5.0	6.√	+50	√.0	4.√
+50	5.√	6.√	+75√	4.0	4.√
+75√	√.0	7.0	+93.06 BC	4.√	4.√
+93.24 BC.	4.0	6.0	198+17.√	6.0	3.0
190+16.2	2.0	7.0	+42.0	√.√	3.√
+39.2	5.√	6.0	+66.√	√.√	4.√
+62.2	8.0	4.0	+90.94 EC.	6.0	√.√
+85.2	6.0	√.√	199+√0	√.0	6.0
			200+00.36 BC	6.√	3.√
191+08.33 EC.	√.√	7.0	+26.0	11.0	2.0
+25√	5.√	6.√	+51.6	12.0	0.0
+42.33 EC.	6.0	6.√	+77.2	10.0	5.√
+73.6	6.0	7.0	201+02.8	3.0	19.√
192+00.5	6.0	8.√	+28√	12.0	6.0
+28.0	5.0	6.0	+54.07 EC.	12.0	3.0
+51.23 EC.	6.0	6.0	+75√	11.0	3.0
+75√	√.0	6.0	202+00	13.0	0.0
+90.10 BC.	6.0	√.√	+25√	17.√	5.0
193+06.9	11.0	3.0	+50	11.0	0.0
+23.6	22.0	3.0	+75√	√.0	7.√
+48.4	10.√	1.0	203+00	0.0	12.0
+57.10 EC.	6.0	√.0	+25√	12.√	3.0
+81.5 BC.	5.0	6.0	+50.	12.√	1.0
194+17.9	6.√	3.√	+76.13 BC.	2.0	7.√
+52.96 EC.	3.√	6.0	+9.28	6.0	√.√
+75√	4.√	√.√	204+21.√3 EC	6.√	4.√
195+09.02 BC.	2.√	4.√	+50	6.√	4.0
+31.2	2.0	√.√	+75√	7.√	3.√
+52.3	6.√	√.0	205+00	8.√	4.√
+75√.4	6.0	√.0	+25√	9.0	4.√
+97.16 EC.	√.√	4.√	+50	9.0	6.√
196+34.42 BC.	6.0	√.0	+75√	10.0	0.0
+54.3	5.0	√.√	206+00	9.√	3.0
+74.2	4.0	6.√	+25√	6.0	6.0

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 787 PG. 164

STATION		LEFT	RIGHT
206+50		3.0	10.0
+75		0.0	12.5
207+00		2.0	12.5
+25		6.0	9.5
+50		8.0	5.5
+75		8.0	4.0
+83.25	B.C.	7.5	2.5
208+00.8		10.0	0.0
+18.35	E.C.	11.5	0.0
+25		12.0	0.0
+50		12.5	0.0
+75		10.0	1.5
209+00		7.5	4.0
+25		7.0	4.0
℄ Tran. Rd.	Cont. on pg.		191
℄ Tran. Rd.	Cont. from	pg. 193	
219+50		2.5	6.5
+75		2.5	6.5
220+00		3.0	6.0
+25		2.5	6.5
+50		3.0	6.0
+75		6.0	6.0
221+00		6.0	4.0
+25		9.0	2.0
+50		12.5	2.0 L
+75		16.0	5.5 L
222+00		18.0	8.0 L
+25		21.0	10.0 L
+50		20.0	9.0 L
+75		16.0	5.0 L
223+00		12.0	0.0
+25		10.0	0.0
+50		8.5	0.0
+75		8.0	2.0
224+00		8.0	2.5
+21.39	B.C.	8.0	3.5
+60.8		10.5	0.0

STATION	LEFT	RIGHT
224+95.2	11.0	0.0
225+29.6	10.5	0.0
+63.96 E.C.	9.0	2.5
226+00	8.0	9.5
+25	7.0	6.0
+50	7.0	5.0
+75	8.0	4.5
227+00	8.0	4.5
+25	8.0	4.5
+50	6.0	6.0
+75	4.0	7.0
228+00	3.0	10.0
+25	3.5	10.5
+50	4.5	8.0
+75	7.0	6.5
229+00	9.5	4.0
+25	10.5	1.0
+50	14.0	2.5
+57	22.0	8.0
inter pavement.		
location pavement on		
old Topanga Cn. Rd. &		
stationing per Ed. Dept. 2-50-91		
230+50	10.0	7.5
+75	11.0	7.5
231+00	11.0	7.0
+25	12.0	6.5
+50	11.5	6.0
+59.05 B.C.	12.0	6.5
+84.6	11.5	6.5
232+10.2	11.5	7.0
+35.7	11.0	7.0
+61.3	5.5	8.0
+86.9	6.0	9.5
236+12.41 E.C.	2.5	10.5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Form 381 (Rev 3-54)

Please Return To:

LOS ANGELES COUNTY SURVEYOR

900 HALL OF RECORDS

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR AUTHORIZED, IN WRITING, WITH DATE AND NAME OF PERSON MAKING CHANGE

Shot No.	Shot On	Shot to Intersect	Shot to Distance	Shot to Range	Horizontal Angle (0° to 360° Right)	Horizontal Distance	+ −	Vertical Angle	Elevation of Point	Point Shot	+ −	Difference in Elevation	Height of Instrument	+ −	Vertical Distance		N. & S. Latitude	E. & W. Departure
					° '			° '		1								
					° '			° '		2								
					° '			° '		3								
					° '			° '		4								
					° '			° '		5								
					° '			° '		6								
					° '			° '		7								
					° '			° '		8								
					° '			° '		9								
					° '			° '		10								
					° '			° '		11								
					° '			° '		12								
					° '			° '		13								
					° '			° '		14								
					° '			° '		15								
					° '			° '		16								
					° '			° '		17								
					° '			° '		18								
					° '			° '		19								
					° '			° '		20								
					° '			° '		21								

Notes Red. J.A.C. Platted [illegible] Survey No. [illegible]

ELEVATION OF PEDESTAL

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
Inter Topanga Cn Rd.	PI-1				° '		° '		1				Inter ℄ Topanga Cn Rd. pg. 8. Topanga Cn Rd		
		4.44							2						
		4	67'		247.04,	67'	—						E.o. edge pave		
		8.12					° '		3						
		7	113'		228.50,	113'	—						"		
		4.54					° '		4						
		4	55'		90.20,	55'	—						"		
		4.10					° '		5						
		3	111'		84.24,	111'	—						"		
		8.18					° '		6						
		7	119'		283.00,	119'	—						"		
		7.76					° '		7				No.		
		7	77'		293.27,	77'	—						"		
		5.12					° '		8						
		4	113'		70.08,	113'	—						"		
		5.66					° '		9						
		5	67'		63.03,	67'	—						"		
		4.24					° '		10						
		2	27'		—	27'	° '						"		
		8.69					° '		11						
		8	70'		—	69'	5.38,						"		
		8.79					° '		12				S bank creek		
		8	78'		322.10,	77'	5.10,						"		
		8.12					° '		13						
		7	113'		299.22,	112'	4.12,						"		
		8.87					° '		14						
		8	88'		37.42,	88'	3.15,						"		
		11.27					° '		15						
		10	128'		58.21,	128'	0.35,						"		
		11.30					° '		16						
		10	131'		312.18,	131'	2.20,						No.		
		5.50					° '		17						
		4	151'		46.53,	150'	3.08,						"		
		11.10					° '		18						
		10	111'		327.40,	111'	2.56,						"		
		2.09					° '		19						
		8	110'		30.48,	110'	2.56,						"		
		7.24					° '		20						
		9	95'		14.00,	95'	3.38,						"		
		2.88					° '		21				Drainage 4 S'W		
		9	89'		—	89'	3.44						No bk creek		

Add'n'l Inform.

Topography Description Legend:
Side Hill ..S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Nose of Draw N.D. Toe of Slope ..T.S.

Inter. of Draw..Y.D's Break in Slope ..B.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Side of Draw..Y.D's Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Traveled Rd. Tr. Rd. Fence .....Fe. Int. Fence..V.Fe. Ditch .....Di. Telephone Pole T.P. Power Pole.....P.P. Culvert .....Cul.

Side ..... Sk. Knoll ..... Kn. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

P.B. 287 PG. 26

Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red By J.A.E. Plotted H.M.H. Job No. 2226 Division No. T.M. 32750

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance		REMARKS Stakes	REMARKS Left Right
		1033			° ′		° ′		1						
		9	134		2 62,	134	1.18,		2				(1)	± creek	6'W
					° ′		° ′		3						
P1-1	P1-2				° ′		° ′		4						
		921							5						
		9	22		169.40,	22	— ° ′		6				(2)	± creek	2'W
		325							7						
		7	26		51.55,	26	— ° ′						(3)	"	10'
		657							8						
		6	58		28.28,	58	1.87,						(4)	"	10'
		1082							9						
		10	84		19.49,	84	2.54,						(5)	"	10'
		896							10						
		8	97		1.55,	97	2.50,						(6)	"	6'
					° ′		° ′		11						
P1-2	P1-1				° ′		° ′		12						
		944													
		9	45		14.18,	45	3.15,		13				(7)	± creek	11'W
		936													
		9	37		66.05,	37	2.40,		14				(8)	"	2'
		751													
		7	52		84.08,	52	2.06,		15				(9)	"	18'
		836													
		8	37		117.50,	37	2.03,		16				(10)	"	8'
		932													
		9	24		159.07,	24	0.40,		17				(11)	"	6'
		940													
		9	41		256.42,	41	1.52,		18				(12)	"	10'
		622													
		6	74		36.30,	74	1.00,		19				(13)	"	11'
		864													
		6	106		26.54,	106	0.38,		20				(14)	"	12'
		748													
		6	144		270.54,	144	2.54,		21				(15)	"	11'
		724													
		6	176		274.49,	176	1.39,						(16)	"	10'

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P1-4	P1-3				° '	'	° '		1						
		396							2						
		8	97'		7 45,	97'	2 01,						(17) ℄ creek	9'	W
		1056							3						
		10	51'		19 50,	51'	— ° '						(18) "	8'	
		924							4						
		9	35'		49 05,	35'	— ° '						(19) "	11'	
		726							5						
		7	27'		68 18,	27'	— ° '						(20) "	13'	
		730							6				Begin 24" cor iron cvl		
		7	31'		109 14,	31'	— ° '						(21)	8'	
		642							7				end 24" cor iron cvl.		
		6	47'		130 20,	47'	— ° '						(22) "	6'	
		568							8						
		5	69'		139 16,	69'	— ° '						(23) "	11'	
		301							9						
		2	102'		132 00,	102'	1 26,						(24) "	10'	
		829							10						
		7	130'		132 28,	130'	1 28,						(25) "	13'	
		921							11						
		8	172'		136 30,	172'	1 51,						(26) "	12'	
		1106							12						
		9	207'		140 12,	207'	2 02,						(27) "	10'	
					° '		° '		13						
									14						
P1-7	P1-8				° '	'	° '		15						
		1180							16				(28) ℄ creek	12'	N
		11	81'		114 03,	76'	1 40,								
		1150							17				(29) "	12'	
		11	51'		99 50,	47'	1 08,								
		1055							18				(30) "	10'	
		10	56'		53 42,	52'	1 50,								
		1076							19				(31) "	14'	
		10	77'		37 27,	75'	9 29,								
									20						
					° '	'	° '								
P1-8	P1-7								21						
		425													
		4	76'		316 10	58'	29 06						(32) ℄ creek	13'	N

Topography Description Legend: Side Hill...S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Top of Slope T.S. Fr.-Fr. Plow-Pt. Spreaders Eucalyptus Plus combinations of these and all common standard abbreviations. Gate...G. Fence...Fn. Int. Fence...I.Fn. Ditch...Dt. Telephone Pole...T.P. Power Pole...P.P. Culvert...Clvt. Trampled Ma. Tr. Rd. Fence...Fn. Int. Fence...I.Fn. Ditch...Dt. Telephone Pole...T.P. Power Pole...P.P. Culvert...Clvt. Bldg...Bldg

Form 391 1M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CORRECTIONS ON THIS SHEET MUST BE MADE IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red J.A.L. Platted J.M.M. Job No. 22 Division No. T.B. 7927 Pg. 22
Date 4-24-59 Date Survey

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	REMARKS Left / Right
					° '	'	° '		1					
P1-8	P1-7													
		765							2					
		7	66'		283.52,	48'	31.26,						(93)	℄ creek 15' N.
		1144							3					
		11	55'		240.31,	44'	26.49,						(94)	" 20'
		1145							4					
		11	41'		204.43,	34'	30.36,						(95)	" 12'
		1129							5					
		11	70'		189.54,	64'	17.37,						(96)	" 9'
		1203							6					
		11	104'		171.26,	103'	4.58,						(97)	" 20'
		1134							7					
		10	185'		177.09,	134'	4.42,						(98)	" 12'
		768							8					
		6	169'		177.34,	168'	4.04,						(99)	" 12'
									9					
P1-53	P1-54								10					
		1060												
		10	51'		79.00,	49'	12.44,		11				(40)	℄ creek 10' N.
		1058							12					
		10	56'		56.55,	52'	10.45,						(41)	" 11'
		1160							13					
		11	61'		33.10,	60'	6.45,						(42)	" 10'
		1008							14					
		9	109'		23.26,	109'	—,						(43)	" 4'
		1126							15					
		10	127'		23.09,	127'	7.20,						(44)	" 1'
									16					
									17					
P1-54	P1-55													
		1132							18					
		11	39'		114.20,	37'	13.26,						(45)	℄ creek 5' W.
		1125							19					
		11	26'		90.00,	23'	18.01,						(46)	" 10'
		1142							20					
		11	41'		66.40,	40'	9.00,						(47)	" 5'
		378							21					
		2	74'		42.45,	71'	11.12,						(48)	" 7'

Form 391
1M 3-34

Form 901 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P1-55	P1-56				° '		° '		1						
		543							2						
		5	44"		161 42	62'	9 18						(49) ℄ creek	√	W
		843							3						
		5	44"		164 45	43'	7 40						(50)	√	
									4						
			27		145 04	27	2 30						(51)	8'	
		1116							5						
		11	17'		143 10	17'	1 18						(52) W dk. creek		
		1127							6						
		11	28'		130 00	28'	1 00						(53) E "		
		824							7						
		8	25"		103 15	25'	1 24						(54) /		
		1019							8						
		10	20'		104 03	20'	2 09						(55) beg 24" mon. iron cap		
		728							9						
		7	29'		24 40	29'	— ° '						(56) end		
		708							10						
		7	9'		149 00	9'	— ° '						(57) beg. 8" iron cap		
									11						
			5'		296 W	5'	— ° '						(58) end " "		
		549							12						
		5	49'		26 03	49'	1 18						(59) ℄ creek	√	W
		569							13						
		5	60'		19 00	60'	— ° '						(60) "	7'	
		990							14						
		9	91'		20 30	91'	2 26						(61) "	2'	
									15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Pg 170

Form of Drive Veh. Stone ... Br. S. Stone ... S.S. Slope ... T.Cl. Cliff ... B.Cl. Spur ... T.Sp. Canyon ... B.Cn.

Top of Bank ... T.B. Bottom of Bank ... B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill ... B.F.

Fence ... Fe. Plank ... Pl. Cedar ... Ce. Int. Fences ... V.Fe. Fn. Sycamore ... Sy. Ditch ... Di. Eucalyptus ... Eu. Telephone Pole ... T.P. Power Pole ... P.P. Culvert ... Cul. Pine ... Pi. Plan of these combinations and common abbreviations will be standard

Trail ... Tr. Pavement ... Pvt. Edge of Road ... E.Rd.

Description Legend: Bottom ... B. Draw ... D. Bottom ... S.H. Draw ... S.D. Ridge ... S.R. Side of Draw ... S.D. Bottom ... B. Wash ... B.W. Ridge ... T.R. Top of Slope ... T.S. Tie ... T.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. J.A.L. Platted H.M.H. Job No. 2211 Division No. F.B. 787 Pg. 17
Date 5-2-39 Date Survey of Contract
Notes Chkd. C.L.K. Checked L.R.M. Survey by Personnel of Contractor Date 5-2-39
Date 5-2-39 Map No. B1486 Indexed C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. 56	P.I. 57				° '		° '		1						
		4.38			° '		° '		2						
		4	59		35.00,	59	— '		3				(62)	± creek	25' N
		8.85													
		8	86		22.20,	86	3.32,		4				(63)	"	6' W
					° '		° '		5						
P.I. 58	P.I. 59														
					° '		° '		6						
		6.28													
		5.0	129		115.08,	127	6.54,		7				(64)	± creek	6' N
		9.20													
		8	121		116.24,	121	3.38,		8				(65)	"	5'
		9.25													
		9	76		115.10,	75	7.14,		9				(66)	"	6'
		11.43													
		11	44		108.02,	43	9.21,		10				(67)	"	1'
		11.29													
		11	30		72.37,	28	13.50,		11				(68)	"	7'
		4.50													
		4	51		56.35,	48	14.58,		12				(69)	"	9'
		10.99													
		10	100		32.32,	100	2.38,		13				(70)	"	7'
		5.06													
		4	107		26.00,	106	5.56,		14				(71)	"	1'
		9.98													
		9	99		6.22,	99	— '		15				(72)	"	8'
					° '		° '		16						
P.I. 60	P.I. 61														
					° '		° '		17						
		11.47													
		11	48		117.42,	47	9.42,		18				(73)	± creek	4' N
		11.27													
		11	38		23.04,	37	7.30,		19				(74)	"	4'
		9.85													
		9	86		31.03,	86	3.34,		20				(75)	"	1'
		7.22													
		6	123		27.33,	123	2.58,		21				(76)	"	1'
		5.40													
		4	141		20 05	140	3 30						(77)	"	8'

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence Fn. Int. Fences V.Fn. Ditch Di. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Saddle Sa. Swale Sw. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E.Rd.

Side of Canyon S.On. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Intrm. of Draw V.D's Break in Slope Bk.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Topography Description Legend:
Side Hill S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

F.B. 207 PG. 172

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P1	P1				° '		° '		1						
60	61	1149			° '	1	° '		2						
		10	150		12° 45'	150	—						(78)		℄ creek 10' N
					° '		° '		3						
P1	P1				° '		° '		4						
62	61				° '		° '								
		623	1		° '	1	° '		5						
		5	124		344° 38'	123	6.01		6				(79)		℄ creek 10' W
		810	1			V									
		7	111		344° 14'	108	9.14		7				(80)		9'
		1082	1												
		10	83		349° 18'	82	5.28		8				(81)		18'
		1137	1												
		11	38		333° 20'	37	7.04		9				(82)		14'
		1121	1												
		11	22		329° 53'	22	8.25		10				(83)		13'
		1129	1												
		11	20		299° 45'	20	8.42		11				(84)		14'
		1146	1												
		11	47		251° 17'	47	0.42		12				(85)		14'
		856	1												
		8	57		221° 44'	57	2.42		13				(86)		9'
		229	1												
		7	80		227° 46'	80	2.45		14				(87)		7'
		1115	1												
		10	116		230° 22'	116	3.02		15				(88)		10'
		740	1												
		6	141		226° 26'	141	2.57		16				(89)		8'
		649	1												
		5	150		214° 57'	150	2.39		17				(90)		7'
P1	P1				° '		° '		18						
66	65				° '		° '		19						
		507	1												
		4	108		317° 17'	108	3.40		20				(91)		℄ creek 6 W.
		506	1												
		4	106		6° 30'	106	3.41		21				(92)		8'
		480	1												
		4	81		9° 48'	80	4.57						(93)		8'

Add'l Inform. Note shots 79 & 86 inc. widths are ℄ Top bank.

Form 261 (Rev. 3-54)

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE AND CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red J.A.L. Platted H.M.H. Job No. 2227 Division No.
Date 5-23-57 Date Survey of
Pg.

Transit at	Sight to	Stadia Readings	Stadia Distance	Stadia Red	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	R. & M. Station	Left	Right
P1	P1				° '		° '								
LL	L1								1						
		265													
		2	LL		12 27	66	3 00		2				(94)	℄ Creek	2' W
		248													
		2	49		1 09	49	4 00		3				(71)	"	2'
		234													
		L	35		2 42	35	4 07		4				(94)	"	2'
		230													
		L	31		38 42	31	3 34		5				(97)	"	3'
		232													
		L	33		69 56	33	3 40		6				(98)	"	3'
		225													
		L	36		118 10	36	—		7				(99)	"	3'
		215													
		2	56		130 40	56	2 10		8				(100)	"	7'
		207													
		2	68		127 49	68	2 40		9				(101)	"	2'
		282													
		2	84		121 20	84	2 16		10				(102)	"	1'
		238													
		2	99		122 22	99	2 08		11				(103)	"	8'
		1118													
		10	119		122 16	119	3 04		12				(104)	"	8'
		1125													
		10	126		126 12	136	2 48		13				(105)	"	8'
		1157													
		10	158		133 07	158	2 19		14				(104)	"	10'
									15						
P1	P1														
69	L8								16						
		1198							17						
		11	99		24 15	99	2 28		18				(107)	℄ Creek	6' W
		1165													
		L	66		20 49	65	7 38		19				(108)	"	10'
		261													
		8	62		13 50	61	6 45		20				(102)	"	10'
		1162													
		11	49		14 02	49	4 20		21				(110)	"	8'
		1212													
		9	23		67 07	23	—						(111)	"	7'

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I.	P.I.				° '		° '		1						
69	68				° '		° '		2						
		1149													
		1132	20'		111°50'	18'	16°18'		3				(112)	℄ creek	8' N
		11	33'		179°40'	33'	1°50'		4				(113)	"	8'
P.I.	P.I.				° '		° '		5						
70	69				° '		° '		6						
		1058													
		10	31'		3°00'	30'	8°18'		7				(114)	℄ creek	12' N
		1118													
		11	19'		78°50'	19'	3°11'		8				(115)	"	10'
		1145													
		9	46'		111°40'	46'	1°34'		9				(116)	"	10'
		1025													
		10	76'		131°15'	76'	— ° '		10				(117)	"	8'
P.I.	P.I.				° '		° '		11						
71	70				° '		° '		12						
		1117													
		11	18'		120°20'	18'	2°30'		13				(118)	℄ creek	9' N
		1130													
		11	31'		137°20'	31'	— ° '		14				(119)	"	11'
		1148													
		11	49'		173°40'	49'	— ° '		15				(120)	"	8'
		1128													
		11	79'		191°00'	79'	1°04'		16				(121)	"	8'
		1002													
		9	103'		190°10'	103'	— ° '		17				(122)	"	7'
					° '		° '		18						
					° '		° '		19						
P.I.	P.I.				° '		° '		20						
72	71				° '		° '								
		1169													
		11	70'		27°00'	70'	1°54'		21				(123)	℄ creek	10' N
		656													
		4	57'		340°	54'	14°18'						(124)	"	8'

Addn'l Footage

F.B. 292 Pg. 17

Topography Description Legend:
Top of Hill...T.H. Bottom Draw...B.D.
Side of Draw...S.D. Bottom Wash...B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw...H.D. Toe of Slope...T.S.

Intersection of Draw with Slope...D.S. Top of Bank...T.B. Bottom of Bank...B.B. Top of Cut...T.Cu. Bottom of Cut...B.Cu. Top of Fill...T.F. Bottom of Fill...B.F. Top of Spur...T.Sp. Bottom of Canyon...B.Cn.

Side of Canyon...S.Cn. Gully...Gly. Flat...Fl. Stream...Str. Trail...Tr. Pavement...Pvt. Edge of Road...E.Rd.

Trees: Rd. Tr. Bd. Pine-Pl. Cedar-Ce. Oak-O. Sycamore...Sy. Eucalyptus...Eu. Fence...Fn. Ind. Fences...V. Fn. Ditch...Dt. Telephone Pole...T.P. Power Pole...P.P. Culvert...Cvt. Plus combinations of these and all common standard abbreviations.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CORRECTIONS ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. J.A.L. Platted H.M.M. Job No. 226 Division No. F.B. 227 Pg. 15
Date 3-4-59 Date
Survey of [illegible]

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	Station	R L M S Left	Right
P.I. 22	P.I. 21				° ′		° ′		1						
		1186							2						
		11	37	—	44.50	35	13.21						(125)	" creek	8 ft
		1126							3						
		11	27	—	51.10	25	17.35						(126)	"	18
		1127							4						
		11	20	—	101.10	26	15.45						(127)	"	14
		1163							5						
		11	44	—	115.26	43	8.30						(128)	"	12
		1171							6						
		11	72	—	121.40	72	—						(129)	"	10
		1001							7						
		9	102	—	121.45	102	3.45						(130)	"	8
		1132							8						
		10	133	—	126.40	133	1.25						(131)	"	8
		240							9						
		6	141	—	134.35	141	—						(132)	"	2
		1645							10						
		10	146	—	139.45	146	—						(133)	"	10
									11						
P.I. 24	P.I. 23								12						
		645							13						
		5	166	—	2.58	166	2.24						(134)	" creek	12 ft
		1127							14						
		10	138	—	4.40	138	2.20						(135)	"	9
		1216							15						
		11	115	—	6.35	115	2.09						(136)	"	6
		1088							16						
		10	89	—	7.10	89	3.20						(137)	"	9
		1074							17						
		10	75	—	17.55	75	3.36						(138)	"	8
		256							18						
		5	54	—	24.10	54	8.18						139	"	6
		1122							19						
		11	23	—	19.47	23	7.15						(140)	"	2
		1211							20						
		12	12	—	64.25	12	—						(141)	"	2
		1224							21						
		11	17	—	126.10	17	—						(142)	"	8

Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. 24	P.I. 23				° '		° '		1						
		249 / 7 / 968	10 / 1		133 30	50	5 13		2				(143) ±	creek	8 N
		9	69		128 00	69	1 21		3				(144)	"	7
					° '		° '		4						
P.I. 25	P.I. 24				° '		° '		5						
		641	1		° '		° '		6						
		2	42		30 19	41	7 05		7				(145) ±	creek	9 N
		1126													
		11	27		336 20	27	—		8				(146)	"	6
		1029													
		10	30		30 10	30	—		9				(147)	"	2
		1038													
		10	39		26 10	39	2 30		10				(148)	"	7
		1155													
		11	56		233 30	56	3 25		11				(149)		
					° '		° '		12						
P.I. 26	P.I. 25				° '		° '		13						
		1142													
		11	43		323 00	43	1 36		14				(150) ±	creek	8 N
		841													
		8	42		30 42	40	12 09		15				(151)	"	8
		1024													
		10	24		223 50	24	11 57		16				(152)	"	6
		1132													
		11	33		193 00	33	1 08		17				(153)	"	7
		5 5 3													
		5	54		142 30	54	—		18				(154)	"	9
					° '		° '		19						
P.I. 28	P.I. 27				° '		° '		20						
		1069													
		10	70		339 20	69	3 25		21				(155) ±	creek	10 W
		858													
		8	61		323 15	51	4 40						(156)	"	8

Topography Description Legend:
Side Hill...S.H. Bottom Draw...B.D.
Side of Draw...S.D. Bottom Wash...B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw...H.D. Toe of Slope...T.S.

Side of Draw...S.D. Top of Bank...T.B. Bottom of Bank...B.B. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.Fl. Bottom of Fill...B.Fl.

Intersection of Draw...I.D.H. Break in Slope...B.S. Steep Slope...S.S. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom Canyon...B.Ca.

Fence...Fe. Ditch...D. Telephone Pole...T.P. Culvert...Culv. Trail...Tr. Pavement...Pvt. Edge of Road...E.Rd.

Intersection of Fence...I.Fe. Fence...Fe. Ditch...D. Telephone Pole...T.P. Culvert...Culv. Trail...Tr. Pavement...Pvt. Edge of Road...E.Rd.

Add'l Information

Form 301 10M 3-36

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CORRECTIONS ON THIS SHEET MUST BE CIRCLED IN RED INK. GIVE DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. J.K.L. Platted H.M.H. Job No. 228 Division No. F.B. 227 PG. 133
Date 7-2-37 Date Survey of

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Rod Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	Remarks	L	R	S Left	S Right
P.I. 78	P.I. 77									1								
		1188								2								
		11	39'		306.10	38'		8.44						(159)			E creek	12 W
		1133								3								
		11	34'		274.50	34'		6.27						(158)			"	10'
		2335								4								
		3	36'		236.25	34'		12.56						(157)			"	5'
		849								5								
		8	50'		206.45	49'		8.03						(160)			"	6'
		1061								6								
		10	62'		186.30	62'		2.59						(161)			"	8'
		922								7								
		9	29'		150.15	79'		1.41						(162)			"	6'
	½	1044								8								
		10	83'		142.22	83'		—						(163)			"	9'
	?	1044								9								
		10	89'		142.20	89'		0.44						(164)			"	creek
		793								10								
		6	104'		134.40	104'		0.46						(165)			"	5' W
		814								11								
		7	112'		128.20	116'		1.07						(166)			"	3'
										12								
P.I. 79	P.I. 80									13								
										14								
		1016																
		10	17'		277.40	17'		1.27		15				(167)			E creek	10 W
		1042																
		10	43'		332.20	43'		1.20		16				(168)			"	24'
		1066																
		10	56'		332.50	56'		1.29		17				(169)			"	14'
		9774	71'		173.38	70'		5.38						(164a)			"	6'
		9774	80'		151.00	80'		2.48		18				(166a)			"	8'
P.I. 81	P.I. 80									19								
		1188																
		11	29'		41.10	24'		26.18		20				(170)			E creek	12 W
		924																
		9	27'		68.00	28'		22.00		21				(171)			"	6'
		1026																
		11	21'		142.25	24'		14.00						(172)			"	8'

Form 301 10M 3-36

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I.	P.I.				° '		° '		1						
82	86														
		4.31			° '	✓	° '		2						
		4	32		86.00	27	2.24						(173) ± creek	8	W
		11.25							3						
		11	26		149.05	24	14.17						(173) "	8	
		6.41							4						
		6	42		199.45	42	2.15						(174) "		✓
		8.70							5						
		8	71		206.10	71	1.33						(175) "		3
		9.22							6						
		9	73		186.20	73	3.49						(174) "		4
		4.88							7						
		4	89		166.10	89	2.33						(177) "		4
									8						
R.I.	R.I.				° '		° '		9						
82	82														
		9.0			° '	✓	° '		10						
		7.0	201		341.00	200	4.38						(178) ± creek	6	W
		5.60							11						
		4	161		339.05	160	4.43						(179) "	6	
		8.31							12						
		7	132		335.10	131	✓✓8						(180) "	6	
		10.20							13						
		9	121		339.15	120	4.21						(181) "	7	
		9.96							14						
		9	97		333.15	96	6.24						(182) "	8	
		9.60							15						
		9	61		315.55	61	4.36						(183) "	6	
		11.27							16						
		11	28		314.40	28	7.35						(184) "		✓
		2.45							17						
		2	46		280.10	45	9.21						(185) "	4	
		11.62							18						
		11	63		263.40	63	2.21						(186) "	6	
		11.79							19						
		11	80		256.40	80	2.54						(187) "		✓
									20						
					° '		° '		21						

Add'l Entries

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. J.A.L. Platted H.M.H. Job No. 8211 Division No. F.B. 787 PG. 179
Date 5-2-39 Date Survey of Greenleaf Cr. Rd.
Notes Chkd. C.L.K. Checked K.P.M. Survey by Hammond & Kotes Date 4-5-39
Date 5-5-39 Map No. Indexed A.C. Johnson

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
Pl. 84	Pl. 83				° '		° '		1						
		1139							2						
		11	40'		260 46,	39'	7.30,		3				(188)	E creek	✓ W
		1142													
		6	48'		244 40,	46'	11.45,		4				(189)	"	6 ✓
		1138													
		11	39'		220.20,	39'	6.02,		5				(190)	"	✓ ✓
		1130													
		11	31'		178.30,	31'	1.39,		6				(191)	"	✓ ✓
		1140													
		11	41'		144.40,	41'	1.35,		7				(192)	"	✓ ✓
		1062													
		10	63'		135.10,	63'	1.35,		8				(193)	"	✓ ✓
		1185													
		11	86'		127.10,	86'	3.35,		9				(194)	"	6
		1110													
		10	111'		129.30,	111'	2.04,		10				(195)	"	6
					° '		° '		11						
Pl. 86	Pl. 85														
		1165			° '		° '		12						
		11	66'		335.40,	66'	2.28,		13				(196)	E creek	6 W
		1050													
		10	51'		321.00,	51'	3.05,		14				(197)	"	6.
		1122													
		11	23'		232.10	23'	1.12,		15				(198)	"	9
		1128													
		11	29'		258.30,	29'	1.43,		16				(199)	"	✓ 6
		748													
		7	49'		254.25,	49'	—,		17				(200)	"	6
		865													
		8	66'		261.25,	66'	1.27,		18				(201)	"	4 ✓
		1088													
		10	89'		242.40,	88'	5.42,		19				(202)	"	✓ ✓
		995													
		9	96'		233.30	96'	3.41,		20				(203)	"	✓ ✓
		1107													
		10	108'		231.25,	107'	4.05,		21				(204)		✓

Additional Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 582 PG. 122

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D. | Bottom of Draw V.D's | Side of Canyon S.Cn. | Saddle ..... Sa. | Travelled Rd. Trav. | Sycamore ..... Sy.
Break in Slope ..... B.S. | Bottom Wash B.W. | Top of Bank ..... T.B. | Swale ..... Sw. | Face ..... Fa. | Pine-Pl. Cedar-Ce.
Stake ..... S. | Top of Ridge T.R. | Top of Cut ..... T.C. | Flat ..... Fl. | Int. Fences V. Fn. | Eucalyptus ..... Eu.
Slope ..... T.Cl. | Top of Cliff ..... B.Cl. | Bottom of Cut ..... B.C. | Stream ..... Str. | Ditch ..... Di. | Plus combinations
Top of Cliff ..... B.Cl. | Bottom of Spur ..... T.Sp. | Top of Fill ..... T.F. | Trail ..... Tr. | Telephone Pole T.P. | of these and all
Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn. | Bottom of Fill ..... B.F. | Pavement ..... Pvt. | Power Pole ..... P.P. | common standard
Bottom Canyon ..... B.Cn. | | | Edge of Road E.Rd. | Culvert ..... Cul. | abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I.	P.I.				° '		° '		1						
87	88														
		1133			° '		° '		2						
		11	34'		1 18 30,	34'	—,						(305) ℄ crk.		G N
		1119					° '		3						
		11	20'		103 40,	19'	10 32,						(306)	"	√
		1117							4						
		11	18'		4 00,	18'	7 48,						(207)	"	G
		929							5						
		2	30'		32 40,	30'	1 47,						(208)	"	L
		448							6						
		4	49'		43 50,	48'	7 57,						(209)	"	L
		360							7						
		3	61'		43 20,	60'	6 45,						(210)	"	√
		1070							8						
		10	71'		32 20,	70'	4 50,						(211)	"	√
		1190							9						
		11	91'		6 30,	91'	4 12,						(212)	"	4
									10						
					° '		° '		11						
P.I.	P.I.														
88	89				° '		° '		12						
		1132													
		11	33'		188 20,	33'	3 32,		13				(213) ℄ crk		G W
		1036													
		10	36'		120 20,	36'	4 09,		14				(214)	"	√
		1129													
		11	40'		94 30,	40'	—,		15				(215)	"	√
		1133					° '								
		11	34'		55 50,	34'	—,		16				(216)	"	L
		1127					° '								
		11	28'		27 20,	28'	2 05,		17				(217)	"	√
		1149													
		11	41'		358 02,	41'	2 47,		18				(218)	"	√
		1080													
		10	81'		340 15,	80'	6 36,		19				(219)	"	6
		201													
		6	102'		355 50,	102'	1 30,		20				(220)	"	√
		915													
		8	116'		355 00,	116'	1 18,		21				(221)		4

Add'l Inters.

Form 201 Rev. 2-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CORRECTIONS ON THIS SHEET MUST BE MADE IN CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	Notes Red	R. & M. Bk. S. Left	R. & M. Bk. S. Right
P.I.	P.I.				° '			° '		1						
89	90															
		1050								2						
		10	51'		221.00	51'		2.29						(222)	E circle	E
		1064								3						
		10	65'		232.50	65'		— ° '						(223)	"	"
		8842								4						
		8	43'		261.00	43'		1.56						(224)	"	"
		8829								5						
		8	30'		307.50	30'		4.26						(225)	"	✓
		1145								6						
		11	46'		349.10	46'		2.27						(226)	"	✓
		674								7						
		6	75'		342.50	75'		— ° '						(227)	"	✓
		7290								8						
		7	91'		342.50	91'		— ° '						(228)	"	✓
		8054								9						
		7	106'		338.10	106'		3.12						229	V circle	E
					° '			° '		10						
P.I.	P.I.									11						
90	89															
		1126								12						
		11	77'		47.50	77'		— ° '						(229A)	E circle	E
		1125								13						
		11	96'		80.30	96'		— ° '						(229B)	"	"
		1153								14						
		11	53'		67.50	53'		1.58						(230)	"	✓
		1142								15						
		11	44'		82.42	44'		1.43						(231)	"	"
		1120								16						
		11	21'		120.05	21'		1.41						(232)	"	✓
		1136								17						
		11	37'		185.30	37'		2.51						(233)	"	"
		1151								18						
		11	52'		182.12	52'		5.36						(234)	"	✓
		928								19						
		9	78'		166.50	78'		6.31						(235)	"	"
		1110								20						
		10	111'		145.20	110'		5.11						(236)	"	"
		1129								21						
		10	130'		169.00	130'		2.59						(237)	"	✓

Notes Red — Plotted [illegible] Job No. 2227 Drawing No. [illegible]
Date [illegible] Party [illegible] Survey No. [illegible]

Add'l Notes.

Form 301

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Point at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I.	P.I.				° '	'	° '								
92	92														
		1082													
		10	83		10 00	83	1 13						(238) ℄ Creek	℄	W
		1076													
		10	75		14 50	75	1 45						(239) "	✓	
		1186													
		11	85		32 50	85	2 58						(240) "	℄	
		1078													
		10	76		47 30	76	1 33						(241) "	℄	
		1056													
		10	57		50 20	57	4 10						(242) "	℄	
		1139													
		11	40		38 40	40	3 26						(243) "	℄	
		1132													
		11	33		53 40	33	3 05						(244) "	℄	
		1146													
		11	46		88 45	46	1 21						(245) "	✓	
		1044													
		10	45		111 30	45	4 38						(246) "	℄	
		1028													
		10	29		127 30	29	— ° '						(247) "	℄	
		1237													
		9	38		177 50	38	— ° '						(248) "	✓	
		955													
		9	56		171 05	56	— ° '						(249) "	℄	
		972													
		9	72		160 50	73	1 24						(250) "	✓	
		1184													
		11	96		152 25	90	3 19						(251) "	℄	
P.I. 29	P.I. 29														
P.A	P.O.T.														
		1.0													
		101	101		10 6 15	101	— ° '						Mon. from *229B		
		720											(229C) ℄ Creek	℄	N
		7	71		101 40	71	— ° '						(229D) "	✓	
		342													
		8	43		144 10	43	— ° '						(229E) "	℄	
		1127													
		11	28		180 00	28	— ° '						(229F) "	℄	

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	B.M. Elevation	Notes Left	Notes Right
Inter	P1.				° '		° '		1					1st T. on	Inter
Garden	94													Pattern	Sta. Lucia
		1126							2						
		11	27		12 42	27	4 07							± Grade	4' W
		44							3						
		6	16		94 30	16	2 56							"	4'
		1117							4						
		11	18		48 52	18	1 51							"	1'
		1128							5						
		11	29		42 51	29	1 07							"	1'
		1143							6						
		11	44		64 22	44	0 38							"	1'
		1159							7						
		11	60		55 45	60	1 05							"	5'
		1066							8						
		10	67		67 42	67	1 30							"	1'
		1086							9						
		11	67		26 46	67	3 22							"	2'
		970							10						
		9	71		21 30	70	1 01							"	14'
		1039							11						
		10	100		18 42	99	4 42							"	8"
		1120							12						
		10	121		10 58	120	1 08							"	7'
									13						
									14						
P1.	P1.														
94	94								15						
		1110													
		10	101		247 24	101	2 42		16					± Grade	1' W
		1158													
		11	59		342 50	59	2 24		17					"	6'
		1144													
		11	45		322 22	45	2 20		18					"	1'
		1150													
		5	51		301 25	50	4 31		19					"	1'
		1144													
		11	45		287 N	44	4 38		20					"	1'
		1127													
		11	28		256 50	27	9 22		21					"	4'
		1127													
		11	28		212 22	27	8 46		22					"	4'

Notes Red. H.I. 4.5 Platted H M H Job No. 2961 Division No. 13 S.S. 277 Fo. 13
Date JUN 8 1939 Book Surveyed by [illegible]

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P1	P1				° '		° '		1						
95	94														
		1046			° '		° '		2						
		10	47		189.35	47	5.09		3				Ecreek 4'N		
		960													
		9	61		178.08	61	0.42		4				"	4'	
		1124													
		11	75		173.05	75	1.10		5				"	5'	
		1195													
		11	96		167.00	96	1.55		6				"	5'	
		1103													
		10	104		160.40	104	—		7				"	7'	
		1046													
		9	147		163.15	147	—		8				"	8'	
P1	P1				° '		° '		9						
97	96														
		1073			° '		° '		10						
		10	174		329.10	173	3.10		11				Ecreek 7'N		
		1130													
		10	131		334.50	130	5.06		12				"	7'	
		1119													
		10	120		338.10	119	6.09		13				"	6'	
		1099													
		10	100		340.10	99	4.50		14				"	6'	
		1171													
		11	72		346.45	71	6.44		15				"	6'	
		1149													
		11	50		332.30	49	6.32		16				"	6	
		1139													
		11	40		314.40	38	11.35		17				"	5'	
		1119													
		11	20		263.24	18	19.25		18				"	8'	
		1125													
		11	26		211.28	25	11.20		19				"	6'	
		1138													
		11	39		198.15	38	6.35		20				"	6'	
		1149													
		11	52		166.40	50	1.12		21				"	6'	
		1049													
		10	50		149.05	50	1.19						"	6'	

Add'n'l Interm.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Top of Slope T.S.
Side of Draw S.D. | Side of Ridge S.R. | Head of Draw H.D.

Interm. of Draw, Y.D's Break in Slope ..... B.S. | Stony Slope ..... T.C. | Top of Cliff ..... B.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Side of Draw, Y.D's ..... S.D. | Side of Bank ..... S.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Swale ..... Sw. | Flat ..... Fl. | Stream ..... St. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Traveled Rd. ..... Tr.Rd. | Fence ..... Fn. | Fence, V.F. ..... Fn. | Ditch ..... Dt. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Clvt.

Oak ..... O. | Fir ..... Fr. | Pine ..... Pi. | Cedar ..... Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

P.B. 24 Pg. 182

Form 301 (GM 3-34)

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. ____ Platted H.M.H. Job No. 227 Division No. ____ F.B. 227 Pg. 21
Date JUN 28 1939 Surveyed by ____

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ or −	Vertical Angle	Elevation of Point	+ Back Sight	+ or − Difference Elevation	Height of Instrument	+ or −	Vertical Distance	REMARKS Left	REMARKS Right
P1	P1				° '			° '		1						
97	96									2						
		1164														
		11	67		141 40	67		4 40		3					⊄ Creek	7'
		980														
		9	81		143 15	81		3 23		4						7'
		1087														
		9a	88		150 35	88		3 00		5						6'
		1114														
		10a	115		153 30	114		3 56		6						7'
		1080														
		9	131		151 11	131		3 10		7						6'
		1136														
		10	135		137 40	135		2 54		8						6'
										9						
P1	P1															
99	98									10						
		1094														
		8	396		2 20	388		8 06		11					⊄ Creek	7'
		1146														
		8	347		2 30	341		7 50		12						6'
		1215														
		9	316		3 30	310		8 09		13						5'
		1192														
		9	293		4 50	286		9 07		14						5'
		1073														
		8	274		6 50	266		9 39		15						5'
		1050														
		8	251		7 40	244		9 52		16						4'
		1024														
		8	225		9 40	218		9 52		17						5'
		1190														
		10	191		4 40	184		10 42		18						5'
		1160														
		10	161		5 22	158		12 23		19						7
		1150														
		10	157		13 20	151		11 11		20						5'
		1146														
		10	146		17 15	137		12 08		21					⊄ Creek	5'
		970														
		8	171		25 26	165		10 38							⊄ Creek	6'

Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-D. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plan combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences V. Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Sa. ..... Pt. Saddle ..... Str. Sycle ..... Tr. Fist ..... Pyt. Stream ..... E. Rd. Trail ..... Pavement ..... Edge of Road

Canyon S. Ch. Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Side of Draw, V.D.T. Top of Bk. ..... S.S. Bottom Slope ..... T.Cl. Top of Cliff ..... B.Cl. Bottom of Cliff ..... T.Sp. Top of Spur ..... B.Cn. Bottom Canyon

Inters. of Draw & Slope Break in Slope ..... S.S. Sheep ..... T.Cl. Top of Cliff ..... B.Cl. Bottom of Cliff ..... T.Sp. Top of Spur ..... B.Cn. Bottom Canyon

Topography Description Legend:
Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

F.B. 782 Pg. 126

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '		1						
P1	R1.														
99	98				° '		° '		2						
		1120													
		10	121		17.45	114	13.59		3				b. Cn.		S
		1211													
		11	112		31.05	105	14.11		4						S
		1092													
		10	93		55.10	186	15.13		5						7
		995													
		9	96		69.40	90	16.22		6						3
		1096													
		10	97		85.15	91	14.07		7						8
		874													
		8	75		120.20	68	17.30		8						8
		1094													
		10	95		137.05	91	11.49		9						7
					° '		° '		10						
P2T	P1.														
99A	100				° '		° '		11						
		945													
		9	46		243.05	33	31.12		12				b. Cn.		S
		952													
		3	53		271.10	33	36.32		13						S
		1133													
		11	34		305.38	27	26.01		14						6
		1136													
		11	37		20.40	35	13.50		15						5
		1156													
		11	57		17.45	56	7.45		16						6
		1094													
		10	95		12.40	94	5.48		17						5
		124													
		0	125		13.50	124	5.48		18						5
					° '		° '		19						
P1	R1.														
102	101				° '		° '		20						
		199													
		1	200		312.25	84	23.14		21				b. Cn.		S
		952													
		0	39		321.40	48	24.47								

Add'l Inform.

Form 381 (SM 3-34)

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distances	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	REMARKS Left Right
P1	P1.				° '		° '		1					
102	101													
		1141							2					
		41	42		304 25	32	27 09						B.M.	5' W
		1041							3					
		40	42		256 34	36	22 27						"	9
		1072							4					
		72	73		204 45	71	10 04						"	7
		694							5					
		94	95		205 45	89	13 56						Y Cr. Mark	6
									6					
Pat.	P1.								7					
102A	102													
		803							8					
		2	104		233 00	98	14 14		9				B.M.	6' N
		1122												
		20	123		224 40	121	7 29		10				"	8'
		1157												
		57	58		215 00	52	17 45		11				B.M.	4'
		392												
		3	93		202 45	89	12 13		12				"	3'
		302												
		2	103		199 87	100	9 35		13				"	5'
									14					
P1	P1.													
104	105								15					
		175												
		1	76		85 00	65	21 57		16				B.M.	5' W
		257												
		7	58		80 15	50	21 40		17				"	5'
		1040												
		40	41		62 10	35	20 48		18				"	4'
		1034												
		34	35		—	31	19 47		19				"	4'
		360												
		3	51		344 50	51	1 11		20				"	4'
		532												
		32	76		340 50	70	3 28		21				"	4

Form 381 (SM 3-34)
11 items.

Notes Ref. H. L. MARTIN Platted H. M. H.
Date JUN 28 1920 Date Job No. 22 Division No.
"W. VAN ALEN" Survey W. [illegible] F.S. 7277 Pg. 187

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference − Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.				° '		° '		1						
105	104	965							2						
		5	266		326 50	255	11 43		3				6 cm.	8'	W
		1163											"	8'	
		9	244		325 02	235	11 11		4				"	6'	
		1145											"	6'	
		9	214		325 40	207	11 51		5				"	6'	
		1180											"	6'	
		10	181		320 34	169	14 33		6				"	6'	
		1136											"	6'	
		10	137		321 15	128	15 01		7				"	6'	
		1087											"	6'	
		10	88		308 20	70	26 22		8				"	6'	
		921											"	8'	
		9	72		247 45	58	26 19		9						
"P"	P.I.				° '		° '		10						
110A	109								11				"P" 110A	Sta	pg. 62
		1082											6 cm.	5'	W
		6	483		291 30	467	10 29		12				"	6'	
	½	1020											"	6'	
		8	441		292 53	426	10 30		13				"	6'	
	½	1210											"	6'	
		10	421		291 29	407	10 36		14				"	6'	
	½	1190											"	6'	
		10	381		289 00	367	11 05		15				"	6'	
		1160											"	6'	
		8	361		285 50	337	11 23		16				"	6'	
		1023											"	5'	
		7	324		282 30	308	12 53		17				"	5'	
		1153											"	6'	
		9	254		279 40	237	14 52		18				"	6'	
		806											"	6'	
		6	206		284 10	187	17 20		19				"	6'	
		1072											"	6'	
		9	173		285 15	156	18 05		20				"	6'	
		845											"	6'	
		7	146		278 00	128	20 11		21				"	6'	
		1003													
		9	104		266 35	85	24 55						"	6'	

Add'l Interm.

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Intersection of Draw, V.Dr's, Break in Slope, Str.S. Stone ..... S.S. Top of Slope ..... T.Sl. Top of Cliff ..... B.Cl. Bottom of Cliff ..... T.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Side of Canyon, S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Saddle ..... Sa. Sump ..... Sm. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E. Rd.

Trampled Rd. Tr. Rd. Fence ..... Fe. Int. Fence ..... V. Fe. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Oak ..... O. Pine ..... Pi. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of them used all common standard abbreviations.

F.B. 787 Pg. 188

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	± Vertical Angle	Elevation of Point	+ Back Sight	± Difference Elevation	Height of Instrument	± Vertical Distance	REMARKS Station	Left	Right
"P"	P1				° '		° '		1						
110A	109								2						
		9.74													
		9	25	—	219.10	59	27.11		3				6 cor	5'	W
		10.28													
		10	29	—	190.30	72	16.42		4				"	8'	
		9.73													
		9	24	—	164.29	73	5.09		5				"	7'	
		11.25													
		10	126	—	143.20	122	10.43		6				"	8'	
		11.48													
		10	149	—	134.05	143	11.46		7				149 cor		
									8						
									9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Add'l Inform.

Notes Bid Date JUN 28 1939 Platted H. L. MARTIN Date Job No. 2211 Division No. F.B. 2197 Pg. 1/2

Survey of Grades Storm Sewer [illegible]

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'n'l Interm.

Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of those and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fe. Int. Fences ..... V. Fe. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Sa. ..... Sw. ..... Fl. ..... Str. ..... Tr. ..... Pvt. E.Rd.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Canyon S.Cn. Bank ..... T.B. Top of Bank ..... B.B. Bottom of Bank ..... T.B. Top of Cut ..... B.C. Bottom of Cut ..... T.C. Top of Fill ..... B.F. Bottom of Fill ..... T.F.

Side of Draw V.D's Slope ..... Sl.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Interm. of Draw V.D's Break in Slope ..... Br.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend:

Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

P.B. 282 Pg. 12

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left Right
POT					℄	Trav.	Rod	Cont.	From		49.16			
N1A	151								1					
		713												
		7	14		22 30	14	—		2				℄ Trav. Rod	14
		225												
		7	26		108 20	26	6 35		3				-	12
		665												
		6	66		108 43	66	4 38		4				-	14
		887												
		9	88		112 03	88	3 02		5				-	16
		1199												
		11	100		119 55	100	—		6				-	16
		1142												
		10	114		138 12	114	2 30		7				Trav. -	13
		1225											Side rod	
		11	126		121 45	126	1 15		8				-	10
		958												
		8	159		110 24	159	1 40		9				-	10
		2832												
		6	184		103 32	184	1 12		10				-	11
		1100												
		10	101		155 51	101	1 47		11				-	11
		990												
		9	99		171 39	99	3 42		12				-	11
		540												
		4	111		183 30	110	5 44		13				-	12
		330												
		1	131		184 36	129	4 07		14				-	12
		460												
		3	167		181 00	166	3 37		15				-	10
		798												
		7	209		180 10	209	1 44		16				-	10
		462												
		2	243		179 10	243	1 10		17				-	11
									18					
POT	P1								19					
~~152A~~	~~152~~				180° 0.0'									
		532							20					
152A	152	4	136		187 05	136	—						℄ Trav. Rod	2 N
		692							21					
		6	96		188 40	96							-	10

Noted Red L. L. MARTIN Plotted H. M. H. Job No. 2242 Drawing No. 2-F 227 Pg. 151

Sheet No. ___ of ___ Sheets
Totals.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 287 Pg. 124

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Side of Ridge S.R. | Top of Ridge T.R. | Head of Draw H.D. | Top of Slope T.S.

Intersection of Draw V.D's | Break in Slope Sl.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Side of Canyon S.Ca. | Top of Bank T.B. | Bottom of Bank B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr.Rd. | Fence ..... Fn. | Int. Fences V.Fn. | Ditch ..... Dt. | Telephone Pole T-P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Interceptv	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
POT	P1				180°40'0" Right		° '		1						
~~152A~~	~~152~~														
		850							2						
152A	152	8	51		183°20'	51	——						℄ Trav Rd	10	W
1		922							3						
		9	23		152°10'	23	——						"	11	
		1128							4						
		11	29		79°00'	29	——						"	10	
		1047							5						
		10	48		54°00'	48	4°35'						"	11	
									6						
									7						
P1	POT														
153	152A								8						
		771													
		L	172		347°40'	172	2°15'		9				℄ Trav. Rd	11	W
		943													
		8	144		348°30'	144	2°00'		10				"	11	
		1012													
		9	114		350°40'	114	2°10'		11				"	13	
		982													
		9	83		352°05'	83	2°20'		12				"	11	
		853													
		8	54		346°20'	54	1°51'		13				"	12	
		982													
		9	33		305°05'	33	3°10'		14				"	12	
		1142													
		11	43		253°02'	43	1°36'		15				"	12	
		957													
		9	58		216°15'	58	4°24'		16				"	12	
		1169													
		11	70		191°10'	69	6°20'		17				"	10	
		882													
		9	83		175°38'	82	4°17'		18				"	10	
		810													
		7	111		165°35'	110	4°31'		19				"	11	
		945													
		8	146		168°10'	145	4°38'		20				"	9	
		1085													
		9	186		171°00'	186	——		21				"	9	

Add'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.				° '		° '								
154	153								1						
		382													
		2	83		56 42	83	— ° '		2				℄ Tar Rd	10' W	
		451													
		4	52		60 40	52	— ° '		3				-	10	
			6		85 41	6	— ° '		4				.	10	
		422													
		6	23		219 50	23	1 08		5				-	10	
		456													
		6	57		222 15	57	— ° '		6				-	10	
		692													
		6	92		222 50	93	— ° '		7				-	10	
					℄ Tar Rd. Cor. T. on				109.14						
					° '		° '		8						
									9						
									10						
P.C.	P.I.														
149	148								11				Sight rd.		
		304											Sta. ℄ Tar Rd	12' W.	
		2	105		312 08	104	6 29		12						
		625											-	105	
		5	126		319 32	126	3 08		13						
		655											-	10	
		5	156		323 40	156	1 58		14						
		1191											-	10	
		10	196		325 21	196	1 41		15						
					° '		° '		16						
P.C.T.	P.I.														
149B	150								17						
		962													
		8	163		199 45	162	4 19		18				℄ Mark	5' W.	
		1150													
		10	151		206 35	150	5 35		19				"	5'	
		832													
		7	138		219 10	132	4 20		20				-	4'	
		409													
		3	110		207 15	110	— ° '		21				-	4	
		692													
		4	93		206 08	93	—						-	4	

Notes Rod: L. MARTIN Plotted: H.M.H. Job No. 2867 Division No. ____ T.B. 707 Pg. 1933
Date: JUN 22 1939 Date: A.W. VAN FLEET Surveyor

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED, IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
POT	P1				° '		° '		1						
1498	150														
		4 | 9			° '		° '		2						
		2	60		208 10	60	—						℄ wash	4'	W
		733					° '		3						
		7	34		231 00	34	—						"	4'	
		334					° '		4						
		3	37		285 21	36	7 45						"	5	
		842							5						
		8	43		32 5 12	43	—						"	5	
		11.53					° '		6						
		11	54		358 10	54	10 5						"	7	
		1173							7						
		11	74		15 45	74	2 40						V "	8	
		1135							8						
		11	36		29 15	36	1 27						"	7	
		1141							9						
		11	42		97 20	42	—						"	6	
		863					° '		10						
		8	64		131 59	64	1 16						"	9	
		1079							11						
		18	80		106 25	80	—						"	7	
		528					° '		12						
		4 | 4	129		10 05	129	2 09						"	7	
		8.6							13						
		7	166		2 30	166	2 05						"	4	
									14						
					° '		° '		15						
D1	P1														
150	151				° '		° '		16						
		1023					—								
		10	24		360 05	24	° '		17				℄ wash	8'	W
		662													
		6	63		332 27	63	3 28		18				"	7'	
		696													
		5	197		338 54	197	1 00		19				℄ "	7'	
		546					—								
		4	147		349 57	147	° '		20				℄ "	5'	
		676													
		3	177		1 24	176	4 50		21				℄ "	9'	

Topography Description Legend:
Side Hill ... S.H. | Bottom of Drw. B.D. | Top of Ridge T.R. | Top of Slope ... T.S.
Side of Drw. S.D. | Bottom Wash B.W. | Top of Ridge S.R. | Toe of Slope ... T.S.
Side of Ridge S.R. | Top of Cliff ... T.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn.
Head of Drw H.D. | Side of Cliff ... S.Cl. | Bottom of Spur ... B.Sp. | Bottom Canyon ... B.Cn.

Inters. of Brow V.O's | Break in Slope ... Br.S. | Steep Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn.

Side of Canyon S.Cn. | Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F.

Solaris ... Sa. | Sweet ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road E.Rd.

Traveled Rd./Tr. Rd. | Fence ... Fn. | Int. Fences ... V. Fns. | Ditch ... Di. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ... Cul.

Oak ... O. | Pine-Pi. | Cedar-Cd. | Sycamore ... Sy. | Eucalyptus ... Euc. | Plus combinations of these and all common standard abbreviations.

Fir-Fr.

P.B. 22 pg. 24

Add'l

Form 381 1000 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Instrument Sec line	P1151				° '		° '		1						
		885													
		8	86		145 46	86	—		2				℄ wash	8'	W
		880													
		8	81		124 20	81	1 24		3				"	4'	
		874													
		8	75		82 04	75	—		4				"	7'	
		915													
		8	116		52 18	116	—		5				"	12'	
		1082													
		10	83		36 46	83	—		6				"	6'	
		1163													
		11	64		359 20	64	—		7				"	5'	
		784													
		7	85		308 16	84	4 37		8				"	7'	
		907													
		8	108		319 25	107	5 10		9				"	12'	
		1136													
		10	137		337 35	137	—		10				"	9'	
									11						
									12						
DOT 751A	DI 151														
		810							13						
		7	111		17 27	111	—		14				℄ wash	8'	W
		650													
		6	51		24 41	51	2 20		15				"	7'	
		932													
		9	33		79 10	33	4 00		16				"	12'	
		1051													
		10	52		79 10	52	4 00		17				"	8'	
		1066													
		10	67		51 25	66	5 38		18				"	7'	
		1116													
		10	117		59 23	117	3 40		19				"	7'	
		1130													
		10	131		76 52	131	1 00		20				"	4'	
		1130													
		10	131		104 13	131	2 12		21				"	5'	
		926													
		9	127		118 56	126	5 22						"		

ADD'L Inform.

Notes Read H. M. Mc Phee
Date JUN 28 1939 Date
Platted H. M. Mc Phee
Job No. P267 Division No.
A. W. VAN FLEET Surveyor

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Fir-Fr. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence Fe. Int. Fences V.Fe. Ditch Di. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Saddle Sa. Swale Sw. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Intern. of Draw V.D's Break in Slope Bk.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Topography Description Legend:
Side Hill S.H. Bottom Draw B.D.
Bottom Wash B.W.
Side of Draw S.D. Top of Ridge T.R.
Side of Ridge S.R. Toe of Slope T.S.
Head of Draw H.D.

F.B. 267 Pg. 104

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
POT 151A	PI 151				° '		° '		1						
		1095			° '		° '		2						
		10	96		149 00	95	4 18						℄ wash	10 W	
		1070							3				"	10 W	
		10	71		184 20	70	7 40						Junk of creeks	8' W	
		529							4						
		4	130		122 03	129	6 04								
		1183							5						
		10	184		112 29	184	1 0						℄ wash	8' W	
		11.08							6						
		9	209		104 58	209	1 02						"	9'	
									7						
					° '		° '		8						
POT NIB	PI. N52														
					° '		° '		9						
		984													
		9	85		139 05	84	4 53		10				℄ wash	10' W	
		1158													
		11	59		108 12	59	— ° '		11				"	10'	
		1124													
		11	35		100 00	35	4 12		12				"	9	
		963													
		9	64		60 40	64	3 40		13				"	12	
		1016													
		9	117		60 45	117	2 18		14				"	12	
		1145													
		10	146		57 55	146	1 41		15				"	9	
		1146													
		10	147		52 10	147	— ° '		16				"	10	
					° '		° '		17						
POT N2A	PI. N3														
					° '		° '		18						
		114													
		10	166		164 30	165	4 29		19				℄ wash	10' W	
		1014													
		9	116		169 05	114	7 07		20				"	10	
		994													
		9	96		165 50	93	10 07		21				"	9	
		1163													
		11	64		122 10	62	10 20						"	12	

Add'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Note Rod. H. L. Martin. Platted Ft. Vista. Job No. 2221 Division No. F.B. 207 Pg. 179
Date JUN 28 1939 Date Surveyed by A. W. VAN FLEET

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right ° '	Hertz. Distance	+ Vertical Angle — ° '	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left Right
POT	P.I.								1					
N2A	153													
		10.99							2					
		10	100		84 40	96	10 36						℄ wash	9' W
		11.10							3					
		10	111		67 39	108	9 44						"	9'
		12.05							4					
		11	106		53 31	103	8 55						"	9'
		11.20							5					
		10	121		26 41	118	8 34						"	9'
									6					
P.I.	POT								7					
153	152B													
		10.96							8					
		10	97		332 55	97	1 15						℄ wash	8 W
		10.50							9					
		10	51		301 05	51	3 10						"	12
		5.81							10					
		5	82		269 11	82	3 20						"	9
		10.92							11					
		10	93		238 52	92	4 10						"	8
		10.93							12					
		10	94		211 41	93	4 05						"	8
		10.00							13					
		7	101		193 40	100	4 37						"	9
		10.85							14					
		10	86		175 54	85	4 21						"	10
		8.16							15					
		7	117		165 38	116	4 14						"	11
		12.20							16					
		10	201		181 34	201	—						"	12
									17					
P.I.	P.I.								18					
154	153													
		2.53							19					
		2	54		8 52	54	1 14						℄ wash	12 W
		11.34							20					
		3	35		322 27	35	4 00						"	6
		10.47							21					
		10	48		261 24	48	4 40						"	8

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 2827 Pg. 122

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Intersection of Draw V.D's | Break in Slope ..... Bk. S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Side of Canyon S.Cn. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E. Rd.

Traveled Rd. Tr. Rd. | Fence ..... Fe. | Int. Fences ..... V. Fe. | Ditch ..... Dit. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Oil-O. Fi.-Ft. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Pine combinations ..... Pin | Use one of these standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P1	P1				° '		° '		1						
154	153				° '		° '		2						
		698													
		6	99		237 40	99	—		3				℄ wash	8	W
		991					° '								
		8	192		226 40	192	—		4				"	8	
		887					° '								
		6	288		223 45	288	1 00		5				"	8	
		918													
		6	319		221 17	319	1 45		6				"		
					° '		° '		7						
P1	P1				° '		° '								
155	154				° '		° '		8						
		662													
		4	263		357 20	263	—		9				℄ wash	8	W
		480					° '								
		3	181		350 20	181	1 05		10				"	8	
		141													
		4	142		348 09	142	2 25		11				"	9	
		606													
		5	107		342 00	107	2 46		12				"	9	
		943													
		9	44		306 50	44	3 10		13				-	10	
		1052													
		10	53		224 43	53	2 32		14				"	10	
		503													
		4	104		198 10	103	4 54		15				"	12	
		624													
		5	175		202 35	174	3 05		16				"	10	
		1210													
		10	211		213 48	211	1 02		17				"	10	
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'l Intercm.

Form 381 10M 3-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
				Location Farwell Road						Topanga Summit					
				Motorway at Intersection						Greenleaf Cr.					
				Rod											
121.	P1.														
47	46														
		127													
		7	128		356.15	127	3.51						Rod to Tank		
		698													
		6	99		357.45	99	2.25						"	"	"
		469													
		4	70		1.22	70	1.68						Tank to Rod		10 ft
		236													
		2	36		3.25	36	—						"		11
		413													
		4	14		63.45	14	1.35						"		13
		837													
		8	38		110.25	38	1.45						"		12
		971													
		9	72		113.45	72	—						"		10
		1009													
		9	110		121.15	110	—						"		11

Notes Red B.L. MARTIN Plotted H.M.H. Job No. 2221 Division No. F.B. 2277 Pg. 125
Date JUN 28 1999 Date Survey of

Asst'n't Inform.

Form 301 LDM 5-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 2203 Pg. 1

Topography Description Legend:
Side Hill ... S.H. | Bottom Draw ... B.D. | Bottom Wash ... B.W. | Top of Ridge ... T.R. | Toe of Slope ... T.S.
Side of Draw ... S.D. | Bottom Draw ... B.D. | Bottom Wash ... B.W. | Top of Ridge ... T.R. | Toe of Slope ... T.S.
Side of Ridge ... S.R. | Top of Ridge ... T.R. | Toe of Slope ... T.S.
Head of Draw ... H.D.

Edge of Drive ... E.D. | Edge of Road ... E.Rd. | Edge of Shoulder ... E.Sh. | Edge of Slope ... E.Sl. | Edge of Wash ... E.W.
Edge of Brush ... E.B. | Face of Slope ... F.Sl. | Face of Stream ... F.St. | Face of Trail ... F.Tr. | Face of Pavement ... F.Pvt.
Base of Slope ... B.Sl. | Bottom of Stream ... B.St. | Bottom of Trail ... B.Tr. | Bottom of Pavement ... B.Pvt.
Top of Slope ... T.Sl. | Top of Stream ... T.St. | Top of Trail ... T.Tr. | Top of Pavement ... T.Pvt.
Bottom of Slope ... B.Sl. | Bottom of Stream ... B.St. | Bottom of Trail ... B.Tr. | Bottom of Pavement ... B.Pvt.

Traveled Rd. ... Tr. Rd. | Fence ... Fe. | Int. Fence ... I. Fen. | Ditch ... Di. | Telephone Pole ... T.P. | Power Pole ... P.P. | Culvert ... Cul.
Fence ... Fe. | Int. Fence ... I. Fen. | Ditch ... Di. | Telephone Pole ... T.P. | Power Pole ... P.P. | Culvert ... Cul.

Gas. & Pipe-Pl. ... Ga. & P.-Pl. | Cedar ... Ce. | Sycamore ... Sy. | Eucalyptus ... Eu. | Pine ... Pi. | combinations of these and all common abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

ADD'N'L

Notes Ck'd by		Survey of	F.B. 787 PG. 201
Map No. B-1496 H.V.H.		W. O. Tape No. St'd of	
Office Work		Surveyed by	
Checked KRM		Notes Date	
Date July 39		Indexed C. Johnson 5-26-39	

GREENLEAF CANYON ROAD

J.N. 8261

LOCATION OF SIDE ROADS AND TOPOGRAPHY

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

F.B. 287 PG. 202

120.00 D=00° T=54° = 120.58

(+) 58°-39'-15"
(+) 117°-19'-30"
29°-19'-40"

P.I. #33 3/4" I.P. Pg. 26

29°-19'-40"

19°-39'-50"

LOCATION OF TAKE OFF OF SIDE ROAD AT NORTH LINE SEC. 7 T1S. R11W

21.0

24.0

52.0

120

36.0

20

45

70

90

44+99.14 EC

38.0

40

32

45

40

P.I. #34 3/4" I.P. Pg. 26

40+33.62 BC

50

30.0

9.0

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No. B-1486
Office Work H.M.H.
Checked KRM
Date 5/5/39

Survey of Greenleaf Ln. et al
W. O. 8266 Tape No. 14 St'd 84 of
Surveyed by L.S. Hammond
Notes L & H. Date 3-22-39
Indexed A. C. Jamison

F.B. 187 PG. 203

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 287 PG. 204

Notes Ck'd by		Survey of Topanga Can	F.B. 287 Pg. 20
Map No.	B-1986	W. O 8261 Tape No. 14 St'd 24 °F	
Office Work	H. M. H.	Surveyed by L. S. Hammond	
Checked	L. R. M.	Notes L S 14 Date 5-2-39	
Date	5/5/39	Indexed	



Note: Any Additions or Changes on Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 787 PG. 206

P.I. #32 pg. 24

1'X1' wood box culvert.

P.I. #31 pg 24

1'X1' wood box culvert

P.I. #29 pg 23

P.I. #20 pg. 12

1'X1' wood box culvert.

BRIDGE 30.2 CONST. WOOD

P.I. #19 pg 12

P.I. #28 pg 22

3'X2.5' wood box culvert

P.I. #14 pg 15

1'X 1½' wood box culvert.

P.I. #27 pg. 22

P.I. #13 pg. 15

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Greenleaf Canal
Map No. B-1486	W. O. 826 Tape No. 6 St'd 26°F
Office Work H.M.H.	Surveyed by L. S. Hammond
Checked GRM	Notes L. S. N. Date 3-21-39
Date 5/5/39	Indexed A. C. Jones

F.B. 187 PG. 207

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

P.I. #36 pg. 26

P.I. #35 pg. 26

P.I. #39 pg. 28

P.I. #38 pg. 27

P.I. #33 pg. 25

P.I. #32 pg. 24

P.I. #46 pg. 31

P.I. #42 pg. 29

P.I. #41 pg. 29

P.I. #40 pg. 28

8" iron culvert.

8" Tile culvert.

8" iron culvert.

8" iron culvert.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line



Profile No. | Notes Red. | Plotted | Job No. 326 | Division No. | F. B. 787 Pg. 209
X-Sec. No. | Date | Date | Survey of Greenleaf Cyn Rd
Notes Chkd. L. K. F. | Checked | Survey by Hammond | Notes L 514 | Date
Date JUN 12 '39 | Date | Map No. | Indexed | Date 6-9-39

BENCH LEVELS

GREENLEAF CYN. RD.

J.N. 326

L.E. Hammond
A.W. Sherwood
R.C. Murray
H.C. Forney

Note. See F.B. 808-5 to 72 Inc. for Profile & X-Sec.

STATION	B. S.	H. I.	F. S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 10-37

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR.
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 2827 PG. 210 | Job No. 2241 | Division No. | Notes Red. | Plotted | Profile
Survey of Alameda Co. Ln. | Date | Date | No.
Survey by Pearman & Stanley | Notes Chkd. L. K. F. | Checked | X-Sec.
Indexed Am. C. Johnson | Date JUN 12 '39 | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.	
				928 SLL. U.S.782 BM.	Calabasas - E side Conc. Highway NW. Cor. Oak Garage 4'30 corner 2' from bldg. 3" Colon Bar bronze Tablet stamped R.S. 20-192 Final elev 1928 = 928.SLL L.B. 719-55
	4 460. 933. 012.				
			4 323. 929. 493. U.S. 781 BM.		Reference mark Calabasas 100' SW of general store center of conc. hwy. chiseled square Final elev. 1928: 928.7 L.B. 719-204
	3 964. 932. 657.				
			4 786. 927. 871. U.S. 741 BM.		Calabasas - No. side hwy. 1/2 ± 1/10 SE. Cor. Pickett Market Iron pipe set in conc. at ground. Brass cap marked 9287 L.A. Final elev. 1926: 927.940 L.B. 719-1 68.
	4 420. 932. 291.				
			3 721. 928. 510. U.S. 782 BM.		
	4 624. 932. 192.			928. 566.	BM. - U.S. 782 (See above)
	5 910. 934. 214.	4884.		928 306.	
	2 088. 940. 700.	3 400.		930. 852.	
	0 090. 948. 254.	0 534.		947. 168.	
	3 240. 948. 880.	2 614.		946. 640.	
	9 960. 954. 920.	3 920.		947. 960.	
	2 245. 948. 700.	11 465.		940. 435.	
	2 315. 945. 920.	4 445.		943. 695.	
	2 030. 950. 980.	2 020.		946. 960.	
	8 220. 960. 455.	2 245.		956. 735.	

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		960 455				
	6 385	964 765	2 075	958 380		
	1 960	960 433	1 295	963 470	T.B.M.	Adj. = 963.477 Set cut sq. in T.B. * 3 E of cor. fence Warner Bros Ranch So. end El Canon Ave.
	8 640	962 625	10 455	954 970		
	7 020	964 045	5 800	957 815		
	9 265	971 370	2 740	962 105		
	11 415	982 180	0 665	970 765		
	10 380	989 995	2 570	979 615		
	11 055	1000 405	0 640	989 350		
	11 850	1011 525	0 730	999 675		
	7 000	1017 850	0 645	1010 850		Adj. = 1011.962
	1 635	1013 485	5 920	1011 565	T.B.M.	Set cut sq. in T.B. * 3 E of West side Old Topanga Cor. Ret. at inter E.A. City Rds.
	6 850	1006 215	8 115	1004 365		
	12 225	995 610	11 825	994 390		
	6 430	996 670	5 335	990 270		
	2 510	993 650	5 535	991 110		
	9 210	998 310	4 545	989 100		
	6 265	1003 965	0 615	997 700		
	6 325	1009 595	0 695	1003 270		
	7 305	1013 320	3 580	1005 740		
	7 280	1017 440	2 960	1010 360		

Profile Notes Red. Plotted Job No. Division No. F. B. Pg. 211
No. Date Survey of
X-Sec. Date Survey by Notes Date
No. Notes Chkd. L. K. F. Checked Map No. Indexed A. C. T. Date
Date JUN 12 '39 Date

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 727 PG. 212 | Job No. 2611 Division No. | Notes Red. | Plotted | Profile
Survey of Greenleaf Cn. Rd. | Date | Date | No.
Survey by Hammond & Lee | Notes | Notes Chkd. L. K. F. | Checked | X-Sec.
Indexed | Date | Date JUN 12 '39 | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1017.640				
			1.490	1016.150	B.M. *G-1	Adj. = 1016.168 Set Spk. & tw in root 48" oak tr E. side Old Topanga Cn. Rd. 140' No. 12° W. of inter Green Leaf Cn Rd.
	2.320	1018.470				
	7.030	1023.895	4.605	1016.865	B.M. *G-2	Adj. = 1014.084 Set Spk & tw in 36" Eucalyptus Tree W. side Old Topanga Cn. Rd. 16' West of inter with Greenleaf Cn Rd
	5.550	1029.036	0.729	1023.170		
	7.095	1033.430	2.715	1026.335		
	7.730	1038.833	2.531	1026.903		
	1.440	1038.495	1.780	1037.055		
	10.225	1040.940	7.975	1030.720		
	11.380	1051.735	0.585	1040.355		
	11.320	1062.075	0.980	1050.755		
	5.650	1062.062	1.710	1056.365		
	7.460	1070.462	1.060	1063.065		
	6.520	1076.760	0.060	1070.585		
	7.800	1076.760	5.410	1069.375	B.M. *G-3	Adj. = 1069.375 Set Spk & tw in crotch of clump of oaks 2-18" 1-14" 60' No. 10° W. of inter of Sec line & So. bank wash.
	11.060	1077.530	0.400	1066.470		
	11.285	1088.660	0.285	1077.375		
	11.500	1099.670	0.490	1088.170		
	11.620	1112.060	0.430	1100.440		
	11.735	1122.195	0.400	1110.460		
	10.785	1132.230	0.750	1121.445		

Form 30 SM 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1142.230				
11 723	1.563	1143.793	0.563	1141.665		
12 000	1.463	1144.256	0.415	1142.793		
11 430	1.326	1144.326	0.080	1144.000		
11 035	1.480	1144.480	0.450	1143.000		
10 425	1.295	1144.295	0.095	1143.000		
11 055	1.305	1144.305	0.305	1143.000		
10 305	1.450	1144.450	0.450	1143.000		
10 405	1.360	1144.360	0.360	1143.000		
10 250	1.610	1144.610	0.610	1143.000		
11 515	1.120	1144.120	0.120	1143.000		
10 250	1.270	1144.270	0.270	1143.000		
11 125	1.335	1144.335	0.335	1143.000		
11 565	1.380	1144.380	0.380	1143.000		
10 960	1.320	1144.320	0.320	1143.000		
11 175	1.575	1144.575	0.575	1143.000		
11 010	1.280	1144.280	0.280	1143.000		
11 555	1.560	1144.560	0.560	1143.000		
11 550	1.380	1144.380	0.380	1143.000		
11 165	1.110	1144.110	0.110	1143.000		
7 350	1.110	1144.110	0.110	1143.000		

Profile

Notes Red. _____ Plotted _____ Job No. 2647 Division No. _____ F. B. 277 PG. 213

No. _____ Date _____ Date _____ Survey of Los Angeles County

X-Sec. _____ Notes Chkd. L. K. F Checked _____ Survey by Harrington Notes L. K. F Date 6-5-39

No. _____ Date JAN 12 '39 Date _____ Map No. _____ Indexed A. C. Johnson Date _____

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

F.B. 307 PG. 214 | Job No. 8211 | Division No. | Profile
Survey of Greenleaf Ave. Storm Drain | Notes Red. | Plotted | No.
Survey by A. C. Johnson | Notes | Date | Notes Chkd. L. K. F. | Date | Checked | X-Sec. | No.
Indexed A. C. Johnson | Date | Date JUN 12 '39 | Date

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1354.060				Adj. - 1350.182
	1650	1351.790	3.920	1347.140	B.M.* G-4	Set Bolt 38'± No. of #1 #136 Top. Ridge
	11820	1352.710	7.650	1345.060		
	10985	1356.002	0.583	1355.376		
	10410	1355.905	0.790	1355.115		
	11180	1354.910	0.260	1354.650		
	11820	1354.405	0.315	1354.090		
	11035	1425.816	0.680	1424.826		
	10990	1419.343	0.210	1419.133		
	11290	1438.288	0.385	1437.903		
	11203	1439.805	1.730	1438.075		
	11440	1450.640	0.615	1450.025		
	11645	1446.935	0.350	1446.585		
	11183	1442.710	0.410	1442.300		
	10653	1483.054	0.815	1482.239		
	6150	1489.025	0.[illegible]	1488.[illegible]		Adj. = 1484.521
	4931	1489.405	4.453	1484.952	T.B.M.	[illegible]
	11520	1500.760	0.[illegible]	1500.[illegible]		
	11590	1512.213	0.125	1512.088		
	11955	1524.065	0.[illegible]	1523.[illegible]		
	11250	1535.428	0.320	1535.108		

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1535.683				
8 620	1544.043		0 260	1535.423		
11 560	1553.480		0 125	1543.920		
11 675	1562.795		0 360	1550.120		
11 770	1568.093		0 470	1560.323		
11 583	1589.472		0 210	1567.882		
5 855	1595.211		1 725	1567.736		
8 080	1592.200		3 390	1589.211	BM. # 6.5	Set BM. # 12 on East side of Rock Adj. = 1540.268
11 340	1609.255		0 375	1597.915		
11 250	1620.263		0 354	1608.900		
11 880	1631.860		0 270	1619.980		
11 730	1642.493		1 095	1630.765		
11 695	1654.453		0 035	1642.403		
11 860	1665.693		0 320	1653.833		
11 830	1677.190		0 405	1663.290		
11 520	1688.490		0 220	1676.990		
11 190	1699.423		0 255	1688.233		
6 450	1705.438		0 440	1693.988		
9 995	1710.220		5 210	1700.223	T. B. M.	Nail & tag in Topanga Summit Adj. = 1700.289
10 085	1719.935		0 370	1709.850		
10 530	1730.100		0 365	1719.670		

Profile

No. _____ Notes Red. _____ Plotted _____ Job No. 2261 Division No. _____ F.B. 97 Pg. 215

X-Sec. _____ Date _____ Date _____ Survey of _____

No. _____ Notes Chkd. L. K. F. Checked _____ Survey by _____ Notes _____ Date 6-6-39

Date JUN 12 '39 Date _____ Map No. _____ Indexed _____ Date _____

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 207 Pg. 216 | Job No. 2261 Division No. 3241 Notes Red. Plotted Profile
Survey of Greenleaf Cyn. No.
Survey by Engineering Notes K.S.J. Date Date No. X-Sec.
Indexed J. C. Johnson Date Notes Chkd. L. K. F. Checked
Date JUN 12 39 Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1730.100				
	0.180	1718.900	11.380	1706.720		
	0.785	1708.994	10.691	1698.209		
	1.905	1700.540	10.123	1690.635		
	10.963	1703.135	8.368	1692.172	T.B.M.	Pk. #39 Topanga Summit MW. 3/4" I.P. See pg. Adj. = 1692.230
	9.256	1711.202	0.910	1702.213		
	1.054	1710.010	3.146	1706.856	B.M. #6-6	Set 3/4" I.P. Pk 1'50 + 1'E of pipe line corn. with water tank F.D. 3# on fire break 100' + West of June. with Henry Ridge MW. Topanga Summit MW
	1.270	1703.485	7.795	1702.215		Adj. = 1708.924
			11.325	1692.160	T.B.M.	Pk. #39 3/4" I.P. Topanga Summit MW

Adj. = ~~1692.230~~

Reset 0.9 Down 1-27-48 Elev. = 1691.33

See F.B. 1104 — 326

Profile No. ____ X-Sec. No. ____

Notes Red. ____ Plotted ____ Job No. 2261 Division No. ____ F. B. 787 Pg. 217

Date ____ Date ____ Survey of Crown Cap Co. No.

Notes Chkd. L. K. F Checked ____ Survey by Hammond Notes 6514 Date ____

Date JUN 12 '39 Date ____ Map No. ____ Indexed A. C. Johnson

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 10-37

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 299 PG. 218 | Job No. 2214 | Division No. | Notes Red. | Plotted | Profile
Survey of Cerritos Levee Line 15 | Date | Date | No.
Survey by Hammond & Hammond | Notes Accepted | Notes Chkd. J. K. F. | Checked | X-Sec.
Indexed S. C. Johnson | Date | Date JUN 12 '39 | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.	
					C.S.B.M. #187 Fd. Spike in stump Mulholland Hwy of Eucalyptus (12" dia) F.B. (See Card)
6 410	1685.095		1679	685	
11 535	1697.290	0.330	1685.755		
3 990	1700.575	0.795	1696.580		
2 485	1699.720	0.290	1697.235		
9 045	1708.530	0.265	1699.485		Adj. 1692.230
4 490	1711.525	1.465	1706.580		
9 990	1711.730	3.845	1701.730		
2 310	1724.925	0.105	1717.615		
7 720	1736.270	0.375	1728.550		
4 390	1736.290	2.925	1733.900		
8 740	1736.655	5.795	1727.915		Fd. 3/4" I.P. in conc. #11 = 8M H.P. #1 Hammond Bridge Adj. = 1726.845
2 295	1734.125	4.255	1729.870		
0 410	1724.960	0.645	1724.550		
6 415	1718.030	2.345	1711.615		
3 695	1711.620	10.095	1701.925		
2 040	1709.200	4.470	1704.730		
6 985	1701.850	8.285	1693.565		
1 160	1694.440	8.570	1685.870		Fd. 3/4" I.P. in conc. (See above)
6 695	1693.790	11.345	1682.445		
0 450	1693.560	6.910	1686.650		

20

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. _____ Notes Red. _____ Plotted _____ Job No. 22-6 Division No. _____ F. B. 207 PG. 219

X-Sec. No. _____ Date _____ Checked _____ Date _____ Survey of Greenleaf Ave. Notes K.K.F. Date 5-27-37

Notes Chkd. L. K. F. Date JUN 12 '39 Survey by Hogan et al Map No. _____ Indexed A. C. [illegible]

STATION	B. S.	H. I.	F. S.	ELEV.	
		1678.569			
1.17+	1666.685	8.63+	1664.91+		
0 800	1655.295	11.490	1654.[illegible]		
0 800	1651.083	4.[illegible]	1651.383	P.I. #160	3/4" I.P.
0.21+	1642.97+	9.120	1642.[illegible]	POT #102A	4X4
1.40	1635.290	8.91+	1633.079		
0450	1627.055	8.59+	1626.60+	P.I. #102	3/4" I.P.
0.29+	1615.770	11.580	1615.475+		
1405	1605.830	11.345	1604.425		
2100	1596.925	11.025	1594.600		
1.65+	1592.42+	-.99+	1593.910	POT #104A	4X4
0 170	1580.055	11.740	1580.085		
0.21+	1571.440	11.170	1569.685		
B.M. #1	5.66+	1570.45+	6 -	1565.3[illegible]	B.M. #1
0 800	1559.810	11.455	1559.010		
1.19+	1557.970	9.035	1550.775		
0.77+	1548.040	4.705	1547.265	POT #102A	4X4
1.21+	1537.655	11.600	1536.440	P.I. #102	3/4" I.P.
0 11+	1527.250	11.015	1526.640		
0 360	1517.035	10.565	1516.685		
0.20+	1505.31+	11.92+	1505.11+		

Set 3/4" I.P. Fl. base of chimp Walnut Tr. 60'± from P.I. #104 approx. 20' East. Tangent Curve

Adj. = 1564.263

X

10

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ~~ANY ADDITIONS~~ OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 70 Pg. 220 | Job No. 826 | Division No. | Profile
Survey of Hawthorne Blvd. Grade Sep. | Notes Red. | Plotted | No.
Survey by Hammond | Notes 4-5-39 | Date | Date | X-Sec.
Indexed A. C. Jones | Date | Notes Chkd. L. K. F. | Checked | No.
Date | Date JUN 12 '39 | Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		1505	315			
	10.55	1358	255	1039	1450	920
B.M. # 2	2605	1496	410	11	456	B.M. # 2 — Elev. 3/4" I.P. Top spur N to side draw across canyon from P.I. #99 Adj. = 1492.773
	3120	1485	1355	11	455	1492
	0460	1474	1355	11	44[illegible]	1475
	2460	1463	915	11	140	1462
	0[illegible]	[illegible]	2075	11	045	[illegible] TBM — P.I. 49° 78' Tangent Curve 100 per FB 49.
	0755	1441	975	[illegible]		
	[illegible]	1453	1301	56	[illegible]	1475
	[illegible]	1453	915	[illegible]	[illegible]	1113 TBM Spike in P.I. 4 Tangent Summit MW
	0[illegible]	1371	1451	11	420	1[illegible]
B.M. # 3	7[illegible]	1411	715	1[illegible]	[illegible]	111 B.M. # 3 — Tangent [illegible] P.I. 61°49 Adj. = 1409.169
	1[illegible]	[illegible]	5325	5[illegible]	[illegible]	345
	1630	1395	945	11	010	1[illegible] TBM — Spike in P.I. 41°49' Tangent [illegible] Nail in E.P.
	0660	1356	340	10	255	1386 690
	2405	1381	560	7	185	1396 [illegible]
	1395	1376	515	6	440	1357 1120 P.I. #85 A 3/4" I.P.
	2515	1369	310	9	720	1366 795
	4570	1365	1700	8	210	1340 600
	0950	1359	940	6	180	1358 990 P.I. #84 A 3/4" I.P.
	10560	1369	455	0	725	1359 1455

60

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile Notes Red. Plotted Job No. Division No.
No. Date Date Survey of Notes Date
X-Sec. Notes Chkd. L. K. F Checked Survey by Notes
No. Date JUN 12 '39 Date Map No. Indexed A. C. Johnson

F. B. 227 PG. 22

STATION	B. S.	H. I.	F. S.	ELEV.	
		1369.655			
BM * 4	1.650	1366.485	4.830	1364.825	BM. * 4 Set C spk crotch of 18" Twin oaks Top spur 38'± SE of P.I. * 46 Adj. = 1363.805
	0.575	1357.565	4.215	1356.990	
	0.825	1348.820	9.570	1347.995	
	1.520	1338.720	1.620	1337.200	
	0.930	1330.625	8.995	1329.695	
	3.675	1326.880	7.370	1323.205	P.I. * 7214 3/4" I.P.
	1.030	1319.230	8.680	1318.200	
	5.425	1314.310	10.405	1308.885	
	4.090	1308.415	9.925	1304.325	
	1.425	1302.855	6.985	1301.430	
	1.940	1296.260	8.535	1294.320	
	0.745	1291.840	5.165	1291.095	
	0.950	1286.540	6.250	1285.590	P.I. * 67A 3/4" I.P.
	0.430	1276.300	11.670	1274.870	
	0.835	1269.060	7.075	1268.225	
	0.630	1260.500	9.190	1259.870	
	1.370	1256.330	5.540	1254.960	
BM * 5	2.255	1253.065	4.520	1251.810	B.M. * 5 Set C spk in 30" oak 20'± E. of P.I. * 37 50'± W. of Adj. = 1250.800
	1.255	1246.565	7.815	1245.250	
	1.255	1239.000	8.760	1237.745	P.I. * 58A 3/4" I.P.

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile | Job No. 8241 Division No. | Notes Red. | Platted | No.
Survey of Elmwood Notes | Date | Date | No.
Survey by A. C. Johnson Notes Chkd. L. K. F. Checked | X-Sec.
Indexed A. C. Johnson Date | Date JUN 12 '39 Date

B287 PG. 222

STATION	B. S.	H. I.	F. S.	ELEV.	
		1239.000			
	0.430	1230.130	9.300	1220.700	
	1.395	1222.905	8.620	1214.510	
	0.340	1217.905	2.915	1215.610	P.O.S.T. = P.I. * 54 3/4" I.P.
	0.810	1212.390	6.370	1211.580	
	1.235	1202.795	10.830	1201.560	
	1.190	1201.250	8.735	1193.060	
	5.065	1204.330	1.985	1199.265	P.I. * 48 A 3/4" I.P.
	0.665	1193.970	11.025	1193.305	
	0.260	1182.800	11.430	1182.540	
	0.155	1171.495	11.460	1171.340	
	0.165	1160.450	11.210	1160.285	
	0.475	1149.275	11.650	1148.800	
	0.200	1140.000	9.475	1139.800	P.I. * 40 A 3/4" I.P.
	0.055	1128.280	11.775	1128.225	
	1.980	1119.940	10.320	1117.960	
	2.730	1111.665	11.005	1108.935	
	0.770	1106.985	5.450	1106.215	BM. * 6 Set chiseled □ in conc block, East gate post Adj. = 1105.217
	1.040	1099.830	8.195	1098.790	
	0.315	1088.279	11.875	1088.095	
	0.395	1077.565	11.115	1077.170	

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Profile No. ____ Notes Red. ____ Plotted ____ Job No. 242 Division No. ____ F. B. ____ PG. 233
X-Sec. No. ____ Date ____ Date ____ Survey of Sec. Boundaries
Notes Chkd. L. K. F. Date ____ Checked ____ Survey by Arrowhead Notes Date 6-2-39
Date ____ Map No. ____ Indexed A. C. Job No. 2800

STATION	B. S.	H. I.	F. S.	ELEV.		
		1077 550'				
		0700	106.755'	11.495'	1066.055'	
		0572'	1057.140	10190	1054.565'	P.I. #24 3/4" I.P.
		0260	1045.910	11.490	1045.650	
		0220	1034.500	11.630	1034.280	
		0420	1023.485'	11.435'	1023.065'	
		0410	1012.335'	11.565'	1011.925'	
		0145'	1000.785'	11.695'	1000.640	
		0995'	992.580	9.200	991.580'	
		0345'	981.590	11.335	981.245'	
		0115'	969.705'	12.000	969.690	
		0620	958.515'	11.710	957.995'	
		0350	947.300	11.565'	946.950	
		11300	951.765'	10.835'	940.465'	P.I. #20 3/4" I.P.
		11480	962.635'	0.610	951.155'	
		7120	963.385'	0.370	962.265'	
		0555'	960.965'	8.975'	960.410	
		0335'	949.610	11.690	949.275'	
B.M. #7		11610	953.650	7.570	942.040	B.M. #7 Set spike in sandstone ledge 7' from S.W. cor. bridge Adj. = 941.055'
		1.450	951.220	3.880	949.770	
		0.420	939.930	11.710	939.510	

WD

F. B. 787 PG 224 | Job No. 3761 | Division No. | Notes Red. | Plotted | Profile

Survey of Grantline Co Rd | Date | Date | No.

Survey by Hayward | Notes L S K | Notes Chkd. L. K. F. | Checked | X-Sec.

Indexed A. C. Johnson | Date | Date JUN 12 '39 | Date | No.

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.
	[illegible]			

Adj. 889.509

F.B. [illegible]

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ALTERATION OR ERASURE OF FIELD NOTES MUST BE MADE OR CANCELED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend entry this side of this line.

Transit Set	Sight on	Station Occupied	Station Sighted	Station Read	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Rod Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	F. S. Notes	F. S. Cut or Fill
			Re-location of a Portion of Block in						1					
			Corona, Cal.						2					
									3					
									4					
P.I. 79A	P.I. 78A													
		502							5					
		A	103		345 30	100	9.38		6				Ø Grade	5.4
		229												
		2	80		348 17	78	8.00		7				"	2
		824												
		8	76		343 44	75	2.64		8				Hub	1.1
		256												
		7	57		347 10	56	8.02		9				"	1
		940												
		9	41		6 58	41	4.00		10				"	2.5
		1045												
		10	16		79 34	16	2.10		11				"	4
		10A3												
		10	44		128 06	44	1.25		12				"	4
		1056												
		10	56		128 20	56	1.36		13				"	7
									14					
P.I. 79A	P.I. 79A													
		1129							15					
		11	30		41 24	24	26.58		16				Ø Grade	5.4
		1122												
		11	22		86 34	17	28.20		17				"	7
		1067												
		10	48		177 56	48	4.06		18				"	6
									19					
P.I. 79A	P.I. 81A								20					
		966												
		9	67		17 09	66	6.09		21				Ø Grade	5.4
		1041												
		10	42		36 30	41	6.26						"	

Notes Red. H. L. Martin Plotted H. M. H. Job No. 22 Division No.
Date 11-28-55 Date
Survey of Corona
F.B. 1 Pg. 2

Right of Inform.

Form 301 BM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I.	P.I.				° '		° '		1						
82A	81A	1184			° '		° '		2						
		11	85		53.15	85	1.37						E creek	5	W
	1/2	859							3						
		8	119		61.12	119	—						"	4	
		737							4						
		6	138		67.39	138	—						"	6	
	1/2	390							5						
		3	181		60.05	181	—						"	✓	
	1X2				° '		° '		6						
P*A	POT				° '		° '		7						
		623							8				P*A 1X2	See pg. 48	
		6	24		268.25	23	8.29		9				E creek	✓	W
		926											"	✓	
		9	27		184.28	27	3.22		10						
		544							11				"	4	
		5	45		120.10	45	3.23								
		873							12				"	✓	
		8	74		103.18	74	—								
		501							13				"	6	
		4	102		107.14	102	1.02								
P.I.	P.I.				° '		° '		14						
83A	82A				° '		° '		15						
	1/2	770													
		5	141		33.41	140	5.43		16				E creek	6	W
		811	112												
		7	+29		337.30	111	3.23		17				"	6	
		563													
		5	64		320.42	62	8.45		18				"	✓	
		1025													
		10	26		317.28	26	6.45		19				"	✓	
		856													
		8	57		271.39	57	3.24		20				"	✓	
		1214													
		11	115		262.34	115	—		21				"	✓	

F.B. 727 Pg. 226

Topography Description Legend:
Side of Hill...B.H. | Bottom Draw...B.D.
Side of Draw...S.D. | Bottom Wash...B.W.
Side of Ridge...S.R. | Top of Ridge...T.R.
Head of Draw...H.D. | Toe of Slope...T.S.

Side of Draw, V.D's in Slope...S.S. | Top of Bank...T.B. | Bottom of Cut...B.C. | Bottom of Fill...B.F. | Top of Fill...T.F. | Bottom of Fill...B.F.

Inters. of Draw, Break in Slope | Sheep Slope | Base of Cliff | Bottom of Cliff...B.C. | Top of Spur...T.Sp. | Bottom Canyon...B.Cn.

Ditch...D. | Telephone Pole...T.P. | Power Pole...P.P. | Culvert...Culv.

Traveled Rd...Tr.Rd. | Fence...Fn. | Int. Fence...V.Fn. | Eucalyptus...Euc. | Sycamore...Sy. | Pine...Pn. | Cedar...Ce. | Oak...O. | Fir...Fr. | Plus combinations of these and all common standard abbreviations.

Saddle...Sa. | Flat...Fl. | Stream...Str. | Trail...Trl. | Pavement...Pvt. | Edge of Road...E.Rd.

Additional Information

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CORRECTIONS ON THIS SHEET MUST BE MADE AND CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
				Location Fence at Intersection No. Line Sec 1 — T1N R12W					2						
P1 93A	P1 94A				° '		° '		3						
		6.96													
		6	95	—	315 33	87	16 58		4				Barbed wire fence		
		4.51													
		4	52	—	358 14	52	1 30		5				"	gate post	
		3.49													
		3	49	—	3 27	49	1 45		6				"	"	
		3.51													
		3	52	—	36 10	52	1 04		7				"		
		8.29													
		8	80	—	61 26	75	14 45		8				"		
		7.25													
		6	126	—	77 52	117	15 28		9				"		
					° '		° '		10						
					° '		° '		11						
					° '		° '		12						
					° '		° '		13						
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'l Inform.

Notes Red. by H.L. MARTIN Plotted H.M.H. Job No. 826 Division No. F.B. 7177 Pg. 127
Date JUNE 1956 Date Survey of Boundary

Form 301 IBM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'l Remarks

Topography Description Legend:
Side Hill...S.H. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope...T.S.
Side of Draw S.R. Top of Ridge T.R. Toe of Slope...T.S.
Head of Draw H.D.

Intern. of Draw, V.D's
Break in Slope...Br.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff...B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon S.Ca.
Bank.....B.K.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut...B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

Bridge.....Br.
Swale.....Sw.
Flat.....Fl.
Stream.....Str.
Trail.....Tr.
Pavement.....Pv.
Edge of Road..E.Rd.

Traveled Rd. Tr.Rd.
Fence.....Fe.
Int. Fence..I.Fe.
Shrubs.....Sh.
Eucalyptus.....Eu.
Pine.....Pi.
Cedar.....Cd.
Oak.....Oak
Fir.....Fr.
Pine-Fir..Pi-Fr.
Cedar-Cr..Cd-Cr.
Sycamore.....Sy.
Eucalyptus.....Eu.
Pine combination of these and all other standard abbreviations.
Digging.....Dig.
Telephone Pole..T.P.
Power Pole.....P.P.
Culvert.....Cul.

P.B. 27 Pg. 22

Notes Ck'd by		Survey of Cal Water Co Co	F.B. 109 Pg. 229
Map No.	B-1463	W. O. 8261 Tape No. 61 St'd 66 OF	
Office Work	H. M. H.	Surveyed by E.S. Hammond	
Checked		Notes L S M Date 7-13-39	
Date	7/31/39	Indexed A. C. Johnson 7-19-39	

To bk pg. 230

W.S. Bk 6-1

RETRACING A PORTION OF MULHOLLAND HWY AND TIES TO & GREENLEAF CN. RD.

263.46 C 2°-59' T=94°=263.12

109.91 C 6°-27' T=92°=109.22

GREENLEAF CN. RD.

MULHOLLAND HWY

Set 1X2 Fl.

P.I. #37 Fd 3/4" I.P. no tag FB. 78/68

(3) 256°-12'-40"
(4) 212°-25'-20"
(1) 138°-38'-00"
143°-06'-20"

Set 1X2 Fl by inter

68.27 C 16°-26' T=92°=65.48

35.48 C 10°-34' T=92°=34.88

86.91 C 21°-34' T=90°=79.71

51.50 C 19°-12' T=90°=48.64

31.07

Set 1X2 Fl.

10.36

P.O.T. Fd 2X2+TK per F.B. 220-30

0.01

CPPI. Fd 2X2+TK Top Curb 8" Off

31.07

10°-25'-20"

51.00

48.64

CPPI. Fd 2X2 + TK.

P.I. #41 Fd 2X2 + TK. per F.B. 220-30 replaced with 3/4" I.P.

51.00 C 90° T=90°=51.00

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M. 10-37

F.B. 187 PG. 230

To bot. pg. 231

148.85 ∠ 9°-20 T = 98° = 148.43 V

148.43 V

P.I. #43 Set ¾" I.P. Fd. Rw. from P.O.T. To 50.

(3) 221°-27'-00"
(4) 82°-54'-00"
(1) 30°-21'-00"
110°-43'-30"

142.20 V

80.08 V

40.56 ∠ 15°-54 T = 88° = 39.01 V

34.88 ∠ 13°-31 T = 88° = 33.91 V

Fd 1X2 + TK.

142.59 ∠ 4°-16 T = 88° = 142.20 V

39.01 V

136.020 11°-54 T = 88° = 133.10 V

93.04 ∠ 16°-32 T = 108° = 89.21 V
62.59 ∠ 14°-69 T = 108° = 60.47 V
29.74 V

P.O.T. Fd 2X2 Top burnt off per FB. 220-31 Set nail on line 0.04 N. of center

33.91

Fd 1X2 Top burnt off

0.15

133.10 V

EPPI. Fd 2X2 Top burnt off

29.74 V

(2) 36°-22'-30"
(3) 48°-44'-40"
(1) 43°-02'-30"
127°-11'-15"

EPPI. Fd 2X2 + TK.

P.I. #42 Fd. 2X2 + TK. per FB 220-31

127°-11'-30"

99.30 V

212.70 V

Fd 1X2 + TK.

0.04

0.12

P.O.T. Fd 2X2 Top burnt off per FB. 220-31

99.44 ∠ 3°-08 T = 100° = 99.30 V

2X2.68 ∠ 0°-00 T = 90° = 212.70 V

From Top pg. 229

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

MS 89 C-1

Notes Ck'd by
Map No. B7486
Office Work H.M.H.
Checked
Date 7-31-37

Survey of Columbia Co. #1
W. O. 2241 Tape No. 61 St'd 66 OF
Surveyed by L.S. Hammond
Notes L.S.H. Date 7-14-39
Indexed

F.B. 787 PG. 231

5892 C.1

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

P.I. * 4.9 Fd 2x2
TE per F.B. 220-33

289.86 ∠ 3°-52' T = 92° = 289.21
122.32 ∠ 2°-45' T = 92° = 122.19
411.40

411.40

P.O.T. Fd 2x2 set
TE per F.B. 220-33

0.05

GREENLEAF CAN. 80' HWY

232.34 00°-00' T = 94° = 232.36

232.36

P.I. * 64 Fd 3/4" I.P. per F.B. 787-64

28.78

Set 1x2 by inter

MULHOLLAND

30.23 ∠ 17°-51' T = 94° = 28.78
74.77 ∠ 14°-13' T = 94° = 74.43

74.43

(2) 38°-31'-40"
(4) 77°-03'-20"
(6) 115°-25'-15"
190°-15'-50"

P.I. * 15 = 1'-50"

P.O.T. Fd 1x2 = TL per F.B. 220-32

From Top pg. 230

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

F.B. 787 Pg. 232

F. B. 787 Pg 233

Notes Ck'd by	Survey of SECTION LINE
Map No.	W. O. 2900 Tape No. St'd. °F
Office Work	Surveyed by W. S. Cowherd
Checked	Notes W.S.C. Date
Date	Indexed A. C. Johnson 9-7-56

Fd SEC COR

19.13

126.02

78.42

75.32

Fd 1/2" IP & C in RP good condition with nails

T. 11 N.

R. 17 W.

NOTE

REPLACEMENT of ORIGINAL 1/4 COR. Per FB 787-117 WITH C.S. MON. IN RETURN SPRING. PREP'D NEW TOP WIRE CUT

R.P. Set N&T W. side of 18" OAK up 7'

R.P. SET N&T up 1.2 side of E. Fork of 18" OAK

10.51

Top of EXISTING Post hanging in fence

1.00

13.17

12.52 rec mnts

1/4 COR Fd. bottom part of 3"x3"x30" dn O.B. Remaining Top part of 3"x3" is hanging very loose in barb wire fence with L.S. Tag # 2335 in Top of Post 1.3' N.E. of remains in ground Replaced Ref Mx. F.B. 787-117 with C.S. Mon. mkd as shown up 6"

6.13 rec mnts

R-"24-B" Fd remains of old IXR replaced with new See Ref FB 787-117

COUNTY SURVEYOR T 11 N R 17 W. R 16 W. S 36 S 31 1/4 COR RE 5869

"NOTE" Fd 12" Oak scar on face towards 1/4 COR only Tree sitting this description. Ref FB 787-117 - Difference being this tree is East of RAILROAD and not West as shown on FB 787-117 evidently error in original notes

R-23-H Fd remains of old IXR See Ref FB 787-117

R-17-B Fd IXR See Ref FB 787-115

W. 1/4 Cor

BOOK OF SURVEYS OF LOS ANGELES COUNTY

BOOK 78 PAGE 233

BOOK OF SURVEYS OF LOS ANGELES COUNTY