# INDEX

| No. | Name | From | To | Pg. No. |
|---|---|---|---|---|
| 1 | AVE 60 | ALT B-13 | ALT B-14 | 5 |
| | AVE 60 | ALT B14A | ALT B14 | 6 |
| 2 | N. FIGUEROA | ALT B13A | ALT B13B | 7 |
| | N FIGUEROA | ALT B13C | ALT B13B | 8 |
| 3 | VERDUGO RD | GLD I-9B | GLD I-9A | 9 |
| | VERDUGO RD | GLD I-9 | GLD I-9A | 10 |
| 4 | VALLEY BLVD | ALH, B5 | ALH, A | 11 |
| | VALLEY BLVD | ALH. A5 | ALH A | 12 |
| 5 | MISSION ROAD | ALH. A4 | ALH A4A | 13 |
| | MISSION ROAD | ALH A3 | ALH A4A | 14 |
| 6 | HUNTINGTON DR. | ALH F1 | ALH. E-1 | 15 |
| | HUNTINGTON DR. | ALH. E2 | ALH E-1 | 16 |
| 7 | CALZON ST. | ALH A-1 | ALH, A-10B | 17 |
| | CALZON ST. | ALH A-10A | ALH A-10B | 18 |
| 8 | HOOPER AVE | LA. F11-B | LA F11A | 19 |
| | E 41st ST. | LA F11B | LA G11 | 20 |
| | W 32nd St | LA C-10C | LA, B-10B | 21 |
| | W 32nd St | LA B10A | LA B10B | 22 |
| 9 | W 18th ST | LA E9-A | LA E8A | 23 |
| 10 | W 18th ST | LA E8 | LA. E8A | 24 |
| 11 | Wilshire Blvd | LA C6B | LA B6A | 25 |
| | Wilshire Blvd | LA C6B | LA C-5C | 26 |
| 12 | Hoover St | LA B8C | LA B8B | 27 |
| | Hoover ST | LA B8B | LA B8A | 28 |
| 13 | N Alvarado ST | LA E4 | LA E4A | 29 |
| | N Alvarado St | LA E4A | LA E3 | 30 |
| 14 | N VIRGIL ST | LA B3A | LA B3 | 31 |
| | N VIRGIL ST | LA B3A | LA B3B | 32 |
| 15 | TALMADGE ST. | LA C-1 | LA C1A | 33 |
| | TALMADGE ST. | Glendale C-12 | LA C1A | 34 |
| 16 | OAKWOOD ST | Holly B5A | Hollywood B3B | 35 |
| | OAKWOOD ST | " B3B | " C3C | 36 |
| 17 | WILLOUGHBY AVE | Hollywood H26 | Hollywood H213 | 37 |
| | WILLOUGHBY AVE | " H28 | " H26 | 38 |

SEE TOP Page 3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Std.

Surveyed

Noted 3/38

Indexed

J.N. 4915

METROPOLITAN

LOS ANGELES

Sketches

Showing

location

of

& method of staking

of

BASE LINES

to

be invar-taped

for

Bureau of Waterworks

& Supply

City of L.A.

Note -

Index pg. 4

" to invar meas.

Bur... Wil... Mar... Bo...

LOS ANGELES COUNTY SURVEYOR

RECORDED IN BOOK

OFFICIAL RECORDS

OF SURVEYS

OF RECORDS

Do not extend notes this side of this line

Name and Address of Grantee, if any

Inst. Number, Date and Name of Person

Mailing Charges

FORM 247 3M 10-37

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Metropolitan LA F.B. 796 Pg
W. O. Tape No. St'd
Surveyed by SE Butler
Notes R. A. Willey 3-38
Indexed

CONT' FROM PG # 2 THIS F.B.

# INDEX.

| No | NAME | FROM | TO | PG |
|---|---|---|---|---|
| 18 | Franklin Ave | Burb K 12 E | Burb K 12 E | 39 |
| | " " | " K 12 G | " K 12 B | 40 |
| 19 | San Fernando Rd | Glen. H 12 | LA I-1 A | 41 |
| | " " " | LA I-1 A | LA I 1 | 42 |
| 20 | S. ST Louis St | LA K 8 A | LA K 8 B | 45 |
| | " " " | LA K 8 B | LA K 8 C | 46 |
| 21 | McGarry ST | LA H 9 A | LA H 9 B | 47 |
| | " " | LA H 9 B | LA H 9 C | 48 |
| 22 | Temple ST | LA G 6 B | LA G 6 C | 49 |
| | " " | LA G 6 B | LA G 6 A | 50 |
| 23 | N High Land Ave | | | 51 |
| | " " " | | | 52 |
| 24 | W 6th St | LA F 7 A | LA F 7 B | 53 |
| | S. Olive St | LA F 7 B | LA F 7 A | 54 |

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

F.B. 796 PG. 4

MS.J-D-102

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan |
| Map No. | W. O. [illegible] Map No. | St'd | °F. |
| Office Work | Surveyed by [illegible] |
| Checked | Notes [illegible] Date 3 |
| Date | Indexed |

F.B. 716 Pg. 5

Noted on Rec. Index Card
Plotted on Subdivision Map
Plotted on Sht. No. [illegible] of R. S. No.
Checked on Comp. Sheet

BASE LINE ON AVE 60
BETWEEN TRIANGULATION
STATIONS ALT B13 + ALT B14
FOR PARCEL SEE R.S. 136 D.10
FOR PARCEL SEE R.S. 3

Triangulation
Sta. ALT B14
100'± W. Eastbound
Bridge C.
248277M From E
163892M. From W
90°
90°
90°
90°
0
Set B. SPK @ 3+10
Set B. SPK @ 3
Set B. SPK @ ½
Set B. SPK @ 2
Set B. SPK @ ½ (El. 520)
Set B. SPK @ 1
Set B. SPK @ ½
Sta. ALT B-13
200'± W of Int. Arroyo
and Bonner St.
90°
90°

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

F.B. 796 PG. 6

Plotted on Geo. Index Card
Plotted on U. S. C. & G. S. Shts.
Plotted on Sec. Div. W. S. No.
Sketch on Geo. Desc. Card

W.S. 1-P-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Triangulation Sta. Alt. B14, see P.5

BASE LINE ON ITE 60
BETWEEN TRIANGULATION
STATIONS ALHAMBRA & ALT. B-14
FOR MAINTENANCE OF MONUMENTS
FOR PROPOSED USE FBTG - 3

4+45
0 ½ Set B.Spk
0 4 Set B.Spk
0 ½ Set B.Spk
0 3 Set B.Spk
0 ½
0 2
0 ½
0 1 Set B.Spk
Fl. 542
0 ½ Set B.Spk

Triangulation Sta. B14A Approx intersection of Garfield & Monterey Rd & WG 60

Set + Set +

W5.1-G1.D1

| | |
|---|---|
| Notes Ck'd by | Survey of |
| Map No. | W. O. [redacted] Scale [redacted] St'd |
| Office Work | Surveyed by Bittler |
| Checked | Notes Date 5-7-38 |
| Date | Indexed |

F.B. [redacted] Pg. 7

[redacted] on Geo. Index Card
Plotted on U. S. G. S. Quad. Sht.
Plotted on Sur. Div. W. S. Map
Sketch on Geo. Desc. Card

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

To Sta B130.
See P. [redacted]

Triangulation Sta. HLT. B135

E 87,635 M. & N. 208,326 M. From Sta

Set B. SPK+T 4+5

To Sta. B130

Sta. B135

60

60

Set B SPK+T

Set B SPK+T

60

60

To Sta B134

Set B. SPK+T 0½

Set B. SPK+T 0 3

Set B. SPK+T 0½

Set B. SPK+T 0 2

Set B. SPK+T 0½

Set B. SPK+T 0 1

Set B. SPK+T 0½ (El. 558)

Set B. SPK+T 0

Set B. SPK+T.

3.0'

3.0'

Triangulation Sta. HLT. approx. N. 70° W. from Sta. 61, E 3

F.B. 196 PG. 8

[redacted] Dpt. Inter Comm
Plotted on U.S.C.& G. Quasi. Shts.
Planned [redacted] Div. W.& Dn.
Sketch on Geo. Insp. Copy

W.S.1-D-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

P1

205826 Meter From S.
287635 " " N.

Triangulation
Sta. ALT. B/3B
USCS pg 6-7

Arroyo Glen ST.

set B.SPK+T.

BASE LINE ON N. FIGUEROA ST
BETWEEN T.P. TRIANGULATION
STATION ALTADENA B/3B AND ALT. B/3C
FOR MEASUREMENT SEE FB T6-5
FOR PROFILE SEE FB T6-6

N. Figueroa St.

set B.SPK+T.
(El. 585)

PASADENA AVE

YORK ST.

Triangulation
Sta ALT. B/3C
20' E. RE Tracks
2 yon Ctr. prods

W3.91-B-W5

| | |
|---|---|
| Notes Ck'd by | Survey of Mon. Control |
| Map No. | W. O. 4915 Tape No. St'd °F. |
| Office Work | Surveyed by BUTLER |
| Checked | Notes RLW Date 3-9-55 |
| Date | Indexed |

F.B. 706 PG. 9

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

set + 1 + 1 + 1 

F.B. 706 PG. 10

WS. 41-B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Triangulation
Sta. Glnd I-9 M
see PG-9

set +

6.3'

6.0'

set +

243.954M From S. =
234.927M. From W.

Placed on B.S. ... Quad. Sits.
Placed on Sta. ... W. S. No. ...
Sketch on Rec. Desc. Card ...

set + 4

set + ½

set + 3

set + ½

set + 2

set + ½

set + 1 (El. 542)

set + ½

Triangulation
Sta Glnd I-9
PG-9
Verdugo Peak set +

6.1'

6.0'

set +

BASE LINE ON MERIDIAN M.
BETWEEN TRIANGULATION
STATIONS GLND I-9 AND I-8
FOR ...
...
...

W.S.B-6

| | |
|---|---|
| Notes Ck'd by | Survey of |
| Map No. | W. O. 4914 Tape No. St'd °F. |
| Office Work | Surveyed by Butler |
| Checked | Notes Willow Date 3-9-38 |
| Date | Indexed |

F.B. 796 PG. 11

Triangulation Sta A.-5A

Sketch on Sheet, Dept. Card
Plotted on Map, Quad. Sheet
Plotted on Map, W.S. No.
Sketch on Map, Assoc. Card

set B.S.P.K.+T.

9.0

10+45

set B.S.P.K.+T. → 10

½

set B.S.P.K.+T. → 9

½

set B.S.P.K.+T. → 8

½

set B.S.P.K.+T. → 7

½

set B.S.P.K.+T. → 6

½

set B.S.P.K.+T. → 5

½

set B.S.P.K.+T. → 4

½

set B.S.P.K.+T. → 3

½

set B.S.P.K.+T. → 2

1 ½

set B.S.P.K.+T. → 1

Willow

Blvd

approx

Lot 291

BASE LINE OF VALLEY BLVD.
EAST OF SAN GABRIEL RIVER BRIDGE
FROM WESTERLY LINE OF LOT 1 AND
PROFILE STA F3 TO F3 10+12
BETWEEN TANGENTS

Triangulation sta B-5
6.1 ± S. & valley Blvd and
2.86 ± W of West curb
Prof. of Boca ST.

6.0

0.0 Meters on WV

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-38

F.B. 796 PG. 12

515490 From E=
391.945 " W

W.S.E. 8-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Placed on U.S.G.S.
Placed on Sur. No.
Sketch

BASE LINE ON VALLEY BLVD
EAST OF N. SOTO ST
FOR INTERSECTION SEE FB #T6-11.
FOR PROFILE SEE FB T6-12A
BETWEEN TIELANG U.L. STATION
STATION: ALH AT + PLUS ft

Triangulation Sta A-4 SEE P-11

set B.SPK+T→07

set B.SPK+T→6½

set B.SPK+T→6

set B.SPK+T→5½

set B.SPK+T→5

set B.SPK+T→4½

set B.SPK+T→4

set B.SPK+T→3½

set B.SPK+T→3

set B.SPK+T→02

Valley Blvd

Triangulation Sta A-5
6' ± S.E. Valley Blvd mon
2' ± W. & N. SOTO St. Prod

set B.SPK+T→01

(El. 360)

set B.SPK+T→00½

N. SOTO ST

6.1±

6.0'

set B.SPK+T

| | |
|---|---|
| Notes Ck'd by | Survey of |
| Map No. | W. O. 4916 Tape No. St'd °F. |
| Office Work | Surveyed by Butler |
| Checked | Notes Windy Date 3-11-53 |
| Date | Indexed |

F.B. 796 PG. 13

W.S. & B.-5

[redacted]

Triangulation Station #44

BASELINE ON MISSION RD. NORTH BROADWAY, BETWEEN TRIANGULATION STATIONS #44 & #45 FOR MONUMENTATION - FBT6-13 FOR PROTRACTEE FBT6-15

Triangulation Station #4 at Approx. E. N Broadway 20'± W. & Mission Rd

N. Broadway

Mission Rd

Set B.S.P.K.+T.

Set B.S.P.K.+T.

Set B.S.P.K.+T.

Set B.S.P.K.+T.

Set B.S.P.K.+T.

Set B.S.P.K.+T.

(El. 411)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-52

F.B. 796 PG. 14

1110.21 Meters from S
2299.995 Meter from N

← TO Sta A4 SCE P13

Noted on Rec. Inst. No. Filed
Placed on C.S. Inst. Elec.
Placed on Sur. Dr. W.S. Rec.
Sketch on Rec. Des. Book

Triangulation
Sta. A4A see pg 13

set B.spk+T → ⊙ ½

PI

set B.spk+T → ⊙ 4

set B.spk+T → ⊙ ½

set B.spk+T → ⊙ 3

set B.spk+T → ⊙ ½

set B.spk+T ⊙ 2

Common wealth St

set B.spk+T ⊙ ½

set B.spk+T ⊙ 1

set B.spk+T → ⊙ ½

Triangulation
Sta. T.3. Approx
℄ Superior St
20' E.W. k Monument

Superior St

BASE LINE IN MISSION RD
BEARINGS ARE ASSUMED
FOR VIA ASSIGNMENT SEE F.B. 796 - 14
EDGE

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

US 5-05

W.S. 5-C-4, D-4

| | |
|---|---|
| Notes Ck'd by | Survey of |
| Mad No. | W. O. 4915 Tape No. St'd °F. |
| Office Work | Surveyed by |
| Checked | Notes Date |
| Date | Indexed |

F.B. Pg. 15

2925.02' N. from E
283.94' W. from E

Triangulation Sta. ℄
ALH. E-1
Approx ℄ Humington

Mailed on Ann. Index Card
Placed on U.S.C.&G.S. Quad. Sht's.
Placed on Sht. Rec. W. & Mo.
Sketch on Geo. Name Card

BASE LINE ON HUNTINGTON DR.
BETWEEN TRIANGULATION
STATION ALH. E-1 AND ALH. E-1
FOR MEASUREMENTS SEE FB 716-16
FOR PROPERTY LINES SEE FB 716-18

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

F.B. 796 PG. 16

W.S.B. 69-25

283.941 M. From L
292.502 M. From M

Triangulation
Sta AL H. E1
SEE P-15'

5+40

5

1/2

4

1/2

3

1/2

2

1/2

1

1/2

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Dist. W.S. No.
Sketch on Geo. Dupe. Card

Lower Ave

HUNTINGTON DR.

(El. 502)

NOTE
All Sections are
X Sect'ns going Parallel

BASE LINE ON HUNTINGTON DR.
BETWEEN TRIANGULATION STATIONS
AL H. E-2 AND AL H. E-1
FOR MEASUREMENTS SEE FB T6-16
FOR TIES SEE FB T6-18

Triangulation
Sta. AL H. E-2
Approx & Huntington Dr.
300' I.E. of

0.0 M going E.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.2-D3

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan L.F. |
| Map No. | W. O. Tape No. St'd °F. |
| Office Work | Surveyed by SE Butler |
| Checked | Notes R. L. Wills Date 3-14-39 |
| Date | Indexed |

F.B. 702 Pg. 17

Placed on Sty. Div. U.S. No.

Sketch on Insp. Descr. Card

set +

Triangulation
Station ALH. B-10

1" x 60' 2+20. From South

90°

115.050M. From S

+ 2 set +

ST.

+ ½ set +

CALZONA

+ set +

+ ½ set + (E) 180

UNION PACIFIC AVE

Triangulation
Station ALH A11

Approx. W. & Calzona St. 00 Meter North

50' ± S. Union Ave. St.

BASE LINE ON CALZONA ST.
BETWEEN TRIANGULATION
STATIONS ALH A-10 AND
ALH B-10
FOR MEASUREMENT OF
FOR PROFILE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

F.B. 796 PG. 18

W5-9-03

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Triangulation
Sta. ALH A AD B
see P. 17

Submitted on Geo. Index Card
Plotted on U.S.C.S. Quad. Shts.
Plotted on Sur. Div. W.S. Ins.
Sketch on Geo. Desc. Card

TO All. P. 17

set +

60'

115050 M. from S.
119632 " " N.

90°

2415 set +

2 set +

ST

½ set +

1 set +

½ set +

BASE LINE ON CRENSHAW ST.
BETWEEN ALH A AD B AND ALH A AD B
FOR MEASUREMENT - SEE FB T6 - 20
FOR PROFILE SEE FB T6 - 21

90°

on Mag. bearing

Triangulation
Sta. F ALH. A AD B
Approx 3' W. of Crenshaw St
100'± S. E. Olympic Blvd.

CRENSHAW

El 181

E. OLYMPIC BLVD

WS-7-8-3

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan L.A. |
| Map No. | W. O. 4964 Tape No. St'd °F. |
| Office Work | Surveyed by S.E. Butler |
| Checked | Notes R.L.W. 1/64 Date 3-15-38 |
| Date | Indexed |

F.B. 796 Pg. 19

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7dd HALL OF RECORDS

FORM 247 10M 11-36

BASE LINE ON HOOPER AVE
BETWEEN TRIANGULATION
STA. L.A. F11B AND F11A
AND INTERSECTIONS
FOR PROFILE

E. 40 1/2 Pk.

Triangulation Sta. L.A. F11-A
3'±W. & HOOper Ave.
65±S. & E 40 1/2 Pk.

72,812 Meters From MS.

6.6' set spk+T.

9°0'
1+20 set spk+T

1 set spk

1/2 set spk

Triangulation Sta. L.A. F11B
3±W. & HOOper Ave.
N. Prop. Line 2+19 St

9.0'

6.2' spk+T.

El. 201

41 St

HOOPER AVE

ST.

F.B. 796 Pg. 20

W 5.7-B-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

COMPTON AVE

Triangulation
Sta. LAGU
5' W & Compton Ave
No. Prop. Line 41st.

60'
set spk+T
90°
142.141 Meters
2+40 set t in sidewalk

Marked on Geo. Index Card
Placed on U.S.C.&G.S. Mond. Stns.
Placed on Surv. Mks. U.S. Hy.
Sketch on Geo. Base Card

BASE LINE E 41st ST.
BETWEEN TRIANGULATION
STA. LAGU & FILL GND
FOR INTERSECTION
FOR PROFILE

SEE FB 76-23
SEE FB 76-24

ST

2 set t in side walk

½ set t in side walk

1 set t in side walk

41st

(El. 3.2)

½ set t in sidewalk

AVE

TRIANGULATION
Sta. LAFHB
see Pg 19

HOOPER

set spk+T

9°

FILL

WS 3-A-44

Notes Ck'd by
Map No. [redacted]
Office Work
Checked
Date

Survey of Metropolitan
No. 4913 Tape No. St'd OF
Surveyed by S.E. Butler
Notes R.L. Willey Date 3-16-36
Indexed

F.B. 1116 PG. 51

[redacted] Board
Plotted on S.C.S. Quad. Shts.
Plotted on Sur. Sh. W.K.Sh.
Plotted on Gen. Base Shts.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7do HALL OF RECORDS

BASE LINE ON 32 ND ST.
BETWEEN TRIANGULATION
STATIONS L.A.C.C.O AND L.A. C.10.B
FOR MEASUREMENT SEE FBTG-25
FOR PROFILE SEE FBTS-27

101,435 From W
132.267 From S

6.6' set +
90°
2+30 set

Triangulation Sta. L.A. C.10.B
Approx. ℄ 32nd St
30' W. of W. curb line Normal St

SHRINE Pl.

2 set

ST. ½ set +

1 set +

½ set +

Triangulation Sta. L.A. C.10.C
Approx ℄ 32nd St.
160' ± W. of W. curb S. Figueroa St.

90°
6.9' set +

(El. 193)

S. FIGUEROA ST

FORM 247 5M 10-37

F.B. 796 PG. 22

[redacted]

SHRINE PL.

Placed on Sec. Rev. T.S.M.
Sketch on Disc. Desc. Card

WS 8-A-4

Triangulation
Sta LA 6-10-B
see Pg 22

132.81 From L
101.435 From W.
2 set+

BASE LINE ON W 32ND ST
BETWEEN TRIANGULATION
STATIONS L.A. 6-10-B AND L.A. 6-10-B
FOR MEASURING MERI. SEE FB 796-26
SEE FB 796-27
SEE TOPSHEET

+ ½ set+

+ 1 set+ ROYAL ST.

+ ½ set+

Triangulation
Sta L.A. 6-10-B
Station & Ø on W 32nd St
10' W of Royal St to N.

(El. 189)

ROYAL ST

set +

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS. 3-B-4

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan |
| Map No. | W. O. 4915 Tape No. St'd of |
| Office Work | Surveyed by SERUTCH |
| Checked | Notes R.A. Wing Date 3-16-36 |
| Date | Indexed |

F.B. 796 PG. 23

Blue Cop. Index Card
Plotted on U.S.C.&G.S. Quad. Sht.
Plotted on Sur. Div. W. & S.
Sketch on Org. Des. Card

83.83 M. from W2
117.222 M. from E2

60'

Set B.SpK.

Triangulation Sta. LAE8A Approx 4 W. 18 mst W. Curb Line of Hill

40°

2+15 Set B.SpK+T

HILL ST.

2 Set B.SpK+T

ST

1 1/2 Set B.SpK+T

1 Set B.SpK+T

W. 18TH

1/2 Set B.SpK+T

El. 223

90°

S. BROADWAY

Triangulation Sta. LAE8A or Approx Intersection W. 18th & S. Broadway

BASE LINE ON W. 18TH ST
BETWEEN TRIANGULATION
STATION LAE8A AND LAE8A
FOR MEASUREMENT SEE FILE 77-1
FOR PROFILE SEE FILE 77-3

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 796 PG. 24

WS 3-B-4

Triangulation Sta LHA 68 A
See Pg 24

TO LAE 68

ST

117.222 M. From E
83.834 M. From W

60°

set nail & tag

Sketch on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Str. Div. W. S. No.
Sketch on Geo. Desc. Card

01+30

set S.S.M.H.

BASE LINE IN MV 19TH ST
BETWEEN [illegible] STATION
STATION LAE 68 AND LAE 69A
FOR MEASUREMENT SEE PB 7-2
FOR PROFILE SEE PB 7-8

ST.

SEE B.M. 68-7

13 m

℄ 1/2 set S.S.M.H.

(El. 223)

W

S. OLIVE AVE

Triangulation
Sta LAE 68
Approx. Int. of
℄ of W. 8th St.
& C. L. & S. F. R.R.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W3,3-A-2

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan Ln |
| Map No. | W. O. 491 Tape No. St'd OF |
| Office Work | Surveyed by E. Ritter |
| Checked | Notes Ritter Date 3-17-28 |
| Date | Indexed |

F.B. 70 Pg. 25

Sketch on Geo. Index Card
Placed on U. S. C. & G. Suppl. Shts.
Placed on Sur. Div. Sh. No.
Sketch on Geo. Topo. Card

Triangulation
Sta LA B-5 B, Approx. E of Parkview 5+ + 14'± S of S. curb line of Wilshire Blvd

CORONADO

92.06 N. from E St.

1+40 set B. spk+T.

BASE LINE OF WILSHIRE BOULEVARD
BETWEEN LA TRIANGULATION STATIONS LA B-5 B AND LA B-6 B
FOR MEASURING DISTANCES
EAST AND WEST

1 set + in sidewalk

½ set + in walk

WILSHIRE BLVD.

(El. 284)

CORONDOLET

90°

0.04 going W

90°

ST.

To LAC-C5 Pg 26

Triangulation
Sta. LA B-5 B 14'± S of
South curb line of
Wilshire Blvd. at
approx. E Parkview

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 796 PG. 26

Triangulation
Sta. LA C5C5
NW'ly of & of Parkview
SE'ly of S. curb line
Wilshire Blvd.

BLVD

Filed on Sheet
Placed on Sheet
Placed on Sheet
Sketch on Sheet

W3-A-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

PARKVIEW

106.686M from W

60°

30°

2405 set B.C.P.&T.

set B.C.P.&T.

+ ½ set in walk

BASE LINE ON WILSHIRE BLVD.
BETWEEN TRIANGULATION
STATIONS LA C5B AND LA C5C5
FOR MEASUREMENTS SEE FIELD
FOR PROFILE SEE PAGE 6

SIDE WALK

+ 1 set in walk

WILSHIRE

+ ½ set in walk

(El. 284)

CORONDOLET

ad going E

ST

Triangulation
Sta. LA C5B
See P 25

TO LA C5A
P 25

W5.3-A-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Metropolitan L.A. F.B. 79a PG. 27
W. O. 4915 Tape No. St'd of
Surveyed by S.E. Butler
Notes R.L. Wiley Date 3-17-37
Indexed A.C. Johnson

Blue on Complete Card
Record Shts.
Plotted on Ass. Sht.
Sketch on Road Book

BASE LINE ON HOOVER ST
BETWEEN TRIANGULATION
STA. IN L.A. BBC AND LA BBB
FOR MEASUREMENT SEE FBTT-1
FOR PROFILE SEE FBTT-9

TO LA BBB

0+0 McTer going N
111.382M. from S.

Triangulation
Sta. LA BBB
& Hooker in
Front Fire Sta.

60°
90°
set spk & T.

2+10 set spk & T.

2 set spk & T

½ set spk & T

1 set spk & T

WASHINGTON

½ set spk & T
(El. 207)

Triangulation
Sta. LA BBC
Approx E of Hooverton
10'± N of S. Curb of
Washington Blvd

S. Hooker

90°
set spk & T.
6.0

BLVD

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 796 PG. 28

W4.5-A-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Triangulation
Stn. L.A. 18 B A
Approx. int. of ℄ of
S Hoover St + W. 18th Sts

W 18th ST

119.550 M. From S

6.0

90°

0 2+15

ST

W. 18th

+ 2 set SPK+T

0 1/2 set SPK+T

0 1 set SPK+T

HOOVER ST

0 1/2 set SPK+T.

(El 209)

Odometer gauge N

BASE LINE ON S. HOOVER ST
BETWEEN TRIANGULATION
STATIONS L.A. 18 B AND L.A. 18 B A
FOR MEASUREMENT OF ELEVATION
FOR CONTROL OF TOPOGRAPHIC SURVEY

Triangulation
Stn B 8 A
see pg 27

W5.5-6-2

| | |
|---|---|
| Notes Ck'd by | Survey of Valley Section VP |
| Map No. | W. O. 4915 Tape No. St'd. of |
| Office Work | Surveyed by S.E. Butler |
| Checked | Notes R.L. Willey Date 3-12-37 |
| Date | Indexed |

F.B. 798 PG 29

Noted on Subdivision Card
Plotted on U.S.E.S. Sheet No.
Plotted on Geo. Sta. No.
Sketch on Geo. Sheet No.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

BASE LINE ON ALVARADO ST
BETWEEN TRIANGULATION
STATIONS LAE4A AND LAE4A
FOR MEASUREMENT SEE FB 77-10
FOR PROFILE SEE FB 77-12

1st St

Triangulation
Station LAE4A
approx ℄ Alvarado St
" ℄ 1st Alley N.
of Clinton St

St. Line

00 Meter going N. = 150,650 M. from S.L.

Alley

set +

3 set B, SPK + T

½ set +

2 set B, SPK + T

Clinton St

Clinton St

½ set +

1 set B, SPK + T,

½ set +

Alvarado

Triangulation
Sta LAE4
approx ℄ Alvarado St
35'± N of N. Curb Line
of Bellevue

90°

6.0

(El. 385)

Bellevue Ave

Mountain View

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.8-B-2



W.S.D.-7

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan |
| Map No. | W. O. 491 Tape No. St'd °F |
| Office Work | Surveyed by SE Butler |
| Checked | Notes R.L.Willey Date 3-16-38 |
| Date | Indexed |

F.B. 796 PG. 31

Plotted on Dia. Index Card
Placed on U. S. C. & G. Quad. Shts.
Placed on Gen. Div. W. S. Sh.
Sketch on Dia. Descr. Card

78.19 S M From N

Triangulation Sta. LARB3 approx. ℄ Virgil Ave 45' ± S of S. curb line of Similax St.

1/2 set spk & T.

SMILAX ST

1 set spk & T.

BEST LINE ON N. VIRGIL AVE BETWEEN TRIANGULATION STATIONS LA 3RT & LA 3RT AS FORMERLY ACCEPTED BY CITY ENGINEER FEB. 13 1913 FOR PRESENT SITE FEB. 13 1913

VIRGIL AVE

1/2 set spk & T.

SILVER LAKE BLVD

(El. 270)

Triangulation Sta. LARB3A approx. 11 ft. of ℄ S of Temple to West and North

60° 90° 90° 60°

TEMPLE ST

TEMPLE ST

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 796 PG. 32

OAKWOOD AVE

3 set spk+T

60°

145.263 M. from 3. 90° set spk+T.

Triangulation sta. LA. B3 B. Approx. ℄ of Virgil Ave 18 ft. South of ℄ of Fifth Place

½ set spk+T.

Marked on Rec. Index Card
Plotted on U.S.C.S. Quad. Shts.
Plotted on Surv. Div. W.S.D. Co.
Sketch on Surv. Disc. Card

2 set spk+T

½ set spk+T

1 set spk+T

BASE LINE IN N. VIRGIL AVE BETWEEN TRIANGULATION STATION LA B3 B & B3 A FOR MEASUREMENT SEE FIFTH FOR PROFILE SEE FIFTH

VIRGIL AVE

Triangulation sta LA B3 A SEE PG 31

½ set spk+T

TEMPLE ST

El. 270

TEMPLE

SILVER LAKE BLVD.

W.S.D.-V

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. No. D-16

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan L.A. F.B. 796 Pg. 33 |
| Map No. | W. O. 4915 Tape No. St'd of |
| Office Work | Surveyed by S.E. Butler |
| Checked | Notes R.L. Willey Date 3-21-38 |
| Date | Indexed A. C. Johnson |

To Glendale C-12 See Pg 34

CLAYTON Ave

257.42 from S.

5 to 5 set spk+T.

Triangulation Sta LAC-1 approx. 4's of Talmadge & Clayton Streets

Noted on Gen. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Data Card

ST

½

4

set spk+T

½

CUMBERLAND AVE

3

set spk+T

½

2

set spk+T

½

SUNSET DR.

TALMADGE

set +

(El. 362)

½ set spk+T.

Triangulation Sta LAC-1 approx. 4 of Talmadge st. 160'± S. of S. curb line of Sunset Dr.

90°

60

set spk+T

BASE LINE ON TALMADGE ST. BETWEEN TRIANGULATION STATIONS LAC-1-A AND LAC-1 FOR MEASUREMENTS SEE FBT-7-16 FOR PROFILE SEE FBT-7-18

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

F.B. 796 PG. 34

Triangulation Sta LAC-1A see Pg 33

TO LAC-1 see Pg 33

W.S. 90-J-6

4+10 from N

05+5 from S.

237.180 from S.

CLAYTON AVE 206.232 from N.

set spk+T.

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Sur. Div. W.B. Co.
Sketch on Geo. Index Card

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

BASE LINE ON TALMADGE ST. BETWEEN TRIANGULATION STATIONS GLEND. 2 LEC-12 AND L.A. CNTY. SUBST. 7-18 FOR PROFILE SEE FB 7-18

CAMERO ST

TALMADGE ST

ALLOTTE PASS HIGH SPT & T.

(El. 4.5)

PROSPECT ST

set spk+T

Triangulation Sta. Glendale 2 Approx ℄ Talmadge St is 5.0± N of curb line of Prospect St

W.S.-B-2

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan |
| Map No. | W. O. 4911 Tape No. St'd °F |
| Office Work | Surveyed by C.E. Butler |
| Checked | Notes R.I. Willey Date 3-21-36 |
| Date | Indexed |

F.B. 796 Pg. 35

Noted on Gen. Index Card
Plotted on U.S.C.S. Coast. Shts.
Plotted on Sur. Div. W.S. No.
Sketch on Gen. Descr. Sheet

Triangulation Sta
Hlywd E 3B approx
& Oakwood.

set spk + T

To Hlywd E 3C3
see pg 36

00 M. S. 89° E
71,337 M. from W =

6.0

90°

set spk + T

BASE LINE ON OAKWOOD AVE
BETWEEN TRIANGULATION
STATION HOLLYWOOD E 3-B
AND HOLLYWOOD E 3-B.
FOR MEASURED ANGLE SEE F.B.T.-7-19
FOR PROFILE SEE F.B.T.-7-21

⊙ 1 set spk + T

½ set spk + T.

(El. 244)

OAKWOOD

AVE

WESTERN

Triangulation Sta
Hlywd. E 3A approx
℄ of Oakwood 1' E of
W. curb line of Western

90°

6.0

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 796 PG. 36

W.S.-B-2C-7

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Noted on [illegible]
Placed in [illegible]
Placed on [illegible]
Sketch on Geo. Desc. Card

6.0
90.0
62,930M. from W

1+10 set SPK+T

Triangulation Sta
Hollywood L-B-C approx
℄ of Oakwood Ave 32'±
E of E. curb line
of N Oxford Ave

N OXFORD AVE

1 set SPK+T

set SPK+T

1/2

OAKWOOD

BASE LINE ON OAKWOOD AVE
BETWEEN TRIANGULATION
STATION S. HOLLYWOOD L-3-C3
HOLLYWOOD L-3-C
FOR MEASUREMENT - SEE FB 796-21
FOR PROFILE SEE FB 796-21

Triangulation Sta.
Hollywood L-B-B
SEE Pg 35

(El 255)

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan L.A. F.B. 196 PG. 37 |
| Map No. | W. O. 4915 Tape No. St'd OF |
| Office Work | Surveyed by S.E. Butler |
| Checked | Notes R.L. Willey Date 3-22-37 |
| Date | Indexed |

12-D-3

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

BASE LINE ON WILLOUGHBY AVE
BETWEEN TRIANGULATION STATION
HOLLYWOOD H2-C AND HOLLYWOOD H2-B
FOR MEASUREMENT OF T-T-23
FOR PROFILE SEE FSB T-7-24

Triangulation Sta Hollywood H2-B
approx ℄ Willoughby
3'± W of East curb line
of N Citrus Ave

To Hwd H2-B

N CITRUS AVE

80.605 M. from B

set B. SPK. + T.

1+30 set B SPK + T

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sta. Div. W.S. No.
Sketch on Geo. Desc. Card

WILLOUGHBY AVE

1 set B.SPK+T

Hollywood
Triangulation sta H2-C
approx. ℄ of Willoughby st +
" W. P.L. of Highland

90°

El. 262
set B.SPK+T.

6.0

approx P.L.

HIGHLAND AVE

FORM 247 5M 10-37

F.B. 769 Pg. 38

WS. 22-D-3

126.985 M. from E

Triangulation Sta
Hollywood H.2-A
Approx. & Willoughby Ave
[illegible] curb line
of Mansfield to the North

Relief on Geo. Index Card
Placed on U.S.G.S. Quad. Sheet
Placed on Sur. Dir. W. & Sh.
Sketch on Geo. Index Card

H 2 A

60°

60°

set B.SPK+T

9° 2+25.5

2 set B.SPK+T

MANSFIELD AVE

½ set B.SPK+T

1 set B.SPK+T

½ set B.SPK+T

(El. 268')

N. CITRUS AVE

BASE LINE ON WILLOUGHBY AVE
BETWEEN TRIANGULATION
STATIONS HOLLYWOOD H2 B
AND HOLLYWOOD H2 A
FOR MEASURED TIE - SEE FB T-7-23
FOR PROFILE SEE FB T-7-24

Triangulation Sta
Hollywood H2-B
See P937

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. Yard

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan L A |
| Map No. | W. O. [illegible] Tape No. St'd of |
| Office Work | Surveyed by S E Butler |
| Checked | Notes R. L. Willey Date 3-22-38 |
| Date | Indexed A. C. Jones |

F.B. 796 Pg. 39

Noted on Sec. Index Card
Plotted on U. S. C. & G. S. Coast Chart
Plotted on Sur. Div. W. S. Map
Sketch on this Page Card

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Triangulation Sta Burbank K-12 B Approx ℄ of N. Gramercy To the S. + 4' ± S. of S. end of P.E. on Franklin Ave

To Burbank K-12 B Pg 40

105175 N. from E
73,900 N. from W

60

N. GRAMERCY PL

90°

set spk + T.

1+20

BASE LINE ON FRANKLIN AVE
ESTABLISHED TRIANGULATION STATIONS
BURBANK K-12 B + BURBANK K-12 E
FOR MEASUREMENTS SEE FB 796-25
FOR PROFILE SEE FB 796-27

1 set spk T

N. GRAMERCY PL

FRANKLIN AVE

½ set spk + T

El. 421

90°

set spk + T

60

Triangulation Sta. Burbank K-12 A. 4' ± S. of S. end of P. Bon Franklin Ave and 130' ± W. of W. curb line of N. Gramercy To the N.

FORM 247 SM 10-37

F.B. 796 PG. 40

Plotted on Geo. Index U-3
Placed on U.S.G.S. Quad. This.....
Placed on Sec. Dig. W.S. No.....
Sketch on Dwg. Base Card.....

WS 40-C-6

Triangulation Sta Burbank K-RB See Pg 39

To Burbank K-RA See Pg 39

2+10

N GRAMERCY PL

73.900M from M
105.175M from Ø

2 set spike T

½ set spike T

FRANKLIN AVE

1 set spike T

N. ST. ANDREWS PL

½ set spike T

FRANKLIN AVE

El. 419

BASE LINE ON FRANKLIN AVE BETWEEN TRIANGULATION STATIONS BURBANK K-RB AND BURBANK K-RB. FOR MEASUREMENT SEE PG 19-26 FOR PROFILE SEE PG 1-27

Triangulation Sta Burbank K-RQ, 96'± W of W. curb line of N Garfield Pl. and 4'± S. of S. R/W of P.E. on Franklin Ave

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS, 41-B-6

BASE LINE ON SAN FERNANDO RD
BETWEEN TRIANGULATION
STATION GIENDALE H12 AND LAI-IA
FOR MEASUREMENT SEE FBT-7-28
FOR PROFILE SEE FBT 7-30

Notes Ck'd by
Map Noted
Office Work
Checked
Date

Survey of Reconnaissance F. B. 7296 Pg.
W. O. 4492 Tape No. Std
Surveyed by S.E. Butler Date 3-2-38
Notes P.M. Kinney
Indexed P. C. Fahnestock

MACON ST

TRIANGULATION STATION GIENDALE H12 2.1'E OF ℄ OF SAN FERNANDO RD 3.1'N OF ℄ OF MACON ST

EREDRICK ST

TRIANGULATION STATION LA1-IA 2.1'E OF ℄ OF SAN FERNANDO RD APPROX ℄ OF FUTURE ST.

246.7' ON FRONT'S 0.00 N GOING S.

FUTURE ST

K 745

½ 1 ½ 2 ½ 3 ½ 4

SAN FERNANDO RD

NOTE
ALL SECTIONS ARE
MARKED WITH +

E 1 3.4 B.)

T 2 N R 13 W SEC 29 46

F.B. 796 PG. 42

355,275M from N

7+10
60°
40°
7

set +

Triangulation sta
LA I-1, 2'±E of ℄ of
San Fernando Rd
on Fence Line prod.
W. of Winery #1308
San Fernando Rd

½
6
½
5
½
4
½
3
½
2
½
1
½

BASE LINE ON SAN FERNANDO RD. BETWEEN TRIANGULATION STATION LA I-1A AND LA I-1
FOR MEASUREMENT SEE FB T-1-29
FOR PROFILE SEE FB T-1-30

ALL SECTIONS ARE NOT MARKED WITH +

ELM ST

Triangulation sta LA I-1A
see Pg 41

(EL 354)

FUTURE ST

From Gind Hgt
See Pg 41

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W5.41-B-6

W3.7 C-2

| | |
|---|---|
| Notes Ck'd by | Survey of Metropolitan L.A. F.B. 746 Pg. 45 |
| Map by | W. O. 4962 Tape No. St'd of |
| Office Work | Surveyed by S.E. Piller |
| Checked | Notes R. L. Willow Date 3-24-38 |
| Date | Indexed |

1+45.50 on 2 22

P-5,47

N 20°

To K 8-5 see p 946

E. 6TH ST

95.478 M From S= 00 M Being N

6'0 90° 90° SET B. SPK+T.

SET B. SPK+T. 9.00 6.0' 1+45 SET B. SPK+T.

Triangulation Sta LA 88 A 13' E of West Curb of St Louis 6' ± S. of S. Curb Line of E 6th St.

K8B ?

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

ST

LOUIS

½ SET B. SPK+T

ST

9.00 SET B. SPK+T.

6'0

Triangulation Sta LA K 8-A 12' ± E of W. Curb of St Louis St 115' ± N. of N Curb of Hollenbeck Dr.

(El. 307)

HOLLENBECK DR

BASE LINE ON S. ST LOUIS ST BETWEEN TRIANGULATION STATIONS LA K 8-A AND LA K 8-B FOR MEASUREMENT SEE F.B. T8-1 FOR TIES SEE F.B. T8-3

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS 7-C-2

Blueline Print Ordered .....
Placed on U. S. C. & G. Chart Sheet .....
Placed on Sur. Ch. U. S. Hy. .....
Sketch on Geog. Disc. Card .....


BASE LINE ON S. ST LOUIS ST BETWEEN TRIANGULATION STATIONS S. LA 178, AND L.A. 686,
FOR MEASUREMENT SEE FB 178-64
FOR PROFILE SEE FB 178-64
W. 1361.4 FT. FROM CORNER No 1 OF 12½ ACRE LOT
S. 1211.2 E. 9.9 FT. FROM CORNER No 2 OF 12½ ACRE LOT
SET SPK HT
SET IRON PIPE
SET SPK HT
SET IRON PIPE
SET SPK HT
SET IRON PIPE

W 3.3 - 6.4 W

| | | | |
|---|---|---|---|
| Notes Ck'd by | Survey of METROPOLITAN L.A. | F.B. 796 | Pg. 47 |
| Map No. | Job No. 0496 Tape No. | St'd | OF |
| Office Work | Surveyed by S.E. BUTLER | | |
| Checked | Notes R.D. Willey Date 7-24-38 | | |
| Date | Indexed A. Cochrane | | |

Plotted on Cen. Index Map
Plotted on Sta. Dir. W. S. No.
Sketch on Geo. Base Sheet

Triangulation Sta.
H9-B 3'± W of ℄ of
McGarry St in front
of Hse. # 92±

To H 9 A 1 2
Pg. 48

angle pt

6'
90°

68.89 M. from E. ℄
00 M. going W S

0 1/4 15 set B.S PK & T

0 1 set B S PK & T

1/2 set B. S PK & T.

BASE LINE ON McGARRY ST.
BETWEEN L.A. CITY & HANDLING
FOR MEASUREMENTS SEE FB T-8-4
FOR PROFILE SEE FB T-8-6

McGARRY ST

E. OLYMPIC

(El. 246)

Triangulation sta
H 9 A 3'± W of ℄ of
McGarry St and 6'±
S. of S. curb Line of
Olympic Blvd

BLVD

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 SM 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS. 3-C-4

Based on Sec. Index Record
Plotted on [illegible] Sheets
Plotted on [illegible] W. S. No.
Sketch on Base Sheet Card

F.B. 716 Pg. 22

BASE LINE ON MISSION GARFIELD ST
BETWEEN TRIANGULATION
STATION LA H98 AND LA H96
FOR MEASUREMENTS SEE FB786-1
FOR PROFILE SEE FB78-6

TRAVERSE STATION
MISSION GARFIELD ST
W 40.0
N 3°± E
(Line Equal)

6" I.P. IN MON. IN CASE
0.1' FROM N. & 1.0' FROM W.
SET B.S.P.K.T.

SET B.S.P.K.T.

1 FL 2.46

TRAVERSE STATION

W5.2-C-4

| | | | |
|---|---|---|---|
| Notes Ck'd by | | Survey of Metro politan Lit | F.B. 796 Pg. 47 |
| Map No. | | W. O. 4491 Tape No. | St'd OF |
| Office Work | | Surveyed by S. E. Butler | |
| Checked | | Notes F. L. Willey Date 3-28-38 | |
| Date | | Indexed A. C. Johnson | |

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

N SPRING

Triangulation Sta
LAGGC, 4'± N of N Curb
of Alley 1'± S of N. Curb of
Temple

PARKING LOT

ALLEY

ST.

BASE LINES ON TEMPLE ST.
BETWEEN TRIANGULATION
STA. LAGGB AND LAGGC
FOR MEASUREMENT SEE
FBT8-
FOR PROFILE SEE FBT8-12

sett in sidewalk 6.0 90° 72.071 METERS From W.

1+20 set spk+T

1 set spk+T

½ set spk+T.

El. 338.1

set spk+T 90° 6.0 00 M. GAUGE
00 M Going W.

Triangulation Sta LAGGB
1'± S of N. Curb of Temple St
2'± W of E curb line of N. Broadway

N. BROADWAY

TEMPLE

FORM 247 5M 10-37

F.B. 796 PG. 50

Marked on Geo. Index Card
Placed on [illegible] Cons. Sht.
Placed on [illegible] W. S. No.
Sketch on Geo. Desc. Card

W.S. 2-C-4

Triangulation Sta
LA G 8 1/2 9'± S of N curb
of [illegible]
38'± W of W RAIL OF RR

154.390 M.T. TO FIUME

3" set spk +T

RR RAILWAY

3/4" set spk +T

N HILL ST.

BASE LINE ON TEMPLE ST.
BETWEEN TRIANGULATION
STA LA G 6 3 AND G 6 6 C
FOR MEASUREMENT SEE
FB 7-8-11
FOR PROFILE SEE FB 78 43

N HILL ST

6" set spk +T

1/2" set spk +T

El. 338

Triangulation Sta
LA G 6 B see pg 49

S BROADWAY

TEMPLE

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W5.40-B4

Notes Ck'd-by
Map No.
Office Work
Checked
Date

Survey of Mohape & L.F.
W. O. 491 Tape No. St'd °F
Surveyed by S.E. Barker
Notes G. Reinick Date 3-25-31
Computed by A. C. Jones

F.B. 796 Pg. 51

Noted on Geo. Index Card
Plotted on U.S.F.S. Quad. Shts.
Placed on Sky Hiv. W.S. No.
Sketch on Geo. Index Card

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

No. HIGHLAND AVE. BASE-LINE
— HOLLYWOOD.

COLUMBIA

BLVD.

AVE.

HIGHLAND

260'

90'

No.

(House No 2314

(El. 490

0+00 = Sta "A"
Hollywood HIIA
Burbank.

TO Hollywood Bowl
"LAUREL DR."

Note: For levels see
F.B. T-8/7
For invar measurements see
F.B. T-8/8

"B" Burbank.
Sta. 2+47.76 Hollywood HIIB meters from north
= " 0+00 to south.

Burbank.
Hollywood HIIC

To Sta. "C" See pg. 52.

F.B. 796 Pg. 52

Notes cont'd from bot pg. 51.

Plotted on Gen. Index Card
Plotted on U.S.C.S. Quad. Sht's.
Plotted on Sur. Div. W.S. No.
Sketch on Gen. Descr. Card

W5.96-B-5




RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS3-C-245

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Metropolitan L.H. F.B. 796 PG. 53
W. O. 4915 Tape No. St'd of
Surveyed by S.E. Butler
Notes R.A. Willey Date 3-28-38
Indexed C. Johnson

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts.
Placed on Sec. Div. M. & Ms.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on this Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

S. OLIVE ST.

114.832 M from E

Triangulation Sta. LA F 7 B 8'± N. of N. Curb line of W. 6th St. 2'± E. of ℄ of Olive

4c set spk + T

2+10 set spk + T

2+52

02 set + in walk

+½ set + in sidwalk

+1 set + in side walk

+½ set + in walk

set + in Gutter

(El 269)

BASE LINE ON W 6TH ST BETWEEN TRIANGULATION STA LA FETA AND LA F 7 B FOR MEASUREMENT SEE FBT-B-13 FOR PROFILE SEE FB T8-15

W. 6th ST.

Triangulation Sta LA F 7 B + 4 + W. of curb Line of Hill St. 7 M 8'± N of N. Curb line of 6th St.

0.0 M going W

S. HILL ST.

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Name
Phone
Shasta

F.B. 796 PG. 54


W 5TH ST
W 5TH
S OLIVE
S OLIVE ST
TALBERT
EL 269
N 6TH
6°
90°
6°
½
½
½
½
1
1
1

| | |
|---|---|
| Notes Ck'd by | Survey of GEODETIC CONTROL |
| Map No. | JN 2301.00 Tape 138 Std 84 °F. |
| Office Work | Surveyed by A.C. GUIZADO |
| Checked | Notes BAZEN Date 10-23-61 |
| Date | Indexed M. E. OTT OCT 27 '61 |

F. B. 796 PG. 55

# L.A. COUNTY SURVEY CONTROL SYSTEM
## TRIANGULATION STATION "BELL F-7

T = 80°
83.47 = 83.48
NO OTHER CORR.

1. 89° 48' 50"
4. 359° 15' 20"
   89° 48' 50"
6. 178° 53' 00"
   89° 48' 50"
1. 92 - 07 - 40
4. 368 - 30 - 10½
   92 - 07 - 32½
6. 192 - 45 - 20
   92 - 07 - 33⅓

NOTE:
UNABLE TO SEE TRIANG. STATIONS EAST OR WEST DUE TO OBSTRUCTIONS.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.




76F309S S&E #247 1-56

F. B. 796 PG. 56

— DESCRIPTION —

# TRIANGULATION STATION BELL F-7

THIS STATION IS IN THE COUNTY OF LOS ANGELES, IN THE CITY OF DOWNEY AND ON FIRESTONE BLVD. ABOUT 1190 FT EASTERLY FROM THE EAST SIDE OF THE RIO HONDO BRIDGE AND 24.0 FT. SOUTH OF APPROX. ℄ OF FIRESTONE BLVD. IN A WELL CUT THROUGH THE PAV. AND PROTECTED BY A CAST IRON COVER MARKED, "COUNTY ENGINEER MONUMENT."

STATION MARK: FD. A STD. 4" INCH. BRASS CAP TRIANG. MON. SET IN CONC. 16" BELOW PAV. GRADE AND STAMPED "RE. 2177 BELL F-7, 1938" PER F.B. 796 - 161, 171, 173, 243.

REFERENCE MARKS:

R.M. NOS. 1 & 2 FD A STD. 2" PRECAST C.S. MON'S. SET 18" BELOW STREET GRADE AND STAMPED "BELL F-7, RE. 329." PER F.B. 796-243.

R.M. NO. 5: SET A STD. 4" BRASS CAP REF. MON IN TOP OF A CONC. CATCH-BASIN AND STAMPED, "BELL F-7, R.M. NO. 5, 1961, L.A. CO. ENGR. RE. 5869."

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 10M 5-31

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Book Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. Sh'd of
Surveyed by
Notes
Indexed Date

F.B. 792 PG.

RETURN TO

**LOS ANGELES COUNTY SURVEYOR**

700 HALL OF RECORDS

**Note:** ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN **Red Ink.** WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

F.B. 796 Pg.

FORM 247 SM 10-57

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

Noted Grid by
Map No.
Office Work
Checked
Date

Survey of
Tape No. Std. of
Surveyed by
Notes
Indexed

F.B. Pg.

STANDARD
TRAVERSE
MONUMENT

STANDARD
REFERENCE
MONUMENT

Typical
6" w.c. cover
Pavement
2 sack cushion
conc. base
2" brass cap
3/4" pipe

L.A. COUNTY SURVEY TRAVERSE STATION

L.A. COUNTY SURVEY REFERENCE MONUMENT

SET BY

FOR CONNECTION SEE COUNTY SURVEYOR

SYSTEM

DISTANCE

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS.7-D-4

Tracked on Base, Tracing Record
Placed on U.S. G.S. Quad Sheet
Placed on Sec. Twp. Rge. W.S.No.
Sketch on Geod. Control Card




F.B. 796 PG. 78

R.M. N 92.
Set a 8" I.P.
Conc. plug and
Tack in conc.
12" below curb
9' Mon. Ctr. 3-4-41

Set a standard Triangular monument in well 32° N. of S.W. line of Slauson Ave. 10' E. of W. line of Everett - stamped - WATTS 4.2 Set by City of Huntington Park RE. 4239 1938

Ⓒ 106-20-15
Ⓑ 65-21-30
Ⓐ 278-01-30
106-20-25

Ⓒ 81-27-30
Ⓑ 294-28-30
Ⓐ 73-29-30
79-39-35

RM No. 1
Set a std 4" tube in conc. 10' beyond curb. Mon. with 3" DPOST stamped: "WATTS 4.2 RM No. 1" Elev. 217.1' Datum of Elevations is U.S.C. & G.S. Mon. Sta. 4-42.


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of
Tape No.
Surveyed by
Notes
Date 6/3/36
Indexed
F.B. 706 Pg. 79
W.S.7-C-4
W.S.7
R.M. No 1: Set a 3/4" I.P. conc. plug, + tack in conc. 16" below Street level. Mon. set 1-21-42
AVE W
PAV.
R/W
L.A.R.P.
ELLE
PAV.
ST.
OIL + Nash PAV.
PERALTA
L.A.R.P. 4 R/W
To WATTS J27
Tape #027
Sml @ 68°
79.24' @ 70°
96.44' @ 70°
82.005' @ 70°
① 51-57-15
② 207-49-15
⑥ 311-44-00
51-57-20
Set Std. Traverse Mon. 85' So. of So. Curb & 57.49' E. of E.L. of Peralta Ave. in E.L. of L.A.R.P. 4 R/W
From Top P.I. 80 - WATTS J28
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notice this side of this line
FORM 247 10M 11-35

F.B. 796 Pg. 80.




RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Set spike, Traverse Mon. No. 1, 3' Northerly from Slauson and Pacific, 34.3' W. & 0.6' S. of W.S. Monument, 3" Dia. Stamped Watts J-2C, Slauson and Pacific, 5' E. of W.S. Monument, 5' E. of W.S. Monument in concrete curb, Elev. 199.8 City of Los Angeles Datum, Ref. to C.E. 1-33.

R.M. No 1
Set a std. 4" br. tablet in conc. 24" below curb grade and marked: "L.A. CO. SURV. CONT. SYS. REF. MARK", and stamped: "WATTS J-2B, R.M. No 1, Elev. 211.77" and "SET BY COUNTY SURVEYOR, 1942".

R.M. No 2.
Set 3/4" I.P., conc. plug + tack in conc. 18" below street grade

| | | |
|---|---|---|
| 44.435 | @ 71° | = 44.435' |
| 85.03' | @ " | = 85.035' |
| 38.57' | @ " | = 38.57' |
| 57.795' | @ " | = 57.795' |
| 88.86' | @ " | = 88.865' |
| 61.405' | @ " | = 61.405' |
| 70.18' | @ " | = 70.18' |

Tape Corr. +0.04'

| | |
|---|---|
| ⑤ | 58-49-00 |
| ④ | 235-16-00 |
| ⑥ | 352-54-00 |
| | 58-49-00 |
| ① | 25-52-00 |
| ④ | 103-28-00 |
| ⑥ | 155-12-30 |
| | 25.52-05 |

(3)

W.S.2-C-V

| | |
|---|---|
| Notes Ck'd by | Survey of BELL TRACT |
| Map No. | W. O. 4905 Map No. St'd °F. |
| Office Work | Surveyed by R.B. Fowler IV |
| Checked | Notes Hoffman Date June 38 |
| Date | Indexed |

F.B. 796 PG. 81

Build on Base Facing Sheet
Placed on U.S.C.&G.S. Quad. Sht.
Placed on Star, Thy. W.S. Bk.
Sketch on Base Sheet

To Hoffman Pg 80 WATTS J2B

W.S.#7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-35

BLVD. — WALK Line — 15' — 37.4 — 89.8 — 7.5' — R=10' — Fd L+T — RANDOLPH ST. — Macadam — 31.3 — 31.8 — 30.8 — 108 — RE — 22.9 — 19.0 — 8' — R=10' — Fd. L+T. — Walk Line — 15' — To Watts J-2D-2 — 80.66' — 61.88' — 52.10' — 83.81' — 155-41-00 — P. Road — ST. — Pav. — LAKE — PACIFIC — Ocean — To Watts #2 Top Pg. 116 — R.M. Nail — Set Sqr. 1.2 conc. plug + tack in conc. 18" below street grade Mon. Set 1-21-42 — WALK Line — From Top #22 WATTS J4A

52.10' @ 68°
61.88' @ "
83.81' @ "
80.66' @ "
Top #027
Std @ 68°

(1) 155-41-00
(4) 262-44-15
(6) 214-06-20
155-41-05

Set Sqr. Nail in Conc. Walk at Intersection of Randolph St. & Pacific Ave. 29.9 S. & 29.9 E. of Property Corner. Set N. end of Curb of Randolph St. 31.3 E. of Property Corner. Concrete Monument Watts J-2D-2 Ctl. of Randolph St. & P.E. 1233. 1938.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.7-C-5

W.S.#7

-96.96 MM.

To Bothwell 1981 WATTS U.R.A.

To Watts U.R.A. pg. 83

Florence Ave.

F.B. 796 PG. 82

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 7-C5



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W5.7-C-5




F.B. 796 PG. 84

Based on Sup. Index Sheet
Plotted on U.S.C. & G.S. Supplemental Sht.
Plotted on Sht. Dwg. W.I.No.
Shaded for Area Index Sheet

W.5.7

(Set 3/4" Tourist pc Monument in Clyd of South Cable of Long Beach 22nd St. E. of W. curb of Long Beach Blvd N. of N. curb of Cole Pl. and 12.5 In well 10" deep. Stamped Watts J.S. - Set by County Surveyor - RE 2177 - 1938)

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 7-C-6



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.7-C-6

W.S. #7

F.B. 796 PG. 86



FORM 247 10M 11-55

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.32-A-1




Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Blvd
W. O. 4124 Tape No. Std. °F.
Surveyed by Emerson Date 6/3/38
Notes Indexed

F.B. 706 Pg. 17

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 32-A-7

Tested on Ground
Plotted on U.S.C. & G.S. Maps
Plotted on State Plane Coord. Sys.
Sketch on Geog. Desc. Card



FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 7-C-6



F.B. 796 PG. 90




W.S. 32-A.2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 10M 11-55

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 32-A-3



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

W3.32-A-3

Ticked on Base, Index Card
Plotted on U.S.G.S. Quad. Sht.
Plotted on Sec., Twp., R.S.M.
Sketch on Geod. Recs. Card

W3.32
NEW TIES SET
12-8-60
BAY

SET LATAG

SET LATAG

SET LATAG

SET LATAG

SET LATAG

SET LATAG

20.09

61.80

59.20

59.85

12'

30'

70'

CONC. WALK

CONC. WALK

CONC. WALK

CONC. WALK

LONG BEACH BLVD.

To Compton

To Long Beach

TUCKER ST.

Set standard Reference mon. in bottom of Cb. in parkway on line with c/l of conc. water tank tower x 2'±S. of Tucker St. x 26° W. of W.C.R. line of Long Beach Blvd. 3.W.Con. - Stamped R.M. - 1 W.M. W.T.S. 4.12 set by Co. Surv. R.E. 2177 1952 NO EVID. 12-8-60 BAY

Top of City (Compton) water tank tower used for line

Set standard Reference mon. in bottom of Cb. at E.C.R. of Long Beach Blvd. 340° W. of E.C.R. line of Tucker Ave. + 12'± S. of N. C.R. line of Tucker Ave. Stamped W.M.T.S. 4.12 set by Co. Surv. R.E. 2177 1952

Area Under Jurisdiction of Compton

Area Under Jurisdiction of Long Beach

Ø 74-38-12E
Ø 74-38-12E
Ø 74-38-12E

F.B. 796 PG. 98

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change

**Do not extend notes this side of this line**

WS.32-A-4

Set std traverse mon. in 12" well - 3' W. of E. cb. of Long Beach Blvd. - 37³ S. of S. cb. line of S. Calif. Gas Co. Dr. - Stamped Compton LJA set by Co. Sur. P.E. 2177 1938




Notes Ck'd by _____

Map No. _____ Tape No. _____ Std. _____ °F.

Office Work _____ Surveyed by _____ Date June 38

Checked _____ Notes _____

Date _____ Indexed _____

Marked on Rec. Index Card _____
Plotted on U.S.C.&G.S. Quad. Shts. _____
Plotted on Co. Dir. W.S. No. _____
Sketch on Dup. Descr. Card _____

W.S. 32

F.B. 72 PG. 93

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.7 - C-4

F.B. 796 PG. 94



FORM 247 10M 11-55

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS. 7-D-4

Set Standard Traverse Mon. in to West - 448' N. of M. (B.) of N. Tracks of P.E. Ry. & 26'E. of W.C.L. line of State St. N.W. Cor. - Stamped WATTS K-2 - set by City of Huntington Park - R.E. 4233 - 1936

To bottom pg. 96

+ WATTS L 2A

RANDOLPH

P.E.

RANDOLPH

STATE

ST.

Cons.

Pav.

Cons. Pk.

449'

26'

S 87° 53' 33" W

To WATTS J 320'

25°-40'-20" 102.41' 250.40-262.41 -25' adj.

@ 25°-40'-20"

25'

41.7'

31.0'

31.0'

RY R/W

ST.

S 87° 53' 33" W

W.S. 7

From Set P.K. 94 WATTS J 320'

Set Standard Reference Mon. flush with P.E. Ry. R/W 25' S. of S. curb of N. barrell of Randolph St. & 441' W. of W. edge of Sidewalk @ N.W. Cor. of P.E. R/W & State St. & on a line with a L.T. set in S. end of S. barrell of Randolph in line with 10" Tree in P. Way. From WATTS K-2 - set by City of Huntington Park - R.E. 4233-1936

Set L.T. in C.B. 3' E. of P.E. C.R. S.E. Cor. of Randolph & Cedar Sts.

Notes Ck'd by _____
Mast No. _____
Office Work _____
Checked _____
Date _____

Survey of W. Olympic Tape No. 0.12 Std. °F.
Surveyed by Emmett Date 6/1/56
Notes _____
Indexed _____

F.B. 706 Pg. 95

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.7-D-4


Los Angeles County Surveyor
Map Unit
Pl. No.
Sketch on desc. sheet
BELL 9-3"
BELL 93
R/W
CT
Old Road
Tapia Ave.
Tapia Ave. 129.75
Old Road
Tapia Ave.
Tapia Ave. 129.75
Old Road
Tapia Ave.
Tapia Ave. 129.75

FORM 247 10M 11-38

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS7-D-4

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. O. 4505 + Tape No. 026 Std. ☐ ☐ F.
Surveyed by R B Emmett
Notes Date June 34
Indexed

F.B. 775 PG. 97

Set 4" Standard Tack-e, Mon. in 12" Well - Stamped Sta. R3 - Set by City of Huntington Park R.E. 4233 - 3.8' ± 42° N. of S. side of Br. 2565 of W. Curb line of Randolph St. & 22.8' E. of W. curb line of Corona Ave.

8" Carob Tree (in Parkway)

94-54-00
94-55-30
94-55-30
55.40
74.88

CORONA AVE

30'

N 30° E (M'd)

233'

253'

94° 52' 55"

300'

RANDOLPH ST.

(Unimproved)

228'

74.88

PACIFIC ELECTRIC

293'

51

R/W

Set 4" Standard reference Mon. in Apex Section of P.E.Ry. R/W Between double track - Stamped R.M. Sta. BELL R3 - Set by City of Huntington Park. R.E. 4233 - 3.8 - on a line prod. from a Lot. set in W. side of Corona Ave. - Approx. line of 8" Carob tree - Sta. 4+11.2 - 223' N. of N.E.C.R. N.W. Cor. Randolph & Corona - R.M. is 5' N. of N. face of S. track & 293' E. of Corona line - Calif.

Map on Rec. Index Card
Planned
Placed on Star. Rec. W. S. No.
Sketch on Cons. Book

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 36-A-5

Added on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Sht's.
Placed on Sec. Div. W. S. Ma.
Sketch on Geo. Desc. Card



FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

WS.7-D-4




Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. O. 4295 Tape No. Std. °F.
Surveyed by P.S. Engineer
Notes Ground Date June 32
Indexed

F.B. 704 Pg. 44

① 92-06-45
② 08-27-00
③ 192-41-00
92-06-50

RANDOLPH

19.2.55' @ 68° = Same.
16.60' @ " = "
25.89' @ " = "
9.76' @ " = "
16.11' @ " = "

① 39-51-00
④ 159-24-15
⑥ 239-06-00
39-51-00

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W5.7-E-4



FORM 247 10M 11-35

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

W5.36-A-5




Notes Ck'd by
Mad No.
Office Work
Checked
Date

Survey of
W. O. 2267 Tape No. St'd °F.
Surveyed by
Notes Date
Indexed

F.B. 1998 PG. 101

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W5.36-A-5




F.B. 796 PG. 102

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

W5.36-A-5



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red** Ink With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS 7-C-4



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

WS 7-D-9

| | |
|---|---|
| Notes Ck'd by | Survey of Beach Tract |
| Map No. | W. O. [illegible] Tape No. [illegible] Sta'd 62 °F. |
| Office Work | Surveyed by EMMOTH |
| Checked | Notes Farmer Date 6/10/34 |
| Date | Indexed |

F.B. 706 PG. 105

Plotted on Rec. Index Card
Plotted on U.S.C. & G.S. Quad. Sht's.
Shown on Surv. Rec. W. S. No.
Sketch on Orig. Rec. Card

To Botham pg. 18

TO WATTS L2R & WATTS L2B

W.S.7

AVE.

Pav.

40'

5'

82.94' @ 60° = 82.935'
84.805' @ 4 = 84.80'
95.645' @ 4 = 95.64'

STATE

R.+O. Pav.

5T

TRAV. STA. "WATTS N-2"

19.2'

22°00'30"

25'

AC Pav.

56.09-45

82°39'30"

26.5

Conc. Pav.

.5

5.9

.5

11.5

70°

9.7

SLAUSON

67'

95.64'

84.80'

4.7'

TO WATTS J2R

From Top pg. 104

Set Standard Tack in top of Conc. Mon. in L2 Watts Ave. S. of S.E. Cor. of Slauson Ave. & Conc. 268 E. of W.C.L. line of State St. & 5' N. of C.L. of Slauson. Stamped "WATTS 1938 RE 62233" Set by C.H. Huntington

① 22-00-30
② 88-02-15
③ 182-03-15
72-00-30½

① 56-09-45
② 224-39-00
③ 336-59-15
56-09-42½
45

R.M. N°2 Set Standard Tack in top of conc. Mon. in L2 Watts Ave. S. of S.E. Cor. of Slauson Ave. & Conc. 268 E. of W.C.L. line of State St. & 5' N. of C.L. of Slauson. Stamped "WATTS 1938 RE 62233" Set by C.H. Huntington 1-29-42.

R.M. N°1 4" Br. tablet in conc. curb 95' E. of W.C.L. of State St. & 18' S. of C.L. of Slauson. Stamped "WATTS 1938 RE 62233" Set by C.H. Huntington 1-29-42.

R.M. N°2 Set 3½" LP conc. P.I.G. in conc. 18' S. of C.L. of Slauson. Stamped "WATTS 1938 RE 62233" Set by C.H. Huntington 1-29-42.

FORM 247 10M 11-33

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS 7-E-4

F.B. 796 Pg. 106

WS #7




Sketch on Blue Print
Plotted on U.S.C.&G.S. Plane Co. Sys. Zone V, U.S.A. No.
Plotted on Sanborn Map
Based on Geod. Bearings

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

W5.7-C-5

Set stk. Traverse mon. in lane 33± S. of M.S.B.&M. Florence & 38.9 W. of W. C.L. line of Santa Fe Ave. NW. Cor. Stamped WATTS 14 JST BY C.E. of Huntington Park R.E. 4233 1938




37.11' @ 68° = Some
46.61' @ " = "
76.445' @ " = "
39.145' @ " = "
48.99' @ " = "
Tape #027 Std. @ 68°

Notes Ck'd by
Mad No.
Office Work
Checked
Date

Survey Book
W.O.
Surveyed by
Notes
Indexed
Date

Posted on Geo. Index Card
Plotted on U.S.E.S. Quad Sht.
Plotted on Sur. Info. U. Sht.
Shaded on Geo. Index Card

F.B. PG. 107

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.7-C-5


WATTS 49th
FLORENCE AVE
Conc. Pav.
Conc. Pav.
To Bottom
15'
15'
15'

N.S.7-D.F.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 3M 11-42

Notes Ckld by
Map No.
Office Work
Checked
Date

Survey of General Geod.
W. O. [illegible] of
Surveyed by [illegible]
Notes [illegible] Date 1-29-42
Indexed [illegible]

F.B. 796 Pg. 109

Noted on Geo. Index Card
Plotted on U. S. C. & G. S. Quad. Shts.
Plotted on Sec. Twp. W. B. M.
Sketch on Geo. Desc. Card

L.A. CO. SURV. CONT. SYS. - TRAV. STA. "WATTS K-4A"

R.M. No 2. Set 4" x 4" x 18" Conc. Monument with nail & tag stamped "L.A. Co. Surv. Cont. Sys. - Ref. Mark and Stamped: Watts K-4A R.M. No 2, Elev. 177.0 Set 1942"

TRAV. STA. "WATTS K-4"

FLORENCE AVE.

MISSION PL.

16.0' 40.2' 16.0' 4'

4' 4' 144' 21.2'

6' 70'

R=10' R=10'

84.27'

50°56'40"

98.57'

39°18'50"

50.745'

25.6'

12.2'

9.6' 6.3' 5' 15.0'

R.M. No 1
Set d 3/4" I.P. conc plug + tack in conc 1.5" below Walk gr. Mon Set 1-29-42.

TRAV. STA. "WATTS K-4A"

(D) 39-18-45
(A) 157-15-00
(B) 285-53-15
39-18-52½
50

98.57' @ 64° = same
50.745' @ " = "
84.27' @ " = "

(D) 50-56-30
(A) 203-46-30+
(B) 305-40-00
50-56-40

Sec. F.B. 796/109

F.B. 796 PG. 110

~ DESCRIPTION ~

L.A. CO. SUE. CONT. SYS. - TRAV. STA.
"WATTS K-4A."

See F.B. 796/109.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 7-D-5




Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. O. 4402
Surveyed by EMP
Notes FB 3121
Tape No. 612 Std. 25' C.F.
Date 11-28-38
Indexed

F.B. 796 PG. 111

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 7-D-5

Subdivision Base, Index Card
Planimetric Base, U.S.C. & G.S. Quad. Shts.
Plotted Topo, U.S.G.S.
Sketch or Misc. Base, Index Card




F.B. 796 Pg. 112

| | |
|---|---|
| Notes Ck'd by | Survey of BELL AREA |
| Map No. | W. O. 1905 Tape No. 027 St'd 66 F. |
| Office Work | Surveyed by Emmott |
| Checked | Notes Fenner Date June 38 |
| Date | Indexed |

F.B. 796 Pg. 113

W5.7-

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-38

Note: Tie from Sta. 32+57.5 Florence Ave. on C.L. of Atlantic Blvd. as shown on B.M. Book 22 Pg. 44 City of Bell to Sta. 12+67.7 1938 Florence Ave. on C.L. of Atlantic Blvd. as shown on B.M. Book 22 Pg. 44 City of Bell

Tie from Sta. 32+57.5 Florence Ave. on C.L. of Atlantic Blvd. as shown on B.M. Book 22 Pg. 44 City of Bell to Sta. 12+67.7 1938 Florence Ave. on C.L. of Atlantic Blvd. as shown on B.M. Book 22 Pg. 44 City of Bell

Tie from Sta. 32+57.5 Florence Ave. on C.L. of Atlantic Blvd. as shown on B.M. Book 22 Pg. 44 City of Bell to Sta. 12+67.7 1938 Florence Ave. on C.L. of Atlantic Blvd. as shown on B.M. Book 22 Pg. 44 City of Bell

NOTE: TIE FROM SET ON C.L. FLORENCE AVE. FROM BELL B-4, AUX #1 FROM BELL B-4, AUX #3

Conc. Pav.

FLORENCE AVE

Conc Pav.

R+O Pav.

Ex Conc

From Top Pg. 112

Fd. L+T.

Aux #3 Bell B4

Atlantic

Pav.

3 Sec. Pump Conc. Base

Fire Hyd.

Bell B-4 Aux. #1.

| | |
|---|---|
| 58.675' @ 68° | = Same |
| 86.20' @ " | = " |
| 93.63' @ " | = " |
| 85.93' @ " | = " |
| 74.60' @ " | = " |
| 75.63' @ " | = " |
| 32.955' @ " | = " |

① 70-48-15
④ 283-13-15
⑥ 64-47-45
70-48-47½
20

① 109-11-45
④ 76-46-45
⑥ 295-10-15
109-11-45
40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS.7-D-5

W.S.#7




ST.

SANTA ANA

AVE.

CTS

To Foot Pg 112
BELL Rd

From Foot Pg 132
BELL Rd

set standard Traverse mon. in E. wall. 19.3 ft. N. of E. face of Ohio Ave. 4 ft. W. of E. line of Santa Ana St. 22 ft. W. of E. line of Ohio Ave. N.E. cor. stamped BELL AD- set by City of Huntington Park RE 4233' 1958

F.B. 796 Pg. 114

NOTE Storm drain constructed at this station destroying monument

set standard Traverse mon. in E. wall. 19.3 ft. N. of E. face of Ohio Ave. 4 ft. W. of E. line of Santa Ana St. set by City of Huntington Park RE 4233' 1958

W5.7-B-d

| | |
|---|---|
| Notes Ck'd by | Survey of 3RD AVE |
| Map No. | W. Co. 93 Tape No. St'd °F. |
| Office Work | Surveyed by R.B. Emmett |
| Checked | Notes Nadine Date JUNE 38 |
| Date | Indexed |

F.B. 96 Pg. 116

Noted on Geog. Index Card
Plotted on U. S. C. S. Quad. Sht's.
Plotted on Gen. Div. W. S. No.
Sketch on U.S.C. Desc. Card

To left Pg. 80 ± WATTS J2B

70²

R/W

AVE

28²

Set standard reference mon. flush in apparent center of double tracks of S.P.R.R. on line with Ames Bonding Co. WATTS tank tower & 32' E. of E. rail of W. track of S.P.R.R. & 24⁶ N. of N. rail of A.T. & S.F. Stamped R.M. #1 WATTS 1938 Set by City of L.A. R.E. 12.33 1938

SOUTHERN PACIFIC R.R.

24⁶

32'

75.22

161°

13⁴

33'-2½"

45²

To WATTS J2 ±

Set standard traverse mon. in 14" walk 45² S. of S. rail of A.T. & S.F. R.R. & 13⁴ W. of N. rail of W. track of S.P.R.R. - Stamped WATTS #2B Set by City of Los Angeles Park - R.E. 12.33 1938

To Right Pg 116 WATTS #2B

R/W

ALAMEDA

30² ST.

A.T. & S.F. R.R.

SLAUSON

① 161-33-30
② 286-13-30,"
161°-33-22½

75.22 90° 70.228

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

Water tank to be used for sight

FORM 847 (REV. 11-38)

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS.7-C-4

Do not extend notes this side of this line



| | |
|---|---|
| Notes Ck'd by | Survey of BE... |
| Map No. | W. O. [redacted] St'd & F. |
| Office Work | Surveyed by [redacted] |
| Checked | Noted [redacted] Date June, '38 |
| Date | Indexed [redacted] |

F.B. 76 Pg. 117

W.S. 7

W.S. 7-C-5

To top Pg. 118

Set standard reference I.P.M. in between main line tracks of S.P.R.R. 4°wly of w. rail of E. main track & 392° Sly of A.S. Bldg. Sta. pad R.M. #1 Watts H4A Set by Co. Sur. R.E. 2177 - 1938

R.M. No 2. Set a ¾" I.P. conc plug + tack in conc. 12" below Steel gr. Mon. Set 1-30-42

Set Std. reference I.P.M. 42.8 N'ly & 12 W'ly of W. rail of S.P.R.R. main track & 1,104.0 S. of Florence Ave. Station 160 - Watts H4A Set by Co. Sur. R.E. 2177 - 1938

R.M. No 1. Set a 4" B.C. 7/8 in conc. 16" below Steel gr. and marked "L.A. Co. Sur. Cont. 5" - Ref. Mark" and stamped "Watts H-4, R.M. No 1, R.E. 2177, 1942" and "Set by Co. Sur., 1942" Mon. Set 1-30-42

Set Std. reference I.P.M. in W. line of Tract 7338 as shown on Map recorded in Book 74 Pages 38 & 39 of Maps, Records of L.A. County, 128 W. of W. rail of S.P.R.R. main S. Cl. 1,104.0 S. of Florence Ave. Station 160 - Watts H4A Set by Co. Sur. R.E. 2177 - 1938

FLORENCE AVE

ALAMEDA

"WATTS E-4"

To Bot. Pg. 107 E. WATTS E-4

S.P.R.Y.

Curb line prod.

Cent. line prod.

Conc. Pav.

Conc.

Curb

Fence

Ret. Wall

Ⓐ 45-45-45
Ⓑ 183-03-15
Ⓒ 274-34-45 45-45-47½ 45
Ⓓ 53-47-45
Ⓔ 215-10-30
Ⓕ 322-45-45 53-47-52½ 40

102.145' @ 72° = Same
72.63' @ " = "
60.78' @ " = "

Tape # 027
Std @ 68°

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11

F.B. 196 Pg. 118

W.S. #7

Indexed on Key Map Card
Plotted on U.S.G.S. Quad. Sht.
Placed on Strip Plat W.S. No.
Sketch on Desc. Desc. Card

W5.1-C5.2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line



FORM 247 10M 11-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

WS.7-C-5

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O.
Surveyed
Indexed

Std. °F.
Date

F.B. 796 PG. 119

Index Card
Record Lot Sh. U.S. Geod. Sht.
Sketch on Opp. Desc. Card



F.B. 96 Pg. 120

W.S. #7

Noted on Rec. Index Card
Placed on U.S.C. & G.S. Quad. Sht's.
Placed on Sec. Cor. W.S. No.
Sketch on Desc. Desc. Card

W57-C-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

R.M. No 1
Set 3/4" br. tab in conc. 2.3 below rail, and marked L.A.Co. SURCONT. SYS-REF MARK and stamped WATTS I-6-4 R.M. No 1, RE 2177 and SET BY CO. SURV. 1942.

To Aux. #1 WATTS I5

Set standard Traverse mon. in 14" well 9.1' W. of W. rail of S.P. Track & 220' N. of an Electric signal control box & measured parallel to Alameda Sta. PRE. WATTS I6A Surv. 1938 Set by Co. Surv.

Top S.E. Cor. 4 story Firestone Bldg.

36.6

52.17

78.50

54.00

Edge of Concrete Rail

R.M. No 2
Set a 3/4" I.P. Conc. plug & tack in Conc. 2.2 below rail
Mon. Set 8-2-42

to WATTS I-6

Edge of Concrete Rail

S 89½ E

ALAMEDA

95-20-00
21-20-00
212-00-15
95-20-02½

41-11-45
164-47-45
247-11-45
41-11-65½

from Top pg. 89
& WATTS I6

78.50 @ 68° = Same
52.17 @ 68° = "
54.00 @ 68° = "
Tape = 027 Std 68°

FORM 247 10M 11-38

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS. 7-C-6

Notice Ck'd by
Mad No.
Office Work
Checked
Date

Survey of
W. O. No. Tape No. Std.
Surveyed by
Notes
Indexed Date

F.B. 196 PG. 21

Set Standard Tangent mon. in 14" well - 27° W. of W. rail of Ally Track of S.P.R.R. + 126° from N.E.C.R. N.E. Cor. Tweedy + Alameda on E. + 1718 from S.E.C.R. S.E. Cor. of Nebraska + Alameda on E. - all distances measured direct except rail which is @ R.A.s. - Stamped WATTS 17A Set by Co. Sur. R.E. 2177 1938.

ALAMEDA ST.

Conc. Bk.

S.P.R.R.

R/W

27°

136°

171.8

To WATTS 16

To Belvedere Pk. 89 + WATTS 16

D. H.L. 4-3-42 & 8-52-42 111-93 1/2

Set Standard reference mon. 3" dn. between double tracks of S.P.R.R. one line with Top of S. Gate City water tank tower 4° W. of W. rail of S.P.R.R. main track. + 96 S/ram N.E.C.R. N.E. Cor. Tweedy + Alameda on the E. + 156 S from S.E.C.R. S.E. Cor. of Nebraska + Alameda on the E. all distances measured direct except Calc. dist. which is @ R.A.s. Stamped: R.M. 51 WATTS 17A Set by Co. Sur. R.E. 2177 1938

Nebraska Ave.

Elevation on Conc. Index Card

Elevation on U.S. Bench Mk.

Description Card

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS-26-D-1

F.B. 796 Pg. 122


Based on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Sheet
Placed on Sur. Inv. W.S. No.
Sketch on Geo. Index Card
Set 3¼" Brass Cap Monument in Concrete
Set 3¼" Brass Cap Monument in Concrete
Set 3¼" Brass Cap Monument in Concrete

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

| | |
|---|---|
| Notes Ck'd by | Survey of |
| Map No. | W. O. No. Tape No. 237-5t'd 48 °F. |
| Office Work | Surveyed by |
| Checked | Notes Date June 38 |
| Date | Indexed |

F.B. 796 Pg. 123

① 110°26'00"
② 81°44'30"
③ 302°36'40"
110°26'06½
1-12-51 CAB

① 99-31-45
④ 38-06-45
⑥ 237-10-30
99-31-45

① 43-06-15
④ 172-24-30
⑥ 258-36-45
43-06-07½
05.2

124.555 @ 68 - same
76.77 @ " " "
86.21 @ " " "

To left pg. 124 + WATTS K-8

WATTS K-8

BLVD.

RM No 2
Set a ¾" IP conc. plug & tack, in Conc. 12" below walk grade. Mon. Set 2-3-42

(15,4)

Conc gutter

SANTA FE AVE

144.45

Conc gutter

RM No 1
Set a std. 4" pr tak in conc 14" below walk grade and marked, L.A. Co SUR. CONT. SYS. REF MARK and stamped WATTS J-8 RM. No 1. RE 2177 and SET BY Co. SURV 1942 - Re-Set 1951 Mon. Set 2-3-42
Re-Set Mon. 1-12-51 CAB

CENTURY

LORRAINE ST

Conc

Set brass tablet 12" below surface of conc. pat. 34' N of S.C.L. line of Century Blvd & 9' E of E.C.L. line of Lorraine St. Monument is Control Station for Traverse Sta - 95 stamped WATTS 1938 Set by Co. Surv. R.E. 2177 - 1938

Noted on Geo. Index Card
Placed on U. S. G. S. Quad. Shts.
Plotted on Sur. Div. W. S. No.
Sketch on Geo. Desc. Card

from Right Pg. 124 + WATTS J-8

FORM 247 10M 11-35

F.B. 796 PG. 124

W.S. #7



W57-C-6

| | |
|---|---|
| Notes Ck'd by | Survey of BELL |
| Map No. | W. O. 4920 Tape No. 027 St'd 68° F. |
| Office Work | Surveyed by R. B. E. |
| Checked | Notes Normal Date JUNE '38 |
| Date | Indexed |

F.B. 76 Pg. 125

Marked on Gen. Index Card
Placed on U.S.C.S. Quad. Shts.
Placed on Sur. Div. W. S. No.
Sketch on Gen. Descr. Card




RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W5.7-D-6


Set a std. U.S. Brass K.M. in conc. flush, stamped R.M. 3 Co. Engr. R.E. 5869 1963. WATTS K-6
Blvd.
FIRESTONE
WATTS
To Lakewood Pg. 127
To Downey Pg. 13
To Bellflower Pg. 13
Set L.T.&C.E. Tag 12/31/63
Set L.T.&C.E. Tag
R.M. #2 gone 12/31/63
Set 3/4" I.P. flush
Set 3/4" I.P. flush
Set L.T.&C.E. Tag
Set L.T.&C.E. Tag
Set L.T.&C.E. Tag

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W5.7-D-6

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 4121-5 Tape No. 1 & 2 Std'd & S.F.
Surveyed by
Date
Indexed
Date




① 55-50-30
② 223-22-15
③ 335-03-00
55-50-30
④ 58-03-45
⑤ 32-14-30
⑥ 348-21-45
58-03-45

100.87 @ 68° = Some.
57.77' @ " = "
62.54' @ " = "

F.B. 706 PG. 127

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S.7-D-6


Bldg. corner, Indoor Cent
Placed on U. S. G. S. Geod. Stats.
Placed on Sec. Cor. W. S. No.
Sketch on Copy, Reduc. Card
FIRESTONE
BLVD.
GAS TANK
GAS TANK
GAS TANK
(1) 26-18-30
(4) 105-13-30
(L) 157-50-30
= 26-18-25
To Bellflower Blvd. 129
+ BELL 466
To Bellflower Blvd. 127
+ BELL 466
To Bellflower Blvd. 127
+ BELL 466
To Bellflower Blvd. 127

| | |
|---|---|
| Notes Ck'd by | Survey of |
| Map No. | W. O. [redacted] St'd • F. |
| Office Work | Surveyed by |
| Checked | Notes | Date |
| Date | Indexed |

F.B. [illegible] Pg. 129

W.S.#7

W5.7-D-6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 10M 11-58

SET STANDARD TRAVERSE MONUMENT 10' W. OF E. C.L. OF FIRESTONE BLVD. AT ITS INTERSECTION WITH C.L. OF MCNERNEY AVE. SAID POINT BEING ON THE C.L. OF SAID MCNERNEY AVE. 73.9' E. OF THE E. C.L. OF FIRESTONE BLVD. AS SHOWN ON R.S. 2177-1932

SET L.&TAG.

SET L.&TAG TANG. 11-25-60 BAY

SET L.&TAG.

FIRESTONE BLVD

MCNERNEY AVE

73.9

35.3

47.26

41.90

59.94

65.88

S 5.28

S 70° 30' E.

S 9° 30' E.

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Geod. Shts.
Placed on Sur. Rec. W.S. No.
Sketch on Geo. Desc. Card

from lot pg. 128
to BELL A6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

W.S. 32-B-1

F.B. 796 PG. 130

W.S. 17+32

Record on Geog. Index Part:
Plat on U.S.G.S. Quad. Sht.
Plotted on Sht. Div. W. S. No.
Sketch on Geo. Rec. Card

P.M. NO 2: SET A STD. 4" BRASS IN CAP IN CONC. 2' IN. & 2' IN. H.H. CAND. STAMPED W.S. 17+32 C.C. 1960 R.M. 2" E. & 2' IN. ENGR. R.P.E. 5866 11-25-60 BAY

(1) 98-00-30
(4) 32-02-00
(6) 228-03-00
= 98-00-32

SET LATHE & TAG.

SET 1/2" I.P. & TAG

R.M. NO 1 P.K. & 3/4" I.P. CONC. PLUG + TK. IN CONC. 19" BELOW CB. GRADE. E.

IX-25-60 BAY

Set 1/2" I.P. & tag

Set L.T.

Set L.T.

Set L.T.

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.7-D-5

Set Std. Traverse Mon. in Conc. wc. in sidewalk. In Sta. of Huntington Park Portion of State St. and Santa Ana St. - 27° W. of E. cb. of State St. and 214 So. of N. cb. of Santa Ana St. Stamped - Watts K.S. C.E. of Huntington Park W.E. #223 - 1938

SANTA ANA

STATE

ST.

To Right of Sta. 110 + WATTS MAP

214

Notes Ck'd by
Map No.
Office Work
Checked
Date

Surveyed by
W. O. 7223 Tape Nos. St'd °F.
Surveyed by
Notes
Date June 37
Indexed

F.B. 726 PG. 131

W.S.37

F.B. 796 Pg. 132

W.S.#7

To bottom pg. 114

BELL AGB

+BELL A5

| | |
|---|---|
| 6N-10-15 | 88.45-00 |
| 256-W1-15 | 355-00 |
| 25-02-15 | 172.30 |
| 6W.10.225 | 88.45-00 |

50-32-20
202-10-00
303-15-00
= 50-32-30

ST.

40'

RM No. 1
Set 3/4" I.P conc.
filled with copper
nail in conc. 18"
below surface
3/4/42 RBE.

SET L & TAG. TANG.
IN WALK.

15'R

TANG.

119.55

AVE.

Noted on Rec. Inst. Card
Placed on Inst. Drawing
Placed on Sect. W.S. No.
Sketch on Geo. Desc. Card

82°

7802

94.10

119.55 TANG.

FD. L & T IN COR.
R.R. 516. BASE

SOUTHERN PACIFIC

18

2 1/8

48

88.45

144

54.335

R/W

39.25

10°

TANG.

326

94

21.09

31.6

R.M. NO. 3
SET A STD. 4" BRASS
R.M. CAP IN CONC. DN.
8" AND STAMPED
BELL A-6B 1960
R.M. 3 L.A. CO. ENGR.
R.E 5869"
11-23-60 BAY

60° 32' 30"

64.10.20

40'R

8'R

40'

07 15

RM No 2
Set std 4" brass tablet in conc.
18" below surface marked "L.A.
COUNTY SURVEY CONTROL
SYSTEM REFERENCE MARK"
and stamped "BELL AGB" and "SET
RM No. 2 RE 2177" and "SET
BY COUNTY SURVEYOR 1942"
3/4/42 RBE.

Set Std Tablets with Tacks
of Triangulation Stations
132 and 133 and Traverse
Stations 1 and 2 of
Bell Triangulation
Survey - 1937 - 1938

(78.015' @ 82° = 78.02
94.09' @ 82° = 94.10
54.33' @ 82° = 54.335

Tops 027
Std @ 68°

Cross left P.R. 126

+ BELL 4.6

W.S.7-D-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 32-B-1




Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. Olympic Blvd
Surveyed by Tape No. 827 Std. 62°F.
Notes
Date June 38
Indexed

F.B. 132

PG. W.S. 32

F.B. 796 Pg. 132

W. S. # 32

W.S. 32-A-2

Noted on Gen. Index
Placed on U.S.
Placed on Gen. Index S.S.
Sketch on Geo. Desc. Card

① 35-24-15
④ 141-36-45
⑥ 212-25-30
35-24-15

① 44-49-30
④ 179-17-30
⑥ 268-56-15
44-49-22½
25

80.765 @ 68° = some
54.805 @ " = " "
69.255 @ " = " "
Tape * 027-Std 68°

To Do Atom Pg. 135 + Bull-A8

Blvd.

Pav

5'

95'

R=25

6' Conc Gutter

CALIFORNIA
R 20 Pav

592'

272'

69.355
44-49-25
35-24-15

54.805

R=20

80.765

RM No 1
Set a ¾ I.P. conc
plug & tack in
conc. 12' below
curb grade
Mon Set 2-8-42

CENTURY

699'

to WATTS K-2

from right pg. 68

+ WATTS K8

RM No 2
Std 4" by 4" in conc.
20.68' SW of curb grade and ± 0.4' E
of W.S. Conc. Mon.
RM No 2 is a 3" BRASS DISC
stamped "WATTS L-8
RE 2117 and
Mon Set 2-3-42

Say brass tablet in 12" wall 2' below subgrade
of ... Conc. Base ... S. of W. Cb. line
of ... Ave. & 272' N. of S. Cb. line of
Century Blvd. S.W. Cor. Nearer Lines of Survey
Century Blvd. & Western Ave. Set for
... Mon. Set 2-3-42
Stamped "WATTS 2117 1958"
Set 2-3-42

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.32-B-2



F.B. 796 Pg. 136

W.S. #32

Noted on Gen. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Gen. Descr. Card

R.M. #2 - Set Std. 4" BR455 R.M. CAP IN CONC. DM. 3" BELOW GR. GRADE & STAMPED "BELL B-8, R.M. 2, 1968 L.A. CO ENGR. R.E. 5869" 11-21-60 BAY

W.S. 32-B-7

To bottom pg. 137 + BELL C8A

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Set Standard Retaining Wall 3" dia. from C.B. Bearing Faraway 342 N. of N.E.C.R. N.W. Cor. of Hildreth & Tweedy - Abbott & 25' W. of W. face of Hildreth - On line with top of water tank tower bearing N.6°15' W. - Stamped R.M. #1 BELL B8 Set by Co. Sur. RE 2177 1938.

RD.

30'

38.2

63.66

SAMPSON AVE. (HILDRETH AVE.)

Set Lot Tag Tank in C.B.

S1°12'E 514.10

30'

Concrete Pav. 88.48

N.6°15'W. (M) 85.57

15.2

25

34.4

38°44'25" FB.G-908-12

Set 4" brass tablet in 8" dia. 2" below Sub. grade bored thru conc. pav. 15.2' E. of W. C.L. line of Hildreth Ave. & 13.5' N. of S. edge of existing conc. pav. at Tweedy & Abbott Rd. - Marked - L.A. Co. Survey control System traverse Sta. For information See L.A. Co. Sur. - Stamped - BELL B8 Set By Co. Sur. R.E. 2177 - 1938"

TWEEDY ROAD

ABBOTT

Edge of Concrete Pav.

Tank Tower

77-00-00
307.57.15
76-59-56

8.48 π 84°

from top pg. 135 HC TO BELL A.8.

FORM 379 5M 7-40

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

WS, 32-C-2

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

Chief of Party ..... Weather ..... Inst. No. .....
Notes by ..... Time ..... Rod No. .....

Name .....
Job No. .....
From ..... To .....
Date .....
Indexed .....

| Number of Station | BACKSIGHT | | | | B. S. Rod and Temp. | FORESIGHT | | | | DESCRIPTION AND REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|
| | Thread Readings | Mean | Thread Intervals | Sum of Intervals | | Thread Readings | Mean | Thread Intervals | Sum of Intervals | |
| | | | | | | | | | | Shows Bell C-8A at Atlantic Ave and Alsace Rd. |
| | | | | | | | | | | 11-25-60 FB. OK. Rm. 1 under Fence. Rounds 12.00. |
| | | | | | | | | | | Note: See Pg. 249 & 250 for ties to Bell C-8A |

F.B. ..... PG. .....

FB 796-137
Mapping
at 4-11-49
Examined

FORM 379 5M 7-40

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

WS 32-C-1

DO NOT EXTEND NOTES THIS SIDE OF THIS LINE

Chief of Party ..... Weather ..... Inst. No. .....
Notes by ..... Time ..... Rod No. .....

Name .....
Job No. .....
From ..... To .....
Date .....
Indexed .....

| Number of Station | BACKSIGHT: Thread Readings | BACKSIGHT: Mean | BACKSIGHT: Thread Intervals | BACKSIGHT: Sum of Intervals | B. S. Rod and Temp. | FORESIGHT: Thread Readings | FORESIGHT: Mean | FORESIGHT: Thread Intervals | FORESIGHT: Sum of Intervals | DESCRIPTION AND REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

F.B. ..... PG. .....

Bell D-6

W5.32-C-1

| | |
|---|---|
| Notes Ck'd by | Survey of Cor. Aprx |
| Map No. | W. O. 4905 Tape No. 258 St'd 84° F. |
| Office Work | Surveyed by R.B. Emmott |
| Checked | Notes Traverse Date JUNE '38 |
| Date | Indexed |

F.B. 796 PG. 139

W.3.32

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

FORM 247 10M 11-38

To Bell D.G.
from top pg. 138

Corr. Iron Bldg.

Top of Levee

Top of Levee

109.2

S 14° 53' 30" E

62.49

S 69° 25' W

Bell D.G.

Edge of Pavement

Edge of Concrete

Southern Ave.

Street Grade

Edge of Concrete

Old Road

Rio Hondo

River Bed

Bell D.G.

from top pg. 140

① 118-03-02
② 112-12-15
118-03-03.7
.08 adj.

63.85' @ 11° 50' T = 62.49+?
63.46 @ 10° 06' T = 84 62.49-?

Bell D.G. 62.49 adopted
JGR3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 32-C-1

Do not extend notes this side of this line



FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS. 32-C-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O.
Surveyed by
Notes
Indexed

Tape No.
Date
Std.
°F.

F.B.
PG.

327.6

Top of Lever

Iron Pipe
Pg. 142

1222.3'

To Bell D.S. Pg. 140

BELL D.S.

Set Std Traverse Mon 6" diam
1222.3' S. from point of intersection
of the center line and the W
line of the tract of land of Lever. Stamped
BELL D.S. Set by County
Surveyor - RE 21-77-1938

Rio Hondo

Fence

Pg. 141

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 32-C-7

F.B. 796 PG. 142
W.S. 32

Station reset 4ft below ground surface.
4-23-46

Set Std Traverse Mon & Dec
on Joint Sewer Ass. & Tel
road and 1 ft N of opp ent
& of Tujunga Rd Bldg.
Station set Cross cut on
Concrete Sidewalk. 2177-1935

Report

to bottom pg. 141
+ BELL DB

from top pg. 141
+ BELL DB

W 5.32 - 8-2

| | |
|---|---|
| Notes Ck'd by | Survey of B. APTA |
| Map No. | W. O. 4905 Tape No. 658 St'd 44 °F. |
| Office Work | Surveyed by Emmatt |
| Checked | Notes Temper Date Aug. 38 |
| Date | Indexed |

F.B. 796 PG. 143

Set standard reference mon. on line with top centre of 1st pav. or pole No. 1 of Transformer pole-bearing N. 89° W., flush on small knoll. Stamped - R.M. #1 BELL CO Set by Co. Sur. R.E. 2177 1938

Top of Levee

To [illegible] B.M. 192 + BELL CO

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Waived on Geo. Index Card
Plotted on [illegible] pts.
Plotted by [illegible]
Sketch on Geo. Desc. Card

West (Mag.)

Set Standard Reference mon. Flush on line with top of 3. line water trough. Bears N. 39° E. 3.5 ft. from ∠ in 3. line at bridge Prod. N. 45° W. Stamped - R.M. #1 BELL CO Co. Sur. R.E. 2177 1938

Set Standard Transverse mon. Flush on line with top of 1. line at bridge prod. N. 45° E. Stamped - R.M. #2 BELL CO Co. Sur. R.E. 2177 - 1938

Gate water tank & Tower

99.32 + 1.87 = 101.19 F.T.D HNB

Irregular fence & wire

F.C.

L.A.

Begin of bridge proper

IMPERIAL HWY

59° 08' 20 HNB

Bridge

39.8 95.00

Set Standard Transverse mon. Flush 58.4 S. of 3. Line of bridge prod. W. of W. rail of T.C. Ry. Stamped - BELL CO A Set by Co. Sur. R.E. 2177 1938

From top + BELL CO B

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

F.B. _____ PG. 144

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

W.S. 32-C-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 4926 Tape No. St'd °F.
Surveyed by Emmott Date 8/1942
Notes
Indexed




F.B. 796 PG. 45

W.S. 32

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 32 - C-2




F.B. 796 Pg. 146
W.S. 32

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 32-C-2




36.98 @ 19-56 T = 84° = 34.76'
92 SIC 10-48 " = 90.87'

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of BELL AREA
W. O. 4[illegible] Tape No. Std. °F.
Surveyed by E. [illegible] Date Aug. 38
Notes

Indexed

Added on Tape Index Card
Placed on U.S.C.G.S. Quad Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geog. Base Card

F.B. 796 PG. 117

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 32-C-3

Do not extend notes this side of this line




F.B. 796 Pg. 148

W.S. 32-W-3

| | |
|---|---|
| Notes Ck'd by | Survey of Bell C-10-B |
| Map No. | W. O. 4903 Tape No. St'd °F. |
| Office Work | Surveyed by Emmett |
| Checked | Notes Fenner Date Aug. '38 |
| Date | Indexed |

F.B. 706 Pg. 149

W.S.

To Bottm. Pg. 148 For BELL C-10-B

Steel Tower With Beacon Light 200'± high

500'

Fd. Spk. & W. painted C.H.C. - T.B.M. - Elev. 9.72 on Top of Levee

16°

90°

Top Edg.

Top Edg Levee

273'±

R.M. "3 Set ¾" I.P. with 4 (NBT) 1" Tan Ties In Top of Levee

105°

℄ of Levee

230.02'±

30°-03'-25"

N 8°-55' E

R.M. "2 Set ¾" I.P. in Top Levee With 4 NBT - 1" Tan Ties

R.M. "1 - Set ¾" I.P. with 4 NBT - 1" Tan Ties In Top of Levee Near Painted Sta 570+00

N 21°-42' W M/A

420.73

End of Constructed Fl. Cntrl Channel of this date 5-5-53 Contractor Now working on Continuation South

57

219.73

Set N & T 1" I.P.

2nd Pillar From W. Set L&T In Top Of Conc. Pillar For Brdg.

R/W

202.45'

Steel Bridge

Set N & T Pipe 38328 R/W R.E. & L.

R.E. R/W

Fd. L.A.Co. Fl. Cntrl Br. Cp. Mon. In Top of Conc. Pillar For Brdg. L.A.Co. Rd. B.M. - 72 Chis In the Conc. Most Westly Pillar For Brdg.

Inst. @ Mon. Angle From R.M.s To L&T. In Pillar - 154°-24'-00" L.A.Co. F.C. Br. Cp. - 169°-43'-00"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

F.B. 796 Pg. 150

| | | | |
|---|---|---|---|
| Notes Ck'd by | | Survey of Bell, Hunting | F.B. 796 PG. 151 |
| Map No. | | W. O. 4905 Tape No. 948 St'd 1' OF | |
| Office Work | | Surveyed by B. Iler | |
| Checked | | Notes " Date 9/38 | |
| Date | | Indexed | |

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

# TRAVERSE & TRIANGULATION
# BELL, HUNTINGTON PK, SOUTHGATE

## J.N. 4905

Sketches showing Record of Monumenting & Descriptions for ADDITIONAL WORK VICINITY DOWNEY & SOUTHGATE

Sutter Willey
Chemnock
to see
Cunningham

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

F.B. 296 Pg. 152

WS. 7-D4

| | |
|---|---|
| Notes Ck'd by | Survey of |
| Map No. | W. O. 4904 Tape No. 648 St'd 26 OF |
| Office Work | Surveyed by S.E. Butler |
| Checked | Notes Party Date 6/18/36 |
| Date | Indexed |

F.B. 796 PG. 17

# L.A.CO. SURVEY CONTROL SYS.
# TRIANG. STA. BELL B.1

See Mem'dy for descrip.

Plotted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card




R.M. No 2.
Set a std 4" br.
tab. in conc. 20"
below st. level
and marked: "L.A.
CO. SUR. CONT. SYS.-
REF. MARK", and
stamped: "BELL
B-1, R.M. No 2,
R.E. 217.7", and
"SET BY CO. SURV.,
1942.
Mon. set 3/4/42

① 93-07-15
Ⓐ 12-28-30
Ⓑ 198-43-00
93-07-10

① 5-54-00
Ⓐ 23-36-00
Ⓑ 35-24-00
5-54-00

① 49-43.15
Ⓐ 198-53-15
Ⓑ 298-19-45
49-43. X 7½/15

60.165 @ 75° = 60.170
47.64 @ " = 47.64
78.75 @ " = 78.755

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 296 PG. 154

# L A COUNTY SURVEY
## CONTROL TRIANGULATION

STATION B 2 L B 1 VERNON AREA.

In County of Los Angeles 1350 ± north of the ℄ intersection of Gifford Ave & 32nd St and 9' West of the East Curb line of S. Soto Ave.

Station Mark:
Set 4" Bronze Tablet in conc. in well cut thru pavement, covered with cast iron valid mfg. COUNTY SURVEY Tablet MARKED L.A. Co. C.S. 1936 STATION TRIANG. STA. and stamped B 2 L B 1 1936, As described and set by the County Surveyor.

AUG 17 1936

SEE SKETCH PRECEDING PG

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 7-D-4

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L.A. Co. Hwy. Dist. F.B. 702 Pg. 135
W. 0492 Tape No. 048 St'd 76 of
Surveyed by S.E. Butler
Notes Willey Date 8-18-38
Indexed

Noted on Des. Index Card
Plotted on U.S.C.&G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

L.A. CO. SURVEY CONT. SYSTEM
TRIANG. STA. BELL H.L.-A
See next page for descrip.
Set 4" Brass Tablet in well cut into Pavmt, and covered with a CAST IRON Lid Marked County Surveyor Mon. Tablet Mkd L.A. COUNTY SURVEY CONT. SYSTEM BELL H.L.-A 1938 RE 2177 SET BY COUNTY SURVEYOR

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37



F.B. 296 PG. 156

L.A. COUNTY SURVEY CONT
TRIANG. ST. BELL AIA Rev. P.B.E.

In the Co. of Los Angeles, Vernon Area.
approx. ℄ int. of Loma Vista St. & the North [illegible] 22.1' N of ℄ of Fruitland Ave.

Set 4" brass tablet in [illegible] C.
Wall [illegible]
with cent. punch in Mon. County
Surveyor Monument
Tablet Mon. L.A. CO. SURVEY CONT
SYSTEM TRIANG. ST. BELL A 1938, P.B. [illegible]
by [illegible]

Elev. [illegible]

SEE DESC. PRECEDING PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S.7-D-4

| | |
|---|---|
| Notes Ck'd by | Survey of CO. TRIANG. NETW. |
| Map No. | W. O. 1475-E Tape No. 245 St'd 76°F |
| Office Work | Surveyed by SERUTIAN |
| Checked | Notes WATTS Date 6-14-38 |
| Date | Indexed |

F.B. 796 Pg. 157

W.S.7

Noted on Gen. Index Card
Plotted on U.S.C.S. Quad Shts.
Plotted on Gen. Div. W.S. No.
Sketch on Gen. Desc. Card

# L.A. COUNTY CONTROL SYSTEM

## TRIANG. STA. WATTS No. 1

SEE NEXT PG FOR DESCRIPTION

Set 4" brass Tablet in 12"x12" Conc. Mon. Mkd. L.A. COUNTY SURVEY CONT. SYSTEM TRIANG. STA. WATTS No. 1, 1938, RE 2177 and set by COUNTY SURVEYOR. SCT AUG 18-1938

For description see next pg




① 90-45-15
④ 3-01-15
⑥ 184-32-15
90-45-22½
20

① 55-26-15
④ 221-44-15
⑥ 332-36-45
55-26-07½
05

6847 @ 64° = same
42565 @ " = "
5268 @ " = "
Tape #027 - Std 68°

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

F.B. 796 PG. 158

L.A. CO. SURVEY CONT. SYS.

TRIANG. STA. WATTS 2.

VERNON AREA.

In the County of Los Angeles

48.7' N. of the N. Curb Line of Hunter

Ave. [illegible] 7.5 ft.

[illegible] Inch.

SURFACE MON.

Set a 4" brass Tablet in a 12"x12" conc.

mon. flush with ground surface

Mon. by L.A. CO. SURVEY CONT. SYS.

TRIANG. STA. and stamped Watts

2. 1947 RE 2177 and set by

County Surveyor.

[illegible]

SUBSTRUCTION PRECEDING

NO SUB. MON.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

| | | | |
|---|---|---|---|
| Notes Ck'd by | | Survey of Bell Gate Hill | F.B. 746 Pg. 159 |
| Map No. | | W. O. 4902 Tape No. C48 St'd 84 of | |
| Office Work | | Surveyed by J E Butler | |
| Checked | | Notes [illegible] Date 8-23-36 | |
| Date | | Indexed | |

ESTABLISHMENT
OF
BASS NET TRIANGULATION
SCHEME AT TRIANGULATION
STATION BELL E-7
FOR
L.A. COUNTY SURVEY
CONTROL SYSTEM.
J.N. 4902

FOR INDEX SKETCH
SEE PG 161

J E Butler
R.W. Ayres
G.W. Henderson
H.C. Moser
[illegible]

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

F.B. 726 PG. 160

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS.32-C4

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L.A. Co. Surveyor's Triangulation
W. O. 4225 Tape No. 218 Std. 72 of
Surveyed by SEE PLAT
Notes R.W.V. Date 8-22-38
Indexed

F.B. 796 PG. 161

BELL E7
see pg 171

Firestone

BELL E7B
see pg 171

Bridge

BELL E7A
see pg 171
Destroyed
10/14/61

Blvd.

**Hold up Desc. Index Card**
Placed in U.S.C.&G.S. Quad. Stds.
Placed in Str. Div. W.S.B.
Station in Desc. Card

L.A. CO. SURVEY CONTROL TRIANGULATION

BELL E7

SEE NEXT PG. FOR DESCRIPTION

Set 3" Brass Tablet in Concrete Monument, Stamped BELL E7 RE 177 1938 and set by Co. Surveyor Aug 22, 1938

Set BM #1 Brass Tablet in Concrete Monument, Stamped BELL E7 RE 177 1938 and set by Co. Surveyor Aug 22, 1938

BM #2 Brass Tablet in concrete monument, Stamped BELL E7 RE 177 1938 and set by Co. Surveyor Aug 22, 1938

95960
37605
73,595
TM #2

95960
37605
73,595
TM #1

173360 RM #2

173360 RM #1

T=84 F=26.55°
88.86@1305=1 86.553
85.71@1239=1 85.557

Tower East N.S.T.I.

So. Calif. Edison Co
Transmission Lines
Tower West N.S.T.I.

F.B. 796 PG. 162

# L.A.CO. SURVEY CONT. SYSTEM TRIANG STA.

## BELL E7

For Sketch see preceding Pg.

In the County of Los Angeles, on top of the Levee of the East bank of the Rio Hondo River, 500' ± N of the East end of Rio Hondo bridge on Arcadia Blvd.

Sub. Surface Mark:-

Set 4" ocher surface Mark

a round Plug & copper bolt, in a cone cylinder approx. 1/2" in diameter and semi filled from surface of soil to form cushion.

Surface Mark:

2" above ground, scribed [illegible] Mkd L.A.Co. SURV. CONT. SYSTEM. [illegible] A. BELL E7 1938 RE 2.77 and set by Co. Surveyor

Elevation 5.6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

| | | | |
|---|---|---|---|
| Notes Ck'd by | | Survey of Bell Cal. - 1.10% Proj. | F.B. 702 Pg. 163 |
| Map No. | | W. O. 4905 Tape No. 264 St'd 24 of | |
| Office Work | | Surveyed by S.E. Butler | |
| Checked | | Notes [illegible] Date 5-27-35 | |
| Date | | Indexed [illegible] | |

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

# ESTABLISHMENT OF BASE-NET TRIANGULATION SCHEME AT TRIANGULATION STATION "BELL C-N" OF LOS ANGELES COUNTY SURVEY CONTROL SYSTEM.

- JOB Nº 4905.

FOR INDEX SKETCH

See next page.

S.E. Butler
P.L. Willey
G.W. Hemeck
K. Moser.

August 1935.

FORM 247 5M 10-37

F.B. 796 PG. 164
W.S. #32

# INDEX MAP

SHOWING BACK-NET TRIANG. STA'S ALONG MAIN-GARFIELD AVE AS ESTABLISHED FROM TRIANG. STA. BELL C-11

Based on Gen. Index Card
Placed on U.S.G.S. Quad. Sheets
Placed on Sur. Div. W.S. No.
Sketch on Gen. Desc. Card

Triang. Sta. BELL D-10 See sh. 165

MAIN AVE

ROOSEVELT AVE

ANAHEIM RIVER

Triang. Sta. BELL C-11 FD 676-57

Triang. Sta. BELL 167

PACIFIC ELECTRIC RY

GARFIELD AVE

ROOSEVELT AVE

Triang. Sta. BELL F-12 See F.B. 169

N

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 32-C-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Bell-Southgate-High Park
W. O. 4905 Tape No. 064 St'd. 1/4 of
Surveyed by S.E. Butler
Notes G. Krausnick Date 8-25-38
Indexed

F.B. 75 Pg. 165

Noted on Sec. Index Card
Placed on U.S.G.S. Quad. Sht.
Placed on Sec. Div. W. S. Map
Sketch on Geod. Desc. Card

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37




① 46-17-00
② 185-07-45
⑥ 277-41-45
46-16-55

① 44-14-45
④ 176-59-45
⑥ 265-29-15
44-14-55

28.62.5' @ = 64°
54.99' @ = "
62.23' @ = "
Tape #027 55' @ 68°

F.B. 796 PG. 166

~DESCRIPTION~

L.A. CO. SUR. CONT. TRIANG. STA. "BELL D-10."

In L.A. Co., Hollydale area, on Garfield Ave., a continuation of Michigan-Cherry Ave.; about 2000' E. of Los Angeles River and 7/8 mi. South of Imperial Hwy.

57' So. of So. curb of Rosecrans Ave.
17.3' E. of W. curb of Garfield Ave.
7.7'± W. of approx. ℄ of Garfield Ave.

Sub-Surface Mark:-
None.

Surface Mark:
Set a 4" brass tablet in conc. 10" below surface of pavement in a well covered with a cast iron lid marked "COUNTY SURVEYOR MONUMENT", & filled with conc. "L.A. CO. SUR. CONT. SYS. TRIANG. STA." and stamped: BELL D-10-RE SURF" and "BY COUNTY SURVEYOR. 1938.

R.M. No 1: Set a Std 4" brass tablet in conc. 16" below curb grade and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK" and Stamped: BELL D-10, R.M. No 1, R.E. 21.77'; and "SET BY CO. SURV. 1942."

See preceding page for sketch.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W3.32-C-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Bell-Southgate-Huntington Park F.B. 796 Pg. 167
W. O. 4903 Tape No. 064 Std'd 24 of
Surveyed by S.E. Butler
Notes G. Klamecki Date 8-25-38
Indexed

W.3.

L.A. CO. SUR. CONT. TRIANG. STA. "BELL D-11"

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. Ma.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS




FORM 247 SM 10-37

F.B. 796 PG. 168

~DESCRIPTION~

L.A. CO. SUR. CONT. TRIANG. STA. "BELL D-11"

In L.A. Co. Hollydale Area, on Michigan Ave., a portion of Cherry-Garfield Ave., 1/4 mi. ± E. of L.C.S. Angeles River and 1/2 mi. ± north of Rosecrans Ave.

Sub. Surface Mark:
None

Surface Mark:
Set a 4" brass tablet in conc. 10" below surface of pavement in a well covered with a cast iron lid marked "COUNTY SURVEYOR MONUMENT", tablet marked "L.A. CO. SUR. CONT. SYS. - TRIANG. STA. and stamped "BELL D-11, - R.E. 2177" and set by County Surveyor 1935.

R.M. No 1: Set a std 4" br. tab. in conc. 18" below street gr. and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK" and stamped: "BELL D-11, R.M. No 1, R.E. 2177", and "SET BY CO. SURV., 1942.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W5.32-C-3

| | |
|---|---|
| Notes Ck'd by | Survey of Bell, Southgate-Huntington Park |
| Map No. | W. O. 4985 Tape No. 064 Std. 74 OF |
| Office Work | Surveyed by S.E. Butler |
| Checked | Notes G. Steiner Date 8-25-38 |
| Date | Indexed |

F.B. 77 Pg. 164

W 2 7E

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

L.A. CO. SURV. CONT. TRIANG. STA.
"BELL D-12."

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Comp. Card




FORM 247 SM 10-37

F.B. 794 PG. 170

~DESCRIPTION~

L.A. CO. SUR. CONT. TRIANG. STA. BELL D-12.

In L.A. Co., NW of Clearwater, Hynes district and So. of Holly dale at intersection of Rosecrans and Michigan Ave's Michigan, a portion of Cherry Garfield Ave., approx. one mi. east of L.A. River

10' ± N of approx. ℄ of Rosecrans Ave.
17.0' W. of " " Michigan "
2.0' ± E. of W. edge of conc. pavement

Sub Surface Mark: None

Surface Mark: Set a 4" brass tablet in conc. 10 below surface of pavement in a well covered with a cast iron lid marked "COUNTY SURVEYOR MONUMENT", tablet marked "L.A. CO. SUR. CONT. SYS TRIANG STA" and stamped: "BELL 1942 RE-ESTABLISHED" and set by COUNTY SURVEYOR - 1942."

R.M. No 2: Set a std 4" br. tab. in conc. 1.8' Street gr. and marked: L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: BELL D-12, R.M. No 2, C.E. 210' and "SET BY CO. SURV., 1942".

See preceding pg for description.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 32 - 4.D.1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Bell S. Gate Hwy 1A F.B. 795 Pg. 111
W. O. 4905 Tape No. 218 Sht. 26 of
Surveyed by SE Butler
Notes R.L.W. Date 8-23-38
Indexed

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

BELL E 7A

L.A. COUNTY SURVEY CONTROL SYSTEM TRIANG. STA. BELL E 7A

FOR DESCRIPTION SEE NEXT PG.

FOR DESCRIPTION SEE NEXT PG 172

For Ties see pg. 243 CAB. 11-9-48.

Destroyed by construction 10-19-61

BELL E 7B

L.A. COUNTY SURVEY CONTROL SYSTEM TRIANG STA. BELL E 7B

FOR DESCRIP. SEE NEXT PG.

Set 8-23-38.

FOR DISCRIP. SEE NEXT PG 172

For Ties see pg 243 CAB. 11-9-48

L.A. COUNTY SURVEY CONTROL SYSTEM TRIANG STATION BELL E 7

See Pg 161

See FB 2453 - 119

For Ties see pg. 243 & 55 CAB. 11-9-48.

BELL F 7

L.A. COUNTY SURVEY CONTROL SYSTEM TRIANG. STA. BELL F 7.

SEE DESCRIPTION SEE NEXT PG 172

Set 8-23-38

500' CONC. EDGE

244

BLVD

40'

EDGE CONC.

RIO HONDO

BR. P.G.

RIO HONDO RIVER

1235

234

Fd L&T.

ROUTE #10

6 FIRST FOUND

300' TO

240

FORM 247 BM 10-37

F.B. 796 PG. 172

21S 14W

DESCRIPTION

L.A. CO. SURVEY CONT. SYSTEM TRIANG. STA.

BELL E 7A

In the County of Los Angeles, In the City of South Gate, on Firestone Blvd. (Route #6) 500± W. of the W. end of the Bridge over Rio Hondo river and 24± S. of the ℄ of Firestone Blvd. (Route #6).

Set 4" brass Tablet in a well set in 30"x30" conc. block flush with pavement, Well covered with cast iron lid marked COUNTY SURVEYOR MONUMENT. Tablet also L.A. COUNTY SURVEY CONT. TRIANG. STA. and stamped BELL E 7A, 1938, RE 2177 and Set by COUNTY SURVEYOR 1938

Destroyed

DESCRIPTION

L.A. COUNTY SURVEY CONTROL SYSTEM TRIANG. STA. BELL E 7B

In the County of Los Angeles, City of South Gate, 500± East of the Rio Hondo bridge on Firestone Blvd. (Route #6)

Set 4" brass Tablet in a well set in a 30"x30" Conc. block flush with pavement, Well covered with cast iron lid marked COUNTY SURVEYOR MON. Tablet mkd L.A. COUNTY SURVEY CONT. SYSTEM TRIANG. STA. and stamped BELL E 7B, 1938, RE 2177 & set by COUNTY SURVEYOR

Set Aug 25, 1938.

DESCRIPTION

L.A. COUNTY SURVEY CONTROL SYSTEM TRIANG. STA. BELL E 7

In the County of Los Angeles, City of South Gate, 500± East of the (286) East of the P.I. of the First Curve East of the Rio Hondo Bridge, and 24± S. of the ℄ of Firestone Blvd. Route #10.

Set 4" brass Tablet in a well set in a 30"x30" Conc. block flush with pavement, Well covered with cast iron lid marked COUNTY SURVEYOR MON. Tablet mkd L.A. COUNTY SURVEY CONT. SYSTEM TRIANG. STA. and stamped BELL E 7 1938, RE 2177, and set by COUNTY SURVEYOR

Set Aug 24, 1938.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 32-C-3

| | |
|---|---|
| Notes Ck'd by | Survey of Bell S. Gate 9th Hwy Pt. |
| Map No. | W. O. 4990 Tape No. 264 St'd 7K of |
| Office Work | Surveyed by J.E. BUTLER |
| Checked | Notes RWV Date 8-26-38 |
| Date | Indexed |

F.B. 796 PG. 173

Plotted on Gen. Index Card
Placed on U.S.G.S. Quad. Sht.
Placed on Str. Div. W.S. No.
Sketch on Gen. Base Card

L.A. COUNTY SURVEY CONT. SYSTEM
TRAVERSE STA. BELL E IIA
IN CITY OF
SOUTH GATE.

SET Aug 26-38
FOR DESCRIP. SEE NEXT PG. 174

SET 4" brass Tablet in wall in conc block 2.5x2.5, and covered with a cast iron plate marked County Surveyor. M&N. Tablet marked L.A. CO. SURV. CONT. SYSTEM TRAVERSE STA. BELL E IIA 1938 RE 2177, and set by County Surveyor.

E IIA

BELL E IIA
For R.M.'s
to this sta.
see pg. 174.

SEE FB. 2963 PG. 17, 18 FOR LATER SURVEY 9-77 AMR.

BLVD
GOLDEN AVE
HARDING
PARAMOUNT
curb
curb Prop.
12.2
17.2
30.0
102.5'

R.M. NO. 3 : SET A STD. 1" BRASS R.M. CAP IN CONC. DN. 8" BELOW C.B. GRADE STAMPED "BELL E-11A 1960 R.M. 3 L.A.CO. ENGR R.E. 5869" 11-22-60 BAY.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 796 PG. 174

Label on Rec. Index Card
Placed on Map
Placed on Sketch
Sketch on Rec. Index Card

W.S. 32-C-3

# DESCRIPTION
# L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STA.
# BELL E-11A.

In the County of Los Angeles, in the city of South Gate, in the L.A. County Farm area. 12.8' E. of the W. curb - Paramount blvd, and 1025' N. of the N. curb line prol. of Harding Ave.

Set 4" brass tablet in a well set in a 30"x30" conc. block, flush with the ground. Well covered with a cast iron lid mkd. COUNTY SURVEYOR MONUMENT. Tablet mkd L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STA. and stamped BELL E-11A, 1938, R.E. 2177, on set by COUNTY SURVEYOR.

FOR DESCRIPTION PREC. AS TO 173 SEE FB 2463 PG. 17 FOR LATER SURVEYS

Set R.L.S. 26-17-36

TRAV. STA. "BELL F-10"

OUT 6-6-77 OMR.

R.M. No 2: Set a 3/4" I.P. conc. plug & tack, in conc. 12" below curb gr. Mon. Set 3-of 42.

Set Large B.S. pk. W.L. 4-24-51

Fd. L.T.

Set L.A.C.S.M.M. TAG 18K W.L.

Set L.A.C.S.M.M. TAG 18K W.L.

Set L.A.C.S.M.M. TAG 18K W.L.

P.I. FD. C.S. MON IN H.H.

GOLDEN AVE.

TRAV. STA. "BELL E-11A"

(1) 66-40-00
(4) 266-40-15
(6) 66-40-15
95-47-45
23-11-30
214-47-15
95-47-52½
50

(1) 29-31-00
(4) 118-15-00
(6) 177-22-20
29-33-43⅓

OUT
R.M. No 1: Set a std 4" bm tab. in conc. 16" below curb gr. and marked: "L.A. CO. SURV. CONT. SYST. - REF. MARK", and stamped: "BELL E-11A, R.M. No 1, R.E. 2177" and "SET BY CO. SURV., 1942"

SET R.M. 3 See PG. 173

No. Curb Harding Ave.

Set L-T

Fd. L.T.

Fd. L.T.

Fd. L.T.

Set L.T.

Set L.T.

Set


R.M.#3
6-6-77
46,696.97
PARAMOUNT
BLVD.

BELL E-11
SET SQ. HD. SPK.
796-175
1845
R.E. COR.
L.E. TAG LINK
0.03


26.30
52.83
9.13

WS 32-C5

| | |
|---|---|
| Notes Ck'd by | Survey of EAST COAST HWY. |
| Map No. | W. 04905 Tape No. 048 St'd 76 of |
| Office Work | Surveyed by J.E. BUTLER |
| Checked | Notes RWW Date 8-26-58 |
| Date | Indexed |

F.B. 796 Pg. 173

Plotted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Liv. W.S. No.
Sketch on Geo. Base Card

# L.A. COUNTY SURVEY CONT. SYSTEM

## TRAVERSE STA. BELLE 11

SEE NEXT PG FOR DESCRIPTION

FOR MORE MARK OUT BY CONST SEE F.B. 7963 PG. 15 & 16 FOR ACCURACY & CLOSURE

(1) 82 - 11 - 50
(1) 328 - 59 - 10
(6) 133 - 29 - 20
= 82 - 11 - 53 1/3

FOR DETAIL SKETCH SEE PG 176

RM #2
set 4" brass tablet in 12"x12" conc. mon.
Tablet mkd L.A. COUNTY SURVEY CONT SYSTEM REFERENCE MARK, and stamped BELLE 11, 1938 RE 2177 and set by County Surveyor.

SEE PG 176 DETAIL SKETCH

RM #1
set 4" brass tablet in 12"x12" conc. mon. Tablet mkd L.A. COUNTY CONT SYSTEM REFERENCE MARK, and stamped BELLE 11, RM #1 1938 RE 2177 set by County Surveyor.

set 9-2-38

Set L&TAG. TANG. 0.03 ft.

NEVADA AVE.

TO BELLE 11

TRAVERSE STA. BELLE 11. SEE DESCRIPTION NEXT PG. 176

82° 11' 53"

26.36

Set L&T

52.83 TAN

NEW TIE 30' 4.78 E of W

Set L&T

25.29

3.76

2.45

P.C. L&T = C.S. MON IN M.H. 11-22-60

44.66

34°

27.35

12.15

30.0

MORTON ST.

curb line proj.

CENTURY BLVD

CURB

EDGE

R.M. 3: Set A STD. 4" BRASS R.M. CAP IN CONC. DIV. 8" BELOW CURB GR. & STAMPED "BELL E-11 R.M. 3, 1960, L.A. CO. ENGR. R.E. 5869" 11-22-60 BAY

EMER.

Edge conc.

Curb

142.0

EOC

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-57

F.B. 796 PG. 116

# DESCRIPTION
## L.A. COUNTY SURVEY CONT'L TRAVERSE
## STA. BELL E 11

In County of Los Angeles City of South Gate in L.A. County Farm Area, 120' N. of the N. curb line of Morton ST., and 11.5' E. of the W. curb of Paramount Blvd.

Set a 4" brass Tablet in well set in 30"x30" Conc. block flush with ground. Well covered with cast iron lid inscr. COUNTY SURVEYOR MON. Tablet inscr. L.A. COUNTY SURVEY CONT'L SYSTEM TRAVERSE STA. and stamped BELL E 11, 1935 as CITY, and set by COUNTY SURVEYOR.

FOR CHAIN SEE PRECEDING Pg 175

Mean Angle at Bell E-11 = 119° 37' 29.8" } AE Nov 16-3-49
Calc. " " 1 = 119° - 33.62




RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

55.32-C-3

WS 32-A3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Bell Scenic + Hiway Pk
W.O. 0490-1 Tape No. 2-11 Std 100' PF
Surveyed by S E Butler
Notes R.A.W. Date 8-26-38
Indexed

F.B. 72 PG. 111

Noted on Geo. Index Card
Plotted on U.S.C.S. Quad. Shts.
Plotted on Sur. Div. W.S. No. 348
Sketch on Geo. Desc. Card

L.A.CO. SURVEY CONT. SYSTEM
TRAVERSE STA. BELL F10
IN THE CITY OF SOUTH GATE
set AUG 26-1938
FOR DESCRIP. SEE NEXT PG. 178

SEE FB 2463 PG. 19, 20 FOR LATER TIES 8-2-77 and

L.A. CO. FARM OUT 8-2-77

Set 3/4" I.P. conc. 2.9' + from in cond. 18" below pvt. surface Mon. Set 3-9-42

50.715' @ 62° = same
72.08' @ " = 72.075
48.05' @ " = same
16.41' @ " = "
28.27' @ " = "

Tape 4 off Std @ 68°

30.0

TRAV STA. "Bell F 10"
See next pg for

SCH L&TAG TANG. 11-22-60 BAY

FD 8-2-77

93°41'50"

GARDENDALE AVE

FD 8-2-77 SCH L&TAG TANG. 11-22-60 BAY

83.75 @ 1.4 T C.S. MON IN H.H. 11-22-60

77.49
48.8
18.04
38.77
16.4
30.6
Rad
Cyl & Prof.
81.15
11.5'
10.4
15.1
30'
Conc. PAV
44°25'35"

D 44-25-30
Δ 177-42-30
⑥ 266-22-20
44-25-35

D 98-42-00
Δ 14-47-30
⑥ 262-11-45
93-41-50

SCH L&TAG TAN. 11-22-60 BAY

FD 8-2-77

PARAMOUNT

Rt. N&E Mon. Set 3-9-42 See next pg for Ties

FD 8-2-77 OUT 4'

8-2-77 OUT 4'

Trav. Sta. "BELL E-11A"

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

F.B. 296 PG. 178

SC - VI

# DESCRIPTION.
# L.A. COUNTY SURVEY CONT. SYSTEM
# TRAVERSE STA. BELL F10.

In The County of Los Angeles, in The City of South Gate, near The S.E Corner of The County Farm, 30± N of the south curb line of Gardendale Ave and 16.4 W of ℄ of Paramount blvd.

Station Mark.

Set a 4" brass Tablet in a well set in 30"x30" conc. block. Well covered with a cast iron lid marked County surveyor Monument. Tablet marked L.A. COUNTY SURVEY CONT. SYSTEM TRAVERSE STA. and stamped BELL F10. 1938, R52177, and set by County surveyor.

For sketch see prec. Pg.

NO. SUB MKS. Set Aug 26-1938

REF. MKS.

Ref. No 1. Set a Std. 4" br. tab. 18" below curb gr. and marked: "L.A.CO. SURV. CONT. SYS.-REF. MARK", and stamped: "BELL F-10, R.M. N±6 R.E. 2177", and "SET BY CO. SURV. 1942".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Bell, S. Gate, Hing Pk
W. O. 4902 Tape No. 027 St'd @ 68°F
Surveyed by S.E. Butler
Notes M.L.N. Date 8-29-38
Indexed

F.B. 792 Pg. 119

Posted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Sht.
Placed on Surv. Div. W.S.&L.
Sketch on Geo. Desc. Card

W.S. 32-C-2

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

# L.A.C.O. SURVEY CONT. SYSTEM
# TRAVERSE STA. BELL D 10 A
# IN THE CITY OF SOUTH GATE.

TRAV. STA "BELL D-9" set Aug 28-1938

RM No 1 Mon. set 3/6/42 See next pg for desc.

RM No 2. Set a 3/4" I.P. conc plug & tack, in conc 2.0' below gr. of pavement. Mon. set 3/6/42.

Wire Fen.

20.0

7.2

2.8'

27'

76.26

48.81'

35.11

27'

2.5'

27'

COUNTY FARM

Wire Fence

3.5'

3.78

GLENDALE AVE

17.6'

25.26.6'

R=10'

Fd L.T.

21.8'

SEE FB. 2463-11 FOR LATER SURVEY 9-77 AMR.

63.515'

34.8'

AVE.

5.6'

4'

10.5'

15.0'

2.0'

15'

10.5'

4'

TRAV. STA "BELL D-10A" Mon. set 8/29/38 See next pg. for desc.

Fig. Conc.

Edge Conc.

Conc Pav.

GARFIELD

48.81' @ 60° = Same
56.265 @ " = 56.26
35.11 @ " = 35.11
25.265' @ " = 25.265
63.52' @ " = 63.515

Tape # 027 Std @ 68°

FORM 247 5M 10-37

F.B. 796 PG. 180

DESCRIPTION.
L.A. COUNTY SURVEY CONT. ROL SYSTEM.
TRAVERSE STA. BELL D 10 A.

In the County of Los Angeles, City of South Gate, in L.A. County Farm Area, 24.8' N. of the N curb line of Firmenich Ave. and 17.8' E of the W. curb line of Garfield Ave.

Set 4" brass tablet in well cut into pavement, covered with cover iron and marked County Surveyor inscription. Tablet marked L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STA. and stamped BELL D 10 A. 1938 as shown and set by COUNTY SURVEYOR.

FOR CONTROL SEE Pg 179

N.O. SUR. [illegible]

R.M. NO 1: Set a std 4" br. tab. in conc. 18" below ground surface, and marked: "L.A. CO. SURV. CONT. SYS. - BEA. MARK", and stamped "BELL D-10 A, R.M. No 1, B.E. 217", and "SET BY CO. SURV. 1942

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS.32-C-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Bell Gardens Area
W. O. [illegible] Tape No. 227 Stroke of
Surveyed by J. SE Butler Date P-29-38
Notes P.L.S. Date
Indexed

F.B. 776 Pg. 11

Set 4" brass Tablet in well cut thru pvmt and covered with a cast iron tile MAY County Surveyor MONTablet Mkd. LA CO. SURVEY CONT. SYSTEM TRAVERSE STA. 0+00 Stamped BELL D9, 1938, R.E. 2177 and set by County Surveyor Sept Aug 29-38

BELL D9

Fd. 2" I.P. 2.0' Tangent

Fd. Cone.

2.2'

Fd. Cone.

GARFIELD & MICHIGAN AVE

8.10'

12.8'

20.0

Fd. L.T.T.

9.7'

2.3'

FOR DESCRIP. SEE NEXT PG 182

N 00-55-55 E

Fd. L.T.T.

Fd. Cone.

R.M. No 2. Mon. Set 3/9/42 See next pg. for desc.

30.0'

32.1'

30.0

Main Line Switch Track

TRAV STA "BELL E-98"

6.969. @ 7.40 = 69.91
7.440 @ 7.40 = 74.80
27.46 @ " = 27.46
8.10 @ " = 8.10

R

Fd. 2" I.P. 0.4' Tangent

Fd. L.T.T.

Fd. Cone.

40.4'

① 55-25-00
② 221-40-00
③ 332-24-45
55-24-45
25-00

① 34-19-45
② 197-18-00
③ 205.57-15
34-19-45
30.

R.M. No 1
Set a 3/4" I. P., Conc. plug & tack, in conc. 18" below surface. Mon. Set 3/9/42

Bolt on Conc. Inlet Cent.
Punch on U.S.G.S. Quad Mon.
Placed on Sur. Div. W.S.
Stake on Conc. Curb

F.B. 796 PG. 182

# DESCRIPTION.

## L.A. COUNTY SURVEY CONT. ROL SYSTEM TRAVERSE STA. BELL D-9

In the County of Los Angeles, City of South Gate, in L.A. County Road, about 12.7' S. of N. edge of Conc. pavement of Imperial Hwy, and 71.6 W. of the West rail of S.P. Nort MS. Inter. of Imperial Hwy and Garfield Ave, set 4" dia. tube in well cut thru pavement and surface mix, a cast iron lid. mkd COUNTY SURVEYOR MONUMENT. Tablet mkd L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STA. and stamped BELL D-9, 1938, N 52,177, and set by COUNTY SURVEYOR.

FROM WITH C.L. FIRST PM. 181

SET BY L.S. 1938

R.M. No 2: Set a sta 4" dr. tab. in conc. 16" below pavement (Garfield Ave) and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: "BELL D-9, R.M. No 2, E.E. 2177" and "SET BY CO. SURV., 1942

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

W 532-C-7

LACO SURVEY CONT SYSTEM
TRAVERSE STA. BELLEGA
IN THE CITY OF
SOUTH GATE
FOR DESCR. SEE NEXT PG. 184

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Traverse
W. O. 4921 Tape No. CHP Std 26 of
Surveyed by STERRITT
Notes
Indexed
Date 8-31-38

GARFIELD AVE
Face conc
IMPERIAL
MICHIGAN AVE
Flk pk
conc.
11042
60.0
FALKT
6.3
T.B.M.
SPUR TRACK
R.R.

BELLEGA
set 4" brass Tablet in well in curb at P.C. covered with CXT iron lid Mkd County Surveyor MONUMENT Tablet Mkd LA COUNTY SURVEY CONT. SYSTEM STA. stamped BELLEGA 1938 & 1952 '77 and set by COUNTY SURVEYOR
set Aug 31 1938

F.B. 794 PG. 103

F.B. 296 PG. 184

- DESCRIPTION

LA COUNTY SURVEY CONTROL SYSTEM TRAVERSE STA.

BELL 29 A.

In the County of Los Angeles, City of South Gate, in LA County, more fully N 26° W of the S. line of [illegible] pavement and 1104.3' E of the ℄ int. of Garfield Ave and Imperial Hwy.

Set 4" brass tablet in [illegible] cut thru pavement [illegible]

Std mkd COUNTY SURVEY MONUMENT. Tablet mkd "L.A. COUNTY SURVEY CONTROL SYSTEM" and stamped "BELL 29 A 1966". REF. PTS. 2177, at the County Surveyor

[illegible]

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-57

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

W 5.32-C-2

RM #2
Set brass Tablet in 12"x12" conc. mon. 1' above Ground surf. Tablet mkd LA CO. CONT SYSTEM TRAVERSE STA. and stamped BELL E9, RM #2 1938, RESET BY COUNTY SURVEYOR.
set 7-7-58

Fd. Disturbed in Feb, 1952 - Reset Mon in orig. position & dia 12" - Remarked mon "RE" set "1952" & R.E. "63" ~ Mon is 13½ ft. below the top of a 4 inch ft. conc. stand pipe at the NW cor of the streets shown. The Stand pipe is on the property of the Co. Farm. The Mon is 37½ W & from the SW

WIRE ~ 3 DEC

corner of the Stand pipe & is 1½ ft S of the fence line.
5/12/52 R.T. Mitchell

Imperial

RM #1
Set brass Tablet in 12"x12" conc mon. Tablet mkd LA COUNTY SURVEY CONT SYSTEM TRAVERSE STA. RM stamped

BELL E9, RM #1, 1938
RESET BY COUNTY SURVEYOR.
set 7-7-58

WIRE x fence

This Mon is 1½ ft below the conc. Mound of Mon. End of 3" pipe below the top of the Stand. Remarked above.

LA COUNTY SURVEY CONT. SYSTEM
TRAVERSE STA. BELL E9
SEE NEXT PG FOR DESCRIPTION

Meas. Checked against Plat as noted in Abstract Bk. A-4-55 AE Tramps 10-3-56

OLD RIVER TO ROAD RR.

Edge Cable

TRAVERSE STA. BELL E9

S4.4A'
MON 3½" X 24"
S4.4 P.C.
L.V. 0.1'

39.1

19.4

50

S2E

HWY

EDGE CONC

2.1'

78.3' H.R.S. 4-17-58

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. O. Hall Scale 1" = 100'
Surveyed by SEPULVEDA Tape No 24E Std'd 7-6-56
Notes PRM Date 9-7-56
Indexed

F.B. 706 PG. 17

Posted on Geod. Index Card
Plotted on U.S.C. & G.S. Quad. Shts.
Placed on Sur. Div. W. S. Ms.
Sketch on Cross Dress. Card

F.B. 796 Pg. 186

# DESCRIPTION
## LA COUNTY SURVEY CONT. SYSTEM
## TRAVERSE STA. BELL E9

In Los Angeles County, 1000' ± W. of the N. entrance to the County Farm, near the intor. of Imperial Hwy & Old River School Rd. 19.4' N of ℄ of Imperial Hwy, & 1139' W. of the ℄ of Old River School Rd.

Set 4" brass cap in small set in 8" x 8" conc. block flush with ground, stamped COUNTY SURVEYOR MONUMENT. Tablet with LA COUNTY SURVEY CONT. SYSTEM TRAVERSE STA. BELL E9 1938, N 2 CITY and set by COUNTY SURVEYOR.

Set 8-31-38

FOR SECTION SEE 2 HSH FG. 185

The Mon (BELL E9) is also 12² ft below the top of the stand-pipe referred to on pg 185. It is 29.4 ft distant from the NW Cor of the stand-pipe and is 90.0 ft W'ly from the SW Cor of the Edison Company "switch-yard" at the NE Corner of the streets.

5/12/58 - R.J. Mitchell

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W3.32 -C-2

| | |
|---|---|
| Notes Ck'd by | Survey of Bell So. Gate Hts. F.B. 796 PG. 187 |
| Map No. | W. 0.496' Tape No. 042 Std. 76°F |
| Office Work | Surveyed by S.E. BUTLER |
| Checked | Notes R.W. VIII/14 Date 8-31-38 |
| Date | Indexed |

W.3

L.A. COUNTY SURVEY CONT. SYSTEM
TRAVERSE STA BELL E 9 B.
IN L.A. CO. FARM AREA
FOR DESCRIPTION SEE NEXT PG 188

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS




FORM 247 5M 10-37

F.B. 796 PG. 188

DESCRIPTION

LA COUNTY SURVEY CONT'L SYSTEM
TRAVERSE STA. 5311.693

In The county of Los Angeles, In county Farm Area, near The Int. of Quill Dr. and Old River School Road 3' N of The production of a fence line on The South Side of Quill Dr. and 32' W. of The West side of The [illegible] Old River School Rd.

5 - 1 - 1" bolt [illegible] in well set in a 30"x30" conc. block. Well covered with a cast iron lid inscribed COUNTY SURVEY MON. Tied [illegible] LA COUNTY SURVEY CONT SYSTEM TRAVERSE STA. and stamped [illegible] COUNTY SURVEYOR.

For sketch see Last Pg. 187

12-21-55.

12-19-55 per M.A. Van Deren

RM. #1 Set a Std Ref Mon 30"dp in conc See FB 796-295

RM #2 Set a Std Ref Mon 36"dp in conc See FB 796-295

RETURN to
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 32-P-2

| | |
|---|---|
| Notes Ck'd by | Survey of Bell So. Gate Hts. No. 1 F.B. 796 Pg. 189 |
| Map No. | W. O. 4940 Tape No. 048 St'd 76 OF |
| Office Work | Surveyed by S.E. Butler |
| Checked | Notes R.M.M. Date 6-31-55 |
| Date | Indexed |

W.S. 32

# L.A. COUNTY SURVEY CONT. SYSTEM
# TRAVERSE STA. BELL F8.
# DOWNEY AREA

FOR DESCRIPTION SEE NEXT PAGE

See FB 796-296
For R.M. Mon
12-19-55-Von

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 296 PG. 190

DISCRIPTION

LA COUNTY SURVEY CONT. SYSTEM
TRAVERSE STA BELL F8.

In the County of Los Angeles, Division first
near the int. of Stewart Gray Road & Ch
River [illegible] 24.6' S. of the ℄ of Stewart
Gray Rd. [illegible] 20.4 W of the ℄
of [illegible]

set 4" brass Tablet in well cut thru pavmt
mkd COUNTY SURVEYOR MONUMENT Tablet
mkd LA COUNTY SURVEY CONT SYSTEM
TRAVERSE STA BELL stamped below F8, 1958
RE2177, and set by COUNTY SURVEYOR.

FOR DIRECTION SEE WEST PG 189

Set 12-19-58

12-19-58

RM #1 set Std Ref Mon in Conc 30"d/p
RM#2 " " " " " " "

See pg 246

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS.32-D-1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O.
Surveyed by
Notes
Indexed

Tape No. 640 Std'd
Date

F.B. 795 PG. 191

BELL G 7-A
set 4" brass tablet in well set in 2 ft. of concrete back of flushwith pavement well covered with cast iron lid with county surveyor tablet marked L.A. COUNTY SURVEY CONT. SYSTEM. and stamped BELL G 7A 1938 RE 21 F set by County Surveyor

SET LEAD TACK IN CATCH BASIN 10-23-61 O.C.S.

SET LEAD TACK IN BOOT OF CURB 10-23-61 O.C.S.

SET LEAD TACK IN CATCH BASIN 10-23-61 O.C.S.

COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION BELL G 7-A
POWNEY FIELD
FOR DESCRIPTION SEE NEXT PG. 192

EDGE

FIRESTONE BLVD.

OLD RIVER

APPROX. ℄

E. I. C.

P. P.

FLIGHT

P. P.

SCHOOL RD.

64.3

23.82

S 5° 49' E

119

20.01

70.51

10.4

7=82

F.B. 196 PG. 192

# DESCRIPTION

## L.A. COUNTY SURVEY CONT.' SYSTEM TRAVERSE STA. BELL G 7-A

In The County of Los Angeles, Downey area, near the inter. of Firestone Blvd. and Old River School Road, 6+3' N of the inter. of ℄ Firestone Blvd., ℄ Old River School Rd. and ℄ of S.P.R.R. Track and 11' W. of the ~~W. edge~~ ℄ P.S. of the pavement of said Old River School Rd.

Set a 4" brass tablet in well set in a 30"x30" conc. block. Well covered with a cast iron lid mkd Cod. Wy Surveyor Monument. Tablet mkd L.A. County Survey, Control System Traverse Sta. stamped Bell G 7A 1938, R.P.V.T., set by County Surveyor

Elev. above mean sea level

set 9-1-38.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 SM 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS. 32-D-2

PM #1
Scribe "S" on Top of Mon.
2" Iron Pipe with Tag "L.A. Co. Survey Cont. System Reference Mark" and Stamped Bell F10A 1938 RE 2177 Set by County Surveyor Set 9-6-38

THIS MON. Disturbed Removed 1-12-38 ECW

Edge

PARAMOUNT

TRAVERSE STA. BELL F10A

PM #2
Set 4" brass Tablet in 12"x12" Conc. MON. Level with Pavement at ℄ Tablet Mkd. LA COUNTY SURVEY CONT. SYSTEM REFERENCE MARK TRAVERSE STA. BELL F10A 1938 RE 2177 and Set by COUNTY SURVEYOR Set 9-6-38.

BLVD

Set 4" brass Tablet in well cut into Conc. Pavmt. Covered with Cast Iron Lid. Mark Center of Survey Mon. Tablet Mkd. LA Co. Survey Cont. System. Traverse Sta. Bell F10A 1938 RE 2177 Set by County Surveyor.

Set 9-1-38.

Meas. Angle at Bell F-10A = 89°42'59.0" } A.E.T. 10-V-38
Calc. " " " " = 89°43'15.18" }

Set 4-Tan L.S.T.S. 1-12-38 ECW

NOTES
FOR NEW TIES SEE F.B. 2453-94 M.W.B.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Bell & Gale Tract
W. O. 4422 Tape No. 045 Str. 76 of
Surveyed by R.S.E. Rutter
Notes R. Lutz Date 8-3
Indexed

F.B. 796 Pg. 193
Mon. on Rec. Mon. Map
Placed in U.S.C.&G.S. Quad. Stats.
Placed on Sec. Div. W.S. No.
Sketch on Rec. Desc. Card

F.B. 796 PG. 194

DESCRIPTION

LA COUNTY SURVEY CONT' SYSTEM
TRAVERSE STA BELL FIOA

In the County of Los Angeles on Paramount Blvd. 6.43 North of the CNT Entrance to the LA County Farm, 16' West of the ℄ of Paramount Blvd. by North of the ℄ of Imperial Hwy.

Set a 4" x 4" x 30" Redwood post with nail and washer in top, flush with ground and centered with a cast iron pipe monument COUNTY SURVEY MONUMENT Tablet and LA COUNTY SURVEY CONT' SYSTEM TRAVERSE STA. and stamped BELL FIOA 1956 RADIAL, and set by County Surveyor.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 32-C-3

| | |
|---|---|
| Notes Ck'd by | |
| Map No. | |
| Office Work | |
| Checked | |
| Date | |

Survey of Coll. & Cent. Hwy. F.B. 706 Pg. 195
W. O. 4901 Tape No. 648 Std. 76 OF
Surveyed by SEBullock
Notes DUW. Date 9-2-54
Indexed

Noted on Rec. Index Card
Placed on U.S.C.S. Quad. Sht.
Placed on Surv. Div. W.S. No.
Shown on Dep. Dwg. Book

# L.A. COUNTY SURVEY CONT. SYSTEM

## TRAVERSE STA 85 L.A. E12

FOR DESCRIPTION SEE NOTE 196

Sta. Removed 5-10-88

Tape #677 Std @ 68°
22.535' @ 62° = Same
59.255' @ " = "
64.93' @ " = "
88.035' @ " = 88.03'
72.805' @ " = 72.80

① 20-22-00
② 81-28-15
③ 122-12-00
20-22-00

① 55-45-45
② 123-08-30
③ 334-35-15
55-45-45

TRAVERSE STA
E12

SEE FB. 2463-13, 14 FOR LATER SURVEYS 9-77 MR.

Note: Any Additions or Changes on Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS




FORM 247 5M 10-37

F.B. 796 PG. 196

# DESCRIPTION
## L.A. COUNTY SURVEY CONT. SYSTEM
## TRAVERSE STA BELL E 12

In the County of Los Angeles, Clearwater area, near the Inter. of Paramount Blvd, and Rosecrans Ave 8.6' N of the N. rail of P.E. R.R. and 13' W. of the west curb line of Paramount Blvd

Set 4" brass tack in top of 3" x 3" conc. block, flush with ground, with L.A. COUNTY SURVEY CONTROL SYSTEM, and stamped: BELL E 12 1938 R.E. 2177, in line with set

Set 9-6-38.

For station see page 195

Sta. Turtle Mark: None.

R.M. No 1: Set a std 4" br. tab. in conc. 12" below walk grade and stamped: "L.A. Co. Sur. Cont. Sys. REF. MARK", and stamped: "BELL E 12, R.M. No 1, R.E. 2177, 1938" Set by County Surv., 1942.

R.M. No 2: Set a 3/4" I.P., conc. plug + tack, in conc. 18" below sidewalk. Mon. Set 3-13-42

① 45-37-00
② 182-28-30
③ 273-42-00
45-37-05

69.81' @ 62° = 69.81
74.945' @ " = 74.94
37.80' @ " = 37.80
17.36' @ " = 17.36

Tape #077 Std @ 68°

R.M. No 1: Set a 3/4" I.P. conc. 4 feet, in conc. 16" below walk gr. Mon. Set 3-13-42

TRIANG. STA. "CLEAR E-49" See 129.198

W.S. 32 C

To Triang. E-32

45-37-05

13.2

17.36

74.94

69.81

15'

Fd. L + T.

Fd. C.S.P.K. W + T.

53 RD ST.

53 RD ST.

13.2

37.80

14.2'

7.5'

15'

30'

4'

15.5

4'

R + O Pav.

TURNPIKE

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

00065 6 00070 6 00080 273

W3.82-C4

| | |
|---|---|
| Notes Ck'd by | Survey of Tri-S, 1936 Hiway P.A. F.B. 176 Pg. 197 |
| Map No. | W. O. 4905 Tape No. C48 St'd ✓ of |
| Office Work | Surveyed by T.E. Butler |
| Checked | Notes K.L.W. Date 4-2-38 |
| Date | Indexed |

Plotted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Surv. Div. W.S. Rs.
Sketch on Geo. Desc. Card

# BASE NET TRIANGULATION SCHEME AT TRIANGULATION STATION CLEARWATER E-2.

## FOR THE L.A. COUNTY SURVEY CONTROL SYSTEM.

JOB NO. 4905

FOR INDEX SKETCH SEE NEXT PG. 198

T.E. Butler
H.L. Willey
G.W. Kleinecke
K.C. Moser
R.F. Cunningham
Sept. 1936

Trav. Sta. 'CLEAR. E-1'

MADISON ST.

BLVD.

DEARMOND ST.

24.78' @ 66° = Same.
54.905' @ " = "
Tape #077 STD @ 68°

Δ 89-13-00
Ⓐ 356-42-15
Ⓑ 175-18-45
89-13-00

89° 13' 05"

CLEARWATER E-2.
See pg. 198.

24.78' Fan.

54.905' Fan.

R.M. No 1, Set a 3/4" I.P. Conc. plug & tack in conc. curb gr. Mon. Set 3-6-42.

R.M. No 2, Set a 3/4" I.P., conc. plug & tack, 12" below curb gr. Mon. Set 3-11-42.

Conc. Pav.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS. 32-C-4 & 5



| | | | |
|---|---|---|---|
| Notes Ck'd by | Survey of Bell & Gate Hts Pk | F.B. 746 | P. 199 |
| Map No. | W. O. 4405 Tape No. 048 | St'd 76 OF | |
| Office Work | Surveyed by SE Butler | | |
| Checked | Notes R.L.W. | Date 9-7-38 | |
| Date | Indexed | | |

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. Mo.
Plotted on Geo. Quad.

DESCRIPTION

L.A. COUNT SURVEY CONT. SYSTEM TRIANG.
STA CLEARWATER E4,

In the County of Los Angeles, in North Long Beach, near the inter. of Paramount Blvd and Lark St. N. & S. line on South side of 63rd St. & the West and West of the E of Paramount Blvd.

Set 4" brass Tablet in a well set 18" 30"x30" conc. flush with pavement block. Well mkd COUNTY SURVEYOR MON. Tablet mkd LA COUNTY SURVEY CONT SYSTEM TRIANG STA. and stamped CLEARWATER E4, 1938, RE 2177 Set by County Surveyor, set 9-7-38.

FOR SKETCH SEE LAST PG 198

WISCHMAN

L.A. COUNTY SURVEY CONT. SYSTEM TRIANG.
STA CLEARWATER E3

In the County of Los Angeles, Town of Clearwater 602' S. of the North curb line of Thompson St, and 16.3' W. of the E of Paramount Ave.

Set 4" brass Tablet in a well set in concrete 30"x30" conc. block & flush with pavement. Well covered with a cast iron lid mkd COUNTY SURVEYOR MON. Tablet mkd LA COUNTY SURVEY CONT SYSTEM and stamped CLEARWATER E3 1938 R.E. 2177 and set by COUNTY SURVEYOR

FOR SKETCH SEE LAST PG. 198

Set 9-7-38

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 766 PG. 200

# DESCRIPTION

L.A. COUNTY SURVEY CONT. SYSTEM
T.R. 1 N. 16 STA. CLEARWATER E-2

In Los Angeles County, Town of Clearwater
496.0' North of the North curb line of center stand
16.2 West of the ℄ of Summit Blvd.

Set 4" brass tablet in well set flush with ground
conc. block. Well is covered with circular
iron lid mkd COUNTY SURVEYOR
MONUMENT, Tablet mkd L.A. COUNTY
SURVEY CONT. SYSTEM, TRINITY STA.
and stamped CLEARWATER E-2, 1938,
RE 2177, set by COUNTY SURVEYOR

For sketch see pg. #198
Mon. set 7-8-38.




① 40-23-45
② 161-35-00
③ 242-22-30
40-23-45 ✓

① 104-35-00
② 58-17-30
③ 267-29-00
104-31-30 ✓

33.79 @ 62° = same.
38.86' @ " = " .
57.55' @ " = " .
Tape #077 std @ 68°

W 5.32-C-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W3.32-C.4

| | |
|---|---|
| Notes Ck'd by | Survey of Bellflower Hts. F.B. 796 Pg. 201 |
| Map No. | W. O. 4985 Tape No. 284 St'd 76 OF |
| Office Work | Surveyed by SE BUTLER |
| Checked | Notes RLVV. Date 9-28-38 |
| Date | Indexed |

Noted on Rec. Index Card
Placed on U.S.G.S. Quad Sht's.
Placed on Sur. Div. U.S. Ma.
Sketch on Geo. Quad Sht.

LA COUNTY SURVEY CONT SYSTEM
TRAVERSE STA CLEARWATER E-1
FOR DESCRIPTION SEE NEXT PG 202

39.99' @ 64° = Same
116.88' @ " = 116.875
117.09' @ " = 117.065
65.125' @ " = Same

Tan #077 Std. @ 68°

R.M. No. 2 Set a 3/4" I.P. Conc. plug & tack in conc. curb 12" below Mon. Set 9-11-42

BLVD

144' 20' 30° 20' 14.6'

5' 16' 6.5' 9.2' 9.6' 9.2' 85.2' R=15' 70.0° FD L+T. R=15' curb 116' 18.1'

conc. COMPTON Pavmt. 240

116.875' 27.5' 5.0' 17.80 Curve Fd C. Spk + W. 56.0 BLVD 19.9'

56.4 Not Shown TRUE LOCATION No. of ℄ Shown Incorrect 19.2' 29.0°

Note: Dist. bet. R.M.'s could not be meas'd acct. of obstruction

Fd L+T. 5.5' 117.065' Approx Curb lines curb line 1803'

R.M. No. 1 Set a 3/4" I.P. conc. plug & tack in conc. Below curb 9.6' Mon. Set 9-11-42

Fd L+T. 86.6' 20' 30' 20' 11'

7' 4' 11' OIL SURFACE

EL. ECONO. PAVMT. CONC. PARAMOUNT PAVMT. Bldg. conc. OIL SURFACE Curb Edge of walk

TRAV. STA. CLEARWATER E-1 Mon. Set 9-8-38 pg. for desc. see next pg.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 796 PG. 202

DESCRIPTION

LA COUNTY SURVEY CONT. SYSTEM
T. TRAVERSE STA. CLEARWATER E1

In the County of Los Angeles, Town of CLEARWATER, West the inter. of Compton Blvd and Paramount Blvd, 29' North of the South curb line of Compton Blvd & 18' East of West curb line of Paramount blvd

Station Mark:
set brass tablet in well cut thro. pavmt and covered with [illegible] mkd. COUNTY SURVEYOR MONUMENT. Tablet mkd LA COUNTY SURVEY CONT SYSTEM TRAVERSE STA. and Sta. Name CLEARWATER E1, 1938 RE2177 set by COUNTY SURVEYOR.

FOR SKETCH SEE ABST PG 201

SET 9-8-38

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

W.S. 32-D-1

| | |
|---|---|
| Notes Ck'd by | Survey of Bell 1955 |
| Map No. | W. O. 490-2 Tape No. 238 St'd 44° F. |
| Office Work | Surveyed by Emmott |
| Checked | Notes Ferner Date Sept 1938 |
| Date | Indexed |

F.B. 796 Pg. 203

Noted on Gen. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sht. Div. W.S. No.
Sketch on Dup. Desc. Card

Set 4" Cast Iron Pipe in conc. in B.C. covered by 30"x30" conc. blk. & cast iron Aid Stamped Co. Sur. Mon., flush with existing pav. Brass cap marked L.A.Co. Survey Control System for information see Co. Sur. & Stamped Transverse Sta. 2111. G7 set by Co. Sur. R.E. 2177 - 1938

2' E. of E. edge of conc. pav. of Old River School Rd. 1392' N. of N. Rail of S.P.R.R. Track.

41.17 T = 78°

20°

R.M. #1 BELL-G7 Set 4"BC&A+30"IP 2' deep in 18"x18"conc. blk. on line prod. from BF46 - H-7

To BELL - H7

Street Luminaire

Oil & Rock Pad

392°

Old River School Rd.

Fire Hose

S.P. R.R.

R/W

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 10M 11-38

F.B. 796 Pg. 204

W 5.33-A-2

W 5.33

Tape 1.458 Hdc 84°

Set 4" S.C. 4'30" iron pipe in conc. 2" below subgrade in a 6" well covered with C.I. Lid. Stamped Co. Sur. Mon. - B.S. Marked L.A. Co. Survey control System Zone intersection See Co. Sur. Stamped-Traverse Sta. BELL-H7 & Set - & Co. Sur. R.E. 2177 1938

14± N'ly. of S. c.b. line of Firestone Blvd. & 33½ W'ly of E. c.b. line of Paramount Blvd.

NOTE:
Fd R.M. #2 IN APRON TO CONC. drive ENTRANCE IN A 4" HANDHOLE DN 2" & APPEARS TO HAVE been HIT. W.D. BAY 9-23-60

pt. of sight N. Edge of cooling tower

OUT

Return To
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Plotted
Plotted
Sketch Bill Bee, Jesse Card

100.19 @ 78° - RP. 18'
48.73 @ 75°

① 39-10-30
④ 156 41-30
39-10

0.05
1.4
59.2

BELL BLVD.
N. 88° E. Fiction 100.15
CONC. WALK
Fd. LET IN WALK
331
46.01
14±
Paramount Blvd.
Fd BELL H-7 N WELL 9-23-60 W.D. BAY
DESTROYED 10-7-60
48.28
G1.05
14
19±
Fd. BT. SPK.
76.2
DN 4"
FIRESTONE BLVD.

Set B.C. 1177 2 x 12 conc. in Well 0.2' below Surface in Handhole 10' N. of C.L. of Firestone Blvd. 35± E. of C.L. of Paramount Blvd. Monument Line. Set Co. Sur. Monument Survey Control Zone Intersection Station BELL H-7 R.E. 2177 1938

Set B.C. 1177 2 x 12 conc. in Well 0.2' below Surface in Handhole 10' N. of C.L. of Firestone Blvd. 35± E. of C.L. of Paramount Blvd. Monument Line. Set Co. Sur. Monument Survey Control Zone Intersection Station BELL H-7 R.E. 2177 1938

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 33-A-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. Std.
Surveyed by
Notes
Indexed Date

F.B. Pg.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS. 33-B-7




F.B. 796 Pg. 206

W.S.

FORM 247 10M 11-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS, 33-B-2

Set 4" B.C. + 30" I.P. in 6" well 2" below Subgrade covered by 2 C.I. Lid marked S. Surv. MAR. 36 N. of S. edge of existing PAV. + 50' W'ly of W. edge of conc. culvert. B.C. marked L.A. Co. Survey Control System for information See Co. Surv. - Stamped Traverse Stn. BELL-K9 Set by Co. Surv. R.E. 2177 - 1938

Note: This sta. changed to "BELL K-9A" See F.B. No 978 pg. 21 for additional mon's set. 12/22/41.




Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of BELL AREA
W. O. Post Tape No. 058 Std. 44 F.
Surveyed by Emmett
Notes Engineer Date Sept '38
Indexed

Plotted on Base, Index Card
Plotted on U.S.C. & G.S. Quad. Sht.
Plotted on Sec. Div. W.S. No.
Sketch on Desc. Deed Card

F.B. 796 PG. 207

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS. 33-B-3

Do not extend notes this side of this line




F.B. 796 Pg. 208

For new reference see F.B. 928-83 L.A.Co.

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

35.33-C-3

For new ref. ties } G.N.K.
See F.B. 928-85 } 1-26-50

Set B.C. +30' I.P. 6" dn. in 18"x18" conc. block on line with centre of most ELY. oil derrick in white hills which is visible from this point, bearing N 53° 30' E. B.C. marked L.A.Co. Survey control system stamped R.M.E. Whittier B10 set by Co. Sur. R.E. 2177 1935. 5' Wly of W. edge of conc. culvert + 28.9' N. of N. edge of existing pav. on Firestone

Tank Site "WHITTIER B-10"

Ref. F.B. 924-14
928-85

FIRESTONE

BLVD.

60'

64.04

30.0

N 53° 30' E

3.0'

26.0

Set + B.C. + 30' I.P. in a 6" W.C. 1' below subgrade + covered by a 30"x30" conc. block + 0.1' to I.P. marked L.A. Co. Sur. B10 1935 B.C. + 30' existing pav. + 2' Wly of W. edge of conc. culvert + an apparent N. 53° 30' E. line + Imperial Hwy. + B.C. marked L.A. Co. Survey Control System for Triangulation Sta. Co. Sur. - Stamped Traverse Sta. - Whittier - 1910 - Set by Co. Sur. R.E. 2177 1932

109-03-15
109-13-00
109-03-15

64.04 Trav.

T. 64.04

F 64.04

T. 64.04

L. 10

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O.
Tape No. 658 Std. & F.
Surveyed by
Notes
Date
Indexed

F.B. 796 PG. 209

F.B. 796 Pg. 210

W.S. 33-D-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Set 4"B.C. x 30" lg. in a 6" well 2" below surface & covered by a C.I. Lid marked Co. Sur. mon. 46.5' E'ly of a line of 8" wal. trees - 77' from a 3" fire hydrant - 278' W'ly of the E. prop. line ln. & 61' S. W'ly from W'ly edge of conc. culvert - B.C. marked L.A. Co. Survey control system for information see Co. Sur. - Stamped. Tra. se Gl. n. w. Walter 20 Jat by Co. Sur. R.E. 2177 1958.

See F.B. 368-20

New Ties & Sketch See Pg 255 This F.B.

HWY

PAV.

WORKWALK

BLVD.

27.8'

24.2'

30.2'

A.C.

PAV.

77'

conc. culvert hd. wall

8" Walnut trees

20'

IMPERIAL

3" Fire Hydrant

O/H Rock

W.S. 33-D3

| | |
|---|---|
| Notes Ck'd by | Survey of P-L-1 ADD 1 |
| Map No. | W. O. 4902 Tape No. St'd °F. |
| Office Work | Surveyed by Inman |
| Checked | Notes Compl. Date Oct. '38 |
| Date | Indexed |

F.B. 796 Pg. 211

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Set 1" I.P. in 4" well 2" below sidewalk covered by C.I. l/d flush with pav. marked Co. Sur. Mon. B.C. inscribed L.A. Co. Survey. Const. Mon. for information See Co. Sur. - Stamped 29 Traverse Sta. whittier 5-10 Set by Co. Sur. F.E. 2177 - 1938

259' Nly of E. P.L. in N. + 7' Nly of a line p.o.b. + con. N. Pk. in the INT. of Bloomfield Ave. + Imperial Hwy.

New Ties see Pg 251 This F.B.

(Norwalk State Farm)

BLOOMFIELD AVE.

IMPERIAL HWY.

20'

7'

259'

Fd. 5/8 Brass Plug set in well in E. end of Curb at P.C. of Curb Return on S.E. Cor. of Int. Marked by Chiseled X in Top of Curb

New Ties See Pg 251 of F.B. 796

Conc. weir box 5' high

(Norwalk State Farm)

FORM 247 10M 11-38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

F.B. 796 Pg. 42

W.S. 32 & 33

| | |
|---|---|
| Notes Ck'd by | Survey of Bell Seaside Estates Pk |
| Map No. | W. [illegible] Tape No. St'd °F |
| Office Work | Surveyed by Freeman |
| Checked | Notes H & W Date 6-22-37 |
| Date | Indexed A. C. Johnson |

F.B. 796 Pg. 113

W.S. 32 & 33

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

Sketch Card Made



F.B. 796 PG. 24

# DESCRIPTION

BELL G8

TRAVERSE STATION

In Los Angeles County, 0.9 mi. N.E. of the County Farm, 0.6 mi. S. of the [illegible] ISE HWY on Paramount Blvd., 31± [illegible] of permit, on Standard



set 4" brass tablet in a well cut thru the permit, and covered with a cast iron box marked COUNTY SURVEYOR MONUMENT.

Tablet stamped LA COUNTY SURVEY CONTROL SYSTEM TRAV. ERSE STA. BELL G8, and stamped RE. 2171, set by COUNTY SURVEYOR 1939.

Sub Surface Mon None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS. 33-A-1

| | |
|---|---|
| Notes Ck'd by | |
| Map No. | |
| Office Work | |
| Checked | |
| Date | |

| | |
|---|---|
| Survey of | Bell Area |
| W. O. | 4905 Tape No. — St'd — OF |
| Surveyed by | Emrich |
| Notes | RBE Date June '39 |
| Indexed | A. C. Johnson |

F.B. 796 Pg. 215
WS. 32+33

BELL G9

NOTE:
FOR NEW TIES
SEE F.B. 2143-27
7-22-40
W.D. Bay

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line




RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

Sketch Card Made

F.B. 796 PG. 216

# BELL G9
## TRAVERSE STATION

In the County of Los Angeles 0.5 mile northeast of County Farm 1.5 mi SW of town of Downey at Paramount Blvd. and Alameda St.

in a well cut through pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark: Set a standard 4" brass tablet in concrete 2" below subgrade of street, marked "L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION BELL G9" and stamped "R.E. 2177 SET BY COUNTY SURVEYOR 1939"

Sub-surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

| | | |
|---|---|---|
| Notes Ck'd by | Survey of | F.B. 996 Pg. 217 |
| Map No. | W. O. Tape No. St'd OF | |
| Office Work | Surveyed by | |
| Checked | Notes Date | |
| Date | Indexed A. O. Johnson 7-20-51 | |

# INDEX

L.A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION SCHEME FOR CITY OF LYNWOOD

J.N. 4916

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

F.B. 796 PG. 218

W3.62-B-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of ALVARADO
W. O. 4416 Tape No. 016 St'd 76
Surveyed by SEBITOL
Notes RLW Date 4-AUG
Indexed C. Johnson

B. 796 PG. 119

Sketch on Sup. Index Card
Placed on U. S. G. S. Quad. Shts.
Placed on Sec. Sht. U. S. Rs.
Sketch on Orig. Base Card

LA COUNTY SURVEY CONTROL
SYSTEM TRAVERSE STATION
BELL B-11

RM #2
Set 4" brass tablet
flush with the ground
Tablet marked LA COUNTY
SURVEY CONTROL SYS
TEM REFERENCE
MK. B-11, BELL B-11
RM #2, COUNTY SUR-
VEYOR 1939

to Bell B10

RM #2

RM #1

P.E. 40.560 T90 = 40.564

R. R.

Ley 34.355 T90° = 34.358

RM #1

Set 4" brass tablet in conc.
4" above the ground
Tablet marked LA COUNTY
SURVEY CONTROL SYSTEM
REFERENCE MARK BELL B11
RM #1, RE 2177 and SET BY
COUNTY SURVEYOR 1939.

RAIL ROAD AVE

Sketch Card Made

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

F.B. 196 PG. 220

DESCRIPTION

LA COUNTY SURVEY C.S.
TRI SYSTEM TRIANGULATION
STATION BELL B-11.
MARKED. TRAVERSE STA.
IN LOS ANGELES COUNTY, 2640± EAST OF THE
SOUTH EAST CORNER OF THE CITY OF
LYNWOOD
52' SOUTH OF THE SOUTH RAIL OF THE
R.R. R/W IN SOUTH EAST ANG. 16 L.F. IN THE
WEST FACE OF POINT ON WEST SIDE

[illegible] FLUSH WITH
THE [illegible]
CO. SURVEY [illegible] TRAVERSE
STA. B.V. [illegible] BELL SOUTH RD
21 FT. [illegible] COUNTY SURVEYOR
1907

SET 4-17-57

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS. 32-P-B

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lynwood
W. O. 4946 Tape No. 516 St'd 76 OF
Surveyed by S.E. Ritter
Notes RWW Date 4-14-39
Indexed Job sent

F.B. 796 PG. 22

[redacted] Geo. Index Card
[redacted] U.S.C.&G.S. Quad. Shts.
Placed on Sur. Div. U.S. Hy.
Sketch on Geo. Desc. Card

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
BELL B 10

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37



F.B. 296 PG. 277

# DESCRIPTION L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION BELL B-10

In the county of Los Angeles, City of Lynwood,

[illegible] on the south rail of P.E. R.R. to Sand Tr. Rock & West of west edge of conc. pavmt on Atlantic Blvd.

Set 4" brass tablet in a well cut thru pavmt and covered with a cast iron [illegible] COUNTY SURVEY'S MONUMENT, tablet marked L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION, and stamped BELL B-10 RE 2177, and set by COUNTY SURVEYOR 1939

For sketch see next Pg.

R.M. No 1

Set a 3/4" IP Conc plug + tack, in concrete below rail grade.

R.M. No 2

Set a std 4" bra tab in conc. below rail grade, and marked L.A Co SUR CONT SYS. REF MARK and stamped BELL B-10, R.M. No 2, RE 2177 and SET BY CO. SURV. 1942.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS.32-B-3

| | |
|---|---|
| Notes Ck'd by | Survey of |
| Map No. | W. O. 4916 Tape No. 216 Std 76 of |
| Office Work | Surveyed by CERITTOS |
| Checked | Notes Date |
| Date | Indexed |

F.B. 396 Pg. 23

Placed on U.S.G.S.

Placed on Thru. W.S.B.

# L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION

## BELL A-10

See Desc. Pg.

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FERNWOOD

Curb Line

RM No 2
Set a ¾" IP Conc
Plug + tack, in Conc
30" below, rail
Mon set 2-18-42

Traverse station
BELL A-10
For description see next page
Note
This track removed
Feb 42

Edge of Pav

WATTS K-10-A

RAILROAD AVE

oil + rock surface

RM No 1
Set a std 4" br tab in Conc
20" below curb and marked
LACOSURCONTSYS REF
MARK and stamped BELL
A10 - RM1N1 - RE2177
and SET BY CO. SURV
1942
Mon set 2-18-42

Sketch Card made.

FORM 247 5M 10-37

F.B. 196 Pg. 224

DESCRIPTION

L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION

BELL A 10

In the County of Los Angeles, City of Lynwood

6? South of the south rail of the P.E. R.R. to Ch. 1.5 Prol. and 23' West of the west edge of pavement on Caress ST.

Set 4" brass tablet in cone flush with [illegible] to be marked L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION and stamped BELL A 10, RD 2177 and SET BY County Surveyor 1967

See sheet 129 Set 2-11-67

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

| | |
|---|---|
| Notes Ck'd by | Survey of Lynwood |
| Map No. | W. O. 4771 Tape No. 027 Std. 68°F |
| Office Work | Surveyed by R B Emmon |
| Checked | Notes Gunderson Date 2-17-42 |
| Date | Indexed |

P. B. 176 Pg. 22

Recorded U.S.G.S. Quads.
Plotted on Sur. Div. U.S. Ha.
Sketch on Gen. Comp. Sheet

N.S. 32-8

L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STA.
WATTS K-10-A

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 3M 12-40

BULLIS Macadam
RD Surface
AVE Surface
RD
FERNWOOD Pav.
FERNWOOD Macadam
Curb & Fnd.
Edge of Pav.
Conc. Floor Waiting Rm.
Traverse Sta. W.A. 77 K-10-A for description see next page
RM No. 2 see next page for description Mon. Set 2-17-42
RM No. 1 see next page for description Mon. Set 2-17-42
Set L&T Conc. Mon.
Set L&T Cl. Prod.
WATTS K-8

32°
315
314
558
387
333
45°
65°-32'-55"
74.17
103.08
75.25
81.29
121.9
218
298
29°
56°
5°
6'
4'
4ft
R=15'
R=25'
R=6'

5.24 @ 60' = Same
103.08 @ 68' = Same
74.175 @ " = "
68.575 @ " = "
75.25 @ 64' = "
5.93 @ " = "
81.29 @ " = "

@ 65-33-00
@ 262-11-45
@ 38-17-30
65-33-55

@ 26-49-15
@ 107-17-15
@ 160-55-30
26-49-15

F.B. 796 Pg. 226

# DESCRIPTION

## L.A. COUNTY SURVEY CONTROL SYSTEM
## TRAVERSE STA. WATTS K 10-A

In the county of Los Angeles, City of Lynwood
212' south of the south rail of the P.E. R.R. to Santa Ana and 582' west of the west curb line on Bullis Rd

Set a 4" brass tablet in conc flush with the ground. Tablet marked L.A. COUNTY SURVEY CONTROL SYSTEM, TRAVERSE STATION and stamped WATTS K-10-4
R.E. 2177 and SET BY CO SURVEYOR 1939
For sketch, see page # 225
Set 4-17-39

R.M. No 1
Set a 3/4" I.P. conc. plug & tack in conc.
16" below curb grade

R.M. No 2
Set a 3/4" I.P. conc plug & tack in Conc.
18" below rail

RETURN TO LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W 3.32 - A 2

| | |
|---|---|
| Notes Ck'd by | Survey of Lynwood |
| Map No. | W. O. 4492 Tape No. 016 St'd 76 OF |
| Office Work | Surveyed by S.E. Butler |
| Checked | Notes R.A.W. Date 4-18-39 |
| Date | Indexed J. Johnson |

F.B. 796 Pg. 227

Noted on Gen. Index Card
Plotted on U.S.C.&G.S. Quad. Shts.
Plotted on Sur. Div. U.S. Ma.
Sketch on Gen. Desc. Card

TIES TO NGS AT L.A. COUNTY SURVEY CONTROL STA WATTS K 9. FOR DESCRIP. SEE FB 796 - P 90

W.S.32.

BLVD

LONG BEACH

Traverse Sta.
WATTS K 9.
FOR

77.710 Lev T 76

49.340 Lev T 76

49.340

95.335

95.335 Lev T=76

PER R R

FERNWOOD AVE

SET 4" BRASS PLUG WITH PUNCH MARK IN CONC. CURB TANGENT MIXED WITH LA COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK STAMPED BY COUNTY SURVEYOR

SET 4" BRASS PLUG WITH PUNCH MARK IN CONC. CURB TANGENT MIXED WITH LA COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK STAMPED BY COUNTY SURVEYOR 1937.

Sketch Card Made

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

F.B. 796 PG. 228

WS. 32-A-2

| | |
|---|---|
| Notes Ck'd by | Survey of LYNWOOD |
| Map No. | W. O. 4916 Tape No. 016 St'd 76 of |
| Office Work | Surveyed by SEBASTICK |
| Checked | Notes ALV Date 4-17-42 |
| Date | Indexed |

F.B. 796 Pg. 29

WS 32

Noted on Gen. Index Card
Placed on U.S.G.S. Quadrangle
Placed on Surv. Div. W.S.No.
Sketch on Gen. Index Card

LOS ANGELES COUNTY SURVEY
CONTROL TRAVERSE
STATION WATTS J-9

SEE NEXT PG.

SEE F.B. 1164-16 FOR TIE TO E STATE ST
C.V.C. 2-13-42

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

S-S-3

Surf Ave

Oil + rock State

Note This Angle Removed

RM No 2 by tab in conc curb and nailed 20' below curb and 1.8' Co. S. of R/R Co. tangent MARK & DISC stamped J-9-RM No 2 RESET 1942 and set by B.M. Co. Surv. 1942 Mon Set 2-17-42

Surf St

Park Way

Oil + rock State

E. Curb

Tape 300.1 std @ 68°

| | | |
|---|---|---|
| 119.055 | @ 60 | = 119.05 |
| 89.695 | @ " | = 89.69 |
| 93.21 | @ " | = 93.205 |
| 93.015 | @ " | = 93.01 |
| 75.625 | @ " | = 75.62 |
| 22.595 | @ " | = 22.595 |
| 44.78 | @ " | = 44.78 |
| 61.765 | @ " | = 61.76 |

Oil + rock Fernwood

Surf St

Surf Fernwood

Waiting room Conc. Floor

Set Lat

Traverse Sta WATTS J-9 For description see page 30

WATTS J-9-A

RM No 1 Set 3/4" P. Conc Plug + tack, 1.1' E of low point of Conc Curb 18" Mon. set 2-17-42

Sketch Card made

F.B. 196 PG. 230

# DESCRIPTION

LOS ANGELES COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION WATTS J-9

In the County of Los Angeles, City of Lynwood 6.5' South of the south rail of the P.E. R.R. to Santa Ana and 12' West of the West curb line of State ST.

Set a 4" brass Tablet in Concrete Level with the top of curb. Tablet marked L A COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION, and stamped WATTS J-9, R.E. 2177, and SET BY COUNTY SURVEY 1938. 1939.?

Set 4-1-47-39

For sketch see pg

SEE F.B. 1164-16 FOR TIE TO E STATE ST. & P.E. RY. - C.V.C. 2-13-47 FOR INSET

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 SM 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS 32-A-2

RM No 2
Set a std 4" br tab. in conc 24" below rail, and marked LACO SUR CONT SYS REFMARK and stamped, WATTS J-9-A, RM No 2 - RE 2177 and SET BY CO. SURV 1942
Mon Set 2-16-42

Curb

FERNWOOD

Curb

AVE

Curb

P.E.

R.R.

This track removed Feb 42

SEE F.B. 1164-62 TIE TO IMPERIAL - CIVIC 2-13-42

Traverse of WATTS J-9-A (See Description)

WATTS I-2

oil + rock shoulder

Conc.

oil + rock surface

Edge of Pavt

RM No 1
Set a 3/4" IP conc plug & tack in conc, 18" below road surface
Mon Set 2-16-42

122.22 Conc. Sur. 87.00 @ 11 = 11
8318 @ 11 = 11
Tape #027 347 @ 080

62-15-30
249-02-00
13-33-15-347
62-15-30

29-25-30
117-42-15
176-33-60
29-25-30

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of LOS ANGELES COUNTY SYSTEM OF TRIANGULATION
W. O. 4496 Tract No. 6116 Sheet 2 of
Surveyed by C.L.T. Date 4-1-42
Notes
Indexed

F.B. 1161 PG. 231
WS 32

F.B. 796 PG. 232

# DESCRIPTION

L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION WATTS J.9.A.

In the County of Los Angeles, City of Lynwood,

68± South of the South rail of the P.E.R.R. R/W South Ave and 4± West of the East edge of pavement of Imperial Hwy.

Set a 2" iron pipe 8 feet in conc. flush with ground

COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION and stamped WATTS J.9.A, R.D.2177 and SET BY COUNTY SURVEYOR. 1959

SEE STORM DR 231

SET 4-1-62

NOTE:- SEE F.B. 1154-62 FOR TIE TO IMPERIAL HWY & P.E.R.R. — CVC. 2-13-63 FOR J.R.P.C.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS 26-D-1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L.A. COUNTY SURVEY TRAV. STATION WATTS 19
Surveyed by Tape No. C16 Std. 26 OF
Notes R.P.L.V. Date 4-1-37
Indexed

F.B. 796 PG. 233
WS 26 p 32

Plotted on Grid Index Card
Plotted on U. S. C. & G. S. Quad. Sht.
Plotted on Star Atlas
Sketch on Back of Field Book

RM #1
Set 4" brass tablet flush with the curb at the NW cor. L.A. COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK 300 STH MARK WATTS 19 RM #1 RS2177 set by COUNTY SURVEYOR 1939

COR. C. SURFACE

ALAMEDA ST.

Sketch continued

RM #1

58.590 LCV T=84° = 58.593

curb

58.593

49

81

57° 43' 15" E

140.650

345

128.325 LCV T 84° = 128.332

S. P.

140.650 LCV T=80°=140.654

128.332

63° 30' 00"

RM #2

WATTS 19

ALAMEDA ST.

Set 4" brass tablet flush with curb at the W. cor. of the intersection of Alameda St. and Watts Ave. RS2177 RM #2 L.A. COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK 300 STH MARK WATTS 19 RM #1 RS2177 set by COUNTY SURVEYOR 1939

F. B.

Traverse Sta. WATTS 19 Topography RS FB 254

F.B. 196 PG. 234

# DISCRIPTION

L A COUNTY SURVEY CONT. TRAV. SYSTEM TRAVERSE STA. WATTS I-9

In the County of Los Angeles City of Lynwood

2' South of the South rail of S.P.R.R.

To South and 34.51 West of the West rail of the S.P.R.R. to Wilmington, and 4½' East of the East edge of pavmt on Alameda St.

Set 4" brass Tablet in concrete flush with ground Tablet marked L A COUNTY SURVEY CONTROL SYSTEM T.P. N15,903 STA. 0N and stamped WATTS I-9 F.B. 2177 Set by County Surveyor 1939

See sketch pg 2

NOTE: FOR TIE TO ℄ ALAMEDA ST. SEE F.B. 1164-82 C.H.C. - 2-13-47 (FOR J.N. 8417)

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 26 – E 2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of LYNWOOD AREA
W. O. 4511 Tape No. 2 to 6 Sht 1 of
Surveyed by RBE Emmott
Notes
Indexed A. C. Johnson Date 6/22/39

F.B. 777 Pg. 23

WATTS J11

W S. 26 + 32

71-41-30
286.46-15
70-09-00
71-41-30

76-15-30
305-02-15
97-33-00
76-15-30

48.785 @ 72° = 48.785
87.135 " = 87.135
89.175 " = 89.175

Tape #027
Std @ 68°

EL SEGUNDO

Apparent ℄

R+0

WATTS J11
Traverse station
Set std mon. see
next page for desc
3/5/42 RBE

ALAMEDA ST.
Apparent ℄

32.5

Fd L+T

18.15

Conc. pavement

WATTS J10

2.4

+ 24.8

71-41-30

18.785

S. 87.135
& 89.175

0.1

52.7

So. PAC. R.R.

R/W.

43

3.8

49.3

BLVD.

R+0

RM No 2
Set 3/4" I.P. conc.
filled with copper
tack in conc. 18"
below surface

RM No. 1
Set std 4" brass tablet
in conc. 18" below surface
marked "L.A. COUNTY SUR-
VEY CONTROL SYSTEM
REFERENCE MARK" and
stamped "WATTS JVI RM
No 1 RE 2177" and "SET
BY COUNTY SURVEYOR 1942
3/5/42 RBE

Curb

40'

Curb

F.B. 796 PG. 236

# WATTS J 11
TRAVERSE STA.

In the City of Compton at Alameda St. and El Segundo Blvd. in a well cut through pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark: Set a standard 4" brass tablet in concrete 2" below subgrade of street marked "L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION WATTS J11" and stamped "RE 2177 SET BY COUNTY SURVEYOR 1939"

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS 26-E-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. Orange Tape No. 016 Straight
Surveyed by Emmert
Notes
Indexed Date 6-22-37
C. Tobiason

F.B. 997 Pg. 23

This Station Recorded by L.E. Mann Feb 26

WATTS J 12A

Sketch Card Made

Edge — Curb — Conc. Sidewalk

5" curb

Conc. — Surface

Alameda approx. ℄ — St.

30.1

19.0

Watts J 12A
Set Survey cent. Mon. See Recd Tion next Pg.

Edge — Conc. pavmt.

4.2

RM #2
Set # nail in conc. flush with ground surface Marked L.A.Co. Survey Cont. System Traverse Sta. Watts J 12A RM #2 RE 2177 Set by County Surveyor 1939

Set # brass tablet in conc. flush with ground surface Marked L.A.Co. Survey Control System Traverse Sta. Watts J 12 Cross stamped RM #1 RE 2172 Set by Co. Surveyor 1939

Δ 89° 54' 00"
R 160.538 M
L 251.94 M

72.563 M

S P R R.

Pipe Track

Consolidated Rock Crusher

Ws 25+32

Based on Rec. Index Card
Recorded in L.A. County Surveyor's Office
Plotted on Sur. Div. W.S. No.
Sketch on Rec. Desc. Card

F.B. 196 PG. 238

# DESCRIPTION
## WATTS 1-12A
## TRAVERSE STATION

In the City of Compton [illegible] Pioneer St. [illegible] Consolidated Rock Products Co., Rock Crusher, 4.2' E of the east edge of pavmt on Alameda St.

Station Mark: Set a [illegible] 4" brass tablet in concrete mon, flush with pavmt., Marked L.A. COUNTY SURVEY CONTROL STATION WATTS 1-12A [illegible] 1977 [illegible] COUNTY SURVEYOR.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
700 HALL OF RECORDS

**Note:** Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

**Do not extend notes this side of this line**

WS. 26-D-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. Watts Tract No. Std.
Surveyed by EMMETT Date 6-28-37
Notes
Indexed F. C. Johnson

F.B. 226 PG. 25

W S 26 + 27

Sketch
Mar.
U.S. No.
Card

89 07-30
356.30.30
174.46-00
89-07-40

62 04-00
248-16-00
12 23-45
62 03-15

3/5/42 RBE.
13.555 @ 68°

4020 "
89 295 "
Topo # 027 Std
@ 68°

011
124 B ST.
SURFACE

ALAMEDA

WATTS TRACT

324

366

904°

2.7

17.9

59.5

62-04-00

89-07-40

13.555

402

10.20

RM No. 2

RM No. 1

83.295

4.8

13°

4.4

99.0

R/W

S.P. R.R.

WATTS J 11

Los Angeles County Water District Belle Vernon Water tank RM No. 2 set on line to center of top of tank

[Set 3/4" IP conc. filled with copper tack in conc. 18" below surface 3/5/42 R.B.E.]

RR Switch

1

F.B. 796 PG. 246

# DESCRIPTION

## WATTS J-10 TRAVERSE STA.

Near the N.W. Cor. of the city of Compton on Alameda St. 800'± N of the apparent ℄ int. of 124th St & Alameda Blvd.

Station Mark: at intersection 4" brass inlet in concrete flush with paving surface. Marked B.M. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STA. WATTS J-10 and stamped RE2177 and set by COUNTY SURVEYOR 1939

Sub. Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

| | |
|---|---|
| Notes Ck'd by | Survey of Lynwood Area |
| Map No. | Tape No. St'd. °F |
| Office Work | Surveyed by Emmett |
| Checked | Notes BLW Date 1-1740 |
| Date | Indexed |

F.B. 796 PG. 24-41

BELL A 12

WS 52 P 3

See note next page

Traverse Station
Bell A-12
See description N7 Pg

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-37

F.B. 796 PG. 34

L.A COUNTY SURVEY CONTROL
SYSTEM TRAVERSE STATION
BELL A 12

In the County of Los Angeles
280'± South of the ℄ inter. of
Pt. Vanita Blvd & McMillan St. Near
the West edge of the conc. pavm't
of Atlantic Blvd, 0.8 miles So of the
South City Limits of Lynwood,
In a well cut thro. the pavement
and protected by a cast iron cover
marked County Surveyor Monu-
ment.

See Sketch Last Pg

Note
Monument never set here
Hole Drilled & cover set awaiting
future use. RBE.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

| | |
|---|---|
| Notes Ck'd by | Survey of Bell-S.Gate-Hwy Rad. F.B. 796 Pg. 243 |
| Map No. | W. O. 4205 Tape No. 093rd 82-P |
| Office Work | Surveyed by Benson |
| Checked | Notes " Date 11-9-48 |
| Date | Indexed |

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 SM 11-46

R.M. No. 1
Set Co. Sur. Conc. Brass Cap Mon. 18" dn. Stamped "COUNTY SURVEYOR RE 329 BELL E7A R.M. No. 1."
Destroyed 10/19/61

R.M. No. 2
Set Co. Sur. Conc. Brass Cap Mon. 18" dn. Stamped "COUNTY SURVEYOR RE 329 BELL E7A R.M. No. 2."

Set R.M. L & T in W. Gate P. 2' up.

BELL E7A
L.A.Co. Sur. Control System △ Sta.
See pgs 171-172
Destroyed 10/19/61

Set R.M. L & T in Eq. Cor. Post 2' up.

RIO HONDO BRIDGE

Fd. Roofing N. & L. in End of Bridge

R.M. No. 1
Set Co. Sur. Conc. Brass Cap Mon. 18" dn. Stamped "COUNTY SURVEYOR RE 329 BELL E7B R.M. No. 1"

R.M. No. 2
Set Co. Sur. Conc. Brass Cap Mon. 18" dn. Stamped "COUNTY SURVEYOR R.E. 329 BELL E7B R.M. No. 2"

Pt. Not to scale

BELL E7B
L.A.Co. Sur. Control System △ Sta.
See pgs 171-172
See FB 2453-121

R.M. No. 1
Set Co. Sur. Conc. Brass Cap Mon. 18" dn. Stamped "COUNTY SURVEYOR R.E. 329 BELL E7 R.M. No. 1"

R.M. No. 2
Set Co. Sur. Conc. Brass Cap Mon. 18" dn. Stamped "COUNTY SURVEYOR R.E. 329 BELL E7 R.M. No. 2"

Set L & T in Cb. R.M. #4

BELL E7
L.A.Co. Sur. Control System △ Sta.
See pgs 171-172.
See FB 2453-119

R.M. No. 3
Set L & T in Cb.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

R. B. 196 Pg. 299

F.B. 796 Pg. 245

BELL-E9B

| | |
|---|---|
| Notes Ck'd by | Survey of Geodetic Control |
| Map No. | W. O. 0301.09 Tape No. 2195 St'd. 68° °F |
| Office Work | Surveyed by M.A. Van Deren |
| Checked | Notes Van Date 12-19-55 |
| Date | Indexed 1-5-56 |

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 9-54




68.35 Level T = 68° = 68.35
32.46 " T = 68° = 32.96
17.54 " " = 17.54
41.735 " " = 41.735

1 - 95° 54' 00"
4 - 230° 35' 40"
95° 53' 55"
6 - 215° 33' 40"
95° 53' 56"

F.B. 796 Pg. 246




RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Changes.

| | |
|---|---|
| Notes Ck'd by | Survey of GEODETIC CONTROL F. B. 796 Pg. 247 |
| Map No. | JN 03d.00 T. 1N Std. 84 °F |
| Office Work | Surveyed by STOCK |
| Checked | Notes STOCK Date 4-17-58 |
| Date | Indexed 4-21-58 |

# L.A. COUNTY SURVEY CONTROL SYSTEM

## TRAVERSE STATION

# BELL E-9B

## ADDITIONAL TIES




Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F309S S&E #247 1-56

F. B. 796 PG. 248

# ADDITIONAL DESCRIPTIONS FOR BELL E-9B

Reference mark No 3: Set A standard 4" brass tablet reference mark in concrete dn 12" in lawn and stamped "L.A. County Survey control system reference mark Bell E-9B, R.M.No 3, 1958, set by L.A. Co. Engr. R.E. 5869".

Reference mark No 4: Found Per 825-166 A 4" brass tablet in concrete dn 24" below field surface and lettered "Hondo Base South end, R.M. No 1, 1956, set by Co. Engr. R.E. 5869".

Note: This mark has a punch mark with radial lines etched through it.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by | Survey of GEODETIC CONTROL |
| Map No. | JN 0301.00 Tape 144 Std 84 °F |
| Office Work | Surveyed by W. D. BAY |
| Checked | Notes BAY Date 12-6-60 |
| Date | Indexed [illegible] 12-27-60 |

F. B. 796 Pg. 249

# L.A. COUNTY SURVEY CONTROL SYSTEM

## TRAVERSE STATION

SET L+TAG.

BELL C-8A

(1) 98-58-40
(4) 35-54-40
98-58-40
(C) 233-52-00
98-58-40

R.M. 1

R.M. 2

AVE.

F.B. G-908-13
129.34'
98°58'40" (M)
98°54'10" (R)

18.25
67.74

65.16
69.2
52.5
35
26.5
68.5
37.8

TO BELL B-8

BELL C-8A
SEE NEXT PG.

ABBOTT

ROAD

F.B. G-908-13
119.39'
117.37
01.49
54°

R.M. 3

DISTS. MEAS. LEVEL
@ T = 64°

65.17 = 65.16
67.75 = 67.74
149.46 = 149.44
117.39 = 117.37
64.11 = 64.10

SET L+TAG.

ATLANTIC

35 35 35 35 57.5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3093 S&E #247 11-58

F. B. 796 PG. 250

— DESCRIPTIONS —

BELL C-8A

THIS STATION IS IN THE CITY OF LYNWOOD, 2.0' NORTH OF THE ℄ OF ABBOTT ROAD AND 26.5' EAST OF THE ℄ OF ATLANTIC AVE., DN. 10" IN A WELL WITH A STD. CO. ENGR. COVER.

STATION MARK: FD. A STD. 4" BRASS TRAVERSE STATION CAP IN CONC. AND [redacted] "BELL C-8A 1938 COUNTY SURVEYOR R.E. 2177" PER GEODETIC CARD. ORIGINAL NOTES HAVE BEEN LOST. (B 796-137)

REFERENCE MARK NO. 1: FD. A STD. 4" BRASS R.M. CAP IN CONC. FLUSH IN WALK AND STAMPED "BELL C-8A, 1941, COUNTY SURVEYOR RE 2177, R.M. NO. 1" NOTE THIS R.M. HAS APPARENTLY BEEN RESET IN A NEW POSITION BY (UNKNOWN) DUE TO CONST. OF A STORM DRAIN CATCH BASIN.

REFERENCE MARKS NO 2 & 3: SET STD. 4" BRASS R.M. CAPS IN CONC. AND STAMPED "BELL C-8A R.M. 2 & 3 (RESPECTIVELY) 1960, L.A. CO. ENGR. R.E. 5869" AND DN. 9" IN WELLS WITH STD. CO. ENGR. COVERS.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by | Survey of GEODETIC CONTROL |
| Map No. | JN 0301.00 Tape 0157 Std. 68 °F |
| Office Work | Surveyed by C.E. LIND |
| Checked | Notes LIND Date 8-20-63 |
| Date | Indexed [redacted] |

F. B. 796 Pg. 251

J.N. 0301.00

GEODETIC CONTROL

ADDITIONAL TIES FOR

TRAV. STATION WHITTIER E-10

AND

℄ INT OF BLOOMFIELD AVE

AND IMPERIAL HWY.

REF FB. 766 - 235

796 - 211

8-20-63

LIND

MARTINEZ

OHASHI

SONNENSCHEIN

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

763093 CE #247—7-53

F. B. 796 PG. 252




RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by | Survey of GEODETIC CONTROL |
| Map No. | JN 0701.00 Tape 0193 Std 68 °F |
| Office Work | Surveyed by A.C. GUIZADO |
| Checked | Notes ACG Date 11/20/63 |
| Date | Indexed [redacted] |

F. B. 796 Pg. 253

JOB NO 0501.00

# GEODETIC CONTROL

## HORIZONTAL & VERTICAL REFERENCE TO WHITTIER D-10 (SM 2-9)

## HORIZONTAL REFERENCE TO ℄ INTERSECTION (1/4 COR 7/8 T3S R11W) IMPERIAL HWY & NORWALK BLVD

GUIZADO AC
WILK DL
LYBRAND J
GLIDDEN RD
GUIZADO G.O.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 5-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 796 PG. 254

| | |
|---|---|
| Notes Ck'd by | Survey of GEODETIC CONTROL |
| Map No. | JN 0730.00 Tape Std °F |
| Office Work | Surveyed by H.C. FULLER |
| Checked | Notes SCG Date 9/20/63 |
| Date | Indexed J. GAMA |

F. B. 796 PG. 55

# TRAVERSE STATION WHITTIER D-10

1) 42-53-40
4) 71-35-00
6) 267-22-30
N. 42°53'45" W

RM #2
SEE NEXT PG.

Fd STD CS MON MK'D ⅛ COR SEC 7 SEC 18 T3S R11W

SET LEAD "L.A.CO.ENGR"

BLVD

IMPERIAL HWY

TO NORMANDALE AVE

Fd STD PRECAST MON RE329 EAST

42°53'45" 1.38'

84.61 82.16 83.71 86.75

81°40'53" 81°40'53"

85°01'40" 3.90 MEAS

WHITTIER D-10

81.51 78.97

NORWALK

RM #1
SEE NEXT PG

1) 68-38-40
4) 326-31-40
6) 129-51-50
81°38'38"

1) 85-01-40
2) 170-03-20
AV = 85°01'40"

1) 81-40-50
4) 326-43-40
6) 130-05-20
81°40'53"

100' TAPE STD 60°
ANGLES AT T-76° - NO CORR.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 8-62

F. B. 796 PG. 256

# WHITTIER D-10

THIS STATION IS IN THE COUNTY OF LOS ANGELES, 3.90 S'LY OF THE ℄ INTERSECTION OF IMPERIAL HWY & NORWALK BLVD

STATION MARK — FD A STD 4" BRASS TABLET & STAMPED "WHITTIER D-10 RE 1177 CO SURV. 1963" UNDER CAST IRON COVER

REFERENCE MARK #1 SET A STD 4" R.M. TABLET STAMPED "WHITTIER D-10 RM#1 1963 LA CO SURV" IMBEDDED IN CONC. FINISH WITH MK. @ S'LY COR.

REFERENCE MARK #2 SAME AS RM#1 EXCEPT STAMPED "RM 2" @ NW COR.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

NOTES RED. JOB NO 0301.00 SURVEY OF Geodetic Control | F. B. 796 PG. 257

DATE SURVEY BY A.C. Guizado

NOTES CHKD. NOTES BY AG DATE 9-20-63

DATE INDEXED J. GALLI DATE SEP 26

JOB NO. 0301.00

GEODETIC CONTROL

VERTICAL REFERENCE

TO BM 2-9 (WHITTIER D-9) 10

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| | | | | Guizado A.C.<br>Wilks<br>Lybrand<br>Glidden<br>Guizado A.C. | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 9-55

765420 S & E-353 9-55

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 6310.0 SURVEY OF Geodetic Control
SURVEY BY ACC Engineers
NOTES BY ACC DATE 9-20-63
INDEXED DATE
NOTES CHKD. WR DATE 10/16/63
NOTES RED. DATE

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| BM 2-9 | 104.545 | | | | 104.545 | BM 2-9 (WHITTIER D-10) 1962 ELEV=104.545 IMPERIAL Hwy & NORWALK BLVD SEE FB 1203-16 FOR DESC. |
| + | 6.190 | | 6039 | | | |
| A | 110.735 | +0.887 | 6852 | | | |
| − | 53.02 | | 2.131 | | | |
| BM #1 | 105.632 | | | | 105.431 | BM #1 SET STD DISC IN TOP OF CONC WALK IMPERIAL Hwy & NORWALK BLVD SW COR SEE FB 796 PG 255 |
| BM 2-9 | 104.545 | | | | 104.545 | BM 2-9 (WHITTIER D-10) 1962 ELEV=104.545 SEE ABOVE |
| + | 6.190 | | 5.744 | | | |
| A | 110.735 | +0.887 | 6.852 | | | |
| − | 4.680 | | 2.291 | | | |
| BM #2 | 106.021 | | | | 106.020 | BM #2 SET STD DISC IN TOP OF CONC WALK Imperial Hwy & Norwalk Blvd NW COR SEE FB 796 PG 255 |

F.B. 796 PG 258

| | |
|---|---|
| Notes Ck'd by | Survey of Florence Ave |
| Map No. | JN 0301.00 Tape 0192 Std 68 °F |
| Office Work | Surveyed by Petri |
| Checked | Notes G.B. Date 1-26-76 |
| Date | Indexed |

F. B. 796 PG. 259

J.N. 0301.00

1-26-76

Florence Ave Traverse Stations

Recovery of Traverse Stations Watts K-4 & Watts K-4A After Repaving.

Note:
Watts K-4B Not Recovered at This Time. See Recovery Report.

Ref.
F.B. 796 - 108&109.

Petri
Guizado
O'Hashi

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 796 PG. 260

Traverse Sta.
Watts K-4

MT. VIEW AVE

MT. VIEW AVE

AVE

FLORENCE

Set L.H. & C.E. Tag in Conc. Blk.

48.23 Tan.

42.1

54.55

27.7

Fd. L.H. & C.E. Tag in Conc. Walk.

45.96

Tan. 56.88

Temp. For Ties & Bdg. No Covr.

Watts K-4
Fd. Sta. Traverse Mon. in Well Dn. 12". 42.1 W. of W. Cb. Line of Mt. View Ave & 27.7 N. of S. Cb. of Florence Ave. Reset C.I. Cover Flush. Mon. Marked As Shown. F.B. 796-108.

R.M.'s No. 1 & 2 Under Conc. Walk.

COUNTY TRAFFIC SURVEY CONTROL SYSTEM
Watts K-4
T 2S R 14W
BEST BY
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
TRAFFIC & LIGHTING DIVISION

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by | Survey of Florence Ave |
| Map No. | JN 0301.00 Tape 0192 Std 68 °F |
| Office Work | Surveyed by Petri |
| Checked | Notes G.P. Date 1-Jan-78 |
| Date | Indexed |

F. B. 796 PG. 261




Traverse Sta.
Watts K-4A

MISSION

PL.

Imp. For Ties = No Corr.

Set L.S. & C.E. Tag in Conc. Cb.

Set L.S. & C.E. Tag in Conc. Cb.

84.28

Tan. 77.30

Tan. 59.74

11.7

FLORENCE

AVE

34.93

25.9'

45.24

Set L.S. & C.E. Tag in Conc. Cb.

COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
Watts K-4A
1938
R.E. 4233
SET BY
Huntington Park
FOR INFORMATION SEE COUNTY ENGINEER

Watts K-4A
Fd. Sta. Traverse Mon. in Well dn. 12". 11.7' W. of E. Cb. of Mission Pl. & 25.9' N. of S. Cb. of Florence Ave. Reset C.I. Cover Flush.
Mon. Marked as Shown.
F.B. 791a-109.

R.M. No. 1
Under Conc. Walk.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

6F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

796

F. B. _____ PG. _____