Profile	Notes Red.	Plotted	Job No. 8261	Division No.	F. B. 808 PG. 5
No.	Date	Date	Survey of Greenleaf Gas Rd		
X-Sec.	Notes Chkd. L. K. F.	Checked	Survey by Hammond	Notes L S H	Date 6-13-39
No.	Date JUL 11 '39	Date	Map No.	Indexed A. C. Johnson	6-28-39

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 10-37

STATION | B. S. | H. I. | F. S. | ELEV.

℄ PROFILE

STA 99+50 TO STA 127+74.89
" 203+00 " " 226+47.60

Note. See F.B. 787-9 for ℄
" " " " -209 " B.M.s

808

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.	
	1560	1410730		1409.169	B.M. #3 Set cut spk + w base 48" Walnut 60' So. of [illegible] #49. Elev 1410.169 [illegible]
	11675	1422170	0235	1410495	
99+50			7.7	14.5	Trav Rd
100+00			5.5	16.7	"
+50			1.5	20.7	"
+74.13	11860	1433630	0400	1421.770	P.I. #94A. brk.
101+00			7.9	25.7	SH.
+25			3.2	30.4	"
+50			1.9	31.7	"
102+00			2.4	31.2	"
+25			2.2	31.4	T bk.
+31			3.8	29.8	b. " tr. rd
+50			4.6	29.0	Tr. rd.
+63			6.2	27.4	T bank.
+65			11.4	22 x 2	b. drain
BC.1 +92.15			10.5	23.1	"
103+00			10.1	23.5	"
+03			9.8	23.8	"
+09			3.8	29.8	T. bank.
+37	11150	1443920	0860	1432770	"
+50			13.6	30.3	

F. B. 808 PG. 6 Job No. 8261 Division No. Notes Red. Plotted Profile
Survey of Greenleaf Gen Rd Date Date No.
Survey by Hammond Notes L S M Notes Chkd. L. K. F. Checked J.A.L. X-Sec.
Indexed A. C. Johnson Date Date 7-12-39 No.

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1443.920				
103+60			13.4	1430.5	T bank.	
+70			17.3	26.6	b. drain	
104+00			15.8	28.1	"	
+30			13.4	30.5	"	
+33			9.4	34.5	T bank.	
+50			3.9	40.0		
+65			0.6	43.3	b. brk.	
	11.990	1455.440	0.470	1443.450		
+88			3.2	52.2		
105+00			+0.2	55.6		
+21			0.0	55.4		
+50			6.8	48.6	b. brk.	
+60			8.0	47.4	Tr. rd	
+85			6.3	49.1		
106+00			4.9	50.5		
+27			6.1	49.3	T bk	
+30			9.1	46.3	b. drain	
+34			9.6	45.8	"	
+35			6.6	48.5	T. bk.	
+50			3.3	52.1		

Profile No. ____ Notes Red. ____ Plotted ____ Job No. 8261 Division No. ____ F. B. 808 PG. 7
Date ____ Date ____ Survey of Greenleaf Ca Rd
X-Sec. No. ____ Notes Chkd. L. K. F. Checked J. A. L. Survey by Hammond Notes [illegible] Date 6-3-39
Date JUL 11 '39 Date 7-12-39 Map No. ____ Indexed A. C. Johnson Date 1

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1455.440				
	9715	1464885	0270	1455170		
EC. 106+74.12			5.4	59.5	T brk	spvr
+75			5.5	59.4	T brk.	
107+00			7.4	57.5		
+15			9.3	55.6	b. sw.	
+30			7.8	57.1	b. brk.	
+50	11220	1474195	1.910	1462975	brk	
	11400	1484970	0625	1473570		
108+00			82	76.8	brk	
+15			82	76.8		
+50			141	70.9		
+72			15.7	[illegible]	b. sw	
BC. +97.59			70	[illegible]		
	11010	1495345	0635	1484335		
109+50			52	[illegible]		
	11750	1506885	0220	1495125		
110+00			25	1504.4	T brk	spvr.
+17			1.2	05.7		
	9360	1516210	0035	1506850		
+50			27.2	1489.0	b. sw.	

F. B. 808 PG. 8 Job No. 8261 Division No. Notes Red. Plotted Profile
Survey of Greenleaf Gn Rd Date Date No.
Survey by Hammond Notes L.S.H. Notes Chkd. L. K. F. Checked J.A.L. X-Sec.
Indexed A. C. Johnson Date Date JUL 11 '39 Date 7-12-39 No.

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1516.210				
111+00			24.3	1491.9	S. Sw.	
+32 E.C.			13.5	1502.7	brk. S spur.	
+43.99			8.4	07.8	T spur	
+62			23.7	1492.5	b. drain	
+94			2.6	1513.6	± brk.	
	11470	1527.250	0.430	1515.780		
112+31			10.6	16.7	S.H.	
+76			1.5	25.[illegible]	"	
+93			1.7	25.[illegible]	"	
113+17			7.4	19.9	"	
	11.955	1539.020	0.185	1527.065		
+42			10.0	29.0	"	
	11.980	1547.395	3.605	1535.415	P.I. #102	
+63			8.9	38.5	S.H.	
+88			1.2	4[illegible]	"	
114+18			0.4	47.[illegible]	"	
+45			10.9	36.5	" Sw	
	11.125	1558.325	0.195	1547.200		
+65			10.4	47.9	"	
+79.5			6.4	51.9	"	
+93			5.0	53.3		

Profile No. ____ Notes Red. ____ Plotted ____ Job No. 826 Division No. ____ F. B. 808 PG. 9
Date ____ Date ____ Survey of Greenleaf Co. Rd.
X-Sec. No. ____ Notes Chkd. L. K. F. Checked J. A. L. Survey by Hammond Notes 6 Sts Date 6-13-39
Date JUL 11 '39 Date 7-12-39 Map No. ____ Indexed A. C. Johnson

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.	
		1558.325			
115+05			.68	155[illegible]	brk [illegible]
+44			220	[illegible]	6. dw.
+74			.40	542	5 dw
	11520	1569565	0280	1558045	
	11670	1581055	0180	15[illegible]385	
116+09			.75	[illegible]	7 brk spvr.
+47			.17	[illegible]	5 H
	11800	1592750	110	1580[illegible]	
+94			.42	[illegible]	"
	11340	1603420	0470	159[illegible]	
117+33			.31	[illegible]	"
	11965	1615365	0220	1603400	
+83			10.0	[illegible]	"
118+33			5.2	[illegible]	"
BC +57.15			.34	[illegible]	"
	11815	1626960	0.330	1615135	
119+50			10.1	[illegible]	"
+44			22.0	[illegible]	"
+50			19.0	[illegible]	"
+75			7.8	[illegible]	"

F. B. 808 PG. 10 | Job No. 8261 | Division No. | Notes Red. | Plotted | Profile
Survey of Greenleaf Gap Rd | Date | Date | No.
Survey by Hammond | Notes 4 & 4 | Notes Chkd. L. K. F. | Checked J.A.L. | X-Sec.
Indexed A. C. Johnson | Date | Date JUL 11 '39 | Date 7-12-39 | No.

Profile No. ______ Notes Red. ______ Plotted ______ Job No. ______ Division No. ______ F. B. 808 PG. 11

Date ______ Date ______ Survey of ______

X-Sec. No. ______ Notes Chkd. L. K. F. Checked J. A. L. Survey by ______ Notes ______ Date ______

Date JUL 11 '39 Date 7-12-39 Map No. ______ Indexed A. C. Johnson

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
128+00	[illegible]	[illegible]	[illegible]	[illegible]
+21	[illegible]	[illegible]	[illegible]	[illegible]

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Form 307 5M 10-37

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F. B. 800 Pg. 12 | Job No. [illegible] | Division No. | Notes Red. | Plotted | Profile

Survey of [illegible] | Notes [illegible] | Date | Date | No. | X-Sec.

Survey by [illegible] | Notes Chkd. L. K. F. | Checked J.A.L. | No.

Indexed [illegible] C. Johnson | Date | Date JUL 11 39 | Date 7-12-39

STATION	B. S.	H. I.	F. S.	ELEV.	
[illegible]		[illegible]			
[illegible]			[illegible]	[illegible]	[illegible]
[illegible]			[illegible]		
[illegible]			[illegible]		
	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]			[illegible]	[illegible]	
	[illegible]	[illegible]	[illegible]	[illegible]	
	[illegible]	[illegible]	[illegible]	[illegible]	
[illegible]			[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	
126+00			78	1701.0	"
+50			35	[illegible]	"
	[illegible]	[illegible]	[illegible]	[illegible]	
127+00			79	[illegible]	"
+50			38	[illegible]	"
[illegible]			[illegible]	[illegible]	"
	0.960	1707 ~~[illegible]~~ 110	[illegible]	[illegible]	
	[illegible]	[illegible] ~~[illegible]~~ 560	[illegible]	[illegible] 1330 ~~[illegible]~~	

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1698 ~~531~~ 560				
			628	1692 ~~340~~ 280	Pl. #39 3/4" IP. Topanga Summit Mw. Elev 1692.230 per pg. 21	
	℄ Profile of Portion Alta Dr. Conn. East from Sta 0+00					
	6700	1698930		1692 230	Pl. #39	
0+00			71	918		
+15			82	907		
+19			74	915		
+48			94	895		
+50			107	882	T bk	
1+01.65 EC			104	885	L bk.	
+50			87	902	Tr rd	
2+00			73	916	"	
+38.67 EC			55	934	"	
+50			46	943	"	
3+00			21	968	"	
			6700	1692 230	Pl. #39	

Profile No. ____ Notes Red. ____ Plotted ____ Job No. 824 Division No. ____ F. B. 808 PG. 13
Date ____ Date ____ Survey of [illegible]
X-Sec. No. ____ Notes Chkd. L. K. F. Checked J. A. L. Survey by Hammond Notes L. S. H. Date 6-28-39
Date JUL 11 '39 Date 7-12-39 Map No. ____ Indexed A. C. Johnson Date ____

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
℄	Profile	Greenleaf	Cn. Rd	Cont.		
	5.390	1074765		1069.375	B.M. #6-3	6 spk. + washer in crotch of clump of oaks 2-18" 1-14" 60' N 14 W inter. of Sec. Line so bank wash. Elev 1069.375 adj per Ig. 212 F.B. 787 Adj Elev = 1069.375
203+00			32	[illegible]	tr rd.	
+50			42	[illegible]	"	
204+00			82	[illegible]	"	
BC +39.75			120	628	"	
+50			116	[illegible]	"	
+63			110	638	edge rd [illegible]	
+64			82	[illegible]	[illegible]	
205+00			82	[illegible]	"	
EC +27.51			103	645	b. bk.	
	3.920	1068525	[illegible]	1064605		
+50			48	637	edge rd	
206+00			58	627	"	
+45			39	[illegible]	" b. bk	
+53			21	[illegible]	T bk	
+93			63	622	brk	
207+00			103	582	T brk	
+28			213	472	b.w.	
+36			211	474	"	

F. B808 PG. 14 | Job No. 8261 | Division No. | Notes Red. | Plotted | Profile
Survey of Greenleaf Cn Rd | Date | Date | No.
Survey by Hammond | Notes | Notes Chkd. L. K. F. | Checked J.A.L. | X-Sec.
Indexed A. C. Johnson | Date | Date JUL 11 '39 | Date 7-12-39 | No.

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1068.525				
207+43			160	1052.5	brk	
+52			127	558	edge rd.	
+69			128	557	"	b. bk.
+71			113	572		T bk
208+00			113	572		
+16			104	581		T bk
B.C. +37.76			117	568	"	b bk
+50			109	57[illegible]	Tr rd	
209+00			65	620	"	
	5400	1067.735	6190	1062.335		
+42			16	661	brk	
+50			42	63[illegible]		
+75			71	6[illegible]		
210+00			53	626		
+10			4[illegible]	628	edge rd	T bk
E.C. +38.64			65	[illegible]		
+45			64	[illegible]	"	b "
+48			42	[illegible]		T "
+75.41			31	[illegible]		
211+25			24	[illegible]		T brk
	8710	1056.615	11780	1055.955		

Profile No. X-Sec. No.
Notes Red. Date
Plotted Date
Job No. 26 Division No.
Survey of Greenleaf Sub
Notes Chkd. L. K. F. Date JUL 11 39
Checked J.A.L. Date 7-12-39
Survey by Hammond Notes [illegible] Date [illegible]-22-39
Map No.
Indexed A. C. Johnson

F. B. 808 PG. 15

F. B 808 PG. 16 | Job No. 8261 | Division No. | Notes Red. | Plotted | Profile

Survey of Greenleaf Co Rd | Date | Date | No.

Survey by Hammond | Notes L S 14 | Notes Chkd. L. K. F. | Checked J.A.L. | X-Sec.

Indexed A. C. Johnson | Date | Date JUL 11 '39 | Date 7-12-39 | No.

STATION	B. S.	H. I.	F. S.	ELEV.
[illegible]				

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		[illegible]				
[illegible]			[illegible]	[illegible]	[illegible]	
21+00			[illegible]	28[illegible]	[illegible]	
[illegible]			37	22[illegible]	[illegible]	
[illegible]			33	26[illegible]	[illegible]	
[illegible]			[illegible]	28[illegible]	[illegible]	
[illegible]			[illegible]	22[illegible]		
[illegible]			[illegible]	34[illegible]	[illegible]	
152			35	[illegible]	[illegible]	
[illegible]			[illegible]	[illegible]	[illegible]	
[illegible]			[illegible]	[illegible]	[illegible]	
155			[illegible]	[illegible]	[illegible]	
21+00			[illegible]	21[illegible]		
[illegible]			[illegible]	[illegible]		
21+50			[illegible]	[illegible]		
[illegible]		[illegible]	10.30	[illegible]		
[illegible]			[illegible]	20[illegible]	[illegible]	
166			[illegible]	26[illegible]		
[illegible]			[illegible]	26[illegible]		
166			[illegible]	27[illegible]		
[illegible]			43	29[illegible]	[illegible]	

Notes Rd. _____ Plotted _____ Job No. [illegible] Division No. _____ F. B. 808 PG. 17
No. _____ Date _____ Date _____ Survey of _____
No. _____ Sec. _____ Notes Chkd. L. K. F. Checked J. A. L. Survey by [illegible] Notes [illegible] Date [illegible]
Date JUL 11 '39 Date 7-12-39 Map No. _____ Indexed A. C. Johnson

Form 307 5M 10-37

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

STATION	B. S.	H. I.	F. S.	ELEV.		
		1033.905				
220+50			5.3	1028.6		
221+00			7.3	[illegible]		
-0.33			[illegible]	[illegible]		
+50			[illegible]	[illegible]	edge rd	
222+00			[illegible]	[illegible]	"	
+41.55			5.8	[illegible]	[illegible]	
223+00	[illegible]	[illegible]	[illegible]	[illegible]	"	
+50			[illegible]	[illegible]	"	
224+00			[illegible]	[illegible]	"	
+50			[illegible]	[illegible]	"	
225+00			5.2	[illegible]		
+50			[illegible]	[illegible]	"	
226+00			[illegible]	[illegible]	"	
	[illegible]	[illegible]	[illegible]	[illegible]		
+34			5.2	[illegible]	edge [illegible]	
+44			5.6	[illegible]	"	
+55			[illegible]	[illegible]	[illegible]	
			5.0	[illegible]	[illegible] G-2	F.B. 787 p 212 Adj Elev = 1014.084

F. B. 808 PG. 18 | Job No. [illegible] | Division No. | Notes Red. | Plotted | Profile
Survey of Granite of [illegible] | Date | Date | No.
Survey by [illegible] | Notes 454 | Notes Chkd. L. K. F. | Checked J.A.L. | X-Sec.
Indexed A. C. Johnson | Date | Date JUL 11 '39 | Date 7-12-39 | No.

Plotted _____ Job No. 8267 Division No. _____ F.B. [illegible] Pg. 19

Date _____ Date _____ Survey of _____

L.K.F. _____ Survey by [illegible] Date [illegible]

X-SECTIONS

FROM STA. 99+50
TO STA. 125+50

Note
(All distances meas. with Tape)

Form 301 [illegible]

LOS ANGELES COUNTY SURVEYOR
ZOO HALL OF RECORDS

Do not extend notes this side of this line

Add'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance (Feet)	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
99+50				—	° '		° '	1414.5	1 5.0		1419.5				
			3 L	4 2	° '		—		2				edge rd		
			6 3 L	2 0	° '		+ 5.15		3				T bk.		
			31 L	6 0	° '		+ 23.47		4				S.H.		
			64 L	6 0	° '		+ 23.40		5				"		
			75 L	5 0	° '		+ 24.04		6				" brk		
			6 R	5 0	° '		—		7				edge rd		
			20 R	6 0	° '		7.00		8				brk		
			35 R	6 0	° '		4.38		9						
			46 R	6 0	° '		3.23		10				T bk.		
			48 R	11 0	° '		2.12		11				S.H.		
			51 R	6 0	° '		3.04		12				T bk.		
			63 R	6 0	° '		2.12		13				S.H.		
				—	° '		° '		14						
100+00				—	° '		° '	1416.2	15 5.2		1421.9				
			4 L	5 0	° '		—		16				b. b		
			7 L	3 0	° '		—		17				T. b.		
			29 L	6 0	° '		+ 20.34		18				S.H.		
			49 L	5 0	° '		+ 21.03		19				"		
			72 L	5 0	° '		+ 23.37		20				"		
			4 R	5 13	° '		—		21				T bck		

Add'n'l Letters

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance (feet)	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	± Vertical Angle	Elevation of Point	+ Back Sight	± Difference Elevation	Height of Instrument	± Vertical Distance	REMARKS Station	Left	Right
100+00								1416.7	5.4		1421.2				
			13 R	7 2									b. brk.		
			27 R	7 8									T. bk.		
			32 R	8 3									b. w.		
			31 R	8 0									T. bk.		
			57 R	4 0			+ 8.23						S.H.		
			75 R	3 0			+ 12.16						"		
100+50								1420.7	5.6		1426.6				
			5 L	4 2									edge rd.		
			8 L	3 2									T. bk.		
			34 L	4 0			+ 12.35						b. brk.		
			79 L	6 0			+ 18.38						S.H.		
			4 R	5 9									edge rd.		
			15 R	9 4									T. brk.		
			19 R	11 3									b. w.		
			22 R	11 4									"		
			22 R	10 9									T. bk.		
			26 R	10 1									T.S.		
			37 R	5 6									b.k.		
			71 R	6 0			+ 13.41						S.H.		

Notes Red
Date
Chained L.K.F.
Date
Plotted
Date
Sheet No.
Job No. 2221
Division No.
Note
Date 4-17-53
F.B. 308 Pg.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Vert Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
101+00								1425.7	4.7		1430.4		edge rd.		
			5 L	12									T brk.		
			43 L	8.0			+ 27.55						S.H.		
			73 L	6.0			+ 26.39						"		
			8 R	6.3									edge rd		
			20 R	12.0			7.50						b.w.		
			22 R	12.0			7.25						"		
			48 R	6.0			1.21						S.H.		
			76 R	6.0			+ 3.59						"		
101+25								1430.4	4.9		1435.3		S.H.		
			27 L	6.0			+ 26.41						"		
			72 L	6.0			+ 27.08						"		
			6 R	8.6									edge rd.		
			13 R	9.3									"		
			31 R	8.0			13.55						brk.		
			42 R	8.0			13.00						T bk.		
			50 R	8.0			12.39						b.w.		
			55 R	6.0			13.00						"		
			69 R	5.0			4.40						T bk.		

Add'n'l Inform.

Topography Description Legend: Side Rill ... S.H. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope T.S. Bottom of Draw V.D. Break in Slope Bk.S. Sheep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F. Saddle Sa. Swale Sw. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E.Rd. Traveled Rd. Tr.Rd. Fence Fe. Int. Fences V.Fes. Ditch Dt. Telephone Pole T.P. Power Pole P.P. Culvert Cul. Oak O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Pine combinations of these and all common standard abbreviations.

Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ON CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance (Rect.)	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	± Vertical Angle	Elevation of Point	Back Sight	± Difference Elevation	Height of Instrument	± Vertical Distance	R.S.M. Stations	Left Right
101+50								1431.2	3.0		1436.2		S.M.	
			21 L	6°			+23.57						"	
			54 L	5°			+25.27						"	
			70 L	5°			+27.10						"	
			11 R	8			—						edge rd	
			18 R	9			—						"	
			35 R	6°			11.48						bk	
			47 R	8°			13.31						b.w.	
			54 R	8°			12.33						"	
			57 R	5°			9.32						T bk	
			68 R	6°			2.23						S.M.	
102+00								1431.2	4.8		1436.0		S.M.	
			26 L	5°			+27.25						"	
			50 L	5°			+29.05						"	
			73 L	6°			+30.05						"	
			6 R	8			—						edge rd	
			15 R	8			—						"	
			29 R	12°			3.56						T bk	
			34 R	12°			9.07						bw	
			37 R	12°			8.51						"	

Add'l Inform.

Notes Book No. 2217 Division No. _____ Page 4 Date 6-17-39

Plotted _____ Date _____

Job No. _____ Survey of _____ Survey No. _____ Date _____

F.B. 2007 PG. 23

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Vert. Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
102+00								1431.2	4.8		1436.0				
			38R	12.0			1.40						T brk.		
			71R	5.0			+ 5.15						S.H.		
102+25								1431.4	4.7		1436.1		S.H. T brk		
			31L	7.0			+ 28.57						"		
			60L	8.0			+ 28.50						"		
			72L	8.0			+ 29.00						"		
			3R	7.0			—						edge rd		
			12R	8.5			—						"		
			17R	10.3			—						brk		
			21R	12.0			4.42						T bk.		
			22R	12.0			10.07						b.w.		
			25R	12.0			9.35						"		
			29R	11.0			2.01						T bk.		
			64R	1.0			+ 3.43						S.H.		
102+63								1427.4	4.7		1432.1		T bk.		
			5L	2.8			—						edge rd		
			12L	2.0			—						"		
			28L	6.0			+ 19.18						S.H.		

Add'n'l Inform.

Topography Description Legend: Hill ... S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope T.S.

Intern. of Draws V.D. Break in Slope S.S. Steep Slope ... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ... T.Sp. Bottom Canyon ... B.Cn.

Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank ... B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill ... B.F.

Saddle ... Sa. Swale ... Sw. Flat ... Fl. Stream ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence ... Fn. Int. Fences ... Fn. Ditch ... Dt. Telephone Pole ... T.P. Power Pole ... P.P. Culvert ... Cul.

Dist.-D. Fir-Fr. Pine-Pl. Cedar-Cd. Sycamore ... Sy. Eucalyptus ... Eu. Plus combinations of these and all common standard abbreviations.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CORRECTIONS ON THIS SHEET MUST BE MADE IN RED INK AND CIRCLED IN RED INK. NOTE DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Left

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
102+63								1427.8	4.7		1432.1				
			45L	8.0			+22.54						S.H.		
			70L	6.0			+24.22						"		
			1R	5.3			—						T.B.K.		
			3R	10.4			—						G.W.		
			9R	10.0			—						"		
			10R	7.3			—						T.B.K.		
			36R	8.0			+11.44						S.H.		
			74R	6.0			+14.34						"		
103+09								1429.8	4.7		1434.5				
			5L	2.8			—						edge		
			12L	1.6			—						"		
			18L	5.0			+21.14						T.B.K.		
			43L	6.0			+22.40						S.H.		
			72L	5.0			+22.23						"		
			4R	7.2			—						T.B.K.		
			6R	10.9			—						S.W.		
			8R	10.7			—						"		
			11R	6.5			—						T.B.K.		
			42R	6.0			+11.29						S.H.		

Agr'n Inform.

Notes Red — Date

Plotted — Date

Job No. 207 Division No. Survey of

F.B. 208 Pg. 43

Form 501 15M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Sketch	LEFT
103+09								1429.8	4.7		1434.5			
			63R	6°			+ 16.07						S.H.	
									3					
									4					
103+37								1432.8	4.6		1437.4			
			7L	2°					6				edge rd	
			16L	2°					7				"	
			19L	0°					8				T&K	
			48L	7°			+ 15.11		9				S.H.	
			69L	7°			+ 15.47		10				"	
			4R	7°					11				T&K	
			8R	12°			9.46		12				L.W.	
			10R	12°			6.36		13				"	
			13R	8°					14				T&K	
			39R	5°			+ 8.39		15				SH	
			66R	9°			+ 19.22		16				"	
									17					
103+50								1430.3	4.6		1434.9		T&K	
			14L	4°			+ 17.31		19				edge rd	
			24L	6°			+ 17.24		20				"	
			28L	6°			+ 17.11		21				brk	
			50L	10°			+ 18.47						SH.	

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
103+50				—	° '		° '	1430.3	4.6		1434.9				
									2						
			67L	12.0	° '		+18.46		3				S.H.		
			1R	5.2	° '		— ° '		4				T bk		
			4R	9.4	° '		— ° '		5				b w		
			8R	8.4	° '		— ° '		6				"		
			9R	5.8	° '		— ° '		7				T bk.		
			14R	2.6	° '		— ° '		8				brk.		
			41R	9.0	° '		+19.55		9				S.H.		
			69R	6.0	° '		+21.17		10				"		
				—	° '		° '		11						
104+00				—	° '		° '	1428.1	9.2		1437.3		b. w.		
									12						
			1L	5.9	° '		— ° '		13				T bk.		
			16L	4.0	° '		+18.48		14				edge rd.		
			25L	7.0	° '		+22.00		15				"		
			31L	6.0	° '		+22.10		16				T brk		
			66L	5.0	° '		+21.30		17				S.H.		
			18R	6.0	° '		+31.35		18				brk. S.H.		
			38R	6.0	° '		+25.09		19				" "		
			72R	9.0	° '		+27.41		20				"		
				—	° '		° '		21						
				—											

Add'n'l Inform.

Notes Red. _____ Platted _____ Job No. 8261 Division No. _____ F.B. 808 Pg. 27
Date _____ Date _____ Survey of Greenleaf Lake Rd
Notes Chkd. L.K.E. Checked J.A.L. Survey by Hammond Notes LSH Date 6-16-39
Date JUL 11 39 Date 7-24-39 Map No. _____ Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Vert ~~Stadia~~ Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
104+50								1440°	4.9		1444.9		
			2 L	3.8									edge rd.
			10 L	1.9									"
			20 L	5.0			+ 26.29						T brk
			45 L	7.0			+ 29.40						S.H.
			72 L	7.0			+ 30.05						"
			17 R	6.0			14.56						T bk
			19 R	9.0			14.18						bw
			21 R	10.0			10.35						"
			22 R	8.0			8.37						T bk
			27 R	7.0			2.44						brk
			65 R	4.0			+ 11.27						S.H.
105+00								1455.6	4.5		1460.1		SH
			26 L	5.0			+ 26.20						"
			50 L	7.0			+ 26.50						"
			71 L	9.0			+ 26.58						"
			9 R	8.8									" brk
			18 R	9.0			13.56						edge rd
			24 R	10.0			10.51						"
			40 R	12.0			14.12						T bk

Add'n'l Inform.

Topography Description Legend:
Side Hill ....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon.S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pt. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

F.B. 808 PG. 28

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK., WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	~~Stadia~~ Vert Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
105+00								1455.6	4.5		1460.1				
			42R	12°			18.03						b.w.		
			47R	12°			16.29						"		
			50R	6°			18.01						brk		
			73R	8°			2.10						S.H.		
105+21								1455.4	4.8		1460.2		S.H.		
			16L	5°			+25.47						"		
			46L	6°			+25.33						"		
			72L	6°			+25.41						"		
			9R	8°			—						brk		
			13R	11°			—						edge rd		
			21R	12°			4.01						"		
			46R	6°			19.41						T.bk.		
			48R	9°			19.17						b.w.		
			49R	9°			18.36						"		
			54R	6°			17.22						T.bk.		
			63R	6°			16.01						brk		
			76R	5°			7.25						S.H.		

Add'n'l Inform.

Notes Red. ____ Platted ____ Job No. P261 Division No. ____ F.B. 808 Pg. 29
Date ____ Date ____ Survey of Greenleaf Cntd
Notes Chkd. L.K.F. Checked J.A.L. Survey by Harrison Notes L.S.H. Date 6-16-39
Date JUL 11 '39 Date 7-24-39 Map No. ____ Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	~~Stadia~~ Vert Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
105+50								1448.6	4.3		1452.9				
			28L	6.0			+31.40						SH		
			71L	8.0			+31.46						"		
			2R	6.0									edge rd.		
			10R	7.0									"		
			16R	10.5									T bk		
			20R	10.0			13.08						b w.		
			23R	10.0			12.37						"		
			25R	11.6									T bk		
			33R	10.6									brk.		
			66R	5.0			+4.04						S.H.		
106+00								1450.5	4.7		1455.2				
			2L	2.7									T brk		
			40L	6.0			+24.31						brk		
			65L	5.0			+25.21						S.H.		
			2R	5.7									edge rd.		
			8R	6.0									"		
			21R	8.5									brk		
			36R	11.7									T bk		
			37R	12.0			2.11						b w		

Add'n'l Inform.

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

P.B. 808 PG. 30

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK.. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	~~Stadia~~ Vert Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
106+00					° '		° '	1456.5	1 4.7		1456.2				
					° '		° '		2						
			39R	12°	° '		2.33		3				b w		
			40R	11°	° '				4				T bk.		
			23R	1°	° '		+ 6.15		5				brk SH		
					° '		° '		6						
106+27					° '		° '	1449.3	7 0.2		1454.5		edge rd		
			8L	4°	° '				8				edge rd.		
			13L	2°	° '		° '		9				T brk.		
			34L	5°	° '		+ 16.34		10				S. H.		
			56L	10°	° '		+ 24.23		11				"		
			68L	7°	° '		+ 24.00		12				"		
			198	8°	° '				13				T bk		
			216	9°	° '				14				b w		
			318	10°	° '				15				"		
			378	11°	° '		+ 4.44		16				T. bk		
			66R	5°	° '		+ 13.54		17				SH		
					° '		° '		18						
106+56					° '		° '	1452.1	19 4.8		1456.9				
			5L	6°	° '				20				T. S.		
			9L	6°	° '				21				T bk		
			19L	10°									b. w.		

Add'l Inform.

Notes Rod. _____ Platted _____ Job No. 224 Division No. _____ F.B. 808 Pg. 51

Date _____ Date _____ Survey of Tulare Lake Canal

Notes Chkd. L. K. F. Checked J. A. L. Survey by Bissenger & Co. Notes Date 1-10-39

Date JUL 11 39 Date 7-24-39 Map No. _____ Indexed _____ C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
106+50								1452 L	48		1456 2		
			13 L	9 5									b. w.
			14 L	5 6									T bk.
			34 L	4 2									T. S.
			65 L	2 0			+ 15.16						S.H.
			7 R	2 6									" brk
			47 R	6 0			+ 16.47						" "
			77 R	2 0			+ 19.05						"
	B.O.												
106+74.12								1459 5	46		1464 1		
			2 L	5 4									T brk
			9 L	10 2									b "
			14 L	10 6									T bk.
			16 L	12 0			6.03						b w
			18 L	12 0			4.15						"
			19 L	12 0			+ 4.25						T bk
			36 L	12 0			+ 0.45						T. S.
			48 L	6 0			+ 3.07						brk
			67 L	2 0			+ 6.52						SH
			15 R	6 0			+ 22.40						brk T sp.
			48 R	6 0			+ 19.37						" "

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Dt. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

F.B. 808 PG 32

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK., WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
	BC.				° '		° '								
106+74.12				—	° '		° '	1459.5	4.6	—	1464.1	—			
			75R	6.0	° '		+ 19.01	—	3	—	—	—	S.H.		
				—	° '		° '	—	4	—	—	—			
106+95				—	° '		° '	1459.4	4.6	—	1464.0	—			
			8L	8.3	° '		— ° '	—	6	—	—	—	T.S.		
			14L	10.0	° '		— ° '	—	7	—	—	—	T.bk		
			15L	11.2	° '		— ° '	—	8	—	—	—	b.w		
			17L	11.5	° '		— ° '	—	9	—	—	—	"		
			18L	9.2	° '		— ° '	—	10	—	—	—	T.bk		
			27L	6.0	° '		+ 14.55	—	11	—	—	—	S.H.		
			28R	6.0	° '		+ 16.33	—	12	—	—	—	T.sh		
			66R	10.0	° '		+ 15.43	—	13	—	—	—	"		
				—	° '		° '	—	14	—	—	—			
107+15				—	° '		° '	1455.6	5.0	—	1460.6	—	b.sw		
			16L	4.6	° '	16	— ° '	56.0	16	— 4.6	—	—	T.bk		
			17L	5.2	° '	17	— ° '	55.4	17	— 5.2	—	—	b.w		
			22L	4.6	° '	22	— ° '	56.0	18	— 4.6	—	—	T.bk.		
			78L	7.0	° '	74	+ 19.25	79.5	19	+ 18.9	—	+ 25.9	S.H.		
			26R	4.0	° '	25	+ 12.52	61.6	20	+ 1.0	—	+ 5.0	"		
			65R	10.0	° '	62	+ 18.37	71.4	21	+ 10.8	—	+ 20.8	b.sw		

Add'l Inform.

Notes Red. ____ Platted ____ Job No. 9261 Division No. ____
Date ____ Date ____ Survey of [illegible] Co. Rd.
Notes Chkd. L. K. F. Checked J.A.L. Survey by [illegible] Notes [illegible] Date 6-16-39
Date JUL 11 '39 Date 7-24-39 Map No. ____ Indexed A. C. Johnson

F.B. 808 Pg. 33

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
107+50								1463.0	4.8		1467.8				
			22L	10.5		22		57.3					T bk		
			26L	12.3		26		55.5					b w		
			29L	10.2		29		57.6					T bk		
			63L	2.0		62	8.50	75.5		+ 7.7		+ 9.7	S.H.		
			39R	6.0		36	21.40	76.2		+ 8.4		+ 14.4	"		
			75R	8.0		70	21.30	87.3		+ 19.5		+ 27.5	"		
108+00								1476.8	4.5		1481.3		S.H.		
			28L	12.0		27	14.22	62.4		− 18.9		− 6.9	T.S.		
			33L	12.0		32	14.00	61.3		− 20.0		− 8.0	T bk		
			35L	12.0		33	18.55	58.0		− 23.3		− 11.3	b w		
			38L	12.0		37	12.04	61.4		− 19.9		− 7.9	T bk.		
			51L	14.0		51	4.32	63.3		− 18.0		− 4.0	T.S.		
			67L	6.0		67	2.40	72.2		− 9.1		− 3.1	S.H.		
			35R	6.0		31	27.32	91.5		+ 10.2		+ 16.2	"		
			69R	6.0		62	26.10	1505.6		+ 24.3		+ 30.3	"		
108+50								1470.9	5.7		1475.6				
			8L	9.4				66.2					T bk.		
			15L	11.4				64.2					b.w.		

Add'n'l Inform.

F.B. 808 Pg 34

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws V.D.
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of [illegible]
Top of [illegible]
Bottom of [illegible]
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

[illegible]....Sa.
[illegible]....Sw.
Flat.....Fl.
Stream.....Str.
Trail.....Tr.
Pavement....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence.....Fn.
Int. Fences.V.Fns.
Ditch.....Di.
Telephone Pole T.P.
Power Pole....P.P.
Culvert.....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore.....Sy.
Eucalyptus.....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
108+50								1470.9	4.7		1475.6				
			18 L	9.4				66.2					T bk.		
			41 L	12.0		40	+ 5.34	67.6		8.0		+ 4.0	T.S.		
			71 L	7.0		70	+ 6.11	76.3		+ 0.7		+ 7.7	S.H.		
			60 R	4.0		50	+ 32.30	1503.7		+ 28.1		+ 32.1	"		
			14 R	6.0		70	+ 33.15	15.6		+ 40.0		+ 46.0	"		
108+72								1469.3	5.3		1474.6				
			13 L	6.2				67.8					T bk.		
			16 L	8.9				65.7					b.w.		
			27 L	7.0				66.8					"		
			32 L	5.8				68.8					T bk.		
			61 L	3.4				71.2					T.S.		
			38 R	6.0		33	+ 29.57	87.6		+ 13.0		+ 19.0	S.H.		
			36 R	6.0		65	+ 31.36	1508.4		+ 33.8		+ 39.8	"		
108+97.59	B.C.							1478.0	5.1		1483.1				
			9 L	7.5				75.6					brk		
			25 L	12.2				70.9					T.S.		
			36 L	12.0				71.1					T bk.		
			40 L	12.0		40	2.01	69.8		13.3		13	b.w.		

Add'n'l Inform.

Notes Rcd. ____ Platted ____ Job No. [illegible] Division No. ____ F.B. 808 PG 35
Date ____ Date ____ Survey of [illegible]
Notes Chkd. L.K.E. Checked J.A.L. Survey by [illegible] Notes [illegible] Date [illegible]
Date JUL 11 '39 Date 7-25-39 Map No. ____ Indexed ____ Date ____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
1084	BC 97.59				° '		° '	1478.2	51		1483.4				
			43L	12.0	° '		° '	71.1	8						
			52L	11.1	° '		° '	72.0	4						
			64L	8.1	° '		° '	75.0	8						
			16R	6.6	° '		° '	76.5	6						
			18R	8.6	° '		° '	74.5							
			20R	6.4	° '		° '	76.2							
			46R	5.2	° '	44	17.21	91.1	8	8		13.8			
			24R	5.6	° '	69	22.15	1506	9 10	23.0		28.0			
109+50					° '		° '	1490.1	11	48	1494.9				
			40L	12.0	° '	39	10.40	75.6	12	19.3		7.3			
			56L	10.0	° '	55	10.52	74.4	13	20.5		10.5			
			64L	12.0	° '	63	6.57	75.2	14	19.7		7.7			
			31R	6.0	° '	20	17.14	95.1	15 16	6.2		6.2			
21R					° '		° '	1495.1	17	4.2	1499.8				
			12R	8.3	° '	38	° '	91.5							
			25R	12.2	° '	46	° '	87.6	18						
			35R	4.6	° '	50	° '	95.2	19						
			45R	1.0	° '	66	3.10	1501.1	20 21	1.3		2.3			

Add'n'l Inform.

Side of Canyon G.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inter. of Draw. V.D's Break in Slope Bk.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Topography Description Legend: Side Hill S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope T.S.

Traveled Rd. Tr. Rd. Fence Fe. Int. Fences V. Fnc. Ditch Di. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Plus combinations of these and all common standard abbreviations.

Swamp Sw. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E. Rd.

F.B. 209 Pg 36

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left Right
					° '		° '							
110+00				—	° '		° '	1504	45	—	1508	—		
					° '		° '	1495		—		—		
			22L	10	° '		° '						brk	
			39L	12	° '	58	12.29	1484		24		12	T bk.	
			67L	12	° '	65	15.28	1479		29		17	b "	
			3R	3	° '	36	16.03	1516		+ 7		+ 10	S.H.	
			64R	6	° '	58	17.26	1521		+ 12		+ 18	"	
					° '		° '							
110+17					° '		° '	1505	42		1510			
			27L	12	° '	27	2.58	1497		13		14	T sp.	
			58L	12	° '	57	9.26	1488		21		9	T bk.	
			13L	6	° '	60	18.59	1480		29		23	b "	
			51R	6	° '	48	21.08	1522		+ 12		+ 18	T sp	
			28R	5	° '	74	17.12	1529		+ 18		+ 23	"	
					° '		° '							
					° '		° '							
110+50					° '		° '	1489	48		1493			
			39L	7	° '		° '	1486					T.S.	
			49L	7	° '	40	3.00	893		45		+ 25	T spur	
			64L	10	° '	64	1.19	80		13		+ 20	T.S.	
			69L	10	° '	69	1.19	810		12		+ 22	T bk.	
			5R	4	° '			1489					T.S.	

Add'l Inform.

Notes Rod. _____ Platted _____ Date _____ Date _____ Notes Plotted _____ Checked J.A.L. Date 7-25-39 Date JUL 11 39 Job No. 2266 Division No. _____ Survey of Stockpile Gate Survey by Measured Notes _____ Map No. _____ Indexed A. C. Johnson Date 6-16-39

F.B. 808 PG. 37

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
110+50								1489.2	4.8		1493.8				
			44R	9.0		42	16.44	1497.4		+ 3.6		+ 12.6	brk.		
			75R	6.0		71	19.45	1513.0		+ 19.2		+ 25.2	S.H.		
111+00								1491.4	4.5		1496.4				
			2L	5.8				90.6					T.S.		
			6L	6.4				90.0					T bk.		
			8L	10.1				86.3					b.w.		
			12L	9.2				86.7					"		
			13L	6.8				89.6					T bk.		
			19L	6.5				89.9					T.S.		
			22L	3.9				92.5					brk.		
			36L	0.2				95.7					T sp.		
			50L	7.0		50	2.19	91.4		5.5		+ 2.0	brk S.sp.		
			75L	6.0		75	1.43	92.7		3.7		+ 2.3	S.H.		
			49R	5.0		40	35.35	1519.9		+ 23.5		+ 28.5	T brk.		
			67R	14.0		55	35.33	21.4		+ 25.0		+ 39.0	S.H.		
111+32								1502.2	4.8		1507.5				
			15L	12.0		15	6.11	1493.9		13.6		1.6	T.S.		
			20L	12.0		20	5.52	93.5		14.0		2.0	T bk		

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Dt. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

F.B. 808 Pg. 38

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
111+32								1502.7	48		1507.5				
			24L	10.0		23	19.20	1489.5		18.2		8.2	b.w.		
			26L	2.0		25	14.05	89.3		18.2		6.2	"		
			27L	12.0		27	7.32	91.9		15.6		3.6	T.bk.		
			34L	11.0		34	1.50	[illegible]		9.9		1.1	brk.		
			45L	0.0		44	8.49	1514.4		6.9		6.9	"		
			61L	0.0		59	14.52	23.0		15.5		15.5	T.sp.		
			27R	0.0		23	30.00	21.1		13.6		13.6	"		
			40R	4.0		32	36.14	27.2		19.7		23.7	"		
			80R	12.0		66	34.11	41.2		33.7		45.7	"		
111+	EC. 4399							1507.8	45		1512.3				
			13L	12.0		13	3.55	1499.4		12.9		0.9	T.sp.		
			16L	12.0		15	22.09	94.3		18.0		6.0	b. brk.		
			22L	12.0		20	21.12	92.4		19.9		7.9	b.w.		
			26L	10.0		24	22.57	92.1		20.2		10.2	"		
			41L	1.0		38	19.57	97.3		15.0		14.0	b. brk.		
			45L	0.0		45	1.43	1511.0		1.3		1.3	"		
			64L	0.0		62	14.54	28.6		16.3		16.3	"		
			45R	2.0		43	15.16	22.1		9.8		11.8	S. sp.		
			78R	2.0		73	21.04	38.3		26.0		28.0	"		

Add'n'l Inform.

Notes Red. ____ Platted ____ Job No. 2761 Division No. ____ F.B. 808 Pg. 39
Date ____ Date ____ Survey of Greenleaf Gate
Notes Chk'd L.K.F. Checked J.A.L. Survey by [illegible] Notes LSK Date 6-20-39
Date JULY 1 '39 Date 7-25-39 Map No. ____ Indexed A. C. John Date ____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
111	+62			—				1492.5	5.1	—	1497.6	—	b.w.
			5L	5.2			—	92.4		—		—	b.w.
			7L	4.0			—	93.6		—		—	T bk.
			26L	0.3			—	97.3		—		—	brk
			50L	2.0		47	18.45	1511.6		+ 14.0		+ 16.0	"
			73L	5.0		62	31.45	1530.9		+ 33.3		+ 38.3	S.H.
			4R	4.2			—	1492.7		—		—	b.w.
			9R	2.3			—	1495.3		—		—	T bk.
			25R	1.0		25	9.48	1500.8		+ 3.2		+ 4.2	brk.
			80R	6.0		69	29.25	1530.6		+ 33.0		+ 39.0	S.H.
				—									
111	+94			—				1513.6	4.5		1518.1		
			57L	15.0		49	30.45	1532.1		+ 14.0		+ 29.0	S.H.
			84L	16.0		72 ~~82~~	30.26	1544.6		+ 26.5		+ 42.5	"
			11R	8.5			—	1509.6		—		—	brk.
			29R	12.0		27	21.36	1495.4		— 22.2		— 10.7	b.w. 2' W
			85R	2.0		84	9.10	1529.6		+ 11.5		+ 13.5	S.H.
				—									
112	+31			—				1516.2	4.6		1521.3		
			42L	1.0		38	25.38	38.4		+ 17.1		+ 18.1	S.H.
			65L	0.0		58	25.54	49.2		+ 27.9		+ 27.9	"

Add'n'l Inform.

F.B. 808 PG. 40

Topography Description Legend: Side Hill....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D. Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
112+31								1516.2	4.6		1521.3				
			14R	11.3				1510.0					brk		
			36R	8.0		33	23.46	1498.9		22.4		14.4	b.w.	3' w	
			48R	12.0		47	9.11	1501.8		19.5		7.5	brk		
			74R	6.0				153					S.H.		
112+76								1525.8	4.2		1530.5				
			38L	0.0		36	20.21	1543.8		+ 13.3		+ 13.3	S.H.		
			66L	1.0		60	24.53	57.2		+ 26.7		+ 27.7	"		
			19R	12.0		19	4.39	17.0		13.5		15	"		
			45R	12.0		43	18.00	04.5		26.0		14.0	T bk.		
			46R	10.0		42	23.33	02.3		28.2		18.2	b.w.		
			49R	12.0		47	16.27	04.5		26.0		14.0	T bk		
			64R	7.0		63	10.41	11.7		18.8		11.8	S.H.		
112+92								1525.6	4.6		1530.2				
			41L	[illegible]		37	25.32	46.9		+ 16.7		+ 17.7	S.H.		
			65L	1.0		58	26.54	58.5		+ 28.3		+ 29.3	"		
			39R	16.0		38	14.51	04.2		26.0		10.0	T bk.		
			40R	19.0		39	14.33	01.2		29.0		10.0	b.w.		
			43R	19.0		42	14.30	00.4		29.8		10.8	"		

Add'n'l Inform.

Notes Red. _____ Platted _____ Job No. 8261 Division No. _____ F.B. 808 Pg. 41
Date _____ Date _____ Survey of Greenleaf Co Rd
Notes Chkd. L K F Checked J.A.L. Survey by Hammond Notes 6.5.4 Date 6.20.39
Date JUL 11 '39 Date 7-25-39 Map No. _____ Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
112+93								1525.6	4.6		1530.2				
			45R	12°		43	16.07	057	2	245		125	T.B.K.		
			69R	7°		68	6.34	152	3	150		80	S.H.		
									4						
									5						
113+17								1519.9	4.0		1523.9				
			43L	2°		36	33.23	456	6	+217		+237	S.H.		
			65L	3°		54	34.02	571	7	+332		+362	"		
			20R	6°		17	31.33	075	8	164		104	T.B.K.		
			21R	6°		17	34.40	059	9	180		120	S.W.		
			24R	9°		22	24.34	049	10	190		100	"		
			26R	6°		23	26.37	062	11	177		117	T.B.K.		
			62R	1°				229	12				S.H.		
									13						
									14						
113+42								1529.0	4.6		1533.6				
			7L	1°		6	28.40	359	15	+23		+33	S.H.		
			66L	5°		57	30.05	616	16	+280		+330	"		
			30R	12°		26	28.40	073	17	263		143	S.W.		
			76R	14°		73	16.00	406	18	+070		+210	S.H.		
									19						
									20						
113+63								1538.5	4.5		1543.0				
			67L	1°		61	24.52	701	21	+271		+281	S.H.		

Add'n'l Inform.

F.B. 808 Pg. 42

Topography Description Legend: Side Hill....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D. Bottom Draw.B.D. Bottom Wash.B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle.....Sa. Swale.....Sw. Flat.....Fl. Stream.....Str. Trail.....Tr. Pavement.....Pvt. Edge of Road E.Rd.

Trailed Rd. Tr.Rd. Fence.....Fn. Int. Fences.V.Fns. Ditch.....Dt. Telephone Pole T.P. Power Pole...P.P. Culvert.....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore.....Sy. Eucalyptus.....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
113+63					° '		° '	1538	4		1543				
			44 R	6	° '	40	24.00	19		23		17		6 W	
					° '				3						
			76 E	4	° '			39						5 H	
+					° '				4						
					° '				5						
113+88					° '			1546	7		1550				
					° '				6						
			71 L	2	° '		24.57							5 H	
			61 R	8	° '		30.46		7					6 W.	
			58 B	6	° '		23.14		8					5 H	
					° '				9						
					° '				10						
114+18					° '			1549	11	4	1551				
			68 L	1	° '		25.17							5 H	
			23 R	6	° '		28.00		12					6 W	
					° '				13						
					° '				14						
114+43					° '			1536	15	4	1541				
			66 L	2	° '		27.17		16					5 H	
			40 B	12	° '		12.57		17					6 SW.	
			[illegible]	9	° '		12.45		18					T Brk	
			[illegible]	12	° '		13.11		19					6 W	
					° '				20						
114+65					° '			1547	21	4	1552				
			116 L	1	° '		10.19							5 H	

Add'l Inform.

Notes Red. _____ Plotted _____ Job No. 256 Division No. _____ F.B. 308 PG. 43

Date _____ Date _____ Date _____ Notes Chkd. B.K.F. Checked J.A.L. Survey of Cleveland Ave. Date 6-26-39

Date JUL 11 39 Date 7-25-39 Map No. _____ Indexed A.C. Johnson Survey by [illegible]

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
114+65					° '		° '	1547.2	4.6		1552.5				
			52L	3°	° '		+ 16.07						L. SW.		
			67L	2°	° '		+ 18.07						S.H.		
			41R	9°	° '		34.57						L dw.		
			54R	12°	° '		12.38						T spur		
					° '		° '								
114+93					° '		° '	1553.3	4.6		1557.9				
			43L	2°	° '		+ 17.02						brk SH.		
			57L	2°	° '		+ 16.05						S.H.		
			69L	3°	° '		+ 16.09						"		
			36R	12°	° '		27.10						L SW.		
			61R	12°	° '		8.58						T spur		
					° '		° '								
115+44					° '		° '	1536.3	6.0		1542.3				
			68L	1°	° '		+ 24.45						SH		
			31L	6°	° '		+ 22.10						S sp		
			49R	7°	° '		+ 15.04						"		
			60R	12°	° '		+ 14.19						"		
					° '		° '								
115+74					° '		° '	1554.3	4.1		1558.4				
			9L	7L			—	51.3					brk SH.		

Add'n'l Inform.

F.B. 808 PG. 44

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Inters. of Draws V.D's Break in Slope Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill B.F.

Saddle.....Sa. Swale.....Sw. Flat.....Fl. Stream.....Str. Trail.....Tr. Pavement.....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence.....Fn. Int. Fences.V.Fns. Ditch.....Dt. Telephone Pole T.P. Power Pole...P.P. Culvert.....Cul.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore.....Sy. Eucalyptus.....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
115+74								1544	41		1584				
			31L	9°			13.34						℄ dw.		
			61L	1°									S.H.		
			30R	6°			15.19						T sp.		
"	30'R								48						
			36R	1°			26.47						S.H.		
116+09								1573	42		1578				
			13L	8°				696					brk		
			54L	17°			15.54						℄ dw.		
			66L	6°			15.26						SH		
			7R	4°				735					T sp.		
"	7R							735	49		784				
			18R	11°				670					brk.		
			44.8	12°		41	19.21	519		265		145		3	
116+47								1579	52		1584				
			14L	5°				793					brk T sp		
			53L	12°			15.45						℄ dw		

Notes Rod. _____ Date _____ Platted _____ Date _____ Job No. 7221 Division No. _____ F.B. 608 Pg. 45

Notes Chkd. L. K. F. Date JUL 17 39 Checked J.A.L. Date 7-25-39 Survey of Greenridge Co. 161 Survey by Hammer/Notes Date 6-20-39 Map No. _____ Indexed A. C. Johnson Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station Left Right
116+47								1579.4	5.2		1584.6		
			67L	6.0			15.16						SH
			22R	10.5				74.1					"
			60R	18.0			16.4						"
116+94								1588.6	4.5		1593.1		
			7L	2.1									brk T sp.
			24L	1.2									SH
			35L	6.0			+ 3.25						"
			67L	18.0			+ 2.01						"
			14R	11.1									"
			76R	12.0			27.55						b. on.
117+33								1600.5	4.6		1605.1		
			23L	4.0			+ 13.46						brk T sp.
			67L	12.0			+ 12.31						" SH.
			78R	17.0			26.40						b. on
117+83								1605.4	5.0		1610.4		
			14R	6.0			12.07						brk S.H.
			64R	12.0			25.12						"

Add'n'l Inform.

F.B. 808 PG. 46

Topography Description Legend: Side Hill...S.H. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope T.S.

Inters. of Draws V.D's Break in Slope Bk.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Saddle Sa. Swale Sw. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence Fn. Int. Fences V.Fns. Ditch Dt. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Plus combination of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
117+83				—	° '		° '	1605.14	5.0	—	1610.4	—			
			44L	6.0	° '		+ 13.34	—	2	—	—	—	brk	T sp	
			76L	9.0	° '		+ 13.06	—	3	—	—	—	SH		
				—	° '		° '	—	4	—	—	—			
				—	° '		° '	—	5	—	—	—			
118+33				—	° '		° '	1610.2	5.1	—	1615.3	—			
			40L	9.0	° '		+ 22.55	—	6	—	—	—	SH	brk	
			72L	12.0	° '		+ 21.47	—	7	—	—	—	"		
			15R	10.3	° '		—	—	8	—	—	—	"	"	
			55R	16.0	° '		18.12	—	9	—	—	—	"	"	
			74R	21.2	° '		19.58	—	10	—	—	—	"		
				—	° '		° '	—	11	—	—	—			
				—	° '		° '	—	12	—	—	—			
119+00				—	° '		° '	1616.2	4.8	—	1621.7	—			
			48R	12.0	° '		23.12	—	13	—	—	—	SH		
			62R	19.0	° '		21.45	—	14	—	—	—	"		
			25L	6.0	° '		+ 23.58	—	15	—	—	—	"		
			64L	12.0	° '		+ 24.40	—	16	—	—	—	"		
				—	° '		° '	—	17	—	—	—			
				—	° '		° '	—	18	—	—	—			
119+44				—	° '		° '	1605.0	4.4	—	1609.4	—			
			54L	16.0	° '		+ 39.23	—	19	—	—	—	brk	SH	
			68L	15.0	° '		+ 34.40	—	20	—	—	—	"		
			12R	13.6			—	958	21	—	—	—	"		

Add'l Inform.

Notes Red. ____ Platted ____ Job No. 8261 Division No. ____ F.B. 808 Pg 47
Date ____ Date ____ Survey of Carbonaceous Co. Rd.
Notes Chkd. L.K.E. Checked J.A.L. Survey by [illegible] Notes LSH Date 6-21-39
Date JUL 11 '39 Date 7-25-39 Map No. ____ Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS, OR CHANGES ON THIS SHEET, MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
119+44								1605.10	4.4		1609.4		
			42R	12.0			+12.01						brk SH
			56R	17.0									" edge old rd
			64R	15.4									" " "
120+00								1625.0	4.6		1629.6		
			20L	6.0			+26.16						brk SH
			60L	12.0			+25.38						"
			69L	15.0			+27.33						"
			23R	12.0			5.40						"
			46R	12.0			19.19						" edge old rd
			55R	12.0			18.19						" "
			71R	17.0			20.17						b. SW.
	E.C.												
120+5772								1622.9	5.0		1627.9		
			68R	17.4				105					brk edge old rd
			58R	15.2				127					"
			61R	11.4				165					brk SH.
			32R	6.2				217					"
			8L	11.0				169					"
			25L	6.0			+32.30						"

Add'n'l Inform.

F.B. 808 Pg. 48

Topography Description Legend: Side Hill....S.H. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope T.S.

Inters. of Draws V.S.'s Break in Slope B.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Saddle Sa. Swale Sw. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence Fn. Int. Fences V.Fns. Ditch Dt. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-29

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	Remarks
	BC				° ′ ″		° ′ ″						
120+59.72								1633.9	5.0		1637.9		
			70.1	12°			+37.30						S.H.
								1638.7	4.6		1643.3		
121+00													
			19.6	6°			+16.33						S.H. bank
			49.6	15°			+18.52						b. S.W.
			65.6	10°			+19.40						S.H.
			46.8	8°			14.43						" bank
			55.8	12°			16.24						" edge of bank
			41.8	12°			13.40						"
121+22								1632.8	5.0		1638.8		
			20.8	12°			21.39						S.H.
			47.8	12°			16.47						" edge of bank
			41.8	12°			19.00						"
			30.8	12°			13.31						" bank
			52.2	12°			+25.50						"
			65.2	15°			+25.05						"
								1632.9	4.6		1636.4		
250													
			49.2	16°			+43.02						S.H.

Notes Red Date 5-17-29 Plotted Date Job No. 1261 Division No. F.B. 2014 Pg. 2

Form 381 10M 3-34 42

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left Right
121+50				—	° '		° '	1631.9	4.1		1636.0			
			63L	18°	° '		+39.14						S.H.	
			12R	12°	° '		13.13						edge old rd	
			21R	12°	° '		15.37						"	
			72R	12°	° '		27.47						"	
					° '		° '							
122+00				—	° '		° '	1634.3	4.4		1638.7		edge old rd	
			85R	12°	° '		23.39						B. cm	
			9R	8°	° '		° '						edge old rd	
			24L	0°	° '		+28.58						S.H.	
			66L	1°	° '		+30.47						"	
					° '		° '							
122+37				—	° '		° '	1637.4	4.4		1641.9		edge old rd	
			73R	16°	° '		31.36						B cm	
			41R	12°	° '		20.27						SH. brk.	
			8L	1°	° '		° '						edge old rd	
			75L	1°	° '		+28.17						S.H.	
					° '		° '							
122+79				—	° '		° '	1631.1	4.9		1636.0			
			44L	3°	° '		+32.52						edge old rd	
			52L	4°	° '		+32.20						"	

Add'l Inform.

Topography Description Non Legend: Side Hill ...S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Head of Draw H.D. Top of Ridge T.R. Toe of Slope T.S.

F.S. Field Notes Form 381

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS [illegible] ON THIS SHEET MUST [illegible] CIRCLED IN RED INK [illegible] AND NAME OF PERSON MA[illegible]

Do not extend notes this side of this line

288

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
122+79								1631.1	49		1636.0				
			62L	3.0			+33.20						brk SH		
			72L	6.0			+35.47						"		
			44R	12.6			—						"		
			60R	18.0			2.14						"		
123+00								1649.8	41		1653.9				
			22R	6.6			—						brk SH		
			66R	18.0			14.31						"		
			51L	3.0			+9.21						b sw rd [illegible]		
			67L	?			+12.40						b sw		
123+21								1664.0	47		1668.7		edge old rd		
			10L	4.2			—						"		
			30L	10.0			+20.30						brk SH		
			78L	12.0			+20.54						"		
			7R	6.0			—						edge old rd		
			66R	18.0			23.03						SH		
123+50								1682.5	6.0		1688.5				
			64R	18.0			19.48						SH		

Add'n'l Inform.

Notes Red. Platted Job No. 2261 Division No. F.B. 808 Pg. 37

Date Date Survey of [illegible]

Notes Chkd. L. K. F. [illegible] Survey by [illegible] Date 6-21-39

Date [illegible]

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
123+50								1682.5	6.0		1688.5				
			14R	13.0			—						edge old rd		
			8R	10.2			—						"		
			31L	8.0			+ 21.18						S.H. brk		
			75L	12.0			+ 24.30						"		
124+00								1679.0	4.7		1683.7				
			45L	9.0			+ 25.06						S.H. brk		
			54L	9.0			+ 26.18						edge rd		
			65L	12.0			+ 23.33						"		
			10R	10.0			—						"		
			17R	10.7			—						"		
			62R	12.0			21.14						b dw		
124+50								1682.2	5.0		1687.2				
			32L	1.0			+ 15.00						edge rd		
			45L	6.0			+ 15.30						"		
			5R	7.8			—						"		
			11R	7.9			—						"		
			42R	6.0			18.10						b dw		
			64R	13.7			—						S.H.		

Add'n'l Inform.

Form 391 16M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR [illegible] ON THIS SHEET MUST BE [illegible] CIRCLED IN RED INK [illegible] AND NAME OF PERSON MAKING [illegible]

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
125+00					° '		° '	1487.6	5.2		1492.8		edge rd		
			9L	4.0	° '		—						brk. edge rd		
			25L	4.0	° '		+ 9.00						brk		
			45L	1.0	° '		+ 8.19								
			60L	1.0	° '		+ 10.32						T bk.		
			31R	6.6	° '		—						brk		
			40R	5.0	° '		—						edge rd		
			93R	4.1	° '		—						"		
125+25					° '		° '	1690.9	5.1		1696.0		edge rd		
			27L	3.4	° '		—						℄ rd		
			50L	3.4	° '		—						edge rd		
			60R	3.2	° '		—						S.H.		
125+50					° '		° '	1694.9	5.3		1700.2		edge rd		
			23L	6.2	° '		—						"		
			5R	3.8	° '		—						T bk.		
			50R	1.6	° '		—						S.H.		

Notes Red Date

Plotted Date

Job No. 1221 Division No.

F.B. 208 Pg. 38

Ass'n't Inform.

Form 391 IDM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'l Inform.

Ch. O. Fir-Fr. Fno-Pl. Cedar-Co. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Trees Nec. Tr. Sd. Fence ..... Fc. Fence ..... V. Fn. Int. Fences . V. Fn. Ditch ..... Dt. Telephone Pole . T. P. Power Pole . . P. P. Culvert ..... Cul.

Sta. ..... Sta. Pl. ..... Pl. Mr. ..... Mr. Tr. ..... Tr. Pvt. ..... Pvt. E. Rd. ..... E. Rd.

Water ..... Wtr. Fnc. ..... Fnc. Stream ..... Str. Trail ..... Tr. Pavement . . Pvt. Edge of Road . E. Rd.

Tank ..... T. Tk. Bottom of Bank . B. B. Top of Cut . . T. C. Bottom of Cut . B. C. Top of Fill . . T. F. Bottom of Fill . B. F.

Rock ..... Rk. Bottom ..... B. Rk. Top of Cliff . . T. Cl. Bottom of Cliff . B. Cl. Top of Spur . . . T. Sp. Bottom Canyon . B. Cn.

Topography Description Legend: Base Hill . . . B. H. Side of Draw . S. D. Side of Draw . S. R. Side of Ridge . S. R. Head of Draw H. D. Bottom Draw . B. D. Bottom Weak . B. W. Top of Ridge . T. R. Toe of Slope . T. S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	R.E.M. Station	S Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

T-SECTIONS.
FROM 1234 20+00
TO 1234 18+00

HILL DISTANCES MEASURED WITH TAPE

Notes By: Chaining: Date: Date:

Page 1 of 1

Form 301 Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
203+00					° '		° '	1071.6	5.2		1076.8				
			6L	5.2	° '		° '						edge rd		
			7L	3.0	° '		° '						T bk		
			37L	2.0	° '		+ 15.38						brk		
			25L	2.0	° '		+ 22.46						SH.		
			7R	5.0	° '		° '						edge rd		
			28R	7.0	° '		° '						T bk		
			41R	11.4	° '		° '						bw 7'W		
			56R	6.1	° '		° '						T bk		
			70R	5.3	° '		° '								
					° '		° '								
203+50					° '		° '	1070.6	5.3		1075.9				
			1L	5.2	° '		° '						edge rd		
			16L	3.0	° '		° '						T.S.		
			72L	2.0	° '		+ 20.09						SH		
			11R	5.5	° '		° '						edge rd		
			43R	5.9	° '		° '						brk		
			69R	11.1	° '		° '						BW 6'W		
					° '		° '								
					° '		° '								
					° '		° '								

Additional Inform.

Form 381 15M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Interceptor	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
204+00								1066.6	5.2		1071.8				
			52	5.0									edge rd		
			34L	2.8									T.S.		
			75L	6.0			+ 12.50						S.M.		
			9R	5.2									edge rd		
			14R	2.6									bk		
204+50								1063.2	5.1		1068.3				
			9L	5.1									edge rd		
			23L	1.8									bk		
			51L	2.8									"		
			129L	8.6									bw. 2 lv		
			4R	5.2									edge rd		
			17R	5.8									bw. 6 lv		
			65R	1.0			3.48						" 2 lv		
205+00								1066.6	4.3		1070.9		TBK		
			36R	6.0			+ 6.05								
			76R	9.0			+ 10.11								
			2L	5.6									edge rd		
			15L	5.4									"		

Notes Red Date

Platted Date

Job No. 261 Division No.

Page 57

Adv'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
205+00								1066	4.3		1070.9				
			15L	4.0									T bk.		
			33L	10.0			+ 5.47						brk		
			42L	13.0			+ 5.43						T bk		
			57L	19.0			+ 16.19						b.w. 10'w		
205+50								1063	2		1068.9		edge rd.		
			11L	4.9									"		
			30L	7.1									brk		
			41L	6.0			6.59						bw 8'w		
			48L	2.0			7.03						T bk		
			66L	6.0			+ 4.41						S H		
			1R	4.1									T bk		
			51R	12.0			+ 12.24						brk.		
			65R	12.0			+ 11.47						S H.		
206+00								1062	2		1067.9				
			8L	5.1									edge rd.		
			12L	5.2									T bk.		
			26L	11.1									bw 8'w		
			41L	6.7									T bk		

Add'n Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
206+00				—	° '		° '	1062.2	5.2		1067.9				
			52L	6.7	° '		—						brk		
			62L	9.8	° '		—						SH		
			4R	5.2	° '		—						edge rd		
			24R	6°	° '		+ 8.38						brk.		
			68R	12°	° '		+ 18.24						SH		
					° '		° '								
206+53				—	° '		° '	1066.4	4.7		1071.1				
			3L	7.1	° '		—						edge rd		
			16L	8.1	° '		—						"		
			34L	12°	° '		5.05						bw		
			52L	12°	° '		4.25						"		
			67L	8.7	° '		—						T brk		
			26R	10°	° '		+ 2.92						brk		
			79R	14°	° '		+ 2.09						SH		
					° '		° '						"		
206+93				—	° '		° '	1062.2	5.2		1067.4				
			37L	11°	° '		+ 2.08						b sw		
			57L	12°	° '		+ 5.19						T bk		
			67L	14°	° '		+ 3.23						edge rd		
			18R	2.8	° '		—						brk		

Page 9 Interm.

Date Book Date Checked Date Station Division No. Survey of Date Book No. F.B. 2008 Pg. 39

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
206+93								1062	5.2		1067.4				
			69R	10°			+25.45						S.H.		
207+28								1047	5.3		1052.5		b.w.		
			62L	4.4									" b.b.t.		
			23R	0.7									T.b.t.		
			58R	15°			+23.24						S.H.		
207+52								1055.8	5.0		1060.8		edge rd.		
			67L	10.6									"		
			31R	8.2									b.r.t.		
			56R	12°			2.46						b.w.		
			68R	12°			2.26						"		
208+00								1057	5.3		1062.5				
			25L	3.6									b.r.t.		
			68L	2°			+6.56						S.H.		
			3R	6.6									edge rd.		
			14R	6.4									"		
			33R	11°			5.42						b.w.		
			40R	16°			2.17						"		

Add'l Interps.

Form 301 10M 3-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE AND CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	R.E.M. Station	Left	Right
208+00									1057.2	5.3			1062.5					
			48R	11°												T bk		
			63R	7°												T sp.		
208+50									1057.6	5.4			1063.0					
			2L	5												edge rd		
			6L	2R												T bk		
			17L	2												brk		
			25L	2°			+	8.27								SH		
			7R	4												edge rd		
			45R	7R												T bk		
			61R	19°												b.w.		
209+00									1062.0	5.1			1067.1					
			6L	5												edge rd		
			8L	2												T bk		
			70L	2°			+	7.22								SH		
			5R	4R												edge rd		
			27R	10R												brk		
			66R	5°				8.56								T brk		

REV. 1-1
Interm.

Date _____ Survey of _____ Date _____ Survey of _____ Division No. _____ F.B. 208 Pg. 57

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET, MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
209+42					° '		° '	1066 L	4 L		1070 2				
			3L	5 L	° '		—						edge rd.		
			12L	5 L	° '		° '		3				"		
			15L	1 2	° '		—		4						
			69L	2°	° '		° '		5				T bk		
			45R	6°	° '		+ 4.57		6				S.H.		
			55R	6°	° '		32.28		7				b.w.		
			65R	2°	° '		25.05		8				"		
					° '		18.18		9				T bk		
209+75					° '		° '	1060 L	10						
			22R	16°	° '		26.33		11		1065 11				
			28R	16°	° '		17.28		12				b.w.		
			33R	12°	° '		20.05		13				"		
			36R	12°	° '		17.40		14				T bk		
			55R	12°	° '		3.47		15				brk		
			65R	12°	° '		2.23		16				"		
			4L	0°	° '		—		17				S.H.		
			14L	2°	° '		+ 7.37		18				edge rd		
			18L	1°	° '		+ 13.48		19				"		
			74L	8°	° '		+ 14.16		20				T bk		
									21				S.H.		

Add'n'l Inform.

Topography Description Legend:
Side Hill ... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Top of Slope T.S.

Intersection of Drainage Features:
Break to Slope ... B.S. Top of Cut ... T.C.
Slope Slope ... S.S. Bottom of Cut ... B.C.
Top of Cliff ... T.Cl. Top of Fill ... T.F.
Bottom of Cliff ... B.Cl. Bottom of Fill ... B.F.
Top of Spur ... T.Sp. Top of Fill ... T.F.
Bottom Canyon ... B.Cn. Bottom of Fill ... B.F.

Side of Drainage Features:
Top of Bank ... T.B. Top of Bank ... T.B.
Bottom of Bank ... B.B. Bottom of Bank ... B.B.
Top of Cut ... T.C. Top of Cut ... T.C.
Bottom of Cut ... B.C. Bottom of Cut ... B.C.
Top of Fill ... T.F. Top of Fill ... T.F.
Bottom of Fill ... B.F. Bottom of Fill ... B.F.

Fence ... Fc. Int. Fence ... V.Fc.
Ditch ... Dt. Telephone Pole ... T.P.
Power Pole ... P.P. Culvert ... Cul.
Flat ... Fl. Stream ... Str.
Trail ... Tr. Pavement ... Pvt.
Edge of Road ... E.Rd.

Fir-Fr. Cedar-Cd. Pine-Pi. Sycamore ... Sy.
Eucalyptus ... Eu. Pine combination ... Pi.
Use one and all numbers standard abbreviations.

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	± Vertical Angle	Elevation of Point	± Back Sight	± Difference Elevation	Height of Instrument	± Vertical Distance	REMARKS Station	Left	Right
210+00								1062.6	4.6		1067.2				
			3L	3.3									edge rd		
			14L	3.0									"		
			16L	0.0									TBR		
			66L	3.0			+ 9.4						SH		
			31R	12.0			28.52						BW		
			42R	10.0			24.09						"		
			55R	0.0			21.29						SH		
			68R	1.0			14.55						"		
210+38.4								1061.2	5.4		1066.6				
			3L	5.0									edge rd		
			5L	3.4									TBR		
			75L	2.0			+ 2.20						SH		
			7R	5.4									edge rd		
			52R	6.0			23.50						BW		
			62R	6.0			21.19						"		
			72R	0.0			18.50						SH		
210+72.4	POT							1064.6	5.2		1069.8				
			69L	1.0			+ 7.19						SH		

Abs'd'l Inform.

Book Bk. Date L.K.F. Checked Date

Job No. 2261 Division No. Survey N. Date 6-22-37

F.B. 808 Pg. 83

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
	POT														
210+75								1064.6	5.13		1069.2				
			12 R	8									T bk		
			18 R	10 L									edge rd		
			33 R	9 2									"		
			66 R	10 0			11.20						T bk		
211+25								1064.3	4.8		1069.1				
			72 L	10			+ 11.38						SH.		
			28 R	11 2									T bk.		
			32 R	12 0			9.04						edge rd		
			46 R	12 0			4.25						"		
			65 R	12 0			9.35						T bk.		
211+75								1049.6	5.2		1054.8				
			70 L	5 0			+ 18.40						SH.		
			14 R	7 6									edge rd		
			27 R	7 2									"		
			50 R	12 0			9.03						bw		
			56 R	12 0			7.24						"		
			68 R	12 0			1.01						SH.		

Additional Inform.

Form 301 1984 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
	BC.				° '		° '		1						
212+16.8					° '		° '	1047.8	5.3		1052.1				
			44L	1.3	° '		—		2						
					° '		° '						bk		
			21L	5.0	° '		+ 9.05		3						
					° '								SH.		
			4R	5.2	° '		—		4						
					° '		° '						TBK		
			6R	6.7	° '		—		5						
					° '		° '						edge rd		
			17R	6.3	° '		—		6						
					° '		° '						"		
			40R	8.0	° '		15.04		7						
					° '		° '						bw		
			44R	8.0	° '		13.36		8						
					° '		° '						-		
			47R	6.0	° '		12.33		9						
					° '		° '						TBK		
			47R	6.0	° '		5.40		10						
					° '		° '						SH		
					° '		° '		11						
					° '		° '		12						
212+50					° '		° '	1046.8	5.3		1052.1				
					° '		° '		13						
			47L	3.0	° '		+ 3.34		14				TS.		
					° '		° '								
			6R	5.8	° '		—		15				TBK		
					° '		° '								
			7R	6.6	° '		—		16				edge rd		
					° '		° '								
			20R	6.2	° '		—		17				"		
					° '		° '								
			33R	12.0	° '		10.15		18				bw		
					° '		° '								
			39R	12.0	° '		8.42		19				"		
					° '		° '								
			41R	11.0	° '		7.07		20				TBK		
					° '		° '								
			72R	6.0	° '		5.24		21				SH		
					° '		° '								

Notes Red. Date

Checked Date

Job No. 8211 Division No.

Date 6-7-72

F.B. 8000 Pg. 85

ABB-8-1 Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
213+11								1046.2	5.1		1051.3				
			49L	3.0			+3.26						T.S.		
			66L	1.0			+6.01						S.A.		
			23R	6.5									T.bk		
			25R	9.1									edge rd		
			38R	7.5											
			48R	8.5									brk		
			60R	8.0			7.35								
			47R	9.0			7.25						bw		
213+55								1034.9	5.3		1040.2		edge rd		
			7L	4.8									T.bk		
			41L	4.0			3.10						T.S.		
			66L	0.0			+12.25						S.A.		
			19R	1.0									edge rd		
			29R	7.0			+3.01						T.bk		
			46R	6.0			+5.07						brk		
			58R	12.0			+3.49						b.w.		
			65R	12.0			+3.27						"		

Add'n'l Inform.

Form 101 [illegible]

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Right on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
216+50								1032.7	5.3		1038.0				
			2L	5.2			—						edge rd		
			2L	3.6			—						T bk		
			57L	2.0			+ 1.41						brk		
			74L	3.0			+ 4.10						SH		
			8R	4.4			—						Edge rd		
			12R	4.3			—						T bk.		
			28R	12.0			—						T "		
			30R	14.0			—						bw.		
			33R	14.0			—						"		
			34R	12.0			—						T bk		
			46R	11.0			+ 4.40						brk		
			69R	12.0			+ 5.42						SH		
217+00								1031.3	5.3		1036.6				
			2L	5.2			—						edge rd		
			2L	3.5			—						T bk.		
			36L	2.1			—						brk		
			67L	3.0			+ 3.59						SH		
			7R	4.2			—						edge rd		
			12R	4.5			—						T bk		

Add'n'l Inform.

Form 381 16M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Line	Right
21+50					° ′		° ′	1033.2	1 4.7		1037.2				
			23L	2.1	° ′		° ′		2				TGK		
			16L	0.8	° ′		° ′		3				SH.		
			9R	8.7	° ′		° ′		4				G brk		
			14R	9.2	° ′		° ′		5				TGK.		
			18R	11.8	° ′		° ′		6				GW		
			21R	12.1	° ′		° ′		7				"		
			24R	10.4	° ′		° ′		8				TGK.		
			36R	6.0	° ′		° ′		9				brk		
			76R	2.0	° ′		° ′		10				SH		
					° ′		° ′		11						
21+00					° ′		° ′	1033.8	12 5.3		1039.1				
			5L	5.4	° ′		° ′		13				edge rd		
			5L	4.0	° ′		° ′		14				TGK		
			67L	4.0	° ′		+ 1.30		15				SH		
			5R	4.8	° ′		° ′		16				edge rd		
			11R	4.7	° ′		° ′		17				TGK		
			27R	12.0	° ′		2.45		18				GW		
			34R	12.0	° ′		2.35		19				"		
			44R	6.0	° ′		1.50		20				TGK		
			70R	4.0	° ′				21				SH		

Add'n'l Inform.

Date 1-23-39 Survey of Mountain View Tract Map No. 12639 Map No. Drawn by Indexed A. C. Johnson Date 6-23-39

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left Right
214+78								1036.0	5.2		1041.2			
			12L	6.9									T brk	
			26L	6.0			11.35						b "	
			54L	1.0			10.59						T bk	
			57L	2.0			10.59						bw	
			63L	9.0			3.53						"	
			72L	0.0			3.41						edge rd	
			66R	2.9									T "	
215+00								1028.5	5.0		1033.5			
			4L	7.6									bw	
			9L	6.7									"	
			54L	1.0			+ 4.40						edge rd	
			74L	4.0			+ 5.44						"	
			12R	3.6									b brk	
			23R	2.0			+ 9.15						T "	
			72R	8.0			+ 8.49						sp	
215+60								1033.2	4.7		1037.9			
			11L	3.0									edge rd	
			22L	3.3									"	

Add'n'l Inform.

Form 361 IGM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
213+96								1030.9	5.4		1034.3				
			10R	4.2									S.W.		
			35R	5.0			+ 5.50						T.S.		
			70R	4.0			+ 10.49						T brk		
			19L	5.0									S.W. S.B.K.		
			30L	0.0			+ 4.25						T sp.		
								388.0			388				
301 L								333							
			13L	5.5									S. brk		
			27L	7.7				311					edge rd		
			38	7.0				318					"		
214+45								1040.6	5.2		1045.8				
			37L	7.6									T brk		
			43L	12.0			2.24						S "		
			51L	12.0			2.24						T brk		
			56L	12.0			4.10						S.W.		
			60L	12.0			4.14						"		
			65L	12.0			1.40						"		
			29R	5.0			+ 4.36						brk		
			40R	5.0			+ 7.29						SH		

Notes Red. Date Plotted Date Drawn Date Job No. 2241 Division No. Survey of Greenleaf Estates
Notes Chkd. L.K.F. Date JUL 11 '39 Computed J.A.L. Date 7-28-39 Survey by Kaufman & Hint Date 6-22-39
Map No. Indexed Date C. Johnson
F.B. 808 Pg. 43

Add'n Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
217+00					° '		° '	1031.3	1 5.3		1036.6				
					° '		° '		2						
			23 E	9.2	° '		—						brk		
			28 E	8.0	° '		1030		3				bw	5 W	
			31 E	10.6	° '		—		4				TBK		
			45 E	5.2	° '		—		5				brk		
			72 E	3.2	° '		—		6				SH.		
					° '		° '		7						
217+50					° '		° '	1030.8	8 5.3		1036.1				
			5 L	5.3	° '		—		9				edge rd		
			5 L	4.2	° '		—		10				TBK		
			37 L	2.9	° '		—		11				TS		
			75 L	3.0	° '		+ 4.13		12				SH.		
			6 E	4.2	° '		—		13				edge rd.		
			16 E	9.4	° '		—		14				brk		
			21 E	9.2	° '		—		15				TBK		
			22 E	12.0	° '		2.50		16				b.w.		
			27 E	12.0	° '		1.45		17				"		
			31 E	9.2	° '		—		18				brk		
			59 E	2.0	° '		—		19				"		
					° '		° '		20						
					° '		° '		21						

Add'n'l Inform.

Date 7-28-39 Map No. Indexed A. C. Johnson

Date Date Date

Survey of Greenwood Avenue Survey Notes 654 Date 6-22-39

Division No. 24 F.B. 808 PG. 71

Form 301 10M 3-34

PLEASE RETU[illegible] TO
LOS ANGELES COUN[illegible] SURV[illegible]OR
700 HALL OF R[illegible]DS

808

[illegible]OTE: ANY ADDITIONS OR CHANGES [illegible] THIS SHEET MUST BE MADE OR [illegible]CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

[illegible] not extend [illegible] side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
218+00					° '		° '	1029.3	1 5.3		1034.6				
			8L	5.5	° '		° '		2				edge rd		
			9L	4.1	° '		° '		3				T bk.		
			47L	2.5	° '		° '		4				T.S.		
			73L	3.0	° '		+ 3.35		5				S.H.		
			2R	5.0	° '		° '		6				edge rd		
			4R	4.9	° '		° '		7				T brk		
			12R	8.2	° '		° '		8				brk		
			22R	7.2	° '		° '		9				T bk		
			24R	11.5	° '		° '		10				b.w.		
			28R	12.2	° '		° '		11				"		
			31R	9.8	° '		° '		12				T bk.		
			66R	1.0	° '		+ 3.29		13				S.H.		
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'n'l Inform.

F.B. 808 Pg. 78

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Interc. of Draw V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Trawled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-S. Fn.-Fl.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.