Notes Ck'd by	Survey of T 5 N R 13 W.
Base No.	W. O. 4299 Topo No. 57
Office Work	Surveyed by E. A. Rosecrans
Checked	Notes Date 5-7-41
Date	Indexed

5-14-41

F.B. 217 Pg. 3

SECTION LINES

T. 5 N. R. 13 W.

J. N. 4299

E. A. Rosecrans
H. E. Grinquist
J. P. Fiehler
C. H. Morrison

C.S. B-1805
H.C. 37-39-2.

574

Note: Any Additions or Changes in Lines or Corners Made on This Sheet Must be Made in Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 12-40

F.B. 874 PG. 6

R. 13 W.

T. 5 N.
T. 4 N.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Index to previously surveyed lines ran on this map

Red = lines ran

Yellow = lines

F.B. 79-124
F.B. 594-215
F.B. 204-80A

F.B. 892-60

F.B. 92-3

F.B. 92-13

F.B. 92-7

F.B. 594-214
F.B. 204-80A

F.B. 594-209
F.B. 204-66

F.B. 594-207

F.B. 204-65
F.B. 594-207

F.B. 98-89

F.B. 98-85

F.B. 98-87

F.B. 98-85

F.B. 98-85

F.B. 98-04-05-91
F.B. 594-205
F.B. 204-64

F.B. 98-85

F.B. 98-85

F.B. 98-87

Pg 35

Notes Ck'd by K.R.M.	Survey of T. 5 N. R 13 W.
Map No. Sur. Div. 37-57 C.S. 37-105	W. O. 4292 Tape No. 84 Std. 66-F
Office Work McMasters	Surveyed by Rosecrans
Checked Stevens	Notes Date 7-15-41
Date June 1941	Indexed

F.B. 577 PG. 7

WS 84 B6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-59

2 Line Tree
See pg. 11

Sec. 32
T. 5 N. R 13 W.

Identical

Agrees South (Meas.)
See pg. 11

120.70 @ 12-12 T. 60 = 117.95

78.95 @ 8-35 T. 60 = 78.96

90°

0° 16-00"

117.95

Section Corner
Fd mound of rocks
2 base 1 high. This looks like an old mound.
Drove a 1x2" in the center
See pg. 8
Set C.S. Mon.

4.67

147° 53'

78.06

Fd. mound of rocks
2' base 2' high. Drove 1x2" in the center

3.02

Set 1x2"

Fd. 4" (soft wood) post 2' high hewn on top 8" of east side in rock mound 2' base 1' high. A 1x2x 36" juniper hewn on one side lying on the mound

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 69;B6


Floor frame
Section Corner
See RS 25 for Topog.
Note this line is not some of Transit lines
Transit line
Section Corner
Found 1" I.P. with brass cap marked as above in concrete 6" below surface
Found 1" I.P. with brass cap marked as above in concrete 6" below surface
Found 1" I.P. with brass cap marked as above in concrete 6" below surface

Notes Ck'd by K.R.M.	Survey of T 5 N R 13 W
Map No. Surv. Div. 22-57	W. O. 4222 Tape No. 64 Std. 64°F
Office Work C.S.F. 1965	Surveyed by Pesecrans
Checked Fitzhugh	Notes R Date 4-6-91
Date June 1991	Indexed K. C. Johnson

F.B. 874 PG. 9

To & Cor.

Coat bottom next page

2 22+17.9

54 Ldam

N 62° E

1' Road

19+03

S 55° W.

N

S

2107.51

N. 2.

Bottom Dr.

12+84.

T. 5 N. R. 13 W.

Sec. 32

Sec. 29

115.43
38.72
267.01 @ 3-12 = 266.59 ✓
30.32
232.12 @ 2-49 = 232.44 ✓
300.22 @ 9-55 = 295.73 ✓
79.69 @ 20-29 = 79.56 ✓
210.37 @ 10-05 = 207.12 ✓
256.62 @ 3-43 = 256.09 ✓
74.11 @ 14-32 = 71.79 ✓
29.49
225.25 @ 10-28 = 221.50 ✓
2107.73 ✓
T. 68 = 2107.51 ✓

5+72 T.R. in saddle
Bear. S 50° W. ✓

2 Set 1x2 - 5+60.07
in saddle

222.05 @ 10-36 = 54.85
218.26 ✓
16.96
442.17 ✓
T. 64 = 442.11 ✓

0.74

1x2" Pg. 7

2 Set 1x2"
T.R. Bear N. 35° W.

S. 1115

Section Corner
0+00 to W. 1x2 in
Ctr. of rock mound
Pg 8 Set C.S. Mon.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

FORM 247 SM 10-89

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W 364, A 6
W 364, B 6



Notes Ck'd by K.R.M.	Survey of T.5N. R.13W.
Map No. Sur. Div. 57-29 C.S. 9-1805	W. O. 4999 Tape No. 64 Sta. 84+
Office Work M.F.Dunn	Surveyed by Hosser and
Checked Simmons	Notes
Date June 1941	Indexed

Date 7-1-41 C. Johnson

F.B. 874 Pg. 11

WS 24 B-6

Set 1"x2"-12+37.38

10.20

East bottom next page

2' mound of rocks & brush 1' high top of ridge Bear S.60°W.

1.60

84.86

84.94 e 2.16 T.66 = 84.86

2. Set 1"x2"-12+52.52 T. R. N. side

12.52.52

Sec. 33

Sec. 22

T.5N. R.13W.

10.00

0.19

Set 2" I.P. with brass cap marked as shown in Conc. 6" above surface 6-5-41

8469.04

10.00

8469.04

6" Fd. scrub oak line tree 14" in Diam at base. Main branch 8" in Diam. has old blaze marks 2 notches on the north, and 3 notches on the south. 4' above ground C.S. 9096

Bottom Dr. 6+21

W.

60.08 @ 14-46	=	58.10
300.78 @ 9-24	=	296.44
28.99 @ 6-20	=	38.69
272.66 @ 16-30	=	280.61
300.67 @ 7-19	=	298.22
142.22 @ 8-03	=	140.82
		93.51
		76.28
		1252.67

T.66 = 1252.52

Top low ridge 5+80 Bear S.W.

5+18.2

Fd strong magnetic pull (Vert.) ten N. end of needle here

S.35°W.

Stream

Section Corner. 0.00 to 3. 1"x2" in Ctr. of rock mound Pg. 8 Set C.S. Mon.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 874 Pg. 12

Int. Set 1x2 Fl.
35 + 90.77
50 N. of top of hill

T.P. Bear N. 65° W - 50+03

C.S. Mon. & Cor. 32+5 F.B. 98-87

62.41

Cor. Secs. 32, 33, 4 & 5 Fd.
C.S. Mon. F.B. 98-88

Bottom Dr. 50+57

N. 65° W.

380 W

Bottom Dr. 49+63

Set 1x2 - 47+55.27
top spur Bear. W.

45+35 S. side Dr.

300.65 @ 10-25 =	282.55	
204.03 @ 3-25 =	203.67	
	68.42	
	555.64	
20.75 @ 14-28 =	- 20.09	
	535.55	
T.P. =	536.50	

	22.88	W
300.82 @ 5-59 =	299.18	
214.54 @ 7-21 =	212.78	
116.60 @ 5-07 =	116.14	
300.52 @ 9-13 =	296.69	
113.80 @ 9-02 =	112.39	
	71.17	
300.44 @ 1-19 =	300.36	
	103.33	
	1535.47	
T.P. =	1535.33	

N. 55° W.

3 Stream

16'

S. 89° W

93-14-30
12-57-50
25-55-40
93-14-27

44+80 N. Side Dr.

Set 1x2 - 32+19.94
on E. slope

Sec. 32

	116.28	
282.52 @ 4-14 =	281.75	
129.65 @ 7-56 =	129.17	
	24.25	
	561.65	
T.P. =	561.50	

Set 1x2 - 26+58.44

Bottom Dr. 26+52

Proposed 2 Story Brick Store

Proposed Concrete Block Store

Proposed 1x2

Sec. 33

T. 5 N. R. 13 W.

12.76

32.15

3.55

300.98 @ 12-18 =	294.07	
230.58 @ 12-22 =	224.32	
300.47 @ 10-44 =	289.17	
133.13 @ 12-14 =	130.11	
273.99 @ 12-15 =	267.75	
167.36 @ 7-49 =	129.06	
	1355.48	
	- 34.25	
	1321.23	
T.P. =	1321.06	

1x2 - 13+37.38 See preceding page

Cor. Secs. 32, 33, 4 & 5 T. 5 N. R. 13 W. 1917

Fd. 1" I.P. 0.6' Above Ground

Set 1" I.P. 0.5' Above Ground

Set 1" I.P. 0.5' Above Ground

Set 1" I.P. 0.5

Notes Ck'd by L.R.M.	Survey of T 5 N R 13 W
Map No. Sec. Div. 37-17	W. O. 4777 Tape No. 64 Std. 67 °F
Office Work [illegible]	Surveyed by Pasecrans
Checked [illegible]	Notes [illegible] Date 4-28-41
Date June 1941	Indexed R. C. Johnson

F.B. 814 Pg. 13

Cont. bottom next page

Bottom Dr.

Stream

See pg 28 for Topog

S 70° W. 3

18+66 = 3

36.0

34.0

4.6

6.4

18+24.0

Conc. spring box

Set 1"P. 18+08.30

Brk. near bottom Dr.

17+59.0

12.0

Dirt Rd

480 E.

452.18

Set 1"P. 13+56.17

T.F. Bear. S.50° E.

16B.22 @ 9-34 = 165.88

295.69 @ 14.28 = 286.24

452.12

T.64 = 452.13

Sec. 28

T. 5 N. R. 13 W.

Sec. 29

652.69

9.80

12+01.30 Fd. white 2"x2" 6" up.

Bottom swale 10+43 W.

152.16 @ 11-54 = 33.75

300.66 @ 2.09 = 148.93

171.05 @ 7-29 = 300.15

169.49

652.72

T.76 = 652.69

Set 1"x2" - 7+03.48

Top E. + W. ridge

Hd. Dr. E 1+88.0

179.44 @ 6-34 = 178.14

54.53 @ 9.10 = 53.83

300.70 @ 11-31 = 294.65

176.90

703.52

T.76 = 703.48

703.48

S 65°

180°-00'-00"

Sec. corner

0+00 to N. Set 1"x2" in rock mound Fd. 8 Set C.S. Mon

free to and S line line

To transit Pg 14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 3M 12-40

F.B. 874 PG. 14

Cont. to bot. Pg 15

Set 1x2" -E 1+35.31 Fr. N.
See bottom next page

142.77 @ 3-29 T.68 = 149.46

Set 1x2" -E 8+84.77 on side hill

142.35 @ 6-29 = 141.46
211.40 @ 6-29 = 219.95
251.51
T.58 = 251.45

Sec. 29

Sec. 28

T. 5 N. R. 13 W.

351.45

334.54 @ 6-41 = 223.87
126.27 @ 5-30 = 66.68
130.41 @ 5-24 = 130.50
697.72
T.58 = 69.30

75-40-00 ⊙
302-10-00 ⊙
75-40-00

Set 1x2" T. R. line Prod.

Set 1x2" -E 26+36.27 Fr. N

75°-40'-00"

696.69

Set 1x2" 26+72.88 Fr. S.

74-50-30 ⊙
220-21-15 ⊙
74-50-15

14°-50'-30"

302.36

118.67

318.82

158.50
140.81 @ 6-15 = 139.97
271.35 @ 9-21 = 267.62
300.76 @ 6-52 = 298.60
864.69
T64 = 864.58

Cor.

Fd juniper post 3" Diam 6' long in comparatively new rock mound 3' base 2' high

Set 1x2" - 18+08.30 See preceding page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by R.R.M.	Survey of T. 5 N. R. 13 W. S.B.M.
Map No. Sur. Div. 37-39 E.S. 1-1945	W. O. 1777 No. 64 [illegible] F
Office Work R.R.Munn	Surveyed by Peterson
Checked Timmons	Notes Date 6-24-41
Date June 1941	Indexed

F.B. 874 Pg. 15

WS, 64 B5

Note: Any Additions or Changes on This Sheet Must be Made in Ink With Date Making Change and Name of Person or Circled in Red

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 12-40

T. C. Secs. 20 & 21 T. 5 N. R. 13 W. Fd. C.S. Mon. F.B. 594-204

Sec. 20

Sec. 21

T. 5 N. R. 13 W.

Barbed wire Fn.

20+00 to S. Cor. Secs. 20, 21, 28 & 29 T. 5 N. R. 13 W. Fd. C.S. Mon. F.B. 594-207

180°-00'-00"

3.85° W.

2498.0

2' Stream

300.76 @ 1-48 = 299.64
145.03
300.38 @ 1-25 = 200.29
300.77 @ 2-18 = 300.54
131.63
222.62
1400.75
7.60 1400.53

Sec. 29

Sec. 28

N. 11° W. line 11+47.5

3.72° W.

2' Stream

12+88.0

Set 1" I.P. - 14+00.52
Top low. E. + W. Spur.

19+48.8

N. 80° W.

Set 1" I.P. - 21+35.31 on line
Bill See preceding page

300.46 @ 1-26 = 299.56
120.70
300.53 @ 1-24 = 299.64
734.90
7.58 = 734.78

Cont from top Pg 14

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 874 PG. 16

F.B. 874 Pg. 17

Notes Ck'd by K.R.M.	Survey of T. 5 N., R. 13 W.
Map No. Sur. Div. 37-19	W. O. 4999 Tape No. 69 Std. 84°F
Office Work C.S. 1865	Surveyed by Rosecrans
Checked Fimmans	Notes P Date 5-5-41
Date June 1941	Indexed A. C. Jamison

W.S. 84 B-5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Sec 29

Sec 28

T. 5 N. R. 13 W.

Fd. rock mound 2' base 1' high. Set 3/4" pipe 14" long flush with ground. Witness mound 2' base 1' high on the mound.

Fd. mound of rocks 3' base 1' high.

Fd. rock mound 2' base 1' high

Fd. original hewn juniper post 4" in Diam. 2' long scribed "S." standing in a rock mound 2' base 1' high. The nails look like a comparatively new one. Dug in the center of it to look for the remains of the bottom of the original stake, but did not find any. Drove a 1/2" x 7" Tk. under the original. Replaced 1x2 Tk with 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. 6-10-41

Set 1x2 - 27 + 33.45 F. H.

1x2 - 26 + 36.22 See preceding page 14

COUNTY SURVEYOR T.5N. R.13W. 29 + 28 1/4 COR. R.E. 8177

110-25-00 ①
81-39-00 ④
110-24-45

165.77 @ 2.42 = 165.45
T. 78 = 165.44

175.10 @ 3-11 = 174.83
T. 78 = 174.82

97.61 @ 5-04 = 97.23
T. 78 = 97.23

110°-24-45"

28.88
30.17
97.23
118.67 Calc
91.45
95.17
5.59
C.47
174.82
318.89 Calc

FORM 247 5M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 374 PG. 13

Notes Ck'd by L.R.M.	Survey of T. 5 N. R. 13 W.
Map No. Sur. Div. 37-39 C.S. 5-1805	W. O. 4222 Tape No. 64 Std. 84°F
Office Work M. Thuem	Surveyed by Rosecrans
Checked Timmons	Notes K Date 4-28-41
Date June 1941	Indexed E. C. Johnson

F.B. 874 PG. 19

W.S. 64 | 13.6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM. 12-40

Bottom Dr. 16+98

℄ To 1x2" -26+49.40
See next page

N. 1E° W.

245.01 @ 4-42 = 244.19
151.33 @ 5-42 = 150.58
228.55 @ 1-04 = 228.51
82.53 @ 16-03 = 79.21
10-48 = 33.41
300.40 @ 11-48 = 295.82
69.36 @ 13-11 = 67.53
54.72 @ 7-00 = 84.51
T. 78 = 1418.04

132.35
102.63

Set 1x2" -12+31.36
T.R. Bear N. 53 W. E. side

Sec. 28

T. 5 N. R. 13 W.

Set 1x2" -11+47.32
T.R. Bear N. 53° W. W. side

84.37 @ 5-03 T. 78 = 84.04

49-33-40 D
198-14-30 D
49-33-30

℄ Transit Line per Co. Sur. line 3

Sec. 33

40-05-00 D
180-10-00 D
40-05-00

19°-33'-30" Pg.

90°-00'

89-38-20
358-33-10
88-54-50

To line to Pg. 11

2 1/2 -13+56.17 Pg.

40°-05'-00" 40.86 Ay

1356.17 Base

0+00 to E
1x2" in Cir. of rock mound Pg.
C.S. Mon!

Drove 1/2" I.P. Set

180°-00'-00"

Sec. 29

1/4 Cor. Pg. 10

Mon. 29+32

Sec. 32

F.B. 874 PG. 20

Cont. bottom next page

40+17 T.P. Bear N 65° W.

Set 1"x2" - 40+

43.02
41.99

W.S. 64.36

Sec. Line

347.65

19 @ 8-56 = 48.59
299.07
34.66
T.78 = 347.65

25.37
24.34

2 Set 1x2 - 36+
top lon N+S. spur

Bottom Dr. 34+18

N 64° W

332.69

14.0

N 62° E

Sec. 33 T. 5 S. R. 13 W.

34.87 @ 7-39 = 34.56
300.76 @ 7-39 = 298.14
332.70
T 78 = 332.69

62.68
61.65

Set 1"x2" - 33+
in flat.

324+13

Dirt Rd.

713.28

105.72
222.04
256.58 @ 0-44 = 256.50
128.92
713.31
T.78 = 713.28

48.37
49.40

2 Set 1"x2" - 26+

1/4 Sec. Cor. Set 2" I.P. with brass cap marked as shown 3.42 in Conc. 6" above Surf. by proportion 10-13-42

121.54

2 25+27.80
Bottom Dr. 24+11

N 40° E

Set 28

SURVEYOR COUNTY

N.S. 28 33 T.5 R.13W

1318.04

N 50° E

2 Bottom Dr. 18+69

Top N+S. spur. 17+10

To 1"x2" - 12+31.07 See preceding page

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L.L.M.	Survey of T.5N. R.13W.	F.B. 974 Pg. 21	
Map No. Sur. Dis. 32-39	W. O. 1122 Tape No. 64 Std. 84 °F		
Office Work Sept. 1805	Surveyed by Pascarane		
Checked Simmons	Notes	Date 5-7-41	
Date June, 1941	Indexed		

Cont. to bet pg. 22

Set 1x2 - 53+08.32 on E. slope 08.32

Base used for Triangulation

2493.63 Calc. from Mon. Page 31

Fd. mound of rocks 2' base 2' high 1.0 ft. mound of rocks

Fd. 1x2 tagged LS 1122 F.B. 92-16

1302.45 Calc

Sec. 34

T. 5 N. R. 13 W.

1358.14 Calc. from Triangles

Fd. remains of old 1x2 10 ft SE 0.55 F.B. 92-16 reset new 1x2

Sec 33

Sec 28

Set 1x2 49 ft. S. T. P. Bear 310° E

Note see Pg. 26 for Topog. of ridge south of this pt.

Dirt Rd.

2 Bottom Dr. 44+12

Set 1x2 - 40+42.32 See preceding page

42-24-40 ① 169-38-50 ④ 42-24-42½

223.28 @ 10-11 = 219.76
174.89 @ 17-00 = 167.50
386.96

T. 84

74-21-00 ① 177-29-00 ④ 44-21-00

84-11-30 ① 326-45-40 ④ 84-11-25

44°-21'-00"

42°-24'-40"

72-36-40 ① 290-26-20 ④ 72-36-35

74°-32'-55"

74-33-00 ① 298-11-30 ④ 74-32-52½

268.82 @ 10-26 = 264.39
82.67 @ 8-34 = 81.75
207.71 @ 9-13 = 205.03
191.14 @ 5-12 = 190.35
741.52

T. 84

165.89 @ 2-10 = 165.77
262.82 @ 12-35 = 256.51
104.18 @ 8-33 = 103.02
878.34

T. 84

23-12-00 ① 92-48-30 ④ 23-12-07½

23-12-05

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend Notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W564, B-6



Notes Ck'd by L.R.M.	Survey of T 5 N. R 13 W
Map No. Sur. Div. 37-39	W. O. 1777 Tape No. 64 Std. 84°F
Office Work [illegible]	Surveyed by Pasacreta
Checked Timmons	Notes R Date 5-8-41
Date June 1941	Indexed [illegible]

F.B. 874 Pg. 23

Cont. bottom next page

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 12-40

Set 1X2"
98+34.09
35.06
Calc.
28-50-35
30" Adj.
28-50-40 ⊙
115-22-20 ⊙
28-50-35
942.64 Calc.
Sec. 27
22.50" Adj. 166.81
97°23'00"
97-23-10 ⊙
29-32-00 ⊙
97-23-00
458.52 Calc.
℄ Fd. 1X2"
Co+62.67
L.B.52-15
37-40-40
150-91-50
37-40-27½
Set 1X2
88+91.39
92.42
20" Adj.
126°13'15"
126-13-20 ⊙
144-53-10 ⊙
126-13-47½
Sec. 34
T. 5 N. R. 13 W.
1010.37 Calc.
1333.64 Calc.
Sec. line ?
Transit line ?
F.B. 92-[illegible]
1X2"
78+91.02
82.06
16"
Radius 1432.69'
Arc 411.09'
Tangent 206.95'
30 29.66 Calc.
467.05
To 1X2
See preceding page
162-53-40 ⊙
295-25-00 ⊙
163-53-45

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 64, C6



F.B. 874 PG. 24

Form 261 (Rev. 3-54)

LOS ANGELES COUNTY SURVEYOR

NOTE: ANY CORRECTION OR CHANGE ON THIS SHEET MUST BE SIGNED BY THE SURVEYOR OR ENGINEER IN CHARGE OF THE SURVEY.

Do not unroll before first Sheet of this Book

Plotted _____ Job No. _____ Division No. _____ T.B. _____

Location of Creek ... 22, 23, 24, 25 ... 7.5 N. ... R. 13 W.

| | | |

Form 301 10M 3-36

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Location of top of ridge South of Cor. Secs. 27, 28, 33 & 34 T. 5 N. R. 13 W.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
									2						
									3						
									4						
									5				Pg. 21		
		622				519									
		1			272-14-30	521	+ 4 42						P. #1 Set 1"x1"		
P #1		1026				483			6						
		5			180 00		+ 16 22						P. #2 Set 1"x1"		
P #2	P #1	308							7						
		2			180 00	103	+ 12 15						P. #3 Set 1"x1"		
P #3	P #2	1200				702			8						
		402			180 00	250	+ 20 21						P. #4 Set 10d Na.		
P #4	P #3	350							9						
		8			216 00	48	+ 11 16						T.R		
		1067							10						
		10			262 10	66	+ 5 13						"		
		1113							11						
		10			291 20	113	+ 2 42						"		
		12							12						
		970			297 40	203	+ 10 34						"		
		12							13						
		884			300 40	307	+ 9 40						"		
		12							14						
		796			303 10	401	+ 5 15						"		
		1052							15						
		6			306 30	449	+ 4 24						"		
		1028							16						
		5			309 15	526	+ 3 49						"		
		1137							17						
		5			314 00	636	+ 0 52						"		
		12							18						
		476			316 40	724	+ 00						"		
		12							19						
		885			313 55	816	+ 0 0						"		
		544							20						
		5			180 00	48	+ 7 59						P. #5 Set 1"x1"		
									21						

Note. Top of ridge for 3 sights at P #5 Spur to N.E. Main ridge to S.E.

Cont. to Pg 27

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	B.M. Station	B.S. Left	B.S. Right
P # 2	P # 1	11.50								1						
		11			110 00	49'		9 13						T.P.		
		10.85								2						
		10			75 45	80'		13 45						Spur		
		11.10								3						
		10			111 05	104'		13 20						T.P.		
		11.67								4						
		10			76 35	154'		16 09						Spur		
		10.72								5						
		9			109 40	162'		14 45						T.P.		
		12								6						
		9.09			75 10	269'		15 55						Spur		
		11.34								7						
		7			106 50	218'		14 57						T.P.		
		12								8						
		7.97			76 50	377'		14 42						Spur		
		12								9						
		8.96			107 45	286'		14 13						T.P.		
		12								10						
		7.07			79 00	471'		12 15						Spur		
		12								11						
		8.16			110 20	365'		13 13						T.P.		
		12								12						
		6.60			77 30	531'		10 47						Spur		
		12								13						
		7.52			112 15	428'		11 49						T.P.		
		12								14						
		5.46			79 30	632'		10 45						Spur		
		12								15						
		6.85			110 00	496'		11 09						T.P.		
		12								16						
		#93			83 05	678'		11 40						Spur		
		12								17						
		5.47			111 40	636'		9 25						T.P.		
		12								18						
		4.35			86 30	750'		12 16						Spur		
		12								19						
		4.90			115 05	690'		9 40						T.P.		
		12								20						
		3.78			120 35	810'		8 57						"		
		12								21						
		3.70			150 00	840'		7 20						"		

(One shot in here (P.T.))

Plotted [illegible] Job No. [illegible] Division No. [illegible]

Rod. [illegible]

Form 301 10M 8-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Hor.	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P5	P4	12 170			114 14	1408	8 27						1" I.P. in rock		
Location of stream & bottom of Dr. N of Cor.													mound T.R.		
Sec 6		28, 29, 32 & 33 T. 5 N. R. 13 W.													
		676 6			192 30	75	6 28						& 3 stream		
1x12 + 13 x 56.17	1x12	1062 10			207 15	62	3 45						"		
		1054 10			121 15	30	15 28						"		
		1084 10			276 00	84	2 15						"		
		1144 10			88 30	139	10 30						"		
		784 8			92 50	179	7 11						"		
		1110 8			90 15	306	6 35						"		
		12 810 4 23 3			84 45	386	5 49						"		
					285 40	123	2 53						"		
		12 737 1200 660			83 00	459	5 15						"		
					80 00	537	4 07						"		

FORM 247 SM 11-41

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O.
Surveyed by
Tape No. St'd. °F
Notes
Date
Indexed

F.B. 877 PG. 29

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 877 PG. 30

Notes Ck'd by	K.R. McP.	Survey of	T 5 N. R 13 W.
Map No.	C.S. B-1805	W. Q.	Tape No. 12 Std. 84 °F
Office Work	Timmons	Surveyed by	Aerocrans
Checked	McPherson	Notes	Date 5-27-42
Date	Dec. 1942	Indexed	A. C. Johnson 6-15-42

F.B. 874 Pg. 31

WS 64-B6

P.# 2 V Set 1"x2" 16+23.87 Cent Bottom

Sec. line

15+80 T.P. Bear. S.80° W.

813.29

N

275.10 @ 11-49 = 78.03 269.27 ✓
213.18 @ 14-32 = 259.67 206.34 ✓
T.90 = 813.31 813.29 ✓

Bottom Dr. 11+24

Fd. mound large rocks 3' high 3' base. 38.6

Sec. 27

P. # 1. Set 1x2 - 8+10.58 ✓
T.P. Bear. N. 48° W.

Sec. 28

T 5 N. R 13 W.

2 6+80 Bottom Dr.

5+30 T.P. Bear. S 11° W.

229.00 @ 5-55 = 227.78 ✓
299.75 @ 11-08 = 294.11 ✓
186.35 @ 1-16 = 186.32 ✓
T.74 = 810.63 810.58 ✓

2 Bottom Dr. 2+33

90-08-30 ①
180-51-00 ②
90-08-30 ✓

Sec. Cor. Set 2" I.P. with brass cap marked "0.00 as shown in Conc. 6" above Surf. by proportion 10-13-42

24.09 ✓ 8.52 0+06.24

Transit line Fr. W. F.B. 874-21

Set 1"x2" - 52+99.80 Fr. W. 0+00 to N.

Fd. 1"x2" - 53+08.32 Fr. W. F.B. 874-21

Prod. For This Line to South See Pg 33

COUNTY SURVEYOR T.5N R.13W

28	27
33	34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 SM. 11-41

F.B. 874 PG. 32

W.S. 64, B-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

COUNTY SURVEYOR
T. 5 N.
R. 13 W.
28 27
4 COR.
R.E. 2177

P. #5 Set 1"x2" - 26+92.38
Tie small four Bear. 345° E

4 Cor. Secs. 27+28, T. 5 N.
R. 13 W. Set 2" I.P. with brass cap marked as shown in Conc. 6" above surface by proportion.
10-14-42

491.86

116.92

See stadia notes for Fn. location

Cont. on Pg. 37

2 25475.4c

394.13

74.85 @ 8-03 = 74.11
19.17
300.88 @ 0-57 = 300.84
394.12
T 88 = 394.13

P. #4 Set 1"x2" - 22+98.25
on E. slope

Sec. 28

Sec. 27
T. 5 N. R 13 W.

252.07

105.50 @ 8-38 = 104.30
154.44 @ 16-55 = 147.76
252.06
T 88 = 252.07

P. #3 Set 1"x2" - 20+46.18
on S. slope

Bottom Dr. 19+83
See Topog notes.

422.31

Sec. line

283.10 @ 4-06 = 282.38
142.17 @ 10-11 = 139.92
422.31
T. 84
1"x2" - 16+23.87 See preceding page

Notes Ck'd by K.R.M.	Survey of T5 N. R13 W.	F.B. 874 Pg. 33	
Map No. C.S.B. 1825	W. O. 1449 Tape No. 72 St'd 24 °F	THE Granquist	
Office Work Timmons	Surveyed by Rosecrans	W. J.P. Plaza	
Checked MSPalmer	Notes Granquist Date 6-4-42	R. P.R. Snyder	
Date Dec. 1942	Indexed A. C. Johnson		

Cont'd on Next pg. 34

10+89.44
Set 1x2 Stk ft.

6' R.G.T.E

Spur 1
10+83

Spur N60°E
10+31

116.98 @ 11°17' = 114.72
T90° .00

Sec. line 2

Set 1x2 ft. S.H. 9+74.72

399.96

SEC 34 T5N. R13W.

Random Line 2

116.11 @ 15°27½' = 111.91
300.76 @ 16°44' = 288.03
399.94
T90° .02
399.96

5+74.76
Set 1x2 Stk ft.

5+30 ft No.
N-78W. Stake Rd

Sec 33

191.31 @ 5°46' = 190.34
106.79 @ 2°30' = 106.10
278.88 @ 3°44' = 278.29
574.73
T92° .03
574.76

(See Pg. 39-40 for location of Imp.)

S65°W. 5 ot drow

0°90'

5+74.76

fd 1x2 See Pg 34
52+99.80 ft. W.

E44.09

Sec. Cor. Set C.S. Mon. Pg. 31

Random Line

SEC 27 T.5N. R13W.

Sec 28 T5N. R13W.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 11-41

F.B. 874 PG. 34

Note: Recent fire destroyed all original E.A.R. 10-15-42



Fd. old hewn 2"x2"x36" juniper post scribed #3 on E. face leaning down hill or W. in a mound of rocks 3' base 1½' high. Drove a 1½" at base of post for 1/4 Cor. Secs. 33-34 T. 5N R. 13 W. Replaced old original juniper stake with 2" I.P. with brass cap marked as shown in Conc. 6" above Surf. 10-13-42

W.S. 641 B6

271.30 Cole

111.69 @ 23-44 T. 90 = 102.24

78.03 @ 3-27 T. 90 = 77.89

99.45 @ 15-27 T. 90 = 96.74

25479.67

102.24

77.89

Set 1"x2" T.R. S. 15° W.

96.74

Set 1"x2"

Set 1"x2" - 25+24.39 on S.E. slope

(See Pg. 35 for dist. Check by Triangulation)

101-38-15 ②

46-22-00 ①

101-38-15

179-40-30 ①

358-42-30 ②

179-40-37½

661.87

101°38'15"

87.67 @ 4-50 = 87.36

97.81

1336 @ 6-21 = 132.79

298.84 @ 14-45 = 288.99

56.06 @ 11-45 = 54.80

661.87

T. 90 = 661.87

T 5N R 13W

Set 1"x2" 18+62.52 T.R. Bear S 70° E

See Topog notes for location of top of ridge

92.51 @ 7-11 T. 89 = 91.78

91.78

Set 1"x2" - 17+70.74 T.R. Bear. S 70° E of side

Sec 34 T 5N R 13W

Sec 33 T 5N R 13W

Sec. line

681.30

N 60° E 12+82 ± Ground

Line N 65° E 12+00

120.90 @ 21-02 = 112.84

135.25 @ 28-06 = 172.84

301.01 @ 118-21 = 285.70

112.14 ± @ 1° = 4' = 110.51

681.29

786° = 681.30

1 x 2 - 5 AK. 10+59.44

cont from top Preceding Pg

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M.	Survey of T. 5 N. R 13 W.
Map No. C.S. 2-1945	W. O. 1992 Tape No. 72 St'd 64 °F
Office Work Timmons	Surveyed by Koscerano
Checked McPherson	Notes Date 6-8-42
Date Dec. 1942	Indexed C. Johnson

F.B. 874 PG. 35

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

FORM 247 SM 11-41

e to S
92199.80 Fr. W.
Set 1x2 19

Set 1x2" Pg. 34

E524.39

Calc. 147.05

1pt. 28-15

174.82

89°-5

-.30

135-11-10 ①
180°-14-40 ②
135-11-10

01°-11-5E

Set 1x2" Pg. 34

Sec. 28.

Sec. 33

T. 5 N. R 13 W.

N 56°-30' W.

33°-18-30"

Fd. 1x2 -12 +31.30
F.B. 874-19

146°-41-30 ③
226-15-60
146-41-27½

2 Int. Set 1x2"
12+28.99 Fr. W.

F.B. 574 PG. 36

Cont. bottom next page #37

Set 1"P" - 17+34.50 on S.W. slope

W.S.64, B-5

122.24 @ 6-15 = 121.45
252.17 @ 12-10 = 246.51
128.37 @ 12-16 = 125.44
30.50
298.44 @ 19-19 = 281.64
815.56
T. 88 = 815.56

S 64° W.
Small Dr. 15+70
S 15° W.
815.56
Small Dr. 11+95

T.R
Sec. line
S 0° 08' E.
Set 1"x2" 9+19.04
T. P. S. side

T. 5 N. R. 13 W.

121.18 @ 5-16 T. 88 = 120.67

10.0
Set 1"x2" - 7+98.37

N. 55° W.
120.67

110.08 @ 9-20 T. 88 = 108.62
Set 1"x2" - 6+89.75 on N.E. Sl.
Sec. 27

T.R
N. 1° E.
108.62
S 1° E.
Sec. 28

96.23 @ 19-01 = 18.05
300.00 @ 18-48 = 90.98
300.08 @ 8-36 = 282.59
296.71
689.73
T. 88 689.75
V. 39

Dr. 4+46

88-51-30 ①
255-26-00 ②
88-51-30

88° 51'
689.75
N. 60° E.
Dr. 1+05.0

800±

0+00 to S. Sec. Cor. Fd. C. S. Mon. F.B. 594-209

Fd. cut Spk + T. in mound of rocks. F.B. 594-209

Fd. 2"x2" F.B. 594-209

Sec. 22

31.23

Sec. 21

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M.
Map No. C.S. B-1805
Office Work Timmons
Checked M.S. Johnson
Date Dec. 1942

Survey of T 5 N R 13 W
W. O. 4299 Tape No. TC Std 84 °F
Surveyed by Rosecrans.
Notes Gravel Quist Date 6-9-42
Indexed A. C. Johnson

F.B. 874 Pg. 37

N.S. 64 B-5

Transit line Fr. 3
Pg 31-32 Pg 32 Fr. 3
Sec Pg. 32

Fd. 1x2 PG 2.38 Fr. 3

82-00-40 ①
328-02-40 ②
82-00-40

226.57 @ 15-02 = 218.82
.16
218.66

T. 86

123.77 @ 7-48 T. 86 = 122.63

300.37 @ 5-45 = 32.71
69.61 @ 18-12 = 298.86
66.13
T. 86 = 397.70
397.71

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Fd. Cor. Set C.S. Mon. Pg. 32.

491.86

82°-00'-40"

116.92

Set 1x2 - 253.76

397.71

Brk. Flat Ridge.

218.66

122.63

Set 1x2 739.00

1.27

Set 10" by Int.

No. PG 93.65 Fr. 5.

82-11-20"

819.16

82-11-20 ①
328-45-20 ②
82-11-20

SEC 27
T 5 N. R 13 W.

Sec line

S 25° E

21+90'

Draw N 68° W

Sec 28

S 30 E

20+96 ± Main Drain

Main Drain 19+87 ±

N 30° W

Lev - 113.95
12.01
299.28 @ 1° 15' 299.71
234.20 @ 10° 46' 230.08
167.90 @ 13° 36' 163.19
819.14
.02
819.16

T 80°

90 ±

60

Cont from Top Preceding Pg. #36

K 1x2 - 17+34 ±

on S.W. Slope

FORM 247 5M 11-41

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 874 PG. 38

Notes Ck'd by	Survey of T5N. R13W.
Map No. 3-1805	W. O. 1949 Tape No. 72 St'd 84 °F
Office Work Timmons	Surveyed by Rosecrans.
Checked MS Watson	Notes Granquist Date 6-10-42
Date Dec. 1942	Indexed A. C. Johnson

F.B. 877 Pg. 39

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 11-41

Location of Ranch
N.W.Cor. Sec 34 T.5N. R13W.
And Water well with Pumping
Plant N.E.Cor Sec 33, T5N R13W.

300.00e 3°46' = 299.35
47.96
347.31

Sec 34 T5N. R13W.

Sec 33

1story wood dwelling.

Grape Arbor
Lath Roof

1story wooden dwelling

Cone Stk 5.8' 4'

1story Wood Barn. Metal Roof

388.5'

32'

chicken yd 4'x4' Wire Mesh fnc.

11'

28.0'

395.9'

61.9'

347.31

3+32.0'

Rd Nail C.P.

ch. ken yd 2" Wire Mesh.

3+81.4

1story Wood Barn, Conc floor metal Roof

25.9'

28.7'

28.2'

Wire Mesh fn

19.5'

17.9'

42.0'

3+83.1'

33.0'

67.8'

Barn yard.

Wire Mesh fnc.

278.88e 3°44' = 278.29

Transit Line G33

Fd 1x2 Pg 31

-53+08.32
fr. W.C.S.T. F.B. 874-21

8.52'

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Form 381 15M 7-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ALTERATIONS OR ERASURES ON THIS SHEET MUST BE MADE OR INITIALED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGES

Do not extend notes this side of this line

Notes Red. _____ Plotted _____ Job No. _____ Division No. _____ F.B. _____ Pg. _____

Transit at	Sight at	Middle Wire Readings	Stadia Distance	Stadia Rod—	Horiz. Angle (Horizontal Angle 0° to 359° Right)	Horiz. Distance	+	Vertical Angle	Elevation of Point	+ Rod Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance		
		STADIA LOCATION OF DAM SOUTH OF ℄ OF SEC 5, T. 2 S. T. 5 W. R. 13 W.													
1<2	1<2	743	143	7°	336.40,	134		14.15,							
P<3	P<2	6													
		783													
	16+24	4	183	9°	315.00,	175		12.13,							
		1040	240	14°	296.00,	234		7.20,							
		4													
		N37	337	17°	287.40,	332		7.10,							
		4													
		912	112	9°	329.20,	102		17.12,							
		8													
		N82	82	11°	336.10,	71		21.34,							
		N976	76	8°	47.00,	89		15.33,							
		8													
		756	156	7°	48.45,	155		5.26,							
		8													
		1223	223	11°	74.10,	223		1.20,							
		10													
		388	288	9°	72.55,	288		0.40,							
		7													
		1086	388	6°	76.40,	388		0.00,							
		7													
		N27	427	9°	80.10,	427	+	1.27,							
		7													
		1213	513	10°	78.20,	512	+	2.10,							
		7													
		N25	625	8°	80.10,	624	+	2.40,							
		5													
		1058	458	8°	83.40,	457	+	1.30,							
		6													
		N42	615	14°	92.45,	612	+	3.45,							
		5													

Uniform

Form 301 LCM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 611 Pg. 11

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Inters. of Draw V.P's Break in Slope ... B.S.S.
Steep Slope ..... T.Gl.
Top of Cliff ..... B.Gl.
Bottom of Cliff ..... T.Sp.
Top of Spur ..... B.Ca.
Bottom Canyon ..... B.Ca.

Side of Canyon S.Cn.
Top of Bank ..... T.B.
Bottom of Bank B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill B.F.

Swale ..... Sw.
Pole ..... Pe.
Fence ..... Fe.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Fd.-Fr. ..... Fd.
Conc.-Co. ..... Co.
Spot Stones ..... Ss.
Eucalyptus ..... Eu.
Pine (combination of these and all common standard abbreviations.

Inf. Fence V.Fe.
Ditch ..... Dt.
Telephone Pole T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Transit at	Sight on	Stadia intercepts	Stadia Distances	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
		LOCATION OF FENCE, EAST OF ¼ COR SECS. 27 + 28 T. 5 N. R 13 W.													
1X2 R5	1X2 R4	881 7	181	8	326 20,	169	15 00,						Barbed wir Fn		
2+32	2+98		fence		meanders		S.Ely.	from	above shot						
		1028 9	128	10	303 25,	115	18 48,						Fn		
		1003 9	103	10	287 50,	92	19 05,						"		
		1109 10	109	11	254 55,	101	15 18,						"		
		926 8	126	9	251 30,	118	14 56,						"		
		442 3	142	4	228 20,	136	11 30,						"		
		283 1	183	20	220 15,	182	3 57,						"		
		1023 8	223	9	216 20,	223	0 0,						"		
		1167 9	267	10	209 50,	268	+ 1 10,						"		
		1104 8	305	9	203 20,	304	+ 1 51,						"		
			Fn. runs 1/4 in		almost a straight line from above shot.										
			400 ±		to Fn Cor.		to E + to S								

Add'l Inform.

Form 301 1000 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red _____ Platted _____ Job No. _____ Division No. _____

F.B. _____ PG. _____

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ −	Vertical Distance	P.I. Station	B.M.'s Left	Right	Notes
		STADIA LOCATION OF DRAWS NEAR FOOT SECS. 27 + 28, T 5 N., R. 13 W.																
1×2	1×2																	
25.53	1734																	
Fr. N.	Fr. N.	1 2 935	365	14 0	205 40	357		8 22										1×2 set
		1 1 1 7	317	10 0	188 20	300		13 21										Dr.
		8 1265	365	10 0	175 30	346		13 15										"
		8 1705	405	9 0	175 40	385		12 56										"
		7 4 0 7 2	477	11 0	165 50	455		12 25										V-Dr.
		6 1 2 577	623	17 0	181 15	613		7 15										Dr.
		1 2 500	700	8 0	169 45	683		9 02										"
		11 23 5	623	8 0	159 10	602		10 38										Dr.
		1170 6	590	10 0	164 06	569		10 54										Intersection of [illegible]
		1200 668	532	9 0	167 23	516		11 40										Dr.
		1186 8	386	10 0	162 05	364		13 50										"
		1045 7	345	9 0	165 15	322		15 00										"
		1199 9	299	11 0	164 30	275		16 21										"
		982 7	282	8 0	153 10	258		16 57										"
		1056 8	256	9 0	145 40	232		17 50										"
		709 5	209	8 0	136 15	185		20 38										"

Notes of Interm.

Form 301 10M 8-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
"		9.10			° ' "		° ' "		1						
1&2	1&2	7	218	8	102 20	199	17 02		2				Dr		
2.553.75	1&456	10.16 8	216	9	80 05	201	15 01		3				"		
Fr.H	Fr.N.	10.82 9	182	10	47 45	170	14 57		4				"		
	Draw runs straight from here to								5	where it was			located		
	on transit line.								6						
									7						
									8						
									9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Add'n'l Inform.

F.B. 411 Pg. 77

Typography Description Legend:
Hill ... B.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Limit of Draw V.D. Top of Bank T.B. Fill T.F.
Brow or Slope B.S. Bottom of Bank B.B. Fill B.F.
Top of Cliff T.Cl. Top of Cut T.C.
Bottom of Cliff B.Cl. Bottom of Cut B.C.
Top of Spur T.Sp. Top of Fill T.F.
Bottom Canyon B.Cn. Bottom of Fill B.F.

Side of Draw S.D. Trail Tr.
Bottom Draw B.D. Stream Str.
Bottom Wash B.W. Flat Fl.
Top of Ridge T.R. Pavement Pvt.
Toe of Slope T.S. Edge of Road E.Rd.

Fr.P. Fr.-Pr. Oaks-Ok. Sycamore Sy. Eucalyptus Eu. Pine Pi. combinations of these and all common standard abbreviations.

Fence Fnce. V.Fnc. Ditch Dit. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Notes Ck'd by KRM.	Survey of T. 5 N. R. 13 W.
Map No. C.S. 8744	W. O. 4300 Tape No. 60 St'd 84 °F
Office Work KRM.	Surveyed by Rosecrans
Checked	Notes R Date 7-30-47
Date Aug 1947	Indexed A. O. Jalbert 2-10-48

F. B. 874 PG. 45

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-46

¼ SECTION CORNER BETWEEN
SECTIONS 34 + 35 T. 5 N. R. 13 W.

Notes showing how the monument was reset after it had been moved.

J.N. 4999

Party E.A. Rosecrans
J.P. Pierce
O.C. Falgate
V.T. Gibbons.

F. B. 874 PG. 46

W.S. 64, B6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Fd. 1x2 + Tk 12+51.16
Per F.B. 92-4

196.11 @ 2-46 T 94 = 195.89

Set 10" N/a. 0.13 Fd. 2" I.P. 1/16 Cor F.B. 92-4

103.88 @ 2-10 T 94 = 103.82

Set 10" N/a 0.24 Fd. old Ch. N/a. F.B. 92-4

156.82 @ 5-48 T 94 = 156.03

299.03 @ 1-37 = 299.03
132.18 @ 5-12 = 132.24
431.27
T 94 = 131.30

Set 10" N/a. 0.21 Fd. old Ch. N/a. F.B. 92-40

299.80 @ 1-21 T 94 = 298.96

Fd old Ch. N/a disturbed 0.15

226.33 @ 7-15 T 94 = 224.53

Set 10" N/a. 0.22 Fd. old 1x2 2 to 26+61.23 F.B. 92-4

95.11 @ 1-50 T 94 = 95.07

P.P. Set 3/4" I.P. 6" Dn.

Fd. Co. Sur. brass cap Mon. 12" up with Co. Sur. to the N.W. Removed it

0.37 18.40 Fence Cor. 17.1 0.61

Set 1x2

25.97 52.03

90°

Reset the Co. Mon to its original location per F.B. 92-13 marked as shown 6" above surface

0.46

COUNTY SURVEYOR'S MONUMENT

T. 5 N.
R. 13 W.
34 — 35
4 SEC. COR.

SEC. LINE

F. B. 874 PG. 47

Notes Ck'd by KRM.
Map No. C.S. 8744
Office Work KRM.
Checked
Date Aug. 1947

Survey of T 5 N. R 13 W.
W. O. 1799 Tape No. 60 St'd 84 °F
Surveyed by Rosecrans
Notes
Date 8-1-47
Indexed

C-6

WS 64

To C.S. Mon. N. 1/4 Cor. Sec. 35

Note: C.S. Mon. at Ctr of Sec 35 T.5N. R 13 W. had been knocked out of position by grader. Reset it as shown.

88-11-20 ①
362-45-10 ④
88-11-17½

P.P. Set ¾" I.P. plug + TK. Fl.

88° 11' 20" 1799.35 Rec.

Turned

COUNTY SURVEYORS MONUMENT

T. 5 N. R. 13 W. CENTER OF SEC 35

42.03

P.I. #16 Set ¾" I.P. 4" Dp. Rec. Fr Ctr. of Sec. per F.B. 92-19

To C.S. Mon. W. 1/4 Cor. Sec. 35

Center of Sec 35 T5N R13W. Monument had been knocked to the S.W. by grader. Reset it by intersection flush. Markings are as shown.

To C.S. Mon. E. 1/4 Cor. Sec. 35

P.P. Set ¾" I.P. plug + TK Fl.

To C.S. Mon. S. 1/4 Cor. Sec. 35

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 874 PG. 48

Notes Ck'd by McPherson	Survey of Shannon Valley Rd.
Map No. B-1877	W. O. 5373 Tape No. ___ St'd ___ °F
Office Work Cox	Surveyed by Howard
Checked McPherson	Notes ___ Date 1944
Date June 1946	Indexed J. C. Johnson 11-6-46

F.B. 577 Pg. 49

SHANNON VALLEY ROAD

JN 8393

T5N - R13W

See Next Pg. (50) for Index

Hard Copy 30-14
C.S. B-1877

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-50

F.B. 879 PG. 50



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 874 Pg. 51

Notes Ck'd by K.B.M.	Survey of SHANNON VALLEY R.S.
Map No. B-1877	W. O. 8353 Tapp No. 74 Std 24 °F
Office Work Cor	Surveyed by F.C. HOWARD
Checked McHenry	Notes F.C.H. Date 10-19-42
Date June 1945	Indexed A. C. Johnson

Howard Schuster Bliss

W.S. 644 B-5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

186.58 @ 5°23' = 185.76 ✓
133.43 Level = 133.43 ✓
296.82 @ 12°00' = 290.33 ✓
85.33 @ 15°40' = 82.16 ✓
691.68 ✓
@ T. 80° = 691.66 ✓

① 51°04'00"
② 204°16'20"
③ 48°32'40
51°04'05 ✓

Fd old 1x2 & tack.

206.59 @ 10°05' = 203.40 ✓
84.45 @ 11°30' = 82.75 ✓
300.38 @ 10°40' = 295.19 ✓
93.51 @ 6°52' = 92.84 ✓
674.18 ✓
@ T. 80° = 674.16 ✓

SEC. COR.
Fd 2" I.P. + S.C. in Conc.
See F.B. 894 Pg. 204

To Ldr.
35.6
47.6
Section Line
2447.95 Calc.
1°11'15" Calc.
26.4
69.66
674.16
25.0
.09
.049
.03
.05

14+16.87
Set 1x2 on N. Edge of road fill

51°04'00" Adj. to NE Cor Sec 15

7+25.21
Set 1x2 on N. edge of ridge

5°05' 7+00 Top of ridge N 85° W.

6+74.16
Set 1x2 on S. edge of ridge

To NW Cor Sec. 15

① 92°53'10
② 11°32'30"
③ 23°05'00"
92°53'07½

92°53'10"

16 15 21 22

2623.13 to ¼ Cor
F.B. 894 Pg. 210

① 60°44'20
② 242°57'20
③ 125°55'00
60°44'22½

¼ Corner
U.S.C.S. Mag. ptr
U.S. B.M.

FORM 247 SM 12-40


F.B. 874 Pg. 52
24+47.42 Adopted 1/4 Sec. Cor.
Fd 1½" Iron Pin 2" down in road. C.S. Map 8190
24+46.50
Fd 2" I.P. No plug. 2" up.
50.74
70.75
0.41
COUNTY SURVEY
T 5 N
R 13 W
Sec 16
1/4 Cor
1/4 Cor Replaced 1½ Iron pin with 2" I.P. B.C. in conc. 10" down
RE 2177
275.79 @ 3°07' = 275.38
300.38 @ 3°17' = 299.89
289.10 @ 2°39' = 288.79
863.96 864.06
@ T. 80° = 863.94 4.04
2447.85 Calc.
25+80.42 Set 1x2
134.63
1.33
6.09
24+45.77 Set 1x2
21.2
19.2
Private Road
72
W 5,604, B-4
S 1/2 Sec 16
Old fence
16.2
21.7
17+38.4
17+16.68 Set nail
Transit Line along Old R/W Highway
Old R/W pg. 60
14+71.69
Fd 1/2" I.P. PxT 4" Up.
299.81
299.99 @ 1°55'
@ T. 80° = 299.81
14+33.46 Set 1x2 by int
54.82
16.59
14+16.87 Set 1x2
0.32
From Sec. Cor.
Sec. 16 T. 5N R13W
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M.	Survey of SHANNON VALLEY RD
Map No. B-1877	W. O 8393 Tape No. 74 St'd 84 °F
Office Work OK	Surveyed by F.C. HOWARD
Checked McPherson	Notes F.C.H. Date 10-20-44
Date June 1945	Indexed A. C. Johnson

F.B. 874 PG. 53

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 12-40

SEC. 16
T. 5N. R. 13W.

SEC. 15

32+19.64
Fd 1" I.P. No plug.
5" Up.

32+14.16
Set 1x2

100.30' to Sec. Cor.

5.48

305.27

97.04 @ 4°37' = 96.73
208.81 @ 2°49' = 208.56
305.29
@ T. 76° = 305.27

Lane & Private Road.

59°

30+82.5

30+65°

29+08.89
Set 1x2

1/4 Cor. to Sec. Cor.

5.82

5.04
.02

29+03.07
Fd 2x2 & tack.

20.02

29+03.85
Fd 1" Galv. Iron pipe
plug & nail 4" Up.
Tract Map 9632

2704.40

110.95 @ 3°46' = 110.71
217.75 @ 2°48' = 217.49
328.20
@ T. 70° = 328.37
.17

328.37

25+80.72
Set 1x2

6.63

25+74.09
Fd 1" Galv. Iron Pipe
plug & nail - 4" Up.
Tract Map No 9632

F.B. 874 PG: 54



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M.	Survey of SHANNON VALLEY RD
Map No. B-1877	W. O. 8393 Tape No. 52 St. 84 °F
Office Work Ck	Surveyed by F.C. HOWARD
Checked McKinnon	Notes F.C.H. Date 10-20-44
Date June 1945	Indexed A. C. Johnson

F.B. 874 Pg. 55

W.S. 64, 83-4

T. 5N R 13W.

Set 2" I.P. & B.C. in conc. 12" down Nov. 9-1944.

COUNTY SURVEYOR
T. 5N
R 13W
9 | 10
16 | 15
SEC. COR
RE 2177

9 1.98

10

-45°00

Private Road

209

To SEC. COR.

51+51.24
SEC. COR.

Fd 1/4" I.P. - 1" Under with conc. plug & nail.

2828

16

15

Set 2" I.P. P&T.

88°39'05"

① 88°39'10
④ 354°36'30
⑧ 349°13'00
88°39'02½

26°22'30"

196.49 @ 2°51' = 196.25
200.45 @ 4°21' = 199.87
278.99 @ 4°10' = 278.25
674.37
@ T. 78° = 674.34

674.32

① 26°22'30
④ 105°29'50
⑧ 210°59'30
26°22'24¼

To S 1/4 Cor.

44+77.00
~~76.90~~
Set 1x2

327

0.11
6.35

44+76.89
Fd 1/2 I.P. 12" Up

270.44.40 Calc.
2417.40 SECTION LINE

SEC. 15

SEC. 16

55.01 @ 5°07' = 54.79
234.64 @ 4°14' = 234.00
288.79
@ T. 76° = 288.77

288.77

100.30" Calc.

To 1/4 Cor.

41+88.23
~~.17~~
Set 1x2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 3M 12-40


F.B. 874 PG. 56
old fence not in from here east.
17°
12°
8°
13+68.09
Set SW&T.
Travelled Road
16°
13°
7°
11+57.3
510.89
210.79
300.15
510.94 Level @ T. 68°
= 510.89
SEC. 15
T. 5N R 13W.
8°
20.5
2°
8+57.20
Set SW&T.
18°
11°
8°
5+71.6
16.5
5+58.1
285.73
300.14
271.42
857.29 Lev. @ T. 68°
- 857.20
857.20
12.5
3.2
11°
6°
2+71.4
88° 30' 05"
PG. 55
10
15
9
16
SEC. COR.
See Pg. 55
WS 64
B4
SEC. 15
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L.A.M.	Survey of SHANNON VALLEY Rd F.B. 874 PG. 57
Map No. B-1977	W. O. 8393 Tape No. 52 St'g 84 °F
Office Work Gk	Surveyed by E.C. HOWARD
Checked M.K. Peterson	Notes E.C.H. Date 10-24-44
Date June '45	Indexed A. C. Johnson

W.S. 64 B-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

SEC. 10
T. 5 N R 13 W

SEC. 15

6° 14° 2° 31+25.6

5° 14° 2° 29+67.6

26+62.43
4 Cor
Set 2" I.P. & 3 C.I.P. cone
8" below surface.

26+82.43
Set 4x4 R/W
Post 8" Up.
20.00

20.16

26+76.9

Tr. Rd. 12' wide

8.2 10

26+68.17
Set S.W. & T.

4.81

5.74

20.07

26+63.36
Fd 2" I.P. - 2" Up.
& No Plug

26+62.43
Set 4x4 R/W Post
8" Up.

COUNTY SURVEYOR
T.5N
SEC. 10
SEC. 15
1/4 COR
RE 2177

22+97.8 16° 5° 20.0

Travilla Road

1300.08

21+22.6 17° 3°

70.84
299.59
175.19
154.15
300.25
300.20

19+68.5 17° 4°

1300.22 Lev @ T. 68°
= 1300.08

16° 6° 16+68.3

13+68.09
Set S.W. & T.

FORM 247 SM 12-40

F.B. 874 PG. 58

See Pg. 65 for Road location N&E

39+94.65
Fd 2" I.P. 2" Up 1° south & 0.6 E. of fence cor

39+99.57
Set 1x2

7°
4.92
5.66
16°

19.93

0.14

39+93.91
Fd old 2x2 a tack. leans to South

164.87

SEC 15

4°
16°
1°

38+34.70
Set 1x2

37+25.7

2°
18°
2°

Traveled Rd

1166.53

SEC. 10
T. 5 N R 13 W

34+25.5

30
16°

109.10 @ 2°25' = 109.00
300.32 @ 1°34' = 300.21
300.25 @ 2°20' = 300.00
Level = 157.97
299.62 @ 2°03' = 299.43
1166.61
@ T. 74° = 1166.53

26+68.17
Set 5/8 I.P.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by LAM.	Survey of SHANNON VALLEY RD
Map No. B-1897	W. O. 8393 Tape No. 52 St'd 84°F
Office Work Cok	Surveyed by F.C. HOWARD
Checked McElhaney	Notes F.C.H. Date 10-24-44
Date June '45	Indexed A. C. Johnson

F.B. 874 PG. 59

WS. 64 C-4

153+24.87
SEC. COR.
Fd 1½" I.P. with 2x2 plug & tack
T.R. MAP 9632
Set 2" I.P. & B.C. in conc.
Nov. 9-1944

10 11 14 15

238.87 @ 7°00' = 232.13
149.70 @ 6°28' = 148.75
299.85 @ 5°15' = 298.59
222.37 @ 3°50' = 221.87
901.34
@T. 76° = 901.29

901.29

40°16'55

To 1x2 at 7+25.21 N. & S. line Pg. 51.

① 40°16'50
④ 161°07'40
⑧ 322°15'20
40°16'55

44+23.58
Set 1x2 top of spur
N40°E.

SEC 10 T.5N.R.13W.

Lev = 29.67
299.60 @ 6°00' = 297.96
327.63
@T. 76° = 327.61.

327.61

40+45.97
Set 1x2

96.65 @ 4°05'
@T. 78° = 96.40

96.40

39+99.57
Set 1x2

SEC. 15

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 3M 12-40

F.B. 574 PG. 60



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Filed by K.R.M. | Survey of
Map No. B-1827 | W. O. Tape No. St'd °F
Office Work Cox | Surveyed by
Checked MK Shannon | Notes Date
Date June '65 | Indexed A. C. Johnson

F.B. 2nd Pg. 61

Cont on bot Pg. 67

29.94 Calc. (29.96)
15.04
33+39.63 Set N&T.
33+39.63 Fd 6x6 conc R/W Mon & copper wire center
14.90
.09
45.01
33+39.54 Fd 6x6 conc R/W Mon & copper wire center
29.97 Calc. (29.96)
267.57 @ 2°12' = 267.37
Level = 213.00
480.37
@ T. 62° = 480.30
480.30
15' Offset line
HIGHWAY Adopted
28+59.33 Set N&T.
133.32 Level @ T. 62° = 133.32
133.32
CANYON
27+26.01 Set N&T. by Int.
To 1/4 Cor FB 594 Pg. 210
SEC 22
SEC 15 T5N R13W
907.89 Calc. from NE
907.85 Calc from W.
To Sec. Cor Pg. 51
18.34 Calc.
MINT
386.40
55°06'40"
Level = 86.42
300.08 @ 0°59 = 300.04
386.46
@ T. 62° = 386.40
① 55°06'40"
④ 220°26'30"
⑧ 80°53'00"
55°06'37½
23+39.61 Set N&T.
15.04

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-60

F.B. 874 PG. 62



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Plotted by K.R.M.	Survey of	F.B. 3744 Pg. 63	
Map No. B-1877	W. O.	Tape No.	St'd °F
Office Work OK	Surveyed by		
Checked M. Peterson	Notes	Date	
Date June 45	Indexed A. C. Johnson		

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-50

7' 26 7' > 7' 1X2 44+76.90

4' 35 93' > 12.5 1X2 41+88.13

6' 38' 14 > 10' 39+16.5 1" pipe Line

6' 43 16.5 > 14 1X2 37+98.55

Fence Road

Travel

47 18' > 18 36+95.3

3' 46.5 21.5 9 1" I.P. 33+97.59

4' 27' 16 27' 1X2 32+14.06

5' 33' 19 20.5 31+17.4

27' 2 22' 1X2 29+08.8

N

F.B. 874 PG. 64

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Form 301 HSM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation	Height of Instrument	+ Vertical Distance	Notes
					LOCATION OF TRAVELLED ROAD BETWEEN SEC 10 & 15								
40-95.87 E&W 1/4 LINE	V1 West along SEC. LINE				345 15	68							℄ 16' Rd
					336 10	40							Int 16' Rd & Rd to N
					-0 0	22							℄ 8' Rd
					87 30	31							℄ 8" Rd
					99 35	77							"
					270 —	9							℄ 9' Rd
					180 —	23							"
					158 55	70							℄ 10 Rd to N
					144 15	116							℄ 8 Rd to N
					166 00	106							℄ 10 Rd
					180 —	135							℄ 10
					199 50	150							℄ 10

Notes Rod _____ Plotted _____ Job No. _____ Division No. _____ T.B. 5774 Pg. 69
Date _____ Date _____

Tatum

Form 391 10M 3-36

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / — Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Topography Description Legend:
Side Hill...S.H. Bottom Draw...B.D.
Side of Draw...S.D. Bottom Wash...B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw...H.D. Toe of Slope...T.S.

Legend of Draw, V.C's
Break in Slope...B.S. Top of Bank...T.B.
Shoulder...Sh. Toe of Cut...T.Ct.
Top of Cliff...T.Cl. Bottom of Cut...B.Ct.
Bottom of Cliff...B.Cl. Top of Fill...T.F.
Top of Spur...T.Sp. Toe of Fill...B.F.
Bottom Cragyn...B.Cn. Bottom of Fill...B.F.

Edge of Road
Edge of Gravel...E.Gr. Edge of Pvt. Pavement...E.Pvt.
Edge of Dirt...E.Dt. Edge of Road...E.Rd.

Flow Symbols
Intermittent...I. Ditch...Dt.
Perennial...P. Telephone Pole...T.P.
Power Pole...P.P.
Culvert...Culv.

Fig. 6

Form 391 Rev. 4-1
Interim.

Notes Ck'd by K.R.M.	Survey of SHANNON VALLEY RD
Map No. B-1877	W. O. 8393 Tape No. 52 Std 84°F
Office Work Coz	Surveyed by E.C. Howard
Checked MEHansen	Notes FCN Date 11-29-44
Date June '45	Indexed C. Johnson 12-2-44

F.B. 874 PG. 67

58+87.49
Fd 6"x6" conc R/W Mon centered with copper wire. Used for line

15.00
15.44
58+87.49
Set Nat.

30.04 = Rec. per C.S. B-597-2

Level = 158.55
299.88 @ 2°21' = 299.63
300.48 @ 1°29' = 300.38
298.45 @ 1°31' = 298.35
Level = 290.83
1347.14
@ T.62° = 1347.55

15' Offset line

1347.55

30.00 Calc. (30.05)

Fd 6"x6" conc R/W Mon & copper wire center

14.96
45+39.94
Set Nat

299.13 @ 1°00' = 299.08
300.26 @ 1°45' = 300.12
300.79 @ 2°34' = 300.49
300.97 @ 2°00' = 300.79
1200.48
@ T.62° = 1200.31

1200.31

15.04

33+39.63
Set Nat. Pg. 61

Cont from top Pg 61

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

FORM 247 - 3M - 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 874 PG. 68

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Rod Sight	+ / −	Difference Elevation	Height of Instrument	+ / −	Vertical Distance	T.B.M. Rod	R.B. Left	R.B. Right
					° ′			° ′		1								
					° ′			° ′		2								
					° ′			° ′		3								
					° ′			° ′		4								
					° ′			° ′		5								
					° ′			° ′		6								
					° ′			° ′		7								
					° ′			° ′		8								
					° ′			° ′		9								
					° ′			° ′		10								
					° ′			° ′		11								
					° ′			° ′		12								
					° ′			° ′		13								
					° ′			° ′		14								
					° ′			° ′		15								
					° ′			° ′		16								
					° ′			° ′		17								
					° ′			° ′		18								
					° ′			° ′		19								
					° ′			° ′		20								
					° ′			° ′		21								

Notes Rod. _____ Platted _____ Job No. _____ Division No. _____ P.B. _____ PG. _____

Date _____ Date _____ Date _____

Additional Information

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360°. Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Page 1

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'l Inform.

Notes Rcd. _____ Platted 2-28-77 Job No. _____ Division No. _____ F.B. 574 PG. 69

Date _____ Date _____ Survey of _____

Notes Chkd. _____ Checked _____ Survey by _____ Notes _____

Date _____ Date _____ Map No. B-1177 Indexed A. C. Johnson Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 874 Pg. 70

Topography Description Legend:
Side Hill....S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash..B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw H.D. Toe of Slope..T.S.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Use combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fe. Int. Fence..Int. Fn. Ditch ..... Dt. Telephone Pole..T.P. Power Pole....P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road..E.Rd.

Side of Canyon S.Ca. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut....T.C. Bottom of Cut...B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Inters. of Draw..V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff....T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					STADIA LOCATION OF TOPOG ALONG SEC. LINE										
					BETWEEN SEC 15 & 16 T.5N R13W. J.K. 8393										
													Fd 1x2 Pg. 51 & 60		
					64 55	78							Bot draw 6' wide		
					29 00	102							" " 6 "		
					0 00	118							" " 6 "		
					350 30	126							E. End 36" CuM.		
					342 29	136							W " " "		
					326 28	203							E " 24"x36" Conc Culv.		
					313 35	208							W " " "		
					168 28	168							Top Point of ridge		
					180 00	141	+ 5 20			Top of this ridge is very indefinite and broad			" " " "		
					197 15	123	+ 1 33						" " " & fn.		
					219 24	171	+ 22 09						" " ridge		
					167 48	118							These shots taken on pavement at approx location of old toe of slope.		
					171 03	78									
					191 50	39									
					269 46	42									
					298 35	93									

Add'n'l Inform.

Notes Ck'd by K.R. MEP.	Survey of Shannon Valley Rd
Map No. B-1877	W.O. 8777 Tape No. 74 Std. 84 °F
Office Work Coy	Surveyed by F.C. Howard
Checked MacPherson	Notes F.C.H. Date 4-10-45
Date June '45	Indexed A. C. Johnson 4-25-45

F.B. 874 Pg. 71

W. S. 64, 84

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR.
700 HALL OF RECORDS

FORM 247 SM 11-41

Sec 15 T 5 S R 13 W

Sec. 22

33+74.82
Set 1x2

Δ 41°38'00"
④ 166°32'10"
Ⓑ 333°04'30"
41°38'03½"

Δ 41°38'00"

751.69

162.14 @ 5°44' = 161.33
294.18 @ 7°05' = 291.93
300.45 @ 6°22' = 298.60
751.86
@ 7.50° = 751.69

26+23.13
¼ Cor.
FB 594 Pg. 210

To pt on
N. & S. Transit Line
Pg. 75

To 1x2 at 30+43.55
N. & S. Transit Line
Pg. 75

23°35'25"

23°56'10"

Ⓓ 23°35'20"
④ 94°21'40"
Ⓑ 188°43'20"
23°35'25"

Ⓓ 23°56'10"
④ 95°44'30"
Ⓑ 191°29'00"
23°56'07½"

FB 594 Pg 210

2623.13

68°57'00"
Calc.

0+00 E.
Sec. Cor.
See Pg 51

N. & S. Transit Line
Pg. 51-55

15
16
21
22

F.B. 874 PG. 72

52+26.30
set 1x2

2.01

3.60

0.33

14

23

15

22

Transit Line from N.
PG. 74

52+24.29
set 1x2 by
lot

① 88° 15' 30"
② 353° 01' 50"
③ 346° 03' 40"
88° 15' 27½"

88° 15' 30"

52+24.62
Fd C.S. Mon. for
SEC. COR.

864.26

862.25

177.01 @ 5°36' = 176.17
300.56 @ 9°46' = 296.20
142.06 @ 8°19' = 140.57
257.13 @ 12°00' = 251.51
864.45
@ T. 50° = 864.26

SEC. 15
T. 5 N. R. 13 W.

43+62.04
set 1x2 top of ridge
N. & S.

Level = 40.09
181.42 @ 12°36' = 177.05
300.22 @ 4°15' = 299.39
300.57 @ 5°05' = 299.39
172.23 @ 5°12' = 171.52
987.44
@ T. 50° = 987.22

987.24

33+74.82
set 1x2

W.S. 64, C-5

27 SEC

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M&P.
Map No. B-1877
Office Work Cop
Checked McElhaney
Date June 1945

Survey of SWANNON VALLEY
W. O. 8393 Tape No. 74 St'd. 84.0 F
Surveyed by F.C. Howard
Notes F.C.H. Date 4-10-45
Indexed A. C. Johnson

F.B. 894 Pg. 73

W 56.4, B4
W 54.1, C4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM. 11-41

Note:- Fence Corner shown on Tract Map 9632 as ¼ Cor. between Secs 14 & 15 has been obliterated and there is very little evidence of old fences along line. Topog. calls are not well enough defined to set corner from.

Rep. Location Mon. Sec. 14

30+37.55 Set 1x2

12

89.32

Set 1x2

0.11

390.60 W.

3038.51 Calc. ft. W.
3038.36 Calc. ft. N.
Ave = 3038.43

3037.55 Calc.

3038.43 Calc.

1°41'00" Calc.

88°31'15"

90°12'15"

SEC. 14 T. 5 S. R. 13 W.

SEC. 15

Calc. from Sec. Cor.

Calc. 1062.53

Calc. 1062.53

N 0°5' Transit Line

S 1°51'55" E 5134.87

0400 S.
Sec. Cor.
Pg. 59

14 15
11 10

15
10

5284.87

SEC. COR
PG. 55+56

58°35'00"

30°04'05" Calc.

Sec. Cor. Pg. 51

58°35'00"

52°28'00"

① 52°28'00
④ 209°52'20
⑧ 59°44'20
52°28'02½

61°24'40"

① 61°24'40
④ 246°38'40
⑧ 133°17'30
61°24'41¼

① 58°35'00
④ 234°20'10
⑧ 108°40'20
58°35'02½

① 90°12'10
④ 0°48'50"
⑧ 1°37'40"
90°12'12½

① 88°31'10"
④ 354°04'50"
⑧ 348°10'00"
88°31'15"

F.B. 874 Pg. 74

52+93.48
Sec. Cor
Fd C.S. Mon Pg 72

23 22

0.22

14 2.01 3.61 15

1x2 Pg 72

Ex W. Transit Line
Pg. 71-72

52+89.44 S =
52+24.29 E.
Set 1x2 by Int.

2252.32 Calc.

Set 1x2

50°06'30"

To 14 Pg 91

68°09'05"

To Sec Cor Pg 91

100.00

N

12
30+37.58
Set 1x2

① 50°06'30
④ 200°26'00 ✓
⑧ 40°52'00

① 68°09'10
④ 272°36'20"
⑧ 185°12'40"
68°09'05" ✓

390.60 ✓

10.11

14 Corner by Prop.

26+46.52 ✓

Set 2" I.P. & B.C. in conc.
May 24, 1945

COUNTY SURVEYOR
Sec 15 T 5N R 13W
Sec 12 T 5N R 12W

W.S. 64) C-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302.01 Tape Std °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W. Date DEC '76
Date	Indexed

F. B. 874 Pg. 75

SECTION LINES

T.N. 0302.01

REPLACEMENT OF 1/4 COR BETWEEN SEC. 15, SEC. 22 T5N R13W BY SINGLE PROPORTION BETWEEN SECTION CORNERS.

REFS:
F.B. 874
C.S.B-1877
C.S. 8197

PARTY:
C.L. WRIGHT
R.G. BLANCHARD
J.J. McDONOUGH
J.D. ZBYSENSKI

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-53

F. B. 874 Pg. 76

E.D.M. DISTANCES:

Ⓒ TO Ⓔ:
3178.49 @ 1°-25'-30" = 3177.51

Ⓒ TO Ⓓ:
551.65 @ 6°-48'-40" = 547.76

Ⓒ TO Ⓑ:
1184.10 @ 6°-12'-20" = 1177.16

Ⓐ TO Ⓑ
881.54 @ 9°-22'-55" = 869.75

LEV. 6.72

TSN
R13W

Ⓐ SEC. COR.
FD. C.S. MON. MARKED
F.B. 874, 72, 74
C.S. 8197
C.S.B-1877

869.75

SURVEYOR'S MONUMENT
COUNTY
R13W
TSN
15 | 14
22 | 23

0.61
SET 2" I.P. CONC. PLUG
L.A.CO. ENGR. TAG L.S.

Ⓑ

1177.16

1.42
SET 2" I.P. CONC. PLUG
L.A.CO. ENGR. TAG L.S.

Ⓒ

2601.39
E SECTION LINE

547.76

Ⓓ 179 - 55 - 15
Ⓐ 359 40 45
Ⓑ 359 31 00
179° 55' 10"

SET 2" I.P. CONC. PLUG L.A.CO. ENGR. TAG L.S. UP 3"

Ⓓ

56.57

6.72

SEC. 22

SEC. 15

1.81

45°00'00"

56.57

56.57

45°00'00"

179°-55'-10" 179°-55'-10"

1/4 COR.
FD. C.S. MON.
PER F.B. 874,
PGS. 51, 61, 71
KNOCKED OUT
OF POSITION BY
DIRT ROAD CONST.
REMOVED REMAINS
& REPLACED W/
CE MON.
SET BY
PROPORTION
BETWEEN
S.W. & SE. COR.
PER C.S.B. 1877
MARKED

2623.03
W SECTION LINE

2629.75

2" I.P. CONC. PLUG L.A.CO. ENGR. TAG L.S. UP 3"

SET

COUNTY ENGINEER
TSN
15
22
1/4 COR.
R13W
RE. 22

Ⓔ

SEC COR. — MARKED
FD. C.S. MON.
F.B. 874, 51, 61, 71
C.S. 8197
C.S.B-1877

COUNTY SURVEYOR
TSN
16 | 15
21 | 22
SEC COR.
R13W
RE. 21

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made & Circled in Red Ink With Date and Name of Person Making Change.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

NOTES RED. JOB NO. SURVEY OF
DATE SURVEY BY
NOTES CHKD. NOTES BY DATE
DATE INDEXED DATE

F. B. PG.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. SURVEY OF NOTES RED.
SURVEY BY DATE
NOTES BY DATE NOTES CHKD.
INDEXED DATE DATE

F. B. Pg.

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

874