Notes Ck'd by K.R.M.
Map No. 60-B-1332
Office Work Runs
Checked K.R.M. M&P
Date Mar. 1942

Survey of ARROW HWY
W. O. [illegible] Plat No. [illegible]
Surveyed by A. N. HELLSTROM
Notes [illegible] Date 1-27-42
Indexed [illegible] 2-9-42

F.B. 913 Pg.

IN SEC. 1 T1S R11W AND SEC. 6 T1S R10W

PROPOSED ℄
OF RE LOCATION OF ARROW HWY
500'± SOUTH OF ℄ of SANTA FE DAM (U.S. Rte.)
FROM PECK RD. to MAINE AVE.

See U.S. Engrs. F.B. CA-N16-301
for their work in this vicinity on Property
for Santa Fe Dam.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

LOS ANGELES COUNTY SURVEYOR
740 ALL OF THIS SHEET TO BE USED FOR RECORD PURPOSES ONLY



247 BM 10-39

F.B. 913 PG. 8

W.O. 46-D-273

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



FM 10-19

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by [illegible]
Map No. [illegible]
Office Work [illegible]
Checked [illegible]
Date [illegible]

Survey of DARROW AVE
W. O. 234 Tape No. Std. °F
Surveyed by A. N. HELLSTROM
Notes
Indexed
Date 1-22-42

F.B. 913 Pg. 9

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 46-D-3

See pg. 11

PROPOSED ARROW HWY

Fd. 2X2's in Conc. See CA-NIG-301

Fd. 2X2 in 3" Casing flush Conc. flush with prmnt. Checks ties C.S. Mon-18"up See F.B. 547-25 See U.S. Engrs F.B. CA-NIG-301

COUNTY SURVEYOR T1S R10W G|S 7|8 SEC. COR RE 2177

Fd. Standard C.S. Mons. with B. Caps flush.

Fd. Wire Spk. B.T.

43°-58-10" 72.02 676.73 Meas 30.02

Fd. Ship Spk with punch mark See CA-NIG-301

0.16 0.03 Set Shingle nail

0.01 0.24 0.01

Fd. 1½" I.P. flush 18" above surf. of Corner of rock 40.11

Set Spk. W.B.T. by Ivers.

Set Spk. W.B.T. P.I. for Rad=1400'

ARROW HWY.

BONITA AVE

pr. C.S. 8481-1 .. C.S. 8904 2660.20

BASSETT ST

Fd Spk W.B.T. pr F.B. 547-26

90.16 90°-01' 90.16

Fd. Chiseled X on top of Cobble Stone Wall with Conc. tp

Fd. pipe Std. pipe

COUNTY SURVEYOR T1S R10W SEC 5 SEC 8 ¼ COR. RE 2177

Fd. 3X2 no Cap flush with prmnt over C.S. Mon-12" dp. Checks ties See F.B. 547-26

Fd. L&T in Conc. Sidewalk

Fd. L&T in curb

90°-30'-20"

MAINE AVE pr F.B. 547-25 16

Fd. L&T in curb

Fd. L&T in curb

Set Spk. W.B.T. in prmnt by ties. C.S. Mon-18"up See F.B. 547-25.

OLIVE ST

Fd. L&T Loc Surv

Fd. L&T

Type 013 St. & G.S.F.

F.B. 913 PG. 10

① 43°-58-10"
② 175°-52-50"
43°-58-10"

① 89°-34-10"
② 358°-16-30"
89°-34-07½"

① 179°-58-40"
② 359°-54-20"
179°-58-25"

① 90°-30'-20"
② 362°-01'-20"
90°-30'-20"

Notes Ck'd by K.R.M.	Survey of ARROW HWY
Map No. B-1752	W. 08342 Tape No. 60 Std 84°F
Office Work RW MC	Surveyed by A. N. HELLSTROM
Checked McAllister	Notes A.N.H Date 1-28-42
Date Mar. 1942	Indexed S. Johnson 2-942

F.B. 99 · PG. 11

W.S. 6-D-5

Cont. on pg. 12

8+68.64 ± 2x2 + flush with pole sight over 2x2

2.57

8+10 P.P. Pole

866.74 to P.O.T.

876.65 Calc.

101.12'-20"

73.02

35°

90°

A

Tower "244 D3 Sta. 889+13.3 in Cent. of Power Fd. 2x2 - accepted per F.B. 999-100

7+63.40 Set 2x2 - flush by others.

50.97

P.O.T. Set 2x2 - flush

50.00

17.51

Sta. 894+80.13 Tower 244 D2 in Cent. of Power Fd. 2x2 - accepted per F.B. 999-100

240.12

Proposed E 12 ARROW HWY

845.32 Calc.

Power Pole Line E

7+45.89 P.O.T. "A" Set 2x2 flush

R/W Set Std. C.S. Mon flush Follis Macallister @ Mid Point

50.00

50.00

E.C. - Set 1x2

5°

5+35° Power Pole "610432E"

R/W Set Std. C.S. Mon flush

746.00 E.C. - U T 62: 745.89

2+52° Angle Point Power Pole "610438E"

12.5°

0.03

2+43.18 going W Fd. 2x2 - flush with marker Exmnt Line BBBL

745.89

To Sur not taken

To Fd. 00 not shown

Power Pole Line

Cont from upper right pg 10

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

Cont on pg. 13

F.B. 913 PG. 12



Cont from pg. 11

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM	Survey of ARROW HWY
Map No. B-1752	W. O. 834 Tape No. 60 Stadia No.
Office Work RWM	Surveyed by A. N. HELLSTROM
Checked McKinnon	Notes A.N.H. Date 1-29-42
Date Mar. 1942	Indexed D. Tonnes 2-9-42

F.B. 913 PG. 13

W3 46-D-5

Δ = 2°54'50"
R = 2000
T = 50.87
L = 101.71

R.P.P.I. Set Std. C.S. Mons 14" above mrkd R.P.

Cont on pg. 14

50.00 — 50.00

P.I. #2 Set 2x2 - Flush See pg. 16 25+39.57A

PROPOSED ARROW HWY.

R.P.P.I. Set Std. C.S. Mons 3" above mrkd R.P.I.

Power Pole Line tangent to Prop. Ar. for Avg. Pole

Δ = 2°54'50"
R = 2000
T = 50.87
L = 101.71

20+05.60 Fd. ¾" Iron Rod in Conc. mrkd. B.M. D-12

30.04

E.C. Set 2x2

20+37.96 A P.I. #1 — R = 2000 2x2 pr pg. 16

19+99.06 Fd. 1x2 pr pg. 16 14+70 top of F.C. levee

24.50 — 25.50

14+45.50

19+99.06 from E — 19+99.06 A Spring W

pr pg. 16 420.00

Fd. 1x2 on top of levee pr pg. 16 14+20

B.C. — Set TBS on rock

P.P. 610444E 19+09

Corr. Iron Shed — Carpenter Shop

18+60 — 35

368.92

24.0

ARROW HWY

140.40 2 0-0 64" = 140.38
2 228.66 2 1-44 76" = 228.53
3 228.66 2 1-39 7" = 228.55
368.92 Avg.

To P.O.T. "B"

To P.O.T.

PROPOSED

Cont. from pg. 12

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

FORM 247 5M 10-39

Cont. on pg. 17

F.B. 913 PG. 14

Fd-11-1-44

Set

40.00 → 60.00

R.P. P.O.S.T. Set Std. C.S. Mons mrkd. R.P. 4" above

0° 06' 72 1x1

PROPOSED 179.69

Tape 60 std @ 84

179.93 @ 2-5 T 70 = 179.69
179.88 @ 2-3 T " = 179.69
179.69 Avg

Set 2x2 P.O.S.T. out
Re Set 1x2 "FLUSH 11-1-44

NS 46-D-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

1) 296.51 @ 1-28 T 60 = 296.36
2) 296.50 @ 1-17 T " = 296.38
184.92 @ 0-6 T " = 184.89
Avg. = 481.26

33+57.24A
Fd. 1x2 on top dike
14+45.50
PC pg. 16

1) 244.75 @ 2-33 T 56 = 244.47
2) 244.69 @ 2-18 T " = 244.45
60.00 @ 0-6 T 56 = 59.99
304.45 Avg

B.C. - Set 2x2

304.45

36.08

Set 1x2
30+52.79A

Fd. ½" Iron Rod in Cone with punch mark marked Range 15+10 Sta. 124+00 B.M. 0.7

64.58

30+50.37A

top of 25° cut bank for outlet
East bnk

29+85A

513.22

AREA 4

27+20A

top of 25° cut bank for outlet
East bnk

175.82 @ 0-6 T 54 = 175.79
281.89 @ 0-6 T " = 281.84
55.60 @ 0-6 T " = 55.59
513.22 Avg

HWY 2

Fd. ½" Iron rod with punch mark in Cone marked Range 15+10 Sta. 129+00

64.60

25+50.31A

To P.I. 2

Cont. from pg. 13

Notes Ck'd by K.R.M.	Survey of ARROW HWY.
Map No. B-1752	W. O. 8341 Tape No. Std °F
Office Work RWM	Surveyed by A. N. HELLSTROM
Checked McKinnon	Notes A.N.H. Date 1-24-42
Date Mar. 1942	Indexed

F.B. 913 PG. 15

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 46-D-2+3



Notes Ck'd by KRM
Map No. B-1752
Office Work RWMS
Checked McKinnon
Date May 1942

Survey of ARROW HWY
W. O. 834 Tape No. 60 Std. 84°F
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date 1-30-42
Indexed [illegible] 2-9-42

F.B. 913 PG. 17

① 126°-52'-20"
② 147°-29'-10"
[illegible] -52'-17½"

WS 46-D-2

① 188.20 @ 1-17'66 = 188.63
② 188.25 @ 1-38'7 = 188.65
120.51 @ 0-0 T [illegible] = 120.50
[illegible] @ [illegible] T = [illegible]
449.97

449.97 @ 8-03'20" = 445.53

445.53

P.I. "4A"
1¼" Br. Cap
Pr pg. 8

445+71.10 A
P.I. 3
Set Std. C.S. Mon. - 4" above
by Inters.
R = 2500

70.067

Cont. on pg. 18

44+34.80 A
P.O.S.T. 3B
Set 2X2 - Flush

495

PROPOSED ARROW HWY

63.70

HWY

5°-17½"

5°-12½"

63.71 = 63.70

Δ = 53°07'40"
R = 2500
T = 1249.94
L = 2318.14

732.60

119.62
112.38
93.77
146.40
204.59
53.83
732.69 = 0-0 T.C. = 732.60

See P.A. Line for U.S. Hwy 6

Mon. Double Post to mon. point

38+38.50 A
Set 1X1

Fd. 2X2 - Flush
No Ref.

23.63

37+90.11 A

Ang. Pt.
Single Power Pole
#593399E

17.6

37+82 A

13.67

ARROW HWY

Fd. ½ Iron Rod in
Conc. marked R.P. to
E.C. 117+18.93
Range 15+00
B.M. "D-13

54.55

48.12

37+31.98 A

PROPOSED ℄

Power Pole Line
See pg. 13

76 INT. on ℄ Dike

Cont. from top pg. 14

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 SM 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W5.46-C-2


Double Power Pole Line
18' Dirt road
To Rock Crusher
To P.O.T. 3F
Cont. on bottom pg. 19
Cont. from pg. 17
P.O.T. Set 1x2
R/W Set 54.65 Mon flush
Set Sta. C.S Mon flush
Set 2x2 - flush on E. side of Iron rd to Rock Crusher
P.O.T. 3E
P.O.T. 3D
P.O.T. 3C
P.O.T. 3B
Set P.C. - Set 2x2 Mon - C"abore
Set Sta. C.S Mon - C"abore
Set 2x2 Mon flush
Set 1/2" I.P.
Set Nail & Tag
Set 2x2 Mon flush
Set 2x2 Mon flush
Set 2x2 Mon flush

Notes Ck'd by K.R.M.	Survey of ARROW HWY
Map No. B-1752	W. O. 8341 Tape No. 913 Std 68°F
Office Work R.W.M.S.	Surveyed by A. N. HELLSTROM
Checked McKinnon	Notes A.N.H. Date 1-22-43
Date Mar. 1942	Indexed [illegible] 2-7-43

F.B. 913 Pg. 19

Cont. on bottom pg. 20

Tape 913 Std @ 68

1878.56 @ 0 T 68 = 1878.56

HWY Sp. @ 1878.56 To Lon. Dem

Set Spk. W.B.T. in North ½ of Macadam pvmnt

Line

ranch

Fd. Rd. dept. BC. Mon. Cap d. w/ell No. Ref 3-3-55 Porter

Fd. Remains of old 1X2 no nail Inters pr. F.B. 270-628-629

@ 146°-44'-40"
Ⓜ 226°-58'-20"
146°-44'-35"

Fd. old 1X1 no nail - See F.B. 270-120

0.56 146°-44'-35" 50.00 90° 1318.76 1.22

(67+42.74) Fd. C.S. Mon. B.C. flush - Std. mrkd. pr. F.B. 270-120 The ties to Fnc. Ret. and guy pole check are fair.

100+55.45 A Front

R/W Set C.S. Mon. Fd 3.3 Std. mrkd - 12" dp. Ref.

Fd. 2x2 - 12" dp pr. F.B. 270-628 629

From Sta. 491+27.15 Inters (Chis. mrk. in Conc.) pr. pg. 22

ARROW

1467.29 pr. pg. 22

75.04

Turned in field
@ 155°-52'-40"
Ⓜ 262°-30'-40"
155°-52'-40"

801.24 pr. pg. 22

90° 50.00 R/W Set C.S. Mon. Std. mrkd - flush

79.80

On dike Fd. ½" I.P. with 2 nails - The South Nail is on Line

+226 47

New P.I. Fd. Spk. W.B.T. pr. F.B. 44-169

155°-52'40"

16 Meas.

61

POT "3F" 1.2' P. Flush 99+55.45A

STA. 16 RD. AZUSA

STA. 16 + RD. AZUSA

Fd. C.S. Mon. B.C. mrkd. as above - 10" dp. in S. Sd. of road pr. F.B. 270-121 (Ties)

1567.67

To POT "3E"

Tape "60 Std @ 84"
226.27 @ 0 T 66 = 226.24

See F.B. 270-121 See pg. 19

Cont. from top pg. 18

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS V6 - B-3, C-3



FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by [illegible]
Map No. B-1752
Office Work [illegible]
Checked [illegible]
Date March 1942

Survey of Beech Hwy
W. O. [illegible] Tape No. Std.
Surveyed by A. N. HELLSTROM °F
Notes A.N.H. Date 1-22-42
Indexed

F.B. 912 PG. 21

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W5 M6 - C-3, D-3



F.B. 913 PG. 22

Notes Ck'd by KRM	Survey of ARROW HWY
Map No. B-1752	W. O. 834 Tape No. 60 Std. 84°F
Office Work RWM	Surveyed by A. N. HELLSTROM
Checked MSKinnon	Notes A.N.H. Date 2-3-42
Date March 1942	Indexed [illegible] Johnson 2.943

F.B. 913 PG. 23

M.S.W. C-7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

Cont. from top pg. 22

120.78 ea - 0.754 = 120.78 ✓
143.33 ea - 0.754 = 143.80 ✓
120.76 ea - 0.754 = 121.98 ✓
Adj. 391.94 ✓

J. R. LOFTUS TRCT
M.B. 14-29

ALLEY

25+70.50
Fd large 2X2 - flush (US)
0.02

391.94

Searched for Corner
Fd. Nothing

Power Line ℄

0.01
0.02
27+18.22
Fd. 2X2 - flush (US)

Double pole ℄

28+19.14
Fd. 1X2 no nail

Adopted Sec. Line

157.03 ea - 0.754 = 157.00 ✓
130.02 ea - 0.754 = 129.99 ✓
286.99 Adj ✓

286.99

0.03
31+06.13 ✓
Fd. L.A.Co. Fld. Cntrl Dist
Bc Cap Mon. record R.W. 1941
4X4 mrkr. post 5' West
On Line.

173.08 ea - 0.754 = 173.05 ✓
98.75 ea - 0.754 = 98.73 ✓
172.72 ea - 0.754 = 172.69 ✓
444.47 ✓

444.47

35+50.60 ✓
Fd. old 1X2
0.13
0.08

154.66 ea - 0.754 = 154.64 ✓
66.89 ea - 0.754 = 66.88 ✓
187.36 ea - 0.754 = 187.33 ✓
206.23 ea - 0.754 = 206.20 ✓
615.05 ✓

615.05

0.15
37+05.08
Fd hub with nail
0.11
37+05.24
Fd large 2X2 (U.S.)
.01
0.02

To Fr. Cntrl. Mon.

F.B. 913 PG. 24

Cont. on bottom pg 25

240.78
203.24
276.98
721.00 @ 0-0 T 70 = 720.93

8.92
134.39
209.68
192.22
545.21 @ 0-0 T 70 = 545.16

720.93

To 2" I.P. at Meridian of SN

7+20.93 going S.

P.O.T. 1
Set 1x2 - flush
Δ = 0°00'02"
Adopted Sec. Line.

ALLEY

545.16

going S. 8+64.24

0.02
Fd. 2x2 - flush
marked 8+64.24
0.01

U.S

J.R. LOFTUS

12+66.09
P.O.T. 2
Set mrk. on stk

0.03
Fd. 2x2 - flush
0.02

U.S

marked
S.E. Cor Lot 31
Fd. old 2x2 - flush
with metal tag R.E. 20009
K.F.T.

0.03
Fd old 1x2 - flush
pt F.B. 405-31
12+69.83
0.02

20.08
13+06.85

Fd. (X) in Rock

VAN METER AVE

0.03
13+26.79
Fd. L&T in Rock
mrkd P.O.T. 13+26.26
0.01

0.09

681.00

① 80°09'30"
② 329°38'10"
80°-09'-32"

TRACT M.B. 14-29

60.71 @ 0-0 T 70 = 60.70
174.80 @ 0-0 T 70 = 174.78
198.59 @ 0-0 T 70 = 198.57
151.41 @ 0-0 T 70 = 151.40
95.56 @ 0-0 T 70 = 95.55
681.00 Avg

19+47.09
Fd. 2x2 - flush
on Line
with mrkr P.O.T. 19+47.01

227.72 @ 0-0 T 70 = 227.70
252.43 @ 0-0 T 70 = 252.41
Avg = 480.11

ALLEY

480.11

80°09'35"

Sec pg. 18

794.95+

89.22 @ 0-0 T 70 = 89.21

293.56 @ 0-0 T 70 = 293.53

S 17+23.28A going W =
23+37.99 going S
INTERS. - Set
2x2 - flush

293.53

23+37.99

1347.26

HWY

ARROW

89.21

5441 29.75 A going W
P.O.T. 3C
2x2
pg. 18

1610.77

PROPOSED
Sec pg. 18

677 77.01 A
P.O.T. 3D
3/4 I.P.
pg. 18

24+27.20
Fd. 2x2 - flush
mrkd P.O.T.

U.S

0.01

391.94

To 1x2

Cont from top pg 23

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 46-C-2

Notes Ck'd by LRM.	Survey of Pecan Hwy
Map No. B-1782	W. O. 6346 Tape No. 69 Std. 24-F
Office Work RWW AC	Surveyed by A. N. HELLSTROM
Checked McKinnon	Notes A.N.H Date 2-2-42
Date March 1942	Indexed C. Johnson 2-9-42

F.B. 313 Pg. 25

W.O. 6346-C.S.

Note: Any Additions or Changes on This Sheet Must be Made as Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

A.T. & S.F. R.R.

Fd (R) in Conc. Base for Electric Light for switch

Fd. Nail and Washer in Conc. Base of Wig Wag Signal

For C.S. Mon. See Page 60

DUARTE RD

Fd. old 4x4 (rotted) - 8" dp. N&T. loose - Fd. 1" ties (shingle nails) on surf. Angle Point in BUENA VISTA - See C.S. Map B481-1

See F.B. 405-30

Fd. L&T. in curbing on E. side of Fence gate

Fd. Spk. N&T. See F.B. 521-16

Set Spk. in P&T.

BUENA VISTA AVE.

1325.86 e 0-0 T60 = 1325.79

2632.14 e 0-0 T60 = 2632.00

1529.46 - P.O.T. 1 to 3/4" I.P.
720.93 - from Sec. Cor. to P.O.T.
808.53 - from Sec. Cor. to 3/4" I.P.

Set 3/4" I.P. with 2" Tag "LS 3481" 0.4' E. of pole 0.4' S. of curb - 26' W. of E. curb line

From P.O.T. 1 to 3/4" I.P.
299.00 e 2-59 T74 = 299.57
299.98 e 2-56 T = 299.57
224.84 e 0-0 T78 = 224.83
275.77 e 0-0 T = 275.76
296.59 e 2-25 T80 = 296.32
296.66 e 2-43 T = 296.32
299.82 e 0-45 T89 = 299.80
299.85 e 0-54 T = 299.82
109.65 e 0-0 T80 = 109.65
24.52 e 0-0 T = 24.52
1529.46 Avg.

Set L&T. in remains of cobblestone pillar

Set N&T. in T.P.

MERIDIAN ST.

To Wire Spk. & T. 2632.00

1325.79

0+00 going S. 29.98

Fd. 2" I.P. in Stack - 20' dp. N.W. Cor. Sec. 6 T1S R10W
See M.B. 14-29.
See C.S. Map B481-1
" C.S. " 8928
Set 3" tang ties on Surf.

Fd. 2x2 on Surf. - Set 1/2 bolt

Glass in 2" Galv. Pipe - Sign Post

Set L&T. in remains 6" Conc. Wall

Fd. 2x2 with tag RE3464

6+63.48 Fd. 1x2 on line

ALLEY

720.93

Note All ties gone Cor. falls in Spillway
Porter 2-5-46
89°-37'-00"
358-27-20
89-36-50

Reset C.S. Mon. 6-12-46 Porter
See Pg. 52

Fd. 2x2 - flush with metal tag R.E. 2000 - K.F.

19.98

19.97

9.79

Adopted Sec. Line.

Fd. 2x2 - flush with metal tag R.E. 3464

19.97

19.98

6+73.39 going S.

J.R. LOFTUS TRACT M.B. 14-29

Cont. from Tap pg. 24

Cont. on Pg. 30

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 913 Pg. 26

Notes Ck'd by KRM	Survey of ARROW HWY
Map No. B-1752	W. O. 834 Tape No. 913 Std 68 °F
Office Work RVV N C	Surveyed by A. N. HELLSTROM
Checked McKinnon	Notes A.N.H Date 2-6-42
Date Made 1942	Indexed [illegible] 2-9-42

F.B. 913 PG. 22

W.S. 46-C-2

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-38

N61°43'37"W

Fd 2" I.P. pl. & tack - flush
pr. C.S. Map "8928
See TRACT "4675
" M.B. 11-170
" M.B. 14-29 Sht. 1
P.I.
Set Spk. W.B.T.
Record Between Pipe
As pr. C.S. Map "8928

Fd Nail in Wire Box

Fd. L.B.T. in curbing

43.74

25.04

30.00

25.62

Set L.B.T. in Corner of curbing.

4.80

30.1

31.51

Fd. remains old 2x2

71.54

Fd. 2" I.P. pl. & tac. - flush
pr. C.S. Map "8928
See TRCT 4675
M.B. 11-170
" M.B. 14-29 Sht. 2

456.49 - 0.07 = 456.48

84.45

2x2 pr. pg. 30

Δ 179°-35'-40"
Δ 358°-22'-50"
179°-35'-42½"

5.00

Spk. W.B.T. pr. pg. 30

R 15.00

179°-35'-42½"

Fd. Wire Spk. pr. pg. 30

2632.0

57

[illegible] from upper Left pg 30

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.V5-C-2+3



Notes Ck'd by KRM
Map No. B-1752
Office Work RWM
Checked McKinnon
Date March 1942

Survey of ARROW HWY
W. O. 8234 Tape No. 60 Std. 64°F
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date 2-5-42
Indexed C.D. 2-9-42

F.B. 912 Pg. 29

Cont. on bottom pg. 30

W ¼ - C...

¼ Sec. Line

Note: Any Additions or Changes on This Sheet Must be Made as Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

520.01 To 1X2

19795.52 Fd. 1X2

Pole 15 ... 3W 5005

28474 e o - o 758 = 284.69

284.49 LINE 7

406

0.07

22+80.21 Fd. 2X2 (U.S.)

22+80.50

9.92

5.00

Fd. 2X2 - U.S. nord. E Bateman Ave. Prod.

TRACT

1453.58

147.89

0.09

142.92 e o - o 758 = 147.89

Fd. 2X2 U.S.

24+28.10 Fd. 2X2

J.R. LOFTUS
M.B. 14-29

217.38 e o - o 758 = 217.34
134.36 e o - o 760 = 134.34
Avg. 351.68

4.87

TRANSIT

(P) S.W. Cor. of NE ¼ Sec. 1
T1S R11W - See M.B. 14-29
26+50.54
Fd. 4X4 - flush
with metal disc. R.E. 110
A.H.J.

5.27

63.0

351.68

99°-53'-40"
39°-35'-00"
99°-53'-45"

99°-53'-45"

27+79.78 going = 84+12.72 A going W
Set 2X2 - flush in rear road by Inters.

23+87.28 A
P.O.T. 3E
2X2 pr. pg. 18

To P.O.T. 3D

1610.77

SEE pg. 18

24.94

HWY

1567.67

To P.O.T. 3F
PROPOSED ARROW

4.99

80°06'20" Calc.

978.46

To Inters.

981.56

SEE pg. 18

Cont. from top pg. 28

FORM 247 5M 10-39

F.B. 913 PG. 30



½ Section Line.
A Line from Pts (A) & (B) produced straight Southerly per C.S. 8928

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SW 4-C-7

Notes Okd by K.A.M.	Survey of ARROW HWY
Map No.	W. O. 824 / Tape No. 05/ Sht 68 F
Office Work	Surveyed by PORTER
Checked	Notes PORTER Date 11-7-44
Date	Indexed A. C. Johnson 11-10-44

F.B. 713 Pg. 31

ARROW HIGHWAY

LINE CHANGE

FROM

MAIN AXE WEST TO C.L.O.B.C.

CURVE No 3 - 39+51.83

Nov-1-1944

PORTER

BROCK

BARNETT

DAVIS

Note: Any Additions or Changes on This Sheet Must be Made of Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-50

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 116-D-3



Notes Ck'd by KAM.
Map No.
Office Work
Checked
Date

Survey of ARROYO HWY
W. O. 6344 Tape No. 05' Std @ 68 °F
Surveyed by P.S.M.K.
Notes Partial Date 11-3-44
Indexed C. Johnson

F.B. 912 Pg. 33

WS 46-D-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 3M 12-40

Cont. Sot. Pg. 24

(40) (40)

Set 2"x2"

Ahc. 32+07.05

T. 68

R = 4527.19

200.64

R = 4487.19

L = 397.48

P.I. Set 2"x2"

L = 401.56

5°04'30"

P.R.C. 28+06.03

Set 2"x2"

200.64

5°04'30"

R = 4527.19

R = 4487.19

L = 401.56

P.I. Set 2"x2"

P.R.C.

Δ = 5°04'31"
R = 4527.19
T = 200.64
L = 401.02

Note - Set 1½" at even ℄ Stations on So. R/W on Curves Set 40' So. Radial

B.C. 24+05.01

Set 1½"

40.00

Set 2"x2"

40.00

Set 1"x2"

96.48 @ 0°00'

96.48

N 46°37'45" E

96.48

40.00

40.00

P.O.T. 14+40.14

Δ = 5°04'31"
R = 4527.19
T = 200.64
L = 401.02

(1) = 5°04'30"
(4) = 20°18'00"

200.66 @ 0°00
T. 56° = 200.64

Cont From Top Pg. 32

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS. 46 - D-2+3



Notes Ck'd by K.R.M.	Survey of ARROW HWY
Map No.	W. O. 8391 Tape No. 051 Std 68 °F
Office Work	Surveyed by PORTER
Checked	Notes Porter Date 10-30-44
Date	Indexed A. C. Johnson

F.B. 913 Pg. 33

WS 46 - C-2 D-1



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 847 5M 12-50

F.B. 913 PG. 36

CURVE DATA FOR CURVE #3

Station	ARC	def ∠	chord
39+51.83 BC	48.17	0°00'00"	48.17
40+00	100.00	0°33'07"	99.99
41+00	"	1°41'52"	"
42+00	"	2°50'38"	"
43+00	"	3°59'23"	"
44+00	"	5°08'08"	"
45+00	"	6°16'54"	"
46+00	"	7°25'39"	"
47+00	"	8°34'24"	"
48+00	"	9°43'10"	"
49+00	"	10°51'55"	"
50+00	110.90	12°00'40"	110.89
51+10.90 EXT	89.10	13°16'55"	89.095
52+00	100.00	14°18'11"	99.99
53+00	"	15°27'56"	"
54+00	"	16°35'41"	"
55+00	"	17°44'26"	"
56+00	"	18°53'12"	"
57+00	"	20°01'57"	"
58+00	"	21°10'42"	"
59+00	"	22°19'28"	"
60+00	"	23°28'13"	"
61+00	"	24°36'58"	"
62+00	"	25°45'44"	"
62+69.97 EC		26°33'50"	69.97

Note - Set 1"x2½ at All Stations also on All Stations on South R/W LINE Set 50' So. of ℄ Radial - 10-30-44 Porter

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.M.	Survey of AKRon Hwy	F.B. 315	Pg. 37
Map No. B-1752	W. O. 8341 Tape No. 15 Std. 64 °F		
Office Work McAllister	Surveyed by Parks		
Checked McPherson	Notes Porter Date 2-18-46		
Date May 1946	Indexed E. E. Johnson 4-9-46		

SURVEY to ESTAB. TRACT LINES OF J.R. LOFTUS TRACT, FAIR VIEW AVE and PLEASANT VIEW AVE

J.N. 8341

2-18-46
Porter
Brock
Hand
Ochsner

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 12-40

F.B. 913 Pg. 38

W5.46-C-243

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Lot 44
J.R. Loftus Tract #1
M.B. 14-29

ALLEY

Cont B.of pg. 37
Set C.S.Mon
Set 2½" (Removed)
S.E. Cor. N.E. 1/4 Sec. 1, T.1.S., R.11.W.
Sub of Rancho Aliso de Durate
M.R. 6-90

(20)
3.00
.03
3.12
Set 1"x1" 26+50.65

26+50.68
Fd 2"x2" up 8"
R.E. Tag #1022
(Removed)
12-12-46

40.48@0°T.72°
=40.48

40.48

Set Nail 26+91.13

Fd 1"x1" 26+91.28
.15
2.99

27+01.58
Fd 6"x6" Conc mon with
2" IP in Center R.E. 6.17
Approx. ± double pole
Power line

27+31.5±
2" IP in Center R.E. 6.55
Marked 617

2.99
15'±
2.99

213.72@0°T.72°=213.72

273

29+04.95
Fd 1" I.P. Lead Center
Copper disc marked
L.A. Co Flood Control

29+04.83
Set Nail

.12
2.99

Dist. Fd. 4th 4x4 White
Post Set 5' East

52.32@0°T.74°=52.32

52.32

29+57.15
Set 1"x2" top No. dyke
ditch

3' off Set Line

148.98

Fd Flood Cont. B.C. Mon
Marked R.M. 1941
R.W. Post 5' E. & N.
31+06.13 P.P.23

148.99@0°T.74°
=148.98

2.99
.24
Set 1"x2" 31+06.13

ARROW HWY

Fd 1¼" Brass Cap in Conc
Set punch mark in Cross
on Curb 1.0' Sloping 22

3.00
Set 1"x1"

Notes Ck'd by K.R.M.	Survey of
Map No. B-1252	W. O. 822 Tape No. 15 Std 54 °F
Office Work Mc Minn	Surveyed by
Checked McPherson	Notes Date 3-21-46
Date May 1946	Indexed A. C. Johnson

F.B. Pg.

W.S. 46-C-7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-40



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS.46-C-2


Cont #942
Set 1"x2"
(35)
(36)
(43)
(44)
ALEGRIA VIEW AVE
EAGLE VIEW AVE
Set C.S. Mon. Flush.
Set 2"x2" Pat. 68+36 N - Pg 18-01
INT Set C.S. Mon. Flush
Set C.S. Mon. Flush
Set 2"x2" (Removed) 12-10-46
Set 2"x2" (Removed) 12-12-46
Replaced with C.S. Mon 12-12-46
Set Nail
Set Nail
Set Nail

Notes Ck'd by K.R.M.	Survey of
Map No. B-1752	W. O. 5327 Tape No. 15 Std. 84 °F
Office Work McAllister	Surveyed by
Checked McPherson	Notes Peter Date 3-25-46
Date May 1946	Indexed

F.B. 210 Pg. 11

N. 41-E.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

* RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-40

VAN NUYS

CLARK AVE

ST. ADD.

MAPLE

Adopted

200.26

1123.48

Set 2x2 C.S. MON Flush 12-16-46

(1317.50 Rec) 1317.18 Calc.

(673.50 Rec) 673.49 Calc.

Set 2x2 Set 2x2 O.K.

Set 2x2 here Removed

To fence corner shown on P.M. 44

Replaced with C.S. MON 12-11-46

Lot 31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS. 46-C-2

This stake removed. See Pg. 59

Prop. Point Set 2"x2" See Pg. 59

24+53.52 MBA
24+53.75 = Rec.

BATEMAN AVE

89° 33' 35" Adj.

Lot 22

Set 1/2" I.P.L.S. 13486

Set Nail

(662.91 Rec)
662.85 Calc
661.67

(1317.30 Rec)
1317.18 Calc

VAN METER AVE

(1) = 89° 35' 20"
(4) 358 21' 40"
89° 35' 25"

Lot 32

89° 35' 25" Adj.

370.92 @ 0.766° = 370.88

Lot 38

J.R. LOFTUS TR
MB 14-29

Set 1/2" x 2" 3+70.88

Adopted

146° 25' 52"

952.99

cont Pg 40

(20) (20)

F.B. 913 Pg. 42

Notes Ck'd by	Survey of
Map No.	W. O. 8341 Tape No. Std °F
Office Work	Surveyed by Crew
Checked	Notes Book Date 1-46
Date	Indexed A. C. Jones

F.B. Pg.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



FORM 247 5M 12-0

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.



FORM 247 3M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W5.46-C-2

W5.46-C-2

Notes Ck'd by
Map No. Office Work
Checked
Date

Survey of
W. O. Tape No. Std. °F
Surveyed by
Notes Date
Indexed Date

F. B. Pg.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


SEC COR
Found 2" Pipe
Tie Bands
Found 1" Pipe
Tangent
Tangent
Tangent

Form 301 IOM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
P-1					° ′		° ′		3						
	Existing Tellus.				° ′		° ′		4						
					0 ° 0 ′		° ′		5						
					5 ° 0 ′		° ′		6						
					6 ° 19 ′		° ′		7						
					5 ° 19 ′		° ′		8						
					5 ° 19 ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					13 ° 22 ′		° ′		12						
					13 ° ′		° ′		13						
					13 ° ′		° ′		14						
					12 ° 13 ′		° ′		15						
					12 ° 23 ′		° ′		16						
					12 ° 23 ′		° ′		17						
					12 ° 23 ′		° ′		18						
					11 ° 59 ′		° ′		19						
					11 ° 59 ′		° ′		20						
					11 ° 59 ′		° ′		21						
					11 ° 59 ′										

Add'l Inform.

Notes Red. _____ Platted _____ Job No. _____ Division No. _____ F.B. _____ PG. _____

Date _____ Date _____ Survey of _____

Notes Chkd. _____ Checked _____ Survey by _____ Notes _____ Date _____

Date _____ Date _____ Map No. _____ Indexed _____ C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. _____ PG. _____

Topography Description Legend:
Side Hill.....S.H. | Side of Draw.S.D. | Side of Ridge.S.R. | Head of Draw H.D.

Bottom Draw.B.D. | Bottom Wash B.W. | Top of Ridge.T.R. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences..V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK., WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'l Inform.

Notes Red. _____ Platted _____ Job No. _____ Division No. _____ F.B. _____ PG. _____

Date _____ Date _____ Survey of _____

Notes Chkd. _____ Checked _____ Survey by _____ Notes _____ Date _____

Date _____ Date _____ Map No. _____ Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 913 PG. 50

Topography Description Legend:
Side Hill.....S.H.
Side of Draw.S.D.
Side of Ridge.S.R.
Head of Draw H.D.
Bottom Draw.B.D.
Bottom Wash B.W.
Top of Ridge.T.R.
Toe of Slope..T.S.

Inters. of Draw. V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff...B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut...B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole....P.P.
Culvert .....Cul.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'n'l Inform.

Notes Ck'd by KRM-SPM
Map No. B-1949
Office Work LPM-White
Checked McPherson
Date Aug. 1946

Survey of Buena Vista St.
W. O. 8426 Tape No. 681 St'd 66
Surveyed by Levy
Notes Levy Date 6-17-46
Indexed R. C. Tomasek 7-1-46

F.B. 713 PG. 51

BUENA VISTA ST.

From Buena Vista St and Meridian St
So Westerly to Prop. Arroyo Hwy.

J.N. 8426

June - 1946

Ref. F.B. 1047
F.B. 1048
U.S.E.D. map
R.W.
7-51-F

J.R. LOFTUS TR. #1
14+29
F.B. 405

Porter
Holmes
Haid
Ochsner

C.S.B - 1949
H.C. 17-81

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 11-41

F.B. 913 PG. 52



W5, 46-C-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 SM 1-41

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W 5.46 - C - 2

Notes Ck'd by [illegible] Date [illegible]
Map No. B-1949
Office Work [illegible]
Checked [illegible]
Date Aug. 1946

Survey of [illegible]
W. O. 2876 Tape No. 28' Std. 68 °F
Surveyed by Foster
Notes Foster
Indexed J.C. Date 6-46

F.B. 473 Pg. 39

(11) = 89° 34' 45"
(4) = 358° 18' 40"
(6) = 177° 28' 10"
89° 34' 40"

Replaced with C.S. MON dn. 8"
Set 1"I.P. Byp.P. Removed 12-10-46
Boot SPK & tins
3 Survt ties

2651.60 Rec
2651.93 meas

1325.96

1325.79

MERIDIAN ST.

Fd W SPK out
Pg 52. - 45

Int Pg 56

Fd C.S. MON
Pg - 52

Catch in 0.00 Pg 55

197.25

89° 34' 40"

663.48

Lot 26

Lot 27

Fd 2"I.P. R.E. 1022
.04 So. & .12 E

Set Nail in Post

Prop. Bdy. Line

St.

Set Nail in Post

Replaced with C.S. MON
Set Ch 4 dn 10"
By Pot P

Fd old 272 No E
No tack

341.59

89° 34' 45"

112.93

Set Nail Pg 57

129.48

Lot 1 Blk

742.36

90° 23' 15"

Fd 1"I.P. 1.13 E

1326.36 M.

T. I. F. A. L. AVE

1327.01 = Rec
1326.97 M.

663.48

Set 2"x2" Dry Pep
Removed 12-10-46

(11) = 90° 23' 20"
(6) = 361° 33' 00"
(6) = 182° 19' 26"
90° 23' 15"

Set Nail & Tack

Replaced with 2" I.P. Brass Cap Fd 1.13 E

(11) = 89° 34' 30"
(4) = 358° 17' 40"
(6) = 177° 26' 40"
89° 34' 25"

Int Pg 58

89° 34' 25"

Int Pg 58

1327.13 = Rec
1327.01

VAN METER

1/2" I.P. 0.2 E 0.0 CS MON

Set 1"x2" Byp & P Removed 12-10-46

Replaced with CS MON 8" dn 6-1946

Fd 1"x2" Pg 41
13+22.41

4.84

Fd Tack 0.1 S 0.2 E Pg 41-52
Replaced with CS Mon

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 913 Pg. 54


Notes Ck'd by K.R.McClure
Map No. B-1949
Office Work KRM-White
Checked K.R.McClure
Date Aug. 1946
Survey of Buena Vista St
W. O. 8476 Supt No. St'd °F
Surveyed by Porter
Notes Porter Date 6-15-46
Indexed by C. Johnson
F.B. 913 Pg. 55
W½-C-2
DUARTE
RD.
PI 134°49'30"
Δ: 179°18'00"
Q: 89°57'00"
134°49'30"
Note: See Pg 60 for this line
Replace 4"x4" with CS MON Pg 60
from files Pg-25
BC Set CSW&TIN
P.I. of Buena Vista St. Set CS W&TIN Rec dist from ... See Cor Rec'd deed & USE Map Exhibit C
Curve.
Δ= 40°20'35"
R= 1000.00
T= 416.02
L= 788.48
416.02
134°49'30"
Vista St.
Buena
INT Curve 2+81.71
(50)
(90)
(40)
281.71
197.25
T. 1 N.
199.78
36
31
1.
6
MERIDIAN St
Ft CS MON Pg 52
T. 1 S.
Prop taking line
68° to R
281.69@0°7'80"
=281.71
R. 11 W.
Range line
R. 10 W.
Cor Pg-52
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.
FORM 247 BM 11-41

F.B. [illegible] PG. 56

W.S. # 6 - C-2

cont from pg 55

Set 3/4" IP Flush

EC 41+49.07
5/8" x 18" IPdn 4"

Meridian

281.71

199.78 to Sec Cor

INT Set 1"x2"
2781.71

500

(1): 44° 26' 20"
(4): 177° 45' 40"
(3): 266° 38' 45"
44° 26' 25"

44° 26' 25"

593.34

Fd. 1"x2" no Rec.

20' Adj.

593.29 @ 0°7.80"
593.34

Set 3/4" IP Flush

St.

302

Set Nail

Buena Vista

354.26 @ 0°7.80"
354.29

354.29

(50)

(90)

40

Lot line

Cont to pg 57

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.O. 8476-C-2

Notes Ck'd by K.R. McPh
Map No. B-1209
Office Work KRM-White
Checked McPherson
Date Aug. 1946

Survey of Alpine Tract
W. O. 8476 Tape No. 087 Std @ 68° F
Surveyed by Parks
Notes Factor Date 6-16-46
Indexed A. C. Johnson

F.B. 253 PG. 5
Cont from Bk pg 26

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 27, SEP. 11-41

Lot 26
Lot 27
(50)
(40)
N 10° W
135° 33' 45"
40' M.
354.29
Fd 2x2 Lot COR pg 53
41.52
16.1 Fount
112.93
129.48 to L & M pg 53
71.5'
12+29.34
INT. Set 1"x1" Rec'd st. from S.E. COR. lot 26.
TIFAL AVE
BUENA VISTA ST.
641.27
Δ = 135° 33' 40"
(41 = 182° 15' 00"
135° 33' 45"
U.S. fence line
641.18 @ 0° + 90°
641.27
18+70.61
INT Set 1"x2"
Cont top pg 58
N

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 46-C-2



W.V.6-C-2

Notes Ck'd by KRM&R
Map No. B-1949
Office Work KRM-White
Checked McPherson
Date Aug 1946

Survey of Buena Vista
W. O. 8247 C Tape No. 081 Ft'd 68 °F
Surveyed by Foster
Notes Foster Date 7-26-46
Indexed C. Johnson

F.B. Pg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 2467 5M 1-41

VAN METER

INT 1 x L
21+76.86

(Removed)
Fd 2"x2" Reset N. 10.6 E. for E
Pleasant View Ave
Sanpg. 42
Replaced with C.S. Mon'l Rush

90°
40' Adj.
25.15

Set 3/4" IP flush

BUENA VISTA

50
50

45°08'
30" Adj.
441.04
629.97

PLEASANT VIEW AVE

BC. 61+23.19

Δ = 45°08'40"
R = 1000.00
T = 415.69
L = 787.92.

(1) 45°08'30"
(4) 180°34'00"
(6) 270°50'50"
45°08'30"

(1) 90°25'20"
(4) 361°41'00"
(6) 181°31'20"
90°25'15"

629.90 @ 0°T 84°
629.97

P.I.
INT. Set 2"x2"
28+06.83

END

441.01 @ 0°T 78°
441.04

Set 3/4" IP flush
415.69
Set 3/4" IP flush
Set 3/4" IP flush

E.C. 69+11.11

(50) (50)

Fd 2"x2"
Pg-40

F.B. 913 PG. 60

W.S. M.-C-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by
Map No
Office Work
Checked
Date

Survey of Buena Vista St
W. O. 8426 Tape No. 81 Std 66° F
Surveyed by Porter
Notes Porter Date 7-18-46
Indexed C. Thomas 8-5-46

F.B. 2 PG. 27

Location of improvements on Buena Vista St Meridian St North to Duarte Road - Prop 66' R.W.

Porter
Holmes
Hand
Crusher

7-18-46

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-41

F.B. 913 PG. 62

Cont. B.F pg 63

8+08.9 T.P. 19.8 Fd. 3/4" 8+08.64 Pg 25

12.5 15.5 19.9 8+00

8+00 66.0

14.0 16.0

7+00 66.0

6+00 73.0

Mac Print Buena Vista St.

5+54.3 T.P. 21.6

5+00 82.0

U.S. 5' Barb Wire Fence

62.7 T.P. 4+37.6

15.0 4+65.7

4+17.0 T.P. Dead Man 50.0

Gravel Pit Vertical Bank 40' to 50' Deep Arrow Rock Co

93.0 43.5 4+03.7 4+00

See pgs 47-49 for add. Topog. of Fav. & Fence lines

1+97.25 Fd CSMon Pg 52 0+00 90.5 N. West

Buena Vista St See pg 55

Fd CSMon Pg 52 0+00 90. North.

Set Nail & Tag on 100' Stations 0+00 to 39+69.08

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Plotted by K.R.McS.
Notes Ck'd by
Map No. S-1999
Office Work White
Checked McSherry
Date Aug 1946

Survey of Buena Vista St
W. O. 2476 Tape No. St'd °F
Surveyed by Porter
Notes Porter Date 1-18-46
Indexed C. Johnson

F.B. 913 Pg. 63

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend Notes this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 SM 11-41



F.B. 913 PG. 64



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Plotted
Notes Cked by K.R.McPh.
Map No. B-1949
Office Work White
Checked McPherson
Date Aug 1946

Survey of
W. O. 8416 Tape No. St'd. °F
Surveyed by Porter
Notes Porter Date 7-19-46
Indexed C. Johnson

F.B. 713 Pg. 65

Cont. bet. Page 66

Note: Any Additions or Changes on This Sheet Must be Made & Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS





FORM 247 RM 11-41

F.B. 913 PG. 66



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Plotted
Notes Okd by K.R.M.
Map No 3-1949
Office Work Whitty
Checked McBurney
Date Aug. 1946

Survey of Encinal St
W. O. 8426 Tape No. St'd. °F
Surveyed by Porter
Notes D.E. Holmes Date 7-25-46
Indexed E. C. Johnson

F.B. 913 PG. 57

Cont'd on Page 68

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-41

Grove Ave. West

Grove Ave. 60'

Orange

ST.

VISTA

BUENA

Truck Garden

N

10.7 8.0

26+73.7
20.0 20.0 335
Begin Row 5" orange Trees

26+49.0
30" Conc. St. P.P. 22.0

26+31.0 P.P. 16.7
End Row 2" shrubs 23.2
26+21.0

Begin Row 2" shrubs
24+74.5 24.5

14.4 21.7 26.4 61.0 49.7 33.7 33.4 49.3 50.2 33.8 34.2 33.4 16.7 33.4 33.2 33.1

26+53.6
P.P. 10.7
2" oak 2" Pine 6" Locust
13.4 13.5
26+51.0
Conc. weir box 4'x6'
21.7
24" Conc. Stand Pipe
dirt drive

W.M. 20.7 3/4" Riser
26+26

5.3 11 8.9 3.0 3.0 3.0 9.0 21.5
1 Story Frame House
14.3 7.6 8.1 26.3

53.8

25+92.0
90° 25+91
2-14" Gum Trees
12" Gum 25+82.5
8" Gum 25+74.2
12" Gum 12" Gum 14" Gum
15.8 15.8 25+66.4

30" Gum 25+58.5
24" Gum 20" Gum
8.5 39.5
Begin 24" S.P. 25+45.5
25+34.5
30" Gum Trees
25+27
20" Gum 25+18.5
Open Ditch
4# Wire Fence
4# Wire Fence

F.B. 913 Pg. 68



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Surveyed by [illegible] Survey of [illegible] W. O. 8422 Tape No. Std °F
Map No. [illegible]
Office Work [illegible]
Checked [illegible]
Date Aug. 1946
Surveyed by E. Holmes Date 7-23-46
Notes D.E. Holmes & C. Jones
Indexed

F.B. [illegible] Pg. [illegible]

31+83.7 24.8 6" conc. curb
Premix Pave.
Row 26
31+72.7 19.7
31+70.0 17.5
31+68.0 18.4
31+65.3 20.5
31+64.5 12.8
6" curb & conc.
Gas M.
10" Palm
17.3
10" orange
21.0
8" orange
8" orange
11.6
4.2
2.9
29½
38
128
76
96
98
46
11.6
5.8
31+61.0 T.P.
Row 25
17.0
54.5
20.3
22.0
31+58.2
31+60.0
W.M. 31+54.2
1 STORY FRAME HOUSE
Grove
26.0
31+45.0
20.0
8" Palm
6" Palm
28.4
14.9
St.
BUENA VISTA
54.4
23.0
26.0
6" Palm
30.5
10.5
Orange
Row 23
Row 22
Z-8" Trees
Lily Pond 6'x6'
31+14.5
18.0
5.0
4" Shrub
14.0
7.8
4" Palm
8" Fir
8" Tree
28.0
31+11.5
21.5
19.5
6" Peach
15.8
8" Tree
8.9
3" mag.
13.4
2" Lemon
31+02.7
8" Syc.
12.6
30+98.5
Edge Premix Pave
Cont. from Page 68

F.B. 913 Pg. 70



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Plotted
Notes Cmld by K.R.McP.
Map No. B-1949
Office Work White
Checked McKinnon
Date Aug 1946

Survey of Lines
W. O. 8426 Tape No. Std °F
Surveyed by
Notes D.E. Holmes Date 7-29-46
Indexed

F.B. PG.

Cont Bot Pg 42

38+31 29℄
38+00 85 12°
37+95° 10°
PP
Planted
To
Strawberries
T.P. 16⅔ 37+67°
ST
67½
67½
VISTA
22° 21°
Row 54 Out
22°
18° 18°
36+88 5
316 29°
37+07
62°
Frame
Shed
20 x 10
Row 51
2-6" Rach
195 36+37°
36+29 5 T.P.
16½ 62½
36+27 8
Row 50
5" Avocado
Row 49
5" Avocado
36+04 5 15½ PP
35+60 26°
BUENA
Planted
To
Strawberries
Row 45 Out
10° 11 8
35+00
Row 43 Out
T.P. 16½ 34+88°
Row 42
Cont. from Top of Pg 40

Note: Any Additions or Changes on This Sheet Must be Made on Red Ink With Date and Name of Person Making Change
Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-60

F.B. 913 Pg. 72

A.T. & S.F. R.R.

END

39+72.86 C.S.M.ON dn. 9" ANGLE PT Pg 60

(DUARTE Rd (SAN GABRIEL AVE) & megadam Pav

3.78

3.0

3/4" LP dn. 14" 39+69.08 Pg 60

Note this house shown on CSM B-931

H.H. 6° 39+61°

30° 39+63°

4¢ Gavrd Rail

30" Picket fence & 6" conc. curb

12.3 37° 10.8 39+54.2 39+55.3 20.1 31.5 39+58.5 4.4

Frame Garage WM 3¢ 8" Riser 21° 2" Peach 39+53.2 8.3 17.5 24.5 45° 11.8 17.8 G.P. 39+48.5 12" conc. std. Pipe

14" conc. std. P/P 1" Palm 39+39° 6.45 39+41° 18.2 6.8 16.4 3° T.P. 39+34.2 18° 13.5 39+54.6 39+44°

39+38° 6.45 39+34.8

4¢ Gavrd Rail

25.6 20° 14° 14" Avocado 20° 5.2 1 Story frame house 4¢ Gavrd Rail 30" Picket fence 8° 12.0 21.3 39+08° 2-12" Elderberry 40.2 39+16°

Cellar Entry 3.3 2.2 3.5 3.0 10.3 7.5 25° 38+81.5 ST.

22.5 8.2 C'orange 10.3 Frame Shed 12.12 38+62.5 20.8 17.8 38+68° 18.9 8"orange 23° 6"orange

9° 6" Peach 30.5 24.5 Lg. Pear 12" conc. std. P/P 10.0 8.4 Frame Shed 23.7 9.8 1" Riser 41° 28.5 38+60 11.8 38+54.5

38+38.5 6" conc. curb & 4¢ wire fence 41.2

17° 4" Peach 38+34.5 25.5 13° 48.6 14° 45° 38+42.5

56° 38+27° 6"orange

Conc. Reservoir 19.0 10.5 4¢ Lawn fence 9.5 15.3 20 Frame 20.5 BUENA VISTA

10" Rock & conc. wall 22.0 Shed 22.0

14" Avocado 4.2 20° 20.7 37+98°

37+90 18.5

Cont from P. 71

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of BUENA VISTA ST
Map No.	JN 0095.86 Tape 02.18 Std. AS °F
Office Work	Surveyed by PETERSON
Checked	Notes T.C.P. Date 9-63
Date	Indexed J. GALLI 2-3-63

F. B. 913 Pg. 13

BUENA VISTA STREET

J.N. 0095.86

FROM SECTION CORNER (S.W. COR SEC 31 & S.E. COR SEC 36) T.1.N R10W & R11W. NORTH TO SPK & TIN 118.99 N OF & STAR HAVEN ST. (ALONG & BUENA VISTA ST.)

PETERSON
CARO
DUPUIS
STICH

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3095 CE #310 8-62

F. B. 913 PG. 74

BUENA VISTA ST.

⊙ 2" I. P.

STARHAVEN ST. (NOT SHOWN)

GALEN ST

P.C. (BRASS)

Ld TK

SEC. Cor

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of BUENA VISTA ST.
JN 0095.86 Tape D218 Std 68 °F
Surveyed by
Notes TCP Date 9-63
Indexed R. J. GALLI 9-23-63
F. B. 913 Pg. 15
W.S. 46, C-2
SET SQ HD SPK & TIN FLUSH
39.96 (REC & MEAS)
90°
FD 2" I.P. CEM. PLUG N & TAG (R.E. 410) PER FB 1976-185
NOTHING SET
STARHAVEN ST
(40)
(40)
ST.
356.55' (REC'D & MEAS)
SET L & C.E. TAG
SET L & C.E. TAG
SET LG BT. SPK W. & TIN FLUSH, RECORD DIST. FROM SQ HD SPK & TIN SET AT 90° TO 2" I.P. PER FB. 1976-185
BUENA VISTA
S 66° 17' E
S 59° 23' E
GALENA
(20)
ST
(20)
S 59° 07' E
S 7° 10' E
SET L & C.E. TAG
SET L & C.E. TAG
TO TOP PG. X6
*PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
76F309S CE #3 0 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W46, C-2



F.B. 913 PG 75

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 5M 8-46

Notes Ck'd by Miller
Map No. 2159
Office Work Roll2
Checked Miller
Date Jan. 49

Survey of
W. O. 7120 Tape No. 681 St'd 68 °F
Surveyed by Foster
Notes Foster Date 2-6-47
Indexed E. C. Jennings 1-5-48

F. B. 918 Pg. 91

W 5 V 6 - B-7

CAMINO REAL

LEGANITA

AVE

429.84 ✓

429.88 @ 0°T 76°
429.84

90°00

Set B spk. Bent
Rec'd 1st from
N&E T Rs

Fd. 2" I.P. flush
N 1.1 W 1.6
3+12.32

Fd. L&T tie

Set B spk

Fd. L&T tie

Fd 2" I.P.
RE 1.2

Fd 4"x4" C.M.
3+12.14
RE 1.16

(1) = 90°
(2) = 31
(3) = 180
90°

368.31

368.31 @ 0°T 78°

146.27 @ 0°T 78°
146.28

Fd L&T tie

Fd nail & tag

Fd L&T tie
Set B spk & tag
N 0 Ref
used for line

146.28

18.00

Set L&T tack & tag in curb

TR 13608

TR 19478

Fd 2" I.P. flush
N 1.1 W 1.6
3+12.32

Pg. 92

4002

4000

Fd 4"x4" C.M.
3+12.14
RE 1.16

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 46-B-2


STANDISH ST.
MAYFLOWER AVE
Fd N & W
Fd C.E. Mon. Flush
FB 808-21
Fd 1/2" Pipe
Fd Nail & Tag
Fd Nail & Tag
Set Copper Rivet
Fd Nail & Tag
Fd Nail & Tag
Fd Nail & Tag
Fd Nail & Tag
Fd N & W
Fd N & W
Fd N & W

Notes Ck'd by Muller
Map No. 2139
Office Work Ratz
Checked Miller
Date Jan 49

Survey of
W. O. 7120 Tape No. 581 St'd 62° °F
Surveyed by Parker
Notes Parker Date 5-7-41
Indexed A. C. Johnson

F. B. 213 Pg. 93

W.C. 4-5-2



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 5-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS.46-B-7



Notes Ck'd by Miller	Survey of
Map No. B 2139	W. O. 7174 Tape No. 081 St'd 68 °F
Office Work Ratz	Surveyed by Porter
Checked Miller	Notes Porter Date 5-9-47
Date Jan. 49	Indexed C. Johnson

F. B. 512 Pg. 95

W.S.V.6 B.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 8-46



F. B. 913 PG. 96

(1) = 152° 36' 10"
(4) = 250° 24' 30"
(6) = 195° 36' 30"
152° 36' 10"
(1) = 44° 41' 10"
(4) = 178° 44' 40"
(6) = 268° 07' 00"
44° 41' 10"

Fd Cc 2pk in conc No Rec

NEW TIES IN F.B. 1618-115

SHRODE AVE

459.1

134° 39' 55"

65.30

464.4

Int Set 5 spk 41+02.21

152° 36' 10"

449.79

44° 41' 10"

217.52

89° 58' 40"

Cent B.M. 97

332.42 Calc

Set Nail 39+84.84

713.42

Set 2"x2" dn 12" 36+52.42 Camino Real Prod

Transit line

449.77 @ 0° T. 76°
449.79

713.42 @ 0° T. 68°

(1) = 89° 58' 40"
(4) = 359° 54' 30"
(6) = 179° 51' 50"
89° 58' 40"
(1) = 134° 40' 00"
(4) = 178° 39' 40"
(6) = 87° 59' 30"
134° 39' 55"

1585.12 @ 0° T. 68°

CALIFORNIA AVE

1585.12

12/76

See TR Fd Rec

(20) (20)
(40)

Co. Sur. Brass Cap F. B. 1618-109

B. M. Lg Bronze Fork in Concrete Post (Central)

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made by Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 5-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W 5.46 - G-1

Notes Ck'd by Miller
Map No. A 2139
Office Work Ortiz
Checked Miller
Date Jan 49

Survey of
W. O. 7172 Tape No. 69' Std. E.F.
Surveyed by
Notes
Date
Indexed



F. B. 313 PG. 97

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 46 - C - 2



FORM 247 5M 5-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.O. 16-6-1

Notes Ck'd by Miller
Map No. 82159
Office Work Ratz
Checked Miller
Date Jan. 99

Survey of
W. O.
Tape No.
Surveyed by
Notes
Date
Indexed
C. Johnson

F. B. 913 PG. 33



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 213 PG. 100

Notes Ck'd by MILLER	Survey of Gardena
Map No. B2159	W. O. 7120 Tape No. St'd °F
Office Work Ratz	Surveyed by Porter
Checked Miller	Notes Pinyon Date 5-15-41
Date Jan 49	Indexed A. C. Jenness 1-5-48

F. B. 8-3 Pg. 101

1

Location Improvements

California Ave

So. of S. 182nd St. Ave

J.N. 7120

Porter
Snyder
Stock
Ockisner

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 5-46

F. B. 913 Pg. 102
2



Notes Ck'd by Miller	Survey of Camino Leal
Map No. B 2159	W. O. 7120 Tape No. St'd °F
Office Work Ratz	Surveyed by Porter
Checked Miller	Notes Snyder Date 5-15-45
Date Jan. 49	Indexed

F. B. 913 Pg. 103

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 5-46


2-1" Oranges
Cont. from bot. fig.
+ 16.3 +
"P" Line
36+52.42 + 2 x 2
F.B. 913 P. 96
Camino Real
Row 1" Oranges
Row 1" Oranges
Row 1" Oranges

F. B. 913 Pg. 104



RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

15.6 — 15.3

AVE

Grove Court North

1+00.4
8" Palm
22.3

1+03.3
P.P.

0+99.3
P.P.
17.0
76.5

14" Stand Pipe
0+94.2
22.7
41.7

0+94.0

0+79.3 Dead Man
17.3

26.2

ALL 8" Orange Trees

ALL 8" Orange Trees

CALIFORNIA

Fence Line

Trees

5' Woven Wire Fence

0+20.4

35.6

26.2

198
298

0+10.2

0+07.3

0+09.5

C. Spk. In ℄ Shrode And California Ave
F.B. 913 Pg. 96
8+00 North =
8+00 South

B. Spk. In ℄ Shrode Ave
(F.B. 913 Pg. 96)

SHRODE AVE.

"P" Line

Notes Ck'd by Miller	Survey of Ramona Reel
Map No. 8269	W. O. 7120 Tape No. Std. °F
Office Work Rate	Surveyed by Porter
Checked Miller	Notes Porter Date 5-14-47
Date Jan 49	Indexed A. C. Johnson

F.B. [illegible] Pg. 10



For Location of P.O.B.
See Pages - ~~75-76~~ 107-108

J. R. Loftus Tract No 1
MB 14-29

Note: Any Additions or Changes on This Sheet Must be Made in Ink With Date and Name of Person Making Change or Circled in Red

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 12-48

F.B. 913 Pg. 106

CS Mon. Pg 30-53

2000

W. spk & t. Pg 30

MERIDIAN

BATEMAN AVE

753.14

753.14

Note-For location of Pit See Pg-77-78-109-110

PR-B Set 1/2"

Lot 12

Lot 13

Lot 14

TRACT #1

MB 11-170

CS MON Pg 30

VAN METER

700

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
			Location Gravel Pit		° '		° '	See pg 73	105	(Note	Use 14 Stadia	Board)			
		892			° '		° '		2						
P.R-1	INT. TT FOR & MERIDIAN	2 425	692	—	0 .00	692	0 .00		3						
		4 063	25	—	0 .00	25	° '		4				T.P. Vert Bar		
		10 11.42	63	—	331 .10	63	° '		5				" "		
		10 12.15	142	—	352 .10	142	° '		6				T.P. Vert Bar		
		10 10.82	215	—	357 .40	215	° '		7				" "		
		8 9.23	282	—	358 .00	282	° '		8				" "		
		5 8.24	323	—	1 .50	323	° '		9				" "		
		5 8.77	328	—	9 .00	326	° '		10				T.P. Vert Bar		
		5 7.30	377	—	36 .10	377	° '		11				" "		
		3 6.67	430	—	45 .45	430	° '		12				" "		
		2 6.90	467	—	51 .40	467	° '		13				" "		
		2 6.58	490	—	63 .15	490	° '		14				" "		
		1 7.77	558	—	68 .45	558	° '		15						
		1 13.23	677	—	75 .15	677	° '		16						
		6 13.23	723	—	76 .35	723	° '		17						
		6 13.38	723	—	85 .45	723	° '		18						
		6 12.50	738	—	94 .15	738	° '		19						
		6 12.18	650	—	100 .35	650	° '		20						
		7 11.40	518	—	99 .30	518	° '		21						
		7	440	—	95 45	440	° '	continued							

Add'n Inform.

Notes Red. _____ Platted 4-10-47 Job No. 7120 Division No. _____ F.B. 913 PG. 107
Date _____ Date 5-12-47 Survey of Location Gravel Pit Notes Porter Date 5-14-47
Notes Chkd. _____ Checked K.K.F. Survey by Porter & Pa
Date 5-15-47 Map No. _____ Inspected C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 913 Pg. 108

Topography Description Legend:
Side of Hill...S.H.; Bottom Draw...B.D.; Side of Draw...S.D.; Bottom Wash...B.W.; Side of Ridge...S.R.; Top of Ridge...T.R.; Head of Draw...H.D.; Toe of Slope...T.S.

Inters. of Draws...Y.D's; Break in Slope...Br.S.; Steep Slope...T.S.; Top of Cliff...T.Cl.; Bottom of Cliff...B.Cl.; Top of Spur...T.Sp.; Bottom Canyon...B.Cn.

Side of Canyon...S.Cn.; Top of Bank...T.B.; Bottom of Bank...B.B.; Top of Cut...T.C.; Bottom of Cut...B.C.; Top of Fill...T.F.; Bottom of Fill...B.F.

Saddle...Sa.; Swale...Sw.; Flat...Fl.; Stream...Str.; Trail...Tr.; Pavement...Pvd.; Edge of Road...E.Rd.

Traveled Rd...Tr.Rd.; Fence...Fn.; Int. Fence...I.Fn.; Ditch...Di.; Telephone Pole...T.P.; Power Pole...P.P.; Culvert...Cul.

Oak-O.; Pine-Pi.; Sycamore...Sy.; Eucalyptus...Eu.; Plus combination of these and all common standard abbreviations.

Fir-Fr.; Cedar-Ce.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
PR-1	INT Fitzale Meridian	1330			° '		° '		1				Top Vert B.C.		
		10	330		97 35	330									
		1065							2						
		8	265		97 35	265									
		993							3						
		8	193		94 55	193									
		603							4						
		5	103		91 30	103									
					END				5						
									6						
									7						
									8						
									9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
			Location Notes												
PR-2	Mt. Meridian & Bateman	547							2						
		5 350	47		70° 35'	47	✓ —		3				top		
		3 380	50		123° 20'	50	—		4				top		
		3 441	80		164° 35'	80	—		5				"		
		3 512	141		166° 35'	141	—		6				"		
		3 575	212		171° 00'	212	—		7				"		
		3 640	275		168° 50'	275	—		8				"		
		3 700	340		172° 15'	340	—		9				"		
		3 770	460		173° 40'	460	—		10				"		
		5 830	470		179° 50'	470	—		11				"		
		2 895	490		186° 55'	490	—		12				"		
		2 693	415		191° 30'	415	—		13				"		
		3 833	393		202° 35'	393	—		14				"		
		8 08	433		206° 40'	433	—		15				"		
		4 670	408		214° 10'	408	—		16				"		
		3 1228	370		222° 24'	370	—		17				"		
		3 1108	428		232° 40'	428	—		18				"		
		4 1318	508		239° 50'	508	—		19				"		
		7 100	618		241° 05'	618	—		20				"		
		3	700		243° 00'	700	—	Cont. on Pg 19	21				"		

Additional Inform.

Notes Rod. _____ Platted 11-1-1 Job No. 7120 Division No. _____ F.B. 913 PG. 109

Date _____ Date _____ Notes Chkd. _____ Checked L.K.F. 1-1 Survey of _____

Date 5-15-47 Map No. _____ Index C. Johnson Date _____ Survey by Porter Notes Fletch Date 5-14-47

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
PR-2	E Int Meridian Bo. Baterman	1330			° '		° '		1				Top Vert Bank		
		7	630		247 05	630									
		1010							2						
		5	510		249 30	510									
		900							3						
		11	500		257 25	500									
		550							4						
		1	450		263 10	450									
		607							5						
		3	307		266 50	307									
		653							6						
		4	253		272 40	253									
		688							7						
		5	188		272 20	188									
		607							8						
		5	107		271 10	107									
		619							9						
		6	19		283 50	19									
			10'		205 45	10			10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Add'n'l Inform.

T.B. 973 Pg. 110

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash.B.W.
Side of Ridge.S.R. Top of Ridge..T.R.
Head of Draw H.D. Toe of Slope..T.S.

Trawld Rd. Tr. Rd. Fn. Fence ..... Fn. Ind. Fences. V. Fnc. Ditch ..... Di. Telephone Pole T.P. Power Pole....P.P. Culvert ..... Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut..T.C. Bottom of Cut..B.C. Top of Fill..T.F. Bottom of Fill B.F.

Thwt. of Draw. V.D's Break in Slope...Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Notes Ck'd by	Survey of Camino Real
Map No.	W. O. 7120 Tape No. 081 St'd 48 OF
Office Work	Surveyed by FORTNER
Checked	Notes Porter Date 3-26-48
Date	Indexed C. Johnson 5-31-48

F.B. 912 PG. 111

Location of new St.
in new Subdivision So of SHRODE AVE
West of LINCOLN AVE

J.N. 7120

3-26-48
FORTNER
Snyder
Stock
Hand

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

WS 4h-C-2



Notes Ck'd by	Survey of Carmona Road
Map No.	W. O. 7120 Tape No. 8 Std. 84 °F
Office Work	Surveyed by Foster
Checked	Notes Foster Date 3-29-48
Date	Indexed A. C. Johnson

F.B. 923 Pg. 113

Location HARVEY Bros
New Gravel P.T.
East of Mt Ave
So of Jr Road

3-29-48

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-47

F.B. 913 Pg. 114



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
			Location of New Harvey Bros Grave Pt												
					° '		° '		2						
H*2	H*1				° '		° '		3						
			13		278 00	13	— ° '		4				Top Bank		
		552			° '		— ° '								
		4	152		162 35	152	— ° '		5				" "		
			625		45 45	62.5	— ° '		6				Fence Cor. N 88 E		
		592			° '		— ° '								
		3	292		162 55	292	— ° '		7				Top Bank		
		580			° '		— ° '								
		2	380		163 25	380	— ° '		8				" " 4 ft		
		608			° '		— ° '								
		2	408		183 20	408	— ° '		9				& Flag Prop. for		
		715			° '		— ° '								
		3	465		192 25	46	— ° '		10				Top Bank		
		753			° '		— ° '								
		2	553		209 35	553	— ° '		11				" "		
		865			° '		— ° '								
		2	665		219 20	665	— ° '		12				" " 4 ft		
		828			° '		— ° '								
		2	628		227 35	628	— ° '		13				" "		
		800			° '		— ° '								
		2	600		245 10	600	— ° '		14				" "		
		640			° '		— ° '								
		2	440		250 35	440	— ° '		15				" "		
		523			° '		— ° '								
		2	323		251 50	323	— ° '		16				" "		
		563			° '		— ° '								
		4	163		234 15	163	— ° '		17				" " 4 ft		
		492			° '		— ° '								
		4	92		258 35	92	— ° '		18				" " 4 ft		
					° '		— ° '		19						
					° '		— ° '		20						
					° '		— ° '		21						

Add'l Inform.

Notes Red. Platted Job No. 7120 Division No. F.B. 913 Pg. 115
Date Date Survey of Cem
Notes Chkd. Checked Survey by Porter Notes Porter Date 3-29-48
Date Map No. Date Date

For location see pg 114

F.B. 93 Pg. 116

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Topography Description Legend:

Inters. of Draws, Hill Slope, Break in Slope, Steep Slope, Top of Cliff, Bottom of Cliff, Top of Spur, Bottom Canyon — Y.D.'s, Bk.s., S.S., T.Cl., B.Cl., T.Sp., B.Cn.

Side Hill, Draw, Wash, Ridge, Slope — S.H., B.D., B.W., T.R., T.S.

Side of Canyon, Top of Bank, Bottom of Bank, Top of Cut, Bottom of Cut, Top of Fill, Bottom of Fill — S.Cn., T.B., B.B., T.C., B.C., T.F., B.F.

Saddle, Swale, Flat, Stream, Trail, Pavement, Edge of Road — Sa., Sw., Fl., Str., Tr., Pvt., E.Rd.

Traveled Rd., Fence, Init. Fences, Ditch, Telephone Pole, Power Pole, Culvert — Tr. Rd., Fn., V. Fns., Di., T.P., P.P., Cul.

Oak-O, Pine-Pi, Sycamore, Eucalyptus, Plus combinations of these and all common standard abbreviations — Cedar-Ce., Sy., Eu., Fir-Fr.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					°		°		1						
					° '		° '		2						
					° '		° '		3						
					° '		° '		4						
					° '		° '		5						
					° '		° '		6						
					° '		° '		7						
					° '		° '		8						
					• '		• '		9						
					° '		° '		10						
					° '		° '		11						
					° '		° '		12						
					° '		° '		13						
					• '		• '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		• '		21						

Add'n'l Inform.

W3.46-B-2

Notes Ck'd by Miller
Map No. B 2159
Office Work Batz
Checked Miller
Date Jan 49

Survey of [illegible]
W. O. 7124 Tape No. 691 St'd 68 °F
Surveyed by Snyder
Notes Snyder Date 9-14-48
Indexed A. C. Johnson 9-21-48

F. B. [illegible] Pg. 117

Cont Rec'd Pg. 118

To Calif. Ave.

Set 1" I.P. Plug + T. dr. 12" Per Tr. 14247

Fd. 1½" Iron Bar dr. 18" N.E. Cor. Lot 9 Sec. 35 F.B. 746-164 N.E. Cor. Tr. 14247

Fd. 2" I.P. Plug + T. dr. 18" (No Tag) Per Tr. 14247

Fd. 2"x2"

Fd. L + T.s In Curb

1129.01 M

REDELL AVE

190.00

149.88

Set L + T. In Curb

1128.95 T 74
1129.61 ✓

1 - 107° 20' 50"
4 - 69° 11' 40"
6 - 284° 05' 40"
A - 107° 20' 56½" ✓

LOT 151
Tr. 14247

Set L + T. In Curb

1 - 162° 28' 50"
4 - 289° 55' 40"
6 - 254° 53' 30" ✓
A - 162° 28' 55"

T.R. 14247

1 - 90° 10' 15"
4 - 360° 40' 45"
6 - 181° 01' 00" ✓
A - 90° 10' 15"

CAMINO REAL

Set N + T. Split of Curbs

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 11-46

F. B. 913 PG. 118

Cont. Bot Pg 119

Set B. Spk W. 4 T. 4+29.96

.07 25.00 24.99

24.98 25.00 .02

Fd 2"X2" R.E 1797 Pg 112

Fd 2"X2" R.E 1797 Pg-112

100.03 T 92= 100.05 ✓

Fd 1"X2" 3+29.91

REAL

329.86 T 92= 329.91 ✓

(45) (40)

329.91

CANINO (Prv.)

SHROPE AVE

Fd. B. Spk Pg. 96

CALIFORNIA AVE

(40) (20)

179° 58' 25" ✓

89° 33' 05" ✓

Fd. C. Spk In Conc. Pg-96

4 Pt. Fd. Brass Tack In Copper Tag Flood Control Pg. 96

Set B. Spk. W. 4 T. by Int = 0+00 To East

423.38 T 92= 423.45 ✓

445.72 T 76= 445.74 ✓

See Page 139

1- 3° 58' 20"
4- 359° 53' 40" ✓
6- 179° 50' 30"
A 89° 58' 25" ✓

1- 89° 33' 00"
4- 358° 12' 20"
6- 177° 18' 30" ✓
A- 89° 33' 05"

445.74

1- 179° 31' 30"
4- 358° 06' 00"
6- 357° 09' 00" ✓
A- 179° 31' 30"

Transit Line

P.I.P

Cont from Top Pg 118

W5.W6-C-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes Ck'd by Miller
Map No. B2159
Office Work Ratz
Checked Miller
Date Jan. 49
Survey of Corning Road
W. O. 7120 Tape No 091 St'd 66 °F
Surveyed by SNYDER
Notes Snyder Date 9-14-48
Indexed C. Johnson
F. B. 214 Pg. 119
T.S. 4 6 - C-2
TR 1517
Cont. Bot. Pg. 120
Set L.+T. = 10+49.62
Transit Line
P.O.T. 10+68.63
Fd "X" In curb Pg 112
Fd L+T Pg 112+97
Fd L+T Pg. 97
Fd. X In Conc. Pg 112 10+33.62
Rd. FD 613-1
470.04 Rel. Pg. 112
19.07
24.00
15.13
LINCOLN AVE
16.00
41.59
Set L+T.
Set L+T.
1 90° 24' 00"
4 361° 36' 00"
6 182° 24' 00"
A 90° 24' 40"
Fd. 2" x 2" RE 1797
9+29.87 (1) - 90° 01' 40"
(4) - 360° 00' 40"
(6) - 180° 10' 00"
(A) - 90° 01' 40"
25.00
603.57 + 90° = 603.66
603.66
(80)
Set S. Spk Pg 118
4+29.96
Cont. from Top 118
SHRODE AVE
CAMINO REAL (80)
Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.
RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS
FORM 247 SM 11-46

F. B. 313 PG. 120

W.S. 4-C-7

See Page 141

TRACT 4675

VAN METER

Fd 2"x2" Fl. Pg 98

Set B. S. & W. 4 T. by Int.
21+12.13

22.95

Set 05/8 I.P. See page 141

Fd. 3/4" I.P. Pg 98

N 19°43'25" E 28.53

34.85

Fd 2" I.P. +/-

MOUNTAIN AVE

780.99

446.99

25.85

Fd 1" I.P. + Hole Ang. LB. 64-30

SHRODE AVE

1 - 89° 47'50"
4 - 359° 11' 20"
6 - 178° 47' 00"
A - 89° 47'50"

446.83 T90= 446.99

268.10

780.88 T90= 780.99

268.06 T90= 268.10

TRACT 1517

P.O.T. Set 3/4" I.P. dn 12"
18+44.03

775.23 T90= 775.34

775.34

Transit Line

1" x 2" P.O.T.
10+68.69

Cont. from Top Pg. 119

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by Miller	Survey of Camino Real	F. B. 913	Pg. 121
Map No. B7159	W. O. 7120 Tape No. 29 L St'd 68 °F		
Office Work Ratz	Surveyed by Snyder		
Checked Miller	Notes Snyder Date 9-15-48		
Date Jan 49	Indexed A. C. Johnson 9-21-48		

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

LOCATION of IMPROVEMENTS

from

Int. CALIFORNIA AVE. and CAMINO REAL

East To MOUNTAIN AVE

J. N. 7120

9-15-1948

Snyder
Stoak
Hand
Uhl

FORM 247 SM 11-46

F. B. 913 Pg. 122



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller	Survey of Camino Real	F. B. 913	Pg. 123
Map No. B2159	W. O. 7124 Tape No. 2941 St'd 66 °F		
Office Work Ratz	Surveyed by Snyder		
Checked Miller	Notes Snyder Date 7-15-48		
Date Jan. 49	Indexed A. C. Johnson		

Cont Bat Pg. 124

B. Spk. W.+T. = 4+29.96
Pg. 118

CAMINO REAL

Nac. Pav.

24.3 — P.P. 3+80.0

23.7 — Water Meter Box 1.6x1.0 — 3+77.0

21.0 — 13.2 — 13.3 — 3+44.5 — Ed. Oil

20.0 — 24.0 — 41.0 — 42.5 — 24.0 — 24.0

3+50.0 — 34.0 — 33.7 — 3+50.0

3+49.0 — 3+49.0

Begin Grove & Orange Tr. 28' Centers

Begin Grove & Orange Trees 21' Centers In 26 Stands

Ed. Oil

Ed Pav

3+36.0

34.0 — 33.7

20.7 — 20.8 — 10.2 — 9.4 — 11.5 — 10.0

6" Persimmon

1"x2" P1VB 3+29.91

3+34.0

Row 6" Persimmon Tr.

2+98.5 — OUT — 67.0 — OUT

End Grove East

OUT

Grove cont. North

Transit Line

OUT

17.2 — 2+55.0 — 2-1" Hyd.

17.2 — 2+53.5

16.1 — Last Orange Tr. 2+17.5

53.0 — 10" Apricot 2+15.0

Cont. from Top Pg. 122

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-46

F. B. 913 Pg. 124



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No. B 2159
Office Work Ratz
Checked Miller
Date Jan. 4

Survey of Camino Real
W. O. 7120 Tape No 091 St'd 68 °F
Surveyed by Snyder
Notes Snyder Date 9-16-48
Indexed A. C. Johnson

F. B. 913 Pg. 125

Cont. Ref. Pg. 126

REAL

CAMINO

Ed. Pav.

5' Woven wire Fn

B+08.8

B+00.0

P.P. B+31.0

W. Meter 7+49.6

Begin Grove 8" Orange Trees 20.8 Cen. In as shown 7+45.9

Gas Meter 7+74.2

W. Meter 7+74.4

7+62.5

G. meter 7+13.5

Water Meter 1.6x1 7+12.4

7+24.2

7+00

6+86.5

6+91.8

6+55.4

1 Story Frame House

1 Story Stucco House

Garage

Made drive

Cont from top Pg. 124

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-46

F. B. 913 PG. 126



Cont. Right Side Pg. 127

Fd L.+T. Pg. 119
10+49.62

Fd "+" in Conc. Pav.
Pg 112
Pg 10+33.62

6" Curb

LINCOLN

AVE

6" Curb

Conc. Pav.

18.9 Ed. Pav.

10+18.9
20.7

Conc.

6" Curb

P.P. 10+15.1

52.4 → 28.8 →

P.P. 10+15.1

10+14.4 ← 14.8 → 14.9 → 10+14.4

End Fm. 10+13.4

24.9

32.9 → 32.8 →

End Grove
10+03.8
21.0' Centers

End Grove
10+03.8
21.0' Centers

24.0 → P.P. 9+64.3

Ed. Pav.

CAMINO REAL

Ed. Pav.

OUT

OUT

OUT

OUT

21.0

21.0

1.0 Water meter

24.1 → 8+96.4

OUT

OUT

OUT

Cont from top Pg 125

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 SM 11-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by Miller
Map No. B 2159
Office Work Part 2 Miller
Checked Miller
Date Jan. 49

Survey of Gamma Rez
W. O. 7120 Tape No. 671 St'd 66 °F
Surveyed by Survey Date 9-11-44
Notes
Indexed A. C. Johnson

F.B. 213 PG. 127

Cont. Bet. Pg. 128

41.6
10.7
24.4
11+75.5
Garage
42.5
11+59.0
21.2
24.1
47.0
Mac Pav.
24.1
34.6
13.3
28.1
79.3
24.4
24.0
OUT
North
Line
Trans.
Drive
Mac.
50.2
1 Story
Frame
House
13.2
4.0
3.0
19.9
27.1
79.2
11+10.6
10.9
10.9
Porch
2.4
5.5
Mac. Walk
25.3
3.1
Grove Court
Begin Grove
8" Orange
12.4
8.5
24.0
10+85.6
10+85.6
OUT
74.4
10" Elm
10+90.7
6" orange
10+72.0
22.5
18.8
5.4
8.4
10+79.5
8.0
2" Orange
5" Orange
2" Orange
10+72.0
56.5
56.4
10+73.8
8" Hibiscus
10+70.4
1/2" = 10+68.69
Pg 119
87.5
R. 10'
R. 10'
10+64.6
45.7
30.7
LINCOLN
Conc Rd
AVE
L + T = 10+49.62
Pg 119
"+" = 10+33.62
Pg 112
Cont. from Top Pg. 126

F. B. 913 PG. 128

Cont. Bot Pg. 129

21.5 21.5 21.5 9.4 12.2 35.9 5.0 15.0 20.0

End Grove 14+22.0

14+28.0 End Grove

OUT

OUT

Grove Cont. North

21.5' Centers

Grove Cont. South

21.5' Centers

Transit Line

Begin Row

18" Stand Pipe

11+97.7 10.5 35.3 5.1 12.5 18.6

Begin Grove 8" Flange

11+95.0

Cont from Left Side Pg. 127

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No. B 2159
Office Work Ratz
Checked Miller
Date Jan 49

Survey of Camino Real
W. O. 7170 Tape No. 091 St'd 66° F
Surveyed by Snyder
Notes Snyder Date 9-17-48
Indexed A. C. Johnson

F. B. 313 Pg. 129

Cont. Bot. Pg. 130

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

24.8 → 6" Pear 16+41.0

20.5 20.5

15+70.5

45.8 ←

24.0 → 14" Pear 15+16.5

22.7 ←

29.8 → 16" Stand 15+61.0 Begin Row

Begin Grove 8" Orange

20.5 20.5 15+64.0

24.0 → 16" Pear 15+41.0

End Stand

End Grove

OUT OUT OUT

34.5 ← 15+40.0

23.8 → 14" Pear 15+27.4

20.

22.4 ← 4" Peach 15+08.0

23.3 ← 8" Fig 14+88.0

Grove Cont South 22' Centers

21.0 ← 4" Peach 14+66.0

36.0 ← 14+50.5

5.0

20.0 20.0

Begin Grove 8" Orange

8.1 11.2 20 20 20 14+37.4

Begin Grove 6" Orange Trees

Cont. from Top Pg. 128

FORM 247 SM 11-46

F. B. 913 PG. 120

Cont Bot Pg. 131

3/4" I.P. 18+44.03
Pg 120

OUT

OUT 18+38.0 11.6

32.4

30.4 18+39.0

25'

11" Avocado

END Regular Grove

27.0

18

25.0

4" Peach 18+27.5

OUT

OUT

25.8

25.6

20" Apple 17+87.5

OUT

20.5

20.5

North

26.3

4" Apricot 17+49.0

Grove Edge

25.7

4" Pear 17+21.0

25.3

4" Persimmon 17+07.8

20.5

20.5

25.3

16+80.0 4" Persimmon

Cont. from Top Pg 129

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Muller
Map No. B2159
Office Work Ratz
Checked Miller
Date Jan 49

Survey of Camino Real
W. O. 7124 Tape No 291 St'd 65 °F
Surveyed by Snyder
Notes Snyder Date 9-17-48
Indexed A. C. Johnson

F. B. 313 Pg. 131

Cont. Right Side Pg 132

7.3
21 — 21. — 12.8 — 19+42.8 — 28.6 — 10" Quince 19+82.5 — 77.1 — 26.0 — 2-8" Orange 19+77.0

Ont

28.0 — 5.0 — 31.0 — 4" Peach 19+62.8 — 24.4 — 2-12" Orange

21.0 — 21.0 — 76.3 — 25.8 — 19+59.5 — 2-8" Lemon

4.5 — 28.5 — 30.9 — 3" Persimmon 19+40.7 — 24.4 — 2-10" Lemon

Grove 8" Orange 20 to 21' Centers — Trail Sign 1 mile

Grove cont North

L4. — 27 — 19+24 — 26' — 3-8" Lemon

28.5 — 10" Pear 19+23.0

63.0 — 10" Lemon 19+11.8

46.8 — 29' — 19+02 — 27' — 6" Orange

63.5 — 24.4 — 18+89.6

28.6 — 18+85.0 — 12" Peach

46.8 — 54.0 — 18+80.0 — 2'6" Orange

21. — 21. — 32.7 — 27 — 4" Peach 18+63.5 — Row 10" Stand 18+62.8 — 30.1 — 6" Orange

10. — 18+57.3 — 11.6 — 36.0' — 27.2 — 28' — 6" Orange

27.2 — 12" Peach 18+46.0

3/4" I.P. 18+44.03 Pg 120

Cont from Top Pg 130

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 EM 11-46



F.B. 313 Pg. 132

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 SM 12-60

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of _____
W. O. _____ Tape No. _____ Std. _____ °F
Surveyed by _____ Date _____
Notes _____
Indexed _____

F. B. _____ PG. _____

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 912 Pg. 134

FORM 247 SM 11-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made on Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

N346-B2

Notes Ck'd by Miller
Mbp No. B 2559
Office Work Ratz
Checked Miller
Date Jan 49

Survey of Camino Real
W. O. 7172d Tape No. 09/5 Std 66 F
Surveyed by Foster
Notes Foster Date 11-22-48
Indexed Ck'd Jenson Date NOV 29 48

F. B. 913 Pg. 133
Conf by Page 134

TR #14107
130 3-16

(30) (30)
60

DEL

Fd 2"x2" STK ALTERN

(1) 89° 58' 20"
(4) 359° 53' 20"
(6) 179° 50' 00"
90° 00' 20" ✓

180.87 @ 0° T. 74° = 180.88 ✓

15.05 15.08

89° 58' 20" ✓

REAL

Fd L&TK & Tag RE 2267 See Tract # 14247

CAMINO

27.93 27.93

180.88 ✓

27.57 28.12

(40)

27.83

1.01 .09 Fd Nail & Per Tract Fd 14247

Fd NBT

28.06 28.04

Transit Line Page 95

Tie Copper TK in 24" & 8" Tree Logs Page 90

823.25

28.17

(40)

1.01 Fd Nail

90° 01' 00" ✓

90° 01' 00" ✓

CONT. FROM PAGE 95

Fd L&TK nail & Tag ALLEN TIES FB 913-95

(1): 90° 01' 20"
(4): 360° 05 10" 11½
(6): 180° 07 40" 16⅔
90° 01' 16⅔ ✓

932.80

253.53

TK # 14247
342-33

14.95 15.06

PRIMROSE AVE (27)

TR #14107
303-16

RD

Fd L&TK Tag # RE 2267

(27)

54

Fd L&TK & of Pg 95

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS. 46-B-2



FORM 247 SM 11-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS.46-B-2

Notes Ck'd by Miller
Map No. B2152
Office Work Pat's
Checked Miller
Date Jan. 47

Survey of Camino Real
W. Ottie Tape No. 91 Std. 68° F
Surveyed by Porter Date 11-22-46
Notes Porter
Indexed A. D. Jansen

F.B. 313 PG. 137

(1) = 161° 58' 40"
(4) = 287° 54' 30" 37½
(6) = 251° 51' 30" = 35
161° 58' 40" ✓

(1) = 93° 37' 40"
(4) = 14° 31' 00" 45
(6) = 20° 47' 00" 50
90° 37' 45" ✓
50

Δ 180° 30"
R = 657.19
T = 104.22
L = 206.72

Fd Nail & Tin
PAMELA RD

TR # 14247
312-33

37.93 380'

93° 37' 45"

161° 58' 40"

208.45

104.82

Transit line

Fd Nail

28.09

79.29

597.33

Fd Nail

CAMINO REAL

27.85

40.62

Fd 2" IP dn 10"

27.51

N 89° 31' 00" E 597.33

MYRTLE AVE

37.92 37.92

(50) (50)

Fd 1" Pipe Sdr

Cont. from top Page 136

Cont bot Page 138

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS.W-B-2.C-2



FORM 247 SM 11-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS.V6-B-2C

Notes Ck'd by Miller
Map No. 82159
Office Work Ortiz
Checked Miller
Date January

Survey of Laguna Road
W. O. 7120 Tape No. 091 Std. 66 °F
Surveyed by Foster
Notes Foster Date 1-10-42
Indexed

F.B. 913 Pg. 139

1½" Iron Bar dn 18"

261.69 @ 0° T 46"
261.65

261.17 @ 0° T 40"
261.12
-68.74
192.38

112.90'

Fd 1" Pdn 12" Ranges R.F. Accepted BC

Pl. Set C.S. Mon d = 22°

598.31 ✓

45.61

229.15 ✓

to E. Myrtle 8" Ø

38.08

40.12

Fd L&T

Fd 2" IP dn 6" RE. 2267

Proposed ℄ Con

℄

Δ = 25°48'15" ✓
R = 1000.00 ✓
T = 229.15 ✓
L = 450.51 ✓

229.93 @ 0° T 48"
= 229.90 ✓

Tot 142.47 Lot 151

(1) = 154° 11' 10"
(A) = 252° 44' 40"
(C) = 205° 07' 00" ✓

154° 11' 10"
154° 11' 15" adj ✓

(1) = 82° 09' 50"
(A) = 328° 39' 20"
(C) = 132° 59' 00"
82° 09' 50"

Fd 2" IP dn 12" S. W. Cor. Lot 10 Sec. 35 T. 1 N. R. 11 W

P.O.B.

(1) = 172° 11' 25" ✓
(A) = 328° 45' 45" ✓
172° 11' 25"

Int. Set C.S. Mon dn 14" 3 ties 2x2 on surface

Δ = 7° 48' 35" ✓
R = 1000.00 ✓
T = 68.22 ✓
L = 136.31 ✓

229.90 ✓

82° 09' 50"

38.7

Cor.

℄

Laguna Road 112' Pvmt

BC

Notes

35.89

172° 11' 25"

261.65

Fd ES w 8" Dg-118-138

Pl Set C.S. Mon dn 14" 3 ties 2x2 on surface

703.1' ± to Lincoln Ave.

Cont from Page 138

Cont from Page 119-141

F. B. 913 PG. 140

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 16-C-2

Notes Ck'd by Miller	Survey of Reconnaissance
Map No. 82759	W. O. 7120 Tape No. 09 St'd 68 °F
Office Work Redc	Surveyed by Tec
Checked Miller	Notes Date 1-19-49
Date Jan 49	Indexed

F. B. 210 Pg. 141

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



FORM 247 SM 5-48

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

913

B 913 Pg. 112