Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PEAR BLOSSOM HIGHWAY TOPOGRAPHY
FROM P.I. 252 OLD ℄, S. ELY.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. #252	Temp P.I. #251							4606 7	5 0		4611 7				
		620 / 600	20	6 5	275 00	20	0 0	05 2					W. Ed. Rd.		
		739 / 700	39	7 3	297 45	39	0 0	04 4					℄ 20' Oil Rd		
		853 / 800	53	8 7	300 35	53	0 0	03 0					E. Ed Rd.		
		768 / 700	68	7 2	343 20	68	0 0	04 5					E. Ed. Rd.		
		553 / 5	53	5 4	350 00	53	0 0	06 3					℄ Oil Rd		
		532 / 5	32	4 9	13 50	32	0 0	06 8					Ed. Rd		
		433 / 4	33	4 1	59 35	33	0 0	07 6					Top [illegible]		
		459 / 4	59	4 0	81 51	59	2 43	05 0					S. [illegible]		
		1078 / 10	78	10 0	49 30	78	2 10	4598 8					H. of D.		
		662 / 6	62	6 4	27 20	62	0 0	05 3					H. D + Rad.		
		463 / 4	63	4 1	15 00	63	0 0	07 6					S. Ed. Rd.		
		464 / 4	64	4 6	356 20	64	0 0	07 1					℄ Oil Rd		
		770 / 7	70	6 8	345 0	70	0 0	04 9					N. Ed. Rd.		
		502 / 400	102	4 0	354 45	102	0 0	07 7					N. [illegible] Rd		
		302 / 2	102	2 0	3 00	102	0 0	09 7					℄ Road		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 Pg. 9
Date 5-20-42 Date 5-29-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes Pierce Date 4-13-42
Date Date Map No. Indexed A. C. Johnson Date 5-13-42

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P1252	Temp P1251								1		4611 2		
		303 / 200	103	20	11 0	103	− 0 0	4609 7	2				Edge [illegible]
		502 / 4	102	39	13 50	102	− 0 0	07 8	3				Bot. of Ditch
		202 / 1	102	15	16 20	102	− 0 0	10 2	4				T.C.
		609 / 5	109	50	27 40	109	+ 1 38	10 5	5				Bk
		930 / 8	130	80	32 40	130	+ 1 56	08 1	6				S.H.
		1160 / 10	160	100	35 00	159	+ 3 22	11 1	7				S.H.
		669 / 5	169	60	27 05	168	+ 3 5[illegible]	16 9	8				Bk.
		372 / 2	172	30	9 50	172	+ 2 27	16 0	9				T.C.
		273 / 1	173	20	8 45	173	+ 0 55	12 4	10				Bot. Ditch
		272 / 1	172	20	7 00	172	+ 1 23	13 9	11				Ed. Rd
		269 / 1	169	20	2 30	169	+ 1 23	13 8	12				℄ 20' Oil Rd.
		269 / 1	169	20	357 45	169	+ 1 12	13 2	13				Ed. Rd.
		322 / 1	222	20	358 20	222	+ 1 55	17 1	14				" "
		322 / 1	222	20	1 38	222	+ 2 04	17 6	15				℄ 20' Oil Rd.
		328 / 1	228	20	4 50	228	+ 2 05	17 9	16				Ed. Rd
		429 / 2	229	30	5 40	229	+ 1 55	16 3	17				Bot. Ditch
		1131 / 9	231	100	6 20	229	+ 4 48	21 0	18				T.C.
		1038 / 8	238	140	19 25	235	+ 6 25	24 1	19				Bk.
		1147 / 9	247	150	24 30	245	+ 5 00	18 2	20				S.H.
		806 / 5	306	110	23 20	304	+ 4 45	25 8	21				S.H.

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash.B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope...Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 6

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P1 252	TEMP. P1 251								1 50		4611 7				
		1200 / 856	344	150	29 00	342	+ 4 13	4622 0	2				SP.		
		1162 / 8	362	100	21 20	358	+ 5 49	381	3	+ 264		+ 364	Bk		
		1212 / 9	312	100	18 30	309	+ 5 45	329	4				T.R.		
		685 / 4	285	50	4 55	284	+ 3 40	248	5				T.C.		
		485 / 2	285	30	4 00	284	+ 2 25	206	6				Bot. of Pitch		
		385 / 1	285	20	3 20	284	+ 2 26	217	7				Ed. Rd.		
		385 / 1	285	20	0 45	284	+ 2 27	218	8				℄ 20' Oil Rd.		
		984 / 7	284	80	357 45	283	+ 3 30	210	9				Ed. Rd.		
									10						
True P1 250	True P1 249							4641 1	11 51		4646 2				
		1119 / 9	219	100	180 35	219	− 2 30	268	12				N Ed Rd		
		1121 / 9	221	100	178 00	221	− 2 25	270	13				℄ 20' O		
		1123 / 9	223	100	174 50	223	− 2 28	267	14				S Ed Rd		
		1020 / 8	220	90	193 10	219	− 4 12	212	15				S.H.		
		425 / 2	225	20	173 40	224	− 3 47	295	16				T.C.		
		1063 / 9	162	100	198 45	161	− 5 04	220	17				S.H.		
		461 / 3	161	40	170 25	160	− 3 10	334	18				T.C.		
		956 / 8	156	90	182 15	155	− 3 15	285	19				B.F.		
		855 / 7	155	80	180 00	155	− 2 52	305	20				N Ed Rd		
		958 / 8	158	90	172 05	158	− 2 45	297	21				" " "		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 Pg. 78
Date 5-20-42 Date 6-1-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes Pierce Date 4-23-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
True	True	1057			° ' "		° ' "		1						
P.1250	P.1249	9	157	10.0	175.48	157	0.00	4630.6			4646.2		℄ 20' O Rd		
		952							2						
		8	102	9.0	179.50	102	1.3	34.0					½ Ed Rd		
		1001							3						
		9	101	9.0	113.30	101	2.0	33.8					℄ 20' O Rd		
		1102							4						
		10	102	10.0	189.35	101	4.0	28.8					B.F.		
		903							5						
		8	103	9.0	167.10	103	3.00	32.8		13.4		4.4	S Rd Rd		
		1121							6						
		10	121	11.0	210.30	120	6.00	22.3					S.H.		
		1004							7						
		9	104	9.0	165.00	104	1.0	35.3					T.C.		
		1085							8						
		10	85	10.0	224.30	84	6.30	26.5					S.H.		
		655							9						
		6	55	6.1	152.30	55	0.00	40.1					T.C.		
		582							10						
		10	53	9.1	157.20	53	0.00	36.5					Ed Rd		
		949							11						
		9	49	5.4	169.30	49	0.00	37.3					L 20' O Rd		
		1105							12						
		11	55	12.5	189.30	55	0.00	33.7					B.F.		
		552							13						
		8	53	8.5	181.40	53	0.00	37.4					½ Ed Rd		
		506							14						
		5	6	5.2	90.00	6	0.00	40.9					L 20' O Rd		
		618							15						
		6	18	6.1	90.00	18	0.00	40.1					½ Ed Rd		
		506							16						
		5	6	5.1	265.00	6	0.00	41.1					N " "		
		122							17						
		6	22	1.7	97.00	22	0.00	44.5					T.C.		
		612							18						
		6	12	6.6	274.00	12	0.00	39.6					B.F.		
		355							19						
		3	55	3.0	22.30	55	+ 3.30	46.8					T.C.		
		352							20						
		3	52	3.0	17.55	52	0.00	43.2					½ Ed Rd		
		250							21						
		2	50	2.0	5.10	50	0.00	44.2					℄ 20' O Rd		

Add'n'l Inform.

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill...B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 8

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
True P.1250	True P.1249	1157 / 11 / 1158	57	11 0	76.00	57	− 3.18	4632 0	1		4646 2		S.H.		
		11 / 1204	88	11 6	310.45	88	− 0.0	34 6	2						
		1 / 807	104	1 0	3.35	104	+ 1.40	48 2	3				℄ 20 0 Rd		
		2 / 762	107	2 0	7.45	107	+ 1.34	48 1	4				S Ed Rd		
		7 / 160	62	7 0	345.25	62	+ 1.30	40 8	5				B.F.		
		1 / 408	60	0 8	352.45	60	− 0.0	45 4	6				N Ed Rd		
		1 / 460	108	1 0	11.55	108	+ 3.22	51 4	7				T.C.		
		3 / 861	160	4 0	12.15	159	+ 4.42	55 2	8				"		
		1 / [illegible]	16[illegible]	8 0	11.00	160	+ 4.58	52 1	9				S Ed Rd		
		1 / 261	162	[illegible]	1.30	162	+ 3.01	52 2	10				℄ 20 0 Rd		
		1 / 862	161	2 0	1.45	160	+ 3.12	53 1	11				N. Ed. Rd		
		7 / 969	163	8 0	359.10	162	+ 4.16	50 2	12				B.F.		
		5 / 1021	169	9 0	347.30	169	+ 3.30	44 4	13				S.H.		
		9 / 808	[illegible]	14 0	339.05	120	+ 4.05	40 8	14				"		
		7 / 406	108	7 0	353.05	108	+ 3.41	46 0	15				B.F.		
		3 / 717	106	3 0	356.30	106	+ 3.03	48 1	16				N. Ed Rd		
		6 / 859	117	6 0	103.24	113	+ 10.00	60 0	17				S.H.		
		6 / 778	159	11 0	166.25	159	− 0.45	33 1	18				"		
		7 / 973	75	7 0	96.40	75	+ 11.21	54 2	19				"		
		7 / 825	73	12 0	153.40	73	+ 1.05	35 5	20				Brk		
		7	125	8 0	103.55	121	+ 10.39	60 8	21				"		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 5331 Division No. F.B. 922 Pg. 9
Date 5-20-42 Date 6-1-42 Survey of Rear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes [illegible] Date 4-24-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
True P.1.250	True P.1.249	1122 / 9	222	14.0	152.30	222	+ 1.4[illegible]	4631.4	1		4646.2		Sp.		
		1147 / 10	147	10.0	90.00	139	+ 13.[illegible]	686	2				"		
		1102 / 9	202	10.0	162.30	202	− 0.3[illegible]	344	3				S.H.		
		823 / 7	123	7.0	79.15	117	+ 12.38	653	4				"		
		958 / 8	158	9.0	157.20	158	+ 0.[illegible]	378	5				"		
		688 / 6	88	6.0	75.05	84	+ 11.3[illegible]	575	6				"		
		1177 / 10	177	15.0	148.20	177	+ 2.42	393	7				Sp.		
		811 / 7	111	7.0	52.00	107	+ 11.21	605	8				S.H.		
		1029 / 9	129	13.0	132.40	127	+ 7.11	492	9				Sp.		
		647 / 5	147	6.0	65.50	140	+ 12.[illegible]	705	10				S.H.		
		996 / 9	96	9.0	146.20	96	+ 3.3[illegible]	430	11				"		
		1100 / 9	200	10.0	77.40	189	+ 13.18	809	12				Sp.		
		980 / 9	80	9.0	121.20	78	+ 9.2[illegible]	501	13				S.H.		
		1200 / 945	255	10.0	68.45	242	+ 12.58	919	14				Sp.		
		879 / 8	79	8.0	54.00	75	+ 12.4[illegible]	550	15				S.H.		
		912 / 7	212	8.0	57.15	203	+ 7.[illegible]	802	16				"		
		1211 / 11	111	11.0	33.20	107	+ 11.0[illegible]	559	17				"		
		984 / 8	184	9.0	47.30	176	+ 11.48	739	18				"		
		1159 / 10	159	11.0	27.00	154	+ 9.38	614	19				"		
		1200 / 1092	216	11.0	41.48	207	+ 11.24	770	20				"		
		1200 / 10	200	11.0	27.40	194	+ 9.3[illegible]	686	21				"		

Add'n'l Inform.

F.B. 922 PG. 10

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
True P.1250	True P.1249	1150			° '		° '								
		9	250	10°	00 00	239	+ 12 05	4687 2			4646 2		S.H.		
		1138													
		9	238	14°	33 30	229	+ 10 53	76 2					"		
		1175													
		9	275	14°	42 10	263	+ 11 57	87 6					"		
					° '		° '								
True P.1252	Temp P.1251				° '		° '	4606 7	53		4612 0				
		1053													
		7	353	9°	21-11-20	350	+ 5 42	4637 9		+ 25 9		+ 34 9	34°E P.1252 A.2	1" x 2"	
					° '		° '								
P 250 A	P.1 252				° '		° '	4637 3	30		4642 3				
		1053													
		7	353	9°	00	351	− 4 36	4606 7		− 36 2		− 27 2	P.1252		
		991													
		8	191	9°	336 20	188	− 7 13	10 0		− 32 8		− 23 8	S.H.		
		814													
		7	114	7 6	139 45	114	− 0 0	35 3					"		
		630													
		5	132	6°	345 45	128	− 10 19	13 8					"		
		1193													
		11	93	11°	345 50	90	− 10 30	15 8					SW		
		760													
		6	160	6 5	145 25	160	− 0 0	36 1					S.H.		
		660													
		6	60	6°	323 00	54	− 17 54	19 5					"		
		412													
		2	212	3°	148 25	212	+ 1 37	45 7					"		
		740													
		7	40	7°	271 30	36	− 16 48	24 9					"		
		867													
		6	267	7°	156 10	265	+ 4 15	55 5					SH.		
		899													
		2	99	3°	251 00	88	− 19 09	09 1					"		
		703													
		7	303	5°	163 30	301	+ 4 25	61 1					"		
		906													
		8	106	9°	323 20	97	− 16 53	04 7					SW		

Add'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 6334 Division No. F.B. 9EE Pg. 11
Date 5-20-42 Date 6-1-42 Survey of Near Blossom Hwy.
Notes Chkd. Checked Survey by Fore-Lowe Notes Date 4-24-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P 252A	P1 252	350 / 5	350	7.0	168 15	347	+ 5 [illegible]	4668.7	1		4642.9		S.H.		
		747 / 6	147	7.0	331 55	139	− 13 [illegible]	034	2				"		
		1057 / 7	357	9.0	174 15	356	+ 3 [illegible]	54.7	3				" Sp.		
		612 / 3	312	4.0	175 50	312	+ 1 [illegible]	44.1	4				"		
		1107 / 9	207	10.0	332 20	199	− [illegible]	4594.6	5				"		
		865 / 6	265	6.5	171 10	265	− 0 [illegible]	4636.4	6				"		
		638 / 9	238	5.0	319 00	224	− 13 [illegible]	4583.0	7				T.S.		
		1130 / 9	230	10.2	165 50	230	− 0 [illegible]	4632.7	8				S.H.		
		679 / 5	179	6.0	157 50	178	− 3 [illegible]	4625.8	9				"		
		797 / 6	197	7.0	311 15	183	− 15 [illegible]	4585.5	10				T.S.		
		628 / 4	228	5.0	297 50	212	− 15 18	4579.8	11				F1		
		1122 / 10	122	11.0	158 25	121	− 4 [illegible]	4622.2	12				S.H.		
		1070 / 9	170	14.0	301 00	158	− 15 [illegible]	4586.5	13				Sw.		
		1073 / 10	73	16.0	177 10	72	− 5 [illegible]	4621.2	14				S.H.		
		794 / 6	194	7.0	283 35	183	− 13 [illegible]	4592.2	15				Brk.		
		964 / 9	64	9.0	220 30	59	− 16 10	4616.8	16				S.H.		
		560 / 4	160	5.0	278 45	148	− 15 55	4595.7	17				"		
		972 / 9	72	9.0	266 35	66	− 16 [illegible]	4614.9	18				"		
		927 / 8	127	9.0	276 00	117	− 15 47	4600.8	19				T.S.		
		1021 / 9	121	10.0	237 00	110	− 17 06	4599.0	20				S.H.		
		450 / 3	150	4.0	231 40	137	− 16 51	4597.4	21				F1		

Add'n'l Inform.

F.B. 922 PG. 12

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 IUM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 252A	P.I. 252	830			° ′		° ′								
		7 757	130	8°	208.00	121	− 15.09	4602 2	1	− 41	4642 2	− 33 1	T.S.		
		6 856	157	7°	211.10	150	− 11.40	05 1	2				Fl.		
		7 1114	156	8°	194.35	150	− 10.31	06 3	3				"		
		10 881	114	10°	157.00	109	− 12.00	09 2	4				T.S.		
		7 1144	181	8°	188.10	178	− 7.32	10 4	5				Fl.		
		10 827	144	15°	167.40	143	− 5.06	15 2	6				T.S.		
		6 1076	227	7°	192.40	225	− 5.00	16 4	7				Fl		
		9 925	176	14°	171.20	175	− 3.32	18 2	8				T.S.		
		7 868	225	8°	178.35	224	− 3.37	20 8	9				T.S.		
		6 890	266	7°	181.20	268	− 2.12	25 8	10				"		
		6 [illegible]	290	7°	187.30	290	− 2.09	25 0	11				T.S.		
		5 946	343	10°	157.10	343	− 0.49	28 3	12				Brk		
		6 615	346	7°	179.10	346	+ 1.08	42 6	13				S.H.		
		3 877	315	2 7	178.40	315	− 0.0	40 3	14				"		
		6 755	277	7 1	174.20	277	− 0.0	35 5	15				"		
		5 1121	255	6°	176.10	255	− 2.04	27 9	16				"		
		9 712	221	10°	172.10	221	− 2.33	23 1	17				"		
		7 992	12	7°	328.20	12	− 0.0	35 9	18				Brk		
		9 832	92	9°	284.30	89	− 10.10	18 0	19	− 25 0		− 16 0	S.H.		
		8	32	8°	191.00	32	− 6.37	31 2	20				"		
									21						

Add'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 322 Pg. 13
Date 5-21-42 Date 6-1-42 Survey of Fedr Blossom Hwy
Notes Chkd. Checked Survey by Notes Date
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Temp Pl.245	Temp Pl.246				° ′ ″		° ′ ″								
				—			—	4619 1	52	—	4694 2	—			
		477			✓										
		4	77	10	193-10-30	75	+ 8 07	4701 2		+ 6 8		+ 10 8	24 N. P.#245 A 2 of 1x2		
		1132													
		9	232	10 6	7-08-00	232	— 0 0	4583 8		—		—	1.45 E. P.#245 B 2 of 1x2		
		1132			✓										
		10	132	9 0	7 12	131	— 5 26	4665 0		—		—	Dr. + B.F.		
		817			✓										
		7	117	7 0	328 45	115	+ 6 45	4701 1		—		—	T.C.		
		860			✓										
		7	160	8 0	10 55	160	— 2 21	4679 8		—		—	S.H.		
		1132			✓										
		10	132	12 0	19 30	132	— 0 0	824		—		—	"		
		271			✓										
		2	71	2 6	34 05	71	— 0 0	918		—		—	T.C.		
		1025			✓										
		9	125	9 7	25 00	125	— 0 0	847		—		—	S.H.		
		819			✓										
		8	19	8 1	1 10	19	— 0 0	860		—		—	S end cut		
		927			✓										
		8	127	8 3	42 00	127	— 0 0	861		—		—	S.H.		
		621			✓										
		6	21	6 6	76 00	21	— 0 0	878		—		—	N. end cut.		
		510			✓										
		5	10	5 4	120 25	10	— 0 0	890		—		—	S.H.		
		1097			✓										
		10	97	12 0	22 45	96	— 4 47	733		—		—	Dr.		
		1179			✓										
		11	79	11 0	20 15	78	— 4 52	772		—		—	B.F.		
		244			✓										
		2	44	2 0	124 55	44	+ 4 15	4696 1		—		—	S.H.		
		769			✓										
		7	69	7 0	101 20	67	+ 10 15	4700 0		—		—	T.C.		
		1066			✓										
		10	66	12 8	42 20	66	— 0 0	4681 6		—		—	B.F.		
		688			✓										
		6	88	6 0	122 55	85	+ 11 05	4705 1		—		—	T.C.		
		702			✓										
		6	102	7 0	45 05	101	— 5 40	4677 3		—		—	Dr.		
		680			✓										
		6	80	6 6	66 50	80	— 0 0	4687 8		—		—	B.F.		

Add'n'l Inform.

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Interv. of Draws.V.D's Break in Slope...Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fn. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ca. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 14

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl.245	Temp Pl.245	720			° ′		° ′		1						
		6 707	120	6.0	95.45	119	+ 4.18	4697.4	2		4694.4		T.C.		
		6 311	107	5.1	77.15	107	− 0.0	89.3	3				Y end. [illegible]		
		7 [illegible]	111	4.0	93.10	111	+ 1.12	92.1	4				S end " "		"
		7 650	130	7.0	75.25	130	+ 1.22	90.5	5				B.F.		
		5 565	150	5.0	91.10	149	+ 7.50	4702.0	6				T.C.		
		4 [illegible]	165	4.0	69.40	165	+ 1.47	4695.4	7				B.F.		
		3 424	190	4.0	94.05	187	+ 7.05	4713.7	8				S.H.		
		10 338	124	10.8	56.25	124	− 0.0	4683.6	9				Sw.		
		1 567	238	2.0	96.35	233	+ 8.00	4725.2	10				S.H.		
		4 474	167	5.0	57.50	167	+ 1.20	4693.2	11				"		
		2 260	274	3.0	97.40	266	+ 9.45	4737.2	12				S.H.		
		1 515	160	2.0	96.15	160	+ 1.00	4695.2	13				"		
		2 250	315	3.0	98.00	303	+ 11.21	4752.2	14				"		
		1 419	150	2.0	79.55	150	+ 2.05	4697.7	15				"		
		1 468	319	3.0	89.10	307	+ 11.00	4751.2	16				"		
		3 445	168	2.7	97.05	162	− 0.0	4691.5	17				"		
		1 897	345	3.0	86.10	332	+ 10.56	4755.8	18				Sp.		
		7 870	297	8.0	19.00	296	+ 3.33	04.7	19				"		
		5 292	370	7.0	94.20	351	+ 13.08	69.2	20				"		
		1 363	192	2.0	31.30	191	+ 4.55	08.8	21				Sp.		
		2	163	3.0	30.00	162	+ 4.06	03.1					S.H.		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 Pg. 15
Date 5-20-42 Date 6-1-42 Survey of Pear Blossom Jay
Notes Chkd. Checked Survey by [illegible] Notes Date [illegible]
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Temp Pl.245	Temp Pl.246	1175 / 8	375	10.0	92 50	355	+ 13.2	4768.4	1		4694.4		[illegible]		
		715 / 5	215	6.0	35 55	213	+ 5.2	08.2	2				[illegible]		
		1152 / 8	352	10.0	78 40	342	+ 9.3	41.7	3						
		392 / 2	192	3.0	46 30	192	+ 2.3	00.0	4				S.H.		
		625 / 3	325	4.0	77 55	317	+ 8.[illegible]	39.3	5				Sp.		
		311 / 1	211	2.0	57 00	210	+ 2.5	02.9	6				B.F.		
		394 / 1	292	2.0	84 75	287	+ 9.0	38.2	7				S.H.		
		738 / 5	238	6.0	46 50	237	+ 4.0	05.5	8				Sa.		
		681 / 4	281	5.0	92 05	271	+ 10.3	40.0	9				S.H.		
		655 / 4	255	5.0	51 45	253	+ 4.[illegible]	08.8	10				N Ed Rd		
		761 / 5	261	6.0	54 30	260	+ 4.16	08.1	11				℄ 20 O Rd		
		767 / 5	267 ~~161~~	6.0	56 45	266	+ 4.0	07.3 ~~00.1~~	12	+ 12.9		+ 18.9	B.C.		
		532 / 3	232	4.0	86 00	228	− [illegible]	20.8	13				S.H.		
		367 / 1	267	2.0	57 25	266	+ 4.[illegible]	11.8	14				T.C.		
		748 / 5	248	6.0	73 40	245	+ 6.[illegible]	17.0	15				S.H.		
		525 / 3	225	4.0	65 10	224	− 3.2	03.5	16				B.C.		
		415 / 2	215	3.0	63 05	214	+ 3.2	04.0	17				℄ 20 O Rd		
		607 / 4	207	5.0	61 10	206	+ 4.0	04.0	18				N Ed Rd		
		671 / 4	271	5.0	65 10	268	+ 5.4	16.8	19				S.H.		
		465 / 3	165	4.0	73 05	165	+ 2.5	4698.6	20				N Ed. Rd		
		370 / 2	170	3.0	76 15	170	+ 2.3	99.0	21				℄ 20 O Rd		

Add'n'l Inform.

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope.....Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole....P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

F.B. 922 Pg. 16

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp 8245	Temp 8246	380			° ′		° ′		1						
		2	180	32	81.00	180	+ 2.33	4699.4			4694.4				
		802							2						
		5	303	6 0	65.45	299	+ 5.31	4722.6							
		311							3						
		4	131	3 0	90.15	131	+ .00	4695.6							
		311							4						
		2	111	2 0	91.30	111	+ 1.26	94.1							
		212							5						
		1	113	0 3	85.00	113	0.0	9.1							
		214							6						
		1	114	0 5	80.10	113	0.0	92.3							
		328							7						
		5	331	7 0	58.20	325	+ 5.01	4717.2							
		[illegible]							8						
		[illegible]	71	[illegible]	[illegible]	71	0.0	4689.6							
		[illegible]							9						
		1	66	[illegible]	[illegible]	66	[illegible]	90.6							
		264							10						
		2	64	2 1	93.30	64	0.0	92.0							
		487							11						
		2	287	3 0	56.10	285	+ 4.10	4712.2							
		725							12						
		1	25	7 1	45.45	25	0.0	4687.0							
		752							13						
		1	42	7 1	48.10	42	0.0	4687.0							
		865							14						
		1	55	7 1	45.50	55	0.0	4686.5							
		912							15						
		1	245	3 0	61.45	244	+ 4.19	4710.8							
		1516							16						
		3	216	4 0	71.00	215	+ 4.15	4706.3							
		1182							17						
		11	82	11 5	6.45	82	0.0	4682.9							
		1172							18						
		1	72	11 8	302.20	72	0.0	4682.6							
		1068							19						
		10	68	10 0	350.30	68	2.20	4681.7							
		1092							20						
		10	92	10 0	344.50	92	3.07	4679.3							
		997							21						
		9	97	9 0	349.30	97	3.12	4680.1							

Add'l Inform.

Notes Rod. [illegible] Platted J.A.L. Date 6-1-42 Job No. 82-31 Division No. F.B. 222 PG. 17
Date [illegible] Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Jessup Notes A. G. Jones Date 4-27-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left Right
Temp Pl.245	Temp Pl.246	809 / 7	109	8.0	355.50	109	− 2.5	4680.7	1		4694.4		E Ed.	Pd.
									2					
P. 245A	Temp Pl.245							4701.2	3 48		4706.0			
		777 / 7	77	7.0	0.0	76	− 7.25	4690.5	4				Pl. 245 Temp.	
		546 / 5	46	4.9	320.00	46	− 0.0	4701.1	5				Sd	
		844 / 8	44	8.5	1.45	44	− 0.0	4697.5	6				S.H.	
		295 / 2	95	2.0	312.0	95	+ 1.3	4703.3	7				Sp	
		1136 / 10	136	10.0	304.30	135	+ 4.0	055	8				"	
		647 / 5	147	6.0	323.10	147	+ 2.[illegible]	055	9				S.H.	
		309 / 3	9	3.5	36.45	9	− 0.0	025	10				Ss.	
		446 / 4	46	3.3	85.30	46	− 0.0	027	11				S.H.	
		620 / 5	120	5.0	327.00	120	+ 2.20	058	12				"	
		708 / 6	108	6.0	92.10	107	+ 6.25	122	13				"	
		766 / 6	166	4.6	330.40	166	− 0.0	014	14				"	
		1105 / 10	105	13.0	122.00	101	+ 11.0	129	15				Brk.	
		760 / 6	160	7.0	300.30	160	+ 1.3	034	16				T.R.	
		948 / 9	48	9.0	124.15	46	+ 11.5	067	17	+ 0.7		+ 9.7	Brk.	
		978 / 9	78	9.0	150.30	78	− 0.20	4696.6	18				S.H.	
		995 / 8	195	8.0	296.30	195	+ 0.40	4700.1	19				T.R.	
		1035 / 10	35	10.0	193.00	33	− 11.5	4689.0	20				S.H.	
		1048 / 10	48	10.0	270.00	47	− 8.0	894	21				"	

Add'n'l Inform.

F.B. 922 PG. 18

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff...B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences. V.Fns.
Ditch .....Dl.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P. 245A	[illegible]	500			° '		° '		1						
		4 1160	100	4.0	287.30,	99	5.30,	4692.5	2		4706.0		S.H.		
		10 1115	160	14.0	281.45,	160	0.25,	91.3	3				"		
		9 963	215	13.0	[illegible]	215	1.45,	86.6	4				"		
		7 963	263	8.0	279.45,	262	3.32,	81.9	5				"		
		7 915	263	8.0	272.50,	259	7.12,	65.3	6				"		
		7 962	215	8.0	275.25,	212	7.03,	72.0	7				"		
		8 1058	162	9.0	272.20,	158	9.18,	71.2	8				"		
		8 913	258	9.0	263.50,	248	11.00,	48.7	9				"		
		8 1000	113	12.0	265.45,	109	10.15,	74.2	10				"		
		8 1050	200	9.0	257.45,	189	13.12,	52.7	11				"		
		10 661	80	10.0	246.25,	73	16.45,	74.0	12				"		
		5 577	161	7.0	290.30,	144	19.03,	49.3	13				" T.S.		
		5 1037	77	5.0	202.25,	65	23.18,	73.2	14				"		
		9 1087	137	10.0	[illegible]	122	9.04,	53.8	15				T.S.		
		10 629	87	11.0	173.45,	84	10.40,	79.3	16				S.H.		
		5 573	129	6.0	192.45,	116	18.37,	61.0	17				T.S.		
		4 910	173	5.0	194.15,	163	13.48,	60.8	18				Fl.		
		7 635	210	8.0	196.40,	204	9.28,	64.1	19				Brk		
		5 1114	135	5.0	150.45,	134	4.00,	91.6	20				"		
		9 1092	214	10.0	212.45,	206	10.47,	56.9	21				"		
		10	92	12.3	151.30	92	0.0	93.7					S.H.		

Add'n'l Inform.

Notes Red. [illegible] Platted J.A.L. Job No. 8334 Division No. [illegible] F.B. 922 PG. 19
Date [illegible] Date 6-1-42 Survey of [illegible]
Notes Chkd. Checked Survey by Rosecrans Notes [illegible] Date 4-1-42
Date Date Map No. Indexed [illegible]

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 245A	Temp Pk 245	965 / 9	65	9.0	151 10	65	0 0	4697.0	1		4706.5		S.H.		
		978 / 8	178	9.0	220 45	164	13	49.8	2				F.I.		
		734 / 7	34	7.0	151 20	34	0 0	97.0	3				S.H.		
		995 / 8	195	9.0	235 20	180	16	45.3	4				F.I.		
		946 / 7	246	3.0	224 45	236	11 16	50.2	5				"		
		911 / 7	271	5.0	229 25	259	12	41.1	6				Bot.		
		939 / 7	239	8.0	212 45	218	4 30	40.2	7				F.I.		
		1095 / 8	295	9.0	248 20	280	12 11	33.5	8				B.K.		
		1157 / 9	257	10.0	256 40	244	13 31	39.7	9				T.S.		
		914 / 7	214	8.0	261 20	205	12 57	54.6	10				S.H.		
									11						
P 245B	Temp Pk 245								12						
								4683.8	13	4.7	4688.5				
		231 / 1	231	2.0	0 0	231	+ 0 30	91.0	14				Temp Pk 245		
		1116 / 10	116	10.5	27 20	116	0 0	78.0	15				T.F.		
		1131 / 10	131	11.8	27 45	131	0 0	76.7	16				℄ 20 O Rd		
		1141 / 10	141	12.1	27 45	141	0 0	76.4	17				B.C.		
		943 / 2	243	3.0	31 10	242	+ 3 30	4700.8	18				T.R.		
		857 / 7	157	8.0	46 40	156	3 33	4670.2	19				B.C.		
		670 / 4	270	5.0	46 15	269	+ 2 30	95.2	20				T.R.		
		948 / 8	148	9.0	18 35	148	2 47	72.3	21				℄ 20 O Rd		
		938 / 5	138	9.0	51 00	138	2 1	73.1					T.F.		

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash..B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw..H.D. Toe of Slope..T.S.

Intersections of Drawings, V.D's, Bk.S.
Break in Slope....S.S.
Steep Slope....T.Cl.
Top of Cliff....B.Cl.
Bottom of Cliff....T.Sp.
Top of Spur....B.Cn.
Bottom Canyon

Side of Canyon S.Cn.
Top of Bank....T.B.
Bottom of Bank..B.B.
Top of Cut....T.C.
Bottom of Cut..B.C.
Top of Fill....T.F.
Bottom of Fill..B.F.

Saddle....Sa.
Swale....Sw.
Flat....Fl.
Stream....Str.
Trail....Tr.
Pavement....Pvt.
Edge of Road..E.Rd.

Traveled Rd. Tr.Rd.
Fence....Fn.
Int. Fences..V.Fns.
Ditch....Di.
Telephone Pole..T.P.
Power Pole....P.P.
Culvert....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Co.
Sycamore....Sy.
Eucalyptus....Eu.
Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 20

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 245B	Temp P1.245	328 / 1	228	2.0	16.30	228	+ 1.57	2694.2	1		4688.5		Sp.		
		1074 / 7	175	10.0	65.10	174	− 3.24	68.2	2				T.F.		
		426 / 2	226	3.0	56.10	226	− 0.23	84.0	3				Sp.		
		383 / 2	183	3.0	63.15	181	− 5.45	67.2	4				℄ 20	0	Rd.
		791 / 6	191	7.0	61.25	190	− 4.35	66.2	5				B.C.		
		1035 / 8	235	10.4	66.00	235	− 0.0	78.1	6				Sp.		
		733 / 5	233	6.0	71.40	231	− 5.05	61.9	7				B.C.		
		253 / 5	253	6.0	73.40	252	− 2.48	70.3	8				T.C.		
		926 / 7	226	8.0	74.00	225	− 4.33	62.7	9				℄ 20	0	Rd.
		919 / 5	219	5.0	76.25	218	− 4.31	63.2	10				T.F.		
		591 / 3	291	4.0	78.30	289	− 4.13	63.1	11				T.C.		
		1066 / 5	266	9.0	83.40	264	− 4.27	59.1	12				T.F.		
		1074 / 8	274	9.0	80.50	272	− 4.30	58.1	13				℄ 20	0	Rd.
		1080 / 8	280	9.0	78.45	278	− 4.38	57.1	14				B.C.		
		1107 / 5	307	9.0	80.40	305	− 4.45	54.4	15						
		905 / 5	305	7.0	82.40	303	− 4.55	55.6	16				℄ 20	0	Rd.
		503 / 5	303	6.0	85.55	301	− 4.56	56.7	17				T.F.		
		703 / 9	203	10.0	62.00	203	− 1.17	74.0	18				T.C.		
		794 / 5	294	6.0	89.00	290	− 6.31	49.5	19				B.F.		
		884 / 7	184	8.0	56.30	184	− 2.20	73.0	20				T.C.		
		938 / 7	238	8.0	83.45	235	− 6.40	53.1	21				B.F.		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 PG. 21
Date 5-28-42 Date 6-1-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Associates Notes Date 7-1-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P. 2453	Tank Pl. 215	706			° '		° '	'	1						
		5	206	4 8	79 00	206	0 00	4683			4685		S.H.		
		896							2						
		7	196	8 0	78 10	192	2 0	533					B.F.		
		292							3						
		1	193	1 0	49 20	193	0 00	875					S.H.		
		961							4						
		8	161	9 0	71 50	155	10 50	497					S.F.		
		216							5						
		5	158	5 0	40 45	158	0 00	835					T.C.		
		1115							6						
		10	115	11 0	56 40	110	11 40	546					B.F.		
		792							7						
		7	92	7 0	35 15	83	18 30	540					" + Dr.		
		898							8						
		8	98	12 0	6 40	96	7 45	630					"	"	
		902							9						
		8	102	8 0	36 30	88	21 15	463					Dr. 5'		
		1043							10						
		9	143	10 0	51 55	129	18 45	357					5' Dr		
		814							11						
		6	214	7 0	91 55	202	13 30	335					S.H.		
		672							12						
		6	73	6 0	337 00	72	+ 7 00	913					"		
		954							13						
		7	252	8 0	96 40	244	11 30	324					"		
		746							14						
		7	46	7 0	337 00	45	+ 8 00	878					"		
		719							15						
		9	319	6 0	98 15	310	9 50	288					"		
		1087							16						
		8	287	9 0	105 30	272	13 00	152					5' Dr.		
		715							17						
		7	15	7 0	185 00	15	0 00	815					Sp.		
		846							18						
		6	246	7 0	114 15	236	11 50	323					S.H.		
		1055							19						
		10	55	12 7	213 50	55	0 00	758					Dr.		
		1000							20						
		8	200	9 0	114 20	188	13 45	332					S.H.		
		1000							21						
		10	90	10 0	189 40	90	3 41	728					Sp.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ....Fn. Int. Fences V.Fns. Ditch ....Di. Telephone Pole T.P. Power Pole...P.P. Culvert ....Cul.

Saddle ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank B.B. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.F. Bottom of Fill B.F.

Inters. of Draws V.D's Break in Slope...Bk.S. Steep Slope....S.S. Top of Cliff....T.Cl. Bottom of Cliff B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 Pg. 22

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 245B	Emp. 21245	976 / 8	176	9.0	114.05	165	−4.20	4637.3	1		4688.5		S.H.		
		1123 / 10	123	11.0	179.30	123	−2.10	72.8	2				"		
		1024 / 8	224	9.0	102.15	208	−15.10	23.0	3				6' Dr.		
		1157 / 10	187	11.0	101.25	172	−16.31	26.7	4				V Drs.		
		1053 / 9	153	10.0	165.15	153	−2.00	73.3	5				S.H.		
		1152 / 10	152	11.0	112.35	139	−17.08	34.8	6				Dr.		
		1090 / 9	190	10.0	162.25	190	−0.55	75.5	7				T. Brk.		
		1142 / 10	142	11.0	190.00	129	−7.39	36.5	8				Sp.		
		566 / 4	166	4.7	177.20	166	−0.0	83.8	9				T. Brk		
		1092 / 10	92	10.0	99.55	83	−18.00	51.4	10				Sp.		
		686 / 6	86	7.0	82.50	75	−21.07	52.7	11				S.H.		
		564 / 4	166	5.0	191.15	164	+2.25	90.3	12				T. Brk		
		849 / 8	49	8.0	25.20	45	−15.24	67.9	13				S.H.		
		1045 / 10	45	10.0	93.55	41	−15.26	67.0	14				"		
		1147 / 11	47	11.0	120.20	45	−12.23	67.8	15				Sp.		
		682 / 5	182	6.0	211.25	181	+4.41	97.3	16				T. Brk.		
		1075 / 10	75	13.0	129.10	70	−14.20	57.5	17				S.H.		
		1164 / 11	64	11.0	148.55	60	−14.18	62.2	18				"		
		1148 / 10	148	11.0	218.45	146	+5.52	92.3	19				Dr.		
		1192 / 11	92	11.0	163.10	87	−13.17	56.9	20				"		
		908 / 8	108	8.0	219.50	108	+3.43	97.4	21				S.H.		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 PG. 23
Date 5-28-42 Date 6-1-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes K. Date 4-21-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P	Temp	1023													
2438	Pt. 245	9	123	10 0	154 40	119	− 10 0	4657 1			4688 5		S.H.		
		803													
		7	163	8 0	101 10	158	− 10 0	525					"		
		282	83	12 0	257 45	81	+ 9 [illegible]	899					Dr.		
		223													
		11	123	18 0	135 00	116	− 12 14	430					"		
		550													
		5	50	5 0	261 40	49	+ 7 10	899					S.H.		
		586													
		4	186	5 0	128 45	179	− 11 23	486					"		
		853													
		8	53	8 0	303 45	48	+ 12 12	963					Sp.		
		743													
		5	743	6 0	121 30	226	− 10 55	402					S.H.		
		988													
		9	88	9 0	304 25	79	+ 13 17	4705 9					"		
		495													
		2	295	3 0	121 40	287	− 7 10	4638 8					"		
		1095													
		10	95	10 0	286 10	88	+ 15 45	4723 3					"		
		448													
		2	248	3 0	129 35	244	− 7 10	4652 8					Brk		
		808													
		6	208	7 0	138 00	206	− 5 50	60 1					"		
		1129													
		10	129	10 0	268 20	125	+ 9 37	998					48. Dr.		
		986													
		8	186	9 0	150 55	185	− 9 07	662					S.H.		
		944													
		8	144	9 0	162 25	143	− 7 22	681					Dr.		
		1008													
		9	108	10 0	171 15	106	− 8 12	633					"		
		1044													
		9	144	10 0	255 50	139	+ 10 45	4704 8					S.H.		
		869													
		8	69	8 0	131 20	66	− 12 15	4666 2					Dr.		
		1135													
		11	35	11 0	179 10	35	− 4 [illegible]	746					S.H.		

Add'n'l inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Co. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences. V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Sa. .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank. B.B. Top of Cut....T.C. Bottom of Cut..B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank. B.B. Top of Cut....T.C. Bottom of Cut..B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Intern. of Drawn. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Intern. of Drawn. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

F.B. 922 PG. 24

Topography Description Legend:
Side Hill.....S.H. Bottom Draw B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.1 242	P.1 243				° ′		° ′		1						
				—	° ′		° ′	4712 5	5 0	—	4717 5	—			
		10 41 / 10	41	10 0	112 00	41	5 40	03 4	2	—	—	—	S.H.		
		10 74 / 10	74	10 0	98 15	74	2 23	04 5	3	—	—	—	"		
		11 02 / 10	102	11 0	102 00	101	5 39	4696 6	4	—	—	—	"		
		12 10 / 11	110	12 0	115 00	105	12 00	83 2	5	—	—	—	"		
		11 39 / 10	139	14 0	119 05	132	13 12	72 7	6	—	—	—	Dr		
		7 99 / 6	199	7 0	115 20	192	10 37	74 7	7	—	—	—	S.H.		
		6 71 / 5	171	6 0	123 30	165	10 49	80 3	8	—	—	—	"		
		10 34 / 9	134	10 0	135 00	130	10 12	84 2	9	—	—	—	Brk		
		10 65 / 9	165	10 0	140 30	162	8 05	84 6	10	—	—	—	Fl.		
		6 58 / 5	158	6 0	159 30	155	7 09	92 0	11	—	—	—	T.S.		
		8 22 / 7	122	8 0	157 05	118	10 18	88 2	12	—	—	—	Brk		
		11 06 / 10	106	11 0	138 10	97	17 00	77 0	13	—	—	—	Dr.		
		10 74 / 10	74	10 0	124 15	70	13 03	91 3	14	—	—	—	S.H.		
		9 52 / 9	52	9 0	158 10	50	12 36	97 5	15	—	—	—	"		
		1 80 / 1	80	1 7	61 40	80	0 0	4715 8	16	—	—	—	T.R.		
		6 77 / 6	77	6 2	27 15	77	0 0	11 3	17	—	—	—	T.R.		
		9 93 / 9	93	9 4	7 10	93	0 0	08 1	18	—	—	—	B.F.		
		6 90 / 6	90	6 1	2 50	90	0 0	11 4	19	—	—	—	N edge Rd.		
		9 84 / 9	84	9 0	352 15	84	+ 1 05	10 1	20	—	—	—	L 20 O. Rd.		
		10 79 / 10	79	10 0	345 00	79	+ 1 17	09 3	21	—	—	—	S Ed. Rd.		

Add'n'l Inform.

Notes Red. [illegible] Platted J.A.L. Job No. 4334 Division No. F.B. 922 PG. 25
Date 5-29-42 Date 6-1-42 Survey of Poor Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R. Date 4-27-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Pl 247	Pl 243	643							1						
		6	43	6 0	332 00	43	+ 1 45	4712 9			4717 5		S Ed. Rd		
		536							2						
		5	36	5 0	342 45	36	+ 2 13	139					℄ 20 0 Rd		
		330							3						
		3	30	3 0	12 00	30	+ 2 31	152					N. Ed. Rd.		
		319							4						
		2	19	2 8	19 30	19	— 0 0	147					B.F.		
		331							5						
		2	31	3 2	27 20	31	— 0 0	143					"		
		327							6						
		2	32	2 0	244 00	32	+ 7 00	194					Fatha Rd		
		438							7						
		4	38	1 0	265 10	37	+ 6 32	179					℄ 20 0 Rd		
		696							8						
		6	46	6 0	277 00	45	+ 6 14	164					S. Ed. Rd		
		829							9						
		8	27	8 2	183 10	27	— 0 0	093					S.L.		
		691							10						
		6	91	6 0	224 10	90	+ 5 32	203					B.C.		
		481							11						
		4	81	4 0	251 30	86	+ 5 05	212					℄ 20 0 Rd		
		788							12						
		7	88	7 0	241 30	87	+ 7 22	217					E Ed Rd		
		1167							13						
		11	67	11 0	210 00	67	— 3 33	027					S.L.		
		537							14						
		4	137	4 0	244 00	136	+ 4 40	248					E Ed Rd		
		147							15						
		3	147	4 0	249 05	146	+ 4 32	250					℄ 20 0 Rd		
		841							16						
		7	141	7 0	255 00	140	+ 5 [illegible]	232					B.C.		
		1195							17						
		11	95	11 0	175 00	86	— 8 [illegible]	4682 5					Dr.		
	+	587							18						
		4	187	5 0	250 25	186	+ 4 11	4726 4					B.C.		
		988							19						
		8	188	9 0	246 50	186	+ 5 32	275					℄ 20 0 Rd		
		681							20						
		6	181	6 0	243 20	180	+ 5 05	275					E Ed Rd		
		1203							21						
		11	103	16 0	196 45	101	— 8 40	4686 2					Dr.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Sa. ..... Sw. Swale ..... Sl. Flat ..... Fl. Stream ..... Str. Trail ..... Trl. Pavement ..... Pvt. Edge of Road E.Rd.

Saddle ..... Sd. Swale ..... Sl. Flat ..... Fl. Stream ..... Str. Trail ..... Trl. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draws V.D's In Slope Bk.S. Break Slope S.S. Steep Slope T.Cl. Top of Cliff B.Cl. Bottom of Cliff T.Sp. Top of Spur B.Cn. Bottom Canyon

Topography Description Legend: Side Hill Bottom Draw B.D. Draw S.H. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope T.S.

F.B. 922 PG. 26

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.1. 242	P.1. 243	345			° '		° '		1						
		4	45	5 0	188 10	144	− 5 25	4698 4			4717 5		S.H.		
		733							2						
		5	233	6 0	241 30	231	+ 4 49	4731 0					E Ed Rd		
		1034							3						
		8	233	7 0	244 50	231	+ 5 27	305					E 20		
		832							4						
		6		7 0	246 30	231	+ 4 51	301					B.C.		
		558	111	5 0	203 10	188	− 2 43	037	5				S.H.		
		4							6						
		221													
		1	235	2 0	249 30	232	+ 6 27	424	7				T.C.		
		597													
		4	197	5 0	251 30	194	+ 6 47	356	8				"		
		215													
		1	141	2 0	255 30	147	+ 5 30	295	9				"		
		610													
		5	110	5 0	259 30	107	+ 5 45	290	10				"		
		52													
		1	82	1 0	263 15	80	+ 7 43	274	11				"		
		725													
		6	135	6 0	272 15	129	+ 11 48	386	12				Sp.		
		572													
		4	172	5 0	271 20	164	+ 12 00	474	13				S.H.		
		877													
		7	177	8 0	262 35	171	+ 10 44	412	14				"		
		600													
		4	200	5 0	268 45	191	+ 12 04	533	15				"		
		1079													
		8	249	9 0	258 30	238	+ 11 57	589	16				"		
		297													
		2	97	1 8	60 58	97	− 0 0	4715 7	17				N.4° W. P #242A 2+1x3		
					° '		° '								
P 242A	P.1. 242				° '		° '	4715 7	18 51		4720 8				
		597			° '		° '		19						
		8	97	8 2	0 0	97	− 0 0	126					P.1. 242		
		632							20						
		6	32	6 3	115 15	32	− 0 0	145					T.R.		
		1163							21						
		11	63	11 5	96 25	63	− 0 0	093					S.H.		

Add'n'l Inform.

Notes Red. Date 1-2-42 Platted J.A.L. Date 6-2-42 Job No. 5334 Division No. Survey of Year Blossom Hwy Survey by Notes Checked Date Map No. Indexed Date Notes Chkd. Checked Date Date Date

F.B. 922 PG. 27

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
P. 242A	Pl. 242	846 / 8	46	7.5	234.15	46	0.0	4713.3	1	4720.8			Brk
		1082 / 10	82	10.0	118.20	82	2.5	06.7	2				S.H.
		952 / 9	52	9.0	280.15	52	5.3	06.9	3				"
		629 / 6	29	6.2	282.45	29	0.0	14.6	4				Brk.
		1190 / 11	90	12.0	148.15	90	3.10	04.0	5				S.H.
		1075 / 10	75	10.0	172.45	75	3.15	06.8	6				Brk
		995 / 9	95	9.7	223.40	95	0.0	11.1	7				"
		945 / 9	45	9.4	162.30	45	0.0	11.4	8				T.R.
		910 / 8	110	9.0	234.15	109	5.3	01.3	9				S.H.
		894 / 8	94	8.0	195.25	94	3.5	06.7	10				S.H.
		1127 / 10	127	11.0	210.50	127	1.3	06.7	11				"
		1115 / 10	115	11.0	193.30	115	2.57	04.1	12				"
		1166 / 10	166	11.0	200.25	165	3.21	00.2	13				"
		1115 / 10	115	11.0	172.00	114	4.37	00.0	14				"
		888 / 7	188	8.0	166.45	186	6.11	4692.8	15				Brk.
		1194 / 11	94	12.0	184.15	94	2.12	4705.3	16				S.H.
		729 / 7	29	7.1	198.30	29	0.0	13.7	17				Brk.
									18				
Temp Pl. 240	Pl. 242							4730.5	19	52	4735.7		
		735 / 7	35	7.4	0.0	35	0.0	4728.3	20				4 in P# 240A Set 1x2
									21				

Add'n'l Inform.

F.B. 922 PG. 28

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash.B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Flr-Fr. Pine-Pl. Cedar-Ce. Sycamore .....Sy. Eucalyptus ....Eu. Plus combinations of those and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 40A	P.I. 242				° '		° '								
				—	° '		° '	4728.3	1 5.0	—	4733.3	—			
		335							2						
		3	35	2.8	0.0	35	0.0	30.5	3				Temp PI 2.0		
		420													
		3	120	3.2	247.10	103	+ 21.45	71.7	4				T.R.		
		601													
		5	101	5.0	232.40	85	+ 23.06	62.9	5				Dr.		
		932													
		8	133	8.0	235.00	115	+ 21.20	70.7	6				T.R.		
		307													
		2	107	2.0	223.10	95	+ 19.10	64.9	7				D.		
		830													
		7	120	8.0	212.45	113	+ 20.49	68.6	8				T. Sp.		
		383													
		3	83	3.2	158.20	77	- 10.55	09.7	9				S.S.		
		241													
		10	41	10.0	148.00	36	- 19.45	10.4	10				"		
		1087													
		10	87	10.0	167.30	75	- 22.06	46.93.3	11				E.D.		
		1021													
		9	121	10.0	140.00	110	- 17.50	88.2	12				"		
		1022													
		9	123	10.0	164.40	120	- 7.24	47.03.3	13				S.H.		
		322													
		2	[illegible]	2.0	189.30	121	+ 5.52	43.8	14				T.C.		
		1152													
		10	153	11.0	174.45	152	- 4.26	10.7	15				S.H.		
		962													
		8	162	9.0	191.35	162	- 2.33	17.2	16				"		
		378													
		3	78	3.0	191.50	75	+ 12.03	46.3	17				T.C.		
		677													
		5	171	6.0	107.40	177	- 0.31	25.5	18				S.H.		
		1080													
		9	180	9.6	129.15	180	- 0.0	23.7	19				Dr.		
		902													
		7	202	8.0	135.30	202	+ 2.17	33.3	20				T. Sp.		
		649													
		5	149	6.0	134.10	149	- 2.37	20.7	21				T. Sp.		
		324													
		3	34	3.5	198.30	34	- 0.0	29.8					B.C.		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 PG. 29
Date 1-7-42 Date 6-2-42 Survey of Rear Blossom Hwy
Notes Chkd. Checked Survey by Lassenia Notes K Date 4-27-46
Date Date Map No. Indexed R. C. Job Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
P. 240A	P.1. 242	332 / 3	32	31	157.25	32	0.0	4730.2	1		4733.3		℄ 16 0 Rd.
		282 / 2	82	20	171.15	82	+ 1.45	33.9	2				E E Rd
		183 / 1	83	00	178.30	83	0.0	33.3	3				℄ 18 0 Rd.
		183 / 1	83	05	183.35	83	0.0	32.8	4				B.C.
		1038 / 7	138	[illegible]	119.00	138	3.16	15.6	5				B.D.
		719 / 6	119	10	91.30	117	7.30	11.0	6				S.H.
		508 / 4	108	50	70.00	101	14.77	02.3	7				"
		1078 / 10	78	100	104.00	69	17.54	4698.3	8				V Ds
		1043 / 10	43	100	117.45	40	15.77	4712.2	9				S.S.
		1186 / 11	86	110	158.50	86	0.5	20.5	10				"
		1110 / 10	110	110	143.30	108	7.2	08.5	11				B.D.
		1700 / 1034	161	110	148.00	160	[illegible]	13.2	12				"
		7112 / 5	212	60	150.00	211	[illegible]	16.9	13				"
		232 / 1	132	10	180.45	132	+ 1.5	35.8	14				B.C.
		230 / 1	130	10	177.30	130	+ 1.47	36.3	15				℄ 18 0 Rd
		533 / 4	133	40	177.30	133	+ [illegible]	36.6	16				E. E. Rd.
		943 / 8	143	90	158.40	143	2.47	17.4	17				S.H.
		979 / 8	179	90	163.50	179	+ 0.30	26.1	18				"
									19				
Temp P.1.239	Temp P.1.240							4738.9	20 / 51		4744.0		
		746 / 7	46	75	161.20	46	0.0	36.5	21				BF

Add'n'l Inform.

F.B. 922 PG. 30

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	367			° '		° '		1						
P.I. ~~239~~	P.I. ~~241~~	3	67	3 0	320 00	65	− 10 09	472.35			4.74 40		S.H.		
239	240	699							2						
		6	99	6 0	118 10	96	− 10 16	20 6					Dr		
		508							3						
		5	8	5 2	92 00	8	0 0	38 8					E.E. Rd		
		505							4						
		5	5	5 2	271 30	5	0 0	38 8					1 15 0	Rd	
		513							5						
		5	13	5 5	272 00	13	0 0	38 5					B.C.		
		1027							6						
		9	127	11 7	110 45	127	0 0	32 3					S.H.		
		237							7						
		2	51	2 5	271 00	51	0 0	41 5					B.C.		
		249							8						
		2	49	2 2	192 45	49	0 0	41 8					1 19 0	Rd	
		251							9						
		2	51	2 1	174 40	51	0 0	41 8					E E Rd		
		347							10						
		1	147	1 0	96 45	147	+ 0 58	45 2					T Sp		
		206							11						
		2	106	2 0	153 15	106	+ 1 24	44 5					E.E Rd.		
		209							12						
		1	109	1 0	188 50	109	+ 0 57	44 8					1 19 0	Rd.	
		213							13						
		1	113	1 0	193 30	113	+ 1 15	45 4					T.F.		
		199							14						
		1	99	1 0	197 00	99	+ 0 57	44 5					end cut Ex	Fill	
		173							15						
		1	73	1 0	209 29	71	+ 8 18	53 3					T.C.		
		556							16						
		4	156	5 0	115 30	155	+ 4 04	49 8					S.H.		
		139							17						
		1	39	1 0	226 45	36	+ 15 15	52 9					T.C.		
		383							18						
		2	183	3 0	108 15	180	+ 7 28	64 5					T Sp		
		226							19						
		2	26	2 0	305 25	25	+ 12 05	47 2					T.C.		
		317				208		85 0	20						
		1	117	2 0	117 00	112	+ 11 41	~~65 0~~		+ 41 0		+ 43 0	T Sp		
		860							21						
		8	60	8 0	309 40	52	+ 21 08	56 2					S.H.		

Add'n'l Inform.

Notes Red. F.S.T. Platted J.A.L. Job No. 8221 Division No. F.B. 922 PG. 31
Date 6-3-42 Date 6-3-42 Survey of Near Blossom Hwy
Notes Chkd. Checked Survey by Prescott Notes Date
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	261			✓				1						
P. ~~274~~ 239	P. ~~211~~ 240	5	261	6 0	[illegible]	243	+ 14.39	410 3			4744 0		Pt. of Sp.		
		536			✓				2						
		3	236	4 0	128.20	224	+ 13.00	479 2 0					T. Sp.		
		618			✓				3						
		4	218	5 0	122.50	208	+ 12.10	842					S.H.		
		904			✓				4						
		8	102	8 0	311.10	91	+ 20.17	67					"		
		618			✓				5						
		5	118	6 0	284.00	101	+ 21.55	78 8					T.P.		
		283			✓				6						
		4	93	2 0	283.10	71	+ 22.00	70 7					S.H.		
		286			✓				7						
		1	180	2 0	191.10	183	+ 6.50	64 2					"		
		413			✓				8						
		2	253	3 0	136.30	207	+ 9.50	76 9					T.Sp.		
		396			✓				9						
		0	76	1 0	298.50	75	+ 2.15	73 0					" "		
		610			✓				10						
		3	190	6 0	146.30	187	+ 7.00	61 4					" "		
		603			✓				11						
		6	93	6 0	230.50	83	+ 18.27	66 0					"		
		267			✓				12						
		2	67	2 0	230.00	60	+ 19.26	62 7					S.H.		
		148			✓				13						
		1	48	1 0	249.30	42	+ 20.20	58 5					"		
		247			✓				14						
		2	47	2 0	253.15	41	+ 20.00	56 7					"		
		368			✓				15						
		2	166	3 0	136.20	167	+ 4.59	52 9					"		
		860			✓				16						
		7	160	3 0	123.10	159	+ 4.00	48 2					"		
		229			✓				17						
		1	129	2 0	127.10	128	− 2.10	33 2					T.S.		
		1003			✓				18						
		3	108	9 0	193.50	107	− 5.30	24 1					B.D.		
		924			✓				19						
		8	124	9 0	155.30	124	− 2.40	29 0					"		
		1013			✓				20						
		9	113	10 0	172.50	113	− 0.29	33 2					B.F.		
		1154			✓				21						
		10	154	11 0	162.00	154	+ 0.31	34 5					B.D.		

Add'n'l Inform.

F.B. 922 PG. 32

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr. Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	577			° ′		° ′		1						
P.I. ~~240~~	P.I. ~~241~~	5	77	4	171.45	77	0.0	4740			4744		B.F.		
239	240	500							2						
		7	193	8	189.45	193	+ 2.27	442					B.D.		
		337							3						
		8	37	1	137.30	37	0.0	359					B.F.		
		7							4						
		1	161	2	150.15	161	+ 2.09	478					S.H.		
		446							5						
		3	146	3	149.30	146	0.0	401					"		
		425							6						
		4	25	4	106.10	21	22.00	314					B.F.		
		447							7						
		6	142	6	136.15	142	5.0	376					S.H.		
		996							8						
		9	96	9	149.15	96	4.00	285					T.S.		
		520							9						
		1	137	2	181.00	137	+ 3.09	46					T.F.		
		242							10						
		1	142	2	183.50	142	+ 1.53	465					℄ 20	0	Rd.
		246							11						
		1	146	2	159.40	146	+ 2.29	473					end	F.H.	
		776							12						
		6	126	7	197.45	126	+ 1.25	402					B.F.		
		786							13						
		7	186	9	180.00	186	+ 0.93	495					S.E.	Rd	
		379							14						
		2	174	3	176.10	174	+ 2.30	484					℄ 20	0	Rd.
		470							15						
		3	170	3	172.15	170	+ 2.23	473					T.F.		
		655							16						
		5	155	6	196.00	154	+ 4.00	487					S.H.		
		314							17						
		5	214	6	162.15	214	+ 2.29	472					N. end	1	Cul.
		214							18						
		2	214	3	163.10	214	+ 2.27	500					N.E.		
		729							19						
		5	229	6	164.20	228	+ 3.29	511					℄ 20	0	Rd.
		431							20						
		2	231	3	168.00	230	+ 2.47	517					S.E.		
		303							21						
		1	203	2	152.30	203	+ 2.15	498					T.S.		

Add'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8321 Division No. F.B. 922 PG. 33
Date 6-3-42 Date 6-3-42 Survey of Parcel Map Notes Date 4-17-42
Notes Chkd. Checked Survey by Frederick Notes
Date Date Map No. Indexed J. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	396			✓ ° '				1						
~~H.I. 4744~~	~~H.I. 4744~~	4	196	5.0	187 45	195	+ 4.1	4754.8			4744.0		T-Sp.		
239	240	390							2						
		1	190	2.5	194 30	189	+ 1.0	552					"		
		5	198	5.0	190 30	196	+ 5.2	566	3						
		7	232	8.0	188 40	231	+ 3.0	481	4				"		
		925													
		7	225	3.0	177 30	224	+ 3.0	490	5				B.D.		
		9			✓										
		971	229	11.0	183 35	228	+ 4.0	492	6				" + T.S.		
		1162													
		9	267	10.0	177 00	266	+ 4.0	523	7				S.I.		
		812													
		5	312	6.0	177 40	311	+ 3.3	574	8				S.I.		
		1170													
		7	270	10.0	189 30	269	+ 4.0	334	9				S.I.		
		790													
		5	290	6.0	182 45	289	+ 3.3	555	10				S.I.		
		611													
		3	311	7.0	189 15	309	+ 4.0	583	11				"		
		935													
		6	335	7.0	183 45	333	+ 4.0	601	12				"		
		943													
		6	345	7.0	189 00	343	+ 4.1	621	13				"		
		767													
		4	362	6.0	176 40	360	+ 4.0	645	14				"		
		877													
		3	377	7.0	181 25	375	+ 4.0	655	15				"		
		1116													
		8	316	10.0	183 15	314	+ 4.3	587	16				"		
		885													
		5	385	7.0	176 50	382	+ 4.4	692	17				"		
		1444													
		10	144	1.0	206 30	142	+ 0.3	433	18				B.D.		
		770													
		4	370	6.0	169 30	368	+ 4.2	665	19				S.I.		
		664													
		3	364	5.0	164 00	362	+ 4.1	655	20				"		
		1211													
		11	111	1.0	212 00	108	+ 9.3	482	21				S.H.		

Add'n'l Inform.

Topography Description Legend: Side Hill...S.H. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope...T.S.

Inters. of Draws V.D's Break in Slope...Bk.S. Steep Slope...S.S. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom Canyon...B.Cn.

Side of Canyon S.Cn. Bank...T.B. Bottom of Bank...B.B. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.F. Bottom of Fill...B.F.

Saddle...Sa. Swale...Sw. Flat...Fl. Stream...Str. Trail...Tr. Pavement...Pvt. Edge of Road...E.Rd.

Traveled Rd. Tr.Rd. Fence...Fn. Int. Fences...V.Fns. Ditch...Di. Telephone Pole T.P. Power Pole...P.P. Culvert...Cul.

Oak-O. Pine-Pi. Sycamore Eucalyptus...Eu. Plus combinations of these and all common standard abbreviations. Fir-Fr. Cedar-Ce. Sy.

F.B. 922 Pg. 34

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′								
Temp P.1.237	Temp P.1.238				° ′		° ′	4758.2	51		4763.3				
		672 6	72	6°	273 38	70	+ 9.19	4768.8		+ 55		+ 11.5	P. #237A 4.42	S.W.	
P 237A	Temp P.1.237				° ′		° ′	4712.8	15		4717.6				
		1170 11	70	12°	0.0	70	2.44	583		153		3.3	Temp. P.1.23		
		1174 10	174	11°	295.45	173	3.55	505					W end		
		824 7	124	7°	334.15	127	0.0	761					S.H.		
		1034 9	134	10°	306.20	134	2.57	546					T.C.		
		850 7	150	8°	341.20	149	+ 4.23	769					Tel. Po		
		1033 9	133	10°	305.05	132	4.56	521					S.C.		
		958 6	155	6°	327.50	155	+ 2.45	749					S.H.		
		1122 10	123	11°	297.45	122	4.02	529					℄ 21.0		
		1118 10	112	11°	294.05	111	4.08	525					S. F.		
		682 5	18	6°	319.20	182	+ 1.58	736					S.H.		
		1172 11	73	11°	293.10	72	4.37	568					S.E.R.		
		1086 10	86	10°	323.20	85	4.57	562					℄ 20.0		R.
		998 10	98	11°	327.05	97	4.26	551					B.C.		
		903 8	103	8°	328.00	103	3.45	589					T.C.		
		952 8	155	9°	314.00	155	0.0	646					S.H.		
		1105 10	100	10°	355.45	100	1.40	607					T.C.		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8324 Division No. F.B. 922 PG. 35
Date 1-17-42 Date 6-3-42 Survey of Rear Blossom Hwy.
Notes Chkd. Checked Survey by Fazeer 3115 Notes K Date 4-21-42
Date Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station Left Right
237A P.	Temp PL 222	1 88			° ′ ″		° ′ ″		1				
		10	188	14°	305 05	188	− 0 12	4161 0			4773 6		Tel. Po + S.H.
		11 21							2				
		9	221	10°	305 45	221	− 1 15	58 8					Sp.
		1096							3				
		10	96	10°	0 0	95	− 1 03	56 7					B.C.
		1033							4				
		10	83	10°	2 10	83	− 3 [illegible]	58 1					L 20 O Rd
		1069							5				
		10	69	10°	6 55	69	− 4 0	58 7					S S. Rd
		698							6				
		5	198	6°	316 15	198	+ 1 10	71 2					S.H.
		1200							7				
		11	106	12°	34 45	106	− 0 50	57 0					Wand fill
		1216							8				
		11	116	12°	78 55	116	− 1 [illegible]	59 2					L 20 O. Rd.
		1125							9				
		10	125	11°	24 30	125	− 2 07	58 0					B.C.
		1129							10				
		10	129	11 7	23 20	129	− 0 00	61 9					T.C.
		526							11				
		3	226	4°	322 10	225	+ 3 57	85 0					T.Sp.
		503							12				
		3	203	4°	325 40	202	+ 3 [illegible]	83 1					S.H.
		381							13				
		2	181	3°	322 10	180	+ 5 00	86 2					"
		1174							14				
		10	174	11 5	35 50	174	− 0 00	62 1					T.C.
		1170							15				
		10	170	11°	37 00	170	− 1 [illegible]	61 3					B.C.
		1065							16				
		9	165	10°	41 05	165	− 1 [illegible]	59 6 ~~62~~		14°		4°	L 20 O Rd
		1058							17				
		9	158	10°	45 40	158	− 1 [illegible]	60 2					T.F.
		1058							18				
		9	158	15°	47 45	158	− 0 25	57 4					B.F.
		659							19				
		1	259	5°	331 25	253	+ 8 [illegible]	48058					T.P.
		56							20				
		3	263	4°	348 50	256	+ 9 18	10 5					"
		614							21				
		4	214	5°	349 35	209	+ 8 [illegible]	008					S.H.

Add'n'l Inform.

Traveled Rd. Tr. Rd. | Fence ....Fn. | Int. Fences. V.Fns. | Ditch ....Di. | Telephone Pole T.P. | Power Pole....P.P. | Culvert ....Cul.

Saddle ....Sa. | Swale ....Sw. | Flat ....Fl. | Stream ....Str. | Trail ....Tr. | Pavement ....Pvt. | Edge of Road E.Rd.

Side of Canyon S.Cn. | Top of Bank....T.B. | Bottom of Bank. B.B. | Top of Cut....T.C. | Bottom of Cut....B.C. | Top of Fill....T.F. | Bottom of Fill. B.F.

Inters. of Draws. V.D's | Break in Slope..Bk.S. | Steep Slope....S.S. | Top of Cliff....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur....T.Sp. | Bottom Canyon..B.Cn.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ....Sy. | Eucalyptus ....Eu. | Plus combinations of these and all common standard abbreviations.

F.B. 022 PG. 30

Topography Description Legend:
Side Hill....S.H. | Bottom Draw. B.D. | Side of Draw. S.D. | Bottom Wash B.W. | Side of Ridge. S.R. | Top of Ridge. T.R. | Head of Draw H.D. | Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P 237A	Temp P.237	1158 / 11	58	12.6	315.40	58	0.0	4761.0	1		4773.0				
		1200 / 872	328	10.0	42.45	327	+ 2.48	79.2	2						
		840 / 8	40	8.1	267.40	40	0.0	65.5	3						
		510 / 5	10	5.8	285.30	10	0.0	67.8	4						
		927 / 8	127	9.0	105.30	122	+ 11.04	88.3	5						
		437 / 4	37	4.0	166.30	36	+ 7.06	74.1	6						
		262 / 1	162	2.0	105.15	156	+ 0.42	4801.0	7						
		658 / 6	58	6.0	211.25	58	+ 4.19	4771.9	8						
		840 / 7	140	7.0	96.20	136	+ 9.10	88.5	9						
		1182 / 11	82	11.0	225.10	82	+ 4.09	68.4	10						
		922 / 8	122	12.0	83.40	121	+ 5.22	73.0	11						
		1226 / 11	126	11.0	311.40	125	+ 3.50	70.9	12						
		793 / 7	93	7.0	195.20	92	+ 6.00	76.2	13						
		888 / 8	88	8.0	172.30	86	+ 9.16	79.7	14						
		890 / 8	90	7.0	149.40	87	+ 10.21	82.4	15						
									16						
Temp P.1.135A	Temp P.1.237							4757.7	17	5.1	4762.8				
		372 / 2	172	3.0	0.0		0.0	59.8	18				P.1.3[illegible]		
									19						
P. 135B	Temp P.1.237							4759.8	20	5.1	4764.9				
		772 / 6	172	7.2	180.00		0.0	57.7	21				Temp P.1.135A		

Add'n'l Inform.

F.B. 922 PG. 38

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P. 237A	Temp. P.1.237	403 / 2	203	30	338.40	199	+ 7.42	4797	1	—	4773.6	—	S.H.		
		1082 / 10	82	105	39.45	82	— 0.0	62	2	—	—	—	S.I.		
	?	276 / 1	176	20	34.30	174	+ 5.25	88	3	—	—	—	S.H.		
		875 / 8	75	72	57.10	75	— 0.0	65	4	—	—	—	S.I.		
		434 / 3	134	47	1.45	134	— 0.0	68	5	—	—	—	S.H.		
		1086 / 10	86	100	81.40	86	+ 2.55	67	6	—	—	—	T.S.		
		472 / 3	172	40	355.40	170	+ 5.17	85	7	—	—	—	S.H.		
		1090 / 10	90	100	105.00	88	+ 7.17	75	8	—	—	—	T.S.		
		569 / 4	169	50	10.15	168	+ 4.03	80	9	—	—	—	S.H.		
		1004 / 9	104	90	121.10	102	+ 8.18	80	10	—	—	—	T.S.		
		358 / 2	158	26	19.10	158	— 0.0	71	11	—	—	—	S.H.		
		985 / 9	85	90	130.00	83	+ 9.36	78	12	—	—	—	D.		
		685 / 5	185	60	20.10	184	+ 4.13	81	13	—	—	—	S.H.	Tel. Po	
		750 / 7	50	70	117.05	48	+ 10.17	75	14	—	—	—	S.H.		
		984 / 8	184	90	29.00	184	+ 2.05	6[illegible]	15	—	—	—	"		
		638 / 6	38	60	66.15	38	— 3.[illegible]	69	16	—	—	—	S.I.		
		420 / 2	220	30	28.00	219	+ 3.24	8[illegible]	17	—	—	—	S.H.		
		960 / 9	60	94	27.10	60	— 0.0	64	18	—	—	—	S.I.		
		743 / 5	243	60	35.10	242	+ 3.24	81	19	—	—	—	S.H.		
		1053 / 10	53	100	349.10	53	— 2.53	61	20	—	—	—	S.I.		
		1073 / 8	273	90	41.10	272	+ 2.45	77	21	—	—	—	S.H.	+ Tel. Po.	

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 PG. 37
Date 6-2-42 Date 6-3-42 Survey of Rear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R Date 4-27-42
Date Date Map No. Indexed C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P. 135B	Temp. Pl. 237	748 / 5	248	4.5	343°15'	248	0°0'	4760.4	1		4764.9		T.S.		
		1003 / 8	203	7.8	357°00'	203	0°0'	57.1	2				B.F.		
		1096 / 9	196	12.2	334°05'	196	0°0'	52.7	3				T.S.		
		802 / 6	202	5.0	358°55'	202	0°0'	59.9	4				S. E. Rd.		
		701 / 5	201	5.3	2°00'	201	0°0'	59.4	5				℄ 20		Rd
		700 / 5	200	6.1	5°40'	200	0°0'	58.5	6				B.C.		
		981 / 8	181	9.0	342°55'	181	1°08'	52.3	7				S.W.		
		1073 / 9	173	9.1	355°40'	173	0°0'	55.5	8				B.F.		
		1103 / 9	203	10.0	6°50'	203	+ 2°01'	62.0	9				T.C.		
		1118 / 10	118	10.2	352°25'	118	0°0'	54.7	10				B.F.		
		237 / 1	137	1.0	10°45'	137	+ 0°49'	65.6	11				T.C.		
		930 / 8	139	9.0	335°25'	139	2°32'	49.8	12				T.S.		
		636 / 5	136	5.8	8°10'	136	0°0'	59.1	13				B.C.		
		634 / 5	134	5.2	3°30'	134	0°0'	59.7	14				℄ 20		
		533 / 4	133	4.8	359°05'	133	0°0'	60.[illegible]	15				T.F.		
		453 / 10	153	12.8	325°20'	153	0°0'	52.1	16				T.S.		
		481 / 4	81	4.5	359°00'	81	0°0'	60.4	17				T.F.		
		581 / 5	81	5.1	6°15'	81	0°0'	59.8	18				℄ 20		Rd
		583 / 5	83	5.7	13°50'	83	0°0'	59.2	19				B.C.		
		1020 / 9	120	10.0	307°50'	120	2°54'	48.9	20				T.S.		
		188 / 1	88	1.0	19°30'	88	+ 3°18'	68.9	21				T.C.		

Add'n'l Inform.

Notes Red. E.L.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 PG. 39
Date 6-2-42 Date 6-3-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes Date 4-28-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° ' "		° ' "								
K	Temp	1094							1						
1358	(223)	10	94	10 0	314 10	94	1 0	4748 3			4764		T.S.		
		529							2						
		5	29	9 5	336 09	29	0 0	60 1					T.F.		
		530							3						
		5	30	6 1	15 50	30	0 0	57 8					L 20 0 Po		
		335							4						
		5	35	5 6	34 45	35	0 0	59 3					B.C.		
		1159							5						
		11	59	11 7	336 09	59	0 0	52 7					B.F.		
		108							6						
		10	18	9 8	300 40	18	0 0	55 1					"		
		948							7						
		7	46	9 0	277 45	46	0 0	47 5					T.S.		
		131							8						
		1	31	1 0	62 10	31	+ 6 03	67 0					T.C.		
		788							9						
		7	88	7 0	279 00	87	6 33	41 0					T.S.		
		176							10						
		1	76	11 0	81 35	68	+ 15 7	76 6					B.H.		
		791							11						
		7	91	7 0	115 45	86	+ 13 4	71 8					"		
		1003							12						
		9	103	10 0	277 05	103	0 0	51 2					Brk		
		1094							13						
		10	94	10 0	277 05	94	4 0	48 3					T.S.		
		145							14						
		1	46	1 2	140 45	46	0 0	63 7					T.H. Po		
		242							15						
		2	42	1 6	141 00	42	0 0	63 3					T.C.		
		639							16						
		6	39	6 0	146 30	39	0 0	58 2					B.C.		
		533							17						
		5	33	5 6	166 30	33	0 0	59 3					L 20 0 Po		
		532							18						
		5	32	5 4	184 40	32	0 0	59 5					T.F.		
		1060							19						
		10	60	10 0	248 00	59	6 33	48 1					T.S.		
		945							20						
		9	45	8 6	195 45	45	0 0	56 3					B.F.		
		683							21						
		6	82	6 1	183 05	82	0 0	58 8					T.F.		

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws..V.D's Break in Slope...Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences..V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cut.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 40

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P	Temp	889			° ′		° ′		1						
135B	P1.237	8	89	8 8	187 20	89	0 0	4756 1			4764 9		B.F.		
		682							2						
		6	82	6 0	176 00	82	0 0	58 9					℄ 20 0 Pa		
		676							3						
		6	76	6 1	162 20	76	0 0	58 5					[illegible]		
		1095							4						
		10	95	10 0	207 10	95	3 45	48 8					T.S.		
		591							5						
		5	91	5 0	145 30	91	+ 1 52	62 9					S.H.		
		1018							6						
		9	118	9 0	225 40	118	3 26	48 9		160		70	T.S.		
		1031							7						
		9	131	12 0	228 05	131	0 0	52 1					Brk		
		1120							8						
		10	120	10 0	134 40	117	+ 8 56	73 2					S.H.		
		968							9						
		8	168	11 4	215 25	168	0 0	53 5					Brk		
		1062							10						
		9	162	10 0	212 10	162	1 52	49 0					T.S.		
		731							11						
		6	131	7 0	173 35	131	0 0	57 9					T.F.		
		729							12						
		6	129	6 6	179 45	129	0 0	58 3					℄ [illegible]		
		[illegible]							13						
		6	129	6 [illegible]	185 00	129	0 0	51 2					T.F.		
		1154							14						
		10	154	11 0	198 15	154	1 37	49 5					T.S.		
		949							15						
		8	149	9 0	187 55	149	0 0	55 9					B.F.		
		1103							16						
		9	203	10 9	189 30	203	0 0	54 0					"		
		932							17						
		8	132	8 4	171 30	132	0 0	56 5					"		
		945							18						
		8	145	12 0	163 05	145	0 0	52 9					T.S.		
		1002							19						
		8	202	9 0	194 15	202	1 37	50 1					"		
		996							20						
		8	196	9 0	166 20	196	1 26	50 5					S.H.		
		999							21						
		8	199	9 0	210 00	199	1 13	51 6					end Brk		T.S.

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 PG. 41
Date 6-2-42 Date 6-3-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by [illegible] Notes [illegible] Date [illegible]
Date Date Map No. Indexed [illegible] C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
P 135B	Temp Pt 031	882 / 7	182	7 5	178 40	182	0 0	4757 4	1		4764 9		N E Rd
		780 / 6	180	7 2	182 40	180	0 0	57 7	2				℄ 20 0 Rd.
		879 / 7	179	7 3	187 00	179	0 0	57 6	3				T.F.
		1132 / 7	232	10 0	210 20	232	0 10	52 2	4				T.S. + Fn
		937 / 7	237	7 5	188 00	237	0 0	57 4	5				T.F.
		838 / 6	238	7 6	185 00	238	0 0	57 8	6				℄ 20 0 Rd
		840 / 6	240	7 4	182 20	240	0 0	57 5	7				T.F.
		1142 / 9	242	11 1	180 40	242	0 0	53 8	8				B.F.
		1007 / 8	207	9 4	177 45	207	0 0	55 5	9				Tel. Po
		651 / 4	251	5 0	207 30	251	1 51	51 8	10				4 Pt. Fn.
		1055 / 8	255	12 0	171 30	255	0 54	48 9	11				S.H.
		1176 / 9	276	12 6	194 20	276	0 0	52 3	12				T.S.
		1098 / 8	298	12 0	174 30	298	1 0	47 2	13				S.H.
		1005 / 8	245	9 0	192 15	245	1 04	51 3	14				T.S.
		1045 / 8	245	10 1	189 20	245	0 0	54 8	15				B.F.
		1086 / 8	286	9 0	181 50	286	0 45	52 3	16				"
		899 / 6	299	7 5	189 40	299	0 0	57 4	17				B.F. + end of Fn
		788 / 5	288	6 8	189 05	288	0 0	58 1	18				T.F.
		790 / 5	290	6 2	186 25	290	0 0	58 7	19				℄ 20 0 Rd
		797 / 5	297	6 4	189 00	297	0 0	58 5	20				end of fill
		1077 / 8	277	10 4	198 00	277	0 0	54 5	21				Brk + Fn.

Add'n'l Inform.

F.B. 922 PG. 42

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash.B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P. 135B	Temp P1237	1078 / 8	278	9.8	206 00	278	− 0 0	4755.1	1	−	47649	−	S.H.		
		945 / 6	345	4.8	189 30	345	− 0 0	60.1	2	−		−	S. E Rd		
		545 / 2	345	4.1	187 30	345	− 0 0	60.8	3	−		−	℄ 20' [illegible]		
		648 / 3	348	4.8	185 25	348	− 0 0	60.1	4	−		−	T.F.		
		1050 / 7	350	9.1	184 15	350	− 0 0	55.8	5	−		−	B.F.		
		1110 / 8	340	12.0	181 40	340	− 0 0	52.9	6	−		−	[illegible]		
		1061 / 7	361	8.0	176 40	361	− 1 11	49.5	7	−		−	F.I.		
		986 / 7	286	8.0	[illegible]	285	− 2 35	69.9	8	−		−	S.H.		
		570 / 3	270	4.0	221 45	269	+ 2 38	73.2	9	−		−	"		
		1162 / 9	262	10.0	336 45	261	+ 3 55	72.6	10	−		−	"		
		466 / 2	266	3.0	231 20	265	+ 4 00	80.2	11	−		−	"		
		1048 / 8	248	9.0	333 00	247	+ 4 00	73.0	12	−		−	"		
		853 / 6	253	7.0	242 30	251	+ 5 15	80.9	13	−		−	Dr		
		816 / 6	216	7.0	321 40	216	+ 2 37	67.6	14	−		−	S.H.		
		727 / 5	227	6.0	250 45	223	+ 7 36	88.5	15	−		−	"		
		895 / 7	195	8.0	316 35	195	+ 2 22	64.9	16	− 0 0		+ 8 0	"		
		1166 / 10	166	11.0	304 20	165	+ 4 32	66.8	17	+ 2 1		+ 13 1	"		
		400 / 2	200	3.0	262 15	194	+ 7 40	88.2	18	−		−	"		
		1145 / 10	145	11.0	298 50	144	+ 3 10	63.0	19	− 1 8		+ 9 2	"		
		786 / 6	186	7.0	279 30	179	+ 11 26	93.0	20	−		−	"		
		496 / 3	196	4.0	291 45	191	+ 9 13	91.8	21	−		−	"		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8324 Division No. F.B. 922 PG. 43
Date 6-3-42 Date 6-3-42 Survey of Rear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes K Date 4-18-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P	Temp	937			° ′ ″		° ′ ″								
208	1037	8	137	8 0	288 50	136	+ 4 [illegible]	4766 8	1		4764 8		2 H		
		723													
		5	223	6 0	302 30	219	+ 7 45	88 8	2				"		
		825													
		7	125	7 0	273 50	125	+ 2 31	64 0	3				"		
		442													
		2	243	3 0	311 30	240	+ 6 09	87 0	4				"		
		409													
		10	109	12 0	255 35	109	— 0 0	52 7	5				Fn.		
		267													
		5	267	6 0	321 00	262	+ 7 [illegible]	92 5	6				3 H.		
		130													
		10	130	10 7	231 [illegible]	130	— 0 [illegible]	54 2	7				[illegible]		
		866													
		7	166	7 6	227 35	166	— [illegible]	57 3	8				[illegible]		
		725													
		5	235	6 1	341 15	235	— 0 [illegible]	58 5	9				"		
		727													
		5	227	6 0	226 25	227	+ 0 [illegible]	62 1	10				Fn.		
		1095													
		9	198	11 7	334 15	198	— [illegible]	53 2	11				Fn		
		645													
		9	145	10 9	317 45	145	— 1 [illegible]	51 5	12				[illegible]		
		821													
		6	221	7 0	[illegible] 00	220	+ [illegible]	72 1	13				Bk. L in Sl.		
		1007													
		9	107	11 4	[illegible] 00	107	— 0 0	53 5	14				[illegible]		
		287													
		9	187	5 0	217 15	187	— 1 [illegible]	55 9	15				"		
		321													
		2	171	1 7	244 30	171	— [illegible]	63 2	16				Bk. L in Sl.		
		302													
		5	202	6 0	255 20	199	+ 6 [illegible]	82 5	17				5 H		
		1057													
		8	257	10 0	212 30	257	+ 0 [illegible]	57 6	18				"		
		857													
		7	157	8 0	266 55	155	+ [illegible]	74 7	19				"		
		662													
		5	163	6 0	282 20	159	+ 8 [illegible]	82 6	20				"		
		723													
		5	223	6 0	269 10	214	+ 11 [illegible]	48 03 0	21				"		

Add'n'l Inform.

F.B. 922 PG. 44

Topography Description Legend:

Side Hill S.H.	Bottom Draw B.D.	Oak-O.	Fir-Fr.
Side of Draw S.D.	Bottom Wash B.W.	Pine-Pi.	Cedar-Ce.
Side of Ridge S.R.	Top of Ridge T.R.	Sycamore	Sy.
Head of Draw H.D.	Toe of Slope T.S.	Eucalyptus	Eu.
Side of Canyon S.Cn.	Top of Bank T.B.	Plus combinations of these and all common standard abbreviations.	
Saddle	Sa.		
Swale	Sw.		
Flat	Fl.		
Stream	Str.		
Trail	Tr.		
Pavement	Pvt.		
Edge of Road	E.Rd.		
Bottom of Bank B.B.			
Top of Cut T.C.			
Bottom of Cut B.C.			
Top of Fill T.F.			
Bottom of Fill B.F.			
Inters. of Draws V.D's			
Break in Slope Bk.S.			
Steep Slope S.S.			
Top of Cliff T.Cl.			
Bottom of Cliff B.Cl.			
Top of Spur T.Sp.			
Bottom Canyon B.Cn.			
Traveled Rd. Tr.Rd.			
Fence Fn.			
Int. Fences V.Fn.			
Ditch Di.			
Telephone Pole T.P.			
Power Pole P.P.			
Culvert Cul.			

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
6	Tank	792			✓ ° '		° '	° '	1						
1358	2.1227	5	292	6 0	231 55	288	+ 6 50	4793 3			4764		S.H.		
		262			✓				2						
		3	263	4 0	261 50	250	+ 12 40	4817 2					"		
		885			✓				3						
		6	288	7 0	256 45	275	+ 12 06	4817 2					"		
		405			✓				4						
		1	305	2 0	224 15	302	+ 5 40	4792 1					"		
		1200			✓				5						
		9	300	10 0	253 20	290	+ 10 17	4807 3					"		
		523			✓				6						
		2	323	3 0	218 25	320	+ 5 44	4792 2					"		
		740			✓				7						
		4	340	6 0	247 40	332	+ 8 57	4810 2					B.D.		
		546			✓				8						
		2	346	3 0	212 30	344	+ 1 35	4786					S.H.		
		523			✓				9						
		2	323	3 0	241 35	316	+ 5 30	4809 1					"		
		430			✓				10						
		1	330	3 0	232 50	322	+ 9 07	13 5					"		
		547			✓				11						
		2	347	3 0	219 40	341	+ 7 30	069					"		
		535			✓				12						
		2	335	4 0	225 00	328	+ 8 11	081					"		
		976			✓				13						
		6	376	3 0	222 10	364	+ 3 22	214					"		
		932			✓				14						
		6	332	8 0	209 10	332	+ 3 17	4775 6					"		
		1075			✓				15						
		7	375	9 0	212 10	372	+ 5 16	90 9					"		
		1119			✓				16						
		5	319	10 0	205 55	319	+ 1 49	646					"		
		970			✓				17						
		6	370	7 0	209 20	369	+ 2 33	80 5					"		
		1130			✓				18						
		8	330	10 0	204 30	330	+ 1 42	644					T.3		
		970			✓				19						
		6	370	8 0	204 50	370	+ 2 09	698					"		
		737			✓				20						
		4	337	3 3	197 25	337	— 0 0	616					F.1.		
		880			✓				21						
		5	380	7 0	198 25	380	+ 1 21	666					"		

Add'n'l Inform.

Notes Red. EST Platted J.A.L. Job No. 2334 Division No. F.B. 922 PG. 45
Date Date 6-3-42 Survey of Rancho Palos Verdes
Notes Chkd. Checked Survey by Rozelle & Kennedy Notes K. Date F-22-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P	Temp	845			✓ ° '				1				
1358	P1.237	5	345	7 0	191 45	345	+ 0 20	4760.3			4764.7		P1.
		977			✓ ° '				2				
		5	377	8 0	193 30	377	+ 0 5	62.2					B.D.
		683			✓ ° '				3				
		3	383	7 8	189 50	383	— 0 '	62.1					S.P. Rd.
		485			✓ ° '				4				
		1	385	7 1	158 00	383	— 0 '	62.8					T. 20 O. Rd.
		681			✓ ° '				5				
		3	387	7 5	186 20	387	— ° '	62.1					X. E. Rd.
					° '		— ° '		6				
									7				
Temp	Temp				° '		— ° '						
P1.129	P1.133				° '		— ° '	4791.51	8		4774.2		
		1193			✓ ° '								
		11	93	11 0	187 40	93	— 3 '	57.0	9				B.F.
		1099			✓ ° '								
		10	99	10 0	210 40	98	— 6 '	53.4	10				S.I.
		1073			✓ ° '								Corr. Iron water
		10	73	10 1	146 20	73	— 0 '	64.1	11				pipe 5' high 11 Diam.
		1078			✓ ° '								
		10	78	10 5	222 35	77	— 7 48	53.4	12				T.S.
		1101			✓ ° '								
		10	107	4 3	131 40	107	— 0 '	69.9	13				S.H.
		846			✓ ° '								
		8	46	8 4	191 30	46	— 0 '	65.1	14				E and Fill
		844			✓ ° '								
		8	44	8 0	172 15	44	— 0 '	66.2	15				T. 20 O. Rd
		848			✓ ° '								
		8	48	7 9	156 00	48	— 0 '	66.2	16				S. E. Rd
		648			✓ ° '								
		6	48	6 0	150 40	48	— 0 '	66.2	17				T.B.
		855			✓ ° '								
		8	55	8 5	137 25	55	— 0 '	65.7	18				B.D. 3" water 4" pipe line
		745			✓ ° '								
		6	145	7 0	117 45	144	+ 4 10	77.5	19				S.H.
		832			✓ ° '								
		8	32	7 5	85 05	32	— 0 '	66.7	20				B.D. 3" 4" pipe line
		669			✓ ° '								
		5	169	6 0	109 40	168	+ 5 05	82.0	21				T.S.
		522			✓ ° '								
		5	22	5 2	53 00	22	— 0 '	69.0					Br-K

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Inters. of Draws V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 46

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl.134	Temp Pl.133	514 / 5	14	5L	84.00	14	0.0	4769.1	1		4774.2		S. E. Rd.		
		503 / 5	3	5L	87.00	3	0.0	69.1	2				℄ 20' O		
		509 / 5	9	5L	272.00	9	0.0	68.8	3				N. E. Rd		
		1244 / 12	44	12.0	258.00	44	0.0	62.2	4				Tel. Pl		
		334 / 2	134	2.0	93.50	134	+ 2.20	77.5	5				T.S.		
		386 / 3	86	3.3	103.15	86	0.0	70.9	6				Sl.		
		764 / 7	64	7.0	83.00	64	0.0	67.2	7				"		
		419 / 4	19	4.2	321.00	19	0.0	69.5	8				Begin fill N. end		
		1035 / 10	35	9.8	335.00	35	0.0	64.4	9				Flow line 8" Corr. Cul.		
		903 / 8	103	8.0	75.35	103	+ 1.39	69.1	10				T.S.		
		1054 / 10	54	10.0	288.30	54	3.48	60.0	11				B.D.		
		1095 / 10	95	10.0	54.30	95	+ 2.35	68.5	12				T.S.		
		459 / 4	59	4.0	345.00	59	+ 2.10	72.3	13				end fill + b[illegible]		
		158 / 1	58	0.5	359.15	58	0.0	73.7	14				℄ 20' O		
		159 / 1	59	0.2	9.40	59	0.0	73.9	15				T.F.		
		662 / 6	62	6.3	19.05	62	0.0	67.9	16				B.F.		
		742 / 7	42	7.2	19.00	42	0.0	67.0	17				2 end Flow line 8" Corr. Cul		
		767 / 7	67	7.2	45.45	67	0.0	67.0	18				Fl.		
		323 / 3	23	3.5	36.10	23	0.0	70.7	19				W. end fill		
		842 / 8	42	7.7	75.00	42	0.0	66.5	20				10" Pl.		
		909 / 8	109	8.0	11.25	109	+ 1.49	69.6	21				B.F.		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 Pg. 47
Date 6-3-42 Date 6-3-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Assessment Notes [illegible] Date [illegible]
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	964							1						
P1.134	P1.133	9	64	90	143 00	64	— 0	476.52			47.42		10' P.		
		206							2						
		1	106	10	3 25	106	+ 2.33	77.8					T.F.		
		206							3						
		1	106	10	358 15	106	+ 2.33	77.7					℄ 20' O Rd		
		307							4						
		2	107	10	351 10	107	+ 2.39	76.7					B.C.		
		1089							5						
		10	89	10	24 00	89	+ 2.5	68.2		5.5		+ 4.5	B.D.		
		337							6						
		1	127	60	6 00	127	+ 2.5	74.0					S.P.		
		1134							7						
		10	102	10	41 05	104	+ 2.5	69.3					T.B.		
		269							8						
		1	168	20	0 50	168	+ 3.33	82.8					T.F.		
		1070							9						
		9	170	17	10 00	169	+ 5.33	72.1					℄ 14' Dr.		
		269							10						
		1	168	70	6 00	168	+ 3.33	77.8					B.F.		
		1140							11						
		10	142	45	34 50	129	+ 5.33	72.9					T.S.		
		268							12						
		1	168	20	357 45	167	+ 3.33	82.2					℄ 20' O Rd		
		268							13						
		1	168	20	3[illegible] 45	167	+ 3.33	82.2					B.C.		
		1493							14						
		7	192	30	15 [illegible]	191	+ 4.41	81.7					S.H.		
		317							15						
		2	217	40	3[illegible] 05	216	+ 3.4	84.2					B.C.		
		318							16						
		1	218	20	358 10	217	+ 3.[illegible]	86.6					℄ 20' O Rd		
		615							17						
		4	218	50	1 00	216	+ 4.47	87.2					T.F.		
		1015							18						
		8	218	90	3 00	216	+ 4.5	88.8					B.F.		
		1117							19						
		8	211	100	13 00	216	+ 4.4	81.7					S. Bank		
		915							20						
		7	215	130	7 10	213	+ 5.06	80.1					"		
		1110							21						
		9	210	145	11 00	209	+ 4.10	75.0					℄ Dr.		

Add'n'l Inform.

Oak-O. Pine-Pi. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations. Fir-Fr. Cedar-Ce.

Traveled Rd. Tr. Rd. Fence ....Fn. Int. Fences. V.Fns. Ditch ....Di. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Sa. ....Sw. Fl. ....Str. ....Tr. ....Pvt. E.Rd.

Saddle ....Swale ....Flat ....Stream ....Trail ....Pavement ....Edge of Road

Side of Canyon S.Cn. Top of Bank....T.B. Bottom of Bank. B.B. Top of Cut....T.C. Bottom of Cut....B.C. Top of Fill....T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope. Bk.S. Steep Slope....S.S. Top of Cliff....T.Cl. Bottom of Cliff....B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 48

Topography Description Legend:
Side Hill....S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	617			✓ ° '		° '		1						
P.1.134	P.1.133	4	217	5 0	353 10	216	+ 4 39	4786 0			4774 2		TC		
		569			✓				2						
		2	169	5 0	351 30	167	+ 6 51	89 1					"		
		335			✓				3						
		2	135	3 0	348 00	132	+ 8 32	91 1					"		
		1155			✓				4						
		9	255	14 0	12 10	253	+ [illegible]	80 6					[illegible]		
		[illegible]			✓				5						
		10	153	1 2	334 45	147	+ 11 00	91 9					Tel. Po		
		713			✓				6						
		6	113	6 2	328 50	111	+ 7 00	81 8					S.H.		
		1073			✓				7						
		8	273	7 0	12 35	270	+ [illegible]	91 4					E [illegible]		
		291			✓				8						
		2	91	2 0	346 45	90	+ 5 30	81 7					TC		
		970			✓				9						
		7	270	8 0	[illegible]	266	+ [illegible]	90 2					E [illegible]		
		784			✓				10						
		1	84	7 0	322 30	84	+ 3 [illegible]	71 1					S.H.		
		1320			✓				11						
		5	240	9 0	14 30	238	+ [illegible]	86 9					[illegible]		
		1158			✓				12						
		9	256	10 0	17 45	255	+ 6 10	91 7					" "		
		938			✓				13						
		7	238	12 0	16 45	235	+ 6 07	87 3					" "		
		642			✓				14						
		3	[illegible]	4 0	116 45	235	+ 7 45	4810 6					S.H.		
		653			✓				15						
		4	[illegible]	[illegible]	107 35	243	+ 4 05	17 2					"		
		863			✓				16						
		6	[illegible]	7 0	100 50	252	+ 11 42	19 5					"		
		808			✓				17						
		6	208	7 0	130 50	206	+ 5 21	4786 4					"		
		779			✓				18						
		5	279	6 0	94 44	268	+ 11 13	4821 3					"		
		897	197		✓	194		886	19						
		7	~~297~~	8 0	121 45	~~293~~	+ 6 34	~~002~~		+ 147		+ 224	"		
		1010			✓				20						
		7	310	8 0	89 35	299	+ 11 05	247					"		
		1096			✓				21						
		9	196	10 0	114 00	192	+ 7 55	4770 8					"		

Add'n'l Inform.

Notes Rod. E.S.T. Platted J.A.L. Job No. 8334 Division No. F.B. 922 PG. 49
Date 6-3-42 Date 6-3-42 Survey of P.1.1 B/ 33000 Hwy
Notes Chkd. Checked Survey by Lockwood Notes K. Date
Date Date Map No. Indexed R. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl.134	Temp Pl.133	1148 / 8	348	15.0	81.15	336	+ 10.5	4823.8	1		4774.2		B.D.		
		396 / 2	196	3.0	105.15	193	+ 6.5	4793.5	2				S.H.		
		1193 / 9	293	10.0	78.20	281	+ 11.5	4823.5	3				"		
		998 / 8	198	12.0	98.05	193	+ 8.0	4792.3	4				B.D.		
		968 / 7	268	8.0	72.25	254	+ 13.0	4825.7	5				S.H.		
		951 / 7	251	8.0	64.50	233	+ 15.[illegible]	4830.8	6				"		
		984 / 8	184	9.0	90.00	178	+ 10.0	4796.7	7				"		
		329 / 1	229	2.0	55.50	213	+ 15.[illegible]	4830.8	8				"		
		1023 / 8	223	9.0	80.45	215	+ 11.0	07.5	9				"		
		338 / 1	238	2.0	45.55	224	+ 14.0	28.2	10				S.H.		
		1045 / 8	245	13.0	89.00	237	+ 10.0	03.3	11				Dr.		
		975 / 7	275	8.0	37.35	260	+ 13.[illegible]	29.3	12				S.H.		
		605 / 4	205	5.0	[illegible].20	197	+ 11.3	09.3	13				"		
		1010 / 7	310	14.0	36.45	294	+ 13.[illegible]	29.1	14				"		
		352 / 2	152	3.0	68.20	149	+ 7.[illegible]	4790.7	15				"		
		948 / 8	148	9.0	52.35	143	+ 10.2	91.6	16				"		
		593 / 4	193	5.0	62.00	183	+ 12.5	4811.2	17				"		
		685 / 5	185	6.0	50.10	177	+ 12.[illegible]	06.3	18				"		
		495 / 3	195	4.0	45.35	188	+ 11.[illegible]	07.2	19				"		
		554 / 4	154	4.0	45.00	150	+ 8.[illegible]	4793.2	20				"		
		1067 / 9	167	10.0	36.15	162	+ 9.4	92.0	21				"		

Add'n'l Inform.

F.B. 922 PG. 50

Topography Description Legend:
Side Hill....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash.B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	1200			° '		° '		1						
P.1.134	P.133	890	310	12°	42.55	285	+ 16.18	4845.6			4774.2		S.H.		
		813							2						
		6	213	7°	40.40	202	+ 11.55	.0					"		
		573							3						
		3	273	4°	42.50	250	+ 16.47	45					"		
		927							4						
		7	227	8°	32.10	220	+ 10.09	05					"		
		969							5						
		7	269	8°	57.10	243	+ 17.58	45					"		
		1205							6						
		10	201	11°	35.45	204	+ 5.10	4722					"		
		1000							7						
		7	300	8°	61.55	274	+ 16.55	48					"		
		927							8						
		7	227	8°	20.25	224	+ 6.16	47					"		
		1075							9						
		8	275	9°	20.00	272	+ 6.15	94					T.S.		
		928							10						
		6	328	8°	56.20	304	+ 15.10	4851.5					S.H.		
		865							11						
		6	265	7°	25.50	260	+ 8.10	045					"		
		965							12						
		6	360	8°	71.50	339	+ 14.05	51					"		
		995							13						
		6	395	8°	76.45	373	+ 12.51	52					"		
		779							14						
		5	279	6°	[illegible]	266	+ 11.40	23					"		
		1027							15						
		6	427	13°	78.50	407	+ 17.26	51					"		
		768							16						
		5	268	6°	41.10	251	+ 14.42	34					"		
		1180							17						
		7	480	9°	83.20	462	+ 11.07	56					"		
		1200							18						
		7	500	9°	85.40	483	+ 10.38	55					Dr		
		1165							19						
		7	465	9°	87.30	447	+ 11.23	550					S.H.		
		1000							20						
		7	300	8°	56.05	269	+ 18.34	56					"		
		1020							21						
		6	420	8°	90.00	401	+ 12.07	52					"		

Add'l Inform.

Notes Red. E Platted J.A.L. Job No. 8331 Division No. F.B. 922 Pg. 51
Date A Date 6-3-42 Survey of Bear Mountain Notes
Notes Chkd. Checked Survey by Roberrans Notes Date 4-20-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
Temp Pl.134	Temp Pl.133	1036			° ′		° ′								
		7	336	5 0	✓ 79 10	305	+ 17 [illegible]	4825	1		4774 2		S.H.		
		990													
		6	390	8 0	✓ 71 00	370	+ 13 [illegible]	53	2				"		
		1[illegible]													
		8	338	9 0	✓ 59 10	301	+ 18 [illegible]	66 5	3						
		956													
		6	356	7 0	✓ 73 55	333	+ 14 [illegible]	54 2	4				T.R.		
		897													
		5	397	7 0	✓ 55 55	355	+ 18 [illegible]	89 2	5				S.H.		
		431													
		1	331	2 0	✓ 106 10	310	+ 14 [illegible]	51 8	6				"		
		968													
		6	368	8 0	✓ 61 15	334	+ 17 [illegible]	73 0	7				"		
		428													
		1	328	3 0	✓ 113 10	307	+ 15 [illegible]	52 2	8				"		
		1067													
		7	367	13 0	✓ 49 25	333	+ 17 [illegible]	67 [illegible]	9				"		
		230													
		4	320	5 0	✓ 115 25	307	+ 15 [illegible]	52 2	10						
		1142													
		8	343	7 0	✓ 46 55	315	+ 16 [illegible]	59 1	11				T.Sp.		
		1035													
See P.63		7	325	5 0	✓ 118 00	313	+ 15 [illegible]	50 2	12				S.H.		
									13				T.Sp.		
Temp Pl.132	Temp Pl.131							4802 0	14	3 0	4808 0				
		1156													
		8	356	15 0	✓ 223 35	356	— 0 [illegible]	4787 5	15				S.H.		
		1119													
		9	219	14 4	✓ 205 25	219	— 0 [illegible]	93 6	16						
		1066													
		8	266	9 0	✓ 218 50	266	— 1 5[illegible]	90 1	17				Fl.		
		727													
		5	227	9 0	✓ 195 15	227	— 0 2[illegible]	96 5	18				T.C.		
		1065													
		8	265	9 0	✓ 218 10	265	— 2 2[illegible]	88 2	19				Fl.		
		670													
		5	170	5 9	✓ 190 20	170	— 0 [illegible]	4802 1	20				B.C.		
		963													
		7	263	8 0	✓ 215 05	263	— 2 15	4789 6	21				Fl.		
													℄ 20 O. Rd.		

Add'n'l Inform.

F.B. 922 PG. 52

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl.132	Temp Pl.131	10 66 / 8	266	9 0	212 .00	266	− 2.01	4789 9	1		4808 0		E end [illegible]		
		4 94 / 3	194	4 0	211 .20	194	− 1.39	4798 5	2				3" Pi		
		10 20 / 8	220	9 0	212 .10	220	− 1.43	4792 5	3				W end [illegible]		
		6 16 / 5	116	5 4	196 .30	116	− 0.0	4802 6	4				16 Pi		
		10 18 / 8	218	9 0	215 .30	218	− 1.48	4792 4	5				℄ 20 0		[illegible]
		10 18 / 8	218	9 0	218 .00	218	− 1.51	4792 0	6				B.C.		
		4 90 / 4	90	4 5	183 .35	90	− 0.0	4802 [illegible]	7				2' Pi		
		4 22 / 3	122	4 2	187 .00	122	− 0.0	4803 8	8				16" Pi		
		9 70 / 8	170	9 0	219 .30	170	− 1.28	4794 [illegible]	9				B.C.		
		9 63 / 8	163	9 0	215 .45	163	− 1.12	95 6	10				℄ 20 0		Pd.
		9 55 / 8	155	9 0	212 .50	155	− 1.09	95 9	11				B.C.		
		8 47 / 7	147	7 2	209 .55	147	− 0.0	4800 8	12				T.C.		
		2 50 / 1	150	2 1	178 .55	150	− 0.0	05 6	13				16" Pi		
		8 97 / 8	97	7 8	206 .50	97	− 0.0	00 2	14				E. end [illegible]		
		8 94 / 8	94	8 6	215 .40	94	− 0.0	4799 4	15				℄ 20 0		Pd.
		8 94 / 8	94	8 2	225 .00	94	− 0.0	4799 8	16				E end [illegible]		
		3 53 / 2	153	4 0	167 .15	153	+ 1.47	4808 6	17				12" Pi		
		4 39 / 3	139	3 0	156 .50	139	+ 2.18	10 5	18				16" Pi		
		9 02 / 8	102	9 1	234 .15	102	− 0.0	4798 9	19				Hd. [illegible]		
		8 94 / 8	94	8 0	141 .25	93	+ 6.30	4810 7	20				T.B.		
		9 88 / 9	88	9 0	137 .35	87	+ 5.27	07 2	21				1 Di		

Add'n'l Inform.

Notes Red. L Platted J.G Job No. 8334 Division No. F.B. 922 PG. 53
Date 6-[illegible] Date 7-15-42 Survey of [illegible]
Notes Chkd. Checked Survey by Rosecrans Notes R Date 4-30-42
Date Date Map No. Indexed A. C. John Director

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR,
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Temp P1132	Temp P1131	676			° ′ ″		° ′ ″		1						
		6	76	6.0	135 00	75	+ 6	4810.5	✓	—	4808.0	—	T.B.		
		245							2						
		2	45	2.1	163 40	45	— 0	05.9	✓	—	—	—	T.B		
		755							3						
		7	55	7.6	171 15	55	— 0	00.4	✓	—	—	—	5' Di.		
		364							4						
		3	64	3.3	181 15	64	— 0	04.7	✓	—	—	—	T.B.		
		1047							5						
		10	47	10.4	199 00	47	— 0	4797.6	✓	—	—	—	Pow. line		
		1164							6				3 and B Corr. iron Cut.		
		11	64	14.6	237 15	64	— 0	93.4	✓	—	—	—	Pow. line		
		800							7				Pow. line 2 Corr. iron Cut.		
		7	100	7.8	250 30	100	— 0	4800.2	✓	—	—	—	Rd.		
		1027							8						
		9	127	9.0	238 00	127	+ 1	02.0	✓	—	—	—	T. Cp.		
		1151							9						
		10	151	11.0	233 40	151	+ 1	01.8	✓	—	—	—	"		
		1077							10						
		9	177	10.0	226 30	177	+ 1	01.6	✓	—	—	—	"		
		736							11						
		7	36	7.0	100 50	35	+ 7	06.6	✓	—	—	—	Fl.		
		1010							12						
		8	210	16.0	226 20	210	+ 1	4796.2	✓	—	—	—	2 H.		
		1117							13						
		9	217	10.1	217 50	217	— 0	97.9	✓	—	—	—	T.C.		
		1095							14						
		10	95	9.0	103 45	93	+ 8	4811.6	✓	—	—	—	Fl.		
		874							15						
		7	174	8.3	121 45	174	— 0	4799.7	✓	—	—	—	T.C.		
		730							16						
		6	130	6.0	221 00	130	— 0	4802.0	✓	—	—	—	"		
		744							17						
		6	144	6.8	99 10	142	— 0	4817.2	✓	—	—	—	Fl.		
		1070							18						
		9	170	13.0	85 15	167	+ 7	17.9	✓	—	—	—	T.S.		
		803							19						
		6	203	7.0	97 20	200	+ 6	24.9	✓	—	—	—	"		
		649							20						
		6	49	6.3	239 40	49	— 0	01.7	✓	—	—	—	3 H.		
		744							21						
		7	44	7.1	232 55	44	— 0	00.9	✓	—	—	—	E Rd	N	

Add'n'l Inform.

F.B. 922 Pg. 54

Topography Description Legend:
Side Hill....S.H. | Bottom Draw B.D.
Side of Draw..S.D. | Bottom Wash B.W.
Side of Ridge..S.R. | Top of Ridge..T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope...Bk.S. | Top of Bank...T.B.
Steep Slope.....S.S. | Bottom of Bank..B.B.
Top of Cliff.....T.Cl. | Top of Cut.....T.C.
Bottom of Cliff..B.Cl. | Bottom of Cut..B.C.
Top of Spur.....T.Sp. | Top of Fill....T.F.
Bottom Canyon..B.Cn. | Bottom of Fill..B.F.

Side of Canyon S.Cn.
Saddle .....Sa. | Fence .....Fn.
Swale .....Sw. | Int. Fences..V.Fns.
Flat .....Fl. | Sycamore .....Sy.
Stream .....Str. | Eucalyptus .....Eu.
Trail .....Tr. | Plus combinations
Pavement .....Pvt. | of these and all
Edge of Road E.Rd. | common standard abbreviations.

Traveled Rd. Tr.Rd.
Ditch .....Di.
Telephone Pole T.P.
Power Pole....P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl.132	Temp Pl.131	640 / 6	40	6 6	221.45	40	− 0.0	4801 4	1 ✓		4808 0		E 20 0		[illegible]
		629 / 6	29	6 0	196.45	29	− 0.0	4802 0	2 ✓				W end		
		438 / 7	238	3 0	190.40	233	+ 8.27	39 6	3 ✓				T Sp		
		307 / 3	7	2 7	76.30	7	− 0.0	05 3	4 ✓				T.C.		
		406 / 4	6	4 7	51.15	6	− 0.0	03 3	5 ✓				B.C.		
		515 / 5	15	5 2	316.00	15	− 0.0	02 8	6 ✓				E 20 0		[illegible]
		626 / 6	26	5 8	307.15	26	− 0.0	02 2	7 ✓				N E Rd		
		635 / 6	35	6 7	302.50	35	− 0.0	01 3	8 ✓				Brk.		
		[illegible] / 3	77	4 0	84.45	74	+ 11.40	19 2	9 ✓				Sp.		
		[illegible] / 5	47	[illegible]	337.30	47	− 0.0	02 7	10 ✓				W end		
		467 / 4	67	[illegible]	348.00	67	− 0.0	03 7	11 ✓				T.F.		
		[illegible] / 4	63	4 2	359.50	63	− 0.0	02 8	12 ✓				E 20 0		[illegible]
		461 / 4	61	3 8	16.15	61	− 0.0	04 2	13 ✓				E end		
		[illegible] / 5	319	6 0	75.10	298	+ 14.43	80 3	14 ✓				Sp.		
		1083 / 7	383	9 0	72.25	353	+ 16.12	4901 8	15 ✓				T.R.		
		859 / 5	359	6 0	65.15	338	+ 14.03	4886 4	16 ✓				Sp.		
		830 / 5	330	6 0	68.30	310	+ 14.14	80 6	17 ✓				S.H.		
		909 / 6	309	7 0	73.50	289	+ 14.49	77 2	18 ✓				"		
		569 / 3	269	4 0	75.00	257	+ 12.12	59 4	19 ✓				"		
		693 / 4	293	5 0	65.15	280	+ 12.00	62 5	20 ✓				"		
		822 / 5	322	6 0	59.30	308	+ 12.04	67 6	21 ✓				Sp.		

Add'n'l Inform.

Notes Red. E.S.T. Platted [illegible] Job No. [illegible] Division No. [illegible]
Date [illegible] Date [illegible] Survey of [illegible]
Notes Chkd. [illegible] Checked [illegible] Survey by Rosecrans Notes R 1 Date 4-30-42
Date [illegible] Date [illegible] Map No. [illegible] Indexed A. C. Johnson

F.B. 922 PG. 55

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	315			° ′ ″		° ′ ″								
P.1.132	P.1.131	2	115	3.0	11.15	115	0.00	4805.0	1		4808.0		S. E. Rd.		
		313						4805.3	2						
		2	113	2.1	2.30	113	0.00						E. 20 O Rd.		
		415							3						
		3	115	3.2	255.00	115	0.00	048							
		886							4						
		6	286	7.0	270.29	278	9.00	475					T.F.		
		263							5						
		1	163	0.2	307.25	163	0.00	078					Sp.		
		263							6						
		1	163	2.0	2.05	163	+ 0.05	082					E end fill		
		266							7						
		2	166	3.0	7.20	166	+ 1.00	080					E. 20 O Rd.		
		1162							8						
		9	262	10.0	158.30	253	+ 10.00	44					S. E. Rd. end fill		
		937							9						
		7	237	8.0	167.10	229	+ 10.00	420					S.H.		
		925							10						
		7	225	8.0	173.15	218	+ 10.00	396					"		
		603							11						
		4	203	5.0	180.30	199	+ 7.00	303					"		
		1091							12						
		9	191	10.0	173.45	187	+ 7.00	239					"		
		1162							13						
		10	162	11.0	167.50	160	+ 6.00	132					"		
		1079							14						
		9	179	13.0	154.30	177	+ 5.00	123					T.S.		
		628							15						
		4	228	5.0	6.05	228	+ 1.00	098					"		
		427							16						
		2	227	3.0	4.45	227	+ 1.00	118					B.F.		
		327							17						
		1	227	2.0	2.15	227	+ 1.00	122					T.F.		
		329							18						
		1	229	2.0	358.10	229	+ 1.33	120					E. 20 O Rd		
		828							19						
		6	228	7.0	355.30	228	+ 2.00	103					E. Rd		
		712							20						
		5	213	6.0	58.00	210	+ 6.24	255					S.I.		
		445							21						
		2	245	3.0	358.35	245	+ 1.00	130					S.H.		
													E end fill		

Add'n'l Inform.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ..... Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank. B.B. Top of Cut ..... T.C. Bottom of Cut .. B.C. Top of Fill ..... T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope .. Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff .. B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ... B.Cn.

Topography Description Legend: Side Hill ..... S.H. Bottom Draw. B.D. Side of Draw. S.D. Bottom Wash B.W. Side of Ridge. S.R. Top of Ridge. T.R. Head of Draw H.D. Toe of Slope .. T.S.

F.B. 922 PG 36

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	980			✓ ° ′		° ′								
Pl. 132	Pl. 132	7	280	8.0	359.00	279	+ 2.25	4811.5	1		4808.0		B.F.		
		376													
		1	276	2.0	0.20	276	+ 1.42	14.0	2				T.F.		
		376													
		1	276	2.0	3.10	276	+ 1.54	14.9	3				℄ 20 0 ft		
		[illegible]													
		[illegible]	275	3.0	5.30	275	+ 2.03	14.2	4				T.F.		
		973													
		7	273	8.0	7.15	273	+ 2.18	10.9	5				B.F.		
		842													
		6	242	7.0	50.55	239	+ 6.36	30.0	6				S.H.		
		1120													
		8	320	10.0	9.35	319	+ 2.24	11.2	7				B.F.		
		5													
		2	322	3.0	6.25	321	+ 2.17	17.2	8				T.F.		
		528													
		2	[illegible]	3.0	6.30	337	+ 2.18	18.2	9				E end F.L.		
		435													
		1	[illegible]	3.0	4.35	337	+ 2.17	18.2	10				℄ 20 0 ft		
		539													
		2	[illegible]	3.0	2.35	339	+ 2.09	17.5	11				T.F.		
		1041													
		7	[illegible]	9.0	1.20	340	+ 2.40	14.7	12				B.F.		
		788													
		5	286	6.0	49.20	282	+ 8.02	41.2	13				Sp.		
		692													
		3	392	5.0	3.25	392	+ 2.30	20.0	14				T end F.L.		
		754													
		5	252	6.0	43.40	252	+ 1.57	23.8	15				S.H.		
		465													
		1	365	3.0	5.05	364	+ 2.19	19.5	16				℄ 20 0 ft		
		663													
		3	363	5.0	7.04	362	+ 2.42	20.0	17				3 E Rd		
		663													
		3	363	5.0	7.50	362	+ 2.48	20.5	18				Brk.		
		1097													
		8	297	12.0	42.10	293	+ 6.24	28.8	19				T.S.		
		832													
		5	333	7.0	36.50	330	+ 5.05	30.3	20				S.H.		
		1135													
		8	335	12.0	30.30	332	+ 5.02	25.2	21				F.L.		

Add'n'l Inform.

Notes Red. E. J. T. Platted J.G. Job No. 8234 Division No. F.B. 922 Pg. 57
Date Date Survey of
Notes Chkd. Checked Survey by Fuscrano Notes R. Date 4-30-48
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	778			° ′		° ′		1						
Pl.132	Pl.131	5	278	6.0	39.07	276	+ 1.12	4822.2			4808.0		T.B.		
		1125							2						
		9	225	10.0	39.45	224	+ 3.[illegible]	12.7					"		
		1185							3						
		10	185	11.0	44.25	184	+ 3.[illegible]	09.[illegible]					"		
		1167							4						
		10	167	14.0	62.00	165	+ 6.[illegible]	12.0					"		
		1080							5						
		7	380	14.0	355.50	379	+ 2.[illegible]	09.7					Brk.		
		801							6						
		7	101	7.0	80.30	100	+ 5.[illegible]	10.4					Fl.		
		1131							7						
		10	131	14.0	58.30	130	+ 5.[illegible]	07.4					Fl.		
		918							8						
		6	318	11.0	354.00	318	+ 2.[illegible]	06.2					Brk.		
		963							9						
		8	163	7.0	46.00	162	+ 3.[illegible]	08.0					Fl.		
		1085							10						
		8	285	9.0	353.55	285	+ 1.[illegible]	07.2					Brk.		
		983							11						
		7	283	14.0	348.15	283	+ 2.[illegible]	05.0					Tel. Po		
		1094							12						
		9	194	14.5	32.00	193	+ 1.[illegible]	08.8					Fl.		
		922							13						
		7	222	13.0	347.30	222	+ [illegible]	05.1					Brk.		
		828							14						
		6	228	7.0	341.30	228	+ 0.[illegible]	03.5					"		
		1137							15						
		9	237	15.0	32.35	235	+ 5.[illegible]	13.3					Fl.		
		1100							16						
		8	300	10.0	30.10	298	+ 4.[illegible]	21.1					"		
		1042							17						
		7	342	9.0	27.40	340	+ 4.[illegible]	23.4					"		
		1082							18						
		9	182	15.0	347.45	182	+ 2.[illegible]	01.6					Sw.		
		1222							19						
		9	322	10.0	21.10	321	+ 3.[illegible]	19.0					Fl.		
		1158							20						
		9	258	10.0	19.10	257	+ 3.41	14.5					"		
		1013							21						
		7	313	11.0	14.45	312	+ 3.[illegible]	15.2					"		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences. V. Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E. Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank. B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope...Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

F.B. 922 PG. 58

Topography Description Legend:
Side Hill.....S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	1080			✓ ° ′		° ′		1						
Fl. 132	Fl. 131	9	180	10	334.45	180	+ 1.23	4799.3			4808.0		Sw		
		938							2						
		7	238	10	✓ 14.10	237	+ 2.44	4809.2					Fl.		
		879							3						
		7	179	8	✓ 20.25	179	+ 2.42	08.5					"		
		741							4						
		6	141	7	✓ 27.00	141	+ 1.66	05.8					"		
		1167							5						
		10	167	11	✓ 318.30	167	− 1.25	01.2					Tel. Po		
		993							6						
		4	93	4	✓ 22.25	93	+ 1.15	06.0					Fl.		
		937							7						
		7	57	5	✓ 35.40	57	+ 1.12	07.2					"		
		1131							8						
		10	131	16	✓ 325.00	131	+ 2.17	4799.1					Brk.		
		820							9						
		7	123	7	✓ 341.30	123	− 0.0	4800.6					"		
		919							10						
		8	119	7	✓ 351.00	119	− 0.0	4800.1					B.F.		
		1044							11						
		10	99	10	✓ 337.45	99	− 0.0	4799.1					B.D.		
		945							12						
		9	75	10	✓ 340.20	75	− 0.0	4798.0					B.F.		
		1162							13						
		11	62	10	✓ 332.15	62	− 0.0	4799.1					"		
		1073							14						
		10	73	0	✓ 310.00	73	− 3.00	93.8					Brk.		
		1080							15						
		10	80	17	✓ 308.10	80	− 0.0	91.0					"		
		1069							16						
		10	69	10	✓ 390.00	68	− 6.28	91.2					Fl.		
		1083							17						
		10	83	10	✓ 283.25	82	− 7.06	89.8					T.B.		
		1107							18						
		10	107	11	✓ 281.40	105	− 7.58	83.8					25' D.		
		1080							19						
		10	80	15	✓ 258.05	79	− 4.39	86.6					8' D.		
		1067							20						
		10	67	10	✓ 262.30	67	− 4.08	93.2					T.B.		
		914							21						
		7	214	8	137-24-15	212	+ 4.45	4817.7		− 9.7		+ 17.7	S47W. P. 1324		

Add'nl Inform.

Notes Red. E.G.J. Platted VG Job No. 2224 Division No. 11 F.B. 922 PG. 59

Date Date Survey of Low Division 11

Notes Chkd. Checked Survey by Fuscrano Noted R. Date 4-30-12

Date Date Map No. Indexed R. C. JOHNSTON

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P. 132A	Temp P.I. 132							4817.7	5.0		4822.7		
		915 / 7	215	8.0	0.0	214	− 3.[illegible]	4803.0		19.7		11.7	[illegible] P.I. 132
		657 / 6	57	6.0	211.30	57	+ [illegible]	20.0					S.I.
		502 / 4	102	1.8	27.40	102	− 0.[illegible]	17.9					T.B. east
		991 / 9	91	9.2	27.15	91	− 0.[illegible]	12.5					4' Di
		582 / 5	82	5.8	28.25	82	− 0.[illegible]	16.9					T.B. west
		767 / 7	67	6.8	248.40	67	− 0.[illegible]	15.9					S.I.
		993 / 9	93	9.5	263.40	93	− [illegible]	13.2					T.S.
		179 / 1	79	0.9	68.00	79	− [illegible]	21.8					end west bank
		395 / 3	95	2.5	68.20	95	− 0.[illegible]	20.2					℄ 4' Di.
		209 / 1	109	2.0	66.50	109	+ 1.45	24.0					T.B. east
		425 / 8	125	9.0	281.00	125	− 2.[illegible]	08.0					T.S.
		1135 / 10	135	11.0	76.00	133	+ 6.[illegible]	25.9					S end Di
		1166 / 10	166	11.0	284.45	166	− 2.[illegible]	04.1					T.S.
		668 / 5	168	6.0	89.40	167	+ 4.[illegible]	29.5					"
		1204 / 10	204	11.0	285.45	203	− 3.[illegible]	4799.7					"
		597 / 4	197	5.0	81.30	192	+ 8.[illegible]	4845.2					S.H.
		1113 / 9	213	6.0	278.30	213	− 2.[illegible]	05.2					"
		758 / 5	258	6.0	83.[illegible]	247	+ [illegible]	67.3					"
		730 / 5	230	6.0	92.20	226	+ 7.[illegible]	48.5					"

Add'n'l Inform.

F.B. 922 PG. 60

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P. 132A	Temp P.1.132	943 / 7	243	8.0	104°30'	241	+ 5°30'	48379	1	—	48227	—	T.S.		
		1102 / 9	203	10.9	273°30'	203	— 0°0'	11.8	2	—	—	—	S.H.		
		1180 / 10	180	11.0	113°00'	177	+ 7°00'	33.5	3	—	—	—	Fl.		
		1070 / 9	170	11.5	271°20'	170	— 0°0'	11.2	4	—	—	—	S.H.		
		618 / 5	118	6.5	99°00'	117	+ 4°15'	25.3	5	—	—	—	Fl.		
		1183 / 10	183	11.0	265°40'	183	+ 2°16'	18.9	6	—	—	—	S.H.		
		261 / 2	61	2.0	82°10'	61	— 0°0'	20.7	7	—	—	—	Fl.		
		647 / 6	47	6.5	73°10'	47	— 0°0'	16.2	8	—	—	—	"		
		1079 / 10	79	10.2	391°45'	79	— 0°0'	12.5	9	—	—	—	"		
		842 / 7	142	7.0	262°40'	142	+ 0°18'	16.2	10	—	—	—	S.H.		
		860 / 7	160	8.0	299°40'	159	— 4°16'	02.9	11	—	—	—	Fl.		
		425 / 3	125	2.5	253°40'	125	— 0°0'	20.2	12	—	—	—	S.H.		
		1001 / 9	101	10.0	287°45'	101	— 1°41'	09.6	13	—	—	—	Fl		
		333 / 2	133	2.0	242°10'	133	+ 2°25'	26.2	14	—	—	—	S.H.		
		609 / 5	109	5.0	235°00'	109	+ 3°09'	23.2	15 ✓	—	—	—	"		
		953 / 9	53	7.0	310°45'	53	— 0°0'	13.7	16 ✓	—	—	—	Fl.		
		820 / 7	120	7.0	220°15'	118	+ 6°43'	29.5	17 ✓	—	—	—	S.H.		
		864 / 8	64	8.1	266°10'	64	— 0°0'	14.6	18 ✓	—	—	—	Fl.		
		618 / 5	118	5.0	203°45'	116	+ 7°09'	32.2	19 ✓	—	—	—	S.H.		
		558 / 5	58	5.2	180°40'	58	+ 5°00'	22.5	20 ✓	—	—	—	Fl.		
		255 / 2	55	2.0	121°30'	55	+ 2°05'	22.6	21 ✓	—	—	—	"		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.G. Job No. 8334 Division No. F.B. 922 PG. 61
Date 6-3-42 Date 7-16-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R Date 4-30-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
8	Tangent	765			°		°		1						
132A	F.1.132	6	165	7 0	209.30	159	+ 10	48 45	✓		48 22		S.H.		
		405			'		'		2						
		3	105	3 0	129.50	104	+ 1	28 0					F.1.		
		165			°		°		3						
		5	165	9 0	220.25	158	+ 12	47 3	✓						
		676			'		'		4						
		5	176	6 0	124.20	174	+ 6	354					S.H.		
		402			°		°		5						
		3	163	4 0	222.00	158	− 2	458	✓				F.1.		
		170			'		'		6						
		10	170	14 0	125.45	165	+ 9	374	✓				S.H.		
		795			°		°		7						
		6	195	1 0	226.00	189	− 1	483	✓				F.1.		
		709			'		'		8						
		6	109	6 0	153.15	107	+ 7	308					S.H.		
		736			°		°		9						
		9	136	11 0	178.00	132	− 5	322	✓				F.1.		
		404			'		'		10						
		2	204	3 0	234.00	202	+ 6	410					T.S.		
		675			°		°		11						
		5	175	6 0	159.00	172	− 4	386	✓				S.H.		
		1159			'		'		12						
		10	189	11 0	176.00	183	+ 13	442	✓				F.1.		
		225			°		°		13						
		1	225	2 0	286.30	213	+ 13	715	✓				T.S.		
		700			'		'		14						
		6	100	6 0	150.10	99	+ 6	2 5	✓				S.H.		
		820			°		°		15						
		1	220	2 0	286.30	206	+ 9	742	✓				T.S.		
		1000			'		'		16						
		1039	161	15 0	196.00	153	+ 12	422	✓				S.H.		
		736			°		°		17						
		5	236	6 0	215.10	218	+ 16	793	✓				Corr.		
		776			'		'		18						
		1	76	7 0	213.10	75	− 4	221	✓				S.H.		
		1037			°		°		19						
		8	237	9 0	205.15	219	+ 16	763	✓				T.S.		
		850			'		'		20						
		6	250	7 0	199.30	233	+ 15	783	✓				S.H.		
		725			°		°		21						
		5	225	6 0	196.15	211	+ 14	700	✓				"		
					'		'						"		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combination of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences. V.Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank. B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

F.B. 922 PG. 62

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw. B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope ..... T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 132A	Temp Pl 132	908 7	208	5	199 00	197	+ 13 03	486 03	1 ✓ 2		482 27		S.H.		
Temp Pl 132	Temp Pl 132							479 02	3 51 4		479 53				
		1095 10	95	10	217 30	95	2 15	81 7	✓ 5				Brk		
		1075 10	75	10	225 20	75	2 16	82 4	✓ 6				Sw.		
		1269 12	69	12	232 45	69	0 0	83 3	✓ 7				Brk		
		1188 11	88	17	274 10	88	+ 2 52	82 7	✓ 8				Tel. Po		
		1062 10	62	10	281 00	62	+ 2 52	88 2	✓ 9				S.H.		
		971 9	71	9	302 50	71	+ 4 25	91 8	✓ 10				"		
		883 8	83	8	317 00	82	+ 6 12	96 1	✓ 11				"		
END.									12						
Temp Pl 129	Temp Pl 130							412 84	50 13		483 34				
		1203 8	403	13	359 30	403	0 50	14 2	14				B.F. & D.		
		1117 8	347	10	0 10	347	0 0	22 8	15				L 20	0 Rd	
		1148 8	348	10	357 30	348	0 0	22 8	16				Brk	S. E.	
		1050 8	350	4	3 30	350	0 0	22 2	17				N. E. Rd.		
		1055 7	355	17	8 10	355	0 0	15 6	18				Tel. Po		
		1152 8	352	15	12 55	352	0 18	16 8	19				2 Dr.		
		1111 8	311	4	10 00	311	0 0	19 3	20				S1		
		1207 9	307	11	351 50	307	0 0	22 4	21				T.S.		
		1100 8	300	10	357 40	300	0 0	23 4					S. E. Rd		

Add'n'l Inform.

Notes Red. E.S.T. Plotted J.G. Job No. 8334 Division No. F.B. 9EE Pg. 62
Date 6-24-42 Date 7-14-42 Survey of Real Division Hwy
Notes Chkd. Checked Survey by Roberson Notes Date 4-30-42
Date Date Map No. Indexed C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl.129	Temp Pl.130	1097 / 8	297	9 8	3 10	297	0 0	4823 6	1		48334		N E Rd		
		998 / 7	298	9 4	0 20	298	0 0	4824 0	2				℄ 20' O Rd		
		[illegible] / 8	243	[illegible]	356 30	243	0 0	4823 4	3				S E Rd.		
		992 / 7	242	5 8	0 10	242	0 0	4824 6	4				℄ 20' O Rd.		
		1040 / 8	240	10 4	4 00	240	0 0	4823 0	5				N. E. Rd.		
		1147 / 9	241	12 0	346 20	241	0 0	4821 4	6				Fl.		
		1077 / 8	227	9 0	15 45	227	0 0	17 8	7				Sl.		
		1092 / 9	192	9 6	343 50	192	0 0	23 8	8				Fl		
		884 / 7	184	8 2	354 20	184	0 0	25 2	9				S. E Rd		
		1083 / 9	183	10 0	19 00	183	1 56	17 2	10				Sl.		
		1182 / 10	182	11 0	13 00	182	0 0	19 5	11				[illegible] Po		
		731 / 6	131	7 2	350 00	131	0 0	26 2	12				S E. Rd		
		876 / 7	176	8 9	4 25	176	0 0	24 5	13				N "		
		875 / 7	175	8 0	357 05	175	0 0	25 4	14				℄ 20 O Rd		
		741 / 6	141	7 0	355 00	141	0 0	26 4	15				T.S.		
		824 / 7	124	7 0	356 34	124	0 0	26 4	16				℄ 20 "		
		571 / 5	71	5 1	336 10	71	0 0	28 3	17				S.F. "		
		820 / 7	120	7 5	3 10	120	0 0	25 9	18				T.F.		
		270 / 2	70	2 4	322 35	70	0 0	31 0	19				Fl.		
		956 / 8	156	7 8	3 25	156	0 0	25 6	20				W end Fill		
		1119 / 10	119	10 6	7 15	119	0 0	22 8	21				B.F.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences. V. Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Topography Description Legend: Side Hill.....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D. Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

F.B. 982 PG. 64

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl. 159	Temp Pl. 160	1026 / 9	126	10 0	25 10	126	− 2.09	4819 0	1		4833.4		S1.		
		1021 / 9	111	10 0	312 35	110	+ 5.10	331	2				S.H.		
		1165 / 11	68	11 2	39 45	68	− .00	22 2	3				S1.		
		756 / 7	56	6 9	1 15	56	− 0.0	26 5	4				B.F.		
		[illegible] / 5	55	5 3	309 20	55	− [illegible]	28 1	5				T.F.		
		558 / 5	58	7 1	343 05	58	− 0.0	28 7	6				∠ 20' O		
		791 / 7	91	7 0	284 30	90	+ 6.14	36 0	7				S.H.		
		149 / 1	41	0 6	236 10	41	− 0.0	32 2	8				T Br.		
		343 / 3	43	2 9	286 10	43	− 0.0	305	9				B "		
		159 / 1	59	0 9	237 30	59	− 0.0	325	10				S.E.		
		1188 / 11	88	11 0	249 00	86	+ 7.38	339	11				T.D.		
		[illegible] / 2	23	2 0	12 45	23	− [illegible]	314	12				∠ 20 O		
		[illegible] / 2	9	2 0	160 [illegible]	9	− [illegible]	308	13				T.F.		
		401 / 4	7	[illegible] 1	155 [illegible]	7	− [illegible]	295	14				B.F.		
		512 / 5	12	5 0	36 00	12	− 0.0	284	15				Brk.		
		334 / 8	34	8 2	63 30	34	− 0.0	251	16				Tel. Po.		
		941 / 9	41	8 5	110 00	41	− 0.0	249	17				S1.		
		192 / 1	92	10 0	212 30	92	+ 1.30	344	18				S.	E.	"
		1170 / 11	70	11 0	149 20	70	+ 3.12	261	19				S1.		
		559 / 5	59	5 0	179 30	59	+ 2.22	316	20				Brk		
		459 / 4	59	4 0	193 20	59	+ 2.11	314	21				S.F.		

Add'n'l Inform.

Notes Red. E.A.C. Platted C.G. Job No. 8334 Division No. F.B. 922 PG. 65
Date 6-10-46 Date 1-16-47 Survey of Peck Gibson [illegible]
Notes Chkd. Checked Survey by Robertson Notes R. Date 4-30-42
Date Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ — Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	361			° ' "		° ' "								
4139	1130	3	61	30	197.00	61	+ 3.0	4833.8			4834		T.F.		
		166	66	1 0	205.40	66	+ 1.3	34.0					℄ 20	0	Rd.
		1122	123	10 0	[illegible]	122	+ [illegible]	35.1					[illegible]		
		319													
		2	119	2 0	200.00	119	+ 3.0	37.0					℄ 20	0	"
		618													
		9	118	5 0	192.30	117	+ 4.0	26.5					T.F.		
		419													
		6	119	6 0	170.40	119	+ 3.0	34.2					B.F.		
		715													
		2	125	6 0	183.00	125	+ 3.0	34.8					Brk.		
		1234													
		11	134	4 0	225.30	132	+ 7.20	39.3					"		
		1028													
		9	128	10 0	170.20	128	+ 3.0	29.9					Sl.		
		1199													
		11	99	4 0	255.00	97	+ 8.0	37.0					Brk.		
		808													
		7	148	8 0	171.40	148	+ 2.0	51.1					Tel. Po		
		208													
		1	[illegible]	2 0	203.30	148	+ 2.4	38.1					S. E.		Rd.
		958													
		8	[illegible]	9 0	172.30	188	+ [illegible]	32.9					Sl.		
		862													
		7	162	8 0	211.45	161	+ 4.0	38.3					T.S.		
		600													
		8	200	9 0	185.15	199	+ 4.0	38.8					and Brk.		
		982													
		8	182	9 0	216.45	180	+ 6.15	43.7					Brk		
		702													
		5	202	6 0	189.30	201	+ 3.5	39.4					B.F.		
		803													
		6	202	7 0	191.05	202	+ 4.0	42.1					T.F.		
		505													
		3	205	4 0	195.30	204	+ 3.0	42.5					℄ 20	0.	Rd.
		1097													
		9	197	9 0	207.45	195	+ 5.0	42.2					T.S.		
		555													
		3	255	4 0	194.35	254	+ 3.0	46.2					℄ 20	0.	Rd.

Add'n'l Inform.

F.B. 922 PG. 66

Topography Description Legend:
Side Hill ....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draws V.D's Break in Slope Bk.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pt 179	Temp Pt 130	259			° ′		° ′		1						
		5	259	6°	190 . 55	258	+ 4 . 04	484.55			483.36		T.F.		
		857							2						
		6	257	7°	190 . 00	256	+ 3 . 55	438					B.F.		
		957							3						
		7	257	8°	186 . 05	256	+ 4 . 05	432					Brk.		
		1118							4						
		9	218	13°	214 . 00	214	+ 7 . 26	482					"		
		1200							5						
		925	275	10°	176 . 50	274	+ 3 . 29	395					SI.		
		1121							6						
		9	221	13°	211 . 15	218	+ 6 . 20	447							
		803							7				T.S.		
		5	303	11°	177 . 30	302	+ 3 . 37	414							
		500							8				Tel Po		
		3	200	4°	199 . 10	199	+ 3 . 22	415							
		1145							9				S	E. 1	
		8	345	14°	179 . 45	343	+ 4 . 15	447							
		470							10				SI.		
		2	270	3°	197 . 55	269	+ 3 . 25	463							
		1038							11				S Ep.		
		7	338	5°	187 . 15	336	+ 4 . 13	500							
		1150							12				Brk		
		9	280	10°	204 . 00	276	+ 4 . 31	473							
		742							13				T.S.		
		9	242	5°	190 . 20	240	+ 3 . 51	513							
		637							14				B.F.		
		2	337	4°	191 . 00	335	+ 3 . 55	521							
		537							15				T.F.		
		2	337	3°	193 . 20	335	+ 3 . 50	526							
		1179							16				℄ 20	0.	10
		9	279	10°	207 . 25	276	+ 6 . 00	524							
		1037							17				Brk		
		7	329	9°	204 . 45	323	+ 6 . 30	622							
		1125							18				"		
		5	325	10°	200 . 40	323	+ 4 . 47	503							
		723							19						
		9	323	5°	196 . 10	321	+ 3 . 57	505					S	E. 1	
		645							20						
		3	345	5°	195 . 50	343	+ 4 . 00	522					"	"	
									21						

Add'n Inform.

Notes Red. F.S.T. Platted C.L.G. Job No. 9334 Division No. F.B. 922 Pg. 67

Date 6-10-42 Date 7-16-42 Survey of Leon Blossom Ave. Notes

Notes Chkd. Checked Survey by Rosellini Date 7-30-42

Date Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp P.1.127	Temp P.1.126							4886.4	47		4891.6				
		1060 / 7	360	9.0	192.30	358	4.18	55.8					S	E	Rd.
		1062 / 7	362	8.0	194.35	360	4.[illegible]	56.6					℄ 20	0	"
		1063 / 7	363	9.0	196.50	361	4.17	55.1					E end fill		
		945 / 6	345	7.0	188.20	343	4.32	57.6					Sl.		
		1200 / 837	363	10.0	199.00	361	4.15	54.4					Brk		
		1113 / 8	313	9.0	192.20	311	4.15	59.0					S	E.	Rd
		910 / 6	310	7.0	189.30	308	4.33	60.2					Sl.		
		615 / 5	315	4.0	194.52	313	4.58	60.7					℄ 20	0	"
		969 / 7	269	8.0	195.06	268	4.17	64.0					℄ "	"	"
		1068 / 8	268	10.0	192.20	267	4.[illegible]	63.0					S	E	"
		1200 / 929	271	16.5	189.00	270	2.[illegible]	63.5					T.S.		
		518 / 5	18	6.0	200.20	18	5.00	84.0					8" Pi		
		720 / 5	220	6.0	195.20	218	4.42	67.4					℄ 20	0	Rd
		892 / 6	292	7.0	199.15	290	4.49	60.4					7" Pi		
		882 / 6	282	7.0	200.00	280	4.[illegible]	61.4					Brk		
		923 / 7	223	8.0	191.45	222	4.[illegible]	66.7					S E Rd	W end cut	
		1078 / 9	178	10.0	188.40	178	1.17	77.7					T.C.		
		1070 / 8	270	9.0	198.35	269	4.09	63.2					N	E	Rd
		1058 / 8	258	9.0	202.15	257	4.20	63.3					7" Pi.		
		950 / 7	250	8.0	198.35	249	4.19	65.0					W end fill		

Add'n'l Inform.

Topography Description Legend:
Side Hill.....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D.
Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Inters. of Draws V.D's Break in Slope...Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 68

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp P.1.127	Temp P.1.126	875 / 7	175	8.0	191.30	174	− 4.12	4871.0	1		4891.6		B.C.		
		1140 / 9	240	10.0	202.15	238	− 4.36	62.5	2				B.F.		
		1075 / 9	175	10.0	195.50	174	− 3.21	71.5	3				℄ 20	0	Rd.
		924 / 8	124	9.0	196.35	124	− 3.05	76.0	4				" "		
		1103 / 9	200	10.0	200.10	204	− 3.[illegible]	68.2	5				T.F.		
		1004 / 8	204	9.0	201.25	203	− 4.12	67.8	6				B.F.		
		925 / 8	125	9.0	189.25	124	− 3.16	74.4	7				B.C.		
		1104 / 9	204	10.0	203.45	203	− 3.42	68.5	8				Brk.		
		1129 / 10	129	10.0	186.10	129	− 1.20	78.6	9				T.C.		
		1062 / 9	162	10.0	203.[illegible]	161	− 3.51	70.7	10				B.F.		
		1200 / 966	234	14.0	[illegible]	234	− 0.15	76.8	11				S.H.		
		860 / 7	160	8.0	20[illegible]	159	− [illegible]	73.1	12				T.F.		
		1132 / 10	132	13.0	208.00	132	− 2.05	73.9	13				10" P.		
		976 / 8	176	9.0	176.25	176	+ 2.[illegible]	89.7	14				S.H.		
		1054 / 9	154	13.0	174.05	154	+ 3.04	86.6	15				"		
		1101 / 10	101	11.0	197.10	101	− 1.35	78.9	16				℄ 20	0	Rd.
		1200 / 1058	142	17.0	167.40	141	+ 4.09	84.8	17				T.S.		
		1101 / 10	101	10.1	205.10	101	− 1.45	78.6	18				T.F.		
		1201 / 11	101	11.0	207.40	101	− 2.05	77.0	19				B.F.		
		1203 / 11	103	18.0	155.45	101	+ 7.00	86.1	20	− 56		+ 12.4	T.S.		
		1108 / 10	108	11.0	218.45	108	− 2.00	77.0	21				Brk		

Add'n'l Inform.

Notes Red. E.S.T. Platted JG Job No. 8334 Division No. F.B. 922 Pg. 69
Date 6-10-42 Date 7-16-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Josephine Notes [illegible] Date [illegible]
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl.127	Temp Pl.126	1105 / 10	105	11 2	183 15	105	— 0 0	4880 4	1	—	4891 6	—	T.C.		
		1103 / 10	103	10 0	187 45	103	— 0 0	76 3	2	—	—	—	B.C.		
		838 / 8	38	7 8	206 10	38	— 0 0	83 8	3	—	—	—	℄ 20' 0 Rd		
		1048 / 10	48	10 3	182 30	48	— 0 0	81 3	4	—	—	—	B.C.		
		746 / 7	46	7 5	174 20	46	— 0 0	84 1	5	—	—	—	T.C.		
		742 / 7	42	7 1	224 50	42	— 0 0	84 2	6	—	—	—	T.F.		
		1145 / 11	45	11 3	236 30	45	— 0 0	80 3	7	—	—	—	B.F.		
		1168 / 11	68	11 2	257 20	68	— 0 0	79 7	8	—	—	—	Brk.		
		400 / 333	67	4 0	148 50	67	+ 1 45	85 7	9	—	—	—	S.H.		
		224 / 2	24	1 8	311 20	24	— 0 0	89 8	10	—	—	—	℄ 20 0 Rd.		
		134 / 1	34	1 2	321 40	34	— 0 0	90 4	11	—	—	—	T.F.		
		742 / 7	42	6 5	313 30	42	— 0 0	85 [illegible]	12	—	—	—	B.F.		
		974 / 9	74	9 0	306 30	74	+ [illegible]	77 8	13	—	—	—	Brk.		
		149 / 1	49	1 0	103 00	46	+ 13 0	4901 4	14	—	—	—	S.H.		
		109 / 1	9	1 3	88 00	9	— 0 0	4890 3	15	—	—	—	T.C.		
		504 / 5	4	5 1	[illegible]	4	— 0 0	86 2	16	—	—	—	B.C.		
		796 / 7	96	7 0	325 40	96	+ 1 11	86 6	17	—	—	—	Brk		
		155 / 1	55	1 0	8 00	55	+ 1 11	92 2	18	—	—	—	B.C.		
		157 / 1	57	1 0	13 30	56	+ 6 25	96 8	19	—	—	—	T.C.		
		984 / 9	84	9 0	336 00	84	+ 4 [illegible]	88 5	20	—	—	—	Brk		
		179 / 7	79	7 0	342 50	79	+ 3 55	89 9	21	—	—	—	B.F.		

Add'n'l Inform.

F.B. 922 PG. 70

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Trawled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl. 17	Temp Pl. 176	176			° '		° '		1						
		1	76	10	349 20	76	+ 3 51	48955			48916		TF		
		174							2						
		1	74	10	355 45	72	+ 3 27	926					℄ 20	9	18
		975							3						
		9	75	90	40 40	64	+ 19 32	4906 3					S.H.		
		216							4						
		1	116	10	8 30	115	+ 3 54	4898 3					B.C.		
		217							5						
		1	117	10	2 15	116	+ 4 16	992							
		19							6				℄ 20	9	18
		1	119	10	355 40	118	+ 4 27	99					TF		
		618							7						
		5	118	50	17 55	115	+ 9 30	4955					T.C.		
		12							8						
		1079	120	110	347 30	125	+ 4 26	4902					B.F.		
		948							9						
		8	148	130	335 25	147	+ 2 53	61					S.I.		
		990							10						
		8	190	90	343 30	189	+ 4 00	757					Sp.		
		1092							11						
		9	190	100	350 15	190	+ 5 20	992					B. Brk.		
		1200							12						
		1094	38	170	225 50	127	− 16 33	4912 2					S.H.		
		997							13						
		8	197	90	354 00	194	+ 6 32	048					T. Brk		
		897							14						
		7	197	80	357 15	195	+ 6 18	050					B.F.		
		595							15						
		4	195	50	358 55	193	+ 6 20	079					T.F.		
		1168							16						
		10	168	110	11 45	163	+ 9 38	083					T.C.		
		867							17						
		7	167	80	7 30	164	+ 7 00	067					B.C.		
		392							18						
		2	192	30	3 45	190	+ 5 28	069					℄ 20	9	18
		477							19						
		3	177	60	8 45	175	+ 5 22	020					Flow line		
		665							20				S. end 24" Corr.		
		5	165	80	356 20	163	+ 5 58	006					N. end 24" Corr.		Col.
		1085							21						
		9	185	130	11 55	180	+ 9 38	092					T.C.	Eq	

Add'n'l Inform.

Notes Red. E.S.T. Platted VG Job No. 8334 Division No. F.B. 922 Pg. 71
Date 6-19-62 Date 7-16-64 Survey of Pedr Blossom Hwy
Notes Chkd. Checked Survey by Norris Notes
Date Date Map No. Indexed C. Johnson Date
Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
Temp P.1.127	Temp P.1.126	686 / 5	186	6.0	9.40	183	+ 6.[illegible]	4907.6	1		4891.6		V.Ds.
		535 / 3	235	4.0	4.10	233	+ 5.47	11.0	2				℄ 20 0 Rd.
		887 / 7	187	8.0	7.45	184	+ 6.58	06.2	3				S E. Rd.
		420 / 2	220	3.0	0.30	218	+ 5.45	10.4	4				E end fill
		1038 / 8	238	9.0	7.45	235	+ 6.40	09.7	5				B.C. + Dr
		440 / 2	240	3.0	0.55	238	+ 5.43	12.3	6				N E Rd
		405 / 2	205	3.0	10.00	203	+ 5.3[illegible]	08.4	7				W. end cut
		743 / 5	243	6.0	358.20	240	+ 6.18	12.0	8				T Brk.
		542 / 3	242	4.0	9.15	239	+ 6.21	14.1	9				T.C.
		1152 / 9	252	10.0	350.50	250	+ 5.28	05.5	10				B Brk
									11				
Temp P.1.123	Temp P.1.129							4925.7	12 5L		4930.8		
		1179 / 10	179	12.0	350.50	178	− 3.0[illegible]	06.8	13				B.D.
		1199 / 11	99	11.0	34.45	98	− 4.4[illegible]	11.7	14				Brk
		1031 / 9	131	10.0	339.15	131	− 3.13	13.5	15				B.D.
		1075 / 10	75	12.1	13.05	75	− 0.0	18.7	16				N E. Rd.
		1072 / 10	72	10.0	0.16	72	− 2.33	17.5	17				℄ 20 0 "
		774 / 7	74	7.0	349.20	73	− 6.01	16.0	18				B.C.
		969 / 8	169	8.8	334.35	169	− 0.0	22.0	19				S.H.
		1140 / 11	40	11.1	335.00	40	− 0.0	19.7	20				B.C.
		646 / 5	146	3.5	321.10	146	− 0.0	27.3	21				S.H.

Add'n'l Inform.

F.B. 922 PG. 72

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope...Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	932			° ′		° ′		1						
8.1.123	8.1.124	9	33	9 0	353.35	33	0.0	4921 8			4930 8		℄ 20	0	Rd
		832							2						
		5	32	5 1	129.30	32	0.0	22 4					N	E	"
		1138							3						
		11	98	11 5	319.25	98	0.0	19 3					B.D.		
		1040							4						
		10	40	9 6	65.30	40	0.0	21 2					Brk.		
		877							5						
		8	77	8 4	343.00	77	0.0	22 4					T.C.		
		340							6						
		3	40	3 0	313.30	40	0.0	29 1					"		
		459							7						
		4	59	3 7	310.00	59	0.0	27 1					Brk		
		1071							8						
		10	59	10 0	85.25	58	5.45	15 0					"		
		873							9						
		8	73	7 5	198.10	73	0.0	23 3					B.D.		
		864							10						
		8	64	12 3	115.20	64	0.0	17 0					Brk		
		509							11						
		4	109	4 0	299.45	109	+ 1.28	29 5					S.H.		
		842							12						
		8	42	7 5	130.00	42	0.0	22 3					"		
		907							13						
		8	107	8 0	274.45	106	+ 5.57	11 8					"		
		232							14						
		2	23	2 5	181.30	23	0.0	28 3					N	E	Rd
		222							15						
		2	22	4 2	228.45	22	0.0	26 6							
		632							16				℄ 20	0	Rd
		6	32	5 8	251.00	32	0.0	25 0							
		785							17				B.C.		
		7	85	7 0	280.10	85	+ 3.45	29 2							
		857							18				S.H.		
		8	57	8 0	272.35	57	+ 3.27	26 1							
		137							19				Dr.		
		1	37	1 0	270.50	37	+ 1.41	30 2							
		266							20				T.C.		
		2	66	2 3	227.00	66	0.0	28 5							
		164							21				B.C.		
		1	64	0 2	213.40	64	0.0	30 6					℄ 20	0	Rd

Add'n'l Inform.

Notes Red. E.S.M. Platted 1.6 Job No. 8324 Division No. F.B. 922 Pg. 73
Date 6-1-82 Date 7-15-82 Survey of Fair Oaks Blvd Hwy
Notes Chkd. Checked Survey by Aguirre Notes E Date 7-20-82
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl.123	Temp Pl.124	165							1						
		1	65	1 0	199 35	65	+ 1 31	4931 5			4930 8		N. E Rd		
		166							2						
		1	66	1 0	237 00	66	+ 4 09	34 2					T.C.		
		182							3						
		7	82	7 0	233 30	81	+ 5 0	31 0					Dr.		
		172							4						
		6	72	6 0	189 00	72	+ 3 41	29 0					Brk		
		113							5						
		8	113	5 0	260 00	112	+ 5 51	34 2					S.H. Dr.		
		101							6						
		6	101	6 0	174 00	101	+ 1 53	33 0					S.I.		
		128							7						
		9	128	9 0	243 40	125	+ 8 11	40 0					S.H.		
		104							8						
		2	104	2 0	227 20	103	+ 5 0	37 2					T.C.		
		101							9						
		1	101	1 0	221 50	101	+ 1 13	32 0					B.C.		
		152							10						
		4	152	5 0	191 00	152	+ 2 41	32 0					S.I.		
		156							11						
		1	156	2 0	219 45	156	+ 3 0	36 2					B.C.		
		157							12						
		4	157	4 0	222 45	157	+ 5 10	41 1					T.C.		
		83							13						
		1	83	1 0	202 50	83	+ 2 17	32 9					y and [illegible]		
		175							14						
		10	175	13 9	231 20	171	+ 9 00	45 0					S.H.		
		128							15						
		3	128	3 0	205 10	128	+ 3 0	34 5					B.F.		
		127							16						
		2	127	3 0	207 00	126	+ 3 55	36 2					T.F.		
		124							17						
		1	124	1 0	214 00	124	+ 2 51	35 9					℄ 20' o Rd		
		191							18						
		3	191	4 0	221 40	189	+ 5 12	44 2					T.C.		
		174							19						
		1	174	2 0	219 40	173	+ 3 15	38 5					B.C.		
		173							20						
		1	173	2 0	215 00	172	+ 3 4	40 0					℄ 20 o Rd		
		175							21						
		1	175	2 0	209 45	174	+ 4 01	40 2					T.F.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Co. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences. V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank. B.B. Top of Cut....T.C. Bottom of Cut...B.C. Top of Fill....T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend: Bottom Draw. B.D. Bottom Wash B.W. Top of Ridge. T.R. Toe of Slope..T.S.

Side Hill.....S.H. Side of Draw. S.D. Side of Ridge. S.R. Head of Draw H.D.

F.B. 922 PG. 74

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl. 123	Temp Pl. 124	778 / 6	178	7°	208.00	177	+ 4.56	4939.0	1		4930.8		B.F.		
		1203 / 9	203	13°	236.15	199	+ 8.33	47.7	2				S.H.		
		1203 / 10	203	11°	196.55	202	+ [illegible]	36.8	3				S.I.		
		1145 / 9	245	14°	235.00	240	+ 5.19	51.6	4				S.H.		
		1147 / 9	247	10°	201.10	245	+ 4.93	40.9	5				S.I.		
		971 / 7	271	12°	230.15	267	+ 7.22	53.2	6				S.H.		
		443 / 2	243	3°	212.20	242	+ 4.24	46.2	7				end [illegible]		
		443 / 2	243	3°	216.00	242	+ 4.[illegible]	45.7	8				± 20 [illegible]		
		[illegible]	[illegible]	3°	[illegible]	241	[illegible]	44.5	9				T.C.		
		667 / 4	[illegible]	5°	220.30	265	+ 5.13	49.6	10						
									11						
Temp. Pl. 120	Temp. Pl. 119								12						
		995 / 8	195	9°	164.35	194	− 3.42	4967.2	13	4.9	4972.1		± 20 [illegible]		
		993 / 8	193	9°	165.33	192	− 3.37	50.8	14				T.F.		
		1093 / 9	193	10°	169.30	192	− 3.40	51.1	15				B.F.		
		1098 / 9	198	10°	160.45	197	− 3.43	50.0	16				B.C.		
		1101 / 9	201	10°	158.35	201	− 2.37	49.5	17				T.C.		
		1123 / 9	223	10°	146.25	223	− 1.34	53.2	18				S.H.		
		1095 / 9	195	15°	184.40	194	− 3.11	56.3	19				S.I.		
		1144 / 10	144	11°	156.20	144	− 3.00	46.5	20				B.C.		
		848 / 7	148	8°	153.30	148	− 2.40	53.7	21				T.C.		

Add'n'l Inform.

Notes Red. S.S.T. Platted U.G. Job No. 8334 Division No. F.B. 922 Pg. 75
Date 6-12-42 Date 7-16-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by [illegible] Notes [illegible] Date 7-30-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp.	1182			° ′		° ′		1						
P.1.120	P.1.119	10	182	14 0	139 15	182	+ 0 5	4960 9			4972 1		S.H.		
		1042							2						
		9	143	10 2	120 10	143	+ 2 10	67 3					"		
		1158							3						
		10	158	16 0	195 50	158	2 10	50 0							
		1098							4						
		10	98	11 2	145 30	98	3 0	60 7					S.I.		
		1094							5						
		10	94	11 0	149 55	94	2 0	58 0					T.C.		
		1133							6						
		10	133	11 0	169 15	133	2 0	54 4					B.C.		
		1032							7						
		9	133	10 2	167 35	133	2 0	55 2					B.F.		
		1133							8						
		10	133	11 0	162 05	133	2 30	55 7					T.F.		
		1046							9						
		10	46	9 7	131 50	46	0 0	62 4					L 20 0 Rd.		
		652							10						
		6	52	6 5	124 40	52	0 0	65 6					B.C.		
		1179							11						
		11	79	12 2	157 45	79	0 0	59 2					T.C.		
		1174							12						
		11	74	11 3	168 25	74	0 0	60 8					L 20 0 Rd.		
		1174							13						
		11	74	12 0	172 10	74	0 0	59 3					T.F.		
		1099							14						
		10	99	13 0	104 45	98	+ 6 0	69 3					S.F.		
		1057							15						
		10	81	13 0	205 20	81	0 0	57 1					S.I.		
		892							16						
		8	92	8 0	62 20	90	+ 7 45	76 2					"		
		954							17						
		9	54	9 4	235 40	54	0 0	62 7					"		
		715							18						
		7	15	1 2	195 50	15	0 0	64 1					B.F.		
		613							19						
		6	13	5 8	182 15	13	0 0	66 3					T.F.		
		618							20						
		6	18	6 6	120 30	18	0 0	65 5					L 20 0 Rd		
		141							21						
		1	41	0 6	140 10	41	0 0	71 5					T.C.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank... T.B. Bottom of Bank. B.B. Top of Cut... T.C. Bottom of Cut... B.C. Top of Fill... T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope... Bk.S. Steep Slope..... S.S. Top of Cliff..... T.Cl. Bottom of Cliff... B.Cl. Top of Spur..... T.Sp. Bottom Canyon... B.Cn.

F.B. 922 PG. 76

Topography Description Legend:
Side Hill..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope.. T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Bldo	Temp BM19	436			° ′		° ′		1						
		4	36	4 L	38.15	36	0.0	4968			4972		B.C.		
		200							2						
		2	40	2 1	7.00	40	0.0	70					E		
		240							3						
		3	40	1 3	340.30	40	0.0	70					T.F.		
		311							4						
		3	41	3 2	334.15	41	0.0	68					B.F.		
		185							5						
		1	85	1 9	6.25	85	+ 1.17	72					B.C.		
		188							6						
		1	88	1 0	12.10	88	+ 3.50	76					T.C.		
		157							7						
		7	57	5 2	301.40	57	0.0	66					T. B.F.		
		915							8						
		8	115	11 0	34.30	112	+ 4.50	80					E.		
		1082							9						
		10	82	13 0	294.50	82	+ 3.55	64					D.		
		161							10						
		12	[illegible]	10 0	[illegible]	157	[illegible]	[illegible]					E.		
		1022							11						
		9	122	9 0	309.00	121	+ 1.30	72					T. B.F.		
		187							12						
		5	313	1 0	2.40	312	+ 3.55	92					T.C.		
		234							13						
		1	134	1 0	0.45	134	+ 2.45	77					B.C.		
		1089							14						
		10	89	13 0	320.00	88	+ 5.18	67					D.		
		570							15						
		5	70	5 0	321.00	70	+ 2.57	70					T. B.F.		
		369							16						
		3	69	3 0	342.50	69	+ 3.04	72					Rep. [illegible]		
		268							17						
		2	68	2 0	358.53	68	+ 1.57	72					E. 20		Ha
		249							18						
		1	149	2 0	358.20	149	+ 3.34	80					Rep. [illegible]		
		603							19						
		7	103	3 0	[illegible]	103	+ 3.03	75					E. 20		
		603							20						
		5	103	5 0	345.00	102	+ 4.24	74					T.F.		
		502							21						
		4	102	4 0	340.50	102	+ 2.09	71					B.F.	Ha	

Add'n'l Inform.

Notes Rod. E.S.T. Platted U.S. Date Date Date Job No. 8324 Division No. F.B. 9772 PG. 77
Survey of Bar Blossom Hwy
Notes Chkd. Checked Survey by Pasquale Notes K. Date 5-1-46
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
Temp P.I. 120	Temp P.I. 119	350 / 2	150	30	0.15	149	+ 3.3	4978.2	1		4972.1		Dr.
		240 / 1	140	20	352.50	139	+ 3.3	78.5	2				[illegible] Rd
		540 / 4	140	40	345.25	139	+ 4.08	78.0	3				end fill
		1053 / 9	153	100	2.15	151	+ 7.0	80.5	4				T.B. west
		1053 / 9	153	130	327.30	151	+ 6.1	75.6	5				B.Brk.
		962 / 8	162	80	13.50	159	+ 7.4	85.5	6				Sl.
		1095 / 9	195	130	7.45	191	+ 8.00	85.8	7				"
		294 / 1	194	20	356.05	193	+ 4.0	83.6	8				T.B. west
		390 / 2	190	30	355.[illegible]	189	+ [illegible]	81.3	9				[illegible]
		290 / 1	190	20	354.05	189	+ 4.0	83.2	10				T.B.
		341 / 1	241	20	350.10	240	+ 4.2	88.5	11				"
		440 / 2	240	30	350.45	239	+ 4.2	87.4	12				Dr.
		443 / 2	243	30	351.40	241	+ 4.4	89.0	13				T.B. west
		1058 / 8	258	120	2.55	255	+ 6.3	89.4	14				Sl.
		1102 / 8	302	90	355.00	299	+ 6.1	95.2	15				"
		1069 / 9	169	100	321.20	167	+ 5.3	78.2	16				T.Brk
		984 / 7	284	50	348.00	281	+ 5.5	92.9	17				T.B. west
		482 / 2	282	30	347.20	280	+ 4.3	91.2	18				Dr.
		1197 / 10	197	110	326.45	195	+ 6.00	81.3	19				Sl.
		379 / 1	279	20	346.45	277	+ 4.3	91.9	20				T.F.
		1189 / 10	189	110	332.35	187	+ 5.5	80.0	21				Sl.

Add'n'l Inform.

F.B. 922 PG. 78

Topography Description Legend:
Side Hill....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl. 120	Temp Pl. 119	525 / 2	328	3.0	342.50	326	+ 4.51	4996.4	1		4972.[illegible]		T.F.		
		685 / 5	185	6.0	345.00	184	+ 5.00	82.0	2				E. Rd.		
		235 / 1	185	2.0	349.40	184	+ 4.00	82.7	3				℄ 20 0		Pg
		831 / 5	331	6.0	343.40	328	+ 5.06	95.2	4				Dr.		
		445 / 2	245	3.0	345.25	243	+ 4.38	88.6	5				℄ 20 0		Pg
		51[illegible] / 3	242	4.0	342.30	240	+ 4.[illegible]	87.8	6				[illegible]		
		837 / 5	33[illegible]	7.0	344.45	334	+ 5.43	98.2	7				T.B. Wes		
		1140 / 8	340	9.0	353.10	336	+ 6.21	5000.3	8				Sl.		
		1030 / 8	230	14.0	329.25	227	+ 6.36	4985.2	9				Sl.		
		541 / 2	341	3.0	347.45	338	+ 5.12	99.7	10				"		
		970 / 7	270	13.0	326.30	267	+ 6.20	88.5	11				"		
		972 / 7	272	13.0	335.25	269	+ 6.24	89.0	12				"		
		976 / 7	276	9.0	340.25	273	+ 5.53	91.0	13				N E		Pg
		477 / 2	277	3.0	343.00	275	+ 4.43	91.3	14				℄ 20 0		Pg
		1021 / 7	321	12.0	339.50	317	+ 6.29	95.8	15						
									16						
Temp Pl. 117	Pl. 118							5025.5	17 49		5030.4				
		958 / 6	358	8.0	2.35	356	− 2.47	4999.0	18				8" Pi.		
		1035 / 7	335	8.0	2.40	334	− 3.36	5001.7	19				T.F.		
		1137 / 8	337	9.0	1.42	336	− 3.43	4999.9	20				Dr.		
		1040 / 7	340	8.0	1.00	339	− 3.28	5002.0	21				T.B.		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.G. Job No. 8334 Division No. F.B. 922 Pg. 79
Date [illegible] Date 7-17-47 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R. C. Johnson Date 5-1-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
Temp 21.117	P1 118	1198 / 9	298	15	15 15	297	3 [illegible]	4998.1	1		5030.4		Sl.
		1153 / 8	353	15.0	352 40	353	1 3[illegible]	5006.0	2				"
		1215 / 9	315	15.0	7 30	314	2 [illegible]	00.8	3				N E Rd.
		1118 / 8	318	9.0	4 52	317	3 [illegible]	02.0	4				℄ 20 0 Rd
		908 / 6	308	13.0	351 15	308	1 [illegible]	10.5	5				Sl.
		974 / 7	274	8.0	2 50	273	3 [illegible]	05.7	6				℄ 10 0 Rd
		1169 / 9	269	10.0	5 37	268	3 [illegible]	04.6	7				N. E. Rd
		803 / 5	303	6.0	358 30	302	3 [illegible]	07.0	8				T.B. South
		900 / 6	300	7.0	357 30	299	[illegible]	04.0	9				Dr.
		798 / 5	298	6.0	0 30	297	3 [illegible]	04.0	10				T.F.
		1041 / 8	241	9.0	19 30	239	4 [illegible]	01.1	11				Sl.
		539 / 3	239	4.0	357 45	238	4 [illegible]	08.5	12				end fill Begin cut
		1183 / 10	183	11.0	20 50	182	4 [illegible]	05.6	13				Sl.
		546 / 3	246	4.0	356 20	245	3 [illegible]	10.7	14				T.C.
		785 / 6	185	7.0	2 30	184	3 [illegible]	11.6	15				N E. Rd
		785 / 6	185	7.0	358 48	184	3 [illegible]	12.3	16				℄ 20 0 Rd.
		1162 / 9	262	13.0	346 15	262	0 [illegible]	15.1	17				Sl.
		1036 / 9	136	10.0	354 50	136	2 00	15.8	18				℄ 20 0 Rd
		1130 / 10	130	11.0	2 15	130	1 4[illegible]	15.4	19				Begin cut
		1011 / 8	211	9.0	331 45	211	0 [illegible]	22.8	20				12" Pi.
		465 / 3	165	4.0	331 45	165	1 [illegible]	23.0	21				12" "

Add'n'l Inform.

F.B. 922 PG. 80

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore ....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp P.I.	P.I.	1088 / 9	188	10.0	330.10	188	+ 0.14	5019.8	1	—	5030.4	—	12" P.		
P.I. 117	118	1165 / 10	165	11.0	324.00	165	+ 2.07	25.3	2	—	—	—	12" P.		
		1165 / 10	165	10.2	341.20	165	— 0.0	19.7	3	—	—	—	6" P.		
		1109 / 9	209	10.2	349.23	209	— 1.33	15.0	4	—	—	—	6" P.		
		1025 / 8	225	7.0	353.00	225	— 2.07	13.2	5	—	—	—	6" P.		
		1027 / 9	127	10.0	17.40	127	— 2.38	14.7	6	—	—	—	T Brk		
		1028 / 9	128	10.2	26.10	127	— 4.00	11.5	7	—	—	—	Sl.		
		1200 / 9	300	11.0	349.30	300	— 1.41	10.8	8	—	—	—	10" P.		
		1085 / 10	85	10.0	32.10	85	— 3.07	15.9	9	—	—	—	Sl.		
		983 / 8	183	9.0	354.20	183	— 2.54	12.3	10	—	—	—	B.C.		
		654 / 5	184	6.0	352.45	184	— 2.49	13.5	11	—	—	—	T.C.		
		1082 / 10	82	12.2	16.55	82	— 0.0	18.2	12	—	—	—	T. Brk		
		1129 / 10	129	11.0	343.45	129	— 1.27	15.2	13	—	—	—	B.C.		
		1032 / 9	132	9.5	343.40	132	— 0.0	20.9	14	—	—	—	T.C.		
		1085 / 10	85	10.8	0.10	85	— 0.0	19.6	15	—	—	—	T.C.		
		1086 / 10	86	12.3	357.25	86	— 0.0	18.1	16	—	—	—	B.C.		
		1192 / 11	92	11.5	346.10	92	— 0.0	18.9	17	—	—	—	[illegible]		
		1075 / 10	75	9.9	325.00	75	— 0.0	20.5	18	—	—	—	B.C.		
		579 / 5	79	4.8	319.30	79	— 0.0	25.6	19	—	—	—	T.C.		
		522 / 4	122	4.0	305.55	122	+ 1.42	30.0	20	—	—	—	Sl.		
		851 / 8	51	7.6	317.55	51	— 0.0	22.8	21	—	—	—	℄ 20		Pk

Add'n'l Inform.

Notes Red. E.S.T. Platted [illegible] Job No. [illegible] Division No. [illegible] F.B. 922 PG. 81
Date [illegible] Date [illegible] Survey of [illegible]
Notes Chkd. Checked Survey by Hosearans Notes [illegible] Date 5-1-42
Date Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
Temp Pl. 117	Pl. 118	935 / 9	35	8.5	331.30	35	0.0	5021.9	1		5030.4		B.C.
		632 / 6	32	6.1	336.40	32	0.0	24.3	2				T.C.
		524 / 5	24	5.2	11.30	24	0.0	25.2	3				Brk.
		526 / 8	26	8.8	29.30	26	0.0	21.6	4				"
		1041 / 10	41	10.0	66.50	41	0.0	19.5	5				Sl.
		408 / 3	108	2.4	319.15	108	0.0	28.0	6				10" Pl.
		703 / 6	103	6.0	283.40	102	+ 4.0	31.5	7				12" Pl.
		549 / 5	49	13.0	137.45	49	+ 3.4	20.5	8				Sl.
		161 / 1	61	1.5	286.35	61	0.0	28.9	9				T.C.
		555 / 5	55	5.8	286.10	55	0.0	24.6	10				B.C.
		731 / 7	31	4.0	199.50	31	0.0	26.4	11				Brk.
		231 / 2	31	1.7	210.45	31	0.0	28.7	12				"
		337 / 3	37	3.2	236.10	37	0.0	27.2	13				T.C.
		438 / 4	38	4.5	240.35	38	0.0	26.1	14				B.C.
		350 / 3	50	3.4	251.50	50	0.0	27.0	15				℄ 20 0 Rd.
		175 / 1	75	1.4	238.40	75	0.0	29.0	16				B.C.
		182 / 1	82	1.0	240.30	82	+ 2.15	33.3	17				T.C.
		687 / 6	87	6.0	223.05	87	+ 4.10	26.7	18				℄ 20 0 Rd.
		481 / 4	81	4.0	215.20	81	+ 2.30	30.0	19				end cut
		628 / 5	128	5.0	253.45	127	+ 5.25	37.3	20				Sl.
		1200 / 1117	83	17.0	179.40	81	+ 7.43	24.4	21				"

Add'n'l Inform.

F.B. 922 PG. 82

Topography Description Legend:
Side Hill....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff...B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut...B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Dl.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl. 117	Pl. 118	1111			° ′		° ′		1						
		10	111	15	178 10	110	+ 4 58	502.50			503.04		Tel. Po.		
		474							2						
		3	174	4	237 50	173	+ 5 11	42.0					Sl.		
		1126							3						
		10	126	18	178 10	125	+ 4 58	23.2					6" D.		
		407							4						
		3	107	3	208 [illegible]	107	+ 2 32	32.0					18" R.	4	Pl.
		208							5						
		1	108	1	215 25	108	+ 1 27	32.1					E 20	0	Pl.
		431							6						
		3	131	4	222 55	131	+ 3 21	34.0					8" P.		
		431							7						
		3	131	4	225 12	131	+ 3 21	34.0					8" P.		
		210							8						
		1	110	1	229 00	110	+ 2 58	35.0					5" P.		
		416							9						
		3	116	3	220 00	116	+ 2 50	33.3					end of		
		416							10						
		3	146	1	203 30	146	+ 3 16	34.7					E 20	0	
		435							11						
		3	125	3	312 [illegible]	125	+ 3 05	34.6					Begin		
		536							12						
		4	136	4	200 00	136	+ 3 11	33.8					T.F.		
		362							13						
		2	162	3	203 35	162	+ 3 12	37.3					"		
		731							14						
		6	131	7	198 30	131	+ 2 52	29.1					B.F.		
		669							15						
		5	169	6	204 40	168	+ 3 11	33.5					"		
		1153							16				Flow line		
		10	153	11	190 54	153	+ 3 15	28.9					4 end	30	6
		712							17						
		5	212	6	217 30	211	+ 4 09	29.6					Sl.		
		980							18				Flow line		
		8	180	9	201 00	180	+ 3 05	31.0					3 end	30	6
		1154							19						
		9	254	10	213 00	252	+ 4 39	40.8					B.D.		
		892							20						
		7	192	8	188 30	191	+ 4 47	38.3					E 20	0	Pl.
		685							21						
		5	185	7	183 40	184	+ 4 45	31.5					end fill		

Add'n'l Inform.

Notes Rod E.S.T. Platted J.G. Job No. 5334 Division No. F.B. 922 PG. 83
Date 1-12-42 Date 1-17-42 Survey of Pass Blossom Hwy
Notes Chkd. Checked Survey by Hasselrig Notes Date 5-1-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
Temp Pl. 117	Pl. 118	583 / 4	183	5.0	178 45	182	+ 3 31	503.69	1		503.04		Sp.
		655 / 4	255	5.0	208 23	254	+ 3 59	42.4	2				Tel Po
		930 / 7	230	8.0	200 22	228	+ 5 12	43.0	3				S.H.
		785 / 6	185	7.0	196 23	184	+ 4 [illegible]	37.5	4				T.F.
		893 / 7	193	8.0	197 27	192	+ 4 12	36.9	5				B.F.
		800 / 6	200	7.0	192 20	199	+ 4 14	38.0	6				end Fill Begin cut
	?	833 / 6	233	7.0	184 40	232	+ [illegible]	40.9	7				B.C.
	?	831 / 6	231	7.0	184 40	230	+ [illegible]	40.1	8				"
		339 / 1	239	2.0	185 32	237	+ 4 [illegible]	41.0	9				T.C.
		633 / 4	233	5.0	179 52	232	+ 4 [illegible]	42.3	10				± 2.0 O Rd
		865 / 6	265	7.0	194 20	262	+ [illegible]	49.4	11				S.H.
		513 / 3	213	4.0	178 20	212	+ 4 0[illegible]	41.3	12				Begin Fill
		904 / 6	304	7.0	190 10	301	+ [illegible]	55.7	13				S.H.
		1056 / 8	256	9.0	171 00	255	+ 4 [illegible]	40.2	14				B.F.
		1159 / 9	259	10.0	173 25	257	+ 5 [illegible]	45.1	15				T.F.
		563 / 3	263	4.0	176 42	262	+ 4 [illegible]	45.0	16				± 2.0 O Rd
		848 / 5	348	6.0	189 45	343	+ 7 0[illegible]	66.7	17				S.H.
		913 / 6	313	7.0	175 20	311	+ 4 47	49.2	18				± 2.0 O Rd
		571 / 3	271	4.0	179 25	270	+ 3 5[illegible]	44.5	19				B.C.
		1200 / 913	287	11.0	172 00	284	+ 5 4[illegible]	47.8	20				end Fill
		574 / 3	274	5.0	180 25	272	+ 4 5[illegible]	48.3	21				T.C.

Add'n'l Inform.

F.B. 922 PG. 84

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp P.1.17	P.1 118	1214 / 9	314	11.0	166.45	312	+ 4.23	5043.2	1	—	5030.4	—	Sp		
		828 / 5	328	6.2	178.15	326	+ 4.32	50.0	2	—	—	—	B.C.		
		1026 / 7	326	8.0	179.15	323	+ 5.52	55.3	3	—	—	—	T.C.		
		928 / 6	328	7.0	169.20	326	+ 4.37	50.5	4	—	—	—	Sp.		
		757 / 4	357	5.0	183.00	353	+ 6.07	63.0	5	—	—	—	T.C		
		859 / 5	359	7.0	175.35	356	+ 4.59	53.7	6	—	—	—	Begin ℄ 11		
		440 / 1	340	3.0	177.30	338	+ 4.10	51.8	7	—	—	—	℄ 20 0		
		984 / 6	384	8.0	188.40	378	+ 7.15	70.3	8	—	—	—	T.C.		
		943 / 6	343	8.0	195.35	338	+ 7.09	64.2	9	—	—	—	S.H.		
		860 / 5	360	6.0	201.40	355	+ 6.31	65.1	10	—	—	—	"		
		1200 / 926	274	12.0	165.00	273	+ 3.51	36.2	11	—	—	—	" Back		
		1032 / 8	232	9.0	168.30	231	+ 2.52	32.9	12	—	—	—	" "		
		982 / 8	182	9.0	170.25	182	+ 1.54	27.4	13	—	—	—	S.H.		
		1095 / 9	145	10.0	176.45	145	+ 2.21	26.3	14	—	—	—	"		
		906 / 5	406	7.0	202.15	400	+ 7.15	73.8	15	—	—	—	T.R.		
		783 / 4	383	6.0	193.40	376	+ 7.35	74.4	16	—	—	—	"		
									17	—	—	—			
Temp P.1.114	Temp P.1.113							5051.3	18 / 47	—	5056.0	—			
		254 / 2	54	2.6	17.30	54	— 0.0	53.4	19	—	—	—	B.C.		
		150 / 1	50	1.7	7.10	50	— 0.0	54.3	20	—	—	—	℄ 20 0 Pd		
		1175 / 11	75	11.0	177.10	71	— 12.48	28.9	21	—	—	—	S.H.		

Add'n'l Inform.

Notes Red. E.S.T. Platted JG Job No. 8334 Division No. F.B. 922 Pg. 85
Date [illegible] Date [illegible] Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Apsecrans Notes R. Date 5-1-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
Temp Pl.114	Temp Pl.113	202 / 1	102	10	1 13	102	+ 1 [illegible]	5058.1	1		5056.0		℄ 20 0 Rd
		203 / 1	103	10	6 15	103	+ 1 [illegible]	57.7	2				B.C.
		257 / 2	57	20	217 10	46	− 25 [illegible]	31.8	3				S.H.
		459 / 3	159	40	7 42	158	+ 3 [illegible]	62.0	4				B.C.
		260 / 1	160	20	4 10	160	+ 2 [illegible]	62.1	5				℄ 20 0 Rd
		1046 / 10	46	100	273 40	40	− 21 [illegible]	30.5	6				S.H.
		307 / 1	207	20	3 [illegible]	206	+ 3 [illegible]	65.1	7				℄ 20 0 Rd.
		806 / 6	206	70	8 20	205	+ 4 [illegible]	65.1	8				end cut
		1081 / 10	81	100	[illegible]	79	− 8 [illegible]	34.0	9				B.D
		1166 / 10	166	110	10 [illegible]	163	− [illegible]	68.0	10				T.C.
		196 / 1	96	10	296 10	90	− [illegible]	32.7	11				S.H.
		418 / 3	118	40	10 50	115	+ 7 [illegible]	70.3	12				T.C.
		[illegible] / 1	123	10	17 10	120	+ 8 [illegible]	73.7	13				T.R.
		536 / 4	136	40	293 55	136	− 3 [illegible]	44.4	14				S.H.
		305 / 1	208	20	0 07	207	+ 3 [illegible]	65.1	15				end fill
		1103 / 9	203	100	335 00	202	+ 4 [illegible]	62.3	16				Dr.
		775 / 6	175	70	358 05	174	+ 3 [illegible]	59.3	17				B.F.
		3[illegible] / 2	124	27	328 50	124	− 0 [illegible]	53.3	18				S.H.
		272 / 1	172	20	0 20	172	+ 2 [illegible]	62.5	19				T.F.
		537 / 4	137	50	339 15	137	+ 2 [illegible]	56.5	20				S.H.
		220 / 1	120	10	356 10	120	+ 2 [illegible]	59.2	21				T.F.

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole....P.P.
Culvert .....Cul.

Oak-O. Flr-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 86

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	1126			° '		° '		1						
P.I. 114	P.I. 113	10	126	11 0	349.00,	126	+ 2.48,	5051 1			5056 0		B.F.		
		166							2						
		1	66	1 0	353.00,	66	+ 1.10,	56 3					T.F.		
		1176							3						
		11	76	11 0	333.20,	76	3.19,	40 7					B.F.		
									4						
					° '		° '								
P.I.	P.I.								5						
111	110				° '		° '	5072 1	51		5077 2				
		959							6						
		9	59	1 0	261.45,	59	0.0,	68 2							
		1085							7						
		10	85	10 0	250.15,	85	0.0,	67 7					T.S.		
		477							8						
		4	77	4 0	346.10,	77	+ 2.02,	75 9					Brk		
		282							9						
		2	82	2 0	10.30,	82	+ 1.47,	77 2					S.H.		
		452							10						
		4	52	4 0	11.05,	52	+ 0.42,	73 8					"		
		524							11						
		1	124	3 2	229.45,	124	0.0,	73 5							
		516							12				T.R.		
		5	46	5 0	338.15,	46	0.12,	72 1							
		145							13				Brk.		
		1	48	11 5	324.10,	48	0.0,	65 7							
		942							14				Hd.		
		9	46	9 2	307.55,	46	0.0,	68 0							
		1044							15				Brk.		
		10	44	9 8	291.10,	44	0.0,	67 4							
		947							16				N	E	Rd.
		9	47	9 2	276.55,	47	0.0,	68 0							
		936							17				∠ 20	a	Rd.
		8	136	8 0	234.15,	136	+ 2.10,	74 2							
		404							18				T.R.		
		4	4	4 7	165.00,	4	0.0,	72 5							
		695							19				∠ 20	=	Rd.
		6	95	6 3	227.25,	95	0.0,	70 9							
		607							20				Sl.		
		6	7	5 8	14.10,	7	0.0,	71 4							
		1187							21				H.	E	1
		11	87	11 0	198.10,	86	+ 6.40	76 1					Sl.		

Add'l Inform.

Notes Rod. E.S.T. Platted V.G. Job No. 8334 Division No. F.B. 222 Pg. 87
Date 1-17-42 Date 1-17-42 Survey of Bar Blossom Rd.
Notes Chkd. Checked Survey by Reservoir Notes R. Date 5-1-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P1	P1	150			° ′ ″		° ′ ″		1						
111	110	1	50	0 5	80.25	50	0.0	5076 7			5077 2		℄ 20	0	Rd.
		250							2						
		2	50	1 9	65.50	50	0.0	75 3					N	E	Rd.
		253							3						
		3	53	3 5	50.20	53	0.0	73 6					Di		
		256							4						
		8	56	8 9	224.45	56	0.0	68 8					T.S.		
		743							5						
		7	43	7 5	247.30	43	0.0	69 7					S	E.	Rd.
		720							6						
		4	20	4 0	178.00	20	0.0	73 2					"	"	
		226							7						
		2	26	1 7	174.15	26	0.0	75 5					Brk		
		150							8						
		4	50	4 3	174.10	50	0.0	72 9							
		1270							9						
		10	70	10 0	129.00	69	+ 6.4	75 2					Di		
		1098							10						
		10	98	10 0	174.20	96	7.0	79 1					S1.		
		1077							11						
		10	77	10 0	134.45	76	+ 6.2	77 3					"		
		1000							12						
		9.55	100	10 0	146.30	99	+ 5.4	78 0					"		
		1	55	1 0	49.40	88	0.0	76 2	13				Di		
		190							14						
		2	90	2 0	67.20	90	3.0	80 0					"		
		191							15						
		1	91	1 0	70.15	91	+ 2.2	80 2					N	E	Rd
		166							16						
		1	66	1 0	129.20	66	+ 3.1	79 9					℄ 20	0	Rd
		145							17						
		2	45	0 6	103.20	45	0.0	76 6					S1.		
		185							18						
		1	85	1 0	81.00	85	+ 7.2	79 6					S	E	Rd
		239							19						
		1	39	2 0	65.30	138	+ 3.2	84 5					Begin cut		
		239							20						
		1	39	3 0	70.45	138	+ 3.4	83 2					℄ 20'	0.	Rd.
		339							21						
		2	39	3 0	60.00	138	+ 4.1	84 2					B.C.		
													N.	E.	Rd.

Add'nl Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences V. Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Sa. Sw. Fl. Str. Tr. Pvt. E.Rd.

Saddle ..... Swale ..... Flat ..... Stream ..... Trail ..... Pavement ..... Edge of Road

Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Side of Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draws V.D's Break in Slope B.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

F.B. 922 Pg. 28

Topography Description Legend: Side Hill S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Type of Slope T.S. Head of Draw H.D.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 111	P.I. 110	397			° ′		° ′		1						
		3 941	97	3.0	109.25	97	+ 4.05	5081.0	2		5077.2		T.S.		
		8 1050	141	8.0	109.00	139	+ 7.37	87.8	3				Sl.		
		9 12	150	6.0	51.20	149	+ 5.17	80.9	4				Dr.		
		1077 675	123	11.0	100.00	121	+ 7.53	83.0	5				"		
		5 816	175	6.0	42.00	173	+ 5.32	88.0	6				Sp.		
		6 228	216	7.0	48.40	214	+ 5.29	90.6	7				"		
		1 805	128	1.0	75.30	127	+ 5.52	89.1	8				T.C.		
		6 367	205	7.0	53.05	203	+ 6.00	91.3	9				Sp.		
		2 672	167	2.0	69.00	166	+ 3.37	65.[illegible]	10				BC		
		5 586	172	6.0	71.30	170	+ 6.13	89.7	11				T.C.		
		4 [illegible]	186	5.0	59.25	185	+ [illegible]	85.2	12				N end 12 [illegible] Col.		
		3 [illegible]	215	4.0	66.50	214	+ 4.10	88.6	13				[illegible]		
		1 [illegible]	188	2.0	63.20	187	+ 4.07	88.5	14				[illegible]		
		1 681	188	2.0	[illegible]	187	+ 4.[illegible]	88.6	15				N.E. Rd		
		5 337	181	6.0	77.45	178	+ 7.22	94.3	16				T. Sp.		
		1 436	237	2.0	62.50	236	+ 4.20	92.8	17				℄ 20 [illegible] Rd		
		2 425	236	3.0	59.10	234	+ 4.42	93.3	18				N. E. Rd		
		2 840	225	3.0	58.00	223	+ 4.44	92.8	19				W. end quarter Fn.		
		6 983	240	7.0	55.25	238	+ 5.44	93.9	20				Sp.		
		8 463	183	9.0	93.00	180	+ 7.23	91.5	21				Dr		
		2	263	3.0	59.25	261	+ 4.54	96.4					E Rd [illegible]		

Add'l Inform.

Notes Red. E.S.T. Platted V.G. Job No. 8334 Division No. F.B. 922 Pg. 89
Date 6-12-42 Date 7-20-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Fisecrans Notes K Date 5-1-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ − Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Pl.	Pl.	390			° ′		° ′		1						
111	110	8	190	9 0	103.35	186	+ 8.3	5096.2	2		5077.2		S.H.		
		377													
		1	277	2 0	69.10	275	+ 1.2	96.3	3				℄ 20 ○ Rd		
		408													
		1	308	3 0	60.3	306	+ 1.3	97.2	4				gravel Fn		
		454													
		6	254	7 0	100.10	248	+ 8.4	5108.0	5				S.H.		
		333													
		3	332	1 0	61.10	330	+ 3.0	026	6				E end gravel Fn		
		313													
		8	313	7 0	68.10	310	+ 7.4	5097.4	7				℄ 20 ○ Rd		
		1143													
		9	245	10 0	93.10	240	+ 7.3	5100.5	8				Dr.		
		650													
		4	250	5 0	5.5	248	.	5092.8	9				Bgn cut Mond		
		932													
		7	232	8 0	82.55	229	+ 5.2	5101.2	10				T.R.		
		5													
		2	196	3 0	66.20	197	+ 1.8	5088.4	11				E end cut		
		9													
		7	258	3 0	7.5	254	+ 5.0	96.0	12				Hd. D		
		633													
		4	288	3 0	57.20	286	+ 3.5	97.0	13				B.C.		
		536													
		3	286	4 0	65.00	283	+ 5.1	5101.3	14				T.C.		
		596													
		3	296	4 0	77.25	292	+ 6.2	07.7	15				Sp.		
		1020													
		7	320	5 0	77.30	316	+ 6.9	06.3	16				T.C.		
		320													
		7	320	5 0	77.15	314	+ 7.3	11.3	17				Sp.		
		1129													
		8	329	9 0	84.05	322	+ 8.3	15.7	18				Sp.		
		1085													
		8	285	9 0	84.00	279	+ 8.1	08.6	19				"		
		980													
		7	280	8 0	88.50	274	+ 8.2	09.8	20				Hd. D.		
		1035													
		7	335	8 0	90.30	328	+ 8.6	16.8	21				Sp		
		1037													
		7	337	8 0	93.15	330	+ 8.2	18.2					Sp.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Co. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank... T.B. Bottom of Bank. B.B. Top of Cut..... T.C. Bottom of Cut... B.C. Top of Fill..... T.F. Bottom of Fill. B.F.

Interc. of Draws. V.D's Break in Slope.. Bk.S. Steep Slope..... S.S. Top of Cliff..... T.Cl. Bottom of Cliff... B.Cl. Top of Spur..... T.Sp. Bottom Canyon... B.Cn.

F.B. 92R PG. 90

Topography Description Legend:
Side Hill..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope.. T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
				—	° '		° '	—	2	—		—			
P.I. 108	P.I. 107			—	° '		° '	5106 2	51	—	5111 3	—			
		523 5	23	5 5	180 00	23	0 0	5105 8	3	—		—	P108A Setting		
				—	° '		° '	—	4	—		—			
P. 108A	P.I. 107			—	° '		° '	5105 8	5	—	5110 2	—			
		423 4	23	4 0	1 0 0	23	0 0	06 2	41	—		—	P.I. 108		
		1186 10	186	11 0	107 45	185	4 49	5083 8	6	—		—	S.H.		
		1050 10	50	10 3	70 00	50	0 0	77	7	—		—	B.C.		
		620 6	20	5 9	145 45	20	0 0	5104 3	8	—		—	℄		
		733 7	33	6 9	44 15	33	0 0	033	9	—		—	E.C.		
		236 2	36	2 2	43 30	36	0 0	08 0	10	—		—	T.C.		
		1035 9	135	14 0	114 15	134	4 26	5085 9	11	—		—	S.H.		
		1100 10	100	14 0	125 10	99	4 45	88 0	12	—		—	"		
		157 1	57	10	12 10	57	+ 1 45	5110 8	13	—		—	T.C.		
		326 3	36	3 0	8 15	56	0 0	07 3	14	—		—	B.C.		
		255 2	55	1 9	355 55	55	0 0	08 3	15	—		—	℄		Ro
		155 1	55	0 5	329 25	55	0 0	09 7	16	—		—	T.F.		
		864 8	64	8 0	107 10	60	14 03	5087 3	17	—		—	S.H.		
		203 1	103	1 0	345 30	103	+ 2 03	5112 8	18	—		—	T.F.		
		203 1	103	1 0	355 30	103	+ 1 45	12 3	19	—		—	℄		
		204 1	104	2 0	305	104	+ 1 00	10 0	20	—		—	E.C.		
									21	—		—			

Add'n'l Inform.

Notes Red. E.S.T. Platted C.L.G. Job No. 8334 Division No. F.B. 9222 Pg. 91
Date 2-13-47 Date 2-13-47 Survey of Rt. Rl. Sur. Hwy
Notes Chkd. Checked Survey by Haberrans Notes K. Date 2-1-46
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P 105A	Pl 107	207 / 1	107	1.0	9.15	106	+ 4.[illegible]	5116.6	1		5110.2		T.C.		
		936 / 9	36	9.0	192.40	32	− 18.[illegible]	5090.5	2				S.H.		
		1114 / 10	114	10.0	25.45	113	+ 4.[illegible]	5109.0	3				Hd Dr.		
		1143 / 11	43	11.0	259.30	41	− 10.[illegible]	5091.6	4				S.H.		
		1164 / 11	64	10.0	296.00	63	− 7.3[illegible]	92.0	5				"		
		1167 / 10	167	7.0	24.00	165	+ 5.[illegible]	5115.2	6				Sp.		
		975 / 9	76	12.0	315.15	76	− 2.[illegible]	5094.5	7				S.H.		
		260 / 1	160	2.0	6.15	159	+ 4.[illegible]	5121.2	8				T.C.		
		355 / 2	155	3.0	1.25	155	+ 2.[illegible]	14.5	9				B.C.		
		255 / 1	155	2.0	353.40	155	+ 3.[illegible]	16.5	10				℄ 20 O. Rd		
		256 / 1	156	2.0	351.00	155	+ 3.[illegible]	17.1	11				T.F.		
		888 / 8	88	13.0	3[illegible].30	88	− 4.[illegible]	5091.2	12				S.H.		
		510 / 3	210	4.0	351.25	209	+ [illegible]	5121.9	13				T.F.		
		308 / 1	208	2.0	354.35	207	+ 3.[illegible]	21.2	14				℄ 20 O. Rd.		
		403 / 2	203	3.0	359.45	202	+ 3.[illegible]	19.1	15				B.C.		
		305 / 1	205	2.0	3.45	203	+ [illegible]	25.6	16				T.C.		
		1138 / 10	138	11.0	335.40	138	+ 1.4[illegible]	03.4	17				S.H.		
		1110 / 9	210	10.0	13.30	208	+ 5.3[illegible]	21.4	18				Sl.		
		1130 / 10	130	11.0	347.00	129	+ 6.0[illegible]	12.6	19				B.F.		
		1263 / 8	263	12.0	9.15	260	+ 5.[illegible]	25.0	20				Sl.		
		1181 / 11	81	11.0	328.55	81	− 2.3[illegible]	5095.6	21				B.F.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut....T.C. Bottom of Cut..B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 92

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 108A	Pl 107	854 / 8	54	8.4	322.25	54	− 0.0	5101.8	1		5110.2		B.F.		
		542 / 1	142	2.0	1.25	141	+ 7.51	20.1	2				T.C.		
		1039 / 8	239	9.0	358.00	237	+ 5.02	21.9	3				B.C.		
		532 / 3	232	4.0	353.40	231	+ 4.19	23.5	4				℄ 20 0		
		431 / 2	231	3.0	350.95	230	+ 7.10	23.8	5				T.F.		
		409 / 4	9	4.2	302.00	9	− 0.0	06.0	6				"		
		728 / 7	28	6.8	[illegible]	28	− 0.0	03.4	7				[illegible]		
		477 / 2	277	3.0	345.25	275	+ 4.22	28.0	8				T.F.		
		480 / 2	280	3.0	351.10	278	+ 4.19	28.1	9				℄ 20 0		
		383 / 1	283	2.0	354.20	282	+ 3.45	26.4	10				B.C.		
		385 / 1	285	2.0	353.40	283	+ 4.47	31.2	11				T.C.		
		488 / 2	288	3.0	358.40	286	+ 5.04	32.3	12				T.R.		
									13						
Pl 107	Pl 108							5130.8	14 5.0		5135.8				
		1013 / 9	113	10.0	22.00	110	− 8.49	08.8	15				B.F.		
		1124 / 10	124	11.0	28.35	120	− 10.04	03.7	16				S.H.		
		1202 / 11	102	12.0	43.50	98	− 11.18	04.4	17				"		
		1157 / 11	57	14.0	232.55	57	+ 3.45	25.3	18				Sl.		
		987 / 9	87	9.0	35.25	84	− 11.24	10.0	19				B.F.		
		767 / 7	67	7.0	63.10	64	− 11.25	16.0	20				B.F.		
		1086 / 10	86	10.0	186.50	85	+ 4.35	32.5	21				Sl.		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.G. Job No. B334 Division No. F.B. 922 Pg. 93
Date 6-19-42 Date 7-20-45 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R Date 5-1-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P.I. 107	P.I. 108	874 / 8	74	8.0	153.00	73	+ 0.[illegible]	5136.1	1	—	5135.8	—	T.R.
		174 / 1	74	1.1	142.40	74	— 0.0	34.7	2	—	—	—	T.C.
		515 / 5	75	5.2	139.00	75	— 0.0	30.6	3	—	—	—	B.C.
		381 / 3	81	3.5	128.40	81	— 0.0	32.3	4	—	—	—	℄ 20 0 Rd
		388 / 3	88	3.6	119.20	88	— 0.0	32.2	5	—	—	—	end fill
		1095 / 10	95	15.0	56.00	92	— 10.0[illegible]	04.5	6	—	—	—	S.H.
		240 / 1	140	2.0	132.00	140	+ 0.[illegible]	36.0	7	—	—	—	E E Rd.
		236 / 1	136	1.0	137.25	136	+ 0.4[illegible]	36.2	8	—	—	—	℄ 20 0 Rd
		335 / 2	135	3.0	143.35	135	+ 1.0[illegible]	35.2	9	— 0.6	—	+ 2.4	B.C.
		335 / 2	135	2.0	146.10	135	+ 1.3[illegible]	38.2	10	—	—	—	T.C.
		1109 / 10	109	10.0	88.20	107	— 7.4[illegible]	10.2	11	—	—	—	S.H.
		1137 / 10	137	11.0	152.45	135	— 6.[illegible]	39.8	12	—	—	—	T.R.
		1092 / 10	92	10.0	106.10	92	— 2.[illegible]	22.0	13	—	—	—	S.H.
		1200 / 1057	143	16.0	171.30	141	— 6.[illegible]	36.2	14	—	—	—	Sl.
		1142 / 10	142	11.0	110.30	142	+ 0.[illegible]	26.0	15	—	—	—	Sp.
		967 / 8	167	14.0	119.30	167	+ 2.5[illegible]	30.0	16	—	—	—	S.H.
		1200 / 1005	195	16.0	159.45	193	+ 6.2[illegible]	41.2	17	—	—	—	Sl.
		557 / 4	157	5.0	125.30	157	+ 1.1[illegible]	35.2	18	—	—	—	Brk
		618 / 5	118	6.0	121.20	118	+ 1.3[illegible]	33.0	19	—	—	—	"
		795 / 6	195	7.0	148.45	194	+ 4.0[illegible]	42.4	20	—	—	—	T.R.
		392 / 2	192	3.0	146.30	192	+ 2.19	40.1	21	—	—	—	T.C.

Add'n'l Inform.

F.B. 922 PG. 94

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P1 107	P1 108	397			° '		° '		1						
		2	192	3 0	145 00	192	+ 1 35	5137 9			5135 8		B.C.		
		292							2						
		1	193	2 0	140 55	193	+ 1 12	38 3					℄ 20	0	Pd
		395							3						
		1	195	2 0	136 45	195	+ 1 37	39 0					E	E	
		398							4						
		2	198	3 0	131 59	198	+ 1 27	37 5					T	Brk	
		355							5						
		1	255	2 0	139 15	255	+ 1 45	41 4					E	E	
		353							6						
		1	253	2 0	132 45	252	+ 1 39	41 6					℄ 20	0	Pd
		453							7						
		1	253	2 0	[illegible]	253	+ [illegible]	40 7					[illegible]		
		453							8						
		2	253	3 0	147 05	253	+ 2 21	42 9					T.C.		
		1215							9						
		10	215	17 0	126 05	215	+ 2 20	27 3					S.H.		
		1200							10						
		950	250	6 0	158 00	247	+ 6 03	46 2					R		
		604							11						
		3	304	4 0	147 25	303	+ 2 27	44 4					T.C.		
		703							12						
		4	303	6 0	116 30	302	+ 2 26	42 3					B.C.		
		404							13						
		1	304	2 0	143 45	304	+ 1 52	43 2					℄ 20	0	Pd
		408							14						
		1	308	2 0	140 30	308	+ 1 48	43 2					E	E	Pd
									15						
					° '		° '		16						
Temp P.1.106	Temp P.1.105				° '		° '	5155 6	17	5 3	5160 9				
		1100													
		8	300	9 0	211 15	299	2 45	37 8	18				Brk		
		882													
		7	182	8 0	230 45	182	2 28	45 1	19				℄ 20	0	Pd
		884													
		7	184	8 0	226 00	184	2 10	44 5	20				B.C		
		686													
		5	186	6 0	224 55	186	2 33	46 2	21				T.C.		
		1156													
		9	256	10 0	241 40	256	2 28	40 0					T Brk		

Add'n'l Inform.

Notes Red. E.S.T. Platted S.L.G. Job No. 8334 Division No. F.B. 9222 PG. 95
Date Date Survey of Rancho Palos Verdes Notes Date 5-1-42
Notes Chkd. Checked Survey by Rasmussen Notes
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
Temp Pl.106	Temp Pl.105	1246 / 10	246	11.0	213.50	246	0.17	5148.9	1		5160.9		T.R.
		1117 / 9	217	10.0	236.20	217	1.57	43.9	2				N. E. Rd.
		595 / 7	195	11.0	212.[illegible]	195	0.10	49.5	3				Sl.
		1120 / 9	220	10.0	253.00	220	[illegible]	41.8	4				"
		246 / 1	140	2.0	216.25	139	4.1[illegible]	48.5	5				Fl.
		935 / 8	135	9.0	223.25	135	2.2[illegible]	46.5	6				E end cut
		934 / 8	134	9.0	229.52	134	2.[illegible]	46.8	7				℄ 20 0 Rd
		966 / 7	266	8.0	256.[illegible]	265	[illegible]	38.8	8				Brk
		1186 / 11	86	11.0	253.30	86	1.00	48.5	9				℄ 20' 0 Rd.
		1000 / 8	200	9.0	257.15	200	2.5[illegible]	41.9	10				Brk
		885 / 8	85	8.0	222.50	85	3.17	48.1	11				S E. Rd
		1077 / 9	177	10.0	236.55	177	1.48	45.5	12				Begin Fill
		705 / 6	105	6.0	190.20	105	0.0	54.9	13				Sl.
		1034 / 9	134	10.0	236.20	134	2.00	46.3	14				T.F
		460 / 4	60	4.6	171.10	60	0.0	56.3	15				Fl.
		858 / 8	58	8.0	225.10	58	3.25	49.5	16				Begin cut
		1100 / 10	100	10.0	238.50	100	2.12	47.2	17				T.F.
		1162 / 11	62	11.2	241.00	62	0.0	49.7	18				℄ 20 0 Rd
		1178 / 11	78	12.0	246.20	78	0.0	48.9	19				end fill
		935 / 9	35	8.7	294.25	35	0.0	52.2	20				℄ 20 0 Rd.
		920 / 9	20	8.5	295.25	20	0.0	52.4	21				B.C.

Add'n'l Inform.

F.B. 922 PG. 96

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	615			° '		° '		1						
Pl.105	Pl.105	6	15	6 1	322.40	15	0.00	546			5160 9		TC		
		1002							2						
		9	102	10 0	243.30	101	1.47	426					BF		
		145							3						
		1	45	1 0	110.00	45	+ 2.02	615					Fl		
		1134							4						
		10	134	11 0	239.30	134	3.02	429					BF		
		966							5						
		9	66	7 0	43.45	64	+ 0.32	637					Sl.		
		1050							6						
		7	150	10 0	241.20	149	+ 3.1	390					B.F.		
		254							7						
		2	54	2 3	9.00	54	0.0	586					T.C.		
		654							8						
		6	54	6 2	359.15	54	0.0	547					BC		
		662							9						
		6	62	6 3	241.20	62	0.0	540					℄ 20	0	8
		821							10						
		7	121	8 0	248.40	119	7.04	38					Dr		
		515							11						
		4	115	4 1	357.25	115	0.0	568					℄ 20	0	4
		512							12						
		8	113	8 0	6.40	113	+ 0.0	571					BC		
		914							13						
		8	114	8 0	9.00	114	+ 3.02	581					T.C.		
		621							14						
		5	121	6 0	246.10	119	7.12	391					12" ⊄		
		517							15						
		7	117	8 0	262.20	116	3.52	451					Brk		
		1200							16						
		1077	123	15 0	32.00	121	+ 3.01	629					Sl.		
		1047							17						
		10	47	9 2	286.25	47	+ 0.35	516					E Rd	16	40
		1097							18						
		10	97	10 0	291.35	97	1.45	481					Fl.		
		1063							19						
		9	163	10 0	24.00	162	+ 4.58	649					Sl.		
		1113							20						
		10	113	11 0	316.45	113	0.20	493					Fl.		
		1050							21						
		9	150	10 0	8.40	149	+ 3.22	595					T.C.		

Add'n'l Inform.

Notes Red. [illegible] Platted [illegible] Job No. 8334 Division No. [illegible] F.B. 922 Pg. 97
Date [illegible] Date 7-7-42 Survey of Pan Blossom Hwy
Notes Chkd. [illegible] Checked [illegible] Survey by [illegible] Notes [illegible] Date 8-1-42
Date [illegible] Date [illegible] Map No. [illegible] Indexed [illegible] Date [illegible]

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Surf	Temp	115 0			° ′ ″		° ′ ″	′ ″							
P.I.-106	P.I.-105	10	150	11 0	7.20	150	+ 3.[illegible]	5158 4	1	—	5160 9	—	B.C.		
		351	151	2 1	0.23	151	— 0.[illegible]	58 5	2	—		—			
		2													
		767	67	1 2	320.15	67	— 0.[illegible]	53 7	3	—		—	T. 20 O. Rd		
		7													
		405	205	3 0	1.50	205	+ 0.[illegible]	0 2	4	—		—	N. E. Rd.		
		2													
		876	126	5 1	351.50	126	— 0.[illegible]	55 8	5	—		—	T. 20 O. Rd.		
		4													
		1005	205	9 0	5.50	205	+ 2.21	60 2	6	—		—	N. E. Rd.		
		8													
		805	205	7 0	3.45	205	+ 3.[illegible]	62 0	7	—		—	B.C.		
		6													
		1060	160	10 0	324.15	160	+ 0.[illegible]	51 2	8	—		—	T.C.		
		9													
		1010	210	9 0	19.50	209	+ 4.1[illegible]	67 4	9	—		—	F.I.		
		8													
		897	197	6 0	342.20	197	— 0.0[illegible]	54 2	10	—		—	S.I.		
		7													
		772	272	8 0	19.35	271	+ 4.12	72 8	11	—		—	F.I.		
		1													
		378	178	2 2	356.25	178	— 0.0[illegible]	58 5	12	—		—	S.I.		
		2													
		453	253	3 0	4.35	253	+ 1.22	63 7	13	—		—	N. E. Rd.		
		2													
		355	255	2 0	1.55	255	+ 1.0[illegible]	63 8	14	—		—	E. end cut		
		1													
		432	232	3 0	358.15	232	+ 1.06	62 1	15	—		—	T. 20 O' Rd		
		2													
		975	275	8 0	5.00	275	+ 2.0[illegible]	62 3	16	—		—	Begin fill		
		7											Flow line		
		758	258	6 0	359.05	258	+ 1.5[illegible]	63 2	17	—		—	B.Ins in Corr Cul.		
		5													
		1015	245	9 0	358.40	245	+ 1.12	59 2	18	—		—	end fill		
		8											Flow line		
		1021	221	14 0	343.15	221	+ 0.3[illegible]	50 4	19	—		—	Y. end 12" Corr Cul.		
		8													
		1032	233	9 0	343.15	233	+ 0.5[illegible]	55 6	20	—		—	T. Dr.		
		8													
		1096	196	10 0	336.40	196	+ 0.4	51 5	21	—		—	T. Back Dr.		
		9													
													W. "		"

Add'n'l Inform.

Oak-O. Pine-Pi. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations. Fir-Fr. Cedar-Ce.

Traveled Rd. Tr. Rd. Fence Fn. Int. Fences V. Fns. Ditch Di. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draws V.D's in Slope B.K.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

F.B. 922 PG. 98

Topography Description Legend:
Side Hill S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
Temp	Temp				° ′		° ′	5172 1	3 51		5177 2				
P.1.105	P.1.104	1150			204. 20		0 0	65 8	4				Begin		
		0 089	150	7 1		150									
		8 1151	169	7 0	212. 45	169	1 24	64 2	5				"	"	
		10 1211	151	7 5	208. 45	151	0 0	65 4	6				℄ 20	0	1 4
		8 1180	144	8 1	201. 00	142	0 0	69 1	7				8 P.		
		10 978	180	11 0	231. 30	180	2 05	59 7	8	17 7		67	Fl.		
		8 1145	178	11 0	177. 20	177	+ 3 01	75 5	9				[illegible]		
		10 972	145	[illegible]	[illegible]	145	1 27	62 8	10				Fl.		
		8 1014	172	14 0	178. 30	172	+ [illegible]	70 0	11				[illegible]		
		9 [illegible]	114	9 5	[illegible]	114	0 0	68 2	12				T.C.		
		9 [illegible]	113	[illegible]	113. 45	113	0 0	66 6	13				B.C.		
		15 1156	156	16 0	174. 50	155	+ 4 38	72 7	14				F.B.		1 4
		6 716	116	7 0	186. 00	115	+ 3 57	78 0	15				Fl.		
		8 860	60	5 1	217. 50	60	0 0	69 1	16				B.C.		
		5 861	61	5 5	222. 45	61	0 0	71 2	17				T.C.		
		10 1162	162	16 0	186. 05	162	+ 3 10	71 0	18				W. B.	D.	
		10 1148	148	17 0	188. 50	148	+ 2 43	67 0	19				Dr.		
		9 997	97	14 0	252. 20	97	+ 2 56	68 2	20				Fl.		
		10 1180	140	15 0	189. 15	139	+ 3 30	70 7	21				E. B.	4	7
		11 1185	85	11 0	277 45	85	+ 2 37	70 0		7 1		+ 39	Fl.		

Add'l Inform.

Notes Red. E.S.T. Platted J.S. Job No. 8324 Division No. F.B. 972 Pg. 98
Date 1-15-72 Date 2-2-72 Survey of Bldg. Bldg. Date 4-1-
Notes Chkd. Checked Survey by Rodeel & Ass. Notes K. Date 5-1-72
Date Date Map No. Indexed A. C. [illegible]

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp PI 105	Temp PI 59	1.55	86	4 2	176 25	86		5172 5	1		5177 2				
		4													
		5	84	4 5		84		69 2	2						
		5	84		207 25	84		68 9	3						
		4.27	27	4 2		27		73 1	4				T.C.		
		6	24	6 1		24		70 5	5						
		7.28	28	6 2	217 35	28		11 0	6				4 20	O. Rd	
		7	27	5 9	185 35	27		71 2	7				B.C.		
		7.29	29	1	171 20	29		74 1	8				T.C.		
		8.81	81	8 0	132 35	80		62 0	9				F.L.		
		4.79	79	4 0	59 20	79	+ 4.01	76 8	10				F.L.		
		4	26	2 3	135 40	26		74 9	11				T.C.		
		4.24	24	4 5	75 15	24		72 7	12						
		2.22	24	5 1	356 50	24		72	13				1 20'	O. Rd	
		5	45	5 6	349 35	45		71 5	14						
		4.47	47	4 1	344 10	47		73 1	15				T.C.		
		4.78	78	4 5	4 10	78		72 7	16				1 20	O. Rd	
		4.72	72	4 2	13 20	72		73 2	17				B.C.		
		2.73	73	2 1	16 55	73		74 8	18				T.C.		
		5.88	88	14 0	267 00	87	+ 5.11	11 2	19				F.L.		
		5.17	17	6 4	330 40	17		70 8	20				"		
		10.90	90	10 0	62 30	89	+ 7.03	78 1	21				"		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ca. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combination of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draws V.D's Break in Slope Bk.S. Steep Slope ..... S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Topography Description Legend: Side Hill ..... S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope T.S.

F.B. 922 PG. 100

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	398			° ' "		° ' "		1						
P.1.55	P.1.54	3	98	28	355 45	98	00	517.34			517.72		TC		
		499							2						
		4	99	18	351 40	99	00	72.4					SC		
		523							3						
		4	123	50	29 20	123	+ 2.46	72.0					FL		
		555							4						
		5	155	52	348 10	155	00	72.1					[illegible]		
		101							5						
		6	101	60	12 50	101	+ 1.51	74.3					TC		
		800							6						
		7	100	70	10 25	100	+ 1.39	73.0					SC		
		895							7						
		8	98	25	3 25	98	00	72.8					[illegible]		
		162							8						
		9	163	40	[illegible]	163	+ 1.25	70.3					FL		
		161							9						
		3	161	35	2 10	161	00	72.2					[illegible]		
		469							10						
		9	169	35	6 00	169	00	73.1					E. end Co.		
		1115							11						
		9	215	160	346 30	214	+ 2.50	71.7					FL		
		872							12						
		7	173	80	29 05	173	+ 2.45	77.2					"		
		194							13						
		8	194	39	355 55	194	00	73.3					"		
		5							14						
		5	218	60	20 25	218	+ 1.49	78.0					FL		
		446							15						
		2	246	27	358 25	246	00	74.5					E Rd		
		206							16						
		2	206	32	1 55	206	00	73.9					"		
		405							17						
		2	205	32	1 27	205	00	74.0							
		361							18						
		1	261	21	0 38	261	00	75.1							
		362							19						
		1	262	22	3 15	262	00	75.0					Begin Co.		
		1052							20						
		252	150	347 40	252	+ 2.17	72.0						FL		
		968							21						
		7	268	80	15 25	268	+ 2.05	78.2					"		

Add'l Inform.

Notes Red. E.S.T. Platted VS Job No. 5334 Division No. F.B. 222 Pg. 101
Date Date Date Survey of R.T. Blackburn Hwy
Notes Chkd. Checked Survey by Peterson Notes R Date 5-4-46
Date Date Map No. Indexed A. C. John Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Temp Pl.105	Temp Pl.105	[illegible]	243	7.9	358.20	243		5174.3	1		5177.2		N	E. Rd.	
		297 / 1	297	1.5	358.10	297		75.7	2				"	"	
		928 / 6	328	7.0	15.00	328		82.6	3				Fl.		
		1326 / 10	326	15.0	347.50	326		73.8	4				"		
		[illegible] / 3	323	4.0	357.50	323		76.5	5				[illegible]		
		[illegible] / 3	321	4.0	[illegible]	321		78.7	6				T.C.		
		420 / 1	320	0.8	2.15	320		76.4	7				B.C.		
		422 / 1	322	0.3	0.0	322		76.9	8				℄ 20	0 Rd	
		582 / 2	382	4.0	357.50	382		79.0	9				N	E. Rd	
		684 / 3	384	5.0	359.40	384		79.6	10				℄ 20	0 Rd	
		783 / 4	383	6.0	1.50	383		79.3	11				B.C.		
		784 / 4	384	6.0	[illegible]	384		81.0	12				[illegible]		
		1084 / 7	384	9.0	347.50	384		77.6	13				Fl.		
		1394 / 10	394	14.0	11.55	393		82.5	14				"		
									15						
Temp Pl.104	Temp Pl.105							5197.3	16	5.1	5202.4				
		1176 / 5	376	13.0	349.10	376		81.7	17				T.C.		
		1087 / 7	387	9.0	2.35	387		80.1	18				N	E Rd	
		1184 / 8	384	14.0	7.25	384		79.8	19				Fl.		
		1065 / 7	365	9.0	358.05	365		81.5	20				end cut		
		1033 / 7	333	9.0	2.45	333		82.2	21				E. Rd.		

Add'n'l Inform.

F.B. 982 PG. 102

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	964			° '		° '		1						
Pl.109	Pl.105	6	364	8 0	1 0.25	364	1.55	512.5			520.24		℄ 20	0	8
		1130							2						
		8	330	10 0	1 7.00	330	1.31	83.5					Sl.		
		1013							3						
		7	313	9 0	1 0.25	313	1.32	85.1					℄ 20	0	8
		1012							4						
		7	312	9 0	358.10	312	1.35	84.9					S	E	4
		1052							5						
		8	283	7 0	1 7.30	283	1.15	87.2							
		1120							6						
		8	320	11 8	347.25	320	0.0	90.6					Brk		
		1041							7						
		7	341	9 0	350.30	341	1.37	84.3					Sl.		
		1076							8						
		8	276	10 6	18.05	276	0.0	91.2					a		
		1161							9						
		9	261	11 2	345.35	261	0.0	90.7					Fl.		
		1161							10						
		7	267	8 0	3.35	267	1.36	87.3					Begin	207	
		1065							11						
		8	265	9 0	3.10	265	1.27	86.3					BC		
		[illegible]							12						
		7	258	8 0	357.10	258	1.25	88.0					S. F.	43	
		957							13						
		7	257	8 0	0.0	257	1.26	87.3					℄ 20	0	8
		1013							14						
		8	213	9 0	3.09	213	1.23	88.2					B.C.		
		1111							15						
		9	211	9 5	3.45	211	0.0	92.9					T.C.		
		1103							16						
		9	203	11 8	359.25	203	0.0	90.6					℄ 20	0	8d
		1103							17						
		9	203	11 3	355.40	203	0.0	91.1					S.	E	4
		811							18						
		6	211	7 2	17.50	211	0.0	94.7					Sl.		
		1017							19						
		8	217	10 4	341.27	217	0.0	92.3					Fl.		
		855							20						
		7	155	7 2	21.40	155	0.0	95.2					Sl.		
		1073							21						
		9	173	11 5	334.50	173	0.0	90.9					Fl.		

Add'n'l Inform.

Notes Red. E.S.T. Platted 1/8 Job No. 8334 Division No. F.B. 922 Pg. 103
Date 5-15-44 Date 5-24-44 Survey of Rl. 550 Date 5-1-44
Notes Chkd. Checked Survey by Rodriguez Notes A Date
Date Date Map No. Indexed A. C. John

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	847							1						
P.I. 104	P.I. 105	7	147	8.1	1.45	147	0.0	5194.3			52024		T.C.		
		1147							2						
		10	147	[illegible]	3.35	147	0.0	90.4					B.C.		
		1050							3						
		9	150	10.3	357.35	150	0.0	92.1					Begin fill		
		1048							4						
		9	148	10.6	[illegible]	148	0.0	91.8					± 20	0	Rd
		1119							5						
		10	119	11.7	3.40	119	0.0	90.7					B.C.		
		819							6						
		7	119	7.5	5.05	119	0.0	94.4					T.C.		
		996							7						
		9	96	10.3	355.15	96	0.0	92.1					± 20	0	Rd
		998							8						
		9	98	9.7	349.00	98	0.0	92.7					T.F.		
		1103							9						
		10	103	11.8	345.25	103	0.0	90.6					B.F.		
		1095							10						
		10	95	11.9	3.50	95	0.0	90.5					B.C.		
		995							11						
		9	95	9.9	5.20	95	0.0	92.5					T.C.		
		1013							12						
		9	113	9.5	20.30	113	0.0	92.9					Sw.		
		933							13						
		8	133	12.3	322.55	133	0.0	90.1					Sl.		
		1143							14						
		10	143	11.0	29.55	143	0.0	89.8					Sw.		
		906							15						
		8	106	7.0	302.05	106	[illegible]	87.0					Sl.		
		1159							16						
		11	59	11.0	323.15	59	3.25	87.8					B.F.		
		1051							17						
		10	51	10.1	330.55	51	0.0	92.3					T.F.		
		1045							18						
		10	45	9.8	340.40	45	0.0	92.6					± 20	0	Rd.
		1067							19						
		9	167	15.0	38.40	167	0.51	85.0					Dr.		
		1033							20						
		10	33	10.1	255.00	33	0.0	92.3					± 20'	D.	Rd
		1125							21						
		10	125	11.3	40.40	125	0.0	91.1					Hd.	D.	

Add'n'l Inform.

F.B. 922 PG. 104

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Dl. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pipe-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod ±	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Temp Pl.104	Temp Pl.105	1043			° '		° '		1						
		10	42	10	259 35	42	0 0	5192 3			5202 4				
		1131							2						
		11	51	11 0	266 00	51	3 13	88 5					B.F.		
		625							3						
		6	95	6 3	53 10	95	0 0	96 1							
		958							4						
		9	86	9 2	270 00	86	0 0	96 0							
		655							5						
		6	55	6 1	7 10	55	0 0	96 3							
		1156							6						
		11	56	11 1	3 35	56	0 0	91 3					B.C.		
		1114							7						
		11	14	10 6	335 50	14	0 0	91 6					B.C.		
		612							8						
		6	13	6 0	349 25	13	0 0	96 4							
		623							9						
		1	43	1 2	52 30	43	0 0	5201 1							
		145							10						
		1	45	1 0	103 25	44	+ 6 19	06 3							
		145							11						
		1	45	1 0	150 30	44	+ 6 20	06 5							
		524							12						
		5	24	5 2	1 25	24	0 0	5197 2							
		1029							13						
		10	29	10 2	220 30	29	0 0	92 2							
		1041							14						
		10	104	10 0	[illegible]	103	[illegible]	83 4							
		1033							15						
		9	133	10 2	[illegible]	132	5 [illegible]	80 7							
		1090							16						
		10	90	10 0	240 15	90	3 25	86 9							
		1084							17						
		10	84	10 2	332 30	84	0 0	92 2							
		1080							18						
		10	80	10 1	226 50	80	0 0	92 3							
		1135							19						
		10	135	10 2	224 00	135	0 0	92 1							
		1037							20						
		9	137	9 7	228 20	137	0 0	92 7							
		1175							21						
		11	75	10 9	218 30	75	0 0	91 5					B.C.		

Add'l Inform.

Notes Red. E.J.T. Platted S.G. Job No. 2334 Division No. F.B. 9722 Pg. 105
Date 1-13-42 Date 1-20-42 Survey of Pl. 104 Pl. 105 Date 1-21-42
Notes Chkd. Checked Survey by Lopez Crew Notes K. Date 5-4-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... v. Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draws. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

F.B. 922 PG. 106

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw ..... B.D. Side of Draw ..... S.D. Bottom Wash ..... B.W. Side of Ridge ..... S.R. Top of Ridge ..... T.R. Head of Draw ..... H.D. Toe of Slope ..... T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ − Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	576			° '		° '								
21.04	21.05	0	74	5.2	323.27	74	0.0	519.79			520.24		T.C.		
		938							1						
		8	138	9.0	239.10	138	2.8	86.3					B.F.		
		466							2						
		10	166	11.0	249.25	165	3.4	80.7					S.I.		
		866							3						
		6	92	5.0	55.15	91	+ 3.0	520.9					S.H.		
		1019							4						
		8	219	9.0	243.15	218	3.0	518.0					S.I.		
		1095							5						
		9	195	10.0	230.20	195	1.6	89.5					B.F.		
		992							6						
		8	193	9.3	227.20	193	0.0	93.1					T.F.		
		1091							7						
		6	91	10.2	222.25	91	0.0	92.2					℄ 20	0	R.B.
		1046							8						
		8	246	10.5	222.10	246	0.0	91.8					"	"	"
		1056							9						
		9	246	9.7	225.45	246	0.0	92.7					T.F.		
		1049							10						
		8	249	9.0	228.40	249	1.3	86.5					B.F.		
		1049							11						
		9	149	10.0	191.45	146	+ 5.1	521.49					S.H.		
		1142							12						
		10	142	10.7	219.00	142	0.0	519.17					B.C.		
		994							13						
		8	154	8.0	216.30	152	+ 2.0	520.05					T.C.	7' R.	
		969							14						
		7	269	8.0	240.05	268	3.0	517.61					S.I.		
		911							15						
		9	211	10.0	218.25	211	0.0	92.4					B.C.		
		412							16						
		2	212	3.9	217.30	212	0.0	98.5					T.C.		
		1020							17						
		7	320	9.0	236.15	319	2.31	79.0					S.I.		
		1005							18						
		7	305	9.0	227.10	305	0.3	88.2					B.F.		
		1004							19						
		7	304	9.3	225.05	304	2.5	93.1					T.F.		
		1001							20						
		7	301	10.3	221.45	301	0.0	92.1					℄ 20	0	R.B.
									21						

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp. Pl. 104	Temp Pl 105	1111 / 9	211	10.0	205° 25'	209	+ 5° 24'	5212.1	1		5202.4		S.H.		
		844 / 6	244	11.0	205° 15'	241	+ 6° 19'	18.1	2				"		
		348 / 1	248	2.2	217° 50'	248	— 0° 0'	5199.5	3				T.C.		
		1150 / 9	250	10.5	218° 30'	250	— 0° 0'	91.9	4				B.C.		
		397 / 1	297	3.0	217° 50'	297	— 0° 0'	99.4	5				T.C.		
		1096 / 8	296	10.3	218° 30'	296	— 0° 0'	92.1	6				B.C.		
		997 / 700	297	14.0	211° 40'	296	+ 3° 42'	5207.2	7				S.H.		
									8						
									9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Add'n'l Inform.

Notes Red. E.S.T. Platted E.L.M. Job No. 8334 Division No. F.B. 922 Pg. 107
Date 6-15-47 Date 8-20-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Fosecrans Notes [illegible] Date 5-7-45
Date Date Map No. Indexed C. John Date

F.B. 922 PG. 108

Topography Description Legend:

Side Hill.....S.H.	Bottom Draw.B.D.	Inters. of Draws.V.D's	Side of Canyon S.Cn.	Saddle ....Sa.	Traveled Rd. Tr.Rd.	Oak-O. Fir-Fr.
Side of Draw.S.D.	Bottom Wash B.W.	Break in Slope..Bk.S.	Top of Bank...T.B.	Swale ....Sw.	Fence ....Fn.	Pine-Pi. Cedar-Ce.
Side of Ridge.S.R.	Top of Ridge.T.R.	Steep Slope.......S.S.	Bottom of Bank.B.B.	Flat ....Fl.	Int. Fences.V.Fns.	Sycamore .....Sy.
Head of Draw H.D.	Toe of Slope..T.S.	Top of Cliff......T.Cl.	Top of Cut.....T.C.	Stream ....Str.	Ditch ....Di.	Eucalyptus ....Eu.
		Bottom of Cliff..B.Cl.	Bottom of Cut..B.C.	Trail ....Tr.	Telephone Pole T.P.	Plus combinations of these and all common standard abbreviations.
		Top of Spur.....T.Sp.	Top of Fill.....T.F.	Pavement ....Pvt.	Power Pole...P.P.	
		Bottom Canyon..B.Cn.	Bottom of Fill.B.F.	Edge of Road E.Rd.	Culvert ......Cul.	

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right	Add'n'l Inform.
					° '		° '		1					
					° '		° '		2					
					° '		° '		3					
					° '		° '		4					
					° '		° '		5					
					° '		° '		6					
					° '		° '		7					
					° '		° '		8					
					° '		° '		9					
					° '		° '		10					
					° '		° '		11					
					° '		° '		12					
					° '		° '		13					
					° '		° '		14					
					° '		° '		15					
					° '		° '		16					
					° '		° '		17					
					° '		° '		18					
					° '		° '		19					
					° '		° '		20					
					° '		° '		21					

Form 301.10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PEAR BLOSSOM HWY.
TOPOG. ON LINE CHANGE IN SEC.
"P" Line & Bench FB.960
P2 and P3 T. 7 N. R. 9 W.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
									1						
									2						
									3						
									4						
									5						
									6						
P# 1	Temp P.1132							486.2	43		486.3				
		535							7						
		5	35	5.9	166.10	35	0.0	61.9	8				S.H.		
		569													
		5	69	5.7	154.35	69	0.0	61.6	9				Sp.		
		1134													
		11	34	11.0	86.25	32	12.39	49.0	10				S.H.		
		1048													
		10	48	10.0	120.95	46	11.28	47.1	11				Sw.		
		978													
		9	78	9.0	129.00	76	7.56	47.6	12				Sp.		
		899													
		8	99	8.1	165.00	99	0.0	62.6	13				Dr.		
		1013													
		9	113	10.0	132.55	112	6.00	45.6	14				V. D.		
		1124													
		10	124	11.0	162.45	123	+ 3.57	64.9	15				S.H.		
		953													
		8	153	9.0	132.50	153	3.09	50.0	16				"		
		749													
		6	149	6.3	154.35	149	0.0	61.0	17				Dr.		
		1091													
		9	191	9.7	132.25	191	0.0	57.6	18				Sp.		
		470													
		3	170	3.1	144.45	170	0.0	64.2	19				S.H.		
		1017													
		8	217	9.0	176.15	216	3.50	44.0	20				"		
		1078													
		9	178	10.0	129.20	177	3.56	45.2	21				"		
		1146													
		10	146	11.0	117.25	143	7.45	36.8					"		

Add'n'l Inform.

Notes Rod. E.S.T. Platted S.G. Job No. 8324 Division No. F.B. 922 PG. 100
Date 1-24-42 Date 2-2-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Hoseriaus Notes K Date 2-13-42
Date Date Map No. Indexed A. C. Johnson 5-20-42

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P# 1	Temp P.1.132	1015 / 8	215	9°	111.20	210	− 9.10	4824.5	1		4867.3		T.S.		
		1011 / 9	[illegible]	10°	119.35	108	− 9.05	40.2	2				"	+ Dr.	
		886 / 7	186	8°	106.25	180	− 10.02	27.3	3				Sl.		
		860 / 7	160	8°	94.15	154	− 11.30	28.2	4				"		
		1088 / 10	88	11°	94.00	81	− 15.45	33.1	5				T.S.		
		929 / 8	129	9°	82.10	120	− 15.30	25.0	6				Sl.		
		1165 / 11	65	11°	66.30	58	− 18.23	36.1	7				S.H.		
		1072 / 10	72	10°	43.45	63	− 20.57	33.2	8				"		
		875 / 7	125	13°	49.30	110	− 19.50	14.5	9				T.S.		
		933 / 7	233	8°	156.00	227	+ 9.06	95.7	10				T.R.		
		818 / 6	218	7°	164.10	212	+ 9.15	94.8	11				S.H.		
		485 / 3	185	4°	94.45	177	− 12.15	25.0	12				Sl.		
		711 / 5	211	6°	174.45	205	+ 10.05	97.5	13				S.H.		
		809 / 6	209	7°	100.45	202	− 10.22	23.5	14				T.S.		
		540 / 3	240	4°	95.50	232	− 10.28	20.5	15				Fl.		
		379 / 1	279	2°	172.25	267	+ 12.10	4922.9	16				T.R.		
		775 / 5	275	6°	99.40	269	− 8.32	4822.0	17				Fl.		
		750 / 5	250	6°	172.20	239	+ 11.56	4912.0	18				Brk.		
		1165 / 9	265	10°	106.55	261	− 7.17	4824.2	19				Sl.		
		655 / 4	255	5°	163.25	247	+ 10.16	4907.0	20				T.R.		
									21						

Add'n'l Inform.

F.B. 922 PG. 110

Topography Description Legend:
Side Hill....S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Dl.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#2	P#1				° ′		° ′	4886.3	1 4.5		4890.8				
		1051 / 9	151	10.0	93.00	131	− 21.07	30.3	2				T.S.		
		223 / 1	123	2.0	311.20	122	+ 4.07	97.6	3				S.H.		
		455 / 3	155	4.0	322.40	155	+ 1.12	89.9	4				Sw.		
		487 / 3	187	4.0	99.15	168	− 18.37	30.4	5				Fl.		
		1133 / 10	133	4.0	335.25	133	− 3.11	72.4	6				Dr.		
		945 / 8	145	9.0	103.00	127	− 20.41	34.2	7				T.S.		
		1171 / 10	171	10.2	341.20	171	− 0.0	80.6	8				S.H.		
		997 / 8	197	9.0	350.40	197	− 2.25	73.5	9				"		
		795 / 6	195	7.0	112.00	181	− 15.35	33.3	10				Fl.		
		396 / 2	196	3.0	122.50	182	− 15.35	37.3	11				Fl.		
		1062 / 9	162	10.0	123.25	150	− 15.38	38.8	12				"		
		830 / 7	130	9.0	124.10	116	− 19.07	41.6	13				T.S.		
		313 / 1	213	1.8	343.00	213	− 0.0	89.0	14				S.H.		
		434 / 2	234	3.0	335.00	233	+ 4.06	4904.3	15				Brk	T.R.	
		522 / 3	222	4.0	327.40	220	+ 4.52	05.4	16				T.R.		
		986 / 8	186	9.0	328.25	185	+ 4.32	4896.3	17				S.H.		
		590 / 4	190	5.0	319.30	188	+ 5.13	4903.0	18				"		
		1002 / 9	102	10.0	123.20	92	− 18.32	4850.2	19				Sp.		
		573 / 5	73	5.0	125.40	64	− 20.45	61.5	20				"		
		1057 / 10	57	10.0	94.05	50	− 19.47	62.5	21				S.H.		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.G. Job No. 8334 Division No. F.B. 922 PG. 111
Date 1-24-42 Date 2-21-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes K Date 5-8-42
Date Date Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P #2	P #1	1029 / 10	29	10.0	88.20	27	− 15.07	4873.5	1		4890.8		S.H.		
		366 / 2	166	2.0	309.45	163	+ 7.15	4909.4	2				"		
		1131 / 11	31	11.0	125.30	30	− 8.03	4875.5	3				Sp.		
		719 / 5	219	6.0	310.35	212	+ 10.07	4922.6	4				T.R.		
		1042 / 8	242	9.0	292.30	220	+ 17.36	51.3	5				"		
		1195 / 10	195	14.0	292.10	174	+ 19.09	37.2	6				S.H.		
		573 / 4	173	5.0	279.50	158	+ 17.20	35.0	7				"		
		1135 / 9	235	13.0	280.20	205	+ 21.03	56.5	8				T.R.		
		1200 / 985	215	11.0	268.25	185	+ 22.00	54.5	9				"		
		1130 / 10	130	10.0	278.20	119	+ 16.32	16.2	10				S.H.		
									11						
									12						
P #2A	P #3							4887.5	13	4.6	4892.1				
		617 / 6	17	6.5	180.15	17	− 0.0	85.6	14				S.H.		
		565 / 5	65	5.0	142.55	61	+ 19.12	4902.5	15				"		
		847 / 8	47	8.2	178.55	47	− 0.0	4883.9	16				"		
		1150 / 11	50	11.0	105.15	38	+ 28.22	4902.1	17				"		
		868 / 8	68	8.0	86.15	55	+ 23.45	09.3	18				"		
		975 / 9	75	9.8	180.15	75	− 0.0	4883.3	19				"		
		745 / 7	45	7.0	56.00	40	+ 19.25	99.1	20				"		
		1067 / 10	67	10.0	38.55	65	+ 10.45	94.1	21				"		
		1104 / 10	104	10.0	201.50	103	− 6.20	70.9					"		

Add'n'l Inform.

F.B. 922 PG. 112

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
# P24	# P3	1073			° ′		° ′		1						
		10	73	10°	201 45	71	− 9 31	487.21			487.21		S.H.		
		1147							2						
		11	47	11°	220 30	44	− 13 38	70					"		
		1043							3						
		10	43	10°	209 45	40	− 14 54	71					"		
		850							4						
		8	50	7°	9 00	50	− 0 0	84					"		
		1155							5						
		11	55	15°	212 00	54	− 8 48	68					"		
		1216							6						
		11	116	17°	5 30	116	+ 0 21	75					V.B.		
		1184							7						
		11	84	11°	337 50	82	− 9 05	60					T.S.		
		1114							8						
		10	114	11°	341 45	113	− 5 00	71					"		
		1005							9						
		9	105	10°	342 30	103	− 7 19	69					B.D.		
		1111							10						
		10	111	11°	305 10	107	− 4 05	[illegible]					"		
		1134							11						
		10	134	11°	343 00	134	− 0 0	80					S.H.		
		1190							12						
		11	90	12°	289 25	85	− 13 48	59					T.S.		
		1140							13						
		10	140	11°	325 50	140	− 2 25	74					S.H.		
		1079							14						
		10	79	11°	359 00	76	− 11 57	65					Sp.		
		1079							15						
		10	79	10°	238 00	72	− 16 36	60					S.H.		
		1099							16						
		10	99	11°	228 30	90	− 17 30	52					Dr.		
		878							17						
		7	178	8°	315 40	177	− 3 26	73					T.Sp.		
		1023							18						
		8	223	9°	311 50	222	− 4 32	65					B.D.		
		1062							19						
		8	262	9°	303 20	260	− 5 09	60					T.S.		
		1118							20						
		9	218	10°	298 50	216	− 5 56	60					"		
		907							21						
		7	207	8°	286 15	203	− 8 24	54					"		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.G. Job No. 8334 Division No. F.B. 922 PG. 113
Date 6-24-42 Date 7-21-42 Survey of Near Blazed Hwy
Notes Chkd. Checked Survey by Agaselian Notes K. Date 5-11-42
Date Date Map No. Indexed O. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P2A	P3	888 / 7	188	8.0	295.50	186	6.00	486.48	1		489.21		T.S.		
		1025 / 9	125	10.0	221.25	117	14.2	52.1	2				S.H.		
		1146 / 10	146	11.0	230.25	136	15.20	44.2	3				T.S.		
		1200 / 1073	127	11.0	235.00	117	16.3	46.2	4				"	+ B.D.	
		1143 / 10	143	11.0	298.45	137	9.58	56.2	5				"		
		1117 / 10	117	11.0	277.05	111	13.3	54.2	6				"		
		1045 / 9	145	10.0	248.40	134	15.45	44.2	7				"		
		870 / 7	170	8.0	266.20	161	12.58	47.0	8				Fl.		
		1082 / 9	182	10.0	252.20	172	13.11	[illegible]	9				"		
		997 / 8	197	9.0	279.10	190	10.25	48.1	10				T.S.		
		1106 / 9	206	10.0	241.50	195	13.08	36.2	11				Fl.		
		923 / 7	223	8.0	257.40	214	11.28	[illegible]	12				"		
		933 / 7	233	8.0	234.30	221	13.03	33.0	13				"		
		1040 / 8	240	9.0	268.20	233	9.50	43.0	14				"		
		981 / 7	281	8.0	236.50	270	11.37	29.0	15				"		
		965 / 7	265	8.0	278.40	260	8.05	47.2	16				"		
		968 / 7	268	8.0	292.15	262	6.40	53.5	17				"		
		1100 / 8	300	9.0	298.15	297	5.48	53.2	18				T.S.		
		1023 / 7	323	9.0	291.40	319	6.22	47.5	19				Fl.		
		1052 / 7	352	12.0	286.30	348	6.12	42.7	20				"		
		1000 / 7	300	8.0	281.10	295	7.26	45.8	21				"		

Add'n'l Inform.

F.B. 922 PG. 114

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#2A	P#3	1085			° ′		° ′								
		8	285	9°	247.30	275	10.33	4832.9	1		4892.1		F1		
		982													
		7	282	8°	272.35	276	8.26	43.2	2				"		
		983													
		7	283	8°	263.25	275	9.23	38.8	3				"		
		976													
		7	276	9°	258.10	268	9.49	37.0	4				"		
									5						
					° ′		° ′								
P#3	P#2								6						
					° ′		° ′	4905.0	7	49	4906.5				
		1023													
		10	22	10°	342.50	22	0.0	4896.5	8				S.H.		
		435													
		4	35	4°	233.15	35	0.0	4902.5	9				T. Sp.		
		1062													
		10	62	9°	168.05	62	0.0	4875.6	10				S.H.		
		1081													
		10	81	10°	232.50	79	+ 8.30	4901.2	11				T. Sp.		
		1077													
		10	77	10°	296.30	76	6.31	4887.2	12				B.D.		
		825													
		7	125	7°	235.35	122	+ 8.38	4918.0	13				T. Sp.		
		1012													
		9	112	10°	313.15	112	1.39	4893.2	14				" "		
		832													
		7	132	8°	322.40	132	3.27	90.5	15				B.D.		
		881													
		7	181	8°	288.30	174	+ 11.02	4932.5	16				T. Sp.		
		1048													
		9	148	10°	238.35	146	0.0	4895.9	17				S.H.		
		821													
		6	221	7°	238.45	212	+ 11.30	4942.5	18				T. Sp.		
		492													
		3	192	4°	239.10	192	+ 2.21	10.2	19				S.H.		
		292													
		1	193	2°	330.30	193	+ 0.57	07.3	20				"		
		648													
		4	248	5°	231.45	240	+ 10.02	44.0	21				"		
		645													
		4	245	5°	237.55	242	+ 5.52	26.3					"		

Add'n'l Inform.

Notes Red. E.S.T. Platted C.G. Job No. 8334 Division No. F.B. 922 Pg. 115
Date 6-24-42 Date 7-21-42 Survey of Par Blocks on Ary
Notes Chkd. Checked Survey by Pace & Wire Notes Date
Date Date Map No. Indexed Job Sec.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#3	P#2	537 / 3	237	4.0	328.50	235	+ 5.45	4926.0	1		4906.5		S.H.		
		881 / 6	281	7.0	223.45	272	+ 10.27	49.3	2				"		
		702 / 5	202	6.0	323.50	201	+ 3.06	11.2	3				"		
		1113 / 8	313	10.0	219.05	302	+ 10.43	53.2	4				"		
		932 / 7	232	8.0	313.40	231	+ 4.28	16.4	5				B.D.		
		1181 / 9	281	10.0	213.00	268	+ 12.23	55.2	6				S.H.		
		881 / 7	181	8.0	315.10	181	+ 1.30	03.1	7				B.D.		
		955 / 7	255	8.0	206.30	241	+ 13.33	56.3	8				S.H.		
		348 / 1	248	2.0	198.00	238	+ 11.28	52.8	9				"		
		248 / 1	148	2.0	302.00	148	+ 1.00	07.0	10				Sp.		
		344 / 1	244	2.0	189.45	233	+ 12.02	54.1	11				S.H.		
		286 / 1	186	2.0	294.20	185	+ 4.45	19.7	12				Sp.		
		624 / 4	224	5.0	181.45	210	+ 14.29	55.3	13				S.H.		
		437 / 2	237	3.0	304.25	236	+ 4.28	21.7	14				"		
		614 / 4	214	5.0	174.30	201	+ 14.03	51.8	15				"		
		1120 / 9	220	10.0	155.30	206	+ 14.34	50.0	16				T.R.		
		627 / 4	227	5.0	287.00	221	+ 9.06	36.8	17				S.H.		
		875 / 6	275	7.0	176.30	253	+ 16.30	74.1	18				T.R.		
		718 / 5	218	6.0	275.40	214	+ 7.33	32.8	19				S.H.		
		307 / 1	207	2.0	265.20	205	+ 5.33	24.2	20				B.D.		
		854 / 7	154	8.0	267.20	153	+ 4.00	09.0	21				B.D.		

Add'n'l Inform.

F.B. 922 Pg. 116

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#3	P#2	796 / 6	196	7.0	143.30	188	+ 11.48	4938.7	1		4906.5		T.R.		
		861 / 7	161	8.0	278.15	160	+ 3.56	09.4	2				S.H.		
		367 / 2	167	3.0	142.00	163	+ 9.02	29.2	3				"		
		465 / 3	165	4.0	155.10	160	+ 10.00	30.6	4				"		
		1188 / 10	188	11.0	258.15	184	+ 7.78	20.8	5				"		
		572 / 4	172	5.0	177.30	167	+ 10.02	30.8	6				"		
		321 / 1	221	2.0	258.40	217	+ 7.45	33.9	7				"		
		574 / 4	174	5.0	186.35	169	+ 7.45	30.4	8				"		
		732 / 5	232	6.0	251.10	226	+ 9.00	36.3	9				B.D.		
		882 / 7	182	8.0	195.45	177	+ 9.23	37.6	10				S.H.		
		1066 / 9	166	10.0	254.50	164	+ 6.06	14.0	11				B.D.		
		497 / 3	197	4.0	210.45	192	+ 8.49	32.1	12				S.H.		
		732 / 6	132	7.0	263.25	132	+ 1.43	03.4	13				V.Ds.		
		1017 / 9	117	9.0	253.15	116	+ 5.30	08.6	14				S.H.		
		728 / 5	228	6.0	217.25	221	+ 9.47	38.6	15				"		
		948 / 7	248	8.0	221.45	242	+ 8.50	36.0	16				B.D.		
		934 / 9	34	9.3	57.15	34	− 0.0	4897.2	17				T.R.		
		1000 / 8	200	9.0	225.30	197	+ 7.30	4923.4	18				B.D.		
		1165 / 11	65	15.0	61.30	65	+ 1.03	4892.6	19				T.R.		
		1080 / 9	180	10.0	226.10	177	+ 6.50	4917.7	20				B.D.		
		1152 / 11	52	14.0	16.50	51	− 7.04	4886.2	21				S.H.		

Add'n'l Inform.

Notes Rod. E.S.T. Platted V.G. Job No. 8334 Division No. F.B. 922 PG. 117
Date 6-21-42 Date 7-21-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R/ Date 5-11-42
Date Date Map No. Indexed Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#3	P#2	1147 / 10	147	11.0	217.55	145	+ 6.02	4910.7	1		4906.2		B.D.		
		1145 / 11	45	11.0	327.00	44	− 8.27	4887.3	2				S.H.		
		925 / 8	125	8.0	201.45	124	+ 4.30	4901.2	3				"		
		927 / 9	27	9.7	134.00	27	− 0.0	4898.2	4				"		
		502 / 9	102	5.0	176.45	102	+ 1.32	4904.1	5				"		
		1053 / 10	53	10.0	141.00	52	− 7.40	4889.5	6				B.D.		
		804 / 7	104	7.0	152.00	104	+ 2.15	4903.5	7				S.H.		
		1015 / 9	115	12.8	116.50	115	− 0.0	4893.7	8				"		
		1021 / 9	121	9.0	132.15	120	+ 4.03	4906.0	9				"		
		1062 / 9	162	9.8	106.25	162	− 0.0	[illegible]	10				"		
		1103 / 9	203	9.7	103.30	203	− 0.0	4896.1	11				T.R.		
		1026 / 8	226	9.0	92.45	224	− 5.18	76.9	12				"		
		875 / 7	175	8.0	92.45	173	− 6.38	78.5	13				S.H.		
		491 / 3	191	4.0	126.00	188	+ 6.53	4925.3	14				T.R.		
		955 / 8	155	13.0	87.35	153	− 7.12	4874.3	15				T.S.		
		1205 / 11	105	12.0	93.05	102	− 9.10	78.0	16				B.D.		
		1170 / 11	70	12.0	121.30	69	− 8.07	84.0	17				"		
		868 / 8	68	8.0	196.30	68	− 1.22	98.0	18				"		
									19						
									20						
P#4	P#3							4912.3	49		4917.2				
		1133 / 9	233	10.0	65.30	218	− 14.47	4850.0	21				T.S.		

Add'n'l Inform.

F.B. 922 PG. 118

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash.B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#4	P#3	996 / 8	196	9°	63°45'	182	15°38'	4957.4	1		4917.2		S1.		
		952 / 8	152	14°	67°10'	141	15°12'	64.0	2				T.S.		
		1120 / 10	120	16°	69°10'	111	15°27'	70.5	3				BD		
		1200 / 1050	150	16°	72°10'	140	14°42'	64.4	4				"		
		958 / 8	158	9°	88°10'	148	14°20'	70.3	5				T.Sp.		
		997 / 8	197	14°	83°00'	185	14°30'	55.7	6				T.S.		
		1113 / 9	213	15°	73°00'	201	13°52'	52.7	7				F1.		
		960 / 7	260	14°	76°40'	246	13°30'	44.3	8				"		
		1100 / 8	300	9°	78°10'	284	13°30'	40.6	9				"		
		793 / 5	293	7°	85°30'	276	14°06'	41.1	10				"		
		965 / 7	265	9°	87°30'	248	14°30'	44.0	11				"		
		1128 / 9	228	10°	92°50'	213	14°56'	50.5	12				T.S.		
		1096 / 9	196	10°	101°00'	182	15°33'	56.6	13				"		
		942 / 7	242	8°	101°50'	227	14°30'	50.8	14				S1.		
		930 / 7	230	8°	111°25'	216	14°30'	53.5	15				"		
		1143 / 9	243	10°	125°10'	231	12°55'	54.5	16				"		
		1140 / 9	240	10°	134°20'	229	12°20'	57.3	17				"		
		1148 / 9	246	10°	142°30'	238	11°47'	57.7	18				"		
		1068 / 8	268	9°	150°00'	259	10°38'	59.8	19				"		
		1075 / 8	275	9°	157°00'	268	9°26'	64.0	20				"		
		1045 / 8	245	9°	162°30'	240	8°15'	73.5	21				"		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.G. Job No. 5334 Division No. F.B.922 PG.119
Date 6-24-42 Date 7-21-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R. Date 5-11-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360°	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#4	P#3	1154			° ′		° ′								
		11	54	12 0	4 05	54	0 0	4905 2	1		4917 2		B.D.		
		1175													
		9	275	10 0	168 00	271	6 55	4874 5	2				B.D.		
		1059													
		10	59	10 0	40 20	55	14 4	92 7	3				"		
		1163													
		9	263	15 0	173 25	261	4 41	80 9	4				"		
		1133													
		11	33	11 0	104 00	33	6 55	4902 3	5				T.Sp.		
		1107													
		8	307	10 0	173 00	306	3 45	4887 5	6				S.H.		
		553													
		5	53	5 0	303 30	50	+ 12 25	4923 3	7				T.Sp.		
		1098													
		7	341	9 0	173 45	341	2 35	4893 0	8				"		
		987													
		9	81	9 0	327 20	84	+ 10 02	4923 0	9				Hd. Dr.		
		705													
		6	105	6 0	300 10	97	+ 16 23	395	10				T.Sp.		
		1154													
		10	154	11 0	297 35	145	+ 17 32	503	11				"		
		12													
		873	327	10 0	183 15	327	+ 0 41	11 0	12				"		
		1127													
		10	127	14 0	276 00	121	+ 12 13	29 2	13				S.H.		
		713													
		4	313	5 0	157 05	313	+ 2 02	23 7	14				T.Sp.		
		503													
		2	303	3 0	193 35	302	+ 3 10	30 6	15				" "		
		1162													
		11	62	11 0	264 00	61	+ 6 07	12 7	16				S.H.		
		800													
		5	300	6 0	148 30	298	+ 5 01	37 7	17				T.Sp.		
		1139													
		11	39	11 0	220 30	39	6 03	02 1	18				S.H.		
		980													
		7	280	8 0	199 20	278	+ 5 06	34 9	19				T.Sp.		
		1151													
		11	51	11 0	156 10	48	13 02	4895 1	20				S.H.		
		1200													
		946	254	12 0	201 40	252	+ 4 51	4926 3	21				B.D.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Strea m ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Side of Draws. V.D's Top of Slope T.S. Bottom of Slope B.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Inters. of Draws. Break in Slope ..... B.S. Steep Slope ..... S.S.

Topography Description Legend: Side Hill Bottom Draw B.D. Side of Draw S.H. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope T.S.

F.B. 922 Pg. 120

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#4	P#3.	1071 / 10	71	10.0	130.20	65	−16.23	4888.0	1		4917.2		S.H.		
		1065 / 10	65	11.0	101.00	62	−13.05	91.9	2				T.Sp.		
		1200 / 967	233	11.0	200.10	231	+4.43	4925.3	3				S.H.		
		308 / 1	208	2.0	201.45	207	+4.05	29.8	4				T.Sp.		
		1120 / 10	120	15.0	68.05	110	−16.10	4870.2	5				B.D.		
		995 / 8	195	9.0	193.00	195	+2.48	4917.5	6				T.Sp.		
		1023 / 9	123	10.0	88.05	115	−14.56	4876.6	7				"		
		1116 / 9	216	10.0	191.50	216	+2.17	4915.6	8				S.H.		
		1200 / 1075	125	15.0	119.00	115	−16.25	4868.4	9				T.S.		
		865 / 6	265	7.0	194.00	265	+2.18	4920.7	10				S.H.		
		1140 / 9	240	18.0	190.15	240	+2.00	07.3	11				B.D.		
		1108 / 10	108	11.0	144.00	98	−17.15	4875.6	12				T.S.		
		787 / 6	187	7.0	182.30	187	−2.45	4901.5	13				T.R.		
		1200 / 1113	87	15.0	172.00	83	−12.20	4884.2	14				T.S.		
		1111 / 10	111	11.0	174.30	106	−11.47	84.0	15				" Pt = 0		
		1113 / 9	213	10.0	181.15	213	−2.00	99.9	16				T.Sp.		
		1034 / 9	134	10.0	183.00	131	−8.45	87.1	17				T.S.		
		1066 / 9	166	10.0	167.10	161	−10.26	77.8	18				"		
		1145 / 9	245	17.0	179.20	245	−2.34	89.5	19				B.D.		
		1083 / 9	183	10.0	153.40	175	−11.54	70.3	20				Fl.		
		1045 / 9	145	10.0	141.20	136	−14.39	71.8	21				"		

Add'n'l Inform.

Notes Red. E.S.T. Platted J.G. Job No. 8334 Division No. F.B.922 PG.121
Date 6-24-42 Date 7-21-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes K1 Date 5-11-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#4	P#3	782 / 6	182	7.0	119.00	168	− 16.00	4862.0	1		4917.2		Fl.		
		926 / 7	226	8.0	167.40	222	− 7.09	81.5	2				T. Sp.		
		892 / 7	192	8.0	135.25	180	− 14.12	62.5	3				Fl.		
		1011 / 8	211	9.0	164.50	206	− 8.30	77.5	4				S.H.		
		1016 / 8	216	9.0	153.10	207	− 11.36	65.8	5				T.S.		
		1095 / 10	95	10.0	199.45	94	− 7.00	95.6	6				Sp.		
		1071 / 10	71	10.0	202.20	67	− 13.41	91.0	7				B.D.		
		907 / 8	107	8.5	215.00	107	− 0.0	[illegible]	8				Sp.		
		978 / 9	78	9.0	237.25	77	− 5.38	00.8	9				B D		
		615 / 5	115	6.0	233.00	115	+ 3.00	17.1	10				S.H.		
		1004 / 9	104	13.0	249.00	104	+ 2.55	09.4	11				B D		
		646 / 5	146	6.0	244.15	145	+ 5.13	34.8	12				S.H.		
		1200 / 1053	147	15.0	259.15	146	+ 5.45	16.7	13				B.D.		
		1075 / 9	175	10.0	252.45	172	+ 7.30	29.8	14				S.H.		
		1190 / 10	190	14.0	266.45	186	+ 7.53	28.2	15				B.D.		
		1124 / 9	224	14.0	270.00	219	+ 8.24	35.4	16				"		
		1019 / 8	219	9.0	263.20	214	+ 8.30	40.0	17				S.H.		
		1147 / 9	247	10.0	266.35	240	+ 9.40	48.0	18				S.H.		
		1163 / 9	263	17.0	272.45	255	+ 9.48	44.2	19				B.D.		
		1089 / 8	289	9.0	270.20	280	+ 10.28	59.6	20				S.H.		
		843 / 5	343	7.0	266.30	326	+ 13.00	85.1	21				T.R.		

Add'n'l Inform.

F.B. 922 PG. 122

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd.Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#4	P#3	511			° ′		° ′		1						
		2	311	3 0	261 30	298	+ 11.38	477.53			491.72		T. Sp.		
		569							2						
		3	269	4 0	258.15	263	+ 11.12	642					T. Sp.		
		429							3						
		2	229	3 0	254.00	222	+ 9.47	524					"		
		597							4						
		4	197	5 0	249.20	193	+ 8.18	432					"		
		964							5						
		8	164	9 0	240.45	160	+ 8.26	319					"		
		337							6						
		2	135	2 0	232.25	136	+ 4.15	252					"		
									7						
					° ′		° ′		8						
P#4A	P#4							492.7	47		493.1				
					° ′		° ′		9						
		246		2 1	202.25	46	0 0	29					S.H.		
		2							10						
		486		3 8	201.40	86	0 0	36					B.D.		
		4							11						
		961		8 0	318.00	160	+ 4.37	365					Dr.		
		8							12						
		378		3 2	160.30	78	0 0	38					S.H.		
		3							13						
		358		3 0	296.05	152	+ 9.37	546					T. Sp.		
		2							14						
		312		2 0	180.00	112	+ 3.02	350					T.R.		
		2							15						
		1205													
		10	205	15 0	295.20	198	+ 11.40	574					Hd. D.		
		742							16						
		6	142	6 0	131.40	121	+ 3.58	354					B.D.		
		595							17						
		4	195	5 0	285.15	186	+ 12.20	673					T. Sp.		
		588							18						
		4	188	5 0	132.25	186	+ 5.45	454					T.R.		
		429							19						
		2	229	3 0	273.50	216	+ 13.53	820					"		
		579							20						
		3	279	4 0	264.00	265	+ 12.50	880					Brk		
		951							21						
		7	251	8 0	255.55	242	+ 10.51	700					SH.		

Add'n'l Inform.

Notes Rod. E.S.T. Platted V.G. Job No. 8334 Division No. F.B. 922 PG. 123
Date 5-5-77 Date 7-11-77 Survey of Rear Blossom Hwy
Notes Chkd. Checked Survey by Mozeciuk Notes Date 5-11-78
Date Date Map No. Indexed A. J. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#1A	P#4	786							1						
		6	186	7°	143.00	182	+ 8.49	4932			4931.8		T.R.		
		913							2						
		7	213	8°	260.55	205	+ 11.13	644					S.H.		
		1146							3						
		10	146	4°	145.20	142	+ 8.55	431					B.D.		
		216							4						
		1	116	1°	146.00	115	+ 6.18	432					T.Sp.		
		763							5						
		6	163	6°	268.10	159	+ 8.35	502					S.H.		
		510							6						
		9	110	4°	165.45	109	+ 8.45	423					S.H.		
		218							7						
		1	118	1°	284.55	118	+ 2.32	360					"		
		394							8						
		3	92	35	307.05	94	— 0.0	282					"		
		628							9						
		5	128	5°	191.15	124	+ 9.59	483					"		
		1150							10						
		11	50	11°	168.40	50	— 4.01	172					B.D.		
		747							11						
		6	142	6°	198.00	142	+ 10.11	512					S.H.		
		1072							12						
		10	72	11°	130.40	72	— 0.0	200					"		
		665							13						
		5	165	6°	209.10	162	+ 7.49	471					B.D.		
		842							14						
		7	142	7°	214.15	138	+ 9.37	482					S.H.		
		487							15						
		4	87	5°	197.50	86	— 7.11	162					"		
		1157							16						
		11	57	11°	198.35	52	— 17.33	042					B.D.		
		1082							17						
		9	182	13°	316.00	173	+ 12.28	580					S.H.		
		1200							18						
		10	200	11°	212.40	193	+ 10.42	571					B.D.		
		1186							19						
		11	86	16°	66.40	81	— 13.49	4895					"		
		1115							20						
		10	115	11°	74.00	111	— 11.03	992					S.H.		
		672							21						
		5	173	6°	201.45	167	+ 10.35	4956					"		

Add'n'l Inform.

Topography Description Legend:
Side Hill..S.H. Bottom Draw B.D. Fir-Fr. Oak-O. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.
Side of Draw..S.D. Bottom Wash B.W. Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.
Side of Ridge..S.R. Top of Ridge..T.R. Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.
Head of Draw H.D. Toe of Slope..T.S. Side of Canyon S.Cn. Bank..T.B. Top of Bank..B.C. Bottom of Cut..B.C. Top of Fill..T.F. Bottom of Fill.B.F.
Inters. of Draws V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff..T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 124

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 4A	P# 4	860 / 7	160	8.0	189.20	151	+ 13.25	4959.8	1	—	4931.8	—	S.H.		
		861 / 7	161	8.0	174.44	149	+ 15.27	65.0	2	—	—	—	T. Sp.		
		798 / 6	198	7.0	186.00	184	+ 15.12	74.8	3	—	—	—	"		
		796 / 6	196	7.0	194.45	184	+ 14.27	72.0	4	—	—	—	S.H.		
		508 / 3	206	4.0	202.50	200	+ 11.21	67.8	5	—	—	—	"		
		832 / 6	232	7.0	211.30	224	+ 10.42	67.3	6	—	—	—	B.D.		
		1130 / 9	230	10.0	214.10	220	+ 12.13	69.2	7	—	—	—	T Sp.		
		947 / 5	147	9.0	[illegible]	146	− 5.[illegible]	09.2	8	—	—	—	G. flag	Yellow	
		1000 / 8	200	13.0	220.15	188	+ 14.17	66.4	9	—	—	—	S.H.		
		1119 / 11	19	11.4	156.00	19	− 0.0	20.4	10	—	—	—	G flag	Yellow	
		480 / 4	80	3.9	150.50	80	− 0.0	27.9	11	—	—	—	" "		
		1200 / 965	235	14.0	226.30	220	+ 14.43	75.3	12	—	—	—	S.H.		
		816 / 7	116	7.0	103.15	116	+ 1.35	27.9	13	—	—	—	G. flag		
		1063 / 8	263	13.0	215.35	248	+ 13.38	78.9	14	—	—	—	T. Sp.		
		1090 / 8	290	13.0	212.10	276	+ 12.39	80.5	15	—	—	—	B.D.		
		970 / 7	270	8.0	208.00	257	+ 12.49	82.0	16	—	—	—	S.H.		
		870 / 6	270	7.0	202.35	257	+ 12.45	82.7	17	—	—	—	T. Sp.		
		909 / 7	209	8.0	118.50	208	+ 3.15	35.5	18	—	—	—	G flag	Y	
		940 / 8	140	8.0	215.00	136	+ 10.10	48.0	19	—	—	—	S.H.		
		908 / 8	108	8.0	215.25	105	+ 10.00	42.2	20	—	—	—	"		
		775 / 7	75	7.0	214.35	74	+ 7.52	35.0	21	—	—	—	"		

Add'n'l Inform.

Notes Red. E.S.T. Platted [illegible] Job No. 8334 Division No. F.B. 922 PG. 125
Date [illegible] Date [illegible] Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R Date 5-11-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 4B	P# 4				° '		° '		1						
								4970.3	47		4975.0				
		1154 / 11	54	11.0	83.15	53	8.48	56.0	2				Sw.		
		1083 / 10	83	10.0	93.40	83	4.24	58.7	3				T. Sp.		
		1033 / 10	33	10.0	114.15	33	6.35	61.4	4				Sw.		
		1156 / 11	56	10.8	129.30	56	0.0	64.2	5				T. Sp.		
		855 / 8	55	8.0	171.30	55	0.0	67.0	6				Brk.		
		787 / 7	87	7.0	208.30	86	+ 5.38	76.3	7				"		
		945 / 8	145	9.0	216.35	143	+ 7.00	83.3	8				"		
		908 / 8	108	9.0	97.10	107	6.30	54.0	9				S.H.		
		1189 / 11	89	11.0	112.45	88	5.57	55.0	10				"		
		1093 / 9	193	10.0	219.10	190	+ 7.00	88.2	11				T.R.		
		991 / 9	91	14.0	132.25	90	5.19	52.8	12				SH		
		1090 / 9	190	14.0	228.15	186	+ 8.37	89.2	13				Fl		
		951 / 8	151	12.0	240.15	148	+ 8.33	85.0	14				"		
		1131 / 10	131	11.0	96.20	129	7.02	48.0	15				S.H.		
		700 / 6	100	6.0	225.15	99	+ 6.12	79.7	16				Fl		
		761 / 7	61	7.0	216.50	60	+ 6.00	74.2	17				Hd. Sw.		
		1053 / 9	153	10.0	81.30	153	8.15	43.4	18				S.H.		
		1080 / 9	180	14.0	78.30	176	8.15	35.5	19				S.H.		
		733 / 7	33	7.3	176.50	33	0.0	67.7	20				Sw.		
									21						

Add'n'l Inform.

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash.B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 126

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 4C	P# 4				° ′		° ′								
								496.2	1 50		496.52				
		1054							2						
		9	154	10°	13.35	152	− 6.42	57.8					S.H.		
		957							3						
		7	257	8°	38.10	252	− 8.22	40.8					"		
		921							4						
		8	121	9°	353.00	120	− 6.22	63.3					"		
		1098							5						
		10	96	11°	328.45	96	− 1.12	72.5					"		
		1025							6						
		8	225	9°	34.15	219	− 9.02	4[illegible]					"		
		810							7						
		7	110	7°	299.50	110	+ 1.29	81.3					"		
		998							8						
		8	[illegible]	9°	30.10	192	− 9.52	43.0					"		
		635							9						
		5	135	5°	276.45	134	+ 4.33	91.[illegible]					"		
		865							10						
		7	165	8°	25.20	159	− 11.09	46.5					"		
		662							11						
		5	162	6°	261.15	160	+ 5.48	98.0					Brk		
		1053							12						
		9	153	10°	349.45	151	+ 7.03	92.[illegible]					Hd. Dr.		
		839							13						
		7	139	8°	14.40	133	− 11.28	50.5					S.H.		
		1011							14						
		9	111	9°	258.40	111	+ 3.20	83.7					B.D.		
		1114							15						
		10	112	11°	6.20	110	− 11.06	53.0					S.H.		
		1070							16						
		10.	70	10°	283.10	70	− 2.50	72.1					B.D.		
		1094							17						
		10	92	15°	0.45	91	− 10.20	54.0					S.H.		
		1062							18						
		10	62	13°	332.35	60	− 11.21	60.7					B.D.		
		1041							19						
		10	41	11.8°	297.50	41	− 0.0	73.7					S.H.		
		139							20						
		1	39	1°	240.45	39	+ 1.15	85.3					T.R.		
		1173							21						
		11	73	11°	17.10	68	− 15.00	56.3					S.H.		

Add'n'l Inform.

Notes Rod E.S.T. Platted J.G. Job No. 8334 Division No. F.B. 922 PG. 127
Date Date Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Notes Date 5-11-42
Date Map No. Indexed

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 4C	P# 4	693 / 6	93	6°	240.15	92	+ 6.22	4989.8	1		4985.5		Brk		
		711 / 6	111	6°	222.30	109	+ 6.45	92.4	2				"		
		1194 / 11	94	12°	144.50	90	− 12.06	54.2	3				S.H.		
		865 / 7	165	7°	230.40	162	+ 7.08	98.7	4				Brk		
		1073 / 10	73	10°	66.50	72	− 6.51	66.9	5				G flag	Y	
		1003 / 5	203	9°	239.45	199	+ 7.37	5003.0	6				Brk		
		900 / 8	100	9°	69.15	97	− 9.47	4959.8	7				T. Sp.		
		1119 / 9	[illegible]	10°	252.15	216	+ 7.05	5002.2	8				Fl.		
		635 / 5	135	5°	246.20	134	+ 5.15	4992.8	9				S.H.		
		1003 / 9	103	15°	15.30	97	− 14.10	46.0	10				BD		
		870 / 8	70	8°	256.45	70	+ 9.[illegible]	82.8	11				S.H.		
		846 / 7	146	8°	24.20	138	− 13.30	44.5	12				S.H.		
		797 / 6	197	7°	32.30	189	− 11.50	39.3	13				S.H.		
		1106 / 10	106	15°	156.00	102	− 11.28	50.0	14				B.D.		
		333 / 1	233	2°	37.50	224	− 11.30	38.1	15				S.H.		
		948 / 8	148	9°	140.45	145	− 8.45	54.4	16				"		
		766 / 5	266	6°	42.50	257	− 10.42	31.2	17				"		
		737 / 6	137	7°	155.25	135	− 7.06	61.6	18				"		
		1032 / 9	132	10°	169.30	129	− 8.51	55.5	19				Dr.		
		900 / 6	300	7°	41.55	292	− 9.37	29.3	20				S.H.		
		1063 / 9	163	10°	166.00	163	− 2.10	69.5	21				"		

Add'n'l Inform.

F.B. 922 PG 128

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 4C	P# 4	1012 / 7	312	8 0	45.10	302	− 10.34	4921 7	1		4985 5		SH.		
		1081 / 9	181	9 8	176.58	181	− 0.0	75 7	2				"		
		889 / 7	189	7 3	187.00	189	− 0.0	78 2	3				"		
		914 / 7	214	8 0	192.15	214	+ 1.18	82 2	4				"		
		1168 / 10	168	17 0	194.20	168	− 0.48	64 1	5				B.D.		
		1008 / 8	208	13 0	200.10	208	− 0.0	72 5	6				"		
		747 / 5	247	6 0	198.30	247	+ 1.12	84 7	7				S.H.		
		893 / 6	293	7 0	199.45	292	+ 3.28	96 1	8				"		
		866 / 6	266	11 0	204.00	266	+ 1.38	82 0	9				"		
		418 / 1	318	2 0	194.20	317	+ 3.54	5004 0	10				"		
		972 / 8	172	9 0	142.10	171	− 4.02	4964 4	11				G. flag		
		1085 / 9	185	10 7	150.30	185	− 0.0	74 [illegible]	12				S.H.		
		480 / 3	180	4 5	159.30	180	− 0.0	81 0	13				S.H.		
		818 / 6	218	6 8	170.20	218	− 0.0	78 7	14				"		
		500 / 3	200	3 6	180.10	200	− 0.0	81 9	15				"		
		744 / 5	244	6 0	186.55	244	+ 2.22	89 5	16				"		
		445 / 2	245	3 0	189.20	245	+ 2.30	93 0	17				"		
		827 / 4	427	6 0	202.00	423	+ 5.43	5021 7	18				T.R.		
		904 / 5	404	7 0	197.50	400	+ 5.35	17 5	19				"		
		979 / 6	379	8 0	194.30	375	+ 5.43	15 0	20				"		
		943 / 6	343	7 0	190.50	340	+ 5.35	11 7	21				"		

Add'n'l Inform.

Notes Red. E.S.T. Platted [illegible] Job No. 8337 Division No. F.B. 922 PG. 129
Date [illegible] Date [illegible] Survey of [illegible]
Notes Chkd. Checked Survey by Roscoraus Notes [illegible] Date 5-11-46
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 4C	P# 4	708			° ′		° ′		1						
		4	308	5°	186 . 55	306	+ 5 . 10	500 0			4985		T.R.		
		978							2						
		7	276	8°	181 . 40	276	+ 5 . 22	023					"		
		948							3						
		7	248	8°	175 . 25	247	+ 4 . 17	4995					"		
		737							4						
		5	237	6°	165 . 40	236	+ 3 . 17	929					"		
		828							5						
		6	228	7°	155 . 35	227	+ 3 . 19	915					"		
		732							6						
		5	233	6°	146 . 05	233	+ 1 . 39	860					L Flag		
		392							7						
		3	92	4°	66-08 . 30	88	− 12 . 18	623					N.24°E. P# 4D. 2d 1½"		
					° ′		° ′		8						
P# 4D	P# 4C				° ′		° ′	4962	9		4967				
		491			° ′		° ′		10						
		4	91	4°	0 . 0	87	+ 11 . 10	804					P# 4 C.		
		1128							11						
		11	28	10	135 . 00	28	− 0 . 0	562					S.H.		
		1048							12						
		10	48	10°	168 . 09	46	− 4 . 15	527					"		
		147							13						
		1	47	1°	12 . 40	46	+ 9 . 40	739					T.R.		
		1080							14						
		10	80	10°	168 . 35	79	− 6 . 57	477					B.D.		
		593							15						
		5	93	5°	195 . 45	90	− 10 . 54	450					S.H.		
		629							16						
		5	124	6°	124 . 00	120	− 10 . 41	385					"		
		257							17						
		1	157	2°	136 . 00	152	− 10 . 19	372					"		
		1137							18						
		11	37	11°	167 . 00	35	− 12 . 00	487					"		
		383							19						
		2	183	3°	145 . 50	177	− 10 . 43	308					"		
		715							20						
		5	215	6°	145 . 20	210	− 8 . 20	305					"		
		1144							21						
		11	44	11°	214 . 25	42	− 10 . 18	484					"		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fn. Ditch ..... Di. Telephone Pole . T.P. Power Pole ... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill B.F.

Inters. of Draws. V.D's Break in Slope ... Bk.S. Steep Slope ..... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ... T.Sp. Bottom Canyon ... B.Cn.

F.B. 922 Pg. 130

Topography Description Legend:
Side Hill ... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope ... T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 1D	P# 4C.	921			° ′		° ′		1						
		7	221	8°	153 20	213	10 45	4918.9			4967		S.H.		
		979							2						
		8	179	9°	156 35	168	14 03	162					"		
		1144							3						
		11	42	11°	268 00	42	10 35	412					"		
		1098							4						
		9	128	10°	150 53	120	13 45	230					"		
		1127							5						
		10	29	11°	141 40	119	14 29	258					"		
		874							6						
		8	72	8°	307 00	74	0 0	589					"		
		1096							7						
		10	90	11°	134 15	84	20 15	250					B.D.		
		1223							8						
		11	123	12°	293 30	122	5 00	410					"		
		1070							9						
		10	70	10°	159 10	63	18 32	361					S.H.		
		1204							10						
		11	104	12°	273 50	101	9 30	382					B.D.		
		1200							11						
		1123	77	12°	188 20	72	14 52	362					S.H.		
		1192							12						
		11	92	12°	247 55	85	16 05	307					B.D.		
		1088							13						
		10	88	15°	214 05	83	13 26	321					S.H.		
		528							14						
		9	128	5°	229 35	121	13 08	339					"		
		1112							15						
		10	112	15°	220 35	106	13 33	267					B.D.		
		653							16						
		5	153	6°	209 00	149	9 20	367					S.H.		
		983							17						
		8	183	9°	190 35	180	7 07	356					"		
		1115							18						
		10	115	15°	196 30	107	15 32	226					T.S.		
		928							19						
		7	228	8°	185 15	225	6 29	338					S.H.		
		967							20						
		7	267	8°	184 40	264	6 23	299					"		
		1130							21						
		10	130	15°	193 40	122	14 31	202					B.D.		

Add'n'l Inform.

Notes Red. Date Platted Date Job No. 8331 Division No. Date Survey of Notes Chkd. Date Checked Date Survey by Rosecrans Notes Date Map No. Indexed A. C. Johnson

F.B. 922 PG. 131

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
P# 4D	P# 4C	943			° ′		° ′		1				
		7	243	5.0	190.40	242	4.0	4947.0			4967.2		S.H.
		1100							2				
		9	200	10.0	195.10	199	3.[illegible]	45.0					"
		984							3				
		8	184	9.0	211.05	184	2.19	50.8					"
		1220							4				
		11	120	14.0	176.50	110	16.5[illegible]	20.0					T.S.
		964							5				
		8	16[illegible]	9.0	174.40	151	16.[illegible]	13.5					B.D. + T.S.
		890							6				
		7	190	8.0	171.55	177	15.05	11.5					T.S.
		1086							7				
		9	186	10.0	164.20	173	15.07	10.5					V Ds.
		985							8				
		8	185	9.0	160.00	173	14.57	12.2					T.S.
		863							9				
		7	163	8.0	226.15	163	2.19	53.0					S.H.
		953							10				
		8	153	9.0	163.40	139	17.26	14.[illegible]					T.S.
		1153							11				
		10	153	12.2	242.11	153	0.0	55.0					S.H.
		440							12				
		3	140	9.0	151.30	125	19.[illegible]	19.2					T.S.
		1012							13				
		9	112	10.0	147.00	97	21.06	19.5					B.D.
		1114							14				
		10	114	15.0	163.00	104	17.16	20.0					T.S.
		841							15				
		7	141	7.1	260.35	141	0.0	60.1					S.H.
		1146							16				
		10	146	11.2	277.40	146	0.0	56.0					"
		933							17				
		7	233	8.0	170.35	221	13.17	07.3					T.S.
		1035							18				
		8	235	9.0	165.40	221	13.54	03.6					B.D.
		766							19				
		6	166	5.2	288.30	166	0.0	61.8					G flag Y
		390							20				
		2	190	3.0	281.00	190	+ 2.27	72.2					S.H.
		1133							21				
		9	233	10.0	160.00	221	12.51	06.7					T.S.

Add'n'l Inform.

F.B. 922 PG. 132

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 4D	P# 46	472			° '		° '		1						
		3	172	4 0	263 40	171	+ 4 00	49750			49672		S H.		
		231							2						
		5	231	6 0	275 30	228	+ 6 16	862					T.R.		
		922							3						
		7	222	8 0	265 10	219	+ 6 50	852					"		
		706							4						
		5	206	6 0	264 40	203	+ 6 91	842					Brk		
		714							5						
		5	214	6 0	247 00	212	+ 5 57	832					"		
		821							6						
		1	22	2 0	236 40	220	+ 4 15	815					"		
		223							7						
		5	223	6 0	224 40	223	+ 2 37	712					T. R.		
		522							8						
		3	222	3 7	211 10	222	0 00	635					"		
		1028							9						
		8	228	9 7	202 30	228	0 0	575					"		
		945							10						
		6	245	8 0	193 40	240	3 08	460					"		
		953							11						
		7	253	8 0	186 35	251	5 31	350					S.H.		
									12						
P# 5	P# 9				° '		° '		13						
								50022	50		50072				
		355			° '		° '		14						
		3	55	3 0	218 55	55	+ 1 12	081					S1.		
		1042							15						
		9	142	10 0	295 20	141	3 42	4918					S. H.		
		1259							16						
		11	159	11 0	303 05	159	2 15	90					"		
		900							17						
		823	77	9 0	194 30	77	+ 3 36	50030					"		
		1070							18						
		9	170	13 0	312 40	169	4 12	4960					B.D.		
		1009							19						
		9	109	9 0	195 00	109	+ 1 30	50009					Dr.		
		1128							20						
		10	128	17 0	322 35	126	7 05	4974					V Ds		
		1059							21						
		9	159	10 0	326 20	157	5 38	81					S.H.		

Add'n'l Inform.

Notes Red. E.S.S. Platted Date Date Job No. 8331 Division No. F.B. 922 PG. 133
Notes Chkd. Checked Survey of Date
Date Date Survey by Rosecrans Notes R Date 5-13-42
Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
P. #5	P. #4	1055			° ′		° ′						
		9	155	10°	192 50	155	+ 2 45	5004 7			5007 2		S1.
		1065											
		9	165	10°	342 00	162	− 7 20	4976 5					S.H.
		1077											
		9	177	10°	355 50	173	− 8 55	70 3					"
		1000											
		8	200	9°	190 30	199	+ 3 13	5009 3					S1.
		1003											
		8	203	9°	3 00	196	− 9 17	4961 2					S.H.
		1143											
		9	243	10°	187 20	242	+ 3 57	5058					S1.
		1144											
		9	244	10°	12 40	239	− 8 27	4962 9					S.H.
		264											
		5	264	6°	179 40	263	+ 2 56	5014 6					S1.
		1108											
		8	308	9°	176 40	307	+ 3 48	18 4					"
		1055											
		8	255	9°	4 45	253	− 5 33	4973 3					S.H.
		923											
		7	223	8°	352 30	221	− 5 14	79 0					"
		1053											
		7	353	9°	176 40	351	+ 4 00	5022 7					"
		993											
		8	193	9°	346 00	192	− 4 12	4984 1					"
		1098											
		7	398	9°	176 15	396	+ 4 04	5026 2					S1.
		986											
		8	186	9°	334 40	185	− 3 17	4987 9					S.H.
		881											
		7	181	8°	323 00	181	− 3 00	89 3					"
		990											
		6	390	11°	168 40	389	+ 3 31	5020 3					S1.
		636											
		3	336	8°	167 50	335	+ 2 36	14 2					"
		884											
		6	284	11°	166 30	283	+ 2 48	10 0					"
		833											
		6	233	7°	164 50	233	+ 1 03	04 3					"
		882											
		7	182	8°	308 35	181	− 4 27	4985 1					B.D.

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... v. Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank.. T.B. Bottom of Bank. B.B. Top of Cut.... T.C. Bottom of Cut.. B.C. Top of Fill.... T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope.. Bk.S. Steep Slope..... S.S. Top of Cliff..... T.Cl. Bottom of Cliff.... B.Cl. Top of Spur.... T.Sp. Bottom Canyon.. B.Cn.

F.B. 922 PG. 134

Topography Description Legend:
Side Hill.... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope.. T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 5	P# 4	1028 / 8	228	9.0	306.50	228	− 1.13	499.35	1		500.72		B.D.		
		983 / 8	183	9.0	166.00	183	+ 1.03	500.13	2				S.I.		
		928 / 7	229	8.0	298.00	229	− 0.00	499.92	3				S.H.		
		682 / 5	183	6.0	292.00	183	+ 1.12	500.59	4				Sp.		
		1175 / 10	175	11.5	300.20	175	− 0.00	499.57	5				S.H.		
		1043 / 9	143	14.0	171.20	143	+ 2.29	99.0	6				S.I.		
		1102 / 10	102	14.0	166.35	102	+ 0.23	93.8	7				B.D.		
		1150 / 11	50	11.0	59.15	50	− 3.36	92.1	8				S.I.		
		1176 / 11	76	11.0	96.00	75	− 7.22	86.5	9				"		
		1072 / 10	72	13.2	155.15	72	− 0.00	93.9	10				T.S.		
		1010 / 9	110	10.0	115.10	109	− 6.44	84.5	11				T.B.		
		1126 / 10	126	11.0	115.50	124	− 6.53	81.2	12				B.D.		
		842 / 7	142	8.0	122.05	140	− 6.05	82.2	13				T.B.		
		1041 / 10	41	10.3	139.00	41	− 0.00	96.2	14				S.I.		
		993 / 8	193	9.0	130.10	192	− 3.44	85.7	15				"		
		1142 / 9	243	10.0	136.50	243	− 1.53	89.3	16				"		
		1073 / 10	73	10.0	120.00	72	− 6.22	89.2	17				T.S.		
		993 / 7	293	8.0	138.30	293	− 1.30	91.7	18				S.I.		
		1101 / 10	101	10.0	132.00	100	− 4.31	89.3	19				Brk		
		1123 / 10	123	11.0	136.30	122	− 5.05	85.4	20				B.D.		
		1010 / 7	310	8.0	129.55	309	− 2.28	86.0	21				S.I.		

Add'n'l Inform.

Notes Red. E.S.T. Platted 1-6 Job No. 833 Division No. A Notes Chkd. Checked Survey of Notes K Date 5-13-42 Date Date Date Date Survey by Rossgrd Map No. Indexed A. C. Johnson

F.B. 322 PG. 125

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P# 5	P# 4	1038 / 9	138	10.0	142.20	138	− 2.41	4990.7	1		5007.2		Sl.		
		953 / 7	253	8.0	125.25	252	− 3.17	82.8	2				"		
		977 / 8	177	9.0	149.20	177	− 1.30	93.6	3				"		
		1006 / 8	206	9.0	113.30	204	− 5.31	78.2	4				"		
		1200 / 987	213	11.0	153.25	213	+ 0.22	97.5	5				"		
		1170 / 10	170	11.0	101.45	168	− 6.37	77.0	6				T.B.		
		957 / 7	257	8.0	156.20	257	+ 0.34	5001.4	7				Sl.		
		1163 / 10	163	14.0	99.00	161	− 6.51	4993.8	8				B.D.		
		990 / 7	290	12.0	157.20	290	+ 1.49	5004.2	9				Sl.		
		1052 / 9	152	13.0	91.30	150	− 6.52	4976.2	10				T.B.		
		935 / 8	135	9.0	73.40	133	− 6.47	82.5	11				Sl.		
		1344 / 10	344	10.0	155.30	344	+ 1.23	5005.0	12				"		
		1140 / 10	140	11.0	56.30	140	− 3.18	4981.3	13				Brk		
		1095 / 9	195	10.0	59.10	194	− 3.27	85.5	14				"		
		1200 / 810	390	10.0	156.40	390	+ 1.43	5008.6	15				Sl.		
		903 / 7	203	8.0	74.30	200	− 6.20	4977.0	16				"		
		1060 / 7	360	9.0	151.00	360	+ 0.40	5002.1	17				"		
		1106 / 9	206	13.0	82.10	204	− 6.05	4972.7	18				T.B.		
		1113 / 8	313	9.0	150.25	213	+ 0.27	5000.8	19				Sl.		
		1113 / 9	213	13.0	89.00	209	− 7.30	4966.8	20				B.D.		
		1168 / 9	268	10.3	148.00	268	− 0.00	96.9	21				Sl		

Add'n'l Inform.

F.B. 922 PG. 136

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pt. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#	P#				° ' "		° ' "								
5	4	1140 / 9	240	10°	102.45	237	6.26	4970.6	1		5007.2		S1.		
		1097 / 9	197	10°	147.55	197	0.56	94.2	2				"		
		1170 / 9	270	10°	109.10	268	5.15	72.6	3				"		
		939 / 8	139	9°	141.55	139	3.10	90.8	4				Brk.		
		1045 / 8	245	12°	117.55	244	3.55	71.7	5				G Flag		
		1125 / 10	125	11°	136.10	124	5.03	85.3	6				B.D.		
		1128 / 11	28	11°	126.25	28	6.05	93.3	7				"		
		1083 / 8	283	9°	122.50	282	3.27	81.3	8				G Flag		
		945 / 8	145	9°	124.00	144	5.13	85.2	9				B.D.		
		918 / 6	318	7°	128.20	317	2.45	85.3	10				G Flag		
		1087 / 9	187	10°	130.20	186	3.27	86.0	11				S1.		
		1055 / 7	355	9°	120.50	354	3.12	78.7	12				S1.		
		1033 / 8	233	9°	135.20	233	2.26	88.3	13				"		
		1109 / 8	309	9°	114.00	307	4.13	75.6	14				"		
		1078 / 8	278	9°	138.45	278	1.25	91.5	15				"		
		1025 / 7	325	8°	139.20	325	1.08	93.0	16				"		
		1168 / 9	268	13°	105.15	266	5.02	71.0	17				"		
		1034 / 7	334	8°	111.40	332	4.23	73.9	18				"		
		1033 / 7	333	9°	104.00	330	5.12	68.4	19				"		
		1200 / 855	345	10°	96.25	341	6.00	61.6	20				"		
		1057 / 8	257	12°	90.00	253	7.20	62.9	21				B.D.		

Add'n'l Inform.

Notes Red. [illegible] Platted [illegible]
Date [illegible] Date [illegible]
Notes Chkd. _____ Checked _____
Date _____ Date _____
Job No. 8334 Division No. _____
Survey of Peor Blossom Hwy
Survey by Peacocks Notes K Date 5-12-[illegible]
Map No. _____ Indexed [illegible] Date [illegible]

F.B. 922 PG. 127

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 5	P# 4	1153 / 8	353	10.0	89.15	347	7.14	4953.4	1		5007.2		B.D.		
		959 / 7	259	8.0	76.15	256	6.09	72.2	2				S.H.		
		1266 / 9	366	11.0	85.30	362	6.09	58.0	3				Sp.		
		1200 / 856	344	10.0	80.20	34[illegible]	5.09	66.[illegible]	4				"		
		748 / 5	248	6.0	61.20	247	4.08	83.5	5				Brk		
		1015 / 7	315	9.0	77.10	313	4.26	74.[illegible]	6				Sp.		
		1010 / 7	310	8.0	59.40	309	3.20	81.5	7				Sl.		
		1099 / 8	299	9.0	70.40	298	3.3[illegible]	79.[illegible]	8				Sp.		
		580 / 3	280	4.0	76.00	278	5.2[illegible]	77.0	9				Brk		
		1163 / 9	263	14.0	82.15	26[illegible]	5.47	[illegible]	10				T.S.		
		901 / 6	301	7.0	79.55	29[illegible]	5.20	72.[illegible]	11				S.H.		
		1093 / 8	293	10.0	86.20	289	7.02	61.6	12				T.S.		
		1097 / 8	297	13.0	89.40	293	6.5[illegible]	59.[illegible]	13				B.D.		
		1103 / 8	303	13.0	76.25	300	5.49	63.1	14				Sl.		
		1185 / 9	285	11.0	103.40	282	5.26	69.5	15				"		
		995 / 7	295	12.0	110.40	293	4.15	73.6	16				"		
									17						
P# 6	P# 7							4983.2	18	47	4988.5				
		1200 / 1067	133	11.0	237.05	132	3.34	69.3	19				Sl.		
		1116 / 10	116	12.0	254.35	116	1.41	73.2	20				"		
		305 / 2	105	1.5	318.10	105	0.0	87.0	21				"		

Add'n'l Inform.

F.B. 922 PG. 138

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole....P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore ....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
PH 6	PH 7	1122			° '		° '		1						
		10	122	14 0	274.25,	122	+ 0.36	497.51			498.85		51.		
		1128							2						
		10	128	14 0	342.40,	125	+ 8.45,	93.9					"		
		1034							3						
		9	134	9 2	292.00,	134	0.0,	78.8					"		
		1200							4						
		1031	[illegible]	11 0	309.05,	169	+ 0.57,	80.1					"		
		1173							5						
		10	173	13 0	329.40,	171	+ 5.31,	92.0					"		
		1113							6						
		9	213	14 0	310.20,	213	+ 1.43,	81.8					"		
		1193							7						
		10	193	11 0	295.30,	193	0.40,	75.4					"		
		1117							8						
		9	[illegible]	14 0	283.10,	217	1.29,	67.1					"		
		1157							9						
		10	[illegible]	11 0	252.50,	157	1.15,	72.2					"		
		1087							10						
		9	187	14 0	268.00,	187	2.17,	67.3					"		
		1033							11						
		9	133	10 0	268.00,	133	2.21,	73.2					"		
		1196							12						
		10	196	15 0	245.50,	195	3.12,	62.8					"		
		1023							13						
		9	123	10 0	245.20,	123	3.28	71.1					"		
		1092							14						
		9	192	14 0	225.40,	191	3.39,	62.6					"		
		983							15						
		9	83	9 0	236.00,	83	2.53,	75.5					"		
		1089							16						
		10	89	11 0	267.10,	89	0.0,	77.9					"		
		918							17						
		8	118	8 5	293.25,	118	0.0,	80.0					"		
		466							18						
		1	66	4 0	284.20,	66	2.55,	81.2					"		
		345							19						
		3	45	3 2	306.20,	45	0.0,	84.7					G. Fig		
		883							20						
		8	88	8 0	315.00,	88	+ 3.42,	86.0					"		
									21						

Add'n'l Inform.

Notes Red. E.S.T. Platted V.G. Job No. 8331 Division No. F.B. 92 Pg. 139
Date Date Survey of Rio Hondo
Notes Chkd. Checked Survey by Rosecrans Notes K. Date 5-13-42
Date Date Map No. Indexed A. G. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 7A	P# 8							5012.1	4.6		5016.7				
		286 / 2	86	2.0	0.0	86	+ 1.5	17.3					Sl.		
		239 / 2	39	2.0	0.0	39	0.0	4.7					"		
		845 / 8	45	8.1	181.20	45	0.0	08.6					"		
		1150 / 11	50	12.4	227.50	50	0.0	04.2					"		
		685 / 6	85	7.0	184.10	85	3.0	05.3					"		
		1065 / 10	65	14.0	262.40	65	0.0	02.7					G flag	Y	
		1078 / 10	78	10.0	234.40	77	1.[illegible]	00.6					" "	"	
		928 / 8	128	9.0	238.00	126	6.[illegible]	4993.0					Sl.		
		1115 / 10	115	15.0	218.00	115	2.31	96.5					G. flag.	Y	
		379 / 3	79	3.0	132.00	79	+ 1.[illegible]	5016.0					Sl.		
		244 / 2	44	2.4	134.00	44	0.0	14.3					Sl.		
		239 / 2	39	2.0	102.50	39	+ 2.31	16.3					"		
		276 / 2	76	2.0	92.40	75	+ 5.[illegible]	21.5					"		
		1069 / 9	169	10.0	239.25	167	6.[illegible]	4917.3					"		
		1017 / 9	117	9.0	92.20	114	+ 9.22	5026.4					"		
		1206 / 10	206	11.0	238.35	203	6.5[illegible]	4981.2					Sl.		
		1172 / 10	172	15.0	89.25	166	+ 10.40	5032.9					"		
		1113 / 9	213	14.0	255.00	211	5.46	4981.5					"		
		1070 / 9	170	14.0	77.30	164	+ 11.12	5035.0					"		
		965 / 8	165	12.0	64.20	159	+ 11.11	36.0					"		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences. V. Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 140

Topography Description Legend: Side Hill.....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D. Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 7A	P# 8	1216 / 10	216	15.0	270.00	215	4.42	498.42	1		5016.7		Sl.		
		1200 / 1043	157	16.0	269.30	156	3.47	90.5	2				"		
		1111 / 10	111	11.0	251.10	110	5.23	95.4	3				"		
		615 / 5	115	5.0	59.25	112	+ 8.44	502.88	4				"		
		395 / 3	95	3.0	71.40	93	+ 7.20	25.7	5				"		
		452 / 4	52	4.0	56.20	51	+ 8.33	20.2	6				"		
		840 / 8	40	8.5	294.00	40	0.0	08.2	7				"		
		1086 / 10	86	10.0	297.20	86	1.57	03.9	8						
		1186 / 11	86	12.0	271.25	86	3.17	00.0	9				"		
		940 / 8	140	9.0	294.40	139	4.12	499.75	10				"		
		1258 / 11	158	16.5	279.40	158	2.57	92.2	11				"		
		997 / 8	197	9.0	296.00	196	4.40	91.0	12				"		
		1192 / 10	192	16.5	284.00	191	3.15	89.3	13				"		
		435 / 4	35	4.0	41.20	34	+ 7.18	501.71	14				"		
		1168 / 11	68	11.3	294.50	68	0.0	05.4	15				G flag		
		661 / 6	61	5.8	323.20	61	0.0	10.9	16				Sl.		
									17						
P# 7B	P# 8							5018.2	18 / 19	49	5023.1				
		297 / 2	97	2.0	166.00	97	0.24	20.7	20				Sl.		
		1100 / 10	100	11.2	199.20	100	0.0	11.9	21				"		
		1011 / 9	111	10	207.10	111	2.00	09.2		139		39	G flag		

Add'n'l Inform.

Notes Red. [illegible] Platted [illegible] Job No. 8334 Division No. F.B. 922 PG. 141
Date [illegible] Date [illegible] Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes [illegible] Date 5-13-46
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance (2)	Stadia Rod— (4)	Horizontal Angle 0° to 360° Right	Horiz. Distance (3)	+ — Vertical Angle (1)	Elevation of Point (5)	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 7B	P# 8	1056 / 10	56	10 2	212.45	56	— 0.0	5012 9	1		5023 1		Sl.		
		386 / 3	86	3 0	141.15	86	+ 3.3	25 3	2				"		
		428 / 3	128	4 0	134.45	127	+ 5.25	30 9	3				"		
		340 / 2	140	3 0	121.30	138	+ 6.30	35 7	4				"		
		510 / 5	10	5 2	344.25	10	— 0.0	17 9	5				G flag	Y	
		1153 / 11	53	11 0	263.10	53	— 1.58	10 4	6				Sl.		
		690 / 5	190	6 0	121.10	187	+ 6.51	39 8	7				"		
		931 / 7	231	8 0	121.30	228	+ 6.40	41 7	8				"		
		1037 / 8	237	12 0	105.35	231	+ 9.29	49 1	9				"		
		904 / 8	104	9 0	261.10	103	— 5.51	03 8	10				"		
		1217 / 11	117	17 0	245.20	117	— 2.20	02 5	11				"		
		990 / 8	190	13 0	104.40	183	+ 10.37	44 3	12				"		
		533 / 4	133	4 0	105.50	131	+ 7.41	36 9	13				"		
		381 / 3	81	3 0	106.40	80	+ 6.55	29 6	14				"		
		439 / 4	39	4 0	106.30	39	+ 6.09	23	15				"		
		1071 / 9	171	10 0	261.20	169	— 6.2[illegible]	4994 3	16				"		
		357 / 3	57	3 0	180.00	57	+ 5.16	5025 1	17				"		
		1088 / 9	188	10 0	253.10	186	— 6.27	4992 3	18				"		
		507 / 4	107	4 0	187.20	105	+ 7.24	5032 6	19				"		
		1112 / 9	212	10 0	275.40	211	— 4.35	4996 4	20				"		
		1157 / 10	157	11 0	279.40	156	— 5.05	98 5	21				"		

Add'n'l Inform.

F.B. 922 PG. 142

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 7B	P# 8	850 / 7	150	12.0	79.50	146	+ 9.10	503.42	1		502.31		S1		
		1105 / 9	205	15.0	78.12	200	+ 8.52	39.2	2				"		
		1150 / 10	150	15.0	66.55	146	+ 8.50	30.7	3				"		
		1203 / 11	103	11.0	66.30	100	+ 8.49	27.6	4				"		
		456 / 4	56	4.0	70.50	55	+ 6.51	25.5	5				"		
		901 / 8	101	9.0	279.20	100	− 5.40	04.3	6				"		
		959 / 9	59	9.0	305.10	59	− 3.34	10.5	7				"		
		649 / 6	49	6.3	0.0	49	− 0.0	16.8	8				"		
		1148 / 10	141	16.0	50.50	145	+ 7.39	26.5	9				"		
		805 / 7	105	7.3	0.0	105	− 0.0	15.8	10				"		
		907 / 8	107	8.0	46.30	106	+ 4.50	24.2	11				"		
		1112 / 10	112	11.0	330.00	112	− 1.37	09.0	12				"		
		564 / 5	64	5.0	30.10	64	+ 2.09	16.3	13				"		
		1200 / 10 66	134	18.0	311.20	134	− 0.0	05.1	14				"		
		955 / 8	155	9.0	303.20	155	− 3.00	06.2	15				"		
		1122 / 10	122	11.0	302.20	121	− 3.55	03.8	16				"		
		1097 / 9	197	14.0	297.00	197	− 1.10	05.2	17				"		
		728 / 5	228	6.0	292.45	227	− 3.17	04.1	18				"		
		1126 / 10	126	10.0	22.20	125	+ 3.37	20.9	19				"		
		1037 / 8	237	12.1	306.50	237	− 0.42	08.4	20				"		
		875 / 7	175	12.0	27.00	173	+ 5.27	27.4	21				"		

Add'n'l Inform.

Notes Red. JG Platted JG Job No. 8334 Division No. F.B. 922 PG. 143
Date Date Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R. 1 Date 5-13-42
Date Date Map No. Indexed

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 7B	P# 8	1198 / 10	198	15.0	315.25	198	+ 0.55	504.0	1		5023.1		Sl.		
		1200 / 990	210	11.0	31.00	207	+ 6.[illegible]	35.1	2				"		
		983 / 8	183	8.7	330.15	183	− 0.0	14.4	3				"		
		767 / 6	167	6.7	345.00	167	− 0.0	16.4	4				"		
		462 / 3	162	2.3	0.0	162	− 0.[illegible]	20.8	5				"		
		1093 / 9	193	10.0	40.10	191	+ 5.31	32.5	6				T.S.		
		520 / 3	220	4.0	0.0	220	+ 2.01	26.5	7				Sl.		
		430 / 2	230	3.0	35.30	228	+ 5.36	42.2	8				Sp.		
		973 / 7	273	8.0	32.25	268	+ 7.59	52.0	9				"		
		1114 / 9	214	10.0	345.50	214	+ 1.58	20.2	10				Sl.		
		930 / 7	230	8.0	330.00	230	+ 0.55	18.7	11				"		
		1190 / 9	290	15.0	24.00	285	+ 7.08	43.8	12				T.S.		
		948 / 7	248	8.0	319.50	248	+ 0.15	16.0	13				Sl.		
		847 / 6	247	8.0	22.40	243	+ 5.12	37.0	14				T.S.		
		1167 / 9	267	10.8	310.40	267	− 0.0	12.3	15				Sl.		
		797 / 8	197	9.0	23.10	196	+ 4.45	30.0	16				T.S.		
		1129 / 8	329	9.4	307.40	329	− 0.0	13.7	17				Sl.		
		930 / 7	230	8.0	23.00	228	+ 5.00	35.0	18				G flag	Y	
		1012 / 7	312	12.0	317.25	312	+ 1.12	17.4	19				Sl.		
		897 / 6	297	11.0	326.15	297	+ 2.03	22.5	20				"		
		808 / 5	308	6.0	335.00	308	+ 1.52	26.9	21				"		

Add'n't Inform.

F.B. 922 Pg. 144

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 7B	P# 8	698 / 4	298	5.0	343.50	298	+ 2.09	5029.0	1		5023.1		Sl.		
		1148 / 10	148	11.0	23.50	147	+ 4.29	23.4	2				"		
		603 / 3	303	4.0	0.0	302	+ 3.00	34.7	3				"		
		1111 / 10	111	10.0	22.20	111	+ 3.34	20.0	4				"		
		657 / 3	357	5.0	0.0	356	+ 3.42	40.7	5				"		
		885 / 8	85	8.0	25.40	85	+ 3.36	20.3	6				"		
		242 / 2	42	2.2	30.40	42	0.0	20.9	7				G flag		
		945 / 6	343	11.0	350.20	343	+ 3.55	35.3	8				Sl.		
		646 / 3	346	5.0	341.55	345	+ 2.35	33.3	9				"		
		952 / 6	352	7.0	332.50	351	+ 2.10	29.1	10				"		
		957 / 6	357	11.0	323.20	357	+ 2.08	25.1	11				"		
		1072 / 7	372	9.0	314.00	372	+ 0.56	20.0	12				"		
		1110 / 7	410	9.0	319.15	410	+ 1.36	25.2	13				"		
		1012 / 6	412	8.0	326.05	411	+ 2.08	30.0	14				"		
		910 / 5	410	7.0	333.20	409	+ 2.36	34.4	15				"		
		1013 / 6	413	8.0	338.50	412	+ 3.00	36.4	16				"		
		893 / 7	193	12.0	53.00	190	+ 6.54	34.0	17				"		
		1123 / 7	423	12.0	344.35	421	+ 4.16	42.3	18				"		
		1153 / 9	253	10.0	49.00	250	+ 6.42	42.3	19				B.D.		
		1113 / 7	413	12.0	353.20	410	+ 4.30	43.1	20				Sl.		
		1008 / 7	308	8.0	49.35	304	+ 6.51	51.4	21				B.D.		

Add'n'l Inform.

Notes Red. EUST Platted [illegible] Job No. 8334 Division No. F.B. 922 PG 145
Date [illegible] Date [illegible] Survey of Pear Blossom Hwy.
Notes Chkd. Checked Survey by Rosecrans Notes R Date 5-13-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P# 7B	P# 8	1145 / 8	345	9.0	51.00	339	+ 7.3	5058.5	1		5023.1		Hi D.		
		1200 / 870	330	6.0	41.20	322	+ 9.0	[illegible]	2				T Sp.		
		1062 / 7	362	9.0	42.30	352	+ 9.2	72.5	3				T Sp.		
		1190 / 8	390	10.0	48.10	380	+ 9.15	74.8	4				S.H.		
		514 / 5	14	0.8	340.30	14	− 0.0	17.3	5				G Flag	Y	
									6						
P# 7C	P# 8							5032.6	7	4.7	5037.3				
		242 / 2	42	2.0	97.50	42	+ 1.2	36.3	8				Sl.		
		660 / 6	60	5.6	144.30	60	− 0.0	31.7	9				"		
		949 / 7	249	8.0	84.50	241	+ 10.07	72.1	10				S.H.		
		895 / 8	95	7.8	151.00	95	− 0.0	29.5	11				Sl.		
		1043 / 8	243	8.0	78.00	237	+ 8.53	66.3	12				T.S.		
		1045 / 9	145	10.0	160.10	145	− 1.16	24.2	13				Sl.		
		1113 / 9	213	10.0	84.50	207	+ 9.28	61.7	14				S.H.		
		1208 / 1000	208	15.0	168.40	208	− 0.40	20.0	15				Sl.		
		996 / 8	196	9.0	94.50	191	+ 8.48	57.8	16				T.S.		
		1085 / 9	185	10.0	155.40	185	− 0.55	24.5	17				Sl.		
		1073 / 9	173	10.0	83.55	169	+ 9.02	54.0	18				"		
		1035 / 9	135	10.0	158.00	135	− 0.30	25.5	19				Sl.		
		915 / 8	115	8.0	83.10	112	+ 8.58	46.9	20				"		
		804 / 7	104	7.0	139.30	104	+ 1.05	32.2	21				"		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ....Fn. Int. Fences. V. Fns. Ditch ....Di. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Saddle ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut....T.C. Bottom of Cut..B.C. Top of Fill....T.F. Bottom of Fill.B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 146

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 7C	P# 8	555 / 5	55	5.0	88.40	54	+ 6.30	5038.3	1		5037.3		Sl.		
		1181 / 11	81	15.0	61.30	76	+ 14.35	42.0	2				G flag		
		749 / 7	49	7.0	50.00	47	+ 10.00	38.6	3				Sl.		
		1018 / 9	118	13.0	67.00	113	+ 11.26	47.2	4				"		
		1185 / 11	85	11.0	37.15	81	+ 11.32	43.9	5				"		
		1235 / 11	135	11.0	49.20	131	+ 10.07	49.6	6				"		
		1156 / 10	156	11.0	68.40	151	+ 9.55	52.7	7				"		
		883 / 7	183	12.0	49.55	177	+ 10.00	56.7	8				"		
		1108 / 9	208	10.0	68.30	202	+ 9.22	60.5	9				"		
		933 / 7	233	12.0	49.55	226	+ 9.52	64.5	10				"		
		1200 / 948	252	14.0	68.05	244	+ 10.15	67.1	11				"		
									12						
P# 7D	P# 8							5047.1	13 47		5051.8				
		738 / 7	38	7.0	138.40	38	0.0	44.8	14				Sl.		
		844 / 8	44	8.0	2.10	43	+ 9.50	51.3	15				"		
		343 / 3	43	0.0	74.50	43	0.0	51.8	16				"		
		660 / 6	60	6.1	299.45	60	0.0	45.7	17				"		
		469 / 9	69	4.0	62.50	68	+ 6.48	55.9	18				"		
		802 / 7	102	7.7	279.05	102	0.0	44.1	19				"		
		723 / 6	123	6.0	63.10	120	+ 8.20	63.5	20				"		
		954 / 8	154	10.8	271.50	154	0.0	41.0	21				"		

Add'n'l Inform.

Notes Red. J.G. Platted J.G. Job No. 8334 Division No. F.B. 922 PG. 147
Date Date Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes K Date 3-13-46
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 7D	P# 8	1168 / 10	168	11.0	59.30	162	+ 10.22	5071.0	1		5051.8		Sl.		
		1113 / 9	213	12.5	271.35	213	− 0.0	39.3	2				"		
		1012 / 8	212	13.0	61.00	205	+ 10.30	76.6	3				"		
		1200 / 926	274	16.0	267.10	274	− 0.0	35.8	4				"		
		227 / 2	27	17	68.30	27	− 0.0	50.1	5				G flag	Y	
		1324 / 10	324	18.5	264.00	324	− 0.20	31.6	6				Sl.		
		1007 / 9	107	9.0	137.50	107	− 0.0	42.8	7				G. flag	Y.	
		856 / 8	56	5.0	100.00	55	+ 5.40	48.3	8				Sl.		
		1121 / 8	321	13.8	272.15	321	− 0.0	38.0	9				"		
		1076 / 8	276	12.0	275.05	276	− 0.0	39.8	10				"		
		722 / 5	222	9.1	280.10	222	− 0.0	42.7	11				"		
		1077 / 9	177	9.0	285.30	177	+ 0.28	44.2	12				"		
		347 / 2	147	2.0	300.40	147	+ 0.31	51.2	13				"		
		317 / 2	117	2.0	316.30	117	+ 1.06	50.8	14				"		
		499 / 4	99	4.0	342.10	99	+ 3.20	53.6	15				"		
		1002 / 9	102	12.0	4.55	99	+ 9.50	56.9	16				"		
		749 / 7	49	7.0	43.10	47	+ 10.28	53.6	17				"		
		798 / 7	98	7.0	42.40	95	+ 10.21	63.2	18				"		
		838 / 7	138	7.0	43.50	134	+ 10.10	67.7	19				"		
		1079 / 9	179	10.0	45.10	172	+ 11.01	75.3	20				"		
		908 / 7	208	8.0	48.40	201	+ 10.21	80.5	21				"		

Add'n'l Inform.

F.B. 922 Pg. 148

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Dt.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 70	P# 8	1144 / 9	240	10 0	48 35	235	+ 10 44	5086 3	1		5051 8		SI.		
		1200 / 1056	144	11 0	50 00	138	+ 11 09	68 1	2				T.S.		
		1039 / 8	234	9 0	32 30	223	+ 12 40	72 8	3				S.H.		
		1185 / 10	185	11 0	32 00	174	+ 12 27	79 7	4				"		
		856 / 7	156	8 0	35 40	151	+ 10 12	70 7	5				T.S.		
		816 / 7	116	7 0	29 45	113	+ 9 22	63 2	6				"		
		772 / 7	72	7 0	30 45	70	+ 10 11	57 2	7				SI.		
		1148 / 10	148	15 0	14 20	141	+ 12 20	68 2	8				S.H.		
		1200 / 1017	183	11 0	18 30	174	+ 12 57	80 8	9				"		
		823 / 6	223	7 0	22 45	211	+ 13 07	93 1	10				"		
		557 / 3	257	4 0	26 00	244	+ 12 46	510 33	11				T.Sp.		
		1197 / 9	297	10 0	25 55	281	+ 13 27	08 8	12				S.H.		
		1062 / 750	313	13 0	18 30	291	+ 15 23	13 2	13				T.P.		
		1000 / 7	300	11 0	14 40	280	+ 15 04	16 0	14				T. B.K.		
		1071 / 8	271	8 0	15 30	253	+ 15 00	11 5	15				T "		
		1063 / 8	263	14 0	9 30	243	+ 15 50	07 1	16				T "		
									17						
P# 8	P# 7							5092 0	18 44		5096 4				
		1035 / 10	35	9 8	331 50	35	0 0	86 6	19				S.H.		
		1096 / 10	96	10 0	9 10	88	16 35	60 4	20				G flag		T.S.
		114 / 1	14	0 6	188 00	14	0 0	95 8	21				SH.		

Add'n'l Inform.

Notes Red. Date 7-13-42 Platted Date 7-22-42 Job No. 8334 Division No. Survey of Pear Plaza Survey Notes K Date 5-14-42 F.B. 922 PG. 149

Notes Chkd. Date Checked Date Survey by Rosecrans Map No. Indexed

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P# 8	P# 7	1226 / 11	126	12°	36.30	120	12.[illegible]	5058.3	1		5096.4		Sl.		
		748 / 7	48	7°	197.50	47	+ 9.14	97.2	2				S.H.		
		1174 / 11	74	11°	184.40	73	+ 3.[illegible]	90.1	3				T.S.		
		465 / 3	165	4°	53.30	157	12.15	58.2	4				Sl.		
		1226 / 10	226	11°	55.15	221	8.[illegible]	51.1	5				"		
		914 / 8	114	13°	183.20	113	+ 5.15	93.8	6				"		
		1013 / 9	113	12°	198.00	111	+ 7.07	98.4	7				T.S.		
		1231 / 10	231	14°	66.00	228	6.54	54.9	8				Sl.		
		984 / 7	284	8°	71.50	280	6.51	55.0	9				"		
		1137 / 10	137	10°	191.05	136	+ 5.14	98.9	10				Sl.		
		1200 / 1105	95	16°	189.25	94	+ 6.[illegible]	92.8	11				T.S.		
		1170 / 10	170	15°	178.40	169	+ 5.02	96.3	12				Sl.		
		1045 / 7	345	12°	72.10	341	5.49	50.3	13				"		
		1088 / 7	388	12°	71.40	384	5.38	46.6	14				"		
		1084 / 7	384	12°	78.30	381	4.57	51.3	15				"		
		1018 / 7	318	9°	76.40	315	6.00	54.5	16				"		
		1063 / 8	263	9°	76.05	260	6.21	58.5	17				"		
		1009 / 8	209	9°	73.00	205	8.00	58.7	18				"		
		958 / 8	158	9°	67.45	154	9.34	61.5	19				"		
		813 / 7	113	8°	60.40	107	13.12	63.3	20				"		
		996 / 9	96	10°	60.30	91	12.52	65.7	21				G. flag Y		

Add'n'l Inform.

F.B. 922 PG. 150

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P# 8	P# 7	1175 / 11	75	12.0	39.25	69	15.25	5065.3	1		5096.4		T.S.		
		1132 / 11	32	11.0	359.00	31	7.14	81.5	2				S.H.		
		1129 / 11	29	11.0	69.15	28	10.56	80.1	3				"		
		858 / 8	58	8.0	81.15	53	16.15	72.9	4				T.S.		
		1209 / 11	109	12.0	87.00	107	7.52	69.7	5				S.I.		
		1066 / 9	166	10.0	88.05	[illegible]	6.53	66.7	6				"		
		933 / 7	233	9.0	85.55	230	5.57	63.5	7				"		
		789 / 5	289	6.0	86.20	286	5.17	61.6	8				"		
		650 / 3	350	5.0	86.10	347	5.31	58.1	9				"		
		1204 / 8	404	14.0	86.35	402	1.03	54.2	10				"		
		665 / 4	265	9.0	107.10	264	2.16	74.7	11				"		
		1152 / 9	252	10.0	101.00	251	3.17	72.1	12				"		
		1000 / 8	200	9.0	122.25	199	1.98	70.7	13				"		
		1145 / 10	145	11.0	102.25	144	5.37	71.4	14				"		
		1005 / 9	105	10.0	109.40	104	6.39	74.4	15				"		
		955 / 9	55	9.0	128.50	54	6.43	81.1	16				T.S.		
		1159 / 11	59	11.0	355.45	56	12.15	73.2	17				S.H.		
		1081 / 10	81	10.0	354.45	76	14.06	67.4	18				"		
		1136 / 10	136	11.0	355.05	129	12.34	56.7	19				T.S.		
		1165 / 10	165	11.0	353.40	159	10.51	55.0	20				S.I.		
		891 / 7	191	8.0	355.10	184	10.51	53.2	21				"		

Add'n'l Inform.

Notes Red. VG Platted VG Job No. 8339 Division No. F.B. 922 PG. 151
Date 7-13-42 Date 7-22-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes [illegible] Date 3-14-46
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
PS	[illegible]	952 / 5	183	7 0	5 55	175	12 15	5049 7	1		5096 4		Sl.		
		1055 / 9	155	10 0	4 30	147	12 [illegible]	53 0	2				"		
		848 / 7	148	8 0	347 40	142	11 27	59 6	3				"		
		1131 / 10	131	11 0	347 00	126	11 [illegible]	59 7	4				T.S.		
		1139 / 10	139	11 0	337 00	135	9 20	63 2	5				Sl.		
		906 / 8	106	9 0	134 40	105	3 51	80 2	6				"		
		1114 / 10	114	14 0	102 50	113	5 17	72 1	7				G flag	Y	
		855 / 7	155	8 0	118 00	154	4 [illegible]	70 4	8				" "	"	
		1083 / 9	183	14 0	121 55	183	0 56	79 6	9				" "	Y & Red	
		837 / 8	37	8 0	135 15	37	1 [illegible]	85 8	10				SH.		
		[illegible] / 10	225	17 0	114 00	225	0 23	73 0	11				Sl.		
		535 / 5	35	5 6	162 50	35	0 0	90 8	12				SH.		
		1065 / 10	65	10 4	160 30	65	0 0	86 0	13				T.S.		
		998 / 9	98	9 2	160 20	98	0 0	87 2	14				Sl.		
		925 / 8	125	8 4	161 30	125	0 0	88 0	15				"		
		959 / 8	159	7 3	160 20	159	0 0	89 1	16				"		
		788 / 6	188	6 0	160 30	188	0 0	90 4	17				T.S.		
		1200 / 970	230	11 0	160 15	230	+ 2 22	95 0	18				Fl.		
		1200 / 947	253	14 0	113 40	253	1 00	78 2	19	18 4		4 4	W Bank wash		
		1200 / 923	277	15 0	113 23	277	1 03	76 3	20	20 1		5 1	℄ 30' wash.		
		1200 / 894	306	14 0	113 20	306	1 20	75 3	21	21 1		7 1	E Bank wash		

Add'n'l Inform.

F.B. 922 PG. 152

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#8	P#7	711 / 5	211	6°	132.55	211	1.20	5085.1	1		5096.4		Sl.		
		861 / 7	161	8°	134.00	161	2.15	82.2	2				"		
									3						
P8A	P8							5088.7	4 48		5092.5				
		654 / 6	54	5°	0.0	54	0.0	87.8	5				W bank		
		830 / 5	30	8°	0.0	30	0.0	85.5	6				℄ 25' mesh		
		967 / 9	67	9°	21.50	67	0.0	84.1	7				G flag		
		557 / 5	57	5°	332.50	57	+ 3.03	91.0	8				W bank		
		785 / 7	85	7°	332.20	85	+ 2.44	90.6	9				Sl.		
		175 / 1	75	1°	128.40	74	7.28	82.7	10				G flag	R	
		1073 / 10	73	10°	303.40	71	+ 9.00	94.9	11				W bank		
		1091 / 10	91	10°	50.10	91	2.49	78.9	12				" "		
		1061 / 10	61	10°	152.30	61	3.10	80.0	13				℄ 25' W		
		1193 / 11	93	11°	301.20	91	+ 8.48	98.6	14				Sl.		
		1200 / 1068	132	16°	299.30	128	+ 9.55	5100.1	15				Sl.		
		1044 / 10	44	10°	71.00	44	0.0	5083.1	16				E bank		
		1044 / 10	44	10°	88.10	44	0.0	83.1	17				Sl.		
		790 / 7	90	7°	89.30	89	5.55	77.2	18				"		
		948 / 8	148	9°	89.40	147	5.39	69.9	19				" + E bank		
		1104 / 9	204	10°	90.40	202	5.30	64.3	20				" "	"	
		1173 / 9	273	13°	88.20	271	5.06	56.7	21				" "	"	

Add'n'l Inform.

Notes Red. JG Platted JG Job No. 8234 Division No. F.B. 922 Pg. 153
Date 7-13-42 Date 7-22-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes Date 5-14-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
P8A	P#8	1200 / 878	322	14.0	88.20	319	− 5.14	5050.3	1		5093.5		SI
		898 / 8	98	8.0	292.30	96	+ 7.55	98.8	2				W bank
		1193 / 11	93	11.0	279.00	91	+ 8.15	95.9	3				℄ 30' W
		1108 / 10	108	10.0	264.30	105	+ 9.10	5100.6	4				E bank
		1051 / 9	151	14.0	271.00	147	+ 8.50	02.4	5				℄ 25' W
		1158 / 11	58	11.9	113.40	58	− 0.0	5081.6	6				SI.
		1090 / 9	190	14.0	266.10	186	+ 8.11	5106.4	7				℄ 25' W
		1133 / 9	233	14.0	266.20	229	+ 7.50	11.0	8				" " "
		1178 / 9	278	14.0	266.15	273	+ 7.36	16.1	9				V 25' W + Dr.
		808 / 7	108	8.0	113.10	107	− 5.20	5075.2	10				SI.
		960 / 8	160	9.0	114.10	159	− 5.20	69.5	11				SI.
		1112 / 9	212	10.0	113.40	210	− 5.20	63.8	12				"
		1200 / 938	262	12.0	113.50	260	− 5.13	57.7	13				"
		762 / 7	62	7.0	268.15	61	+ 7.24	94.6	14				E bank
		843 / 8	43	5.0	300.05	42	+ 6.20	90.3	15				℄ 25' W
		133 / 1	33	1.4	269.00	33	− 0.0	92.1	16				E bank
		646 / 6	46	6.0	136.20	46	− 4.44	83.7	17				SI.
		1098 / 10	98	10.0	136.40	98	− 3.46	76.9	18				"
		1200 / 1039	161	12.0	137.25	160	− 4.15	69.5	19				"
		1008 / 8	208	9.0	137.20	207	− 4.30	68.2	20				"
		349 / 3	49	3.0	250.30	49	+ 2.51	92.1	21				G flag Y

Add'n'l Inform.

F.B. 982 PG. 154

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left Right
P#8A	P#8	947 / 9	47	93	151°50'	47	0°0'	5084.2	1		5093.5		Sl.	
		435 / 4	35	41	217°15'	35	0°0'	89.4	2				"	
		993 / 9	93	90	155°00'	93	3°44'	78.4	3				"	
		472 / 4	72	40	214°15'	72	+ 1°36'	[illegible]	4				"	
		644 / 5	144	70	154°15'	143	4°47'	74.5	5				T.S.	
		678 / 5	178	50	154°10'	177	4°35'	74.2	6				"	
		731 / 530	201	60	153°50'	201	2°08'	[illegible]	7				Sp.	
		1113 / 840	273	140	154°00'	273	2°03'	69.7	8				Sw.	
		395 / 3	95	30	219°45'	95	+ 1°45'	92.3	9				G flag	R
		1122 / 9	222	130	168°00'	222	+ 1°16'	85.4	10				T.R.	
		967 / 7	267	80	178°20'	267	+ 0°58'	90.3	11				"	
		1030 / 8	230	130	179°00'	230	+ 1°13'	85.6	12				T.S.	
		986 / 8	186	90	180°10'	186	0°50'	81.7	13				Sl.	
		827 / 7	127	80	179°35'	127	1°27'	82.3	14				"	
		1081 / 10	81	102	180°30'	81	0°0'	82.8	15				"	
		747 / 7	47	74	180°00'	47	0°0'	86.[illegible]	16				"	
		335 / 3	35	37	224°00'	35	0°0'	89.8	17				G flag	R
		505 / 5	5	50	180°00'	5	0°0'	88.5	18				" "	
									19					
P#10	P#9							5097.1	20 / 48		5101.9			
		1145 / 10	145	110	358°55'	144	3°44'	81.3	21				Sl	

Add'n'l Inform.

Notes Red. JG Platted JG Job No. 8334 Division No. F.B. 922 Pg. 155
Date 7-13-42 Date 7-22-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Fosecrans Notes [illegible] Date 5-14-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical — Angle	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P10	P#9	1096 / 10	96	10.0	00	96	3.49	5085.4			5101.9		Sl.		
		1049 / 10	49	9.9	0.0	49	0.0	92.0					"		
		794 / 7	94	12.0	320.10	94	3.41	95.9					G flag	Y	
		1053 / 10	53	10.0	329.00	53	3.57	95.4					Sl.		
		1139 / 11	39	10.8	52.40	39	0.0	91.1					"		
		1072 / 10	72	10.0	54.00	72	3.46	87.0					"		
		546 / 5	46	5.0	293.10	46	3.22	99.4					"		
		1026 / 10	26	10.0	309.00	25	11.46	96.8					G flag	R	
		1209 / 11	109	12.0	53.40	108	4.14	81.8					Sl.		
		1200 / 1059	141	11.0	48.30	140	4.40	79.3					T.S.		
		1075 / 7	175	10.0	48.50	174	3.16	81.8					T.R.		
		867 / 7	167	8.0	55.50	167	2.57	85.4					"		
		1213 / 10	213	12.0	36.00	212	3.28	76.9					"		
		952 / 7	252	13.0	29.45	250	5.12	66.1					T.S.		
		1143 / 11	43	11.0	273.40	40	14.26	5101.5					G flag	Y	
		568 / 5	68	5.0	290.50	68	3.45	01.4					Sl.		
		595 / 5	95	5.0	290.45	94	4.02	03.6					"		
		1213 / 11	113	15.0	36.40	113	3.28	5080.0					"		
		485 / 4	85	4.0	262.20	84	6.45	5107.8					"		
		336 / 3	36	3.0	210.15	35	7.16	02.5					"		
		414 / 3	114	4.0	262.30	112	6.32	10.8					"		

Add'n'l Inform.

F.B. 922 PG. 156

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Flr-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#10	P#9	444			° ′		° ′		1						
		3	142	4 0	262 30	142	+ 6 32	51 14 2			5101 9		E Bank		
		374			° ′		° ′		2						
		3	74	3 0	208 00	73	+ 7 43	08 8					21.		
		448			° ′		° ′		3						
		4	48	4 0	261 40	47	+ 6 46	03 6					"		
		348			° ′		° ′		4						
		3	46	3 0	209 35	47	+ 7 17	04 9					G Flag		
		1135			° ′		° ′		5						
		10	122	16 0	216 00	127	+ 13 31	16 7					21.		
		458			° ′		° ′		6						
		7	21	4 0	241 00	57	+ 8 05	06 2					"		
		897			° ′		° ′		7						
		8	97	8 0	239 40	93	+ 10 53	08 0					"		
		1018			° ′		° ′		8						
		9	142	13 0	242 00	142	+ 11 21	12 5					"		
		127			° ′		° ′		9						
		1	21	1 1	175 25	27	— 0 0	00 8					G Flag		
					° ′		° ′		10						
					° ′		° ′		11						
P10A	P10				° ′		° ′	51 24 2	51		5129 7				
		952			° ′		° ′		12						
		7	252	9 0	359 30	250	— 5 05	50 98 7					21.		
		1022			° ′		° ′		13						
		8	232	9 0	[illegible]	231	— 4 20	51 02 7					G Flag		
		978			° ′		° ′		14						
		7	276	8 0	347 12	277	— 3 03	07 1					"		
		1028			° ′		° ′		15						
		8	226	9 0	340 05	228	— 2 24	11 4					"	"	
		1040			° ′		° ′		16						
		8	246	9 0	346 00	239	— 3 09	07 7					21.		
		1042			° ′		° ′		17						
		8	242	9 0	331 15	242	— 0 40	18 2					"		
		992			° ′		° ′		18						
		7	292	7 0	330 55	292	— 0 51	18 6					"		
		1200			° ′		° ′		19						
		883	317	10 0	314 10	316	+ 2 32	33 8					"		
		965			° ′		° ′		20						
		7	265	11 0	314 20	265	+ 2 12	29 1					"		
		1200			° ′		° ′		21						
		982	218	14 0	314 37	218	+ 2 37	25 1					G Flag		

Add'n'l Inform.

Notes Red. [illegible] Date 7-12-4[illegible] Platted [illegible] Date 7-12-4[illegible] Job No. 8224 Division No. F.B. 9222 PG. 157
Survey of Hart Blossom Hwy
Notes Chkd. Date Checked Date Survey by [illegible] Notes [illegible] Date 3-14-4[illegible]
Map No. Indexed [illegible] Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
# P.10A	# P10	1132			° ′ ″		° ′ ″	′ ″	1						
		9	233	13°	309.50	232	+ 3.0	5129.7			5129.7		S1.		
		1187							2						
		9	287	11°	309.35	284	+ 3.1	35.1					"		
		1132							3						
		8	335	13°	305.40	328	+ 4.0	40.1					" + Brk		
		1163							4						
		8	263	13°	295.50	260	+ 4.42	46.8					S1 + Brk		
		1105							5						
		8	305	14°	294.40	302	+ 4.32	39.8					"		
		1200							6						
		940	260	16°	293.10	228	+ 4.8	35.7					B.D.		
		1072							7						
		8	223	9°	288.00	222	+ 4.32	32.4					T.Sp.		
		787							8						
		6	187	6°	256.25	187	+ 1.26	28.2					G Flag Y		
		1162							9						
		10	162	11°	286.25	162	+ 2.25	25.8							
		1096							10						
		8	246	9°	00.	244	− 5.12	5095.8					T.S.		
		1051							11						
		8	251	9°	11.00	247	− 6.42	91.7					S1.		
		763							12						
		5	263	6°	17.40	258	− 7.38	89.3					"		
		1079							13						
		8	279	9°	25.50	274	− 7.2	85.6					"		
		1010							14						
		7	310	8°	32.00	306	− 6.2	87.5					Sw		
		922							15						
		7	222	12°	40.25	219	− 6.0	94.5					T. Sp.		
		1147							16						
		9	247	13°	30.10	244	− 6.2	89.5					" "		
		1013							17						
		8	213	9°	17.50	209	− 7.42	92.4					Sw.		
		1087							18						
		9	187	10°	7.00	184	− 7.4	95.1					S1.		
		1175							19						
		10	175	11°	352.00	173	− 6.0	5100.5					"		
		860							20						
		7	160	8°	338.00	159	− 5.0	08.0					"		
		1122							21						
		10	122	11°	351.25	120	− 7.53	02.4					"		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Int. Fences..V.Fns. Eucalyptus ....Eu. Ditch .....Di. Plus combinations Telephone Pole T.P. of these and Power Pole...P.P. common standard Culvert .....Cul. abbreviations.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences..V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Sa. .....Sw. Swale .....Fl. Flat .....Str. Stream .....Tr. Trail .....Pvt. Pavement Edge of Road E.Rd.

Saddle .....Sw. Swale .....Fl. Flat .....Str. Stream .....Tr. Trail .....Pvt. Pavement Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut..T.C. Bottom of Cut..B.C. Top of Fill..T.F. Bottom of Fill..B.F.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut..T.C. Bottom of Cut..B.C. Top of Fill..T.F. Bottom of Fill..B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

F.B. 922 Pg. 158

Topography Description Legend:
Side Hill.....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
PloA	P[illegible]	1135 / 10	135	11.0	16.30	131	− 9.33	5096.8	1		51299		S.I.		
		1160 / 10	160	11.0	28.[illegible]	156	− 8.53	94.5	2				T.S.		
		1166 / 10	166	11.0	42.00	164	− 5.48	5102.3	3				Brk		
		1173 / 10	173	14.0	46.45	172	− 4.51	01.3	4				"		
		1138 / 10	138	11.0	56.05	137	− 4.22	08.5	5				"		
		1025 / 9	125	14.0	53.55	125	− 3.00	09.4	6				"		
		1115 / 10	115	11.0	30.40	111	− 9.51	5099.7	7				T.S		
		1185 / 11	85	14.0	11.15	83	− 9.36	5101.9	8				T.S.		
		1173 / 11	73	14.0	352.05	71	− 9.26	04.4	9				"		
		1134 / 11	34	11.0	347.00	34	− 4.10	16.4	10				S.H.		
		1141 / 11	41	11.0	40.10	41	− 4.27	15.5	11				"		
		989 / 9	89	9.0	63.00	89	− 2.55	16.3	12				[illegible]		
		949 / 9	49	9.0	51.50	49	− 0.0	20.9	13				Brk		
		797 / 7	97	8.0	278.00	97	+ 2.45	26.5	14				T.S.		
		1138 / 9	238	10.2	284.55	236	+ 5.05	40.9	15				T. Sp.		
		917 / 7	217	13.0	302.20	216	+ 3.00	28.1	16				end Sp		
		616 / 6	16	6.4	317.20	16	− 0.0	23.5	17				T. Brk		
		762 / 6	162	6.7	299.00	162	− 0.0	23.2	18				Fl.		
		651 / 6	51	6.0	256.30	50	+ 7.38	31.6	19				Brk		
		680 / 5	180	5.2	298.05	180	− 0.0	24.7	20				T.S		
		1093 / 10	93	10.0	252.40	91	+ 9.35	35.3	21				Brk		

Add'n'l Inform.

Notes Red. JG Platted JG Job No. 8334 Division No. F.B. 922 PG. 159
Date 7-13-42 Date 7-23-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes [illegible] Date 5-14-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P#10A	P#10	1027 / 9	127	9.5	298.35	127	− 0.0	5120.4	1		5129.9		Brk		
		997 / 9	97	14.0	295.45	97	− 0.09	15.7	2				Hd. Dr.		
		1172 / 11	72	11.0	309.00	71	− 5.5	11.4	3				T.S.		
		1055 / 945	110	10.0	322.00	109	− 4.52	10.7	4				"		
		1127 / 10	127	11.0	338.10	126	− 6.0	05.6	5				"		
		552 / 7	152	12.0	250.10	147	+ 9.57	43.7	6				Brk		
		1063 / 9	163	10.0	333.25	163	− 2.5	11.7	7				Sl.		
		1016 / 8	216	13.0	251.10	210	+ 9.20	51.3	8				Brk		
		1153 / 10	153	11.0	310.40	153	+ 0.57	21.4	9				G flag	Y	
		1086 / 9	186	10.0	339.00	186	− 2.4	11.2	10				Sl.		
		833 / 7	133	7.0	[illegible]	129	+ 9.28	44.7	11				"		
		1103 / 9	203	10.0	350.40	201	− 4.57	02.6	12				"		
		1025 / 9	125	12.0	215.20	120	+ 10.5	41.2	13				G flag	Y	
		673 / 6	73	6.0	218.10	71	+ 9.16	35.6	14				Sl.		
		237 / 2	37	2.0	197.40	37	+ 3.1	29.8	15				"		
		239 / 2	39	1.5	163.00	39	− 0.0	28.4	16				"		
									17						
P#11	P#10							5134.2	18 4.8		5139.0				
		985 / 8	185	9.0	30.51	184	− 5.07	13.6	19				P11A Set ix 2 - N 38° W		
		1137 / 10	137	11.0	32.45	136	− 3.3	19.8	20				℄ 10' Rd		
		782 / 7	82	7.0	30.45	82	− 4.00	26.3	21				℄ 10' "		

Add'n'l Inform.

F.B. 922 PG. 160

Topography Description Legend:
Side Hill....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P#11	P#10	725 / 7	25	71	24.45	25	0.0	5132.9	1		5139.0		℄ 10' Rd		
		132 / 1	32	15	216.00	32	0.0	38.5	2				" "		
		153 / 1	53	10	243.40	53	+ 2.44	40.3	3				6" Flag		
		190 / 1	90	10	206.45	90	+ 3.10	43.0	4				℄ 10' Rd		
		250 / 1	150	20	202.40	149	+ 4.18	48.2	5				" "		
		1192 / 1	92	11	265.25	88	+ 11.00	45.2	6				Sl.		
		1031 / 9	131	9	262.00	126	+ 10.52	52.2	7				Sp		
		1086 / 10	86	10	246.30	83	+ 10.24	44.2	8				Sl.		
		1085 / 9	185	15	263.05	179	+ 10.34	57.3	9				"		
		1041 / 9	141	10	246.15	135	+ 11.13	55.8	10				Brk		
		1200 / 978	222	17	263.35	115	+ 10.26	61.3	11				Sl.		
		1191 / 10	191	15	247.30	184	+ 11.09	60.2	12				"		
		1200 / 940	260	18	263.20	252	+ 10.07	65.8	13				"		
		1230 / 10	230	14	247.10	223	+ 10.20	65.4	14				"		
		1165 / 9	[illegible]	15	247.05	257	+ 10.15	70.2	15				"		
									16						
									17						
P#11A	P#11							5113.6	4.9		5118.5				
		485 / 3	185	4	0.0	183	+ 6.08	34.2	18				P#11		
		1143 / 11	43	12.3	166.00	43	0.0	06.2	19				℄ 10' Rd		
		800 / 7	100	8	165.50	98	7.12	98.1	20	28.4		12.4	" " "		
		855 / 7	155	8	164.20	153	6.56	92.1	21	26.4		18.4	" " "		

Add'n'l Inform.

Notes Red. JG Platted JG Job No. 8334 Division No. F.B. 922 PG. 161
Date 7-14-42 Date 7-23-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes K Date 5-14-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
P11A	P#11	1013	213	9 0	162.55	210	6.[illegible]	50 [illegible]	1		5118 5		℄ 10' Rd.
		8						842					
		1063	263	9 0	162.40	260	6.22	802	2				" " "
		8						749					
		1116	316	10 0	162.45	312	6.15	799	3				" " "
		8						728					
		1108	308	9 0	167.55	305	5.39	724	4				T Sp
		8						721					
		1158	258	14 0	179.00	254	7.14	701	5				T.S.
		9						712					
		1167	267	14 0	159.25	264	6.07	697	6				T Sp.
		9						712					
		1080	280	13 0	192.45	276	6.31	697	7				B.D.
		8											
		321	21	2 8	303.20	21	0.0	51 157	8				Brk
		3											
		1200	260	14 0	203.00	252	1.32	50 [illegible]	9				"
		940						079					
		975	75	9 0	291.10	75	1.10	51 [illegible]	10				B.D.
		9						893					
		1200	225	15 0	208.20	224	3.[illegible]	50 [illegible]	11				Brk
		975						109					
		840	140	8 0	292.20	139	+ 3.52	51 [illegible]	12	+ 15		+ 95	T. Sp.
		7						837					
		1209	209	15 0	202.15	207	5.27	50 [illegible]	13				B.D.
		10						248					
		809	209	7 0	296.55	208	+ 3.42	51 [illegible]	14				S.H.
		6						879					
		993	193	13 0	194.50	191	5.37	50 [illegible]	15				T. Sp.
		8						822					
		1165	165	15 0	182.30	162	7.28	722	16				℄ 15' W
		10						212					
		1100	200	10 0	275.05	199	+ 3.42	51 [illegible]	17				SI
		9						163					
		1007	207	9 0	259.20	207	+ 2.02	[illegible]	18				"
		8						152					
		867	167	8 0	265.15	167	+ 1.95	20 [illegible]	19				Brk
		7						115					
		1140	140	10 0	266.55	140	+ 1.17	[illegible]	20				Sw.
		10											
		405	105	3 7	266.00	105	0.0	148	21				Tel. Po T. Sp.
		3											

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole... P.P. Culvert ..... Cul.

Sa. ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill ....T.F. Bottom of Fill.B.F.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill ....T.F. Bottom of Fill.B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 Pg. 162

Topography Description Legend:
Side Hill.....S.H. Bottom Draw B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P11A	P#11	1067 / 10	67	10.0	262.40	66	− 5.55	5117	1		5118.5		B.D.		
		911 / 8	111	8.0	195.00	106	− 12.17	5097.6	2				"		
		1174 / 11	74	11.0	226.00	69	− 9.55	5003.6	3				"		
		1105 / 10	105	12.0	128.55	105	− 0.0	06.5	4				T Sp.		
		843 / 7	143	8.0	228.20	142	− 4.44	5098.8	5				Sw		
		403 / 2	203	3.0	228.20	202	− 4.27	5100.0	6				Sl.		
		1043 / 8	243	9.0	227.40	243	− 2.51	5097.5	7				"		
		1200 / 934	266	14.0	215.45	265	− 3.26	5099.6	8				"		
		1104 / 9	202	10.0	210.50	202	− 5.00	5100.8	9				Brk		
		1100 / 9	200	10.0	207.05	198	− 5.00	01.3	10				Tel. Po.		
		1180 / 10	180	15.0	210.00	179	− 4.48	5097.9	11				B.D.		
		1137 / 10	137	11.0	206.15	136	− 4.13	5107.5	12				T. Sp.		
		1172 / 11	72	11.0	325.50	70	+ 10.30	25.3	13				G flag		
		801 / 7	101	7.0	339.50	99	+ 7.53	30.2	14				Fl.		
									15						
P#11	P#10							5134.2	16	50	5139.2				
		842 / 8	42	8.2	98.30	42	− 0.0	31.0	17				Fl.		
		897 / 8	97	8.0	228.00	95	+ 8.35	45.4	18				Sl.		
		1071 / 10	71	11.0	64.50	71	− 0.0	29.2	19				Fl.		
		946 / 8	46	8.0	222.40	45	+ 8.13	37.6	20				Sl.		
		1118 / 10	118	15.2	67.20	118	− 0.0	23.5	21				G flag		

Add'n'l Inform.

Notes Red. J.G. Platted J.G. Job No. 2334 Division No. F.B. 922 PG. 163
Date Date Survey of Pedro Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes A. Date 5-15-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P 11	P 10	692							1						
		5	192	6 0	222.50	188	+ 8.30	5161.4			5139.2		Sl.		
		1103							2						
		10	103	11 0	94.10	103	− 0.49	27.0					Brk		
		1215							3						
		10	209	11 0	223.10	209	+ 9.28	63.1					Sl.		
		1042							4						
		9	143	13 0	92.50	143	− 2.29	20.4					Sw.		
		1049							5						
		8	229	13 0	223.50	242	+ 9.35	67.1					Sl.		
		1095							6						
		9	195	10 0	193.20	195	− 1.40	23.6					"		
		946							7						
		7	246	8 0	192.20	246	− 0.95	28.1					"		
		1205							8						
		9	305	14 0	224.15	297	+ 9.29	74.2					"		
		1014							9						
		7	312	8 0	91.40	314	− 0.0	31.2					"		
		997							10						
		7	300	12 0	214.25	290	+ 8.95	71.9					"		
		1087							11						
		8	287	9 0	104.50	287	+ 1.40	38.8					"		
		1047							12						
		8	247	9 0	211.25	242	+ 8.17	65.6					"		
		1133							13						
		9	232	13 0	104.50	233	+ 1.42	33.2					"		
		904							14						
		7	200	12 0	214.50	200	+ 8.18	56.3		+ 172		+ 292	"		
		1071							15						
		9	171	10 0	105.40	171	− 0.52	26.8					Sw.		
		953							16						
		8	153	12 0	217.05	148	− 9.52	01.6					Sl.		
		1126							17						
		10	125	11 0	106.10	125	− 1.18	26.6					Tel. Po + Sw.		
		639							18						
		6	39	6 0	130.00	39	− 0.0	33.2					Fl.		
		671							19						
		6	71	6 2	130.00	71	− 0.0	33.0					"		
		927							20						
		8	127	13 0	134.00	126	+ 3.40	34.3					Sw.		
		1170							21						
		10	170	11 0	134.55	169	+ 4.11	40.5					Sl.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... V. Fn. Int. Fences V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draws V.D's Break in Slope Bk.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

F.B. 922 PG. 164

Topography Description Legend:
Side Hill S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
# P11	# P10	1130			° '		° '		1						
		9	230	10 2	134 50	229	+ 4 35	5147 6			5139 2		S1.		
		997							2						
		9	97	9 0	174 30	96	+ 5 43	392					"		
		155							3						
		1	55	1 2	171 15	55	0 0	375					"		
									4						
					° '		° '								
									5						
P# 12	P# 11				° '		° '	5154 8	49		5159 2				
		1075							6						
		10	75	10 0	34 00	75	3 20	454					S1.		
		1167							7						
		11	67	12 2	59 30	67	0 0	475					"		
		765							8						
		7	65	7 6	85 10	65	0 0	521					"		
		794							9						
		7	94	7 1	83 35	94	0 0	526					"		
		627							10						
		5	27	5 9	80 45	127	0 0	538					"		
		875							11						
		7	75	7 8	81 10	175	0 0	519					"		
		1022							12						
		8	223	11 4	80 40	223	0 0	483					"		
		717							13						
		5	217	10 2	74 20	217	0 0	495					G flag		
		912							14						
		7	212	13 0	32 25	211	4 38	296					" "		
		1073							15						
		9	173	9 1	70 00	173	0 0	506					S1.		
		1063							16						
		9	163	10 0	48 50	163	3 01	412					"		
		1092							17						
		9	192	10 0	56 50	192	1 30	446					"		
		1114							18						
		10	114	10 0	69 30	114	0 0	497					"		
		1200							19						
		965	235	12 2	63 00	235	0 0	475					"		
		1181							20						
		11	81	11 3	63 00	81	0 0	484					"		
		1130							21						
		10	130	12 1	62 10	130	0 0	476					Tel. Po		

Add'n'l Inform.

Notes Red. JG Platted VG Job No. 8234 Division No. F.B 322 Pg. 165
Date Date Survey of Rt. Alameda Hwy
Notes Chkd. Checked Survey by Forrestrons Notes R Date 5-15-42
Date Date Map No. Indexed A. C. [illegible] Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
					° '		° '		2						
P# 12A	P# 12				° '		° '	5158.8	5.0		5163.8				
		1044 / 9	144	10.0	10.20	144	1.45	49.0	3				G flag	Y.	
		339 / 9	39	7.0	95.20	39	0.0	56.8	4				Fl.		
		991 / 9	91	9.8	102.20	91	0.0	54.5	5				"		
		942 / 8	142	9.0	104.40	142	1.40	50.6	6				"		
		751 / 7	51	7.2	3.10	51	0.0	56.6	7				℄ 10' Rd.		
		502 / 5	2	5.0	0.0	2	0.0	58.8	8				" " "		
		1109 / 10	109	14.0	125.00	109	+ 1.09	52.1	9				Fl.		
		959 / 9	59	9.0	125.40	59	+ 1.03	55.8	10				"		
		524 / 5	24	5.4	148.50	24	0.0	58.4	11				Tel. Po.		
		419 / 4	19	4.6	195.45	19	0.0	59.2	12				G flag	Y	
		655 / 6	55	5.8	179.00	55	0.0	58.0	13				℄ 10 Rd.		
		487 / 4	87	5.0	161.00	87	2.20	55.2	14				Fl.		
		803 / 7	103	7.3	178.20	103	0.0	56.5	15				℄ 10' Rd.		
		249 / 2	49	2.0	248.45	49	+ 2.10	62.7	16				Sl.		
		498 / 4	98	4.0	247.30	97	+ 6.10	71.3	17				"		
		444 / 3	144	4.0	248.00	142	+ 6.30	75.9	18				"		
		495 / 3	195	3.0	247.40	193	+ 6.30	83.0	19				"		
		756 / 7	56	7.0	281.20	55	+ 8.00	64.5	20				"		
		855 / 6	155	7.0	245.55	153	+ 7.07	77.8	21				"		

Add'n'l Inform.

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Dl.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 166

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
# P12A	# P12	806			° '		° '		1						
		7	106	7 0	281 10	104	+ 8 02	5171 4			5162 8		51.		
		1155							2						
		9	255	10 0	260 30	250	+ 5 18	90 1					"		
		642							3						
		5	142	6 0	281 05	139	+ 7 52	79 3					"		
		901							4						
		7	201	8 0	259 35	199	+ 7 54	83 3					"		
		754							5						
		6	152	6 0	260 15	151	+ 8 10	79 4					"		
		802							6						
		7	103	7 0	260 50	101	+ 8 18	72 5					"		
		985							7						
		8	185	16 0	276 45	179	+ 10 23	80 5					"		
		757							8						
		7	57	7 0	316 40	56	+ 5 17	62 8					"		
		812							9						
		7	112	7 0	316 15	111	+ 5 56	68 3					"		
		962							10						
		8	162	9 0	316 30	160	+ 6 14	72 2					"		
		1118							11						
		9	211	14 0	316 00	214	+ 7 20	78 0					"		
					° '		° '		12						
									13						
Temp P.I. 106	# P12				° '		° '	5155 6	52		5160 8				
		1075							14						
		10	75	10 0	334 10	73	+ 8 05	61 1					51.		
		342							15						
		3	42	3 0	281 40	42	+ 5 48	63 0					"		
		1116							16						
		10	116	10 0	335 20	115	+ 6 25	63 5					"		
		616							17						
		5	116	5 0	314 20	115	+ 6 26	68 6					"		
		1084							18						
		10	80	10 0	280 20	80	+ 11 47	67 5					"		
		1126							19						
		10	126	13 0	300 40	121	+ 11 24	71 0					Tel. Pole		
		1121							20						
		10	121	10 0	282 00	117	+ 10 30	72 3					51.		
		1061							21						
		9	161	9 0	282 20	155	+ 9 40	78 3					"		

Add'n'l Inform.

Notes Rod. VG Platted
Date Date
Notes Chkd. Checked
Date Date
Map No. Indexed
Date Date
Job No. 8334 Division No.
Survey of Pear Blossom Hwy
Survey by Fosseraas Notes R Date 5-14-42
F.B. 2EE Pg. 167

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ − Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Temp	P#	1085			° ′		° ′		1						
P.I.100	12	85	85	10 0	304 05	82	+ 10 21	5165 8			5160 8		51.		
		10							2						
		910	210	13 0	282 40	203	+ 10 42	86 0					"		
		7							3						
		342	43	30	305 40	43	+ 4 37	61 3					"		
		3							4						
		943	43	9 3	165 50	43	0 00	51 5					G	Flag	R
		9							5						
		538	38	4 6	195 00	38	0 00	56 7					L	10'	R
		5							6						
		421	21	4 7	19 50	21	0 00	56 1					"	"	"
		4							7						
		1142	243	9 0	254 20	237	+ 8 49	58 2					51.		
		9							8						
		1076	76	10 0	207 00	74	+ 8 39	61 8					"		
		10							9						
		900	200	13 0	254 15	195	+ 9 22	79 5					"		
		7							10						
		1120	120	13 0	227 00	118	+ 8 00	64 3					"		
		10							11						
		835	135	12 0	255 00	131	+ 10 00	71 8					"		
		7							12						
		1200													
		1105	95	15 0	226 25	93	+ 7 22	59 9	13				"		
		592													
		5	92	5 0	253 10	90	+ 7 20	67 4	14				"		
		497													
		4	47	4 0	255 30	46	+ 6 35	62 2	15				"		
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences .. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Trl. Pavement ..... Pvd. Edge of Road E. Rd.

Side of Canyon S.Cn. Top of Bank .. T.B. Bottom of Bank .. B.B. Top of Cut ... T.C. Bottom of Cut .. B.C. Top of Fill ... T.F. Bottom of Fill B.F.

Inters. of Draws V.D's Break in Slope .. Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff .. B.Cl. Top of Spur ..... T.Sp. Bottom Canyon .. B.Cn.

F.B. 922 Pg. 168

Topography Description Legend: Side Hill ..... S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope .. T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
TOPOG. ON NORTH SIDE PEARBLOSSOM HWY									3						
					° ′		° ′		4				For "P" Line		
WEST OF CALDWELL LAKE													See FB 960-31		
									5				BM F.B. 960-23		
P	P1				° ′		° ′		6						
20	107				° ′		° ′	5119.0	5.1		5124.1				
		483							7						
		4	83	4.0	168.45	80	10.00	09.0					G. Flag		
		702							8						
		5	202	6.0	210.10	199	6.35	5095.2					S.H.		
		996							9						
		8	196	9.0	213.40	194	6.18	93.0					Dr.		
		880							10						
		7	180	8.0	217.55	178	6.28	96.0					S.H.		
		1054							11						
		9	154	10.0	226.35	152	5.48	98.8					"		
		1169							12						
		10	169	19.0	196.00	160	13.08	68.0					B.D.		
		1138							13						
		10	138	11.0	239.35	137	3.38	5104.5					S.H.		
		1133							14						
		10	133	6.0	209.00	125	13.45	5077.6					B.D.		
		1025							15						
		9	125	10.0	252.10	124	4.14	5105.1					c/o [illegible]		
		998							16						
		9	98	4.0	220.35	89	17.43	5081.8					B.D.		
		1158							17						
		10	158	11.0	265.30	158	0.0	5113.1					S.H.		
		1083							18						
		10	89	11.0	250.25	81	17.47	5087.4					B.D.		
		1090							19						
		9	190	9.3	271.40	190	0.0	5114.8					S.H.		
		1105							20						
		10	105	4.0	266.00	100	12.18	5088.4					B.D.		
		1015							21						
		9	115	10.0	281.10	110	11.52	91.1					"		

Add'n'l Inform.

Notes Red. [illegible] Platted J.A.L. Job No. 8334 Division No. F.B. 922 PG. 169
Date [illegible] Date 7-28-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R Date 6-18-42
Date Date Map No. Indexed A. C. Johnson Date 6-24-42

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P	P.I.	1103			° ′		° ′								
20	107	9	203	9 2	272 30	203	0 0	5114 4	1		5124 1		D.		
		1006							2						
		8	206	9 2	275 25	206	0 0	14 9					Sp.		
		1114							3						
		9	214	12 1	277 30	214	0 0	12 0					D.		
		1147							4						
		10	147	11 0	281 20	145	7 17	50 92 1					B.D.		
		635							5						
		4	235	5 2	280 35	235	[illegible]	51 18 9					S.H.		
		1092							6						
		9	193	10 0	281 50	192	7 47	50 98 3					BL + V Drs.		
		510							7						
		3	240	4 1	285 15	240	0 0	51 20 2					S.H.		
		1200							8						
		982	217	15 0	293 25	217	2 0	01 8					BD		
		799							9						
		5	249	[illegible] 0	288 45	249	0 0	18 3					[illegible] G. Flag		
		562							10						
		3	262	4 4	289 10	262	[illegible]	19 7					Sp.		
		1170							11						
		9	270	16 0	307 00	269	+ 3 [illegible]	23 1					S. Flag		
		923							12						
		7	223	8 0	265 35	222	+ 2 [illegible]	27 3					Brk.		
		1232							13						
		10	232	15 0	307 25	231	+ 3 [illegible]	23 4					S.H.		
		732							14						
		5	232	6 0	260 20	231	+ [illegible]	29 4					V.R.		
		1100							15						
		9	200	13 0	303 30	199	+ 2 [illegible]	21 2					G. Flag		
		1093							16						
		8	243	9 0	256 25	242	+ 2 [illegible]	26 4					Brk.		
		771							17						
		6	171	5 5	300 50	171	0 0	18 5					S.H.		
		901							18						
		2	201	3 0	252 30	201	+ 1 26	26 1					T.R.		
		378							19						
		2	178	1 2	255 40	178	0 [illegible]	22 2					Brk.		
		1035							20						
		9	135	0 5	299 10	135	[illegible]	09 3					D.		
		629							21						
		4	229	5 0	248 25	229	+ 0 [illegible]	22 9					Brk.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fence. V. Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank. B.B. Top of Cut ..... T.C. Bottom of Cut .. B.C. Top of Fill ..... T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope .. Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff .. B.Cl. Top of Spur ..... T.Sp. Bottom Canyon .. B.Cn.

F.B. 922 PG. 170

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope. T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 20	P.I. 107	1103 / 10	103	11.0	297.20	103	2.58	5107.9	1		5124.1		S.H.		
		509 / 3	209	1.5	243.25	209	0.0	22.6	2				T.R.		
		1056 / 10	56	10.0	282.35	54	11.51	03.1	3				S.H.		
		1124 / 11	24	11.0	280.40	24	5.40	10.8	4				G. flag		
		680 / 5	180	5.3	244.10	180	0.0	18.8	5				Brk		
		611 / 4	211	4.5	235.25	211	0.0	19.0	6				T.R.		
		1126 / 9	226	10.1	228.05	226	0.0	14.0	7				T.R.		
		1040 / 8	240	12.7	225.10	240	0.0	11.4	8				"		
		1045 / 8	245	9.0	216.50	245	1.47	07.8	9				"		
		1125 / 9	225	10.0	218.00	224	3.13	01.8	10				Hd. Dr.		
		1125 / 9	225	10.0	211.55	224	3.09	02.0	11				S.H.		
		1047 / 8	247	9.0	209.40	246	3.33	00.1	12				"		
		965 / 7	265	8.0	211.15	264	3.12	01.5	13				T.R.		
		985 / 7	285	8.0	218.15	284	2.52	02.1	14				Brk		
		981 / 7	281	8.0	222.35	281	2.18	05.1	15				Brk.		
		1055 / 8	255	10.0	226.10	255	1.05	09.5	16				"		
									17						
P 21	P 20							5135.3	18 51		5140.4				
		1180 / 11	80	11.8	34.40	80	0.0	28.6	19				Brk.		
		1065 / 10	65	12.6	32.00	65	0.0	27.8	20				"		
		1151 / 11	51	11.9	24.10	51	0.0	28.5	21				"		

Add'n'l Inform.

Notes Red. [illegible] Platted J.A.L. Job No. 8334 Division No. F.B. 922 PG. 171
Date [illegible] Date 7-28-42 Survey of Pear Plasma Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R Date 6-12-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P. 21	P.B.	932			° ′		° ′								
		9	32	9 3	338 15	32	0 0	5131	1		5145		Sp.		
		213													
		2	13	3 6	61 00	13	0 0	36 8	2				T.R.		
		938													
		9	38	9 0	66 00	37	+ 7 50	36 4	3				"		
		1065													
		10	68	10 0	59 00	68	+ 3 27	34 5	4				Hd. Dr.		
		1061													
		10	61	14 0	70 00	60	+ 8 05	35 0	5				Brk.		
		1070													
		10	70	13 0	174 30	64	3 21	35 5	6				B.D.		
		1110													
		10	110	7 0	283 15	108	6 52	16 4	7				S.H. Dr.		
		1197													
		11	97	12 0	263 20	97	1 30	25 7	8				S.H.		
		822													
		7	122	7 0	251 40	122	+ 1 51	27 5	9				Brk.		
		543													
		9	143	4 0	245 30	143	0 0	36 4	10				"		
		379													
		7	179	7 0	239 30	179	0 0	38 4	11				"		
		1002													
		8	203	7 0	249 15	202	+ 3 05	42 2	12				"		
		775													
		6	175	7 0	260 10	175	+ 2 26	40	13				Fl.		
		755													
		6	155	7 0	266 15	155	+ 1 45	38 1	14				Brk.		
		1004													
		10	104	11 2	277 25	102	0 0	29 2	15				S.H.		
		1127													
		10	127	11 0	290 27	127	0 0	29 4	16				G. Flag		
		1046													
		9	146	10 0	231 20	146	1 40	26 2	17				S.H.		
		984													
		8	184	9 0	234 15	184	0 0	39 4	18				"		
		868													
		7	168	8 0	224 00	167	3 17	21 4	19				" Dr.		
		1005													
		8	205	9 0	228 30	205	1 45	25 2	20				" "		
		1113													
		9	213	10 0	233 15	213	0 30	28 2	21				" "		

Add'n'l Inform.

F.B. 922 PG. 172

Topography Description Legend:
Side Hill....S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws..V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr. Rd.
Fence .....Fn.
Int. Fences..V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Dak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P	P	1200							1						
21	20	964	236	14.0	244.35	236	+ 1.42	51 33.4			51 45.4		B.D.		
		950	250	8.0	239.10	250	+ 2.06	41.5	2				Brk.		
		973	273	8.0	240.05	272	+ 2.43	45.4	3				"		
		795	295	6.0	232.00	294	+ 2.27	46.9	4				Fl.		
		1032	332	8.0	223.00	331	+ 2.56	49.4	5				Fl.		
		885	285	7.0	215.5	285	+ 1.57	43.1	6				Brk		
		949	249	8.0	215.25	249	+ 1.42	39.8	7				"		
		920	220	8.0	212.10	220	− 1.30	26.8	8				"		
		608	208	4.1	220.10	208	− 0.0	36.3	9				"		
		1221	121	12.0	92.35	121	+ 2.55	34.1	10				Brk		
		1215	115	11.0	104.30	114	+ 3.57	37.4	11				"		
		1029	129	10.0	116.30	129	+ 2.10	35.0	12				"		
		711	111	6.0	116.25	111	+ 2.13	38.8	13				"		
		1008	108	9.0	124.35	108	+ 3.26	37.9	14				Hd. Dr.		
		788	88	7.0	116.35	88	+ 2.53	38.0	15				Brk		
		784	84	9.0	99.35	84	+ 3.32	36.7	16				Fl.		
		752	52	7.0	92.20	52	+ 3.47	37.1	17				"		
		446	46	4.4	119.45	46	− 0.0	36.0	18				Brk		
		323	23	3.4	121.45	23	− 0.0	37.0	19				"		
		1124	24	11.0	257.00	24	− 6.47	~~28.6~~ 26.5	20				S.H.		
		168	168	11.1	218.00	168	− 0.0	29.3	21				Pt. Sp.		

Add'n'l Inform.

Notes Red. J.G. Platted J.A.L. Job No. 8331 Division No. F.B. 922 Pg. 173
Date 7-24-42 Date 7-28-42 Survey of Rear Blossom Hwy
Notes Chkd. Checked Survey by Roseridge Notes R. Date 6-15-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 21	P 20	1132 / 11	32	11.0	194.10	32	6.0	5126.1	1		5140.4		S.H.		
		797 / 6	197	7.5	209.15	197	0.0	32.9	2				Brk.		
									3						
									4						
P21	P20							5135.3	5.4		5140.4		new setup.		
		1064 / 10	64	14.0	163.20	64	1.20	24.9	5				B.D.		
		471 / 4	71	4.0	145.00	70	6.0	27.9	6				"		
		993 / 9	93	9.1	141.50	93	6.0	31.0	7				V. Drs.		
		1206 / 11	106	11.0	130.40	106	+ 3.01	35.1	8				Hd. Dr		
		1123 / 10	123	11.0	130.05	122	+ 3.30	37.2	9				Sd.		
		1143 / 10	143	11.0	128.15	143	+ 1.15	32.8	10				Brk.		
		1173 / 10	173	11.0	135.10	173	+ 1.20	33.5	11				"		
		344 / 2	144	1.0	142.30	144	0.0	39.4	12				T.R.		
		721 / 6	121	6.0	151.15	121	+ 0.50	36.3	13				B.D.		
		1137 / 10	137	10.0	154.30	136	+ 3.50	39.7	14				Hd. Dr.		
		1104 / 10	104	10.0	158.35	103	+ 4.00	37.8	15				Brk.		
		881 / 8	81	8.3	182.05	81	0.0	32.1	16				"		
		303 / 2	103	2.6	184.00	103	0.0	37.8	17				T. Sp.		
		791 / 7	91	7.2	203.05	91	0.0	33.2	18				Pt. Sp.		
		975 / 9	75	9.0	199.45	75	2.50	27.8	19				S.H.		
		558 / 5	58	5.0	185.25	53	16.40	19.5	20				B.D.		
		1056 / 10	56	14.0	213.00	54	10.10	16.8	21				"		

Add'n'l Inform.

F.B. 922 PG. 174

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash.B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P. 21	P 20	1074 / 10	74	10.0	238.00	68	16.00	5110.8	1		5140.4		V Ds.		
		714 / 5	214	5.1	222.00	214	0.0	35.3	2				G. Flag		
		1040 / 8	240	9.0	206.35	240	1.00	27.3	3	13.2		4.2	B.D.		
		986 / 9	86	9.2	[illegible]	81	3.48	11.5	4				B.D.		Pt.
		1175 / 10	175	19.0	205.05	175	0.46	19.1	5				B.D.		
		1060 / 9	160	14.0	211.50	160	2.55	18.4	6				"		
		1023 / 9	123	14.0	215.10	124	4.55	15.9	7				"		
		1021 / 9	121	14.0	[illegible]	120	5.45	14.3	8				V.Ds.		
		817 / 7	117	8.0	230.10	[illegible]	9.35	13.3	9				4 Pt.		
		1070 / 10	70	14.0	274.00	64	16.30	07.3	10				B.D.		
		1075 / 10	75	10.0	220.15	73	8.42	19.3	11				Sp.		
		1073 / 10	73	14.0	291.50	66	17.15	05.9	12				B.D.		
		1195 / 11	95	12.0	297.10	89	14.43	05.1	13				V.Ds.		
		405 / 3	105	4.0	218.40	103	7.33	22.8	14				Sp.		
		1117 / 10	117	11.0	207.40	117	2.00	25.5	15				B.D.		
		1137 / 10	137	11.0	209.05	137	1.55	25.0	16				"		
		621 / 5	121	5.5	188.45	121	0.0	34.9	17				Sw.		
		1045 / 9	145	9.2	204.16	145	0.0	30.7	18				Brk.		
		1143 / 10	143	10.0	195.25	143	+ 2.26	36.5	19				S.H.		
		1115 / 10	115	11.0	201.40	115	0.0	29.4	20				Sw.		
		830 / 7	130	7.2	200.20	130	0.0	33.3	21				Brk		

Add'n'l Inform.

Notes Red. J.G. Platted J.A.L. Job No. 8334 Division No. F.B. 922 Pg. 175
Date 7-24-42 Date 7-28-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Hezerdine Notes J Date 6-15-42
Date Date Map No. Indexed A. J. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 21	P 20	1166 / 10	166	12 0	197.40	166	+ 2.30	5135 7			5140 4		Brk		
		1157 / 10	157	11 L	201.30	157	0.0	29 3					B.D.		
		780 / 6	180	3 0	192.25	180	0.0	37 4					S.H. Dr.		
		1150 / 10	150	4 1	194.30	150	0.0	36 3					Hd. Dr.		
		914 / 7	214	8 0	196.10	214	+ 2.32	41 9					Brk.		
		838 / 7	138	8 0	180.25	138	+ 3.0	40 0					Fl.		
		624 / 4	224	5 0	189.35	224	+ 2.57	46 9					S.H.		
		683 / 5	183	6 0	183.30	182	+ 3.0	44 5					Hd. Dr.		
		828 / 6	228	7 0	184.25	227	+ 3.55	49 0					Fl.		
		604 / 4	204	5 0	187.25	203	+ 3.18	47 1					Brk.		
		895 / 7	195	8 0	163.00	194	+ 3.55	45 7					"		
		783 / 6	183	7 0	146.50	183	+ 1.21	37 8					"		
		898 / 7	148	7 0	167.15	147	+ 3.42	42 9					Fl.		
		900 / 8	106	8 0	167.55	106	+ 3.00	38 1					Brk.		
		1088 / 9	188	9 0	155.55	187	+ 3.05	41 5					"		
P 22	P 21							5147 3	5 0		5152 3				
		1184 / 11	84	12 0	357.20	82	7.30	29 5 ~~24 2~~					B.D.		
		1163 / 11	63	11 0	358.30	61	9.30	31 0 ~~26 0~~		21 3		10 3	"		
		1047 / 10	47	10 0	25.00	46	9.30	34 7 29 7		17 6		7 6	"		
		1133 / 11	33	11 0	70.15	33	5.[illegible]	38 3 ~~33 2~~					V.D.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences. V. Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 176

Topography Description Legend:
Side Hill.....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D.
Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P	P	1020			° '		° '	423	1						
22	21	10	30	12°	161 20	30	+ 3 40	51 ~~37~~			5152 3		B.D.		
		870							2						
		8	70	5°	163 15	70	0 0	467					"		
		1113						540	3						
		10	113	15°	168 35	110	+ 8 32	~~49~~ 3					"		
		1002						577	4						
		9	103	12°	175 45	100	+ 9 45	~~5~~					Brk.		
		1066						548	5						
		10	65	8°	177 25	62	+ 11 10	~~49~~					"		
		969						545	6						
		9	69	9°	203 20	67	+ 9 35	~~7~~					Fl.		
		831						502	7						
		8	31	8°	254 55	30	+ 10 42	~~76~~					Brk.		
		844						514	8						
		8	44	8°	274 00	43	+ 9 20	~~46~~					Fl.		
		765						504	9						
		7	65	7°	255 20	65	+ 4 28	~~45~~					"		
		995						502	10						
		9	95	9°	271 25	94	+ 4 08	~~45~~					"		
		1017						478	11						
		9	107	9°	291 30	107	+ 1 14	~~43~~					"		
		1106						425	12						
		10	106	9°	29 35	106	0 0						Sw		
		798						415	13						
		7	98	7°	50 35	98	0 0						"		
		859						46 1	14						
		5	89	6°	58 10	89	0 0						G flag		
		601						469	15						
		5	101	5°	67 30	101	0 0	479					" "		
		966						~~42~~	16						
		9	66	9°	75 55	66	+ 3 54						Brk		
		774						454	17						
		7	74	5°	50 30	74	0 0						"	4d	Dr
		874						436	18						
		8	74	8°	22 50	74	0 0	387	19				Pt	3p	
		1202						~~33~~							
		11	100	12°	24 40	100	1 00	354	20				Dr		
		1008						~~30~~							
		9	108	14°	18 30	108	1 31	378	21				"		
		1172						~~32~~							
		11	72	11°	9 45	72	2 53						Pt.	3p.	

Add'nl Inform.

Notes Red. Date Platted J.A.L. Date 7-28-42 Job No. 5334 Division No. Survey of Par Blacks Hwy F.B. 222 PG. 177

Notes Chkd. Date Checked Date Survey by Rosecrans Notes R Date 6-18-42

Map No. Date Indexed A. G. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P	P	1186						5132	1						
22	21	11	86	11.0	14.50	86	− 4.0	5132			5152.3		S.H.		
		958						400	2						
		9	58	9.0	35.20	58	− 3.[illegible]	349					Dr.		
		346						435	3						
		3	46	3.0	53.45	45	− 7.2[illegible]	38[illegible]					"		
		958							4						
		9	58	8.8	86.50	58	− 0.[illegible]	435					"		
		587							5						
		5	89	2.8	96.30	89	− 0.0	495					Hd. Dr.		
		279							6						
		2	79	1.8	113.00	79	− 0.[illegible]	505					" "		
		657						482	7						
		6	57	6.0	118.20	57	+ 1.[illegible]	43[illegible]					Sw.		
		533							8						
		5	33	4.6	120.20	33	− 0.0	477					Brk.		
		944						509	9						
		9	44	9.0	146.20	43	+ 10.[illegible]	46[illegible]					Pt. Sp.		
		979						554	10						
		9	79	9.0	138.40	77	+ 8.5[illegible]	51[illegible]					Brk.		
		872						549	11						
		8	72	8.0	155.10	70	+ 8.3[illegible]	50[illegible]					"		
		290						564	12						
		2	90	2.0	162.10	90	+ 3.5[illegible]	51[illegible]					Brk.		
		1099						583	13						
		10	99	10.0	115.35	96	+ 9.[illegible]	52[illegible]					Fl.		
		1110						558	14						
		10	110	10.0	131.10	108	+ 7.0	51[illegible]					Fl.		
		1223						663	15						
		11	123	12.0	115.30	117	+ 12.3[illegible]	61[illegible]					"		
		829						562	16						
		7	129	8.0	104.20	128	+ 5.2[illegible]	51[illegible]					T.R.		
		938						552	17						
		8	138	9.0	97.40	137	+ 4.5[illegible]	50[illegible]					Fl.		
		959						518	18						
		8	159	12.0	95.05	158	+ 4.0[illegible]	46[illegible]					Sw.		
		990						578	19						
		8	190	13.0	98.30	188	+ 5.3[illegible]	52[illegible]					Sp.		
		1060						493	20						
		9	160	10.0	96.35	160	+ 2.3[illegible]	44[illegible]					G. Flag		
		1189						464	21						
		10	189	15.0	86.05	189	+ 2.4[illegible]	41[illegible]					Sw.		

Add'n'l Inform.

F.B. 922 Pg. 178

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P. 22	P. 21	1042			° '		° '	460	1						
		9	143	60	301 40	143	+ 1 30	51 ~~47~~			5152		Fl		
		802							2						
		7	102	70	303 00	102	00	453							
		766							3						
		7	00	68	312 00	00	00	455					edge		
		1062							4						
		10	63	102	327 15	63	00	416					Brk		
		1148						375	5						
		11	48	110	353 20	48	4 22	~~375~~					" Dr		
		1027							6						
		10	27	98	305 45	27	00	~~45~~					Sw		
		527							7						
		5	37	50	260 45	37	00	473					"		
		756						496	8						
		7	56	70	266 00	56	+ 4 20	~~47~~					edge		
		929							9						
		9	29	96	10 15	29	00	42					Pt Sp		
		918							10						
		9	18	96	72 30	18	00	42					Brk		
		928						494	11						
		9	28	90	185 15	26	+ 12 52	~~44~~					"		
		1012						478	12						
		9	112	90	83 15	112	+ 2 11	~~42~~					Sa		
		718							13						
		6	118	66	58 45	118	00	45					"		
		1029							14						
		9	129	92	61 30	129	00	43					Hd Dr		
		1670						378	15						
		9	170	160	65 25	170	+ 0 10	~~22~~		145		+ 05	Dr		
		582							16						
		8	183	86	61 00	183	00	437					Pt Sp		
		1174							17						
		10	174	104	60 30	174	00	41					Dr		
		858							18						
		7	158	75	61 10	158	00	448					Pt Sp		
		860						488	19						
		7	160	80	52 10	160	+ 1 34	~~38~~					Brk		
		779						488	20						
		6	179	70	51 50	179	+ 1 03	~~43~~					"		
		808						472	21						
		6	208	120	44 00	208	+ 1 54	~~42~~					"		

Add'n'l Inform.

Notes Red. Date. Platted J.A.L. Date 7-28-42 Job No. 8224 Division No. Survey of Hwy Notes Chkd. Date. Checked Survey by Rosecrans Notes K Date 6-15-42 Date. Map No. Indexed A. C. Johnson Ref. F.B. 322 Pg. 179

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P	P	1177			° '		° '	48 9	1						
22	21	10	177	11 0	42 45	177	+ 2 52	51 [illegible]			51 52 3		T.R.		
									2						
				—	° '		° '	—							
P	P								3						
22A	22			—	° '		° '	51 60 2	4 2		51 65 1				
		1020							4						
		9	153	10 0	72 10	149	4 [illegible]	44 5	5				Sp.		
		956													
		8	156	9 0	77 15	155	5 [illegible]	40 7	6				" Brk.		
		1141													
		10	141	16 0	82 20	140	[illegible]	37 2	7				Pt. Sp.		
		826													
		7	126	13 0	79 30	123	8 15	34 3	8	30 9		17 9	B.D.		
		1105													
		10	105	11 0	79 30	103	8 21	39 1	9				S.H.		
		1010													
		9	110	15 0	90 40	109	4 [illegible]	40 8	10				Pt. Sp.		
		910													
		8	110	14 0	98 25	108	7 15	37 3	11				Dr.		
		1127													
		10	127	16 0	99 40	125	7 21	32 1	12				V Dr.		
		1128													
		10	125	11 0	95 15	125	8 50	34 7	13				Pt. Sp.		
		948													
		8	148	14 0	92 35	144	5 [illegible]	28 5	14				V. Dr.		
		1152													
		10	153	11 0	97 55	150	7 56	33 2	15				S.H.		
		575													
		4	175	5 0	103 00	172	7 05	38 7	16				"		
		1103													
		9	203	10 0	102 40	202	3 [illegible]	41 7	17				T.R.		
		683													
		5	183	6 0	111 05	182	7 23	45 1	18				Brk		
		946													
		8	146	14 0	117 00	146	1 34	47 1	19				"		
		1115													
		10	115	15 0	117 30	115	3 40	42 8	20				1/. Bank	Lt	
		1102													
		10	103	10 0	107 05	101	7 20	42 1	21				Pt. Sp.		
		880													
		8	80	8 0	120 30	80	4 02	51 5					Brk		

Add'n'l Inform.

F.B. 922 Pg. 180

Topography Description Legend: Side Hill ....S.H. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope..T.S.

Inters. of Draws V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut....T.C. Bottom of Cut..B.C. Top of Fill....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Inf. Fence.V.Fn. Ditch .....Dt. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P 22A	P 22	1169 / 11	69	11.0	127.20	69	− 0.45	51532	1		51651		Hd. Sw.		
		986 / 9	86	14.3	127.00	86	− 0.0	508	2				G. flag.		
		1076 / 10	76	15.0	150.00	75	+ 5.23	572	3				Brk.		
		1212 / 11	112	12.0	178.10	112	− 0.0	531	4				S edge		
		926 / 8	126	14.0	156.40	126	+ 1.20	542	5				"		
		1128 / 10	128	15.0	171.30	128	+ 1.09	528	6				"		
		1200 / 1073	127	16.0	132.[illegible]	127	− 0.12	491	7				Dr.		
		1205 / 11	105	16.0	131.55	105	− 0.13	487	8				"		
		1217 / 11	117	15.6	131.00	117	− 0.0	495	9				Sp		
		1153 / 10	153	14.5	131.30	153	− 0.0	506	10						
		985 / 5	185	13.0	128.40	185	− 1.13	482	11				N. Brk. Sp		
		1200 / 1005	195	16.0	139.00	195	+ 1.00	524	12				" " "		
		1160 / 10	160	11.0	139.25	160	+ 0.37	559	13				Pt. Sp.		
		841 / 7	141	6.9	148.10	141	− 0.0	582	14				" " Br		
		803 / 6	203	11.0	153.40	203	+ 1.35	599	15				G. flag.		
		873 / 7	173	8.0	155.15	173	+ 2.20	641	16	10		+ 70	T Sp		
		1154 / 10	154	11.0	145.35	154	+ 1.10	573	17				G flag		
		850 / 7	150	8.0	154.05	150	+ 1.05	600	18				Pt. Sp.		
		453 / 3	153	8.0	169.45	152	+ 3.17	658	19				Brk. Sp.		Pt.
		1034 / 9	134	9.0	168.35	134	+ 3.07	633	20				Pt Sp.		
		1221 / 11	121	11.0	169.50	121	+ 2.34	595	21	56		+ 54	Dr.		

Add'n'l Inform.

Notes Red. [illegible] Platted J.A.L. Job No. 8224 Division No. F.B. 922 PG. 181
Date [illegible] Date 9-19-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R Date
Date Date Map No. Indexed A. C. John

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P 22A	P 22	989 / 9	89	9 0	172.20	89	+ 2.57	5160 7	1		5165 1		Fl.
		866 / 8	[illegible]	8 0	132.15	66	+ 1.30	58 8	2				Brk.
		346 / 3	46	2 7	180.00	46	− 0.0	62 4	3				Fl.
									4				
P 22A	P 22							5160 2	5 49		5165 1		new set up.
		1085 / 10	85	13 0	321.00	85	+ 4.02	58 2	6				Sl.
		1030 / 9	130	13 0	218.45	130	+ [illegible]	59 4	7				Brk
		1017 / 9	117	12 0	308.15	116	+ 4.00	61 3	8				Sl.
		1005 / 9	105	12 0	238.45	104	+ 5.02	62 3	9				"
		1063 / 10	63	10 0	287.55	62	+ 6.12	61 9	10				"
		827 / 8	27	8 0	299.30	27	+ 7.15	60 5	11				"
		537 / 5	37	5 0	218.00	37	+ 4.50	63 3	12				"
		1166 / 11	66	11 0	258.25	64	+ 9.21	64 8	13				Fl.
		1103 / 10	103	13 0	266.10	101	+ 8.13	66 7	14				"
		930 / 8	130	11 0	245.15	128	+ 7.30	70 9	15				"
		1093 / 10	93	10 0	230.00	91	+ 8.00	68 0	16				"
		1191 / 11	91	14 0	206.55	88	+ 9.50	66 5	17				"
		283 / 2	83	1 3	180.00	83	− 0.0	63 8	18				"
		328 / 2	128	1 5	180.00	128	− 0.0	63 6	19				Sl.
		1130 / 10	130	11 0	200.10	129	+ 6.00	67 8	20				"
		1139 / 10	139	11 0	218.40	137	+ 6.[illegible]	69 8	21				"

Add'n'l Inform.

F.B. 922 PG. 182

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P 22A	P 22	1200			° '		° '		1						
		1030	170	16°	216.55	167	+ 7.95	517.18			5.16.51		Fl		
		1187							2						
		10	189	15°	216.00	187	+ 6.37	712					"		
		1185							3						
		10	185	16°	201.15	183	+ 6.30	699					"		
		366							4						
		2	166	30°	180.00	166	+ 1.41	668					"		
									5						
					° '		° '		6						
P22B	P22				° '		° '	516.79	50		517.29				
		1006							7						
		900	106	10°		106	0.0	629							
		1133							8						
		4	33	46	189.15	33	0.0	683					Fl		
		2.5							9						
		3	78	22	97.15	78	0.0	702					"		
		562							10						
		5	62	5°	0.0	62	0.0	646					Hd Dr		
		701							11						
		6	101	6°	280.00	101	+ 2.12	707					Fl.		
		860							12						
		8	60	21	15.25	60	0.0	648					Brk		
		993							13						
	R.	9	93	5°	14.00	93	0.0	593					S. Hy		
		1.62							14						
		1	62	15°	47.30	62	+ 1.07	623		106		+ 44	"		
		1104							15						
		10	104	15°	85.15	104	0.62	562					Brk		
		907							16						
		8	107	6°	105.35	107	0.45	554					"		
		1159							17						
		10	159	15°	86.35	159	0.48	555					T R.		
		1035							18						
		9	135	16°	86.35	134	3.40	483					B.D.		
		1150							19						
		10	150	10°	95.10	150	1.46	572					T. Sp		
		872							20						
		1	173	12°	95.10	173	2.03	541		182		62	B.D		
		675							21						
		8	175	9°	85.15	175	2.47	554		175		85	"		

Add'n'l Inform.

Notes Red. V.G. Platted J.A.G. Job No. 8321 Division No. 47 F.B. 321 PG. 183
Date Date 9-18-42 Survey of
Notes Chkd. Checked Survey by Figueroa Notes K Date 6-16-42
Date Date Map No. Indexed A. C. Jones Ref.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ — Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P 228	P 222	1007			✓ 88° 10'			51 56 3	1		51 72 9		Sl.
		8	207	9 0		207	E 7°						
		960			✓ 87° 50'		0° 0'	60 3	2				edge Fl.
		7	260	12 6		260							
		1025			✓ 95° 00'		0° 0'	61 0	3				" "
		8	235	11 9		235							
		1002			✓ 95° 00'		0° 0'	58 2	4				Sl.
		8	203	9 0		203	1° 8'						
		1200			✓ 95° 35'			50 0	5				B.D.
		10	130	17 0		130	0° 0'						
		1322			✓ 100° 15'			55 7	6				"
		11	122	18 0		122	0° 0'						
		931			✓ 106° 00'			60 7	7				Y Drive Dr.
		8	131	12 2		131	0° 0'						
		1062			✓ 106° 00'			55 3	8				Hd. Dr.
		9	162	14 6		162	0° 0'						
		953			✓ 98° 00'			60 0	9				S Drive Dr.
		5	153	12 9		153	0° 0'						
		1192			✓ 106° 15'			61 7	10				Sl.
		10	192	11 3		192	0° 0'						
		1072			✓ 100° 15'			65 6	11				edge Fl
		8	232	19 0		232	+ 1° 7'						
		970			✓ 100° 10'			67 2	12				Sl
		7	220	17 7		220	0° 0'						
		1175			✓			67 2	13				
		10	175	17 2		175	0° 0'						
		1046			✓			59 9	14				
		9	146	13 2		146	0° 0'						
		1013			✓ 98° 15'			60 9	15				
		9	115	9 2		115	0° 0'						Fl.
		1181			✓ 120° 15'			61 7	16				
		11	81	11 2		81	0° 0'						T.S.
		961			✓ 90° 10'			63 9	17				
		9	61	9 0		61	0° 0'						G. flag
		954			✓ 90° 15'			65 6	18				
		7	54	7 2		54	0° 0'						Sl.
		1079			✓ 112° 25'			63 3	19				
		10	79	9 6		79	0° 0'						T.S.
		100			✓ 112° 20'			66 0	20				
		9	100	9 0		100	+ 1° 7'						Sl.
		1022			✓ 143° 50'			67 3	21				
		9	123	9 0		123	+ 1° 4'						T.S.

Add'n'l Inform.

Topography Description Legend:
Side Hill.....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D.
Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd.Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 151

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 28	P 22	1059			° '		° '		1						
		9	159	14 0	142 00	159	+ 2 16	51 65 2			51 72 9		51.		
		1179							2						
		10	179	15 0	142 35	179	+ 2 19	65 0					Hd Dn		
		1109							3						
		9	209	10 0	142 40	209	+ 2 08	70 6					51.		
		950							4						
		7	250	5 0	142 30	249	+ 2 10	78 5					"		
		778							5						
		5	278	6 0	141 50	277	+ 3 07	81 8					"		
		122							6						
		4	33	4 6	152 25	33	0 0	65 3					Fl.		
		152							7						
		4	52	3 6	215 25	52	0 0	69 3					"		
		1083							8						
		10	82	13 0	210 30	82	+ 7 20	70 4					"		
		608							9						
		3	105	5 0	277 10	105	+ 2 07	71 6					"		
		1189							10						
		11	89	11 0	195 30	88	+ 5 38	70 3					"		
									11						
					° '		° '		12						
P 23	P 22							51 68 7	49		51 73 6				
		8			° '		° '		13						
		5	32	5 0	158 00	32	0 0	68 6					Fl.		
		564							14						
		5	54	5 6	158 15	54	0 0	65 0					"		
		281							15						
		8	81	3 7	152 40	81	0 0	70 2							
		498							16				G. flag		
		4	98	5 0	147 35	98	+ 1 23	72 6					Fl.		
		610							17						
		6	90	5 9	175 15	90	0 0	67 7					Brk.		
		265							18						
		7	65	7 3	176 10	65	0 0	66 3					Fl.		
		738							19						
		7	38	7 2	127 30	38	0 0	66 2					G. flag		
		438							20						
		4	38	3 8	192 35	38	0 0	69 8					Fl.		
		479							21						
		8	79	4 0	191 30	79	+ 1 15	71 5					"		

Add'n'l Inform.

Notes Red. J.S. Platted J.A.L. Job No. 8334 Division No. F.B. 7165 Pg. 185
Date Date 8-18-72 Survey of
Notes Chkd. Checked Survey by Rosecrans Notes R. Date 6-16-72
Date Date Map No. Indexed A. C. John Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P 23	P 22	778			° '		° '		1						
		9	78	9 0	318.20	77	+ 5.30	5172 1			5173 6		FI		
		310							2						
		4	110	4 0	192.10	110	+ 2.00	73 7					"		
		1120							3						
		10	120	4 0	206.25	118	+ 6.50	74 1					"		
									4						
									5						
P 23A	P 22							5175 0	5 0		5183 6				
		252							6						
		5	53	5 0	21.10	53	0.00	75 6					G Flag		
		649							7						
		6	49	6 2	178.00	49	0.00	71 4					FI.		
		1089							8						
		10	89	10 0	30.40	89	0.00	73 0					31.		
		1205							9						
		11	105	15 0	21.55	105	+ 1.20	71 7					G Flag		
		1191							10						
		11	91	14 0	74.50	91	+ 1.00	76 2					FI.		
		1113							11						
		10	113	14 0	22.30	113	+ 1.00	71 8					"		
		1120							12						
		10	120	15 0	75.45	130	+ 3.17	70 2					"		
		1153							13						
		10	153	15 0	21.55	153	+ 0.00	69 8							
		1180							14						
		10	180	16 0	76.10	179	+ 3.18	80 3					Brk.		
		1035							15						
		9	155	15 0	49.50	155	0.00	63 6					31.		
		1176							16						
		10	176	11 0	95.30	175	+ 1.20	81 8					H.I. Ch.		
		1135							17						
		10	135	13 0	96.00	134	+ 4.30	81 3					31.		
		608							18						
		5	108	5 4	99.15	108	0.00	78 2					"		
		559							19						
		5	59	5 6	102.40	59	0.00	78 0					T.S.		
		562							20						
		5	62	5 0	144.30	62	+ 3.00	81 2					FI.		
		381							21						
		3	81	3 7	120.30	81	0.00	79 9					G. Flag		
													FI.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E. Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut..T.C. Bottom of Cut..B.C. Top of Fill..T.F. Bottom of Fill..B.F.

Side of Draws. V.D's Top of Slope..B.S. Bottom of Slope.....S.C. Top of Cliff..T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Inters. of Draws. V.D's Break in Slope..B.S. Steep Slope.....S.C. Top of Cliff..T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 136

Topography Description Legend:
Side of Hill..S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P	P.	321			° '		° '		1						
23A	23.	2	131	1 0	120 10	131	+ 1 34	51 85 0			51 83 2		21.		
		461							2						
		3	161	3 0	155 20	161	+ 1 48	85 5					6. flag		
		488							3						
		3	185	1 0	171 45	187	+ 4 15	93 6					T.R.		
		1190							4						
		11	95	16 0	105 30	95	+ 6 49	79 1					"		
									5						
									6						
									7						
									8						
									9						
								51920	10		51972				
		546							11						
		5	46	3 2	4 35	46	0 0	91 8					Y. Edge		
		451							12						
		4	51	4 2	16 00	51	0 0	92 1					B.C.		
		346							13						
		5	46	5 0	351 35	46	0 0	92 2					℄ 20		
		446							14						
		4	46	4 3	335 20	46	0 0	92 9					T.F.		
		351							15						
		5	51	4 2	320 15	51	0 0	87 8					B.F.		
		150							16						
		1	50	1 0	18 35	50	+ 2 25	98 4					T.C.		
		471							17						
		4	71	4 0	47 25	68	+ 12 20	52081					S.H.		
		1088							18						
		10	88	10 0	291 10	87	5 02	51796					21.		
		1082							19						
		10	83	10 0	247 45	82	6 22	78 0					Y.T.S. Fn.		
		1160							20						
		11	60	11 0	239 45	60	3 18	82 8					Fn. Co.		
		941							21						
		9	41	9 2	233 45	41	0 0	88 0					B.F.		
		327													
		3	27	3 5	223 10	27	0 0	93 7					T.F.		

Add'n'l Inform.

Notes Red. JG Platted E.W.M. Job No. 8234 Division No. F.B. 912 Pg. 187
Date 7-14 Date 8-12 Survey of Fall Blossom Hwy.
Notes Chkd. Checked Survey by Rosecrans Notes R Date 6-16-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
Temp	Temp	518			° '		° '	'	1						
P.103	P.104	5	18	5 0	192.50	18	0.00	5192 2			5197 2		℄ 20 O Rd.		
		366							2						
		3	66	3 0	90.15	61	+ 13.00	5211 2					S.H.		
		370							3						
		3	70	3 0	114.15	66	14.00	5177 3					20" P.		
		121							4						
		1	21	1 0	99.20	20	+ 11.00	5200 6					T.C.		
		316							5						
		2	16	3 5	99.15	16	0.00	5193 4					B.C.		
		261							6						
		3	61	3 0	162.35	61	0.00	937					"		
		162							7						
		1	62	1 0	157.15	62	+ 7.00	5200 4					T.C.		
		567							8						
		5	67	4 2	181.00	67	0.00	5192 3					L 20 O Rd		
		369							9						
		3	69	3 8	193.00	69	0.00	984					T.F.		
		874							10						
		8	74	7 2	101.30	74	0.00	873					B.F.		
		1183						843	11						
		11	83	11 0	212.35	83	2.00	77 3		139		29	E + W. Fn.		
		287							12						
		3	87	3 0	133.50	83	+ 11.00	5211 5					S.H.		
		1120						825	13						
		10	120	11 0	198.20	120	1.00	51 93		147		37	E + W Fn		
		1015							14						
		9	115	9 7	192.15	115	0.00	875					B.F.		
		113							15						
		3	113	4 0	186.05	113	0.00	932					T.F.		
		511							16						
		9	111	9 7	119.00	111	0.00	923					℄ 20' O Rd.		
		721							17						
		6	131	6 0	119.25	128	+ 5.00	5210 8					S.H.		
		411							18						
		3	111	3 0	167.00	111	+ 3.00	01 0					T.C.		
		410							19						
		3	110	3 5	168.45	110	0.00	5193 7					B.C.		
		366							20						
		4	166	5 0	178.10	166	0.00	92 2					℄ 20 O Rd		
		468							21						
		3	168	4 2	182.40	168	0.00	93 0					T.F.		

Add'n'l Inform.

F.B. 322 Pg. 188

Topography Description Legend: Side of Hill...S.H. Side of Draw...S.D. Side of Ridge...S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge...T.R. Toe of Slope...T.S.

Inters. of Draws V.D's in Slope...Bk.S. Break S.S. Steep Slope...S.Sl. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom Canyon...B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank...B.B. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.F. Bottom of Fill...B.F.

Saddle ...Sa. Swale ...Sw. Flat ...Fl. Stream ...Str. Trail ...Tr. Pavement ...Pvt. Edge of Road...E.Rd.

Traveled Rd. Tr.Rd. Fence ...Fn. Int. Fences...V.Fns. Ditch ...Di. Telephone Pole...T.P. Power Pole...P.P. Culvert ...Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ...Sy. Eucalyptus ...Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp Pl.103	Temp Pl.104	1200 / 1030	170	11.0	189°30'	170	− 1°06'	5182.8	1	− 94.3	5197.2	− 33	E+W Fn	E	F
		1113 / 9	213	11.7	185°40'	213	− 0°0'	85.5	2				"	"	"
		510 / 3	210	4.1	181°35'	210	− 0°0'	93.1	3				T.F.		
		610 / 4	210	5.0	178°05'	210	− 0°0'	92.2	4				℄ 20	0	[illegible]
		848 / 7	148	7.0	167°45'	147	+ 4°43'	5202.5	5				12" Pl.		
		487 / 3	187	3.9	171°55'	187	− 0°0'	5193.3	6				B.C.		
		386 / 2	186	3.0	171°10'	186	+ 1°34'	99.5	7				T.C.		
		1197 / 10	197	11.0	160°30'	194	+ 6°45'	5209.5	8				S.H.		
		1070 / 8	270	9.0	163°05'	268	+ 5°20'	13.4	9				"		
		359 / 1	259	2.0	173°10'	259	+ 0°53'	01.1	10				T.C.		
		460 / 2	260	3.3	173°30'	260	− 0°0'	5193.9	11				B.C.		
		665 / 4	265	4.8	178°10'	265	− 0°0'	92.4	12				℄ 20	0	[illegible]
		564 / 3	264	4.3	181°00'	264	− 0°0'	92.9	13				T.F.		
		1170 / 9	270	11.0	181°00'	270	− 0°0'	86.2	14				E+W Fn		[illegible]
		621 / 3	321	4.7	178°10'	321	− 0°0'	92.5	15				℄ 20	0	[illegible]
		520 / 2	320	4.0	180°30'	320	− 0°0'	93.2	16				T.F.		
		1119 / 8	319	9.6	183°15'	319	− 0°0'	87.6	17				B.F. + [illegible]		
		1124 / 8	324	13.0	189°10'	324	− 1°28'	5175.9	18				S.H.		
		1173 / 9	273	15.0	191°30'	273	− 1°40'	74.3	19				"		
		1220 / 10	220	16.0	194°40'	220	− 2°04'	73.4	20				"		
		1174 / 10	174	18.0	202°10'	174	− 2°12'	72.5	21				"		

Add'n'l Inform.

Notes Red. JG Platted JG & TH Job No. 8334 Division No. F.B. 922 Pg. 189
Date [illegible] Date [illegible] Survey of Pasi [illegible]
Notes Chkd. Checked Survey by Rosecrans Notes R 1 Date 6-16-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
Temp P.1.103	Temp P.1.104	1222			° '		° '		1						
		11	122	17 0	217.30,	122	3.[illegible]	5173 4			5197 0		S.H.		
		1199							2						
		11	99	12 0	237.20,	98	5.[illegible]	75 6					"		
									3						
									4						
Temp P.1.102	Temp P.1.103				° '		° '	5193 6	52		5198 9				
					° '		° '		5						
		900													
		6	300	7 0	7.00,	300	+ 2.17,	5203 8	6				5" Pi		
		362													
		1	262	5 0	2.50,	262	0.0,	5193 2	7				B C		
		1062													
		8	262	9 0	3.25,	262	2.[illegible],	5201 4	8				T.C.		
		1095													
		8	245	9 0	3.30,	244	+ 2.[illegible],	01 3	9				" + Brk		
		1045													
		8	245	5 0	8.15,	244	+ 2.[illegible],	05 3	10				S.H.		
		919													
		7	219	12 0	3.45,	218	2.[illegible],	5197 3	11				Dr. + T.C.		
		919													
		7	219	13 0	9.05,	218	+ 1.0[illegible],	5201 3	12				Dr. + S.H.		
		569													
		4	169	5 4	3.38,	169	0.0,	5193 5	13				B C.		
		269													
		1	169	2 0	4.00,	169	+ 1.0[illegible],	5202 [illegible]	14				T.C.		
		966													
		8	166	12 0	15.10,	162	+ 8.38	11 6	15				T. Sp.		
		709													
		5	204	6 5	358.00,	204	0.0,	5172 4	16				E 20' O Rd		
		701													
		5	201	5 8	354.20,	201	0.0,	93 1	17				T.F		
		695													
		5	195	7 8	352.00,	195	0.0,	91 1	18				6" Pi.		
		1101													
		9	201	10 0	349.15,	201	1.0[illegible],	83 8	19				B.F. + Fn		
		964													
		8	164	9 0	345.55,	164	1.18,	86 1	20				Fn.		
		963													
		8	163	8 7	349.05,	163	0.0,	90 1	21				B.F.		
		660													
		5	160	5 3	352.05,	160	0.0,	93 6					T.F.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Inters. of Draws V.D's Break in Slope..Bk.S. Steep Slope.....S.Sl. Top of Cliff..T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 190

Topography Description Legend:
Side of Hill Draw..S.H. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp	Temp	660			° ′		° ′		1						
Pl.102	Pl.102	5	160	69	357 20	160	0 0	5192 5			5198 9		℄ 20	0	28
		606							2						
		5	106	61	355 55	106	0 0	92 8					"	"	
		607							3						
		5	107	52	349 35	107	0 0	93 7					T F		
		1115							4						
		10	115	110	342 35	115	1 27	85 3					B.F.		
		1116							5						
		10	116	110	338 25	116	3 16	81 3					Fn.		
		1187							6						
		11	87	120	326 22	87	3 21	81 8					Fn. Cor. to		
		1177							7						
		11	77	140	335 07	77	+ 1 36	87 1					B.F.		
		1071							8						
		10	71	49	344 26	71	0 0	94 0					T.F.		
		567							9						
		5	67	56	352 20	67	0 0	93 3					℄ 20	0	28
		518							10						
		5	18	51	323 50	18	0 0	93 8					"	"	
		429							11						
		4	29	46	309 30	29	0 0	94 3					T.F.		
		1038							12						
		10	38	98	301 50	38	0 0	89 1					B.F.		
		1058							13						
		10	58	100	291 52	57	5 11	83 7					K & W		Fn
		1169							14						
		11	69	110	242 10	69	2 13	85 1					"		
		952							15						
		9	52	91	227 50	52	0 0	89 8					B.F.		
		446							16						
		4	46	41	219 20	46	0 0	94 8					T.F.		
		541							17						
		5	41	48	202 35	41	0 0	94 1					℄ 20	0	Rd.
		1027							18						
		9	127	140	33 00	121	+ 12 30	52 11 8					B.D.		
		797							19						
		7	97	70	32 35	92	+ 12 48	13 1					E bank		Dr.
		505							20						
		4	105	40	7 10	105	+ 1 06	51 96 1					T.C.		Dr.
		180							21						
		1	80	10	8 15	80	+ 2 00	52 00 8					"		

Add'n'l Inform.

Notes Red. VG Platted VG Job No. 8324 Division No. F.B. 1221 Pg. 101
Date Date Date Survey of Rancho Boca de Santa Anita
Notes Chkd. Checked Survey by Rasmussen Notes P. Date 6-16-42
Date Date Map No. Indexed J. E. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
Temp Pl 102	Temp Pl 103	578 / 5	78	4 8	8.00	78	− 0.0	5194 1	1		5198 9		B.C.		
		432 / 4	32	4 6	18.05	32	− 0.0	94 3	2				"		
		132 / 1	32	1 0	23.00	32	+ 5.[illegible]	5202 6	3				T.C.		
		763 / 7	63	7 0	61.10	54	+ 21.[illegible]	13 8	4				S.H.		
		1200 / 1128	72	12 0	112.10	54	+ 29.[illegible]	17 5	5				"		
		129 / 1	29	1 0	163.45	28	− 7.[illegible]	01 7	6				T.C.		
		427 / 4	27	4 3	166.30	27	− 0.0	5194 6	7				B.C.		
		482 / 4	82	4 2	180.30	82	− 0.0	94 7	8				"		
		181 / 1	81	1 0	179.00	81	+ 2.[illegible]	5203 1	9				T.C.		
		1096 / 10	96	16 0	158.35	87	+ 17.[illegible]	11 0	10				S.H.		
		396 / 5	96	4 6	194.15	96	− 0.0	5194 3	11				± 20 0 Rd		
		399 / 3	99	3 8	202.45	99	− 0.0	95 1	12				T.F.		
		802 / 7	102	7 2	207.30	102	− 0.0	91 7	13				B.F.		
		411 / 10	111	11 2	217.30	111	− 0.0	87 8	14				E & W. Fn.		
		460 / 10	160	11 5	207.40	160	− 0.0	87 4	15				" "		
		957 / 8	157	9 1	201.50	157	− 0.0	89 8	16				B.F.		
		453 / 3	153	4 2	198.05	153	− 0.0	94 7	17				T.F.		
		550 / 4	150	5 0	192.45	150	− 0.0	93 9	18				± 20 0 Rd.		
		605 / 4	205	4 9	192.20	205	− 0.0	94 0	19				" " "		
		505 / 3	205	4 1	196.35	205	− 0.0	94 8	20				T.F.		
		907 / 7	207	8 0	199.10	207	− 0.0	90 9	21				B.F.		

Add'n'l Inform.

F.B. 922 PG. 192

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
Temp Pl.102	Temp Pl.103	1111			° '		° '		1						
		9	211	10 5	202.45	211	0 0	5188 4			5198 9		E. + W.	F.	
		1057							2						
		5	257	9 5	200.10	257	0 0	894					"		
		751							3						
		5	251	6 4	197.40	251	0 0	925					B.F.		
		452							4						
		2	252	3 8	195.10	252	0 0	951					T.F.		
		650							5						
		4	250	3 1	192.05	250	0 0	938					Z. 20	0	0
		795							6						
		4	305	4 8	192.00	305	0 0	941					" "	"	
		506							7						
		2	306	3 2	194.50	306	0 0	950					T.F.		
		910							8						
		6	310	7 2	196.45	310	0 0	917					B.F.		
		1010							9						
		7	310	5 5	198.10	310	0 0	904					F. + W.	F.	
		917							10						
		6	317	8 0	204.20	317	1.04	851					S.H.		
		1065							11						
		8	265	7 0	207.30	265	1.21	834					"		
		1013							12						
		8	213	9 0	213.00	213	2.10	820					"		
		967							13						
		8	167	9 0	222.00	166	3.17	805					"		
		1121							14						
		10	121	11 0	239.10	120	4.15	789					"		
		1095							15						
		10	98	11 3	272.55	96	7.39	749					"		
		1117							16						
		10	117	14 0	307.30	115	6.30	718					X. + S.		
		1200							17						
		1051	149	12 0	321.50	148	5.39	725					S.I.		
		1021							18						
		9	171	14 0	333.55	170	4.00	730					"		
		923							19						
		7	223	11 6	336.25	222	3.40	737					"		
		542							20						
		4	142	4 2	184.10	142	0.0	947					B.C.		
		342							21						
		2	142	3 0	183.00	142	1.57	5200 8					T.C.		

Add'n'l Inform.

Notes Red. VG Platted 6-6-11 Job No. 8224 Division No. ____ F.B. 2811 Pg. 193
Date 7-14-11 Date 8-11-11 Survey of Tiny Date 6-16-42
Notes Chkd. ____ Checked ____ Survey by Rosecrans Notes C Date ____
Date ____ Map No. ____ Indexed A. C. John Date ____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp P.1.102	Temp P.1.103	1252 / 11	152	12.0	177.00	148	+ 9.27	5211.5	1		5198.9		S.H.		
		1200 / 10	200	16.0	177.20	196	+ 7.36	09.2	2				"		
		500 / 3	200	1.0	185.15	200	+ 1.0	01.0	3				T.C.		
		599 / 4	199	4.6	186.30	199	− 0.0	5194.3	4				B.C.		
		527 / 3	227	4.3	187.10	227	− 0.0	94.6	5				"		
		424 / 2	224	3.0	186.30	224	+ 1.0	5200.7	6				T.C.		
			40	40	L. 0				7	11' higher					
		457 / 2	257	4.9	187.40	257	− 0.0	5194.0	8				B.C.		
									9						
Temp P.1.102	Temp P.1.101							5193.6	10	5.2	5198.9				
		Chained		6.4	0.0	600	− 0.0	5192.5	11				P. 102 A. Set S.W.T.		
P 102A	Temp P.1.102							5192.5	12	5.2	5197.7				
		Chained		4.0	0.0	600	− 0.0	93.7	13				Temp P.1. #102		
		741 / 4	341	4.0	2.33	341	+ 1.0	5200.6	14				T.C.		
		749 / 4	349	5.0	7.50	348	+ 2.[illegible]	09.5	15				S.H.		
		693 / 4	293	5.0	8.40	292	+ 2.[illegible]	07.4	16				"		
		492 / 2	292	3.0	3.41	292	+ 1.23	01.9	17				T.C.		
		493 / 2	293	3.2	3.00	293	− 0.0	5194.5	18				B.C.		
		445 / 2	245	3.4	358.00	245	− 0.0	94.3	19				± 20.0 Rd		
		442 / 2	242	3.1	3.37	242	− 0.0	94.6	20				B.C.		

Add'n'l Inform.

F.B. 922 Pg. 194

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Inters. of Draws V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P	Temp	316			° '		° '		1						
102A	Pl.102	1	246	25	354 22	246	0 0	5195.2			5197.2		T.F.		
		748							2						
		5	248	49	352 35	248	0 0	92.8					B.F.		
		848							3						
		9	248	60	350 52	248	0 0	91.7					Fn.		
		444							4						
		2	244	30	4 18	244	+ 1 41	5201.8					T.C		
		698							5						
		5	198	48	348 50	198	0 0	5192.9					F. w Fn		
		596							6						
		4	196	35	351 00	196	0 0	94.2					B.F.		
		296							7						
		1	196	25	353 00	196	0 0	95.2					T.F.		
		494							8						
		3	194	36	351 30	194	0 0	94.1					L 20 0		6
		441							9						
		3	141	39	356 48	141	0 0	93.5					L "		
		341							10						
		2	141	32	350 50	141	0 0	94.5					T.F.		
		742							11						
		6	143	10	346 00	143	0 0	90.7					B.F. + Fn.		
		440							12						
		2	240	30	16 45	239	+ 4 25	5213.3					S.H.		
		681							13						
		6	81	62	335 45	81	0 0	5191.4					Fn. + B.		
		977							14						
		7	77	70	318 52	77	+ 2 52	94.5					T.F.		
		475							15						
		4	75	42	355 27	75	0 0	93.5					L 20 0		4.5
		391							16						
		2	191	30	21 00	189	+ 5 34	5212.2					S.H.		
		278							17						
		1	178	20	6 45	178	+ 2 03	02.2					T.C.		
		377							18						
		2	177	31	5 15	177	0 0	5194.6					B.C		
		423							19						
		4	23	47	247 39	23	0 0	93.0					L 20 0		1.0
		424							20						
		3	124	34	8 00	124	0 0	94.3					B.C		
		826							21						
		7	126	70	10 00	125	+ 4 20	5200.2					T.C		

Add'n'l Inform.

Notes Red. V.G. Platted V.G. 7-74 Job No. 2223 Division No. F.B. 722 PG. 185
Date 7-7-74 Date 8-1-74 Survey of Rear Blocks Hwy
Notes Chkd. Checked Survey by Rosenthal Notes R. Date 6-16-72
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 102.4	Temp P1102	4.79							1						
		4	29	3.8	321.08	29	0.00	5193.3			5197.2		T.P.		
		3.40							2						
		2	40	7.0	307.00	40	0.00	90.7					Pn + B.F.		
		3.39							3						
		2	139	2.0	25.45	137	+ 6.13	5210.3					S.H.		
		2.94							4						
		2	94	2.0	40.40	92	+ 5.[illegible]	09.7					"		
		1.69							5						
		1	69	1.0	19.15	69	+ 3.25	01.0					T.C.		
		3.66							6						
		3	66	3.6	16.22	66	0.00	5194.1							
		4.23							7						
		4	23	4.3	76.30	23	0.00	93.4					B.C.		
		1.27							8						
		1	27	1.0	76.05	27	+ 7.19	5201.1					T.C.		
		3.71							9						
		3	71	3.0	87.50	67	+ 13.24	10.8					S.H.		
		2.89							10						
		2	89	2.0	126.40	86	+ 10.15	11.3					"		
		1.59							11						
		1	59	1.0	152.05	59	+ 2.[illegible]	00.8					T.C.		
		5.58							12						
		5	58	4.9	154.20	58	0.00	5192.8					B.C.		
		5.08							13						
		5	108	5.5	165.00	108	0.00	92.2					"		
		2.09							14						
		1	109	1.0	164.00	109	+ 1.[illegible]	98.8					T.C.		
		5.44							15						
		5	44	7.9	225.05	44	0.00	89.8					E + W Fn.		
		7.40							16						
		7	40	7.2	220.20	40	0.00	90.5					B.F.		
		4.34							17						
		4	34	4.3	208.30	34	0.00	93.4					T.F.		
		5.28							18						
		5	28	5.2	186.45	28	0.00	92.5					℄ 20 O. Rd		
		5.79							19						
		5	79	5.6	181.35	79	0.00	92.1					" " "		
		4.82							20						
		4	82	3.0	190.00	82	0.00	92.7					T.F.		
		8.85							21						
		8	85	8.9	195.30	85	0.00	89.3					B.F.		

Add'n'l Inform.

F.B. 922 PG. 196

Topography Description Legend:
Side Hill ....S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Inters. of Draws V.D's
Break in Slope Bk.S.
Steep Slope S.S.
Top of Cliff T.Cl.
Bottom of Cliff B.Cl.
Top of Spur T.Sp.
Bottom Canyon B.Cn.

Side of Canyon S.Cn.
Top of Bank T.B.
Bottom of Bank B.B.
Top of Cut T.C.
Bottom of Cut B.C.
Top of Fill T.F.
Bottom of Fill B.F.

Saddle Sa.
Swale Sw.
Flat Fl.
Stream Str.
Trail Tr.
Pavement Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence Fn.
Int. Fences V.Fns.
Ditch Di.
Telephone Pole T.P.
Power Pole P.P.
Culvert Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore Sy.
Eucalyptus Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 102A	Temp Pt 102	987 / 9	87	9 7	100.00	87	0.0	5188.0	1		51977		E + 20	Fn.	
		1151 / 10	151	12	192.30	151	0.0	85.5	2				"	"	
		1047 / 9	147	9 9	189.15	147	0.0	87.8	3				B.F.		
		647 / 5	147	5 4	185.00	147	0.0	92.3	4				T.F.		
		[illegible] / 5	146	6	178.55	146	0.0	91.7	5				℄ 20	0	[illegible]
		621 / 5	121	5 9	178.20	121	0.0	91.8	6				V ℄ =	[illegible]	
		697 / 5	197	5 9	179.25	197	0.0	91.8	7				℄ 20	0	[illegible]
		599 / 4	199	5 2	183.24	199	0.0	92.6	8				T.F.		
		1099 / 9	199	10 0	187.55	199	0.0	87.7	9				B.F.		
		1099 / 9	199	10 6	190.15	199	0.0	87.1	10				Fn.		
		1153 / 9	253	11 7	188.40	253	0.0	86.0	11				"		
		1050 / 8	250	9 2	185.45	250	0.0	88.5	12				B.F.		
		651 / 4	251	5 2	183.15	251	0.0	92.6	13				T.F.		
		251 / 5	251	5 2	180.04	251	0.0	91.8	14				℄ 20	0	[illegible]
		434 / 3	134	3 0	146.50	132	+ 7.27	5212.1	15				S.H.		
		380 / 2	180	3 0	154.45	178	+ 5.32	12.1	16				"		
		252 / 1	152	0 2	168.30	152	0.0	5197.5	17				T.C.		
		661 / 5	161	5 5	169.40	161	0.0	92.2	18				B.C.	Edge 12	
		887 / 7	187	8 0	168.07	187	+ 1.31	94.8	19				"	"	
		386 / 2	186	3 0	167.35	186	+ 1.55	5201.0	20				T.C.		
		616 / 4	216	5 0	167.05	216	+ 2.33	02.4	21				T.C.		

Add'n'l Inform.

Notes Red. UG Platted UG & TA Job No. 8334 Division No. F.B. 922 PG. 197
Date 1-14-42 Date 8-12-42 Survey of Pear Blossom Hwy.
Notes Chkd. Checked Survey by Rosecrans Notes R Date 6-16-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P 102A	Temp Pl.102	1016 / 8	216	9.0	167.30	216	+ 2.30	5198.1	1		5197.7		BC + Edge 12' Rd.
		538 / 3	238	4.0	157.30	236	+ 5.[illegible]	5215.4	2				S.H.
		588 / 3	288	4.0	161.45	286	+ 4.21	15.4	3				"
		372 / 1	272	2.0	169.20	272	+ 1.[illegible]	02.2	4				T.C.
		370 / 1	270	2.0	169.37	270	+ 0.[illegible]	00.1	5				B.C. + Edge 12' Rd.
		467 / 2	267	3.0	172.05	267	+ 1.15	00.7	6				S. edge 12' Rd
		365 / 1	265	1.2	174.30	265	0.0	5196.5	7				T.C.
		765 / 5	265	6.3	174.45	265	0.0	91.4	8				BC
		707 / 4	307	5.8	180.50	307	0.0	91.9	9				℄ 20' 0 Rd
		818 / 6	218	6.7	173.15	218	0.0	91.0	10				B.C.
		318 / 1	218	1.0	172.22	218	0.0	96.7	11				T.C.
		316 / 1	216	2.0	170.52	216	+ 0.40	98.2	12				S edge 12' Rd
		406 / 2	206	3.0	171.40	206	+ 0.35	97.0	13				Begin of fill
		705 / 5	205	5.8	173.35	205	0.0	91.9	14				B.F.
		666 / 5	166	5.7	173.15	166	0.0	91.8	15				End of fill
		707 / 4	307	5.4	183.50	307	0.0	92.3	16				T.F.
		1004 / 7	304	8.8	185.23	304	0.0	88.9	17				B.F.
		1108 / 8	308	10.2	187.40	308	0.0	87.5	18				Fn.
		871 / 5	321	6.8	176.40	321	0.0	90.9	19				B.C.
		420 / 1	320	1.3	176.25	320	0.0	96.4	20				T.C.
		523 / 2	323	3.0	174.00	323	+ 0.[illegible]	5200.2	21				S edge 12' Rd

Add'n'l Inform.

F.B. 922 PG. 198

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P	Temp	727			° '		° '		1						
102A	Elev 102	4	327	5 0	172 10	327	+ 1 09	519.92			519.72		edge AB		
		525							2						
		2	325	3 0	171 55	325	+ 1 16	520.18					T.C		
		640							3						
		3	340	1 0	166 25	339	+ 2 51	106					S.H.		
		1008							4						
		7	308	8 0	193 50	308	0 55	518.48		1.28		49	"		
		896							5						
		5	396	7 0	169 00	395	+ 2 32	520.83					"		
		790							6						
		4	390	6 0	174 00	390	+ 1 20	009					N edge TC		
		791							7						
		5	391	8 0	174 04	391	+ 1 20	519.88					B.C.		
		687							8						
		3	387	5 0	175 40	387	+ 0 57	520.02					S edge 2		
		487							9						
		1	387	1 4	178 00	387	0 0	519.63					T.C.		
		785							10						
		4	388	6 3	178 00	388	0 0	91.4					B.C.		
		844							11						
		4	~~444~~	6 3	179 10	~~444~~	0 0	91.4					"		
		543							12						
		1	443	0 9	179 00	443	0 0	96.8					T.C.		
		162							13						
		9	262	10 0	199 20	262	1 09	82.3					S.H.		
		807							14						
		3	507	5 8	180 20	507	0 0	91.9					B.C.		
		610	510			510			15						
P.		4	~~210~~	0 9	180 01	~~210~~	0 0	97.3					T.C		
		8							16						
		6	217	7 0	196 25	216	2 53	79.8					S.H.		
		1065							17						
		9	165	10 0	203 22	164	3 16	78.3					"		
		1014							18						
		7	114	10 0	213 15	114	3 20	81.2					"		
		5	78	8 0	235 25	77	4 53	83.2					"		
		1072							20						
		10	72	10 0	285 45	72	2 20	84.8					"		
		1107							21						
		10	107	11 0	317 25	107	0 55	84.0					"		

Add'n'l Inform.

Notes Rcd. 1/5 Platted 1/6/72 Job No. 8998 Division No. F.B. 722 PG. 179
Date 7-14-72 Date 8-21-72 Survey of Tract Parcel Map Hwy
Notes Chkd. Checked Survey by Notes K. Date 6-16-72
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P 102A	Temp P.1.102	1155 / 10	155	11.0	331.00	155	1.0	5183.5	1		5197.7		S.H.
		1099 / 9	199	10.0	337.50	199	0.0	84.9	2				
		1018 / 8	218	9.2	339.50	218	0.0	88.5	3				"
		1164 / 9	264	12.1	343.20	264	0.0	85.3	4				"
									5				
P 102A	Temp P.1.101							5192.5	6 53		5197.8		
		Chained		5.2	3.33	363	0.0	5192.6	7				S 63° E P 102B Set 1"x2"
P 102B	P 102A							5192.6	8		5197.9		
		Chained		5.3	3.0	363	0.0	5192.5	9				P 102A S.W. + T
		818 / 8	18	7.2	227.30	18	0.0	90.2	10				B.F. + T.B.
		930 / 9	30	7.0	233.45	30	0.0	88.9	11				T.B.
		820 / 8	20	8.0	325.25	20	0.0	89.9	12				B.F. + T.B.
		1029 / 10	29	9.6	311.35	29	0.0	88.3	13				T.B. + Fn.
		936 / 9	36	9.6	249.45	36	0.0	88.3	14				T.B.
		1143 / 11	43	11.2	298.45	43	0.0	86.5	15				"
		1153 / 11	53	11.1	261.05	53	0.0	86.5	16				T.B.
		1061 / 10	61	10.0	289.40	60	5.46	81.8	17				"
		1072 / 10	72	10.0	273.00	71	7.[illegible]	78.8	18				"
		1080 / 10	80	10.0	288.20	78	8.55	76.7	19				"
		1097 / 10	97	10.0	284.48	92	12.19	67.7	20				"

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences. V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 Pg. 200

Topography Description Legend:
Side Hill.....S.H. Side of Draw..S.D. Side of Ridge.S.R. Head of Draw H.D.
Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge..T.R. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P 102B	P 102A	1125 / 10	125	11.0	277.45	115	16.19	5153.4	1		5197.9		End of Bar		
		1123 / 10	123	11.0	282.05	114	15.53	54.5	2				" "		
		1004 / 9	104	10.0	282.50	94	17.36	57.4	3				Bottom west Gully		
		1153 / 10	153	11.0	277.45	143	14.28	49.8	4				T.S		
		1080 / 10	80	10.0	286.25	71	19.49	62.5	5				Bottom Gully		
		893 / 8	93	8.0	276.30	82	19.42	60.3	6				" "		
		1163 / 11	63	11.0	270.50	55	20.40	66.0	7				" "		
		1163 / 11	63	11.0	277.50	54	21.03	65.6	8				" "		
		1146 / 11	46	11.0	274.05	38	24.20	69.7	9				" "		
		1142 / 11	42	11.0	262.40	35	22.35	73.2	10				" "		
		1128 / 11	28	11.0	251.20	25	17.39	78.7	11				" "		
		1029 / 10	29	10.0	303.25	27	14.50	80.8	12				" "		
		1022 / 10	22	10.0	280.50	20	15.17	82.3	13				St. on fill		
		519 / 5	19	5.1	342.10	19	0.0	92.5	14				T.F.		
		520 / 5	20	5.5	42.05	20	0.0	92.1	15				℄ 20		
		525 / 5	25	5.4	150.15	25	0.0	92.5	16				" "		
		414 / 4	14	4.7	201.50	14	0.0	93.2	17				T.F		
		570 / 5	70	5.0	174.00	70	0.0	92.9	18				℄ 20		
		569 / 4	69	4.6	187.50	69	0.0	93.3	19				T.F.		
		769 / 7	69	7.3	193.00	69	0.0	90.6	20				B.F.		
		955 / 9	55	9.3	214.50	55	0.0	88.6	21				Fn.		

Add'n'l Inform.

Notes Red. [illegible] Platted [illegible] Job No. 8334 Division No. F.B. 9PP PG. P01
Date 7-15-42 Date 8-21-42 Survey of Rear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R. Date 6-17-42
Date Date Map No. Indexed A. C. John Date

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences. V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Sa. Sw. Fl. Str. Tr. Pvt. E.Rd.

Saddle ..... Swale ..... Flat ..... Stream ..... Trail ..... Pavement Edge of Road

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut..T.C. Bottom of Cut..B.C. Top of Fill..T.F. Bottom of Fill..B.F.

Inters. of Draws V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 202

Topography Description Legend: Side Hill.....S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope..T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P		1166													
102 B	102 A	11	66	10 9	227.25	66		5187 2			5197 9		B.L.		
		1055													
		10	82	10 0	237.20	81	5.18	80 1					"		
		914													
		7	114	12	177.15	114		73 5					1 20 o Rd		
		1022													
		7	112	12	137.20	112		93 6					T.F.		
		591													
		8	94	8 0	191.25	94		89 3					4" P. + B.F.		
		1000													
		9	106	9 2	204.10	106		88 2					Sw.		
		1012													
		9	113	10 2	214.40	113		81 3					Swale		
		1002													
		9	102	10 2	211.00	102		86 2					"		
		1127													
		10	137	10 8	201.40	137		57 1					2" Sr. to W. + S.		
		1149													
		10	149	12 0	208.40	148		78 3					Bri. + N + S Fn.		
		1129													
		10	139	8 2	191.40	139		89 1					S.F.		
		1039													
		5	139	11 1	187.05	139		93 3					T.F.		
		941													
		8	141	9 2	199.25	141	+ 7.[illegible]	93 8					1 20 o Rd.		
Temp	Temp														
P.101	P.102							5197 5	5 2		5202 8				
		504													
		9	104	4 2	16.00	104	0.0	98 6					1 12' Rd		
		218													
		1	118	1 0	33.30	118	+ 2.[illegible]	5206 [illegible]					S.H.		
		175													
		1	75	1 0	53.20	75	3.[illegible]	06 5					"		
		455													
		4	55	4 0	24.10	55	0.0	5198 [illegible]					1 12' Rd.		
		1110													
		11	10	11 4	228.00	10	0.0	91 4					B.C.		
		407													
		4	7	4 1	200.45	7	[illegible]	98 1					T.C.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp P.1+01	Temp P.1.02	413			° ′		° ′		1						
		9	13	47	143.25	13	0.0	5198.1			5202.8		℄ 12		42
		2							2						
		952	55	20	113.40	54	+ 6.10	5206.7					S.H.		
		9	52	95	344.15	52	0.0	5193.3	3						
		825							4						
		8	25	83	251.00	25	0.0	945							
		836							5						
		8	36	85	256.45	36	0.0	943					℄ 20		42
		956							6						
		7	56	90	266.20	56	0.0	938					T.F.		
		1065							7						
		10	65	100	267.50	65	2.34	898					B.F.		
		893							8						
		8	93	90	271.10	92	5.02	556					Brk		
		1111							9						
		10	111	110	271.40	99	7.26	775					S.H.		
		1225							10						
		12	125	110	249.20	124	5.54	789					"		
		814							11						
		8	114	80	242.15	113	3.47	872					Brk.		
		997							12						
		9	97	100	230.50	97	1.45	898					B.F.		
		887							13						
		8	87	86	229.00	87	0.0	942					T.F.		
		872							14						
		8	72	80	219.55	72	0.0	948					℄ 20		42
		867							15						
		8	67	50	209.10	67	0.0	948					N. edge		35
		1104							16				N end		Corr
		10	104	114	204.70	104	0.0	914					iron Cole		line
		907							17						
		8	107	84	205.55	107	0.0	947					N edge		
		910							18						
		8	110	8	213.10	110	0.0	946					℄ 20		42
		916							19						
		8	116	82	219.30	116	0.0	946					T.F.		
		1119							20						
		10	119	115	223.05	119	0.0	913					B.F.		
		1140							21						
		10	140	110	220.53	140	1.18	884					S end		Corr
													iron Cole		Fline

Add'n'l Inform.

Notes Red. S.L.B. Platted VG Job No. 8331 Division No. F.B. 922 PG. 203
Date 7-11-61 Date 7-21-61 Survey of Parr Pleasant Park
Notes Chkd. Checked Survey by Pacific Notes Date 6-1-62
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp P.1.101	Temp P.1.102	1129 / 10	129	11.0	231.35	129	1.4	5188.0	1		52028		Brk		
		1144 / 10	144	11.0	236.15	143	4.47	79.8	2				S.H.		
		1079 / 9	179	15.0	226.45	177	4.14	74.6	3				"		
		967 / 8	167	9.0	220.40	167	1.3	89.4	4				Brk.		
		1163 / 10	163	10.6	217.45	163	0.0	92.2	5				B.F.		
		860 / 7	160	7.6	214.30	160	0.0	95.2	6				T.F.		
		958 / 8	158	8.5	210.15	158	0.0	94.3	7				℄ 20 0 Rd		
		485 / 9	85	4.0	155.40	84	+ 4.3	5205.6	8				SH		
		371 / 3	71	3.3	154.05	71	0.0	5199.5	9				℄ 12' Rd		
		368 / 3	68	3.1	192.45	68	0.0	99.4	10				T.C.		
		767 / 7	67	10.2	197.50	67	0.0	92.6	11				B.C.		
		408 / 3	108	3.1	198.00	108	0.0	99.7	12				T.C.		
		410 / 3	110	4.0	202.15	110	0.0	98.8	13				"		
		813 / 7	113	8.0	204.50	113	0.0	94.8	14				B.C.		
		213 / 1	113	1.5	187.00	113	0.0	5201.3	15				℄ 12' Rd.		
		436 / 3	136	4.0	165.40	135	+ 3.3	08.1	16				S.H.		
		482 / 3	182	4.0	178.45	182	+ 2.4	07.3	17				"		
		277 / 1	177	2.0	188.50	177	+ 1.0	04.2	18				℄ 12' Rd		
		476 / 3	176	4.0	195.15	176	+ 0.5	01.5	19				Brk		
		676 / 5	176	6.1	203.50	176	0.0	5196.7	20				T.C.		
		1075 / 9	175	9.6	204.55	175	0.0	93.2	21				B.C.		

Add'n'l Inform.

F.B. 922 PG. 204

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Temp P.1	Temp P.2	1127 / 9	227	10	204.37	227	0.0	5192.6	1		52028		B.C.		
		727 / 5	227	6.7	203.50	227	0.0	96.6	2				T.C.		
		831 / 6	231	7.0	197.00	231	+ 2.36	5206.2	3				Brk		
		333 / 1	233	2.0	188.30	233	+ 1.41	07.8	4				℄ 12		
		296 / 1	296	2.0	187.30	296	+ 2.08	11.7	5				℄ "		
		610 / 3	310	4.0	192.15	309	2.10	13.2	6				Sl.		
		1116 / 8	316	10.0	196.50	315	+ 3.31	12.1	7				Brk		
		1114 / 8	314	10.0	201.50	314	1.57	03.2	8				T.C.		
									9						
P.1 97c	P.1 96c							5192.7	10 / 251		51978		SW+T		
		474 / 4	74	4.1	188.05	74	0.0	93.7	11				℄ 20		
		375 / 3	75	3.2	175.25	75	0.0	94.6	12				T.F.		
		421 / 4	21	4.1	147.23	21	0.0	93.7	13				"		
		416 / 4	16	4.8	170.50	16	0.0	93.0	14				℄ 20		
		516 / 5	16	5.8	212.35	16	0.0	92.0	15				B.C.		
		753 / 7	53	6.7	353.30	53	0.0	91.1	16				"		
		552 / 5	52	5.5	6.15	52	0.0	92.3	17				℄ 20		
		556 / 5	56	5.0	5.25	56	0.0	92.8	18				T.F.		
		111 / 6	111	6.9	7.38	111	0.0	91.4	19				"		
		809 / 7	109	7.1	3.15	109	0.0	90.7	20				℄ 20		
		809 / 7	109	7.9	356.45	109	0.0	89.9	21				B.C.		

Add'n'l Inform.

Notes Red. J.G. Platted J.G. Job No. 8334 Division No. F.B. 922 PG. 205
Date 7-15-42 Date 8-21-42 Survey of Pear Blossom Hwy.
Notes Chkd. Checked Survey by Joseph Notes K Date 6-11-46
Date Date Map No. Indexed A. C. John Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
P.I. 97c	P.I. 96c	1061 / 9	161	95	357.30	161	0.0	5188.3			5197.2		B.C
		962 / 8	162	87	2.00	162	0.0	89.1					℄ 20 0 Rd
		863 / 7	163	80	5.10	163	0.0	89.8					T.F.
		1016 / 8	216	91	3.40	216	0.0	88.7					"
		1115 / 9	215	101	1.05	215	0.0	87.7					℄ 20 0 Rd
		1214 / 10	214	110	357.35	214	0.0	86.8					B.C.
		1168 / 9	268	120	353.30	268	0.0	85.8					"
		1168 / 9	268	113	0.17	268	0.0	86.5					℄ 20 0 Rd
		1170 / 9	270	104	2.23	270	0.0	87.4					T.F
		1122 / 8	322	110	1.30	322	0.0	86.8					"
		1221 / 9	321	119	359.39	321	0.0	85.9					℄ 20 0 Rd
		1022 / 7	322	90	357.15	322	0.40	~~89.6~~ 85.1		12.7		3.7	B.C
		689 / 6	89	60	347.15	86	+ 10.52	52082					T.C.
		1012 / 9	112	100	334.50	103	+ 16.05	17.4					Fl.
		1155 / 10	155	150	342.15	145	+ 14.30	20.4					edge Fl.
		753 / 6	153	70	349.40	150	+ 8.14	12.5					T.C
		797 / 6	197	80	349.15	193	+ 8.37	18.9					"
		1200 / 1012	188	110	343.45	180	+ 11.30	26.6					edge Fl. S.14°W.
		1013 / 8	213	90	65°31'30"	209	7.45	51604		37.4		28.4	P.100 A Set 1x2

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences. V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 206

Topography Description Legend:
Side Hill.....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D.
Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 100A	P1. 97C				° '		° '								
								5160.4	18		5165.2				
		614	214	5.0	0.0	209	+ 8.51	928		+ 276		+ 326	P197C		
		1 972	293	5.0	81.30	276	− 8.10	5224.9							
		7 889	289	7.0	40.00	273	+ 13.45	250					F1.		
		6 1142	242	11.8	301.30	242	0.0	5153.3					"		
		9 1010	310	5.0	56.33	294	+ 13.10	5225.9					B.F.		
		7 1132	330	14.0	56.00	312	+ 13.34	264					T.C.		
		8 1194	194	11.6	332.40	194	0.0	5153.6					S1.		
		10 648	348	5.0	63.40	333	+ 11.51	5230.2					B.F.		
		3 1151	151	3	342.50	151	0.0	5153.9					T.C		
		10 987	387	8.0	63.25	371	+ 11.97	5234.8					B.F.		
		6 1028	128	10.0	0.20	128	0.0	5155.2					S1.		
		9 1396	396	10.0	71.40	382	+ 10.55	5228.8					B.F.		
		10 825	125	7.7	20.30	125	0.0	5157.5					T.C		
		7 1137	437	13.0	72.25	421	+ 11.10	5235.1					B.F.		
		7 740	140	6.3	46.00	140	0.0	5158.9					S1.		
		6 1062	462	8.0	77.35	451	+ 8.44	5226.5					B.F.		
		6 665	165	5.9	60.20	165	0.0	5159.8					T.C.		
		5 995	495	11.0	75.30	481	+ 9.49	5237.2					B.F.		
		5 600	200	4.8	72.20	200	0.0	5160.4					Sr.		
		4 1127	527	12.0	81.00	516	+ 8.12	5234.4					B.F.		F1.
		6											T.C		

Add'n'l Inform.

Notes Red. V.G. Platted V.G.
Date 7-15-42 Date 8-21-42 Job No. 8334 Division No. Hwy
Notes Chkd. Checked Survey of Fair Oaks Blvd.
Date Date Survey by Roseland Notes K.I. Date 8-11-42
Map No. Indexed A. C. Johnson Date

F.B. 992 PG. 207

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P 100A	P.I. 97C	949			° ′		° ′								
		9	549	7 0	79 10	537	+ 5 21	5237 3	1		5165 2		Brk		
		586													
		9	186	4 8	80 25	186	0 0	5160 1	2				Fl.		
		12													
		610	590	9 0	81 50	578	+ 8 11	5239 3	3				T.C		
		1072													
		5	592	11 0	79 10	580	+ 3 [illegible]	38 4	4				Sl.		
		727													
		5	237	6 0	86 [illegible]	237	+ 1 [illegible]	5163 8	5				Fl.		
		1200													
		566	535	14 0	83 20	525	+ 7 4	5220 2	6				T.C.		
		626													
		9	248	3 0	79 35	248	0 0	5162 2	7				B.F		
		596													
		6	296	7 0	83 35	296	+ 1 3	66 0	8				"		
		802													
		6	283	7 0	91 20	283	+ 1 3	66 1	9				Fl.		
		1046													
		7	346	7 0	93 20	346	+ 1 [illegible]	71 3	10				"		
		953													
		6	353	5 0	87 25	353	+ 1 [illegible]	68 2	11				"		
		1093													
		7	393	7 0	89 00	393	+ 1 56	69 4	12				B.F.		
		1189													
		8	389	13 0	94 10	388	+ 2 [illegible]	70 1	13				M.		
		1239													
		8	434	13 0	95 00	433	+ 2 31	72 0	14				S.H.		
		1044													
		6	444	8 0	90 20	444	+ 1 52	71 5	15				B.F.		
					° ′		° ′		16						
									17						
P.I. 95C	P.I. 96C				° ′		° ′	5183 3	18	55	5188 8				
		729													
		6	129	6 0	116 50	100	+ 28 00	5236 5	19				T. Brk		
		390													
		1	290	2 2	356 15	290	0 0	5186 6	20				T.F.		
		489													
		2	289	3 4	358 30	289	0 0	85 4	21				E 20 0 Rd		
		590													
		3	290	4 5	1 00	290	0 0	84 3					B.C		

Add'n'l Inform.

F.B. 922 PG. 208

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope. T.S.

Inters. of Draws. V.D's
Break in Slope.. Bk.S. Steep Slope..... S.S.
Top of Cliff..... T.Cl. Bottom of Cliff.. B.Cl.
Top of Spur..... T.Sp. Bottom Canyon.. B.Cn.

Side of Canyon S.Cn.
Top of Bank.. T.B. Bottom of Bank. B.B.
Top of Cut.... T.C. Bottom of Cut.. B.C.
Top of Fill..... T.F. Bottom of Fill. B.F.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr. Rd.
Fence ..... Fn.
Int. Fences. V.Fns.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole.. P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P1	P1	255			° '		° '		1						
95C	96C	7	55	2 0	113 05	44	+ 25 43	5208 3			5188		3H.		
		632							2						
		4	232	4 1	0 52	232	0 0	5184 1					BC		
		532							3						
		3	232	1 0	357 25	232	0 0	848					℄		Pg
		433							4						
		2	233	3 1	351 55	233	0 0	854					T.F.		
		250							5						
		4	82	4 0	357 10	82	0 0	848					T.S		
		282							6						
		7	82	7 0	171 10	82	+ 1 00	833					4.		Pg
		428							7						
		3	174	4 1	352 35	174	0 0	847					T.F.		
		312							8						
		4	173	4 1	350 10	173	0 0	844					℄		Pg
		511							9						
		4	171	5 1	1 10	171	0 0	834					B.C		
		618							10						
		5	118	3 6	1 30	118	0 0	832					"		
		515							11						
		4	118	4 2	354 20	118	0 0	841					℄		Pg
		519							12						
		4	119	9 1	318 45	119	0 0	847					T.F.		
		1122							13						
		10	123	11 0	311 20	123	1 33	745					B.F		
		1041							14						
		9	141	10 0	323 30	141	1 48	744					F1.		
		1097							15						
		10	97	12 1	308 45	97	0 0	766					"		
		1085							16						
		5	85	12 0	336 00	85	0 0	768					B.F.		
		970							17						
		9	70	9 8	320 20	70	0 0	790					2 end 1"		
		468							18				iron Cu		
		4	68	4 1	341 30	68	0 0	847					T.F.		
		566							19						
		5	66	5 0	330 20	66	0 0	838					℄		Pg
		365							20						
		5	65	5 5	1 35	65	0 0	833					1/		Pg
		768							21				4 end 1"		
		7	68	7 8	5 35	68	0 0	810					iron Cu		line

Add'n'l Inform.

Date | Notes Chkd. | Checked | Notes Red. L.G. | Platted V.G.
Date | Date | Date 8-21-42 | Job No. 8331 | Division No. | F.B. 922 | PG. 209
Date | Map No. | Indexed | Survey by Pacific Coast Survey of Pear Blossom Hwy
Notes | Date 6-4-42
A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. 95C	P.I. 96C	631			161 45		0 0	5183 0	1		5188 2		T.S.		
		6	31	5 5		31									
		319			176 00			83 2	2						
		6	19	5 6		19	0 0						B.C.		
		318			332 30			83 1	3						
		5	18	5 1		18	0 0								
		425			307 30			84 2	4						
		4	25	4 6		25	0 0						T.F.		
		330			290 00			80 0	5						
		9	30	8 8		30	0 0						B.F.		
		1073			277 00			78 3	6						
		10	73	10 5		73	0 0						F.I.		
		345			159 50			84 0	7						
		5	45	4 8		45	0 0								
		820			236 25			80 0	8				℄ 20 0 Rd		
		8	80	5 8		80	0 0								
		452			205 10			84 1	9				F.I.		
		4	52	4 2		52	0 0								
		754			213 05			81 8	10				T.F.		
		7	54	7 0		54	0 0								
		814			219 10			81 5	11				B.F.		
		7	114	7 3		114	0 0								
		606			195 05			83 1	12				F.I.		
		5	106	5 7		106	0 0								
		506			193 40			84 5	13				B.F.		
		7	106	7 3		106	0 0								
		504			185 10			84 4	14				T.F.		
		7	104	4 2		104	0 0								
		802			173 35			83 8	15				℄ 20 0 Rd		
		7	102	7 0		102	+ 1 0								
		609			167 30			85 2	16				N. edge Rd.		
		5	109	5 0		109	+ 0 0								
		647			210 15			83 2	17				T.S.		
		5	147	5 6		147	0 0						F.I.		
		459			168 29			87 5	18						
		3	159	4 0		159	+ 1 0						T.S.		
		753			173 35			86 2	19						
		6	153	7 0		153	+ 1 0						T.B.		
		651			176 50			83 6	20				N. end 12" Corr		
		5	151	5 2		151	0 0						iron Cul. Fl. line		
		451			179 30			85 0	21						
		3	151	3 8		151	0 0						N. edge Rd		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole... P.P. Culvert ..... Cul.

Sa. ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Saddle ..... Saddle Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank. B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope .. Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon .. B.Cn.

F.B. 922 PG. 2/0

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope .. T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.	455			° '		° '								
95c	96c	3	156	3L	184 25	156	0 0	51 85	1		5188		℄ 20		Pd
		452													
		3	152	7L	190 20	152	0 0	84 7	2				east		
		621											South		
		5	121	6L	193 29	121	0 0	82 7	3				iron		
		582													
		7	182	4L	207 00	182	0 0	84 6	4				F.I.		
		405													
		2	205	2L	185 30	205	0 0	85 9	5				South		
		405													
		2	205	2L	189 05	205	0 0	86 2	6				℄ 20		Pd
		406													
		2	206	2L	179 10	206	0 0	85 8	7				N.E.		Pd
		822													
		6	222	7L	204 05	222	+ 1 16	86 8	8				F.I.		
		1102													
		9	202	10L	172 55	202	+ 1 16	85 0	9				℄		
		406													
		2	203	8L	172 25	203	+ 1 50	87 2	10				T.B.		
		906													
		7	206	8L	167 45	206	+ 1 50	87 3	11				T.S.		
		771													
		5	271	6L	199 10	271	+ 1 06	88 1	12				F.I.		
		660													
		7	260	8L	167 35	260	+ 1 19	89 8	13				T.S.		
		753													
		5	258	6L	171 40	258	+ 1 22	88 8	14				T.B.		
		456													
		4	256	8L	174 00	256	+ 1 39	88 1	15				℄		
		817													
		5	317	6L	196 20	317	+ 1 18	89 9	16				F.I.		
		257													
		1	257	1L	179 40	257	0 0	87 2	17				N.E.		
		255													
		1	255	1L	184 00	255	0 0	87 8	18				℄ 20		Pd
		257													
		1	257	1L	187 30	257	0 0	87 2	19				S.E.		
		961													
		6	361	8L	194 20	361	+ 1 53	92 3	20				F.I.		
		412													
		1	313	2L	186 45	313	+ 0 28	89 4	21				S.E.		Pd

Add'n'l Inform.

Notes Red. Platted RLW Job No. 1991 Division No. F.B. 922 PG. 2 11
Date 7-15-42 Date 9-8-42 Survey of Tract 8633 Sum Hill
Notes Chkd. Checked Survey by Notes Date
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
Pl. 95C	Pl. 96C	415													
		1	315	20	182.29	315	+ 0.3	5190	2		5188		℄ 100 0 Rd		
		415													
		1	315	20	180.25	315	+ 0.3	89					N. E. Rd.		
		420													
		8	320	90	173.29	320	+ 1.2	87	4				℄ 16' drain		
		916													
		6	316	70	171.05	316	+ 1.2	89	5				T.B.		
		512													
			313	60	168.00	313	+ 1.1	59	6				T.B.		
									7						
									8						
									9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Improvements at Mile High Service Station.

Cabin 10.0 × 10.0 — 8.5 — 17.6 — 18.9

24.4 — 0.7 — 29.5 — Wooden Store Bldg 20.0 × 30.0

Shed 18.8 — 24.2 — 42.6 — 18.1

N.W. Cor. — 12.0 — 7.9

S.E. Cor.

Took stadia to these points see next page

Corr. iron Gob station

30.5

23.3

S.W. Cor.



Rock & Cone incinerator.

Add'n'l Inform.

F.B. 922 PG. 2/2

Oak-O. Fir-Fr. Pine-Pi. Cedar-Co. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ....Fn. Int. Fences. V.Fns. Ditch ....Di. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Saddle ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut....T.C. Bottom of Cut..B.C. Top of Fill....T.F. Bottom of Fill.B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff....T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon...B.Cn.

Topography Description Legend: Side Hill.....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D. Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.1. 94C	P.1. 95C				° '		° '	52082	52		52134				
		chained		51	0.0	270	2.35	51963		171		121	P.94A Set		x2"
					° '		° '								
P. 94A	P.1. 95C				° '		° '	51963	51		52014				
		chained		51	180.00	270	+ 2.36	52084		+ 70		+ 121	P.1.94C.		
		858	58	82	351.17	58	0.0	51934					S E Rd		
		757	57	74	9.00	57	0.0	940					℄ 20' S Rd		
		763	63	70	30.00	63	0.0	944					N. E. Rd		
		767	67	71	39.00	67	0.0	940					Send Rod S 7" apart		x2
		1034	134	95	41.45	134	0.0	909					N end Rod S		x2
		1034	134	95	52.10	134	0.0	909					N " " 3 18" apart		
		762	62	70	48.45	62	0.0	944					S "		
		548	48	56	58.35	48	0.0	958					E. Rd		
		551	51	48	93.20	51	0.0	966					"		
		996	96	10	105.50	96	0.0	974					"		
		1225	125	20	110.10	125	0.0	994					"		
		1648	148	50	114.50	148	+ 1.48	5201	1				"		
		1322	132	15	119.00	132	0.0	5199					"		
		1105	105	29	117.00	105	0.0	985					"		
		2 378	78	36	120.45	78	0.0	978					"		
		2 271	71	25	130.10	71	0.0	989					"		

Add'n'l Inform.

Notes Red. J.G. Platted RLW Job No. 8334 Division No. F.B. 922 PG. 212
Date 7-24-42 Date 9-5-42 Survey of Rear Division Hwy
Notes Chkd. Checked Survey by Joseph Notes A. C. Johnson Date
Date Date Map No. Indexed

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P 94A	P.1. 95C.	274 / 2	74	1 8	140.50	74	0.0	5199 6	1		5201 4		S.W. Cor. gas station
		195 / 1	95	2 2	126.00	95	0.0	99 2	2				N.W. " " "
		340 / 2	140	2 0	151.08	140	+ 0.4	5201 2	3				S.E. Cor. Store
		472 / 4	72	4 5	312.30	72	0.0	5196 9	4				Fl
		511 / 5	11	4 7	86.05	11	0.0	96 7	5				℄ 20 O. Rd.
		253 / 2	53	2 2	165.45	53	0.0	99 2	6				" " "
		195 / 1	95	2 2	123.55	95	0.0	99 2	7				10" Ctnwd
		261 / 2	61	1 9	149.50	61	0.0	99 5	8				N. E. Rd.
		347 / 3	47	2 2	273.45	47	0.0	98 7	9				Sl.
		208 / 1	108	0 0	162.15	108	0.0	5201 4	10				N. E. Rd
		209 / 1	109	0 0	172.15	109	0.0	5201 4	11				℄ 20 O Rd
		505 / 5	05	5 4	315.30	05	0.0	5196 0	12				S.E. Rd.
		254 / 1	154	2 0	174.50	154	+ 1.3	5203 8	13				℄ 20 O. Rd.
		515 / 5	15	2 5	246.30	15	0.0	5198 9	14				12" Pl.
		260 / 1	160	2 0	168.00	160	1.3	5203 9	15				N. E. Rd
		253 / 1	153	2 0	462.45	153	+ 1.0	02 5	16				Tel. Po, Wend. fill
		252 / 1	152	0 0	159.15	152	0.0	01 4	17				Guy wire
		363 / 2	163	3 0	161.50	163	+ 1.05	01 5	18				B.F. Wend Row 5 Ctnwds 10' apart
		228 / 5	228	9 0	169.25	227	+ 2.59	04 2	19				E end row 5 Ctnwds. B.F.
		410 / 4	10	4 5	297.50	10	0.0	5196 9	20				W. end cut
		286 / 1	186	0 6	153.30	186	+ 0.0	5200 8	21				Fl

Add'n'l Inform.

F.B. 922 PG. 214

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences. V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P	P.I.	398			° '		° '		1						
94A	95C	2	198	30	162.35	198	+ 0.55	5201.5			5201.4		S.W. Cor [illegible]		
		346							2						
		3	46	34	153.30	46	— 0.0	5198.2					S.E. Rd.		
		547							3						
		5	47	50	196.45	46	+ 6.48	5202.0					T.C.		
		765							4						
		7	65	70	211.45	64	+ 8.00	03.5					Fl.		
		368							5						
		2	168	30	165.00	168	+ 1.58	04.2					T.F.		
		906							6						
		8	106	80	198.30	105	+ 6.32	06.3					Fl.		
		408							7						
		3	108	30	187.15	108	+ 3.37	05.2					T.C.		
		207							8						
		1	107	04	180.15	107	— 0.0	01.0					B.C.		
		300							9						
		1	120	20	169.40	120	+ 1.54	03.3					T.F.		
		361							10						
		2	161	30	150.10	161	+ 1.47	03.5					S.E. Rd.		
		335							11						
		1	235	20	155.30	235	+ 0.27	01.3					Fl. in [illegible]		
		317							12						
		1	217	20	176.55	217	+ 1.49	06.3					℄ 20 [illegible]		
									13						
					° '		° '		14						
P.I.	P.I.							5208.2			5213.4				
94C	95C				° '		° '		15						
		707													
		6	107	68	355.15	107	— 0.0	06.6					T.C.		
		209							16						
		1	109	20	351.45	109	— 2.17	07.1					3" acacia		
		185							17						
		1	85	20	350.05	85	— 2.26	07.9					4" poplar		
		487							18						
		4	87	48	344.50	87	— 0.0	08.6					Guy wire		
		285							19						
		2	85	37	337.25	85	— 0.0	09.7					Tel. [illegible]		
		596							20						
		5	96	50	322.40	96	+ 2.30	12.5					Sl.		
		154							21				N.W. Cor [illegible] hard		
		1	54	05	314.30	54	— 0.0	12.9					Small tree		

Add'n'l Inform.

Notes Red. VG Platted RLW Job No. 8334 Division No. F.B. 922 PG. 215
Date 7-24-42 Date 9-8-42 Survey of Par Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes Date 6-11-42
Date Date Map No. Indexed [illegible] Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
Pl	Pl	512			° '		° '								
94c	95c	5	12	5 2	39 00	12	0 0	5208 1	1		5213 4		℄ 20 0 Rd		
		527													
		5	37	4 2	76 35	37	0 0	05 5	3				TF		
		842													
		8	42	5 2	78 00	42	0 0	05 1	4				B.F. edge orchard		
		1191													
		11	91	11 2	77 55	91	0 0	01 9	5				Fl. in "		
		1102													
		10	102	10 2	111 50	102	0 0	02 2	6				" " "		
		556													
		5	56	1 6	140 50	56	0 0	03 8	7				B.F edge "		
		251													
		2	51	1 8	144 50	51	0 0	11 6	8				TF		
		339													
		3	39	2 8	177 20	39	0 0	10 6	9				℄ 20 0 Rd		
		194													
		1	94	0 2	154 15	94	0 0	13 2	10				" " "		
		300													
		2	100	2 0	170 00	100	+ 1 5	14 7	11				TF		
		802													
		7	103	1 0	165 00	103	+ 2 3	10 8	12				B.F. edge orchard		
		928													
		8	128	7 2	142 25	128	0 0	05 5	13				TF. " "		
		969													
		10	31	9 0	153 25	31	1 00	04 0	14				" " "		
		845													
		7	145	7 0	173 40	145	+ 2 3	12 5	15				BF edge "		
		344													
		2	144	3 0	176 45	144	+ 2 3	16 7	16				TF		
		240													
		1	140	2 0	186 40	140	+ 1 3	15 1	17				℄ 20 0 Rd.		
		253													
		2	53	2 2	336 05	53	0 0	11 2	18				3" Pl		
		346													
		3	46	3 3	340 35	46	0 0	10 1	19				3-2" poplar		
		467													
		4	67	4 2	347 15	67	0 0	08 7	20				3" acacia		
		340													
		3	40	3 2	336 30	40	0 0	10 2	21				T.C.		
		733													
		7	33	7 1	350 30	33	0 0	06 3					B.C.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Sa. .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Saddle Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank B.B. Top of Cut....T.C. Bottom of Cut...B.C. Top of Fill....T.F. Bottom of Fill B.F.

Inters. of Draws V.D's Break in Slope...Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 92 PG. 216

Topography Description Legend: Side of Hill....S.H. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 94c	P.I. 95c	819 / 8	19	8.0	221.00	19	+ 8.30	5208.2	1		5213.4		B.C.		
		529 / 5	29	5.0	239.00	28	+ 9.00	13.9	2				T.C.		
		536 / 5	36	5.0	243.15	35	+ 9.00	14.9	3				3" P.		
		561 / 5	61	5.0	[illegible]	60	+ 8.37	17.2	4				Sl. in [illegible]		
		643 / 6	43	6.0	213.00	42	+ 8.57	14.0	5				6" P.		
		173 / 1	73	1.0	265.15	73	+ 2.48	16.0	6				T.C.		
		603 / 5	103	5.0	225.05	101	+ 6.49	20.5	7				Sl. in [illegible]		
		281 / 2	81	2.1	195.25	81	— 0.0	11.3	8				B.C.		
		230 / 1	130	0.0	193.00	130	— 0.0	13.4	9				"		
		433 / 3	133	4.0	198.45	132	+ 4.08	18.9	10				T.C.		
		513 / 4	113	4.0	201.10	112	+ 4.34	18.3	11				N.E. [illegible]		
		299 / 1	199	2.0	189.07	199	+ 1.56	17.9	12				℄ 20 [illegible]		
		302 / 1	202	2.0	182.45	202	+ 2.10	18.9	13				T.F.		
		403 / 2	203	6.0	180.15	203	+ 2.05	14.8	14				B.F. [illegible]		
		1109 / 7	209	6.0	[illegible]	209	+ 2.00	10.6	15				Fl. [illegible]		
		1149 / 9	249	14.0	169.00	249	+ 2.03	08.1	16				" [illegible]		"
		832 / 6	232	7.0	183.30	232	+ 2.20	15.8	17				B.F. S.E. Cor.		"
		328 / 1	228	2.0	185.53	228	+ 2.20	19.7	18				T.F.		
		326 / 1	226	2.0	190.00	226	+ 2.08	19.7	19				℄ 2[illegible]		
									20						
									21						

Add'n'l Inform.

Notes Red. J.G. Platted RLW Job No. 8334 Division No. F.B. 922 PG. 217
Date [illegible] Date [illegible] Survey of Pear Blossom Hill
Notes Chkd. Checked Survey by Hosecrans Notes [illegible] Date [illegible]
Date Date Map No. Indexed A. C. Johnson Date 7-16-42

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
P.I. 93c	P.I. 92c							5234.4	47		5239.1		
		1103 / 9	203	10.0	151.20	202	3.27	16.9					B.C.
		1100 / 9	200	10.0	149.25	200	2.[illegible]	21.0					T.C.
		1131 / 10	131	11.0	152.18	131	2.[illegible]	22.1					℄ 20.0 Rd
		1130 / 10	130	11.0	156.53	130	2.17	20.9					T.F.
		1131 / 10	131	11.0	163.15	130	6.0	14.5					B.F.
		946 / 8	146	9.0	160.50	145	5.2[illegible]	16.5					Y. end 12" Corr iron Col. Fl. line
		1096 / 9	196	10.0	138.35	196	1.2[illegible]	24.3					Sl.
		946 / 8	146	9.0	182.00	143	8.[illegible]	09.4					Fl.
		844 / 7	144	12.7	130.15	144	0.0	26.4					Sl.
		1002 / 9	102	14.0	190.45	99	9.33	08.5					T.S.
		1062 / 9	162	10.0	149.15	161	3.[illegible]	20.1					E end cut
		1148 / 10	148	12.0	148.10	147	3.[illegible]	18.5					S end 12" Corr iron Col. Fl. line
		1121 / 10	121	10.0	143.50	121	2.[illegible]	22.8					W end cut
		1120 / 10	120	11.0	144.50	120	2.4[illegible]	22.3					S edge Rd.
		1074 / 10	74	10.0	135.30	74	2.0[illegible]	26.4					B.C.
		1073 / 10	73	10.0	168.00	72	7.0[illegible]	20.2					B.F.
		1070 / 10	70	10.5	156.40	70	0.0	28.6					T.F.
		1170 / 11	70	11.1	145.25	70	0.0	27.4					℄ 20.0 Rd
		477 / 4	77	5.0	130.55	77	0.0	34.1					T.S.
		732 / 7	32	7.0	158.50	32	0.0	32.1					E end fill

Add'n'l Inform.

F.B. 922 PG. 218

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 93C	P.I. 92C	839 / 8	39	8 5	105 00	39	− 0 0	5230 6	1		5239 1		B.C.		
		1190 / 11	90	16 0	113 25	87	+ 10 22	39 1	2				S.H.		
		727 / 7	27	7 5	113 45	27	− 0 0	31 6	3				℄ 20 0 [illegible]		
		875 / 8	75	12 0	86 00	69	+ 16 18	47 3	4				S.H.		
		617 / 6	17	6 5	150 50	17	− 0 0	32 6	5				N.E. Rd.		
		619 / 6	19	6 3	202 20	19	− 0 0	32 8	6				Brk.		
		142 / 1	42	1 0	81 40	40	+ 10 54	45 8	7				T.C.		
		1155 / 11	55	11 0	226 35	54	− 7 24	21 2	8				S.H.		
		1199 / 11	99	11 0	226 30	95	− 11 41	08 5	9				T.S.		
		686 / 6	86	6 0	59 30	79	+ 16 27	56 4	10				S.H.		
		152 / 1	52	1 0	50 35	49	+ 13 48	50 0	11				T.C.		
		1180 / 11	80	17 0	264 25	78	− 5 09	10 9	12				T.S.		
		1162 / 11	62	12 0	301 30	61	− 5 21	18 2	13				T.S.		
		955 / 9	55	13 4	335 20	55	− 0 0	25 7	14				B.F.		
		1130 / 11	30	11 0	307 20	30	− 4 04	25 9	15				S.H.		
		413 / 4	13	4 6	321 00	13	− 0 0	35 0	16				Brk.		
		227 / 2	27	2 6	351 40	27	− 0 0	36 5	17				W end [illegible]		
		416 / 4	16	4 1	26 20	16	− 0 0	35 0	18				℄ [illegible] Rd.		
		442 / 4	42	4 2	40 00	42	− 0 0	34 4	19				B.C.		
		1020 / 9	120	9 0	39 45	107	+ 19 07	67 3	20				Sa.		
		191 / 1	91	1 0	15 30	89	+ 7 15	49 5	21				T.C.		

Add'n'l Inform.

Notes Red. J.G. Platted RLW Job No. 8334 Division No. F.B. 922 Pg. 2.19
Date 7-27-42 Date 8-10-42 Survey of Pear Blossom HWY
Notes Chkd. Checked Survey by [illegible] Notes [illegible] Date 6-17-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Pl. 93 c	Pl. 92 c							5234.4	5.0		5239.4		New setup		
		1172 / 11	72	11.0	337.25	72	2.11	25.5					B.F.		
		1071 / 10	71	10.0	323.20	70	7.17	20.4					B.D.		
		1182 / 11	82	11.0	288.20	79	10.27	13.9					"		
		807 / 7	107	8.0	295.25	105	7.39	16.7					Sl.		
		1132 / 10	132	11.0	303.30	131	5.27	15.7					T.S.		
		701 / 6	101	7.0	316.35	100	5.38	22.4					Sl.		
		913 / 8	113	7.0	327.00	113	2.52	24.7					B.D.		
		983 / 9	83	10.0	306.10	82	6.57	19.5					2' Pl.		
		1205 / 11	105	10.8	240.40	105	0.00	27.6					B.F.		
		253 / 2	53	2.3	355.50	53	0.00	37.1					T.F.		
		258 / 2	58	2.4	9.10	58	0.00	37.3					℄ 20	0	Rd
		364 / 3	64	2.9	19.10	64	0.00	36.5					B.C.		
		212 / 1	112	2.0	5.20	112	+ 1.44	40.8					"		
		209 / 1	109	1.0	358.30	109	+ 1.22	41.0					℄ 20	0	Rd
		306 / 2	106	2.0	352.30	106	+ 1.59	41.4					T.F.		
		350 / 2	150	3.0	347.05	149	+ 3.18	45.1					"		
		349 / 2	149	3.0	351.38	149	+ 3.08	44.5					℄ 20	0	Rd
		245 / 1	145	2.0	0.20	145	+ 2.42	41.8					E end cut		
		1150 / 10	150	14.0	4.35	145	+ 10.47	52.5					T.C.		
		931 / 8	131	9.0	7.05	126	+ 10.46	54.0					"		

Add'n'l Inform.

F.B. 922 PG. 220

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash.B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.1 93C	P.1 92C	805 / 7	105	7°	11°40'	102	+ 10°10'	52507	1		52394		T.C.		
		629 / 5	129	5°	30°15'	119	+ 16°21'	693	2				S.H.		
		1057 / 9	157	10°	35°00'	142	+ 18°03'	753	3				"		
		971 / 8	171	9°	28°10'	156	+ 16°58'	782	4				"		
		1290 / 11	190	16°	19°00'	177	+ 14°52'	706	5				"		
		845 / 7	145	8°	15°20'	137	+ 13°50'	651	6				"		
		811 / 6	211	7°	1°43'	207	+ 8°02'	617	7				"		
		[illegible] / 7	247	3°	1°15'	241	+ 9°07'	751	8				"		
		851 / 6	251	7°	35[illegible]	243	+ 10°9'	766	9				"		
		959 / 7	259	8°	346°00'	252	+ 9°41'	745	10				"		
		1175 / 9	275	13°	343°35'	267	+ 10°[illegible]	736	11				"		
		992 / 7	292	10°	359°15'	280	+ 11°51'	881	12				Brk		
		1010 / 7	310	11°	354°55'	295	+ 11°30'	889	13				S.H.		
		1113 / 8	313	14°	[illegible]5'	303	+ 10°16'	803	14				"		
		1180 / 9	280	14°	342°50'	272	+ 9°43'	721	15				"		
		1078 / 8	278	13°	337°05'	272	+ 8°22'	665	16				T.C.		
		1055 / 8	255	9°	340°50'	249	+ 8°28'	677	17				"		
		827 / 6	227	7°	344°25'	223	+ 7°32'	618	18				"		
		726 / 5	226	6°	354°00'	222	+ 8°02'	644	19				S.H.		
		928 / 7	222	8°	355°20'	217	+ 8°49'	651	20				"		
		993 / 8	193	9°	352°15'	191	+ 6°24'	519	21				T.C.		

Add'n'l Inform.

Notes Red. V.G. Platted R.L.W. Job No. 8334 Division No. F.B. 922 PG. 221
Date 7-27-42 Date 8-10-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Josephus Notes K Date 6-11-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
P.I. 93c	P.I. 92c	314 / 1	214	1.0	346.25	212	4.5	5256.7	1		5239.4		T.C.
		353 / 2	185	2.0	351.15	184	3.0	47.4	2				W end cut.
									3				
P.I. 92c	P.I. 91c							5246.5	4 / 5	5.1	5251.6		
		1022 / 10	22	10.0	177.45	20	17.45	48.0	6	3.6		6.4	B.D. + Pt. Sp.
		1000 / 961	39	10.0	112.25	34	20.13	54.3	7				"
		1170 / 11	70	11.0	106.55	63	18.15	61.5	8				"
		1149 / 11	49	12.0	139.20	39	25.26	58.8	9				S.H.
		1183 / 11	83	16.5	137.00	67	25.47	67.6	10				T. Sp.
		711 / 7	11	7.7	296.15	11	0.0	43.9	11				S end 12" Corr iron Cul. Flow line
		515 / 5	15	5.2	297.50	15	0.0	46.4	12				S. E Rd
		639 / 6	34	6.3	308.50	34	0.0	45.3	13				℄ 20 0 Rd
		644 / 6	44	6.9	309.10	44	0.0	45.2	14				T.F.
		1155 / 11	55	12.0	306.30	55	1.10	38.5	15				N end 12" Corr iron Cul. Fl. line
		170 / 1	70	1.9	348.00	70	0.0	50.2	16				T.F.
		262 / 2	62	2.3	356.40	62	0.0	49.3	17				℄ 20 0 Rd
P.I. 91c	P.I. 92c							5255.5	18 / 19	5.2	5260.7		
		1165 / 11	65	12.1	350.40	65	0.0	48.6	20				B.C.
		939 / 9	39	9.1	320.30	39	0.0	51.6	21				"
		825 / 8	25	8.0	330.25	25	0.0	52.7					℄ 20 0 Rd

Add'n'l Inform.

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

F.B. 922 PG. 222

Inters. of Draws V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.	614			° ′		° ′		1						
91C	92C	6	14	6 2	79.25,	14	0 0,	52.54 5			52.60 7		TT		
		1116							2						
		11	16	11 4	79.40,	16	0 0,	49 3					B.F.		
		1132							3						
		11	32	11 0	76.45,	32	2.15,	47 8					"		
		1157							4						
		11	57	11 0	37.45,	55	0.12,	35 5					"		
		1179							5						
		11	79	16 0	35.05,	78	6.50,	35 5					"		
		607							6						
		5	107	6 0	36.09,	101	12.09,	31 3					B.D. + B.		
		1212							7						
		11	112	12 0	50.15,	107	11.27,	28 0					B.D. + B.	50	
		1191							8						
		11	91	15 0	5[illegible].25,	89	7.14,	31 2					T.S.		
		1107							9						
		10	102	12 0	87.15,	100	7.17,	32 8					M. 2p		
		1163							10						
		11	63	7 0	49.20,	61	11.08,	37 8					S.H.		
		1074							11						
		10	74	10 0	70.20,	72	8.40,	39 7					Brk.		
		1081							12						
		10	81	10 0	81.20,	79	8.37,	35 7					"		
		1144							13						
		11	44	11 0	50.00,	43	8.36,	43 2					T.S.		
		1066							14						
		10	66	10 0	98.25,	65	7.25,	41 7					Brk.		
		827							15						
		8	27	8 7	194.55,	27	0.0,	52 0					B.F.		
		1133							16						
		11	33	11 0	169.10,	33	3.56,	42 5					T.S.		
		1152							17						
		11	52	11 0	143.00,	52	4.10,	45 2					Brk		
		1069							18						
		10	68	10 0	147.55,	67	8.13,	41 1					S.H.		
		1186							19						
		11	86	15 0	137.20,	84	8.27,	33 2					"		
		1182							20						
		11	80	15 0	116.00,	79	7.28,	35 4					"		
		1056							21						
		10	56	10 0	161.00	56	4.13,	46 6					Brk		

Add'n'l Inform.

Notes Red ____ Platted RLW Job No. 8224 Division No. ____ F.B. 222 PG. 222
Date ____ Date 5-12-42 Survey of Bay Blvd Hwy
Notes Chkd. ____ Checked ____ Survey by Fosserauer Notes K Date 6-15-42
Date ____ Date ____ Map No. ____ Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P1	P1	1073			✓ ° '		° '								
91c	92c	10	73	10 6	169 50	73	— 0 0	52 50 1	1	—	5260 2	—	S.H.		
		1160			✓										
		11	60	10 1	185 35	60	— 0 0	50 3	2	—		—	T.S.		
		601			✓										
		5	101	5 0	168 15	101	+ 1 0	58 2	3	—		—	S.H.		
		922			✓										
		8	122	9 0	188 00	119	+ 9 15	71 1	4	—		—	T.Sp.		
		349			✓										
		2	149	3 0	193 50	147	+ 7 0	75 7	5	—		—	" "		
		1142			✓										
		10	174	11 0	185 15	170	+ 9 [illegible]	74 7	6	—		—	S.H.		
		1202			✓										
		10	203	15 0	205 05	196	+ 10 30	82 3	7	—		—	— Sp.		
		1182			✓										
		10	183	14 0	210 15	179	+ 8 30	73 6	8	—		—	S.H.		
		320			✓										
		9	130	7 0	205 15	128	+ 6 30	66 8	9	—		—	"		
		1055			✓										
		10	85	10 0	203 40	85	+ 3 10	55 5	10	—		—	T.S.		
		902			✓										
		8	102	8 0	193 30	101	+ 6 40	64 5	11	—		—	S.H.		
		875			✓										
		8	75	8 0	215 10	75	+ 1 50	55 3	12	—		—	B.F.		
		617			✓										
		5	117	5 0	220 35	117	+ 2 10	60 3	13	—		—	"		
		725			✓										
		6	125	6 0	212 00	125	+ 2 50	60 9	14	—		—	T.S.		
		875			✓										
		7	175	8 0	216 10	174	+ 3 50	64 7	15	—		—	"		
		682			✓										
		5	182	6 0	224 10	181	+ 2 30	66 1	16	—		—	B.F.		
		281			✓										
		3	181	4 0	226 15	180	+ 3 40	68 3	17	—		—	T.F.		
		280			✓										
		1	180	2 0	230 38	180	+ 2 50	67 9	18	—		—	℄ 2010 Rd.		
		282			✓										
		1	183	2 0	236 50	183	+ 2 [illegible]	66 6	19	—		—	B.C.		
		1200			✓										
		10	200	11 0	237 20	197	+ 6 30	72 3	20	—		—	T.C.		
		246			✓										
		1	146	2 0	241 35	145	+ 3 [illegible]	67 4	21	—		—	"		

Add'n'l Inform.

F.B. 922 Pg. 224

Topography Description Legend:
Side Hill ... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope ... T.S.

Inters. of Draws V.D's
Break in Slope ... Bk.S.
Steep Slope ... S.S.
Top of Cliff ... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Spur ... T.Sp.
Bottom Canyon ... B.Cn.

Side of Canyon S.Cn.
Top of Bank ... T.B.
Bottom of Bank ... B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F.
Bottom of Fill ... B.F.

Saddle ... Sa.
Swale ... Sw.
Flat ... Fl.
Stream ... Str.
Trail ... Trl.
Pavement ... Pvt.
Edge of Road ... E.Rd.

Travelled Rd. Tr. Rd.
Fence ... Fn.
Int. Fences ... V.Fns.
Ditch ... Di.
Telephone Pole ... T.P.
Power Pole ... P.P.
Culvert ... Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ... Sy. Eucalyptus ... Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 91c	P.I. 92c	242			° '		° '		1						
		1	143	1 0	239.35	143	+ 1.05	5262 5			5260 7		B.C.		
		240							2						
		1	140	1 0	231.10	140	+ 1.57	64 5					± 20	0	48
		239							3						
		1	139	1 0	221.55	139	+ 2.15	55 2					T.P.		
		186							4						
		1	86	1 0	222.50	86	+ 0.50	61 0					"		
		185							5						
		1	87	0 2	[illegible]	87	0.0	58 5					± 20	0	48
		292							6						
		2	92	2 5	244.30	92	0.0	58 3					B.C.		
		292							7						
		2	92	0 0	217.25	92	+ 2.30	64 8					T.C.		
		646							8						
		6	46	6 1	266.20	46	0.0	52 6					B.C.		
		534							9						
		5	34	4 3	252.45	34	0.0	55 5					± 20	0	48
		327							10						
		3	27	3 5	222.10	27	0.0	57 2					T.P.		
		1123							11						
		10	123	14 0	285.30	111	+ 18.02	82 9					S.H.		
		1130							12						
		10	143	14 0	275.00	130	+ 15.15	82 3					"		
									13						
					° '		° '		14						
P.I. 90c	P.I. 89c				° '		° '	5287 6	52		5292 9				
		1200							15						
		872	328	18 0	144.52	328	+ 0.28	77 7					S.H.		
		1186							16						
		9	286	18 5	142.30	286	+ 0.44	78 0					"		
		1154							17						
		90	254	17 5	142.30	254	+ 0.51	79 3					"		
		1208							18						
		10	208	15 5	142.20	208	+ 0.35	79 [illegible]					"		
		1167							19						
		10	167	15 0	139.40	167	+ 0.52	80 7					"		
		734							20						
		6	134	7 0	141.10	134	1.15	83 0					"		
		1114							21						
		10	114	11 0	128.25	114	+ 2.44	87 4					"		

Add'l Inform.

Notes Red. Platted Job No. 5334 Division No. F.B. 992 Pg. 175
Date Date Survey of Ray Blasdell Hwy
Date Checked Survey by Roserans Notes K.
Notes Chkd. Date Map No. Indexed Date A. C. Johnson Date 6-25-46

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
Pl. 90c	Pl. 89c	1187 / 11	87	11.0	116.05	86	+ 6.4	5292	1		5292.9		S.H.
		762 / 7	62	7.0	91.30	60	+ 9.19	95.8	2				"
		567 / 5	67	5.0	60.50	65	+ 10.2	99.8	3				"
		376 / 3	76	3.0	28.55	75	+ 7.3	99.8	4				Tel. Po
		1210 / 11	110	11.0	39.30	103	+ 14.1	5308.2	5				S.H.
		818 / 7	118	7.0	18.15	115	+ 8.3	03.7	6				Brk
		1138 / 10	138	16.0	34.35	129	+ 15.0	11.8	7				S.H.
		1175 / 10	175	15.0	32.20	167	+ 12.1	14.3	8				"
									9				
Pl. 90c	Pl. 89c							5287.6	10 / 5.1		5292.7		New set up.
		1128 / 9	228	10.0	159.00	227	3.0	70.3	11				℄ 20 0 Rd.
		1129 / 9	229	10.0	162.23	228	3.0	70.4	12				T.F.
		331 / 1	231	2.0	154.20	229	5.26	68.7	13				B.C.
		1030 / 8	230	9.0	153.37	229	2.41	72.6	14				T.C.
		1129 / 9	229	10.0	163.30	228	3.3	68.8	15				B.F.
		1082 / 9	182	10.0	152.10	182	2.10	75.8	16				T.C.
		1083 / 9	183	10.0	153.05	182	3.13	72.5	17				B.C.
		1025 / 8	225	9.0	179.10	224	4.16	67.0	18				T.S.
		1080 / 9	180	10.0	158.55	180	2.43	73.9	19				℄ 20 0 Rd
		1080 / 9	180	10.0	164.50	180	2.37	74.4	20				T.F.
		1144 / 9	244	10.0	180.25	244	+ 0.20	84.2	21				Brk

Add'n'l Inform.

F.B. 922 PG. 226

Topography Description Legend:
Side Hill....S.H. | Bottom Draw B.D.
Side of Draw..S.D. | Bottom Wash B.W.
Side of Ridge..S.R. | Top of Ridge..T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws..V.D's | Side of Canyon S.Cn. | Saddle .....Sa. | Traveled Rd. Tr.Rd. | Oak-O. Fir-Fr.
Break in Slope..Bk.S. | Top of Bank...T.B. | Swale .....Sw. | Fence .....Fn. | Pine-Pi. Cedar-Ce.
Steep Slope.....S.S. | Bottom of Bank..B.B. | Flat .....Fl. | Int. Fences..V.Fns. | Sycamore .....Sy.
Top of Cliff.....T.Cl. | Top of Cut.....T.C. | Stream .....Str. | Ditch .....Di. | Eucalyptus .....Eu.
Bottom of Cliff..B.Cl. | Bottom of Cut..B.C. | Trail .....Tr. | Telephone Pole T.P. | Plus combinations of these and all common standard abbreviations.
Top of Spur.....T.Sp. | Top of Fill.....T.F. | Pavement ....Pvt. | Power Pole...P.P.
Bottom Canyon..B.Cn. | Bottom of Fill..B.F. | Edge of Road E.Rd. | Culvert .....Cul.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Pl.	Pl.	1129			° '		° '		1						
90c	59c	10	129	11 0	161 15	129	1 25	527.82			529.27		TP		
		1128							2						
		10	126	11	158 30	126	1 90	780					E 20 0		8
		1129							3						
		10	129	11 0	151 22	129	2 10	768					BC		
		1129							4						
		10	129	120	117 57	129	0 0	807					T.C.		
		[illegible]							5						
			20	32	135 28	201	0 0	892					Brk		
		789							6						
		7	84		113 20	84	0 0	852					T C		
		1052							7						
		10	52	12		52	0 0	803					B.C.		
		1078							8						
		10	78	11 2	167 25	78	0 0	815					E 20		
		1078							9						
		10	78	10 8	167 15	78	0 0	819					T P		
		1091							10						
		9	191	0 2		190	3 58	696					T S		
		1074							11						
		9	174	00		173	4 00	726					B.F.		
		1077							12						
		7	27	19	161 00	27	0 0	858					T P		
		1122							13						
		10	122	10	167 24	122	2 40	760					B.F.		
		728							14						
		7	28	75	116 15	28	0 0	852					E 20 0		0
		1135							15						
		7	35	12	123 15	35	0 0	838					B.C.		
		1127							16						
		10	127	10	182 00	126	2 67	728					T.S.		
		240							17						
		8	40	33	117	40	0 0	892					T.C.		
		651							18						
		8	151	60	195 50	151	+ 1 27	905					Brk		
		921							19						
		8	121	7 2	110 00	120	+ 3 48	917					"		
		241							20						
		2	41	20	33 05	40	+ 6 52	956					T.C.		
		536							21						
		5	36	52	27 10	36	0 0	875					B.C.		

Add'n'l Inform.

Notes Red. Date Platted Date Job No. Division No. F.B. 228 Pg. 227

Notes Chkd. Date Checked Date Survey of Survey by Notes Date 6-23-46

Date Map No. Indexed Date

A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
Pl. 90c	Pl. 89c	131 / 4 / 3	31	4.0	6.00	31	0.0	5288.7	1		5292.7		℄ 10 0 Rd.
		3 / 404	33	3.0	336.15	33	0.0	89.7	2				T.F.
		3 / 929	104	3.0	231.15	104	2.3	94.3	3				Brk
		8 / 303	129	8.0	216.15	127	7.0	5300.4	4				P. Po
		2 / 169	103	2.0	251.15	103	3.0	5297.5	5				Brk
		1 / 182	69	7.0	250.40	69	1.0	79.4	6				T.S.
		1 / 182	82	1.1	351.35	82	0.0	91.0	7				T.F.
		1 / 284	83	1.7	1.38	83	0.0	91.0	8				℄ 20 0 Rd
		2 / 186	84	2.5	8.20	84	0.0	90.2	9				B.C.
		1 / 167	86	1.0	14.20	86	2.0	95.9	10				T.C.
		11 / 1024	67	4.0	205.00	67	3.0	77.2	11				T.S.
		10 / 986	94	10.0	90.00	93	4.1	75.8	12				"
		9 / 1037	86	7.0	171.18	86	4.0	77.4	13				B.F.
		10 / 520	37	10.3	182.30	37	0.0	82.4	14				"
		5 / 564	20	5.3	301.05	20	0.0	87.4	15				"
		5 / 1024	64	5.1	342.35	64	0.0	87.6	16				"
		11 / 329	74	10.1	302.10	74	0.0	77.3	17				Sl.
		2 / 1084	129	2.0	335.50	129	0.0	92.6	18				T.F.
		10 / 229	84	10.0	271.50	84	3.0	78.3	19				T.S.
		1 / 229	129	0.0	1.47	129	0.0	92.7	20				℄ 20 0 Rd
		1	129	0.7	6.5	129	0.0	92.0	21				B.C.

Add'n'l Inform.

F.B. 322 PG. 228

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge..T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Dl.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 90C	P.I. 89C.	421 / 3 / 430	121	1 5	270.10	121	0.0	5291 2	1		5292 7		T.S.		
		3 / 224	130	3 0	8.45	130	+ 2.56	96 3	2				T.C.		
		1 / 1202	124	1 0	12.37	124	+ 2.39	97 5	3				6" [illegible]		
		11 / 843	102	17 0	288.00	102	0.45	74 3	4				T.S.		
		7 / 1035	143	7 0	10.10	142	+ [illegible]	96 4	5				T.S.		
		9 / 1148	135	[illegible]	[illegible]	135	1.49	72 4	6				"		
		10 / 225	148	9 0	24.10	145	+ 8.45	5306 2	7				S.H.		
		1	125	0 1	0.0	125	0.0	5292 6	8	0 1			P# 90D [illegible]		
									9						
P 90D	P.I. 89C							5292 6	10	2 1	5297 7				
		1025 / 9 / 1174	125	10 1	180.00	125	0.0	87 6	11	10 1			P.I. 90C		
		11 / 898	74	[illegible]	52.15	70	+ 13.04	5303 2	12				Guy wire		
		8 / 392	98	8 0	47.00	94	+ 10.49	08 0	13				S.H.		
		3 / 173	92	3 0	35.40	91	+ 6.54	05 8	14				Guy wire		
		1 / 266	73	1 0	[illegible]	73	+ [illegible]	03 4	15				P.P.		
		2 / 266	66	2 0	28.10	66	+ 2.53	5299 1	16				T.S.		
		2 / 357	66	2 0	21.22	66	+ 2.53	99 1	17				8" [illegible]		
		3 / 256	57	3 0	20.20	57	+ [illegible]	97 2	18				T.C.		
		7 / 253	56	7 0	16.20	56	+ 3.45	94 3	19				B.C.		
		2 / 253	53	2 1	2.45	53	0.0	95 0	20				E [illegible]		
		2	53	2 5	347.30	53	0.0	95 2	21				T.F.		

Add'n'l Inform.

Notes Red. [illegible] Platted RLW Job No. [illegible] Division No. [illegible] F.B. [illegible] PG. [illegible]
Date [illegible] Date [illegible] Survey of [illegible]
Notes Chkd. [illegible] Checked [illegible] Survey by [illegible] Notes [illegible] Date [illegible]
Date [illegible] Date [illegible] Map No. [illegible] Indexed A. C. Johnson Date [illegible]

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
		1126							1						
900	P.I. 890	11	26	11 0	337.00	26	3.15	5285			5297		B.M.		
		1057							2						
		10	57	10 0	[illegible]	56	7.12	80					S.I.		
		1191							3						
		11	91	12 0	337.12	90	6.[illegible]	75							
		1[illegible]							4						
		10	[illegible]	[illegible] 0	256.55	112	8.[illegible]	70					T.B.		
		1155							5						
		10	152	15 0	251.00	149	7.[illegible]	63					B.D. - 8 wide		
		1199							6						
		10	149	14 0	246.25	142	6.3[illegible]	67					T.B.		
		1122							7						
		10	122	14 0	262.15	120	7.2[illegible]	67					B.D. 6 wide		
		1015							8						
		9	115	13 0	282.25	114	6.11	72					B.D. 3 "		
		1003							9						
		9	103	13 0	282.10	102	[illegible]	75					T.B.		
		1023							10						
		9	123	10 0	285.05	122	4.[illegible]	77					"		
		497							11						
		4	97	4 0	319.35	97	[illegible]	97					T.F.		
		202							12						
		1	102	10	357.00	102	+ 0.9[illegible]	98					[illegible]		
		107							13						
		1	107	10	5.00	107	0.3[illegible]	97					B.C.		
		207							14						
		1	107	10	7.10	107	+ 2.3	5301					T.C.		
		329							15						
		2	124	20	9.15	124	+ 3.0	026					T.S.		
		329							16						
		2	124	20	6.25	124	+ 3.0	026					6" T.		
		940							17						
		8	140	14 0	29.25	134	+ 12.0	123					S.H.		
		1101							18						
		10	101	14 0	305.35	101	0.3	5282					T.B.		
		1112							19						
		10	113	19 0	305.55	113	0.30	77					B.D.		
		1132							20						
		10	132	12 6	305.50	132	0.0	851					T.B.		
		800							21						
		6	200	12 0	11.45	196	+ 8.2	5315					S.H.		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Lath Fence ..... V.Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draw V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

F.B. 972 Pg. 230

Topography Description Legend: Side Hill ..... S.H. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope ..... T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P. 90D	P.1. 89C	1129 / 10	129	115	318.50	129	− 0.0	5286.2	1		5297.7		T.B.		
		1120 / 10	120	154	319.15	120	− 0.0	82.3	2				B.D.		
		1205 / 11	105	112	319.20	105	− 0.0	86.5	3				T.B.		
		255 / 1	155	20	2.35	154	+ 3.20	5304.8	4				T.S.		
		252 / 1	152	20	359.47	151	+ 3.18	04.6	5				T.C.		
		250 / 1	150	20	357.55	150	+ 1.50	00.5	6				B.C.		
		246 / 1	146	20	352.30	146	+ 1.58	00.8	7				[illegible]		
		545 / 4	145	50	346.05	145	+ 3.03	00.5	8				T.F.		
		1155 / 10	155	150	331.25	154	+ 3.19	5291.8	9				T.B.		
		1155 / 10	155	170	33[illegible].35	155	+ 3.12	89.4	10				B.D.		
		1140 / 10	140	110	343.00	139	+ 3.45	96.0	11				B.F. + T.B.		
		1129 / 10	129	140	3[illegible].40	129	+ 3.15	91.1	12				T.B.		
		803 / 7	103	70	3[illegible].45	103	+ 3.11	96.4	13				B.F.		
		654 / 6	54	61	341.50	54	− 0.0	91.6	14				"		
		964 / 9	64	96	320.00	64	− 0.0	88.1	15				S.I.		
		1173 / 11	73	140	300.00	73	− 0.0	83.7	16				T.S.I. Po.		
		1128 / 9	228	150	1.25	224	+ 7.49	5314.7	17				S.H.		
		1166 / 11	66	110	271.50	65	− 5.55	5279.8	18				S.H.		
		1022 / 10	22	100	305.35	22	− 0.0	87.7	19				B.F.		
		1095 / 8	245	90	354.35	243	+ 4.56	5309.8	20				T.B.		
		466 / 2	266	30	352.15	265	+ 3.11	09.6	21				B.D.		

Add'n'l Inform.

Notes Red. [illegible] Platted RLW Job No. 8334 Division No. [illegible] F.B. 922 PG. 231
Date [illegible] Date 9-10-42 Survey of [illegible]
Notes Chkd. Checked Survey by Rosecrans Notes [illegible] Date 7-1-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
P. 700	P. 89c	877 / 6	277	7.0	340.35	275	+ 4.[illegible]	5312.8	1		5297.7		T.B
		872 / 7	172	7.0	328.20	172	+ 2.37	5298.7	2				S.H.
		657 / 5	157	6.0	315.05	157	+ 1.07	94.7	3				"
		842 / 7	142	8.0	305.20	142	− 0.[illegible]	88.4	4				"
		964 / 8	154	7.0	294.10	154	− [illegible]	85.0	5				"
		1075 / 9	175	7.1	284.45	175	− 0.0	88.6	6				"
		806 / 6	06	9.0	276.30	206	+ [illegible]	88.9	7				"
		1083 / 9	183	9.9	271.35	183	− 0.0	87.8	8				"
		1129 / 9	229	10.0	282.00	229	+ [illegible]	97.8	9				Brk
		1132 / 9	232	10.0	293.05	232	+ 2.07	96.3	10				"
		1131 / 9	231	11.0	302.15	230	+ 2.3[illegible]	97.3	11				Sl.
		1104 / 9	204	10.0	300.25	204	+ 1.5[illegible]	94.3	12				Brk
		1104 / 9	204	12.0	309.10	203	+ 3.0[illegible]	96.8	13				" Tel. Po
		579 / 4	179	7.0	322.05	179	+ 2.0[illegible]	5300.3	14				Brk
		1006 / 8	206	9.0	322.10	205	+ 3.[illegible]	01.5	15				" Sl.
									16				
P.I. 89c	P.I. 90c							5307.6	17 9.2		5311.8		
		1009 / 10	09	6.3	43.25	09	− 0.0	05.5	18				5" Pi.
		961 / 9	61	9.0	84.15	61	− 0.0	02.8	19				W. end 12" Conc. Ret. wall
		870 / 8	70	8.0	91.20	70	− 0.0	03.8	20				4 Pt " " "
		686 / 6	86	6.3	96.45	86	− 0.0	05.5	21				E end " " " "

Add'n'l Inform.

F.B. 922 PG. 232

Topography Description Legend:
Side Hill....S.H. | Bottom Draw B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 89c.	P.I. 90c	945 / 9	45	9.0	90.00	45	0.0	5302.8	1		5311.8		℄ 20		Rd
		834 / 8	34	8.9	101.45	34	0.0	02.9	2				end cut		
		625 / 6	25	6.2	130.45	25	0.0	05.6	3				T.S.		
		637 / 6	37	6.5	130.10	37	0.0	05.3	4				T.B		
		1060 / 10	60	10.8	116.00	60	0.0	01.0	5				S end 16" iron Cul.		
		1071 / 10	71	10.0	90.00	71	3.18	5297.8	6				N end 16" iron Cul.		
		782 / 7	82	7.0	84.45	82	1.55	5302.0	7				T.B.		
		"	82	"	87.15	82	"	02.0	8				10" P.		
		381 / 3	81	3.8	132.35	81	0.0	08.0	9				T.B.		
		829 / 7	129	6.7	87.15	129	0.0	05.1	10				S/.		
		1202 / 11	102	11.0	137.00	101	5.13	10.3	11				T.S.		
		426 / 3	126	4.2	102.50	126	0.0	07.6	12				P. Po.		
		1020 / 9	120	9.0	138.00	119	6.00	15.3	13				S.H.		
		552 / 8	52	8.7	96.20	52	0.0	03.1	14				℄ 20		
		333 / 2	133	2.0	129.10	133	1.22	13.2	15				T.S.		
		686 / 6	86	6.6	115.35	86	0.0	05.2	16				W end cut		
		687 / 6	87	6.4	107.52	87	0.0	05.4	17				℄ 20		Rd
		589 / 5	89	5.6	98.05	89	0.0	06.2	18				E end		
		1167 / 10	167	16.0	131.25	164	7.24	17.2	19				S.H.		
		432 / 3	132	3.7	105.25	132	0.0	08.1	20				N E. Rd		
		432 / 3	132	3.8	110.10	132	0.0	08.0	21				℄ 20		

Add'n'l Inform.

Notes Red. [illegible] Platted Geo Nichols Job No. 8334 Division No. F.B. 922 Pg. 233
Date 7-27-42 Date 8-10-42 Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Associated Notes [illegible] Date 7-1-42
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I. 89c	P.I. 90c	528							1						
		4	133	4 3	115 20	133	0 0	5307 5			5311 8		B.C.		
		871							2						
		7	171	8 0	120 15	171	+ 2 0	12 8	3				T.S.		
		375													
		2	175	2 2	114 45	175	0 0	~~34 6~~	4				B.C.		
		375													
		2	175	2 1	110 35	175	0 0								
		275							5				℄ 20 o Rd.		
		1	175	2 9	106 55	175	0 0								
		871							6				N edge Rd.		
		2	171	3 0	116 10	171	+ 1 5	12 7							
		1151							7				T.C.		
		10	151	11 0	92 00	151	+ 1 2	04 5							
		632							8				Wand Fn.		
		5	132	5 0	117 30	132	+ 2 0	11 8							
		1186							9				T.C.		
		10	186	10 8	92 35	186	0 0	01 0							
		305							10				31.		
		2	105	2 0	119 30	105	+ 0 4	11 2							
									11				T.C.		
									12						
P.I. 88	P.I. 89c							5311 1	13	52	5316 3				
		1098													
		10	98	14 0	305 25	95	+ 10 4	20 3	14				S.H.		
		768													
		7	68	7 0	59 50	68	0 0	09 3	15				B.C.		
		664													
		6	64	6 2	10 47	64	0 0	10 1	16				℄ 20 o Rd.		
		664													
		6	64	6 0	10 05	64	0 0	10 3	17				N E. Rd.		
		972													
		9	73	9 7	25 40	73	0 0	06 6	18				Fn. Cor. to N. E. & N.		
		900													
		8	100	11 0	286 00	96	+ 10 5	24 2	19				N. & S. Fn.		
		1207													
		11	107	15 4	52 12	107	0 0	00 9	20				" "		
		701													
		6	101	6 0	263 39	99	+ 7 5	24 3	21				S.H.		
		1159													
		11	59	13 1	78 20	59	0 0	03 2					Tel. Po		

Add'n'l Inform.

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Traveled Rd.Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 234

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Pl. 88	Pl. 59c	631			° '		° '		1						
		5	131	5	228 00	130	+ 5 48	532.48			53.16 3		51		
		1076							2						
		10	76	10	90 30	76	4 17	00.7					"		
		1072							3						
		10	72	10	115 40	71	4 43	00.3							
		926							4				℄ to drive way		
		9	26	9 2	74 45	26	0 0	07.1					" "		
		631							5						
		6	31	5 8	355 05	31	0 0	10.5					" "		
		736							6				℄ 0 0	Pd.	
		7	36	6 7	334 00	36	0 0	09.6					B.C.		
		626							7						
		6	26	6 0	247 40	26	0 0	10.3					"		
		516							8						
		5	16	5 1	225 00	16	0 0	11.2					℄ 0 0	Pd.	
		413							9						
		4	13	4 6	177 30	13	0 0	11.7					N. edge	Pd.	
		719							10						
		7	19	7 1	135 15	19	0 0	08.6					E + W. R.		
		835							11						
		8	35	7 3	158 35	35	0 0	09.0					10" Pi		
		423							12						
		3	123	4 0	215 50	123	+ 2 20	17.6					P.Po + Fo		
		1 54							13						
		1	54	7 0	187 15	54	0 0	09.3					B.F.		
		127							14						
		1	127	1 0	211 00	127	+ 0 36	16.8					T.C.		
		562							15						
		5	62	5 1	216 15	62	0 0	11.2					B.C.		
		175							16						
		1	75	0 4	219 00	75	0 0	15.9					T.C.		
		459							17						
		4	59	4 3	205 25	59	0 0	12.0					℄ 0 0	Fo	
		439							18						
		4	39	4 5	190 00	39	0 0	11.8					W end		
		558							19						
		5	58	8 0	175 45	58	0 0	08.3					Fn.		
		762							20						
		7	62	7 0	226 10	61	+ 5 15	15.2					"		
		145							21						
		1	45	1 4	248 30	45	0 0	14.9					10" Pi		

Add'n'l Inform.

Notes Red. Date 5-1-62 Platted Geo. Nichols Job No. 5334 Division No. F.B. 3212 Pg. 23
Date 5-1-62 Survey of Pier Blossom Hwy
Notes Chkd. Date Checked Date Survey by Lopez & Ramos Notes K Date 7-1-62
Map No. Indexed C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
P.I. 88	P.I. 89 C	238							1				
		2	38	20	236.45	38	0.0	5314.3			5316.3		T.C.
		228							2				
		2	28	24	279.10	28	0.0	13.9					Fn. Cor to E + S
		334							3				
		3	34	33	322.45	34	0.0	13.0					T.C.
		553							4				
		5	53	48	342.25	53	0.0	11.5					" + end Sl.
		1089							5				
		10	89	100	141.35	89	2.00	03.1					Fl.
		627							6				
		5	127	60	167.45	127	3.17	03.0					"
		889							7				
		8	89	51	186.35	89	0.0	08.2					5" Pi + Fn
		592							8				
		5	92	51	193.40	92	0.0	11.2					B.F.
		392							9				
		3	92	34	196.40	92	0.0	12.9					T.F.
		393							10				
		3	93	38	204.45	93	0.0	12.5					± 20
		494							11				
		4	94	45	212.10	94	0.0	11.8					B.C.
									12				
									13				
P.I. 87	P.I. 88							5313.4	5.2		5318.6		
		522							14				
		5	22	55	358.10	22	0.0	13.1					± 20 0 Rd
		523							15				
		5	23	53	31.50	23	0.0	13.3					T.F.
		727							16				
		7	27	70	39.00	27	0.0	11.6					B.F.
		832							17				
		8	32	85	53.40	32	0.0	10.1					Fn.
		614							18				
		6	14	62	287.50	14	0.0	12.4					B.C.
		121							19				
		1	21	16	275.20	21	0.0	17.0					T.C.
		127							20				
		1	27	07	271.35	27	0.0	17.9					Fn.
		1160							21				
		11	60	126	70.05	60	0.0	06.0					Tel. Po

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Inters. of Draws V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 236

Topography Description Legend: Side Hill....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D. Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 87	P.I. 88	889 / 8	89	8.0	76.10	88	5.32	5302.1	1		5318.6		S.I.		
		991 / 9	91	9.0	107.25	90	5.32	00.8	2				"		
		905 / 8	105	9.0	125.45	104	5.17	00.1	3				N. & S. Fn		
		957 / 9	57	9.0	161.50	57	0.0	09.6	4				Fn Gr. [illegible]		
		832 / 8	32	7.8	142.00	32	0.0	10.8	5				6" Pi		
		731 / 7	31	7.3	159.40	31	0.0	11.3	6				B.F.		
		530 / 5	30	5.2	166.50	30	0.0	13.4	7				T.F.		
		529 / 5	29	5.3	196.10	29	0.0	13.3	8				L 20 [illegible]		
		632 / 6	32	5.8	215.00	32	0.0	12.8	9				B.C.		
		684 / 6	84	6.0	269.20	82	+ 9.45	26.8	10				S.I.		
		403 / 3	103	3.0	248.25	101	+ 7.19	28.6	11				"		
		148 / 1	48	0.2	224.15	48	0.0	18.4	12				Fn.		
		152 / 1	52	1.1	213.45	52	0.0	17.5	13				T.C.		
		668 / 6	68	5.9	202.30	68	0.0	12.7	14				B.C.		
		375 / 3	75	1.7	208.30	75	0.0	16.9	15				7" Pi		
		566 / 5	66	5.4	194.10	66	0.0	13.2	16				L 20 [illegible]		
		567 / 5	67	5.5	183.10	67	0.0	13.1	17				T.F.		
		768 / 7	68	7.2	178.25	68	0.0	11.4	18				B.F.		
		881 / 8	81	7.9	174.40	81	0.0	10.7	19				8" [illegible] Fn.		
		1073 / 10	73	11.2	159.05	73	0.0	07.4	20				S.W. Cor [illegible] hard 5" trees [illegible] part		
		1006 / 9	106	10.0	133.15	105	4.30	00.4	21				W. edge on hard		

Add'n'l Inform.

Notes Red. [illegible] Platted [illegible] Job No. 8334 Division No. F.B. 922 PG. 237
Date [illegible] Date [illegible] Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes R. Date 7-1-42
Date Date Map No. Indexed [illegible] C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ − Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.I. 87	P.I. 88	1048							1						
		9	148	14°	151° 55'	148	− 1° 45'	5300.1			5318.6		Fl. + orchard		
		564							2				6x6 well		
		4	164	7°	143° 12'	163	− 4° 15'	5299.5					N.W. Cor		
		1060							3						
		9	160	9°	175° 45'	159	− 3° 47'	90.1					S.W. "		
		815							4						
		7	115	8°	169° 20'	115	+ 2° 27'	5305.7							
		924							5				S edge orchard		
		8	124	9 2	181° 20'	124	0° 00'	09.4							
									6				Fn. + 12" Pi		
		"	124	"	185° 15'	124	"	09.4							
		623							7				B.F.		
		5	123	35	188° 50'	123	0° 00'	13.1							
		623							8				T.F.		
		5	123	54	193° 35'	123	0° 00'	13.2							
		625							9						
		5	125	54	199° 35'	125	0° 00'	13.2					℄ 20 0 Rd		
									10				B.C.		
		"	125	"	201° 25'	125	"	13.2							
		723							11				5" Pi		
		6	123	6 0	204° 45'	123	+ 1° 29'	15.9							
		1034							12				Fn.		
		9	134	9 3	193° 30'	134	0° 00'	09.3							
		1088							13				P.Po.		
		9	188	10°	160° 15'	188	− 2° 27'	00.6							
		1135							14				Fl. in orchard		
		9	235	11°	153° 25'	235	− 0° 51'	03.6							
									15				" "		
									16						
P.I. 86	P.I. 87							5314.2	5.2		5319.4				
									17						
		1002													
		9	103	9°	397° 15'	101	+ 7° 48'	24.4					Sl.		
		781							18						
		7	81	7°	282° 30'	79	+ 7° 20'	25.4					"		
		514							19						
		5	14	37	5° 40'	14	0° 00'	13.7					℄ 20 0 Rd.		
		228							20						
		2	28	21	298° 50'	28	0° 00'	17.0					Fn.		
		531							21						
		5	31	55	329° 10'	31	0° 00'	13.9					T.C. + E. Rd		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences V. Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ..... Cul.

Sa. ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E. Rd.

Saddle ..... Saddle Swale ..... Flat ..... Stream ..... Trail ..... Pavement ..... Edge of Road

Side of Canyon S.Cn. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Side of Canyon ..... Top of Bank ..... Bottom of Bank ..... Top of Cut ..... Bottom of Cut ..... Top of Fill ..... Bottom of Fill

Intersection of Draw V.D's Break in Slope B.S.S. Steep Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Cn.

Intersection of Draw ..... Break in Slope ..... Steep Slope ..... Top of Cliff ..... Bottom of Cliff ..... Top of Spur ..... Bottom Canyon

F.B. 912 PG. 238

Topography Description Legend: Side Hill S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.	122			° '		° '								
86	87		22	12	274.20	22	00	5318.2	1		5319.4		4" P.		
		416													
		4	16	42	213.20	16	00	14.7	2				B.C.		
		119													
		1	19	12	223.35	19	00	18.2	3				T.C.		
		620													
		6	20	62	34.10	20	00	13.2	4				TF		
		926													
		9	26	95	50.50	26	00	09.9	5				BF		
		"	26	"	71.50	26	00	09.9	6				10" P.		
		1048													
		10	42	103	32.40	42	00	08.8	7				2" P.		
		184													
		1	84	10	225.55	81	+ 9.57	32.7	8				S.I.		
		764													
		7	64	70	52.20	63	7.22	04.3	9				S. edge of bmc		
		721													
		6	21	60	97.25	118	+ 8.53	32.0	10				S.I.		
		957													
		9	57	110	97.00	57	1.42	06.7	11				S. edge of bmc		
		829													
		8	34	82	109.10	34	00	11.1	12				5" chiseled	Ex.	
		836													
		8	36	78	123.55	36	00	11.6	13				1" cedar	B.I.	
		532													
		5	32	49	134.45	32	00	14.5	14				TF		
		429													
		4	29	46	156.00	29	00	14.8	15				℄ 20	0	Rt
		178													
		1	78	10	172.45	78	+ 1.00	19.8	16				T.C.		
		377													
		3	77	34	169.30	77	00	16.0	17				B.C.		
		153													
		1	53	00	182.45	53	00	19.4	18				7" P.		
		352													
		3	53	57	122.50	53	00	13.7	19				10" P.	Ex.	
		295													
		2	95	28	154.30	95	00	16.6	20				℄ 20	0	Rt
		318													
		2	118	23	160.55	118	00	17.1	21				B.C.		

Add'n'l Inform.

Notes Red. LG Platted RLM. Job No. 5334 Division No. F.B. 982 PG. 35
Date Date 8-10-52 Survey of Fan Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes K Date 7-1-
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. 86	P.I. 87	219			° '				1						
		1	119	1 0	164 00	119	+ 1 2	5321 3			5319 4		T.C.		
		210							2						
		1	110	1 0	167 10	110	+ 1	21 1					6" Pi + Fn.		
		299							3						
		2	99	2 0	146 40	99	0	16 4					T.F.		
		502							4						
		4	103	4 2	144 25	103	0	15 0					B.P.		
									5						
		"	103	"	141 10	103	"	15 0					10" P.		
									6						
		402											Head row		
		3	125	3 0	170 40	124	+ 3 31	24 2	7				5" Pines 10' apart		
		340													
		2	140	3 0	173 10	139	+ 4 05	26 4	8				Mend row 5" pines 10' apart		
		317													
		2	147	3 0	176 45	146	+ 4 4	27 6	9				S.H.		
		193													
		1	93	1 0	184 20	92	1 2	11 3	10				S.E. Cor. Orchard		
		592													
		4	193	5 0	176 10	191	+ 5 9	33 8	11				S.H.		
		1134													
		10	134	10 0	108 30	134	1 3	05 8	12				E. edge orchard		
		1143													
		10	143	15 0	114 15	143	+ 1 30	08 5	13				Tel. Po		
		1166													
		9	266	10 0	162 35	264	+ 5 23	34 4	14				H. w. H. row Pines		
		658													
		5	158	6 0	160 00	157	+ 3 3	27 2	15				Fn.		
		259													
		1	154	2 0	151 55	154	+ 1 3	27 4	16				T.C.		
		262													
		1	163	2 0	"	163	"	27 8	17				10" Pi.		
		266													
		1	156	2 0	155 45	156	+ 0 3	19 2	18				B.C.		
		1068													
		9	168	8 8	123 42	168	0 0	10 6	19				8" Pi.		
		557													
		4	157	0 7	145 00	157	0 0	18 2	20				E. end of fill		
		"	157	"	142 00	157	"	18 7	21				8" Pi. + Fn.		
		259													
		1	159	0 2	149 55	159	0 0	19 0					℄ 20 0. Rd.		

Add'n'l Inform.

F.B. 322 Pg 240

Topography Description Legend: Side Hill ....S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope T.S.

Inters. of Drawt. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank B.B. Top of Cut....T.C. Bottom of Cut..B.C. Top of Fill....T.F. Bottom of Fill B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P.I.	P.I.	356			° '		° '						#		
86	87	1	256	2 0	149 40	256	+ 0 48	53210		+ 16	53194	+ 36	P 86A. Jet.		
					° '		° '								
P	P.I.				° '		° '								
86A	86				° '		° '	53210	50		53260				
		1155			° '		° '								
		9	255	11 8	0 0	255	0 0	142		118			P.I. #86		
		646		5 8	7 49	46	0 0	202					E 20		
		6													
		650	50	5 9	20 00	50	0 0	201					W end		
		6													
		859	54	8 2	35 10	54	0 0	178					Fn		
		8													
		340	40	3 3	314 30	40	0 0	227					P Po.		
		3													
		977		9 6	35 10	77	0 0	164					10" C		
		9													
		332	32	5 6	11 10	32	0 0	204					B.C.		
		5													
		332	32	3 2	341 10	32	0 0	226					T.C.		
		3													
		236	36	1 1	325 00	36	0 0	249					Fn.		
		2													
		143	43	1 3	332 15	43	0 0	247					8" P.		
		1													
		550	50	5 0	316 40	49	+ 7 20	273					E end		
		5											5"		
		677	77	6 0	319 15	76	+ 7 12	296					E end		
		6											5"		
		800	100	7 0	306 10	98	+ 8 23	334					S.H.		
		7													
		392	92	3 0	40 00	91	− 5 30	142					8" P.		
		3													
		"	91	"	45 20	91	"	142					8" P.		
		412													
		3	112	3 0	43 30	111	"	123					10" P.		
		170													
		1	70	1 0	258 00	69	+ 7 55	345					S.H.		
		1195													
		11	95	12 0	49 00	95	− 0 34	131					1" hydrant		

Add'n'l Inform.

Notes Red. 1-25-42 Date Platted R.L.M. Date 9-10-42 Job No. 8334 Division No. F.B. 222 Pg. 241
Notes Chkd. Date Checked Date Survey of Year Blossom Hwy
Survey by Fessenden Notes K. Date
Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P	P.1	215			1				1				S.E. Cor. wooden		
86A	86	1	1.5	2 0	50 15	114	− 6 00	531 2 0			5326 0		cabin		
		331							2				N.E. Cor.		
		2	13.1	3 0	50 15	130	5 50	09 5					21 N+S 23 E+W.		
		221							3						
		2	21	2 0	251 20	21	+ 6 32	26 5					Fn.		
		221							4						
		2	21	0 5	233 00	21	0 0	25 5					8" P.		
		210							5						
		2	10	1 9	210 50	10	0 0	24 1					T.C.		
		512							6						
		5	12	4 6	189 40	12	0 0	21 4					B.C.		
		265							7						
		2	65	2 3	183 30	65	0 0	23 2					"		
		567							8						
		5	67	5 0	189 00	66	+ 6 13	28 3					T.C.		
		669							9						
		6	68	6 0	199 25	68	+ 7 40	29 1					8" P.		
		263							10						
		2	63	2 0	204 45	62	+ 5 28	30 2					Fn.		
		183							11						
		1	83	4 0	214 00	81	+ 7 54	33 3					S.H.		
		300							12						
		2	130	3 0	58 45	99	6 13	12 2					12" Ctnwd.		
		288							13						
		2	58	2 0	66 15	86	7 26	12 7					6" "		
		292							14						
		2	29	2 0	75 15	28	7 18	20 2					8" P.		
		783							15						
		7	83	7 0	85 45	83	2 4	13 6					6" "		
		944							16						
		9	44	9 2	66 10	44	0 0	16 8					8" Ctnwd		
		837							17						
		8	39	8 1	66 00	39	0 0	17 9					4 P.P. Fn.		
		956							18						
		9	56	9 3	40 50	56	0 0	16 7					10" Ctnwd.		
		730							19						
		7	30	7 2	54 10	30	0 0	18 8					B.F.		
		524							20						
		5	24	4 8	48 50	24	0 0	21 2					T.F.		
		517							21						
		5	17	5 9	31 10	17	0 0	21 0					℄ 20 o. Rd.		

Add'n'l Inform.

F.B. 122 PG. 2-42

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws..V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd.Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P86	P.I.	739			° '		° '		1						
A	86	6	139	70	213 25	137	+ 7.58	5338 2			5326 0		S.H.		
		240							2						
		2	40	26	167.35	40	0.0	234					℄ 20 0	Pa	
		245							3						
		2	45	17	153.45	45	0.0	243					T.F.		
		796							4						
		4	4	39	195.00	46	0.0	221					B.F.		
		545							5						
		5	45	55	224.20	45	0.0	205					4 Pl. F.		
		742							6						
		7	42	72	197.45	43	0.0	188					Tel. Po		
		851							7						
		8	51	76	199.10	51	0.0	184					guy wire		
		961							8						
		9	61	88	198.45	61	0.0	172					13" cedar		
		981							9						
		9	81	90	110.30	81	1.11	151					6" Alder		
		1208							10						
		11	205	114	130.35	108	0.0	146					SI.		
		372							11						
		3	73	38	157.55	73	0.0	222					Fn + 6		
		267							12						
		2	67	30	160.45	67	0.0	230					B.F.		
		167							13						
		1	67	08	166.00	67	0.0	252					T.F.		
		165							14						
		1	65	14	175.40	65	0.0	246					℄ 20 0	Pa	
									15						
									16						
P1.	P1				° '		° '								
86	84							5327 2	52		5332 4				
					° '		° '		17						
		625													
		6	25	59	168.15	25	0.0	265					℄ 20 0		
		527							18						
		5	27	55	195.20	27	0.0	269					T.F.		
		728							19						
		7	28	70	202.40	28	0.0	254					B.F.		
		831							20						
		8	31	82	210.05	31	0.0	242					4" P. Fence	Fn.	
		610							21						
		6	10	60	87.30	10	0.0	264					BC		

Add'n'l Inform.

Notes Red. 1/5 Platted G.H.N. Date 7-28-42 Date 8-11-42 Job No. 8334 Division No. F.B. 722 PG. 243
Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Horizon Notes R. H. Johnson Date 7-11-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ....Fn. Int. Fences. V.Fns. Ditch ....Di. Telephone Pole T.P. Power Pole ...P.P. Culvert ....Cul.

Sa. ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Saddle

Side of Canyon S.Cn. Top of Bank ..T.B. Bottom of Bank B.B. Top of Cut ...T.C. Bottom of Cut ..B.C. Top of Fill ....T.F. Bottom of Fill B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff ....T.Cl. Bottom of Cliff ..B.Cl. Top of Spur ...T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 244

Topography Description Legend: Side Hill ....S.H. Side of Draw S.D. Side of Ridge S.R. Head of Draw H.D. Bottom Draw B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope..T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.I. 85	P.I. 84	716							1						
		7	16	2.5	88.03	16	0.0	532.9			532.4		T.C.		
		132							2						
		1	32	1.0	85.15	32	+1.31	32.6					Fn		
		499							3						
		9	99	4.0	86.45	99	+8.56	40.8					Sl.		
		400							4						
		3	100	3.0	65.55	98	+8.50	44.7					S.H.		
		621							5						
		5	121	5.0	40.30	119	+8.30	42.2					"		
		1184							6						
		11	84	1.0	225.20	84	3.20	16.9					Sl.		
		1071							7						
		10	71	10.0	261.45	70	5.25	15.9					"		
		718							8						
		7	18	7.2	293.20	18	0.0	24.2					B.F		
		114							9						
		1	14	1.5	306.15	14	0.0	27.9					T.F		
		514							10						
		5	14	1.9	356.20	14	0.0	27.5					℄ 20 o Rd		
		240							11						
		2	40	2.0	43.00	40	[illegible]	33.5					Fn		
									12						
		11	40	1.1	34.30	40	1.0	33.5					4" P.		
		4.25							13						
		4	45	4.0	28.35	45	+5.27	32.9					P. Po		
		313							14						
		3	43	3.0	18.10	43	+2.35	31.4					T.C.		
		313							15						
		8	43	8.0	9.25	43	+4.05	27.6					B.C.		
		462							16						
		4	62	7.1	356.45	62	0.0	28.3					℄ 20 o Rd.		
		465							17						
		4	65	3.8	341.20	65	0.0	28.6					T.F.		
		265							18						
		6	65	6.0	341.00	65	0.0	26.4					B.F		
		751							19						
		7	51	6.5	334.20	51	0.0	25.6					Tel. Po.		
		555							20						
		8	55	7.8	294.40	55	0.0	24.6					guy wire		
		1.96							21						
		4	96	1.2	340	96	0.0	28.2					B.C.		

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.1 85	P.1. 84	596 / 5	96	50	7.00	96	+ 3.46	53339	1		53324		T.C.		
		699 / 6	99	60	14.20	98	+ 4.34	343	2				Fn		
		1191 / 11	[illegible]	141	306.50	91	— 0.0	177	3				Sl.		
		1132 / 10	132	170	318.05	132	— 0.0	154	4				Sl.		
		1152 / 10	152	100	29.25	148	+ 8.39	452	5				Brk		
		1096 / 10	96	102	332.05	96	— 0.0	222	6				W end	1 in.	
		807 / 7	107	69	[illegible]	107	— 0.0	255	7				B.F.		
		408 / 3	108	35	349.25	108	— 0.0	289	8				T.F.		
		402 / 3	102	35	358.15	102	— 0.0	289	9				℄ 20' 0		
		[illegible] / [illegible]	151	30	[illegible]	151	— 0.0	294	10				℄ " "		
		352 / 2	152	26	354.45	152	— 0.0	298	11				T.F		
		752 / 6	152	65	351.15	152	— 0.0	259	12				B.F		
		[illegible] / 10	157	64	341.20	157	— 0.0	220	13				Fn.		
		788 / 7	88	75	340.35	88	— 0.0	249	14				3" P.		
		[illegible] / 5	37	80	320.30	37	— 0.0	244	15				"		
		395 / 2	195	22	356.12	195	— 0.0	53302	16	22			P 85A Set 1x2		
									17						
P 85A	P.1. 85							53302	18 49		53351				
		895 / 7	195	78	00	195	— 0.0	273	19	78			P.1. 85		
		522 / 5	22	48	287.40	22	— 0.0	303	20				E end cut		
		623 / 6	23	59	261.50	23	— 0.0	292	21				S end 12' [illegible] iron. [illegible] line		

Add'n'l Inform.

Notes Red. [illegible] Platted [illegible] Job No. 8334 Division No. F.B. 922 Pg. 245
Date [illegible] Date [illegible] Survey of Rear Blossom Hwy.
Notes Chkd. Checked Survey by Fosecrans Notes K Date [illegible]
Date Date Map No. Indexed A. C. Johns Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
P SSA	P.1. 85	713 / 7	13	7 7	11.30	13	0	5327 4	1		5335 1		N end 12" Corr iron Col. Fl. line
		1187 / 11	87	15 0	64.20	86	4.13	13 8	2				Sl.
		1178 / 11	73	11 0	88.40	76	8.[illegible]	13 4	3				"
		[illegible] / 11	30	[illegible]	88.50	30	5.[illegible]	21 1	4				" & Fn.
		873 / 8	73	12 0	298.00	70	+10.45	36 6	5				Sw.
		1017 / 10	17	9 8	56.50	17	0	25 3	6				8" Pl
		922 / 9	22	9 2	28.30	22	0.0	25 9	7				B.F.
		422 / 4	22	4 7	4.00	22	0	30 4	8				T.F.
		[illegible] / 7	23	5 1	331.25	23	0.0	30 0	9				℄ 20 0. Rd.
		1125 / 10	125	11 0	309.50	120	+11.0	47 8	10				W [illegible] Sw
		434 / 4	34	3 5	199.25	34	0.0	31 6	11				℄ 20 0 Rd
		331 / 3	31	3 4	181.10	31	0.0	31 7	12				T.F.
		241 / 0	41	9 6	161.04	41	0.0	25 5	13				S.F. [illegible] wire
		222 / 11	22	3 0	[illegible]	22	0.0	22 1	14				S.F.
		[illegible] / 10	118	[illegible]	[illegible]	113	+11.[illegible]	43 8	15				Sw.
		715 / 6	115	10 0	274.30	109	+12.[illegible]	49 4	16				S.H.
		1025 / 9	125	13 0	259.00	116	+13.[illegible]	53 9	17				"
		1050 / 9	150	13 0	244.15	138	+16.[illegible]	62 2	18				"
		952 / 8	152	13 0	231.00	141	+15.[illegible]	61 5	19				"
		1183 / 10	183	14 0	221.10	171	+14.5[illegible]	66 8	20				"
		1110 / 9	210	15 0	210.00	199	+13.[illegible]	67 2	21				"

Add'n'l Inform.

F.B. 922 PG. 246

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore ....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 85A	P.1. 85	1140 / 9	240	16.0	204.25	229	+12.21	5369.3	1		5335.1		S.H.		
		1120 / 9	220	14.0	194.20	214	+9.34	57.2	2				"		
		872 / 7	172	12.0	194.05	165	+9.15	50.3	3				"		
		846 / 7	146	11.0	207.15	140	+11.37	52.9	4				"		
		1004 / 9	104	7.0	213.30	99	+12.45	48.5	5				guy wire		
		1097 / 10	97	10.0	237.45	90	+15.13	49.7	6				E. Bk. [illegible]		
		1137 / 11	37	11.0	132.00	36	-8.00	19.1	7				∡ Pt. [illegible]		
		950 / 7	50	9.0	140.00	49	-5.19	19.0	8				Tel Po		
		430 / 4	30	3.8	238.10	30	-0.0	31.3	9				W end [illegible]		
		1165 / 11	65	11.2	138.30	64	-6.54	16.4	10				E. [illegible]		
		1094 / 10	94	10.0	133.50	91	-10.15	08.8	11				Sl.		
		138 / 1	38	1.5	238.10	38	-0.0	33.6	12				E end [illegible]		
		177 / 1	77	1.6	190.00	77	-0.0	33.5	13				B.C.		
		181 / 1	81	1.0	201.00	80	+4.23	40.4	14				T.C.		
		391 / 3	91	3.0	205.00	90	+6.55	43.1	15				P. Po.		
		224 / 1	124	1.0	190.00	123	+3.4[illegible]	42.3	16				T.C.		
		221 / 1	121	1.0	186.10	121	+0.39	35.1	17				B.C.		
		270 / 1	170	1.0	180.45	170	+1.15	37.8	18				"		
		1109 / 10	109	15.4	150.30	109	-0.0	19.7	19				Sl.		
		283 / 1	183	2.0	182.00	182	+3.18	48.7	20				T.C.		
		796 / 7	96	6.6	167.35	96	-0.0	28.5	21				6" Pl.	∡	F.

Add'n'l Inform.

Notes Red. [illegible] Platted [illegible] Job No. 8334 Division No. F.B. 922 PG. 247
Date [illegible] Date [illegible] Survey of Pear Blossom Hwy
Notes Chkd. Checked Survey by Rosecrans Notes [illegible] Date 7-1-4[illegible]
Date Date Map No. Indexed A. C. Job Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
P 85A	P.1 85	197 / 1	97	0.0	176.40	97	0.0	5335.1	1		5335.1		[illegible]
		199 / 1	99	0.2	182.50	99	0.0	34.9	2				℄ 20 0 Rd.
		252 / 1	152	1.0	178.15	152	+1.20	37.8	3				
		351 / 2	151	3.0	174.10	151	+2.[illegible]	38.2	4				[illegible]
		1046 / 9	155	10.0	171.20	154	+3.[illegible]	33.9	5				B.F.
		953 / 8	153	13.0	156.45	153	0.0	22.1	6				Sl.
		1197 / 10	197	15.2	155.35	197	0.0	19.8	7				
		1111 / 9	211	15.0	160.45	211	+2.37	29.8	8				Tel. Po.
		1201 / 10	201	11.0	169.50	201	+3.19	35.8	9				B.F.
		804 / 6	204	7.0	172.00	203	+3.[illegible]	40.7	10				T.F.
		302 / 1	202	2.0	175.20	202	+1.5[illegible]	39.8	11				℄ 20 0 Rd.
P.1 83	P.1 82							5339.2	12	5L	5344.3		
		221 / 1	121	0.8	349.46	121		43.5	13				P. 83A. 1x2
P 83A	P.1 83							5343.5	14	7.0	5347.5		
		920 / 8	120	8.3	0.0	120	0.0	39.2	15	8.3			P.1 83
		771 / 7	71	6.9	349.40	71	0.0	40.6	16				B.C.
		667 / 6	67	6.6	359.30	67	0.0	40.9	17				℄ 20 0 Rd
		666 / 6	66	5.9	8.05	66	0.0	41.6	18				T.F.
		966 / 9	66	7.0	13.50	66	0.0	38.5	19				B.F.

Add'n'l Inform.

F.B. 922 Pg 248

Topography Description Legend:
Side Hill....S.H. | Bottom Draw.B.D.
Side of Draw.S.D. | Bottom Wash B.W.
Side of Ridge.S.R. | Top of Ridge.T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P 83A	P.I. 83	174 / 1	74	14	343.40	74	− .00	5346.1	1		5347.5		T.C.		
		166 / 1	66	06	333.10	66	− .00	469	2				P.P.		
		1178 / 11	78	15.0	42.50	78	− 4.00	270	3				SI.		
		1013 / 9	113	10.0	321.10	110	+ 9.41	563	4				"		
		1155 / 11	55	15.0	75.00	54	− 5.45	269	5				"		
		1147 / 10	147	10.0	315.25	142	+ 11.06	652	6				"		
		1016 / 10	16	10.3	45.00	16	− .00	372	7				B.F.		
		417 / 4	17	1.2	3.40	17	− .00	433	8				T.F.		
		528 / 5	22	2.3	329.35	22	− .00	422	9				4 2 0 0		8
		540 / 5	40	5.0	216.50	40	− .00	425	10				"		
		437 / 4	37	4.1	195.05	37	− .00	431	11				T.F.		
		838 / 8	38	8.2	181.40	38	− .00	393	12				B.F.		
		[illegible] / 5	152	10.0	288.05	145	+ 12.05	686	13				T.B.		
		1053 / 9	153	14.0	284.30	146	+ 12.18	654	14				B.D.		
		1045 / 9	145	14.2	280.20	136	+ 13.52	672	15				T.B.		
		1113 / 10	113	10.0	292.00	108	+ 12.12	609	16				T.B.		
		1118 / 10	118	14.0	287.10	112	+ 12.18	591	17				B.D.		
		1120 / 10	120	14.0	281.50	112	+ 14.21	624	18				T.B.		
		233 / 2	33	2.6	304.00	33	− .00	449	19				B.D.	+	T.C.
		629 / 6	29	5.7	307.00	29	− .00	418	20				B.C.		
		638 / 6	38	6.0	286.40	37	+ 10.10	483	21				T.C.		

Add'n'l Inform.

Notes Red. [illegible] Platted [illegible] Job No. 8337 Division No. [illegible] F.B. [illegible] PG. 249
Date [illegible] Date [illegible] Survey of [illegible]
Notes Chkd. [illegible] Checked [illegible] Survey by Rosecrans Notes [illegible] Date 7-1-42
Date [illegible] Date [illegible] Map No. [illegible] Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P 82A	P.1 83	646 / 6	46	6.0	320.15	45	+ 7.[illegible]	5347.2	1		5347.5		T.C
		1163 / 11	63	15.0	138.45	63	1.[illegible]	30.8	2				S.I.
		555 / 5	55	5.1	326.10	55	0.0	42.4	3				B.C
		158 / 1	58	1.0	232.15	58	+ 1.17	47.8	4				T.C.
		1184 / 11	84	15.0	131.15	84	0.0	33.5	5				S.I.
		871 / 8	71	8.3	187.20	71	0.0	39.2	6				B.F.
		778 / 7	78	8.7	186.20	78	0.0	38.6	7				
		176 / 4	76	4.0	193.45	76	0.0	43.5	8				Guy wire
		477 / 4	77	4.6	208.55	77	0.0	42.9	9				Tel. Po + T.F.
		1216 / 11	116	12.0	260.20	110	+ 12.[illegible]	60.5	10				℄ 20 0 Rd.
		1146 / 10	146	16.0	263.10	137	+ 13.5[illegible]	65.5	11				S.H.
		1176 / 10	176	17.0	250.30	168	+ 12.1[illegible]	66.8	12				"
									13				"
P.1 82	P.1 83								14				
								5343.9	15	5.0	5349.1		
		1207 / 11	107	16.0	285.15	99	+ 15.4[illegible]	61.0	16				S.H.
		614 / 6	14	5.8	283.50	14	0.0	43.3	17				℄ 20 0 Rd.
		405 / 4	05	4.5	85.30	05	0.0	44.6	18				T.F.
		812 / 8	12	8.2	99.15	12	0.0	40.9	19				B.F.
		1173 / 11	73	11.0	275.40	69	+ 13.51	55.3	20				S.H.
		1170 / 11	70	11.0	75.00	70	3.[illegible]	34.1	21				T.S
		1088 / 10	88	11.0	82.00	88	3.0	33.5					"

Add'n'l Inform.

F.B 922 PG 250

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 82	P.I. 53	232			° '		° '		1						
		2	32	20	289 45	32	+ 3 21	5349.0			5349.1		T.C.		
		625							2						
		6	25	59	285 30	25	0 0	43.2					B.C.		
		1157							3						
		11	57	130	104 30	57	0 0	36.1					T.S.		
		980							4						
		9	80	95	109 30	80	0 0	[illegible]					S.I.		
		687							5						
		6	87	62	141 00	87	0 0	42.2					"		
		566							6						
		5	66	53	166 20	66	0 0	40.8					T.S.		
		655							7						
		6	55	62	185 30	55	0 0	43.1					B.F.		
		541							8						
		5	54	32	192 50	54	0 0	45.6					T.F.		
		556							9						
		5	56	42	241 20	56	0 0	44.2					℄ 20	9	18
		659							10						
		5	59	53	220 50	59	0 0	43.8					B.C.		
		166							11						
		1	66	00	225 50	66	0 0	49.1					T.C.		
		407							12						
		3	107	37	206 20	107	0 0	45.4					℄	9	18
		406							13						
		3	106	27	198 05	106	0 0	46.2					T.F.		
		706							14						
		6	106	61	191 00	106	0 0	43.0					B.F.		
		810							15						
		7	110	72	181 40	110	0 0	41.9					T.S.		
		620							16						
		5	120	29	166 20	120	0 0	46.2					S.H.		
		763							17						
		6	163	22	174 40	163	0 0	46.9					"		
		857							18						
		7	157	73	184 50	157	0 0	41.8					T.S.		
		841							19						
		7	141	73	187 15	141	0 0	41.8					T.S.	Po	
		1051							20						
		9	151	100	196 20	151	+ 1 28	43.1					B.F.		
		450							21						
		3	150	18	199 25	150	0 0	47.3					T.F.		

Add'n'l Inform.

Notes Red. J.G. Platted P.L.K. Date 8.11.43 Job No. 8231 Division No. F.B. 7[illegible] PG. 5[illegible]
Date Date Survey of [illegible]
Notes Chkd. Checked Survey by Rosecrans Notes R Date
Date Date Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Pl 82	Pl 83	352 / 2	152	2 2	204.40	152	— 0.0	5346 9	1	—	5349 1	—	℄ 20	0	Rd.
		1205 / 11	105	11 0	251.15	101	+ 10.3	57 0	2	—	—	—	S.H.		
		306 / 1	206	2 0	202.50	206	+ 0.3	48 3	3	— 0 2	—	+ 2 2	℄ 20	0	Rd.
		304 / 1	204	2 0	199.10	204	+ 0.4	49 8	4	—	—	—	T.F.		
		1106 / 9	206	10 0	195.45	206	+ 1.0	42 8	5	—	—	—	B.F.		
		1125 / 10	125	15 0	250.45	120	+ 11.8	59 2	6	+ 10 2	—	+ 25 2	T.S.		
		906 / 7	206	7 6	186.00	206	— 0.0	41 5	7	—	—	—	"		
		413 / 2	213	3 0	175.25	213	+ 1.0	50 2	8	—	—	—	S.H.		
		463 / 2	263	1 6	178.50	263	— 0.0	47 5	9	—	—	—	"		
		456 / 7	256	8 3	184.40	256	— 0.0	40 8	10	—	—	—	T.S.		
		843 / 6	243	7 0	195.30	243	+ 0.0	45 5	11	—	—	—	8" P.	×	B.F.
		345 / 3	245	4 0	198.30	245	+ 1.37	52 0	12	—	—	—	T.F.		
		1050 / 9	154	14 0	229.50	150	+ 9.18	59 0	13	—	—	—	S.I.		
		1137 / 10	137	16 0	227.00	134	+ 8.4	53 5	14	—	—	—	T.S.		
		827 / 7	127	1 8	213.45	127	— 0.0	47 3	15	—	—	—	T.C.		
		527 / 4	127	3 8	211.50	127	— 0.0	45 3	16	—	—	—	B.C.		
		850 / 7	150	8 0	213.20	150	+ 2.57	48 8	17	—	—	—	T.S.	×	T.C.
		281 / 1	181	1 7	208.20	181	— 0.0	47 4	18	—	—	—	B.C.		
		682 / 5	182	6 0	210.20	181	+ 3.12	53 2	19	—	—	—	T.C.		
		406 / 2	206	3 0	210.00	205	+ 3.10	57 2	20	—	—	—	P.Po		
		1220 / 10	220	11 0	223.45	213	+ 10.20	77 2	21	—	—	—	S.H.		

Add'n'l Inform.

F.B. 922 PG. 252

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw.H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
Pl. 82	Pl. 83	307 / 1	207	05	206.50	207	0.0	5348.6	1		5349.1		B.C.		
									2						
Pl. 80	Pl. 81							5358.1	3 53		5363.4				
		743 / 7	43	70	20.20	43	0.0	56.4	4	70			P. #81A	Set	x2"
		1051 / 10	51	100	55.55	41	25.54	33.4	5 1	30.0		20.0	B.F.		
		768 / 7	68	70	49.12	63	15.46	38.5	6				Tel. Po		
		1090 / 10	90	100	54.45	87	10.38	37.1	7				B.D.		
		520 / 4	120	50	55.00	118	6.45	44.4	8				S.H.		
		400 / 3	100	40	67.10	97	9.21	43.4	9				"		
		676 / 6	76	60	69.30	69	17.47	35.3	10				B.D.		
		769 / 7	69	70	274.55	59	+22.38	80.9	11				P. Po		
		1165 / 11	65	140	135.48	60	16.30	31.7	12				B.F.		
		1082 / 10	82	110	134.20	74	17.26	29.1	13				B.D.		
		414 / 3	114	40	130.10	111	9.24	41.0	14				S.H.		
		142 / 1	42	10	305.10	38	+17.09	74.2	15 1				T.C.		
		1048 / 9	148	100	144.40	147	5.24	39.7	16				S.H.		
		1038 / 9	138	100	151.55	133	11.17	26.9	17				T.S.		
		1103 / 10	103	110	143.40	97	14.13	27.9	18				"		
		1191 / 11	91	160	156.15	88	10.30	31.1	19				B.F.		
		982 / 9	82	130	290.20	65	+26.27	83.1	20				S.H.		
		1230 / 11	130	160	159.20	126	9.25	26.4	21	37.0		21.0	B.F.		

Add'n'l Inform.

Notes Red. J.S. Platted R.L.A. Job No. 8334 Division No. F.B. 922 PG. 253
Date Date Survey of Pl. 81-82 Hwy
Notes Chkd. Checked Survey by Rosecrans Notes K. Date 7-1-42
Date Date Map No. Indexed A. C. Johnson Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
Pl. 80	Pl. 81	955 / 8	155	9.0	156.00	149	10.50	5325.9	1		5363.4		T.S.
		995 / 9	95	13.0	263.50	78	+ 24.25	86.2	2				S.H.
		239 / 2	39	2.0	256.45	33	+ 19.[illegible]	73.6	3				T.C.
		1049 / 9	149	10.0	1.53	149	1.[illegible]	49.8	4				B.C.
		1146 / 10	146	12.5	8.05	146	0.0	50.9	5				℄ 20 0 Rd
		945 / 8	145	9.1	359.35	145	0.0	54.3	6				T.C.
		989 / 9	89	9.3	14.05	89	0.0	54.1	7				T.F.
		1086 / 10	86	10.0	5.10	86	0.0	53.4	8				℄ 20 0 Rd
		1185 / 11	85	10.8	355.40	85	0.0	52.6	9				B.C.
		1080 / 10	80	6.2	350.30	80	0.0	57.2	10				T.C.
		628 / 6	28	6.0	26.15	28	0.0	57.4	11				T.F.
		726 / 7	26	7.0	357.45	26	0.0	56.4	12				℄ 20 0 Rd
		830 / 8	30	8.0	332.05	30	0.0	55.4	13				B.C.
		535 / 5	35	5.6	222.15	35	0.0	57.8	14				"
		430 / 4	30	4.5	200.45	30	0.0	58.9	15				℄ 20 0 Rd
		331 / 3	31	3.2	178.25	31	0.0	60.2	16				T.F.
		185 / 1	85	1.2	189.45	85	0.0	62.2	17				"
		286 / 2	86	2.3	197.30	86	0.0	61.1	18				℄ 20 0 Rd
		387 / 3	87	2.9	206.00	87	0.0	60.5	19				B.C.
		236 / 1	136	1.0	205.15	136	0.0	62.4	20				"
		237 / 1	137	0.3	200.30	137	0.0	63.1	21				℄ 20 0 Rd

Add'n'l Inform.

F.B. 322 Pg. 254

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 80	P.I. 81	237 / 1	137	1 0	195° 35'	137	+ 0° 43'	5364.1	1		5363.4		T.F.		
									2						
P 81A	P.I. 80							5356.4	3 46		5361.0				
		342 / 2	73	3 0	1° 00'	43	0° 00'	580	4	3.0			P.I. 80		
		1005 / 9	105	13 0	84° 00'	89	+ 12° 39'	503	5				S.H.		
		1156 / 11	56	11 0	178° 45'	56	2° 18'	478	6				B.F.		
		1166 / 11	66	11 0	202° 05'	65	7° 02'	420	7				T.S.		
		883 / 8	83	8 0	217° 15'	81	9° 24'	398	8				"		
		1131 / 11	31	11 0	206° 45'	30	12° 00'	437	9				B.F.		
		562 / 5	62	11 0	98° 45'	57	+ 16° 00'	661	10				S.H.		
		960 / 9	60	9 0	299° 45'	54	18° 48'	338	11	2.3		1.83	B.F.		
		573 / 5	73	5 0	298° 50'	63	20° 51'	317	12				B.D.		
		683 / 6	83	6 0	298° 40'	77	15° 20'	338	13				T.S.		
		1006 / 9	106	10 0	299° 10'	105	5° 03'	418	14				S.H.		
		896 / 9	96	4 0	307° 50'	88	16° 07'	313	15				T.S.		
		991 / 9	91	9 0	314° 30'	85	14° 15'	303	16				B.D.		
		878 / 9	78	9 0	320° 00'	74	13° 45'	341	17				B.F.		
		1115 / 10	115	14 0	113° 35'	109	+ 12° 36'	715	18				B.D.		
		1158 / 10	158	11 0	197° 45'	150	+ 12° 52'	844	19				"		
		962 / 8	162	13 0	117° 10'	152	+ 14° 05'	861	20				S.H.		
		1145 / 10	145	15 0	128° 10'	139	+ 11° 30'	743	21				"		

Add'n'l Inform.

Notes Rcd. JG Platted Date Date Job No. 8231 Division No. F.B. 223 PG. 23
Notes Chkd. Checked Survey of Date Date
Date Date Survey by Arcadia Notes K Date 7-1-42
Map No. Indexed A. C. Johnson

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.	P.1	1200			° '		° '								
81A	80	1063	137	1 0	140 10	135	+ 6 [illegible]	5365 3	1	—	5361 0	—	S.H.		
				—	° '		° '	—	2	—		—			
21	21				° '		° '		3						
79	80			—	✓ ° '		° '	5363 8	1	—	5368 3	—			
		190							4						
		1	90	1 0	34 8 15	90	+ 2 [illegible]	71 2	5	—	—	—	T.C.		
		1151													
		11	51	1 2 0	61 35	43	22 [illegible]	38 8	6	—	—	—	Tel. Po		
		1175													
		11	75	1 2 0	65 45	61	25 [illegible]	~~24~~ 24	7	— 41 0	—	— 1 9 0	B.F.		
		1084													
		10	84	1 0 0	64 40	69	[illegible]	26 5	8	— 41 8	—	— 51 8	T.S.		
		814													
		1	14	8 0	72 25	102	18 51	25 6	9	—	—	—	"		
		1174													
		10	12	11 0	98 40	116	15 0[illegible]	26 3	10	—	—	—	"		
		1138													
		10	138	11 0	96 40	134	7 [illegible]	34 8	11	—	—	—	S.H.		
		1097													
		10	97	11 0	78 55	86	17 [illegible]	27 1	12	—	—	—	H.		
		883													
		8	83	8 0	326 40	79	+ 12 [illegible]	78 0	13	—	—	—	B.D.		
		169													
		1	69	1 0	330 25	66	+ 11 [illegible]	80 6	14	—	—	—	T.C.		
		250													
		2	50	2 0	297 10	44	+ 20 [illegible]	82 5	15	—	—	—	"		
		982													
		9	82	15 0	301 25	71	+ 21 [illegible]	80 7	16	—	—	—	B.D.		
		179													
		1	79	1 0	245 15	76	+ 11 [illegible]	82 3	17	—	—	—	P.P.		
		160													
		1	60	1 0	253 35	57	+ 11 [illegible]	79 4	18	—	—	—	T.C.		
		1175													
		11	75	16 0	272 15	59	+ 27 [illegible]	83 0	19	—	—	—	T.Sp.		
		1170													
		11	70	17 0	125 15	62	7 [illegible]	28 0	20	—	—	—	T.S.		
		1156													
		11	56	11 0	165 00	51	17 [illegible]	41 6	1	—	—	—	B.F.		
		1179													
		11	79	11 0	162 45	72	17 [illegible]	35 3	21	—	—	—	Dr & T.S.		

Add'n'l Inform.

F.B. 922 PG. 25

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.1. 79	P.1. 80	801 / 7	101	8.0	147°15'	94	−15°21'	5334.6	1		5368.3		F.I.		
		1049 / 7	149	10.0	139°00'	143	−11°06'	30.4	2				"		
		363 / 2	163	3.0	120°10'	154	−13°33'	28.3	3				T.S.		
		1025 / 9	125	10.0	121°30'	117	−14°30'	28.2	4				F.I.		
		1097 / 10	97	11.0	126°00'	88	−17°25'	29.3	5				"		
		974 / 8	174	9.0	150°10'	169	−9°57'	29.8	6				T.S.		
		947 / 8	147	9.0	155°10'	143	−9°37'	35.2	7				S.I.		
		562 / 4	162	5.0	161°00'	157	−9°40'	36.7	8				T.S.		
		926 / 8	126	9.0	161°30'	122	−9°39'	38.5	9				S.I.		
		406 / 3	106	4.0	159°35'	99	−14°45'	38.3	10				"		
		1162 / 10	162	12.0	172°45'	161	−3°17'	51.1	11				S.H.		
		1129 / 10	129	17.0	318°10'	118	+16°48'	87.1	12				"		
		1108 / 10	108	15.0	283°00'	96	+19°37'	87.8	13				"		
		1007 / 8	207	3.5	173°30'	207	−0°0'	64.5	14				"		
		1219 / 10	219	15.0	167°10'	219	+1°08'	58.0	15				"		
		1138 / 10	138	11.0	172°00'	136	−6°30'	41.8	16				S.I.		
		448 / 9	48	4.7	242°45'	48	−0°0'	63.6	17				B.C.		
		527 / 5	27	5.7	301°45'	27	−0°0'	62.6	18				"		
		217 / 1	117	0.8	213°26'	117	−0°0'	5367.5	19	0.8	5368.3		P.79A Set x2		
									20						
									21						

Add'n'l Inform.

Notes Red. V.G. Platted R.L.W. Job No. 8334 Division No. F.B. 922 Pg. 257
Date Date Survey of P.L. Date 7-1-42
Notes Chkd. Checked Survey by Rosecrans Notes R Date
Date Date Map No. Indexed A. C. John Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P 79A	P.I. 79							5367.5	51		5372.6				
		918 / 8	118	8.8	0.0	118	0.0	63.8		8.8			P.I. 79		
		150 / 1	50	1.0	315.00	49	+ 7.[illegible]	78.2					T.C.		
		597 / 5	97	6.5	353.25	97	0.0	64.1					± 20 0 Rd		
		795 / 1	95	7.2	0.50	95	0.0	65.4					T.F.		
		978 / 9	78	13.0	310.45	72	+ 16.[illegible]	80.5					Sa		
		903 / 8	103	9.0	319.50	100	+ 9.[illegible]	81.1					"		
		649 / 6	49	6.1	2.30	49	0.0	66.5					T.F.		
		747 / 7	47	7.1	346.40	47	0.0	65.5					± 20 0 Rd		
		747 / 7	47	7.2	329.25	47	0.0	65.4					B.C. Beam [illegible]		
		531 / 5	31	4.1	240.00	31	0.0	68.5					E end cut		
		418 / 4	18	4.3	219.15	18	0.0	68.3					± 20 0 Rd		
		416 / 4	16	4.2	161.40	16	0.0	68.4					T.F.		
		167 / 1	67	1.0	188.15	67	0.0	71.6					T.F.		
		372 / 3	72	3.0	192.45	72	0.0	69.6					B.F.		
		480 / 4	80	4.1	199.00	80	0.0	68.5					S end 14" Corr iron Col. Fl. line		
		355 / 3	55	2.7	175.00	55	0.0	69.9					± 20 0 Rd		
		348 / 3	48	2.8	157.00	48	0.0	69.8					T.F.		
		1228 / 11	128	15.0	291.05	114	+ 19.28	97.9					S.H.		
		438 / 4	38	4.0	81.00	28	30.05	51.8					B.F.		
		1153 / 11	53	11.0	78.25	49	15.57	47.5					B.D. & T.S.		

Add'n'l Inform.

F.B. 922 PG. 258

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore .....Sy. Eucalyptus .....Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P. 79A	P.I. 79	1017 / 9	117	9°	272° 25'	105	+ 18° 29'	539.85	1		537.26		S.H.		
		128 / 1	25	1°	38° 25'	23	− 24° 49'	60.8	2				B.F.		
		1193 / 11	73	11°	253° 00'	83	+ 19° 02'	92.3	3				S.H.		
		1095 / 10	95	14°	235° 40'	84	+ 20° 06'	89.7	4				"		
		498 / 4	95	9°	201° 05'	98	+ 2° 57'	72.8	5				T.S. West		
		457 / 3	157	4°	196° 25'	156	+ 3° 56'	79.3	6				B.D		
		296 / 1	14.	2°	186° 30'	146	+ 1° 52'	77.8	7				T.S. [illegible]		
		322 / 2	122	2°	172° 10'	122	+ 0° 34'	71.7	8						
		322 / [illegible]	122	2°	154° 00'	122	+ 1° 26'	73.5	9				S.[illegible]		
		231 / 1	131	2°	145° 30'	131	+ 1° 53'	74.9	10				B.C.		
		153 / 10	153	10°	145° 25'	147	+ 11° 27'	92.3	11				T.C.		
		157 / 10	157	15°	156° 15'	149	+ 12° 56'	91.7	12				S.H.		
		564 / 4	164	4°	168° 30'	160	+ 8° 30'	92.5	13				"		
		1111 / 9	211	10°	152° 10'	198	+ 14° 04'	541.23	14				P.P.		
		185 / 10	185	11°	147° 48'	175	+ 13° 32'	03.7	15				T. Sp		
		976 / 5	176	9°	140° 05'	168	+ 12° 16'	00.1	16				T.C.		
		1216 / 10	216	15°	145° 35'	205	+ 12° 58'	04.9	17				T. Sp.		
									18						
P.I. 78	P.I. 79							537.50	19		537.99				
		991 / 9	91	9.7	27° 17'	91	00° 00'	70.2	20	97			P 78A Set	X2	
									21						

Add'n'l Inform.

Notes Red. Date Platted Date Job No. 8334 Division No. F.B. 322 Pg. 259
Notes Chkd. Date Checked Date Survey of Parcel Map [illegible] Date
Date Map No. Survey by [illegible] Notes [illegible] Date 7-1-66
Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station Left Right
P 78A	P.I. 78				° '		° '	5370.2	4.8		5375.0		
		192 / 1	92	1.0	0.0	92	+ 0.41	75.1		+ 0.1		+ 1.1	P.I. #78
		1130 / 11	30	12.0	182.00	27	− 18.40	53.9					N. end 14" Corr iron Col. Fl. line
		1140 / 11	40	11.0	226.40	38	− 12.21	55.6					B.F.
		443 / 4	43	4.3	348.30	43	0.0	70.7					"
		238 / 2	38	2.2	347.00	38	0.0	72.8					T.F.
		420 / 4	20	3.5	330.10	20	0.0	71.2					℄ 20 0 Rd
		2 / 173	77	2.0	198.10	68	− 19.57	48.4					Fl.
		161 / 1	61	0.1	293.45	61	0.0	74.9					E. end fill
		151 / 1	51	1.0	281.55	51	0.0	74.0					℄ 20 0 Rd
		144 / 1	44	1.5	262.30	44	0.0	73.5					T.F.
		860 / 8	60	8.0	209.20	56	− 15.28	51.7					T.S.
		480 / 4	80	4.0	247.00	80	+ 4.01	77.0					T.F.
		189 / 1	89	1.0	261.20	89	+ 1.19	76.1					℄ 20 0 Rd
		212 / 1	112	1.0	266.40	112	+ 1.20	77.3					B.C.
P.I. 77	P.I. 78				° '		° '	5379.4	4.2		5383.6		
		1123 / 11	23	15.3	164.50	23	0.0	68.3					B.F.
		720 / 7	20	7.0	92.10	17	− 21.34	69.7					B.F.
		1156 / 11	56	15.0	180.00	55	− 8.38	60.2					Sl.
		159 / 1	59	1.0	278.00	58	+ 7.11	88.9					T.C.

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge..T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

F.B. 922 PG. 260

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 77	P.I. 78	1193			° '		° '		1						
		11	93	11 0	298 10	84	+ 17 39	5401 8			5383 6		S.H.		
		1172							2						
		11	73	22 0	180 00	73	− 4 18	5356 0					"		
									3						
					° '		° '		4						
P.I. 76	P.I. 77				° '		° '	5383 5	5 2		5388 8				
		881							5						
		8	81	8 1	10 00	81	− 0 00	801					Tel. Po		
		251							6						
		10	81	2 2	18 25	81	− 4 12	72 5					B.F.		
		1150							7						
		10	150	14 0	292 15	140	+ 14 50	5412 0	1				S.H.		
		1186							8						
		11	86	16 0	41 00	84	− 8 12	5360 6					"		
		952							9						
		8	153	17 0	273 45	144	+ 13 45	5412 3					"		
		1184							10						
		10	184	11 0	259 00	172	+ 14 27	224					"		
		1197							11						
		11	97	24 0	68 05	94	− 10 31	5347 3					"		
		911							12						
		7	211	8 0	243 20	199	+ 14 00	5430 5					P. Po		
		240							13						
		7	240	12 0	235 40	225	+ 14 15	34 2					S.H.		
		1182							14						
		11	83	12 0	82 00	73	− 19 35	5350 5					"		
		1180							15						
		9	280	14 0	229 50	264	+ 13 36	5438 8					"		
		1179							16						
		11	79	11 0	98 10	69	− 20 70	5351 7					"		
		1057							17						
		8	257	9 0	218 35	251	+ 8 32	5417 4					T.C		
		904							18						
		8	104	2 0	127 20	90	− 21 15	5351 5					B.D		
		500							19						
		441	59	5 0	126 05	52	− 20 48	642					S.H.		
		1148							20						
		9	248	10 0	225 40	238	+ 11 22	5426 8					"		
		1022							21						
		10	22	10 0	116 30	21	− 12 41	5374 1					B.F.		

Add'nl Inform.

Notes Red. 2/25 Platted 5/26/1926 Job No. 8331 Division No. F.B. 922 PG. 261
Date Date Survey of Pl. 77 Pl. 78
Notes Chkd. Checked Survey by Rosecrans Notes A. C. Johnson Date 7-1-42
Date Date Map No. Indexed Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 76	P.I. 77	1022 / 8	222	9.0	229.05	212	+ 12.06	5425.3	1	—	5388.8	—	T Sp.		
		1140 / 11	40	11.0	32.50	39	— 6.06	5373.5	2	—	—	—	B.F.		
		827 / 6	227	7.0	221.00	222	+ 5.31	5415.2	3	—	—	—	T.C.		
		413 / 4	13	4.3	215.45	13	— 0.0	5384.5	4	—	—	—	Tel. Po		
		1093 / 9	193	14.0	223.40	186	+ 10.47	5410.0	5	—	—	—	T.C.		
		513 / 5	13	5.3	18.00	13	— 0.0	5383.5	6	—	—	—	B.F.		
		519 / 5	19	5.4	168.00	19	— 0.0	83.4	7	—	—	—	Brk		
		445 / 4	45	4.3	205.35	45	— 0.0	84.5	8	—	—	—	B.F.		
		444 / 4	44	3.7	186.15	44	— 0.0	85.1	9	—	—	—	Brk		
		1047 / 10	47	10.0	170.45	47	— 0.0	78.8	10	—	—	—	S.H.		
		966 / 8	166	13.0	238.10	158	+ 12.[illegible]	5412.0	11	—	—	—	"		
		1076 / 10	76	10.0	214.00	75	+ 4.45	5385.1	12	—	—	6.4	B.F.		
		777 / 7	77	7.0	188.50	77	+ 0.0	84.8	13	— 4.2	—	+ 3.0	Brk		
		1074 / 10	74	10.0	179.30	74	+ [illegible]	81.3	14	—	—	—	S.H.		
		215 / 1	115	1.0	237.00	114	+ 3.[illegible]	95.6	15	—	—	—	T.C.		
		1205 / 11	105	15.0	178.45	104	+ 3.[illegible]	80.9	16	—	—	—	S.H.		
		1015 / 9	115	9.0	258.35	111	+ 10.[illegible]	5400.5	17	—	—	—	"		
		1005 / 9	105	13.0	187.30	105	+ 3.[illegible]	5382.1	18	—	—	—	Brk		
		1117 / 10	117	15.0	211.25	116	+ 5.0[illegible]	83.9	19	—	—	—	B.F.		
		1200 / 1095	105	11.0	272.45	100	+ 12.[illegible]	99.7	20	—	—	—	S.H.		
		952 / 8	152	8.3	203.15	152	— 0.0	80.5	21	—	—	—	B.F.		

Add'n'l Inform.

Oak-O. Flr-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fences.V.Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank.B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill.B.F.

Inters. of Draws.V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 922 PG. 262

Topography Description Legend: Side Hill.....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D. Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.L. 76	P.L. 77	1157	157	84	195.00	157	0.0	5380	1		5388		T.L.P.		
		10 / 1003							2						
		9 / 1149	103	90	295.00	98	+ 11.49	5400	3				S.H.		
		10 / 1200	149	60	185.20	149	+ 3.05	5380	4				Brk		
		11 / 1105	100	110	309.35	96	+ 11.22	973	5				S.H.		
		9 / 1200	205	140	191.25	205	+ 2.13	827	6				S.H.		
		1098 / 165	102	110	202.20	102	+ 1.38	808	7				B.F.		
		1 / 938	65	15	322.25	65	0.0	873	8				T.C.		
		7 / 1004	238	50	195.30	238	+ 1.32	871	9				S.L.		
		10 / 557	104	10	242.00	104	0.0	779	10				B.C.		
		8 / 844	57	96	337.25	57	0.0	802	11				"		
		6 / 999	35	60	289.10	35	0.0	828	12				"		
		9 / 803	99	96	303.15	99	0.0	792	13				℄ 20	9	42
		1 / 546	103	18	5.30	103	0.0	813	14				T.F.		
		2 / 658	46	30	277.30	46	+ 2.57	871	15				T.C.		
		6 / 858	58	63	10.10	58	0.0	825	16				T.F.		
		8 / 165	58	77	351.40	58	0.0	811	17				℄ 20	6	40
		1 / 262	65	10	255.00	65	+ 1.32	894	18				T.C.		
		2 / 523	62	32	250.10	62	0.0	855	19				B.C.		
		6 / 208	23	51	295.05	23	0.0	837	20				℄ 20	0	42
		3 / 299	08	32	290.30	08	0.0	855	21				T.F.		
		2	99	06	237.40	99	0.0	882					B.C.		

Add'n'l Inform.

Notes Red. 6/57 Platted 6/57 Job No. 8331 Division No. 27 F.B. 222 Pg. 262

Date / Date / Date / Survey of R. / Notes 1

Notes Chkd. / Checked / Survey by Roberts / Notes 1 / Date 1-2-42

Date / Date / Map No. / Indexed A. C. John

Form 301-10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
P.I. 76	P.I. 77	155 / 1	55	0.8	223.15	55	0	5388.0	1		5388.8		T.F.
		160 / 1	60	1.6	236.00	60	0	87.2	2				℄ 20 0 Rd
		199 / 1	99	1.0	240.50	99	+ 2.21	91.8	3				T.C.
		207 / 1	107	1.0	225.20	107	+ 1.49	90.9	4				℄ 20 0 Rd
		405 / 3	105	3.0	215.40	105	+ 3.[illegible]	91.4	5				T.F.
		240 / 1	140	1.0	226.45	140	+ 2.[illegible]	92.6	6				B.C.
		654 / 5	154	6.0	215.40	153	+ 4.[illegible]	95.8	7				T.F.
		354 / 2	154	3.0	219.15	153	+ 3.[illegible]	95.3	8				℄ 20 0 Rd.
		686 / 5	186	6.0	220.30	185	+ 4.[illegible]	97.3	9				B.C.
		498 / 3	198	4.0	215.55	197	+ 4.[illegible]	99.[illegible]	10				℄ 20 0 Rd.
		427 / 2	227	3.0	217.45	226	+ 3.5[illegible]	5401.[illegible]	11				B.C.
		363 / 3	263	4.0	216.10	261	+ 4.[illegible]	05.2	12				"
									13				
P.I. 70	P.I. 71							5420.2	14	5.2	5425.4		
		1147 / 9	247	10.0	4.00	246	3.3[illegible]	00.2	15				T.F.
		929 / 8	129	9.0	357.35	129	3.2[illegible]	09.0	16				B.C.
		1094 / 9	194	10.0	6.15	193	3.0[illegible]	05.2	17				T.F.
		888 / 8	88	8.0	355.00	88	3.[illegible]	12.2	18				B.C.
		1093 / 9	193	10.0	2.19	192	3.2[illegible]	03.9	19				℄ 20 0 Rd
		941 / 9	41	9.5	345.48	41	0.0	15.9	20				B.C.
		1040 / 9	140	10.0	2.37	140	2.4[illegible]	08.7	21				℄ 20 0 Rd

Add'n'l Inform.

F.B. 922 PG. 264

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws.V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank.B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill.B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences.V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pl. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus ....Eu.
Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.I. 70	P.I. 71	1039			° ′		° ′		1						
		9	139	10 0	8 20	139	− 2 26	5409 1			5425 4		T.F.		
		508							2						
		5	08	5 6	261 40	08	− 0 0	19 8					BC		
		1085							3						
		9	185	14 0	12 00	184	− 4 47	5396 1					B.F.		
		147							4						
		1	47	1 6	182 15	47	− 0 0	5423 8					B.C		
		1100							5						
		9	200	14 0	17 40	197	− 6 30	5389 0					T.S.		
		1014							6						
		8	214	9 0	28 25	210	− 7 31	887					"		
		195							7						
		1	95	1 0	177 25	95	+ 2 15	5428 2					B.C		
		1066							8						
		9	166	14 0	32 30	164	− 6 32	5392 7					T.S		
		500							9						
		4	100	4 0	181 40	95	+ 7 27	5434 2					T.C		
		1156							10						
		10	156	11 0	20 15	154	− 6 11	5397 9					T.S.		
		455							11						
		4	55	4 0	189 30	53	+ 9 11	5430 2					T.C		
		145							12						
		0	45	11 0	13 00	144	− 5 10	015					B.F		
		115							13						
		1	15	1 0	263 15	15	+ 7 55	266					T.C		
		1123							14						
		10	123	10 0	26 00	122	− 5 53	5397 9					T.S		
		146							15						
		1	46	1 0	334 00	46	− 0 0	5424 4					T.C.		
		1104							16						
		10	104	14 0	26 35	102	− 6 58	5399 0					T.S.		
		1081							17						
		10	84	10 0	7 45	83	− 6 00	5406 8					B.F.		
		490							18						
		4	90	5 0	348 20	90	− 0 0	204					T.C.		
		1165							19						
		11	65	11 0	29 15	64	− 6 58	066					B.F.		
		1174							20						
		11	74	15 0	45 10	73	− 5 08	039					T.S.		
		1189							21						
		11	89	12 0	56 25	88	− 5 22	052					"		

Add'n'l Inform.

Notes Red. [illegible] Platted GHD
Date [illegible] Date 7-11-46
Notes Chkd. Checked
Date Date
Job No. 8334 Division No.
Survey of [illegible]
Survey by Rosecrans Notes [illegible]
Map No. Indexed
A. C. Johnson Date 7-12-46
F.B. 972 Pg. 265

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
P.1. 70	P.1 71	1071 / 10	71	10.0	81.20	70	− 4.5	5409.2	1		5425.4		T.S		
		1137 / 11	37	11.0	74.20	37	− 5.[illegible]	11.1	2				B.F		
		638 / 5	138	4.5	334.05	138	− 0.0	20.9	3				T.C		
		1053 / 10	53	9.0	134.25	53	− 0.0	16.4	4				B.F		
		1170 / 11	70	11.0	105.30	70	− 0.5	13.2	5				T.S		
		1044 / 9	144	10.0	336.25	141	+ 8.4	37.3	6				P.Po		
		1095 / 10	95	10.0	135.55	95	+ 3.0	20.8	7				T.S.		
		809 / 7	109	7.0	113.40	107	+ 7.[illegible]	33.0	8				S.H.		
		830 / 7	130	8.0	110.15	126	+ 10.[illegible]	40.9	9				T.R.		
		1095 / 10	95	10.0	324.30	92	+ [illegible]	32.9	10				S.H.		
		1052 / 9	152	10.0	128.20	146	+ [illegible]	45.4	11				T.R.		
		1125 / 10	125	10.0	128.45	121	+ 9.4	36.3	12				S.H.		
		956 / 8	156	13.0	146.15	151	+ 10.0	39.4	13				"		
		777 / 6	177	6.0	141.30	172	+ 9.[illegible]	49.3	14				T.R.		
		908 / 7	205	8.0	152.00	202	+ 10.0	53.2	15				T.R.		
		985 / 8	185	13.0	156.15	180	+ 9.7	42.4	16				S.H.		
		1200 / 955	245	16.0	159.20	237	+ 10.0	51.7	17				T.R.		
		338 / 1	238	2.0	165.50	236	+ 5.[illegible]	46.8	18				S.H.		
		1103 / 8	303	13.0	165.05	296	+ 8.3	56.8	19				T.R.		
		1053 / 7	353	12.0	168.50	345	+ 8.2	64.1	20				T.R.		
		1195 / 8	395	14.0	171.05	388	+ 7.3	62.9	21				"		

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence .....Fn. Int. Fences. V. Fns. Ditch .....Di. Telephone Pole T.P. Power Pole...P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank. B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope...Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend: Side Hill.....S.H. Side of Draw. S.D. Side of Ridge. S.R. Head of Draw H.D. Bottom Draw. B.D. Bottom Wash B.W. Top of Ridge. T.R. Toe of Slope..T.S.

F.B. 922 PG. 266