
MAP OF SURVEY CONTROL SYSTEM
LONG BEACH AND COMPTON AREA
SURVEY DIVISION FILE Nº150-65
SCALE - 1 INCH = 2000 FEET
JOB NUMBERS - 4911 & 4913
ALFRED JONES - COUNTY SURVEYOR
SURVEYED - 1940
FIELD WORK BY R.B. EMMOTT
DRAWN BY H.H. REYNOLDS
DETAIL WORK BY H.E. HAYES
LEGEND
EXISTING TRIANGULATION STATIONS SHOWN THUS
TRAVERSE STATIONS SHOWN THUS
FIRST ORDER TRAVERSE LINES SHOWN THUS
BASE LINES SHOWN THUS
MARGINAL MAP
NO SCALE
SAN PEDRO
SAN PEDRO BAY
COMPTON
LONG BEACH
WILMINGTON
CLEARWATER
LOS ANGELES COUNTY

Notes Ck'd by	Survey of Compton-Long Beach	F.B. 963 Pg. 3
Map No.	W. O. Tape No. St'd °F	
Office Work	Surveyed by Emmett	
Checked	Notes Date 1940-41	
Date	Indexed	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Name	Page	Location
COMPTON		
H3	7	Wilmington Ave. + Greenleaf Dr.
H4	9	" 0.35 Mi. So. of "
H5	11	" 0.10 Mi. So. of Victoria St.
J1	13	Willowbrook Ave + Compton Blvd.
J2	15	" + Olive St.
J3	17	" So. of Greenleaf Dr.
K3	19	Near So. bdry Compton bet. Alameda St. + Long Beach Blvd.
K9	21	100' E. of Santa Fe Ave. 300' N. of 228th St.
K11	23	Santa Fe Ave + 32nd St.
K12	25	" + Willow St.
L3 Ecc.	27	Long Beach Blvd. So. of Greenleaf Dr.
L4	29	" + Artesia St.
L12	31	Willow St. + E. side L.A. River
CLEARWATER		
A6	33	Long Beach Blvd. + Baralay
A5A	35	" + So. side L.A. River
A6	37	" + 52nd St.
A7	39	" + U.P.R.R. - Arbor St.
B8	41	" 0.3 Mi. No. of San Antonio Dr.
B8A	43	" + "
B9	45	" + Virginia Rd.
B10	47	" + Wardlow Rd.
B11	49	" + 29th St.
B12	51	" + Willow St.
C4	53	Orange Ave + Harding St.
C5	55	" + South St.
C6	57	" + ¼ Pt. No. of U.P.R.R.
C7	59	" + San Antonio Dr.
C8A	61	" 0.4 Mi. So. of San Antonio Dr.
C8B	63	San Antonio Dr. + California Ave.
C12	65	Willow St + "
D12	67	" + Cherry Ave.
D12A	69	Burnett St. + "

FORM 247 SM 12-40

F.B. 923 PG. 4

NAME	PAGE	LOCATION
CLEARWATER		
D12B	71	Willow St. W. of Walnut Ave.
E12A	73	" + Junipero Ave.
E12B	75	" E. of Cherry Ave.
G9 Az.	77	Lakewood Blvd. 0.5 Mi. So. of Carson St.
G10	79	" near Long Beach No. Bdry.
G11	81	" + Spring St.
G12	83	" + Willow St. (prod.)
LONG BEACH		
A3	85	Anaheim St. + Chestnut Ave.
A4	87	Ocean Blvd + Magnolia Ave.
B1	89	American Ave + Hill St.
B2	91	" + State St.
B3	93	" + Anaheim St.
B3A	95	" + 7th St.
B4	97	" + Ocean Blvd.
C3	99	Anaheim St. + California Ave.
C3A	101	Alamitos Ave + 7th St.
C4	103	" + 1st. St.
C5	105	" + Ocean Blvd.
D1	107	Cherry Ave. No. of 23rd St.
D2	109	" + State St.
D3	111	" + Anaheim St.
D3A	113	" + 7th St.
D3B	115	Anaheim St. + Walnut Ave.
D4	117	1st St + Esperanza Ave.
D4A	119	Cherry Ave. + ¼ No. of Bird Way
D5	121	" + 1st St.
E3	123	Anaheim St + Tample Ave.
E5	125	1st St. + Junipero Ave.
F3	127	Anaheim St + Newport Ave.
F5	129	1st. St. + Orizaba Ave.
G1	131	Lakewood Blvd + Stearns St.
G2	133	" - State St - Hathaway Ave (Traffic Circle)
G5	135	1st. St. + Grand Ave.
G5A	137	" + Livingston Dr.
G5B	139	" + Ximeno Ave.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of Compton-Long Beach	F.B. 925 PG. 5
Map No.	W. O. Tape No. St'd °F.	
Office Work	Surveyed by Emmett	
Checked	Notes Date 1940-41	
Date	Indexed	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NAME	Page	LOCATION
Long Beach		
H 2	141	Ximeno Ave + 15th St.
H 3	143	" + Anaheim St.
H 3A	145	" + 7th St.
H 4	147	" + 4th St.
H 5	149	" + Vista St.
H 5A	151	" + Shaw St.
H 5B	153	" + Bennett Ave.
I 3	155	Anaheim St + Hathaway Ave.
I 6	157	1st St + Claremont Ave.
I 6A	159	Ocean Blvd N.W. of 55th Place.
J 3	161	Hathaway Ave. + Manila Ave
J 4	163	" 0.1 Mi. No. of Colorado St.
J 7A	165	Ocean Blvd + 64th Place
K 5	167	Hathaway Ave. So. of Alamitos Bay bridge
K 6	169	" near So. Bdry City of Long Beach
WILMINGTON		
J 3	171	Anaheim St. W. of Paul Jones Ave.
J 3A	173	" + Hayes Ave.
J 5B	175	Ocean Blvd - Tulare Pl. - Water St.
J 5B Aux 1	175	Ocean Blvd - Tulare Pl. - Water St.
J 5B Aux 2	177	Tulare Place + El Dorado St.
J 5B Aux 3	179	Embarcadero St. + Tulare Pl. (Prod.)
K 1	181	Santa Fe Ave + Hill St.
K 2	183	" + Shete St.
K 3	185	" + Anaheim St.
L 3	187	Pico Ave + "
L 4	189	" + Ocean Blvd.
Base D-D1	191	South. Cal. Edison Co. plant - Terminal Island
Wil J4B	247	N. Side Depot Site. of Channel E. of High Tension Line (Cer. Rito)

FORM 247 3M 12-40

F.B. 923 PG. 6

NAME	PAGE		LOCATION			

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 923 PG. 1

W.S 26

WS 26 - D4

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of	Traverse
W. O. 4913	Tape No.	St'd 84°F
Surveyed by	T.E. Emmatt
Notes	Date 7-14-41
Indexed	1-8-41

Traverse Cont. Sys. Trav. Sta. "Compton H-3"

Noted on Geo. Index Card
Plotted on U.S.C.&G.S. Quad. Sht.
Placed on Sht. W.S. No.
Sketch on this Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

RM #1
Set a standard 4" brass tablet in conc. at low grade surface marker, L.A. County Survey control system reference monument, Compton 1943, RM #1, 1941, L.A. County Surveyor

RM #2
Set a standard 4" brass tablet in conc. at low grade surface marker, L.A. County Survey control system reference monument, Compton 1943, RM #2, 1941, L.A. County Surveyor

RM #1
5860 @ 84° - 5860

RM #2

Comp H3

N

Conc. Pave.

40'

W. Greenleaf Dr.

O. & R. Pav.

Culvert

220

17.5

85°49'40"

343 18 40

85 49 40

50.9

45°36'

21.5

S. Willington Ave.

Trav. Sta. "Compton H-3"

Traverse Sta Compton H4

127 21 00
129 24 20
1 03 21 05

F.B. 123 PG. 8

-DESCRIPTION.-

L.A. Co. Sur. Cont. Sys Trav.
Sta "COMPTON H 3".

In L.A. Co, ~~City of Long Beach~~ on H E 4
S Wilmington Ave, 75' ± South of Compton - Long Beach City Boundary line; in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a Standard 4" brass tablet in concrete 2" below Sub-grade of the Street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAV. ERIE STATION" and ~~"Tangent"~~ "COMPTON H-3, CE 2177" and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Compton Area
W. O. 4913 Tape No. 261 Std. 84°F
Surveyed by R.B. Emmott
Notes G.A.K. Date 7-10-40
Indexed

F.B. 923 Pg. 9

WS 26

L.A. Co. Sur. Cont. Sta. Trav. Sta.
"COMPTON H-4"

Noted on Geo. Index Card
Plotted on U.S. Quad. Sht.
Plotted on Dig. W.S. No.
Sketch on Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39



F.B. 923 PG. 10

-DESCRIPTION-

L.A. CO. SUR. CONT. SYS. TRAV STA. "COMPTON H-4".

In L.A. Co., ~~City of Long Beach~~, H.E.H. on S. Wilmington Ave. about 0.35 mile South of Compton - Long Beach boundary line; in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a standard 4" brass tablet in concrete 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM-TRAVERSE STATION", and stamped: "COMPTON H-4, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

R.M. No 1 & No 2.

Set std 4" brass tablets, as shown, in concrete about 6" below ground surface and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM-TRAVERSE STATION", and stamped: "COMPTON H-4, R.E. 2177, R.M. No 1 and R.M. No 2," resp, and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Compton Blvd
W. O. 4913 Tape No. 061 Std. 24-F
Surveyed by C.B. Emmott
Notes G.B.M. Date 7-10-40
Indexed

F.B. 923 Pg. 11

W 526

Cnty. Co. Sur. Cont. 5x5 Trav. Sta.
"COMPTON H-5".

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

0.1 mile to Victoria St.

Set C. Spk. in Tel. P. #186

Conc. Pav.

40'

Set C. Spk. in Tel. P. #7

Elec.

7.16

15.1'

Trav. Sta. "COMPTON H-5"

25.0'

7.92

Set C. Spk. in Tel. P. #181

S. Willowbrook

51.15 @ 88° = Same.
71.63 @ " = "
74.92 @ " = "

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 9x3 PG. 12

~DESCRIPTION.~

L.A. Co. Sur. Cont. Sys. - Trav.
Sta. "Compton H-5."

H.E.H.

In L.A. Co., ~~N.W. portion of the City of Long Beach~~ on S. Wilmington Ave., 0.1 mile S. of E. Victoria St., in a well cut thru the pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark: Set a standard 4" brass tablet in concrete 2" below sub-grade of the street and marked: "L.A. County Survey Control System - [illegible] Station", and stamped: "Compton H-5, R.E. 2.17", and "Set by County Surveyor, 1940."

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 4913 Tape No. St'd
Surveyed by R.B. Emmett
Notes G.M.K. Date 7-10-40
Indexed

F.B. 972 Pg. 12

W.S. 1-63

30.4 N.
11526

L.A. CO. SUR. CONT. SYSTEM TRAV. STA.
- "COMPTON J-1"

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sta. Div. W.S. No.
Sketch on Geo. Desc. Card

Reference Set
Spike in Top
of West Face
Willow Rock
Ave.

TRAV. STA.
"COMPTON
J-1"

Fd. Lgt.

AVE.

Fd. Lgt. Edge
of conc. Pav.

30.4

COMPTON

90.7'

BLVD.

NEW
TIES
Pg. 290

Fd. Lgt.

WILLOWBROOK

P.C.

P.R.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

F.B. 923 PG. 12

—DESCRIPTION—

L.A. CO. SUR. CONT. SYS. TRAV. STA. "COMPTON J-1"

In L.A. Co., City of Compton at the intersection of Compton Blvd. and Willowbrook Ave., in a well set flush with the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT"

Station Mark: Set a Standard 4" brass tablet in concrete 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM. TRAV. [illegible] J-1, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Compton Area
W. O. 4913 Tape No. St'd 84° F
Surveyed by R.B. Emmott
Notes G.W.K. Date 7-10-40
Indexed

F.B. 923 Pg. 15

V. 1, 26

N 5 26 E 4

L.A. CO. SAN. CONT. SYS. - TRAV. STA. "COMPTON J-2"

Noted on Geog. Index Card
Placed on U.S.C.S. Quad. Shts.
Placed on Sta. Bk. W.S. No.
Sketch on Geog. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39



F.B. 923 PG. 16

~DESCRIPTION~

L.A. CO. SUR. CONT. TRAV. STA. "COMPTON J-2"

In L.A. Co., City of Compton, at intersection of S. Willowbrook Ave. and Olive St., in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a standard 4" brass tablet in concrete 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM-TRAVERSE STATION", and stamped: "COMPTON J-2, R.E. 2.77", and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of Compton Area
Map No.	W. O. 4912 Tape No. 061 St'd 22-F
Office Work	Surveyed by R B Emmett
Checked	Notes GWA Date 7-10-64
Date	Indexed

F.B. 92 2 Pg. 17

W 2 V 10

L.A. Co. Surv. Cont. Sys. Trav. Sta.
"COMPTON J-3"

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Sm. Div. W.S. No.
Sketch on G.G. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

W. GREENLEAF DR.
Approx. ℄

S. WILLOWBROOK AVE.

26.6'

Approx. ℄ of Tower-Edison Transmission Line

2627'

Made ± top of bolt at bottom of N.E. Tower Leg - Edison Transmission Line

Made ± top of conc. curb

94.58'

15.75'

14.5'

14.5'

136.995'

25.315'

To Trav. Sta. Compton K-

Trav. Sta. "COMPTON J-3"

R.M. No 1, set on line To "COMPTON K-3". Set a std ⌀ bn tab in conc. 12" below R.R. bed marked "L.A. Co. Surv. Cont. Sys. - R.P. MARK" and stamped: "COMPTON J-3, R.E. 2.07, R.M. No 1" and "SET BY COUNTY SURVEYOR, 1964".

94.58' @ 88' = Same.
25.315' @ " = 25.32
136.99' @ " = 136.995
9.00

9.779
39.216
136.99

FORM 247 5M 10-59

F.B. 9x3 PG. 18

-DESCRIPTION-

L.A. CO. SUR. CONT. SYS. TRAV. STA. "COMPTON J-3"

In L.A. Co., Compton area, near south city limits along P.E. R.R. R/W. on a production S. of S. Willowbrook Ave. to the South from W. Greenleaf Dr.

Station Mark: Set a standard 4" brass tablet in concrete flush with ground surface and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped "COMPTON J-3, P.E. 2122", and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 5M 10-39

50.1'

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Compton Creek
W. O. 4211 Tape No. Std. °F
Surveyed by E. E. Emmott
Notes E.M.A. Date 7-10-40
Indexed

F.B. 973 Pg. 19

2
36
58

F.B. 9x3 PG. 70

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA. "COMPTON K-3."

In L.A. Co., Compton area, near south city limit, between Alameda St. and Long Beach Blvd.

Station Mark: Set a standard 4" brass tablet in concrete flush with ground surface and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: "COMPTON K-3, C.E. 2177" and "SET BY COUNTY SURVEYOR, 1940."

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 30-B2

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of Los Angeles City
W. O. 4911 Tape No. 076 St'd 62°F
Surveyed by R.B. Emmott
Notes GWK Date 6-13-40
Indexed 6-24-40 [illegible]

F.B. 923 Pg. 21

W.S. 30

L.A. CO. SUR. CONT. SYS. TRIANG.

STA. "COMPTON K-9".

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sec. Div. W.S. No.
Sketch on Geo. Desc. Card

Sidewalk + curb

R/W

R/W No 2.
See next pg. for desc.

Triang. Sta "COMPTON K-9"
See next pg. for desc.

10° 43' 05"

R.M. No 1
See next pg. for desc.

SANTA FE AVE

115.57 @ 74° = 115.575
120.39 @ 74° = 120.395
170.95' @ 74° = 170.95

① 10-43-15
② 42-52-30
③ 64-18-15
10 43-02½

① 92-49-45
④ 11-18-15
⑥ 196-58-00
92-49-40

R-O-W

223rd ST.

COMPTON K-11

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

F.B. 923 PG. 22

~ DESCRIPTION ~

L.A. CO. SUR. CONT. SYS. TRIANG.

STA. "COMPTON K-9".

In L.A. Co., westerly part of Long Beach City area, and about 500' North of the intersection of Santa Fe Ave. and 223rd St., in a field.

Station Mark: Set a standard 4" brass tablet in concrete flush with ground and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM-TRIANGULATION STATION", and stamped: "COMPTON K-9, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Marks:

x x x x x

R.M.'s Nos 1 & 2: Set std 4" brass tablets in conc. 8 and 4 inches resp, below ground surface and marked: L.A. CO. SUR. CONT. SYS.-REF. MARK", and stamped: "COMPTON K-9, R.M. No 1 and R.M. No 2, resp, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O.
Tape No. 7 Std 68 OF
Surveyed by
Notes RLW Date 6-15-40
Indexed

F.B. 928 PG. 28

W.S. 30

W.S. J-13

COMPTON K11

Noted on Gen. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Str. Dir. W.S. No.
Sketch on Rec. Desc. Card

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-37

Conc. Floor
Frame Store Bldg
Set ± P.T.
Conc. 8' wide Private Drive
Set ± P.T.
RM No 2
Spot. Set 11-27-40
See Pg. 24 for desc. Curb
59.8'
30.87'
62.92' Tang.
Oil Surface
180'
20'
Approx. ℄ prod'
42.6'
14.22'
Tang.
44.55'
42.5'
71°28'15"
10'
180'
67.54'
480'
32nd ST. ℄
Set C. Spk. + Wash. in 10" Elm.
RM No 1.
Set a ¾" I.P. conc. plug + copper tack, in conc. 18" below ground surface
Elev. Set 11-27-40
30'
8'
Barbed wire
67.54' @ 74°
80.87' @ "
42.63' @ "
Topo # 037 Std @ 68°
44.55' @ 72° " "
62.92' @ " "
"COMPTON 11-11" (Long Beach City Mon.) No reference disc. See Pg. 24 for desc.
R.P.O. Apron
TRAV. STA. COMPTON 11-12"
SANTA FE
R.P.O. Apron
Conc. Pav.
D 71-25-00
D 28-41-00
D 68-31-00
D 71-25-00

F.B. 923 PG. 24

COMPTON H 11

In The City of Long Beach at Santa Fe Ave and 28th St. in a well cut through the pavement and protected by a cast iron cover marked L.B.

STATION MARK

Brass plug set in concrete 12" below surface

SUB SURFACE MARK - None

B.M. No 2:- Set a 3/4" I.P. conc. plug + copper tack, in conc., 12" below curb grade. Mon. set 11-27-'45.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by [illegible]
Map No.
Office Work
Checked
Date

Survey of [illegible]
W. O. 4911 Tape No. 076 Std 68 F
Surveyed by H R Bennett
Notes [illegible] Date 6-15-
Indexed [illegible]

F.B. 923 Pg. 25

Noted on Con. Index Card
Plotted [illegible] Dupl. Mtls.
Sketch on Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-69

W 33.00 B M

COMPTON K 12

"COMPTON CITY MON. 4"x12" Tag as per LB 999-1 See next pg. for desc"

R.M. N°1 See next pg. for desc

R.M. N°2 See next pg. for desc

TRAV. STA. COMPTON K-11

EDGE OF CONC.

WILLOW ST.

CONCRETE SURFACE

MACADAM SURFACE

91.18'

109°-40'

54°-37'-30"

25.6

25.5

22.8'

20'

56.10'

40'

30'

10'

64.51'

64.43'

55.82'

30'

60'

L.S. City Fire Hyd made ± 10' East of Curb

Set C SPK & W. in R.P. # 163803 E

Edge of Concrete

SANTA FE

55.82' @ 74°
56.10" @ "
91.18' @ "
64.43' @ "
64.51" @ "

① 54-37-45
② 218-31-30
③ 327-46-45
54-37-45

① 109-07-45
② 76-30-30
③ 294-46-00
109-07-45

F.B. 923 PG. 26

COMPTON K 12

In the city of Long Beach at Willow St and Santa Fe Ave in a well cut through the pavement and protected by a cast iron cover, marked L.A.B.

1' below surface
2 1/2" plug

Station Mark

R.M.'s Nos 1 & 2: Set std 4" brass tablets in conc. 10" below ground surface and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: "COMPTON K-12, R.E. 2177," and "SET BY COUNTY SURVEYOR, 1940."

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Edison Tower

TRIANG STA.
COMPTON A 3
See FB 696-9

12" CURB

Sec T 39-9
48.646

LONG BEACH
CONCRETE

BLVD

Surface

Compton
A-3 ELC.
Set L+T

CONCRETE Bench

12" CURB

12" CURB

E. GREENLEAF DR

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O.
Surveyed by
Notes
Indexed

Tape No.
Date

St'd °F

F.B. 928 PG. 17

Plotted on Sym. Index Card
Plotted on Sht. Idx. W. S. No.

F.B. 923 PG. 28

COMPTON L3. ECC.

In the City of Long Beach, south of and near the north boundary, on Long Beach Blvd.

STATION Mark: Vine
Set L+T from intersection TRIANGULATION STATION COMPTON L-3 and DOMINGUEZ NO. 2. near ℄ of Long Beach Blvd.

SUB SURFACE Mark None

STATION Mark
L+T Set in Pavement

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change

Do not extend notes this side of this line.

W.S. 37 - B5



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. O. 2221
Tape No. 052 Std 76 of F
Surveyed by E. E. Evans
Notes E. Hunt Date 6-7-49
Indexed E. C. Johnson

F.B. 923 PG. 29

Index Card

F.B. 923 PG. 30

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA. "COMPTON L-4"

In L.A. Co., North Long Beach area, on Long Beach Blvd. at Artesia St., and in a well cut flush the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT."

Station Mark: Set a Standard 4" Brass Tablet in concrete 2" below sub-grade of the highway and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: "COMPTON L-4 [illegible] BY COUNTY SURVEYOR, 1940".

Sub. Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

S 20-B3

TRAV. STA "COMPTON L+12"
(See next pg. for desc.)

Set L+T. in gray granite boulder 16" x 30"

L+T. in valve box

1.9'

4.6'

10'

MacLaran

WILLOW

282'

60.87'

S 70.0' E

210'

Los Angeles River Bridge

152'

20' R

Set L+T. in Valve Box

Edge Pavement

Surface

ST

Concrete Surface

Curb

25' R

36'

Ave

60.875' @ 74 =
26.025' @ " =
45.21' @ " =

Survey of W. O. [illegible] Tape No. [illegible] Stadia
Surveyed by RD Emmons
Notes Rainy Date 6-13-45
Indexed [illegible]

Notes Ck'd by
Map No.
Office Work
Checked
Date

F.B. 923 Pg. 37

Posted on Geo. Index Card
Plotted
Sketch on Descriptive Card

F.B. 923 PG. 32

COMPTON L 12

In the city of Long Beach at Willow St and E. end L.A. River bridge in a well cut through the pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark set a standard 4" brass tablet in concrete 2" below subgrade of street marked L.A. County Survey Control System Traverse Station Compton L 12 R.E. 2177, and set by County Surveyor 1940

Sub surface Mark & Mone

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 4911 Tape No. 676 St'd 66°F
Surveyed by R.A. Emmott
Notes GLK. Date 6-11-40
Indexed [illegible] Johnson 4-24-41

F.B. 923 Pg. 33

W.S. 32'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
900 HALL OF RECORDS

FORM 247 5M 10-39

CLEARWATER A-5

CLEARWATER A-5

Trav. Sta. "COMP. L-4"

BLVD.

BEACH

St. Emmett

Noted on Geo. Index Card
Placed
Noted on W.S.M.
Noted on Desc. Card

Service Station

Set L+T

69.8'

24.7'

30' R

36.6'

52.50'

Δ 124-05-00

37.34'

32.8'

BARCLAY ST.

56.96'

14.4'

36.1'

49.90'

64.1'

6.2'

30' R

85.47'

106-02-15

R.M. No 1
See next pg. for desc.

R.M. No 2
See next pg. for desc.

12' R.R.

Conc. Lamp Post

LONG

① 49-36-00
② 198-25-00
③ 247-38-00
49-36-20

① 56-25-00
② 226-39-00
③ 338-29-00
56-24-30

Turned by Engineette
for L.A. City Surveys

49.90 @ 69°
56.96 @ "
85.47 @ "

Clearwater A-6A

① 124-05-15
② 136-20-00
③ 24-29-45
124-04-57½

① 106-02-15
② 64-09-00
③ 276-13-00
106-02-15

F.B. 923 PG. 34

- DESCRIPTION -

L.A. CO. SUR. CONT TRAV STA. - "CLEARWATER A-5"

In L.A. Co., in the city of Long Beach about one mile So. of the North boundary on Long Beach Blvd. at Barclay Street, in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT."

STA. MARK: Set a Standard 4" brass tablet in concrete 2" below sub-grade of Street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: "Clearwater A-5, R.E. 2177" "SET BY COUNTY SURVEYOR, 1940".

SUB-SURFACE MARK: None.

x x x x x x

R.M.'s Nos. 1 & 2.

Set Std 4" brass tablets in conc. 4" below curb grade and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: "CLEARWATER A-5, R.M. No. 1 and R.M. No. 2, resp., R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach
W. O. 4211 Tape No. 076 St'd 68°F
Surveyed by Emmett
Notes DLW Date 6-4-46
Indexed A. C. Johnson

F.B. 923 PG. 35

W.S. 30

W.S. 30-B1

CLEARWATER

ASA

BLVD

RIVER

LOS ANGELES

67.80

61.6

2.5' Set L+T

R.M. No 2
See next pg.
for desc.

Set L+T

Set L+T

Fd L. & T.

50.37

84.12'

11° 47' 45"

105.34'

94° 43' 30"

Conc. Life Post

3.4'

R.M. No 1
See next pg. for desc.

8.2'

CLEARWATER ASA
See next pg. for desc.

56.84'

15' R

56TH ST.

JUNIPER

15' R

6" Sewer

LONG BEACH

84.12' @ 70°
56.84' @ 4
105.34' @ 4

Trav. Sta. CLEAR. A-6°

① 94 43-30
② 18-54-15
③ 208-21-45
94-43-37½
④ 11-47-45
⑤ 47-10-45
⑥ 70-46-15
11-47-42½

330.4
52.26
105.34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Noted on Topo. Index
Planimetric
Planimetric
Sketch on Geo. Index Card

FORM 247 BM 10-39

F.B. 923 Pg. 36

CLEARWATER
A5A

In the city of Long Beach 100'+- South of the south curb of the Los Angeles River Bridge, near the west curb of Long Beach Blvd. in a well cut through the pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark:- Set a standard 4" brass tablet in concrete 2" below subgrade of street and marked L.A. County Survey Control System Traverse Station and stamped Clear Water A5A, R.E. 2177 and set by County Surveyor 1940

Sub surface Mark:- None

x x x x x

R.M. No 1: Set std 4" br tablet in conc. 2" below curb grade and marked: "L.A. CO. SUR. CONT. SYS - REF. MARK"; and stamped: "CLEARWATER A-5A, R.M. No 1, R.E. 2177;" and "SET BY COUNTY SURVEYOR, 1940".

R.M. No 2.: Same desc. as for No 1, except set 6" below curb grade and stamped: R.M. No 2.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L.A. Co.
W. O. 4911 Tape No. 221 St'd 68°F
Surveyed by R. B. Emmott
Notes Date 6-11-46
Indexed E. F. Johnson

F.B. 923 Pg. 37

Inv. Map 30

L.A. CO. SUR. CONT. STA. TRAV. STA.
"CLEARWATER A-6."

Noted on Gen. Index Card
Placed on U.S.C. & G.S. Quad. Sht.
Placed on Sur. Rev. W. S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-59

F.B. 923 Pg. 38

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA.- "CLEARWATER A-6"

In L.A. Co, North Long Beach, on Long Beach Blvd. at 52nd St., in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a standard 4" brass tablet in concrete 2" below sub-grade of highway and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: "CLEARWATER A-6, R.E. 21'", and "SET BY COUNTY SURVEYOR, 1940."

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Lines D...
Map No.	W. O. 4811 Tape No. 076 St'd 62°F
Office Work	Surveyed by BLE Emmett
Checked	Notes Date 4-11-40
Date	Indexed

F.B. 923 PG. 39

Map 30

T. 11 A 24

Posted on Gen. Index Card
Placed on H. S. Quad. Sht.
Placed on Bdr. Sht. W. S. No.
Sketch on Gen. Desc. Card

US 30-C1

CLEARWATER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO...
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 40

CLEAR WATER
A 7

In the City of Long Beach, near
The ℄ of Long Beach Blvd and the
South curb line produced on 49Th St,
in a well cut through the pavement and
protected by a cast iron cover marked
"County Surveyor-Monument"

Station Mark ± Set a standard 4" brass
tablet in concrete 2" below surface of
Street and marked L.A. County Sur-
vey Control System, Traverse Station and
Stamped Clearwater A 7,
RE 1977 and set by the County Surveyor
1940

Sub Surface Mark - None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. #1
Office Work
Checked
Date

Survey of L.A. Co. Surv. Cont. Sys. Traverse Sta.
W. O. 491 Tape No. 076 St'd 68°F
Surveyed by R.B. Emmott
Notes BWK. Date 6-1-40
Indexed

F.B. 923 PG. 21

Map 30

N 30-C 7

L.A. CO. SURV. CONT. SYS. TRAV. STA. "CLEARWATER B-8"

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Surv. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



126-56
147-45
41-37
126-56-10

104-26
57-45
266-37
104-26

① 126-56-15
② 147-44-15
③ 41-36-30
126-56-05

① 104-26-30
② 57-45-15
③ 266-37-45
104-26-17½

46.36' @ 70°
46.10' @ "
78.07' @ "

① CLEARWATER B8A

FORM 247 SM 10-39

P.B. 923 Pg. 42

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA.- "CLEARWATER B-8"

In L.A. Co., North Long Beach area, on Long Beach Blvd. at crest of hill 0.2 mile north of San Antonio Drive and in a well cut thru pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT"

Station Mark:- Set a standard 4" brass tablet in concrete 2" below sub-grade at highway and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM- TRAVERSE STATION" and stamped: "CLEARWATER B-8, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940".

Sub. Surface Mark: None.

x x x x x x

R.M.'s Nos 1 & 2. Set std 4" br. tablets in conc. 2" below curb grade and marked: "L.A. CO. SUR. CONT. SYS.-TREE MARK", and stamped: "CLEARWATER B-8, R.M. No 1 and 2 M. No 2 resp., R.E. 2177"; and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 923 PG. 43

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach
W. O. 4911 Tape No. 076 St'd 68°F
Surveyed by F. B. Emmett
Notes B.W. Date 6-14-40
Indexed A. C. Johnson

Noted on Geo. Index Card
Placed on U. S. Quad. Shts.
Placed on Sec. Dk. W. S. No.
Sketch on Geo. Desc. Card

W.S. 20-C2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

CLEARWATER BEA

Map No. 30

BLVD

to CLEARWATER 68

RM No. 1
Fd 2" brass cap flush with pave. marked "City of Long Beach"

RM #2
Std. Mon. See next pg. for desc.

Fd Bolt 2.8

6.7

12"e

82.11'

62.55'

DR

40.0'

SURFACE

CURB

Fd L+T 25'E

43°

100-30-35.80

65.44

42-09-30

48.0

12" curb

SAN ANTONIO

17.4

33.3'

40.10'

93.11

Morgadam

12" curb

25'E

Fd L+T

Traverse Sta Clearwater 68A See next pg. for desc.

62.55' @ 70°
42.98' @ "
82.11' @ "

LONG BEACH

Concrete

70'

12" curb

Fd L+T

① 42-09-30
② 168-38-00
③ 252-57-00
42-09-30
④ 100-30-45
⑤ 42-03-15
⑥ 245-05-30
100-30-35

F.B. 923 PG. 48

CLEARWATER
B.B.M.

In the city of Long Beach near the ℄ int of Sta. Antonio Dr. and Long Beach Blvd, in a well cut through the pavement and protected by a cast iron cover marked "County Survey Monument"

Station Mark :- Set a standard 4" Brass Tablet in concrete, 2" below sub grade of street and marked L.A. County Survey control system Traverse Station and stamped Clearwater B.B.M. RE 2177, and set by the County Surveyor 1940

Sub Surface Mark :- None

x x x x x

R.M. No 2 :- Set a std 4" brass tablet in conc. 8" below curb grade and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: "CLEARWATER B.B.M., R.M. No 2, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 4911 Tape No. 076 St'd 68.°F
Office Work	Surveyed by R.B. Emmett
Checked	Notes GWK Date 6-11-40
Date	Indexed A. C. Johnson

F.B. 923 Pg. 25

Index Map 30

T.M.S. 30-C2

L.A. Co. Surv. Cont. Sys. Trav.

STA. "CLEARWATER B-9"

VIRGINIA

BLVD.

ROOSEVELT ROAD

449'

ROAD

216.9'

BEACH

La Linda Dr. (Private)

Set L.T.

52.30

47.39

33.4

46.8

52.92

52.19

Set L.T.

Set L.T.

70.0

Trav. Sta. "CLEARWATER B-9"

Noted on Gen. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Plan ... Co. W.S. Map
Sketch ... Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

F.B. 923 PG. 46

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA. - "CLEARWATER B-9"

In L.A. Co., North Long Beach area, on Long Beach Blvd. near junction of Virginia and Roosevelt Roads, and in a well cut thru pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT"

Station Mark: Set a standard 4" brass tablet in concrete 2" below sub-grade of highway and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: "CLEARWATER B-9, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940"

Sub Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Initialed in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS D-0.3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O.
Tape No.
Surveyed by
Notes
Indexed

F.B. 922 Pg. 47



F.B.: 923 Pg. 48

CLEARWATER
B-10

In the city of Long Beach, at Long Beach Blvd, and Wardlow Rd. in a well-cut through the pavement and protected by a cast iron cover and marked County Surveyor Monument.

Station Mark :- Set a standard 4" brass tablet in concrete 2" below sub-grade of street and marked L.A.County Survey Control System Traverse Station and stamped Clear water B 10 R.E. 2177 and set by the County Surveyor 1940

Sub. Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Road
Map No.	W. O. 4911 Tape No. 076 St'd 68-F
Office Work	Surveyed by RC Emmons
Checked	Notes PLSS Date 6-11-40
Date	Indexed E. C. Johnson

F.B. 923 PG. 49

T. 5 S. R. 30

MS 3 - C3

CLEARWATER

B-11

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Co. Div. W.S. Co.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled in Red With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

SURFACE BLVD

70.3'

P.P. #39679 E

46.2'

R.M. No 1
See next pg
for desc.

S. 29th. ST.

Surface

96.0

36.3'

20.9

83 03-55

60.24

80.A

22.75

50.15

R.M. No 2
See next pg
for desc.

P.P. #39678 E

TRAVERSE STA.
CLEARWATER B 11
See next pg. for desc.

① 47-06-30
② 188-27-00
③ 282-40-00
47-06-40

① 83-04-00
② 332-15-30
③ 138-23-30
83-03-55

10" CURB

CONCRETE

LONG BEACH

To Clearwater B12

66.74' @ 70°
50.24' @ "
50.43' @ "

F.B. 923 PG. 50

CLEARWATER
B-11

In the city of Long Beach at Long Beach Blvd. and E 29th St., in a well cut through the pavement, and projected by a cast iron cover marked "County Surveyor Monument"

Station Mark — Set a standard 4" brass tablet in concrete, 2" below sub-grade of street, marked L.A. County Survey Control System Traverse Station and stamped Clearwater B-11 R.E. 2177 and set by the County Surveyor 1940

Sub Surface Mark None

× × × × × ×

R.M.'s Nos 1 & 2. Set std 4" brass tablets in conc. 4" below curb grade and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK" and stamped: "CLEARWATER B-11, R.M. No 1 and R.M. No 2, resp., R.E. 2170", and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Blvd
W. O. 491 Tape No. 07 St'd 68°F
Surveyed by R B Emmott
Notes G.A.K. Date 6-7-40
Indexed C. Johnson

F.B. 923 PG. 81

Noted on Sec. Index Plotted on F.B.'s Prepared Descr. Checked W.S.M.
Sketch on U.S. Base Card

W.S. 10-C3

L.A. CO. SUR. CONT. SYS. TRAV. STA. "CLEARWATER B-12"

TRAV. STA "CLEAR. B-11"

LONG BEACH BLVD.

R.M. 1/2" I.P. Flush with ground

70'

16'

33'

45.4

Set Lot

12.5'

83.0'

138'

PA 14

40-16-25

89.24' Tan. Tie

Edge of Pav.

42.0'

WILLOW

109.59'

89-54-30

34.4'

12.9'

118.29'

Edge of Pav.

R=10.

28'

ST.

Cons. Pav.

45'

R=10.

86.52'

72

Trav. Sta. "CLEARWATER B-12" See next pg. for desc.

R.M. 1/2" I.P. Flush with ground 10' W. of next P.I. Sta. 4+20.4

10'

32.4

287'

Set Lot

AMERICAN AVE.

R.E.R.R.

R.E.R.R.

5.6

10'

84'

51.89' @ 68°
88.34' @ "
65.75' @ "
86.52' @ "
108.59' @ "

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

FORM 247 5M 10-37

8685
2194
10.59

F.B. 923 PG. 52

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA. "CLEARWATER B-12"

In L.A. Co., in the city of Long Beach, on American Ave. at Willow St. in a well cut thru the pavement and protected by a cast iron cover marked "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a Standard 4" brass tablet in concrete 2" below sub-grade of the street and marked; "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: "CLEARWATER B-12, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

× × × × × ×

R.M. No. 1: Set a Std 4" br. tablet in conc. 6" below curb grade and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: CLEARWATER B-12, R.M. No. 1, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940"

R.M. No. 2: Set a Std 4" br. tablet 4" below ground surface and marked. "L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: CLEARWATER B-12, R.M. No. 2, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940."

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of
Map No.	W. O. 4411 Tape No. 076 std 6K+F
Office Work	Surveyed by R.B. Emmott
Checked	Notes OK Date 6-17-49
Date	Indexed A. C. Johnson

F.B. 923 PG. 33

Noted on Geodetic Card
Placed on U.S. Quad. Shts.
Placed on U.S.G.S.
Station on Geod. Card

W.S. 3 - C.5

L.A. CO. S.E. COAST SYS. TRAV. STA.

"CLEARWATER C-4"



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 64

~ DESCRIPTION ~

L.A. CO. SUR. CONT. SYS. TRAV. STA.

"CLEARWATER C-4".

In L.A. Co., North Long Beach City area, at the intersection of Orange Ave. with Harding St., in a wall cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEY MONUMENT".

Station Mark: Set a standard 4" brass tablet in concrete 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAV-[illegible]

"CLEARWATER C-4, C.S. 217", and "SET BY COUNTY SURVEYOR, 1940".

Sub. Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.


WILLOW ST & LONG BEACH BLVD
1094
C-369
FB C-4?
48
P.S
Reference —
Dwg # C-2155 a
Dwg # C-3208 a
FB C-274 P44
FB C-300 P.S
FB X-1194 P.8, 20, 4.66
FB C-401 P.S
14+71.66 = 51.90 Tie STA
4+18.19 FB X-1194 Pg 9
Set 2-Bolts
Set Bolt FB X-1194 P 20, 46.66
10+20.61 out 0.35 South At 1.25 Below Surface Found Brass Cap Mon Marked Transit
11" Casting
LONG BEACH BLVD.
WILLOW
STREET
Found Bolt
Set CF
Joint
Set Nothing
Set Bolt from Mon.
Set Spike
Set PK
Set CE
End Co Rd Left No Text
S 0°-08'-44" W
S 89°-51'-16" E
179.345
N 89°-59'-48" E
OLD ℄ Dwg # C-3208 a
60' STREET
R = 15000 Δ = 1°-50'-49"
L = 483.53 Dwg # C-3208 a
10+00.00 ℄ TRANSIT-LINE FB C-274 P44
#1329
8+19.60 BC Fnd L.A. Co. Bolt FB C-369 P.48
OLD ℄ LONG BEACH BLVD. TRANSIT-LINE FB C-274 P44
EC. 21+25.81 Set Bolt FB X-1194 Pg 8
FB X-1194 P.8
Found CLB Brass Cap Mon. #1958 1.7 Below Surface Marked City of L.B. IN 11" CASTING
FB C-369 P. 48
FB C-401 P.S
0.7 Under Set Brass Cap Type CLB Mon #1329
C.L.B. 1970

Notes Ck'd by	Survey of
Map No.	W. O. 4911 Tape No. 2716 St'd
Office Work	Surveyed by E. F. Emmott
Checked	Notes Date
Date	Indexed A. C. Johns

F.B. 923 Pg. 55

Noted on Rec. Index Card
Plotted on U.S. Quad. Shts.
Plotted on Sec. Twp. W. S. No.
Sketch Book No. Desc. Card

32-C6

CO. SURV. CONT. SYS. TRAV.

STA. "CLEARWATER C-5"



49.43 @ 70° = 49.43
42.25' @ 70° = 42.25
42.29 @ 70° = 42.29
49.40' @ 70° = 49.40

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 56

DESCRIPTION

L.A. CO. SUR. CONT SYS. TRAV STA "CLEARWATER C-5"

In L.A. CO., North Long Beach City area, at the intersection of Orange Ave. and South St., in a well cut thru the pavement and protected by a cast iron cover.

Station Mark: Fd a 2" brass tablet set in conc (on existing Long Beach City monument) 18" below surface

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach
W. O. 4911 Tape No. 0716 Std. 68°F
Surveyed by F.B. Emmick
Notes F.L.W. Date 6-13-40
Indexed A. O. Johnson

F.B. 923 Pg 57

Noted on Geo. Index Card
Placed on Quad Sht.
Placed on Div. W.S.No.
Station on Geo. Desc. Card

W.S. 23-C1

CLEARWATER C6



① 140-27-15
② 201-47-45
50-26-54
③ 122-42-15
140-27 02½

① 106-13-30
② 64-55:30
16-13 22½
③ 277-20-00
106-13-25

30.27 @ 74° = 30.27
34.35 @ 74° = 34.35
38.56' @ 74° = 38.56
45.89 @ 74° = 45.89
55.28' @ 74° = 55.28

① 117-19-15
② 93-17-30
23-19-22½
③ 319-57-00
113 19-15

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 58

CLEARWATER CG

In L.A. Co., north portion of the City of Long Beach at an angle point in the E of Orange Ave., and in a well cut thru the pavement and protected by a cast iron cover marked: (Plain)

Station Mark: Fd. lead and tack set in concrete 18" deep in existing Long Beach City monument.

Sub-Surface Mark: None

* * * *

REFERENCE MARKS - See Sketch on opposite page.

R.M. No. 1: Set a std. 4" br. tablet 4" below curb grade and marked: "L.A. CO. SURV. CONTROL SYSTEM - REFERENCE MARK" and stamped: "CLEARWATER C-6, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940." (R.M. No. 1)

R.M. No. 2: Set a std. 4" br. tablet in conc. 6" below curb grade and marked: "L.A. CO. SURV. CONTROL SYSTEM - REFERENCE MARK" and stamped: "CLEARWATER C-6, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940."

R.M. No. 2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach
W. O. 4911 Tape No. 076 St'd 68 °F
Surveyed by BB Emmott
Notes R.M.V. Date 6-15-44
Indexed A. C. Johnson

F.B. 923 Pg. 59

Noted on Geo. Index Map
Plotted on U.S.C.&G.S. Quad. Shts.
Plotted on Thos. Bros. W.S. No.
Sketch on Geo. Desc. Card

N 30-C1

CLEARWATER C7

Traverse Station Clearwater C7 Fd 2x2 + tk. 0.2' Replaced with Std mon in well. See next page for description

RM No 1 Set std mon. mkd RM No 2 - 6" below surface. See next pg. for description.

Fd L+T Culvert HW

Set C3+W P.O.B. #3 FPLine

16.5

18.2

edge Pavmt

Fd L+T Culvert HW

NEW TIES P.G. 205

62.90
59.97
75.47

72.05'

Edge of Pavement

23.33'

15.2

55.04'

93.00.35

SAN ANTONIO

Set L+T 24" Conc Monument

21°

RM No 2 Set std mon. mkd RM No 2 - 6" below surface See next page for desc.

72.12

59.43.10

160'

Pavmt

72.05' @ 72°
43.33 @ 72°

93-02-45
12-02-45
198-03-45
93-00-37.5

59-43-15
238-52-30
358-19-15
59-43-185

Fd C spk set in C.L. See FB 427-136

Edge Pavmt

31'

MACADAM

ORANGE

Edge

Traverse Station CLEARWATER C8A

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 60

CLEARWATER
C-7

In the City of Long Beach at the center line intersection of San Antonio Dr. and Orange Ave in small cut 3" sq. Tie set and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark - Set a standard 4" brass tablet in concrete at right angle sub grade at street marked L.A. County Survey Control System Traverse Station established in Clearwater 1940, RE 2177 and set

Reference Marks - Set a standard 4" brass tablet in concrete 6" below surface marked "L.A. COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK" and stamped "CLEARWATER C8 RM No (1 or 2) RE 2177" and "SET BY COUNTY SURVEYOR 1940"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 523 PG. 61

WS 30

WS 30-C1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Clearwater C-9A
W. O. 2911 Tape No. 076 St'd 68°F
Surveyed by R B Emmott
Notes G W F Date 6-13-40
Indexed A. C. Johns

L.A. CO. SUR. CONT. TY. TRAV. STA.

"CLEARWATER C-9A"

(1) 44-24-00
(4) 177-35-30
(6) 266-23-30
44-23-55

(1) 70-50-10
(4) 283-19-40
(6) 64-59-20
70-49-53½

1-4-56 W.O.B.

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts.
Plotted on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Approx. ℄ Intl.

TAHACHAPI DR.

Set L+T tan

Set L+T tan

Set L+T 20' from SP GONE

Set CS+W PP #3688.57E GONE

Set R.M. NO. 1 See Next pg.

Set R.M. NO. 2 See Next pg.

CONC. DRAIN

FD N+T

ILA 542

119.1'

60.8

49.36

39.56

40.91

44°25'

30°

1.5

1.3

2' Sidewalk

GONE

ORANGE AVE.

Rock and Oil

Line to C-9A

CLEARWATER C-9A
Set std traverse mon in well See next page for desc

40.91 @ 80° 40.91
49.355 @ 80° 49.36

300' TAPE #95 STD 68°

45.90 level @ 66° = 45.87
39.56 " " = 39.56
15.70 " " = 15.69
47.62 " 64° = 47.61
30.18 " " = 30.18

1-4-56 W.O. 3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 62

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA. 'CLEARWATER C-8A'

In the City of Long Beach 0.4 mi. South of San Antonio Dr. on Orange Ave., and about 800' North of Carson St., in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT"

Station Mark: Set a standard 4" brass tablet in concrete 2" below Sub-grade of the street and marked: "CLEARWATER C-8A 1955 BY COUNTY SURVEYOR, 1940"

Sub-Surface Mark: None.

R.M. NO. 1: Set a std. 4" brass cap in conc. marked "L.A. COUNTY SURVEY CONTROL SYSTEM, REFERENCE MARK, CLEARWATER C8A A.R.M. NO. 1, 1955, CO. ENGR. R.E. 5869" 18" below curb grade.

R.M. NO. 2: Set a 2" Iron Pipe, conc. core, lead plug & brass tack, in conc. dn. 15" below curb grade.

12-29-55 W.D.B.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 923 PG. 63

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of LONG BEACH AREA
W. O. 4911 Type No. 076 St'd 68 °F
Surveyed by Emmett
Notes RBE Date 5/29/41
Indexed A. C. Johns

Noted on Geo. Index Card
Placed on Sheet
Placed on T.B.M. W. S. No.
Sketch on Geo. Desc. Card

W.S.D. C2

TRAVERSE STATION CLEARWATER C8B

67.83 @ 80° = 67.83

105.10 @ 80° = 104.11

65.16 @ 80° = 65.17

5° 65 x 26° >

Rockendahl

DRIVE

Fd L+T

5°

65

Curb

R=275

CALIFORNIA AVE.

36'

101

Set CS+W 30" Euc.

Curb 2

275 R

5°

65

67.83

45.0

65.17

Fd L+T

x 375

11.0

CLEARWATER C8B
Set std. traverse mon. in well. See next pg. for descrip.

24

SAN ANTONIO

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled in Red With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-80

F.B. 923 PG. 64

TRAVERSE STATION
CLEARWATER C8B

In the City of Long Beach at California Ave. and San Antonio Drive 375' N.W. of the south curb line produced of San Antonio Dr. and 45.8' N.E. of the east curb line produced of California Ave. in a well cut through the pavement and protected by a cast iron cover marked "COUNTY SURVEYOR MONUMENT"

STATION MARK - Set a standard 4" brass tablet in concrete 2" below subgrade of street and marked "LA COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION" and stamped "CLEARWATER C8B RE 2177" and "SET BY COUNTY SURVEYOR 1940"

SUB-SURFACE MARK - None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 4911 Tape No. 076 St'd 68°F
Surveyed by
Notes R.L.W. Date 6-14-60
Indexed A. C. Johns

F.B. 923 Pg. 65

Noted on Rec. Index Card
Placed on U.S.
Placed on
U.S. No.

V 923 - C 3

CLEARWATER

C-12

41.20 @ 80° = 41.20'
42.98 @ 80° = 42.98'
40.15' @ 80° = 40.15
34.85' @ 78° = 34.85
33.76 @ 78° = 33.76

230

AVE

SURFACE

TRAVERSE STATION CLEARWATER C 12
See next pg. for desc

3" Pipe 1/2"

Chiseled X in elbow

75

CURB

Set L+T

10' R

34.85'

40.15'

17.2

22.2

WILLOW

ST

400'

SURFACE

41.20

33.76

42.98'

CURB

Fd L+T

10' R

5' x 4'

Set L+T

Set L+T
Tel P. 828247

40.0

CALIFORNIA

ST

CURB

Set L+T

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-59

F.B. 923 PG. 66

CLEARWATER C-12

In the city of Long Beach at Willow St. and Cerritos St in a well cut through the pavement and protected with a cast iron cover marked "County Surveyer Monument"

Station Mark - Set a standard 4" brass tacket in concrete 2" below subgrade of street, marked L.A. County survey control system, Traverse Station and stamped Clearwater C12 RE2177 and set by County Surveyer 1940

Sub Surface Mark - None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S 30-D3



141.51	51.15	
207.25	25.15	
131.07	07.45	
141.51	51.17.5	
AB 36'	Fd 1/2"	"
49.52 @ 76°	38.93	"
39.05	39.23	"
38.87		"
		= 51.82'
	72-23	45
	289.34	30
	74.21	30
	72.23.35	

F.B. 923 PG. 68

CLEARWATER D12

In the City of Signal Hill at Willow St. and Cherry ST in a well cut through the pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark - Set a Standard 4" brass tablet in concrete 2" below surface of St. marked L.A. County Survey Control System Triangulation Station and Stamped Clear Water D 12, RE2177 and set by County Surveyor 1940

Subsurface Mark None

REFERENCE MONUMENTS

Set a standard 4" brass tablet in concrete 3" below surface and marked "L.A. COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK" and stamped "CLEARWATER D12 RM No (1+2 resp.) RE2177" and "SET BY COUNTY SURVEYOR 1940"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WILLOW & [illegible] AVE
1094
NEWELL
6-9-1970
C-369
P-16

F.B. 923 PG. 69

Noted on Gen. Index Card
Plotted on U.S.G.S. Quad. Shts.
Placed on Shr. Div. W.S. No.
Sketch on Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 4911 Tape No. 026 Std. 68-F
Surveyed by R.S. Ammon
Notes NK Date June 1941
Indexed A. D. Johnson

W 52 D 4

L.A. CO. SURV. MONUMENT

"CLEARWATER D-12A"

RM No. 1 Set std. 4" mon. 4" below surface mk. RM No. 1 See next page for description

RM No. 2 Set std. 4" mon. 4" below surface mk. RM No. 2 See next page for description

AVE.

3" Conc. Wall

188

22'

17.4

20

138.57-00
195.48-00
118.42-00
138.57-00

Set L+T

22'

9.6

41.45'

44.01

56.44

94.53-05

28

19.3

72

31

10'

87

138.57.00

15'

Oil + rock paving

22'

STATION CLEARWATER D12A
Set std. 4" mon.
See next page for description

BURNETT ST.

487.29

Set X in 8" iron casing post

19.4

31.715 @ 74° = 31.72'
41.45' "
44.07' "
56.44' "
52.34' "

TRAVERSE STATION LONG BEACH D1

CHERRY

Curb

2nd. AVE.

CRESTON

94-53-15
19.32-15
209.18-45
94-53-075

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

FORM 247 5M 10-39

F.B. 923 PG. 70

~DESCRIPTION~

L.A. Co. Sur. Cont. Sys. Trians.

Sta. "CLEARWATER D-12A"

In L.A. Co., City of Signal Hill, at the intersection of Cherry Ave. and Burnett St., in a well cut for the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a standard 4" brass tablet in concrete 2" below sub-grade of the street and marked: "L.A. [illegible]".

Reference Monuments: "CLEARWATER D-12A, R.E. 2177"; and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

REFERENCE MONUMENTS

Set a standard 4" brass tablet in concrete 4" below surface and marked "LA COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK" and stamped "CLEARWATER D12A RM No (1 + Y resp.) R.E. 2177" and "SET BY COUNTY SURVEYOR 1940"

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 494 Tape No. 076 St'd 68°F
Surveyed by
Notes Date
Indexed

F.B. 923 Pg. 77

Noted on Bench Mark Card
Placed on Post
Sketch on Sta. Desc. Card

"CLEARWATER D-12B"

3064 @ 78°
3164 "
2783 "
2699 "
12784 @ 78° = 12785

Set L+T's

Cable fence

Fd 2x2 - 8" below sur. in 6 well protected by a cast iron cover marked "L.B. WATER DEPT."

WILLOW ST.

40'

10'

12785

2783

2699

199

107.8

73.5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-59

F.B. 923 PG. 72

~ DESCRIPTION ~

L.A. CO. SUR. CONT. TRAV. STA.

"CLEARWATER D-12B."

In L.A. Co. City of Signal Hill, on Willow St. near Walnut Ave., in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT."

Station Mark: Set a standard 4" brass tablet in concrete 2" below sub-grade of the street and marked "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAV. [illegible] D-12B", "R.E. 2177", and "SET BY COUNTY SURVEYOR, 1960".

Sub. Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 923 PG. 73

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. 076 St'd 68 °F
Surveyed by
Notes Date June '41
Indexed

Noted on Rec. Index Card
Placed on
Placed on
Sketch on this Page Card

RS 20 D3

CLEARWATER E12A

37.54 "
52.45 "
68.19 "

RM No 2
Set std mon 8" below surf. mkd RM No 2 See next page for desc.

ST.

SURFACE

PAVMT

JUNIPERO AVE

SURFACE

32.99

52.45

68.19

37.54

45.44.55

12.2

RM No 1
Set std mon 3" below surf. mkd RM No 1 See next page for desc.

TRIANG. STATION CLEARWATER E12A
Set std mon. See next page for desc.

27'

45-45-00
187-59-30
274-29-30
45-44-55

97-08-00
28-30-45
227-46-15
97-07-45

CLEARWATER D12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 74

CLEARWATER
E 12 A

In The City of Signal Hill at Willow St and Juniper St 1 mi W of Well cut through the pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark: Set a standard 4" brass tablet 2" below surface of street marked L.A. County Survey Control System Triangulation station and stamped "Clearwater E12A, RE 2177," and set by County Surveyor

Sub Surface Mark: [illegible]

REFERENCE MONUMENTS

Set a standard 4" brass tablet in concrete (3" x 8" on #1 and #2 resp) below surface and marked "LA COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK" and stamped "CLEARWATER E12A RM No. (1 & 2 resp.) RE 2177" and "SET BY COUNTY SURVEYOR 1940"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W 30 D3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Acme Survey
W. O. 1911 Tape No. 076 St'd 68°F
Surveyed by R.R. ERMINE
Notes R.R.E. Date 6-14-40
Indexed

F.B. 923 PG. 73

Noted on Geo. Index Card
Placed on Ill.
Placed on S. No.
Sketch on Geo. Card

CLEARWATER E12 B

ST LOUIS AVE
All surface

56.90 @ 78°
70.47 @ 78°

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

TRIANGULATION STA CLEAR E12 B
CLEARWATER
See next page for sketch

edge pave
edge pave

Woven wire fence

120° 130°
31.2
10.23
74.1
169

RM No 2 to CLEARWATER D12
See page 67

RM No 1 to CLEARWATER D12 See page 67

400

CHERRY

See page 67 for this inter

SI AVE

Accident

51.9

WILLOW

51.2

surface

FORM 247 5M 10-39

F.B. 923 PG. 76

CLEARWATER
E 12B

In the city of Sierra Hill be-
tween Cherry Ave and St Louis
Ave on Willow St in a well cut
through the pavement and
protected by a cast iron cover
inscribed County Surveyor Monument

Station Mark = a 3/4" round
4" brass tablet with center 2" below
subgrade of street marked L.S.
County Survey Control Station
Triangulation Station and Stamped
Set by County Surveyor 1903.

Sierra Hill Base Mark

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 2911 Tape No. 054 St'd 68 °F
Office Work	Surveyed by R.B. Emmott
Checked	Notes GWK Date 7-24-41
Date	Indexed A C J

F.B. 923 Pg. 77

Noted on Geo. Index Map
Placed on U.S. 30 & Nat. Stds.
Placed on Supervisors U.S. Hwy. Sec. Dept.

3-21-42

L.A. Co. Surv. Cont. Sys. Trav. Sta.

CLEARWATER G-9, AZIMUTH

E. & W. (Brg.)

Tied Fence on S. line Douglas Air Craft Plant Prop.

Tel. Pole Line to East

156.5'

BLVD.

E.Z.

4.148'
100.8'

CLEARWATER G-9, AZ.

See next for Idents.

See FB. 696-237

29.36'

37.45'

Set C. Spk. & W. at E. edge of pav.

Fd. C. Spk. & W.

21.49'

30.47'

36.765'

10'

30'

8'

R.-O.-W.

Shoulder

Shoulder

LAKEWOOD

36.765' @ 68°
30.47' @ "
21.49 @ "
29.36 @ "
37.45' @ "
4.148' @ "

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-40

F.B. 923 PG. 78

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA.
CLEARWATER G-9, AZ.

In L.A. Co. about 0.5 mile South Carson St. on Lakewood Blvd

Station Mark: Fd. a std 4" br. tablet set in conc. 6" below ground surface and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK," and stamped: "CLEARWATER G-9, Azimuth, R.E. 217°" and "SET BY COUNTY SURVEYOR, 1938".

SEE F.B. 696-237

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 491 Tape No. 054 St'd 68°F
Office Work	Surveyed by R.B. Emmott
Checked	Notes GWK Date 5-29-57
Date	Indexed A. C. Jones

F.B. 923 Pg. 79

Noted on Rock Index Card
Plotted on U.S.C.&G.S. Quad. Sht.
W.S.P.

W.S.D. - A3

L.A. Co. Surv. Cont. Trav. Sta.
"CLEARWATER G-10"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 12-60



F.B. 923 PG. 80

~ DESCRIPTION ~

L.A. CO. SUR CONT. TRAV. STA. "CLEARWATER G-10"

In L.A. Co., on Lakewood Blvd. near the northerly boundary of the City of Long Beach 2640.67' Northerly from the ℄ inter. of Spring St. and Lakewood Blvd. 20 feet west of the east edge of pavement. In a well protected by a cast iron cover (see below)

Station Mark: Found a copper bolt with a ¾" round head and punch marked, set in concrete 6" below surface of pavement.

Sub-Surface Mark: [illegible]



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 923 PG. 81

W.S. 30+31

Notes Ck'd by	Survey of Long Beach City
Map No.	W.O. 4911 Tape No. 054 St'd 68°F
Office Work	Surveyed by
Checked	Notes: S.W.K. Date 3-6-41
Date	Indexed

L.A. CO. SURV. CONT. SEC. TRAV. STA.

"CLEARWATER G-11"

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Stor. Div. W.S. No.
Sketch on L.B. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-39

7'± Apron

R.R.O. Pav't

BLVD.

Fd. C. Sur. W.R.T. 1/2" Tel. Pole marked "Texaco"

"CLEARWATER G-11" = Long Beach City Mon. as per LB 999:21 see next pg. for desc.

Made + in rim of Sewer M.H.

R.R.O. Pav.

SPRING ST.

54.83

20'

26'±

25'

57.25

"6" pipa post 3' high. filled with conc. Made + on side of pipe

30'

8' Apron

8' Apron

Fd. C. Sur. W.R.T. 1/2" Pipe & Tack

LATEWOOD

65.97' @ 82° 65.98
57.25 @ " 57.26
49.19' @ " 49.20
54.83' @ " 54.84

Ecc. #2 Fd. Sur. T on Line.

Cl. G-11 A 3.00

Line to Cl. I-11

G+21-56 W.D.B.

F.B. 923 PG. 82

~ DESCRIPTION ~

L.A. CO. SUR. CONT. TRAV. STA. -
"CLEARWATER G-11"

In L.A. Co, near east boundary line of the City of Long Beach at the intersection of the E.S of Lakewood Blvd. and Spring St. and in a well cut thru the pavement and protected by a C.I. cover marked "L.B. MON."

Station Mark: Fd. a copper nail set in conc. 14" below surface of pavement.

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Area	F.B. 723 Pg. 83
Map No.	W. O. 4911 Tape No. 252 St'd 76.°F	
Office Work	Surveyed by R. D. Emmett	
Checked	Notes SWK Date 3-6-41	
Date	Indexed	

30, 31

W. 31 - A3

LARGE SUR. CONT. SVC. TANK STA.

"CLEARWATER G-12"

Noted on Gen. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. Rd.
Sketch on Gen. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

8' Apron
30'
BLVD.
8' Apron
Set L.T.R.
Drainage
16.8
"CLEARWATER G-12"
(See next pg. for desc.)
Conc. Hd. wall of conc. culvert
Set L.T.
44.52
33.4
R.M. No 2.
See next pg. for desc.
22.9'
14.1
112.3
R.M. No 1
See next pg. for desc.
489
Canal
R.R.O. Pav.
8' Apron
LAKEWOOD
CONC. HD. WALL
Edmunds

① 45-34-00
② 182-17-00
③ 273-25-00
45-34-10

① 43-40-00
② 174-39-00
③ 261-58-00
43-39-40

77.06' @ 68° = 77.055'
82.85' @ 68° = 82.845'
112.375' @ 68° = 112.37'

X TO "LONG BEACH G-1"

FORM 247 5M 10-39

F.B. 923 PG. 84

~DESCRIPTION~

L.A. CO. SUR. CONT. TRAV. STA.- "CLEARWATER G-12"

In L.A. Co. near east boundary line of the City of Long Beach on Lakewood Blvd 0.4 mile south of Spring St. at Storm-water drainage canal. in a well protected by a cast iron cover marked "County Surveyor Monument"

Station Mark:

Set a std 4" brass tablet in conc. 2" below subgrade of highway and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION," and stamped: "CLEARWATER G-12, R.E. 2177"; and "SET BY COUNTY SURVEYOR, 1940".

Sub Surface Mark: None

x x x x x

R.M.'s Nos 1 & 2. Set std 4" brass tablets in conc. 6" below & flush with gr. surf. resp., and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK" and stamped: "CLEARWATER G-12, R.M. No 1 and R.M. No 2, resp., R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940."

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.O. 3084

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. 076 St'd 68°F
Surveyed by
Notes Date 6-12-40
Indexed A. C. Johnson 6-24-41

F.B. 923 PG. 85

Record as Shown on Index Card
Plotted [illegible] 20 [illegible]
Plat Sheet [illegible] U.S. Mk.
[illegible] Index Card

L.A.CO. JOINT CONT. CONTROL TRAV.
STA. "LONG BEACH A-3"

CHESTNUT AVE.

ANAHEIM ST.

5' 4' 5' 6' 56' 9' 13' 12.5' 50'

51.95' 18.55' 24°00' 22.5' 44.10' 56.41'

12.9' 12.9'

Walk line

Found C.S. & brass tack in top of C.S. Punched by us.

TRAV. STA. "LONG BEACH A-3" (see next pg. for desc.)

Fd. C. spk. set in conc. in a well cut thru Concrete walk and protected by a C.I. cover - no mark.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 86

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA. - "LONG BEACH A-3"

In L.A. CO., city of Long Beach, on Anaheim St. at Chestnut Ave. running to north, and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT"

Station Mark: - Set a standard 4" brass tablet in concrete 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAV- [illegible] STATION" and "LONG BEACH A-3, E.E. 2177" and "SET BY COUNTY SURVEYOR, 1940."

Sub. Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Area
W. O. 4211 Tape No. 676 St'd 68°F
Surveyed by E. J. Emmett
Notes F.M.K. Date 6-12-46
Indexed A. C. Johns

F.B. 923 PG. 87

S. 7,0

"LONG BEACH A-4"

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Sh's.
Placed on Co. Div. V. & M. Co.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
760 HALL OF RECORDS

FORM 247 5M 10-59

Note: Dists from curbs to yellow lines are inside walk lines

9.9 — 54.0' — 10'

Set L.T.

156.4'

80.6 S. Long

OCEAN

PIER

177.1'

30.8'

99.2'

Set L.T.

82.11'

BLVD

AVE.?

3.1'

4.6'

41.45'

39.7'

22.2'

10' R.

60.75

15' R.

Set L.T.

Trav. Sta.

"LONG BEACH A-4"

See next pg. for desc.

50.8'

12'

12'

10.5

Set L.T.

MAST LINE

41.45' @ 66°

82.11' @ "

80.6 5' @ "

60.75' @ "

F.B. 923 PG. 88

~DESCRIPTION~

L.A. CO. SUR. CONT. TRAV. STA.
"LONG BEACH A-4"

In L.A. Co., City of Long Beach, on Ocean Ave. at Magnolia Ave., in a well cut in the pavement and protected by a cast iron cover marked "COUNTY SURVEYOR MONUMENT"

Station Mark: Set a Standard 4" Brass tablet in concrete 2" below surface of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: LONG BEACH A-4 1920".

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 5M 10-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line

W 30 C4

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of LONG BEACH
W. O. 42 Tape No. 021 Sht 1 of 2
Surveyed by [illegible] Date
Notes [illegible]
Indexed

F.B. 223 Pg. 89

Mailed on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Sht.
Plotted by Sta. Ltg. W.S. No.
Sketch on Geo. Disc. Card



F.B. 923 PG. 90

LONG BEACH B.1.

In the City of Long Beach at American Ave. and E. Hill St. in a well cut through the pavement and projecting by a cast iron cover marked "County Surveyor Monument".

Station Mark:- Set a standard 4" brass tablet in concrete 2" below subgrade of street and projected L.A. County Survey control system Traverse station and stamped Long Beach B-1 "RE 2177," and set by County Surveyor 1947.

Sub. surface Mark None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Notes Ck'd by	Survey of Long Beach
Map No.	W. O. 4911 Tape No. 676 St'd. °F
Office Work	Surveyed by [illegible]
Checked	Notes Plan Date 6-12-40
Date	Indexed

F.B. 923 PG. 91

WS 30

B4

WS 29

LONG BEACH
B 2

Noted on Geo. Index Card
Plotted on U.S.C.&G.S. Quad. Sht's.
Filed in [illegible] Sty. W.S. No.
Sketch on Geo. Desc. Card

See next page for desc

TRAV. STA. LONG BEACH B 2 1/2"

Ed. Brass cap set in wall 0.1' out thru C.L. cover marked L.B.

SURFACE AVE.

PAC. AVE.

15'

10'

84'

32.9

31.8'

19.3'

5.2'

5.6'

R = 20'

88.86'

59.96'

SURFACE ST.

ESTATE

26.5'

51'

65.5'

36.6'

97.37'

76'

5.0'

2.5'

84'

MEDITERRANEAN

PL.

PARK AVE.

Fd. C. spk. set in cente... in wall thru cement and protected by C.L. cover marked L.B.

97.37' @ 78°
65.655' @ 78°
59.96' in @ "
88.86 @ "

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 92

LONG BEACH
B. 2

In the City of Long Beach, at American Ave and E State St. in a well cut through the pavement and protected by a cast iron cover, marked County Surveyor Monument

Station Mark - Set a standard 4" brass Tablet in concrete, 2" below sub-grade of street and marked L.A. County Survey Control System Traverse Station and stamped Long Beach B.2 [illegible] Surveyor 1940.

Sub surface Mark None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Area
W. O. 4911 Tape No. 076 St'd 68°F
Surveyed by R. B. Emmons
Notes F.W.K. Date 6-12-40
Indexed

F.B. 923 PG. 93

Noted on Gen. Index Card
Plotted
Symbol Shts.
S. No.
Noted on Gen. Index Card

LA Co. Sur. Sys. Traverse

"LONG BEACH B-3"

84.28 @ 74°
80.41 " "
55.32 " "
54.99 " "

Fd 1" brass bolt set in conc. 6" below sidewalk in a well protected by a cast iron cover marked "LB"

84°

R=20

80.41'

55.32'

R=20

26°

26°

ANAHEIM

50'

500

ST.

R=8

84.23

R=8

45°

32.4

84°

Fd cut spike set in conc. 6" below sidewalk in a well protected by a cast iron cover

TRAVERSE STATION LONG BEACH B3 SET STA. TRAVERSE ROAD. SEE NEXT PAGE for description

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 SM 10-59

F.B. 923 Pg. 94

—DESCRIPTION—

L.A. CO. SUR. CONT. TRAV. STA. "LONG BEACH B-3"

In L.A. Co., City of Long Beach, on American Ave. at Anaheim St., in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT"

Station Mark: Set a standard 4" brass tablet in concrete 2" below surface of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: "LONG BEACH B-3" [illegible]

Sub. Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

W 5 3 - 5

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach
W. O. 4411 Tape No. 076 Std 66-F
Surveyed by [illegible] Date 11-14-40
Notes
Indexed

F.B. 723 PG. 75

RM No.1 Set std 4" brass tablet in conc mkd "LA COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK" and stamped "LONG BEACH B3A RE2177 RM No 1" and "SET BY COUNTY SURVEYOR 1940" in a well protected 4" cast iron cover marked "LB

8" CURB

Macadam

AMERICAN

E. 7TH

MAGNOLIA

LONG BEACH B3A

Surface

AVE

P.E.

P.W.

50'

84.98'

103.98'

81.48-B-50

35.22.55

7.8

26.6

32.3

84.0

16.2

16.9

50.0

8" CURB

TRAVERSE STATION LONG BEACH B3A Set std traverse mon See next page for description

RM No.2 Same as RM No.1 except marked No.2

TRAVERSE STA LONG BEACH B3

ST

8483 @ 74°
6348'
103.98'

35.23.00
1H1-31.30
212-10.30
35-22.55

87-49.00
351-15.30
196 43.00
87-48.50

Placed on Conc. Inside Back of Sidewalk
Placed in Top of Curb
Stamped LB

F.B. 923 PG. 96

LONG BEACH B.3.A.

In the City of Long Beach at American Ave. and 27th Street, in a well cut through the pavement and marked "County Survey Monument"

Station Mark: Set a standard 4" brass tablet 2" below subgrade of street and marked L.A. County Survey control System traverse station and stamped Long Beach B3A, RE 21W, and set by County Surveyor 1948

Sub surface Mark & Ware

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach
W. O. 111 Tape No. 276 St'd 68 OF
Surveyed by
Notes Date 6-11-41
Indexed

F.B. 923 PG. 97

11.S.30

S.2.C.5

LONG BEACH B4

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sec. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

32.4 > < 19.3 > < 32.5 >

6667' @ 74°
6997' "
9301' "
45.74' "

Set L.T.

20.3

9301'

6997' tan

45.74'

6667'

28°

30.0

79.3

30.6

79.2

8'R

45'

AMERICAN

TRAVERSE STATION
LONG BEACH B4
Set std. traverse mon.
See next page for desc.

FORM 247 5M 10-37

F.B. 923 PG. 98

LONG BEACH
B 4

In the City of Long Beach at American Ave and Ocean Blvd in a Well cut through the pavement and protected by a cast iron cover marked "County Surveyor Monument."

Station Mark 4 Set a standard 4" brass tablet 2" below sub-grade of Street and marked LA County Survey Control System Traverse Station and stamped Long Beach B4, Station and set by [illegible]

Sub Surface Mons: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheets Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of Long Beach
W. O. 4911 Tape No. 076 St'd 68°F
Surveyed by S.B.Fi... TT
Notes E.L.W. Date 6-19-40
Indexed A. O. Johns...
F.B. 923 PG. 99
W 30-C4
LONG BEACH
C 3
Noted on Geo. Index Card
Plotted on U.S.C.&G. Quad. Shts.
Sketch on Geo. Desc. Card
Fd 1" brass bolt set in conc. C. 6" below sidewalk protected by a cast iron cover marked L.B.
39.7
Ave
Curb
R.15'
44.85
49.08
ANAHEIM
ST.
300
23.6
23.8
45.19
50.54
40°
CALIFORNIA
TRAVERSE STATION LONG BEACH C3 Set a std traverse mon. See next page for description
Fd cut spike set in conc. 6" below sidewalk protected by a cast iron cover
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change
Do not extend notes this side of this line.
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
FORM 247 5M 10-39

F.B. 923 PG. 100

LONG BEACH
C-3

In The City of Long Beach at Anaheim St. and Cabrillo Ave. in a well cut through the pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark: Set standard 4" brass tablet in concrete 2" below subgrade of street marked L.A. County survey control system traverse station Long Beach C3, RE 21.71, and set by County Surveyor, 1964.

Sub Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 4491 Tape No. 076 St'd 68 °F
Office Work	Surveyed by R. B. Smith
Checked	Notes G.W.K. Date 6-3-41
Date	Indexed

F.B. 923 Pg. 161

W 33-C5

U.S. 30

L.A. CO. SURV. CONT. TRAV. STA.
"LONG BEACH C-3A"

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



FORM 247 3M 12-40

F.B. 923 PG. 102

~DESCRIPTION~

L.A. CO SUR. CONT TRAV. STA.
"LONG BEACH C-3A"

In L.A. Co., City of Long Beach at the intersection of Alamitos Ave. with E. 7TH St., and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a std 4" brass tablet in conc. 2" below sub-grade of the street, and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: "LONG BEACH C-3A, CE 2177" and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Long Beach Area	F.B. 923 Pg. 103
Map No.		W. O. 4911 Tape No. 076 St'd 68 °F	
Office Work		Surveyed by R. B. Emmott	
Checked		Notes S.W.T. Date 6-3-41	
Date		Indexed	

WS 30 C5

WS 30

L.A. Co. Sur. Cont. Trav. Sta.

"LONG BEACH C-4"

Noted on Gen. Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Co. Sec. W.S. No.
Sketch on Gen. Desc. Card

"TRAVERSE STATION LONG BEACH C-4 Fd 4" Tar LB 999-15 Replaced with 5/8" std. traverse mon. See new page for description"

RM No. 1 RM No. 2 (same as marked No. 1 except as marked)

Fd 2x2 ±tk 6" below surface in well protected by a cast iron cover marked "LB" See LB999-15

70-32-15
282-01-30
63-01-30
70-30-15

58-34-45
234-19-15
351-28-45
58-34-45

62.34 @ 74°
53.725 "
52.345 "
61.885 "
53.215 "
44.55 "
57.215 "

TRAVERSE STATION LONG BEACH C5

RM No. 2 Set std 4" brass tablet in conc. 6" below surface mtd. "LA County Surveyor Control System Reference Mark" and stamped "Long Beach C4 RM No. 1" and "Set by County Surveyor 1940 RE2177"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 3M 12-40

F.B. 923 PG. 104

—DESCRIPTION—
L.A. CO. SUR. CONT. TRAV STA. "LONG BEACH C-4"

In L.A. Co., City of Long Beach at the intersection of E. FIRST ST. with Alamitos Ave., and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT."

Station Mark: Set a std 4" brass tablet in conc. 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped "1940 C-4, as shown, and SET BY COUNTY SURVEYOR, 1940."

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WE 30-C5



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach
W.O. 0429 Maps No. 07 65 ST M 68 F
Surveyed by E.B. Emmott
Notes Date
Indexed E.C. Johnson

F.B. 723 Pg. 105

W.S. 30

F.B. 923 PG. 106

~DESCRIPTION~
L.A. CO. SUR. CONT. TRAV. STA. "LONG BEACH C-5"

In the City of Long Beach at Ocean Blvd and Alamitos Ave. 29.6 ft. No. of the So. curb of Ocean Blvd produced and 30.4 E. of the W. curb of Alamitos Ave produced in a well cut through the pavement and protected by a cast iron cover marked "COUNTY SURVEYOR MONUMENT"

Station Mark: Set a Std 4" brass tablet in conc. 2" below Sub-grade of the Street, and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: "LONG BEACH C-5, R.E. 2177" and "[illegible]"

Sub. Surface Mark: None.

x x x x x x

R.M. Nº 1 & 2: Set Std 4" brass tablets in conc. 6" below walk grade and marked: L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: LONG BEACH C-5, R.M. Nº 1 and R.M. Nº 2 resp., R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W 30 D4

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
Tape No. 016 St'dds & F
Surveyed by
Notes
Indexed

Noted on Geo. Index Card
Plotted
Plotted on Sec. Div. W. S. No.
Shown on Geo. Index Card

F.B. 923 PG. 107



F.B. 923 PG. 108

LONG BEACH
D.1

In the city of Signal Hill on Cherry Ave North of 23rd St. in a well cut through the pavement and protected by cast iron cover marked County Surveyor Monument.

Station Mark: Set a standard 4" brass tablet in concrete, 2" below surface of street, marked L.A. County Survey Control System Traverse Station and stamped Long Beach D-1, RE 2177, and set by County Surveyor 1940

Sub Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of	Long Beach
W. O.	4911 Tape No. 076 St'd 68°F
Surveyed by	R R Emmott
Notes	Plan Date 6-14-40
Indexed	A. C. Johnson

F.B. 923 PG. 109

Notes on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts.
Plotted on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

W.S. 30 - D4

W.S. 30

51.60 @ 78

50.92 "

51.62 "

LONG BEACH

D 2

Fd 1" brass bolt set in conc. 6" below sidewalk in a well protected by a cast iron cover marked "L.B."

FIVE

Concrete Surface

44.9

12" curb

10'R

51.60

51.62

STATE

ST.

22.5

Asphaltic conc.

38.0

50.92 Tan

10'R

TRAVERSE STATION LONG BEACH D2 Fd 2" brass cap set in conc. 2.8' below Sur. in a well protected by a cast iron cover marked L.B. per L.B. 999-13

CHERRY

Concrete

12" CURB

Fd C Set in conc. 2" below side walk in a well protected by a cast iron cover mkd "LB"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 110

LONG BEACH
D2

In the city of Long Beach at the E'ly int. of State St. and Cherry Ave in a well cut through the pavement and protected by a cast iron cover marked L.B

Station Mark:- A 2" brass tablet set in concrete 2.8' below pavement

Sub Surface Mark:- None

RETURN TO LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 30 - D4

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of County Boundary
W. O. 4211 Tape No. 076 St'd 68°F
Surveyed by R. B. Emmett
Notes BWK Date 6-14-40
Indexed A. C. Johnson

F.B. 923 Pg. 111

1, 30

Noted on Geo. Index Card
Plotted on U.S.C. & G.S. Quad. Shts.
Diagram on Sur. Inst. U. S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

L.A. CO. SUR. CONT. SYS. TRAV. STA.
"LONG BEACH D-3"

RM No. 1
Set standard 4" brass tablet in conc. mkd L.A. County Survey Control System Ref. Erence Mark and stamped Long Beach D3 RE 2177 RM No. 1 and "Set By County Surveyor 1940." 6" below surface in a well protected by a cast iron cover marked "LB"

46.44 @ 78°
45.35 "
42.97 "
42.99 "
49.96 "

RM No. 2
Same as RM No. 1 except marked No. 2.

TRAVERSE STA. LONG BEACH D3B

22.5 22.5
71-03-55
49.96
42.99
42.97
54-32-45
28
28
46.44
45.35
18.2
35.9

Curb
ANAHEIM ST.
ALLEY
CHERRY AVE.

Fd cut spike set in conc. 6" below sidewalk in a well protected by a cast iron cover.

TRAVERSE STATION
LONG BEACH D3.
Fd Cut spk + washer per LB 999-8. Replaced with std traverse Mon. See next page for desc.

54-33-00
218-11-00
327-16-30
54-32-45 ✓

71-03-45
284-15-45
66-23-30
71-03-55 ✓

F.B. 923 Pg. 112

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA. "LONG BEACH D-3"

In L.A. Co., City of Long Beach at intersection of Cherry Ave. and Anaheim St., in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a standard 4" brass tablet in concrete 2" below surface at the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM-TRAVERSE STATION", and stamped: "LONG BEACH D-3, E.L. 21.37" and "SET BY COUNTY SURVEYOR, 1940."

Sub. Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 4911 Tape No. 076 St'd 68 °F
Office Work	Surveyed by Emmott
Checked	Notes RBE Date June 40
Date	Indexed C. John

F.B. 923 Pg. 113

Noted on Gen. Index Card
Plotted on Quad. Shts.
Plotted on U.S.C.&G.S. No.
Sketch on Geo. Desc. Card

MS 30 - D5

TRAVERSE STATION LONG BEACH D3A

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

TRAV. STATION LONG BEACH D3

40.01' @ 80°
55.37' "
55.41' "
26.91' "
27.63' "

Fd 1" brass bolt set in Conc. 6' below sidewalk in a well protected by a cast iron cover mkd "D3"

Curb

AVE.

35.8'

18.8'

Fd L+T at the inter. of tan ties per LBCity Eng FB

RM No. 1

RM No. 2

40.01'

8'R

21-11-35

42.20.35

7TH

ST.

169

tan

55.41

80

24.9

16.65

tan

26.91

32.44

27.63

Fd LBCity "26" in MH

8'R

80.43

tan

66.8

Curb

CHERRY

Fd C.S. set in conc. 6" below sidewalk in a well protected by a cast iron cover mkd "D3B"

(Set L&T as mkd LBCity over)

TRAVERSE STATION LONG BEACH D3A
Set Std 4" mon See next page for desc.

21-11-45	42.20-45
84-46-15	169-22-00
127-09-30	254-03-30
21-11-35	42-20-35

(Set T&B in MH at Int. of 7th & Cherry)

FORM 247 5M 12-40

F.B. 923 PG. 114

DESCRIPTION

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

LONG BEACH D3A

In the City of Long Beach - 16.65' south and 0.02' west of the ℄ intersection of Seventh St and Cherry Ave. in a well cut through the pavement and protected by a cast iron cover marked "COUNTY SURVEYOR MONUMENT"

STATION MARK - Set a standard 4" brass tablet in concrete 2" below surface of sheet and marked "L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION" and stamped "LONG BEACH D3A R.E. 2177" and "SET BY COUNTY SURVEYOR 1940"

SUB-SURFACE MARK - None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 30 - C4

Notes Ck'd by	Survey of
Map No.	W. O.	Tape No. 976 St'd 68°F
Office Work	Surveyed by
Checked	Notes	Date 6-14-60
Date	Indexed

F.B. 923 Pg. 109

W.S. 30

LONG BEACH D-3B

Noted on Gen. Index Card
Plotted on U.S.C. & G.S. Quad. Shts
Plotted on Sec. W.S. No.
Sketch on Geo. Desc. Card

1) 67-54-40
2) 271-39-00
3) 47-28-30
4) = 67°-54'-45"

Fd 1" brass bolt set in conc. 6" below sidewalk in a well protected by a cast iron cover

1) 59-06-10
2) 236.25 .00
3) 354.37 .30
4) = 59°-06'-15"

Curb

R12

67°54'-45"

59°-06'-15"

TRAV. STA. 48.03

ANAHEIM ST.

153

Curb

Curb

Fd cut spike set in conc. 9" below sidewalk in a well protected by a cast iron cover

TRAVERSE STATION LONG BEACH D3B
Set std. Traverse mon
See next pg. for desc.

TRAV. MON. 5
Mon's Fd in Good Condition 7/14/60 AOS

ALL DIST MEAS @ 1.0'
NO CORR.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-59

F.B. 923 PG. 116

DESCRIPTION

L.A. CO. SURV. CONT. SYS. TRAV. STA. "LONG BEACH D-3B"

In L.A. Co.; City of Long Beach, at the intersection of Anaheim St. and Walnut Ave., in a wall cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a Standard 4" brass tablet in concrete 2" below surface of the street and stamped: "L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION" and stamped: "LONG BEACH D-3B, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1960".

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 12-60

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 30-C5

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Tract
W. O. 4911 Tape No. 076 Std. 68°F
Surveyed by E.B. Erwin
Notes Date 6-3-41
Indexed A. C. Johnes

Plotted on Rec. Index Card
Plotted on Sheet
Plotted on U.S.C. & G.S. Sht. No.

F.B. 429 PG. 119

37.82', @ 14°
35.51', @ "
38.62', @ "
41.42', @ "

E. FIRST
R.R.O. Pav.

5'
7'
47'
Set L.T.T.
R=12'
41.42' Tang.
38.62' Tang.
255'
214'
37.82'
35.51'
21.21'
4.9'

ESPERANZA
R.R.O. Pav.

AVE
"LONG BEACH CONT. TRACT"

LONG BEACH D-4
See next pg. for desc.

ST.
R.R.O. Pav.

F.B. 923 PG. 118

~DESCRIPTION~

L.A. CO. SUR CONT TRAV. STA
"LONG BEACH D-4"

In L.A. Co., city of Long Beach, in the intersection of E. 1st St. and Asperanza Ave, and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT."

Surface Mark: Set a std 4" brass tablet in conc. 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: "LONG BEACH D-4, R.E. 2177," and "SET BY COUNTY SURVEYOR, 1940."

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes Ck'd by:
Map No.
Office Work
Checked
Date
Survey of Long Beach Mtgs
W. O. 4911 Tape No. 076 St'd 68°F
Surveyed by Emmett
Notes RBE Date June 40
Indexed C. Johnson
F.B. 925 PG. 119
Noted on Rec. Index Card
Plotted
Checked
Quad. Shts
S. Ha
Concrete Walk
Driveway
6" curb
LONG BEACH
D4A
ST.
Macadam
6" curb
Park Way
cone walk
STATION
D4A
LONG BEACH
Set std traverse
Mon. See next page
for desc.
CHERRY
WALK
CONC
SAL LT
CONC WALK
BIRD
WAY
Surf.
Park way
cone walk
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
FORM 247 SM 12-40

F.B. 923 PG. 120

DESCRIPTION

L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STA.

LONG BEACH D4A

In the City of Long Beach on Cherry Ave. near the angle point between E. Third St. and Bird Way 140.5' south of the south curb of E. Third St. and 19.0' west of the east curb of Cherry Ave. in a well cut through the pavement and protected by a cast iron cover marked "COUNTY SURVEYOR MONUMENT"

STATION MARK

Set a standard 2" brass tablet in concrete 2" below subgrade of street marked "LA COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION" and stamped "LONG BEACH D4A RE 2177" and "SET BY COUNTY SURVEYOR 1940"

SUB-SURFACE MARK - None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 30 D5

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 44 Tape No. 026 Std. 62°F
Surveyed by R. C. Brayton
Notes F. W. T. Date 6-27-44
Indexed R. C. Johnson

F. B. 923 PG. 121

30

Mailed as per instructions
Plotted
Sketch on desk Date

E. FIRST ST.

47'

5' Set L.+T.

7'

8'

R=10'

For 41.215

Fd. C. Spk.

5'

7'

R=8'

5'

7'

"LONG BEACH COAST TRACT"

"LONG BEACH D-5"

45'

CHERRY AVE.

45'

24.5'

21.7'

34.05'

36.605'

36.605' @ 74° 41.215' @ 41.32
3 @ 68.4' @ "
34.05 @ "

L.C.

7'

5'

M.H. married Associated T. Co.

Set L.+T.

2 Strand 18" wide

7'

5'

Set L.+T.

"LONG BEACH D-5"
See next pg. for desc.

ST.

47'

7'

5'

F.B. 923 PG. 122

~ DESCRIPTION ~

L.A. CO. SUR. CONT. TRAV. STA.
"LONG BEACH D-5"

In L.A. Co., City of Long Beach, in the intersection of E. 1st St. with Cherry Ave; and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a std 4" brass tablet in conc. 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION"; and stamped: "LONG BEACH D-5, E [illegible]", and "SET BY [illegible] SURVEYOR, 1940".

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 30- D4

4339 @ 70°
47.76 "
45.15 "
41.00 "

Fd spk set in conc 6" below sidewalk in a well protected by a cast iron cover

Fd 1" brass bolt set in conc 6" below sidewalk in a well protected by a cast iron cover

10' 12'R 360 BB 12'R 99

15' 15' LGUTR

TEMPLE

35.9

C11

19.7 A7.76 A339 29.1 24.0

AVE.

360

SURVEY

A1.00 15.51 12'R 12'R 10'

C.L.H.S. 10' 13' 50 12' LGUTR

TRAVERSE STATION
LONG BEACH E 3
Set S.T.D. traverse mon.
See next page for desc.

37

Noted on Geo. Index Card
Plan Filed in R.S. Quad. Shts.
Sketch on Geo. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of LONG BEACH E 3
W. O. 4111
Tape No. 054 Std 63°F
Surveyed by PARK Date 6-14-40
Notes
Indexed

F.B. 223 PG. 122

W.S. 30

F.B. 923 PG. 124

LONG BEACH
E 3

In the City of Long Beach at Anaheim St and Temple Ave. in a well cut through the pavement and protected by a cast iron cover marked "County Surveyor Monument."

Station Mark - Set a standard 4" brass tablet in concrete 2" below subgrade of the street marked L.A. County Survey Control System, Traverse Station and stamped Long Beach [illegible] Surveyor 1940

Sub surface Mark shows

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of Long Beach
Map No.	W. O. 491 Tape No. 076 St'd 68°F
Office Work	Surveyed by R.B. Emmett
Checked	Notes GWK Date 6-3-41
Date	Indexed A. C. Johnson

F.B. 923 Pg. 125

Noted on Geo. Index Card
Plotted on ( ) Quad. Shts.
Plotted on Sht. Grv. Pt. S. No.
Sketch on Geo. Docs. Card

N 30° E

L.A. CO. SURV. CONT. TRAV. STA. "LONG BEACH E-5"

72 AV. STA. LONG BEACH D-5

ALLEY

LONG BEACH E-5 See next pg. for desc

44'

7'

5'

R.M. No 2 See next pg. for desc

Set L.r.t.

R=8'

E. 1ST.

R.+O. Pav.

ST.

44.7'

32.7'

TOP

JUNIPERO

E.+O. Pav.

2 Sta. on 18" wide

R.M. No 1 See next pg. for desc

55.99' @ 90°
33.35' @ "
41.255' @ "
24.355' @ 65°
46.11' @ "
50.53' @ "
42.39' @ "

① 50-40-30
④ 202-42-00
⑥ 304-03-45
50-40-37½

① 46-01-30
④ 184-05-15
⑥ 276-08-00
46-01-20

① 96-42-00
④ 26-47-45
⑥ 220-11-15
96-41-52½

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 3M 12-50

55

F.B. 923 PG. 126

~DESCRIPTION~

L.A. CO. SUR. CONT. TRAV. STA.
"LONG BEACH E-5"

In L.A. Co., City of Long Beach, in the intersection of E. 1st St. and Junipero Ave., and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a Std 4" brass tablet in conc. 2" below Sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: "LONG BEACH E-5, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940".

Sub. Surface Mark: None.

x x x x x

R.M.'s Nos 1 & 2: Set Std 4" br. tablets in conc. 4" below walk grade and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK"; and stamped: "LONG BEACH E-5, R.M. No 1 and R.M. No 2, resp., R.E. 2177," and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L.A. County Eng.
W. O. 4711 Tape No. 954 St'd 68°F
Surveyed by R.B. Emmett
Notes WK, A.C.J. Date 6-14-40
Indexed

F.B. 923 PG. 127

W.S. 30

W.S. 30 - D4

KIA ORA JCT. CONT. SYS. TRAV. STA.

"LONG BEACH F-3"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39



F.B. 923 PG. 128

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA. "LONG BEACH F-3"

In L.A. Co., City of Long Beach, at the intersection of Anaheim St. and Newport Ave., in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT."

Station Mark: Set a standard 4" brass tablet in concrete 2" below sub-grade of the street and marked "L.A. COUNTY SURVEY CONTROL SYSTEM. TRAVERSE STATION", and stamped: "LONG BEACH F-3, CE 2177", and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach
W. O. 7911 Tape No. 140 Std. 68 °F
Surveyed by R.B. Emmon
Notes G.W.K. Date 6-2-41
Indexed C. Jo...

F.B. 923 Pg. 129

Noted on Geo. Index Card
Plotted on Quar. Shts.
Plotted on Thm. W. S. No.
Sketch on Geo. Desc. Card

N 30 D 5

L.A. CO. SURV. CONT. TRAV. STA "LONG BEACH F-5"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 3M 12-40

AVE.
R. & O. Pav.
44'
Set L.+T.
7'
5'
12'
R=8'
E. 1ST
59.7'
60'
R.& O. Pav.
ST.
Tan. 42.41'
R=10'
R=76.5'
32.6'
42.96'
182
RMNO
55°32'50"
54°23'20"
109.02'
27.48'
74.84
LONG BEACH E5
LONG BEACH E5
MARGINAL
ORIZABA
44.7'
"LONG BEACH F-5" See next pg. for detail
46.415' @ 68°
42.47' @ "
36.465' @ "
42.96' @ "

F.B. 923 Pg. 130

~DESCRIPTION~

L.A. CO. SUR. CONT. TRAV. STA. "LONG BEACH F-5"

In L.A. Co., City of Long Beach, in the intersection of E. 1st St. and Orizaba Ave., and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a std. 4" brass tablet in conc. 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: "LONG BEACH F-5, R.E. 2177" and "SET BY [illegible]".

Sub Surface Mark: None

REFERENCE MARKS

Set a standard 4" brass tablet in conc. 6" below surface and marked "L.A. COUNTY SURVEY CONTROL SYSTEM REFERENCE MARK" and stamped "LONG BEACH F5 RM No 1 (and 2 resp.) RE 2177" and "SET BY COUNTY SURVEYOR 1940"

Sub. surface Mark - None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 923 Pg. 131

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 4911 Tape No. 054 St'd 68°F
Office Work	Surveyed by R.B. Emmott
Checked	Notes G.P.N.T. Date 3-6-41
Date	Indexed A. C. Johnson

W.S. 20 & 31

W S 31 - 44

L.A. CO. SURV. CONT. STA. TRAV. STA. "LONG BEACH G-1".

Noted on Geo. Index Card
Placed on U.S.C. & G.S. Quad. Shts.
Placed on Co. Map U.S.E.
Sketch on Geo. Desc. Card

To Clearwater G-12.

BLVD.

No Reference "LONG BEACH, G-1" = Long Beach City & Mon. See next pg. for desc.

R.M. No 1 See next pg. for desc.

49-25-45

82-03-57½

63.455'

R. & O. Pav.

STEARNS

125

48.74'

47.455'

ST.

E 2

R.M. No 2. See next pg. for desc.

48.74' @ 68°
47.455' @ "
63.455' @ "

8' Apron

30°

8' Apron.

① 49-25-45
④ 197-42-45
⑥ 296-33-30
49-25-35

① 82-04-00
④ 328-15-45
⑥ 132-23-45
82-03-57½

R. & O. Pav.
8' Apron

LAKEWOOD

Due to construction of new highway, R.M.'s shown were destroyed.
For new sketch, R.M.'s & ties, see F.B. 932-117.
11-20-44
G.P.N.T.

① 131-29-45
④ 165-58-15
⑥ 68-57-30
131-29-35

Over 191 Check

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

F.B. 923 PG. 132

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA.
"LONG BEACH G-1"

In L.A. Co. near east boundary of the City of Long Beach at the ℄ intersection of Lakewood Blvd. with Stearns St. and in a well cut thru the pavement and protected by a cast iron cover marked: L.B.

Station Mark: Fd. a brass bolt set in conc., punch marked, 8" below surface of pavement.

Sub-Surface Mark: None

x x x x x

R.M.'s Nos 1 & 2: Set std. 4" brass tablets in conc. 4" below ground surface and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - REFERENCE MARK," and stamped: "LONG BEACH G-1, R.M. No. 1 and R.M. No. 2, Resp., R.E. 2177," and "SET BY COUNTY SURVEYOR, 1940"

Note: Street has been widened & improved since these mon's were set. Could not find. Undoubtedly destroyed. G.W.K. 10-30-44.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 10-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change

Do not extend notes this side of this line.

W.S. 21 - 44

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Area
W. O. 4911 Tape No. 2422 Std. 26-F
Surveyed by E. D. Emmott
Notes Date 7-12-44
Indexed



F.B. 923 PG. 193

Based on Ass. Index Bkd. 31
Plotted
Checked
Sheet No. 1 of 1 Sheets

F.B. 923 PG. 134

~ DESCRIPTION ~

L.A. Co. Sur. Cont. Trav. Sta. -
"Long Beach G-2"

at E. bdy. line of the
In L.A. Co., in City of Long Beach, near center of traffic circle at intersection of Lakewood Blvd., Hathaway Ave. and State Street

Sta. Mark: Set a Standard 4" brass tablet in concrete flush with ground surface and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: "LONG BEACH G-2, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 4911 Tape No. 140 St'd 68 °F
Surveyed by R. E. Emmott
Notes AWK Date 6-2-41
Indexed A. C. Johnson

F.B. 923 Pg. 135

Noted on Rec. Index Rd.
Placed
Plotted

WE 31-A5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-40

L.A. Co. Surv. Cont. Trav. Sta.
"LONG BEACH G.5"

"LONG BEACH G-5"
Same as next pg. for data.
Fd. L.B. City Mon. per LB 999-10

Conc. Pav.
36'
5'
SET L&T tag
5.2'
FILLET
5.6'
AVE.
E. 1ST
R/W
R to O. Pav.
5.5'
Conc. Pav.
36'
GRAND
ST.
FILLET
R to O. Pav.
5.5'
SET L&T tag
Coded by ACG 3/9/62

36.85' @ 68°
25.24' @ "
37.015' @ "
25.17' @ "

F.B. 923 PG. 136

~DESCRIPTION~

L.A. CO. SUR. CONT. TRAV. STA.
"LONG BEACH G.5"

In L.A. Co., City of Long Beach at the intersection of the Es of E. 1st St. and Grand Ave., and in a well cut thru the pavement and protected by a cast iron cover marked: L.B. MON.

Station Mark.

A 2" brass cap set in concrete 1.1' below pavement surface.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Area
W. O. 421 Tape No. 052 Std 68°F
Surveyed by R. B. Emmett
Notes GWC Date 6-2-41
Indexed A. C. Johnson

F.B. 923 Pg. 107

W.S. 31

W.S. 1-A5

"LONG BEACH G-5A"

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts
Plotted on Surv. Div. W.S. No.
Sketch on Geo. Desc. Card

(1) 18-45-30
(4) 75-01-10
(6) 112-31-40
18-45-16 1/2

SEE PG 271 for NEW TIES

Set R.M. No. 2
See Next pg.

300' Tape #95
Std. @ 84°
ALL DIST. m.c.o.s level
@ T = 58°

48.67 = 48.66
81.69 = 81.68
53.02 = 53.01
4.03 = 4.03

1-5-56 W.D.B.

Set R.M. No. 1
See Next pg.

(1) 96-45-30
(4) 27-01-00
(6) 220-31-40
96-45-16 1/2

"LONG BEACH G-5A"
See next pg. for desc.

39.71' @
53.905' @
44.80' @
36.35' @

566' Pav.
30.8'
St.
108.3'
Ref. Lt.
Set Lt.
1.2
4.03
48.66
81.68
53.01
2.1
3.4
O.K.
GOOD
ALLEY
18°45'17"
Line to L.B. G-5
Ref. Lt.
5'
Ref. Lt.
LIVINGSTON
566.6' Pav.
R+O.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 3M 12-50

F.B. 923 PG. 138

~DESCRIPTION.~

L.A. CO. SUR. CONT. TRAV. STA "LONG BEACH G-5A".

In L.A. Co, City of Long Beach, Belmont Area, at the intersection of E. 1st St. with Livingston DR. and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT."

Station Mark: Set a std 4" brass tablet in conc. 2" below Sub. grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: LONG BEACH G-5A, RE 5869, and [illegible] 1940.

Sub-Surface Mark: None

R.M. NO. 1: Set a std. 4" brass cap in conc. marked "L.A. COUNTY SURVEY CONTROL SYSTEM, REFERENCE MARK, L.B. G-5A R.M. NO. 1, 1955, CO. ENGR. RE. 5869" down 16" below curb grade.

R.M. NO. 2: Set a 2" Iron Pipe, conc. core, lead plug & brass tack in conc. down 16" below curb grade. 12-29-55 W.O.B.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 711 Tape No. 140 St'd 68 °F
Office Work	Surveyed by R.B. Emmott
Checked	Notes G.W.K. Date 6-2-41
Date	Indexed A. C. Johnson

F.B. 923 Pg. 139

Noted on Geo. Index Card
Plotted
Plotted on U.S.G.S. Sheet
Sketch on Published Card

MS 1 A 6

L.A. CO. SURV. CONT. TRAV. STA. "LONG BEACH G-5B"

25.90' @
30.56' @
38.13' @
31.48' @
35.45' @
39.67' @
31.91 @

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Conc. Pav.
Ave.
5A'
29'
5.5'
Fd. L.T.
R.M. No 1
See next pg. for desc.
"LONG BEACH G-5B"
see next pg. for desc.
"LONG BEACH I-6"
TRAV. STA.
CORR. by ACS 3/7/62
3/4" Tubing
5'
R=8'
E. 1ST
30'
Conc. Pav.
S.T.
40.14
17'
35.45
30.56
47-11-55
38.13'
37-18-15
25.90
31.91
18.5'
N 41 E
R.M. No 2
See next pg. for desc.
4-4-61 W.O. 18.
29.3'
6'
XIMENO
Conc. Pav.

① 37-18-15
④ 149-13-00
⑥ 223-49-30
37-18-15

① 47-11-45
④ 188-47-45
⑥ 283-11-45
47-11-37
① 84-30-15
④ 338-00-30
⑥ 147-00-30
84-30-0
Over

FORM 247 SM 12-60

F.B. 923 PG. 140

~ DESCRIPTION ~

L.A. CO. SUR. CONT. TRAV. STA. "LONG BEACH G-5B".

In L.A. Co. City of Long Beach, Alamitos Bay Area, at the intersection of E. 1st St with Ximeno Ave. and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a std 4" brass tablet in conc. 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: "LONG BEACH G-5B, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

x x x x

R.M.s Nos. 1 & 2. Set std 4" brass tablets in conc. 6" below walk grade and marked: "L.A. CO. SUR. CONT. SYS. REF. MARK"; and stamped: "LONG BEACH G-5B, R.M. No 1 and R.M. No 2, resp., R.E. 2177"; and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 494 Tape No. 054 St'd 68°F
Office Work	Surveyed by R.G. Emmett
Checked	Notes FWK Date 9-7-41
Date	Indexed C. Job

F.B. 923 Pg. 121

Noted on Geo. Index Card
Pla... Gov. Sht's.
Plan... U.S. No
Station on Geo. Index Card

M.S. 31 A4

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 12-40

Sta. 69 Sec. Cont. on Tan. Sta.

"LONG BEACH H-2"

"Long Beach H-2" = Long Beach City Mon. as per L.B. 999. 5.

Set L.R.T. (tan. ties)

Cone. Pav't

63°

36'

Ave.

6'

5'

54'

6'

30.67

31.93

E 7

15TH

R.T.O. Pav.

40'

36'

R=10'

18.2'

31.02'

18'

31.58'

26'

St.

Not Paved

4'

Set L.R.T. (tan. ties)

36'

4'

6'

6'

5'

Cone.

E 2

XIMENO

31.58 @ 68°
31.02' @ "
30.67' @ "
31.93' @ "

F.B. 923 PG. 142

~DESCRIPTION~

L.A. CO. SUR. CONT. TRAV. STA.-
"LONG BEACH H-2

In L.A. Co. and easterly portion of the City of Long Beach at the intersection of the center lines of Ximeno Ave. and 15th St., and in a well cut thru the pavement and protected by a cast iron cover marked: "L.B. Mon."

Station Mark; Ed. a 2" brass disc, set in conc. 10" below surface of pavement. punch marked,

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 923 Pg. 149

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 491 Tape No. 054 St'd 68°F
Office Work	Surveyed by R. B. Emmott
Checked	Notes GWK Date 9-7-41
Date	Indexed C. Johnson

T3S R11W S31 A44

L.A. CO. SURV. CONT. SYS. TRAV. STA.

"LONG BEACH H-3"

Noted on Geo. Index Card
Plotted on U.S. Quad. Sht.
Placed on Sec. No. U.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

71.01' @ 65°
45.41' @ "
44.92' @ "
43.025' @ "
43.04' @ "
43.03' @ "
42.11' @ "

AVE.

Fd. C. Spk. Set in conc. in well cut thru walk and protected by a C.I. cover.

Long Beach City B.M. #108 = R.M. No. 1 (Brass Cap in well C.I. cover marked: L.B.B.M.)

Conc. Pav't

R=12'

ANAHEIM
R.R.O. Pav.

To Sta. I-3

ST.
R.R.O. Pav.

Conc. Pav't

"LONG BEACH H-3" = Long Beach City B.M. per LB999-V
See next pg. for desc.

① 103-38-30
② 54-34-00
③ 261-57-00
103-38-30

① 63-29-30
② 253-57-00
③ 20-55-00
63-29-10

① 40-09-30
④ 160-37-15
⑤ 240-56-15
40-09-22½ (20)

Fd. a C. Spk. Set in conc. in a well cut thru walk and protected by a C.I. cover

XIMENO

R.M. No. 2
See next pg. for desc.

FORM 247 SM 12-40

F.B. 923 PG. 144

- DESCRIPTION -

L.A. CO. SUR. CONT. SYS. TRAV. STA. - "LONG BEACH H-3"

In L.A. Co., and easterly portion of the City of Long Beach at the intersection of the center lines of Anaheim St. and Ximeno Ave.; in a well cut thru pavement of the street and protected by a C.I. cover marked: "L.B. MON."

Station Mark: Fd. a 2" brass cap punch marked, set in conc. 12" below surface of pavement.

Fd. Surface Mark: None.

x x x x x x

R.M. No 2.: Set a std 4" br. tablet in conc. 4" below curb grade and marked: L.A. CO. SUR. CONT. SYS. - REF. MARK" and stamped: "LONG BEACH H-3, RM. No , R.E. 2.77", and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W S 31 A 5

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach
W. O. 99/Tape No. 0-545 St. L.B.F
Surveyed by E.B. Emmett
Notes E.B.E. Date 5-29-41
Indexed E.B.E. Checked

F.B. 243 Pg. 146

31

Noted on Rec. Index Copy
Plotted [illegible]

Fd. C. Spk. set in conc. in well cut thru cement walk and protected by a C.I. cover marked: L.B.

Fd. C. Spk. set in conc in well cut thru cement walk and protected by a C.I. cover marked: L.B.

E. 7TH ST.

Conc. Pav.

Conc. Pav.

E. 7TH ST.

XIMENO AVE.

LONG BEACH CONT TRAV STA

"LONG BEACH H-3A"
Long B. City Mon.
Per L.B. 999-9
See next page for desc.

41.35', @ 660°
42.985', @ "
45.07', @ "
40.09', @ "

F.B. 923 PG. 146

~ DESCRIPTION ~

L.A. CO. SUR. CONT. TRAV. STA. - LONG BEACH H-3A"

In L.A. Co., City of Long Beach at ℄ intersection of Ximeno Ave. and E. 7th St., in a well cut thru the pavement and protected by a cast iron cover, marked: "L.B. MON."

Station Mark:- Fd. 6" br. tablet set in conc. in well cut thru pavement, and 14" deep.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Long Beach Area	F.B. 923 Pg. 147
Map No.		W. O. #11 Tape No. 054 St'd 68°F	
Office Work		Surveyed by R.B. Emmott	
Checked		Notes SWK Date 5-29-41	
Date		Indexed C. Johnson	

Noted on Geo. Index Card
Plotted on U.S. Quad. Sht's.
Plotted on Miv. U.S. Map
Sketch on Geo. Desc. Card

N 53° 31' E

L.A. CO. SUR. CONT. TRAV. STA. -

"LONG BEACH H-4

Long Beach H3A

Fd. brass bolt set in conc. in well cut thru walk and protected by a c.i. cover

See next pg. for d

"LONG BEACH H-4" Set in the E. face of the first W. bound pilaster of the viaduct, placed by L.A. Co. Sur. Mon. as

Conc. Pav.

36'

5'

5.7'

5.5'

50.00

Δ 44° 27' 35"
R 129.00'
T 52.36'

Δ 58° 35' 55"
R 269.00'
T 150.00'

17.9'

44.6'

E. 4th St.

R + O. Pav

36.91'

36.99'

220.1'

5.6'

5.7'

44-59-45
129-58-15
269-57-45
44-59-37.5

44-58-30
129-57-15
269-58-45
44-58-07.5

Fd. C. Spk. set in conc. in well cut thru walk and protected by a c.i. cover.

36.99' @ 72°
36.91 @ "
35.36' @ "
35.355' @ "

XIMENO Conc. Pav.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 3M 12-40

F.B. 923 PG. 148

— DESCRIPTION —

L.A. CO. SUR. CONT. TRAV. STA.
"LONG BEACH H-4"

easterly portion of the
in L.A. Co., City of Long Beach
at the intersection of the E'ly of Ximeno
Ave. and E. 4th St., and in a well
cut into the pavement and protected by
a cast iron cover marked: "COUNTY
SURVEYOR MONUMENT".

Station Mark: Set a std 4" brass
tablet in conc. 2" below sub-grade of
Street and marked: "L.A. COUNTY SURVEY
CONTROL SYSTEM - TRAVERSE STATION"
and stamped: "LONG BEACH H-4, RE 217";
and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach area
Map No.	W. O. 4911 Tape No. 0545 Std 68°F
Office Work	Surveyed by R. B. Emmett
Checked	Notes G. W. K. Date 5-29-44
Date	A. C. Johnson Indexed

F.B. 923 PG. 129

Noted on Rec. Index Card
Plotted on U.S. Quad. Shts.
Plotted on Inv. U.S. No.
Sketch on Geod. Desc. Card

W E 31 A5

TRAV. STA. "LONG BEACH H-5"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Fd. brass tack in conc. in well cut thru cement walk and protected by a C.I. cover. C.E. Engr. City of L.B. CTA-107

Fd. brass tack in conc. in well cut thru cement walk and protected by a C.I. cover.

TRAV. STA. "LONG BEACH H-5" Stamped brass tablet set in conc. in well cut thru cement walk and protected by a C.I. cover. L.B.C.E. 1944

R.M. No 1 See next pg. for desc.

R.M. No 2 See next pg. for desc.

See next pg. for desc.

AVE. Conc. Pav.

VISTA R & G. Pav.

ST. R & G. Pav.

XIMENO Conc. Pav.

36' 4' 5' 5' 4' 36' 4' 5' 5' 4' 36' 4' 5' 5' 4'

116-06-30

61.81' (0.01 R.Mi)

35.32'

36.08'

36.74'

35.34'

36.30'

121-53-52½

121-54-00

127-35-30

11-23-15

121-53-52½

116-06-45

104-26-15

336-39-00

116-06-30

61.81' @ 70°
36.745' @ " 36.75
36.08' @ "
35.32' @ "
35.34' @ "
36.305' @ " 36.31
36.08' @ "

Fd. C.S.P.K. set in conc. in well cut thru cement walk and protected by a C.I. cover.

① 121-54-00
② 127-35-30
③ 11-23-15
121-53-52½
④ 116-06-45
⑤ 104-26-15
⑥ 336-39-00
116-06-30

① 121-59-15
② 127-57-45
③ 11-57-00
④ 121-59-30

TRAV. STA. "LONG BEACH H-5A"

FORM 247 5M 12-40

F.B. 923 PG. 150

~DESCRIPTION~

L.A. CO. SUR. CONT. TRAV. STA.
"LONG BEACH H-5"

In L.A. Co., City of Long Beach S.E. portion of the at the intersection off the E's of Ximeno Ave. and Vista St, and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT"

Surface Mark: Set a Std. 4" brass tablet in conc. 2" below Sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION," and stamped: "LONG BEACH H-5, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940"

See note below.

Sub-Surface Mark: None.

Note: P.I. of E's reestablished by L.B. City Engrs. after above monument was set. L.A. Co. brass tablet was removed and replaced with a copper bolt with 1" round head punch marked. No field work for locating this sta. had been done at the time.

x x x x x

R.M.'s No's 1 & 2: Set Std. 4" br. tablets in conc. 6" below curb grade and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK." and Stamped: "LONG BEACH H-5, R.M. No 1 and R.M. No 2, resp; R.E. 2177"; and "SET BY COUNTY SURVEYOR, 1940"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 4911 Tape No. 254 St'd 68 °F
Office Work	Surveyed by R. B. Emmott
Checked	Notes G.W.A. Date 5-29-41
Date	Indexed A. C. Johnson

F.B. 923 PG. 151

Noted on Rec. Index Card
Plan
Plotted
Sketch on Witness Card

W.S. No.

N 31 A 5

L.A. CO. SUR CONT. TRAV. STA.
"LONG BEACH H-5A"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 12-40

Fd 1" brass bolt & set in Conc. in well protected by a cast iron cover mkd "LB"

Fd 1" brass bolt & set in Conc. in well protected by a cast iron cover mkd "LB"

Trav. Sta. "Long Beach H-5A" Fd L+T per LB 999-12 with Stp. traverse mon. See next page for description

AVE. Conc. Pav.

SHAW Pav.

ST. Pav.

XIMENO Conc. Pav.

42.99' @ 74°
43.65' @ "
41.11' @ "
42.98' @ "

F.B. 923 PG. 152

~ DESCRIPTION ~
L.A. CO. SUR. CONT. TRAV. STA.
"LONG BEACH H-5A"

S.E. portion of the
In L.A. Co., City of Long Beach,
at the intersection of the E'ly of Ximeno
Ave. and Shaw St., and in a well cut
thru the pavement and protected by a
cast iron cover marked: "COUNTY SURVEY
ORE MONUMENT"

Surface Mark: Set a std 4" brass
tablet in conc. 2" below sub grade of
the street, and marked: "L.A. COUNTY
SURVEY CONTROL SYSTEM - TRAVERSE
STATION"; and stamped: "LONG BEACH
H-5A, BEARING" and "L.A. COUNTY
SURVEYOR, 1940".

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L.A. Co. Surv. Cont. Trav. Sta.
Map No.	W. O. 49-1 Tape No. 140 Sta 65 °F
Office Work	Surveyed by R.B. Emmett
Checked	Notes SWC Date 6-7-41
Date	Indexed A. C. Johnson

F.B. 923 Pg. 153

Noted on Geo. Index Card
Plotted on Quad. Sht's
Div. W. S. Mo.

L.A. CO. SUR. CONT. TRAV. STA.
"LONG BEACH H-5B"

(1) 85-17-00
(4) 341-08-40
(6) 151-43-10
85-17-11 3/6

TRAV. STA.
"LONG BEACH H-5A"

(1) 89-08-10
(4) 356-32-40
(6) 174-48-50
89-08-08 1/3

Ximeno Ave.

P/L

Drive

Set L.+T. = P.O.T.

Curb

Set R.M. No. 1
See Next pg.

Livingston

472'

Approx. C/L prod.

curb

"LONG BEACH H-5B"
See next pg. for desc

106.86'

75.29'

Vacant Rail Road Prop.

112.48'

32.51'

Oiled Road

Bennett

32.86'

5.99

Set L.+T.

Set R.M. NO.2
See Next pg.

45.49'

79.45'

Set L.+T.

Set L.+T. = P.O.T.

300' Tape #95 Std. @ 84°
ALL DIST. Horiz. Level
@ T= 58°.

112.50 = 112.48'
106.88 = 106.86'
75.27 = 75.26'
36.79 = 36.78'
45.50 = 45.49'
5.99 = 5.99'

1-5-56
W.O. 13.

Ave.

Conc. Pav.

Ximeno

TRAV. STA. "Long Beach G-5B"

75.29' @ 75°
79.45' @ "
32.51' @ "
32.865' @ "

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 3M 12-40

F.B. 923 PG. 164

~DESCRIPTION~
L.A. CO. SUR. CONT TRAV STA. "LONG BEACH H-5B"

In L.A. Co., City of Long Beach, near ℄ of Ximeno Ave. produced South across Livingston Ave. to Bennett Ave., and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT."

Station Mark: Set a Std. 4" brass tablet in conc. 2" below Subgrade of Street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: LONG BEACH H-5B, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

R.M. NO. 1: Set a 2" Iron Pipe, conc. core, lead plug & brass tack in conc. 19" below curb grade.

12-30-55 W.O.B.

R.M. NO. 2: Set a std. 4" brass cap in conc. marked "L.A. COUNTY SURVEY CONTROL SYSTEM, REFERENCE MARK, L.B. H-5B, R.M. NO. 2, 1955, CO. ENGR. R.E. 5869" 10" below walk in a well & protected by a cast iron COVER marked "COUNTY SURVEYOR MONUMENT".

12-30-55 W.O.B.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 4711 Tape No. 052 St'd 76 °F
Office Work	Surveyed by R. E. Emmett
Checked	Notes G.W.A. Date 3-6-41
Date	Indexed A. C. Johnson

F.B. 923 Pg 155

WS 31

W.S. 31 A4

L.A. Co. Surv. Cont. Sys. Trav. Sta. "LONG BEACH I-3"

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



"LONG BEACH I-3"
Replaced L.+T. 35.96' E. of L.+T. at P.I. of ℄s of Hathaway & Anaheim on prod of ℄ of Anaheim - See L.B. 999/22

①	76-31-45	①	193-39-00
④	306-06-00	④	54-36-00
⑥	99-09-00	⑥	81-53-45
	76-31-30		193-38-57½

Sheet 4 over all.

①	89-49-30
④	259-19-00
⑥	178-58-30
	89-49-45

61.74' @ 64°	= 61.735 ✓	61.74
41.64' @ "	= 41.635	41.64
45.72' @ "	= 45.715	45.72

FORM 247 3M 12-40

F.B. 923 PG. 156

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV. STA. - "LONG BEACH I-3"

In L.A. Co. near S.E. boundary line of the city of Long Beach in the intersection of Hathaway Ave. with Anaheim St., Alamitos Bay Area

Recovered This mark in good condition - GMK 3-28-50

Sta. Mark. Set a Std. 4" brass tablet in conc. 2" below sub-grade of the highway and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: "LONG BEACH I-3, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940."

Sec. Sights or Ties: None

x x x x x x

R.M.'s Nos 1 & 2 set Std 4" brass tablets in conc 4" below ground surface and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK" and stamped: "LONG BEACH I-3, R.M. No 1 and R.M. No 2, resp., R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940." Fd R.M. No 2 torn out and on surface. GMK 3-28-50

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Long Beach Area	F.B. 923 Pg. 157
Map No.		W. O. 491 Tape No. 054 Sta 68°F	
Office Work		Surveyed by R.D. Emmott	
Checked		Notes G.K.S. Date 6-2-41	
Date		Indexed A. C. Johnson	

W.S. 31.46

W.S. 31

L.A. Co. Sur. Cont. Trav. Sta. - LONG BEACH I-6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Map Ck'd Index Card
Plotted on Sheets
Recorded in W.S. No.
Sketch on Geo. Desc. Card

① 5°206-30
④ 208-26-30
⑥ 312°39-30
52-06-35
① 34-59-30
④ 139-57-00
⑥ 209-56-30
34-59-15
① 87-06-00
④ 348-23-45
⑥ 167-35-30
87-05-15

Conc. Pav.
Trav. Sta. "Long B. 958"
E. 1st
Conc. Pav.
Conc. Pav.
Conc. Pav.

F.B. 923 PG. 158

L.A. CO. SUR. CONT. TRAV. STA. "LONG BEACH I-6".

In L.A. Co., City of Long Beach, Alamitos Bay area; in the intersection of E. 1st St. with Claremont Ave., and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark: Set a Std 4" brass tablet in conc 2" below sub-grade of the Street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION," and Stamped: "LONG BEACH I-6, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None

x x x x v v v

A-4-61 W.D.B.

R.M.'s Nos 1 & 2. (RM #1 UNDER CONC. WALK-NO SEARCH)
Set Std 4" brass tablets in conc. 10" below walk grade and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK" and Stamped: "LONG BEACH I-6, R.M. No 1 and R.M. No 2., resp., R.E. 2177"; and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W S 31

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 4491/Tape No. 057 St'd 62°F
Surveyed by Emmott
Notes
Indexed

F.B. 923 Pg. 159



Ticket on Hm. Index Card
Plotted on U.S.G.S. Quad. Shts.
Sketch on Geo. Desc. Card

W S 31

F.B. 923 PG. 160

—DESCRIPTION—

L.A. CO. SUR. CONT. TRAV. STA. LONG BEACH I-6A

In L.A. Co., Alamitos Bay area, at Ocean Blvd. about 600 ft. westerly from 55th Place, off the highway in the sand of the beach.

Station Mark:- Set a Std. 4" brass tablet in conc. 8" deep in sand and marked "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: "LONG BEACH I-6A, R.E. 2177 and "SET BY COUNTY SURVEYOR, 1940"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 4911 Tape No. 054 St. 22+
Surveyed by R. M. Emmott
Notes GWK Date 1-9-41.
Indexed Johnson

F.B. 923 PG. 16

W 31

W.O. 31-B5

L.A. Co. Surv. Cont. Sys. Trav. Sta.
"LONG BEACH J-3."

Noted on Geo. Index Card
Placed on U.S.C. & G.S. Quad. Sheets
Placed on City Block W.S. Key
Sketch on Geo. Index Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 10-39



New Ties Copied From State Hwy Notes L.A. 60 L. Sch (2) Feb-39

F.B. 923 PG. 162

DESCRIPTION

L.A. CO. SURV. CONT. SYS. TRAV. STA. "LONG BEACH J-3"

In L.A. Co. near the SE. Bdy. Line of the City of Long Beach, Alamitos Bay area, at the intersection of Hathaway and Manila Aves and Bellflower Blvd.

Surface Mark: Set a std 4" br. tablet in conc. 2" below sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: LONG BEACH J-3, R.E. 21.77", and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

5-11-55 Van

New Ties on Long Beach Trav Stat J-3

1- 113° 33' 20"
2- 227° 06' 30"
113° 33' 15"



Long Beach J-3

Fd L.A. Co Brass tablet in H.H. 12" dp & Stamped L.A. Co. Surv Cont Sys. Trav Station See F.B. 923-161-162

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by		Survey of Long Beach Area	F.B. 923 Pg. 165
Map No.		W. O. 49 1/2 Tape No. 2.52 St'd 76 °F.	
Office Work		Surveyed by R. B. Emmett	
Checked		Notes G.M.A. Date 3-7-44	
Date		Indexed C. Johnson	

WS 31

W.S. 31-B5

Long Beach Area Control Survey

LONG BEACH JM

① 69-21-45
② 277-26-30
⑥ 56-09-30
69-21-35

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Skts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

① 21-52-00
④ 87-28-00
⑥ 131-11-30
21-51-55

① 91-13-15
④ 04-53-45
⑥ 187-21-00
91-13-30

R.M. No 1
See next pg. for desc.

Evergreen Tree

Edge of Pav't

Conc | Pav.

Edge of Pav't

P.U.E.

Set N.T. in 6" Pepper Tree

.02 mi. to Bellflower Blvd.

90
28.66'

399

390.5'

41.55'

210'

92.21E'

Set N.T. in 8" Pepper Tree

LONG BEACH J-4
See next pg. for desc.
P.P.# 1621564 E

R.M. No 2
See next pg. for desc.

37.5'

291.8'

Evergreen Tree

Approx. E/L

HATHAWAY

Set N.T. in 6" Pepper Tree

40'

Conc Pav

38.74' @ 64° = 38.735' 38.73
88.915' @ . = 88.905' 88.91
LONG BEACH K-5 97.725' @ . = 97.715' 97.72

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 12-50

F.B. 923 PG. 164

— DESCRIPTION —

L.A. CO. SUR. CONT. SYS. TRAV. STA. "LONG BEACH J-4".

In L.A. Co. near S.E. boundary line of the City of Long Beach near southerly end of curve on Hathaway Ave., 0.1 mile northerly from Colorado St.

Sta. Mark: Set Std 4" br. tablet in conc. 10" below ground surface and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION"; and stamped: "LONG BEACH J-4, RE 2177", and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None.

x x x x x

R.M.'s Nos 1 & 2 Set Std 4" brass tablets in conc. flush with ground surface and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: "LONG BEACH J-4, R.M. No 1 and R.M. No 2, resp., R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 12-60

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W. 31 - B

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Area
W. O. 49 // Tape No. 25 Str. 62°F
Surveyed by Emmett
Notes R.B.L. Date May 21
Indexed A. C. Johnson

F.B. 923 Pg. 165

W 5 31



F.B. 923 PG. 166

DESCRIPTION

L.A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE

STATION : LONG BEACH J7A

In the City of Long Beach in the Alamitos Bay district at Ocean Blvd. and 64th Place ft north of the south curb of Ocean Blvd and ft. east of the west curb of 64th Place. in a well cut through the pavement and protected by a cast iron cover marked "County Surveyor Monument".

Station Mark : Set a standard 4" brass tablet in concrete 2" below subgrade of street and marked "L.A. County Survey Control System Traverse Station" and stamped "Long Beach J7A R.E 2177" and "Set by County Surveyor: 1940"

Sub-surface Mark : None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

9-32

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 494 Tape No. 952 St'd 76 °F
Office Work	Surveyed by R.B. Emmett
Checked	Notes SWK Date 3-7-41
Date	Indexed

F.B. 923 Pg. 167

WS 31

S. P. R.R. Co. Sur. Cont. Sta. Trav. Sta.

"LONG BEACH K-5"

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts.
Filed on Sur. Rec. W.S. No.
Sketch on Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Steel Oil Derrick (Std Oil Sun Gabriel 21)

ALAMITOS

5' walk

curb

Conc. Bridge 53.4

56'±

Conc. Pier

66.2'

1636'

LONG BEACH 34

TO LONG BEACH

BAY

70.51' @ 62° = 70.505 .50
92.045' @ " = 92.035 .04
55.85' @ " = 55.845 .84

R.M. N21
See next pg. for desc.

68 23

45 45'

92.46.40

12.0 55'

70.50.6'

60'

LONG BEACH K-5
(See next pg. for desc.)

AVE.

40.2'

R.M. N22
See next pg. for desc.

P.P.

2.5'

10'

R x D. pav.

① 92-46-45
② 11-06-30
⑥ 196-40-15
92-46-42½

① 68-22-45
② 279-32-30
⑥ 50-18-30
68-23-05

① 161-09-30
② 284-39-00
⑥ 240-58-15
161-09-42½

check & over all.

FORM 247 5M 12-50

F.B. 923 PG. 168

—DESCRIPTION—

L.A. CO. SUR. CONT. SYS. TRAV. STA. "LONG BEACH K-5"

In L.A. Co., City of Long Beach, Alamitos Bay area, on Hathaway Ave, near Alamitos Bay bridge # 5364.

Sta. Mark: Set std 4" br. tablet in conc. 0.3' below ground surface and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION," and stamped: "LONG BEACH K-5, R.E. 2177"; and "SET BY COUNTY SURVEYOR, 1940."

Sub-Surface Mark: None

x x x x x

R.M.s Nos. 1 & 2 Set std 4" brass tablets in conc. 4" below ground surface and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: "LONG BEACH K-5, R.M. No. 1 and R.M. No. 2, resp. R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Co.
W. O. 491 Tape No. 052 St'd. 24.9
Surveyed by R.B. Emmott
Notes of W.K. Date 1-9-41
Indexed A. C. Johnson

F.B. 923 PG. 169

WS 31

WR 21

L.A. CO. SUR. CONT. STA. TRAV. STA.
"LONG BEACH K-6"

Plotted on Gen. Index Card
Plotted on U.S.C.S. Quad. Sht.
Plotted on Sur. Div. W.S. Map
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

LONG BEACH K-6
NOT FOUND
10-10-59
H.ELLSTROM

40'

STA. "LONG BEACH K-6"

Standard Oil Co.
Frame sheet-iron bldg.

HUNTINGTON BEACH

PAVED

METAL CAN

FORM 247 5M 10-39

F.B. 923 Pg. 170

—DESCRIPTION—

L.A. CO. SUR. CONT. SYS. TRAV. STA. "LONG BEACH K-6"

In L.A. Co. near S.E. Bdy. Line of the City of Long Beach on Hathaway Ave, in the Alamitos Bay area.

Sta. Mark: Set a Std 4" br. tablet in concrete 2' below sub-grade of highway and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION" and stamped: "LONG BEACH K-6, RE. 2177"; and "SET BY COUNTY SURVEYOR, 1940."

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of Long Beach Area	F.B. 923 Pg. 171
Map No.	W. O. 4911 Tape No. 070 Std. 66-F	
Office Work	Surveyed by R.B. Emmott	
Checked	Notes GWK Date 6-12-40	
Date	Indexed C. Johnson 6-24-41	

W.S. 28

L.A. CO. SURV. CONT. SYS. TRAV. STA.

"WILMINGTON J-3"

Noted on Geo. Index Card
Placed on U.S.C.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Trav. Sta. "WILMINGTON J-3" See sketch for desc.

S.P.R.R.

PAUL JONES AVE.

Set L.T.

R=10

81.3'

50.9'

47.90'

34.00'

47.59'

68.5°

ANAHEIM ST.

R x O. Pad.

Edge of pav.

Conc. gutter

47.90' @ 68°

34.00' @ "

47.59' @ "

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 10-39

F.B. 923 PG. 122

DESCRIPTION

L.A. CO. SUR. CONT. SYS. TRAV. STA. "WILMINGTON J-3"

In the City of Los Angeles Wilmington area, on Anaheim St. near Paul Jones Ave. and about 500' E. of Edison Transmission line and in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Station Mark - Set a Standard 4" brass tablet to conform at bottom to ... and stamped: "L.A. CO. SURV. CONT. SYS. TRAVERSE STATION", and stamped: "WILMINGTON J-3, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940".

Sub-Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 923 PG. 173

WS 30

Notes Ck'd by	Survey of L.A. Co. Sur. Cont. Trav. Sta.
Map No.	W. O. 4911 Tape No. 076 St'd 68 F
Office Work	Surveyed by R. B. Emmett
Checked	Notes F.W.K. Date 6-12-46
Date	Indexed A. C. Johnson

B4 WS 30

L.A. CO. SUR. CONT. TRAV. STA. "WILMINGTON J-3A"

Noted on Geodetic Control Card
Placed on Horizontal Shts.
Placed on Vertical Shts. No.
Sketch on Geodetic Control Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



① 41-43-15
④ 166-52-30
⑥ 250-19-30 / 41-43-15

① 101-00-00
④ 43-58-45
⑥ 245-57-45 / 180-59-37½

95.01 @ 68°
59.19 @ "
49.92 @ "
35.32' @ "
63.87' @ "
53.17' @ "
58.29' @ "

FORM 247 5M 10-39

F.B. 923 PG. 124

~DESCRIPTION~

L.A CO. SUR. CONT. SYS. - TRAV. STA. "WILMINGTON J-3A"

In the City of Long Beach at the ℄ int of Anaheim St. and Hayes Ave., in a well cut thru the pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT."

Station Mark: Set a Standard 4" brass tablet in concrete 2" below Std. grade of the street and marked: "L.A. COUNTY SURVEY [illegible] ERSE Station, J-3A, RE. 2177', and "SET BY COUNTY SURVEYOR, 1940."

Sub. Surface Mark: None.

x x x x x

R.M's Nos 1 & 2:

Set Std 4" brass tablets in conc. 12" below curb grade and marked: "L.A. CO. SUR. CONT. SYS. - REF MARK" and Stamped. "WILMINGTON J-3A, R.E. 2177', and "SET BY COUNTY SURVEYOR, 1940.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Blvd
Map No.	W. O. 4911 Tape No. 076 St'd 63F
Office Work	Surveyed by R.B. Emmott
Checked	Notes G.M.K. Date 6-12-40
Date	Indexed E. C. Johnson

F.B. 923 PG. 175

Plotted on Geo. Index Card

T. 3 S. R. 11 W. S.B.B.&M.

L.A. Co. Sur. Cont. Sys. Trav.

STA. "WILMINGTON J-5B"

J 5B Aux 1

(Temporary Pt.)

W 4°95'

Curb

See next pg. for desc.

CR M No 1

16'

1.6'

106.535' R.

R.R.

ST.

Walk

S

83.30

U.

WATER

R.M. No 2

See next pg. for desc.

10.8

4.5

12.7'

3.5'

16'

Curb

56.17'

OCEAN BLVD.

51.0

39.6

30°00'45"

Edge of pavement

Note. Wilmington J5B Aux 1. is set on the line between J5B and L4 produced westerly and 4295 west of J5B Measured in T Book 58-15

TULARE PL.

Curb

TRAVERSE STATION WILMINGTON, J5B Set standard mon. See next page for description

56.17' @ 74° = 56.17

83.30' @ " = 83.30

106.53' @ " = 106.535

① 30-00-30

② 120-02-45

30-00-41

③ 180-04-45

30-00-44½

① 97-43-00

④ 30-53-00

⑤ 226-18-45

97-18-07½

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 SM 10-39

F.B. 923 PG. 176

~ DESCRIPTION ~

L. A. CO. SUR. CONT. SYS. TRAV. STA. "WILMINGTON J-5B"

In the City of Long Beach, near Junction of Ocean Blvd. with Water St., and in a well cut thru pavement and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT"

Station Mark: Set a Standard 4" brass tablet in concrete 2" below Sub-grade of the street and marked: "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION", and stamped: "WILMINGTON J-5B, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940."

Sub-Surface Mark: None.

x x x x x x

R.M. No. 1. Set Std 4" brass tablet in conc. and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK" and stamped: "WILMINGTON J-5B, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940"

R.M. No. 2. Set a Std 4" br. tablet in conc. 10" below curb grade and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK" and stamped: "WILMINGTON J-5B, R.E. 2177" and "SET BY COUNTY SURVEYOR, 1940".

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 30 B5

Notes Ck'd by	Survey of Long Beach Area
Map No.	W. O. 4911 Tape No. 054 St'd 68°F
Office Work	Surveyed by R.B. Emmott
Checked	Notes G.W.K. Date 6-17-41
Date	Indexed A. C. Johnson

F.B. 923 Pg. 177

WS 30

L.A. CO. SUR. CONT. SYS. TRIANG. STA.
"WILMINGTON J-5B, AUX. #2.

Noted on Geo. Index Card
Plotted on U.S.F. Quad. Shts.
Plotted on U.S. Maps
Shown on U.S. Geol. Quad.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS



FORM 247 5M 12-40

F.B. 923 PG. 178

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRIANG.
STA. - WILMINGTON J-5B, AUX. #2.

In L.A. Co., City of Long Beach, Wilmington area, at the ℄ intersection of Tulare Place and El Dorado St. in a well cut thru the pavement and protected by a C.I. cover marked: "L.B. MON."

Station Mark: Fd. a 2" brass disc, punched marked, 16" below surface of pavement.

Sub. Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 12-40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 20

16.175' @ 70°
18.59' @ "
37.30' @ "

A section of "TULARE PLACE" north of "ELDORADO ST."

Approx. Prop. of Conc. Liner

E. K. WOOD LBR. CO. YARD

Conc Gutter 3.9'

EMBARCADERO 35'

Conc. Gutter 3'

Set L.r.t.

18.59'

ST.

3' 22.82'

3.90'

7.7'

13.4'

3'

WILMINGTON J-5B, AUX #3
See next pg for desc.

37.30'

Oil well #X-B
Long Beach Oil Dev. Co.

Conc. curb & floor

32.6'

36.4'

E. K. WOOD LBR. CO YARD

L.A. CO. FLOOD CONT. DIST. T-5B, AUX #3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of [illegible]
W. O. 4911 Tape No. 1442 Str'd ___ °F
Surveyed by E.C.P. [illegible]
Notes [illegible] Date 6-12-41
Indexed A. C. Johnson

F.B. 923 PG. 179

Noted on Proj. Index Card
[illegible]

F.B. 923 PG. 180

~ DESCRIPTION ~

L.A. CO. SUR. CONT. SYS. TRAV. STA.
"WILMINGTON J.5B, AUX. #3."

In L.A. Co., City of Long Beach, Wilmington area, in the E.K. Wood Lbr. Co. Yard on S. side of Embarcadero St

Station Mark: Fd. a 1" pipe, plug and copper tack set flush with ground surface.

Sub-Surface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Area
W. O. 4911 Tape No. 076 St'd 68°F
Surveyed by E.E. Emmert
Notes Sketch Date 6-13-40
A. C. Johnson
Indexed

F.B. 923 PG. 181

LS 30

M S 30 - B4

L.A. Co. Eng. Cont. Sys. Traw.

STA. - "WILMINGTON R-1"

Noted on Gen. Index Card
Placed on U.S.G.S. Quad. Sht.
Placed on Sur. Div. W.S. No.
Sketch on Gen. Desc. Card

conc. Pav.

S.W.

60'

Set C. Spk. & W. Tel. P.# B823Y

Set L.T. in conc. base for gasoline pumps

curb line

5'

S.W.

1.4'

C.P.E. Pav.

HILL 27

60.72'

29.7'

35'

ST. R.R.O. Pav.

Set C. Spk. T.W. in 36" Gum Tree

L.B. Fire Hyd. Made + top of bolt.

SANTA FE

conc. Pav.

59.14' @ 69°
74.46' @ '
54.81' @ "
60.72' @ "

WILMINGTON R-1
L.B. Mon. at E end of curve
Santa Fe R/W
Hill St.
per LB 999:10

See next pg for desc.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

FORM 247 SM 10-39

F.B. 923 PG. 182

~DESCRIPTION~

L.A. CO. SUR. CONT. SYS. TRAV.

STA. - "WILMINGTON K-1"

In the City of Long Beach at the ℄ int. of Santa Fe Ave. and 7th St., in a walk cut thru the pavement and protected by a cast iron cover marked: L.B. Mon.

Station Mark:

A 2" brass tablet set in conc 0.3' below surface of pavement

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach
W. O. 4911 Tape No. St'd °F
Surveyed by
Notes PLM Dated 6-17-44
Indexed

F.B. 723 PG. 183

W.S. 30

W.S. 30 - B4

WILMINGTON BL.

Marked
Plat
Plat
Sketch

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-39

Conc. Pav.
5'
57.6'
5'
AVE
Trav. WILMINGTON BL. for L.B.C. 1999.30 per L.B.C. 1999.30
See next page for det.
5'
Set L.B.
Conc. Pav.
17.3'
R=30'
6'
Macadam
W. STATE
64.97'
65.19'
SURFACE
ST.
35.1'
74.0'
Macadam
Long 159.4'
37°
73.91'
75.97'
SURFACE
R=30'
20'
6'
7.6'
Fd. C. Spk. in well cut thru cement walk and protected by a C.I. cover marked L.B.
5'
57.6'
5'
9.5'
SANTA FE
Conc. Pav.
Fd. C. Spk. in well cut thru cement walk and protected by a C.I. cover marked L.B.

64.97' @ 68°
65.19' @ "
73.91' @ "
75.97' @ "

#5-1-4
37 S.

F.B. 923 Pg. 184

WILMINGTON AZ

In the city of Long Beach at State Fe Ave and W State St in a well cut through the pavement and protected with a cast iron cover marked L.B. MON.

STATION MONUMENT

Set in conc. 0.3' below surface of pavement

A 2" brass cap

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of Long Beach
W. 04911 Tape No. 216 St'd 68°F
Surveyed by R.P. Emmett
Notes R.L.W. Date 6-12-46
Indexed Johns
F.B. 923 Pg. 185
Noted on Pen. Index Map
Placed on Map
Placed on Map, U.S. No.
Sketch on Rev. Desc. Card
W 30 84
WILMINGTON
Tied #0 to Gi
66.24S @ S 1°
79.65' @ .79
56.21' @ .43
64.38' @ .43
13.17' @ .99
3.99' @ .99
Conc.
1-26-49
K-3
60.0'
64.9
Set L.T.
Edge conc Pav't
Concrete Surface
Ave
R.M. No 4
Set 1-26-49
See next pg.
Gutter
Set L.T.
WANAHEIM
TO WIL. J-3A
Wil K-3 Ecc. #1
Set L&T on line
see F.B. 923 Pg 1
To Wil L-3
ST
Cone Pa
100'
785
350
Cone. Pav.
6.33 Tan
10.03
35.41
Set L.T.
Gutter 1-26-49
81-00-05
81.09'
70.2
16.2'
1.5'
12.2'
4.5'
R.M. #3
Set 1-26-49
See next pg.
Curb Line
R.M. No 2
See next pg
For desc.
81.09' @ 70°
68.74' @ "
79.62' @ "
65.84' @ "
66.22' @ "
① 56-28-30
② 225-53-30
③ 338-50-00
56 28 20
① 81-00-00
② 324-00+15
③ 126-00-30
81-00-05
TEMP. STA. WILMINGTON
At 3" Recessed L.T. in Conc.
Gutter in Ave. and Anaheim
St. To the West Corner.
LB&GY Mon. 130-18
Wall per LB&GY Mon. 130-18
Edge Conc.
Conc. Pav.
Curb Line
See next pg. for desc.
Temp. Mark
Gutter 1-26-49
RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.
FORM 247 5M 10-39

F.B. 923 PG. 186

WILMINGTON
K-3

In The City of Long Beach at Anaheim St and Santa Fe Ave in a well cut through the pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark: Set a stamped 4" brass tablet in concrete 2" below sub-grade of street marked to County Survey Control System Triangulation and stamped Wilmington K-3 1940.

Subsurface Mark - None.

R.M. No 3. Set Std 2½" br. tablet (C.S.) in conc. 18" dp. inscribed: "WIL. K-3, R.M.-3, 1949 COUNTY SURVEYOR-RE. 329"

x x x x x

R.M. No 1. Set a Std 4" brass tablet in conc 4" below curb grade and marked "L.A. CO. SUR. CONT SYS - REF. MARK", and stamped: "WILMINGTON K-3, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940".

R.M. No 2. Out 1-26-'49 Set a Std 4" brass tablet in conc 8" below curb grade and marked: "L.A. CO. SUR. CONT. SYS. - REF. MARK", and stamped: "WILMINGTON K-3, R.E. 2177", and "SET BY COUNTY SURVEYOR, 1940."

R.M. No 4. Set a Std 2½" (C.S.) br. tablet in conc. 10" below curb grade. inscribed "WIL. K-3, RM 4-1949, COUNTY SURVEYOR - RE. 329".

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 30 · B4

Sept. 1941

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. O. 4611 Tape No. 27 & 57 & 58 PF
Surveyed by RXT & HEH
Notes RXT Date 6-12-41
Indexed by C. Jabines

F.B. 723 Pg. 17

Plotted on 6mm. Map

Sketch on Reverse Side

Edge Pavement

Concrete

PICO AVE

Surface

ANAHEIM

Concrete

148.4

100.0

198'

Set L.S.T.

Edge Pavement

Conc. Curb

100'

68.26'

Mountain

Blvd ST

L.A. River Bridge

HEH 7/28/41

LOS ANGELES RIVER

31.7'

36.8'

Surface

56.22'

35.0'

52.0A'

8" Conc.

Set L.S.T.

R=30'

56.4'

Curve

Set L.S.T.

PICO AVE

50.04' @ 100
68.26' @ 76
56.22' @ "

TRAV. STA. - "WILMINGTON 4-3"
See next pg for desc.

30

F.B. 923 PG. 188

WILMINGTON
L 3

In the city of Long Beach, at ANAHEIM Rd. and PICO Ave. in a well out through the pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark - Set a Standard 4" brass tablet in concrete 2" below surface of street and marked LA County Survey control system Traverse Station [illegible] Wilmington L 3, N.E. 2177, and set by County Surveyor 1946.

Sub-Surface Mark - None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 5M 10-39

RETURN TO,
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W. 30-B1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W. Ogdall Tape No. 6th Street E.F.
Surveyed by E. B. Emmett
Notes R.L.W.C. Date 6-14-40
Indexed

WILLINGTON 2.4.

F.B. 923 PG. 127

5.30

N1°40'E @ 67.
S5°27'E @ 93.40'E @ 4

MACADAM

W. OCEAN

60'

8.7'

Punch marked
Fd. br. bolt, set in conc.
6" below walk grade
in a well protected by
a C.I. cover marked
L.B.

10'

5'

6" curb

4"

R'

65.97'

B.W. curb

195'

Macadam

PICO

SURFACE

AVE

798'

Transferred from Sheet 2.4
Surv. Record
WILLINGTON
Sec. 2 ext. Rep. to L.C. Dec.

New Construction

Found on Rep. Index Card
Found on U.S.C.&G.S. Chart of U.S. Pac. Coast
Found on Sec. Plat of U.S.B.L.
Found on Rep. Index Card

8" curb

2'

R'

Fd. C. SP.K. punch marked
Set in conc. in a well
protected by a C.I. cover
marked L.B.

SURFACE

60'

AVE

BLVD

F.B. 923 PG. 190

WILMINGTON
L-4

In the City of Long Beach at PICO Ave and W Ocean Ave. In a well cut through the pavement and protected by a cast iron cover marked "County Surveyor Monument"

Station Mark set a standard 4" brass inlet in concrete 2" below subgrade of Street and marked L-4 County Survey Control System Traverse Station and stamped ~~Long Beach~~ L-4

WILMINGTON

Set by County Surveyor 1940

Sub Surface Mark: None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	W. O. 4911 Tape No. Invar St'd °F
Office Work	Surveyed by P.B. Emmett
Checked	Notes G.W.K. Date 10-8-41
Date	Indexed 11-14-41

F.B. 923 PG. 191

Noted on Geo. Index Card
Plotted on U.S.C. & G.S. Quad. Sheet
Plotted on Sec. Dia. U. S. No.
Plotted on Co. Road Bd.

Fd. 3" br. cap set in conc. 4" below gr. surface, marked: Southern California Edison Company, LTD." 1950 "D-Base"

4.9957 M's

13.1'

16'

10'

48'

Set 3/4" I.P. plug = "D-Aux"

EDISON PLANT UNIT No 2.

CALIF. EDISON COMPANY'S BASE LINE

Far-measurement see T-Book No

High tension transmission tower

BASIS LINE

Steel woven wire fence

Steel woven wire fence (Enclosing Edison Plot)

3.5'

69.5'

22.2'

53.9'

Fd. 3" brass cap set in conc., flush, and marked, "SOUTHERN CALIFORNIA EDISON COMPANY LTD." and "D-1 BASE."

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 5M 10-39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 943 PG. 19

F.B. 923 PG. 193

Notes Ck'd by	Survey of Geod.
Map No.	W. O. 4920 Tape No. 2 St'd 68 °F
Office Work	Surveyed by G. Steineck
Checked	Notes G.D.K. Date 4-17-47
Date	Indexed J. C. Johnson 6-4-47

WILMINGTON J-5, AUX., Ecc.



① 32-18-15
② 129-13-45
32-18-26
25

DISTANCE FROM "Wil. J-5, Ctr. to "Wil. J-5, Aux.", 300' Tapes #1 & #16 ✓ Std @ 84°.

Tape #1 — 102.14' @ 7°29 @ 62° = 101.270' + T.
102.195' @ 7°42 @ 62° = 101.274' + T.
Tape #16 102.145' @ 7°29 @ 62° = 101.295' + T.
102.195' @ 7°42 @ 62° = 101.274' + T.
Aver = 101.273 @ 62° = 101.27

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 SM 11-46

F. B. 923 PG. 194

WILMINGTON H-5, ECC. #2.



For Orig. Steel
See F.B. 696/85.

Wil. H-5, Ctr.

10.5°43'26.5"
See F.B.
5-432/31

8'

60.36 X 2

DOCK ST.

Wil. H-5, Ecc. #2
Set 4-11-'47
A cut spk. +
W. flush w/
pavement

73°35'07.8"
See F.B.
5-432/29

To Wil. H-5, Ctr.

HENRY

300' Tape #1 Std @ 84°
60.37' @ 72° = 60.365'

100' Tape #085 Std @ 68°
60.37' @ 72° = 60.372' Aver = 60.368'

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Field Control
W. O. 490 Tape No. 088 St'd 68°F
Surveyed by F. Hainack
Notes Clerk Date 4-10-47
Indexed A. C. Johnson

F. B. A-3 Pg. 195

WILMINGTON J-5B, AUX #3

New Ties

(For orig. Sketch see F.B. 923-179)

EMBARCADERO ST.



Note: Gutter slab seemed to have moved west about .03'. Correcting for this, orig. tie dist fixed one and the same point as now set.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

F. B. 923 Pg. 196

"WILMINGTON J-5A"

~ New & Additional Ties. ~



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

*Note:- Discovered this mon. 4.5' down. Set 4x6" post & wire spk. vertically over same, 6" dn.

Tape # 088 Std @ 68°:		Tape # 079 Std @ 68°
35.305' @ 68° =	same.	48.68' @ 54° = 48.675'
2.956' @ " =	"	40.74 @ " = 40.735'
51.87' @ " =	"	76.995 @ " = 76.99'
		51.94' @ " = 51.935'

FORM 247-SM 11-41

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No.
Surveyed by
Notes
Indexed

F.B. 919 PG. 197

F.B. 923 PG. 198

~DESCRIPTION~
L.A. CO. SURV. CONT. TRIANG STA.
"WIL. E-5"

In L.A. Co. Wilmington area, on the northeasterly end of Terminal Island on South side of Cerritos Channel and about 0.6 mile east of Henry Ford Ave, and 0.25± mile northwesterly from the Southern California Edison power plant.

Surface Mark: Set a pre-cast County Surveyor monument 15" below ground surface, the 2½" brass tablet marked: "COUNTY SURVEYOR-R.E. 2177" and stamped: "WIL. E-5-1947"

Subsurface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 247 SM 11-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Description:- Eccs #1 & #2. Set a C.S. Mon. dn. to approx. gutter grade, Stamped: "Wil. I-3, Ecc. #1 & #2 resply -1947.

Metric Distances From:-
"Wil. I-3, Ctr." to Ecc #1 see F.B. T-90/6.
Ecc. #1 to Ecc. #2 " " "

Notes Ck'd by
Map No. St'd °F
Office Work
Checked
Date

Survey of W. O.
Surveyed by Tape No. St'd
Notes Date
Indexed By C. C. Johnson

F.B. 696 Pg. 199

F. B. 923 PG. 700

WILMINGTON J-4A, ECC. #1.



Signal Oil
Well - S.P. #1.

Tape #088 Std @ 68°
11.843' @ 65° = Temp.

① 144-00-00
Ⓐ 216-00-15
144-00-04
Ⓑ 144-00-15
144-00-02½

① 144-10-30
Ⓐ 216-42-15
144-10-34
Ⓒ 145-03-30
144-10-35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of
Map No.	W. O. 4900 Tape No. St'd. °F
Office Work	Surveyed by G.W. Meweek
Checked	Notes G.W.K. Date 6-30-47
Date	Indexed by G. Johnson

F. B. 928 PG. 20

L.A. CO. SURV. CONT. TRIANG. STA. "DOMINGUEZ #2, ECC. #4."



Note: Precise measurement made bet. Ecc. #1 & Ecc. #4. and is approx'y 55.7 meters.
See F.B. T 90-14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

FORM 247 SM 11-46

F. B. 923 PG. 202

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geod. Control
Map No.	W. O. 5000 Tape No. St'd °F
Office Work	Surveyed by Gul. Kleinrock,
Checked	Notes GWK Date 6-26-47
Date	Indexed A. O. Johnson

F. B. 93 Pg. 203

L.A.CO. SURV. CONT. TRIANG STA. "WILMINGTON F-11" & ECC. STA.



100' Tape #088, Std @ 68°
39.575 @ 19°55' @ 66° = 37.208'
+ 7.035
44.243'

300' Tape #1 Std @ 84°
39.575 @ 19°55' @ 66° = 37.208'
+ 7.035
44.243'
−.005−T
44.238'

44.243'
44.238'
2)88.481
44.240' AV.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FORM 247 SM 11-46

F. B. 923 Pg. 204

L.A. CO. SURV. CONT. TRIANG. STA. "SAN PEDRO HILLS L-7 ECC. #3."



Transit ∢ =
① 76°08'45"
② 304°35'45"
76°08'~~45~~"

H.H.P.

Theod ∢ = 103°55'55.1"
See F.B. 9-440/7

100' Tape # 088 – 21.807'
300' " # 1 – 21.805' } Aver = 21.806'

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 923 PG. 205

Notes Ck'd by	Survey of [illegible] BEECH
Map No.	W. O. 4911 Tape No. 058 St'd 68 °F
Office Work	Surveyed by H.F. Naumann
Checked	Notes H.F.N. Date 1-14-48
Date	Indexed 4-13-48

Traverse Station

CLEARWATER

C - 7

Set L & T. tan

R.M. No 1 Set std mon mkd R.M. No 1 in well 12" below surface

32.07'

Set L & T. tan

Ref. F.B. 423-59 Fd. C.S. Mon. Mkd. L.A. County Survey Control System Traverse Station CLEARWATER Stamped C-7 Recovered in well 12" below surface 1/12/48 H.F.N.

AVE.

ANTO

T.10

88.045

55.975

62.29'

DRIVE

Set L & T. tan

54.06' tan

62°16' 35"

80° 06' 15"

38 53 59 69

15.10

R.M. No 2 Set Std mon mkd R.M. No 2 in well 12" below surface.

SAN

61.52' tan

54.77

74° 33' 35"

Set L & T. tan

ORANGE

100.47'

38.95

Set L & T. tan

1- 74° 33' 30"
4- 298° 14' 15"
6- 87° 31' 30"
74° 33' 35"

1- 80° 06' 15"
4- 320° 25' 00"
6- 120° 37' 30"
80° 06' 15"

1- 62° 16' 30"
4- 249° 06' 15"
6- 13° 39' 30"
62° 16' 35"

All distances shown are at 68° F.

Note: Original R.M.'s No 1 & No 2 Removed during construction

Traverse Station CLEARWATER C84

Notes: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 923 PG. 206

Notes Ck'd by	Survey of Geod. Control-L. Beach
Map No.	W. O. 4922 Tape No. 979 Std. 68 °F
Office Work	Surveyed by G.W. Kleineck
Checked	Notes FMK Date 7-18-50
Date	Indexed E. C. Johnson 7-25-50

F. B. 923 PG. 207

REMOVAL OF STATION MARK OR MONUMENT FOR U.S.C.&G.S. TRAVERSE STATION "TIP" TO A NEW POSITION CALLED "TIP-2"

Concrete Walls

Oil Pipe-Line Tunnels

12'±

35'±

Quarter Edge

SUNKEN CONCRETE EXPANSION CHAMBER FOR OIL PIPE LINES

35'±

Proposed Extension of Pipe Line Tunnels

Made chisel + and punch mark

Conc. Walls

1.5'±

5.88'

Tangent

10.265'

20.245'

"TIP-2" Set 7-18-50 See next pg. for desc.

11.7552 Meters (40.918')

38.567 feet H.E.H.

H.H.R.

Fd. U.S.C.&G.S. Tan. sta. "TIP". Removed & reset as "TIP-2". NOTE: This mark recovered in good condition. Reported by U.S.C.&G.S. Tan. sta. "TIP" previous to this date as undisturbed by nearby construction work.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 10M 1-49

F. B. 923 Pg. 208

~ DESCRIPTION ~

TRAV. STA. "TIP-2"

For location & etc. See U.S.C. & G.S. Recovery Note for station "TIP" 1913.

Station Mark: A standard traverse tablet set in concrete about 3" below top of concrete walls around expansion chamber, on a production of the outside line of the southwest wall and on a line between "TIP" as found and traverse Sta. "MID.", inscribed "TIP-2, 1950."

Subsurface Mark - None

Distance from "TIP" to "TIP-2" measured with 5 meter Invar Tape #1911, supported & level. as follows:-

5.0000
5.0000
1.7552
11.7552 @ 20° C.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 923 PG. 209

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Cadastral Survey
W. O. 5921 Tape No. St'd, °F
Surveyed by G.W. Hemeck
Notes G.W.K. Date July-51
Indexed A. C. Johnson

GEOD. CONT. TRIANG. STN.
"ADMIN. TOWER" (U.S.C. & G.S.)

See U.S.C. & G.S. Recovery Note
#6450 R in L.A. Co. Files.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 923 PG. 210

F. B. 923 PG. 211

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L. Sand Tank Bldg
W. O. 4922 Tape No. St'd. °F
Surveyed by S.W. Weinock
Notes R.W.K. Date July '51
Indexed R. C. Johnson

GEOD. CONT. TRIANG. STA.
"AIR" (U.S.C. & G.S.)

See U.S.C. & G.S. Recovery Note
#6451 R in L.A. Co. Files.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 993 PG. 212

Notes Ck'd by	Survey of L. Beach Subdivision
Map No.	W. O. 4922 Tape No. St'd. °F
Office Work	Surveyed by Gil Hemmack
Checked	Notes GHK Date July-41
Date	Indexed E. C. Johnson

F. B. 925 PG. 213

GEOD. CONT. TRIANG. STA.
"ANN" (U.S.C & G.S.)

See U.S.C + G.S. Recovery Note
#6453 R in L.A. CO. Files

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 923 PG. 214

Notes Ck'd by	Survey of L. Beach Subdivision
Map No.	W. O. 4922 Tape No. St'd. °F
Office Work	Surveyed by G.W. Kennedy
Checked	Notes GWK Date July '51
Date	Indexed A. C. Johnson

F. B. 9-3 Pg. 215

GEOD. CONT. TRIANG. STA.
"BAG" (U.S.C.&G.S.)

See Recovery Note (U.S.C.&G.S.)
#6454 B. in L.A. Co. Files.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. Qn 3 PG. 216

F. B. 973 PG. 217

Notes Ck'd by	Survey of L. A. Co. Triangulation
Map No.	W. O. 4922 Tape No. St'd. °F
Office Work	Surveyed by G. W. Meinack
Checked	Notes BWK Date July-51
Date	Indexed A. C. Johnson

GEOD. CONT. TRIANG. STA.
"BAG-N. BASE." (U.S.C.& G.S.)

Above Sta. destroyed.
"BAG-N BASE 2" Set. See Note
#6396 For Description in L.A. Co.
Files.

Notes: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 923 PG. 218

Notes Ck'd by	Survey of Beach Surveys
Map No.	W. O. 4912 Tape No. St'd. °F
Office Work	Surveyed by G.W. Heinecke
Checked	Notes G.W.K. Date July '51
Date	Indexed E. O. Johnson

F. B. 923 Pg. 219

GEOD. CONT. TRIANG. STA.
"BAG - S. BASE." (U.S.C. & G.S.)

See U.S.C. & G.S. Recovery Note
6456 R. in L.A. Co. Files.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 943 PG. 210

Notes Ck'd by	Survey of Beach Subsidence
Map No.	W. O. [illegible] Tape No. St'd. °F
Office Work	Surveyed by G.W. Hemeck
Checked	Notes G.W.H. Date July 15 '51
Date	Indexed A. C Johnson

F. B. [illegible] PG. [illegible]

GEOD. CONT. TRIANG. STA
"EHLE" (U.S.C & G.S.)

See U.S.C. & G.S. Recovery Note #6483
in L.A. Co. Files.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 923 PG. 222

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L. Basin Subsidence
W. O. 4922 Tape No. St'd. °F
Surveyed by G.W. Hancock
Notes Date July-51
Indexed A. C. Johnson

F. B. 920 Pg. 223

GEOD. CONT. TRIANG. STA. "HEAD" (U.S.C.&G.S.)

See U.S.C.&G.S. Recovery Note # 6488 E in L.A. CO. Files.

HEAD Ecc #1
o 3/4" I.P. plug & tack dn 12" ✓ 54.00 ✓

HEAD ✓
U.S.C.&G.S. Mon. Flush



To W.I. ✓
J-5 Aux #1

To W.I. ✓
J-5 Aux #1

This sketch copied From ABSTRACT OF DIRECTION dated 4-23-54 FB 6617 40 to 43

Tape #116 std @ 82° ✓
54.01 level T 56° ✓
= 54.00 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 92 3 PG. 2 4 4

Notes Ck'd by	Survey of Coast Control
Map No.	W. O. APP Tape No. St'd. °F
Office Work	Surveyed by G.W. Klaneck
Checked	Notes Gulk Date July-51
Date	Indexed A. C. Johnson

F. B. 923 PG. 105

GEOD. CONT. TRIANG. STA.
OIL - E. BASE (U.S.C.&G.S.)

See U.S.C.&G.S. Recovery Note
#6496 R in L.A. Co. Files.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line..

F.B. 2 PG. 22

F. B. 92-227 PG.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L. Beach Subdivision
W. O. 4922 Tape No. St'd. °F
Surveyed by G. W. Heineck
Notes G.W.H. Date July-47
Indexed E. C. Johnson

GEOD. CONT. TRIANG STA.
OIL - W. BASE (U.S.C. & G.S.)

See U.S.C. & G.S. Recovery Note
#6497 R in L.A. Co. Files

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 923 PG. 228

Notes Ck'd by	Survey of L. Beach Surveys
Map No.	W. O. [illegible] Tape No. St'd. °F
Office Work	Surveyed by G.W. Hewett
Checked	Notes GWK Date July '51
Date	Indexed A. C. Johnson

F. B. 92 PG. 219

GEOD. CONT. TRIANG. STA.
"TORY" (U.S.C. & G.S.)

See U.S.C. & G.S. Recovery Note
#6.514 R. in L.A. Co. Files.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

F. B. 923 PG. 230

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 923 PG. 231

Notes Ck'd by	Survey of T. [illegible]
Map No.	W. Cape No. 120 St'd. 84 °F
Office Work	Surveyed by G.W. Meineck
Checked	Notes G.W.K. Date July 51
Date	Indexed R. C. Johnson 11-5-51

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

GEOD. CONT. TRIANG. STA. "SUN" (U.S.C & G.S.)

Tidal Flat

3rd Bldg. of a Group of 4 W. of The Channel, of The So. Cal. Edison Steam Plant.

S. P/L Fence

Oil well W.P. Offset #370

220

63.1

98.0

Trang. Sta. "SUN" (USC+GS) See next Pg.

0.15 mi.

SEASIDE BLVD.

76F3095 247 2-51

F. B. 922 PG. 232

~DESCRIPTION~

Triang. Sta. "SUN" (U.S.C.&G.S.)

In LA. Co., City of Long Beach, Harbor Area, near E. end Naval Base, between Seaside Blvd. and The So. Cal. Edison Co. Steam Plant.
See The U.S.C. & G.S. Recovery Note #6509 R.

Station Mark:- A Std 4" brass triang. tablet set in conc. 4" above ground surface Stamped: "SUN-1949".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L.A. County Subsistence
Map No.	W. O. 492 Tape No. 120 St'd. 24 °F
Office Work	Surveyed by G.W. Steineck
Checked	Notes GWK Date 7-2-51
Date	Indexed R. C. Tahmsen

F. B. 4-2 PG.

L.A. CO. SURV. CONT. TRIANG. STA. "T.P.A-2, N°2" (AN AUX. STA. TO THE U.S.C. & G.S. TRAV. "T.P.A-2")

Sta. "Base D-1" (Edison)

Oil Well U.P. #369

Oil Well U.P. #524

1.53'

Set L+T

12.6'

Set L+T

67.445-76.7°

96.01'

125.0' TO Oil Well #500

Triang. Sta. "T.P.A-2, N°2" Mon. Set 7-2-51 See next Pg. For desc.

T.P.A-2 (U.S.C.+G.S.) = 1" brass plug set in pvt. (See their desc. #6398 in files.)

3.58'

TO Sta. "WELL-2"

TO Sta. "SUN" (U.S.C.+G.S.)

-8.18'

Edge of pvt.

ROAD TO Main Entrance TO Edison Power Plant

SEASIDE BLVD.

96.015' @ 76° = 96.01'

67.45' @ 76° = 67.445'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

F. B. 923 PG. 734

~DESCRIPTION~

Triang. Sta. "T.P.A-2, N°2"
Long Beach Harbor Area.
In L.A. Co. ~~at Wilmington~~, on West side of Cerritos Channel and North side of Seaside Blvd in roadway leading to main entrance gate to Southern Calif. Edison Co. Power Plant. Also see U.S.C. & G.S. description for "T.P.A-2" N° 6398 in files.

Station Mark:- Set a 2½" bronze tablet in conc. flush with roadway inscribed:- "T.P.A-2 N°2-1951, COUNTY SURVEYOR, R.E. 329"

Subsurface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Liberal Subdivision
Map No.	W. O. 4992 Tape No. 120 St'd. 84 °F
Office Work	Surveyed by Gink & Engr
Checked	Notes FWK Date 7-3-51
Date	Indexed R. C. Johnson

F. B. 4 Pg. 25

V

GEODETIC CONT. TRIANG. STA. "VIC-2" (USC + G.S.)



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

F. B. 923 PG. 286

— DESCRIPTION —

TRIANG. STA. "VIC-2" (U.S.C. & G.S.)

In L.A. Co., City of Long Beach, Harbor Area, W. side of Los Angeles River on So. Pico St., 0.65 mile S. of "El Embarcadero" St.

See U.S.C. & G.S. description #6399, for further details.

Station Mark:- A std U.S.C. & G.S. 4" brass tablet cemented into pavement, flush, Stamped: "VIC-2, 1949"

R.M.'s 1, 2 & 3 @ "VIC". See above reference.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Subsidence
Map No.	W. O. 4922 Tape No. 120 St'd. 24 °F
Office Work	Surveyed by G.W. Hamack
Checked	Notes Final Date 7-2-51
Date	Indexed A. C. Johnson

F. B. 4-2 PG.

L.A. CO. SURV. CONT. TRIANG. STA. "WELL-2" (AUX. TO THE U.S.C. & G.S. STA. WELL)



U.P. Offset on Well #199

U.P. Offset Oil Well #199 R

U.P. Offset Oil Well #344

Set L+T

0.4'

R.O.W.

57.9'

96.92'

To U.P. Well #199

0.1'

Set L+T

Service Road

147.7'

2,385'

Tang. To Sta. TPA-2, N°2

Std. Trav. Sta. "WELL" U.S.C. & G.S. 4" Br. Tablet set in conc. up 3" See their desc. N° 6517-R.

95'±

Edge of Pvt.

SEASIDE BLVD. (N. side of Long Beach Naval Base.)

63.93' @ 76° = 63.925'

96.925' @ 76° = 96.92'

Triang. Sta. "WELL-2" Mon. set 7-2-'51. See next Pg. for desc.

Gate 5 to Naval Base

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 247 2-51

F. B. 923 PG. 238

~ DESCRIPTION ~

Triang. Sta. "WELL-2"
Long Beach Harbor Area
In L.A. Co., ~~Wilmington area~~, W. of Cerritos Channel on the N. side of Seaside Blvd., and opposite gate "5" of the Naval Base on the S. side. See U.S.C.+G.S. description No. 6517-E for their Sta. "WELL", in files.

Station Mark:- Set a 2½" bronze tablet in conc. flush with ground inscribed; "WELL-2-1951, COUNTY SURVEYOR, R.E. 329"

Subsurface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L. Beach Subservice
Map No.	W. O. 4462 Tape No. 120 St'd. 82 °F
Office Work	Surveyed by G.W. Niemack
Checked	Notes GWK Date 7-3-51
Date	Indexed R. C. Johnson

F. B. 97-2 Pg. 239

Name changed to Wilm E-6B 5/26/61 Fm

L.A. CO. SURV. CONT. TRIANG. STA. "WIL. E-6"



Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

F.B. 923 PG. 240

— DESCRIPTION —

Triang. Sta. "WIL. F-6".
Name changed to Wilm F-6B 5/26/61 jmy

In LA Co., City of Los Angeles, about 0.85 mile West of Ford Blvd, or 0.5 mile East of Mormon St. along Dock St, & 0.3 mile North of Seaside Blvd. just South of the "Turning Basin" at the junction of the Los Angeles & Cerritos Channels.

Station Mark:- Set a std 4" brass tablet in conc. flush with old pavement inscribed: "L.A. CO. SURV. CONT. SYS., TRIANG. STA., WIL. F-6, SET BY COUNTY SURVEYOR, R.E. 329-1951".

Substructure Mark: None

RM-1:- Set a std 4" brass tablet in conc 6" down inscribed:- "L.A. CO. SURV. CONT. SYS, REF. MARK, WIL. F-6, RM-1 & SET BY COUNTY SURVEYOR, R.E. 329-1951

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L. Beach Subdivision
Map No.	W. O. 4922 Tape No. 100 St'd. 84 °F
Office Work	Surveyed by GW Maiwek
Checked	Notes GWK Date 6-28-'71
Date	Indexed R. C. Johnson

F. B. 423 PG. 241

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

L.A. CO. SURV. CONT. TRIANG. STA.
"WIL - G-4"

(2) 314-47-30
(4) 269-35-30
(6) 224-23-00
157-23-53

91.215' @ 64° = 91.205'

(7) 40-02-00
(8) 80-04-00
(9) 120-06-30
20-01-53
00

U.S.C. & G.S. Triang. Sta. "BAG - So. Base" Set Their Cl. & #6450-R in Files.

CHANNEL

TOP of Levee

Oil Well U.P. #153

Conc. Floor

58.3

151° 23' 30" + 20° 01' 00"

TO "BAG - S. Base"

91.295'

U.S.C. & G.S. Triang. Sta. "END" Now buried 6' Below Top of Levee. See Their desc. #6454-R in files.

Triang Sta. "WIL. G-4" Mon. Set 6-28-'71 See next Pg. for desc.

Fire Hyd.

400'

Power P. Lines

Service Road

132'

Oil Well U.P. #278

Sta. "END"

82.8'

Oil Well U.P. #153

81.4'

168.1'

Oil Well U.P. #155

Ref. Tie

Oil Well U.P. #278

S

N

78F3095 247 10M 1-49

F. B. 973 PG. 242

- DESCRIPTION -

Triang. Sta. "WIL. G-4"

In L.A. Co., Long Beach - Wilmington Area, about 0.55 mile S. of Anaheim St. & 0.3 mile W. of Ford Blvd. near the N. end of the Ford Plant Property, on the S.E. bank of the Los Angeles East-Basin Channel. Hammond Lumber Co. Bldgs are due West across the Channel.

Station Mark:- Set a Std 4" brass tablet in conc. floor of Oil well "U.P. #153," flush with surface, inscribed: "L.A. CO. SURV. CONT. SYS., TRAVERSE STA., WIL. G-4, SET BY COUNTY SURVEYOR R.E. 329-1951"

Subsurface Mark: None.

RM-1. Set a Std 4" brass tablet in conc flush with ground surface inscribed:- "L.A. CO. SURV. CONT. SYS- REF. MARK, WIL. G-4, RM-1, SET BY COUNTY SURVEYOR, R.E. 329-1951."

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 923 PG. 243

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L. Beam Subdivided
W. O. 4911 Tape No. 100 St'd. 84 °F
Surveyed by G. W. Kleineck
Notes G.W.K. Date 6-27-51
Indexed L. C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 10M 1-49



① 72-28-40
106-14-40

② 64-57-30
106-14-22½

③ 277-26-20
106-14-33
25

④ 144-55-20
72-27-40

⑤ 289-51-00

⑥ 74-46-00
72-27-40

33.55' @ 78° = same

Note:- For additional ties to locate position of above Ecc. Sta. (To △ "Head" (U.S.C. & G.S.)) See F.B. 67-534/22, 33.

F. B. 923 PG. 244

~DESCRIPTION~

Triang. Sta. "WIL. I-3, ECC.-3"

For Sta: "WIL. I-3"
See F.B.'s 696-87 & 923-199
C.S. Index Map #28.

Station Mark:- Set a 2½" bronze tablet in conc. 15" below ground surface inscribed:- "COUNTY SURVEYOR - R.E. 329, WIL. I-3, ECC. #3 - 1951."

Subsurface Mark:- None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 4253 PG. 245

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Final Subdivision
W. O. [illegible] Tape No. 100 St'd. 68 °F
Surveyed by G.W. Heinecke
Notes G.W.H. Date 6-27-51
Indexed A. C. Johnson

L.A. CO. SURV. CONT. TRIANG. STA
"WIL. I-3 AZ"



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 10M 1-49

F. B. 923 PG. 246

-DESCRIPTION-

Triang. Sta. "WIL. I-3 B"

In L.A. Co. West Long Beach Area, between Anaheim St. and Ford Blvd. on the Harbor Freeway about 0.25 mile E. of the overhead bridge over rail-road tracks, N. of the Ford Auto Plant, about 150' E. of the BC of the second curve (to the left) E. of above bridge and 25 ft. S. of a N. & S. service road running thru the oil field.

Station Mark: Set L.& T. in South curb of the dividing strip of the freeway.

R.M. No. 1 & 2:- Set a 2½" bronze tablet in conc. near the center of the dividing strip between curbs and approximately at 45° to a radial line thru station and 4" below curb grade inscribed:- "COUNTY SURVEYOR- R.E. 329, WIL. I-3 B, R.M. No. 1 & No. 2, respectively, 1951".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Subdivision
Map No.	W. O. 4927 Tape No. 100 Std. 84 °F
Office Work	Surveyed by Gen Klemeck
Checked	Notes GWK Date 6-27-51
Date	Indexed E. C. Johnson

F. B. 923 PG. 247

L.A. Co. Surv. Cont. Trianq Sta.
"WIL. J-4B"

NOTE: APRIL 12, 1954 dug 9ft
This point been destroyed
by const. of raising ground 2 ft.
by MR Hylton of Hall Co.
contr. for U.P.R.R. Hegranquist.

Trianq. Sta.
"WIL. J-4B"
Mon. set 6-27-51
See next Pg for desc.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

247 10M 1-49

F. B. 923 PG. 248

~ DESCRIPTION ~

Triang. Sta. "WIL. J-4B"

In L.A. Co., Long Beach Area, about 0.9 mile E. of Ford Blvd. & 0.45 mi. N. of the So. Calif. Edison Co. Steam Plant, on the N. side of Cerritos Channel opposite the Turning Basin where the Channel turns at about 90° & goes South, and also S.W. of a set of "3" transmission towers about 120 ft.

Station Mark. - Set a std 4" brass tablet in conc. base-slab for Oil Well-UP #85, inscribed: L.A. CO. SURV. CONT. SYS. - TRIANG. STA, WIL. J-4B - 1951, SET BY COUNTY SURVEYOR, RE. 329".

Subsurface Mark: None.

Ref. Mk. No 1. Set a std 4" brass tablet in conc. 3" above ground surface inscribed: - L.A. CO. SURV. CONT. SYS. - REF MARK. WIL. J-4B, REF. MK. No 1, SET BY COUNTY SURVEYOR, RE. 329 - 1951"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L. Beach Subsidence
Map No.	W. O. 4442 Tape No. 100 St'd 80 °F
Office Work	Surveyed by G.W. Klemeck
Checked	Notes G.W.K. Date 6-29-57
Date	Indexed A. C. Johnson

F. B. A-2 PG. 249

L.A. CO. SURV. CONT. TRIANG. STA "WIL. J-5, AUX. - AUX-1" = Wil. J-5 AUX #2



14.03' @ 76° = Same.
9.99' @ " = "
7.81' @ " = "
6.23' @ " = "

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

F. B. 923 PG. 250

~ DESCRIPTION ~

Triang. Sta. "WIL. J-5 AUX.-AUX.-1"
= WIL. J-5 AUX 2

In L.A. Co, Long Beach Harbor Area, on W. side of "Entrance Channel" to "Turning Basin", between Seaside Blvd and the So. Calif. Edison Co. Steam Plant, 1155' W. of W. Line of 1st Bldg. on the East of the Edison Group & 22' S. of the So. P/L enclosing the plant

Station Mark:- A Std 4" brass tablet set in conc. 4" above ground surface inscribed, "L.A. Co. Surv. Cont. Sys.- Triang. Sta. WIL. J-5 AUX.-AUX.-1, Set by County Surveyor, R.E. 329-1951".

Subsurface Mark:- None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L. Beach Subdivision
Map No.	W. O. 4722 Tape No. 100 St'd. 84 °F
Office Work	Surveyed by G. W. Hancock
Checked	Notes G.W.H. Date 6-26-51
Date	Indexed L. C. Johnson

F. B. 923 PG. 251

✓

L.A. CO. SURV. CONT. TRIANG. STA. "WIL. J-5A, ECC."

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Hancock Oil Well "Harbor A-4" Conc. Curbing

Set L.T.

Fd. L.T.

tang.

Triang. Sta. WIL. J-5A, ECC. Mon. Set 6-26-'51 See next Pg. for desc.

68.31'

17.41'

76.99' Rec. 76.98' Meas'd

"WIL. J-5A" Recovered 4x6" post + B. Spk 4'± dn. as per F.B. 923-196. Set 2x4 stk. + copper tack near surface + Checked ties as shown. Used as Fd.

"WIL. J-5, 1947 aux."

tang.

44°42'10"

47.99' Rec.

89.41' Rec.

89.35' Meas'd

Fd. L.T.

Set L.T.

Conc. Curbing

Fd. L.T.

Hancock Oil Well "Harbor A-22"

① 89-24-30
44-42-15
② 178-48-40
③ 268-13-00
44-42-10

47.865' @ 6°13' @ 68° = 47.580
48.00 @ 7°30' @ " = 47.585
Av. = 47.58

41.83' @ 2°48' @ 68° = 41.775'
42.075 @ 6°58' @ " = 41.767'
Av. = 41.770

47.58'
41.77'
89.35'

76.985 @ 0°00' @ 68° = 76.98'
47.99' @ 86° = Same.
68.31' @ " = " .

F. B. 923 PG. 252

— DESCRIPTION —

Triang. Sta. "WIL. J-5A, ECC."

For Sta. "WIL. J-5A":—

See F.B.S 696-91 & 923-196.

Station Mark: Set a 2½" bronze tablet in conc. 6" below ground surface inscribed:- COUNTY SURVEYOR - R.E. 329, WIL. J-5A, ECC, 1951"

Subsurface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L. Beach Subsistence
Map No.	W. O. 4922 Tape No. 100 St'd. 84 °F
Office Work	Surveyed by G.W. Meineck
Checked	Notes Final Date 6-8-51
Date	Indexed A. C. Johnson

F. B. 923 PG. 253

L.A. CO. SURV. CONT. TRIANG STA.
"WIL. J-5B, AUX. 1A"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F3095 247 10M 1-49

F. B. 923 PG. 254

— DESCRIPTION —

Triang. Sta. "WIL. J-5B, AUX. 1-A"

For location see "WIL. J-5B".

Station Mark :- Set L.+T. in street pavement. on prod. of line thru Sta's "WIL. J-5B"., "WIL. L-4" & "WIL. J-5B, AUX-1".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 923 PG. 255

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L. Beach Subdivision
W. O. 1922 Tape No. 212 St'd 24 °F
Surveyed by G. W. Mainieck
Notes Clerk Date 6-12-51
A. C. Johnson
Indexed

L.A. CO. SURV. CONT. TRIANG. STA.
"WIL. J-5B, AUX. 2A"



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 10M 1-49

F. B. 92 Pg. 256

—DESCRIPTION—

Triang. Sta. "WIL. J-5B, AUX. 2A"

For location see "WIL. J-5B, AUX. 2".

Station Mark:- Set a Std. 4" brass tablet in conc. flush with curb grade inscribed: "L.A. CO. SURV. CONT. STA.— TRIANG. STA., WIL. J-5B, AUX. 2A, SET BY COUNTY SURVEYOR, R.E. 329-1951.

Subsurface Mark:- None.

R.M.-1. Set a 2½" bronze tablet in conc. 10" below ground surface inscribed:- "COUNTY SURVEYOR, R.E. 329, WIL. J-5B, AUX. 2A, R.M.-1, 1951."

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L.A. County Surveyor
Map No.	W. O. 4911 Tape No. 100 Std. 68 °F
Office Work	Surveyed by G.W. Heinrich
Checked	Notes G.W.H. Date 6-14-51
Date	Indexed A. C. Johnson

F. B. 923 Pg. 109

L.A. C.O. SURV. CONT. TRIANG. STA. "WIL. J-5B, AUX. 3-A"



60.28' @ 84° = Same.
44.30' @ " = " "
38.24' @ " = " "
38.88' @ 68° = 38.875'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 10M 1-49

F. B. 923 PG. 258

— DESCRIPTION —

Triang. Sta. "WIL. J-5B, AUX. 3A"

For location see description for "WIL. J-5B, AUX. 3."

Station Mark: Set in a well 12" below surface of the ft. and protected by a cast iron cover marked: "COUNTY SURVEYOR MONUMENT", a 2½" bronze tablet in conc. inscribed: "WIL. J-5B, AUX 3A-1951, COUNTY SURVEYOR, R.E. 329."

Subsurface Mark: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3093 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L.B. Harbor Int. to Terminals
W. O. Tape No. 6223 Std. 72 °F
Surveyed by: Engineering Date 6-26-57
Notes
Indexed R. C. Johnson

F. B. 1 2 PG. 3, 5, 9

F. B. 923 Pg. 160

—DESCRIPTION—

Triang. Sta. "WIL. L-5".

In L.A. Co., Long Beach Harbor Area, S.E. of and near the intersection of The "E/ Embarcadero" and Pico St., at the N. end of L.B. Harbor Pier "A" Bldg., Berths 1 & 2.

Station Mark:- Set a 2½" bronze tablet in conc. 12" below pavement inscribed COUNTY SURVEYOR-R.E. 329, WIL. L-5, 1951; and in a well protected with a cast iron cover marked: "COUNTY SURVEYOR MONUMENT".

Subsurface Mark:- None.

B.M. No 1:- Set a 2½" bronze tablet in conc. flush with ground surface inscribed: "COUNTY SURVEYOR-R.E. 329, WIL. L-5, B.M. #1, 1951".

RETURN TO
LOS ANGELES COUNTY SURVEYOR
728 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L. Beach Subsidence
Map No.	W. O. 4911 Tape No. 100 Std. 84 °F
Office Work	Surveyed by G. W. Klemack
Checked	Notes G.W.K. Date 7-3-'51
Date	Indexed R. C. Tahinos

F. B. 9-2 to 61 Pg.

L.A. CO. SURV. CONT. TRIANG. STA. "WIL. L-6"

Triang. Sta. "VIC.-2"

WIL. L-6A AUX #2 H.R.S. 5-21-56

① 124-09-40
② 136-39-00
124-09-45
③ 24-58-30
124-09-45

② 42°37'00" = 21°18'30"
④ 85°14'00" = 21°18'30"

② 171°50'00" = 85°55'00"
④ 343°40'15" = 85°45'03¾"

⑤ 145°33'00" = 252°46'30"
④ 291°06'00" = 252°46'30"

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.



39.195' @ 88° = same

Tape #0132 Std @ 84°
110.62' level T= 68° = 110.61
82.18' " T= " = 82.17
133.02' " T= " = 133.01

76F3095 247 2-51

F. B. 923 PG. 262

~ DESCRIPTION ~

Triang. Sta. "WIL. L-6"

In L.A. Co., City of Long Beach near Easterly limits of the harbor on South Pico St. which leads to Pier Point Landing and about 0.8 mile South of El Embarcadero St. at the N. end of the Long Beach Harbor Pier "9" Bldg.

Station Mark:- Set a std 4" brass tablet in conc. flush with street grade inscribed: "L.A. CO. SURV. CONT. SYS., TRIANG. STA., WIL. L-6 & SET BY COUNTY SURVEYOR, R.E. 329-1951".

Subsurface Mark:- None.

R.M.-1: Set a 2½" bronze tablet in conc. 6" below street grade inscribed: "COUNTY SURVEYOR, R.E. 329, WIL. L-6, R.M. #1-1951."

R.M. #2: Set by H.R.S. 5-21-56 A standard 4" brass Tablet in Concrete down 12 below ground level (bot. fence) lettered; L.A. COUNTY SURVEY CONTROL SYSTEM, REF. MARK, WIL. L-6, R.M. No. 2, 1956, Set by, CO. ENGR. R.E. 5869."

R.M. #3: Set by H.R.S. 5-21-56 Same as for No. 2 only lettered R.M. No 3.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
226 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long B. Subdivision
Map No.	W. O. Tape No. St'd. °F
Office Work	Surveyed by Gul. Munck
Checked	Notes Tie Date 10-1-51
Date	Indexed A. C. Johnson

F. B. 9, 3, 94, 8 PG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

DISTANCE TIE BETWEEN TRIANG. STA'S "WIL. J-5, CT." & "WIL. J-5, AUX".



100' Tape #075 Std @ 68°

90.465' @ 5°22'30" @ 84° = 90.096'
90.600' @ 6°19'00" @ " = 90.064'
Aver. = 90.080'V
+ level = 11.190
101.268'V

300' Tape #72 Std @ 84°

90.471' @ 5°22'30" @ 84° = 90.073'
90.665' @ 6°19'00" @ " = 90.065'V
Aver = 90.069'V
+ level = 11.197
101.266'V

Average for (2) Tapes = 101.263'V

76F309S 247 2-51

F. B. 923 PG. 764

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L. Beach Subsidence
Map No.	W. O. Page No. 100 St'd. 84 °F
Office Work	Surveyed by G.W. Manneck
Checked	Notes G.W.K. Date 6-12-51
Date	Indexed H. C. Johnson 11-27-51

F. B. 923 PG. 765

GEOD. CONTROL TRIANG. STA. "WIL. H-5 ECC. #3"

South end of draw-bridge over Cerritos Channel.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

N

DOCK ST.

100± AVE.

Conc. wall with Pipe Railing

Toe of Conc. Pier Beneath Freeway

83.0'

128'

61'

Triang. Sta. "WIL. H-5" 7.1'

56.4'

Triang. Sta. "WIL. H-5 ECC. #3" pg. 6-12-51 4.8'

See next Mon. sht.

FORD

U.P.R.R.

Triang. Sta. "WIL. H-5"

See F.B. 696 pgs. 85 & 86 Orig. Sheets

Note: Dist. & angles for locating position of Ecc #3, to follow.

See F.B. T- 10 1/4
" " G- 54 3/2 +6.

76F309S 247 10M 1-49

F. B. 993 Pg. 266

~DESCRIPTION~

Triang. Sta. "WIL. H-5, ECC. #3."

For location, see "WIL. H-5".

Station Mark:- Set a 2½" bronze tablet in conc. 6" below grade of st. pavement inscribed: "COUNTY SURVEYOR -R.E. 329, WIL. H-5, ECC. #3, 1951".

Subsurface Mark:- None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Subdivision
W. 4922 Tape No. 620 St'd. 68 °F
Surveyed by F.W. Kleineck
Notes G.L.O. Date 7-5-45
Indexed

F.B. 923 PG. 167

See P. 187

REF. TIES FOR
Trav. Sta. "WIL. L-3"

LOS ANGELES RIVER

Set L.o.T. in top of abutment at new curb grade for center dividing strip.

122.00'

PICO AVE.

Conc. Abutments for New Freeway Bridge Supports

166.28' Tang.

Trav. Sta. "WIL. L-3"
See C.S. Index Map #30 & F.B. 923-187.
This Sta. to be buried under a deep fill.

Set L.o.T. (Same as above)

WILMINGTON ST.

124.11' @ 11°09' @ 74° = 122.055'
124.37' @ 11°02' @ " = 122.064'
Av. = 122.06'

167.54' @ 7°14' @ 74° = 166.209'
167.71' @ 7°39' @ " = 166.206'
Av. = 166.20

H.H.R 11-27-51

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

F. B. 923 PG. 768

GEOD. CONTROL TRIANG STA
LONG BEACH L.H. MARK (U.S.C.&G.S)

At "Pier Point Landing" Light House
Established by John C Ellerbe of the
U.S.C.&G.S. in 1949

A Lead and Tack set in the concrete floor or base of the Light House directly under the spire above the light at the top of the supporting structure.

Their Recovery Note # 6492 in 1950 refers to the original description written in 1949 and not available at this date

G.W. Kleineck
July - 1951

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 923 Pg. 269

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of G. Geod. Intersection
W. O. 4922 Tape No. St'd. °F
Surveyed by G.W. Hermes
Notes GWH Date July 51
Indexed R. C. Johnston 12-5-51

GEOD. CONT. TRIANG. STA.
LONG BEACH L.H. MARK (U.S.C.& G.S.)

At "Pier Point Landing" Light House
Established by John C. Ellerbe of the
U.S.C. & G.S. in 1949.
A Lead & tack set in the concrete
floor or base of the light-house directly
under the spire above the light at the top
of the supporting structure.
Their Recovery Note # 6492, in 1950
refers to the original description written in 1949
and not available at this date.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2.51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 923 PG. 270

F. B. 422 - 271 PG.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	W. O. 6301.09 Tape No. 75 St'd. 84 °F
Office Work	Surveyed by C. D. TRAVIS
Checked	Notes W. D. B. Date 1-27-56
Date	Indexed E. C. Tahmann 1-31-56

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

LONG BEACH G-5A

(1) 76-45-30
(4) 27-01-00
(6) 220-31-40
76-45-16⅔

All dist. meas. Inv-16 T-58 1-5-56

48.67 =	48.66
81.67 =	81.68
53.02 =	53.01
4.03 =	4.03

Lat. Lines pol. F.B. 723-137 Checked O.K.

See Pg. 137

S-1 R.M. No. 2 See Next Pg.

4.03

42.68

42.66

81

S-1 R.M. No. 1 See Next Pg.

53.01

41.63

Lat. Lines pol. F.B. 723-137

45.17

Center Line

35.00

I.H. Long Beach G-5A See Next Pg. Pol. F.B. 723-137

44.62

SET Lg tag aeg 3/7/62

TRAFFIC ISLAND

DRIVE NO. 55 WALK

FIRST ST.

CENTER LINE TO G-5 Long Beach

CONC. ALLEY

CONC. WALK

7.1

3.4

18° 45' 17"

(1) 18-45-30
(4) 75-01-10
(6) 112-31-40
18-45-16⅔

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 923 PG. 272

— DESCRIPTIONS —

LONG BEACH G-5A

This station is in LOS ANGELES COUNTY, in the CITY OF LONG BEACH, in the intersection of E. 1st St. & Livingston Dr. in a well & protected by a cast iron cover marked "COUNTY SURVEYOR MONUMENT."

STATION MARK: Set a Std. 4" brass cap in conc. marked "L.A. COUNTY SURVEY CONTROL SYSTEM, TRIANGULATION STATION, LONG BEACH G-5A, P.E. 2177 1947 BY COUNTY SURVEYOR 1940", 10" below pavement.

REFERENCE MARK NO. 1: Set a Std. 4" brass cap in conc. marked "L.A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STATION, LONG BEACH G-5A, R.M. NO. 1, 1955, CO. ENGR. R.E. 5869" down 16" below curb grade.

REFERENCE MARK NO. 2: Set a 2" iron pipe, conc. cover, lead plug & brass tack in conc. down 16" below curb grade.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd. °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed A. O. Johnson 6-18-52

F. B. 923 PG. 273

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

ADDITIONAL GEODETIC CONTROL

LONG BEACH SUBSIDENCE INVESTIGATION

J.N. 4922.

Kleineck & Party.
Van Deren & " "

June, 1952.

See G-566 and T-

76F3095 247 2-51

F. B. 923 PG. 274

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

ANAHEIM STREET

LOS ANGELES COUNTY FLOOD CONTROL CHANNEL

WM. H.H. - PAUL N. 27°W.
See Pg. 277

WM. H.H. - PAUL N. 19°W.
See Pg. 279

WM. H.H. - E. 3 N. 2°W.
See Pg. 281

7TH STREET

OCEAN AVE.

CHANNEL No. 2.

CHANNEL No. 3.

TWIG. STA. "N-4"

ALTERNATE SHIFT TO STA. "N-4"

Notes Ck'd by	Survey of Long Beach Subdivision
Map No.	W. O. 4922 Tape No. St'd. °F
Office Work	Surveyed by G. Klemack
Checked	Notes G.K. Date 6-5-57
Date	Indexed A. O. Johnson

F. B. 423 PG. 275

L.A. CO. SURVEY CONTROL TRIANG. STA.
"WILMINGTON H-4"

PROCTER & GAMBLE
Class "A" Concrete Bldg.

Elevator Shaft

Approx. Roof Plan
400' ±

100'±

Tower

SEVENTH STREET

Wilmington Blvd. 120' Hwy.

Set 4" I.P.

FD OK 2-70 CWW

Triang. Sta. "Wilmington H-4" Set 6-5-57 Set nail & tag. Top of disc.

2.7'

3.5'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

F. B. 923 PG. 276

~ DESCRIPTION ~

L.A. CO. SURV. CONT. TRIANG. STA.
"WIL. H-4"

In L.A. Co., near the S.W. limits of the City of Long Beach, west of the Los Angeles River and between Ship Channels Nos 2 & 3 on the north side of 7th Street and on top of a tower on the S.W. Cor. of the main bldg. of the Procter & Gamble Plant.

Station Mark: Set a Std 4" bronze tablet in a concrete roof, flush, inscribed:- "L.A. CO. SURV. CONT. SYS. - TRIANG. STA. WILMINGTON H-4, SET BY COUNTY SURVEYOR R.E. 63, 1952"

Subsurface Mark: None.

Azimuth Mark: Set a lead & brass tack in the S.W. corner of the parapet wall on top of the elevator shaft at the N.E. Corner of the main bldg. of the Procter & Gamble Mfg. Plant.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Base
Map No.	W. O. 4922 Tape No. 210 C St'd. 68 °F
Office Work	Surveyed by M.A. Van Deren
Checked	Notes Van Date 6-5-52
Date	Indexed C. Johnson

F. B. 933 PG. 277

J.N. 4922

WILMINGTON-K4-AUX-1

Location and ties of Wil. K4 Aux No 1

on the East side of L.A County Flood Control Channel. 55.31 North of ℄ prod of 12th St. 243.2 South of the South side of the Anaheim St bridge in the S.W. Long Beach Area

For Wil. K-4 Aux 1A
See FB 942-37

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 10M 1-49

F. B. 923 Pg. 278



For WilK4 Aux .1A

See FB 942-37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 923 PG. 279

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Long Beach Subdivision
W. O. 4922 Tape No. 0106 St'd. 68 °F
Surveyed by M.A. Von Derau
Notes Van Date 6-5-52
Indexed C. Johnson

JN 4922

WILMINGTON-K4-AUX-2

Location and ties of Wil. K4 Aux No 2

This Station is on the South side of 7th St. 74.4± East of the East end of the 7th St bridge. 38.5± South of ℄ of 7th st. 443.2± West of ℄ San Francisco Ave.
in the S.W Long Beach Area

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 10M 1-49

F. B. 923 PG. 280



RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Long Beach Subsidence
Map No.	W. O. 4922 Tape No. 0106 St'd. 68 °F
Office Work	Surveyed by M.A. Van Derlin
Checked	Notes K Van Date 6-5-52
Date	Indexed C. Johnson

F. B. 721 PG. 281

JN 4922

WILMINGTON-K4-AUX-3

Location and ties of Wil K4-Aux Nº 3

This station is on the North side of Ocean Ave. and 49'± East of East end of the Ocean Ave bridge. and 35'± North of the ℄ of Ocean Ave. and 783.5 West of the ℄ of Golden Ave. in the S.W. Long Beach Area

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 10M 1-49

F. B. 923 PG. 282



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Preservation of Mon
Map No.	W. O. 4900 Tape No. 0106 St'd. 68 °F
Office Work	Surveyed by M.F. Van Deren
Checked	Notes Van Date 6-24-52
Date	Indexed A. C. Johnson 6-25-52

F. B. 923 PG. 283

JN 4900

GEODETIC CONTROL

PRESERVATION OF MONUMENTS

IN LONG BEACH AREA

WIL-I-5 ECC No 1

New ties to station prior to its removal by the UNION OIL COMPANY.

6-24-52
Van Deren
Blankenship
Richards
Myers

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

F. B. 923 PG. 284

Set LFT in Conc Slab of well No 279

128.64 Tan

128.64 T=68=128.64

Set LFT in Conc Slab of well No 197

180.37 Tan

180.37 T=68=180.37

Fd 2" brass cap Mon set in Conc. 12" dp. Stamped County Surveyor RE 329 W.I.-I-5-E.C.C. No1-1949 removed from (Set in T-90=19)

113.26 T=68=113.26

34.62 Tan

29.62

31.425

Set LFT in Conc slab of well No 401

113.26 Tan

Set LFT in top of Conc Wall

83.14 T=68=83.14

83.14 Tan

Set LFT in top of conc pipe holder

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	W. O. 4900 Tape No. 0124 St'd. 68 °F
Office Work	Surveyed by H. R. STOCK
Checked	Notes STOCK Date 6-3-53
Date	Indexed [redacted]

F. B. 223 PG. 285

L.A. CO. SURVEY CONTROL SYSTEM

TRIANGULATION STATION

WILMINGTON K-4 AUX Nº 1

For W.L. K-4 Aux 1A see F.B. 902-37

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



U. 89°59'50"	
A. 359°59'10"	
= 89°59 47½"	
B. 179°58'50"	
= 89°59 48⅓	
U. 90°00'10"	
A. 360°00'40"	
= 90°00'10"	
B. 180°01'00"	
= 90°00'10"	

91.45' level T = 64° = Same

73.51' " " "

54.38' " " "

59.17' " " "

95.56' " " "

76FS09S 247 2-51

F. B. 923 Pg. 286

WILMINGTON K-4 AUX NO 2

For Wil. K-4 Aux. 2A See F.B. 942-39



L.A.CO. FLOOD CONTROL

1.	152°15'50"	
4.	249°03'20"	
	=152°15'50"	
6.	193°35'00"	
	=152°15'50"	

Used Tape #0124 Std. T=68°

97.47' Level T=66° = Same

96.40' " " = "

72.58

52.07

124.65 Level T66° = Same

1.	127°42'20"	
4.	150°49'30"	
	=127°42'22½"	
6.	46°14'00"	
	=127°42'20"	

1.	80°01'50"
4.	320°07'30"
	=80°01'52½"
6.	120°11'10"
	=80°01'51.9"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
W. O. 4280 Tape No. 0243 Std. 68 °F
Surveyed by H. E. STOCK Date 6-4-53
Notes H. E. Stock & C. Johnson
Indexed

F. B. 232 Pg. 287

L.A.CO. SURVEY CONTROL SYSTEM
TRIANGULATION STATION
WILMINGTON K-4 AUXILLARY N23

L.A.CO. FLOOD CONTROL CHANNEL

OCEAN BLVD

NEW TIES F.B. 943

Fd WIL K-4 Aux No 3 Per F.B. 923-282

Fd. R.M. No 1 a Standard C.S. Ref. Mon in Conc dn 12" Per F.B. 923-282

To WIL K-4 Aux #2

21° 39' 48" Meas. 46.19'

94.62'

63.16'

Set N&T in E. side of 24" gum clump

Set R.M. # 2 a Std C.S. Ref Mon in conc. dn 12"

Mark WIL K-4 Aux No 3 R.M. No 2

Set N&T W. side of Guy Pole

88° 20' 10" Meas.

127.02' Tan

138.62'

138.96' Tan

28.96'

57.87'

N&T W. side Pole #5546378

N&T W. side Pole #B1160

96.09'

Set R.M. # 4 a 2" I.P. Conc. Core & Copper Pin center in Conc dn 16"

215.24'

Set R.M. No 3 a Standard C.S. Ref Mon in Conc dn 20" inscribed WIL K-4 Aux #3 R.M. No 3 R.E. 68, 1953

L. 189° 58' 50" = 91° 59' 48"
L. 91° 37' 50"
L4. 06° 37' 20"
= 91° 37' 50"
L. 88° 20' 00"
L4. 353° 20' 40"
= 88° 20' 10"
L. 170° 01' 00" = 88° 20' 10"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. _____ PG. _____

Notes Ck'd by	Survey of Geodetic Control
Map No.	W. O. 4900 Tape No. 2145 St'd. 68 °F
Office Work	Surveyed by M. A. VanDercy
Checked	Notes Van Date 9-4-53
Date	Indexed E. C. Johnson 9-11-53

F. B. 92 3 Pg. 289

JN 4900

PRESERVATION OF GEODETIC MON

COMPTON J-1 AT

COMPTON BLVD & WILLOWBROOK AVE

9-4-53
VanDercy
Richards
Myers
Miller

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3093 247 4-53

F.B. 923 PG. 290

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

SOUTH

WILLOWBROOK

WEST ROAD WAY

Set L.S. Tin conc. walk

Set L.S. Tin conc. walk

Set L.S. Tin conc. walk

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 030100 Tape 0124 Std 62 °F
Office Work	Surveyed by L. L. BROWN
Checked	Notes L.L. BROWN Date 11-1-56
Date	Indexed A. C. Johnson 11-2-56

F. B. 923 Pg. 27

GEODETIC CONTROL

J. N. 030100

T.H.S. '78 L.A.CO. TRAVERSE STATION

WILMINGTON L 4

REF.
F.B. 923-18?

PARTY
BROWN
BIWELL
BUSHOW
HENDERSON

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0124 Std 68 °F
Office Work	Surveyed by [illegible]
Checked	Notes L.L. [illegible] Date 11-1-56
Date	Indexed

F. B. 923 PG. 293

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.



76F309S S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 223 Pg. 224

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN Tape Std 68 °F
Office Work	Surveyed by L.A.B.E.
Checked	Notes J.I.L. Date 6/2/59
Date	Indexed

F.B. 923 PG. 295

(PVMT.)



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not remove this ... from files.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

923

F. B. ____ PG. ____