'd by

ork

Survey of Beach Control Recovery F.B. 320 Pg. 5

W. O. 4900 Tape No. St'd °F

Surveyed by Moore

Notes Date

Indexed A. C. Jones 12-22-42

GEODETIC CONTROL

BEACH CONTROL LINE RECOVERY SURVEY FROM

STOC N.T.S. - SOUTH

TO S-37 (pgs 7-28)

AND FROM

STOC N.T.S. NORTH

TO N-72 (pgs 29-56)

JN 4900

Microfilmed July 85

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

1-12-33
Complete
Pages
1-14

PE 950 Pg. 9

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Coastal Recovery
W. O. [illegible] Tape No. [illegible] St'd 0.[illegible]°F
Surveyed by L. Moore
Notes [illegible] Date 11-21-41
Indexed 12-22-42

F.B. 930 Pg. 7

See FB 2100-11 For New T's 6-7-43 MVD

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes outside of this line.



From Last pg. 7

See FB 2100 - 13
For New Ties
6-7-55. M.V.D.

Note. This Mon pushed out of position during trenching. Reset from ties as shown 6-7 below parking lot pavement 9-30-58 M.V.D.

"S-1"

"S-2"
Retraced line from Ⓐ thru Ⓑ, Ⓒ and to Ⓓ using ∠ and distances as per F.B. 883-8 also see L.B. 9778-41, 43 & 44.
Fd. 3/4" I.R. Plug & Tack, and replaced same
Fd. W.S.C. 2-21-51.
Set std. C.S. Mon 18" down; brass cap marked: COUNTY SURVEYOR - R.E. 2777 and stamped: S-2 11-20-62

"S-3A"

Fd. 1" I.P. 0.4' high, no tag

Fd. 1" I.P. 0.4' high, no tag

Rec. 64.7 N

177° 30' 23"

9' Out

39.1'

S 38° 39' E

39.5'

Fd. L.T.

Fd. 1" I.P. 0.4' high, no tag

Ties are as per F.B. 883-8

Control Line

N 5° 40' 09" W

Curb

Curb

STRAND (Concrete)

14'

23.6'

39 m/ft.

Curb

Curb

Curb

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Control Recovery
W. O. 2220 Tape No. 272 Std. 62° F
Surveyed by L. E. Moore
Notes Date 11-20-42
Indexed A. C. Johnson 12-22-42

F.B. 2100 Pg. 9

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

FORM 247 BM 11-41

See FB 2100-14
For New Ties
6-7-55 M.V.D

From bot pg 8

Fd W.S.C 2-21-51
"J-3A" 73+00 Per LA 978-45
Fd. punched spk. Set in conc. Filled 2" I.P. 8" dn.
11-20-42

For addt'l ties See FB 883-8

Control

STRAND

Set L.T. in conc. curb

Brick + Tile Sheltered Patio

Brick Wall

72.65'

50.75'

Fd Set L.T. in 7.3 conc. curb.

Light Post # 552

Set L.T. in conc. curb. Fd

Conc. Walls

179°04'-12" Rec

116.4'

WALK

Curb

℄ of 91 II St. (Manhattan Dr.)

To Toc PI PI

F.B. 2100 Pg. 10

From Lot Pg 9



TB Top Pg. 11

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No
Office Work
Checked
Date

Survey of Beach Control Recovery
W. O. Title No. 477 Sht. 2 of
Surveyed by
Notes Date 11-19-42
Indexed 12-7-42

F.B. 960 Pg. 37

Fd W.S.C. 2-21-51

See F.B. 2100 - 18 For New Ties

Set Sta. C.L. Sta. 0. 2" deep in Sand O.F. Beach marked "COUNTY SURVEYOR - L.A. 2179" and Stamped "5-7" 129+41.58 per L.B. 978-51

Fd. L.T. in cap of pilaster

Fd. (5-6)

79.535'

Fd. Set L.T. in wall on ABC produced.

Permanent walk from Monument

Light posts

92°-41'-10" L.B. 978-51

129+41.58

Conc. Steps

Fd. L.T. (Bent)

Centerline

Set L&T Sta. line N. end 4' So. of N. end of conc walk = 153+13.4 ± 2-25-53 Snyder

4'

177.59'

10' Rad.

18'

Line

Brick Walk

Walk

Fd. L.T.

Sta. 154+00 per L.B. 978-51 Orig. L.T. destroyed Replaced with L.T. from L.T. ties as shown. 11-20-42

Fd W.S.C. 2-19-51

34.24

Top conc. retaining wall W.S.C. 2-19-51

2 story stucco Mon. #29.90

NOTE Point destroyed, Reset L.T. Per Ties 2-25-53 Snyder

See F.B. 2100-18 For New Ties

Top steps

Conc. steps

Conc. walk

56.80 M.S.C.

Note: Site is approx. midway bet. Sta. 0 & 1 30m Ltr. Profile westerly from Marmion Lane (Marmion Road)

Note: Any Additions or Changes or Circles Must be Made in Ink With Date and Name of Person Making Change.

Do not deface this side of this sheet.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

From bot Pg. 11

F.B. 930 Pg. 12



To top Pg. 13

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Flood Control Recovery
W. O. 2402 Tape No. 277 Std. 66' ok
Surveyed by L. Moore
Notes Date 11-20-42
Indexed 12-22-42

F.B. 995 Pg. 75

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

"S-10"

33.62 @ 68° =
16.65' @ " =
26.85.5' @ " =
27.52' @ " =

175°-35'-38" Rec.

Fd. L+T

33.62'

Fd

2 Story Stucco #502

2.5'

26.85.5'

Brick Wall

16'

Cement walk

"S-11" See L.B. 978-63
Fd. L+T
11-19-42
231+00 per L.B. 978-63
Fd W.S.C. 2-20-51
See FB 2100-21
For New Ties
6-7-55 Von

L.A. Co. Geod. Cont. Surv.
Trav. Sta.
"TORRANCE E 64"
Fd

14.5'

21.52'

Fd

20'

STRAND

Control Line

176°-06'-33" Rec.

5th

00' 501 L+T

5th

28.295'

50TH W.S.C. 29.01

10th

1st Jonda

501 L+T

See F.B. 1884/122
Fd W.S.C. 2-20-51

"S-12" (Old pt "A") F.B. 589-27+29
(0+00 to S.)
Fd. L+T 253+65.135
per L.B. 978-65
11-19-42

28.295' @ 68° - Some
30.91' @ " = "

See FB 2100-22
For New Ties
2-7-55 Von

36.91'

W.S.C. 30.91

Concrete

20'

"S-13"

To top of Pg 74

From 64 pg 13

F.B. 930 Pg. 14

S 13
NOTE See
FB 1884/121
for recovered
& New Ties set
2-24-53

Set L&T on line Snyder W.S.C 2-21-51

New Ties, F.B. 2100-23

"S-13" (Old pt. "B") F.B. 589-29 " " 4-27 Also L.B. 978-67
Fd. L+T.
11-19-42 / per L.B. 978-67

26 ft + 96.16 "NOTE" Sidewalk washed out From S-13 South W.S.C
7.532' @ 68° = Same
17.35' @ " = "
2.20' @ " = "

Note: The points between S13 and S19 have been washed out. For an approximate replacement of the line between S13 and S19 See Pages 61 to 63

See FB 2100-29 For New Ties 6-9-53 Van
New Point & ties
See F.B. 1884/121

? OUT
"S-14" (Old pt. "C") SEE FB 930-63
F.B. 589-27+31 also L.B. 978-69
Fd. L+T. 11-19-42.

28.1 + 89.3 ft per L.B. 978-69

72.64' @ 68° = Same
55.51' @ " = "

See FB 2100-22 For New Ties 6-7-55 Van

6th ST. (Redondo B.)

Set L+T. Fd

1131.03

7.532

Set L+T. Fd

17.35

Hse. # 618.

3' brick walk.

curb

Set L+T. Fd

Control Line

1483.175

STRAND WALK (Concrete)

Set L+T. 2.32' OUT

HERMOSA DRIVE AVE.

3RD. ST. (Redondo)

72.64

Fd. L+T.

1.4

1.0

48

75°

1170.54

55.51 (Measured)

1.20

S-15

To Top Pg 15

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Beach Control Freeway
Map No	W. O. Tape No 2 Std. 16 ch
Office Work	Surveyed by L. Cleere
Checked	Notes Date 11-23-42
Date	Indexed A. C. Johnson 12-21-42

F.B. 930 Pg. 15

See FB 2100-26 For New Ties 6-7-55 Vou

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Note See FB 1884 Pg 120 Iron & pipe Mons 2-24-53 Snyder

Set Spike & tack in Conc. (Destroyed)

Set Spike & tack in Conc. (Destroyed)

Set Spike & tack in Conc. (Destroyed)

From bot pg. 15

F.B. 930 PG. 16

"S-16"

427.28
298.68
128.60 OUT

"S-17" (Old pt. "F")
See F.B. 589/27+32
" L.B. 978-71
Fd. L+T. 11-19-42
298+38.225 per
L.B. 578-71
SEE FB 930-62

65.13 @ 68°- Same
77.29 @ " = "

See FB 2100-27
For New Ties
C-8-55-Van

See Note on Pg. 14

See Pg 61 for new points

Bldg.
Conc. Floor.
2.1'
5.8'
77.29'
1.35'
Set L+T.
6.5
6.5
3.7'
4.6'
4.2'
173°-54'-30" Rec.
Control Line
Bath-house
332.73
Bath-house
Set L+T. in conc. Deck
1.8'
57.795'
4.18' OUT
16.1'
11.4'
3.9'
165°-31'-33" Rec.
E.L. PAVED
Set L+T. in conc. Deck
Fish Market Building
RP
"S-19"

HORSE SHOE PIER
Conc. deck
46'
20'
MONSTAD - PIER
conc. deck.

"S-18" (Old pt. "G")
See F.B. 589/27+32
" L.B. 978-73
Fd. L+T. 11-19-42
301+70.955 per
L.B. 978-73
Revised 2-20-50 See Pg. 61

4.18' @ 68°- Same.
57.795' @ " = "

To top of 17

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Reseda Control Recovery
W. O. 2442 Tape No. 822 St'd 28 of F
Surveyed by L. Moore
Notes C. M.C. Date 11-12-42
Indexed A. C. Jonson 12-22-42

F.B. 938 Pg. 17

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

"S-19" (old pt "H")
Fd L+T in conc pad over 4x4 post 4 nail at PI of curve.
Fe 589-33
L.B. 978-73
305+72.665 per
Replaced with Std. C.S. Mon.-br. tablet marked "COUNTY SURVEYOR - RE 2177" and Stamped "S-19". Mon set Flush.
Fd W.S.C 2-20-51
SEE FB 930-61
See FB 2100-29 For New Ties

Service Rd gate
Fd L+T Fd W.S.C
12.73
15.735
Fd L+T tang prod
Fd W.S.C
N 17°-08'-50" E
628.91' ROAD
Conc. Curb
Conc. wall
Fd. L+T in top of 35' high concrete wall Fd W.S.C 2-20-51
Fd. + in low curb. OUT
Existing Comf.
SERVICE
59.58'
Cement Steps
Control Line
"S-21"

"S-20" (old pt "I")
Fd. L+T flush in conc. pad over 4x4 post - nail at PI of curve.
See L.B. 978-75
also F.B. 389-33, 35.
Replaced 4x4 post with Std. C.S. Mon. br. tablet marked: "COUNTY SURVEYOR - R.E. 2177"; and Stamped: "S-20".
Mon. set flush 11-13-62
312+01.575 per L.B. 978-75
N.W.S.C 2-20-51
See FB 2100-30 For New Ties
C-5-53-Va4

Contd from top of pg. 20

FORM 247 5M 12-41

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

-33-37

FB 5312 Pg 18

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Control Recovery F.B. 93 PG. 19
W. O. 1201 Tape No. 377 Std. 66 ft. F
Surveyed by L. Moore
Notes [illegible] Date 11-12-42
Indexed 12-22-42

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 547 REV. 1-1-41

172° 23' 47" Rec.

To "S-22"

12'

Control Line

"S-23" (old pt. "L")
Fd. 4x4 + Nail 8" below E.T.O. Pav. of Service Road, at angle pt.
333+41.735
as per: L.B. 978-79
F.B. 589-37

8.04'

5.73'

2.81'

Fd. crosses in 35' high conc. wall

7.85'

Wood Steps.

12' Service Road.

37.75'

Note: 4x4 post replaced with std. C.S. Mon. Flush. Br. tablet marked: "County Surveyor - R.E. 2177" and Stamped: "S-23".
Set 11-13-42
Fd. W.S.C. 2-16-51
See F.B. 835-57
For data see F.B.

See F.B. 2100-39
For New Ties
6-8-65 - V.O.

194° 18' 55" Rec.

12'

To 9D

"S-24" (old pt. "M")
Fd. 4x4 + Nail 8" below E.T.O. Pav. of Service Road at Bl. of Cur.
337+13.46
As per L.B. 978-79
F.B. 589-37

8.24'

5.49'

7.99'

Fd. crosses in 35' high conc. wall

Control Line

82.50'

SERVICE

Note: 4x4 post replaced with std. C.S. Mon. Flush. Br. tablet marked: "County Surveyor - R.E. 2177" and Stamped: "S-24"
Set 11-13-42
Fd. W.S.C. 2-16-51
See F.B. 838-57

See F.B. 2100-39
For New Ties
6-8-65 - V.O.

To "S-25"

709.55'

Cement Steps to knob hill.

To face 20

F.B. 930 Pg. 20

Cont. of bot. of pg. 17

Cont.

Conc. Steps

Conc. Steps

60.5'

Conc. Curb

S 29.58' E

11.58'

48.4'

Rec.

"S-21" (old pt. "J")
Fd. L.T. in conc. pad over 4x4 post + Nail.
See L.B. 978-75 & F.B. 589-36.
Replaced 4x4 post with Std. C.S. Mon. Br. tablet marked: "COUNTY SURVEYOR - R.E. 2.17" and Stamped: "S-21" Mon. set flush
11-13-42
317+97.385 per L.B. 978-75
Fd W.S.C. 2-20-51
See F.B. 2100-31 For New Ties
6-8-55 Vay

172' 40"

Fd.

Fd. L.T. in top of 3.5' high conc. wall
L.B. 978-75
Fd W.S.C. 2-20-51

2.17'

Control Line

Ocean Front

BEACH

REDONDO

13006'

Service Road

County Lifeguard Station

Pl. of Cur.

County Lifeguard Bldg.

58.3'

Curb

16.9'

Fd. W.S.C. 2-19-51

"S-22" (old pt. "K")
Fd. 2" I.P. Bearing [illegible] per F.B. [illegible] 978-77
[illegible] 589-36
[illegible] 317+97.46
[illegible] L.B. 978-77.
Fd W.S.C. 2-20-51

1566'

Fd L.T. in 3.5' high conc. wall
Fd W.S.C. 2-20-51

14.23'

170° 40' 55" Rec.

101.42'

See F.B. 2100-32 For New Ties
6-8-55 Vay

12' Service Road

Control Line

To "S-23"

Cont. from top of pg. 19

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink - With Date and Name of Person Making Change.

Note: Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Control Recovery
W. O. Tape No. 227 Std. 62°F
Surveyed by L. Moore
Notes
Date 11-22-42
Indexed

F.B. PG.

For New Ties
See F.B. 838-60

J-25 (old pt. "N") - F.B. 589-38
Orig. monument destroyed.
Reset with 4x4 post + Boat spk. with R.M. ties, flush.
11-13-42.
344 + 23.0 | - L = 978-81

Reset with ties with 4" x 6" post, C.SPK. + W.
G.W.K. 5-1-46.

NOTE:- GRADING MACHINERY DESTROYED THIS POINT.
SEE F.B. 838-60 FOR REPLACEMENT B.C.M.N.
TIES F.B. 589/38
G.W.K. - 11-12-47

For C.S.M.D. CHECK By W.S.C. 39495'
2-16-51 SEE FB 838-60
FOR TIES

Note: For this R.M. out 5-1-46.
Set 4x6 post, N+T, up 12" on same line produced.

89.87' @ 16°01'30" @ 68" = 86.35
90.15' @ 16°36'30" @ " = 86.39
G.W.K. 5-1-46

42.63 @ 7°35' T.68° = 44.92
39.98' @ 9°01' " = 39.98

Set 4x4 post + Boat spk. on prod. of line, up 12"

no evid of 4" dr 5-25-56
Fd. R.M. (std C.S. Mon.) "County Surveyor - R.E. 1/2" as per F.B. 589-38 L = 978-81

Set 4x4 post + Boat spk. on prod. of line, up 12"

Turn 90° 10' Rt.

For New Ties
See FB 838/46
NEW TIES IN F.B. 2100-36

54.88' @ 6.8° = same
27.45 @ " = "

Fd. R.M. #2 Rec. as offset 5-25".
Could not find
Reset point with 3" x 6" post, S.P.K. + W.
G.W.K. 5-2-46

11-12-47 C.V.C. - WAS DESTROYED BY GRADING. SEE F.B. 838-62 FOR C.S. MON.

J-26 (old pt. "O") - F.B. 589-38
Orig. marker destroyed. Reestablished 1m from std. "J-26" using record ∠ and distance of F.B. 589-38 + L = 978-81
Set 3x3 Flush

R.M. #1 - Set std. C.S. mon. dm. marked "County Surveyor - R.E. 1/2" stamped: J-26, R.M. #1"
Set 4x4" marker post over mon. 11-25-56

Could not find - G.W.K. 5-2-46

Fd. Mon. 5-2-46
Mon is out 3-25-58

Set std. C.S. mon. 16" dn. same as R.M. #1 except stamped: J-26, R.M. #2
Set wood marker post over mon. 11-25-56

Set C.S. Mon. J-26 Reset By W.S.C. 2-15-51 SEE FB 838-62 FOR TIES
See F.B. 2100-36 For New Ties 5-8-51 - W.S.C.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7100 HALL OF RECORDS
320-4030

COUNTY SURVEYOR'S FORM 1541

From Bk. Pg. 21

F.B. 930 Pg. 22

Topo # Std @ 84°

125.27' @ 60° = 125.25'
42.06' @ " = 42.05'
44.21' @ " = 44.20'
72.375' @ " @ 27°27' = 64.215
- 2.15
62.065

Fd. "S-27" (old pt. "A")
as per F.B. 589-7, 9+39.
L.B. 978-85, 101, 102.
Orig. Sta. marker and R.M.'s lost in high seas.
Re-established Sta. with ties to triang. Sta. "Torrance 1910" as shown and set a 4x4 post + nail, flush.
do: 18" 11-24-42.
288+19.02 per L.B. 978-85
Reset with ties with 6"x6" post bespk. T.W. ✓ Bmk. 1-12-46.

See F.B. 2100-37 For New Ties 6-8-55-Vau

R.M.'s No. 1 + 2. Set a 5/8" d.h. Mon. 6" dp. in cap marked "County Surveyor - R.E. 2177" and stamped "S-27" R.M. 1 and R.M. 2 resp. 11-24-42.

Fd. Dn 2" R.M. No. 1 out dug 4" dp

Fd. Dn 3"

Fd. 2" out

Dn 1" R.M. No. 2. Fd. W.S.C. 2-13-51 C.S. mon

Fd. W.S.C. 2-13-51 Set L.T. in end of conc. stair banister

Conc. retaining wall

Mon. in Conc. Wall

Fd. W.S.C. Fd. R.P. #1 C.S. Mon.

Set 4x4" 8"x3" Post (loose) over Mon. RESET with 4"x6" SM. 2" in by TIES up 4"

See F.B. 2100-38 For New Ties 6-8-55-Vau

Fd. R.P. #2. Fd. W.S.C. (2-13-51) C.S. Mon. on line prod. 0.5' ed 12" dp

"S-28" (old pt. "B") Fd. 3x3 redwd 3' dn post in place and R.M. #1 + #2 as per F.B. 589-7, 11. and L.B. 978-87. Set 6x6 post 6" up over 3x3

Set 2" I.P. Cong. w/r & cap wire 24" dp on line prod from S.27 S-24-55 Vau

"S-29"

To Top Pg. 23

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Boat Gate Recovery
W. O. 2162 Tape No. 227 Std. 68° F
Surveyed by L. Moore
Notes [illegible] Date 11-22-42
Indexed [illegible] C. Johnson 11-22-42

F.B. 994 Pg. 23

From Sht. 49.22

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 647 SM. 11-41

Could not find orig. marker. Reestablished S.T. on line bet. R.M. & S-28" record dist. from R.M. Set a 4"x6" post 2' above ground. 11-25-42

430+81.53 as per F.B. 589/12

Rest by W.S.C. 2-17-81 record Angle & Distance

60° 23' 45" Remeasured

180° 23' 45" (Calc.)

89.64' (Calc.)

61.88

Set Fd 3"xy" PK & T

31.27'

R.M. Set Fd Std. C.S. mon. on line ahead as per L.B. [illegible]

Dig 7" hole Reset witness Spike & T up 1.0 record Dist.

87.77 @ 68° @ 17-26 = 83.74
45.42 @ 68 @ 0.00 = -45.42
38.32

300.62'

143° 09' 40" Turned Rec.

38.32

R.M. Set 6x6 post + Copt found on line ahead

643.46'

"S-31"

"S-30" (Old pt. "D") Could not find any marker. Set 3"x3" post 2" above ground by rec. angle & dist. from S-28
F.B. 585-18
L.B. 978-89

433+82.12 as per F.B. 589-12

To Top pg. 24

F.B. 930 PG. 24

From bot. pg. 23



To top pg. 25

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Centre / Zaca Lake
W. O. Elec Tape No. 877 Std 33° F
Surveyed by L. Moore
Notes [illegible] Date 12-2-42
Indexed [illegible] 12-22-42

F.B. 594 PG. 5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink with "Date" and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 11-41



F.B. 930 Pg. 26

From bott. pg. 25



To top pg. 27

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Capital Recovery
W. O. Tape No. 277 St'd. 68°F
Surveyed by L. Moore
Notes C.W.K. Date 11-27-42
Indexed 12-22-42

F.B. Pg. 26

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 10-41

Fd. L.+T. in rock as per F.B. 589-18 but rock had shifted in position. Reestablished sta. by using rec. angle at "S-36" and record dist. "S-34"

1083.58' (1080.5)

22°41'

14.34.5

42° W

Set L.+T. in rock

14.925'

86°22'

172°-31'-55"

Fd. L.+T. in 4" sq. rock C.P. #3 F.B. 589-18

POT. fd. L.+T. in rock formation as per F.B. 589-18 Note: This rock fd. has shifted as shown. No longer good for line.

Set L.+T. in top of large jagged rock 2.5 x 1.0 x 1.2 high

N 58°

N 36°20'1"
N 36°2.03"

① 172-31-50
② 330-07-40
172-31-55

1083.59' @ 66° = 1083.58'
375.91' @ 68° = same!

104°01'

15.32'

109.1'

46.67'

Fd. L.+T. in rock formation

Pt. "J-1" Fd. L.+T. in formation as per F.B. 589-14

375.91'

139°24'

164°12'10" Rec.

Turned

"S-36" (Old pt. "J")
Could not find orig. marker Reestablished by producing line N. from "S-37" + J-1 record dist. as per F.B. 589-19 and L.B. 978-95 Set L.+T. in boulder 18" in dia. 11-27-42

"S-37"

To top Pg. 28

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

From 667/pg 27

6-1-068

94.13 = 7°19' @ 94.90' } Tape #058 - Std @ 84°
2-10.43 = 7°32' @ 66.0 @ 212.28' }
585.74 = 66.0 @ 585°74' } Tape #077 - Std @ 68°

F.B. 430 Pg. 28

Tape #058 Std @ 84°
165.73' @ 12°02' @ 556° = 162.06' } 162.055'
165.69' @ 11°59' @ " = 162.05' }

101.90 @ 15°42' @ " = 98.08' } 98.08
101.57' @ 15°01' @ " = 98.08 }

112.01' @ 15°16' @ " = 108.04' } 108.045'
111.64' @ 14°32' @ " = 108.05' }

71.32' @ 17°13' @ " = 68.11' } 68.115'
71.03' @ 16°26' @ " = 68.12' }

Set Tabor Sunset as for R.M. No 2.
except stamped: "S-37. R.M. No 2."
left in ded rock at point of
break in slope. 11-18-42

R.M. No 2. on the
Top of projecting mass of bed
rock, 7 blaze marked:
"County Survey-R.E. 2177"
and stamped: "S-37. R.M. No 2"
11-18-42

R.M. No 3.
Set std. C.S. on cap for 4"
Rock ridge on line to R.M. No 2
Stamped: S-37, R.M. No 3"
11-18-42

Re-set (left) near cor.
of Parcel 3 on C.S. Dr.
C.S. 978-79 & R.S. 289-28
Replaced with std C.S.
Copy Tabor marked:
"County Survey-R.E. 2177"
and Stamped: S-37, R.M. No 2"
11-18-42



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. [illegible] Tape No. 217 Std.
Surveyed by L. Moore
Notes G.M.K. Date 11-30-42
Indexed 1-6-43

F.B. 990 Pg. 27

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

FORM 247 5M 11-41

Line

VISTA DEL MAR

GRAND AVE BLVD

74.71' @ " @ 13°56' = 68.78'

120.83' @ " @ 13°56' = 117.26'

121.08' @ " @ 10°34' = 117.26'

32°52'±

177°-54'-45" Rec.

2200'

Set C. spk. mkt in bolt + 8" stump of tel. pole, tan. 26.5

30°24'

26.5

67°-34'

41.9

Fd 4 x 4 T. in curb

112°-28'-3

"N-2"
Fd a 3½" brass tablet set in cast 8" dia, marked; "N-2" as per L.B. 978-31

"N-1"
Fd. a 3½" brass tablet set in conc. 10" dia, marked; "N-1" as per L.B. 978-31 11-30-42
43+57.17 per L.B. 978-31

Set section of 12" T. Pole 18" up & C. Spc. W

83°-24'

Set section of 12" T. Pole 12" up & C. Spc. W & T. Tan.

91.49' @ 14°47' @ 48° = 88.46'

96.05 @ 14°27' @ = 88.46'

See FB 2100-39 For New Ties 6-16-55 Van

179°-22'-10" Rec.

Set 4 x 4 T. in conc. Pav.

256.5'±

P.C. of Curb

Control

Sta. 0+00

From Top Pg. 7



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach & Pier Survey
W. O. 4742 Tape No. 277 St'd 32°F
Surveyed by L. Moore
Notes Quick Date 12-1-42
Indexed

F.B. 930 Pg. 31

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Return to
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 347-RM 11-41

"N-8" P.O.T.
Fd. punched spot in conc. filled 2" I.P. in a well Cut thru a conc. walk
176+64.75
per L.B. 978-15.
12-2-42
Not reset Van

N-8
0.75'
0.75'
0.87'
0.75'
Fd. 4 Lt. T.S. Not Tan.

℄ of 66th AVE.

Control Line?

℄ of Esplanade

Fd. Spk. at Flush C.S. See L.B. 978-18.

℄ of Trolley Way

Cond. Pav.

See F.B. 1400-45 For New Ties 6-16-55 Van

"N-7"
Could not find 2" I.P. as per L.B. 978-19.
Fd. 0 2x2 + nail 0.06' too far north. using Trolley Way ℄ & rec. C.S. Set a std. C.S. Mon. as per record 2.0' dn, marked "COUNTY SURVEYOR B.E. 2179" and stamped "W-7"
12-1-42
155+66.9 per L.B. 978-19

175°24'10" Rec
93°56'
33.525' Rec
90°00'00"
51.525'
32.16'
483.44' Rec
Set Lt. T.S. in conc. pav.
End of conc. Pav.
Turned 90°39'15"
Set Lt. T.S. in conc. pav.

33.525 @ 58° = Same
32.16' @ " = "
51.53' @ " = 51.525'
483.44' @ 58° = 483.41'
.06
483.35'

"N-6" (punched spot in grain)

WESTPORT BEACH CLUB

From F.B. 930 Pg. 39

F.B. 930 PG. 32

To Lot pg. 33

"N-12"
Fd L.+T.
212+15.65 per
L.B. 976-9
See next pg.

To "N-13"

"N-11"
211+91.055 per
L.B. 978-5
Fd. 3½" br. tablet
set in conc. in well
cut thru cement
walk as per L.B.
978-5 and L.B.
976-9
Tablet marked "N-11"
12-2-42

178°08'00"

24.055'

73.015'

73.02' @ 58° = 73.015'

Set L.+T.

4' high conc. wall

Line 7

Fd L.+T. Not Tan.

0.975

0.425

0.99

Fd. L.+T. Not Tan.

0.975

0.425

"N-11"

See FB 2100-48
For New Ties
L. 16-5-55 Vay

8-5-55 L.E.O.
Fd. 2" I.P. Conc. Core & Nail
4 Ft. Deep = N-9

Center

"N-10"
This mon. as per
L.B. 978-13, Destroyed.
Set L.+T. in slab of
conc. walk 3' dn.,
record dist. ← #
12-2-42
183+39.85 per L.B. 978-13

91.24' @ 58° = 91.235

91°25'12"

91.235'

"N-9"
Fd. punched spk.
in conc. filled 2"
I.P. in well cut
thru cement walk
183+39.37 per L.B. 978-13
12-2-42
Note: walk partly destroyed
by high tides, see
insert for new L.+T. ties

14.985'

℄ of 63rd Ave.

Fd L.+T.

91°26'00" Rec

See FB 2100-47
For New Ties
L. 16-5-55 Vay

MAE MURRAY
ESTATE

Set P.R.+T.T. on approx
℄ of Speedway to
N. on line prod.
Set P.R.+T.T. on approx
℄ of Pacific Ave.
on line prod.

Center Line 7

"N-9"
96.85'
0.765'
Fd L.+T.
Fd L.+T.
0.775'
"N-8"
0.805'

From FB pg. 31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Board Control Recovery	F.B. 937 Pg. 33
Map No.	W. O. [illegible] Tape No. 277 Std. 22.0° F	
Office Work	Surveyed by L. Moore	
Checked	Notes [illegible] Date 12-2-42	
Date	Indexed	

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

"N-15"

"N-14" Fd. a punched spk. in conc. filled 2" I.P. in well cut thru pav. as per L.B. 976-89 12-2-42.

233+37.265 per L.B. 976-89

See FB2100:50 For New Ties 6-16-55-Von

176°22'00"

35.74'

Conc. fdtn. for oil well INT'L-PET. VENICE #2

Set L.T.T.

℄ of 42ND AVE.

Fd. L.T.T. in conc. pav.

150.81'

37.245'

Set L.T.T. Conc. curb

Oil Well Century #2

Nails

Tan. Tree OAK

"N-14"

Nails

identical

℄ of Standard Highway Control Line

"N-13" 212.71' N28°E (per L.B. 976-89) Fd. 3/4" I.P. in conc. pav. in well cut thru pav. as per L.B. 976-89 12-2-42

"N-12"

Set L.T.T.

Fd. L.T.T.

Set L.T.T.

Conc. Wall

90°01'56"

16.565'

Fd. L.T.T. on line.

℄ of 5V ST AVE. 110.825'

See FB2100-48 For New Ties 6-16-55-Von

See FB2100-99 For New Ties 6-16-55-Von

Conc. Wall

24.065'

39.286'

89°57'30"

97.245'

97.25' @ 58° = 97.245'

110.83' @ " = 110.825'

"N-11" See pg.

1 story stucco House.

Top pg. 32

FORM 247 BM 11-41

F.B. 930 PG. 34

To bot pg 35



From top pg 33

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Control Recovery
W. O. 1202 Tape No. 277 St'd 68 °F
Surveyed by LMoore
Notes SMC Date 12-2-42
Indexed

F.B. 93 Pg. 35

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM 11-41

"N-23" "N-22" "N-21"

Note: Sta's N-20 to N-23 incl. checked for line and fd. O.A.

Ocean Front Wall

Line

"N-20"
Fd. a 3½" Br. tablet set in conc. in a wall. Cut thru the conc. walk and stamped "N-20" 876+56.7 per L.B. 976-83. 12-2-42

See FB 2100-54 for New Ties 8-26-53 Vay

Fd L.T.T. (Not Tan.)

Set L.T.T. in Wall

0.65' 0.65'

"N-20"

0.905 1.05'

Fd L.T.T. (Not Tan.)

1316'

1568'

See Wall

105.545' Control

90°00'00"

E. line of 24th Ave.

82°59'07"

112.76'

Fd L.T.T. in curb end line prod.

Speedway

12.18'

12.18'

Set L.T.T. in curb

Conc. Walk

24th Ave

Fd L.T.T. on line 1.0' Set L.T.T. Copper tack 6-27-48 S.M.C.

"N-19"
Fd. old L.T.T. .065' W. 1.075' S. of new L.T.T. or new set because of shift in walk. L.T.T. fd. 1.0' E. was destroyed. As per L.B. 976-83. 275+51.03 per L.B. 976-83

E. = Control Line

Fd. L.T.T. in curb

"N-18"
Fd. 3½" Br. Tab Set in conc. in wall. Cut thru conc. walk and stamped "N-18" 875+51.01 per L.B. 976-83. 12-2-42

See FB 2100-53-54 For New Ties 6-16-53 Vay

105.55' @ 60° = 105.54'
112.765' @ " = 112.76'

Page 34

F.B. 930 PG. 36

To Lot pg 37



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Cowell Line
W. O. 4900 Tape No. St'd °F
Surveyed by L. Moore
Notes Moore Date 12-21-42
Indexed J. Johnson

F.B. 930 PG. 37

To Bk. 1 Pg. 35

N-25
3717.623 Per L.B. 976-75
Fd. punched spk
in conc. filled 2" I.P.
in wall cut through
sidewalk - Fd. 4 tang.
L+Ts L.B. 976-75

See FB 2100-59
For New Ties
8-29-55-Van

Fd L+T

10.3
16.855
12.645
Tang.
0.7 Fd L+T
179°-54'-11"
L.B. 976-75
51.5

℄ BROOKS AVE

N

OCEAN FRONT WALK

℄ WINDWARD AVE

CENTROL LINE

162.7

N-23
Fd. L+T.
292+64.02
per L.B. 976-79

See FB 2100-58
For New Ties
8-29-55-Van

L.B. 976-79
89°-48'-02"
16.14
22.91
19.01
7.11
72
79
90°-00'-50"
L.B. 976-

N-24
292+64.02 Per L.B. 976-79
Fd. Brass plate in
6" conc. top in wall
cut through sidewalk
L.B. 976-79 - Fd. 4
Tang. L+Ts
Main marked N-24"

Fd L+T
Line prod

Fd L+T
Line prod

CENTROL LINE

71'

℄ 17th Ave

From top Pg. 36

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-41

F.B. 4130 Pg. 38

To bot Pg 39



From Top Pg 37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not spread notes this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Confirmed in Red Ink with Date and Title of Person Making Changes.

Notes Ck'd by
Map No
Office Work
Checked
Date

Survey of
W. O. 4700 Tape No. 677 St'd. 25 °F
Surveyed by Moore
Notes Moore Date 12-28-42
Indexed T. H. Johnson

F.B. Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 11-41

Fd L+T L.B 976-69

CENTER LINE

Fd L+T L.B 976-69

℄ MARINE AVE

89°-01'-00" Rec.

12.91

25.05

26.00

25.05

25.05

N-30
Fd L+T
337+01.355
L.B 976-69

N-29
337+01.785 per L.B. 976-69
Fd L+T in brick substructure - in well cut through side walk
L.B. 976-69
Fd 4 tang. L+TS.

See FB 2100-63
For New Ties
E-29-55 - Van

OCEAN FRONT WALK

CENTER LINE

N-28 P.O.T.
332+08.66 per L.B. 976-71
Fd brass plate in 6" conc. Mon - stamped N-28 Mon set in wall cut through sidewalk
L.B. 976-71 Fd 4 L
tang L+TS

See FB 2100-62
For New Ties
E-29-55 - Van

Set L+T

24.735
Tang.

13.29

Fd L+T

℄ OZONE AVE

From Map Bk. 38

F.B. 930 Pg 40

To bot pg 41

See FB 2100-65
For New Ties
8-29-55-Vay



From top pg 39

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No
Office Work
Checked
Date

Survey of
W. O. 4976 Tape No. 2 St'd 62 °F
Surveyed by Inlow
Notes Inlow Date 12-22-62
Indexed A. C. Jones

F.B. 93 Pg. 22

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 BM. 11-41

Fd L+T

81.69

℄ BAY ST.

Set L+T in conc. wall

2.475

19.8

Fd L+T in curb

15.48

Set L+T in curb

Tang.

12.97

10'

177° 48' Rec

N-34
380+56.965 per ⅄
Point per L.B. 976-61
gone - set ¾" IP-
Flag 4ft in well cut through
side walk by dist.
(8.69) and line from
North per L.B. 976-61

See FB 2100-67
For New Ties
8-30-55 - Von

OCEAN FRONT WALK

CONTROL LINE

CRYSTAL PIER

℄ HOLLISTER AVE

N-33
366+80.635 per L.B. 976/63
Fd Brass plate in
6" conc. Mon - marked
N-33 - set in well cut
through sidewalk -
Fd 4" Tang. L.T.S.
L.B. 976-63

55.00 Rec

178° 43'

51.7

1.3

9.75

14

Set L+T

Set L+T

See FB 2100-66
For New Ties
8-30-55 - Von

From top pg 4a

F.B. 930 Pg. 42

To bot. pg 43

N-36
4044+22.53 per L.B. 976-57
Fd brass plate in 6" conc.
Mon. marked N-36 set
in well cut through pvt
L.B. 976-57 set 4 tang
L+T's

See FB 2100-69
For New Ties
8-30-65-Van

Sec. 41-27
17.8°
Set L+T
14.16
22.85
Tang.
Roadway
Set L+T

SANTA MONICA PIER
VIADUCT

OCEAN FRONT MEAN HIGH WATER LINE

CONTROL

N

N-35
3844+90.61 per L.B. 976-59
Fd. brass plate in 6" conc.
Mon. marked N-35 - Set
in well cut through side-
walk L.B. 976-59
Set 4 tang L+T's

See FB 2100-68
For New Ties
8-30-65-Van

Rad. 82.50'
176°
5.39
12.79
FR L+T
in curb
set PK on
M.H. Rim
10.16
PICO BLVD

From top Pg. 41

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Control Line
W. O. 4900 Tape No. 077 St'd 68 °F
Surveyed by
Notes Acers Date 12-23-42
Indexed

F.B. 136 PG. 4-5

Town Pg. 47

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink with "Date" and "Name" of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 11-41

N-39
Fd. brass plate in 6" conc. mon. marked N-39 - set in well cut through prt. L.B. 976-55
Set 4 tang L+T's
4094+72.43 per L.B. 976-55

See FB 2100-72
For New Ties
8-31-55 Von

CONTROL LINE
ROOSEVELT HIGHWAY

Set L+T in curb

17.39
58.39
Tang

L+T

16527

OCEAN FRONT WALK

DEAUVILLE CLUB

Set L+T

9.695

7.915

Set L+T

134.135 rec

Control Line

90°-00'-00" Rec.

1° Tang

13.

00

90°

56ft

N-37
4084+07.16 per L.B. 976-55
Fd. brass plate in 6" Conc. mon. - marked N-37 - set in wall cut through sidewalk
L.B. 976-55

See FB 2100-70-71
For New Ties
8-31-55 Von

CONTROL LINE

N-38
4084+07.16
Point per L.B. 976-55
Bears - Set PK nail N.W.
Bears by line radial
from N-39 - 976-55 - Set
N. Tang PK nail N.W.

From Top Pg. 42

F.B. 9,30 Pg. 44

To bot of pg 45



From top pg 43

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Chkd by:
Map No.
Office Work
Checked
Date

Survey of Branch Control Lines
W. O. 4900 Tape No. 077 St'd 68 °F
Surveyed by Wiese
Notes Moore Date 12-22-42
Indexed

F.B. 2100 PG. 47

N-45
Fd U.S. Mon. - 2" Top Br. in

CENTROL LINE

THE BEACH CLUB

Fd L+T

Set L+T

13.99

13.45

49.50 Tang

51.46 Tang

10.38

95°-25'-45" Rec

Fd L+T

Set L+T

#487+96.85 per L.B. 976-45

N-44
#487+95.54 per L.B. 976-45
Fd punched spk. in conc. filled 2" I.P. set in well cut through pvt - Fd 4 tang L+Ts
L.B. 976-45

26.81

179° 50' 33" Rec + Meas

See FB 2100-76 For New Ties 9-1-55 - Vaw

CONTROL LINE 7

CROSSOVER HIGHWAY

House # 443

Fd L+T

Grange

43.21

Fd L+T

Set L+T

168° 12' 10" Rec

51.16 Tang

50.53 Tang

#470.20 Tang

Fd L&T

35.75

Fd L&T

49.90

57.22

N-43
#472+67.36 per L.B. 976-45
Fd brass plug in top Conc. Mon - marked N-43 - set in well cut through pvt Fd 4 tang L+Ts
L.B. 976-45

Set L+T

Set L+T

See FB 2100-75 For New Ties 9-1-55 - Vaw

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM Z BM 11-41

F.B. 930 Pg. 46

To hot pg 47



RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Okid by _____ Survey of Pacific Control & Inc. F.B. 230 Pg. 47
Map No. _____ W. O. 4900 Tape No. 077 St'd 68 °F
Office Work _____ Surveyed by Moore
Checked _____ Notes Moore Date 12-28-42
Date _____ Indexed _____

To Dec. Pg 48

For New Ties 9-1-55-VAH

N-49
549+97.19 per L.B. 976-37
Fd. brass plate in 6" conc. mon. -12" dn. marked "N-49" L.B. 976-37
Set casing and well cover in conc. pad in pvt. Set 4 tang. PK spks. + T.

Fd. copper tack 15' W 7" sq. post in guard rail fence G.W.A. 1-12-'43

Fd. spk + T Removed

19.4'
0.76
Fd spk + T
15.76'
0 PP
170° 05' 13"
Rec. + Meas.
0.06
31'
PP # 102337 01
Culvert C. L. A. 22 + 00

Sandwich Stand
Porch
25'

See FB 2100-79
For New Ties 9-1-55-VAH

R/R set a 3/4" I.P. + copper pin in conc. Core, in conc. 20" below st. level G.W.A.

N-48
Fd. Spk + T
537+93.15 per L.B. 976-39
Could not find Mon. per L.B. 976-39 due to new paving.

Fd. above mon. in walk. Cover 4" below surface. G.W.A. - 2-6-'43

CONTROL LINE
ROOSEVELT HIGHWAY
47° 32' 05"
117.3'
90.5'
55.1'
33.96'
31.9'
12.3'
167° 41' 30"
111° 36' 40"
72.9'
RP # 107329 N
5 Fd. Spk + T
Fd. 4 RM's on rim of S.M.H. Used one for R.P. as shown. G.W.A.
RP # 102341 N
+472-18-01 E
0 0

√2.965 @ 68° = Same.

45.24 @ 4 = 4

① 111-35-45 ② 47-32-00
③ 86-44-30 ④ 180-08-30
111-35-45 Chk 47-32-07½
VO 05

Fd. 0.07 S. on top of S. house Corner

Note: All notes pertaining to this line by 15 W.A.G. 2-6-'43

From Top Pg #6

RETURN TO LOS ANGELES COUNTY SURVEYOR 700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

FORM 257 BM 11-41

F.B. 930 Pg. 48

To Bot Pg. 49

From top Pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changs.

Notes Cked by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Surveyed Beach Control Base
W. O. #900 Tape No. 077 Std. 68 °F
Surveyed by Moore
Notes Moore Date 12-27-42
Indexed _____

F.B. 930 Pg. 47

To bot. pg. 50

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 257 SEN. 11-41

N-54
588 + 18.645 per LB 976-31
Fd brass plate in 6" conc. Mon. 12" dp. marked "N-54" LB 976-31
Set casing & well in conc. pad Pk in shoulder of road.

Bel Air Bay Club

Steel Groyne

Meas. 160°-07'-30"

(160°-07'-30"
280°-30'-00")

1667.18' @ 60° = 1667.09'

30.78' @ 64° = same } G.W.K.
40.49' @ " = " } 1-16-43
33.675' @ " = "

1667.09'

138-04-15

42.435

Tan to P.T. spkt.

Made rim

40.49'

39.675'

30.78

32.7

Set L.T. in conc. conduit for flagpole in face of cut bank. G.W.K. 1-16-43

Fd. + in rim of Junction MH G.W.K.

30.19

53.66

Set P.T. spkt.

Set P.T. spkt.

46.

31

① 138-04-30
② 192-17-40
138-04-15

See FB 2100-84-85 For New Ties 9-1-43-Van

Tape #277. Std @ 68°
55.59 @ -58° = 55.585 G.W.K. 12-15-42

108.658' @ " = 108.65
130.425 @ " = 130.415

CONTROL LINE

ROOSEVELT HIGHWAY

N-53
575 + 21.66 per LB 976-33
Fd brass plate in 6" conc. Mon. marked "N-53" Set in well cut through P.T.
LB 976-33
Set 4 tang. P.K. spks.

Rec. 167°-02'-30"

130.415

55.585

50.24

28°-48'-30"

54°-30'

34.23

Set L.T. in conc. pad near iron grill over storm drain. G.W.K. 1-16-43

Set P.T. spk. L.T.

Entrance

Palisades Trailer Town

Set P.K. spk.

From top pg. 48

F.B. 930 Pg. 50

N-58
Fd brass plate in 6" Conc. Mon. -12" deep marked "N-58 -Sunset" L.B. 976-27

Fd. -(1-11-'45.) Set 2"x2" Stk. even w/ flush By. W.M.T.

(144°-46'-50")
(219-07-20) Note: For additional ties see pg. 52

(NOT FD. 5-9-55 G.E.D. DUG 48" DEEP)

See FB 2100-86-87-88 For New Ties 9-26-55 Vah

Fd 2' deep Set 2"x2" even, flush 1-11-'45 B.M.T.

- P.O.T.
L.B. 976-27
Set C.S. Mon
B.C. in Conc.
marked
B.M.T.
R.E. 2177 N-56
angle and
dist from
N-58
Lat + 33.065 per
L.B. 976-27

196°35'00"
178°19'30"
24-38-[illegible]

97°58'00"
31°82'00"
99-59-15"
(Mon)

① 32°53'30"
② 131°33'30"
32-53-[illegible]
25
S.M.H.

N-55
Mon per L.B. 976-29
Set C.S. Mon
& P+B.C. in Conc.
in well cut through
shoulder of road
to east, and marked
"COUNTY SURVEYOR-
R.E. 2177 - N-55" by
rad. angle and dist
from N-56
Lat + 85.595 per
L.B. 976-29

(162°-39'-20")
(29°-57'-20")
85.885' @ 68° = Same
72.895' @ " = "
#7.70 @ " = "
[illegible] @ " = "
[illegible] @ " = "
Tape #977 Std @ 68°

Mode + R.M. in rim of S.M.H. 70'± E. of E.C. of curve Ld

Mode + R.M. in rim of S.M.H. 30'± E. of E.C. of curve Ld

Set Pk spk + T

Set Pk spk + T

Set Pk spk + T


Job No.
Office Work
Checked
Date
Surveyed by
Noted
Date 12-3-42
Indexed
F.B. 30 PG.
See F.B. 2100-34 For New Ties 10-3-65-VAN
Set C.S. Mon. 2.21' NE. marked "COUNTY SURVEYOR REAM N-62A" By line & dist from N-63 - 15 dn 647+65.80 on west per L.B. 976-23
Set P.K. spk+T
Set P.K. spk+T
Set P.K. spk+T
Set P.K. spk+T
Fd. 2x2 in 2" IP 3½ dn. - has apparently moved - L.B. 976-23
Ties: Set ¾" I.P. + copper pin in conc. core in concr 15' below Sf. level.
Note: All ties pertaining to ink lines by S.W.K. - 1-29-'43.
N-60 Fd. spk+T 628+58.29 per L.B. 976-25 could not find S.W.K. - 2-6-'43
See F.B. 2100-89 For New Ties 2-1-65-VAN
Set P.K. spk+T
Set P.K. spk+T
CONTROL LINE
ROOSEVELT
HIGHWAY
Fd. L+T L.B. 976-2
EC
Set P.K. spk+T
Set P.K. spk+T
Set P.K. spk+T
Set P.K. spk+T

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Control Line
W. Chk'd. Tape No. Stee. Sec.
Surveyed by L. E. Pearce
Notes Date 1-6-43
Indexed

F.B. Pg.

See FB 2100 - 94
For New Tie
10-3-55 - Va

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 2427 RM 11-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Beach Control Line
W. O. Dist. No. 22 Co. Co. of
Surveyed By
Noted
Indexed

F.B. 750 PG.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 347 8-57 5M

From FB 401 pg. 56

See FB 2100-97-98 For New Ties 10-26-55-NW

Conc. porch step flush 2-1-44

3227 @ 68° same
19.78 @ " " "

Set L.T. in conc. cover flush 2-1-44

Set L.T. in conc. bdwall of Culvert 8-187+81 For line only.

N-70° E. 784.14

Set L.T. in conc. bdwall of Culvert 192.1 N of Coll. pt. Pump

N-68°

Coll. pt. Pump

Coll. pt. Pump

Coll. pt. Pump

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


Set L.T. in conc. base of a 3 gas pump island
Set L.T. in conc. floor.
Roosevelt
Approx. ℄ of Hwy
Edge of roadway
R.M.- Set a 3/4" I.P. & copper pin in conc. Core, in conc. 20' below Sta. level 1-26-45
Control Sta. M258
See pg. 50 for orig. sketch
See B 2100-166 for new ties 10-26-45 - Wm
Set P.K.
96° 54'
R. & O. Pav.
Roosevelt
Hwy
Control Line
Set P.K.
Set P.K.
Set P.K.
Set P.K.
Note: All notes pertaining to inc. lines & R.M.'s 2-5-45
Set L.T. in conc. floor
Set L.T. in conc. base of a 3 gas pump island
Note: All notes pertaining to inc. lines & R.M.'s 2-5-45
Set L.T. in conc. floor
Set L.T. in conc. 10" dia. monument
Set P.K.
Set P.K.
Set P.K.
Set P.K.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of BEACH CONTROL LINE
W. O. 706 Tape No. 100' Std. F
Surveyed by F. R. BLANCHARD
Notes FRB Date 4-13-49
Indexed A. C. Johnson 4-19-49

F. B. 930 Pg. 57

BEACH CONTROL LINE

JN4900

TIES FOR

N-68

F.B. stationing 679+85.07 adjusted stationing 679+91.02

Ref.

FB 930-54
LB 976-13
CS,B. 1823-5

Party

Blanchard
Harris
Daugherty
Heaton
Dale

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 5M 8-46

F. B. 930 PG. 58



Tope # 0105
Stnd @ 68°

Set 1" I.R
14" dn

T=60°
46.19@0°00 = 46.19

See FB 2100-96
For New Ties
10-26-95 144

T=60°
54.25@0°00 = 54.25

46.19
21

Set L&T in
ramp of
Garage
driveway

Set L&T
edge of Garage
floor

5425

15.99

CENTER LINE STATE HWY
45.101

Curve

Curve

142°37'00"

2) 285° 14' 00"
142° 37' 00"

N-68
½" d brass tablet
set in conc. no tag
per FB 930-58 &
L 8976-13 =
Sta. 679+85.07
adj. = 679+91.02

14.37

Set bt. spk.
and washer

53.39

T=60°
53.39@0°00
= 53.39

71.295

Set bt. spk.
and washer

T=60°
14.37@0°00
= 14.37

T=60°
15.99@0°00
= 15.99

Set 1" I.P.
14" down

T60°
71.295@0°00
= 71.295

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Dated and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed A. C. Johnson 3-14-51

F. B. 930 Pg. 59

BEACH EROSION CONTROL

REPLACEMENT AND RETIES FROM S19 TO S13 REDONDO BEACH

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 247 SM 5-46

F. B. 930 Pg. 60

The Line shown on Pages 61 to 63 is not an exact retracement [but it is a close one] of the old line between S 13 and S 19 shown on Pages 14 to 17. The error of closure between the old and new surveys was 0.09' This error has been proportioned out so as to make the 2 surveys close exactly and the bearings and distances shown in ink were calculated from the proportioned northings and eastings. The difference between the coordinates shown and the coordinates on C.S.B-1823-1 denotes the calculated relation between between the positions of the new and old points.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7DO HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by: KRM	Survey of: BEACH EROSION
Map No.	W. O. 8112 Tape No. 13 St'd. 70 °F
Office Work	Surveyed by:
Checked	Notes: Date 3-1-61
Date	Indexed: E. O. Johnson

F. B. [illegible] PG. 67

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 10M 1-49

Rot 73 * 62

Note
Reset Compen Tack
Pen Ties on Window
Sill at Co. fa., So side
of Pier
Snyder
2-19-1953

(2) 331 03 00
(4) 302 06 00
(6) 213 08 10
165 31 27

332.69 Adj.
152.68
N 13 40 W
S 15 12' 47" E

83 54 00.00 T 56 = 83.52
249 01 0.000 T 52 = 249.16
332.68

Set LAT in conc. walk on Pier
Fd
37.32
Set LAT in walk con. Building out
37.65
16.50
No A set
6-8-55 Vaq
Building over point
Fd
36.14
Fd
38.34
S-18
Set LAT in conc walk on Pier
See FB 930-16
N-4 053 843.69
E-4 169 459.58
PILOT
Set LAT in walk
30.56
27.43
301 72.76

146.07 @ 4°07 T 70 = 145.68
256.47 @ 2°07 T 72 = 256.28
401.96

S 5° 29' 41' 20" E.
401.97 Adj.
401.96 Rec.

"NOTE"
PI's out from S-19 to S-13 reset by prop. From S-19 to S-13 (an ERROR of .25 incurred in chaining PI S-13 from S-19 which accounts for the final distance of 401.96 being .10 long as compared to 401.71 rec.)

See FB 2100-29
For New Ties
6-8-55 Vaq
Fd LAT
305 72.67

S-19
Fd CS MON.
See FB 930-17
N-4 053 494.49
E-4 169 658.67
PILOT

24.40 Adj.
24.23
S 80° 08' 25" E
152.73
628.91 Rec
S 5° 49' 41" E

(2) 308 16 50
(4) 216 33 30
(6) 204 50 30
154 08 25

S-20

F. B. 930 PG. 62

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


EOT Pg 63
N 4 055 030.79
E 4 169 128.61
S-15
Set CS Mon RE 329
Dn 8" with Well Cap
Mrk County Surveyor Mon
See FB 930-15
(In Parking Lot)
Set LOT Top retaining wall
Set LOT Top cond foundation
Low
N-4 054 562.74
E- 4 169 217.08
S-16
Set Shiner WET in Manhole
See FB 930-15
See FB 2100-26
For New Ties
C-8-55 Van
See FB 2100-25
For New Ties
C-8-55 Van
See FB 2100-27
For New Ties C-8-55
Van
Top Pg 61
N-4 054 764.72
E-4 169 372.78
S-17
Set Shiner WET in
Manhole Dn 8"
in approach to
Park
Fd 6-8-55
V.D
Out
Van
Set LOT
End of wall
Fd LOT
See FB 1093-15
Set LOT Top Drainage ditch
Set LOT Top end wall
LOT in walk
Set LOT Top end wall
Set LOT Top end wall
Set LOT Top end wall

Notes Ck'd by KRM	Survey of BEACH & RUSSIA
Map No.	W. O. 8412 Tape No. 13 St'd 54 °F
Office Work	Surveyed by
Checked	Notes Date 3-5-51
Date	Indexed A. C. Johnson

F. B. Pg. 62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 10M 1-49

5-12

See FB 2100-23
For New Ties
6-8-55 VAM

90.02 - 0.00 T60 = 90.01

Ø 349 47 30
Ø 329 34 54
Ø 329 22 00
174 53 40

264+96.17
N- 4 057 197.56
E- 4 168 024.40
5-13
Sidewalk broken out T. set
cross in walk by ties
SEE FB 930-14

S 24°40'34"E 131.03

Fd LOT in curb
FB 930-14

SET LOT in cone in walk

90.01

75.32

Note
For Replacement
& New Ties of
5-13
See FB 1884
Pg. 121

17.35 no Fd LOT in walk

40.0

53.1

62.51

17.40

Fd LOT in curb

Ø 341 48 10
Ø 323 36 20
Ø 305 24 30
170 54 23

SET LOT Rnd Iron

BERYL ST.

S 29°46'54"E Adj. 1693.05

29.53

SET LOT Rnd Iron

SET LOT in conc. Line PT. only

214.83	@ 0.00	T55	214.79
204.20	@ 0.00	T52	204.17
178.75	@ 0.00	T58	178.72
183.62	@ 0.00	T58	183.59
201.80	@ 0.00	T60	201.77
54.68	@ 0.00	T60	54.67
11.16	@ 0.00	T60	11.16
184.87	@ 0.00	T63	184.84
260.43	@ 0.00	T60	260.39
204.99	@ 0.00	T54	204.95
			1693.05

2 81+89.34

Set P.I.

Sta 3.
See FB 930-14

64.39

SET LOT

N- 4 055 728.09
E- 4 168 865.35

T60

298.73	@ 0-0	= 298.68
49.12	@ 0-0	= 49.12
297.98	@ 0.0	= 297.93
32.98	@ 0-0	= 32.97
9.91	@ 0.0	= 9.91
59.75	@ 0.0 T58	= 59.74
745.75		
.33		

Top P. 62

0.54 Adj.

0.06 Adj.

0.28 61

X in rock

14.97

170.54

11.39

107.11

132.60

H620

SET LOT

HAWTHORNE AVE.

154.17

58.51

SET X.

SET LOT

67.17

SET X

S 20°41'01"E 745.49

745.33

745.34 Adj.

See FB 2100-24
For New Ties
6-8-55 VAM

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 930 Pg. 64

Notes Ck'd by	Survey of BEACH EROSION STUDY
Map No.	W. O. C112 Tape No. St'd. °F
Office Work	Surveyed by
Checked	Notes Date 2-9-51
Date	Indexed E. C. Johnson 2-18-51

F. B. 930 PG. 83

TIE OF ZUMA BEACH CONTRO LINE TO DECKER AUX. TRIANG STA.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F3088 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 930 PG. 84

Notes Ck'd by	Survey of BEACH EROSION
Map No.	W. O. Tape No. St'd. °F
Office Work H. U. M. H	Surveyed by
Checked	Notes Date
Date	Indexed A. C. Johnson 6-26-51

F. B. 73 Pg. 51

J.N. 8412

BEACH EROSION STUDIES.

ZUMA BEACH

CONTROL LINE MONUMENTS FROM POINT DUME TO POINT SESQUIT

APRIL 1951

C. V. CRUMLEY.
J. N. DOUGHERTY.
W. D. BAY.
H. J. ROBBINS.
J. C. GOODWIN

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3088 247 10M 1-49

F. B. 930 PG. 86

TO U.S.C.&G.S. REEF
(SOLSTICE CANYON L-9)

CARD #1

F.B. 925 - 63, 64
F.B. 933 - 45, 46
923 -
INDEX MAP #19

See F.B. 2100-102
10-21-55-Van

102.49 @ T=60° = 102.48

TANG.

Fd. C.S. CONTROL MON.
DUME - E.C.C. #2
PER F.B. 933-55, 60

EMBANKMENT
AROUND TOP OF
MT. DUME

43.16

U.S.C.&G.S. TABLET REC.
INITIALS CONC. PILLAR:
Fd. C.S. CONTROL MON
PT. DUME
(DUME POINT L-12)
2" DP
F.B. 933 - 55, 60
CARD #1

59.1

75.56 (25)

81.89

102.48

45

60.98

32

Fd. C.S. CONTROL MON.
DUME - E.C.C. #1
PER.

SET 1" I.P. WITH COP.
WIRE CTR. IN CEM.
FLUSH. ON TANG. PROD.
(Ed 10-20-55 Van)

60.98 @ T = 60° = 60.98

TO Δ STA. RINGE
PAGE 92

159° 32' 45"

(2) 3.19 - 05 - 20
(3) 178 - 11 - 00
(6) 23.7 - 16 - 30
159° - 32 - 45"

415.41

BEACH CONTROL LINE

(300' TAPE @ 84° STD.)

(1) 296.55 @ 18° - 29' @ T = 62° = 281.21
135.99 @ 9° - 15' @ T = 64° = 134.20
415.41

(2) 297.41 @ 18° - 13' @ T = 62° = 282.47
134.53 @ 8° - 45' @ T = 64° = 132.95
415.42

415.41

TO Z-1 PAGE 87

SHA 6-6-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. 8412 Tape No. 2 St'd 68 °F
Office Work H. U. M. M.	Surveyed by C.V.C. RILEY
Checked	Notes C.V.C. Date 4-6-51
Date	C. Johnson Indexed

F. B. 933 PG. 87

ZUMA BEACH

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

FROM BOTTOM PAGE 86

415.41 ±

Z-1-4 PT.
SET C.S. 24" BRASS CAP MON. 6" DN. IN SMALL SADDLE TOP OF CLIFF S.W. of DUME PK.

PACIFIC OCEAN

SET 1" I.P. & Cop WIRE CTR. IN CEM. - FLUSH N. SIDE SADDLE

19.49

15.75 TAN.

SET 1" I.P. & Cop. WIRE CTR IN CEM. - FLUSH - ON S'LY SIDE SADDLE

55°

50'

98°

SET BT. SPK. & W. IN Lead 3' up FROM BASE OF CLIFF

118.38

40

44.97

67.59

SET BT. Spk. & W. IN Lead ON SHELF AT BASE of CLIFF - Level WITH SAND = B.M. PAGE 128'

TOP SLOPE

Elev =

Z-1A-P.D.T.
SET C.S. 30" BRASS CAP MON. 18" DN. IN 60 FROM HIGH TIDE LINE

TOE SLOPE

(300' TAPE STD @ 84°)

(1) 142.93 @ 34°-08' @ T-66° = 118.42
(2) 141.38 @ 33°-07' @ T-66° = 118.36
MEAN = 118.39
40

See FB 2108 - 103
10-21-55 - VA

(E) 257°-41'-50"
(4) 155-23-20
(6) 53-05-30
128°-50'-55"

2515.84 ± BEACH CONTROL LINE

(1) 2515.92 @ T=62° = 2515.82
(2) 2515.96 @ T=62° = 2515.86
MEAN = 2515.84

TO BOTTOM PAGE 88

JHA-L-25-51

76FS098 247 10M 11-49

F. B. 930 Pg. 88

TO BOTTOM PAGE 89

(1) 1111.34 @ T=60°=1111.28
(2) 1111.36 @ T=60°=1111.30
MEAN = 1111.29

1111.29 BEACH CONTROL LINE

See FB2100-104
10-21-55-Van

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7285 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

COUNTY SURVEYOR
N-2
R.E. 329

SET N&T. G.P. #744665

SET N&T. P.P. #744655

4 PT. Z-2
SET C.S. 30" BRASS CAP MON. 12" DN. ON FLAT POINT ± 3' W. OF ANGLE

SET Lg. BT. SPK. W. & T. IN Oak BEARS N. P.P.

(2) 354-44-30
(1) 349-29-00
(6) 344-13-40
177°-22'-15"

R=73.17
Δ=177°-22'-15"
L=74.15
T=66.66
36.52
4.1

74.15 @ T=66 = 74.15

88.24 @ T=66° = 88.24

(300' TAPE - STD @ 84°)

R.M. Z-2
SET C.S. 30" BRASS CAP MON. 6" DN. S. EDGE RD.
6-12-73
T.D. BY L.L.

R.M. TOP OF VALVE STEM OF FIRE HYDT.

11°35'

124.34

BB. 22 ± TAN.

SET M&T. P.P. #874467E

11.64

2" V.P. R.E. = 2065 UP 6"

(1) 175.51 @ 6-28 @ T=62° = 174.36
(2) 175.24 @ 5-38 @ T=62° = 174.36

(2) 65°-54'-00"
32°-57'-00"

32°-57'-00"

R.M. Z-2
SET C.S. 30" BRASS CAP MON. 12" DN. N. SIDE RD.

SET 1X2 CHIS PT.

COUNTY SURV.
R.M. Z-2
R.E. 329

251.58

FROM BOTTOM PAGE 87

LHA 6-28-51

R 2088

Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. 8412 Tape No. 2115 St'd. 68° °F
Office Work H. U. M. M.	Surveyed by C.V. CRUMLEY
Checked	Notes C.V.C. Date 4-9-51
Date	Indexed A. C. JOHNSON

F. B. 230 PG. 57

ZUMA BEACH

To BOTTOM PAGE 90

1752.07

LOT LINE

OCEAN

LOT LINE

Fd 2" I.P. & R.E. TAG #2088 2' DN.

Fd 2" I.P. & R.E. TAG #2088

Fd 2" I.P. (NO TK.)

282.46

P.M. TIE

M.B. 28-7

LOT 24

LOT 25

BK.

Fd. 2" I.P. & RE TAG #2088 8' DN.

(30.46)

24.98

24.98

(30.46)

(2) 100°-56'-00"

50°-28'-09"

See F.B. 2100-105
New Ties 10-21-55 Van

C.V.C. 8-14-51
SEE PAGE 169 FOR P.M. TIES

410'

49.90

54.40

(2) 339°-59'-20"
(4) 319-58-30
(6) 299-58-10
169°-59'-40"

TR. #13619

APT
Z-3
SET C.S. 24" BRASS CAP MON. 10' DN. IN HAND-HOLE. SOUTH EDGE RD. 300' S.E. OF GATE AT ~~RAMIREZ~~ CANYON RD. TO MESA TOP OF BLUFF

COUNTY SURVEYOR
R.E. 329

fd. 2-78 A.C.

SET N&T. G.P.
GP Gone 7/18/51 R.F.M.

SET N.&T. P.P.

OILED & GRAVEL RD.

PACIFIC

BEACH CONTROL LINE

111.29

(2) 285°-44'-20"
142°-52'-10"

59.0

Set DH. Tk. ## in Rd. Fill

10.05

16.03

Z-3

Additional ties added 7/18/51 R.F.M.

FROM TOP PAGE 88

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3098 247 10M 1-49

F. B. 930 PG. 90

TO BOTTOM PAGE 91.

(1) 2222.37 @ T = 56 = 2222.34
(2) 2222.53 @ T = 56° = 2222.36
MEAN = 2222.35

2222.35

BEACH CONTROL LINE

OCEAN

Not reset will be taken out by high tides 10-21-55 - V44

N.T. - THIS POINT WAS WASHED OUT BY HIGH TIDES IN JUNE

Z-3A
P.O.T.
SET 18" 4"X4" STK. & BT. SPK. & W. 24" DN.
APPROX. HIGH TIDE LINE
SET 2"X2" STK FLUSH

12.23

92.34

SET BT. SPK. W. & T. IN T.P.

45.68

SET BT. SPK. W. & T. IN T.P.

54.13

SET BT. SPK. W. & T. TOP COR. PILING - S.E. COR. OF GUARD HOUSE AT S.E. END ZUMA BEACH

PAC. OCEAN

1752.07

(1) 1752.17 @ T = 58° = 1752.06
(2) 1752.19 @ T = 58° = 1752.08
MEAN = 1752.07

X 3008

NICADA MI. RD. TO HWY.

CEM. BLOCK

FROM TOP PAGE 89

1HAG-2-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work H. U. M. H
Checked
Date

Survey of BEACH EROSION STUDIES
W. O. 8412 Tape No. 2115 St'd. 68 °F
Surveyed by C.V.C. RUMLEY
Notes C.V.C. Date 7. 10. 51
Indexed R. C. Johnson

F. B. 730 Pg. 97
ZUMA BEACH.

TO BOTTOM PAGE 92

(1) 1087.11 @ T=60° = 1087.05
(2) 1087.13 @ T=60° = 1087.07
MEAN 1087.06

1087.06

Co Bldg # 2471
FIRST CO. COMFORT STATION BLDG S.E. OF LIFE GUARD HEAD QUARTERS BLDG

PACIFIC COAST HIGHWAY

90°

Z-3B
P.O.T.
SET 18" 4"X4" STK. &
BT: SPK & N.-2A. DN.
Fd. Dec. 1952 - W.R.B.

SET 1X2 FL.

616.63

1676.3

71.65 TAN.

SET S.M. B.T. IN MACADAM WALK

See FB 2100-107
10-21-55-Vu

BEACH CONTROL LINE

2222.35

STATE

FROM TOP PAGE 90

DHA 6.28.51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3098 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. 8412 Tape No. 115 St'd. 68 °F
Office Work H. U. M. H.	Surveyed by C. V. TUMLEY
Checked	Notes C.V.C. Date 4-17-51
Date	Indexed R. C. Johnson

F. B. 730 PG. 93
ZUMA BEACH

TO BOTTOM PAGE 94

(1) 1315.36 @ T=64° = 1315.33
(2) 1315.39 @ T=64° = 1315.36
MEAN 1315.35

1315.35 LINE

SET BT. SPK. W. & T. TOP COR. PILING

14.63

P.O.T. Z-4A
SET 18" 4"X4" STK. & BT. SPK. & W. 30" DN.
Fd. 12/18-52 W & B

13.69

LIFE GUARD STA. 5+C

SET BT. SPK. W. & T. TOP of COR. PILING

Sta. F.B. 2100-109
10-25-55 Van

(1) 1818.42 @ T=64° = 1818.37
(2) 1818.41 @ T=64° = 1818.36

1818.36 BEACH CONTROL

FROM TOP PAGE 92

JHA 6-28-51

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3088 247 10M 1-49

F. B. 930 PG. 94

TO BOTTOM PAGE 95

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

BEACH CONTROL LINE

1247.79

(1) 1247.87 @ T = 60° = 1247.81
(2) 1247.84 @ T = 60° = 1247.78
MEAN = 1247.79

± 300' W. OF LIFE GUARD HSE #6

L.A.CO. COMFORT STATION #247A

90°

436.4'

118.56' TAN.

COUNTY SURVEYOR
Z-4B
R.E. 329

P.O.T.
Z-4B
SET C.S. 30" BRASS CAP MON. 18" IN

Fd. 12/24-52 M.E.B.

S.C. F.B. 2100-110
10-25-53 = Van

SET S.K. ET. IN MACADAM Mon.

1375.35

SET S.K. ET. IN CONC. MON. ON R/W LINE OF PACIFIC COAST HIGHWAY STATE 14 (NOT USED)

1247.7

FROM TOP PAGE 93

RHA 6-24-54

Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. 8416 Tape No. 115 St'd. 68 °F
Office Work H. U. M. M.	Surveyed by C. W. CRUMLEY
Checked	Notes C.W.C. Date 4-17-57
Date	A. C. Johnson Indexed

F. B. 930 PG. 95

→ ZUMA BEACH

96.37
32.14
118.51

72.90
42.47
115.37

TO BOTTOM PAGE 96

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

1778.40

(1) 1778.45 @ T=62° = 1778.38
(2) 1778.48 @ T=62° = 1778.41
MEAN: 1778.395
+.40

GUERNSEY AVE

L.A. CO. COMFORT STA. # 2675

90°

P.O.T.
Z-4C
SET 18"-4 X4" STK. &
BT. SPK. & W., 24" DN
Fd. dis. 42" 7/57
R.S.M.
OUT. 12/24-57
WEG.

See FB 2100-111
10-25-55--Van

137.07

115.37
TAN.

SET 6¢ BT. SPK. W&T IN WALK

SET 6¢ BT. SPK. M&T IN S. EDGE CONC. STRIP.

COAST HWY

300' TAPE
137.098 @ T=60° = 137.07

1247.79

BEACH CONTROL LINE

FROM TOP PAGE 94

JHA 6-28-57

76F3098 247 10M 1-49

F. B. 730 Pg. 96

TO BOTTOM PAGE 97



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B 9230 Pg. 98 TO TOP RIGHT OF PAGE 99

See FB 2100 - 114 For New T.B.S. 10-26-53 - Van

(1) 1108.12 @ T= Δ2°= 1108.08
(2) 1108.13 @ T= Δ2°= 1108.09
1108.08

31H06

BROAD BEACH RD.

SET BT. SQR. IN PAV.

12'

TAN 128.25

NEW HOUSE BEING BUILT # 31346

31336 HOUSE

SET LATH IN CONC WALK LINE PROD.

CHIMNEY

TAN. PROD. 131.22

2472.17' M. LINE

N 67° 47' 30" W 1247.97 M.S.

COUNTY SURVEYOR R.E. 3429

99°-39'-37"-10"

165°

23°-

20°

30.25

12°-

81°-40'-32"

15'

SEE PAGE 170 ADDITIONALTIES

(2) Δ 26°-42'-20"
(4) 293°-25'-30"
(6) 260°-07'-30"
163°-21'-15"

12880.95 E/L. NEW LINE

1108.08 M. CONTROL LINE

BEACH

RM. Z-7 USED OLD Z-7A RE-STAMPED. A 30" B.C. MON. 18" DN. (300' TAPE)
(1) 129.728 @ 8°-34'
(2) 129.89 @ 9°-03'
= 128.27 @ T=66=128.25

A PT. (NEW) Z-7 SET C.S. 35" BRASS CAP MON. 24" DN. ON SPOUT OF OLD A. @ NEW HOUSE BEING BUILT

COUNTY SURVEYOR R.E. 3429 RM. Z-7

73-21-
43-21-

76FS098 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of BEACH EROSION STUDIES
W. O. 8421 Tape No. 2115 Srd. 68 °F
Surveyed by C.V.C. RUMLEY
Notes C.V.C. Date 4-18-51
Checked C. C. Johnson
Indexed

F. B. 230 Pg. 97

ZUMA BEACH, ET AL.

BROAD BEACH ROAD

PACIFIC COAST HWY 1 (ROUTE 1)

ADOPTED LINE

BEACH CONTROL LINE

To BOTTOM Page 98

From Top Page 26

(1) 2472.26 @ T= 42°= 2472.16
(2) 2472.26 @ T= 42°= 2472.18
MEAN: 2472.17

(1) 1752.57 @ T= 58°= 1752.48
(2) 1752.57 @ T= 58°= 1752.48
MEAN = 1752.47

2467.47 calc.
2472.17

R = 2292.96
Δ = 42°-27'-30"
41.11 calc.

PT Z-G
SET C.S. 30" BRASS CAP NOM. 14" DN 1800 W. OF TRANCAS CANYON STORE

See FB2100-113 For New Ties 10-24-51
VLN

(1) 342°-47'-20"
(2) 325°-34'-50"
308-22-00
171°-23-40"

Tie #4
(1) 173°-07'-40"
(2) 46°-33'-50"

SET C.S. 30" BRASS CAP NOM. 12" DN

REC'D
JUL 6-25-51

SET COPPER TK. COR. HOUSE 2 STORY CAPE COD HOUSE # 3102

SET COPPER TK. COR. N36 E 3.00

SET NAIL & TAG IN 15" PINE

Edge of Conc. Pav.

6.36

74.52

123.61

81.46

55.56

74.52 @ T= 72°= 74.52
123.46 @ T= 72°= 123.69

COUNTY SURVEYOR R.E. 29

COUNTY SURVEYOR R.E. 329

Notes Ck'd by
Map No.
Office Work H.U.M.H.
Checked V
Date

Survey of BEACH EROSION STUDY
W. O. 8417 Tape No 0115 St'd 68° °F
Surveyed by C.V. CRUMLEY
Notes C.V.C. Date 4-19-1955
Indexed R. C. Johnson

F. B. 930 Pg. 99

→ ZUMA BEACH, ET AL

(2) 245-22-20
(4) 13-44-40
(6) 122°-41-10"

R.P. SET 1" I.P. & COP. WIRE CTR. IN CEM. ON TAN. PROD. FLUSH - AT BASE OF CUT.
See FB 2100-115
10-26-55-Van

COUNTY SURVEYOR
Z-8
R.E. 329

74.55

1X2 ON

1108.08
1°-19'-52½" Calc.

PT. Z-8
SET C.S. 30" BRASS CAP MON. 8" DN. ABOVE BEACH IN OLD ROADWAY ± 300' S. OF HORIZONTAL Water TANK ON BROAD BEACH RD. OPP. STA. ± 360+00

176.90
1280.95 NEW LINE
CALC.

R.P. SET ½" I.P. & Cop. WIRE CTR. IN CEM. - ON TAN. PROD. - FLUSH AT BASE OF CUT. (ON OLD LINE PROD.)

33.37

CUT

78.92

LINE

1°-10'

17½"

300' TAPE
78.93 @ T=68° = 78.92

122°-41'

300' TAPE @ 68°
T=64°=.02

1X2

121° CALC.

(1) 180.5 @ 1°-27' = 176.90
(2) 179.92 @ 1°-30' = 176.89
176.90

DIRT RD

300' TAPE
(1) 268.01 @ 2°-19' @ T=64° = 267.76
(2) 267.95 @ 2°-00' @ T=62° = 267.75
267.76

(2) 217-50-20
(4) 75-40-40
(6) 293-31-00
108°-55'-10"

OLD

BASE of CUT

267.76

403.15

See FB 2100-116
For Ties
10-26-55-Van

COUNTY SURVEYOR
Z-9
R.E. 329

1X1

1X2

BEACH CONTROL

Z-9A
P.O.T. - R.P.
SET BT. SQR. IN CHISELLED GROOVE ON PT. OF LIFE ± 4.5' U/S FROM BEACH SAND.

108°-55'-10"

56.47

PT. Z-9
SET C.S. 30" BRASS CAP MON. ON S. END GRADED AREA AT LACHUSA POINT. 8" DN
T=66

(1) 68.25 @ 12°-45 = 66.57
(2) 67.63 @ 10°-07 = 66.58
66.57

251.92

66.57

TO BOTTOM PAGE 100

1829.55

(300' TAPE @ 64°)
(1) 252.88 @ 4°-57' @ T=64° = 251.91
(2) 252.59 @ 4°-52' @ T=66° = 251.93
MEAN = 251.92

R.P. SET 1" I.P. & COP. WIRE CTR. IN CEM. 1" UP. - ON LOWER LEVEL OF LACHUSA POINT.

JHA - 6-28-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 247 10M 1-49

F. B. 930 Pg. 100'

TO BOTTOM PAGE 101

768.25

BEACH CONTROL LINE

(1) 768.26 @ T = 64° = 768.25
(2) 768.25 @ T = 64° = 768.24 768.25

COUNTY SURVEYOR
R.M. Z-10
R.E. 329

COUNTY SURVEYOR
Z-10
R.E. 329

(NOT PROD.)
SET PT. SPK. & W. IN BASE OF CLIFF 15" UP FROM SAND.

(1) 34.43 @ 17° 30' @ T. 66° = 32.84
(2) 35.13 @ 20° 47' @ T. 66° = 32.84

6.352

10°

APT Z-10
SET C.S. 30 BRASS CAP MON. 18" DN. ON BEACH AT TOE SLOPE. ± 270' EAST OF END OF WEST SEA LEVEL DR

32.84

R.M. Z-10
SET C.S. 30 BRASS CAP MON. FLUSH APPROX CTR. OLD R.R. EASEMENT.

HOUSE #3176

BROAD BEACH RD.

TAN STAIR

100.

29

60° 47' 00"

See F.B. 2100-117
For Ties 10-26-51

(2) 336-56-20
(1) 313-56-30
(6) 290-55-00
168° 29' 10"

OLD R.R. BED

FOR LINE SET 1.47' IN CONC. WALL OF BLDG.

1829.55

(1) 1829.57 @ T = 64° = 1829.52
(2) 1829.62 @ T = 64° = 1829.57
Mean = 1829.55

FROM BOTTOM LEFT OF PAGE 99

JHA 6-26-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

718.46
717.71

Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. 8412 Tape No. 6115 St'd. 68 °F
Office Work H.U.M.H	Surveyed by C.V. CRUMLEY
Checked	Notes C.V.C. Date 4-23-51
Date	Indexed C. Johnson

F. B. 730 Pg. 201
↳ ZUMA BEACH, ET AL.

TO BOTTOM PAGE 102

(1) 718.50 @ T=62° = 718.47
(2) 718.48 @ T=62° = 718.45
718.46

718.46
817.71

(1) 100.59 @ 9°-20' T=60° = 99.25
(2) 100.11 @ 7-29 T=60 = 99.25

set 1X2

99.25

SAND
37-10"

ENCINAL CANYON

162°

BEACH

DRIVE

RD.

HWY

COAST

BROAD BEACH

768.25

BEACH CONTROL LINE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

COUNTY SURVEYOR
Z-11
R.E. 329

Z-11
& PT.
SET 2" I.P. WITH BRASS CAP-12" LONG-INGEM TOP 10"X50" ROCK ISLAND 15" HIGH-APPROX HIGH TIDE LINE
MOUTH OF ENCINAL CANYON.

See FB 2100-118 For Ties 10-26-55-Van

(2) 325°-14'-20"
(4) 290-28-20
(6) 255-43-00
162°-37'-10"

FROM TOP PAGE 100

LHA 6-28-51

76F3098 247 10M 1-49

F. B. 930 Pg. 102
TO BOTTOM PG. 103



FROM TOP PAGE 101

12.23
15.74

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work H.U.M.H
Checked
Date

Survey of BEACH EROSION STUDIES
W. O. 84/2 Tape No. 115 St'd. 68 °F
Surveyed by C.V. CRUMLEY
Notes C.V.C. Date 6-24-51
Indexed C. O Johnson

F. B. 930 Pg. 103
ZUMA BEACH, ETAL.

1104

TO BOTTOM PAGE 104

STAIRWAY TO BEACH HOUSE

TRAIL UP TO HOUSE

1075.41

R.M. - Z-13
SET C.S. 24" BRASS CAP MON. FLUSH IN GRADED TRAIL.
NOTE: WE RESET @ TRACTOR KNOCKING OFF S. SIDE TOP OF MON. - C.V.C. 6-8-51

28°-05'-00" 77.48 TANG.

P.O.T. Z-13A
SET BT. SPK. IN NOTCH N. END HIGH ROCKY SLA'D. ± 7.5 UP FROM BEACH.

R.M. - Z-13
SET C.S. 30" BRASS CAP MON. 2" DN. IN GRADED TRAIL.

Fd. old SPK ON SIDE

T = 60°
(1) 88.67 @ 14°-23'
(2) 87.86 @ 12°-10' } 85.89

85.89

83.39 TRAIL

COUNTY SURVEYOR R.E. 329 Z-13

COUNTY SURVEYOR R.M. Z-13 R.E. 329

PT. Z-13
SET C.S. 30" BRASS CAP MON. 14" DN. TOP BLUFF S. SIDE
TRAIL AT BULGE, & DOWN FROM HOUSE # 32200.

177.00

GRADED

300' TAPE @ 84°

(1) 296.68 @ 5°-15' T=60° = 295.39
(2) 296.49 @ 4°-44' T=60° = 295.43
MEAN = 295.41

295.41

(2) 343°-28'-00"
(4) 326-56-00
(6) 310-24-00
171°-44'-00"

1X2 Chn. PT.

LINE

See FB 2100-120
For Ties 10-26-55
Van

(1) 317.82 @ T=62 = 317.81
(2) 317.82 @ T=62 = 317.81

317.81

BEACH CONTROL

FROM TOP PAGE 102

JHA 6-6-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3088 247 10M 1-49

F. B. 930 PG. 104 TO BOTTOM PAGE 105

TIE TO A MINCAID

See FB 2100-121 For Ties 10-28-55 - Kay

CHN. PT. SET BENT SPK IN LOW ROCK ON BEACH.

(300' TAPE @ 84°)

(1) 90.92 @ 2° 13' @ T = 60° = 85.31
(2) 89.94 @ 1° 25' @ T = 60° = 85.32 85.32

806.32

R.M. Z-14 SET C.S. 30" BRASS CAP MON. FLUSH - TOP BLUFF

LADDER TO BEACH

R.P. Z-14 SET L&T TOP BOULDER ON SIDE HILL

85.32

5° 9' 12.30"

40.16 TANG.

SET IX2 TOP BLUFF

(2) 350-42-20
(4) 341-24-30
(6) 332-06-50
175°-21'-10"

COUNTY SURVEYOR Z-14 R.E. 329

COUNTY SURVEYOR R.M. Z-14 R.E. 329

35.13

10.10

47.21

TRAIL

TO DEPOT

Z-14 PT.

SET C.S. 24" BRASS CAP MON. FLUSH TOP FLAT POINT. DOWN TRAIL FROM HWY. STA. 300+30

Honey Brown Bluff

15° 3' 23"

175°

(300' TAPE STD. @ 84°)

(1) 137.72 @ 13° 36' @ T = 60° = 133.84
(2) 136.90 @ 12° 06' @ T = 60° = 133.84

(2) 306-47-00
(4) 253-34-40
(6) 200-22-00
153°-23'-40"

30° 16' 10"

133.84

LINE

SET SMALL BT. SPK & W. IN Lead ON FLAT ROCK IN Beach

0.05

(100' TAPE)

(1) 107.548 @ T = 58° = 1075.41
(2) 1075.49 @ T = 58° = 1075.42

1075.41

300' TAPE @ 84°

← 366.77 @ T = 70° = 366.74

366.74

F.A. OLD CUT SPK. N. FACE of 5'X12' ROCK WALL 6'± ; SAID BY PROP. OWNER MR. WIRSCHING TO BE OLD

(2) 60-32-30
(4) 121-04-40
(6) 181-37-00
30°-16'-10"

RINGE LOT LINE REF. PT.

BEACH CONTROL

1075.41

SURVEY CONTROL
Δ STA. KINCAID (DUNE PT. EF 7)
CARD #1
F.B. 933-17
C.S. INDEX MAP #19
A STD U.S.C. & G.S. TABLET IN SANDSTONE - FLUSH (NOTE - ON PEAK OPPOSITE Z-11 BUT NOT VISIBLE FROM Z-11.

FROM Top Pg. 103

JHA - 6-24-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. 8412 Tape No. 2115 St'd. 68 °F
Office Work H.U.M.H	Surveyed by C.V. CRUMLEY
Checked	Notes C.V.C. Date 4-30-51
Date	Indexed

F. B. 930 PG. 103

HSE 32504

TO BOTTOM / PAGE 106

COUNTY SURVEYOR R.E. 329

See FB 2100-122 For Ties 10-28-55-Vag

(300' TAPE @ 84°)
(1) 237.02 @ 5°-58' @ T=58° = 235.70
(2) 236.72 @ 5°-14' @ T=58° = 235.69
235.70

CHN. PT. SET 1X2 ON BEACH

166.350

BEACH CONTROL LINE

235.70

BEACH

L.A.T. PG.

R.P. #2 SET 1" I.P. & COP. WIRE CTR. IN CEM. ON LINE - 1" UP

ADDITIONAL TIES ON PAGE 112 C.V.C. 8-10-51

TRAIL

HWY

CORNER

CANYON TRAIL

PT. Z-15 SET C.S. 30" BRASS CAP MON. 2" DN. ON GRADED POINT DOWN CANYON FROM DOUBLE PICKET GATE - HOUSE # 32504 OPP. HWY. STA. 290+63

32.53

106.8

50.51

178° 31.83

GREEN BT. HOUSE SHED.

32504

6474

COAST

R.P. #1 SET 1" I.P. & COP. WIRE CTR. IN CEM. ON LINE 1" UP EDGE BLUFF

(2) 356-10-10
(6) 352-20-30
(6) 348-30-40
178°-05'-05"

TOP BLUFF

SEE PG. 172

(1) 94.80 @ 16°-47' @ T=60° = 90.76
(2) 93.86 @ 14°-47' @ T=60° = 90.75
90.75

I.P.

SET 1X2 ON Beach

90.75

806.32

(1) 806.34 @ T=60° = 806.30
(2) 806.37 @ T=60° = 806.33
MEAN = 806.32

I.P.

FROM TOP / PAGE 104 IHA 6-28-51

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3099 247 10M 1-49

F. B. 930 PG. 106

TO BOTTOM PAGE 107

(1) 705.32 @ T=62° = 705.29
(2) 705.33 @ T=62 = 705.30
705.30

705.30 LINE



= B.M. ZB-19-PG. 150

SET BT. SPK. & Lead
TOP of BLACK SAND-
STONE JUTTING OUT
FROM BASE of CLIFF

P.2.T. Z-159

SET L.&T. ON 2'X2'
FLAT ROCK ON BEACH
± 8K6 E. of RD. DOWN FROM HWY
AS SHOWN ON PG. 107

41.98

47.27

BLACK Boulder

L.B. 331-192
B.M. C.S. 671

Fd. OLD CT. SPK.
TOP 6'X6'
ROUND BUFF
SAND STONE
BOULDER OUT
FROM BASE of
CLIFF ± 6'
Elev. PG. 150

See FB 2100-123
For Ties 10.28.53-RM

(1) 1663.60 @ T=59° = 1663.50
(2) 1663.59 @ T=59 = 1663.49
MEAN = 1663.50

1663.50 CONTROL

℄ BEACH

FROM TOP PAGE 105

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. 8412 Tape No. ALE St'd. 68 °F
Office Work H.U.M.H	Surveyed by C.V. CRUMLEY
Checked	Notes C.V.C. Date 5-2-51
Date	Indexed C. C. Johnson

F. B. 750 Pg. 127

→ ZUMA BEACH, ET AL.

TO BOTTOM PAGE 108

(1) 603.46 @ T=6° = 603.93
(2) 603.07 @ T=6° = 603.18

84°
(300' TAPE)
(1) 298.39 @ 3°-29' @ T=60 = 297.68
(2) 298.13 @ 3°-11' @ T=60° = 297.68
297.6

Chn. PT.
SET 1X2 ON Beach

603.03

BEACH CONTROL LINE

297.6

(2) 356°-51'-20"
(4) 353-43-00
(6) 350-35-00
178°-25'-50"

COUNTY SURVEYOR R.M. Z-16 R.E. 329

R.M. Z-16
SET C.S. 2½" BRASS CAP MON FLUSH IN ROAD AT TOP SLOPE.

SET L&T TOP 4'x4' SANDSTONE BOULDER, S. SIDE SANDHILL.

PT. Z-16
SET C.S. 30" BRASS CAP MON. 12" DN. ON SANDY PT. AT END DIRT RD. TO BEACH.

CANYON

54.56

DIRT RD

TANK

+ 450'

PARKWAY

See FB 2100-124 For Ties 10-31-55

Van

CHN. PT.
SET 1X2 ON BEACH

140.88

(300' TAPE)
(1) 142.52 @ 8°-38' @ T=60 = 140.88
(2) 142.20 @ 7°-45' @ T=60° = 140.88

T=64°
(1) 57.62 @ 18°-42' = 54.56
(2) 56.57 @ 15°-21' = 54.56
54.56

SET L&T TOP CONC. DAM

705.30

FROM TOP PAGE 106

JHA 6-29-51

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 247 10M 1-49

F. B. 930 PG. 108

TO BOTTOM PAGE 109

171-53-2cc
343-50-W

(1) 100.80 @ T=56° = 100.79

100.79 LINE

CHN PT. SET 1x2 ON BEACH

(300' TAPE @ 84°)

(1) 295.70 @ 3°-24' @ T=56° = 295.13
(2) 295.56 @ 2°-52' @ T=56° = 295.14

295.13

(2) 335°-28'-30"
(4) 310-47-00
(6) 295-15-30
167°-41'-45"

DR. TO HOUSE # 33064

CHN PT. SET 1x2 ON SIDEHILL

69.29 @ T=54° = 69.28

R.M. Z-17 SET C.S. 30" BRASS CAP MON. FLUSH AT TOE SLOPE ON SMALL FLAT.

47.61

(2) 223°-19'-00"

69.28

41'

COUNTY SURVEYOR R.E. 329 Z-17

PT. Z-17 SET C.S. 30" BRASS CAP MON. FLUSH ON SIDE HILL 50' W. OF CANYON ALSO 70' E. OF E.P.L. HOUSE # 33064 DOWN LACHUSA CANYON FROM DECKER CANYON RD. AT HWY STA. 255+00

See FB 2100-125 For Ties 10-31-55-Van

COUNTY SURVEYOR R.E. 329 R.M. Z-17

167°

LACHUSA CANYON

2.2' W, Fd. old cut spk 0.06

R.P. - Z-17 SET SMALL BT. SPK. TOP ROCK IN CTR CANYON.

(300' TAPE.)
(1) 284.85 @ 4°-38' @ T=60° = 283.88
(2) 284.72 @ 4°-15' @ T=60° = 283.90
MEAN = 283.89

283.89 BEACH CONTROL

TAN 16°-55'-00"

R.P. - Z-17 SET LARGE BT. SPK. & W. TOP ROCK KNOLL

out 7/31/51
SET 1x2 chn, PT.

603.03

FROM TOP PAGE 107

JHA - 6-29-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

TO DECKER CANYON RD.

Notes Ck'd by
Map No.
Office Work H.U.M.H.
Checked
Date

Survey of BEACH EROSION STUDIES
W. O. 8412 Tape No. 211 St'd 68 °F
Surveyed by C.V.C. CRUMLEY
Notes C.V.C. Date 5-3-51
C. Johnson
Indexed

F. B. 930 Pg. 109
ZUMA BEACH, ET AL.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

TO BOTTOM PAGE 110

(2) 343-56-40
(4) 327-53-30
(6) 311-50-20
171°-58'-20"
1X2 Chn. PT. ON BEACH.

LINE 874.01

(1) 297.48@2°-57'T=56=296.76
(2) 297.06@2°-29'T=56=296.75
(300' TAPE @ 84°)

COUNTY SURVEYOR R.E. 329 Z-18

CONTROL 296.75

GLASS ENCLOSURE

DRIVE GATE #33222

BROWN HOUSE ON BLUFF WITH RED BRICK CHIMNEY.

BRICK WALL

TOP SLOPE

TOE SLOPE

CANYON

4 PT. Z-18
SET C.S. 30" BRASS CAP MON. FLUSH TOP SAND DUNE AT MOUTH OF CANYON

For Triang. Tie See Pg. 85

See FB 2100-126 For Ties 10-3-55 Van

60.44

87.72

171°-40.69

SET SMALL BT. SPK. TOP 12"X12" JUTTING TIMBER

R.M. Z-18
SET C.S. 30" BRASS CAP MON. FLUSH ± 6' UP FROM TOE SLOPE OF SPUR.

34°-01'-05" ± 6.0

TOE SLOPE

1X2 Chn PT. ON SIDE HILL

109.98

COUNTY SURVEYOR R.M. Z-18 R.E. 329

(1) 297.63@2°-03'T=56=297.39
(2) 297.73@2°-33'T=56=297.39
(300' TAPE)

87.73@T=58°=87.72

TANG

BEACH

297.39

R.M. - Z-18
SET C.S. 24" BRASS CAP MON. 3" UP. TOP SLOPE

1X2 Chn PT. ON BEACH.

TIE
(1) 112.54@12°-12'@T=58°=109.98
(2) 112.92@13°-04'@T=58°=109.98
(300' TAPE)

100.79

(HOUSE) GATE #33212

TOP COR. TALL BUFF COLOR CHIMNEY
(MAY BE REBUILT LATER SAYS OWNER)

FROM TOP PAGE 103

6-29-51 JHA

76F3098 247 10M 1-49

F. B. 930 Pg. 110

To Bottom Page 111



(1) 852.76 @ T = 58° = 852.70
(2) 852.75 @ T = 58° = 852.69
852.70

852.70 LINE

SET 1X2 Chn. PT. ON BEACH

CONT. ROW

299.80

(1) 300.41 @ 3-31 @ T = 58° = 299.79
(2) 300.30 @ 3°-08 @ T = 58° = 299.80
299.80

(2) 307°-20'-00"
(4) 254-40-00
(6) 202-00-00
153°-40'-00"

See FB 2100-127 For Ties 10-31-55 Jan

C.V.C. - 8-16-51

SEE PAGE 171 FOR R.M. TIES

COUNTY SURVEYOR R.E. 529

40.02

Triang. T/c for Sec Pg. 83

BELOW HOUSE # 33368

4 PT.

Z-19

SET C.S. 30" BRASS CAP MON. 4" DN. ON W'LY END GRADED AREA W. of BEACH HOUSE (ONE STORY SHINGLE-FRAME BLDG). BELOW HOUSE # 33368, DOWN TRAIL AT STA. 234+56

(300' TAPE @ 84°)

(1) 240.01 @ 3° 33 @ T = 58° = 239.51
(2) 239.87 @ 2-57 @ T = 58° = 239.51

72.98

65.01

SET Cop. TK. COR. OF ROOF OVERHANG.

BEACH HOUSE

239.51

SET Cop TK. Edge of E. WINDOW OF SHINGLE HOUSE ON BEACH.

1X2 Chn. PT.

874.01

BEACH CT.

(1) 874.08 @ T = 56° = 874.01
(2) 874.08 @ T = 56° = 874.01

FROM TOP PAGE 109

JHA - 6-29-51

572.06
201.74
53.56

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work H. U. M. M.
Checked
Date

Survey of BEACH EROSION STUDIES
W. O. 84/12 Tape No. 115 Std 68 °F
Surveyed by C.V. CRUMLEY
Notes C.V.C. & C. Johnson Date 5-5-51
Indexed

F. B. 930 PG. 111
→ ZUMA BEACH, ET AL.

TO BOTTOM PAGE 112

20	62	35	188.62
13	63	50	163.82
14	20	00	140.46
14	02	00	140.46
20	02	2° 00	200.89
19	03	1° 56	199.90
24	03	1° 57	244.96
24	02	2° 00	244.92

Reference BX W.S.C. 7-17-51 - 119.94

(300' TAPE @ 84°)

(1) 201.92 @ 2°-15' @ T=60° = 201.78
(2) 201.87 @ 1°-42' @ T=60° = 201.78
201.78

3494.8.12

119.94

SET 1½ CHN PT. ON BEACH

LINE

FLAGSTONE STEPS

GATE # 33666

(2) 316-52-10
(1) 273-44-30
(6) 230-36-40
158°-26-05

158°

CEM. BLOCK WALL

COUNTY SURVEYOR
Z-20
R.E. 329

⊕ PT Z-20
ON ROCK POINT
CEMENTED C.S. BRASS CAP IN TOP FLAT ROCK
1' UP FROM BASE OF FLAGSTONE STEPS TO BEACH

See FB 2100-128
10-31-55 Vay

BEACH CONTROL
852.70

FROM TOP PAGE 110

JHA 6-29-51

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3085 247 10M 1-49

F. B. 930 PG. 112

TO BOTTOM PAGE 113

(1) 1243.38 @ T = 60° = 1243.82
(2) 1243.83 @ T = 20° = 1243.82

R.M. - Z - 21
SET C.S. 30" BRASS CAP MON. 3" DN.
ON TANG. PROD. ON GRADED FLAT
C.V.C. - 8-16-51

TRAIL

1243.82

97.00

97.00 @ T = 70° = 97.00

COUNTY SURVEYOR
R.M. Z-21
R.E. 329

R.P. - Z - 21 - SET
LARGE BT. SQK. W. & T.
ON TANG. PROD.
IN PRE-MIX PAV.

B.M.
R.P.Z-21
SET LG. BT. SQ. & W & T.
AT 90° IN PAV.

(2) 306°-26'-30"
(4) 252-53-20
(6) 199-20-10
153°-13'-20"

DITCH

44.23

40.42 TAN.

20.47

BLUFF

PRE MIX DR.

TO HWY

90°

13.49

33.63

℄ PT.
Z - 21
SET C.S. 30" BRASS
CAP MON. 16" DN
S. edge GRADED FLAT
E. of PAVED DR. DOWN
FROM coast HWY.
AT STA. 214 + 25

See F.B. 2100 - 129
For Ties 11-2-55-Van

R.M. Z-21
SET C.S. 30" BRASS CAP
MON. - DN
90° TO BACK LINE

COUNTY SURVEYOR
R.M. Z-21
R.E. 329

(1) 572.10 @ T = 60° = 572.07
(2) 572.09 @ T = 60° = 572.06
572.06

719.94

572.06

℄ BEACH

FROM TOP PAGE 111

SHA - 6-29-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of BEACH EROSION STUDIES & ZUMA BEACH, ET AL.
Map No.	W. O. 8412 Tape No. 115 St'd. 68 °F
Office Work H.L. M.H.	Surveyed by C.V. CRUMLEY
Checked	Notes C.V.C. Date 5-7-51
Date	Indexed C. Johnson

F. B. 930 PG. 113

35.64
17.13
8-51

TO BOTTOM PAGE 114

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

CONTROL LINE

390.41

10°-59'-45"

130

RAIL CUT-TO HOUSE ON BLUFF

(7.) 21°-59'-30"
10°-59'-45"

R.P. Z-22
SET L.&T. TOP 4"X6"
YELLOW SAND STONE
BOULDER BASE of BLUFF

(2) 354-49-00"
(4) 349-38-00
(6) 344-27-00
177°-24'-30"

See FB 2100-130
For Ties 11-2-53-Van

18.51 TAN

17.13

R.P. Z-22
SET SMALL BT.SPK.
BLUE SAND STONE JUTTING
FROM BASE of BLUFF

90°

2.32

24

4 PT. Z-22
SET C.S. 24" BRASS
CAP MON. 12" DN. AT
BASE of BLUE SAND
STONE BLUFF

30.76

17°

R.P. Z-22
SET SMALL BT. SPK. ON SLOPING
SIDE of BLUE SAND STONE BLUFF
± 4' UP FROM BASE.
OUT 11-2-53 VO

COUNTY SURVEYOR
Z-22
R.E. 329

R.P. Z-22
SET L.&T. TOP 4"X6" FLAT ROCK
BASE of BLUFF.

6°-26'-20"

(2) 12°-52'-40
6°-26'-20"

BEACH

1243.82

FROM TOP PAGE 112

76F309B 247 10M 1-49

F. B. 930 PG. 174

TO BOTTOM PAGE 115

CONC. CULVERT DATED 1925

(1) 247.77 @ 6°-34' @ T=58 = 246.10
(2) 248.07 @ 7°-11' @ T=58 = 246.08 } 246.09

OLD OIL ROAD TO COAST HWY.

(33836 FENCE FROM CORNER APPROX. 6' FROM CORNER)

LINE

See FB 2100-131 For Ties 11-2-55 - VAN

246.09

CONTROL

COUNTY SURVEYOR R.E. 329

Z-23

4 PT.

Z-23

SET C.S. BRASS CAP IN CEMENT-TOP FLAT ROCK BASE OF SOUR JUTTING INTO OCEAN. ± 150' E. OF CONC. BOX CULVERT DATED 1925 ON H'D WALL DOWN FROM COAST HWY AT ± 198+50 - GATE TO HSE # 33836

35'

49'

141°

(2) 283°-39'-10"
(4) 207-18-20
(6) 130-57-20
141°-49'-35"

291.55

(1) 291.82 @ 2°-16' @ T=58° = 291.54
(2) 291.74 @ 1°-47' @ T=58° = 291.55

1x2 chn pt.

HOUSE # 33834

TOP BLUFF

BEACH

390.41

(1) 390.44 @ T=58° = 390.41
(2) 390.45 @ T=58° = 390.42

FROM TOP

SHA-6-24-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of BEACH FRONT STUDIES
Map No.	W. O. 8412 Tape No. 2115 Std. 68 °F
Office Work H U M H	Surveyed by C. V. CRUMLEY
Checked	Notes C.V.C. Date 5-7-51
Date	Indexed C. Johnson

F. B. 930 PG. 115

ZUMA BEACH, ET AL

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 10M 1-49

(1) 503.42 @ T-58° = 503.39 ✓
(2) 503.41 @ T-58° = 503.38 ✓

157.50 @ 70° = 157.49 ✓ Level

(1) 195.40 @ 6°22' @ T-66° = 194.18 ✓
(2) 195.34 @ 6°-11' @ T-66° = 194.18 ✓

58.14 @ T-66° = 58.09 ✓ (300' TAPE)

1x2 chiv PT. ON BEACH

(1) 299.62 @ 7°-15' @ T-58° = 297.17 ✓
(2) 299.31 @ 6°-46' @ T-58° = 297.18 ✓

1070.23

297.17

OLD COAST HWY

P.O.T. Z-23B
SET 3/4 I.P. WITH
COP. WIRE CTR. IN
CEM. - 6" DN

B.M. ZB-23
PG. 158.

GRADED FLAT.

28.78

28.89

6-1-23

1+3 - TOP SLOPE

+ 110

R.M. P.O.T. Z-23A
SET C.S. 24" MON. 2" UP
S. SIDE RD.
TOP OF SLOPE.

P.O.T. Z-23A
SET C.S. 30" BRASS
CAP MON. 6" DN
S. EDGE GRADED
FLAT (BLDG SITE)
TOP SPUR - W. SIDE
NICHOLAS CANYON

(1) 46°-13'-15"
(2) 192-26-30

157.50

NICHOLAS CANYON

CONC. CULVERT
DATED 1925

22'

30

58.09 T.H.

194.18

SET SPK. W. & T. IN RD.

ROAD

246.09

BEACH CONTROL

46°-13'-15"

COUNTY SURVEYOR
P.O.T. Z-23A
R.E. 329

COUNTY SURVEYOR
P.O.T. Z-23A
R.E. 329

See F.B. 2100-131
For Ties 11-2-55
Van

R.M. P.O.T. Z-23A
SET C.S. 24" BRASS CAP
MON. UP 3" ON PT. OF
RIDGE TOP OF R.R. CUT.
E. SIDE CANYON.

JHA-6-29-51

FROM TOP PAGE 114

F. B. 930 PG. 116

TO BOTTOM PAGE 117



25.8
52.3
682.95
100.00
782.95
52.3
730.65

100.4
52.3
48.1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

JHA 6-29-51

147

Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. 8912 Tape No. 2115 Std. 68 °F
Office Work H. U. M. H.	Surveyed by C. V. CRUMLEY
Checked	Notes by C.V.C. Date 5-8-51
Date	Indexed C. Johnson

F. B. 930 PG. 117
↳ ZUMA BEACH, ET AL

TO BOTTOM PAGE 112

(300' TAPE E 84°)

(1) 300.21 @ 3°-36' @ T=64° = 299.42
(2) 300.05 @ 3°-36' @ T=64° = 299.42

MEAN 299.40

CHN PT. EDGE OLD HWY

(300' TAPE)

(1) 172.87 @ T=66° = 172.87
(2) 172.87 @ T=66° = 172.87

172.87 LINE

COUNTY SURVEYOR Z-25 R.E. 329

4 PT. Z-25
SET C.S. 30" BRASS CAP IN MON. 12" DN. AT BASE OF 5' GRAY SAND STONE LEDGE

BEACH

+5'

30"

36.88 TAN

8.54

R.P. SET SMALL BT. SPK. IN CEMENT TOP GRAY SANDSTONE LEDGE

R.M. Z-25 SET C.S. 24" BRASS CAP IN MON. FLUSH S. SIDE OLD HWY.

50

90°

69°

(2) 31.3-41-00
(4) 26.7-22-00
(6) 22.1-03-00

156°-50'-30"

COUNTY SURVEYOR R.M. Z-25 R.E. 329

1372.38

BEACH CONTROL

(1) 1372.40 @ T=64° = 1372.36
(2) 1372.44 @ T=64° = 1372.40

MEAN 1372.38

FROM TOP PAGE 116

OHA 6-29-51

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3099 247 10M 1-48

F. B. 930 PG. 118

TO BOTTOM PAGE 119



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. 8412 Tape No. 115 St'd. 68 °F
Office Work H H M H	Surveyed by C. V. C. RUMLEY
Checked	Notes C. V. C. Date 5-7-51
Date	Indexed C. Johnson

F. B. 930 PG. 119

(ZUMA BEACH, ET AL.)

TO SECTION PAGE 120

(300' TAPE @)
(1) 154.77 LEVELED @ T=64°=154.69
(2) 154.71 LEVELED @ T=64°=154.69

154.69 LINE

(300' TAPE @ 84°)
(1) 207.81 @ 6-29 @ T=60°=206.45
(2) 207.49 @ 5-38 @ T=60°=206.46

SET CHN PT ON ROCK

206.45

COUNTY SURVEYOR R.E. 3287

4 PT. Z-27

SET C.S. 24" BRASS CAP MON. 4" DN ON SEQUIT PT. SOUTH OF RESIDENCE

SET CAP, TK. COR. OF HOUSE - ± 3' UP

48.73

25'

27'

41.39

160°

FRAME HOUSE NEAR PT. SEQUIT.

SET CAP. TK. COR. OF HOUSE ± 3' UP

(1) 83.87 @ T=60°=83.87
(2) 83.87 @ T=60°=83.87

83.87

1X2 CHN PT. TOP BLUFF

(300' TAPE @ 84°)
(1) 247.56 @ 6-32 @ T=60°=245.91
(2) 247.27 @ 5-55 @ T=58°=245.91

245.91

CONTROL

(2) 320-54-40"
(4) 281-49-40
(6) 242-44-50
160-27-25"

1X2 CHN PT. ON BEACH

841.27

BEACH

FROM TOP PAGE 118

JHA 6-29-51

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 10M 1-49

F. B. 930 PG. 120

121-160 TO HUGH 8-10-51

(2) 189°-16'-50"
(4) 18-33-30
(6) 207-50-43
94°-28'-25"



ARROYO SEQUIT G-6
F.B. 933-47
C.S. INDEX MAP # 19
SEE CARD #1 FOR DESCRIPT.

RM. #1 A STD U.S.C. & G.S. REF. MON. SET IN SANDSTONE BED ROCK.

H7D

SEQUIS (ARROYO SEQUIT H-7) A STD U.S.C. & G.S. 4" BRASS TABLET CEMENTED INTO THE RED SAND STONE BEDROCK MARKED "SEQUIS 1927" THIS MON. 15 ± 1000' S.W. OF THE HWY BRIDGE ON SEQUIT PT.
SEE F.B. 933-37
INDEX MAP #19
CARD #1

51.37
N. 20°-24'-58.45" W
5177.32
62.87
99.78
38'-25"
94°

RM. #2 A STD U.S.C. & G.S. REF. MON. IN CEMENT CONCRETE SURFACE

Level
(1) 99.78 @ T = 62° = 99.78
(2) 99.78 @ T = 62° = 99.78

SET 1x2 CHN. PT. TOP BLUFF

38.56

SET Chn PT. ON Rock

(100' TAPE @ 68°)
(1) 45.20 @ 31°-27' @ T = 64° = 38.56
(2) ~~45.42~~ @ 27°-22' @ T = 64° = 38.56
~~42.42~~ 43.34

284.57

SET Chn PT. ON Rock

(300' TAPE @ 84°)
(1) 284.80 @ 2°-11' @ T = 64° = 284.56
(2) 284.71 @ 1°-37' @ T = 64° = 284.57

154.69

BEACH CONTROL LINE

FROM TOP PAGE 119

JHA-6-29-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

NOTES RECD. JOB NO. 8412 SURVEY OF BEACH EROSION F.B. 3404 p. 1

DATE SURVEY BY

NOTES CHKD. V.C.V. NOTES BY DATE

DATE 4-13-53 INDEXED E. C. Johnson DATE 6-18-51

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN to
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM 359 (M 7-43)

DESCRIPTION

J. N. 8412

"BEACH EROSION STUDIES"

(ZUMA BEACH, ET AL.)

FROM
POINT DUME
TO
POINT SEQUIT

B.M. LEVELS

ADJ. ELEV.

DATUM - MEAN SEA LEVEL
Elevations herein (Pgs. 121-166) are based on the 1941 U.S.C.&G.S. Adj. of U.S.C.&G.S. B.M. "K-562" (N-

3RD RUN

MAY - 1951
C.V. CRUMLEY

2ND RUN

J.N. DOUGHERTY
W.D. BAY - MAX NATAPOFF
H.J. ROBBINS
J.C. GOODWIN

DIFF.

1ST RUN

To reduce to "Mean Lower Low Water" Datum add 2.74 ft. to these elevs. (per E.T.M. Santa Monica Tidal Staff)

B.M.

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHK'D. U.O.I. DATE 4-13-53
SURVEY OF BEACH EROSION STUDIES ZONE BEACH & PAL
SURVEY BY C.M. CRUMLEY DATE 5-14-51
NOTES BY C.M.C. DATE
INDEXED E. C. Johnson DATE
JOB NO. 8412
Vol. 130 PG. 122

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
USC&GS BM #3004	16.362				16.362	B.M. U.S. #3004 = K-583 _ 1947 ADJ. Elev. 16.362.
+	3.732		3.711	3.698		ON ROOSEVELT HWY (U.S. 101 ALT) - 0.9 MI. W. of ZUMA
⋏	20.073	-0.740	-0.945	-0.945	- 0.945	CREEK BRIDGE & 12.0 MI. E. of BIG SYCAMORE CREEK
−	4.672		4.656	4.643		BRIDGE - A U.S.C. & G.S. STD BRASS DISC. IN 10"x10"
T.P.	15.417			T.P.	15.417	CONC. MON. ±5 E. of CURB AT STA. 470+25 & 42'
+	5.212		5.206			SOUTH of HWY - FB 1445-50
⋏	20.629	+3.947	+0.949		+ 0.948	
−	4.265		4.257			
T.P.	16.364				16.365	T.P.
+	2.648		2648	2.644		
⋏	19.012	-3.927	-3.938	-3.936	- 3.937	
4 POINT	6.586		6.588	6.350	12.426	4 PT. SEE PG 132
Z-4	12.426			N.G.		Z-4 Elev 12.428 Elev 12.42 4/15/58 J.T.
+	9.579		9.566			COAST HWY - ± 41' E. & ± 220' S. of MORNING VIEW DR.
⋏	22.005	+4.539	+4.543		+ 4.541	S. END Co. BEACH PARKING AREA - TIES PG. 92
−	5.040		5.023		16.940	A G.S. 30" BRASS CAP MON. 12" DN. FOR NEW
						ELEV. Z-4 SEE F.B. 3790-146 5-20-70
T.B.M.	16.965					T.B.M. - Elev
+	4.601		4.584			COAST HWY - N51.±250 E. of MORNING VIEW DR
⋏	21.566	-0.166	-0.168		- 0.167	Fd. L&T. W. END Conc. HDWALL Culvert 481+19 - PG 92
−	4.767		4.752			
T.P.	16.799				16.802	T.P.
+	5.636		5.626			
⋏	22.435	+2.366	+2.363		+ 2.365	
−	3.270		3.263		19.123	
T.B.M.	19.165					T.B.M. Elev - 19.123
+	6.164		6.154			STA. 485+28 - & 45± S.L.
⋏	25.329	+1.926	1.936		+ 1.928	Cut SPK. N. SIDE P.P. FT.B.M #4
−	4.238		4.224			F.B. 1445-50 - Elev. 19.200
T.P.	21.091				21.095	T.P. .123

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	21.091				21.095	T.P. - PRECEDING P. 122
+	5.130		5.127			
⊼	26.226	+0.613	+0.611		+ 0.612	
−	4.522		4.516			
T.P	21.704				21.707	T.P.
+	5.282		5.282	5.272		
⊼	26.986	+0.870	+0.880	+0.882	+ 0.881	
−	4.402		4.402	4.390		
T.P.	22.584				22.588	T.P.
+	4.984		4.980			
⊼	27.568	+0.301	+0.303		+ 0.302	
−	4.683		4.677			
T.P.	22.885				22.890	T.P.
+	5.118		5.110	5.103		
⊼	28.003	-3.449	-3.458	-3.451	- 3.450	
−	8.567		8.568	8.554		
					19.390	T.B.M. Elev. 19.39 F.B. 1445-1-7
T.B.M.	19.436				~~19.440~~	R.R. SPK. (LG. BTSM & W.) TOP OF ST. NG
+	6.803		6.789			N. of EXISTING MAINTENANCE BL. +-
⊼	26.239	+4.833	4.833		+ 4.833	EAST ZUMA BEACH
−	1.970		1.956			
T.P.	24.269				24.273	T.P.
+	5.541		5.530			
⊼	29.810	+1.346	+1.347		+ 1.346	
−	4.195		4.183			
T.P.	25.615				25.619	T.P.
+	5.692		5.688			
⊼	31.307	+1.608	+1.612		+ 1.610	
−	4.084		4.076			
T.P.	27.223				27.229	T.P.

NOTES RED. _____ JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES F.B. 2338 PG. 12
DATE _____ SURVEY BY [illegible] DATE 5-14-15-57
NOTES CHKD. U.G.J. NOTES BY D.K.C. DATE 4-13-53 INDEXED A. C. JOHNSON DATE

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

29.915 .527 — 893 826 1967 — 825 803 .032

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES ZUMA BEACH ET AL NOTES RED. DATE
SURVEY BY C.V.C. CRUMLEY NOTES CHKD. U.Q.J. DATE 4-13-53
NOTES BY C.V.C. DATE 5-15-51
INDEXED E. C. Johnson DATE

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	27.223				29.229	T.P. PRECEDING PG. (123)
+	5.616		5.607			
π	32.839	+2.664	2.663		+2.664	(SEE F.B. 1122-16) (SEE F.B. 1145-51)
—	2.952		2.944			
J-583	29.887				29.833	J-583 — ELEV. 29.833 — 1942 ADJ ✓ PACIFIC COAST HWY (ROOSEVELT HWY) & WESTWARD BEACH ROAD - N.W. COR. — A USC & GS STD BRASS DISC. IN N. WALK - E. END OF ZUMA CREEK BRIDGE. ALSO KNOWN AS DUME CREEK. - 6" N. OF U.S. 1312 (BELOW)
+	3.915		3.903			
π	33.802	+0.006	+000 6		+0.006	
—	3.909		3.897			
L.A.Co. B.M. U.S. 1312	29.893				29.826	L.A.Co. B.M. - U.S. 1312 - EL. 29.826 (1942 A.D.J.) PACIFIC COAST HWY (ROOSEVELT HWY) & WESTWARD BEACH ROAD - N.W. COR. - A 2" BRASS CAP STAMPED: - COUNTY SURVEYOR - RE 2177 - U.S.B.M. 1312" RESET 1938 - IN N. WALK - E. END OF ZUMA CREEK BRIDGE: - 6" S. OF J-583 ABOVE.
+	4.542		4.533			
π	34.435	-2.619	-2.623		-2.621	
—	7.161		7.156			
SET B.M. ZB-#1	27.274				27.206	SET B.M. ZB-1 - ELEV. WESTWARD BEACH ROAD (N. SIDE) - 117' SOUTH OF E. END PACIFIC COAST HWY ZUMA CREEK BRIDGE - A 3" BRASS DISC IN CONC. MON. 12" DN. IN HANDHOLE - A STA. DUNE POINT - K-10A
+	1.836		1.832			
π	29.110	-6.290	6.288		-6.289	
—	8.126		8.120			
T.P.	20.984				20.989	
+	2.711		2.697			
π	23.695	-6.722	-6.721		-6.722	
—	9.433		9.418			
SET B.M. ZB-#2	14.262				14.198	SET B.M. ZB-#2 - EL. WESTWARD BEACH RD. B.C. STA. 8+07.36 C.S. BRASS CAP, MON. IN US 4-39' E. & 8.5' E. OF E. of Edge PAV. 807.36' S. of COAST HWY. STA. 15+17.61 (FB 1122-29)
+	6.505		6.493			
π	20.767	+1.205	+1.209		+1.207	
—	5.360		5.284			
T.P.	15.467				15.474	
+	3.822		3.811			
π	19.289	-0.915	-0.916		-0.915	
—	4.737		4.727			
T.P.	14.552				14.559	T.P.

530PG 124

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 64.42 SURVEY OF BEACH EROSION STUDIES F.B. 320 P. 55

DATE _____ SURVEY BY K.C. KUMLEY - ZUMA BEACH PARTY

NOTES CHKD V.M.Q. NOTES BY _____ DATE _____

DATE 4-13-53 INDEXED B. C. Johnson DATE _____

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	14.552				14.559	T.P. PRECEDEING P.4.
+	5.064		5.055			
π	19.616	+0.504	+0.505		+0.504	SET.
−	4.560		4.550		14.998	B.M. ZB-#3-Elev.
SET B.M. ZB-#3	15.056				~~15.063~~	WESTWARD BEACH RD - 17+50.44 S. & Co. [illegible]
+	4.643		4.624	4.607		HWY. A.C.S. BRASS CAP MON. - R.E. [illegible] FL
π	19.699	+1.288	+1.283	+1.284	+1.284	AT E. P.L. ZUMA BEACH - 30.59 N.E. [illegible] of
−	3.355		3.341	3.323		& 2' W. OF CEM. BLOCK GATE PILLAR [illegible]
T.P.	16.344				16.348	FB. 1122 [illegible]
+	4.979		4.963			T.P.
π	21.323	+1.583	+1.579		+1.581	
−	3.396		3.384			
T.P.	17.927				17.929	T.P.
+	6.472		6.457			
π	24.399	+1.329	+1.330		+1.329	
−	5.143		5.127			
T.P.	19.256				19.258	T.P.
+	3.248		3.230			
π	22.504	−1.677	−1.677		−1.677	
−	4.925		4.907			
T.P.	17.579				17.581	T.P.
+	4.313		4.298			
π	21.892	−0.820	−0.824		−0.822	
~~APT.~~ −	5.133		5.122		~~16.759~~ 16.694	~~APT.~~
Z-3	16.759				~~16.759~~	Z-3 Elev. — (TIES PAGE [illegible])
+	6.265		6.250	6.243		WESTWARD BEACH RD. - 39 19.88 W. [illegible] C
π	23.009	+1.189	+1.184	+1.184	+1.184	PT. DUME 1 300' E. OF GATE [illegible] ROAD [illegible] MON.
−	5.086		5.066	5.059		TO TOP OF BLUFF. — A.C.S. 24" BRASS [illegible] MON.
T.P.	17943				17.943	10" SQ. IN HANDHOLE - S. [illegible]
						T.P.

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHKD. U.Q.L. DATE 4-13-53
JOB NO. 8212 SURVEY OF BEACH EROSION STUDIES ZUMA BEACH, ET AL
SURVEY BY C.V. CRUMLEY DATE 5-15-17, 1951
NOTES BY E. C. Johnson DATE
INDEXED DATE
B130 PG. 126

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	17.943				7.943	T.P. SEE PRECEDEING PG.
+	5.376		5354			
⊼	23.319	+0.734	+0.706		+ 0.705	
−	4.672		4648			
T.P.	18.647				3.648	T.P.
+	6.138		6.129			
⊼	24.785	+3.723	+3.723		3.723	
−	2.415		2406			
T.P.	22.370				7.971	
+	9.133		9.127			
⊼	31.503	+5.674	5.677		+ 5.675	
~~4 PT.~~ −	3.459		3.450		27.983	4 PT.
Z-2	28.044				~~5.061~~	Z-2 Elev. (TIES PG. 88
+	1.606		1.587			PRIVATE RD. ON BEACH = CONTINUATION OF WESTWARD
⊼	29.650	-8.904	-8.904		- 8.904	BEACH RD. TO FLAT POINT 1 300' W. of HOUSE
−	10.510		10.491			ON BEACH. A C.S. 30" BRASS CAP MON. 12' DN
T.P.	19.140				19.142	= 4 PT Z-2 - PAGE 88. 2808.5' W. of
+	0.713		0.706			POINT DUME. T.P.
Fd. ⊼	19.853	-2.587	-2.585		- 2.586	(△STA - No RECORD OF ANY Elev)
U.S.C.&G.S. −	3.300		3.291		16.496	U.S.C.&G.S. "IDE-1933" - Elev.
IDE-1933	16.553				~~16.556~~	PRIVATE RD. ON BEACH - CONTINUATION OF WESTWARD
+	3.165		3.142			BEACH RD. TO FLAT POINT 1 300' W. of HOUSE ON BEACH
⊼	19.718	-4.549	-4.548		- 4.549	2808.5' W. of PT. DUME, & = 70' SLY of B.M.
−	7.714		7.690		11.949	Z-2 - ABOVE. - A STD. 5" BRASS DISC. TOP OF
Fd. C.S.B.M. 678	12.004				~~12.007~~	SLY OF 2-6'X6' BOULDERS ON BEACH.
+	9.367		9.358			Fd. or Not 1942 datum
⊼	21.371	+7.122	+7.120		+ 7.121	C.S.B.M. 678 - Elev 12.49 S-L.B. 428-2, 3
−	2.245		2.238			CUT SPK. W.S.T. TOP OF ROCK 2'X 1.5' AT
T.P.	19.126				19.128	FIRST ROCKY PT. ABOUT 30' EAST OF U.S.C.&G.S.
						"IDE-1933" - ABOVE.
						T.P.

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES RED. DATE
NOTES CHKD. V.Q.J. DATE 4-13-53
SURVEY BY C.V. NOTES BY C.V.
INDEXED DATE
JOB NO. 84.12 SURVEY OF BEACH EROSION STUDIES
DATE 5-17-53
F.B. 930 Pg. 127

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	19.126				19.128	T.P. PRECEDING PG.
+	8.729		8.719	8.692		
π	27.845	+2.955	+2.950	+2.950	+ 2.950	
−	5.774		5.769	5.742		
T.P.	22.076				22.078	T.P.
+	4.474		4.464			
π	26.550	+1.747	+1.747		+ 1.747	
−	2.727		2.717		23.772	SET ℄ 23.835 +
SET ℄ B.M. ZB-6	23.823					B.M. ZB-6 - ELEV. PRIVATE RD - CONTINUATION OF WESTWARD BEACH RD. - 1,600' W. OF DUNE RD. A CUT CROSS IN SOUTH EDGE FLANGE TOP FIRE PLUG S. SIDE RD.
+	3.305		3.291			
π	27.128	+0.661	+0.661		+ 0.661	
−	2.644		2.630			
T.P.	24.484				24.488	T.P.
+	5.086		5.077			
π	29.570	+1.169	+1.169		+ 1.169	
−	3.917		3.908			
T.P.	25.653				25.655	T.P.
+	6.425		6.413			
π	32.078	+2.633	+2.633		+ 2.633	
−	3.792		3.780			
T.P.	28.286				28.288	T.P.
+	4.350		4.343			
π	32.636	−1.737	−1.739		− 1.738	
−	6.087		6.082			
T.P.	26.549				26.550	T.P.
+	2.106		2.088			
π	28655	−8.262	−8.260		− 8.261	
−	10.368		10.348			
T.P.	18.287				18.289	T.P.

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

5.652
3.283
2.369

JOB NO. 8412 SURVEY OF BEACH & STREETS ZONA BEACH AREA NOTES RED. DATE
SURVEY BY C.V.C. CRUMLEY DATE 5-17-51 NOTES BY C.V.C. NOTES CHKD. V.O.J. DATE 4-12-53
INDEXED A. C. Johnson DATE
M.B. 239 PG. 128

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	18.287				15.289	T.P. PRECEDEING PG.
+	1.090		1.078			
⊼	19.377	-8.639	-8.692		- 8.690	S.I.T. TIES PAGE 87
−	9.779		9.770	N.G.	9.550	P.O.T. Z-1A Elev.
P.O.T. Z-1A	9.598					POINT DUNE AT S.W.I.V. CLIFF ON BEACH - 45' N. OF FACE, & 15' S.W. OF TOE SLOPE - DIRT BANK.
+	3.704		3.687			A.C.S. 3D" BRASS CAP ON 18" DN. 67.59' N. OF B.M. ZB-5 N.G. Mon Reset 4-29-70
⊼	13.302	+0.037	+0.037		+ 0.037	SEE F.B. 3790-142 FOR NEW ELEV.
SET −	3.667		3.650		9.588	SET B.M. ZB-5 Elev
B.M. ZB-5	9.635					POINT DUNE - AT S.W.I.V. CLIFF ON BEACH
+	6.226		6.219			BT SPK & W. IN LEAD ON SHELF AT BASE OF CLIFF
⊼	15.861	+4.600	+4.602		+ 4.601	9' N.E. FROM POINT OF CLIFF AT W. END OF LINE - MT.
−	1.626		1.617			= TIE PT. TO P.O.T. ABOVE - PG. 87
T.P.	14.235				14.237	T.P. (67.59' Tie)
+	11.403		11.851	11.824		CLIFF 9' SAND
⊼	26.086	+10.567	+10.562	+10.562	+10.562	
−	1.289		1.289	1.262		
T.P.	24.797				24.799	T.P.
+	6.776		6.771			
⊼	31.573	+3.190	3.191		+ 3.190	
−	3.586		3.580			
T.P.	27.987				27.989	T.P.
+	5.010		5.001			
⊼	32.997	-1.013	-1.013		- 1.013	
−	6.023		6.014			
T.P.	26.974				26.976	T.P.
+	3.295		3.290			
⊼	30.269	-2.373	-2.373		- 2.373	
−	5.668		5.663			
T.P.	24.601				24.603	T.P.

FORM 353 1M 8-45

23,823

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

35-37

4.279

NOTES RED. JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES
DATE SURVEY BY C.V.G. DATE 5-16-51
NOTES CHKD. V.O.W. NOTES BY C.V.G. DATE
DATE 4-13-53 INDEXED J. C. Johnson DATE
F.B. 330 Pg. 23

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	24.601				24.603	T.P. PRECEDING Pg.
+	3.532		3.523	3.492		
⊼	28.133	-0.789	-0.783	-0.788	-0.787	
−	4.321		4.303	4.280	23.772	
ZB 4/6	23812				23.835	ZB 4/6 — Elev. 23.835 - Pg. 127
+	2.767		2.750			A CHISELED CROSS ON S. EDGE FLANGE - N.O.
⊼	26.579	-1.392	-1.392		-1.392	OF FIRE PLUG - ±1600' W. POINT DUNE.
−	4.159		4.142			
T.P.	22.420				22.424	T.P.
+	6.924		6.915			
⊼	29.344	+5.600	+5.600		+5.600	
−	1.324		1.315		28.056	
⊼ PT. Z-2	28.020 3				27.988	⊼ PT. Z-2 — Elev. 28.056 PAGE 126
+	2.187		2.183	2.173		
⊼	30.203 8	-8.907	-8.001	-8.001	-8.001	
−	10.184		10.184	10.174		
T. P.	20.019				20.02	T.P.
+	3.607		3.592			
⊼	23.626	+0.227	+0.227		+0.227	
−	3.380		3.365		20.210	
T.B.M.	20.246				20.250	T.B.M. - CHISEL "V" ON S. SIDE FLANGE
+	2.667		2.664			TOP FIRE PLUG ± 100' W. of BEACH MKR.
⊼	22.913	-2.756	-2.755		-2.756	ON BEACH. INSIDE GATE.
−	5.423		5.419			
T.P.	17.490				17.494	T.P.
+	4.703		4.679			
⊼	22.193	-0.760	-0.762		-0.761	
−	5.463		5.441		16.694	
⊼ PT. Z-3	16.730					⊼ PT. Z-3 ± Elev. PAGE 125
						⊼ PT. Z-3 — MON. IN HANDHOLE

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES NOTES RED.
SURVEY BY C.K.C. RUMLEY / ZUMA BEACH, ETAL. DATE
NOTES BY C.K.C. DATE 5-21-51 NOTES CHKD. U.Q.J.
INDEXED A. C. Johnson DATE DATE 4-13-53

Pg. 130

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
✗PT.Z-3	16.730'				16.694	✗PT.Z-3 pgs. 125, 129.
+	5.123		5.116			
⊼	21.853'	+2.539'	+2.538		+ 2.539'	
—	2.584		2.572			
T.P.	19.269'				19.272	T.P.
+	3.125		3.117			
⊼	22.394'	-0.275'	-0.273		- 0.274'	
—	3.400		3.390			
T.P.	18.994'				18.998	T.P.
+	5.454		5.438			
⊼	24.448'	-1.020'	-1.019		- 1.020'	
—	6.474		6.457			
T.P.	17.974'				17.978	T.P.
+	3.143		3.133			
⊼	21.117'	-1.801'	-1.802		- 1.802'	
—	4.944		4.935			
T.P.	16.173'				16.176	T.P.
+	3.832		3.819	3.812	39	
⊼	20.005'	-1.138'	-1.143	-1.140	- 1.140	
—	4.970		4.962	4.952	14.998	
B.M.ZB-3	15.035'				15.038	B.M. ZB-3 - Elev PG. 125
+	2.642		2.624			
⊼	17.677'	-1.590'	-1.593		- 1.591'	
SET — 6	4.232		4.217		13.409	SET 6
B.M.ZB-9	13.445'				13.445	B.M.ZB-9 - Elev
+	1.339		1.430			ZUMA BEACH - ± 260' W. of Co. S.P.L.
⊼	14.784'	-3.298'	-3.300		- 3.299	BT SPK & T. TOP PILING S.E. COR. LIFE GUARD
—	4.637		4.730			STA. #1 - TIE PT. TO P.O.T. #Z-3A-Pg 90
T.P.	10.147'				10.146	T.P.
						BT SPK. S. SIDE OF N. 1st P.C. OF GUARD HSE #2

FORM 353 1M 8-45

17.12
16.90
.31

L.A.Co. 2470 = #3

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

4894383.2 18' E
715' S.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

3.66
3.39
.27
.03 18

NOTES RED. DATE
NOTES CHKD. DATE 4-13-53
INDEXED DATE

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES
SURVEY BY U.S.C.&G.S. DATE 5-22-37
NOTES BY C.M.C. ZUMA BEACH, CALIF.
B. C. Johnson DATE

F.B. 930 PG. 39

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	10.147				10.146	T.P. PAGE 13
+	2.020		2.006			
⊼	12.167	-2.073	-2.071		-2.072	
−	4.093		4.077			
T.P.	8.074				8.074	T.P. - BT. SPK. S. Side 1st Pole W. of NW Corner House #2
+	3.749		3.728	3.707		
⊼	11.823	+0.145	+0.139	+0.139	+0.142	
−	3.604		3.589	3.568		
T.P.	8.219				8.213	T.P.
+	5.822		5.811			
⊼	14.041	+5.099	+5.101		+5.100	
−	0.723		0.710			
T.P.	13.318				13.313	T.P.
+	7.641		7.630			
⊼	20.959	+3.894	+3.893		+3.894	
−	3.747		3.737		17.178	SET BM ZB-7 - Elev. - Pacific Coast Hwy at Zuma Beach L.A. Co. Comfort Sta. Bldg. # 2471 on Pacific Coast Hwy Sta. 489+38.3 and House #3 on Beach - Hwy Sta. 489+00 BT. SPK. & Lead 1' N. of S. Edge Conc. Pavement of Hwy 23' E. of E. Edge Bldg. F.B. W.S.-49
SET BM ZB-7	17.212				17.207	
+	3.391		3.378			
⊼	20.603	-3.337	-3.335		-3.336	
−	6.728		6.713			
T.P.	13.875				13.871	T.P.
+	2.113		2.103			
⊼	15.988	-4.220	-4.219		-4.219	F.B. W.S.-49
SET ZB-11 −	6.333		6.322		9.625	SET P.O.T.Z-3B. Elev Pacific Coast Hwy ± Sta. 489+38.3 at Zuma Beach L.A. Co. Comfort Sta. Bldg. # 2471 - South Bldg. 18-4x4 Sht. with BT. SPK. & W. - 29 - E. 31.5 S. & 18' E. of E. Bldg. F.B. W.S. 71
P.O.T.Z-3B	9.655				9.650	
+	8.054		8.043			
⊼	17.709	+5.059	+5.059		+5.059	
−	2.995		2.984		14.686	T.B.M. Elev. 1.18' E. of E. Bldg. 6" S.S.S. Face 2' above Bldg. Large BT. SPK. & W. S. End Wall of Bldg. F.B. T2 P.G. 2-66 37
SET T.B.M.	14.714				14.709	

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES RED. DATE
NOTES CHKD. U.Q. DATE 4-13-53
SURVEY OF BEACH EROSION STUDIES 7 ZUMA BEACH ETAL
SURVEY BY C.V.C. TRUMLEY DATE 5-22-51
NOTES BY A.C. Johnson DATE
INDEXED DATE
JOB NO. 8412
M.B. 330 Pg. 132

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	14.714				~~14.685~~ 14.711	T.B.M. PAGE 131
+	2.911		2.893			
⊼	17.623	-5.052	-5.054		-5.053	
−	7.963		7.947			
T.P.	9.660				9.658	T.P.
+	3.528		3.512			
⊼	13.188	+1.049	+1.049		+1.049	
−	2.479		2.463			
T.P.	10.709				10.707	T.P. SPK. S. Side Light Pole - S. of HD QTR. BLDG.
+	6.963		6.954			
⊼	17.676	+1.721	+1.719		+1.720	
4 PT. −	5.242		5.235	NG →	~~12.466~~ 12.442	PT 12.442
Z-4	12.424				~~12.467~~	Z-4 Elev. PG 122
+	5.983		5.969			COAST HWY - ± 41' E. & ± 20' S. & MARNING VIEW DR. INTER. S.E. END CO. BEACH PARKING AREA. TIES PAGE 92: A.C.S. 3½" BRASS CAP MON. 12" DN.
⊼	18.407	+0.733	+0.736		+0.732	FOR NEW ELEV. ON Z-4 SEE
−	5.250		5.239			
T.P.	13.157				13.159	T.P. F.B. 3790 - 146 (MW) 5-20-70
+	4.973		4.955			
⊼	18.130	-0.367	-0.368		-0.367	
−	5.340		5.323			
T.P.	12.790				12.792	T.P.
+	7.280		7.259			PG 122
⊼	20.070	+3.570	+3.572		+3.571	16.376
−	3.710		3.687		16.362	U.S. 1942 ADJ.
U.S. BM. 3004	16.360				~~16.363~~	BM. 3004 = K-583 - Elev. 16.362 COAST HWY - 5' E. STA. 47+25 CULVERT 42' S.E. - SEE PAGE 122
						A U.S.C.&G.S. STD DISC. IN CONC. - FLUSH

FORM 353 IM 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

30244 7.980

19 5-7

NOTES RED. DATE
NOTES CHKD. V.Q.J. DATE 4-13-53
INDEXED E. C. Johnson DATE

JOB NO. 84.6 SURVEY OF STRAND ELEVATIONS ZUMA BEACH, ET AL
SURVEY BY C.V.C. DATE 5-22-51
NOTES BY C.V.C.

F.B. 730 Pg. 133

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						1947 ADJ
U.S. 3004	16.362				16.362	U.S. 3004 = K-583 (USC & GS) El. 16.362
+	3.456		3.432			SEE PG. 122 & 132
⅄	19.818	-4.416	-4.416		- 4.416	
−	7.872		7.848			
T.P.	11.946				11.946	T.P.
+	5.562		5.547			
⅄	17.508	+1.164	+1.164		+ 1.164	
−	4.398		4.383			
T.P.	13.110				13.110	T.P.
+	4.265		4.254			
⅄	17.375	-3.230	-3.230		- 3.230	
−	7.495		7.484			
T.P.	9.880				9.880	T.P. BT. SPK. TOP 1ST PILING S.W. OF LIFE GUARD HOUSE #5 ± 140' E.
+	2.450		2.441			
⅄	12.330	-4.053	-4.053		- 4.053	
−	6.503		6.494		5.815	
P.O.T. Z-4A	5.827				5.827	P.O.T. Z-4A - Elev. PACIFIC COAST HWY AT ZUMA BEACH WEST. AN 18" - 2X4" STK. & BT. SPK. 35" E. OF LIFE GUARD HOUSE #5 - TIES PG. 93
+	7.979		7.965			
⅄	13.806	+4.552	+4.552		+ 4.552	
−	3.427		3.413		10.364	
SET. B.M. ZB-8	10.379				10.379	SET. B.M. ZB-8 Elev. PACIFIC COAST HWY AT ZUMA BEACH WEST. BT. SPK. W. & T. TOP OF PILING, T. & T. S. OF LIFE GUARD HOUSE #5 - PG. 93
+	3.116		3.097			
⅄	13.495	+0.979	+0.976		+ 0.977	
−	2.137		2.121			
T.P.	11.358				11.356	T.P. BT. SPK. S. SIDE BEACH LIGHT PED. W. END PARKING AREA ± 35' E. OF T.P. - SNC
+	2.847		2.840			
⅄	14.205	-1.006	-0.996		- 0.998	TO HOUSE = 30244 - OPPOSITE N. END CULVERT STA. 458+25
−	3.847		3.836			
T.P.	10.358				10.358	T.P. - BT. SPK. S. SIDE LIGHT PED. S.E. FACE LIGHT PEDESTAL

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

11R55
43.22
122.2

4' South
21.5 E

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES — ZUMA BEACH, ETAL
SURVEY BY C.V. CRUM DATE 5-23-51
NOTES BY _____ DATE _____
INDEXED A. C. Johnson DATE _____
NOTES RED. _____ DATE _____
NOTES CHKD. V.O.V. DATE 4-13-53
930 PG. 134

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						PAGE 133
T.P.	10.358				10.358	T.P.
+	3.083		3.065			
⅄	13.441	-0.873	-0.875		- 0.874	
-	3.956		3.940			
T.P.	9.485				9.484	T.P. Nail in White F.P.
+	2.903		2.891			
⅄	12.388	+1.268	+1.268		+ 1.268	
SET -	1.635		1.623		10.725	SET
T.B.M.	10.753				~~10.752~~	T.B.M. - BT. SPK. Top Piling - S.W. Cor Life Guard House # 6.
+	2.724		2.702			
⅄	13.477	-3.253	-3.251		- 3.252	
P.O.T. -	5.977		5.955		7.470	P.O.T. (TIES PAGE 94)
Z-4B	7.500				~~7.500~~	Z-4B.-Elev. PACIFIC COAST HWY ± 447+14 & 182.22 S. of SPR. IN CTR. STRIP. - ALSO 21.5' E. & 47.7 S. OF L.A. Co. COMFORT STA. BLDG. #2474 - A.B. 1445 - A.C.S. 3½" BRASS CAP MON. 18" DN.
+	6.647		6.629			
⅄	14.147	+4.115	+4.115		- 4.115	
SET -	2.532		2.514		11.582	
B.M. ZB-9	11.615				~~11.615~~	B.M. ZB-9 - Elev
+	1.543		1.530			LARGE BT. SPK & W. IN Macadam Walk.
⅄	13.158	-2.105	-2.107		- 2.106	43.66' N. of P.O.T. Z-4B ABOVE. & 4's & 21.5 E OF L.A. Co. TOILET BLDG # 2474 ABOVE.
-	3.648		3.637			
T.P.	9.510				9.509	T.P.
+	6.372		6.353			
⅄	15.882	+1.747	+1.747		+ 1.747	
-	4.625		4.606			
T.P.	11.257				11.256	T.P. BT. SPK. N. SIDE 1st Light Pole E. of GUARD HOUSE #7
+	1.961		1.937			
⅄	13.218	-3.478	-3.475		- 3.477	
-	5.439		5.412			
T.P.	7.779				7.779	T.P.

PG.43

16

FORM 353 1M 8-45

16.6 E — 3.6 S.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES-RED — JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES — F.B. 932 PG. 133

DATE — NOTES CHKD — SURVEY BY C.C.C. RUMLEY

DATE 4-13-53 — INDEXED R. C. Johnson — DATE — DATE 5-24-51

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	7.779				7.779	T.P. PAGE 134
+	4.214		4.189			
⊼	11.993	-1.732	-1.731		-1.731	TIES-PAGE 95
P.O.T.—	5.946		5.920		6.003 ~~6.048~~	P.O.T.Z-4C-Elev.
Z-4C	6.047					PACIFIC COAST HWY & GUERNSEY AVE
+	6.121		6.075			170'E. & 252'S. (=434+60) - ALSO 16.6E & 140.6S. OF E. edge C.A.C. Toilet BLDG.
⊼	12.168	+5.658	+5.656		+5.657	#2475 - F.B. 1445 - 44.
SET -	0.463		0.419		11.657	AN 18" 4 x 4 STK. WITH BT. SPK. & W. 24 DI... TIES PAGE 95
B.M.ZB-10	11.705				~~11.705~~	SET
+	1.826		1.733			B.M. ZB-10 - Elev.
⊼	13.531	-0.285	-0.288		-0.287	137.07 N. & 0 E. ABOVE B.M. & 16.6 E. ... OF TOILET BLDG. #2475 AT STA. 4+... & LARGE BT. SPK. & W. IN MACADAM ... TIE PT. PER PG. 95 — BLDG #2475 - F. ... 44
—	2.111		2.021			
T. P.	11.420				11.418	T.P.
+	6.469		6.510			
⊼	17.889	+1.849	+1.849		+1.849	△ PT. DUME-H9A PG. ...
PT. DUME	4.620		4.661		13.213	△ STA.
H9A	13.269				~~13.269~~	PT. DUME-H9A ELEV.
+	6.172		6.210			COAST HWY. ± 475' E. OF TRANCAS CREEK BRIDGE
⊼	19.441	+3.657	+3.653		+3.655	F.B. 1652 - TIES F.B. 930-96.
—	2.515		2.557			ASTD BRASS DISC. IN 12" x 12" CONC. MON. ... 15' S. of S. edge of CONC. PAV.
T. P.	16.926				16.922	T.P.
+	5.588		5.525			
⊼	22.514	+1.666	+1.664		+1.665	
Fd —	3.922		3.861		18.527 ~~18.587~~	Fd ... C.L.S.)
U.S. 1314	18.592					U.S. 1314 - Elev. 18.527 - 1.94...
+	2.355		2.165			DUME CREEK (ZUMA CREEK) 1.8 MI. ...
⊼	20.947	-7.418	-7.419		-7.418	TRANCAS CREEK, ON STATE HWY. ...
—	9.773		9.584			#2372 AT W. END OF WALK. STAMPED ... BROKE. TABLET STAMPED ... 1938 SEE F.B. 1445 - PG.
T.P.	11.174				11.169	T.P.

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES RED
DATE
NOTES CHKD. V.Q.J.
DATE 4-13-53

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES
SURVEY BY G.V.C. CRUMLEY DATE 5-24-51
NOTES BY G.V.C. E. C. Johnson DATE
INDEXED DATE

F.B. 730 Pg. 136

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	11.174				11.169	T.P.
+	1.060		0.960			
=	12.234	-4.252	-4.253		- 4.252	
-	5.312		5.213		6.860	Fd. *
Fd. * P-1	6.922				~~6.917~~	P-1 - ELEV. 6.87 - F.B. 1122 - 252 COAST HWY. - W. SIDE TRANCAS CREEK BRIDGE ON EAST PROP. LINE OF HOUSE # ? 233.00 S of L&T OF L&T. ON BROAD BEACH RD. PROD. PER 1122-147 A.C.S. BRASS CAP MON. 3" DN. ETIES
+	5.613		5.538	5.662		
=	12.535	+1.893	+1.961	+1.893	+ 1.893	
-	3.720		3.632	3.769		
T.P.	8.815				8810	T.P
+	4.676		4.642			
=	13.491	-1.684	-1.683		- 1.684	
~~X~~PT -	6.360		6.325		~~7.072~~ 7.072	(N.G) TIES PAGE 96
Z-5	7.131				~~4.826~~	XPT. Z-5 - ELEV.
+	5.870		5.810			COAST HWY. & TRANCAS CREEK - OPPOSITE ENTRANCE TO COUNTRY STORE + 170' S. OF S. SIDE BROAD BEACH RD.
=	13.001	+1.140	1.137		+1.139	A. C.S. 30" BRASS CAP MON. 18" DN.
-	4.730		4.673			
T.P	8.271				8.265	T.P. FOR NEW ELEV. ON Z-5 SEE F.B. 3790-150 MF 5-22-70
+	5.832		5.780			
=	14.103	+1.716	+1.717		+ 1.716	
-	4.116		4.063			
T.P.	9.987				9.981	T.P
+	4.245		4.310			
=	14.232	+0.947	+0.947		+ 0.947	
SET -	3.298		3.363		10.879	SET
BM.ZB-11	10.934				~~10.928~~	B.M ZB-11 - ELEV.- BROAD BEACH RD. 1/4000'W. COAST HWY. INTER. SET L&T S.E. COR. CONC. PORCH BACK OF HOUSE # 30904
+	2.238		2.334			
=	13.172	-2.035	2.033		- 2.034	
-	4.273		4.367			
T.P	8.899				8.894	

4.245
3.298

FORM 353 1M 8-45

3/1/22

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES RED. JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES ZUMA BEACH, E.
DATE SURVEY BY C.K. RUMLEY DATE 5-24-52 - 5-27-52
NOTES CHKD. U.Q.J. NOTES BY C.K.C.
DATE 4-13-53 INDEXED R. C. Johnson DATE
F.B. 930 PG. 37

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	8.899				8.894	T.P. PG. 136
+	4.962		5.012			
∧	13.861	+0.081	+0.082		+ 0.381	
−	4.881		4.930			
T.P.	8.980				8.975	
+	5.048		5.135			
∧	14.028	-0.588	-0.588		- 0.588	
4PT. −	5.636		5.723		8.343 ~~8.387~~	& PT TVES PG 91
Z-6	8.392					Z-6 - Elev. BROAD BEACH RD. ±1752' W. INTER. COR. HWY AT TRANCAS CREEK. - ±8' S. OF HOUSE # 31020 A 30" C.S. BRASS CAP MON. -14" DN.
+	5.354		5.342			
∧	13.746	+1.457	+1.454		+ 1.452	
−	3.903		3.888			
T.P.	9.843				9.839	
+	3.685		3.664			
∧	13.531	+0.312	+0.312		+ 0.312	
−	3.376		3.352			
T.P.	10.155				10.151	
+	5.140		5.077			
∧	15.295	-0.920	0.917		- 0.919	
SET −	6.060		5.994		9.195 ~~9.232~~	SET B.M. ZB-12 Elev. BROAD BEACH RD. ±2900' W. INTER. COR. HWY AT TRANCAS CREEK. SET LAT. IN CONC. WALK S.E. COR. PATIO HOUSE # 31120
B.M. ZB-12	9.235					
+	3.587		3.560			
∧	12.822	+0.435	+0.435		+ 0.435	
−	3.152		3.125			
T.P.	9.670				9.667	
+	3.418		3.405			
∧	13.088	+2.928	2.925		+ 2.927	
−	0.490		0480		12.598 ~~12.594~~	T.B.M. S. END OF E. 2½ CONC. BLOCK WALL AT HOUSE # 31250, 700 S.W. COR. OF
T.B.M.	12.598					

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED ICK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

18.070
17.476
.596

383

JOB NO. 8412 SURVEY OF BEACH E. ROSADA STUDIES (ZUMA BEACH, ETAL) NOTES RED
SURVEY BY C.V. CRUMLEY DATE
NOTES BY C.H.C. DATE 5-29-51 NOTES CHKD J.R.J.
INDEXED A. C. JOHNSON DATE DATE 4-13-53

F.B. 930 PG. 138

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	12.598				~~12.594~~ 12.558	T.B.M. PG. 137
+	4.505		4.495			
⊼	17.103	-1.858	-1.858		1.858	
−	6.363		6.353			
T.P.	10.740				10.736	T.P.
+	7.727		7.699			
⊼	18.467	+7.330	+7.332		7.331	
C.S. −	0.397		0.367		18.034	Fd. ?
B.M. 657	18.070				~~18.067~~	C.S.B.M. #657. Elev NO 1942 DATUM
+	5.536		5.527			BROAD BEACH RD, ±5000' W. OF TRANCAS
⊼	23.606	-6.258	6.258		6.258	CANYON (COAST HWY) — 200' E. of OLD HWY 6"x6"
−	11.794		11.786			POST MARKED 383+00 — ±500' E. of Z-7"
T.P.	11.812				11.809	FD. CHISELED "□" MARKED L.A. □ CO." TOP CTR. of
+	2.784		2.760			SOUTH HDWALL CONC. CURB — MAY BE 657 OF
⊼	14.596	-3.008	3.008		3.008	L.B. 331-160 — ELEV. 17.474 + T.P.
⊼ PT. −	5.792		5.768	N.G.	~~8.771~~	⊼ PT. TIES PAGE 98
Z-7	8.804				~~8.784~~	Z-7 - Elev —
+	6.422		6.361			BROAD BEACH RD. ± 5500' W. TRANCAS CANYON
⊼	15.226	+3.009	3.009		3.009	AT COAST HWY. ± 5' W. OF W. LINE HSE #31344
SET −	3.413		3.352		11.782	A 30" O.S. BRASS CAP MON. 18" D.H. ON BEACH.
B.M. ZB-13	11.813				~~11.810~~	158.5' S. of SPK. IN BROAD BEACH RD. SET FOR T.B.M.'S THIS AREA SEE (Pm)
+	3.667		3.652			B.M. ZB-13. Elev ZB3790-153 5-26-70
⊼	15.480	-1.212	-1.214		1.213	L. & T. IN CONC. WALK W. Side HOUSE # 31336
−	4.879		4.866			7'S. of CHIMNEY & 131' E of Z-7 ABOVE
T.P.	10.601				10.597	T.P.
+	5.187		5.182			
⊼	15.788	+0.572	+0.575		0.573	
−	4.615		4.607			
T.P.	11.173				11.170	T.P.

197

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

11.442
11.437

NOTES RED
DATE
NOTES CHKD. UQ
DATE 4-13-52
JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES
SURVEY BY C.W. CRUMLEY
NOTES BY C.W.C.
INDEXED E. C. Johnson
DATE 5-8-52
DATE
F.B. 730 Pg. 139

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	11.173				11.170	T.P.
+	4.060		4.042			
Λ	15.233	-1.504	-1.505		-1.504	
−	5.564		5.547			
T.P.	9.669				9.666	T.P.
+	5.825		5.809			
Λ	15.494	+4.101	+4.101		+4.101	
−	1.724		1.708			
T.P.	13.770				13.767	T.P.
+	11.437		11.430			
Λ	25.207	+10.165	+10.166		+10.165	
−	1.272		1.264			
T.P.	23.935				23.932	T.P.
+	11.437		11.415			
Λ	35.372	+10.124	+10.125		+10.125	
−	1.313		1.290			
T.P.	34.059				34.057	T.P.
+	10.415		10.410			
Λ	44.474	+5.668	+5.672		+5.670	
⊄PT. −	4.747		4.738		39.710	⊄PT. TIES PAGE 9
Z-8	39.727				39.727	Z-8 Elev.
+	3.663		3.638			COAST HWY - OPP. STA. 360+00 & 1300' E OF
Λ	43.390	-5.026	-5.022		-5.021	WATER TANK ON S. SIDE BROAD BEACH RD. -
−	8.683		8.660			A C.S. 30" B.C. MON. 8" DN. IN OLD R.R. R/W.
T.P.	34.707				34.706	T.P. ABOVE BEACH.
+	3.499		3.487			TIES PAGE 9
Λ	38.206	-3.162	3.164		-3.163	⊄PT. Z-9. Elev.
⊄PT −	6.661		6.651		31.549	LACHUSA PT., S. END GRADED AREA,
Z-9	31.545	N.G. MON Reset 5-19-70			31.543	± 403' S. OF ABOVE Z-8, ± 1 M. S. OF T. BEACH
						A.C.S. 30" B.C. MON. 8" DN.

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES RED. DATE
NOTES CHKD. U.Q.J. DATE 4-13-53

F.B. 930 PG. 140 JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES ZUMA BEACH, ETAL)
SURVEY BY C.V. KERWALEY DATE 5-31-51
NOTES BY C.V.C. DATE
INDEXED A. C. Johnson DATE

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
APT. Z-9	31.545				~~31.546~~	APT. Z-9
+	7.355		7.346		31.529	N.G. MON. Reset 5-19-70 (KM)
⊼	38.900	+6.168	6.164		+6.166	FOR NEW ELEV. ON Z-9 SEE
−	1.187		1.182			F.B. 3790-154 (KM) 5-29-70
T.P.	37.713				37.709	T.P.
+	11.751		11.711			
⊼	49.464	+10.328	+10.329		+10.328	
−	1.423		1.382			
T.P.	48.041				48.037	T.P.
+	11.342		11.332			
⊼	59.383	+10.199	+10.199		+10.197	
−	1.143		1.133			
T.P.	58.240				58.236	T.P.
+	11.080		11.076			
⊼	69.320	+10.245	+10.244		+10.245	
−	0.835		0.832			
T.P.	68.485				68.481	T.P.
+	11.228		11.213			
⊼	79.713	+10.256	+10.256		+10.256	
−	0.972		0.957			
T.P.	78.741				78.737	T.P.
+	11.196		11.196			
⊼	89.937	+10.314	+10.318		+10.316	
−	0.882		0.878			called "MALIBU-ENCINAL"
T.P.	89.055				89.053	T.P. - ROCK IN RD. 15' INSIDE GATE AT
+	10.805		10.784			BROAD BEACH RD. & SEA LEVEL DR.
⊼	99.860	+9.744	+9.747		+9.745	
−	1.061		1.037			
T.P.	98.799				98.798	T.P.

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES RED. JOB NO. 8412 SURVEY OF BEACH EROSION STUDY
DATE SURVEY BY C.V. CRUMLEY, ZUMA BEACH ET AL F.B. 930 PG. 141
NOTES CHKD U.Q.V. NOTES BY C.V.C. DATE 5-31-51
DATE 4-13-53 INDEXED R. C. Johnson DATE

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P.	98.799				98.798	T. P.
+	10.366		10.346			
=	109.165	+6.037	+6.035		+6.036	
PT. DUNE	4.329		4.311		104.832	PT. DUNE (KLEINECK'S CONT'D. LINE)
E-8	104.836				104.834	E-8. Elev.
+	3.206		3.193			COAST HWY. + 246.5 E. of CULVERT STA. 356 + 50
=	108.042	-1.901	-1.900		-1.901	21' S. OF S. EDGE CONC. PAV. L.A. Co. 3" BRONZE DISC IN 12" X 12" CONC. MON. FLUSH.
L-583	5.107		5.093			1942 A.J.
U.S. 3005	102.935				102.933	U.S. 3005 = L-583 - Elev. 102.933
+	4.543		4.530	4.528		COAST HWY. - 3 MI. W. ZUMA CREEK BRIDGE. 10' E. OF CULVERT STA. 356 + 50. — A U.S.C. & G.S. STD BRASS DISC IN N. CURB OF CENTER DIV. STRIP - OPPOSITE W. END HORIZONTAL T. & PUMPHSE. S. SIDE BROAD BEACH RD.
=	107.478	-6.537	-6.342	-6.340	-6.342	
—	10.880		10.872	10.868		
T. P.	96.598				96.593	T. P.
+	1.763		1.740			
=	98.361	-8.351	-8.351		-8.351	
—	10.114		10.091			
T. P.	88.247				88.242	T. P.
+	1.506		1.494			
=	89.753	-9.628	-9.628		-9.628	
—	11.134		11.122			
T. P.	78.619				78.614	T. P.
+	1.237		1.215			
=	79.856	-10.149	-10.150		-10.149	
—	11.386		11.365			
T. P.	68.470				68.465	T. P.
+	1.255		1.244			
=	69.725	-10.339	-10.338		-10.339	
—	11.594		11.582			
T. P.	58.131				58.126	T. P.

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

#31665

Do not extend notes this side of this line. West Sea Level DR

F.B. 930 PG. 142 | JOB NO. 5242 SURVEY OF BEACH & EASEMENT STUDIES NOTES RED.
SURVEY BY C.M.C. MCCRACKEN, MALIBU (ZUMA BEACH, ETAL) DATE NOTES CHKD. J.Q.D.
NOTES BY C.M.C. DATE 5-31-56 & 6-1-56 DATE 4-3-57
INDEXED A. C. Johnson DATE

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	58.131				58.126	T.P.
+	1.525		1.508			
=	59.656	-10.117	-10.118		-10.117	
-	11.642		11.626			
T.P.	48.014				48.009	T.P.
+	1.196		1.198			
=	49.210	-9.851	-9.854		9.853	
-	11.047		11.044			
T.P.	38.163				38.156	T.P.
+	0.489		0.478			
=	38.652	-9.119	-9.121		9.120	
-	9.608		9.599			
T.P.	29.044				29.036	T.P.
+	2.000		1.986			
=	31.044	-6.391	-6.391		-6.391	
-	8.391		8.377			
T.P.	22.653				22.645	T.P.
+	2.347		2.328			
=	25.000	-3.460	-3.456		-3.458	
-	5.807		6.784			
SET						SET
B.M.ZB-14	19.193				19.187	B.M. ZB-14 Elev
+	3.167		3.137			WEST SEA LEVEL DR. (= LOT "A" ST. OF TR.
=	22.360	-1.888	-1.888		-1.888	#10630) - ENTER AT GATE "MALIBU-ENCINAL"
-	5.055		5.025			ON BROAD BEACH RD. ± 500' W. OF HORIZONTAL TANK
T.P.	17.305				17.299	& PUMP H.S.E., & GO 0.31 N. I. S. & W. TO HOUSE # 31665
+	3.526		3.503			SET BT. SPK. IN LEAD - W. end CONC. APRON AT GATE.
=	20.831	-6.380	-6.381		-6.380	
-	9.906		9.884			
T.P	10.925				10.919	T.P.

H.S.E. #31665

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES RED _____ JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES
DATE _____ SURVEY BY _____
NOTES CHKD. WJ. NOTES BY C.W.C. DATE 6-1-53
DATE 4-12-53 INDEXED E. C. Johnson DATE
F.B. 330 PG. 143

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	10.935				10.919	T.P.
+	6.624		6.610			
⊼	17.549	+0.942	+0.944		+0.943	
−	5.682		5.666			
T.P.	11.867				11.862	T.P.
+	3.538		3.523			
⊼	15.405	-0.997	-0.999		-0.998	
−	4.535		4.522			
T.P.	10.870				10.864	T.P.
+	4.046		4.015			
⊼	14.916	-1.292	-1.291		-1.292	
℄PT −	5.338		5.306			℄PT - TIES PAGE 100
Z-10	9.578				9.572	Z-10 - Elev.
+	11.082		11.050			WEST SEA LEVEL DR. - ENTER FROM W. SIDE BROAD BEACH RD, 46 S. & E. TO EN. TRAIL.
⊼	20.660	+8.785	+8.787		+8.786	A 30" BRASS CAP MON. - 18" D.N. ON BEAC AT TOE SLOPE.
−	2.297		2.263			
T.P.	18.363				18.358	T.P.
+	10.238		10.232			
⊼	28.601	+5.172	5.173		+5.172	
−	5.066		5.059			TIE PT. TO Z-10 - PAGE 100
RM. Z-10	23.535				23.530	RM. Z-10. ELEV.
+	4.951		4.945			A CS. 30" B.C. MON. - FLUSH - 32.24 NE OF
⊼	28.486	-5.275	-5.275		-5.275	ABOVE Z-104. PT. - APPROX. CTR. OF R.R. R/W. CUT.
−	10.226		10.220			
T.P.	18.260				18.255	
+	1.436		1.406			
⊼	19.696	-6.955	-6.955		-6.955	
−	8.391		8.361			(TIE PT. TO ℄PT. Z-10 ABOVE)
T.B.M.	11.305				11.300	T.B.M. - Elev. BT. SPR. & W. 15' UP ON SANDSTONE CLIFF 63.52 W. OF Z-10"

FORM 353 1M 8-45

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES RED. DATE
NOTES CHKD. W.O.V. DATE 4-17-53

T.B. PG. 144 JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES (ZUMA BEACH, ET AL)
SURVEY BY C.W.C. DRUMMEY DATE 6-4-51
NOTES BY C.W.C. A. C. Johnson DATE
INDEXED DATE

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	11.305				11.300	T.B.M.
+	6.048		6.047			
=	17.353	+5.482	+5.482		5.482	
✕PT −	0.566		0.565			✕PT. - PAGE 101.
Z-11	16.787				16.782	Z-11 - Elev.
+	1.184		1.168			COAST HWY. & W. END BROAD BEACH RD.
=	17.971	-8.835	8.835		8.835	ON BEACH AT MOUTH of CANYON - ON 10'X50'
Fd −	10.019		10.003			ROCK ISLAND ± 15' HIGH. A 2" I.P. WITH BRASS
						CAP IN CEMENT.
						Fd.
T.B.M.	7.952				7.947	T.B.M. Elev.:
+	4.936		4.897			Fd. CHISELED □" TOP 3' ROUND ROCK ON
=	12.888	+2.689	+2.690		2.689	BEACH AT MOUTH OF CANYON. N. END 10'X50'
−	2.247		2.207			ISLAND - ± 23' N. 31° E. of Z-11 ABOVE
T.P.	10.641				10.636	T.P.
+	6.290		6.282			
=	16.931	+1.244	+1.246		1.245	
−	5.046		5.036			
T.P.	11.885				11.881	T.P.
+	3.967		3.950			
=	15.854	-2.386	-2.387		2.386	
✕PT. −	6.355		6.337			TIES PAGE 102
Z-12	9.499				9.495	✕PT.
+	11.235		11.185			Z-12 - Elev. -
=	20.704	+10.357	+10.356		10.357	ON BEACH + 817.71 W. of CANYON AT W. END
−	0.848		0.829			BROAD BEACH RD. - 3' S. of TOE SLOPE,
T.P.	19.856				19.852	A 30" BRASS CAP MON. 18" DN.
+	5.875		5.863			T.P.
=	25.731	+4.646	4.645		4.645	
−	1.229		1.218			
						PAGE 102
RM-Z-12	24.502				24.497	RM-Z-12, Elev. 4 ABOVE
						ON TOP BANK 24.44 N. of ✕PT. Z-12,
						A C.S. 3.6" BRASS CAP MON. - FLUSH

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES RED _____ JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES
DATE _____ SURVEY BY [illegible] DATE 6-4-51
NOTES CHKD. [illegible] NOTES BY C.V.C. DATE _____
DATE 4-13-53 INDEXED A. C. Johnson DATE _____
F.B. 933 PG. 145

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
RM. Z-12	24.502				24.497	RM. Z-12
+	11.041		11.022			
⊼	35.543	+5.856	5.858		+ 5.857	
−	5.185		5.164			
T. P.	30.358				30.354	T. P.
+	9.345		9.338			
⊼	39.703	-0.242	0.242		- 0.242	
+ PT.	9.587		9.580			+ PT. TIES PAGE 103
Z-13	30.116				30.112	Z-13 ELEV.
+	8.735		8.727			DOWN DRIVEWAY & TRAIL AT COAST HWY.
⊼	38.851	+5.609	+5.607		+ 5.608	HOUSE # 32200, TO BULGE IN TRAIL
−	3.126		3.120			200' E. of CABIN ON BEACH.
						A.C.S. 30" B.C. MON. 14" DN, S. SIDE OF ALLEY ALONG SIDE OF BLUFF.
RM. Z-13	35.725				35.720	RM. Z-13, ELEV. TIES PAGE 103
+	1.287		1.267			A.C.S. 30" B.C. MON. 2" DN, IN TRAIL
⊼	37.012	-9.310	-9.313		- 9.311	83.39 N.W. OF Z-13 ABOVE.
−	10.597		10.580			
T. P.	26.415				26.409	T. P.
+	0.352		0.205			
⊼	26.767	-10.869	-10.870		- 10.869	
−	11.221		11.075			
T. P.	15.546				15.540	T. P.
+	2.375		2.370			
⊼	17.921	-2.437	-2.437		- 2.437	
−	4.812		4.807			PAGE 103
P.O.T. Z-13A	13.109				13.103	P.O.T. Z-13A. ELEV.
+	2.892		2.882			A BT. SPK. IN NOTCH, N. END HIGH POINT
⊼	16.001	-2.138	-2.140		- 2.139	ISLAND, 7.5' UP FROM BEACH, 8' SW.
−	5.030		5.022			WEST of Z-13.
Fd B.M. # ?	10.971				10.964	Fd B.M. # ? ELEV.
						Fd. OLD SPK. 5' N.W. of P.O.T. ABOVE. MAY BE T.P. OR B.M. of E.L.B. 331 [illegible] COULD NOT IDENTIFY FROM AN[illegible] STATION.

FORM 353 1M 8-45 4.129 .099

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

2168
2339
.029

F.B. 930 Pg. 146 JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES, ZUMA BEACH, ET AL.)
SURVEY BY C.V.C. CRUMLEY NOTES BY C.V.C. DATE 6-4,5-51 INDEXED A. C. JOHNSON DATE
NOTES RED. DATE
NOTES CHK'D V.O.V. DATE 4-13-53

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
ED B.M. # ?	10.971				10.964	ED. B.M. # ? Page 125
+	4.115		4.099			
⅄	15.086	-4.423	-4.421		4.422	
−	8.538		8.520			
T.P.	6.548				6.542	T.P.
+	6.145		6.134			
⅄	12.693	+0.088	+0.091		0.089	
−	6.057		6.043			
T.P.	6.636				6.631	T.P. - BT. SPK. E. BASE of 10'x20' Boulder
+	2.793		2.770			ON BEACH AT FOOT of DIRT SLIDE ± 350'
⅄	9.429	+0.167	0.167		0.167	W. of OLD CABIN ON Beach - DOWN
−	2.626		2.603			TRAIL FROM HOUSE # 32200.
T.P.	6.803				6.798	T.P.
+	3.623		3.597			
⅄	10.426	-2.768	2.769		2.768	
−	6.391		6.366			
T.P.	4.035				4.030	T.P.
+	6.694		6.644			
⅄	10.729	-0.604	0.605		0.605	
SET −	7.298		7.249			SET
B.M. ZB-15	3.431				3.425	B.M. ZB-15 ELEV.
+	11.670		11.659			SET BT. SPK. IN LEDGE ON SHELF 2' UP ON S. SIDE
⅄	15.101	+11.559	11.557		11.558	8'X15' PEAK Boulder 10' HIGH + 60' S. of
−	0.111		0.102			STAIRWAY TO NEW CABIN ON GRADED SITE
						ON SIDE OF BLUFF ± 350' E. of 42-14
						TRAIL DOWN FROM HWY STA. 300 + 30
T.P.	14.990				14.983	T.P. NAIL S. Side 2"x6" S.W. Cor. STAIRS
+	5.280		5.278			
⅄	20.270	+4.887	4.887		4.887	
−	0.393		0.391			
T.P.	19.877				19.870	T.P. END of 2x6 CROSS BRACE S.E. Cor. STAIRS - MIDDLE LANDING

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. JOB NO. 84.12 SURVEY OF BEACH EROSION STUDY F.B. 330 Pg. 44
DATE SURVEY BY C.L. RUMSEY & CONS. BEACH ST. AGY.
NOTES CHKD. V.P.L. NOTES BY C.C. JOHNSON DATE 6-5-53
DATE 4-13-53 INDEXED DATE

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	19.877				19.870	T.P. P.G. 146
+	11.793		11.789			
⊼	31.670	+11.213	+11.214		+ 11.213	
−	0.580		0.575			
T.P.	31.090				31.083	T.P
+	5.894		5.888			
⊼	36.984	-2.884	-2.882		- 2.883	
¼PT. −	8.778		8.770			¼PT. TIES PAGE 104
Z-14	28.206				28.200	Z-14. Elev.
+	4.749		4.743			DOWN TRAIL FROM COAST HWY. ST. 309 30
⊼	32.955	+0.714	+0.716		+ 0.715	TO HIGH FLAT PT.
−	4.035		4.027			A.C.S. 24" BRASS CAP MON. FLUSH.
						TIES PAGE 104
RM. Z-14	28920				28915	RM-Z-14. Elev.
+	5.975		5.977			DOWN TRAIL FROM COAST HWY ST. 309 30
⊼	34.895	-5.443	-5.440		- 5.442	TO HIGH FLAT POINT.
−	11.418		11.417			A.C.S. 30" BRASS CAP MON. Flush 47.21 W. of ¼PT Z-14 ABOVE
T.P.	23.477				23.473	T.P.
+	0.238		0.237			
⊼	23.715	-11.491	-11.493		-11.492	
−	11.729		11.730			
T.P.	11.986				11.981	T.P. - Top 4x4 Post on BEACH
+	0.221		0.213			6' S. of BOTTOM CLIFF.
⊼	12.207	-7.636	7.633		- 7.635	
SET −	7.857		7.846			SET (W. of Z-14)
B.M. ZB-16	4.350				4.346	B.M. ZB-16 Elev
+	7.897		7.863			SET BT. Spk. IN Lead. Top 4'x4' ROCK 22';
⊼	12.247	+6.471	+6.471		+ 6.471	22' S. of MAIN CLIFF & 15' W. of HIGH PT.
−	1.426		1.392			TRAIL DOWN FROM HIGHWAY ST. 309 30
T.P.	10.821				10.817	T.P. - SET SQUARE Spk. AT BOTTOM STEP E. SIDE STAIRWAY. ± 40' W. OF HIGH PT.

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED _____ DATE _____ NOTES CHKD. D.G.V. DATE 4-13-53

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES.
SURVEY BY C.K.CRUMLEY (ZUMA BEACH, ET AL
NOTES BY C.K.C. DATE 6-6-52
INDEXED E. C. Johnson DATE

F.B. 930 Pg. 148

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	10.821				10.817	T.P
+	2.376		2.358			
=	13.197	-1.754	-1.754		1.754	
-	4.130		4.112			
T.P.	9.067				9.063	
+	0.810		0.797			
=	9.877	-4.872	4.870		4.87	
-	5.682		5.667			
T.P.	4.195				4.192	
+	7.502		7.468			
=	11.697	+4.138	4.138		4.135	
-	3.364		3.339			SET
SET ZB-17	8.333				8.336	B.M. ZB-17 Elev.
+	3.323		3.315			133' W. & 16' SOUTH OF ⊕ PT Z-15 ON TOP
=	11.656	+2.397	+2.397		2.397	HIGH PT. AT FOOT OF NARROW CANYON
-	0.926		0.918			SET BT. SPK IN FACE OF BLUE CLIFF BASE OF PT.
T.P.	10.730				10.727	SEE BELOW.
+	11.284		11.268			
=	22.014	+10.661	+10.661		10.661	
-	0.623		0.607			
T.P.	21.391				21.388	
+	9.433		9.420			
=	30.824	+4.478	+4.476		4.477	
⊕PT -	4.955		4.944			⊕ PT. TIES PAGE 105
Z-15	25.869				25.865	Z-15 - Elev.
+	2.950		2.943			ON GRADED HIGH FLAT PT. DOWN CANYON
=	28.819	-7.234	-7.231		7.233	FROM DOUBLE PICKET GATE - HOUSE #32504,
-	10.184		10.174			OF COAST HWY
T.P.	18.635				18.632	A.C.S. 30 - BRASS CAP MON. 2" DN. T.P. OPP. HWY - STA. 290+63

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHKD. U.Q.I. DATE 4-13-53
INDEXED DATE

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES F.B. 232 PG. 147
SURVEY BY C.U.C. & LUNA BEACH CREW
NOTES BY C.U.C. DATE 6-6-52
C. C. Johnson DATE

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	18.635				18.632	T.P.
+	2.761		2.743			
=	21.396	-4.796	-4.798		- 4.797	
-	7.557		7.541			
T.P.	13.839				13.835	T.P.
+	1.607		1.593			
=	15.446	-2.998	2.999		- 2.998	
-	4.605		4.592			
T.P.	10.841				10.837	T.P.
+	6.783		6.776			
=	17.624	+5.176	5.175		+ 5.176	
-	1.607		1.601			
T.B.M	16.017				16.013	T.B.M. - Set BT SPK. TOP 4"X6" P. T.H. 16 (OPP. STA. 283+00 ±) AT BASE OF LONG STAIRWAY TO HOUSE #32614, TOP OF BLUFF.
+	1.348		1.311			
=	17.365	- 3.105	- 3.106		- 3.105	
SET -	4.453		4.417			
B.M. ZB-18	12.912				12.908	SET B.M. ZB-18. Elev. DOWN FROM COAST HWY STA. ± 283+00 ± AT
+	4.356		4.288			
=	17.268	- 2.336	- 2.337		- 2.337	BASE OF STAIRWAY TO BEACH FROM HOUSE #32614; ± 750' W. OF ℄ PT. Z-15 PG. 5
-	6.692		6.625			
T.P.	10.576				10.571	T.P. SET C.S. 30" BRASS CAP MON. WITH BOLT 2" UP, 4.5' W. OF STAIR ℄ AT TOE PG. 5
+	2.551		2.537			
=	13.127	- 1.893	- 1.895		- 1.894	
-	4.444		4.432			
T.P.	8.683				8.677	T.P.
+	4.325		4.311			
=	13.008	- 0.665	- 0.666		- 0.665	
-	4.990		4.977			
T.P.	8.018				8.012	T.P.

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES NOTES RED. DATE
SURVEY BY C.V.C. CRUMLEY (ZUMA BEACH ETAL.) NOTES CHKD. V.O.J.
NOTES BY C.V.C. DATE 6-6-7-51 DATE 4-13-53
INDEXED E. C. Johnson DATE
F.B. 930 Pg. 150

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P.	8.018				3.012	T. P
+	2.822		2.791			
π	10.840	+0.396	+0.397		0.396	TIE PT. PG. 106
F.D —	2.426		2.394			F.d.c.s. NOT 1942 DATUM
B.M. 671	8.414				8.408	B.M. 671. Elev. 8.452 - PER L.B. 331-192
+	2.832		2.807			FD. OLD CUT SPK. TOP 6"X6" BUFF COLORED SANDSTONE
π	11.246	+1.016	1.016		1.016	± 6' S. OF TOE OF CLIFF. ± 860' E. OF ⊥ PT. Z-16.
SET —	1.816		1.791			USED AS TIE PT. TO P.O.T. Z-15A - PG. 106.
						± 3½ MI. FROM L.A. & VENTURA CO. LINE.
						SET SEE BOT. PG.
B.M. ZB-19	9.430				9.424	B.M. ZB-19 Elev.
+	1.275		1.268			SET BT. SPK. IN LEAD TOP BLACK SANDSTONE JUTTING
π	10.705	-1.523	-1.521		1.522	OUT FROM BASE OF CLIFF + 800' E. OF ⊥ PT. Z-16
—	2.798		2.789			USED AS TIE PT. TO P.O.T. Z-15A PG. 106.
						± 50' W. OF B.M. 671 ABOVE.
T. P.	7.907				7.902	T.P. - PT. of ROCK TOE SLOPE OPP.
+	4.003		3.990			HIGH POLE ON BLUFF
π	11.910	-0.795	-0.796		0.795	
—	4.798		4.786			
T. P.	7.112				7.107	T.P.
+	9.930		9.919			
π	17.042	+7.935	+7.936		7.935	
—	1.995		1.983			
T. P.	15.047				15.042	T.P.
+	9.848		9.829			
π	24.895	+5.930	+5.930		5.935	
⊥ PT. —	3.918		3.899			⊥ PT. TIES PAGE 107
Z-16	20.977				20.972	Z-16 - Elev.
+	11.300		11.286			AT MOUTH OF CANYON ON SANDY PT. AT END
π	32.277	+11.200	+11.198		11.199	OF ROAD FROM HWY. 1 ½ MI. E. OF DECKER RD.
—	0.100		0.088			CANYON HAS CONC. DAM. 1 SEE UP FROM BEACH
						A C.S. 30" B.C. MON. 12" DN.
T.P.	32.177				32.171	T.P.

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHKD. V.Q.J. DATE 4-13-53
JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES
SURVEY BY C.K.C. & ZUMWALT, BEACH CREW (ALL)
NOTES BY C.K.C. DATE 6-7-51
INDEXED K. C. Johnson DATE
F.B. 2330 Pg. 1-57

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	32.177				32.171	
+	8.577		8.565			
=	40.754	+3.755	3.757		+3.756	
−	4.822		4.808			TIES PAGE 107
R.M.Z-16	35.932				35.927	R.M.Z-16 - Elev.
+	10.281		10.272			A.C.S. 24" B.C. MON. FLUSH, IN ROAD TOP E
=	46.213	+8.981	+8.979		+8.980	SLOPE, 54.56 FROM ⊕ PT. Z-16
−	1.300		1.293			DOWN CANYON AT COAST HWY 270+52
T.P.	44.913				44.907	T.P.
+	11.890		11.880			
=	56.803	+10.876	+10.869		+10.863	
−	1.020		1.011			
T.P.	55.783				55.776	T.P.
+	11.905		11.897			
=	67.688	+11.087	+11.085		+11.086	
−	0.818		0.812			
T.P.	66.870				66.862	T.P.
+	10.685		10.677			
=	77.555	+8.005	+8.006		+8.005	
SET −	2.680		2.671			SET
B.M.ZB-20	74.875				74.867	B.M. ZB-20 - Elev
+	11.760		11.746			±½ MI. E. of DECKER CANYON RD.
=	86.635	+10.963	+10.964		+10.964	S. COAST HWY STA. 270+52.
−	0.797		0.782			½" IRON REINFORCEING BAR TOP CONC. CURB
T.P.	85.838				85.831	T.P. 10' E. of OUTLET STA. 0.4 N. of Z-16 PAGE 107 TIES TO
+	11.762		11.751			
=	97.600	+11.222	+11.222		+11.222	
−	0.540		0.529			
T.P.	97.060				97.053	T.P.

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

255-40

NOTES RED. DATE
NOTES CHKD. U.Q.V. DATE 4-13-53

JOB NO. 84-12 SURVEY OF BEACH EROSION STUDIES (ZUMA BEACH, ET AL.)
SURVEY BY G.V. CRUMLEY
NOTES BY C.V.C. DATE 6-7-51
INDEXED A. C. Johnson DATE

F.B. 730 PG. 152

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	97.060				97.053	T.P.
+	12.015		11.992			
π	109.075	+11.695	+11.697		+11.696	
−	0.320		0.295			
T.P.	108.755				108.749	T.P.
+	11.765		11.721			
π	120.520	+10.750	+10.749		+10.749	
−	1.015		0.972			
T.P.	119.505				119.498	T.P.
+	6.371		6.368			
π	125.876	-3.179	-3.177		-3.178	
−	9.550		9.545			
T.P.	116.326				116.320	T.P.
+	4.226		4.220			
π	120.552	-4.782	-4.780		-4.781	
−	9.008		9.000			
T.P.	111.544				111.539	T.P.
+	2.497		2.492			
π	114.041	-7.578	-7.577		-7.578	
−	10.075		10.069			
T.P.	103.966				103.961	T.P.
+	2.060		2.042			
π	106.026	-9.830	-9.834		-9.832	
−	11.890		11.876			
T.P.	94.136				94.129	T.P. U.S.C.&G.S. 1942 ADJ.
+	3.871		3.863			U.S. 3007 = N. 583 - ELEV. 95.456
π	98.007	+1.331	+1.332		+1.332	COAST HWY. & DECKER CANYON RD. - N.E. COR.
−	2.540		2.531			A U.S.C. & G.S. STD BRASS DISC. B.M. SET IN
U.S. 3007	95.467				95.461	S.W. COR. OF CULVERT BOX AT HWY. STA. 25-5-+00.

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 5412 SURVEY OF BEACH EROSION STUDIES F.B. 330 P. 45-53
DATE _____ SURVEY BY C.K. Crumley / Leona Beach (Asst.)
NOTES CHKD. _____ NOTES BY C.V.C. DATE 6-7-51
DATE _____ INDEXED A. C. Johnson DATE

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						USC&GS 1942 ADJ
U.S.3007	95.456				15.456	U.S. 3007 = N-583-ERV 95.456 COAST HWY & DECKER CANYON RD. NE. C/L
+	3.965		3.959			A U.S.C.&G.S. STD BRASS DISC SET IN S.W. COR. OF CULVERT BOX AT
π	99.421	-7.172	-7.168		-7.170	HWY STA. 255+00.
−	11.137		11.127			
T.P.	88.284				88.286	T.P.
+	1.444		1.434			
π	89.728	-9.819	-9.821		-9.820	
−	11.263		11.255			
T.P.	78.465				78.466	T.P.
+	1.256		1.247			
π	79.721	-9.985	9.985		-9985	
−	11.241		11.232			
T.P.	68.480				68.481	T.P.
+	0.960		0.954			
π	69.440	-10.698	-10.697		-10.698	
−	11.658		11.651			
T.P.	57.782				57.783	T.P.
+	1.100		1.093			
π	58.882	-10.135	-10.133		-10.134	
−	11.235		11.226			
T.P.	47.647				47.649	T.P.
+	1.452		1.443			
π	49.099	-7.254	-7.251		-7.252	
−	8.706		8.694			
T.P.	40.393				40.397	T.P.
+	0.388		0.380			
π	40.781	-10.912	-10.914		-10.913	
−	11.300		11.294			
T.P.	29.481				29.484	T.P.

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES (ZUMA BEACH ETA) NOTES RED. DATE
SURVEY BY C.V.C. RUMLEY NOTES CHKD. DATE
NOTES BY C.V.C. DATE 6-8-51
INDEXED A. C. Johnson DATE

F.B. 930 Pg. 154

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P.	29.481				29.481	T. P.
+	1.610		1.601			
=	31.091	-8.982	-8.982		-8.982	
℄ PT. —	10.592		10.583			℄ PT TIES PAGE 108
Z-17	20.499				20.502	Z-17 ELEV
+	1.995		1.992			COAST HWY & DECKER CANYON RD - STA. 255+00 DOWN LACHUSA CANYON TO MOUTH OF A.C.S. 30"
=	22.494	-7.283	-7.282		-7.283	BRASS CAP MON. FLUSH ON SIDE HILL, ABOVE BEACH
O.D Spk —	9.278		9.274			± 50' W. OF CANYON, ± 70' E. OF E.P.L. NSE. #330G4 ± 25' FROM WATER
T. B.M.	13.216				13.219	T.B.M. - Fd OLD CUT SPK. 2.2' W. of
+	1.117		1.088			RP. Z-17 BT. SPK., TOP OF ROCK IN CTR
=	14.333	-5.211	-5.212		-5.211	OF LACHUSA CANYON - PAGE 108
—	6.328		6.300			
T. P	8.005				8.008	T. P
+	4.348		4.314			
=	12.353	+1.204	+1.204		+1.204	
—	3.144		3.110			
T. P.	9.209				9.212	T. P.
+	5.523		5.515			
=	14.732	-0.032	-0.033		-0.033	
—	5.555		5.548			
T. P.	9.177				9.179	T. P
+	9.000		8.987			
=	18.177	+7.159	+7.157		+7.158	
℄ PT. —	1.841		1.830			℄ PT. TIES PAGE 109
Z-18	16.336				16.337	Z-18 ELEV.
+	5.350		5.338			MOUTH OF CANYON W. OF HOUSE # 33212
=	21.686	+3.759	+3.759		+3.759	A.C.S. 3.30" BRASS CAP MON. FLUSH TOP
—	1.591		1.579			OF SAND DUNE ± 45' N. OF ROCKY BEACH.
RM. Z-18	20.095				20.096	RM. Z-18 Elev
						Page 155

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHKD. DATE
INDEXED DATE

JOB NO. 8412 SURVEY OF BEACH & KUSIN STUDIES
SURVEY BY Schlichting DATE 6-8-57
NOTES BY C. McL. DATE 6-8-57
E. C. Johnson DATE

F. B. 334 Pg. 155

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
RM. Z-18	20.095				20.096	RM. Z-18. ELEV. Page 4
+	4.023		4.005			6' UP FROM TOE OF SLOPE, SPUR DOWN FROM
⊼	24.118	+0.306	+0.306		+0.306	HOUSE # 3312.
−	3.717		3699			A.C.S. 30" BRASS CAP MON. FLUSH, N 0.67
T.P.	20.401				20.402	N.E. OF & PT. Z-18 - Page 154
+	3.143		3.129			TIES PAGE 10 ,
⊼	23.544	-2.203	-2.203		-2.203	T.P.
−	5.346		5.332			
T.P.	18.198				18.199	T.P.
+	8.733		8.710			
⊼	26.931	+7.266	+7.268		+7.267	
−	1.467		1.442			
T.P.	25.464				25.466	T.P.
+	4.860		4.824			
⊼	30.324	+0.428	+0.428		+0.428	DOWN TRAIL AT 234 +56
SET −	4.432		4.396			SET
B.M. ZB-21	25.892				25.894	B.M. ZB-21, Elev.
+	5.806		5.792			SET BT SPK. & T. END OF BLACK TOP
⊼	31.698	-4.599	-4.602		-4.600	WALK DOWN FROM HOUSE #3336 AT N
−	10.405		10.394			O.F BLUFF. (HAS 12' WIDE RED BRICK CHIMNEY.
T.P.	21.293				21.294	T.P. 1100' N. OF WATER I 65' E. HSE. OF SAC.
+	4.342		4.336			AT Z-19
⊼	25.635	+1.569	+1.569		+1.569	
4 PT −	2.773		2.767			4 PT. TIES PG 10
Z-19	22.862				22.863	Z-19 Elev.
+	1.285		1.277			DOWN TRAIL FROM COAST HWY. STA. 234 +56
⊼	24.147	-6.292	-6291		-6.292	W END GRADED AREA + 65' W. OF HOUSE.
−	7.577		7.568			BEACH BACK AC HOUSE # 3336
T.P.	16.570				16.571	A.C.S. 30" BRASS CAP MON. 4" DEEP.
						T.P.

FORM 353 1M 7-43

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 930 Pg. 156

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES NOTES RED. DATE

SURVEY BY C.V. CRUMLEY (ZUMA BEACH, ETAL) NOTES CHKD. DATE

NOTES BY E.K.C. DATE 6-12-57

INDEXED R. C. Johnson DATE

B. M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	16.575				16.571	T.P.
+	1.578		1.558			
=	18.148	-6.399	6.401		-6.400	
C.S. –	7.977		7.959			Fd. MAYBE NOT 1942 DATUM
B.M. 670	10.171				10.171	C.S. B.M. 670 ("52") - ELEV. 9.550 - LB 331-190
+	2.952		2.943			Fd. old cut spk. with Hd BENT, W. END LONE
=	13.123	-1.116	1.116		-1.116	ROCK OUTCROPPING ON BEACH, 50' FROM TOE
–	4.068		4.058			BANK.
T.P.	9.055				9.055	T.P.
+	2.278		2.267			
=	11.333	-2.486	2.486		-2.486	
–	4.763		4.753			
T.P.	6.569				6.569	T.P.
+	3.821		3.790			
=	10.390	+1.075	+1.077		+1.076	
–	2.746		2.713			
T.P.	7.644				7.645	T.P.
+	7.617		7.606			
=	15.261	+2.983	+2.983		+2.985	
4PT. –	4.632		4.621			4PT TIES PAGE 111
Z-20	10.629				10.630	Z-20 ELEV.
+	4.064		4.045			C.S. BRASS CAP CEMENTED IN TOP FLAT
=	14.693	+1.104	+1104		+1.104	ROCK ON POINT OF ORNAMENTAL STAIR
–	2.960		2941			WAY TO BEACH. ± 6' UP FROM BEACH.
T.P.	11.733				11.734	T.P.
+	7.404		7.355			
=	19.137	+3.353	+3.353		+3.353	4PT TIES PAGE 112
4PT –	4.051		4.002			Z-21 Elev.
Z-21	15.086				15.087	C.S. 3½" BRASS CAP MON. 16" DOWN ON
						S. EDGE & GRADED FLAT, 30' E. OF END
						OF BLACK-TOP DR. DOWN FROM HWY
						STA. 2+74+25

FORM 353 1M 8-38

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHKD. DATE
NOTES BY C.V.C. DATE 6-12-57
INDEXED A. C. Johnson DATE

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES
SURVEY BY C.V.C. & RUNDLEY ZUMA BEACH AREA
F.B. 730 PG. 15-17

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
✕PT. Z-21	15.086				15.087	✕PT. Z-21 PG. 15
+	6.797		6.792			
✕	21.263	+4.037	21.258		+4.036	
−	2.120		2.126			TIES PG. 17
RP. Z-21	19.143				19,123	RP Z-21 FLEX
+	2.120		2.108			LAND: BT. S. DR. W. AT. IN W. EDGE BLACK TOP
✕	21.243	-9.094	-9.097		-9.096	DRIVE - 43.79 N. OF Z-21 ABOVE.
−	11.214		11.205			FROM END OF DR. DOWN FROM HWY 21.2
T. P.	10.029				10.027	T.P.
+	1.957		1.935			
✕	11.986	-0.912	-0.925		-0.909	
−	2.869		2.840			
T. P.	9.117				9.118	T.P.
+	2.767		2.719			
✕	11.884	-4.460	-4.461		-4.461	
−	7.227		7.183			
T. P.	4.657				4.657	T.P.
+	6.912		6.902			
✕	11.569	+3.223	+3.223		+3.226	
SET −	3.687		3.675			SET
ZB-22	7.882				7.883	B.M. ZB-22. Elev.
+	4.140		4.128			SET LARGE BT. SPK & WK TOP OF BLUFF S
✕	12.022	-2.651	-2.652		-2.651	STONE OUTCROPPING FROM BASE OF BLU
✕PT −	6.791		6.780			9"X14" X 2.5" HIGH. SPK. IS 9.5' S. & 1.0 FT. FACE
Z-22	5.231				5.232	BLUFF, 18' E. OF ✕PT. Z-22 PG. 118.
+	8.412		8.377			TIES PG. 113.
✕	13.643	+6.475	+6.478		+6.477	✕PT. Z-22. Elev.
−	1.937		1.899			A 24" B.C. MON. 12" DN. AT BASE OF BLUF
T. P.	11.706				11.709	SAND STONE BLUFF - T. 130' E. OF TRAIL
						HOUSE ON TOP OF BLUFF.
						T.P.

FORM 353 1M 8-38

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES NOTES RED. DATE
SURVEY BY C.V. CRUMLEY (ZUMA BEACH ETAL) NOTES CHKD. DATE 6-13-52
NOTES BY C.V.C. DATE
INDEXED E. C. Johnson DATE

F.B. 930 PG. 158

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	11.706				1709	T.P.
+	6.170		6.151			
⊼	17.876	-2.998	3.002		-3.00 X 0	
℄ PT.	− 9.168		9.153			
	8.708				8.708	℄ PT. TIES PAGE 114
Z-23						Z-23 ELEV.
+	6.892		6.874			DOWN FROM COAST HWY STA. 7 198+50 - GATE
⊼	15.600	+5.902	5.899		15.900	TO HSE. # 33836 - TOP OF FLAT ROCK ± BASE OF SPUR JUTTING INTO OCEAN ± 150'E. CONC. BOX CULVT. DATE 1925 - A.C.S. BRASS CAP IN CEMENT.
U.S.C.&G.S.	− 0.990		0.975			Fd. NO REF
HYD. RUF	14.610				14.608	U.S.C.&G.S. HYDROGRAPHIC STA. RUF 1933
+	2.813		2.793			ELEV.
⊼	17.423	-0.154	-0.153		-0.154	A STD BRASS DISC. CEMENTED IN TOP OF ROCK TOP OF CLIFF ± 3' FROM S. EDGE ± 150' N.E. OF ABOVE ℄ PT. Z-23
	− 2.967		2.946			
T.P.	14.456				14.454	T.P.
+	3.040		3.027			
⊼	17.496	-2.959	-2.958		-2.958	
SET	− 5.999		5.985			SET
ZB-23	11.497				11.496	B.M. ZB-23 ELEV.
+	11.127		11.105			LARGE BT. SPK. & W. IN LEAD TOP OF YELLOW SANDSTONE LEDGE ± 22' LONG JUTTING S.W.LY INTO OCEAN, AT BASE OF GRADED FLAT SPUR SOUTH SIDE ROAD ± 145' W. OF CONC. BOX CULVERT DATED 1925 ON N.D. WALL ± 30' S. OF 3/4" I.P. P.O.T. Z-23B Page 115
⊼	22.624	+9.336	9.336		+9.336	
	− 1.791		1.769			
T.P.	20.833				20.832	T.P.
+	11.193		11.174			
⊼	32.026	+9.535	9.534		+9.535	
	− 1.658		1.640			
T.P.	30.368				30.367	T.P.
+	11.141		11.130			
⊼	41.509	+10.278	+10.280		+10.279	
	− 0.863		0.850			
T.P.	40.646				10.646	T.P.

FORM 353 1M 8-38

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHKD. DATE
INDEXED DATE

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES, F.B. 930 PG. 159
SURVEY BY G.W.C. Krumbein, B. Eaton, E. [illegible]
NOTES BY G.W.C. DATE 6-13-51
E. C. Johnson DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	40.646				40.646	T.P. PG. 158
+	9.973		9.966			
π	50.619	+8.332	+8.333		+8.332	
−	1.641		1.633			
T.P.	48.978				48.978	T.P
+	9.542		9.531			
π	58.520	+8.109	+8.110		+8.110	
−	1.433		1.421			
T.P.	57.087				57.088	T.P. Large BT. spk. in RD. N.W. & E.H.S.E.
+	10.937		10.707			
π	68.024	+9.584	+9.583		+9.583	
−	1.353		1.324			
T.P.	66.671				66.671	T.P
+	11.300		11.285			
π	77.971	+10.048	+10.048		+10.048	
−	1.252		1.237			
T.P.	76.719				76.719	T.P
+	11.491		11.470			
π	88.210	+10.534	+10.530		+10.532	
−	0.957		0.940			
T.P.	87.253				87.251	T.P.
+	11.940		11.925			
π	99.193	+10.895	+10.894		+10.894	
−	1.045		1.031			
T.P.	98.148				98.145	T.P.
+	12.041		11.924			
π	110.189	+10.781	+10.780		+10.781	
−	1.260		1.144			
T.P.	108.929				108.926	T.P.

FORM 353 1M 8-38

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES
SURVEY BY C.V. CRUMLEY (ZUMA BEACH, ETAL.)
NOTES BY C.Y.C. DATE 6-13-51
INDEXED A. C. Johnson DATE
NOTES CHKD. DATE
NOTES RED. DATE

F.B. 930 Pg. 160

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	108.929					
T.P.	108.929				108.926	T.P. P.S. 159
+	6.441		6.430			
⊼	115.370	+2.810	+2.807		+2.808	
P583 −	3.631		3.623			Fd U.S.C.&G.S. 1942 ADJ.
U.S.3008	111.739				111.734	U.S.3008 = P-583-Elev. 111.744
+	3.512		3.506			COAST HWY - 6.2 MI. W. of ZUMA CREEK BRIDGE
⊼	115.251	-7.682	-7.682		-7.682	AT STA. E 198+50 - AT PICKET GATE WITH 4 SANDSTONE PILLARS - HSE # 3834-6
−	11.194		11.188			A U.S.C.&G.S. STD BRASS DISC. IN 10" X 10" CONC. MON. FLUSH - ON LINK FENCE LINE - 25' E. OF W'ly COR.
T.P.	104.057				104.052	T.P.
+	1.059		1.040			
⊼	105.116	-10.586	-10.588		-10.587	
−	11.645		11.628			
T.P.	93.471				93.465	T.P.
+	1.875		1.848			
⊼	95.346	-9.500	-9.502		-9.501	
−	11.375		11.350			
T.P.	83.971				83.964	T.P.
+	1.111		1.082			
⊼	85.082	-10.552	-10.552		-10.552	
−	11.663		11.634			
T.P.	73.419				73.412	T.P.
+	1.048		1.039			
⊼	74.467	-10.074	-10.073		-10.074	
−	11.122		11.112			
T.P.	63.345				63.338	T.P.
+	1.564		1.528			
⊼	64.909	-6.318	-6.321		-6.319	
−	7.882		7.849			
T.P.	57.027				57.019	T.P. LARGE BT. SPK. IN RD. OPP. HSE.

FORM 353 1M 9-38

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES
DATE SURVEY BY [illegible] RUMLEY (ZUNI BEACH ETC.)
NOTES CHKD. NOTES BY C.V.C. DATE 6-12-57
DATE INDEXED R. C. Johnson DATE

F.B. 730 PG. 61

IN CTR. OF TRAVELLED RD

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	57.027				57.019	T.P. PG. 16
+	1.567		1.557			
=	58.594	-9.760	9.760		-9.760	
-	11.327		11.300			
T.P.	47.267				47.259	T.P.
+	1.682		1.635			
=	48.949	-5.938	5.936		-5.937	
-	7.620		7.571			
						TIES PG. 115
R.M. P.O.T.Z-23A	41.329				41.322	R.M. P.O.T. Z-23A. ELEV.
+	3.148		3.125			NICHOLAS CANYON - ON OLD R.R. R/W USED FOR
=	44.477	-1.207	-1.205		-1.206	BEACH RD. A.C.S. 24" B.C. MON. 2' [illegible] TR.
-	4.355		4.330			FILL + 22' S. OF CTR. RD. + 30' [illegible] TR.
						CONC. BOX CULVERT DATED 1925 S.N.D. 1011
						& 157.50 N.E. of P.O.T. Z-23A - [illegible]
P.O.T.Z-23A	40.122				40.116	P.O.T. Z-23A. ELEV.
+	4.971		4.963			NICHOLAS CANYON - W. SIDE + 3' N. OF [illegible] E.
=	45.093	-5.492	-5.491		-5.492	FLAT (BLDG SITE) TAP SPUR PF. [illegible] 2N.
-	10.463		10.454			N.W. OF P.O.T. Z-23.
						A.C.S. 30" BRASS CAP MON. 6' [illegible]
						TIES PG. 115
T.P.	34.630				34.624	T.P.
+	1.845		1.832			
=	36.475	-8.726	-8.726		-8.726	
-	10.571		10.558			
T.P.	25.904				25.898	T.P.
+	3.116		3.088			
=	29.020	-0.462	-0.464		-0.463	
-	3.578		3.552			
T.P.	25.442				25.435	T.P.
+	5.471		5.336			
=	30.913	+0.850	+0.851		+0.850	
SET -	4.621		4.485			SET
B.M. ZB-24	26.292				26.285	B.M. ZB-24 - Elev.
						ON BEACH RD (OLD R.R. R/W) + 1200' [illegible] NICHOLAS
						CANYON & OPPOSITE EMBANKMENT [illegible]
						SITE. - SET C.S. 30" B.C. MON. WITH BUTTON [illegible] HOLE

FORM 353 1M 8-38

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

5.341
4.421
.920

Do not extend notes this side of this line

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES NOTES RED. DATE
SURVEY BY C.V.G. CRUMLEY (ZUMA BEACH ET AL.) NOTES CHKD. DATE
NOTES BY C.V.G. DATE 6-14-51
INDEXED R. C. Johnson DATE

T.B. 920 Pg. 162

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM ZB-24	26.292				26.285	B.M. ZB-24 Pg. 161
+	5.363		5.341			
⌅	31.655	+0.922	+0.920		0.921	
−	4.441		4.421			
T.P.	27.214				27.206	
+	4.453		4.387			
⌅	31.667	+0.200	+0.200		0.200	
−	4.253		4.187			
T.P.	27.414				27.406	
+	5.362		5.234			
⌅	32.776	+0.121	+0.219			
4 PT −	4.941		4.915			4 PT. TIES PAGE 116
Z-24	27.835					Z-24 ELEV. ON BEACH RD (OLD R.R. R/W.) ± 1800' W. OF NICHOLAS CANYON ± 22' E. OF BLACK TOP TRAIL DOWN FROM TOP BLUFF. AT BLDG SITE. A C.S. 3" BRASS CAP MON. 12" DN APPROX CTR OF R/W.
+	5.564		5.540			
⌅	33.399	−0.091	−0.092		−0.092	
−	5.655		5.632			TIES PAGE 116
RM Z-24	27.744					RM. Z-24 Elev. A.C.S. 3" BRASS CAP MON. 10" DN IN HANDHOLE 20' S. OF Z-24. - S. EDGE TRAVELLED ROAD
+	4.746		4.705			
⌅	32.490	−2.076	−2.078		−2.077	
−	6.822		6.783			
T.P.	25.668					T.P.
+	2.739		2.709			
⌅	28.407	−4.654	−4.654		−4.654	
−	7.393		7.362			
T.P.	21.014					T.P.
+	3.940		3.903			
⌅	24.954	+0.497	−0.499		−0.498	
−	4.437		4.402			
T.P.	20.517					T.P.

FORM 353 1M 8-38

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED. JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES F.B. 930 PG. 163

DATE SURVEY BY C.K. CRUMLEY (ZUNIGA, BEACH ETAL)

NOTES CHKD. NOTES BY C.K.C. DATE 6-14-55

DATE INDEXED R. C. Johnson DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	20.517					T.P. PG. 162
+	6.232		6.202			
π	26.749	+3.096	+3.095		+3.095	
−	3.136		3.107			
T.B.M.	23.613					T.B.M. - S.E. COR. of SPLIT 2" A.P. & S.
+	7.897		7.881			O.F. OLD FENCE UP BLUFF, ± 8 N. OF S. EDGE
π	31.510	+4.027	+4.025		+4.026	BANK ON BEACH.
4 PT. −	3.870		3.856			4 PT. TIES PG. 11
Z-25	27.640					Z-25 ELEV.
+	4.072		4.059			A.C.S. 30" BRASS CAP MON. 12" D.V. IN SIDE
π	31.712	+0.112	+0.116		+0.114	OLD R.R. CUT 8.5 S. OF BANK & 2.6 E. OF ARROYO SEQUIT COAST HWY. BRIDGE
−	3.960		3.943			
T.P.	27.752					T.P. PT. ON ROCK, IN RD.
+	3.515		3.496			
π	31.267	+0.521	+0.523		+0.522	
−	2.994		2.973			
T.P.	28.273					T.P.
+	6.823		6806			
π	35.096	+1.034	+1.038		+1.036	
−	5.789		5.768			
T.P.	29.307					T.P.
+	4.464		4.435			
π	33.771	−1.536	−1.535		−1.536	
SET −	6.000		5.970			SET
ZB-25	27.771					BM. ZB-25. ELEV.
+	3.994		3.956			COAST HWY ± 2000' E. of ARROYO SEQUIT BRIDGE,
π	31.765	−5.340	−5.339		−5.339	± 300' S. OF STA. 151+80. - ON OLD R.R. R/W.
−	9.334		9.295			A.C.S. 30" BRASS CAP MON. WITH BUTTON UP.
						10' N. OF S. BANK, ± 360' E. OF WILLOW CREEK
T.P.	22.431					CANYON. CULVERT ACROSS R/W.
						T.P.

FORM 353 1M 8-38

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

88.63
69.02
108.05

Do not extend notes this side of this line

B. 93 Pg. 164

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES (ZUMA BEACH ETAL) NOTES RED. DATE
SURVEY BY C.V.C. RUMLEY DATE
NOTES BY C.V.C. DATE 6-15-51 NOTES CHKD. DATE
INDEXED E. C. Johnson DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	22.431					T.P. PAGE 163
+	1.924		1.892			
⊼	24.355	-2.060	-2.059		-2.060	
−	3.984		3.951			
T.P.	20.371					T.P.
+	5.927		5.903			
⊼	26.298	+2.036	+2.035		+2.035	
−	3.891		3.868			
T.P.	22.407					T.P.
+	2.322		2.156			
⊼	24.729	-6.792	6.791		-6.792	
⊼ PT. −	9.114		8.947			⊼ PT. TIES Page 118
Z-26	15.615					Z-26 ELEV.
+	11.145		11.110			COAST HWY ± 500' E. of ARROYO SEQUIT
⊼	26.760	+9.403	+9.402		+9.402	BRIDGE. ± 160' S'LY TOP BANK S. SIDE OLD
−	1.742		1.708			R.R. R/W. ± 210' E. of OLD CROSS FENCE.
T.P.	25.018					A.C.S. 30") BRASS CAP MON. 6" DN.
+	11.283		11.220			T.P.
⊼	36.301	+10.268	+10.267		+10.268	
−	1.015		0.953			TIES PG. 118
RM. Z-26	35.286					RM. Z-26 Elev.
+	2.047		2.008			A.C.S. 24" BRASS CAP MON. FLUSH - 108.05
⊼	37.333	-5.627	-5.628		-5.627	N. OF ⊼ Z-26, ± 2' S. of S. R/W FENCE OF
−	7.674		7.636			COAST HWY. ± 500' E. of ARROYO SEQUIT BRIDGE.
T.P.	29.659					T.P.
+	0.995		0.987			
⊼	30.654	-6.793	-6.792		-6.793	
−	7.788		7.779			
T.P.	22.866					T.P.

FORM 353 1M 10-41

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 8212 SURVEY OF BEACH EROSION STUDIES
DATE _____ SURVEY BY G.V.K. CRUMLEY, (ZONE) BEACH ERO
NOTES CHKD. _____ NOTES BY G.V.K. DATE 6-18-51
DATE _____ INDEXED _____ DATE _____

F.B. 1330 Pg. 65

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	22.866					T.P. PAGE 16
+	1.124		1.110			
⊼	23.990	-5.362	-5.299		-5.300	
−	6.426		6.409			
T.P.	17.564					T.P.
+	4.202		4.172			
⊼	21.766	-0.884	-0.884		-0.884	
−	5.082		5.056			
						No. Ref.
B.M.	16.680	(-0.553 comp)		5.567		B.M. COAST HWY AT S.E. COR. OF ARROYO SEQ...
+	5.576		5.546			BRIDGE. F.D. 4" C.O.P. IN I.S. & CONC. ASSTM...
⊼	22.156	+0.056	0.054		+0.054	MARKED: 17.2 - DID NOT FIND C... SET
						ON S.E. WING W. 1'-4"-U.S. 1329. - Elev 16.6...
U.S.G.S.	5.523		5.492			MAY BE NEW BRIDGE. (1942 ADJ.
Q-583	16.133					U.S.G.S. Q 583 Elev. 16.581
+	0.769		0.723			COAST HWY AT ARROYO SEQUIT BRIDGE...
⊼	17.402	-8.425	-8.424		-8.424	F.D. ST'D BRASS DISC S.W. COR. BRIDGE T...
−	9.192		9.167			OF ABUTMENT, 3' S. OF SOUTH GUARD RAIL
T.P.	8.208					T.P.
+	3.050		3.023			
⊼	11.258	-1.027	1.029		-1.028	
−	4.077		4.052			
SET	7.181					SET
B.M. ZB-26	7.181					B.M. ZB-26. Elev.
+	11.305		11.280			COAST HIGHWAY AT ARROYO SEQUIT...
⊼	18.486	+10.464	+10.462		+10.463	SOUTH OF BRIDGE. 1190' E. OF RESIDENCE...
−	0.841		0.818			BLUFF. SET LARGE BT. SPK. & W. IN LEAD W. S...
T.P.	17.645					OF SANDSTONE LEDGE JUTTING INTO OCEAN
						FROM E. END.
T.P.	12.521		11.964			T.P.
+	29.666	+10.500	+10.497		+10.499	
⊼	1.521		1.467			
T.P.	28.145					T.P.

FORM 353 1M 12-41

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

L.B. 331-184
22.050
22.369
0.662 .662

JOB NO. 8412 SURVEY OF BEACH EROSION STUDIES NOTES RED
SURVEY BY C.K. RUMLEY (ZUMA BEACH ETAL) DATE
NOTES BY C.K. DATE 6-18-51 NOTES CHKD.
K. E. Johnson DATE
INDEXED DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	28.~~145~~					T.P. PAGE 165
+	7.129		7.093			
↑	35.274	+2.456	+2.456		+2.456'	
~~X~~PT. –	4.673		4.637			X PT. T.E.S. PAGE 119
Z-27	30.~~601~~ 791					Z-27 F.D.V. P.O.T. SEQUIT
+	6.972		6.938			A.C. 30' BRASS CAP MON. 6" DIA. 1.40'
↑	37.573	+4.686	+4.685		+4.685'	W. OF ~~X~~ T.E.S. SET IN BLUFF
–	2.286		2.253			
T.P.	35.~~287~~					T.P.
+	6.150		6.128			
↑	41.437	-4.960	-4.957'		-4.959'	
–	11.~~110~~ 437		11.~~085~~			
T.P.	30.~~327~~					T.P.
+	0.902		0.842			
↑	31.229	-7.596	-7.596'		-7.596'	
U.S.C.&G.S. –	8.498		8.438			
SEQUIS.	22.~~731~~ 831					

Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. [illegible] Tape No. St'd. 68° °F
Office Work	Surveyed by C.V. CRIMLEY
Checked	Notes C.V.C. Date 7-31-51
Date	Indexed E. C. Johnson 8-22-51

F. B. [illegible] Pg. 133

TIE TO S.W'Y LINE OF L.A. CO. ZUMA BEACH PROP.

X Ft. Z-5 C.V.C.

Fd. CS. 30" BRASS CAP MON. 18" DN. PER F.B. 930-96

512.8' @ T. 65° 51' 30"

R = 1118.40 51' 30"

Set 2½" I.P. & Tag at Intersect. 122'

Fd. 4" x 4" Sq. Post Mon. Cor. Per F.B. 1122-161

R = 1118.40 51' 30"

Fd. 3/4" I.P. 0.3' Above Ground

Cor. of House N 30708

Fd. L.P.T. in Conc. Pav. F.B. 1122-161

-18.0

16.72

PROP. LINE

233.09 REC. F.B. 1122-161 C.S.B. 1904

BRUCE BEACH RD. PROP.

ROOSEVELT HWY.

F.B. 1122-161

Fd. C.S.P.K. & W. F.B. 1122-161

20.01 C.S.

83.0 C.S.

P.I.

70° 30'

148

91° 13' REC. PER F.B. 1122-161

92° 04' 30"

(2) 181° 42' 00"
4 9-38-30
2 194° 37' 20" V

42° 24' 30"

TRAVERSE

BEACH CENTER LINE

+ 185.8 C.S. Fd. F.B. 1122-161 C.S.B. 1904

P.O.T. Z-4C Fd. 4"x4" 2 BT. SPK. 3" DN. IN BEACH. PER F.B. 930-95

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3088 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


TIE TO BELLY LINE OF - 桥
L.A. Co. ZUMA BEACH PROP.
C.H.C. - 8-1-57
F. B. 930 PG. 168
BEACH CONTROL LINE
(2222.35)
Ps. 91
(1757.07)
Ps. 92
239.05
P.O.T. Z-3A
FD. 3/4" I.P. W/TAG
C.S. BRASS CAP
18" DN. PER
F.B. 9350-90
(NOT CONC. MON.)
SET 1/2" I.P. W/TAG
"LS 5151"
18" DN. BY
INTERSECT.
ALIGN.
Z-3
C.S. IN MON. IN HAND HOLE IN RD. PER PAGE 89
WESTWARD
ZONING
PROP. LINE
FD. 3/4" I.P. W/TAG "LS 5151" ON SIDEWALL PER C.S.B. 1944
FD. C.S. BRASS CAP IN MON. TOE SLOPE PER E.C.I. C.S.B. 1944
AT CONC. CURB FACE
FD. I.P. W/TAG "LS 5151"

Notes Ck'd by	Survey of BEACH EROSION STUDIES
Map No.	W. O. 8412 Tape No. 2115 St'd. 68° °F
Office Work H.V.M.H.	Surveyed by C.W. CRAMBLET
Checked	Notes C.V.C. Date 3-14-51
Date	Indexed C. C. Johnson

F. B. 130 PG. 167

ZUMA

ADDITIONAL TIES
T & PT Z-3

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F3088 247 10M 1-49


F. B. 930 PG. 170
TO Z-8 - PAGE 99
ADDITIONAL TIES FOR Z-7 OF PG 98
C.V.C. - 8-15-51
See FB 2100-117
For Ties 10-26-55
COUNTY SURVEYOR
R.M. Z-7
R.E. 329
LINE
PAGE 98
1280.95 Calc
R.M. Z-7
18" ON PG. 98
C.S. B/C, MON.
PG. 98
2.0
X PT.
NEW Z-7
C.S. 30" BRASS CAP MON.
24" DN.
PAGE 98
32.81
PG 98
128.25
TAN
NEW HOUSE
BEING BUILT
E 31346
138.95
137.69 @ T = 71° = 137.70
138.94 @ T = 71° = 138.95
131.23
M.M. Prop.
137.70
R.O.T.
R.M. Z-7
SET C.S. 30" BRASS
CAP MON. 18" DN
67.85
HOUSE # 31335
CONTROL
2467.97 Calc.
PAGE 98
BEACH
BROAD BEACH RD
75° 15' 30"
(2) 152° 31' 00"
75° 15' 30"
(2) 55° 50' 00"
27° 55' 30"
(TO X PT. Z-6 Page 97)
(2) 55° 47' 40"
28° 23' 50"
PAGE 98
BT. SPK & T. IN
CONC. PAV. (BLACK TOP
SURFACE)
RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of BEACH EROSION STUDIES	F. B. 2100 Pg. 111
Map No.		W. O. 8412 Tape No. 115 St'd. 68 °F	→ ZUMA
Office Work		Surveyed by J.L. CRUMLEY	
Checked		Notes	Date 5-12-51
Date		Indexed	

TO Z-20 IN ROCK PT. AT SAGAMI. PAGE 111

See FB 2100-127 For Ties on 10-31-55

ADDITIONAL TIES FOR Z-19. PG. 110

T=66°

(1) 46.96 @ 16°-09' = 45.11
(3) 47.31 @ 17°-31' = 45.12

45.11

R.M. Z-19
SET C.S. 30" BRASS CAP MON. ON TANG. PROD. - Top of SPUR.

COUNTY SURVEYOR
R.M. Z-19
R.E. 329

PT Z-19 - C.S. MON. 4" DN - PAGE 83; 110

Fd in Q B: 1" cut spk. up 1" B.M. NOTES

45.11

90°

77.09

TANG

25.60

R.M. Z-19
SET C.S. 30" BRASS CAP MON. 2" DN. TOE SL. ON N. SIDE FLAT.

R.P. Z-19
SET SMALL BT. SPK. IN Lead TOP 6'X 18"X 9" ROCK ON BEACH.

40

90°

50'

BEACH CONTROL

T=68°

(1) 78.49 @ 10°-53' = 77.08
(2) 77.88 @ 8°-13' = 77.08

TO Z-18 IN SAND MOUND. PAGE 109

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F308B 247 10M 1-49

F. B. 930 Pg. 172

ADDITIONAL TIES FOR & PT. Z-15-Pg 105 #1

C.V.C. - 8-10-51

SET 1X2 ON BEACH FLUSH

See FB 2100-122 For Ties 10-28-55 Van

C.V.C. 8-10-51

P.O.T. - R.P. # 3
SET L & T. TOP 2X2' ROCK UP 1.2' ON BEACH

COR. of FLAT SIDE of 6'X6'X3' HIGH ROCK ON BEACH

I.P. - R.P. # 2
PAGE 105

Z-15
C.S. MON
PAGE 105

R.P. # 1 - I.P.
PAGE 105

BEACH LINE

(2) 46°-37'-30"

23°-18'-30"

300' TAPE @ 84°

(1) 213.41 @ 7°-32' ET 68° = 211.55
(2) 213.74 @ 8°-09' ET 68° = 211.56

211.55

300' TAPE @ 84°
(1) 93.42 @ 13°-09' ET = 64° = 90.96
(2) 92.84 @ 11°-33' ET = 64° = 90.95

90.955

24.16

90.955

56.795

32.53

31.83

178°

127.01

(1) 127.09 @ 0°-57' ET = 65° = 127.06
(2) 127.18 @ 2°-28' ET = 65° = 127.16

SET 3/4 I.P. & COP. WIRE CTR. IN CEM. 8' DIA. IN MOUND OF ROCKS, ON SIDE HILL 10' N. of Edge of Bluff.

SET 3/4 I.P. & COPPER WIRE CTR. IN CEM. ON SIDE HILL

10
11.55

23°-18'-30"

TOP PT. of 6'X8' ROCK AT TOE of CLIFF

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 0301.00 Tape 88 Std 84 °F
Office Work	Surveyed by M.A. Van Deren
Checked	Notes Van Date 5-14-57
Date	Indexed

F. B. 730 PG. 173

See FB 1652-133-134-225

See this FB for index

Trav Station Arroyo Sequit G-7B

ADDITIONAL TIES ON L.A. Co. TRAV STA ARROYO SEQUIT-G-7B USED TO RESET TRAV STA ARROYO SEQUIT G-7B

110.77 @ 9°45'30" T=68=109.16
level 23.755
" 1.505
134.420

50.325 T=89=50.325

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

△ Sta Line Arroyo Sequit G-7

37° 09' 10" per FB 1652-133

1- 89° 20' 00"
2- 178° 40' 00"
89° 20' 00"

89° 20' 00"

Trav Sta Arroyo Sequit G-7B taken out by Const of Hwy reset by tan Ass per FB 1652-133-134-225 Set Spk w.T. Flush Mon to be set later Mon. Replaced 6-57 by H.R. Stock

CADH TACK SPK WITH RM, RWD 8-75

50.325

134.42

4.89

21.24

7'±

8.5'±

219.5'±

RM#2 per FB 1652-225 see p 174

RM#3 per FB 1652-225 see p 174

HOUSE #39996

PACIFIC COAST HWY (U.S. 101 ALT)
State Hwy Sta 10 59+28.2
FB 1652-225

R.M. #1 Fd 3/4" I.P. set in conc 10" dp. with conc plug & copper pin. Set on line Prod thru G-7B & Sta Line=Arroyo Sequit G-7 per FB 1652-133-134-225 see 174

12" PP #1090649E

Red block Ho Mr. L.W. Austin No Number

76F3095 S&E #247 1-56

F. B. 930 Pg. 174

—DESCRIPTION—

TRAV STATION ARROYO SEQUIT G-7B

in Ventura Co. and on the Pacific Coast H.wy (US101 ALT) 0.9 Mile West of the Arroyo Sequit Bridge # 53-26 and about 1/3 Mile west of the L.A. Co-Ventura Co Bdy line

STATION MARK set S.W.T by tan tics per FB 1652-133-134-225 RESET JUNE 1957; A standard 4" Brass Tablet in conc. in 12" Sq. Pavement in S.H.H. Tablet is Stamped "L.A.CO. SURV. CONT. SUR. TRAV. STA. ARROYO SEQUIT G-7B, RESET 1957, SET BY L.A.CO. ENGR. F.B. 5834" By H.R. STOCK & PARTY

SUBSURFACE MARK- NONE

R.M. #1 Fd a 3/4" I.P. set in conc 10" dp. conc plug and copper pin. set on line prod thru G-7B & ▽ sta Line = Arroyo Sequit G-7 per FB 1652-133-134-225

R.M. #2 Fd a 3/4" I.P. set in conc 10" dp with conc plug and copper pin. per FB 1652-225

R.M. #3 Fd a 3/4" I.P. set in conc 10" dp. with conc plug and copper pin per FB 1652-225

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 0301.00 Tape 0161 Std 68 °F
Office Work	Surveyed by M.A. Van Veren
Checked	Notes Van Date 5-14-57
Date	Indexed C. Johnson

F. B. 930 Pg. 175

See FB 1652-131-132, -226

ADDITIONAL TIES @ FOR L.A.Co. TRAV STATION ARROYO SEQUIT G-7A



203.91 T=68°=203.91
107.88 T=68°=107.88
41.40 T=68°41.40
23.58 T=68°=23.58

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F3088 S&E #247 1-56

F. B. 930 Pg. 176

~DESCRIPTION~

TRAV STATION ARROYO SEQUIT G-7A

in Ventura Co on the Pacific Coast Hwy (U.S. 101 ALT) 0.65 Miles west of the Arroyo Sequit Bridge # 53-26 near to and just east of Munholland Hwy. and about 950' west of the L.A. Co-Ventura Co Bdy line.

STATION MARK:-

Set S.W.T. by tangties per FB 1652-131-132-226

RIGHT JUNE 1957, A STAINLESS STEEL 4" ROUND TABLET SET IN CONCRETE DN. 10" BELOW PVT IN A H.H. TABLET IS LETTERED "L.A. CO. SURV. CONTROL SYSTEM STATION ARROYO SEQUIT G-7A DIST 1957. SET BY L.A. CO. ENGR. R.E. 5249 6-57 H. R. STACK

SUBSURFACE MARK: NONE

RM #1 Set a 3/4" I.P. conc plug & Tag 12" dp.

RM #2 Set a 3/4" I.P. conc plug & Tag 12" dp on line prod thru G-7A & ℄ Station line - Arroyo Sequit G-7

RM #3 Fd. 3/4" I.P. set in conc 10" dp. with conc plug & copper pin and on line to ℄ Station Line - Arroyo sequit G-7 per FB 1652-226

RM #4 Set a 3/4" I.P. conc plug & Tag 12" dp

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 0301.00 Tape 0161 Std 68 °F
Office Work	Surveyed by W. A. Von Dreele
Checked	Notes Date 5-16-57
Date	Indexed B. C. Johnson

F. B. 930 Pg. 177

FB 1652-141-142

ADDITIONAL TIES FOR L.A.CO. TRAV. STATION ARROYO SEQUIT H-7C



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F3095 S&E #247 1-56

F. B. 930 Pg. 178

— DESCRIPTION —

TRAV. STATION "ARROYO SEQUIT H-7C"

In L.A. Co. on the Pacific Coast Hwy. (U.S. 101 Alt.) 0.4 mile west of the Arroyo Sequit Bridge #53-2L near to & just east of Malibu Hwy.

SUB SURFACE H.R.S. June 57

STATION MARK: Fd a std 4" brass tablet set in conc 20" dp. inscribed L.A.CO SURV CONT. SYS. TRAV. STA. ARROYO SEQUIT-H-7C-1950- set by County Surveyor. R.E. 329 per FB 1652-141-142

STATION ~~SUBSURFACE~~ MARK SET A STANDARD 4" BRASS TABLET IN CONC. ON 10" BELOW PVT. IN E.H.W. TABLET IS LETTERED "L.A. CO. SURV. CONTROL SYSTEM TRAV. STA. ARROYO SEQUIT H-7C 1950 SET BY L.A. COUNTY ENGR. C.E. 5869." H.R.S. JUNE, 1957

RM#1 Set 3/4" I.P. conc plug & tag 14" dp

R.M. #2 Set 3/4" I.P. conc plug & tag 16" dp

R.M. #3 Set 3/4" I.P. conc plug & tag 10" dp

R.M. #4 Set 3/4" I.P. conc plug & tag 14" dp

R.M. #5 Set 3/4" I.P. conc plug & tag 6" dp

R.M. #6 Set 3/4" I.P. conc plug & Tag 14" dp

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 030100 Tape 2161 Std 68 °F
Office Work	Surveyed by Martin Perez
Checked	Notes M. Arias Date 5-14-57
Date	Indexed C. Johnson

F. B. 730 Pg. 179

See FB 1652-139-140

ADDITIONAL TIES FOR L.A. CO. TRAV. STATION ARROYO SEQUIT H-7B



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F309S SAE #247 1-56

F. B. 930 Pg. 180

—DESCRIPTION—

TRAV. STATION "ARROYO SEQUIT H-7B"

In L.A. Co. on the Pacific Coast Hwy (U.S. 101 A.T.) 0.25 mile west of the Arroyo Sequit Bridge No 53-26 near to & just east of Malibu Canyon Hwy.

SUB-SURFACE H.R.S. JUNE, 1957

~~STATION~~ MARK: Fd a Std 4" brass tablet set in conc 24" dp ~~stamped~~ L.A. CO. SURV. CONT. SYS. TRAV. STA ARROYO SEQUIT H-7B-1950, set by Co Surveyor. R.E. 329 FB1652-139-140

STATION

~~SUBSURFACE~~ MARK: SET A STD. 4" BRASS TABLET IN CONC. DN. 10" BELOW PVT. IN A H.H. TABLET IS STAMPED: L.A. CO. SURV. CONT. SYS. TRAV. STA. ARROYO SEQUIT H-7B RESET 1957, SET BY L.A. CO. ENGR. R.E. 5869." H.R.S. JUNE, 1957

R.M. #1 Set 3/4" I.P. Conc plug & tag 12" dp on line prod Thru H-7B & From H-7A

R.M. #2 Set 3/4" I.P. conc plug & tag 12" dp

R.M. #3 Set 3/4" I.P. conc plug & tag 12" dp on line prod Thru H-7B & From H-7C

R.M. #4 Set 3/4" I.P. conc plug & tag 12" dp.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0501.00 Tape 0161 Std C & °F
Office Work	Surveyed by [illegible]
Checked	Notes [illegible] Date [illegible]
Date	Indexed C. Johnson

F. B. 930 PG. 181

ADDITIONAL TIES FOR L.A. CO. TRAV STATION ARROYO SEQUIT #-7A

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F309S S&E #247 1-56



F. B. 930 Pg. 182

—DESCRIPTION—

TRAV. STATION "ARROYO SEQUIT H-7A"

In L.A. Co. on the Pacific Coast Hwy. (U.S. 101 A.T.) 0.1 mile west of the Arroyo Sequit Bridge No 53-21 near to E. just east of Multnomah Hwy.

SUB-SURFACE H.R.S. JUNE, 1952

STATION MARK: Fd a std 4" brass tablet set in conc 40" dp & stamped L.A. CO. SURV. CONT. SYS. TRAV. STA. ARROYO SEQUIT-H-7A 1950, set by Co Surveyor R.E. 329 per FB 1652-137-138

STATION

SUB-SURFACE MARK: SET A STD. 4" BRASS TABLET IN A 14" X 14" CONC. PAD 12" 3" FROM SURFACE. TABLET IS STAMPED "L.A. CO. SURV. CONT. SYS. TRAV. STA. ARROYO SEQUIT H-7A RESET 1957. SET BY L.A. CO. ENGR. RE. 5869. H.R.S. JUNE, 1957

RM #1 Fd 3/4" I.P. 12" dp set in conc with conc plug and copper pin. per FB 1652-137-138

RM #2 Set 3/4" I.P. 18" dp. conc plug & tag on line prod thru H-7A. from H-7B

R.M. #3 Set 3/4" I.P. 12" dp. conc plug & tag

RM #4 Set 3/4" I.P. 18" dp. Conc plug & tag on line prod thru H-7A. From H-7

RM #5 SET A STD. BRASS CAP MON. IN A HH. MARKED, COUNTY ENGINEER RE 5869 H7A R.M. NO. 5. 1957.

RM #6 SET A STD BRASS CAP MON. ON 15" & STAMPED COUNTY ENGINEER RE 5869 H7A R.M. #6 1959. 2-25-59 E.K.R.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 030600 Tape 0161 Std 68° °F
Office Work	Surveyed by M.A. Van Dercq
Checked	Notes Vac Date 2-25-59
Date	Indexed C. Johnson

F. B. 930 PG. 183

ADDITIONAL TIES FOR L.A. Co TRAV STATION

ARROYO SEQUIT-H-7

R.M. #7 SET LEAD & TAG. SEE PG. 184

Arroyo Sequit Bridge

PACIFIC COAST HWY (CUS 101 ALT)

To Arroyo Sequit H-7A

14'

1-71-39-00
2-183-18-00

SET 2" WHITE MARKER PIPE

67.05

Mulholland Hwy

R.M. #6 SET C.E. MON. ON 15" SEE PG. 184

89.73 T=68=89.73

81.73

91°

39°00'

11.7

159.04

11.87

25°03'05"

RM #3 set see pg 184

34.15

RM #2 set see pg 184

N.E.

20.83

9.18

RM #4 set see pg 184

89.73

33°16'45"

65.03

117.46

Set Spk & Tin in 12" PP #1090619E

26.57

RM #1 set see pg 184

R.M. #5 SET C.E. MON. ON 15" SEE PG. 184

Iron Gates

To Arroyo Sequit H-7A

TRAV STA ARROYO SEQUIT H-7

I: 25°03'00"	I: 21°21'00"	I: 33°17'00"
R: 1100.12.15	Δ: 85°24'00"	Δ: 123°07'30"
AV = 25°03'04"	AV = 21°21'00"	AV = 33°16'53"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F3095 S&E #247 1-56

F. B. 930 PG. 184

~ DESCRIPTION ~

TRAV STATION ARROYO SEQUIT H-7

in LA. Co on the Pacific Coast Hwy (U.S. 101 Alt) at its junction with Malholland Hwy. in Arroyo Sequit Canyon and 0.6 Mile East of the Los Angeles - Ventura Co line

SUB-SURFACE - H.R.S. JUNE, 1957

~~STATION MARK~~ · Fd a 4" brass tablet set in conc 27" dp. and stamped L.A. Co Survey Cont System Trav station Arroyo Sequit H-7 1950 Set by Co Surveyor R.E. 329 See FB 1652 - 135-136 FB 933 - 215

STATION MARK: SET A STD 4" BRASS TABLET IN CONC 10" BELOW FLOW LINE OF GUTTER. TABLET IS LETTERED "L. A. CO. SURV. CONT. SYS. TRAV. STA. ARROYO SEQUIT H-7 RESET 1957. SET BY L.A. CO. SURV. R.E. 329." H.R.S. JUNE

RM #1 Set a 3/4" I.P. conc plug & Tag 12" dp on line prod thru H-7 & Arroyo Sequit I-7A

R.M. #2 Set 3/4" I.P. conc plug & Tag 12" dp

R.M. #3 Set 3/4" I.P. conc plug & Tag 12" dp on line prod thru H-7 & Arroyo Sequit H-7A

RM #4 Set 3/4" I.P. Conc plug & Tag 12" dp

R.M. # 5 SET A STD C.E. BRASS CAP MON. IN 12" STAMPED, COUNTY ENGINEER R.E. 5869 H7A R.M. No 5 1959.

R.M. #6 SET A STD C.E. BRASS CAP MON. IN 12" STAMPED, COUNTY ENGINEER R.E. 5869 H7A R.M. # 6 SET A 2" WHITE MARKER PIPE 3' NLY. OF 3'

R.M. #7 SET A LEAD & TAG STAMPED "L. A CO ENGR", IN TOP OF CONC. BRIDGE WALL.

2-25-59 C.K.L.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 035100 Tape 0.6' Std -2 °F
Office Work	Surveyed by
Checked	Notes M. A. Vard Date 5-16-57
Date	Indexed C. Johnson

F. B. 930 PG. 185

ADDITIONAL TIES FOR L.A.C.O. TRAV. STATION ARROYO SEQUIT I-7A

Arroyo Sequit I-7

R.M. #3 Set 3/4" I.P.
See pg 186

R.M. #2 Set 3/4" I.P.
See pg 186

137.00

22°

Hills 38°

1°

PACIFIC COAST HWY (U.S. 101 ALT)

5' Wire Fence

P.P.# 1090607E

TRAV. STATION ARROYO SEQUIT I-7A
See pg 186
FD 8-75

76.77

76.77 T=68=16.77
137.00 T=68=137.00

R.M. #1 Set 3/4" I.P.
See pg 186

1°

5' Wire Fence

Arroyo Sequit H-7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 S&E #247 1-56

F. B. 930 Pg. 186

—DESCRIPTION—

TRAVERSE STATION "ARROYO SEQUIT I-7A"

In L.A.Co. on the Pacific Coast Hwy. (U.S. 101 Alt.) about 8 miles west of Decker Rd. in Los Angeles Co. & 0.35 mile east of Mulholland Hwy. in Arroyo Sequit Cañ.

Now SUB SURFACE H.R. STOCK JUNE 1957

~~STATION MARK~~: Rd a std 4" brass tablet set in conc 30" dp and stamped LA. CO. SURV. CONT. SYS. TRAV. STA. ARROYO SEQUIT I-7A, 1950 - Set by County Surveyor. R.E. 329-FB 1652-145-146. A 10" Layer of Sand was placed over this mon. & A new surface mark set June 1957 by H.R. Stock

STATION [illegible]

JUNE 1957 H.R. Stock

R.M. #1 set 3/4" I.P. 18" dp. with conc plug & tag on line prod thru I-7A From I-7

R.M. #2 set 3/4" I.P. 18" dp. with conc plug & tag on line prod thru I-7A from H-7

R.M. #3 set 3/4" I.P. 18" dp with conc plug & tag on line to I-7

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 0301.00 Tape 0161 Std 68 °F
Office Work	Surveyed by M.A. Van Deren
Checked	Notes Van Date 5-29-57
Date	Indexed K. C. Johnson

F. B. 930 PG. 187

ADDITIONAL TIES FOR L.A. CO. TRAN. STATION

ARROYO SEQUIT I-7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.



76F3095 S&E #247 1-56

F. B. 930 PG. 188

-DESCRIPTION-

TRAVERSE STATION ARROYO SEQUIT I-7

In L.A. Co. and on the Pacific Coast Hwy. (U.S. 101 Alt) about 2 miles west of Decker Road. in Los Alisos canyon. and about 0.35 miles east of Mulholland Hwy in Arroyo Sequit canyon.

RESET JUNE 1957 by H.R. Stock see below

STATION MARK: Fd a std 4" brass tablet set in conc. 24"dp. and stamped. L.A.CO. SURV. CONT. SYS. TRAV. STA. ARROYO SEQUIT I-7 -1950, set by Co Surveyor. R.E. 329 See FB 1652-143-144-227

STATION SUBSURFACE MARK: RESET [illegible]

[illegible]

R.M. #1 Fd a 3/4" I.P set in Conc. with conc plug & copper pin. per FB 1652-143-144-227 (12" down)

R M #2 Fd 3/4" I.P set in conc 24"dp & 0.02 North of line. reset pipe on line. with conc plug & copper pin per FB 1652-143-144-227. pipe is on line to J-7

R M #3 Set 3/4" I.P conc plug & tag 18"dp. and on line to 1-7A

R M #4 Set 3/4" I.P conc plug & tag 18"dp. on line prod thru I-7 From I-7A

R M #5 set 3/4" I.P conc plug & tag 18"dp

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 0301.08 Tape 140 Std 84 °F
Office Work	Surveyed by W. A. VanDeVelde
Checked	Notes [illegible] Date 5-14-57
Date	Indexed [illegible]

F. B. 930' Pg. 189

ADDITIONAL TIES FOR L.A. CO. TRAV. STATION ARROYO SEQUIT I-7



166.39 @ 10-04-30 T=62
= 163.80

40.83 @ 28-29-30 T=62
= 35.87

96.09 T=62 = 96.08 level

56.055 @ 30-28-00 T=62
= 48.30
19.41 level
67.71

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 S&E #247 1-56

F. B. 930 PG. 190

—DESCRIPTION—

TRAVERSE STATION "ARROYO SEQUIT J-7"

In L.A. Co., on the Pacific Coast Hwy. (U.S. 101 A.T.) about 1.75 miles West of Decker Rd. in Los Alisos Cn., & 0.6 mile east of Mulholland Hwy. in Arroyo Sequit Cn.

STATION MARK: Fd a std 4" brass tablet set in conc. 2" dp. 1.00 S'ly of original location & stamped L.A. CO. SURV. CONT. SYS. TRAV. STA ARROYO SEQUIT - J-7 - 1955 - RESET 1955, RE 63 - Set by Co Surveyor. Mon to be reset at original location by tan ties. per FB 1652-228

RESET STATION MARK

SUBSURFACE MARK: JUNE 1957 H.R.S IN ORIGINAL LOCATION PER THIS F.B. RESET A STANDARD 4" BRASS TABLET IN CONC. AND STAMPED, L.A.CO. SURV. CONT. SYS. TRAV. STA., ARROYO SEQUIT J-7, RESET 1957, SET 8" L.A.Co. ENGR. R.E. 5863'. MON. IS SET IN BURM OF N'LY SHOULDER 6" Above flush.

RM#2 Fd 3/4" I.P set in conc 12" dp with conc plug & Copper pin. per FB 1652-147-228

RM#3 Fd 3/4" I.P set in conc 12" dp with conc plug & copper pin. per FB 1652-147-228

RM#4 Set 3/4" I.P conc plug & Tag 14" dp

RM#5 Set 3/4" I.P conc plug & Tag 16" dp

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control	F. B. 930 Pg. 191
Map No.	JN 0301.00 Tape 0161 Std 68 °F	
Office Work	Surveyed by [illegible]	
Checked	Notes [illegible] Date 5-16-57	
Date	Indexed C. Johnson	

ADDITIONAL TIES FOR L.A. CO. TRAVERSE STA. ARROYO SEQUIT K-7A



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 S&E #247 1-56

F. B. 930 Pg. 192

— DESCRIPTION —

TRAVERSE STATION "ARROYO SEQUIT K-7A"

In L.A. Co. on the Pacific Coast Hwy. (U.S. 101 A.T.) about 1.5 miles west of Decker Rd. in Los Alisos Cañ, & 0.7 mile east of Mulholland Hwy. in Arroyo Sequit Cañ.

STATION MARK: Fd a std 4" brass tablet set in conc 8" dp. and stamped. L.A. CO. SURV. CONT. SYS. TRAVERSE STA. ARROYO SEQUIT-K-7A RESET 1955-R.E.63 set by Co Surveyor per FB 1652-151-229

June 1957 H. R. Stock installed H.H. cover & conc. pad.

SUBSURFACE MARK: None

R.M. #1 Set 3/4" I.P. conc plug & tag 16" dp

R.M. #2 Fd 3/4" I.P. conc plug & copper pin 10" dp per FB 1652-229

R.M. #3 Fd 3/4" I.P. conc plug & copper pin 10" dp per FB 1652-229

R.M. #4 Set 3/4" I.P. conc plug & tag 16" dp

R.M. #5 Set 3/4" I.P. conc plug & tag 14" dp

R.M. #6 Set 3/4" I.P. conc plug & tag 14" dp

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 0301.00 Tape 140 Std 84 °F
Office Work	Surveyed by: M.A. VanDerek
Checked	Notes Van Date 5-15-57
Date	Indexed C. JOHNSON

F. B. 930 PG. 193

ADDITIONAL TIES FOR L.A. Co. TRAV STATION

ARROYO SEQUIT K-7

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

1-35°12'00"
2-70°24'00"
=35°12'00"

Arroyo Sequit L-7A

R.M. #4 Set 3/4" I.P. 14" dp
See pg 194

35° 12' 00"

9.8

1/2" PP # 1085723E

55.49

90° 36' FB 1652

152.76

1.75' .34' 6.92

Fd B. Spk & W

R.M. #1 Fd 3/4" I.P. 30" dp

Trav Station taken out by Const & Hwy
Set S.W.T. by tan Hes & dist per FB 1652-149-230
RESET MON & H.H.
June 1957 H.R.S.
FD 8-75

Mad Drive to
Double U Dee Ranch
33'105"

33.77

25.15

161.92

R.M. #3 Set 3/4" I.P. 16" dp
See pg 194

R.M. #2 Fd 3/4" I.P. 4.5 dp

162.26 @ 3°35'00 T=62
=161.92

152.78 T=62=152.76

PACIFIC COAST HWY
(US 101 ALT)
194+32.5 State Hwy Station

Fd. Stk CBOH Tags

72.2

10.6

12" R.P. # 1095124E

76F309S S&E #247 1-56

F. B. 930 PG. 194

~DESCRIPTION~

TRAV STATION ARROYO SEQUIT K-7

in L.A. Co and on the Pacific Coast Hwy (US 101 ALT) about 1.2 Miles west of Decker Rd in Los Alisos Canyon. and about 1.2 Miles East of Mulholland Hwy in Arroyo Sequit Canyon. Station is on W'ly side of Nicholas Canyon.

STATION MARK set S.W.T by tan tics per FB 1652-149-230 Replaced S.W.&T. with Mon & H.H. June 1957 H.R. Stock RESET A STANDARD L.A. BRASS TABLET IN CONC. DATED "BENCH MARK" IN PAVED SHOULDER W. OF N. & L. ENTRANCE; "L.A. CO. SURV. CONTROL STA. TRAV. STA., ARROYO SEQUIT K-7, ELEV. 95', SET BY L.A. CO. ENGR. R.E. 5553."

SUBSURFACE MARK - NONE

RM #1 Fd 3/4" I.P. 30" dp set in conc. with Conc plug and copper pin. Per FB 1652-149-150-250

RM #2 Fd 3/4" I.P. 4.5" dp set in conc. with conc plug and copper pin on line prod thru K-7 & L-7A per FB 1652-149-150 250

RM #3 Set 3/4" I.P. conc plug & tag 16" dp

RM #4 Set 3/4" I.P. Conc plug & tag 14" dp

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 0301.30 Tape 190 Std 84 °F
Office Work	Surveyed by M.A. VanWeren
Checked	Notes M.A.V. Date 5-16-51
Date	Indexed C. Johnson

F. B. 930 Pg. 195

ADDITIONAL TIES FOR L.A.CO. TRAV. STATION ARROYO SEQUIT L-7A



102.02 @ 5-09-00
T=68 = 101.60
21.36 level
122.96

34.53 T=68 = 34.53

124.765 T=68 = 124.755

120.89 T=68 = 120.86

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 1-56

F. B. 930 Pg. 196

—DESCRIPTION—

TRAVERSE STATION "ARROYO SEQUIT L-7A"

In L.A. Co., on the Pacific Coast Hwy. (U.S. 101 Alt.), about 1.85 mile west of Decker Road in Los Alisos Cn., & 1.55 miles east of Point Dume in Arroyo Sequit Cn.

STATION MARK: Fd a 4" brass tablet set in conc 8" dp in H.H. & Stamped L.A. CO. SURV. CONT. SYS. - TRAV. STA ARROYO SEQUIT, L-7A. RESET 1955. Set by Co Surveyor R.E. 63

SUBSURFACE MARK: None

RM#1 Set 3/4" I.P. conc plug & tag 16" dp

RM#2 Fd 3/4" I.P. 10" dp set in conc. with conc plug and copper pin. per FB 1652-231

RM#3 Fd 3/4" I.P. 10" dp set in conc. with conc plug and copper pin. per FB 1652-231

R.M. #4 Set 3/4" I.P. conc plug & tag 16" dp

RM#5 Set 3/4" I.P. conc plug & tag 14" dp

RM#6 Set 3/4" I.P. conc plug & tag 16" dp

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 731 PG. 197

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Traverse Control
W.O. 6304.09 Tape No. 0161 St'd. 68° F
Surveyed by M.A. Ivo & Doran
Notes Van Date 5-16-57
Indexed A. C. Johnson

ADDITIONAL TIES FOR L.A.Co. TRAV. STATION ARROYO SEQUIT L-1B

1- 28-28-10
2- 56-56-20
1- 59-30-00
2- 119-00-00

Trav Station taken out by Const. of Hwy set Spk w.T. by trav ties per FB 1652-232 Mon to be set later

MON RESET 6-57 by H.R. STOCK SEE Next Pg FB 8-75 RLW

RM #5 Set 3/4" I.P. 2" dp See pg 198

28°28'10"

76 Diam point B-2

Mac Drive

30.00'

8'

barb wire Fen

59°

76.085 T=68=76.085
159.66 T=68=159.66
39.46 T=68=39.46
31.68 T=68=31.68
29.28 T=68=29.28

17.41

76.085

159.66

14'

Fd B Spk & tw

2.4

31.68

2.75

39.46

Fd. Brass & tw

barb wire Fen

Set Spk & T in 12" PP # 1059900E

RM #2 Fd 3/4" I.P. 7" dp See pg 198

RM #6 Set 3/4" I.P. 12" dp See pg 198

RM #3 Fd 3/4" I.P. Fd 45° See pg 198

State Hwy Sta 225+49.8-2

RM #7 Set 3/4" I.P. See pg 198

PACIFIC COAST HWY (U.S. 101 ALT)

RM #1 Set 3/4" I.P. 8" dp

V329

RM #4 Set 3/4" I.P. 12" dp See pg 198

Mac Rd

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S S&E #247. 8-54

F.B. 930 PG. 198

—DESCRIPTION—

TRAVERSE STATION "ARROYO SEQUIT L-7B"

In L.A. Co., on the Pacific Coast Hwy. (U.S. 101 Alt.) about 0.8 mile west of Decker Rd. in Los Alisos Cñ., & 1.8 miles east of Multnomah Hwy. in the Arroyo Sequit Cñ.

STATION MARK: set S.W.T by tan tics per FB 1652-157-232 H.R.S 6-57 RESET MON DN 10" IN H.H. RESET MON. A STANDARD 4" BRASS TABLET IN CONC. STAMPED: "L.A. CO. SURV. CONT SYS. TRAV. STA., ARROYO SEQUIT L-7B, RESET 1957 SET BY, L.A. CO. ENGR R.E. 5869".

SUBSURFACE MARK: NONE

R.M. #1 Set 3/4" I.P. conc plug & Tag 3"dp on line prod thru L-7B and Dume point A-7

R.M. #2 Fd 3/4" I.P. Set in conc. with conc plug and copper pin 7' dp per FB 1652-232

R.M. #3 Fd 3/4" I.P. set in conc. with conc plug & copper pin per FB 1652-232

R.M. #4 Set 3/4" I.P. conc plug & Tag 12" dp

R.M. #5 Set 3/4" I.P. conc plug & Tag 2"dp 2.5' E'ly of N'ly edge of pvt

R.M. #6 Set 3/4" I.P. conc plug & Tag 12" dp

R.M. #7 Set 3/4" I.P. conc plug & Tag 2"dp. 2.5' E'ly of N'ly edge of pvt

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

F.B. [illegible] PG. 799

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 3[illegible] Tape No. 140 Stu. 84 °F
Surveyed by [illegible] Dorow
Notes [illegible] Date 5-26-84
Indexed A. C. Johnson

ADDITIONAL TIES FOR L.A. CO. TRAV. STA. DUNE POINT A-7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

DECKER RD

Dune point 13-89

1 - 39° 48' 30"
2 79° 37' 10"

1 79° 38' 00"
2 159° 16' 00"

Mac Dr To Marshalls Ranch. #33064

760'±

R.M. #6 Set 3/4" I.P. See pg 200

R.M. #3 Fd brass disk in conc block. See pg 200

39.32 to LOMA-39-75

79° 38' 00" dist diff

GLAB-32

-89° 40' 43.4"

-To DP 89 -0.00"±

38.38'

125'±

R.M. #1 Set 3/4" I.P. See pg 200

TRAV STATION DUNE POINT A-7 See pg 200 Replaced Mon & H.H. 6-57 H.R.S. FD 8-75 RLW

Fd. SLCADH Tag

R.M. #5 Set L.F. Tag See pg 200

96.67

232.40

80.29

R.M. #4 Set 3/4" I.P. See pg 200

R.M. #2 Fd 3/4 I.P. See pg 200

PACIFIC COAST HWY (U.S. 101 ALT)

State Hwy Sta = 250+91.8

49.63 T=64=49.62

233.91 @ 6-26-00 T=66

=232.40

128.775 T=64=128.755

96.68 T=64=96.67

80.29 T=64=80.28

76F309S S&E #247. 8-54

F.B. 730 PG. 200

—DESCRIPTION—

TRAVERSE STATION DUME POINT A-7

In L.A. Co., on the Pacific Coast Hwy. (U.S. 101 Alt.), Malibu District, about 3.0 miles west of Trancas Cr Bridge No 53-27, at the west end of the L.A. Co. Zuma Beach ± 100' west of Decker Rd.

STATION MARK: Set Spk. W.T. by tangencies per FB 1652-233 Replaced Spk. W.B.T. with Mon & H.H. 6-57 HR.S. RESET A STANDARD 4" BRASS TABLET IN CONC. IN 10" AND STAMPED "L.A. CO. SURV. CONT SYS. TRAV. STA. DUME PT INT A-7, 1957, SET BY L.A. CO. ENG. R.E. 5860".

SUBSURFACE MARK:

R.M.#1 Set 3/4" I.P. conc plug & tag 14" dp

R.M.#2 Fd 3/4" I.P. set in conc 10" dp with conc plug and copper pin. per FB 1652-233

R.M.#3 Fd a brass disk set in top of 8" conc post 1' above ground and stamped U.S. GEOLOGICAL SURV COOPERATION WITH THE STATE, R-50-1928 per FB 1652-233

R.M.#4 Set 3/4" I.P. Conc plug & tag 14" dp

R.M.#5 Set L & Tag in sandstone rock 12" dp

R.M.#6 Set 3/4" I.P. conc plug & tag 19" dp

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	JN Tape Std °F
Office Work	Surveyed by
Checked	Notes Date 5-28-57
Date	Indexed

F. B. 1652 PG. 20

ADDITIONAL TIES FOR L.A.CO. TRAV. STATION DUME POINT B-8A



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 S&E #247 1-56

F. B. 730 Pg. 202

DESCRIPTION

TRAVERSE STATION "DUME POINT B-8A"

In L.A. Co. on the Pacific Coast Hwy (U.S. 101 A.T.) Malibu District, about 2.8 miles west of Trancas Ck. Bridge No. 53-27, or the west end of the L.A. Co. Zuma Beach ± 0.25 mi. east of Decker Rd.

STATION MARK: Set S.W.T. by tan tics per FB 1652-79-80. REPLACED S.W.T. WITH H.H. & MON DN 10". G-57 by H.R. Stock. REPLACED A STANDARD 4" BRASS TABLET IN CONC. DN 10 IN A HAND HOLE WITH LETTERING: U.S.C. & G.S. STATION "DUME POINT" U.S.A. 1957, SET BY L.A. CO. ENGR. R.E. 4939".

SUBSURFACE MARK: NONE

R.M. #1 Set L & T Tag in Conc Drive

R.M. #2 Fd 3/4" I.P. Conc plug & copper pin. 12"dp. per FB 1652-79-80

R.M. #3 Fd 3/4" I.P. conc plug & copper pin 12"dp. per FB 1652-79-80

R.M. #4 Set L & T Tag in conc Walk on bldg line prod to the North

R.M. #5 set 3/4" I.P. conc plug & Tag 12"dp on line prod Thru B-8A - From B-8

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd. °F
Office Work	Surveyed by
Checked	Notes Date 5-17-57
Date	Indexed K. C. Johnson

F. B. Pg.

ADDITIONAL TIES FOR L.A.C.O. TRAV. STA. DUNE POINT B-8

108.98 T=68=108.98
180.48 T=68=180.98
115.46 T=68=115.46
91.95 T=68=91.95
26.90 T=68=26.90
16.44 T=68=16.44

1- 88-26-00
2- 176-52-00
1- 69-31-10"
2- 125-02-20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

To Dune Point - C.B.

State Hwy Sta 285+02.8

R.M. #5 Set 3/4" I.P. See pg 204

Trav Sta Dune Point B-8

Mon Rc set 9-16-55 See pg 204

FD 9-75 Blue

Fd: S & CADH Tag

R.M. #2 Fd 3/4" I.P. See pg 204

P.P. # 1059771 E

R.M. #3 Fd 3/4" I.P. See pg 204

R.M. #4 Set 3/4" I.P. See pg 204

L & Mac Dr to Ho #32606

R.M. #1 Set 3/4" I.P. See pg 204

R.M. #6 Set L & Tag See pg 204

CB

Rock & Conc headwall

PACIFIC COAST HWY (US 101 ALT)

N 88° 26' 00" E

N 0° 16' 44" E

N 2° 31' 10" E

108.98

180.48

115.46

91.95

26.90

16.44

2.00

3°

1°

F. B. 730 Pg. 204

—DESCRIPTION—

TRAVERSE STATION DUME POINT B-8

In L.A. Co., on the Pacific Coast Hwy. (U.S. Hwy Alt.), Malibu District, about 2.6 miles west of Trancas Cr. Bridge No 53-27 or the west end of the L.A. Co. Zuma Beach. 0.9 mile west of "Encinal Cr" & 3.6 mile east of Decker Rd.

STATION MARK: Fd a Std 4" brass tablet set in conc. 8" dp and in a H.H. with cover inscribed L.A. Co Survey Control System. Trav station Dume point B-8 Reset 9-16-55 and set by Co Surveyor R.E. 63 per FB 1652-77-78

SUBSURFACE MARK: None

R.M. #1 Set a 3/4" I.P conc plug & Tag 12" dp on line prod thru B-8 From C-88

R.M. #2 Fd a 3/4" I.P conc plug & copper pin 12" dp. per FB 1652-77-78

R.M. #3 Fd a 3/4" I.P conc plug & copper pin 12" dp. per FB 1652-77-78

R.M. #4 Set 3/4" I.P conc plug & Tag 12" dp

R.M. #5 Set 3/4" I.P conc plug & Tag 12" dp

R.M. #6 Set L.S. Tag in top of rock & conc headwall

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of 0367-10
Map No.	W. O. Tape No 140 St'd. 84 °F
Office Work	Surveyed by
Checked	Notes VGH Date 5-17-51
Date	Indexed C. Johnson

F.B. 7271 Pg. 5 & 6

ADDITIONAL TIES FOR L.A.CO. TRAV. STA. DUNE POINT C-8 B



129.53 T= 72° = 129.53

71.31 T= 72° = 71.31

39.78 T= 72° = 39.78

23.12 T= 72° = 23.12

19.19 T= 72° = 19.19

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 930 Pg. 206

—DESCRIPTION—

TRAVERSE STATION "DUME POINT C-8B"

In L.A. Co., about 5.2 miles N.W. of Point Dume on the Pacific Coast Hwy. (U.S. 101 A.T.) 0.6 mi. west of Encinal Cr., 2.35 miles west of the L.A.Co. Zuma Beach and 0.85 mile east of Decker Rd.

STATION MARK: Set S.W.T. by tangencies per FB 1652-85-86 Replaced S.W.&T. 6-57 H.R.S. RESET A STANDARD 4" BRASS TABLET IN CONC. DN 10" IN A H.H. & LETTERED, "L.A. CO. SURV. CONT. STA. TRAV. STA. DUME POINT C-8B, RESET 1957, SET BY, L.A. CO. ENGR. RE 5869".

SUBSURFACE MARK: NONE

RM #1 - Set 3/4" I.P conc plug & tag 12"dp

R.M. #2 Set 3/4" I.P Conc plug & Tag 1"dp

R.M. #3 Fd 3/4" I.P Conc plug & copper wire 5"dp per FB 1652-85-86

RM #4 Fd 3/4" I.P Conc plug & Copper wire 12"dp per FB 1652-85-86

RM #5 Set 3/4" I.P conc plug & Tag 1"dp

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control 2507.00
Map No.	W. O. Tape No. 0161 St'd. 68 °F
Office Work	Surveyed by T.A. Van Zanten
Checked	Notes N.S. Vand. Date 5-17-57
Date	Indexed C. Johnson

F.B. 932 Pg. 207

ADDITIONAL TIES FOR L.A.CO. TRAVERSE STATION DUNE POINT C-8A

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



148.95 T=68=148.95
81.42 T=68= 81.42
36.76 T=68= 36.76
25.75 T=68= 25.75

76F3095 S&E #247. 8-54

F. B. 720 PG. 208

—DESCRIPTION—

TRAVERSE STATION "DUME POINT C-8A"

In L.A. Co. about 5 miles N.W. of Point Dume on the Pacific Coast Hwy. (U.S. 101 Alt.), 0.45 mile west of Encinal Ct., 2.2 miles west of the L.A. Co. Zuma Beach & 1.0 mile east of Decker Rd.

STATION MARK: Fd a std 4" brass tablet set in conc 8" dp in H.H. and stamped L.A. CO. SURV. CONT. SYS. TRAV. STA. DUME POINT-C-8A, 1950 and set by Co Surveyor. R.E. 329 per FB 1652-83-84

SUBSURFACE MARK: none

RM #1 Fd 3/4" I.P set in conc 24" dp with conc plug & Copper pin. Set on line prod thru C-8A from C-8 per FB 1652-83-84

RM #2 Set 3/4" I.P conc plug & tag 14" dp

RM #3 Set 3/4" I.P conc plug & tag 12" dp

RM #4 Set 3/4" I.P conc plug & tag 18" dp

RM #5 Set 3/4" I.P conc plug & tag 18" dp

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	W. O. 0301.00 Tape No. 016 Std. 68 °F
Office Work	Surveyed by M.A. Van Deren
Checked	Notes Van Date 5-21-57
Date	Indexed K. C. Johnson

F.B. 990 Pg. 209

ADDITIONAL TIES FOR L.A. CO TRAV STATION

DUME POINT C-8

Trav Sta Taken out by Co Sty of Hwy
Set 1X2 ETK by Tann
Ties per FB 1652-81

Replaced 1X2 WITH MON
6-57 By H.R.S. See Next Pg
FD 3-75 RMD

RM #2 Set-2 3/4" I.P See pg 210

Set LE Tag in-2 conc CB

State Hwy Sta 309+60.10

RM #4 Fd 3/4" I.P See pg 210

RM #3 Fd 3/4" I.P See pg 210

RM #1 Set 3/4" I.P See pg 210

P.P. #1059754E

94.65 T=68=94.65
60.10 T=68=60.10
16.98 T=68=16.98
19.30 T=68=19.30

175'±

120'±

To Dume Point C-8A

HWY 85°

PACIFIC COAST (U.S. 101 ALT)

Mac Dr To Ho #31200

5' Wire Fence

1-85-36-50
2-17-13-40

Mac Dr To Ho #32217

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 S&E #247. 8-54

F. B. 730 Pg. 210

—DESCRIPTION—

TRAVERSE STATION DUME POINT C-8

in L.A. Co about 5 Miles N.W. of Point Dume & on the Pacific Coast Hwy. 0.35 Miles West of Encinal Canyon. 2.1 Miles West of the L.A.Co. Zuma Beach. & 1.15 Miles east of Decker Road.

STATION MARK: set 1x2 & Tk Flush by tan ties per FB 1652-81-82 Replaced 1x2 & tack with Mon 6-57 by H.R.S. RESET A STANDARD 4" BRASS TABLET IN CONC. ON PAVED BURM UP 6" ABOVE FLUSH & LETTERED; "L.A.CO. SURV. CONT. SYS. TRAV. STA., DUME POINT C-8, RESET 1957, SET BY, L.A.CO. ENGR. R.E. 5869."

SUBSURFACE MARK: NONE

RM #1 Set 3/4" I.P conc plug & Tag 12" dp

RM. #2 Set 3/4" I.P conc plug & Tag 12" dp on line prod thru C-8 From C-8A

RM. #3 Fd 3/4" I.P set in conc. with conc plug & Copper pin 12" dp. per FB 1652-81-82

RM. #4 Fd 3/4" I.P 12" dp set in conc with conc plug & copper pin. per FB 1652-81-82

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 0501.00 Tape 0161 Std 68 °F
Office Work	Surveyed by M.A. VanDoren
Checked	Notes Van Date 5-21-57
Date	Indexed E. C. Tobiasson

F. B. 930 Pg. 211

ADDITIONAL TIES FOR LA. CO. TRAV STATION

DUME POINT D-8A

FD 7-75



1 - 74-49-00
2 - 149-38-00

1 - 5-44-20
2 - 1-28-40

79.93 T=68=79.93
34.84 T=68=34.84
20.00 @ 21-41-00 T=68=19.14

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

SEE #247 1-56

F. B. 930 Pg. 212

-DESCRIPTION-

TRAVERSE STATION DUME POINT D-8A

in L.A Co. about 4.7 Miles N.W. of Point Dume & on the Pacific Coast Hwy. 0.2 Miles West of Encinal canyon. 2 Miles West of the L.A. Co. Zuma Beach and 1.3 Miles East of Decker Road.

STATION MARK: Fd a std 4" brass tablet set in conc 24" dp. inscribed - L.A. Co Surv cont. sys - trav station Dume Point D-8A - 1950 & set by County surveyor. R.E. 329 FB 1652-89-90 RESET 6-57 BY H.R. STOCK SET A STANDARD 4" BRASS TABLET IN CONC. FLUSH WITH TOP OF BURN AND LETTERED, "L.A. CO. SURV. CONT. SYS, TRAV. STA. DUME POINT D-8A, RESET 1957, SET BY, L.A. CO. ENGR. R.E. 329."

R.M. #1 Fd 3/4" I.P set in conc 24" dp. with conc plug & copper pin. per FB 1652-89-90

R.M. #2 Fd 3/4" I.P set in conc 30" dp with conc plug & Copper pin. per FB 1652-89-90

R.M. #3 Fd 3/4" I.P conc plug & copper pin 12" dp per FB 1652-89-90

R.M. #4 Set 3/4" I.P. conc plug & Tag 12" dp. on line prod thru D-8A From D8

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 330 PG. 213

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 0301.00 Tape No. Std. °F
Surveyed by
Notes Date 5-29-57
Indexed

ADDITIONAL TIES FOR L. A. CO. TRAVERSE STATION DUNE POINT D-8

FD 8-75 Bell

Dume point E-8A

curb

PACIFIC COAST HWY (U.S. 101 A-X)

Broad Beach Rd

RM #2 Fd 3/4" I.P.

RM #4 Set 3/4" I.P. See pg 214

Mac Dr. To Ho #31905

341.0

S 61° 18' 34" E 499.93

N 20° 11' 30" W

Set S & T

41.81

41.115

29.915

41.29

RM #1 Fd 3/4 I.P. See pg 214

Set S & T

Fd L & T 2" D/P Per F.B. 1652-87

Fd B & T Spike & 3" d/p F.B. 1652-87

47.24 @ 27-44-06 T=68

= 41.81

RM #3 Set 3/4" I.P. See pg 214

TRAV. STATION DUNE POINT D-8 See pg 214

Dume Point D-8A

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3005 S&E #247. 8-54

F. B. 930 PG. 212

DESCRIPTION

TRAVERSE STATION "DUME POINT D-8"

In L.A. Co. about 4.5 miles N.W. of Point Dume on the Pac. Cst. Hwy. (#1, 101 Alt.) at the mouth of Arroyo Cn. about 1.75 mi. West of L.A. Co. Zuma Beach & 1.5 East of Decker Rd.

STATION MARK: Find a Std. 4 in. brass Tablet in Conc. Down 2 in. below the surface grade of the hwy. Inscribed "L.A. CO. SURVEY CONT. SYS. - TRAVERSE STATION, DUME POINT D-8, 1956" & set by "COUNTY SURVEYOR R.E. 329" Per. F.B. 1652-87

SUBSTITUTE MARK: None

RM #1 Fd 3/4" I.P. set in conc 16" dp. with conc plug and copper pin per FB 1652-87

RM #2 Fd 3/4" I.P. set in conc 14" dp with conc plug & Copper pin. per FB 1652-87

RM #3 Set 3/4" I.P. conc plug & tag 14" dp

RM #4 Set 3/4" I.P. conc plug & tag. on line prod thru D-8. From D-8A

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W.O.
Tape No.
Std.
Surveyed by
Date
Notes
Indexed
Checked

F.B. 727 PG. 214

F. B. 730 Pg. 216

-DESCRIPTION-

TRAVERSE STATION "DUNE POINT E-8A"

In L.A. Co., 1600 ft. 0.25 mi. N.W. of Point Dume on the Coast line., 1.45 mi. West of the Hwy. Bridge # 53-27 at Trancas Cn. on the West end of the L.A. Co. Zuma Beach & 0.25 mi. East of Encinal Cn. on the Pac. Coast Hwy. (U.S. 101 Alt.) in the Winding Strip.

STATION MARK:

Find a std. 4 in. brass tablet in conc. 15 in. below curb grade inscribed "L.A. Co. Surv. Cont. Sys. Hwy. Sta., DUNE POINT E-8A, 1950 & Set by County Surveyor R.E. 329". Per F.B. [illegible]

SUBSURFACE MARK: None

R.M. #1

Find 5/8" I.R. set in Conc. with Conc. Plug & Copper Pin. Per F.B. 732 - 93

R.M. #2

Set 5/8" I.R. with a Conc. Plug & Tag 16 in. deep & Set on Tan. Prod. with R.M. #1

LEAD & TACK

Set in Concr. Curbing, at Tangent & on Tan. Prods. of R.M. #1 to R.M. #2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd. °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F. B. Pg.

ADDITIONAL TIES FOR L.A.CO. TRAV. STA. DUNE POINT E-8

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309 S&E #247. 8-54

Line To Trav. Sta. Dune Pt. E-8A

U.S. HIGHWAY 101 ALT. - COAST HWY.

PACIFIC ROAD DIVIDER ISLAND

R.M. #1 Fnd 3/4" I.P. See Pg. 218

R.M. #2 Fnd 3/4" I.P. See Pg. 218

91° 16' 15" P.R. 152.71

44.65

FD 8-75 DUNE TRAV. STA DUNE PT. E-8 See Pg. 218 State Plus 358+96

R.M. #2 Fnd 3/4" I.P. See Pg. 218

#25592-Y FD

Line To DUNE PT. E-8A

44.65 T=70°

F.B. 730 Pg. 218

—DESCRIPTION—

TRAVERSE STATION "DUME POINT E-8"

In L.A. Co., on the Coast Line about 4 miles N.W. of Pt. Dume, 1.2 miles West of the Hwy. Bridge # 53-27, at TRAVERSE CA on the West end of the L.A. Co. Zuma Beach & about 0.5 miles east of Encinal CA on the Pac. Cst. Hwy. (CAS. 101. 21+.)

STATION MARK: Set a St. 4" brass tablet in Conc. flush with the ground surface inscribed "U.S.C.&G.SURVEY CONT. SYSTEM TRAV STA. DUME POINT E-8, 1950 & Set by Co. Surveyor R.E. 329". Per R.S. 16572-91

SUBSURFACE MARK:

R.M. #1

Encl. 3/8" I.P. Set in Conc. with Conc. plug & Copper Pin 18" deep. Per F.B. 1652-91

R.M. #2

Encl., Same as R.M. #1 16" deep, & on line Encl. through "E-8" trm. "Dume Pt. E-8" Per F.B. 1652-91

R.M. #3

Set 3/8 in. I.P., 16 in. deep With Conc plug & Tag. Set on line Encl. thru. E-8 with Dume Pt. E-8-A

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

76F3099 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of _____
W. O. _____ Tape No. _____ Std. _____
Surveyed by _____
Notes _____ Date _____
Indexed _____

F.B. _____ PG. _____

F. B. 230 Pg. 220

—DESCRIPTION—

TRAVERSE STATION "DUME POINT F-8.4"

In L.A. Co., on the Coast Line 3.5 miles N.W. of Point Dume, 0.8 mile West of the Hwy. bridge # 53-27 at Trancas Cr., or the West end of the L.A.Co. Zuma Beach & on the Pac. Cst. Hwy. (U.S. 101 Alt.)

STATION MARK:

Fnd. a Std. 4" brass Tablet in Conc. 5 in. below surface grade of the Hwy. Inscribed "L.A. Co. Surv. Cont. Sys. - Trav. Sta. DUME POINT F-8.4 1950, & Set by County Surveyor, R.E. 389" Per F.B. 253 - 99

SUBSURFACE MARK: NONE

R.M. #1:

Fnd. a 3/8 in. Iron Set in Conc. with Copper Tack & Tag Flush in the Westerly Edge of the Hwy. 5' Below Surface Per F.B. N 52 - 99 & 100

R.M. #2

Fnd. Per F.B. 253-99

R.M. #3

Set 3/4 in. I.P. 5 in. deep with Copper plug 5" Sq. Set on Line Ft. with F-8.4 Thru. R.M. # 2 & 1

R.M. #4.

Same as R.M. #3. Set on Hwy. Line with F-8.4 Thru. R.M. #1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of 76
Map No.	W. O. 5301.03 Tape No. 6141 St'd. 1.9 °F
Office Work	Surveyed by R. H. Van Deren
Checked	Notes E. Landa Date 6-3-59
Date	Indexed A. C. Johnson

F. B. 930 PG. 221

ADDITIONAL TIES FOR L.A.CO. TRAVERSE STA. DUNE POINT E-8

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F3095 S&E #247. 8-54

F. B. 730 PG. 222

—DESCRIPTION—

TRAVERSE STATION "DUNE POINT F-8"

In L.A. Co. on the Coast Line about 3.25 miles N.W. of Point Dume & 0.7 mi. West of the Hwy. bridge #53.27 at Trancas Cn. or the west end of the L.A. Co. Zuma Beach, on the Pacific Coast Hwy. (U.S. 101 & Alt.) Protected by cast iron cover mkd. "County Surv. Mon." STATION MARK.

Find a 3/4" brass tablet in conc. down .8' below surface grade, to headed with cross. Brass disk inscribed "L.A. Co. Surv. Cont. 5/31. Trav. Sta. DUNE POINT F-8 1950 & Set by County Surveyor R.E. 329" Per. F.B. 1652-97.

SUBSIDIARY MONUMENTS

R.M. No. 1:

Find a 3/4" I.P. Set in conc. with conc. Cone & Cover. Pt. in the dividing Strip of the Hwy. 15" below curb grade Per F.B. 1652-97

R.M. No. 2:

Find. Same as R.M. No 1, 1-ft deep. Per F.B. 1652-97

R.M. No 3:

Set a 3/4" I.P with conc. Plug & Tag. down 12". Set on Tan. line R.M. #2 from F-8

R.M. No. 4:

Set a 3/4" I.P. with conc. Plug & Tag down 15". Set on Tan. thru R.M. #1 from F-8

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	W. O. 2301.00 Tape No. 1161 St'd. 68 °F
Office Work	Surveyed by
Checked	Notes Date 5-1-59
Date	Indexed K. C. Johnson

F. B. 827 Pg. 223

WS 95, 4-3

ADDITIONAL TIES FOR L.A.CO. TRAV. STATION DUNE POINT G-7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F3095 S&E #247. 8-54

F. B. 930 PG. 224

DESCRIPTION

TRAVERSE STATION "DUME POINT G-9"

In L.A. Co., on the Coast Line about 3.9 miles N.W. of Point Dume & 0.4 mile west of the Hwy. bridge @ Trancas Cr. or the West end of the L.A. Co. Zuma Beach, on the Pac. Cst. Hwy. (U.S. 101 Alt.)

STATION MARK:

Fnd. a 3/4" dia. 4" brass tablet in Conc. flush with ground Surface inscribed "L.A. Co. Surv. Cont. Sys. - Trav. Sta. DUME POINT G-9, 1950 and Set by County Surveyor R.E. 329 Per. F.B. 1652-101

SUBSURFACE MARK: NONE

R.M. No 1:

Fnd a 3/4 in. I.P. Set in Conc. with Conc. Cork & Copper Pin, Pin flush with Conc. Cork & Surface of the Hwy. 1.0 ft. below curb grade. Per F.B. 1652-101

R.M. No 2:

Fnd a 3/4" I.P. Set in Conc. with Conc. Cork & Copper Pin. .5" below ground Surface Per F.B. 1652-101

R.M. NO. 3:

Set a 3/4" I.P. with Conc. Plug 3" deep .5" deep. Set on line Prod with C.V.= 4 & G-9,

R.M. NO. 4:

Set a 3/4" I.P. with Conc. Plug 3" deep, on line Prod with R.M. #1 thru G-9

RETURN TO
LOS ANGELES COUNTY SURVEYOR
724 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Tie to Traverse Sta.
Map No.	W. O. 6201.00 Tape No. 2161 St'd. 68 °F
Office Work	Surveyed by [illegible]
Checked	Notes E. L. and Date 6-6-57
Date	Indexed A. C. Johnson

F. B. [illegible] Pg. 225

ADDITIONAL TIES FOR L.A.CO. TRAVERSE STA.

DUNE POINT H-9

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F3095 S&E #247. 8-54

F.B. 930 PG. 226

DESCRIPTION

TRAVERSE STATION DUNE POINT H-9A

In L.A. Co. on the Coast line about 2.7 mi. N.W. of Point Dume. 1.7 mile west of the hwy. bridge at Zuma Creek & 275'± E. of the hwy bridge at Trancas Cyn adjacent to & near the west end of the L.A. Co. Zuma Beach, on the Pac. Coast Hwy. (U.S. 101 & 1).

STATION [illegible]: Find a std. 3" brass tablet in conc. level with ground. Inscribed "L.A. Co. Surv. Cont. Sys. - Trav. Sta. DUNE - POINT, H-9A, 1950 & Set by County Surveyor R.E. 327" Ref. Rs. 53, 1652-105.

SUBSIDIARY STATION [illegible], N.W.

R.M. NO. 1: [illegible] 3" L.A.C.S. brass cap in conc. Lead & Copper Cap, 3" below level of the road grade. Ref. Rs. 53, 1652-105.

R.M. NO. 2: Set 3½" I.P. 3" above, with nail & tag "LS 3932" on top. From Sta. H-9A N 42° E 41.79'.

R.M. NO. 3: Set same as R.M. #2 except as noted. From Sta. H-9A N 6° W 41.79'.

R.M. NO. 4: Set same as R.M. #2 except as noted. From Sta. H-9A S 25°½ W 41.79'.

R.M. NO. 5: Set same as R.M. #2 except as noted. From Sta. H-9A S 84° W 41.79'.

R.M. NO. 6: Set same as R.M. #2, & [illegible] R.M. #3 from H-9A.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 934 PG. 224

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of [illegible]
W. O. 0301.00 Tape No. 0161 St'd. 68 °F
Surveyed by M. A. Lum Duran
Notes E. Adams Date 6-6-57
Indexed E. C. Johnson

ADDITIONAL TIES FOR L.A.CO. TRAV. STA. DUME POINT H-9



1. 25-12-10
2. 51-24-20
3. 25-12-10
Fwd. Tan.

1. 29-00-30
2. 58-01-00
3. 29-00-30
Cont.

1. 95-25-30
2. 170-51-00
3. 85-25-30

Note: All dis. meas. IR'd. I = 70° no Corr. IR'd.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 247 4-53

F.B. 930 Pg. 228

—DESCRIPTION—

TRAVERSE STATION "DUME POINT H-9"

In L.A. Co. on the Coast line abt. 2.5 miles N.W. of Point Dume, 1.4 miles West of Hwy. Bridge #53-28 at Zuma Creek & 0.2 mile east of Hwy. Bridge #53-27 at Trancas Cr. on the Pacific Coast Hwy. (U.S. 101 A.1.) adjacent to the L.A. Co. Zuma Beach.

STATION MARK: Found a std 4" brass tablet in Conc., level with grade of street, inscribed "L.A. Co. Surv. Cont. Sys. Trav. Sta. Dume Point H-9, 1950 & Set by COUNTY SURVEYOR R.E. 329" Per F.B. 1652-103

SUBSURFACE MARK: None.

R.M. N° 1: Fnd. a 3/4" I.P. in Conc. with Copper pin in Conc. core. 15" below Street grade. Per F.B. 1652-103

R.M. N° 2: Set a 3/4" I.P. Conc. Plug & Tag 14" deep, on line Prod frm. L & T in Conc. Culvert thru H.9.

R.M. N° 3: Set a 3/4" I.P. Conc. Plug & Tag 14" deep, on line prod frm. "I-10 B Dume Pt." thru H-9

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 0301.00 Tape 0161 Std 68 °F
Office Work	Surveyed by V. A. VanDeren
Checked	Notes Van Date 5-17-57
Date	Indexed R. C. Johnson 11-21-57

F. B. 130 Pg. 229

J.N. 0301.00
MAY 14, 1957

LOCATION AND ADDITIONAL TIES ON

TRAVERSE LINE IN MALIBU AREA

AFTER CONST. OF PACIFIC COAST HWY.

FROM ARROYO SEQUIT G-7B
TO LAS FLORES B-8

REFERENCE:
F.B. 1652

PARTY:
M. A. VAN DEREN
E. LANDA
J. BASSEN
R. TURRILL

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 1-56

F. B. 930 PG. 230

INDEX

ARROYO SEQUIT		G-7B	Pg 173-174	Solstice Canyon J-8-pg 247-248
"	"	G-7A	" 175-176	Las Flores-B.8-pg 249-250
"	"	H-7C	" 177-178	
"	"	H-7B	" 179-180	
"	"	H-7A	" 181-182	
"	"	H-7	" 183-184	
"	"	I-7A	" 185-186	
"	"	I-7	" 187-188	
"	"	J-7	" 189-190	
"	"	K-7A	" 191-192	
"	"	K-7	" 193-194	
"	"	L-7A	" 195-196	
"	"	L-7B	" 197-198	
DUME POINT		A-7	" 199-200	
"	"	B-8A	" 201-202	
"	"	B-8	" 203-204	
"	"	C-8B	" 205-206	
"	"	C-8A	" 207-208	
"	"	C-8	" 209-210	
"	"	D-8A	" 211-212	stock
"	"	D-8	213-214	
"	"	E-8A	215-216	
"	"	E-8	217-218	
"	"	F-8A	219-220	
"	"	F-8	221-222	
"	"	G-9	223-224	
"	"	H-9A	225-226	
"	"	H-9	227-228	
"	"	I-10B	251-252	
"	"	I-10A	231-232	
"	"	I-10C	233-234	
"	"	J-10	235-236	
"	"	J-11A	237-238	
"	"	J-11	239-240	
"	"	K-10A	241-242	
"	"	L-10	243-244	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Cont.
Map No.	W. O. 0301.09 Tape No. 0161 St'd. L.A. °F
Office Work	Surveyed by K. Sinclair
Checked	Notes E. L. Smith Date June 51'
Date	Indexed E. C. Johnson

F. B. 93A Pg. 231

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

ADDITIONAL TIES FOR L.A.CO. TRAV. STA.

DUME POINT I-10A — Line To Conv. Pt. Dume Pt. I-10C



76FS085 247 4-53

F.B. 930 PG. 232

—DESCRIPTION—

TRAVERSE STATION "DUME POINT I-10A"

In L.A. Co., at Zuma Beach, on the Pacific Cst. Hwy. (U.S. 101, Alt.) about 1.8 miles west of the Zuma Creek Bridge # 53-28 & 1.0 mile East of the Trancas Creek Bridge #53-27

STATION MARK: Encl. a std. 2" Brass tablet in conc. flush with grade of Hwy. pavement, inscribed," L.A. Co. Surv. Cont. Sys. Trav. Sta. DUME POINT I-10 A. 1950 & Set by County Surveyor R.E. 329." Per F.B. 1652-107

SUBSURFACE MARK: None.

R.M. No 1: Fnd. a 3/4" I.P. in Conc. with Copper Pin in Conc. Cont. 10" below top of curb. Per F.B. 1652-107

R.M. No 2: Set a 3/4" I.P. with Conc. Plug & Tag, down 14 in.

R.M. No 3: Set Same as No 2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Traffic Signal at Pacific Coast Hwy. & Trav. Station
W. O. 3301-6 Tape No. Str'd. 6.3 ° oF
Surveyed by L.A.C. Van Tassell
Notes E. Lorraine Date 12-1-53
Indexed A. C. Johnson

F.B. 5311 PG. 235

Conc. Culvert # 283+80

Fnd. L & T. Per F.B. 1652-111

R.M. No 3 Set 3/4" I.P. See Pg. 234

(Edge of Pav't.)

Fnd. B.S. pk & W. 2' o/o Per F.B. 1652-111

Conc. Pav't.

R.M. No 2 Set 3/4" I.P. See Pg. 234

TRAV. STA. POINT OF DUNE-LOC See Pg. 234 FD 8-75 RMW

PACIFIC (U.S. 101 ALT.)

COAST

Approx. ℄ HWY.

℄ Trav. Sta. 284+10.10

R.M. No 1 Set 3/4" I.P. See Pg. 234

Fnd. L & T 2' o/o Per F.B. 1652-111

Set L & Tag

Conc. Curb

74' High Chain-Link Fence

Set L & Tag Conc. Culvert # 283+80

Paved Rd.

Set L & Tag

Conc. Curb

Set L & Tag

Entrance To Parking Area

Conc. Curb

Planter

L.A. Co. Rest Rm.

Service # 30064

HSE.

HSE. # 29912

AUDITOR'S TIES FOR L.A. CO. TRAV. STATION

Note: Bearings, Distances & Elevations Are Assumed

F. B. 930 Pg. 234

—DESCRIPTION—

TRAVERSE STATION: "DUME POINT I-10C

In L.A. Co. near the Easterly end of Zuma Beach about 0.65 mile S.W. of the Zuma Creek bridge #53-28 on the Pacific Cst. Hwy. R/W. (U.S. 101 Alt.) In a well cut through the Pavement & protected by a cast iron cover mkd. "COUNTY SURVEYOR MONUMENT."

STATION MARK:

Fnd. a standard 4" brass tablet in conc. 2" below Surface of the Hwy. Inscribed "L.A. Co. Surv. Contr. Sta. Trav. Sta. DUME POINT I-10C, 1950 & Set ½ Per L.S. 2 Y 652-111 County Surveyor R.E.-329"

SUBSURFACE MARKS: None.

R.M. No 1: Fnd. a 3/8" I.P. in Conc. with Copper Pin in Conc. Core, 10ft. below level of Pavement Per L.S. 652-111

R.M. No 2: Set a 3/8" I.P. 20" deep with Conc. Plug & Tag. Tan. To Two L & T Tags

R.M. No 5. Set a 3/8" I.P. 15" deep with Conc. Plug & Tag Tan. To Two L & T Tags

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd. °F
Office Work	Surveyed by
Checked	Notes Date 6-11-57
Date	Indexed C. Johnson

F. B. PG.

ADDITIONAL TIES FOR L.A. CO. TRAV. STA. DUME POINT J-10



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 4-53

F.B. 930 Pg. 236

—DESCRIPTION—

TRAVERSE STATION "DUME POINT NO"

In L.A. Co. near the Easterly end of Zuma Beach about 0.5 mile S.W. from the Zuma Creek Bridge # 53-28 on the Pac. Cst. Hwy. R/W. (U.S. 101 Alt.)

STATION MARK: Fnd. a Std. 4" brass tablet in conc. " below grade of the Hwy. Inscribed "L.A. Co. Surv. Cont. Sys. Trav. Sta. DUME POINT J-10, 1950, & Set by County Surveyor R.E. 329." Per F.B. 1652-113

SUBSURFACE MARK: None.

R.M. Nº 1: Fnd. a 3/4" I.P. in conc. with copper pin in conc. core. 18 in. below level of pavement Per F.B. 1652-113

R.M. Nº 2: Fnd Same as Nº 1, except 20" dn. Per F.B. 1652-113

R.M. Nº 3: Set, 3/4" I.P. with conc. plug & Tag 15" below level of Pavement.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 930 PG. 234

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 8301.00 Tape No. 0161 St'd. 68 °F
Surveyed by M. A. Van Deren
Notes E Land Date June 57
Indexed E. C. Johnson

ADDITIONAL TIES FOR L.A.CO. TRAV. STA. DUME POINT J-11A

Line To Trav Sta Dume Point J-11

T.P. # 16358-Y

Set L & Tags

Set 3/4" I.P. See nxt. pg.

1) 43-11-30
2) 86-35-00
= 43-17-30

1) 77-47-45
2) 155-35-00
= 77-47-45

43-11-30

95.21

Corr. Edge

Drive 20' Curb

Public Area Comfort Station

Zuma Beach Parking Area

31.57 Tan

18.51

Set L & Tags

18.41

77-47-45

T.P. # 25921-Y

99.15

30.88

Trav. Sta. Dume Point J-11A
See nxt pg. for desc
FD 8-75 CWO

Set 3/4" I.P. See nxt. pg.

30.88 @ 76° = 30.88
18.11 @ " = 18.11
31.57 @ " = 31.57
18.51 @ 78° = 18.51
99.14 @ 82° = 99.15
95.70 @ 82° = 95.71

7' high cross-link fnc. Edge of Pave.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 4-53

F. B. 930 Pg. 238

— DESCRIPTION —

TRAVERSE STATION "DUNE POINT U-11A"

In L.A. Co. at Zuma Beach about 0.35 mile west of Zuma Creek Bridge #53-28 on the South side of the Pac. Cst. Hiwy (U.S. 101 Alt.)

STATION MARK: Fnd. a std. 4" brass inlet in conc. level with pavement inscribed "L.A. Co. Surv. Cont. Sys. Trav. Sta. Dune Point U-11A, 1950 & Set by County Surveyor R.E. 3291" Per. F.B. 1652-117.

SUBSURFACE MARK: None

R.M. #1: Set a 3/4" I.P. 16 in. deep with conc. with 3" Tag.

R.M. #2: Set a 3/4" I.P. 16 in. deep with conc. Slug 3" Tag.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 494 PG. 239

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 930100 Tape No. 1161 St'd. 70 °F
Surveyed by M. D. Van Norman
Notes Van Date 10-29-57
Indexed A. C. Johnson

ADDITIONAL TIES FOR L.A.CO. TRAVERSE STATION DUME POINT J-11



("Note" a.i. sight meas level T= 70° no temp Corr needed)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 4-58

F. B. 750 Pg. 220

—DESCRIPTION—

TRAVERSE STATION DUME POINT U-N

In L.A. Co. about 1.25 miles N.W. of Point Dume & 1.25 S.W. of 7.95 Zuma Creek Bridge #53.28 on the Pacific Coast Hwy (U.S. 101 Alt.) Near the Easterly end of the L.A. Co. Zuma Beach.

STATION MARK: Found a std 4" brass Tablet set in conc 3" dp. inscribed L.A. CO. Survey Cont. Sys. Trav Sta Dume Point J-1, 1950 set by County Surveyor R.E. 329 per FB 1652-115-116

SUBSURFACE MARK: none

RM #1 Fd a 3/4" I.P. conc plug and copper pin set in conc 15" dp. per FB 1652-115-116

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	W. O. 0301.20 Tape No. 211 St'd. L.P. °F
Office Work	Surveyed by W.O. Van Thorsen
Checked	Notes Van Date 10-29-57
Date	Indexed A. C. Johnson

F. B. 944 Pg. 941

ADDITIONAL TIES FOR L.A.CO. TRAVERSE STATION DUNE POINT K-10A

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F3095 247 4-55

F. B. 940 Pg. 242

-DESCRIPTION-

TRAVERSE STATION "DUME POINT K-10A

In L.A. Co. about 1.25 miles N.W. of point Dume near the Est'y end of Zuma Beach near the Pacific Coast Hwy. Zuma Creek Bridge #53-28 on the Westward Beach Rd.

STATION MARK. Fd a std 4" brass tablet set in conc in H.H. 10"dp. inscribed L.A. Co. Surv. Cont. Sys. traverse station Dume Point K-10A 1950 set by Co Surveyor R.E. 329

SUBSURFACE MARK None

R.M. #1 Fd a 3/4" I.P. Set in conc. with conc plug and copper pin. 15" deep per FB 1662-121-122

R.M. #2 Set 3/4" I.P Conc plug & Tag 15"dp

RM#3 Set 3/4" I.P. conc plug & Tag 13"dp

R.M. #4 Set 3/4" I.P. conc plug & Tag 15"dp Set on line prod From Dume point J-11 thru Dume Point K-10A

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	W. O. 3901.00 Tape No. 2161 St'd. 68 °F
Office Work	Surveyed by M. A. Van Dercom
Checked	Notes Van Date 10-31-57
Date	Indexed K. O. Johnson

F. B. 930 Pg. 203

ADDITIONAL TIES FOR L.A. CO. TRAV STATION "DUME POINT L-10"



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

F.B. 930 Pg. 299

— DESCRIPTION —

TRAV STATION "DUME POINT L-10"

in L.A. Co. near Point Dume. about ⅛ Mile West of L.A. Co. Fire station-Zuma Engine Co #71, at beginning of curve to the east. on the Pacific coast Hwy.

STATION MARK: Fd a 4" brass tablet set in conc 4" deep within the dividing strip. and inscribed L.A.CO. Surv Cont Sys. Traverse station Dume Point L-10-1950 and set by County Surveyor. R.E. 329 per FB 1652-123-124

SUBSURFACE MARK: none

RM #1 Fd a ¾" I.P. set in conc 13" dp with conc plug and copper pin 12" dp per FB 1652-123-124

RM #2 set ¾" I.P. conc plug & Tag 14" dp

R.M. # 3 set L & Tag 13" dp in rock base

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	W. O. 0301.08 Tape No. 0161 St'd. 68 °F
Office Work	Surveyed by M.A. Van Dorn
Checked	Notes Van Date 11-6-57
Date	Indexed C. Johnson

F. B. 930 Pg. 245

ADDITIONAL TIES FOR L.A. CO. TRAV STATION SOLSTICE CANYON G-9



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

F. B. 930 Pg. 246

-DESCRIPTION-

TRAVERSE STATION SOLSTICE CANYON G-9

in L.A.Co. near westerly limits of the Santa Monica bay. Malibu district. at the mouth of solstice Canyon and on the Pacific Coast Hwy. (U.S. 101 Alt)

STATION MARK : SET A STD. 4" BRASS CAP "TRAVERSE STATION MON. IN CONC. DK. 12" AND STAMPED " SOLSTICE CN G-9 RESET 1958, CO. ENGR., L.A. BASE" 1.5' WEST CUT 4 FEET THE POINT. AND PROTECTED BY A CAST IRON COVER.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	W. O. 030108 Tape No. 0161 St'd. 68 °F
Office Work	Surveyed by M. A. Van Doren
Checked	Notes Van Date 11-7-57
Date	Indexed C. Johnson

F. B. 930 Pg. 247

ADDITIONAL TIES FOR L.A.CO. TRAV STATION

SOLSTICE CANYON J-8



Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 934 Pg. 298

—DESCRIPTON—

TRAV STATION SOLSTICE CANYON J-8

In L.A.Co, and in the Santa Monica bay area. Malibu area 2 1/4 Miles west of the Malibu creek bridge. or 0.1 Mile E. of the Puerco Canyon Rd. and on the Pacific Coast Hwy. (U.S. 101 Alt) in the dividing strip

STATION MARK: Fd a std 4" brass tablet set in conc 8" dp. inscribed L.A.Co. Surv. Cont. Sys. Trav station Solstice Canyon J-8-1950 and set by Co Surveyor, R.E.329

SUBSURFACE MARK- None

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	W. O. 8301.06 Tape No A161 St'd. 68 °F
Office Work	Surveyed by M.A. Van Deren
Checked	Notes Van Date 11-8-57
Date	Indexed C. Johnson

F. B. 930 Pg. 249

ADDITIONAL TIES FOR L.A.CO. TRAV STA

LAS FLORES B-8

Set L&T Tag in conc curb

TRAV STA LAS FLORES "B8" See next pg for these See also F.B. 1652/9

Road To Malibu

Mac pvt

Set L&T Tag in Conc pvt

Set L&T Tag in conc curb

B.C. 924+62.28 See F.B. 1652-9 " F.B. 1312.88

22.65

22.72

8.19

Fd L&T tk per F.B. 1652-9

13.6

5.095

13.53

22.96

Set L&T Tag in conc curb

Set L&T Tag in Conc Curb

all dist Mean level at T=68 No Cor

Conc pvt

PACIFIC COAST HWY (US 101 ALT)

Mac pvt

Conc pvt

Mac pvt

12" Guy P.P. # 7706555E

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 S&E #247. 8-54

F. B. 930 Pg. 250

— DESCRIPTION —

TRAV STA LAS FLORES B8

In L.A. County, Santa Monica Bay Area, on Pa[illegible] Coast Hwy. (U.S. 101 Alt.) 1/4 Mile west of [illegible] Malibu Creek Bridge in the dividing strip.

STATION MARK: Fd a std. 4" brass Tablet in Conc. 8" below curb level, inscribed - "L.A.CO. SURV. CONTROL SYSTEM - TRAVERSE STA LAS FLORES B-8, 1950 and set By COUNTY SURVEYOR, R.E. 329."
See F.B. 1652 - 9 & 10. Well & Cover set on this mon
1-27-58 Van Dorn

SUBSURFACE MARK: None.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	W. O. 8301.010 Tape No. 8161 St'd. 68 °F
Office Work	Surveyed by H. A. Van Dyke
Checked	Notes E. L and T Date June 57
Date	Indexed C. Johnson 11-21-67

F. B. 99A Pg. 251

ADDITIONAL TIES FOR L.A. CO. TRAV. STA. DUNE POINT I-10B



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 4-53

F. B. 930 Pg. 252

DESCRIPTION

TRAVERSE STATION DUME POINT I-10B

In L.A. Co. on the coast line 2 miles N.W. of Point Dume, 1 mile west of the Zuma Creek Hwy. bridge #53-28 & 0.7 mile east of the Trancas Cr. Hwy. Brdge #53-27 on the Pac. Cst. Hwy. (U.S. 101 A.H.) adjacent to the L.A. Co. Zuma Beach.

STATION MARK: Fnd. a std. 4" brass tablet in conc. flush with street grade inscribed "L.A. Co. Surv. Cont. Sys - Horiz. Brs., DUME POINT I-10B, 1950 & Set by County Surveyor, R.E. 329' Per F.B. 1652-109

WITNESS MARK: None

R.M. N°1: Fnd. a 3/4 I.P. in conc. with copper pin in conc. Conc. 15" below ground Surface. Per F.B. 1652-109

R.M. N°2: Set a 3/4" I.P. with conc. plug & Tag 12" deep. Set on line prod. from R.M. N° 4 thru I-10B.

R.M. N° 3: Set Same as #2, Except on line prod. from R.M. E 5 thru I-10B.

R.M. N° 4: Set Same as R.M. #2

R.M. N° 5: Set Same as R.M. #3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0390.00 SURVEY OF Geodetic control
DATE SURVEY BY [illegible]
NOTES CHKD. NOTES BY [illegible] DATE 6-18-57
DATE INDEXED [illegible] DATE 7-26-57

F.B. 930 Pg 253

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	TRANSFER OF B.M. ELEVATIONS TO NEW MONUMENTS					
B.M. 13-146	121.400				121.400	B.M. 13-146 Elev. 121.40 Per F.B. 1369-121 & 1652-69 930-211, 212
+	5.416		5.327			
=	126.816	1.771	1.772			
−	3.645		3.555			
T.B.M.#1	123.171					T.B.M.#1 Spk. & W. flush. Mon. in sw.
+	2.961		2.678			
=	126.132	0.107	0.107			
−	2.854		2.571			
DBA	123.278				123.278	DBA New Mon Set. Per F.B. 930-211, 212

Reset Dumet Mon. DBA



Run 7-22-57 C.M.A. Vol. Survey

Var. Usage - Used Elev. of Tain new elev on DBA

F. B. 930 PG. 254

JOB NO. _____ SURVEY OF _____ NOTES RED. _____

SURVEY BY _____ DATE _____

NOTES BY _____ DATE _____ NOTES CHKD. _____

INDEXED _____ DATE _____ DATE _____

765420 S & E-353 4-54

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

723 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

F. B. 930 PG. 255

NOTES RED. JOB NO. 0054.74 SURVEY OF ZUMA BEACH
DATE SURVEY BY L.L. BROWN
NOTES CHKD. Miller NOTES BY L.L.B. DATE 12-21-57
DATE Mar. 1958 INDEXED L. S. Johnson DATE 2-12-57

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

76S420 S & E-353 4-54

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						BENCH LEVELS ZUMA BEACH J.N. 0054.74 BENCH LEVELS FOR TOPOGRAPHIC MAP P.T. 168
					BENCH LEVEL CIRCUIT FROM B.M. H-9A (4.75' EAST OF TRANCAS BRIDGE.) EASTERLY ALONG PACIFIC COAST HWY. THROUGH U.S.B.M. 3004 AND RETURN WESTERLY ALONG BEACH TO U.S.B.M. 1314 AT TRANCAS BRIDGE.	
	L.L. BROWN BOOK 15 1958 [illegible]					Plot F.B. 930 F.B. 1445

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0654.14 SURVEY OF ZUMA BEACH
SURVEY BY L.L. BROWN
NOTES BY [illegible] DATE 12-23-57
INDEXED [illegible] DATE
NOTES RED. DATE
NOTES CHKD. Muller DATE Mar 1958

F.B. 930 PG. 256

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
FD. B.M. H-9A	13 213 ✓				13 213 ✓	B.M. H-9A (A 3½" P. DOME IN TOP OF CONC. HEADWALL AT THE SW. END OF A CONC. BRIDGE OVER A STORM DRAIN CHANNEL, 0.2 MI. N. OF THE INTERSECTION OF PACIFIC COAST HWY. & BIRCH AVE., 0.1 MI. E. OF THE E. END OF THE BRIDGE, 0.1 MI. W. OF THE W. END OF A CONC. BRIDGE OVER A STORM DRAIN CHANNEL, 0.1 MI. E. OF THE E. END OF A CONC. BRIDGE OVER A STORM DRAIN CHANNEL

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. _____ SURVEY OF _____
DATE _____ SURVEY BY _____
NOTES CHKD. Muller NOTES BY _____ DATE 12-23-54
DATE Mar. 1955 INDEXED _____ DATE _____

F. B. _____ PG. _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	16 091 ✓					T.P.
+	4 571		4 435			
=	20 662 ✓	-0 593	+0 596			
-	5 164		5 031			ON TOP OF SPIKE OF PAVEMENT AT HWY. 0.40 MI. E. OF TRAIL CANYON BRIDGE, SET LAGGING 0.4' E. OF C.L. & 0.5' S. OF P.I.
SET T.B.M. No. 2	15 498 ✓					T.B.M. No. 2
+	4 352		4 441			
=	19 850 ✓	-1 007	+1 004			
-	5 350		5 445			
T.P.	14 491 ✓					T.P.
+	4 355		4 628			
=	18 846 ✓	-0 426	+0 491			
-	4 [illegible]		5 119			
T.P.	13 905 ✓					T.P.
+	4 542		4 642			
=	18 537 ✓	+3 174	+3 [illegible]			
-	1 363		[illegible]			
[illegible] - B	[illegible] 169 ✓					T.B.M. [illegible] - B TOP OF [illegible] FIRE HYD. NO. [illegible] 0.2' E. OF [illegible] PAVEMENT SPLIT [illegible] 0.6' E. OF [illegible] P. POLE NO. [illegible] 2 POLES No. 3223[illegible] EL. 17[illegible]
+	2 009		2 09[illegible]			
=	[illegible] 178 ✓	+2 465	+2 462			
-	4 [illegible]		4 551			
T.P.	14 704 ✓					T.P.
+	4 850		5 053			
=	19 554 ✓	+0 500	+0 496			
-	4 450		4 535			
T.P.	15 204 ✓					T.P.
+	4 820		4 941			
=	20 024 ✓	+1 932	+1 933			
-	2 888		3 008			
SET T.B.M. No. 3	17 136 ✓					T.B.M. No. 3 ON TOP OF PACIFIC C.A. HWY. 0.70 MI. E. OF TRAIL CANYON BRIDGE, SET LAGGING C.L. IN N. SIDE P. POLE No. 81766E

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0054.74 SURVEY OF ZUMA BEACH
SURVEY BY L.L.S. BRANCH
NOTES BY L.L.S. DATE 12-23-57
INDEXED C. JOSEPHSON DATE
NOTES RED. DATE
NOTES CHKD Miller DATE March 1958

F.B. 930 Pg. 258

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
SET T.B.M. No. 3	17 136 ✓					T.B.M. No. 3 { 0.7 MI. S. OF PACIFIC COAST HWY. 0.70 M. E. OF TRANCAS CREEK 50 FT. S. OF LARGE RD. STA. IN N. SIDE OF P.C.C. No. 81 836.5
+	3 610		3 520			
⊼	20 746 ✓	-0 457	-0 458			
−	4 069		3 978			
T.P.	16 677 ✓					T.P.
+	5 310		5 379			
⊼	21 987 ✓	-0 405	-0 400			
−	4 905		4 979			
T.P.	17 082 ✓					T.P.
+	4 229		4 411			
⊼	21 311 ✓	-0 806	-0 805			
−	5 035		5 216			
FD U.S.B.M. 3004	16 276 ✓					U.S.B.M. 3004 = K-53 { PACIFIC COAST HWY. STA. 473+23.5 E 42' S. OF E.A.O. S.C.E. STD. DISC IN CONC. FLUM EL. 16.382 ✓
+	1 622		1 371			
⊼	17 895 ✓	-4 458	-4 458			
−	6 080		5 930			
T.P.	11 818 ✓					T.P.
+	4 456		4 441			
⊼	16 274 ✓	-0 549	-0 548			
−	5 005		4 989			
T.P.	11 269 ✓					T.P.
+	5 783		5 697			
⊼	17 052 ✓	+0 877	+0 877			
−	4 904		4 820			
SET T.B.M. No. 4	12 148 ✓					T.B.M. No. 4 { PUNCH ⊕ 2.5 FT. NE TO Z-4 IN TOP OF CONCRETE ±N. OF HOLE No. 29936
+	4 870		4 940			
⊼	17 018 ✓	-0 822	-0 864			
−	5 752		5 824			
T.P.	11 266 ✓					T.P.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JOB NO. 0054.74 SURVEY OF Zuma
DATE SURVEY BY L. L. Bixby
NOTES CHKD Miller NOTES BY [illegible] DATE 12-23-57
DATE March 1958 INDEXED DATE

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	11 266 ✓					T.P.
+	4 337		4 266			
⊼	15 605 ✓	+0 051	+0 046			
−	4 289		4 220			
T.P.	11 317 ✓					T.P.
+	5 680		5 581			
⊼	16 997 ✓	+3 070	+3 070			
−	2 610		2 511			
T.P.	14 387 ✓					T.P.
+	1 313		0 982			
⊼	15 705 ✓	-5 435	-5 436			
−	6 753		6 418			
SET T.B.M. No.5	5 952 ✓					T.B.M. No.5 ON THE BACK 220 FT S. OF S. W. OF THE S. W. COR. OF [illegible] TRACT AS SHOWN ON MAP OF SAME RECORDED IN BOOK [illegible] OF MAPS, [illegible]
+	2 470		2 385			
⊼	11 422 ✓	-1 793	-1 797			
−	4 263		4 182			
T.P.	7 154 ✓					T.P.
+	4 874		4 695			
⊼	11 993 ✓	-0 719	-0 719			
−	5 763		5 614			
T.P.	6 235 ✓					T.P.
+	5 529		5 256			
⊼	11 764 ✓	+3 242	+3 246			
−	2 287		2 010			
SET T.B.M. No.6	9 477 ✓					T.B.M. No. 6 ON THE [illegible] 115 FT E. [illegible] OF THE Z-LINE OF [illegible] Z-LINE SET 2 FT [illegible] OF [illegible]
+	1 684		1 793			
⊼	11 161 ✓	-1 739	-1 740			
−	3 423		3 538			
T.P.	7 738 ✓					T.P.

F. B. 334 PG. 259

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0054.74 SURVEY OF ZUMA BEACH NOTES RED.
SURVEY BY L.L. BROWN DATE
NOTES BY L.L.B. NOTES CHKD. Miller
INDEXED C.C. Johnson DATE 12-23-57 DATE Mar. 1958

F.B. 930 Pg. 260

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	7 738 ✓					T.P.
+	5 206		5 235			
Σ	12 944 ✓	+1 631	+1 631			
−	3 575		3 607			
T.P.	9 369 ✓					T.P.
+	2 677		3 098			
Σ	12 046 ✓	-0 734	-0 736			
−	3 411		3 834			
T.P.	8 635 ✓					T.P.
+	3 449		3 808			
Σ	12 084 ✓	-1 940	-1 941			
−	5 389		5 749			
T.P.	6 695 ✓					T.P.
+	5 061		5 364			
Σ	11 756 ✓	+0 403	+0 404			
−	4 608		4 960			
T.P.	7 698 ✓					T.P.
+	5 024		4 964			
Σ	12 122 ✓	+4 525	+4 522			
−	0 499		0 442			
SET T.B.M. No. 7	11 623 ✓					T.B.M. No. 7 { SET ELEV ON LARGE BT. SPK. MARKED TBM#7 IN S. SIDE MAG NAIL ON THE EAST SIDE OF TRUNK B.M. EL. 237+.
+	5 016		4 947			
Σ	16 639 ✓	+3 874	+3 873			
−	1 142		1 074			
FD T.B.M. No. 2	15 497 ✓					T.B.M. No. 2 { ON THE S. SIDE OF PACIFIC COAST HWY. 40 FT. E. OF TRANCAS CREEK BRIDGE SET LEAD & BT. SPK. IN S. SIDE MAG NAIL 5660 E.
+	0 541		0 727			
Σ	16 038 ✓	-7 297	-7 295			
−	7 838		8 022			
T.P.	8 200 ✓					T.P.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	8 200 ✓					T.P.
+	3 498		3 583			
π	11 698 ✓	+2 278	+0 278			
−	3 219		3 305			
T.P.	8 479 ✓					T.P.
+	3 852		3 831			
π	12 331 ✓	+1 833	+1 830			
−	2 019		2 001			
SET T.B.M. No. 8	10 312 ✓					T.B.M. No. 8
+	1 727		1 781			
π	12 039 ✓	-3 023	-3 027			
−	4 755		4 808			
T.P.	7 284 ✓					T.P.
+	7 994		8 074			
π	15 278 ✓	+4 335	+4 339			
−	3 652		3 735			
FD B.M. Z.B-10	11 619 ✓					B.M. Z.B-10
+	1 856		2 024			
π	13 425 ✓	-3 819	-3 832			
−	5 635		5 906			
T.P.	7 740 ✓					T.P.
+	4 535		4 624			
π	12 275 ✓	-1 470	-1 469			
−	6 005		6 093			
T.P.	6 270 ✓					T.P.
+	4 449		4 520			
π	10 719 ✓	+2 749	+2 751			
−	1 700		1 769			
SET T.B.M. No. 9	9 019 ✓					T.B.M. No. 9

NOTES RED. JOB NO. 20 SURVEY OF ZUMA BEACH
DATE SURVEY BY L. A. S.
NOTES CHKD. Miller NOTES BY A. C. Johnson DATE 12-23-57
DATE Mar. 1958 INDEXED DATE

F.B. 2[illegible] PG. [illegible]

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0054.74 SURVEY OF ZUMA BEACH NOTES RED
SURVEY BY L. L. BROWN DATE NOTES CHKD Miller
NOTES BY L. C. Johnson DATE 12-23-57 DATE March 1958
INDEXED DATE

F.B. 930 PG. 262

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
SET T.B.M. No. 9	9 019 ✓					T.B.M. No. 9 - SEE ABOVE
+	3 084		3 144			
π	12 108 ✓	-4 070	-4 073			
−	7 159		7 217			
T.P.	4 949 ✓					T.P.
+	6 330		6 498			
π	11 329 ✓	+3 233	+3 230			
−	3 147		3 238			
T.P.	8 182 ✓					T.P.
+	7 302		7 050			
π	15 484 ✓	+6 854	+6 858			
−	0 448		0 192			
T.P.	15 036 ✓					T.P.
+	7 068		7 169			
π	22 104 ✓	+3 489	+3 488			
−	3 580		3 681			
FD. U.S.B.M. 1314	18 524 ✓					U.S.B.M. 1314 (ON STATE HWY. BRIDGE # 53-27 (TOP OF 108 DOWEL IN TOP OF SE WALL S. SIDE HWY. 1938 SURV. TABLET STAMPED R49-1935 SET 1938. 1947 ADJ. EL. 18.527 ✓
+	3 430		3 569			
π	21 954 ✓	-2 565	-2 566			
−	5 995		6 135			
T.P.	15 959 ✓					T.P.
+	3 548		3 640			
π	19 507 ✓	-2 773	-2 776			
−	6 321		6 416			
FD. B.M. H-9A	13 186 ✓					B.M. H-9A ✓ (AUTH. OF DUNE COAST HWY. 1475' E. OF TRANCAS CREEK BRIDGE, F.B. 1652 TIES PER F.B. 930-96. A STD. BRASS DISC IN 12" X 12" CONC. MON. ALIGN 15' S. OF S. EDGE OF CONC. PVMT. EL. 13.213 F.S. 930-135

Notes Ck'd by_____
Map No._____
Office Work_____
Checked_____
Date_____

Survey of Geodetic Control
JN 0301-00 Tape____ Std 68 °F
Surveyed by Mankey
Notes ETM Jr. Date 2-22-62
Indexed_____

F. B. 930 Pg. 243

ADDITIONAL PRECONSTRUCTION TIES TO PERPETUATE

N 68

RESET APRIL 18, 1962 ETM Jr.

Mankey Jr.
Swann
Manley

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F30SS CE #247 5-57

F. B. 930 Pg. 264

TOPANGA CANYON

See F.B. 2100-96

PACIFIC COAST ℄ HWY



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 230.00 Tape Std °F
Office Work	Surveyed by [illegible]
Checked	Notes Date Nov 1962
Date	Indexed

F. B. 930 Pg. 265

ADDITIONAL PRECONSTRUCTION

TIES

TO PERPETUATE

N 72

MONUMENT NOT REMOVED DURING CONSTRUCTION BUT HAS SHIFTED

TIES NOT IN ACCORD

AUG. 8, 1962 ETM Jr.

Manley Jr
McCall
Manley
Swann

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 320 Pg. 46

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 030100 Tape Std °F
Office Work	Surveyed by Mankey Jr.
Checked	Notes E.T.M. Jr. Date 6-7-62
Date	Indexed

F. B. 930 PG. 267

ADDITIONAL PRECONSTRUCTION

TIES TO PERPETUATE

LAS FLORES 18A

IN

PACIFIC COAST HWY

RESET AUGUST 8, 1962 E.T.M. Jr.

Mankey Jr.
McCall
Swann
Manley

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #247 3-57