The original pages of this book are of poor quality. Care has been taken to make the best scans possible. If necessary you can arrange to see the original book at:

Department of Public Works

900 S. Fremont Ave

Survey Public Counter

Alhambra, CA 91803

FB. 976-3

FB. 976-4

352

352

1

RIGHT-OF-WAY SURVEY
COLORADO RIVER
TRANSMISSION LINE
STEWART-GRAY ROAD TO MAINE AVE.

ORIGINAL & SURVEY - PAGES 2-41. 5/20/32 - 7/29/32. 8/8/32 - 3/20/33.
RELOCATED & SURVEY - PAGES 42-59. 6/28/33 - 7/15/33.

W.C. Mason, Surveyor & Recorder.
J.J. Orcutt & chn. S.H. Oliver Chn. V.F. Lundgren, Chn.
F.W. Ballinger & M. S.W. Bartow chn.

PROFILE & LEVEL NOTES SHOWN
IN F.B. # 360-1 TO 42, 69 TO 80.
& F.B. # 370-4 TO 10, 58 TO 61.

DETAIL - GROUND & OVERHEAD
STEWART-GRAY RD. TO SAN DIMAS CANYON
PAGES 60 TO 80

6/22/36
Additional Detail Wheeler La Verne Rd. Page 78

FB976-5

FB.976-6

L352

32

RIVER

3278

LOT 1

WALNUT CREEK

Timber Trestle S.P.R.R. #1146F

SOUTHERN

PAC

IFIC

RY.

TRACT NO.

(MB 36-41)

GABRIEL

LOT 2

POMONA

BLVD.

SAN

Abandoned Set F.B. 418-19

Sta 648+08.44
Set 2x2 12" deep by intersection

Sta 649+44.65
Set 2x2 flush P.O.T.

Sta 647+68.18
Set 1x2 between C.R. ties by intersection

Sta 647+48.99
Set 2x2 flush P.O.T. Top of Bank

Sta 647+18.83
Set 2x2 flush P.O.T.

Sta 647+00.25
Set 2x2 by intersection 10' under surface

Sta 645+21.49
Set 2x2 flush P.O.T. Foot of Fill

Sta 644+68.73
Set 2x2 flush P.O.T. Top of Fill

Sta 644+49.68
Set Sat. in pavement by intersection Sta. 7+10.78 going West.

Sta 644+32.91
Set L.T. in 6" conc. curb P.O.T.

Sta 644+32.71
Set 1x2 flush P.O.T. Foot of Fill

Sta 644+09.75
Set 2x2 flush P.O.T. at foot of fill

Sta 22+96.12

Sta 20+82.36

Sta 17+70.86

Sta 13+48.07

Sta 12+62.92

Sta 12+32.27

Sta 10+62.50

Sta 7+76.25

Sta 7+22.27

Sta 22+82.73

Sta 20+69.26

Sta 17+70.86

Sta 13+48.07

Sta 10+62.50

Sta 7+76.25

Sta 7+22.27

Sta 6+99.27

Semaphore Signal #1471

Semaphore Signal #1472

Set N.T. in R.R. tie

Set 1x2 in intersection

Set 2" I.P. with plug and tack

Set 2" I.P. with tack

Set 2x2 at intersection of Garcia and Gabriel

Set 2x2 at intersection of Garcia and Gabriel

Set 2x2 at intersection of Garcia and Gabriel

FB. 976-7

FB. 976-8

352

33

5/27/33
613.44 @ 64° = 613.39
579.43 @ 64 = 579.38
647.31 @ 64 = 647.26
742.14 @ 64 = 742.08
175.74 @ 64 = 175.70

5/27/33
Int. 1
72-40-00
6/435-57-40
72-29-37
Defl.
107-20-30
6/441-02-50
107-20-28

Int. 2
121-24-15
6/728-25-45
121-24-18
Defl.
58-38-30
6/351-38-10
58-38-32

Int. 3
148-27-30
6/810-45-40
148-27-37
Defl.
31-32-30
6/189-15-15
31-32-32

Int. 4
126-55-30
6/761-33-45
126-55-35
Defl.
53-04-15
6/318-28-45
53-04-18

Sta. 675+26.76
Set 2x2 flush. P.O.T.
1x2

Sta. 667+89.68
Set 2x2-10" deep. P.O.T.

Sta. 661+37.42
Set 2x2 flush. P.O.T.

Sta. 655+98.04
Set 2x2 flush P.O.T.

Abandoned See FB 418-15 EFS.

363.12 6"
5/27/33
363.16

72° 29' 35"

121° 24' 23"

16° 04' 30"

Fd. old whitetop 2x2 x nail 1.5" deep
8.75
Fd. old rotten 4x4 15" deep with no paint. Set nail in centre

Fd. Nothing

Fd. Nothing

Station No. 8.
Fd. old burned 4x4 & piece of rusted nail. Replaced nail

148° 27' 32"

Station No. 9.
Fd. old burned 4x4 & rusty nail. Replaced nail

126° 55' 40"

516.91

Set P.P. Track
See Page 32

Fd. brass disk mkd. "County Surveyors Monument" set in large block of concrete in center of Walnut Street at Mrs L. P. Sta "E" per C.S. No. B-519-1 & C.S.F.B. 352-127

151° 23' 20"

WALNUT

CREEK

O.T. BISSETT'S SUBDIVISION (MR 59-4 to 9)

N 54½ W

B-4
C-2

222.44

FB. 976-9

352

FB. 976-10



FB. 976-11

352

FB. 976-12

35

352



FB. 976-13

352

FB. 976-14

36



FB.976-15

352

FB.976-16

37

SAN GABRIEL RIVER

PACIFIC ELECTRIC RY.

EL MONTE

BARNES AVE

FRANCISQUITO ST.

T.1S.-R.11W

13

Sta. 755+78.07
Set 1½" Iron. P.O.T.

8/2/35. For New Tie to P.E.R.R. See FB 418-10. W.C.M.

Sta. 748+38.34
In Intersection
=Sta 22+08.96 Compound
=R.R. Sta 837+66.6

Sta. 748+19.46
Removed 8/2/35
W.C.M.

Sta. 747+13.1
Set S.T. in Stamped Conc. Pedestal By Interpolation

Sta. 746+79.06
Set 1½" Iron. P.L.T.

Abandoned See FB 418-10

Center Line of North Track

542.72 per Rel. Deed

Fd 2" I.P.

Fd L.T. in Conc. pave. per Rel. Deed FB* FR313-19

Fd 27.8 Pipe Fractional

Fd 3.5 R. Fract. Section

Set 2½" (2" Deep)

Fd L.T.

Fd Nail in Tree near Edge of Pavement

Set 5/8" Iron Pipe in Bank

Fd 2" I.P. Bent

Fd 3/4" I.P. Flush

Fd 3/4" I.P. Flush

Fd 3/4" I.P. Flush

FB. 976-17

352

FB. 976-18




Sta. 831+02.82
Set 2"x2" x 12" deep P.C.P.
Set 1/2 flush
Sta. 828+14.40
Set 2"x2"-12" deep by intersection with the Section line as measured from South or W. Cor.
Sta. 822+77.67
Set 1/2" I.P. flush
Sta. 822+28.71
Set 1/2" I.P. flush
Set 1/2 flush
90° Turned
Set 1/2 flush
1/4 Section Corner
T.12 S., R. 3 W.
Set 2"x2"-3" deep
per Map of Tract
No. 1605 per map in M.B. 20-32
Sec. 2, T. 12 S., R. 3 W., S.B.B.&M.
See Sec. 3 Map 1933
1223.74
No. 1605 per map in M.B. 20-32
2643.10
Meas.
OLIVE ST
STEWART AVE
39
Set 1/2 flush
Abandoned See F.B. 418 - 5, 6, 7. B.P.S.
Sta 818+81.08
Set Nothing on ℄ R/W.
Set 1/2 flush
Set 1/2 flush
Sta 808+00.05
Angle Point #18
Set 2"x2" 4 ft. long (2/3 ungrooved and 1/3 in ground at recess)
Sta 808+73.09
Set Nothing on ℄ R/W.
Set L.T. in N.E. Cor. 12"x12" rock on Offset to ℄ R/W at West Line Tr. #1 L.O.S.
Sta 808+70.03
Set Nothing on ℄
Set 2"x2" by intersection on Offset to ℄ of R/W.
Sta 805+94.66
Set Nothing on ℄ R/W.
Set on Offset to ℄ by intersection, 3/8" pin in a 4" cone, block flush with surface. Angle Point in Offset Line.
See F.B. 418
TRACT NO. 1605
R 11 W
R 10 W
CENTER ST.
7
12
2642.68
Bears Course Line
1322.34
Set 2"x2" in mound, stakes by projection
1288.42
6068
Fd Nail in top of Cen. Items pair
Set 2"x2" flush
Set 1/2 flush
Set 1/2 flush
Set 1/2


PROPOSED
ARROW
Sta 843+46.55
Set 2x2 -12" deep by intersection
Sta 843+12.28
Set nail & shiner in Mag. Pavement by intersection
Sta 841+83.92
Set 2x2-5" deep P.O.T.
Sta 848+99.79
Sta 848+87.54
Sta 848+65.37
Set 10 Tack
Set 10 Tack
Set 10 Tack
Set 2x2 -12" deep P.O.T.
Sta 848+59.80
Set 2x2 -12" deep P.O.T.
Set 2x2 -12" deep P.O.T.
Set 2x2 -12" deep P.O.T.

FB. 976-23

352

FB. 976-24



FB.976-25

FB.976-26

352

42

RELOCATION

CENTER LINE OF RIGHT-OF-WAY
COLORADO RIVER TRANSMISSION LINE
STEWART-GRAY ROAD TO MAINE AVE

6/28/33 to 7/16/33. 8/3 - 8/11 '33.

J. J. Orcutt K.
G. H. Barton Chn.
V. F. Lundgren Chn.

Calculations for Relocated ℄ in C.B. #36-13 to 29 incl

ORIGINAL CENTER LINE, AS SURVEYED ON PAGES 1 TO 41, ABANDONED JUNE 15, '33. PROFILE OF RELOCATED CENTER LINE SHOWN IN F.B.s #360 & #370.

Contd. in F.B. 995-4
(See F.B. 995-4 pages 42 & 43)

FB. 976-27

352

F.B. 976-28



TRACT NO 10104

CHELSFIELD ST

2"IP

78.59

2"IP

6.90

50

52.69

See page #36

Original ℄

15.07

New ℄

Adopted

This ℄ abandoned 5/15/34 - See New

Sta. 729+19.82
Set 2x2-14" deep

55

See Calc. Book #37-19
& Calc. Book #36-27

Split of Angle
168° 59' 13"
(per page 36)

to 2"I.P. S.E. Cor Tract #10104 - See pages 35+36

Old AP #17
Old Sta. 735+22.37
(see page 36)

Abandoned 6/15/33

6.22

10.34

294.99

176° 05' 22" calc.
175° 44' 36" Calc.
175° 44' 00" rec'd.

Set 2"I.P. 12" deep on Split of Angle in property line see F.B. #418

8.17

6/15/33

Location in F.B. 418. N.C.R. pages 11+12.

301.98
Tan. produced

Set 2"I.P. 12" deep by intersection See page 36

New AP #17
Sta. 741+45.96
Set 2" I.P. 15" deep

2/6/34 Init. & New AP #17
175-44-00
60 56-24-20
175-44-03
Diff.
04' 16' 00"
6/25-36-20
04-16-03

FB 976-31

352

FB 976-32



FB. 976-33

352

FB. 976-34



FB. 976-35

352

FB. 976-36

See Calc. Book # 36-21,29.
58
ARROW
HIGHWAY
AVE
STEWART
MERGED
AVE
OLIVE
ST
Old Sta 848+87.5W
Fd 2x2 6" deep per page 40
Calc. Sta. 857+46.16
Set 2" I.P. 6" under
Old Sta 845+65.37
Fd. 2x2 x flush per page 40
New Sta. 847+29.73
New AP # 19 set
2" I.P. 6" deep
by Intersection
This Location Abandoned
May 13, 1933 W.O.N.
This ℄ o.k.
New Sta. 854+66.30
Set 2x2 flush
New Sta. 861+80.24
Set 2x2 4" deep
Sta 848+19.79
Set 2x2 6" deep
P.O.T.
New Sta. 866+30.64
Set 2" I.P. Stamped
by Intersection
℄ Original ℄ per page 40 Abandoned 6/15/33
℄ Calc. ℄ per C.B. # 36-21,29 Abandoned 1/10/34
Replaced Set with
Rw 2x2 in 2" I.P. 12" down
and Set ℄ of Sw
New Sta. 873+02.33
Set 2" I.P. in Mac. Pavement
by Intersection
New Sta 866+28.63
Set 2x2 4" deep
Old Sta 863+46.55
Fd. 2x2 per page 40
Set 1x2 Rot.
on Levee
Calc Sta 874+54.01
Set 2x2 10" under
Set 2" I.P. 12" down
Set 1/2" I.P. 12" down
Set 1/2" I.P. 12" down
Fd 3/4" I.P. 12" down
Fd Set (880 for 30.84)
88.385
684.69
1298.85
2232.56
1310.32
620.74
772.92
90.065
132.07
772.77
Set Sq. Cut in Pavement
Ties
Tie
Set Nail and Tag
Set Spike and Tag
Set Sq. Cut in Pavement
Set Sq. Cut in Pavement
Set Sq. Cut in Pavement
Set 2" I.P. 6" deep
Set 2x2 6" deep
Set 2x2 6" deep
Set 2x2

FB 976-37

FB. 976-38

352

See Calc Book #36-21

℄ changed 1/24/34
L#3 136.33 @ 70° = 136.32
425.13 " " = 425.11
727.00 " " = 726.97
614.21 " " = 614.18
518.08 " " = 518.06

Old ℄ Abandoned 6/15/32
see page 40-41

77.435

Old ℄ sta 891+43.22
see page 41

262.08

90°00'00" (Calc)

85°48' (Calc) 10'

sta. 892+43.74
Set L#1 in Large rock flush

℄ Old ℄ per C.B. #36-21, Adj. Nov. 1934

New Sta 885+48.40
Set 2x2 flush

1/11/34 New ℄ Pkw established

59

810
40 40

P.M. in N Leg Tow. 244 DI 1' above conc.

Replaced 2x2 with ℄ Mk in (box) 14' down with 2x2 2' down

64.41

75.09

54.235

Maine Ave

1/11/34 ℄ Pkw ℄ 12 offset
145-16-40
6/1871-27-10
145-14-32
Dist.
34-46-40
6/208-33-50
34-45-38

2" I.P. P.P.

Set Kw. Plug in 3/4" I.P. 15' down

P.M. in E Leg Tow. #244 DI 1' above conc.

Ties by King 10/1/34

Note - Set this point by inters. using Rd. Dept. and L.A.B.P+L. points as per 359-2 and Trans. Line points as per Ties (533-62+43) which fitted the existing points with the exception of the tie between P.P. and ℄ of Maine Ave. which is actually 75.09'. Measured angle + found it OK (145-13'-53") King 11/1/34

New Sta 904+52.02
Angle Point #20
Set nail in 2" I.P. by intersection

10/13/34 OK Sta

New Sta ~~904+51.985~~ N.C. Tn.
Set 2" I.P. flush to establish new ℄ Pkw (no nail in Iron Pipe at this point. Mon.

75.09 See Ties above

New Sta 903+~~56.32~~ 56.16
set 2x2 4" deep by Intersection

℄ Offset Line Per 359-2

136.70 (Calc)

186.85

145° 14' (Calc 2 sec Mon)

℄ 186.6 Offset Line per 18°359-2

Fd 2x2 stamp per 18-359-2

145°14' (Calc) 34

New Sta 893+90.05
set 2x2 4" deep

℄ C.C.

New Sta 891+63.08
Set 2x2 flush

Sta 905+27.11
Set 2x2 flush

85° (Calc)

℄ Dalton Road

1/4 Sec. Cor. Fd. 2x2 pr. mg. #1

℄ Pkw

Sta 904+52.02

Fd. 2x2 Stamp 1916

℄ MAINE AVE

℄ Center Line per Page 41

TRACT NO. 916
(M.S. 21-26)

FB-448-4

Fd. Axle Conc. Mon. N.W. Cor. T. 1916 per C.S. FB #252-S. See F.B. #359-2

out

set ℄ out

F.B. 976-39

F.B. 976-40

418

3

May 16, 1934
G.R. Miller C.P. + Rec.
A.W. Gibbs "
H.R. Eastman Chn.
J.H. Schuerman Chn.
L.R. Piotte Axe

NOTE:-
See F.B. 352-58
for complete notes. (original)

Calc from Sta. 499.58

2×2 4" deep F.B. 352-58

Calc. from Sta. 448.39

℄ per F.B. 352-58

to 2" I.P. pg. 4

W.S. 46-D-3

ARROW HIGHWAY

2" I.P. 6" deep for F.B. 352-49 58

25+25+50 100

25.00

25.00

S+T F.B. 352-58

370.82

2×2 4" deep F.B. 352-58

Calc. from Sta. 673.70

L+T in curb

24+77

24+78

Cont. F.B. 352-58 L+T in curb

S+T F.B. 352-58

2232.56

30

30

STEWART AVE

to 1" I.P. at Olive St F.B. 352-39 58

FB.976-41

FB.976-42

418

4

NOTE :—

See F.B. 352-58
for complete notes (original)





418

5


W.S.V.B.-C-3
F.C. Easement
70
30
25
55
To 2x2 pg. 6
fd. 2x2 8" deep Set by J.J. Orcutt 5/14/34 Transit Line of 100' F. Control Easement across Lots #9 & #10 Tr. 1605 - O.R. 4638-134
Rock and Wire Mat to end of levee pg. 6
(522.31 @ 80°)
522.32
55' Offset Line = Transit Line of Flood Control Easement across Lots #9 & #10, Tract 1605 produced. O.R. 4638-134
69+45
mea. 127-37-43
651.83 Calc. from offset
℄
to 2x2 pg. 6
Set 2x2 Flush
127-37-43 mea. on offset
279.23
2" I.P. per F.B. 352-39 not used to mea. angle at NW
CENTER ST
OLIVE ST.
To 1" I.P. at Olive St. & Seaward Ave per F.B. 352-39, 2927.33± E.
Set 1x2 by int.
Rock + Wire Mat
Levee 5' Wide on top
Natural slope
toe
180.52
mea. 162-15-40
A.P.
Set 2" I.P. (Flush)
A.P. established by intersecting the produced tan. E. of old A.P. #19. F.B. 352-51, also this book page 3 & 4, with a produced line that is 25' E'ly of, and parallel to the E'ly line of Flood Control Easement shown on pages 5 & 6
162-15-40 mea. on 55' offset.
447.00 (447.01 @ 75°)
to 2" I.P. pg. 4

FB. 976-45

F.B. 976-46

418

6

WS. 46-C-3

S 70°35' Rec to S.W. Cor Lot #9

End of levee and Rock and Wire Mat shown on pg. 5

(749.83 @ 82°)

749.85

to 4x2 pg. 7

3'

Set 1x2 S. End Levee

90°

Top levee 5' wide natural slope

toe

F. C.

69.44'

Fd. 2x2 flush Set by J. J. Orcutt 5/14/34 Transit Line of 100' F.C. Easement across Lots #9 & #10 Tr. 1605 O.R. 4638-134

52° 22' 36" 69.44'

Calc. from 55' off. 792.2#

to 4x2 pg. 7

55.00'

Set 1x2 flush

℄

Set 2x2 flush

TR. 1605

M.B. 20-32

55' Offset Line = Flood Control Transit Line

(838.12 @ 78°)

838.12

to 2x2 Olive St. pg. 5

EASEMENT

100'

10'

90'

25'

55'

Calc. from 55' off. 838.15

to 2x2 pg. 5

℄

418

7

WS.42-C-3

446.81
180.93
208.30

A.P. established by intersecting line as shown in F.B. 352-57 and a line 25' Ely. of and parallel to the Ely. line of Flood Control Easement as shown on pages 5, 6.

Line per F.B. 352-57

to 2x2 Los Angeles St.

℄

A.P. Set 1½" I.P. by int.

Calc. 179.39

180.93

162-11-50 mea. on offset

Set 2x2's by Int.

1.06

635.44 to A.P. per F.B. 352-57

Line per F.B. 352-57

17-41-48

175.64

Transit Line of Flood Control produced See pg. 6

142-58-50

162-11-50 mea.

90°

Set 1x2 Flush

295.86

446.81

446.795 Calc.

Set N. by Int.

53.98

90°

2.00

Set 1x2

346.915 Calc.

2" I.P. at S.W. Cor. Lot 9 Tr. 1605 F.B. 352-39

To 1x2 S. End Levee pg. 6

2.00

2' offset per F.B. 352-39

Calc. 446.81

℄

To 1x2 pg. 6

F.B. 976-49

F.B. 976-50

418

8

(870.265 @ 83°)

870.29

to 1x2 pg. 9

℄

(501.305 @ 80°)

501.31

P.O.T. Set 1x2 flush

Set R.R. 14" deep

1.55

Copied N1.01

Fd. R.R. 14" deep F.B. 352-56

(768.135 @ 78°)

768.135 to 1½" I.P. pg. 7

℄

70-12.08 mea.

F.B. 352-56

LOS ANGELES

25

25

25

ST

to N at 2' offset F.B. 352-38

FB.976-51

FB.976-52

418

5/20/54 9

(325.31 @ 86°)
325.33

(565.28 @ 84°)
565.30

to 2x2 pg. 10

℄

P.O.T. Set 1x2 flush

(667.98 @ 84°)
668.005

Set N+T P. Pole

Set S+T Gum tree

P.O.T. Set 1x2 flush

P.O.T Set 1x2 flush

to 1x2 pg. 8

FB. 976-53

FB. 976-54

418

10

NOTE — 5/22/34

See F.B. 352-37 for survey of Holt Ave and P.E. Ry.

8/2/35 - Tie to P.E. Ry. Switches and Culvert made. W.C.M.

W.C.M.

PACIFIC ELECTRIC RY. TRACKS

ALBARNES SPUR

HOLT

WEST

RAMONA

AVE

FRANCISQUITO

ST

BLVD

(COLTON-SAN DIMAS LINE)

inner edge rail

Fd. S+T F.B. 352-56

Fd. S+T F.B. 352-37 1.62 1.475

(115.50 @ 82°)

115.50

(721.08 @ 84°)

721.11

(995.45 @ 86°)

995.50

F.O.T. Set 1x2 flush

F.O.T. Set 2x2 flush

to 1x2 pg. 9

to 2" I.P. pg. 11

Set L+T by int.

55-44-30 mea.

55-44-30 mea.

71.875 mea.

To L+T See F.B. 352-37

3-36" Corrugated Steel Pipes spaced 4'-2" C. to C.

5.70

6.25 Set 1x2 flush

6.95 Set 1x2 flush

FB.976-55

FB.976-56

418

11

5/24/94
G.D. Miller
Gibbs
Eastman
Schuerman
Flatte



W.S. 46-C-1



418

12


TRACT
SEXTON
ST.
10104
M.B. 142-62-64
to 2x2 pg. 13
fd. 2x2 flush
℄


W.S.Y.&C.-R.R.
CHELSFIELD
ST.
See F.B. 352-36 to 2" I.P. at N.E. Cor. Barnes Ave
fd 2" I.P. for 10104 Sheet 2 See F.B. 352-36
to 2" I.P. pg. 11
99-28-27
61.05
(378.79 @ 82°)
378.80
(406.11 @ 82°)
405.12
(1122.78 @ 83°)
1122.51
℄
fd. 2x2 10" deep on North Line Chelsfield St produced to ℄
fd 1x2 flush
to 2" I.P. pg. 11

FB. 976-59

FB. 976-60

418

13



FB. 976-61

FB. 976-62

418

14

WS 46-C-5



NOTE:-
See F.B. 352-34 for original survey of Garvey Blvd.

GARVEY

℄

10'+10'+10' Conc. pav.

{fd L+T See F.B. 352-34

(359.30 @ 79°)
359.30

56.02

(708.56 @ 77°)
708.56

{to 2"I.P. pg. 13

{fd. 2x2 flush

(522.84 @ 81°)
522.85

℄

{fd 2x2 flush

{fd L+T in expansion joint

{fd 2x2 flush

℄

{fd. 2x2 flush

{to 2x2 pg. 13

56.58+43

BLVD

FB.976-63

FB.976-64

418

15



FB. 976-65

FB. 976-66

418

16



FB 976-67

FB. 976-68

6433

42

EULALIA BLVD

101.5'

45°

100'

50'

50'

WILSHIRE BLVD

933.65'

N 90°00'

41°36'

43°34'30"

90°00'05"

Lt.

Spk.

Capistrano Way

95-78-14

96.5'

41.15

41-8.65

98.50'

LA JOLLA AVE

See 10609-74

40.17

Lt.

Spk. Lt.

42.2

S E 45'

54.14

To Lt.

To Lt.

Lt.

Lt.

6433

42

See 95-78 16-17

BLVD

WILSHIRE BLVD

EULALIA

99.90'

Pt. N. & S. Sph. Inches

Pt. Sph.

Lt & Prod.

Wire Ins. 20-26

SAN LUIS REY

See 10609-73

25'

50'

EULALIA

125.00'

WILSHIRE BLVD

5.05

Sur. Lt.

69.665

57°59'10"

55.485

Sur. Lt.

See 10609-73

SWEETZER AVE

P.E. 50' RT OF WAY

54.81

86.39

31°19'10"

Sur. Lt.

Ed. B. St. Punch Mk.

EULALIA

To Spk. Sur. Pt.

186.78

89°59'55"

Sur. Lt.

FB. 976-69

FB. 976-70

7303

46

Ties 13209-11

St

Kings

78.29

13209-1

45.40

97.99

11.66

70

40

30

82° 20' 41"

958.34

Ties 13209-12

S+T

Third

Kenel

70.82

13209-12

89°51'50"

7303-39

82°20'

20.00

SPK

Sweetzer Ave

10609-44

To Base Curbs

60

30

67.77

48.75

90

48.89

67.74

24.48

320.16

43.23

SPK.

0.76

13209-12

Accompanying tie adjustments by Semple + Party 11-27-28

82°21.00"

73.3-14

47.52

47.54

46.40

28.52

28.37

1x2

Croft Nobe Ave

To 8440-78 Pg 64

46.46

48.01

47.87

36.37.30

36°06'20"

37.13.30

37°12'30"

Reset L.+T.

70

40

30

89°51'30"

7303-40

321.35

Third

24.01

61.49

49.40

82°21.00"

7303-40

Orlando Ave

To Base Curbs

Orlando Drive

60

30

33

35

48.30

1.53

48.02

38.30

48.68

31°52'30"

35°28'

Sec 10609-43

FB. 976-71

FB. 976-72

7303

7303

INDEXED 1/8 27

T. 8410-78

65

Tract Line
Established by
Marsh & Party 7/20-30

Replaced
Ties checked
by Sample &
party 7-9-31

L&T's & New T. 02
By Benner - party
7/12/29

Croft

Orlando

Survey

Survey

Ave

Ave

Ave

Ties
Copied
from
"8410-78

Ties
Copied
from
"8410-79

T. 8410-79

T. 8410-78

T. 8410-78

T. 8410-77

T. 8410-77

T. 8410-79

To Pg 64

To Pg 64

To Pg 63

To Pg 63

1320.05

1320.10

1320.10

1320.10

385.11

385.11

170.00

101.57'

35.76'

38.04'

35.80'

38.45'

33.45'

22.24'

21.98'

22.30'

22.86'

27.96'

54.89'

57.40'

54.96'

54.79'

54.5'

Reset

Spk

Top

L&T

Fnd 2" x 2"

P.K. Nail

T.M.

Marsh 1929

Parker 1930

Fnd 1/2" Pipe

Fnd 1/2" Iron Pipe

Fnd 1/2" Rebar

Fnd 3/4" Pipe

Fnd 3/4" Iron Pipe

Fnd 3/4" Rebar

Fnd 1" Pipe

Fnd 1" Iron Pipe

Fnd 1" Rebar

Fnd 1 1/4" Pipe

Fnd 1 1/4" Iron Pipe

Fnd 1 1/4" Rebar

Fnd 1 1/2" Pipe

Fnd 1 1/2" Iron Pipe

Fnd 1 1/2" Rebar

Fnd 2" Pipe

Fnd 2" Iron Pipe

Fnd 2" Rebar

Fnd 2 1/2" Pipe

Fnd 2 1/2" Iron Pipe

Fnd 2 1/2" Rebar

Fnd 3" Pipe

Fnd 3" Iron Pipe

Fnd 3" Rebar

Fnd 3 1/2" Pipe

Fnd 3 1/2" Iron Pipe

Fnd 3 1/2" Rebar

Fnd 4" Pipe

Fnd 4" Iron Pipe

Fnd 4" Rebar

Fnd 4 1/2" Pipe

Fnd 4 1/2" Iron Pipe

Fnd 4 1/2" Rebar

Fnd 5" Pipe

Fnd 5" Iron Pipe

Fnd 5" Rebar

Fnd 5 1/2" Pipe

Fnd 5 1/2" Iron Pipe

Fnd 5 1/2" Rebar

Fnd 6" Pipe

Fnd 6" Iron Pipe

Fnd 6" Rebar

Fnd 6 1/2" Pipe

Fnd 6 1/2" Iron Pipe

Fnd 6 1/2" Rebar

Fnd 7" Pipe

Fnd 7" Iron Pipe

Fnd 7" Rebar

Fnd 7 1/2" Pipe

Fnd 7 1/2" Iron Pipe

Fnd 7 1/2" Rebar

Fnd 8" Pipe

Fnd 8" Iron Pipe

Fnd 8" Rebar

Fnd 8 1/2" Pipe

Fnd 8 1/2" Iron Pipe

Fnd 8 1/2" Rebar

Fnd 9" Pipe

Fnd 9" Iron Pipe

Fnd 9" Rebar

Fnd 9 1/2" Pipe

Fnd 9 1/2" Iron Pipe

Fnd 9 1/2" Rebar

Fnd 10" Pipe

Fnd 10" Iron Pipe

Fnd 10" Rebar

Fnd 10 1/2" Pipe

Fnd 10 1/2" Iron Pipe

Fnd 10 1/2" Rebar

Fnd 11" Pipe

Fnd 11" Iron Pipe

Fnd 11" Rebar

Fnd 11 1/2" Pipe

Fnd 11 1/2" Iron Pipe

Fnd 11 1/2" Rebar

Fnd 12" Pipe

Fnd 12" Iron Pipe

Fnd 12" Rebar

FB.976-73

FB.976-74



FB. 976-75



FB. 976-76



FB.976-77



SEE F.B. 996-52

FB.976-78

8402-65



SEE F.B. 996-52

FB. 976-79

FB. 976-80




FB.976-81
FB.976-82
8402-67
30'
30'
90°39'25"
7.7'
7.5'
Survey Pt
22.04'
45°
Alley
374.29'
322.00'
31.80'
21.62'
Tan
11°
15'
Harper
157.48'
La Jolla
90°39'30"
90°39'25"
Telrose
Ave
40'
80'
375.00'
(8410-41)
322.00'
(8410-41)
H Punches
Ties 8410-41
SEE F.B. 996-44
SEE F.B. 996-41

INDEXED 12/2

30 30 40

90°39'15"

LHT 7.4 LHT 7.8

21.30 21.87

Suitey Plo

45° 45°

21.30 21.45

LHT 8.2 LHT 8.0

7.5 7.5 15

Alley

322.00

Killarney 157.47

SEE F.B. 996-42

90°39'20"

322.00 (8410-41)

4 Punches Ties 8410-41

40 80 40

Telrose

40 30 70

90° 39'10"

89°19'55" (7103-70)

322.00

2 X 2 Ties 7103-70

Crescent Hts 157.47

SEE F.B. 996-39

90°39'15"

89°19'55" (7103-71)

322.01 (8410-41)

LHT 7103-71

5.00 8410-47

Ave

F.B. 976-85

F.B. 976-86



SEE F.B. 996-17

FB.976-87

FB.976-88





FB. 976-89

FB. 976-90



FB976-91

44



FB.976-92

44



FB.976-93

FB.976-94



FB. 976-95

FB. 976-96



FB.976-97

FB.976-98





FB. 976-99

FB. 976-100

8410

50



8410

50



FB.976-101

FB.976-102

WILLOUGHBY AVE

FAIRFAX AVE to CRESCENT HTS BLVD.

TIES, ANGLES AND DISTANCES

G.W. Jan. 15, 1925

C.W. Clark
O.A. Pritchett
E. Clearer
C.C. Dixon

7259-4

See P 46 for Survey

7103

SEE F.B. 996-49



SEE F.B.996-50



SEE F.B.996-47

7103

7/03



FB. 976-105

SEE F.B. 996-48



FB. 976-106

SEE F.B. 996-46

FB.976-107

FB.976-108



FB.976-109



SEE F.B. 996-40

FB.976-110



SEE. F.B. 996-38

FB.976-110-A

FB.976-110-B



FB976-111

FB.976-112



FB. 976-113

FB. 976-114



FB. 976-115

FB. 976-116

8410

8410

79

79

To P76

To P77

ORLANDO AVE. 590.14

KINGS RD. 590.13

FLORES ST 590.12

SWEETZER AVE. 590.10

BEVERLY BLVD.

Survey P.68

Survey P.69

Survey P.70

170.02

170.01

310.04

320.05

320.04

320.08

317.03

89°45'35" 90°14'25"

90°14'15" 90°14'20"

L+T's in SWK

2x2 & Prod.

New ties by Bonner & Puty Dec 1928

O.K.

13209-10

13209-11

FB 976-117

8410

8080°



FB 976-118

8410

80

360
177-29 0S
182-30-S S
90-09
2021 S S
11.0 - 85
50.04

FB. 976-119

FB. 976-120

13209



13209



FB. 976-121

FB. 976-122

13209

13209

11





FB. 976-123

FB. 976-124

13209

13209





12

INDEX NOV 21 1990