Notes C'd by	Survey of Davenport RD
Mem No.	W. 0989 Tape No. 14 St'd. 84 °F
Office Work	Surveyed by
Checked	Notes Date 12 3 50
Date	Indexed R. C. Johnson 1-17-51

F. B. 1260 PG. 5

P-LINE

DAVENPORT ROAD

FROM

AGUA DULCE CN. RD. WEST TO SIERRA [illegible]

FB-1260

JN-0989

Reference
FB 91 24 to 136

Microfilmed July '88

F. B. 12120 PG. 6

INDEX

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 78+C9

AGUA DULCE CR ROAD

SEC 27

SEC 34

SEC 28

SEC 33

ITEN RIWY

ROAD

DRY LAKE

DRY LAKE RD

¼ Cor Pg=

¼ Cor Pg=

¼ Cor Pg=

¼ Cor Pg=

¼ Cor Pg=

SEC COR & BM=

BM=

BM=

BM=

PI=2 Pg=1

PI=3 Pg=11

PI=4 Pg=12

PI=5 Pg=12

PI=6 Pg=14

PI=7 Pg=14

PI=8 Pg=15

Cont'd on Map Sht 7

NOTE: FINAL ROAD & SURV BY L.S.

LEGEND

SECTION LINES
EXISTING ROADS
PROPOSED CENTERLINE
BM's

76F3098 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 78-C-6, D-6

T5N R14W

SEC 30 | SEC 29 | SEC 28

SEC 31 | SEC 32 | SEC 33

HWY

SIERRA

DAYENPORT ROAD

P-LINE

INDEX

NOTE
FOR FINER ... SEE P. 66

P#27 Pg#27 BM#

P#18 Pg#26

P#16 Pg#22

SEC COR Pg#26-29

BM# & 1/4 COR Pg#30

SEC COR Pg#31

1/4 COR Pg#27

P#17 Pg#24

Pg#30

P#14 Pg#19

P#15 Pg#20

Pg#18 & 31

P#13 Pg#17

PI#12 Pg#17

PI#11

PI#10 Pg#16

PI#9

BM#

1/4 COR Pg#29

1/4 COR Pg#31

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Pavement Rd
W. O. 2252 Tape No. St'd °F
Surveyed by:
Notes
Indexed Date 12-7-50
C. Johnson

F. B. 1204 Pg. 2
13 of Pgs.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

INDEX

F. B. Red Pg. 8

Notes Ck'd by KR 12-5-50	Survey of Davenport Rd.		F. B. 1260 Pg. 9
Map No.	W. O. 0989	Tape No. 13	St'd. 84 °F
Office Work	Surveyed by		
Checked	Notes	Date 12-5-50	
Date	Indexed	C. Johnson 1-17-51	

W 573 - D-5

W 573 - D-6

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 10M 1-49

1/4 1/4 Sec COR
Fd 3/4" IP Per FB 683-20
Dn 8"

251.58 @ 3°35' T68 = 250.96

250.96

RD.

3/4" IP 29.99 30.01 Fd 3/4" IP Per FB 683-20

Set NBT

615.05

T68°
96.35 @ 3°00' = 96.33
158.87 @ 0°55' = 158.85
171.86 @ 1°00' = 171.84
188.05 @ 0°05' = 188.03
615.05

T68
148.31 @ 1°00' = 148.29
132.41 @ 1°00' = 132.40
280.69

Fd Ship Spk W&T Per FB 1476-56

173.30 @ 1°00' T68 173.28

T-70
167.68 @ 0°00' = 167.66
267.66 @ 0°00' = 267.64
435.30

70.28 @ 0°20' = 70.27

280.69

DULCE

AQUA

EC
Fd Ship SPK W&T.
Per FB 1476-53

(2) 179 31 10
(4) 359 03 20
(6) 178 34 50
89 45 50

89°45'50"

17.28

BC Fd 2" IP with Spk RW

Bot Fence

70.27

30.00

Set BT Spk

435.30

Set BT Spk

20.01

Fd 3/4" IP on Prod. .01

DAVENPORT RD

1/4 1/4 Sec Cor

Fd 2" IP with Cut Spk 1' dn Per FB 653-21

30.00

30.02

2" IP with Spk SW

Fd 2" IP with Ship Spk SW no record

20.00

Tel Pole
Scale 1"=50'

F. B. 1262 PG. 10



RETURN TO
LOS ANGELES COUNTY SURVEYOR
728 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 79-D-9.

Notes Ck'd by KRM.	Survey of Davenport Rd.
Map No.	W. O. 0989 Tape No. 13 St'd. 84 °F
Office Work	Surveyed by
Checked	Notes Date 12-7-50
Date	Indexed A. C. Johnson

F. B. 1260 Pg. 11

Rot 12°12

230.88

P.T. 3C
Set BT spk & T
S. side road

237.08 Δ 2°12 T66 = 230.88

277.22

P.T. 3B
Set BT spk & T
center road.

277.38 Δ 1°40' T62 = 277.22

S 37° 30' W

300.07

P.T. 3A
Set BT spk & T
center road

300.20 Δ 1°23' T62' = 300.07

97.20

97.22 Δ 20°00 T60 = 97.20

Δ 01° 45"

P.T. 3
Fd 2" I.P.
with Spk & W.
Ro. 10" S. N.
of road

R 286 03 30
Δ 212 07 05
L 145 10 40
143 01 45

145.40

166.87

P.T. 2E
Set BT. spk & T
N. side road

166.90 Δ 0°00 T60 = 166.87

511.32

P.T. 2E
Set Spk Spk W&T
N. side road

S 74° 20' W

200.20

T 58°
144.41 Δ 0°00 = 141.39
243.54 Δ 0°00 = 243.50
123.45 Δ 0°00 = 123.43
511.32

Top P.T. 13

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

WS 78-D-5

Do not extend notes this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

78F309S 247 10M 1-49



RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With a Note and Name of Person Making Change.

WS 78-0-6

Notes Ck'd by KRM	Survey of Davenport Rd.
Map No CSB-2296-1	W. O. 0999 Tape No. 13 St'd. 84 °F
Office Work D. A. W	Surveyed by ...
Checked C. J. G	Notes Date 12-11-50
Date 7-10-51	Indexed C. Johnson

F. B. 1260 PG. 13

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 10M 1-49

BOT Pg. 14

127.59 @ 4°51' T 7 = R 27.12

Adopted & See Pg. 63

127.12

P = 5F
Set Shlp spk W&T
N edge road

S 45°

P.I. GA

P.I. See Pg. 63

T 72
300.80 @ 0°00 = 300.78
146.52 @ 0°00 = 146.51
447.29

447.29

P = 5E
Set BT spk & T
S side road

300.33 @ 1°02 T 72 = 300.26

300.26

S 53-15 W

P = 5D
Set BT spk & T
S. side road

300.76 @ 0°00 T 66 = 300.72

300.72

P = 5C
Set BT spk & T
S. side road

299.90 @ 1°16 T 66 = 299.79

299.79

P = 5B
Set BT spk & T
S. side road

298.58

300.33

300.37 @ 0°00 T 66 = 300.33

Top Pg. 12

F. B. 12 60 PG. 14



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 78-0-6

Notes Ck'd by KRMcPhe	Survey of Davenport Rd.
Map No. CSB-2296-1	W. 00989 Tape No. 13 St'd. 84 °F
Office Work D. A. W.	Surveyed by
Checked CJG	Notes Date 12-14-50
Date 7-10-51	Indexed C. Johnson

F. B. 1860 PG. 15

Bot Pg # 1

247.73 @ 2°05' T 80 = 247.56 ✓

247.56

P # 8B
Set ship spk W&T
N side road

263.86 @ 4°30' T 74 = ~~262.73~~ 263.03

263.03

S 86° 30' W

P # 8A
Fd ship spk W&T

52.93 @ 15°46' T 74 = 50.94 ✓

99.56 @ 5°55' T 70 = 99.55 ✓

Fd old 3/4" I on split on ↑

99.55

50.94

30°

15°08'

P # 8
Fd I&T replaced with ship spk W&T dn 0.2
N edge road

70.40 = 0°00' T 70 = 70.39 ✓

70.39

247.68 @ 4°08' T 74 = 247.02 ✓

P # 7C
Set ship spk W&T
N edge road

247.02

End of Oiled road
Start dirt road

P # 7B
Set ship spk&T
N side road

231.88

Top Pg # 14

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 247 10M 1-49

F. B. 1262 Pg. 16



RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R. McPh.
Map No. C SB-2296-1
Office Work D. A. W.
Checked C.J.G.
Date 7-10-61

Survey of Davenport Rd
W. O. 0989 Tape No. 13 St'd. 84 °F
Surveyed by
Notes Date 12/18/57
Indexed A. C. Johnson

F. B. 123 Pg. 17

W.S. 78-C-6

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 10M 1.49

P"15 Fd 2" IP & spk W

262.18

DAVENPORT RD.

18.53

P"14A Set 1x2

P"14 Fd 1x2

2 77 47 20
4 155 34 40
6 233 22 20
38 53 40

P"13B Set 1x2 side ridge

201.14

P-LINE

63.00

Proposed P.I. #13A.

12 65 18.30
4 130 37 00
16 195 55 30
32 39 15

N 76

159.78

155.58

177.23

38°53'40"

Adopted Sec'g. Co.

P"13A Set 1x2 Side ridge

Fd old 2x2 Per F.B. 97-90

0.08

201.15 @ 0°00' T 74 = 201.14
161.19 @ 7°32' T 66 = 159.78
53.18 @ 2°26' T 64 = 53.12

Set 1x2 edge road

53.12

32°39'15"

2 259 55 10
4 129 50 20
8 64 45 30
124 57 35

263.02 @ 1°40' T 72 = 262.74
18.53 @ 0°00' T 72 = 18.53
156.51 @ 6°12' T 70 = 155.58
130.27 @ 11°57' T 68 = 127.44
177.69 @ 4°04' T 72 = 177.23

25.74

127.44

57.36

P"13 Set 1x2 10' N road

26.61 @ 14°24' T 68 = 25.77
28.30 @ 24°46' T 68 = 25.70

25.70

129°

137.71 @ 2°08' T 60 = 137.59

P"12B Set 1x2 N edge road

63

Fd. old 2x2 Per F.B. 97-90

Set 1x2 on pool

12

Set Ship spk W

T 60°

117.94 @ 5°30' = 117.
220.71 @ 2°13' = 22
33

36.11

36.11 @ 0°00' T 60 = 36.11

PI = 12
Fd 1x2 dn 0.2

30'

13'

250.86

163°

R 326 27 00
4 298 54 00
6 259 21 00
163 13 00

Top 7/8 = 16

F. B. 12-24 Pg. 12

Bot Tag = 19

87.52 @ 24°06' T 74 = 79.88

P#13I
Set 1X2
Flat ridge

79.88

121.92 @ 11°45' T 74 = 119.36

119.36

SEC P#31

271.72 @ 5°37' T 76 = 270.41

SECTION LINE

P#13H
Set 1X2
Side ridge

P#13G
Set 1X2

56°10'40"

270.41

165.58

P#13G
Set 1X2
Top Flat

165.59 @ 0°30' T 74 = 165.58

159.70

159.71 @ 0°00' T 76 = 159.70

P#13F
Set 1X2
In Flat

158.05

158.06 @ 0°00' T 74 = 158.05

P#13E
Set 1X2
Flat

196.50

196.58 @ 1°32' T 74 = 196.50

N 76°

P#13D
Set 1X2
Top N.S.

171.36

171.77 @ 3°54' T 74 = 171.36

P#13C
Set 1X2
Top Spun

201.17

Top P#17

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by KRMcPhs	Survey of Davenport Rd
Map No. CSB-2261-1	W. O. 0989 Tape No. 13 St'd. 81 °F
Office Work D. A. W.	Surveyed by
Checked CJG	Notes Date 2-19-51
Date 7-10-51	Indexed A. C. Johnson

F. B. 1260 Pg. 19

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes.

Do not extend notes this side of this line.

77.54 @ 6°08' T 58 = 77.09

P = 14B
Set 1x2
Top Tailings

269.29 @ 0°55' T 0 = 269.27

S 8°00' W
269.27

P = 14A
Set 1x2
Top E. Edge Tailings
Borax works

238.94 @ 10°12' T 70 = 235.14

②	321	25	40
③	282	51	20
④	244	17	00
	460	42	50

P = 13
Set 1x2
Middle saddle

179.56 @ 9°26' T 72 = 177.07

P = 13K
Set 1x2
Side ridge

177.25 @ 4°45' T 72 = 176.

Top Tg. 18

76F3095 247 10M 1-49

F. B. 1260 Pg. 22



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made & Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM&Rae
Map No. CSB-2261-162
Office Work D. A. W.
Checked CJG
Date 7-10-51

Survey of Davenport Rd.
W. O. 0989 Tape No. 13 St'd. 84 °F
Surveyed by
Notes Date 10-29-50
Indexed A. C. Johnson

F. B. 1862 Pg. 81

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 10M

91.15 @ 18°48' T 70 = 86.28 ✓

86.28 ✓

P#15H
Set 1x2
Side hill

77.77 @ 22°53' T 70 = 71.64 ✓

71.64 ✓

P#15G
Set 1x2
Top spur

146.44 @ 8°35' T 72 = 144.79 ✓

144.79 ✓

P#15F
Set 1x2
Top spur

135.30 @ 43°51' T 72 = 135.80 ✓

135.80 ✓

N 43°51' W

P#15E
Set 1x2
Top spur

255.76 @ 2°45' T 70 = 255.46 ✓

255.46 ✓

P#15D
Set 1x2
Top spur

112.58 @ 6°53' T 68 = 112.57 ✓

112.57 ✓

P#15C
Set 1x2
Top Spur

P#15B
Top

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



B.B. 1260 PG. 22

Notes Ck'd by KAM/EPM	Survey of Davenport
Map No. CSB-22.26-2	W. O. 0952 Tape No. 13 St'd 61 °F
Office Work D. A. W.	Surveyed by
Checked C. J. G.	Notes Date 12-20-50
Date 7-10-51	Indexed A. C. Johnson

F. B. 1169 Pg. 23

Bot. B.M. #21

82.14 @ 9°59' T 74 = 80.29

104.86 @ 8°09' T 80 = 103.80

192.63 @ 2°10' T 76 = 192.42

P.I. 16 F
Set 1x2
West bank Wash

80.29

103.80

P.I. 16 E
Set 1x2
Top ridge

192.42

58° 55'

P.I. 16 D'
Set 1x2
Side hill

12 H.D.S.

P.I. 16 D
Set 1x2
E. bank of wash

124.32 @ 3°34' T 74 = 124.02

192.16 @ 1°00' T 74 191.68

191.68

P.I. 16 C
Set 1x2
Edge of Flat

S 62°30' W

187.22

187.29 @ 3°08' T 74 = 187.00

P.I. 16 B
Set 1x2
Top low ridge

99.14

99.15 @ 0°00' T 70 = 99.14

P.I. 16 A
Set 1x2

293.27

Top B.M. #22

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 10M 5-49

F. B. 1267 Pg. 22



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.R.McA.	Survey of Prospect Rd
Map No. C S B - 2296 - 2	W. O. 2989 Tape No. 13 St'd. 84 °F
Office Work D. A. W.	Surveyed by
Checked C J G	Notes Date 1-2-51
Date 7-10-51	Indexed A. C. Johnson

F. B. 1260 Pg. 25

Set P.I. 256

42°10'30"

P.I. 17 F'

Set 1X2 Top Spur

112.97

95.00

151.13

P.I. 17 F

Set 1X2 Top Spur

153.43 @ 9°52' T 52 = 151.13

114.76 @ 10°04' T 57 = 112.97

126.98 @ 8°37' T 58 = 125.43 .53

125.43 .53

P.I. 17 E

Set 1X2

183.16 @ 2°12' T 52 = 182.98

182.98

P.I. 17 D

Set 1X2 Side Hill

SEC 31

188.11 @ 12°37' T 48 = 183.50

183.50

S 68 30 W

P.I. 17 C

Set 1X2 Top Spur Side Hill

128.39 @ 12°56' T 48 = 125.39

125.39

P.I. 17 B

Set 1X2 Side Hill

151.37

P.I. 17 A

Set 1X2 Top Spur Side Hill

98.43

SECTION LINE W. SEC 31 5N

See P.I. 29 For INT.

Top P.I. 24

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 247 10M 1-49

F. B. 1260 Pg. 26

RT side Pg" 27

Top Pg" 28

2 318 02 00
4 276 04 00
6 234 06 00
159 04 00

132.03

R14W
T5N

1237 LINE

S-1
Set 1x2
N edge road

T 60°
294.44 @ 5.39 = 292.72
85.39 @ 9.51 = 79.18
233.19 @ 2.31 = 232.92
604.82

SEC 31

SEC 30

SECTION

69.13 @ 5.56 = 69.12

2 11 28 30
4 84 07 00
6 [illegible] 42

T 52°
294.62 @ 5.02 = 293.42
146.52 @ 3.54 = 146.15
255.16 @ 2.00 = 255.11
82.36 @ 9.40 = 81.17
725.85

1748

S-2
Set 1x2

S-3
Set 1x2
Top spad

Fd C.S. Mon. marked as shown
Ref. ER97-81

R14W T5N
SEC 30/29
31/32
COR.

Tesselin Park
MONUMENT

Top Pg" 25

WS 79-C6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on
Sheet Must be Made or Circled in
Ink With Date and Name of Person
Making Change.

WS 78-C-6

Notes Ck'd by	Survey of Davenport Rd.
Map No. C S B - 2291	W. O. 0989 Tape No. 13 St'd. 84 °F
Office Work D. A. W.	Surveyed by
Checked C J G	Notes Date 12-2-80
Date 7-10-81	Indexed K. O. Johnson

F. B. 1260 PG. 27

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3099 247 10M 1-49

SEC 30

SEC 31

T14W T5N

SIERRA HWY

DAVENPORT RD.

TP Fd Old 2XR Per FB 97-81

B.C. Fd Spk W&T

EC Fd Spk W&T

Int SIERRA HWY & Davenport Rd. Set Tangent Tie Boot Spks

P.T. Set Ship Spk W&T

P.C. Set Ship Spk W&T

P.I. Set 1XR Rec. Plat From 1/4 Cor.

P.I. Fd Old 2XR no mail. Replaced with 1" I.P. 1" up

R.W. Mon FB 97-133 Fd 2XR with Tack and Cond Tag

Rec. per C.S.B-878-2
Δ = 18°54'50"
R = 1500.00
T = 249.86
Fd L = 495.16

W.C.C.S. Mon

1/4 Cor

Fd C.S.W. & T. Dn 8" Per FB 97-81

State R/W Mon

B.C. Fd Spk W&T

E.C. Fd C.S. Spk W&T

P.I. Fd Old Spk & W. Drill Hole Per FB 97-81

Fd State R/W Mon with Copper wire in center

SECTION LINE

T80
714.40 @ 0.00 = 114.39
166.31 @ 0.00 = 166.30

T80
112.47 @ 0.00 = 112.46
300.40 @ 0.00 = 300.39
300.24 @ 0.00 = 300.23
200.14 @ 0.00 = 300.13
1013.21

133.20 @ 0.00 T78 = 133.19
116.98 @ 0.00 T76 = 116.97
110.312 @ 0.00 T76 = 110.30

T64
93.99 @ 0.00 = 93.98
105.75 @ 0.00 = 105.74

T64
107.52 @ 0.00 = 107.51
105.96 @ 0.00 = 105.95
106.41 @ 0.00 = 106.40
149.60 @ 0.00 = 149.58
469.44

224.89 @ 0°00 T66 = 224.86
207.01 @ 0.00 T66 = 206.99
257.09 @ 5°23 T62 = 255.92
221.33 @ 4°57 T62 = 220.47
229.11 @ 16°05 T62 = 220.11
110.338 @ 8°24 T62 = 109.13
1237.48

239.03 @ 0°00 T76 = 239.02

T76
285.35 @ 0.00 = 285.34
300.52 @ 0.00 = 300.50
300.40 @ 0.00 = 300.38
300.37 @ 0.00 = 300.05
1186.27

T76
202.32 @ 0.00 = 202.31
110.57 @ 0.00 = 110.56
312.87

(2) 19 4 11 40
(4) 22 23 20
(6) 228 35 00
97 05 50

(2) 3 32 10 30
(4) 28 20 40
(6) 24 31 00
16 05 10

(2) 20 4 08 30
(4) 48 17 00
(6) 252 25 30
108 04 15

1013.21
1186.27
312.89
239.02
1050
1911
2280
2390
2270
1350
1469.44
1237.48
1237.48
49.99
24.37
25.62
50.23
50.22
10.00
97°05'50"
30.00
70°
110.30
.06
.04
.05
.04
.04
.04

F. B. 1860 PG. 28

Top Pg = 26

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

151.53 @ 0°00' T 0 = 151.51

R.P.P.O.T.
Fd 2X2

POT = 56.B
Found remains old 2X2 mpk in 1X2 Ref F 691-132

151.51

DRIVEWAY

R-LINE

132.07

P = 18A
Set 1X2
Bot Dam

211.56 @ 1°48' T 54
= 211.42

211.42

N 89° 30' W

P = 18 B
Set 1X2
Side Alk

179.07 @ 10°19 T 52

Fd 2X2

Fd 2X2 Ref Pg 97-132

Mat. Set 1X2

P = 18C
Set 1X2
Side Alk

Fd remains old 2X2 no nail

218.82
186.30
215.08

218.80
186.26
215.02
620.10

251.80 @ 4°9' T 54
= 250.90

250.90

110.20

P.I. = 57
Set Tack up 1"
Fd remains old 2X2 no nail
Ref Pg 97-132

110.30

R.T. side Pg = 27

Notes Ck'd by	Survey of Davenport Rd
Map No. C.S. B-32 96	W. O. 4492 Tape No. 13 St'd. 84 °F
Office Work D. A. W.	Surveyed by
Checked	Notes Date 4-8-51
Date	Indexed A. C. Johnson

F. B. 1260 PG. 89

Fd ½ Cor C.S. MON
no record of Mon.
in Field Note
Marked as shown

WS 78-C-6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

22.14 @ 25°29 T70° = 19.99

300.30 @ 6°40 T66 } 298.23
300.52 @ 7°01 T66 }
41.69 @ T66 } 41.69
41.69 @ T66 }

19.99

S-3
Set 1x2
Top ridge

T5N R14W Sec 31 + 32

775.89

PT A
Set 1x2
in Flat

104°08'45"

S 01°00' W Calc.

2102.07

(2) 109 45 50
4 14 31 40
6 329 17 20
54 52 55

(2) 208 17 30
4 56 35 00
6 247 42 20
104 08 45

20°58'20"

300.31 @ 7°15 T64 } 297.89
300.17 @ 7°00 T66 }

138.60 @ 4°54 T64 } 138.08
138.69 @ 5°18 T64 }

20 58 20

(2) 821 56 40
4 185 53 20
6 165 58 00
20 58 20

40.81 @ 18°32 T70 = 38.69
32.86 @ 30°28 T62 = 28.06
66.75

P #17
See Pg #24

59.30

66.75

S
Fd ¾" IP
S. side dirt road Top bank

S-1
Set 1x2 by 1.0 T

63.60 @ 21°10 T62 = 59.30
39.12 @ 2°00 T62 = 39.11

39.11

(2) 183 57 00
4 07 54 20
6 191 51 40
91 58 35

LINE

P #17A
See Pg #25

69°21'15"

(2) 138 42 30
4 277 25 00
6 56 07 30
69 21 15

284.79 @ 22°15 T62 = 263.54
34.23 @ 14°23 T62 = 33.16
30.41 @ 0°00 T62 = 30.41
327.11

32.11

SECTION

89°24'30"

(2) 178 49 00
4 357 38 00
6 176 27 00
89 24 30

276.38 @ 9°34 T58 = 272.49

211.87 @ 31°28 T54
= 185.06

To ¼ Cor See Bot. Pg #30

272.49

180.57

S-1
Set 1x2

SECTION COR
See Pg #26
Mon in Box

175.85

To ¼ Cor See Pg #26

76F3095 247 10M 1-48


F. B. 1240 PG. 30
Fd C.S. Mon.
Mon. Need as shown
Ft. FB 37-42
T5N
R14W
E SEC 29
E SEC 32
1/4 CORN
ASSUMED
NUMENT
193.47
95.58
P#15 I
Set 1x2
Pg = 22
S-6
Set 1x2, Middle Ditt Road
by Inst.
T 60
182.30 @ 42°
71.58 @ 42°
193.47
136.08 @ 2°52' T60 = 135.87
95.58
P#15 J
Set 1x2
17°42'30"
420.95
S-5
Set 1x2
Top Nail
SEC 29
T5N
R14W
SEC 32
Ft. Site
0.83
Up 30
6.92
S-4
Set 1x2
Top Spike
T 60
294.37 @ 3°08' = 293.99
145.81 @ 1°01' = 145.79
124.13 @ 0°00' = 124.13
561.50
561.52
22°45'30"
12.89
P#16 H
Set 1x2
Pg = 24
2 57 31 00
4 115 02 00
16 172 33 00
28 44 33
12.89 @ 0°00 T60
- 12.89
S-3
Set 1x2
by Inst.
179.57 @ 5°25 T60 = 178.74
227.51 @ 0°59 T60 = 227.14
227.14
S-2
Set 1x2
Top Nail
P#16 I
Set 1x2
Lt. side Pg = 29
RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
78-C-6
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No. C.S. B-229E	W. O.	Tape No. 13 St'd 84 °F
Office Work D. A. W.	Surveyed by
Checked	Notes	Date 1-14-51
Date	Indexed O. Johnson

F. B. 1260 PG. 31

T.S. 78-C-6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3093 247 10M 8-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 78-D-6

Do not extend notes this side of this line.

WS 78-D-6



Notes Ck'd by KRM	Survey of Davenport Rd
Map No. C.S.D.-2296	W. O. 4997 Tape No. 13 St'd. 84 °F
Office Work D. A. W.	Surveyed by
Checked	Notes Date 1-14-51
Date	Indexed A. C. Johnson

F. B. 1862 PG. 33

W.S. 78-0-6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F3095 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 865 Pg. 34

76F309S 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Pavement Test
W. O. 0988 Tape No. St'd °F
Surveyed by
Notes
Indexed Date

F. B. 1216 PG. 35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. _____ PG. 30

Notes Ck'd by	Survey of DAVENPORT RD.
Map No.	W. O. 0989 Tape No. St'd °F
Office Work	Surveyed by
Checked	Notes Date 1-12-51
Date	Indexed A. C. Johnson 2-3-51

F. B. 1260 Pg. 37

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

LEVEL NOTES.

DAVENPORT ROAD

FB-1260

JN-0989

PARTY
C. Morrison
W. Lumsden
R. Houngs
J. Sumblers

76F3095 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 12612 Pg. 38

Davenport Road

Datum - Mean Sea Level.

Elevations shown hereon, are based on the 1928 U.S.C.+G.S. adj of U.S.G.S. B.M. which is 1.2 mi. N.E. of ~~(illegible)~~ Flaming stone (U.S. 2108).


stake-12
TELFOR
Set 2" Pip
NOI
A= 90°
R= 15'
T= 15'
L= 23.56'
SHERBROOK AVENUE
240'
240'
37° 46' 20" W. 315.00'
A= 90°
R= 30'
T= 30'
L= 47.12'
30'
30'
Set 2" Pipe flush with surface
N. 52° 13' 40"
120'
50'
Found L.&T. in concrete pavement.
A= 90°
R= 30'
T= 30'
L= 47.12'
37° 46' 20" W.
Pipe
with surface
SECOND STREET

76L298 307 4-50

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
U.S. 2108	4.65	1543.536		1538.88	US 2108 TBM AT SOLEMINT STORE 1.2 mi. N.E. of OF BRIDGE ON NW'LY SIDE WASH ON SO. ABUTMENT TOP OF EAST WING WALL 2.5 ft. SO. of CENTER LINE.	
T.P.	7.382	1549.099	1.819	1541.717		
T.P.	10.570	1557.995	1.674	1547.425	1928 Adj	
T.P.	8.293	1562.736	3.552	1554.443		
T.P.	7.520	1568.358	1.898	1560.838		
T.P.	6.896	1574.053	1.201	1567.157		
T.P.	7.924	1580.527	1.450	1572.603		
T.P.	6.922	1585.818	1.631	1578.896		
T.P.	7.407	1591.962	1.263	1584.555		
T.P.	7.625	1598.902	0.685	1591.277		
T.P.	7.194	1603.724	2.372	1596.530		
T.P.	7.294	1609.626	1.392	1602.332		
T.P.	7.063	1615.578	1.111	1608.515		
T.P.	7.749	1622.189	1.138	1614.440		
T.B.M. #1	6.326	1627.340	1.175	1621.014	TBM #1 AT SOLEMINT STORE 2.5 mile N'LY OF ship spk. in TP #534 20-E (Field side) E side OF SIERRA HWY. Elev = 1621.014	
T.P.	7.750	1634.483	0.607	1626.733		
T.P.	8.222	1641.612	1.093	1633.390		
T.P.	8.250	1648.399	1.463	1640.149		
T.P.	7.167	1653.866	1.700	1646.699		
T.P.	7.753	1658.985	2.634	1651.232		
(T.P.)(?)	6.397	1663.574	1.808	1657.177		

Profile Notes Red. Plotted Job No. 0989 Division No.
No. Date Date Survey of Day Canyon Rd
X-Sec. Notes Chkd. RES Checked Survey by Notes Date 1-17-51
No. Date 2-6-51 Date Map No. Checked J. Johnson Date
F. B. 1260 Pg. 39

76L298 307 4-50

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1260 Pg. 40 Job No 2282 Division No. Notes Red. Plotted Profile No.
Survey of Davenport Rd Date Date No.
Survey by C. Johnson Notes Notes Chkd. J.E.S. Checked X-Sec.
Indexed Date Date 2-16-51 Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1663.574				
T.P.	7.244	1667.529	3.289	1660.285		
T.P.	10.373	1677.191	0.711	1666.818		
T.P.	9.190	1685.075	1.306	1675.885		
T.P.	10.481	1694.967	0.589	1684.486		
T.P.	8.016	1701.437	1.546	1693.421		
T.P.	5.344	1704.389	2.392	1699.045		
T.P.	8.442	1709.212	3.619	1700.770		
T.P.	5.152	1713.618	0.746	1708.466		
T.P.	10.188	1714.476	9.330	1704.288		
T.P.	10.349	1723.027	1.798	1712.678		
T.B.M.#2	7.082	1725.437	4.672	1718.~~355~~ 396	T.B.M.#2 SOLAMINT STORE 3.7 mile N.E. OF HT STA. C 146+58 Top W. HEADWALL CULVERT S. END. BOAT SPK in LEAD. MARKED T.B.M. ELEV. 1718.355	
T.P.	7.340	1730.675	2.102	1723.335		
T.P.	9.444	1739.488	0.631	1730.044		
T.P.	8.829	1747.217	1.100	1738.388		
T.P.	7.547	1752.796	1.968	1745.249		
T.P.	7.370	1758.774	1.392	1751.404		
T.P.	9.187	1766.620	1.341	1757.433		
T.P.	10.392	1776.014	0.998	1765.622		
T.B.M.#3	8.028	1781.653	2.389	1773.~~625~~ 677	T.B.M.#3 SOLAMINT STORE 4.3 mile NE of. Sta. spk in PP #550595 E (road side) 80' WEST & SIERRA HWY.	ELEV. 1773.625
T.P.	6.295	1786.796	1.152	1780.501		

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1786.796				
T.P.	6.665	1790.367	3.094	1783.702		
T.P.	9.196	1798.414	1.149	1789.218		
T.P.	7.606	1803.845	2.175	1796.239		
T.P.	7.503	1809.583	1.765	1802.080		
T.P.	10.519	1819.516	0.586	1808.997		
T.P.	9.202	1827.300	1.418	1818.098		
T.P.	8.685	1834.607	1.378	1825.922		
T.P.	8.383	1842.185	0.805	1833.802		
T.P.	8.342	1848.429	2.098	1840.087		
T.P.	8.329	1855.661	1.097	1847.332		
T.P.	8.707	1863.266	1.102	1854.559		
T.P.	8.659	1871.199	0.726	1862.540		
T.P.	9.236	1879.740	0.695	1870.504		
T.P.	9.037	1887.524	1.253	1878.487		
T.P.	7.983	1894.844	0.663	1886.861		
T.P.	6.000	1899.099	1.745	1893.099	1928 Adj. Elev = 1895.27'	
U.S. 2113	3.497	1898.691	3.905	1895.~~194~~ 279	TBM. SOLAMINT STORE 5.3 mi. NE of, 1.0 mi. NE of school house at SW end of orchard on E side of road, MINT CYN WASH, on NE cor. of bridge over same, a chiseled square. ELEV = 1895.194	
T.P.	6.903	1901.855	3.739	1894.952		
T.P.	9.396	1910.482	0.769	1901.086		
T.P.	9.908	1919.675	0.715	1909.767		

Profile Notes Red _____ Plotted _____ Job No. 0989 Division No. _____
No. _____ Date _____ Date _____ Survey of Davenport Rd.
X-Sec. Notes Chkd R.E.S. Checked _____ Survey by _____ Notes _____ Date 1-19-51
No. _____ Date 2-6-51 Date _____ Map No. _____ Indexed C. Johnson Date _____

F.B. R60 PG. 41

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1260 Pg. 42 | Job No. 0989 Division No. | Profile | Notes Red. | Plotted | No. | X-Sec. | No.
Survey of Davenport Rd | Date | Date | Date | Date
Survey by C. Johnson | Notes | Notes Chkd. RES | Checked CJJ | Date 2-6-51 | Date 7-10-51
Indexed | Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		1919.675				
TBM #4	6.317	1923.436	2.556	1917.~~119~~ 196	TBM #4 SOLAMINT STORE 5.8 mi N.E. OF. West side SIERRA HWY N. END BOX CULVERT Sta No. C-256+21 Top HEAD Wall. Square headed SPK Elev = 1917.119	
T.P.	5.665	1925.856	3.215	1920.191		
T.P.	6.730	1929.727	2.859	1922.997		
T.P.	7.010	1934.067	2.673	1921.057		
T.P.	6.583	1938.804	1.846	1932.221		
T.P.	7.069	1943.818	2.055	1936.749		
T.P.	6.481	1947.275	3.024	1940.794		
T.P.	7.329	1952.622	1.982	1945.293		
T.P.	8.431	1960.234	0.819	1951.803		
T.P.	10.243	1966.605	0.872	1959.362		
TBM #5	3.580	1970.377	2.808	1966.~~797~~ 876	TBM #5 SOLAMINT STORE 6.5 mi NE of at Davenport Rd 46 E of ℄ SIERRA HWY 81 RI'S of DAVENPORT Rd S.W. COR Foundation to Pump House 12x12 in conc. ELEV. 1966.792	
BM #1	10.523	1976.162	4.735	1965.~~442~~ 721		
P #18 E	10.303	1976.375	10.090	1966.~~672~~ 151	BM #1 SET C.S. BRASS CAP MON up 6" IST SIERRA HWY & DAVENPORT RD 69' E of SIERRA HWY & 25' N of DAVENPORT RD. TREE 11" DIA 4' E of MON. = RE. 829 ELEV. 1965.642	
T.P.	9.770	1984.758	1.387	1974.988		
P #18 D	8.530	1990.840	2.448	1982.~~310~~ 390	P #18 E Ship SPK WET 22.70 E of ℄ SIERRA HWY on ℄ DAVENPORT RD	
T.P.	7.664	1996.975	2.059	1988.781		
PI #57	8.402	2002.795	2.052	1994.~~515~~ 473	PI #57 ¼" IP up 2"	
T.P.	11.473	2010.949	3.319	1999.476		
T.P.	8.231	2017.395	1.785	2009.164		
P #18C	11.625	2027.654	1.366	2016.~~654~~ 110	P #18C 1×2	

76L298 307 5-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
		2027.654			
T.P.	11.377	2038.792	0.239	2027.415	
T.P.	10.801	2048.007	1.586	2037.206	
P# 18-B	1.795	2048.730	1.066	2046.941 7.022	P# 18-B 1x2
P# 18-A	11.605	2052.702	7.639	2041.097 17.8	P# 18-A 1x2
T.P.	5.566	2056.720	1.548	2051.154	
P.I. # 18	11.201	2067.338	0.783	2055.954 6.019	P.I. # 18 1x2
T.P.	7.157	2070.764	3.531	2063.607	
P# 17-I	9.109	2079.037	0.836	2069.928 70.010	P# 17-I 1x2
T.P.	11.384	2087.493	2.928	2076.109	
T.P.	5.847	2091.898	1.442	2086.051	
P# 17-H	11.539	2091.942	11.495	2080.403 486	P# 17-H 1x3 (edg of Road)
P# 17-F1	10.754	2100.037	2.659	2089.283 366	P# 17-F1 ("A"-POINT)
P# 17 G	5.910	2100.084	5.863	2094.174 257	P# 17 G
S-2 INT. ℄ Sec line ℄ P line	11.384	2109.358	2.110	2097.974 8.057	S-2 INT. Sec line ℄ 'P' line
T.P.	9.256	2117.357	1.257	2108.101	
P# 17-F	2.080	2115.751	3.686	2113.671 755	P# 17-F 1x2
T.P.	1.599	2105.558	11.792	2103.959	
P# 17-E	9.902	2105.088	10.372	2095.186 270	1x2.
P# 17-D	11.452	2113.131	3.409	2101.679 763	1x2.
T.P.	11.601	2123.508	1.224	2111.907	

Profile Notes Red. Plotted Job No. 0989 Division No.
No. Date Date Survey of DAVIES PARK RD. Notes C.M. Date 1-23-51
X-Sec. Notes Chkd. R.E.S. Checked C.J.G. Survey by Indexed Johnson Date
No. Date 2-6-51 Date 7-10-51 Map No. Date

F.B. 1260 PG. 43

76L296 307 5-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1260 PG. 44
Job No. 0989 Division No. Notes Red. Plotted No.
Survey of DAVENPORT RD. Date Date Profile
Survey by A. C. Johnson Notes Chkd. Checked S.J.G. X-Sec.
Indexed Notes Date Date 2-6-51 No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2123.508				
T.P.	11.390	2133.792	1.106	2122.402		
T.P.	11.315	2144.826	0.281	2133.511		
P=17C	10.845	2154.874	0.797	2144.~~029~~ 114	1X2	
T.P.	10.064	2164.256	0.682	2154.192		
T.P.	11.090	2175.493	1.853	2162.403		
P=17B	9.415	2181.815	1.092	2172.~~401~~ 487	1X2	
T.P.	0.833	2171.687	10.962	2170.854		
P=16L	11.233	2172.050	10.870	2160.~~817~~ 903	1X2	
T.P.	11.833	2182.198	1.685	2170.365		
T.P.	10.962	2192.317	0.873	2181.355		
T.P.	11.726	2203.486	0.557	2191.760		
P=17A	11.974	2209.841	5.619	2197.~~867~~ 954	1X2	
T.P.	11.188	2219.402	1.627	2208.214		
T.P.	11.148	2225.514	1.036	2218.366	✓	
BM=2	4.001	2227.876	1.639	2223.~~875~~ 963	BM=2 DAVENPORT RD. SET C.S. MON. RE 329 up 6". 23' ahead P=17 & 52' Left. 22' South of	
P=17	9.499	2236.381	0.994	2226.~~882~~ 970	EXISTING DIRT Rd. at TOP OF SADDLE ON Top OF BANK	Elev = 2223.875
P=16L	14.10	2232.978	4.813	2231.~~568~~ 650	1X2	
T.P.	1.148	2222.572	11.614	2221.364		
T.P.	2.494	2213.625	11.381	2211.131		
P=16K	4.426	2211.069	6.982	2206.~~645~~ 732	1X2	

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2211.069				
P"16-J	11.630	2220.217	2.482	2208.~~587~~ 676	1x2	
T.P.	10.779	2230.311	0.685	2219.532		
T.P.	7.423	2236.968	0.766	2229.545		
P"16-I	11.829	2248.269	0.528	2236.~~448~~ 530	1x2	
T.P.	7.973	2255.013	1.229	2247.040		
P"16-H	3.935	2256.576	2.372	2252.~~611~~ 731	1x2	
P"16-G	1.274	2247.831	10.019	2246.~~557~~ 647	1x2	
T.P.	1.429	2237.748	11.512	2236.319		
P"16-F	7.568	2241.701	3.615	2234.~~133~~ 224	1x2	
T.P.	11.324	2252.322	0.703	2240.998		
P"16-E	3.054	2251.309	4.067	2248.~~250~~ 346	1x2	
P"16-D1	10.348	2256.114	5.535	2245.~~771~~ 865	1x2	
P"16-D	9.846	2263.895	2.065	2254.~~049~~ 160	1x2	
T.P.	8.420	2269.739	2.576	2261.319		
P"16C	10.535	2277.364	2.910	2266.~~829~~ 921	1x2	
P"16-3	3.111	2279.145	1.330	2276.~~934~~ 126	1x2	
P"16A	5.848	2278.177	6.816	2272.~~329~~ 421	1x2	
P"16	5.798	2280.918	3.057	2275.~~120~~ 212	1x2	
P"15-M	6.818	2278.881	8.855	2272.~~067~~ 156	1x2	
P"15-L	11.540	2288.239	2.182	2276.~~677~~ 782	1x2	

Profile Notes Red_____ Plotted_____ Job No. 0989 Division No._____
No._____ Date_____ Date_____ Survey of Davenport Rd.
X-Sec. Notes Chkd RES Checked C.J.G. Survey by_____ Notes_____ Date 1-23-51
No._____ Date 7-10-51 Date 7-10-51 Map No._____ Standard Jobinson Date_____

F.B. 1260 Pg. 45

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.
Plotted Date
Notes Red. Date
Notes Chkd. R.E.S. Checked C.J.G.
Notes C.M. Date 7-10-51
Notes C. Johnson Date
Job No. 0282 Division No.
Survey of Davenport Rd.
Survey by
Indexed
PG. 46
1260

STATION	B. S.	H. I.	F. S.	ELEV.		
		2288.239				
T.P.	10.592	2297.998	0.833	2287.406		
P#15-K	7.400	2302.103	3.295	2294.796 ~~2294.703~~	1x2	
P#15-J	6.847	2302.467	6.483	2295.713 ~~2295.620~~	1"x2"	
S-6	9.152	2310.079	1.540	2308.927 ~~2308.927~~	INT. Sec line & P line 1x2	
T.P.	7.993	2316.902	1.170	2308.909		
BM#3	4.776	2319.406	2.272	2314.724 ~~2314.630~~	BM#3 DAVENPORT ROAD COUNTY SUR. MON. in Sec. Cor. btw. Secs 29 & 32 T-5-N R-14-W top steel screw in center of brass cap. 1.48' NE. of P#15-I	Elev = 2314.630
P#15-I	1.592	2318.958	2.040	2317.460 ~~2317.366~~		
T.P.	2.921	2310.460	11.419	2307.539		
T.P.	2.340	2301.831	10.969	2299.491		
T.P.	0.192	2290.992	11.031	2290.800		
P#15-H	0.556	2289.518	2.030	2288.967 ~~2288.874~~	1x2	
T.P.	0.626	2278.927	11.217	2278.301		
T.P.	0.561	2268.856	10.632	2268.295		
P#15-G	0.378	2258.401	10.833	2258.119 ~~2258.023~~	1x2	
T.P.	0.585	2247.633	11.353	2247.048		
P#15-F	0.384	2237.774	10.243	2237.486 ~~2237.390~~	1x2	
T.P.	1.524	2230.068	9.230	2228.544		
P#15-E	2.015	2226.792	5.290	2224.873 ~~2224.777~~	1x2	
T.P.	1.164	2217.502	10.454	2216.338		
P#15-D	5.843	2219.609	3.736	2213.863 ~~2213.769~~	1x2	

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2219.409				
P"15-C	3.914	2219.167	4.356	2215.~~253~~ 350	1x2	
P"15-B	3.451	2213.691	8.927	2210.~~240~~ 337	1x2	
T.P.	0.645	2203.347	10.849	2202.842		
T.P.	0.841	2194.049	10.279	2193.208		
P"15-A	12.261	2195.048	11.262	2182.~~787~~ 885	1x2	
P"15	10.952	2203.524	2.476	2192.~~572~~ 670	1x2	
T.P.	10.830	2203.135	1.219	2202.305		
P"14-F	11.724	2223.399	1.460	2211.~~675~~ 773	1x2	
TP	5.515	2226.605	2.309	2221.090	1x2	
P"14E	1.696	2225.545	2.756	2223.~~549~~ 948	1x2	
T.P.	1.965	2216.469	11.041	2214.504		
T.P.	0.530	2205.456	11.543	2204.926		
T.P	1.534	2198.982	8.008	2197.448		
T.P.	1.991	2189.412	11.561	2187.421		
T.P.	0.560	2178.621	11.351	2178.061		
T.P.	1.489	2169.398	10.712	2167.909		
T.P.	1.030	2158.721	11.707	2157.691		
T.P.	2.006	2149.336	11.391	2147.330		
T.P.	1.043	2138.939	11.440	2137.896		
P"14D	11.541	2147.072	3.408	2135.~~531~~ 532	1x2	

Profile Notes Red_____ Plotted_____ Job No. 0982 Division No._____
No._____ Date_____ Date_____ Survey of Davenport Rd.
X-Sec. Notes Chkd. RES Checked C.J.G. Survey by_____ Notes_____ Date 1-25-51
No._____ Date 3-6-51 Date 7-10-51 Map No._____ Indexed C. Johnson Date_____

F.B. 1260 Pg. 47

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1260 Pg. 48 | Job No 2982 Division No. | Notes Red. | Plotted | Profile
Survey of Davenport Rd | Date | Date | No.
Survey by C. Johnson | Notes | Notes Chkd. R E S | Checked | X-Sec.
Indexed | Date | Date 2-6-51 | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2147.072				
T.P.	11.824	2158.374	0.522	2146.550		
T.P.	11.846	2169.749	0.471	2157.903		
T.P.	12.149	2181.526	0.372	2169.377		
T.P.	11.958	2193.143	0.341	2181.185		
P=14-C	9.882	2201.766	1.259	2191.~~884~~ 986	1x2	
P=14-B	1.371	2200.712	2.425	2199.~~341~~ 443	1x2	
P=14-A	10.746	2205.987	5.471	2195.~~241~~ 343	1x2	
T.P.	11.570	2215.586	1.971	2204.016		
T.P.	12.030	2226.817	0.799	2214.787		
T.P.	11.128	2236.057	1.888	2224.929		
T.P.	7.187	2240.180	3.064	2232.992		
P=14	1.618	2239.455	2.343	2237.~~57~~ 940	1x2	
T.P.	0.696	2229.302	10.849	2228.606		
T.P.	1.769	2220.549	10.522	2218.780		
P=13K	2.860	2212.574	10.835	2209.~~744~~ 818	1x2	
T.P.	5.127	2206.202	11.499	2201.075		
P=13J	11.516	2207.701	10.017	2196.~~185~~ 288	1x2	
T.P.	11.848	2218.887	0.662	2207.039		
T.P.	10.839	2228.769	0.957	2217.930		
T.P.	10.708	2238.474	1.003	2227.766		

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2238.474				
P#13-I	11.440	2243.053	6.861	2231 ~~613~~ 718	1x2	
T.P.	11.028	2253.174	0.907	2242.146		
INT.	9.665	2259.560	3.279	~~2250.895~~ 50 000	1x2 INT. Sec. line & P-line	
P#13-H	7.488	2263.216	3.832	2255.728 834	1x2	
BM#4	11.145	2266.965	7.396	2255.820 926	BM#4 Davenport Rd. 3± of C.S. Mon. RE 329	
T.P.	11.275	2277.399	0.841	2266.124	.345 S. of ℄ of P-line on top of cut 4 ons 3.5 ft	
T.P.	7.955	2284.564	0.790	2276.609	E. of angle pt. in Wire mesh fence 22' N of	
P#13-G	7.237	2288.553	3.248	~~2281.316~~ 423	N.W. Cor. of Green House 5.5± S. of old Davenport Rd.	
P#13-G1	4.932	2291.510	1.975	2286.578 685	1x2 (4 point) 66 ft ± West of P# 13 G & 345 ft ± South Elev = 2255.820	
P#13-F	11.145	2299.137	11.518	~~2287.992~~ 80,099	1x2	
P#13-E	7.094	2288.706	9.525	2281.612 718	1x2	
P#13-D	0.505	2287.681	1.530	~~2287.176~~ 283	1x2	
P#13-C	8.423	2288.259	7.845	~~2279.836~~ 944	1x2	
P#13-B	11.823	2297.657	2.425	~~2285.834~~ 942	1x2	
T.P.	10.695	2307.701	0.601	2297.056		
P#13-A	8.401	2314.172	1.930	~~2305.771~~ 879	1x2	
P1#13	11.948	2320.104	6.016	~~2308.156~~ 264	P1#13 ℄ old Davenport Rd.	
P#12-S	9.537	2328.966	0.775	~~2319.429~~ 438	1x2 (Edge of road)	
T.P.	7.762	2335.455	1.173	2327.693		
P#12A	11.727	2345.914	1.268	~~2334.187~~ 236	Slip spk W&T	

Profile Notes Red _____ Plotted _____ Job No. 0782 Division No. _____

No. _____ Date _____ Survey of DAVENPORT RD. F.B. 1260 PG. 49

X-Sec. Notes Chkd. R.E.S. Checked C.J.G. Survey by _____ Notes C.M. Date 1-30-51

No. _____ Date 2-16-51 Date 2-13-51 Map No. _____ Notes C. Johnson Date _____

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____
Plotted ____ Date ____
Notes Red. ____ Date ____
Division No. ____
Job No. 0989
Survey of Davenport Rd
Survey by C. Johnson Notes ____ Date ____
Indexed ____ Notes Chkd. R.E.S. Date 2-4-51
Checked C.J.S. Date 7-10-51
F.B. 4260 PG. 50

STATION	B. S.	H. I.	F. S.	ELEV.		
		2345.914				
T.P.	9.849	2354.308	1.455	2344.459		
P"11-A	11.796	2364.955	1.149	2353 ~~459~~ 268	Ship spk W&T	
P"10-A	11.957	2376.641	0.271	2364 ~~684~~ 794	IX2	
PI"9	11.552	2387.511	0.682	2375 ~~.959~~ 6.069	IX2 & DAVENPORT RD.	
P"8-B	9.434	2396.206	0.739	2386 ~~.774~~ 882	Ship spk W&T	
T.P.	11.302	2406.252	1.256	2394.750		
P"8A	9.216	2414.917	0.551	2405 ~~.764~~ 811	Spk & W	
P"7C	10.945	2423.918	1.944	2412 ~~.973~~ 3.084	Ship spk W&T	
T.P.	7.837	2430.724	1.031	2422.887		
P"7B	7.511	2436.903	1.332	2429 ~~.392~~ 503	Ship spk W&T	
P"7A	7.257	2440.447	3.713	2433 ~~.190~~ 304	Ship spk W&T	
T.P.	12.134	2451.312	1.269	2437.178		
BM"5	3.880	2455.118	0.074	2451 ~~.838~~ 350	BM"5 DAVENPORT RD. AT INTERSECTION OF SAN IC & HASKETT Rd. 60'± EAST OF PI"7 ON TANGENT P.C. SET C.S. MON. RE 329 Elev = 2451.238	
TBM"6	11.921	2464.328	2.711	2452 ~~.407~~ 519	up 6" on side hill	
P"6B	2.660	2459.796	7.192	2457 ~~.136~~ 248	TBM"6 2" IP with Spk & W R.P. PI"7-4½' Beyond BM"5	
P"6A	8.268	2463.696	4.368	2455 ~~.428~~ 540	IX2	
P"5H	11.400	2472.514	2.582	2461 ~~.114~~ 226	IX2	
T.P.	5.741	2474.218	4.037	2468.477		
P"5G	11.831	2484.628	1.721	2472 ~~.777~~ 910	IX2	
P"5F	4.702	2488.609	0.721	248 ~~3.907~~ 402.0	Ship Spk W&T	

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGHIGNS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2488.609				
P"5-E	6.900	2491.882	3.627	248~~4.926~~ 5095	BT. spk & T.	
P"5-D	5.211	2494.180	2.913	248~~6.967~~ 9082	BT. spk & T.	
P"5-C	1.177	2488.680	6.677	248~~7.503~~ 617	BT. spk & T.	
P"5-B	7.036	2489.609	6.107	2482.~~673~~ 687	BT. spk & T.	
P"5-A	10.694	2495.852	4.451	2485.~~158~~ 272	Shiner S. W. of 1.25 ± East of INTer. of P-Line & SEC. LINE = P"5-A	
TP	6.402	2500.898	1.356	2494.496		
BM"6	0.667	2499.443	2.122	2498.~~776~~ 890	BM #6. DAVENPORT Rd. C.S. MON. SEC. COR. To. SEC. 28 27 33 34 R.14W.T.5N. Steel screw in center brass cap 120± North of P"5-A Elev. = 2498.776	
P"4-B	4.821	2493.907	10.357	2489.~~086~~ 201	BT. spk & T.	
P"4-A	5.970	2496.614	3.268	2490.~~644~~ 754	BT. spk & T.	
P"3-C	8.049	2503.147	1.516	2495.~~010~~ 208	BT. spk & T.	
P"3-B	10.017	2511.342	1.822	2501.~~325~~ 485	BT. spk & T.	
P"3-A	12.022	2522.507	0.857	2510.~~485~~ 535	BT. spk & T.	
BM"7	0.715	2522.465	0.757	2521.~~750~~ 861	BM #7 DAVENPORT Rd. Set C.S. MON. RE 329 54' ± WEST of P"2F and 37' ± NORTH of same on Top of bank N. side of DAVENPORT Rd. at B.C. of Curve - 6' up Elev = 2521.750	
P"2-F	6.205	2519.200	9.470	2512.~~995~~ 3106	BT. spk & T.	
P"2-E	1.722	2511.424	9.498	2509.~~702~~ 823	Shiner spk. T & W.	
P"2-D	1.158	2503.723	8.859	2502.~~565~~ 678	BT. spk & T.	
P"2-C	2.424	2497.448	8.699	2495.~~024~~ 1358	BT. spk & T.	
P"2-B	0.626	2489.546	8.528	2488.~~920~~ 9,058	BT. spk & T.	
TP	0.685	2479.350	10.881	2478.665		
P"2-A	4.478	2476.624	7.204	2472.~~146~~ 2518	BT spk & T.	

Profile
Notes Red _____ Plotted _____ Job No. 0989 Division No. _____
No. _____ Date _____ Date _____ Survey of Davenport Rd
X-Sec. _____ Notes Chkd. R E S Checked _____ Survey by _____ Notes _____ Date 1-31-51
No. _____ Date 2-6-51 Date _____ Map No. _____ Entered J.C.B. Date _____

F.B. 1260 Pg. 51

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____
Plotted ____ Date ____
Notes Red. ____ Date ____
Notes Chkd. RLS Checked ____
Notes ____ Date 2-6-57 Date ____
Division No. ____ Job No. 0989
Survey of Davenport Rd
Survey by A. C. Johnson Date ____
Indexed ____
F.B. 420 PG. 52

STATION	B. S.	H. I.	F. S.	ELEV.		
		2476.624				
TBM #6	7.229	2482.068	1.785	2474.839	954	TBM #6 DAVENPORT Rd SOUTH R.W. OF EC TO PI #2 - 2" IP with ship spk & W up 3"
P #1-B	5.504	2485.310	2.262	2479.806	918	BT spk & T (B.C. of PI #2)
T.BM #7	6.295	2486.781	4.824	2480.486	599	TBM #7 DAVENPORT Rd NORTH RW OF BC To PI #2 2" IP with ship spk & W up 2"
P #1-A	4.602	2482.066	8.317	2477.464	577	BT spk & T 20' W of Inter. AGUA DULCE & DAVENPORT Rd
T.B.M. #8	4.093	2482.940	4.219	2478.847	960	BM #8 DAVENPORT Rd Set C.S. MON RE 329 AT Inter. of AGUA DULCE Rd 28± South of & 27± W of same, SW COR of INTERSECTION. up 6" ELEV = 2478.847
T.B.M. #8	1.069	2478.979	5.030	2477.910	8.085	TBM #8 DAVENPORT RD. S.W. RW. OF AGUA DULCE Rd & DAVENPORT Rd 2" IP & ship spk & W up 2" F.B. 738 -
T.P.	0.894	2468.207	11.666	2467.313		
T.P.	0.860	2458.243	10.824	2457.383		
T.P.	0.116	2447.631	10.728	2447.515		
T.P.	2.719	2438.671	11.679	2435.952		
T.B.M. #9	7.189	2438.781	7.079	2431.592	7187	TBM #9 AGUA DULCE Rd 1319'± South of DAVENPORT Rd. ¼ ¼ Cor. 2" IP with ship spk & W. WEST of & AGUA DULCE Rd on road shoulder up 3" ELEV = 2431.592
T.P.	1.000	2429.447	10.334	2428.447		
T.P.	0.640	2418.169	11.918	2417.529		
T.P.	0.825	2408.443	10.551	2407.618		
T.P.	0.246	2397.939	10.750	2397.693		
T.P.	1.071	2387.520	11.490	2386.449		
T.P.	0.638	2376.775	11.383	2376.137		
T.P.	0.643	2365.808	11.610	2365.165		
T.P.	0.655	2355.075	11.388	2354.420		
T.P.	0.618	2344.201	11.692	2343.583		

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGHIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.
		3 996 2344.001		
T.P.	0.434	2333.036	11.399	2332.597 602
T.P.	0.570	2322.069	11.537	2321.499 4
T.P.	0.600	2311.186	11.483	2310.586 1
T.P.	0.955	2300.865	11.276	2299.910 05
T.P.	0.610	2290.060	11.415	2289.450 45
T.P.	0.625	2279.201	11.484	2278.576 1
T.P.	1.006	2268.623	11.584	2267.617 2
U.S.B.M. 969	1.016	2258.901	10.738	2257.885 8.016 47
T.P.	1.237	2255.789	4.349	2254.552 1
T.P.	1.426	2245.912	11.303	2244.486 87
T.P.	5.120	2239.212	11.820	2234.092 1
T.P.	0.596	2228.832	10.976	2228.236 75
T.P.	0.980	2218.360	11.452	2217.389 0
T.P.	0.692	2207.627	11.425	2206.935 37
T.P.	1.002	2197.344	11.285	2196.342 78
T.P.	0.790	2186.573	11.561	2185.785 2
T.P.	0.897	2175.984	11.486	2175.087 77
T.P.	7.698	2175.080	8.602	2167.382 06
T.P.	13.361	2166.072	10.369	2164.711 2
T.P.	4.582	2163.149	7.505	2158.567

U.S. 969 T.5N.-R.14W.-SEC 34 1.25 miles WEST OF J.M. TALBOT'S house. IRON POST STAMPED "2258"
ELEV = 2257.885

See F.B. 738-153.

Profile
Notes Red _____ Plotted _____ Job No. 0989 Division No. _____
No. _____ Date _____ Date _____ Survey of Department Rd.
X-Sec. Notes Chkd RFS Checked _____ Survey by _____ Notes _____ Date 2-1-51
No. _____ Date 2-16-51 Date _____ Map No. _____ Indexed J. Johnson Date _____

F.B. 1260 Pg. 53

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.
Notes Red Plotted
Date Date
Notes Chkd. R.E.S. Checked
Date 2-6-51 Date
Notes
Date

Job No. 0988 Division No.
Dalton Canyon Rd.
F.B. 520 PG. 54
C. Johnson

STATION	B. S.	H. I.	F. S.	ELEV.		
		2163.149 (4)				
TP	1.315	2157.611	6.853	2155.296 (1)		
TP	1.428	2149.536	9.503	2148.108 (3)		
TP	5.863	2148.849	6.550	2142.986 (1)		
TP	1.722	2141.890	8.681	2140.168	Elev 2135.460	FB738-155
C.S.BM.			6.623	2135.267 (460 3)	BM AGUA DULCE Cr. Rd & ESCONDIDO CN Top Curb N. End Bridge West side Fd C.S Brass Cap set Flush in cement Marked as shown	

BM
Elev
2135.46
MONUMENT

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
					° ′			° ′		1							
					° ′			° ′		2							
					° ′			° ′		3							
					° ′			° ′		4							
					° ′			° ′		5							
					° ′			° ′		6							
					° ′			° ′		7							
					° ′			° ′		8							
					° ′			° ′		9							
					° ′			° ′		10							
					° ′			° ′		11							
					° ′			° ′		12							
					° ′			° ′		13							
					° ′			° ′		14							
					° ′			° ′		15							
					° ′			° ′		16							
					° ′			° ′		17							
					° ′			° ′		18							
					° ′			° ′		19							
					° ′			° ′		20							
					° ′			° ′		21							

Adopted Inches

Notes Red. Plotted Job No.
Date Date Survey of
Notes Chkd. Checked Survey by Notes Book
Date Map No. Indexed Date
Date

Form 301 10-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red —	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / — Vertical Angle	Elevation of Point	+ Back Sight	+ / — Difference Elevation	Height of Instrument	+ / — Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
					° '		° '		2						
					° '		° '		3						
					° '		° '		4						
					° '		° '		5						
					° '		° '		6						
					° '		° '		7						
					° '		° '		8						
					° '		° '		9						
					° '		° '		10						
					° '		° '		11						
					° '		° '		12						
					° '		° '		13						
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No.____ Notes Red____ Plotted____ Job No. 0989 Division No.____
X-Sec. No.____ Date____ Date____ Survey of Davenport Rd
Notes Chkd. R.F.S. Checked____ Survey by____ Notes____ Date 2-2-51
Date 2-6-51 Date____ Map No.____ Traced J. Johnson Date____
F.B. 1860 Pg. 53

STATION	B. S.	H. I.	F. S.	ELEV.	
					"NOTE"
					These Levels run North From B.M.#8 (Pg#52) To Darling Road & Agua Dulce To a L.A. Co. B.M., as a check against Levels run South From B.M.#8., To U.S.#969 (Pg#53) which is moved and further south To a L.A. Co. B.M. on Escondido Crk & Agua Dulce Rd Pg#54
B.M.#8	7.410	2486.257		2478.~~847~~ 960	L.A.Co. B.M.#8 see Pg#52
T.P.	9.575	2493.953	1.879	2484.378 3	
T.P.	11.629	2499.744	5.838	2488.115 0	
T.P.	6.486	2501.932	4.298	2495.446 1	
T.P.	11.116	2510.685	2.363	2499.569 4	
T.P.	11.835	2520.128	2.392	2508.~~293~~ 295	
T.P.	8.503	2527.750	0.881	2519.247 2	
T.P.	7.100	2529.409	5.941	2522.~~309~~ 4	
T.P.	5.572	2529.103	5.878	2523.~~531~~ 26	
T.P.	7.600	2531.276	5.427	2523.676 1	
B.M.	8.659	2539.738	0.197	2531.~~079~~ 194	B.M. AGUA DULCE Rd & DARLING Rd SW. Cor. - SE. Co. of concrete Porch Tg - Stake Brass cap in concrete Flush marked B.M. See F.B. 738-168
T.P.	10.727	2549.745	0.720	2539.~~025~~ 3	
T.P.	11.995	2561.510	0.230	2549.~~518~~ 0	
T.P.	11.784	2572.~~864~~ 804	0.740	2561.~~080~~ 65	
T.P.	1.277	2564.~~463~~ 58	9.678	2563.~~185~~ 1	

Elev 2531.194

76L298 307 3M 11-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 HIGGINS BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2260 PG. 50
Job No. 0989 Division No.
Survey of Davenport Rd
Survey by E. C. Johnson Notes Date
Indexed Date
Profile No. Plotted Date
X-Sec. No. Notes Red. Date
Notes Chkd. RE Checked Date 3-24-51

STATION	B. S.	H. I.	F. S.	ELEV.		
BM.		2567.468 58	10 4/6	255.04 2	BM. .40 mile North of Darling Rd. on AGUA DULCE Rd. N.E. cor. concrete porch. IN HARDWARE STORE. BRASS set Flush in concrete marked as shown. "NOTE" Believe that wrong ELEV was stamped on cap.	STORE. S. side AGUA DULCE Rd. ELEV. 2556.391 RE

Notes Ck'd by	Survey of Davenport Rd.	F. B. 1762 Pg. 57
Map No. B-900-1	W. 960 Tape No. St'd °F	
Office Work	Surveyed by Howard	
Checked	Notes Schaefer Date 9-30-47	
Date	Indexed 8-22-51	

TVS-78-C6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 HALL OF RECORDS

COUNTY SURVEYOR T.5N. 32 5 T.4N. R.14W. MOUNTAIN

Fd P.B.C. flush in conc.

COUNTY SURVEYOR T.5N. 32 5 T.4N. R.14W. MOUNTAIN

Set P.B.C. in conc. in sand stone outcrop on south slope of spur

set S.W.T. flush.

22.64

To N. ¼ Cor.

220.64

T. 100°

98.96 @ 4.27 = 98.66
128.28 @ 18.04 = 121.96
220.62
+.02
64

COUNTY SURVEYOR T.5N. R.14W. MOUNTAIN

Fd. P.B.C. flush in conc.

LINE PROD. set 1x2 Top Ridge.

COUNTY SURVEYOR T.5N. 31 32 5 6 R.14W. MOUNTAIN

Fd P.B.C. flush in conc.

FORM 247 SM 11-46

F. B. 1260 PG. 58

58

SEC. 32, T. 5 N., R. 14 W.

WS 78-C-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

① 179-07-40
④ 356-30-00 ✓
⑧ 352-59-50
179-07-28 3/4

179-07-30 ✓

Set 3/4" I.P. Top Main SPUV. 13+04.88 ✓

1304.88 ✓

T. 80°

289.97 @ 3.25 = 229.56 ✓
296.46 @ 2.50 = 296.10 ✓
283.84 @ 9.29 = 279.96 ✓
296.96 @ 2.00 = 296.78 ✓
206.68 @ 11.32 = 202.51 ✓
1304.88 ✓

1304.88

① 88-47-40
④ 355-11-40
⑧ 350-23-20 ✓
88-47-53

88-47-55

Fd. N+T. F.B. 97-82

87-57-25

1.41
0+00.E.

To Sec. Cor.

To Sec. Cor. 2515.92 per B.B. 29

19.94

1.40

Set 1X2 flush Top Ridge

To Sec. Cor.

COUNTY SURVEYOR

T. 5 N. R. 14 W. 32 COR. RE 21

25+16.38 FROM N. Set P.B.C. 171 Conic S.E. Slope 20' South of Top of Ridge.

59

Notes Ck'd by	Survey of Davenport Rd.
Map No. B-900-1	W. O. 7607 Tape No. Std °F
Office Work	Surveyed by
Checked	Notes Schaefer Date 10-15-47
Date	Indexed

F.B. 1260 PG. 59

FD. 3/4" I.P. WITH BRASS CAP FOR CENTER SEC. 32

T5S. R8W-C-6

To East 1/4 Cor.

U.S. GENERAL LAND OFFICE SURVEY RENAL #250 FOR REMOVAL 1947

C. 1/4 Sec. 32.

91-31-00 ✓ 11

FROM N. 25+05.56 N.+T.

6.02R

27+20.04 W. ✓

25+11.58. N.

To South 1/4 cor.

① 91-31-00
④ 6-04-00 ✓
⑧ 12-08-00 ✓

91-31-00

37.65@27.45=33.32 ✓

33.32

Set Nail

26+86.77 ✓

T5N. R14W.

T. 76°

186.74@16.10=179.35 ✓

179.35

Set N+T.

25+07.42 ✓

Top Rock Out Cross

T. 80°

SEC. 32.

187.01@5.26=186.17 ✓
297.57@9.53=293.15 ✓
187.68@10.39=184.45 ✓
94.38@9.20=93.13 ✓
248.10@9.53=244.42 ✓
209.61@16.14=201.25 ✓
1202.54 ✓

1202.57

1202.54

3/4" I.P.

13+04.88 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

FORM SAZ SM 12-40

F.B. 1260 PG. 60

WS 78-C-6

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Set 1X2 Top Rock Spur.

22+08.40 SEE PAGE 61

T.78°
10.24@ — = 10.24
294.77@6.22=292.95
303.18

303.18

LAND OFFICE SURVEY FOR REMOVAL OF U.S. GENERAL PENALTY #250 1947
C.¼ S.32.

91-31-00

25+05.56N.
set N+T.
6.02

CENTER. SEC. 32

25+11.58 N.
27+20.09 W.

COUNTY SURVEYOR

T.3 N. R.14 W.

119.95

T.76°
126.61@18.39=119.95

set 1x2

26+25.51

SEC. 32

267.69

T.76°
268.91@5.26=267.69

Set S.W.T. flush.

1.025

Fd. N+T.
F.B. 97-135
28+93.30 STH. PER

SEE PAGE

To South ¼ Cor.

Notes Ck'd by	Survey of Davenport Rd.
Map No. B-900-1	W. O 7607 Tape No. Std °F
Office Work	Surveyed by
Checked	Notes Schaefer Date 10-16-97
Date	Indexed

F.B. 1260 PG. 67

TO N. 1/4 COR.

STA. BACK TO 28+93.30 PAGE 60.

17+47.88

SET 1X2 FLUSH.

47.75 Rec.

44.14

44.22 Rec.

Fd 2X2 Leaning WEST

Fd 2X2 + TACK RESET WITH 1¼" I.P. CONC. PLUG FLUSH.

P.I. #31 SET S.W.T. 6' down.

41.97

54.86

18+02.74 F.B. 97-108

SET N.T.T. FLUSH BY INT.

N 12°01'30" E 1201.12 Rec.

28°10'25"

SET S.W.T. SET S.W.T. REC FROM E. .20 down.

T.78°

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

① 28-10-20
② 12-41-20 ✓
③ 25-23-20
28-10-25

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

253.40 @ 1.15 = 253.34 ✓
207.40 @ 2.38 = 207.18 ✓
460.50 ✓ ⑤

460.50 ✓

1X2

22+08.40 SEE PAGE 60.

FORM 847 1M 12-60

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in **Red Ink** With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1260 PG. 62

BENCH MARKS

U.S. 306 Solamint Store, 5.6 mi NE of, at lane to Wright's ranch house, 100' S of windmill and pump house, 30' NW of center of hwy, on S side of lane 1' E of fence; concrete post with tablet stamped "R 10 1929" painted "USBM 1932.3"
Final elev. based on prelim. adj. 1928 — 1932.311

U.S. 307 Reference mark, 200' NE of table, on W headwall of culvert; chiseled square.
Final elev. based on prelim. adj. 1928 — 1933.85

U.S. 308 Solamint store, 6.8 mi NW of, 800' S of greenhouse at S end of guard rail on W side of road, on top of 2.5 by 3 ft. boulder; chiseled sq., painted "USBM 2023.4".
Final elev. based on adj. 1928 — 2023.37

U.S. 423 Semaphore 4249, NE cor of, top concrete foundation - 2781.94
Final elev. 1928 — 2781.44

U.S. 424 Acton, SW cor of hotel, in brick wall; bronze tablet stamped "2,700-42" — 2701.503
Final elev. 1928 — 2700.979
1932 adj. elev. — 2700.854

U.S. 969 T5N R14W Sec. 34, 1.25 mi W of J.M.Talbot's house, 2' S of SE cor of adobe house; iron post stamped "2258" — 2258.840
Final elev. 1928 — 2258.406

U.S. 1406 P.B.M. "USC&GS H-53"at Acton on SPRR opp. milepost 426., 350' N of sta., 160' SW of semaphores 4261 & 4260, 60' W of track and 7' S of telegraph pole. A std disk, stamped "H 53 1926" and set in top of concrete post"
Final elev. 1928 — 2698.072
1932 adj. elev. — 2697.947

U.S. 2030 T7N R8W, in N part of Sec. 22, 1.8 mi SE along road from L.S. 48, abt 800' W NW of old ranch house, 20' W of road, in top of 2x3 stake; copper nail and washer, board painted "USBM 2942"
Final elev. 1928 — 2942.42

U.S. 2031 T7N R8W, probably near cor. Secs. 22,23,26 & 27, 50' SW of road intersection, abt 1000' N of old shack, in top of concrete post; bronze tablet stamped "LS 51 1929" board painted U"BM 2895"
Final elev. 1928 — 2894.867

U.S. 2032 T7N R8W nr SE cor Sec. 23, 1 mi E of L.S. 51, about 50' W of Walton ranch house, 25' N of road in base of Joshua tree, RR spike, board painted "USBM 2935"
Final elev. 1928 — 2935.68

U.S. 2033 T7N R7&8 W, ¼cor bet secs. 25 & 30, L.A.San Berdo Co. Line, on top of pipe set in concrete, marking ¼ cor; brass cap marked (?), board painted "USBM 2944"
Final Elev. 1928 — 2944.55

U.S. 2112 T.B.M. Solamint store, 4.2 mi NE of, 0.3 mi SW of school house, 700' SW of a green house, culvert at station 186+08, NW headwall, a chiseled square. painted U.S. 1784.7 B.M.
Field elev. 1784.673
Final elev. 1928 1784.67

U.S. 2113 T.B.M. Solamine store, 5.3 mi NE of, 1.0 mi NE of school house, at SW end of orchard on E side of road, Mint Cyn Wash, on NE cor of bridge over same, a chiseled square - painted US 1895.3 BM
Field elev. 1895.262
Final elev. 1928 1895.27

U.S. 2114 T.B.M. Solamint store, 7.7 mi NE of, where road makes sharp turn to E thru a solid rock out, 50' E of cut and 500' W of Oak Cliff service station, a concrete culvert, middle of N headwall, a chiseled square. Face of rock in cut painted U.S. 2110.5 BM
Field elev. 2110.488
Final Elev. 1928 2110.50

U.S. 2115 Reference -- 400' SW of PBM R 11, on S headwall of a culvert, a chiseled square
Field elev. 2295.639
Final Elev. 1928 2295.65

U.S. 2116 P.B.M. Solamint Store 8.9 mi NE of, in "Mountain Cabin Sites Subdiv." at cor of Steele Ave. and Mint Cyn Hwy, 150' NE of Grey Stone Inn, N side of hwy and 15' N of fence corner, concrete post with bronze tablet stamped R 11-1929 Painted U.S. 2305.7 BM
Field elev. 2305.749
Final elev. 1928 2305.763

U.S. 2117 T.B.M. Solamint Store, 9.8 mi NE of, 0.9 mi NE of Grey Stone Inn, culvert at station 41+00. Top of SW headwall, a chiseled square, painted U S 2417.6 BM.
Field elev. 2417.613
Final elev. 1928 2417.63

U.S. 2118 T.B.M. Solamint Store, 10.6 mi NE of, 1.7 mi NE of Grey Stone Inn N side of road 300' due N of house in small side cyn, 3x3 ft boulder with chiseled sq. nr SW cor. Painted US 2524.3 B.M.
Field Elev. 2524.275
Final Elev. 1928 2524.29

U.S. 2118 T.B.M. Solamint Store, 10.6 mi NE of, 1.7 Mi NE of Grey Stone Inn, N side of road 300' due N of house in small side cyn, 3x3 ft boulder with chiseled square nr NW corner. Painted U.S. 2524.3 B.M.
Field elev. 2524.275
Final elev. 1928 2524.29

U.S. 2119 Reference -- 40' W of P.B.M. R 12-1929, SW side of road, and on E side of poor road leading to S; 6x6" concrete hwy reference with copper sire in top of.
Field elev. 275.916
Final elev. 1928 2750.94


4x4 Stake
L.S. 28-38 calls for cement monument, also shows the C.S. Mon.
4 34 per L.S. 16-49
4 54 per L.S. 28-37
352 per L.S. 28-38
Found 4x4 stake
Found pipe
1334 per L.S. 16-49
1334 Pt. of Surveyor
1252' per L.S. 28-38
1249.02 per F.B. 1260 - 29, 30.
1248.70 per C.S. 8889-2
900.00 per L.S. 16-49
92°16'35"
562.5 ± per C.S.
568.42 per F.B. 1260-30
East line L.S. 16-49
Highway Pavement
1334.00 per L.S. 16-49
1313.49 per C.S. 8889-2
L.S. 16-49 calls for 4x4 post.
C.S. Mon. replaces 4x4
Mayor may not be same point.
1/4 Corner
Search for and Tie
Points on this Line

TWS 78-D6.

Notes Ck'd by KBM	Survey of DAVENPORT RD
Map No.	W. O. 0989 Tape No. BL St'd. BH °F
Office Work	Surveyed by W.S. Cowherd
Checked	Notes W.S.C. Date 8-15-51
Date	A. C. Johnson 8-22-51 Indexed

F.B. 1260 Pg. 63

LINE CHANGE

PI "8" See Pg. 15

Also See Pgs. 67 to 72.

74.00 @ 0-0 T88 = 74.00

778.20

PI 7A set 1" IP conc. plug & Tack 12" Dn

2 256 00 00
4 152 00 00
8 48 00 00
128 00 00

Δ = 51°59'55"
R = 600.00
T = 292.63
L = 544.53

128° 00' 00"

PI "7" Fd 3/8" IP sp. Kew per FB 1260-14

Set 1x2

NOTE
Survey of new & DAVENPORT ROAD

59.45 @ 0-0 T88 = 59.45

2) 321 05 20
4) 282 10 10
6) 243 15 10
160 32 35

Δ = 19° 27'30"
R = 1000.00
T = 171.46
L = 339.61

30" Adj.

PI "5F" Fd 3/4" sp. K in W & T per FB 1260-13

PI 6A set 1" IP conc. plug & Tack 12" Dn

169.60 @ 0-0 T88 = 169.60

T88
97.47 @ 8°09 = 96.49
82.09 @ 0°00 = 82.09
178.58

T90
113.89 @ 12°19 = 112.05
127.13 @ 11°59 = 127.36
199.78 @ 3°49 = 199.35
435.76

PI "5" See Pg. 12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of the line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

F.B. 1260 PG. 64



RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 78-C-6

W.S. 78-C-6

Notes Ck'd by	Survey of DAVENPORT RD
Map No.	W. O 0989 Tape No. 81 St'd. 84 °F
Office Work	Surveyed by W.S Cowherd
Checked	Notes W.S.C Date 9-12-51
Date	Indexed R. C. Johnson 9-22-51

F.B. 1260 Pg. 65

FINAL ℄

DAVENPORT ROAD

JN 0989

Reference
FB 1260.

Party
W.S. Cowherd
C. Morrison
R. Dale
L. Loyc
A. Mar.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

78F3095 247 2-51

F. B. 1260 PG. 66

INDEX

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

MS. 78-CF

T5N. R14W.

SEC 28.

SEC 33

SEC 27.

SEC 32

SEC 34.

SEC 31

SEC 30.

SIERRA HWY

FINAL ROAD

DAVENPORT.

HASKET RD.

P.B. 67 PG. 102

P.B. 68 PG. 64

P.B. 70 PG. 16

P.B. 74 PG. 17

P.B. 78 PG. 20

P.B. 78 PG. 19

P.B. 78 PG. 22

P.B. 81 PG. 25

P.B. 84 PG. 22

"NOTE"
FINAL ROAD & FOLLOWS EXISTING PAVING P.B. 17 PG. 28.
EXCEPTING LINE CHANGE SEE R.S. 63 PG. 64.

LEGEND
= SECTION LINE
= EXISTING ROAD
= FINAL ROAD

WS 78-D-6

Notes Ck'd by KRM	Survey of DAVENPORT RD.
Map No.	W. O. 0788 Tape No. 81 St'd. 84 °F
Office Work	Surveyed by W.S. Cowherd
Checked DREW	Notes W.S.C. Date 9-17-51
Date	Indexed A. T. Johnson 8-22-51

F. B. 1260 Pg. 67

BT. Pg 68

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F309S 247 2-51

F. B. 1260 PG. 68

BT Pg 69

112.49 @ 21.07 T 100 = 104.94

52.80 @ 16°57 T 100 = 50.52

RP EC set 1" IP conc plug & Tack up 2"

104.94

247.02

P.T. 7B rd sky spk W&T P.O.T. 101+21.90 Pg 15

RP EC set 1" IP conc plug & tack up 2"

50.52

90°

52.21 @ 4°57 T 96 = 52.02

R.P.P.I. set 1" IP conc plug & tack up 3"

R.C. 99+53.70 set 1" IP conc plug & tack

59.91 @ 12.41 T 30 = 57.47

P.T. 7A P.O.S.T. rd BT spk W&T Pg 17

S 45° 54' 05" W

66.67 @ 5° T 100 = 66.70

RP.P.I. set 1" IP conc plug & Tack up 2"

A = 57.59 55"

R = 292.63

L = 544.53

P.T. 7A set 1" IP conc plug & Tack on 12" Pg 63

7402 rec

RP 7 rd 2" IP with spk W&T Pg 14

323.71

S 32° 54' 05" E

C.S.B.M. mon. Pg 14

59.40

416

RP P.I. 2" IP Flush see Pg 14

B.C. nothing set steep cut 911+09.19

P.O.T. 93+11.11 set 1x2

127.13 @ 1° 59 = 124.36

192.78 @ 3° 17 = 192.33

323.71

Top Pg 67

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM	Survey of DAVENPORT RD
Map No.	W. O. 0989 Tape No. 81 St'd. 84 °F
Office Work	Surveyed by W.S. Cowhick
Checked DREW	Notes W.S.C Date 8-20-51
Date	Indexed A. C. Johnson

F. B. 1260 Pg. 67

BT. Pg = 70

120.67 @ 19°56 T90 = 113.44

56.17 @ 17°55 T90 = 53.45

263.03 rec

P.O.B.A. POT = 105+38.75

Sh - 3pk Wet Pg = 15

R.P.E.C. Set 1" IP conc Plug & Tack up 2"

11344

14.71

E.C. Set 1" IP plug Tack dn 10"

14.71 @ 0-0 T100 = 14.71

53.45

E.C. 105+24.04

R.P.E.C. Set 1" IP conc plug & Tack up 2"

9955 rec

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Δ 4°53'30" R = 2864.93 L = 169.59

84.84

30" rec

P.T. = Sh - 3pk Wet T dn 02 See Pg = 15

08

17.5

7039 rec

RETURN TO LOS ANGELES COUNTY SURVEYOR 726 LOS ANGELES COUNTY ENGINEERING BLDG.

P.O.C. P.C.C. Sh - 3pk Wet Pg = 15

R.P.B.C. Set 1" IP conc plug & Tack up 2"

R.P.B.C. Set 1" IP conc plug & Tack up 2"

14.45

47.10

B.C. Set 1" IP plug & Tack dn 15"

B.C. 103+54.45

83.96

14.45 @ 0-0 T100 = 14.45

47.63 @ 2°54 T96 = 47.10

86.65 @ 14°20 T96 = 83.96

2470 rec

Top Pg = 68

76F309S 247 2-51

F. B. 1260 PG. 70



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KAM
Map No.
Office Work
Checked DREW
Date

Survey of DAVENPORT RD.
W. O. 2989 Tape No. 81 St'd. 84 °F
Surveyed by W.S. Courbard
Notes W.S.C Date 8-21-51
Indexed A. C. Johnson

F. B. 1260 Pg. 71

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

BT Pg. 72

33.96@0-0 T72
=33.96

POST
1x2
See Pg 64

33.96

BC 119+40.19

BC set 1" IP plug & Tack up 2"
119+40.17

R.P. Points set on 245° as 90° PTs would be Lost during construction due to steep hillside

R.P. BC.
Set 1" IP's
plug & Tack
up 2"

128.10

134.31 @ 1730 T94
= 128.10

110.11

POST
118+02.45
1x2 pg 64

111.62@0-39 T96=110.11

(2) 90 00 00
41 18 00 00
49 00 00

N 53° 08' 00" W 173.72 net

73.59

62.37

R.P.E.C.
1" IP
plug & Tack up 2"

E.C. = 115+57.08
set 1" IP up 2"

19.34@0-0 T100 19.34

62.89@7°27 T100
=62.37

P.O.S.T
1x2
See Pg 64

73.58 00-0 T100 = 73.59

Top Pg 70


F.B. 1260 PG. 72
BT Pg 73
P 13D POT 1x2 Pg 18
N 52° 30' 17" W
P 13C POT 1x2 Pg 18
RPEC
Set 1" IP's plug & tack up 2"
84.51
RPPI
Set 1" IP's plug & tack up 2"
P 13B POST 1x2 Pg 18
PI 13A.
set 1" IP conc. plug at up 2"
P 13A 1x2 Pg 17
PI 13 1x2 Pg 17
Top Pg 71
85.04 @ 6° 27 T 100 = 84.57
148.45 @ 7° 00 T 94 = 147.85
Δ = 25° 59' 50"
R = 1000.00
T = 230.89
L = 453.74
RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRMEPh
Map No.
Office Work
Checked DCEW
Date

Survey of DAVENPORT RD
W. O. 0989 Tape No. 81 St'd. 84 °F
Surveyed by W.S. Odwherd
Notes W.S.C Date 8-23-51
Indexed K. C. Johnson

F. B. 1860 PG. 75

W.S. 78-C-6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

BT. P# 79

88.12 rec.

INTERSECTION
P.O.T. 134+14.42
Fd 1x2 pg 31

For Sec. Line See Pg. 31

31.24 rec.

P# 13H
P.O.T. 133+83.25
Fd 1x2 pg 18

R 704' rec.

P# 13G
P.O.T. 131+12.84
Fd 1x2 pg 18

N 79° 08' 25" W

159.70 rec.

P# 13F
P.O.T. 129+53.14
Fd 1x2 pg 18

158.05 rec.

P# 13E
P.O.T. 127+95.09
Fd 1x2 pg 18

196.50 rec.

Top P# 72

76F3095 247 2-51

F. B. 1260 PG. 74



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KAM&Pb
Map No.
Office Work
Checked DR FW
Date

Survey of DAVENPORT RD
W. O. 2222 Tape No. 81 St'd. 84 °F
Surveyed by
Notes Date 9-26-
Indexed K. C. Johnson

F. B. 1266 Pg. 25

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

RT 76 +

P.T. 14D
P.O.T. 146+48.12
IN2

P.T. 14C
P.O.T. 145+11.26
IN2

P.T. 14B
P.O.T. 144+34.17
IN2

104.67 RT 100
104.68

EC 142+69.58 SET 1"IP up 2" ±

S 81° 37' 25" W
136.86 rec
77.09 rec

R 2906 rec
R 2662 rec

P.T. 14A
P.O.T.
IN2 ±

25.14

Top 13 - 14

F. B. 1262 PG. 76



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

WS 78-C-6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by KR/MSP	Survey of DOWNPOINT RD
Map No.	W. O. 2988 Tape No. 21 St'd. 24 °F
Office Work	Surveyed by
Checked DR & W	Notes Date 9-27-51
Date	Indexed A. C. Johnson

F. B. 1262 Pg. 77

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

N 43 08 30 W 2554.45 ft. ± T.± 1125.7 ft. ± T.±

P.O.T. 162+19.41 ✓

P.O.T. 159+63.96 ✓

P.O.T. 158+51.39 ✓

E.C. 156+31.28 ✓

14.95 ± T.± = 14.95 ✓

14.95 ✓

P.O.T.

1702.0 ft. ✓

Tie 15-76

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 78-C-6

Do not extend notes this side of this line.



F.B. 1216 PG. 28

BC 1713 4-16-76
Set 1½" I.P. plug & tack, flush

Notes Ck'd by KARNEY
Map No.
Office Work
Checked DREW
Date

Survey of DAVENPORT Rd
W. O. 0262 Tape No. 81 St'd. 84 °F
Surveyed by
Notes
Date 9-28-51
Indexed A. C. Johnson

F. B. 1265 Pg. 29

WS 73-C-6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

BT. Fs = 80

12.68 rec

P.I. 16C
POT
1/2"

80.31 @ 0-0 T90 = 80.31

EC = 1994.752
set "T" in
up 2"

84.29 @ 7°04 T90 = 83.65

P.I. 16B
POST
1/2"

61.94 @ 0-0 T90 = 61.94

99.14 rec

P.I. 16A
POST
1/2"

293.27 rec

Δ 76 28 00
R = 600.00
T = 472.74
L = 800.76

PI 16A
3/4" x 24" Pipe
replaced with 1" I.P. up 2"

PRPT 16'
1" I.P. plug
up 2"

P.I. 15M
POST
1/2" Pipe up 0.4

187.24 rec

P.I. 15L
POST
1/2"

226.22 rec

57.28

172.20 rec

55.86 @ 0-0 T90
= 55.86

76.96 @ 0-0 T90
= 76.96

Top Fs = 76

76F3095 247 2-51

F. B. 1200 PG. 80



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

WS 79-C-6

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KAMEP	Survey of DAVENPORT RD	F.B. 1260 Pg. 64
Map No.	W. O. 2984 Tape No. 84 St'd. 87 °F	
Office Work	Surveyed by	
Checked DREW	Notes Date 9-24-51	
Date	Indexed J. C. Johnson	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

90.68 Δ 7°54' T92 = 89.82
81.44 Δ 16°49' T82 = 77.96
56.80 Δ 13°08' T80
= 55.31

RPPI "17
Set 1" IP's
plug & tack up 2"

144.80 Δ T80
= 144.78

PI "17A
Fd 1½"
replaced with
1" IP up 1"
some tags

144.78

55.31

RPPI "11
set 1" IP
plug & tack
dn 6" N. side
Dist Road)

RC 192+71.48
set 1" IP up 2"

29.88

22.87 Δ T88 = 29.88

77.96

89.82

59.30 rec

See Line Sec. 13.29

P.I. 17+19
POST 1x2
pg 25

151.37 rec

39.11 rec

5 POST 1x2

A: 51 22 50
R = 800.00
T = 384.85
L = 717.41

206.14 rec

P 16 K
POST 4x4
pg 24

103.28 rec

P 16 K
POST 4x4

105.31 rec

P 16 J
POST 4x4
192+44.30
pg 24

133.26 rec

P 16 I
T.C.
189+08.04

178.74

BT Pg 82

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



WS 78-C-6

Notes Ck'd by KAMER.
Map No.
Office Work
Checked DREW
Date

Survey of DAVENPORT RD
W. O. 0989 Tape No. 84 St'd. 84 °F
Surveyed by W.S. Cowherd
Notes W S C Date 9-25-57
Indexed C. Johnson

F. B. 1266 Pg. 83

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F3095 247 2-51

F. B. 1260 PG. 84


INTERSECTION
SIERRA HWY
Bear SPK
222+59.05
& Sierra Hwy.
See Pg 27
P.O.E.
P.O.T. 222+37.05
P.O.D.
P.O.T. 217+67.61
P.O.I. 215+67.89
P.I. "57"
63.18
P.I. "58"
P.I.C.
P.O.T. 212+96.69
FC 210+57 1/2"
26.93
P.I. "73"
N 80° W
N 10° E
N 80° W
N 10° E
N 80° W
N 10° E

Notes Ck'd by	Survey of SECTION LINE
Map No.	W. O. 03020 Tape No. 1&2 St'd. 54 °F
Office Work	Surveyed by W S Cousharet
Checked	Notes W S C Date 6-15-54
Date	Indexed E. C. Johnson 6-15-54

F. B. 1880 Pg. 85

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

SE Cor Tract Per L.S. 16-49 2" I.P. plug x nail up .30' Pg. 30.

Fd 2" IP up 2' w/ tin plug x nail

N.E. Cor Tract Per L.S. 16-49

Fd 2x2 nail up 1'

66'±

Fd 2x2 nail up 1'

1347'± Stadia

Note numerous 2x2's Fd along this East line most up 1'±

329'

Set nail 12+49.02

6.92

12+42.10 S-4 Fd 1x2 Pg. 30.

Old 2x2 Fd laying on ground App'ox 18D'± West of S-4

27.58 @ 0-0 T84 = 27.58

2 181 51 48
363 15 20
95 36 28

7+08.18 Fd old 2x2 up 1' Leaning

.85

561.50

27.58

6+80.60 S-3 Inter Pg. 30.

5+09.36

Fd new 2x2 with Lath Tag next to new conc fence cor.

2.15

56.20

S-2 Fd 1x2 pg. 30

4' High conc fence posts running North no wire between posts

47.81 @ 24-43 T84 = 43.43

106.54 @ 11-53 T84 = 101.

56.20 @ 0-0 T84 = 56.20

4+53.16

48.90

Cor Tr

28-38

Fd old 2

1' with nail

#6 wire

Sta

pipe very

ditch Ties T.S.D.

139

4' high new conc fence posts no wire approx. 2' south of SEC LINE

3+05.41

Fd very old 2x2 nail up 1' with #58 painted on East face about worn off. Leaning

2.00

1+80.65 Pg. 32

S-1 Fd 1x2

1806 T. rec

0+00 to East SEC COR see pg = 2682.29

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 1260 PG. 26

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. Std. °F
Surveyed by
Notes Date
Indexed

F. B. PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. _____ PG. _____

F. B. 1260 PG. 101

Notes Ck'd by	Survey of
Map No.	W. O. Tape No. St'd. °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed K. C. Johnson 8-18-64

SURVEY OF

EAST AND SOUTH BOUNDARY

SECTION 16

T 5 N R 14 W

J.N. 0302.01

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76FSOSS 247 4-53

F. B. 1260 PG. 107

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 72-D4.

6-30-54

Cont. on Bk. @ 103'

18+53.57

Sec. 182 on 4 1/2" brass tk.
20' S. of brass tk.

SEC 16

SEC 15

TSN R14W

15 16

10 9

Section Corner
0.400 South.
Fd C.S. Mon. - 6" Dia.
in mound of Rocks
F.B. 512 Pg. 38, 48.

Notes Ck'd by KRM	Survey of SEC. LINES	F.B. 1260 Pg. 103
Map No.	W. O. Tape No. 123 Std. 84 °F	
Office Work	Surveyed by F.C. HOWRAY	
Checked	Notes Date 6-20-58	J.N. 0362.01.
Date	Indexed A. C. Johnson	

Cont on bot Pg 104

Set 1x2 40.58 26+51.12 ✓
Set 1x2 bet canyon.

2 large clumps of cherry trees

133.71 @ 3°16' ✓
@ 77°80' = 133.49 ✓

SEC 15.
T5N R14W

131.64 @ 8°05' = 130.38 ✓
300.38 @ 9°42' = 300.00 ✓

35+23.95 ✓
Set 1x2 on S. slope.

SEC 16.

117.52 @ 5°27' @ 71°13' ✓
= 117.00 ✓

20+97.51 ✓
Set [illegible]

19+80.51 ✓
Set 1x2

6.35

19+74.16 ✓
Ed pt I.P. in mid of rocks. Set nail in center
Probably set by Tate

0.30

127.39 @ 10°54' @ 71°30'
= 126.94 ✓

18+53.67 ✓
Set 1x2 Hub 12

Cont from Hub 12.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W 5784-0-5

76FSOS 247 4-58

F. B. 1260 Pg. 104

Cont on Lot Pg 105

34+39.89
Set 1x2
12.46

272.76 @ 2°05' = 272.41

0.40 34+27.43
Fd 40# Spk
in rock mound

3.14+72.70
0.07 Fd 1½ x inch
5.22
3.14+67.48
Set 1x2 top nicked

SEC. 15
T. 5 N. R. 14 W.

234.67 @ 22°32' = 216.20
300.22 @ " " = 300.22
6.21 @ 85° = 16.36

Tree Chop
3.04+71

26+51.12
Set 1x2 top NG

26+46.21
Fd 2" I.P. in mound
of rocks with
8"x10"x2" Shale
lying loose with
1/4 chiseled on
face and X on top

4.91
3.26
19.48
0.09

Mr Goddard, Prop Owner
Says Tries corner was
destroyed by grader, and
that he set the above
pipe & mound as reference
for the pipe set by LS 2504.
for 1/4 Cor.

26+31.64
Fd 2" I.P. - LS 2504
6" down in road
This point has
been used for
subdivision of
Sec. 15

Cont from top No 103

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS78-0-5

Notes Ck'd by KRM	Survey of SEC. LINES
Map No.	W. O. Tape No. 123 St'd. 84 °F
Office Work	Surveyed by F.C. HOWARD
Checked	Notes K.C.J. Date 7-1-54
Date	Indexed K. C. Johnson

F. B. 1260 PG. 105

W 579-0-5

T.5 N. R.14 W.

SEC 15

SEC 16.

J.N. 0302.01

Cont on bot PG. 106

43+21.67
Set 1"x2" top flat ridge

4.74

43+16.93
Fd 1½"x1½" stake at ock
Sp. 0.14

122.72 @ 1°32' = 122.70

83.75 @ 5°14' = 83.40

206.10

@ 7.88° = 206.11

206.11

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

41+15.56
Set 1"x2" N. Slope

285.43 @ 11°35' @ 7.88°
= 279.63

279.63

0.10

39+47.66
Fd 1¼" I.P.-L.S. 2504
4" up
Near end of trace

39+46.28
Fd 2" Angle Iron
4" up, with plate
Stamped L.S. 811

0.57

35.4

111.73

110

38+35.93
Set 1"x2" on W. Slope

Norm. = 7.83

300.34 @ 5°34' = 298.92

90.81 @ 16°01' = 87.28

396.03

@ 7.88° = 396.04

396.04

34+39.89
Set 1"x2" on E.

Cont from top PG. 104

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

7572098 247 4-53

F. B. 1260 Pg. 106

Cont on bot Pg 107

46+92.26
Set 1x2 top break
into Mint Cn.

93.58 @ 7°15' @ 7°30' = 92.83

92.83

46+05.69
Fd 2" I.P. Dent
5" C.O.
L.S. 3150

0.97

626

45+99.43
Set 1x2 on
point in S. Side

SEC 15
T 5N R 14W

SEC 16

211.30 @ 4°40' @ 7°30' = 210.69

211.69

0.82

23+95.16
Fd round
oak hub
flush. Nail
& tag L.S. 871

694

23+88.82
Set 1x2

607.15 Level @ 7°30' = 607.15

607.15

43+21.67
Set 1x2 top flg

Cont from top Pg 105

WS 78-0-5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by KRM	Survey of SEC. LINES
Map No.	W. O. Tape No. 123 St'd 84 °F
Office Work	Surveyed by F.C. HOWARD
Checked	Notes F.B.H. Date 7-1-54
Date	Indexed C. Johnson

F. B. 1200 PG. 107

WS 78-D-5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Set 1x2 Top Spike on line prod from North. Both Sec. Corners are visible from this point.

52+61.17 ✓ T.5N R14W.
Sec. Cor.
Fd C.S. Mon Per
R.S. 512 - Pg 87

22 21
15 16

Transit Line Pg 109.

140.25 @ 2°03'
@ T.94° = 140.17 ✓

90° 30' ✓

① 90° 30' 40
④ 2° 02' 30"
⑧ 4° 05' 00 ✓
90° 30' 37½

140.17 ✓

51+21.00 ✓
Set 5/8 x T.S.
Edge Pavmt

Highway (L.A.S.C.)
Pavmt on.

23.55

50+97.45 ✓
Set 5/8 x T. N. Edge
Pavmt 1156

Level = 33.38
300.42 @ 13° 31' = 292.10 ✓
81.15 @ 14° 09 = 78.69 ✓
405.17 ✓
@ T.90° = 405.17 ✓

405.19 ✓

Highway Rec
Δ = 20° 10' 30
R = 2000
T = 355.86
L = 704.24

46+92.76 ✓
Set 1x2 Top Pg

B.C. 15

7672095 247 4-53

F. B. 12600 PG. 108



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 78-D-5

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of SEC. LINES
W. O. Tape No. 123 Std. 84 °F
Surveyed by F.C. HOWARD
Notes F.C. Date 7-7-54
Indexed K.V. Johnson

F.B. 1260 PG. 109



To SEC. Cor

Cont on bot Pg 110

Triangulated across Highway account of Traffic hazard

8+46.04 ✓
Set 1x2 top
Spur

3.29
5.07

8+42.75 ✓
Fd 2x2 stack.
on spur. No tag
Probably set by
Gamm

297.67 @ 5°40 @ 7.32
= 297.24 ✓

Transit Line

296.24 ✓

5+49.80 ✓
Set 1x2 in flat

Level = 249.60
300.39 @ 2°05 = 300.19 ✓
549.79 ✓
@ 7.88° = 549.80 ✓

549.80 ✓

T5N R14W
21 16

0+00 WEST
SECTION COR
Fd 0.5 Mon. Pg
F.B. 512-87

22 15

See Pg 107

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76FSOBS 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by KRM	Survey of Sec. Lines
Map No.	W. O. Tape No. 123 St'd. 84 °F
Office Work	Surveyed by F. C. HOWARD
Checked	Notes F.C.H. Date 7-7-52
Date	Indexed A. C. Johnson

F. B. 7100 Pg. 111

TM 578-C-5

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Cont on Bof Pg 112

30+70.09
Set 1x2

TRANSIT LINE.
To SEC. COR.

Level = 101.98
184.76 @ 0°49' = 184.74

286.72
@ T. 104° = 286.76

27+83.33
Set 1x2

99.82 @ 1°27' @ T. 102°
= 99.80

SEC 21
T5N R14W

Set SW x T. N. Side
36" Live Oak. 15 above
ground. This tree has
old blaze on
facing corner
Looks
like B.T. per ds 9099 Pg 11.

1/4 SEC. COR.
Fd C.S.M. on 20" down 1'
in Road. FB 512 Pg. 88

Set SW x T. N. Side
Leaning Live Oak.

Set SW x T.
2" down. ✓

77.92

16.23

201
10.69

110.21

S 30° E

26+81.52
Fd 2x2 x tack
flush in road

Level = 39.53
300.96 @ 1°39' = 300.84
300.38 @ 1°33' = 300.19
640.56
@ T. 98° = 640.62

Set SW x T.
N. Side P.P.
64 1243

SEC 16

20+42.91
Set 1x2 Top Pg 110.

7675088 247 4-53

F.B. 1260 PG. 112

Cont. on bot PG 113

TRANSIT LINE To SEC COR

39+46.83
Fd 2x2 & tack flush. LS 2209 Lath marked Prop Cor.

15.89

128.55

12.94

11.23

1.56

10.00

39+48.89
Set 1x2. on

39+50.45
Set 1x2. on
11.23' offset

437.23

204.38 @ 1°15' = 204.33
232.91 @ 1°19' = 232.85
437.18
@ T 100° = 437.23

35+13.22

11.23

20.00

Set 1x2

35+13.22
Set 1x2 on 31.23'

Sec 21
T5N R14W

Sec 16

266.59 @ 1°04'
@ T 104° = 266.57

266.57

32+46.65
Set 1x2

31.23

Set 1x2

32+46.65

176.72 @ 2°36' @ T 1[illegible]
= 176.56

176.56

31.23

30+70.09
Set 1x2

Cont from top PG 111

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of SEC. LINES
W. O. Tape No. 123 Std. 81 ft
Surveyed by FC [redacted]
Notes
Indexed A. C. J

F. B. 1260 Pg. 119

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

5.00
11.23
5.00
47+79.83

38.06

47+41.77
Fd 2x2 x tack
flush 2.5' 2.00?

13.93

567.79 Level
Δ 7° 38' = 567.84

567.84

TRANSIT LINES
TO SEC. COR. No 114

16.23
5.00
12+11.99
Set 1x2
21.23 ft
offset

Set 1x2
424+11.99

134.56 Level
Δ 7° 38' = 134.38

134.55

40+81.88
Fd 2x2 x tack flush &
4 lath marked
5' S. to prop. line

11.37

2.44

40+77.44
Set 1x2
21.23 ft
offset

128.60 @ 1°31'
Δ 7° 38' = 128.55

128.55

21.23

39+48.89
Set 1x2

Cont from top Pg 112

78F3098 247 4-53

F. B. 1260 Pg. 114



Notes Ck'd by		Survey of SEC. LINES	F. B. 1260 PG. 115
Map No.		JN 0302,01 Tape 48 Std 84 oF	
Office Work		Surveyed by C.L. WRIGHT	
Checked		Notes CLW Date 1-JULY '59	
Date		Indexed A. C. Johnson 7-8-59	

THE WEST ½ OF THE SOUTH LINE OF SECTION 21 - T5N, R14W STADIA LOCATION OF THE TOPOG. CALLS ALONG THE SECTION LINE

REFERENCES
F.B. 98
F.B. 512

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-53

F. B. 1260 PG. 116

Cont'd Page 117

WS 78 C-5

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

N Ridge 720' Mtns.

FD 1" x 2" I.P. Top Spur 7+56.8E

SET NAIL Top Spur

498' @ -1° - 38' Stadia +10

FL & Draw

2.28 @ 2.6 - N Stadia - 7c

223.9

5+32.9E

FL N-5°E Ridge

497.9

2+59.22E

FD 1/2" Pipe Top Spur

0.25' of

110.20

Set R.R. Nail Top of Spur

1" = 20' 10 4/4 = 110.20

TOP 15° VI Mtns

TOP 1+48.62E

Spur

FL Cell Ch. Nail-Top Spur

T-88°

165.7 @ 2.6 N 148.62

148.62

240'

FL

SEC 21

50'

FL E

S-26° E Mtn.

12'

0.20

0.05

SEC 28

FD. 4x4 R/W Post

24" Out of Ground

Scribed "L.E.W."

11281-244

SEC Cor

FD. C.S. Mon.

Marked

SEC 20

SEC 29

T 5 N

R 15 W

Notes Ck'd by	Survey of Sec. Lines
Map No.	W. O. Tape No. 23 St'd. 84 °F
Office Work	Surveyed by F.A. Howard
Checked	Notes F.C.H Date 10-21-54
Date	Indexed

F. B. 1260 Pg. 115

WS 78 - D-5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

SEC. 21

SEC. 16

26+83.53
Fd Spike 7"
Pg. 111

16.23

1/4 SEC. COR
Fd C.S. Mon - 20" down
Pg. 111

20+42.91
Fd 1x2 Pg 110

12.355

Set 1x2

123.22

19+19.69

11.61
Calc.

Set 2" I.P. - Conc Plug
flush - S. Edge of field
Cap of berm N. of
Highway

Transit Line

8+46.04
Fd 1x2 Pg 109

5.12

Set 2" I.P. - Conc Plug
flush. Tie Spike - 10-21-54

Removed By Prop.
Owner S. of Line
10-21-54

0° 20' 45"

T 5 N R 14 W.

21 16

22 15

0+00 West
SECTION COR
Fd C.S. Mon. FB 512 - 87
Pg 109

7EPSOB 247 4-58

F.B. 1260 PG. 116



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

WS 78-C-5.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SEC. LINES
Map No.	JN 0302.0 Tape 148 Std. 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W. Date 1-JULY 53
Date	Indexed

F. B. 1260 PG. 157

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3099 CE #247—3-57



F.B. 1260 Pg. 118

MS 178 C-5

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



26+220 E

FD. 1/2" COR. C.S. 1/2" MARKED

FD. US MINERAL SURV. 1/2" I.P. ALUMINUM PLATE MARKED

1.65

216' @ 3-44 = STADIA = 215 ±

215 ½

24+069 E

SET NAIL ON CENTER S.H.

29

0.25

24+032

FD. 2" I.P.
SET III 4" I.P.
SOLAR-TOTH

419' @ 10-30 STADIA = 437'

437'

SEC 21

SEC 28

19+693

SET R 2" I.P. for STAKE

250' @ 11-36 STADIA = 259 ±

259 ½

SPUR

17+106 E

SET NAIL

10' @ 17-17 STADIA =

92 ½

TOP

60' ±

BOT S

FL. DRAW FL.

16+185 E

T 5 N
R 14 W

99-10

Notes Ck'd by Miller	Survey of SECTION LINES SEC 19 T4N R14W
Map No.	JN 0 7024 Tape 88 Std 84 °F
Office Work M. HAMASU	Surveyed by L.V. SMITH
Checked	Notes L.V.S. Date 6-58
Date	Indexed A. C. Johnson 6-25-58

F. B 1260 Pg. 121

SECTION LINES
SEC. 19 T. 4N. R. 14W.

FROM S.W. COR SEC. 19 T-4 N R. 14 W. ON TRANSIT LINE E. & S. FROM "NORWAY'S" COR. ON NORTH LINE SOUTH ON TRANSIT LINE TO TRANSIT LINE RUN FROM S.W. COR.
JUNE 1958

References
C.S. 9054
F.B. 488
C.S. Map B-745-5

PARTY
L.V. SMITH
C.V. CROWE
V.L. HUCKABY
I.F. TRETTEEN
B.L. CHARLANDER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #247—3-57

F. B. 260 Pg. 123

INDEX



See H.C. 99-10

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No.
Office Work M. HAMASU
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 88 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V.S. Date MAY '58
Indexed C. Johnson

F. B. 1260 Pg. 123

A-2

WS 79

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

FD ¼ COR SEC. 19 & 24 T. 4 N. R. 14 W. L.A. CO. SUR. 1904. 2" I.P. & B.C. MARKED AS SHOWN. FB. 488-219 SEE PG. *140 FOR ↗ LINE E. FROM MON.

SEC. 24 R. 15 W.

SEC. 19 T. 4 N. R. 14 W.

COUNTY SURVEYOR'S MONUMENT T. 4 N. R. 15 W. R. 14 W. S. 24 S. 19 ¼ COR

30" 34' 58

TO S-18 PG *130

2) 117° 09' 00"
4) 234 18 00
6) 351 27 00 ✓
58° 34' 30"

SET ¾" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON SMALL SPUR

215.12 @ 3°27 = 214.73 ✓
T = 84° : 214.73 ✓

2) 180° 52' 00
4) 361 44 00
6) 182 36 00 ✓
90° 26' 00" ✓

90° ✓

214.73 ✓

COUNTY SURVEYOR'S MONUMENT T. 4 N. R. 15 W. R. 14 W. S. 24 19 25 30 ¼ COR

00" ✓

2-3'

2.9'

328.58'

CONT. BOT PG. *174

141'

4 STRAND BARB WIRE FENCE

3.96'

O.S.

FD. CO. SURVEY MON. LYING ON GROUND NORTH OF WITNESS COR. SET IN MON. ON LINE BETWEEN ¼ COR SEC. 24 & 19 & W.C. 3.96' NORTH OF W.C. PER FB. 488-218

U.S. FOREST RESERVE BDRY POST No 132 S. 19 W. 3.96 S. 24 T. 4 N. R. 15 W. S. 30 T. 4 N. R. 14 W. SEC. 25

FD. FOREST RESERVE BDRY POST # 132 3" I.P. & B.C. STAMPED AS SHOWN FB. 488-218

F. B. 1260 Pg. 124

CONT. LOT
PG. 125

154.37'

S-3
9+11.26
SET 1X2 6" N. FLUSH
ON SOUR

S. SPUR W.

67.72 @ 11°21' = 66.40 ✓
142.64 @ 11°40' = 139.69 ✓
206.09 ✓

T = 88° = 206.10' ✓

206.10 ✓

TRANSIT LINE

S-2
7+05.16
SET 1X2 6" N
ON NLY SIDE
SW. CUR

274.66 @ 5°58' = 273.17 ✓
109.19 @ 18°45' = 103.40 ✓
376.57 ✓

T = 88° = 376.58 ✓

376.58 ✓

5+30.6
TOE OF SLOPE
LEAVING VALLEY

S-1
3+28.58
SET 1X2 6" NAIL
ON FLAT

171.20 @ 0°56 = 171.18 ✓
157.47 @ 1°43 = 157.40 ✓
328.58 ✓

T = 84° = 328.58 ✓

328.58 ✓

CONT. RIGHT
PG. 123

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No.
Office Work M. HAMASU
Checked
Date

Survey of SECTION LINES SEC. 19 T.4N. R.14W.
JN 0302.01 Tape 88 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V.S. Date MAY '58
Indexed C. Johnson

F. B. 1260 Pg. 125

CONT. BOT. PG. 126

200.92

S-6
15+71.89
1X2 & N. ON ELY SIDE OF RIDGE

284.89 @ 8°01 = 282.11 ✓
T = 86° = 282.11 ✓

15+42
S. 46° W. SPUR

282.11 ✓

S-5
12+89.78
SET 1X2 & N ON SPUR

S. 18° W. SPUR

29.25 @ LEV. = 29.25 ✓
194.96 @ 1°25 = 194.90 ✓
224.15 ✓
T = 86° = 224.15 ✓

224.15 ✓

TRANSIT LINE

S-4
10+65.63
SET 1X2 & N. FLUSH ON SPUR

S. 24° W. SPUR

159.38 @ 14°24 = 154.37 ✓
T = 88° = 154.37 ✓

154.37 ✓

CONT. TOP PG. 124

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

F. B. 1260 Pg. 126

CONT. BOT. PG. 127

383.60

S-9
23+65.45
SET 1X2 & NAIL

273.30 @ 7°14 = 271.12 ✓
T = 80° = 271.11 ✓

271.11 ✓

S-8
20+94.34
SET 1X2 & NAIL ON FLAT

296.95 @ 1°35 = 296.94 ✓
26.89 @ 23°12 = 24.71 ✓
321.55 ✓

T = 76° = 321.53 ✓

321.53 ✓ TRANSIT LINE

S-7
17+72.81
SET 1/2 & N. ON RIDGE

SPUR
S. 05° E.

200.93 @ ELEV.
T = 76° = 200.92 ✓

200.92 ✓

CONT. TOP PG. 125

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 79, A-2

Notes Ck'd by Miller
Map No.
Office Work M. HAMASU
Checked
Date

Survey of SECTION LINE SEC. 19 T.4N. R.14W.
JN 20220 Tape 88 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V.S. Date 6-4-58
Indexed C. Johnson

F.B. 1260 PG. 127

CONT. BOT. PG. # 128

END OF FENCE

TOE SLOPE

28+77

1) 40° 52' 00"
2) 81 44 00
40° 52' 00"

159.00 @ 8°15' : 157.36
T: 84° : 157.36

1/4 COR.
FD: ROCK MOUND 36" AROUND 10" HIGH APPEARED TO BE OLD
C.S. 905-4-16
Replaced some with Std L.A. Co. Engr. mon. 3" up marked 127
F.B. 1260

ENGINEER
T4N
SEC. 19
SEC. 30
1/4 COR. 69
R.E. 58
N. MPLS

157.36'

40° 52' 00"

275.88

13.1

28+34.7

90°

OLD 2 STRAND BARB WIRE FENCE DRIFT FENCE TO BE SMALL SAGGLE IN E-W.

S-11
27+93.49
1X2 ½ NAIL ON FLAT

139.56

8° 15' 30"

44.44

TRANSIT LINE

44.44 @ LEV.
T: 84° : 44.44

END OF FENCE

S-10
27+49.05
1X2 ½ NAIL ON FLAT

1) 68° 29' 30"
2) 136 59 00
68° 29' 30"

176.58 @ 7°11 : 175.19
208.52 @ 1°50' : 208.41
383.60

142.40 @ N°28 : 139.56
T: 84° : 139.56

T: 84° : 383.60

383.60

159.00 @ 8° 15' :

CONT. TOP PG. # 126

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

F. B. 1260 PG. 128

CONT. FROM PG. # 129

129.50

S-14
34+64.48
1X2 & NAIL

185.32 @ 34°40 = 152.42
114.70 @ 38°23 = 89.91
242.33
T = 90° = 242.34

242.34

32+47

N 18 W
SPUR

S-13
32+22.14
SET 1X2 & NAIL

154.70 @ 9°03 = 152.77
T = 88° = 152.77

LINE

31+31

152.77

N 40° W
DRAIN
6' TO 12' WIDE

TRANSIT

S-12
30+69.37
1X2 & NAIL ON
SHARP SPUR

SPUR
N. 40° W.

286.70 @ 15°48 = 275.87
T = 88° = 275.88

275.88

CONT. TO PG # 127

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller ✓	Survey of SECTION LINES SEC. 19 T. 4N. R. 14 W.
Map No.	JN 0302.01 Tape 88 Std. 84 °F
Office Work M. HAMASU	Surveyed by L. V. SMITH
Checked	Notes L. V. S. Date 6-4-58
Date	Indexed C. Johnson

F. B. 1260 Pg. 129

CONT. BOT. PG. # 130

360.74

N. 10° E. RIDGE

40+40

S-17

40+30.06

1X2 & NAIL

257.62 @ 18°25 = 244.42 ✓
40.30 @ 20°54 = 37.64 ✓
282.06 ✓

T = 88°: 282.07 ✓

282.07

LINE

S-16

37+47.99

1X2 & NAIL ON RIDGE

NORTH RIDGE

163.08 @ 19°12 = 154.01 ✓

T = 80° = 154.01 ✓

154.01

TRANSIT

S-15

35+93.98

1X2 & NAIL ON RIDGE

N. 57° W. RIDGE

94.73 @ 29°18 = 82.61 ✓
53.52 @ 28°49 = 46.89 ✓
129.50 ✓

T = 84°: 127.50 ✓

129.50 ✓

CONT. TOP PG # 128

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

F. B. 1260 Pg. 130

CONT 130 T.
PG. 131

263.30

S - 20
52+13.91
1X2 ⌀ N.

54.24 @ 9°17 = 53.53 ✓
194.30 @ 13°24 = 188.91 ✓
150.57 @ 4°55 = 150.02 ✓
392.46 ✓

T = 76° = 392.44 ✓

392.44 ✓

S-19
48+21.47
1X2 ⌀ NAIL

N 32° W
RIDGE

190.55 @ 12°10 = 190.51 ✓
245.36 @ 14°17 = 242.19 ✓
430.70 ✓

T = 74° = 430.67 ✓

430.67 ✓
TRANSIT

44+16

N 05° W
RIDGE

S-18
43+90.80
1X2 ⌀ NAIL

297.19 @ 14°52' = 287.24 ✓
77.92 @ 19°23' = 73.50 ✓
360.74 ✓

2) 61° 59' 00"
4) 123 57 30
6) 185 56 30 ✓
30° 59' 25" ✓

T = 84° = 360.74 ✓

360.74 ✓

TO 1/4 COR.
SEC 19-24
PG. 123

30° 59' 25" ✓

CONT TOP
PG. 129

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No.
Office Work M. HAMASU
Checked
Date

Survey of SECTION LINES SEC. 19 T.4N.R.14W.
JN 0302.01 Tape 88 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V.S. Date 6-12-58
Indexed C. Johnson

F. B. 1260 Pg. 131

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

56+11.74 FROM W.
53+34.25 " N.
E-22
SET 1X2 & NAIL BY INTERSECTION ON NORTH WEST SLOPE OF RIDGE

MAIN RIDGE

98.9

36.5

CONT. BOT. PG. # 139

168.21

89°

15.

TRANSIT LINES

25

134.53 ✓

141.74 @ 18°22 = 134.52 ✓
T = 90° = 134.53 ✓

2) 178° 31' 00"
4) 357 01 30
6) 175 32 30 ✓
89°15'25" ✓

S-21
54+77.21
1X2 & NAIL ON N. WLY SLOPE

90°

73.56 ✓

87.8

267.14 @ 9°42 = 263.32 ✓
T = 72° = 263.30 ✓

263.30

CONT. TO PG. 130

NOTE

A SEARCH WAS MADE ON A SHARP RIDGE SOUTH OF E-22 2400' FOR WITNESS TO M. COR. 29-30 THE RIDGE WAS THOROUGHLY SEARCHED. FOUND NO EVIDENCE OF ANY MOUND OR ROCK AS CALLED FOR IN C.S. 9054-16. THE 2.75 CHAINS SOUTH OF THE RIDGE IS A STEEP SIDE HILL AS CALLED FOR IN C.S. 9054-16.

A LINE FROM THE MON. AT S.W. COR SEC. 19 THROUGH FD. MOUND OF ROCK 13.1 SOUTH OF ℄ LINE AT STA. 28+34.7 AND A LINE FROM "NORWAY'S" COR. ON N. LINE SEC. 19 THROUGH WITNESS COR. 7.7' W. OF ℄ LINE AT E-7 = 16+80.26 IF DRAWN TO AN INTERSECTION WOULD FALL HIGH ENOUGH ON THE RIDGE S. OF E-22 TO FIT THE CALLS IN C.S. 9054 — ASCEND FROM SOUTH DESCEND TO EAST WEST & NORTH

MAIN RIDGE

31.3'

90°

81.63 @ 25°42 = 73.56 ✓
T = 92° = 73.56 ✓

F.B. 1260 Pg. 132

W.S. 79, A-2

FD. 2½" BRASS CAP IN BOULDER MARKED AS SHOWN. FB. 488-221

COUNTY SURVEYOR'S MONUMENT T.4 N. R.14 W. 18 17 19 20

152.63 @ 34°41' = 125.51 ✓
T = 80° = 125.51 ✓

SPUR N. 15° E.

125.51'

208.31 @ 19°59' = 195.77 ✓
292.17 @ 9°54' = 287.82 ✓
483.59 ✓
T = 78° = 483.57 ✓

483.57

0.08'

3.75' RIDGE S. 17° E.

EO 2x2 SN. ON RIDGE UP 6" FB. 488-220

105.70 @ 13°57' = 102.58 ✓
T = 72° = 102.57 ✓

102.57

163.77 ✓ LINE

12.62'

E-1 = 0.00 TO S. 1x2 SN

CONT. TOP PG. 133

RIDGE N.54° W.

DRAW N.8° W.

RIDGE N.75° W.

145.5

29' 40"

90°

FD. 4"x6" ROCK, 12" ABOVE SURFACE WITH 3 NOTCHES ON S.E. COR. & 3 NOTCHES ON S.W. COR. IN MOUND OF ROCK 2' AT BASE & 12" HIGH. ALSO MOUND OF ROCK S. NORTH OF ROCK AS DESCRIBED ON C.S.B. 145-1

T. 4 N.

2) 180° 59' 30"
3) 01 58 30
6) 182 58 00
90° 29' 40" ✓

TURNED ANGLE FROM LINE BETWEEN COUNTY MONUMENTS - C.S.B. 745

SEC. 18

S. 89° 30' 20" E. C.S.B. SECTION LINE

COUNTY SURVEYOR'S MONUMENT T.4 N. R.14 W. S. 18 S. 19

FD. ¼ COR. L.A. CO. SUR. 1 ON. 2" I.P. & L.C. IN CONC. FB. 488-220

SEC 19 R. 14 W.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No.
Office Work M. HAMASU
Checked
Date

Survey of SECTION LINES SEC. 19 T. 4N. R. 14W.
JN 0302-01 Tape 88 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 6-12-58
Indexed C. Johnson

F. B. 1260 Pg. 133

CONT. RIGHT PG. 132

165.10 @ 6°40' = 163.98 ✓
T = 78° = 163.97 ✓

163.97' ✓

RIDGE
N. 8° W.

E-2
1+63.97

101.61 @ 13°37' = 98.75 ✓
232.26 @ 3°54' = 231.72 ✓
330.47 ✓
T = 78° = 330.46' ✓

330.46' ✓

E-3
4+94.43
1X2 & NAIL

149.20 @ 1°32' = 149.15 ✓
244.95 @ 20°00' = 230.18 ✓
379.33' ✓
T = 82° = 379.32'

379.32' ✓

E-4
8+73.75
1X2 & NAIL

271.73'

CONT. TOP PG. 134

TRANSIT LINE

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #247—3-57

F. B. 1260 Pg. 134

271.80 @ 21°58 = 252.07 ✓
19.67 @ LEV. = 19.67 ✓
271.74 ✓

T = 80° = 271.73 ✓

CONT. TO BOT. PG. 133

271.73' ✓

RIDGE N. 60° W.

E-5
11+45.48
1X2 & NAIL ON RIDGE

295.72 @ 2°15 = 295.49 ✓
33.04 @ 19°18 = 31.18 ✓
326.67 ✓

T = 70° = 326.64 ✓

326.64' ✓

14+57

RIDGE N. 28° E.

E-6
14+72.12
1X2 & NAIL

208.67 @ 4°03 = 208.15 ✓

T = 74° = 208.14

208.14'

WITNESS COR.
FD. ROCK MOUND ON RIDGE 3' IN DIA. 12" HIGH
OLD 4FT. 1X2 IN BUSH ALONG SIDE OF ROAD
C.S. 9054-17

7.7'

90°

E-7
16+80.26
1X2 & NAIL ON RIDGE
BEARING S. 85° E.

Set s/d. L.A. Co. Eng. Brass cap mon. marked 2"up. R.B. 1260-144

COUNTY ENGINEER
T 4 N
WIT. COR.
R 14 W
1/4 COR.
SEC. 1
R.E. 5869

125.15'

CONT. TO TOP PG. 135

W 529 A-2

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No.
Office Work M. HAMASU
Checked
Date

Survey of SECTION LINES SEC 19 T4N R14W
JN 0202-01 Tape 88 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 6-12-58
Indexed A. C. Johnson

F. B. 1260 Pg. 135

CONT. BOT. PG. #134

131.19 @ 17°26 = 125.16 ✓
T = 72° = 125.15 ✓

125.15 ✓

E-8
18+05.41
1X2 5' NAIL

137.20 @ 25°32 = 123.80 ✓
203.24 @ 25°50 = 182.93 ✓
306.73 ✓
T = 74° = 306.71 ✓

306.71 ✓

TRANSIT LINE

E-9
21+12.12
1X2 ON SOUTH SLOPE

265.18 @ 19°07 = 250.56 ✓
T = 74° = 250.54 ✓

250.54 ✓

E-10
23+62.66
1X2 5" NAIL

276.90

CONT. TOP PG. 136

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F909S CE #247—3-57

F.B. 1260 PG. 136

CONT. FROM T. PG. P135

278.67 @ 6°27 = 276.91 ✓
T: 78° = 276.90 ✓

276.90 ✓

25+12

DRAIN
S. 50° W.

1/4 SEC. CONSTR. 12-18-35 D.L.B.

COR. DESTROYED by ROAD
~~1/4 SECTION CORNER~~

Set std. L.A. Co. Eng. Mon 3" up. This cor was established; cardinal in direction and record distance 1020.36 per C.S. 3054-17 Southerly of found Witness Corner F.B. 1260-144

E-11
26+39.56
1X2 & NAIL TOP OF STEEP BANK 60'± ABOVE DRAIN

132.28 @ 24°14 = 120.62 ✓
121.42 @ 13°06 = 118.26 ✓
238.88 ✓

T: 62° = 238.84 ✓

238.84 ✓

1/4 COR. WAS INCORRECTLY SET. SEE R.W.F.B. 2618-35 FOR PROPER LOCATION
W.O.V. 3/14/86

N 75° W RIDGE

E-12
28+78.40
1X2 & NAIL ON RIDGE

294.90 @ 7°41 = 292.25 ✓
34.87 @ 19°00 = 32.97 ✓
325.22 ✓

T = 68° = 325.19 ✓

325.19 ✓

DRAIN
N 65° W

30+52

E-13
32+03.59
1X2 & NAIL

94.23 @ 23°15 = 86.58 ✓
43.40 @ 14°41 = 41.98 ✓
128.56 ✓

T = 80° = 128.56 ✓

128.56 ✓

CONT. TO TOP PG. P137

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No.
Office Work M. HAMASU
Checked
Date

Survey of SECTION LINES Sec 18 T4N R13&14W
JN 0702-0 Tape 88 Std 84 °F
Surveyed by L-V-SMITH
Notes L-V-S- Date 6-58
Indexed C. Johnson

F. B. 1260 Pg. 137

CONT. BOT PG. 136

128.56'

BRIDGE N. 36° W.

E-14
33+32.15
1X2 & NAIL

294.00 @ 10°47' = 288.81 ✓
T = 74° = 288.79 ✓

288.79 ✓

BRIDGE N. 76° W.

E-15
36+20.94
1X2 & NAIL

TRANSIT LINE

23.82 @ 10°34' = 23.42 ✓
101.61 @ 22°59' = 93.54 ✓
116.96 ✓
T = 68° = 116.95 ✓

116.95' ✓

E-16
37+37.89
1X2 & NAIL

269.52 @ 9°32 = 265.80 ✓
T = 86° = 265.80 ✓

265.80 ✓

CONT. TOP PG. 138

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #247—3-57

F. B. 1260 PG. 138

CONT. FROM PG. 137

265.80

E-17
40+03.69
1X2 & NAIL

DRAIN
N. 43° W.

41+14

266.87 @ 15°33 = 257.10
40.44 @ 31°46 = 34.38
56.61 @ 23°43 = 51.83
343.31
T = 88° = 343.32

334.32

SHARP SPUR
N. 60° W.

E-18
43+47.0
1X2 & NAIL

44+12

DRAIN
N. 60° W.

300.72 @ 16°26 = 288.44
21.83 @ 29°45 = 18.95
307.39
T = 82° = 307.39

307.39

LINE 2

E-19
46+54.10
1X2 & NAIL

TRANSIT

185.81

CONT. TO PG. 139

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work M. HAMASU
Checked
Date

Survey of SECTION LINES SEC. 19 T4N. R14W.
JN 2302.01 Tape 88 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 6-58
Indexed C. Johnson

F. B. 1260 Pg. 139

CONT. BOT. PG. # 138

193.92 @ 16°37 = 185.82 ✓
T = 74° = 185.81 ✓

185.81 ✓

RIDGE N. 57° W.

E-20
48+40.21
1X2 & NAIL

27.44 @ LEV. = 27.44 ✓
298.65 @ 2°27 = 298.38 ✓
325.82 ✓
T = 90° = 325.83 ✓

TRANSIT LINE 2

325.83 ✓

N. SPUR 72° W.

E-21
51+66.04
1X2 & NAIL

169.22 @ 6°16 = 168.21 ✓
T = 88 = 168.21 ✓

168.21 ✓

CONT. LEFT PG. # 131

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

F.B. 1260 Pg. 140

8+89.4± STADIA — FENCE COR. — 0.92

8+09.6± STADIA — FD. 2×2 NO NAIL USED CENTER FOR LINE — 0.7, 1-53

6+51.1± STADIA — FENCE COR.

5+52.4± STADIA — FD 1" I.P. NO PLUG — 1-36

FD. 3/4" I.P. UP 0.3'

3+96 ± STADIA — 0.92 — 2×2 NO NAIL

T LINE

3+60.8 STADIA — 0.85 — 2×2 ± NAIL

STADIA

2+45.2 STADIA END OF LINE 6"×6" CONC. FENCE POST. — 3.8

63.5

90° 60°

23. 00"

32. 35"

0+46.0 STADIA START OF LINE OF 6"×6" CONC. FENCE POSTS — 1.4'

0+00 GOING E.

SEC. LINE

SEE PG. 123 FOR THIS LINE

SEC 19 T. 4 N. R. 14 W.

SEC. 24 R. 15 W.

¼ SEC. COR SEC. 19 - R14W T.4N. SEC 24 R15W T.4N. L.A.CO. SURVEY MON. SEE PG. 123

2) 181° 05' 00"
4) 02 10 00
6) 183 15 30
90° 32' 35"

2) 120° 46' 00"
4) 241 32 00
6) 02 18 00
60° 23' 00"

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES SEC. 19 T.4N. R.14W.
Map No.	JN 0302.01 Tape Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V.S. Date 6-59
Date	Indexed C. Johnson 6-16-59

F. B. 1260 Pg. 141

SECTION LINES

SEC. 19 T. 4 N. R. 14 W.

SETTING 1/4 COR. ON S. & E. LINE & WITNESS COR. FOR 1/4 COR ON E. LINE SEC 19 T.4N. R.14W.

JUNE 1959

PARTY
L.V. SMITH
C.V. CROWE
V.L. HUCKABY
R.F. TROTTEIN
B.J. LIDEN

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7.59

F. B. 1260 PG. 142

INDEX



SEC 19

T. 4 N. R. 14 W

PG 143

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINE SEC. 19 T.4N. R.14W.
JN 0302.01 Tape 121 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V.S. Date 6-59
Indexed C. Johnson

F. B. 1260 Pg. 143

A-2

WS79

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

S-12
30+69.37
1X2 & NAIL ON SPUR PG 128

246.48 @ 17°50' = 234.64 ✓
T = 100' = 234.67 ✓

SET 2" I.P. 3FT. HIGH 5'± ELY OF MON. "5 FT. TO MON." PAINTED ON W. SIDE OF PIPE

13.10 @ LEV.
T = 98° = 13.10'

234.67' ✓

5'±

28+34.70
¼ COR.
SET STD. L.A. CO. ENG. BRASS CAP MON. IN CTR. OF ROCK MOUND MON. MARKED AS SHOWN. UP 3"
This mound was accepted as the original ¼ Corner per C.S. 3054-16 F.B. 1260-127

13.10'

41.21'

S-11
27+93.49
1X2 & NAIL PG. # 127

41.21 @ LEV.
T = 100° = 41.21'

SEC. 19 T. 4N. R. 14W.

TRANSIT LINE

SECTIONAL LINE

SEC. 30 T. 4N. R. 14W.

S-10
27+49.05
FD 1X2 PG #127

ENGINEER
T. 4N. R. 14W.
SEC. 19
SEC. 30
¼ COR.
R.E. 5869

769095 CE #247—7-55

F.B. 1260 PG. 144

WS 79 A-2

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SET 2" I.P. 3 FT HIGH 5' ± N. OF MON. "5 FT. TO MON." PAINTED ON S SIDE.

5'

7.70'

WITNESS COR:
SET STD. L.A.CO. ENG. MON. 2" I.P. & BRASS CAP IN CONC. IN CTR. OF ROCK MOUND UP 2" MON. MARKED AS SHOWN. PER C.S. 9054-17
See F.B. 1260-134

90°

E-7
FD. 1X2 S NAIL ON RIDGE PER F.B. 1260 - 134

S7°54'W
177.78

COUNTY ENGINEER
T. 4 N.
R. 14 W.
SEC. 19 — SEC. 20
WIT. COR.
1/4 COR.
R.E. 5869

S7.85 E
28°39' = 59.54
121.42 @ 62°-06' = 118.26
T = 62°-118.24
(PER PG. 136)

64.02 @ 17°30 = 61.06
T = 84° = 61.06

SEC. 19

SEC. LINE 2 SOUTH 1020.36

1020.36' TRANSIT LINE

E-11
FD. 1X2 S NAIL TOP OF STEEP BANK 60' ± ABOVE DRAIN PG. 136

SEC. 20
T. 4 N. R. 14 W.

T. 4 N. R. 14 W.

SET 2" I.P. 3 FT. HIGH 5' ± N. OF MON. "5 FT. TO MON." PAINTED ON S. SIDE

~~1/4 COR.~~

SET STD. L.A. CO. ENG. MON. 2" I.P. & BRASS CAP IN CONC. UP 3" MARKED AS SHOWN. established cardinal in direction and record distance (1020.36 per C.S. 9054-17) 3'± from found Witness corner
F.B. 1260-136

90°

61.06'

7.70'

1/4 COR. WAS INCORRECTLY SET. SEE P.W.F.B. 2617-35 FOR PROPER LOCATION.
W.J.U. 3/14/86

177.78'

E-12
FD. 1X2 S NAIL ON RIDGE PG. 136

COUNTY ENGINEER
T. 4 N.
R. 14 W.
SEC. 19 — SEC. 20
1/4 COR.
R.E. 5869

Notes Ck'd by M. OSHITA	Survey of DARLING ROAD	F. B. 1260	PG. 151
Map No.	JN0095.48 Tape 175 Std 89 °F		
Office Work	Surveyed by C L WRIGHT		
Checked	Notes JGR Date SEP-64		
Date	Indexed G. J. GALLI		



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

TRANSIT TRIANGULATION NET

PROPOSED DARLING ROAD

J. N. 0095.48

REFERENCE:
C.S.B. 2296-1
F.B. 1260 (DAVENPORT RD)

PARTY:
C. L. WRIGHT
J. G. RANDALL
B. A. PEAVY
T. H. KENNEY
H. C. HUBBARD (ONE WEEK)

MAR. 1967
KIND
VON EA
SWANN
BARNEY

76F3095 CE # 310 3-61

F. B. 1260 Pg. 152

BLANK

BLANK

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of DARLING ROAD
JN 2095.48 Tape 175 Std 54 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date AUG '64
Indexed C. J. GALLI

F. B. 1260 PG. 153

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

①	1	41	20
④	86	45	20
⑤	173	30	40
	21°	41'	20" ✓

①	37	11	40
④	148	46	40
⑤	297	33	30
	37°	11'	41" ✓

①	58	53	20
④	235	52	20
⑤	111	04	10
	58°	53'	01" ✓

①	29	44	00
④	118	56	00
⑤	237	52	00
	29	44	06 ✓

①	264	09	20
④	1056	12	20
⑤	2112	43	00
	264	09	29 ✓

①	37	51	40
④	148	06	10
⑤	296	12	50
	37°	01'	30" ✓

①	29	09	00
④	116	36	00
⑤	233	12	20
	29°	09'	02" ✓

①	66	10	20
④	264	41	20
⑤	169	23	10
	66°	10'	23" ✓

264° 05' 29" ✓



76F309S CE # 310 3-61

F. B. 1260 Pg. 154

VERTICAL ANGLES

T @ D-1

H.I. - 5.28

SIGHT ON	Rod 5.6	MEAN	Rod 4.7	MEAN
D-3	- 2° - 06' - 20"	- 2° - 06' - 30"	-2° - 09' - 20"	- 2° - 09' - 40"
"	- 2 - 06 - 40		-2 - 10 - 00	
	9'		6'	
D-2	+ 1° - 47' - 00"		+ 1° 44' 40"	
"	+ 1° - 46' - 30"		+ 1° - 43' - 40"	+ 1° 44' - 10"
	9'		6'	
△ DANLING	+4 - 03 - 30	+4° - 05' - 15"	+ 4° - 07' - 00"	
"	+4° - 08' - 00"		+ 4° - 06' - 20"	+ 4° - 06' - 40"
	5.9		5.0	
D-6	+ 0° - 26' - 20"	+ 0° - 26' - 10"	+ 0° - 25' - 00"	+ 0° - 24' - 40"
"	+ 0 - 26 - 00		+ 0° - 24' - 20"	
	9'		6'	
D-4	+ 4° - 52' - 30"	+ 4° - 51' - 40"	+ 4° - 49' - 20"	+ 4° - 48' - 50"
"	+ 4° - 51' - 20"		+ 4 - 48 - 20	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA	Survey of DARLING RD.	F. B. 2260 Pg. 155
Map No.	JN 0095.48 Tape 175 Std 84 °F	
Office Work	Surveyed by C.L. WRIGHT	
Checked	Notes C.L.W. Date AUG '64	
Date	Indexed J. GILL	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

①	127	22	20
②	149	28	50
⑧	298°	57'	40"
	127°	22'	12" ✓

⑨	92	07	20
⑩	8	29	40
⑧	16	59	20
	92°	07'	25" ✓

①	35	14	50
⑦	140	59	20
⑧	281	58	40
	35°	14'	50" ✓

⑤	232	38	10
⑥	210	31	20
⑧	61	82	30
	232°	37'	49" ✓



76F3095 S&E #247 11-58

F. B. 1260 PG 156

VERTICAL ANGLES

T - ② D-3 (1/4 COR)

H.I. 5.80

SIGHT ON	ROD	MEAN	ROD	MEAN
D-2	9' +3-18-00 +3-17-20	+3-17-45	6' +3-13-20 +3-12-40	3°-13'-00"
D-6	3.8 +1-17-20 +1-16-40	+1-17-00	0.5 +1-12-10 +1-12-00	+1°-12'-05"
D-1	9' +2-19-00 +2-18-40	+2°-18'-50"	6' +2-08-40 +2-08-00	+2°-08'-20"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of DARLING RD.
JN 0335.48 Tape 115 Std 68 °F
Surveyed by C.J. GALLI
Notes C.J. GALLI Date AUG '63
Indexed

F. B. 1260 Pg. 157

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

D-1

D-2

D-3

DARLING RD

Set 3/4" I.P. Copper Plug - L.A. Co. Eng. Flush

75F3095 CE #310 6/63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 1260 PG. 158

VERTICAL ANGLES

H.T. 5.75

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of
JN 009548 Tape 1E Std 84 °F
Surveyed by
Notes L.L.W. Date AUG 64
Indexed C. J. GALLI

F. B. 1260 Pg. 159

T 5 N
R 14 W

①	21	17	00		
②	86	48	20		
③	17	07	50		
	21°	42	09" ✓		
①	63	16	10		
②	14	09	20		
	63°	25	07" ✓		
①	85	08	20		
②	340	08	20		
③	35	08	50		
	85°	08'	21" ✓		
①	164	35	10		
②	232	49	20		
	161	35'	10" ✓		

D-7

110° – 11'

34" ✓

D-1

21"

SEC. 21

SEC. 22

145.06 ✓

D-3

AZ. 08 ✓

SEC. 28

SEC. 27

D-6
SET 5/8" REBAR
& CAP "LS 1"
IN HANDHOLE
ON SEC. LINE.

164°

35' 10"

8° 08'

26'

07"

D 110
81
162
110°

16 06 12 ✓
20 00 30
16' 30' 1/4"

SEC. COR.

79° – 08' – 56"

D-2

TO A DERLING

1) 79 - 09 - 00
4) 316 - 35 - 50
79 - 08 - 57½
8) 273 - 11 - 30
NW) 79 - 08 - 56¼ ✓

17.016
LEV 145.05
.01
145.06

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6/63

F. B. 260 PG 160

VERTICAL ANGLES

↑ @ D-6

H.I. 5.40

SIGHT ON	TOP	MEAN	BOT	MEAN
D-4	9' +8° 35' 30" +8° 35' 00"	+8° 35' 15"	6' +8° 30' 40" +8 30 20	+8° 35' 30"
D-1	9' -0° 21' 00" -0° 21' 20"	-0° 21' 10"	6 -0° 25' 33" -0° 25 20	-0° 25' 10"
D-3	4.3 -1° 20' 40" -1° 21' 00"	-1° 20' 50"	3.2 -1° 22' 00" -1° 22' 20"	-1° 22' 10"
D-2	9' +2° 52' 00" +2° 51' 40"	+2° 51' 50"	6' +2° 45' 06" +2° 44' 46"	+2° 44' 56"
△ DARLING	9' D + 8-07-20 I + 8-07-00	@ D-6 H.I. = 5.65 + 8-07-10	6' D+ 8-03-00 I + 8-02-40	+ 8-02-50

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of DARLING ROAD
Map No.	JN0095.48 Tape 175 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes J.G.R. Date AUG. 64
Date	Indexed C. J. GALLI

F. B. 1260 PG. 161

1) 185 - 14 - 20
4) 20 - 57 - 10
8) 41 - 54 - 40
AV) 185 - 14 - 20 ✓

1) 50 - 44 - 40
4) 202 - 58 - 50
8) 45 - 57 - 20
AV) 50 - 44 - 40 ✓

1) 31 - 49 - 50
4) 127 - 19 - 40
8) 254 - 38 - 50
AV) 31 - 49 - 51 1/4 ✓

14'

185°

20'

D-4
SET 3/4" I.P. W/
CONG. PLUG &
L.A. CO. ENGR. TAG
FLUSH

TO D-13

TO D-1

50° 44' 40"

39° 59' 30" ✓

TO D-10

TO D-6

6° 17' 50" ✓

TO D-2

31° 49' 51"

TO STA. DARLING

45° 53' 48" ✓

1) 39 - 59 - 30
4) 159 - 58 - 00
8) 219 - 56 - 00
AV) 39 - 59 - 30 ✓

1) 6 - 17 - 50
4) 25 - 11 - 20
8) 50 - 22 - 40
AV) 6 - 17 - 50 ✓

1) 45 - 53 - 40
4) 183 - 35 - 20
8) 7 - 10 - 20
AV) 45 - 53 - 47 1/2 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-63

F. B. 1260 PG. 162

VERTICAL ANGLES
T @ D-4
H. I. = 5.20

SIGHT ON	ROD	MEAN	ROD	MEAN
D-1	9' D - 4°-45'-20" I - 4°-46'-00"	- 4°-45'-40"		
D-6	3.9' D - 8°-32'-00" I - 8°-32'-00"	- 8°-32'-00"	2.9' D - 8°-33'-40 I - 8°-34'-00"	- 8°-33'-50"
D-2	9' D - 3°-54'-30 I - 3°-55'-00	- 3°-54'-45	6' D - 3°-57'-30 I 3°-57'-40	- 3°-57'-35"
△ DARLING	9' D + 0°-42'-10 I + 0°-41'-40	+ 0°-41'-55	6' D + 0°-38-40 I + 0°-38-20	+ 0°-38-30
D-10	9' D - 0°-19-30 I - 0°-19-20	- 0°-19-10	6' D - 0°-21-40 I - 0°-22-20	- 0°-22'-00
D-13	9' D + 0°-53-30" I +0°-53-20	+ 0°-53-25	6' D + 0°-51-20 I + 0°-51-00	+ 0°-51'-10"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of DARLING RD.
JN 09548 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date AUG. '64
Indexed C. J. GALLI

F. B. 1260 Pg. 163

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6-63



⑩	50	37	20
⑤	201	59	00
⑧	44	39	00
	50	37	22½

⑩	24	57	20
⑤	99	30	20
⑧	199	00	50
	24°	52'	36"

⑩	57	08	20
⑤	278	52	40
⑧	97	07	10
	57°	08'	24"

⑩	32	18	00
⑤	129	12	00
⑧	258	23	50
	32°	17'	59"

⑩	195	03	50
⑤	160	14	00
⑧	120	30	00
	195°	03'	45"

1	100° - 30' - 10"	
4	42 - 01 - 00	
8	84 - 02 - 00	
AV	100 - 30 - 15	
1	33 - 07 - 30	
4	132 - 30 - 20	
8	33 - 07 - 35	
AV	265 - 01 - 00	
	33 - 07 - 37½	
1	226 - 22 - 20	
4	185 - 29 - 00	
	226 - 22 - 15	
8	10 - 57 - 20	
AV	226 - 22 - 10	

F. B. 1260 PG. 164

VERTICAL ANGLES

T & A DARLING

H.I. 4.90

SIGHT ON	ROD	MEAN	ROD	MEAN
	9'		6'	
D-10	-1° -37' -00"	-1° 37' -15"	-1° 42' -20"	-1° 42' -40"
	-1° -37' -30"		-1° 43' -00"	
	9'		6'	
D-13	+0° 21' -00"	+0° 20' 40"	+0° 19' 00"	+0° 18' 40"
	+0 20 -20		+0° 18' -20	
	9'		6'	
D-4	-0° 33' 30"	-0-33-40	-0° 36 40"	-0° 37' 00"
	-0° 34' 00"		-0 37 20	
	9'		6'	
D-1	-4° 03' 40"	-4° 03' 58"	-4° 05' 40"	-4° 05' 50"
	-4° -04' 00"		-4° 06' 00"	
	9'		6'	
D-2	-6° 00' 20"		-6 04' 20"	-6° 04' 40"
	-6° 01' 00"		-6° 05' 00"	
	FOR	VERTICAL H.I. =	ANGLES BELOW 4.71	
	9'		6'	
T-72	D - 1°-46-00"	-1°-46-20	D - 1°-47-20	-1°-47-40"
	I - 1°-46'-40"		I - 1-48-00	
	9'		6'	
D-2	D - 6-00-20	-6°-00'-40"	D - 6°-04-00	-6°-04-20"
	I - 6-01-00		I - 6-04-40	
	D - 8°-04-00 (3.91)		D - 8-08-40 (0.60)	
D-4	I - 8-05-00	-8°-04-30"	I - 8-09-20	-8°-09-00"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of DARLING RD
JN0095.48 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes J.G.R. Date AUG. '64
Indexed C. J. GALLI

F. B. 1260 Pg. 165

1) 214° - 22 - 20
4) 137 - 29 - 10
8) 274 - 58 - 10
Av) 214 - 22 - 16 1/4

1) 40 - 16 - 50
4) 161 - 08 - 20
8) 322 - 16 - 10
Av) 40 - 17 - 01 1/4



1) 8 - 56 - 10
4) 35 - 44 - 50
8) 71 - 29 - 20
Av) 8 - 56 - 10

1) 40 - 44 - 40
4) 162 - 58 - 00
8) 325 - 56 - 10
Av) 40 - 44 - 31 1/4

1) 39 - 06 - 30
4) 156 - 26 - 00
8) 312 - 52 - 10
Av) 39 - 06 - 31 1/4

1) 37 - 37 - 20
4) 150 - 29 - 20
8) 300 - 58 - 30
Av) 37 - 37 - 18 3/4

1) 1 - 38 - 00
4) 6 - 32 - 00
8) 13 - 04 - 10
Av) 1 - 38 - 01 1/4

1) 18 - 02 - 50
4) 72 - 11 - 20
8) 144 - 22 - 20
Av) 18 - 02 - 47 1/2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

F. B. 1260 PG. 166

VERTICAL ANGLES

T @ D-13

H.I. = 5.10

SIGHT ON	ROD	MEAN	ROD	MEAN
D-4	9' D - 0°-47'-50" I - 0°-48'-20"	- 0°-48'-05"	D - 0°-50'-00" I - 0°-50'-50"	- 0°-50'-25"
△ DARLING	9' D - 0°-16'-00" I - 0°-16'-50"	- 0°-16'-25"	6' D - 0°-18'-10" I - 0°-19'-00"	- 0°-18'-35
D-10	9' D - 1°-22'-50" I - 1°-23'-00"	- 1°-22'-55"	6' D - 1°-26'-10" I - 1°-26'-40"	- 1°-26'-25"
D-12	9' D - 5°-43'-40" I - 5°-44'-20"	- 5°-44'-00"	6' D - 5°-47'-00" I - 5°-48'-00"	- 5°-47'-30"
D-11	9' D - 4°-56'-00" I - 4°-56'-40"	- 4°-56'-20"	6' D - 5°-00'-00" I - 5°-00'-40	- 5°-00'-20"
NOTE:	NO VERTICAL ANGLES WERE TURNED TO D-8 & D-9 AS THESE SIGHTS WERE COMPLETELY OBSCURED BY A HAZE J.G.R.			

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of DARLING ROAD	F. B. 1260	Pg. 167
Map No.	JN009548 Tape 175 Std 84 °F		
Office Work	Surveyed by C.L. WRIGHT		
Checked	Notes JGR Date AUG-64		
Date	Indexed C. J. GALLI		

1) 38-09-30
4) 152-38-30
38-09-37½
8) 305-16-50
AV) 38-09-36¼ ✓

1) 9°-57-50
4) 39°-51-50
9-57-57½
8) 79-43-50
AV) 9°-57-58¾" ✓



1) 57-13-10
4) 228-53-10
57-13-17½
8) 97-46-10
AV) 57-13-16¼ ✓

1) 264-37-20
4) 338-29-00
264-37-15
8) 316-57-30
AV) 264-37-11¼ ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3085 CE # 310 8-61

F. B. 1260 Pg. 168

VERTICAL ANGLES

T @ D-7

H.I. = 5.35

SIGHT ON	ROD	MEAN	ROD	MEAN
D-8	9' D + 5°-15'-20" I + 5°-15'-00"	+ 5°-15'-10"	6' D + 5°-13'-20" I + 5°-12'-40"	+ 5°-13'-00"
D-5	9' D + 1°-22'-00" I + 1°-21'-30"	+ 1°-21'-45"	6' D + 1°-18'-30" I + 1°-17'-40"	+ 1°-18'-05"
D-9	9' D + 2°-56'-40" I + 2°-56'-00"	+ 2°-56'-20"	6' D + 2°-54'-40" I + 2°-54'-00"	+ 2°-54'-20"
D-7A	9' D + 1°-53'-00" I + 1°-52'-40"	+ 1°-52'-50"	6' D + 1°-48'-30" I + 1°-48'-00"	+ 1°-48'-15"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of DARLING RD.	F. B. 1260	PG. 169
Map No.	JN 0095.48 Tape 175 Std 84 °F		
Office Work	Surveyed by C.L.WRIGHT		
Checked	Notes C L W Date JUL-64		
Date	Indexed C. J. GALLI		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE # 310 3-61

F. B. 1260 PG. 170 VERTICAL ANGLES

@ D-8

H.I. 5.10

SIGHT ON	ROD	MEAN	ROD	MEAN
	9'		6'	
D-10	+ 2° 13' 00"	+ 2 12 40	+ 2° 10' 40"	+ 2° 10' 20"
	+ 2° 12' 20"		+ 2° 10' 00"	
	9'		6'	
D-13	+ 3° 27' 20"	+	+ 3 25 20	+ 3° 25' 00"
	+ 3° 26' 40"		+ 3 24 40	
	9'		6'	
D-11	+ 0° 39' 40"	+ 0° 39' 20"	+ 0° 33' 20"	+ 0° 33' 00"
	+ 0° 39' 00"		+ 0° 32' 40"	
	9'		6'	
D-12	- 0° 26' 00"	-	- 0° 28' 40"	- 0° 28' 50"
	- 0 26 00		- 0° 29' 00"	
	9'		6'	
D-9	- 3 01 40	- 3° 01' 20"	- 3° 05' 00"	- 3° 04' 30"
	9'		6'	
D-14	- 10° 08' 20"	-	- 10° 14' 40"	- 10° 14' 50"
	- 10° 09' 00"		- 10° 15' 00"	
	9'		6'	
Z-7A	- 3° 03' 20"	- 3° 03' 30"	- 3 59 40	- 3° 59' 50"
	- 3 03 40		- 3 56 00	
	9'		6'	
D-7	- 5° 10' 20"	- 5° 10' 20"	- 5° 12' 00"	- 5° 12' 20"
	- 5° 10' 20"		- 5° 12' 40"	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA	Survey of DARLING RD	F. B. 2600	Pg. 171
Map No.	JN 0095.48 Tape 175 Std 84 °F		
Office Work	Surveyed by C.L. WRIGHT		
Checked	Notes CLW Date JUL-64		
Date	Indexed C. J. GALLI		



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2660 Pg. 172

VERTICAL ANGLES

T @ D - 14

H.I. 5.26

SIGHT ON	ROD	MEAN	ROD	MEAN
D - 8	9' + 10° 25' 05" + 10° 24' 20"		6' + 10° 18' 20" + 10° 19' 00"	
D - 9	9' + 3° 37' 20" + 3° 37' 00"	+ 3° 37' 10"	6' + 3° 31' 40" + 3° 31' 20"	+ 3° 31' 30"
Z - A	9' - 1° 05' 40" - 1° 06' 02"	- 1° 05' 50"	6' - 1° 05' 40" - 1° 05' 20"	- 1° 05' 30"
D - 12	9' + 7° 18' 00" + 7° 17' 20"	+ 7° 17' 40"	6' + 7° 13' 20" + 7° 13' 00"	+ 7° 13' 10"
D - 8	9' - 2° 40' 00" - 2 40 40	- 2° 40' 20"	6' - 2° 45' 00" - 2° 45' 20"	- 2° 45' 10"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of CLARENCE RD.
JN 0995.98 Tape 175 Std 84 °F
Surveyed by C.L. WARNER
Notes C.L.W. Date 6-7-61
Indexed J. GALLI

F. B. 1260 PG. 173

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

SEE PG 191 FOR APPR.

76F3095 CE # 310 3-61

F. B. 260 PG. 174

D-9

H.I. 4.9[illegible]

Sta.	Trav.	Mean	Red.	Adj.
Z-7A	9' -2° 30' 40" -2° 31' 20"	-2° 31' 00"	6' -2° 33' 00" -2° 33' 30"	-2° 33' 15"
D-7	9' -2° 52' 00" -2° 52' 20"	-2° 52' 10"	6' -2° 53' 40" -2° 54' 00"	-2° 53' 50"
D-14	9 -3° 22 40" -3° 23' 20"	[illegible]	6' -3° 23' 00" -3° 23' 40"	-3° 23' 20"
D-3	9' +3° 10' 00" +3° 09' 20"	+3° 09' 40"	6' +3° 08' 20" +3° [illegible]	[illegible]
D-11	9' +3° 04' 20" +3° 03' 40"	+3° 04' 00"	6' +3° 01' 40" +3° [illegible]	[illegible]
D-12	9' +4° 46' [illegible] +4 45 20	[illegible]	6' +4° 47' 20" +4 [illegible] 40	+4° [illegible]
D-13	9' +5° 24' 00" +5° 23' 20"	+5° 23' 40"	6' +5° [illegible] 00" +5° 21' 20"	+5° 21' 40"
[illegible]	9' +7° 07' 20" +7° 06' 20"	+7° [illegible]	6' +7° 03' 20" +7° 02' [illegible]	+7° 03' [illegible]
D-5	9' -4° 21' 00" -4 21 20	-4° 21' 10"	6' -4° 34' 20" -4 35 00	-4° 29' 40"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA	Survey of DARLING RD.
Map No.	JN0095.48 Tape 175 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W Date AUG-64
Date	Indexed C. J. GALLI

F. B. 1260 PG. 175



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 1260 PG. 476

VERTICAL ANGLES

T @ D-11

HI: 5.06

SIGHT ON	ROD	MEAN	ROD	MEAN
D-13	12.6 +5° 00' 00" +5° 08' 40"	+5° 04' 20"	5.5 +5° 01' 10" +5° 00' 40"	+5° 00' 55"
D-10	11.0 +2° 35' 30" +2° 34' 40"	+2° 35' 05"	5.5 +2° 21' 30" +2° 21' 00"	+2° 21' 15"
D-12	9' -0° 55' 00" -0° 55' 20"	-0° 55' 10"	6' -0° 59' 00" -0° 59' 40"	-0° 59' 20"
D-9	9' -2° 57' 20" -2° 57' 40"	-2° 57' 30"	6' -3° 00' 20" -3° 00' 25"	-3° 00' 10"
D-8	9' -0° 24' 00" -0° 24' 20"	-0° 24' 10"	6' -0° 29' 40" -0° 30' 20"	-0° 30' 00"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA	Survey of DARLING RD	F. B. 1260	PG. 177
Map No.	JN 0095.48 Tape 175 Std. 84 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes C. J. W Date AUG '64		
Date	Indexed C. J. GALL		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.



76F3095 CE # 310 3-61

F. B. 1260 Pg. 178

VERTICAL ANGLES
T @ D-12
H.I. 5.20

SIGHT ON	ROD	MEAN	ROD	MEAN
D-13	9' +5° 52' 20" +5° 51' 20"	+5° 51' 50"	6' +5° 49' 00" +5° 48' 00"	+5° 48' 30"
D-10	11.0 +6° 05' 00" +6° 04' 00"	+6° 04' 30"	5.5 +5° 55' 30" +5° 55' 20"	+5° 55' 40"
D-9	9' -4° 32' 30" -4° 32' 40"	-4° 32' 35"	6' -4° 37' 20" -4° 38' 00"	-4° 37' 40"
D-14	9' -7° 05' 30" -7° 06' 00"	-7° 05' 45"	6' -7° 10' 30" -7° 11' 00"	-7° 10' 45"
D-8	9' +0° 34' 30" +0° 35' 00"	+0° 34' 45"	6' +0° 31' 20" +0° 30' 40"	+0° 31' 00"
D-11	9' +1° 06' 20" +1° 05' 40"	+1° 06' 00"	6' +1° 02' 35" +1° 01' 35"	+1° 01' 45"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of DARLING RD.	F. B. 1260	Pg. 179
Map No.	JN0095.48 Tape 175 Std 84 °F		
Office Work	Surveyed by C.L. WRIGHT		
Checked	Notes CLW Date AUG·64		
Date	Indexed C. J. GALLI		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



①	70	55	20
④	283	42	10
⑧	207	24	20
	70°	55'	32" ✓

①	58	43	40
④	224	55	10
⑧	169	50	40
	58°	43'	50" ✓

①	129	21	40
④	157	27	00
⑧	314	54	00
	129°	21'	45" ✓

④	19	34	00
④	78	15	50
⑧	156	31	20
	19°	33'	55" ✓

①	38	12	20
④	152	49	40
⑧	305	39	00
	38°	12'	22" ✓

①	43	23	50
④	173	35	20
⑧	347	10	40
	43°	23'	50" ✓

①	38	01	10
④	152	05	10
⑧	304	10	10
	38°	01'	16" ✓

①	19	22	50
④	77	21	10
⑧	155	02	20
	19°	22'	47" ✓

F. B. 1260 PG. 180

VERTICAL ANGLES
T @ D-10
H.I. 5.30

SIGHT ON	ROD	MEAN	ROD	MEAN
	9'		6'	
D-4	-0° 26' 00"	-0° 25' 40"	-0° 23' 40"	-0° 23' 20"
	-0° 25' 20"		-0° 22' 40"	
	9'		6'	
△DARLING	+1° 51' 00"	+1° 50' 40"	+1° 25' 40"	+1° 25' 25"
	+1° 50' 20"		+1° 25' 00"	
	9'		6'	
D-9	-6° 58' 00"	-6° 58' 20"	-7° 01' 20"	-7° 01' 40"
	-6° 58' 40"		-7° 02' 00"	
	9'		6'	
D-12	-5° 56' 00"	-5° 55' 20"	-5° 54' 40"	-5° 54' 50"
	-5° 54' 40"		-5° 55' 00"	
	9'		6'	
D-8	-2° 08' 00"	-2° 08' 30"	-2° 10' 00"	-2° 10' 20"
	-2° 09' 00"		-2° 10' 40"	
	9'		6'	
D-11	-2° 18' 20"	-2° 18' 40"	-2° 20' 40"	-2° 21' 00"
	-2° 19' 00"		-2° 21' 20"	
	9'		6'	
D-13	+1° 31' 00"	+1° 30' 40"	+1° 28' 40"	+1° 27' 40"
	+1° 30' 20"		+1° 27' 20"	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of DARLING ROAD	F. B. 1260	Pg. 181
Map No.	JN0095.98 Tape 175 Std 84 °F		
Office Work	Surveyed by C.L. WRIGHT		
Checked	Notes J.G.R Date AUG '64		
Date	Indexed C. J. GALLI		



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 1260 Pg. 182

VERTICAL ANGLES

T @ D-5

H. I. = ,

SIGHT ON	ROD	MEAN	ROD	MEAN
D-9	9' D + 4°-30'-40" I + 4°-30'-20"	+ 4°-30'-30"	6' D + 4°-27'-00" I + 4°-26'-20"	+ 4°-26'-40"
Z-7A	9' D + 0°-13'-20" I + 0°-12'-40	+ 0°-13'-00"	6' D + 0°-09'-30" I + 0°-08'-40	+ 0°-09'-05
D-7	9' D - 1°-12'-30 I - 1°-13'-20	- 1°-12'-55	6' D - 1°-16'-20" I - 1°-17'-00	- 1°-16'-40"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of Tick Cyn. Rd.
Map No.	JN 0075.70 Tape 175 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date AUG '61
Date	C. J. GALLI Indexed

F. B. 1260 PG. 183

TICK CYN. ROAD -

PORTION OF DAVENPORT RD. ℄± BETWEEN P.I. # 14 & P.I. # 15A, RE-SET T-62.

J.N. 0075.70

REFERENCES:

F.B. 1260
F.B. 2394
F.B. 2457

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 1260 Pg. 184



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CYN. RD.
Map No.	JN 20715 Tape 115 Std 84 °F
Office Work	Surveyed by C.J. GALLI
Checked	Notes C. [illegible] Date Dec. 1962
Date	Indexed C. J. GALLI

F. B. 1260 PG. 185

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



CONT. TOP PG. 184

76F3095 CE # 310 3-61

F. B. 1260 PG. 186

BLANK

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA	Survey of DARLING RD.	F. B. 1260	Pg. 187
Map No.	JN 009548 Tape 175 Std. 84° °F		
Office Work	Surveyed by C.L. WRIGHT		
Checked	Notes C.L.W Date SEPT-64		
Date	Indexed C. J. GALLI		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



76F3095 CE # 310 3-61

F. B. 1260 PG. 188

T.C. Z7A

	Rod 6.2'	HI 4.80 Mean	Rod 5.2'	Mean
SIGHT ON: P.I. 16A	- 2° 01' 20"	- 2° 01' 30"	- 2° 03' 40"	- 2° 03' 20"
D-14	9' + 1° 11' 40" + 1° 11' 00"	+ 1° 11' 20"	6' + 1° 09' 20" + 1° 08' 40"	+ 1° 09' 30"
T-70	9' + 2° 35' 30" + 2° 35' 00"	+ 2° 35' 15"	6' + 2° 31' 00" + 2° 30' 20"	+ 2° 30' 40"
T-71	9' + 2° 28' 20" + 2° 27' 30"	+ 2° 27' 56"	6' + 2° 26' 00" + 2° 25' 30"	+ 2° 25' 45"
T-72	11.4' + 3° 07' 40" + 3° 07' 00"	+ 3° 07' 20"	5' + 3° 05' 00" + 3° 04' 20"	+ 3° 04' 40"
D-7	9' D - 1°-42'-00" I - 1°-42'-40"	HI 4.95 - 1°-42'-20"	6' D - 1°-46'-40" I - 1°-47'-00	- 1°-46'-50
D-8	9' D + 3°-58'-20" I + 3°-57'-40"	+ 3°-58'-00"	6' D + 3°-56'-20" I + 3°-55-30	+ 3°-55'-55"
D-5	9' D - 0°-03'-40" I - 0°-04'-00	- 0°-03'-50"	6' D - 0°-07'-30" I - 0°-08'-00"	- 0°-07'-45"
D-9	9' D + 2°-37'-00 I + 2°-36'-30	+ 2°-36'-45	6' D + 2°-34'-30" I + 2°-34'-00	+ 2°-34'-15"
T-73	9' D - 2°-14'-20" I - 2°-14'-40	- 2°-14'-30"	6' D - 2°-17'-00" I - 2°-17'-30"	- 2°-17'-15"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of LACK CYN. RD.
JN 20757.0 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date SEPT '64
C. J. GALLI
Indexed

F. B. 2600 Pg. 189



①	142	40	50
④	210	42	40
⑤	6'	27	10
	142°	40'	53 3/4"

①	68	41	20
④	274	45	40
⑤	189	31	10
	68°	41'	23 3/4"

①	51	31	00
④	206	05	00
⑤	52	10	00
	51°	31'	15"

①	97	06	40
④	28	25	50
⑤	56	51	50
	97°	06'	18 3/4"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

F. B. 1260 PG. 190

@ T-70

HI. 5.00

SIGHT ON	ROD	MEAN	ROD	MEAN
T-72	9'		6'	
	+ 2° 34' 30"	+ 2° 34' 15"	+ 2° 33' 20"	+ 2° 32' 55"
	+ 2° 34' 00"		+ 2° 32' 30"	
Z-7A	9'		6'	
	- 2° 22' 00"	- 2° 22' 20"	- 2° 27' 00"	- 2° 27' 15"
	- 2° 22' 40"		- 2° 27' 30"	
T-9	9'		6'	
	+ 2° 28' 00"	+ 2° 28' 00"	+ 2° 24' 00"	+ 2° 24' 00"
	+ 2° 28' 00"		+ 2° 24' 00"	
T-71	10'		5'	
	+ 2° 20' 00"	+ 2° 19' 50"	+ 2° 14' 00"	+ 2° 13' 46"
	+ 2° 19' 40"		+ 2° 13' 20"	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of TUCK CANYON RD.
JN 00757 Tape 175 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date SEPT '64
Indexed C. J. GALLI

F. B. 1260 PG. 191

ADDITIONAL ∠S @ D-9

①	291	29	20
②	180		10
③	111	54	20
	291°	29'	17.2"

29'
17.2"
29°

D-9
3/4" IP
CONC. LOC
FD LD BRASS
TAG FLUSH
SEE PG 173
FOR PREVIOUS
ANGLES

SEE PG 173
FOR ADDITIONAL
ANGLES

T-74
T-70
T-71

①	15	58	10
②	63	52	20
③	127	44	40
	15°	58'	05"

①	42	32	50
②	170	12	00
③	340	23	50
	42°	32'	58¾"

①	9	59	40
②	39	58	40
③	79	57	20
	9°	59'	40"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 1260 Pg. 192

D-9

HI 4.90

Sight on	Rod	Mean	Rod	Mean
T-71	10' - 0° 13' 00" - 0° 13' 30"	- 0° 13' 15"	5' - 0° 18' 00" - 0° 18' 40"	- 0° 18' 20"
T-72	9' + 1° 11' 30" + 1° 10' 40"	+ 1° 11' 05"	6' + 1° 10' 20" + 1° 09' 20"	+ 1° 09' 50"
T-70	9' - 2° 18' 00" - 2° 18' 40"	- 2° 18' 25"	6 - 2° 22' 00" - 2° 22' 40"	- 2° 22' 20"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of DARLING ROAD	F. B. 1260	Pg. 193
Map No.	JN0095.48 Tape 175 Std 84 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes JGR Date SEPT-'64		
Date	Indexed G. J. GALLI		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

17 51 10
70 54 50
140 59 20
17° 51' 10"

17 - 14 - 10
68 - 57 - 10
137 - 54 - 00
17 - 14 - 15

T-71

T-72

T-70

24° - 57' - 50"

65° - 30 - 00
A) 26.2 - 00 - 30
AV) 65 - 30 - 07½

T=70°
LEV. 14.02

T-72
SET IRON
PUNCH MARK IN ROCK
RING ON ROCKY
HILLTOP

14.02

- SET BOAT SPK IN ROCKY HILLTOP BY INT. - LAND F 4 TO DARLING 8

LINE FROM THRU T-72 FROM 27A

5 - 51 - 30
23 - 26 - 10
46 - 52 - 40
5 - 51 - 35

24 - 58 - 00
99 - 51 - 10
199 - 42 - 40
24 - 57 - 50

294 - 25 - 20
97 - 41 - 00
195 - 21 - 40
294 - 25 - 12.½

T=70°
177.92 @ 7° - 15' = 176.50
178.00 @ 7° - 26' = 176.50

176.50
.02
176.48

LAND F-4
RE. BOLT IN W.W.T.
SET IN ROCKY TOP
EL 2015.7 - 45

76F3095 CE # 310 3-61

F. B. 1260 Pg. 194

VERTICAL ∠ @ H.I. = 5.05

ANGLES T-72

SIGHT ON	ROD	MEAN	ROD	MEAN
Z-7A	9' D - 3°-03'-00" I - 3°-03'-00"	- 3°-03'-00"	6' D - 3°-04'-40" I - 3°-05'-00"	- 3°-04'-50"
T-70	9' D - 2°-30'-40" I - 2°-31'-00"	- 2°-30'-50"	6' D - 2°-32'-30" I - 2°-33'-00	- 2°-32'-45"
D-9	9' D - 1°-08'-00" I - 1°-08'-30"	- 1°-08'-15"	6' D - 1°-10'-00" I - 1°-10'-00"	- 1°-10-00"
T-71	9' D - 1°-58'-30" I - 1°-58'-40"	- 1°-58'-35"	6' D - 2°-00'-40" I - 2°-01'-00"	- 2°-00'-50"
△ DARLING	9' D + 1°-49'-00" I + 1°-48"-40"	+ 1°-48'-50"	6' D + 1°-47'-20" I + 1°-47'-00"	+ 1°-47'-10"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CYN. RD
Map No.	JN0075.70 Tape 175 Std. 89 °F
Office Work	Surveyed by C.L.WRIGHT
Checked	Notes JGR Date SEP 69
Date	Indexed C. J. GALLI

F. B. 12.60 PG. 195

1	58° 46' 00	195 - 50 - 50
4	235 - 04 - 00	63 - 24 - 50
8	110 - 08 - 20	126 - 49 - 20
Av	58 - 46 - 02 1/2 ✓	195 - 51 - 10 ✓
1	14° 02' 10	91 - 20 - 40
4	56 - 08 - 40	365 - 23 - 20
8	112 - 17 - 20	10 - 46 - 30
Av	14 - 02 - 10 ✓	91 - 20 - 48 3/4 ✓
1	23 - 00 - 00	19 - 19 - 00
4	92 - 00 - 10	77 - 16 - 40
8	184 - 00 - 40	154 - 33 - 20
Av	23 - 00 - 05 ✓	19 - 19 - 10 ✓
1	2° 23' 50	46 - 37 - 40
4	9 - 35 - 40	186 - 31 - 20
8	19 - 11 - 20 ✓	12 - 02 - 50
Av	2 - 23 - 55 ✓	46 - 37 - 51 1/4 ✓



Note: For Add'l. As SEE Pg. 237

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 1260 PG. 196

VERTICAL ANGLES

T @ , T-71

H.I. = 5.35

SIGHT ON	ROD	MEAN	ROD	MEAN
T-72	9' D + 2°-03'-20" I + 2°-03'-20"	+ 2°-03'-20"	6' D + 2°-01'-00" I + 2°-00'-40"	+ 2°-00'-50"
T-73	9' D - 3°-48'-20" I - 3°-48'-40"	- 3°-48'-30"	6' D - 3°-50'-20" I - 3°-50'-20"	- 3°-50'-20"
T-74	9' D - 0°-56'-40" I - 0°-57'-00"	- 0°-56'-50"	6' D - 0°-58'-00" I - 0°-58'-20"	- 0°-58'-10"
T-58	5.0' D - 7°-26'-00" I - 7°-26'-30"	- 7°-26'-15"	4.0' D - 7°-27'-20" I - 7°-28'-00"	- 7°-28'-10"
Z-71A	9' D - 2°-23'-20" I - 2°-23'-30"	- 2°-23'-25"	6' D - 2°-25'-40" I - 2°-25'-40"	- 2°-25'-40"
T-70	9' D - 2°-09'-00" I - 2°-09'-20"	- 2°-09'-10"	6' D - 2°-13'-30" I - 2°-13'-40"	- 2°-13'-35"
C-9	9' D + 0°-22'-20" I + 0°-21'-40"	+ 0°-22'-00"	6' D +0°-18'-30" I +0°-18'-00"	+ 0°-18'-15"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of DARLING ROAD	F. B. 1260	Pg. 197
Map No.	JN 0095.48 Tape 175 Std 84 °F		
Office Work	Surveyed by C L WRIGHT		
Checked	Notes JGR Date SEP. 64		
Date	Indexed C. J. GALLI		

PORTION OF DAVENPORT RD.

FROM P.I. #16-A TO P.I. 17-A

J.N. 0095.48

REF: F.B. 1260

C.S.B. 2296-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 1260 Pg. 198 CONT. BOT PG. 199



Notes Ck'd by M. OSHITA	Survey of DARLING ROAD	F. B. 1260	PG. 199
Map No.	JN 0095.98 Tape 175 Std 89 °F		
Office Work	Surveyed by CL WRIGHT		
Checked	Notes JGR Date SEP-64		
Date	Indexed C. J. GALLI		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

LEV = 76.93 @ T = 92° = 76.93

LEV = 55.92 @ T = 92° = 55.92

LEV = 61.93 @ T = 92° = 61.93

146.38 @ 6°-05' = 145.56
.01
145.55

1) 76 - 27 - 2.0
4) 305 - 50 - 10
AV) 76 - 27 - 32½



1) 60° 05' 40"
4) 240 - 22 - 40
60 - 05 - 40
8) 120 - 45 - 00
AV) 60 - 05 - 37½

1) 0 - 48 - 00
4) 3 - 12 - 40
0 - 48 - 07½
8) 6 - 25 - 00
AV) 0 - 48 - 07½

CONT. TOP PG. 198

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

BLANK

F. B. 1260 Pg. 200

Notes Ck'd by M. OSHITA	Survey of TICK CANYON R.D.	F. B. 1260 Pg. 201
Map No.	JN 0075.70 Tape 175 Std 84 °F	
Office Work	Surveyed by C.L. WRIGHT	
Checked	Notes JGR Date OCT-64	
Date	Indexed C. J. GALLI OCT 1 3 '64	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

CONTROL POINTS FOR AERIAL PHOTOGRAPHY ON PROPOSED TICK CANYON ROCK

J. N. 0075.70

REFERENCE:
F.B. 2394

PARTY:

J.G. RANDALL
H.C. HUBBARD
T.H. KENNEY
B.H. PEAVY
(ONE WEEK)

76F3095 CE #310 9-62

F. B. 1260 PG 202

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by M. OSHITA	Survey of TICK CYN. RD.	F. B. 1260	Pg. 203
Map No.	JN 00-75.70 Tape 175 Std 84 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes JGR Date SEP. '64		
Date	Indexed C. J. GALLI		



1) 180-57-20
4) 360-30-00
8) 364-59-40
AV) 180-57-27 1/2

1) 129-50-20
4) 159-21-00
8) 318-42-00
AV) 129-50-15

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B. 1260 Pg. 204

VERTICAL ∠ @ H. I. = MEAN

ANGLES T-58 5.50

SIGHT ON	ROD	MEAN	ROD	MEAN
T-73	9' D + 2°-49'-20" I + 2°-49'-20"	+ 2°-49'-20"	6' D + 2°-44'-40" I + 2°-44'-00"	+ 2°-44'-20"
T-70	9' D + 9°-07'-20" I + 9°-06'-40"	+ 9°-07'-00"	6' D + 9°-02'-20" I + 9°-02'-20"	+ 9°-02'-20"
T-71	9' D + 7°-29'-30" I + 7°-29'-10"	+ 7°-29'-05"	6' D + 7°-26'-00" I + 7°-25'-40"	+ 7°-25'-50"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CANYON RD.	F. B. 1260	Pg. 205
Map No.	JN0075-70 Tape 175 Std 84 °F		
Office Work	Surveyed by CL WRIGHT		
Checked	Notes JGR Date SEP-64		
Date	Indexed C. J. GALLI		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

1) 42-32-40
4) 170-11-10
42-32-47½
8) 340-22-00
AV) 42-32-45

1) 48-16-20
4) 193-05-50
48-16-27½
8) 26-11-50
AV) 48-16-28¾



269-10-40
356-42-50
269-10-42½
359-25-30
269-10-41¼

NOTE: SEE PG 236 FOR ADDL. PTS.

76F309S CE # 310 3-61

F. B. 1260 Pg. 206

VERTICAL ANGLES
T @ T-74
H.I. = 5.84

SIGHT ON	ROD 9'	MEAN	ROD 9'	MEAN
T-71	D + 0°-59'-20" I + 0°-58'-40	+ 0°-59'-00"	D + 0°-57'-30" I + 0°-57'-20"	+ 0°-57'-25"
T-73	9' D - 4°-33'-10" I - 4°-33'-20"	- 4°-33'-15"	9' D - 4°-37'-00 I - 4°-37'-00	- 4°-37'-00"
T-75	9' D - 10°-29'-00" I - 10°-29'-20	- 10°-29'-10	9' D - 10°-33'-20" I - 10°-33'-30"	-10°-33'-25"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of TICK CANYON RD.
JN 0075.70 Tape 175 Std 84 °F
Surveyed by C.L. WRIGHT
Notes JGR Date OCT-64
Indexed C. J. GALLE

F. B. 1260 Pg. 207

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

TO T-58
TO T-71
TO Z-7A
30° - 50' - 45"
28° - 33' - 59"
56° - 19' - 45"
TO T-74
T-73
SET BOAT SPIKE W/ P.N., FLUSH. TOP OF ROCKY SPUR.
189°
55°
TO T-72

4	30 - 50 - 40	
1	123 - 22 - 50	
8	30 - 50 - 42½	
AV	246 - 46 - 00	
	30 - 50 - 45	
1	28 - 33 - 40	
4	114 - 15 - 50	
	28 - 33 - 57½	
8	228 - 31 - 50	
AV	28 - 33 - 58¾	
1	56 - 20 - 00	
4	225 - 19 - 00	
	56 - 19 - 45	
8	90 - 38 - 00	
AV	56 - 19 - 45	

1	55 - 04 - 00	
4	220 - 15 - 20	
	55 - 03 - 50	
8	80 - 30 - 50	
AV	55 - 03 - 51¼	
1	189 - 11 - 20	
4	36 - 47 - 20	
	189 - 11 - 50	
8	73 - 34 - 30	
AV	189 - 11 - 48¾	

76F3085 CE #310 683

F. B. 1260 Pg. 208

VERTICAL ANGLES

SIGHT ON	ROD	@ H.I. = MEAN	@ T-73 5.38 ROD	MEAN
T-74	9' D + 4°-42-00 I + 4°-41-30	+ 4°-41'-45"	6' D + 4°-37-50 I + 4°-37'-20	+ 4°-37-35"
Z-7A	9' D + 2°-21-10 I + 2°-20-40	+ 2°-20'-55"	6' D + 2°-18'-00" I + 2°-18'-00"	+ 2°-18'-00"
T-75	4.10 D - 5°-44'-40" I - 5°-45'-00"	- 5°-44'-50"	3.15 D - 5°-46'-20" I - 5°-46'-40"	- 5°-46'-30"
T-58	5.80 D - 2°-42'-30 I - 2°-42'-50"	- 2°-42'-40	4.80 D - 2°-44'00" I - 2°-44'-20	- 2°-44'-10"
T-71	9' D + 3-51-20 I + 3-51-00	+ 3°-51-10	6' D + 3°-49-20" I + 3-49-00	+ 3°-49-10"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CANYON RD
Map No.	JN 0075.710 Tape 175 Std 89 °F
Office Work	Surveyed by O.L. WRIGHT
Checked	Notes JGR Date OCT-69
Date	Indexed C. J. GALLI

F. B. 1260 PG. 209

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

1) 76 - 39 - 40
4) 306 - 39 - 00 -2"
76 - 39 - 45
8) 253 - ~~18 - 30~~ 17 - 50 17 - 40
AV) 76 - 39 - 43 3/4

T-48

TO T-74

2394 - 53

TO T-73

AV) 9° - 00 - 00
17 - 59 - 59
8 - 59 - 59 1/2

362.44 PER F.B. 2394 - 53

76° - 39' - 44"

9° - 00' - 00"

62.21'

T-75
SET 3/4" I.P. W/ CONC. PLUG & L.A.CO. ENGR. TAG FLUSH, ON LOW SPUR.

T-47
FD. 1x2 STK, E.N. FLUSH, ON RIDGE PER F.B. 2394-53 REPLACED W/ 3/4" I.P. W/ CONC. PLUG & L.A.CO. ENGR. TAG UP 1", AT SAME HUB.

305.06 PER F.B. 2394 - 52

T-46

T = 88°
65.09 @ 17°-05' = 62.22
65.01 @ 16°-59' = 62.20
62.21

106-12-22

76F3095 CE #310 6-63

F. B. 1260 Pg. 210

VERTICAL ANGLES
T @ T-75
H.I. = 5.48

SIGHT ON	ROD	MEAN	ROD	MEAN
T-74	9' D + 10°-39-00 I + 10°-38-40	+ 10°-38'-50"	6' D + 10°-34-20 I + 10°-34-00	+ 10°-34'-10"
T-73	9' D + 5°-46'-40" I + 5-46'-30"	+ 5°-46-35"	6' D + 5°-42-00" I + 5°-41'-30"	+ 5°-41'-45"
T-47	3.97 D - 17°-02'-40" I - 17°-02'-30"	- 17°-02'-35"		

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CANYON RD
Map No.	JN 0075.70 Tape 175 Std 89 °F
Office Work	Surveyed by CL WRIGHT
Checked	Notes JGR Date SEP-64
Date	Indexed C. J. GALLI

F. B. 1260 PG. 211

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE # 310 3-61

F. B. 1260 PG. 212

VERTICAL ANGLES

T @ 1 T-34

H.I. = 5.67

SIGHT ON	ROD	MEAN	ROD	MEAN
T-77	9' D + 10°-08'-00" I + 10°-08'-00"	+ 10°-08'-00"	6' D + 9°-56'-00" I + 9°-55'-30"	+ 9°-55'-45"
T-30	5.20 D - 1°-32'-40" I - 1°-32'-50	- 1°-32'-45"	2.15 D - 1°-35'-10" I - 1°-35'-30"	- 1°-35'-20"
T-78	10' D + 3°-29'-20" I + 3°-29'-20"	+ 3°-29'-20"	5.5' D + 3°-21'-20" I + 3°-21'-10"	+ 3°-21'-15"
T-76	9' D + 12°-32'-40 I + 12°-32'-30	+ 12°-32'-30"	6' D + 12°-12'-20" I + 12°-11'-50"	+ 12°-12'-05"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of TICK CANYON RD.
JN0075.70 Tape 175 Std 84 °F
Surveyed by C.L. WRIGHT
Notes JGR Date SEP. 64.
Indexed C. J. GALLI

F. B. 1260 Pg. 213

1) 23-41-10
4) 94-45-30
23-41-22½
8) 189-30-50
AV) 23-41-21¼ ✓

1) 23-51-20
4) 95-26-40
23-51-40
8) 190-53-10
AV) 23-51-38¾ ✓

1) 24-15-20
4) 97-01-00
24-15-15
8) 194-02-30
AV) 24-15-18¾ ✓



T-7B
SET ¾" I.P.
W/CONC. PLUG
L.A.C.E. ENGR
TAG, UP 1"
TOP OF RIDGE

280°

59" ✓

04

1) 280-05-10
4) 40-19-10
280-04-55
8) 80-39-50
AV) 280-04-58¾ ✓

1) 8-06-50
4) 32-27-10
8-06-47½
8) 64-54-20
AV) 8-06-47½ ✓

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 6-63

F. B. 1260 Pg. 214

VERTICAL ANGLES
T-78
@
H.I. = 5.32

SIGHT ON	ROD	MEAN	ROD	MEAN
T-81	9' D + 3°-38'-30" I + 3°-38'-20"	+ 3°-38'-25"	6' D + 3°-33'-20" I + 3°-33'-20"	+ 3°-33'-20"
T-76	9' D + 2°-17'-30 I + 2°-17'-30"	+ 2°-17'-30"	6' D + 2°-14'-00" I + 2°-13'-20	+ 2°-13'-40"
T-34	6.0' D - 3°-20'-40 I - 3°-20'-30	- 3°-20'-35"	5.0' D - 3°-22'-30" I - 3°-22'-40"	- 3°-22'-35"
T-77	9' D + 1°-06'-20 I + 1°-06'-00	+ 1°-06'-10"	6' D + 1°-00'-00 I + 1°-00'-00"	+ 1°-00'-00"
T-30	3.0' D - 8°-40'-10" I - 8°-40'-20"	- 8°-40'-15"	2.0' D - 8°-43'-00" I - 8°-43'-30	- 8°-43'-15"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CANYON RR	F. B. 1260	Pg. 215
Map No.	JN 0075 70 Tape 175 Std 83 °F		
Office Work	Surveyed by C.L. WRIGHT		
Checked	Notes JGR Date OCT-64		
Date	Indexed Q. J. GALLI		



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-63

F. B. 1260 PG. 216

VERTICAL ANGLES

T @ T-81

H.I. = 5.05

SIGHT ON	ROD	MEAN	ROD	MEAN
T-76	2.14 D - 2°-44-10 I - 2-44-40	- 2°-44'-25"	0.00 (ON PIPE) D - 2°-52-00 I 2°-52-30	- 2°-52-15"
T-77	9' D - 2°-32'-40" I - 2°-32-40	- 2°-32'-40	6' D - 2-37-20 I 2-37-10	- 2°-32'-15"
T-78	9' D -3°-26-10 I -3°-26-30	-3°-26'-20"	6' D - 3°-31-00 I - 3°-31-20	- 3°-31'-10"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CANYON RD
Map No.	JN0075.70 Tape 175 Std 89 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes J.G.R Date SEP-64
Date	Indexed C. J. GALL

F. B. 1260 PG. 217

1) 24-38-20
4) 98-32-50
24-38-12½
8) 197-05-10
AV) 24-38-08 ¾ ✓

1) 65-37-20
4) 262-29-20
65-37-20
8) 164-58-40
AV) 65-37-20 ✓

1) 20-26-30
4) 81-46-10
20-26-32½
8) 163-32-00
AV) 20-26-30 ✓

1) 237-27-00
4) 229-48-40
237-27-10
8) 99-37-30
AV) 237-27-11¼ ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



1) 11-50-50
4) 47-24-30
11-51-03½
8) 94-48-20
AV) 11-51-02½ ✓

76F3095 CE #310 6-63

F. B. 1260 Pg. 218

VERTICAL ANGLES
T @ T-76
H.I. = 5.10'

T-81	9' D + 2°-48-20 I + 2°-47-20	+ 2°-47-50"	6' D + 2°-37-00 I + 2°-36-00	+ 2°-36'-30"	
T-78	9' D - 2°-05-40 I - 2°-06-40	- 2°-06'-10"	6' D - 2°-10-00" I - 2°-10-40"	- 2°-10'-20"	
T-30	3.15' D - 6°-57-00 I - 6°-57-40	- 6°-57'-20"	2.10' D - 6°-59-00 I - 6°-59-40	- 6°-59'-20"	
T-77	9 D - 1°-54-00 I - 1°-54-40	- 1°-54'-20"	6' D - 2°-00-20 I - 2°-01-00	- 2°-00'-40"	
T-34	5.15 D - 12°-06-00 I - 12°-06-40	- 12°-06'-20"	4.15 D - 12°-09'-20 I - 12°-10-00	- 12°-09'-40"	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CANYON	RD.	F. B. 1260 PG. 219
Map No.	JN 00750 Tape 175 Std 84	°F	
Office Work	Surveyed by C.L. WRIGHT		
Checked	Notes JGR Date SEP '64		
Date	Indexed C. J. GALLI		



1) 13° 43' 20
4) 54° 53' 40
13° 43' 25
8) 109° 47' 3[illegible]
Av) 13° 43' 26 1/4 ✓

1) 247° 54' 10
4) 271° 36' 40
247° 54' 10
8) 183° 13' 40
Av) 247° 54' 12 1/2 ✓

24 >0

17

1) 22° 56' 40
4) 91° 47' 50
22° 56' 57 1/2
8) 183° 35' 40
Av) 22° 56' 57 1/2 ✓

1) 63° 51' 40
4) 255° 26' 30
63° 51' 37 1/2
8) 150° 52' 40
Av) 63° 51' 35 ✓

1) 11° 34' 00
4) 46° 15' 30
11° 33' 52 1/2
8) 92° 31' 20
Av) 11° 33' 55 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #310 6-63

F. B. 1260 Pg. 220

VERTICAL ANGLES

T-77 @

H.I. = 5.10

SIGHT ON	ROD	MEAN	ROD	MEAN
T-30	3.23 D - 14°-23-00 I - 14°-23-20	- 14°-23'-10"	2.23 D - 14-27-20 I - 14-27-40	- 14°-27'-30"
T-78	9' D - 0°-49-30 I - 0°-50-00	- 0°-49'-45"	6' D - 0-56-00 I - 0-56-40	- 0°-56'-20"
T-81	9' D + 2°-45-00 I + 2 -44-20	+ 2°-44'-40"	6' D + 2°-40-00 I + 2°-39-20	+ 2°-39'-40"
T-76	9' D + 2°-10-00 I + 2°-10-20	+ 2°-10'-30"	6' D + 2°-04-30 I + 2°-04-10	+ 2°-04'-20"
T-34	6.00' D - 9-50-20 I - 9-50-30	- 9°-50'-25"	5.00' D - 9-54-20 I - 9-54-50	- 9°-54'-35"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA		Survey of TICK CANYON RD		F. B. 1260	PG. 221
Map No.		JN 0075.70	Tape 175 Std. 84 °F		
Office Work		Surveyed by C.L. WRIGHT			
Checked		Notes J.G.R. C. J. GALLI SEP-64			
Date		Indexed			

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

1) 99-08-20
4) 36-33-10
99-08-17½
73-06-00
8) 99-08-15 ✓
AV)

1) 23-50-00
4) 95-20-40
23-50-10
8) 190-41-10
AV) 23-50-08¾ ✓

TO T-76

50'-09"

PER F.B. 2394 - PG. 21

TO T-34

23°

15" ✓

99°-08'-

PER F.B. 2394 - PG. 21

37°-20'-52½ ✓

TO T-77

TO T-78

1234.07

T-30
P.O. 1x2 STK
N. PER F.B. 2394
-46. REPLACED
WITH ¾" I.P.
W/ CONC. PLUG
& L.A.CO. ENGR.
TAG, AT
SAME ELEV.

1990

40'

91" ✓

1) 37-21-10
4) 149-23-30
37-20-52½
8) 298-41-10
AV) 37-20-53¾ ✓

1) 199-40-50
4) 78-42-50
199-40-42½
8) 157-25-30
AV) 199-40-41¼ ✓

76F3095 CE #310 6/63

F. B. 1260 PG. 222

VERTICAL ANGLES

℄ @ T-30

H.I. = 5.54

SIGHT ON	ROD	MEAN	ROD	MEAN
T-78	9' D + 8°-45-00 I + 8-49-20	+ 8°-44'-40"	6' D + 8°-34'-50" I + 8°-34'-00"	+ 8°-34'-25"
T-76	9' D + 7°-00-10 I + 7°-00-00	+ 7°-00'-05"	6' D + 6-55-10 I + 6-54-40	+ 6°-54'-55
T-34	6.00' D + 1-26-40 I + 1-26-00	+ 1°-26'-40"	5.00' D + 1-24-00 I + 1-23-40	+ 1°-23'-50"
T-77	9' D + 14°-30-30 I + 14-30-20	+ 14°-30'-25"	6' D + 14-16-00 I + 14-16-00	+ 14°-16'-00"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CANYON RD.
Map No.	JN 00 75 70 Tape 175 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes JGR Date SEP-'64
Date	Indexed J. GALLI

F. B. 1260 PG. 223

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.



VERTICAL ANGLES
AT T-9
H.I. = 5.42

SIGHT ON	ROD 9'	MEAN	ROD 6'	MEAN
T-79	D + 2°-20'-00" I + 2°-19'-30"	+ 2°-19'-45"	D + 2°-06'-30" I + 2°-05'-30"	+ 2°-06'-00"
T-13	3.28' D + 0°-38'-10" I + 0°-38'-00"	+ 0°-38'-05"	2.16' D + 0°-35'-30" I + 0°-35'-20"	+ 0°-35'-25"

F. B. 1260 Pg. 224

1)	32-58-00			1)	34-19-50
4)	131-52-00			4)	137-20-10
	32-58-00				34-20-02½
8)	263-44-00			8)	274-40-30
AV)	32-58-00 ✓			AV)	34-20-03¾ ✓

1)	292-42-10
4)	90-48-10
	292-42-02½
8)	181-36-00
AV)	292-42-00 ✓

292-42-00

T-13
FD. 1X2 STK & FLUSH PER F.B. 2394-17. REPLACED W/ 3/4" I.P. W/ CONC. PLUG & L.A.CO. ENGR. TAG, AT SAME ELEV.

32°

58-00-00

34-20-04

TO T-79

TO T-80

TICK CANYON ROAD

1684.17

PER F.B. 2394

1084.24

PROPOSED ℄

TO T-9 PG. 223

VERTICAL ANGLES
@ T-13
H.I. = 5.36

SIGHT ON	ROD 9'	MEAN	ROD 6'	MEAN
T-80	D + 7°-54'-10" I + 7°-53'-20"	+ 7°-53'-45"	D + 7°-41'-20" I + 7°-40'-30"	+ 7°-40'-55"
T-9	2.57 D - 0°-49'-30" I - 0°-50'-00"	- 0°-49'-45"	1.67 D - 0°-52'-00" I - 0°-52'-40"	- 0°-52'-20"
T-79	9' D + 0°-37'-20" I + 0°-36-50	+ 0°-37'-05"	6' D + 0°-29'-40" I + 0°-29'-00"	+ 0°-29'-20"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Charge.

Notes Ck'd by M. OSHITA	Survey of TICK CANYON RD
Map No.	JN 0075.70 Tape 175 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes JGR Date OCT-64
Date	Indexed C. J. GALL

F. B. 1260 Pg. 225

1) 33°-41-10"
4) 134-44-40
33-41-10
8) 269-29-20
AV) 33-41-10

1) 37-28-20
4) 149-54-30
37-28-37½
8) 299-49-00
AV) 37-28-37½



1) 288-50-30
4) 75-21-00
288-50-15
8) 150-42-00
AV) 288-50-15

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

VERTICAL ANGLES
T @ T-79
H.I. = 5.50

SIGHT ON	ROD	MEAN	ROD	MEAN
	3.45		2.35	
T-13	D - 0°-32-10	- 0°-32-35	D - 0°-35-10	- 0°-35'-25"
	I - 0°-33-00		I - 0°-35'-40	
	9'		6'	
T-80	D + 4°-17'-00"	+ 4°-16-45"	D + 4°-09-00"	+ 4°-08-40"
	I + 4°-16'-30		I + 4°-08'-20"	
	2.95		2.00	
T-9	D - 2°-14'-30	-2°-14'-55"	D - 2°-18'-40"	- 2°-19'-00"
	I - 2°-15'-20		I - 2°-19'-20"	

76F309S CE #310 6-63

Notes Ck'd by M. OSHITA	Survey of DARLING RD.	F. B. 1260	Pg. 227
Map No.	JN 0095.48 Tape 175 Std 84 °F		
Office Work	Surveyed by C.L. WRIGHT		
Checked	Notes JGR Date OCT-64		
Date	Indexed C. J. GALLI OCT 13 '64		

NO. ONE QUARTER COR.
SEC. 27 - T5N - R14W

J.N. 0095.48

Angle Check

REF. C.S.B. 900-1
F.B. 3208-12

PARTY:
RANDALL
HUBBARD
PEAVY
KENNEY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62


F. B. 1260 PG 228
SEC. 22 - T5N + R14W
N&T. in T.P.
48.31
℄ Agua Dulce Cyn. Rd.
COUNTY ENGINEER
T5N
22 23
27 26
R14W
CE. SEC. COR. Monument
N.E. COR. SEC. 27
T5N - R14W.
(℄ INT. DARLING RD.
℄ AGUA DULCE CYN RD.)
F.B. 1476 - 81
F.B. 3208 - 12
Monument marked as Shown
41.00 (30)
(30) 39.50
N&T. in T.P.
N&T. in T.P.
DARLING RD.
1 179° - 25' - 40"
4 357° - 34' - 20"
179° - 25' - 37½"
6 356° - 34' - 00"
AV 179° - 25' - 30"
SURVEYORS
T5N
22 27
R14W
COUNTY
MONUMENT
D-3 (¼ SEC. COR.)
ALSO B.M. N.C. D.R. 100
FD. A STD. C.S. BRASS
CAP MON. NO. ¼ SEC.
COR. SEC. 27 - T5N - R14W
DN. 3" MKD. AS SHOWN
F.B. 1476 - 83.
F.B. 2293 - 209
BARBER
ROAD
25'
178
DARLING RD.
SEC. 27 - T5N
R14W
COUNTY SURVEYOR
21 22
28 27
MONUMENT
Fd. 1" IP & C.E. Tag
Per F.B. 2293 - 207
(30)
(30)
57.72
32.96
Fd. N&T. in R.P.
C.S. SEC. COR. Monument
N.W. COR SEC. 27
T5N - R14W.
F.B. 2293 - 207
C.S.B. 900 - 1
Mon Marked as
Shown Dn 3"
W S 78 (-5) D-5
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

NOTES RED. JOB NO. 0095.48 SURVEY OF DARLING ROAD F. B. 1260 PG. 2-29

DATE M. OSHITA SURVEY BY C.L. WRIGHT

NOTES CHKD. NOTES BY J.G.R DATE OCT '64

DATE INDEXED C. J. GALLI DATE

J.N. 0095.48

BENCH LEVELS TO ESTABLISH VERTICAL CONTROL ON THE NO. 1/4 COR. SEC. 27 - T5N - R14W (ON DARLING RD. TRANSIT TRIANGULATION NET).

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

PARTY:
RANDALL
HUBBARD
PEAVY
KENNEY

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

785420 S & E-353 9-55

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.48 SURVEY OF DARLING RD.
SURVEY BY C.L. WRIGHT DATE OCT-64 NOTES RED. DATE
NOTES BY J.G.R. NOTES CHKD. M. OSHITA
INDEXED C.J. GALLI DATE DATE

F.B. 1260 PG. 230

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M.N.C.1047	2499.303				2499.281	B.M. N.C. 1047 EL. = DULCE CYN. RD., 2.60 MI. S'LY ON AGUA DULCE CYN. RD., OR & INT. AGUA DULCE CYN. RD. & DARLING RD., 0.37 MI. S'LY ON AGUA DULCE CYN. RD., & 269'± N'LY., 110'± S'LY. FROM P.P.# 7479156, SET CONC. C.E. MON., WITH BRASS CAP, MKD: " COUNTY ENGINEER, R.E. 5869, B.M. N.C. 1047 " UP 4", W/ 2" I.P. MARKER 2' N'LY. F.B. 1476 - 146 & INT. SIERRA HWY. & AGUA
+	11.250		11.119			
⌅	2510.553	+ 9.553	+ 9.555			
−	1.697		1.564			
T.P.	2508.856					
+	5.687		5.542			
⌅	2514.543	- 1.691	- 1.691			
−	7.378		7.233			
T.P.	2507.165					
+	3.098		2.981			
⌅	2510.263	- 1.464	- 1.465			
−	4.562		4.446			
T.P.	2505.701					
+	7.525		7.366			
⌅	2513.226	+ 5.398	+ 5.400			
−	2.127		1.966			
T.P.	2511.099					
+	8.937		9.105			
⌅	2520.036	+ 8.315	+ 8.314			
−	0.622		0.791			
T.P.	2519.414					
+	9.235		9.071			
⌅	2528.649	+ 7.563	+ 7.561			
−	1.672		1.510			
T.P.	2526.977					
+	5.553		5.464			
⌅	2532.530	+ 3.709	+ 3.709			
−	1.844		1.755			
B.M.N.C.1046	2530.686		2530.673		2530.673	B.M. N.C. 1046 EL. = 2530.673 F.B. 1476 - 145 & INT. SIERRA HWY & AGUA DULCE CYN. RD., 1.80 MI. S'LY ON AGUA DULCE CYN. RD., OR & INT AGUA DULCE CYN. RD. & DARLING RD., 1'± W'LY & 34.5'± S'LY & S.E. COR. OF CONC. APRON, IN FRONT OF AGUA DULCE STORE. FD. BRASS CAP IMBEDDED IN CONC., MKD. " B.M. ELEV. 253.194

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 00 95.48 SURVEY OF DARLING ROAD
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHKD M. OSHITA NOTES BY J.G.R. DATE OCT-'64
DATE _____ INDEXED C. J. GALA DATE _____

F.B. 1260 PG. 231

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M.N.C.1046	2530.686		2530.673			SEE PG. F.B. 1260-230 FOR DESCRIPTION
+	5.687		5.575			
⊼	2536.373	+0.816	+ 0.813			
-	4.871		4.762			
B.M.N.C.1046A	2531.502					B.M.N.C. 1046A EL. = F.B. 1260-231 = INT. AGUA DULCE CYN. RD. & DARLING RD., FD. STD. C.E. MON., DN. 3". N.E. COR. SEC. 27 - TSN - R14W., USED CTR FOR ELEV.
+	9.756		10.080			
⊼	2541.258	+9.284	+ 9.281			
-	0.472		0.799			
T.P.	2540.786					
+	8.305		8.219			
⊼	2549.091	+3.344	+ 3.346			
-	4.961		4.873			
T.P.	2544.130					
+	5.497		5.381			
⊼	2549.627	+0.269	+ 0.274			
-	5.228		5.107			
T.P.	2544.399					
+	2.910		2.835			
⊼	2547.309	+ 0.396	+ 0.395			
-	2.514		2.440			
T.P.	2544.795					
+	10.806		10.761			
⊼	2555.601	+8.757	+ 8.756			
-	2.049		2.005			
T.P.	2553.552					
+	2.726		2.618			
⊼	2556.278	-3.675	- 3.674			
-	6.401		6.292			
T.P.	2549.877					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.48 SURVEY OF _____ NOTES RED. _____
SURVEY BY C.L. WRIGHT DATE _____ NOTES CHK M. OSHITA
NOTES BY J.G.R. DATE OCT-'64 DATE _____
INDEXED G.J. GALLI DATE _____

F.B. 1260 Pg. 232

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	2549.877					
+	7.562		7.430			
⏊	2557.439	+ 5.879	+ 5.880			
−	1.683		1.550			
T.P.	2555.756					
+	10.758		10.792			
⏊	2566.514	+10.490	+10.489			
−	0.268		0.303			
T.P.	2566.246					
+	11.507		11.334			
⏊	2577.753	+ 9.754	+ 9.754			
−	1.753		1.580			
T.P.	2576.000					
+	6.978		7.122			
⏊	2582.978	+ 1.494	+ 1.495			
−	5.484		5.627			
T.P.	2577.494					
+	9.033		8.929			
⏊	2586527	+6.900	+ 6.900			
−	2.133		2.029			
T.P.	2584.394					
+	6.846		6.788			
⏊	2591.240	+ 1.297	+ 1.298			
−	5.549		5.490			
B.M.N.C.DR.100	2585.691	2585.678	2585.680		2585.680	B.M. N.C. D.R. 100 ELEV. = F.B. 1260-232 0.5 MI. W'LY, ALONG DARLING RD., FROM E. INT. OF AGUA DULCE CYN. RD. & DARLING RD. FD. A STD. C.S. BRASS CAP CONC. MON. DN. 3". THE NO. ONE QUARTER COR. SEC. 27 - T5N - R14W. USED CTR. FOR ELEV. THIS IS ALSO DESIGNATED AS D-3 IN DARLING ROAD TRIANGULATION NET. F.B. 1260-
+	5.504		5.588			
⏊	2591.195	- 1.298	- 1.296			
−	6.802		6.884			
T.P.	2584.393					

76S420 S & E 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	2584.393					
+	2.236		2.276			
⊼	2586.629	- 6.796	- 6.796			
−	9.032		9.072			
T.P.	2577.597					
+	5.790		5.698			
⊼	2583.387	- 1.600	- 1.600			
−	7.390		7.298			
T.P.	2575.997					
+	1.873		2.002			
⊼	2577.870	- 9.754	- 9.752			
−	11.627		11.754			
T.P.	2566.243					
+	0.970		0.927			
⊼	2567.213	-10.492	- 10.491			
−	11.462		11.418			
T.P.	2555.751					
+	1.090		0.982			
⊼	2556.791	- 6.022	- 6.021			
−	7.062		7.003			
T.P.	2549.729					
+	7.395		7.411			
⊼	2557.114	+3.815	+ 3.815			
−	3.576		3.596			
T.P.	2553.544					
+	2.689		2.657			
⊼	2556.233	- 7.651	- 7.651			
−	10.340		10.308			
T.P.	2545.893					

NOTES RED _____ JOB NO. 0095.48 SURVEY OF DARLING ROAD
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHKD. M. OSHITA NOTES BY J.G.R. DATE OCT-'64
DATE _____ INDEXED C. J. GALM DATE _____

F.B. 1260 PG. 233

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.48 SURVEY OF DARLING ROAD NOTES RED. DATE
SURVEY BY C.L. WRIGHT NOTES CHKD. M. OSHITA
NOTES BY JGR DATE OCT-'64 DATE
INDEXED L. J. GALLI DATE

F.B. 1260 PG. 234

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	2545.893					
+	1.551		1.567			
∧	2547.444	- 1.504	- 1.505			
-	3.055		3.072			
T.P.	2544.389					
+	5.212		5.272			
∧	2549.601	- 0.271	- 0.269			
-	5.483		5.541			
T.P.	2544.118					
+	5.153		5.068			
∧	2549.271	- 3.347	- 3.344			
-	8.500		8.412			
T.P.	2540.771					
+	1.119		1.048			
∧	2541.890	- 9.283	- 9.281			
-	10.402		10.329			
B.M.N.C.1096R	2531.488					SEE F.B. 1260-231 FOR DESCRIPTION
+	4.781		4.800			
∧	2536.269	- 0.816	- 0.817			
-	5.597		5.617			
B.M.N.C. 1046	2530.672	2530.659	2530.682		2530.673	SEE FB. 1260-230 FOR DESCRIPTION

Notes Ck'd by M. OSHITA	Survey of TICK CANYON	F. B. 1260	PG. 235
Map No.	JN 0075.70 Tape 175 Std 84 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes C.L.W. Date 4 DEC 64		
Date	Indexed C. J. GALU 12-8-64		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.



74F3095 C.E. #10 6-82

F. B. 1260 PG. 236

VERTICAL ANGLES

T @ T-52 (Pg. 234)

H.I. 4.70

SIGHT ON	ROD	MEAN	ROD	MEAN
	9'		6'	
T-74	+12° 32' 00"	12° 32' 10"	+12° 26' 40"	+12° 26' 40"
	+12° 32' 20"		+12° 26' 40"	
	9'		6'	
T-71	+ 5° 28' 00"	+ 5° 27' 50"	+ 5° 26' 00"	+ 5° 26' 10"
	+ 5° 27' 40"		+ 5° 26' 20"	
	3.5		4	
T-54	+ 0° 43' 20"	+ 0° 43' 40"	+ 0° 38' 20"	+ 0° 38' 20"
	+ 0° 44' 00"		+ 0° 38' 20"	
	9'		6'	
T-73	+12° 51' 20"	12° 51' 30"	+ 12° 40' 00"	12° 40' 10"
	+12° 51' 40"		+ 12° 40' 20"	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CYN. RD.
Map No.	JN 00757 0 Tape Std °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W Date DEC '64
Date	Indexed C. J. GALLI

F. B. 12600 PG. 237

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F305 CE #310 6-62



F. B. 2660 PG 238



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CANYON
Map No.	JN 66179 Tape 1 Std °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date DEC '64
Date	Indexed C. J. GALLI

F. B. 1269 PG. 239



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.



76E305 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 2600 PG. 240


T5N R14W
INDEX
PAGE 153
D-4
Pg 161
D-1
D-6
Pg 159
D-3
P. 156
D-11
Pg 178
SEC. COR
Pg 244
1/4 COR
DARLING
D-12
Pg 177
D-10
Pg 241
DARLING
Pg 163
D-2
Pg 157
D-8
Pg 169
1/4 COR
D-10 A
P. 242
D-9 A
P. 243
Canyon
BM #6
P. 51
1/4 1/4 COR
P. 254
#9
BM #3
P. 46
1/4 COR
ROAD
1/4 COR
33
T-70
T-71
BM #5
P. 50
DAVENPORT
ETR SEC. 33
P. 250
1/4 COR
P. 246
#32
1D 10
P. 241
DAVENPORT "1"
SEE C.S.B. 900-1
FOR SECTION CORNERS SHOWN
Pelona
P.I. "P"
Pg 9
Sierra
Abila
Dulce
FB 1260 R14W
ROAD
2600
2400
2200
2800
3038
3101
2709
2559
2271
2258
2560

F.B.1260 - 242 A

ANGLE WORK INDEX

STATION	
D-8	F.B.G 1191 - 43,44 G 1192 - 12
D-13	F.B G 1192 - 4,10,11
D-9A	F.B.G 1192 - 5,6 & 13
D-10	F.B.G 1150 - 26 TO 28
D-10A	F.B.G 1191 - 36
DARLING	F.B.G 1191 - 37
LANG F-4	F.B.G 1192 - 7
A D-10	F.B.G 1191 - 42
AGUA DULCE	F.B.G 1191 - 31
D-12A	F.B.G. 1150-20
NORTH 1/4 COR SEC 28 T5N R14W	F.B.G. 1150-19
WEST 1/4 COR SEC 28 T5N R14W	F.B.G. 1150-21
T-71	F.B.G. 1192-8
1/4 SEC COR $\frac{28}{33}$ T5N R14W	F.B.G. 1150-22
EAST 1/4 COR SEC 28 T5N R14W	F.B.G. 1150-12
P.I. "P"	F.B.G 1150-16
& INT AGUA DULCE & DAVENPORT RD	F.B.G 1150-17
SOUTH 1/4 COR SEC 27 T5N R14W	F.B.G. 1150-18

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of DARLING ROAD
JN 00595.48 Tape Std °F
Surveyed by C. K. LIND
Notes L. W. S. Date Feb. 20, 67
Indexed C. J. GALLI NOV 9 '67

F. B. 1260 PG. 241

Placed on Gen. Index Card
Plotted on U.S.E.S. Quad. Shts.
Placed on Sur. Div. W.S.No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

AGUA DULCE
A D-10



Station:

Found 1 1/4" I.P. up 6", set by L.A. Co. Road Dept., R/W Dept. Tag Stamped A. D.-10

Location:

Los Angeles County, Agua Dulce Canyon Area, Approximate center of Section # 34 R-14-W, T-5-N, on a Long North South running ridge.

F. B. 1260 PG. 242

DARLING 10-A

Station:
Set 3/4" I. P., Capped, and Stamped
D-10A up 0.20.

Location:
Los Angeles County, Tick Canyon Area
and Located on a hill in the south west
corner of Section 28, R-14-W, T-5-N.
This Station is 3550 ± N.W. of
Section Corners 28|27
33|34



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted — Geo. Index Card ✓
Plac — U.S.C.S. Quad. Shts.
Placen on Sur. Div. W. S. No.
Sketch on Geo. Reso. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of DARLING ROAD
JN 0095.48 Tape 124 Std 84 °F
Surveyed by C. K. LIND
Notes L. W. S Date Feb. 20, 67
Indexed C. J. GALLI

F. B. 1260 Pg. 243

D 9-A

N

Station D-9A

150'±

DIRT ROAD 0.50 Mi.

0.90 Mi.

DAVENPORT ROAD

SIERRA HWY.

Station:

Set 3/4" Capped I.P. UP 0.20 and Stamped D-9A.

Location:

Los Angeles County, Tick Canyon Area, and Located on the North side of a SMALL hill IN Section 29 R-14-W, T-5-N. This Station is Located 3200'± N.W. of Section Corners 29|28 / 32|33.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 1260 Pg. 244

Tape # 184 @ 84°
33.48 @ 00° 00' T: 84° = 33.48

D-12 A
Set 1"x2" and Nail Flush

33.48

COUNTY SURVEYOR
T. 5 N.
R. 14 W.
20 21
29 28
R.E. 21 T

Fd. Cor
A C. S. Mon.
Flush Per C. S. B.
900-1 With A
Brass Cap
Stamped

Cor
20 21
29 28

Inverse Bearing

Station D-10
Ref. F. B. 1260
Page 179

T 5 N R 14 W

Sketch on Geo. Index Card
Placed on U. S. G. S. Quads
Placed on Sur. Div. W. S. B.
Sketch on Geo. Index Card

LOS ANGELES COUNTY ENGINEER
1103 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 1260 Pg. 345

Profile No. ____ X-Sec. No. ____ | Notes Red ____ Date ____ Notes Chkd. ____ Date ____ | Plotted ____ Date ____ Checked ____ Date ____ | Job No. 0095.48 Division No. 11 | Survey of DARLING ROAD | Survey by LIND Notes JONES Date Jan. 25, 1967 | Map No. ____ Indexed C. J. GALLI Date NOV 9 '67

J.N. 0095.48

BENCH LEVELS TO ESTABLISH VERTICAL CONTROL ON 1/4 SECTION CORNER 33:34 T.-5-N., R.-14-W.

STATION	B.S.	H.I.	F.S.	ELEV.

PARTY:
LIND
JONES
SWAIN
WACKER

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

76-L298 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 1260 Pg. 246 | Job No. 00754 | Division No. 11 | Notes Red | Plotted | Profile
Survey of DARLING ROAD | Date | No.
Survey by LINE | Notes JONES | Notes Chkd. | Checked | X-Sec.
Indexed C. J. GALLI | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
B. M. # 6	0 42	2499 31		2498.89	B.M. # 6 Sec. Cor.	28 | 27 / 33 | 34 Brass Cap Set
T. P.	1 56	2491 02	9 81	2489.5	IN A 12"x12" CONC. PAD UP 8"	Per F.B 1260-51
T. P.	0 54	2483 35	8 25	2482.81		
T. P.	3 79	2480 71	6 43	2476.92		
T. P.	4 62	2473 51	11 82	2468.89		
T. P.	0 57	2462 33	11 55	2461.76		
T. P.	0 39	2450 22	3 00	2449.83		
T. P.	0 37	2448 63	11 96	2448.26		
T. P.	0 51	2437 94	11 20	2437.43		
T. P.	0 51	2427 04	11 41	2426.53		
T. P.	1 36	2416 47	11 93	2415.11		
1/4 Sec. Cor.			9 60	2406.57	1/4 Sec. Cor. 33|34 T 5 N R 14 W	Brass Cap
1/4 Sec. Cor.	9 60	2416 37		2406.77	Precast Monument up 8".	
T. P.	11 32	2426.42	1 27	2415.10		
T. P.	11 41	2437 59	0 27	2426.15		
T. P.	10 32	2448 33	0 18	2437.41		
T. P.	11 95	2460 08	0 20	2448.13		
T. P.	2 75	2462 57	0 26	2459.82		
T. P.	11 60	2473 55	0 62	2461.95		
T. P.	12 00	2480 58	4 67	2468.58		
T. P.			3 97	2476.91		

F.B. 1260 Pg. 249

Profile No. _____ Notes Red _____ Plotted _____ Job No. 0095.48 Division No. 11
Date _____ Date _____ Survey of DARLING ROAD
X-Sec. No. _____ Notes Chkd. _____ Checked _____ Survey by LIND Notes JONES Date 1-26-67
Date _____ Date _____ Map No. _____ Indexed C. J. GALLI Date _____

J.N. 0095.48

BENCH LEVELS TO ESTABLISH VERTICAL CONTROL ON CENTER OF SECTION NUMBER 33 T-5-N., R-14-W.

PARTY:
JONES
SWANN
WACKER

STATION	B.S.	H.I.	F.S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

76-L298 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 1260 Pg. 15a | Job No. 00 9548 | Division No. 11 | Notes Red | Plotted | Profile
Survey of DARLING ROAD | Date | No. | X-Sec.
Survey by LIND Notes JONES | Notes Chkd. | Checked | No.
Indexed C. I. GALLI | Date | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	
B.M. # 5	7786	2459.136		2451.350	"B.M. # 5 C.E. Mon. DOWN 3' Elev. = 2451.350
T. P.	5 367	2460.894	3 621	2455.515	Per F. B. 1260 Page #50
T. P.	10 123	2466 587	4 420	2456.464	
T. P.	5 780	2470 894	1 473	2465.114	
T. P.	3 498	2469 742	4 650	2467.092	
T. P.	1 799	2459 640	11 901	2457.841	
T. P.	1 148	2449 513	11 275	2448.365	
T. P.	4 059	2441 722	11 850	2437.663	
T. P.	1 610	2436 247	7 083	2430.637	
T. P.	6 [illegible]	2434 561	7 768	2428.481	
T. P.	3 [illegible]	2431 573	6 423	2427.835	
C. S. Mon. Center Section #33			2 447	2429.126	"Center Section #33 T-5-N R-14-W Co. Sur. Mon. UP 8"
" " "	2 382	2431 508		2429.126	IN A Rock PILE", Per C.S.S. Fou-I
T. P.	2 230	2430 359	3 379	2428.129	
T. P.	7 580	2436 055	1 884	2428.175	
T. P.	6 989	2441 624	1 420	2434.635	
T. P.	11 691	2449 355	3 960	2437.664	
T. P.	10 323	2458 685	0 993	2448.362	
T. P.	11 543	2469 640	0 588	2458.097	
T. P.	6 578	2473 460	2 758	2466.882	
Power Pole			2 945	2470.515	Power Pole # 676583 E Set Bolt up 1' From Ground

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T. P.	5 82	2482 73		2476.91		
T. P.	2 23	2491 24	032	2482.41		
T. P.	10 21	2499 64	181	2489.43		
B. M. # 6			077	2498 87	B. M. # 6 SEC COR SET IN 12" x 12" CONC PAD PER FB 1260 - 57	28 | 27 / 33 | 34 BRASS CAP EL= 2498.87

Profile Notes Red ____ Plotted ____ Job No. 2225-12 Division No. 11
No. ____ Date ____ Date ____ Survey of DARLING ROAD
X-Sec. Notes Chkd ____ Checked ____ Survey by ____ Notes JONES Date JAN 25 67
No. ____ Date ____ Date ____ Map No. ____ Indexed C. J. GALLI Date ____

F. B. 1260 PG. 47

F.B. 1260 PG. 148 Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.	

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

● NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.		
Power Pole	11 967	2482 382		2470.515		
Power Pole	0595	2481 172	1 805	2480.577	Set 1X2 Flush at Power Pole No. 675582. E	
T.P.	1530	2483 967	11 735	2469.417		
T.P.	1613	2460 113	8 467	2452.505		
T.P.	3 721	2459 213	8 513	2455.505		
B.M. # 5			7 976	2451.347		
B.M. # 5	4.328	2456 978		2452.650		
B.M. 207-8			2 333	2452.645	B.M. 207-8 County Engr. Brass Cap [illegible]	
B.M. 207-8	3 950	2456 905		2452.955	Concrete Pole V.P. 6".	
B.M. # 5			5 55[illegible]	2451.350	By #5 C.E. HGN Bk 3° 02 = 2451.350	
					For [illegible] 11-10-52	

Profile Notes Red Plotted Job No. 0235-13 Division No. 11
No. Date Date Date Survey of DARLING ROAD
X-Sec. Notes Chkd Checked Survey by LIND Notes JONES Date 1-26-67
No. Date Date Map No. Indexed Date
F.B. 12160 Pg. 251

F.B. 1260 PG. 252 Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____

Notes Red ____ Date ____ Notes Chkd. ____ Date ____

Plotted ____ Date ____ Checked ____ Date ____

Job No. 0095.42 Division No. 11

Survey of Dunlap Road

Survey by Lind Notes Lind Date 1-26-67

Map No. ____ Indexed C.J. Galli Date ____

F.B. 1260 PG. 253

STATION	B.S.	H.I.	F.S.	ELEV.
			1-26-67	
		Lind Howe Barnett		
	Swank			

JN 0095.42

Dunlap Road

Bench Levels to Establish Vertical Control on the E Intersection of Dayton Ave Rd and Agua Dulce Canyon Road

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L298 CE 307 3-61

76-L298 CE 907 3-61

PLEASE RE... TO
LOS ANGELES CO... Y ENGI...
403 LOS ANGELES Cou... ENG... G BLDG.

NOTE: ...IONS OR CHANGES ...UST BE MADE OR ...IN R... K. WITH DATE AND ...N MAKING CHANGE

...and notes th... of this no.

STATION	B.S.	H.I.	F.S.	ELEV.	
BM # B	5.43			2478.96	BM # B EL = 2478.96 FND PK NAIL 0.2 E OF
		2484.39			ENTR. CAL AQUEDUCT 2.0 SOUTH
					AND 27.5' WEST OF E. EXT. OF
					DAVENPORT ROAD AND AQUA DULCE
					CANYON ROAD
E INT	6.76	2487.30	3.84	2480.54	E INTERSECTION AQUA DULCE
					AND DAVENPORT ROAD
					CSB PSD
					1/2 E 1/2 CORNER
BM # 3			5.34	2478.96	BM # B EL = 2483.9 FND PK NAIL 0.2 E OF
					ENTR. DESC 2.0
					AQUEDUCT

F.B. 12 PG. 54 | Job No. 0895.42 | Division No. 4 | Notes Red | Date | Plotted | Date | Profile
Survey of Dec. Lands | Notes | Date | No. | X-Sec.
Survey by Land | Notes Chkd. | Date | No.
Indexed C. J. GALLI | Date