The original pages of this book are of poor quality. Care has been taken to make the best scans possible. If necessary you can arrange to see the original book at:

Department of Public Works

900 S. Fremont Ave

Survey Public Counter

Alhambra, CA 91803

F.B. 1310-5

F.B. 1310-6

6466

65



F.B. 1310-7

F.B. 1310-8

66

67

522+52.90 180°00' 360°00'

522+45.07 181°00' 360°00'

521+39.71 180°00' 360°00'

S56°11'53"E

Cont from Bk #15 Pg #19

Curb

+54
+50
+35
+25
+95
+75
+55
+35
+14
524+10
+93
523+73
+76
523+53
+73
522+68
+38
521+78.6
521+97
521+61.8
521+49.7

Tel Pole 28'
Tel Pole 28'
Gum Tree 31'
Gum Tree 29
Power Pole 22'
Power Pole 38'

26' Orange
26' Orange
29.6
25.5 Orange Tree
25.5 Orange Tree
25' Orange Tree
25' Orange Tree
25' Orange Tree
25' Orange Tree
24.5' Orange Tree
24' Orange Tree
22.5' Rubber Tree

SALT LAKE P.R.

38.94 P.C. 96°06'

SHORT ST.

Curb

Concrete Deck Overhead Bridge

Steel Girder

146°05'30"

Stone

SANTA FE SPRINGS ROAD

14" Pipe

See Page 145

Measurements at base of Pier

F.B. 1310-9

F.B 1310-10

68

68

+85
+84
+61 & +56
+50
+44
+38
531 +16
+98
+95
+84
+73
+62
+52
+45
+29
530 +08
+84
+75
+64
+61

+35
529+87

+75
+74
+71
+69

+46
+22
+20

+10
528 +0

+86
+56
+47

+34
527 +14
+95
+74
+74
+56
+34

526 +14
+95
525 +74

556° 11' 53" E

Walnut Grove

Orange Tree 27.5

Orange Tree 28.5'

Sta 530 +78.85
L Fine 39° 36' +L2.1
4-28-27
APMK

Rebar Cussign post 16'

22.5 Rose Bush
29' 18" Stand Pipe
29' 18" Stand Pipe
25.5 Power Pole
22' Rosebush
27' 18" Stand Pipe
29.7' 18" " "
28.7 18" Stand Pipe
25.5 Rose bush
29' 18" Stand Pipe
25.5 Power Pole
29' 18" Stand Pipe
23' Rose bush
29 18" Stand Pipe
29.7 18" " "
29' 18" Stand Pipe
25.5 Power Pole
29.7' 18" Stand Pipe
29' 18" Water Gate

25' 12' Cement Drive Way
276°08'
28'
Hedge
54' H
98' 40'
E 276°08'
36' 40 Palm
25'
26.6 3' concrete walk
276°08'
23.8 1" Hydrant
28.5' 18" Stand Pipe
26.5 6" curb
15' drive way
19.4 2" Steel Post
6" curb
24' Palm
19.4'
21.8' Magnolia
64' 30' H 25'
29' Orange
28.6 Orange
27.8 Orange
18' Tel Pole
27.5 Orange
27'
26.5
24' Orange
26' Orange
24' Orange

F.B. 1310-11

F.B. 1310-12



F.B. 1810-13

F.B. 1810-14

72

554+72.09 181°52'45"
363°45'30"

91.77
215'
Nail in Curb
36.40
17.87

554+13.17 180°00'
360°00'

28.13
31.24

553+66.99 180°00'
360°00'

S 56°11'53" E

73

553+95.84
+85
+77

PAINTER AVE

18" Corr. Pipe
4.2' Headwall
554+45

17'

42'+28.7
Armco
70'
42'
45'
H

Ed Lead & Galv
42'+ 4.26 21' 4 in
1'x3' Concrete
2 in

28.3'
27.6'
42.6'
62°03'
curb

Painter Road

curb
76.7'
26.7'
curb
85°14'
56°08'

+38
553+28
20.3'
1'x3' Concrete Helical 4.7 in Colv
224°03'
22.4'
25.8'
252°28'
230°54'

+66
Gas Pump
Gar-age
42'
41'
0
29'
30.5'
547+32.5

F.B. 1310-15

74

S 54° 19' 08" E

F.B. 1310-16

75



F.B. 1310-17

76

S 52° 28' 38" E

28.61

54.32

35.14

Tel Pole
N+T

570+30.95

177°50'30"
355°41'

S 54° 19' 08" E

25.08

curb

29.38

cut Spike

Pin +

567+27.64

180°00'
360°00'

F.B. 1310-18

77

571+29

571+0

10' drive way

5°55'

9.5 Conc.

Concrete Pavement 11.0

570+47

56'

10' drive way

50+28.84 April 27-1929

570+18

13'

12'

569+37.93
569+34
569+23

6" curb

21.2'

569+08

East City Limits
10' driveway
54°

568+36

53°56'

21.2'

21'

25 oak

568+17

567+46

22'

94°06' recorded

+28.5

LAUREL
cited found nothing
FIVE
40' St

567+02

567+94.5

15' Cement Drive way

21'

15'

21'

566+87

6" Iron Pipe
18' long
Concrete entrance

566+14

21'

565+08

10' drive way

F.B. 1310-19

78

576+59.38 180°00'
360°00'

Nail on Drop Inlet

19.94

Nail Drop Inlet

26.0'

S 56°28'38" E

573+73.09 180°00'
360°00'

60.13

48.63

Nail in Walnut Trees

F.B. 1310-20

79

576+93

18.3'

576+73.4

MICHIGAN AVE

Set + L&T
4-28-27
A.M.K.

Side

576+52

18.5

90°02'

575+84

10' drive way

575+46

1" Pipe

21.7

Second St

+ L&T 4-28-27
A.M.K.

COLLEGE AVE

56°10'

572+92

572+71

21.5'

3'

Concrete Weir

21.3'

Stand Pipe

F.B. 1310-21

80

S 54° 28' 38" E

F.B. 1310-22

81



F. B. 1310-23

82

2-17-26

Blotter Notes
Davis Inst
Fish Chain
Nutting "



591+01.28 180°00'
591+00.65 360°00'

F. B. 1310-24

83



F.B. 1310 — 26

F.B. 1310-26

84

2-17-26

Blotters Notes
Davis Inst
Fish Chain
Nutting "

New Tics

2-17-26
FdN&T
596+58.87

111°20.

75°20'

0 10000

S56°28'38"E

596+58.87

180°00'
360°00'

17.69

596.91

596+40

598 164

598 +52

596 +80

596+46
+58

596+42

Drive Way

20'

20'

3'x6' Concrete Wier

25.4

3'x15' Concrete Curb

18'

28'

17'

driveway

20'

WALNUT AVE
oiled

?

68°40'

85

F.B. 1310-27

F.B. 1310-28

86

87

2-17-26

Blotter Notes
Davis Inst.
Fish Chain
Nutting "



F.B. 1310-29

F.B. 1310-30

88

2-17-26

Blotter Notes
Davis Inst
Fish Chairs
Notting "



2-17-26
New Ties
609+33.27

609+33.27

80



F.B. 1310-31

F.B. 1310-32

90

91





F.B. 1310-33

92

New Ties 2-16-26

90°00'

100.00

100.00

N&T

Blotter Notes
Davis East
Fish Chain
Nutting "

Fd. bolt & T
620+19.47

620+19.47

S 58° 28' 38" E

Conc. Walk

Asph. Curb

16.70

N+T in Orange

16.63

33.00

N+T in Orange

F.B. 1310-34

93

620+72

Concrete Driveway

15.5

1.2

15.4

H.H. NOMANN

620+56

HIGHLAND AVE

52+78.7
4-26-27
A.M.H.

620+08

20'

90°03'30"

13.60

9.08

F.B. 1310-35

94

S 56° 28' 38" E

624+80.10

624+38.92'

F.B. 1310-36

95



F.B. 1310-37

96

S56°28'38"E

F.B. 1310-38

97

640+55
640+43
640+26
640+24
639+45
639+35.9
639+15
639+02
635+69
635+65
635+38
635+40
633+64
633+57
633+56
633+40
633+41
633+26
633+12

8" Iron Pipe
15' Drive way
20'
29.3'
26'
H
10.5' Headwall on Lt
1' Thick
6'x1.5' Concrete Culv
13' Headwall on Rt
1' Thick
20.5'
5'
8"
133°
18.3'
24'
6' Paved Ditch
Concrete Wall
15'
11'
15.5'
296°
283°12'
Pipe Railing
4'x1' Concrete Box
9' Headwalls
1' thick
6" Wall
15'
16'
15.5'
4'
297°
Ditch
13.3'
17'
20.2'
Wooden Guard Rail
Wooden Retaining Wall
6" Iron Pipe
24.6' long
19'
6" Cement Pipe 58' long
19.8'
18.2'
14' Drive way
14.6'
18.5'
4' Walk
16.5'
19.8'
17'
29'
44'
66.5'

F.B. 1310-39

646+13.42
646+11.77
Equation
E.C.



F.B. 1310-40

99

F.B. 1310-41

100

652+88.98

70°02'

100.00

N&T

New Ties
2-16-26

652+88.98

Fd N&T

S 69°58'08" E

Blotters Notes
Davis Trist
Fish Chain
Nutting

649+20.88

180°16'
360°32'

S 69°58'08" E

New Ties

2-16-26

649+20.88

Fd N&T

102°00'

100.00

100.00

N&T

F.B. 1310-42

107

15" Iron Pipe

18'

652+09

652+98

652+87

96°45'

12'd Driveway

18'

Set + L&T 1-26-27

COLE ROAD oiled

110° E 3' 30"

650+79

22'

E.S Walk

H

55'

650+36

650+22

21.8

E.S Walk

Set + L&T 1-26-27

3" Pipe

29.91

90°00'

COLMA ROAD

all Macadam

648+04

648+89

23.4'

27.6'

6'

Concrete Water Gate

S 0° 03'

F.B. 1310-43

S 69° 42' 00" E

658+50.64 180°00'
360°00'

F.B. 1310-44

662+25 20' driveway

660+57

660+47

660+02

659+99

659+84

659+78

659+45

658+01.00

54'

10' driveway 249°10'

30.14 → 3"x4" 660+51.98

20' →

22.5 → Concrete Wier

27.5 →

32.4 → Concrete Wier

10' driveway

Sink 30' Water 1 sec.

30.42' → 3"x4"

F.B. 1310-45

675+28.39 184°01'
368°02'

N&T in 2x2 hub

66.4'

36.18

New Ties
2-16-26

675+28.39
Fd. N&T

65.69

Blotter Notes
Davis Inst
Fish Chain
Nutting "

S69°42'08"E

667+93.31 180°00'
360°00'

Ct. B.W.M. in Int. of Cement

33.72

111.75'

30.2

72°00'

97°00'

98°00'

New Ties
2-16-26
667+93.31

F.B. 1310-46

sc't + 2.8 T
4=26.27

67°

1X2" hub

Drop Inlet
Iron Grating

30" Pipe

674+61.5

18" Cement Pipe
5.5' Headwalls
9" Thick

90°

21'

18'

674+46

674+34
674+28

Plank Approach to driveway
over Concrete Gutter 12'x8"

6" Concrete Wall
6" Paved Gutter

252°

671+11

17.5'

17.6'

See Page 144

67°15'

30" Wier

23.7'

24" Cement Steel Pipe

3" Pipe

53.77'

116°29'

sc't + 2.8 T
4=26.27

SCOTT

oil Macadam

667+72

23.1'

3'

Concrete Wier

667+59

4'x2' Wooden Box

18.4'

667+53

3' Concrete Stand

26'

110°

F.B. 1310-47

106

S 65°41'08" E

F.B. 1310-48

107



F.B. 1310-49

108

S65°41'08"E

F.B. 1310-60

109



F.B. 1310-51

F.B. 1310-52

110

111

24°37'

Spk & T

99.00

New TIGS 2-15-26

Blotica Notes
Davis Inst
Fish Chain
Nutting "

100.00

Fd bolt & T

695+59.89

30.70

Rim Wall

35.63

37.91

Rim Conc. Pad

S 65°41'08" E

696+05.77

695+77

30.00

4"x4"

Private Road of The LEFFINGWELL RANCHO

270°

155°23'

50' + L&T 4-26-21

see page 142

695+11

25.2

695+15

59°10'

694+65
694+58
694+53
694+50

81°15'

23'
30'
30'
22.4

297°00' 121' driveway

694+38
694+37

H

7' Walk

693+76
693+61

20.8

93.6

+29
+25
693+27

693+21

30.5
20.7
29.8

693+14
693+13

2"x2" Control Posts

20.7
29.8

F.B. 1310-53

112

S65°41'08"E

F.B. 1310-54

113



F.B. 1310-55

114

719+17.11

180°00'
360°00'

New Ties
2-15-26

S 65°41'08" E

66.00

83.80
100.00

719+17.11
Fd bolt & T

Spk & T

100
93.90

Blotter Notes
Davis Last
Fish Chain
Nothing

F.B. 1310-56

115

720+22

719+75

719+17.3

719+02
719+0

713+74

713+60

30" Conc Iron Pipe

10' drive way

H
.2E
56.5'
245°54'

61'

BURNETT ST.

oiled.

18'

45'

24.2' Conc Post

114°00'30"

10' drive way

H
.2E
55'

56'

F.B. 1310-67

F.B. 1310-68

116

117

730+75.25 150°10'
312°20'

S 65°41'08" E

1926 Imp
Δ = 23°50'
R = 1500
T = 316.56
LC 623.96

Def'l
BC = 0°00.0
728 = 0°47.3
+50 = 1°44.6
729 = 2°41.9
+50 = 3°39.2
730 = 4°36.4
+50 = 5°33.7
731 = 6°31.0
+50 = 7°28.3
732 = 8°25.6
+50 = 9°22.9
733 = 10°20.2
+50 = 11°17.5
+8.265 = 11°55.0

1926 Imp data
727+58.69 BC

732+67.14 180°00'
360°00'

S 65°41'08" E

20.93
48.79
49.01
63.70
Power Pole
4"x4"

730+18.94
729+23
727+61
727+02
726+93
722+71
722+46

10' driveway 74°30'
245°40'
28.5
29
9' cement driveway
245°40'
WOODEN CRIB
3.5" x 1' x 24'
16.5
16'
FIRST AVE
10 to talces
66°56
R=C

+ 29.95
4"x4"

BC +

F.B. 1310-59

F.B. 1310-60

741+0 10' driveway

740+44 H 36' 26' ← 53' →

734+11 58' → H 20'

89°23'

733+84.4 18" Cement P.I.C. 18.6' 44.3'

89°23' +EC

(733+80.3) (H.S.M. figured from County Map)

Private Road oiled

S 89°18' 08" E

1926 Imp data
733+91.81 B4
733+82.65 EC.

F.B. 1310-61

120

S 89°37'00" E

746+90.26 179°54'



F.B. 1310-62

121



1310-64

LA-2-D, W.I.T. A14.00T 1/1

LA-2-D, W.I.T.

FINAL SURVEY

ALIGNMENT NOTES

CONST. CONTRACT 56-7VC-51F
FROM 0.4 MI W. OF WASHINGTON BLVD.
TO ORA. COUNTY LINE

MAY 1957

REF:
A 14.001
T.M. 14.1A
Const. Align. F.B.
T.M. 14.2 – 14.3
LA. Co. F.B. 1850
Tract Map 15652

E.L. SMITH & PTY.

DUNLAP
CRANFORD
BATEMAN
SERVICE
M & COY

SURVEY E.L. SMITH & PTY. DATE 5-9-57
BY # Dunlap

CALIFORNIA DIVISION OF HIGHWAYS DIST. 111

1310-65

SURVEY OF LA-2-W.I.T. INDEX A14.001 PAGE 75



F.B. 1310-66

LA-2-W.I.T. A14.001 76



F.B. 1310-67

SURVEY OF LA-2-D, W.I.T. INDEX A14·001 PAGE 477


Cont. on Pg. 9
EAST
STREET
BLVD.
S 0°05'53" E
E Survey
SANTA FE SPRINGS RD.
E Survey
100.00
Set Lot
See Page 4 for 30.10
82.22'
See Page 4 for 25°30 meas. 25.40
59.26
10+00 short
34.96
34.915
43.96
Set Lot
WHITTIER
meas. 13.915
Set Lot
Set Std. Type "B" Mon.
Sec. 09, C for Santa Fe Springs = E.C. Levels, Etc.
CALIFORNIA DIVISION OF HIGHWAYS
DIST. VII
R.+M. S 89°59'00" E
S 29°40'53" E
Set Lot on W.C. 0.53 E of Conc. Wash
Set Lot
Set Std. Type "B" Mon.
Set Std. Type "B" Mon.
Set Std. Type "B" Mon.

F.B. 1310-69

SURVEY OF _____ INDEX _____ PAGE _____

CALIFORNIA DIVISION OF HIGHWAYS

DIST. _____ CO. _____ RTE. _____

SURVEY BY _____ DATE _____

F.B. - 1310 - 70

CA-2-WIT. (WASHINGTON BLVD)

A14·001

39



F.B. 1310-71

A14·001 80

CA-2-D.W.I.T.

SANTA FE SPRINGS RD.


WHITTIER BLVD.
rec 212.82
rm&ms 212.795
℄ Survey
SHORT ST
Set L&T in Cov. C.B. on ℄ Prod.
Fd. L&T
Fd. L&T in N. end. Short St. Destroyed by Const.
Set c.s.w. ℄ pt.
See Sh. H for Ties. See Pg. H-a
Radian
100.00
EQ.
Cont. on Pg. 9
See Pg. 7 for Int. Ties.
PICKERING AVE.
S 0°01'00" E
WASHINGTON BLVD.
℄ Const.
Type "B" Mon.
Set ⅝" I.P. in p.c.c. around mon.
Fd. C.S. Nail Destroyed in Const.
ISLAND
Set L&T
Set ⅝" I.P. ℄ Const.
Fd. ⅝" I.P. S 0°01'00" E 2.00
Fd. ⅝" I.P. S 0°01'00" E 2.00
Fd. ⅝" I.P. S 0°01'00" E 2.00

F.B. 1310-73

CA-2-D, Wit. A14-001 8 82



FB 1310-74

CA-2-D A14-001 983



FB 1310-75

SURVEY OF LA-2-D INDEX A14.001 PAGE 1084


Cont. on pg. 11
Int. of Lot ℄ Prod. to p.c.
Int. of Lot ℄ Prod. to p.c.
Nothing set
Set L&T
534+79.12 ℄ Const.
9+90 ℄ Comstock
Set Spk. + Tw
Set L&T
Set L&T
Set L&T

F.B. 1310-77

SURVEY OF LA-2-D (Whittier Blvd.) INDEX A14·001 PAGE 10-86



CALIFORNIA DIVISION OF HIGHWAYS DIST. VII

SURVEY BY E.L. Smith DATE 2-6-57

F.B 1310-78

L.A. 2-D. A14·001 87



F.B. 1310 - 79

SURVEY OF L.A. 2-D. INDEX A14·001 PAGE 12 88



F.B. 1310 - 80

L.A. 2-D. A14·001 13 89



F.B. 1310 - 81

SURVEY OF L.A. 2-D. INDEX A14.001 PAGE 1590

F.B 1310 - 82

SURVEY OF L.A. 2-D. INDEX A14.001 PAGE 1591



F.B 1310 - 83

L.A. 2-D. A14·001 16 92


Cont. on pg. 17
Set Lett on N/W cor. & Ligh St.
554+72.22 P.I. ℄ Survey Bk.
554+72.09 P.I. ℄ Survey Ahd.
Set Std. brass disc Incone A14.001-23
Fd Lett
S.54°19'08"E. Ah.
S.54°12'53"E. Bk.
℄ Survey
℄ Const.
Meas = 181°52'35"
Fd bolt per A14.001-23
554+72.07 P.I. ℄ Const Bk.
554+72.25 P.I. ℄ Const Ahead.
Set Spk. Tenv
554+19.97 ℄ Const = 9+87.96 Painter Ave.
Set. no thing
Set Lett on N/W cor. & Sidewalk
Fd Lett on E Curb
Painter Ave.
S.0°02'04"W.
95.99
N. 39°59'50" E.
167.00
Fd C.S. mon. & Cullen St.
℄ 8+33.00 Fd C.S. Mon 2
1-30-57
Fd Lett per TM 14.2
Fd Lett
Set Spk. Tenv
554+72.30
Fd bolt per A14.001-23
Fd Lett
Set Lett
Set Spk. Tenv
Set Lett
Set Lett
Fd Lett
Fd Lett
Fd

F.B. 1310-85

L.A. 2-D. A14·001 1894



F.B. 1310-86

L.A. 2-D. A14·001 1895



F.B. 1310-87

SURVEY OF L. A. 2-D. INDEX A14·001 · PAGE 2096

Cont. on pg. 21

38°

38°

242.08 rec.
242.08 meas.
℄ Survey

BLVD.

P.M.S. Pan.

Set L&T

Set L&T

59.83

59.37

Set L&T on B'rad.

38.55

Barton Road

N 39° 52' 00" E.

17'

17'

59.95

40.66

Fd. L&T on E. prop. line Sta 57.

Fd. Std. brass disc

WHITTIER

100.08 rec.
100.09 meas.
S. 56° 28' 38" E.

Set Sak. T-E-W over Fd. Spk. in lead per A 14.001.25

(Tie 0.42')

571+31.03 ℄ Survey =
10+00 Barton Road

Cont from pg. 19

CALIFORNIA DIVISION OF HIGHWAYS
DIST. VII
COUNTY LA
ROUTE 24
SURVEY BY Short & McCrawford
DRAWN BY Short & McCrawford
TRACED BY
CHECKED BY
DATE 1-25-57

F.B. 1310-88

SURVEY OF L. A. 2-D. INDEX A14·001 PAGE 2097

Cont on pg. 22.

38°

38°

286.29 rec
286.26 meas
℄ Survey

BLVD.

53.94

46.11

44.03

Fd. L&T A 14.001-26

0.10

Set L&T on E. Prop. line

43.97

College Ave

S. 0° 19' 53" E.

106.77

60.25 rec
60.25 meas

242.06 rec
242.08 meas

P.M.S. Pan.

Fd. L&T 3" St. Pipe per A 14.001-26

1.0'

Set L&T

S. 56° 28' 38" E.

WHITTIER

P.M.S. Pan.

Set. Sak. T-E-W

573+72.05 ℄ Survey =
10+00 College Ave.

Cont from pg. 20

F.B. 1310 - 89

SURVEY OF L.A. 2-D. A14.001 98



F.B 1310 - 90

L.A. 2-D. A14.001 99



F.B. 1310-91

SURVEY OF: L.A. 2-D. INDEX A14·001 PAGE 100

Cont. on pg. 25

38½ 38½

249.55 rec.
249.65 meas.
℄ Survey ℄ Const.

BLVD.

Road

WHITTIER
P.M.S. Pav.

Frontage

Fd. I.P. & H. Ties
per A14.001-27

0.11

70.24

Lucia Ave.

N. 39° 55' 22" E.
Tie ct. on
S. curb chestnut

582+99.91 ℄ Survey =
10+00 Lucia Ave.

Fd. ch. ft.
Set Nail Tag
A14.001-27

271.57 rec.
271.67 meas.
S. 56° 28' 38" E.

38½ 38½

Cont. from pg. 23

CALIFORNIA DIVISION OF HIGHWAYS
DIST. VII

SURVEY BY E.L. Smith & Pty DATE 8-14-56
℄ Kirkeby

Short ℄ Dunlap 1-15-57

F.B. 1310-92

SURVEY OF L.A. 2-D. INDEX A14·001 PAGE 101

Cont. on pg. 26

P.M.S. Pav.

585+71.47 ℄ Survey =
10+00 Tilley Ave

Set Spk. tfw

271.55 rec.
271.66 meas.

℄ Survey

BLVD.

Road

Tilley

Ave.

Fd. Christen
S. curb E. end

49.55

46.77

80.02

N. 39° 55' 14" E.

m 70.28

0.02

Fd. I.P. & H. Ties
per A14.001-27

Strub Ave

N. 33° 33' 11" E.

30.68

40.00

62.24

585+49.28 ℄ Survey =
10+00 Strub Ave.

Set Spk. tfw.

249.55 rec.
249.65 meas.

S. 56° 28' 38" E.

℄ Const.

WHITTIER
P.M.S. Pav.

Frontage

Cont. from pg. 26

F.B 1310 - 93

SURVEY OF L.A. 2-D. INDEX A14·001 PAGE 26 102



F.B. 1310 - 94

SURVEY OF L.A. 2-D. INDEX A14·001 PAGE 27 103



F.B. 1310-95

SURVEY OF L.A. 2-D. INDEX A14·001 PAGE 28 104



F.B. 1310-96

SURVEY OF L.A. 2-D. INDEX A14·001 PAGE 29 105



F.B 1310-97

SURVEY OF L.A. 2-D. INDEX A14·001 30106



F.B. 1310-98

L.A. 2-D. A14·001 31107



F.B 1310-99

SURVEY OF L.A. 2-D. INDEX A14.001 PAGE 37 108



F.B. 1310-100

L.A. 2-D. A14.001 105

F.B. 1310-101

SURVEY OF L.A. 2-D. A14·001 110

F.B. 1310-102

SURVEY OF LA-2-D A14·001 111





F.B. 1310-103

SURVEY OF LA-2-D INDEX A14·001 PAGE 36112


Cont on pg 37
484.89 adj. rec.
485.00 meas
S 69°58'08" E
Set mon Blvd.
30°
90°
38.39
38.45
52.47
Set LET
646+13.42 AHEAD
646+11.72 Sec. E
℄ Const.
Curve Data:
Δ = 3°29'30"
R = 1500.00
L = 183.21
T = 177.43
I = 166°30'30"
II = 166°30'06"
Radius 2
53.86
46.91
100.94
28.00
Set LET
Set LET
Set LET

F.B. 1310-105

L.A.-2-D. A14.001 38 114



F.B. 1310-106

L.A.-2-D. A14.001 115



F.B 1310-107

L.A.-2-D A14·001 416



F.B. 1310-108

L.A.-2-D. A14·001 417



F.B. 1310-109

SURVEY OF L.A.-2-D. INDEX A14·001 PAGE 42 118

F.B. 1310-110

L.A.-2-D A14·001 PAGE 43 119



F.B. 1310 - 111

L.A.-2-D. A14.001 4420



F.B. 1310 - 112

L.A.-2-D A14.001 4421



F.B. 1310-113

L.A.-2-D

A14·001

4122



F.B. 1310-114

LA-2-D

A14·001

4123



F.B. 1310-115

LA-2-D A14.001 48 124



F.B. 1310-116

L.A.-2-D A14.001 49 125



F.B 1310-117

SURVEY OF L A.-2-D INDEX A14.001 PAGE 50 126



CALIFORNIA DIVISION OF HIGHWAYS
DIST. VII
SURVEYED BY Staff DATE 8-22-56
CHKD.