The original pages of this book are of poor quality. Care has been taken to make the best scans possible. If necessary you can arrange to see the original book at:

Department of Public Works

900 S. Fremont Ave

Survey Public Counter

Alhambra, CA 91803

F.B.1312-5

State Hwy. F.B. A91-1

F.B.1312-6

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

Line — Station

Co. Ven. Rt. 60 Sec. F — Date 6-23-32 Page (1) 6

(1)

Δ = 4°52'

R = 10,000

T = 424.95

L = 849.39

= 98+27.82 P.O.C. L.T.

1075+96.80 P.O.C. Ven.

1075

1074

1073

1072

1071

1070

10.69+61.21 B.C.

1°49.25'

1°45.6' +75

1°41.2' +50

1°36.9' +25

1°32.6'

1°28.3' +75

1°24.0' +50

1°19.7' +25

1°15.4'

1°11.1' +75

1°06.8' +50

1025 +25

0°58.2' 1075+0

Ven. Co. 0°53.9' +75

A = 3°38'30"

R = 10000

L = 635.57

+50: 0°49.6'

A25 = 0°41.3'

0°41.0'

+75 = 0°36.7'

+50 = 0°32.4'

+25 = 0°28.2'

0°23.9'

+75 = 0°19.6'

+50 = 0°15.3'

+25 = 0°11.0'

0°06.7'

+75 = 0°02.4'

0°00'

Δ 68°03'32" Ven. = S 67°56'28" E

L.T.

set L.T.

F.B.1312-7

State Hwy. FB. A91-2

F.B.1312-8

555

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

Co. LA Rt. 60 Sec. A Date 6-13-32 Page 2

_____ Line

Station				
			S 72° 48' 30" E	
100 + 41.62	E.C.			0°36.75'
+25				0°34.0
100		Δ = 1°13'30"		0°29.7'
+75		R = 10000	LA Co.	0°25.4'
+50		L = 213.30		0°21.1'
+25				0°16.8"
99		T = 106.91		0°12.5'
+75				0°08.2
+50				0°03.9'
98 + 27.97	P.C. LA			0°00
1075 + 74.62	P.C. Ven.			
		Δ = 4°52'		
		R = 10000		
		L = 849.39		
		T = 424.95		
106 + 61.21				
P.I.				



F.B. 1312-9

F.B. 1312-10

State Hwy. F.B. A91-3

556

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

Line

Station

Co. LA Rt. 60 Sec. A — Date 6-13-32 Page 3

112+48.72 P.O.T.

109+83.34 P.O.T.

107+67.63 P.O.T.

105+63.89 P.O.T.

102+99.74 P.O.T.

S 72°48'30" E

75° — 75° — Set nail in 1" iron pipe

45.50 — 99.75 — Set nail in 1" iron pipe

Set 2x2 — Set 2x2

60° — 75.00 — 2"x2" Hub

90°

75.00 — 75.00 — 2x2 Hub

90°

Set 2x2 — Set 2x2

50° ± — 74.93 — 2x2 Hub

90°

F.B. 1312-11

F.B. 1312-12

State Hwy. FB. A91-4

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

Co. LA Rt. 60 Sec. A Date 6-11-32 Page 4

55

Station				
	Line	7940		
		10°		
			+75	11°07
+50				10°45.4
			+25 =	10°24
+2024	P.O.C.			10°19.8'
123				10°02.5'
			+75	9°41
				9°19.5'
			+25	8°57
122				8°36.5'
			+75	8°15
				7°53.5'
			+25	7°32
121		Δ = 41°19'30"		7°10.6'
			+75	6°49
		R = 2000		6°27.2'
			+25	6°6
120		T = 754.24		5°44.6'
			+75	5°23
		L = 1442.51		5°01.7'
			+25	4°40
119				4°18.7'
			+75	3°57.2
				3°35.7'
			+25	3°14.2'
118				2°52.8'
			+75	2°31.2
				2°09.8'
			+25	1°48.2
117				1°26.8'
			+75	1°05.2
				0°43.8'
			+25	0°22.3
116				0°00.9'
115+98.28	B.C.			

S 72°48'15" E



76733

F.B. 1312-13

State Hwy. FB. A 91-5

F.B. 1312-14

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

558

Co. L.A. Rt. 60 Sec. A Date 6-11-32 Page 5

Station	Line		
130+72.43	P.O.T.	N. 65°52' E	
+41.43	E.C.		20°39.75'
+25			20°25'
130			20°09'
		1942	19°21.1'
		18°59	18°38.1'
129		18°16	
		17°33	17°55.1'
		16°50	17°12.2'
128		16°07	16°29.2'
		15°25	15°46.2'
127		14°42	15°03.2'
		13°59	14°20.3'
126		13°16	13°37.3'
		12°33	12°54.3'
125		11°50	12°11.4'
			11°28.4'
124			



F.B. 1312-15

F.B. 1312-16

State Hwy. F.B. A 91-6

STATE OF CALIFORNIA
DIVISION OF HIGHWAYS

559

Co. L.A. Rt. 60 Sec. A Date 6-10-32 Page 6

Station	Line			
			N 87°-54'-30" E	
148+87.16	E.C. = (147+29.61 Eq. Orig.)			11°01.25'
				10°29.3'
148				9°46.3'
				9°03.4'
147				8°20.4'
		Δ = 28°02'30"		7°37.4'
146		R = 2000		6°54.5'
		T = 389.72		6°11.5'
145		L = 769.40		5°28.5'
				4°45.5'
144				4°02.6'
				3°19.6'
143				2°36.6'
				1°53.7'
142				1°10.7'
				0°27.7'
141+17.26	B.C.		N 65°-56'-E	

Fd L & T

P.I. nail in 1" pipe

old B.C.

389.72

142+21.03

Δ 2°39'00" Mon's
Δ 2°57'30" P.C.C.
R = 2000
L = 103.27

Va. 2 x 2 7-26-35

L. & T. 1-26-35

Va. 2 x 2

60.0

5.0

Resot 5-16-36

76733

F.B. 1312-17

State Hwy. FB. A 91-7

F.B. 1312-18

560

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

Co. LA Rt. 60 Sec. A

Date 6-8-32 Page 7

Line

Station

Hawkins Notes
Smith A
Facen H.C.
Dito P.C.
Collin stakes

164+03.35 E.C.

S 72° 29' 30" E

Δ = 21° 36'

R = 2000

T = 381.52

L = 753.98

Δ = 21° 35' 30"

R = 2000

T = 381.38

L = 753.69

Orig. Comb. Sec 58.36

156+49.77 B.C.

N 87° 54' 30" E

P.I. Pt. 148085 (148083 orig)

E.C.

0.09 Lt

Fd L + T. (162+95.77 Orig E.C.)

Fd. 2" Pipe P I

New B.C.

Fd. L + T. (154+92.08 Orig B.C.)

F.B.1312-19

F.B.1312-20

State Hwy FB. A91-8

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

561

Co. LA Rt. 60 Sec. A Date 6-7-32 Page 8

Station	Line	
183+92.20	P.O.T.	(182+39.38 orig.) See F.B. 76
177+57.82	P.O.T.	(176+00 orig.)

Fd L. & T.

Fd L. & T.

S 71° 28' 50" E

70733

F.B. 1312-21

State Hwy F.B. A91-9

F.B. 1312-22

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

562

Co. L.A. Rt. 60 Sec. A Date 6-7-32 Page 9

Station	Line		
			S 80°45'30" E
192+85.81	E.C.		
		Δ = 10°16'	
		R = 2000	
		T = 179.67	
		L = 356.37	
		Δ = 10°15'	
		R = 2000	Orig Curve
		T = 179.37	See F.B. 30
		L = 357.79	
189+27.44	B.C.		
			S 71°29'30" E
			3084.88 P.I. & P.T. (3084.99 orig)

0.30 — set X-in Pav. New E.C.

Fd. L. & T. (191+27.80 orig.)

Fd. L. & T. P.I.

0.30 — Fd. L. & T. (187+70.01 orig)

Set X in Pav. New B.C.

76723

FB.1312-23

FB.1312-24

State Hwy. FB. A91-10

563

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

Co. LA Rt. 60 Sec. A Date 6-7-32 Page 10

Line Station		
250+55.25	P.O.T. =	(250+50 Orig. See F.B. 36 & 60)
240+06.12	P.O.T. =	240+00 Orig.
230+06.48	P.O.T. =	230+00 Orig.
220+07.14	P.O.T. =	220+00 Orig.
211+74.52	P.O.T. =	{211+66.22 E.C. / 210+17.15} See F.B. 36
202+07.23	P.O.T. =	200+50 Orig.

S 80°45'30" E

2068.38 P.T. to Equa. = 2068.23 Orig.

℄ Fd. L.+T.

℄ Fd. L.+T.

℄ Fd. L.+T.

℄ Fd. L.+T.

℄ Fd. L.+T

F.B. 1312-25

State Hwy F.B. A 91-11

F.B. 1312-26

564

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

Co. L.A. Rt. 60 Sec. A Date 6-7-32 Page 11

Station	Line	
274+36.41	E.C.	S 83°14'30" E
		Δ = 2°34'
		R = 10,000
		T = 224.02
		L = 447.97
		Δ = 2°34'30" → Orig. see F.B. 36
269+88.44	B.C. Lt.	
		S 60°45'30" E
256+05.22	P.O.T. (256+00 orig.)	Equals P.I. 60+37.94
		604+1.97 Orig.

X in Pav.

Found L & T.

272+12.46
(272+08.96 Orig.)

Set Nail & Pav.

Found L & T.

F.B. 1312-27

F.B. 1312-28

State Hwy. FB. A 91-12

565

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

Co. LA Rt. 60 Sec. A

Date 6-7-32 Page 12

Station	Line
290+22.1	P.O.T. = 290+20.00 Orig. (See F.B. 36 LA 60 A)
283+91.86	
283+82.36	P.O.T. = 283+90.15 Orig. (See F.B. 36)

S 83° 19' 30" E

* L. & T.

* 0.16 off line Found L. & T.

F.B.1312-29

State Hwy. FB. A 91-13

FB.1312-30

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

566

Line

Co. LA Rt. 60 Sec. A Date 6-7-32 Page 13

Station		
		S 87° 40' 30" E
298+67.32	E.C.	
	Δ = 4°21'	
	R = 10,000	
	T = 379.79	
	L = 759.22	
	Δ = 4°22'	
	R = 3000	
	T = 114.37	Orig. Const.
	L = 228.64	
291+08.10	B.C.	
		S 87° 19' 30" E
		2275.46 Ft. to P.I. Dist. — 22.76.90 orig. (See F.B. #36)

Lo. L+T. 5-16-36 R.M.H.

Fd. L+T. 294+87.82 (294+85.86 orig.)

Lo. L+T 5-16-36 R.M.H.

F.B.1312-31

F.B.1312-32

State F.B. A91-14

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

Co. LA Rt. 60 Sec. A

14

567

Date 6-5-32 Page 14

Line

Station

318+31.24 P.O.T. (orig. B.C.) beginning A 3 line

23437) Mag. ± 234.38 Ahd
(See: F.B. 36 LA-60-A)

L.A.T.

Set spot & nail
5-16-36
R.M.H.

30870

307+40.58 P.O.T. (orig. 307+40.00 see Book #36 LA-60-A)

L.A.T.

S 87° 40' 30" E

F.B. 1312-33

F.B. 1312-34

State F.B. A91-15

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

Co. L.A. Rt. 60 Sec. A Date 12-5-36 Page 1

Cool & Cloudy

W. Blother - Chief
J. Anderson - π - Notes
E Bennett - H.Ch.
L. Fisher - R.Ch.
H. Stocking - Stakes
R. Bennett - Sights

Set 1"x2" Tack

15.00 15.00

Set L & T in pave 5-16-38 E.M.H.

319+11.52
318 31.24
80.28

A± Line Station					
+25			0° 04'		
319+11.52	B.C.	1016.00	0° 0°	S 87° 11' 30" E	
318+31.24 A± P.O.T.					
318+31.24 B.C. =					
	80.28				

Fd L & T

R.P. Hub T — 60.00 — Set — R.P. Hub T — 50.00

100.00

Set X

100.00

Set X

Fd. L & T. .15 South

F.B. 1312-35

F.B. 1312-36

State F.B. A91-16

A4 Line

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

16

Station

Co. L.A. Rt. 60 Sec. A

Date 12-7-36 Page 2

Cool & Cloudy

Station					
+25			1° 13½'	✓	
321			1° 04½'	✓	
+75			0° 56½'	✓	
+50			0° 47½'	✓	
+25			0° 39°'	✓	
320			0° 30½''	✓	
+75			0° 21½'	✓	
+50			0° 13½'	✓	
319+25			0° 04½'	✓	

W. Blother - chief
J. Anderson - Notes
R. Bennett - T
E. Bennett - H. Ch.
H. Stocking - R. Ch.
L. Fisher - Stakes

76733

F.B. 1312-37

F.B. 1312-38

State F.B. A91-17

A4 Line

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

17

Station

Co. L.A. Rt. 60 Sec. A

Date 12-7-36 Page 3

Station					
+25			2° 22½'	✓	
323			2° 13½'	✓	
+75			2° 05½'	✓	
+50			1° 56½'	✓	
+25			1° 47½'	✓	
322			1° 39½'	✓	
+75			1° 30½'	✓	
+50			1° 22½'	✓	
321+25			1° 13½'	✓	

FB.1312-39

FB.1312-40

State F.B. A91-18

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

A 4 Line

Co. L.A. Rt. 60 Sec. A

Date 12-7-36 Page 4

Station					
+25			3° 30 1/2'	✓	
325			3° 22 1/2'	✓	
+75			3° 13 1/2'	✓	
+50			3° 04 1/2'	✓	
+25			2° 56 1/2'	✓	
324			2° 47 1/2'	✓	
+75			2° 39 1/2'	✓	
+50			2° 30 1/2'	✓	
323+25			2° 22 1/2'	✓	

State F.B. A91-19

STATE OF CALIFORNIA
DIVISION OF HIGHWAYS

At Line

Co. L.A. Rt. 60 Sec. A

19

Date 12-7-36 Page 5

Station					
+25			4° 39 5	✓	
327			4° 30 9	✓	
+75			4° 22 3	✓	
+50			4° 13 7	✓	
+25			4° 05 1	✓	
326			3° 56 5	✓	
+75			3° 47 9	✓	
+50			3° 39 3	✓	
325+25			3° 30 7	✓	

F.B. 1312-43

F.B. 1312-44

State F.B. A 91-20

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

Co. L.A. Rt. 60 Sec. A — Date 12-7-36 — Page 6

20

Station					
+75		244.27 cur.	5° 31½'	S 82° 28' 30" E	S 84° 30' E
+50			5° 22½'		
		Δ = 21° 13' 00"			
		R = 5000'			
+47.26	P.I.	T. = 935.72'			
		L. = 1850.05'			
		Ext. = 86.81'			
+36.54	M.P.C.		5° 18' 00"	S 87° 40' 30" E	
+25			5° 13½'		
328		1016.00'	5° 05.3'		
+75			4° 56½'		
+50			4° 48'		
327+25			4° 39.5'		



F.B. 1312-45

F.B. 1312-46

State F.B. A91-21

STATE OF CALIFORNIA
DIVISION OF HIGHWAYS

21

A4 Line

Co. L.A. Rt. 60 Sec. A

Date 12-7-36 Page 7

Station					
775			6° 40°		
750			6° 31½'	✓	
725			6° 22½'	✓	
330			6° 14½'	✓	
775			6° 05½'	✓	
750			5° 57°'	✓	
725			5° 48½'	✓	
329			5° 39½	✓	
329+75			5° 31½'	✓	

74739

FB. 1312-47

F.B. 1312-48

State F.B. A91-22

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS

Co. L.A. Rt. 60 Sec. A — Date 12-7-36 Page 8 ✓

22

A4 Line

Station		
+75		7° 48'
+50		7° 40'
+25		7° 31'
332		7° 23' ✓
+75		7° 14'
+50		7° 05'
+25		6° 57'
331		6° 48' ✓
330+75		6° 40' ✓

F.B. 1312-49

F.B. 1312-50

State F.B. A 91-23

A 2 Line

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

23

Station

Co. L.A Rt. 60 Sec. A

Date 12-7-36 Page 9

Station					
+75			8°57½'		
+50			8°49½'	✓	
+27			8°41'		
+25			8°40½'		
+23			8 40		
334			8°31⅝'	✓	
+75			8°23⅝'	✓	
+74.69			8°23'		
+50			8°14⅝'	✓	
+25			8°06½'	✓	
333			7°57¼'	✓	
332+75			7°49⅝'	✓	

P.O.S.T.

Set 1" I.P. 2 FT

687.58 ft. F.I.

F.B. 1312-51

F.B. 1312-52

State F.B. A 91-24

STATE OF CALIFORNIA — DIVISION OF HIGHWAYS — 24

Co. L.A. Rt. 60 Sec. A — Date 12-7-36 Page 10

Station	Line	
	A4	
475		10°06½'
450		9°57½'
425		9°49'
336		9°40½'
475		9°32½'
450		9°23½'
425		9°14½'
335	P.O.C.	9°06½'
334+75		8°57½'

P.O.S.T. Set 1"x12"T 837.83 ft. P.I.

P.O.S.T. Set 1"x12"T 837.05 ft. P.I.

P.O.C. Set 1"x12"T

F.B. 1312-53

F.B. 1312-54

State F.B. A 91-25

A9 Line

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

25

Co. L.A. Rt. 60 Sec. A

Date 12-7-36 Page 11

Station			
346+77.98	P.O.T.		
337+61.57	E.C.	10°36'00"	
450		10°32½'	
425		10°23½'	
337		10°15½'	
336+75		10°06½'	

566°28'30"E

346°30'E

3/8" steel in conc.

117.59

94°46'

Set 2"x2"x4' Red Bath Stake

46.42

70.33

3/8" steel in conc.

5510

15.00 x 15.00 / 2 = 5375 = 5385 sq ft

Set Lot 4-27-38 T.M.H.

Set 2x2s

Cont on FB 1319-5

F.B.1312-55

F.B.1312-56

State Hwy. F.B. A91.2-17

STATE OF CALIFORNIA

DIVISION OF HIGHWAYS

G. W. Elder & Party
R. McKesson. Notes (17)

Co. LA Rt. 60 Sec. A

Date 1/22/37 Page 1
1/23/37

Line

Station

Steep Hill Canyon

366+00

E.C.

361+85.31 130.42

134.22

90°00'

Set 3/8" ϕ Reinf Bars in Concrete 1/28/37

355+67.02 P.I. #2

Set 3/8" ϕ Reinforcing bar in concrete 1/28/37

346+71.98 P.O.T.

348+42.64 P.C.

Set 3/8" ϕ Reinf bar in concr. 117.59

116.75

Set 3/8" ϕ Reinf bar in concrete

94°40'

337+61.57 E.C.

Set 3/8" ϕ Rein. bar in concrete No. ref. pts set

328+47.24 P.I. #1

319+11.52 P.C.

F.B. 1312-58

A91 -001 37

LA 60 A

ALIGNMENT

Malibu Creek to Los Flores Creek

915+17.29 — 1069+53.00

Ref Note: these 4 points reset from BK A91.001 some additional ties have been added

April 1949

Party

R.M. Haverstick

W.P. Devine

H.T. Peasnall

R.G. Clark

G.P. Dourum

F.B. 1312 - 59

F.B. 1312 - 60

A91 - 001 38

LT 60 F

Malibu

Lagoon



See page 89

A91 - 001 39

LA 60 F



F.B. 1312-61

F.B. 1312-62

LR 60 E

A91 -001

40



℄ Survey
L= 21°17'45"
R= 2000
T= 376.02
L= 743.36

947+68.93 BC
947+68.93 10389
+50 10.22 L
947 9.39 L
+50 8.56 L
946 8.73 L
+50 7.90 L
945 6.47 L
+50 6.04 L
944 5.21 L
+50 4.38 L
943 3.85 L
+50 3.12 L
942 2.29 L
+50 1.46 L
941 1.04 L
+50 0.21 L
946+35.57 BC

LR 60 E

A91 -001

41



F.B. 1312-63

F.B. 1312-64

LA 60 A A91 -001 6 42



Δ= 20 51 30
D= 3000
T= 552.18
L= 1092.14
Ex 50.37

96+77.56	= 10°35.7
450	= 9°59
965	= 9°03
450	= 9°01.7
964	= 8°33
450	= 8°04.4
963	= 7°35.7
450	= 7°07.1
962	= 6°38.4
450	= 6°09.8
961	= 5°41.1
MPC 450'	5.13
450	= 5°12.5
960	= 4°43.8
450	= 4°15.2
959	= 3°46.5
450	= 3°17.9
958	= 2°49.2
450	= 2°20.6
957	= 1°51.9
450	= 1°23.3
956	= 0°54.6
955+50	= 0°26.0

Set 5/8 CHC-BC in 2"
I.P. PCC collar
2" deep 6-20-49

LA 60 A A91 -001 7 43



F.B. 1312-65

SURVEY OF LA 60 A PROJECT A91 -001 PAGE 44



965.17	5°10'3
960	5°00'2
959	4°45'1
950	4°30'0
948	4°14'8
940	3°59'6
937	3°44'5
930	3°29'3
926	3°14'2
920	2°59'0
915	2°42'9
910	2°27'8
904	2°12'6
900	1°57'5
893	1°42'3
890	1°27'1
882	1°12'0
880	0°56'8
871	0°41'7
860	0°26'6
850	0°11'4
839.62	0°00

F.B. 1312-66

LA 60 A A91 -001 PAGE 45



F.B. 1312-67

F.B. 1312-68

SURVEY OF LF 60 A INDEX A91 -001 PAGE 10 46



LF 60 A INDEX A91 -001 PAGE 11 47



℄ 46°00 = 2°30
450 = 2°09.2
1015 = 1°54.2
450 = 1°39.3
1014 = 1°24.3

℄ Survey
450 = 1°09.3
1013 = 0°54.4
450 = 0°39.4
1012 = 0°24.4
450 = 0°09.4
10+17.18 42 = 0°00

℄ Imp
Δ = 4°51.56
R = 5750.80
T = 244.33
L = 488.36

1062 = 2°24.0
1014 = 2°23.5
450 = 2°08.6
1015 = 1°53.7
450 = 1°38.8
1014 = 1°23.9
450 = 1°09.0
1013 = 0°54.1
450 = 0°39.2
1012 = 0°24.3
10+17 450 = 2°09.4

F.B. 1312-69

F.B. 1312-70

LA 60 A A91 -001 12 48



LA 60 A A91 -001 13 49



42

F.B. 1312-71

F.B. 1312-72

SURVEY OF LF 60 A — A91 -001 — PAGE # 50

LF 60 A — A91 -001 — PAGE # 51



F.B. 1312-73

F.B. 1312-74

SURVEY OF LA 60 R A91 -001 PAGE 52

SURVEY OF LA 60 R A91 -001 PAGE 53


N
Record
Δ = 25°26'30"
R = 1837.93
T = 414.90
L = 816.12
Calc
Δ = 25°28'08"
T = 414.775
Set Fd CHC BC Mon
L° Degr 6-22-49
L+T on curb
39.54
41.90
36.97
L+T on curb
1037+33.57 PCC
1037+30.30 PCC =
N 14°36'30" E
414.775' Calc
L+T on curb
Fd 2x2 buried 4"
PI see detail
L+T on curb
post
L+T on curb
L+T on curb
40.35
36.77
Set Spike
47.96
+ on Curb
1045+14.969 EC
L+T on curb
L+Tan curb
39.70
Fd 3/4" I.P.
used as B.M.
N 77°07' E
Surface
L+T on curb
L+T on curb
L+T on curb

F.B. 1312-75

SURVEY OF LA 60 A A91 -001 PAGE 54

N

S 77°07' E Survey

R=419

Rad

F.B. 1312-76

SURVEY OF LA 60 A A91 -001 PAGE 55



F.B. 1312-77

Survey of LA 60 A

A91 -001

20 56



F.B. 1312-78

Survey of LA 60 A

A91 -001

21 57

Continued 1320-76



F.B. 1312-79

SURVEY OF LA-60-A INDEX A91-001 PAGE 13 ①

CALIFORNIA DIVISION OF HIGHWAYS DIST VII

FINAL SURVEY
LA-60-A

REFERENCES
A-91.4, CONST. NOTES & R.P.s set before, during & after CONST.

11 SHEETS

JUNE 21ST, 23RD, 24TH & 25TH 1948

THOMPSON	
ZIPPERMAN	A.
FARNSWORTH	H.C.
PUTNEY	C.C.
KNIGHT	R
PETZAR	R
PARKER	R

INST. K&E #61669 = 30"
TAPE #8 STD. @ 67° & 26°
COOL & CLOUDY

SURVEYED BY THOMPSON DATE JUNE 1948

F.B. 1312-80

SURVEY OF LA-60-A INDEX A91-001 PAGE 14 ②

See R.S.M. No.

CALIFORNIA DIVISION OF HIGHWAYS DIST VII



SURVEYED BY THOMPSON DATE 6-21-48

Continued from FB. 1320-42

Cont. From 1320 - 41

F.B. 1312-81

F.B. 1312-82

SURVEY OF LA-60-A INDEX A91 -001 PAGE 15 ③

See R.S.M. No.

CALIFORNIA DIVISION OF HIGHWAYS DIST V11

SURVEYED BY Thompson DATE 6-23-48

Ref. A-91 L&R Ps.
Tape #8 Sta. @ 67+

Latigo Canyon

676.17 M
N 70° 46' 10" E

10°15'22"M

Fd. L&T R.A.
19.63
4.15

720+50.00 R.O.C. Const
Set chis. ± from R. Ps.

733.59 M
N 15° 22' 40" E

Meas.
733.405 @64+

5°15'11"M

19.25
3.82
Fd. L&T R.A.

713+13.38 B.C. Const
Set 1x2 ST from R. Ps.

395.50 M

Meas.
395.31 @66+
395.50 @65+

19.27
4.19
Fd. L&T R.Ps.

709+20± R.O.T. Const
Set 1x2 ST from R. Ps.

N 35° 11' 35" E Rec.
378.18 M

Meas.
378.183 @67+
378.20 @65+

RECORD CURVE DATA
Δ: 20°30'30"
R: 4000
T: 723.62
L: 1431.75
Lc: 1424.08

I: 10°15'30"
Δ: 41°21'30"
S: 82°03'15"
Ans: 10°15'24"

I: 5°15'00"
Δ: 21°01'00"
S: 42°01'00"
Ans: 5°15'11½"

SURVEY OF LA-60-A INDEX A91 -001 PAGE 16 ④

See R.S.M. No.

CALIFORNIA DIVISION OF HIGHWAYS DIST V11

SURVEYED BY Thompson DATE 6-23-48

Ref. A-91 L&R Ps.
Tape #8 Sta. @ 67+

N 72° 56' E 1422.62

4°23'01"M

Meas.
293.64 @67+

8.76
Fd. L&T R. Ps.

738+51.41 E.C. Const.
Set 1x2 ST from R. Ps.

14.73

RECORD CURVE DATA
Δ: 8°48'00"
R: 3800
T: 292.59
L: 583.44
Lc: 583.07

I: 4°23'00"
Δ: 17°32'00"
S: 35°04'30"
Ans: 4°23'03½"

N 71° 17' 36" E
583.02 M

Meas.
583.02 @67+

I: 4°22'30"
Δ: 17°30'30"
S: 35°01'30"
Ans: 4°22'41½"

4°22'17"M

19.57
3.21
Fd. L&T R.A.

732+67.27 B.C. Const
Set 1x2 ST from R. Ps.

3-9-62

N 35° 40' 17½" E
520.20 M

Meas.
520.20 @68+

I: 4°38'00"
Δ: 19°32'30"
S: 37°15'00"
Ans: 4°38'07½"

4°38'07½"M
07 use: 13

19.66
19.63
3.28
Fd. L&T R.B.

727+47.13 E.C. Const
Set 1x2 ST from R. Ps.

Set Lead Spk w/T
5-3-62

N 70° 42' 10" E
694.17 M

Meas.
676.18 @65+

F.B. 1312-83

F.B. 1312-84

SURVEY OF LA-60-A INDEX A91 -001 PAGE 17 ⑤

See R.S.M. No.

CALIFORNIA DIVISION OF HIGHWAYS DIST. VII

SURVEY BY Thomas DATE 6-23-83

Ref. A. 91.4 & R.P.
Tape #8 Sta. 367+

1= 5°28'30"
Δ= 21°53'00"
S= 43°45'45"
Ave= 5°28'13⅛"

5°28'13"M

756+12.10 B.C. Const.
Set 1x2 ST. from R.Ps.

15.34
9.14

Meas.
574.14 @ 66°

RECORD CURVE DATA
Δ= 10°59'00"
R= 3000
T= 288.13
L= 575.09 Lc= 574.20

576.135 M
N 80°32'37½"E

671.97 M
N 75°24'24½"E

Meas.
611.96 @ 68°

1= 4°06'30"
Δ= 16°26'00"
S= 32°51'45"
Ave= 4°06'28⅛"

4°06'28"M

750+00.20 E.C. Const.
Set Temp. Md. on M.H. on ℄
Set P.K. in rim of M.H. on R.R. Line

4.23
13.82
Fd. L&T R.Ps.

RECORD CURVE DATA
Δ= 8°10'00"
R= 6000
T= 428.33
L= 855.21
Lc= 854.52

Meas.
854.41 @ 67°

854.415 M
N 70°57'50½"E

1= 4°03'00"
Δ= 16°13'30"
S= 32°27'15"
Ave= 4°03'24⅜"

4°03'24"M

9.06
Fd. L&T R.Ps.

741+44.99 B.C. Const.
Set 1x2 ST. from R.Ps.

14.69

Set Type SRR w/ Tag
Sta. 2

SURVEY OF LA-60-A INDEX A91 -001 PAGE 18 ⑥

See R.S.M. No.

CALIFORNIA DIVISION OF HIGHWAYS DIST. VII

SURVEY BY Thomas DATE 6-23-83

Ref. A. 91.4 & R.P.
Tape #8 Sta. 667+

1= 3°25'00"
Δ= 13°41'00"
S= 27°21'15"
Ave= 3°25'09⅜"

3°25'09"M

778+75.59 E.C. Const.
Set 1x2 ST. from R.Ps.

14.44
7.86
Fd. L&T R.Ps.

Meas.
593.51 @ 67°

RECORD CURVE DATA
Δ= 6°48'10"
R= 5000
T= 297.18
L= 593.65
Lc= 593.35

1= 3°23'00"
Δ= 13°32'30"
S= 27°04'45"
Ave= 3°23'05⅜"

3°23'06"M

772+81.94 B.C. Const.

9.37
15.26
Fd. L&T R.Ps.

Meas.
1074.34 @ 67°

1= 5°29'30"
Δ= 21°59'30"
S= 43°59'15"
Ave= 5°29'54⅛"

5°29'54"M

761+87.19 E.C. Const.
Set 1x2 ST. from R.Ps.

15.29
9.19
Fd. L&T R.Ps.

F.B. 1312-85

F.B. 1312-86

SURVEY OF LA-60-A INDEX A91 -001 PAGE 19

See R.S.M. No.

CALIFORNIA DIVISION OF HIGHWAYS DIST. VII

SURVEYED BY THOMPSON DATE 6-24-43

Ref. A-91.4 & R.B.
Tape #8 Sta. @ 67+

5°26'56" M

I: 5°57'00"
L: 21°47'30"
S: 43°35'30"
Avg: 5°26'56½"

806+50.45 B.C. Const.
(No R.R.) Set 1x2 8T on Spl. of Curbs 1456.04 from 791+94 Ec. Rec. Dist.

Set Chis x 2 Set Chis. x

5.48 5.48

Meas: 1456.01 @ 70+

N 11°10'58"E 1456.04 (R)

5°45'21" M

I: 5°45'30"
L: 23°02'30"
S: 22°05'30"
Avg: 5°45'41½"

791+94.41 E.C. Const.
Set 1x2 8T from R. Ps.

8.27 19.66

Meas: 601.69 @ 68+

N 10°54'37"E 601.82 (R)

RECORD CURVE DATA
Δ: 11°30'26"
R: 3000
T: 302.42
L: 602.81
Lc: 601.79

5°45'07½" M

I: 5°44'30"
L: 23°00'00"
S: 22°01'00"
Avg: 5°45'07½"

OB Sta. 1+12.

785+91.69 B.C. Const.
Set 1x2 8T from R. Ps.

14.22 9.38

FA L&T R.R.

Const. Equation
779+14 Ec E.C. Const. Ahd
779+63 Sc P.O.T. Ld

785.07 S 3°-07'-11½"E

?

Meas: 785.07 @ 67+

SURVEY OF LA-60-A INDEX A91 -001 PAGE 20

See R.S.M. No.

CALIFORNIA DIVISION OF HIGHWAYS DIST. VII

SURVEYED BY THOMPSON DATE 6-24-43

Ref. A-91.4 & R.B.
Tape #8 Sta. 867+

RECORD CURVE DATA
D: 7°37'00"
R: 3000
T: 199.70
L: 398.81
Lc: 398.51

N 3°-43'-34"E 1376.31 (R)

3°43'34" M

I: 3°28'00"
L: 15°12'30"
S: 30°18'30"
Avg: 3°43'33¾"

Meas: 398.37 @ 66+

839+27.76 B.C. Const.
Set 1x2 8T from R. Ps.

Fd. L&T R. Ps.

9.43 7.65

Meas: 1376.27 @ 70+

1376.31 (R)

Final Survey P.O.T.
Set 2x2 8T on ℄ Fin. Survey

5.44 5.44

Set Chis x 2 Set Chis. x

I: 5°24'30"
L: 21°37'45"
S: 43°15'45"
Avg: 5°24'28½"

5°24'28" M

Meas: 831.495 @ 70+

N 3°-57'-32"E 831.51 (M)

5.21 5.21

Set Chis. x 2 Set Chis. x

817+19.24 E.C. Const.
(No R.R.) Set 1x2 8T on Spl. of Curbs
Rec. Dist. 2707.82 from 839+27

RECORD CURVE DATA
Δ: 10°52'01"
R: 3000
T: 285.35
L: 569.97
Lc: 568.13

N 3°-43'-34"E 364.85 (R)

Meas: 366.12 @ 63+

F.B. 1312-87

SURVEY OF LA-60-A INDEX A91-001 PAGE 21 ⑨

See R.S.M. No.



CALIFORNIA DIVISION OF HIGHWAYS DIST. VII

THOMPSON DATE 6-24-48

F.B. 1312-88

SURVEY OF LA-60-A INDEX A91-001 PAGE 22 ⑩

See R.S.M. No.



CALIFORNIA DIVISION OF HIGHWAYS DIST. VII

THOMPSON DATE 6-24-48

EB 1312-95

SURVEY OF Malibu Cyn. Conn. Rd. & LA-60-A
FINAL SURVEY 557-VC-31

A91.001 364


9+18.12 P.C. Curb
9+33.71 E.C. "N"
P.C.C. PAVEMENT
7+63.95 E.C.
7+20 P.C. "N"
Set Chisel X in P.C.C. P.
16 Ea. Sta. 2
Set Chisel X in P.C.C. P.
8 Ea. Sta. 2
Set K.S. in Curb
Set K.S. in Curb
Set K.S. in Curb

F.B 1312-93

SURVEY OF MALIBU CYN. CONN. ROAD INDEX A91.001 PAGE 62
Final Survey 557-VC-31



F.B. 1312-94

SURVEY OF Malibu Cyn. Conn. Rd. #LA-60-A A91.001 PAGE 63
Final Survey 557-VC-31

F.B. 1312-91

SURVEY OF LA-60-A INDEX A91.001 PAGE 60

REFERENCES
A-91-001 pg 22
CCM 918
Co. Sur. Map B-1603-1
Const. Map Malibu Can. Rd.

Note:
① Equa at EC 902+ is due to differences in Const & Record alignment. This stated per Record align.
② Only tie located on Co. Rd. Was Brass Cap P.O.S.T. Error in closing ∠ to P.O.S.T. is assumed due to differences in bearings.



Curve Data per A-91-001, 22

Record	Const.
Δ = 12°48'30"	Δ = 12°45'50"
R = 3000	R = 3000
T = 336.65	T = 335.55
L = 670.50	L = 668.32

CALIFORNIA DIVISION OF HIGHWAYS dist. VII

SURVEY BY J. Thompson DATE 1-22-54

F.B 1312-92

SURVEY OF INDEX A91.001 PAGE 61

LA-60-A

MALIBU CYN. CONN. Rd.
& OLD MALIBU Rd. REALIGN.

FINAL SURVEY

L.A.-60-A
557-V.C.-31

H.C. Durrent
K.V. Johnson
V. Diaz
R. Fornaly
J. Holzman

APRIL 11, 1955

F.B 1312-89

SURVEY OF LA-60-A

A91 -001

23

See R.S M. No.

CALIFORNIA DIVISION OF HIGHWAYS DIST. VII

SURVEY BY THOMPSON DATE 6-25-48

Ref. A-91.4 & R.B.
Table 8 Sta. 8+67.6

931+67.38 P.I. Ahd. Line A-91.4 R. 41'
Fd. Nail in 1" I.P. 8" Deep

10' Dirt Road

Asphalt Road

535.97 Rec.

926+33.41 B.C.
Set P.K. nail at int. of 4 fd. 8 sides.

N. 83° 04' 39" E. Meas.
1116.12 M
N-83°-15'-00"-E Rec.

MALIBU

LAGOON

Meas.
1116.09 @ 7.16

7°04'02" M

I = 7°04'30"
Δ = 28°16'00"
R = 56°32'15"
Area = 7°04'01.6"

10.88

915+17.29 P.I. Ahd. EQUAT.
932+03.17 E.C. BK.
Set PK & chis X in new Pcc Pvmt.

Set PK & chis X in Curb over C.L.

Set PK & chis X 11' from E.R.

11.82

739.065' M

S 83°-51'-20" E

North Bound

South Bound

Meas.
739.08 @ 64.6

SURVEY OF LA-60-A
Malibu Conn. Rd
Const. Ties

A91.001

PAGE 66

5

CALIFORNIA DIVISION OF HIGHWAYS DIST. VII

SURVEY BY Hemphill & Co. DATE 10-6-54

931+62.28 BC.
Fd Std. Brass Cap
in Conc. in Divider

Set 2x2 ET
2' Dn.

100°

70°

40 to R.R. EC

Ret R=50'

R=50

N 7°20'19" E

98°-00'-00"

941.61 CL Malibu Canal

41+54.74 Malibu Canal
915+13.40 LA-60-A
54°-13'-34"

16+80.33 X over
Set 2x2 Spike Tack

16+77.65 X over
Set 2x2 Spike Tack

Rd.

L "1" over
S 8°39'41" E

39+82.50 BC

N 81°01'05" E

914+70.20 Rd over
20 to Power
Set Ch. X

37+00.91 EC

R=400
Δ=10°12'14"
T=35.71
L=71.24

83°00'

30.00'

911+42.21 Ret
Set 2x2 ET
8' Dn. W Island

911+42.21 Ret
R=400'

S 72°-47'-46" E

L.P. 2'101 Rds.

36+29.67 BC

Malibu Conn. Rd

E. Old Malibu