J.N. 0054.64

F.B. 1644 Pg. 7

Notes Ck'd by
Map No. 16-106
Office Work C.E.D.
Checked
Date

Survey of Riding & Hiking Trails
W.O. Topo No.
Surveyed by R.J. Mitchell
Notes R.J.M. Date 5-54
Indexed A. O. Johnson 9-10-54

Page 8

134.14 @ 12°42' (T= 56°) = 130.84
134.27 @ 12°56' " = 130.85
Avg = 130.84 ✓
37.45 @ Ler (T= 54°) = 37.44
107.78 @ Ler (T= 54°) = 107.76 ✓

(6)

T-99 0+37.44 Set 1x2 8in

T-99.A Set 1x2 8in by Int.

T-100 0+00 Rt = 0+00 Rt Set 1x2 8in 6 Ft. off 2" I.P.

Set 5.10

1x2 6in off I.P.

130.84

Fn. 7 WIRE LOT 3

89°-59-15
#3559-57-00
61179-55-30
Avg. 89-59-15

Fire Hyd.

11°

12°

Woven wire fn.

19.14 mcas.

Set 6.00

Bolted Rail Fn

6.01

107.76 ✓

105.34

37.44

5.11

FOOT OFFSET

6 FT OFFSET PROJECTED N.W.

LEASE SECORS MON NO. 5 1937

Fd. 2" I.P. (prob. pert. to Lease) 0.42 E. & 0.19 N. of Mon. No Ref.

Fd. 1/2" I.P. 0.15 E. & 0.19 N. of Mon. No Ref.

Set 1/2" I.P. by Tag in Top

Fd. 1/2" I.P. with C.S. Cap 0.5 E. & 0.5 S. of Mon. No Ref.

Fd. 1/2" I.P. 0.4 E. & 0.4 S. of Mon. No Ref.

cont'd on Page 51

Microfilmed

F. B. 1441 Pg. 8

Continued on pg 9

T.P. (6)

1) 81.00 @ 9°04 (T=56°) = 79.96
2) 80.82 @ 8°14 " = 79.98
Avg = 79.98

79.98

T 92, 13+34.26, Set 1x2 & in

1) 135.54 @ 1°59 (T=56°) = 135.44
2) 135.49 @ 1°14 " = 135.44
Avg = 135.49

135.49

T.P.

T 93, 11+98.82, Set 1x2 & in

1) 200.04 @ 3°18 (T=58°) = 199.68
2) 200.09 @ 3°34 " = 199.67
Avg = 199.67

199.67

TP

16°

T 94, 9+99.15, Set 1x2 & in

1) 111.46 @ 7°20 (T=58°) = 110.53
2) 111.26 @ 6°27 " = 110.52
Avg = 110.53

110.53

Fire Hyd.

Wire

7±

TR LOT LINE

9±

T 95, 8+88.62, Set 1x2 & in

1) 178.64 @ 2°56 (T=58°) = 178.38
2) 178.53 @ 2°07 " = 178.38
Avg = 178.38

178.38

7°

30" Shade Tree

TP

6" Water

30±

T-96, 7+10.24, Set 1x2 & in

1) 300.32 @ Lor. (T=58°) = 300.27

300.27

TP 102°

9±

T-97, 4+09.97, Set 1x2 & in

1) 168.91 @ 8°18 (T=58°) = 167.14
2) 168.62 @ 7°31 (T= ") = 167.14
Avg = 167.14

167.14

3°

10±

64°

T.P.

Cable fm.

68°

TP

(6)

T 98, 2+42.83, Set 1x2 & in

1) 206.30 @ 5°17 (T=58°) = 205.39
2) 206.15 @ 4°45 " = 205.40
Avg = 205.39

205.39

Carried forward pg 7

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T.N. cc 5 d. 64

F. B. 1648 PG. 9

Notes Ck'd by
Map No. 16-106
Office Work CED
Checked
Date

Survey of Roads & Highways
W.O. Tape No. 75 St'd 84 °F
Surveyed by E. L. Hitchcock
Notes C. J. M. Date 4-54
Indexed C. Johnson

contd on pg 10

LAND OF MILLER

SURVEY BY CHAMBERLIN

barb wire fn

No. 6 Wire Fn

202.7

1) 275.00 @ Ler (T=61) = 274.96
2)
Av)

E. LINE LOT 3 TR 10422

barb wire fn

20+24.62 Fd 2" I.P. wood pk. 8ft (Tie is up 10" pk. 8ft are dr 2" ins. de of pipe) per 10422-3 & Map of Survey by S.G. Chamberlin

600 Set

T.74

1½ T.P.

T-86 20+16.98 Set 1x2 8ft 6.00 off FR. Cor. Used for line.

1) 203.12 @ 3°25 (FL) = 202.73
2) 203.25 @ 3°58 " = 202.73
Av) = 202.73

157.13

T-87 18+99.83 Set 1x2 8ft

3½ T.P.

1) 162.44 @ 11°39 (T=60) = 157.14
2) 162.72 @ 15°00 " = 157.16
Av) = 157.15

28.06

28.06 @ Ler (T=62°) = 28.06

CAGNEY

T-88 18+31.77 Set 1x2 8ft

1) 46.84 @ 10°58' (T=62°) = 45.98
2) 46.48 @ 9°95 " = 46.00
3 Av) 46.57 @ 9°06 " = 45.97
Av) = 45.98

15.98

J.

T-89 17+85.79 Set 1x2 8ft

1) 72.48 @ 1°46 (T=58) = 72.22
2) 72.34 @ 3°13 " = 72.22
Av) = 72.22

72.22

OF

Barb wire fn.

LAKE VIEW RANCH

Woven wire Fn.

LOT 3 TR 10422

T-90 17+13.57 Set 1x2 8ft

6½

1) 300.23 @ 1°71' (T=58) = 299.32
2) 300.34 @ 4°30 " = 299.34
Av) = 299.33

299.33

LAND

T.P. 3

M=2

Set 0°

4½

75°

T.P. 2

8½

T 91, 14+14.24, Set 1x2 8ft

NORTH LINE

79.98

contd from pg. 8

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

F. B. 1648 PG. 10

106°52'00"
A) 67-28-45
C) 28.1-13-15
Avg. 106-52-12½

T 80 29+14.83 Set 1x2 on Random Line

1) 270.57 @ 2°23' (T=69°) = 270.30
2) 270.66 @ 2°40 " = 270.33
A) = 270.31

72.74 @ Lor (T=68°) = 72.73

270.31 RAD.

72.73 N.

3.35 m.

9.39 m.

8.02 m.

5.93 m.

231.34

LAND OF ARTHUR MILLER

T 81 28+42.10 Set 1x2 8/m at Random Dist on line 6.00 ft N line Lot 3 TR 10422 PROD.

1) 237.98 @ 10°00' (T=69°) = 234.34
2) 237.73 @ 9°39 = 234.34
A) = 234.34

T 82 26+07.76 Set 1x2 8/m

1) 60.63 @ 8°57 (T=58°) = 59.88
2) 60.82 @ 9°57 " = 59.89
A) = 59.88

59.88 PROD.

T 83 25+47.88 Set 1x2 8/m

1) 56.70 @ 20°09' (T=58°) = 53.22
2) 56.13 @ 18°33 " = 53.20
A) = 53.21

53.21 LINE

T 84 24+99.67 Set 1x2 8/m

275.00 @ Local (T=62°) = 274.96

274.96 OFFSET

T 85 22+19.71 Set 1x2 8/m

6 FT

274.96
202.13

cont'd from page 9

cont'd: pg 11

901

Ref: 2" pipe (bottom of cliff, see map for chamfering)

SURVEY OF S.G. CHAMBERLIN JAN. 1, 1951

SOUTH LINE

Earth wire fn.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

J.W. 0054.64

F.B 1648 Pg. 11

Notes Ck'd by
Map No. 16-106
Office Work CED
Checked
Date

Survey of Ridings & Miscellaneous
W.O. Tape No. 75 St'd 84 °F
Surveyed by R.S. Mitchell
Notes K.T.M. Date 4-54
Indexed E. C. Johnson

110.14 @ Lcr (T=66°) = 110.13

4) 113-05-15
3) 92-21-00
2) 318-31-45
Avg. 113-05-17½

110.13

2.87m.

T 76
36+40 57
Set 1x2 e/n 7.65 off Lot Cor.

Cont'd Pg. 12

12.75 m

10.60 m

7.65 Set

121.40 @ Lcr (T=66°) = 121.40

4) 128-29-45
3) 153-59-45
2) 50-59-45
Avg. 128-29-57½

Fd 3/4" Iron Pin with 2" Iron Cap No P.M. dp 1" used ctr.

D.M. 6.5

16°

T.P.

5 Barb wire fs on P/L

128°

T 77
35+19 17
Set 1x2 e/n on 7.65 offset line

LAND SURVEYED BY

1) 299.91 @ 12°51 (T=69°) = 292.36
2) 299.53 @ 12°31 " = 292.37
Avg = 292.36

292.36

110.0

S.C. CHAMBERLIN L.S. T.P.

T 78
32+26 81
Set 1x2 e/n at Random

1) 42.86 @ 13°28 (T=69°) = 41.67
2) 42.60 @ 11°56 " = 41.67
Avg = 41.67

3.56 m

41.67

T 79
31+85 14
Set 1x2 e/n on Rand. Line

270.3

T.P.

JAN. 1, 1951

Fd 2" IP, no pl. or tag Set n in ctr. See map by L.S. "Chamberlin"

Barb wire fs on P/L

Cont'd Pg. 10

LAND OF ARTHUR MILLER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

F. B. 1648 PG. 12

211.048 @ (T-60') = 211.01
0.56 @ " " = 0.56
Tot. = 211.57

Cont'd. Pg 13

RANDOM OFFSET LINE

RANDOM LINE (TRUE)

T 73

Set 1x2 8"
on calc. Rec.
Brng. from
West

1) 60-36-50
2) 242-27-15
3) 363-41-15
Avg = 60-36-52½
Supp. = 119-23-10

LOT A

TRACT 3663

calc. Angle
Set shown
on
chamber Line

T 74

Set 1x2 8"
on calc. Rec.
Brng.

T 75

barb wire Fp. 2

Set 1x2 8" on "cut-off"
line. Set off calc.
to proceed

110.13

0.35 m

6.56 m.

32.44 Rec.
N 4° 19' 20" W Rec.

Fd. 1½" IP
Pl. & tin cap
2" in CHC
of fenced
Rd. @ NW
COR. LOT A
TR 3663

Fd. Nothing
on surface
in drainage
ditch made
No further
search

1) 205.40 @ 3°31' (T-60') = 204.98
2) 205.23 @ 3°03' (") = 204.91
3) 205.17 @ 2°48' (") = 204.89
Av. = 204.90

1) 227.03 @ 2°54' (T = 60') = 226.70
2) 226.95 @ 2°28' (") = 226.70
Av. = 226.70

LAND SURVEYED BY
S G CHAMBERLIN ON
JAN. 1, 1951

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76FS095 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No. 16-106
Office Work CEL
Checked
Date

Survey of
W.O. Tape No. 25 Std. 84 of
Surveyed by
Notes
Indexed

Note:
This Pg. Distorted to show Detail

CASCADE RANCH

TR. LN.

RANDOM LINE

TRACT

6.56 OFFSET TO RANDOM LN.

21.57

TRACT

OFF. R.

206.22

119.

3663

42'

F.B. 644 PG. 13

119.04 @ Elevs. (T-66) = 119.08

206.30 @ 2°09' (T-66) = 206.15
206.24 @ 1°29' ( ) = 206.15
Avg. = 206.15
0.07 (calc) = 0.07
Tot = 206.22

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


RANDOM LINE
TRACT
OFFSET TO RAND. LN.
CASCADE RANCH
T-65
T-66
T-67
T-68
T-69
T-70
S 73° 39' 40" E
10.00
TR 3663
Set 1x2 Hub & Tack
Set Nail & Tag
Found Nail & Tag
Found Pipe
Set Nail & Tag at Random Point of Curv.
Nothing
Found 2" Iron Pipe
No Record
Found 3/4" Iron Pipe
Found 1" Iron Pipe
Found 3/4" Iron Pipe
Found 1/2" Iron Pipe
Found 1/2" Iron Pipe
Found 3/4" Iron Pipe
Found 1/2" Iron Pipe
Found 1/2" Iron Pipe
Found 1/2

J.N. 0054.64

Notes Ck'd by	Survey of Lining & Mining Trails
Map No. 16-106	W.O. Tape No. 75 St'd. 84 °F
Office Work CEO	Surveyed by J. A. Hetrick II
Checked	Notes L.O.S. Date 5-54
Date	Indexed A. C. Johnson

F.B. 1648 PG. 15



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3088 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1645 PG. 16

J.N. 0054.64 6" Water

F.B. 1678 PG. 51

Notes Ck'd by
Map No. 16-10 G
Office Work CEP
Checked
Date

Survey of Riding & Hiking Trails
W.O. Tape No. 75 St'd 84 °F
Surveyed by J. Mitchell
Notes J.M. Date 5-54
Indexed E. C. Johnson 9-10-54

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Continued from pg. 7

Bolted Rail Fn

T 101
1+07.26 W
Set 1x2 @ m

1) 31.10 @ Ler (T=54°) = 31.09
1) 243.91 @ Ler (T=54°) = 243.36

T.P. 1°

T 102
1+38.05
Set m in fn
Rail

T.P. 33°

Cable Fn

T 103
Set 1x2 @ m
Bend in 6" Water
T.P.

1) 115.98 @ 2°10' (T=58°) = 115.86
2) 116.04 @ 2°54' " = 115.87
Avg = 115.86

6" Water

Barbwire Fn.

156.08 @ Ler (T=56°) = 156.05

T 104
Set 1x2 @ m

1) ~~234.18 @ 7°16' (T=56°) = 233.76~~
2) 234.05 @ 6°40' " = 232.38
3) 234.15 @ 7°03' " = 232.34
Avg = 232.36

T 105
Set W. spk L&T

1) 35.34 @ Ler (T=56°) = 35.33

Power Line
Pipe? Line

T 106
Set 1x2 @ m

1) 222.76 @ 19°24' (T=58°) = 215.72
2) 222.44 @ 19°05' " = 215.71
Avg = 215.71

Continued on page 52

76F309S 247 2-51

F. B. 1648 PG. 52



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

J.N. OC 54.64

F.B. 1648 PG. 53

Notes Ck'd by
Map No. 16-106
Office Work CED
Checked
Date

Survey of Lindsay & Hickman Tract No 7575 St'd 84 °F
Surveyed by E. J. Mitchell
Notes J.N. 54.64 Date 5-54
Indexed E. C. Johnson

LOT 5

LOT 5

Fd 2" IP with Brass Cap Mkd "COR & A LS 2037" No Ref.

0.02

LAND OF E & J. ADRIAN

LAND OF ADRIAN

NW COR LOT 4 TR 10422

Fd 2" IP for TR 10422 with Brass Cap Mkd. "COR. NO. 6 LS 2037" No Ref

1) ~~241.10 @ 16°22' (T=78°) = 231.32~~
2) 241.24 @ 16°25' (T=78°) = 231.39 ✓
3) 241.52 @ 16°39' (") = 231.39 ✓
Avg. = 231.39 ✓

231.39 ✓

155.72 ✓

1) 159.38 @ 12°17' (T=78°) = 155.72 ✓
~~2) 159.54 @ 12°34' (") = 155.76~~
3) 159.60 @ 12°39' (") = 155.72 ✓
Avg. = 155.72 ✓

LAND OF J. CAGNEY

LAND OF J. CAGNEY

LOT 5

LOT 4

TRACT NO. 10422

(600.00)

6 FT. OFF LN. PROD. FR. E.

2.14

169.63 ✓

T113-A
Set 1x2 F/M
by Int.

T113
Set 1x2 F/M

219.33 @ Local (T=84°) = 219.33 ✓

90°

219.33 ✓

90-00-00
4) 360-00-30
6) 180-01-00 ✓
Avg 90-00-10

T114
Set 1x2 F/M on ridge

212.18 ✓

1) 213.93 @ 7°18' (T=76°) = 212.19 ✓
2) 214.12 @ 7°42' ") = 212.18 ✓
AVG = 212.18

90°

Cont'd.

Cont'd. Pg. 54

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

F.B. 1648 PG. 54



cont'd on page 55

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

JN. DC54.44

F. B. 1648 PG. 55

Notes Ck'd by
Map No. 16706
Office Work CEO
Checked
Date

Survey of Kidney & Hebing Tracts
W.-O- Tape No. 75 St'd. 84 °F
Surveyed by K. J. Nielsen et al
Notes R.J.M. - L.C.S. Date 5-54
Indexed E. C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

132-47-30
4) 171-09-30
6) 76-44-30 ✓
Avg. 132-47-25

215.55
64.64
162.0
47'-2½"
182.0°

T 119
Fd 1x2 E/m
No Ref.

1) 162.21 @ 2°31' (T=76°) = 162.04
2) 162.25 @ 2°47' (") = 162.05 ✓
(Avg. = 162.04 ✓

TRACT NO. 10422

T 120
Fd 2" IP wood pl 8" pcl TE 10422

T 120A - Set 1x2 8" by transiting in.

T 121
Fd Lath with nail in top No Ref. Replaced lath with 1x2 stk. Pile of 18 on crest of ridge E side Zelzah Ave above steep cut bank

132.85
84.44
0.13

1) 135.62 @ 11°35' (T=84°) = 132.86 ✓
2) 135.49 @ 11°50' (") = 133.08
3) 136.31 @ 12°57' (") = 132.84 ✓
Avg. = 132.85A

LOT 5

241.03 ✓

CONTINUATION OF ZELZAH

1) 254.75 @ 18°53' (T=80°) = 241.03 ✓
2) 254.38 @ 18°38' (") = 241.04 ✓
(Avg. = 241.03 ✓

PRIVATE RD

T 122
Set 1x2 8" on side slope E side of drive.

(500.00)
499.81 ✓
125.99 ✓
S 15° 58' 15" W

1) 126.41 @ 4°37' (T=62°) = 125.98 ✓
2) 126.38 @ 4°21' (") = 126.00 ✓
(Avg. = 125.99 ✓

1) 135.59 @ 8°26' (T=64°) = 134.10 ✓
2) 135.25 @ 7°46' (") = 134.20
3) 135.28 @ 7°33' (") = 134.09 ✓
Avg. = 134.09 ✓

75-58-15 ✓
3) 303-53-00 ✓
6) 95-49-30
Avg 75-58-15

134.09 ✓

Nothing set
0.07 calc. ✓
(1150.00)
1150.14 ✓

T 123
Fd 2" IP with wood pl. 8" in. on side slope W side of drive.

N 0°01'55" W (Calc.)

179.39 ✓

T 124
Set 1x2 4" on road d. 1.49 E top of spur

76F3085 247 2-51

F. B 1648 PG. 56

cont'd from pg 55

1) 181.68 @ 9°03' (T = 68°) = 179.40 ✓
2) 181.31 @ 8°18' (") = 179.39 ✓
Avg. = 179.39 ✓

179.39

T R A C T 10422

T125
Set 1x2 d/h on Random Line
0.12 calc

182.77 @ level (T = 68°) = 182.75 ✓

182.75

T126
Set 1x2 d/h on Random Line
0.22 calc

~~1) 258.08 @ 17°55'74" (T = 74°) = 246.50~~
2) 257.39 @ 17°30' (") = 245.46 ✓
3) 257.75 @ 17°42' (") = 245.44 ✓
Avg. = 245.45 ✓

245.45

(1150.00)
1150.14

T124 A PK
Set in Conc

LOT 5

T127
Set 1x2 d/h on Random Line
0.71 calc

1) 189.83 @ 10°29' (T = 76°) = 186.65 ✓
2) 189.42 @ 9°46' (") = 186.65 ✓
Avg. = 186.65 ✓

186.65

T128 A PK
Set in Conc

T128
Set 1x2 d/h on Random Line
0.51 calc

1) 201.78 @ 6°24' (T = 76°) = 200.51 ✓
2) 201.53 @ 5°46' (") = 200.50 ✓
Avg. = 200.50 ✓

200.50

LOT 4

cont'd on page 57

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

J. No 0054.64

F. B. 1648 Pg. 57

Notes Ck'd by	Survey of Kidding & Hitching Posts
Map No. 16-106	W.O. — Tape No. 75 St'd. 84 °F
Office Work CEO	Surveyed by E. J. Mitchell
Checked	Notes R.M. & L.C.S. Date 5-1-54
Date	Indexed A. C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE
Angles are distorted to show detail

Contd on Page 58

Contd from Page 56

T 129
Set 1x24 m

Nothing set @ T-130 A

Nothing set @ T-130 B

T-129 A
Set ⌀ 6" below T129 P/L

Set nothing on 21.26 ft. offset line

T-130
Set nothing in Cor. Fn. Post.

T-130 A
Fd 2" I.P. wood pl. 4ft. I. ft E of Fn. Cor. per T# 10422. Set M. in Dog. Fn. Brace over I.P.

Steel cable fn.

LOT 5

LOT 4

Contd on Page 66

21.32 @ Rad (T=76°) = 21.32

1) 63.77 @ 8°43' (T=72°) = 63.03
2) 63.95 @ 9°44' (") = 63.03
Avg. = 63.03

1) 212.22 @ 30°43' (T=84°) = 182.45
2) 213.31 @ 31°12' " = 182.46
Avg. = 182.45
1) 225.73 @ 23°21' (T=84°) = 207.24
2) 225.57 @ 23°15' = 207.25
Avg. = 207.24
Total = 389.69
Less Difference = 0.62
= 389.07

TRACT 10422

76F3095 247 2-51

F. B. 1648 PG. 58

157-01-00
4) 268-04-00
6) 222-05-45
Avg. 157-00-57½

LOT 5

10.33 OFFSET LN.

Set n on True offset Ln.

0.03 calc.

T 131

Set 1x2 ø/n on spur

63.03

Steel cable fnce

Set n on True offset Ln.

1) 262.62 @ 4°29' (T=72°) = 261.80
2) 262.52 @ 4°09' (") = 261.81
Avg. = 261.80

0.17 calc.

261.80

T 132

Set 1x2 ø/n on spur

(520.00) 520.07

T 133-A

Set 1x2 ø/n on True offset Line

0.28 calc & set.

208.12

1) 223.48 @ 21°01' (T=68°) = 208.12
2) 222.97 @ 21°01' (") = 208.12
Avg. = 208.12

T 133

Set 1x2 ø/n on Random Line

LOT 4

Nothing set

TRACT

9.29 calc.

300.77
5.75

300.77 @ level (T=84°) = 300.77

10422

157°

01.1

10.05 m.
calc.
7.28 m.

T 134

Fd 2" IP wood pl. ø/n at Ang. Pt. in Fn. Line per PT 10422

300.77

RANDOM LINE

Contd on page 59

T-135

Set 1x2 ø/n 7.28 off Lot Cor.

7.28 Set

VOID BELOW LINE

Fd 2" IP wood pl. TG (LS 1429) ø/n on Fn. Line

~~1) 276.00 @ 13°11' (T=76°) =~~
~~2) 275.10 @ 13°12' (") =~~
~~Avg. =~~

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

J.N. CO 54.64

F.B. 1648 PG. 59

Notes Ck'd by	Survey of Kidding & Hiking Trails
Map No. 16-106	W.O. — Tape No. 75 St'd 84 °F
Office Work CED	Surveyed by K. J. Mitchell
Checked	Notes F.T.M. & C.S. Date 5-54
Date	Indexed A. C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

cont'd from page 58

TRACT 10422

RANDOM LINE

TRUE OFFSET LINE

LOT 5

T-135
Set 1x2 s/n
7.28 off Lot Cor.

T 136
Set 1x2 s/n

300.77

(560.00) Calc.
559.81

3.47

7.28

268.91

54-59-20

Fd 2" IP wood pl. Tg (LS 1429) s/n on Fn. Line

1) 276.00 @ 13°01' (T=76°) = 268.90
2) 275.70 @ 12°43' (") = 268.93
Avg. = 268.91

Set 5/8x24 on true offset Ln. Prod

T 135 B

Fd 2" IP wood (2x2) pl. s/n @ Fn. Cor. per Tr. 10422

54-59-15
4) 219-57-15
6) 329-56-00
Avg. 54-59-20

6.21
6.21

3.47

31.73

22'

1) 32.52 @ 12°39' (T=74°) = 31.73
2) 33.14 @ 16°47' (") = 31.73
Avg. = 31.73

cont'd on page 60

76F3095 247 2-51

F.B. 1648 PG. 60

contd from page 59

121-00-30
4) 124-02-30 ✓
6) 6-03-45 ✓
(Avg.) = 121-00-37½

T137
Set 1x2 on +

T137A
Set nothing on line Betw. T138A & T136 by Transiting In

96.98 @ level (T=84°) = 96.98 ✓

T138A
Set n calc. offset fr. Rand. Line.

1) 279.52 @ 7°05' (T=82°) = 277.39 ✓
2) 279.84 @ 7°38' (") = 277.36 ✓
Avg. = 277.37 ✓

T138
Set 1x2 on top of sharp drop to W.

T-139-A
Set n on true offset Line (calc. fr. Rand. Ln.)

T139
Set 1x2 on

T139-B
Fd 2x2 on w. 4 Quad Stks Nkd

1) ~~92.82 @ 11°24' (T=80°) = 91.05~~
2) 92.64 @ 10°46' (") = 91.01 ✓
3) 92.77 @ 11°12' (") = 91.00 ✓
Avg. = 91.00 ✓

T140
Set 1x2 on n

1) 64.77 @ 2°29' (T=82°) = 64.71 ✓
2) 64.90 @ 4°21' (") = 64.71 ✓
Avg. = 64.71 ✓

T141
Set 1x2 on

121°

T142A
Set n to be on 3.64 offset Line

1) 57.53 @ 3°26' (T=84) = 57.43 ✓
2) 57.47 @ 2°20' (") = 57.42 ✓
Avg. = 57.42 ✓

T142
Set 1x2 on

T143
Set 1x2 on on true offset line by Intersection

T143A
Fd 4" IP w/ cc & tk. on Pc. Tr 10422

1) 227.30 @ 6°30' (T=78°) = 225.83 ✓
2) 227.10 @ 6°04' (") = 225.82 ✓
Avg. = 225.82 ✓

contd on page 61

TR 10422

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

J.N. 00542.62

F.B. 648 PG. 61

Notes Ck'd by
Map No. 16-106
Office Work CED
Checked
Date

Survey of Riding & Hiking Trails
W.O. Tape No. 75 St'd. 84 °F
Surveyed by R.S. Mitchell
Notes R.J. M1, 4, L.C.S. Date 5-54
Indexed E. C. Johnson

cont'd from page 60

CITY OF LOS ANGELES

LOT 5
TR. 10422

1) 66.29 @ 8°02' (T=78°) = 65.64
2) 66.00 @ 6°06' (") = 65.63
3) 66.15 @ 7°09' (") =
Avg. = 65.63

L.A. City Bdy #359
Fd 2" I.P. cem pl. & in conc. mound - Did not read markings on mound - per FB 544-120

T 144
Set 1x2 & in on tr. line on side slope

LOT 4
TR. 10422

T 145
Set 1x2 & in on tr. line in area graded for Rd. but abandoned

T 146
Set 1x2 & in top of short break for W. bk on E. side also cm.

1) 122.73 @ 7°55' (T=79°) = 121.56
2) 123.05 @ 8°58' (") = 121.55
Avg. = 121.55

T 147
L.A. City Bdy #358
Fd 2" I.P. cem pl. & in conc. mound mkd "71" & "3-27-25" per F.B. 544-119
Set off angle mon's by C.S. & proceeded South on Road. Ln.

1) 199.99 @ 3°20' (T=70°) = 199.63
2) 200.10 @ 3°55' (") = 199.61
Avg. = 199.62

Set per FB 544-119

Point of Beginning of this Description as shown on Record of Survey Bdy # 360, 361 & 362 to be set in place on this date

59-29-15
4) 237-57-45
6) 356-56-30
Avg. 59-29-25

172-40-45
4) 330-43-00
6) 316-04-00
Avg. 172-40-40

T-148
Set 1x2 & in Rec. Angle from L.A. City Bdy # 358

1) 87.89 @ 6°20' (T=72°) = 87.34
2) 87.75 @ 5°25' (") = 87.35
Avg. = 87.34

L.A. COUNTY
(UNINC.)

cont'd on page 62

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 247 2-51

F. B. 1648 PG. 62



1) 134.84 @ 1°41' (T=70°) = 134.77 ✓
2) 134.82 @ 1°05' (") = 134.78 ✓
Avg. = 134.77 ✓

70.08 @ level (T=80°) = 70.08 ✓

41.90 @ level (T=84°) = 41.90 ✓

1) 110.28 @ 2°39' (T=80°) = 110.16 ✓
2) 110.34 @ 3°21' (") = 110.15 ✓
Avg. = 110.15 ✓

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

J.N. 0054, 64

F.B. 164 Pg. 63

Notes Ck'd by
Map No. 16-106
Office Work CED
Checked
Date

Survey of Riding & Hiking Trails
W.O. Tape No. 75 St'd. 84 °F
Surveyed by R.J. Mitchell
Notes Rd. Mtce. L.C.S. Date 5-54
Indexed E. C. Johnson

COUNTY SURVEYOR RE 63

LOT 4 TR 10422
L.A. CITY

R.P. Bdy #357 Set Std C.S. Br. Cap Mon up 2' at base of steep slope to Ex @ 95.00 off line to NW. Mkd mon as shown

RP Bdy #357 Set 1x2 in 50.00 off Line to NW

Set Lg. Bl. Stk, w, 4' mr. bse. of 30" Oak #3 = above

Ex. I.P. @ Bdy. Cor.

1) 105.56 @ 8°49' (T=8°) = 104.31
2) 106.02 @ 8°14' = 104.33
Less Diff = 1.32 = 100.00

T 153
Set 1x2 4n in stream bottom

T 153 A
L.A.C. Ty Bdy #357 Set 1" IP cap flush Ctr. no. at calc. Bdy & dist. from Rand. Angle PT (T 134) & Set Rock Mound over same
5.28 @ 180° (T=80°) = 5.28

RP Bdy #357 Set 1x2 4n 50.00 off Line to NW

T 154
Made search for L.A.C. Ty Bdy #357 (1x4 Rnd. 8n 6" deep) Fd nothing 4n 2½ ft in bottom of stream bed. Water in stream makes further search unreasonable. Set 1x2 4n @ C.S. chaining & Ang. from Bdy #358

1) 173-09-45
2) 332-39-15
3) 318-58-30
Ang = 173-09-45

~~110.56 @ 180° (T=80°) = 110.56~~
110.54 @ 180° T=80° = 110.54

Set off C.S. Angle Proceeded S'ly.

R.P. Bdy #357 Set Std C.S. Br. Cap Mon upon on Side slope @ 100.00 off Line to NW - Mkd Mon. as shown.

L.A. CO (UNINC.)

COUNTY SURVEYOR RE 63

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

F.B. 1649 PG. 64

contd from page 63



contd on pg 65

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

J.N. 0054.64

Notes Ck'd by	Survey of Rancho La Ballona
Map No. 16-406	W. O.	Tape No. 75 St'd. 82 °F
Office Work CED	Surveyed by R. J. Mitchell
Checked	Notes R. J. M. Date 5-54
Date	Indexed A. C. Johnson

F. B. 1648 PG. 65

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 4-53

Continuing

SWLY LINE CITY OF LOS ANGELES TR. 10422

LOT 4

L.A. CO. (UNINC.)

8.13

L A C.ty Bdy #356
Fd 2½" I.P. pl. & n 12" deep under Fn. per FB 544-118

0.24
0.10
0.25 Meas
107° 27' Meas.

T 162 C.S. Sect Rel. Ang & Dist from Rancid. Bdy. #357

Last Point Occupied At This Time Reconnissance to South Shows Bdy # 355 & 354 to be still in place on this date. (5-54)

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Any ... Changes on This
... Must ... on Circled in Red
With ... and Name of Person
... Line.

1648



F.B. 1644 PG. 66