1798

INDEX TO FIELD

DATE	J.N.	DESCRIPTION	NOTES	PAGES
		EAST WHITTIER STORM DRAIN J.N.6962		
4-93	6962	center line survey	center line	7-44
"	"	bench circuit	B.Ms.	45-60
"	"	topography along % crossing storm drain center line	topog	61-92
"	"	cross sections	x-sect	93-18[illegible]
"	6212.00	topography on sewer line realinement	topog	189-198
"	"	cross sections	x-sect	199-208
"	"	cross sections on ditch S.D. easement per TR.#17561	x-sect	209-212
"	"	invert elev S.M H .mills ave & cedarsprings drive	elev	213-214

Photostated Sept 87

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of EAST WHITTIER S. D.
Tape No. _____ St'd _____ °F
Rod by A. N. HELLSTROM
Date _____
Indexed _____ Date _____

F. B. 1222 PG. 5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 1798 PG. 6

CONT. FROM LEFT SIDE PG. 5

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. 088 St'd. 65 °F
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date Apr. 1953
Indexed

F. B. 1798 PG. 7

J.N. 6962

EAST WHITTIER STORM DRAIN

FROM

LAMBERT ROAD NORTHERLY

TO

SECOND STREET

℄ OF STORM DRAIN & INTERSECTIONS OF ALL TRACT LINES & ALL ℄'s OF STRTS CROSSING STORM DRAIN

PAGES - 8 TO 44 (Incl.)

A.N. HELLSTROM
A.S. CURTIS
R.C. QUIZADO
W.E. DEANE

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

16P3095 247 2-51


Cont. Bottom Pg 9
Cont. Bottom Pg. 12
F.B. 1798 PG. 8
W.S. 34-B-2
RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Fd. N&T. In Trolley Rolled P.P. "2950"
Fd. C.S. Br. Cp. Mon. 20" Pr. F.B. 1268-109-254 Pr. Tr. "17561"
Fd. C.S. Br. Cp. Mon. - 20" dp Pr. F.B. 1268-109
Fd. C.S. Br. Cp. Mon. - 20" dp Pr. F.B. 1268-252
Set (4) Sq. Nails & Tags "L.S." on Surf.
LAMBERT ROAD
(15)
P.R. Int. P.E.R.R.
Set L&T. In Crb
MILLS
362.53
LANNING
D.R.
Set L&T
Fd. L&T on Tan. Prod.
Fd. Spk & T
Set L&T
141.03 T64 = 141.03
AVE.
Fd. 2" I.P. Tag. L.S. 2495 8" dp. S.W. Cor. Tr. "17561"
Set L&T In Curb
Fd. Spk & T Pr. Tr. 17561
TR. "17561"
122-07-20
128-30-00
12-45-00
122-07-30

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. 285 Std. 68 °F
Surveyed by A. N. HELLSTROM
Notes Date Apr. 1955
Indexed JCL

F. B. 179 Pg. 9

W. S. 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

(6) 122-22-30
12-37-10
122-06-15

Fd. 2" I.P. Tag. L.S. 7102
6" Sp. In. T.
16633

Fd. 2" I.P. Tag. L.S. 7102
18" Sp. In. T.
16633

AVE.

To Spk. W. & T.

226.41

736.10

To Spk. W. & T.

Cont. From Top Pg.

P.L.S.

30.43

(10) (10)

98.03

28.22

122°-06'-15" Meas.

30.39

Inters
Set 2x2 - Cppr. Tck
3" dp
2.48 From N. Roll @ 90° To Roll

To Int. St. Drn.

To 1" I.P. = P.I. 745.27 M.
L.A. & S.L. R.R.

102.14 M.

761.62 P.E. R.R.

Rail Gauge 1.92

1.40 From N. roll at 90° To Roll

122°-05'-55"

Inters.
Set Cppr. Tck
In Plaster over
Ditch

LAMBERT RD.

To Ellmore Ave.

269.73

See Bottom Top Pg. 8

Cont. on Bottom Pg. 16

To Int. LAMBERT RD.

706.08 Meas.

57°-53'-20"

Meas 74.79

11.76

MILLS

C.S. Br. Cp. MONS. pr Pg. 8

42.47 Meas.

122°-04'-30"

To C.S. Br. Cp.

(40) (30) (10)

Cont. From Top Pg. 8

TR. 17561.

① 122-05-40
④ 128-23-30
⑥ 12-35-20
122-05-55

① 57-53-20
④ 231-33-30
⑥ 347-20-00
57-53-20

F.B. 1798 PG. 10

Cont. Bottom Pg. 11



W.O. 24 - C - 2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Cont. From Top Pg. 9

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. 088 St'd. 68 °F
Surveyed by A. N. HELLSTROM
Notes B.K.H. Date Apr. 1950
Indexed

F. B. PG. 11

W.S. 34 C 2

(P) 162-07-40
(M) 288-31-30
232-47-20
162-07-55

P.I. Fd. Spk. & T. Pt. Tr. 17299

M 605 73.42 To Int. S. CEDAR SPRING DR.

Set L.B.T. In Curb

22.87
18.38
26.22

Fd. Chis. (X) In Curb

162-07-55

66.56

ST. (30)

Fd. Spk. & T. 0.03 W. of Line See Tr. 17299

M. 90.30

CORNELL (30)

B.C.

B.C. - Fd. 2x2 - 12" up with (H) N&T. Tag, Ties On Surf. - See Tr. 16722 " F.B. 1268-255

0.07

318.45 M.

To Int. LA LOMA AVE.

MILLS (40)

(40)

Cont. From Top Pg. 10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

REGENT AVE.

ELMORE AVE.

WALK

TR. 17561

TR.

Cont. From Top Right Pg. 8

Cont. Bottom Pg. 13

F.B. 1798 PG. 12

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6262 Tape No. 288 St'd. 68 °F
Surveyed by A. N. HELLSTROM
Notes D.N.H. Date Apr. 1953
Indexed

F. B. 1798 Pg. 13

N

W. S. 3 - 2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Cont. On Left Side Pg. 15

TRCT. LINE

Fd. C. S. Br. Cp. Mon. 15" deep. Pr. F. B. 1268-211 " Tr. 17561 Set ¼ Sq. Hd Spk B.T. 3" Tall. Ties On Surf. Also 1X2 On Surf.

RD

80.97 M.

BONNA VISTA (30)

LANE (30)

Fd. Cem. Nail (PK) No Ref. See Tr. 17561

STORM DRAIN

14.70 To Inters PERP.

14.55 Elec. Pole

Set 3/4" I.P. In Ground

LAMBERT (20) 580.82 M. (20) (31)

Set Boat Spk Inters 1400

Set L&T In Cr. of Drwy

M. 54.55

Set L&T In Conc. Hdwall

172-40-20

M. 66.54

Set 2" I.P. In Bottom of Drain

7.07

28.40

12.30

17.51

Fd. Spk & T. On ℄ Pr. Tr. 17561

Fd. Spk & L&T In Conc. Hdwall

M. of 214.90

66° 56' 00" W
43-04-00
Pr. Tract # 17561

Storm Dr. Easemt Pr. Tract # 17561

① 7-19-30
② 29-18-50
③ 43-58-00
7-19-40 = 172-40-20

① 115-43-20
④ 102-53-50
② 334-20-40
115-43-30

Cont. From Top Pg. 12

76F3098 247 2-51


F.B. 1998 PG. 14
L&T Angle Pt. in Whittier Blvd Pr. F.B. 1268-215
Whittier Blvd
W.S. 34 - C-2
TR. "16722
TR. "12404
COLIMA
Fd. 2" I.P. with Nail 18" Up Pr. TR. 12404 " " 16722 " " F.B. 1268-214
Fd. 2" I.P. Top R.E. 4823 3.20 Pr. TR. 16722
3.40 M.
0.71
1.79
Set Spike Nail
31.42
29.71
43.80
(45)
(30)
(30)
(30)
(100)
1321.65
860.53 Meas.
L.A. & S.L. R.R.
Fd. Nail Pr. F.B. 1268-214 Reset Nail with N&T. 2.34 From N. Rail @ 90° To Rails
① 92-33-45
④ 10-14-40
⑥ 195-22-30
92-33-40
Meas. 86.97
Meas. 0.32 - 20
See F.B. 1268-80
P.E.R.R.
2959.73
F.B. 1268-80-214
To 1" I.P. MILLS AVE on 5° OFFSET LINE
Fd. Spk. W.S.T. Pr. F.B. 1268-214 1.49 From N. Rail @ 90°
① 92-33-30
④ 10-13-20
⑥ 195-19-50
92-33-20
75.82 M.
Proposed ℄ LAMBERT RD.
(See C.S. B-2103-2)
Fd. C.S. MON. in Well with C.I. Cover Pr. F.B. 1268-214
266.48 M.
R.D.
TR. # 14446
Cont. From Top Pg. 1.3
(30)
(20)
Pr. F.B. 1268-211-213
1598.29
LAMBERT RD.
97-24-30
F.B. 1268-213
1023.03
F.B. 1268-213 C.S. MON. - 18" Up.
(30)
(30)
(20)
SEE F.B. 1268-213
RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


F.B. PG.
Survey of EAST WHITTIER S. D.
W. O. 6262 Tape No. 088 Std. 68 °F
Surveyed by A. N. HELLSTROM
Notes Date Dec. 1968
Indexed
Notes Ck'd by
Map No.
Office Work
Checked
Date
Fd. 2" I.P. - Tag R.E. 4823 6" dp. Pr. Trot" 16722
Fd. Cem. Nail - P.K. In Lead. E. Alley
S.E. Cor. Lot 38
S.E. Cor. Lot 39
66.62
52.21
41.24
108°-23'-25"
Fd. 2" I.P. Tag R.E. 4823 6" above grd. 16722
Fd. Cr. Spot & W on Split of Rails 4.72 gauge — No Ref.
84.92
To Inter. Right Sd. Pg. 19
3453.30 P.O.T. " I.P. Set 2" I.P. In Bottom Drain
Fd. 1" I.P. with Cut Sp. & W. In Bottom of Wash. See Fr. 16722
42.10
92.77
31.70
2.24
Set Nail
1.28
0.24
2.75
2.22
S. Rail
8.71
226.41
74.35
132.76
302.58
1321.65 Meas.
To Sm. Nail
(30)
To Int. MILLS AVE.
736.10 M.
L.A.-S.L. R.R.
91.28
Set Sp. & W at 2460.53
To Inter. MILLS AVE.
761.62
P.E.R.R.
No. Rail
1.67
3.25
So. Rail
Set N.T. by Inters 1469.25
1.70
To Pt. #1
STORM DRAIN
92.77 To = 92.77
(100)
Cont. From Left Side Pg. 13
① 71-37-30
② 286-29-20
③ 69-44-00
71-37-20
① 71-36-30
② 286-26-40
③ 69-39-30
71-36-35
108-23-25
Cont. From Left Side Pg. 14
RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made and Name of Person Making Change. Init. With Date and Name of Person
76F3095 247 2-81

F. B. 1798 PG. 16

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Set L.B.T. In Conc. Block Leg For Battery Box 6.6-17.40

Fd. Spk. W. B.T. Pr. F.B. 1268-18 1.67 From N. Rail @ 90° To Rails

Set L.B.T. in 12" Std Pipe

P.I. Fd. 1" I.P. 18" D. Pr. F.B. 1268-8

Fd. Nail in Top of Curb

Fd. N.B.T. in Top of Curb

Fd. N.B.T. On Split of Rails Pr. F.B. 1268-22

Fd. 2" I.P. and Tag L.S. 7102 1½" D. Pr. Tract 16033

℄ Data Pr. Tract 16033
D = 9-44-30
R = 5729.65
T = 488.27
L = 974.18

64.011
24.84
24.25
22.15
480.75
30.58
9.25
(100)
295.65'
P.E.R.R.
(Gauge of Tracks = 4.714)
Meas 706.08
Tolnter Mills Ave.
L.A. & S.L. R.R.
745.22 M.
150.42
S 27° 13' 55" E 270.21
Tolnter Mills Ave.
(30)
(30)
(15)
(15)
(15)
(15)
20
See Left Side Pg. 8

Cont. From Bottm. Left Pg. 9

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. 226 St'd. 68 °F
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date Apr 23

F. B. 1795 Pg. 17

Cont. On Bottom

W. S. 34

65.60 T81 = 65.61

To Pt "3

65.61

℄ Storm Drain

44+95.52
Pt. "2
Set 2" I.P. in Earth Dam

To Pt "4"

(30) 154.56 (30)

DR.

Fd. Nail - No Ref.
0.14'
108°24'
4.06
57.30
26.48

Cont. From Bk 1795 pg 15

Cont. On Bottom pg. 19

358°18' T92 = 358°.84'

Set N&T. by Proportioned Dist. between RUOFF AVE & HOMAGE AVE. - For ℄ of Natural Drn Pr. Tct. 16722

INTERS Set Spk W. & T. 44+38.22

10' Adj.

358.84

204.28 M.

FLOMAR

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

169-30-20
318-00-30
497-00-40
184-30-05 6

90°00'-05"

Set 12ST

RUOFF

(25)

34.29

Fd. Chis(x)

34.90

77.97 M.

77.97 M.

113.00 M.

(25)

66.49

Fd. Chis(x)

(30) (30)

E.C. - Fd. Spk & T Pr. Tr. 16722

P.I. - Fd. Spk & T.

B.C. - Fd. Spk & T Pr. Tr. 16722

84.92 T70 = 84.92

P.I. Fd. Nothing

90-00-00
330-00-40
180-00-05
90-00-15

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34 - C-2


Fd. Pinch Mrks. in Pav. of M.H. - Set Tack in Pinch Mrk. by Int. of Pinch Mrks.
Fd. Pinch Mrks. in Pav. of M.H. - Set Tack in Pinch Mrk. by Int. of Pinch Mrks. See Tr. 16722

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. 288 St'd. 62 °F
Surveyed by A. N. HELLSTROM
Notes A. N. H. Date May 1953
Indexed

F. B. 1798 Pg. 19

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Δ 170-57-40
④ 323-50-20
⑥ 305-45-20
170-57-35

182.2 Meas.

8+75.82
P.I. "5
Set 2" I.P.
In Bottm. Dr.

99.57 T86 = 99.58

7+76.24
P.I. "4
Set L.S.T. in 2'x3' Flat
Granite Rock In Bottm Dr.

E.C. - Nothing Set

Δ = 13°-21'-00" ✓
R = 90
T = 10.53 ✓
L = 20.97 ✓

B.C. - Nothing Set

④ 166-39-00
⑤ 306-36-00
⑥ 279-54-00
166-39-00

215.08 T86 = 215.11

215.11

P.I. "2
E.C. - Nothing Set

Δ = 12°-31'-10"
R = 90
T = 9.87 ✓
L = 19.66

5+61.13
P.I. "3
Set 2" I.P. In Bottm. Dr.

B.C. - Nothing Set

65.61

④ 167-28-40
⑤ 309-55-20
⑥ 284-33-20
167-28-50

To P.I. "1

Cont. From Left Sd. Pg. 17

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34-C-2

Cont. On Bottom Pg. 21

94-45-40
19-02-40
208-34-00
94-45-40

E.C. Fd. Spk. & W. Pr. Tr. 16722

10 x 58.67 Letters Set Boot Spk. W. & T.

Set L&T In Curb

84.60 M

To P.I. #6

162.46 TPZ = 162.47

1.25

50.68

E.C. Fd. Nail on W. Pr. Tract 16722

E. Letters Fd. Spk. & W. pr. Tract 16722

P.I. - Fd. Spk. & W. Pr. Tract 16722

Set L&T

Fd. N&T Pr. Tr. 16722

18.14

162.47

(30)

1.25

S 46°

14.23

33.58

51.94

50.68

Fd. Nothing

15.23

18.37

90°

CARNELL (30) ST.

Set L&T In Curb

Meas. 182.85

94°-45'-40"

TRCT. "16722

E. ST. DR.

HOMAGE AVE

(27) (27)

B.C

To P.I. #5

Cont. From Top Pg. 19

F.B. 1998 PG. 20

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. 088 St'd. 68 °F
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date May 1953
Indexed

F. B. 1998 Pg. 21

Cont. on Left Sd. pg. 24

NOTE
Change All Pluses - 14.00 Ft. From Here On
A.N.H.

To P.I. 8

34.18

Set Pg. 24

NOTE: 43.38 74.29

℄ CULLEN ST. ℄

L&T In Conc. gutter pr. pg 24 14+37.97 Becomes 14+23.79 On Sept 17-1953 Due To Chaining Error Originally

87.66 O.K

53-09-25 pg 24

107.84 O.K

13+50.11 P.I. #7 Set 2" I.P. On Top of Bank

Note O.K Sept. 17-1953 107.84 Meas. Overall 34.18 and 73.66 Meas.

D = 55-35-30
R = 90
T = 47.44
L = 87.32

25' 4-30 35' Adj

E.C. - Nothing Set

① 124-24-30
② 137-38-00
③ 26-27-20
124-24-30

121.84 Orig. 34.18 87.66 VOID
121.83 T80 = 121.84

206.82 T80 = 206.84

206.84 N 59.9 E M09

℄ of St. Dr.

E.C. - Nothing Set

11+43.27 P.I. #6 Set 2" I.P. In Bottom Dr.

D = 29-07-30
R = 90
T = 23.38
L = 45.72

150-52-30

① 150-52-40
② 243-30-20
③ 185-15-00
150-52-30

84.00 ft.

To Intersect Course 1-4

57'

E.C. - Nothing Set

Cont. From Right Sd. pg. 20

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34 - C-2



Notes Ck'd by KRW
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6262 Tape No. 988 St'd. 68 °F
Surveyed by A. N. HELLSTROM
Notes A.M.W. Date 7-1, 1953
Indexed

F. B. 799 Pg. 23

W.S. 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

59.88 T 2
T 70
T 1
Set 3" I.P. Flush On Bank of Dr.
150.31
To Pt. 8
50-00-15
238.76
Cont. on Pg. 24
To Int. CULLEN ST. Prod.
134.91
(40)
AVE
Fd. 2" x 2" with Tag L.S. 2232 1/2" up Pr. Tract 17299
TRACT. LINE
Tract. Line Tr. 17299
M. & R. 26.04
Set Shingle Nail
40.00
14.31
40.14
6"dia
Move 80.92
Fd. 2" I.P. - 12" up Tag R.E. 7858 Pr. Tract 17299
LOT "76"
40.00
Fd. Nail
E.C.
(30)
(30)
EDAR SPRING DR
83.51 Meas
INTERS
Fd. Spk. & T. Pr. Tract # 17299
300' Typ. 84° E
150.32 @ T 76 = 150.31 ✓
300' Typ. 84° E
238.77 @ T 76 = 238.76 ✓
134.91 T 70 = 134.91 ✓
50-00-20
200-00-50
300-01-20
50-00-15 ✓
To Pt.
73.42 Meas
MILLS
CARNELL ST.
Cont. From Top Pg. 11

76FS095 247 2.51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34 - C - 2



Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. 88 Sec 68 R
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date May 1953
Indexed K. C. Johnson

F. B. 1798 PG. 25

Cont. on Left Sd. Pg. 26

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

69°-20-40

208.97 T68 = 208.97
47.86
256.83

256.83 T68 = 256.83
567.40 T78 = 567.44
327.62 T74 = 327.63
213.17 T74 = 213.18
122.71 T68 = 122.71
59.02 T68 = 59.02

20+12.76
P.I. #10
Set 2" I.P. on W. Bank of Dr

256.83
P.I. #11 (Interse
To

① 169-43-40
② 318-54-40
③ 352-21-40
169-43-40

30' Adj.
169°-43'

N 13°-30°E
327.63
℄ St. Dr.

① 173-13-20
② 332-54-00
③ 319-21-00
173-13-30

16+85.13
P.I. #9
Set 2" I.P. In Box on of Dr

173°-13'-30"
40' Adj.

Inters. Nothing Set 16+47.36 on St. Ln. = 0+00 going E on Tract Ln.

TRACT LINE
To 17299

Calc 327.77

567.44
To Sta (X) of Anaconda St.

T. #1
3/4" I.P. - Flush
pr pg. 23

59.88
35.71 calc

238.76

To 2" I.P. pr pg. 23

50.00 pr pg. 23

15"

To P.I. #8
150.31

213.18

42°-47'-20"

59.02

10+24.17 going E on Tr. Ln.

T #2
Set 1X2 NAT. Flush

20'-40"

Fd. 2" I.P. with Tag L.S. 11021
12" dp
Lot 212
Tract 15694

122.71

69°

To P.I. #8

Cont. on Left Sd. Pg. 27

Cont From Right Sd. Pg. 24

HELLS AVE

76F3095 247 10M 1-49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 7798 PG. 26

Notes Ck'd by KRM	Survey of EAST WHITTIER S. D.
Map No.	W. O. 6976 Tape No. 088 Std. 62 °F
Office Work	Surveyed by A. N. HELLSTROM
Checked	Notes A.N.H. Date May 1953
Date	Indexed E. C. Johnson

F. B. 1798 PG. 27

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W. S. 3

ARMLEY AVE.

ANACONDA ST.

(20)

(30)

(25)

N 47°

385.33

385.33' T 47° E 385.33

68°-01-15"

Set SPKT at 30.00 From P.C.

30.00

E.C.

Lot 1 Tract

Fd. 2" I.P. Tag L.S. 11102

Lot 50

B.C.

N 47° E 567.44

12.75

18.98

43.78

21.25

Fd. chis(x) in Curb On Line Prod No Ref.

6.16

Set Nail & Tag L.S. 6704 On Line Prod

Set I.P. Tag L.S. 6704

Set I.P.-Plug See Tract #15694

P.T. Set Nail See Tract #15694

Fd. Chis(x) in Conc. Wall See Detail Sheet No. 2 Tract #15694 Sht. 3

Curve Data:
(1) 68-01-20
(2) 272-05-00
(3) 48-07-15
68-01-15

FORM 247 5M 5-46

RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34-C-1



Notes Ck'd by [illegible]
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. 288 St'd. 68 °F
Surveyed by A. N. HELLSTROM
Notes [illegible] Date May 1950
Indexed

F. B. 1998 Pg. 29

WS. 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

GUNN

SINTLERS Fd. Sq. Rd. Spk & T Sec "E" 15975 " " 17299

Fd. 1/2" I.P. 0.49' N & 0.49' W of Cor.

21.43

26.94 Fd. L&T. In C-b

47.42

81.46 M&S

68.08

70.24

85.42 M&S

790.22

CULVEN ST.

AVE (30)

(80)

See Eight Side Pg. 33

Fd. L&T. of Whittier Blvd.

Fd. Cent. of Nail - Pk. Tr. 15975

Fd. 2" I.P. - 12" dp. Tag R.E. 7858 Cor. Lot 1 Tr. 15975

29.99

Fd. L&T. In C-b

N 01-60-12 E

℄ AHMANN AVE.

ANACONDA

595.89 M&S

1187.16

To Intersect HOXBY AVE. (30)

℄ RUFUS AVE.

Fd. 2" I.P. - 2" dp. Tag R.E. 15975 Cor Lot "10" Tr. 15975

30.00

71-09-00
284-36-49
66-55-00
71-09-10

1187.16 T & S = 1187.16

℄ OLA AVE.

(30) ST.

Cont. From Top Pg. 28

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34-C-1



76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34-

Notes Ck'd by
Map No.
Office Work
Chacked
Date

Survey of EAST WHITTIER S. D. °F
W. O. 6926 Dope No. 685 Std. 68
Surveyed by A. N. HELLSTROM Date MAY 1953
Notes
Indexed

F.B. PG.

(2) 117-02-40
(4) 116-10-20
(6) 354-15-25
119-02-35

(27) BEN HUR AVE. (27)

11" Conc. Wall

WHITTIER BLVD.

To Int. L.B. Entrance 385.83

163.89 M.

40.00

86.48

303.11

To MILLS AVE.

Fd. L&T

49.72

66.93

50.84

28.12

47.13

Fd. 2" I.P.-Up 3"
P.R.S. 42-13
Tract "15674

Set 1x2 N&T.

Fd. 2" I.P.-Flush
Tag L.S. 1102
R.S. 42-13

0.13

354.93 Calc

0.0 OFFSET LN.

355.08

119-02-35

Fd. L&T in Conc Wall For Driveway

Fd. L&T on Top of Curb

Fd. Spk & T
P.R.S. 1049-32
Tr. 17192

Tag L.S. 1102
Fd. 2" I.P.-2" dp
R. Tract "15674
pg. 28

3.0

31

TRCT. "15674

355.05 T74-355.06

Set 1x2 N&T-2" dp

586.15

584.88

(30)

DALMAN ST.

Cont. From Bottm Rt. pg. 28

Cont. From Top pg. 35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34 - C-1



F.B. 1796 PG. 32

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W. S. 3

- 1 -

Notes Ck'd by: [illegible]
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. 0622.2 Tape No. 085 St'd 6
Surveyed by A. N. HELLSTROM °F
Notes A.N.H. Date May 1962
Indexed

F. B. 1268 PG. 30

① 114-52-20
② 99-29-20
③ 329-14-20 ✓
114-52-20

395.14 = T68 = 395.14 ✓

436.75 = T68 = 430.75 ✓
+ 2.17
432.92 ✓
+ 0.24
433.16 ✓
- 0.30
432.86 ✓

(30) WHITTIER

Fd. L&T. In Conc. Bnd. for C.S. Map B-2141, F.B. 1268-26, 28, 30

Set Back Spk. In Lead at 0.23'S. N. of old Ldt. for Adopted B.M. F.B. 1268-30

(30) BLVD.

395.14
TO HIGHLAND AVE.

0.23S
0.26
38.46
114°-52'-20"
88.17
76.21
75.78

Fd. L&T. In Curb

(40)

(40)

704.82 = T64 = 704.80
85.42
790.22 ✓

790.22 ✓

Fd. L&T. In Conc. Block

Fd. L&T. In Conc. Curb

GUNN DYE.

TO INTER-AMERICAN CT.

(30) (20)

See Right Side Pg. 29

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34-C-1


Cont. From Orig. Sh. Pg. 30
SE 5th Dr.
WHITTIER BLVD
Cont. On Ethm. Pg. 35
Cont. From Sh. Pg. 33
Cont. On Ethm. Pg. 36
Cont. On Ethm. Pg. 38
HIGHLAND AVE
F.B. 1198 PG. 34
To Int. of Centinela Ave
To Int. of Whittier Blvd
To Int. of Sorensen Ave
To P.I. #15
To P.I. #14
Set Lead & Tack in Conc. Pavement
Fd. 2" I.P. - Flush
Set Lead & Tack in Conc. Pavement
Fd. Chiseled X
Fd. Chiseled X
Fd. Lot Ties F.B. 1268-30
Set Lead & Tack in Conc.
Fd. 1" I.P. - Flush
Fd. 1" I.P. - Flush
Fd. 1" I.P. - Flush

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34

(10) (25) (25)

149 EN. TRAILA AVE

385.58 TIE 385.83

TR. "17192

(52)

(40)

Fd. L&T. In Curb

62.31

54.10

57.59

67.48

Fd. L&T. In Curb

(40)

To Cl. line 3' offset Line

312.14

To P) 14 on & St Dr.

385.83

Cont. From Top Pg. 34

(40) WHITTIER.

(40) BLVD

O/S & WHITTIER BLVD P.K. Com. Nail & Tag Fd. Tract "17192 " Res. F.B. 1069 Pg. 32

Notes Ck'd by [illegible]
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6282.2 Tape No. 288 Std. 68 °F
Surveyed by A. N. HELLSTROM
Notes [illegible] Date [illegible]
Indexed [illegible] Date [illegible]

F. B. [illegible] PG. [illegible]

F. B. 1798 PG. 36

Using 300' Tape #111
Sta. 0 = 54.0 Ft.

Cont. On Bottom, Pg. 37

P.I. #17

12.88

88.21 ~~TT~~ = 88.21

354+46.13
P.I. #16
Set 2" I.P. In Bottom of Dr.

163°-41'-00"

12.70

26.78±

31.82

Fd. 2" I.P. Cement Cntr.
No Nail - Set in Conc.
In Cent. Line of
2' Ditch
See Tr. #159-2

10.04

On E. Bank of Dr.
Fd. 2" I.P. with Cut
Cross in Top, Set in
Conc. 2' ± Below Surf.
10' ± More or Less
See Tr. #159-2

℄ St. Dr.

138.22

① 163-43-40
④ 294-44-00
⑥ 262-05-40
163-41-00

26.71

Fd. 2" I.P. - Cem. Cntr.
and Nail - Flush
in Cntr. Orange Gr.
See Tr. #159-2

28.08

10.83

(?)
Fd. 2" I.P. - No Cntr.
Mushroom Top
Base Disturbed
See Tr. #159-2
In E. Bank Dr.

16.24

109°-19'

138.23 + 78 = 138.22

34+07.91
P.I. #15
Set 2" I.P. In Bottom
of Dr.

300' Tape #111 Sta. 0 = 54.0 Ft.
252.86 + 72 = 252.84

13.52

P.I. #14

① 164-09-00
④ 296-36-40
⑥ 264-54-40
164-09-10

Cont. From Left Sd. Pg. 34

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S[illegible]
W. O. 6962 Tape No. 111 St'd. 62° °F
Surveyed by A. N. HELLSTROM
Notes D. H. H Date Mar. 1952
Indexed

F. B. Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3085 247 2-51

Searched for 4x4 Stake
Fd Nothing

Fd. 4x4 Pointed Post
3' high - Marked M.O. Co.

Fd. 4x4 Rdwd. Stake with Nail - Up 8" See Tr. "159-2

Fd. 2" I.P. No Plug, or Nail Up 12" No REF

394+68.35
P.I. "19
Set 2" I.P. In Bottm. of Dr.

℄ St. Dr.

P.I. "18
Set 2" I.P. In Bottm. of Dr.
387+25.30

Fd. 4x4 Rdwd. Stake, No Nail Up 12" - Top Rotted 4x4 pointed post Marked M.O.Co - 3' high on S. Sd. of Stk See Tr. 159-2

Fd. 2" I.P. - Const Str and Nail - Set In Conc. Flush - W. Bnd. of Dr See Tr. "159-2

P.I. "17
Set 2" I.P. In Bottm. of Dr.
364+34.34

Fd. 2" I.P. - Const Str. and Nail Set In Conc. - At Fnc. Cor. See Tr. "159-2 - Cor. of Block "13 " " 12931

To P.I. "16

Cont. From Top Pg. 36

F.B. 1798 PG. 38

W.S. 34 - C-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Cont. From Bottom Left Pg. 34

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. III St'd. 81° °F
Surveyed by A. N. HELLSTROM
Notes A. N. H. Date May 1952
Indexed

F. B. [illegible] Pg. [illegible]



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

Cont. From Top Pg. 37

F. B. 1198 PG. 40

Cont. On Bottm. Pg. 41



① 146-52-20
② 227-30-00
③ 161-14-40
146-52-30

① 161-18-00
② 285-13-20
③ 249-49-50
161-18-20

① 159-42-20
② 270-00-00
③ 224-15-02
159-42-30

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT. FROM TOP Pg. 39

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6863 Tape No. 111 St'd. 81½ °F
Surveyed by A. N. HELLSTROM
Notes A.N.H. Date 10-10-50
Indexed

F. B. 1792 Pg. 44

61.12 Overall

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

WS 1 3

N

Sta 38.03

P.I. "27" Set 2" I.P. In Bottom of Dr. on ℄ 2nd St. Prod.

End of St. Standard 9 Set

Ch. I. 70 Pg. 44 (30)

N 0 E 504.20

Boat Spk. In Curb pr. Pg. 44

Ch. I. 70 Pg. 44 (30)

Ph. "E" Boat Spk. In Curb pr. Pg. 42

115° - 59' - 10" Pg. 42

SEE Pg. 42

71.41

30.40

Radial Line

Chain Link Fnc. 1.0' E. of Line

S 88° 54' - 50" E Pg. 44

38.10

R. P. For ℄ 2nd St. Set 2" I.P. - Flush On E. Bnk. of Dr. at Top of Bank On ℄ Prod.

83.92

48+04.11

P.I. "26" Set 2" I.P. - In Bottom Dr.

℄ 5th. Dr.

℄ 7-11"-10
℄ 131-09-30
℄ 46-43-20
7-47-15

Fd. 2" I.P. Tan. L.S. 2409 12" de Sec TR. 159-2

18.86

207.63

83.92 T82 = 83.92

℄ 166-01-20
℄ 309-05-30
℄ 276-08-00
166-01-20

15°-12'-35"

59.19

P.I. "25" Set 2" I.P. - In Bottom of Dr. 45+96.58

207.55 T76 = 207.53

℄ 154-13-00
℄ 256-56-20
℄ 205-15-20
154-12-35

1° P.I. 94.05

Cont. From Top Pg. 40

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34-C-1



Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. 088 St'd. 68 °F
Surveyed by A. N. HELLSTROM
Notes 5-31-57 Date May 1957
Indexed

F. B. 177 Pg. 49

C-1

W. S. 1

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

INTERS.
Set Temp. Nail by Inters. of 4 punch mrks. circled with punch mrks. in Rim of M. H.

Set L&T.

369.94 ✓

To Cl. 13 Ave.

ST.

48.20

0.04

DAVISTA (27) DR.

(27)

49.12

Set L&T.

46.52

Fd. L&T. (30)

(30)

369.94 T68 = 369.94 ✓

369.93 T68 = 369.93 ✓

369.93 ✓

SECOND

INTERS.
Set Nail by Inters. of 4 punch mrks. circled with punch mrks. in Rim of M. H.

Fd. L&T.

45.00

Fd. Chis(x) in Curb

28.68

OCEAN VIEW (30) AVE.

(30)

65.25

48.76

Fd. L&T.

Fd. L&T.

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 34-C-1


SECOND ST.
FOURTH ST.
CATALINA AVE.
Cont. From Top Pg. 43
See Pg. 141 Top Left
To DAVISTA DR.
369.94
1320.41
1320.41
1320.41
1320.41
504.20
504.20
504.20
504.20
30.00
30.00
30.00

768420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. _____ JOB NO. _____ SURVEY OF EAST WHITTIER S. D.
DATE _____ SURVEY BY A. N. HELLSTROM
NOTES CHKD. _____ NOTES BY A.N.H. DATE 9/21/53
DATE _____ INDEXED C. Johnson DATE 9-23-53

F. B. 1787 PG. 45

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

J.N.-6962
EAST WHITTIER SCHOOL DIST. (WHITTIER + COLIMA)
CIRCUIT OF LEVEL LINES
FROM
B.M. "1-10 AT COLIMA ROAD and HAWES ST.; THENCE NORTH ON HAWES ST. CROSSING LAMBERT ROAD; WHITTIER BLVD; and ENDING AT SECOND ST.; (END OF [illegible])

PAGES 45 TO 60 (Incl)

FIELD PARTY
A.N. HELLSTROM — INST.
A.S. CURTIS — N.F.
A.C. GOLDEN — ROD
W.E. IRONS

WEATHER — WARM.

PHILA. LEVEL ROD 1 & 2

indexed [illegible]

Adj: elevations based on L.A. Co. Surv. Precise Lev[illegible]
1952 adj. of Line 1
Adj. 9/21/53 AE.

See A-49 for adj. calc.

AE 8-54

76S420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 6962 SURVEY OF EAST WHITTIER S. D. NOTES RED. DATE
SURVEY BY A. N. HELLSTROM NOTES CHKD. DATE 6-11-53
NOTES BY A.N.H. DATE
INDEXED DATE

F.B. 1798 PG. 46

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. "1-10					178.369	(FD.) B.M. "1-10 Colima Road & Hawes St. 19' N. of the ℄ of Hawes St and 6' E. of the ℄ of Colima Road. Set in conc. 15" below the surf. in a well with a cast iron cover marked. "County Surveyor Mon. A Std. County Surv. Mon. marked. "B.M. 1-10 - 1951 - R.E. 327 F.B. 1202-15 Adj. Elev. 178.369
+	4.281		4.412			
⊼		0.761	0.762		+0.7615	
−	3.520		3.650			
T.P.						
+	6.237		6.266			
⊼		1.597	1.598		+1.5975	
−	4.642		4.668			
T.P.						
+	3.398		2.2[illegible]			
⊼		1.985	1.98[illegible]		-1.9865	
−	5.383		4.28[illegible]			
T.P.						
+	3.[illegible]		4.820	4.818		
⊼		1.456	1.465	1.458	+1.4570	
−	4.149		3.355	3.360		
T.P.						
+	5.805		4.960			
⊼		1.660	+1.660		-1.6600	
−	4.145		3.300			
T.P.						
+	5.[illegible]		4.843			
⊼		1.028	+1.028		+1.0280	
−	4.057		3.815			
T.P.						
+	5.422		5.336			
⊼		1.509	1.501		+1.5005	
−	3.925		3.835			

76S420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP						
+	5.[illegible]		5.626			
		2.128	2.126		+2.1278	
−	3.5[illegible]		3.500			
TP						
+	5.[illegible]		5.978	6.018		
	[illegible]		3.850	3.117	+2.1165	
−	3.8[illegible]		3.858	3.901		
TP						
+	5.9[illegible]		6.300			
	[illegible]	[illegible]	+2.827		+2.8215	
−	3.[illegible]		3.473			
TP						
+	6.181		6.361			
		2.116	2.172		+2.1725	
−	4.0[illegible]		4.189			
TP						
+	5.4[illegible]		5.489			
		1.608	1.607		+1.6075	
−	3.8[illegible]		3.882			
TP						
+	5.491		5.481			
		[illegible]	0.436		+0.4355	
−	5.0[illegible]		5.045			
TP						
+	4.9[illegible]		5.120	5.124		
		0.272	0.[illegible]8	0.273	+0.2725	
−	4.6[illegible]		4.902	4.851		
TP						

NOTES RED. _____ JOB NO. [illegible] SURVEY OF EAST WHITTIER S. D.
DATE _____ SURVEY BY A. N. HELSTROM
NOTES CHKD. _____ NOTES BY [illegible] DATE 4-[illegible]-52
DATE _____ INDEXED [illegible] C. Johnson DATE _____

F.B. 1128 PG. 42

76S420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 6962 SURVEY OF EAST WHITTIER S. D. NOTES RED. _____
SURVEY BY A. N. HELLSTROM " DATE " NOTES CHKD. _____
NOTES BY B.M.W. DATE 6-11-62 DATE " DATE _____
INDEXED _____ DATE _____

F.B. 1798 PG. 48

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
+	4.921		5.089			
⊼		+1.200	1.199		+1.1995 X	
−	3.721		3.890			
T.P.						
+	5.272		5.230	5.138		
⊼		+0.875	0.878	0.875	+0.8760	
−	4.397		4.352	4.263		
T.P.						
+	4.991		4.998			
⊼		+0.791	0.793		+0.7920	
−	4.142		4.205			
T.P.						
+	4.788		5.349			
⊼		+0.412	0.423		+0.4225	
−	4.376		4.921			
T.P.						
+	4.151		4.156			
⊼		+0.324	0.353		-0.3535	
−	4.535		4.509			
T.P.						
+	4.018		3.138			
⊼		-0.802	0.801		-0.8015	
−	4.820		4.939			
T.P.						
+	4.051		3.940			
⊼		-1.950	1.981		-1.9505	+17.7615 (21)
−	6.001		5.891			(SET)
B.M. "KW-1) 196.14			Cont'd. on pg. 49		196.140	B.M. "KW-1 — 57± S. of ℄ LAMBERT RD E. Sd. of Drain

LAMBERT RD. - S. side Between BONAVISTA LANE and REGATTA AVE. - In West Curb of Conc. Drive Way 76 House "14602 - LAMBERT RD

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. _____ SURVEY OF EAST WHITTIER S. D.
DATE _____ SURVEY BY A. N. HELLSTROM
NOTES CHKD. _____ NOTES BY _____ DATE _____
DATE _____ INDEXED _____ DATE _____

F.B. _____ PG. _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. "KW-1					196.140	= B.M. "KW-1 Pr. Pg. 48
+	5.052		5.336			
⊼		2.280	2.755		+2.7545	
−	2.30		2.581			(Found) Lon. Int. Bet. N. Bdy. Bet. Bdy. and Prod. of E Lon. Int. N. of E Lon. Int.
B.M. "KW-2"	198.892				198.894	= B.M. "KW-2
+	5.486		5.178			West End of Conc. Hdwl. for Inlet For Storm Drain in Easterly Spur in Lon. Int. Bet. B.M. "KW-2" &
⊼		1.747	1.748		+1.7475	
−	3.737		3.430			
B.M. "KW-3)	200.643				200.643	= B.M. "KW-3-SET" In L.A.-S. R/W On N. Side of Tract - 736 at MILLS AVE. 34' Sly. of Lon. Int. of Rd. In Top Cntr. of Conc. Hdwl. Conc. Box Culvert - Set in Boss in Lead.
+	4.785		5.350			
⊼		1.065	1.065		+1.0650	
−	3.120		4.285			
T.P.						
+	3.284		5.11			
⊼		0.521	0.520		+0.6205	+1.685 (2) (SET) Flower Dr. - S. Side Between Rudd Ave. Palmer Ave. in the Curb of Flower Dr. 31.00' East of NW Cor. of Building #1461 Flower Dr. - Set
−	4.243		4.491			
B.M. "KW-4)	202.329				202.329	= B.M. "KW-4
+	3.382		3.19			
⊼		1.887	1.885		-1.8855	
−	5.230		5.077			
T.P.						
+	2.380		2.700			
⊼		0.852	0.852		+0.1520	-1.0345 (2)
−	2.272		1.848			
P.I. "4" = KW-9A	201.280				201.296	= P.I. "4" = L&T. In Flat Grate Inlet In Balm. Dr. Pr. Pg. 19
+	6.350		6.024			
⊼		3.705	3.706		+3.7055	
−	2.645		2.318			
P.I. "5 = KW-48	204.985				205.001	= P.I. "5 = 2" I.P. In Balm. Dr. Pr. Pg.

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 6935 SURVEY OF EAST WHITTIER S. D. NOTES RED. DATE
SURVEY BY A. N. HELLSTROM NOTES CHKD. DATE
NOTES BY DATE
INDEXED DATE

F.B. 1728 Pg. 50

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P.I. "5"					205.001	= P.I. "5" Pr. Pg. 49
KW-40						
+	5.329		5.329			
✕		4.381	4.380		+4.3805	
−	1.010		0.949			
T.P.						
+	6.345		6.069			
✕		4.367	4.368		+4.3675	
−	1.978		1.701			
T.P.						
+	6.538		6.423			
✕		4.775	1.779		+1.7775	+10.5225 ③ CARNELL ST. - S. Side Between MILLS AVE & MONTAGE AVE. - In the South Curb of CARNELL ST. and On the West Line of the Conc. Walk on the N. Side of the 1400 Blk of CARNELL ST. Pk. Nail - A Bent Spike in Lead
−	4.763		4.649			(SET)
B.M. "KW-5"	215.529				215.529	= B.M. "KW-5"
+	4.227		4.119			
✕		1.137	1.139		+1.1370	
−	5.464		5.256			
T.P.						
+	5.370		5.309			
✕		1.929	1.928		+1.9285	
−	3.441		3.381			
T.P.						
+	5.291		5.130			
✕		2.161	2.159		+2.1590	+2.9435 ③ MILLS AVE - West Side 3rd Spike SOUTH OF PROP. Prod. From EAST - In West Crb. of MILLS AVE. - SET ③ Bent Spike in Lead Stamped 2.24
−	3.130		3.971			(SET)
B.M. "KW-6"	218.470				218.470	= B.M. "KW-6"
+	4.637		4.521			
✕		0.5412	0.540		+0.5410	
−	5.250		5.061			
KW-6A						
P.I. "7"	219.957				219.929	= P.I. "7" - 219.9 Pr. Pg. 24
KW-6A	See Pg. 51					

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P.I. "7" KW-6A					217.929	= P.I. "7" – 2" [illegible]
+	[illegible]		4.899			
∧		[illegible]	1.269		+1.2690	
–	3.629		3.630			
P.I. "8" KW-6B	219.199				219.199	= P.I. "8" – [illegible]
+	6.271		6.375			[illegible]
∧		4.932	4.935		+4.9340	
–	1.932		1.440			
T.B.M. "A" KW-6C	224.131				224.133	= T.B.M. "A" – At Junction of 2 [illegible] Drains At P.I. "9" prpg. 25' - Set Boat Spk. In E. End of 10" Conc. Wall.
+	4.281		[illegible]			
∧		2.001	[illegible]99		+2.0000	
–	2.780		3.080			
T.P.						T.P. 1"X2" & [illegible]
+	5.250		[illegible]			
∧		2.417	[illegible]17		+0.4170	+2.4170 (2)
–	3.833		[illegible]5			
P.I. #10 KW-6E	226.529				226.551	P.I. #9 – 2" [illegible]
+	3.903		3837			
∧		+3.670	3.609		+3.6095	
–	0.270		0.228			
T.P.						T.P. [illegible]
+	6.334		6.280			
∧		+5.078	5.079		+5.0775	
–	1.258		[illegible]			+8.8530 (3)
T.P.						T.P. 1"X2" & [illegible]
+	5.415		5667			So. Side Anaconda St - Set Spk. in S/
∧		+0.165	0.167		+0.1660	between Ben Hur Ave & Hornby Ct
–	5.258		5.500			East side drive to ho. #14572
BM KW #7	235.406				235.406	BM KW #7 – (SET)

NOTES RED. _____ JOB NO. 6[illegible] SURVEY OF EAST WHITTIER S.D.
DATE _____ SURVEY BY A. N. HELLSTROM
NOTES CHKD. _____ NOTES BY [illegible] DATE 6-11-53
DATE _____ INDEXED [illegible] C. Jolliffe DATE _____

F. B. [illegible] PG. [illegible]

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 6962 SURVEY OF East WHITTIER S. D. NOTES RED. DATE
SURVEY BY A. N. HELLSTROM DATE 6-11-52 NOTES CHKD. DATE
NOTES BY DATE DATE
INDEXED DATE

F.B. 1798 PG. 52

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM KW #2	235.38				235.406	BM KW #2 per pg. 4
+	3.773		3.778	3.770		
Δ		R	1.562	1.559	-1.5605	
−	5.210		5.220	5.211		
T.P.						T.P. 6" spk. in pave
+	5.772		5.640			
Δ		-1.930	1.691		-1.5305	
−	5.255		5.171			
T.P.						T.P. 6" spk. in pave
+	4.430		5.830			
Δ		-0.752	0.751		-0.7515	-3.8425 (3)
−	4.513		5.081			(SET)
BM KW #8	231.53	(Tie be adj out of circuit) (No tie to KW-4)			231.568	BM KW #8 So. side Whittier Blvd. 6" spk. in curb at W. corner Elm Ave. & Mills Ave. on the prod. of west side gutter to E. 9809 Mills Ave
BM KW #7	235.32				235.406	BM KW #7 per pg. 3
+	4.204		4.350			
Δ		-3.508	3.509		-3.4085	
−	0.696		0.841			
T.P.						T.P. 1"X2" stake
+	4.398		4.621			
Δ		-1.261	1.260		-1.2605	
−	5.659		5.881			
T.P.						T.P. 1"X2" stake
+	2.350		2.175			
Δ		-3.155	3.154		-3.1560	

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	5.805		5.832			+1.3920 3)
B.M. "KW-7A" =	236.177				236.799	B.M. "KW-7A" 2½" A.C. monument in well flush with ground. Elev. from Rec. Survey Bk. 99 pg. 28
			3276			
+		+3.571	3.570		+3.5705	
-	1334		1705			
T.P.						T.P. 1" I.P. flush
+	5659	R	4963	0.165		
-		+0.676	3.293	3.291	+0.7690	
-	4863		4298	4293		
T.P.						T.P. 1" I.P. flush
+	4.560		4.371			
-		-0.538	0.039		-0.0385	+4.3010 3)
-	4.588		4.410			
B.M. "KW-7B" =					241.101	B.M. "KW-7B" 2" A.C. plug flush in well box
+	5.550		5.30			
-		+0.570	0.574		+5.6475	
-	4.980		4.732			
T.P.						T.P. 1" I.P. flush
+	6.479		6.425			
-		2.693	2.695		+2.6970	+5.3415 5)
-	3.786		3.730			
B.M. "KW-9"	249.443				249.443	B.M. "KW-9"
+	5.168		5.042			
-		+1.878	1.876		+1.8770	
-	3.290		3.166			
T.P.						
+	5.270		5.218			
-		+2.823	2.823		+2.8230	



NOTES RED. _____ JOB NO. _____ SURVEY OF EAST WHITTIER S. D.
DATE _____ SURVEY BY A. N. HELLSTROM
NOTES CHKD. _____ NOTES BY _____ DATE 5-15-53
DATE _____ INDEXED _____ DATE _____

F.B. _____ PG. 53

76S420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 6962 SURVEY OF EAST WHITTIER S. D. NOTES RED. DATE
SURVEY BY A. N. HELLSTROM DATE NOTES CHKD. DATE
NOTES BY DATE
INDEXED DATE

F.B. 1798 PG. 54

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						+4.7000 (2) WHITTIER BLVD. & S. SIDE 50' E. of E. WHITTIER BLVD. ON S. SIDE OF CURB INLET S. SIDE OF HOUSE #14576 WHITTIER BLVD & WALK ENTRANCE TO [illegible] — A Brass Cap in Conc.
—	2.446		2.390			
B.M. "KW-10"					254.144	B.M. "KW-10"
+	3.772		3.862			
⊼		3.427	0.627		-0.6270	
—	4.592		4.489			(Found)
T.B.M. "B"					253.518	T.B.M. "B"
KW-10A						WHITTIER BLVD. & S. SIDE 40± E. of E. WHITTIER BLVD. and 50± E. of HOUSE #14576 10 N. of S. of A CURB INLET
+	3.634		3.956			
⊼		1.746	1.996		-1.7460	
—	5.380		5.702			
T.P.						
+	2.932		2.994	2.621		
⊼		1.332	0.R	0.332	+0.3320	-1.4140 (3)
—			2.564	2.289		
P.I. "15" KW-10B					252.104	P.I. "15" — 2" I.P. pr. pg. 36
+	5.340		5.223			
⊼		4.123	4.123		+4.1230	
—	1.217		1.100			
P.I. "16" KW-10C					256.228	P.I. "16" — 2" I.P. pr. pg. 36
+	5.950		5.933			
⊼		4.930	4.930		+4.9300	
—	1.020		1.003			
P.I. "17" KW-10D					261.158	P.I. "17" — 2" I.P. pr. pg. 37
+	4.720		4.685			
⊼		1.497	1.495		+1.4960	
—	3.223		3.150			
P.I. "18" KW-10E					262.654	P.I. "18" — 2" I.P. pr. pg. 37
+	4.644		4.581			
⊼		0.683	0.683		+0.6830	

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. _____ JOB NO. _____ SURVEY OF EAST WHITTIER S. D.
DATE _____ SURVEY BY A. N. HELLSTROM
NOTES CHKD. _____ NOTES BY _____ DATE _____
DATE _____ INDEXED _____ DATE _____

F.B. _____ PG. _____

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
–	3.851		3.858			
P.I. "20" = KW-10F	2.580				263.338	P.I. "19 - 2" I.P. pr. pg. 38
+	5.382		4.[illegible]			
∧		1.820			+1.822 25	
–	3.[illegible]		3.[illegible]			
P.I. "21" = KW-10G	2.[illegible]				265.159	P.I. "20 - 2" I.P. pr. pg. 39
+	6.132		6.588			
∧		2.827	3.[illegible]		15.980	
–	0.[illegible]		0.[illegible]			
+	6.[illegible]		6.257			
∧		5.405	5.404		+5.1045	
–	0.[illegible]		0.852			
+	5.220		5.053			413.4480
∧		2.187	2.184		+2.1855	③ For Elevations [illegible]
–	3.033		2.869			(SET)
B.M. "KW-11" 278.512					278.609	B.M. "KW-11"
+	1.332		1.135			
∧		4.583	4.582		-4.5835	
–	2.[illegible]		5.[illegible]			
T.P.						
+	0.280		0.220			
∧		6.380	6.380		-6.3800	-10.9625 ②
–	6.[illegible]		6.600			
P.I. "21" KW-11A	[illegible]				267.647	P.I. "21 - 2" I.P. pr. pg. 39
+	6.115		5.[illegible]			
∧		3.875	3.[illegible]		+3.8745	

HIGHLAND AVE. W. [illegible]
1/2" end of iron [illegible]
For Elevations [illegible]
To Hollow Cross [illegible]
Eye - Ex. Lot Corner [illegible]
Nearest Storm Str. [illegible]
A 24" - Sta. [illegible] pg. 3

76S420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 4262 SURVEY OF EAST WHITTIER S. D. NOTES RED. _____
SURVEY BY A. N. HELLSTROM DATE _____
NOTES BY _____ DATE _____ NOTES CHKD. _____
INDEXED _____ DATE _____ DATE _____

F.B. 1794 PG. 52

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
–	2.243		2.147			
P.I. "22" = KW-11B					271.522	P.I. "22" – 2" I.P. pr. pg. 40
+			4.285			
⤒		+2.042	2.096		+2.1760	
–	4.291		4.189			
P.I. "23" = KW-11C					271.638	P.I. "23" – 2" I.P. pr. pg. 40
+			5.017			
⤒		+1.320	1.328		+1.3590	
–	3.703		3.689			
P.I. "24" = KW-11D					273.058	P.I. "24" – 2" I.P. pr. pg. 40
+	4.340		4.313			
⤒		+2.676	1.663		+1.6635	
–	2.671		2.649			
P.I. "25" = KW-11E					274.722	P.I. "25" – 2" I.P. pr. pg. 41
+	4.321		4.309			
⤒		+1.833	1.822		+1.8625	
–	2.765		2.547			
T.P.						
+	4.381		4.330			
⤒		+2.771	3.798		+3.4985	+5.3610
–	0.973		0.532			
P.I. "26" = KW-11F	280.088				280.083	P.I. "26" – 2" I.P. pr. pg. 41
+	4.914		4.903			
⤒		+1.801	1.801		+1.8010	
–			3.102			
P.I. "27" = KW-11G	281.8				281.884	P.I. "27" – 2" I.P. pr. pg. 41
+	5.[illegible]	R	5.527	5.524		
⤒		+2.[illegible]	2.[illegible]	+2.[illegible]	+2.3265	

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
−	0.09[illegible]		[illegible]	[illegible]		2nd St. – Sout[illegible]
TP						[illegible]
+	[illegible]		[illegible]			[illegible]
Δ		[illegible]	[illegible]		+5.[illegible]0	+12.287 (3) (SET)
−	3.4[illegible]5		[illegible]			
B.M. KW-12 (Δ+.2) 294.[illegible]					294.173	B.M. KW-12
+	6.[illegible]37		6.[illegible]			
Δ		2.905	2.9[illegible]		+2.9055	
−	3.2[illegible]		3.[illegible]50			SET
B.M. KW-13 (Δ) 297.0[illegible]					297.079	B.M. KW-13
+	4.2[illegible]		[illegible]	4[illegible]		
Δ		[illegible]	[illegible]	3.[illegible]	+3.4395	
−	0.8[illegible]		[illegible]	[illegible]		
TP						TP
+	4382		4[illegible]			
Δ		0.5[illegible]	0.3[illegible]		-0.8555	
−	5239		52[illegible]			
TP						TP
+	2490		2642			
Δ		0.1790	0.2790		-0.1200	+1.7940 (3)
−	5280		5432			
BM KW-14 [illegible]					298.874	BM KW-14
+	4[illegible]991		3535			
Δ		−0.3[illegible]	0.3[illegible]6		-0.8465	
−	4838		4[illegible]			
TP						TP
+	4199		4025			
Δ		0.[illegible]79	0.[illegible]79		-0.4790	

NOTES RED. _____ JOB NO. _____ SURVEY OF EAST WHITTIER S. D.
DATE _____ SURVEY BY A. N. HELLSTROM
NOTES CHKD. _____ NOTES BY _____ DATE
DATE _____ INDEXED _____ DATE

F.B. _____ PG. _____

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. [illegible] SURVEY OF EAST WHITTIER S. D. NOTES RED. DATE
SURVEY BY A. N. HELLSTROM DATE 5-14-52 NOTES CHKD. DATE
NOTES BY [illegible] DATE [illegible] DATE
INDEXED DATE

F.B. 1798 PG. 58

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
–	[illegible]		4.504			
T.P.						T.P. – ⌀ spk. in pvmt.
+	5.513		5656			
∧		-2.083	2.083		-1.0820	
–	5.833		5739			
T.P.						T.P. ⌀ spk. in pvmt.
+	5.785		3035			
∧		-2.752	2.750		-2.7510	-6.1595 Ⓗ
–	5997		[illegible]			
SMWW-15	2.92.3				3.92.717	SMWW-15 Set in N. face of
+	1.965		1.970			B.M. St. East end N.E. C.B.
∧		-1.780	3.186		-5.1855	2 ft. W. in curb pvt. sty-43
–	6.430		6.473			
T.P.						T.P. ⌀ spk. in pvmt.
+	1.550		1389			
∧		-1.790	3.251		-5.0205	
–	6.440		6.430			
T.P.						T.P. ⌀ spk. in pvmt.
+	1.934		1.922			
∧		-2.756	4.678		-1.7565	
–	6.434		6.422			
T.P.						T.P. ⌀ spk. in pvmt.
+	1.824		1.833			
∧		-1.563	4558		-4.5590	
–	6.388		6.181			
T.P.						T.P. ⌀ spk. in pvmt.
+	8.622		8763			
∧		-3.106	3.106		-2.1060	
			Cont. on P2.			

768420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JOB NO. SURVEY OF EAST WHITTIER S. D.
DATE SURVEY BY A. N. HELLSTROM F. B. PG.
NOTES CHKD. NOTES BY DATE 6-14-52
DATE INDEXED DATE

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						-22.6405 (5)
	5.728		5869			
B.M. KW-16	275.043				270.078	B.M. KW-16 Ocean View Ave & Christine Dr. N. end W. C.
+	1.911		1.761			
↗		-4.634	4.631		-4.6325	Set ℄ spk. in curb.
–	6.545		6.392			
T.P.						T.P. ℄ spk. in pave.
+	1.350		1.530			
↗		-4.665	4.665		-4.6650	
–	6.515		6.195			
T.P.						
+	1.830		2.108			
↗		3.807	3.807		-3.8070	-13.1045 (3)
–	5.637		5.915			
B.M. #1-12	252.933				256.975	B.M. #1-12 El. 256.975 on F.B. 202 Whittier Blvd. & Ocean View 53' S'ly from E. Whittier Blvd. 13' W'ly from E. Ocean View Set in conc. 15" below the surface in a well cut thru the pavement protected by a cast iron cover marked "County Surveyor" A std. County Surveyor... marked BM 1-12 1951

F. B. 1798 PG. 60

JOB NO. 6962 SURVEY OF EAST WHITTIER S. D. NOTES RED. _____
SURVEY BY A. N. HELLSTROM DATE _____
NOTES BY A.N.H. DATE 6-15-53 NOTES CHKD. _____
INDEXED _____ DATE _____ DATE _____

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. Tape No. St'd. °F
Surveyed by A. N. HELLSTROM
Notes Date
Indexed

F. B. Pg.

J.N. "6962

EAST WHITTIER STORM DRAIN

LOCATION OF IMPROVEMENTS ALONG AND CROSSING STORM DRAIN

PAGES 61 TO 92

Note: The Width and Location of Bottom of Draw or Drain Must Be Taken From X-Section Notes pgs. 93-188

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76FS095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 1998 PG. 62

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. St'd. °F
Surveyed by A. N. HELLSTROM
Notes Date
Indexed

F. B. Pg.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51



F. B. 1796 PG. 64



RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Name Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S.D. Return
W. O. 6582 Tape No. Sr'd °F
Surveyed by A. N. HELLSTROM
Notes Date
Indexed

F. B. PG.

cont. on bot. pg.- 66

5' chain link fc.

trans. line

4+80 ℄

4+68 ℄

7½

59

7

32

19.6

4+78.4

0+22.0

0+32.8 ℄

4+68.7

4+64.8

12" Tel. pole
887+44 E

16" C.M. pipe

3°

guy wire

12' conc. gut.

conc. apron

20°

18°

macadam

0+18.5

0+43.0

0+26.0

4+38.22

Sak-W 47
per EB 1798
pg-17

FLOMAR DR.

=0+00 along ℄ Street
to East.

2-69" Conc. pipes
7" thick

0+13.0

0+27.5

0+52.5

MH

11.5

3°

12' conc. gut.

4+10°

28

97

18" conc. pipe

4+15°

4+03.4

104

20.2

4.5°

5°

6°

conc. catch basin

3+99.4

7½

138

3+75°

6" orange

0+16.0

NOTE
catch ba
aprons
identical
both sides of

Trans. line

5' chain link fc.

cont from

64

F. B. 1798 Pg. 66



8" avacado 6+79.7
6+88.3
2" avacado 6+76.0
6" avacado 6+31.5
6" avacado 5+77.2
6" avacado 5+85.4
5+78.7
8" avacado 5+59.0
8" avacado 7+81.6
5' chain link fc.
5' chain link fc.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. St'd. °F
Surveyed by A. N. HELLSTROM
Notes C.S. Curtis Date 2-53
Indexed

F. B. 1492 Pg. 67

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.


CABRILLO ST.
69" CONC. STORM DRAIN
Sewer M.H.
Sewer M.H.
Transit line
Transit line
Transit line
Transit line
Concrete curb
Concrete curb
Concrete curb

F. B. 1798 PG. 68



RETURN TO
LOS ANGELES COUNTY SURVEYOR
~~720~~ LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of East Mountain S.D.
W. O. 2962 Tape No. St'd. °F
Surveyed by A. N. HELLSTROM
Notes
Indexed Date

F. B. Pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 1748 Pg. 70

Notes Ck'd by	Survey of EAST WHITTIER S. D.	F. B. PG.
Map No.	W. O. 6242 Tape No. St'd. °F	
Office Work	Surveyed by A. N. HELLSTROM	
Checked	Notes Date 1-11-52	
Date	Indexed	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E. 64th Ave. & Dr. D
W. 06962 Tape No. St'd. °F
Surveyed by H.W. STROM
Notes Date 4-53
Indexed

F. B. 1105 PG. 73

cont. on Sh. 5d
pg. .74

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 1798 PG. 74

Notes Ck'd by	Survey of EAST WHITTIER S. D.
Map No.	W. O. 6962 Tape No. St'd. °F
Office Work	Surveyed by A. N. WELLSTROM
Checked	Notes Date Jun '53
Date	Indexed

F. B. Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

15 L 26+19.2

6" Pine 11 L 26+09.1 18" Avocado

21 2 25+15.3

21 L 20" Avocado

25+76.5

15 2 25+58.8

21 L 25+38.1

(25+25.47 PT R=12 198°)

21 4 (98°)

25+23.7 19 8 8" Orange

12 7 8" Orange 25+04.1

24+41.2 18 6 8" Orange

Note Orange Tree Shaded

20 9 23+75.6

23+57.9 21 4 6" Orange

23+57.0 21 3 27 3 6" Orange

GW 19 6 23+54.1 23+13.0

5° Waven Wire Fence

21 7 23+08.4

21 4 23+01.0

Note
Green Line designates R of Storm Drain

Cont. From Left Sd. Pg. 74

F. B. 1798 PG. 76

Cont. On Bottom Pg. 77



Cont'd From Top Pg. 75

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 5922 Tape No. St'd °F
Surveyed by A. N. HELLSTROM
Notes Date
Indexed

F. B. Pg. 77

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

± 300' East & 300' West on Whittier Blvd - Found tele. M.H's

9" conc. hd. wall

Parallel to Whittier

8"

(79.5' CONC. CULVERT)

7"

5"

12"

CONC. WALL

31+85

31+83

(31+55.07 12" I.D. M.H. in conc. pvmt. REF. FB 1798-34)

MCAM.

WHITTIER

CONC.

20'

10'

31+50

(cat-Grey w/Rigor MH's)

BLVD.

10" conc. pipe

4'x8' conc. culvert

Metal Pipe 11' High

Parallel to Whittier

11"

9" CONC. WALL

12"

31+24

31+14

31+14

8" conc. pipe

2" Water line

31+

pp

13"

12" conc. Storm Pipe

31+07

31+10

11"

8" W.I. pipe

8" PSC

5"

30+85

15"

8"

30+86

12" stand pipe conc.

30+63

13"

30+61

15"

8"

30+46

14"

6"

12" conc. stand. P. 12" high

30+41

12"

30+27

13"

8"

12" conc. stand pipes 12" high

29+86

29+66

29+65

4" Plum

29+30

6" peach on line

CON'T FROM TOP Pg 76

F. B. 1798 PG. 78



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. Tape No. St'd. °F
Surveyed by A. N. HELLSTROM
Notes Date
Indexed

F. B. Pg. 79



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 247 2-51

F. B. [illegible] PG. 80



NOTE

AVACADO

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S.D.
W. O. 6762 Tape No. St'd. °F
Surveyed by A. M. HELLSTROM
Notes Date
Indexed

F. B. Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2.51

CONT ON Bot. pg

NOTE ORANGE TREES

36" EUCALYPTUS

24" "

30" "

24" "

26" "

30" "

40" "

32" "

30" "

Cont from top Pg 80

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 11958 Pg. 82

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST RANCHO DOMINGUEZ
W. O. 6242 Tape No. St'd. °F
Surveyed by
Notes Date
Indexed

F. B. Pg. 53

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

P.I. #23
Sta. 43+90.36
Rec. 1/2" I.P.
F.B. 1798 pg. 11
3" orange 43+84? 16 L
17 R
105
43+78?
28" gum
30" gum
73
129
95
43+42?
24" gum
24" gum
P.I. #22
Sta. 43+35.36
2" I.P. per
F.B. 1798 pg. 11
4
5
63
82
146
43+25?
43+14?
42+94?
42+65?
42+51?
24" gum
14" gum
12" gum
30" gum
14" gum
16
112
113
36" gum 42+30?
42+24? 24" gum
P.I. #21 & Inter
Sta. 42+06.15
2" I.P. per F.B.
1798 pg. 39
2" I.P.
per F.B. 1798
pgs 38 & 39
36.59
edge macadam
HIGHLAND AVE.
centerline
P.I. #20
cont. from top
pg. 81

F.B. 1798 PG. 84



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Earthworks S.D.
W. O. 6267 Tape No. St'd. °F
Surveyed by R.E. Nelson
Notes Date
Indexed

F. B. PG.

NOTE:
All fences shown on this sheet are 3' chain link & stl. posts

curb
12" conc. gut.
macadam
28' R
0+74
0+93
32'
25'
35'
30'
conc. apron
15'
80'
60'
50'
0+75
0+71.0
0+67.5
0+63°
sprinklers
21°
0+19.0
12" orange
conc. coated basin
Pl #E
0+51.41 East
pg-42
curb
5' curb (conc.)
22' conc. gut.
north side of 5T.
paved with macadam
2ND. ST.
0+32.5
0+24.7
6" macadam curb
0+04.7
0+tc. cor. 0+02.9
PRS 9°16'E
0+31.5
18'
transit line
5'162
27.8'
38.10
48+76°
2" I.P. per F.B. 1798 pg. 41
48+60.7
21'
= Sta. 0+00 along 2nd ST. to West
16.5'
48+60°
18" conc. iron pipes
6' chain link fence & stl. posts
P.I. #27
33+88.03
2" I.P. per F.B. 1798 pg-41
3" I.P. per F.B. 1798 pg-41
= Sta. 0+00 to East on transit line
4" steel pipe standard oil line
48+16°
32.3'
48+15°
25.3'
10" Ovacado
P.I. #26 see F.B. 1798 pg-41
Sta. 48+04.11
transit line
cont. from top pg. 84

NOTE:

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 1798 PG. 86

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6962 Tape No. 111 St'd. 84 °F
Surveyed by A. N. HELLSTROM
Notes Date
Indexed

F. B. 10000 Pg. 00

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
7[illegible] LOS ANGELES COUNTY
ENGINEERING BLDG.

See Pgs. 40-41

CONT. IN BOOK 11 PG

LOT "13"
TR. "16617"

10° P.I. 26

94.05

45+02.53
P.I. "24"
2" I.P. pr pg. 40

146-52-40

29.53

350.19 to 2" I.P.

0+64.42
"L-1"
Set N & NST - Flush

19.14

64.112

0.25

Fd. 2" I.P. - Tag L.S. 1102
Flush
Pr. Tr. 16617

INTERS. Set N & NST in Bottom Dr. Set Spike & Tag in Rad. Ang. Pt. to N61 Yl.

44+73.00 going Ahead
0+00 going Ahead

82.65

117-50-20

℄ St. Dr.

43+90.35
P.I. "23"
2" I.P. pr pg. 40

111-21-40

62.95

① 117-50-20
② 111-21-40
③ 347-02-00
117-50-20

See Pg. 40

76F309S 247 2-51

F. B. 1798 Pg. 88

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

LOT "10"

Fd. 2" I.P. - 8" up
Tag L.S. 2492
Cor. Lots 10-11
TR. 16617

3.68

Fd. 2" I.P. - 8" up
Tag L.S. 1102
BC. - Lot "11"
TR. 16617

LOT "11"

TRCT. "16617"

4+14.61 going E
Fd. 2" I.P. - 16" up
Tag L.S. "1102"
Cor. Lots 11-12
TR. 16617

Fd. 2" I.P. - 4" up
Tag L.S. 1102
Cor. Lot "11"
TR. 16617

LOT "12"

350.19 TIE = 350.19

350.19

LOT "13"

Cont. From Right Side Pg 87

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D.
W. O. 6242 Tape No. St'd. °F
Surveyed by A. N. HELLSTROM
Notes W. S. Date 1/1/ 1957
Indexed

F. B. PG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

8" ORANGE → 2+20° 14° 12½ 2+20° ← 8" ORANGE

8" ORANGE → 1+94° 1+95° ← 8" ORANGE

8" ORANGE → 1+76° 1+70° ← 10" ORANGE

8" ORANGE → 1+45° 1+44° ← 10" ORANGE

8" ORANGE → 1+20° 1+19° ← 6" ORANGE

8" ORANGE 0+99.5 12½ 0+93° ← 6" ORANGE

0+72° 2" ORANGE 14°

0+64.42 GOING E. PER P.B. 87
1.82 NET
4" steel PIPE
Standard oil line
0+52.3

P.O.T.
STA. 44+73.00
1" X 2" STAKE
PER F.B. 1998
PG. 40-87

STA. 0+00 90°39'E
ON TR. LINE
#6617 TO EAST

P.I. #29 - 2" I.P.
STA. 45+02.53
PER F.B. 1998
PG. 40-87

℄ ST. DR.

P.I. #28
STA. 43+90.35
2" I.P.
PER F.B. 1998
PG. 40-87

78F3085 247 2-51

F.B. 1798 PG. 90

CONT. ON BOTTOM PG. 91

4+95 — DEAD MAN — 7½ →

4+95 — 12 → — 12½ → 4+20

10" ORANGE — 10" ORANGE

4+20 — 12 → — 10" ORANGE 3+95

10" ORANGE

13½ → POWER POLE

4+07½ IRON SPRINKLER PIPE — 12 →

3+95 — 10" ORANGE — 12 →

BEGIN IRON SPRINKLERS 3+86 — 11½ →

4" GAL. IRON DRAIN PIPE SQUARE — 3+89 — 6" — 4" Conc. Drain Pipe

3+82 — 4" →

3+70 — 10" ORANGE — 10" ORANGE 3+70

3+45 — 10" ORANGE — 10" ORANGE 3+45

3+20 — 10" ORANGE — 10" ORANGE 3+20

2+95 — 10" ORANGE — 12 → — 12½ → 10" ORANGE 2+94½

2+71 — 11 →

END IRON SPRINKLER PIPE LAST SPRINKLER

4" ORANGE (DEAD) 2+69½

12½ →

10" ORANGE 2+44

Cont. From Top. Pg. 89

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S. D. 2
W. O. 6962 Tape No. St'd. °F
Surveyed by A. N. HELLSTROM
Notes W. E. DEANE Date July 1957
Indexed

F. B. 1998 PG. 91

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

TRANSIT LINE prod.

Edg. Pvt.

Edg. Pvt.

30" CORR. IRON PIPE

24" CORR. IRON PIPE

5+14 15 L

5+34 Q 18 R

15+12 Q

ENRAMADA AVE.

4+93 Q

edge MACADAM

4+65 R

4+50 9

38

15 L

4+45 R POWER POLE

4+47 8 C.L.

8" CON. HD. WALL

3 Q

5 8

4+43 7

6 Q

4+36 Q

GUY WIRE

2" I.P.

(4+14 61 PER PG. 88)

transit line

CONT. FROM TOP PG. 90

76F309S 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1798 PG. 72

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		

Profile Notes Red Plotted Job No. Division No.
No. Date Date Survey of East Whittier S. D.
X-Sec. Notes Chkd Checked Survey No. Notes Date
No. Date Date Map No. Amended Johnson Date 9-7-53

F.B. Pg.

76L298 3&7 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1796 Pg. 74 | Job No. 6962 Division No. V Notes Red. Plotted | Survey of East Whittier S.D. Date Date No. | Survey by A. McHELLSTROM Notes BGG Notes Chkd. Checked X-Sec. | Indexed Date JUN '53 Date Date No. | Profile

STATION	B. S.	H. I.	F. S.	ELEV.		
					.01 low ok to use BJ	
						.894

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT-N	RIGHT-E
		200 [illegible]				
0+33			147	[illegible]	[illegible]	
			[illegible]	[illegible]	[illegible]	
			[illegible]	[illegible]	[illegible]	
[illegible]			[illegible]	[illegible]		[illegible]
[illegible]			71	[illegible]		[illegible]
			75	[illegible]		[illegible]
			50	[illegible]	[illegible]	
			[illegible]	[illegible]		[illegible]
0+50.2			[illegible]	[illegible]		
			[illegible]	[illegible]		[illegible]
			[illegible]	[illegible]		
			[illegible]	[illegible]		
			[illegible]	[illegible]		
			46	195.2		
			[illegible]	195.6	[illegible]	
1+55			12.4	187		[illegible]
			12.4	[illegible]		[illegible]
			4.7	195.1		[illegible]
			4.0	[illegible]		20' [illegible]
			13.0	187.1	[illegible]	
			8.5	186.6	[illegible]	
T.P.		1	1.38	198.73	T.P.	
	1.46	200.19				

Profile

Notes Red_____ Plotted_____ Job No._____ Division No._____

No._____ Date_____ Date_____ Survey of EAST WHITTIER S. D. F.B. 1196 Pg. 95

X-Sec. Notes Chkd_____ Checked_____ Survey AB, NH, HILLSTROM Notes RCC Date July '53

No._____ Date_____ Date_____ Map No._____ Index Diagram Date_____

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 Pg. 76 Job No. 6962 Division No. X Notes Red. Plotted
Survey of EAST WATTER S.D. Date Date No.
Survey by N. HELLSTROM Notes A.E.G. Notes Chkd. Checked X-Sec.
Indexed C. Johnson Date July 55 Date Date No.
Profile

STATION	B. S.	H. I.	F. S.	ELEV.	Left - N	Right - E
		200.10				
			30			
				19		
0+99			299	19		Edge of Mcdm
1+00 S.00			240			
0+50			232			
			271			8' Rt Edge Mcdm
			41			37 Rt. Gutter
			231	19	8' Lt. Edge Mcdm	
			26	19	1'-6" Gutter	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 Pg. 98 | Job No. 6942 Division No. V D2 | Survey of EAST WHITTIER S. D. | Survey A. K. HELLSTROM Notes | Indexed A. C. Johnson Date | Profile | Notes Red. | Plotted | No. | Date | X-Sec. | Notes Chkd. | Checked | No. | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.		
			25			

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT - W	RIGHT - E

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1432 Pg. 60 Job No. 6962 Division No. Profile
Survey of EAST WHITTIER S. D. Notes Red. Plotted No.
Survey by A. N. HELLSTROM Notes 4-26 Date Date X-Sec.
Indexed E. C. JOHNSON Date Notes Chkd. Checked
Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT IN	RIGHT IN
-6+[illegible]			73			
4625			12 0			
			7?			
			12 0			
			7?			
			2 87			
			1 57			
1+[illegible]						
1470			12 2			
			12 3			
			7 1			
			7?			
4+[illegible]			12 2			
			12 3			
			7 0			

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT	RIGHT - E

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1795 Pg. 102 Job No. 6282 Division No. Profile
Survey of EAST WHITTIER S. D. Notes Red. Plotted No.
Survey A. N. HELLSTROM Notes AGG Date Date X-Sec.
Indexed E. C. Tabb 5-23 Date Notes Chkd. Checked No.
Date Date

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT - L	RIGHT - L
		1				
14+90			1			
14+10 =			12.5			
			1.5			
			12			
			12.5			
			10			
			30			
			33			
			0+1		TP	
		1				
2+30			11			
			10.5			
			6.0			
			7.5			
			10.5			
			8.0			
			6.5			
			3.3			

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT - W	RIGHT - E
		202 71				
2+43 Z			843	194 28		℄ SD ℄ top of Conc.
This section taken Parallel to RR.			835	194 36		7° Rt. Conc. base of
			33	199 4		14° Rt. Bank
			18	200 9		20° Rt. Top of ba
			18	200 9		30° Rt.
			841	194 30	9° Lt. Conc. base at Wing Wall	
			23	200 4	18° Lt. top of bank	
			23	200 4	30° Lt.	
2+50 5			833	194 38		℄ SD ℄ Ctr. of 48" RCP
This section taken Parallel to RR			245	200 26		℄ " ℄ Top " "
			241	200 30		5° Rt. Edge of Conc
			08	201 9		14° Rt. top bank
			08	201 9		25° Rt.
			245	200 26	5° Lt. Edge of Conc Hd Wall	
			13	201 4	13° Lt. Top bank	
			13	201 4	23° Lt.	
2+58 Z			051	202 20		℄ SD ℄ top of
			043	202 28		50° Rt. top of
			066	202 05	50° Lt. top of Rail	
2+63 3			056	202 15		℄ SD ℄ top of R

Profile Notes Red Plotted Job No. Division No.
No. Date Date Survey of EAST WHITTIER S. D.
X-Sec. Notes Chkd Checked Survey By HELLSTROM Notes
No. Date Date Map No. Date
F.B. Pg. 103

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____

Plotted ____ Date ____ Checked ____ Date ____

Notes Red. ____ Date ____ Notes Chkd. ____ Date ____

Division No. ____ Job No. ____

Survey of EAST WHITTIER S. D. Notes ____

Survey by A. N. HELLSTROM Date ____

Indexed by C. Johnson Date July '53

B. 178 PG. 104

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT - W	RIGHT - E
		202.71				
2+70 L			208	20		℄ SD & top Conc Wall
This section to be Included later			196	20		5° Ct. End of "
			16	20		20° Rt.
			215	20	5° Lt. End of Conc Wall	
			11	20	10° Lt. top bank	
			11	20	35° Lt	
			795	19		℄ SD Btm 4.86' Conc.
2+77 B			783	19		℄ SD Btm Conc base
			780	19		9° Conc. Floor & Wing Wall
			38	20		19° top bank
			24	20		21°
			34	20		31°
			790	19	15° Lt. Conc Fl & Wing Wall	
			21	20	49° Lt. top bank	
			15	20	25° Lt.	
2+88 B			80	19		℄ SD Btm of drain.
			76	19		4° Rt. Break
			58	19		8° Rt.
			24	20		20° Rt top bank
			24	20		30° Rt.

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. Division No.
No. Date Date Survey of EAST WHITTIER S. D. F.B.
X-Sec. Notes Chkd Checked Surveyed By: [illegible] Notes [illegible] Pg. 105
No. Date Date Map No. 25 Indexed [illegible] Date

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT - W-	RIGHT - E
		202 71				
2+822			80	1947	2° Lt. Btm bank	
			65	1962	4° Lt. Bottom	
			11	2016	11° Lt. Top of bank	
			11	2016	20° Lt. "	
2+71 E			80	1947		SD & Btm of [illegible]
			75	1952		5° Rt. Btm. of [illegible]
			23	2004		12.5 Rt. top "
			20	2007		20° Rt. "
			74	1953	3.5 Lt. Btm of bank	
			20	2007	8° Lt. Top " "	
			13	2014	10° Lt. Break	
			13	2014	15° Lt.	
			208	2006 3		BM KW-3 Rec [illegible] ELEV. = 20[illegible] Fd. Bt. SPK in Jd. [illegible] CONC. Box culvert
	599	206 62				
3+53 3			111	1955		SD & Btm of dr [illegible]
			111	1955		4° Rt Btm of ba[illegible]
			53	2013		7.5 Rt top "
			50	2016		20° Rt. "
			111	1955	3.5 Lt. Btm of bank	
			40	2026	11.5 Lt. Top "	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT - W		RIGHT - E
		206.62					
3+53			4.0		20° Lt.		
3+80			11.3			℄	drain - bot.
"			11.3				5 Rt. - "
"			4.8				9 Rt. - top
"			4.2				20' Rt.
"			11.3		1° Lt. bot		
"			8.1		6' Lt. brk.		
"			3.6		11.5 Lt. top brk.		
"			3.6		20' Lt		
3+99			10.7	195.1		℄	drain
"			12.80		(These pipes	℄	dr & bot 69" conc pipe;
"			10.7		are partially filled		7.2 Rt bot dr
"			12.80		with mud & trash)		7.2 Rt. & bot 69" conc pipe
"			10.9				10.3 Rt bot brk
"			4.6				11.5 Rt. top
"			4.0				20' Rt
"			10.9		4° Lt.		
"			3.9		7° Lt. top brk.		
"			3.9		20' Lt		

B. Profile No. X-Sec. No.
Platted Date Checked Date
Notes Red. Date Notes Chkd. Date
Division No. V
Job No. EAST WHITTIER 2
Survey of Notes
Survey by H. N. HELLSTROM & C. Tahmazian Date
Indexed
Pg. 106

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		206.62				
4+07 ±			3.8	202.8		℄ dr. & Top of fill
"			3.8	202.8		20' Rt
"			3.8	202.8	20' Lt	
4+19 ±			9.7	196.9		invert of ± 10' Rt of 18" co
4+38 ± = 0+00 ± Flomar Dr			4.34	202.28		℄ drain = ℄ Flomar Dr = 0+00 East & 0+00 West on ℄ Flomar Dr
"			4.64	201.98		18' No. gut
"			4.00	202.62		" " cb
"			5.16	201.46	18' So. gut	
"			4.54	202.08	" " cb	
0+50 W			4.35	202.27		℄ Flomar Dr.
"			4.54	202.08		18' No gut
"			3.91	202.71		" " cb
"			4.95	201.67	18" So. gut	
"			4.32	202.32	" So. cb	
1+00 W			4.24	202.38		℄ Flomar dr.
"			4.37	202.25		18' No gut.
"			3.75	202.87		" " cb.
"			4.86	201.76	18' So. gut.	
"			4.21	202.41	" " cb.	

Profile Notes Red Plotted Job No. 5282 Division No. V
No. Date Date Survey of East Flomar
X-Sec. Date Checked Survey by Hollstrom Notes Chkd. Date July 1950
No. Notes Chkd Checked Survey by Hollstrom Notes Chkd. Date
Date Date Map No. Revised to Date

F.B. 1778 Pg. 107

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 108
Job No. 6962 Division No. V
Survey of East Whittier S.D.
Survey by A.N. Hall crew Notes 27 Jan. 1961
Indexed C. Johnson Date
Profile No. X-Sec. No.
Plotted Date Checked Date
Notes Red Date Notes Chkd. Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		206 62				
1+50 West			4 09	202.53		℄ Flomar Dr.
" "			4 32	202.30		18" No gut.
" "			3 66	202.96		" " cb.
" "			4 68	201.94	18" So. gut.	
" "			4 04	202.58	" " cb.	
0+07½ East			5 02	201.60		18" So gut.
" "			4 55	202.07		" " cb.
0+16 East			8.75	197.87	21" So. invert-inlet 18" conc pipe	
0+18½ East			5 48	201.14	(℄ catch basin)	18" So. gut
0+18½ "			4 58	202.04	# " " "	" " curb.
BM KW 4 #		/	4 30	202.32	BM KW 4 per pg-49	202.316
	4 53	206.85				
0+18½ East			4 93	201.92	18" No. gut.	
" "			4 27	202.58	" " curb	
0+26 "			8.36	198.49	21" No. invert 16" CM Pipe (inlet)	
0+28½ "			5.16	201.69	18" No. gut.	
"			4.27	202.58	" " curb (℄ catch basin)	
0+50 East			4 68	202.17		℄ Flomar Dr.
"			5 34	201.51		18" So. gut
"			4 67	202.18		" " curb

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		206.85				
on Flomar Dr						
0+50 East			4.90	201.95	18" No. gut	
"			4.27	202.58	" " curb	
1+00 East			4.69	202.16		℄ Flomar Dr
"			5.27	201.58		18" So. gut
"			4.62	202.23		" " curb
"			4.74	202.11	18" No. gut.	
"			4.09	202.76	" " curb	
1+50 East			4.53	202.32		℄ Flomar Dr.
"			5.19	201.66		18" So. gut.
"			4.54	202.31		" " curb
"			4.61	202.24	18" No. gut @ Homage Drc.	
East			14.27	192.58	M.H. @ Int. Flomar Dr & Homagedr ℄	
					418 top rim 10.45 top inside .67 8" pipe .67 dia pipe	4.50 top rim 9.10 top inside 8" pipe .67 dia. pipe 14.27
West			15.30	191.55	15.30	M.H. on ℄ Flomar Dr. & Rout
drain line						
47.63'			9.70	197.15	± 11' Rt. invert 16" CM. pipe (inlet)	
47.71°			3.3	203.5		℄ drain (top of
"			3.3	203.5		20' Rt
"			3.1	203.7	20' Lt.	

Profile Notes Red Plotted Job No. 5962 Division No. X F.B. 1723 Pg. 109
No. Date Date Survey of
X-Sec. Notes Chkd Checked Survey by Hollstrom Notes Cuddy Date Sept 1955
No. Date Date Map No. Inspected Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

B. 1798 PG. 110 Job No. 6962 Division No. X Notes Red. Date Notes Chkd. Date Date
Survey of East Whittier S.D. Profile No. X-Sec. No.
Survey by A.W. Hellstrom Notes D.S. Curtis Checked Plotted
Indexed C. Johnson Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		206.85 ✓			(pipes are partially filled with mud)	
4+80			10.8	196.0	℄ drain (ground)	
"			12.35	194.50	℄ drain & invert 69" conc. pipe (inlet)	
"			10.8	196.0	7½ Rt (ground)	
"			12.25	194.60	7½ Rt invert 69" conc. pipe	
"			10.4	196.4	115 Rt bot. bank	
"			2.7	204.1	164 Rt top "	
"			2.7	204.1	20' Rt	
"			10.3	196.5	45 Lt. bot bank	
"			3.0	203.8	75 Lt. top "	
"			3.0	203.8	20' Lt	
4+95.5			9.9	196.9		℄ drain line
"			9.7	197.1		12 Rt bot bk,
"			2.4	204.4		112 Rt top bk
"			10.0	196.8	6 Lt bot. bk.	
"			2.5	204.3	72 Lt top bk	
"			2.5	204.3	20' Lt.	
5+08			9.7	197.1		℄ drain line
"			9.6	197.2		45 Rt. bot bank
"			2.5	204.3		80 Rt. top "
"			2.4	204.4		20' Rt

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		206.85				
5+08 ℄			9.6	197.2	5° Lt. bot. bank	
"			2.1	204.7	11° " top "	
"			2.1	204.7	15° Lt.	
T.P.			8.22	198.63	T.P. top 3" pipe P.I. #3	
	11.98	210.61				
5+60 ℄			12.5	198.1		℄ drain
"			12.0	198.6		3,5 Rt. bot bank
"			5.1	205.1		8° " top bank
"			5.2	205.4		20' Rt
"			12.0	198.6	6° Lt. bot. bank	
"			5.1	205.5	13° " top "	
"			5.1	205.5	20' Lt	
5+85 ℄			12.7	197.9		℄ drain
"			12.5	198.1		4° Rt. bot bank
"			4.8	205.8		9° " top "
"			4.8	205.8		20° Rt
"			12.5	198.1	3° Lt. bot. bank	
"			4.6	206.0	9° Lt. top "	
"			4.6	206.0	20 Lt	

Profile Notes Red Plotted Job No. 6262 Division No. F.B. 1283 Pg. 111
No. Date Survey of
X-Sec. Date Survey by Hollingsworth Notes Curtis Date Sept 1953
No. Checked Index Tabbed
Notes Chkd Date Map No. Date
No. Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 112 Job No. 6962 Division No. X Notes Red Plotted Profile No.
Survey of East Whittier S.D. Date Date X-Sec. No.
Survey by A.W. Hellstrom Notes E.S. Curtis Notes Chkd. Checked
Indexed C. Johnson Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		210.61				
6+25			12.3	198.3		℄ drain
"			12.3	198.3		3° Rt. bot bank
"			4.4	206.2		11° " top "
"			4.3	206.3		20' Rt.
"			12.3	198.3	4° Lt. bot. bank	
"			4.2	206.4	9° " top bank	
"			4.0	206.6	20' Lt.	
7+00			11.7	198.9		℄ drain
"			11.7	198.9		4° Rt. bot. bank
"			2.7	207.9		11° " top "
"			2.6	208.0		20' Rt
"			11.7	198.9	4° Lt. bot. bank	
"			2.6	208.0	11° " top "	
"			2.6	208.0	20' Lt	
T.P.			10.45	200.16	T.P. top conc. slab	
	7.01	207.17				
7+76.2			6.2	201.0		℄ drain
"			6.2	201.0		4° Rt bot. bank
"			(+1.5)	208.7		9° " top "
"			(+1.5)	208.7		20' Rt

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 2752 Division No. 1 F.B. 1778 PG. 13
No. Date Survey of [illegible]
X-Sec. No. Date Notes Chkd Date Checked Date Survey by Ellstrom Notes Curtis Date July 1952
Map No. E. Tenorio Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		207.17				
7+76 ℄			6.2	201.0	3° Lt bot. bank	
"			(+1.7)	208.9	6½ Lt. top "	
"			(+1.7)	208.9	20' Lt.	
8+00			5.4	201.8		℄ drain line
"			5.4	201.8		5° Rt bot b
"			(+2.0)	209.2		9° Rt. top
"			(+2.0)	209.2		20' Rt
"			5.4	201.8	5° Lt. bot bank	
"			+(2.1)	209.3	11° Lt. top "	
"			+(2.1)	209.3	20° Lt.	
8+30 ℄			4.9	202.3		℄ drain line
"			4.9	202.3		3° Rt. bot ba
"			(+3.0)	210.2		8° " top
"			(+3.0)	210.2		20° Rt
"			4.9	202.3	4° Lt bot bank	
"			(+1.3)	208.5	8° " top "	
"			(+2.6)	209.8	14° " " "	
"			(+2.6)	209.8	20° Lt.	
T.P.			2.19	204.98	T.P. Pl. #5 top 2" I.P.	
	9.71	214.69				

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 114 Job No. 6962 Division No. V Profile
Survey of East Whittier S.D. No. X-Sec.
Survey by A.M. Hellstrom Notes Red. Plotted
Notes Chkd. Checked
Indexed R.C. Johnson Date Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		214.69				
8+75 ±			10.2	204.5		℄ drain line
"			10.3	204.4		4° Rt bot bank
"			4.4	210.3		9° " top "
"			4.3	210.4		20' Rt
"			10 ±	204.4	4° Lt bot bank	
"			3.8	210.9	10° Lt. top bank	
"			3.8	210.9	20' Lt	
9+15 ±			9.9	204.8		℄ drain line
"			9.8	204.9		5° Rt. bot bank
"			3.3	211.4		11° " top "
"			3.3	211.4		20° Rt
"			9.7	204.9	7° Lt. bot. bank	
"			3.7	210.9	" top "	
"			3.6	211.0	20' Lt.	
9+27.9			9.6	204.9		℄ drain line
"			9.6	204.9		3° Rt bot bk
"			3.1	211.4		9° " top bk
"			3.1	211.4		20' R
"			9.6	204.9	2° Lt bot	
"			7.4	204.6	7° Lt. bot Wood Wall	
"			3.5	211.0	" top " "	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		214.69				
9+27.9			3.4	211.3	20° Lt.	
9+63.8			9.8	204.9		℄ drain
"			9.8	204.9		25 Rt. bot bank
"			2.0	212.7		7° Rt top "
"			2.0	212.7		20°
"			8.9	206.7	7.3 Lt bot. in wood Wall	
"			3.7	211.0	" " top " "	
"			3.6	211.1	20° Lt.	
T.P.			0.96	213.73	T.P. nail in drive, - west side.	
	6.10	219.83				
10+12°			9.3	210.5	8.2 Rt. inside bot. 4" clay drain pipe	(to garage)
10+18°			12.3	207.5	℄ drain	(S)
"			12.33	207.50	3.8 Rt. invert 69" conc. pipe (outlet)	
"			13.0	206.8	7° Rt. bot. bank	
"			6.1	213.7	15° Rt. top bank	
"			6.4	213.4	20' Rt	(Sec)
"			12.33	207.50	3.8 Lt. invert 69" Conc. pipe (inlet)	
"			13.0	206.8	7° Lt. bot. bank	
"			6.0	213.8	" top bank	
"			5.8	213.6	20' Lt.	

Profile Notes Red Plotted Job No. 6762 Division No. V F.B. 1772 Pg. 15

No. Date Survey of Tract 19772

X-Sec. Notes Chkd. Checked Survey by Hartman Notes Cornett & Johnson Date July 1952

No. Date Date Map No. Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1778 PG. 116 Job No. 6962 Division No. V Profile
Survey of East Whittier S.D. Plotted No.
Survey by A.N. Hellstrom Notes C.S. Curtis Date X-Sec.
Indexed C. Johnson Date Notes Chkd Checked No.
Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		219.83				
10+25 Q			4.6	215.2		℄ drain line
"			4.6	215.2		20' Rt
(drain line)			4.6	215.2	20' Lt. (see page 67)	
10+58.67 = 0+00 East on ℄ Carnell ST. & 0+00 West on Tang. prod. of Carnell ST,						
0+00 East			4.24	214.59	℄ drain line & Int. ℄ Carnell ST	
"			4.89	214.94		18° So. gut
"			4.26	215.57		" " curb
"			4.40	215.43	18° So. gut	
"			3.75	216.08	" " curb	
0+50 East			4.45	215.38		℄ Carnell ST
"			5.23	214.60		18° So. gut
"			4.60	215.23		" " curb
"			4.83	215.00	18° No. gut	
"			4.20	215.63	" No. curb	
1+00 East			3.00	214.83		℄ Carnell ST
"			5.83	214.00		18° So. gut,
"			5.21	214.62		" " curb
"			5.15	214.68	18° No. gut	
"			4.54	215.29	" " curb	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Platted Job No. 6762 Division No. V
No. Date Date Survey of
X-Sec. Notes Chkd. Checked Survey by H.H. Freeman Notes Checked by Johnson Date
No. Date Date Map No. Date

F.B. 1778 Pg. 117

STATION	B. S.	H. I.	F. S.	ELEV.		
		219.83				
1+50 East			5.42	214.41		℄ Carnell ST.
"			5.58	214.25	18" No. gut.	
"			4.96	214.87	" " curb	
2+31 ± East			14.82	205.01	Sewer M.H.	6.15 Rim. 8.00 top inside "pipe (in .67 bot. " & dia pipe 14.82
					(See pg. 67)	4.38 Rim. 9.10 top inside 8" (out/let .67 bot " 8" " ℄
0+36 West			14.15	205.68	Sewer M.H.	14.15
0+32 West			4.79	215.04		21 ± No. of Tang. Prod
"			4.19	215.64	(see pg-67)	" " " " (in/let
0+55 West			6.80	213.03		26° No. Tang. prod. - invert 18" C.M. P
0+59 West			4.51	212.32	(see pg. 67)	Tang. prod Carnell ST.
"			5.32	214.51		25 ± No. tang. prod. Carnell ST. ℄ Eucalyptus
"			4.37	215.46		25 ± " " " " " "
"			5.01	214.82		11 ± So. tang. prod. Carnell ST. - gutter
"			4.35	215.48		" " " " " - Curb
0+79 West			4.68	215.15		Tang. prod Carnell ST.
"			4.55	215.28		11 ± No. ℄ ℄ Carnell ST.
"			5.34	214.49		30' No. Tang. Prod. Carnell ST.
"			4.62	215.21		" " " " " "
"						

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 Pg. 118 Job No. 6266 Division No. K Notes Red. Plotted
Survey of East Whittier S.D. Date Date
Survey by A.V. Hellstrom Notes C.S. Curtis Notes Chkd. Checked
Indexed C. Johnson Date Date
Profile No. X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		219.83 ✓				
1+00 West			4.65		100' West on ℄ Carnell ST	
"			5.32		" " " "	" " ℄ 18° No. gut.
"			4.71		" " " "	" " ℄ " No. - curb
"			5.17		" " " "	" " ℄ 18° So. - gut
"			4.53		" " " "	" " ℄ " " - curb
1+50 West			4.92		150' " " "	" "
"			5.27		" " " "	" " ℄ 18° No. gut.
"			4.66		" " " "	" " ℄ " " curb
"			5.56		" " " "	" " ℄ " So. - gut
"					No. curb,	
± 1+79 West of ℄ Carnell ST					Fin. inside top ___ inside bot Sewer MH.	" pipe (See pg. 67) " pipe on ℄ Carnell ST.
		(On ℄ Drain Line)?				
10+80.9					68 Lt ℄ drain line - invert 18" C.M. pipe - outlet	
10+93°			3.8			℄ drain line
"			3.8			20' Rt
"			3.8		20' Lt.	
10+99±			11.6			℄ drain (ground) (inlet)
"			11.68		3± Rt. invert 69" conc. pipe, inside bot.	
"			11.1		7± Rt. Bot. bank	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		219.83				
10+99.-			4.1	215.7		12° Rt. top bank
"			4.1	215.7		20' Rt.
"			11.68	208.15	3° Lt. invert 69" Conc. pipe - inside bo	
"			11.0	208.8	7° Lt. bot. bank	
"			4.3	215.5	13° Lt. top bank	
"			4.3	215.5	20' Lt	
11+30°			10.8	209.0		℄ drain
"			10.8	209.0		3° Rt. bot. bank
"			4.4	215.4		12° Rt. top. "
"			4.1	215.7		20' Rt.
"			10.7	209.1	4° Lt. bot. bank	
"			5°	214.8	8° " top bank	
"			4.7	215.1	20' Lt.	
11+43.3			10.8	209.0		℄ drain line
"			10.8	209.0		7° Rt. bot. bank
"			4.1	215.7		17° " top bank
"			4.1	215.7		20' Rt
"			10.2	209.6	1° Lt. bot bank	
"			4.4	215.4	9° " top bank	
"			4.1	215.7	20' Lt.	

Profile Notes Red ____ Plotted ____ Job No. 4262 Division No. V F.B. 1773 Pg. 117
No. ____ Date ____ Date ____ Survey of Eaton Wash
No. ____ Date ____ Notes Chkd ____ Checked ____ Survey by Hollstein Notes Curtis Johnson
No. ____ Date ____ Map No. ____ Entered ____ Date ____

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____

Plotted ____ Date ____ Checked ____ Date ____

Notes Red. ____ Date ____ Notes Chkd. ____ Date ____

Job No. 6962 Division No. V

Survey of Easy Hillman Notes 27 S. Curtis

Survey by L. C. Johnson Date

Indexed ____ Date ____

F.B. 1798 PG. 120

STATION	B. S.	H. I.	F. S.	ELEV.		
		219.83				
T.P.			1085	208.78	T.P.	
	5.94	214.92				
11+70			5.7	209.2		℄ drain
"			5.7	209.2		5° Rt. bot bk
"			(+0.8)	215.7		8° " top "
"			(+1.0)	216.9		20' Rt
"			5.2	209.7	4° Lt bot bk,	
"			0.0	214.9	9° Lt top bk.	
"			+(0.5)	215.4	20° Lt.	
12+00			5.5	209.4		℄ drain
"			5.0	209.9		7° Rt. bot. bank
"			0.0	214.9		14° " top "
"			0.0	214.9		20' Rt.
"			5.2	209.7	3° Lt. bot. bank	
"			+(0.7)	215.4	7° Lt top "	
"			+(0.7)	215.4	20° Lt	
12+50			5.2	209.7		℄ drain
"			5.2	209.7		4° Rt bot bk
"			+(0.9)	215.8		7° " top "
"			+(0.9)	215.8		20' Rt

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 6962 Division No. V F.B. 1778 Pg. 121
No.____ Date____ Survey of Feb. - June 1954
X-Sec. Notes Chkd.____ Checked____ Survey by Hollstrom Notes Curtis Date July 1954
No.____ Date____ Date____ Map No.____ Drawn Johnson Date____

STATION	B. S.	H. I.	F. S.	ELEV.		
		214.92			G.W.T. -5-25-54	
12+50			4.8	210.1	5° Lt. bot bk	
"			+(1.2)	216.1	9° Lt top bk	
"			+(1.2)	216.1	20' Lt.	
12+96			4.6	210.3	T.W. - 6/8/54	℄ drain Line @
"			(+0.8)	215.7		5° Rt. brk.
"			(+4.0)	218.9		10° " top bank
"			(+4.0)	218.9	G.W.T. -5-25-54	20' Rt.
"			4.6	210.3	9° Lt. bot. bk	
"			(+2.8)	215.7	16° " top "	
"			(+2.8)	215.7	20' Lt	
T.P.			3.36	211.56	T.P.	
	9.52	221.08				
13+40			4.6	216.5		℄ drain Line @
"			2.4	218.7		8° Rt top
"			2.4	218.7		20° Rt,
"			6.6	214.5	4° Lt. brk	
"			11.2	209.9	9° " bot. bank	
"			10.5	210.6	15° " bot bank	
"			2.5	218.6	22° " top "	
"			2.5	218.6	30° Lt	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 122 Job No. 6962 Division No. V Notes Red. Plotted
Survey of East Whittier S.D. Date Date
Survey by A.M. Hallstrom Notes C.S. Curtis Notes Chkd. Checked
E.C. Johnson Date Date
Indexed Date

Profile No. X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		221.08				
P.I. #7			3.17	217.91	P.I. #7 per pg's 24 & 50 (2" I.P.)	
"	4.63	222.54				
13+79 ℄			11.6	210.9		℄ drain line
"			11.6	210.9		25 Rt bot bank
"			6.4	216.1		7° Rt top "
"			4.4	218.1		20° Rt
"			11.6	210.9	6° Lt. bot bank	
"			3.8	218.7	13° " top "	
			3.8	218.7	20° Lt	
13+79 ℄			11.6	210.9	2° Rt ground	
"			9.26	212.28	2° Rt. invert 24" C.M. pipe - outlet	
14+16 ℄			11.7	210.8		
"			13.92	208.62	(pipe choked with dirt) ℄ drain (pg-69) 5 Rt. invert 72" C.M. pipe - outlet	
"			11.5	211.0	9 Rt. bot. bank	
"			5.4	217.1	15° " top "	
"			4.2	218.3	20° Rt (pipe choked with dirt)	
"			13.74	208.80	2 Lt. invert 72" CM pipe - (outlet)	
"			11.5	211.0	6° Lt. bot bank	
"			3.5	219.0	9° Lt. top bank	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		222.54 ✓				
			3.5	219.0	20' Lt	
14+25			4.2	218.3		℄ drain line to
"			4.2	218.3		10' Rt
"			4.2	218.3	10' Lt	
	Ent. of Cullen St. Prod		℄ ℄ Mills Arc = Sta 0+00 East. on Cullen St			
0+00 East.			3.62	218.92		℄ prod. Cullen
0+28.5 East.			4.40	218.14		12½ So. gut ℄ curb
"			3.73	218.81		" " curb. " "
0+43.38 East			4.59	217.95		13° So. gut
" "			3.92	218.62		13° " curb
0+78½ East			4.47	218.07		℄ prod. Cullen
"			4.84	217.70		57 So. gut, ℄ P.C.
"			4.19	218.35		" " curb ℄ P.C.
0+83.5 East			8.16	214.38	± 11½	So. invert 24" C.M. pipe
0+84.6 East			4.41	218.13		℄ prod. Cullen
"			5.25	217.29		9½ So. gut - ℄ catch ba
"			4.27	218.27		9½ " curb " "
1+17.2 East			15.37	207.17	(outlet) Sewer M.H.	42.2 R/m 10.48 top inside 8 p 0.67 bot " ℄ dia. 8 15.37

Profile Notes Red Plotted Job No. 6842 Division No. V F.B. 1798 Pg. 123
No. Date Survey of
X-Sec. Date Checked Survey by Notes Date
Notes Chkd Date Map No. Traced Date
No. Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 124 Job No. 4962 Division No. V Notes Red. Date Notes Chkd. Date Notes Date
Survey of Profile Plotted Date Checked Date
Survey by C. Johnson X-Sec. No. No.
Indexed

STATION	B. S.	H. I.	F. S.	ELEV.		
		222.54				
1+17.7 East			4.87	[illegible]	18" So gut B.C.	
"			4.23	[illegible]	" " curb "	
"			4.22	[illegible]	21" No. gut	
"			3.58	[illegible]	21" " curb	
1+32.5 East			4.12	[illegible]		℄ Cullen ST.
"			4.37	[illegible]	18" No. gut - B.C	
"			3.68	[illegible]	" " curb - "	
1+38° East			7.40	[illegible]	18" No. invert 24" C.M. pipe - inlet	
0+86° East			8.15	[illegible]	10" So. " " " " - outlet	
1+40° East			4.68	[illegible]	18" No. gut ℄ ℄ catch basin	
"			3.71	[illegible]	" " curb ℄ " " "	
1+50 East			4.31	[illegible]	18" So gut	
"			3.66	[illegible]	" " curb	
1+85 East			4.05	[illegible]		℄
"			4.73	[illegible]		18" So. gut
"			4.08	[illegible]		" " curb
"			4.23	[illegible]	18" No gut	
"			3.57	[illegible]	" " curb	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 6962 Division No. V F.B. 1778 Pg. 125
No.____ Date____ Date____ Survey of East Willits Tract
X-Sec. Notes Chkd.____ Checked____ Survey by____ Notes____ Date 1/4/57
No.____ Date____ Date____ Map No.____ Inked____ Date____

STATION	B. S.	H. I.	F. S.	ELEV.		
		222.54 ✓				
14+71.95	℄ Drain Line = 0+00 going E & W on ℄ Mills Ave					
0+00. East			3 37	219 17		℄ Mills Ave Sta
			4 15	218 39	30° Lt gutter	
			3 50	219 04	30° Lt top cb.	
0+27.5			2 92	219 62		℄ Mills Ave
			3 93	218 61	30° Lt gutter	
			3 31	219 23	30° Lt. top cb.	
0+35.2			7 15	215 39	31.5° Lt invert of CMP 0.5' dia — outlet	
0+37.5			4 15	218 39	30° Lt gutter — ℄ catch basin	
			3 14	219 40	30° Lt. top cb. — "	
2+50.2			2 61	219 93		℄ Mills Ave
			3 66	218 88	30° Lt gutter	
			3 05	219 49	30° Lt top cb	
0+88			2 10	220 44		℄ Mills Ave
			3 17	219 34		30° Lt gutter
			2 51	220 03		30° Lt top cb
			3 13	219.41	30° Lt gutter	
			2 50	220 04	30° Lt. top cb.	
1+50			1 20	221 34		℄ Mills Ave
			2 19	220 35		30° Rt. gutter

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 Pg. 126

Job No. 6262 Division No. V Profile

Survey of East Rubidoux No. X-Sec.

Survey by C. Johnson Plotted

Indexed Notes Date Notes Red. Date

Notes Chkd. Date Checked Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		221.54				
1+50 East			1.53	220.01		30°Rt top cb
			2.05	219.49	30°Lt. gutter	
			1.42	220.12	30°Lt. top cb.	
2+12			1.30	220.24	SMH. 0.35 RIM 10.92 inside top 1.00 dia -- 12.27	(See M.H. 711) CN Tangent point Mills Outlet
0+10 S West			5.71	215.83	24" RIM 30" inside top 11.11 dia 15.77 Sill RIM	INLET E MILLS AVE
"			15.58	206.26	"	
0+50			3.74	218.20		E Mills Ave
			1.62	219.92		30°Rt. gutter
			3.99	217.55		30°Rt. top cb
			1.65	219.89	30°Lt. gutter	
			4.01	217.53	30°Lt. top cb	
1+00			4.23	217.31		E Mills Ave
			5.36	216.18		30°Rt. gutter
			4.12	217.42		30°Rt. top cb
			5.16	216.38	30°Lt. gutter	
1+50			4.53	216.91	30°Lt. top cb	
			4.80	216.64		E Mills Ave
			5.55	215.89		30°Rt. gutter
			4.93	216.61		30°Rt top cb

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT - W	RIGHT - E
		222 51				
14+50 Rec'd			572	216 82	20° Lt. gutter	
"			509	217 15	30° Lt. top cb	
15+12			35	2190		℄ DRAIN LINE
			35	2190		10°Rt.
			35	2190	20° Lt.	
15+04			9 00	21300	INVERT	1.5 ct. 18" RCP INVERT
15+16			12 70	209 84	10° Lt. INVERT 72" C.I.P. Pipe	INLET
15+18.3			11 0	211 5		℄ drain line ℄
			12 80	209 74	2° Lt INVERT 72" C.I. Pipe	PIPES CHOKED
			11 0	211 5	(ground)	
			409	213 45	BM K11°6 ELEV. 218.45 Rec Pg 50	
	503	223 48				
15+20			11 9	210 6		℄ SD ground
			11 9	210 6		1° Rt. Bot. bank
			7 0	215 5		5° Rt. side of bank
			29	219 6		12° Rt. top of bank
			11 8	210 7	15° Lt. Bot. of bank	
			24	220 1	21° Lt. top " "	
			24	220 1	30° Lt.	
15+38			33	219 2		℄ SD - top of bank

Profile Notes Red. Plotted Job No. 5227 Division No. K F.B. Pg. 127
No. Date Survey of
X-Sec. Date Survey by A. C. Johnson Notes Date July 8
No. Noted Chkd. Checked Indexed Notes Date
Date Date Map No. Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1793 Pg. 128 Job No. 6962 Division No. V Profile Notes Red. Plotted No.
Survey of East Whittier SD Date Date X-Sec.
Survey by C. Johnson Notes ACE Notes Chkd. Checked No.
Indexed Date 1/4/52 Date Date

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT - N	RIGHT - E
		223 48				
15+38			16	[illegible]		5°Rt Bck.
			16	[illegible]		40°Rt.
			120	[illegible]	3°Lt Bot of bank	
			120	[illegible]	15°Lt " " "	
			18	[illegible]	25°Lt Top " "	
			15	[illegible]	40°Lt	
15+93			04	[illegible]		5 Rt to top bank
			09	223 6		45° Rt.
			12	[illegible]	5°Lt Bck in bank	
			117	[illegible]	10°Lt Bot of bank	
			114	[illegible]	20°Lt "	
			15	[illegible]	24°Lt Top " "	
			13	[illegible]	30°Lt.	
			05	[illegible]	TP - X2 on S of drive	
	2.13	225 17				
16+22			31	21 [illegible]		5 SD Bot of bank
			100	21 [illegible]		37 Rt. Bck.
			20	[illegible]		12°Rt. top of bank
			131	[illegible]	6°Lt Bot of bank	
			62	[illegible]	11°Lt Bck.	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT	RIGHT
		225 17 ✓				
16+22			08	2244	20° Lt Top of bank	
"			08	2244	30° Lt.	
16+32			133	2119		℄ drain - Bot of ditch
			133	2119		6° Rt " " bank
			98	2154		7° Rt Bank
			18	2234		16° Rt top of bank
			133	2119	3° Lt Bot of bank	
			42	2210	7° Lt Bank	
			05	2247	18° Lt top of bank	
			05	2247	30° Lt.	
16+32			978	21539		℄ top Conc. Ditch
"			1013	21501	25° Lt. top of Ditch	
16+51			978	21539		20° Rt top Conc. Ditch
"			1030	21457 ✓		17½ Rt top of P.A.
			106	22411	"T.B.M. "A" Rt. spk in Ld. Ref Pg 51 ELEV = 22	
	524	227 35 ✓				
16+47 36	℄ Str. Conc. Drain					
0+00 Going Eastern on TRACT LINE			167	2127		℄ S.D.
			144	2108		13° Rt (Sd)
			57	2195		20° Rt Top of

11

Profile Notes Red No. Date Plotted Job No. 6266 Division No. 4
X-Sec. Date Survey of 4/61 F.B. 1798 Pg. 127
No. Notes Chkd Checked Survey by A. C. Johnson Notes Rec'd Date
Date Date Map No. Indexed Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 Pg. 130 | Job No. 6962 | Division No. V | Notes Red. | Plotted | No. | Profile
Survey of East Whittier 5D | Date | Date | No. | X-Sec.
Survey by C. Johnson | Notes M.C.S. | Notes Chkd. | Checked | No.
Indexed | Date | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT - Sa	RIGHT - Sa
		1				
		129.35				
0+25			87	107		8° Rt. Bk.
			130			9° Rt. Bot of bank
			130	21 1		13° Rt " " "
			2 ?	2 7		21° Rt Top " "
			6 ?	2		2 ? Rt
0+35			113	2		℄ Bot Stream & bank
			12 ?			15° Rt Bot bank
			? ?	21 9		113 Rt Top " Bk
			38	2		15° Rt " Bot Bk
			2 ?	2		25° Rt
			10 8	21	35 Lt Bot bank	
			66	2	Lt Top Bk	
			42		10 Lt Top bank	
0+50			10 8	2		℄ Top Bk
			2 ?	21		8 Rt Bot Bank
			36	2		12° Rt Top "
						? Rt
			58	2		Lt
			9 ?	2 6	Lt Bot bank	
			43	22	50 Lt Top "	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT-N	RIGHT-S
		229 35				
0+50			33	226 1	10° Lt	
0+55			52	2242		℄ react line
			81	2213		6½ Rt bot drain
			41	2253		13½ Rt top bank
			32	2262		20° Rt
			58	2236		30° Rt
			39	2255	4° Lt top bank	
			33	2261	10° Lt	
			33	2261	20° Lt	
1+00			39	2255		℄ React line & side
			69	2225		5° Rt Bot bank
			67	2227		8° Rt "
			36	2258		14½ Rt Top "
			36	2258		22° Rt
			58	2236		26° Rt
			14	2280	4° Lt. Top bank	
			14	2280	20° Lt " "	
2+00			40	2254		℄ React In. Side
			67	2227		5° Bot Bank
			67	2227		7° " "

Profile Notes Red Plotted Job No. 6222 Division No. 4
No. Date Date Survey of [illegible]
X-Sec. Notes Chkd Checked Survey by [illegible] Notes [illegible] Date [illegible]
No. Date Date Map No. [illegible] Date

F.B. 1221 PG. 121

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 32 Job No. 6482 Division No. Notes Red. Plotted
Survey of E. Whittier 'D' Date Date
Survey ~~of~~ by C. Johnson Notes Notes Chkd Checked
Indexed Date 4/11/53 Date Date
Profile No. X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT-N	RIGHT-S
		234.35				
2+00			2.6	231.3		40° Rt top bank
			2.4	227.0		23° Rt
			4.8	229.6		28° Rt
			1.4	233.0	3° Lt top bank	
			1.4	233.0	20° Lt.	
			1.88	227.47	~~TOP~~ (small stones)	
	6.46	234.13				
2+32			10.42	223.71		3° Rt. INVERT 18" PIPE
			11.0	223.13		" Bot draw
			11.0	223.1		7° Rt " Bank
			7.3	226.8		12 Rt. Top "
			7.0	227.1		25° Rt.
			8.1	226.0		25° Rt.
			7.46	226.7	25° Lt. Top cb.	
			8.18	225.95	25° Lt. Gutter	
			10.29	223.84	INVERT to 18" conc PIPE	
3+00			7.3	226.8		℄ Road Lv & side BANK
			10.3	223.8		4° Rt. Bot bank
			10.3	223.8		6° Rt. " "

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		234 13				
3+00 going Easterly			20	232 1		14° Rt. Top bank
			52	228 9		22° Rt
			65	227 6		26° Rt
			44	229 7	5° Lt. Top bank	
			41	209 7	20° Lt.	
4+00			58	228 3		℄ Tract In & Side of
			96	224 5		4° Rt Bot. Bank
			96	224 5		9° Rt " "
			28	229 3		14° Rt Top "
			48	229 3		16° Rt.
			32	230 9		19° Rt.
			32	230 9		22° Rt
			50	229 1		26° Rt
			395	230 18	TP ¾" IP	
	24	236.62				
5+00			56	230 0		℄ Tract In & Side of
			106	225 1		3° Rt Bot. of Bank
			105	225 1		6° Rt " " "
			41	231 5		12° Rt Top " "
			40	231 6		19° Rt

Profile
No. X-Sec.
Notes Red Plotted Job No. 6962 Division No. V F.B. 1798 Pg. 133
No. Date Date Survey of East [illegible]
Notes Chkd Checked Survey by ACE Date July '53
No. Date Date Map No. Notes Checked Johnson Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 Pg. 134
Job No. 6962 Division No. 5D
Survey of East Willowtree
Survey by C. Johnson
Indexed
Profile No. X-Sec. No.
Plotted Date
Checked Date
Notes Red. Date
Notes Chkd Date
Notes Date

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT - N	RIGHT - S
		235 62				
5+00 going East			53	23[illegible] 3		7° Rt.
			08	[illegible] 8	8° Lt. top of bank	
			08	[illegible] 3	20° Lt	
5+50			82	22[illegible] 4		℄ tract ln & side slope
			10 3	[illegible] 3		2° Rt. Bot. of Bank
			10 3	[illegible] 3		5° Rt. " " "
			57	[illegible] 9		8° Rt. Bek
			22	[illegible] 4		16° ℄ Top bank
			22	[illegible] 1		20° Rt
			10	[illegible] 6	10° Lt. top bank	
			10	[illegible]	20° Lt.	
5+85			10 5	[illegible] 1		℄ tract ln ℄ Bot of bank
			10 0	[illegible] 6		7° Rt " " "
			21	[illegible]		13° Rt Top " "
			20	[illegible]		17° Rt
			40	[illegible] 6		25° Rt.
			42	[illegible] 4	7° Lt. Top of bank	
			27	[illegible] 9	13° Lt. Fence	
			25	[illegible]	20° Lt	
5+90			1042	[illegible] 20	INVERT CONC 48" PIPE	

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		235 62				
5+92.8			10 46	225 16	INVERT 48" Conc.	
5+91.6			3 51	232 11		
5+80			6 78	228 84	Top 24" steel water Pipe	
5+64.2			3 78	231 84		
			4 38	231 24		
6+23.4			3 45	231 70		
			4 08	231 54	BM KW #8 Et. Spk in ld	ELEV. = 231.54 (15.46) F.B. 1798/52
					F.B. 1798/51	
T.B.M. "A"		46		224.13	TBM "A"	Note: This BM 0.02 low OK to use all surface elev. U.G. elev corrected
	5.35	229.76				
16+44.6			8.2	221 3	7± Lt bot. conc wall	
"			5.39	224 09	" " top " "	
16+53.1			15.9	213 6	& drain line & bot Conc. wall	
"			10.90	218 58	" " " " top " "	
"			15.3	214 2	5± Rt meas. along wall	
"			10.82	218 66	" " "	
"			9.1	220 4	" "	
"			5.46	224 02	" "	
16+69.1			7.2	222 3	14.5 Rt. bot Conc. wall	
"			5.34	224 14	14.5 " top "	

Profile Notes Red Plotted Job No. Division No. 1
No. X-Sec. Date Date Survey of F.B. 1798
No. Notes Chkd Checked Survey by Notes Date
Date Date Map No. Entered Johnson Date
F.G. 13

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 136 Job No. 69624 Division No. V
Survey of East Whittier SD
Survey by Hallstrom Notes Curtis
Indexed by C. Johnson Date
Profile No. X-Sec. No.
Plotted Date Checked Date
Notes Red Date Notes Chkd Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		229 ~~46~~ 48				
16+70			11.5	217.5	(bot dr.) ℄ drain line = trans. line	
"			11.5	217.5	15° Rt bot bk	
"			7.0	222.0	25° " brk.	
"			5.2	223.8	9° Rt. top bk	
"			11.5	217.5	2° Lt bot. bk.	
"			7.2	221.8	6° Lt. brk.	
"			4.3	224.7	11° Lt. top bk	
"			4.3	224.7	20° Lt	
17+25			8.8	220.2	℄ drain ℄ trans. line	
"			8.8	220.2	2° Rt bot. bk	
"			6.1	222.9	5° " brk.	
"			2.6	226.4	11° Rt top bk	
"			2.6	226.4	20° Rt	
"			8.2	220.8	4° Lt bot bk.	
"			3.5	225.5	10° " top bk.	
"			3.5	225.5	20° Lt	
17+92			11.10	218.~~5~~ 28	sewer MH 0.20 rim 10.23 top 67 dia 11.10 ✓	inside 8" pipe-invert (outlet) (see page 73)
T.P.			020	229.~~5~~ 28	T.P. top rim sewer M.H.	
	154	230.~~8~~ 82				

76L 288 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		182 230.~~80~~				
					(Hornby arc.)	
					(see page 73 for M.H. Location)	
			✓		728 rim	
			15.16	215.~~84~~ 66	Sewer M.H. 7.21 top inside 8" pipe (in	
					67 dia. 8" pipe	
					15.16 ✓	
T.P.			1.94	228.~~86~~ 88	T.P. 5/8" Rod on M.H.	
	3.99	232.~~85~~ 87				
18+00			11.2	219.7		℄ drain
"			11.2	219.7		2° Rt. bot bk.
"			7.3	225 ±		6° " brk.
"			3.3	229 ±		14° " top bk.
"			3.3	229 ±		20° Rt.
"			11.2	219.7	2° Lt. bot bk	
"			8.1	224.8	5° " brk	
"			5.3	227.6	11° " top bk	
"			5.3	227.6	20° Lt	
19+00			10.7	222.2		℄ drain
"			10.7	222.2		2° Rt. bot bk
"			5.5	227.4		7° Rt. brk
"			2.2	230.7		15 Rt. top bk
"			~~2.2~~	230.7		20° Rt
"						

Profile Notes Red Plotted Job No. 6966 Division No. V F.B. 1778 Pg. 137
No. Date Sec. Date Survey of East Whittier
No. Date Notes Chkd Date Checked Survey by Hollingsworth Date 3-27-56
No. Date Map No. Index Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.

Plotted Date Checked Date

Notes Red. Date Notes Chkd. Date

Division No. Y Job No. Notes Date

F.B. 1798 PG. 138

Survey of

Survey by A. C. Johnson

Indexed

STATION	B. S.	H. I.	F. S.	ELEV.		
		232.87				
19+00			10.7	[illegible]	12° Lt bot bk	
"			7.0	[illegible]	4° Lt. brk	
"			4.0	[illegible]	10° Lt top bk	
"			4.0	[illegible]	20° Lt.	
19+70			9.7	223.2		2 drain lines
"			9.7	223.2		3° Rt. bot. bk
"			5.9	227.0		6° Rt, brk
"			0.5	232.4		Rt. top bk
"			0.5	232.4		20° Rt.
"			9.7	223.2	15 Lt. bot bk	
"			2.2	230.7	10° Lt. top "	
"			2.2	230.7	20° Lt.	
20+00			6.4	226.5		
"			9.2	223.7		3° Rt bot bk
"			9.2	223.7		7° " " "
"			2.5	230.4		12°
"			0.2	232.7		19°
"			1.9	231.0	16° Lt. top bk	
"			1.9	231.0	20° Lt	
T.P.			6.33	226.54	TP top 2" I.P. R/S #20 per pg. 73	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				226.~~5~~54	T.P P.I. #10	
	11 20	237.~~7~~74				
20+35			10.8	226.9		℄ drain line ℄ Tra
"			13.7	224.0		3° Rt. bot. bk.
"			13.7	224.0		8° Rt. bot. "
"			9.0	228.7		12° Rt. top bk.
"			4.6	233.1		20° Rt.
"			5.5	232.2	7.5 Lt. top bk	
"			5.5	232.2	20° Lt.	
21+00			9.8	227.9		℄ drain line ℄ Tran
"			13.0	224.7		15 Rt. bot bk
"			13°	224.7		6° "
"			7.2	230.0		9° Rt. bot
"			2.6	235.1		18° Rt. top bk
"			2.6	235.1		20° Rt
"			3.2	234.5	10° Lt. top bk	
"			3.2	234.5	8 Lt.	
22+00			3.0	234.7		℄ drain line ℄ Tran
"			10.9	226.8		4° Rt. bot bk
"			10.9	226.8		11° Rt. " "
"			5.0	232.7		14° Rt bk

Profile Notes Red_____ Plotted_____ Job No. 6766 Division No. V F.B. 1798 Pg. 139
No._____ Date_____ Checked_____ Survey of Hill Street Notes Copied by Date July 1965
No._____ Date_____ Checked_____ Survey by Hollingsworth Notes Checked by Date July 1965
Map No._____ Date_____ Indexed Johnson Date_____

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do. not extend notes this side of this line.

F.B. 1798 PG. 40 Job No. 6262 Division No. K Notes Red. Plotted
Survey of East Whittier S.D. Date Date
Survey by A.W. Hollistron Notes A.S. Curtis Notes Ckd. Checked
Indexed R. C. Johnson Date Date
Profile No. X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		237.74				
22+00			1.4	236.3		20° Rt. top bk
"			1.4	236.3		25° Rt
"			0.8	236.9	35 Lt top bk	
"			0.8	236.9	15° Lt.	
T.P.	2.95	239.14	1.55	236.19	T.P.	
BM K.W. #7	3.57	238.97	3.74	235.40	BM K.W. #7 per pg. 51.	235.40
22+15.7			3.19	235.76	23.2 Rt Top 6" Steel Water pipe	
22+22.7			3.19	235.76	38 Lt " " " " "	
22+28°			5.3	233.6		℄ drain line & Trans. line
"			6.9	232.0	3° Rt.	bot. bk
"			12.7	226.2	5° "	" "
"			12.7	226.2	13.5 "	" "
"			6.5	232.4	15.5 "	brk.
"			2.8	236.1	22° "	top bk
"			2.8	236.1	30 °	℄
"			2.4	236.5	4° Lt. top bk	
"			2.4	236.5	20° Lt.	
(22+69.59 = .0+00 East ℄ 0+00 West on ℄ Anaconda ST.)						
0+00 East			2.95	236.00		℄ Anaconda ST.
"			4.41	234.54		18° So. gut.
"			3.77	235.18		18° " curb.

(cont pg. 141)

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6962 Division No. V
No. ____ Date ____ Date ____ Survey of East Whittier Sewer Note
X-Sec. ____ Notes Chkd ____ Checked ____ Survey by Hellstrom Date July 1955
No. ____ Date ____ Date ____ Map No. ____ Checked John Scott Date ____

F.B. 1798 PG. 141

STATION	B. S.	H. I.	F. S.	ELEV.		
		97 238.~~75~~				
0+00 East			2.81	236.19	16½ No. edge pave.	
			24	236.5	20° North	
0+00.5 East			8.41	230.54	31½ No. invert 48" conc. pipe (inlet)	
0+06½ "			3.30	235.65	30° So. top conc. hd Wall.	
"			8.80	230.15	19½ So. invert 18" conc. pipe (inlet)	
0+15½ "			10.40	228.55	30° So. invert 48" conc. pipe (outlet)	
" " "			11.2 ✓	227.9	30° So. bot drain	
0+33° "			14.33	224.~~68~~ 64	sewer MH 2.56 rim, 11.10 top inside 8" pipe .67 dia of 8" " 14.33 ✓	
0+21.8 east.			10.40	228.~~57~~	30° So. invert 48" Conc. pipe (outlet)	
"			11.2	227.9	30° So. bot. drain	
0+30½ east			3.32	235.63	30° So. top conc. hd. Wall	
0+50 east			2.97	235.98		℄ Anaconda St.
"			4.56	234.39		18° So. gut
"			3.90	235.05		" " curb
"			2.87	236.08	18° No. paviment	
1+00 East			3.56	235.39		℄ Anaconda St.
"			4.85	234.10		18° So. gut
"			4.18	234.77		" " curb
"			4.16	234.79	18° No. gut	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 Pg. 42 Job No. 6962 Division No. V Notes Red Plotted
Survey of East Whittier S.D. Date Date No.
Survey by Hellstrom Notes Curtis Notes Chkd Checked X-Sec.
Indexed C. Johnson Date Date Date No.
Profile

STATION	B. S.	H. I.	F. S.	ELEV.		
		238.95 ✓				
1+00 East			3.49	235.46	18° No. curb.	
1+50 "			4.00	234.95		℄ Anaconda ST.
"			3.26	235.69		18° So. gut
"			4.61	234.34		" " curb
"			4.67	234.28	18° No. gut	
"			4.03	234.92	" " curb	
0+05.7 West			3.30	235.65	31° No invert 48" conc. pipe (inlet)	
±0+03 West			7.47	231.50	19° No. invert 12" C.M. pipe	
					℄ page 74	
0+08.7 West			7.63	231.34	19° So. invert 18" conc. pipe (outlet)	
0+11° "			4.61	234.34	18° So. gut	℄ catch basin
" "			3.69	235.26	" " curb	" " "
0+27° West			2.85	236.10		℄ Anaconda ST.
" "			3.22	235.73		18° No. gut
" "			2.60	236.35		" " curb (begins)
0+32.5 West			6.96	232.39	19° No. invert 12" C.M. pipe (outlet)	
0+35 "			3.59	235.36	18° No. gut	℄ ℄ catch basin
"			2.59	236.36	" " curb	℄ " " "
0+50 West			2.95	236.00		℄ Anaconda ST
"			3.16	235.79		18° No. gut
"			2.55	236.40		" " curb

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 6262 Division No. V
No.____ Date____ Date____ Survey of East Whittier
X-Sec. Notes Chkd____ Checked____ Survey by Hollstrom Notes Correct Date Sept 1962
No.____ Date____ Date____ Map No.____ Indexed Johnson Date____

F.B. 1738 PG. 143

STATION	B. S.	H. I.	F. S.	ELEV.		
		238.97				
0+50 West			4.23	234.72	18° So. gut.	
"			3.55	235.40	" " curb.	
1+00 West			2.68	236.27		℄ Anaconda ST
" "			3.11	235.84		18° No. gut
" "			2.48	236.47		" " curb
" "			4.06	234.89	18° So. gut	
" "			3.36	235.59	" " curb	
1+50 West			2.62	236.33		℄ Anaconda ST
"			2.89	236.06		18° No. gut
"			3.76	235.19	18° So. gut	
1+72 West			13.86	225.95	℄ No. Sewer MH	2.29 Rim 10.90 top inside 8" pipe .67 dia. 8" pipe 13.86
					(on Drain Line)	
22+93			2.2	236.7		℄ drain line ℄ T
"			2.2	236.7		20° Rt
"			2.2	236.7	10° Lt.	
23+05±			3.7	235.2		℄ drain line ℄ Top bank Tr
"			8.1	230.8		7° Rt. bot. bank
"			8.1	230.8		125 Rt. " "
"			1.4	237.5		21° Rt. top ba

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 144 Job No. 6962 Division No. V Profile
Survey of East Whittier S.D. Notes Red. Plotted No. X-Sec.
Survey by Hallstrom Notes Curtis Date Date
Indexed C. Johnson Date Notes Chkd Checked
Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		91 238.~~75~~				
23+05°			1.4	23[illegible]		30° Rt.
"			2.1	23[illegible]	20° Lt.	
23+20			3.5	23[illegible]		℄ drain line & Trans. line
"			8.2	23[illegible]		6° Rt bot. bank
"			8.2	23[illegible]		11° " " "
"			0.9	23[illegible]		19° " top "
"			0.9	23[illegible]		30° Rt.
"			2.2	23[illegible]	3° Lt top bank	
"			1.3	23[illegible] 55	20° Lt.	
TH.			0.47	23[illegible]	T.P. (on conc. wall)	
	8.14	246.~~82~~ 69				
23+36°			10.0	236.7		℄ drain line & Trans. line
"			16.5	230.2		6° Rt. bot bank
"			16.5	230.2		10° Rt. " "
"			8.0	238.7		20° Rt. top "
"			8.0	238.7		30° Rt
"			9.3	237.4	3° Lt	
"			8.3	238.4	20° Lt	
23+53			15.8	230.9	℄ drain line	& bot bank
"				23[illegible]		5° Rt. bot bank

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		246.~~29~~ 69				
237+53 ±			11.8	234.9		8± Rt. brk.
"			7.8	238.9		22± " top ba
			10.2	236.5	3° Lt. top bank	
			7.2	239.5	20± Lt.	
T.P.			4.18	242.~~79~~ 51	T.P.	
	2.97	245.~~76~~ 48				
237+68 ±			14.6	230.9		℄ drain line b
"			11.9	233.6		2° Rt top ban
"			7.6	237.9		19' Rt.
"			14.6	230.9	5° Lt bot bank	
"			8.9	236.6	8± Lt. brk.	
"			6.1	239.4	14° Lt. top bank	
"			4.8	240.7	22± Lt.	
24+40			14.5	231.0		℄ drain line b
"			10.2	235.3		2± Rt. brk
"			8.6	236.9		6° Rt. brk
"			5.2	240.3		13± Rt top bk
"			5.2	240.3		20° Rt.
"						

Profile
Notes Red ____ Plotted ____ Job No. 6962 Division No. V
No. ____ Date ____ Date ____ Survey of ____ F.B. 1778 Pg. 145
X-Sec. ____ Checked ____ Survey by Hollingsworth Notes Chkd Date July
No. ____ Date ____ Date ____ Map No. ____ Indexed Johnson Date ____

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 46 Job No. 6962 Division No. V Notes Red. Date Notes Chkd. Date
Survey of East Whittier S.D. Plotted Date Checked Date
Survey by Hellstrom Notes Curtis Profile No. X-Sec. No.
Indexed by A. C. Johnson Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		245.48				
24+40			14.5	230.0	45° Lt bot bk	
"			6.0	239.5	10° Lt brk	
"			2.5	242.0	20° Lt.	
24+60			14.1	230.4		℄ drain line & bot bk.
"			14.1	230.4		35 Rt bot bk.
"			5.0	240.5		12° Rt. brk.
"			5.0	240.5		20° Rt
"			8.5	237.0	3° Lt, brk	
"			4.1	241.4	12° Lt, brk	
"			2.0	243.5	20° Lt.	
25+00			13.5	232.0		℄ drain line & bot bk
"			13.5	232.0		5° Rt, bot bk.
"			7.5	238.0		8° Rt, brk
"			3.7	241.8		16° Rt brk
"			3.7	241.8		20° Rt
"			6.5	239.0	6° Lt brk	
"			2.2	243.3	15° Lt "	
"			1.1	244.4	20° Lt	

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		245.41				
25+20			8.1	237.4		℄ drain line ℄
"			13.2	232.3		2° Rt bot bk
"			13.2	232.3		6° " " "
"			3.1	242.4		20° top bank
"			3.1	242.4		25° Rt
"			4.1	241.4	6° Lt brk	
"			1.0	244.5	20° Lt	
25+50			7.6	237.9		℄ drain line ℄
"			11.9	233.6		2½ Rt bot bk
"			11.9	233.6		7½ Rt " "
"			4.8	240.7		13 Rt brk
"			2.7	242.8		20° Rt
"			3.3	242.2	10° Lt brk	
"			2.7	242.8	20° Lt	
25+70			12.5	233.0		℄ drain line ℄
"			12.5	233.0		4½ Rt bot bk
"			8.6	236.9		7° Rt brk
"			2.1	243.4		17° Rt top bk
"			2.1	243.4		24° Rt
"			6.9	238.6	4.9 Lt brk	

Profile Notes Red. No. Date Notes Chkd. No. Date Checked Date

Plotted Job No. 67-61 Division No. V

Survey of [illegible] Surveyed [illegible] Date

Map No. Inked [illegible] Date

F. B. 1798 Pg. 47

76L298 307 4-50

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 7798 Pg. 148 Job No. 6962 Division No. V Profile
Survey of East Whittier S.D. Notes Red. Plotted No.
Survey by A. N. HELLSTROM Notes Date Date X-Sec.
Indexed by C. Johnson Date Notes Chkd. Checked No.
Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		245.46				
25+70			3.0	242.5	10° Lt. brk	
"			2.3	243.2	20° Lt.	
TP			7.50	237.7	TP.	
	889	246.87				
26+20			11.9	235.0		℄ drain line & bot dr.
"			11.9	23[illegible]		3° Rt. bot bk
"			5.0	24[illegible]		7° Rt, brk.
"			3.2	243.7		16° Rt. top
"			11.9	235.0	2° Lt, bot bank	
"			5.1	241.8	5° Lt. top "	
"			3.2	243.7	15° Lt brk	
"			3.2	243.7	20° Lt	
26+35			12.4	234.5		℄ drain & bot drain
"			12.4	234.5		13 Rt bot bk.
"			7.8	239.1		4° Rt brk
"			3.2	243.7		Rt top bk
"			3.2	243.7		20° Rt
"			12.4	234.5	7° Lt. bot. bk.	
"			3.0	243.7	11° Lt brk. top bk	
"			3.0	243.7	20° Lt	

76L296 307 4-50

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		246.87				
26+50			12.2	234.7		℄ drain line & ba
"			12.2	234.7		45 Rt. bot. bk
"			2.3	244.6		10° Rt. top
"			2.3	244.6		20° Rt.
"			3.0	243.9	9° Lt. top bk	
"			2.6	244.3	20° Lt.	
26+75			4.1	242.8		℄ drain line &
"			10.0	236.9		45 Rt. bot bk
"			10.0	236.9		10° " "
"			1.8	245.1		14° " top
"			1.8	245.1		20° Rt.
"			2.2	244.7	5° Lt top bk	
"			2.0	244.9	20° Lt.	
T.P.			1.43	245.44	T.P. on 1"x2"	
	3.00	248.44				
27+10			10.7	237.7		℄ drain Line & ba
"			10.7	237.7		4° Rt bot. bk
"			6.8	241.6		7° Rt brk
"			2.4	245.8		15° Rt top bk
"			2.6	245.8		20° Rt

Profile Notes Red. Plotted Job No. 6766 Division No. V F. B. 1738 Pg. 49
No. Date Notes Chkd. Checked Survey by Date Map No. Date
No. Date

76L298 307 4-50

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

V. S. 1798 Pg. 150 Job No. 4962 Division No. V Notes Red. Plotted Profile
Survey of East Whittier S.D. Date No.
Survey by A. N. HELLSTROM Notes C. S. Curtis Notes Chkd. Checked X-Sec.
J. C. Johnson Date Date Date
Indexed Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		248.44				
27+10			3.7	244.7	4° Lt. top bk	
"			2.2	246.2	20° Lt.	
27+50			9.8	238.4		℄ drain line & bot bk.
"			4.0	244.4		4° Rt. brk.
"			3.5	244.9		[illegible] Rt. top bk.
"			3.2	245.2		20° Rt.
"			9.8	238.6	6° Lt bot bk	
"			1.8	248.4	10° Lt top bk	
"			1.8	248.4	20° Lt	
T.P.			16.2	248.2	T.P. on conc. base [illegible] c. post	
	460	251.42				
27+90			11.9	239.5		℄ drain line & bot bk.
"			5.7	245.7		5° Rt brk.
"			4.0	247.4		7° " top bk.
"			4.0	247.4		20° Rt.
"			11.9	239.5	5° Lt. bot bank	
"			5.0	246.4	10° Lt top bank	
"			4.2	247.2	20° Lt.	
28+15			11.6	244.8		℄ drain line & bot bk
"			11.6	244.8		6° Rt bot bk

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		251.42				
28+45			3.7	247.7		11° Rt top bk
"			3.7	247.7		20° Rt
"			5.0	246.4	4° Lt top bk	
"			3.5	247.9	20° Lt	
28+50			10.8	240.6		Ø drain line & bot
"			10.8	240.6		6° Rt. bot bk
"			2.6	248.8		10° Rt. top "
"			2.6	248.8		20° Rt,
"			8.0	243.4	7° Lt top bk	
"			8.0	243.4	20° Lt	
TP			10.35	241.07 / 241.10	TP top 2" I.P. (P.I. #13)	(241.101)
	6.63	247.73				
28+90			6.7	241.0		Ø drain & bot.
"			6.7	241.0		3° Rt bot bk
"			+(1.5)	249.2		10° " top "
"			+(1.5)	249.2		20° Rt,
"			6.7	241.0	4° Lt. bot bk,	
"			+(1.2)	248.9	9° Lt top bk,	
"			+(1.2)	248.9	20° Lt.	

Profile Notes Red Plotted Job No. 676 Division No. V
No. Date Date Survey of
Notes Chkd. Checked Survey by
No. Date Date Map No.
Indexed Date

F.B. 98 Pg. 151

FORM 307 SM 1-46

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1198 Pg. 152 Job No. 4962 Division No. V Profile ____ Plotted ____ No. ____ Notes Red. ____ Date ____ X-Sec. ____
Survey of East Whittier SD. Date ____ Notes Chkd. ____ Checked ____ No. ____
Survey by Hellstrom Notes Curtis Date ____ Date ____
Indexed E. C. Johnson Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.		247.~~68~~ 73		245.~~68~~ 73	T.P.	
	9.29	254.97 55 02	200			
29+05 52 = 0+00 West (on P.L. Dalman ST)						
29+05 52 (back)			11.8	242.2		℄ drain line ℄ side bank
"			5.7	249.3		6° Rt. top bk
"			5.7	249.3		20° Rt.
0+02 5 West			13.4	241.6		P/L Dalman ST. ℄ bot bk
0+07 5 West			13.4	241.6		" " " ℄ " "
0+15° West			5.2	249.8		P/L Dalman ST ℄ Top bank
" "			4.6	250.4		" " " ℄ 20° No.
0+50 West.			4.3	250.7		P/L Dalman ST,
"			5.0	250.0		" " " ℄ 4° No.
"			4.6	250.4		" " " ℄ 20 No.
1+00 West			4.3	250.7		P/L Dalman ST.
"			4.7	250.3		" " " ℄ 4° No.
"			4.7	250.3		" " " ℄ 20° No.
1+33° West			5.4	249.6		P/L Dalman ST. ℄ edge pavement
"			49	250.1		" " " ℄ 4 N.P. (ground)
"			4.5	250.5		" " " " 20° No. "

7052 (Rev. 2) 207 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 6962 Division No. V F.B. 1798 Pg. 153

X-Sec. No. ____ Date ____ Date ____ Survey of East Whittier

Notes Chkd. ____ Checked ____ Survey by Williams Notes Curtis Date July 1950

Date ____ Date ____ Map No. ____ Indexed Johnson Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
		5502 ~~264.97~~				
29+20			8.8	246.2		℄ drain line ℄
"			5.6	249.4		4° Rt. top bk.
"			5.6	249.4		20° Rt.
"			12.8	242.2	4° Lt. bot bk.	
"			12.8	242.2	9° " bot bk.	
"			4.8	250.2	15° " top bk.	
29+45			12.5	242.5		℄ drain line ℄
"			3.8	251.2		8° Rt. top bk.
"			3.8	251.2		20° Rt.
"			12.5	242.5	5° Lt. bot. bk.	
"			4.5	250.5	10° Lt top bk.	
"			4.5	250.5 ~~47~~	28° Lt.	
T.P.			3.55	251.~~43~~	TP (on conc. curb)	
	4.60	256.~~03~~ 07				
30+00			12.5	243.5		℄ drain line ℄ be
"			4.7	251.3		10° Rt top bk.
"			4.7	251.3		20° Rt
"			12.5	243.5	4° Lt. bot. bk	
"			4.6	251.4	7° Lt. top bk.	
"			4.9	251.1	28° Lt	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

B. 1798 PG. 54 | Job No. 4762 Division No. V | Notes Red | Plotted | Profile
Survey of East Whittier S.D. | Date | No.
Survey by Heltrom Notes Curtis | Notes Chkd | Checked | X-Sec.
Indexed C. Johnson Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		256 ~~.07~~ 07				
30+50			11.0	245.0		℄ drain line ℄
"			11.0	245.0		5° Rt. bot bk
"			3.4	252.6		10° Rt top "
"			3.4	252.6		20° Rt
"			11.0	245.0	2° Lt. bot bk.	
"			4.1	251.7	5° Lt top bk	
"			3.9	252.1	28° Lt	
BM. # KW 10			1.90	254.17	BM. # KW 10 - 254.144 per pg. 54	55416
	2.75	256.~~27~~ 97				
30+85			11.1	245.8		℄ drain Line ℄ bot.
"			11.1	245.8		6° Rt. bot. bank
"			4.0	252.7		11° " top "
"			4.0	252.7		20° Rt
"			11.1	245.9	1° Lt. bot. bank	
"			3.5	252.4	6° " top "	
"			3.5	252.4	28° Lt.	
31+07±			8.88	247.99		℄ drain line ℄ Top Conc. apron
"			8.88	247.99		℄ Rt. top Conc. apron - bot. bk.
"			3.1	256.8		Rt. top bk
"			3.1	256.8		
"			8.88	247.99	5° Lt. top conc apron & bot bk	20 Rt

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
		256.92			
31+07.1			3.7	253.9	85° Lt. top bk
			3.5	253.4	28° Lt
(@ ℄ drain Line)					
31+12.8			4.80	252.07	7° Rt. ℄ parallel to ℄ Whittier Blvd.
"			4.30	252.57	11° Lt. ℄ " " " "
31+14.6			7.99	248.93	3° Rt. invert 8" conc. drain - (out
(@ ℄ drain 31+15.1 Line)			9.07	247.80	invert 4° high x 8° wide Conc. Culv.
"			3.54	253.33	top 9" conc. hd Wall,
"			9.07	247.85	3° Rt parallel to ℄ Whittier Blvd. invert 4° high x 8° wide Conc. Culv. ℄ b
"			3.54	253.33	12° Rt. ℄ Top 9" Conc. hd. Wall ℄ top ba parallel to ℄ Whittier Blvd
"			3.2	256.7	20° Rt " " " " "
"			9.07	247.85	4° Lt. parallel to ℄ Whittier Blvd. invert 4° high x 8° Wide Conc. Culv. ℄ b
"			3.54	253.33	11° Lt. ℄ top conc. hd wall ℄ top ban parallel to ℄ Whittier Blvd.
31+24.9			6.07	250.85	Rt. invert 8" conc pipe - inlet (in ℄ drain Line
31+25.9			2.7	254.2	20° Rt parallel to ℄ Whi
"			2.3	254.6	20° Rt " " "
"			3.5	256.4	20° Lt " " "

Profile Notes Red. Plotted Job No. 6362 Division No. V
No. Date Notes Chkd. Checked Survey by Indexed Map No. Date
No. Date Date Date

F.B. 7728 PG. 155

FORM 307 SM 1-46

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. 156 — Job No. 6962 Division No. V — Notes Red — Plotted — No.
Survey of East Whittier SD. — Date — X-Sec. No.
Survey by Hollstrom — Notes Girls — Checked — Date
Indexed — Date — Notes Chkd — Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		256.87 92				
31+28			4.1	252.8		℄ drain line & gut
"			4.4	252.5	20° Lt. parallel to	℄ Whittier Blvd - gut
"			3.9	253.0	20° Lt. " "	" " " - gut
31+55°7	P.I. on ℄ drain	Line =	0+00 East & 0+00 West on			℄ Whittier Blvd.
0+00 East			3.25	253.62		℄ Whittier Blvd.
"			3.47	253.40	10° So.	edge conc. pave
"			3.68	253.19	20° "	" macadam pave.
"			3.52	253.35	20° No.	" conc. pave
"			3.59	253.28	26° "	" macadam "
0+50 East			3.96	252.91		℄ Whittier Blvd
"			4.17	252.70	10° So.	edge conc. pave
"			4.49	252.38	20° "	" macadam "
"			4.8	252.07	26° "	" gut.
"			3.4	253.47	32° "	top slope
"			4.08	252.79	20° No.	edge conc. pave
"			4.51	252.36	26° No.	" macadam "
"			4.5	252.4	27° No.	gut.
"			2.5	254.4	34° No.	top slope

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		256.92 ~~97~~				
1+00 East			4.60	252.27		℄ Whittier Blvd
"			4.85	254.02	10° So.	edge conc. pave
"			5.13	251.74	20° "	" macadam "
"			5.4	251.5	26' So.	gut.
"			4.2	252.7	32' So.	top slope
"			4.70	251.97	20° No.	edge conc. pave
"			5.12	251.75	26° "	" macadam "
"			5.1	2518	28° No.	gut
"			3.5	2534	34° "	top slope
1+50 East			5.29	251.58		℄ Whittier Blvd
"			5.50	251.37	10° So	edge Conc. pave
"			5.95	250.92	20° "	" macadam "
"			6.1	2508	26° So.	gut
"			4.6	252.3	32° So.	top slope
"			553	251.34	20° No.	edge conc. pave
"			6.00	250.87	26° "	" macadam "
"			6.0	250.9	28° No.	gut
"			5.2	251.7	34° No.	top slope

Profile Notes Red Plotted Job No. 6962 Division No. V F.B. 1795 Pg. 157
No. Date Survey of Hollystraw to Norwalk Blvd
X-Sec. Date Survey by Hollystraw Co. Surv. Date 1-25-54
Notes Chkd. Checked Map No. Indexed Date
No. Date Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

B. 1798 Pg. 158
Profile
Survey of East Whittier S.D. Job No. 6962 Division No. K Notes Red. Plotted
Survey by Helfstrom Notes Curbs Date No.
Indexed R. C. Johnson Date Notes Chkd. Checked X-Sec.
Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	
		256.92 ~~256.87~~			
0+50 West			2.61	25[illegible]	℄ Whittier Blvd
"			2.77	25[illegible]	20° No. edge conc. pave
"			3.35	25[illegible]	26° No. " macadam "
"			3.4	25[illegible]	28° No. gut
"			1.0	25[illegible]	34 No. top slope
"			2.75	254.[illegible]	10° So. edge conc. pave
"			3.18	25[illegible]	20° " " macadam "
"			3.3	25[illegible]	26° So. gut
"			2.1	254.[illegible]	32° So. top slope
1+00 West			1.87	25[illegible]	℄ Whittier Blvd.
"			2.22	25[illegible]	20° No. edge conc. pave
"			2.67	25[illegible]	26° " " macadam "
"			2.7	25[illegible]	28° No. gut.
"			1.4	25[illegible]	30° No. top slope
"			2.08	254.19	10° So. edge conc. pave.
"			2.54	254.03	20° " " macadam "
"			2.9	25[illegible]	26° So. gut
"			1.3	25[illegible]	29° So. top slope
1+50 West			1.20	25[illegible]	℄ Whittier Blvd.

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
		92 256.87			
1+50 West			1.51	255.36	20° No. edge Conc. pave
"			2.00	254.87	26° " " macadam "
"			2.1	254.9	27° No. gut
"			0.2	256.7	30° " top slope
"			1.37	255.50	10° So. edge Conc. pave
"			2.06	254.81	20° " " macadam "
			2.4	254.5	26° So. gut
			1.1	255.8	29° So. top slope
					(on ℄ drain Line)
31+83±			3.87	253.00	℄ drain line ℄ ba
"			2.86	254.01	" " " " to
"			3.86	253.01	5° Rt. ℄ parallel to ℄ Whittier Blvd - bot 12
"			2.86	~~254.01~~ 253.01	" " " " " " " " - top
31+85			2.8	254.1	20° Rt. parallel to ℄ Whittier Blvd
31+83±			3.91	254.96	4° Lt. " " " " " " - ba
"			2.86	254.01	" " " " " " " " - to
31+85			1.8	255.1	20° Lt. " " " " " "
31+88			2.7		℄ drain Line
			2.7		20° Rt ℄ parallel to ℄ Whittier
"			2.0		20° Lt " " " " "

Profile Notes Red Plotted Job No. 6262 Division No. V
No. Date Date Survey of
X-Sec. Notes Chkd. Checked Survey by Hoffman Notes Curtis Johnson Date
No. Date Date Map No. Indexed Job No. Date
F.B. 1778 Pg. 159

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 160 Job No. 6262 Division No. V Notes Red. Plotted Profile
Survey of East Whittier S.D. Date Date No.
Survey by Hellstrom Notes Curtis Notes Chkd. Checked X-Sec.
Indexed A. C. Johnson Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		256.92				
31+95			3.08	253.84	℄ drain Line & top 9" conc. hd. wall	
"					" " " & invert 4° high x 8° Wide Conc. Culv.	
"			8.52	247.40	48 Rt invert 4° high x 8° wide Conc. Culv. & bot. bk. parallel to ℄ Whittier Blvd.	
"			3.08	253.79	13° Rt. top 9" conc. hd. wall & top bank. parallel to ℄ Whittier Blvd	
"			1.7	255.2	20° Rt — parallel to ℄ Whittier Blvd.	
"			8.52	247.40	3° Lt. invert 4° high x 8° Wide Conc. Culv. & bot. bk. parallel to ℄ Whittier Blvd.	
"			3.08	253.79	11° Lt. top 9" Conc. hd. Wall & top bank parallel to ℄ Whittier Blvd.	
"			2.0	254.9	20° Lt. parallel to ℄ Whittier Blvd.	
T.P.			7.88	249.04	T.P.	
	7.18	256.22				
32+50			7.1	249.1	℄ drain Line & bot bk.	
"			7.1	249.1	7° Rt. bot bk	
"			0.9	255.3	9° " top bk	
"			0.0	256.2	20° Rt "	

76L298 307 10-51

PLEASE RETURN.TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red No. Plotted Job No. 6796 Division No. V
No. Date Date Survey of Fair
Notes Chkd Date Checked Date Survey By Hall, Dunn, Nolan, Smith, Bunn, Judy & Johnson
No. Date Map No. Indexed Date

F.B. 1798 Pg. 161

STATION	B. S.	H. I.	F. S.	ELEV.		
		12 256.47				
32+50			(+0.5)	256.7	6± Lt. top bk.	
"			(+0.5)	256.7	20° Lt	
32+61.5			7.1	249.1		8° Rt. bot. Sheet metal
"			0.9	255.3		" " top " "
32+86.6			7.1	249.1		8± " bot " "
"			1.0	255.2		" " top " "
33+00	33+00		7.1	249.1		℄ drain line ℄ bk
"			7.1	249.1		7° Rt bot bk
"			0.0	256.2		12° Rt, top "
"			0.0	256.2		20° Rt,
"			(+1.0)	257.2	6° Lt. top bk.	
"			(+1.0	257.2	20° Lt.	
33+65.5			(+7.9)	256.9		8± Rt top 3" Water line
33+25			6.0	250.2		℄ drain line ℄ bk
"			6.0	250.2		4° Rt. bot. bk
"			(+1.0)	257.2		9± " top bk
"			(+1.0)	257.2		20° Rt
"			6.0	250.2	4° Lt. bot. bk,	
			(+1.0)	257.2	10± " top bk.	
			(+1.0)	257.2	20° Lt.	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

34 19?

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1298 PG. 62 Job No. 6762 Division No. K Notes Red. Plotted Profile
Survey of East Whittier S.D. Date Date No.
Survey by A.N. Hellstrom Notes D.S. Curtis Notes Chkd. Checked X-Sec.
Indexed K C. Johnson Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		256.~~7~~ 22				
33+90			5.4	250.8		℄ drain line & bot,
"			5.4	250.8		3° Rt. bot bk,
"			(+2.1)	258.3		10 Rt. top "
"			(+2.1)	258.3		20° Rt
"			5.4	250.8	3° Lt. bot bk,	
"			(+3.0)	259.2	12° " top "	
"			(+3.0)	259.2	20° Lt	
34+20			4.9	251.3		℄ drain line & bot
"			4.9	251.3		3° Rt bot bk
"			(+2.5)	258.7		11° Rt top "
"			(+2.60)	258.77		11° Rt top 3" W. line
"			(+3.0)	259.2		20° Rt
"			4.9	251.3	3° Lt. bot. bk.	
"			(+2.3)	258.6	11° Lt. top "	
"			(+2.3)	258.6	20° Lt.	
34+75			4.8	251.4		℄ drain line
"			4.8	251.4		2° Rt. bot. bk
"			(+5.3)	261.5		10° Rt. top bk
"			(+5.3)	261.5		20° Rt.
"			4.8	251.4	2° Lt. bot bk.	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red No. Date Plotted Job No. 6962 Division No. V F.B. 1738 Pg. 163
X-Sec. Notes Chkd. Date Checked Survey of Survey by [illegible] Notes Comp'd by Jude Johnson Date [illegible]
No. Date Date Map No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		256.~~7~~ 22				
34+75			(+5.0)	261.2	9° Lt. top bk	
"			(+5.0)	261.2	20° Lt.	
T.P.			4.97	251.~~20~~ 25	T.P.	
	8.73	259.~~73~~ 98				
35+15			6.9	253.0		℄ drain line ℄
"			6.9	253.0		2° Rt. bot bk.
			1.1	258.8		5° Rt brk
"			(+2.8)	261.7		11° Rt top bk.
"			(+1.8)	261.7		20° Rt.
"			6.9	253.0	3° Lt. bot. bk.	
"			1.9	258.0	4° Lt. brk	
"			(+2.1)	262.0	9° Lt. top bk.	
"			(+2.1)	262.0	20° Lt.	
35+35			7.1	252.8		℄ drain line ℄
"			7.1	252.8		2° Rt. bot. dk
"			1.8	258.1		3° Rt. brk
"			(+1.6)	261.5		10° Rt. top bk
"			(+1.6)	261.5		20° Rt.
			7.1	252.8	3° Lt. bot. bk	
"			3.1	256.8	4° Lt. brk.	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 Pg. 164 Job No. 6962 Division No. V Notes Red. Plotted
Survey of East Whittier S.D. Date Date
Survey by Hollstrom Notes Curtis Notes Chkd. Checked
Indexed C. Johnson Date Date
Profile No. X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		259.98				
35+35			(+2.0)	261.9	9° Lt. top bk	
"			(+2.0)	261.9	20° Lt.	
35+37.5			1.5	261.4	7° Lt, bot wood wall	
"			(+2.1)	262.0	" " top " "	
35+38			5.0	254.9		℄ drain line & bot
"			5.0	254.9		25 Rt bot bk
"			1.8	258.1		4° Rt
"		+	(1.6)	261.5		10° Rt
"		+	(1.6)	261.5		20°
"			4.2	264.1	3° Lt. bot bk.	
"			1.5	262.4	7° Lt bot Wd. fc.	
"			(+2.1)	262.6	" " top " "	
"			(+2.1)	262.0	9° Lt. top bk.	
"			(+2.1)	262.0	20° Lt.	
35+38.6			+1.80	261.73		11.5 Rt. top 3" Water line
T.P.			3.73	258.25	T.P. top 2" I.P. - P.I. #16 per pg. 79	
	10.31	266.56				
35+90			9.5	257.0		℄ drain line
"			9.5	257.0		25 Rt. bot bk
"			7.5	259.0		3° " brk

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 6262 Division No. V F.B. 1798 Pg. 65
No.____ Date____ Date____ Survey of____
No.____ Notes Chkd____ Checked____ Survey by Hamilton Notes Entered____ Date____
Date____ Date____ Map No.____ Amended Job No.____ Date____

STATION	B. S.	H. I.	F. S.	ELEV.		
		266.56				
35+90			4.0	262.5		7° Rt. top bk
"			3.0	263.5		20' Rt
"			9.5	257.0	3° Lt. bot bk	
"			6.0	260.0	5° Lt bot wood wall	
"			3.2	262.3	5° Lt top " "	
"			3.2	262.3	20' Lt.	
36+02°	36+02°		6.0	260.0	5° Lt. bot Wood Wall	
"			3.2	262.3	" " top " "	
36+30			6.6	259.9		℄ drain line
"			6.6	259.9		2° Rt. bot. bk
"			2.6	263.9		7° " bk
"			2.4	264.1	T.W. 6/10/54	10° " "
"			2.4	264.1		20° Rt
"			6.6	259.9	2° Lt. bot. bk.	
"			5.8	260.7	4° Lt. bk	
"			1.7	264.8	12° Lt. top bk	
"			1.7	264.8	20° Lt.	
36+50			6.3	260.2		℄ drain line
			6.3	260.2		2° Rt. bot. bk
			3.3	263.2		5° Rt. bk.

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 Pg. 166 Job No. 4962 Division No. V Profile
Survey of East Whittier S.D. Notes Red Plotted
Survey by C. Johnson Notes Curtis Notes Chkd Checked
Indexed Date Date Date X-Sec.
No. No. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		266.56				
36+50			3.0	263.5		17° Rt. brk.
"			2.6	263.9		20° Rt
"			6.3	260.2	3° Lt. bot. bk	
"			2.5	264.0	7° Lt. brk	
"			2.2	264.3	12° Lt. top bk	
"			2.2	264.3	20' Lt	
37+00			5.5	261.0		℄ drain line
"			5.0	261.5		4° Rt. bot bk
"			1.8	264.7		8° Rt brk
"			(+2.0)	268.5		22' Rt.
"			5.5	261.0	4° Lt. bot bk.	
"			0.6	265.9	7° Lt. brk	
"			0.6	265.9	20° Lt.	
T.P.	5.66	267.47	4.75	261.81	T.P.	
37+50			5.7	261.7		℄ drain Line
"			5.7	261.7		25 Rt. bot bk
"			1.5	265.9		7° Rt, brk
"			(+2.0)	269.4		20' Rt.
"			5.7	261.7	6° Lt. bot bk.	
"			0.2	267.2	11° Lt top bk	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		267.47				
37+50			0.2	267.2	20' Lt.	
38+00			5.3	262.1		℄ drain line
"			5.0	262.4		8° Rt. bot. bk
			(+1.0	268.4		12° " brk.
			(+2.5)	269.9		20° Rt.
"			5.3	262.1	6° Lt bot bk	
"			0.0	267.4	9° " top bk.	
"			(+1.3)	268.7	20° Lt	
38+30			4.8	262.6		℄ drain line
"			4.8	262.6		6° Rt. bot bk
"			(+2.0)	269.4		9° Rt. brk
"			(+3.2)	270.6		20° Rt.
"			4.8	262.6	6° Lt. bot. bk	
"			0.0	267.4	12° " top bk	
"			(+2.2)	269.4	20' Lt.	
38+50			5.2	262.2		℄ drain line
"			5.2	262.2		5° Rt bot. bk
"			(+1.3)	268.4		9° " brk.
			(+3.5)	270.9		20' Rt
			5.2	262.2	2° Lt bot bk	

Profile
Notes Red _____ Plotted _____ Job No. 6962 Division No. V F.B. 1798 Pg. 167
No. _____ Date _____ Survey of East Whittier
No. _____ Date _____ Checked _____ Survey by Hamilton Notes Compiled by [illegible]
Notes Chkd _____ Date _____ Map No. _____ Traced by J. Obispo Date _____

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

B. 1798 PG. 168 Job No. 6962 Division No. V Notes Red. Plotted Profile
Survey of East Whittier SD. Date No. X-Sec.
Survey by Hallstrom Notes Curtis Date Checked
Indexed E. C. Johnson Date Notes Chkd Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		267.47				
38+50			(+1.6)	269.0	8° Lt top bk	
"			(+2.6)	270.0	20' Lt	
39+00			2.9	264.5		℄ drain line - side bk.
"			(+2.0)	263.4		5° Rt. brk
"			(+4.8)	272.3		22' Rt.
"			5.0	262.4	2° Lt. bot bk.	
"			5.0	262.4	6° " " "	
"			(+4.0)	271.4	13° Lt. top bk.	
"			(+4.0)	271.4	20' Lt.	
39+09.5			(+2.7)	272.1	11½ Lt. top 3" Water	line
39+50			4.6	262.8		℄ drain line
"			4.6	262.8		2° Rt. bot bk
"			(+3.4)	270.8		10° Rt brk
"			(+4.8)	272.2		29½ Rt "
"			(+4.8)	272.2		30° Rt top 2" Water Line
"			4.6	262.8	3° Lt. bot. bk.	
"			+(4.8)	272.2	9° top " .	
"			(+4.8)	272.2	20' Lt	
T.P.	8.24	72.00	4.11	263.36	T.P. P.I. #19 2" I.P.	per pg. 55

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Rod____ Plotted____ Job No. 6962 Division No. V
No.____ Date____ Date____ Survey of Lennox
X-Sec. Notes Chkd____ Checked____ Survey by: Pettitt, Curtis, Johnson Data Book
No.____ Date____ Date____ Map No.____ Endorsed____ Date____

F.B. 1798 Pg. 69

STATION	B. S.	H. I.	F. S.	ELEV.		
		72 00 ~~27+.85~~				
39+80			6.6	265.4		℄ drain line (SW
"			0.5	271.5		10' Rt. brk.
"			(+0.4)	272.4		20' Rt.
"			(+3.0)	275.0		30' Rt
"			(+3.0)	275.0		40' Rt
"			8.9	263.1	2°Lt. bot bk,	
"			8.9	263.1	6° Lt. " " .	
"			(+1.0)	273.0	14° Lt. top "	
"			(+1.0)	273.0	20' Lt.	
40+03			(+0.6)	272.6	14 Rt. top 2" Water line	
40+15			7.9	264.1		℄ drain line
"			7.9	264.1		4° Rt bot bk
"			0.6	271.4		12° Rt. brk
"			(+3.5)	275.5		21° Rt. top bk
"			(+3.5)	275.5		30° Rt.
"			7.9	264.1	2° Lt, bot bk,	
"			6.5	265.5	4° Lt. brk,	
"			0.0	272.0	11° Lt. top bk.	
"			(+2.2)	274.2	20' Lt	
40+26			(+0.5)	272.5	℄ drain line & top 2" Water line	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 172 Job No. 4262 Division No. 4 Notes Red. Plotted Profile
Survey of East Whittier S.D. Date Date No.
Survey by Hollyfield & C. Jones Notes Curtis Notes Chkd. Checked X-Sec.
Indexed Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		72 00 ~~271.95~~				
40+45			4.5	267.5		℄ drain line
"			8.0	264.0		4° Rt. bot bk
"			8.0	264.0		8° " " "
"			5.7	266.3		12° " brk.
"			(+4.5)	267.5		22° Rt.
"			3.2	268.8	8° Lt bk.	
"			(+3.0)	275.0	14° Lt top bk.	
"			(+3.0)	275.0	20' Lt.	
40+61 °			(+1.9)	273.1	21° Lt. top 2" Water line	
40+70°			7.2	264.8		℄ drain line
"			7.2	264.8		4° Rt bot bk
"			(+1.5)	273.5		10° Rt. top bk
"			(+4.0)	276.0		21° Rt.
"			7.2	264.8	1° Lt, bot bk	
"			(+1.0)	273.0	6° Lt, top bk	
"			(+4.5)	276.5	15° Lt.	
"			(+4.5)	276.5	20° Lt.	
			6.82	265.18	P.I. #20-2" I.P. per pg 39.	
	7.17	272.35				

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		272,~~90~~ 95				
41+00			7.6	264.7		℄ drain line
"			7.6	264.7		3° Rt. bot. bk.
"			(+2.0)	274.3		7° Rt. top bk.
"			(+5.5)	277.8		32° Rt.
"			7.6	264.7	5° Lt. bot. bk.	
"			(+2.4)	274.7	12° Lt. top bk.	
			(+4.7)	277.0	18° Lt.	
			(+4.7)	277.0	22° Lt.	
41+50			5.1	267.2		℄ drain line
"			3.1	269.2		4° Rt. bot bk.
"			(+5.8)	278.1		16° Rt. top bk.
"			(+5.8)			20° Rt.
"			(+5.8)			30° Rt
"			5.1	267.2	6° Lt bot bk.	
"			(+5.7)	278.0	14° Lt top bk.	
"			(+5.7)	278.0	20° Lt.	
42+06.18			4.7	267.6		℄ drain line
"			3.0	269.3		4° Rt. bot bk.
			(+6.3)	278.6		14° Rt. brk
			(+6.3)	278.6		20° Rt

Profile
Notes Red
Plotted
Job No. 6962 Division No. V
F.B. 1798 Pg. 171
No. Date
Rec.
No. Date
Notes Chkd
Checked
Survey of
Survey by
No. Date
Map No.
No. Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1788 PG. 122 Job No. 6962 Division No. X Notes Red. Plotted
Survey of East Whittier S.D. Date No. Profile
Survey by Hallstrom Notes Curtis Date Checked Date X-Sec.
Indexed C. Johnson Date Notes Chkd. Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		272.95				
42+06 18 drain	42+06 18 =		0+00	South on ℄ Highland Ave.		
0+07 So.			4.7	267.6	7° So. on ℄ Prod. Highland Ave ℄ bot bk.	
0+12 So.			1.0	271.3	12° " " " "	" " ℄ brk
0+19 So.			(+2.5)	274.8	19° " " " "	" " ℄ top bk.
0+36.5 So.			(+5.7)	278.0	36.5 " " " "	" "
0+50 So.			(+6.5)	278.8	50° So. on ℄ Highland Ave ℄ end paving	
1+00 So.			(+5.0)	277.3	100° " " " "	"
2+00 So.			(+3.4)	275.7	200° " " " "	"
42+20			4.5	267.8		℄ drain line
"			4.5	267.8		6° Rt bot bk
"			(+2.0)	271.5		8° Rt top "
"			(+7.5)	277.0		18° Rt
"			(+7.5)	277.0		20° Rt.
"			3.1	267.6	7° Lt. bot bk.	
"			(+3.0)	273.8	11° Lt. top bk.	
"			(+6.4)	277.2	23° Lt.	
42+40			3.7	268.6		℄ drain line bot bk
"			3.7	268.6		8° Rt. top "
"			(+1.5)	273.8		12° Rt brk
"			(+8.3)	280.6		22° Rt.

76L298 507 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		272.~~3~~ 35				
42+40			0.0	272.3	1° Lt. brk	
"			(+4.0)	276.3	9° Lt,	
"			(+7.0)	279.3	18 Lt. - 20° Lt. (same)	
42+75			3.7	268.6		℄ drain line
"			3.7	268.6		4° Rt. bot bk
"			0.7	273.0		5° Rt brk.
"			(+9.5)	281.8		33° Rt.
"			3.7	268.6	1° Lt. bot bk.	
"			(+4.6)	276.3	7° Lt. top bk.	
"			(+7.6)	279.9	21° Lt. brk,	
"			(+7.6)	279.9	30° Lt.	
T.P.			3.74	268.~~5~~ 61	T.P. (rock)	
	7.01	275.~~5~~ 62				
43+00			5.0	270.6		℄ drain line &
"			2.1	273.5		7° Rt. brk.
"			(+5.0)	280.6		15° Rt. top ban
"			(+7.0)	282.6		26° Rt.
"			5.0	270.6	6° Lt bot bk	
"			(+1.0)	276.6	10° " top bk	
"			(+4.5)	280.1	21.5 Lt brk.	

Profile
Notes Rod _____ Plotted _____ Job No. 5242 Division No. X F.B. 1798 Pg. 173
No. _____ Date _____ Date _____ Date _____ X-Sec.
Notes Chkd _____ Checked _____ Survey of Easements Survey by L.A. County Engineering Corps Under Supervision of Ted Branch
No. _____ Date _____ Date _____ Map No. _____ Date _____

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1738 PG. 174 | Job No. 6962 Division No. V | Notes Red. | Plotted | Profile
Survey of East Whittier SD. | Date | Date | No.
Survey by Hellstrom Notes Curtis | Notes Chkd | Checked | X-Sec.
Indexed E. C. Johnson Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		275.57				
43+00			(+4.5)	28[illegible].1	25° Lt.	
43+30			5.3	27[illegible].3		℄ drain line
"			5.3	27[illegible].3		5° Rt. bot bk
"			0.0	27[illegible].6		65 Rt. brk
"			(+2.7)	278.3		14° Rt brk
"			(+6.5)	282.1		20° Rt.
"			(+2.2)	27[illegible].8	7° Lt. bot. bk.	
"			(+6.0)	28[illegible].6	16° Lt. top bk.	
"			(+6.0)	28[illegible].6	20° Lt.	
43+70			2.1	273.5		℄ drain line - slope
"			4.4	271.2		12 Rt bot bk,
"			4.4	271.2		8° Rt " " ,
"			(+6.0)	28[illegible].6		14° Rt. top "
"			(+7.3)	28[illegible].9		24° Rt. brk
"			(+7.3)	28[illegible].9		55° Rt
"			(+1.0)	276.6	1° Lt. brk.	
"			(+6.6)	282.2	24° Lt brk.	
"			(+6.6)	282.2	30° Lt.	
44+00			4.2	271.4		℄ drain line
"			4.2	271.4		2° Rt. bot. bk.

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		275.62 ~~.57~~				
44+00			(+1.7)	277.3		7° Rt. brk
"			(+6.5)	282.1		23° Rt top bk
"			(+5.7)			25° Rt top 4" std oil pipe line
"			4.2	271.4	5° Lt. bot. bk.	
"			(+2.1)	277.7	10° Lt. top bk.	
"			(+7.0)	282.6	26° Lt.	
"			(+7.0)	282.6	30° Lt.	
7.1?	T.P.		3.90	271 ~~78~~ 74	T.P. Pl. #23 top 2" I.P. per pg. 83	
	6.06	277.~~78~~ 68				
44+50			3.8	273.9		℄ drain line - 5
"			0.0	277.7		2° Rt. top bk
"			(+3.6)	284.1		25° Rt.
"			(+3.6)	284.1		30° Rt
"			5.5	272.2	2° Lt bot bk	
"			5.5	272.2	7° Lt. " "	
"			(+7.0)	284.7	23° Lt top bk.	
"			(+7.0)	284.7	30° Lt.	
44+73 ±0			5.4	272.3		℄ drain line (bot
			5.4	272.3	5° Lt. bot. bk	
			(+5.0)	282.7	14° Lt. top "	

Profile Notes Rod No. Plotted Job No. 6762 Division No. V F.B. 1798 Pg. 175
X-Sec. No. Date Date Survey of Eng. Survey by Platt-Bowman Notes Curtis Date 8-29-62
Notes Chkd No. Date Checked Date Map No. Index Job Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG 176 Job No. 4262 Division No. X
Survey of East Whittier S.D.
Survey by Hollstrom Notes Curtis
C. Johnson
Indexed

Profile No. Platted Date
Notes Red. Date
Notes Chkd. Checked Date
X-Sec. No. Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		277.78				
44+73 ±0			(+8.0)	285.7	22° Lt. brk.	
"			(+8.0)	285.7	30 Lt.	
T.P.			1.82	275.94	T.P.	
	11.58	287.52				
44+73 ±0 = 0+00 East on Tract Line #16617 & drain to East.						
0+25 E			14.6	272.9	Tract Line #16617 & bot. drain	
"			14.6	272.9	" " " & 4° Rt. bot. bk.	
"			5.4	282.1	" " " " 5° " top "	
"			6.0	281.5	" " " " 20° "	
"			10.0	277.5	" " " " 4° Lt.	
"			8.7	278.8	" " " " 20° "	
0+37 E			6.4	281.1	" " "	
"			6.6	280.9	" " " & 28 Rt. top bk.	
"			12.1	275.4	" " " " 30 Rt bot "	
"			12.1	275.4	" " " " 6° Rt " "	
"			5.3	282.2	" " " " 7° Rt top "	
"			6.3	281.2	" " " " 20° Rt.	
"			5.4	282.1	" " " & 12° Lt.	

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE ONLY CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		287.~~47~~ 54				
0+52.3 E.			5.8	281.7	top 4" std. Oil pipe Line	
0+65 E			5.0	282.5	tract Line #16617	
"			5.5	282.0	" " "	℄ 3° Rt bot drain
"			5.0	282.5	" " "	" 6° Rt "
"			5.5	282.0	" " "	" 20° Rt.
"			4.4	283.1	" " "	" 3° Lt.
"			3.7	283.8	" " "	20° Lt.
1+00 E			4.3	283.2	" " "	
"			6.4	281.1	" " "	℄ 2° Rt bot drain
"			6.4	281.1	" " "	" 4° Rt.
"			5.0	282.5	" " "	" 5° Rt.
"			5.0	282.5	" " "	" 20° Rt.
"			3.8	283.7	" " "	℄ 20° Lt.
T.P.			4.37	283.~~12~~ 17	T.P. 1"x2" @ 2+00 E	
	11 91	295.~~83~~ 08				
2+00 E			11.9	283.1	Tract Line #16617	℄ bot drain
"			11.9	283.1	" " "	℄ 4° Rt bot drain
"			6.9	288.1	" " "	" 12° Rt top bank
"			6.9	288.1	" " "	" 20° Rt.
"			8.2	286.8	" " "	" 1° Lt.

Profile Notes Red Plotted Job No. 6246 Division No. K F.B. 1798 PG. 177
No. Date Checked Survey by K. Gerstenkorn Sub.
No. Date Map No. Date

FORM 307 SM 1-46

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec.
Plotted Date Checked Date
Notes Red Date Notes Ckd Date
Job No. 6962 Division No. V
Survey of East Whittier SD.
Survey by Hollstrom Notes Curtis
Indexed Date
B. 299 PG. 128

STATION	B. S.	H. I.	F. S.	ELEV.		
		295.08				
2+00 E			8.2	286.8	Tract Line #16617	℄ 20° Lt.
3+00 E			5.7	289.3	Tract Line #16617	
"			7.0	288.0	" " "	℄ 4° Rt. bot. drain
"			4.9	290.1	" " "	℄ 8° Rt.
"			4.4	290.6	" " "	" 20° Rt.
"			3.8	291.2	" " "	" 20° Lt.
4+00 E			3.7	291.3	" " "	℄ bot. drain
"			3.4	291.6	" " "	℄ 8° Rt.
"			3.1	291.9	" " "	" 20° Rt.
"			3.1	291.9	" " "	" 10° Lt.
"			2.1	292.9	" " "	" 20° Lt.
T.P.			3.42	291.66	TP	
	10.59	302.25				
4+43.7			6.68	295.57	Tract Line #16617	℄ 58 Rt. top conc. hd. wall
4+46°			11.93	290.32	" " "	℄ 3° Rt. invert 24" conc. pipe
4+47.8			11.93	290.32	" " "	invert 30" conc. pipe
4+50.4			6.68	295.57	" " "	℄ 3.8 Lt. top conc. hd. wall
4+54			4.5	297.75	Tract Line #16617	℄
4+65.3			4.46	297.79	" " "	℄ edge paving

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 6242 Division No. V
No. Date Date Date Map No. Dept.
No. Date Date Date Survey of East Whittier S.D.

STATION	B. S.	H. I.	F. S.	ELEV.		
		302.25				
4+93℄			5.20	297.0	Prod. Track Line # 1617 top Sh	
5+12 ᴰ			10.78	291.42	" " " "	℄ 18' Rt. Invert (inlet)
5+14 ³			10.63	291.57	Prod. " " " "	15' ℄ Rt. " (inlet)
5+34 ᵁ			5.91	296.29	" " " "	" edge pavt
	(4+93℄ E = 0+00 north & South on ℄ Enramada ST.)					
0+50 So.			5.03	297.17	50' So. on ℄ Enramada ST.	
0+50 No.			4.92	297.28	" No. " "	
T.P.			12.19	290.06	T.P. on 2" IP @ Sta 4+14.4' E	
	3.10	293.16				
T.P.			10.58	282.58	T.P.	
	2.58	285.16				
T.P.			12.08	273.08	T.P. Pl. #24 top 2" I.P. pg. 56	
	6.16	279.24				
45+10			6.2	273.0		Terrain line
"			6.2	273.0		8' Rt bot bk
"			0.4	278.8		12' Rt. brk
"			(+4.3)	283.5		30' Rt brk top bk
"			(+4.3)	283.5		35' Rt.
"			6.2	273.0	3' Lt. bot bk	
"			(+13.0)	286.2	13' Lt. top bk.	

F.B. 7616

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Job No. 4962 Division No. V Notes Rad. Plotted
Survey of East Whittier S.D. Date Date
Area Whittier Notes Surv'd Notes Chkd. Checked
Surveyed by C. Johnson Date Date
X-Sec. No. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		279.2				
454 10°			(+7.0)	28[illegible]	20° Lt.	
454 45°			5.5	27[illegible]		℄ drain line
"			5.5	273.7		3° Rt. bot. bk.
"			(+6.5)	28[illegible]		15° Rt. top bk.
"			(+5.8)	28[illegible]		22° Rt.
"			(+5.8)	28[illegible]		30° Rt.
"			5.5	27[illegible]	5° Lt, bot bk.	
"			(+7.2)	28[illegible]	22° Lt, top bk.	
"			(+7.2)	28[illegible]	25° Lt.	
454 9.0			5.2	27[illegible]		℄ drain line
"			5.2	274.0		3° Rt, bot bk.
"			(+1.0)	28[illegible]		6° Rt. brk.
"			(+7.9)	287.1		22° Rt.
"			(+7.9)	28[illegible]		30° Rt
"			5.2	274.0	4° Lt bot bk.	
"			2.0	277.2	6° Lt. brk	
"			(+3.0)	282.2	22° Lt, brk.	
"			(+8.4)	287.6	27° Lt, top bk.	
"			(+8.4)	287.6	30° Lt.	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		279 ~~78~~ 24				
46+25			5.8	273.4		℄ drain line & b
"			5.8	273.4		4° Rt. bot. bk.
"			2.2	277.0		6° Rt. brk.
"			(+9.8)	289.0		19° Rt. top bk.
"			(+8.8)	289.0		23° Rt.
"			(+8.8)	288.0		25° Rt.
"			0.0	279.2	2° Lt. brk.	
"			(+1.8)	281.0	11° Lt. brk.	
"			(+10.2)	289.4	24° Lt. top bk	
"			(+10.2)	289.4	30° Lt.	
46+50			5.0	274.2		℄ drain. Line & b
"			5.0	274.2		6° Rt. bot. bk
"			(+1.7)	280.9		7° Rt. brk
"			(+10.9)	296.1		22° Rt. top bk
"			(+10.0)	289.2		28 Rt.
"			(+10.0)	289.2		30 Rt.
"			(+1.0)	280.2	2° Lt. brk.	
"			(+2.0)	281.2	6° Lt. brk.	
			(+10.5)	289.5	18° Lt. top bk	
			(+10.3)	289.5	20° Lt.	

Profile Notes Red. Plotted Job No. 6762 Division No. V F.B. 1798 Pg. 181
No. Date Date Survey of Notes Curtis Date Sept 1952
X-Sec. Notes Chkd Checked Survey by McWhirter Notes Curtis Date Sept 1952
No. Date Date Map No. Extended Johnson Date

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 182 Division No. Y Job No. 6962
Survey of E. Whittier SD. Notes Red. Plotted
Survey by Hellstrom Notes Curtis Date Date
C. Johnson Notes Chkd. Checked
Indexed Date Date
Profile No. X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		279.~~7~~ 124				
T.P.			3.72	27~~5~~ 152	T.P.	
	726	284.~~7~~ 78				
47+00			9.3	27~~0~~.4		℄ drain Line
"			9.3	27~~0~~.4		65 Rt bot bk
"			5.6	27~~2~~.1		8° Rt. brk
"			(+6.0)	29~~0~~.7		27° Rt. top bk
"			(+6.0)	29~~0~~.7		30° Rt.
"			9.3	275.4	6° Lt. bot. bk	
"			-2.3	28~~1~~.4	8° Lt. brk	
"			-1.0	28~~2~~.7	14° Lt. brk	
"			(+6.3)	29~~1~~.0	25° Lt. top bk	
"			(+6.3)	29~~1~~.0	30° Lt.	
47+50			8.2	27~~6~~.5		℄ drain Line
"			8.2	276.5		19 Rt. bot. bk
"			4.2	28~~0~~.5		4° Rt. brk.
"			(+8.0)	29~~2~~.7		16° Rt top bk
"			(+8.0)	29~~2~~.7		20° Rt
"			8.2	276.5	8° Lt. bot bk.	
"			3.2	281.5	12° Lt. brk.	
"			(+6.7)	29~~1~~.4	21° Lt top bk.	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red No. Date Plotted Job No. 4262 Division No. V F.B. 1788 Pg. 183
Notes Chkd No. Date Checked Survey of
Survey by Hollister Notes Computed Johnston Date
Map No. Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		284 ~~77~~ 78				
47+50			(+6.7)	291.4	25° Lt	
47+85			8.2	276.5		℄ drain Line
"			8.2	276.5		2° Rt, bot bk
"			6.2	278.5		3° Rt, brk
"			(+8.3)	293.0		18° Rt, top bk
"			(+8.3)	293.0		20° Rt
			8.2	276.5	7° Lt. bot. bk.	
"			-0.8	283.9	10° Lt. brk.	
"			(+8.2)	292.9	20° Lt. top bk.	
"			(+8.2)	292.9	25° Lt.	
48+05			(+6.7)	291.4		14° Rt. top 4" Std. Oil pipe
48+10			4.7	280.0		℄ drain Line
"			4.7	280.0		1° Rt. bot. bk
"			1.0	283.7		3° Rt, brk
"			(+2.0)	286.7		8° Rt. brk
"			(+7.3)	294.0		19° Rt top bk
"			(+7.3)	294.0		25° Rt
"			5.8	278.9	9° Lt. bot. bk.	
"			(+8.6)	293.3	21° Lt top bk.	
"			(+8.6)	293.0	25° Lt.	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1798 PG. 184 Job No. 6962 Division No. V Notes Red. Date Notes Chkd. Date Profile No.
Survey of East Whittier S.D. Date Checked Date X-Sec. No.
Survey by Heistand Notes Curtis C. Johnson Date
Indexed

STATION	B. S.	H. I.	F. S.	ELEV.		
		284.~~73~~ 78				
48+35°			1.8	282.9		℄ drain line - Slope
"			(+10.3)	295.0		17° Rt. top bank
"			(+10.3)	295.0		20° Rt.
"			5.5	279.2	8° Lt bot bk	
"			5.5	279.2	10° " " "	
"			(+8.6)	279.3	23° " top bk.	
"			(+8.6)	279.3	25° Lt	
T.P.			1.04	283.~~84~~ 74	T.P. 1"x2"	
	408	287.~~72~~ 82				
48+60°			4.4	283.4		℄ drain line - Slope
"			(+6.4)	294.2		18° Rt. top bk
"			(+6.4)	294.2		20° ~~Rt~~.
"			6.8	281.0	2° Lt bot. bk	
"			6.8	281.0	12° Lt bot. bk	
"			(+6.6)	294.4	27° Lt. top bk	
"			(+6.6)	294.4	30° Lt.	
48+60.7			6.31	281.47	2° Lt. invert 18" Corr iron pipe (outlet)	
48+90			6.8	281.0		℄ drain line - bot bk
"			2.6	285.2		25 Rt. bnk.
"			(+8.0)	295.3		15° Rt. top bk

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red No. Date Plotted Job No. 676-2 Division No. V
Misc. Notes Chkd. No. Date Checked Survey of Survey by Map No. Indexed Date
F.B. 1798 Pg. 185

STATION	B. S.	H. I.	F. S.	ELEV.		
		287 ~~77~~ 82				
48+90			(+8.0)	295.8		20°Rt.
"			6.8	281.0	10° Lt. bot bk.	
"			(+7.6)	295.4	21° Lt. top bk	
"			(+7.6)	295.4	25° Lt.	
49+20			4.3	283.5		℄ drain Line -
"			7.2	280.6		1° Rt bot bk
"			7.2	280.6		7° Rt, " "
"			(+8.7)	296.5		23° Rt top b
"			(+8.7)	296.5		25° Rt
"			(+7.4)	295.2	14° Lt top bk	
T.P.			5.92	281.~~86~~ 90	T.P. P.I. #27 top 2" I.P. per pg. 54	Elev: 281.8
(38.10 East on ℄ Prod. of 2nd Ave = 0+00 on transit Line to La Vela Ave)						
BM #KW 12			-	294.~~44~~ 17	BM #KW 12 - 2nd St. So. side 1530' E. of Cata	
					(pg-57) In conc. base for con. fc. post	
	4.68	298.~~85~~			Chain link fc - B.t. spk in lead - W. b	
				(294.173)	storm drain at E. end of 2nd	
0+00			4.3	294.5		transit line - top bk.
0+50			4.3	294.5		" "
"			4.3	294.5		10' Rt
"			4.3	294.5	6' Lt.	

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ___ Plotted ___ Date ___
X-Sec. No. ___ Checked ___ Date ___
Notes Red. ___ Date ___
Notes Chkd ___ Date ___

Job No. 4962 Division No. V
East Whittier S.D.
Notes Curtis
C. Johnson
Entered ___ Date ___

STATION	B. S.	H. I.	F. S.	ELEV.		
		85 298.~~82~~				
0+67.5			8.39	290.43	6° Lt. invert 18" corr. iron pipe (outlet in catch basin)	see pg-86
0+71.5			4.62	293.20	transit line - curb LaVeLa ave.	
"			5.34	293.48	" " - gut. " " "	
0+95 ℄			4.28	294.54	transit line - paving " " "	
"			5.08	293.74	23° Rt gut " " "	
"			4.56	294.26	23° Rt. curb " " "	
"			4.50	294.32	32.5 Lt. gut. " " "	
"			4.03	294.79	32.5 Lt. curb " " "	
T.P.			4.11	294.~~71~~ 74	T.P.	
	6.34	301.~~05~~ .08				
(31.62' West'ly from Drain sta. 48+88.63 on Int. 2nd Ave. Prod ℄ ℄ Drain Line = Sta 0+00 West on ℄ 2nd St.)						see pg-85
		301.~~05~~ .08				
0+00			6.4	294.6		℄ prod 2nd ave - top bk.
0+04.7			5.1	295.9	℄ ℄ top mac. curb	
"			5.8	295.2	℄ ℄ bot. " " - end ℄ edge mac. paving	
"			5.1	295.9	35° Lt.	
"			5.9	295.1	30° Lt.	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		08 301.03				
0+24			5.10	295.95		℄ & edge pavt
"			4.89	296.11		18± Rt. gut
"			4.29	296.71		" " cb
"			5.2	295.8	4° Lt gut	
"			4.9	296.1	6± Lt. brk	
"			5.5	295.5	30° Lt.	
0+50			4.74	296.31		℄
"			4.71	296.34		18± Rt gut
"			4.07	296.98		" " cb
"			4.9	296.1	4± Lt. gut	
"			4.5	296.5	6° Lt. brk	
"			5.1	295.9	30° Lt.	
1+00			4.25	296.83		℄ & edge pavt
"			4.22	296.86		18± Rt. gut.
"			3.59	297.49		" " cb
"			4.3	296.8	4± Lt gut	
"			3.7	297.4	6° Lt brk	
"			4.2	296.9	30° Lt.	

Profile Notes Red____ Plotted____ Job No. 7798 Division No. V F.B. 1128 Pg. 15

No.____ Date____ Notes Chkd____ Date____ Checked____ Date____ Survey of [illegible] Survey by [illegible] Map No.____ Andrew Jackson Date____

No.____ Date____

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.
Survey of East Whittier S.D. Platted Date
Survey by Kellstrom - Notes Curtis Notes Red Date
Indexed C. Johnson Date Notes Chkd Date
Checked Date

Job No. 6362 Division No. V
Bk. 1798 Pg. 188

STATION	B. S.	H. I.	F. S.	ELEV.		
		301.08				
2+00			3.25	297.80		℄ & edge paving
"			3.14	297.91		18' Rt gut
"			2.49	298.56		" " cb.
"			3.3	297.7	4.5 Lt. gut,	
"			2.2	298.3	6° " brk.	
"			2.8	298.2	30° Lt.	
3+00			2.90	298.15		℄ & edge paving
"			2.93	298.12		18' Rt gut.
"			2.30	298.75		" " curb
"			2.8	298.2	4.5° Lt. gut.	
"			1.7	299.3	6° Lt. brk.	
"			1.8	300.2	30° Lt.	
BM # KW 13			4.00	297.08	BM # KW 13 2nd ST. No. Side 50± E. of ℄ Catalina Ave. 32± from end of curbing. Set a Bt. spk. in lead in top of curbing - Pg-57	
				(297.079)		

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E. Whittier S.D.
W. O. 6279-2-00 Tape No. Sr'd. °F
Surveyed by English
Notes Sappell Date 6-2-54
Indexed A. C. Johnson 10-18-54

F. B. 1790 Pg. 189

EAST WHITTIER S.D.

J.N. 6962

"X" - SECTIONS & TOPOG.

ON

SEWER LINE REALINEMENT

Party:
English
Sappell
Peterson
Lind
Santucci

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E. Whittier S.D.
W. O. 6212.08 Tape No. Sl'd. oF
Surveyed by English
Notes Sappell Date 6-54
Indexed

F. B. 1292 PG. 3 #91

To Left on #192

1+88

6' chain Link fn.

Transit Line
& prop. Sewer line

1+82

1+76

Existing Drainage Ditch.

6' chain Link fn

8

1+42.5

1+41

1+39

4° chain Link fn.

Stucco Garage.

9.5

1+19.5

1.3

54

2" Maple Tree.

1+00

4.5

Pre-mix Driveway

0+98

0+95

9.5

15.5

1-Story Stucco House.

1°

Stucco Garage

3.2

120° (Rad)

0+85 S 60° W

0+65

Drive

15

Transit Line
& Prop. Sewer "

From Left pg #190

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76FS0095 247 4-53

F.B. 1798 Pg. 4192

250

AVE.

SmH.

ARMLEY

6" conc. cb

conc. SmH

283.43

(Rec. N1,X P.M.,X.)

125°04'50"

SmH 2+42.89 — 16.6'

Set L&T. P.O.T.

Transit Line & Prop Sewer

T=76°
283.43 Rec
283.43

From Lot # Pg 191

D 125 04 40
A 140 19 20

b 30 29 00
125 04 50

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
"B.M." Fd. - KW-6	11 02	229 47		218 47	BM"-KW-6, - Elev. 218.470, F.B. 1798	
					Mills Ave. - W side on ℄ Culle	
					prod. From E. - In W. cb. of	
					Ave. - Bt. spk. in lead.	
0+00			5 61	223 88	Mills Ave., Int. Prop. sewer l	
					Existing Sewer	
					F.B. 1798	
S. rim			2 17	227 32	First Sewer M.H. N.E. (238.01) on ℄ M	
			2 55 4		S.W. Outlet B. 11.78 - T. 10.80	
S. rim			7 30	222 19	First Sewer M.H. S.W. & Pt. Mills A	
				210 41	N.E. Inlet B. 11.78 - T. 10.74 = D. 1.0	
0+32 ℄			6 32	223 17	b. cb.	prop. Sewer l
0+32 ℄			5 66	223 83	T. cb.	" "
1+00			4 3	225 2		" "
T.P.	4 42	231 90	2 01	227 48		
1+67			6 4	225 5	b. b.	" "

Profile Notes Red. Plotted. Job No. Division No. 10
No. Date Date Survey of
Notes Chkd. Checked Survey by Engineering Notes F.B. 1798 Date 6-54
No. Date Date Map No. Author C. Johnson Date
F. B. 1798 Pg. 53

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.
Plotted Date Checked Date
Notes Red. Date Notes Chkd. Date
Job No. 4212.00 Division No. 10
Survey of EWA Inter. S.D. Notes Eng. Insp.
Survey by English Notes C. Johnson Date
Indexed Pg. 194
1798

STATION	B. S.	H. I.	F. S.	ELEV.		
1+62.5		231.90	4.5	227.4	T. brk. prop. Sewer line	
1+71			5.0	226.9	" " "	" "
1+76			8.6	223.3	B. " "	" "
1+80			8.6	223.3	" " "	" "
1+88			3.9	228.0	T. " "	" "
2+26.4			4.99	227.01	T. cb "	" "
2+26.4			5.98	227.02	B. cb "	" "
2+42.89			5.08	227.92	E. rim Sewer M.H.	
				220.43	N. Inlet 6.59	B 5.89 T .70 D
				221.31	S. Outlet 6.81	6.12 .69
Fd. KW-6-C			7.77	220.63	K.W.-6-C - At Junction of 2-P.I. #9 pr. Pg 25- of 10" conc. wing wall.	224.133 - F.B. 1798-51 Natural Drains at BT Spk. in E end

Drawn / Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O. 8212-00 Tape No. St'd. °F
Surveyed by English
Notes Sep Bell Date 6-54
Indexed

F. B. Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in, Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

62 20

76FSOSS 247 4-53

Transit line prop. Sewer line

2+09

1+90

1+73

1+55

1+36

1+00

0+82

0+65

0+46

0+00

5' orange trees

6" cinder block wall

30.2

Stucco Garage.

18.9

6" cinder block wall

4" chain Link

1+29.5

1+29

1+20

5" cinder block & chain link fn.

5" orange Trees

0+58.5

6" conc. ct

conc. gutt

0+54.3

22.3

0+46.5

13.5

S 46° 15' E

P.O.T. Set L.&T.

S.M.H. LANNING

6" chain Link fn.

8.28

5.95

0+29.52

Set L&T. S.W.&T. Flush

DR.

Prop. S.M.H.

conc. gutt

6" conc. ct.

29.52

34.66

5.55

S.M.H. 0+00

pre. mnt. pvmt.

Prod. Set L.&T.

Ceres Ave.

F.B. 1798 Pg. 196

To Rt Pg.

℄ 161 41 20
℄ 286 45 00
℄ 250 07 40
Av. 161 41 16

Transit Line
℄ Prop. Sewer "

63.11
61.88
12499

conc apron
conc head wall
fd. B.T. S.W. & T. flush Pg. 15
A+15.60
A+16.62
3.1.35
17.56
23.26
4+07.13
3+88.63
P.I.
Set 1x2 flush
prop. M.H.
161°41'15"
(60)
conc. head wall
Set I.B.T.
conc apron
UNION PACIFIC RAILWAY
R/W

Pacific Electric Railway

Right of
39.68
3+24.99
3+21.80
fd. N & T. Pg. 15

fd. L.B.T. in Conc. M-Wall
90° 01'20"
ed pv.
2+70 ±
Pre-mix Prmt.
51.75
LAMBERT
2+61.88
Set B.T. S.W. & T. flush by int.
℄
To: Pt. fd. B.T. S.W. & T. flush pg. 15
To: M/S Ave. fd. C.S. Mon. Pg. 9
70.7
67.96
B.T. S.W. & T. flush F.B. 1798-13
RD.
2+51.8
ed. pv.
fd. L.B.T. in Conc. C.b.
5" orange ⊕ 13.5
2+26
Transit Line
℄ Prop Sewer "
10°
2+21
Fire Hyd.
8.8 ○ 12" P.P. #666136-5
2+18.5
℄ 90 01 20
℄ 360 05 20
90 04 00
90 01 23

From top.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76FS095 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
W. O.
Tape No. Std.
Surveyed by
Notes
Indexed
Date 6-54

F. B.
PG. 9197

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1792 Pg. 198

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 6212.02 Division No. 10 F. B. 1782 Pg. 44
No. Date Date Survey of East Whittier Int. Sewer
X-Sec. Notes Chkd. Checked Survey by Eagle Notes D.S. Date 6-54
No. Date Date Map No. Index Johnson Date

STATION	B. S.	H. I.	F. S.	ELEV.		
BM-KW-2	6.31	20520		19889	BM" KW-2, Elev. 198.894, F.B. 1782 - Lambert Rd. - N. Side between Bon Ln. & Regatta Ave - 20' N. of ℄ La Rd. - in West End of Conc. Headwall 7' C.I. Pipe - for Storm drain - bt. S.M.H. (see pg. Topog n.	
0+00			1407	19113	E-Rim.	
				18422	N.E. inlet 6.91 - 6.24	
				18389	S.W. Outlet 7.24	6.60
0+29.52			1363	19157	℄ PT.	℄ & prop. Sewer Transit L
0+37.8			1379	19141		℄ " bott conc
0+37.8				No - Top	cb.	℄ " Top P/L
0+54.3			125	1927		℄ " "
1+00			109	1943		℄ " "
2+00			93	1959		℄ " "
2+36			88	1964		℄ " bk.

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.
Plotted Date Checked Date
Notes Red. Date Notes Chkd. Date
Division No. 12 Job No. 62123.00
Survey of E. Whittier Sq.
Survey by English Notes Sapsell
Indexed by C. Johnson Date
B. B. 1798 Pg. 72

STATION	B. S.	H. I.	F. S.	ELEV.	
2+51.8		205.20	7.77	197.43	℄ Prop. Sewer Line - Ex. pv.
2+61.88			7.31	197.89	℄ int. ℄ Lambert Rd. & Prop. Sewer Line
2+70.0			7.37	197.83	℄ Prop. Sewer Line - Ex. pv.
2+79.0			7.7	197.5	℄ " bk.
3+00			7.0	198.2	℄ " "
3+15.0			6.1	197.1	℄ " " bott. ballast.
3+20.0			4.9	200.3	℄ " Top "
3+21.8			4.9	200.3	℄ " bott. rail
3+21.8			4.40	200.80	℄ " " Top "
3+26.5			4.39	200.81	℄ " " Top rail
3+26.5			4.9	200.3	℄ " " bott. "
3+29.0			4.9	200.3	℄ " " Top ballast.
3+31.5			5.7	197.5	℄ " " bott. "
3+43.0			4.7	200.5	℄ " " bk.
3+74.0			8.0	197.2	℄ " " bk.
3+88.63			6.4	197.8	℄ Transit Line ℄ Prop. Sewer Line
4+00			3.2	202.0	℄ " " Top bk.
4+10.7			3.5	201.7	℄ " " bott. rail
4+10.7			3.01	202.19	℄ " " Top "
4+15.6			3.6	201.6	℄ " " bott. rail
4+15.6			3.00	202.20	℄ " " Top "

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 62/3.20 Division No. 10
No. Date Survey of E. Walnut
X-Sec. Date Survey by Eagle Notes Date 6-5
No. Notes Chkd. Checked Map No. Andrew Tabinas Date
Date

STATION	B. S.	H. I.	F. S.	ELEV.		
4+19.6		205 20	37	2015		℄ Trans. Line ℄ prop. sewer
4+23.5			52	200 0		℄ " " both
4+47			46	200 6		℄ " " R/W
T.P.	6 60	207 34	4 46	200 74	T.P.	
5+00			52	202 1		℄ " "
5+30			44	202 9		℄ " "
5+71.2			5 30	202 04		℄ " " T.P.
5+71.2			6 02	20132		℄ " " both
5+90.49			5.09	20225		℄ int ℄ prop. sewer Folmar
					S.M.H. - ℄ int Homage ℄ Folmar	
			5 00	202 34	E-Rim	
				192 68	W. Outlet	B - T 9.66 8.93
					S.M.H. - 6.9' E ℄ int Folmar ℄ Homage	
			4 67	202 67	E.-Rim	
				191 68	E. inlet	B - T 10.99 10.30
"B.M." KW-4			5 01	202 33	"B.M." km-4 Elev. 202.329 F.B. 1798-6 Folmar Dr. - S. Side between Ruoff Homage Ave. - in the So. cb. of Folmar Dr. ℄ on the E. Line of House Bldg. Folmar Dr. - 6± spk in lead.	

F. B. 1798 Pg. 201

F. B. 1798 Pg. 17 201 Job No. 6212.00 Division No. 10 Notes Red. Plotted Profile

Survey of E. Whittier S.D. Date Date No.

Survey by English Notes Sappell Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.

76L298 307 8-53

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of EAST WHITTIER S.D.
W. O. 6217.00 Tape No. 0152 St'd. 68 °F
Surveyed by H. E. GRANQUIST
Notes H & G Date 10/19/50
Indexed [illegible]

F. B. 1798 Pg. 203

J.N. 6217.00

EAST WHITTIER STORM DRAIN

PRELIMINARY TRANSIT LINE for Cross Sections of Ditch.

AT EAST END 2ND STREET.

and N 47° W 171.98 feet.

FB 1798 Pg 203 to Pg 204

for Cross Sects See Pg 205 to Pg 208

H.E. Granquist Chief
A. Carrasco Instr.
J.A. Moody Head Chain

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 1798 Pg. 204



RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Profile No. | Notes Red. | Plotted | Job No. 6212.00 | Division No. | F. B. 1798 Pg. 205
Date | Date | Survey of East Whittier Storm Drain
X-Sec. No. | Notes Chkd. | Checked | Survey by H.E Granovist Notes HEG Date 10-14-54
Date | Date | Map No. Jde C. Johnson Date

East Whittier Storm Drain

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.
				Additional Cross Section on ditch from Easterly end Second Street Hly 172'
				Pg 205 to Pg 208 for "P" Line Notes See Pg 203+204
				Note: ALL sections taken at right angles Left or Right from "P" Line Pg 204 or 90°
		H.E Granovist Chief P. Carrasco Instr J.D. Moody Rod		

76L298 307 8-53

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1798 Pg. 206 Job No. 6212.00 Division No. Notes Red. Plotted
Survey of East Whittier S.D. Proj. 229 Date Date No.
Survey by H.E. Gonoud & Assoc. Notes H.E.G. Notes Chkd. Checked
Indexed E. C. Thompson Date 10/14/54 Date Date
Profile X-Sec.

STATION	B. S.	H. I.	F. S.	ELEV.	
B.M. "KW-12"	7.64	301.81		294.17	B.M. K.W. 12 EL. 294.173 Per F.B. 1798 Pg. 57. 2nd St. South Side, 530' ± E. of ℄ Catalina Ave. W. Bank of Drain Bf. SPK. in base of 6' fence Cor.
0+00			7.3	294.5	2" I.P. & Second St. & P. Line Top W. Bank
			9.1	292.7	5 Rt or Estly. brk. in Wstrl bnk of ditch
			20.5	281.3	16' Rt " " bot Wsly Side ditch.
			20.5	281.3	21' Rt " " " Estrl. "
			5.8	296.0	34' Rt " " Estly = Top bank.
			5.8	296.0	38' Rt " " = fence
0+50			4.6	297.8	2' Lt or Wstly begin fence.
			4.0	297.8	"P" Line & Wly Top bank.
			20.8	281.0	18' Rt or Estly. W. bot bank.
			20.8	281.0	23' Rt " " = Estly bot
			4.4	297.4	36' Rt " " = Estly Top of bank.
			4.4	297.4	38' Rt " " = ground at fence
"P" #1 0+69.85 4			2.8	299.0	5± Lt or Wstly of back Live fence
			3.7	298.1	4' Rt" Estly " " " Wstrly Top of bank & ditch
			12.0	289.8	12' Rt " " = " " " brk in Slope " Wstrly bnk
			21.2	280.6	21' R " " = & bot ditch E & W bank
			4.3	297.5	40± Rt " " = Top Edge Estly bank & fence

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
Apt P.#1 0+69.85		301.81	3.0	298.8	1"X2" STK Ground at P.#1	
T.P.	7.05	305.81	3.05	298.76	1"X2" STK P#1	
1+00			5.5	300.3	4' LT. OR WSTRLY = Fence	
			5.6	300.2	"P" Line & Ground	
			5.6	300.2	2' RT OR ESTRLY = TOP Edge of WSTRLY	
			24.0	281.8	25' RT OR ESTRLY = bot of E&W	
			7.5	298.3	43' RT " " = Top of ESTRLY bk	
			7.5	298.3	47' RT " " = Top & ground	
1+28			4.9	300.9	2.5 LT " WSTRLY = Fence.	
			4.9	300.9	CTR "P" LINE	
			5.0	300.8	3.5 RT OR ESTRLY = Top of WSTRLY bank	
			7.3	298.5	9' RT " " = brk IN " "	
			23.0	282.8	25' RT " " = & ditch bottom ditch bot widens from here NLY.	
			12.0	293.8	45' RT " " = brk. IN East Slope of	
			6.7	299.1	50' RT " ESTR = TOP of ESTRLY Bank &	
1+50			4.6	301.2	2' LT. OR WSTRLY = Fence & Ground	
			4.6	301.2	CTR of "P" Line	
			4.8	301.0	4' Rt OR ESTRLY = Top of WSTRLY bank	
			22.8	283.0	21' RT " " = WSTRLY bot of ditch	
			23.0	282.8	27' Rt " " = ESTRLY " " "	
			6.0	299.8	41' Rt " " = " Top of bank	

Profile Notes Red. Plotted Job No. 6212.00 Division No.
No. X-Sec. Date Date Survey of East Los Angeles Noted LEG Date 10/11/72
Notes Chkd. Checked Survey by LEG
No. Date Date Map No. Indexed Job Book Date

F. B. 1778 Pg. 207

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1798 Pg. 108 Profile
Survey of East Whittier SD Proj. # 29 Plotted Date No. X-Sec.
Survey by McGranahan's Notes H.E.G. Date Checked Date No.
Indexed C. Johnson Date 10/14/54 Notes Chkd. Date Notes Red. Date Division No. 6212.0 Job No.

STATION	B. S.	H. I.	F. S.	ELEV.		
1+50		305.81	5.5	300.3	45' Rt OR Estly	fence
1+71.98 P#2			4.5	301.3	2.0' LT OR Wstly	= fence.
			4.60	301.21	1"x2" STK + ground	P#2
			4.6	301.2	1.0' Right OR Estly	= Wstly Top of bank
			21.5	284.3	20' RT " "	= bot of ditch.
			18.1	287.7	26' RT " "	= Spk. in Slope of Estly Bank
			4.8	301.0	43' RT " "	= Top of Estly bank & fence.
B.M. "KW 13"			8.74	297.07	B.M. "KW13" EL.= 297.079 Per F.B. 1798 Pg 57	
					2ND St. (North Side) +500' E of E Cataling Ave.	
					Bt Spk in curb 32' from end of curb	

6212.00

F. B. 1798 Pg. 209

Profile No. | Notes Red. | Date | Plotted | Date | Job No. | Division No.

X-Sec. No. | Notes Chkd. | Date | Checked | Date | Survey of EAST WHITTIER S.D. Proj. #29 | Survey by H.E. Granquist | Notes HEG | Date 10/24/56 | Map No. | Indexed G. Johnson | Date

EAST WHITTIER STORM DRAIN

PROJECT No 29

J. N. 6212.00

CROSS SECTIONS

ON

DITCH. & STORM DRAIN Per TR. # 17561 EASEMENT (Pg 13)

580.85 feet WSTRLY of BONA VISTA LANE

AS Per F.B. 1798 Pg 13 + LAMBERT Rd.

0+00 = ℄ INT LAMBERT Rd. + Storm Drain Easement (Per Tract #17561)

from 1+00 ℄ WSTRLY of ℄ Lambert Rd.

To Station 2+12 ±

STATION	B. S.	H. I.	F. S.	ELEV.
		H.E. GRANquist Chief. A CARRASCO . Instr. J.A. MOODY. Rod.		

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY ENGINEERING BLDG.

76L298 307 8-53

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1798 Pg. 2/0 | Job No. 6212.00 Division No. | Notes Red. | Plotted | No. | Profile
Survey of East Whittier Storm Drain Proj. | Date | X-Sec.
Survey by E. Glandville Notes 4E6 4E5 | Notes Chkd. | Checked
Indexed K. C. Johnson Date 10-15-54 | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.	
B.M. "KW-1"	4.09	200.23		196.14	B.M. KW 1 EL.= 196.140 Per FB 1798 Pg 48 Lambert Ave (So Side) Bet Bona Vista Land & Reservoir Ave Bt. Spk. in W. curb drive to Ho. #1960 Lambert Rd. 57± Sofe
1+00			4.2	196.0	15.5 RT. OR NLy. ± Ø ditch Per Tr. #1756
			5.0	195.2	7' RT " " " " " " " " N. Top bank.
			15.3	184.9	3' Left OR SLy. = NLy Edge bot. of ditch.
			16.0	184.2	7' " " " = SLy " " " "
			5.5	194.7	26' Lt " " = SLy. Top of bank
			5.5	194.7	32.5' L. Ground at NLy side of house.
1+50			4.6	195.6	15.3 RT OR NLy = fence
			5.8	194.4	8.2' Rt " " = Top of NLy bank of ditch
			17.0	183.2	2.2 RT OR NLy. = NLy Bottom of ditch.
			17.0	183.2	7.2 Lt " SLy = SLy " " "
			6.7	193.5	13' Lt " SLy = SLy Top " " bank.
			6.7	193.5	16' Lt " " = Ground at NLy Side of Shed.
1+75			5.5	194.7	15' Rt " NLy = fence.
			6.0	194.2	6' Rt " NLy = NLy Top of bank.
			19.6	180.6	2' Lt " SLy = " bot of ditch.
			19.6	180.6	7' Lt OR SLy = SLy bot " "
			8.0	192.2	13' Lt " " = Top of SLy bank.
1+85			5.5	194.7	15' Rt " NLy = fence
			6.6	193.6	7' Rt = NLy = Top of NLy bank.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 67-12.00 Division No.
No. Date Date Survey of
X-Sec. Notes Chkd. Checked Survey by
No. Date Date Map No. Date

F. B. 1798 Pg. 211

STATION	B. S.	H. I.	F. S.	ELEV.	
1+85		200.23	20.3	179.9	2' LT or SLy = NLy Edge ditch bot
			20.0	180.2	6' LT " " = SLy " " "
			7.6	192.6	21' LT " SLy = SLy Top of Bank
			7.6	192.6	25' LT " SLy = ground & fence
2+00			6.0	194.2	15' Rt " NLy = fence & top NLy bank
			20.3	179.9	5' Rt or NLy = NLy. bot bank. or bot
			20.3	179.9	2' LT or SLy = SLy " bank "
			7.3	192.9	8' LT " SLy = " Top "
			7.8	192.4	15' LT " " = ground & fence
2+12			6.2	194.0	15' Rt " NLy = " " " NLy
			6.7	193.5	8' Rt " NLy = NLy Top of bank
			20.5	179.7	2' Rt " " = NLy bot of bank or
			20.5	179.7	3' LT " SLy = SLy " " "
			7.6	192.6	7' LT " SLy = SLy Top of bank
			7.6	192.6	15' LT " " = ground & fence
B.M. "KW-2"			1.33	198.90	B.M. "KW-2" EL = 198.894 as per F.B. 1798 Pg. [illegible]
					Lambert Rd. (N. Side) Between Bona Vista Lane & [illegible]
					BT. Spk. in W. end conc Headwall to Storm [illegible]

F. B. 1798 Pg. 212 | Job No. 6212.00 | Division No. | Notes Red. | Plotted | Profile

Survey of East Whittier Storm Drain | Date | Date | No.

Survey by H.E. Bradquist Notes H.E.G. | Notes Chkd. | Checked | X-Sec.

Indexed | Date 10/15/54 | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.	

761.298 307 8-53

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1798 Pg. 213

Profile No. | Notes Red. | Date | Plotted | Date | Job No. 621200 | Division No. | Survey of East Whittier S.D.
X-Sec. No. | Notes Chkd. | Date | Checked | Date | Survey by J. L. Willey | Notes J.L.W. | Date 11-1-54 | Map No. | Indexed C. Johnson

Invert Elev of S.S. MH.
@
Mills Ave. & Cedarsprings Drive.

11-1-54
J.L. Willey & Party

STATION	B. S.	H. I.	F. S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

761296 307 8-53

STATION	B. S.	H. I.	F. S.	ELEV.	
		221 89		218 47	
BM KW 6	3 40	223 87		218 47	BM KW 6 Elev 218.470 FB 1798-50
					Mills Ave (W. Side) @ Cullen St
					Bl Spk in Cb on E. Face of Cullen Ave Front E
S.S. MH.					
Inlet N.			20.07	201.80	Rim 5.86 / Depth 13.21 / Dia 1.00 / Rod 20.07
Inlet W.			19.74	202.13	Rim 5.89 / Depth 13.18 / Dia 0.67 / Rod 19.74
Outlet E.			20.14	201.73	Rim 5.89 / Depth 13.25 / Dia 1.00 / Rod 20.14
		219.42		216.01	
	3 41	219 41	5.86	216 01	
				215 52	
BM KW 5			3.96	215 52	BM KW 5 Elev 215.529 FB 1798-50
					Cor NE St & Mills Ave & Homage Ave
					Bl Spk in Curb and Brick Conc Walk on W. Side Ho 14630

Corrected 11/21/50 JF

Plotted Date
Notes Red. Date
Notes Chkd. Date
Checked Date