Notes Ck'd by		Survey of	F.B. 1833 Pg.
Map No.		JN Tape Std °F	
Office Work		Surveyed by	
Checked		Notes Date	
Date		Indexed	

Page	Job	Description
		RANCHO TOPANGA MALIBU J.N. 4999
5-20	Mon.	Monumenting N. line from Station #11 at Ventura Co. to Station #6 at Corral Canyon.
21-33	Mon.	Reset mons. along Rancho Line from TM#8 to TM #10.
		SECTION LINES
51-91	Sec. Lines	Survey of Sec. Lines in T1S, R18W, in the vicinity of Dume Canyon Road
95-97	Index	
99-122	Sec. Lines	Survey of Sec. lines in T1S, R19W, in the Santa Monica Mts. & vic. of Mulholland Hwy.
123-124		Reconnaissance Report - R9 El Conejo C-5 0779.16.
125-127	Sec. Lines	Section Lines T1S, R19W 0302.01.
129-147	Sec. Lines	Sec. Line T1S R19W, por. Sections 2, 3, 4.
149-163	Sec. Lines	Survey of W. Line of Sec. T1S, R18W.
165-167	Sec. Lines	Angles to ties found Sandstone SE Cor. Sec. 19 T1S R18W.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

(OVER)

F.B. _____ Pg. _____

	Job	Description
		CHARMLEE REG. PARK 0077.26
175-188	Sec. Li.	Sur. Frac. Sec. 28, T1S., R19W.
189-190	Bdry.	Flagging Property Corners
		UPPER RAMERA MOTORWAY J.N.0802.78
201-204	Mon.	Reset survey mon. along Upper Ramera Motorway - N. line, Sec. 19 T.1s., R.18W.
		MALIBU AREA SURVEY - DIV. #2 J.N. 0303.00
205-207	Index	
209-216	Ro.line & tie	Retracement Survey - Rancho Malibu Sequit Rancho Line from Sta. 8 to Sta. 7 with zone 7 tie.
		CHARMLEE COUNTY PARK J.N.0055.04
217-218	Index	
219-251	Sec. Lines	Subdivision of Section 21 T.1S., R.19W.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Date
Survey of Topanga Malibu Sequit Rancho
W. O. 4999 Tape No. 84 St'd. 84 °F
Surveyed by W. S. COWHERD
Notes W. S. COWHERD Date 6-3-53
Indexed A. O. Johnson 8-5-53

F. B. [illegible] Pg. 5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

MONUMENTING & REFERENCING THE NORTH LINE OF THE RANCHO TOPANGA MALIBU SEQUIT

(FROM STA. 6 TO STA. 11 INCLUSIVE)

JN-4999

JUNE-53

Reference
FB-384-

Party
W. S. COWHERD
Morrison
Dale
Yawter
Brown
Kreyer

C.S. B-1236-1, 2.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 1433 PG. 6

Notes Ck'd by KRM
Map No. B-1236-1
Office Work green
Checked McNamara
Date Aug. '53

Survey of Wilmington Tract
W. O. 1000 Tape No. 24 St'd. 24
Surveyed by W. [illegible] D
Notes Date
Indexed

B 153 PG. 2

1-3

W.S.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

114-037 B-1

TM #6

10" x 12" [illegible] 2.0 + 63.78 FB 384-160 punch mark on top

Fd 1" x 2" P.O.T. 25 1.33 + 71.80 Per FB 384-161

.96

TRUE MANNA AVE

T 84°

25.84 @ 0-0 = 25.84 ✓
12.13 @ 0-0 = 12.13 ✓
22.84 @ 0-0 = 22.84 ✓

T 84°

144.33 @ 32 30 = 121.74 ✓
173.47 @ 31 25 = 148.04 ✓
269.78 ✓

59.66 @ 9 30 T 84° = 58.84 ✓

Fd 6" x 12" x 0 Volcanic rock 1.39 + 63.08 Per FB 384-161 X on Top

.44

TM #6 = 141 + 74.00 Fd Burned out remains of 4' Sycamore Tree set C.S. Mon in center of hollowed burned tree and mound of stones, nails & Blaze are gone as called for in FB 384-161 as only hollow stump remains set rec. distance per staking sheet

Set C.S. Mon N/K/A as shown up 4"

269.78

22.84

12.13

25.84

COUNTY SURVEYOR STA. 6 R.O.T.M.S. NO. 1

Set Spk W&T in 10" alder 6' up on West side creek

Set Spk W&T in 12" alder up 5' West side creek

Set Spk W&T in 6" alder 3' up East side creek

Set 1" x 2"

76F3095 247 2-51

F. B. 1833 Pg. 8

C.C. Sec 33 & 34
T.1S., R.18W.

Fd old 1½" I.P.
P.O.T. 99
Top ridge
49+30.64

Set C.S. Mon.
N1K1 at station
in prolongation of
Station on side of
ridge as shown
per field sketch

R.18W.
33|34
T.1S.
C.C.

0.40 → 5.15 →

Fd 7"x9"x1' Limestone
nailed Top mon. C.C.
Per FB 384-156
50+42.67

T34
149.67 @ 12-24 - 146.17

146.17

Set nail on line

3.61

Fd old 1½" I.P.
no mon. = P.O.T. 710
56+92.45

Fd 7"x11"x9" Limestone
X on Top and FHR on South
61+50.52 T.M.6
Per FB 384-156

13.27 → Set 1"x2"
Top ridge

35.27

Fd old 1½" I.P.
61+85.79
P.O.T. 711
per FB 384-156

W.S. 92, C-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
226 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 44-057 A-1

B-3

Notes Ck'd by KRM
Map No. B-1236-1
Office Work Green
Checked McPherson
Aug 1957

Survey of N. Line Rancho Topanga Malibu
W. O. 49-32 Tape No. 611 St'd. 41 °F
Surveyed by C. Morrison
Notes Date

F. B. 1835 PG. 9

W. S.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

114-037 B-1

Set 1X2 — 14.5
0°27'15"
P.O.T. 7 = 35+70.79
Fd old 1X2 Tack reset with 1x2 FB 384-150
64.26
140.56
27.76
Fd 8X10X7 above ground sandstone (X on Top) = 36+35.05 per FB 384-150
True Ranch Line
W.C. set C.S. Mon see next pg 10 for sketch
(1) 37 37 00
(2) 55 13 40
(3) 118 50 40
18 46 20
2823 18 20
161 39 10
TM#7 Fd stump of large Sycamore as called for in FB 384-151 See next pg for ties & detail sketch 1X2 only point left could reset for TM#7 and this by projection believed POT#1 = Sta 43+59.64
80.33 11-10 T 70 = 78.81
T=70
161 54 26-12 = 117.93
64 0 0-0 = 64
145.57
145.06 @ 25-23 T 74 = 131.05
Fd 8X10X17 brown stone 1' above gnd on E.L. CC. on North face = 3+55.62 per FB 384-151
Brunty Ranch Line
Fd 8X10X12 sandstone mkd TM#6 X on Top = 8+05.46
Per FB 384-149 = 18+94.03
Brunty's Ranch Line
P.O.T. #8 = 36+33.55
Fd old 1X2 + tack on line reset 1X2
P.O.T. #9 = 38+66.26
Fd old 1x2 + Tack reset with 1X2 on line
Set 1X2 = 43+59.64
per Sec. dist for inter. FB 384-150.
1166
P.O.T. #10 = 44+38.35
Fd old 1X2 + Tack 1.6' E of 1X2
Per FB 384-150
18 18 20
39
141
255.07
145.57
W.C. set C.S. Mon see next pg 10 for sketch
30.12
P.O.T. #1 = 1745.52
Fd old 1X2 + Tack on line per FB 384-151
T = 78°
255.17 @ 1-29 = 255.07
131.05
Fd 8"IP 6" above gnd. 0.16
Filled with conc. + Tack
Tan = RE 2088
33.47 @ 25-52 T 76 = 30.12
T=74
233.57 @ 6-55 = 208.85
1.85 @ 0-0 = 1.85
210.10
True Ranch Line
.03
Set C.S. Mon mkd as shown for CC, tie distance per staking sheet
0°00'15"

R. 18 W. | T. 1 S.
32 | 33
POT #5
C.C.
F.B.
P.O.T.

76F3085 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 92 B-3

114-037 B-1



F.B. 1233 PG. 10

Notes Ck'd by KRM
Map No. B-1236-1
Office Work Gregory
Checked McPherson
Date Aug '53

Survey of Nuevo Rancho Tajauata Partition
W. O. 4979 Tape No. CY St'd. CY °F
Surveyed by
Notes Date 6-53
Indexed

F. B. 122 PG.

Fd evidence of old P.O.T. 5.68

W.S. 1-3

TM #8 Per FB 384-148 0°00'50"

Fd fence cor Triple oak 68+25.93 rec

2°16'

Fd 2.26

TRUE Ranch Line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

COUNTY SURVEY STA. 8 R.O.T.M.S W.C.

Set C.S. Mon Mkd as shown in mound of stones For W.C.

P.O.T. #6 = 60+98.29 Fd evidence of old 1x2 reset new 1x2 + Tack rec dis Per FB 384-148

148

1000

Bruntys Rainbow Line

2) 313 14 20
4) 806 28 40 ✓
6) 419 43 00
156 37 10

TM #8 = 0+00 To East 61+18.22 from WEST Fd nail & Tin in 30" OAK Per FB 384-149 Reset with SPK NAIL

Note See FB 2266-103 For New Ties To TM #8 3-20-57 Van Deren

3.72

10

P.O.T. #7 = 61+21.63 Per FB 384-149 Fd evidence of old 1x2 replaced with 1x2 + Tack

3.795

0.25

Set 1x2 on True line by Calc dist

156

COUNTY SURVEY STA. 8 R.O.T.M.S W.C.

Set C.S. Mon Mkd as shown in mound of stones For W.C.

6.205

Bruntys Rainbow Line

Ranch Line

0°27'15"

Fd Nail P.O.T. #R = 17+72.64 Per FB 384-149

3.65

Set 1x2

Fd 6x8x2 Limestone X on Top mkd TM 7+ Per FB 384-149 17+76.29

13.68

114-037 R-1

Fd 6x8x9 Limestone Mkd TM 7+ X on Top Per FB 384-149 18+94.03 FB 1833-9

True

14.55

Set 1x12

76F309S 247 2-51

F.B. 1833 PG. 12

TM #9

W.S. 92 A-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

114-037 A-1

R19W
36 | 31
T.M.S.
C.O.
T.1.S.
R18W.

Fd ornamental C.C. Stone Mkd CC. no cross on Top replaced with C.S. Mon. Mkd as shown set in mound of stones original bearing shown on map thereof per Stalking sheet

Note" this mon destroyed found Mon laying on ground. has been dug out by Grader 2-18-57 VD

3.87

S 54°E

BOUNDARY LINE

Replaced SEC Cor which agrees closely with new Mon Mkd as shown

R19W
36 | 25 | 30
31 | 31
R18W

T.1.S.

"NOTE"
THIS SEC. COR
WAS REMOVED BY
TRACTOR RESET
PER TIES FB 2266-23
BY W.S.C. 5-18-57

See FB 2266-23
For ties
1-20-57 Van Doren

STA 0
ROTMS.

Set C.S. Mon Mkd as shown

TM #9
Fd 8X12X4 Grey sandstone Mkd TM 9 on South Face on North X on Top
Per FB 384-146
Replaced with C.S. Mon in mound of stones as described hereon

Along S.L.

30.72

30.44

128

R05°30'E 200.00 = 205.89
S7.82°E 70.00 = 71.81
S25°E 250.00 = 334.40
327.10

30.44 @ S. T60 = 30.44

30.72 @ S. T60 = 30.72

POT. #1 = 0+307.27
East = POT #1 from West = 9.85 5.26
Fd evidence of old mon replaced with 1x2 stake per ties
FB 384-146

31

172°

2) 345 03 00
4) 330 56 00
5) 315 09 50
172 31 26

PACIFIC ELECTRIC R/W

BRUNSWIG ST.

Fd 8X10X4 Stone
X on Top = 7425.745
Per FB 384-147

Notes Ck'd by KRM
Map No. B-1236-1
Office Work Quinn
Checked McPherson
Date Aug 1953

Survey of Deane Ranch Topanga Area
W. O. 1236 Tape No. 54 St'd. 54 °F
Surveyed by
Notes Date
Indexed

F. B. 1223 Pg. 12

C-3

W. St.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

POT 13
Fd 1/2" rebar
= 46+35.16
Per FB 384-144

0 1.10

T. 1 S. 35 36 R. 17 W. S.B.B.M. '61 C.C. R.E. 1000

S.T.C.S. Mon mkd as shown in lieu of STAKE, original stake lagging alongside. This C.C. is on the E side of a deep narrow ravine 8' out of bottom. Set record distance from 37+39.37 per stacking sheet

Fd. 7"x10"x6" white sandstone mon. C.C. = DW on North & TM 9 on South 110' on Top
Per FB 384-144

.65

87.71 @ 19.20 T 76 = 82.75

LINE

82.75

Set 1"x2" Top mark

T=76

236.18 @ 0° 0' = 236.17
110.96 @ 0° 0' = 110.95
347.12

TRUE RANCH

347.12

Set 1"x2"

19.90 @ 0° 0' T 76 = 19.90

1990

.65

Fd Stone 5"x8"x10" mkd TM 9 + 00.5 x on Top = 37+39.37
Per FB 384-143

Fd 7"x10"x6" sandstone x on Top TM 9 + 00.5 DW on North = 162 83.92
Per FB 384-142

0.52

76F3095 247 2-51

F. B. 1833 PG. 14

I.M. #10



16.88 @ 0° - 00' TM = 16.88

124.18 @ 27-52 TM = 109.71

17.01 @ 05- [illegible] = 17.01

Tie to 10
Fd 2" IP
Tbr FB 384-142
= 0+00 EAST = 307+76.62
From West

108.26 @ 36-52 TM = 86.44

116.65 @ 35-44 TM = 94.68

Fd 5"x3"x9" Gray sandstone
monument tag
= 1+84.90 Tbr FB 384-142

Fd 7"x10"x6" sandstone
with x on top. Mon TM #7
on south side of wall on North
= 16+83.92 Tbr FB 384-142

W.S. 95, C-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

127-017 8-3

Notes Ck'd by KRM
Map No. B-1236-2
Office Work Jeen
Checked MeMunn
Date Aug 1953

Survey of W. Orange Tape No. 84 St'd. 84 °F
Surveyed by
Notes Date
Indexed

F. B. Pg. 15

C-3

W. Sh

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

129-017 B-3

76F309S 247 2-51



F.B. 1833 PG. 16

00 SEC 28 R 13 T 1S R 14W

2" IP = 299+06.38
Pcor FR 384-74
FB 1833-15

True Ranch line

Fd N&T
2" Pipe
FB 384-74

.34

Fd original C.C.
8X10X10 Limestone
mkd C, "TM"
Per FB 384-74

Set C.S. Mon mkd -
no chiseling set by
Enter in mound
of stones

X on Top

15.59

14

6.68

11.41

See PG 180

Fd nail in tree
set by Nichols
on Control
of RR. Survey

36.64

58°
48'

R=

14" Adj
D.C.
7-14-77

+50

Fd original W 1/4 Sec Cor
Per FB 384-23-11
Replaced with C.S. Mon
mkd as shown in
mound of stone angular
W car laguna alongside

Fd nail & tag
no mon mkd
Per POT "55"
FB 384-70

137 55 30
275 14 24 = V
68 48 54

Fd nail & tag set by
G. Nichols on Control
of RR. Survey

.30

36.64 Tan 68 48 54 = 36.64 ✓

81.45 Sec 68 48 54 = 81.45 ✓

See F.B. 1813-98

2" IP = 198+09.99
Per FB 384-99
FB 1833-17

W.S. 95, 6-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

129-017 6-2

Notes Ck'd by KBM
Map No. B-1236-2
Office Work Quesa
Checked McPherson
Date Aug. 1953

Survey of Nurse Route Upper Narrows
W. Of 200 Tape No. 27 St'd 54 °F
Surveyed by
Notes Date
Indexed

F. B. 1833 Pg. 17

W. S. 4-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

129+01 4-2

76F3095 247 2-51



F. B. 1833 PG. 18

CC SEC 29 & 28 T1S. R19W



W.S. 9514-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

127-017 A-2

Notes Ck'd by KRM
Map No. B-1236-2
Office Work Gmyn
Checked McPherson
Date Aug 1953

Survey of N. Santa Rosalia Ranch Subd
W. O. 0338 Tape No. 54 St'd 24 °F
Surveyed by
Notes Date
Indexed

F. B. 12 4 Pg. 19

1-3

W.S. 16

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

129-922 A-1

76F309S 247 2-51

T.I.S. 14 | 13 / 23 | 24 R.20W.

SEC. COR Fd 2"x2"x14" Sandstone as called for in FB 384-57 no X on top. Set C.S. Mon mkr as shown in witness stones

91.49 @ 12-22 T 76 = 89.37
89.20 @ 9-37 T 78 = 87.95
126.73 @ 16-23 T 78 = 121.57
264.85 @ 24-15 T 80 = 241.72
192.71 @ 10-53 T 78 = 184.53
32.06 @ 11-00 T 78 = 30.84
768.25

Fd 8"x8"x10" Sandstone as called for in FB 384-57 TM on South and C.C. on North face no X on Top

14 77 @ 8-08 T 82 = 146.26
24 48 47 @ 22-46 T 88 = 229.06
12.70 @ 8-0 T 86 = 12.70
388.02

Fd 2" I.P. 0.77 E 36.26 for FB 384-60

TRUE RANCH LINE

S 27° 47' E 291

T.I.S. 14 / 23 R.20W. ROTM & C.C.

Set C.S. Mon by INTER mkr as shown

316 54 20
273 18 50
230 43 10
158 27 10

388.02

TM #11 Fd C.S. Mon mkr as shown for FB 384-57

T.I.S. R.20W. Sec. 14 & 23 TM #11 ROTM LOS ANGELES COUNTY SURVEYOR

F. B. 1833 PG. 20

C.C. SEC 12 & 20 T1S. R19W

W.S. 84.B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by	Survey of [illegible]
Map No.	JN 0302.01 Tape Std 24 °F
Office Work	Surveyed by [illegible]
Checked	Notes [illegible] Date 6-1959

F. B. 1833 PG. 21

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

MALIBU RANCHO LINE

RESETTING OF TM#9 & REMEASUREMENT BETWEEN TM#9 & TM#8 & LINE CHECK TO TM#10

JN-0302.01

JUNE-59

FB-1833

REFERENCES
CSB 12 39-1
FB 384-146,149
FB 2236-16,21
FB 1870

PARTY
W. S. COWHERD
J. TERRANOVA
M. WACKER
R. GILFOY
C. PYLE

76F309S S&E #247 1-56

F. B. 1833 Pg. 22

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____

Survey of _____
JN 0220C1 Tape 100 Std 84 °F
Surveyed by _____
Notes _____ Date 1-14-65

F. B. 1833 Pg. 20

W.S. 92A

CLOSING COURSE

FB. 2266/21

RESETTING OF TM #9

TM #9
Fd original U.S. BRASS CAP Mon. Per FB. 1833-12 lying 0.4' E. of intersection as it had been plowed to Fence Line & 0.1' same C.S. Mon. as found using record angle & distance as shown in FB 1833-12

NAIL & washer cemented in mound of concrete

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

114-037 A-1

76F309S S&E #247 1-56

F. B. 1833 Pg. 24

BRACKETS
( ) = RECORD PER C.S. 1236-1

BOT Pg # 25



Notes Ck'd by
Map No.
Office Work
Checked

Survey of
JN Tape 99 Std °F
Surveyed by
Notes Date
C. Johnson

F. B. Pg.

M.R. 85/63-3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

12-9-17 13-3

76F309S S&E #247 1-56

COUNTY SURVEYOR
R.19W.
T.1S.
L.A. CO. CALIF.
63

COUNTY SURVEYOR
R.19W.
T.1S.
L.A. CO. CALIF.
63

0.80 mks

0.80 mks

0.86
(0.94)

0.19 calc 0.07 mks

(1+84.90)
Fd 3/4" pipe, Sandstone
MKD TM 97 on Scribe
Mk 3/16" X on Top
Ref FB 384-142

0.07 calc
(0.52)

0.59 mks

(6+53.99)
Fd [illegible] 3/4 IP
[illegible] Ref FB 384-142

12.86 mks

12.20 calc
(11.75)

(16+72.03)

0.50 calc 0.06 mks

(37+39.32)
Fd CSC Brass Cap IP
Mk "LS 97" on So. Face
Ref FB [illegible]

0.56
(0.64)

(41+67.14)
CLOSING CORNER
Fd CS-MSM
Ref FB 384-13
MKD as shown

0.07 calc 0.46 calc

0.53 mks

TRANSIT LINE

0.41 calc 0.01 mks

0.42
(0.43)

(91+45
Fd Original Triangular
Ref FB [illegible]

TRUE

0.24 calc 0.06 mks

(68+34.03)
Fd Sandstone 3/4
Set PK & Tin
Ref FB 384-146

0.30
(0.03)

Top Top

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 1633 Pg. 15

Notes Ck'd by W.H. 4-56
Map No.
Office Work
Checked

Survey of Marina Freeway Line
JN 0322.01 Tape 20 Std 84 °F
Surveyed by W. [illegible]
Notes [illegible] Date 6-[illegible]-56

F. B. [illegible] PG. 21

W.S. 92-A2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

114-37 4-1

76F3095 S&E #242 1-56

TRUE RANCHO LINE

TRANSIT LINE

2235.19 @ 22-16 = 217.63' 217.62

11+99.60

296.75 @ 17-01'-14" = 287.77

10+82.83

172.13 @ [illegible] = 172.13

0+30.10 = P.O.T. #1

.02 .03

"NOTE"
TRANSIT LINE RUN FROM TM #9 E&Y TO TM #8 INTRAMERA CYN.

80.70

TM #9



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	JN Tape 99 Std 84 °F
Office Work	Surveyed by
Checked	Notes Date

F. B. 1833 Pg. 67

1/1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S S&E #247 1-56



BOT Pg = 31

F. B. 1833 Pg. 30



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. H. Cook
Map No.
Office Work
Checked
Date

Survey of MALIBU RANCHO UNIT
JN 23011 Tape 99 Std 84 °F
Surveyed by
Notes Date

F. B. 1833 Pg. 31

S. 92, 43

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
• LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

114-037 13-1

S&E #241 1-56

271.93 @ 9-26 T 78 = 268.24

3.39

0.35

9.08

3.40

49+38.78 ✓
Set 1x2
Side Hill

49+29.70 ✓
Fd 2" IP up
6" with Tag
MKD. RE.759

49+28.90
Cross Fence

2.78

2.99

5 STRAND BARB WIRE FENCE

49+26.71 ✓
Fd LA Co. Sur.
Brass Cap up 2"
BM Mon. MKD.
BM D-4A

6.69

159.55 ✓

159.793 @ 18-10 T 78 = 159.55 ✓
167.61 @ 17-49 T 78 = 159.56 ✓ 159.55 ✓

47+79.42 ✓
Fd 3/4" I.P. flush
plug & LA Co. Sur.
Brass Tag
Fence FB

3.28

0.19

47+79.23 ✓
Set 1x2
Side Hill

46+70.02 ✓
(46+57.99)
Fd 5x5" Brown Sand
Stone MKD TM 8+
on Sq. Face & D W on
North, Chiseled X on
Top For FB 384 - 78

2.76 mrs

0.55

7.14 mrs

71.84 @ 14-40 T 78 = 69.50 ✓
61.46 @ 9-22 T 78 = 61.24 ✓
130.74 ✓

20.78 @ 0-0 T 78 = 20.78 ✓

130.54 ✓

3.85
(4.39)

46+69.47 ✓
(46+57.01)
Fd 6x8 Limestone
w/ TM MKD TM
8+22.00 on So.
Face Top

20.78

46+48.69 ✓
Set 1x2
Top Spike

84.55 @ 3-18 T 78 = 84.42 ✓
269.64 @ 1-6 T 78 = 269.91 ✓
151.84 @ 2-0 T 78 = 151.84 ✓
377.20 ✓

TRUE RANCHO LINE

S 86°23' 20" E Rec.

2.80

42+71.49 ✓
Set 1x2
Top Spike

313.78

TRANSIT LINE

377.20

Top page 30

T50T Page 33

F. B. 1833 PG. 32

W.S. 82 A-3

T. 80

89.24 @ 20-49 = 83.41 ✓
89.61 @ 21-25 = 83.42 ✓ 83.41 ✓

58+72.03 ✓
Set 1½" on side mill

S 85° 24' 20" E REC

55

264.72 @ 22-19 = 244.88 ✓
264.95 @ 22-27 = 244.86 ✓ 244.87 ✓
128.46 @ 22-39 = 118.55 ✓
128.46 @ 22-12 = 118.55 ✓ 118.55 ✓
363.42 ✓

5L

0.04 calc.

3.92 calc.

0.21

55+08.6 ✓
Set 1½"
Side mill

55+88.82 ✓
CLOSING CORNER
Fd C.S. nail & tag
CAP illegible.
MKD as shown
PER FB 1849-13 ✓

93.39 @ 24-15 = 85.15 ✓
93.64 @ 24-31 = 85.14 ✓ 85.15 ✓
58.14 @ 31-32 = 49.45 ✓
37.82 @ 38-27 = 34.45 ✓ 34.45 ✓
139.60 ✓

53+68.50
(53+56.10)
Fd 5x6 [illegible]
MKD TM 8 + SN
S.W. face & D&W
on North face
Chiseled X on Top
Per FB 1824-148

0.51

4.83

1.05 calc.

53+10.01 ✓
Set 1½"
on side mill

(Other stone by
collar for 0
(53+56.47) pushed
over & laying on side)

5R

53+16.01 ✓
Set 1½"
on side mill

111.34 @ 11-42 = 75 = 109.02 ✓

4R

52+07.02 ✓
Set 1½"
Side mill

3 strand barb wire

TRUE RANCHO

TRANSIT

268.24

TOT Page 31

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

114-45 / B-1

COUNTY SURVEYOR
T. 1 S.
31/32
M. 81
R. 10 M. S.
C. C.
RE 63

Notes Ck'd by W.H. Cook
Map No.
Office Work
Checked
Date

Survey of MALIBU RANCHO LINE
W. O. 23022 Tape No. 99 St'd. 64 °F
Surveyed by W.S. Cowherd
Notes Date 6-13-52

F. B. 1833 Pg. 32

92A-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

114-037 B-1

76F309S 247 2-51

T. MON. for FB 2266-103

14.18

61+30.48 (61+18.22) TM=8 30" OAK with 30K N&T Tin FB 833-11 FB 2066-103 FB 318-149

1963

4.32

T. MON. for FB 2266-103

10.00

01 cuts

4.30

WITNESS COR. fd C.S. BRASS CAP MON. for FB 1813-11

COUNTY SURVEYOR RT 8 / R.T.M.S. W.C. RE 63

RANCHO

S 86° 26' 20" E RE LINE

TRUE

Set 1X2 on Prod.

26.08

26.08 @ 0-0 T 78 = 26.08

9.43

61+21.05
Set 1X2
in bottom of canyon

0.57

76.09

76.09 @ 0-0 T 78 = 76.09

LINE

60+44.96
Set 1X2
EAST EDGE of DRY CREEK

T 78

60+18.00
END of FENCE LINE IN CLUMP OF OAKS

3°

89.52

100.22 @ 26-44 = 89.51
100.29 @ 26-48 = 89.52

TRANSIT

83.11

59+55.44
Set 1X2
Side hill

Top of Page 32

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1883 PG. 37

COPIES TO

MALIBU

(REGIONAL OFFICE)

pages 51 thru 167

Notes Ck'd by	Survey of Section Lines
Map No.	JN 0302.01 Tape 167 Std 64 °F
Office Work	Surveyed by
Checked	Notes Date 3/61
Date	Indexed H. E. OTT JUL 2 '61

F. B. 1899 PG. 51

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

SURVEY OF

SECTION LINES

IN

T 1 S ~ R 18 W.

IN THE VICINITY OF

DUNE CŃo. ROAD

JN 0302.01

R.J. MITCHELL
L.C. SMILEY
M.L. BUSTRUM
R.F. SIEMANN
L.R. BANKSON

DEC 16, 1960
TO
May 20, 1961

C.L. Berger Transit #30141

76F309S SAE #247 11-58

F. B. 1833 Pg. 52

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN	Survey of Foliage Lines	F. B. 1933 Pg. 53	
Map No.	JN 03020 Tape 167 Std 64 °F		
Office Work	Surveyed by R. J. MITCHELL		
Checked	Notes R. J. MITCHELL Date 5/61		
Date	Indexed H. E. OW		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S S&E #247 11-58

F. B. 1833 PG. 54

1)	89	11	30	1)	89	39	40	1)	0	28	20
2)	356	46	00	2)	358	39	20	2)	2	53	20
3)	173	09	10	3)	177	58	50	3)	2	50	10
Av)	89	11	31 1/3 ✓	Av)	89	39	48 1/3 ✓	Av)	0	28	21 1/3 ✓

W.S. 92, B-3

DETAIL TO SHOW ANGLES TURNED AT SE COR SEC 29

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

29

28

C.S. Mon @ Sec Cor pg 55

300±

32

33

1"

89°-11'-30"

89°-39'-50" ✓

0°-28'-20"

317±

Set 1x2 E'm on line prod from North ~ used for sights & to carry line N from Sta 8+64.49N set pg 61 (Now 3+17.50S)

3+17.50S 1"IP pg 55

114-037 13-1

T 1 S - R 18 W

Notes Ck'd by H. E. AUSTIN	Survey of Section Lines
Map No.	JN 230201 Tape 16.7 Std. 68 °F
Office Work	Surveyed by R. J. MITCHELL
Checked	Notes R. J. MITCHELL Date 12/1/60
Date	Indexed b. c. ott

F. B. 1977 PG. 55

SW 92 B-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

114-037 B-1

76F3095 S&E #247 11-58

T 1 S

29 28 27

32 33 34

N 89° W
See pg 54

N 89° W
2645.45

2225.97

N 89° W
See pg 54

N 89° W
2645.45

1319.78

Corner on Line

R 18 W

N 89° W
See pg 54

N 89° W
2645.45

1+00 Cross stream bears S 15 W

3174.99 V
2144.99 "
2144.99 "
1022.51 "
1022.51 "
317.50 "

Corner on Line

Ascend

3174.99 ch. pt. set 1x2 sh

Ascend

2971.11

Corner on Line 56

1) 215.13 @ 0.01 (N 78° E)
2) 215.30 @ 2.28 "
1) 103.93 @ 0.28 "
2) 103.65 @ 0.31 "
Total

SECTION CORNER
0+00 Going South
0+00 Going North
0+00 Going West
Fd Sta C.S. Bk. Cap
Mon. mkd. as shown below at Sec. Cor.
W of stream ~ A water pump and well bear S 74 10 E 632 ft. from cor.
Set 2" I.Gal. drive pipe mkd "S Ft to Mon" out
S 2.5 ft of Mon. ~ Sec
05 9219-22, 30, 37 ~ Tr
8848, C5 8509 ~ C5B
1043-2 (quotes FB 895-60 & FB 560-82) Tr. 9289

3174.99 ch. pt. set 1x2 sh

3174.99 Set 1" IP compl. Co. Engr. Tag "LS" on highest shot (rounded) on this line

COUNTY SURVEY
T 1 S
R 18 W
29 28
32 33
MONUMENT

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



FB 1833 PG 56

76F3095 S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

9-61.38
1-76.53
11-37.41

114-037 B-1

W.S. 92, B-3

Contd on page 3B

Set 2" I Guard pipe mkd "5 FT TO WC"

W.C. Fd Std C.S. Br. Cap Mon mkd as shown at Break in Slope E Slope of Escon. to Cr 60 S ft Perp to Str Cent per CSB 1236

Set 2" I Guard pipe mkd "5 FT TO MON"

C.C. Fd Rock 6x8x14 Hi. 3 S ft from C.S. Mon. mkd C.C. on North (Very Faint) and 4 Inches Plain) on East 2 chis Hack marks, 14 Perp CS 9719, CSB 1236 CS 8509

1237.41 C.C. True Fd Std C.S. Br. Men Hole 3" in dia shown per 1236

BOUNTY SURVEYOR STA 1 ROTH'S WC RE 63

BOUNTY SURVEYOR 32 33 ROTH'S CC RE 63

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of SECONDARY HIGHWAYS
JN 2302-04 Tape 16' Std. 64 °F
Surveyed by R. L. MITCHELL Date Jan 64
Notes R. L. MITCHELL
Indexed

F. B. 1933 Pg. 57

PLS 92 WW

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 92, B-3

114-037 13-1



F. B. 1833 PG 58

T1S - R18W

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 0308 01 Tape 167 Std 84 °F
Surveyed by R.S. Mitchell
Notes Clarence II Date Jan 61
Indexed H. E. OTT

F. B 1093 PG. 59

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

descending 91.80

1) 111.53 @ 13° 03' (T=80') = 108.64
2) 111.22 @ 12 23 " = 108.36
Hg

1) 95.15 @ 15° 12' (T=58') = 91.80
2) 95.65 @ 16 13 " = 91.80
Hg

75.68 @ 13° 32' (T=58') = 73.57

4+26.25
Set 1x2 5/8 on line at the mean of 3 pts on ~~EP (pg 60)~~ & Sly Cor. pot 108 TR 8818 0.01 W of line

4+08.02
Set 1x2 5/8 on line at brk in slope on to NE Ch. pt. only

29

28

descending 73.41

1) 225.88 @ 13° 53' (T=80') = 225.88
2) 225.97 @ 13 32 " = 225.97
Hg

1) 73.81 @ 13° 53' (T=58') = 73.81
2) 73.41 @ 13 32 " = 73.41
Hg

3+34.61
Set 1" IP cons pl. Co. Engr 7 ft Sth on highest point of rounded spur ~~which bears from corner to south~~

ascending 108.64

1) 231.83 @ 14° 53' (T=80') = 231.83
2) 231.53 @ 14 32 " = 231.53
Hg

1) 73.92 @ 6° 44' (T=58') = 73.92
2) 73.77 @ 5 40 " = 73.77
Hg

2+25.97
Set 1x2 5/8 on slope of rounded spur on East Ch. pt. only

ascending 225.97

Carried from page 55

X

76F309S S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 92, B-3


TRACT 8848
28
29
Continued on page 61
Continued from page 59
Ascending
Descending
Bottom of draw
Top of bank
Edge of water
Edge of water
Edge of water

T1S - R18W

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 03020 Tape 167 Std 68 °F
Surveyed by R.T. Mitchell
Notes R.T. Mitchell Date Jan '61
H. E. OTT
Indexed

F. B. 833 PG. 61

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S S&E #247 11-58

29

28

1) 155.46 @ 16°30" (T= 7°) = 150.99'
2) 155.80 @ 16°53" " = 150.98'
Avg = 150.98'

1) 155.46 @ 0.09 = 14.00
2) 155.80 @ 0.23 = 35.84
3) 155.80 @ 0.15 = 23.37
Avg = 73.21

1) 155.46 @ 0.03 = 4.66
2) 155.80 @ 0.06 = 9.35
3) 155.80 @ 0.05 = 7.79
Avg = 21.80

1) 155.46 @ 5°00" (T= 4°) = 75.30'
2) 155.80 @ 6°05" " = 75.30'
Avg = 75.30'

1) 155.46 @ 0.03 = 4.66
2) 155.80 @ 0.06 = 9.35
3) 155.80 @ 0.05 = 7.79
Avg = 21.80

1) 155.46 @ 0.09 = 14.00
2) 155.80 @ 0.23 = 35.84
3) 155.80 @ 0.15 = 23.37
Avg = 73.21

11+24.79
Set 1x2 E in ok
brk @ top E 50. side
of round'd spur
Ch. pt. only

10+60

9+39.74
Set 1"x2 E in ground at
brk in N to sm
draw. Ch. pt. only

Ascending

draw 3.45 E dn.

8+64.44
Set 1" IP cem'd Co.
Engr. Eng. E. of Brk
in slope ~ most dist.
point visible from
Sec Cor to South

Ascending
across Iswale

7+13.46
Set 1x2 E on ch. pt.

Ascending

Contd from page 60

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.92, B-3


28
62
Descend into Arroyo
Ascending
Cont. to Sta. 64+29.58
Cont. to Sta. 12+97.28
Cont. to Sta. 32.25

W.S.92,R-3

Notes Ck'd by H. E. AUSTIN	Survey of SECTION LINES
Map No.	JN 0302.01 Tape 167 Std 84 °F
Office Work	Surveyed by
Checked	Notes Date Jan 6
Date	Indexed H. E. OTT

F. B. 1833 PG. 63

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S S&E #247 11-58

ROAD LOCATION

Pt.	Hng fr. Sec line South	Ki. dif. of Rd.
④	102 10' E	18°
②	106 55' E	18°
③	109 25 E	18°

20+19±

CARRIE

1.50±

100±

50±

20+44.07
Set 1½" on end of graded road by Chg. Pt.

19+98±

19+80.30
Set 1½" on side slope - ch. pt only

deep draw

18+15

S 80 E

29

28

1) 31.33 @ 10°51' (I = 72°) = 30.77
2) 31.20 @ 13°12' = 30.77
Hng

291.44

0.22
17+27.39
Fd 3/4" IP up 3 ft. N side top of spur No Ref. - Meas to base

38.20

16+89.19
Set 1.25 cem pl. (c. Engr. Tr. E. & L. Co.) Face of spur (Bears dn ± S 80 E)

spur

dn ± S 80° E

15.74

0.18
16+73.45
Fd 1x2 stk p.p. chiseled + nail - No Ref.

1) 294.16 @ 8°15' (I = 72°) = 291.40
2) 294.38 @ 8°30" = 291.13
Hng

1) 129.42 @ 10°06' (I = 72°) = 127.54
2) 130.06 @ 20°49' = 127.56
Hng

2690.12

21.80

0.05
16+51.65
Fd 3/4" IP up 3 ft. S side top of spur - No Ref. - Meas to base

Cont'd Fr. pg 62


F. B. 1833 Pg 64
Cont'd on page 65
Descend
W.S.92.8-3
22+10.18
30
4.79
218
91.42
22+96.66
Set 1" IP cem
pl. Co. Engr. 7g ft Rt
at brk. in
slope
29
36.18
Descend
100'
OLD CHIMNEY RD
22+10.18
Set 1x2 in
12.5' of N edge
50'
cut bank
28
1085 TRACT
edge
T.
T.
21+92
edge
RAMPERA
Fd 1x2 in
No tag
21+79.28
50.83
21+90
86 Flat
0.90
2.97
21+59.97
Set 1" IP on line
on top of steel
water tank ~ Ctr. of
footings (abandoned) indicate
former tank N85°10E 26.03
21+59.65
Ctr. 22 ft Diam.
by 9 ft Hi. Water
Tank (Ctr. determined
by lines of boards
in tank top) ~ Top
of ridge ~ highest
point Getw Sec.
Cor & N Cor. ~
Fd 1/2 Rebar
bears N75E
0.28
edge of flat
585 W
21+32.62
Set 1" IP cem pl.
Co. Engr. 7g ft Rt
at edge of tank
site on top of
ridge
ROAD LOCATION
21+30
121.55
Ascend
Cont'd from page 63
POINT | ANG FR SEC LINE NORTH | WIDTH OF RD
1 | 46° 05' E | 18 ±
2 | 87° 20' E | 18 ±
3 | 121° 10' W | 17 ±
4 | 171° 25' W | 18 ±
5 | 104° 05' W | 14 ±
Δ=17°55'(T=70)=31.55
Δ=15°50'(T=68)=50.87
Δ=15°30'(T=68)=50.81
Δ=3°00 " =50.81
Δ=11° " =36.48
Δ=10°42 " =36.98
Δ=1°00 " =91.42
Δ=1°00 " =91.42
R=1°
R=1°
R=1°

Notes Ck'd by F. E. AUSTIN	Survey of Section 29 T1S R13W
Map No.	JN 030201 Tape 162 Std 84 °F
Office Work	Surveyed by R. T. Mitchell
Checked	Notes R. T. M. Date Jan. 61
Date	Indexed M. E. OTT

F. B. 1873 PG. 65

W.S. 92, B-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 11-58



F. B. 1833 PG. 66

Cont'd on page 67

1) 296.75 @ 16°51' (I = 84°) = 284.01
2) 297.01 @ 17.03 " = 284.01
Avg = 284.01

1) 139.16 @ 24°04' (I = 80°) = 127.10
2) 139.48 @ 24.18 " = 127.11
Avg = 127.10

29

28

N 5° W

283.58
284.01

127.10

799.96
Set 1x2 sm on E side minor spur

510.45
Set 1x2 sm on E side of minor spur

15°

4+95

25° N50°E

25° S55°W

4+85

Graded roadway 8 to 10 ft wide not fenced

292.36
292.35

Ascending

draw
cha. 580' to pg 65

stur

dn. East

1) 292.57 @ 1°58' (I = 70°) = 292.35
2) 292.60 @ 2 12 " = 292.35
Avg .36

Ascending

218.10

2+18.10
Set 1½" cem. pl. Co. Engr. Ty. Etk on crest of spur & raised sm. mound of rocks over

x

Cont'd from page 65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T 1 S R 1 8 W

Notes Ck'd by H. E. Ott
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 167 Std 84° F
Surveyed by R. J. Mitchell
Notes Mitchell Date Jan '61
Indexed H. E. Ott

F. B. 1929 PG. 67

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

11+86.06
Set 1x2 en

Ascending

10+00

0.15

10+09.53
Fd 3/4" IP No ctr. No Ref. (Rad Ls 1793)

0.27

10+09.83
Fd nail No Ref

8.00

9+96.93
Set 1" IP cem. w/ C. Engr. Tag & Tk at Break in Slope

Ascending

9+21.85
Set 1x2 en on line (fr. Sec. Cor. thru 1/4 Cor.) prod. fr. South

9+16

9+21.56
Set 1x2 en in ctr 10 ft. wide graded roadway (passable for trucks & tractors only)

9+16

1.00 m

0.29

Ascending

Road Location	Point	Ang Fr. Sec Line South	Width of Rd	Dist 9+21	Ft. So.
	①	107° 20' E	11°		50
	②	118° 40' E	16°		100
	③	81° 55' E	16°		150
	④	76° 30' W	12°		50
	⑤	96° 45' W	10°		100
	⑥	103° 00' W	9°		130

Ascending

Cont'd from page 66

Cont'd from pg 65 X

76F3095 S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



F.B. 1833 PG. 68

T1S R18W

Notes Ck'd by	Survey of Section Lines
Map No.	JN 030201 Tape 167 Sta 84 °F
Office Work	Surveyed by RJM/Mc/Hall
Checked	Notes Witness Date Jan 61
Date	H. E. Ott Indexed

F. B. 1933 PG. 69

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

1) 104.81 @ 26°34' (T=20.0) = 93.73
2) 105.44 @ 27°15' (T=20.0) = 93.73
by 1) 52.63 @ 130°42' (T=68.0) = 51.13
2) 52.98 @ 135°07' (T=68.0) = 51.13

1) 288.44 L (T=6.60) = 288.44
2) 288.43 L (T=6.60) = 288.43
by 22.42 (T=20.0)

1) 293.56 @ 10°48' (T=6.60) = 293.56
2) 293.54 @ 10°48' (T=6.60) = 293.54
by 22.42 (T=20.0)

0.09 Ch. - No Ref.

12.15

19+19.66
Set 1" IP Engr pl, Co. Eng. 19.5 Lk 64' Crest of Spur

N. 58° E.

22.42

18+97.27
Set 1½" IP

Ascending

93.73

18703.51
Cut bench and set 1½" IP in steep slope dn S.

Ascending

288.43

17+00

S 90° E.

15715.08
Cut bench and set 1½" IP in steep slope dn N.

54.41

Descending

Contd from page 68

SECTION 29

SECTION 28

76F3095 S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


SECTION 28
SECTION 29
Escondido
298.78
229.65
37.76
51.13
Contra Costa Co. Line
Contra Costa Co. Line
Contra Costa Co. Line

T1S R18W

M.S. 92/82

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 03010 Tape 167 Std 89 °F.
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date 3-1-67 H.E. 0ft
Date	Indexed

F. B. 1933 PG. 71

27+01.23 Set 1"x2" stk & flag on Sec. line. Bears S. in line 2.00

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 11-58

CITY SURVEY MONUMENT
T1S
R20 21
29 28
Ascending
SEC 21
SEC 29
SEC 28
Ascending
Ascending
Ascending

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.92, B-2



T15 R18W

Notes Ck'd by	Survey of Section Lines
Map No.	JN 0302.01 Tape 167 Std 82 °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date 2/61
Date	Indexed H. E. Ott

F. B. 1937 PG. 73

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S S&E #247 11-58

1) 1888.02 @ 170°01' (N 68°) = 177.77
2) 1888.02 @ 170°26" = 177.80
Ave = 177.78

1) 1888.02 @ 170°01' (N 68°) = 42.98
2) 1888.02 @ 170°26" = 42.98
Ave = 42.98

1) 2663.38 @ 255°38' (N 74°) = 238.28'
2) 2663.38 @ 255°23' = 238.23'
3) 2663.30 @ 255°40 = 238.25'
Ave = 238.25

1) 1117.96 @ 21°15' (NE 76°) = 109.54'
2) 1117.96 @ 21°16 = 109.54'
Ave = 109.54

Ascending

1+79.78
Set 1x2 5/8"

Ascending

2+22.78
Fd 1x2 5/8" w/ 1/4 bevel 3 right (signal) facing east, No Ref.

0.31

Ascending

4+60.99
Set 1x2 5/8" at brk in slope - ch. pt. only

Ascending

SECTION 29

SECTION 32

Continued on Page 74

X

F. B. 1833 PG. 74

Contd from page 73

Ascending

105.54

5+70.53
Set 1x2 stk, 0.1' in line with slope stks S of Hwy
Cor. to East

53.60

Ascending

6+54.33
Set 1" IP Ccm
Cor. to East
Cor. to West

Descend into draw then Ascend

7+50

294.74

8+99.07
Set 1x2 stk on slope S of Hwy
Cor. to Beech

Ascending

105.54

Contd on page 75

1) 86.83 @ 15°10 (T=10°) = 86.80
2) 86.50 @ 14°20 " = 86.80
3) 299.82 @ 1°23 (T=6°) = 299.74
4) 299.86 @ 1°23 " = 299.74

1) 124.33 @ 31°54 (T=66°) = 105.54
2) 125.19 @ 32°31 " = 105.54

SECTION 29

S 40 E

draw dn S 40 E

SECTION 32

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T 15 - R 18 W

Notes Ck'd by	Survey of
Map No.	JN 0302 01 Tape 167 Std. 62 °F
Office Work	Surveyed by R.J.M. Peach II
Checked	Notes Peach II Date 2-5
Date	Indexed H. E. Ott

F. B. ____ PG. ____

W.S. 92, B-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

114-0137 B-1

SECTION 29

SECTION 32

1) 121.57 @ 26°00 (T 60°) = 109.25
2) 121.86 @ 26 16 " = 109.47
Ahd
1) 81.40 @ 180°29 (T 60°) = 73.11
2) 82.04 @ 180 45 " = 73.71
Ahd
1) 199.68 @ 140°40 (T 60°) = 193.14
2) 199.68 @ 140 13 " = 193.14
28.60 @ Cor (T 60°) = 28.60

Ascending

10+59.61
Set 1x2 sm
in cut bench

+05.55

Ascending

+09.25

11+63.86
Set 1x2 sm

Ascending

+71.19

12+91.95
Set 1x2 sm

Ascending

+93.14

14+39.19
Set 1" I.P. Semi pl.
Co. Engr. Tag stk in 3' hi.
mound of rock
See sheet p577 "R-1"

+28.60

Set 1x2 sm at
Calc. offset
from ang. Line
per FB 674 they
found same to be
in position shown

0.15

+62.61

"R" LINE PER FB 674-149 15'

"R-1" FD 1x2 sm on top of ridge (1433.67 E) per FB 674-149

Contd on page 76

76F309S S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


SECTION 32
SECTION 29
Descending
Ascending
Ascending
Descending
TO RC 5
TO RC 4
Set 1" I.P. on line
Set 1" I.P. on line
Set 1" I.P. on line

T15 - R18W

Notes Ck'd by	Survey of Property Lines
Map No.	JN030201 Tape 167 Std 80 °F
Office Work	Surveyed by R.T. McNeil
Checked	Notes Clear cell Date 2/61
Date	Indexed H. E. OTT

F. B. 1033 Pg. 77

M.S. 92-B-3

1" IP
PG 64
20+32.62

RETRACE TO SOON
CHECK ON CHAINING

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

114-037 B-1

1" IP
PG 75
14+34.19

1434.19 m.

34°-01'-35"

2132.62 m
2132.54 calc.

CSMon
PG 55
0400 M.S.B.M.

29 28 32 33

94°-25'-45"

38°-06'-30"

51°-04'-55"

Set 1x2 E.T.
on intermediate
Shot by transiting -
in

11+37.41
39.30 ~ C58509
116.754 ~ C59167
37.33 calc.
11+39.33 calc. by stadia.

17.69 calc.

CSMon
PG 57
11+37.41

1)	36	18	20	1)	38	07	00	1)	94	25	20
4)	225	13	20	4)	152	27	10	4)	17	41	40
6)	337	39	10	6)	228	41	00	6)	206	32	00
Av)	56	18	33 1/3	Av)	38	06	50	Av)	94	25	20
							45 adj.				29.
1)	34	01	40	1)	56	18	20	1)	51	04	50
4)	136	06	20	4)	225	14	00	4)	204	19	30
6)	204	09	40	6)	337	51	20	6)	306	29	30
Av)	34	01	36 2/3	Av)	56	18	33 1/3	Av)	51	04	55

6

76F309S S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 92, B-3

114-037 13-1



F.B. 1833 Pg 78

T15 - P16W

Notes Ck'd by	Survey of
Map No.	JN 030201 Tape 167 Std 84 °F
Office Work	Surveyed by R.T. Eyestone II
Checked	Notes Clear II Date 2/61
Date	Indexed H. E. Ott

F. B. ____ Pg. ____

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S S&E #247 11-58

1) 77.57 @ 110° 36' (T=40') = 75.98
2) 77.23 @ 110° 18" " = 75.98
Ppd

T5.98 — 297.73 — 293.30

1) 44.38 (T=56') = 44.32
2) 44.32 " = 44.32
1) 297.73 (T=62') = 297.73
2) 291.43 " = 291.43

1) 44.78 @ 8° 07" (T=56') = 44.32
2) 44.99 @ 8° 26" " = 44.32
Ppd
1) 298.94 @ 9° 51" (T=62') = 297.73
2) 298.93 @ 9° 34" " = 297.73
Avg

← dn. South 3sm. spur

19+23.90 ✓
Set 1x2 E-W on crest of spur

19+67.72 ✓
Set 1x2 E-W on side slope

21+20

22+65.45 ✓
Set 1" I.P. 6cm pl. Co. Engr Tack in brick cut in crest of spur

SECTION 29

SECTION 32

1 sm. spur

1 sm. spur

Could on page 80

X

F. B. 1833 PG. 80

Contd from page 79

SECTION 29

SECTION 32

23+41.93
Set 1½" Sn
Ch. Pt.

23+98.61
Set 1½" Sn
Ch. Pt.

25+06.25
Set 3m W Spk &
+ in rock outcrop

S 79° 58' E 1107.64

S 67° 18' E 83.29

Contd on page 81

1) 57.93 (Δ = 80°) = 557.18
2) 57.93 " = 557.18
3) 57.93 " = 557.18

1) 114.54 (Δ = 88°) = 1007.64
2) 125.31 " = 1107.64
3) 125.30 " = 1107.64

1) 38.22 (Δ = 88°) = 336.00
2) 38.24 " = 336.30
3) 38.24 " = 336.30

1) 33.27
2) 33.29
3) 33.29

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

114-037 B-1

M.S. 92, B-3

1) 277.49 @ 10°55 (T=84°) = 272.97
2) 276.90 @ 10°19 " = 272.42
3) 277.18 @ 10°36 " = 272.44
Avg

Measured over angle points as shown below to provide check in very steep slope distances into and out of 1/4 Corner

1) 136.43 @ 40°06'40" (T=80°) = 10
2) 135.57 @ 39°39'40" " = 10
Avg = 10

Set 3/4" Spk & T in rock at Wly side waterfall

Set 2" I. Guard pipe up 3" at the top of base of 15 ft. high waterfall

Set 2" I Guard pipe up 3" out 3" from Mon.

SECTION 29

168.05

272.44

104.35

93.24

15.11

97°-10'

31.71

SECTION 32

Set Sq. Hole Spk & T in rock on W side at bottom of draw

Set Sq. Hole Spk & T in rock up on E side of draw

1) 32.65 @ 13°48 (T=68°) = 31.71
2) 32.97 @ 15°53 " = 31.71
Avg = 31.71

1) 15.32 @ 9°35 (T=68°) = 15.11
2) 15.58 @ 14°01 " = 15.12
Avg = 15.11

COUNTY SURVEY
1/4 COR
SEC 29
SEC 32
T 1 S
R 12 W

T 1 S R 12 W

SEC. LN N 1/4 COR

NOTE:

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN 030224 Tape 16-7 Std. Sht 1 of 1
Surveyed by R.T. Date Feb. 16
Notes Plotted H. E. O'T
Indexed

F. B. 1037 PG. 61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 92, B-3

114-037 13-1


SECTION 32
SECTION 29
RAMERA
F.T.T.
Coast Hwy
Pacific Coast Hwy
Point of Tide
Calle Arco
Calle Aire
Calle Aire
Calle Arco
Calle Arco
Calle Aire
Calle Arco
Calle Aire
Calle Arco
Calle Aire

T 5 S R-18-W

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of SECTION LINES
JN 03020A Tape 167 Std 84 °F
Surveyed by R.F. Mitchell
Notes Mitchell Date Mar 6
Indexed A. E. Ott

F. B. 1833 Pg. 83

1) 82 01 00
2) 328 04 20
3) 132 06 30
4) 82 01 05

M.S. 92/83

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

114-037 B-1

SECTION 29

SECTION 32

1) 67.02 @ 14° 38' (T=60') = 64.84'
2) 66.69 @ 130 29 = 64.82'
4) = 64.82'

1) 98.64 @ 23° 18' (T=60') = 90.59'
2) 98.41 @ 23 39 = 90.59'
3) 98.41 @ 23 39 = 90.59'
Avg = 90.59'

1) 112.66 @ 31° 33' (T=74') = 96.00
2) 113.20 @ 31 33 = 96.01
Avg = 96.01

1) 80.14 @ 17° 45' (T=60') = 76.07
2) 80.39 @ 18 05 = 76.55
3) 80.54 @ 18 05 = 76.55
Avg = 76.55

1) 64.07 @ 60 50' (T=74°) = 60.06
2) 69.05 @ Level = 64.05
4) = 64.05

96.01

76.55

64.05

90.59

82° 01'

33+81.23 Set 1"x2" sm chpt at poly adj. some to be on line - see pg. 78

Pg. 3" ETP w/1/2" DH & tag "RE 5808" not found - see pg. 80

90°77'77" see pg 81

62.83 m.

62.82 calc.

"R-4" Fd 1"x2" sm per FB 674-150

24.92 m.

39.14 m.

34+77.70 Set 1" IPcem pl. Co. Engr. tag in crest of ridge

Cross left of Ridge Bears S 15° E

25.83

35+31.83 Set 1"x2" sm 1.11' E of crest of ridge

64.84 m.

63.37 calc.

L 13 TL

"R-5" Fd 1"x8" tk top charred no nail per FB 674-150 Checked dist. to "R-4" then made more diligent search and noted outline of stk dia 3" - no nail ~ (1.5' tk ft. with then guard stk for this point the set nearly vertical)

1) 65.00 @ 140 46 (T=60') = 62.84'
2) 64.76 @ 140 46 = 62.84'
4) = 62.84'

24.92 @ Lay (T=60') = 24.92'
39.15 @ " = 39.14'

Contd on page 84

76F309S S&E #247 11-58

F. B 1833 PG. 84

Cont'd from page 83

Descending

36+28.42
Set 1x2 Sn on side slope

88
36+98.34
Set 1x2 Sn side of ditch slope

71
37+72.09
Set 1x2 Sn side of ditch slope

90
38+96.74
Set 1x2 Sn at top of rocky slope

1) 79.65 @ 25°36" (Ξ 70°) = 71.92
2) 80.12 @ 26°08" " = 71.92
Avg = 71.92

1) 85.90 @ 29°50" (Ξ 70°) = 82.75
2) 86.22 @ 29°58" " = 82.75
3) 85.05 @ 29°28" " = 82.75
Avg = 82.75

1) 139.95 @ 30°54" (Ξ 70°) = 119.65
2) 139.70 @ 31°02" " = 119.65
Avg = 119.65

1) 282.47 @ 33°25" (Ξ 70°) = 243.85
2) 282.47 @ 33°30" " = 243.84
Avg = 243.84

SECTION 29

SECTION 32

1 = 90.59
1 = 71.92
1 = 82.75
1 = 119.65
1 = 243.84

Cont'd on page 87

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

T 1S R 18W

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 030101 Tape 167 Std 64 °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date 3/61
Date	Indexed E. L. OTT

F. B. 1833 PG. 85

W.S.82, R-3

Set 1x2 5/n on line prod from W opp. 1" IP

1" IP, pg 75

Tan Δ = 0.007729106
Δ = 0° 25' 04" calc.

1269.70

DETAIL TO SHOW ANGLE AT 1/4 COR. SEE PG. 81

SECTION 29

SECTION 32

26+43.89 1/4 COR C.S. Mon pg 81

35' - 55' - 20' - 179° calc. as shown

823.89

tan Δ = 0.00730680
Δ = 0° 25' 07" calc.

6.02 m

Set 1x2 5/n on line prod from ⊕ & opp 1x2 @ 34+67.78

34+67.78 Set 1x2 11 pg 83

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

114-037 13-1

76F309S S&E #247 11-58

F. B. 1833 PG. 86

This Page Added May 23 1961 per Instn's H.F.E.


SEC 29
PAGE 89
T 2 S R 10 W
SW COR SEC 29
T 2 S R 10 W
PAGE 76
SEC 32
Calc. Sec. Ln.
Calc. Sec. Ln.
Calc. from Sec. Line
Calc. from Sec. Line
Calc. from Sec. Line

T 1 N R 16 W

Notes Ck'd by	Survey of
Map No.	JN 0302 Tape 16 Std 64 °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date 3/61
Date	Indexed H. E. On

F. B. 633 Pg. 57

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

29

SECTION

32

SECTION

1) 143.25 @ 24°22' (E to W) = 130.
2) 183.03 @ 24°10' (E to W) = 130.
3) 250.19 @ 21°34' (E to W) = 232.

1) 143.25 @ 24°22' (E to W) = 130.
2) 183.03 @ 24°10' (E to W) = 130.
3) 250.19 @ 21°34' (E to W) = 232.

1) 122.42' (E to W) = 122.41'
2) 41.73' (E to W) = 41.73'
3) 41.34' (E to W) = 41.34'

1) 129.96 @ 180°36' (E to W) = 130.00'
2) 130.00 @ 20°15' (E to W) = 122.41'
3) 41.73 @ 270°17' (E to W) = 41.73'
4) 41.34 @ 270°17' (E to W) = 41.34'

34
4+79.58
Set 1x2 Sta on steep slope

65
4+79.08
Set 1x2 Sta on steep slope

4+98.88
4+07.90
Set 1x2 Sta on steep slope

20.29
96+26.41
Set 1 IP South of C. Engr. Sta. 96+26.41 on steep slope to West

96467.75

Cont'd on page 88

76F3099 S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



76F309S S&E #247 11-68

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

114-037 B-1

M.S. 92 A-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
Surveyed by
Notes
Indexed
Date

F. B. Pg.

1) 36 36 50
2) 73 13 20
3) 146 26 40
4) 36 36 40 ✓

No Survey

Cont'd on page 90 bottom

SECTION 30

1) 59 42 50
2) 238 57 30
3) 358 17 30
4) 59 42 33 ✓

1) 25 53 30
2) 103 33 40
3) 155 20 30
4) 25 53 28½ ✓

1) 85 36 30
2) 342 26 20
3) 153 39 00
4) 85 36 30 ✓

87

5+93.49 FROM East
SECTION CORNER

Ed Std. C.S. Bk. Cap set in natural rock ledge concreted w. 1½ 1923 Lincoln Hd. Penny set in Conc. on North end "JJ Stevens" written in conc. on W side. Bk. Cap MLP as shown. Orig. sandstone with 5 cuts on each side - 1 cut on each side 5" cut in top 1/4" diag. each per FB 1849-13

SECTION 31

50 27 30"
FB 1849-13

S 80° 03' 30" E 1320.13' (Rec'd) = 1320.13'
N 9.5
S 80° 03' 30" E 1310.63'

59°-42'-55"
65°-36'-30"
36°-36'-40"

38½

319.5' Calc'd
17.68

130.66

SECTION 29

R.P. Set Tg. Bk. 3/4 in. in creek, in rock 3 ft. E. of top of rock 1 ft. Rock above, 8 ft. Brown Rock, 0 ft. (pg 88) See Rec. for profile looking toward R.P. from Sec Cor.

RP

Profile N 66° E from Sec Cor.

25°-13'-30"

Rock Pile 1.5' high 1.5' E. of Sec. Cor.

SECTION

T 1 S
R 31 W

Survey of
Surveyed by
Notes
Indexed
Date

F. B. Pg.

Rec. 51 pg. 83

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 92, B-2, 3



F.B. 1833 PG. 90

Notes Ck'd by		Survey of Section Lines	F. B. 622 PG. 91
Map No.		JN 0302.01 Tape 167 Std 80 °F	
Office Work		Surveyed by RS Mitchell	
Checked		Notes Mitchell Date May 6	
Date		Indexed D. E. On	

CHAINING BETWEEN
2ND ORDER △ STA RC-5 AND
STA 394+61.78 ON THE SO. LINE
OF SEC 29-T1S-R18W
SEE PAGES 83 & 86 FOR SKETCH

(Going N from RC-5 ~ 1x2 stk & in set at int. ch. pt's)

1) 245.54 @	7°59	(T= 62°)	= 243.13
2) 245.74 @	8 16	"	= 243.16
Avg			= 243.14
1) 256.96 @	13°57	(T= 62°)	= 249.34
2) 257.27 @	14°14	"	= 249.33
Avg			= 249.33
1) 262.49 @	18°41	(T= 66°)	= 248.63
2) 262.75 @	18°52	"	= 248.60
Avg			= 248.61
1) 171.98 @	14°10'	(T= 62°)	= 166.69
2) 172.19 @	14°29		= 166.70
Avg			= 166.69
	Total		= 907.77

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2B/1622 92

T 1 S R 8 W

Notes Ck'd by	Survey of Boundary
Map No.	JN 0302.01 Tape Std °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F. B. 1833 Pg. 93

JUNE 24 1980

The Attached Photograph of the "Set 2" pipe with brass cap stamped Rancho Los Virgenes and Rancho Conejo" shown 3678.20 N Ely of Station No. 1 of the R^o Los Virgenes per L.S. 8-13 and recovered by Dep. Co. Engr. R.C. Dale on 11-20-64 was received by the Co. Engr. on this date. The photo was presented by Mr. R.W. PROUTY 4334 Deerpark Crt. Westlake Village 91361

R.J. Whitelaw

R^o El Conejo #6 = R^o L.V. #1

Ro. LV #16

photo

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 1223 Pg. 74

T 1 S R 19 W

Notes Ck'd by	Survey of Section Lines
Map No.	JN 0302.01 Tape — Std — °F
Office Work	Surveyed by R.J.M. L.C.S.
Checked	Notes Plotted Date 5/61
Date	Indexed

F. B. 1993 PG. 25

SURVEY OF

SECTION LINES

IN

T 1 S ~ R 19 W

IN THE SANTA MONICA MOUNTAINS
AND IN THE VECINITY OF
MULHOLLAND HWY. & DECKER RD.

JN 0302.01

R J Mitchell
L.C. Smiley
M.L. Bushnum
R.F. Siemann
L.X. Bankson

May 1961 to

C.L. Berger Transit No 30141

Topography shown on U.S.G.S.
Quadrangles Point Dume
Triunfo Pass
Thousand Oaks

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S S&E #247 11-58.

F. B. 1833 PG 96

REFERANCES IN FIELD

MAPS

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

763095 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN0362 Perape Std
Surveyed by K.V. Date
Notes

F.B. PG.

T-1-S
R-19-W
No. 2

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 1393 PG. 98

76F309S S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

144-017 B-2

W.S. 9 & 10-2

R° EL CONEJO

TOWNSHIP ONE SOUTH

RANGE 19 WEST

T 1 S R 19 W

3

2

10

11

COUNTY SURVEYOR
SEC 4 | 3
9 | 10
1/4 COR.
MONUMENT

COUNTY SURVEYOR
SEC 3
R 19 W
SEC 10
MONUMENT

COUNTY SURVEYOR
T 1 S
SEC 3 | SEC 2
SEC 10 | SEC 11
R 19 W
MONUMENT

COUNTY SURVEYOR
1/4 COR
SEC 2
T 1 S
SEC 11
R 19 W
MONUMENT

1/4 COR. SEC 10 T 1 S R 19 W
Bears S 0°12'00" W 2.00 ft. from Co. Surveyor's Monument
Per F.B. 221-55 & F.B. 223-104
Per F.M. 10547

SEC. COR. SEC 10 T 1 S R 19 W
Bears S 0°12'00" W 2.00 ft. from Co. Surveyor's Monument
Per F.B. 221-55 & F.B. 223-104
Per F.M. 10547

1/4 COR SEC 11 T 1 S R 19 W
Bears S 0°12'00" W 2.00 ft. from Co. Surveyor's Monument
Per F.B. 221-55 & F.B. 223-104
Per F.M. 10547

NOTE: This page ... to show regis... made at this ... has been assigned ... project and ma... for several mon...

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 03202.01 Tape 167 Std. 84 °F
Surveyed by R.J. MITCHELL
Notes MITCHELL Date MAY 17 1961
Indexed

F.B. 1833 PG. 99

Corrected per recom... Survey... return...

F. B. 1833 PG. 100

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

144-017 5-2

W.S. 144 C-2

SURVEY OF SEC. LN. GOING N. BEGINS ON PG. 129

1) 0° 29 50 00
2) 01 59 30
3) 02 58 45
4) 0° 29

COUNTY SURVEYOR
SEC. 4 | 3
9 | 10
COR.
MONUMENT

SEC 4

SEC 3

Set nail on line prod. from West (from 3+76.85 with BS. on 26+15.98)

0°29'45"

131.37

191.61

1/2 mi ±

1+91.61 Ch. Pt. on ly set in 2 ft. top rock outcrop & at brink steep slope.

SEC. COR. 34 9 10
Fd 2" IP with BL. Cap mkd as shown above per CS 9088-B, LS 2147
FB 221-58, 61; FB 53-62
= 0+00 GOING WEST
(ALSO CS 9356-18)

5 1/4 COR SEC 3
Fd 2" IP [illegible] mkd [illegible] shown on [illegible] 9088-B, [illegible] F.B. 221-[illegible]

SEC 10

1) 218.37 @ 28°40 (T=90°) = 191.61'
2) 217.99 @ 28°29 " = 191.61'
Avg = 191.61'

1) 136.82 @ 16°14 (T=90°) = 131.37'
2) 137.08 @ 16°36 = 131.38'
Avg = 131.37'

SEC 9

NO SURVEY GOING SOUTH

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 03021 Page 1827 Std. °F
Surveyed by R.J.W., H.C.W., H.C.
Notes
Indexed Date 2/26/63

T1S - R19W

F. B. 1937 PG. 101

F. B 1833 Pg. 102

Cont'd from page 101

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

SECTION 9

SECTION 4

BASE S 89° 11' E

Cont'd on page 103

Cont'd on page 103

T 1 S R 19 W

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 030301 Tape 107 Std 64 °F
Surveyed by R.F. Mitchell
Notes Mitchell Date 9-61
Indexed by L. GALL

F. B. 1833 PG. 103

Record from page 102

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S S&E #247 11-58

SECTION 4

SECTION 9

Set 1x2 in crack of ridge at angle point in ridge

TO: 22780.23 pg 104

Angles shown above were rerun as follows:

0)	60	20	00
4)	307	04	10
6)	160	26	20
6-0)	100	06	00
Avg	76	41	00

0)	60	35	30
4)	307	23	00
6)	70	46	50
6-0)	10	11	20
Avg	61	41	53½

1)	6	41	50
4)	246	47	30
6)	10	11	20
	61	41	53⅓

13+59.52 Set 1x2 LH at random position

13+59.52 Set nothing on true sec line

13+65.11 1/4 - ½" COR Fd 2" I.P. flush, no ch. Standing loose in rock mound, pkd

L 22.40 Plumbed pipe & rebuilt mound - set 1x2 LH in ctr. of 2" I.P. (No Evid. of 2nd I.P. to confirm this position)

15+27.98 Set 1x2 LH ch. pt. only

162.88 = 162.88 = 162.87

81.13 = 81.13 = 81.13

(T=66°) 3°01'38" (T=66°) 3°01'33"

1) 162.91 @ S 88°57'
4) 162.75 @ S 88°38'
Avg

1) 81.35 @ S
2) 81.30 @ S
Avg

S 89°11'W

61°41'-00"

76°41'-00"

55

982.67

982.67

5.59

162.87

81.13

81.13

F. B. 1833 PG. 104

Contd from page 103

Direct Inv.
Direct Inv.

1) 2795.56 (72°40') = 20.38
2) 2795.56 (72°40') = 20.38
3) 2795.56 = 20.38

1) 2798.65 @ 8.08 (72°40') Level (72°40') = 20.38 @ 9.000
2) 2798.68 @ 8.14 " " = 20.43 @ 9.000
3) 2798.67 @ 8.01 " " = 4

1) 276.70 (72°40')
2) 276.73 "
3) 276.71 "

1) 78.91 (72°40') = 78.91
2) 78.91 "

1) 276.70 (72°40') = 276.70

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 030201 Tape 147 Std 89 °F
Surveyed by R.J.M., Fe de 11
Notes L. Howell Date 2-61
Indexed R. J. GALL

F. B. 1833 PG. 105

1) 178 29 30
2) 353 57 20
3) 350 57 40
4) 178 29 30

1) 1 31 20
2) 6 44 40
3) 10 47 00
4) 1 31 10

W.S. #4 C-2

24+30.29
Set 1x2 in top of 3" Surv 0.34 N. of Sec. Ln.

24+30.29
Nothing set on true line

179°-44'-0"

178°-29'-50"

SECTION 4

185.69

COUNTY SURVEYOR
1/4 Cor.
T1S. R19W.

1/4 26+15.98
Fd Std C.S. Bridge, Mon set in conc. replacing 20x20 x12 rock stone as set by Dept. US Surveyor Glover in BB 13-85 see also CS 93-56-18. This stone was found by Miller in March 1927 ~ Sec RS 22-40 who set a (FA) 2" IP (no ctr) up 3" 0.19S & 0.50E of the 1/4 Cor. as a guard

TO: △ TRIANGULATION STA. 111

39.68

Cross Top of Spike 3.6 ft. Above Bench No. 14

Set 26+55.84
1x2 & PNT. on Section line on W side of 3 Ft.

2334.14

Cross Chiseled X in Top of Concrete Monument Headwall on North Side of Bridge

1" = 41'-10"

1) 151.25 @ 89°34' (T= 58") = 149.56
2) 151.12 @ 89°12' (T= 58") = 149.56
Adj

1) 186.56 @ 5°02'27" (T= 58") = 185.69
2) 186.64 @ 5°02'42" (T= 58") = 185.69
Adj

1) 40.10 @ 6°00'58" (T= 68") = 39.88
2) 40.07 @ 5°59'29" (T= 68") = 39.88
Adj

1) 235.80 @ 6°04'26" (T= 118") = 234.14
2) 235.88 @ 6°04'55" (T= 118") = 234.14
Adj

SECTION 9
T1S. R19W.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

144-017 4-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


SECTION
9
4
Cont. to Page 105
Cont. to Page 107
194.39
323.87
32.60
113.54
234.14
Cross lot line at 90° to tangent (typ.)
Cross lot line at 90° to tangent (typ.)
Cross lot line at 90° to tangent (typ.)

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 2301.01 Tape 147 Std. 99 oF
Surveyed by R.J. Mitchell
Notes Mitchell Date 11-61
Indexed

F.B. 1833 PG. 107

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F309S CE #247—3-57

1) 292.57 @ 20°37 (T=71°) = 273.61
2) 292.18 @ 20°26 " = 273.80
Avg = 273.71

1) 112.39 @ 16°10 (T=82°) = 107.75
2) 112.90 @ 17°00 " = 107.92
Avg = 107.84

1) 19.42 @ 10°14 (T=82°) = 19.37
2) 19.37 @ Lev. " = 19.37
Avg = 19.37

1) 79.04 @ 3°39 (T=82°) = 78.85
2) 78.99 @ 3°01 " = 78.82
Avg = 78.84

SECTION 4

SECTION 9

194.99
level
35+54.95
Set 1x2 6 in

273.80
descending across which is @ 35+54 a hub
38+38.25
Set 1x2 6 in at b.l. in slope

107.96
ascending
Single Rock
3'
1'
30°
12 ft± high
39+36.21
Set 1x2 6 in

19.37
level
0.13
39+55.58
Fd 2" IP w/ 3" mound of Rock per R.S. 22-140 Set 1x2 6 in ctr of said same to fall 0.13 South of Sec. Line ~ Top of Spur bears N 45° E

78.84
Contd on page 108

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 18333 PG. 108

1) 2131.84 Δ 90°45'58" (T=88') = 2118.50'
2) 2131.00 Δ 90°45'58" (T=88') = 2118.51'
Avg = 2118.51'

1) 2888.50 Δ 190°25'17" (T=74') = 2779.40'
2) 2888.35 Δ 190°25'17" (T=74') = 2779.41'
Avg = 2779.41'

1) 1385.54 Δ 10°17'37" (T=88') = 238.47'
2) 1385.54 Δ 10°17'37" (T=88') = 238.47'
Avg = 238.47'

1) 165.14 Δ 6°08'58" (T=90') = 164.30'
2) 165.15 Δ 6°08'58" (T=90') = 164.30'
Avg = 164.30'

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked

Survey of Section Lines
JN 0307.01 Tape 147 Std 84 °F
Surveyed by R.J., M., Lacher, II
Notes M., Lacher, II Date Nov. 61

F. B. 1838 Pg. 109

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57


F. B. 1833 Pg. 110
Contd on page 116
1) 9° 51' 40"
4) 39 26 20
6) 58 09 40
M) 5 51 36
1) 2° 51 20
4) 11 24 00
6) 17 06 00
M) 2 51 00
1) 1 02 00
4) 4 06 00
6) 6 08 40
M) 1 01 20
1) 13 44 00
4) 54 55 20
6) 57 22 40
M) 13 43 46
1) 122 46 00
4) 131 03 50
6) 16 36 00
M) 122 46 00
1) 89 21 40
4) 357 26 30
6) 176 09 20
M) 89 21 33
Turned to 95°
sight to E end
1 mi. sight to S.
M.S. 94, C-2
Contd on pg 111
SEC 4
SEC 9
SEC 16
SEC 17
No Survey
No Survey
No Survey
112
110
191.80
1669.93
265.03
95.00
401.26
53+31.87 From Ex
Pk Std. C.S. Br. Cap on
2" IP up 6 1/2 mkd
as shown below set
per FB 524-9
RS 22-40 &
FB 221-75
replacing
sandstone as set by Dept.
of Surveys
122° 48' 00"
51'-35"
Contd from
19" page 112
Contd from
page 109
Glover in
1896 per CS 9319
& CS 9356-18
& C.S.B. 1094-2
532.70 FB221-75
135° 31' 35"
FB524
89° 21' 40"
13°-43'-45"
SEC. COR
Ex 2" IP w/ tin
C.S. Br. Cap mkd
as shown below
per FB 524-10
RS 22-40 and
FB 221-96 replacing
sandstone set by
Glover in 1896 ~ Sec
CS 9319-1 & CS 9356-19
NOT USED
NOT USED
151'-00"
1'-01'-C
SEC 9
SEC 16
COUNTY SURVEYOR
R-R-W
SEC
8 | 9
17 | 16
COR
MONUMENT
COUNTY SURVEYOR
R-R-W
SEC
5 | 4
8 | 9
COR
MONUMENT
RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
144-017 4-2

76F309S CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

1) 73 39 10
2) 294 36 30
3) 51 54 50
4) 73 39 08 1/3 ✓

1) 88 28 40
2) 353 54 40 -
3) 170 54 10
4) 88 28 41 2/3 ✓

TRIANGULATION STATION TRIUNFO

(RUSSEL VALLEY B-12)

TO "B" pg 116

Fd Std USGS 4" Bz Cap cemented in rock on top of a 10 ft x 10 ft x 3 ft. h. mound in ctr. of fire break on top of a peak in the high ridge in the Santa Monica Mtns. per Station Card
{4,150,698.52 NORTH
{4,019,981.28 EAST
Zone 5 - Calif. Coord. Sys
see also F.B. 52-4-9

TO △ FULTON
N 58° 16' 45" E
per Station card
F.B. 52-4-9

S 7° 18' 15" E
F.B. 52-4-9

20° 01' 05"

6° 42' 51"

13° 38' 00"

88° 28' 40"

73° 39' 10"

TO: 1/4 Pg. 20

TO: SEC COR 8/9 17/16 Pg 110

TO: 52+36.8 page 109

TO: SEC COR 5/4 8/9 Pg 110

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Eastern Line of JN 0302 Tape 142 Std. B4 of
Surveyed by R.T. NULL & CLL Date 1/11/61
Notes

F.B. 1833 Pg. 111

T. 5 R. 16 W.

F.B. 1833 Pg. 112



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of Section Lines
Map No.	JN 03020 Tape 100' Std 84° °F
Office Work	Surveyed by E. J. Mitchell
Checked	Notes Mitchell Date 11-67
Date	Indexed

F. B 1833 Pg 113

Set 1" IP w/ L.A. Co. Engr. Tag on NE

Note: Any Additions or Changes on This Sheet Must be Made in Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

VENTURA COUNTY

LOS ANGELES COUNTY

Cont'd from page 114

Set 1x2.5 in R.R. spike

COUNTY SURVEY
VENTURA CO
LOS ANGELES
MONUMENT

"A"
Fd 2" Br. Cap set in conc post 12"x12" for reciprocal 95°-56'-45" E bottom of pipe 36" long in approx. horiz. position. Erected same to vertical then found same to fall as shown. See CS B 71-1 (Br. Cap Mtd as shown above)

Set 1x2.5 in fire brk

Set 1" IP cont. Co. Engr. Tag in rock outcrop at SWly edge of fire brk for inc shown. Set 2" Guard Stake

1) 69 05 00
2) 44 31 40 ✓

1) 113 36 30
2) 94 25 50
3) 32 49 00
Av) 113 36 30 ✓

71.92
61.09
73.81
0.65 m
36.30
69°-05'-00" N
18°-11'-30"
13°-31'-40"
44°-31'-40"
60°-50'-20"
96.01
76.69

1) 81.30 @ 22.07 (I=94°) = 73.81'
2) 80.77 @ 22.00 " = 73.81'
Av) = 73.81 ✓

1) 61.28 @ 9°30 (I=94°) = 61.09'
2) 61.92 @ 5°57 " = 61.09'
Av) 61.09 ✓

1) 72.80 @ 8°55 (I=94°) = 71.92'
2) 72.83 @ 7°58 " = 71.93'
Av) = 71.92 ✓

1) 201.05 @ 11°50 (I=68) = 196.76'
2) 200.55 @ 11°08 " = 196.76'
Avg = 196.76 ✓

1) 19 11 30
2) 76 46 20
3) 115 09 00
Av) 19 11 30 ✓

1) 160 50 20
2) 283 21 10
3) 203 01 58
Av) 160 50 18 1/3 ✓

TO SEC COR

Cont'd on page

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 94, C-2

144-017 A-2

Cont'd from page 112

Cont'd on page 113



F.B. 1833 Pg. 114

T 1S R 19W

Notes Ck'd by M. OSHITA	Survey of Section Lines
Map No.	JN 030240 Tape 147 Std 0Z °F
Office Work	Surveyed by R.J. MITCHELL
Checked	Notes Mitchell Date Nov 6
Date	Indexed

F. B. 1838 PG. 115

W.S. 9441 C-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

144-997 C-2

COUNTY SURVEYOR
R19W 1/4 COR 5 8 T. 1S MONUMENT

1/4 CORNER
Fd 3/4" I.P. with Br. Cap flush
at head of sm. cup stamped
"Cal ~ Cuff" bench tag set
2" I. Guard Stake up 3" out
SE West ~ Lton N & S as
shown ~ Bore ~ C.S.B 1094-2

Set 1x2 E'n on
crest of ridge
and on line prod
from 1/4 Co. Ln.
& Sec. Ln.

5001

34.07 M.
33.87 Rec.

0.13

COUNTY SURVEYOR
SEC 6 7 5 8
T1S R19W
COR MONUMENT

SEC. COR
Fd 2 1/2" I.P. with Br. Cap in
mound of rocks. Pile of
CSB 1094-2 ~ Pile of
rock mound 10 3 ft
base x 1 ft. H. ~ Lton
N & E as shown ~ Also
see C.S.B 1094-2

Carried from page 114

1) 36.14 @ 19°30' (T=72°) = 34.07
2) 36.51 @ 21°02 " = 34.08
= 34.07

A-7

76F309S CE #247—3-57

F. B. 1833 Pg. 116

Contd on page 117

T 1 S R 19 W

1)	91	09	50
2)	364	38	00
3)	186	38	50
4)	91	09	48 1/3
1)	5	27	10
2)	21	43	30
3)	32	43	30
	5	27	15
1)	83	36	50
2)	234	27	30
3)	191	41	00
	83	36	50
1)	180	13	30
2)	360	50	40
3)	361	21	10
	180	13	31 1/3
1)	91	09	30
2)	364	37	30
3)	186	36	40
4)	91	09	21 1/3
1)	64	41	40
2)	127	23	20
3)	64	41	40

SECTION

TO PG. "A" 13

"B" Set 1" IP corn. Pl. Co. Engr. Tp & Tk on Sec. Ln. on crest of spur and 25 ft E. of top of knob

TO "RED ROCK" PG.

Fd 1x2 stk & end of nail Chiseled Top No Ref.

9.83

16

1°-09'-25"

64°-41'-40"

80°-13'-30"

83°-36'-50"

Set 1" IP corn Pl. Co. Engr. Tp & Tk on crest of main ridge on Sec. Ln. ~~1 ft E of top~~

15°-27'-15"

SECTION

TO "TRIUNFO" PG 111

Contd from page 110 Top

X

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

144-017 A-2

W.S. 94 C-2

Contd from page 113

SECTION 5

COUNTY SEC 5 4 CO. VEYOR

INT ~ L.A.-K. CO. LINE
E'LY LN. SEC. 5
Fd L.C.S. Br. Cap Mon. set in conc. up 2" w. Th. L.A. Co. Forestry Dept. 2" I. Sign post up 6 ft. Off SE. Cor. Fd SW. Mon is mkd as shown Fd per CSB 711-1, CSB 1094-2
Set 2" I Guard pipe up 3 ft out 5 ft N ~ Cut Benth around mon. & Set 10 ft. Hi. Signal over

0.19 m. 0.24 calc.

651.18 Record
651.34 meas

CONT. E'LY LN. SEC. 5

TRUE INTING SEC

VENTURA CO.

TO "C-5"
Contd on page 124

SECTION 4
Contd on page 119

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302 Dr. tape 1/27 Syd. 8/2 of
Surveyed by: B.T.M. Pace & Crew
Notes: Date 12/61
Updated

F. B. 1028 Pg. 117

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 94, C-1, 2

144-017 A-1



F.B. 1803 Rg. 118

76F309S CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Contd from page 117

VENTURA — LOS ANGELES COUNTY — CO.

Contd on page 120

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Electric Lines
JN 03202 Tape 1427 Std. 22 OF
Surveyed by: R.T. WELLS & CO.
Notes AD. WELL Date 12/61
Indexed

F. B. 15313 Pg. 118

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 94D-1



F.B. 1833 Pg. 120

Notes Ck'd by M. OSHITA	Survey of SECTION LINES
Map No.	JN 0302 Page 197 Std 32 °F
Office Work	Surveyed by R.V. M. Hackett
Checked	Notes M. Hackett Date 12/61
Date	Indexed

F. B. 1828 Pg. 121

Note: Any Additions or Changes on This Sheet Must be Made in Ink and Name of Person Making Change. Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

a) 65 29 30 — a) 77 58 10
b) 261 53 40 — b) 311 51 40
c) 32 53 30 — c) 107 47 20
Av) 65 28 55 — Av) 77 57 53½
Suppl) 102 02 05

COUNTY SURVEYOR V COUNTY LA COUNTY MONUMENT — CO. BDY. — CO.

CP&F to the E. R.D.

317 + 72.19
Fd 5/8" C.S. Br. cap mon. in 12"x12"x12" conc. block up 1½" in 3ft x 3ft x 2½ ft. dia. mound at the SW. Cor. of Decker Rd. & Corsiite Road. 3/8" diam x 3½" high Iron bolt with the center of the br. cap. ~ Mon. mkd as shown. ~ Ref. CSB 71-1

VENTURA CO.

274 + 87.43
Fd 2 Br. Caps in 6" Conc. cylinder set in mound of rock on crest of a small sharp spur. A 1/2" d.g. x 3½" high iron bolt is set to mk the center of the br. cap. Mon. mkd as shown Ref. CSB 71-1 ~ Conc. is deteriorating.

Set Nothing on Co. Line by "transiting" in ~ 274 + 87.43

Contd from page 120

No Survey

DECKER RD.

N02°-02'-05"E

L.A. CO.

0.55

N00°-51'-55"E

65°-28'-55"

10°-38'-32"

6178 ft.

0.09

Fd 4x4 post (No Mks or Scribs) up 6 ft. above top of 2ft base by 2½ ft high mound of rock on top of Sm. peak on crest of spur ("1627" on USGS Dume Quad Sheet) No Ref.

TO "C-5" Contd on page 124

COUNTY SURVEYOR V COUNTY LA COUNTY MONUMENT

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 93, B-1

159-037 4-1



F.B. 10833 Pg. 122

1

76F309S CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
1100 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Alesia Canyons
JN 2299.8 Tape 111 Bd 52 of
Surveyed by H.L.E.C., etc.
Notes
Done 12/6/61
Indexed

F. B. 1633 Pg. 123

Rª EL CONEJO C-5

12-8-61

RECONNAISSANCE REPORT

This point is on top of a 25'x25'x15' high rock at the western end of a high ridge ~ From Mulholland Hwy & from Decker this rock appears to be the "extreme" end of the ridge. From the rock rises another drop to 15'x15'x15' ft. hi. rock 20 ft lower and 50 ft Wly presents a sharp

Found a 1/2" deep x 3/4" diam drill hole in the top of a 2 ft x 18" high stone (in place) at the change in its base to the east. This is described by Mr. John Beadle, a long time resident of this area as being in the position of "C-5" and is being used by some survey party - identity unknown - this date for some purpose.

Also found pieces of cement mortar & rock chips showing complete outline of a pipe cap as called for by "CSB 711-1". We attempt to determine the location from which these chips came and arrive at the following conclusions.

1. The present drill hole is not in a position once occupied by the cap.

2. The cap could have been directly under the position of the drill hole tho this is not probable. Note lack of "cell" in

3. This position should be verified by reference to the County boundary survey shown on CSB 711-1 & in FB 428 before it is finally accepted.

R.J. Mitchell, Chf
L.C. Smiley, "
M.L. Bostrum, H.C.
L.R. Bankson, R.C.

REF: CS 9088-6
CS 9356-11 & 12
RS 2-46
FB 47-10
FB 53-7
FB 428-23
CSB 711-1

NOTE: The conclusions above were verified on 12/12/61 by Field Engr. E.H. Blanchard who also inspected the site

F. B. 1833 Pg. 124

April 9th 1962

W.S. 93, A-3

C-5

TO: CO LN — MON AT DECKER & CARSLILE RDS page 121

TO STA ON CO. LN page 121

"C-5" ANGLE POINT SLY. EDGE Rd EL CONEJO

See page 123 Approximate position of drill hole by triang. fr. County Line (See pgs. 117, 121) Chiseled drill hole & rock (2'x1'x18") & set 2" IP 24 inches long in conc. & rock fl. with top of 25 x 25 x 15" hi rock & set 10 ft. Lt. Signal over IP has std C.S. Br. Cap mkd as shown below.

TO: INT-CO.LN & E LN. SEC 5 page 117

COUNTY ENGINEER C 5 SEC 2 T 1S R. 19W

RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

194-17 B-2

T 1 S R 19 W

Notes Ck'd by M. OSHITA	Survey of SECTION LINES
Map No.	JN 2305-01 Tape Std 84 °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date Nov '61
Date	Indexed

F. B 1833 Pg. 125

W.S. 84-4

CADASTRAL TIE

Set 1x2 6/8" ∥

1) 171 40 40
4) 326 49 30
6) 310 05 30
Av) 171 40 55

1/4 COR Fd 2" IP with Br. Cap mkd as shown on pg per FB 2221-55, 56 FB 2289-7

1) 145 18 20
4) 271 14 00
6) 151 51 00
Av) 145 18 30

1) 100 59 49
4) 43 58 30
6) 315 57 40
Av) 100 59 36 2/3

Set 1x2 6/8" in stake on line

SEC COR Fd 2" IP with C.S. By. Cap mkd as shown on pg 99 per FB 223-104 pg 99

No Survey Going East

Set 6/8" ∥ on line prod

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

144-017 13-2 C-2

76F3095 CE #247—3.57

F.B. 1833 Pg. 126

1) 288.41 @ 1°09 (T=72°) = 288.63
2) 288.70 @ 0°57 " = 288.64
Avg = 288.63

1) 137.02 @ 4°41 (T=72°) = 136.55
2) 137.10 @ 5°00 " = 136.57
Avg = 136.56
Total = 425.19 pg 125

1) 267.98 @ 6°04 (T=78°) = 267.98
2) 269.66 @ 6°20 " = 267.99
3) 269.36 @ 5°43 " = 267.99
Avg = 267.99

1) 248.23 @ 22°49 (T=68°) = 228.70
2) 247.61 @ 22°32 " = 228.69
3) 247.49 @ 22°27 " = 228.69
Avg = 228.69
Total = 496.68

1) 62.19 @ 25°17 (T=70°) = 56.21
2) 62.17 @ 26°23 " = 56.21
Avg = 56.21

1) 63.98 @ 16°19 (T=66°) = 61.39
2) 64.24 @ 17°06 " = 61.39
Avg = 61.39
Total = 117.60

DUNE Point I-1 pg.

STA "RED ROCK" (N-12)
(RUSSELL VALLEY)
For Sta 9" D. Toilet
Set in cone in the
native rock & inked
"RED ROCK" "RE 319"
"1998" PSC
Station Point.

S 32°-30'-41" E
726.78' Sta. Coords

88°-03'-30"

37°-39'-00"

134°-01'-30"

1)	88	03	30
2)	351	14	40
3)	168	21	10
4)	88	03	31 2/3

1)	134	01	30
2)	176	05	40
3)	84	08	40
4)	134	01	26 2/3

1)	37	38	50
2)	150	35	30
3)	225	53	30
4)	37	38	58 1/3

Set 1x2 5'0" at base of cliff up to North

9.9' Calc.

960.68' Calc.

46' Calc.

NOTE:
Chaining on line shown avoids very steep slope angles & approx. 500 ft of brushing each.

Contd from page 125

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of Section Lines
Map No. C.S. B-5368	JN 030201 Tape 147 Std 84 °F
Office Work A. MITCHELL	Surveyed by R.J. McLeod
Checked	Notes McLeod Date 12/12/61
Date	Indexed

F. B. M23 Pg. 127

W.S. 9 -3

RECONNAISSANCE REPORT
DECEMBER 12, 1961

R.J. McLeod ~ Chf.
L.C. Smiley ~ "
M.L. Bustrum ~ H.C.
L.R. Bankson ~ R.C.
with
Mr. J. Bodle ~ a long time resident of this area.

T 1 S
R 19 W

SECTION 2

SECTION 1

SECTION 10

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

144-017 C-1

76FSOSS CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Nelson Reforestation

F.B. 1933 Pg. 118

Notes Ck'd by M. CSHITA
Map No.
Office Work
Checked

Survey of
JN Tape 145 Std °F
Surveyed by
Notes Date

F. B. 1533 PG. 129

W.S. 94 D-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

144-217 B-2

76F3095 CE # 310 5-61

37.32

2+48.03
-A-2
Set 1"x2" H.P.
at Top of Slope.

56.49

Δ=64°
72.13@ 20°38' = 86.50
72.08@ 20°08' = .01
86.49

1+61.54
-A-1
Set 1"x2" H.P.
Flush

Δ= 58°
167.82@ 15°42' = 161.57
167.51@ 15°18' = .03
161.54

161.54

① 89° 49' 45"
② 359° 18' 45"
③ 178° 57' 50"
89° 49' 38"

Sec 4

Sec. 3

89° 49' 38"

SEC. LINE

SEC. LINE

Sec 9

Sec. 10

0+00 N.
Sec. Cor. 3,4,9,10
Fd. C.S. Br. Cap Illegible
on 2" I.P. up 4" marked
as shown. F.B. 53-62
F.B. 1633-101, C.S. 9089-6,
L.S. 22-40, F.B. 53-62,
C.S. 9356-18, F.M. 10547
Set 2" I.P. Monument up
4 feet, 5'± E. of ±.

1/4 Sec. Cor.
Fd. C.S. Br. Cap, ... I.P.
Mon. Sec. 10, Mound of Stones
marked as shown.
C.S. 8824-9
F.M. 10547
F.B. 1633-101

COUNTY SURVEYOR
Ø 19" M. SEC.
4 | 3
9 | 10
COR.
MONUMENT

COUNTY SURVEYOR
SEC. 3
1/4 COR.
SEC. 10
MONUMENT

F. B. 1833 PG. 130

Cont on Sht. Pg. 131

T. 1 S.
R. 19 W.

104.34

Δ = 56°
197.90 @ 33° 35' 00" = 164.87
195.01 @ 33° 37' 30" = 164.89 = 164.87

122.33 @ 34° 42' 00" = 100.57
122.96 @ 35° 07' 30" = 100.57 = 100.57

265.44
.06
265.38

8+67.04
A-5
S2° 132 A.V.
Flush

265.38
A Line

SEC. 4

5.49° DL

5+98.66
A-4
Set 1/2" ø, Flush
At Curve & Line

-16.9 DL

Δ = 56°
78.74 @ 17° 30' = 74.96 = 74.96
79.24 @ 18° 55' = 74.96

287.78 @ 34° 03' 30" = 238.42 = 238.42
288.45 @ 34° 15' 00" = 238.43

313.38
.07
313.31

313.31

2+85.35
A-3
Set nail on
Sand Stone Rock
out crop

Δ = 61°
45.03 @ 34° 00' = 37.33
44.26 @ 32° 30' = 37.32
.01
37.32

37.32

Cont from Top Pg. 129

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA | Survey of | F. B. 1833 Pg. 131

Map No. | JN | Tape 45' Std | °F

Office Work | Surveyed by

Checked | Notes | Date

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

T=60°

T=50°

T=56°

Cont'd on Top Pg. 130

Cont Bat B 123

F. B. 1833 PG. 132

T. 1 S.
R. 19 W.

T=79°

269.10 @ 3° 93' = 268.53 ✓ = 268.53 ✓
269.16 @ 3° 55' = 268.53

58.50 @ 11° 20' = 57.36 ✓ = 57.36 ✓
58.35 @ 11° 31' = 57.37 ✓

325.89 ✓
.03
325.86 ✓

325.86 ✓

15+95.10
-A-7
Set 1x2 N. Flush
To Concrete

T=60°

183.76 @ 9° 35' 30" = 181.72 = 181.78 ✓
189.63 @ 10° 07' 20" = 181.17
.03
181.75
181.14 ✓

181.75 ✓

Sec. 3

15+ 3.76
-A-10
Set 1x2 N. Flush

T=60°

224.05 @ 17° 34' 20" = 214.18 ✓ = 214.19 ✓
224.35 @ 17° 18' 00" = 214.20
.05
214.15 ✓

214.15 ✓

15+99.8'
-A-9
Set 1x24 N. Flush
Top Spur

T=64°

279.93 @ 8° 57' = 271.58 ✓ = 271.58 ✓
279.00 @ 9° 02' = 271.59
.04
271.54 ✓

Cont from Top Pg. 131

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked

Survey of SEC. LINES
JN 0302.01 Tape 75 Std 54 °F
Surveyed by S. C. CLEVERT
Notes Date 5-62

F. B. 1633 PG. 133

Cont. Bk 14, pg. 134

R 19 W.

T. 62°
185.81 @ 20° 30' 00" = 174.04
185.52 @ 20° 15' 20" = 174.05
174.04
.02
174.02

174.02

25+00.12
A-14
Set 1"x2"N flush

T = 62°
Lev = 37.53
.01
37.52

37.52

Top N. side

24+62.60
A-13
Set 1"x2"N. flush on top of spur

T = 60°
141.75 @ 20° 05' = 141.66
141.72 @ 1° 42' = .02
141.64

141.64

23+20.96
A-12
Set 1"x2"N. flush

325.84

Top N. side

21+60±

Cont. from Top Pg. 132

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

SEC. 3

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 94,C-2

144-017 13-1



Notes Ck'd by M. OSHITA	Survey of SEC. LINES	F. B. 1833	PG. 135
Map No.	JN [illegible] Tape 14' Std [illegible] °F		
Office Work	Surveyed by [illegible]		
Checked	Notes [illegible] Date [illegible]		
Date	Indexed		

C.S. 149 + D. 126 R. 19 W.

Main Cyl. Bot. 82°

339.13

32+38 ±

32+[illegible].52
A-19
Set 1/2" ø, flush
in Trail in
Cyl. Bot.

SEC. 4

T = 50°

85.20 @ 21°34' = 79.24 ✓
85.36 @ 21°40' = 79.24 ✓

79.24

T Line

SEC. 3

317+28.28
A-18
Set 1/2" ø
flush on top
of Brk.

116.80

T = 89°

118.58 @ 9°57' = 116.80 ✓
118.75 @ 10°24' = 116.80 ✓

30+11.48
A-17
Set 1/2" ø
flush in
top cir. spur

175.47

Cont from Top Pg. 134

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B. 1833 PG. 136

Cont. on Bot. Pg. 137

T. 1 S.
R. 19 W.

T = 66°
Elev. = 24.93

36+11.31
A-22
Set 1"x2½" stake
No. Side Ridge

Top Edge
N 80° W.

36+04 ±

35+92.38
A-21
Set 1"x2½" stake
No. Side Ridge

T = 60°
50.39 @ 24° 57' = 45.69
50.59 @ 25° 26' = .01
45.68

SEC 4

SEC 3

35+46.70
A-20
Set 1"x2½" stake
No. Side hill

T = 66°
82.17 @ 36° 21' 30" = 66.17
82.49 @ 36° 41' = 66.15 = 66.16
296.92 @ 23° 08' = 273.05 = 273.06
296.82 @ 23° 04' 30" = 273.01
339.22
.04
339.18

Cont. from Top 137/135

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA	Survey of SEC. LINES	F. B. 1853	Pg. 131
Map No.	JN	Tape	Std °F
Office Work	Surveyed by		
Checked	Notes	Date	
Date	Indexed		

Cont Bat. Pg. 138

R. 19 W.

177.32

Sec. 4

Sec. 3

40+80.00
A-44
Set 1x2" Wood Stake on Slope

T= 68°

69.30 @ 31° 00' = 57.40 ✓
69.76 @ 31° 33' = 59.40

57.40 ✓

297.35 @ 5° 05' = 293.19 ✓
374.25 @ 4° 20' = 369.35

292.19 ✓

352.59 ✓
.04
352.55 ✓

352.55

35+77 ±

Det. Cyn.
5.94 °W.

S 69° E

37+27.45
A-23
Set 1x2" Wood Stake on Side Hill

T= 66°

126.49 @ 29° 27' 30" = 110.14 ✓
126.20 @ 31° 12' = 110.16

110.15 ✓
.01
110.14 ✓

110.14

Cont from Top Pg. 136

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 1833 Pg. 138

W.S. 94, D-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

144-017 13+1



Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked

Survey of Sec. Lines
JN [illegible] Tape 75 Std. 57 °F
Surveyed by [illegible]
Notes Date

F. B. 1833 Pg. 139

W.S. 9W-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

144-217 B-2

76F3095 CE # 310 3-61

269.8

1+78±

Pav't

25° MULHOLLAND DR.

Line

1+61.96
B-1
Set 1"x24" on
So. Berm, at
Road., flush

Sec.

T = 80°
168.12 @ 15°33' = 161.97 = 161.96
168.34 @ 15°50' = 161.95

161.96

Sec 3

Sec 2

0+00 N.
Sec. Cor.
Fd. 2" I.P. with Br. Cap and
ring of grooves, marked as shown
F.B. 221-51
F.B. 1838-99, 125
F.M. 10547

COUNTY SURVEYOR
T 1S.
SEC. 3 | SEC. 2
SEC. 10 | SEC. 11
R 19W.
MONUMENT

Sec. 10

Sec 11

F. B. 1833 Pg. 140

Cont. B.o.t Bk. 141

T. 1 S.
R 19 W.

6+47.69
B-4
Set 1x2 SN, flush
on Brk of
Side hill

138.28

83.54

T = 80°
98.94 @ 32° 24' = 83.54
98.41 @ 31° 59' = 83.55 = 83.54

5+54.15
B-3
Set [illegible]

133.01

T = 84°
160.34 @ 33° 57' = 133.91
160.67 @ 33° 46' = 133.02 = 133.01

SEC. 3

SEC. LINE

SEC. 2

4+31.14
B-2
Set 1x2 SN, flush
on Side hill

269.18

T = 82°
291.07 @ 22° 21' 30" = 269.19
291.43 @ 22° 32' = 269.18 = 269.18

X Cont. from Top Pg. 139

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked

Survey of Sec. Lines
JN 3.00 Tape 145 Std 59 °F
Surveyed by
Notes Date

F. B. 1838 Pg. 141

Corr. LDI 1.7.48

T.1S.
R.1W.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

9+30.01
B-7
Set 1x26N, flush on Brk. on Side hill

143.30
51.25

T = 66°
57.08 @ 26° 06' = 51.26
57.39 @ 26° 42' = 51.27 = 51.26
.01
51.25

8+78.76
B-6
Set 1x24 N. flush No. Side of ridge

Line

T = 64°
92.80 @ 26° = 92.80
.01
92.79

92.79
Sec.

Sec. 3

Sec 2

8+08±
Top Ridge

N. 78° E.

7+85.97
B-5
Set 1x24 N. flush So. Side of ridge

T = 80°
131.46 @ 24° 30' = 119.62
131.66 @ 24° 41' = 119.63 = 119.62
18.66 @ 26° = 18.66
138.28

138.28

Cont from Top 14+40

76F3095 CE # 310 3-61

F. B. 1833 PG. 142

Cont. Bot. Pg. 143

13+54.54
B-10
Set 1x24" N, flush
on Side Hill

224.26

4.55

90°

0.29

T.1S.

R.19W.

137+17.99
1/4 1/4 Cor
Fd. 2" I.P, wd. plug
& Nail, up 8" per
F.M. 10547

112.09

Sec. Line

T=62°
120.56 @ 21°34'30" = 112.11
120.65 @ 21°41' = .02
112.09

12+42.45
B-9
Set 1x24" [illegible]
on Side Hill

T=64°
188.88 @ 26°22'30" = 169.07
188.40 @ 26°11' = .02
169.05

169.05

Sec. 3

Sec. 2

10+73.40
B-8
Set 1x24" N, flush
on Side Hill

T=64°
162.55 @ 28°02' = 143.41
163.48 @ 28°41' = 143.42 = 143.41
.02
143.39

143.39

X

Cont from Top Pg. 141

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked

Survey of T.S. & R.W.
JN 3302 Tape 45 Std 0' °F
Surveyed by C. C. Smith
Notes C-1 Date

F. B. 1833 Pg. 143

Cont. from Pg. 144

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

252.27

2+39.91
B-13
Set 1x2 #N, flush
on Sm. Spur

Sec. 3

N 50° W.

480.30

Bdy. Cyn.

16+72±

N 65° W.

16+59.61
B-12
Set 1x2 #N, flush
Top Spur

Top Spur

Sec. 2

80.81

Sec. Line

15+78.80
B-11
Set 1x2 #N, flush

224.26

T = 62°
183.66 @ 9°49' = 180.97
183.76 @ 10°01' = 180.96 — 180.96

T = 62°
300.65 @ 5°N' = 299.42
300.56 @ 5°01' = 299.41 — 299.41
480.37
.07
480.30

T = 70°
Lev. = 80.82
.01
80.81

T = 62°
227.80 @ 10°04' = 224.29
228.00 @ 10°20' = 224.30 — 224.29
.03
224.26

Cont. from Top Pg. 142

76F309S CE # 310 3-61

F. B. 1833 PG 144

RANCHO EL CONEJO

W.S. 93, A-3

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T1S
R19W.

26+47.65
CLOSING Cor.
Fd. 12"x18"x34" Sandstone rock leaning to West. Reset the stone in an upright position by plumbing on W. Cor. of Stone which was found to be Stone marked C.C. on So. face with two grooves on E. face. West face was diamond, south face flat. Stone. Set Nail and Tin Tag Closing Cor. in Ctr. of Stone.
C.S. 9088
F.M. 10547

N. 88° W.

239.08

T=80°
255.35@ 20° 33' = 232.0
255.03@ 2° 22' = 239.09 = 239.09
.01
239.08

24+08.57
B-15
Set 1x24 nl
Top Spur

Top Spur

T=62°
Lev. = 15.69

15.69

Sec. 3

Sec. 2

23+92.88
B-14
Set 1x24 nl, flush

252.97

T=62°
262.65@ 15°34' = 253.02
262.43@ 15°24' = 253.01 = 253.01
.04
252.97

144-217 B-1

Cont. from Top Pg 143

Notes Ck'd by M. OSHITA		Survey of Sec. Lines	F. B. 1838 PG. 145
Map No. CSB-5368		JN 22-2-91 Tape 139 Std 3-4 °F	
Office Work A. MITCHELL		Surveyed by R. C. Bowen	T. 1 S.
Checked		Notes	Date 1-16-92

W.S. 93-4

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

144-017 C-2

Sec. 2

Sec. 1

T= 76°
240.92 @ 23° 30' = + 220.48
240.70 @ 23° 39' = + .01
220.47

T= 74°
83.51 @ 4° 31' = + 83.38
83.54 @ 4° 18' = + .01
83.39

T= 14°
22.71 @ 22° 37' = + 21.39
23.45 @ 24° 18' = +

C-3
Set 1x1 4W, flush on Top of Ridge

C-2
Set 1x2 4W, flush on side hill

C-1
Set 1x2 4W, flush on Top of Spur

TRUE SECTION LINE

404.09
220.47
83.39
21.39
2139.12

Sec. Cor.
Fd. C.S. Br. Cap Mon. on 2" I.P., up 10" on Side hill, marked as shown.

COUNTY SURVEYOR
2.19 Ac. SEC.
2 | 1
11 | 12
COR.
T. 1 S.
MONUMENT

1 inch Pipe Set 1x2 4W on Top of Second ridge to So.

76F309S CE # 310 3-61

F. B. 1833 PG. 146

Cont. from Pg. 147

T. 1 S.
R. 19 W.

C-7
Set 1" I.P. Conc. plug & C.E. Tag, flush on top of ridge

N 82° 00' W
Top Ridge

270.41

Δ = 54°
3° 30' = 271.96
.05
271.91

N 37° 30' E
Top Ridge

C-6
Set 1" I.P. Conc. plug & C.E. Tag, flush on top of Spur

Δ = 56°
216.68 @ 20° 36' = 202.83
216.74 @ 20° 47' = 202.82
= 202.82
.04
202.78

202.78

C-5
Set 1/2" ø Rebar, flush Top Spur

Δ = 69°
50.29 @ 90° 04' = 38.49
50.72 @ 37° 39' 30" = 38.95
= 38.95

300.73 ℄ Lev = = 300.73

91.50 @ 9° 40' = 90.20
91.39 @ 9° 19' = 90.21
= 90.20

429.41
.06
429.35

429.35

C-4
Set 1" I.P. Conc. plug & C.E. Tag, flush on Top of Ridge

N 63° 30' E
Top

Ridge

Cont. from top Pg. 145

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No C.S.B.-5368
Office Work A. MITCHELL
Checked
Plats

Survey of DEC. LINES
JN [illegible] Tape 137 Std. 67 °F
Surveyed by G.C. Fowler
Notes Date 4/1/61
Indexed

F. B. 1833 Pg. 147

T. 1 S

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

SEC. 2

SEC. 1

TRUE SECTION LINE

C-10
Set 1X2 (4N) flush in N'ly end of spur

T = 62°
277.93 @ 1°59' = 256.03
277.71 @ 22°47' = 256.04 = 256.03
.04
255.99

255.99

C-9
Set PK. spk & T. on top of flat boulder on North edge of spur

T = 62°
299.28 @ 19°44' = 281.70
299.40 @ 19°48' = = 281.70
12.73 @ [illegible] = 12.73
294.43
.04
294.39

294.39

C-8
Set 1X2 (4N) flush on Sand hill

T = 69°
63.76 @ 18°47' = 60.36 = 60.36
63.52 @ 18°06' = 60.37 .01
60.35

60.35

Cont. from T. 1S Pg. 146

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. ____ PG 148

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302.01 Tape Std 54 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V.S. Date
Date	Indexed

F. B. 1833 PG. 149

SECTION LINES

SECTION LINE BETWEEN SEC. 8 & 9 T. 1 S. R. 18 W.

J.N. 0302.01

NOTE

THESE NOTES WERE MADE FROM REC NOTES 2-28-66 BY L.V. SMITH

PARTY

L.V. SMITH
C.V. CROWE
R.C. BOWERS
M.E. WACKER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

7

F. B. 1833 PG. 150

INDEX



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of SECTION LINES	F. B. 1833 PG. 131
Map No.		JN 0303.01 Tape Std 84 °F	
Office Work		Surveyed by L. V. SMITH	
Checked		Notes L. V. S Date	
Date	Indexed		

PG. 152

35.76 @ 33°00' = 30.16 : 30.16
35.52 @ 31°55' = 30.13 : 30.14
T = 62° = 30.14'

SEC. 9
T. 1 S.
R. 18 W.

F-2
SET 1X2 & NAIL
ON NORTH SLOPE

30.14'

TRANSIT LINE

29.75'

30.75 @ 14°36' = 29.76 : 29.75
30.90 @ 15°40' = 29.75 : 29.75
T = 66° = 29.75'

SEC. 8
T. 1 S.
R. 18 W.

F-1
SET 1X2 & NAIL
ON N. SLOPE

343.15'

86.72 @ 21°09' = 80.88 = 80.88'
86.46 @ 20°41' = 80.89
271.20 @ 14°42' = 262.32 = 262.31
271.15 @ 14°40' = 262.31
343.19

T = 66° = 343.15'

SECTION CORNER
ED. CO. SURVEY'S
BRASS CAP MON. IN
CONC. MON. MARKED
AS SHOWN. REB. 2605
PG. 183 - 238

COUNTY SURVEYOR'S MONUMENT
T. 1 S.
R. 18 W.
8 | 9
17 | 16
SEC. COR.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

144-037 B-3

115.93

76F309S CE # 310 3-61

F. B. 1833 Pg. 152

BOT. PG. 153

260.63'

F-6
SET 1x2 & NAIL

250.04' @ 24°25' = 227.68'; 227.67'
249.67' @ 24°14' = 227.67'
T = 58° = 227.63'

227.63'

F-5
SET "X" ON FLAT ROCK ON SPUR

S. 70° E. SPUR

58.36'

LINE

58.37' @ 11'
T = 54° = 58.36'

F-4
SET 1x2 & NAIL

SEC. 8
T. 1 S.
R. 18 W.

236.23'

273.24' @ 30°09' = 236.27'; 236.27'
273.29' @ 30°10' = 236.28'
T = 62° = 236.23'

TRANSIT

SEC. 9
T. 1 S.
R. 18 W.

F-3
SET 1x2 & NAIL ON NORTH SLOPE

30.14'

TOP PG. 151

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of SECTION LINES	F. B. 1833 PG. 153
Map No.		JN 0302.01 Tape Std 84 °F	
Office Work		Surveyed by L.V. SMITH	
Checked		Notes L.V.S. Date	
Date	Indexed		

P.B. 154

266.31 @ 4°11' = 265.40
266.23 @ 4°32' = 265.40
T = 4B° = 265.34'

265.34'

SAUSALE IN SPUR

20'± LINE

SEC. 9
T. 1 S.
R. 18 W.

F-8
SET 1X2 & NAIL

SEC. 8
T. 1 S.
R. 18 W.

300.60' @ 6°31' = 298.66'
300.68' @ 6°39' = 298.66'
T = 68° = 298.63'

298.63'

SWALE N 80° E.

191.1' TRANSIT

N. 68° W. SPUR

F-7
1X2 & NAIL ON SPUR

N. 74° E. SPUR

263.75' @ 8°45' = 260.68'
263.67' @ 8°37' = 260.69'
T = 64° = 260.65'

260.65'

140'±

N. 68° E. DRAIN

TOP PG. 152

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

F. B. 1833 Pg. 154

BOT. PG. 155

239.31' @ 13° 35' = 232.29'
239.15' @ 13° 46' = 232.28' = 232.28'
T = 54° = 232.23'

232.23'

N. 53° W.

DRAIL

F-11
SET 1x2 ¢
NAIL

SEC. 8
T. 1 S.
R. 18 W.

138.71'

146.10' @ 18° 91' = 138.94'
146.35' @ 18° 18' = 138.93' = 138.94'
T = 18° = 138.91'

SEC. 9
T. 1 S.
R. 18 W.

F-10
SET 1x2 ¢
NAIL

TRANSIT LINE

90.97'

94.43' @ 15° 30' = 91.00'
94.27' @ 15° 10' = 90.99' = 90.99'
T = 50° = 90.97'

F-9
SET 1x2 ¢
NAIL

265.34'

TOP PG. 153

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302 31 Tape Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. S. Date
Indexed S. L. Page

F. B. 1833 PG. 155

PG. 154

42.08'

45-63' @ 22°43' = 42.09'
45-43' @ 22°07' = 42.09'
T = 50° = 42.08'

F-14
SET 1x2 & NAIL

LINE

271.78'

283.50' @ 16°29' = 271.85'
283.30' @ 16°21' = 271.84' : 271.84'
T = 50° = 271.78'

SEC. 8
T. 1 S.
R. 18 W.

TRANSIT

SEC. 9
T. 1 S.
R. 18 W

F-13
SET 1x2 & NAIL

68.65'

70.09' @ 11°35' = 68.66'
70.00' @ 11°13' = 68.66'
T = 52° = 68.65'

F-12
SET 1x2 & NAIL
ON RIDGE

S. 58° E.
RIDGE

232.23'

TOP
PG. 154

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B 1833 Pg. 156

BOT 157

SEC. 8
T. 1 S.
R. 18 W.

72.02'

91.19' @ 37°49' = 72.04'
91.08' @ 37°43' = 72.05'
= 72.04'
T = 46° = 72.02'

F-16
SET 1X2 &
NAIL

TRANSIT LINE

71.03'

COUNTY ENGINEER
T. 1 S.
R. 18 W.
SEC. 8 & 9
R.E. 5869

82.35' @ 31°04' = 71.05'
82.54' @ 30°35' = 71.06'
= 71.05'
T = 46° = 71.03'

1/4 SEC. COR.
FD. SANDSTONE
12" X 14" X 16" WITH
1/4 SCRIBED ON
W. FACE. MOUND OF
ROCK 3 FT. BASE 1½
FT. HIGH 3 FT. WEST
OF STONE. C.S. 9219-27.
REPLACED STONE
WITH STD. CO. ENGR.
BRASS CAP MON. IN
CONC.

SEC. 9
T. 1 S.
R. 18 W.

7.26'

2.28'

F-15
SET 1X2 &
NAIL

42.08'

TOP
PG. 155

W.S. 98, D-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0702.01 Tape Std 84°F
Office Work	Surveyed by L. K. SMITH
Checked	Notes L. K. S. Date

F. B. 1833 PG. 15 1

PG. 158

230.65' @ 8°20' = 228.22 = 228.21'
230.95' @ 8°39' = 228.21'
T = 57° = 229.16'

228.16'

N. 51° E.

DRAIN

132.4'

F-19
SET 1X2 5/8 NAIL
FLUSH

SEC. 8
T. 1 S.
R. 18 W.

177.38'

214.91' @ 34°21' = 177.43'
215.16' @ 34°27' = 177.43'
T: 46° = 177.38'

F-18
SET 1X2 5/8
NAIL FLUSH

SEC. 9
T. 1 S.
R. 18 W.

49.03'

61.64' @ 57°16' = 49.05'
61.21' @ 56°45' = 49.05'
T: 46° = 49.03'

F-17
SET 1X2 5/8
NAIL FLUSH

72.02'

TOP
PG. 156

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 1833 Pg. 158

BOT
PG. 159

243.07' @ 17°15' = 232.14
243.32' @ 17°26' = 232.14
T = 50° = 232.09'

N. 50° W.
SMALL DRAIN

232.09'

117'±

F-22
SET 1X2 & NAIL
FLUSH

SEC. 8
T. 1 S.
R. 18 W.

194.41' @ 27°18' = 172.76
194.01' @ 27°04' = 172.76
T = 54° = 172.72'

172.72'

SEC. 9
T. 1 S.
R. 18 W.

F-21
SET 1X2 & NAIL
FLUSH

35.46' @ 17°04' = 33.90'
35.92' @ 19°19' = 33.90
T = 62° = 33.89'

33.89'

FD MOUND OF ROCK
4 FT BASE 1½ HIGH

7.2'

9.0

F-20
SET 1X2 & NAIL
FLUSH

228.16'

TOP
PG. 157

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302-01 Tape Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V.S. Date
Date	Indexed

F. B. 1833 PG. 159

PG. 160

237.60

240.01' @ 8°03' = 237.65 - 237.64
240.11' @ 8°14' = 237.63
T = 60° = 237.60

F-25
SET 1X2" FLUSH NAIL

160.93' @ 7°05' = 159.70'
160.85' @ 6°52' = 159.70
T = 62° = 159.68'

159.68'

N 70° W
DRAIN

24'

F-24
SET 1X2" FLUSH NAIL

SEC. 8
T. 1 S.
R. 18 W.

150.42'

TRANSIT LINE

152.98' @ 10°27' = 150.44'
153.18' @ 10°40' = 150.45 : 150.44'
T = 60° = 150.42'

SEC. 9
T. 1 S.
R. 18 W.

F-23
SET 1X2" NAIL FLUSH TOP OF SMALL SPUR

232.09'

TOP
PG. 158

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B/833 Pg 160

TOP PG. 163

50° 12' 00"

TO NAIL & TIN ON RANDOM LINE

192.38'

F-28
SET 1X2 & NAIL FLUSH

SEC. 8
T. 1 S.
R. 18 W.

39.19'

F-27
SET 1X2 & NAIL FLUSH TO SPUR

LINE

236.35'

TRANSIT

F-26
SET 1X2 & NAIL FLUSH

237.60'

BOT. PG. 161

193.90 @ 7°03' = 192.43
193.96 @ 7°13' = 192.42' = 192.42'

T = 50° = 192.38'

2)	100°	24'	00"
4)	200	48	00
6)	301	12	00
	50°	12'	00"

39.20' @ LEV.
T = 54° = 39.19'

SEC. 9
T. 1 S.
R. 18 W.

237.39 @ 5°14' = 236.40'
237.34 @ 5°06' = 236.40'

T = 52° = 236.35'

TOP PG. 159

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of SECTION LINES	F. B 1833 Pg. 161
Map No.		JN 0501.21 Tape Std 84 °F	
Office Work		Surveyed by L.V. SAVAGE	
Checked		Notes L.V. Date	
Date		Indexed	

PG. 162

267.60' @ 7°58' = 265.07'
267.54 @ 7°48' = 265.07'
T = 54° = 265.02'

265.0'

F-32
SET 1X2 & NAIL FLUSH

124.73' @ 18°30' = 118.28'
124.46 @ 18°07' = 118.29' = 118.29'
T = 56' = 118.27'

118.27'

F-31
SET 1X2 & NAIL FLUSH

SEC. 8
T. 1 S.
R. 18 W.

153.03' @ 18°01' = 145.53'
152.95 @ 17°56' = 145.52' = 145.52
T = 56° = 145.49'

145.49'

SEC. 9
T. 1 S.
R. 18 W.

F-30
SET 1X2 & NAIL FLUSH

29.44' @ LEV.
T = 56' 29.43'

27.43'

TRANSIT LINE

F-29
SET 1X2 & NAIL FLUSH

192.38'

TOP PG. 160

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B. 1833 PG. 162



1) 180° 12' 00"
4) 00 23 00
6) 180 35 00
90° 05' 50"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked

Survey of SECTION LINES
JN 2[illegible] Tape Std. 24 °F
Surveyed by L.V. SMITH
Notes [illegible] Date

F.B. 1833 PG. 163

SEC. 5
T. 1 S.
R. 18 W.

FD. 1x2" NAIL & TAG
F.B. 2210-186

FD. 1x2" NAIL & TAG
F.B. 2210-186

FD. NAIL & TAG
ROCKY CRAIG
F.B. 2210-185

431.21'
F.B. 2210-186

42.64'
F.B. 2210-186

681.47'
F.B. 2210-186

773.26'
F.B 2210-185

RANDOM LINE F.B. 2210

SEC. 8
T. 1 S.
R. 18 W.

2) 79°
3) 15°
6) 239°

45"
30
30"

47'
25
53'

55"
00
55"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 1833 PG. 164

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 0302 01 Tape 215 Std 98 °F
Surveyed by L C DUNLAP
Notes Date 2-15-66

F. B. 1809 PG. 1

SECTION LINES

JN 0302 01

FEB 15 1966

ANGULAR TIES TO FOUND SAND-STONE SHOWN IN FB 2605 254-263 FB 2336-284 FROM EXISTING SURVEY MONUMENTS.

REF
FB 2605: 254-263

PARTY
R.C. DUNLAP
C. ADAMS
D.R. JACKSON
M.G. NAVARRO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 5-63

F. B. 1633 PG 166

CONT'D FROM Pg 167

W.S. 91 C-1

2) 351-33-50
4) 343-07-40
6) 834-41-40
175°-46-57"

2) 178-08-40
4) 346-17-50
6) 159-26-30
R.0°-34'-25"

3) 74-10-40
4) 148-21-20
6) 222-32-00
37°-05-20

37° 05' 20"

34'-25"

FD 4"x6"x20" Sandstone with 3 notches on side per FB 2605-174, 254, 257 FB 2336-224

R.P. FD 1/2" I.P. 2.00' N & 2.00' E OF P.C. "2" FB 2605-254 & FB 2336-224

R.P. FD 1" I.P. CONC PLUGGED & TAGGED RCE 32605 FB 2605-254 & FB 2336-224

COUNTY SURVEYORS T1S R18W 1/4 SEC COR MONUMENT

1/4 SEC COR FD SYD CS BURIED COMMON REF FB 2605-172 FB 762-123 FB 210-171 FB 730-15,16,A6

3) 358-28-00
4) 356-56-00
6) 355-24-20
179°-14'-03"

COUNTY SURVEYORS T1S R18W 16 15 21 22 SEC COR MONUMENT

SES. COR FD STD CS RIVET COMMON REF FB 2605-171 FB 463-122 FB 210-171

179°

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Sec. 01 T1NR8
JN 1202 2' Tape [illegible] Std 71 °F
Surveyed by R.C. DAVIS
Notes _____ Date _____

F. B. [illegible] Pg. 107

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

144-037 S-2 144-037 4-7 WS 90 TA-4, B4, W.S. 43

SEC. COR. Fd S.C.E.S. Brass Cap in Mon. Per FB 2605-200 OSB 5-8-61-15

SURVEYORS T1S R12W 3 10 MONUMENT

1/4 SEC. COR. Fd S.C.E.S. Brass Cap in Mon. Per FB 2605-252

2) 182-12-00
4) 04-23-40
6) 186-35-40
91°-05'-57"

2) 108-01-40
4) 216-03-00
6) 324-04-30
54°-00'-45"

2) 66-21-40
4) 133-33-30
6) 200-20-10
33°-23'-22"

P.2 Fd [illegible] Per FB 2336-204

252.84

SEC. COR. Fd S.C.E.S. Brass Cap in Mon. Per FB 2605-182 2336-197

2) 174-48-20
4) 349-36-40
6) 164-25-00
87°-24'-10"

2) 173-03-00
4) 346-06-10
6) 259-09-10
86°-31-32

1/4 SEC. COR. Fd S.C.E.S. Brass Cap in Mon. Per FB 2605-182 2336-197

ENGINEER T1S R12W 4 9 MONUMENT SEC. COR. S.C.E. 5-8-61

76F3095 CE #310 9-83

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 1833 PG 168

G. E. BARR

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Channeling, Ports
JN 00[illegible] Tape 199 Std 84 °F
Surveyed by Manning, Hall
Notes [illegible] Date [illegible]
Indexed

F.B. 1833 Pg. 1/5

JN 007126

CALIFORNIA REGIONAL [illegible]

SURVEY OF

Frac NE Sec 28, T 1 S, R 9 W, SBB&M.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Manning Jr.
Pat Jan-Feb
10 Mar
Hall 3/10/67

168308 CE 310 8-67

F.B. 1833 Pg 176



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by G. E. BARR
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F.B. Pg.

WS 95 4-2

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

129-017 4-2


Set C.C. Mag in Monument Line
Ro Ln Rerun in F.B. 3845-13 & F.B. 3831-18 & 27 6-18-71 EJM
Set Line Monument
Set Line Monument
Set Line Monument
Set Line Monument
Set C.C. Mag in Monument Line
Angle at C.C. se-measured & Shown in F.B. 3831-239 Jam 7/1 8-10-77
Sec 28
Sec 29
Sec 32
Sec 33
Sec 5
Sec 4
Sec 9
Sec 8
Sec 17
Sec 16
Sec 20
Sec 21
Sec 28
Sec 29
Sec 32
Sec 33
Sec 5
Sec 4
Sec 9
Sec 8
Sec 17
Sec 16
Sec 20
Sec 21
Curve Ln
Curve Ln
Curve Ln

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 95, A-2

12-2-017 A2



F.B. 19227 PG.

76F3098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

129 - 017 A-2

W. 5. 95 A-2

Notes Ck'd by G. E. BARR
Map No.
Office Work
Checked
Date

Survey of
JN
Tape 100 Std
Surveyed by
Notes
Date

F.B. Pg.

Sec. 28

T. 4 S.

R. 5 W. Rancho La Ballona

10.75

0.07

8.96

F.H.R.

R.S. 5 R. 5 W.
F.B. 384 S - 13, 14, 17
F.B. 385 - 18, 24, 27
6-18-71

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 25, B-2

129-017 13-2, B-2



Notes Ck'd by G. E. BARR
Map No. [illegible]
Office Work
Checked D. SAPPELL
Date

Survey of Chevalier Ranch Park
JN [illegible] Tape 199 Std [illegible] °F
Surveyed by [illegible]
Notes [illegible] Date [illegible]
Indexed

F.B. 833 Pg. 154

W.S. 26 A-2

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

129-21 A-2

168308 CE#310 9/67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 95,A-2

129-017 A-2

Notes Ck'd by G. E. BARR
Map No. 2-5336
Office Work
Checked D. SAPPELL

Survey of
JN Tape 234 Std 84°F
Surveyed by R.C. DAVIS
Notes RCD Date 7-19-89

F.B. 1833 Pg. 183

W.S. 4-2

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this site of this line.

129-217 4-2

SECTION 21
T. 1 S.
R. 19 W.

SECTION 28
T. 1 S
R. 19 W

TRUE SECTION LINE

53.24 @ 17°26' T= 27.37
53.51 @ 17°56' T= 27.51

SET 1 1/2" I.P. CONC. PLUG & L.S. COENG TAG. FLUSH 0.7 SPUR.

335.26

293.25 @ 8°05' T= 29.01
293.25 @ 8°05' T= 29.01 = 29.01
146.58 @ 23°52' T= 29.01 = 14.24
148.10 @ 23°07' T= 29.01 = 14.14 = 43.24
335.26

218.22

220.85 @ 8°46' T= 86.56 218.22
220.67 @ 8°28' T= 86.56 218.21
AVG = 218.22

To Map Pg. 182

1/4 SEC. C.O.R. FD STD. C.S. BRASS CAP. DON. SET IN CONC. FB 5.84-89 BKD. AS SHOWN

COUNTY SURVEYOR
T. 1 S.
R. 19 W.
SEC. 21
SEC. 28

F.B. 1833 Pg. 184


SECTION 21
T.1S.
R.19W.
SECTION 28
T.1S.
R.19W.
SECTION LINE
TRUE
SEC. COR.
FD STD DISC BRASS
CAP IN MON WELL
PER RS 1813-101, 122
COUNTY SURVEYOR
No. 2711
REG. L.S.
CAL.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 S. FREMONT AVE.
ALHAMBRA, CALIF.
Do not detach this slip from this file.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change
B-1
FD 3/4" I.P. & CAP
TOP BROKEN
PER RS 3260-21
B-2
FD 3/4" I.P. & CAP
FLUSH
PER RS 3260-22
SET 1" I.P. CONC.
PLUG & LAC O ENG
TAG FLUSH BY
INTERSECTION
SET 1" I.P. CONC.
PLUG & LAC O ENG
TAG TOP EASTSIDE
CAVE
77.15 @ 4° 32' E = 80° 76.91
77.24 @ S 5° 16' E = 80° 76.89
AVG = 76.90
109.60 @ LEV E = 80° 109.60
186.50
186.50' S
SECTION LINE
TRUE
S 1° 31' E
109.60
S 88° 29' E
257.44
S 1° 31' E
1319.95
1319.95
S 1° 31' E
1319.95
S 1° 31' E
1319.95
S 1° 31' E

W.S. 98 B-2

Notes Ck'd by G. E. BARR
Map No.
Office Work
Checked
Date

Survey of Chevy Chase Eq. Hours
JN 00712 Tape 1.5 Std .5 °F
Surveyed by
Notes Date
Indexed

F.B. 12 33 Pg. 195

Note: Any Additions or Changes on this Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

129-017 13-2

SEC 28

SEC 27

Sec Cor

1/4 Cor

JF3208 EE 310 9.67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


SEC 28
SEC 28
SEC 28

Notes Ck'd by G. E. BARR
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date

F.B. Pg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



168098 CE#310 9/67

F.B. 1235 Pg. 198



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Charlie Reg Park
JN 00 7126 Tape _____ Std _____ °F
Surveyed by _____
Notes _____ Date 2-2-15
C. J. GALLI

F.B. 6 Pg. 189

JN 007126

CHARNLEE REG. PARK

RANCHO DUQUE

S/2 of SE 1/4 of SW 1/4 of Sec 21, T 1S, R 13W, SBB&M

TOGETHER WITH 165' of the SW 1/4 of SE 1/4 Sec 21, T 1S, R 13W

ABOVE ELEVATION 15 DEEDED TO

KNICKERBOCKER RANCH CO.

SECTION LINES N.E.'LY EXTENSIONS

Monks yd
Cons, Wbcker
Thistle
Lantern

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

168208 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 95, A-2

129-017 A-2



COPIES TO

MALIBU

(REGIONAL OFFICE)

pages 201 thru 251

Notes Ck'd by	Survey of Reset Sur. Mon
Map No.	JN 0802.78 Tape 182 Std. 84 °F
Office Work	Surveyed by Mankey Jr.
	Notes ETM Jr. Date 1-5-70

F. B. 1835 PG. 201

J.N. 0802.78

RESET SURVEY MONUMENT Along UPPER RAMERA MOTORWAY

NORTH LINE SEC. 19, R18W, T1S, S.B.M.

Mankey
Yasui
Masuda
Derby

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F. B. 1833 PG. 202

INDEX MAP

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by A. E. DART
Map No.
Office Work
Date

Survey of Reset Sur. Mon.
JN 080278 Tape 182 Std. 8.4 °F
Surveyed by Mankey & Jr.
Notes ETM Jr. Date 1-6-70

F. B. 1833 PG. 203

4-1

T2S R13W

SURVEYORS COUNTY SURVEYOR LOS ANGELES COUNTY

1/4 Sec. Cor. Fd. a C.S. Br. Cap Mon. Mkd. as shown Per F.B. 2605 - 223

F.B. 2605-223 80.28'

SEC. 18

SEC. 19

Fd. 3/4" I.P. Conc. Plug & C.C. Tag, Flush in side walk, good cond., not checked for line per F.B. 2605-223

F.B. 2605-223 26.24'

LINE

Fd. 3/4" I.P. Conc. Plug & C.C. Tag, Flush on spur & in good cond., Per. F.B. 2605 - 224

SECTION

F.B. 2605-224 288.58'

Fd. 3/4" I.P., Conc. Plug & C.C. Tag, Flush on spur & in good cond., Per. F.B. 2605 - 224 line checked to this point From the West

F.B. 2605-224 653.05'

To Top

Pg. 204

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3095 C.E.#310.3-68

F. B. 1833 PG. 204



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____

Survey of MALIBU AREA 2
JN 0303.00 Tape 4 Std 94°F
Surveyed by LIND
Notes LIND Date 11-69
Indexed _____

F.B. 1833 PG. 205

JN 0303.00

TOPANGA MALIBU SEQUIT RANCHO LINE

RETRACEMENT SURVEY

FROM STATION NO. 8

TO STATION NO. 7

WITH ZONE 7 TIE

NOV. 1969

LIND

DOVER

DARVIS

ARMANIOUS

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3098 CE#310 8/67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

FB. 1833 Pg. 206


INDEX & METHOD SKETCH
30
29
28
32
31
Malibu Canyon
Rambla Pacifico
Corral Canyon
Malibu Creek
Gravel Pit
M A L I B U
Sta 7
Pg 209
Sta 8
Pg 212
Sta 9
Pg 216
Pt. Dume L.S.
FBG 12/2 - 22
FBG 12/2 - 24
FBG 12/2 - 20
FBG 12/2 - 26
Ranch Line Road
Pg 209
705
Notes Ck'd by
Map No:
Office Work
Checked
Date
Survey of MALIBU AREA #2
F.B. 1683 PG. 207
JN 030200 Tape 4 Std. 84 °F
Surveyed by LIND
Notes LIND Date 11-69
Indexed C. J. GALLI JAN 15 70

1833 — 208

76F3098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

114-037 B-1

W.S. 98 A-3

Notes Ck'd by R. HILARIO
Map No. ____
Office Work ____
Checked ____

Survey of MALIBU AREA DIV 2
JN 2302 Tape 4 Std 24 °F
Surveyed by ____ Date 11-1962
Notes

F.B. 1838 Pg. 209

W/IT. CORNER

FD C.S. BRASS CAP MON. PER CSB 1236-1 MARKED AS SHOWN

NORTH LINE OF RANCHO TOPANGA MALIBU SEQUIT PER CSB 1236-1

COUNTY SURVEYOR STA. 8 RO. T.M.S. W.C. RE 63

FD SPK & TIN IN 40" OAK

30.74 S

SEC 32

T 1 S R 18 W

10.00 R&M.

3.90 R&M.

199.35

± 1800'

10.00

NOTHING FD.

11.70

22.27

COR HSE.

COR HSE

FORESIGHT
SET 2" I.P. CEM. PLUG & C.E. TAG FL. ON SPUR

U.S. DEPT OF THE INTERIOR
UNLAWFUL TO DISTURB
T 1 S R 18 W
S-32
RTMS 8

STATION NO 8
30" OAK PER CSB 1236-1 HAS BEEN REMOVED.

1967

CAPISTRANO BEACH

SPANISH LAND GRANT

HOUSE NO 5750 RAMAREZ CYN RD.

FD 3" BRASS DISK SET IN TOP OF 2" I.P. FLUSH WITH GROUND MARKED AS SHOWN

F.B. 1833 Pg 210

To Batt

PAGE 211

SEC. 32

T 1 S R 18 W

POT 2+34.61
SET 2" IRON PIPE
CEM. PLUG AND
LA. CO. ENGR. TAG
FLUSH ON SIDE
HILL

481.67

2+04.53
FD 6"x6" LIMESTONE
MARKED T.M.7+
ON THE SOUTH FACE
UP 6" PER C S B
1236-1

1.62

35.26

5.23

1+99.35
SET 1"x2"
AND NAIL
FLUSH

199.35

NORTH LINE OF RANCHO
TOPANGA MALIBU SEQUIT
PER CSB 1236-1

T = 66°
T = 720

227.27 @
39.85 @

61°19'
111°47'

99.85
35.29

TO TOP PAGE 209

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

2434

26F309B CE# 310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

114-037 B-1

W.S. 92 3-3

Notes Ck'd by R. HART
Map No.
Office Work
Checked
Drawn

Survey of MALIBU AREA
JN 0503.00 Tape # Std. 66°F
Surveyed by LINED
Checked
Date

F.B. 1833 Pg. 211

SEC. 32
T 1S R 18 W

7+16.28
FD BLM 3" BRASS DISK SET IN THE TOP OF A 2" I.P. UP 8" IN A ROCK MOUND AND MARKED AS SHOWN

U.S. DEPT OF THE INTERIOR
UNLAWFUL TO DISTURB
W 1/16 S 32
RTMS
CADASTRAL SURVEY
BUR. OF LAND MANAGEMENT

8+96.10
FD 8"x10" LIMESTONE MARKED "T.M. 7+" ON THE SOUTH UP 10" PER CSB 1235-1

To Top Page 210

To Top Page 212

0.22 — 481.67 — 136.15 — 43.67 — 0.57 — 883.60

NORTH LINE OF RANCHO TOPANGA MALIBU SEQUIT PER CSB 1236-1

POT 8+52.43
SET 2" I.P. CEM. PLUG AND TAG FLUSH ON RIDGE

T = 72

133.45	@ 292° 29' =	123.30
197.53	@ 293° 55' =	144.00
241.88	@ 297° 35' =	214.37
		481.67

T = 72

114.72	@ 62° 14' =	101.50
38.21	@ 114° 55' =	34.65
		136.15

F.B. 1833 Pg. 212

T4 BOTT. PAGE 213

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

SEC. 32
T 1 S R 18 W

T= 76° 224.
T= 76° 124.
T= 76° 53.
T= 76° 206.
T= 74° 81.
T= 74° 230.

20 @ 77° 57' = 219.31
97 @ 83° 21' = 120.15
34 @ LEV = 53.88
50 @ 73° 44' = 195.15
30 @ 68° 30' = 75.68
25 @ 70° 02' = 216.55
283.80

NORTH LINE OF RANCHO TAPANGA MALIBU SQUIT PER CSB 1836-1

883.60

TO TOP

94.88

POT 17+36.03
SET A 2" IP CEM. PLUG AND CE.TAG FLUSH ON BROW OF HILL

11.30

POT 18+30.91
SET A 2" IP CEM. PLUG AND C.E. TAG FLUSH ON TOP OF RIDGE

POT 18+42.21
SET 3/4" LR CAPPED IRON PIPE FLUSH ON TOP OF RIDGE

85.97

95.82 = LEV @ 86.58

T= 74°
96.09 @ 260° 56' = 94.88
11.30 @ LEV = 11.30

PAGE 211

76F309B CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

SEC. 32

T 1 S R 18 W



POT 19+28.18
SET 2" I.P. CEM. PLUG AND C.E. TAG FLUSH

POT 33+67.58
SET A 2" I.P. CEM PLUG AND C.E. TAG FLUSH ON BROW OF HILL

NORTH LINE OF RANCHO TOPANGA MALIBU SEQ. T

Notes Ck'd by R. HILARIO
Map No.
Office Work
Checked

Survey of MALIBU AREA
JN 0323 by Tape Std. 62° F
Surveyed by [illegible] Date [illegible]
Notes

F.B. 1833 Pg. 213

TO TOP PAGE 2/2

85.97 — 1439.40 — 237.03

T= 74°	126.02 @	100° 17'	= 123.99			
T= 74°	97.46 @	283° 42'	= 94.68			
T= 74°	224.68 @	109° 55'	= 211.23			
T= 74°	91.33 @	69° 22'	= 85.46			
T= 74°	182.69 @	243° 21'	= 163.27			
T= 70°	111.25 @	127° 40'	= 88.06			
T= 70°	297.43 @	81° 06'	= 293.82	T= 84°		
T= 70°	29.85 @	299° 49'	= 25.40	23.25 @	LEV	= .25
T= 70°	127.73 @	85° 13'	= 127.28	114.56 @	94° 23	= .30
T= 78°	235.45 @	124° 14'	= 194.65	99.56 @	LEV	= .56
T= 78°	33.58 @	292° 25'	= 31.04			.03
			1439.40			

F.B. 1833 Pg. 214

TO PAGE 215

SEC. 32
T 1S R 18 W

POT 36+61.03
SET 4" IRON PIPE C.M. PLUG IN END OF TAG IN CONC.

POT 36+04.61
SET 4" IRON PIPE I.P.O. PLUG ENDS TAG ON TOP OF RIDGE

237.03

56.42

231.03

26.31

0.39

36+34.72
FOUND 3/4" IRON PIPE CORNER MONUMENT TAG STAMPED L.S. 4262 ON TOP OF RIDGE

T= 24.6

57.02 @ 81° 39' = 56.42
247.66 @ 248° 53" = 231.03

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

BASIS OF BEARINGS
BEING THE CENTERLINE OF TOPANGA CANYON BOULEVARD AS SHOWN ON R.S. 125-1

TO TOP

PAGE 213

X

76F3098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

SEC. 32

T 1 S R 18 W

POT 38+92.06
SET A 2" IRON PIPE CONC PLUG AND C.E. TAG FLUSH

POT 44+33.69
SET A 2" IRON PIPE L.A.M. PLUG AND L.A. CO ENGR TAG FLUSH ON ROCKY SIDE HILL

231.03

541.63

17.65

0.70

5.24

38+96.82
FOUND 8"x10" LIME STONE MARKED TM + ON SOUTH FACE 8" UP "USED HIGH SPOT" OF STONE

NORTH LINE OF RANCHO TOPANGA MALIBU SEQUIT PER L.S.B. 1236-1

T= 84°

131.93	@	125° 09'	= 107.87
292.80	@	62° 31'	= 259.75
47.47	@	281° 55'	= 46.45
135.03	@	70° 51'	= 127.56
			541.63

TO TOP PAGE 214

TO BOTT PAGE 216

Notes Ck'd by _____
Map No. _____
Office Work _____

Survey of MALIBU AREA
JN 0303 Tape 4 Side "F"
Surveyed by _____

F.B. 1833 PG. 215

X

F.B. 1833 Pg 216

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

LW.S. 92, B-3

114-037 B-1

SEC 32
T 1 S R 10 W

T = 24°

7.996	@ LEV =	7.006	
52.401	@ 49° 39' =	39.64	
		46.70	
31.46	@ 67 26 =	-29.05	
		17.65	
11.66	@ LEV =	11.66	

STATION NO 7

44 + 63.00 ON LINE
FD 1X2 IN
TOP OF CURB
FACE CURB

44 + 63.00

+ 11.90

FACE SIGHT
SET A 2" I.P.
CEM. PLUG
& C.L.E. TAG
FLUSH ON SIDE
HILL

NORTH LINE OF
RANCHO TOPANGA
MALIBU - SEQUIT
PER C.S.B. 1236-1

44 + 51.34

WITNESS CORNER

FOUND L.C.S. BRASS
DISC MON.
FLUSH
AS SHOWN
PER C.S.B. 1236-1

17.66

17.66

STA. 7
RD TMS
W.C. B.M.
1967
R 5.8

TO TOP PAGE 215

Notes Ck'd by _____
Map No. _____
Office Work _____
Date _____

Survey of HARMLEE PARK
JN 0302.01 Tape 229 Std 84 °F
Surveyed by L.V. SMITH
Notes [illegible] Date 7-21-70

F.B. 1833 Pg. 217

SECTION LINES

J.N. 0302.01

SUBDIVISION OF SECTION 21,
TOWNSHIP 1 SOUTH, RANGE NINETEEN
WEST.

AUG 1970

REF.
F.B. 1376-1
F.B. 1833

PARTY
L.V. SMITH
M.E. WACKER
V.L. HUCKABY
A.E. LUND III

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7SP303S CE #310 8-66

F.B 1853 Pg. 218

INDEX





PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by _____
Map No. _____
Office Work _____
Date _____

Survey of CHARMLEE PARK
JN 0255-04 Tape 25B Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 7-20-10

F.B 1833 Pg. 219

Pg. 220

291.26' @ 10°19' = 286.09'
291.36' @ 15°35' = 286.09'
T = 82° = 286.09'

1) 18° 39' 00"
2) 74 35 40
3) 111 53 40 ✓
18° 38' 57" ✓
38
JMC

286.09' 1/4 SECTION LINE

TO PG. 237 1/4 SEC. LINE

RIGHT PG. 237

18° 38' 57"

SECTION LINE

LEFT PG. 242

TOP 1415.63'
PG. 232 (F.B. 3617-1-2)

1/4 SEC. CORNER
FD. STD. SURVEYOR
BRASS CAP MON.
IN CONC. UP 3"
PER F.B. 1833-182
183 MON. MARKED
AS SHOWN

COUNTY SURVEYOR
R.I.S.
1/4 SEC. 21
1/4 SEC. 28
1/4 COR.
R. E. 21

Note: Any Additions or Changes on this Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

129-017 A-2

76P3088 CE #310 8-66

F.B. 1833 PG. 220

SEC. 21
T. 1 S.
R. 19 W.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by D. CARROLL
Map No. 5
Office Work
Checked
Date

Survey of CHARNLEE PARK
JNC Tape LS Std 54°F
Surveyed by L.V. SMITH
Notes
Date 1/1/26

F.B. 1833 Pg. 221

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

1129-017 4-2

76P3098 CE #310 8-65

Pg 222

190.01' @ 8°00' = 188.16 / 188.17
190.33' @ 8°22' = 188.17
T = 72° = 188.16

SEC. 21
T. 1 S.
R. 17 W.

SET 1/2" IRON PIPE

FD. 1" I.R. NO. PLUG IN G., PLUS 2 OFFSET TO CENTER OF PIPE

85.23' @ 0°55' = 84.28
81.31' @ 7°44' = 80.22
4.06' @ LEV. = 4.06
84.28

T = 68° = 84.27

84.27'
0.22

COUNTY ENGINEER
T. 1 S.
R. 17 W.
SEC. 21
1/64 COR.
R.E. 5869

160.85

1/64 SEC. LINE

TOP Pg. 240

1/4 SECTION LINE

1/4 COR. SET L.A. CO. ENGR. BRASS CAP MON. IN CONC. R.E. CALC. IND. POINT BETWEEN 1/64 SEC. COR. N.LY. & 1/4 SECTION COR. S.LY. MON. MARKED AS SHOWN. SET 3/4" MARKER PIPE 2' S. ELY.

169.41 S 16°17' = 160.86
169.53 S 16°36' = 160.87
T = 78° = 160.85

TOP Pg. 220

F.B. 1833 Pg. 222

BOT
PG. 223

356.99'

SET 1X2 & NAIL ON BERM AT SIDE OF ENCINAL CYN. ROAD

SECTION LINE

149.25' @ 9°19' = 147.28'
149.07' @ 5°56' = 147.28'
T. 12° = 147.27'

147.27'

SET 1X2 & NAIL FLUSH

SEC 21
T 1 S.
R 19 W.

FD. 1" I.P. NO PLUG - UP 6" PLUS 6 OFFSET TO CENTER OF PIPE

11.30'

1.88-16'

0.36

TOP
PG. 221

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Notes Ck'd by D. SAPPELL | Survey of CHARMLEE PARK | F.B. 1833 Pg. 223
Map No. 2 | JN | Tape 228 Std 74 °F
Office Work | Surveyed by L.V. SMITH
Notes | Date

W 1/2

107.32 @ 21°09' = 100.08 ✓
102.63 @ 21°41' = 95.55 ✓
4.54 @ LEV. = 4.54 ✓
100.09 ✓

T = 74° = 100.08 ✓

BOT. PG. 224

FD. 1" I.P. L.S. 7796 " 1023 CSS 1" UP 3"

100.08

0.25

9.56

1/16 CORNER SET 5/8" SQ. ENGR. BRASS CAP MON. IN CONC. UP 2" AT WID POINT BETWEEN W 1/4 SECTION CORNER & S. CTR. SECTION CORNER MONUMENTED AS SHOWN. SET 3 FT. GUARD PINE 2" x 5" FLY.

COUNTY ENGINEER T. 1 S. SEC. 21 1/16 COR. R.E. 5869

TOP 1/16 SEC. LINE 2

PG. 239

FD. 1" I.P. UP 3" NO TAG

0.51

0.06

90° 41' 40"

260.82 @ 9°48' = 257.01 ✓
261.04 @ 10°05' = 257.01 ✓
T = 74° = 256.99 ✓

32° 35' 00"

CUTOFF LINE FOR 70 PT. ON 1/4 SEC. LINE

1/4 SECTION LINE 256.99 ✓

SEC. 21
T. 1 S.
R. 19 W.

1 90° 41' 40"
2 2° 47' 00"
6 184° 10' 00" ✓
90° 41' 40" ✓

1 32° 35' 00"
2 130° 20' 10"
6 195° 30' 00" ✓
32° 35' 00" ✓

TOP PG. 222

L.T. PG. 240

129-011 4-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

76P309S CE #310 8-69

F.B. 1833 Pg. 224

B.O.T. PG. 225

E-3
SET 1 X 2 6"
NAIL ON
SLOPE - FLUSH

104.94'

8.99

FD. 1½" I.P.
WOOD PLUG
STAMPED
1025 CORR
UP 2"

0.64'

941.15'

E-2
SET 2" I.P.
CONC. PLUG L.A.
CO. ENGR. TAG
UP 1" ON RIDGE
SET YELLOW
GOPHER PIPE 2M
N. R.A.

109.90	@	LEV	=	109.90 ✓
100.69	@	0°31'	=	100.47 ✓
100.62'	@	3°08'	=	100.47 ✓
125.48	@	10°28'	=	125.36 ✓
127.64	@	10°31'	=	125.56 ✓
199.14	@	20°25'	=	186.63 ✓
198.77	@	20°08'	=	186.62 ✓
187.25	@	7°22'	=	182.73 ✓
184.34	@	7°34'	=	182.73 ✓
236.18	@	1°53'	=	236.06 ✓
236.16	@	1°33'	=	236.07 ✓
				941.15 ✓

T = 84° = 94.15 ✓

SEC. 21
T. 1 S.
R. 19 W.

52°

30.00' E. TO E-2

64.31' ✓

1/4 SEC. LINE

SET 1X2 6"
NAIL ON
SLOPE

CALC. DISTANCE
= 1231.69

100.08' ✓

TOP PG. 223

PG. 220

1)	52°	41'	30"
4)	210	46	20
6)	316	09	00 ✓
	52°	41'	30" ✓

TOP

65.05' @ 8°39' = 64.31' ✓
65.09' @ 8°54' = 64.31' ✓
T = 74° = 64.31' ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by _____
Map No. _____
Office Work _____
Date _____

Survey of CHARMLEE PARK
JN _____ Tape 200 Std 54 °F
Surveyed by L. V. SMITH
Notes _____ Date 7-25-56

F.B. 1838 Pg. 225

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

12-017 4-2

76P3038 CE #310 5-65

1 87 45 10"
4 339 00 40
6 178 31 00 ✓
89° 45' 10" ✓

VOL. 6 PG. 226 COOK LINE 6" PER L.S. 2/53-1

COUNTY ENGINEER L.A.S. SEC. 21 T.2S. R.14W. CTR. SEC. R.E. 5889

0.81'

FD. 1½" I.P. & TAG L.S. 2745 UP 2"

0.20

0.12'

LEFT PG. 242

TOP 1589.78' IN SEC. LINE
PG. 228

CTR. SECTION SET STD. CO. ENGR. BRASS CAP MON., IN CONC. UP 3' BY INTERSECTION OF LINE BETWEEN N. & S. 1/4 COR. & E. & W. 1/4 CORNERS SET 3 FT. GUARD PIPE 2½" I.N.E.L.Y. MON. MARKED AS SHOWN

142.91' @ LEV.
T=84°: 142.91' ✓

NOTE
SEE PG. 245 FOR GEODETIC TIE TO CTR. SECTION.

1 51° 28' 40"
4 205 54 40
6 308 51 40 ✓
51° 28' 37" ✓

BASE LINE

1/4 SEC. LINE

142.91' ✓

86.90' ✓

FD. 2X2 & NAIL FLUSH. NO MKS

0.06'

E-1 SET 1X2 & NAIL FLUSH

7.11

"B" PT. PG. 227

P.I. TO "B" PT. 168.60'

109.84 @ 17°29' 104.95' ✓
112.60 @ 17°07' 104.94' ✓
T: 84°: 104.94' ✓

104.94' ✓

TOP PG. 224

F.B. 1833 Pg. 226

W5 95A-2

COUNTY SURVEYOR'S MONUMENT
T. 1S
R. 19W
16
21
1/4 SEC. COR.

1/4 SECTION COR.
TO. CO. SURVEYORS
BRASS CAP MON. IN
CONC. CUP 8" PER
C.S.B. 1396-1 MON
MARKED AS SHOWN
FOUND HERMAN
FINE S. ELY.

TOP
PG. 243

SECTION LINE

90°

12.

10.

N.E. 1/4
SEC 21
T. 1 S.
R. 19 W.

1) 90° 29' 20"
2) 0° 55' 00" ✓
2) 180° 55' 00"
90° 29' 10" ✓

N.W. 1/4
SEC. 21
T. 1 S.
R. 19 W.

1/4 SECTION LINE

TOP
PG. 225

129-017 A-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

Notes Ck'd by _____
Map No. _____
Office Work _____
Date _____

Survey of CHARNELEE PARK
JN _____ Tape _____ Std _____ °F
Surveyed by L-V SMITH
Date 8-1-70

F.B 1833 Pg. 227

290.15 @ 8°37' = 286.87 ✓ 286.88 ✓
290.05 @ 8°28 = 286.89 ✓
T = 94° = 286.90' ✓

SET 1X2 & NAIL FLUSH ✓

286.90 (T.P. SEC (T.P. PG. 325 LEFT

1188° 02' 10"
4332 11 20
6165 16 70 ✓
88° 02' 47" ✓

88° 02' 47" ✓

TO RIGHT PG. 229

TAN. TO BASE LINE

PT. "B" SET 1X2 & NAIL FLUSH D.I. SPUR

227.11	@ 0°44'	= 227.09 ✓	227.09 ✓
227.10	@ 0°38'	= 227.09 ✓	
123.97	@ 5°57'	= 123.58 ✓	123.57 ✓
299.20	@ 0°20'	= 299.19 ✓	299.19 ✓
299.20	@ 0°19'	= 299.19 ✓	
96.05	@ 0°14'	= 95.90 ✓	95.90 ✓
96.01	@ 2°50	= 95.89 ✓	
			745.75 ✓

T = 82° = 745.74' ✓

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red. Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76P3098 CE #310 8-68

F.B. 1833 Pg. 228

LEFT PG. 225

W 595 14-2

W/G CORNER SET STD. CO. ENGR. BRASS CAP MON IN CONC. UP 4" AT MID POINT BETWEEN 1/4 SEC. COR. WLY. & CTR. SEC. COR. ELY. MON. MARKER AS SHOWN. SET 3/4" SQUARE NAIL 2" W.ELY.

COUNTY ENGINEER T.1S. R.E. 5885 SEC 21 W/G COR.

TOP PG 241

1.00'

0.56'

FD. 3/4" I.P. NO TAG PLUS 2 OFF SET TO GR.

68.04' @ 32°21' = 57.48' ✓
66.16' @ 32°44' = 55.65' ✓
1.83' @ LEV. = 1.83' ✓
57.48' ✓

T = 90°: 57.48' ✓

1589.78' CALC. — 57.48' — 1/4 SEC. LINE — 108.46' ✓

SET 1X2" NAIL FLUSH ON STEEP SLOPE

123.40' @ 28°29' = 108.46' ✓
123.28' @ 28°23' = 108.46' ✓
T = 90°: 108.46' ✓

N-1 SET 1X2" N FLUSH

95.11' @ 13°10' = 92.61' ✓
94.93' @ 12°42' = 92.61' ✓
T = 92°: 92.61' ✓

92.61' ✓

TOP PG. 229

129-017 14-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by _____
Map No. _____
Office Work _____
Date _____

Survey of CHARMLEE PARK
JN 2007-01 Tape 238 Std 84 °F
Surveyed by L.V. SMITH
Notes _____ Date 7-4-85

F.B. 1811 Pg. 227

1) 40° 28' 47" E
4) 1.41

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red. Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7-85 2095 CE #310 5-65

BOT PG. 228

N-1 SET 2" I.P. CONC. PLUG w/ L.A. CO. ENGR. TAG FLUSH ON SPUR.

1589.76' ℄

92.61'

40° 28' 47" E

TO BOT PG. 228

TO LEFT PG.

65° 52' 33"

TOP PG. 241

CUTOFF LINE FOR XS

1) 65° 52' 30"
4) 263 30 20
5) 35 15 20
65° 52' 33" ✓

33.04' ✓
256.05' ✓
289.09' ✓

256.04' @ 7 EV.
256.13' @ 1° 22' = 256.06' ✓
256.10' @ 1° 05' = 256.05' ✓

T = 90° = 289.10' ✓

289.10' ✓

SEC. 21 T.1S. R.19W.

N-3 SET 1x2 & NAIL FLUSH

¼ SECTION LINE

383.99' ✓

299.26' @ 8° 49' = 295.72' ✓
299.11' @ 8° 37' = 295.73' ✓
89.85' @ 10° 52' = 88.24' ✓
87.67' @ 10° 14' = 88.24' ✓

295.73' ✓
88.24' ✓
383.97' ✓

T = 92° = 383.99' ✓

N-4 SET 1x2 & NAIL FLUSH

176.93' ✓

82.44' @ 3° 05' = 82.32' ✓
82.48' @ 3° 38' = 82.31' ✓
94.62' @ LEV. = 94.62' ✓
176.93' ✓

T = 86° = 176.93' ✓

TOP PG. 230

F.B. 1833 Pg. 230

SOT. PG. 229 ✓

176.93 ✓

N-5
SET 1" I.P.
CONC. PLUG
L.L.P. CO-ENGR.
FLUSH
IN WELL
NOSE SAT.
3 FT. MARKER
PIPE 2' IN BKY.

3.88

PO. 2x2 E.
NAIL SP 1'
NO REF.
ON LINE

105.06 ✓

106.72 @ 10°08' = 105.06 ✓
106.58 @ 9°12' = 105.06 ✓
T = 90° = 105.06 ✓

N-6
SET 1" I.P. & N.
FLUSH

SEC. 1
T. 1 N.
R. 19 W.

74.76 @ 13°09' = 72.80 ✓
74.52 @ 12°21' = 72.80 ✓
T = 96° = 72.81 ✓

1/4 SECTION LINE

72.81 ✓

N-7
SAT 1x2 & N.
FLUSH

50.90 @ 28°20' = 44.80 ✓
50.38 @ 27°13' = 44.80 ✓
T = 94° = 44.80 ✓

44.80 ✓

RIGHT
PG. 231

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by D. SAPPELL
Map No. 3 2776
Office Work
Checked by CADDEN

Survey of CHARMLEE PARK
JN 6555 24 Tape 303 Std 64 °F
Surveyed by L-V-CALLEN
Notes L-V Date 7-9-70

F.B. 1833 Pg. 231

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

12-317 4-2

N 5° E 432'

RIGHT PG. 248

SEC. 20
T. 1 S.
R 19 W

1/4 SECTION COR.
FD. STD. SURVEYOR'S
BR. IN MON. IN
CONC. UP 2" PER
C.S.B. 1396-1
SET 3FT. MARKER
PIPE 2 FT. WEST
MON. MARKER AS
SHOWN

COUNTY SURVEYOR'S
T. 1 S.
R 19 W
1/4 SEC. COR.
MONUMENT

43"
01"
90°
FD. 3/4" I.P.
CONC. PLUG
E.L.A. CO.
ENGR. TAG
F.B. 674-7

28.77'

LINE PROD FOR X'S

1/4 SECTION LINE

BOT. PG. 230

44.80'

RIGHT PG. 247

1)	90°	01'	40"
4)	0	06	50
6)	180	10	20
	90°	01	43"

72.89'

SECTION LINE

S.W. 1/4
SEC. 21

TOP PG. 236

76P3098 CE #310 8-68

F.B. 1833 Pg. 232

1) 12° 09' 40"
2) 48 38 30
3) 72 58 00 ✓
12° 09' 40" ✓

LEFT PG. 220

TO INTERSEC. LINE

12° 09' 40"

LEFT PG. 219

SEC. 28 T. 1 S. R. 1 W.

S. SECTION LINE

1/16 SEC. CORNER SET L.S. CO. ENGR. BRASS CAP MON. IN CONC. 0.1' ∠ AT MID POINT BETWEEN 1/4 SEC. CORNER E.LY. & S.W. CORNER OF SEC. 21 T. 1 S. R. 2 W. MON. MARKED PS SHOWN. SET 3 FT. GUARD PIPE 2.14 S. E.LY.

COUNTY ENGINEER T. 1 S. SEC. 21 SEC. 28 R. 2 W. L.C.S. R.E. 5866

FD. 3/4" I.P. UP. 2" NO PLUG. NO REF

0.82'

R 14 I.S. C.F.B. 3617 - 1-2)

BOT. PG. 237

335.12

117.12 ✓

1.50'

1/16 SEC. LINE

SET 1x2 S. NAIL

118.33 @ 5°49' = 117.72' ✓
118.38 @ 6°01' = 117.73' ✓ 117.72' ✓

T = 84° = 117.72' ✓

84.16 @ 10°58' = 82.62' ✓
78.20 @ 10°56' = 76.78 ✓
5.84 @ LEV = 5.84 ✓
82.62 ✓

T = 72° = 82.61' ✓

82.61'

73.17'

FD. 1" I.P. CONC. PLUG & L.S. CO. ENGR. TAG PER F.B. 1833 PG 182

TOP PG. 233

SEC. 21

S 45° 47' 12" W 129.01'

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by R SAPPELL
Map No. E - 5036
Office Work
Date

Survey of CHARMLEE PARK
JNO. Tape 203 Std 64°F
Surveyed by L.V. SMITH
Notes
Date 7-7-70

F.B. 1833 Pg. 233

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

129-C7 4-2

7GP2098 CR #310 5-68

BOT
PG. 232

73.17

SEC. 21
T. 1 S.
R. 19 W.

73.65 @ 6°30' = 73.18'
T = 72.1" = 73.17"

1" I.P. CONC.
PLUG L.A. CO.
ENGR. TAG UN.
4" ON W'LY. SIDE
OF RANGE PER
F.B. 1833-182

SEC. LINE

SEC. 28

P.I. "C" 234
PG.

1) 47° 19' 00"
2) 133 15 50
3) 283 53 40 ✓
47° 18' 57" ✓

NOTE
SEE PG 24.8 FOR
25-6 SEC. LINE NLY.
L.V.S.

1) 91° 04' 40"
2) 04 19 40
3) 186 29 40 ✓
91° 04' 57" ✓

57" ✓

E. LINE PER F.B. 1833-182

1177.25' ✓

SECTION COR.
PD. CO. SURVEYOR
BRASS CAP MON
IN CONC. CONC.
AROUND PIPE
IS CRACKED
BUT PIPE IS
SOLID PER C.SR.
1396-7 MON.
NUMBERED AS
SHOWN.

BOT
PG. 234 666.31
SECTION LINE
1303.72' CALC.

SEC. 20

SEC. 29

COUNTY SURVEYOR
T. 1 S.
R. 19 W.
R. E. 20/21
29/28

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

SW 95 A-2

129-017 A-2


AD 1/4" I.P. CONC. PLUG 6" E. & 7" S. OF TAG 4743 F.L.U.S.A. NO REF.
SEC. 21
SEC. 20
T. 1 S.
R. 19 W.
SET PT. "C" ON BRASS DISC
SET 1"x2" NAIL
SET STD. W/CO. ENGR. BR. CAP IN CONC. FLUSH W/GRADE AT INTO. POINT BETWEEN SEC. COR. & 1/4 COR. N.W. OF SEC. 21 & S.W. OF SEC. 20
SET 3/4" I.P. PIPE MON. MARKED AS SHOWN
FD 1/4" I.P. PIPE MON. MARKED AS SHOWN
TO 1" I.P. LEFT
TO 1" I.P. LEFT
SECTION LINE
1503.42' CHAC
666.31
666.31
174.32'
92.11'
92.11'
T = 82° 62.91'
T = 80° 92.11'
T = 89° 77.20'
83.60 @ 10°14' = 82.12'
83.23 @ 8°54' = 82.11'
63.60 @ 8°27' = 62.81'
63.08 @ 9°08' = 62.80'
71.60 @ 9°08' = 71.60'
0.50'
0.55' MEAS. 247
S 1/4 COR. SEC. 21 T 1 S R 19 W
S 1/4 COR. SEC. 21 T 1 S R 19 W
N.E. COR. SEC. 20 T 1 S R 19 W
N.W. COR. SEC. 21 T 1 S R 19 W
89° 22' 00" 3801.12'
89° 22' 00" 3801.12'
41° 36' 05" 1249.36'
41° 36' 05" 1249.36'
41° 36' 05" 1249.36

Notes Ck'd by
Map No.
Office Work
Date

Survey of SYCAMORE PARK
JN Tape Std 71 °F
Surveyed by L.V. SMITH
Notes Date 8/10/70

F.B. 1833 Pg. 235

PG. 236

292.67 @ 6°56' = 287.01 ✓ = 284.01 ✓
292.15 @ 7°33' = 294.72 ✓ = 94.72 ✓
295.49 @ 7°17' = 94.72 ✓
383.81 ✓
383.80 ✓

T = 82° = 383.80 ✓

SEC. 20
T. 1 S.
R. 19 W.

SECTION LINE

W-2
SET 1/2" NAIL
FLUSH

SEC. 21

TANGENT LINE
190.6 POINT OF CURVE
130.2 P.S.

181.71 @ 10°28' = 178.69 ✓ = 178.67 ✓
181.48 @ 10°03' = 178.70 ✓
T = 78° = 178.68 ✓

178.68

1.2

FD. 2 x 2"
NO NAIL
NO REF.

30"
40'
50' ✓

99.5'

1) 50° 40' 30"
4) 202 42 10
6) 304 03 00 ✓
50° 40' 30" ✓

W-1
SET 1/2" NAIL
FLUSH

175.57 @ 6°51' = 174.32 ✓ = 174.32 ✓
175.71 @ 7°15' = 174.31 ✓
T = 80° = 174.32 ✓

174.32'

TOP
PG. 234

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76P3095 CE #310 5-68

F.B. 1833 PG. 236

72.97 @ 2°37' = 72.89 ✓
72.96 @ 2°28' = 72.89 ✓
T = 86° = 72.89' ✓

SEC. 20
T. 1 S.
R. 19 W.

179.42 @ 2°08' = 179.30' ✓
179.38 @ 1°45' = 179.30
T = 84° 179.30' ✓

RIGHT
PG. 244

CUTOFF LINE FOR 4'S

1) 99° 08' 30"
2) 36 33 40
3) 234 50 50 ✓
99° 08' 29" ✓

118.81' @ 5°54' = 118.18' ✓
118.70' @ 5°21' = 118.18' ✓ = 118.18' ✓
89.57' @ 4°42' = 89.29' ✓
89.47' @ 3°48' = 89.29' ✓ = 89.29' ✓
73.90' @ 1°34' = 73.26' ✓
73.87' @ 1°23' = 73.26' ✓ = 73.26' ✓
280.73' ✓

T = 84° 280.73' ✓

EOT
MG. 231

72.89'

0.05'

FD. ¾" I.P. CONC. PLUG E.L.A. CO. ENGR. TAG UP 1" RESET ON LINE PER R.B. 64-7

13.44'

W-5
SET 1X2 & NAIL FLUSH

SECTION LINE
179.30'

SEC. 21

W-4
SET 1X2 & NAIL FLUSH

40.66'

FD. ¾" I.P. CONC. PLUG E.L.A. TAG 2743 UP 3"

0.06'

FD. LG. WIRE SPK. FLUSH

280.73'

0.10'

6.05'

W-3
SET 1X2 & NAIL FLUSH

383.80'

TOP
PG. 235

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

Notes Ck'd by D. SAPPELL | Survey of CHARMLEE PARK | F.B. 1833 Pg. 231
Map No. 3 | JN [illegible] Tape 200' Std 84 °F
Office Work [illegible] | Surveyed by L.V. [illegible]
Notes [illegible] Date 8-11-70
Date [illegible]

PG. 230

298.28' @ 11°52' = 291.91' ✓
293.41' @ 12°01' = 291.70' ✓ = 291.90' ✓
T = 82° 291.90' ✓

195.80' @ 13°45' = 190.19' ✓
195.71' @ 13°39' = 190.18' ✓ = 190.18' ✓
T = 84° 190.13' ✓

190.18' 291.90'

S.W. 1/4
SEC. 21
T. 1 S
R. 19 W.

SET 2" I.P. CONC. PLUG L.A. CO. ENGR. 7-66 ON RIDGE - FLUSH

SEC. LINE

1) 109° 46' 00"
4) 70 03 40
6) 298 35 10 ✓
109° 45' 52" ✓

28.43' @ LEV.
T = 86° = 28.43' ✓

28.43'

109°

45'

52"

SET 1x2 & NAIL FLUSH

CUTOFF LINE FOR ANGLES TO 1/4 SEC. COR. SLY. LINE SEC. 21

LEFT PG. 219

190.86' @ LEV. = 190.86' ✓
144.35' @ 1°57' = 144.27' ✓
144.31' @ 1°26' = 144.27' ✓ = 144.27' ✓
335.13' ✓

T = 84° = 335.13' ✓

335.13'

LEFT PG. 232

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

7SP3038 CE #310 8-65


F.B. 1833 Pg. 238
RIGHT PG. 239
282.39 @ 5°18' = 281.18
282.50 @ 5°31' = 281.19
281.19
T = 88° = 281.20
102.21 @ 5°36' = 101.72
102.29 @ 6°05' = 101.72
T = 84° = 101.72
118.53' @ 5°57' = 117.89'
118.61' @ 6°19' = 117.88'
T = 88° = 117.89'
SET 1X2 & NAIL FLUSH
FD. 3/4" I.P. NO PK.U.C. UP 6" NO REF.
SET 1X2 & NAIL FLUSH
SET 1X2 & NAIL FLUSH
CUTOFF LINE
1/16 SEC. LINE
145.64
8.40
0.50
280.20
117.89
101.72
291.90
190.18
1) 102° 35' 00"
2) 56° 20' 50"
3) 125° 35' 50"
104° 35' 08"
COUNTY ENGINEER T. 1 S. R. 19 W. SEC. 21 1/4 COR. R.E. 5869
RIGHT PG. 251
194.09
89° 08' 32"
90° 53' 47"
158.11
104° 35' 00"
746.08
1/64 SEC. LINE
1/64 SEC. CORNER SET STD. CO. ENGR. BRASS CAP MON. IN CONC. UP 4" AT MID POINT BETWEEN 1/4 SEC. COR. N.LY. & 1/16 SEC. COR. S.LY. MON. MARKED 1/S SHOWN. SET 3 FT. MARKER PIPE 2½ N.E.LY.
161.75 @ 12°10' = 158.12
161.60 @ 11°55' = 158.12
T = 70° = 158.11
SET 1" I.P. DOWC PLUG L.A. CO. TAG ON 1/64 SEC. LINE FLUSH ON CURB SET 3 FT MARKER PIPE 2 FT NORTH
TOP PG. 237
1/4 SEC. LINE
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by D. SARPELL
Map No. C 5336
Office Work
Date

Survey of CHARNLEE MAP
JN 55-64 Tape 203 Std 74°F
Surveyed by L.V. SMITH
Notes
Date 8-26-70

F.B. 1833 Pg. 237

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

120-017 1-7

LEE PG. 223

SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON 1/16 SEC. LINE FLUSH

1/16 SECTION COR. SET STD. CO. ENGR. BRASS CAP MON. IN CONC. UP 2" AT INTERSECTION OF 1/16 SECTION LINES FD. 3/4" I.P. UP 12" ON LINE IN BOTH DIRECTIONS. MON. MARKED AS SHOWN. SET 3 AT GUARD PIPE 2' E. N. ELY.

1) 72° 40' 20"
2) 17 40 40
3) 164 01 00 ✓
90° 19' 10" ✓

10"

FD. 1/2" I.P. CONC. PLUG & L.S. TAG 2743 UP 6"

1.13'

0.67

90°

BOT. PG. 241

COUNTY ENGINEER 1915 SEC. 21 T1S R11W COR. 1916 6889

25.01 ✓

13° 41' 37"

145.64'

TOP PG. 233

1/16 SEC. LINE

37.53 ✓

SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON SIDE HILL FLUSH

SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON 1/16 SEC. LINE ON RIDGE FLUSH

37.53' @ LEV.
T = 84° 37.53 ✓

28.07 @ 27°30' = 25.01' ✓
27.55 @ 24°50' = 25.01' ✓
T = 84° 25.01' ✓

147.94' @ 10°07' = 145.64' ✓
148.01 @ 10°16' = 145.64' ✓
T = 84° = 145.64' ✓

37.74' ✓

27.74' @ LEV.
T = 90° = 27.74'

TOP PG. 246

1) 13° 41' 40"
2) 54 46 40
3) 82 09 40 ✓
13° 41' 37" ✓

7SP3095 CE #310 5-68

F.B. 1833 Pg. 240



LT. PG-221

SET 1X2 & NAIL FLUSH

126.27

130.72 @ 15°50 = 126.27 ✓
T= 88° 126.17 ✓

144.31 @ 12°07 = 141.08 ✓
144.38 @ 12°16 = 141.08 ✓
T= 88° = 141.08 ✓

SET 1X2 & NAIL FLUSH

PG-223

58°20'07"

141.08

1/64 SEC. LINE

1) 58°20'10"
A) 233°20'30"
6) 350°00'40" ✓
= 58°20'07" ✓

79.36 @ LCV = 79.36 79.36 ✓
67.05 @ 9°23 = 66.15 ✓
66.96 @ 8°51 = 66.15 ✓ 66.15 ✓

282.39 @ 2°15 = 282.17 ✓
282.36 @ 2°04 = 282.18 ✓ 282.18 ✓

104.21 @ 22°08 = 96.53 ✓
104.05 @ 21°54 = 96.54 ✓ 96.53 ✓

136.77 @ 15°44 = 131.65 ✓
136.56 @ 15°25 = 131.65 ✓ 131.65 ✓

90.57 @ 4°50 = 90.25 ✓
90.55 @ 4°42 = 90.25 ✓ 90.25 ✓
746.02 ✓

T= 76° = 746.08 ✓

746.08

SET 2" I.P. CONC. PLUG L.A.CO. ENG'R. TAG ON 1/64 SEC. LINE FLUSH ON RIDGE SET 3FT MARKER PIPE 2FT NORTH

RIGHT
PG 238

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by D. SAPPELL
Map No. B-5336
Office Work
Checked
Date

Survey of CHARNOCK PARK
JN 0055-04 Tape 201 Std 74°F
Surveyed by L.V. [illegible]
Notes Date
Indexed

F.B. 1933 Pg. 241

RIGHT
PG. 229

RIGHT
PG. 228

CUTOFF LINE TO N-2 FOR A.S.2

S.W. 1/4
SEC. 21
T. 1 S.
R. 19 W

1/16 SEC LINE

151°

05'

47"

SET 1"x2" & NAIL
FLUSH ON
SPUR

1) 156° 05' 40"
A) 264 23 10
6) 216 34 40
156° 05' 47"

LEFT
PG. 239

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7EF3098 CE#310 9-67

F.B. 1853 Pg. 242

1) 138° 54' 00"
2) 195 36 00
3) 115 24 00
138° 54' 00"

1) 49° 13' 30"
2) 196 54 00
3) 215 30 00
49° 13' 27"

N.E 1/4
SEC. 21

SET 1x2 EN. FLUSH ON LINE PROJ. FOR ANGLE

54' 00"

49° 13' 27"

RIGHT PG. 225

1/4 SECTION LINE

SET 2" I.P. CONC. PLUG & TAG COR ENGR. TAG UP 1" ON ROCKY RIDGE

1/4 SECTION COR. FD. STD. CO. SURVEYOR BRASS CAP MON. IN CONC. UP 2" PER C.S.B. 1396-1 NON-MARKED AS SHOWN SET SET MARKER PIPE 2' ± N.ELY.

COUNTY SURVEYOR
R. 19 W. T. 1 S.
21 | 22
28 | 27
R. E. 21

SEC. 22

S.E. 1/4
SEC. 21
T. 1 S.
R. 19 W.

SECTION CORNER FD. STD. CO. SURVEYOR BRASS CAP MON. IN CONC. UP 4" PER C.S.B. 1396-1 MON. NARKED AS SHOWN 3 FT. GUARD 5' ± SLY.

SECTION LINE

RIGHT PG. 219

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this Code of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

12-9-17

13-2

D. SAPPELL

Notes Ck'd by _____
Map No. 6-5336
Office Work _____
Checked _____
Date _____

Survey of SECTION LINES
JN 2702-01 Tape 203 Std 68 °F
Surveyed by L.V. Staff
Notes _____ Date _____
Indexed _____

F.B. 1833 Pg. 249

1,594.5

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

1391-017 A-1

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON RIDGE EAST OF DECKER ROAD SET 3FT. MARKER PIPE 2FT ± NLY.

LEFT P.B. 226

158° 05' 57"

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG IN ROCK OUT CROPPING. PIPE LEANING WLY.

SECTION LINE

199.16'

SEC. 21
T. 1 S.
R. 14 W.

COTOFF LINE FOR A's

1) 111° 41' 30"
2) 86 46 10
3) 310 09 20
111° 41' 33"

111° 41' 33"

SECTION CORNER FD. STD. CO. SURVEYOR'S BRASS CAP MON. IN CONC. UP 2" PER F.B. 674-7 & C.S.B. 1396-1. MON. MARKED AS SHOWN

SET 3FT GUARD PIPE 2 FT. ± S.WLY.

5.23'

0.109'

TOP P.B. 231

FD. 1x2 ± NAIL NO REF.

FD. 3/4" I.P. CONC. PLUG & L.A. CO. ENGR. TAG PER F.B. 674-7 (47)

COUNTY SURVEYOR'S
L.S. 12121
12/16
RECORD MONUMENT

200.30' @ 13°58' = 194.38' = 194.38'
200.25' @ 13°54' = 194.39' 1.76'
4.76 @ ℄ EV 199.14'
T = 102° = 199.16'

JEF3098 CE#310 9-67

F.B. 1833 Pg. 244

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

SE 1/2 MILE ON EASTERLY EDGE OF DIRT ROAD ON CTR. SECTION LINE PROD. FOR ANGLE

LEFT PG. 231

CENTER SEC. LINE PROOF

57' 22" ✓

CUTOFF LINE FOR

LEFT PG. 236

1	8°	57'	30"
6	35	49	40 ✓
6	53	44	10 ✓
	8°	57'	22" ✓

Notes Ck'd by D SAPPELL
Map No. B- 5336
Office Work
Checked
Date

Survey of CHANNELED PARK
JN Tape 203 Std 84 "F"
Surveyed by L.Y. SMITH
Notes Date
Indexed

F.B 1833 Pg 345

SEC. 21
T. 1 S.
R. 19 W.

SAGE
FD. L.A.CO. GEODETIC
SURVEY MONUMENT
PER

CTR-SECTION
FD. STD. CO. ENGR.
BRASS CAP MON.
IN CONC. UP 3"
PER F.B. 1833-225
MON. MARKED AS
SHOWN.

1) 60° 30' 30"
2) 242 01 50
3) 03 02 30
60° 30' 25"

60'
30'
25"

125.19'

¼ SEC. LINE

SET 2" I.P.
CONC. PLUG &
L.A.CO. ENGR.
TAG BY INTER-
SECTION. FLUSH

93.42 @ 10°27' = 91.87
93.55 @ 10°52' = 91.87
T = 98' = 91.88'

91.88'

B-3
FD. ¾" I.P. WITH
CAP STAMPED "B-3"
P.E. 3250-23

125.23' @ 1°39' = 125.18
125.21' @ 1°17' = 125.18
T = 100' = 125.19'

COUNTY ENGINEER
T. 1 S.
SEC. 21
R. 19 W.
C TR SEC.
R.E. 5869

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

129-017 4-2

7EF3098 CE#310 9-67

F.B. 1833 Pg. 246

BOT. PG. 239

S 1195, A-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

SET 1X2 & NAIL

27.74'

SEC. LINE

240.40 @ 14°10' = 233.09'
240.30 @ 14°04' = 233.09'
T = 92° = 233.10'

1) 11° 41' 20"
2) 46 45 10
3) 10 07 30
11° 41' 15"

SEC 21
T 1 S.
R 19 W.

233.10'

SET 1X2 & NAIL

1/256 SEC. CORNER
SET STD. CO. ENGR. BRASS CAP MON. IN CONC. UP 4 IN. MON SET AT 1/4 OF THE DISTANCE BETWEEN 1/16 SEC. COR. ELY. & 1/16 SEC. COR. ON WLY. LINE SEC. 21 T. 1 S. R. 19 W. (333.04' WLY. OF 1/16 COR. ELY. MON. MARKED AS SHOWN. SET 3 FT. MARKER PIPE 2' ± N. ELY.

51.16 @ 18°08' = 48.57'
51.03 @ 17°53' = 48.57'
T = 2° = 48.57'

48.57'

36.79' @ 19°22' = 34.68'
36.66' @ 18°55' = 34.68'
T = 88° = 34.68'

34.68'

TOP PG. 251

11° 41' 15"

117.19'

TOP PG. 250

COUNTY ENGINEER
T. 1 S.
R. 19 W.
SEC. 21
1/256
R.E. 5866

13.89'

17'

1) 90° 39' 20"
2) 183 37 10
3) 90 39 17"

39'

SET 1X2 & NAIL

90°

13.89' @ LEV.
T = 88° = 13.89'

257.76'

TOP PG. 247

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of CHARMLEE PARK
JN 25504 Tape 20' Std 64°F
Surveyed by L.V. SMITH
Notes _____ Date _____
Indexed _____

F.B. 1833 PG. 247

Bot. PG 246

270.60 @ 17° 44' = 257.74
270.70 @ 17° 48' = 257.74
T = 96° = 257.76

257.76

SET 1x2 & NAIL FLUSH

LINE

157.63 @ 9° 24' = 155.51
157.81 @ 9° 49' = 155.50
T = 84° = 155.50

155.50

1/16 SECTION

SEC. 21
T. 1 S.
R. 19 W.

SET 1x2 & NAIL FLUSH

61.42 @ 21° 07' = 57.30
61.34 @ 20° 55' = 57.30
T = 84° = 57.30

57.30'

SET 1x2 & NAIL FLUSH

514.67' CALC.

TO W-2 RIGHT PG. 235

38° 41' 30"

1) 38° 41' 20"
4) 154 46 00
6) 232 09 00
38° 41' 30"

RIGHT PG. 234

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

JSF3028 (FE#310 9-67

F.B. 1833 Pg. 248

WS 95-21-72

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

BOT PG. 249

319.72

SET 1"x2" NAIL FLUSH

SEC. 21
T. 1 S.
R. 19 W.

SEC. N. LINE

89.57

91.83 @ 12°43' = 89.57'
91.62 @ 12°08' = 89.57'
T = 84° = 89.57'

SET 1"x2" NAIL FLUSH

1) 88° 53' 40"
2) 30 55 40
3) 177 23 20
88° 53' 53"

1/256

95.30
96.85 @ 19°16' = 95.30'
96.93 @ 19°52' = 95.30'
T = 84° = 95.30' .29 Adj.

53"

53'

88°

95.30
.29
107.25 @ 19°16' = 82.36' = 82.36'
106.96 @ 18°42' = 82.37' = 95.11'
104.69 @ 24°42' = 95.11' = 95.11'
104.47 @ 24°26' = 95.11'
177.47'
T = 92° = 177.48'

177.48'

SECTION LINE PER PG 233

FD. 1" I.P. CONC PLUG & L.A. CO. ENGR TAG DN. 4' ON WLY. SIDE OF RIDGE PER F.B. 1833-182-233

1/256 SECTION CORNER SET STD. CO. ENGR. BRASS CAP MON. IN CONC. UP 2" MON. SET AT 1/4 OF THE DISTANCE BETWEEN N/4 SEC. COR. ELY. & S.W. CORNER SEC. 21 T. 1 S. R. 19 W. (333.26' WLY. OF) AC. CORNER. MON. MARKED AS SHOWN. SET 3 FT. MARKER PINE 2' NELY.

SEC. 28
T. 1 S.
R. 19 W.

COUNTY ENGINEER
T. 1 S.
SEC. 21
R. 19 W.
SEC. 28
1/256
E. 5869

Notes Ck'd by D. SAPPELL
Map No. B-5296
Office Work
Checked
Date

Survey of CHANDLER PARK
JN [illegible] Tape 293 Std 84 °F
Surveyed by L.V. SAPPELL
Notes Date
Indexed

F.B. 1833 PG. 249

BOT
PG. 250

185.68'
24.09'

189.35' @ 11°29' = 185.66
189.20' @ 11°05' = 185.67 = 185.67
T = 90° = 185.68'

SET 1x2 & NAIL FLUSH

27.89' @ 30°15' = 24.09
27.48' @ 28°45' = 24.09
T = 96° = 24.09'

SECTION LINE

79.65' @ 16°18' = 76.45
79.47' @ 15°47' = 76.45
T = 96° = 76.46'

76.46'

SET 1x2 & NAIL FLUSH ON NLY. SIDE OF SPUR

SEC. 21
T. 1 S.
R. 19 W.

1/256

65.01'

65.01' @ LEV.
T = 88° = 65.01'

SET 1x2 & NAIL FLUSH ON SLY. SIDE OF SPUR

A-4.59

285.35' @ 4°06' = 284.62
285.38' @ 4°13' = 284.61 = 284.61
37.06' @ 18°41' = 35.11
36.90' @ 17°54' = 35.11 = 35.11
319.72
-.70

319.72'

T = 82° = 319.72'

TOP
PG. 248

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3098 CE#310 9-67

F.B. 1833 Pg 250

RIGHT
PG. 246

63.53 @ 17°16' = 60.67 = 60.67
63.32 @ 16°38' = 60.67
57.28 @ 9°17' = 56.52 = 56.52
57.18 @ 8°41' = 56.52
117.19
T = 88° = 117.19

SET 1x2 ⊆ NAIL FLUSH

SEC. 21
T. 1 S.
R. 19 W.

257.01 @ 5°13' = 255.95
256.89 @ 4°55' = 255.95
T = 92° = 255.96
.97 Adj.

255.96

SET 1x2 ⊆ NAIL FLUSH

1/256 SECTION LINE

137.80 @ 10°53' = 135.40
137.77 @ 10°35' = 135.40
.41 Adj.
T = 88° = 135.40

SET 1x2 ⊆ NAIL FLUSH

164.31 @ 10°27' = 161.58
164.15 @ 10°10' = 161.57
161.58
T = 90° = 161.59
.60 Adj.

135.40

90° CALC.

COUNTY ENGINEER
T. 1 S.
R. 19 W.
SEC. 21
1/256
1956

161.59

LEFT
PG. 251

139.08

1/64 SEC. LINE

1/256 SECTION CORNER
SET STD. CO. ENGR.
BRASS CAP MON. IN CONC.
UP 2" BY INTERSECTION
OF 1/64 SEC. LINE PROD.
FROM EAST TO INTERSECT
WITH SOUTH 1/256TH
SECTION LINE - IVON.
MARKED AS SHOWN. SET
3/4" MARKER PIPE 2'±
N. & Y.

185.68

240.7

TO
PG. 249

TO PG. 234

W595 4-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work
Checked _____
Date _____

Survey of SHERMLEE PARK
JN 2055.04 Tape 6 Std. 84 °F
Surveyed by L. V. SMITH
Notes [illegible]
Indexed

F.B. B33 Pg. 257

SEC 21
T. 1 S.
R. 19 W.

RIGHT
PG 246

TO TRACT SEC COR.
PG. 246

134.33' @ 1°36' = 134.38' ✓
134.48' @ 2°13' = 134.38' ✓
60.09' @ 12°11" = 59.71' ✓
60.96' @ 11°36' = 59.71' ✓

134.38' ✓
59.71' ✓
194.09' ✓

T = 84° = 194.09' ✓

1) 102° 34' 20"
4) 50 26 00 ✓
6) 255 26 00 ✓
102° 34' 20" ✓

102°
34'
20"

139.08' ✓

194.09' ✓

RIGHT 1/64 SECTION LINE LEFT
PG. 250 PG. 238

SET 1"x2" ⅝ NAIL FLUSH

88.22' @ 14°22' = 85.16' ✓ = 86.45' ✓
88.42' @ 14°54' = 85.45' ✓
58.61' @ 25°47' = 53.63' ✓ = 53.63' ✓
58.22' @ 22°54' = 53.63' ✓
139.08' ✓

T = 84° = 139.08' ✓

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F3098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 1822 Pg 0-50

Notes Ck'd by RLB
Map No.
Office Work
Date

Survey of SECTION LINES
JN 63-304 Tape Std °F
Surveyed by C.L. WRIGHT
Date: 1963

F. B. 1833 PG. 653

SECTION LINES
T1S R19W
SHOWING MONUMENTATION
IN SECTION 1
L.N. 0302.01

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

REFS:
F.B. 1833
F.B. 2289
F.B. 2279

C.S. 9088

RD. DEPT F.B. 1504

PARTY:
C.L. WRIGHT
PIERCE
TERRANOVA
ALBRIGHT

76F3095 CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 93 A-3,4, & B-3,4.

W.S 114-017, C-1, 2 ; W.S 114-037, A-1&2



F.B. 1833 Pg 2-54

Notes Ck'd by R. C. BOWERS
Map No. C.S.B.-5368
Office Work A. MITCHELL

Survey of T1S, R19W Sec 1
JN ____ Tape HP Std ____ °F
Surveyed by C. L. Wilson
Date ____ Inspector R. HOLMAN

F. B. 1833 PG. 255

JUN 5 1919

"Tunnel"
Set 1/2" Nail
Flush

① 30° 27' 20"
④ 121° 49' 20"
⑥ 182° 44' 20"
30° 27' 23"

To N. 1/4 Cor Sec
Pg 259

14° 36' 48"

1518.22

To Pot
Pg 256

29° 54' 02"

30° 27' 23"

1 S NW. Sec Cor
Pg 260

① 29° 54' 00"
④ 119° 36' 20"
⑥ 179° 24' 15"
29° 54' 02"

① 14° 36' 50"
④ 58° 27' 20"
⑥ 87° 40' 50"
14° 36' 48"

H.P. DISTANCES
1524.71 @ 5°17'12" = 1518.22
10209.60 @ 4°21'20" = 10180.11
8927.23 @ 4°06'13" = 8904.34

10180.11

To Pot
Pg 256

8904.34

① 143° 57' 00"
④ 214° 48' 00"
⑥ 143° 42' 00"
143° 57' 00"

① 4° 57' 30"
④ 19° 50' 10"
⑥ 29° 45' 10"
4° 57' 32"

4°57'32"

143° 57' 00"

148° 54' 32" Ck

Russel Valley G-11A
Fd. an L.A.Co. Engr. Triangulation
Disk Stamped "Russel Valley
G-11 A, 1966, RE 5869;
F.B. 2458-183

Russel Valley G-11
Fd. L.A.Co. Engr. Tri. Disk
Stamped G-11, T1S., R.19W.,
Sec 2, R.E. 5869
F.B. 2458-109,110

This data copied
from a Peg Book
RCB 6/79

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 1833 PG. 256



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. C. BOWERS
Map No. C.S.B-5368
Office Work A. MITCHELL
Date

Survey of T1S, R19W Sec 1
JN [illegible] Tape [illegible] Std. °F
Surveyed by [illegible]
Indexed [illegible]

F. B. 1533 Pg. 257

175.32 @ 2° 38' 30" = 175.14
5280.44 @ 1° 43' 10" = 5278.06
5255.54 @ 9° 37' 15" = 5181.62
3057.29 @ 10° 15' 45" = 3008.38

5181.62
To N.E. Cor. Sec 1 3008.38
Pg 254 & 258 ℄ Line
S.E. Cor. Sec 1
Fd. C.S. Mon.
F.B. 2267-14
Sec Pg. 254
S 0° 55' 50" E
70° 45' 27"
To N. ¼ Cor. Sec 1
Pg 254, 259
℄ Line
175.14
5278.06
SEC 1
T 1 S
R 19 W
To P.O.T. of S.W. Cor. Sec 1
Pg. 256
10.262

1)	90°	45'	25"
4)	03°	01'	40"
6)	184°	32'	90"
	90°	45'	27"

1)	26°	55'	45"
4)	107°	43'	20"
6)	161°	35'	00"
	26°	55'	50"

This data copied from a peg book
RCB 6/29

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 1833 PG. 258



This data copied from a peg book
RCB 6/79

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. C. BOWERS
Map No. C.S. B-3368
Office Work L. MITCHELL
Checked
Date

Survey of T1S, R19W Sec1
JN 522.41 Tape 1/1 Std °F
Surveyed by
Notes
Indexed M. HOLMAN

F. B. 224 Pg. 259

N 1/4 Cor, Sec. 1
Fd. C.S. Mon. in a mound of rock. A.E. 2279-141
See Pg 254

PQT Set IN 2 EN

To NW Cor Sec 1 Pg. 260

861.16 Sec. Line

1282.75

To NE Cor Sec 1 Pg. 258

49' 17"

62°

Sec 1
T 1 S R 19 W

To "Tumbo" Pg. 255

1) 62° 49' 20"
4) 251° 17' 00"
6) 16° 55' 40"
62° 49' 17"

861.34 @ 1°10'50" = 861.16

To PQT Pg. 256

To S.E. Cor Sec 1 Pg. 257

This data copied from a peg book
RCB 6/79

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76 F309S CE#310 3-69

F. B. 1833 PG 260



This data copied from a peg book RCB 6/79

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. C. BOWERS	Survey of T15, R19W, Sec 1	F. B. 1273 PG. 261
Map No. C.S.B-5368	JN 03021 Tape H/P Std ___ °F	
Office Work A. MITCHELL	Surveyed by C. L. CURTIS	
Checked ___	Notes ___	Date ___
Date ___	Indexed ___	

JUN 5 1973

To N.W. Cor Sec 1
Pg. 260

W 1/4 Cor, Sec 1
Fd. Sandstone rock
See Pg. 259

Sec 1
T 1S R 19 W

63°07' 38" Calc.

To P.O.T.
Pg. 256

2670.16

Sec. Line

To S.W. Cor Sec 1
Pg. 262

This data copied
from a peg book
RCB 6/79

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 1833 PG. 262

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

To B.M. Sec. Pg. 256

SEC 1

T 1S R 19 W

5270.16

1/2 Cor.

Line

89° 03' 14" Calc.

SW Cor Sec 1
Fd. C.S. Mon.
Sec Pg 2 59

POT &
To S. Cor Sec 1
Pg 256, 257

5102.81

5278.06

90° 56' 43"

Line Prod.

This data copied
from a peg book
RLB 6/79

①	90°	56' 40"
④	03°	47' 00"
⑥	185°	40' 20"
	90°	56' 43"