| | |
|---|---|
| Notes Ck'd by | Survey of DUME CYN. Rd. |
| Map No. | W. O. 0074.15 Tape No. St'd. °F |
| Office Work | Surveyed by W.S. Cowherd |
| Checked | Notes W.S.C. Date 5-3-54 |
| Date | Indexed C. Johnson 6-17-54 |

F.B. 1849 Pg. 5

# DUME CYN. ROAD

JN-0074.15

MAR-54

Reference
FB 564
FB 674
CS 9219

Party
W. S. Cowherd
C. Morrison
J. Terranova
R. STrader
J. Hunter

Microfilmed Jan 87.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.




F.B. _____ PG. 6

M 81
M 61c

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of DUME CYN Rd
W. O. 0074-4 Tape No. St'd. °F
Surveyed by W.S. Coushard
Notes Y.C.C. Date
Indexed

F. B. [illegible] Pg. [illegible]

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3085 247 2-51

30

29

31

32

1/4 Cor Pg 11

DUME CYN RD

Pg 13

PROPOSED

INTER Pg 80

NORTH LINE
R.O.T.M.S.

BM D4A Pg 107

R 4 Pg 81

R 3

TM 8 Pg 13

R 2 Pg 78

BM D39 Pg 103

R 1 Pg 77

Pg 74

BM D2A Pg 99

ZUMIREZ DRIVE

STATE HWY

BM D-1A Pg 89

Pg 71

POINT DUME

F. B. 1849 PG. 0

# TABLE OF CONTENTS


| PAGES | |
|---|---|
| 9-14 | REPLACEMENT OF ORIGINAL SECTION COR'S & RETRACEMENT OF SECTION LINES IN DUME CANYON |
| 15 & 16 | P-LINE FROM P15A DUME NEWTON CN RD SHLY E ALNG DIVIDE BETWEEN DUME & NEWTON CYNS |
| 27-40 | BENCH LEVELS IN NEWTON CYN BM# 4456 Per FB 445 201 |
| 41-68 | LEVELS ON P-LINE pgs 15 TO 26 |
| 69-82 | DUME CYN RD RETRACEMENT OF ZUMIREZ DRIVE (PRIVATE RD.) FROM STATE HWY AT POINT DUME TO LOT# 22 & P-LINE TO NORTH LINE R.O.T.M.S. & TIE TO R#1 |
| 83-94 | BENCH LEVELS ON STATE HWY AT POINT DUME |
| 95-118 | BENCH LEVELS ALONG ZUMIREZ DRIVE & TO NORTH LINE R.O.T.M.S. |
| 119-122 | ESTABLISHMENT OF ELEV ON R#1. |
| 123-127 | ELEVATIONS ON SOUTH P-LINE FROM R#1 TO R#4 |



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
W. O. 0032.01 Tape No. St'd. 84 °F
Surveyed by W. S. Cowherd
Notes M.C.C. Date 3-3-54
Indexed

F. B. 1508 Pg. 7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

# REPLACEMENT of ORIGINAL SECTION CORNERS AND RETRACEMENT of SECTION LINES in DUME CANYON

J.N. 0032.01

MAR. 54

Party
W. S. Cowherd
C. Morrison
J. Terronora
R. Strader
J. Hunter

Party
A.V. Smith
R. Dale
V. Crowe
M. Welsh

76F3095 247 2-51

F. B. 1149 PG. 10

# INDEX

T-1-S

19

20

Pg #11

Pg #11

A

1/4 COR pg #11

Pg #11

R-19-W

R-18-W

30

1/4 COR pg #11

29

Pg #11

Pg #13

1/4 COR pg #13

1/4 Cor pg #13

31

32

TM #7

C.C. COR pg #13

Pg #13

N. LINE R.O.T.M.S.

TM-8 pg #13

LEGEND

BASE LINE

SEC. "

NET "

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of SECTION NINE
W. O. 1032.01 Tape No. 122 St'd. 24 °F
Surveyed by W.S. Cooke
Notes Date 3-7-54
Indexed

F. B. 1122 Pg. 11

T.I.S. 20

W. S. 9 T.I.S. 19 R.18.W. R.E. 62

COUNTY SURVEYOR

T.I.S. 19 | 20 / 30 | 29 R.18.W. R.E. 62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

105.18 calc
17.93 0-0 =
17.93
113.57

Fd C.S. Mon
Mkd as shown
Per FB 564-31

90° 05' 05"
134.00

Δ PT A- Set 1" IP
Top ridge

Fd C.S. Mon
Mkd as shown
Per FB 564-31

356.79 calc

TRUE SEC.

113.57
LINE

104° 04' 20"

13-48-30

Note
See Pg 14 for check on Topo. Calls along SEC LINE.

62° 07' 10"

963.86 mes

Δ PT-B
Set 1" IP
on top of
Knoll

30

45° 59' 00" calc

2574.78 calc

69° 33' 00"

121.40

36.51 calc

Set 2x2 on post

20° 29' 30"

BASE LINE

1982.86 mes

"Note"
see next page
for chaining
reductions

82° 19' 45"

89° 16' 15"

69° 16' 15"

90° 16' 15"

89° 43' 45"

2626.15 calc

44° 17' 10"

23.06

Δ PT-C-
Set 1" IP
on top of ridge

Set 1" x 2" on post

Original 1/4 Cor Fd by L.V. Smith + Party. 20x14 x10" sandstone mkd 1/4 on W. face. Replaced with C.S. Mon mkd as shown. Original laying about side in stone mound No evidence of Br. Trees as called for in Gov. Notes as trees have been in this area

69° 46' 23" calc

29.41 R.19 calc
SEC COR
TO SEC
TO TRUE

See Pg 13

NOTE

See pg 14 for check on Gov. Topo Calls along West Line of Sec 29 T.I.S. R.18.W.

To SEC COR see Pg 13

COUNTY SURVEYOR
1/4 COR
R.18.W. SEC 30 | SEC 29
T.I.S.
R.E. 63

76F3095 247 2-51

F.B. 1879 PG. 12

| | | | Angle | Run | Ups | From | Proj | Δ Net |
|---|---|---|---|---|---|---|---|---|
| (2) | 180 10 10 | (2) | 27 36 50 | (2) | 60 14 40 | (2) | 268 01 50 | (2) 208 08 40 |
| (4) | 360 20 20 ✓ | (4) | 55 13 50 ✓ | (4) | 120 29 20 ✓ | (4) | 176 03 30 ✓ | (4) 56 17 20 ✓ |
| (6) | 180 30 30 | (6) | 82 50 50 | (6) | 180 44 00 | (6) | 84 25 20 | (6) 264 26 00 |
| | 90 05 05 | | 13 48 30 | | 30 07 20 | | 134 00 53 | 104 04 20 |
| (2) | 127 14 20 | (2) | 135 06 00 | (2) | 259 20 20 | (2) | 164 39 40 | 88 34 20 |
| (4) | 248 48 30 ✓ | (4) | 270 12 00 ✓ | (4) | 158 40 30 ✓ | (4) | 329 19 00 ✓ | (4) 172 38 40 |
| (6) | 12 43 00 | (6) | 45 18 00 | (6) | 58 00 50 | (6) | 133 58 30 | (6) 265 43 00 ✓ |
| | 62 07 10 | | 57 33 00 | | 129 40 10 | | 82 19 45 | 44 17 10 |
| (2) | 119 32 05 | (2) | 372 46 00 | (2) | 40 59 40 | (2) | 139 32 50 | (2) 180 32 30 |
| (4) | 239 04 00 ✓ | (4) | 385 32 00 ✓ | (4) | 81 59 20 | (4) | 279 05 40 ✓ | (4) 361 05 10 ✓ |
| (6) | 00 ✓ | (6) | 368 18 00 | (6) | 122 58 50 ✓ | (6) | 58 38 40 | (6) 181 37 40 |
| | 1 46 02 | | 186 23 00 | | 20 29 50 | | 69 46 23 | 90 16 15 |

Base Line Changing — Reductions — From Δ Sta. 10-10 Sec. 1-9F

| | | | | | |
|---|---|---|---|---|---|
| 298.29 | ℄ | 1-01 | T= 64 | = 298.20 ✓ | |
| 298.30 | ℄ | 1-04 | T= 64 | = 298.21 ✓ | 298.20 ✓ |
| 54.13 | ℄ | 0-0 | T= 68 | = 54.12 ✓ | 54.12 ✓ |
| 171.60 | ℄ | 10-40 | T= 68 | = 171.56 ✓ | 171.57 ✓ |
| 171.80 | ℄ | 11-00 | T= 68 | = 171.57 ✓ | |
| 173.42 | ℄ | 10-16 | T= 68 | = 170.62 ✓ | 170.61 ✓ |
| 173.25 | ℄ | 9-59 | T= 68 | = 170.61 ✓ | |
| 103.92 | ℄ | 2-19 | T= 68 | = 103.82 ✓ | 103.83 ✓ |
| 103.91 | ℄ | 2-10 | T= 68 | = 103.83 ✓ | |
| 80.29 | ℄ | 10-26 | T= 58 | = 78.95 ✓ | 78.95 ✓ |
| 80.14 | ℄ | 9-51 | T= 58 | = 78.95 ✓ | |
| 146.71 | ℄ | 2-25 | T= 57 | = 146.53 ✓ | 146.55 ✓ |
| 146.77 | ℄ | 2-52 | T= 57 | = 146.56 ✓ | |
| 191.81 | ℄ | 3-52 | T= 56 | = 191.34 ✓ | 191.35 ✓ |
| 191.82 | ℄ | 3-54 | T= 56 | = 191.35 ✓ | |
| 252.13 | ℄ | 5-21 | T= 56 | = 251.53 ✓ | 251.58 ✓ |
| 257.16 | ℄ | 5-51 | T= 60 | = 256.57 ✓ | |
| 26.37 | ℄ | 0-0 | T= 60 | = 26.37 ✓ | 26.37 ✓ |
| 283.29 | ℄ | 1-20 | T= 60 | = 283.17 ✓ | 283.17 ✓ |
| 283.27 | ℄ | 1-09 | T= 60 | = 283.17 ✓ | |
| 204.38 | ℄ | 9-25 | T= 60 | = 201.60 ✓ | 201.61 ✓ |
| 204.60 | ℄ | 9-46 | T= 60 | = 201.61 ✓ | |
| | | | | | 1982.86 ✓ Length of Base Line |

Chaining From Δ Sta. B-76-A

| | | | | | |
|---|---|---|---|---|---|
| 50.57 | ℄ | 0-0 | T= 56 | = 50.56 ✓ | 50.56 ✓ |
| 19.13 | ℄ | 0-0 | T= 56 | = 19.13 ✓ | 19.13 ✓ |
| 296.68 | ℄ | 0-0 | T= 56 | = 296.63 ✓ | 296.63 ✓ |
| 254.95 | ℄ | 5-54 | T= 52 | = 253.55 ✓ | 253.54 ✓ |
| 254.88 | ℄ | 5-47 | T= 52 | = 253.53 ✓ | |
| 47.19 | ℄ | 0-0 | T= 56 | = 47.18 ✓ | 47.18 ✓ |
| 299.61 | ℄ | 8-26 | T= 56 | = 296.32 ✓ | 296.32 ✓ |
| 299.70 | ℄ | 8-34 | T= 56 | = 296.31 ✓ | |
| | | | | | 963.36 ✓ |

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
W. O. 0232.01 Tape No. St'd 24 °F
Surveyed by YY S. OWING
Notes W.S.C. Date 3-19-52
Indexed C. Tahmahm

F. B. Pg. 13

3

W.S.19

R. 18 W. | 30 | 29 / 31 | 32

RE 2177
Fd C.S. Mon Mkd as shown Per FB 674-48

2922.68 rec
TRUE SEC LINE
1/4 Cor fd C.S. Mon Per FB 674-47

50° 27' 35"
61° 45' 20"
68° 47' 00"
200'
112'
Set 1x2 x on prod

2543.14 rec
Fd original 1/4 Cor. Per FB 674-150 Replaced with C.S. Mon Mkd as shown - Set per ties

COUNTY SURVEYOR
T. 1 S.
R 18 W. 31 | 32
R.O.T.M.S.
C.C.
RE 63

2566.87 rec
TRUE SEC LINE
24° 12' 45"

COUNTY SURVEYOR
1/4 COR
SEC 29 / SEC 32
T. 1 S.
R 18 W.
RE 63

Set C.S. Mon Mkd as shown rec dist. from TM #8 per C.S. 9219-38 No evidence of original C.C.

93° 57' 40"
N. LINE R.O.T.M.S.
N 94.22 rec
611.73
61° 49' 35"
Base Line
572.49
10'

COUNTY SURVEYOR
STA. 8
R.O.T.M.S.
W.C.
RE 63

W.C. fd C.S. Mon mkd. as shown Per FB

TM #8 Fd Sap Spk Mk Tin in 30" Oak Per FB

Set 1x2 on prod Top spot

| | | | | | | |
|---|---|---|---|---|---|---|
| 105.11 | C | 22-24 | T=54 | = | 97.17 | 97.17 |
| 105.58 | C | 23-01 | T=54 | = | 97.16 | |
| 298.04 | C | 22-07 | T=56 | = | 276.11 | 276.11 |
| 297.68 | C | 21-55 | T=58 | = | 276.12 | |
| 81.88 | C | 21-21 | T=58 | = | 76.25 | 76.25 |
| 81.68 | C | 21-01 | T=58 | = | 76.24 | |
| 100.57 | C | 25-11 | T=56 | = | 90.99 | 90.99 |
| 99.47 | C | 23-48 | T=56 | = | 90.99 | |
| 7.22 | C | 0-0 | T=54 | = | 71.21 | 71.21 |
| | | | | | | 611.73 |
| 10.00 | C | 0-0 | T=54 | = | 10.00 | 10.00 |
| 165.77 | C | 24-30 | T=54 | = | 150.81 | 150.81 |
| 165.38 | C | 24-12 | T=54 | = | 150.82 | |
| 292.21 | C | 25-31 | T=54 | = | 263.65 | 263.65 |
| 291.71 | C | 25-19 | T=54 | = | 263.64 | |
| 174.60 | C | 25-08 | T=54 | = | 158.04 | 158.03 |
| 174.30 | C | 24-56 | T=54 | = | 158.03 | |
| | | | | | | 572.49 |

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 92, A-3


Top of square bolt
Top of square bolt
Top of square bolt

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of DUME CN RD
W. O. 0074.5 Tape No. 128 St'd. 84 °F
Surveyed by W.S. Cowherd
Notes S.C. Date 3-15-
Indexed

F. B. 1645 Pg. 15

# DUME CÑ ROAD

# P-LINE

FROM
PI 15-A DUME NEWTON CÑ RD SWLY. TO LOW SADDLE IN DIVIDING RIDGE BETWEEN DUME & NEWTON CÑS

JN-0074.15

NOTE
SEE T½ 27 TO 68 FOR BENCH LEVELS & ELEVATIONS ALONG P-LINE.

Party
W.S. Cowherd
J. Terranova
R. STrader
T. Kreyer
C. Jolliffe

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-51

F. B. 1699 Pg. 16

INDEX




RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of DUME
W. O. 0074.15 Tape No. 128 St'd. 84 °F
Surveyed by
Notes WCC Date 3-15-55
Indexed

F. B. 176 Pg. 12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

DUME NEWTON ON TR
Ref FB 445-223

POT. 15A
Fd 1" IP cone plug & copper wire center Top of ridge

P#2
Set ¾" IP dri. 20" in plowed field

179.20
S 04-40 E

130.52
121° 12' 15"

P#1
Set 1/2 in field

350.31 rec

290.11
S 62-50 E
P.T. LINE

PI #15A
Fd 1" IP with cone plug & copper wire in center per FB 445-221

212.40 rec

101°

POST #15A
Fd 1" IP cone plug & copper wire center
Ref FB 445-221

178.18 rec

165° 20' 50"

POT. 14A
Fd 1" IP cone plug & copper wire center
FB 445

TO P#30 PT #24

130.55 @ 0-40 T 56 = 130.52
181.92 @ 9-52 T 58 = 179.20
292.08 @ 6-34 T 60 = 290.11
212.70 @ 2-56 T 62 = 212.40

(2) 330 57 40
(4) 301 55 20
(6) 222 53 00
165 20 50

F.B. 1849 PG. 18




RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of
W. O. 2741 Tape No. 29 St'd. 84 °F
Surveyed by
Notes SC Date 3/18/53
Indexed

F. B. 1449 PG. 19

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.




Cont'd From Top Pg. 18

76F3095 247 4-53

F.B. 1649 PG. 20




RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of
W. O. 007415 Tape No. 128 St'd. 84 °F
Surveyed by
Notes Date 3-21-55
Indexed

F. B. 1044 PG. 21

171.38 @ 7-40 T64 = 169.98
13.76 @ 0-0 T61 = 13.76
183.74

75.79 @ 17-37 T64 = 72.22
75.52 @ 16-58 T64 = 72.22

183.74

P"21
Set 3/4" IP
Top spun

72.22

SP"21A
Set IPC
Top spun

55.40

0

121.2

1 174 90 20
2 318 10 40
3 154 01 00
85 40 10

122.93 @ 9-34 T60 = 121.2

P"20
Set IPC
Top spun

65.53

S 56-20 W

65.53 @ 0-0 T66 = 65.53

P"19
Set 3/4" IP

51.64

55.32 @ 21-00 T56 = 51.64

P"18
Set IPC
Side spun

89.54

Cont from top Pg 20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 4-53

F. B. 1842 PG. 20




RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of
W. O. Tape No. St'd. °F
Surveyed by
Notes Date
Indexed

F. B. PG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F5095 247 4-53



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 92-A-1




F.B. 1849 PG. 84

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of DUAL Type Loc
W. O. 0074 Tape No. 100 St'd. 84 °F
Surveyed by M. E. Cornwall
Notes [illegible] Date 7/1/87

F.B. 1225 PG. 25

NOTE
[illegible]

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 4-53



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1849 PG. 26

NOTES RED. _____ JOB NO. 0074.15 SURVEY OF Dume Cn Road

DATE _____ SURVEY BY L.V. Smith

NOTES CHKD. _____ NOTES BY R.C. Dale DATE 3-10-55

DATE _____ INDEXED E. C. Johnson DATE 5-5-55

F.B. 1949 PG. 27

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 353 3-51

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| | | | | | | BENCH LEVELS |
| | | | | | | DUME CN. ROAD |
| | | | | | | JN 0074.15 |
| | | | | | | IN NEWTON CN FROM BMD-5 TO BMD-4 AND BMD-6 |

PARTY
L.V. Smith
R.C. Dale
M.A. Walsh
M.E. Wacker
W.E. Swain

F. B. 1849 PG. 28

JOB NO. 0074.15 SURVEY OF Dume Cn Road — NOTES RED. —
SURVEY BY L.V. Smith — DATE —
NOTES BY R.C. Dele DATE 3-10-55 — NOTES CHKD. —
INDEXED A. O. Johnson DATE — DATE —

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| B.M. D-5 | 1590.692 | | | | 1590.692 | BM D-5 Elev = 1590.692 |
| | 0.048 | | 0.232 | | | L.A. Co. Brass Cap Mon. 5' N. of e |
| | 1590.740 | -11.409 | -11.411 | | -11.410 | gate to Stones Ranch 5/10 mi. on a |
| | 11.457 | | 11.643 | | | Cn. Rd. from intersection Latigo Cn |
| T.P. | 1579.283 | | | | | South of EW 1/4 Sec. line to Center S |
| | 0.649 | | 0.607 | | | South 1/4/4 Sec line To S.E. 1/4 Sec |
| | 1579.932 | -10.379 | -10.377 | | -10.378 | E boundary Stones Ranch Por E3 |
| | 11.028 | | 10.984 | | | |
| T.P. | 1568.904 | | | | | |
| | 0.338 | | 0.347 | | | |
| | 1569.242 | -10.949 | -10.949 | | -10.949 | |
| | 11.287 | | 11.296 | | | |
| T.P. | 1557.955 | | | | | |
| | 0.928 | | 0.912 | | | |
| | 1558.883 | -8.838 | -8.837 | | -8.838 | |
| | 9.766 | | 9.749 | | | |
| T.P. | 1549.117 | | | | | |
| | 1.060 | | .949 | | | |
| | 1550.177 | -9.470 | -9.472 | | -9.471 | |
| | 10.530 | | 10.421 | | | |
| T.P. | 1539.647 | | | | | |
| | 2.421 | | 2.407 | | | |
| | 1542.068 | -4.152 | -4.155 | | -4.154 | |
| | 6.573 | | 6.562 | | | |
| T.P. | 1535.495 | | | | | |
| | 1.812 | | 1.828 | | | |
| | 1537.307 | -9.376 | -9.378 | | -9.377 | |
| | 11.208 | | 11.206 | | | |
| T.P. | 1526.119 | | | | | |

NOTES RED. JEM JOB NO. 00774.15 SURVEY OF Dume Cn Road
DATE 12 May 1955 SURVEY BY R.C. Dale J. Smith
NOTES CHKD. NOTES BY J. O. Johnson DATE 3-10-55
DATE INDEXED DATE

F.B. 1849 PG. 27

768420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0079 15 SURVEY OF Dune Cn Road NOTES RED. JFM DATE 17 May 1956
SURVEY BY L.V. Smith NOTES CHKD.
NOTES BY R.C. Dale DATE 3-10-55 DATE
INDEXED A. C. Johnson DATE

F.B. 1849 Pg. 80

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T. P. | 1526.119 ✓ | | | | | |
| | 0.852 | | 0.670 | | | |
| | 1526.971 ✓ | -7.240 ✓ | -7.239 ✓ | | -7.240 | |
| | 8.092 | | 7.909 | | | |
| T. P. | 1518.879 ✓ | | | | | |
| | 4.034 | | 3.902 | | | |
| | 1522.913 ✓ | -5.299 ✓ | -5.298 ✓ | | -5.299 | |
| | 9.333 | | 9.200 | | | |
| T. P. | 1513.580 ✓ | | | | | |
| | 2.672 | | 2.509 | | | |
| | 1516.252 ✓ | -5.157 ✓ | -5.159 ✓ | | -5.158 | |
| | 7.829 | | 7.668 | | | |
| T. P. | 1508.423 ✓ | | | | | |
| | 2.756 | | 2.602 | | | |
| | 1511.179 ✓ | -3.374 ✓ | -3.375 ✓ | | -3.375 | |
| | 6.130 | | 5.977 | | | |
| T. P. | 1505.049 ✓ | | | | | |
| | 6.794 | | 6.524 | | | |
| | 1511.843 ✓ | +0.833 ✓ | +0.832 ✓ | | +0.833 | |
| | 5.961 | | 5692 | | | |
| T.B.M. 100 | 1505.882 ✓ | | | | 1505.870 | TBM-100 Ele ✓ 1505.870 (Adj.) |
| | 1.831 | | 1.469 | | | On old Newton Cn Rd. 0.9± W. junction |
| | 1507.713 ✓ | -4.290 ✓ | -4.290 ✓ | | -4.290 | Latigo and Newton Cn Rd. S. side dirt |
| | 6.121 | | 5.759 | | | road 10± S.W. end Wooden bridge S.W. side |
| T. P. | 1501.592 ✓ | | | | | 30" oak Set lg. 6t. Spk. 1' off ground. |
| | 5.893 | | 5.593 | | | |
| | 1507.435 ✓ | +4.865 ✓ | +4.865 ✓ | | +4.865 | |
| | 0.978 | | 0728 | | | |
| T. P. | 1506.457 ✓ | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P | 1506.457 | | | | | |
| | 5.964 | | 5.304 | | | |
| | 1511.921 | - 0.396 | - 0.394 | ✓ | - 0.395 | |
| | 5.860 | | 5.698 | | | |
| T.P. | 1506.061 | | | | | |
| | 3.483 | | 3.225 | | | |
| | 1509.544 | + 0.227 | + 0.226 | ✓ | + 0.227 | |
| | 3.256 | | 2.999 | | | |
| T.B.M. 101 | 1506.288 | | | | 1506.278 | T.B.M. - 101 Elev - 1506.2 |
| | 0.439 | | 0.697 | | | On old Newton Co. Rd. 1 mi. W. ju |
| | 1506.727 | - 8.198 | - 8.199 | ✓ | - 8.199 | Latiga and Newton Co. N. S. de |
| | 8.637 | | 8.896 | | | S. side 18" oak. Set lg. 6" Spk. |
| T.P. | 1498.090 | | | | | ground. |
| | 2.160 | | 2.027 | | | |
| | 1500.250 | - 5.032 | - 5.029 | ✓ | - 5.031 | |
| | 7.192 | | 7.056 | | | |
| T.P. | 1493.058 | | | | | |
| | 0.727 | | 0.521 | | | |
| | 1493.785 | - 6.342 | - 6.341 | ✓ | - 6.342 | |
| | 7.069 | | 6.862 | | | |
| T.P. | 1486.716 | | | | | |
| | 1.802 | | 1.580 | | | |
| | 1488.518 | - 5.508 | - 5.509 | | - 5.509 | |
| | 7.310 | | 7.089 | | | |
| T.P. | 1481.208 | | | | | |
| | 2.861 | | 2.714 | | | |
| | 1484.069 | - 2.924 | - 2.925 | ✓ | - 2.925 | |
| | 5.785 | | 5.639 | | | |
| T.P. | 1478.284 | | | | | |

NOTES RED JEM
DATE 11 May 1966 JOB NO. 0079.13 SURVEY OF Dume Cr Road
NOTES BY R.C. Dale SURVEY BY L. K. Smith
DATE 3-14-55 NOTES CHKD. R. C. Johnson DATE
INDEXED DATE

F.B. 849 PG. 31

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Dume Cr Road NOTES RED JFM DATE 5-19-55
SURVEY BY _____ NOTES CHKD. _____
NOTES BY L. C. Johnson DATE 3-14-55 DATE _____
INDEXED _____ DATE _____
F.B. 1819 Pg. 32

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1478.284 | | | | | |
| | 2.851 | | 2.632 | | | |
| | 1481.135 | -4.950 | -4.947 | | 4.449 | |
| | 7.301 | | 7.079 | | | |
| BM D-4 | 1473.834 | | | | 1473.828 | BM D-4 Elev. - 1473.828 (Adj) |
| | 8.037 | | 7.795 | | | LA Co Brass Cap Mon. 1/10 miles dn. old |
| | 1481.871 | +0.733 | +0.735 | | +0.734 | Newton Cn. Rd. to Stone's W. fence line |
| | 7.304 | | 7.060 | | | 5' N of Gate. Road to "Roberts Place" Takes |
| T.P. | 1474.567 | | | | | off here to North. BM D4 200± South |
| | 7.173 | | 7.278 | | | + West of center of SW 1/4 Sec 18 Ref FB |
| | 1481.740 | +3.671 | +3.670 | | +3.671 | 445 pg 194. |
| | 3.502 | | 3.608 | | | |
| T.P. | 1478.238 | | | | | |
| | 5.811 | | 5.631 | | | |
| | 1484.049 | +2.823 | +2.826 | | +2.825 | |
| | 2.988 | | 2.805 | | | |
| T.P. | 1481.061 | | | | | |
| | 7.347 | | 7.113 | | | |
| | 1488.408 | +5.604 | +5.605 | | +5.606 | |
| | 1.740 | | 1.508 | | | |
| T.P. | 1486.668 | | | | | |
| | 8.450 | | 8.491 | | | |
| | 1495.118 | +8.230 | +8.230 | | +8.230 | |
| | 0.220 | | 0261 | | | |
| T.P. | 1494.898 | | | | | |
| | 5.321 | | 5.063 | | | |
| | 1500.219 | +2.950 | +2.946 | | +2.948 | |
| | 2.371 | | 2117 | | | |
| T.P. | 1497.848 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. WRM DATE 6-18-55
NOTES CHKD. _____ DATE _____
INDEXED _____ DATE _____

JOB NO. 00741.15 SURVEY OF Rome Cañon Road
SURVEY BY L.V. Smith R.C. Dale
NOTES BY R.C. Johnson DATE 3-17-55

F.B. 1849 PG. 32

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1497.848 | | | | | |
| | 9.748 | | 9.433 | | | |
| | 1507.596 | +8.430 | 8.429 | | +8.430 | |
| | 1.318 | | 1.004 | | | |
| T.B.M 101 | 1506.278 | | | | 1506.278 | T.B.M. 101 Elev - 1506.27[illegible] |
| | 4.696 | | 4.509 | | | On old Newton Cañon Road [illegible] |
| | 1510.974 | +1.277 | +1.277 | | +1.277 | Latigo and Newton Cañ. N side [illegible] |
| | 3.419 | | 3.232 | | | road S. side 18" oak Lg. [illegible] |
| T.P. | 1507.555 | | | | | 1' off ground. |
| | 4.478 | | 4.809 | | | |
| | 1512.033 | -2.711 | -2.711 | | -2.711 | |
| | 7.189 | | 7.520 | | | |
| T.P. | 1504.844 | | | | | |
| | 1.951 | | 1.749 | | | |
| | 1506.795 | -3.193 | -3.194 | | -3.194 | |
| | 5.144 | | 4.943 | | | |
| T.P. | 1501.651 | | | | | |
| | 6.621 | | 6.484 | | | |
| | 1508.272 | +4.222 | +4.220 | | +4.221 | |
| | 2.399 | | 2.264 | | | |
| T.B.M-100 | 1505.873 | | | | 1505.870 | T.B.M - 100 Elev - |
| | 2.528 | | 2.272 | | | On old Newton Cañ Road [illegible] |
| | 1508.401 | -1.519 | -1.519 | | -1.519 | junction Latigo and Newton Cañ |
| | 4.047 | | 3.791 | | | side dirt road. 10± S.W. end [illegible] |
| T.P. | 1504.354 | | | | | bridge. SW side 30" oak Lg. [illegible] |
| | 5.324 | | 5.097 | | | 1' off ground. |
| | 1509.678 | +1.845 | +1.846 | | +1.846 | |
| | 3.479 | | 3.251 | | | |
| | 1506.199 | | | | | |

JFM

F.B. 1849 Pg. 34

JOB NO. 0079.15 SURVEY OF Dume Ca Road NOTES RED. Kline DATE 5-19-55

SURVEY BY L.K. Smith

NOTES BY R.C. Dale DATE 3-15-55 NOTES CHKD. DATE

INDEXED A. C. Johnson DATE

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1506.199 | | | | | |
| | 9.044 | | 9.203 | | | |
| | 1515.243 | + 7.370 | + 7.369 | | + 1.370 | |
| | 1.674 | | 1.834 | | | |
| T.P. | 1513.569 | | | | | |
| | 7.720 | | 7.552 | | | |
| | 1521.289 | + 4.029 | + 4.030 | | + 4.030 | |
| | 3.691 | | 3.522 | | | |
| T.P. | 1517.598 | | | | | |
| | 5.786 | | 5.940 | | | |
| | 1523.384 | + 4.227 | + 4.228 | | + 4.228 | |
| | 1.559 | | 1.712 | | | |
| T.P. | 1521.825 | | | | | |
| | 10.107 | | 9.864 | | | |
| | 1531.932 | + 8.986 | + 8.987 | | + 8.987 | |
| | 1.121 | | 0.877 | | | |
| T.P. | 1530.811 | | | | | |
| | 8.622 | | 8.428 | | | |
| | 1539.433 | + 4.627 | + 4.625 | | + 4.626 | |
| | 3.995 | | 3.803 | | | |
| T.P. | 1535.438 | | | | | |
| | 5.288 | | 5.352 | | | |
| | 1540.726 | + 3.256 | + 3.260 | | + 3.258 | |
| | 2.032 | | 2.092 | | | |
| T.P. | 1538.694 | | | | | |
| | 7.856 | | 7.743 | | | |
| | 1546.550 | + 5.668 | + 5.672 | | + 5.670 | |
| | 2.188 | | 2.071 | | | |
| | 1544.362 | | | | | |

768420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1544.362 | | | | | |
| | 6.521 | | 6.288 | | | |
| | 1550.883 | + 5.721 | + 5.719 | | +5.720 | |
| | 0.800 | | 0.569 | | | |
| T.P. | 1550.083 | | | | | |
| | 10.313 | | 10.472 | | | |
| | 1560.396 | + 9.611 | + 9.613 | | +9.612 | |
| | 0702 | | 0859 | | | |
| T.P. | 1539.694 | | | | | |
| | 6.156 | | 5.869 | | | |
| | 1565.850 | + 2.634 | + 2.634 | | +2.634 | |
| | 3.522 | | 3235 | | | |
| T.P. | 1562.328 | | | | | |
| | 7.536 | | 7.293 | | | |
| | 1569.864 | + 5.339 | + 5.341 | | +5.340 | |
| | 2.197 | | 1.952 | | | |
| T.P. | 1567.667 | | | | | |
| | 10.813 | | 10.933 | | | |
| | 1578.480 | + 9.451 | + 9.451 | | +9.451 | |
| | 1.362 | | 1482 | | | |
| T.P. | 1577.118 | | | | | |
| | 9.251 | | 8.972 | | | |
| | 1586.369 | + 8.152 | + 8.153 | | +8.153 | |
| | 1.099 | | 0.819 | | | |
| T.P. | 1585.270 | | | | | |
| | 6.707 | | 6.758 | | | |
| | 1591.977 | + 5.421 | + 5.422 | | +5.422 | |
| | 1.286 | | 1336 | | | |
| BM D-5 | 1590.691 | | | | | (Disruption on P.B. 36) |

NOTES RED. JFM JOB NO. 0074.15 SURVEY OF Dunne Cir Road
DATE 5-19-53 SURVEY BY W. Smith
NOTES CHKD. NOTES BY P.C. Dale DATE 3-15-54
DATE INDEXED C. Johnson DATE

F.B. 1899 PG. 35

768420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Dume Cañ Road NOTES RED. JFM DATE 5-19-55
SURVEY BY L.V. Smith NOTES CHKD. DATE
NOTES BY R.C. Dale DATE 3-15-55 DATE
INDEXED K.C. Johnson DATE

F.B. 1849 Pg. 36

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| BM D-5 | 1590.691 | | | | 1590.692 | BM D-5 Elev. 1590.692 |
| | 7.229 | | 7.009 | | | LA Co Brass Cap Monument 5' North of |
| | 1597.920 | + 3.940 | + 3.937 | | + .439 | entrance gate to Stone's Ranch, Formerly Do. |
| | 3.789 | | 3.572 | | | old Newton Cañ Rd. from intersection Latigo |
| T.P. | 1594.131 | | | | | Cañ Rd 250± South of EW 1/4 Sec line to |
| | 6.618 | | 6.956 | 6.589 | | Center Sec. 18 On south 1/4/4 Sec line to |
| | 1600.749 | + 3.940 | + 3.947 | + 3.947 | + 2.147 | Center SE 1/4 Sec 18. Also E. Boundary |
| | 2.673 | | 2.509 | 2692 | | Stone's Ranch. Per FB. 995 pg. 198 |
| T.P. | 1598.071 | | | | | |
| | 8.666 | | 8.407 | | | |
| | 1606.737 | +6.855 | +6.854 | | + 0.625 | |
| | 1.811 | | 1.553 | | | |
| T.P. | 1604.926 | | | | | |
| | 9.569 | | 9.307 | | | |
| | 1614.490 | +8.456 | + 8.455 | | + 8.455 | |
| | 1.108 | | 0.852 | | | |
| T.P. | 1613.382 | | | | | |
| | 10.581 | | 10.432 | | | |
| | 1623.963 | + 8.696 | + 8.695 | | + 0.995 | |
| | 1.885 | | 1.737 | | | |
| T.P. | 1622.078 | | | | | |
| | 5.277 | | 5.058 | | | |
| | 1627.355 | + 3.718 | + 3.719 | | + 3.719 | |
| | 1.559 | | 1.339 | | | |
| T.P. | 1625.796 | | | | | |
| | 9.920 | | 9.699 | | | |
| | 1635.716 | + 9.206 | + 9.207 | | + 1.207 | |
| | 0.714 | | 0492 | | | |
| T.P. | 1635.002 | | | | | |

765420 353 2-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1635.002 | | | | | |
| | 10.895 | | 10.614 | | | |
| | 1645.897 | + 9.894 | + 9.893 | | +9.894 | |
| | 1.001 | | 0.721 | | | |
| T.P. | 1649.896 | | | | | |
| | 11.200 | | 10.949 | | | |
| | 1656.096 | +10.387 | + 10.386 | | +10.387 | |
| | 0.813 | | 0.563 | | | |
| T.P. | 1655.283 | | | | | |
| | 11.433 | | 11.191 | | | |
| | 1666.716 | +10.421 | +10.422 | | +10.422 | |
| | 1.012 | | 0.769 | | | |
| T.P. | 1665.709 | | | | | |
| | 10.099 | | 9.878 | | | |
| | 1675.803 | + 7.218 | + 7.220 | | +7.219 | |
| | 2.881 | | 2.658 | | | |
| T.P. | 1672.922 | | | | | |
| | 6.133 | | 5.943 | | | |
| | 1679.055 | + 4.192 | + 4.194 | | +4.193 | |
| | 1.941 | | 1.749 | | | |
| T.P. | 1677.114 | | | | | |
| | 10.586 | | 10.376 | | | |
| | 1687.700 | + 9.796 | + 9.795 | | +9.796 | |
| | 0.790 | | 0.581 | | | |
| T.P. | 1686.910 | | | | | |
| | 10.743 | | 10.502 | | | |
| | 1697.653 | +9.802 | + 9.804 | | +9.803 | |
| | 0.941 | | 0.698 | | | |
| T.P. | 1696.712 | | | | | |

NOTES RED. JFM DATE 5-19-55 JOB NO. 0074 IS SURVEY OF Dume Cir Road
NOTES CHKD. _____ NOTES BY R. K. Dale DATE 3-15-55
DATE _____ INDEXED _____ C. Johnson DATE _____

F.B. 1099 PG. 37

765420 383 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0079.15 SURVEY OF Dume Cã Road NOTES RED. 5-19-55 JFM
SURVEY BY L.V. Smith DATE KBM
NOTES BY R.C. Dale DATE 3-15-55 NOTES CHKD.
INDEXED J. C. Johnson DATE

B.B. 1899 PG. 38

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1696.712 | | | | | |
| | 11.065 | | 10.869 | | | |
| | 1707.777 | +10.311 | +10.312 | | +10.312 | |
| | 0.759 | | 0.557 | | | |
| T.P. | 1707.023 | | | | | |
| | 9.022 | | 8.864 | | | |
| | 1716.045 | +8.153 | +8.152 | | +8.153 | |
| | 0.869 | | 0.712 | | | |
| T.P. | 1715.176 | | | | | |
| | 11.053 | | 10.868 | | | |
| | 1726.229 | +10.509 | +10.508 | | +10.508 | |
| | 0.544 | | 0.360 | | | |
| T.P. | 1725.685 | | | | | |
| | 9.168 | | 8.904 | | | |
| | 1734.853 | +8.177 | +8.174 | | +8.176 | |
| | 0991 | | 0.730 | | | |
| T.P. | 1733.862 | | | | | |
| | 10.248 | | 10.042 | | | |
| | 1744.110 | +9.452 | +9.449 | | +9.451 | |
| | 0.796 | | 0.593 | | | |
| T.P. | 1743.314 | | | | | |
| | 9.840 | | 9.639 | | | |
| | 1753.154 | +8.988 | +8.988 | | +8.988 | |
| | 0.852 | | 0.651 | | | |
| T.P. | 1752.302 | | | | | |
| | 11.416 | | 11.222 | | | |
| | 1763.718 | +10.874 | +10.873 | | +10.874 | |
| | 0.542 | | 0.349 | | | |
| T.P. | 1763.176 | | | | | |

76S420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1763.176 ✓ | | | | | |
| | 11.175 | | 10.984 ✓ | | | |
| | 1774.351 ✓ | +10.449 ✓ | +10.449 ✓ | | +10.449 | |
| | 0.726 | | 0.535 | | | |
| T.P. | 1773.625 ✓ | | | | | |
| | 9.688 | | 9.484 ✓ | | | |
| | 1783.313 ✓ | +7.130 ✓ | +7.130 ✓ | | +7.130 | |
| | 2.558 | | 2.354 | | | |
| BM D-6 | 1780.755 ✓ | | | | | BM D-6 Elev - 1780.823<br>L.A. Co. Brass Cap Mon. 25' N. in<br>Latigo Cn Rd. and Newton Cn Rd<br>Storage Tank 40' North of BM D-6<br>N.W. of BM D6 is BM "24 in 36"<br>Per F.B. 945-201 |

NOTES RED. JFM JOB NO. 0079.15 SURVEY OF Dume Cn Road
DATE 5-19-55 SURVEY BY L.K. Smith
NOTES CHKD. NOTES BY R.C. Dale DATE 5-19-56
DATE INDEXED C. Johnson DATE

F.B. 1849 PG. 39

F. B. 1899 PG. 40

JOB NO. 0074.15 SURVEY OF Dume Co Road NOTES RED.
SURVEY BY L.V. Smith DATE
NOTES BY R.C. Dale DATE 3-15-55 NOTES CHKD.
INDEXED DATE DATE

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| | | | | | | |

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F. B. 1849 PG. 41

NOTES RED. _____ JOB NO. 00741.5 SURVEY OF Dume Cn. Road
DATE _____ SURVEY BY L. V. Smith
NOTES CHKD. _____ NOTES BY R. C. Dale DATE 3-17-56
DATE _____ INDEXED A. C. Johnson DATE

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 333 8-51

| DESCRIPTION | ADJ. ELEV. | 3RD RUN | 2ND RUN | DIFF. | 1ST RUN | B.M. |
|---|---|---|---|---|---|---|

# BENCH LEVELS

# DUME CN. ROAD

J.N. 00741.5

FROM PI #15A DUME NEWTON CYN RD. (PER FB 445-221) ALONG P-LINE (PER FB 1849, 15-26) SWLY TO LOW SADDLE IN DIVIDING RIDGE BETWEEN NEWTON & DUME CYNS

PARTY
L.V. Smith
R.C. Dale
M.A. Walsh
M.E. Wacker
W.E. Swain

X

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Dume Cn Road NOTES RED. JFM
SURVEY BY L.W. Smyth DATE 5-19-55
NOTES BY R.C. Dale DATE 3-17-55 NOTES CHKD.
INDEXED A. C. Johnson DATE DATE

F.B. 1849 Pg. 42

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| TBM #100 | 1505.882 | | | | 1505.370 | TBM #100 Elev-1505.882 (unadj.) FB 1849-58 |
| | 2.537 | | 2.159 | | | On Old Newton Cn Rd 0.9± W. Junction |
| | 1508.419 | -1.541 | -1.543 | | 1.542 | Latigo and Newton Cn Rd. S. side |
| | 4.078 | | 3.702 | | | dirt road. 10± S.W. end Wooden bridge |
| T.P. | 1509.341 | | | | | SW. side 30" oak. 1 bt. Spk 1' off ground. |
| | 5.342 | | 5.154 | | | |
| | 1509.683 | +4.688 | +4.688 | | 4.688 | |
| | 0.654 | | 0.966 | | | |
| T.P. | 1509.029 | | | | | |
| | 10.502 | | 10.565 | | | |
| | 1519.531 | +9.220 | +9.217 | | 9.219 | |
| | 1.282 | | 1.348 | | | |
| T.P. | 1518.249 | | | | | |
| | 10.115 | | 10.385 | | | |
| | 1528.364 | +7.521 | +7.524 | | 7.523 | |
| | 2.599 | | 2.861 | | | |
| T.P. | 1525.770 | | | | | |
| | 11.236 | | 10.954 | | | |
| | 1537.006 | +9.615 | +9.614 | | 9.615 | |
| | 1.621 | | 1.340 | | | |
| T.P. | 1535.385 | | | | | |
| | 10.379 | | 10.448 | | | |
| | 1545.764 | +8.708 | +8.708 | | 8.708 | |
| | 1.671 | | 1.740 | | | |
| T.P. | 1544.093 | | | | | |
| | 11.158 | | 11.337 | | | |
| | 1555.251 | +10.665 | +10.654 | | 10.658 | |
| | 0.503 | | 0.683 | | | |
| T.P. | 1554.748 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JFM JOB NO. 0074.15 SURVEY OF Dume Cr. Rd
DATE 6-19-55 SURVEY BY Lyle Smith
NOTES CHKD. NOTES BY R.C. Dale DATE 3-17-55
DATE INDEXED L.C. Johnson DATE

F.B. 1919 PG. 43

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1554.748 | | | | | |
| | 11.239 | | 11.442 | | | |
| | 1565.987 | + 9.956 | + 9.954 | | +9.955 | |
| | 1.283 | | 1.488 | | | |
| T.P. | 1569.704 | | | | | |
| | 11.149 | | 11.328 | | | |
| | 1575.853 | + 9.896 | + 9.896 | | +9.896 | |
| | 1.253 | | 1.432 | | | |
| T.P. | 1574.600 | | | | | |
| | 10.788 | | 11.092 | | | |
| | 1585.388 | + 9.739 | + 9.739 | | +9.739 | |
| | 1.049 | | 1.353 | | | |
| P.I. 15A | 1584.339 | | | | 1584.324 | P.I. 15A Fd 3/4" I.P. 4"p" Pt. F[illegible] |
| | 1.564 | | 1.443 | | | |
| | 1585.903 | - 9.788 | - 9.785 | | - 9.787 | |
| | 11.352 | | 11.228 | | | |
| T.P. | 1574.551 | | | | | |
| | 1.683 | | 1.910 | | | |
| | 1576.234 | - 9.901 | - 9.901 | | - 9.901 | |
| | 11.584 | | 11.811 | | | |
| T.P. | 1564.650 | | | | | |
| | 1.642 | | 2.002 | | | |
| | 1566.292 | - 8.637 | - 8.640 | | - 8.639 | |
| | 10.279 | | 10.642 | | | |
| T.P. | 1556.013 | | | | | |
| | 1.751 | | 1.955 | | | |
| | 1557.764 | - 3.516 | - 3.514 | | - 3.515 | |
| | 5.267 | | 5.469 | | | |
| P #1 | 1552.497 | | | | 1552.482 | P #1 Fd 1x2 flush Pt. F[illegible] |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0079.15 SURVEY OF Dume Ca Road NOTES RED. JFM
SURVEY BY L.V. Smith DATE 5-19-55
NOTES BY R.C. Dale DATE 3-17-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE

E.B. 1849 Pg. 44

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| P#1 | 1552.499 | | | | 1552.482 | |
| | 6.219 | | 5.807 | | | |
| | 1558.716 | - 4.462 | - 4.461 | | -4.462 | |
| | 10.681 | | 10.268 | | | |
| P#2 | 1548.035 | | | | 1548.020 | P#2 Fd 3/4" I.P. Down 18" Per F.B. 1849-17 |
| | 2.330 | | 2.008 | | | |
| | 1550.365 | - 9.321 | - 9.321 | | -9.321 | |
| | 11.651 | | 11.329 | | | |
| T.P. | 1538.714 | | | | | |
| | 0.872 | | 0.715 | | | |
| | 1539.586 | - 10.187 | - 10.186 | | -10.187 | |
| | 11.059 | | 10.901 | | | |
| T.P. | 1528.527 | | | | | |
| | 0.748 | | 1.010 | | | |
| | 1529.275 | - 9.997 | - 9.997 | | -9.997 | |
| | 10.745 | | 11.007 | | | |
| P#3 | 1518.530 | | | | 1518.514 | P#3 Fd 1x2 Flush Per FB 1849-18 |
| | 1.118 | | 0.916 | | | |
| | 1519.648 | - 8.685 | - 8.683 | | -8.684 | |
| | 9.803 | | 9.599 | | | |
| T.P. | 1509.845 | | | | | |
| | 1.116 | | 1063 | | | |
| | 1510.961 | - 5.842 | - 5.842 | | -5.842 | |
| | 6,958 | | 6.905 | | | |
| P#4 | 1504.003 | | | | 1503.988 | P#4 Fd 3/4" I.P. up 1" Per F.B. 1849-18 |
| | 1.892 | | 1.236 | | | |
| | 1505.895 | - 6.023 | - 6.025 | | -6.024 | |
| | 7.915 | | 7.261 | | | |
| T.P. | 1497.980 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. UFM JOB NO. 2224.15 SURVEY OF Dume Cañ Road
DATE 6/18/55 SURVEY BY J.K. Smith DATE 3-17-55
NOTES CHKD. _____ NOTES BY R.C. Dale DATE _____
DATE _____ INDEXED R.C. Jahraus DATE _____

F.B. 1849 PG. 45

**Do not extend notes this side of this line**

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1497.980 | | | | | |
| | 8.567 | | 8.482 | 8.393 | | |
| | 1506.547 | +4.979 | +4.971 | +4.975 | +4.973 | |
| | 3.588 | | 3.511 | 3.418 | | |
| T.P. | 1502.959 | | | | | |
| | 6.095 | | 5.961 | | | |
| | 1509.054 | +4.011 | +4.012 | | +4.012 | |
| | 2.084 | | 1.949 | | | |
| T.P. | 1506.970 | | | | | |
| | 5.598 | | 5.547 | | | |
| | 1512.568 | +3.675 | +3.675 | | +3.675 | |
| | 1.923 | | 1.872 | | | |
| P#5 | 1510.645 | | | | 1510.623 | P#5 Fd 1x2 Flush Per F.B. 1849 Pg. 15 |
| | 1.998 | | 1.798 | | | |
| | 1512.643 | -3.362 | -3.362 | | -3.362 | |
| | 5.360 | | 5.160 | | | |
| T.P. | 1507.283 | | | | | |
| | 4.728 | | 4.582 | | | |
| | 1512.011 | -0.982 | -0.984 | | -0.983 | |
| | 5.710 | | 5.566 | | | |
| TBM 101 | 1506.301 | | | | 1506.278 | TBM 101 Elev 1506.288 (1506.328 (NGS)) Set [illegible] On old Newton Cañ Rd 1 mile W Sunset and Newton Cañ N side dirt road 18" oak lg. bt. Spk. 1' off ground |
| | 5.919 | | 5.788 | | | |
| | 1512.220 | +1.491 | +1.493 | | +1.492 | |
| | 4.428 | | 4.295 | | | |
| T.P. | 1507.792 | | | | | |
| | 10.428 | | 10.770 | | | |
| | 1518.220 | +9.361 | +9.362 | | +9.362 | |
| | 1.067 | | 1.408 | | | |
| P#6 | 1517.153 | | | | 1517.132 | P#6 Fd 1x2 up 1" Per F.B. 1849 [illegible] |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0074.15 SURVEY OF Dume Cr Road NOTES RED. J.F.M.
SURVEY BY L.V. Smith DATE 5-19-55
NOTES BY R.C. Dale DATE 3-22-55 NOTES CHKD.
INDEXED R.C. Johnson DATE DATE

F.B. 1849 Pg. 16

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| P"6 | 1517.153 | | | | 1517.132 | |
| | 10.141 | | 10.263 | | | |
| | 1527.294 | + 9.316 | + 9.316 | | 9.316 | |
| | 0.825 | | 0.947 | | | |
| T.P. | 1526.469 | | | | | |
| | 10.555 | | 10.387 | | | |
| | 1537.024 | + 9.717 | + 9.716 | | 9.716 | |
| | 0.838 | | 0.671 | | | |
| T.P. | 1536.186 | | | | | |
| | 10.484 | | 10.362 | | | |
| | 1546.670 | + 8.272 | + 8.273 | | 8.273 | |
| | 2.212 | | 2.089 | | | |
| T.P. | 1544.458 | | | | | |
| | 6.479 | | 6.321 | | | |
| | 1550.937 | - 0.858 | - 0.857 | | - 0.858 | |
| | 7.337 | | 7.178 | | | |
| P"7 | 1543.600 | | | | 1543.579 | P"7 Fd 3/4" I.P. Plug up 2" Ref. F.B. 1849-18. |
| | 9.790 | | 9.607 | | | |
| | 1553.390 | + 8.500 | + 8.500 | | 8.500 | |
| | 1.290 | | 1.107 | | | |
| TBM"102 | 1552.100 | | | | 1552.079 | TBM"102 Elev. - 1552.079 |
| | 5.306 | | 5.117 | | | 36± N.Ely of P"8 4± N'ly of a line between P"7 and P"8 |
| | 1557.406 | + 1.399 | + 1.395 | | 1.397 | Set lg. bt. spk. on S. side 14" oak. |
| | 3.907 | | 3.722 | | | |
| P"8 | 1553.499 | | | | 1553.476 | P"8 Fd 1" I.P. plug up 1" Ref FB 1849-18 |
| | 5.574 | | 5.462 | | | |
| | 1559.073 | + 1.844 | + 1.846 | | 1.845 | |
| | 3.730 | | 3.616 | | | |
| T.P. | 1555.343 | | | | | |

76S420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

NOTES REC. VFM JOB NO. 207415 SURVEY OF Dunn Co Rd
DATE 4-12-55 SURVEY BY Lee Smith
NOTES CHKD. NOTES BY PC Dale DATE 3-22-55
DATE INDEXED E. C. Johnson DATE

F.B. 1849 PG. 42

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1555.343 | | | | | |
| | 4.339 | | 4.081 | | | |
| | 1559.682 | + 0.637 | + 0.637 | | | |
| | 3.702 | | 3.449 | | | |
| T.P. | 1555.980 | | | | | |
| | 10.006 | | 10.178 | | | |
| | 1565.986 | + 6.854 | + 6.855 | | | |
| | 3.152 | | 3323 | | | |
| P#9 | 1562.834 | | | | 1562.813 | P#9 Fd 1" I.P. plug Flush Ptr. F.B. |
| | 9.566 | | 9.481 | | | |
| | 1572.400 | + 3.418 | + 8.416 | | | |
| | 1.148 | | 1.065 | | | |
| T.P. | 1571.252 | | | | | |
| | 6.157 | | 6.000 | | | |
| | 1577.409 | + 1.260 | + 1.261 | | | |
| | 4.897 | | 4.739 | | | |
| P#10 | 1572.512 | | | | 1572.491 | P#10 Fd 3/4" I.P. plug up 2". Ptr. F.B. |
| | 8.330 | | 7.942 | | | |
| | 1580.842 | + 7.582 | + 7.584 | | | |
| | 0.748 | | 0.358 | | | |
| TBM#103 | 1580.094 | | | | 1580.074 | TBM#103 Elev - 1580.074 |
| | 9.116 | | 8.312 | | | 20.5' N'ly P#11 2½' W'ly of line between |
| | 1589.210 | - 0.211 | - 0.210 | | | and P#11 Set 1/2 bt. spk. on E. side of |
| | 9.327 | | 852.2 | | | |
| P#11 | 1579.883 | | | | 1579.863 | P#11 Fd 1x2 Flush Ptr FB 1849 - |
| | 2.387 | | 2.709 | | | |
| | 1582.270 | - 1.358 | - 1.358 | | | |
| | 3.745 | | 4067 | | | |
| P#12 | 1578.525 | | | | 1578.505 | P#12 Fd 1" I.P. plug up 1" Ptr. F.B. |

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 00715 SURVEY OF Dume Cañ Road NOTES RED. JEM
SURVEY BY L.W. Smith DATE 5-19-55
NOTES BY R.C. Dale DATE 3-22-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| P"12 | 1578.525 | | | | 1578.505 | |
| | 3.592 | | 3.275 | | | |
| | 1582.117 | -1.356 | -1.357 | ✓ | [illegible] | |
| | 4.948 | | 4.632 | | | |
| T.P. | 1577.169 | | | | | |
| | 2.469 | | 2.859 | | | |
| | 1579.638 | -3.242 | -3.241 | ✓ | [illegible] | |
| | 5.711 | | 6.100 | | | |
| T.P. | 1573.927 | | | | | |
| | 10.390 | | 10.842 | | | |
| | 1584.317 | +9.412 | +9.412 | ✓ | -9.412 | |
| | 0.978 | | 1.430 | | | |
| T.P. | 1583.339 | | | | | |
| | 10.179 | | 10.080 | | | |
| | 1593.518 | +5.194 | +8.195 | ✓ | 8.175 | |
| | 1.985 | | 1.885 | | | |
| T.P. | 1591.533 | | | | | |
| | 7.095 | | 7.382 | | | |
| | 1598.628 | +6.637 | 6.636 | ✓ | [illegible] | |
| | 0458 | | 0.746 | | | |
| T.B.M.104 | 1598.170 | | | | 1598.150 | T.B.M. #104 Elev- 1598.150 |
| | 3.909 | | 4.081 | | | 38± NEly of P"13 3½± SEly of line between |
| | 1602.079 | +2.898 | +2.898 | ✓ | [illegible] | P"12 & P"13. Set ½ Spk. in N side of 18" oak |
| | 1.011 | | 1.183 | | | |
| T.P. | 1601.068 | | | | | |
| | 5.559 | | 5.051 | | | |
| | 1606.627 | -3.058 | -3.058 | ✓ | -3.058 | |
| | 8.617 | | 8.109 | | | |
| P"14A | 1598.010 | | | | 1597.990 | P"14A Fd 1X2 Flush Tr. E.B. 1849-20 |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. UEM JOB NO. 0074.15 SURVEY OF Dunn Co Road
DATE 5-19-55 SURVEY BY F.K. Smith
NOTES CHKD. NOTES BY P.C. Dale DATE 3-23-55
DATE INDEXED C. Johnson DATE

F.B. 1849 PG. 49

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| P#14A | 1598.010 | | | | 1597.990 | |
| | 8.635 | | 8.750 | | | |
| | 1606.645 | + 7.608 | + 7.609 | | + 7.609 | |
| | 1.027 | | 1.141 | | | |
| T.P. | 1605.618 | | | | | |
| | 10.692 | | 10.867 | | | |
| | 1616.310 | + 5.837 | + 5.837 | | + 5.837 | |
| | 4.855 | | 5.030 | | | |
| T.P. | 1611.455 | | | | | |
| | 9.195 | | 9.546 | | | |
| | 1620.650 | + 7.565 | + 7.566 | | + 7.566 | |
| | 1.630 | | 1.980 | | | |
| P# 13 | 1619.020 | | | | 1619.002 | P#13 Fd 1x2 Flush Par FB 18 |
| | 10.225 | | 9.809 | 10.275 | | |
| | 1629.245 | + 5.453 | + 5.444 | + 5.493 | + 5.443 | |
| | 4.772 | | 4.365 | 4.832 | | |
| P#14 | 1624.473 | | | | 1624.445 | P#14 Fd 1x2 up 1" Par FB 184 |
| | 1.170 | | 1.319 | | | |
| | 1625.643 | - 9.300 | - 9.301 | | - 9.301 | |
| | 10.470 | | 10.620 | | | |
| T.P. | 1615.173 | | | | | |
| | 0.367 | | 0.382 | | | |
| | 1615.540 | - 8.932 | - 8.933 | | - 8.933 | |
| | 9.299 | | 9.315 | | | |
| T.P. | 1606.241 | | | | | |
| | 3.063 | | 2.769 | | | |
| | 1609.304 | - 3.520 | - 3.519 | | - 3.520 | |
| | 6.583 | | 6.288 | | | |
| P#15 | 1602.721 | | | | 1602.691 | P#15 Fd 1x2 Flush Par F.B. 18 |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2074.15 SURVEY OF Dume Co. Road NOTES RED. UFM
SURVEY BY L.V. Smith DATE 5-19-55
NOTES BY R.C. Dale DATE 3-23-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE

F.B. 1849 PG. 50

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| P# 15 | 1602.721 | | | | 1602.691 | |
| | 7.087 | | 6.791 | | | |
| | 1609.808 | + 7.832 | + 4.832 | | + 4.832 | |
| | 2255 | | 1.959 | | | |
| T.P. | 1607.553 | | | | | |
| | 1.534 | | 1.726 | | | |
| | 1609.087 | - 7.488 | - 7.487 | | - 7.488 | |
| | 9.022 | | 9.213 | | | |
| T.P. | 1600.065 | | | | | |
| | 8.190 | | 8508 | | | |
| | 1608.255 | + 0.371 | 0.370 | | + 0.371 | |
| | 7.819 | | 8.138 | | | |
| T.P. | 1600.436 | | | | | |
| | 8.157 | | 7.794 | | | |
| | 1608.593 | + 6.996 | + 6.995 | | + 6.996 | |
| | 1.161 | | 0.799 | | | |
| T.B.M. 105 | 1607.432 | | | | 1607.402 | T.B.M. #105 Elev - 1607.402. |
| | 3.963 | | 4.333 | | | 23± S.W. P# 16 65'± S.E. of line between |
| | 1611.395 | - 3.631 | - 3.631 | | - 3.631 | P# 16 and P# 17 Set lgt. Spk. in W. side 18" oak |
| | 7.594 | | 7.964 | | | |
| P# 16 | 1603.801 | | | | 1603.771 | P# 16 Fd 1x2 up 1" Per F.B. 1849-20 |
| | 10.315 | | 10.512 | | | |
| | 1614.116 | + 4.298 | + 4.298 | | + 4.298 | |
| | 6.017 | | 6214 | | | |
| T.P. | 1608.099 | | | | | |
| | 10.318 | | 10.139 | | | |
| | 1618.417 | + 5.667 | + 5.664 | | + 5.666 | |
| | 4.651 | | 4.975 | | | |
| T.P. | 1613.766 | | | | | |

76S420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JFM JOB NO. 2077.15 SURVEY OF Duane Ct Road
DATE 5-19-55 SURVEY BY L.V. Smith P.C. Dale DATE 3-23-55
NOTES CHKD. NOTES BY. DATE
DATE INDEXED G. Johnson DATE

F.B. 1849 PG. 57

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1613.766 | | | | | |
| | 8821 | | 8.421 | | | |
| | 1622.587 | + 6.368 | + 6.369 | | +6.369 | |
| | 2.453 | | 2.052 | | | |
| P#17A | 1620.134 | | | | 1620.104 | P#17A Fd 1x2 Flush Per F.B. 1849 |
| | 11.389 | | 11.221 | | | |
| | 1631.523 | + 9.084 | + 9.083 | | + 9.084 | |
| | 2.305 | | 2.138 | | | |
| T.P. | 1629.218 | | | | | |
| | 8.879 | | 8.729 | | | |
| | 1638.097 | + 8.332 | + 8.335 | | + 8.334 | |
| | 0.547 | | 0.394 | | | |
| T.P. | 1637.550 | | | | | |
| | 10.964 | | 10.584 | | | |
| | 1648.514 | + 9.723 | + 9.724 | | + 9.724 | |
| | 1.241 | | 0.860 | | | |
| P#17 | 1647.273 | | | | 1647.246 | P#17 Fd 3/4" I.P. plug Flush Per F.B. 1849 |
| | 0.998 | | 0.667 | | | |
| | 1648271 | - 9.597 | - 9.600 | | - 9.599 | |
| | 10.595 | | 10.267 | | | |
| T.P. | 1637.676 | | | | | |
| | 3.052 | | 3.232 | | | |
| | 1640.728 | - 5.219 | - 5.219 | | - 5.219 | |
| | 8.271 | | 8.451 | | | |
| P#18 | 1632.457 | | | | 1632.428 | P#18 Fd 1x2 up 1" Per F.B. 1849 |
| | 0.535 | | 0.658 | | | |
| | 1632.992 | - 10.273 | - 10.273 | | - 10.273 | |
| | 10.808 | | 10.931 | | | |
| T.P. | 1622.184 | | | | | |

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Duane Ct Road NOTES RED. JEM
SURVEY BY L.V. Smith DATE 5-19-55
NOTES BY R.G. Dale DATE 3-23-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE

F.B. 1849 Pg. 52

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1622.184 | | | | | |
| | 2.275 | | 1.932 | | | |
| | 1624.459 | - 8.079 | - 8.079 | | - 8.079 | |
| | 10.354 | | 10.011 | | | |
| P#19 | 1614.105 | | | | 1614.076 | P#19 Fd 3/4" I.P. Flush Per F.B. 1849-21 |
| | 5.718 | | 6.039 | | | |
| | 1619.823 | + 2.515 | + 2.515 | | + 2.515 | |
| | 3.203 | | 3.524 | | | |
| T.B.M.#106 | 1616.620 | | | | 1616.591 | T.B.M. #106 Elev = 1616.591 |
| | 6.129 | | 6.248 | | | 4½± N.E. P#20 2± S.E. of a line between |
| | 1622.749 | - 1.726 | - 1.727 | | - 1.727 | P#19 & P#20 Set hub & tack in S.E. side 18" oak. |
| | 7.855 | | 7.975 | | | |
| P#20 | 1614.894 | | | | 1614.864 | P#20 Fd 1x2 up 1" Per F.B. 1849-21 |
| | 9.621 | | 9.297 | 9.625 | | |
| | 1624.515 | + 8.468 | + 8.478 | + 8.468 | + 8.468 | |
| | 1.153 | | 0.819 | 1.157 | | |
| T.P. | 1623.362 | | | | | |
| | 0.709 | | 0.887 | | | |
| | 1624.071 | - 8.360 | - 8.360 | | - 8.360 | |
| | 9.069 | | 9.247 | | | |
| P#21A | 1615.002 | | | | 1614.972 | P#21A Fd 1x2 up 1" Per F.B. 1849-21 |
| | 9.283 | | 8.916 | | | |
| | 1629.285 | + 8.012 | + 8.013 | | + 8.013 | |
| | 1.271 | | 0.903 | | | |
| T.P. | 1623.014 | | | | | |
| | 11.019 | | 11.462 | | | |
| | 1634.033 | + 5.958 | + 5.960 | | + 5.959 | |
| | 5.061 | | 5.502 | | | |
| T.P. | 1628.972 | | | | | |

76S420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JFM JOB NO. 2077.5 SURVEY OF Dume Cr Road
DATE 5-19-55 SURVEY BY L.V. Smith
NOTES CHKD. _____ NOTES BY R.C. Dale DATE 3-24-55
DATE _____ INDEXED R. C. Johnson DATE _____

F.B. 1849 PG. 53

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1628.972 | | | | | |
| | 8.689 | | 8.863 | | | |
| | 1637.661 | + 7.646 | + 7.645 | | +7.646 | |
| | 1.093 | | 1.218 | | | |
| P#21 | 1636.618 | | | | 1636.590 | P#21 Fd. 3/4" I.P. plug up 1" Per F.B. [illegible] |
| | 0.763 | | 0.643 | | | |
| | 1637.381 | - 8.490 | - 8.488 | | -8.489 | |
| | 9.253 | | 9.131 | | | |
| T.P. | 1628.128 | | | | | |
| | 10.812 | | 10.390 | | | |
| | 1638.940 | + 6.574 | + 6.574 | | +6.574 | |
| | 4.238 | | 3.816 | | | |
| T.P. | 1634.702 | | | | | |
| | 5.516 | | 5.284 | | | |
| | 1640.218 | - 3.838 | - 3.839 | | -3.839 | |
| | 9.354 | | 9.123 | | | |
| T.P. | 1630.864 | | | | | |
| | 3.341 | | 3.153 | | | |
| | 1634.205 | - 7.613 | - 7.613 | | -7.613 | |
| | 10.954 | | 10.766 | | | |
| T.P. | 1623.251 | | | | | |
| | 0.882 | | 0.541 | | | |
| | 1624.133 | - 9.550 | - 9.550 | | -9.550 | |
| | 10.432 | | 10.091 | | | |
| T.P. | 1613.701 | | | | | |
| | 0.238 | | 0.654 | | | |
| | 1613.939 | - 8.349 | - 8.350 | | -8.350 | |
| | 8.587 | | 9.004 | | | |
| P#22B | 1605.352 | | | | 1605.323 | P#22B Fd 1x2 up 1" Per F.B. 1849 |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Dume Cañ Road NOTES RED. JFM
SURVEY BY L.V. Smith DATE 5-19-55
NOTES BY R.C. Dale DATE 3-24-55 NOTES CHKD.
INDEXED L. C. Johnson DATE DATE

F.B. 1849 Pg. 64

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| P#22 B. | 1605.352 | | | | 1605.323 | |
| | 8.772 | | 8.609 | | | |
| | 1614.124 | +8.284 | + 8.284 | | +8.284 | |
| | 0.488 | | 0.325 | | | |
| T.P. | 1613.636 | | | | | |
| | 10.593 | | 10.342 | | | |
| | 1624.229 | + 9.928 | + 9.929 | | +9.929 | |
| | 0.665 | | 0.413 | | | |
| T.P. | 1623.564 | | | | | |
| | 10.545 | | 10.909 | | | |
| | 1634109 | + 9.126 | + 9.124 | | +9.125 | |
| | 1.419 | | 1.785 | | | |
| T.P. | 1632.690 | | | | | |
| | 11.196 | | 11.780 | | | |
| | 1643.836 | + 9.854 | + 9.853 | | +9.854 | |
| | 1.292 | | 1.927 | | | |
| T.P. | 1642.544 | | | | | |
| | 11.116 | | 10.836 | | | |
| | 1653.660 | + 7.210 | + 7.212 | | +7.211 | |
| | 3.906 | | 3.624 | | | |
| T.B.M. 107 | 1649.754 | | | | 1649.726 | TBM #107 Elev - 1649.726 |
| | 7.431 | | 7.662 | | | 18.5± N'ly of P#22 Set lg. bit spk. in S. side |
| | 1657.185 | + 6.276 | +6.270 | | +6.270 | 16" oak "up 1' |
| | 1.161 | | 1.392 | | | |
| P#22 | 1656.024 | | | | 1655.996 | P#22 Fd 3/4" I.P. Plug Flush Per FB 1849-28 |
| | 10.204 | | 10.346 | | | |
| | 1666.228 | + 9.476 | + 9.478 | | +9.477 | |
| | 0.728 | | 0.868 | | | |
| T.P. | 1665.500 | | | | | |

768420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1665.500 | | | | | |
| | 10.051 | | 10290 | | | |
| | 1675.551 | +8.908 | + 8.907 | | +8.908 | |
| | 1.143 | | 1.383 | | | |
| P"22 A | 1674.408 | | | | 1674.381 | P22A Fd.1x2 Flush Per F.B. 1849 |
| | 0.993 | | 1.119 | | | |
| | 1675.401 | - 8.964 | - 8.964 | | -8.964 | |
| | 9.957 | | 10.083 | | | |
| T.P. | 1665.444 | | | | | |
| | 0.706 | | 0447 | | | |
| | 1666.150 | - 8.472 | - 8.472 | | -8.472 | |
| | 9.178 | | 8.919 | | | |
| T.P. | 1656.972 | | | | | |
| | 2.325 | | 2478 | | | |
| | 1659.297 | - 5.850 | - 5.850 | | -5.850 | |
| | 8.175 | | 8.328 | | | |
| P"23 | 1651.122 | | | | 1651.095 | P"23 Fd 1x2 up 1" Per F.B. 1849 |
| | 0.856 | | 0.383 | | | |
| | 1651.978 | - 9.874 | - 9.874 | | -9.874 | |
| | 10.730 | | 10.257 | | | |
| T.P. | 1641.248 | | | | | |
| | 0.444 | | 0.380 | | | |
| | 1641.692 | - 8.623 | - 8.625 | | -8.625 | |
| | 9.069 | | 9.005 | | | |
| T.P. | 1632.623 | | | | | |
| | 0.507 | | 0.226 | | | |
| | 1633.130 | - 6.304 | - 6.303 | | -6.304 | |
| | 6.811 | | 6.529 | | | |
| P"24A | 1626.319 | | | | 1626.292 | P"24A Fd 1x2 up 1" Per F.B. 1849 |

NOTES RED. JEM JOB NO. 0074.15 SURVEY OF Dumc Co Road
DATE 5-19-55 SURVEY BY L.V. Smith R.C. Dale DATE 3-24-65
NOTES CHKD. NOTES BY DATE
DATE INDEXED R. C. Johnson DATE

F.B. 1849 PG. 55

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0274.15 SURVEY OF Dume Cn Road NOTES RED. JEM
SURVEY BY L.V. Smith DATE 5-19-55
NOTES BY J.C. Dale DATE 3-24-55 NOTES CHKD.
INDEXED L.C. Johnson DATE DATE

F.B. 1849 Pg. 56

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| P# 24 A | 1626.319 | | | | 1626.292 | |
| | 6.858 | | 7.019 | | | |
| | 1633.177 | + 6.262 | + 6.261 | | - .262 | |
| | 0.596 | | 0.758 | | | |
| T.P. | 1632.581 | | | | | |
| | 9.880 | | 9.598 | | | |
| | 1642.461 | + 8.618 | + 8.618 | | + 8.618 | |
| | 1.262 | | 0.980 | | | |
| T.P. | 1641.199 | | | | | |
| | 7.559 | | 6.733 | | | |
| | 1648.758 | + 4.421 | + 4.422 | | + 4.422 | |
| | 3.138 | | 2.311 | | | |
| T.B.M. #108 | 1645.620 | | | | 1645.594 | T.B.M. #108 Elev 1645.594 |
| | 10.981 | | 11.348 | | | 43± SW of P# 23 8'± SE of a line between P# 23 |
| | 1656.601 | + 7.531 | + 7.531 | | + 7.531 | and P# 24 Set ½ bt. spike on SE side 18" oak |
| | 3.450 | | 3.817 | | | |
| T.P. | 1653.151 | | | | | |
| | 10.547 | | 10.304 | | | |
| | 1663.698 | + 5.836 | + 5.835 | | + 5.836 | |
| | 4.711 | | 4.969 | | | |
| P# 24 | 1658.987 | | | | 1658.961 | P# 24 Fd 1X2 up 1" Per F.B. 1849-22 |
| | 8.233 | | 7.961 | | | |
| | 1667.220 | + 2.551 | + 2.549 | | + 2.550 | |
| | 5.682 | | 5.412 | | | |
| P# 25 | 1661.538 | | | | 1661.511 | P# 25 Fd 1" I.P. flush up 3" Per F.B. 1849-22 |
| | 3.654 | | 3.962 | | | |
| | 1665.192 | + 2.235 | + 2.234 | | + 2.235 | |
| | 1.419 | | 1.728 | | | |
| TBM #109 | 1663.773 | | | | 1663.746 | TBM #109 Elev 1663.746 6'± SW of P# 25 on a line between P# 25 & P# 26 Set ½ bt. spike on S side 14" oak. |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JEM JOB NO. 2074.15 SURVEY OF Dume Cat Trail
DATE 6-19-55 SURVEY BY L.K. Smith
NOTES CHKD. NOTES BY R.C. Dale DATE 3-25-55
DATE INDEXED R. C. Johnson DATE

F.B. 1849 PG. 57

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| TBM #109 | 1663.773 | | | | 1663.7746 | |
| | 6.151 | | 6.023 | | | |
| | 1669.924 | - 3.607 | - 3.610 | | - 3.609 | |
| | 9.758 | | 9.633 | | | |
| T.P. | 1660.166 | | | | | |
| | 1.490 | | 1.769 | | | |
| | 1661.656 | - 7.663 | - 7.664 | | - 7.664 | |
| | 9.153 | | 9.433 | | | |
| T.P. | 1652.503 | | | | | |
| | 5.802 | | 5.818 | | | |
| | 1658.305 | - 4.392 | - 4.394 | | - 4.393 | |
| | 10.194 | | 10.212 | | | |
| P #26A | 1648.111 | | | | 1648.080 | P #26A Fd 1x2 Flush Per F.B. 185 |
| | 10.638 | | 10.855 | | | |
| | 1658.749 | + 10.084 | + 10.084 | | + 10.084 | |
| | 0.554 | | 0.771 | | | |
| T.P. | 1658.195 | | | | | |
| | 9.914 | | 10.314 | | | |
| | 1668.109 | + 6.862 | + 6.861 | | + 6.862 | |
| | 3.052 | | 3.453 | | | |
| T.P. | 1665.057 | | | | | |
| | 11.091 | | 11.528 | | | |
| | 1676.148 | + 9.266 | + 9.268 | | + 9.267 | |
| | 1.825 | | 2.260 | | | |
| T.P. | 1674.323 | | | | | |
| | 8.359 | | 8.046 | | | |
| | 1682.682 | + 3.420 | + 3.419 | | + 3.420 | |
| | 4.939 | | 4.627 | | | |
| P #26 | 1677.743 | | | | 1677.713 | P #26 Fd 3/4" IP, plug, up 1" Per F.B. |

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 2074.15 SURVEY OF Dame Ct Road NOTES RED. JEM
SURVEY BY K.V. Smith DATE 5-19-55
NOTES BY R.C. Dale DATE 3-25-55 NOTES CHKD.
INDEXED L. C. Johnson DATE DATE

F.B. 1849 Pg. 58

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| P#26 | 1677.743 | | | | 1677.713 | |
| | 7.093 | | 6.779 | | | |
| | 1684.836 | -0.960 | -0.960 | | -0.960 | |
| | 8.053 | | 7.739 | | | |
| P#27 | 1676.783 | | | | 1676.753 | P#27 Fd. 1x2 Flush Per F.B. 1849-23 |
| | 1.792 | | 1.959 | | | |
| | 1678.575 | -8.758 | -8.755 | | -8.757 | |
| | 10.550 | | 10.714 | | | |
| T.P. | 1668.025 | | | | | |
| | 1.980 | | 1.253 | | | |
| | 1670.005 | -8.230 | -8.229 | | -8.230 | |
| | 10.210 | | 9.482 | | | |
| P#28 | 1659.795 | | | | 1659.766 | P#28 Fd. 1x2 Flush Per F.B. 1849-23 |
| | 9.238 | | 9.421 | | | |
| | 1669.033 | +8.075 | +8.074 | | +8.075 | |
| | 1.163 | | 1.347 | | | |
| T.P. | 1667.870 | | | | | |
| | 9.242 | | 8.913 | | | |
| | 1677.112 | +8.410 | +8.410 | | +8.410 | |
| | 0.832 | | 0.503 | | | |
| P#29 | 1676.280 | | | | 1676.251 | P#29 Fd. 1x2 Flush Per F.B. 1849-23 |
| | 11.094 | | 11.427 | | | |
| | 1687.374 | +10.502 | +10.503 | | +10.503 | |
| | 0.592 | | 0.923 | | | |
| T.P. | 1686.782 | | | | | |
| | 10.941 | | 10.701 | 11.034 | | |
| | 1697.723 | +9.216 | +9.227 | 9.226 | +9.227 | |
| | 1.725 | | 1.474 | 1.808 | | |
| T.P. | 1695.998 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1695.998 | | | | | |
| | 7.930 | | 7.880 | | | |
| | 1703.928 | + 5.480 | + 5.480 | | +5.480 | |
| | 2.950 | | 2.900 | | | |
| P"30 | 1701.978 | | | | 1701.461 | P"30 Fd. 3/4" I.P. plug Per F.B. 1849 |
| | 0.957 | | 1.170 | | | |
| | 1702.935 | -10.102 | - 10.103 | | -10.103 | |
| | 11.059 | | 11.273 | | | |
| T.P. | 1691.376 | | | | | |
| | 0.456 | | 0.226 | | | |
| | 1691.832 | - 10.173 | - 10.174 | | -10.174 | |
| | 10.629 | | 10.400 | | | |
| S-1 | 1681.203 | | | | 1681.184 | S-1 Fd. 3/4" I.P. plug flush Per F.B. 1849 |
| | 10.632 | | 10.785 | | | |
| | 1691.835 | + 10.114 | + 10.114 | | +10.114 | |
| | 0.518 | | 0.671 | | | |
| T.P. | 1691.317 | | | | | |
| | 10.858 | | 10.998 | | | |
| | 1702.175 | + 10.491 | + 10.494 | | +10.493 | |
| | 0.367 | | 0.504 | | | |
| T.P. | 1701.808 | | | | | |
| | 4.427 | | 4.564 | | | |
| | 1706.235 | - 0.960 | - 0.960 | | -0.960 | |
| | 5.387 | | 5.524 | | | |
| P"31 | 1700.848 | | | | 1700.831 | P"31 Fd 1/2 up 1" Per F.B. 1849 |
| | 1.933 | | 1.728 | | | |
| | 1702.781 | - 8.965 | - 8.966 | | -8.466 | |
| | 10.398 | | 10.194 | | | |
| T.P. | 1692.383 | | | | | |

NOTES RED. JEM JOB NO. 2274.15 SURVEY OF Dume Co Road
DATE 5-18-55 SURVEY BY R.C. Dale & K. Smith DATE 3-25-55
NOTES CHKD. NOTES BY K. C. Johnson DATE
DATE INDEXED DATE

F.B. 1849 PG. 59

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Dume Cañ Road NOTES RED. JFM
SURVEY BY L.K. Smith DATE 5-19-55
NOTES BY R.C. Dale DATE 3-28-55 NOTES CHKD.
INDEXED A.C. Johnson DATE DATE

F.B. 1849 Pg. 60

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1692.383 | | | | | |
| | 0.500 | | 0.963 | | | |
| | 1692.883 | - 7.165 | - 7.165 | | -7.165 | |
| | 7.665 | | 8.128 | | | |
| P#32 | 1685.218 | | | | 1685.200 | P#32 Fd 1x2 u/p 1" Per F.B. 1849-25 |
| | 9.140 | | 8.793 | | | |
| | 1694.358 | - 0.244 | - 0.244 | | -0.244 | |
| | 9.384 | | 9.037 | | | |
| T.P. | 1684.974 | | | | | |
| | 2.306 | | 1.919 | | | |
| | 1687.280 | - 5.912 | - 5.911 | | - 5.912 | |
| | 8.218 | | 7.830 | | | |
| T.P. | 1679.062 | | | | | |
| | 9.869 | | 9.462 | | | |
| | 1688.931 | + 6.118 | + 6.120 | | +6.119 | |
| | 3.751 | | 3.342 | | | |
| P#33 | 1685.180 | | | | 1685.163 | P#33 Fd 1x2 Flush Per F.B. 1849-25 |
| | 7.097 | | 6.931 | | | |
| | 1692.277 | +5.474 | + 5.474 | | +5.474 | |
| | 1.623 | | 1.457 | | | |
| T.P. | 1690.654 | | | | | |
| | 7.284 | | 7.086 | | | |
| | 1697.938 | + 4.978 | + 4.978 | | +4.978 | |
| | 2.306 | | 2.108 | | | |
| P#34 | 1695.632 | | | | 1695.615 | P#34 Fd 1x2 u/p 1" Per F.B. 1849-25 |
| | 8.739 | | 8.653 | | | |
| | 1704.371 | + 0.410 | + 0.411 | | +0.411 | |
| | 8.329 | | 8.242 | | | |
| BM D-7 | 1696.042 | | | | 1696.026 | (Description on P. 61.) |

768420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

NOTES RED. VEM JOB NO. 0074.15 SURVEY OF Dunn's Cr. Road
DATE 5-18-66 SURVEY BY L.V. Smith R.C. Dale DATE 3-28-55
NOTES CHKD. _____ NOTES BY. _____ DATE _____
DATE _____ INDEXED J. C. Johnson DATE _____

F.B. 1849 PG. 61

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| BM D-7 | 1696.042 | | | | 1696.026 | BM D-7 Elev - 1696.026 |
| | 10.498 | | 10.852 | | | 115.14 ft N.W'ly of P'39 20± below |
| | 1706.540 | + 9.897 | 9.897 | | +9.897 | dividing DUMB and Newton Cr. N. Side |
| | 0.601 | | 0.955 | | | Set Std C.S.B.M. monument. |
| T.P. | 1705.939 | | | | | |
| | 11.255 | | 11.588 | | | |
| | 1717.194 | + 9.057 | 9.057 | | +9.057 | |
| | 2.198 | | 2.531 | | | |
| T.P. | 1714.996 | | | | | |
| | 5.517 | | 5.270 | | | |
| | 1720.513 | +4.175 | + 4.173 | | +4.174 | |
| | 1.342 | | 1.097 | | | |
| R-Y | 1719.171 | | | | 1719.154 | R-Y Elev - 1719.154 |
| | 0.949 | | 0.771 | | | 92.00 ft S.W. of P'39 End of "P" line |
| | 1720.120 | + 0.493 | +0.493 | | +0.494 | side of dirt road in saddle Fd 3/4" I.P. |
| | 0.954 | | 0.278 | | | Per F.B. 1849-25 |
| T.P. | 1719.666 | | | | | |
| | 10.872 | | 10.780 | | | |
| | 1730.538 | + 9.071 | + 9.073 | | +9.072 | |
| | 1.801 | | 1.707 | | | |
| T.P. | 1728.737 | | | | | |
| | 1.183 | | 0.938 | | | |
| | 1729.920 | - 10.194 | -10.194 | | -10.194 | |
| | 11.377 | | 11.132 | | | |
| T.P. | 1718.543 | | | | | |
| | 1.036 | | 0.850 | | | |
| | 1719.579 | - 7.992 | - 7.993 | | -7.993 | |
| | 9.028 | | 8.843 | | | |
| T.P. | 1710.551 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 007415 SURVEY OF Dume Cã Road NOTES RED. VEM
SURVEY BY L.V. Smith DATE 5-19-55
NOTES BY T.C. Dale DATE 3-28-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE
F.B. 1949 Pg. 62

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1710.551 | | | | | |
| | 3.808 | | 3.563 | | | |
| | 1714.359 | -2.288 | -2.287 | | -2.288 | |
| | 6.096 | | 5.850 | | | |
| TBM 110 | 1708.263 | | | | 1708.245 | T.B.M. 110 Elev 1708.245 |
| | 3.773 | | 3.593 | | | 47± SE and at right angles to P31 set |
| | 1712.036 | -0.864 | -0.866 | | -0.865 | ½ 6t spk in SE side of 16" split fork oak. |
| | 4.637 | | 4.459 | | | |
| T.P. | 1707.399 | | | | | |
| | 7.282 | | 7.036 | | | |
| | 1714.681 | +5.380 | +5.379 | | +5.380 | |
| | 1.902 | | 1.657 | | | |
| T.P. | 1712.779 | | | | | |
| | 6.879 | | 6.821 | | | |
| | 1719.658 | +6.380 | +6.380 | | +6.380 | |
| | 0.999 | | 0.491 | | | |
| T.P. | 1719.159 | | | | | |
| | 7.962 | | 7.829 | | | |
| | 1727.121 | +6.694 | +6.694 | | +6.694 | |
| | 1.268 | | 1.135 | | | |
| T.P. | 1725.853 | | | | | |
| | 9.320 | | 9.529 | | | |
| | 1735.173 | +8.372 | +8.372 | | +8.372 | |
| | 0.948 | | 1.157 | | | |
| T.P. | 1734.225 | | | | | |
| | 2.109 | | 2.254 | | | |
| | 1736.334 | -7.821 | -7.829 | | -7.828 | |
| | 9.936 | | 10.083 | | | |
| T.P. | 1726.398 | | | | | |

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. VEM JOB NO. 20741.5 SURVEY OF Dume Rd
DATE 5-18-55 SURVEY BY E.V. Smith R.C. Dale DATE 3-29-55
NOTES CHKD. NOTES BY C. Johnson DATE
DATE INDEXED DATE

F.B. 1849 PG. 63

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1726.398 | | | | | |
| | 0.999 | | 1.087 | | | |
| | 1727.397 | - 8.034 | - 8.035 | | -8.035 | |
| | 9.033 | | 9.122 | | | |
| T.P. | 1718.364 | | | | | |
| | 0.890 | | 1.042 | | | |
| | 1719.254 | - 3.938 | - 3.938 | | -3.938 | |
| | 4.828 | | 4.980 | | | |
| T.P. | 1714.426 | | | | | |
| | 2.327 | | 2.165 | | | |
| | 1716.753 | - 4.175 | - 4.174 | | -4.175 | |
| | 6.502 | | 6.339 | | | |
| T.P. | 1710.251 | | | | | |
| | 2.634 | | 2.442 | | | |
| | 1712.885 | - 7.975 | - 7.976 | | -7.976 | |
| | 10.609 | | 10.418 | | | |
| T.P. | 1702.276 | | | | | |
| | 1.303 | | 1.158 | | | |
| | 1703.579 | - 9.254 | - 9.255 | | -9.255 | |
| | 10.557 | | 10.413 | | | |
| T.P. | 1693.022 | | | | | |
| | 0.957 | | 1.148 | | | |
| | 1693.979 | - 7.300 | - 7.299 | | -7.300 | |
| | 8.257 | | 8.447 | | | |
| T.P. | 1685.722 | | | | | |
| | 1.462 | | 1.194 | | | |
| | 1687.184 | - 9.251 | - 9.251 | | -9.251 | |
| | 10.713 | | 10.445 | | | |
| T.P. | 1676.471 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0074.15 SURVEY OF Dume Cr. Road NOTES RED. VEM
SURVEY BY L.V. Smith DATE 5-19-55
NOTES BY R.C. Dale DATE 3-29-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE

F.B. 1849 Pg. 64

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1676.471 | | | | | |
| | 1.134 | | 0.879 | | | |
| | 1677.605 | -10.689 | -10.688 | | -10.689 | |
| | 11.823 | | 11.567 | | | |
| T.P. | 1665.782 | | | | | |
| | 1.127 | | 0.914 | | | |
| | 1666.909 | -9.410 | -9.410 | | -9.410 | |
| | 10.537 | | 10.324 | | | |
| T.P. | 1656.372 | | | | | |
| | 1.046 | | 0.730 | | | |
| | 1657.418 | -9.107 | -9.106 | | -9.107 | |
| | 10.153 | | 9.836 | | | |
| P#17 | 1647.265 | | | | 1647.246 | P#17 Fd. 3/4" IP plug Flush Per F.B. 1849-20 |
| | 0.988 | | 0.758 | | | |
| | 1648.253 | -9.790 | -9.793 | | -9.792 | |
| | 10.778 | | 10.551 | | | |
| T.P. | 1637.475 | | | | | |
| | 0.414 | | 0.377 | | | |
| | 1637.889 | -8.718 | -8.717 | | -8.718 | |
| | 9.132 | | 9.094 | | | |
| T.P. | 1628.757 | | | | | |
| | 1.857 | | 1.842 | | | |
| | 1630.614 | -8.634 | -8.634 | | -8.634 | |
| | 10.491 | | 10.476 | | | |
| P#17A | 1620.123 | | | | 1620.104 | P#17A Fd. 1x2, Flush, Per F.B. 1849-20 |
| | 0.666 | | 0.542 | | | |
| | 1620.789 | -9.746 | -9.746 | | -9.746 | |
| | 10.412 | | 10.288 | | | |
| T.P. | 1610.377 | | | | | |

76S420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JFM JOB NO. 0074.15 SURVEY OF Dume Cn Road
DATE 5-19-55 SURVEY BY Ly Smith
NOTES CHKD. NOTES BY P.C. Dale DATE 3-29-55
DATE INDEXED A. O. Johnson DATE

F. B. 1849 PG. 65

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1610.377 | | | | | |
| | 0.826 | | 0.609 | | | |
| | 1611.203 | -8.578 | -8.576 | | -8.577 | |
| | 9.404 | | 9.185 | | | |
| T.P. | 1601.799 | | | | | |
| | 0.717 | | 0.659 | | | |
| | 1602.516 | -10.546 | -10.545 | | -10.546 | |
| | 11.263 | | 11.204 | | | |
| T.P. | 1591.253 | | | | | |
| | 0893 | | 0.757 | | | |
| | 1592.146 | -9.423 | -9.423 | | -9.423 | |
| | 10.316 | | 10.180 | | | |
| T.P. | 1581.830 | | | | | |
| | 0.560 | | 0.337 | | | |
| | 1582.390 | -9.312 | -9.312 | | -9.312 | |
| | 9.872 | | 9.649 | | | |
| T.P. | 1572.518 | | | | | |
| | 0.909 | | 0.419 | | | |
| | 1573.427 | -8.188 | -8.188 | | -8.188 | |
| | 9.097 | | 8.607 | | | |
| T.P. | 1564.330 | | | | | |
| | 0.603 | | 0.493 | | | |
| | 1564.933 | -10.573 | -10.572 | | -10.573 | |
| | 11.176 | | 11.065 | | | |
| T.P. | 1553.757 | | | | | |
| | 1.087 | | 0.599 | | | |
| | 1554.844 | -8.150 | -8.149 | | -8.150 | |
| | 9.237 | | 8.798 | | | |
| T.P. | 1545.607 | | | | | |

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0074.15 SURVEY OF Dume Ca Road NOTES RED. JEM
SURVEY BY L.V. Smith DATE 5-19-55
NOTES BY R.C. Dale DATE 3-29-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE

F.B. 1849 Pg. 66

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1545.607 | | | | | |
| | 0.785 | | 0.670 | | | |
| | 1546.392 | -10.666 | -10.665 | | -10.666 | |
| | 11.451 | | 11.335 | | | |
| T.P. | 1534.941 | | | | | |
| | 0.940 | | 0.682 | | | |
| | 1535.881 | -10.100 | -10.100 | | -10.100 | |
| | 11.040 | | 10.782 | | | |
| T.P. | 1524.841 | | | | | |
| | 1.039 | | 0.831 | | | |
| | 1525.880 | -10.368 | -10.367 | | -10.368 | |
| | 11.407 | | 11.198 | | | |
| T.P. | 1514.473 | | | | | |
| | 1.306 | | 0.792 | | | |
| | 1515.779 | -9.968 | -9.968 | | -9.968 | |
| | 11.274 | | 10.760 | | | |
| T.P. | 1509.505 | | | | | |
| | 0.426 | | 0.208 | | | |
| | 1509.931 | -10.804 | -10.804 | | -10.804 | |
| | 11.230 | | 11.012 | | | |
| T.P. | 1493.701 | | | | | |
| | 0.606 | | 0.390 | | | |
| | 1494.307 | -9.559 | -9.561 | | -9.560 | |
| | 10.165 | | 9.951 | | | |
| T.P. | 1484.142 | | | | | |
| | 0.888 | | 1.233 | | | |
| | 1485.030 | -9.789 | -9.789 | | -9.789 | |
| | 10.677 | | 11.022 | | | |
| T.P. | 1479.353 | | | | | |

768420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JEM JOB NO. 0071.5 SURVEY OF Dumas Cut Road
DATE 5-19-55 SURVEY BY L.V. Smith R.C. Dale DATE 3-29-55
NOTES CHKD. NOTES BY E. C. Johnson DATE
DATE INDEXED DATE

F.B. 1849 PG. 67

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1474.353 | | | | | |
| | 1.397 | | 1.162 | | | |
| | 1475.758 | - 9.049 | - 9.050 | | - 9.050 | |
| | 10.446 | | 10.212 | | | |
| T.P. | 1465.304 | | | | | |
| | 8.598 | | 8.794 | | | |
| | 1473.902 | + 5.171 | + 5.174 | | + 5.173 | |
| | 3.427 | | 3.620 | | | |
| T.P. | 1470.475 | | | | | |
| | 8.094 | | 8.202 | | | |
| | 1478.569 | + 5.479 | + 5.478 | | + 5.479 | |
| | 2.615 | | 2.724 | | | |
| T.P. | 1475.954 | | | | | |
| | 10.930 | | 10.824 | | | |
| | 1486.884 | + 3.317 | + 3.318 | | + 3.318 | |
| | 7.613 | | 7.506 | | | |
| T.P. | 1479.271 | | | | | |
| | 5.961 | | 5.823 | | | |
| | 1485.232 | + 4.020 | + 4.021 | | + 4.021 | |
| | 1.941 | | 1.802 | | | |
| T.P. | 1483.291 | | | | | |
| | 7.580 | | 7.494 | | | |
| | 1490.871 | + 7.058 | + 7.058 | | + 7.058 | |
| | 0.522 | | 0.436 | | | |
| T.P. | 1490.349 | | | | | |
| | 10.028 | | 10.119 | | | |
| | 1500.377 | + 9.349 | + 9.348 | | + 9.349 | |
| | 0.679 | | 0.771 | | | |
| T.P. | 1499.698 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2074.15 SURVEY OF Dume Cañ Road NOTES RED. VEM
SURVEY BY L.V. Smith DATE 5-19-55
NOTES BY R.C. Dale DATE 3-29-55 NOTES CHKD.
INDEXED C. Johnson DATE

F.B. 1849 Pg. 68

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 1499.698 | | | | | |
| | 8.201 | | 7.931 | | | |
| | 1507.899 | + 6.611 | + 6.613 | | + 6.612 | |
| | 1590 | | 1.318 | | | |
| TBM 101 | 1506.309 | | | | 1506.278 | 1506.278 (Adj) T.B.M. 101 Elev 1506.288 (Unadj) F.B. 1849-59-73 On old Newton Cañ Rd. 1 mile W of junction Latigo Cañ Rd. and Newton Cañ N side dirt road. S. side 18" oak lg. bt. Spk. 1' off ground. |

COPIES TO

# MALIBU

(REGIONAL OFFICE)

pages 69 thru 82

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of DUME CN RD
W. O. 0074.15 Tape No. 182 St'd. 84 °F
Surveyed by W. S. Cowherd
Notes W.S.C. Date 6-22-55
Indexed

F.B. 1849 Pg. 69

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

# DUME CÑ ROAD

RETRACEMENT of ZUMIREZ DRIVE (PRIVATE ROAD)
FROM PACIFIC COAST HWY. TO LOT 22 (Per RS 54-37 & 39 SHEETS 183)
& TIE TO R-1, R-2, R-3 AND NORTH LINE
OF RANCHO TOPANGA MALIBU SEQUIT & TR-4

JN-0074.15

Party
W.S. Cowherd
J. Terranova Jr.
R STRADER
T. Kreyer
J. Jolliffe

76F3098 247 2-51

F.B. 1213 Pg. 20

INDEX

DUME POINT L-10A
1652-125
1319-109




RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Map No. _____ W. 60th St. Tape No. 122 St'd. 84 °F
Office Work _____ Surveyed by W. S. Lowthard
Checked _____ Notes W.S.C. Date 6-28-57
Date _____ Indexed _____

F.B. 1249 Pg. 11

246.81 @ 2-38 T 60 = 296.19 ✓

299.17 @ 5-31 T 66 = 297.77 ✓
38.09 @ 0-0 T 66 = 38.09 ✓
335.83 ✓

(a) 285 33 50
(b) 21 07 50 ✓
(c) 136 42 00
172 47 00

99.37 @ 0-0 T 66 = 99.36 ✓
53.00 @ 0-0 T 66 = 52.99 ✓
33.88 @ 0-0 T 70 = 33.88 ✓
19.11 @ 0-0 T 70 = 19.11 ✓

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

246.81 ✓
N 47° 00' E
Set N&T Ingkio Post
3-11-75 J.D.M.
45.62
3.04 N&T in Post Out
30.99 N&T in Out 4x4 Post
38.09
3.93
Set N&T Ingkio Post
150.79
Drive
C.P.
19.90
Lot Cor Fd 1" IP up 3" with R.B. Tag #2088
N&T in 4x4 Post
335.83 ✓
Zumirez
Pt Fd 1" IP dm 18" has been filled over
2628
N&T in 4x4 Post
(a) 317 08 10
(b) 224 16 10
(c) 231 24 10
158 34 05
34° 08'
99.36
91° 21' 40"
P.C. 560+78.23
Rad 539.10
Tan 539.10
L.C. 7.40
E.C. 560+78.23
Rad 539.10
Tan 539.10
L.C. 7.40
(a) 182 43 20
(b) 05 26 40
(c) 188 10 10
91 21 40
P.C. 560+00.49
Rad 1.8 C.I.
Tan 1.8 C.I.
L.C. 1.10
E.C. 560+02.49
Tan 1.8 C.I.
L.C. 1.10
Zumirez
Dumetz Rd.
N 4° 180 22 E
1421.76 rec
3.87
STATE HWY. - LA 60-A
Set Shp 3/4" Nail by Intsct. Flush
33.88
19.11
Set Chiseled cross in curb
N 71° 52' 57" W

Pt 2 Fd 1" IP
Tan R.S. 57-37
SHEET 1
Tan R.S. 57-37
N&T in P.P.& T #821732-E

F.B. 1442 Pg. 72

cont Bot Rt side pg #73

W.S. 92,47-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.




@ 198 43 40
@ 57 27 00 ✓
@ 230 11 00
85 21 50

@ 331 20 46
@ 302 41 10 ✓
@ 274 01 50
163 40 20

@ 337 18 40
@ 314 32 20 ✓
@ 296 50 00
168 32 20

80.01 @ 0-0 T62 = 80.00 ✓
278.84 @ 3-43 T66 = 278.22 ✓
70.01 @ 0-0 T62 = 70.00 ✓

61.78 @ 0-0 T62 = 61.77 ✓
50.78 @ 0-0 T64 = 50.77 ✓
292.77 @ 3-40 T64 = 292.13 ✓
404.67 ✓

cont from Bop pg #71

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. or Proj. Tape No. 1242 Std. 62 °F
Surveyed by W. S. Contract
Notes N.S.C. Date 6-22-51
Indexed

F. B. 1842 Pg. 73
(Cont. from 72)

Note: Any Additions or Changes of this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

7SF3095 247 2-51



cont BoT Pg 75

143.28 @ 2-57 T66 = 143.07 ✓

113.36 @ 0-0 T62 = 113.35 ✓
142.47 @ 0-0 T67 = 142.45 ✓
155.87 @ 0-0 T62 = 155.85 ✓
196.84 @ 2-18 T64 = 196.65 ✓
608.30 ✓

110.00 T66 = 110.00 ✓

LOT COR
Fd 1/2" IP
op @ 0.11 phy + Tag "6088

2.00

92.

608.30 ✓

110.00

PI 9
Fd 1" IP dh 2"
See Sheet 3
R 57.39

N 2 in FT = 9210693E

71.80

PI
Fd 1" IP
Flush

143.07

59° 10' 00"

27° 10' 00"

124'

57.39

45.91

(2) 54 20 00
27 10 00

(2) 249 56 50
(4) 139 53 30 ✓
(6) 29 50 00
124 58 20

Not in FT = 8217742E

"BM" D-2A
C.S. Brass cap
Flush up!"

62.12 ✓

Not in Guy Pole = 3217238

248.20

218.23 @ 0-0 T64 = 248.20 ✓

(2) 118 20 00
(4) 236 39 50 ✓
(6) 354 59 40
59 10 00

PI 9 nothing fd
Set 5/8" IP dh
3' rec. from PI's
To North

Not in
Guy Fence
Post

17.35

40'

170'

444.29

Not in
FT Pole = 8217741E

38.97

Not in Guy Pole = 8217748E

251.27

(2) 341 21 40
(4) 322 48 20 ✓
(6) 304 05 00
170 46 50

Cont from Top PB 73

W.S. 82.0-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Map Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of Tract No. [illegible]
W. O. 2004 Maps No. 28 Sh'd. 27 of
Surveyed by H.S. Comport
Notes R.S.C. Date 9/7/55
Indexed

F. B. 1849 PG. 25

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

7673008 247 4-52

LOT COR.
Fd 2" I.P. no plug
in grain field
up 3" very loose

0.36

20.00

90° 39'

506.39

LOT COR
Fd 2" I.P.
in grain field
up 1' very loose
no plug

0.30

20.05

90°

Set nail

100.00

T 70

9.01 @ 0-0 = 9.01 ✓
200.16 @ 5-48 = 199.12 ✓
298.65 @ 2-48 = 298.26 ✓
506.39 ✓

LOT Cor.
Fd 2" I.P.
Flush
Tag RE

100.01 @ 0-0 T 66 = 100.00 ✓
50.01 @ 0-0 T 66 = 50.00 ✓

90°

20.00

Set nail

50.00

PS

N&T
in 6" Cypress

NAT in
PP 6 = 8217472

18.94

59.76

PI 10
Fd 1x2
dn 2"

40'

1955

(2) 333 21 80
(4) 306 42 40 ✓
6 280 04 10
166 40 40

N&T
in 6" Cypress

608.30

Cont from Sh No 24


W.S. 82, A-4
RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
F.B. 1329 PG. 16
Cont Bot Pg 77
LOT COR Fd 2" IP no plug up 8" at fence cor 5 Str and Fence goes NLY also Wly & Sly Nor'ly LOT LINES
296.60
T68
47.68 @ 0-0 = 47.68
248.92 @ 8-N = 248.92
296.60
159.44 @ 9-03 T66 = 157.43
LOT Cor Fd 2" IP no plug up 2" loose
17.32
P"D Set 1X2 by Surv.
1732 @ 0-0 T66 = 17.32
148.47 @ T66 2-30 = 148.31
P"C Set 1X2
54.35 @ T66 8-38 = 53.72
134.18 @ 5-35 T66 = 133.52
P"B Set 1X2
T70' 237.74 @ 5-47 = 236.51
P"A Set 1X2 Fd 2" in field made scratch for PI not Fd as probably plowed out
LOT Cor Fd 2" IP no plug in field loose
LOT Cor Fd 2" IP Plug & Tag 2098 up 8" set in conc base of fence post looks to be leaning Sly 0.40'±
(2) 193 20 20
(4) 26 40 50
(6) 220 01 10
96 40 10
(2) 278 36 30
(4) 197 13 10
(6) 115 49 40
139 18 15
(2) 280 40 30
(4) 201 20 50
(6) 122 01 20
140 20 15
(2) 329 12 30
(4) 298 25 00
(6) 267 37 20
164 36 15
R 2766'
96° 40' 10"
139° 18' 15"
164°
Cont From Top Pg 75

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of TUNNEL Cyn Rd
W. O. 00741S Tape No. 128 St'd. 84 °F
Surveyed by W. S. Cummins
Notes W.S.C. Date
Indexed

F. B. 1870 PG. 77

cont. P.T.#78

280.17 @ 1-40 T80 = 280.04 ✓

118.72 @ 3-54 T64 = 118.42 ✓

174.86 @ 11-43 T64 = 171.20 ✓

121.78 @ 7-55 T64 = 120.60 ✓

(2) 299 56 10
(4) 239 52 30 ✓
(6) 179 58 10
179 58 10

119.33 @ 6-10 T66 = 118.63 ✓

279.79 @ 7-00 T66 = 277.68 ✓




cont. From Tgt #76

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F2095 247 4-55

F.B. 1849 PG. 18

cont Bot Pg# 79

96.81

96.81 @ 0-0 T84 = 96.81 ✓

R#2
Set 3/4" Galv pipe & Cap with drilled hole in cap
Top hill

92.59

93.26 @ 6-52 T84 = 92.59 ✓

R#1E
Set 1x2
Top hill

231.82 ?

N 16-56 E

T84
112.76 @ 9-20 = 111.28 ?
124.81 @ 14-56 = 120.60 ✓
231.88 ?

R#1D
Set 1x2
side hill

92.94

106.03 @ 28-46 T84 = 92.94 ✓

R#1C
Set 1x2
Side ridge

280.04

X

cont From Top Pg# 77

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by [illegible]
Map No.
Office Work
Checked
Date

Survey of DUANE CYN. RD.
W. O. 0074-5 Tape No. 28 St'd. 84 °F
Surveyed by W. S. Cowhera
Notes W S C Date 4-4-55
Indexed

F. B. 1879 Pg. 79

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

5 strand barb wire fence with metal posts

T=80
105.56 @ 16-52 = 101.02 ✓

45.30 @ 0-0 T80 = 45.30 ✓

(2) 138 06 40
(4) 276 13 20 ✓
(6) 54 20 00
69 03 20

N 16-52 E
101.02

R"2C
SET 1/2"
side hill

6" O.I. well pipe casing up 5' for fence corner

45.30
69° 03' 20"
175'

5 strand barb wire fence with metal posts

42½'

Fd 2" IP with cone plug & nail washer illegible RE 759 up 3"

2 strand barb wire fence with metal post & electric wire not in use

291.93

R"2B
SET 1/2"
on spur

227.93

R"2A
SET 1/2"
on hill

296.42 @ 9-59 T86 = 291.93 ✓
230.75 @ 8-58 T86 = 227.93 ✓

96.81

Cont From Top Pg 78

X

76F3098 247 4-53


W.S. 22-A-3
F.B. 1849 Pg. 80
Cont Bot Pg #81
2) 129 54 20
4) 259 48 40
6) 39 43 00
64 57 10
LA Co Brass Cap BM "D4A"
12.56
NORTH LINE
9.35
64° 57' 10"
164.33
3.90
R.O.T.M.S.
569.54
LA. CO. Brass Cap Mon. Closing Cor To SEC 31 & 32 SEE Pg #13
Fd 2" IP Plug & RE" Tag "759" up .4' at
Fence cor. 6" O.I. well Casing up .5
P#3B Set 3/4" IP up 1" by Inter
3 S Twnd Woven Wire fence & Metal Posts parallel N. Line ROTMS
P#3A Set 1x2
N 29° 00' E 86.61
5 S Twnd Woven Wire fence
128.65 @ 11-41-40 T78 = 125.97
113.18 @ 8-00 T78 = 112.08
166.87 @ 11-03 T76 = 163.77
28.59 @ 13-08 T76 = 27.84
90.46 @ 20-33 T58 = 84.68
61.12 @ 25-24 T58 = 55.20
569.54
R#3 Set 3/4" G.I. pipe and drilled hole in Cap up 1" Top Mill
10°
29.61
16°
01' 40"
2) 336 03 20
4) 312 06 40
6) 288 10 00
168 01 40
165.61 @ 7-05 T66 = 164.33
87.61 @ 10-15 T78 = 86.21
60.63 @ 0-0 T72 = 60.63
29.61 @ 0-0 T80 = 29.61
R#2D Set 1x2
N 16° 50' E 101.02
Cont from Top Pg #79
RETURN TO LOS ANGELES COUNTY SURVEYOR 728 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KRM
Map No.
Office Work
Checked
Date

Survey of DUME Canyon Rd
W. O. 07HIS Tape No. 128 St'd. 84 °F
Surveyed by W. S. Cowheld
Notes W.S.C Date 4-5-55
Indexed

F. B. 1849 Pg. 81

Set ... with hole drilled in cap in saddle

T=60
34.76@0-0 = 34.76 ✓

34.76 ✓

R"3E
Set 1x2
side hill

N 29° 00 E

168.25 ✓

R"3D
Set 1x2
side hill

T=160°
186.78@25-43=168.25 ✓

295.39 ✓

T=58°
297.16@6-10=295.39 ✓

R"3C
Set 1x2
side hill

164.33 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 4-53

COUNT From Top R = 80

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1849 PG. 82

F. B. 1949 Pg. 83

NOTES RED. _____ JOB NO. 207415 SURVEY OF Dume Cn Road

DATE _____ SURVEY BY L.V. Smith

NOTES CHKD. _____ NOTES BY R.C. Dale DATE 3-3-55

DATE _____ INDEXED A. C. Johnson DATE 5-5-55

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| DESCRIPTION | ADJ. ELEV. | 3RD RUN | 2ND RUN | DIFF. | 1ST RUN | B.M. |
|---|---|---|---|---|---|---|

# BENCH LEVELS

# DUME CN. ROAD

JN 007415

ON PACIFIC COAST HWY FROM USBM 1312 TO USBM 3002 AND RETURN

PARTY
L.V. Smith
R.C. Dale
M.A. Walsh
M.E. Wacker
W.E. Swain

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 353 3-51

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00741.5 SURVEY OF Dume Cr Road NOTES RED. JFM
SURVEY BY L.V. Smith DATE 5-20-55
NOTES BY R.C. Dale DATE 3-3-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE

F.B. 1849 Pg. 84

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| USI312 | 29.820 | | | | 29.820 | BM USI312 Elev 29.820 |
| | 5582 | | 5.310 | | | Dume Creek (also known as Zuma Creek) |
| | 35.402 | + 4.800 | +4.800 | | + 4.800 | on State Hwy bridge at east end of |
| | 0.782 | | 0.510 | | | Walk on N. side of road. a 2" brass |
| T.P. | 34.620 | | | | | Cap set in concrete Stamped "County |
| | 9.667 | | 9.423 | | | Surveyor - R.E. 2177 - USBM 1312 |
| | 44.287 | +8.632 | + 8.629 | | + 8.631 | Reset 1938" |
| | 1.035 | | 0.794 | | | |
| T.P. | 43.252 | | | | | |
| | 5.872 | | 6.049 | | | |
| | 49.124 | + 5.528 | + 5.528 | | + 5.528 | |
| | 0.344 | | 0.521 | | | |
| T.P. | 48.780 | | | | | |
| | 8.475 | | 8.294 | | | |
| | 57.255 | + 6.986 | + 6.989 | | + 6.988 | |
| | 1.489 | | 1.305 | | | |
| T.P. | 55.766 | | | | | |
| | 8.181 | | 7.842 | | | |
| | 63.947 | + 7.047 | + 7.049 | | + 7.048 | |
| | 1.134 | | 0.793 | | | |
| T.P. | 62.813 | | | | | |
| | 8.668 | | 8.373 | | | |
| | 71.481 | + 7.716 | + 7.716 | | + 7.716 | |
| | 0.952 | | 0.657 | | | |
| T.P. | 70.529 | | | | | |
| | 9.231 | | 8.996 | | | |
| | 79.760 | + 8.530 | + 8.530 | | + 8.530 | |
| | 0.701 | | 0.466 | | | |
| T.P. | 79.059 | | | | | |

768420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. VEM JOB NO. 20 "A.I.S." SURVEY OF Dume Cat Road
DATE 5-20-55 SURVEY BY L.V. Smith DATE 3-3-55
NOTES CHKD. NOTES BY R.C. Dale DATE
DATE INDEXED A. C. Johnson DATE

F.B. 1849 PG. 85

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 79.059 | | | | | |
| | + 9084 | | 8.801 | | | |
| | 88.143 | + 8.126 | +8.126 | | +8.126 | |
| | - 0958 | | 0675 | | | |
| T.P. | 87.185 | | | | | |
| | + 8.907 | | 8.629 | | | |
| | 96.092 | + 8.271 | + 8.273 | | +8.272 | |
| | - 0636 | | 0356 | | | |
| T.P. | 95.456 | | | | | |
| | - 8953 | | 8.784 | | | |
| | 104.409 | +8.478 | +8.481 | | +8.480 | |
| | - 0975 | | 0303 | | | |
| T.P. | 103.934 | | | | | |
| | + 9.011 | | 8.817 | | | |
| | 112.945 | +8.097 | + 8.096 | | +8.097 | |
| | - 0914 | | 0721 | | | |
| T.P. | 112.031 | | | | | |
| | + 8.863 | | 8.908 | | | |
| | 120.894 | +8.478 | +8.479 | | +8.479 | |
| | - 0.385 | | 0.429 | | | |
| T.P. | 120.509 | | | | | |
| | + 9.031 | | 8.779 | | | |
| | 129.540 | +8.052 | + 8.056 | | +8.054 | |
| | - 0.979 | | 0723 | | | |
| T.P. | 128.561 | | | | | |
| | + 8.907 | | 8.645 | | | |
| | 137.468 | +7.835 | + 7.834 | | +7.835 | |
| | - 1.072 | | 0811 | | | |
| T.P. | 136.396 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0074.15 SURVEY OF Dume Cr Road NOTES RED. JFM DATE 5-20-55
SURVEY BY L.V. Smith DATE 3-3-55 NOTES CHKD. DATE
NOTES BY R.C. Dale DATE
INDEXED C. Johnson DATE

F.B. 1899 Pg. 86

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 136.396 | | | | | |
| | + 8869 | | 8.590 | | | |
| | 145.265 | + 7.828 | + 7.826 | | + 7.827 | |
| | - 1041 | | 0.764 | | | |
| T.P. | 144.224 | | | | | |
| | + 9.292 | | 9.003 | | | |
| | 153.516 | + 8.588 | + 8.587 | | + 8.588 | |
| | - 0.704 | | 0.416 | | | |
| T.P. | 152.812 | | | | | |
| | + 8.957 | | 8.676 | | | |
| | 161.769 | + 8.114 | + 8.116 | | + 8.117 | |
| | - 0.840 | | 0.560 | | | |
| T.P. | 160.929 | | | | | |
| | + 9038 | | 8.829 | | | |
| | 169.967 | + 8.115 | + 8.117 | | + 8.116 | |
| | - 0923 | | 0.712 | | | |
| T.P. | 169.044 | | | | | |
| | + 10.808 | | 10.690 | | | |
| | 179.852 | + 10.438 | + 10.436 | | + 10.437 | |
| | - 0370 | | 0.254 | | | |
| T.P. | 179.482 | | | | | |
| | 9.852 | | 9.551 | | | |
| | 189.334 | + 8.802 | + 8.802 | | + 8.802 | |
| | 1.050 | | 0.749 | | | |
| T.P. | 188.284 | | | | | |
| | 8.579 | | 8.302 | 8.400 | | |
| | 196.863 | + 6.768 | + 6.762 | + 6.765 | + 6.765 | |
| | 1.811 | | 1.540 | 1.635 | | |
| T.P. | 195.052 | | | | | |

765420 353 9-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. VEM DATE 5-20-55 JOB NO. 0074.15 SURVEY OF Dume Cr. Trail
SURVEY BY R.C. Davis DATE 3-3-55
NOTES BY R. C. Johnson DATE
NOTES CHK'D. INDEXED DATE
F.B. 1999 PG. 87

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 195.052 | | | | | |
| | 6.960 | | 6.700 | | | |
| | 202.012 | + 3.604 | + 3.607 | | +3.606 | |
| | 3.356 | | 3093 | | | |
| T.P. | 198.656 | | | | | |
| | 9.456 | | 9148 | | | |
| | 208.112 | + 7.153 | + 7.153 | | +7.153 | |
| | 2.303 | | 1.995 | | | |
| U.S.1310 | 205.809 | | | | 205.872 | BM U.S. 1310 Elev. 205. |
| | 5.642 | | 5.915 | | | New location - Escondido C |
| | 211.451 | - 5.047 | - 5.049 | | - 5.048 | Bridge 2.6 mi. W'ly. of, at s |
| | 10.689 | | 10.964 | | | over Dume Point 2.6 mi. N |
| T.P. | 200.762 | | | | | bridge over Dume Creek on |
| | 4.421 | | 4.094 | | | line of new R/W of Roosevelt |
| | 205.183 | + 0.109 | + 0.109 | | + 0.109 | Bronze tablet in concrete p |
| | 4.312 | | 3985 | | | marked "R 48-1928 - Reset 193 |
| T.P. | 200.871 | | | | | |
| | 5.348 | | 5018 | | | |
| | 206.219 | - 0.176 | - 0.180 | | - 0.178 | |
| | 5524 | | 5198 | | | |
| T.P. | 200.695 | | | | | |
| | 4.189 | | 3.980 | | | |
| | 204.884 | - 2.143 | - 2.141 | | - 2.142 | |
| | 6.332 | | 6121 | | | |
| T.P. | 198.552 | | | | | |
| | 2.768 | | 2.551 | | | |
| | 201.320 | - 4.581 | - 4.579 | | - 4.580 | |
| | 7.349 | | 7.130 | | | |
| T.P. | 193.971 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 2074.15 SURVEY OF Dume Cr. Road NOTES RED. JEM
SURVEY BY L.V. Smith DATE 5-20-55
NOTES BY P.C. Dale DATE 3-3-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE
F.B. 1849 PG. 88

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 193.971 | | | | | |
| | 2.045 | | 1.821 | | | |
| | 196.016 | -4.634 | -4.629 | | | |
| | 6.679 | | 6450 | | | |
| T.P. | 189.337 | | | | | |
| | 2389 | | 2.123 | | | |
| | 191.726 | +0.206 | +0.203 | | | |
| | 2.183 | | 1.920 | | | |
| BM D-1A | 189.543 | | | | 34565 | BM D-1A Elev. 189.565 |
| | 0.572 | | 0.291 | | | On Pacific Coast Hwy. 0.8 mi. E |
| | 190.115 | -8.469 | -8.470 | | | of Dume Creek Bridge. 50' N'ly. |
| | 9.091 | | 8.761 | | | and 95' E'ly. of intersection of |
| T.P. | 181.074 | | | | | Pacific Coast Hwy and Zumirez Dr. |
| | 1.627 | | 1.249 | 1.382 | | on fence line. Set Std. C.S. B.M. |
| | 182.601 | -6.598 | -6.606 | -6.608 | 6.6 | monument. |
| | 8.125 | | 7.855 | 7.990 | | |
| T.P. | 174.476 | | | | | |
| | 1.824 | | 1.671 | | | |
| | 176.300 | -6.238 | -6.241 | | | |
| | 8062 | | 7912 | | | |
| T.P. | 168.238 | | | | | |
| | 1.267 | | 1.046 | | | |
| | 169.505 | -6.938 | -6.938 | | | |
| | 8205 | | 7984 | | | |
| U.S. 3002 | 161.300 | | | | 1.286 | BM US 3002 Elev 161.286 |
| | 6.947 | | 6539 | | | H-583 On Roosevelt Hwy. (US 101 Alt.) 7.9 mi. W. |
| | 168.247 | +4.829 | +4.832 | | 4.831 | of Malibu Sport Pier and 1.0 mi E of Zuma Creek |
| | 2118 | | 1707 | | | Bridge; a USC&GS std. brass disc BM set flush with |
| TP | 166129 | | | | | the top of S'ly. divider strip curb. 7' W of E end |
| | | | | | | of divider strip (1992 USC&GS Supple. adj.) |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. UFM JOB NO. 8074.15 SURVEY OF Dume Cr. Bdg.
SURV. F.B. 2056 SURVEY BY L.V. Smith
NOTES CHKD. NOTES BY P.C. Dale DATE 3-3-55
DATE INDEXED K.C. Johnson DATE

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 166.129 | | | | | |
| | 8.305 | | 7.806 | | | |
| | 174.434 | +6.772 | +6.776 | | +6.774 | |
| | 1.533 | | 1.030 | | | |
| T.P. | 172.901 | | | | | |
| | 8.002 | | 7.668 | | | |
| | 180.903 | +6.181 | +6.183 | | +6.182 | |
| | 1.821 | | 1.485 | | | |
| T.P. | 179.082 | | | | | |
| | 7.117 | | 6.875 | | | |
| | 186.199 | +4.245 | +4.243 | | +4.244 | |
| | 2.872 | | 2.632 | | | |
| T.P. | 183.327 | | | | | |
| | 8.123 | | 7.779 | | | |
| | 191.450 | +6.214 | +6.215 | | +6.215 | |
| | 1.909 | | 1.564 | | | |
| BM D-1A | 189.541 | | | | 189.565 | BM D-1A Elev = 189.565 |
| | 2.345 | | 2.012 | | | On Pacific Coast Hwy. 0.8 m |
| | 191.886 | +0.357 | +0.352 | | +0.355 | Dume Creek Bridge 52' Wly. |
| | 1.988 | | 1.660 | | | 45' Ely. of intersection of Pac |
| T.P. | 189.898 | | | | | Coast Hwy. and Zumirez Dr |
| | 7.872 | | 7.713 | | | fence line. |
| | 197.770 | +5.622 | +5.622 | | +5.622 | |
| | 2.250 | | 2.091 | | | |
| T.P. | 195.520 | | | | | |
| | 7.122 | | 6.828 | | | |
| | 202.642 | +4.223 | +4.228 | | +4.226 | |
| | 2.899 | | 2.600 | | | |
| I.P. | 199.743 | | | | | |

F.B. 1849 Pg. 89

76S420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0074.45 SURVEY OF Dume Ca Road
SURVEY BY L.V. Smith DATE
NOTES BY R.C. Dale DATE 3-3-55
INDEXED K.C. Johnson DATE
NOTES RED. VFM DATE 6-20-56
NOTES CHKD. DATE

F.B. 1847 Pg. 90

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 199.743 | | | | | |
| | 6.191 | | 5.964 | | | |
| | 205.934 | + 2.056 | +2.061 | | +2.059 | |
| | 4135 | | 3.903 | | | |
| T.P. | 201.799 | | | | | |
| | 5210 | | 4.901 | | | |
| | 207.009 | - 0.061 | - 0.062 | | -0.062 | |
| | 5271 | | 4.963 | | | |
| T.P. | 201.738 | | | | | |
| | 4.438 | | 4.169 | | | |
| | 206.176 | - 1.015 | - 1.015 | | -1.015 | |
| | 5.453 | | 5.184 | | | |
| T.P. | 200.723 | | | | | |
| | 10.861 | | 10.352 | | | |
| | 211.584 | + 5.058 | +5.060 | | +5.059 | |
| | 5803 | | 5.292 | | | |
| U.S. 1310 | 205.781 | | | | 205.872 | BM US 1310 Elev 205.872 |
| | 1.224 | | 0.848 | | | New location - Escondido Creek Bridge |
| | 207.005 | - 7.149 | - 7.151 | | -7.150 | 2.6 mi Wly. of, at Summit over Dume. |
| | 8.373 | | 7999 | | | Point 0.6 mi NE of bridge over Dume |
| T.P. | 198.632 | | | | | Creek on fence line of new R/W of |
| | 2851 | | 2.536 | | | Roosevelt Hwy. Bronze tablet in concrete |
| | 201.483 | - 4.421 | - 4.419 | | -4.420 | post marked "R48-1828 Reset 1937" |
| | 7272 | | 6955 | | | |
| T.P. | 194.211 | | | | | |
| | 1.452 | | 1.264 | | | |
| | 195.663 | - 6.410 | - 6.407 | | -6.409 | |
| | 7862 | | 7.671 | | | |
| | 187801 | | | | | |

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 187.801 | | | | | |
| | 1.732 | | 1.394 | | | |
| | 189.533 | - 7.448 | - 7.446 | | - 7.447 | |
| | 9.180 | | 8.840 | | | |
| T.P. | 180.353 | | | | | |
| | 0.680 | | 0.282 | | | |
| | 181.033 | - 9.461 | - 9.459 | | - 9.460 | |
| | 10.141 | | 9.741 | | | |
| T.P. | 170.892 | | | | | |
| | 0.979 | | 0.722 | | | |
| | 171.871 | - 8.613 | - 8.612 | | - 8.613 | |
| | 9.592 | | 9.334 | | | |
| T.P. | 162.279 | | | | | |
| | 0.382 | | 0.215 | | | |
| | 162.661 | - 9.260 | - 9.260 | | - 9.260 | |
| | 9.642 | | 9475 | | | |
| T.P. | 153.019 | | | | | |
| | 1.134 | | 0.901 | | | |
| | 154.153 | - 9.143 | - 9.148 | | - 9.146 | |
| | 10.277 | | 10.049 | | | |
| T.P. | 143.876 | | | | | |
| | 1.209 | | 0.882 | | | |
| | 145.085 | - 7.843 | - 7.845 | | - 7.844 | |
| | 9052 | | 8.727 | | | |
| T.P. | 136.033 | | | | | |
| | 1.572 | | 1.420 | | | |
| | 137.605 | - 7.589 | - 7.587 | | - 7.588 | |
| | 9.161 | | 9.007 | | | |
| T.P. | 128.444 | | | | | |

NOTES RED. JEM JOB NO. 2074.15 SURVEY OF Dume Co Rd
DATE 5-20-54 SURVEY BY L.K. Smith
NOTES CHKD. _____ NOTES BY R.C. Dale DATE 3-4-55
DATE _____ INDEXED R.C. Johnson DATE _____

F.B. 1849 PG. 91

768420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Dume Cr Road NOTES RED. JEM
SURVEY BY L.V. Smith DATE 5-20-55
NOTES BY R.C. Dale DATE 3-4-55 NOTES CHKD.
INDEXED R.C. Johnson DATE DATE

F.B. 1849 PG. 92

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 128.447 | | | | | |
| | 1.600 | | 1.339 | | | |
| | 130.044 | -7.629 | -7.630 | | -7.630 | |
| | 9.229 | | 8.969 | | | |
| T.P. | 120.815 | | | | | |
| | 1.398 | | 1.051 | | | |
| | 122.163 | -9.124 | -9.124 | | -9.124 | |
| | 10.472 | | 10.175 | | | |
| T.P. | 111.691 | | | | | |
| | 1.075 | | 0.683 | | | |
| | 112.766 | -7.629 | -7.629 | | -7.629 | |
| | 8.704 | | 8.312 | | | |
| T.P. | 104.062 | | | | | |
| | 0.551 | | 0.302 | | | |
| | 104.613 | -9.979 | -9.980 | | 9.980 | |
| | 10.530 | | 10.282 | | | |
| T.P. | 94.083 | | | | | |
| | 0.367 | | 0.228 | | | |
| | 94.450 | -9.079 | -9.075 | | -9.077 | |
| | 9.496 | | 9.303 | | | |
| T.P. | 85.004 | | | | | |
| | 1.150 | | 0.801 | | | |
| | 86.154 | -8.588 | -8.588 | | -8.588 | |
| | 9.738 | | 9.389 | | | |
| T.P. | 76.416 | | | | | |
| | 0.480 | | 0.305 | | | |
| | 76.896 | -8.751 | -8.753 | | -8.752 | |
| | 9.231 | | 9.058 | | | |
| T.P. | 67.665 | | | | | |

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. VFM JOB NO. 22-72-55 SURVEY OF Dume Cr. Brd
DATE 5-20-55 SURVEY BY L.W. Smith
NOTES CHKD. NOTES BY R.C. Dale DATE 3-9-55
DATE INDEXED R.C. Johnson DATE

F.B. 1849 PG. 93

**Do not extend notes this side of this line**

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 67.665 | | | | | |
| | 1.622 | | 1.266 | | | |
| | 69.287 | -8.128 | -8.127 | | -8.128 | |
| | 9.750 | | 9.393 | | | |
| T.P. | 59.537 | | | | | |
| | 0.249 | | 0.905 | | | |
| | 59.786 | -9.210 | -9.210 | | -9.210 | |
| | 9.459 | | 9.615 | | | |
| T.P. | 50.327 | | | | | |
| | 0.966 | | 0.770 | | | |
| | 51.293 | -9.176 | -9.179 | | -9.178 | |
| | 10.142 | | 9.949 | | | |
| T.P. | 41.151 | | | | | |
| | 0.654 | | 0.489 | | | |
| | 41.805 | -7.898 | -7.900 | | -7.899 | |
| | 8552 | | 8.389 | | | |
| T.P. | 33.253 | | | | | |
| | 2537 | | 2.258 | | | |
| | 35.790 | -3.440 | 3.443 | | -3.442 | |
| | 5977 | | 5.701 | | | |
| U.S. 1312 | 29.813 | | | | 29.820 | BM 4S 1312 Elev 29.820. Dume Creek (also known as Zum... on state Hwy. bridge at east en... Walk on N. side of road A 2" B... Cap set in concrete Stamped ... Surveyor - R.E. 2177 - U.S. BM 13... Reset 1938 |

X

F.B. 1849 Pg. 94

JOB NO. 007415 SURVEY OF Dume Cō Road NOTES RED.
SURVEY BY L.V. Smith DATE
NOTES BY R.C. Dalo DATE 3-4-55 NOTES CHKD.
INDEXED DATE DATE

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| | | | | | | |

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

X

F. B. 1849 PG. 95

NOTES RED. JFM JOB NO. 007415 SURVEY OF Dume Cn. Road
DATE 5-[illegible]-55 SURVEY BY L.V. Smith
NOTES CHKD. NOTES BY R.C. Dale DATE 3-9-55
DATE INDEXED C. Johnson DATE

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 353 3-51

| DESCRIPTION | ADJ. ELEV. | 3RD RUN | 2ND RUN | DIFF. | 1ST RUN | B.M. |
|---|---|---|---|---|---|---|

# BENCH LEVELS

## DUME ON ROAD

J.N. 007415

FROM B.M.D-1A ON PACIFIC COAST HWY. NORTH TO B.M.D-4A ON RANCHO TOPANGA MALIBU SEQUIT RANCH LINE AND RETURN.

PARTY
L.V. Smith
R.C. Dale
M.A. Welsh
M.E. Wacker
W.E. Swain

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0274.15 SURVEY OF Dume Cx Road NOTES RED. JEM
SURVEY BY L.V. Smith DATE 5-23-55
NOTES BY R.C. Dale DATE 3-9-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE
F.B. 1849 Pg. 96

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| BM D-1A | 189.543 | | | | 189.565 | BM D-1A Elev 189.543 (unadj) 189.565 (adj) |
| | 4.546 | | 4.249 | | | FB 1849 Pg 88 On Pacific Coast Hwy |
| | 194.089 | + 3.391 | +3.390 | | 3.391 | 0.8 mi E of Dume Creek Bridge 50' Nly |
| | 1.155 | | 0.859 | | | and 45' Ely. of intersection of Pacific |
| T.P. | 192.934 | | | | | Coast Hwy and Zumirez Dr. on |
| | 10.122 | | 9.794 | | | fence line. Std C.S.B.M. monument |
| | 203.056 | + 9.288 | + 9.286 | | + 9.287 | |
| | 0.834 | | 0.508 | | | |
| T.P. | 202.222 | | | | | |
| | 10.809 | | 10.634 | | | |
| | 213.031 | + 10.292 | + 10.289 | | + 10.291 | |
| | 0.517 | | 0.345 | | | |
| T.P. | 212.514 | | | | | |
| | 10.323 | | 10.097 | | | |
| | 222.837 | + 9.916 | + 9.915 | | + 9.916 | |
| | 0.407 | | 0.182 | | | |
| T.P. | 222.430 | | | | | |
| | 10.455 | | 10.249 | | | |
| | 232.885 | + 9.686 | + 9.685 | | + 9.686 | |
| | 0.769 | | 0564 | | | |
| TBM 1A | 232.116 | | | | 232.136 | TBM #1A Elev. 232.136 |
| | 8.058 | | 7.851 | | | On Zumirez Dr. 0.1± mi. north of |
| | 240.174 | + 7.346 | + 7.345 | | + 7.346 | Pacific Coast Hwy. East side of road |
| | 0712 | | 0506 | | | Set Lg. 6± Spk. in west side of P.P. |
| | 239.462 | | | | | # 821732 E |
| | 8 642 | | 8.416 | | | |
| | 248 104 | + 7.125 | + 7.122 | | + 7.124 | |
| | 1.517 | | 1294 | | | |
| T.P. | 246.587 | | | | | |

768420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. UFM JOB NO. 007445 SURVEY OF Dunsmuir Ave Road
DATE 5-23-55 SURVEY BY L.K. Smith P.C. Dale DATE 3-4-55
NOTES CHKD. NOTES BY
DATE INDEXED C. Johnson DATE

F.B. 1849 Pg. 97

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 246.587 | | | | | |
| | 8.230 | | 8.069 | | | |
| | 254.817 | +7.489 | 7.492 | | +7.491 | |
| | 0.741 | | 0.577 | | | |
| T.P. | 254.076 | | | | | |
| | 10.220 | | 10.087 | | | |
| | 264.296 | +9.812 | +9.813 | | +9.813 | |
| | 0.408 | | 0.274 | | | |
| T.P. | 263.888 | | | | | |
| | 9.833 | | 9.679 | | | |
| | 273.721 | +9.282 | +9.280 | | +9.281 | |
| | 0.551 | | 0.399 | | | |
| T.P. | 273.170 | | | | | |
| | 6.439 | | 6.257 | | | |
| | 279.609 | +4.436 | +4.436 | | +4.436 | |
| | 2.003 | | 1.821 | | | |
| T.B.M. #2A | 277.606 | | | | 277.626 | T.B.M. #2A Elev 277.626 |
| | 6.742 | | 6.494 | | | On Zumirez Dr. 0.2± mi. North |
| | 284.348 | +5.117 | +5.117 | | +5.117 | Pacific Coast Hwy. East side |
| | 1.625 | | 1.377 | | | Set lg. Bt Spk in west side of PP |
| T.P. | 282.723 | | | | | |
| | 10.054 | | 9.987 | | | |
| | 292.777 | +9.753 | +9.755 | | +9.754 | |
| | 0.301 | | 0.232 | | | |
| T.P. | 292.476 | | | | | |
| | 11.850 | | 11.523 | | | |
| | 304.326 | +10.353 | 10.355 | | +10.355 | |
| | 1.495 | | 1.168 | | | |
| T.P. | 302.831 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Dume Cr Road NOTES RED. JFM
SURVEY BY L.V. Smith DATE 5-23-55
NOTES BY R.C. Dale DATE 3-9-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE

F.B. 1849 PG. 98

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 302.831 | | | | | |
| | 10.895 | | 10.551 | | | |
| | 313.676 | +9.949 | +9.948 | | +9.949 | |
| | 0896 | | 0.603 | | | |
| T.P. | 312.780 | | | | | |
| | 9.049 | | 8.831 | | | |
| | 321.829 | +8.196 | +8.194 | | +8.195 | |
| | 0.853 | | 0.637 | | | |
| T.P. | 320.976 | | | | | |
| | 7.296 | | 6.927 | | | |
| | 328.222 | +3.644 | +3.644 | | +3.644 | |
| | 3602 | | 3.283 | | | |
| TBM #3A | 324.620 | | | | 324.638 | TBM #3A Elev 324.638 |
| | 6.301 | | 6.067 | | | On Zumirez Dr. 0.3± mi North of |
| | 330.921 | +4.105 | +4.107 | | +4.106 | Pac. Coast Hwy SE side of road |
| | 2196 | | 1.960 | | | Set lg. bt spk in N side of P.P. #821737E |
| T.P. | 328.725 | | | | | |
| | 5.850 | | 5.660 | | | |
| | 334.575 | -0.828 | -0.828 | | -0.828 | |
| | 6.678 | | 6.488 | | | |
| T.P. | 327.897 | | | | | |
| | 2348 | | 2.067 | | | |
| | 330.245 | -2.257 | -2.257 | | -2.257 | |
| | 4.605 | | 4324 | | | |
| T.P. | 325.640 | | | | | |
| | 5.709 | | 5.475 | | | |
| | 331.349 | +3.281 | +3.219 | | +3.220 | |
| | 2.488 | | 2256 | | | |
| TBM #4A | 328.861 | | | | 328.881 | (Discription on pg. 99) |

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

NOTES RED. UFM JOB NO. 2074.15 SURVEY OF Dulzura Cr Road
SURV. 5-22-55 SURVEY BY J.W. Sept. Th
NOTES CHKD. _____ NOTES BY R.C. Dale DATE 7-7-55
DATE _____ INDEXED _____ DATE _____

F.B. 1241 Pg. 99

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| TBM #4A | 328.861 | | | | 328.881 | TBM #4A Elev 328.881 |
| | 9.044 | | 8.829 | | | On Zumirez Drive 0.45± mi. |
| | 337.905 | + 8.416 | +8.415 | | +8.416 | Pacific Coast Hwy. E. side of |
| | 0.628 | | 0.414 | | | Set lg. bt. spk. in W. side PP #8 |
| T.P. | 337.277 | | | | | |
| | 11.575 | | 11.661 | | | |
| | 348.852 | +10.944 | +10.946 | | +10.945 | |
| | 0.631 | | 0.715 | | | |
| T.P. | 348.221 | | | | | |
| | 9.490 | | 9.192 | | | |
| | 357.711 | + 2.857 | + 2.856 | | +2.857 | |
| | 6.633 | | 6.336 | | | |
| T.P. | 351.078 | | | | | |
| | 4.143 | | 3.809 | | | |
| | 355.221 | - 0.737 | - 0.738 | | -0.738 | |
| | 4.880 | | 4.547 | | | |
| BM-D-2A | 350.341 | | | | 350.364 | BM D-2A Elev 350.364 |
| | 4.345 | | 4.007 | | | On Zumirez Drive 0.6± North |
| | 354.686 | - 1.077 | - 1.080 | | -1.079 | Pacific Coast Hwy. S.W. side |
| | 5.422 | | 5.087 | | | at fork. 10± N.W. of PP 32174 |
| T.P. | 349.264 | | | | | 12± N.E. corner of fence. Set St |
| | 5.764 | | 5.363 | | | B.M. monument. |
| | 355.028 | + 3.776 | +3.775 | | +3.776 | |
| | 1.988 | | 1.588 | | | |
| T.BM #5A | 353.040 | | | | 353.057 | TBM #5A Elev 353.057 |
| | 2.751 | | 2.408 | | | On Zumirez Drive 0.65± North |
| | 355.791 | - 0.341 | -0.342 | | -0.342 | Pacific Coast Hwy. North side |
| | 3.092 | | 2.750 | | | Set lg. bt. spk in South side PP 82 |
| T.P. | 352.699 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Dume Ca Road NOTES RED. JEM
SURVEY BY L.V. Smith DATE 5-23-55
NOTES BY R.C. Dale DATE 3-7-55 NOTES CHKD.
INDEXED K. C. Johnson DATE DATE
F.B. 1844 PG. 100

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 352.699 | | | | | |
| | 7864 | | 7.479 | | | |
| | 360.563 | +5.385 | +5.381 | | +5.383 | |
| | 2479 | | 2.098 | | | |
| TBM #6A | 358.084 | | | | 358.099 | TBM #6A Elev 358.099 |
| | 9.448 | | 9.280 | 9.388 | | On Zumirez Dr. 0.7± North of Pacific |
| | 367.532 | +8.749 | +8.743 | +8750 | +8.750 | Coast Hwy. North side of road. Set |
| | 0.699 | | 0.537 | 0638 | | lg. bt. sp.k. in North side PP. #821747E |
| T.P. | 366.833 | | | | | |
| | 8.144 | | 8.016 | | | |
| | 374.977 | +7.675 | +7.675 | | +7.675 | |
| | 0.969 | | 0.341 | | | |
| T.P. | 374.508 | | | | | |
| | 9.362 | | 9.219 | | | |
| | 383.870 | +8.959 | +8.956 | | +8.958 | |
| | 0.903 | | 0.263 | | | |
| T.P. | 383.967 | | | | | |
| | 10.919 | | 10.529 | | | |
| | 394.386 | +9.664 | +9.661 | | +9.663 | |
| | 1.255 | | 0.868 | | | |
| T.P. | 393.131 | | | | | |
| | 11.306 | | 11.384 | | | |
| | 404.437 | +10.517 | +10.517 | | +10.517 | |
| | 0.789 | | 0.867 | | | |
| T.P. | 403.648 | | | | | |
| | 9.548 | | 9.492 | 9.618 | | |
| | 413.196 | +9.167 | +9.159 | +9.156 | +9.158 | |
| | 0381 | | 0.333 | 0.462 | | |
| T.P. | 412.815 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED UEM JOB NO. 6044.15 SURVEY OF Duane Rd.
DATE 6-13-55 SURVEY BY Lukasek
NOTES CHKD. _____ NOTES BY R.C. Dale DATE 3-7-55
DATE _____ INDEXED R. C. Johnson DATE _____

F.B. 1849 Pg. 102

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 412.815 | | | | | |
| | 10.677 | | 10.475 | | | |
| | 423.492 | + 9.849 | + 9.851 | | +9.850 | |
| | 0.828 | | 0.624 | | | |
| T.P. | 422.664 | | | | | |
| | 7.557 | | 7.409 | | | |
| | 430.221 | +0.544 | +0.540 | | +0.542 | |
| | 7.013 | | 6.869 | | | |
| T.P. | 423.208 | | | | | |
| | 1.621 | | 1.281 | | | |
| | 424.829 | - 9.677 | -9.678 | | -9.678 | |
| | 11.298 | | 10.959 | | | |
| TBM #7A | 413.531 | | | | 413.528 | T.B.M. #7A Elev. 413.528 |
| | 11.186 | | 10.944 | | | On South side Zumirez Dr. [illegible] |
| | 424.717 | + 9.675 | + 9.677 | | +9.676 | from Pac. Fic Coast Hwy. N.W. [illegible] |
| | 1.511 | | 1.267 | | | 24 pot RS 54-39 Fd 2" I.P. in c[illegible] |
| T.P. | 423.206 | | | | | N. edge 2" I.P. |
| | 11.232 | | 11.468 | | | |
| | 434.438 | +10.633 | +10.634 | | +10.634 | |
| | 0.599 | | 0.834 | | | |
| T.P. | 433.839 | | | | | |
| | 9.942 | | 9.855 | | | |
| | 443.781 | + 9.427 | + 9.426 | | +9.427 | |
| | 0.515 | | 0.429 | | | |
| T.P. | 443.266 | | | | | |
| | 10.483 | | 10.392 | | | |
| | 453.749 | + 9.842 | + 9.842 | | +9.842 | |
| | 0.641 | | 0.550 | | | |
| T.P. | 453.108 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2074.15 SURVEY OF Dume Co. Rd. NOTES RED. JEM DATE 5-23-55
SURVEY BY L.W. Smith
NOTES BY R.C. Dale DATE 3-7-55 NOTES CHKD. DATE
INDEXED J. C. Johnson DATE

F.B. 1899 PG. 182

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 453.108 | | | | | |
| | 11.163 | | 10.811 | | | |
| | 464.271 | +10.142 | 10.144 | | +10.143 | |
| | 1.021 | | 0.667 | | | |
| T.P. | 463.250 | | | | | |
| | 11.409 | | 11.200 | | | |
| | 474.659 | +10.567 | +10.567 | | +10.567 | |
| | 0.842 | | 0.633 | | | |
| T.P. | 473.817 | | | | | |
| | 11.064 | | 11.379 | | | |
| | 484.881 | +10.363 | +10.368 | | +10.366 | |
| | 0.701 | | 1.011 | | | |
| T.P. | 484.180 | | | | | |
| | 8.280 | | 8.006 | | | |
| | 492.460 | -2.761 | -2.765 | | -2.763 | |
| | 11.041 | | 10.771 | | | |
| T.P. | 481.419 | | | | | |
| | 1.352 | | 0.932 | | | |
| | 482.771 | -8.945 | -8.946 | | -8.946 | |
| | 10.297 | | 9.878 | | | |
| T.P. | 472.474 | | | | | |
| | 1.185 | | 0.808 | | | |
| | 473.659 | -9.852 | -9.852 | | -9.852 | |
| | 11.037 | | 10.660 | | | |
| T.P. | 462.622 | | | | | |
| | 0.660 | | 0.462 | | | |
| | 463.282 | -9.117 | -9.117 | | -9.117 | |
| | 9.777 | | 9.579 | | | |
| T.P. | 453.505 | | | | | |

768420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. UEM DATE 5-23-55 JOB NO. 2972 15 SURVEY OF Dume Cr Road
NOTES BY R.C. Dale DATE 3-7-55 SURVEY BY R.C. Dale
NOTES CHKD. INDEXED R.C. Johnson DATE

F.B. 1241 Pg. 103

**Do not extend notes this side of this line**

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 453.505 | | | | | |
| | 1.822 | | 2.101 | | | |
| | 455.327 | - 8.993 | - 8.993 | | - 8.993 | |
| | 10.815 | | 11.094 | | | |
| T.P. | 444.512 | | | | | |
| | 1.292 | | 1.549 | | | |
| | 445.804 | - 8.804 | - 8.803 | | - 8.804 | |
| | 10.096 | | 10.352 | | | |
| T.P. | 435.708 | | | | | |
| | 1.648 | | 1.836 | | | |
| | 437.356 | - 5.473 | - 5.473 | | - 5.473 | |
| | 7.121 | | 7.309 | | | |
| BM. D-3A | 430.235 | | | | 430.233 | BM D-3A Elev - 430.2[illegible] |
| | 8.171 | | 8.374 | | | 1.0± mi. North Pacific Coast [illegible] |
| | 438.406 | + 3.472 | + 3.472 | | + 3.472 | 600± N. gravel pit on Zuma [illegible] |
| | 4.699 | | 4.902 | | | on N. slope 50± below saddle |
| T.P. | 433.707 | | | | | Std CSBM. monument |
| | 9.765 | | 9.211 | | | |
| | 443.472 | + 4.061 | + 4.062 | | + 4.062 | |
| | 5.704 | | 5.149 | | | |
| T.P. | 437.768 | | | | | |
| | 8.990 | | 9.510 | | | |
| | 446.758 | - 0.679 | - 0.679 | | - 0.679 | |
| | 9.669 | | 10.189 | | | |
| T.P. | 437.089 | | | | | |
| | 7.989 | | 8.767 | | | |
| | 445.078 | + 6.013 | + 6.010 | | + 6.012 | |
| | 1.976 | | 2757 | | | |
| T.P. | 443.102 | | | | | |

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 00734.15 SURVEY OF Dume Cañon Road NOTES RED. VEM
SURVEY BY L.V. Smith DATE 5-23-55
NOTES BY R.C. Dale DATE 3-7-55 NOTES CHKD.
INDEXED R. C. Johnson DATE DATE

F. B. 1849 Pg. 104

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 443.102 | | | | | |
| | 10.986 | | 11.115 | | | |
| | 454.088 | + 7.378 | + 7.361 | | +7.369 | |
| | 3.616 | | 3.748 | | | |
| T.P. | 450.472 | | | | | |
| | 9.672 | | 10.101 | | | |
| | 460.144 | + 7.962 | + 7.960 | | +7.961 | |
| | 1.710 | | 2.141 | | | |
| T.P. | 458.434 | | | | | |
| | 5.688 | | 5.592 | | | |
| | 464.122 | - 3.972 | - 3.970 | | -3.971 | |
| | 9.660 | | 9.562 | | | |
| T.P. | 454.462 | | | | | |
| | 7.348 | | 7.263 | | | |
| | 461.810 | + 2.849 | + 2.845 | | +2.847 | |
| | 4.499 | | 4.418 | | | |
| T.P. | 457.311 | | | | | |
| | 9.759 | | 9.868 | | | |
| | 467.070 | + 6.520 | + 6.523 | | +6.522 | |
| | 3.239 | | 3.345 | | | |
| T.P. | 463.831 | | | | | |
| | 9.294 | | 9.468 | | | |
| | 473.125 | + 6.945 | + 6.946 | | +6.946 | |
| | 2.349 | | 2.522 | | | |
| T.P. | 470.776 | | | | | |
| | 9.781 | | 10.155 | | | |
| | 480.557 | + 4.573 | + 4.569 | | +4.571 | |
| | 5.208 | | 5.586 | | | |
| T.P. | 475.349 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 475.349 | | | | | |
| | 9.662 | | 9.768 | | | |
| | 485.011 | + 6.913 | + 6.916 | | + 6.915 | |
| | 2.749 | | 2.852 | | | |
| T.P. | 482.262 | | | | | |
| | 10.098 | | 9.980 | 10.112 | | |
| | 492.360 | + 1.528 | + 1.518 | + 1.518 | + 1.518 | |
| | 8.670 | | 8.462 | 8.594 | | |
| T.P. | 483.790 | | | | | |
| | 10.649 | | 10.917 | | | |
| | 494.439 | + 8.568 | + 8.568 | | + 8.568 | |
| | 2.081 | | 2.349 | | | |
| T.P. | 492.358 | | | | | |
| | 9.181 | | 9.303 | | | |
| | 501.539 | - 0.532 | - 0.535 | | - 0.534 | |
| | 9.713 | | 9.838 | | | |
| T.P. | 491.826 | | | | | |
| | 0.867 | | 1.210 | | | |
| | 492.693 | - 7.536 | - 7.535 | | - 7.536 | |
| | 8.403 | | 8.745 | | | |
| T.P. | 484.290 | | | | | |
| | 7.992 | | 8.368 | 8.272 | | |
| | 492.282 | - 1.547 | - 1.541 | - 1.551 | - 1.549 | |
| | 9.539 | | 9.909 | 9.823 | | |
| T.P. | 482.743 | | | | | |
| | 10.102 | | 9.966 | | | |
| | 492.845 | + 6.650 | + 6.652 | | + 6.651 | |
| | 3.452 | | 3.314 | | | |
| | 489.393 | | | | | |

NOTES RED. UFM JOB NO. 20[illegible] SURVEY OF Dume Cn Rd
DATE 6-23-55 SURVEY BY L.V. Sorg, Jr.
NOTES CHKD. P.C. Dale NOTES BY P.C. Dale DATE 3-8-55
DATE INDEXED J.C. Johnson DATE

F.B. 1849 Pg. 105

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0074.15 SURVEY OF Dume Cr Road NOTES RED. JFM
SURVEY BY L.V. Smith DATE 5-23-55
NOTES BY R.C. Dale DATE 3-8-55 NOTES CHKD.
INDEXED A.C. Johnson DATE DATE

B.B. 1849 Pg. 106

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 489.393 | | | | | |
| | 9.768 | | 9.770 | | | |
| | 499.161 | +5.386 | 5.388 | | +5.387 | |
| | 4.382 | | 4.382 | | | |
| T.P. | 494.779 | | | | | |
| | 11.401 | | 11.052 | | | |
| | 506.180 | +10.006 | +10.004 | | +10.005 | |
| | 1.395 | | 1.048 | | | |
| T.P. | 504.785 | | | | | |
| | 10.236 | | 10.051 | | | |
| | 515.021 | +4.824 | +4.822 | | +4.823 | |
| | 5.912 | | 5229 | | | |
| T.P. | 509.609 | | | | | |
| | 10.802 | | 10.970 | | | |
| | 520.411 | +7.562 | +7.561 | | +7.562 | |
| | 3.240 | | 3409 | | | |
| T.P. | 517.171 | | | | | |
| | 10.527 | | 10.628 | | | |
| | 527.698 | +7.152 | +7.156 | | +7.154 | |
| | 3.375 | | 3522 | | | |
| T.P. | 524.323 | | | | | |
| | 11.525 | | 11.950 | | | |
| | 535.848 | +10.664 | +10.662 | | +10.663 | |
| | 0.861 | | 1.288 | | | |
| T.P. | 534.987 | | | | | |
| | 9.875 | | 9.867 | 10.282 | | |
| | 544.862 | +6.638 | +6.644 | +6641 | +6.643 | |
| | 3.237 | | 3223 | 3641 | | |
| | 541.625 | | | | | |

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 541.625 | | | | | |
| | 10.453 | | 10.907 | | | |
| | 552.078 | +8.925 | +8.918 | | +8.919 | |
| | 1.533 | | 1.989 | | | |
| T.P. | 550.545 | | | | | |
| | 9.718 | | 10.106 | | | |
| | 560.263 | +8.917 | +8.417 | | +8.417 | |
| | 1.301 | | 1.689 | | | |
| T.P. | 558.962 | | | | | |
| | 10.639 | | 10.214 | | | |
| | 569.601 | +8.924 | +8.925 | | +8.925 | |
| | 1.715 | | 1.289 | | | |
| T.P. | 567.886 | | | | | |
| | 7.422 | | 7.501 | | | |
| | 575.308 | +4.837 | +4.837 | | +4.837 | |
| | 2.585 | | 2.664 | | | |
| B.M. D-4A | 572.723 | | | | 572.715 | B.M. D-4A Elev. 572.71 |
| | 2.486 | | 2.618 | | | On Rancho Topanga Mal |
| | 575.209 | -8.118 | -8.117 | | -8.118 | Ranch line 581 ± W. of c/ |
| | 10.604 | | 10.735 | | | to sections 31 & 32 T.1S. R.18W. |
| T.P. | 564.605 | | | | | Ranch line 4± N.W. of 6" I.P. 5 |
| | 1.050 | | 1.124 | | | Junction of Ranch line and Nor |
| | 565.655 | -9.811 | -9.812 | | -9.812 | fence. Set Std. C.S. B.M. mon |
| | 10.861 | | 10.936 | | | |
| T.P. | 554.794 | | | | | |
| | 1.330 | | 1.386 | | | |
| | 556.124 | -8.986 | -8.986 | | -8.986 | |
| | 10.316 | | 10.372 | | | |
| T.P. | 545.808 | | | | | |

NOTES RED. UFM JOB NO. 2074.15 SURVEY OF Dume Co Road
DATE 5-23-55 SURVEY BY L.V. Scott & R.C. Dale DATE 3-9-55
NOTES CHKD. _____ NOTES BY R. C. Johnson DATE _____
DATE _____ INDEXED _____ DATE _____

F.B. 1849 PG. 107

768420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2074.15 SURVEY OF Dume Cañ Road NOTES RED. JFM
SURVEY BY L.V. Smith DATE 5-23-55
NOTES BY R.C. Dale DATE 3-9-55 NOTES CHKD.
INDEXED A. C. Johnson DATE DATE

B. 1849 Pg. 108

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 545.808 | | | | | |
| | 1.291 | | 1.448 | | | |
| | 547.099 | - 9.341 | - 9.341 | | -9.341 | |
| | 10.632 | | 10.789 | | | |
| T.P. | 536.467 | | | | | |
| | 2.328 | | 2.072 | | | |
| | 538.795 | - 7.725 | - 7.728 | | -7.727 | |
| | 10.053 | | 9.800 | | | |
| T.P. | 528.742 | | | | | |
| | 1.797 | | 1.514 | | | |
| | 530.539 | - 9.317 | - 9.316 | | -9.317 | |
| | 11.114 | | 10.830 | | | |
| T.P. | 519.425 | | | | | |
| | 2.614 | | 2.741 | | | |
| | 522.039 | - 7.568 | - 7.572 | | -7.570 | |
| | 10.182 | | 10.313 | | | |
| T.P. | 511.857 | | | | | |
| | 2.514 | | 2.293 | | | |
| | 514.371 | - 7.737 | - 7.737 | | -7.737 | |
| | 10.251 | | 10.030 | | | |
| T.P. | 504.120 | | | | | |
| | 1.230 | | 1.472 | | | |
| | 505.350 | - 7.983 | - 7.985 | | -7.984 | |
| | 9.213 | | 9.457 | | | |
| T.P. | 496.137 | | | | | |
| | 1.702 | | 1.435 | | | |
| | 497.839 | - 9.256 | - 9.253 | | -9.255 | |
| | 10.958 | | 10.688 | | | |
| T.P. | 486.881 | | | | | |

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JEM JOB NO. 2074.15 SURVEY OF Dume Cir. Road
DATE 5-22-54 SURVEY BY L.V.S. Sq. Th
NOTES CHKD. _____ NOTES BY P.C. Dale DATE 3-9-55
DATE _____ INDEXED A. C. Johnson DATE _____

F. B. 1849 PG. 109

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 486.881 | | | | | |
| | 1.495 | | 1.705 | | | |
| | 488.376 | -8.225 | -8.224 | | -8.225 | |
| | 9.720 | | 9.929 | | | |
| T.P. | 478.656 | | | | | |
| | 7.089 | | 6.948 | | | |
| | 485.745 | -4.561 | -4.570 | | -4.569 | |
| | 11.656 | | 11.518 | | | |
| T.P. | 474.089 | | | | | |
| | 5.981 | | 6.329 | | | |
| | 480.070 | -4.094 | -4.094 | | -4.094 | |
| | 10.075 | | 10.423 | | | |
| T.P. | 469.995 | | | | | |
| | 5.430 | | 5.742 | | | |
| | 475.425 | -5.063 | -5.059 | | -5.061 | |
| | 10.493 | | 10.801 | | | |
| T.P. | 464.932 | | | | | |
| | 5.403 | | 5.608 | | | |
| | 470.335 | -4.606 | -4.604 | | -4.605 | |
| | 10.009 | | 10.212 | | | |
| T.P. | 460.326 | | | | | |
| | 5.649 | | 5.962 | | | |
| | 465.975 | -5.619 | -5.618 | | -5.619 | |
| | 11.268 | | 11.580 | | | |
| T.P. | 454.707 | | | | | |
| | 6.040 | | 6.529 | | | |
| | 460.747 | -4.032 | -4.035 | | -4.034 | |
| | 10.072 | | 10.569 | | | |
| T.P. | 450.675 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00741.15 SURVEY OF Dume Cañ Road NOTES RED. W.E.M.
SURVEY BY L.V. Smith DATE 5-23-55
NOTES BY R.C. Dale DATE 3-9-55 NOTES CHKD.
INDEXED A. C. Johnson DATE DATE

F.B. 1849 Pg. 142

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 450.675 | | | | | |
| | 4.278 | | 4.680 | | | |
| | 454.953 | - 5.965 | - 5.963 | | -5.964 | |
| | 10.243 | | 10.643 | | | |
| T.P. | 444.710 | | | | | |
| | 3.832 | | 3.989 | | | |
| | 448.542 | - 6.912 | - 6.911 | | -6.912 | |
| | 10.744 | | 10.900 | | | |
| T.P. | 437.798 | | | | | |
| | 3.525 | | 3.603 | | | |
| | 441.323 | - 7.772 | - 7.772 | | -7.772 | |
| | 11.297 | | 11.375 | | | |
| T.P. | 430.026 | | | | | |
| | 1.793 | | 1.621 | | | |
| | 431.819 | - 5.416 | - 5.416 | | -5.416 | |
| | 7.209 | | 7.037 | | | |
| T.P. | 424.610 | | | | | |
| | 7.949 | | 8.636 | | | |
| | 432.559 | +0.864 | +0.866 | | +0.865 | |
| | 7.085 | | 7.770 | | | |
| T.P. | 425.474 | | | | | |
| | 10.770 | | 10.604 | | | |
| | 436.244 | +4.279 | +4.282 | | +4.281 | |
| | 6.491 | | 6.322 | | | |
| T.P. | 429.753 | | | | | |
| | 8.782 | | 8.495 | | | |
| | 438.535 | +0.488 | +0.488 | | +0.488 | |
| | 8.294 | | 8.007 | | | |
| B.M. D-3A | 430.241 | | | | 430.233 | (Discription on Pg 103) |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| B.M. D-3A | 430.241 | | | | 430.233 | BM D-3A Elev 430.233, |
| | 11.652 | | 11.454 | | | 1.0 mi North Pacific Coast Hwy |
| | 441.893 | +8.896 | +8.894 | | +8.895 | N. gravel pit on Zumirez Dr. |
| | 2.756 | | 2.560 | | | N. slope 50± below saddle. A |
| T.P. | 439.137 | | | | | CSBM monument. |
| | 10.412 | | 10.938 | | | |
| | 449.549 | +8.130 | +8.130 | | +8.130 | |
| | 2.282 | | 2808 | | | |
| T.P. | 447.267 | | | | | |
| | 11.630 | | 11.495 | | | |
| | 458.897 | +9.436 | +9.436 | | +9.436 | |
| | 2.194 | | 2.059 | | | |
| T.P. | 456.703 | | | | | |
| | 11.082 | | 11.265 | | | |
| | 467.785 | +8.922 | +8.922 | | +8.922 | |
| | 2.160 | | 2.343 | | | |
| T.P. | 465.625 | | | | | |
| | 10.739 | | 10.992 | | | |
| | 476.364 | +8.696 | 8.693 | | +8.695 | |
| | 2.043 | | 2.299 | | | |
| T.P. | 474.321 | | | | | |
| | 10.775 | | 10.469 | | | |
| | 485.096 | +8.177 | +8.177 | | +8.177 | |
| | 2.598 | | 2292 | | | |
| T.P. | 482.498 | | | | | |
| | 9.787 | | 9.711 | | | |
| | 492.285 | -0.326 | -0.329 | | -0.328 | |
| | 10.113 | | 10.040 | | | |
| T.P. | 482.172 | | | | | |

NOTES RED. V.E.M. JOB NO. 022415 SURVEY OF Dume Co Rd
DATE 5-23-55 SURVEY BY L.V. Smith
NOTES CHKD. R.C. Dale DATE 3-9-55
NOTES BY
DATE INDEXED BY C. Jablonski DATE

F.B. 1849 Pg. 111

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 00794.15 SURVEY OF Dume Cr Road NOTES RED. UFM
SURVEY BY L. V. Smith DATE 5-23-55
NOTES BY R. C. Dale DATE 3-10-55 NOTES CHKD.
INDEXED A. C. Johnson DATE DATE

F.B. 1849 Pg. 112

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 482.172 | | | | | |
| | 2.408 | | 2.120 | | | |
| | 484.580 | -8.948 | -8.947 | | -8.948 | |
| | 11.356 | | 11.067 | | | |
| T.P. | 473.224 | | | | | |
| | 2.149 | | 2.531 | | | |
| | 475.373 | -7.609 | -7.610 | | -7.610 | |
| | 9.758 | | 10.141 | | | |
| T.P. | 465.615 | | | | | |
| | 1.267 | | 1.702 | | | |
| | 466.882 | -8.674 | -8.674 | | -8.674 | |
| | 9.941 | | 10.376 | | | |
| T.P. | 456.941 | | | | | |
| | 0.268 | | 0.516 | | | |
| | 457.209 | -9.295 | -9.295 | | -9.295 | |
| | 9.563 | | 9.811 | | | |
| T.P. | 447.646 | | | | | |
| | 3.188 | | 3.382 | | | |
| | 450.834 | -7.503 | -7.503 | | -7.503 | |
| | 10.691 | | 10.885 | | | |
| T.P. | 440.143 | | | | | |
| | 1.576 | | 1.655 | | | |
| | 441.719 | -8.159 | -8.160 | | -8.160 | |
| | 9.735 | | 9.815 | | | |
| T.P. | 431.984 | | | | | |
| | 2.864 | | 2.920 | | | |
| | 434.848 | -8.085 | -8.084 | | -8.085 | |
| | 10.949 | | 11.004 | | | |
| T.P. | 423.899 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. U.F.M. JOB NO. 2079.15 SURVEY OF Dubie Co. Road
DATE 5-23-65 SURVEY BY L.K. Smith
NOTES CHKD. _____ NOTES BY R.C. Dale DATE 3-10-65
DATE _____ INDEXED _____ DATE _____

F.B. 1819 Pg. 115

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 423.899 | | | | | |
| | 0.979 | | 0.828 | | | |
| | 424.878 | -7.703 | -7.704 | | -7.704 | |
| | 8.682 | | 8.532 | | | |
| T.P. | 416.196 | | | | | |
| | 1.065 | | 0.861 | | | |
| | 417.261 | -8.425 | -8.427 | | -8.426 | |
| | 9.490 | | 9.288 | | | |
| T.P. | 407.771 | | | | | |
| | 0.790 | | 0.686 | | | |
| | 408.561 | -8.358 | -8.356 | | -8.357 | |
| | 9.148 | | 9.042 | | | |
| T.P. | 399.413 | | | | | |
| | 0.280 | | 0.393 | | | |
| | 399.693 | -11.479 | -11.479 | | -11.479 | |
| | 11.759 | | 11.872 | | | |
| T.P. | 387.934 | | | | | |
| | 0.919 | | 0.323 | | | |
| | 388.353 | -8.649 | -8.647 | | -8.648 | |
| | 9.068 | | 8.970 | | | |
| T.P. | 379.285 | | | | | |
| | 0.642 | | 0.470 | | | |
| | 379.927 | -9.245 | -9.243 | | -9.244 | |
| | 9.887 | | 9.713 | | | |
| T.P. | 370.040 | | | | | |
| | 1.113 | | 0.900 | | | |
| | 371.153 | -7.481 | -7.480 | | -7.481 | |
| | 8.594 | | 8.380 | | | |
| T.P. | 362.559 | | | | | |

76S420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2074.15 SURVEY OF Dume Cañ Road NOTES RED. U.E.M. DATE 5-23-55
SURVEY BY L.V. Smith NOTES CHKD. DATE
NOTES BY R.C. Dale DATE 3-10-55
INDEXED A.C. Johnson DATE

F.B. 1849 Pg. 114

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 362.559 | | | | | |
| | 2.172 | | 2.008 | | | |
| | 364.731 | - 4.437 | - 4.438 | | - 4.438 | |
| | 6.609 | | 6.446 | | | |
| TBM #6A | 358.122 | | | | 358.099 | TBM #6A Elev 358.099 |
| | 2.409 | | 2.264 | | | On Zumirez Dr. 0.7± North of Pacific |
| | 360.531 | - 3.914 | - 3.915 | | - 3.915 | Coast Hwy. North side road. North |
| | 6.323 | | 6.179 | | | side R.P. #821747E 1/2 ft. Spk. |
| T.P. | 354.208 | | | | | |
| | 1.659 | | 1.454 | | | |
| | 355.862 | - 1.128 | - 1.126 | | - 1.127 | |
| | 2.782 | | 2.580 | | | |
| TBM #5A | 353.080 | | | | 353.057 | TBM #5A Elev - 353.057 |
| | 1.761 | | 1.545 | | | On Zumirez Dr 0.65± North of Pacific |
| | 354.841 | - 4.368 | - 4.366 | | - 4.367 | Coast Hwy. N. side road South side |
| | 6.129 | | 5.911 | | | R.P. #821745E 1/2 ft. Spk. |
| T.P. | 348.712 | | | | | |
| | 6.260 | | 6.096 | | | |
| | 354.972 | + 1.678 | + 1.677 | | + 1.678 | |
| | 4.582 | | 4.419 | | | |
| BM D-2A | 350.390 | | | | 350.364 | BM D-2A Elev - 350.364 |
| | 4.907 | | 4.573 | | | On Zumirez Dr. 0.6± N. Pacific Coast |
| | 355.297 | + 0.738 | + 0.737 | | + 0.737 | Hwy. S.W. Side of road at fork. 10± N.W. |
| | 4.169 | | 3.837 | | | of R.P. 821743E 12± NE corner of fence. |
| T.P. | 351.128 | | | | | Std. C.S.B.M. monument. |
| | 6.498 | | 6.334 | | | |
| | 357.626 | - 2.962 | - 2.961 | | - 2.962 | |
| | 9.460 | | 9.295 | | | |
| | 348.166 | | | | | |

768420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 348.166 | | | | | |
| | 0.777 | | 0.515 | | | |
| | 348.943 | -10.869 | -10.863 | | -10.865 | |
| | 11.641 | | 11.378 | | | |
| T.P. | 337.302 | | | | | |
| | 0.846 | | 0.671 | | | |
| | 338.148 | -8.395 | -8.397 | | -8.396 | |
| | 9.241 | | 9.068 | | | |
| TBM #4A | 328.907 | | | | 328.881 | TBM #4A Elev- 328.881 |
| | 1.323 | | 1.450 | | | On Zumirez Drive 0.45± N. |
| | 330.230 | -3.691 | -3.692 | | -3.692 | Pac. Coast Hwy. E. side o |
| | 5.014 | | 5.142 | | | 19.6± spk. in W. side P.P. 82 |
| T.P. | 325.216 | | | | | |
| | 5.817 | | 5.939 | | | |
| | 331.033 | +3.007 | +3.008 | | +3.008 | |
| | 2.810 | | 2.931 | | | |
| T.P. | 328.223 | | | | | |
| | 8.557 | | 8.301 | | | |
| | 336.780 | +3.712 | +3.712 | | +3.712 | |
| | 4.845 | | 4.589 | | | |
| TBM #8A | 331.935 | | | | 331.908 | |
| | 2.597 | | 2.651 | | | TBM #8A Elev 331.908 |
| | 339.482 | -3.801 | -3.799 | | -3.800 | On Zumirez Dr. 0.35 N. Pac. Co. |
| | 6.348 | | 6.450 | | | Hwy. E side of road N.W. cor. lot |
| T.P. | 328.134 | | | | | R.S. 54-37 N. side 2" I.P. set in cond |
| | 2.780 | | 2.621 | | | RE + 2.088 |
| | 330.914 | -3.472 | -3.471 | | -3.472 | |
| | 6.252 | | 6.092 | | | |
| TBM #3A | 324.662 | | | | 324.638 | (Discription on pg. 116) |

NOTES RED. U.F.M. JOB NO. 22745 SURVEY OF Dunes Co. Road
DATE 5-21-56 SURVEY BY L. K. Smith DATE 3-10-55
NOTES CHKD. NOTES BY R.C. Dole
DATE INDEXED C. Johnson DATE

F.B. 1849 PG. 115

76S420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Dume Cr Road NOTES RED. U.F.M.
SURVEY BY E.V. Smith DATE 5-23-55
NOTES BY R.C. Dale DATE 3-11-55 NOTES CHKD.
INDEXED C. Johnson DATE DATE

F.B. 1849 PG. 116

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| TBM #3A | 324.662 | | | | 324.638 | TBM #3A Elev 324.638 |
| | 1.893 | | 2.012 | | | On Zumirez Dr. 0.3± N. Pacific Coast |
| | 326.555 | -8.060 | -8.061 | | -8.061 | Hwy. S.E. side of road. lg. bt. spk. in |
| | 9.953 | | 10.073 | | | N. side of P.P. #21737E |
| T.P. | 316.602 | | | | | |
| | 1.293 | | 1.112 | | | |
| | 317.895 | -8.048 | -8.048 | | -8.048 | |
| | 9.391 | | 9.160 | | | |
| T.P. | 308.554 | | | | | |
| | 0.616 | | 0.518 | | | |
| | 309.170 | -10.886 | -10.884 | | -10.885 | |
| | 11.502 | | 11.402 | | | |
| T.P. | 297.668 | | | | | |
| | 0.894 | | 0.639 | | | |
| | 298.562 | -8.740 | -8.739 | | -8.740 | |
| | 9.634 | | 9.378 | | | |
| T.P. | 288.928 | | | | | |
| | 0.401 | | 0.178 | | | |
| | 289.329 | -7.978 | -7.980 | | -7.979 | |
| | 8.379 | | 8.158 | | | |
| T.P. | 280.950 | | | | | |
| | 2.985 | | 2.828 | | | |
| | 283.935 | -3.296 | -3.296 | | -3.296 | |
| | 6.281 | | 6.124 | | | |
| TBM #2A | 277.654 | | | | 277.626 | TBM #2A Elev 277.626 |
| | 0.730 | | 0.552 | | | On Zumirez Dr. 0.2± mi N. Pacific |
| | 278.384 | -8.306 | -8.307 | | -8.307 | Coast Hwy. East side road. lg. bt. spk. |
| | 9.036 | | 8.859 | | | in W. side P.P. #21735E |
| T.P. | 269.348 | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

**NOTE:** ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

NOTES RED. J.F.M. JOB NO. 20774.15 SURVEY OF Dume Cr. Road
DATE 5-23-55 SURVEY BY L.W. Smith
NOTES CHKD. _____ NOTES BY W.C. Dale DATE 3-11-55
DATE _____ INDEXED _____ DATE _____

F.B. 1849 Pg. 117

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 269.348 | | | | | |
| | 0.987 | | 0.758 | | | |
| | 270.335 | -8.221 | -8.219 | | -8.220 | |
| | 9.208 | | 8.977 | | | |
| T.P. | 261.127 | | | | | |
| | 1.062 | | 0.763 | | | |
| | 262.189 | -7.229 | -7.230 | | -7.230 | |
| | 8.291 | | 7.993 | | | |
| T.P. | 253.898 | | | | | |
| | 1.311 | | 1.133 | | | |
| | 255.209 | -7.737 | -7.736 | | -7.737 | |
| | 9.048 | | 8.869 | | | |
| TBM #9A | 296.161 | | | | 246.132 | TBM #9A Elev - 246.13 |
| | 1.596 | | 1.472 | | | On Zumirez Dr. 0.10 N. [illegible] |
| | 247.757 | -6.685 | -6.684 | | -6.685 | Coast Hwy. E. side Road. N. [illegible] |
| | 8.281 | | 8.156 | | | lot 10 per RS 54-32 W. side 2" [illegible] |
| T.P. | 239.476 | | | | | in concrete PET. 9 2088. |
| | 1.963 | | 1.349 | | | |
| | 240.939 | -7.312 | -7.310 | | -7.311 | |
| | 8.775 | | 8.659 | | | |
| T.B.M. #1A | 232.164 | | | | 232.136 | T.B.M. #1A Elev - 232.136 |
| | 0.442 | | 0290 | | | On Zumirez Dr. 01 ± N. Road |
| | 232.606 | -8.819 | -8.819 | | -8.819 | Coast Hwy. E. side of road. [illegible] |
| | 9.261 | | 9.109 | | | in W. side PP 82 1732 E. |
| T.P. | 223.345 | | | | | |
| | 3.267 | | 3.026 | 3.312 | | |
| | 226.612 | -3.250 | -3.242 | -3.243 | -3.243 | |
| | 6.517 | | 6.268 | 6.555 | | |
| TBM 10A | 220.095 | | | | 220.074 | (Description on p. 118) |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.15 SURVEY OF Dume Cr. Road NOTES RED. J.F.M.
SURVEY BY L.V. Smith DATE 5-23-55
NOTES BY R.C. Dale DATE 3-11-55 NOTES CHKD.
INDEXED A. C. Johnson DATE DATE
F.B. 1899 PG. 118

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.B.M.#10A | 220.095 | | | | 220.074 | T.B.M.#10A Elev = 220.074 |
| | 1.121 | | 0.857 | | | On Zumirez Dr. 1006± N. Pacific |
| | 221.216 | -8.801 | -8.801 | | -8.801 | Coast Hwy. E. side road NW corner |
| | 9.922 | | 9.658 | | | lot #9 per R.S. 54-37 N.W. side 2" I.P. |
| T.P. | 211.294 | | | | | set in concrete R.E. Tag 2088 |
| | 1.454 | | 1.236 | | | |
| | 212.748 | -7.655 | -7.654 | | -7.655 | |
| | 9.109 | | 8.890 | | | |
| T.P. | 203.639 | | | | | |
| | 1.198 | | 0.899 | | | |
| | 204.837 | -9.153 | -9.153 | | -9.153 | |
| | 10.351 | | 10.052 | | | |
| T.P. | 194.486 | | | | | |
| | 0.840 | | 0.989 | | | |
| | 195.326 | -4.900 | -4.900 | | -4.900 | |
| | 5.740 | | 5889 | | | |
| BM D-1A | 189.586 | | | | 189.565 | BM D1A Elev = 189.565 (Adj) 189.543 (Unadj) |
| | | | | | | F.B. 1899 Pg 88 On Pacific Coast Hwy. |
| | | | | | | 0.8 mi E of Dume Creek Bridge 50' N'ly |
| | | | | | | and 45' E'ly of intersection of Pacific |
| | | | | | | Coast Hwy. and Zumirez Dr. on fence |
| | | | | | | line Std. C.S.B.M. monument |

NOTES RED. JFM JOB NO. 0074.15 SURVEY OF Dume Cn Road F. B. 1849 Pg. 119

DATE 5-24-55 SURVEY BY L.V. Smyth

NOTES CHKD. NOTES BY R.C. Dale DATE 3-16-55

DATE INDEXED C. Johnson DATE

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 353 3-51

| DESCRIPTION | ADJ. ELEV. | 3RD RUN | 2ND RUN | DIFF. | 1ST RUN | B.M. |
|---|---|---|---|---|---|---|

# BENCH LEVELS

# DUME CN. ROAD

J N 0074.15

ADDITIONAL CIRCUIT FROM TBM 7A TO BM D-3A TO ESTABLISH ELEVATION OF R-1

PARTY
L.V. Smith
R.C. Dale
M.A. Walsh
M.E. Wacker
W.E. Swain

X

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.1 SURVEY OF Dume Cn Road NOTES RED. U.F.M.
SURVEY BY L.V. Smith DATE 5-24-55
NOTES BY R.C. Dale DATE 3-16-55 NOTES CHKD.
INDEXED L.C. Johnson DATE DATE

F.B. 1849 Pg. 120

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| TBM 7A | 413.531 | | | | 413.528 | TBM 7A Elev = 413.531 (Unadj.) ~~413.528~~ (Adj) |
| | 10.651 | | 10.290 | | | On South side Zumirez Dr. 0.9± mi. |
| | 424.182 | + 9.344 | + 9.341 | | + 9.343 | from Pacific Coast Hwy. N.W. Cor lot #24 |
| | 1.307 | | 0.949 | | | per RS 54-39 Fd 2" I.R in concrete N.W. |
| T.P. | 422.875 | | | | | edge 2" I.R Rev FB 1849-101 |
| | 10.449 | | 10.175 | | | |
| | 433.324 | + 9.492 | + 9.493 | | + 9.493 | |
| | 0.957 | | 0.682 | | | |
| T.P. | 432.367 | | | | | |
| | 8.627 | | 8.453 | | | |
| | 440.994 | + 7.938 | + 7.938 | | + 7.938 | |
| | 0.689 | | 0.515 | | | |
| T.P. | 440.305 | | | | | |
| | 10.075 | | 9.766 | | | |
| | 450.380 | + 9.141 | + 9.139 | | + 9.140 | |
| | 0.934 | | 0.627 | | | |
| T.P. | 449.446 | | | | | |
| | 10.881 | | 11.084 | | | |
| | 460.327 | + 10.102 | + 10.101 | | + 10.102 | |
| | 0.779 | | 0.983 | | | |
| T.P. | 459.548 | | | | | |
| | 11.393 | | 11.687 | | | |
| | 470.941 | + 10.775 | + 10.774 | | + 10.775 | |
| | 0.618 | | 0.913 | | | |
| T.P. | 470.323 | | | | | |
| | 10.667 | | 10.722 | | | |
| | 480.990 | + 10.286 | + 10.286 | | + 10.286 | |
| | 0.381 | | 0.436 | | | |
| T.P. | 480.609 | | | | | |

765420 383 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 480.609 | | | | | |
| | 10.613 | | 10.728 | | | |
| | 491.222 | + 7.801 | + 7.800 | | +7.801 | |
| | 2.812 | | 2928 | | | |
| R-1 | 488.410 | | | | 488.406 | R-1 Elev - 488.406 |
| | 1.553 | | 1.312 | | | 0.95 mi. N. Pacific Coast Hwy. |
| | 489.963 | - 9.247 | - 9.249 | | - 9.248 | N/ Gravel Pit, in Saddle. |
| | 10.800 | | 10.561 | | | I.P. with cap. |
| T.P. | 479.163 | | | | | |
| | 3.361 | | 3.073 | | | |
| | 482.524 | - 6.704 | - 6.708 | | - 6.706 | |
| | 10.065 | | 9.781 | | | |
| T.P. | 472.459 | | | | | |
| | 0.859 | | 1.165 | | | |
| | 473.318 | -10.033 | -10.035 | | -10.034 | |
| | 10.892 | | 11.200 | | | |
| T.P. | 462.426 | | | | | |
| | 0.903 | | 1.216 | | | |
| | 463.329 | - 8.948 | - 8.946 | | - 8.947 | |
| | 9.851 | | 10.162 | | | |
| T.P. | 453.478 | | | | | |
| | 1.798 | | 1.881 | | | |
| | 455.226 | - 8.484 | - 8.487 | | - 8.486 | |
| | 10.232 | | 10.368 | | | |
| T.P. | 444.994 | | | | | |
| | 1.198 | | 1.338 | | | |
| | 446.192 | - 8.810 | - 8.810 | | - 8.810 | |
| | 10.008 | | 10.148 | | | |
| T.P. | 436.184 | | | | | |

NOTES RED. VEM JOB NO. 2022.15 SURVEY OF Dume Cut Road
DATE 5-24-55 SURVEY BY A.W. Smith R.C. Dale DATE 3-16-55
NOTES CHKD. _____ NOTES BY _____ DATE _____
DATE _____ INDEXED J.C. Johnson DATE _____

F.B. 1849 PG. 121

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0074-15 SURVEY OF Dume Cr Road NOTES RED. U.E.M.
SURVEY BY L.V. Smith DATE 5-24-55
NOTES BY R.C. Dale DATE 3-16-55 NOTES CHKD. _____
INDEXED C. Johnson DATE _____

F.B. 1849 PG. 122

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 436.184 | | 3.912 | | | |
| | 4.455 | | | | | |
| | 440.639 | 5.946 | 5.941 | | -5.944 | |
| | 10.401 | | 9.853 | | | |
| | | | | | | 430.233 (Adj) |
| BM D-3A | 430.238 | | | | 430.233 | BM D-3A Elev - 430.235 (unadj.) Ref FB 1849-153 |
| | | | | | | 1.0± mi N Pacific Coast Hwy 600± N Gravel Pit on Zumirez Dr. on N slope 50'± below saddle. Std CSBM monument |

Profile No. | Notes Red. JEM | Plotted | Job No. 0074.15 | Division No. | F. B. 1849 | Pg. 123

Date 5-24-55 | Date | Survey of Dume Cn Road

X-Sec. No. | Notes Chkd. | Checked | Survey by L.V. Smith | Notes K. Dale | Date

Date | Date | Map No. Index Book Johnson | Date

# LEVEL CIRCUIT

# DUME CN. ROAD

JN 0074.15

SOUTH "P" LINE
R-1A TO R-4

PARTY
L.V. Smith
R.C. Dale
M.E. Wacker
W.E. Swain

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

764.298 307 4-50

76L298 307 4-50

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red. JFM Plotted ____
Date 5-24-55 Date ____
X-Sec. No. ____ Notes Chkd. ____ Checked ____
Date ____ Date ____

Job No. 6274 Division No. ____
Survey of Dume Cr. Road
Survey by L.V. Smith Notes R.C. Dale
Indexed J. C. Tolmie Date 4-4-55
Pg. 124
1849

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | | | | 430.233 (Adj) | |
| BM. D-3A | 10.771 | 441.006 | | ~~430.235~~ 430.233 | BM D3A Elev 430.235 (unadj) Per FB 1849-103 1.0± mi. N. Pacific Coast Hwy. 600'± N. gravel pit on Zumirez Dr. on N slope 50'± below Saddle. Std. CS BM monument |
| T.P. | 11.071 | 449.910 | 2.167 | 438.839 | |
| T.P. | 10.881 | 458.462 | 2.329 | 447.581 | |
| T.P. | 10.099 | 467.159 | 1.402 | 457.060 | |
| T.P. | 10.130 | 476.111 | 1.178 | 465.981 | |
| R-1A | 1.748 | 473.983 | 3.876 | 472.232 ~~472.235~~ | R-1A 1x2 ±N. Flush Per FB 1849-77 |
| T.P. | 1.488 | 463.872 | 11.599 | 462.384 | |
| T.P. | 1.080 | 453.666 | 11.286 | 452.586 | |
| T.P. | 1.309 | 444.232 | 10.743 | 442.923 | |
| R-1B | 3.073 | 439.710 | 7.595 | 436.634 ~~436.637~~ | R-1B 1x2 ±N. Flush Per FB 1849-77 |
| T.P. | 1.923 | 430.722 | 10.911 | 428.799 | |
| T.P. | 11.657 | 431.587 | 10.792 | 419.930 | |
| T.P. | 7.983 | 436.963 | 2.607 | 428.980 | |
| R-1C | 11.467 | 442.114 | 6.316 | 430.643 ~~430.647~~ | R-1C 1x2 ±N. Flush Per FB. 1849-78 |
| T.P. | 10.128 | 451.371 | 0.871 | 441.243 | |
| T.P. | 10.601 | 460.373 | 1.599 | 449.772 | |
| T.P. | 12.057 | 470.972 | 1.458 | 458.915 | |
| T.P. | 11.628 | 481.162 | 1.438 | 469.534 | |
| R-1D | 11.141 | 491.475 | 0.828 | 480.329 ~~480.334~~ | R-1D 1x2 ±N. Flush Per FB. 1849-78 |

96L298 307 4-80

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 491.475 | | | | |
| T.P. | 11.147 | 501.385 | 1.237 | 490.238 | | |
| T.P. | 10.293 | 510.596 | 1.082 | 500.303 | | |
| T.P. | 11.478 | 521.195 | 0.879 | 509.717 | | |
| T.P. | 10.757 | 530.424 | 1.528 | 519.667 | | |
| T.P. | 11.001 | 539.331 | 2.094 | 528.330 | | |
| R-1E | 9.488 | 542.237 | 6.582 | ~~532.749~~ 532.743 | R-1E | 1x2 & N. Flush Per FB. ~~1849~~-78 |
| R-2 | 6.406 | 547.993 | 0.650 | ~~541.587~~ 541.585 | R-2 | 3/4" I.P., cap, up 2" Per FB. 1849-78 |
| R-2A | 1.431 | 543.668 | 5.756 | ~~542.237~~ 542.231 | R-2A | 1x2 & N. Flush Per FB. 1849-79 |
| T.P. | 0.045 | 532.955 | 10.758 | 532.910 | | |
| T.P. | 1.659 | 524.143 | 10.471 | 522.484 | | |
| T.P. | 2.531 | 516.436 | 10.238 | 513.905 | | |
| R-2B | 10.205 | 517.583 | 9.058 | ~~507.378~~ 507.371 | R-2B | 1x2 & N. Flush Per FB. 1849-79 |
| T.P. | 11.113 | 526.396 | 2.300 | 515.283 | | |
| T.P. | 11.361 | 536.632 | 1.125 | 525.271 | | |
| T.P. | 11.308 | 547.101 | 0.839 | 535.793 | | |
| T.P. | 11.981 | 558.290 | 0.792 | 546.309 | | |
| R-2C | 11.539 | 568.493 | 1.336 | ~~556.954~~ 556.946 | R-2C | 1x2 & N up 1" Per FB 1849-79 |
| T.P. | 10.864 | 577.926 | 0.931 | 567.562 | | |
| X T.P. | 11.267 | 587.572 | 1.521 | 576.305 | | |
| R-2D | 5.500 | 592.456 | 0.616 | ~~586.956~~ 586.948 | R-2D | 1x2 & N. Flush Per FB 1849-80 |

Profile Notes Red. VEM Plotted _____ Job No. 9074 S Division No. _____ F. B. 1849 Pg. 125
No. _____ Date 5-24-82 Date _____ Survey of Phase 6 Tract 37334
Misc. Notes Chkd. _____ Checked _____ Survey by L. V. Sandoval M. Date _____
No. _____ Date _____ Date _____ Map No. _____ Date _____

76L298 307 4-50

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F.B. 1849 Pg. 196 | Job No. 2074.6 | Division No. | Notes Red. VEM | Plotted | No. | Profile
Survey of Duane Ct. Road | Date 5-24-55 | Date | No. | X-Sec.
Survey by E.W. Smith | Notes R.C. Dale | Notes Chkd. | Checked | No.
Indexed A.C. Johnson | Date 4-5-55 | Date | Date

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | | 592 456 | | | |
| R-3 | 4.205 | 594.693 | 2.018 | ~~590 429~~ ~~590.430~~ | R-3 3/4" I.P. Cap, up 1" Per FB-1849-80 |
| R-3A | 0.873 | 587.955 | 7.561 | 587 073 ~~587.882~~ | R-3A 1x2 & N Flush Per FB-1849-80 |
| T.P. | 0.420 | 578,652 | 9.723 | 578232 | |
| R-3B | 0837 | 570.889 | 8.600 | 570 043 ~~570.862~~ | R-3B 3/4" I.P., plug, up 1", Per FB. 1849-80 |
| T.P. | 0.919 | 564.779 | 7.029 | 563,860 | |
| T.P. | 2.163 | 558 811 | 8.131 | 556.648 | |
| R-3C | 1.033 | 550 756 | 9.088 | 549.713 ~~549.723~~ | R-3C 1x2 & N. Flush Per FB 1849-81 |
| T.P. | 0.570 | 539 912 | 11.414 | 539.342 | |
| T.P. | 0.489 | 529 650 | 10.751 | 529.161 | |
| T.P. | 11.245 | 530,784 | 10.111 | 519.539 | |
| T.P | 10.459 | 539.283 | 1.960 | 528.824 | |
| T.P. | 11.836 | 550.392 | 0.727 | 538.556 | |
| T.P | 10.791 | 560.281 | 0.902 | 549.490 | |
| T.P. | 11.663 | 570.693 | 1.251 | 559.030 | |
| T.P. | 10,627 | 579.772 | 1.548 | 569.145 | |
| T.P. | 10,637 | 586.722 | 3.687 | 576.085 | |
| R-3D | 10.779 | 593.374 | 4.127 | 582 584 ~~582 595~~ | R-3D 1x2 & N. Flush Per FB. 1849-81 |
| T.P. | 11.374 | 603.715 | 1.033 | 592.341 | |
| T.P. | 10.896 | 614.151 | 0.460 | 603.255 | |
| T.P. | 11.825 | 625 391 | 0.585 | 613.566 | |

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 625.391 | | | | |
| T.P. | 10.903 | 634.482 ✓ | 1.812 | 623.579 ✓ | | |
| T.P. | 11.619 | 644.880 ✓ | 1.221 | 633.261 ✓ | | |
| T.P. | 11.737 | 655.367 ✓ | 1.250 | 643.630 ✓ | | |
| T.P. | 10.968 | 665 241 ✓ | 1.094 | 654.273 ✓ | | |
| R-3E | 8.998 | 672 387 ✓ | 1.852 | ~~663.389~~ 663 376 ✓ | R-3E 1x2¢N. Flush Per FB 1849-81 | |
| R-4 | 1.863 | 672 523 ✓ | 1.727 | ~~670.660~~ 670 647 ✓ | R-4 ¾" IP, Cap up 2". Per FB. 1849-81 | |
| T.P. | 2.072 | 665 463 ✓ | 9.132 | 663.391 ✓ | | |
| T.P. | 1.020 | 655.250 ✓ | 11.233 | 654.230 ✓ | | |
| T.P. | 0.501 | 644.054 ✓ | 11.697 | 643.553 ✓ | | |
| T.P. | 1.234 | 634.466 ✓ | 10.822 | 633.232 ✓ | | |
| T.P. | 0.866 | 624.407 ✓ | 10.925 | 623.541 ✓ | | |
| T.P. | 0.789 | 614.282 ✓ | 10.914 | 613.493 ✓ | | |
| T.P. | 0439 | 603.663 ✓ | 11.058 | 603.224 ✓ | | |
| T.P. | 1.661 | 593.932 ✓ | 11.392 | 592.271 ✓ | | |
| T.P. | 4.123 | 586.727 ✓ | 11.328 | 582 604 ✓ | | |
| T.P. | 3.325 | 579.334 ✓ | 10.718 | 576.009 ✓ | | |
| T.P. | 0686 | 569.791 ✓ | 10.229 | 569.105 ✓ | | |
| T.P. | 1.156 | 560 104 ✓ | 10.843 | 558.948 ✓ | | |
| T.P. | 7.499 | 556 995 ✓ | 10.608 | 549.496 ✓ | | |
| T.P. | 10.821 | 560.561 ✓ | 7255 | 549.740 ✓ | | |

Profile Notes Red. JFM Plotted _____ Job No. 9074.3 Division No. _____ F. B. 1849 Pg. 107

No. _____ Date 5-24-82 Checked _____ Survey by L.V. Smith Notes by T.C. Johnson Date 4-23-82

No. _____ Date _____ Map No. _____ Date _____

76L298 307, 4-50

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

Profile No. ____ X-Sec. No. ____
Notes Red. JFM Plotted ____ Date 5-24-55
Notes Chkd. ____ Checked ____ Date ____
Division No. ____ Job No. 8074.15 Date 4-6-55
Survey of Duane Cr. Road
Survey by L.V. Smith Notes R.C. Doyle
Indexed C. Johnson
Pg. 128
F. 1849

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | | 560 561 | | | |
| T.P. | 9.583 | 569 495 ✓ | 0.699 | 559.862 ✓ | |
| T.P. | 6.948 | 575.326 ✓ | 1.067 | 568 378 ✓ | |
| | | | | 572 715 | 572.715 (Adj) ✓ |
| BM D-4A | | | 2.595 | ~~572.731~~ ✓ | BM D-4A Elev ~~572.273 (Unadj)~~ Per FB 1849-107 On Rancho Topanga Malibu Sequit Ranch Line. ± W of Closing Cor. To Sections 31 & 32 T1S. R18W. 4± N. Ranch line 4± N.W. 6" I.P. 5' high at junction of Ranch line and North South Fence Std. C.S.B.M. monument |
| | | | | 430 235 | |
| | | | | 142 496 ✓ | |
| | 563.461 | | 420.965 | | |
| | 420.965 | | | | |
| | 142.496 ✓ | | | | |

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Dume Cn Road
W. O. 0074.15 Tape No. 118 St'd., 84 °F
Surveyed by R.C. Dale
Notes R.C.D. Date 8-14-79

F. B. 1579 Pg. 129

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

# DUME CN. ROAD

JN 0074.15

# PROFILE

AT THE NORTH END OF RAMERA CN. FROM R-X,
END OF "P" LINE FROM THE NORTH TO R-32

REF

FB 2215-79-181-77-75

PARTY

R.C. Dale
C.H. Morrison
H.E. Austin
W.E. Dale

76F3095 S&E #247. 8-54

F. B. 1849 PG. 130

# INDEX




RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Wilmington Napa
W.O. 9834-5 Tape No. 118 Std. 99 °F
Surveyed by R.C. Dale
Notes R.C.D Date 8-16-56

F.B. 1349 Pg. 131

1

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 S&E #247. 8-54

2) 63-12-30
4) 126-32-50
6) 189-49-20
31°-38'-13"

R-3
Fd 3/4" IP & Cap
Per FB 2215-79
0+00

76.39 @ 22°46' T=94° = 70.45

70.45

0+70.45
Set 1x2 & N
Top Break

186.47 @ 33°21' T=84° = 155.76

155.76

2+26.21
Set 1x2 & N
Sideh: //

173.52 @ 9°08' T=84° = 171.32

171.32

3+97.53
Set 1x2 & N
Top Break

72.02 @ Lev T=86° = 72.02

72.02

4+69.55
Set 1x2 & N
Top Break

188.22

R-34
Fd 3/4" IP & Cap
Per FB 2218-77

31°-38'-13

08-41-22 E
96.204

136°-30'-22"
FB 2215-77

S 9°50' E

FB 2215-78
515.54

Cont Top Pg# 132

X

cont Bot Pg #131

F.B. 1849 Pg. 132

189.12 @ 5°35' T=86' = 188.22

188.22

6+57 77
Set 1x2 8N.
Top Break

143.11 @ 24°47' T=86' = 129.93

129.93

7+87 20
Set 1x2 8N
Top Break

39.80 @ 19°05 T=86° = 37.61
30.42 @ Lev T=86 = 30.42
68.03

68.03

8+55 73
Set 1x2 8N
Top Break

40.36 @ 6°40' T=84° = 40.09

40.09

8+95 82
Set 1x2 8N
Top Break

246.74 @ 10°53' T=84° = 242.30

242.30

11+38 12
Set 1x2 8N
Sidehill

68.93

S 15° 54 E 322.18 - 78

16° - 54' - 15" E 2218 - 75 - 72

R-33
Fd 3/4" IP
& Cap
LS 2218-75

337.17
LS 2218-74-76

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

cont Top Pg #133

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Dume Cn Rd
W. O. 9.15 Tape No 18 St'd. 84 °F
Surveyed by R.C. Dale
Notes R.C.D. Date 8-16-52

F. B. 1217 Pg. 133

1




2) 47-52-40
4) 95-45-30
4) 143-38-20
23°-56-23

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 S&E #247. 8-54

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1849 PG. 134

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | | |
|---|---|---|---|---|---|---|---|
| R-X | | | | | R-X | Elev = 1704.45 | Fd 3/4" I.P. & cap |
| 0+00 | 0 42 | 1704 87 | | 1704.45 | | of Spur Per F.B. 2215-181 | F.B. 1849 |
| T.P. | 0 50 | 1694 77 | 10.60 | 1694 27 | | Set 1x1 | |
| TP 0+50 | 0 47 | 1685 01 | 10.23 | 1684 54 | | Set 1x2 & nail | side hill |
| 0+70.45 | 0 09 | 1675 76 | 9 34 | 1675 67 | | Set 1x2 & nail | top of brk. |
| T.P. | 1 41 | 1665 28 | 11 89 | 1663 87 | | Set 1x1 | |
| T.P. 0+89 | 2 00 | 1659 28 | 8 00 | 1657 28 | | Set 1x1 | bot of brk. |
| 1+00 | | | 9 27 | 1650 01 | | Set 1x1 | side hill |
| TP | 0 27 | 1647 76 | 11 79 | 1647 49 | | Set 1x1 | |
| T.P. | 0 17 | 1636 39 | 11 54 | 1636.22 | | Set 1x1 | |
| T.P. | 1 16 | 1627 06 | 10 49 | 1625 90 | | Set 1x1 | |
| 1+50 | | | 8 60 | 1618 46 | | Set 1x1 | Side hill |
| T.P. | 0 58 | 1616 49 | 11 15 | 1615.91 | | Set 1x1 | |
| T.P. | 3 79 | 1605 53 | 11 75 | 1604 74 | | Set 1x1 | |
| T.P. | 0 29 | 1594 45 | 11 37 | 1594 16 | | Set 1x2 | |
| 2+00 | | | 6 18 | 1588 27 | | Set 1x1 | Side hill |
| T.P. | 0 14 | 1582 95 | 11 64 | 1582 81 | | Set 1x1 | |
| 2+26.21 | | | 9 76 | 1573 19 | | Set 1x2 & nail | Side hill |
| T.P. | 1 02 | 1572 36 | 11 61 | 1571 34 | | Set 1x1 | |
| T.P. | 0 69 | 1561 89 | 11 16 | 1561 20 | | Set 1x1 | |
| X 2+50 | | | 3 12 | 1558 77 | | Set 1x1 | Side hill |
| T.P. | 3 13 | 1553 85 | 11 18 | 1550 71 | | Set 1x1 | |

Profile
No. Date
X-Sec. Notes Chkd. Date Checked
No. Date Map No.
Notes Red. Plotted
Date Date
Surveyed by R.C. DALE Notes C.H.M. Date 8-17-56
Traced Johnson Date
Job No. 80 14.15 Division No.
DUNES SAND RD.
F.B. 1849 Pg. 135

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1849 Pg. 136 Job No. 00 74.15 Division No. Notes Red Plotted Profile
Survey of DUNE CN RD Date No. X-Sec.
Survey by RGDALE Notes C.H.M. Notes Chkd. Checked
Indexed C. JOHNSON Date 8-17-56 Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | 3 14 | 1553 85 | | 1550 71 | | |
| 3+00 | | - | 24 3 | 1529 55 | set 1x1 | bot of draw |
| 3+50 T.P. | | - | 18 5 | 1535 35 | set 1x1 | side hill |
| 3+97 53 | 7.69 | 1552 93 | 8 61 | 1545 24 | set 1x2 & nail | top brk. |
| 4+00 | | | 7 1 | 1545 83 | set 1x1 | Top Rdg {N side |
| 4+50 T.P. | | | 4 1 | 1548 83 | set 1x1 | Top rdg. {S side |
| 4+69 55 | 0 42 | 1548 77 | 4 58 | 1543 75 | set 1x2 & nail | Top brk |
| T.P. | 0 46 | 1537 31 | 11 92 | 1536 45 | set 1x1 | |
| 5+00 | | | 1 2 | 1536 11 | set 1x1 | side hill |
| T.P. | 6 08 | 1531 96 | 11 43 | 1525 98 | set 1x1 | |
| 5+50 | | - | 17 4 | 1514 56 | set 1x1 | bot brk. |
| 6+00 T.P. | | | 21 7 | 1510 26 | set 1x1 | bot draw |
| 6+50 | 11 76 | 1541 77 | 1 95 | 1539 1 | set 1x1 | side hill |
| 6+57 77 T.P. | | | 9 8 | 1531 97 | set 1x2 & nail | Top brk. |
| 7+00 | 11 17 | 1552 14 | 0 80 | 1540 97 | set 1x1 | bot. brk. |
| T.P. | 9 98 | 1561 60 | 0 52 | 1551 62 | set 1x1 | |
| T.P. | 7 06 | 1567 74 | 0 92 | 1560 68 | set 1x1 | |
| T.P. 7+50 | 10 90 | 1578 42 | 0 22 | 1567 52 | set 1x1 | side hill |
| T.P. | 9 19 | 1587 46 | 0 15 | 1578 27 | set 1x1 | |
| T.P. | 5 49 | 1591 50 | 1 45 | 1586 01 | set 1x1 | |
| 7+87 70 | | | 0 80 | 1590 70 | set 1x2 | Top brk. N side rdg |

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No. Notes Red. Date Notes Chkd. Date Plotted Date Checked Date Job No. 60 74 15 Division No. Survey of DUNE Survey by RC DALE Notes CHM Date 8-20-56 Map No. Mapped J. JOHNSON Date F. B. 18449 Pg. 137

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | 12 04 | 1602 74 | | 1590 70 | | |
| 8+00 | | | 6 8 | 1595 94 | Set 1x1 | Side hill |
| T.P. | 8 81 | 1611 08 | 0 47 | 1602 27 | Set 1x1 | |
| 8+50 | | | 3.0 | 1608 08 | Set 1x1 | Top rdg. |
| 8+55.73 | | | 2.7 | 1608 38 | Set 1x2 & nail | Top rdg. |
| 8+95.82 | 6 84 | 1608 70 | 9 22 | 1601 86 | Set 1x1 | Top brk. & slope |
| 9+00 | | | 8.6 | 1600 10 | Set 1x1 | Side hill |
| T.P. | 0 12 | 1596 97 | 11 85 | 1596 85 | Set 1x1 | |
| T.P. | 0,44 | 1585 86 | 11 55 | 1585 42 | Set 1x1 | |
| 9+50 | | | 9 03 | 1576 83 | Set 1x1 | Side hill |
| T.P. | 2 13 | 1576 06 | 11 93 | 1573 93 | Set 1x1 | |
| 10+00 | | | 9 8 | 1566 26 | Set 1x1 | bot draw |
| T.P. | 11 04 | 1586 63 | 0 47 | 1575 59 | Set 1x1 | |
| T.P. | 11 44 | 1597 54 | 0 53 | 1586 10 | Set 1x1 | |
| 10+50 | | | 4 1 | 1593 44 | Set 1x1 | Side hill |
| T.P. | 11 76 | 1609 02 | 0 28 | 1597 26 | Set 1x1 | |
| T.P. | 11 61 | 1620 00 | 0 63 | 1608 39 | Set 1x1 | |
| T.P. | 11 64 | 1630 92 | 0 72 | 1619 28 | Set 1x1 | |
| 11+00 | | | 7 8 | 1623 12 | Set 1x1 | Side hill |
| X T.P. | 10 95 | 1641 61 | 0 26 | 1630 66 | Set 1x1 | |
| T.P. | | | 0 22 | 1641 39 | Set 1x1 | |

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1849 Pg. 138 | Job No. 0074.15 Division No. | Profile No. | Notes Red. | Plotted | Date | X-Sec. No. | Notes Chkd. | Checked | Date

Survey of DUME CN. RD.
Survey by RC DALE Notes G.M.
Indexed R. C. Johnson Date 8-20-56

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | 6 13 | 164752 | | 164[illegible]39 | | |
| 11+38.12 | 9 76 | 165689 | 0 39 | 164713 | Set 1x2 & nail | side hill. |
| 11+50 | 11 86 | 166680 | 1 95 | 164[illegible]74 | set 1x2 | side hill. |
| T.P. | 11 95 | 167852 | 0 23 | 166[illegible]57 | set 1x1 | |
| T.P. | 9 60 | 168771 | 0 41 | 167[illegible]11 | set 1x1 | |
| 12+00 | | | 4 2 | 168[illegible]51 | set 1x1 | top brk. N. side rdg. |
| R-32 | | | 2 38 | 168[illegible]33 | Elev. 168543 3/4" I.P. & cap 1" up | top rdg. |
| | | | | | Per. F.B. 2215-73 & 74 F.B. 1849 - 138 | |

F. B. 1219 Pg. 139

Profile No. | Notes Red. | Plotted | Job No. 2074.15 Division No.
Date | Date | Survey of Duarte Via Rosa
X-Sec. No. | Notes Chkd. | Checked | Survey by L.V. SMITH Notes L.V.S. Date 9-21-56
Date | Date | Map No. Traced Johnson Date

# Profile of "P" Line from R-32 to R-31

Party
L. V. Smith
C. V. Crowe
R. C. Bowers
M. E. Wacker

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev. | Diff | Hor Diff Adj | Adj |
|---|---|---|---|---|---|---|---|---|

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76298 S & E #307—7-55

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F.B. 1849 Pg. 140 | Job No. 0274A | Division No. | Notes Red. | Plotted | No. | Profile
Survey of Dunn Cr. Road | Date | Date | X-Sec.
Survey by L.V. Smith | Notes L.V.S. | Notes Ckd. | Checked | No.
Indexed C. Johnson | Date | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev | Diff | Hor Adj | Adj Diff | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | R-32 ELEV = 1685.43 |
| R-32=0+00 | 016 | 1685 59 | ✓ | 1685.43 | | | | | FB 2215-73 FD ¾" I.P. & CAP IN SADDLE OF SPUR. |
| 0+09 | | | 3 4 | 16822 | 1679 | -3.2 | +2.0 | -1.2 | BRK. IN GRADE |
| T. P. | 048 | 1674 51 | 11 56 | 1674 03 | | | | | |
| T. P. | 015 | 1663 06 | 11 60 | 1662 91 | | | | | |
| 0+50-T. P. | 026 | 1653 50 | 9 82 | 1653 24 | 1654 | +0.8 | | | 1X2 FLUSH |
| 0+59 | | | 3 8 | 1691 T | 1650 | — | | | BRK. IN GRADE |
| T. P. | 049 | 1642 43 | 11 56 | 1641 94 | | | | | |
| T. P. | 030 | 1630 67 | 12 06 | 1630 37 | | | | | |
| 1+00 | | | 8 09 | 162258 | 1623 | — | | | 1X2 FLUSH |
| 1+07 | | | 11 9 | 16188 | 1619 | — | | | BRK. IN GRADE |
| T. P. | 032 | 1619 03 | 11 96 | 1618 71 | | | | | |
| T. P. | 035 | 1607 61 | 11 77 | 1607 26 | | | | | |
| 1+41 | | | 4 7 | 1602 7 | 1600.5 | -2.4 | +2.0 | -0.4 | BRK. IN GRADE |
| 1+50 | | | 7 80 | 159981 | 1597 | -2.8 | +1.5 | -1.3 | 1X2 FLUSH |
| T. P. | 037 | 1596 14 | 11 84 | 1595 77 | | | | | |
| T. P. | 003 | 1586 48 | 9 69 | 1586 45 | | | | | |
| 2+00 | | | 5 28 | 158120 | 1581.5 | — | | | 1X2 FLUSH |
| T. P | 005 | 1574 80 | 11 73 | 1574 75 | | | | | |
| 2+50 | | | 10 61 | 1564 19 | 1568 | +3.8 | -3.3 | +0.5 | 1X2 FLUSH |
| T. P. | 008 | 1563 54 | 11 34 | 1563 46 | | | | | |

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0774-15 Division No.
No. Date Date Survey of Dune Cut-Fill
X-Sec. Notes Chkd. Checked Survey by L.V.S. Smith Notes L.V.S. Date 9-24-56
No. Date Date Map No. Notes C. Johnson Date

F. B. 1849 Pg. 121

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev | Diff | Hor Adj | Adj Diff + - | |
|---|---|---|---|---|---|---|---|---|---|
| | | 156354 | | | | | | | |
| T. P. | 009 | 155182 | 1181 | 155173 | | | | | |
| 3+00 | | | 342 | 154840 | 1551 | +2.6 | -1.5 | +1.1 | 1X2 FLUSH |
| T. P. | 028 | 154019 | 1191 | 153991 | | | | | |
| 3+43 | | | 60 | 153422 | 1532 | -2.7 | +2.0 | +0.2 | BRK. IN GRADE |
| 3+50 | | | 1103 | 152916 | 1527 | -2.7 | +2.0 | +0.2 | 1X2 FLUSH |
| T.P. | 018 | 152868 | 1169 | 152850 | | | | | |
| 3+84 | | | 160 | 151277 | 1521 | +8.3 | -1.0 | +7.3 | BOT. DRAIN |
| 3+96 | | | 117 | 151701 | 1521 | +4.0 | -1.0 | +3.0 | TOP BRK. |
| 4+00 S.T.P. | 083 | 151792 | 1159 | 151709 | | | | | |
| 4+19 S | | | 13 | 151666 | 1520.5 | +3.9 | -1.5 | +2.4 | TOP BRK. SMALL |
| 4+50 | | | 594 | 151198 | 1517 | +5.0 | -1.0 | +4.0 | 1X2 FLUSH |
| 4+60 | | | 70 | 151099 | 1516 | +5.1 | -1.0 | +4.1 | BRK IN GRADE |
| 4+69 | | | 100 | 150799 | 1516 | +8.1 | -1.0 | +7.1 | BOT. DRAIN |
| 4+79 S | | | 70 | 151099 | 1516 | +5.1 | -1.0 | +4.1 | BRK IN GRADE |
| 5+00 | | | 506 | 151286 | 1517 | +4.1 | -1.0 | +3.1 | 1X2 FLUSH |
| 5+21 | | | 31 | 151488 | 1517.5 | +2.7 | -0.7 | +2.0 | TOP SMALL DRAIN |
| 5+50 | | | 635 | 151157 | 1516.2 | +4.6 | -3.0 | +1.6 | 1X2 FLUSH |
| 5+85 | | | 108 | 150771 | 1511.5 | +4.4 | -1.0 | +3.4 | BOT. SMALL DRAIN |
| 6+00 | | | 957 | 150835 | 1512 | +3.6 | -1.0 | +2.6 | 1X1 BRK IN GRADE |
| T. P. | 1147 | 152640 | 299 | 151493 | | | | | |

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1849 Pg. 42 | Job No. 274.15 Division No. | Notes Red. Date | Notes Chkd. Date | Plotted Date | Checked Date | Profile No. | X-Sec. No.

Survey of Dewey

Survey by L. C. Johnson Notes Date

Indexed Date

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev | Diff | Hor Adj | Adj Diff + − | |
|---|---|---|---|---|---|---|---|---|---|
| | | 1526 40 | | | | | | | |
| 6+50.0 | | | 4 10 | 15[illegible] 10 | 1524 | +1.7 | -1.5 | | 1x1 FLUSH |
| T.P. | 10 60 | 1536 77 | 0 23 | 1526 17 | | | | | |
| 6+99 =R-31 | | | 1 15 | 153[illegible] 62 | | | | | Elev. 1535.53 Fd. 3/4" I.P. & cap |
| | | | | | | | | | F.B. 2215 - 76 72 |
| | | | | | 25 points tested | | | | |
| | | | | | 5 points more than | | | | ½ cont. int. diff. |
| | | | | | 2 points " " | | | | 1 cont. int. diff. |

| Profile No. | Notes Red. | Plotted | Job No. 0074.15 | Division No. |
|---|---|---|---|---|
| | Date | Date | Survey of DUME CN. ROAD | |
| X-Sec. No. | Notes Chkd. | Checked | Survey by L.V. SMITH Notes L.V.S. | Date 10-1-56 |
| | Date | Date | Map No. | Indexed K.C. Johnson Date |

F. B. 849 Pg. 143

# DUME CÑ. ROAD

## J.N. 0074.15

## PROFILE FROM "R26" TO "R24"

OCT. 1956

PARTY
L.V. SMITH
C.V. CROWE
R.C. BOWERS
M.E. WACKER

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev | Diff | Hor Adj | Diff Adj |
|---|---|---|---|---|---|---|---|---|
| | | | | | | | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76298 S & E #307—7-55

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1849 Pg. 144 Job No 00274-AS Division No. Notes Red. Plotted
Survey of Dume Cr. Road Date Date
Survey by L.V.S.M.T.N. Notes L.V.S. Notes Chkd. Checked
Indexed C. Johnson Date Date
Profile No. X-Sec. No.

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev | Diff | Hor Adj | Adj Diff + − | |
|---|---|---|---|---|---|---|---|---|---|
| R-26 : 0+00 | 041 | 1422 61 | | 1422 20 | | | | | R-26 ELEV. = 1422.20<br>FB 2215 - 63-64<br>¾" GALV. I.P. & CAP ON S.E. SLOPE OF SPUR |
| 0+19 | | | 42 | 1418 4 | 1418 | − | − | − | BRK. IN GRADE |
| 0+31.5 | | | 1018 | 1412 43 | 1412 | − | − | − | 1X2 & BRK. IN GRADE |
| T.P. | 069 | 1411 48 | 11 82 | 1410 79 | | | | | |
| T.P. | 043 | 1400 16 | 11 75 | 1399 73 | | | | | |
| 0+50 | | | 1 75 | 1398 41 | 1399 | − | − | − | 1X2 FLUSH |
| T.P. | 021 | 1388 65 | 11 72 | 1388 44 | | | | | |
| T.P. | 679 | 1384 06 | 11 38 | 1377 27 | | | | | |
| 0+90 | | | 100 | 1374 1 | 1374 | − | − | − | BOT. DRAIN |
| 1+00 | | | 850 | 1375 56 | | | | | 1X2 FLUSH |
| 1+26 | | | 23 | 1381 7 | 1383 | +1.3 | | | BRK. IN GRADE |
| T.P. | 1163 | 1395 27 | 042 | 1388 84 | | | | | |
| 1+50 | | | 11 25 | 1384 02 | | | | | 1X2 FLUSH |
| 1+69.5 | | | 98 | 1385 5 | 1386 | − | − | − | BOT. BRK. |
| 2+00 | | | 443 | 1380 84 | 1391 | − | − | − | |
| 2+13 | | | 23 | 1393 0 | 1392 | +1. | | | BRK. IN GRADE |
| 2+50 T.P. | 969 | 1404 07 | 089 | 1394 98 | | | | | 1X2 FLUSH |
| 2+75 | | | 54 | 1398 7 | 1396 | -2.7 | | | BRK. IN GRADE |
| 3+00 | | | 386 | 1400 21 | 1398 | -2.2 | | | 1X2 FLUSH |
| 3+50 | | | 365 | 1400 42 | 1399 | -1.4 | | | 1X2 FLUSH |

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev. | Diff | Hor Adj | Adj Diff | |
|---|---|---|---|---|---|---|---|---|---|
| | | 1404 07 | | | | | | | |
| 4+00 ℄ T.P. | 11 79 | 1414 57 | 1 29 | 140278 | 1407 | – | – | – | 1X2 FLUSH |
| 4+50 | | | 6 29 | 140829 | 1407 | -1.2 | | | 1X2 FLUSH |
| 4+75 | | | 3 6 | 141153 | 1412 | +1 | | | BRK IN GRADE |
| T.P. | 1231 | 1426 50 | 038 | 141419 | | | | | 1X2 |
| 5+00 | | | 895 | 141763 | 1417 | – | – | – | 1X2 FLUSH BRK |
| 5+31 | | | 3 5 | 142300 | 1423 | – | – | – | BRK IN GRADE |
| T.P. | 11 83 | 1436 19 | 2 14 | 142436 | | | | | |
| 5+50 | | | 7 90 | 142829 | 1427 | -1.3 | | | 1X2 FLUSH |
| T.P. | 6 26 | 1442 02 | 043 | 143576 | | | | | |
| 5+90 | | | 4 7 | 143773 | 1436 | -1.3 | | | BRK IN GRADE |
| 6+00 | | | 454 | 143748 | | | | | |
| R-25 | 171 | 1438 90 | 4 83 | 143719 | | | | | R-25 ELEV = 1423 F.B. 2215 - 61 - 74 L.P. & CAP SPUR |
| 6+35 | | | 73 | 143166 | 1432 | – | – | – | BRK. IN GRADE |
| T.P. | 014 | 1427 18 | 11 86 | 142704 | | | | | |
| 6+50 | | | 238 | 142480 | 1426 | +1.2 | | | 1X2 FLUSH |
| T.P. | 002 | 1415 32 | 11 88 | 141530 | | | | | |
| 6+74 | | | 37 | 141166 | 1416 | +4.4 | ±2 | | BRK. IN GRADE |
| X T.P. | 018 | 1403 40 | 12 10 | 140322 | | | | | |
| 7+00 | | | 237 | 140103 | 1406 | +5 | ±2 | +3 | 1X2 FLUSH |

Profile Notes Red. Plotted Job No. 0274.05 Division No.
No. Date Survey of
X-Sec. Date Survey by L.V.S. SMITH Notes L.V.S. Date 10-1-56
No. Notes Chkd. Checked Map No. Adolph Johnson Date
Date Date

F. B. 1819 PG. 145

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1849 Pg. 146 Job No. 0274.5 Division No. Notes Red. Plotted
Survey of Dune Ct. Road Date Date No.
Survey by L. V. S. Notes Notes Chkd Checked X-Sec.
Indexed C. Johnson Date Date Date No.
Profile

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev | Diff | Hor Adj | Adj Diff + − | |
|---|---|---|---|---|---|---|---|---|---|
| | | 1403 40 | | | | | | | |
| 7+21 | | | 9 1 | 1374 3 | 1395 | − | − | − | BRK. IN GRADE |
| T. P. | 013 | 1391 45 | 12 08 | 1379 2 | | | | | |
| T. P. | 016 | 1379 80 | 11 81 | 1367 4 | | | | | |
| 7+50 | | | 5 83 | 1373 [illegible] | 1370 | −4 | ±1 | −3 | 1X1 FLUSH BRK. IN GRADE |
| T. P. | 014 | 1367 75 | 12 [illegible] | 1355 31 | | | | | |
| T. P. | 010 | 1355 92 | 11 93 | 1343 32 | | | | | |
| 8+00 | | | 6 67 | 1349 25 | 1350 | − | − | − | 1X1 FLUSH |
| T. P. | 006 | 1343 77 | 12 21 | 1331 [illegible] | | | | | |
| 8+14 | | | 2 4 | 1341 4 | 1340 | − | − | − | BOT. BRK. |
| T. P. | 004 | 1331 75 | 12 06 | 1319 71 | | | | | |
| 8+50 | | | 6 54 | 1325 21 | | | | | 1X1 FLUSH |
| 8+59.5 | | | 10 5 | 1321 3 | 1316 | −5.3 | ±2 | −3.3 | BRK. IN GRADE |
| T. P. | 010 | 1319 59 | 12 56 | 1307 49 | | | | | |
| T. P. | 033 | 1308 78 | 11 14 | 1296 45 | | | | | |
| 8+88 | | | 7 6 | 1301 2 | 1306 | +5.2 | ±2 | +3.2 | BRK IN GRADE |
| 9+00 ℄ T. P. | 033 | 1297 33 | 11 78 | 1297 00 | | | | | 1X2 FLUSH |
| 9+07 | | | 2 6 | 1294 7 | 1303 | +8 | ±2 | +6 | BANK OF DRAIN |
| 9+14 | | | 6 1 | 1291 2 | 1302 | +11 | ±3 | +8 | BOT. DRAIN |
| 9+34 | | | 9 6 | 1287 7 | 1298 | +10 | ±3 | +7 | " " |
| 9+42 | | | 7 6 | 1289 7 | 1296 | +6 | ±3 | +3 | BANK OF " |

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. Division No.
No. Date Date Survey of
X-Sec. Notes Chkd. Checked Survey by Notes Date
No. Date Date Map No. Date

F. B. 1849 Pg. 147

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev | Diff | Hor Adj | Adj Diff + − | |
|---|---|---|---|---|---|---|---|---|---|
| | | 1297 33 | | | | | | | |
| RIGHT 5' | | | 13 0 | 1284 3 | | | | | BOT. DRAIN |
| 9+50 | | | 837 | 128896 | | | | | |
| RIGHT 10' | | | 183 | 1279 0 | | | | | BOT. DRAIN |
| 9+56 | | | 11 1 | 1286 2 | 1293 | +7 | ±3 | +4 | BRK-IN GRADE |
| T. P. | 043 | 1285 65 | 12 11 | 1285 22 | | | | | |
| 9+68 | | | 10 7 | 1275 0 | 1289 | +14 | ±3 | +11 | BOT. DRAIN |
| T. P. | 013 | 1274 10 | 11 68 | 1273 97 | | | | | |
| 10+ 00 | | | 3 75 | 1270 35 | 1280 | +10 | ±2 | +8 | [illegible] |
| 10+ 25 | | | 6 5 | 1267 6 | 1279 | +11 | ±2 | +9 | LEAVING [illegible] |
| 10+ 30 ± | | | 5 0 | 1269 1 | 1279 | +10 | ±2 | +8 | BRK. IN GRADE |
| 10+50 | | | 4 46 | 1269 64 | 1276 | +6 | ±2 | +4 | I.N.I. TOP SLOPE |
| 10+79 | | | 8 2 | 1265 9 | 1271 | +5 | ±2 | +3 | TOP BNK |
| 10+ 83 | | | 11 8 | 1262 3 | 1270 | +8 | ±2 | +6 | BOT. BRK. |
| T. P. | 043 | 1262 34 | 12 19 | 1261 91 | | | | | |
| 11+00 | | | 231 | 1260 03 | | | | | I.N.I. FLOW |
| 11+05 | | | 23 | 1260 0 | 1263 | +3 | ±1 | +2 | BRK. IN GRADE |
| T. P. | 821 | 1258 36 | 12 19 | 1250 15 | | | | | |
| 11+50 | | | 11 13 | 1247 23 | 1249 | +1.8 | | | BOT. DRAIN |
| 11+ 62 | | | 5 9 | 1252 5 | 1253 | − | − | − | BRK IN GRADE |
| T. P. | 11 85 | 1269 78 | 043 | 1257 93 | | | | | |

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1849 Pg. 148 | Job No. 2274-5 | Division No. | Notes Red. | Plotted | Profile
Survey of Dunes Cor. Road | Date | No. | X-Sec.
Survey by L.K. Sluiter & K.V.S. | Notes | Chkd. | Checked
Indexed K. C. Johnson | Date | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev | Diff | Hor Adj | Adj Diff + − | |
|---|---|---|---|---|---|---|---|---|---|
| | | 1269 78 | | | | | | | |
| 11+88 | | | 7 7 | 1262 1 | 1265 | +3 | ±1.5 | | BRK. IN GROVE |
| 12+00 | | | 2 03 | 1267 75 | 1270 | +2.2 | ±1.5 | | 1X1 FLUSH |
| T. P. | 12 [illegible] | 1281 67 | 0 21 | 1261 57 | | | | | |
| T. P. | 11 54 | 1292 91 | 0 30 | 1281 37 | | | | | |
| 12+50 | | | 3 96 | 1288 95 | 1294 | +5 | ± 1.5 | | 1X1 FLUSH |
| T. P. | 11 46 | 1304 21 | 0 16 | 1292 75 | | | | | |
| T. P. | 9 23 | 1313 29 | 0 15 | 1304 06 | | | | | |
| 13+00 | | | 2 70 | 1310 59 | 1311 | — | | | 1X1 FLUSH |
| 13+03 72 R-24 | | | 1 28 | 1312 01 | | | | | R-24 ELEV. = 1312.32<br>F.B. 2215 - 59 - 60<br>3/4" I.P. & CAP ON N. SIDE OF SHOR |

Profile No. | Notes Red. | Date | Plotted | Date | Job No. 0074.15 | Division No. | F. B. 18-47 | Pg. 149
X-Sec. No. | Notes Chkd. | Date | Checked | Date | Survey of DUME CÑ. ROAD | Survey by L.V.SMITH | Notes L.V.S. | Date | Map No. | Issued C. Johnson | Date OCT 10 '56

# DUME CÑ. ROAD

## J.N. 0074.15

## PROFILE OF LINE FROM R-7 TO R-9

OCT. 1956

PARTY
L. V. SMITH
C. V. CROWE
R. C. BOWERS
M. E. WACKER

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev. Diff Adj | Hor. Diff Adj |
|---|---|---|---|---|---|---|
| | | | | | | |

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76298 S & E #307—7-55

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 1849 Pg. 150 Job No. 0274-AS Division No. Notes Red. Plotted
Survey of Duane Cr. Road Date No.
Survey by A. V. Smith Notes A.V.S. Notes Chkd. Checked X-Sec.
Indexed C. Johnson Date Date Date No.
Profile

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev. | Diff | Hor Adj | Adj Diff | |
|---|---|---|---|---|---|---|---|---|---|
| R-7 0+00 | 0 88 | 742 01 | | 741 13 | | | | | R-7 ELEV = 741.13<br>FB 2215 - 29-30<br>3/4" I.P. & CAP STAMPED<br>R-7 ON RIDGE |
| 0+15 | | | 8 0 | 734 0 | 735 | +1 | | — | BRK. IN GRADE |
| 0+27 | | | 11 4 | 730 6 | 731 | — | | — | " " " |
| T.P. | 0 16 | 730 35 | 11 82 | 730 19 | | | | | |
| 0+50 | | | 9 36 | 720 99 | 724 | +3 | ±1 | | 1X1 FLUSH |
| 0+68 | | | 13 9 | 716 5 | 723 | +6.5 | ±1 | +5.5 | 11.9<br>+2.0 BOOT ENTER DRAIN<br>13.9 11.3<br>+2.0 BOOT LEAVE " |
| 0+74 | | | 13 3 | 717 1 | 723 | +6 | ±1 | +5 | |
| 0+87 | | | 10 2 | 720 2 | 725 | +4.8 | ±1 | +3.8 | BRK. IN GRADE |
| 1+00 | | | 4 28 | 726 07 | 727 | +1 | | | 1X1 FLUSH |
| T.P. | 4 52 | 734 54 | 0 33 | 730 02 | | | | | |
| 1+35 | | | 0 4 | 734 1 | 731 | -3 | ±1 | | TOP OF SPUR |
| 1+50 | | | 5 92 | 728 62 | 730 | +1.4 | | | BRK. IN GRADE 1X1 |
| 1+61 | | | 8 8 | 725 7 | 726 | | | | BRK. IN GRADE |
| T. P. | 0 15 | 722 67 | 12 02 | 722 52 | | | | | |
| T. P. | 0 13 | 710 64 | 12 16 | 710 51 | | | | | |
| 2+00 | | | 6 92 | 703 72 | 707 | +3.3 | ±1.5 | | 1X1 FLUSH - BRK IN GRADE |
| T.P. | 0 38 | 699 21 | 11 81 | 698 73 | | | | | |
| T. P. | 0 44 | 687 56 | 12 09 | 687 12 | | | | | |
| T. P. | 3 61 | 679 57 | 11 60 | 675 96 | | | | | |
| 2+50 | | | 7 91 | 671 66 | 676 | +4.3 | ±2 | | 1X1 FLUSH - BANK OF DRAIN |

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev. | Diff | Hor Adj | Adj Diff + − | |
|---|---|---|---|---|---|---|---|---|---|
| | | 679 57 | | | | | | | |
| 2+56 | | | 111 | 668 5 | 671 | +2.5 | ±2 | | BOT. DRAIN |
| 2+62 | | | 83 | 671 3 | 668 | -3.3 | ±2 | | BANK OF DRAIN |
| T. P. | 12 09 | 691 22 | 044 | 679 13 | | | | | |
| 3+00 | | | 3 38 | 687 84 | 683 | -4.4 | ±3 | | |
| T. P. | 11 37 | 702 45 | 014 | 691 08 | | | | | |
| 3+23 | | | 07 | 701 8 | 695 | -6.8 | ±3 | -3.8 | BRK. IN GRADE |
| T. P. | 11 85 | 713 85 | 045 | 702 00 | | | | | |
| 3+50 T. P. | 12 11 | 725 78 | 018 | 713 67 | 710 | -3.7 | ±3 | | 1X1 FLUSH |
| T. P. | 11 61 | 736 92 | 047 | 725 31 | | | | | |
| T. P. | 10 69 | 747 10 | 051 | 736 41 | | | | | |
| T. P. | 10 28 | 757 24 | 014 | 746 96 | | | | | |
| T. P. | 10 38 | 765 71 | 191 | 755 33 | | | | | |
| 4+00 | | | 736 | 758 35 | | | | | 1X1 FLUSH |
| 4+05 | | | 26 | 763 1 | 760 | -3 | ±3 | | BRK. IN GRADE |
| T. P. | 11 73 | 777 25 | 019 | 765 52 | | | | | |
| T. P. | 11 96 | 788 89 | 032 | 776 93 | | | | | |
| 4+15 | | | 8 6 | 780 3 | | | | | BRK. IN GRADE |
| 4+30.42 | | | 360 | 785 29 | 780 | -5.3 | ±3 | | 1X1 ON RIDGE |
| 4+50 | | | 535 | 783 54 | 780 | -3.5 | ±3 | | BRK. IN GRADE |
| T. P. | 070 | 777 61 | 11 98 | 776 91 | | | | | |

Profile Notes Red. Plotted Job No. 2074.15 Division No.
No. Date Date Survey at Whittier Narrows Dam
X-Sec. Notes Chkd. Checked Survey by L.V. Sutton Notes L.V.S. Date 10-8-56
No. Date Date Map No. Maxed Johnson Date

F. B. 1849 Pg. 151

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F. B. 1849 Pg. 152 | Job No 0074.15 Division No. | Notes Red | Plotted | Profile
Survey of Dume Cañ. Road | Date | No.
Survey by L.V. Smith Notes L.V.S. | Notes Chkd. | Checked | X-Sec.
Indexed E. C. Johnson Date | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | Map Elev. | Diff | Hor Adj | Adj Diff | |
|---|---|---|---|---|---|---|---|---|---|
| | | 777 61 | | | | | | | |
| T. P. | 021 | 766 22 | 11 60 | 765 01 | | | | | |
| 5+00 | | | 1 49 | 761 73 | | | | | 1X1 FLUSH |
| 5+10 | | | 8 1 | 758 1 | 757 | -1 | | | BOT. BNK. |
| 5+50 ± T.P. | 028 | 754 72 | 11 78 | 753 41 | 750 | -4.4 | ±2 | | 1X1 FLUSH |
| 5+63 | | | 11 | 751 6 | 748 | -5.6 | ±1.5 | -4.1 | BRK. IN GRADE |
| 6+00 | | | 9 50 | 744 15 | 740 | -5.1 | ±2.5 | | 1X1 BRK. IN GRADE |
| T. P. | 026 | 742 96 | 12 02 | 740 70 | | | | | |
| 6+42 | | | 9 2 | 733 9 | 730 | -3.8 | ±1.5 | | BRK. IN GRADE |
| 6+50 ± T.P. | 397 | 735 53 | 11 60 | 731 36 | | | | | 1X1 |
| 6+75 | | | 10 3 | 725 0 | 723 | -2 | | | BRK IN GRADE |
| 7+00 | | | 9 23 | 726 10 | | | | | 1X2 |
| 7+12 | | | 10 2 | 725 1 | 722 | -3.1 | | | DRAIN |
| T. P. | 11 90 | 747 22 | 001 | 735 32 | | | | | |
| 7+50 | | | 587 | 741 35 | 738 | -3.3 | | | 1X2 |
| T. P. | 11 88 | 759 08 | 002 | 747 20 | | | | | |
| 8+00 ± P.I. | 405 | 762 27 | 086 | 758 22 | | | | | 1X1 FLUSH |
| 8+05 | | | 2 5 | 759 8 | 756 | -3.8 | ±1.5 | | BRK-IN GRADE |
| 8+18 | | | 0 5 | 761 8 | 760 | | | | TOP OF SPUR |
| 8+30 | | | 366 | 757 61 | | | | | 1X1 BRK-IN GRADE |
| 8+50 | | | 1056 | 751 71 | 752 | — | | | 1X1 |

76L298 307 10-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

**NOTE:** ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | MAP ELEV. | DIFF | HOR ADJ DIFF | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 76227 | | | | | | | |
| T. P. | 017 | 75040 | 1204 | 75023 | | | | | |
| T. P. | 029 | 73875 | 1194 | 73846 | | | | | |
| 8+96 | | | 79 | 7309 | 731 | — | | | BRK. IN GRADE |
| 9+00 | | | 1124 | 72751 | | | | | 1X1 FLUSH |
| T. P. | 016 | 72697 | 1194 | 72681 | | | | | |
| T. P. | 019 | 71512 | 1204 | 71493 | | | | | |
| T. P. | 438 | 70762 | 1188 | 70324 | | | | | |
| 9+50 | | | 962 | 69800 | 700 | +2 | | | 1X1 BOT. BRK. |
| 9+62 | | | 78 | 6998 | 689 | -10.8 | ±3 | -7.8 | BANK OF DRAIN |
| 9+70 | | | 151 | 6925 | 689 | -3.5 | | | CTR. OF DRAIN |
| 10+00 | | | 408 | 70354 | 708 | +4.5 | ±2 | | 1X1 BRK. IN GRADE |
| T. P. | 1185 | 71940 | 007 | 70755 | | | | | |
| T. P. | 1176 | 73115 | 001 | 71939 | | | | | |
| 10+35 | | | 95 | 7217 | 719 | -2.7 | | | BRK. IN GRADE |
| 10+50 | | | 328 | 72787 | | | | | 1X1 FLUSH |
| T. P. | 1209 | 74322 | 002 | 73113 | | | | | |
| 10+68 | | | 53 | 7379 | 740 | +2.1 | | | BRK. IN GRADE |
| T. P. | 1193 | 75506 | 009 | 74313 | | | | | |
| T. P. | 1198 | 76656 | 048 | 75458 | | | | | |
| 11+00 | | | 496 | 76160 | 759 | -4.6 | ±4 | | 1X1 FLUSH |

Profile Notes Red ____ Plotted ____ Job No. 2274.5 Division No. ____ F.B. 1849 Pg. 153
No. ____ Date ____ Survey of ____
X-Sec. Notes Chkd ____ Date ____ Survey by L.V. SMITH Notes by K.S. Date 12-7-56
No. ____ Date ____ Checked ____ Date ____ Map No. ____ Date ____

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.

Notes Red Plotted
Date Date
Notes Chkd. Checked
Date Date

B. 1849 PG. 154 Job No. 80248 Division
Survey of Duke Cir. Rolla
Survey by L.V.S. Notes L.V.S.
Indexed K. C. Johnson Date

| STATION | B. S. | H. I. | F. S. | ELEV. | MAP ELEV. | DIFF | HOR ADJ. | ADD. DIFF. + | ADD. DIFF. − | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | 766 56 | | | | | | | | |
| T. P. | 11 74 | 778 27 | 003 | 76 53 | | | | | | |
| 11+26 T. P. | 11 96 | 789 68 | 0 55 | 77 12 | 7775 | -2.7 | ±3 | | | 1X1 BRK. IN GRADE |
| 11+50 | | | 4 80 | 78 38 | 785 | — | | | | 1X1 FLUSH |
| T. P. | 12 04 | 801 59 | 0 13 | 78 55 | | | | | | |
| T. P. | 12 09 | 813 65 | 0 03 | 80 56 | | | | | | |
| 12+00 | | | 5 47 | 80 18 | 808 | — | | | | 1X1 FLUSH |
| T. P. | 12 18 | 825 82 | 0 01 | 81 64 | | | | | | |
| T. P. | 12 24 | 837 86 | 0 20 | 825 62 | | | | | | |
| 12+50 | | | 1 40 | 836 46 | 838 | +1.5 | | | | 1X1 BRK IN GRADE |
| 12+59.1 R-9 | | | 0 10 | 837 76 | | | | | | R-9 ELEV = 838.03 FB. 2215-33-34 3/4" I.P. & CAP STAMPED R-9 ON RIDGE. |

Profile No. | Notes Red. | Plotted | Job No. 0074.15 Division No. | F. B. 1849 Pg. 155
Date | Date | Survey of DUME CN. ROAD
X-Sec. No. | Notes Chkd. | Checked | Survey by L.V. SMITH Notes L.V.S. Date 10-17-56
Date | Date | Map No. Checked Johnson Date OCT 18 '56

# DUME CN. ROAD

## J.N. 0074.15

## OCT. 1956

PROFILE OF LINE "A" 2400' NORTH OF P.I.2 AT 90° TO & BETWEEN P.I.2 (F.B. 2215-205) AND P.I.3 (F.B. 2215-206) 0400 WEST OF RD.

AND

PROFILE OF LINE "B" 2050.00' NORTH OF P.I. AT 90° TO & BETWEEN P.I. 7 (FB 2215-207) AND P.I. 8 (FB 2215-208) 0400 WEST OF RD.

PARTY

L.V. SMITH
C.V. CROWE
R.C. BOWERS

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

761.298 307 4-50

76L298 307 4-50

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

Profile No. ____ Plotted ____ Date ____
X-Sec. No. ____ Checked ____ Date ____
Notes Red. ____ Date ____
Notes Chkd ____ Date ____
Division No. ____
Job No. ____
Pg. 156
1849
Survey of Dume Cañ. Road
Survey by L.V. SMITH Notes L.V.S.
Indexed L.G. Johnson Date

| STATION | B. S. | H. I. | F. S. | ELEV. | MAP ELEV. DIFF HOR ADJ. FT | |
|---|---|---|---|---|---|---|
| T.B.M. #1A | 0 14 | 232 28 | | 232 14 | | T.B.M #1-A · ELEV: 232.136 ON ZUMIREZ DR. 0.1± mi N. OF PACIFIC COAST HWY. E. SIDE OF RD. LG. BT. SPK. IN W. SIDE OF P.P. # 821732E FB 1849 - 96 |
| T. P. | 0 22 | 220 25 | 12 25 | 220 03 | | |
| T. P. | 7 22 | 216 37 | 11 10 | 209 15 | | |
| 0+00 | | | 11 47 | 204 90 | 205 | 1 X 2 FLUSH |
| 0+50 | | | 3 56 | 212 81 | 213 | 1 X 2 FLUSH |
| T. P. | 11 90 | 228 02 | 0 25 | 216 12 | | |
| 1+00 | | | 7 70 | 220 32 | 221 | 1 X 1 FLUSH |
| 1+50 | | | 1 33 | 226 69 | 226.5 | 1 X 1 FLUSH |
| T. P. | 5 70 | 233 68 | 0 04 | 227 98 | | |
| 2+00 | | | 3 35 | 230 33 | | 1 X 2 FLUSH |
| 2+50 | | | 1 15 | 232 53 | 232 | 1 X 2 |
| 2+78 | | | 0 4 | 233 3 | | TOP BRK |
| 2+84 | | | 1 3 | 232 4 | | BOT. BRK |
| 2+89± | | | 0 82 | 232 86 | | W. EDGE OILED ROAD |
| 3+00 | | | 0 64 | 233 04 | 233 | 3+00 = ℄ RAMIREZ DR. N. & TN. - E. EDGE OILED RD. |
| 3+50 | | | 2 18 | 231 50 | 232 | NAIL FLUSH |
| 3+89 | | | 3 1 | 230 6 | | TOP BRK. |
| 4+00 | | | 7 18 | 226 50 | 226.50 | 1 X 2 FLUSH |
| T. P. | 0 09 | 222 50 | 11 27 | 222 41 | | |

76L298 307 10-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

**NOTE:** ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | MAP ELEV | DIFF. HOR BDS. DIFF ADJ. + − | |
|---|---|---|---|---|---|---|---|
| | | 222 50 | | | | | |
| 4+50 | | | 4 53 | 21797 | 217 | | 1X1 FLUSH |
| 4+70 | | | 8 5 | 2140 | | | TOP BRK. |
| 4+77 | | | 11 1 | 2114 | | | BOT. BRK |
| 4+92 | | | 12 2 | 2103 | | | TOP BRK. |
| T. P. | 009 | 210 35 | 12 24 | 21026 | | | |
| 5+00 | | | 1 93 | 20842 | 208.1 | | 1X1 FLUSH |
| 5+02 | | | 2 6 | 2078 | | | BOT. BRK. |
| 5+28 | | | 55 | 2049 | | | TOP BRK |
| T. P. | 013 | 198 67 | 11 81 | 19854 | | | |
| 5+50 | | | 1 33 | 19734 | 196 | | 1X2 FLUSH |
| 5+66 | | | 6 0 | 1927 | 192 | | TOP BRK. |
| T. P. | 267 | 189 08 | 12 26 | 18641 | | | |
| 6+00 | | | 10 43 | 17865 | 178 | | |
| T. P. | 973 | 193 15 | 5 66 | 18342 | | | |
| T. P. | 782 | 19844 | 2 53 | 19062 | | | |
| B.M. D-1A | | | 8 90 | 18954 | | | B.M. D-1A ELEV. [illegible] FB. 1849 - 88-96 [illegible] COAST HWY. O.8' E. [illegible] DUME CREEK BR. [illegible] SO'NLY. & 45' ELY. [illegible] INTERSECTION OF [illegible] COAST HWY. & ZU[illegible] DR. ON FENCE L[illegible] STD. CS. B.M. MO[illegible] |

Profile
Notes Red_____ Plotted_____ Job No. 00741 Division No._____ F.B. 1849 Pg. 157
No._____ Date_____ Date_____ Survey of DUME CREEK BRIDGE
X-Sec. Notes Chkd_____ Checked_____ Survey by L.V.S. Notes L.V.S. Date 10-17-52
No._____ Date_____ Date_____ Map No._____ Ended Johnson Date_____

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1849 PG. 158 Job No 20245 Division No. Notes Red. Plotted
Survey of Dume Cyn. Road Date Date
Survey by L.V. SMITH Notes Notes Chkd Checked
Indexed K. C. Johnson Date Date
Profile No. X-Sec. No.

| STATION | B. S. | H. I. | F. S. | ELEV. | MAP ELEV. DIFF HOR ADJ. ± | |
|---|---|---|---|---|---|---|
| PROFILE OF LINE "B" | | | | | | |
| T.B.M #4-A | 022 | 329 10 | | 328 86 | | T.B.M. #4-A ELEV. = 328.881 ON ZUMERIZ DR. 0.45± MI NORTH OF PACIFIC COAST HWY. E. SIDE OF ROAD LG-BT-SPK. IN W. SIDE P.P. #821740E FB 1849-99 |
| T.P. | 034 | 317 55 | 11 89 | 317 21 | | |
| T.P. | 012 | 305 80 | 11 87 | 305 68 | | |
| T.P. | 472 | 298 55 | 11 97 | 293 83 | | |
| 0+00 | | | 11 45 | 287 10 | 287 | 1 X 2 FLUSH |
| 0+50 | | | 7 72 | 290 83 | 290 | 1 X 2 FLUSH |
| 1+00 | | | 3 11 | 295 44 | 295 | 1 X 2 FLUSH |
| T.P. | 11 47 | 309 56 | 0 46 | 298 09 | | |
| 1+50 | | | 5 77 | 303 79 | 303.5 | 1 X 2 FLUSH |
| T.P. | 11 55 | 321 08 | 0 03 | 309 53 | | |
| 2+00 | | | 8 78 | 312 30 | 312 | 1 X 2 FLUSH |
| 2+50± T.P. | 816 | 328 23 | 1 01 | 320 07 | 3215 | 1 X 2 FLUSH |
| 2+80 | | | 4 8 | 32 4 | | BOT. BRK. |
| 2+90 | | | 2 9 | 32 3 | | TOP BRK. |
| 2+92± | | | 3 04 | 325 19 | | W. EDGE ROAD |
| 3+00 | | | 2 82 | 325 41 | 325 | N & TN |
| 3+04 | | | 2 57 | 32 66 | | E EDGE ROAD |
| 3+07 | | | 3 2 | 325 0 | | BOT DITCH |

76L298 307 10-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

**NOTE:** ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 328 23 | | | | |
| 3+09 | | | 25 | 325 7 | | TOP BRK. |
| 3+50 | | | 1 24 | 32699 | 328 | 1X2 FLUSH |
| 4+00 | | | 509 | 323 14 | 3225 | 1X2 FLUSH |
| T. P. | 001 | 316 11 | 1213 | 316 10 | | |
| 4+50 | | | 180 | 314 31 | 313.5 | 1X2 FLUSH |
| T. P. | 037 | 304 55 | 11 93 | 304 18 | | |
| 5+00 | | | 300 | 301 55 | 301 | 1X2 FLUSH |
| T. P. | 043 | 292 96 | 12 02 | 292 53 | | |
| 5+50 | | | 650 | 286 46 | 284 | 1X2 |
| T. P. | 028 | 281 46 | 11 78 | 281 18 | | |
| 6+00 | | | 1203 | 269 43 | 269 | 1X2 FLUSH - IN C |
| T. P. | 11 54 | 292 67 | 033 | 281 13 | | |
| T. P. | 11 20 | 303 84 | 003 | 292 64 | | |
| T. P. | 11 35 | 315 07 | 012 | 303 72 | | |
| T. P. | 11 66 | 326 51 | 022 | 314 85 | | |
| T. P. | 6 80 | 332 99 | 032 | 326 19 | | |
| P. I. # 7 | | | 370 | 329 29 | | P.I. #7 ELEV. = 32 FB. 2215-187 P.O. DIV. 2" FB. 1848-7 |

Profile Notes Red____ Plotted____ Job No. 2274.15 Division No.____

No.____ Date____ Date____ Survey of Llano Rd. - Lake

X.Sec. Notes Chkd.____ Checked____ Survey by L.V.S. Notes L.V.S. Date 10-17-62

No.____ Date____ Date____ Map No.____ Indexed C. Johnson Date____

F.B. 1849 Pg. 152

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.

Job No. Division No. Notes Red Date Plotted Date

Survey of Notes Date Notes Chkd Date Checked Date

Survey by Notes Date

Indexed

B. 1849 Pg. 160

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | | | | | |

Notes Ck'd by
Map No.
Office Work
Checked

Survey of DUME CYN ROAD F.B. 1849 Pg. 161
JN 0074.15 Tape 88 Std 84 °F
Surveyed by L.V. SMITH ET AL
Notes / VT Date 2-6-59

# DUME CN. ROAD

## J.N.0074.15

FEB 1959

FINAL CENTER LINE FROM STATE RWY 0.00 NORTH

REF
F.B. 1849
F.B. 2215

PARTY
L.V. SMITH
C.V. CROWE
V.L. HUCKABY
I.F. TRETTIEN

Note: Any Additions or Changes on This Sheet Must Be Made and Circled in Red Ink With Date and Name of Person Making Changes.

Do not extend notes past side of this line.

LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

7-59 CE #247 7858

F. B. 1049 PG. 162

# INDEX





RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

763098 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Lot A & E Ch 1 Ad
JN Tape Std °F
Surveyed by
Notes
Date
Johnson

F. B. 1849 Pg. 167

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 1849 PG. 164

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked

Survey of DOME CAY ROAD F. B. 1849 Pg. 165
JN 0074.15 Tape 88 Std. 84 °F
Surveyed by L. V. SMITH
Notes Date 7-59




RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

7-59 CE #247

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 92, A-4



Notes Ck'd by T. F. A. C. I. T.
Map No.
Office Work
Checked

Survey of Dume Cr. Road
JN 00774/5 Tape 88 Std 84 °F
Surveyed by L. V. SMYTH
Notes / / 5 Date 2-5-59

F. B. 1829 Pg. 167

W.S. 4-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

76S09S CE #247—7-58

788-40'

30"
30"
206'

37'
2215-

168°
F.B.

PER

67.89'

14.38' DL

12.85'

SET NAIL & TIN
TOP 30" 4"x4"
FENCE POST

P.T. 3-17 = OLD P.I. 3
P.D. 34' I.P. & NAIL
DN. 6"
F.B. 2215-206'

P.O. 2" I.P. & CONC. PLUG
R.E. TAG 20 B.B. UP 4"
F.B. 2215-20C

72.86 @ LEV.
T = 70° : 72.85'

SET NAIL &
TIN IN 12"
GUM

DUME CN. ROAD

316.52'

PER F.B. 2215-205-206'

CONT. TOP
PG. 166

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

172.54 @ 3°46' = 172.17
T: 64° = 172.15'

P.O.T. SET JOG IN FN.

184.74 @ 3°18' = 184.43'
T: 62° = 184.40'

DUNE CR. ROAD

℄ 184.40'

172.15'

CONT. BOT. PG. 169

CONT. TOP PG. 167

F.B. 1849 PG. 168

Notes Ck'd by H. P. A. | Survey of Dume Cr. Road | F. B. 1819 Pg. 169
Map No. | JN 0074-15 Tape 88 Std. 84 °F
Office Work | Surveyed by A. V. SMITH
Checked | Notes L.N.S. Date 2-59

W.S.H. 4-4

294.48 @ 6.38 = 294.24
T=62 = 272.60

RD. 272'

DUME CN.

48.14'

E.C.
SET 3/4" I.P. CONC. PLUG
& L.A. CO. ENGR. TAG
DN. 12"

N. & TIN.
4 X 4 FN. POST.

1) 169° 00' 00"
4) 316 00 00
6) 294 00 00
169° 00' 00"

SPK & TN. FLUSH

P.I. 4-A =
P.I. A FD. 3/4" I.P. & NAIL DN. 10" FB. 2215-206

2.00'
2.00'
22.09'
28.79'
60.00'
60.00'
60°

SPK & TN. FLUSH

48.14'

FD. N. & TN. P.P. 8217 SF

48.15 @ LEV.
T=62°: 48.14

B.C.
SET 3/4" I.P. CONC. PLUG
& L.A. CO. ENGR. TAG
DN. 10"

2.00'
2.00'

SPK. & TIN. FLUSH

48.15 @ LEV.
T=60° = 48.14

172.15'

CONT. TOP PG. # 168

REVISED
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247 7-58

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1849 PG. 170

CONT. BOT. PG. #171

W.S. 92, A-4

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

(40')

(40')

DUMLE CN.

401.06'

E.C.

SET ¾" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 7"

FD. N & TN. GUY POLE "821739E.

1) 159° 04' 30"
4) 276 17 30
6) 234 26 30 ✓
159° 04 25 ✓

R.D.

392.34'

53.69'

53.11'

3578

P.I. S-A = P.I. 7
FB. 1849-73 & FB 2215-207
FD ¾" I.P. & NAIL DN. 7"

FD. N & TN. P.P. 821738E

92.35 @ LEV
T = 62° = 92.34 ✓

FD. "X" IN CONC. FOUNDATION

159° 04'

392.34'

92.35 @ LEV.
T = 60° = 92.34 ✓

51.09 @ LEV.
T = 60° = 51.08 ✓

B.C.

SET ¾" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 12"

129.15 @ 9°00 = 127.56 ✓
T = 64° = 127.54' ✓

51.08'

127.54'

272.60'

51.09 @ LEV.
T = 60° = 51.08 ✓

P.O.T.
SET ¾" I.P. CONC. PLUG & L.A.CO ENGR. TAG DN. 12"

P.O.T.
SET BT. SPK. W. & TN FLUSH ON RUMT.

CONT. TOP PG. 169

Notes Ck'd by H. E. A.
Map No.
Office Work
Checked

Survey of DUME CN. ROAD
JN 0074-15 Tape 88 Std 84 °F
Surveyed by A. V. SMITH
Notes / V C Date 2-59

F. B. 1849 Pg. 171

105.97 @ 7°02' = 105.13'
T = 60° = 105.13'

105.13'

B.C.
SET ¾" I.P. CONC.
PLUG & L.A. CO. ENGR.
TAG. DN. 7"

SET SQ. BOLT & TIN TIES

2.00

DUME CN. ROAD

401.06'

255.69 @ LEV. = 255.69'
145.78 @ 3°59 = 145.43'
401.12'

T = 62° = 401.06'

(40') (40')

CONT. TOP PG. # 170

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247 7-58

F.B. 1849 PG. 172

W.S. 82A-4

1) 124° 36' 00"
4) 138 24 30 ✓
6) 87 36 30 ✓
124° 36' 05" ✓

96.20 @ LEV.
T = 64° : 96.19 ✓

P.I. 9
FD. ¾" I.P. & N.
ON. 3" PER
FB. 2215-208
TIES CHECKED
FB. 1849-74

1) 133° 38' 00"
4) 174 31 30 ✓
6) 81 47 00 ✓
133 37 50 ✓

CONT.
PG. 173

228.37 ✓

96.19 ✓

P.O.S.T.
SET SQ. SPK. W.
& TN. FLUSH

34.15 @ 2°07 = 34.13 ✓
T = 64° = 34.13' ✓

34.13 ✓

P.I. 6-A
SET ¾" I.R. CONC.
PLUG & L.A. CO. ENGR.
TAG FLUSH

157.39 @ LEV.
T = 60° = 157.37 ✓

124°
133°
ROAD
DUME CN.

157.37'
178.96 ✓
152.00 ✓

152.02 @ LEV.
T = 64° = 152.00 ✓

178.98 @ LEV.
T = 66° = 178.96 ✓

1) 170° 58' 30"
4) 323 53 00
6) 305 49 30 ✓
170° 58' 15" ✓

P.I. 8
FD. ¾" I.R. & N.
DN. 8" PER
FB. 2215-208
TIES CHECKED

2.82'
2.38'
5.8' ✓
13.74'
3.05'
35.78'
105.19'
170.'

P.O.S.T.
SQ SPK. & TN. FLUSH

FD. N & TN.
4X4 POST

FD. N & TN.
GUY POLE # 821748 E

FD. N & TN.
P.P. # 821741 E

CONT. TOP
PG. 171

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted ck'd by H. E. AUSTIN
Map No.
Office Work
Checked

Survey detailed by A.A.A.
JN 0274.15 Tape 88 Std 84 °F
Surveyed by L.V.S.
Notes L.V.S. Date 2-59

F. B. 7849 Pg. 1/23

W.S. 4-4

CONT. LEFT

CH. P.T. 112

296.67 @ 1°56' = 296.50
T = 64° = 296.46

DUME DR. NO. ROAD

296.46

CH. P.T. NAIL

258.50 @ LEV.
T = 60° = 258.46

E.C. SET ¾" I.P. CONC. PLUG & L.A.CO. ENGR. TAG DN. 10"

SET N & TIN P.P. "821745E

119.72 @ LEV.
T = 60 = 119.70

258.46

119.70

R.P.E.C. SET ¾" I.P. CONC. PLUG & L.A.CO. ENGR. TAG. DN. 5"

40.00

40.00

R.P.E.C. SET ¾" I.P. CONC. PLUG & L.A. CO. ENGR. TAG. DN. 1"

81.88

SET N & TIN P.P. "821744E

81.89 @ LEV.
T = 60° = 81.88

228.42 @ 0°29' = 228.41
T = 58° = 228.37

228.37

CONT. RIGHT PG. 172

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247 7.

F. B. 1849 PG. 174

W.S. 92-A-4

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT. BOT. PG. 175

430.90

P.O.T.
SET 3/4" I.P.
CONC. PLUG
L.A.CO. ENGR.
TAG FLUSH

275.73 @ 5°23 = 274.51
36.56 @ LEV. = 36.56
311.07
T = 66° = 311.03'

311.03

1) 164° 30' 00"
4) 298 01 00
6) 267 01 30
164° 30' 15"

SET SQ. SPK.
& TIES
IN WALL

10.00
10.00

P.I. 7-A =
P.I. FB 2215-209
I.D. 1x2 & NAIL DN.
8" SET 3/4" I.P. CONC.
PLUG & L.A.CO. ENGR.
TAG DN. 8"

30

164°

231.91 @ 6°14 = 230.54
T = 60° 230.50'

230.50'

DUME DR. NORTH

P.O.T.
SET 1x2 & N.
FLUSH

295.09 @ 3°28 = 294.55
T = 62° = 294.51

294.51

CONT. TOP PG. 173

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of Private Road
JN 00741 Tape 88 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 2-59
Indexed

F.B. 1849 Pg. 77

W.S. 4-3

121.61 @ 6°40' = 120.77
T=68°: 120.77

R-1-A
FD. 1X2
& NAIL
FB 1849-77

1) 149° 58' 30"
4) 239 59 15
6) 179 59 30
149° 58' 35" ✓

56.83 @ 8°06' = 56.26
54.88 @ 12°41' = 53.48
109.74
T: 109.72

R-1
FD ¾" I.P. & GALV.
CAP WITH HOLE
FB 2215 - 210
RETURNED ANGLE
FROM P-A TO R-2 (R-3
AFTER REPLACING R-2 &
R-3.

P.I. B-A
SET ¾" I.R. CONC.
PLUG & L.A. CO. ENGR.
TAG DN. 1

1) 34° 16' 00"
4) 137 05 15
6) 205 37 30
34° 16' 15"

137.98 @ LEV. = 137.98
295.15 @ 6°59 = 292.96
430.94
T: 70°: 430.90

SET 1X2 & N
LINE 1.30

CONT. TO P.G. # 174

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Changes.

Do not extend notes this side of this line.

PREPARED TO LOS ANGELES COUNTY ENGINEER
BY Los Angeles County Engineering Bldg.

7685DS CE #247 7-57

F.B. 1849 Pg. 176

CONT. PG.

BOT. #177

113.26 @ 10°45' = 111.27 ✓
125.25 @ 15°29' = 120.70 ✓
231.97 ✓
T = 66° = 231.94 ✓

231.94' ✓

R-1-D
FD 1X2
& NAIL
IFB. 1849-76

106.07 @ 28°49' = 92.93 ✓
T = 66° = 92.92 ✓

92.92' ✓

R-1-C
FD 1X2
NO NAIL
FB 1849-78

279.94 @ 1°53' = 279.79 ✓
279.93 @ 1°41' = 279.81 ✓ 279.80 ✓
T = 68 = 279.77 ✓

DUME CN ROAD

279.77' ✓

R-1-B
FD. 1X2
& NAIL
IFB. 1849-77

174.78 @ 11°33' = 171.24 ✓
T = 68 = 171.22 ✓

171.22' ✓

CONT. PG.

TOP #175

RETURN TO
LOS ANGELES COUNTY ENGINEER
#100 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked

Survey of DODUME CN. ROAD
JN 60745 Tape 88 Std. 84 °F
Surveyed by L. V. SMITH
Notes L.V.S. Date 2-59

F. B. 1849 Pg. 77

W.S. 24-3

Note: Any Additions or Changes on This Sheet Must be Made or Cleared in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

783095 CE #247—7:53

FD. 2" I.P. UP 2" CONC. PLUG & L.S. TAG #2572 GUARD STAKE MARKED "#1 L" ON N. SIDE 2±2 ℄ ON S. SIDE. PIPE WAS ON WLY END OF CUL DE SAC OF OILED EARTH ROAD

116.15 @ 2°20 = 116.05 ✓
T: 68° : 116.04 ✓

9-A-1
SET 1x2 ℄ N.

FD. 2" I.P. UP 3" CONC. PLUG & L.S. TAG #2572 GUARD STAKE MARKED "PROP. COR. J" E. SIDE "LOT 2" W. SIDE. PIPE ON SLY SIDE OF OILED EARTH ROAD

0.52

8.51'

R-2
SET ¾" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON LINE BETWEEN R-3 & R-1 RECORD DIST. FROM R-1-E & CHECKED DISTANCE TO R-2-A
FB. 1849-78-79

FD. 2" I.P. CONC. PLUG & L.S. TAG #2572 UP 3"

P.I. 9-A'
SET ¾" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON 2"

75.10 @ 6°31 = 74.61 ✓
T: 10° : 74.60 ✓

R-1-E
FD. 1x2 & NAIL ON 6"
FB. 1849-78
USED FOR LINE & DISTANCE TO RESET R-2

1) 171° 51' 00"
4) 327 22 00
6) 311 03 00
171° 50' 30" ✓

1) 78° 06' 00"
4) 312 24 00
6) 108 36 00 ✓
78° 06' 00" ✓

1) 69° 12' 00"
4) 276 47 30
6) 55 11 00 ✓
69° 11' 50" ✓

138.07 @ 11°01 = 135.53 ✓
T: 68° : 135.52 ✓

158.15 @ 11°03 = 155.22 ✓
T: 68° : 155.20 ✓

DODUME CN. ROAD

CONT. PG. TOP #176

F.B. 1849 Pg. 178

CONT. PG. BOT. * 179

64.22 @ 8°37 = 63.49'
T = 72° = 63.48' ✓

63.48' ✓

47.23 @ 6°02 = 46.97 ✓
T = 72° = 46.97 ✓

9-A-5

5 STRAND BARB WIRE FENCE & METAL POSTS

106.68 @ 16°54 = 102.07 ✓
T = 72° = 102.06' ✓

102.06 ✓

46.97' ✓

FD. 2" I.P. R.E. TAG #759 UR S' FB. 1849-79

9-A-4
SET 1X2 & NAIL

96.80' @ 17°05 = 92.53 ✓
T = 70° = 92.52' ✓

92.52' ✓

DUME CN. ROAD

45" ✓

59'

1) 103° 00' 00" ✓
A) 51 59 00 ✓
102° 59' 45" ✓

102°

9-A-3
SET 1X2 & NAIL

188.49' @ 4°38 = 187.87' ✓
T = 72° = 187.86' ✓

187.86' ✓

9-A-2
SET 1X2 & NAIL

212.74' @ 6°55 = 211.19' ✓
T = 70° = 211.17' ✓

211.17' ✓

CONT PG. TOP * 177

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by [illegible] | Survey of Dewey Pet Road | F.B. 1849 Pg. 179

Map No. | JN 00741 5 Tape 88 Std. 84 °F

Office Work | Surveyed by L.V. SMITH

Checked | Notes L-V SMITH Date 2-59

Date | Indexed

R-4

T-74°: 116.10

L.A. CO. B.C. CURVE CORNER F.B. 1842-13 & 80

SET ¾" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH. AT INTERSECTION OF E & N. LINE R.O.T. M.S.

FD. 2" I.P. PLUG & R.E. TAG UP 4' FD. 1849-80

116.10

9.35'

150.29'

NORTH LINE R.O.T. M.S.

R-3-B FD. ¾" I.P. UP 1" FD. 1849-80 USED FOR LINE & DISTANCE TO RESET R-3

108.56'

94°

146.84

1) 94° 55' 30"
4) 119 41 30
6) 209 32 30
94° 55' 25"

R-3 HAD BEEN KNOCKED OUT. SET ¾" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 2' BY INTERSECTION OF LINE PROD. FROM R-4 THROUGH R-3-B & LINE THROUGH R-1-D & R-1-E FROM R-1. DISTANCE FROM NEW PIPE TO R-3-B CHECKED RECORD FD 1849-80.

9-A.C. SET 1.42 ℄ N.

109.64 @ 8°01' = 108.57

T-74°: 108.56

DUME CN. ROAD

63.48'

"P" LINE

1) 168° 02' 30"
4) 312 09 00
6) 288 12 30
168° 02' 15"

88.82 @ 10°55 = 87.21
59.65 @ LEV = 59.65
146.86
T-66°: 146.84

CONT. TOP. PG. 178

Note: Any Additions or Changes on This Sheet, Must be Made, or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes to this side of this line.

LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

783098 CE #447-7

F. B. #1849 PG. 180

194.36 @ 18°38' = 184.17 = 184.17
194.16 @ 18°27' = 184.18

T = 70° = 184.15'

SET 1x2 ON LINE PROD FOR ANGLE

184.15'

146.90 @ 18°43' = 139.13
99.08 @ 16°43' = 94.89
234.02

T = 70° = 234.00

39° 49' 30"
4) 159 18 30
4) 238 57 15
39° 49' 33"

39° 49' 33"

R-4
FD. ¾" I.P. GALV. CAP WITH HOLE FB 18[illegible]-M

P.T. 10-17
SET ¾" I.P. CONC. PLUG & L.A. CO. ENGR. TAG PER STAKING SHEET

51.77 @ 19°48' = 48.71
35.68 @ 7°37' = 35.37
84.08

T = 72° = 84.07'

84.07'

234.00'

90°

SET ¾" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON RIDGE

59.67 @ 3°55' = 59.53

T = 72° = 59.53'

59.53'

DUME CN. ROAD

12.00'

R-3-C
FD 1x2 & NAIL FB 1849-81

"P" LINE

SET 1x2 & N. ON RIDGE

116.10'

CONT. TO PG. 179

W.S. 9A-3

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of BASE CN ROAD
INDEX 15 Tape 88 Std. 68 °F.
Surveyed by L.V. SMITH
Notes L.V.S. Date 11-17-60
Indexed C. I. GALLI OCT 22 62

F. B. 1619 PG. 151

P-10-A-4
SET 1X2 & NAIL

37

59.20 @ 5°16 = 58.95
56.16 @ 4°47 = 58.95 : 58.95

T = 60° = 58.94'

58.94'

P-10-A-3
SET 1X2 & NAIL

46.14 @ 21°55 = 42.81
46.01 @ 21°30 = 42.81 : 42.81

T = 56° = 42.80

42.80'

P-10-A-2
SET 1X2 & NAIL

297.80 @ 18°17 = 282.77
297.95 @ 18°22 = 282.77

T = 60° = 282.72'

282.72'

P-10-A-1
SET 1X2 & N

184.15'

CONT. From TOP Pg 180

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this [illegible] of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SAE #247 11-68

X

F. B. 1849 Pg. 182

138.20 @ 17°02 = 132.14 = 132.13
138.11 @ 16°55 = 132.13
29.94 @ 17°55 = 28.49 = 28.49
29.48 @ 17°52 = 28.49
160.62

T = 74° = 160.61'

11-17.2
1x2 ⅜ N

50.59'

R-5
FD. ¾" I.P. & CAP
STAMPED R-5
FB 2215 - 25

11-17-1
1x2 ⅜ N.

T 60.61'
R 130.00'

104.00'

110.77

26.28'

R.I. 11-A
SET ¾" I.P. & CAP
FLUSH W/ GD. ENGR. TAG OF 0.1

110.77 @ 20°06 = 104.02
T = 60° = 104.00

64.55 @ LEV. = 64.55
65.95 @ 6°56 = 65.47
130.02

T = 62° = 130.00'

1) 110° 26' 30"
4) 81 46 45
6) 302 36 45
110° 26' 28"

312.74'

257.25 @ 10°52' = 252.64 = 252.63
257.16 @ 10°44' = 252.63
61.87 @ 13°32' = 60.15 = 60.16
61.78 @ 13°10' = 60.16
312.79

T = 58° = 312.74'

R-4
FD. ¾" I.P. & CAP
FB 1849 - 81

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked

Survey of: DUME CÑ RD. F. B. 1847 Pg. 183
JN 0074.0 Tape Std °F
Surveyed by L.V. SMITH
Notes L.V.S. Date

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

P.I. 12-A
NOTHING SET
FALLS IN DEEP
RAVINE

211.53'

211.58 @ 0°43 = 211.56
211.55 @ LEV = 211.55
211.55

T = 68° = 211.58'

1) 175° 51' 00"
4) 335 22 15
6) 323 03 30
173° 50' 35"

35"
50'
173°

P-11-A-5
SET 1" I.P. CONC.
PLUG & L.A.CO.
ENGR. TAG - UP
0.1' ON RIDGE

14.08'

R-6
FD. 3/4" I.P. &
CAP STAMPED R-6
UP 0.1' ON RIDGE
ER 22.5 - 27

P-11-A-4
SET 1x2 & NAIL
14.00' FT. FROM
R-6 AT 90° TO
LINE FROM R-6
TO R-5

14.00'

90°

111.95 @ 27°16 = 99.51
112.18 @ 27°30 = 99.51 = 99.51
16.03 @ LEV. = 16.03
115.54

T = 70° = 115.53'

115.53'

R-5

LINE TO

P-11-A-3
1x2 & NAIL
SIDE HILL

291.10'

291.35 @ 2°43 = 291.12 = 291.12
291.39 @ 2°54 = 291.12
T = 72° = 291.10

X

76809S CE #247—7-85

F. B. 1849 PG. 184

131.95 @ 8°05 = 130.64 = 130.64
131.86 @ 7°49 = 130.64
76.90 @ 6°34 = 76.40 = 76.39
76.94 @ 6°53 = 76.39
207.03

T = 68° = 207.01'

207.01'

204.00'

P-12 A 3
SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG 16.00' FROM R-8 AT 90° TO LINE FROM R-7

16.00

R-8
FD 3" I.P. & CAP STAMPED R-8 FB. 2215-31

90°

293.75 @ 12°23 = 286.91 = 286.91
293.64 @ 12°17 = 286.92
13.00 @ LEV = 13.00 = 13.00
299.91

T 70° = 299.88'

299.88'

P-12-A-2
SET 1X2 IN SPIKE

1) 168° 36' 30"
A) 314 25 00
6) 291 37 30
168° 36' 15"

133.10 @ 3°44 = 132.82 = 132.82
133.13 @ 3°55 = 132.82

T = 68° = 132.81'

132.81'

P-12-A-1 = R-7
FD. 3/4" I.P. & CAP STAMPED R-7 ON RIDGE - F.B. 2215-29

15"
36'
168°
S.S.W.

RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Sunset Or Road
JN0074 Tape Std °F
Surveyed by L.V. SMITH
Notes I.N.S. Date 2-6-61

B/847 Pg. 185

79.60 @ 19°37' = 46.72 = 46.72
255.77 @ 4°53' = 254.97 = 254.97
301.69

T = 80° = 301.68'

P-13-17-1
SET 1x2 & NAIL
ON RIDGE

171.07 @ 5°33' = 170.27 = 170.27
171.11 @ 5°41' = 170.27
T = 76° = 170.26

170.26

1) 63° 28' 00"
4) 253 53 00
6) 20 49 15
63° 28' 13"

LINE FROM R-8 TO R-9

49.71 @ 38°38' = 41.43'
T = 76° = 41.43'

1) 172° 23' 00"
4) 329 32 15
6) 314 18 30
172° 23' 05"

P.I. #13-A
SET 1-I.P.
CONC. PLUG &
L.A. CO. ENGR'L
TAG

41.43'

90°

207.01'

204.00'

Notes: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765098 CE #247—7-58

F.B. 1849 Pg. 186

13.47 @ LEV. =
299.54 @ 10°48' = 294.32
299.76 @ 10°56' = 294.32

13.47
= 294.32
307.79

307.75'

T = 64° = 307.75'

P-13-A-4
SET 1X2 & NAIL
ON SPUR

LINE TO
R-10

34.11 @ 6°16' = 33.91 = 33.91
34.07 @ 5°36' = 33.91
299.02 @ 1°34' = 298.94'
299.06 @ 1°35' = 298.95' = 298.94
332.85

T = 80° = 301.68'

301.68'

P-13-G-3
SET 1" I.P. CONC.
PLUG & L.A. CO.
ENG. TAG.

90°

36.00'

R 9
FD. 3/4" I.P. &
CAP STAMPED
R-9 RB. 2215-33

163.75 @ 20°34' = 153.31 = 153.31
163.96 @ 20°45' 153.32

T = 60° = 153.28'

153.28'

P-13-A-2
SET 1X2 & NAIL

301.68'

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____

Survey of DOME CN ROAD
JN 0074 Tape _____ Std. _____ °F
Surveyed by A.V. SMITH
Notes _____ Date 1-11-61

F. B. 1849 Pg. 187

C.J. GALT

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink or Circled in Red With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

160.53'

87.00'

P-13-A-5
SET 1" I.P. CONC.
PLUG & L.A. CO.
ENGR. TNG ON
LINE DOUBLED
AT P-13A-3
FROM P-13A-1

50.88'

R-10
F.D. 3/4" I.P.
CAP STAMPED
R-10
F.B.

S-3

TO R-9

307.75'

1) 166° 10' 00"
4) 304 40 00
6) 277 00 00
166° 10' 00"

58.95' @ 30°18' = 50.90'
58.64' @ 29°48' = 50.89'
50.89'

T = 64° 50.88'

1) 98° 21' 00"
4) 33 22 15
6) 230 03 45
98° 20' 37"

76808 CE #247—7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.




F.B. 1849 PG. 188

162.86 @ 7°17' = 16D 55' 160.55'
162.80 @ 7°04' = 160.56

T = 62° = 160.53'

89.14 @ 5°10 = 88.78
95.86 @ 15°29 = 92.38
S. 86 @ LEV. S. 86
187.02

T = 66° = 187.00'

22°41' @ 43°39' = 16.17' = 66.17' 5.0"
22.73 @ 44.39 = 16.17

T = 64° = 66.17'

T = 70° = 273.32'

252.14 @ 27°40 = 255.83 = 255.82
252.72 @ 27.19 = 255.82
17.52 @ LEV = 17.52 = 17.52
17.56 @ 3°04' 17.52
273.34

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____

Survey of DUNE CR. ROAD
JN 0074 Tape _____ Std. _____ °F
Surveyed by L. V. SMITH
Notes _____ Date _____

F. B. 1849 Pg. 189

Notes: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

29.76 @ 2.38 = 299.64 = 13 31 N
13.31 @ 2 EU.
T = 68° = 312.92'

P-15-A-1
SET 1X2 IN ON SPUR

45.01 @ 6°59' = 44.67 = 44.67
44.96 @ 6°34' = 44.67
T = 64° = 44.66'

1) 128° 05' 00"
2) 152° 21' 15"
3) 48 31 45
128° 05' 18"

44.66'

P.I. 15-A
SET 1" I.P. CONC. PLUG & L.A. CO. ENGR TAG. UP 1"

18"
118.00
05'
128°
52"
23'
75°
312.95'

SET 1X2 IN ON LINE BROD. FROM R-10 THROUGH R-11
8.00'
60°

R-11
FD ¾" I.P. & CAP STAMPED R-11, FB 724 P 17

P-14-A-4
SET 1X2 & NAIL BY WIGGLE BETWEEN P.I. 15-A & P-14-A-1

90.40 @ 25°25' = 81.65
90.70 @ 25°49' = 81.65
T = 68° = 81.64'

127.11'

R-10

CHAINING PT. P-14-A-3
SET BT. SPK & TN. NO PUNCH

58.96 @ 7°27 = 58.46 = 58.46
58.86 @ 6°42 = 58.46
71.26 @ 15°29 = 68.67 = 68.67
71.14 @ 15°07 = 68.68
127.13

81.64'

T = 62° = 127.11'

X

765006 CE #247—7-58

bot. pg. 191

F. B 1849 Pg. 190



181.36 @ 31°52' = 154.02
T = 66° = 154.00'

101.51 @ 15°06 = 98.01
T = 72° = 98.00'

385.41'

R-13
Fd. ¾" capped I.P.
F.B. 2215-41

90°

SET 1X1 ε N.

Set Bf. spk. & Tin

154.00'

5.68'

P-15-A-3
SET 1" I.P. Cem. Plug EL.A. Co. Eng. Top, Flush

98.00'

298.95 @ 19°52 = 281.16 = 281.15
298.82 @ 19°48 = 281.15
T = 62° = 281.11

281.11'

R-12
FD. ¾" capped I.P.
F.B. 2215-39

P-15-A-2
SET 1X2 ε NAIL

259.85 @ 8°09 = 257.23' = 257.22'
259.92 @ 8°16 = 257.22'
T = 62° = 257.18'

257.18'

top pg. 189

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes

Notes Ck'd by:
Map No.
Office Work
Checked

Survey of: Power Cyn. Rd
JN 60715 Tape 126 Std 84 °F
Surveyed by: Uharriet
Notes: Uharriet Date 6-16-61

F. B. 1049 Pg. 191

R-14
Fd. 3/4" capped

2) 337° 22' 13"
4) 314° 44' 15"
6) 292° 06' 30"
168° 41' 05"

T84
100.96 @ 22° 13' = 93.46
+1.56
95.02

2) 119° 18' 45"
4) 238° 37' 45"
59° 39' 25"

59° 39' 25"
95.02
168°
41.
05"

R-13
Fd. 3/4" capped
I.P. 2" up
F.B. 2215-41

P.O.S.T.
Set 1" I.P. Cem.
Plug & Co. Eng'r
tag, flush

T68
183.38 @ 6° 34' = 182.16
T12
234.88 @ 22° 04' = 217.66
T72
21.15 @ Lev. = 21.15
420.97

420.97

P.I. 16A
Nothing Set

T84
67.58 @ 2° 40' = 67.51
T84
60.62 @ Lev. = 60.62
T82
269.78 @ 15° 15' = 260.28
388.41

02"
06'
142°

2) 284° 12' 00"
4) 208° 24' 00"
6) 132° 36' 15"
142° 06' 02"

388.41

P.O.S.T.
Set 1" I.P. Cem.
Plug & Co. Eng'r
tag, flush

top Pg. 190

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3DOS CE #247—3-57

Lot pg. 193

F.B. 1849 Pg. 192

T72
73.70 @ Lev. = 73.69

R-15
Fd. ¾" capped
I.P. flush
F.B. 2215-45

73.69

142.58

P.O.T.
Set 1" I.P. cem.
plug & Co. Eng'r
tag, flush
(Unable to occupy)
T74
70.22 @ Lev. = 70.22

70.22

2) 343°53'15"
4) [illegible]
5) 311°40'03"
171°56'40

Set 1x2
& Nail

40.

P.I. 17A
Nothing Set

3) 330°41'15"
4) 301°22'30"
5) 272°03'45"
165°20'37"

431.85

16.5°

T74
66.84 @ 18°57' = 63.22
T72
300.64 @ 11°28' = 294.62
T82
82.84 @ 12°04' = 81.01
438.85

90°00'00"

20'

37'

44.00

P.O.T.
Set 1x2 ¢ Nail
T78
14.26 @ Lev. = 14.26

14.26

R-14
Fd. ¾" capped
I.P., flush
F.B. 2215-43

P.O.T.
Set 1" I.P. cem.
plug & Co. Eng'r
tag, flush

T78
8.66 @ Lev. = 8.66
T72
270.92 @ 8°20' = 268.04
T74
152.51 @ 8°40' = 150.76
427.46

427.46

X

top pg. 191

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by: _____
Map No. _____
Office Work _____
Checked _____

Survey of Dume Cyn Rd.
JN 00715 Tape 126 Std. 62 °F
Surveyed by Uharriet
Notes Uharriet Date 6-20-61

F. B. 1849 Pg. 193

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

T70
119.32@6°30' = 116.00

116.00

Set 1x2" Nail

P.I. 18A
Set 1" I.P. cem.
Plug Co. Engr
Tag, Flush

27.00

30°00'00"

T72
26.48@22°06' = 24.53
+2.47
27.00

T74
263.13@2°36' = 262.84

T72
154.26@11°00' = 151.42
414.26

414.26

2) 344°40'15"
4) 329°20'30"
6) 314°00'30"
172°20'05"

172°20'05"

P.O.T.
Set 1" I.P. cem.
Plug Co. Engr
Tag, Flush

T70
142.63@1°23' = 142.58

73.69

142.58

R-15
Fd. 3/4" capped
I.P. Flush
F.B. 2225-45

Top Pg. 192

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1849 Pg. 194

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Dume Cyn Rd
JN 0779.16 Tape 147 Std BK °F
Surveyed by M. Mitchell Date
Notes Date 1962

F. B. 1049 Pg. 185

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76PSOSS CE #247—3-57

SURVEY SHOWING
A REALIGNMENT
OF
# DUME CANYON ROAD
IN
# RAMERA CANYON
IN THE
SANTA MONICA MOUNTAINS
# JN 0779.16

R.J. Mitchell – Chf. – R.C. Dale
L.C. Smiley
M.L. Bustrum
L.X. Bankson

Proposed Alignment Plotted
On Surv. Div. File Map Number
–

JAN. 1962 to 1962

Index Page for Re-Alignment X

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 1848 P.g. 1-6

76F3098 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked

Survey of
JN
Tape
Notes
Surveyed by
Date

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 1999 PG. 198

1.

Name Ch'd by
Map No.
Office Work
Checked
Date

Survey of Pacific Coast Rd.
JN 0779.16 Tape 100' Std 62 °F
Surveyed by Ref. Mahlen
Notes Mitchell Date 1/62

F.B. 1849 Pg. 199

W.S. 9 4-4

1) 205.85 Level (T=70°) = 205.85
2) 205.85 " " = 205.85
1) 76.83 6°01 (T=70°) = 76.83
2) 77.04 " = 77.04
Back = 3.42
Total = 473.36

DUNE CANYON ROAD

473.36

"PI - 1849"
For 3/4" IP, cen. in
Co. Engr. 1964
dn. 18" at edge
of traveled Rd.
& set on line
SEE - FB 1849-174

edge paved road

P.C. Sta. 1+00

BEGIN THIS SURVEY ~
FOR SURVEY BETWEEN
THIS POINT & PACIFIC
COAST HIGHWAY SEE
F.B. 1849
pgs 165-175

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

F. B. 1849 Pg. 200 ~~198~~

1) 153.61 @ 11°32 (T=64°) = 150.49
2) 153.71 @ 11°41 " = 150.51
Avg = 150.50

1) 79.07 @ 9°32 (T=56°) = 78.83
2) 79.04 @ 9°00 " = 78.84
Avg = 78.83

1) 69.55 @ 14°23 (T=56°) = 67.36
2) 69.40 @ 13°48 " = 67.39
3) 70.09 @ 16°00 (T=58°) = 67.36
4) 69.73 @ 19°34 " = 67.37
Avg = 67.37
0.67 @ Level Total = 0.167
= 297.37

1) 247.46 @ 12°04 (T=70°) = 241.97 (D)
2) 247.18 @ 11°50 " = 241.91 (R)
3) 247.11 @ 11°40 " = 241.94 (D)
4) 247.45 @ 12°07 " = 241.92 (R)
Avg = 241.94
on top road to South
see next page

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

DUMETZ CANYON ROAD

473.36

Back 3.40 = Less = 3.40
Ahd. 76.83 @ 6°01 (T=70°) = 76.40
77.04 @ 7°23 " = 76.39
Avg = 76.39

1) 225.63 @ 5°59 (T=70°) = 224.40
2) 225.98 @ 5°39 " = 224.36
Avg = 224.38
Total = 297.37

1) 101.64 @ 5°46 (T=70°) = 101.12
2) 101.77 @ 6°24 " = 101.13
Avg = 101.13

X

62.

Status Chkd by
Map No.
Office Work
Checked
Date

Survey of Dam & Road
JN 07772 Tape 100 Std 68° F
Surveyed by R.T. Mitchell
Notes Mitchell Date Feb '62

Contd on page 63

W.S. 4+4

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3085 CE #247—3-57

10 13. 50

0.11 @ Level

RPEC Set 1" IP comp'l. Co. Engr. Tag Fd. out 50.06 each way

50.01 @ Level (T=60°) = 50.00

E.C. Set 1" IP comp'l. Co. Engr. Tag Fd. out 50.06 each way

R-1 Set 1" IP with Co. L.S. Cap Hub 1" & mkd "R-1" on stking. Sheet

PT #1A pg 199

Set 1x2 Engr. Fd. over

E 1+26.10 Set

RPPT Set 1" IP comp'l. Co. Engr. Tag Fd. out 18" & 1x2 Engr. Fd.

PT #1 Set 1" IP comp'l. Co. Engr. Tag Fd. out 18" & 1x2 Engr. Fd. over.

CANYON

DOME

Contd on page 2nd

CURVE #1 DATA

R = 700
Δ = 44° 02' 00"
T = 297.37
L = 538.10

1) 96 02 00
2) 180 00 00
3) 276 12 00
4) 96 02 00

B.C. Set 1" IP comp'l. Co. Engr. Tag Fd. out 18" & Cake 182.61 Tan. R.C. (Set 1x2 Engr. Fd. over)

Contd 13.36

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


F.B. 1044 PG.
POT
POT
POT

3

Cont'd on page 205

Status Of'd by
Map No.
Office Work
Checked
Date

Survey of Duarte Co. Rd
JN 0773 Tape 172 Std 68°F
Surveyed by R.T. McLeod
Notes M. 1 of 1 Date Jan. '62

F 1149 p 203

1

W.S. 4+3

1) 128 17 00
2) 192 23 00
3) 32 04 10

17°-52'-30" Lt
Calc'd as shown on page 202 & 205
Obtained length of spiral from spiral tangent sheet & turn angle.

34.10

P.T. #2
Cut bench to set slope stake
1" IP Cent. Pol.
Engr. Tie Sht.
per sliding sheet

CH 112.77

102.80

32°-04'-10"

POST
Set 1x2 6"
at brk dia
to N.

32°-29'-35"

"R-2B"
Fd 1x2 6"
per sliding sheet

DUARTE

295.25

"R-2A"
Fd 1x2 6"
per sliding sheet

CURVE #2
& DATA
R = 1500 per sliding sheet
Δ = 17°-52'-30" meas.
T = 235.97 Calc'd set
L = 468.11 Calc.

NOTE: For [illegible]

Cont'd from page 202

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76P308S CE #247—3-57

F. B. 1849 Pg. 204

From P.O.T. to ~~B.C.~~ P.O.T.

| | | | | |
|---|---|---|---|---|
| 1) 50.78 @ | Level | (T= 72°) | = | 50.78 |
| 2) 50.86 @ | 3°04 | " | = | 50.77 |
| | A-9 | | = | 50.78 |
| 1) 64.09 @ | 1°19 | (T=66°) | = | 63.90 |
| 2) 64.03 @ | 3°29 | " | = | 63.90 |
| | A-9 | | = | 63.90 |
| Back 16.78 @ | Level | (T=66°) | = | 16.78 |
| Ahd. 1) 199.64 @ | 8°39 | (T=72°) | = | 197.35 |
| 2) 199.53 @ | 8°25 | " | = | 197.32 |
| | A-9 | | = | 197.35 |
| | Total | | | 295.75 |

From ~~P.O.T.~~ to PI #2

| | | | | |
|---|---|---|---|---|
| 1) 29.28 @ | Level | (T= 72°) | = | 29.28 |
| 2) 29.44 @ | 6°06 | " | = | 29.27 |
| | A-9 | | = | 29.28 |
| 1) 87.91 @ | 18°13 | (T=70°) | = | 83.49 |
| 2) 87.40 @ | 17°10 | " | = | 83.50 |
| | A-9 | | = | 83.49 |
| | Total | | | 112.77 |

From R.2B to PI #2

| | | | | |
|---|---|---|---|---|
| 1) 104.08 @ | 8°58 | (T=72°) | = | 102.80 |
| 2) 103.83 @ | 8°23 | " | = | 102.81 |
| | A-9 | | = | 102.80 |

| | | | |
|---|---|---|---|
| 1) | 142 | 30 | 00 |
| 2) | 209 | 58 | 15 |
| 3) | 134 | 57 | 15 |
| 4) | 142 | 29 | 32½ |

From PI #2 to P.O.T.

| | | | | |
|---|---|---|---|---|
| 1) 38.50 @ | 27°01 | (T=60°) | = | 34.30 |
| 2) 37.01 @ | 22°07 | " | = | 34.29 |
| | A-9 | | = | 34.29 |
| 1) 56.96 @ | 16°40 | (T=60°) | = | 54.56 |
| 2) 57.20 @ | 17°28 | " | = | 54.55 |
| | A-9 | | = | 54.55 |
| 1) 208.45 @ | 15°00 | (T=64°) | = | 201.32 |
| 2) 208.90 @ | 15°29 | " | = | 201.29 |
| | A-9 | | = | 201.30 |
| 1) 57.36 @ | 6°38 | (T=64°) | = | 56.97 |
| 2) 57.16 @ | 6°49 | | = | 56.95 |
| | A-9 | | = | 56.96 |
| | Total | | = | 349.70 |

X

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

4

Survey of Range Co. Rd. F. B. 1849 Pg. 205
JN 0779 Tape 197 Std. 25 °F
Surveyed by R.J. Mitchell
Notes Mitchell Date Jan. '62

Status Ck'd by
Map No.
Office Work
Checked
Date

Indexed

A-3

T 3 S R 16 W

1) 68 28 45 1) 190 19 30
2) 287 33 45 2) 321 18 30
3) 26 53 30 3) 301 57 45
4) 64 28 55 4) 170 19 37½±

Stadia 295 @ 9°30 = 287
Less 15
Diff = 272

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled and With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

76F3OS CE #247—3-57

Fd. 3/4" IP, cemt'd Co. Engr. Tag 179 per Pg. 179

"R-3-B" nail & tag Fd. 3/4" IP mon. P.L.S. 1044-180

POT. 3-B Set 1" IP, cemt'd Co. Engr. Tag 179

1 59.74

1 SEC 32

1 SEC 31

N 89°-58'-30" E 2722.52

NORTH LINE

R.P. N.

Fd. 1" IP in mon. Rancho Boundary 1.0' E. of Cor. Same as line.

Fd. 1" IP in mon. Rancho Boundary 1.0' E. of Cor. Same as line.

DUNE

157.63

see Pg. 202 for curve data

POT. 2-A Set 1" IP, cemt'd Co. Engr. Tag 179 up 2" on crest of broad spur

170°-19'-37½"

+397.10

TO: N'ly POT. Pg 202

NOTE: The 2" IP with cemt'd & R.P. Tg # 759 shown on Pgs 178 & 179, is now up 1½" & leaning to East — No connection made to this line. — RJM Jan. 62

E. CORNER Sec. 31 T3S R16W Fd. 3/4" IP, cemt'd Co. Engr. Tag 179 per Pg. 179

Cont'd from page 203

F.B. 1849 Pg. 206

cont'd on page 208

W.S. 92, A-3

9.92 meas.
9.71 set & meas.

1052.45

POT #3A
set 1x2 ½ in by "trans. ting-in".

R-5
Fd. ⅝" IP
Calc. ℄ Cal
Hld "R5"
per FB 2215-23

142°-49'-30"

99.56 set

100.00 to 207 meas.

DAVIS

44°-17'-25"
set per stking. sht. pg 207

POT #3
set 1" IP cem
pl. Co. Engr. Tag "LS 6776"
stkg. per stking sht
N 27,615.99
E 46,710.87

POT #3
℄ CURVE DATA
R = 600.00
Δ = 45°-58'-45"
T = 251.56
L = 481.49

171°-11'-45"

395.33

CAMINO

18.90 set

POT #2-C
Set 1x12" en at calc. dist from "R" line & ℄ same as on ℄

R-4
Fd 1" IP
Calc ℄ Cal
Hld "R-4"
per FB 2215-23

656.74

DUNE

cont'd from page 205

NOTE:
For Distances & Angles see Page 207

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not enter notes this side of this line.

5

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Dunc Co Road
JN 07777 Tape 187 Std 62 °F
Surveyed by R.S. Mitchell
Notes M.K. Lc 11 Date Jan 62

P.B. 189 Pg. 207

| | | | |
|---|---|---|---|
| | 18.90 @ Lc1 (T=77°) | = 18.90 pg 206 | 4) 177 69 90 |
| 1) | 58.46 @ 13°21' (T=76°) | = 58.46 | 5) 246 44 30 |
| 2) | 57.51 @ 11°44' " | = 57.27 | 6) 99 17 23 |
| | Avg | = 57.86 | |
| 1) | 29.01 @ 12°53 (T=76°) | = 28.28 | |
| 2) | 28.82 @ 10°59 " | = 28.29 | |
| | Avg | = 28.28 | |
| | 13.02 @ Lc1 " | = 13.02 | |
| | Total | = 99.36 pg 206 | 1) 142 49 30 (N) |
| | | | 4) 211 18 00 |
| 1) | 78.25 @ 6°05 (T=58°) | = 77.80 | 5) 136 56 45 |
| 2) | 78.16 @ 5°23 " | = 77.81 | 6) 142 49 27½ + |
| | Avg | = 77.80 | |
| 1) | 76.05 @ 10°10 (T=52°) | = 74.84 | |
| 2) | 76.21 @ 10°51 " | = 74.83 | 1) 171 11 45 |
| | Avg | = 74.83 | 4) 324 47 80 |
| | Total | = 152.63 | 5) 307 10 45 |
| | see page 205 | | 6) 171 11 47½ - |
| 1) | 156.47 @ 8°12 (T=50°) | = 156.84 | |
| 2) | 156.37 @ 7°50 " | = 156.83 | |
| | Avg | = 156.83 | |
| 1) | 73.26 @ 12°32 (T=52°) | = 71.50 | |
| 2) | 73.53 @ 13°26 " | = 71.51 | |
| | Avg | = 71.50 | |
| 1) | 295.90 @ 15°50 (T=58°) | = 284.61 | |
| 2) | 296.11 @ 15°39 " | = 284.60 | |
| | Avg | = 284.60 | |
| 1) | 104.28 @ 25°37 (T=58°) | = 98.52 | |
| 2) | 104.56 @ 25°55 " | = 98.52 | |
| | Avg | = 98.52 | |
| 1) | 50.60 @ 13°00 (T=58°) | = 49.29 | |
| 2) | 50.76 @ 13°03 " | = 49.30 | |
| | Avg | = 49.29 | |
| | Total | = 658.74 pg 206 | |
| 1) | 96.42 @ 8°33 (T=58°) | = 95.33 | |
| 2) | 96.33 @ 8°12 " | = 95.33 | |
| | | = 95.33 | |
| 1) | 291.61 @ 4°39 (T=58°) | = 290.60 | |
| 2) | 291.522 @ 4°23 " | = 290.62 | |
| | Avg | = 290.61 | |
| | 9.39 @ Lc1 (T=58°) | = 9.39 | |
| | Total | = 395.33 pg 206 | |
| 1) | 53.33 @ 6°26' (T=56°) | = 52.98 | |
| 2) | 53.21 @ 5°19 " | = 52.98 | |
| | Avg | = 52.98 | |
| 1) | 48.45 @ 13°08 (T=56°) | = 47.11 | |
| 2) | 48.73 @ 14°46 " | = 47.11 | |
| | Avg | = 47.11 | |
| | To Lc1 | = 300.09 pg 206 | |

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 CE #247—3-57

F.B. 1849 Pg. 208

Contd on page 210

W.S. 92, A-3

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

1) 121 06 00
2) 124 23 00
3) 6 34 15
4) 121 05 [illegible]

74.04 @ N 85°52'20" E (R 52°) = 74.03

Set 1" IP cem. pl. Co. Engr. Tg. & Tk. on line = POT #A

Set 45.89 pg 209

"R-B" Fd 1" IP Galv. I cap mkd R-B per FB 2215-31

1) 43 34 45
2) 124 17 15
3) 241 28 30
4) 43 34 45

1" IP cem. pl. Co. Engr. Tg. & Tk. Set [illegible] on crest of spur by offs. from R-B & fd same as follows showing new PI # 4 & PI # 5 then Removed

0.03 W

50.55

14.03

14°42'

43°-34'-45" E

30.13

N 1°-05'-45" E

121°-05'-45"

PI #4
Set 1" IP cem. pl. Co. Engr. Tg & Tk in approx position shown on office sketch & set on steep sly slope of spur.
N 28,720.64
E 40,382.47

1) 85 52 15
2) 345 28 30
3) 153 13 00
4) 85 52 10

R-7
Fd 1" IP w.ll Galv. I cap mkd R-7 per FB 2215-29

PI #4 - CURVE DATA
R = 1200
Δ = 2,17,44 by coords
T = 22.61
L = 46.01

250±

2,17,44

Fd sight on line prod from North with Tg POT #A

CANYON DRIVE

1052.45

NOTE: Chaining between PI #3 & PI #4 on centerline of course on chaining line & on centerline see page 209

Contd from page 206

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____

Survey of Pomona Canyon Road
JN 0779.1 Tape 127 Std 82 °F
Surveyed by R.J. Mitchell
Notes Mitchell Date Jan '62

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not append notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S CE #847—3-57

M.S. 4-3

1) 48.09 @ 7°23 (T=36°) = 47.61
2) 47.86 @ 5°41 " = 47.61

1) 110.26 @ 8°47 (T=60°) = 108.99
2) 110.37 @ 9°06 " = 108.99

1) 289.05 @ 14°29 (T=60°) = 289.50
2) 288.87 @ 14°20 " = 289.52

1) 230.36 @ 9°27 (T=60°) = 229.63
2) 230.32 @ 9°17 " = 229.64

1) 125.42 @ 5°35 (T=58°) = 124.80
2) 125.36 @ 5°14 " = 124.80

1) 268.63 @ 12°07 (T=62°) = 262.61
2) 265.85 @ 12°04 " = 262.59

Total = 1063.09
Sec page 206 = 100.09
Total = 1163.18

12.85 @ Level = 12.85

1) 61.60 @ 3°46 (T=58°) = 61.46
2) 61.52 @ 2°34 " = 61.45
14.37 @ Level " = 14.37
Total = 75.82

1) 48.45 @ 16°37 (T=52°) = 46.90
2) 48.54 @ 14°59 " = 46.87

pg. 208

1152.54 calc. of right →
Less 100.09
Diff 1052.45 pg 206, 208

1) 48.28 @ 13°30 (T=52°) = 46.87
2) 48.65 @ 15°29 " = 46.87
Back = Less = Diff
Diff Clearance = 43.87

1) 35.24 @ 42°01'30" = 26.18
2) 34.24 @ 41°02'30" = 26.20
3) 37.33 @ 40°18'00" = 26.20
Avg = 26.20
24.36 @ Level = 24.36
Total = 50.56
50.56 @ (T=58°) = 50.56

1) 21 19 45
2) 85 11 00
3) 127 46 30
21 17 45

1) 175 14 15
1) 221 56 30

Set 1x2 ft on erroneous bearing from R-8

R-8 pg 208

R-7 pg 208

PI #4 pg 208

PI #3 pg c. 206

Set 1x2 ft on E

DETAIL TO SHOW CHAINING FR. PI. #3 to #4

POMONA CANYON ROAD

1152.54 Chaining

Cont'd on page 212

F.B. 1849 Pg. 210

NOTE: Not practical to establish good line between PI #5 & PI #6 ~ Line falls along face of steep cliff ~ Rock crumbly & dangerous to men & equipt. ~ Direction established by calc. from coordinates using R-10, R-11 & S-5 as points of control.

W.S. 92, A-3

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes outside of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Survey of Dimension Co. Road
JN 0779.16 Tape 147 Std. 82 °F
Surveyed by: R.F. Mitchell
Notes: Mitchell Date Jan, '62

F.B. 1848 Pg. 211

Notes: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76P3OSS CE #247—3-57

| | | | | | |
|---|---|---|---|---|---|
| 2) 95.89 @ 8°36 " | = 94.79 | 94.79 | Set 1x24 m | | |
| 1) 286.78 @ 0°33 (T=64°) | = 286.78 | | | | |
| 2) 286.81 @ 0°33 " | = 286.78 | 381.57 | " " | | |
| 1) 56.61 @ 40°40 (T=52°) | = 54.54 | | | | |
| 2) 56.83 @ 20°19 " | = 54.53 | | | | |
| Avg | = 54.53 | 436.07 | " " | | |
| 1) 254.10 @ 5°02 (T=56°) | = 253.07 | | | | |
| 2) 254.02 @ 4°49 " | = 253.11 | | | | |
| 3) 254.19 @ 5°12 " | = 253.09 | 689.16 | " " | | |
| 1) 157.45 @ 19°51 (T=80°) | = 148.18 | | 5/8" x 24" rebar & cap 15.14 - See note | | |
| 2) 157.79 @ 20 06 " | = 148.21 | | | | |
| 3) 157.75 @ 20 04 " | = 148.17 | | 185 | | |
| Avg | = 148.18 | 837.34 | Set 1x2 " " | | |
| 1) 91.39 @ 13°28 (T=82°) | = 88.88 | | | | |
| 2) 91.21 @ 13 00 " | = 88.87 | | | | |
| Avg | = 88.87 | 926.21 | " " | | |
| 1) 252.68 @ 5°23 (T=74°) | = 251.53 | | | | |
| 2) 252.75 @ 5°36 " | = 251.52 | | | | |
| Avg | = 251.52 | 1177.73 | " " | | |
| 1) 298.28 @ 9°51 (T=84°) | = 293.88 | | | | |
| 2) 298.10 @ 9°37 " | = 293.91 | | | | |
| Avg | = 293.89 | 1471.62 | | | |
| 13.76 @ Level (T=76°) | = 13.76 | 1485.38 | | | |
| Total | 1485.38 | | | | |
| 1) 59.00 @ 12°16' (T=76°) | = 57.65 | | | | |
| 2) 58.83 @ 11°32 " | = 57.64 | | | | |
| Avg | = 57.64 | | | | |
| 1) 23.34 @ 13°37 (T=76°) | = 22.69 | | | | |
| 2) 23.40 @ 14°15 " | = 22.68 | | | | |
| Avg | = 22.68 | | | | |
| Total | = 80.32 | | | | |
| 1) 105.70 @ 3°38 (T=52°) | = 105.68 | | 1) 23 32 30 | | |
| 2) 105.76 @ 4°01 " | = 105.68 | | 2) 94 10 00 | | |
| Avg | = 105.68 | | 3) 141 15 00 | | |
| Less Back | = 1.92 | | Av 23 32 30 | | |
| Difference | = 103.76 | | | | |
| 1) 53.48 @ 27°43 (T=52°) | = 47.34 | | 1) 110° 00 30 | | |
| 2) 53.08 @ 26°52 " | = 47.34 | | 2) 220 00 45 | | |
| Avg | = 47.34 | | 4) 80 02 00 | | |
| Less " Back | = 4.92 | | Av) 110 00 30 | | |
| Difference | = 42.42 | | | | |
| 1) 103.68 @ 3°43 (T=64°) | = 103.65 | | 1) 155 51 15 | | |
| 2) 103.97 @ 4°20 " | = 103.64 | | 4) 243 24 45 | | |
| Avg | = 103.65 | | 6) 215 06 45 | | |
| 1) 98.18 @ 27°22 (T=66°) | = 42.78 | Checks | Av) 155 51 07½ + | | |
| 2) 47.91 @ 26°03 " | = 42.74 | chaining | | | |
| Avg | = 42.77 | shown | | | |
| | | above. | | | |
| 1) 82.45 @ 12°48 (T=69°) | = 80.39 | | | | |
| 2) 82.23 @ 12°07 " | = 80.39 | | | | |
| Avg | = 80.39 | | | | |
| 1) 69 10 00 | 1) 110 01 30 | | 1) 96 26 15 | | |
| 4) 276 38 30 | 4) 80 05 45 | | 4) 185 51 00 | | |
| 6) 54 57 30 | 6) 300 08 30 | | 6) 288 47 30 | | |
| 69 09 35 | Av) 110 01 25 | | Av) 96 27 55 | | |

X

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

# W.S. 92, A-3



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of: Florence Ave. Rehab
JN 0279.14 Tape 147 Std 64 °F
Surveyed by: R. J. Mitchell II
Notes R. J. M. & Date Feb. '62
Indexed

F 51899 Pg 2 1 3

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

75F3095 CE #247—3-57

2) 89.56 @ 22°32' ( " ) = 82.30
Avg. = 82.70 — 82.70 — 24.1"X2"E.n.
1) 23.40 @ 1cn. (T=54°) = 23.40 — 23.40 — " Col. outlet

1) 126.63 @ 15°02' (T=54°) = 122.28
2) 126.87 @ 15°23' ( " ) = 122.30
Avg. = 122.29 — 122.29 — " 1"X2"E.n.

1) 214.49 @ 10°54' (T=54°) = 210.58
2) 214.60 @ 11°04' ( " ) = 210.57
Avg. = 210.57 — 210.57 — "

1) 121.46 @ 13°18' (T=64°) = 118.18
2) 121.21 @ 12°47' ( " ) = 118.18
Avg. = 118.18 — 118.18 — "

1) 271.13 @ 7°15' (T=76°) = 268.95
2) 271.26 @ 7°29' ( " ) = 268.94
Avg = 268.94 — 268.94 — 1"UP(P)1=6)

Avg. — 828.08

1) 55.61 @ 13°45' (T=80°) = 54.02
2) 55.97 @ 15°08' ( " ) = 54.03
Avg. = 54.02

62.07 @ 1cn ( " ) = 62.07
Avg. = 116.09

1) 68-12-30
4) 272-52-00
6) 49-18-00
Avg 68-13-00 71.09
Avg. Az. 51 002 Cur dia
Not Return 4-68°12'30

1) 72.28 @ 12°50 (T=58°) = 70.46
2) 72.08 @ 12°10 " = 70.45
Avg = 70.95

1) 77-59-00
4) 311-57-00
6) 107-55-00
Avg 77-59-10

1) 26 10 00
4) 104 39 00
6) 156 58 45
26 09 47± -

1) 150 32 00
4) 202 06 45
6) 183 10 45
Avg 150 31 47½ -

1) 58 09 15
4) 232 35 00
6) 348 52 00
Avg 58 08 40

X

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Pomona Canyon Road F.B. 1849 Pg. 21-5
JN 07778.76 Tape 147 Std 5 °F
Surveyed by DI Mydeland
Notes M. Schell Date Feb '62
Indexed _____

1) 34.67 @ 12°38 (T=60°) = 33.87
2) 34.47 @ 11°10 = 33.87
Avg = 33.87

1) 287.28 @ 1°08 (T=56°) = 287.17
2) 287.26 @ 0°57 " = 287.17
Avg = 287.17

1) 99.38 @ 24°21 (T=50°) = 45.66
2) 99.89 @ 23°44 = 45.66
Avg = 45.66

1) 185.97 @ 22°01 (T=56°) = 172.38
2) 185.58 @ 21°42 " = 172.40
= 172.39

20.10 Avg @ Level (T=56°) = 20.10
Total = 539.13

1) 113.64 @ 19°34 (T=58°) = 110.05
2) 113.95 @ 15°00 " = 110.05
Avg = 110.05

1) 261.52 @ 1°26 (T=58°) = 261.40
2) 261.50 @ 1°17 " = 261.40
= 261.40

1) 152.84 @ 23°49 (T=69°) = 139.60
2) 152.37 @ 23°25 " = 139.60
Avg = 139.60
Total = 511.25

1) 209.74 @ 19°49' (T=62°) = 197.29
2) 210.21 @ 20°10 " = 197.29
= 197.29
Less Avg Back @ Level = 3.29
Difference = 194.00

1) 90 03 00
2) 360 12 30
3) 180 19 00
Avg 90 03 10

1) 11 19 30
2) 45 16 30
3) 67 54 30
Avg 11 19 05

1) 74 30 00
2) 297 58 15
3) 82 57 30
Avg 74 29 35

1) 85 47 00
2) 343 15 00
3) 154 53 00
Avg 85 48 30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #247—3-57

F.B. 1849 Pg. 216

Contd on page 218

W.S. 92, A-2

Δ = 43°

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

ROAD

313.44

Set 1"x2"m on line prod from south

N 47° W

23.54

PT #7
Set 1" IP, cem. w/ L.A. Co. Engr. Tag & HK on steel stake per office staking sheet (line prod from South)
4,132,115.13 N
6,096,539.93 E

80.25

139.90 page

116.26

POT 6-C
Set 1"x2"m

511.27

481.71

DUMB

CURVE DATA

R = 900.00
~~Δ = 42 [illegible] by coords~~
~~L = 706.63~~
~~T = 369.09~~
Δ = 42°56'39" by coords
L = 674.57
T = 354.02

Contd from page 214

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Dana Canyon Rd. P. 1693 Pg. 217
JN 0279.7 Tape 197 Std 82 °F
Surveyed by R.J. Mitchell
Notes M. Mitchell Date 3/62
Indexed

23.34 @ Level (T=64°) = 23.34

1) 67.20 @ 37°36 (T=60°) = 49.27
2) 61.55 @ 36°48 " = 49.28
Avg = 49.27
1) 274.13 @ 24°39 (T=68°) = 249.12
2) 274.50 @ 24°48 " = 249.15
Avg = 249.13
15.04 @ Level (T=68°) = 15.04
313.44

1) 100 18 40
4) 233 14 50
6) 369 32 00
A6) 188 18 40

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

X

F.B. 1849 Pg. 218

Contd on page 220

150.08

POT #7B
Set 1"x2"in
on line

R-14
Fd 3/4" IP w/ 1½ Galv. I
Cap mkd "R-14 pc"
FB 2215-43
4,132,611.35 N
4,046,316.14 E

S 49°-19'-26"-30" E

422.74

CANYON ROAD

60°-57'-15"

POT-7A
Cut bench & set
1" IP. cem. fld. Co.
Engr. Tag PK per
office staking
Set
4,132,405.39 N
4,046,421.25 E

123.55

R-13
Fd 1" IP w/ 1½
Galv. I Cap mkd
"R-13" per
FB 2215-41
4,132,406.26 N
4,046,544.80 E

79°-25'-30"

68°-11'-30"

DONNER

313.44

11°-14'-10"

contd from page 216

X

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____

Survey of Pacific Coast Hwy
JN 0779.16 Tape 1 Bid 04 of F
Surveyed by R.T. Mitchell
Notes M. Mitchell Date 3/62

F. B. 1049 Pg. 219

| | | | | |
|---|---|---|---|---|
| 1) 131.98 @ 22° 55 | (T=68°) | = 121.55 | | 1) 60 56 15 |
| 2) 132.91 @ 23 21 | " | = 121.56 | | 2) 243 48 45 |
| Avg | | = 121.55 | | 3) 96 48 30 |
| 2.00 @ Level | " | = 2.00 | | Av) 60 57 15 |
| | Total | = 123.55 | set | |
| | | | | 1) 111 48 30 |
| | TA & TB | | | 2) 87 14 15 |
| 29.17 @ Level | (T=66°) | = 29.17 | | 3) 310 51 00 |
| 1) 113.39 @ 9° 00 | (T=66°) | = 111.98 | | Av) 111 48 30 |
| 2) 113.41 @ 8° 24 | " | = 111.99 | | Subb) 68 11 30 |
| Avg | | = 111.98 | | |
| 1) 43.05 @ 10° 07 | (T=62°) | = 42.37 | | |
| 2) 43.28 @ 11° 40 | " | = 42.38 | | 1) 168 44 00 |
| Avg | | = 42.37 | | 2) 315 03 00 |
| 1) 229.43 @ 10° 35 | (T=62°) | = 225.50 | | 3) 241 35 00 |
| 2) 229.60 @ 10° 48 | " | = 225.50 | | Av) 169 45 50 |
| Avg | | = 225.50 | | Subb) 11 14 10 |
| 13.72 @ Level | (T=66°) | = 13.72 | | |
| | Total | = 422.74 | | |
| | | | | 1) 79 25 30 |
| | | | | 4) 317 42 00 |
| | | | | 6) 116 33 00 |
| | | | | Av) 79 25 30 |

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 92, A-2



Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____

Survey of Pearblossom Hwy JN 0779.16 Tape 147 Std. 82 °F
Surveyed by R.F. Mitchell
Notes Mitchell Date 3/62

F. B. 1099 Pg. 221

| | | | | | |
|---|---|---|---|---|---|
| 1) 64.54 @ | 1°39 | (T=62°) | = 64.50 | 1 | 19 41 15 |
| 2) 64.52 @ | 0°59 | " | = 64.50 | 4 | 78 54 00 |
| Avg | | | = 64.50 | 6 | 119 26 00 |
| | | | | A1 | 19 43 30 |
| 1) 102.40 @ | 2°53 | (T=60°) | = 102.23 | | |
| 2) 102.45 @ | 3°26 | " | = 102.25 | | |
| Avg | | | = 102.65 | | |
| | Total | | = 766.93 | | |
| | | | | 1 | 167 30 15 |
| | | | | 4 | 310 00 00 |
| | | | | 6 | 284 58 30 |
| | | | | A2 | 167 29 55 |
| 1) 273.78 @ | 12°36 | (T=56°) | = 266.96 | | |
| 2) 273.60 @ | 12°36 | " | = 266.92 | | |
| Avg | | | = 266.96 | | |
| | blank | | | 1 | 165 44 45 |
| | blank | | | 4 | 303 01 15 |
| | blank | | | 6 | 279 53 15 |
| | blank | | | A1 | 165 43 32½ |
| 1) 31.18 @ | 7°32 | (T=56°) | = 30.90 | | |
| 2) 31.37 @ | 7°51 | " | = 30.90 | | |
| Avg | | | = 30.90 | | |
| | Total | | = 277.86 | 1 | 27 09 15 |
| | | | | 4 | 108 36 45 |
| | | | | 6 | 162 54 45 |
| | | | | A1 | 27 09 07½ |
| | | | | SV1 | 152 50 50 |
| 1) 154.06 @ | 3°19 | (T=72°) | = 153.79 | | |
| 2) 154.02 @ | 2°58 | " | = 153.81 | | |
| Avg | | | = 153.80 | 1 | 133 07 00 |
| 1) 142.63 @ | 8°43 | (T=68°) | = 140.47 | 4 | 172 28 30 |
| 2) 142.45 @ | 8°11 | " | = 140.49 | 6 | 78 42 45 |
| Avg | | | = 140.48 | A1 | 133 07 07½ |
| | Total | | = 294.96 | | |
| 1) 152.10 @ | 9°19 | (T=64°) | = 150.07 | | |
| 2) 151.98 @ | 9°00 | " | = 150.09 | | |
| Avg | | | = 150.08 | | |

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 92, A-2




Note: For Remaining Points
See Page 223

Name Ch'd by
Map No.
Office Work
Checked
Date

Survey of Pierce Canyon Rd
JN 0[illegible] Tape 100 Std [illegible] °F
Surveyed by R.S.M. Fadell
Notes M. Fadell Date 3/62
Indexed

F. B. 1842 Pg. 283

1) 46.01 @ 16.[illegible] (T=62) = 43.70
2) 43.72 @ 17.02 " = 43.70
Avg = 43.70
Less Back Diff D. 47
= 13.23 (set)

1) 244.66 @ 30.02 (T=72) = 244.30
2) 244.59 @ 20.45 " = 244.28
Avg = 244.29
1) 116.30 @ 20.01 (T=72) = 116.22
2) 116.44 @ 30.17 " = 116.24
Avg = 116.23
Total 360.52

1) 139 11 30
4) 134 46 15
6) 113 10 30
Avg 139 11 45

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1849 PG. 224

Notes Cir'd by
Map No.
Office Work
Checked
Date

Survey of Rowe Canyon Road F.B. 1849 Pg. 22-5
JN 0779.76 Tape 100 Std 68 °F
Surveyed by R.J. Mitchell
Notes Mitchell Date 4/3/67
Indexed

4-5




Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 46 | 28 | 00 | - | 3 | 27 | 00 | - | 73 | 28 | 00 | - | 123 | 25 | 00 |
| 4 | 185 | 52 | 30 | - | 13 | 55 | 40 | - | 293 | 50 | 40 | - | 133 | 38 | 40 |
| 6 | 278 | 48 | 30 | - | 20 | 53 | 20 | - | 80 | 46 | 00 | - | 20 | 28 | 00 |
| 4A | 46 | 28 | 05 | - | 3 | 28 | 53½ | - | 93 | 27 | 40 | - | 123 | 24 | 40 |

7673093 CE #247—3-37

X

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

**Note:** Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

**Do not extend notes this side of this line.**

F.B. 1044 Pg. 1-24

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____

Survey of Bernet Cr Road
JN 0729.44 Tape 183 Std 89 °F
Surveyed by R. C. Dale
Notes _____ Date 1-14-47

P.B. 184, Pg. 29

RI. 10 & 11 NOT SET

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765095 CE #247 7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

# W.S. 92, A-2

cont BOH Pg #29

12A Set 1/2" IP Lead Stamped

277.05 @ 2°25' TE 66°-27737

PI #12 Set 1/2" IP Lead Stamped

248.73

277.37

F.B. 1849 PG. 228

(2)

1

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Dume Dr. RD
JN 6779 16 Tape 82 Std. 84 °F
Surveyed by R C Dale
Notes R C D Date 2-10-62

F.B. 1849 Pg. 229

W.S. 4-2

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

763098 CE #247 7-55

R-25
Fd 3/4" I.P. & Cap
Pk F.B

242.08

0.54-17"

1 05'

1 04'

1 51'

PI 13
Set 1" I.P. conc
Plug & CE Tag
Stitchill

104.60

RP PI 13
Set 1" I.P. Conc
Plug & CE Tag

103.03

75.40

31.42

RP PI 13
Set 1" I.P. Conc
Plug & CE Tag

248.93

104.61 @ Lcv T=66 = 104.60
78.00 @ 14°48' T=56° = 75.40

106.78 @ 15°11' T=56° = 103.08
107.00 @ 15°36' T=56° = 103.04
AVG = 103.03

31.43 @ Lcv T=56 = 31.42

12-C
Set 1x2E N
N Side Sply

2) 105-48-40
4) 211-37-20
6) 317-25-40
52°-54'-17"

2) 302-08-50
4) 244-17-40
6) 186-26-30
151°-04'-25"

12 B
Set 1x2E N
S. Side Sply

285.50 @ 29°18' T=56° = 248.93
284.95 @ 29°06' T=56 = 248.93
AVG = 248.93

Cont Top Pg # 228

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



(5)

W.S. 4-2

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Orange Co. Rd
JN 0279/6 Tape 82 Std 84 °F
Surveyed by R. C. Dale
Notes R. C. D. Date 2-10-62

F. B. 1879 Pg. 31

280.78 @ 5°35' T=62° = 279.41
280.72 @ 5°35' T=62° = 279.43
Ave = 279.42

181.15 @ 2°45' T=58° = 180.91
181.10 @ 2°18' T=58° = 180.92
Ave = 180.91

73.79 @ 5°54' T=56° = 73.39
97.82 @ 5°54' T=50° = 97.28

2) 258-00-50
4) 156-01-40
6) 54-02-40
129°-00'-27"

13-C
Set 1x2 8" N Spike

279.42

R-24
Fd 3/4" I.P. & Cap Per F.B.

180.91

PI 14
Set 1" I.P. Conc Plug & C.E. Tag Sidewalk

72°-14'-50"

132.45

R.P.P.I. #14
Set 1" I.P. Conc. Plug & C.E. Tag Sidewalk

73.39

28°-06'-18"

00'-27"

129°

97.28

R-27
Fd 3/4" I.P. & Cap Per F.B.

2) 144-29-40
4) 288-59-20
72°-14'-50"

9.58 @ Lev T=78 = 9.58
99.41 @ 29°27' T=78 = 86.56
114.28 @ 28°25' T=80 = 100.51
196.65

R.P.P.I. #14
Set 1" I.P. Conc Plug & C.E. Tag

2) 56-12-40
4) 112-25-20
6) 168-37-50
28°-06'-18"

132.02

Cont. Top Pg #232

Cont. Top Pg #231

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
00 LOS ANGELES COUNTY ENGINEERING BLDG.

7850S CE #247—7-58

(6)

cont Left Pg #231

F.B. 1849 PG. 232

144.88 @ 24°19' T=78° = 132.02
145.15 @ 24°33' T=78° = 132.02
AVG = 132.02

132.02

14A set 1x2 ℄ N side hill

99.45 @ 17°24' T=72° = 94.89
99.07 @ 16°41' T=72° = 94.89
AVG = 94.89

94.89

ROAD

14B set 1x2 ℄ N side hill



92.13 @ 10°40' T=70° = 90.53

90.53

C.N.

14C set 1x2 ℄ N side hill

161.17 @ Elev T=70° = 161.17

161.16

DUME

14D set 1x2 ℄ N side hill

315.98

X

cont Right Pg #233

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

(7)

Notes Ck'd by
Map No.
Office Work
Checked

Survey of: Durfee Ch. Rd
JN 0779/6 Tape 82 Std 84 °F
Surveyed by R.C. Davis
Notes R. & D. Date 2-10-62

F. B. 1849 Pg. 233

W.S. 24-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

763098 CE #247—7-55

59.42 @ 25.59' T=72 = 53.41
AVG = 53.41

22.82 @ 17°26' T=72° = 20.82
22.18 @ 20°07' T=72° = 20.83
297.68 @ 7°17' T=72 = 297.58 = 297.58
315.98

2) 234-57-00
4) 109-54-00
6) 344-51-20

DUMEE

281.96

117°

28'

33"

CN

53.41

15A
Set 1 1/2 E.N.
S. Deh. 11

RI 15
Set 1" I.P. conc
Plug & C.E. Tag
S. Deh. 11

315.98

ROAD

142.44

RPPI #15
Set 1" I.P. conc
Plug & C.E. Tag
S. Deh. 11

144.77 @ 10°16' T=74 = 142.44

101.73

108.93

R-31

R-30
Fd 3/4" I.P. & Cap
Per F.B.

110.65 @ 23°09' T=78° = 101.74
111.24 @ 23°52' T=78° = 101.73
AVG = 101.73

RPPI 15
Set 1" I.P. conc
Plug & C.E. Tag
S. Deh. 11

(8)

F. B. 1849 Pg. 234

cont from Pg #235



73.33

42.00

15E
Set 1x2 & N
Top Spur

43.71 @ 16°02' T=60°= 42.00
44.16 @ 17°54' T=60°= 42.01
AVG = 42.00

15D
Set 1x2 & N
S. Side Spur

109.70 @ 29°42' T=62°= 95.28
110.33 @ 30°17' T=62°= 95.26
AVG = 95.27

DUNE

95.27

15C
Set 1x2 & N
side hill

CN

ROAD

60.75

71.88 @ 32°18' T=62°= 60.75
71.35 @ 31°37' T=62°= 60.75
AVG = 60.75

15B
Set 1x2 & N
side hill

281.96

282.15 @ 1°58' T=76°= 281.96

X

cont Top 73 #233

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

(9)

W.S. 3-1-2

Notes Ck'd by
Map No.
Office Work
Checked

Survey of: Norwalk Co. Road
JN 0779.16 Tape 165 Std. 84 °F
Surveyed by L.V. Smith
Notes R.C.D. Date 1-5-62

F.B. 1049 Pg. 236

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

7630 9S CE #247—7-58

16 B
set 1x2 ℄ N
Top Spike

249.31 @ 3°19' = 248.89
249.27 @ 3°10' = 248.89
T = 68° = 248.86

16 A
set 1x2 ℄ N
Flush

192.95 @ 6°20' = 191.77
192.77 @ 5°52' = 191.76 = 191.76
T = 68° = 191.74

PI 16
set 1" I.P. Conc
Plug & CE Tag

79.37 @ 15°35' = 76.45
79.15 @ 16°00' = 76.45
T = 74° = 76.44

NOTE
Angle at PI & RP's by RC Dale & Party

15 F
set 1x2 ℄ N
Flush

143.63 @ 4°47' T = 60° = 143.11

73.33 @ Lev T = 74° = 73.33

RP PI 16
set 1" I.P. Conc
Plug & CE Tag

RP PI 16
set 1" I.P. Conc
Plug & CE Tag

29°-46'-53"

2) 59-33-40
4) 119-07-30
6) 178-41-20

221.85 @ 11°37' = 217.31
221.90 @ 11°42' = 217.29
T = 70° = 217.28

70.65 @ 3°57' T = 60 = 70.47

29°-46'-53"

248.86

191.74

70.47

76.44

143.11

73.33

cont Top Pg. # 239

(10)

Bat Bk # 237

F. B. 1849 PG. 236

214.55 @ 33°59' = 179.97
214.93 @ 33°08' = 179.98 = 179.97
73.91 @ 15°41' = 71.16 = 71.16
73.69 @ 15°03' = 71.16
251.13

T = 70° = 251.10

W.S. 92, A-2

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

17 A
Set 1½" B N
Flush

1646.5

R-34
Fd 3/4" I.P. drop
3" Impcd R-34
Per FB 2215-77

2) 189.20-15
4) 18-41-30
6) 208-02-00
94°-40'-20"

2) 111-53-00
4) 223-46-45
6) 335-40-00
55° 56' 40"

2551.10

94°-40'-20"

PI 17
Set Square Hd.
Nail in Rock

326.74

R-33
Fd 3/4" I.P. & Cap
Stamped R-33
Per FB 2215-75

217.29

236.46 @ 19°18' = 223.17 = 223.17
236.08 @ 19°02' = 223.17
99.62 @ 19°55' = 93.66 = 93.65
99.92 @ 20°24' = 93.65
16.57 @ 53°00' = 9.97 = 9.97
16.22 @ 52°04' = 9.97
326.79

T = 62° = 326.74

281.49

55°-56'-40"

297.44 @ 18°51' = 281.49 = 281.49
297.59 @ 18°54' = 281.50

T = 54° = 281.49

RPPI 17
Set 1" I.P. conc
Plug & CE Tag
Line Prod from
North

91.09

101.76 @ 26°28' = 91.09 = 91.09
101.33 @ 25°58' = 91.10

T = 80° = 91.09

RPPI 17
Set 1" I.P. conc
Plug & CE Tag
on Ridge
Line Prod. from
North

Bat Bk # 237

(11)

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Dume Cx Rd
JN 0779.16 Tape 165 Std. 84 °F
Surveyed by L.V. Smith
Notes Date 1-21-63

F. B. 1849 Pg. 237

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

42.25

17D
set 1x2 E N
Flush

40.47 @ Lev T = 80° = 40.47

CV. RD.

40.47

17C
set 1x2 E N
Top Split
Flush

39.61 @ 22°45' = 36.53 = 36.53
39.97 @ 33°57' = 36.53
189.62 @ 33°03' = 116.94 = 116.93
138.85 @ 32°38' = 116.93
153.46

T = 86° = 153.46

DUME E

153.46

17B
set 1x2 E N
Flush

179.24 @ 23°16' = 164.66 = 164.65
178.72 @ 22°53' = 164.65

T = 80° = 164.65

E

164.65

cont To 1 Pg 236

X

(12)

F.B. 1849 PG. 238

Bot. Pg# 239

W.S. 92, A-2

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change




161.33 @ 15°39' = 155.35
161.19 @ 15°28' = 155.35
T = 77° = 155.34

299.64 @ 25°35' = 270.64
299.44 @ 25°30' = 270.64 = 270.64
14.56 @ Lcv = 14.56
285.20
T = 70° = 286.17

97.02 @ 24°01' = 88.62
97.17 @ 24°13' = 88.62
T = 70° = 88.61

259.98 @ 14°35' = 251.60
259.79 @ 14°25' = 251.61 = 251.60
T = 70° = 251.58

43.14 @ 11°39' = 42.25
43.35 @ 12°55' = 42.25
T = 72° = 42.25

2) 200-52-15
4) 41-44-15
6) 242-36-30
100° 26' 05"

39.81 @ 11°38' = 38.99
39.96 @ 12°40' = 38.99
T = 72° = 38.99

2) 278-14-00
4) 196-27-45
6) 114-41-30
139° 06' 55"

2) 130-04-00
4) 260-08-30
6) 30-12-45
65° 02' 07"

cont top Pg# 237

(13)

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____

Survey of Dume Cyn Rd. F. B. 1849 Pg. 239
JN 07791 Grape 165 Std. 84 °F
Surveyed by L.V. Smith
Notes DCT Date 7-20-62

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-59

91.23 @ 37°32' = 72.36
91.41 @ 37°49' = 72.37
T = 68° = 72.35
72.36

18D set 1x2 E.N. flush

298.73 @ 10°27' = 293.77
298.86 @ 10°35' = 293.78
T = 70° = 293.74

CYN ROAD

293.74

18C set 1x2 E.N. flush

DUME

215.46

215.83 @ 3°17' = 215.48
215.87 @ 3°26' = 215.48
T = 70° = 215.46

℄

18B set 1x2 E.N. flush

59.57 @ 3°55' = 59.43
59.63 @ 4°40' = 59.43
T = 72° = 59.43
59.43

cont Top Pg #238

(14)

F. B. 1849 PG. 240

BOT Pg # 242



2) 165-40-30

4) 331-21-00

6) 37-01-45

82°-50'-17"

4/11

℄

18G
set 1" I.P. conc plug
& CE Tag Flush on
Fire Brick on Angle of
111°41'40" Turned 0°37' R'Y
From "RX" & 171.59
From "RY"

171.59

TO "RY" Pg 241

82°-50'-17"

ROAD

40.69

18F
set 1x2 ℄ N
Sly side of
Fire Brick

42.43 @ 16°37' = 40.69
42.60 @ 17°3' = 40.69
T = 76° = 40.69

140.20 @ 38°48' = 109.26 = 109.25
140.48 @ 38°57' = 109.25
T = 82° = 109.25

CN

DUNNE

109.25

TO "RY" Pg 241

23.93

1x2 ℄ N

189.36

23.93 @ Lev T = 56° = 23.93

199.52 @ 21°29' = 185.66
3.75 @ Lev = 3.75
189.40 = 189.40
203.59 @ 21°31' = 189.41
Temp = 54° = 189.36

18E
Tunnel Portal
set 1" I.P. conc plug
& CE Tag by Intersection
of Ang R at "RY" & Line
between PI 18 & 18G

22.35

Top Pg # 239

X

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

15

| | |
|---|---|
| Notes Ck'd by | Survey of OLIVE CN. ROAD |
| Map No. | JN 0272/63 Spec. 16.5 Std. 24 ' F |
| Office Work | Surveyed by L.V. SMITH |
| Checked | Notes L.V.S. Date 12-61 |
| Date | Indexed E.J. GALLA |

F. B. 1849 PG. 2

2) 223° 23' 30"
4) 86 26 30
6) 310 10 00

5) 231 33 08
158° 39' 10"

112° 31' 58"

235.61 @ 15° 30' = 227.04 = 227.04
235.80 @ 15° 40' = 227.04
68.09 @ 21° 13' = 63.48 = 63.47
68.22 @ 21° 31' = 63.47
290.51

T = 70° = 290.48'

167.01 @ 5° 41' = 166.19
5.44 @ LEV. = 5.44
171.63
172.79 @ 6° 39' = 171.63

T = 52° = 171.59'

"R-Y"
FD. ¾" I.P. & CAP
F.B. 2215 - 181

LINE PROD FOR ANGLE

88° 48' 52"

158°
39
10
40"
23.93 = TO "18-G"
112°
31'
58"
111° 41'
206.39'

"18-J"
290.48'
TO "18-G"
46° 57' 39"
171.59'

R.P. P.O.T. "18-G"
SET 1" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG ON
LINE PROD. FROM
"18-G" AT "R-Y"

221.75 @ 21° 30' = 206.32 = 206.32
221.56 @ 21° 22' = 206.33
T = 72° = 206.30'

"R-X"
FD. ¾" I.P. & CAP
F.B. 2215 - 179

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SAE #247 11-58

F. B. 1849 Pg. 242

27.69' @ 29°03' = 24.21'
28.06' @ 30° 21' = 24.21'
T = 70° = 24.21'

"18-J"
TUNNEL PORTAL
SET 1" I.P. CONC.
PLUG & L.A. CO. ENGR.
TAG AT INTERSECTION OF ℄ PROD.
FROM "18-G" AND
LINE ON ANGLE OF
158° 39'10" TURNED
AT "R-Y" FROM "R-X"

24.21'

"18-I"
SET 1x2 & N.
FLUSH

390.48'

79.24'

70° "R-Y"

DUME CN. ROAD ℄

148.60'

168.73' @ 28°16' = 148.61
168.39' @ 28°03' = 148.61
T: 76° = 148.60'

"18-H"
SET 1x2 & N.
NLY. SIDE OF
FIRE TRUCK
TRAIL

42.81' @ 16°11' = 41.11'
42.94' @ 16°46' = 41.11'
T = 76° = 41.11'

41.11'

cont Top Pg 240

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(17)

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Dume Cn Rd
JN 07791/2 Tape Std. 84 °F
Surveyed by R.C. Dyke
Notes Date 1-4-72

F. B. 1849 Pg. 242

279.00 @ 4°46' T=66' = 278.01

278.01

18J
FD 1" I.P. conc
Plug & CE Tag
Per FB 1849-242

DUME CN. RD.

Per FB 1849-242
224.21

18I
FD 1x26" N
Per FB 1849-242

Per FB 1849-242
148.60

18H
FD 1x26" N
Per FB 1849-242

Per FB 1849-242
A.L. 14

18G
FD 1" I.P. conc
Plug & CE Tag
Tan R. Ngle
Per FB 1849-242

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765095 CE #247—7-53

(18)

cont Bot Pg #245

F.B. 1849 Pg. 244

W.S. 82,A-1

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.




2) 9-28-40
4) 18-57-30
6) 28-26-10
4°-44'-22"

2) 278-12-50
4) 196-25-40
6) 114-28-20
139°-06'-23"

(19)

Notes Ck'd by
Map No.
Office Work
Checked

Survey by: Dumas Co Rd
JN 07796 Tape Std 64 °F
Surveyed by R.C. Dale
Notes R.C.D. Date 1-4-62

F. B. 7899 Pg. 245

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765098 CE #247—7-55

19E
set 1x2 ⊄ N
Sidehill

19D
set 1x2 ⊄ N
Sidehill

19C
set 1" I.P. conc
plug & CCE Tag
Top Brk.

19B
set 1x2 ⊄ N
Sidehill

DUMAS RD

118.33

62.44

102.56

286.52

33.52 @ 22°48' T=38° = 30.89
34.02 @ 24°47' T=38° = 30.88
AVG = 30.89

131.84 @ 26°09' T=48° = 118.34
132.60 @ 26°49' T=68° = 118.33
AVG = 118.33

68.83 @ 11°55' T=72° = 62.44

103.25 @ 6°35' T=74° = 102.66

289.81 @ 8°37' T=74° = 286.52

cont Top Pg #244

(20)

cont Bot Pg #247

F.B. 1849 PG. 296

145.92 @ 21°20' T=68° = 135.90
146.34 @ 21°44' T=68° = 135.92
AVG = 135.91

166.30 @ 1°15' T=66 = 166.29

93.96 @ 19°39' T=59° = 88.47
94.40 @ 20°22' T=58 = 88.48
AVG = 88.48

72.76 @ 21°49' T=53° = 67.54
73.31 @ 22°49' T=58 = 67.56
AVG = 67.55

DN-9
1" IPC
Per FB 2215-216

2) 320-04-40
4) 280-09-20
6) 240-14-00
160°-02'-20"

135.91

19H
Set 1x2 & N
sidehill

166.29

DUME CN. RD.

19G
Set 1x2 & N
Flat

88.48

67.55

19F
Set 1x2 & N
by intersection
sidehill

1.21

DN-8
Fd 1x2 & N
Per FB 2215-215

30.89

71.84 R

DN-7
Fd 1x2 & N
Per FB 2215-215

cont Top Pg #245

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(-1)

Notes Ck'd by
Map No.
Office Work
Checked

Survey of: Dume Cr Rd
JN 07716 Tape Std 84 °F
Surveyed by: R C Dale
Notes D + T Date 1-4-63

F. B. 1849 Pg. 247

W.S. 9-1

Set 1" I.P. conc Plug & C.E. Tag

72.44

72.45 @ Lev T=70° - 72.44

Cont Top Tg #248

RP PI 20 Set 1" I.P. conc Plug & C.E. Tag

35.97 @ 15°36' T=74° = 34.55
36.08 @ 16°46' T=74° = 34.55
AVG = 34.55

34.55

221.38 @ 6°27' T=72° = 219.97
6.93 @ Lev T=72° = 6.93
226.90

PI 20 Set 1" I.P. conc Plug & C.E. Tag Side hill

226.90

38.14

RP PI 20 Set 1" I.P. conc Plug & C.E. Tag

62.19

PP PI 20 Set 1" I.P. conc Plug & C.E. Tag

146.50

69.37 @ 26°17' T=72 = 62.19
68.47 @ 24°43' T=72 = 62.19
62.19

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

2) 213-42-30
4) 67-25-10
6) 281-07-50
106°-57'-18"

39.62 @ 15°46' T=74° = 38.13
39.99 @ 17°26' T=74 = 38.15
AVG = 38.14

19 I
50 ft 1 x 2 ¢ N
Top Brk

153.74 @ 17°38' T=74 = 146.51
153.37 @ 17°13' T=74° = 146.49
AVG = 146.50

135.91

cont to PP 9 #246

763008 CE #247 7-53

(22)

F. B. 1849 PG. 248

cont Left Pg 247

20 A
Fd 1" I.P. conc
Plug & Cpr Wire
Cold RPPI 12A)
Per FB 445-217

226.90

32.12 @ Lev T=72 = 32.12

23.98 @ Lev T=72° = 23.98

32.14 R
32.12 M

154.88 @ 3°50' T=76° = 154.52
22.41 @ Lev T=74° = 22.41
176.93

20 B
Fd 1" I.P. conc
Plug & Cpr Wire
(Old RPPI 12A)
Per FB 445-217

23.98 R
23.98 M

DUME CN. RD

20 C
Fd 1" I.P. conc
Plug & Cpr. Wire
(Old PI 12A)
Per FB 445-217

176.90 R
176.93 M

20 D
Fd 1" I.P. conc
Plug & Cpr Wire
(Old B.C.)
Per FB 445-217

96.85 R
96.87 M

25.41 @ Lev T=76 = 25.41
73 80 @ 14°28' T=76 = 71.46
96.87

cont Top Pg # 249

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

(23)

Notes Ck'd by
Map No.
Office Work
Checked

Survey of: Dume Cn Rd
JN 07791 Tape Std 84 °F
Surveyed by: R.C. Dale
Notes P & D Date 1-12-62

F.B. 1849 Pg. 2-11
cont / Bot Pg 248




Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

76809S CE #247—7-58

F.B. 1849 PG. 250

cont from 23

W.S. 95, D-1

DUME CN RD

20 I
Set 1x2" N
Top Blk.

2) 267-15-30
4) 174-31-10
6) 81-46-40
180° - 37' - 47"

RPPI 21
Set 1" I.P. conc
plug & CE Tag

77.04

61.86

RPPI 21
Set 1" I.P. conc
Plug & CE Tag

PI 21
Set 1" I.P. conc
Plug & CE Tag
Sidehill

206.42

49.14

70.87

RPPI 21
Set 1" I.P. conc
Plug & CE Tag

RPPI 21
Set 1" I.P. conc
Plug & CE Tag

247.59 @ 7°52' T=80° = 245.25
5.70 @ Lev T=80° = 5.70
250.95

62.30 @ 6°05' T=82° = 61.86

77.04 @ Lev T=80° = 77.04

51.85 @ 18°36' T=76° = 49.14
51.24 @ 16°25' T=80° = 49.15
AVG = 49.14

72.08 @ 10°28' T=54° = 70.87

205.25 @ 12°51 T=56° = 200.07
6.85 @ Lev T=56° = 6.35
206.42

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(25)

Notes Ck'd by
Map No.
Office Work
Checked

Survey of Dume Cyn Rd
JN 027916 Tape Std. 84 °F
Surveyed by R.C. Dale
Notes P C D Date 1-12-62

F. B. 1849 Pg. 261

W.S. 6-1

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

52.71 @ 10°49' T=46°=51.76

54.76

21 B
Set 1" I.P. Conc
Plug & CE T.9
Top Spur

DUME CN. RD.

114.57

124.36 @ 42°55' T=50°=114.51
124.70 @ 43°17' T=50°=114.51
AVG = 114.51

2) 63-00-10
4) 126-00-30
6) 189-00-40
31°-30'-07"

24.40

Old PIOA
Fd 1" I.P. Conc
Plug & Cpn. Wire
R=F 2446.21

21 A
Set 1x2 S.N.
by Side Walk
Intersection

376.87 R

Old EC
Fd 1" I.P. Conc
Plug & Cap
R=F 2446.21

31°.30'.07"

200.42

24.40 @ Lev T=56°=24.40

cont Left B# 250

768098 CE #247—7-53

(26)

F.B. 1849 PG. 252
cont BOT Pg # 253

119.82 @ 25°21' T=58° = 108.26
119.21 @ 24°43' T=58° = 108.27
AVG 108.26

108.26

21E
set 1x2 6" N
Side hill

N 29° E

298.00

298.14 @ 1°13' T=46° = 298.00

21D
set 1x2 6" N
Side hill Bulk

71.56 @ 25°08' T=46° = 64.76
71.05 @ 24°17' T=46° = 64.74
AVG = 64.75

64.75

21C
set 1x2 6" N
side hill

51.76

cont To Bk Pg # 251

DUME CT

RD.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(27)

Notes Ck'd by:
Map No.
Office Work
Checked

Survey of: [illegible]
JN 077916 Tape Std 84 °F
Surveyed by: R.C. Davis
Notes P.C.D. Date 1-16-62

W. S. 10 [illegible]

58.23 @ 28°48' T=62.00 = 31.22
58.95 @ 29°39' T=62.00 = 31.22
Avg = 31.22

30.96 @ 48°14' T=62.00 = 29.41
31.58 @ 21°22' T=62.00 = 29.41
AVG = 29.41

RPPI 22
Set 1" I.P. conc Plug & CE Tag

31.22

RPPI 22
Set 1" I.P. conc Plug & CE Tag

163.59 @ 12°27' T=80.00 = 157.74
30.26 @ Less T=80.00 = 30.26
180.00

29.41

190.00

old FF
Fd 1" I.P. conc Plug & Can
Pt = Radius Pt

PI 22
Set 1" I.P. conc Plug & CE Tag

98°-00'-00"

108.26

372.35 R

PPoT
Fd 1" I.P. conc Plug & CE Tag
Pt = Radius Pt

Coast Trip #252

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
00 LOS ANGELES COUNTY ENGINEERING BLDG.

7690S CE #267 7-85