Notes C'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F.B. 1882

Page	Job	Description
		SAN GABRIEL CYN. RD. (N. END) E. FORK J.N. 0907.11
1-5	Index	
7-54	"P" Line	From Big Pines Hwy. Sly to S.G. 63
55-116	Elev.	Angles & Elevations to side shots for Photogrammetry control-S25 to S44.
151-234	Triang.	System Angles on S.G. 28 to S.G. 63 from Vincent Gap to Iron Forks Cyn.
235-246	B.M.	Bench Levels from U.S. 2402 at Prairie Forks Range Sta. to P.I. 206 on Camp Bonita Prairie Forks Rd.
247-253	Cont.	Topog. control at proposed Camp Site 1/2 mile SEly of Vincent Gap.

Microfilmed Feb. 87

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

F.B. _____ Pg. _____

76F3095 S&E #247. 6-64

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Map No.
Office Work
Checked
Date

W. O. Tape No. Sht.
Surveyed by
Notes
Date
Indexed

F. B. Pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. ____ PG. ____

San Gabriel Cyn. Rd. F. B. 1882 PG. 1

Map No.
Office Work
Checked
Date

W. O. 0907. Tape No. 125 Sht. 22
Surveyed by L. V. Smith
Notes L.V.S. Date 6-1-55
Indexed 6-22-55

SAN GABRIEL CANYON RD.
(NORTH END)

J. N. 0907.11

"P" LINE FROM
BIG PINES HIGHWAY
SOUTHERLY TO
S.G.-63

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 1882 Pg. 2


S 28° (R-40)
30
19
31
32
B.P. 37 17,63
B.P. 61
S 31 89
B.P. 63 27
B.P. 57 26
B.P. 55 25
B.P. 53 25
B.P. 49 18
B.P. 49 21
S 33 93
B.P. 68 28,65
S 32 91
B.P. 51 24
B.P. 49 23
B.P. 50 24
B.P. 74 29,65
B.P. 82 31
B.P. 79 30
B.P. 86 32
B.P. 89 32
B.P. 93 33
S 34 95
B.P. 96 34,76
S 35 97
B.P. 99 34
B.P. 101 35
B.P. 104 36
B.P. 106 36
B.P. 108 36
38
54
S 36 99
S 30 87
S 27 87
RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 1882 PG. 3

Map No.
Office Work
Checked
Date

W. O. Tape No. Sp'd.
Surveyed by
Notes Date
Indexed

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



76F3093 SSE #247. 8-54

F.B. 1082 PG. 4



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 1882 PG. 5

Map No.
Office Work
Checked
Date

W. O. Tape No. Std.
Surveyed by
Notes Date
Indexed

T3N R8W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

S 40
107

6-3
53

S 39

S 42
111

S 41

S 44
115

S 43
113

I-4

B.P. 127
45, 71

B.P. 127
46

B.P. 131
46

B.P. 133
47

B.P. 135
48

B.P. 137
48, 73

B.P. 143
49, 75

B.P. 145
50

B.P. 147
50, 75

B.P. 148
51, 75

S.G. 63

ANGELES CREST HWY.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. _____ PG. _____

F. B. _____ PG. 7

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 7-77 Tape No. 12 Std. _____ °F
Surveyed by L. V. SMITH
Notes L.V.S. Date 6-2-55
Indexed _____
B-22-55

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54



F. B. 1882 Pg. 8



RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. _____ PG. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 11 Tape No. _____ Sp'd. 3-4 6F
Surveyed by L. V. SMITH
Notes L.V.S. Date 6-2-55
Indexed _____



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309 S&E #247. 8-54

F.B. 882 Pg. 10

1) 20° 32' 10"
4) 82 09 00
6) 123 13 40
20° 32' 17"

1) 97° 24' 20"
4) 29 37 20
97° 24 20



RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. _____ PG. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 77 Tape No. 120 St'd. 99 °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 6-2-55
Indexed _____

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54



F. B. 1882 Pg. 12



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. _____ Tape No. 27 Std. 84 °F
Surveyed by L. V. SMITH
Notes L.V.S. Date 6-9-55
Indexed _____

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

57.

B-P # 26

115.45

12.52 @ LEV T=82°: 12.52
107.94 @ 17°31 T=90°: 102.93
115.45

B-P # 25
SET 3/4" I.P. CONC. PLUG
& CARTRIDGE

89.63 @ 27°51 T=82°
= 79.25

1) 26° 44' 20
4) 106 57 40
6) 160 27 00
26° 44' 30"

79.25

26° 44' 30"

N. 61

B-P # 24
SET 1X2 & NAIL

69.77 @ 1°41 T=86°: 69.74

1) 137° 07' 10"
4) 188° 28 40
137° 07' 10"

69.74

N.S.G. R.M. #18
SET STD. C.S.B.M.
MON. IN CONC. UP
4" MKD. AS SHOWN

COUNTY SURVEYOR
N.S.G.
B.M. 18
R.E. 63

102.62

B-P # 23
SET 1X2 & N

137° 07' 10"

133.07

139.55 @ 17°30' T=66° = 133.07

76F3095 S&E #247. 8-54

F. B. 1882 Pg. 14

top-pg 15



top-pg 13

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. _____ Tape No. _____ Std. _____ °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 6-7-55
Indexed _____

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247, 8-54

B-P # 31
SET 1x2 & N.

49° 50' 23"

TANG. 11.20

N. 77° W. 197.07

1) 49° 50' 20
4) 177 21 40
6) 299 02 20
49° 50' 23"

186.34 @ 0°31 T: 88° = 186.33
10.74 @ LEV. T: 70° = 10.74
197.07

B-P # 32
SET ¾" I.P. CONC. PLUG & CARTRIDGE

63.70 @ 14°52 T: 70° = 61.56

61.56

B-P # 33
SET 1x2 & NAIL

115.72 @ 4°57 T: 70°
= 115.28

115.28

top pg. 16

F.B. 1882 PG. 16

6 of pg. 15



115.28 ✓

P.I. LINE

B-P #34
SET 1X2 & NAIL

181.11 @ N°15 T=68°
= 177.61 ✓

S. 53 W. ✓ 177.61

B-P #35
SET 1X2 & NAIL

145.28 @ 5°40 T=76° = 139.87 ✓
73.87 @ 22°18 T=76 65.35 ✓
208.22 ✓

208.22

1) 135° 43' 20
4) 182 54 00 ✓
135° 43' 33"

B-P #36
SET 1X2 & NAIL

140.98 @ 6°55' T=72° = 139.94 ✓

139.94 ✓

135° 43' 33" ✓

B-P #37
SET 3/4" I.P.
CONC. PLUG &
CMKR RIDGE
UP 1"

S. 09° W. ✓
199.88 ✓

200.61 @ 4°51 T=76° = 199.88 ✓

B.P. #38
Set 1x2 & nail

83.95 @ 3°44' T=76° = 83.77 ✓

83.77 ✓

top pg 17

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 2 _____ Tape No. 12 St'd. 6 _____ °F
Surveyed by Charriet
Notes Charriet Date 6-17-55
Indexed _____

bot pg. 16



top pg 18

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F309S S&E #247. 8-54

F. B. 7882 Pg. 18



RETURN TO
LOS ANGELES COUNTY SURVEYOR
724 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. Pg.

Map No.
Office Work
Checked
Date

W. O. Tape No. 120 St'd. 24 °F
Surveyed by Coates & Wharriet
Notes Wharriet Date 6-20-53
Indexed

Fd. Spk. W. of T.

SEC. 30

SEC. 29

45.86

39.14

Set LET in boulder

29.00

40.19

Fd. Nail & Tin in 8" pine

37.68

Set Spk. & Tin in 8" Oak

SEC. 31

SEC. 32

Fd. C.S. brass cap mon. 3½' down mkd. as shown per F.B. 590-80 Set ¾" I.P. conc. plug & cap. wire at surface

COUNTY SURVEYOR T 4 N R 8 W 30 29 31 32 R.E. 2177

2) 181°01'15"
4) 362°02'15"
6) 183°03'30"
90°30'35"

90°30'35"

℄ 1940.11 per C.S.B. 771-2

.28

To cor #26

1323.57 per B. 771-2

Set 1x2" Nail by intersection

Fd. C.S. brass cap mon. ½ mkd. as shown per F.B. 490-147 C.S.B. 771-2

COUNTY SURVEYOR B.R.R.C. COR. NO. 25 MONUMENT

T 82

29.870 18°58' = 28.25

28.25

Set ½" Nail

260.56

Top pg. 24

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3099 S&E #249. 8-54

F. B. [illegible] PG. 20

W.S.15,C-1

bot. pg. 24

T4N
SEC. 31
R8W

SEC. 32

N.0°43'20"W.
R33.51 per B-1711-2 to B.P.R.C. 90R#25

COUNTY SURVEYORS
R8W
T4N
31 | 32
T3N
MONUMENT

Cent 14.1' 54

Fd. C.S. brass cap monument per F.B. 833-26 mkd. as shown

N.89°10'30"E.

T3N
SEC. 6
R8W

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. ____ PG. 21

Map No. ____
Office Work ____
Checked ____
Date ____

W. O. 2[illegible] Tape No. 175 St'd. ____ °F
Surveyed by Coates & Chartier
Notes Coates Date 5-21-55
Indexed ____

Est. Sta. 18

265.3

B.P. #44
Set 1"x2" & Nail

T84
37.44 @ 32° 53' = 31.44

31.44

00'

18'

43°

B.P. #45
Set 3/4" I.P., conc. plug & Cop. wire up 1"±

℄ @ B.P. #45
6.35 @ -14° 18' 40" @ 74° = 161.18
166.53 @ -14° 36' 00" @ 74° = 161.19

161.18

Ⓓ 143° 18' 00"
Ⓐ 213° 12' 00"
Ⓒ 146° 18' 00"
Ⓑ 139° 48' 10"
143° 18' 01⅓"

B.P. #46
Set 1"x2" & N

℄ @ B.P. #46
189.67 @ +11° 22' 00" T 78° = 185.94
189.59 @ +11° 16' 20" T 78° = 185.92

185.94

B.P. #47
Set 1"x2" & N

℄ @ B.P. #48
61.09 @ -25° 16' 40" T 74° = 55.24
61.20 @ -25° 28' 40" T 74° = 55.25

To B.P. #48 55.24

CONT. TO P PG 23

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F. B. 1882 Pg. 22

W.S. 15C-1

RETURN TO LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Fd. C.S. Brass cap monument marked as shown per C.S.B. 771-2, F.B. 490-146, 148

To B.P.R.C. Cor. No. 27

T60
43.20 @ 0°00' = 43.19 ✓

43.19 ✓

set 1x2" Nail

T60
86.49 @ 30°18' = 74.67 ✓

74.67 ✓

set 1x2" Nail

662.57 ± M

T60
105.00 @ 36°43' = 84.16 ✓

84.16 ✓

Fd. 4x4, N&T
Marked B.P.R.C. 25-D
.20 North

.20

T72
115.67 @ 30°12' = 99.96 ✓
T72
69.55 @ 33°38' = 57.90 ✓
T72
98.17 @ 13°58' = 95.26 ✓
253.12 ✓

253.12 ✓

B.P.R.C. Boundary

Fd. 4x4, N&T
Marked B.P.R.C. 25-C
.17 South

.17

46.12 ✓

center r.t. pg. 18

Map No. _____ W. O. 5601 Tape No. 120 St'd. 54 °F
Office Work _____ Surveyed by: Coats & Subaward
Checked _____ Notes _____ Date 6-22-55
Date _____ Indexed _____ C. JOHNSON

Cont from
BOT PG 21

B.P. #48
SET 1"X2" &M

T @ B.P. #48
248.78 @ +5°07'40" T 78° = 247.77 ✓
248.66 @ +4°51'00" T 78° = 247.76 ✓

247.76

B.P. #49
SET 3/4" I.P. 2" UP
CONC. P/L & T/K

T 62
160.92 @ 23°21' = 147.72 ✓
96.50 @ 24°37' = 87.72 ✓
57.45 @ 38°09' = 45.21 ✓
59.87 @ 33°16' = 50.05 ✓
43.91 @ 22°16' = 40.63 ✓
371.33 ✓

2) 33°09'00"
4) 66°18'00"
6) 99°26'45" ✓
16°34'27"

16°34'27" ✓

371.33 ✓

Tan. Prod

bot. rt. pg 24

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

7572008 847 4-53

bot. pg. 19

F.B. 1882 PG. 24

260.56

T84
158.30@22°22' = 146.39
T84
121.45@19°56' = 114.17
260.56

Set 1x2" Nail

27.34

T82
27.34@0°00' = 27.34

Set 1x2" Nail

72.56

T70
72.57@0°00' = 72.56

Set N&T in dead tree

bot. pg 25

T74
58.17@0°00' = 58.17
T74
298.65@1°30' = 298.53
356.70

356.90

T70
82.95@20°43' = 77.58
T72
134.73@8°02' = 133.40
T76
40.42@12°00' = 39.54
T84
[illegible] = 144.10
[illegible] = 111.37

SECTION LINE

T82
23.99@0°00' = 23.99
T82
63.12@1°68' = 63.08
T80
101.60@38°17' = 79.75
672.81

672.81

B.P. #52 Set 1x2" Nail
T80
129.24@5°12' = 128.71

128.71

T72
63.22@25°53' = 56.88
133.02@12°06' = 130.05
35.67@36°41' = 28.60
156.50@ 6°32' = 155.47
371.00

2) 103°56'45"
4) 207°53'30"
6) 311°50'15"
51°58'22"

bot. pg 22

51°58'22"

371.33

B.P. #51 Set 3/4" I.P. conc. plug & cop. tk. 2" up

371.00

84°16'05"

1) 42°37'30"
4) 170°30'00"
6) 255°45'10"
42°37'32"

42°37'32"

39°09'19"

2) 168°32'15"
4) 337°04'15"
6) 145°36'30"
84°16'05"

2) 78°18'45"
4) 156°37'15"
39°09'19"

Iron Pipe

117.14

B.P. #50 set 3/4" I.P. conc. plug & copper nail 2" up.

T72
119.34@1°00' = 117.14

N.S.G.S. B.M. #20 Set C.S. brass cap B.M. mon. mkd. as shown 4" up

top pg. 20

COUNTY SURVEYOR
N.S.G.S.
B.M. 20
REG 3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. _____ PG. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 9621.1 Tape No. _____ St'd. 54 °F
Surveyed by Coates & Uharriet
Notes Uharriet Date 6-28-55
Indexed _____

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

1) 173°57'00"
4) 335°48'00"
6) 323°42'00"
173°57'00"

2) 236°26'15"
4) 112°52'15"
6) 349°18'30"
118°13'05"

B.P.#55 set ¾" I.P. conc. plug & cop. tk. 2" up

T74
91.15 @ 0°00' = 91.14

B.P.#54 set N&T in tree trunk.

T74
259.85 @ 13°12' = 252.96

B.P.#53 Set ¾" I.P. conc. plug & cop. tk. 2" up

Bot. 99.26

115.85

91.14

173°57'00"

252.96

118°13'05"

356.70

Lt. pg. 24

76F3095 S&E #247. 8-54

F. B. 1882 Pg. 26

bot. pg 27



T74
173.75@24°04'=158.64

158.64

B. P. #59 Set 1x2 Nail

T76
64.86@17°28'=61.87

61.87

158° 46' 12"

2) 317 32 30"
4) 275°04'45"
6) 232°37'15"
158°46'12"

B.P. #58 Set ¾" I.P. Conc. plug & cap. tk 2" up

259.29

T70
259.42@1°41'=259.29

B.P. #57 Set 1x2 Nail

125.33

T70
129.93@15°16'=125.33

B.P. #56 Set 1x2 Nail

115.85

T68
115.90@ 1°32'= 115.85

cont. lt. pg 25

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. ____ Pg. 27

Map No. ____
Office Work ____
Checked ____
Date ____

W. O. ____ Tape No. 720 Srd. ____
Surveyed by Coates & Wharmet
Notes Wharmet Date 6-2-55
Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

B.P.#63 Set ¾" I.P. Conc. Plug & Cap +K 2"up

2) 94°50'00"
4) 189°40'00"
6) 284°50'00"
47°25'00"

323.73

top P928

47°25'00"

157.06

2) 146°20'15"
4) 292°40'15"
6) 79°00'30"
73°10'05"

73° 10'05"

T74
168.74@21°26' = 157.06

328.73

T74
201.65@11°15' = 197.77

T76
146.52@26°38' = 130.96

328.73

B.P.#62 Set 1x2¢ Nail

B.P.#63A Set ¾" I.P. Conc. Plug & Cap +K 2"up

215.84

T72
83.42@21°49' = 77.43

T74
140.11@[illegible]' = 138.41

215.84

B.P.#61 Set 1x2¢ Nail

COUNTY SURVEYOR RE 63 N.S.G.B.M. 21

2) 156°10'15"
4) 312°20'30"
78°05'07"

T74
111.47@ 3°29' = 111.25

T74
142.88@18°32' = 135.46

246.71

246.71

N.S.G.B.M.#21 Set C.S. brass cap B.M. 4"up, mkd. as shown

78°05'07"

143.42

B.P.#60 Set 1x2¢ Nail

T76
145.06@8°36' = 143.42

138.64

top P926

76F3095 S&E #247. 8-54

F. B. 1882 PG. 28

top lt. pg 27

T74
78.68 @ 22°55' = 72.46
T68
253.77 @ 8°00' = 251.27
323.73

323.73

B.P. #64 Set 1x2¢ Nail

T60
102.28 @ 8°87' = 101.23

101.28

B.P. #65 Set 1x2¢ Nail

T60
74.96 @ 20°31' = 70.19

70.19

B.P. #66 Set 1x2¢ Nail

T60
99.72 @ 30°57' = 85.50

85.50

B.P. #67 Set 1x2¢ Nail

T74
74.88 @ 26°46' = 66.86

66.86

2) 342°48'15"
4) 325°36'30"
6) 308°24'30"
171°24'05"

171°24'05"

B.P. #68 Set ¾" I.P. conc. Plug & top. tk. 2" up

2) 113°46'15"
4) 227°32'15"
6) 341°18'45"
56°53'07"

56°53'07"

T72
47.69 @ 6°29' = 47.38

47.38

B.P. #69 Set 1x2¢ Nail

106.99

To B.P. #67

bot. rt. pg 31

top. Pg 29

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. [illegible] PG. 29

Map No.
Office Work
Checked
Date

Survey of
W. O. [illegible] Maps No. [illegible] Sht. [illegible]
Surveyed by Coates & Charniet
Notes Charniet Date 6-30-55
Indexed C Tehnson

Bal. pg 28

115.43 @ 22°02' = 106.99

106.99

S B.P.#70 Set 1x2" Nail

T78
176.74 @ 0°00' = 176.73

176.73

S B.P. #71 Set 1x2" Nail

T78
97.62 @ 13°52' = 94.77

94.77

S B.P.#72 Set 1x2" Nail.

T84
101.09 @ 1°59' = 101.03

101.03

S B.P.#73 Set Nail in Oak tree

2) 157°43'00"
4) 315°25'45"
6) 113°08'45"
78°51'27"

B.P.#75 Set 1x2" Nail

6 at pg 30

75.39

78°51'27"

T76
215.73 @ 3°02' = 215.42

215.42

T66
92.92 @ 35°46' = 75.39

151.99

S B.P.#74 Set 3/4" I.P. Conc. plug & Cap tk. 2" up

T64
160.72 @ 18°57' = 151.99

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 SAE #247. 8-54

F.B. 1882 PG. 30

bot pg 31



1) 6°50' 20"
4) 27°21' 20"
6) 41°02' 00"
6°50' 20"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

bot. lt. pg. 29

Name Child Inc. — Survey of Unincorporated Area

Map No. — W.O. Comp. Maps No. 240 Sht. 2

Office Work — Surveyed by Coates & Uharriet

Checked — Notes Uharriet Date 7-6-55

Date — Indexed A. C. Tohnsson

F. B. 1002 Pg. 31

bot pg 32

B.P. #85 Set 1x2" Nail

T64
240.11 @ 11°10' = 235.53

T60
44.48 @ 15°59' = 42.75
278.28

278.28

B.P. #84 Set 1x2" Nail

T78
212.03 @ 27°53' = 187.40

2) 187°00'00"
4) 14°00'00"
93°30'00"

187.40

N.S.G.B.M. #22
Set C+S. brass cap B.M. 4" up mkd. as shown

B.M. 22 N.S.G. COUNTY SURVEYOR B.F. 63

93°30'00"

B.P. #83 Set 1x2" Nail

T82
46.46 @ 23°56' = 47.46

47.46

180.16

T88
192.39 @ 20°32' = 180.16

1) 137°42'40"
4) 190°51'00"
6) 106°16'30"
137°42'45"

137°42'45"

B.P. #82 Set 3/4" I.P. Conc. plug 4" + flush

51°05'30"

1) 51°05'30"
4) 204°22'00"
6) 306°32'50"
51°05'30"

To B.P. #83

74.34

T74
74.39 @ 2°10' = 74.34

top pg 30

bot rt pg 28

Note: Any Additions or Changes on This Sheet Must be Made in Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247 8-54

F.B. 1882 PG. 32

top rt. pg 33

135.59

B.P. #90 Set 1 x 2" Nail

T82
88.54 @ 8°03' = 87.67

87.67

B.P. #89 Set 3/4" I.P. Cons. Plug & Cap. TK. flush

T72
22.82 @ 0°00' = 22.82

22.82

B.P. #88 Set 1 x 2" Nail

151°50'42"

2) 303°41'30"
4) 247°23'00"
6) 191°04'15"
151°50'42"

T72
46.22 @ 24°21' = 42.11

T72
98.23 @ 34°43' = 80.73
122.84

122.84

B.P. #87 Set 1 x 2" Nail

282.86

T70
300.35 @ 19°38' = 282.86

160°17'45"

2) 320°35'30"
4) 281°11'15"
6) 241°46'30"
160°17'45"

B.P. #86 Set 3/4" I.P. cons. plug & cap. TK. flush

63.76

T64
65.36 @ 12°39' = 63.76

top lt. pg 31

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 1007 Pg. 33

Map No.
Office Work
Checked
Date

W. O. [illegible] Maps No. [illegible]
Surveyed by Coates & Uharriet
Notes Uharriet Date 7-6-55
Indexed R. C. Johnson

top H pg 32

T68
142.60 @ 11° = 135.51

B.P. #91 Set 1x2¢ Nail

T60
294.63 @ 1°57' = 294.41

294.41

B.P. #92 Set 1x2¢ Nail

T70
32.72 @ 15°50' = 31.48

161° 19' 47"

31.48

2) 322° 39' 30"
4) 285° 19' 15"
6) 247° 58' 45"
161° 19' 47"

B.P. #93 Set ¾" I.P. Conc. Plug & Cop. tk. 2" up.

T70
142.60 @ 19° 23' = 134.51

134.51

B.P. #94 Set 1x2¢ Nail

142.34

top H pg. 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

F. B. 1882 Pg. 34



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. ____ Pg. 35

Map No. ____
Office Work ____
Checked ____
Date ____

W. O. 0760.11 Tape No. 726 Std. ____ °F
Surveyed by Coates & Uharriet
Notes Uharriet Date 7-7-55
Indexed C. Johnson

44.50@100' = 44.50
80.63@060 = 80.63
125.15

B.P.#100 Set 1x2¢ Nail

T82
202.04@2°38' = 201.83

201.83

B.P.#101 Set 3" I.P. Conc. plug & cap. tk. flush

2) 273°35'45"
4) 187°11'30"
6) 100°47'00"
136°47'50"

136°47'50"

T88
179.16@5°35' = 178.31

178.31

B.P.#102 Set 1x2¢ Nail

T60
114.59@6°51' = 113.75

113.75

B.P.#103 Set 1x2¢ Nail

162.81

top pg 36

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3088 S&E #247. 8-54


F.B. 1882 Pg. 38
bot pg. 35
T4N
SEC. 31
R8W
T60
49.18@1°54' = 49.14
T60
113.89@3°22' = 113.67
162.81
2) 339°24'45"
4) 318°49'30"
6) 298°14'00"
169°42'20"
B.P. #104 set 3/4" I.P. conc. plug & cop. +K., flush
169°42'20"
T62
246.11@11°32' = 241.10
241.10
R 8 set 1x2 & Nail
B.P. #105 Set 1x2 & Nail
T86
38.54@22°27' = 35.62
T86
44.14@0°00' = 44.14
44.14
Random Line
35.62
292.08
top pg. 39
151.0
176.6
T86
85.50@0°00' = 85.50
4.15
2.00
2.15
@23°57' = 179.6
2) 196°21'15"
4) 32°42'30"
6) 229°03'30"
98°10'35"
98°10'35"
85.50
B.P. #106 Random line & "P" line intersection Set 1x2 & Nail by Int.
2) 311°06'15"
4) 262°12'15"
6) 213°18'45"
155°33'07"
B.P. #107 Set 1x2 & Nail
T72
173.39@2°19' = 173.24
173.24
155°33'07"
T3N
SEC. 6
R8W
B.P. #108 Set 3/4" I.P. conc. plug & cop. +K. flush
T72
129.25@2°36' = 129.11
129.11
B.P. #109 Set 1x2 & Nail
278.8
top lt. pg. 41
bot. pg. 37
RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 892 Pg. 37

Map No.
Office Work
Checked
Date

W. O. [illegible] Tape No. 125 Std. [illegible]
Surveyed by Coates & Wharriet
Notes Wharriet Date 7-7-55
Indexed

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

T4N
SEC.31
R8W

Random Line

300.48

100.24@15°01' = 16.81
212.43@16°29' = 203.67
500.48

R#2 Set 1x2" Nail

71.87

T68
74.82@16°06' = 71.87

R#3 Set 1x2" Nail

147.64

T72
23.55@18°00' = 22.40
132.35@18°51' = 125.24
147.64

R#4 Set 1x2" Nail

152.03

T74
170.09@26°38' = 152.03

R#5 Set 1x2" Nail

T3N
SEC.6
R8W

117.32

T80
117.93@5°49' = 117.32

R#6 Set 1x2" Nail

292.08

T84
90.00@17°30' = 85.83
178.00@10°42' = 115.95
96.73@21°01' = 90.30
292.08

cont. rt. pg. 36

76F309S S&E #247. 8-54

F.B. 1882 Pg. 38

cent. lt. pg. 54

W.S. 15, C-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
72d LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T4N
SEC. 31
R8W

T3N
SEC. 6
R8W

True Township Line

1393.60

2) 359°57'15"
4) 359°54'30"
6) 359°52'00"
179°58'40"

179°58'40"

COUNTY SURVEYORS
T.4N.
S.31
1/4 COR.
R.8W.
T.3N.
MONUMENT

1/4 COR.
Fd. C.S. Brass cap mon.
4" up marked as
shown per F.B. 490-88

T60
81.29 @ 13°59' = 78.84
253.97 @ 12°39' = 247.77
326.61

326.61

Random Line

R#1 Set 1x2¢ Nail

300.48

top pg 37

F.B. PG.

Map No.
Office Work
Checked
Date

W. O. Tape No. St'd. °F
Surveyed by Coates & Chapman
Notes Change at Date 7-7-55
Indexed

Z 4 3

F 5 R

cont. lt. pg. 36

T4N
SEC. 31
R8W

Random Line

151.0 — 7.60 / 6.00 / 1.60 } @ 13°45' = 151.0

R#9 Set 1x2¢ Nail

150.5 — 2.68 / 1.00 / 1.68 } @ 18°49' = 150.5

R#10 Set 1x2¢ Nail

86.9 — 4.97 / 4.00 / .97 } @ 18°52' = 86.9

R#11 Set 1x2¢ Nail

108.0 — 4.08 / 3.00 / 1.08 } @ 0°44' = 108.0

R#12 Set 1x2¢ Nail

86.5 — 5.08 / 4.00 / 1.08 } @ 26°29' = 86.5

R#13 Set 1x2¢ Nail

185.4 — 4.51 / 2.00 / 2.51 } @ 30°46' = 185.4

R#14 Set 1x2¢ Nail

182.2

top pg. 40

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F. B. 1882 PG. 40

bot pg 39

WS/SC-1

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Random Line

182.2

5.15
3.00
2.15
} @ 22°59' = 182.2

R#15 Set 1X2"No.1

74.1

11.98
11.00
.98
} @ 29°35' = 74.1

3.98

SURVEYOR
R8W
31
16
T3N
R9W
COUNTY
1923.36

Fd. C.S. brass cap monument mkd. as shown per F.B. 833-39

F. B. ____ Pg. ____

Map No. ____
Office Work ____
Checked ____
Date ____

W. O. 7041 Tape No. 120 St'd. 34' 8F
Surveyed by Coates & Charniet
Notes Charniet Date 7-11-55
Indexed ____

6 of 7 # pg. 36

T72
220.54 @ 7°04' = 218.84 ✓

218.84 ✓

T80
70.15 @ 22°28' = 64.82 ✓

B.P.#110 set 1x2" Nail

64.82 ✓

T76
197.17 @ 2°01' = 197.04 ✓

197.04 ✓

86°06'04" ✓

2) 172°12'15"
4) 344°24'15" ✓
86°06'04"

B.P.#111 set 1x2" Nail

N.S.G.B.M.#24
Set C.S. brass cap
B.M. 4" up mkd.
as shown

COUNTY SURVEYOR
N.S.G.
B.M. 2A
R.E. 63

T78
98.40 @ 5°58' = 97.87 ✓

97.87 ✓

2) 355°15'00"
4) 350°30'00"
6) 345°44'45" ✓
177°37'27"

B.P.#112 Set 3/4" I.P.
conc. plug & cop. wire, flush

T82
114.07 @ 1°39' = 114.02 ✓

177°37'27" ✓

114.02 ✓

B.P.#113 Set 1x2" Nail

195.47 ✓

top 1 t. pg. 42

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 1882 Pg. 42

bot 1k pg 41

T80
195.51 @ 0°59' = 195.47 ✓

195.47 ✓

B.P. #114 Set 1x2" Nail

T76
146.85 @ 4°19' = 146.42 ✓

NOTE

202.85 @ 4°10	T = 42°	= 202.25
43.90 @ LEV.	T = 42°	43.89
		246.14

CHECK OF DISTANCE BET. B-P 114 & B-P 115
12-9-58 L.V. SMITH

246.14

146.42 ✓

154° 04' 05" ✓

2) 308° 08' 00"
4) 256° 16' 15" ✓
6) 204° 24' 30"
154° 04' 05"

B.P. #115 Set 3/4" I.P. conc. plug & cop. tk. flush

2) 282° 10' 00"
4) 204° 20' 00"
6) 126° 30' 00" ✓
141° 05' 00"

T74
222.08 @ 3°09' = 221.73 ✓

221.73

141° 05' 00"

B.P. #116 Set 1x2" Nail ✓

T76
88.61 @ 3°48' = 88.42 ✓

88.42

B.P. #117 Set 3/4" I.P. Conc. plug & cop. tk. flush

192.16

Bot 43

T76
89.98 @ 21°06' = 83.95 ✓

83.95 ✓

117° 53' 00" ✓

2) 235° 46' 00" ✓
4) 111° 32' 00"
117° 53' 00"

N.S.G.B.M. #25
Set C.S. brass cap
B.M. 4" up mkd. as shown

COUNTY SURVEYOR
N. S. G.
B.M. 25
R.E. 63

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. PG.

Map No.
Office Work
Checked
Date

W. O. Map No. 120 St'd. 54 °F
Surveyed by Coates & Uharriet
Notes Uharriet Date 7-15-55
Indexed C Johnson



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

F.B. 1882 PG. 44

r/A pg. 43

40.96 ✓

256. °28' = 255.37 ✓

151.53 @ 11°10' = 146.59 ✓

401.96 ✓

B.P.# 122 Set 1x2 Nail

52.23 ✓

T84

53.37 @ 11°52' = 52.23 ✓

B.P.# 123 Set 1x2 Nail

112.79 ✓

T84

112.84 @ 1°43' = 112.79 ✓

2) 312°44'15"
4) 265°28'30"
6) 218°13'15" ✓
156°22'12"

156°22'12" ✓

B.P.# 124 Set ¾" I.P. conc. plug & cap. 1" K. 3" down 5' from edge of road

T84

182.05 @ 3°35' = 181.69 ✓

181.69 ✓

top pg 45

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 1382 PG. 11

Map No.
Office Work
Checked
Date

W. O. [illegible] Tape No. 120 St'd. 04' of F
Surveyed by Coates & Uharriet
Notes Uharriet Date 7-18-55
Indexed C. Johnson

Lot pg. 42

B.P.#125 Set 1x2 & Nail

155.23

T84
156.06 @ 5°55' = 155.23 ✓

B.P.#126 Set 1x2 & Nail

T84
114.88 @ 16°21' = 110.23 ✓
T70
101.08 @ 28°15' = 89.03 ✓
T68
101.58 @ 9°50' = 100.08 ✓
T68
168.65 @ 23°18" = 134.88 ✓
T62
37.12 @ 15°25' = 35.77 ✓
489.99 ✓

489.99

B.P.#127 Set 3/4" I.P. Conc. Plug & Cap. + K. flush

2) 332°58'15"
4) 305°56'30" ✓
6) 278°54'30"
166°29'05"

166°29'05" ✓

74.24 ✓

T64
77.03 @ 15°27' = 74.24 ✓

B.P.#128 Set 1x2 & Nail

T66
102.43 @ 27°15' = 91.05 ✓
T66
22.71 @ 0°00' = 22.71 ✓
T72
104.11 @ 24°05' = 95.04 ✓
T74
117.48 @ 10°52' = 115.36 ✓
324.16 ✓

324.16

top pg.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 S&E #247. 8-54

F.B. 1882 PG. 46
bot. rt. pg. 45

W.S. 83, A-3

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

324.16

B.P. #129
Set 1x2¢ Nail

307.46

T76
296.87@5°42' = 295.38
12.08@0°00' = 12.08
307.46

U.S. GEOLOGICAL SURVEY
IN COOPERATION WITH
LOS ANGELES COUNTY
ELEVATION
ABOVE SEA
R94
1929
$2.50 FINE
FOR DISTURBING THIS MARK

6 593.266'

U.S. 1846
Fd. Bronze tablet in rock
marked as shown

B.P. #130 Set 1x2, N&T

T74
141.58@2°11' = 141.47

T82
18.69@0°00' = 18.69
278.14@0°00' = 278.14
296.83

Set Spk. & Tin

1) 155°53'15"
4) 268°36'45"
155°54'11"

T74
123.25@0°30' = 123.24

B.P. #131 Set ¾" I.P. conc. plug
& cop. tk. Ln. by intersection

141.47

123.24

℄ Angeles Crest Hwy.

296.83

162.06

155°54'11"

1) 101°22'40"
4) 45°30'30"
6) 248°53'00"
101°22'40"

1) 46°44'30"
4) 180°58'30"
46°44'37"

T74
162.07@0°00' = 162.06

118.33 Rec.

112°01'00" Rec.

101°22'40"

46°44'37"

232.29

1) 112°01'00"
4) 88°04'10"
6) 312°06'00"
112°01'00"

T76
17.66@0°00' = 17.66
T76
220.14@12°50 = 214.63
232.29

Fd. 2" I.P. 4" up
Brass cap mkd.
as shown
per 363A D3 line
544-628 pg. 1

B.P. #132
Set 1x2¢ Nail

N.S.G. B.M. #26
Set C.S. brass cap
B.M. 4" up
mkd. as shown

COUNTY SURVEYOR
N.S.G.
B.M. 26
R.E. 63

344.56

16±

6603.16 Feet to Bench
Elevation 541 + 54.52
U.S. Dept. of Agriculture
Bureau of Public Roads
1935

Elevation 541 + 54.525
U.S. Dept. of Agriculture
Bureau of Public Roads
1935

top pg. 47

F.B. 1092 PG. 17

Map No.
Office Work
Checked
Date

W. O. [illegible] Maps No. [illegible] Sht. [illegible]
Surveyed by Coates & Wharmet
Notes Wharmet Date 7-20-54
Indexed [illegible]

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

Cent. Ave.

344.56

T76
268.35@21°00'=280.52
T76
94.65@6°30'= 94.04
344.56

165°16'55"

2) 330°34'00"
4) 301°07'45"
6) 271°41'30"
165°16'35"

B.P.#133 Set 3/4" I.P. cone. plug & cap. M.K. flush

T76
295.79@18°26'=280.59

280.39

41°36'10"

To [illegible]

2) 83°12'15"
4) 166°24'30"
6) 219°37'00"
41°36'10"

B.P.#134 Set 1x2 Nail

T74
144.10@3°38'=143.80
T74
36.51@21°34'= 33.95
177.75

177.75

B.P.#135 set 1x2 FN Nail

To p pg 4

F.B. 1882 PG. 48

bot rt. pg. 47



top lt. pg. 49

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 582 Pg. 19

Map No.
Office Work
Checked
Date

W. O. [illegible] Tape No. 120 Sht. [illegible]
Surveyed by Coates & Wharriet
Notes Wharriet Date 7-27-55
Indexed C. C. Johnson

Bet. P. pg. 18

N. 5° 00' W. 27

Cap B.M. 4" up. mkd. as shown

228.96

B.P. #140 Set 1x2¢ Nail

T82
175.16 @ 13° 02' = 169.16
T80
190.09 @ 0° 37' = 190.08
359.24

359.24

1) 94° 05' 15"
4) 16° 20' 45"
94° 05' 11"
T82
105.77 @ 24° 27' = 96.28

COUNTY SURVEYOR
Z. 9. G
B.M. 2
R.E. 63'

B.P. #141 Set 1x2¢ Nail
T76
181.13 @ 28° 29' = 159.19

94° 05' 11"

159.19

96.28

T76
139.12 @ 0° 00' = 139.12

B.P. #143
Set ¾" I.P. conc. plug & cop. in K. [illegible]

B.P. #142
Set 1x2¢ Nail

139.11

2) 295° 04' 30"
4) 230° 08' 45"
6) 165° 13' 15"
147° 32' 12"

147° 32' 12"

231.57

T76
231.63 @ 1° 12' = 231.57

B.P. #144 Set 1x2¢ Nail

364.04

top pg. 50

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 1882 PG. 50

bot. rt. pg 49



RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 1092 PG. 41

Map No.
Office Work
Checked
Date

W. O. [illegible] Maps No. 120 Sht. 29
Surveyed by Coates & Charniot
Notes Charniot Date 7-21-55
Indexed C. Johnson

Lot. Pg. 30

1) 63°36'00"
2) 278°24'00"
106°24'00"

398.14

106°24'00"

B.P.#148
Set 3/4" I.P.
Conc. plug & cap. flush

To I-4

Cent. Lt. Pg. 52

1) 158°43'00"
2) 274°52'00"
3) 232°18'00"
158°43'00"

158°43'00"

T84
61.94@10°06'=60.98

B.P.#149
Set 1x2" Nail

94°53'00"

T84
65.97@10°24'=64.89

1) 94°53'00"
2) 19°32'10"
3) 209°18'00"
94°53'00"

SG-63

SG-62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247.

F. B. 1882 Pg. 52



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

B-35

F. B. 592 Pg. 12

Map No.
Office Work
Checked
Date

W. O. 0702 Tape No. 120 Sl'd. 54 SF
Surveyed by Coates & Uhacriet
Notes Uhacriet Date 7-26-55
Indexed

Note: Any Additions or Changes on This Sheet Must be Made in Ink or Circled In Red With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309 S&E #247. 8-54

Bot. r.t. pg. 54

112.02

Set 1x2 & Nail

T62
51.04 @ 7°11' = 50.63
T64
138.45 @ 4°22' = 138.03
T66
149.11 @ 6°12' = 148.22
T64
31.35 @ 10°40' = 30.81
T14
257.24 @ 17°17' = 245.60
T70
122.93 @ 15°55' = 118.21
731.50

731.50

Set 1x2 & Nail

T70
24.08 @ 0°00' =

24.08

Set 1x2 & Nail

Fd. C.S. Mon. 4" up marked as shown

15' offset line

COUNTY SURVEYOR
MT. BAD. Powder
G-3
1955
R.E. 63

H. 72.52

TOP

F. B. 1882 PG. 54

T.4N.
SEC.31
R.8W.

T86
100.08@14°33'= 96.87
T86
140.85@11°04'= 138.23
T78
203.58@15°58'=195.72
T78
194.63@11°06'= 190.98
T80
167.83@9°21'= 165.60
T82
272.10@8°06'= 269.38
T84
140.07@9°41'= 138.06
T70
94.03@7°00'= 93.32
T70
44.30@0°00'= 44.30
T70
61.31@4°09'= 61.14
1393.60

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

top Pg 38

cent-lft pg 20

1393.60

Set 1x2 £ Nail by intersection

40°53'50"

2) 81°47'45"
4) 163°35'30"
6) 245°23'00"
40°53'50"

182.68

15' Offset Line

T72
19.49@0°00'= 19.49
T64
165.46@9°28'=163.19
182.68

T.3 N.
SEC. 6
R.8W.

Set 1x2 £ Nail

112.02

T62
112.89@7°01'=112.02

top lft pg 53

X

F.B. Pg. 55

Map No.
Office Work
Checked
Date

W. O. Tape No. St'd. °F
Surveyed by COATES
Notes J.S.C. Date 7-23-55
A. C. Johnson
Indexed

ANGLES & ELEVATIONS ON SIDE-SHOT STATIONS FOR PHOTOGRAMETRY CONTROL FROM S25 TO S-44

COATES
BROWN
BONNEY
CONNER
FULTON

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 7882 PG. 56

F.B. Pg. 57

Map No.
Office Work
Checked
Date

W. O. Tape No. St'd. °F
Surveyed by J.S. COATES
Notes J.S.C Date 7-28-59
Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



BP#11 TO S25

1) 125° 50' 20"
4) 143° 21' 00"
6) 125° 50' 15" ✓
35° 01' 40"
125° 50' 16⅔"

S25 TO BP#8

1) 73° 40' 40"
4) 294° 42' 20" ✓
73° 40' 35"
6) 82° 03' 50"
73° 40' 33⅓

76FS098 247 4-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BP#2 F.B. 1882 PG 56 H.I. 4.41

SIGHT ON	- ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-25	-9.00	2°32' 00"	1463.649				
		2°32' 00"					
		2°32' 00"	04424384	- 64.76		-69.35	
	-3.00	-2°46 40"					
		-2° 46' 40"					
		2° 46' 40"	04351939	- 71.02		-69.61	

F.B. 1882 PG. 58

F.B. _____ Pg. 57

Map No. _____ W. O. _____ Tape No. _____ St'd. _____ °F

Office Work _____ Surveyed by J.S. COATES

Checked _____ Notes J.S.C. Date 7-28-55

Date _____ Indexed R. C. Johnson

S 27 To S 25

49° 35' 45" 100

BP#16 To S27

② 90° 21' 00"
④ 91° 23' 59½"
90° 20' 57½" ✓
⑥ 182° 06' 00"
90° 21' 00"

To S 27 (S 40 ?) PG. 81

S 25 To B.P.#9

① 44° 37' 00"
④ 178° 28' 00" ✓
44° 37' 00" ✓
⑥ 267° 42' 00"
44° 37' 00"



To B.P.#9 PG. 55

To B.P.#16 PG. 59

B.P.#11 FD 1"x2" & N FI. per FB. 1882-10

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3088 247 4-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BP#1 FB 1882 PG. 58 H.I. 3.92

SIGHT ON	ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV
S-25	10.00	- 4° 26' 40"	1689.412				
		- 4° 26' 20"					
		4° 26' 30"	07767737	-131.23		-137.31	
	7.00	- 4° 32' 30"					
		- 4° 32' 50"					
		4° 32' 40"	07948226	-134.28		-137.36	
S-27 (A-40)	10.00	- 9° 29' 00"	2087.180				
		- 9° 29' 20"					
		- 9° 29' 10"	16709342	-348.75		-354.83	
	7.00	- 9° 33' 40"					
		- 9° 34' 00"					
		- 9° 33' 50"	16848918	-351.67		-354.75	

F.B. 1882 Pg. 60

F. B. Pg. 61

Map No.
Other Work
Checked
Date

W. O. 787, Tape No. St'd. °F
Surveyed by J. S. GATES
Notes J. S. C. Date 7-28-55
Indexed C. Johnson



B.P. #20 TO S27
① 88° 41' 10"
④ 354° 44' 30"
88° 41' 07½" ✓
⑥ 172° 06' 40"
88° 41' 06 3/5"

S27 TO B.P. #11
1.) 73° 38' 40"
4.) 294° 34' 30"
73° 38' 37½" ✓
6.) 81° 51' 50"
73° 38' 38 1/5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

78FSOS 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BP #16 F.B. 1882 PG. 60 H.I. 3.08

SIGHT ON	+ ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	VERTICAL ± DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-27	-6.00	-9° 55' 20"	2,175.163				
		-9° 56' 00"					
		9° 55' 40	17502756 ✓	+380.71		-383.63	
	-3.00	-10° 00' 00"					
		-10° 00' 10"					
		-10° 00' 05"	17633197	-388.59		-383.51	
	-4.00	-9° 58' 50"					
		-9° 58' 40"					
		9° 58' 45	17595209 ✓	-382.72		-383.64	

F.B. 1882 Pg. 62

F. B. _____ Pg. 62

Map No. _____ W. O. _____ Tape No. _____ St'd. _____ °F

Office Work _____ Surveyed by J.S.Coates

Checked _____ Notes J.S.C. Date 7-28-5

Date _____ Indexed E. C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



B.P.#30 ET TO S28

1) 214° 53' 40"
4) 139° 35' 30"
214° 53' 50" ✓
6) 209° 22' 50"
214° 53' 48⅓

S28 TO B.P.#30

1) 145° 06' 00"
4) 220° 24' 30"
145° 06' 07½ ✓
6) 150° 36' 40"
145° 06' 06⅔"

76F3008 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION B.P. #32 F.B. 1882 PG. 62 H.I. 484

SIGHT ON	-ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-29	-5.00	-14° 16' 00"	2705.618				
		-14° 16' 00"					
		-14° 16' 00"	25427732	+ 687.98		-688.14	
	-4.00	-14° 19' 50"					
		-14° 19' 50"					
		14° 19' 50"	25546483	- 691.19		-690.35	

F.B. 1882 PG. 64

F.B. Pg 65

Map No.
Office Work
Checked
Date

W. O. Tape No. St'd. °F
Surveyed by J.S. GATES
Notes J.S.C. Date 7-29-53
Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.



75FSOSS 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION B.M. 37 F.B. 1882 PG 64 H.I. 4.13

SIGHT ON	ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	± CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-29	-5.00	-15°37'30"					
		-15°37'30"					
		-15°37'30"					
	-3.00	-15°42'40"					
		-15°42'50"					
		-15°42'45"					
S-31	9.00	+6°20'50"	2046.373				
		+6°20'50"					
		+6°20'50"	11123533	+227.63'		+222.76'	
	-3.00	+6°10'30"					
		+6°10'10"					
		+6°10'20"	10814425	+221.30		+222.43	

TRANSIT AT STATION B.M. 39 F.B. 1882 PG 64 H.I. 4.65

S-31	10.00	+6°11'45"	2010.897				
		+6°11'45"					
		+6°11'45"	10856118	+218.31		+212.44	
	-4.00	+6°01'00"					
		+6°01'15"					
		+6°01'07½"	10543756	+212.02		+212.15	

F.B. 1882 PG. 66

F.B. Pg.

Map No.
Office Work
Checked
Date

W. O. Tape No. Sl'd. °F
Surveyed by: J.S. COATES
Notes U.S.C. Date 7-29-55
Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



B.P. #74 To S 33

①	133° 34' 45"
④	174° 20' 00"
	133° 35' 00"
⑥	81° 30' 00"
	133° 35' 00"

S 33 To B.P. #63

①	55° 01' 00"
④	220° 03' 30"
	55° 00' 52½"
⑥	330° 05' 00"
	55° 00' 50"

B.P. #79 To S 33

①	47° 56' 00"
④	131° 45' 00"
	47° 56' 15"
⑥	287° 37' 30"
	47° 56' 15"

S 33 To B.P. #68

①	30° 55' 00"
④	123° 40' 45"
	30° 55' 11½"
⑥	185° 31' 15"
	30° 55' 12½"

B.P. #68 To B.P. #74

①	281° 08' 45"
④	44° 34' 15"
	281° 08' 33¾"
⑥	246° 51' 30"
	281° 08' 35"

70F3088 847 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION B.P.#74 F.B. 1882 PG 66 H.I. 3.83

SIGHT ON	ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	± CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-33	-10.00	-6°30'00"	2012.155				
		-6°30'00"					
		-6°30'00"	11393561	-229.26	-235.43	-235.43	
	-1.00	-6°45'00"					
		-6°45'15"					
		6°45'07½"	11839713	-238.23	-235.40	-235.40	

TRANSIT AT STATION B.P.#68 F.B. 1882 PG 66 H.I. 4.90

S33	-10.00	-9°46'15"	1427.410				
		-9°46'30"					
		-9°46'22½"	17224573	-245.87	-252.04	-252.04	
	-1.00	-10°07'30"					
		-10°07'30"					
		-10°07'30"	17857734	-254.90	-252.07	-252.07	

F.B. 1882 PG. 68

F.B. Pg 69

Map No. | W. O. | Tape No. | St'd. | °F
Office Work | Surveyed by J.S. Coates
Checked | Notes J.S.C. Date 8-1-35
Date | Indexed A. C. Johnson



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

∠ @ B.P. #115

B.P. #112 To S-38

①	104° 37' 45"
④	58° 31' 00"
	104° 37' 45" ✓
⑥	267° 46' 30"
	104° 37' 45"

S-38 To S-39

①	61° 54' 15"
④	247° 37' 45"
	61° 54' 26¼" ✓
⑥	11° 26' 30"
	61° 54' 25"

S 39 To B.P. #117

①	39° 24' 00"
④	157° 35' 15"
	39° 23' 48¾" ✓
⑥	236° 23' 00"
	39° 23' 50

∠ @ B.P. #117

B.P. #115 To S 38

①	70° 01' 15"
④	280° 04' 45"
	70° 01' 11¼" ✓
⑥	60° 07' 00"
	70° 01' 10"

S38 To S-39

①	64° 28' 45"
④	257° 56' 00"
	64° 29' 00" ✓
⑥	26° 53' 45"
	64° 28' 57½"

S-39 To B.P. #120

①	84° 25' 00"
④	337° 39' 45"
	84° 24' 56¼" ✓
⑥	146° 29' 30"
	84° 24' 55"

BP 112 To BP 117

①	154° 03' 45"
④	256° 15' 45"
	154° 03' 55½" ✓
⑥	204° 23' 30"
	154° 03' 55"

78F3008 247 4-33

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION B.P.# 115 FB 1882 PG 70 H.I. 4.85

SIGHT ON	ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	± CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
539	-9.00	- 1° 29' 45" - 1° 29' 45" - 1° 29' 45"					
	-1.00	- 1° 42' 30" - 1° 42' 15" - 1° 42' 22½"					
S-38	-10.00	- 7° 07' 00" - 7° 07' 00" - 7° 07' 00"	1932.225 12488646	-241.31	-246.46	-246.46	
	-1.00	- 7° 22' 45" - 7° 22' 30" - 7° 22' 37½"	12947309	-250.17	-246.32	-246.32	

TRANSIT AT STATION B.P.# 117 FB 1882 PG 70 H.I. 4.84

S-39	-10.00	- 1° 24' 15" - 1° 24' 15" - 1° 24' 15"	1852.484 02451224	-45.41	-50.56	-50.56	
	-1.00	- 1° 41' 00" - 1° 41' 00" - 1° 41' 00"	02938817	-54.44	-50.59	-50.59	
S-38	-10.00	- 6° 36' 15" - 6° 36' 15" - 6° 36' 15"	2016.065 11577764	-233.42	-238.57	-238.57	
	-1.00	- 6° 51' 15" - 6° 51' 15" - 6° 51' 15"	12020172	-242.33	-238.48	-238.48	

F.B. 1882 PG. 70

F.B. Pg. 71

Map No. | W. O. 3907.1 | Tape No. | St'd. | °F
Office Work | Surveyed by J.S. COATES
Checked | Notes J.S.C. Date 8-1-53
Date | Indexed B. C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



X @ B.P.#124

B.P.124 To S41

①	164°43'30"
④	298°54'00"
	164°43'30"
⑥	268°21'15"
	164°43'32½"

B.P.127 To S41

①	38°54'00"
④	155°36'30"
	38°54'07½"
⑥	233°45'00"
	38°54'10"

X @ B.P.#127

S41 To B.P.#124

①	122°08'00"
④	123°32'45"
	122°08'11½"
⑥	12°49'15"
	122°08'12½"

B.P.# To S41

①	44°21'00"
④	177°24'00"
	44°21'00"
⑥	266°06'00"
	44°21'00"

76F3098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BP #124 FB 1882 PG 72 H.I. 5.32

Sight on	-Rod	± Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	± Difference Elevation	Adjusted Diff Elev
S-41	-10.00	+11° 41' 15" +11° 41' 30" +11° 41' 22½"	2154.323 20690298	+445.74	+441.06	+441.06	
	-1.00	+11° 37' 45" +11° 38' 00" +11° 37' 52½"	20584151	+443.45	+447.77	+447.77	

TRANSIT AT STATION BP #127 FB 1882 PG 72 H.I. 4.57

S-41	-10.00	+ 11° 03' 15" +11° 03' 30" +11° 03' 22½"	1597.706 19540186	+ 312.19		+ 307.51	
	-1.00	+ 10° 45' 30" + 10° 45' 30" + 10° 45' 30"	19000662	+ 303.57		+ 307.89	

F.B. 1882 PG. 72

F.B. Pg. 7-

Map No. | W. O. | Tape No. | St'd. | °F
Office Work | Surveyed by: J. S. COATES
Checked | Notes J.S.C. Date 8 10 55
Date | Indexed A. C. Johnson

To S44



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T @ B.P. #143

B.P. #137 TO S42

(1) 45° 36' 00"
(4) 182° 24' 10" ✓
45° 36' 02½
(6) 273° 36' 20"
45° 36' 03⅓

S42 TO BP #137 B.P.

(1) 314° 23' 50"
(4) 177° 36' 10" ✓
314° 24' 02½
(6) 86° 24' 10"
314° 24' 01⅔"

T @ B.P. #137

B.P. #136 TO S42

(1) 92° 40' 45"
(4) 10° 43' 00"
92° 40' 45" ✓
(6) 196° 04' 30"
92° 40' 45"

S42 TO B.P. #143

(1) 84° 03' 15"
(4) 336° 12' 15"
84° 10' 03¾
(6) 144° 18' 15" ✓
84° 03' 02½

76F3098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BP#132 FB 1882 PG 74 H.I. 4.73

SIGHT ON	- ROD	± Vertical Angle	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV
S42	-10.00	+7° 59' 00"	1350.778				
		+7° 58' 50"					
		7° 58' 55"	1402.1950	+ 189.41	+184.14	+184.14	
	-1.00	+7° 36' 10"					
		+7° 36' 00"					
		7° 36' 05"	1334.5316	+ 180.27	+184.00	+184.00	

TRANSIT AT STATION BP#137 FB 1882 PG 74 H.I. 4.29

S42	-9.00	+6° 45' 30"					
			970.346				
		+6° 45' 30"					
		+6° 45' 30"	1185.0528	+ 114.99	+110.72	+110.72	
	-4.00	+ 6° 28' 15"					
		+ 6° 28' 00"					
		+ 6° 28' 07½"	1133.8560	+ 110.02	+110.75	+110.75	

F.B. 1882 PG. 74

F.B. Pg 75

Map No.
Office Work
Checked
Date

W. O. 2761 Tape No. St'd. °F
Surveyed by J.S. Coates
Notes J.S.C. Date 8-1-55
Indexed E. C. Johnson



∠ @ B.P.# 147
S44 To B.P.# 148

① 92° 09' 40"
④ 8° 39' 40"
92° 09' 55" ✓
⑥ 192° 59' 30"
92° 09' 55"

∠ @ B.P.# 148
B.P.# 147 To S44

① 70° 33' 20"
④ 282° 13' 00"
70° 33' 15" ✓
⑥ 63° 19' 30"
70° 33' 15"

B.P.# 148 To S44

① 267° 50' 00"
④ 331° 20' 00"
267° 50' 00" ✓
⑥ 167° 00' 00"
267° 50' 00"

S44 To B.P.# 147

① 289° 26' 40"
④ 7° 46' 40"
289° 26' 40" ✓
⑥ 296° 40' 00"
289° 26' 40"

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION B.P.#147 F.B. 1882 PG _____ H.I 3.95

SIGHT ON	- ROD	± Vertical Angle	Horizontal Distance	± Vertical Distance	+ Curvature Correction	± Difference Elevation	Adjusted Diff. Elev
S-44	-10.00	-12°37'10"	1263.473				
		-12°37'20"					
		-12°37'15"	22390829	-282.90	-288.95	-288.95	
	-5.00	-12°50'00"					
		-12°50'20"					
		-12°50'10"	22785731	-287.89	-288.94	-288.94	

TRANSIT AT STATION B.P. #148 FB 1882 PG. _____ H.I. 4.99

S44	-9.00	-11°39'40"	1338.949				
		-11°39'30"					
		-11°39'35"	20635702	-276.30	-281.35	-281.35	
	-2.00	-11°56'20"					
		-11°56'30"					
		-11°56'25"	21146736	-283.14	-281.19	-281.19	

F.B. 1882 PG. 76

F.B. ____ Pg. ____

Map No.	W. O. 0501.1 Tape No. ____ St'd. ____ °F
Office Work	Surveyed by: J.S. COATES
Checked	Notes J.S.C. Date 7-28-55
Date	Indexed E. C. JOHNSON

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

B.P.#9 To B.P.#11	S26 To S29	S29 To S27	S27 To S26 RT
① 9° 33' 00"	① 47° 40' 15" ✓	① 38 39 15	① 273 40 30
④ 30° 11' 30"	④ 190° 40' 45" ✓	④ 154 37 15 ✓	④ 14 41 30 ✓
9° 32' 52½" ✓	47° 40' 11½"	98 39 18½	273 40 22½
⑥ 37° 17' 15"	⑥ 286° 01' 00"	⑥ 231 56 00	⑥ 202 02 15
9° 32' 52½"	47° 40' 10"	98 39 20	273 40 22½

7-53008 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-25 F.B. 1882 PG. H.I. 4.64

SIGHT ON	ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	± CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-26	10.00	+ 7° 44' 00"	2,087.238				
		+ 7° 44' 00"					
		7° 44' 00"	13579776	+ 283.44		+ 278.08	
	6.00	+ 7° 37' 00"					
		+ 7° 37' 15"					
		+ 7° 37' 07½"	13376404	+ 279.20		+ 277.84	
S-29 (A41)	9.00	+ 6° 19' 00"	3173.367				
		+ 6° 19' 15"					
		+ 6° 19' 07½"	11073473	+ 351.40		+ 347.04	
	3.00	+ 6° 13' 00"					
		+ 6° 12' 45"					
		+ 6° 12' 52½"	10889476	+ 345.56		+ 347.20	
S-27 (A40)	10.00	− 7° 26' 45"	1624.570				
		− 7° 26' 30"					
		− 7° 26' 37½"	13065633	− 212.26		− 217.62	
	3.00	− 7° 41' 00"					
		− 7° 40' 45"					
		− 7° 40' 52½"	13487256	− 219.11		− 217.47	
B.P.#9	7.00	+ 2° 48' 00"	1463.649				
		+ 2° 48' 00"					
		+ 2° 48' 08"	04890816	+ 71.58		+ 69.22	
	1.00	+ 2° 34' 30"					
		+ 2° 34' 45"					
		+ 2° 34' 37½"	04501137	+ 65.88		+ 69.52	
B.P.#11	5.00	+ 4° 39' 30"	1689.412				
		+ 4° 39' 15"					
		4° 39' 22½"	08144871	+ 137.60		+ 137.24	
	6.00	+ 4° 41' 30"					
		+ 4° 41' 15"					
		+ 4° 41' 22½"	08203437	+ 138.59		+ 137.23	

F.B. 1882 Pg. 78

Map No. _____ W. O. 8901 Tape No. _____ St'd. _____ °F
Office Work _____ Surveyed by J.S. COATES
Checked _____ Notes J.S.C. Date 8/55
Date _____ Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

S 25 TO S 29
(A) 268° 47' 00" ✓
(A) 355° 08' 30" ✓
(B) 268° 47' 07½"
(B) 172° 46' 45"
268° 47' 07½

S 27 TO S 25
(A) 39° 16' 00"
(A) 157° 03' 15" ✓
(B) 39° 15' 48¾" ✓
(B) 235° 35' 00"
39° 15' 50"

S 29 TO S 27
(A) 51° 57' 15"
(A) 207° 48' 15" ✓
(B) 51° 57' 03¾"
(B) 311° 42' 15"
51° 57' 02½

7870008 247 4-33

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-26 FB 1882 PG ____ H.I. 4.65

Sight on	-Rod	+Vertical Angle -Vertical Angle	Horizontal Distance	+Vertical -Distance	+Curvature Correction	+Difference -Elevation	Adjusted Diff. Elev.
S-25	9.00	-7°31'15"	2087.238				
		-7°31'30"					
		-7°31'22½"	1320 6189	-275.64		-279.99	
	-3.00	-7°41'00"					
		-7°41'00"					
		-7°41'00"	1349 0911	-281.59		-279.94	
S-27	-9.00	-10°54'00"	2561.465				
		-10°54'00"					
		-10°54'00"	1925 6965	-493.26		-497.61	
	-1.00	-11°04'00"					
		-11°04'00"					
		-11°04'00"	1955 8810	-500.99		-497.34	
S-29 (A-41)	-9.00	+1°45'00"	2346.074				
		+1°45'00"					
		+1°45'00"	0305 5276	+71.68		+67.33	
	-3.00	+1°36'00"					
		+1°36'15"					
		+1°36'07½"	0279 7134	+65.62		+67.27	

F.B. 1882 PG. 80

Map No.	W. O. 5761.11 Tape No. St'd. °F
Office Work	Surveyed by J.S. COATES
Checked	Notes J.S.C. Date
Date	Indexed C. Johnson

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



S 32 to S 31

1)	17°	30'	15"
4)	70°	01'	30"
6)	17°	30'	22½" ✓
	105°	02'	00"
	17°	30'	20"

TRANSIT AT STATION 27 H.I. = 4.67

Sight on - Rod	Vertical Angle
S32 - 10.00	11° 15' 00"
	11° 15' 00"
	11° 15' 00"
	11° 11' 15"
	11° 11' 30"
	11° 11' 22½"
	- 5.00

BP#11 to BP#16

1)	16°	00'	00"
4)	64°	01'	00"
	16°	00'	15"
6)	96°	01'	30" ✓
	16°	00'	15"

S 25 to S26

1)	54°	24'	15"
4)	217°	38'	00"
	54°	24'	30"
6)	326°	27'	00" ✓
	54°	24	30"

S-26 to S29

1)	58°	53'	30"
4)	235°	33'	45"
	58°	53'	26" ✓
6)	353	20	45"
	58	53	27½

S-29 to S31

1)	33°	46'	15"
4)	135°	04'	15"
	33°	46'	09½"
6)	202°	36'	15" ✓
	33	46	02½

S31 to S25

1)	212°	55'	45"
4)	131°	43	30"
	212	55	52½
6)	197	55	15" ✓
	212	55	52½

S 29 to S 32

1)	16°	15'	45"
4)	65°	02'	45"
	16°	15'	41½" ✓
6)	97°	34'	15"
	16°	15'	42½"

7870008 247 4-83

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-27 (A40) FB 1882 PG _____ H.I. 4.80

SIGHT ON	- ROD	+ VERTICAL - ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE + CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV
S-25	-9.00	+7° 46' 00"	1624.570				
		+7° 43' 45"					
		+7° 45' 52½"	13635575		+221.52	+217.32	
	-4.00	+7° 36' 00"					
		+7° 35' 45"					
		+7° 35' 52½"	13339395		+216.71	+217.51	
B.P.#11	-8.00	+9° 43' 30"	2087.180				
		+9° 43' 45"					
		+9° 43' 37½"	1714 2217		+357.79	+354.59	
	-1.00	+9° 32' 30"					
		+9° 32' 45"	16813017		+350.92	+354.72	
		+9° 32' 37½"					
S-26	-7.00	+11° 01' 45"	2561.465				
		+11° 01' 30"					
		+11° 01' 37½"	1948 7342		+499.16	+496.96	
	-2.00	+10° 55' 45"					
		+10° 55' 45"					
		+10° 55' 45"	19309763		+494.61	+497.41	
B.P.#16	-5.00	+10° 00' 45"	2175.163				
		+10° 00' 45"					
		+10° 00' 45"	17655194		+384.03	+383.83	
	-2.00	+9° 56' 00"					
		+9° 56' 15"					
		+9° 56' 07½"	17516747		+381.02	+383.82	
S-29 (A41)	-10.00	+14° 47' 00"	2,158.485				
		+14° 47' 15"					
		+14° 47' 07½"	26394171		+569.71	+564.51	
	-8.00	+14° 44' 15"					
		+14° 44' 15"					
		+14° 44' 15"	26304475		+567.78	+564.58	
S-31	-9.00	+9° 23' 15"	4080.047				
		+9° 23' 15"					
		+9° 23' 15"	16532479		+674.53	+670.33	
	-5.00	+9° 20' 00"					
		+9° 20' 15"					
		+9° 20' 07½"	16439355		+670.73	+670.53	

F.B. 1882 PG 62

Map No.
Office Work
Checked
Date

W. O. 8967.1 Tape No. Sr'd. °F
Surveyed by J.S. COATES
Notes J.S.C. Date 7-29-55
Indexed C. Johnson

Pg 23

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

S-32 TO S 37

①	36° 20' 30"	
④	143° 22' 15"	
⑥	36° 20' 33 3/4"	✓
	218° 03' 30"	
	36° 20' 35"	

S-37 TO S-32

①	323° 39' 30"	
④	214° 38' 00"	✓
⑥	323° 39' 30"	
	141° 57' 15"	
	323° 39' 32½	

76F2098 247 4-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-38 FB 1882 PG ____ H.I. 4.99

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	Curvature + Correction	+ Difference - Elevation	Adjusted Diff. Elev.
B.P.#37	-8.00	+15°48'00"	1180.284				
		+15°48'15"					
		+15°48'07½"	2830 1337	+334.04		+331.03	
	-5.00	+15°40'00"					
		+15°40'00"					
		+15°40'00"	2804 5968	+331.02		+331.01	
B.P.#32	-10.00	+14°33'30"	1015.134				
		+14°33'30"					
		14 33'30"	2597 0407	+263.63		+258.62	
	-5.00	+14°17'15"					
		+14°17'00"					
		+14°17'07½"	2546 2834	+258.48		+258.47	

F.B. 1882 PG. 846

Map No. _____ W. O. 8907.1 Tape No. _____ St'd. _____ °F
Office Work _____ Surveyed by J.S. CRATES
Checked _____ Notes J.S.C. Date 8-1-55
Date _____ Indexed C. Johnson

S 32 To S 31

S 31 To PG 81

S 31 To PG 81

S 26 To S 32

S 32 To PG 79

S 25 To S 26

S 26 To PG 79

S 25 To PG 77

S 26 To S 30

S 30 To PG 81

S 30 To S 31

S 31 To S 27

S 25 To S 27

S 29 To S 26

S 30 To S 32

S 32 To S 30

S 29 (A 41) FD 2" A.P. 6" UP WITH BRASS CAP MARKED: "COUNTY SURVEYOR MONUMENT STATION A41" per FB 490-7

DUG TRENCH 40' LONG & 0" TO 30" TO 0" DEEP

To S 27 (A 40) PG 81

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

70FR098 247 4-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-29 (A41) F.B. 1882 PG. _____ H.I. 4.41

SIGHT ON	-ROD	±VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+CURVATURE +CORRECTION	±DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.	
S-26	-7.00	-1°34'30" -1°34'20" -1°34'25"	2346.074 02747160	-64.45		-67.04		
	-.00	-1°35'10 -1°35'20						
		-1°35'15	02771419 ✓	-63.02		-66.61		
S-32	-10.00	+7°50'00" 7°50'00" +7°50'00"	2705.618 13757570	+372.23		+366.64		
	-5.00	+7°44'00" +7°44'00" +7°44'00"	13579776	+367.42		+366.83		
S-31	-9.00	+2°27'20" +2°27'10" +2°27'15"	2581.432 04285950	+110.64		+106.05		
	-2.00	+2°18'20" +2°18'20" +2°18'20"	04026127	+103.93		+106.34		
S-25	-9.00	+6°10'10" -6°10'10"	3173.367					
		-6°10'10"	10809521.	-343.03		-347.62		
	-3.00	-6°16'10" -6°16'20"						
		-6°16'15"	10988580	-348.71		-347.30		
S-30	-9.00	+8°47'40" +8°47'20" 8°47'30"	3,103.289 15465925	+479.95		+475.36		
	-2.00	+8°39'10" +8°39'00" +8°39'05"	1521.5333 ✓	+472.18		+474.59 ✓		
(S27 (A40)	-10.00	NOTE: NEW H.I. = 7.46 FOR LINE S-29 TO S-27 -14°36'00" -14°36'00"	2158.485.					
	-9.00	-14°36'00" -14°37'30" -14°37'15"	26048049	-562.24		-564.78		
		-14°37'22½	26091023	-563.17		-564.71		

F.B. 1882 PG. 86

Map No. _____ W. O. 69071 Tape No. _____ St'd. _____ °F

Office Work _____ Surveyed by J.S. COATES

Checked _____ Notes J.S.C Date 8-7-55

Date _____ Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

To S32 91 PC

To S29 25 PC 8

59° 14' 45" V

300.

45'

S-30
SET 3/4" I.P. F/
GAL. CAP MARKED
S-30

S 32 TO S 29

①	59° 14' 45"
④	236° 59' 00"
	59° 14' 45" V
⑥	355° 28' 30"
	59° 14' 45"

S 29 TO S 32

①	300° 45' 00"
④	123° 01' 15"
	300° 45' 18¾" V
⑥	104° 32' 00"
	300° 45' 20"

70F3088 247 4-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S 30 F.B. 1882 PG ____ H.I. 4.69

SIGHT ON	- ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-32	-10.00	-2° 34' 00"	2043.140				
		-2° 34' 00"					
		-2° 34' 00"	0443 2677	-91.59	-96.90		
	-5.00	-3° 02' 00"					
		-3° 02' 15"					
		-3° 02' 07½"	0530 3007	-108.35	-108.66		
S-29 (A41)	-10.00	-8° 37' 30"	3,103.289				
		-8° 37' 15"					
		-8° 37' 22½"	1516 4741	-470.61	-475.92		
	-4.00	-8° 43' 45"					
		-8° 43' 45"					
		-8° 43' 45"	1535 4252	-476.49	-475.80		

F.B. 1882 Pg. 88

Map No. _____ W. O. 0907-11 Tape No. _____ St'd. _____ °F
Office Work _____ Surveyed by: J.S. COATES
Checked _____ Notes JSC Date 8-3-55
Date _____ Indexed _____



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

BP.#37 TO BP#39

Ⓓ	7°57'00
Ⓐ	31°48'15"
	7°57'03¾"
Ⓒ	47°42'30"
	7°57'05"

S-27 TO S 29

Ⓓ	27°42'00"
Ⓐ	110°48'15"
	27°42'03¾"
Ⓒ	166°12'30"
	27°42'05"

S-29 TO S 32

Ⓓ	78°29'15"
Ⓐ	313°56'45"
	78°29'11¼"
Ⓒ	110°55'15"
	78°29'12½

S 32 TO S 34

Ⓓ	37°10'00"
Ⓐ	148°39'00"
	37°09'45"
Ⓒ	222°58'30"
	37°09'45"

S 34 TO S27

Ⓓ	216°39'00"
Ⓐ	146°36'00"
	216°39'00"
Ⓒ	219°54'00"
	216°39'00"

7672008 247 4-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-31 FB. 1882 PG. ____ H.I. 4.79

SIGHT ON	- ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
B.P.#37	-5.00	-6° 13' 45" -6° 14' 00" -6° 13' 52½"	2046.373 10918910	-223.44		-223.65	
	-1.00	-6° 19' 45" -6° 20' 00" -6° 19' 52½"	11095558	-227.06		-223.27	
B.P.#39	-10.00	-5° 53' 45" -5° 53' 30" -5° 53' 37½"	2,010.897 10323215	-207.59		-212.80	
	-3.00	-6° 05' 15" -6° 05' 00" -6° 05' 07½"	10661420	-214.39		-212.60	
S-27 (A40)	-9.00	-9° 17' 15" -9° 17' 30" -9° 17' 22½"	4.080.047 16357210	-667.38		-671.59	
	-4.00	-9° 21' 00" -9° 21' 00" -9° 21' 00"	16465247	-671.79		-671.00	
S-29 (A41)	-10.00	-2° 15' 15" -2° 15' 00" -2° 15' 07½"	2581.432 03932895	-101.53		-106.74	
	-5.00	-2° 21' 30" -2° 21' 15" -2° 21' 22½"	04114995	-106.23		-106.44	
S-32	-9.00	+10° 11' 00" +10° 11' 00" +10° 11' 00"	1475.048 17962811	+264.96		+260.75	
	-2.00	+9° 55' 45" +9° 55' 45" +9° 55' 45"	17505255	+258.21		+261.00	
S-34	-6.00	+6° 50' 30" +6° 50' 30" +6° 50' 30"	3010.767 11998041	+361.23		+360.02	
	-3.00	+6° 47' 15" +6° 47' 00" +6° 47' 07½"	11898710	+358.24		+360.03	

F.B. 1882 Pg. 90

Map No. _____ W. O. 0907 Tape No. _____ St'd. _____ °F
Office Work _____ Surveyed by: J.S.GATES
Checked _____ Notes _____ Date _____
Date _____ Indexed _____



Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

S 27 rt to S 29

1)	12°	54'	15"
4)	51°	38'	00"
	12°	54'	30"
6)	77°	27'	15"
	12°	54'	32½"

S 34 rt to S 33

1)	69°	04'	30"
4)	276°	18'	00"
	69°	04'	30"
6)	54°	27'	00"
	69°	04'	30"

S 29 rt to S 30

1)	80°	17'	30"
4)	321°	10'	00"
	80°	17'	30"
6)	121°	45'	00"
	80°	17'	30"

S 33 rt to S 31

1)	47°	52'	00"
4)	191°	29'	00"
	47°	51'	45"
6)	287°	18'	30"
	47°	51'	45"

S 30 rt to S 34

1)	93°	33'	15"
4)	14°	13'	15"
	93°	33'	18¾"
6)	201°	20'	00"
	93°	33'	20"

S 31 rt to 27

1)	56°	18'	15"
4)	225°	13'	30"
	56°	18'	22½"
6)	337°	50'	30"
	56°	18'	25"

787S098 247 4-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S32 F.B. 1882 PG. ____ H.I. 4.74

SIGHT ON	- ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-27 (A40)	-10.00	-11° 07' 45"	4,709.364				
		-11° 08' 00"					
		-11° 07' 52½"	19676191	-926.62		-931.88	
	-1.00	-11° 14' 45"					
		-11° 14' 45"					
		-11° 14' 45"	19883677	-936.39		-932.65	
S-29 (A41)	-10.00	- 7° 37' 15"	2,705.618				
		- 7° 37' 00"					
		- 7° 37' 08"	13376404	-361.91		-367.17	
	- 3.00	-7° 46' 30"					
		-7° 46' 15"					
		-7° 46' 22½	13650390	-369.33		-367.59	
S-30	-5.00	+3° 03' 00"	2,043.140				
		+ 3° 03' 00"					
		+ 3° 03' 00"	05328288	+ 108.86		+108.60	
	-1.00	+2° 56' 30"					
		+2° 56' 30"					
		+2° 56' 30"	05138693	+ 104.99		+108.73	
S-31	-10.00	-9° 50' 00"	1475.048				
		-9° 50' 15"					
		9° 50' 07½	17336912	-255.73		-260.99	
	-1.00	-10° 10' 15"					
		-10° 10' 30"					
		-10° 10' 22½"	17944295	-264.69		-260.95	
S-33	-10.00	-13° 58' 30"	2026.579				
		-13° 58' 15"					
		- 13° 58' 22½	24982856	-504.27		-509.53	
	- 1.00	- 14° 12' 30"					
		-14° 12' 30"					
		-14° 12' 30"	25319366	-513.12		-509.38	
S-34	-5.00	+2° 47' 30"	2040.081				
		+2° 41' 45"					
		2° 47 37½"	04830125	+ 99.56		+99.30	
	-1.00	+2° 40' 30"					
		+2° 40' 30"					
		+2° 40' 30"	04672151	+ 95.32		+99.06	

F.B. 1882 Pg. 92

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 8907.14 Tape No. _____ St'd. _____ °F
Surveyed by: J.S. COATES
Notes _____ Date 9-5-57
Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

BP #68 To B.P		S 34 To S 33	
①	15° 29' 45"	①	43° 18' 15"
④	61° 58' 30"	④	173 13 00
⑥	15° 29' 37½" ✓	⑥	43° 18' 15" ✓
	92 57 45		259 49 30
	15 29 37½"		43° 18' 15"

S 32 To S 34		S 35 To S 32	
①	55° 44' 30"	①	260° 57' 15"
④	222° 57' 00"	④	323 49 30 ✓
	55° 44' 15" ✓	⑥	260 57 22½
⑥	334° 25' 30"		125 44 30
	55° 44' 15"		260 57' 25"

FORM 247 4-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S32 F.B. 1882 PG ____ H.I. 4.97

SIGHT ON	-ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-32	-10.00	+ 14° 14' 15"	2026.579				
		+ 14° 14' 15"					
		+ 14° 14' 15"	25373542	+ 514.21		+ 509.18	
	-3.00	+ 14° 12' 30"					
		+ 14° 12' 15"					
		+ 14° 12' 22½"	25315755	+ 513.04		+ 509.01	
S-34	-10.00	+ 14° 54' 00"	2305.601				
		+ 14° 54' 00"					
		+ 14° 54' 00"	26607943	+ 613.47		+ 608.44	
	-7.00	+ 14° 49' 30"					
		+ 14° 49' 30"					
		+ 14° 49' 30"	26467824	+ 610.24		+ 608.21	
S-35	-9.00	+ 3° 52' 30"	2811.073				
		+ 3° 52' 15"					
		+ 3° 52' 22½"	06770072	+ 190.31		+ 186.28	
	-2.00	+ 3° 43' 30"					
		+ 3° 43' 30"					
		+ 3° 43' 30"	06510527	+ 183.02		+ 185.99	
BP 68	-10.00	+ 10° 10' 00"	1427.410				
		+ 10° 10' 15"					
		+ 10° 10' 07½"	17936788	+ 256.03		+ 251.00	
	-2.00	+ 9° 51' 15"					
		+ 9° 51' 00"					
		+ 9° 51' 07½"	17366878	+ 247.90		+ 250.87	
BP 74	-8.00	+ 6° 45' 15"	2012.755				
		+ 6° 45' 30"					
		+ 6° 45' 22½"	11847087	+ 238.38		+ 235.35	
	-1.00	+ 6° 33' 45"					
		+ 6° 34' 00"					
		+ 6° 33' 52½"	11508004	+ 231.56		+ 235.53	

F.B. 1882 PG. 94

F.B. Pg. 97

Map No.
Office Work
Checked
Date

W. O. 4071 Tape No. St'd. °F
Surveyed by J.S. Coates
Notes J.S.C. Date 9-55
Indexed E. Johnson

T 5 S 31 PG 89

T 5 S 35 PG 97

T 5 S 32 PG 91



Note, I used a 30° stand for Transit

S 35 TO S 33

①	82° 19' 15"	
②	329° 17' 30"	
⑤	82° 19' 22½	✓
⑥	133° 56' 08"	
	82° 19' 20"	

S 33 TO S 31

①	29° 17' 00"	
②	117° 08' 00"	
⑤	29° 17' 00"	✓
⑥	175° 42' 15"	
	29° 17' 02½	

S 31 TO S 32

①	25° 54' 00"	
②	103° 36' 15"	
⑤	25° 54' 03¾"	✓
⑥	155° 24' 30"	
	25° 54' 05"	

S 32 TO S 35

①	222° 29' 45"	
②	169° 58' 15"	✓
⑤	222° 29' 33¾"	
⑥	254° 57' 15"	
	222° 29' 32½"	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

785098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-34 FB 1882 PG ____ H.I. 7.67

SIGHT ON	ROD	+Vertical Angle -	HORIZONTAL DISTANCE	±VERTICAL DISTANCE	±CURVATURE CORRECTION	±DIFFERENCE ELEVATION	ADJUSTED DIFF ELEV.
S-35	-10.00	-12° 11' 00" -12° 11' 15"	1945.475				
		-12° 11' 07½"	21594378	-420.11		-422.44	
	-2.00	-12° 24' 15" -12° 24' 30"					
		-12° 24' 22½"	21993116	-427.97		-422.30	
S-33	-10.00	-14° 43' 45" -14° 44' 00"	2305.601				
		-14° 43' 52½"	26293072	-606.21		-608.54	
	-1.00	-14° 56' 45" -14° 57' 00"					
		-14° 56' 52½"	26697774	-615.54		-608.87	
S-31	-10.00	-6° 46' 45"	3010.767				
		-6° 46' 45"	11887402	-357.90		-360.23	
	-1.00	-6° 57' 00" -6° 57' 15"					
		-6° 57' 07½"	12193820	-367.13		-360.46	
S-32	-10.00	-2° 43' 30"	2040[illegible]8.1				
		-2° 43' 30"					
		-2° 43' 30"	04259611	-97.10		-99.43	
	-5.00	-2° 52' 00" -2° 52' 00"	05007456	-102.16		-99.49	
		-2° 52' 00"					

F.B. 1882 PG. 9

F. B. PG 17

Map No.
Office Work
Checked
Date

W. O. Tape No. St'd. °F
Surveyed by: J.S.C. 1975
Notes J.S.C. Date 9-4-35
Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



S 33 rt to S 34

1) 54 22 15
4) 217 29 15
54 22 18½
6) 326 14 00
54 22 20

S 34 rt to S 33

1) 305 37 30
4) 142 30 30
305 37 37½
6) 33 45 45
305 37 37½

767808 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-35 F.B. 1882 PG. H.I. 5.16'

SIGHT ON	-ROD	± Vertical - Angle	Horizontal Distance	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF ELEV.
S-33	-9.00	- 3° 42' 30"	2,811.073	-182.10		-185.94	
		- 3° 42' 15"	06477907				
		- 3° 42' 22.5"					
	-1.00	- 3° 53' 00"	06788093	-190.82		-186.66	
		- 3° 53' 00"					
		- 3° 53' 00"					
S-34	-9.00	+ 12° 21' 15"	1945.475				
		+ 12° 21' 15"	2.1902579	+426.11		+422.27	
		+ 12° 21' 15"					
	-8.00	+ 12 19 45	21856857	+425.23		+422.38	
		+ 12 19 45					
		+ 12 19 45					

F.B. 1882 PG. 28

F.B. PG.

Map No.
Office Work
Checked
Date

W. O. Tape No. St'd. °F
Surveyed by J. S. COATES
Notes T.S.C. Date 5-3-52
Indexed R. C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



S 40 HTo S 41

1) 39° 11' 45"
4) 156 47 00
6) 233° 11' 45" ✓
39° 11' 45"

S 41 HTo S 39

1) 8° 27' 45"
4) 33° 50' 45"
8° 27' 41½" ✓
6) 50° 46' 05"
8° 27' 40"

S 39 HTo S 38

1) 40° 01' 45"
4) 160° 07' 00"
40 01' 45" ✓
6) 240 10' 30"
40 01 45"

S 38 HTo S 40

1) 272° 18' 30"
4) 9° 14' 45" ✓
272° 18' 41½"
6) 193° 52 00
272 18 40"

78F3008 247 4-58

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S [illegible] FB 1882 PG. H.I. 4.75

SIGHT ON	- ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF ELEV.
S 40	-10.00	+ 2° 20' 30"	2135.064				
		+ 2° 20' 30"					
		+ 2° 20' 30"	04089256	+ 87.31	+82.06		
	- 3.00	+ 2° 08' 30"					
		+ 2° 08' 15"					
		+ 2° 08' 22½"	03736257	+ 79.77	+81.52		
S 41	-10.00	+ 0° 40' 00"	3599.976				
		+ 0° 40' 15"					
		+ 0° 40' 07½"	01167484	+42.03	+36.78		
	- 1.00	+ 0° 31' 45"					
		+ 0° 32' 00"					
		+ 0° 31' 52½"	00327475	+ 33.39	+37.14		
S 38	-10.00	- 10° 53' 45"					
		- 10° 53' 30"	3187.178				
		- 10° 53' 37½"	19245904	- 613.40	-618.65		
	- 1.00	- 11° 03' 00"					
		- 11° 03' 00"					
		- 11° 03' 00"	19528610	- 622.41	-618.66		
S 39	-10.00	- 8° 54' 00"	2716.575				
		- 8° 53' 45"					
		- 8° 53' 52½"	15656105	-425.31	-430.56		
	- 1.00	- 9° 04' 45"					
		- 9° 04' 45"					
		- 9° 04' 45"	15980113	- 434.11	-430.36		

F.B. 1882 PG. 108

F.B. Pg.

Map No.
Office Work
Checked
Date

W. O. Tape No. St'd. °F
Surveyed by: J.S. COATES
Notes: J.S.C. Date 8-53
Indexed: C. JOHNSON



S 39 Lt to S 38

1) 60° 27' 00"+
4) 241° 49' 00"+
60° 27' 15" ✓
6) 362° 43' 15"
60° 27' 12½"

S 39 Lt To S 39

1) 299° 32' 45"
4) 118° 11' 15"
2) 299° 32' 48¾" ✓
357° 16' 45"
2) 299° 32' 47½"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

75F308 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S 37 F.B. 1882 PG 102 H.I. 4.74

SIGHT ON	- ROD	+ Vertical - Angle	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S 39	10.00	+ 4° 12' 30" + 4° 12' 15" + 4° 12' 22½"	2,334.717 0735 4752	+ 171.71	+ 166.45		
	- 2.00	+ 4° 00' 15" + 4° 00' 00" + 4° 00' 07½"	0699 6579	+ 163.35	+ 166.09		
S 38	10.00	- 0° 37' 15" - 0° 37' 00" - 0° 37' 07½"	1,542.426 0108 0207	- 16.66	- 21.92		
	- 1.00	- 0° 57' 30" - 0° 57' 15" - 0° 57' 22½"	0166 9369	- 25.75	- 22.01		

F.B. 1882 PG. 102

F.B. Pg 105

Map No. | W. O. 6907.1 | Tape No. | St'd. | °F
Office Work | Surveyed by: J.S. COATES
Checked | Notes: J.S.C | Date: 8-5-55
Date | Indexed: C. Tomson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



S-37 rt To S-36

1)	21°	27' 30"
4)	85°	50' 00"
	21°	27' 30"
6)	128°	45' 00"
	21°	27' 30"

S-36 rt to S 40

1)	34°	31' 30"
4)	138°	06' 00"
	34°	31' 30"
6)	207°	08' 45"
	34°	31' 27½"

S-40 rt To S 39

1)	23°	07' 00"
4)	92°	28' 15"
	23°	07' 03¾"
6)	138°	42' 15"
	23°	07' 02½"

BP#115 rt To BP#117

1)	8°	40' 15"
4)	34°	42' 00"
	8°	40' 30"
6)	52°	02' 45"
	8°	40' 27½"

BP#117 rt to S-39

1)	53°	55' 30"
4)	215°	41' 45"
	53°	55' 26¾"
6)	323°	33' 00"
	53°	55' 30"

S 39 rt to S 37

1)	280°	53' 45"
4)	43°	36' 00"
	280°	54' 00"
6)	245°	24' 00"
	280°	54' 00"

76F3088 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

TRANSIT AT STATION S38 F.B 1882 P.G. _____ H.I. 4.54

SIGHT O.N	- ROD	+Vertical - Angle	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-37	- 10.00	+ 1° 01' 45" + 1° 01' 45" + 1° 01' 45"	3,187.178 0179 6228	+57.26	+51.80		
	- 1.00	+ 0° 41' 45" + 0° 41' 30" + 0° 41' 37½	0121 1124	+38.60	+42.14		
BP115	- 10.00	+ 7° 25' 00" + 7° 25' 00" + 7 25 00	1932.225 1301 7313	+251.52	+246.06		
	- 5.00	+ 7° 16' 30" + 7° 16' 15" + 7° 16' 22½	1276 2500	+246.60	+246.14		
BP117	- 9.00	+ 6° 52' 15" + 6° 52' 15" + 6° 52' 15"	2016.065 12049682	+242.93	+238.47		
	- 2.00	+ 6° 40' 30" + 6° 40' 15" + 6° 40' 22½	1169 9627	+235.87	+238.41		
S-36	- 10.00	+ 11° 04' 15" + 11° 04' 15" + 11° 04' 15"	3187.178				
	- 6.00	+ 11° 00' 30" + 11° 00' 30" + 11° 00' 30"	1956 6360 1945 3125	+623.61 +620.01	+618.15 +618.55		
S40	- 9.00	+ 10° 36' 30" + 10° 36' 30" + 10° 36' 30"	3763.968 1872 9546	+704.97	+700.51		
	- 2.00	+ 10° 30' 15" + 10° 30' 00" + 10° 30' 07½"	1853 7916	+697.76	+700.30		
S39	- 10.00	+ 5° 21' 00" + 5° 20' 45" + 5° 20' 52½"	2068.431 0936 1321	+193.63	+188.17		
	- 4.00	+ 5° 11' 15" + 5° 11' 30" + 5° 11' 22½"	0908 2627	+187.87	+188.41		

F.B. 1882 PG. 104

F.B. Pg. 125

Map No. | W. O. | Tape No. | St'd. | °F
Office Work | Surveyed by J.J. Coates
Checked | Notes J.S.C. Date 5.5.55
Date | Indexed C. Johnson



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

S 38 TO BP #115

(1)	55° 29' 30"	
(4)	221° 59' 00"	
	55° 29' 45"	✓
(6)	332° 58' 45"	
	55° 29' 47½"	

S 38 TO S 37

(1)	40° 27' 00"	
(4)	161° 47' 00"	
	40° 26' 45"	✓
(6)	242° 40' 30"	
	40° 26' 45"	

S 37 TO S 36

(1)	41° 53' 00"	
(4)	167° 32' 00"	
	41° 53' 00"	✓
(6)	251° 18' 06"	
	41° 53' 00"	

S 36 TO S 40

(1)	50° 59' 15"	
(4)	203° 57' 00"	
	50° 59' 15"	✓
(6)	305° 55' 30"	
	50° 59' 15"	

S 40 TO S 38

(1)	226° 41' 15"	
(4)	186 44 15	
	226 41 02½	✓
(6)	280 06 15	
	226 41 02½	

BP #115 TO BP #117

(1)	6° 06' 00"	
(4)	24° 24' 00"	
	6° 06' 00"	✓
(6)	36° 35' 45"	
	6° 05' 57½	

787805 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-39 F.B 1882 PG _____ H.I. 5.03

SIGHT ON	-ROD	+Vertical -Angle	HORIZONTAL DISTANCE	±VERTICAL DISTANCE	+CURVATURE CORRECTION	±DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-37	-10.00	-3° 56' 45" -3° 57' 00" -3° 56' 52½"	2334.717 06901583	-161.13	-166.10		
	-4.00	-4° 05' 45" -4° 06' 00" -4° 05' 52½"	07164678	-167.27	-166.24		
S-38	-10.00	-5° 03' 15" -5° 03' 15" -5° 03' 15"	2068.431 08844137	-182.93	-187.90		
	-1.00	-5° 19' 00" -5° 19' 00" -5° 19' 00"	09306059	-192.49	-188.46		
B.P.#115	-8.00	+1° 40' 45" +1° 40' 30" +1° 40' 37½"	02938141				
	-3.00	+1° 32' 30" +1° 32' 15" +1° 32' 22½"	02687969				
B.P.#117	-10.00	+1° 43' 15" +1° 43' 00" +1° 43' 07½"	1852.484 03000927	+55.59	+50.62		
	-5.00	+1° 33' 30" +1° 33' 30" +1° 33' 30"	02720476	+50.40	+50.43		
S-36	-10.00	+9° 06' 00" +9° 06' 00" +9° 06' 00"	2716.575 16017405	+435.12	+430.15		
	-4.00	+8° 59' 15" +8° 59' 00" +8° 59' 07½"	15812602	+429.56	+430.59		
S-40	-10.00	+14° 17' 30" +14° 17' 15" +14° 17' 22½"	2031.013 25470578	+517.31	+512.34		
	-1.00	+14° 02' 45" +14° 02' 45" +14° 02' 45"	25017784	+508.11	+512.14		

F.B. 1582 Pg. 106

F.B. Pg. 107

Map No.
Office Work
Checked
Date

W. O. Tape No. St'd. °F
Surveyed by: J.S. GATES
Notes J.S.C. Date 8-3-53
Indexed C. Johnson

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



S-41 TO S39

① 24° 43' 15"
④ 98° 52' 30"
24° 43' 07½"
⑥ 148° 18' 45"
24° 43' 07½"

S-39 To S38

① 23° 34' 15"
④ 94° 16' 15"
23° 34' 03¾"
⑥ 141° 24' 15"
23° 34' 02½

S 38 TO S-36

① 57° 47' 15"
④ 231° 08' 30"
57° 47' 07½"
⑥ 346° 43' 00"
57° 47' 10"

S 36 TO S-41

① 253° 55' 30"
④ 295° 43' 00"
253° 55' 45"
⑥ 83° 34' 45
253° 55' 47½"

787S08 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION 40 F.B. 1882 PG H.I. 5.18

SIGHT ON	- ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE		± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-41	-10.00	- 0° 59' 15"	2367.644				
		- 0° 59' 15"					
		- 0° 59' 15"	01723683	- 40.81	- 45.63		
	-1.00	- 01° 12' 00"					
		- 01° 12' 00"					
		- 01° 12' 00"	02094701	- 49.60	- 45.42		
S-39	-10.00	- 14° 01' 30"	2031.013				
		- 14° 01' 30"					
		- 14° 01' 30"	24979151	- 507.33	- 512.15		
	-1.00	- 14° 16' 30"					
		- 14° 16' 30"					
		- 14° 16' 30"	25443217	- 516.76	- 512.58		
S-38	-10.00	- 10° 28' 30"	3763.968				
		- 10° 28' 15"					
		- 10° 28' 22½"	18485266	- 695.78	- 700.60		
	-1.00	- 10° 36' 15"					
		- 10° 36' 15"					
		- 10° 36' 15"	18722018	- 704.69	- 700.51		
S-36	-10.00	- 2° 04' 30"	2135.064				
		- 2° 04' 15"					
		- 2° 04' 22½"	03619744	- 77.28	- 82.10		
	-3.00	- 2° 15' 45"					
		- 2° 15' 30"					
		- 2° 15' 37½"	03927463	- 84.28	- 82.10		

F.B. 1882 PG. 168

E.B. Pg. 107

Map No.
Office Work
Checked
Date

W. O. Tape No. St'd. °F
Surveyed by: J.S. COATES
Notes: J.S.C. Date 8-9-55
Indexed: C. Johnson

S 36



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

S-36 rt to S 40

1) 34° 43' 45"
4) 138° 55' 45"
6) 34° 43' 56½" ✓
208° 23' 45" ✓
34° 43' 57½"

S-40 rt to S 36

1) 325° 16' 00"
4) 221° 04' 00"
6) 325° 16' 00" ✓
151° 36' 00"
325° 16' 00"

BP #124 rt to BP #127

1) 18° 57' 30"
4) 75° 50' 45"
18° 57' 41½" ✓
6) 113° 46' 15"
18° 57' 42½"

76F3098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S41 FB 1882 PG 110 H.I. 4.35

SIGHT ON	-ROD	+Vertical Angle				
S36	-10.00	- 0° 30' 00"	3599.976			
		- 0° 29' 45"				
		- 0° 29' 52½"	00869293	-31.29	-36.94	
	- 2.00	- 0° 38' 30"				
		- 0° 38' 15"				
		- 0° 38' 22½"	01116572	-40.20	-37.85	
S40	-10.00	+ 1° 14' 15"	2367.644			
		+ 1° 14' 15"				
		+ 1° 14' 15"	02160181	+51.15	+45.50	
	- 1.00	+ 1° 01' 00"				
		+ 1° 00' 45"				
		+ 1° 00' 52½"	01771210	+41.94	+45.29	
BP*124	-10.00	- 11° 25' 45"				
		- 11° 25' 30"	2150.303			
		- 11° 25' 37½"	20212935	-435.45	-441.10	
	- 1.00	- 11° 40' 00"				
		- 11° 40' 00"				
		- 11° 40' 00"	20648339	-444.83	-441.48	
BP*127	-10.00	- 15° 41' 30"	1597.706			
		- 15° 41' 15"				
		- 15° 41' 22½"	28089378	-448.79	-454.44	
	- 1.00	- 15° 59' 45"				
		- 15° 59' 45"				
		- 15° 59' 45"	28666669	-458.01	-454.66	

F.B. 1882 PG. 110

F.B. Pg. 111

Map No. | W. O. | Tape No. | St'd. | °F
Office Work | Surveyed by: J.S. COATES
Checked | Notes J.S.C. Date 8-9-55
Date | Indexed E. C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.



S 44 rt to S 43
1) 52° 31' 00"
4) 210° 04' 45"
52° 31' 11" ✓
6) 315° 07' 00"
52° 31' 10"

S 43 rt to S 44
1) 307° 28' 45"
4) 149° 55' 15" ✓
6) 307° 28' 48"
44 52 45
307 28 47½"

BP #143 rt to BP #137
1) 50° 20' 45"
4) 201° 23' 00" ✓
6) 302° 04' 30"
50° 20' 45"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-42 F.B. 1882 PG. 112 H.I. 4.40

SIGHT ON	- ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DIFFERENCE	+ CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-44	-7.00	-13° 09' 00"	2168.178				
		-13° 09' 15"					
		-13° 09' 07½"	2336 6830	-506.63		-509.23	
	-6.00	-13° 10' 30"					
		-13° 10' 45"					
		-13° 10' 37½"	2341 2850	-507.63		-509.23	
S-43	-6.00	+5° 09' 45"	1922.700				
		+5° 10' 00"					
		+5° 09' 52½"	0903 8635	+173.79		+172.19	
	-1.00	+5° 00' 00"					
		+5° 00' 15"					
		+5° 00' 07½"	0835 2775	+168.29		+171.69	
B.P.#143	-10.00	-7° 32' 00"	1350.778				
		-7° 32' 00"					
		-7° 32' 00"	1322 4440	-178.63		-184.23	
	-3.00	-7° 49' 15"					
		-7° 49' 30"					
		-7° 49' 22½"	1373 9293	-185.59		-184.19	
B.P.#137	-5.00	-6° 27' 15"	970.346				
		-6° 27' 15"					
		-6° 27' 15"	1131 2536	-109.77		-110.37	
	-2.00	-6° 38' 15"					
		-6° 38' 00"					
		-6° 38' 07½"	1163 3286	-112.88		-110.48	

F.B. 1882 PG. 112

F. B. [illegible] Pg. 112

Map No.
Office Work
Checked
Date

W. O. [illegible] Tape No. Sl'd. °F
Surveyed by: J.S. DATES
Notes J.S.C. Date 8-9-55
Indexed A. Johnson

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



S42 TO S44

(1)	70°	40'	30"
(4)	282°	41'	45"
	70°	40'	26"
(6)	64°	02'	45"
	70	40	27½"

S44 TO S42

(1)	289°	19'	30"
(4)	77°	17'	45"
	289°	19'	26"
(6)	295°	56'	45"
	289	19	27½

78FSOS 247 4-55

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-42 F.B. 1882 PG 114 H.I. 305

SIGHT ON	ROD	± VERTICAL ANGLE	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	± CURVATURE & REFRACTION CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S-42	4.00	- 5° 05' 00"	1922.700				
		- 5° 04' 45"					
		- 5° 04' 52½"	08892022	-170.97		-171.92	
	1.00	- 5° 10' 30"					
		- 5° 10' 30"					
		- 5° 10' 30"	09036720	-174.13		-172.08	
S-44	10.00	- 20° 14' 30"	1823.310				
		- 20° 14' 45"					
		- 20° 14' 37½"	36879831	-672.43		-679.38	
	4.00	- 20° 24' 15"					
		- 20° 24' 00"					
		- 20° 24' 07½"	37194082	-678.16		-679.11	

F.B. 1882 PG. 114

F.B. Pg.

Map No.
Office Work
Checked
Date

W. O. Tape No. Std. °F
Surveyed by J.S. GATES
Notes J.S.C Date 8-1-55
Indexed A. C. Johnson



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

S 43 TO S 42

1) 56° 48' 30"
4) 227° 13' 50"
56° 48' 27 1/2" ✓
6) 340° 50' 30"
56° 48' 25"

B.P. 148 TO B.P.# 147

1) 17° 17' 00"
4) 69° 07' 30"
17° 16' 52 1/2 ✓
6) 103° 41' 10" ✓
17° 16' 51 1/3

S 42 TO S 43

1) 303° 11' 20"
4) 132° 46' 20"
6) 303° 11' 35" ✓
19° 09' 30"
303° 11' 35"

B.P.# 147 TO B.P.# 148

1) 342° 43' 00"
4) 290° 52' 30"
6) 342° 43' 07 1/2 ✓
256° 19' 00"
342° 43' 10"

76P3098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S4+ F.B. 1882 P.G. 116 H.I. 4.65

SIGHT ON	- ROD	+ Vertical - Angle	HORIZONTAL DISTANCE	± VERTICAL DISTANCE	± CURVATURE CORRECTION	± DIFFERENCE ELEVATION	ADJUSTED DIFF. ELEV.
S42	-10.00	+13° 18' 10"	2168.178				
		+13° 18' 00"					
		+13° 18' 05"	2364558	+512.59		+507.24	
	-3.00	+13° 07' 20"					
		+13° 07' 20"					
		+13° 07' 20"	2331618	+505.44		+507.09	
S43	-6.00	+20° 28' 10"	1823.310				
		+20° 28' 20"					
		20° 28' 15"	37330458	+680.65		+679.30	
	-1.00	+20° 19' 50"					
		+20° 20' 00"					
		+20° 19' 55"	37054519	+675.63		+679.27	
B.P.149	-8.50	+13° 02' 40"	1263.473				
		+13° 02' 30"					
		+13° 02' 35"	23165984	+292.70		+288.85	
	-7.50	+12° 59' 30"					
		+12° 59' 40"					
		12° 59' 35"	23074053	+291.53		+288.68	
B.P.#143	-3.00	+11° 44' 50"	1338.949				
		+11° 44' 30"					
		+11° 44' 40"	23189914	+278.37		+280.02	
	-5.00	+11° 49' 30"					
		+11° 49' 10"					
		11° 49' 20"	20931570	+280.26		+279.91	

F.B. 1882 P.G. 116

76F3098 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Map No.
Office Work
Checked
Date

W. O. Tape No. Sht.
Surveyed by
Notes Date
Indexed

F. B. Pg.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. ____ PG. ____

F.B. [illegible] Pg. 151

Map No.
Office Work
Checked
Date

W. Coast Tape No. Srd.
Surveyed by W.S. Cowherd
Notes W.S.C. Date 7/22/54
Indexed 7-28-55

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

SG △ PT's

FROM SG-28 SOUTH SIDE IRON FORKS TO SG-63. 4000'± SOUTH OF VINCENT GAP WITH HORIZONTAL & VERTICAL CONTROLS TO GEODETIC △ PTS IN EAST FORK SAN GABRIEL RIVER

F.B. 1882

PARTIES

W.S. COWHERD
J. TERRANOVA
R. STRADER
E. JOIAFFE
L. NICHOLS
L.Y. SMITH
V. CROWE
M. WACKER
J. FULTON
R. SWAN

J. Dougherty
V. Bowles
G. Sandoval
A. Goble
D. King
J. Henderson
B. Packard

F.B. 1882 PG. 152



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Pages 153 - 230	SG Δ Pts	FROM SG 28 S. Side IRON FORKS To SG 63 4000'± S. VINCENT GAP
231 & 232	———	TIES FROM CAMP BONITA-PRAIRIE FORK RD. TO SG Δ Pts
233	———	ESTABLISHMENT OF Elev. ON SG. 41 & 43 by Trig Methods From USBM R106
235-246	———	LEVELS FROM USBM 2402 TO RI 206 OLD PRAIRIE FORK - CAMP BONITA RD

F. B. _____ PG. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. _____ Trips No. _____ Sht. _____
Surveyed by Daugherty
Notes Daugherty Date 7-19-55
C. Johnson
Indexed _____

S.G. # 28

Set 1" I.P. P&T up 1' on Spur So. side Iron Fork.
3500' East of Fork & 600' out of Bottom



ⓒ 126-29-50	ⓒ 107-47-00	ⓒ 68-19-40	ⓒ 417-23-30
Ⓐ 253-00-00	Ⓐ 215-34-20	Ⓐ 136-39-00	Ⓐ 114-46-40
ⓒ 19-30-00	ⓒ 323-21-00	ⓒ 204-58-40	ⓒ 172-10-20
63° 15' 00"	53° 53' 30"	34° 09' 45"	208° 41' 45"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3085 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T@ S.C. #28 F.B. Pg. H.I. = 4.66

Sta	Rod	± Vertical - Angle
H-2	10.00	+9-06-10 +9-06-00 +9°06'05"
I-12	10.00	+5-03-00 +5-03-20 +5°03'10"
S.C.34	10.00	+3°41'20" +3°41'40" +3°41'30"
S.C.28A	10.00	+2-39-00 +2-38-40 +2°38'50"

F.B. 1882 PG. 154

F. B. 1487 Pg. 155

Map No. _____ W. O. _____ Sup. No. _____ Sh. _____

Office Work _____ Surveyed by Daugherty

Checked _____ Notes Daugherty Date 7-19-55

Date _____ Indexed C Johnson

Set 1" I.P. & Galv. Cap Marked S.C. #28A on Spur So. Side Iron Fork 2700' East of Forks & 600' out of Bot.



② 107-07-20	② 158-33-40	② 67-24-40	② 53-18-50	② 333-36-00
④ 214-14-50	④ 317-07-10	④ 134-49-20	④ 106-37-10	④ 307-11-35
⑥ 321-22-00	⑥ 115-40-50	⑥ 202-14-00	⑥ 159-56-00	⑥ 280-47-40
53° 33' 40"	79° 16' 50"	33° 42' 20"	26° 39' 20"	166° 47' 55"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

78F3095 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T @ S.G.# 28A F.B. Pg. H.I = 4.47

Sta	Rod.	+ Vertical - Angle
H-2	10.00	+8-22-20 +8-22-30 +8°22'25"
I-12	10.00	+4-50-20 +4-50-30 +4°50'25"
S.G.#33	10.00	+4-08-40 +4-08-40 +4°08'40"
S.G.#28	10.00	-1-23-40 -1-23-50 -1°23'45"
S.G.#29	10.00	+0-07-50 +0-08-00 +0°07'55"

F.B. 1382 Pg. 156

F. B. 1202 Pg. 107

Map No.
Office Work
Checked
Date

W. O. Map No. Sht.
Surveyed by Dougherty
Notes Dougherty Date 7-19-55
Indexed C. Johnson

S.G. # 29

Set 1" I.P. & Brass Cap Marked S.G. 29 up 1" on Spur 60' Side Iron Fork 1700' East of Fork & 500' out of Bot.



77-36-20	74-59-20	131-57-30	394-51-20
155-12-50	149-59-00	263-55-10	69-43-10
232-49-50	224-58-40	35-53-00	104-34-20
38°48'15"	37°29'45"	65°58'50"	197°25'45"

40-34-30	45-39-40	62-58-20	23-19-10
81-08-40	91-19-30	125-56-50	46-38-30
121-43-30	136-59-00	188-55-30	69-57-40
20°17'15"	22°49'50"	31°29'15"	11°39'35"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 4.53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T@	S.G.#29		F.B.	Pg.	H.I.=452			
Sta	Rod	+ Vertical - Angle						
S.G 30	10.00	+2-12-50 +2-13-10 +2° 13' 00"						
S.G#32	10.00	+3-01-50 +3-01-50 +3° 01' 50"						
S.G#33	10.00	+5-17-00 +5-17-20 +5° 17' 10"						
S.G#34	10.00	+3-17-30 +3-17-50 +3° 17' 40"						
SG #28A	10.00	+0-26-10 +0-26-30 +0°26' 20"						
T@	S.G #29				H.I=4.35			
H-2	10.00	+7-17-20 +7-17-40 +7°17'30"						
I-12	10.00	+4-31-10 +4-31-30 +4° 31' 20"						

F.B. 1882 Pg. 158

F.B. 108 Pg. 150

Map No.
Office Work
Checked
Date

Survey of
W. O. Map No. Sht.
Surveyed by Dougherty
Notes Dougherty Date 7-20-54
Indexed A. C. Johnson

S.G. #30

Set 1" I.P. & Galv. Cap Marked S.G. #30 on Nose So. of Forks in Iron Fork 450' out of Bot.



② 133-05-30	③ 87-59-00	⑤ 111-34-00	② 60-16-50
④ 266-11-00	⑤ 175-58-00	④ 223-07-20	④ 120-33-40
⑥ 39-16-30	⑥ 263-57-00	⑥ 334-42-00	⑥ 180-50-10
66° 32' 45"	43° 59' 30"	55° 47' 00"	30° 08' 25"

② 387-21-30
④ 54-42-50
⑥ 82-04-00
193° 40' 40"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T @ S.G. 30 F.B. Fq. HI = 4.65

Sta	Rod	+ Vert. - Ang.
S.G#31	10.00	+1-14-40 +1-14-50 +1° 14' 45"
SG#32	10.00	+2-42-40 +2-43-00 +2° 42' 50"
SG#33	10.00	+3-01-00 +3-01-20 +3° 01' 10"
SG#29	10.00	-1-41-30 -1-41-40 -1° 41' 35"

F.B. 1882 Pg. 160

F. B. 140 Pg. 141

Notes Ck'd by [illegible]
Map No.
Office Work
Checked
Date

Survey of [illegible]
W. O. [illegible] Map No. [illegible]
Surveyed by Dougherty
Notes Dougherty Date 7-20-55
C. Johnson
Indexed

S.G. # 31

Set 1" I.P. & Galv. Cap Marked S.G. # 31 on Nose Between No. & So. Forks of Iron Forks 500' out of Bot.



② 36-43-10	② 71°29'20"	② 14-48-10	② 596-59-00
④ 73-26-40	④ 142-58-50	④ 29-36-00	④ 113-58-00
⑥ 110-10-00	⑥ 214-28-30	⑥ 44-24-30	⑥ 350-57-10
18°21'40"	35°44'45"	7°24'05"	298°29'30"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

75F3098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T@ S.G. #31 F.B. Pg H.I = 4.52

Sta	Rod	+ vert. − Ang.
S.G.#32	10.00	+1-48-00 +1-48-10 +1°48'05"
S.G.#33	10.00	+1-45-00 +1-45-10 +1°45'05"
S.G.#29	9.00	−1-23-00 −1-23-20 −1°23'10"
S.G.#30	10.00	−0-37-00 −0-37-10 −0°37'05"

F.B. 1002 Pg. 162

F. B. 102 Pg. 112

Map No.
Office Work
Checked
Date

W. O. Map No. Sht.
Surveyed by Dougherty
Notes Dougherty Date 7-21-55
Indexed C Johnson

S.G#32.

Set 1" I.P. & Galv. Cap Marked S.G#32 upon on Rocky spur. No. side Iron Fork & 500' East of Fork 550' out of Bot.



①	82-50-40	②	103-53-10
③	165-41-00	④	207-46-50
⑤	249-31-40	⑥	311-40-00
	41°25'15"		51°56'40"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 4-55

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T @ S.G.# 32 F.B. Pg. H.I. 4.77

Bta	Rod	± vert. Ang.
S.G#29	10.00	− 2-41-40 − 2-41-40 − 2° 41' 40"
SG#30	10.00	− 2-10-00 − 2-10-10 − 2° 10' 05"
S.G.31	10.00	− 1-17-00 − 1-16-40 − 1° 16' 50"

F.B. 1882 PG. 164

F.B. 1022 Pg. 11

Notes Ck'd by MMCA
Map No.
Office Work
Checked
Date

Survey of
W. O. Map No. Sht.
Surveyed by Daugherty
Notes Bowles Date 7-27-55
Indexed A. C. Johnson

(S-6-33)

Between two Large Boulders on rocky nose 2000' ± N.E. of iron fork of S. fork. 650' out of Bottom of iron forks.



① 46° 24' 40"
② 185° 39' 00"
③ 278° 28' 20"
46° 24' 45"

① 49° 22' 30"
② 197° 30' 20"
③ 296 15' 36"
49° 22' 35"

① 47° 54' 50"
② 191° 39' 00"
③ 287° 28' 30"
47° 54' 45"

① 216° 17' 50"
② 145° 11' 20"
③ 217° 42' 00"
216° 17' 50"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76FSOSS 247 4-55

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T @ S-G-33 | F.B. | Pg | H.I. 5.21

Sta.	Rod.	Vertical angle.
H-2	10.00	+6° 37' 20" +6° 37' 30" 6° 37' 25"
S-G-28	10.00	− 3° 33' 00" − 3° 32' 50" 3° 32' 55"
S-G-29	10.00	− 4° 51' 00 − 4° 50' 50' 4° 50' 55'
S-G-30	10.00	− 2° 37' 40" − 2° 37' 40"

F.B. 1002 PG. 166

F. B. 1005 PG. 117

Notes Ck'd by MUNGE
Map No.
Office Work
Checked
Date

Survey of
W. O. Maps No. Sht.
Surveyed by Daugherty
Notes On ios. Date 2-27-55
Indexed C. Johnson

(S-6-34)

Set by tie point marked [illegible]
on spur 1500' W. of int. Ross Gulch
& Iron Forks. 850' out of Bottom.



① 60° 06' 10"	① 25° 49' 00"
④ 24° 25' 00"	④ 103° 16' 00"
⑤ 00° 37' 40"	⑤ 154° 45' 00"
60° 06' 15"	25° 49' 00"
① 22° 45' 20"	① 251° 19' 20"
④ 91° 01' 20"	④ 285° 17' 00"
⑤ 136° 32' 00"	⑤ 67° 55' 40"
22° 45' 20"	251° 19' 15"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3088 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T @		S-G-34	F.B.	pg	H.I. 4.76			
Sta.	Rod.	Vertical angle.						
H-2	10.00	+7°21'30" +7°21'40" 7°21'35"						
F.I.	10.00	+5°45'00" +5°45'00"						
S-G-28-A	10.00	+3°16'00" +3°16'00"						
S-G-29	10.00	-3°03'00" -3°02'50" 3°02'55"						

F.B. 1682 Pg. 168

F. B. 1am 119 PG.

Map No.
Office Work
Checked
Date

W. O. Tape No. Srd.
Surveyed by Daugherty
Notes Bowles Date 7-27-54
Indexed R. C. Johnson

(S-G-35)

(UP 2") on side Hill 450'± S. of S-G-36 W. side Ross @ 2000'± N-W. of Mt. Ross Gulch & Iron Forks. 400' out of Bottom Ross Gulch.



① 46° 01' 50"	① 49° 52' 00"
⑤ 184° 07' 30"	④ 199° 28' 10"
⑥ 276° 11' 10"	⑥ 299 12' 00"
46° 01' 50"	49° 52' 00"
① 28° 09' 20"	① 235° 56' 40"
④ 112° 37' 50"	④ 223° 46' 40"
⑥ 168° 56' 30"	⑥ 335° 39' 40"
28° 09' 25"	235° 56' 40"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T @ S-G-35 | F.B. | Pg | H.I. 4.74

Sta.	Rod.	Vertical angle.
S-G-36	10.00	+12° 22' 10" +12° 22' 10" 12° 22' 10"
S-G-37	10.00	+ 4° 05' 20" + 4° 05' 30" 4° 05' 25"
S-G-38	10.00	+3° 57' 10" +3° 57' 20" 3° 57' 15"

F.B. 1882 PG. 170

F.B. 100 Pg. 174

Notes Ck'd by [illegible] | Survey of [illegible]
Map No. | W.O. | Map No.
Office Work | Surveyed by Dougherty
Checked | Notes BANKS Date 7-27-55
Date | Indexed K. C. Johnson

S-G-36

Set [illegible] on long spur 300'± W. of Ross Gulch & 2500'± N. of int. of Ross Gulch & Iron Forks & 400' out of Bottom of Ross Gulch.



① 86° 07' 10"
④ 344° 28' 50"
⑤ 156° 43' 10"
86° 07' 10"

① 3° 31' 20"
④ 14° 05' 20"
⑤ 21° 07' 50"
3° 31' 20"

① 270° 21' 30"
④ 1° 25' 50"
⑤ 182° 09' 00"
270° 21' 30"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T @ | S-G-36 | F.B. | Pg | H.I. 4.38

Sta.	Rod	Vertical angle.
S-G-37	10.00	− 6° 29' 00" − 6° 28' 50" 6° 28' 55"
F.I.	10.00	+ 0° 52' 20" + 0° 52' 30" 0° 52' 25"
S-G-35	10.00	− 12° 06' 00" − 12° 05' 50" 12° 05' 55"

F.B. 1882 Pg. 172

F.B. 1111 PG. 179

Name Claim ALLUVIA
Map No.
Office Work
Checked
Date

Survey of
W. O. Map No. Sht. No.
Surveyed by Daugherty
Notes Bowles Date 7-27-55
Indexed A. C. Johnson

(S-G-37)

Set Mag. Monument on Side Hill 600' S. of Ross Gulch & 300' out of Bottom of Ros Gulch.



49° 47' 10"
199° 08' 50"
298° 43' 00"
49° 47' 10"

39° 28' 50"
157° 55' 20"
236° 53' 10"
39° 28' 50"

44° 19' 40"
177° 18' 50"
265° 58' 00"
44° 19' 40"

226° 24' 20"
185° 37' 40"
278° 26' 40"
226° 24' 25"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T @ S-G-37 F.B. Pg H.I. 4.49

Sta	Rod	vertical angle.
H-2	10.00	+5° 32' 00" +5° 32' 10" 5° 32' 05"
F-1	10-00	+2° 02' 20" +2° 02' 30" 2° 02' 25"
S-G-35	10-00	-3° 42' 10" -3° 42' 00" 3° 42' 05"
S-G-36	10-00	+6° 59' 30" +6° 59' 20" 6° 59' 25"

F.B. 1082 Pg 174

F. B. 141 Pg. 172

Map No.
Office Work
Checked
Date

W. O. Type No. Sht. of
Surveyed by Daugherty
Notes Bowles Date 7-27-55
C Johnson
Indexed

(S-G-38)

Set 1" I.P. & cap up 2" marked S-G-38 on side Hill N.W. of iron forks & 1000' W. of S-G-39 (1250 out of Bottom.



① 19° 46' 40"
④ 79° 07' 20"
⑥ 118° 41' 10"
19° 46' 50"

① 36° 02' 50"
④ 144° 11' 10"
⑥ 216° 16' 40"
36° 02' 45"

① 12° 16" 00"
④ 49° 04' 00"
⑥ 73° 36' 00"
12° 16' 00"

① 5° 43' 10"
④ 22° 53' 00"
⑥ 34° 19' 20"
5° 43' 10"

① 12° 47' 10"
④ 51° 08' 50"
⑥ 76° 43' 20"
12° 47' 10"

① 18° 41' 40"
④ 74° 46' 40"
⑥ 112° 10' 00"
18° 41' 40"

① 8° 51' 10"
④ 35° 24' 50"
⑥ 53° 07' 10"
8° 51' 10"

① 245° 51' 00"
④ 263° 24' 00"
⑥ 35° 05' 20"
245° 51' 00"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F309 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

	T	@ S-G-38	F.B.	P.G	H.I. 4-56		
Sta.	Rod	± Vertical angle.					
H.2	10.00	+ 6° 06' 40" + 6° 06' 50" 6° 06' 45"					
H.3	10.00	- 00° 48' 50" - 00° 48' 50"					
F.1.	10.00	+ 01° 49' 10" + 01° 49' 20" 01° 49' 15"					
S-G-28	10.00	- 3° 58' 00" - 3° 57' 50" 3° 57' 55"					
S-G-28-A	10.00	- 03° 45' 00" - 03° 44' 50" 3° 44' 55"					
S-G-34	10.00	- 3° 47' 00" - 3° 47' 00" 3° 47' 00"					
F-12	10.00	+ 8° 20' 30" + 8° 20' 40" 8° 20' 35"					
S-G-35	10.00	- 3° 39' 00" - 3° 39' 00" 3° 39' 00"					

F.B. 1802 PG. 176

F. B. 104 Pg. 1-7

Map No.
Office Work
Checked
Date

W. O. Tape No. Sht.
Surveyed by Dougherty
Notes Bowles Date 7-27-55
Indexed C Johnson

(S-G-39)
set 1" I.P. & cap marked S-G 39 (Up 1")
on nose N. & W. of Iron fork - 1400 ft.
out of Bottom.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
728 LOS ANGELES COUNTY
ENGINEERING BLDG.



(1) 44° 20' 30"
(4) 177° 22' 10"
(6) 266° 03' 20"
44° 20' 30"

(2) 68° 09' 50"
(4) 272° 39' 10"
(6) 48° 58' 30"
68° 09' 45"

(1) 16° 43' 00"
(4) 66° 51' 50"
(6) 100° 17' 30"
16° 42' 55"

(2) 38° 48' 20"
(4) 155° 13' 00"
(6) 232° 49' 40"
38° 48' 15"

(2) 12° 57' 10"
(4) 51° 49' 00"
(6) 77° 42' 50"
12° 57' 10"

(2) 4° 56' 00"
(4) 19° 44' 00"
(6) 29° 36' 00"
4° 56' 00"

(2) 14° 30' 20"
(4) 58° 01' 40"
(6) 87° 02' 50"
140° 30' 25"

(1) 13° 21' 10"
(4) 53° 24' 40"
(6) 80° 07' 10"
13° 21' 10"

(2) 146° 13' 40"
(4) 224° 54' 20"
(6) 157° 21' 30"
146° 13' 40"

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T @ S-G-39 F.B. P'g. H.I. = 4.65

Sta.	Rod	± vertical angle
J-10	10.00	+ 07° 02' 50" + 07° 03' 00" 07° 03' 55"
I-12	10.00	+ 04° 51' 10" + 04° 51' 20 04° 51' 15"
H.2	1.0	+ 05° 38' 40" + 05° 38' 40" 05° 38' 40"
H.3	10.00	- 01° 26' 10" - 01° 26' 10 01° 26' 10"
F-1	10.00	+ 00° 49' 20" + 00° 49' 30" 00° 49' 35"
S-G-28	10.00	- 4° 32' 06" - 4° 31' 50" 4° 31' 55"
S-G-28A	10.00	- 4° 17' 20" - 4° 17' 20" 4° 17' 20"
S-G-34	10.00	- 4° 24' 00" - 4° 23' 50" 4° 23' 55"
F.12	10.0	+ 4° 56' 50" + 4° 57' 00" 4° 56' 55"

F.B. 1082 PG. 178

F. B. _____ PG. 178

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. _____ Tape No. _____ Sht. _____
Surveyed by W. Cowlishaw
Notes MSC Date 2/21/55
A. C. Johnson
Indexed _____

SG-40

Set 3/4" Galv. Pipe & Cap opt. Top of Spun & Tunnel site.
2000'± Wly & 1000'± Nly of Inter FISH FORK & E. FORK
SAN GABRIEL RIVER. W. side SAN GABRIEL RIVER



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 6-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at SG-40 | F.B. 1882 | Pg # 179 | +I, 4.27

Sight on	Rod	+Vertical -Angle	Horizontal -Distance	+Vertical -Distance	+Curvature correction	+Difference -Elevation	Adjusted Diff. Elev.
H-2	10.00	+03 17 30 +23 18 00 +03 17 45					
I-12	10.00	+23 04 30 +03 05 00 +03 04 45					
J-10	10.00	+26 55 30 +06 56 00 +06 55 45					
J-10 To I-12	2) 4) 6)	111 12 00 202 23 30 333 35 00 55 35 50	I-12 To H-2	2) 4) 6)	116 09 30 230 19 00 348 28 30 58 04 45	H-2 To J-10	2) 132 39 00 4) 265 18 00 6) 37 57 00 246 19 30

F.B. 1882 Pg. 180

F. B. _____ Pg. 101

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. _____ Type No. _____ Sht. _____
Surveyed by W. S. Cowherd
Notes WSC Date 7/20/55
Indexed R. C. Johnson

SG-41

Set 3/4" Galv. Pipe & Cap "P.L." Stamped SG-41 Top of SPUR. 1700' E. W. of & 2600' N. of Confl. of FISH FORK & E. FORK of SAN GABRIEL RIVER at Approx. 4700' Elev. On W. side of CYN.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at		SG-41	F.B. 1882	B.M. 181	H.I. 4.10			
Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature correction	+ Difference - Elevation	Adjusted Diff Elev.	
SG 43	10.00	+ 13 19 30 + 13 20 00 + 13 19 45						
J-9	5.00	+ 06 50 30 + 06 51 00 + 06 50 45						
J-10	10.00	+ 07 12 00 + 07 12 30 + 07 12 15						
I-12	10.00	+ 02 02 00 + 02 02 30 + 02 02 15						
SG-43 to J-9		(2) 116 58 00 (4) 233 55 45 (6) 350 53 30 58 29 00	J-9 to I-12	(2) 159 16 15 (4) 318 32 30 (6) 477 49 00 79 38 10	J-9 to J-10	(2) 35 48 00 (4) 71 36 00 (6) 107 24 15 17 54 00	I-12 to SG-43	(2) 83 45 45 (4) 167 31 30 (6) 251 17 30 221 52 53

F.B. 1882 Pg. 184

F. B. [illegible] Pg. 1 [illegible]

Map No.
Office Work
Checked
Date

Surveyed by W. S. Cowherd
Notes W S C Date 7/28/53
C. Johnson
Indexed

SG-42

Set 3/4" Galv. Pipe & Cap upt. Stamped SG-42 on N. side of spur 300'± S. of Gulley 2200'± W'ly of Inter. Gulley & E. FORK. SAN GABRIEL RIVER. Gulley 3000'± N. of FISH FORK. W. side San Gabriel River



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at SG-42 | F.B. 1882 | Pg # 183 | +C. 4.12

Sight on	Rod	+Vertical -Angle	Horizontal Distance	+Vertical -Distance	+Curvature Correction	+Difference -Elevation	Adjusted Diff. Elev.
SG-43	10.00	+ 23 14 30 + 23 15 00 + 23 14 45					
J-9	10.00	+ 06 46 30 + 06 47 00 + 06 46 45					
J-10	10.00	+ 06 40 30 + 06 41 00 + 06 40 45					
I-12	10.00	+ 00 58 00 + 00 58 30 + 00 58 15					

SG 43 to J-9	R	125	23	15	J-9 to I-12	(2)	159	44	45	J-10 to I-12	(2)	117	03	00	I-12 to SG 43	R	74	51	45
	(1)	250	46	30		(1)	319	29	30		(1)	234	06	15		(4)	149	43	30
	(6)	14	12	00		(6)	119	14	30		(3)	351	09	30		(6)	224	35	10
		62	41	40			79	52	25			58	31	30			217	05	55

F.B. 1882 Pg. 184

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 77 Type No. ____ Sta. ____
Surveyed by L. V. SMITH - COWLEAD
Notes L. V. SMITH Date 7-20-55
Indexed M. C. Johnson

SG 43

SET 4 I.P. WITH CAP OF L.A.C. SURVEY SG 43 PIPE SET ON TOP OF HIGH RIDGE ON SOUTH SIDE OF ALDER GULCH ON PROPOSED TUNNEL SITE.



Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-G-43 F.B. 1882 PG. 185 H.I. 5.01

SIGHT ON	-ROD	+VERTICAL - ANGLE	HORIZONTAL DISTANCE	+VERTICAL CURVATURE -DISTANCE CORRECTION	+DIFFERENCE -ELEVATION	ADJUSTED DIFF. ELEV.
J-9	-10.00	+3-50-20				
		+3-50-20				
		+3-50-20				
J-10	-10.00	+2-33-20				
		+2-33-40				
		+2-33-30				
I-12	10.00	-3-05-20				
		-3-05-00				
		-3-05-10				

J-9 to J-10

1)	24°	-10	-10"
4)	96	40	40
6)	145	01	20
	24°	10'	13"

J-10 to I-12

1)	54°	20'	10"
4)	217	20	40
6)	326	01	00
	54°	20'	10"

I-12 to J-9

1)	281°	29'	30"
3)	248	58	40
	281°	29'	42"

F.B. 1882 PG. 186

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. _____ Tape No. _____ Sp'd. _____
Surveyed by W. COLLINGWOOD
Notes L.V. SMITH Date 7-20-55
Indexed R. C. Johnson

SG #43A

SET 4" I.P. WITH CAP ON TOP OF 3/4" PIPE SET ON N. SLOPE OF RIDGE ON SOUTH SIDE OF ALDER GULCH. 200 ± FT. OF NORTH END OF PROPOSED TUNNEL SITE.



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION SG-15A F.B. 1882 PG. 187 H.I. 4.82

SIGHT ON	-ROD	+VERTICAL -ANGLE	HORIZONTAL DISTANCE	+VERTICAL-CURVATURE -DISTANCE CORRECTION	+DIFFERENCE -ELEVATION	ADJUSTED DIFF. ELEV.
SG46	-10.00'	+3°-26'-00"				
		+3-26-20				
		+3-26-10				
SG-47	-10.00'	+4-33-40				
		+4-34-00				
		+4-33-50				
K-8	-10.00'	+7-28-40				
		+7-28-40				
		+7-28-40				
J.9	-10.00	+7-04-00				
		+7-04-20				
		+7-04-10				
J-10	-10.00	+6-17-00				
		+6-17-20				
		+6-17-10				

SG-46 to SG-47

1)	48°	02'	20"
4)	192	09	00
6)	288	13	40
	48°	02'	17"

SG-47 to K-8

1)	24°	26'	10"
4)	97	45	00
6)	146	38	50
	24°	26'	20"

K-8 to J-9

1)	13°	31'	40"
4)	54	06	40
6)	81	10	20
	13°	31'	43"

J-9 to J-10

1)	26°	19'	20"
4)	105	17	30
6)	157	56	10
	26°	19'	22"

J-10 to SG-46

1)	247°	40'	20"
4)	270	41	00
6)	46	01	30
	247°	40'	15"

F.B. 1882 PG. 187

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 72 Page No. _____ Sht. _____
Surveyed by L.V. SMITH & W. COMBERD
Notes L.V. SMITH Date 7-19-54
C. Johnson
Indexed _____

SG 44

SET 3/4" I.P. WITH CAP ON 1/2" REB. STAMPED SG 44
PIPE SET ON SLOPE ON SOUTH SIDE OF ALDER GULCH 4250 ± W. OF JUNCTION OF ALDER GULCH & EAST FORK SAN GABRIEL RIVER.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION SG 44 F.B. 1882 PG 189 H.I. 4.91

SIGHT ON	-ROD	+VERTICAL -ANGLE	HORIZONTAL DISTANCE	+VERTICAL CURVATURE -DISTANCE CORRECTION	+DIFFERENCE -ELEVATION	ADJUSTED DIFF. ELEV.
SG 45	-5.00	+3° 36' 20"				
		+3 36 20				
		+3 · 36 · 20				
SG 46	-10.00	+4° 01' 20"				
		+4 01 20				
		+4 01 20				
SG 47	-10.00	+3 06 00				
		+3 06 20				
		+3° 06' 10"				

	SG-45 to SG-46	SG-46 to SG-47	SG-47 to SG-45
1)	53° 01' 40"	1) 62° 42' 00"	1) 244° 16' 20"
4)	212 06 20	4) 250 47 40	4) 257 06 00
6)	318 09 40	6) 16 12 00	6) 25 38 40
	53° 01' 37"	62° 42' 00"	244° 16' 27"

F.B. 1882 PG. 190

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. _____ Tape No. _____ Srd. _____
Surveyed by L. SMITH - W. JOHNSON
Notes L. V. S. Date 7/8/55
Indexed A. C. Johnson

SG 45

SET P & L.P. WITH CAP ON 1" GALVANIZED IRON PIPE SET ON SMALL SPUR ON SOUTH SIDE OF ALDER GULCH 5200± W. OF JUNCTION OF ALDER GULCH & EAST FORK SAN GABRIEL RIVER



Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not attend notes this side of this line.

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION SG 45 F.B. 1862 PG 191 H.I. 4.68

SIGHT ON	ROD	+VERTICAL -ANGLE	HORIZONTAL DISTANCE	+VERTICAL -DISTANCE	+CURVATURE CORRECTION	+DIFFERENCE -ELEVATION	ADJUSTED DIFF. ELEV.
SG 46	-10.00	+ 1° 04' 40"					
		+ 1 05 00					
		+ 1 04 50					
SG 44	-10.00	-3° 11' 00"					
		-3 10 40					
		-3° 10' 50"					

SG-46 to SG-44

1)	71°	26'	50"
4)	285	47	20
6)	68	46	40
	71°	26'	47"

SG-44 to SG-46

1)	288°	33'	10"
4)	74	14	20
6)	291	19	10
	288°	33'	12"

F.B. 1862 PG. 192

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 47 Tape No. _____ Sp'd. _____
Surveyed by L. SMITH - W. COWGER II
Notes L. V. SMITH Date 7/18-55
C Johnson
Indexed _____

S.G. 46

SET ¾ I. P. WITH CAP OF 1" GAS STRAIGHT PIPE SET ON SLOPE ON NORTH SIDE OF ALDER GULCH. 4500' WEST OF JUNCTION OF ALDER GULCH & EAST FORK SAN GABRIEL RIVER.



Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION SG 46 F.B. 1882 PG 193 H.I. 5.03

SIGHT ON	ROD	+VERTICAL - ANGLE	HORIZONTAL DISTANCE	+VERTICAL - DISTANCE	+CURVATURE CORRECTION	+DIFFERENCE -ELEVATION	ADJUSTED DIFF. ELEV.
J-10	-10.00	+ 4° 42' 00" + 4 42 20 + 4 42 10					
I-12	-10.00	- 0° 26 40 - 0 26 20 - 0 26 30					
SG 43A	-10.00	- 3° 09' 00" - 3 08 40 - 3° 08 50					
SG 44	-10.00	- 3° 20 20 - 3 20 00 - 3 20 10					
SG 45	-5.00	- 0 39 20 - 0 39 00 - 0 39 10					
SG 47	-10.00	+ 1° 35 20 + 1 35 40 + 1 35 30					

J-10 to I-12

1) 42° 05' 00"
4) 168 20 00
6) 252 30 20
42° 05' 03"

I-12 to SG-43A

1) 12° 10' 10"
4) 48 40 40
6) 73 01 30
12° 10' 15"

SG-43A to SG-44

1) 23 41 40
4) 94 46 40
6) 142 10 20
23 41 43

SG-44 to SG-45

1) 55° 31' 30"
4) 222 06 20
6) 333 09 40
55° 31 37

SG-45 to SG-47

1) 214° 30' 30"
4) 138 02 00
6) 207 03 00
214° 30' 30"

SG-47 to J-10

1) 12° 00' 40"
4) 48 02 40
6) 72 04 00
12° 00' 40"

SG-47 to SG-43A

1) 66° 16' 00"
4) 265° 04 00
6) 397 36 00
66° 16' 00"

F.B. 1882 PG. 194

F. B. _____ Pg. 104

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 7777 Type No. _____ Sta. _____
Surveyed by L. V. SMITH
Notes L.V.S. Date 7/18/55
Indexed R. C. Johnson

SG 47

SET 3/4" I.P. WITH CAP UP 1.0 ON STONE MOUND
PIPE SET ON NORTH SLOPE OF ALDER GULCH. 1400± NORTH & 1400± W'LY OF JUCTION OF ALDER GULCH & EAST FORK SAN GABRIEL RIVER.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not erase notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AS STATION SG 47 FB 1882 PG 195 H.I. 4.68

SIGHT ON	ROD	VERTICAL ANGLE	HORIZONTAL DISTANCE	+VERTC. -DISTANCE	+CURVATURE CORRECTION	+DIFFERENCE -ELEVATION	ADJUSTED ELEV.
J-10	-10.00	+5° 30' 10" +5 30 40 +5-30-25					
I-12	-10.00	-0-44-00 -0 43-40 -0-43-50					
H-2	-10.00	+0 01 50 +0 02 20 +0-02-05					
S.G.43A	-10.00	-4-16-00 -4-15-40 -4 15 50					
S.G.44	-10.00	-2 47 00 -2 46 30 -2-46-40					
SG46	-10.00	-1° 14' 20 -1 14 00 -1-14-10					

J10 TO I12

1) 47° 16' 40
4) 189 07 00
6) 283 40 20
47° 16' 43"

I-12 TO H-2

1) 22° 50' 40"
4) 91 22 40
6) 137 04 20
22° 50' 43"

H-2 TO SG 43A

1) 29° 07' 10"
4) 116 29 00
6) 174 44 00
29° 07' 20"

SG43A TO SG44

1) 38° 21' 10"
4) 153 25 30
6) 230 08 20
38° 21' 23"

SG44 TO SG 46

1) 27° 20' 00"
4) 109 20 40
6) 164 01 00
27° 20' 10"

SG46 TO J-10

1) 195 03 30
4) 60 14 00
6) 90 21 10
195 03 32

SG-43A TO SG-46

1) 65° 41' 30"
3) 262° 46' 20"
3) 34° 59' 38"
65° 41' 35"

F.B. 1882 Pg. 196

F. B. 1004 Pg. 107

Map No.
Office Work
Checked
Date

W. O. 572 Type No. Sta.
Surveyed by K-V. SMITH
Notes K-V-S- Date 7/18/55
Indexed K. C. Johnson

S.G. 48

SET 3/4" I.P. WITH CAP STAMPED S.G. 48 IN 6" ALDER PIPE SET ON HIGH RIDGE ON NORTH SIDE OF ALDER GULCH 7.100' E. OF PROPOSED CENTER LINE.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT RT S.G. 48 F.B. 1882 PG. 197 H.I. 4.66

SIGHT ON	ROD	± VERTICAL - ANGLE	HORIZONTAL DISTANCE	± VERTICAL - DISTANCE	CURVATURE & REFRACTION	SURFACE ELEVATION	CONTROL
K-8	-10.00	+8 29 00					
		+8 29 20					
		+8 29 10					
J. 9	-10.00	+7-48-00					
		+7-48-00					
		+7° 48' 00					
J-10	-10.00	+5-46-20					
		+5-46-40					
		+5-46-30					
S.G. 43	-10.00	+5-05-00					
		+5-05-20					
		+5-05-10					

F.B. 1882 PG. 198

	K-8 TO J-9			J-9 TO J-10			J-10 TO SG 43			SG 43 TO K 8		
1)	19°	13'	50"	1) 35°	36'	50"	1) 99°	26'	50	1) 205°	42'	00
4)	76	55	40	4) 142	28	00	4) 37	47	20	4) 102	48	00
6)	115	23	40	6) 213	42	20	6) 236	41	00	6) 154	12	00
	19°	13'	57"	35°	37'	03"	99°	26'	50"	205°	42'	00"

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. _____ Topo No. _____ Sht. _____
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 7-1955
Indexed C. Johnson

SG 49

OFF SAN F. WITH [illegible] PIPE SET ON SMALL SPUR 5000' ± SOUTH OF E 2400' ± WEST OF JUNCTION OF MINE GULCH & PRAIRIE FORK WITH EAST FORK SAN GABRIEL RIVER.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 SAE #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION S-G 49 F.B. 1882 PG. 199 H.I. 4.67

SIGHT ON	ROD	+VERTICAL -ANGLE	HORIZONTAL DISTANCE	+VERTICAL -DISTANCE	+CURVATURE CORRECTION	+DIFFERENCE -ELEVATION	ADJUSTED DIFF. ELEV.
K-6	-5.00	+4° 31' 00" +4 31 20 +4° 31' 10"					
K-8	-10.00	+9 02 20 +9 02 40 +9° 02' 30"					
J-9	-10.00	+7° 46' 40" +7 47 00 +7° 46' 50"					
J-10	-10.00	+4 43 00 +4 43 20 +4 43 10					

K-6 TO K-8

1)	38°	19'	40"
4)	153	18	40
6)	229	58	00
	38°	19'	40"

K-8 TO J-9

1)	23°	26'	30"
4)	93	46	30
6)	140	39	10
	23°	26'	32"

J-9 TO J-10

1)	37°	12'	20"
4)	148	50	00
6)	223	14	30
	37°	12'	25"

J-10 TO K-6

1)	261°	01'	20"
4)	324	05	20
6)	126	08	00
	261°	01'	20"

F.B. 1882 PG. 200

F. B. _____ PG. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. _____ Tape No. _____ Sht. _____
Surveyed by L. SMITH & W. CANFIELD
Notes L.V. SMITH Date 7-15-55
Indexed C. Johnson

SG 50

SET 4" I.P. WITH CAP STAMPED SG 50 IN CONCRETE
PIPE SET ON TOP OF RIDGE ON PROPOSED
[illegible] 3000' SOUTH & 2200' WEST OF
JUNCTION OF MINE GULCH & PRAIRIE FORK WITH
EAST FORK SAN GABRIEL RIVER.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION SG-50 F.B. 1882 PG. 201 H.I. 4.62

SIGHT ON	-ROD	+VERTICAL -ANGLE	HORIZONTAL DISTANCE	+VERTICAL +CURVATURE -DISTANCE CORRECTION	+DIFFERENCE -ELEVATION	ADJUSTED DIFF. ELEV.
H-7	-10.00	+ 0° 19' 20" + 0 19 40 + 0° 19' 30"				
K-8	-9.00	+ 6° 18' 40" + 6 19 00 + 6° 18' 50"				
J-9	-10.00	+ 4° 07' 00" + 4 07 20 + 4° 07' 10"				
J-10	-10.00	+ 1° 13' 40" + 1 14 00 + 1° 13' 50"				

H-7 TO K-8

1)	91° 26'	50"
4)	05 47	30
6)	188 41	00
	91° 26'	50"

K-8 TO J-9

1)	24° 31'	10"
4)	98 06	0
6)	147 10	50
	24° 31'	05"

J-9 TO J-10

1)	32° 04'	40"
4)	128 19	20
6)	192 28	40
	32° 04'	47"

J-10 TO H-7

1)	211° 56'	20"
4)	127 46	00
6)	191 39	00
	211° 56'	30"

F.B. 1882 PG. 202

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. 5241 Tape No. _____ Sht. _____
Surveyed by L. Smith - W. Sowers
Notes L.M.S. Date 8-24-55
Indexed K. O. Johnson

96 51

SET S.C.E. WITH CHISEL MARK ON TOP OF 1" GALV. IRON PIPE SET ON E. SLOPE OF SPUR 3000' ± WEST & 2500' ± SOUTH OF JUNCTION OF MINE GULCH & PRAIRIE FORK WITH EAST FORK SAN GABRIEL RIVER



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION SG 51 FB1882 PG 203 H.I. 4.17

SIGHT ON	ROD	+VERTICAL - ANGLE	HORIZONTAL DISTANCE	+VERTICAL CURVATURE - DISTANCE CORRECTION	+DIFFERENCE - ELEVATION	ADJUSTED DIFF. ELEV.
K-8	-10.00	+6°-34-40 +0 00 00 +6°34-40				
J-9	-10.00	+4°28-40 +4-29-00 +4-28-50				

K-8 TO J-9

1)	20°	41'	10"
4)	82	45	20
6)	124	07	30
	20°	41'	15"

J-9 TO K-8

1)	339°	18'	50"
4)	2	15	20
6)	235	53	00
	339°	18'	50"

F.B. 1882 PG. 204

F. B. _____ PG. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. _____ Tape No. _____ Srd. _____
Surveyed by _____
Notes L.V.S. Date 2/19/54
C Johnson
Indexed _____

S.G. #52



Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STA S.G. "52 F.B. 1882 PG. 205 H.I. 4.56

SIGHT ON	ROD	VERTICAL ANGLE	HORIZONTAL DISTANCE	+ VERTICAL CORRECTION	CURVATURE CORRECTION	REFRACTION CORRECTION	ADJ. ELEV.
I-7	-10.00	+ 0 -57-40					
		+ 0 -58 00					
		+ 0 -57 50					
K-8	-10.00	+ 6 -26-40					
		+ 6 -26 40					
		+ 6 -26 40					
J-9	-10.00	+ 4 -06 40					
		+ 4 07 00					
		+ 4 -06 50					

I-7 to K-8

3) 72° 45' 50"
4) 291 03 40
6) 76 35 20
72° 45' 53"

K-8 to J-9

1) 20° 51' 50
4) 83 27 2
6) 125 11 3
20° 51' 53"

J-9 to I-7

1) 266 22 00
4) 345 28 40
6) 138 13 00
266° 22' 10"

F.B. 1882 PG. 206

F. B. 1120 Pg. 2

Map No.
Office Work
Checked
Date

Surveyed by W.S. Cowherd
Notes W S C Date 7/13/55
Indexed R. G. Johnson

H-7-SG52-A

Set ¾" Galv. Pipe & Cap Stamped H-7= SG-52-A up 1"
½ mile S.W'ly from Inter of MANE & YINGENT GULCH & PRAIRIE FORK
at approx. the 5650' elev. on top of ridge



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3008 247 4-53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at H-7 = SG-52-A FB 1882, Pg # 8 HI = 4.99

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev
SG-57	10.00	+ 07 00 10					
		+ 07 00 10					
		+ 07° 00' 10"					
SG-59	10.00	+ 08 22 30					
		+ 08 22 30					
		08° 22' 30"					
I-7	10.00	- 00° 36' 00"					
		- 00 36 00					
		- 00 36 00					
J-9	10.00	+ 03 02 20					
		+ 03 02 20					
		+ 03 02 20					
SG-50	10.00	- 00 08 50					
		- 00 08 50					
		- 00 08 50					

F.B. 1882 Pg. 206

SG-57 to SG-59	(2)	74	46	40	SG-59 to I-7	(2)	62	11	40	I-7 to J-9	(2)	191	46	80	J-9 to SG-50	(2)	86	33	40
	(4)	149	33	20		(4)	124	23	20		(4)	23	32	40		(4)	173	07	20
	(6)	224	19	50		(6)	186	34	40		(6)	215	18	50		(6)	259	41	00
			37	23	20			31	05	50			95	53	10			43	16	50
SG-50 to SG-57	(2)	304	41	50															
	(4)	249	03	40															
	(6)	194	05	20															
			152	20	35														

Name Ck'd by _____ Survey of _____ F. B. _____ Pg. _____

Map No. _____ W. O. _____ Maps No. _____ Sh'ts _____

Office Work _____ Surveyed by W. S. Cowherd

Checked _____ Notes W.S.C Date 7/1/55

Date _____ Indexed _____ C. Johnson

SG-53

Set 3/4" Galv. Pipe & Cap Stamped SG-53 up 1" on South Side MINK GULCH. Top of Spur 3409 ± Wly of Inter. MINK & VINCENT GULCH. & PRAIRIE FORK.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at SG-53 | FB 1882 | Pg 209 | 41 = 4.97

Sight on	Rod	+ Vertical − Angle	Horizontal Distance	+ Vertical − Distance	+ Curvature Correction	+ Difference − Elevation	Adjusted Diff. Elev.
SG-54	5.00	+ 11 47 00 + 11 47 00 + 11 47 00					
SG-57	10.00	+ 09 17 30 + 09 17 30 + 09 17 30					
SG-58	10.00	+ 06 52 30 + 06 52 30 + 06 52 30					
SG-59	10.00	+ 08 31 20 + 08 31 20 + 08 31 20					

F.B. 1882 PG. 212

SG 54 to SG 57	(2) 71 10 40 (4) 142 21 40 (6) 213 32 20 35 35 20	SG-54 to SG-58	(2) 122 21 40 (4) 244 43 20 (6) 07 05 00 61 10 30	SG-57 to SG-59	(2) 107 12 20 (4) 214 24 40 (6) 321 37 20 53 36 10	SG-50 to SG-54	(2) 181 37 00 (4) 03 14 00 (6) 184 50 40 270 48 30

F. B. [illegible] PG. 211

Map No.
Office Work
Checked
Date

Surveyed by W. S. Coulson
Notes W & C Date 7/13/53
Indexed C Johnson

SG-54

Set 3/4" Galv. Pipe & Cap 2'± 5 Tamped SG-54 on top spur. South side MINE GULCH. 500'± S/y from FORKS and 1 mile W'ly of Inter PRAIRIE PARK - MINE GULCH



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1882 Pg. 210

Transit at		SG-54	F.B. 1882	Pg # 211	H.I. 4.56			
Sight on	Rod	+Vertical -Angle	Horizontal Distance	+Vertical -Distance	+Curvature -correction	+Difference -Elevation	Adjusted Diff Elev.	
SG-58	10.00	+ 02 32 00						
		+ 02 32 00						
		+ 02 32 00						
SG-59	10.00	+ 03 54 00						
		+ 03 54 00						
		+ 03 54 10						
I-7	10.00	- 05 28 40						
		- 05 28 00						
		- 05 28 30						
SG-53	5.00	- 11 46 00						
		- 11 45 40						
		- 11 45 50						
SG-55	10.00	+ 03 48 20						
		+ 03 48 40						
		+ 03 48 30						
SG-56	10.00	+ 05 09 00						
		+ 05 09 00						
		+ 05 09 00						
SG-57	10.00	+ 05 06 20						
		+ 05 06 00						
		+ 05 06 20						
SG 57 to I-7		157 00 50	SG 57 To SG 59	95 25 00	SG-58 To SG 53	191 39 40	SG-59 To SG-53	140 39 40
		314 01 30		190 50 00		23 19 20		281 19 10
		10 02 30		286 15 0		214 59 00		61 58 40
		78 30 25		47 42 30		95 49 50		70 19 45
SG-53 To SG55		342 05 30	SG-55 To SG 57	141 50 00	SG-56 To SG 57	105 00 20		
		324 11 10		603 40 00		810 12 40		
		306 16 40		65 29 40		315 19 20		
		171 02 45		70 55 00		52 33 10		

F. B. 1059 Pg. 213

Map No.
Office Work
Checked
Date

W. O. Map No. Sht. of
Surveyed by W. S. Cowherd
Notes W.S.C. Date 7/20/53
Indexed C. Johnson

SG-55

Set ¾" Galv. Pipe & Cap "P.T." Top of Spur S. end Tunnel, 800'± W'ly of Forks in MINE GULCH & 6000'± W'ly of PRAIRIE FORK & MINE GULCH INTER.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1882 Pg. 214

Transit at		SG-55	F.B. 1882	Pg # 213	T.E. = 4.79		
Sight on	Rod	+Vertical -Angle	Horizontal Distance	+Vertical -Distance	+Curvature Correction	+Difference -Elevation	Adjusted Diff Elev.
SG-57	10.00	+ 02 56 40					
		+ 02 57 00					
		+ 02 56 50					
SG-54	10.00	- 03 10 40					
		- 03 10 00					
		- 03 10 30					
I-7	10.00	- 05 13 40					
		- 05 13 00					
		- 05 13 30					
SG-57 To I-7	(2)	95 14 10	SG-57 To SG54	(2) 145 03 20	SG-54 To SG-57	(2) 214 56 40	
	(M)	190 28 30		(M) 290 06 40		(M) 69 53 10	
	(2)	285 42 40		(2) 75 10 00		(2) 284 49 40	
		47 37 05		72 31 40		287 08 20	

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. Comer Tape No. _____ Sht. _____
Surveyed by M. Cowan
Notes M.S.C Date 2/19/53
Indexed R. C. Thompson

SG-56

Set ¾" Galv. Pipe & Cap up 1" on Top Spur S. Side MINE GULCH 150'± E. of N. end of Tunnel, 1000'± N. of FORKS



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

4

Transit at SG-56 | F.B. 1882 | Pg 215 | H.I = 3.72

Sight on	Rod	+Vertical -Angle	Horizontal Distance	+Vertical -Distance	+Curvature -Correction	+Difference -Elevation	Adjusted Diff. Elev.
SG-57	10.00	+ 01° 01' 40" + 01° 02' 00" + 01° 01' 50"					
SG-54	10.00	- 04 39 20 - 04 39 00 - 04 39 10					
I-7	10.00	- 05 41 40 - 05 41 20 - 05 41 30					
SG57 to SG54	D H V	143 44 30 287 29 00 71 13 30 71 52 15	I7 to SG54	D H V 37 30 30	SG-54 to SG57	D H V R88 07 40	

F.B. 1882 Pg. 216

F. B. 1892 Pg. 117

Map No.
Office Work
Checked
Date

W. O. [illegible] Maps No. Sht. of
Surveyed by Wm. Couchell
Notes W.S.C. Date 7/22/55
Indexed R. G. Johnson

SG-57

Set ¾" Galv. ~~Pipe~~ up 1' stamped SG-57 Top of spur 1000'± N of Forks in MINK GULCH, 6000'± NWly of Inter. of PRAIRIE FORK & MINK GULCH



Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at SG-57 | F.B. 1882 | Pg # 217 | H.I = 4.54

Sighted	Rod	+Vertical -Angle	Horizontal Distance	+Vertical -Distance	+Curvature Correction	+Difference -Elevation	Adjusted Diff Elev.
SG-59	10.00	+ 02 08 40 + 02 08 40 + 02 08 40	0374 4510 2547.500	+95.39		+89.93	
I-7	10.00	- 07 19 40 - 07 19 20 - 07 19 30	1285 4647 4022.745	-517.11		-522.57	
H-7	10.00	- 06 52 40 - 06 52 20 - 06 52 30	1205 7060 3997.385	-481.97		-487.43	
SG-54	10.00	- 04 41 40 - 04 41 20 - 04 41 30	0820 6854 1516.142	-124.43		-129.89	
SG-55	10.00	- 02 33 40 - 02 33 20 - 02 33 30	0446 8102 1502.127	-67.12		-72.58	
SG-56	5.00	- 00 44 40 - 00 44 20 - 00 44 30	0129 4525 1266.573	-16.40		-16.86	
SG-53	10.00	- 09 03 00 - 09 02 40 - 09 02 50	1592 2941 2299.476	-366.14		-371.60	

SG-59 to I-7	(2)	52 42 40	SG-59 to H-7	(2)	140 33 50	SG-59 to SG-53	(2)	159 36 00	SG-59 to SG-54	(2)	212 20 40
	(4)	105 25 20		(4)	281 07 30		(4)	319 11 50		(4)	164 41 20
	(6)	158 08 00		(6)	421 41 20		(6)	118 47 30		(6)	272 02 00
		86 21 80			70 16 55			79 47 55			106 10 20
SG-54 to SG-55	(2)	73 06 40	SG-54 to SG-56	(2)	111 09 20	SG-56 to SG-59	(2)	36 30 00			
	(4)	146 13 30		(4)	222 18 40		(4)	73 00 00			
	(6)	219 20 20		(6)	333 28 00		(6)	109 30 00			
		36 33 80			55 34 40			198 15 00			

F.B. 1882 Pg 216

F. B. 1054 PG. 91a

Map No.
Office Work
Checked
Date

W. O. Tape No. St'd. °F
Surveyed by W. S. Cowhern
Notes W.S.C Date 7/28/55
Indexed C. Johnson

SG-58

Set 3/4 Galv. Pipe & Cap. Stamped SG-58 0P1 on side of ridge. 1100' ± due South of ENTRANCE TO BIG HORN MINE



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

78F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1882 Pg. 220

Transit at		SG-58	FB 1882	Pg 219	HI = 4.45			
Sight on	Rod	+ Vertical / - Angle	Horizontal Distance	+ Vertical / - Distance	+ Curvature correction	+ Difference - Elev.	Adjusted Diff. Elev.	
SG-53	10.00	- 06 41 20 - 06 41 20 - 06 41 20	1172 7640 2947.525	-345.68		-351.23		
SG-54	10.00	- 02 18 00 - 02 17 40 - 02 17 50	0401 1559 2595.802	-104.13		-109.68		
SG-55	10.00	- 00 57 00 - 00 57 00 - 00 57 00	0165 8215 2811.097	- 46.61		- 52.16		
SG-53 To SG-54	(1)	45 58 40	SG-54 To SG-55	(1)	85 17 00	SG-55 To SG-55	(1)	94 43 00
	(2)	91 57 30		(2)	170 34 15		(2)	189 26 00
	(3)	137 56 10		(3)	255 51 60		(3)	284 09 00
		22 59 20			170 38 30			317 01 30

F. B. 1004 Pg. 99+

Map No.
Office Work
Checked
Date

W. O. [illegible] Map No. [illegible] Sht. [illegible]
Surveyed by W.S. Lawler
Notes W.S.C. Date 7/18/55
Indexed M. C. Johnson

SG-59

Set 1½" Galv. Pipe w Cap, Stamped SG-59 up 1" on S side of ridge Leading from BIG HORN MINE 1 mile ± To Inter with PRAIRIE FORK, MINE & VINCENT GULCH at Approx. The 6150'± elev.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 9-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at SG-59 | FB 1882 | Pg 29 | HI = 4.66

Sight on	Rod	+ Vertical − Angle	Horizontal Distance	+ Vertical − Distance	+ Curvature Correction	+ Difference − Elev	Adjusted Diff Elev.
K-6	10.00	− 2° 29' 20"	0434 1808				
		− 2° 29' 00"					
		2° 29' 10"	5214.592	-226.41		-231.75	
H-7 • SG-52A	10.00	− 8° 14' 40"	1448.4460				
		− 8° 14' 20"					
		− 8° 14' 30"	3949.341	-572.04		-577.38	
SG-53	10.00	− 8° 20' 00"	1464 7843				
		− 8° 20' 00"					
		− 8° 20' 00"	3114.858	-456.26		-461.60	
SG-54	10.00	− 3° 43' 20"	0650 5658				
		− 3° 43' 00"					
		− 3° 43' 20"	3307.566	-215.18		-220.52	
		− 1° 55' 20"	0335 6170				
SG-57	10.00	− 1° 55' 20"					
		− 1° 55' 20"	2547.500	-85.50		-90.84	

F.B. 1882 PG. 222

K-6 To H-7

(2)	163	18	00
(4)	326	36	00
(6)	129	53	50
	81	39	00

H-7 To SG-57

(2)	174	39	30
(4)	289	19	00
(6)	73	56	45
	72	19	45

SG-53 To SG-57

(2)	93	12	00
(4)	186	23	50
(6)	279	35	40
	46	35	55

SG-54 To SG-57

(2)	52	14	20
(4)	104	28	40
(6)	156	43	20
	26	07	10

F.B. 1882 PG. 223

SG-57 To K-6

(2)	52	02	40
(4)	104	05	10
(6)	156	07	40
	206	01	15

F. B. 1900 Pg. 007

Map No.
Office Work
Checked
Date

W. O. [illegible] Type No. Sta.
Surveyed by N.S. Cowherd
Notes W.S.C. Date 7/25/56
Indexed A. C. Johnson

SG-60

Set 3/4" Galv. Pipe & Cap, "PL" in Granite, Top of Tunnel site. 1000'± Ely of BIG HORN MINE
Stamped SG-60



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at SG-60 FB 1882 Pg 223 HI = 4.16

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Diff - elev.	Adjusted Diff Elev.
I-4	10.00	+ 02 56 45 + 02 56 15 A 02 56 30	0513 8693 4036.135	+227.96		+222.12	
K-6	5.00	- 03 56 30 - 03 56 00 - 03 56 15	06883073 5816.530	-400.36		-401.20	
J-9	10.00	- 01 32 15 - 01 31 45 - 01 32 00	02676811				

F.B. 1882 Pg. 224

I-4 To K-6	(1)	178	56	00	I-4 To J-9	(1)	848	07	00	J-9 To I-4	(2)	111	52	45
	(4)	357	52	00		(4)	136	14	00		(4)	223	45	30
	(6)	176	48	00		(6)	84	01	00		(6)	335	38	30
		89	28	00			124	03	30			235	56	60

F. B. [illegible] Pg. [illegible]

Name Claim Miller
Map No.
Office Work
Checked
Date

Survey of [illegible]
W. O. [illegible] Tape No. Srd.
Surveyed by W. S. Courtney
Notes W.S.C. Date 7/18/55
Indexed C. Johnson

SG-61

Set ¾" Galv. Pipe + Cap with cork, rdtop Stamped SG-61 up 1" 2400'± S. Ely of SG-63 Top of spur ± 800'± Ely of dirt road To BIG HORN MINE

SG-63 Pg 209

SG-62 Pg 209

I-4 FB 1863-65,66

K-6 FB 1863, 57

30'

10"

15'

S 63° 24' E

N 04° 30' E

N 73° 57' 59" E

N 04° 14' 30" E

S 81° 15' E

S 02° 49' 45" E

1881.10'

Elev. 6281.3

N 4,244,003.74
E 436,387.62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at SG-61 | FB 1882 | Pg 82 | HI 4.57

Sight To	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elev.	Adjusted Diff. Elev.
I-4	10.00	+ 4° 14 00	0740 2035				
		+ 4 14 00	4.005.869	+296.50		+291.09	
		+ 4 14 00					
K-6	5.00	- 2 50 30	0494 1844				
		- 2 49 30	6713.465	-331.77		-332.20	
		- 2 49 45					
SG-62	10.00	+ 3 51 30	0675 1565				
		+ 3 52 00	1457.916	+98.43		+93.00	
		+ 3 51 45					
SG-63	10.00	+ 4 07 30	0721 1948				
		+ 4 07 30	2268.691	+163.60		+158.19	
		+ 4 07 30					

F.B. 1882 PG 296

I-4 to K-6	(2)	162	42	30	K-6 to SG-62	(2)	16	21	15	SG-62 to SG-63	(2)	31	00	15	SG-63 to I-4	(2)	149	55	45
	(4)	325	25	00		(4)	32	12	30		(4)	62	00	45		(4)	299	51	40
	(6)	122	07	30		(6)	49	04	00		(6)	93	01	10		(6)	89	47	15
		61	21	15			188	10	40			15	30	10			74	57	55

Map No.
Office Work
Checked
Date

Surveyed by U.S. Courtney
Notes U.S.C. Date 7/15/55
Indexed C. Johnson

F. B. Pg.

SG-62

Set ¾" Galv. Pipe & Cap with Conc. Collar Stamped SG-62 up 1". 1100'± Sly of SG-63 on Top of Spur. & 400'± Ely of dirt road to BIG HORN MINE



Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Trans. T of SG-62 FB 1882 Pg 98 HI = 4.55

Sight on	Rod	+ Vertical − Angle	Horizontal Distance	+ Vertical − Distance	+ Curvature Correction	± Difference Elevation	Adjusted Diff Elev
K-6	5.00	− 2 59 00	0521 1610				
		− 2 59 00					
		− 2 59 00	8159.198	-425.23		-425.68	
I-4	10.00	+ 2 43 30	0475 9611				
		+ 2 43 30					
		+ 2 43 30	4274.181	+203.43		+197.98	
SG-61	10.00	− 3 27 00	0602 8674				
		− 3 27 00					
		− 3 27 00	1457.916	-87.89		-93.34	
SG-63	10.00	+ 4 15 30	0745 3221				
		+ 4 16 00					
		+ 4 15 45	947.633	+70.63		+65.18	

F.B. 1882 Pg. 998

SG-63 to I-4

(2)	141	15	00
(4)	282	30	00
(6)	63	45	00
	70	37	30

I-4 To K-6

(2)	125	44	00
(4)	251	28	00
(6)	12	16	00
	62	32	00

K-6 To SG-61

(2)	13	26	45
(4)	26	53	30
(6)	40	20	00
	6	43	20

SG 61 To SG63

(2)	79	34	15
(4)	159	08	30
(6)	238	43	00
	319	47	10

F. B. 1002 Pg. AAA

Map No. | W. O. 9947 | Maps No. | Sht. | P
Office Work | Surveyed by W.S. Cawthorn
Checked | Notes W.S.C. | Date 7.8.52
Date | Indexed C. Johnson

SG-63

Set 4" Galv. Pipe & Cap. Stamped SG-63 at [illegible] dirt road to BIG HORN MINE N. side of wash 4000'± S. of VINCENT GAP.



Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at SG-63 FB 1682 Pg 229 HI 511

Sight On	Rod	+ Vertical − Angle	Horizontal Distance	+ Vertical − Distance	+ Curvature Correction	+ Difference − Elevation	Adjusted Dif. Elev.
I-4	10.00	+ 1° 57' 00"	0340 9560				
		+ 1° 57' 20"					
		+ 1° 57' 10"	4059.633	+ 138.42		+ 133.53	
K-6	5.00	− 3° 12' 00"	0558 6005				
		− 3° 11' 40"					
		− 3° 11' 50"	8838.277	− 493.71		− 493.60	
SG-61	10.00	− 3° 52' 40"	0677 3481				
		− 3° 52' 20"					
		− 3° 52' 30"	2268.691	− 158.67		− 158.56	
SG-62	10.00	− 3° 39' 00"	0637 4216				
		− 3° 38' 40"					
		− 3° 38' 50"	947.633	− 60.40		− 65.29	

Page 230

I-4 to K-6	(2)	109 12 30	I-4 to SG-61	(2)	144 44 30
	(4)	218 25 00		(4)	289 29 00
	(6)	327 37 30		(4)	74 13 20
		54 36 15			72 22 15
K-6 to SG-62	(2)	84 05 40	SG-62 to I-4	(2)	166 41 40
	(4)	168 11 20		(4)	333 23 20
	(6)	252 16 50		(4)	140 05 00
		42 02 50			263 20 50.

F. B. 560 Pg. 421

Map No.
Office Work
Checked
Date

Surveyed by L. CRANE
Notes M.S.C. Date 7/26/55
Indexed C. Johnson

Note P.B. 3116

PRAIRIE FORK RD (ABANDONED) & SG 52 & SG 52A = H-7



Sight on SG 52
10.00 ROD

D + 17	53	20	
I + 17	53	40	
+ 17	53	30	

Sight on SG 52A = H-7
10.00 ROD

D + 23	48	40	
I + 23	49	00	
+ 23	48	50	

1)	336	16	30	1)	60	33	00	1)	313	28	20	1)	345	59	00
4)	318	33	00	4)	121	06	40	4)	266	55	50	4)	331	57	30
6)	288	49	30	6)	181	40	00	6)	220	23	30	6)	317	56	00
	168	00	15		30	16	40		156	43	55		172	59	20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S SAE #247. 8-54

F.B. 1212 Pg. 232

NOTE

FB 416

HORIZONTAL & VERTICAL CONTROL BETWEEN CAMP BONITA - PRAIRIE FORK = SG 52 SG 52A = H-7 Pgs 205-207

95.72 @ 2.47 T 70 = 95.61

38.69 @ 0-0 T 80 = 38.69



Inst. at PI 206
Elev = 1448.40
HI = 3.78

Sight on SG 52 Rod = 10.00	Sight on H-1 Rod = 10.00
+ 21 40 00	+ 23 32 30
+ 21 40 30	+ 23 33 00
+ 21 40 15	+ 23 32 15

2 222 56 30	2 63 32 30	2 320 58 00	2 73 31 00
4 85 53 00	4 127 05 00	4 281 56 00	4 147 02 00
6 308 49 30	6 190 37 30	6 242 54 00	6 220 33 00
111 28 15	31 46 15	160 29 00	216 45 30

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. _____ Pg. _____

Map No. _____
Office Work _____
Checked _____
Date _____

W. O. [illegible] Maps No. [illegible] Sht. [illegible]
Surveyed by L.Y. Smith
Notes W.S.C. Date 7/26/55
Indexed E. C. Johnson

NOTE
Coordinates of Stations on SG-41 by traverse methods from USBM "R-106
SEE PG 234 for Angle ton Tops and vertical angles

30 45
Elev. [illegible]

20° 27' 00"

2,579.087

S 28° 45' E mon

5,177.565

PT-A
Elev=3772.67
Top of Knoll

18° 04' 30"

SG-41
Elev=
pg 181

2,904.345

871.639

Fd USBM "R406
At Junct of Fish Fork with San Gabriel River 400' W. of Stream Junction on Gravel bar 40' W. of Trail 60' NW of a 60 above river in a light colored boulder bronz Tablet stamped R-106
Final Elev 1926 = 3365.474 ✓

81° 31' 15"

1330.89

base

9,435.356

16° 41' 15"

85.452

7° 03' 45"

6,393.610

238.76 @ 8-13 T 88 = 236.32
238.97 @ 8-32 T 88 = 236.33 236.32
97.45 @ 13-58 T 80 = 94.57 94.57
97.77 @ 14-42 T 80 = 94.67
330.89

PT-B set BT spk
Elev = 3,424.32
on Trail

F-1
Elev. = 4,676.06

Elev.=5134.12 H-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. P.

F.B. 1882 Pg. 237

ANGLE

RUN UPS

Transit at Δ PT A

(2) 34 07 20	(2) 203 50 00	(2) 36 08 50	(2) 85 54 20	(2) 43 R3 10
(4) 68 15 10	(4) 47 39 30	(4) 72 18 00	(4) 171 48 40	(4) 86 46 00
(6) 102 22 30	(6) 261 29 10	(6) 108 27 10	(6) 257 43 10	(6) 130 09 10
17 45 45	101 54 50	18 04 30	222 57 10	21 41 30
				(2) 74 31 50
				(4) 149 03 50
				(6) 223 35 20
				37 15 55

Transit at SG 43

(2) 40	54 00
(4) 81	48 00
(6) 122	42 00
20	27 00

Transit at BM = 2406

(2) 163	02 40
(4) 325	05 80
(6) 189	07 40
81	31 15

Transit at SG 41

(2) 288	57 00
(4) 305	54 00
(6) 128	51 00
141	28 30

Δ PT B

(2) 153	34 40
(4) 307	09 10
(6) 100	43 40
70	47 15

VERTICAL ANGLES

Transit at Δ PT A	HI = 4.69		Elev.
To H-2	(1) +12 03 40 (2) +12 03 20 +12 03 30	ROD 10.00	
FI	(1) +05 29 20 (2) +05 29 40 +05 29 30	ROD 10.00	
Δ PT B	(1) −21 27 20 (2) −21 27 40 −21 27 30	ROD 5.00	
USBM 2406	(1) −25 01 20 (2) −25 01 40 −25 01 30	ROD 5.00	
SG 41	(1) +19 32 40 (2) +19 52 50 +19 52 50	ROD 10.00	
SG 43	(1) +17 43 20 (2) +17 43 40 +17 43 30	ROD 10.00	
Transit at SG 43	HI = 4.69		Elev.
To Δ PT A	(1) −17° 38 15" (2) −17 37 45 −17 37 30	ROD 10.00	
SG 43	(1) −13 06 30 (2) −13 06 00 −13 06 15	ROD 10.00	
Transit at SG 41	HI 3.99		Elev.
To Δ PT A	(1) −19 41 20 (2) −19 41 00 −19 41 10	ROD 10.00	
To SG 43	(1) +13 19 40 (2) +13 20 00 +13 19 50	ROD 10.00	
Transit at Δ PT B	HI 4.57		Elev.
To Δ PT A ROD = 3.00	(1) −10 21 40 (2) −10 21 20 −10 21 30		
Transit at USBM = 2406 To Δ PT A ROD = 10.00	HI 3.84 To Δ PT B (1) +25 22 20 (2) +25 22 40 +25 22 30	Elev. 3365.474 (1) +09 36 20 (2) +09 36 40 +09 36 30	ROD = 1.00

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 1004 Pg. 74

Map No.
Office Work
Checked
Date

W. O. Tape No. Sp'd.
Surveyed by L. V. SMITH
Notes M. WACKER Date 7-55
Indexed C. Johnson 7-28-56

BENCH LEVELS

FM

US 2402

TO

PI 206

(CAMP BONITA - PRAIRIE FORK RD)

L. SMITH
C. CROWE
M. WACKER
R. SWANN
J. FULTON

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 1612 PG. 236

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	1928 USGS Adj. DESCRIPTION
U.S. 2402	4505.396 ✓				4505.396	Prairie Fork Ranger Sta., 12 mi.
	2.663		2.361			of, at Junct. of Vincent Gulch &
	08.059	- 7.521	- 7.525			Prairie Fork, 1500' NE. of bridge
	10.157		10.389			NW edge of trail at foot of large
T.P.	4497.874 ✓					fir tree, in 3'x3'x1' boulder, brass
	1.913		1.922			tablet stamped "9 105 1929".
	99.785	- 9.706	- 9.705			Painted USBM 4505.2
	11.619		11.633			Final elev. 1928 4505.396
T.P.	88.153 ✓					
	0.304		0.431			
	88.472	- 11.559	- 11.560			
	11.865		11.991			
T.P.	76.907 ✓					
	0.438		0.554			
	77.040	- 10.440	- 10.439			
	10.873		10.993			
T.P.	66.167 ✓					
	0.452		0.603			
	66.619	- 10.363	- 11.361			
	11.315		11.964			
T.P.	54.304 ✓					
	1.002		1.130			
	55.806	- 8.707	- 8.706			
	9.709		9.836			
T.P.	46.097 ✓					
	1.829		2.228			
	47.926	- 0.905	- 0.909			
	2.734		3.137			
T.P.	4445.192 ✓					

NOTES RED. JOB NO. 00477 SURVEY OF San Gregonio Rd.

NOTES CHKD. NOTES BY DATE

DATE INDEXED A. C. Johnson DATE

F.B. 4332 PG. 23

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0204-11 SURVEY OF San Gabriel Cn. Rd. NOTES RED. DATE
SURVEY BY L. K. Smith NOTES CHKD. DATE
NOTES BY M. E. Wacker DATE 4-25-1935
INDEXED K. O. Johnson DATE
P.B. 183 Pg. 238

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4445.192 ✓					
	2.901		3.162			
	48.093	-0.4440	0.4145			
	3.341		3.607			
T.P.	44.752 ✓					
	9.559		9.866			
	54.371	+9.205	+9.204			
	0.354		0.662			
T.P.	53.957 ✓					
	11.815		12.021			
	65.772	+11.063	+11.063			
	0.752		0.958			
T.P.	65.020 ✓					
	10.181		10.684			
	75.201	+8.397	+8.399			
	1.784		2.285			
T.P.	73.417 ✓					
	10.716		10.829			
	84.133	+9.208	+9.207			
	1.508		1.622			
T.P.	82.625 ✓					
	11.937		11.668			
	94.562	+11.207	+11.211			
	0.730		0.457			
T.P.	93.832 ✓					
	11.594		11.980			
	4505.426	+11.401	+11.399			
	0.193		0.581			
T.B.M.	4505.233 ✓					T.B.M. Chisled cross on 3'x1'x2' boulder on West edge of trail, and 80' South of Pot. 2088-B

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED _____ JOB NO. 4044-11 SURVEY OF San Gabriel Cyn Rd F.B. 1882 Pg. 239

NOTES CHKD. _____ NOTES BY [illegible] DATE [illegible]

DATE _____ INDEXED R. C. Johnson DATE _____

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	4505.233 ✓					Chisled cross on 3X1X2' boulder
	12.318		12.022			on West edge of trail, 2nd boulder
	17.551	+10.728	+10.728			South of POT 208-B
	1.590		1.294			
T.P.	15.961 ✓					
	8.696		9.769			
	24.657	+ 1.503	+ 1.503			
	7.193		8.266			
Pot 208-B	4517.464 ✓					Found lead & tack in 5X4X2' boulder
	10.744		11.098			35' east of trail, 10' east of 36"
	28.208	+10.590	+10.591			Pine tree.
	0.154		0.507			F.B. 4416 Pg. 220
T.P.	28.054 ✓					
	10.242		10.838			
	38.296	+10.046	+10.046			
	0.196		0.792			
T.P.	38.100 ✓					
	11.398		11.932			
	49.498	+10.467	+ 10.466			
	0.931		1.466			
T.P.	48.567 ✓					
	11.021		11.272			
	59.588	+10.848	+ 10.849			
	0.173		0.423			
T.P.	59.415 ✓					
	8.727		8.412			
	68.142	+ 7.484	+ 7.485			
	1.243		0.927			
T.P.	4566.899 ✓					

76S420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 08111 SURVEY OF San Gabriel Cyn. Rd. NOTES RED. DATE
SURVEY BY Lee Y. SMITH NOTES CHKD. DATE
NOTES BY M. E. Walker DATE 4-25-1955
INDEXED L. C. Johnson DATE
F.B. 1882 PG. 240

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4566.899 ✓					
	9.635		9.433			
	76.534	+ 8.905	+ 8.909			
	0.730		0.525			
Past 210-B	4575.804 ✓					Found lead and tack in 5'x6'x2' boulder
	0.313		0.807	0.164		on rocky outcropping, above
	76.117	- 8.249	- 8.263	- 8.259		intersection of Mine Gulch and
	8.562		9.070	8.423		Prairie Fork
T.P.	67.555 ✓					Per. F.B. 446 Pg. 227
	0.330		0.384			
	67.885	- 10.650	- 10.651			
	10.980		11.035			
T.P.	56.905 ✓					
	1.960		2.282			
	58.865	- 8.789	- 8.790			
	10.749		11.072			
T.P.	48.116 ✓					
	1.733		1.660			
	49.849	- 10.019	- 10.019			
	11.752		11.679			
T.P.	38.097 ✓					
	0872		0.896			
	38.969	- 5.558	- 5.556			
	6.430		6.452			
T.P.	32.539 ✓					
	0.352		0.577			
	32.891	- 11.330	- 11.325			
	11.682		11.902			
T.P.	1521.209 ✓					

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JOB NO. 10447 SURVEY OF Sur. Geren Ck. Rd.
NOTES CHKD. DATE NOTES BY DATE
DATE INDEXED DATE
F.B. 1882 PG. 22

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4521.209 ✓					
	3.903		4.425			
	25.112	- 3.738	- 3.743			
	7.641		8.168			
Pot 208-B	4517.471 ✓					Found Lead and tack in 2 inch boulder; 35' east of trail, 4' east of 46" Pine tree. F.B. 416 Pg. 226
	2.678		2.670			
	20.149	- 8.082	- 8.085			
	10.760		10.753			
T.P.	09.389 ✓					
	1.508		1.456			
	10.897	- 4.155	- 4.157			
	5.663		5.613			
T.B.M.	4505.234 ✓					Chisled Cross on 3'x2' boulder on West edge of trail, and 80' East of POT 208-B
	9.541		9.760			
	14.775	+ 2.029	+ 2.028			
	7.512		7.732			
T.P.	07.263 ✓					
	5.711		5.874			
	12.974	+ 1.361	+ 1.361			
	4.350		4.513			
T.P.	08.624 ✓					
	3.711		3.843			
	12.335	+ 0.706	+ 0.703			
	3.005		3.140			
T.P.	09.330 ✓					
	1.230		1.468			
	10.560	- 9.908	- 9.903			
	11.138		11.371			
T.P.	4499.422 ✓					

76S420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0902-11 SURVEY OF San Gabriel Cyn. Rd. NOTES RED. DATE
SURVEY BY L. V. Smith NOTES CHKD. DATE
NOTES BY M. E. Wacker DATE 7-25-1956
INDEXED C. Johnson DATE
F.B. 1332 PG. 212

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4499.422 ✓					
	1.097		1.282			
	4500.519	- 9.475	- 9.471			
	10.572		10.753			
T.P.	4489.947 ✓					
	1.362		1.529			
	91.309	- 9.216	- 9.216			
	10.578		10.745			
T.P.	80.731 ✓					
	0.262		0.809			
	80.993	- 10.987	- 10.986			
	11.249		11.795			
T.P.	69.744 ✓					
	2.195		2.344			
	71.939	- 8.611	- 8.611			
	10.806		10.955			
T.P.	61.133 ✓					
	0.435		0.920			
	61.568	- 9.595	- 9.595			
	10.030		10.515			
T.P.	51.538 ✓					
	2.198		2.354			
	53.736	- 3.134	- 3.132			
	5.332		5.486			
P.I. 206	4448.404 ✓					Found Lead and tack in 18"X2"X2" rock; 80' West of trail; 40' North and West of 14"X14"X16" boulder; 65' South of two 28" Pine Trees. P.I 206 Ref. F.B. 1116 P. 223
	9.654					
	58.058	+ 8.354				
	1.300					
T.P.	4456.758 ✓					

766420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 20044 SURVEY OF SAN GABRIEL RIVER F.B. 1832 PG. 24

NOTES CHKD. NOTES BY DATE

DATE INDEXED C. J. DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4456.758 ✓					
	9.291					
	66.049	+ 8.216				
	1.075					
T.P.	64.974 ✓					
	10.684					
	75.658	+ 10.148				
	0.536					
T.P.	75.122 ✓					
	11.966					
	87.088	+ 10.793				
	1.173					
T.P.	85.915 ✓					
	12.169					
	98.084	+ 11.065				
	1.104					
T.P.	96.980 ✓					
	10.350					
	4507.350	+ 9.497				
	0.853					
T.P.	06.477 ✓					
	9.621					
	16.098	+ 2.845				
	6.776					
T.P.	09.322 ✓					
	2.965					
	12.287	+ 1.246				
	4.211					
T.P.	08.076 ✓					

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0807 SURVEY OF San Gabriel Cyn. Rd. NOTES RED. DATE
SURVEY BY A. V. SMITH NOTES CHKD. DATE
NOTES BY M. E. MECKES DATE 11-25-55
INDEXED C. Johnson DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4508.076 ✓					
	4.342					
	12.418	- 2.631 ✓				
	6.973					
T.P.	05.445 ✓					
	9.392					
	14.837	- 1.207 1.419				
	9.599					
T.B.M.	05.238 ✓					Chisled cross on 3'X1X2' boulder on
	0.938	10.029				West edge of trail, and 80 ft South
	06.176	- 9.929				of Pot 208-B
	10.967					
T.P.	4495.209 ✓					
	1.135					
	96.344	- 9.645				
	10.780					
T.P.	85.564 ✓					
	4.003					
	89.567	- 7.641				
	11.644					
T.P.	77.923 ✓					
	0.985					
	78.908	- 7.841				
	8.826					
T.P.	70.082 ✓					
	0.270					
	70.352	- 8.161				
	8.431					
T.P.	61.921 ✓					

244

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4461.921 ✓					
	0.530					
	62.451	- 10.445				
	10.975					
T.P.	51.476 ✓					
	3.061					
	54.537	- 6.727				
	9.788					
T.P.	44.749 ✓					
	3.355					
	48.104	- 1.148				
	4.503					
T.P.	43.601 ✓					
	6.944					
	50.545	+ 5.381				
	1.563					
T.P.	48.982 ✓					
	9.282					
	58.264	+ 8.642				
	0.640					
T.P.	57.624 ✓					
	10.168					
	67.792	+ 9.340				
	0.828					
T.P.	66.964 ✓					
	11.295					
	78.259	+ 9.265				
	2.030					
T.P.	4476.229 ✓					

NOTES RED _____ JOB NO. 0944 "SURVEY OF SAN GABRIEL CN. RD"

NOTES CHKD. _____ NOTES BY _____ DATE _____

DATE _____ INDEXED _____ DATE _____

F. B. 4882 PG. 24

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0807-II SURVEY OF SAN GABRIEL CYN. RD. NOTES RED.
SURVEY BY Lee V. SMITH DATE NOTES CHKD.
NOTES BY M.E. WACKER DATE 7-25-55 DATE
INDEXED L.C. Johnson DATE

F.B. 1852 Pg. 246

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4476.229					
	11.579					
	87.808	+ 11.083				
	0.496					
T.P.	87.312 ✓					
	11.427					
	98.739	+10.472				
	0.955					
T.P.	97.784 ✓					
	7.916					
	4505.700					
	0.290	+ 7.626				
U.S. 2402	4505.410 ✓					Prairie Fork Ranger Sta., 2.7 mi. W of, at junct. of Crescent Gulch and Prairie Fork 150' NE of trail forks, NW edge of trail at foot of large broken top fir tree, in 3x3x1 boulder. bronze tablet stamped "R 105 1929" Panged U.S.B.M. 4505.2 Final elev. 1929 4505.396

Map No. _____
Office Work _____
Checked _____
Date _____

JN 2.11 Tape 103 Std. _____ F
Surveyed by L.V. SMITH
Notes L.V.S Date 5-57
Indexed A. O. Johnson 5-29-57

SAN GABRIEL CANYON ROAD

J.N. 0907.11

CONTROL FOR TOPOGRAPHY AT SITE OF PROPOSED ROAD CAMP ½ S.ELY. OF VINCENT GAP

PARTY

L.V. SMITH
C.V. CROWE
V.L. HUCKABY
R.H. GILFOY

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3008 SBE #247 1-58

F. B. 1882 Pg. 248

B.M. # 143
FD. 3/4" I.P.
CONC. PLUG &
COP. TK. PER
F.B. 1882-49

96.87 @ LEV. T=66°
= 96.86 ✓

96.86 ✓

93°

16.

96.86

12.58

213.41

N 69°46'12" E

131.18

P-11
1X2 ¢ N.
N 4,246,969.170 ✓
E 4,364,172.198
231.72 @ 1°38' = 231.63
T=56° = 231.59 ✓

231.59

P-10
1X2 ¢ N.
N 4,246,953.552 ✓
E 4,364,180.212 ✓

P-9
1X2 ¢ N.
N 4,247,047.347 ✓
E 4,362,382.757 ✓

12.58 @ LEV. T=68° = 12.58 ✓

2) 186° 33' 00"
4) 13 06 30
6) 199 39 45 ✓

239.22 @ 26°51 = 213.42
T=76° = 213.41 ✓

CONT. LEFT
PG 249

B.M. # 144
FD 1X2 ¢ N.
PER. F.B. 1882
-49
N 4,246,845.622 ✓
E 4,364,226.657 ✓

72.34

73.36 @ 9°30' = 72.35
T=64° = 72.34 ✓

P-1
1X2 ¢ N.
N 4,246,779.236
E 4,364,255.314

N 25°30'28" W

204.92

136.12 @ 2°08' = 136.08
69.11 @ 4°16 = 68.92
204.95
T=62° = 204.92 ✓

2) 165° 14' 30"
4) 330 28 30
6) 135 43 00
82° 37' 10"

82°

37.

CONT. LEFT
PG. 249

226.94 @ 19°10 = 214.36
T=60° = 214.32 ✓

214.32 ✓

117.93

P-2
1X2 ¢ N
N 4,246,591.373 ✓
E 4,364,337.261 ✓

P-3
1X2 ¢ N
N 4,246,701.395
E 4,364,521.172

86.86 @ 2°48 = 86.76
T=60° = 86.75 ✓

86.75

B.M. # 145
FD. 3/4" I.P. CONC.
PLUG & COP. TK. PER
F.B. 1882-50

N 4,246,511.823
E 4,364,371.853

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Map No. _____ JN 6707.N Tape 205 Std _____ F
Office Work _____ Surveyed by L. V. SMITH
Checked _____ Notes L.V.S. Date 5-57
Date _____ Indexed _____

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

78F3098 SAE #247 1-58



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 1887 Pg. 250

Profile No. Notes Red. Date Plotted Date Job No. 0907-11 Division No. F.B. 1882 Pg. 2-51

No. Date Date Map No. Standard Johnson Date

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

SAN GABRIEL CANYON ROAD

J.N. 0907.11

BENCH LEVELS FOR TOPOGRAPHY CONTROL AT SITE OF PROPOSED ROAD CAMP, ½ MILE S.ELY. OF VINCENT GAP. FROM B.P. #145 TO

STATION	B.S.	H.I.	F.S.	ELEV.

PARTY

L.V. SMITH
C.V. CROWE
V.L. HOCKABY
R.H. GILFOY

76L298 307 10-51

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 1882 PG. 252 Job No. 8292.11 Division No. Notes Red Platted
Survey of San Gabriel Cr. Area Date Date
Survey by L.V. Sauzu Notes L.V.S. Notes Chkd Checked
Indexed K. C. Johnson Date Date Date
Profile No. X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
B.P. 145	5.30	6468.40 ✓		6463.10 ✓	B.P. 145 ELEV. = 6463.10 3/4" I.P. CONC. PLUG & COP. TK. 2" UP F.B. 1882-50	
P-2	1.50	6467.19 ✓	2.71	6465.69 ✓	1 x 2 & N	
T.P.	0.74	6456.09 ✓	11.84	6455.35 ✓	1 x 2	
T.P.	0.30	6444.35 ✓	12.04	6444.05 ✓	1 x 1	
T.P.	0.19	6432.84 ✓	11.70	6432.65 ✓	1 x 1	
T.P.	0.29	6421.01 ✓	12.12	6420.72 ✓	1 x 1	
T.P.	0.28	6409.47 ✓	11.82	6409.19 ✓	1 x 1	
T.P.	1.49	6398.72 ✓	12.24	6397.23 ✓	1 x 1	
P-3	1.12	6390.98 ✓	8.86	6389.86 ✓	1 x 2 & N.	
T.P.	0.13	6378.98 ✓	12.13	6378.85 ✓	1 x 1	
T.P.	0.57	6367.64 ✓	11.91	6367.07 ✓	1 x 1	
P-4	0.39	6359.81 ✓	8.22	6359.42 ✓	1 x 2 & N.	
T.P.	0.32	6351.58 ✓	8.55	6351.26 ✓	1 x 1	
P-5-A	2.94	6348.01 ✓	6.51	6345.07 ✓	1 x 2 & N.	
P-5	1.53	6340.22 ✓	9.32	6338.69 ✓	1 x 2 & N.	
P-6	4.46	6334.91 ✓	9.77	6330.45 ✓	1 x 2 & N.	
T.P.	12.18	6346.58 ✓	0.51	6334.40 ✓	1 x 1	
T.P.	5.65	6351.09 ✓	1.14	6345.44 ✓	1 x 1	
P-7	4.46	6351.21 ✓	4.34	6346.75 ✓	1 x 2 & N.	
P-8	11.92	6359.40 ✓	3.73	6347.48 ✓	1 x 2 & N.	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		6359 40 ✓				
T. P.	12 08	6371 18 ✓	030	6359 10 ✓		
T. P.	9 78	6379 10 ✓	1 86	6369 32 ✓		
P-9	11 68	6385 79 ✓	4 99	6374 11 ✓		1 x 2 ¢ N
T. P.	12 36	6397 79 ✓	0 36	6385 43 ✓		
T. P.	11 73	6409 05 ✓	0 47	6397 32 ✓		
T. P.	12 13	6420 72 ✓	0 46	6408 59 ✓		
T. P.	11 71	6432 30 ✓	0 13	6420 59 ✓		
	11 66	6443 64 ✓	0 32	6431 98 ✓		
	11 66	6454 87 ✓	0 43	6443 21 ✓		
	12 07	6466 59 ✓	0 35	6454 52 ✓		
	11 98	6477 92 ✓	0 65	6465 94 ✓		
	8 06	6485 86 ✓	0 12	6477 80 ✓		
B.P. 143			1 20	6484 66 ✓	B.P. 143 ELEV = 6484.66 ✓ 3/4" I.P. CONC. PLUG & COR. TK	FB 1882 - 7

Profile Notes Red Plotted Job No. 9227.11 Division No.
No. Date Notes Chkd. Checked Survey of
No. Date Map No. Traced John Date
F.B. 1882 PG. 259

B.B. 1882 PG 254 Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd Checked X-Sec.

Indexed Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Map No. _____
Office Work _____
Checked _____
Date _____

JN _____ Tape _____ Std _____ F
Surveyed by _____
Notes _____ Date _____
Indexed _____

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3DS SAE #247 1-56



F. B. _____ Pg. _____

L	R
546+00	1°20'47"
543+71 P.C.C.	1°46'
542+50	1°08'
545+00	0°13'
544+60.89 P.S.	
+50	
544+00	

N 78° 34' E

A = 56° 44'
T_S = 377.7'
L_C = 476.08'
R_C = 1000'
T_S = 483.11
Δ 5° 18'
L_C = 111.0'
T_L = 8.60'
C_S = 110.96

Dec 12, 1954

To 547+89.97 P.O.T.

D 21°

79° 34' 30"

8.53 L. NOT RADIAL

543+71 P.C.C.

Kassel Eng. 6-19-55

544+60.89 P.S.

9 20

Rd. 48" in 1" Pipe L.A. Co.

112° 02' 00" Meas.

541+56.25 A.h.
541+55 L.C.C.Pt.

159

118.4'

Rd. Brass Cap new Mon. Used Punch, Not old Cross

Vincent Gulch Divide