# INDEX TO F.B. 2137

| DATE | J.N. | DESCRIPTION | NOTES | PAGES |
|---|---|---|---|---|
| 8-56 | 0433.00 | Misc. Drainage in sec's. 16,17,20,21 T7N R 12 W | | 5-36 |
| | | C.I.2178.14 47TH STREET EAST. | | |
| 11-61 | 2178.14 | District Bench Levels | B.M's | 37-46. |
| " | 0303.00 | Center Line Survey | C.L. | 47-58. |
| " | 2178.14 | Sewer Easement---Ave "R" To 670Ft. ± So. Center Sec. & To 47 Th. St. E. | Topog | 60-61 |
| " | " | " " " " " " " " " " " " " " | X-Sec | 64-72 |
| " | " | 47 Th. St. E.---Sewer Easement To Exist. M.H. At Ave R-12 | Topog | 74- |
| " | " | " " " " " ----Ave R-10 To Ave R-12 | X-Sec | 76-78 |
| | | C.I.2209.34 FOXHOIM DR. S.S. DIST. | | |
| 4/62 | 2209.34 | Bench Levels | B.M'S | 88-90 |
| " | 0303.00 | District Center Line Survey | C.L. | 92-104 |
| " | 2209.34 | Ocotillo Dr.---Palm Tree Way To Mesquite Rd. | Topog | 106-107 |
| " | " | " " " " " " " " | X-Sec | 110-112 |
| " | " | Mesquite Rd.---Ocotillo Dr. To Foxholm Dr. | Topog | 114-116 |
| " | " | " " " " " " " | X-Sec | 118-122 |
| " | " | Foxholm Dr.---Mesquite Rd. To Ave "Q" | Topog | 124-127 |
| " | " | " " " " " " | X-Sec | 130-136 |
| " | " | Deer Run Rd.---Mesquite Rd. To Ave "Q" | Topog | 138-140 |
| " | " | " " " " " " " | X-Sec | 142-147 |
| 5/62 | " | Foxholm Dr.----Elev. on conc. floor pads | Floor Elev. | 150-151 |
| | | C.I.2212.14 2 Nd. St. E. S.S. DIST. | | |
| 4/62 | 2212.14 | Bench Levels | B.M'S | 160-161 |
| " | 0303.00 | District Center Line Survey | C.L. | 163-169 |
| " | 2212.14 | Ave P-12 ---- Carolside Ave To 2 Nd. St E. | Topog | 172 |
| " | " | " " " " " " " " | X-Sec | 174-176 |
| " | " | 2 Nd St E.---- Ave P-12 To Ave "Q" | Topog | 178-179 |
| " | " | " " " " " | X-Sec | 182-186 |

Checked Dec '62

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

~~C.I. 2212.14 2Nd St E. S.S. DIST. (CONT.)~~

| DATE | J.N. | DESCRIPTION | NOTES | PAGES |
|---|---|---|---|---|
| 7/12 | 2209.34 | FOXHOIM DR. S.S. DIST. (ADDITIONAL WORK )----BENCH LEVELS | B.M'S | 202 |
| " | " | DEER RUN RD. OR WILLOWDALE RD. ( TOPOG & C/L TIES ) | TOPOG | 204-205 |
| " | " | " " " " " " | X-SEC | 208-212 |

Notes Ck'd by ____
Map No. ____
Office Work ____
Checked ____
Date ____

Survey of ____
J.N. ____ Tape ____ Std ____ °F
Surveyed by ____
Notes ____ Date ____
Indexed ____

F. B.

| | |
|---|---|
| Notes Ck'd by | Survey of MISC. DRAINAGE |
| Map No. | JN 04330 Tape Std °F |
| Office Work | Surveyed by R.L. WILLEY |
| Checked | Notes " Date 8-16 |
| Date | Indexed R. C. Johnson 9-20-46 |

F. B. 2137 PG. 5

MISC. DRAINAGE

0433.00

SEC. S 16, 17, 20 & 21

T 7N R12W

9-56

R.L. Willey
O.L. Burkholder
J.P. McCall
E.A. Swann
A.W. Freeman

Notes: Any Additions or Changes on This Sheet Must be Made at Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this [illegible] this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3088 SEE #247 1-56


F. B 2137 PG. 6
15TH STWY
℄
℄ int=
P#1
347 Stadia
℄ Harlan Ave
P#2
AVE I
331.3 Stadia
℄ 18th St
P#3
328
℄
CONT TO NEXT PG
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Misc. Drainage
JN 043300 Tape Std °F
Surveyed by B.L. Willey
Notes " Date 8-56
Indexed C. Johnson

F. B. 2137 Pg. 7

cont from bot last pg 6




Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3088 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Misc. Drainage
JN 04330 Tape Std °F
Surveyed by R L Willey
Notes Date 8-56
Indexed C. Johnson

F. B. 2137 Pg. 9

15TH ST W

℄

P#9

BLVD

500 ±

16TH ST W

P#10

℄

LANCASTER

134

℄

P#11

777

Cont Top Next Pg 10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SEE #247 1-56

F. B. 2137 PG. 10

cont from bot last pg.




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Misc Drainage
JN 24330 Tape Std °F
Surveyed by P.L. Willey
Notes " Date 9-56
Indexed R. C. Johnson

F. B. 2137 Pg. 11

Cont from right last pg 10



20 Th ST W
828

PF 14
fd spk LT

544

Cont top next pg 12

537

NEW GROVE ST

PF 15
fd spk LT

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S SSE #247 1-56

F. B. 2137 Pg. 12

cont from left
Last # 29 11+

NEW GROVE ST

337

21 ST ST W

℄

℄

P # 16

447°

P # 17

end This Line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by | Survey of Misc Drainage |
| Map No. | JN 0433.00 Tape Std °F |
| Office Work | Surveyed by RLWilley |
| Checked | Notes 16 Date 9-56 |
| Date | Indexed C. Johnson |

F. B. 2137 Pg. 43




Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SAE #247 1-56

F. B. 2137 PG. 14

cont from Top right last pg #13




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Misc. Drainage F. B 2137 Pg. 13
JN 89330 Tape Std °F
Surveyed by P.L. Willey
Notes 11 Date 7/16
Indexed C. Johnson




Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78F3095 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.




F. B. 2137 Pg. 16

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Misc. Drainage
JN 043300 Tape Std °F
Surveyed by PLW/LCJ
Notes PLW Date 9-15
Indexed C. Johnson

F. B. 2137 Pg. 17

cont from Top pg #16.

22300

8812

22300
8600

P #23

N 73° E

658

P #24

1120.9

727

cont bot pg #18

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



| | |
|---|---|
| Notes Ck'd by | Survey of Misc. Drainage F. B. 2137 Pg. 19 |
| Map No. | JN 043300 Tape Std °F |
| Office Work | Surveyed by RLWillett |
| Checked | Notes " Date 7-12 |
| Date | Indexed C. Johnson |

cont from Top pg #18

449

20TH ST W

Approx

pt #25

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.




F. B. 2137 Pg. 20

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Misc. Drainage F. B 2137 Pg. 21
JN 04330 Tape Std °F
Surveyed by R.L.Willett
Notes " Date 9-F-16
Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3093 SEE #247 1-56

sec Pg # 24
El = 2337±
El = 2335±
AVE J
sec Pg # 24
flow line
2343.01
drain
90°
5+178
22.8
2228
3'x1'6" cor. iron culvert
353
16
5°
2297
0+00 72 W
0+00 11 S
4,495°
15TH ST W
2640±
2369.8
97°
El = 2368.5±
sec Pg # 25
El = 2370.6±
110.0°
drain
drain

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2132 Pg. 22

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| BM # I-20W | 5.69 | 2330.62 ✓ | | 2324.93 ✓ | BM # I-20W El = 2324.930 FB 1846-242 Ave I & 20Th ST W. NE Cor. Top Brass cap in mon. up 2" CS Mon W.C. | |
| | 4.98 | 31.08 ✓ | 4.52 | 26.10 ✓ | | |
| | 5.04 | 31.54 ✓ | 4.58 | 26.50 ✓ | | |
| | 5.15 | 32.43 ✓ | 4.26 | 27.28 ✓ | | |
| | 4.95 | 32.45 ✓ | 4.93 | 27.50 ✓ | Fd spk & T & Ave I | |
| | 4.98 | 33.06 ✓ | 4.37 | 28.08 ✓ | | |
| | 5.20 | 33.62 ✓ | 4.64 | 28.42 ✓ | | |
| P # 1 | | | 3.96 | 29.66 ✓ | & int Ave I & 15Th ST W = P # 1 | |
| B.M. 20W-I8 | 6.20 | 2339.25 ✓ | | 2333.05 ✓ | B.M. 20W-I8 El = 2333.050 FB 1846-241 20th ST W & LANCASTER BLVD S.W. Cor. L & T in CURB AT E. END CUL DE SAC | |
| | 5.16 | 40.20 ✓ | 4.21 | 35.04 ✓ | | |
| | 5.22 | 41.17 ✓ | 4.25 | 35.95 ✓ | | |
| | 4.84 | 41.61 ✓ | 4.40 | 36.77 ✓ | | |
| | 5.50 | 42.48 ✓ | 4.63 | 36.98 ✓ | | |
| | 4.79 | 42.97 ✓ | 4.30 | 38.18 ✓ | | |
| | 4.91 | 43.04 ✓ | 4.84 | 38.13 ✓ | P # 9 see pg # | |
| P # 9 | 5.40 | 44.61 ✓ | 3.83 | 2339.21 ✓ | & int Lancaster Blvd & 15th ST W | |
| | 5.32 | 45.71 ✓ | 4.22 | 40.39 ✓ | | |
| | | | 4.61 | 2341.10 ✓ | | |

Profile Notes Red. Plotted Job No. 0433.00 Division No. F. B. 2137 Pg. 23
No. Date Date Survey of Misc. Preliminary
X-Sec. Notes Chkd. Checked Survey by R. L. Willey Noted J. H.'s Date 9-56
No. Date Map No. Red Tabs Date

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____
Plotted ____ Date ____
Notes Red. ____ Date ____
Notes Chkd. ____ Checked ____
Date ____ Date ____

F. B. 2137 Pg. 24 | Job No. 0A3302 Division No. ____
Survey of Misc. Drainage
Survey by R. L. Whitley Notes Mc Cd
Indexed C. Johnson Date ____

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | 5 45 | 2346.55 ✓ | | 2341.10 ✓ | | |
| | 5 59 | 48.11 ✓ | 4 03 | 42.52 ✓ | | |
| | 4 98 | 49.30 ✓ | 3 79 | 44.32 ✓ | | |
| P # 18 Spk & Tin | | | 4 51 | 44.79 ✓ | P # 18. Fd. Spk & T & int Lancaster blvd. & 12th St. W. | |
| B.M. 15W-KE | 3 37 | 2400.55 ✓ | | 2397.18 | BM 15W-KE El = 2397.180 FB. 1846-159, Ave K + 15th St. W. N.E. Cor., fd lg. BT spk in N. side P.P. # 1051402E. | |
| | 5 20 | 2401.22 ✓ | 4.53 | 96.02 ✓ | | |
| | | | 4.79 | 96.43 ✓ | ℄ Ave K. 1666.0'± W. of 10th St W. = Top brk. | |
| | | | 5.79 | 95.43 ✓ | ℄ " " 1611.0'± " " = bot drain | |
| | | | 4.48 | 96.74 ✓ | ℄ " " 1559.0'± " " = Top brk. | |
| | 6.54 | 2404.52 ✓ | 3.24 | 97.98 ✓ | see sketch pg # 20 | |
| | 6.91 | 08.24 ✓ | 3.19 | 2401.33 ✓ | | |
| | 7.09 | 13.55 ✓ | 1.78 | 06.46 ✓ | | |
| | 7.35 | 18.74 ✓ | 2.16 | 11.39 ✓ | | |
| | 7.67 | 24.46 ✓ | 1.95 | 16.79 ✓ | | |
| | | | 9.65 | 2414.81 ✓ | Flow line W. end culvert 10th St. W., 1677'± S. of Ave K. see sketch pg # 20 | |

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| B.M. W.2 | 7.15 | 2365.26 ✓ | | 2358.11 | B.M. W.2 El = 2358.110 F.B. 1846-158, 15th St. W + Ave J+ N. IN. cor, 165' N + 40' W. of ℄ Int. Fd: C.S. Mon. B.C. | |
| | 6.97 | 68.73 ✓ | 3.50 | 61.76 ✓ | Mkd. REG3 W-2. | |
| | 6.99 | 73.24 ✓ | 2.48 | 66.25 ✓ | | |
| | | | 3.42 | 69.82 ✓ | ℄ 15th St W. 87' ± N. of ℄ J-8, Top brk. | |
| | | | 4.75 | 68.49 ✓ | ℄ Int. 15th St W. + Ave. J-8, Bot. drain | |
| | | | 2.61 | 70.63 ✓ | ℄ 15th St W. 110' ± S. of ℄ J-8, Top brk. | |
| | | | | | See Sketch pg. # 21 | |
| B.M. | 5.19 | 2358.80 ✓ | | 2353.61 | B.M. J 15 W E El = 2353.605 F.B. 1873-85 ✓ Ave. J. + 15th St W. S.E. Cor Fd. 19. BT. SPK 1'11 S. side P.P. #600 + 39.E | |
| | | | 5.79 | 53.01 | flow line N. end culvert 517' S + 222' W. of ℄ Int J + 15th W | |
| | | | 6.20 | 52.60 ✓ | ℄ Ave J. 363' ± W. of ℄ Int J + 15th St W = Top brk. | |
| | | | 7.43 | 51.37 ✓ | ℄ Ave J 423' ± " " " " " = bot. drain | |
| | | | 7.05 | 51.75 ✓ | ℄ Ave. J 512' ± " " " " " = Top brk. | |
| | | | | | See Sketch pg # 21 | |

Profile No. _____ Notes Red. _____ Date _____ Plotted _____ Date _____ Job No. 4433.08 Division No. _____ F.B. 2137 Pg. 25
X-Sec. No. _____ Notes Chkd. _____ Date _____ Checked _____ Date _____ Survey of Misc. Projects Survey by D.L. Wilkes Noted D.M.E. Date 9-56
Date _____ Map No. _____ Date _____ Noted Johnson Date _____

F. B. 2137 Pg. 26 | Job No. 0433.00 Division No. Notes Red. Plotted Profile

Survey of Misc. Drainage Date Date No.

Survey by R. L. Willey Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

76298 S & E #307—7-55

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

**Do not extend notes this side of this line.**

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

| Transit at | Sight on | Stadia Intercepts | Stadia Distance | Stadia Rod— | Horizontal Angle 0° to 360° Right | Horiz. Distance | + — Vertical Angle | Elevation of Point | Back Sight | + Difference Elevation — | Height of Instrument | + Vertical Distance — | REMARKS Station | Left | Right |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P#1 | | | | | ° ' | | ° ' | 2329.66 | 5.16 | | 2334.82 | | P#2 P#1 see sketch | | |
| | P#2 | 547 | | | ° ' | | ° ' | | 2 | | | | P#2 see P#6 | | |
| | | 200 | 347 | 6.20 | | | Ley | 2328.62 | | | | | S on 15th St W | | |
| | | 490 | | | ° ' | | ° ' | | 3 | | | | at bot W Curb Gut. | | |
| | | 0 | 490 | 4.82 | 271.07, | | Ley | 2330.0 | | | | | N on W Line | | |
| | | 925 | | | ° ' | | ° ' | | 4 | | | | 15th St W | | |
| | | 200 | 725 | 9.82 | 88.46, | | Ley | 2325.0 | | | | | | | |
| | | | | | ° ' | | ° ' | | 5 | | | | | | |
| P#2 | P#1 | | | | ° ' | | ° ' | | 6 | | | | | | |
| | | | | 5.20 | | | | 2328.62 | | | 2333.82 | | see P#6 | | |
| | | 1070 | | | ° ' | | ° ' | | 7 | | | | S on Harlas St | | |
| | | 300 | 770 | 8.82 | 267.40, | | Ley | 2325.0 | | | | | at bot W. Curb Gut | | |
| | | 1140 | | | | | | | 8 | | | | | | |
| | | 300 | 840 | 3.82 | 89.02, | | Ley | 2330.0 | | | | | | | |
| | | 531 | | | | | | | 9 | | | | | | |
| | | 200 | 331 | 5.50 | 180.00, | | | 2328.32 | | | | | P#3 see P#6 | | |
| | | | | | | | | | 10 | | | | P#3 see sketch | | |
| P#3 | P#2 | | | | ° ' | | ° ' | | 11 | | | | | | |
| | | | | | | | | 2328.32 | | 5.20 | 2333.52 | | | | |
| | | 1070 | | | ° ' | | ° ' | | 12 | | | | | | |
| | | 600 | 470 | 8.52 | 268.57, | | Ley | 2325.0 | | | | | | | |
| | | 1245 | | | | | | | 13 | | | | S on 16th St W | | |
| | | 1000 | 1145 | 3.52 | 89.12, | | 11 ° , | 2330.0 | | | | | at bot W. Curb Gutter | | |
| | | 528 | | | | | | | 14 | | | | | | |
| 1 | | 200 | 328 | 5.46 | 180.00, | | Ley | 2328.46 | | | | | P#4 see pg #7 | | |
| | | | | | | | | | 15 | | | | | | |
| | | | | | ° ' | | ° ' | | 16 | | | | | | |
| P#4 | P#3 | | | | ° ' | | ° ' | 2328.06 | | 5.42 | 2333.28 | | P#4 see pg #7 | | |
| | | 980 | | | ° ' | | ° ' | | 17 | | | | | | |
| | | 600 | 380 | 8.28 | 269.17, | | Ley | 2325.0 | | | | | | | |
| | | | | | | | | | 18 | | | | | | |
| | | 897 | 1285 | 3.28 | 89.04, | | 11 ° , | 2330.0 | | | | | | | |
| | | 400 | 497 | 7.16 | 180.00, | | 11 ° , | 2326.12 | 19 | | | | P#5 see P#7 | | |
| | | | | | | | | | 20 | | | | | | |
| | | | | | ° ' | | ° ' | | 21 | | | | | | |

Add'n'l Inform.

Notes Red. _____ Platted _____ Job No. 0437.04 Division No. _____ F.B. 2137 PG. 27

Date _____ Date _____ Survey of W.S.S.C. Drainage

Notes Chkd. _____ Checked _____ Survey by R.L. Willey Notes R. W. Date 9-56

Date _____ Date _____ Map No. _____ Indexed: Johnson Date 9-20-56

Form 30

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ....Fn. Int. Fences.V.Fns. Ditch ....Di. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Saddle ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank..B.B. Top of Cut....T.C. Bottom of Cut...B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

F.B. 2137 PG. 28

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

| Transit at | Sight on | Stadia Intercepts | Stadia Distance | Stadia Rod— | Horizontal Angle 0° to 360° Right | Horiz. Distance | + − Vertical Angle | Elevation of Point | + Back Sight | + − Difference Elevation | Height of Instrument | + − Vertical Distance | REMARKS Station | Left | Right |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P#5 | P#4 | | | | ° ' | | ° ' | 2326.12 | 5.22 | | 2331.34 | | | | |
| | | 965 | | | ° ' | | ° ' | | | | | | 3136 | | |
| | | 100 | 365 | 1.34 | 32 03, | | Lev, | 2330.0 | | | | | 2513 | | |
| | | 1036 | | | ° ' | | ° ' | | | | | | | | |
| | | 400 | 635 | 6.34 | 302 47, | | 11 ° , | 2325.0 | | | | | 321 | | |
| | | 576 | | | ° ' | | ° ' | | | | | | | | |
| | | 100 | 475 | 1.34 | 108 44, | | 11 ° , | 2330.0 | | | | | | | |
| | | 670 | | | ° ' | | ° ' | | | | | | | | |
| | | 3 | 370 | 6.34 | 276 33, | | 11 ° , | 2325.0 | | | | | | | |
| | | 855 | | | ° ' | | ° ' | | | | | | | | |
| | | 200 | 655 | 1.34 | 134 29, | | 11 ° , | 2330.0 | | | | | | | |
| | | 525 | | | ° ' | | ° ' | | | | | | | | |
| | | 200 | 326 | 6.34 | 238 15, | | 11 ° , | 2325.0 | | | | | | | |
| | | 857 | | | ° ' | | ° ' | | | | | | | | |
| | | 200 | 657 | 3.21 | 180 00, | | 11 ° , | 2328.13 | | | | | P#6 seepg #7 | | |
| | | | | | ° ' | | ° ' | | | | | | | | |
| P#6 | P#5 | | | | ° ' | | ° ' | 2328.13 | 5.00 | | 2333.13 | | | | |
| | | 620 | | | ° ' | | ° ' | | | | | | 3313 | | |
| | | 100 | 520 | 3.13 | 121 01, | | 11 ° , | 2330.0 | | | | | 2787 | | |
| | | 965 | | | ° ' | | ° ' | | | | | | 26 | | |
| | | 300 | 665 | 8.13 | 245 32, | | 11 ° , | 2325.0 | | | | | | | |
| | | 950 | | | ° ' | | ° ' | | | | | | | | |
| | | 200 | 750 | 3.13 | 137 09, | | 11 ° , | 2330.0 | | | | | | | |
| | | 907 | | | ° ' | | ° ' | | | | | | | | |
| | | 200 | 707 | 5.26 | 180 00, | | Lev, | 2327.87 | | | | | P#7 seepg #8 | | |
| | | | | | ° ' | | ° ' | | | | | | | | |
| P#7 | P#6 | | | | ° ' | | ° ' | 2327.87 | 5.13 | | 2333.00 | | | | |
| | | 745 | | | ° ' | | ° ' | | | | | | | | |
| | | 200 | 545 | 3.0 | 101 37, | | 11 ° , | 2330.0 | | | | | | | |
| | | 583 | | | ° ' | | ° ' | | | | | | | | |
| | | 200 | 383 | 6.0 | 300 03, | | 11 ° , | 2325.70 | | | | | E, Gutter 20Th stw | | |
| | | 650 | | | ° ' | | ° ' | | | | | | & int Ave I+20Th stw | | |
| | | 2 | 850 | 7.6 | 296 00, | | 11 ° , | 2325.84 | | | | | | | |
| | | 1121 | | | ° ' | | ° ' | | | | | | Lot E, Gutter 20Th | | |
| | | 000 | 1121 | 3.0 | 114 40, | | 11 ° , | 2330.0 | | | | | ctr, pvmt | | |
| | | 870 | | | ° ' | | ° ' | | | | | | 20Th st W | | |
| | | 000 | 870 | 3.0 | 115 50 | | 11 ° | 2330.0 | | | | | | | |

Add'n'l Inform.

JI 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

| Transit at | Sight on | Stadia Intercepts | Stadia Distance | Stadia Rod— | Horizontal Angle 0° to 360° Right | Horiz. Distance | + — Vertical Angle | Elevation of Point | + Back Sight | + — Difference Elevation | Height of Instrument | + — Vertical Distance | REMARKS Station | Left | Right |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P#7 | P#6 | | | | ° ' | | ° ' | 2327.87 | 5.13 | | 2333.00 | | | | |
| | | 1046 | | | | | | | | | | | | | |
| | | 300 | 746 | 8.0 | 220.38 | | Lev | 2325.00 | | | | | | | |
| | | 806 | | | | | | | | | | | | | |
| | | 500 | 506 | 6.77 | 180.00 | | Lev | 2326.23 | | | | | P#7 A see P#8 | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| P#7A | P#7 | | | | | | | 2326.23 | 4.50 | -233.73 | | | | | |
| | | 650 | | | | | | | | | | | | | |
| | | 200 | 450 | 4.29 | 180.00 | | Lev | 2326.77 | | | | | P#8 see P#8 | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| P#8 | P#7 | | | | | | | 2326.44 | 4.98 | -233.42 | | | | | |
| | | 545 | | | | | | | | | | | | | |
| | | 340 | 245 | 6.42 | 319.33 | | Lev | 2326.9 | | | | | | | |
| | | 1166 | | | | | | | | | | | | | |
| | | 300 | 866 | 1.42 | 79.03 | | Lev | 2330.0 | | | | | | | |
| | | 1199 | | | | | | | | | | | | | |
| | | 900 | 299 | 6.42 | 260.43 | | Lev | 2325.0 | | | | | | | |
| | | 418 | | | | | | | | | | | | | |
| | | 300 | 118 | 6.42 | 208.10 | | Lev | 2325.0 | | | | | bot slope | | |
| | | 593 | | | | | | | | | | | | | |
| | | 200 | 393 | 6.92 | 252.17 | | Lev | 2325.0 | | | | | | | |
| | | 1200 | | | | | | | | | | | | | |
| | | 200 | 1000 | 1.42 | 115.27 | | 11 | 2330.0 | | | | | | | |
| | | 1050 | | | | | | | | | | | | | |
| | | 400 | 1310 | 1.42 | 128.53 | | 11 | 2330.0 | | | | | | | |
| | | 614 | | | | | | | | | | | | | |
| | | 300 | 314 | 6.42 | 211.51 | | | 2325.0 | | | | | | | |
| | | 603 | | | | | | | | | | | | | |
| | | 200 | 405 | 6.42 | 187.00 | | | 2325.0 | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | P#8 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | End | | This | Line | | | | BM #I-201 | | | | | |

Add'n'l Inform.

Notes Red. Platted Job No. 4338.0 Division No.
Date Date Survey of Misc. Drainage
Notes Chkd. Checked Survey by R.L. Wiley Notes R.L.W. Date 9-56
Date Date Map No. Indexed Tobiason Date

F.B. 2737 PG. 29

Form 30 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 2127 PG. 30

Topography Description Legend:
Side Hill....S.H. Bottom Draw B.D.
Side of Draw..S.D. Bottom Wash B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw H.D. Toe of Slope..T.S.

Inters. of Draws. V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut...B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fn.
Int. Fences..V.Fns.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

| Transit at | Sight on | Stadia Intercepts | Stadia Distance | Stadia Rod— | Horizontal Angle 0° to 360° Right | Horiz. Distance | + Vertical Angle — | Elevation of Point | + Back Sight | + Difference — Elevation | Height of Instrument | + Vertical Distance — | REMARKS Station | Left | Right |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P#9 | P#10 | | | | ° ' | | ° ' | 2339.21 | 522 | | 2344.13 | | E.I.T.L.O.S.E.T. | | |
| | | 600 | | | | | | | | | | | blvd. & L.S.H. S.T.W. | | |
| | | 100 | 502 | 6.02 | 0.00 | | Lev | 2338.36 | | | | | P#10 see Pg #9 | | |
| | | 401 | | | | | | | | | | | | | |
| | | 100 | 301 | 4.43 | 269.09 | | Lev | 2340.0 | | | | | | | |
| | | 1101 | | | | | | | | | | | N. on 15th S.T.W. | | |
| | | 300 | 801 | 9.43 | 91.20 | | 11 | 2335.0 | | | | | at 80' E Curb. 3.1' | | |
| | | 702 | | | | | | | | | | | | | |
| | | 300 | 402 | 4.93 | 312.23 | | 11 | 2340.9 | | | | | | | |
| P#10 | P#9 | | | | | | | 2338.36 | 522 | | 2343.58 | | | | |
| | | 699 | | | | | | | | | | | | | |
| | | 200 | 499 | 8.58 | 258.10 | | 11 | 2335.0 | | | | | | | |
| | | 938 | | | | | | | | | | | | | |
| | | 300 | 638 | 3.58 | 88.59 | | 1 | 2340.0 | | | | | | | |
| | | 934 | | | | | | | | | | | | | |
| | | 200 | 734 | 6.51 | 180.00 | | Lev | 2337.07 | ~~520~~ | | | | P#11 see Pg #9 | | |
| P#11 | P#10 | | | | | | | 2337.07 | 5.29 | | 2342.67 | | | | |
| | | 911 | | | | | | | | | | | | | |
| | | 400 | 511 | 7.22 | 271.26 | | 11 | 2335.0 | | | | | | | |
| | | 1077 | | | | | | | | | | | | | |
| | | 300 | 777 | 2.27 | 189.42 | | 11 | 2340.0 | | | | | | | |
| | | 977 | | | | | | | | | | | | | |
| | | 200 | 777 | 6.34 | 180.00 | | Lev | 2335.93 | | | | | P#12 see Pg #10 | | |
| P#12 | P#11 | | | | | | | 2335.93 | 5.21 | | 2341.20 | | | | |
| | | 587 | | | | | | | | | | | | | |
| | | 50 | 87 | 2 | 62.0 | 27.26 | 11 | 2335.0 | | | | | | | |
| | | 1191 | | | | | | | | | | | | | |
| | | 100 | 1081 | 1.20 | 89.06 | | 11 | 2340.0 | | | | | | | |
| | | 859 | | | | | | | | | | | | | |
| | | 200 | 659 | 7.37 | 180.00 | | 11 | 2333.63 | | | | | P#13 see Pg #13 | | |

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

3305
604

Do not extend notes this side of this line

| Transit at | Sight on | Stadia Intercepts | Stadia Distance | Stadia Rod— | Horizontal Angle 0° to 360° Right | Horiz. Distance | + — Vertical Angle | Elevation of Point | + Back Sight | + — Difference Elevation | Height of Instrument | + — Vertical Distance | REMARKS Station | Left | Right |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P#13 | P#12 | | | | ° ' | | ° ' | | 1 | | | | | | |
| | | | | | ° ' | | Lev | 2338.83 | 5.22 | | 2339.05 | | | | |
| | | | | 604 | ° ' | | " | 2332.21 | 2 | | | | | | |
| | | 1025 | | | ° ' | | ° ' | | 3 | | | | BM 20W I 8 | | |
| | | 200 | 822 | 1.61 | 90.00 | | Lev | 2337.44 | | | | | P#14 (Set Nail & T) | | |
| P#14 | P#13 | | | | ° ' | | ° ' | | 4 | | 3 | | see pg #11 | | |
| | | | | | ° ' | | ° ' | 2337.44 | 5.21 | | 2342.65 | | | | |
| | | 895 | | | ° ' | | ° ' | | 5 | | | | | | |
| | | 355 | 595 | 7.65 | 1.40 | | Lev | 2335.0 | | | | | W Gutter 20Th St W | | |
| | | 879 | | | ° ' | | ° ' | | 6 | | | | | | |
| | | 260 | 679 | 2.62 | 178.22 | | Lev | 2340.0 | | | | | Ctr 20Th St W | | |
| | | 644 | | | ° ' | | ° ' | | 7 | | | | E Int 20th St W | | |
| | | 100 | 544 | 2.14 | 180.00 | | Lev | 2339.18 | | | | | & New Grevet, Set | | |
| | | | | | ° ' | | ° ' | | 8 | | | | P#15 see pg 11 | | |
| | | | | | ° ' | | ° ' | | 9 | | | | | | |
| | | | | | ° ' | | ° ' | | 10 | | 1 | | | | |
| P#15 | P#14 | | | | ° ' | | ° ' | 2339.18 | 5.20 | | 2345.18 | | | | |
| | | 557 | 57 | 6.46 | 2.47.36 | | ° ' | 2338.72 | 11 | | | | 20Th St W & New Grevet | | |
| | | 500 | | | | | | | | | | | NW Cor Wheat Ch Bolt Tack | | |
| | | 637 | | | ° ' | | ° ' | | 12 | | | | E Int 21st W & New Grevet | | |
| | | 100 | 537 | 8.53 | 270.00 | | ° ' | 2336.18 | | | | | Set Pkt: P#16 | | |
| | | | | | ° ' | | ° ' | | 13 | | | | see pg #12 | | |
| | | | | | ° ' | | ° ' | | 14 | | 3 | | | | |
| P#16 | P#15 | | | | ° ' | | ° ' | 2336.18 | 5.25 | | 2341.43 | | | | |
| | | 550 | | | ° ' | | ° ' | | 15 | | | | | | |
| | | 50 | 50 | 5.93 | 290.22 | | ° ' | 2335.93 | | | | | 21st St W & New Grevet | | |
| | | 683 | | | ° ' | | ° ' | | 16 | | | | N.E. Cor North Sh. E. Gut | | |
| | | 300 | 283 | 6.85 | 270.26 | | ° ' | 2335.0 | | | | | | | |
| | | 031 | | | ° ' | | ° ' | | 17 | | | | Set Gut E. Curb 21st W | | |
| | | 30 | 621 | 1.84 | 88.21 | | ° ' | 2340.0 | | | | | 21st W & Old Field St. | | |
| | | 956 | | | ° ' | | ° ' | | 18 | | | | E. Gut Ties and Print. | | |
| | | 640 | 386 | 6.85 | 232.36 | | ° ' | 2335.0 | | | | | Ctr 21st St W. | | |
| | | 658 | | | ° ' | | ° ' | | 19 | | | | | | |
| | | 100 | 550 | 1.85 | 90.04 | | ° ' | 2340.0 | | | | | Ctr 21st W | | |
| | | 459 | | | ° ' | | ° ' | | 20 | | | | | | |
| | | 20 | 254 | 6.85 | 263.50 | | ° ' | 2335.0 | | | | | 21st W, W Gut | | |
| | | 607 | | | ° ' | | ° ' | | 21 | | | | | | |
| | | 280 | 447 | 4.92 | 180.00 | | — | 2336.71 | — | — | — | — | PF 17 see p #12 | | |

Add'n'l Inform.

Notes Red. _____ Platted _____ Job No. 0433.00 Division No. _____

Date _____ Date _____ Survey of P.L. Wilkinson Notes F.B. 2137 PG. 31

Notes Chkd. _____ Checked _____ Survey by P.L. Wilkinson Date 9-52

Date _____ Date _____ Map No. _____ Indexed Johnson Date _____

Form 301 [illegible]-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not ex[illegible]otes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ....Fn. Int. Fences..V.Fns. Ditch ....Di. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Saddle ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank....T.B. Bottom of Bank..B.B. Top of Cut....T.C. Bottom of Cut....B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Inters. of Draws V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff....B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

F.B. 2132 Pg. 32

Topography Description Legend:
Side Hill.....S.H.
Bottom Draw..B.D.
Side of Draw..S.D.
Bottom Wash..B.W.
Side of Ridge..S.R.
Top of Ridge..T.R.
Head of Draw H.D.
Toe of Slope..T.S.

| Transit at | Sight on | Stadia Intercepts | Stadia Distance | Stadia Rod— | Horizontal Angle 0° to 360° Right | Horiz. Distance | + Vertical Angle — | Elevation of Point | + Back Sight — | + Difference Elevation — | Height of Instrument | + Vertical Distance — | REMARKS Station | Left | Right |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P#17 | P#16 | | | | ° ' | | ° ' | 2336.95 | 1 5.19 | | 2342.18 | | | | |
| | | 811 | | | ° ' | | ° ' | | 2 | | | | | | |
| | | 300 | 511 | 7.12 | 263 07 | | Ley | 2335.0 | 3 | | | | | | |
| | | 1221 | | | ° ' | | ° ' | | | | | | | | |
| | | 300 | 721 | 2.11 | 86 00 | | | 2340.0 | 4 | | | | | | |
| | | 801 | | | ° ' | | ° ' | | | | | | | | |
| | | 300 | 501 | 7.12 | 234 51 | | | 2335.0 | 5 | | | | | | |
| | | 864 | | | ° ' | | ° ' | | | | | | | | |
| half | Stadia | 30 | 1128 | 2.12 | 118 53 | | | 2340.0 | 6 | | | | | | |
| | | 1089 | | | ° ' | | ° ' | | | | | | | | |
| | | 400 | 699 | 7.12 | 196 41 | | | 2335.0 | 7 | | | | | | |
| | | End of Line | | | | | | | 8 | | | | | | |
| | | | | | ° ' | | ° ' | | 9 | | | | | | |
| P#18 | P#19 | | | | | | | 2347.73 | 5.21 | | 50.09 | | | | |
| | | 643 | | | ° ' | | ° ' | | 10 | | | | bot. E. curb 12th st W sec P#13 | | |
| | | 400 | 243 | 5.0 | 255 53 | | Ley | 2345.0 | | | | | | | |
| | | 643 | | | ° ' | | ° ' | | 11 | | | | Bot W curb 12th st W | | |
| | | 4 | 243 | 5.0 | 4 05 | | | 2345.0 | | | | | | | |
| | | 449 | | | ° ' | | ° ' | | 12 | | | | ℄ 12th st W | | |
| | | 400 | 49 | 5.0 | 0 00 | | | 2345.0 | | | | | P#19 sec P#14 | | |
| | | 926 | | | ° ' | | ° ' | | 13 | | | | ℄ Int 12th st W + Milling | | |
| | | 20 | 125 | 3.18 | 0 00 | | | 2346.82 | | | | | | | |
| | | | | | ° ' | | ° ' | | 14 | | | | | | |
| | | | | | ° ' | | ° ' | | 15 | | | | | | |
| P#19 | P#18 | | | | ° ' | | ° ' | 2346.82 | 5.25 | | 2352.07 | | | | |
| | | 446 | | | ° ' | | ° ' | | 16 | | | | | | |
| | | 30 | 146 | 4.56 | 180 00 | | | 2347.51 | | | | | P#20 ℄ 12 St W sec P# #14 | | |
| | | | | | ° ' | | ° ' | | 17 | | | | | | |
| | | | | | ° ' | | ° ' | | 18 | | | | | | |
| P#20 | P#18 | | | | ° ' | | ° ' | 2347.51 | 5.27 | | 2352.78 | | | | |
| | | 868 | | | ° ' | | ° ' | | 19 | | | | P#21 sec #16 | | |
| | | 300 | 568 | 6.46 | 258 44 | | Ley | 2346.32 | | | | | | | |
| | | 398 | | | ° ' | | ° ' | | 20 | | | | | | |
| | | 200 | 198 | 2.78 | 171 51 | | Ley | 2350.0 | | | | | | | |
| | | 594 | | | ° ' | | ° ' | | 21 | | | | P#5 sec P# 15 | | |
| | | 300 | 294 | 3.18 | 180 00 | | " | 2349.60 | | | | | P#20 A ℄ 12th st W. Proj. To ℄ New Grove | | |

Add'n'l Inform.

10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OF CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

| Transit at | Sight on | Stadia Intercepts | Stadia Distance | Stadia Rod— | Horizontal Angle 0° to 360° Right | Horiz. Distance | + — | Vertical Angle | Elevation of Point | + Back Sight | + — | Difference Elevation | Height of Instrument | + — | Vertical Distance | REMARKS Station | Left | Right |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P# 20A | P# 18 | | | | ° ' | | | ° ' | 2349.52 | 5.18 | | | 2354.70 | | | | | |
| | | 417 | | | | | | | | | | | | | | | | |
| | | 200 | 217 | 4.72 | 95.08, | | | Lev, | 2350.0 | | | | | | | Cut S. Curb Norv Grove | | |
| | | 414 | | | | | | | | | | | | | | | | |
| | | 2000 | 217 | 4.72 | 85.41, | | | Lev, | 2350.0 | | | | | | | " N " " " | | |
| | | 3E17 | | | | | | | | | | | | | | | | |
| | | 300 | 85 | 4.72 | 90.27, | | | " , | 2350.0 | | | | | | | E New Grove St | | |
| P# 21 | P# 20 | | | | ° ' | | | ° ' | 2346.52 | 5.11 | | | 2351.63 | | | see pg # 16 | | |
| | | 717 | | | | | | | | | | | | | | | | |
| | | 300 | 417 | 6.43 | 264.50, | | | Lev, | 2345.0 | | | | | | | | | |
| | | 414 | | | | | | | | | | | | | | | | |
| | | 100 | 314 | 1.43 | 55.13, | | | Lev, | 2350.0 | | | | | | | | | |
| | | 774 | | | | | | | | | | | | | | | | |
| | | 3 | 474 | 3.45 | 169.47, | | | Lev, | 2347.98 | | | | | | | P # 22 see pg # 16 | | |
| P# 22 | P# 21 | | | | ° ' | | | ° ' | 2347.1 | 4.91 | | | 2352.89 | | | | | |
| | | 379 | | | | | | | | | | | | | | | | |
| | | 100 | 279 | 7.84 | 284.05, | | | Lev, | 2345.0 | | | | | | | | | |
| | | 10.01 | | | | | | | | | | | | | | | | |
| | | 300 | 701 | 2.84 | 112.39, | | | " , | 2350.0 | | | | | | | | | |
| | | 924 | | | | | | | | | | | | | | | | |
| | | 300 | 624 | 7.87 | 182.41, | | | " , | 2345.0 | | | | | | | | | |
| | | 1181 | | | | | | | | | | | | | | | | |
| | | 30 | 881 | 5.01 | 140.22, | | | " , | 2347.98 | | | | | | | P # 23 see pg # 17 | | |
| P# 23 | P# 22 | | | | ° ' | | | ° ' | 2347.81 | 5.07 | | | 2352.95 | | | | | |
| | | 801 | | | | | | | | | | | | | | | | |
| | | 30 | 591 | 7.93 | 276.13, | | | Lev, | 2345.0 | | | | | | | | | |
| | | 556 | | | | | | | | | | | | | | | | |
| | | 20 | 356 | 2.93 | 127.04, | | | " , | 2350.0 | | | | | | | | | |
| | | 1058 | | | | | | | | | | | | | | | | |
| | | 400 | 658 | 4.34 | 223.00, | | | Lev, | 48.61 | | | | | | | P # 24 see pg # 17 | | |

Add'n'l Inform.

Notes Red. _____ Platted _____ Job No. CA3300 Division No. _____ F.B. 2137 PG. 33

Date _____ Date _____ Survey of Miles Precise Notes R.H.W. Date 9-56

Notes Chkd. _____ Checked _____ Survey by R.L. Willey

Date _____ Date _____ Map No. _____ Indexed Johnson Date _____

Form 301 [illegible]-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 2132 PG. 34

Topography Description Legend:
Side Hill....S.H. | Bottom Draw..B.D. | Bottom Wash B.W. | Side of Draw..S.D. | Side of Ridge..S.R. | Top of Ridge..T.R. | Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws. V.D's | Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff....B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon...B.Cn.

Side of Canyon S.Cn. | Top of Bank...T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement ....Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr.Rd. | Fence .....Fn. | Int. Fences. V.Fns. | Ditch .....Di. | Telephone Pole T.P. | Power Pole....P.P. | Culvert .....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore .....Sy. | Eucalyptus ....Eu. | Plus combinations of these and all common standard abbreviations.

| Transit at | Sight on | Stadia Intercepts | Stadia Distance | Stadia Rod— | Horizontal Angle 0° to 360° Right | Horiz. Distance | + / — Vertical Angle | Elevation of Point | + Back Sight | + / — Difference Elevation | Height of Instrument | + / — Vertical Distance | REMARKS Station | Left | Right |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P#24 | P#23 | | | | ° ' | | ° ' | 2348.61 | 4.96 | | 2353.57 | | | | |
| | | 3.85 | | | ° ' | | ° ' | | 1 | | | | | | |
| | | 20 | 185 | 3 56 | 92 23 | | LCY | 2350.0 | 2 | | | | | | |
| | | 1174 | 774 | 8 56 | 245 42 | | LCY | 2345.0 | 3 | | | | | | |
| | | 4 | | | ° ' | | ° ' | | 4 | | | | | | |
| | | 342 | 942 | 3 52 | 156 39 | | L | 2350.0 | 5 | | | | P#25 see pg #18 | | |
| | | 30 | | | ° ' | | ° ' | | 6 | | | | | | |
| | | 1027 | 727 | 4 11 | 172 09 | | LCY | 2349.45 | 7 | | | | | | |
| P#25 | P#24 | | | | ° ' | | ° ' | 2349.45 | 5.15 | 2354.60 | | | | | |
| | | 976 | 676 | 9 60 | 253 15 | | LCY | 2345.0 | 8 | | | | | | |
| | | 3 | | | ° ' | | ° ' | | 9 | | | | | | |
| | | 1124 | 824 | 6 62 | 211 27 | | LCY | 2347.98 | 10 | | | | P#26 see pg #18 | | |
| | | 300 | | | ° ' | | ° ' | | 11 | | | | | | |
| P#26 | P#25 | | | | ° ' | | ° ' | 2347.98 | 5.18 | | 2353.16 | | | | |
| | | 675 | 375 | 3 46 | 56 17 | | ' | 2350.0 | 12 | | | | | | |
| | | 300 | | | ° ' | | ° ' | | 13 | | | | | | |
| | | 777 | 477 | 8 46 | 252 04 | | LCY | 2345.0 | 14 | | | | | | |
| | | 300 | | | ° ' | | ° ' | | 15 | | | | | | |
| | | 843 | 543 | 3 46 | 109 36 | | LCY | 2350.0 | 16 | | | | P#27 see pg #18 | | |
| | | 300 | | | ° ' | | ° ' | | 17 | | | | | | |
| | | 932 | 632 | 4 69 | 150 42 | | LCY | 2347.56 | 18 | | | | | | |
| P#27 | P#26 | | | | ° ' | | ° ' | 2348.56 | 5.20 | | 2353.76 | | | | |
| | | 749 | 449 | 6 69 | 180 00 | | LCV | 2347.11 | 19 | | | | P#28 see pg #19 | | |
| | | 3 | | | ° ' | | ° ' | | 20 | | | | | | |
| P#28 | P#27 | | | | ° ' | | ° ' | 2347.11 | 5.94 | | 2352.15 | | | | |
| | | 800 | 500 | 7 78 | 305 54 | | LCY | 2349.87 | 21 | | | | Gutter at S E Cor. Ave J + 20 Th W | | |
| | | 300 | | | | | | | | | | | | | |

Add'n'l Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

| Transit at | Sight on | Stadia Intercepts | Stadia Distance | Stadia Rod— | Horizontal Angle 0° to 360° Right | Horiz. Distance | + — Vertical Angle | Elevation of Point | + Back Sight | + — Difference Elevation | Height of Instrument | + — Vertical Distance | REMARKS Station | Left | Right |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P# 28 | P# 27 | 712 | | | ° ' | | ° ' | | 1 | | | | | | |
| | | 30 | 412 | 2 15 | 75 00, | | Lev | 2350.0 | | | 2352.15 | | | | |
| | | 682 | | | | | | | 2 | | | | | | |
| | | 100 | 523 | 7 15 | 303 22, | | Lev | 2345.0 | | | | | Ctr front 20TH ST W | | |
| | | 1102 | | | | | | | 3 | | | | | | |
| | | 300 | 802 | 2 15 | 118 50, | | Lev | 2350.0 | | | | | W. Gut 20TH ST W | | |
| | | 608 | | | | | | | 4 | | | | | | |
| | | 30 | 308 | 7 15 | 301 12, | | Lev | 2345.0 | | | | | " " " " | | |
| | | 714 | | | | | | | 5 | | | | | | |
| | | 300 | 414 | 2 15 | 114 42, | | " | 2350.0 | | | | | Ctr front " " Lr | | |
| | | 523 | | | | | | | 6 | | | | | | |
| | | 290 | 323 | 7 15 | 241 20, | | " | 2345.0 | | | | | | | |
| | | 1077 | 717 | | | | | | 7 | | | | | | |
| | | 300 | ~~1077~~ | 2 15 | 154 30, | | " | 2350.0 | | | | | | | |
| | | 829 | | | | | | | 8 | | | | | | |
| | | 300 | 529 | 7 15 | 205 41, | | " | 2345.0 | | | | | | | |
| | | 1114 | | | | | | | 9 | | | | | | |
| | | 100 | 1014 | 21 | 161 51, | | " | 2350.0 | | | | | | | |
| | | 1159 | | | | | | | 10 | | | | | | |
| | | 300 | 859 | 7 15 | 206 39, | | " | 2345.0 | | | | | | | |
| | | | | 5,44 | | | Lev. | 2346.71 | 11 | | | | BM 20 W J. | | |
| | | | | | ° ' | | ° ' | | 12 | | | | El = 2346.92 | | |
| | | | | | | | | | | | | | PB 1896 - 240 | | |
| | | | | | ° ' | | ° ' | | 13 | | | | Pt Spk in PP 9007496 | | |
| | | | | | | | | | | | | | 20TH ST W + Ave | | |
| | | | | | ° ' | | ° ' | | 14 | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | ° ' | | ° ' | | 15 | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | ° ' | | ° ' | | 16 | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | ° ' | | ° ' | | 17 | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | ° ' | | ° ' | | 18 | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | ° ' | | ° ' | | 19 | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | ° ' | | ° ' | | 20 | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | ° ' | | ° ' | | 21 | | | | | | |
| | | | | | | | | | | | | | | | |

Add'n'l Inform.

Notes Red. Platted Job No. 042300 Division No.
Date Date Survey of Misc. Buildings F.B. 2137 Pg. 35
Notes Chkd. Checked Survey by R.L. Willey Notes Date 9-56
Date Date Map No. Indexed J. Johnson Date

Form 301 — 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

**Do not extend notes this side of this line**

| Transit at | Sight on | Stadia Intercepts | Stadia Distance | Stadia Rod— | Horizontal Angle 0° to 360° Right | Horiz. Distance | + / — Vertical Angle | Elevation of Point | Back Sight | + / — Difference Elevation | Height of Instrument | + / — Vertical Distance | REMARKS Station | Left | Right |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | ° ′ | | ° ′ | | 1 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 2 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 3 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 4 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 5 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 6 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 7 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 8 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 9 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 10 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 11 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 12 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 13 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 14 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 15 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 16 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 17 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 18 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 19 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 20 | | | | | | |
| | | | | | ° ′ | | ° ′ | | 21 | | | | | | |

Add'n'l Inform.

Oak-O. Fir-Fr. Pine-Pi. Cedar-C. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fences. V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ... T.B. Bottom of Bank. B.B. Top of Cut ..... T.C. Bottom of Cut. ... B.C. Top of Fill ..... T.F. Bottom of Fill. B.F.

Inters. of Draws. V.D's Break in Slope .. Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff .. B.Cl. Top of Spur. ... T.Sp. Bottom Canyon ... B.Cn.

**Topography Description Legend:**
Side Hill ..... S.H.
Side of Draw. S.D.
Side of Ridge. S.R.
Head of Draw H.D.
Bottom Draw. B.D.
Bottom Wash B.W.
Top of Ridge. T.R.
Toe of Slope .. T.S.

F.B. 2057 PG. 36

NOTES RED. JOB NO. 2178.14 SURVEY OF MAHONIA AVE. S.S. DIST. F. B. 2137 PG. 37

DATE SURVEY BY J.S. COATES

NOTES CHKD Miller NOTES BY JSC DATE 11-7-61

DATE Dec. 1961 INDEXED H. E. OTT DATE DEC 1 8 61

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

| | |
|---|---|
| DESCRIPTION | C.I. 2178.14<br>~~MAHONIA AVE. S.S. DIST.~~<br>47th ST-East<br>BENCH LEVELS |
| ADJ. ELEV. | COATES<br>BEERS<br>HUBBARD<br>TALBOT |
| 3RD RUN | Elevations based on precise level net #106<br>1960 ADJ. |
| 2ND RUN | indexed 12/20/61 |
| DIFF. | SOKKISHA #32114<br>PEG CHECK |
| 1ST RUN | ℄ IN CENTER<br>6.933<br>4.160<br>2.773 |
| B.M. | ℄ AT END<br>7.132<br>4.360<br>2.772 |

765420 S & E-383 4-54

765420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 2178.14 SURVEY OF MAHONIA AVE. S.S. DIST NOTES RED
SURVEY BY J.S. COATES DATE
NOTES BY J.S.C. DATE 11-7-61 NOTES CHKD
INDEXED H.E. OTT DATE

F. B. 2137 Pg. 38

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| FD BM106-6 | 2614.651 | | | | 2614.651 | BM106-6 Elev. 2614.651 F.B. 2418-14 |
| + | 6.272 | | 6.310 | | | Palmdale Blvd. & 47th St. E. 447 ft. |
| ∧ | 2620.923 ✓ | +1.215 | +1.213 | | | N & 230' W. of the & INT. A. |
| − | 5.057 | | 5.097 | | | U.S.C.&G.S. brass cap stamped |
| | | | | | | "E 306 1935" Set in 8" Conc post 4" up |
| FD. B.M. U.S. 2166 | 2615.866 ✓ | | | | | BM U.S. 2166 Elev. 2616.289 L.B. 166-49 |
| + | 4.222 | | 4.321 | | | TGN R11W 0.3± miles east of center Sec 28 |
| ∧ | 2620.088 ✓ | +2.310 | +2.312 | | | PALMDALE BLVD & 47TH ST E. 57 S. & 58 E |
| − | 1.912 | | 2.009 | | | & INT. Bronze tablet in 6"x6" Conc post |
| TP | 2618.176 ✓ | | | | | stamped "L.S. 26-1929" |
| + | 4.808 | | 4.784 | | | |
| ∧ | 2622.984 ✓ | +2.849 | +2.848 | | | |
| − | 1.959 | | 1.936 | | | |
| T.P. | 2621.025 ✓ | | | | | |
| + | 4.060 | | 4.120 | | | |
| ∧ | 2625.085 ✓ | +3.310 | +3.310 | | | |
| − | 0.750 | | 0.810 | | | |
| TP | 2624.335 ✓ | | | | | |
| + | 3.638 | | 3.727 | | | |
| ∧ | 2627.973 ✓ | +0.267 | +0.267 | | | |
| − | 3.371 | | 3.460 | | | |
| TP | 2624.602 ✓ | | | | | |
| + | 6.230 | | 6.354 | | | |
| ∧ | 2630.832 ✓ | +1.435 | +1.434 | | | |
| − | 4.795 | | 4.920 | | | |
| T.P. | 2626.037 ✓ | | | | | |
| + | 6.087 | | 6.110 | | | |
| ∧ | 2632.124 ✓ | +1.874 | +1.870 | | | |
| − | 4.213 | | 4.240 | | | |
| T.P. | 2627.911 ✓ | | | | | |

76S420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| TP | 2627.911 ✓ | | | | | |
| + | 5.983 | | 5.995 | | | |
| ⅄ | 2633.894 ✓ | +2.156 | +2.158 | | | |
| − | 3.827 | | 3.837 | | | |
| TP | 2630.067 ✓ | | | | | |
| + | 5.842 | | 5.872 | | | |
| ⅄ | 2635.909 ✓ | +2.324 | +2.322 | | | |
| − | 3.518 | | 3.550 | | | |
| T.P. | 2632.391 ✓ | | | | | |
| + | 6.012 | | 6.120 | | | |
| ⅄ | 2638.403 ✓ | +3.549 | +3.548 | | | |
| − | 2.463 | | 2.572 | | | |
| FD BM 106-7 | 2635.940 ✓ | | | | 2635.943 | BM 106-7 Elev. 2635.943 F.B. 3418-15 47th St E. & Ave R 43± 'E & 33± 'N. & Int. A brass-cap mon. in 12"x12" Conc. post Stamped "BM 106-7 1958 RE 5869" |
| + | 5.538 | | 5.180 | | | |
| ⅄ | 2641.478 ✓ | +2.621 | +2.623 | | | |
| − | 2.917 | | 2.557 | | | |
| T.P. | 2638.561 ✓ | | | | | |
| + | 4.360 | | 4.322 | | | |
| ⅄ | 2642.921 ✓ | +2.088 | +2.091 | | | |
| − | 2.272 | | 2.231 | | | |
| T.P. | 2640.649 ✓ | | | | | |
| + | 5.270 | | 5.559 | | | |
| ⅄ | 2645.919 ✓ | +2.100 | +2.101 | | | |
| − | 3.170 | | 3.458 | | | |
| T.P. | 2642.749 ✓ | | | | | |
| + | 5.306 | | 5.348 | | | |
| ⅄ | 2648.055 ✓ | +2.293 | 2.296 | | | |
| − | 3.013 | | 3.052 | | | |
| TP | 2645.042 ✓ | | | | | |

NOTES RED. DATE
JOB NO. 2178.14 SURVEY OF MAHONIA AVE. S.S. DIST F.B. 2137 PG. 39
SURVEY BY J.S. COATES
NOTES CHKD. Miller NOTES BY H.E. OTT DATE 11-7-61
DATE Dec. 1961 INDEXED DATE

765420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2178.14 SURVEY OF MAHONIA AVE S.S. DIST NOTES RED.
SURVEY BY J.S. COATES DATE
NOTES BY J.S.C. DATE 11-7-61 NOTES CHKD.
INDEXED H.E. OTT DATE

F.B. 2137 PG. 40

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| TP | 2645.043 ✓ | | | | | |
| + | 5.548 | | 5.528 | | | |
| ∧ | 2650.590 ✓ | +2.135 | +2.131 | | | |
| − | 3.413 | | 3.397 | | | |
| TP | 2647.177 ✓ | | | | | |
| + | 5.524 | | 5.560 | | | |
| ∧ | 2652.701 ✓ | +2.705 | +2.708 | | | |
| − | 2.819 | | 2.852 | | | |
| TP | 2649.882 ✓ | | | | | |
| + | 5.579 | | 5.795 | | | |
| ∧ | 2655.461 ✓ | +2.707 | +2.705 | | | |
| − | 2.872 | | 3.090 | | | |
| TP | 2652.589 ✓ | | | | | |
| + | 5.330 | | 4.989 | | | |
| ∧ | 2657.919 ✓ | +1.960 | +1.959 | | | |
| − | 3.370 | | 3.030 | | | |
| TP | 2654.549 ✓ | | | | | |
| + | 5370 | | 5.177 | | | |
| ∧ | 2659.919 ✓ | +0.689 | +0.691 | | | |
| − | 4.681 | | 4.486 | | | |
| Set BM AV 221 | 2655.238 ✓ | | | | 2655.238 | BM AV 221 Elev FB 2137-40<br>47th St E. & AVE R-8 155± N & 49± W<br>& INT Brass-Cap mon. 12" dn. Set<br>by STATE HWY, STAMPED, "B.M." |
| + | 4.755 | | 4.798 | | | |
| ∧ | 2659.993 ✓ | +2.712 | +2.714 | | | |
| − | 2.043 | | 2.084 | | | |
| TP | 2657.950 ✓ | | | | | |
| + | 3.467 | | 3.574 | | | |
| ∧ | 2661.417 ✓ | 2.831 | 2.829 | | | BM 106-8 Elev. 2660.780 FB 2418-16<br>47th St E. (E Side) 525'± S. of AVE. R-8 |
| − | 0.636 | | 0.745 | | | |
| FD BM 106-8 | 2660.781 ✓ | | | | 2660.780 | A Co. Eng. B.M. brass-cap stamped<br>"B.M. 106-8 1958 RE 5869" Set in 12" x 12"<br>Conc Post 6" up |

765420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2178.14 SURVEY OF MAHONIA AVE. S.S. DI F. B. 2137 Pg. 41
DATE SURVEY BY J.S. COATES
NOTES CHKD Miller NOTES BY J.S. COATES DATE 11-14-61
DATE Dec. 1961 INDEXED H.E. OTT DATE

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| BM106-8 | 2660.780 | | | | 2660.780 | BM106-8 Elev. 2660.780 FB 2418-16 |
| + | 5.063 | | 5.138 | | | See preceeding page |
| ⊼ | 2665.843 | +2.535 | +2.535 | | | |
| − | 2.528 | | 2.603 | | | |
| Set BMAV 222 | 2663.315 | | | | 2663.315 | BMAV 222 Elev. FB. 2137-41 |
| + | 5.086 | | 5.122 | | | 47th St. E. (E. Side) @ Ave. R-10 |
| ⊼ | 2668.401 | +0.148 | +0.152 | | | Bt. Spk. in W. Side P.P. # 11844025 |
| − | 4.938 | | 4.970 | | | |
| Set BMAV 223 | 2663.463 | | | | 2663.463 | BMAV 223 Elev. FB 2137-41 |
| + | 7.334 | | 7.366 | | | 47th St E. (W. Side) 580'± N. & Ave R-12 |
| ⊼ | 2670.797 | +3.911 | +3.909 | | | & 49' W. & Brass-Cap mon. 12" in Set |
| − | 3.423 | | 3.457 | | | by STATE HWY STAMPED "B.M." |
| TP | 2667.374 | | | | | |
| + | 5.814 | | 5.888 | | | |
| ⊼ | 2673.188 | +2.021 | +2.025 | | | |
| − | 3.793 | | 3.863 | | | |
| Set BMAV 224 | 2669.395 | | | | 2669.395 | BMAV 224 Elev. FB 2137-41 |
| + | 3.907 | | 3.863 | | | 47th St E & Ave. R-12 S.E. Cor. |
| ⊼ | 2673.302 | -2.026 | -2.025 | | | FD. Lead & TAG 2' S. of S. end C.R. |
| − | 5.933 | | 5.888 | | | Stamped "L.A. Co. R.D. DEPT. B.M" |
| T.P. | 2667.369 | | | | | |
| + | 3.413 | | 3.451 | | | |
| ⊼ | 2670.782 | -2.590 | -2.593 | | | |
| − | 6.003 | | 6.044 | | | |
| T.P. | 2664.779 | | | | | |
| + | 3.227 | | 3.253 | 3.239 | | |
| ⊼ | 2668.006 | -2.745 | -2.751 | -2.754 | | |
| − | 5.972 | | 6.004 | 5.993 | | |
| T.P. | 2662.034 | | | | | |

768420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

JOB NO. 2178.14 SURVEY OF MAHONIA AVE. S.S. DIST.
SURVEY BY J.S. COATES
NOTES BY J.S.C. DATE 11-14-61
INDEXED H. E. OTT DATE
NOTES RED DATE
NOTES CHKD DATE
F.B. 2137 Pg. 42

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 2662.034 ✓ | | | | | |
| + | 3.837 | | 3.897 | | | |
| ⌅ | 2665.871 ✓ | +1.253 | -1.251 | | | |
| − | 5.090 | | 5.148 | | | |
| FD BM106-8 | 2660.781 ✓ | | | | 2660.780 | BM106-8 Elev. 2660.780 FB 2418-16 |
| + | 5.774 | | 5.856 | | | 47th ST (E. Side) 525'± S. of AVE K-8 |
| ⌅ | 2666.555 ✓ | +0.797 | +0.797 | +.797 | | A Co Eng. BM Brass-Cap Stamped |
| − | 4.977 | | 5.059 | | | BM 106-8 1958 RE 5869" Set in |
| T.P. | 2661.578 ✓ | | | | | 12"x12" Conc post 6" up |
| + | 3.822 | | 3.839 | | | |
| ⌅ | 2665.400 ✓ | -1.618 | -1.616 | -1.618 | | |
| − | 5.440 | | 5.455 | | | |
| TP | 2659.960 ✓ | | | | | |
| + | 4.053 | | 3.912 | | | |
| ⌅ | 2664.013 ✓ | -2.224 | -2.226 | -2.225 | | |
| − | 6.277 | | 6.138 | | | |
| T.P. | 2657.736 ✓ | | | | | |
| + | 4.309 | | 4.016 | 4.223 | | |
| ⌅ | 2662.045 ✓ | -1.085 | -1.095 | -1.086 | | |
| − | 5.394 | | 5.111 | 5.309 | | |
| TP | 2656.651 ✓ | | | | | |
| + | 4.010 | | 4.049 | | | |
| ⌅ | 2660.661 ✓ | +2.505 | +2.505 | +2.505 | | |
| − | 1.505 | | 1.544 | | | |
| Set BM AV225 | 2659.156 ✓ | | | | 2659.151 | BM AV 225 Elev. FB 2137-42 |
| + | 0.971 | | 0.973 | | | 45th ST. E. & AVE R-10 83'± N. & 16'± W. |
| ⌅ | 2660.127 ✓ | 5.852 | -5.855 | | | & INT. Bf. Spk. in N. rim of 36" Conc pipe |
| − | 6.823 | | 6.828 | | | |
| TP | 2653.304 ✓ | | | | | |

765420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHKD. Miller DATE Dec. 1961
INDEXED H. E. OTT DATE

JOB NO. 217814 SURVEY OF MAHONIA AVE. S.S. DIST
SURVEY BY J S COATES
NOTES BY J S C DATE 11-14-61

F.B. 2137 PG. 43

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| TP | 2653.304 ✓ | | | | | |
| + | 2.978 | | 2.957 | | | |
| ∧ | 2656.282 ✓ | -3.427 | -3.427 | -3.427 | | |
| − | 6.405 | | 6.384 | | | |
| Set BM AV 226 | 2649.877 ✓ | | | | 2649.869 | BM AV 226 Elev. FB 2137-43 |
| + | 3.772 | | 3.764 | 3.903 | | 45th ST E. & AVE R-8 & INT. |
| ∧ | 2653.649 ✓ | -2.415 | -2.405 | -2.407 | | C.E. MON. 12" dn stamped CTR. SEC 33 |
| − | 6.187 | | 6.169 | 6.310 | | T6N R11W |
| T.P. | 2647.462 ✓ | | | | | |
| + | 3.295 | | 3.490 | | | |
| ∧ | 2650.757 ✓ | -2.812 | -2.813 | -2.813 | | |
| − | 6.107 | | 6.303 | | | |
| TP | 2644.650 ✓ | | | | | |
| + | 3.859 | | 3.892 | | | |
| ∧ | 2648.509 ✓ | -2.004 | -2.006 | -2.005 | | |
| − | 5.863 | | 5.898 | | | |
| T.P. | 2642.646 ✓ | | | | | |
| + | 3.838 | | 3.941 | | | |
| ∧ | 2646.484 ✓ | -1.359 | -1.363 | -1.361 | | |
| − | 5.197 | | 5.304 | | | |
| TP | 2641.287 ✓ | | | | | |
| + | 4.188 | | 4.463 | 4.111 | | |
| ∧ | 2645.475 ✓ | -2.481 | -2.486 | -2.486 | | -.007 |
| − | 6.669 | | 6.949 | 6.597 | | |
| Set BM AV 227 | 2638.806 ✓ | | | | 2638.797 | BM AV 227 Elev. FB 2137-43 |
| + | 5.140 | | 5.196 | | | 45th ST E. & AVE R-4 & INT. |
| ∧ | 2643.946 ✓ | -0.423 | -0.422 | -.423 | | Top Bt Spk & W set in Conc. in 2" I.P. 12" dn |
| − | 5.563 | | 5.618 | | | |
| T.P. | 2638.383 ✓ | | | | | |

769420 353 3-51

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 2178.14 SURVEY OF MAHONIA AVE-S.S. DIST NOTES RED. DATE
SURVEY BY J.S. COATES
NOTES BY J.S.C. DATE 11-14-61 NOTES CHKD. DATE
INDEXED H.E. OTT DATE

F.B. 2137 Pg. 44

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| TP | 2638.383 ✓ | | | | | |
| + | 5.042 | | 5.060 | | | |
| ∧ | 2643.425 ✓ | +0.968 | -0.968 | -.968 | | |
| − | 6.010 | | 6.028 | | | |
| TP | 2637.415 ✓ | | | | | |
| + | 3.712 | | 3.694 | | | |
| ∧ | 2641.127 ✓ | -2.805 | -2.802 | -2.805 | | |
| − | 6.517 | | 6.496 | | | |
| T.P. | 2634.610 ✓ | | | | | |
| + | 3.448 | | 3.390 | | | |
| ∧ | 2638.058 ✓ | -2.033 | -2.032 | -2.033 | | |
| − | 5.481 | | 5.422 | | | |
| TP | 2632.577 ✓ | | | | | |
| + | 3.658 | | 3.634 | | | |
| ∧ | 2636.235 ✓ | -4.590 | -4.590 | -4.590 | | |
| − | 8.248 | | 8.224 | | | |
| Set BM AV 228 | 2627.987 ✓ | | | | 2627.928 | BM AV 228 Elev. F.B. 2137-44<br>AVE. R & 45th ST. E. & INT. Top C.E. Mon<br>in H.H. |
| + | 7.086 | | 7.025 | | | |
| ∧ | 2635.073 ✓ | +2.985 | +2.984 | +2.984 | | |
| − | 4.101 | | 4.041 | | | |
| T.P. | 2630.972 ✓ | | | | | Top 2" I.P. R.P. 50'S & 50'E & INT<br>AVE R & 45th ST. E. |
| + | 4.210 | | 4.168 | | | |
| ∧ | 2635.182 ✓ | +0.216 | +0.216 | +.216 | | |
| − | 3.994 | | 3.952 | | | |
| T.P. | 2631.188 ✓ | | | | | |
| + | 5.410 | | 5.240 | | | |
| ∧ | 2636.598 ✓ | +1.480 | +1.480 | +1.480 | | |
| − | 3.930 | | 3.760 | | | |
| T.P. | 2632.668 ✓ | | | | | |

76S420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| TP | 2632.668 ✓ | | | | | |
| + | 5.479 | | 5.412 | | | |
| ∧ | 2638.147 ✓ | +1.179 | +1.177 | +1.178 | | |
| — | 4.300 | | 4.235 | | | |
| TP | 2633.847 ✓ | | | | | |
| + | 5.242 | | 5.113 | | | |
| ∧ | 2639.089 ✓ | +1.474 | +1.470 | +1.472 | | |
| — | 3.768 | | 3.643 | | | |
| TP | 2635.321 ✓ | | | | | |
| + | 5.033 | | 4.980 | | | |
| ∧ | 2640.354 ✓ | +0.635 | +0.635 | +.635 | | |
| — | 4.398 | | 4.343 | | | |
| BM FD 106-7 | 2635.956 ✓ | | | | 2635.943 | BM 106-7 Elev. 2635.943 FB 2418-15 47th ST. E. & AVE R 43± E & 33± N & INT A brass-cap mon. in 12"X12" conc. post stamped "BM 106-7 1958 RE 5969 |

NOTES RED. JOB NO. 2178.14 SURVEY OF MAHONIA AVE. S.S. DIST F.B. 2137 PG. 45
DATE SURVEY BY J.S.C. COATES
NOTES CHKD. Miller NOTES BY J.S.C. DATE 11-14-61
DATE Dec. 1961 INDEXED H. E. OTT DATE

F. B. 2137 Pg. 46

JOB NO. 217814 SURVEY OF MAHONIA AVE. S.S. DIST NOTES RED
SURVEY BY J.S. COATES DATE
NOTES BY JSC DATE 11-14-61 NOTES CHKD.
INDEXED DATE DATE

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| | | | | | | |

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 4-54

PWFB 3127

154

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of MAHONIA AVE. S.S. DIST. F. B. 2137 PG. 47
JN 0303.00 Tape 168 Std 84 °F
Surveyed by J.S. COATES
Notes JSC Date 11-3-61
Indexed H. E. OTT DEC 8 '61

# J.N. 0303.00

# CENTER-LINE SURVEY

# FOR

# 47TH ST-East

~~MAHONIA AVE. S.S. DIST.~~

# C.I. 2178.14

COATES
BEERS
HUBBARD
TALBOT

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

PWFB 3127

F. B. 2137 Pg. 48

155

# INDEX




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

PWFB 3127

156

W.S.65.C-3

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of MAHONIA AVE-SS. DIST
JN 030300 Tape 168 Std 84 °F
Surveyed by JS COATES
Notes JSC Date 11-6-61
Indexed H. E. OTT

F. B. 2137 Pg. 49

CONT. BOT. PG. 50

(50) E

ST.

B.C. FD Spk W&T per State Hwy

73.36' To E AVE R-12

P.I. FD. S.W.&T. per State Hwy

73.37' @ 70° = 73.36'
217.79' @ 70° = 217.77'

FD N&T PK #951520E

FD N&T Guy Pole #673868E

COUNTY SURVEYORS T6N R11W 33 5 4 CC T5N R11W

Closing Corner Sec. 5, T5N, R11W, M.D.M. in H.H. FD. C.S. per F.B. 811-104, F.B. 825-59, F.B. 2636-25

53

SIDE PG.

A (50) VE

90° Per F.B. 2636-25

31° 40"

217.77'

118.03'

108.03'

69.89'

S.

49.05'

20.04'

51.42'

To ℄ Va Cor 45th St E

CONT RT

(50)

1253.69 Per F.B. 2636-25

To STD SEC. COR. 33, 34 @ 50th St E

Fd. P.M. in Chis "X" Fn. Cor. Post 70 Gas Valve

FD. Bt. Spk. W. & T. per F.B. 2636-25

47TH

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 2-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 65,C-3



PWFB 3127

158

W.S.65,C-3

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of MAHONIA ST. SS. DIST F. B. 313 PG. 51
JN 0303.00 Tape 168 Std 84 °F
Surveyed by J.S COATES
Notes JSC Date 11-7-61
Indexed H. E. OTT

CONT. FROM BOT. PG. 52

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F309S CE # 310 B-61

Set N&T PP #400193E

89° 29' 40"
357° 58' 20"
89° 29' 35"
176° 57' 30"
89° 29' 35"

(30) 89° 29' 35" 41.16 To ℄ Ave R Calc ℄ Ave R 2680.57

Set N&T PP #594700E

SIDE PG 56

Set Spk & Tin By Int

114.35

Set N&T PP #1184406E

41.65

To R-8

54 AVE

To C'l Sec. 33 1325.86

PG.

+8.00

10.06

0.11

FD. Spk & Tin No Ref removed

INT.

Set Bt. Spk. W&T "Washed stamped "L.A. Co. ENG.

SIDE

89° 45' 10"
359° 00' 40"
89° 45' 10"
178° 31' 00"
89° 45' 10"

S

RT

Per FB 2636-22, 23 4181.14 670.22

45° 10"

670.29 @ 68°-670.22
830.44 @ 68°-830.35

CONT. LEFT

47TH ST. E

Set N&T PP #1184402

P.O.T. Set 1" x 2" d'm N 89° 45' 10" E

Set Bt. Spk. W. & Tin Washer stamped "L.A. Co. ENG." @ Proportion dist Bet. ℄ AVE. S & ℄ AVE R-8

61.63

WT.

To ℄ 45th ST E 1324.99

50.00

10 Sewer Easement

AVE

R-10

124.34

R-12 830.35

To ℄ Ave R-12

20'

Set N&T T.P. 196345H

(30) (30)

FROM TOP PG. 50

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.65,C-3




F. B. 2137 Pg. 52

PWFB 3127

159

W.S.65,C-3

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of MAHONIA AVE. S.S. DIST. F.B. 5167 PG. 55
JNO 303.00 Tape 168 Std 84 °F
Surveyed by J S COATES
Notes J S C Date 11-6-61
Indexed H. E. OTT

CONT. BOT PG. 54

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

N 00°

2028.56 @ 60° E 2028.54

45TH ST. E

To 1" I.P. @ Easement

2028.54

① 89°32'20"
④ 358°08'30"
89°32'07½
⑥ 177°13'00"
89°32'10"

COUNTY SURVEYOR'S MONUMENT
T6N R11W SEC. 33
+
1/4 CORNER
T5N

S 1/4 COR. SEC. 33
T6N R11W
FD. C.S. MON. in H.H.
per F.B. 811-103, 124
F.B. 2851-59
F.B. 2636-24
MARKED

FD. N&T PP. # 928341E

50'26"

89°

FD. N&T PP. # 596350H

AVE

179°59' F.B. per 5 16 10 15

45" 2636-24

32' 10"

S (50)

To Sec. Cor.

1253.69 per F.B. 2636-24

116.46

22.27

FD. N&T PP. # 877940E

FD. N&T PP. # 325

(50)

LEFT SIDE PG. 49

FROM

76F3095 CE # 310 3-61


PWFB 3127
160, 161
F. B. 2137 PG. 54 CONT.
BOT. PG. 55
M.S. 65-C-3
90° 34' 10"
362° 16' 30"
90° 34' 07½"
183° 25' 00"
90° 34' 10"
1325.93 @ 76°-1325.86
90°
34'
10' Calc
To ¼ Cor
1352.12
90° 34' 15"
Set 1" x 2" I.P. BY INT
10' Sewer easement
R.P. Set 2" I.P. 6" up Conc. Pl. & C.E. tag
56.15
45°
8.00
8' OFFSET
1325.86
To ℄ 47th St. E
RT. SIDE 57
CONT PG.
AVE
E
ST
0.18
0.10
R-8
676.29 @ 58°-676.18
S 6.57
R.P. Set 2" I.P. 6" up Conc. P/E C.E. TAG
FD. Remains of OLD 4"x4" 12" dn per R.S. 11-2 CENTER SEC 33 SET C.E. MON 12" dn. BY INT. MARKED
COUNTY ENGINEER T6N R12W CTR SEC 33 R.E. 5869
FD. 1½" I.P. Fl. Conc. Pl. & TAG RE 2000 no Ref. removed
Set Bl. Spk B.M. AV 225 Top Flnl 24" Conc. Standard
676.18
Set Spk & Tin 8" Joshua
90° 18' 40"
361° 14' 20"
90° 18' 35"
181° 51' 40"
90° 18' 36⅓
45 TH
61.98
54.73
40.00
90° 18'
1324.99
To ℄ 47th St. E
10' Sewer easement
AVE.
R-10
1325.06 @ 76°-1324.99
FD. Remains of OLD 3"x4" 24" dn Per R.S. 11-2 Set 1" I.P. 18" dn Conc. Pl. & C.E. TAG @ Proportion dist ¼ dist. Bet. Ctr. Sec E. ¼ Cor Sec 33
208.54
10.32
To ℄ AVE. S
Set Spk & Tin 12" Joshua
FROM TOP
PG. 58
SIDE
PG. 51
FROM
LEFT
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWEB 3227

27, 28

W.S.65,C-3

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of ℄ Survey MAHONIA AVE |
| Map No. | JN 0303.00 Tape 168 Std 84 °F |
| Office Work | Surveyed by J.S COATES |
| Checked | Notes J.S.C Date 11-6-61 |
| Date | Indexed H. E. OTT |

F. B. 2137 PG. 65

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

FD. 1½" I.P. Fl. Conc. Pl. & Tk

R.P. "I.P. 6"up FD. 2" NC. Pl. & C.E. TAG

70.71 TAN

FD. P.M. in Conc. "X" S.S.M.H. rim

70.70

5.33

(50)

Per F.B. 2636-20

1329.39

To ℄ 47th St. E.

℄

SIDE PG. 52

FROM LEFT

AVE

45°

45°

50

TAN 70.67

70.74

88°

(50)

R

FD. 1½" I.P. Fl. Conc. Pl. & Tk

FD. 2" I.P. 6"up Conc. Pl. & C.E. TAG

1/4 Cor. Sec. 28, 33 T6N R11W FD. C.E. Mon. in H.H. per F.B. 2636-20

10' Sewer Easement

1352.13

1352.38 @ 56° = 1352.13

1352.37 @ 56° = 1352.12

45TH ST. E

① 88° 25' 00"
④ 353° 39' 20"
88° 24' 50"
⑥ 170° 29' 10"
88° 24' 51"

COUNTY ENGINEER T6N R11W 28 1/4 Cor R. E. 5869

Set Spk & Tin 8" Joshua

Set Spk & Tin 6" Joshua

78.00

84.37

Set Spk & Tin 8" Joshua

93.49

1/16 CORNER FD 2"X2" & Mail Flush Set 2" I.P. 12" dn Conc. Pl. & Bl. Spk. & W. WASHER STAMPED "L.A. Co. ENG." Set FOR Bench MARK AV 226

1352.12

Sec. Tan.

FROM

TOP PG. 54

PWFB 3227

F. B. 2137 Pg. 56

29, 30

AVE R

W.S. 65, C-3

Cor. Sec. 27, 28, 33, 34
T6N R11W
FD. C.S. MON. 12"dn
FB. 1129-44
FB. 2636-30
MARKED

COUNTY SURVEYOR'S MONUMENT
T6N
R11W
28 27
33 34

10.00 Set Nail

10' OFFSET LINE

89° 33' 40"
358° 14' 40"
89° 33' 40"
177° 21' 50"
89° 33' 38 1/3"

89° 33' 40"

R.P.
FD 2" I.P. 6" up
Conc. Pl. &
C.E. tag

10.71

Set 1"x1" & N by INT

45°

8' OFFSET LINE

8.00

10.00

FROM RT SIDE PS. 1

AVE R-8

1/4 Cor. Sec. 33, 34
T6N R11W
FD. C.S. MON. PI.
per FB 410-39
FB 2636-30
MARKED

10.71 TAN

COUNTY SURVEYOR'S MONUMENT
T6N
R11W
33+34
1/4 Sec. Cor.

R.P.
FD. 2" I.P. 6" up
Conc. Pl. &
C.E. tag

10'

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3126

137

W.S.65C-3

H. E. AUSTIN

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of MAHONIA AVE. SS DIST. F. B. 213 Pg. 57
JN 0303.00 Tape 168 Std 84 °F
Surveyed by JS COATES
Notes JSC Date 11-10-61
Indexed H. E. OTT

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 2-61



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 2187 PG. 58

| | | |
|---|---|---|
| Notes Ck'd by | Survey of MAHONIA AVE. S.S | DIST F. B. 2137 PG. 59 |
| Map No. | JN 2178.14 Tape 68 Std 84 °F | |
| Office Work | Surveyed by JS COATES | |
| Checked | Notes JSC Date 11-76 | |
| Date | Indexed H. E. OTT DEC 1 8'81 | |

C.I 2178.14

~~MAHONIA AVE. S.S. DIST.~~

47TH ST East

# TOPOGRAPHY

OF

## SEWER EASEMENT

FROM

AVE. R TO 670± S. CENTER SECT & TO 47TH ST. E.

COATES
BEERS
HUBBARD
TALBOT

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61


F. B. 2137 Pg. 60
EXIST. 12" V.C.P. Sewer
0+88°
AVE
edge pav
S.S.M.H
0+95±
4"±
EXIST 12" Stub
EXIST. 10" Stub
5.00
(50)
12°
12.8
(50)
℄
1+00
FD. 1/4 COR. Sec. 28, 33
T 6N R 11W
F.B. 2137-55
1+12.8
edge pav
45TH ST E
No Improvement
STANDPIPE
36" Conc
45± high
28+04.25
CENTER SEC 33
T 6N R 11W
FD. C.E. MON
F.B. 2137-54
0.20
28+04.6
16.5
33+97°
4' barbed wire fn.
0.50
34+80.43
FD. 1" I.P. 12"dp
CONC. PI & CE TAG
F.B. 2137-54
No Improvement
AVE R+10
CONT. LEFT SIDE PG 61
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of MAHONIA AVE. SS. DIST
JN 2178.14 Tape 168 Std 64 °F
Surveyed by JSCOATES
Notes JSC Date 11-
Indexed H. E. OTT

F. B. 2137 PG. 61

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE # 310 3-61




TO TOP PG 74

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2137 Pg. 62

Profile No. ____ X-Sec. No. ____

Notes Red. ____ Date ____ Plotted ____ Date ____ Job No. 2178.14 Division No. ____

Notes Chkd. ____ Date ____ Checked ____ Date ____ Survey of MAHONIA AVE. S.S. Survey by JSC Notes JSC Date 11-10-61 Map No. ____ Index H. E. OTT Date DEC 1 8 '61

F. B. 2137 Pg. 63

C.I. 2178.14

# MAHONIA AVE. S.S. DIST.

## ELEVATIONS & PROFILE ON SEWER EASEMENT. (45th ST E) (AVE R-10) FROM AVE R TO 670± S. CENTER SECT. ℄ TO 47th ST E.

Elev. based on unadjusted Bench level circuit

COATES
BEERS
TALBOT
HUBBARD

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76L-298 S & E #307—1-56

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 64 Profile
Division No. Notes Red Plotted
Job No. 2178.14 Date Date No. X-Sec.
Survey of MAHONIA AVE. S.S. DIST Notes Chkd Checked
Survey by J.S.C. Date Date No.
Indexed H. E. CIL Date Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | | |
|---|---|---|---|---|---|---|---|
| | | | | | | | Sewer Easement |
| BM AV. 228 | | | | 2627.99 | BM AV. 228 E/cv. 2627.997 AVE. R & 45th ST. E. | | F.B. 2137-44 ℄ INT. Top C.E. Mon. in H.H. |
| 0+95 | S.S.M.H. | | | 29.92 | 5' N. LT rim M.H. | | RT |
| " | | | | 29.94 | " E " " | | |
| " | | | | 29.93 | " S " " | | |
| " | 12" invert North | | | 18.23✓ | 12" invert N | 12" invert E. | 10" invert S |
| " | 12" invert East | | | 18.31✓ | Meas. 10.69 2992 | meas. 10.63 29.94 | meas 10.73 29.93 |
| " | 10" invert South | | | 18.37✓ | Diam 1.00 11.69 | diam. 1.00 11.63 | diam 0.83 11.56 |
| " | | | | | dist. 11.69✓ 18.23✓ | dist. 11.63✓ 18.31✓ | dist 11.56✓ 18.37✓ |
| 1+00 | | | | 29.99 | | | ℄ INT AVE R & 45th STE |
| " | | | | 29.63 | | | 100' R |
| " | | | | 29.38 | | | 200' R |
| " | | | | 30.31 | 100' L | | |
| | | | | 30.63 | 200' L | | |
| 1+12.8 | | | | 29.93 | | | ℄ S. edge pav |
| " | | | | 29.90 | | | 10' R |
| 1+37 | | | | 29.5 | | | ℄ |
| " | | | | 29.5 | | | 10' R |
| 1+40 | | | | 30.1 | | | ℄ = S. P/L of AVE. R |
| " | | | | 30.0 | | | 200' R " " " |
| " | | | | 30.4 | 200' L = S. P/L of Ave R. | | |
| 2+00 | | | | 31.0 | | | ℄ |
| " | | | | 31.0 | | | 10' R |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | LT | RT SEWER EASEMENT |
|---|---|---|---|---|---|---|
| 3+00 | | | | 2631.7 | | ℄ |
| " | | | | 31.6 | | 10'R |
| 4+00 | | | | 32.3 | | ℄ |
| " | | | | 32.2 | | 10'R |
| " | | | | 31.0 | | 200'R |
| " | | | | 32.1 | 200'L | |
| 5+00 | | | | 32.7 | | ℄ |
| " | | | | 32.7 | | 10'R |
| 6+00 | | | | 34.0 | | ℄ |
| " | | | | 34.1 | | 10'R |
| 7+00 | ⊙ | 35.13 | | 35.1 | | ℄ |
| " | | | | 35.0 | | 10'R |
| " | | | | 34.6 | | 200'R |
| " | | | | 34.7 | 100'L | |
| " | | | | 35.4 | 200'L | |
| 8+00 | | | | 36.7 | | ℄ |
| " | | | | 36.7 | | 10'R |
| 9+00 | | | | 37.5 | | ℄ |
| " | | | | 37.4 | | 10'R |
| 10+00 | | | | 38.2 | | ℄ |
| " | | | | 38.2 | | 10'R |
| " | | | | 37.6 | | 100'R |
| | | | | 36.3 | | 200'R |

Profile Notes Red. Plotted Job No. 2178.14 Division No. F. B. 2137 Pg. 65
No. Date Date Survey of MAHONIA AVE. S.D. DIST
X-Sec. Notes Chkd. Checked Survey by J.S.C. Notes J.S.C. Date 11-15-61
No. Date Date Map No. Indexed H. E. OTT Date

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 66 | Job No. 2178.14 | Division No. 5 S DIST | Profile
Survey of MAHONIA AVE. | Notes Red | Plotted | No. | X-Sec.
Survey by J.S.C. | Date | Date | No.
Notes | Notes Chkd | Checked
Indexed H. E. OTT | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | LT | RT Sewer Easement |
|---|---|---|---|---|---|---|
| 10+00 | | | | 2637.8 | 100' | |
| " | | | | 37.5 | 200' | |
| 11+00 | | | | 38.4 | | ℄ |
| " | | | | 38.4 | | 10' R |
| 12+00 | | | | 38.6 | | ℄ |
| " | | | | 38.6 | | 10' R |
| 13+00 | | | | 38.0 | | ℄ |
| " | | | | 38.8 | | 10' R |
| " | | | | 38.7 | | 100' R |
| " | | | | 38.6 | | 200' R |
| " | | | | 39.8 | 100' L | |
| " | | | | 40.9 | 200' L | |
| 14+00 | | | | 39.7 | | ℄ |
| " | | | | 39.7 | | 10' R |
| 14+52.13 | | | | 39.8 | | |
| BMAV227 | | | | 2638.8 1/2 | BMAV 227 Elev. 2638.81 F.B. 2137-43<br>45th St & AVE R-4 Top Bt. Spk & W set in<br>Conc. Pl. in 2" I.P. 12" dn. | |
| 15+00 | | | | 40.3 | | ℄ |
| " | | | | 40.2 | | 10' R |
| 16+00 | | | | 40.8 | | ℄ |
| " | | | | 40.6 | | 10' R |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | LT | RT Sewer Easement |
|---|---|---|---|---|---|---|
| 16+00 | | | | 26389 | | 100'R |
| " | | | | 396 | | 200'R |
| " | | | | 417 | 100'L | |
| " | | | | 422 | 200'L | |
| 17+00 | | | | 410 | | ℄ |
| " | | | | 408 | | 10'R |
| 18+00 | | | | 415 | | ℄ |
| " | | | | 412 | | 10'R |
| 19+00 | | | | 421 | | ℄ |
| " | | | | 421 | | 10'R |
| " | | | | 419 | | 100'R |
| " | | | | 420 | | 200'R |
| " | | | | 422 | 100'L | |
| " | | | | 439 | 200'L | |
| 20+00 | | | | 429 | | ℄ |
| " | | | | 430 | | 10'R |
| 21+00 | | | | 435 | | ℄ |
| " | | | | 435 | | 10'R |
| 22+00 | | | | 445 | | ℄ |
| " | | | | 445 | | 10'R |
| " | | | | 444 | | 100'R |

Profile Notes Red. Plotted Job No. 2178.14 Division No. F. B. 2137 Pg. 67
No. Date Date Survey of MAHONIA AVE. SS. DIST
X-Sec. Notes Chkd. Checked Survey by J.S. COATES Notes J.S.C. Date 11-15-61
No. Date Date Map No. Indexed H. E. OTT Date

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 68 Job No 2178 14 Division No. Notes Red Plotted Profile
Survey of MAHONIA AVE, S.S. DIST Date Date No X-Sec.
Survey by JSC Notes JSC Notes Chkd. Checked No.
Indexed H.E. OTT Date Date Date

| STATION | B. S. | H. I. | F. S. | ELEV. | Left | Right Sewer Easement |
|---|---|---|---|---|---|---|
| 22+00 | | | | 2643.7 | | 200' R |
| " | | | | 44.9 | 100' L | |
| " | | | | 45.2 | 200' L | |
| T.P. | | | | 2644.87 | | |
| 23+00 | | | | 45.3 | | ℄ |
| " | | | | 45.5 | | 10' R |
| 24+00 | | | | 46.6 | | ℄ |
| " | | | | 46.5 | | 10' R |
| 25+00 | | | | 47.4 | | ℄ |
| " | | | | 47.4 | | 10' R |
| " | | | | 46.6 | | 100' R |
| " | | | | 45.9 | | 200' R |
| " | | | | 47.8 | 100' L | |
| " | | | | 47.8 | 200' L | |
| 26+00 | | | | 48.7 | | ℄ |
| " | | | | 48.7 | | 10' R |
| 27+00 | | | | 49.1 | | ℄ |
| " | | | | 49.1 | | 10' R |
| BM AV 226 | | | | 2649.88 | BM AV 226 Elev. 2649.877 FB. 2137-43 45th St. E. & Ave R-8 ℄ Int. Top C.E. Mon. stamped "CTR SEC. 33 T6N R11W" | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | LT. | ℄ | RT SEWER EASEMENT |
|---|---|---|---|---|---|---|---|
| 28+00 | | | | 2650.5 | | ℄ | |
| " | | | | 50.6 | | | 10'R |
| " | | | | 50.2 | | | 100'R |
| " | | | | 49.2 | | | 200'R |
| " | | | | 50.5 | 100'L | | |
| " | | | | 51.1 | 200'L | | |
| 29+00 | | | | 51.3 | | ℄ | |
| " | | | | 50.5 | | | 10'R |
| 30+00 | | | | 52.8 | | ℄ | |
| " | | | | 51.4 | | | 10'R |
| 31+00 | | | | 53.3 | | ℄ | |
| " | | | | 52.1 | | | 10'R |
| " | | | | 51.7 | | | 100'R |
| " | | | | 51.4 | | | 200'R |
| " | | | | 52.8 | 100'L | | |
| " | | | | 53.6 | 200'L | | |
| 32+00 | | | | 54.6 | | ℄ | |
| " | | | | 53.0 | | | 10'R |
| 33+00 | | | | 55.3 | | ℄ | |
| " | | | | 53.9 | | | 10'R |

Profile Notes Red. Plotted Job No. 217814 Division No. F. B. 2137 PG. 69
No. Date Date Survey of MAHONIA AVE. S.S. DIST.
X-Sec. Notes Chkd. Checked Survey by J.S.C. Notes J.S.C. Date 11-16-61
No. Date Date Map No. Indexed H. E. OTT Date

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 70 Job No. 2178.14 Division No. Profile
Survey of MAHONIA AVE SS DIST No. X-Sec.
Survey by JSC Notes JSC Plotted Date Checked Date
Indexed H. E. OTT Date Notes Red. Date Notes Chkd. Date No. Date

| STATION | B. S. | H. I. | F. S. | ELEV. | LT | ℄ | RT | SEWER EASEMENT |
|---|---|---|---|---|---|---|---|---|
| 34+00 | | | | 2656.4 | | ℄ | | |
| " | | | | 55.0 | | | 10'R | |
| 34+80.43 | RT & 45th ST E | | | 56.8 | | ℄ | INT. 45th ST. E & AVE R-10 | |
| " | | | | 55.6 | | | 10'R | West (RT. ℄ From No) |
| " | | | | 55.3 | | | 100'R | |
| " | | | | 54.6 | | | 200'R | |
| " | RT & ℄ AVE R-10 | | | 58.2 | | | 200'R | So. (RT & TO EAST) |
| T.P. | | | | 2656.92 | ON AVE R-10 | | EASEMENT | |
| 35+00 | | | | 56.3 | | ℄ | | |
| " | | | | 56.1 | | | 10'R | |
| 36+00 | | | | 56.1 | | ℄ | | |
| " | | | | 56.0 | | | 10'R | |
| 37+00 | | | | 56.3 | | ℄ | | |
| " | | | | 56.2 | | | 10'R | |
| 38+00 | | | | 57.2 | | ℄ | | |
| " | | | | 57.0 | | | 10'R | |
| " | | | | 57.2 | | | 100'R | |
| " | | | | 58.1 | | | 200'R | |
| " | | | | 56.2 | 100'L | | | |
| " | | | | 55.5 | 200'L | | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | LT | RT SEWER EASEMENT |
|---|---|---|---|---|---|---|
| 39+00 | | | | 26572 | | ℄ |
| " | | | | 570 | | 10' R |
| 40+00 | | | | 573 | | ℄ |
| " | | | | 571 | | 10' R |
| 41+00 | | | | 578 | | ℄ |
| " | | | | 576 | | 10' R |
| " | | | | 595 | | 100' R |
| " | | | | 59.4 | | 200' R |
| " | | | | 57.0 | 100' L | |
| " | | | | 562 | 200' L | |
| 42+00 | | | | 586 | | ℄ |
| " | | | | 58.4 | | 10' R |
| 43+00 | | | | 59.4 | | ℄ |
| " | | | | 592 | | 10' R |
| TP | | | | 265964 | | |
| 44+00 | | | | 59.6 | | ℄ |
| " | | | | 594 | | 10' R |
| " | | | | 605 | | 100' R |
| " | | | | 614 | | 200' R |
| " | | | | 589 | 100' L | |
| " | | | | 573 | 200' L | |

Profile Notes Red. Plotted Job No. 217814 Division No. F. B. 2137 Pg. 71
No. X-Sec. Date Survey of MAHONIA AVE. S.S. DIST.
Notes Chkd. Checked Survey by JSC Notes JSC Date 11-16-61
No. Date Date Map No. Indexed H. E. OTT Date

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F. B. 2137 Pg. 72 Job No. 2178.14 Division No. Profile
Survey of MAHONIA AVE. S.S. DIST. Notes Red Plotted
Survey by JSC Notes JSC Notes Chkd. Checked
Indexed H. E. OTT Date Date Date
No. X-Sec. No.

| STATION | B. S. | H. I. | F. S. | ELEV. | CT | RT (AVE R-10 Sewer EASEMENT) |
|---|---|---|---|---|---|---|
| 45+00 | | | | 2660.3 | | ℄ |
| " | | | | 60.2 | | 10'R |
| 46+00 | | | | 60.6 | | ℄ |
| " | | | | 60.4 | | 10'R |
| 47+00 | | | | 61.2 | | ℄ |
| " | | | | 61.0 | | 10'R |
| " | | | | 62.0 | | 100'R |
| " | | | | 62.2 | | 200'R |
| " | | | | 60.4 | 100'L | |
| " | | | | 59.7 | 200'L | |
| 47+70 | | | | 61.6 | | ℄ |
| 47+80 | | | | 59.3 | | ℄ |
| 48+01.1 | | | | 62.95 | | ℄ W. edge pav. |
| 48+11.42 | ℄ INT. 47½ ST. & AVE R-10 | | | 62.02 | | ℄ INT. |
| | | | | 62.12 | 100'L on ℄ 47½ ST. E. | |
| BMAV222 | | | | 2663.33 | BMAV222 Elev. 2663.315 FB 2137-41<br>47th ST E (E. side) & AVE R-10 Et. Spk. in<br>W. side PP# 11844025 | |

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of MAHONIA AVE. S.S. DIST F. B. 2137 PG. 73
JN 2178.14 Tape 168 Std 84 °F
Surveyed by J S COATES
Notes J S C Date 11-13-61
Indexed H. E. OTT
DEC 1 8'61

# C.I. 2178.14

# ~~MAHONIA AVE.~~ S.S. DIST.
# 47 TH ST. E.

## TOPOGRAPHY
## ON
## 47 TH ST. E.
## FROM
## SEWER EASEMENT TO EXIST M.H. @ AVE. R-12

COATES
BEERS
TALBOT
HUBBARD

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

78F3095 CE # 310 3-61




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Profile No. ____ X-Sec. No. ____

Notes Red. ____ Date ____ Notes Chkd. ____ Date ____

Plotted ____ Date ____ Checked ____ Date ____

Job No. 2178.14 Division No. ____

Survey of MAHONIA AVE. S.S. DIST

Survey by J.S.COATES Notes J.S.C. Date ____

Map No. ____ Indexed H. E. OTT Date DEC 1 8 '61

F. B. 2137 Pg. 75

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |

C.I. 2178.14

MAHONIA AVE. S.S. DIST.

PROFILE & CROSS-SECTION ON

47TH ST. E EASEMENT

FROM

AVE R-10 TO AVE R-12

COATES
BEERS
TALBOT
HUBBARD

76L-298 S & E #307—1-56

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 76 Job No. 21781 Division No. S.S. DIST
Survey of MAHONIA AVE. Notes Red Date Plotted Date Profile No
Survey by JSC Notes JSC Notes Chkd Date Checked Date X-Sec. No.
Indexed H. E. OTT Date Date

| STATION | B. S. | H. I. | F. S. | ELEV. | LT | RT 47th ST EASEMENT |
|---|---|---|---|---|---|---|
| BM AV 222 | | | | 2663 32 | BM AV 222 Elev. 2663.315 FB 2137-41<br>47th ST E. (E. Side) @ Ave R-10 Bt. Spk. in<br>W. Side pp. # 1194402 E | |
| 1+00 | | | | 266302 | | ℄ INT AVE R-10 & 47th ST E |
| " | | | | 6295 | | 10³ R. w/ edge pav |
| " | | | | 598 | | 31⁵R flow Line |
| " | | | | 616 | | 41' R Top bank |
| " | | | | 620 | | 50' R P/L |
| 2+00 | | | | 6384 | | ℄ |
| " | | | | 6366 | | 10⁵ R. edge pav |
| " | | | | 612 | | 31' R flow Line |
| " | | | | 629 | | 40' R Top bank |
| " | | | | 630 | | 50' R P/L |
| 3+00 | | | | 6480 | | ℄ |
| " | | | | 6461 | | 10⁵R edge pav |
| " | | | | 621 | | 30' R flow Line |
| " | | | | 642 | | 40' R |
| " | | | | 642 | | 50' R |
| 4+00 | | | | 6557 | | ℄ |
| " | | | | 6544 | | 10⁵ R edge pav |
| " | | | | 626 | | 30' R flow Line |
| " | | | | 641 | | 50' R P/L |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | LT | ℄ | RT |
|---|---|---|---|---|---|---|---|
| TP | | | | 2665 45 | | | |
| 5+00 | | | | 6632 | | ℄ | |
| " | | | | 6620 | | | $10^5$ R edge pav |
| " | | | | 632 | | | 31' flow Line |
| " | | | | 654 | | | 50' P/L |
| 6+00 | | | | 6700 | | ℄ | |
| " | | | | 6686 | | | $10^5$ R edge pav |
| " | | | | 640 | | | 32' R flow Line |
| " | | | | 657 | | | 50' R P/L |
| 7+00 | | | | 6774 | | ℄ | |
| " | | | | 6753 | | | $10^5$ R edge pav |
| " | | | | 649 | | | 33' R flow Line |
| " | | | | 666 | | | 50' R P/L |
| 8+00 | | | | 6844 | | ℄ | |
| " | | | | 6820 | | | $10^5$ edge pav |
| " | | | | 661 | | | 33' R flow Line |
| " | | | | 675 | | | 50' R P/L |
| " | | | | 666 | | | 200' R |
| 9+00 | | | | 6914 | | ℄ | |
| | | | | 6890 | | | 10' R edge pav. |
| | | | | 672 | | | 30' R flow Line |

Profile Notes Red. Plotted Job No. 2178.14 Division No.
No. Date Date Survey of MAHONIA AVE. S.S. DIST.
X-Sec. Notes Chkd. Checked Survey by JSC Notes JSC Date 11-16-61
No. Date Date Map No. Indexed H.E. CT Date

F. B. 2137 Pg. 77

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 78 Job No. 2178.14 Division No. Profile
Survey of MAHONIA AVE. S.S. DIST No. X-Sec.
Survey by J.S.C. Notes J.S.C. Notes Chkd. Checked
Indexed H. E. OTT Date Date Date Date

| STATION | B. S. | H. I. | F. S. | ELEV. | LT. | | | RT. | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 9+00 | | | | 26684 | | | | 50' R P/C | | |
| 9+26 | | | | 68.74 | N rim M.H | | | | | |
| " | | | | 68.77 | E. rim M.H | | | | | |
| " | | | | 68.72 | S. rim M.H | | | | | |
| " | Channel to North | | | 60.14 | Channel to No. | 8" invert EAST | | 8" STUB invert SOUTH | | |
| " | 8 invert EAST | | | 60.25 | Meas 8.60 | 68.74 | Meas. 7.85 | 68.77 | Meas. 7.84 | 68.72 |
| " | 8" invert South | | | 60.21 | | 8.60 | Diam 0.67 | 8.52 | Diam 0.67 | 8.51 |
| | | | | | | 60.14 | 8.52 | 60.25 | 8.51 | 60.21 |
| 9+30.35 | ℄ INT. | 47th ST E. & AVE R-12 | | 2669.37 | | | | ℄ | | |
| BM AV 224 | | | | 69.40 | BM AV 224 Elev. 2669.395 FB. 2137-41 | | | | | |
| | | | | | 47th ST E. & AVE R-12 S.E. Cor. | | | | | |
| | | | | | FD. Lead & Tag 2' S. of S. end C.R. | | | | | |
| | | | | | Stamped "L.A. Co. RD. DEPT. B.M." | | | | | |

NOTES RED _____ JOB NO. 2209.34 SURVEY OF FOXHOLM DR. S.S. DIST

DATE _____ SURVEY BY J.S. COATES

NOTES CHKD Miller NOTES BY J.S.C. DATE 4-4-62

DATE _____ INDEXED [redacted] DATE [redacted]

F.B. 2137 PG. 87

C.I. 2209.34

FOXHOLM DR. S.S. DIST.

BENCH LEVELS

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| | | | | | COATES<br>BEERS<br>HUBBARD<br>ALBRIGHT<br>RANDALL | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

769420 S & E-353 4-54

768420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

JOB NO. 2209.34 SURVEY OF Foxholm Dr. S.S. DIST NOTES RED
SURVEY BY J.S. Coates DATE
NOTES BY J.S. Coates DATE 4-4-62 NOTES CHKD
INDEXED H.E. Ott DATE

F.B. 2137 Pg. 88

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| FD BM AV 157 | 2726.019 ✓ | | | | 2726.019 | BM AV 157 Elev. 2726.019 FB. 2181-13 |
| + | 3.228 | | 3.137 | | | MESQUITE RD (E. Side) 320'± N & |
| H.I. | 2729.247 ✓ | -3.069 | -3.068 | -3.069 | | AVE. P-14 Bt. Spk. in cb. 20' N |
| − | 6.297 | | 6.205 | | | of S P/L of # 38868 |
| FD BM AV 146 | 2722.950 ✓ | | | | 2722.950 | BM AV 146 ELEV 2722.942 F.B. 2181-8 |
| + | 2.692 | | 2.547 | | | Ocotillo Dr. & MESQUITE Rd N'LY COR |
| H.I. | 2725.642 ✓ | -5.541 | -5.541 | -5.542 | | Bt. Spk. in cb 5' NE of NE END C.R. |
| − | 8.233 | | 8.088 | | | |
| T.P. | 2717.409 ✓ | | | | | |
| + | 4.164 | | 4.012 | | | |
| H.I. | 2721.573 ✓ | -1.339 | -1.340 | -1.341 | | |
| − SET | 5.503 | | 5.352 | | | |
| BM AV 229 | 2716.070 ✓ | | | | 2716.067 | BM AV 229 Elev. FB. 2137-88 |
| + | 3.288 | | 3.179 | | | MESQUITE Rd & DEER RUN DR. W'LY COR. |
| H.I. | 2719.358 ✓ | -1.400 | -1.399 | -1.400 | | Bt. Spk. in cb 5' NW of NW END C.R. |
| − SET | 4.688 | | 4.576 | | | |
| BM AV 230 | 2714.670 ✓ | | | | 2714.667 | BM AV 230 Elev. FB 2137-88 |
| + | 5.471 | | 5.372 | | | MESQUITE Rd & FOXHOLM DR. W'LY COR. |
| H.I. | 2720.141 ✓ | +1.157 | +1.156 | +1.156 | | Bt. Spk. in cb 5' SW of SW END CR. |
| − | 4.314 | | 4.216 | | | |
| T.P. | 2715.827 ✓ | | | | | |
| + | 5.502 | | 5.403 | | | |
| H.I. | 2721.329 ✓ | +2.400 | +2.397 | +2.397 | | |
| − | 3.102 | | 3.006 | | | |
| T.P. | 2718.227 ✓ | | | | | |
| + | 11.213 | | 11.118 | | | |
| H.I. | 2729.440 ✓ | +9.626 | +9.625 | +9.624 | | |
| − SET | 1.587 | | 1.493 | | | |
| BM. AV 231 | 2727.853 ✓ | | | | 2727.844 | BM AV 231 Elev. F.B. 2137-88 |
| | | | | | | SILICA DR. & FOXHOLM DR. N'LY COR. |
| | | | | | | Bt. Spk. in cb 5' NE of NE END CR. |

76S420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| BM AV 231 | 2727.853 ✓ | | | | 2727.844 | SEE PAGE 88 |
| + | 8.005 | | 7.908 | | | |
| H.I. | 2735.858 ✓ | + 5.093 | +5.096 | +5.093 | | |
| − | 2.912 | | 2.812 | | | |
| SET BM AV 232 | 2732.946 ✓ | | | | 2732.937 | BM AV 232 Elev. FB 2137-89 |
| + | 7.888 | | 7.799 | | | DEER RUN Rd & SILICA AVE. N'LY COR |
| H.I | 2740.834 ✓ | + 6.010 | +6.007 | +6.007 | | BT SPK. IN cb 5' NE OF N.E. End CR |
| − | 1.878 | | 1.792 | | | |
| T.P. | 2738.956 ✓ | | | | | |
| + | 8.862 | | 8.933 | | | |
| H.I. | 2747.818 ✓ | + 8.438 | + 8.439 | +8.437 | | |
| − | 0.424 | | 0.494 | | | |
| T P | 2747.394 ✓ | | | | | |
| + | 8.843 | | 8.725 | | | |
| H.I. | 2756.237 ✓ | + 7.073 | | +7.071 | | |
| − | 1.770 | | | | | |
| SET BM AV 233 | 2754.467 ✓ | | | | 2754.452 | BM AV 233 Elev. FB. 2137-89 |
| + | 5.162 | | 5.075 | | | AVE Q & DEER RUN Rd N.W. COR. |
| H.I. | 2759.629 ✓ | + 0.220 | - 0.223 | -.223 | | BT. Spk. in cb 5' N. of N. end C.R. |
| − | 5.382 | | 5.298 | | | |
| SET BM AV 234 | 2754.247 ✓ | | | | 2754.229 | BM AV 234 Elev. FB 2137-89 |
| + | 5.357 | | 5.273 | | | AVE Q & FOX HOLM DR N.W. COR. |
| H.I. | 2759.604 ✓ | + 1.156 | +1.159 | +1.156 | | BT. Spk. in cb. 5' N. of N. end C.R. |
| − | 4.201 | | 4.114 | | | |
| T.P | 2755.403 ✓ | | | | | |
| + | 5.526 | | 5.463 | | | |
| H.I. | 2760.929 ✓ | + 2.119 | + 2.116 | + 2.114 | | |
| − | 3.412 | | 3.347 | | | |
| T.P. | 2757.517 ✓ | | | | | |

NOTES RED. JOB NO. 2209.34 SURVEY OF FOX HOLM DR SS DIST
DATE SURVEY BY. J.S. COATES
NOTES CHKD Miller NOTES BY. [illegible] 62
DATE INDEXED. [illegible] DATE

F.B. 2137 Pg. 89

768420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

JOB NO. 2209.34 SURVEY OF FOX HILLS DR. SOUTH NOTES RED. DATE
SURVEY BY J.S. COATES NOTES CHKD. DATE
NOTES BY H.C.N. DATE 9-9-62
INDEXED H.E. OTT DATE

F.B. 2137 PG. 90

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P | 2757.517 ✓ | | | | | |
| + | 6.537 | | 6478 | | | |
| H.I. | 2764.054 ✓ | +2.785 | +2.784 | +2.783 | | |
| − | 3.752 | | 3694 | | | |
| Fd BM AV 144 | 2760.302 ✓ | | | | 2760.282 | BM AV 144 ELEV 2760.282 FB. 2184-7<br>AVE G & OCOTILLO DR. 52'N & 5'E ℄ INT.<br>BT. SPK. IN ob. of divider strip. |

PWFB 3223

52

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of C SURVEY - FOX HOLM DR. S.S. DIST
JN 0303.00 Tape 185 Std 84 °F
Surveyed by J.S. COATES
Notes J.S.C. Date 4-4-62
Indexed H. E. OTT.

F. B. 2137 Pg. 81

# J.N. 0303.00
# CENTER-LINE SURVEY
# FOR
# FOX HOLM DRIVE S.S. DIST.
# C.I. 2209.34

COATES
BEERS
HUBBARD
ALBRIGHT
RANDALL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE # 310 3-61

PWFB 3223

F. B. 2137 Pg. 02

53 , 54

# INDEX




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3223

55

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of B SURVEY
JN 0303.00 Tape 185 Std 84 °F
Surveyed by JS COATES
Notes JSC Date 4-5-62
Indexed H. E. OTT

F. B. 2137 Pg. 93

D-2

WS 69

CONT. EOT PG. 94

(30) (30)

TO ℄ FOXHOLM DR

550.98

55'.04 @ 68°-550.98
529.45 @ 68°-529.39

P.O.T.
FD. Spk & Tin
no Ref.

529.39

20TH

ST. W.

AVE

COR. SECT. 20, 21, 28, 29
T 4 N R 12 W
FD. C.S. MON. IN H.H.
PER C.S. B 8750-3
C.S. B 2392-1
FB. 768-94
FB. 2181-65
FD. 4 TON Spk & WI TICS

SURVEY MONUMENT
LOS ANGELES COUNTY
T 6 N
R 12 W
20 21
29 28

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61


PWFB 3223
56
F. B. 2137 Pg. 94
CONT. FROM PG. 95
(92)
(92)
#20398
Set L&T
1" CONC.
C.E. TAG
X CUT
℄ TO ℄ DEER RUN RD.
318.92
318.92
318.95@68°=
150.00
150.02@68°=
150.00
FD L&T
98
PG. (30)
FOXHOLM
℄ TO ℄ B.C.
261.87
FD Spk, Tin & Tag
RE 1216
per TR#20398
FB. 2076-33
COMM. 30' (30)
DRIVE
FD L&T
90°
55.00
00"
00"
TR 37.03
Δ 90°00'00"
Ⓐ 360°00'00"
90°00'00"
Ⓒ 179°59'50"
89°59'58"
150.00
FD L&T
TR
AVE.
51.32 TAN
FD L&T
46.75
FD L&T
38.50
92.00
90°
FD. 2" I.P. 6'dn
CONC. PL. & TAG
RE 1216
per TR#20398
FD. Spk & Tin
per TR#20398
FB. 2076-33
550.98
P.O.T.
(30)
(30)
FROM TOP PG. 93
WS 69 D-2
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3223

57

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR. S.D. 1ST. F.B. 2127 PG. 95
JN 6303.00 Tape 185 Std 84 °F
Surveyed by J.S. COATES
Notes J.S.C. Date 4-5-62
Indexed H. E. OTT

D-2

WS 69

CONT. BOT. PG. 96

℄ TO ℄ OCOTILLO DR.

NE

(92) (30)

568.14

FD. 2" I.P. 6" d/h CONC. P.L. & TAG RE 1216 PER TR# 21211

92.02

90°

FD. Spk & Tin per TR# 21211 F.B. 2076-37

55.26 @ 14°-55.26
71.10 @ 14°= 71.10
142.01 @ 14°= 142.00

#20398

FD. Spk Tin & Tag RE 1216 per TR# 20398 F.B. 2076-37

71.10

AVE.

FD L&T

PG. 97

DEER RUN

18.25

90°

55.26

FD L&T

15.00

38.23

13.50

(30)

TO B.C.

142.00

FD. Spk. Tin & Tag per TR# 20398 F.B. 2076-37

CONT. BOT

RD.

18.25

45.01

60°

FD L&T

00' 00"

318.92

(30)

FD L&T

⑥ ④ ⑥ 90° 00' 00"
60° 00' 00"
90° 00' 00"
180° 00' 00"
90° 00' 00"

TR

(92)

TO ℄ FOXHOLM

(30)

FROM TOP PG. 94

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 64 D-2



PWFB 3223

59

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR. S.S. DIST F. B. 2137 PG. 97 99
JN 0303.00 Tape 185 Std 84 °F
Surveyed by J S COATES
Notes J S C Date 4-6-67
Indexed H. E. OTT




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

PWFB 3223

F. B. 2137 PG. 98

60




113.66 @ 64° = 113.65 ✓
113.63 @ 64° = 113.62 ✓
261.90 @ 64° = 261.87 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3223

61

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR. S.S. DIST
JN 0303.00 Tape 135 Std 84 °F
Surveyed by J.S. COATES
Notes J.S.C. Date 4-6-62
Indexed H. E. OTT

F. B. 2137 Pg. 99

A-2

WS 69

CONT. BOT. PG. 110

300.07 @ 74° = 300.05

(27) SILICA AVE

To ℄ FOXHOLM DR. (27)

TR

300.05

#20598

90° 00' 30"
360° 02' 00"
90° 00' 30"
180° 03' 00"
90° 00' 30"

FD LFT

FD LFT

90°

47.54

47.52

50.41

FD LFT

SIDE

PG. 97

(30)

To E.C. 391.32

℄

30'

1037.02

To ℄ Mesquite

(30) LEFT

FROM TOP

(30) DEER

50.25 Not TAN

18.24

32.59

RUN

RD. (30) CONT

FD LFT

FD. LFT ℄ prod

FD LFT

391.35 @ 74 = 391.32 ✓
1037.11 @ 74° = 1037.02 ✓

FD. Spk. Tin & Tag
L.S. 1216
TR # 20398
F.B. 2076-38
Replaced with
Set Spk W & Tin

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61


PWFB 3223
F. B. 2137 Pg. 100
62 , 63
WS 69 A-2
FD. L&T & PROD
FD. Spk, Tin & TAG per TR 20398 F.B. 2076-35
2.99
21.52
21.10
FD L&T
FD L&T
AVE
(27)
(27)
#20398
552.71 @ 64° = 552.64
145.03 @ 74° = 145.02
145.02
FD. Spk, Tin & Tag RE 12/6 per TR #20398 F.B. 2076-35
CONT FROM RT SIDE PG. 98
FD L&T
SET L&T TAG IN CONC. "X" GUTT ON ℄
FD L&T
CONT LEFT SIDE PG 103
(30)
FOXHOLM
AVE
(30)
50.02
50.14
12.77
To E.C.
552.64
To ℄ MESQUITE Ave
1037.09
50.09
50.27
(30)
(30)
FD L&T
FD L&T
59.20
89°
TR
89° 59' 20"
359° 57' 20"
89° 59' 20"
179° 56' 00"
89° 59' 20"
SILICA
300.05
To ℄ DEER RUN
(27)
(27)
FROM TOP PG 99
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3224

410

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR. S.S. DIST
JN 0303.00 Tape 185 Std 84 °F
Surveyed by JS COATES
Notes JSC Date 4-6-62
Indexed L. E. OTT

F. B. 2137 Pg. 101

D-2

WS 69

CONT. BOT PG 102

(30) RD (30)

4 TO 4 P

180.35

FD 4 WIT F.B. 2181-67

FD LET

FD LET

62.60

62.37

OCOTILLO

DP

BOT PG 104

(30)

62.61

62.37

1021.25

℄ T. ℄ PALM TREE WAY

55.10

FD LET

FD LET

CONT.

FD BT. Spk. W. ℄ F.B. 2181-68

88 Per F.B. 2181-68, 72

# AVE P. 147

TR

# 19947

(30)

(30)

256.40 per F.B. 2181-72

FD LET

62.35

40.03

FD LET

40.03

FD LET FACE OF CURB F.B. 2023-89 F.B. 2181-72

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

78F3095 CE # 310 3-61


PWFB 3224
411
F. B. 2181 Pg. 106
① 90° 00' 40"
② 360° 02' 40"
③ 90° 00' 40"
④ 180° 04' 00"
⑤ 90° 00' 40"
#20398
CONT. EOT
PG. 103
FD L&T
RD
To ℄ FOX HOLM
30.00
FD. 2" I.P. 6"dn CONC. PL. & TAG RE 1216 TR # 20398
45.00
300.03
54.00
45.0
29.98
℄ prod
DEER RUN
SIDE RD. 99
90° 00' 40"
57.15
18.25
FD L&T & prod
45.04
30.02
FROM RT
To ℄ SILICA AVE
1037.02
RD.
53.83 TAN
29.15
44.99'
FD. 2" I.P. 6"dn CONC. PL. & TAG RE 1216 TR # 20398
30.00
FD L&T
FD. Spk, Tin & Tag RE 1216 per TR # 2076-40 FB. 2076-40
180.36 @ 78° = 180.35
199.77 @ 78° = 199.76
TR
199.76
MESQUITE
30.00
FD. 2" I.P. 6"dn CONC. PL. & TAG RE 1216 TR # 20398
30.10
ANGLE POINT FD. Spk Tin & Tag RE 1216 F.B. 2076-40
FD L&T
30.02
18.25
0.30
0.29
0.28
30.00
30.02
3.28
FD. 2" I.P. 6"dn CONC. PL. & TAG RE 1216 per TR # 20398
FD. Bt. Spk & Tin per FB 2023-90 FB 2181-68 FB 2076-40
28.19
28.12
180.35
170°
To ℄ SCOTTLAND
(30)
(30)
FROM TOR PG 101
① 178° 55' 00"
④ 355° 40' 20"
178° 55' 05"
⑥ 353° 30' 30"
178° 55' 05"
W S 69 D-2
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3224

412

D-2

WS 64

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR. S.S. DIST. F. B. 2137 PG. 103
JN 0303.00 Tape 185 Std 84 °F
Surveyed by J S COATES
Notes JSC Date 4-6-62
Indexed H. E. D.T.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61




PWFB 3224
F. B. 2137 Pg. 104
413
WS 69 D-2
(30)
(30)
DR
#2035
FD. Bf. Spk & Tin
FB. 2023-94
FB. 2077-12
FB. 2181-69
FD. L&T
FD. L&T
50.76
50.80
20.11
FD L & C.E. Tag ON ℄ IN CONC. "X" GUTT
(30)
(30)
PALM
50.92
19.91
50.86
TREE
WAY
FD L&T
FD L&T
TR
FD C.E. TAG ON ℄ IN CONC. "X" GUTT
1021.25 Per FB 218/69
℄ OCOTILLO
To ℄ Mesquite
(30)
(30)
FROM RT. SIDE PG. 101
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR. S.S. DIST. F. B. 2137 PG. 105
JN 2209.34 Tape 185 Std 84 °F
Surveyed by JSCOATES
Notes JSC Date 4-2-62
Indexed H. E. OTT. APR 6 '62

# C.I. 2209.34
# FOXHOLM DR. S.S. DIST.

## LOCATION OF IMPROVEMENTS ON OCOTILLO DR.

| | | |
|---|---|---|
| FROM - | PALM TREE WAY | 1+00 |
| TO - | MESQUITE RD | 11+21.25± |

COATES
BEERS
HUBBARD
ALEKNIGHT
RANDALL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Map to be Made or Circled in Red by Date and Name of Person Making Change.


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of FOXHOLM DR. S.S. DIST
F. B. 2137 PG. 107
JN 220934 Tape 185 Std 84 °F
Surveyed by J.S. COATES
Notes J.S.C. Date 4-4-62
Indexed H. E. OTT
PALM
TREE WAY
24" CONC. GUTT.
1+00
F.D. Spk & Tin
F.B. 2181-68
F.B. 2137-104
F.H. 1+20°
6' CONC. CROSS GUTTER
6" CONC. X-GUTT.
1+20.8
1+45.2
1+44.4
2+83°
Sewer M.H.
5+87.2
Sewer M.H.
6" CB
24" CONC. GUTTER
8" V.C.P. Sewer
3" Rock & Oil Pav.
OCOTILLO DR.
18'
30'
FROM TOP PG 106
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEERING BLDG.
403 LOS ANGELES COUNTY ENGINEERING BLDG.
76F3095 CE # 310 5-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

N... A... Additions or Changes on This
t... be Made or Circled in Red
V... Date and Name of Person
Making Change.

Do not extend this side of this line.

RMB 2/3/74 RG 1/08

Profile No. ____ X-Sec. No. ____

Notes Red. ____ Date ____ Plotted ____ Date ____ Job No. 2209.34 Division No. ____ Survey of FOXHOLM DR. S.S. DIST.

Notes Chkd. ____ Date ____ Checked ____ Date ____ Survey by J S COATES Notes J S C Date 4-10-62 Map No. ____ Indexed H. E. OTT Date APR 6 '62

F. B. 2137 Pg. 109

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |

C. I. 220934

FOXHOLM DR. S.S. DIST.

CROSS - SECTION

AND

M.H. INVERT ELEVATION

ON

OCOTILLO DR.

FROM - PALM TREE WAY 1+00 ±

TO - MESQUITE RD 11+21.25 ±

COATES
BEERS
ALBRIGHT
RANDALL
HUBBARD

76L-298 S & E #907—1-56

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

IF ANY ADDITIONS OR CHANGES ARE MADE IN THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 110
Surveyed by FOXHOLM
Survey by JSC Notes JS COATES
Indexed H. E. OTT
Job No. 220934 Division No. DR.S.S. DIST
Profile Plotted Date
Notes Red Date
Notes Chkd Date 1 & 62
X-Sec. Checked Date
No. No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | OCOTILLO DR |
|---|---|---|---|---|---|---|
| BMAV148 | | | | 2707.55 | BM AV 148 Elev. 2707.55 FB. 2131-9 OCOTILLO DR & PALM TREE WAY S'Ly Cor, Bt. Spk. in cb. 5' S.W. of S.W. end C.R. | |
| 1+00 | | | | 2706.96 | | ℄ INT. Palm Treeway & OCOTILLO DR. |
| 1+45.3 | | | | 07.41 | | ℄ |
| " | | | | 07.72 | | 18' R Top S.W. end of wall |
| 2+00 | | | | 08.02 | | ℄ |
| " | | | | 08.11 | | 18' R Top cb. |
| 2+83 | | | | 09.43 | | 5' R N.E. M.H. rim |
| " | | | | 09.44 | | 5 R S.W. M.H. rim |
| | 8" (outlet) invert to N.E. | | | 2701.33 | Meas. 7.43 Diam 0.67 8.10 — 2709.43 − 8.10 = 2701.33 | |
| " | 8" (inlet) invert to S.W. | | | 2701.45 | meas. 7.32 Diam 0.67 7.99 — 2709.44 − 7.99 = 2701.45 | |
| 3+00 | | | | 09.66 | | ℄ |
| " | | | | 09.82 | | 18' R Top cb. |
| 4+00 | | | | 11.60 | | ℄ |
| " | | | | 11.73 | | 18' R Top cb. |
| T.P. | | | | 2711.40 | | |
| 5+00 | | | | 13.59 | | ℄ |
| " | | | | 13.72 | | 18' R Top cb |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | OCOTILLO DR. |
|---|---|---|---|---|---|---|
| 5+87.2 | | | | 2715.27 | | 5' R N.E. M.H. rim |
| " | | | | 15.33 | | 5' R S.W. " " |
| | | | | | meas. 7.13 Diam 0.67 7.80 — 2715.27 + 7.80 = 2707.47 | |
| " | 8" (outlet) invert N.E. | | | 2707.47 | | |
| | | | | | Meas. 7.16 DIAM. 0.67 7.83 — 2715.33 + 7.83 = 2707.50 | |
| " | 8" (inlet) invert S.W. | | | 2707.50 | | |
| 6+00 | | | | 15.52 | | ℄ |
| " | | | | 15.69 | | 18' R Top cb. |
| 7+00 | | | | 17.41 | | ℄ |
| " | | | | 17.51 | | 18' R Top cb. |
| 8+00 | | | | 18.84 | | ℄ |
| " | | | | 19.05 | | 18' R Top cb. |
| TP | | | | 18.63 | | |
| 8+86.6 | | | | 19.95 | | 5' R. N.E. M.H. rim |
| " | | | | 19.99 | | 5' R. S.W. M.H. rim |
| | | | | | Meas. 7.45 Diam. 0.67 8.12 — 2719.95 + 8.12 = 2711.83 | |
| | 8" (outlet) invert N.E. | | | 2711.83 | | |
| " | | | | | meas. 7.37 Diam. 0.67 8.04 — 2719.99 + 8.04 = 2711.95 | |
| | 8" (inlet) invert S.W. | | | 2711.95 | | |
| " | | | | | | |

Profile Notes Red. Plotted Job No. 2209.34 Division No. F. B. 2137 Pg. 111
No. X-Sec. Date Survey of Foxhollow DR. S.S. DIST.
Notes Chkd. Date Checked Date Survey by J.S.C. Notes J.S.C. Date 4-11-62
No. Date Map No. Index H. E. OTT Date 11-6-62

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

ANY ADDITIONS OR CHANGES IN SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F. B. 2137 Pg. 112
Survey of Foxholm Dr. S.S. Dist
Survey by JSC
Indexed H.E. Ott
Profile No. X-Sec. No.
Plotted Date Checked Date
Notes Red Date Notes Chkd Date
Division No. 2209.34
Job No. Notes JSC

| STATION | B. S. | H. I. | F. S. | ELEV. | | OCOTILLO DR. |
|---|---|---|---|---|---|---|
| 9+00 | | | | 2720.25 | | ℄ |
| " | | | | 20.43 | | 18'R Top cb. |
| 10+00 | | | | 21.69 | | ℄ |
| | | | | 21.84 | | 18'R Top cb. |
| 10+77.3 | | | | 22.73 | | ℄ |
| " | | | | 23.02 | | 18'R Top N.E. end N'Ly C.R. |
| 11+00 | | | | 23.09 | | ℄ |
| 11+11.3 | | | | 23.24 | | 5'R N.E. M.H. rim |
| " | | | | 23.26 | | 5'R S.W. M.H. rim |
| " | | | | 23.25 | | 5'R S.E. M.H. rim |
| | | | | | Meas. 7.25 2723.24<br>Diam. 0.67 7.92<br>7.92 2715.32 | |
| " | 8" (outlet) invert N.E. | | | 2715.32 | | |
| | | | | | Meas. 7.07 2723.26<br>Diam. 0.67 7.74<br>7.74 2715.52 | |
| " | 8" (inlet) invert S.W. | | | 2715.52 | | |
| | | | | | Meas. 6.90 2723.25<br>Diam. 0.67 7.57<br>7.57 2715.68 | |
| " | 8" (inlet) invert S.E. | | | 2715.68 | | |
| 11+21.25 | | | | 2723.33 | | ℄ INT. Ocotillo Dr & Mesquite Rd. |
| BM AV 146 | | | | 2722.95 | BM AV 146 Elev 2722.942 FB. 2181-8 | |
| | | | | | Ocotillo Dr & Mesquite Rd N'Ly Cor. | |
| | | | | | Bt. Spk. in cb 5' NE. of N.E. end C.R. | |

| | | |
|---|---|---|
| Notes Ck'd by | Survey of FOXHOLM DR. S.D. | F. B. 2137 Pg. 113 |
| Map No. | JN 2209.34 Tape 185 Std 84 °F | |
| Office Work | Surveyed by J.S. COATES | |
| Checked | Notes JSC. Date 4-6-62 | |
| Date | Indexed H. E. OTT | |

# C. I. 2209.34
# FOXHOLM DR. S.S. DIST.

## LOCATION OF IMPROVEMENT
ON
MESQUITE RD.

FROM - OCOTILLO DR. 17+00
TO - FOXHOLM DR. 6+80.14

COATES
EARLS
TINSTEAD
NORTHCUTT
HILLIS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEERING BLDG.
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 5-61




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this title of this line.

A— Additions or Changes on This
Sht. W be Made or Circled in Red
Making Change. Date and Name of Person

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR. S.S. DIST F. B. 2137 PG. 115
JN 2209.34 Tape 185 Std 84 °F
Surveyed by J.S. COATES
Notes H.C.H. Date 4-10-62
Indexed H. E. OTT APR 16 '62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEERING BLDG.
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61




F. B. 2137 PG. 116
(30)
(10)
18'
℄
RD
4' CONC WALL
6"CB
2' CONC CUT
TP#6858772
95
19'
8+28.7
16'
8+40.2 OK
18'
8+25.3
21'
8+11.0
R=75
R=135
R=27'
14'
8+05.5
44'
7+98.3
20'
7+96.2
OIL
7+80.19
Id. 30K & 7IN
F.B. 2137-103
FOXHOLM
DR
(30)
(30)
CONC CROSS GUT
3" Rock ℄
95
20'
7+63.8
44'
7+61.8
30'
7+57.3
14'
7+53.1
MESQUITE
75
17'
7+33.5
16'
7+20.0
10'
6+29.7
18'
6"CB
end of curb & walk
FROM (30) TOP PG. 115
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Additions or Changes on This
Sheet Made or Circled in Red
Initials and Name of Person
Making Change.

Profile No. ____ X-Sec. No. ____

Notes Red ____ Date ____ Notes Chkd ____ Date ____

Plotted ____ Date ____ Checked ____ Date ____

Job No. 2209.34 Division No. ____

Survey of FOXHOLM DR. S. S. DIST.

Survey by JSC Notes JSC Date 4-10-62

Map No. ____ Indexed H. E. OTT Date APR 6 1962

F. B. 2137 Pg. 117

C.I. 2209.34

FOXHOLM DR. S.S. DIST

PROFILE & CROSS-SECTION ON MESQUITE RD.

From: Ocotillo Dr. 1+00

To: Foxholm Dr. 7+80.14

COATES
EGERS
ALBRIGHT
RANDALL
HUBBARD

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76L-298 S & E #307—1-56

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

TE[illegible] Y ADDITIONS OR CHANGES T[illegible] HEET MUST BE MADE OR CIRCLE[illegible] N RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 118 | Profile | Plotted | Notes Red. | Division No. 2209.34 | Job No. 2209.34 | Dist. DR. S. | Survey of Fox Holm | Survey by J.S. Coates | Notes J.S.C. | Indexed H. E. Ott | Date | Checked | Notes Chkd. | Date | X-Sec. | No. | Date | No. | Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | MESQUITE RD |
|---|---|---|---|---|---|---|
| BMAV146 | | | | 2722 94 | BMAV 146 Elev. 2722.94 FB 2131-8<br>OCOTILLO RD. & MESQUITE RD. N'Ly COR.<br>Bk. Spk. in cb, 5' N.E. of N.E. end C.R. | |
| 1+00 | | | | 23 32 | | ℄ INT. OCOTILLO DR. & MESQUITE RD. |
| " | | | | 23 01 | | N.E. END - N'LY C.R. |
| " | | | | 24 28 | | S.W. END - W'LY C.R. |
| 1+45 | | | | 22 92 | | ℄ |
| 1+44 | | | | 22 86 | | 18' R N.W. END - N'LY C.R. |
| 1+45.6 | | | | 22 99 | N.W. END - W'LY C.R. 18' L | |
| 2+00 | | | | 21 80 | | ℄ |
| " | | | | 22 00 | | 18' R T.C. |
| " | | | | 22 04 | T.C. 18' L | |
| T.P. | | | | 2720 74 | | |
| 2+80.35 ± PT. | | | | 20 56 | | ℄ |
| " | | | | 20 58 | | 18' R. T.C. |
| " | | | | 20 7 | | 30' R. ℞ |
| " | | | | 25 7 | | 140' R B.L.L. |
| " | | | | 20 55 | 18' L T.C. | |
| " | | | | 21 0 | 30' L ℞ | |
| " | | | | 22 6 | 100' L B.L.L. | |
| 3+00 | | | | 20 16 | | ℄ |
| " | | | | 2720 24 | | 18' R. T.C. |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | MESQUITE | ROAD |
|---|---|---|---|---|---|---|
| 3+00 | | | | 2720 18 | 18'L T.C. | |
| 4+00 | | | | 18 19 | ℄ | |
| " | | | | 18 27 | | 18'R. T.C. |
| " | | | | 18 21 | 18'L T.C. | |
| 4+34.8 | | | | 17 50 | ℄ | |
| " | | | | 17 59 | | 18'R. S.E. END E'LY C.R. |
| " | | | | 17 70 | 18'L. S.E. END - S'LY C.R. | |
| " | | | | 17 9 | 30'L. P.L. | |
| " | | | | 20 6 | 100'L B.L.L. | |
| T.P. | | | | 2716 75 | | |
| | | | | 17 36 | | N.E. END E'LY C.R. |
| | | | | 17 45 | S.W. END - S'LY C.R. | |
| 4+80 " | | | | 16 75 | ℄ | MESQUITE RD. & INT. DEER RUN DR. |
| " | | | | 16 39 | | 18'R. GUT. F.L. |
| " | | | | 16 90 | | 45'R. EDGE PAVE. |
| " | | | | 16 8 | | 140'R. B.L.L. |
| " | | | | 16 41 | 18'L. GUT. F.L. | |
| " | | | | 17 10 | 45'L | |
| " | | | | 16 84 | | N.E. END - N'LY C.R. |
| " | | | | 16 99 | S.W. END - W'LY C.R. | |
| 5+00 | | | | 2716 46 | ℄ | |

Profile Notes Red. Plotted Job No. 2209.34 Division No. F. B. 2137 Pg. 119
No. Date Survey of FOX HOLM DR. S.S. DIST.
X-Sec. Notes Chkd. Date Survey by J.S.C. Notes J.S.C. Date 4-11-62
No. Date Checked Date Map No. Indexed H. E. OTT Date

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 120 | Job No 2209.34 | Division No. | Profile
Survey of Fox Holm DR. S.S. DIST | Plotted | No. | X-Sec.
Survey by JSC | Notes JSC | Notes Red | Date | Notes Chkd | Checked | Date | No.
Indexed H.E.OTT | Date | Date | Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | MESQUITE RD |
|---|---|---|---|---|---|---|
| 5+25 | | | | 2716 03 | | ℄ |
| " | | | | 16 17 | | 18'R N.W. END - N'LY C.R. |
| " | | | | 16 4 | | 30'R PL |
| " | | | | 16 2 | | 140'R B.L.L |
| " | | | | 16 15 | 18'L N.W. END W'LY | |
| " | | | | 16 4 | 30'L PL | |
| | | | | 19 2 | 100'L B.L.L. | |
| 6+00 | | | | 15 19 | | ℄ |
| " | | | | 15 25 | | 18'R T.C. |
| " | | | | 15 26 | 18'L T.C. | |
| 6+29 | | | | 14 82 | | 10'R EDGE PAVE |
| | | | | 15 10 | | 18'R TOP N.W. END CURB. |
| | | | | 15 4 | | 30'R P.L. |
| | | | | 15 4 | | 140'R B.L.L. |
| | | | | 15 09 | 18'L. T.C. | |
| " | | | | 15 4 | 30'L PL | |
| " | | | | 18 9 | 100'L B.L.L. | |
| 7+00 | | | | 14 64 | | ℄ |
| " | | | | 14 58 | | 95'R EDGE PAVE |
| " | | | | 14 1 | | 18' R F.L. |
| " | | | | 15 4 | | 30' R PL |
| " | | | | 27 14 78 | 18'L. T.C. | |

76L-298 S & E #307—1-56

PLEASE RETURN T
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | MESQUITE RD. |
|---|---|---|---|---|---|---|
| T.P. | | | | 2714 30 | | |
| 7+33? | | | | 14 49 | ℄ | |
| " | | | | 14 70 | 18'L S.E. END S'LY C.R. | |
| " | | | | 15 0 | 30'L ℞ | |
| | | | | 16 5 | 100' L B.L.L. | |
| | | | | 14 86 | S.W. END - S'LY C.R. | |
| 7+80 1/4 | | | | 14 31 | ℄ | INT. MESQUITE RD. & FOXHOLM DR. |
| | | | | 13 85 | 18'L. GUT. FL. | |
| | | | | 14 49 | 45'L | |
| | | | | 14 56 | S.W. END - W'LY C.R. | |
| 8+00 | | | | 14 21 | ℄ | |
| " | | | | 14 00 | | 95'R. EDGE PAVE. |
| " | | | | 13 46 | | 18'R GUT. F.L. |
| " | | | | 15 0 | | 30'R ℞ |
| " | | | | 14 0 | | 140'R B.L.L. |
| 8+25 3 | | | | 14 03 | ℄ | |
| " | | | | 14 14 | N.W. END - S'LY C.R. | |
| " | | | | 14 5 | 30' L. ℞ | |
| " | | | | 17 0 | 100' L. B.L.L. | |
| 9+00 | | | | 13 62 | ℄ | |
| 9+27 4 | | | | 2713 45 | ℄ | PROD T.C. |

Profile Notes Red. Plotted Job No. 2209.34 Division No. F. B. 2137 Pg. 121
No. X-Sec. Date Survey of FOXHOLM DR. S.S. DIST.
Notes Chkd. Checked Survey by JSC Notes JSC Date 4-11-62
No. Date Date Map No. Indexed H.E. 01 Date

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F. B. 2137 Pg. 122 | Job No. 2209.34 | Division No. DR. S.S. DIST
Survey of Fox Holm
Survey by JSC Notes JSC
Indexed H.E. Off

Profile Plotted Date Checked Date
X-Sec. No. Notes Red Date Notes Chkd Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | MESQUITE RD. |
|---|---|---|---|---|---|---|
| 9+27± | | | | 2713 8 | 30' L. ℄ | |
| " | | | | 172 | 100' L B.L.L. | |
| 10+00 | | | | 115 | | ℄ PROD. |
| 11+00 | | | | 108 | | ℄ " |
| 12+00 | | | | 076 | | ℄ " |
| 12+65 | | | | 27122 | | ℄ " |
| B.M. A.V. #230 | | | | 2714 65 | BM AV 230 Elev. 2714.670 F.B. 2137-88 MESQUITE RD & FOXHOLM DR W'Ly Cor. Bf Spk. in cb. 5' S.W. of S.W. end C.R. | |

| | |
|---|---|
| Notes Ck'd by | Survey of FOXHOLM DR. S.S. DIST. F. B. 2137 PG. 123 |
| Map No. | JN 2209.34 Tape 185 Std 84 °F |
| Office Work | Surveyed by J.S. COATES |
| Checked | Notes J.S.C. Date 4-6-62 |
| Date | Indexed H. E. OTT APR 16 62 |

C.I. 2209.34

# FOXHOLM DR. S.S. DIST.

## LOCATION OF IMPROVEMENTS ON FOXHOLM DR.

FROM - MESQUITE RD 1+00

TO - AVE. Q 21+78.87

COATES
ELKS
ALBRIGHT
RANDALL
HUBBARD

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2137 Pg. 124 CONT BOT. PG.




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Will Be Made or Circled in Red Ink and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR. S.S.D. 15
JN 2209.34 Tape 185 Std 84 °F
Surveyed by J.S. COATES
Notes W.S.A. Date 4-10-62
Indexed H. E. OTT

F. B. 2137 Pg. 125

CONT. BOT. PG.




Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

75F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet M[illegible]e Made or Circled in Red Ink Wi[illegible]te and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR SS. DIST
JN 22093 4 Tape 185 Std 84 °F
Surveyed by J S COATES
Notes J S C Date 4-10-62
Indexed H. E. OTT

F. B. 2137 PG. 127

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Eng. Bldg.

76F3095 CE # 310 3-61

AVE

21+90 ℄
21+78.87 FD. Spk. & Tin F.B. 2137-94
21+43 ℄
21+37 ℄
21+31 ℄
21+26 ℄
21+01 ℄
20+99.25
20+92.0
20+91.4
20+86.4
20+85.6
20+72
20+68.2
20+99.1

Premix Paved Island
Premix Paved Island
Conc Cross Gutter
Conc Gutter
6" Curb
Q
P
R=75
R=27
R=15
F.H.
4' Conc. Walk
24" Conc. Gutter
6" Curb
3" Rock & Oil Pan
FOXHOLM DR
FROM TOP PG.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 2137 PG. 128

Profile No. ____ X-Sec. No. ____

Notes Red. ____ Date ____ Notes Chkd. ____ Date ____

Plotted ____ Date ____ Checked ____ Date ____

Job No. 220934 Division No. ____

Survey of FOXHOLM DR. S.S. DIST.

Survey by J.S. COATES Notes JSC Date 4-10-62

Map No. ____ Indexed H. E. OTT Date ____

F. B. 2137 Pg. 129

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |

# C.I. 2209.34

# FOXHOLM DR. S.S. DIST.

## PROFILE & CROSS-SECTION ON FOXHOLM DR

From - Mesquite Rd 1+00

To - Ave Q 21+78.87

COATES
BEERS
ALBRIGHT
RANDALL
HUBBARD

76L-298 S & E #307—1-56

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 130 | Job No. 2209.34 | Division No. | Profile
Survey of FOXHOLM DR. S.S. DIST. | Plotted | No. | X-Sec.
Survey by J.S.C. | Notes Red | Date | No.
Indexed H.E. OTT | Notes Chkd. | Checked | Date
Date | Date | Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | FOXHOLM DR. |
|---|---|---|---|---|---|---|
| BM AV 230 | | | | 2714.670 | BM AV. 230 Elev. 2714.670 FB. 2137-88 Mesquite RD. & FOXHOLM DR. W'Ly Cor. Bt. Spk. in cb. 5'S W'ly of S.W. end C.R. | |
| 1+00 | | | | 2714 33 | | ℄ INT MESQUITE RD. & FOXHOLM DR |
| " | | | | 14 16 | | 30 R |
| " | | | | 14 45 | 30L | |
| 1+18 | | | | 13 87 | | ℄ = F.L. GUTT |
| " | | | | 14 16 | | N.W. END W'LY C.R. |
| " | | | | 14 73 | S.E. END S'LY CR. | |
| 1+45 ℄ | | | | 14 50 | | ℄ |
| " | | | | 14 58 | | 18' R S.W. END W'LY C.R. |
| " | | | | 14 8 | | 30' R P.L |
| " | | | | 16 4 | | 150' R B.L.L |
| " | | | | 14 88 | 18'L S.W. END S'LY C.R. | |
| " | | | | 15 2 | 30'L P.L. | |
| " | | | | 17 2 | 150'L B.L.L. | |
| 2+00 | | | | 15 20 | | ℄ |
| " | | | | 15 38 | | 18'R T.C. |
| " ⊙ | | | | 2715 29 | 18'L T.C. | |
| 3+00 | | | | 15 70 | | ℄ |
| " | | | | 15 82 | | 18'R T.C. |
| " | | | | 15 80 | 18'L T.C. | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | FOX HOLM DR. |
|---|---|---|---|---|---|---|
| 4+00 | | | | 2716 08 | | ℄ |
| " | | | | 16 18 | | 18'R T.C. |
| " | | | | 16 4 | | 30'R P.L. |
| " | | | | 18 1 | | 150'R B.L.L |
| " | | | | 16 21 | 18'L T.C. | |
| " | | | | 16 5 | 30'L P.L. | |
| " | | | | 18 2 | 150'L B.L.L. | |
| 5+00 | | | | 16 45 | | ℄ |
| | | | | 16 4 | | 18'R. T.C. |
| | | | | 15 9 | 18'L. T.C. | |
| 6+00 | | | | 16 96 | | ℄ |
| " | | | | 17 00 | | 18'R T.C. |
| " | | | | 17 02 | 18'L. T.C. | |
| T.P. | | | | 2716 55 | | |
| 7+00 | | | | 18 57 | | ℄ |
| " | | | | 18 63 | | 18'R. T.C. |
| " | | | | 18 8 | | 30'R P.L. |
| " | | | | 226 | | 150'R B.L.L. |
| " | | | | 18 64 | 18'L. T.C. | |
| " | | | | 18 9 | 30'L P.L. | |
| " | | | | 216 | 150'L B.L.L | |

Profile Notes Red. Plotted Job No. 22034 Division No.
No. X-Sec. Date Date Survey of FOX HOLM DR. S.S. 2157.
Notes Chkd. Checked Survey by J.S.Q. Notes by S.M.C.
No. Date Date Map No. Indexed H. E. PUB. WKS.

F. B. 3137 Pg. 131

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 132 | Job No. 2209.34 | Division No. | Notes Red | Plotted | Profile
Survey of FOXHOLM DR. S.S. DIST. | Date | Date | No. | X-Sec.
Survey by USC. & G.S. | Notes Chkd | Checked | No.
Indexed H.E.OH | Date | Date | Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | FOXHOLM DR. |
|---|---|---|---|---|---|---|
| 8+00 | | | | 2721 73 | | ℄ |
| " | | | | 21 89 | | 18'R T.C. |
| " | | | | 21 83 | 18'L T.C | |
| T.P. | | | | 2723.69 | | |
| 9+00 | | | | 2487 | | ℄ |
| " | | | | 2509 | | 18'R T.C. |
| " | | | | 2502 | 18'L T.C. | |
| 10+00 | | | | 2682 | | ℄ |
| " | | | | 2702 | | 18'R T.C. |
| " | | | | 27 2 | | 30'R P.L. |
| " | | | | 291 | | 150'R B.L.L. |
| " | | | | 270 | 18'L T.C. | |
| " | | | | 271 | 30'L. P.L. | |
| " | | | | 291 | 150'L B.L.L | |
| FD. B.M. A.V. 231 | | | | 2727.84 | B.M. A.V. 231 ELEV. 2727.85 | F.B. 2137 – 88 |
| 10+95.3 | | | | 27 89 | | ℄ |
| " | | | | 27 87 | | 18'R N.E. END. N'LY C.R. |
| " | | | | 28 2 | | 30'R P.L. |
| " | | | | 28 8 | | 150'R B.L.L. |
| " | | | | 28 20 | 18'L N.E. END E'LY C.R. | |
| " | | | | 285 | 30'L P.L. | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | FOX HOLM DR. |
|---|---|---|---|---|---|---|
| 10+95.3 | | | | 27299 | 150'L. B.L.L. | |
| — | | | | 2702 | | N.W. END N'LY C.R. |
| — | | | | 2908 | S.E. END E'LY C.R. | |
| 11+00 | | | | 2792 | | ℄ |
| 11+37.09 | | | | 2802 | | ℄ INT. FOX HOLM & SILICA |
| " | | | | 2720 | | 30'R. P.L. |
| " | | | | 2867 | 30'L | |
| 11+52.1 | | | | 2758 | | ℄ GUTT F.L. |
| " | | | | 2701 | | N.W. END W'LY C.R. |
| " | | | | 2915 | S.E. END S'LY C.R. | |
| 11+79.3 | | | | 2815 | | ℄ |
| " | | | | 2797 | | 18'R S.W. END W'LY C.R. |
| " | | | | 282 | | 30'R. P.L. |
| " | | | | 290 | | 150'R B.L.L. |
| " | | | | 2864 | 18'L S.W. END S'LY C.R. | |
| " | | | | 289 | 30'L P.L. | |
| " | | | | 308 | 150'L B.L.L. | |
| 12+00 | | | | 2852 | | ℄ |
| | | | | 2848 | | 18'R T.C. |
| | | | | 2884 | 18'L T.C. | |
| 13+00 | | | | 2939 | | ℄ |

Profile Notes Red. Plotted Job No. 22034 Division No.
No. X-Sec. Date Date Survey of FOX HOLM DR. SS. DIST
No. Notes Chkd. Checked Survey by J.S.C. Notes by J.S.C. Date
Date Date Map No. Indexed H. E. Date

F. B. 2137 Pg. 133

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 134 | Job No. 2209.34 | Division No. | Profile
Survey of FOX HOLM DR. S.S. DIST. | Notes Red | No. | X-Sec.
Survey by J.S.C. Notes W.S.A. | Date | Notes Chkd. | Checked | No.
Indexed H.E.O. | Date | Date | Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | FOX HOLM DR. |
|---|---|---|---|---|---|---|
| 13+00 | | | | 2729.51 | | 18'R T.C. |
| " | | | | 29.52 | 18'L T.C. | |
| T.P. | | | | 2729.64 | | |
| 14+00 | | | | 29.78 | | ℄ |
| " | | | | 29.88 | | 18'R T.C. |
| " | | | | 30.2 | | 30'R P.L. |
| " | | | | 31.6 | | 150'R B.L.L. |
| " | | | | 29.92 | 18'L T.C. | |
| " | | | | 30.5 | 30'L P.L. | |
| " | | | | 31.5 | 150'L B.L.L. | |
| 15+00 | | | | 30.23 | | ℄ |
| " | | | | 30.27 | | 18'R T.C. |
| " | | | | 30.31 | 18'L T.C. | |
| 16+00 | | | | 31.70 | | ℄ |
| " | | | | 31.78 | | 18'R T.C. |
| " | | | | 31.80 | 18'L T.C. | |
| T.P. | | | | 2733.25 | | |
| 16+89.73 | | | | 34.91 | | ℄ E.C. FD SK. & TIN FB 2137-98 |
| " | | | | 34.83 | | 18'R T.C. |
| " | | | | 35.1 | | 30'R P.L. |
| " | | | | 37.4 | | 150'R B.L.L. |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | FOX HOLM DR. |
|---|---|---|---|---|---|---|
| 16+89.73 | | | | 2734.97 | 18'L T.C. | |
| " | | | | 352 | 30'L P.L. | |
| " | | | | 396 | 160'L B.L.L. | |
| T.P. | | | | 2740.02 | | |
| $\frac{\Delta}{2}$ | | | | 4058 | | ℄ |
| " | | | | 4077 | | 18'R T.C. |
| " | | | | 4068 | 18'L T.C. | |
| | | | | 461 | | S.W. COR LOT 4 TRACT 20398 |
| 19+00 | | | | 4581 | | ℄ |
| " | | | | 4595 | | 18'R T.C. |
| " | | | | 4597 | 18'L T.C. | |
| T.P. | | | | 2747.41 | | |
| 19+17.22 | | | | 4682 | | ℄ B.C. |
| " | | | | 4691 | | 18'R T.C. |
| " | | | | 4691 | 18'L T.C. | |
| 20+00 | | | | 5126 | | ℄ |
| " | | | | 5144 | | 18'R T.C. |
| " | | | | 5147 | 18'L T.C. | |
| 20+72.3 | | | | 5434 | | ℄ |
| " | | | | 5445 | | 18'R T.C |
| " | | | | 548 | | 30'P.L. |

Profile Notes Red. Plotted Job No. 2209.34 Division No. F. B. 2137 PG. 135
No. Date Date Survey of FOX HOLM DR. S.S. DIST
X-Sec. Notes Chkd. Checked Survey by J.S.C. Notes W.S.B. Date
No. Date Date Map No. Indexed H. E. CO.

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 136 | Job No 2209.34 | Division No | Profile
Survey of FOXHOLM DR S.S. DIST | Plotted | Notes Red | No | X-Sec.
Survey by L.S.C. | Date | Date | No
Notes W.S.4. | Checked | Notes Chkd | No
Indexed H.E. OTT | Date | Date | Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | FOXHOLM DR. |
|---|---|---|---|---|---|---|
| 20+72 ℄ | | | | 2756.0 | | 150'R B.L.L |
| " | | | | 54.3 | 18' L T.C. | |
| " | | | | 54.6 | 30' L P.L | |
| " | | | | 55.2 | 160' L B.L.L. | |
| T.P. | | | | 2754.65 | | |
| 20+99 ℄ | | | | 55.10 | | ℄ |
| " | | | | 54.92 | | 45'R T.C. W. END N.W.C.R. |
| " | | | | 54.78 | 45' L T.C. E END N.E.C.R | |
| 21+00 | | | | 55.14 | | ℄ |
| 21+26 ℄ | | | | 55.81 | | ℄ |
| " | | | | 56.00 | | 35'R T.C. W. END N.C.R. |
| " | | | | 56.39 | 35' L T.C. E. END N.C.R. | |
| 21+37 ℄ | | | | 56.01 | | ℄ |
| | | | | 56.40 | | 34'R T.C. W. END S.C.R. |
| | | | | 56.85 | 34' L T.C. E. END S.C.R. | |
| 21+78.87 | | | | 56.51 | | ℄ INT. FOXHOLM & AVE Q |
| " | | | | 56.58 | | 30'R |
| " | | | | 56.40 | 30' L BOTT OF GUTT. | |
| 21+90 ℄ | | | | 56.61 | | ℄ EDGE OF PAVEMENT |
| B.M. A.V. 234 | | | | 2754.25 | B.M. A.V. 234 ELEV. 2754.247 F.B. 2137-89<br>AVE Q & FOXHOLM DR. N.W. COR. BT. SPK IN CB.<br>5' NORTH OF NORTH END C.R. | |

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR. S.S. DIST F. B. 2137 Pg. 137
JN 2209.34 Tape 125 Std 84 °F
Surveyed by J.S. COATES
Notes JSC Date 4-6-62
Indexed H. E. OTT 4-6-62

# C.I. 2209.34
# FOXHOLM DR. S.S. DIST

LOCATION OF IMPROVEMENT
ON
DEER RUN RD

FROM – MESQUITE RD. 1+00
TO – AVE. Q 18+97.53

COATES
BEER
HUBBARD
ALBRIGHT
RANDALL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61


F. B. 2137 Pg. 138 CONT BOT PG.
℄ SILICA DR.
11+37.02 FD. Spk & Tin FB. 2137-99
4' CONC. WALK
2' CONC. GUTTER
6" CURB
GUTTER
CONC. WALK
CONC. CURB
3" Rock & Oil Pav
℄ DEER RUN RD.
F.H.
4' CONC.
2' CONC.
6" CURB
CROSS GUTTER
WALK
GUTTER
℄ MESQUITE RD.
1+00 FD. Spk & Tin FB. 2137-102
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR. SS. DIST.
JN 2209.34 Tape 185 Std 84 °F
Surveyed by J.S. COATES
Notes JGR Date 4-10-62
Indexed H. E. OTT

F. B. 2137 Pg. 139




Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink and Name of Person Making Change.

| Profile No. | Notes Red. Date | Plotted Date | Job No. 2209.34 Division No. | F. B. 2137 Pg. 141 |
|---|---|---|---|---|
| X-Sec. No. | Notes Chkd. Date | Checked Date | Survey of FOXHOLM DR. S.S. DIST. Survey by J.S. COATES Notes J.S.C. Date 4-10-62 Map No. Indexed H.E.O.R. Date MAR 16 '62 | |

C.I. 2209.34

FOXHOLM DR. S.S. DIST.

PROFILE & CROSS-SECTION
ON
DEER RUN RD

FROM - MESQUITE R 1400
TO - AVE. Q 18+97.53

COATES
BEERS
ALBRIGHT
RANDALL
HUBBARD

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO ...NEER
LOS ANGELES COUNTY ...
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76L-298 S & E #307—1-56

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 142
Survey of FOX HOLM D.R.S.S. DIST
Survey by ISC
Indexed H.E.O.Y.

Job No. 220934
Division No. USC
Notes Red. Date
Notes Chkd. Date
Plotted Date
Checked Date
Profile No.
X-Sec. No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | DEER RUN RD. |
|---|---|---|---|---|---|---|
| BMAV, 229 | | | | 2716.07 | BMAV 229 Elev. 2716.07 F.B. 2137-88 Mesquite Rd. & Deer Run Rd. W'Ly Cor. Bt. Spk. in cb. 5' N.W. of N.W. end C.R. | |
| 1+00 | | | | 2716.76 | | ℄ INT. MESQUITE RD & DEER RUN RD |
| " | | | | 1631 | | 30R P/L |
| " | | | | 1717 | 30L P/L | |
| 1+18 | | | | 1643 | | ℄ @ F.L. GUTT |
| " | | | | 1619 | | NW END W'LY CR. |
| " | | | | 1760 | S.E. END S'LY CR | |
| 1+45 | | | | 1711 | | ℄ |
| " | | | | 1700 | | 18'R SW T.C. END W'LY CR |
| " | | | | 174 | | 30R P/L |
| " | | | | 186 | | 150' R.B.L.L. |
| " | | | | 1747 | 18'L SW T.C. END S'LY CR | |
| " | | | | 178 | 30'L P/L | |
| " | | | | 27207 | 170' L.B.L.L. | |
| 2+00 | | | | 1788 | | ℄ |
| " | | | | 1799 | | 18'R T.C. |
| " | | | | 1800 | 18'L T.C. | |
| 3+00 | | | | 1833 | | ℄ |
| " | | | | 1852 | | 18'R T.C. |
| " | | | | 2718.44 | 18'L T.C. | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | DEER RUN RD |
|---|---|---|---|---|---|---|
| T.P. | | | | 271809 | | |
| 4+00 | | | | 1867 | | ℄ |
| " | | | | 1884 | | 18' R TC. |
| " | | | | 191 | | 30' R P/L |
| " | | | | 27212 | | 150' R BLL |
| " | | | | 1879 | 18' L TC | |
| " | | | | 192 | 30' L P/L | |
| | | | | 27213 | 170' L BLL | |
| 5+00 | | | | 1902 | | ℄ |
| " | | | | 1914 | | 18' R TC. |
| " | | | | 1917 | 18' L TC. | |
| 6+00 | | | | 1941 | | ℄ |
| " | | | | 1950 | | 18' R TC. |
| " | | | | 1957 | 18' L TC. | |
| T.P. | | | | 271933 | | |
| 7+00 | | | | 1992 | | ℄ |
| " | | | | 1999 | | 18' R TC |
| " | | | | 27204 | | 30' R |
| " | | | | 225 | | 150' R BLL. |
| " | | | | 271927 | 18' L TC | |
| " | | | | 27202 | 30' L P/L | |

Profile Notes Red. Plotted Job No. 2209.34 Division No.
No. X-Sec. Date Survey of FOXHOLM DR 35.0157
No. Date Notes Chkd. Checked Survey by JSC Notes KCH Date 4-12-62
Date Date Map No. Indexed H. L. C. Date

F. B. 2137 Pg. 143

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 144 Job No 22209.34 Division No. Notes Red Plotted Profile
Survey of FOXHOLM OS 55 DIST. Date Date No X-Sec.
Survey by H.E. OTT & Notes MAC Notes Chkd. Checked
Indexed Date 4-12-62 Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | DEER RUN RD |
|---|---|---|---|---|---|---|
| 7+00 | | | | 27296 | 170'L BLL | |
| 8+00 | | | | 2192 | | ℄ |
| " | | | | 2200 | | 18'R T.C. |
| " | | | | 2206 | 18'L T.C. | |
| T.P. | | | | 272524 | | |
| 9+00 | | | | 2618 | | ℄ |
| " | | | | 2635 | | 18'R T.C. |
| " | | | | 2645 | 18'L. T.C. | |
| 10+00 | | | | 273046 | | ℄ |
| " | | | | 272989 | | 18'R.T.C. |
| " | | | | 273061 | 18'L T.C. | |
| 10+94± | | | | 3306 | | ℄ |
| " | | | | 3302 | | 18'R T.C. N.E. END N'LY CR. |
| " | | | | 335 | | 30'R P/L |
| " | | | | 337 | | 150'R BLL. |
| " | | | | 3308 | 18'L T.C. | |
| " | | | | 333 | 30'L P/L | |
| " | | | | 352 | 170'L BLL. | |
| 11+00 | | | | 3322 | | ℄ |
| 11+22± | | | | 3366 | | ℄ |
| " | | | | 273362 | | 45'R T.C. NW End N'LY CR. |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY E[illegible]NEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | DEER RUN RD. |
|---|---|---|---|---|---|---|
| Fd. | | | | | | |
| BM A.V. 232 | | | | 2733.93 | BM AV 232 Elev 2732.94 | SEE F.B. 2137-89 |
| 11+37.02 | | | | 33.96 | | ℄ INT. DEER RUN Rd & SILICA DR |
| " | | | | 33.87 | | 30'R |
| 11+51.9 | | | | 34.20 | | |
| | | | | 33.86 | | 45'R T.C. NW End W'LY CR |
| 11+78.6 | | | | 34.67 | | ℄ |
| " | | | | 34.73 | | 18'R T.C. |
| " | | | | 349 | | 30'R P/L |
| " | | | | 351 | | 150'R B.L.L. |
| " | | | | 34.80 | 18'L T.C. | |
| " | | | | 350 | 30'L P/L | |
| " | | | | 37.5 | 170'L B.L.L. | |
| 12+00 | | | | 35.05 | | ℄ |
| " | | | | 35.02 | | 18'R T.C. |
| " | | | | 35.21 | 18'L T.C. | |
| 13+00 | | | | 37.01 | | ℄ |
| " | | | | 37.14 | | 18'R T.C. |
| " | | | | 37.17 | 18'L T.C. | |
| T.P. | | | | 2737.39 | | |
| 14+00 | | | | 38.98 | | ℄ |
| " | | | | 2739.11 | | 18'R T.C. |

Profile Notes Red. Plotted Job No. 22093.4 Division No.
No. X-Sec. Date Date Survey of FOXHOLM DR SS. DIST
Date Notes Chkd. Checked Survey by JSC Notes Date 4-12-62
No. Date Date Map No. Indexed Date

F. B. 2137 Pg. 145

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 146 Job No. 2209.34 Division No. Profile
Survey of FOXHOLM DR. SS DIST No. X-Sec.
Survey by JSC Notes HCH Date 4-12-62 Checked Date
Indexed H.E.O. Notes Chkd. Date
Notes Red Plotted

| STATION | B. S. | H. I. | F. S. | ELEV. | | DEER RUN RD. |
|---|---|---|---|---|---|---|
| 14+00 | | | | 273918 | 18'L TC | |
| 15+00 | | | | 274183 | | ℄ |
| " | | | | 4197 | | 18'R T.C. |
| " | | | | 4198 | 18'L T.C. | |
| 15+28.34 | | | | 4324 | | ℄ @ E.C. |
| " | | | | 4330 | | 18'R T.C. |
| " | | | | 436 | | 30'R P/L |
| " | | | | 474 | | 150'R B.L.L. |
| " | | | | 4339 | 18'L T.C. | |
| " | | | | 433 | 30'L P/L | |
| 15+00 CK | | | | 456 | 170'L B.L.L. | |
| T.P. | | | | 274653 | | |
| Δ/2 | | | | 4914 | | ℄ @ Δ/2 |
| " | | | | 4926 | | 18'R T.C. |
| " | | | | 4926 | 18'L T.C. | |
| — | | | | 552 | | NW COR OF LOT 61 TR. #20398 |
| 17+00 | | | | 5148 | | ON SEMI. TANG. |
| " | | | | 5150 | | T.C. |
| " | | | | 5168 | T.C. | |
| 17+55.53 | | | | 5342 | | ℄ B.C. |
| T.P. | | | | 275342 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY E[illegible]INEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | DEER RUN RD |
|---|---|---|---|---|---|---|
| 17+55.53 | | | | 2753.49 | | 18'R T.C |
| " | | | | 53.49 | 18'L T.C. | |
| 17+90.5 | | | | 54.48 | | ℄ |
| " | | | | 54.59 | | 18'R T.C. |
| " | | | | 549 | | 30'R P/L |
| " | | | | 560 | | 150'R B.L.L. |
| " | | | | 54.54 | 18'L T.C | |
| " | | | | 548 | 30'L P/L | |
| " | | | | 556 | 71'L B.L.L. | |
| 18+00 | | | | 54.63 | | ℄ |
| 18+18.0 | | | | 5509 | | 45'R T.C. W COR. OF NW COR |
| " | | | | 5527 | 45'L. T.C E COR OF NE COR | |
| 18+45.5 | | | | 5589 | | ℄ T.C. |
| 18+59.6 | | | | 5777 | | ℄ T.C. |
| 19+07.2 | | | | 5819 | | ℄ INT AVE Q & DEER RUN RD |
| BM A.V. 233 Ed | | | | 2754.45 | BM AV 233 ELev. 2754.47 F.B. 2137-89. AVE Q & DEER RUN RD. N.W. COR. BT SPK. IN CB. 5'N OF N end CR. | |

Profile Notes Red. Plotted Job No. 2209.34 Division No. F. B. 2137 Pg. 147
No. X-Sec. Date Survey of EXHIBIT DR. S.S. DIST
No. Date Notes Chkd. Checked Survey by T.S.C. Notes A.C.M. Date 4-12-62
No. Date Date Map No. Indexed [illegible] Date

F. B. 2137 Pg. 148 220934

Job No. Division No. Notes Red Plotted Profile

Survey of FOXHOLM DR. S.S. DIST Date Date No.

Survey by JSC Notes JSC Notes Chkd. Checked X-Sec.

Indexed W. E. OTT Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Do not extend notes this side of this line.

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

76L-298 S & E #307—1-56

Profile No. ____ X-Sec. No. ____
Notes Red ____ Date ____ Notes Chkd. ____ Date ____
Plotted ____ Date ____ Checked ____ Date ____
Job No. 2209.34 Division No. ____
Survey of FOXHOLM DR. S.S. DIST
Survey by JS COATES Notes JSC Date 5-8-62
Map No. ____ Indexed ____ Date ____
F.B. 2137 Pg. 149

C.I. 2209.34

FOXHOLM DR. S.S. DIST

ELEVATIONS
ON
CONC. FLOOR PADS
OF
HOUSES ON FOXHOLM DR

COATES
ALBRIGHT
RANDALL
HUBBARD

| STATION | B.S. | H.I. | F.S. | ELEV. |
|---|---|---|---|---|
| | | | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENG. ER
700 Los Angeles County Engineering Bldg

76L-298 CE 307 11-58

76L-298 CE 307 11-58

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES TO THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F.B. 2137 Pg. 150 | Job No. 2209.34 | Division No. DR 55, DIST. | Survey of Foxholm | Survey by JSC | Notes J.G.R. | Indexed | Profile | Plotted | Notes Red | Date | Checked | Notes Chkd. | Date | X-Sec. | No. | Date | No. | Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | FOXHOLM DR. |
|---|---|---|---|---|---|---|
| BMAV230 | | | | 2714 67 | BMAV230 Elev. 2714.670 F.B. 2137-88 MESQUITE RD. & FOXHOLM DR. w'ly Cor. B.S. in c.b. 5' S.W. of S.W. end C.R. | |
| 9+27± on Mesquite Rd. | | | | 2711 9 | | 140'R B.&L. |
| Lot 30 | IN TR# 20398 | | | 2717 07 | | 78'R Ho# 38995 |
| Lot 31 | " | | | 17 29 | 78'L Ho# 38994 | |
| Lot 29 | " | | | 18 17 | | 62'R Ho# 38989 |
| Lot 32 | " | | | 17 55 | 62'L Ho# 38988 | |
| Lot 28 | " | | | 17 61 | | 57'R Ho# 38983 |
| Lot 33 | " | | | 17 93 | 75'L Ho# 38982 | |
| Lot 27 | " | | | 18 02 | | 77'R Ho# 38977 |
| Lot 34 | " | | | 17 98 | 82'L Ho# 38976 | |
| T.P. | | | | 2715 59 | | |
| Lot 26 | " | | | 18 14 | | 56'R Ho# 38971 |
| Lot 35 | " | | | 18 22 | 78'L Ho# 38970 | |
| Lot 25 | " | | | 18 58 | | 82'R Ho# 38965 |
| Lot 36 | " | | | 18 61 | 76'L Ho# 38964 | |
| Lot 24 | " | | | 18 71 | | 78'R Ho# 38959 |
| Lot 37 | " | | | 2719 57 | 63'L Ho# 38958 | |
| T.P. | | | | 2716 75 | | |

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENG[illegible]ER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | FOXHOLM DR. |
|---|---|---|---|---|---|---|
| Lot 23 | 8 | IN TR# 20898 | | 27 18 95 | | 56'R Ho# 38953 |
| Lot 38 | | | | 18 99 | 82'L Ho# 38952 | |
| Lot 22 | 9 | | | 21 40 | | 75'R Ho# 38945 |
| Lot 39 | | | | 20 58 | 78'L Ho# 38944 | |
| Lot 21 | 10 | | | 23 40 | | 64'R Ho# 38939 |
| Lot 40 | | | | 22 15 | 56'L Ho# 38938 | |
| T.P. B.M. A.V. 231 | | | | 27 20 42 | | |
| | | | | 27 27 90 | B.M. A.V. 231 ELEV. 2727.85 FOXHOLM DR. N'LY COR. OF N.E. END OF C.R.. | F.B. 2187-88. SILICA DR. & B.T. SPK. IN CB. 5' N.E. |

Profile Notes Red. Plotted Job No. 2209.34 Division No. F.B. 2137 Pg. 151
No. Date Date Survey of FOXHOLM DR. S.S. DIST.
X-Sec. Notes Chkd. Checked Survey by JSC Notes JGR Date 5-7-62
No. Date Date Map No. Indexed Date

F.B. 2137 Pg 52 | 220934

Job No. _____ Division No. _____ Notes Red _____ Plotted _____ Profile

Survey of FOXHOLM DR. S.S. DIST Date _____ Date _____ No. _____

Survey by JSC Notes JGR Notes Chkd. _____ Checked _____ X-Sec.

Indexed _____ Date _____ Date _____ Date _____ No. _____

| STATION | B.S. | H.I. | F.S. | ELEV. | |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

76L-298 CE 307 11-58

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

IF ANY ADDITIONS OR CHANGES ARE MADE ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JOB NO. 2212.14 SURVEY OF 2ND ST E. S.S. DIST

DATE SURVEY BY J.S. COATES

NOTES CHKD. Miller NOTES BY J.S.C DATE 4-20-62

DATE INDEXED 110 E 011 DATE MAY 1 '62

F. B. 2137 PG. 159

| DESCRIPTION | ADJ. ELEV. | 3RD RUN | 2ND RUN | DIFF. | 1ST RUN | B.M. |
|---|---|---|---|---|---|---|
| J.N 2212.14<br>2ND ST. E. S.S. DIST<br>BENCH LEVELS | | COATES<br>BEERS<br>HUBBARD<br>RANDALL<br>ALBRIGHT | Bench level circuit based on L.A.Co. R.D. SL B.M's | | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 4-54

768420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

JOB NO. 2212.14 SURVEY OF 2ND ST. E.S.S. DIST NOTES RED.
SURVEY BY J.S.C. DATE 4/20/62 NOTES CHKD.
NOTES BY J.S.C. DATE MAY 1 62 DATE
INDEXED H. E. OTT

F.B. 2137 Pg. 160

| B.M. FD. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| BM SL99 | 2643.639 ✓ | | | | ~~2643.639~~ | BM SL99 ELEV. 2643.639 |
| + | 5.287 | | 5.199 | | | AVE. Q & SUMAC AVE. S.E. COR. |
| ⊼ | 2648.926 ✓ | +0.719 | +0.717 | | | L & T 5' E. of E. end C.R. |
| FD. − | 4.568 | | 4.482 | | | L.A.CO. R.D. S.L. BM.'S PG. 7 |
| BM SL100 | 2644.358 ✓ | | | | 2644.366 | B.M. SL 100 ELEV. = 2644.366 |
| + | 4.397 | | 4.455 | 4.452 | | AVE. Q & 3RD ST. E. S.E. COR. |
| ⊼ | 2648.755 ✓ | -0.401 | -0.409 | -0.411 | | L & T 5' E. OF E. END C.R. |
| − | 4.798 | | 4.864 | 4.863 | | L.A. CO. R.D. SL B.M.'S PG. 7 |
| T.P. | 2643.957 ✓ | | | | | |
| + | 5.271 | | 5.186 | | | |
| ⊼ | 2649.228 ✓ | -0.262 | -0.261 | -.262 | | |
| − | 5.533 | | 5.447 | | | |
| T.P. | 2643.695 ✓ | | | | | |
| + | 4.012 | | 4.071 | | | |
| ⊼ | 2647.707 ✓ | -1.018 | -1.020 | -1.017 | | |
| SET − | 5.030 | | 5.091 | | | |
| B.M.A.V.235 | 2642.677 ✓ | | | | 2642.673 | B.M. A.V. 235 ELEV. = F.B. 2137-160 |
| + | 2.672 | | 2.606 | | | AVE. Q & 2ND ST. E. (N.) |
| ⊼ | 45.349 ✓ | -4.100 | -4.096 | -4.094 | | BT. SP. IN N. CB. OF N. ISLAND 5' E. OF ℄ |
| − | 6.772 | | 6.702 | | | OF 2ND ST. E. |
| T.P. | 2638.577 ✓ | | | | | |
| + | 2.849 | | 2.898 | 2.918 | | |
| ⊼ | 41.426 ✓ | -3.887 | -3.895 | -3.895 | | |
| SET − | 6.736 | | 6.793 | 6.813 | | |
| B.M.A.V.236 | 2634.690 ✓ | | | | 2634.680 | B.M. A.V. 236 ELEV. = F.B. 2137-160 |
| + | 3.415 | | 3.336 | | | 2ND ST. E. (W. SIDE) 690' ± N. OF ℄ AVE. Q |
| ⊼ | 2638.105 ✓ | -2.380 | -2.380 | -2.380 | | BT. SP. IN CB. 5' N. OF S. PR. OF HO.# 38905 |
| − | 5.795 | | 5.716 | | | |
| T.P. | 2632.310 ✓ | | | | | |

76S420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| T.P. | 2632.310 ✓ | | | | | |
| + | 3.733 | | 3.774 | | | |
| π | 2636.043 ✓ | - 2.851 | - 2.852 | -2.85[illegible] | | |
| - | 6.584 | | 6.626 | | | |
| SET B.M.A.V. 237 | 2629.459 ✓ | | | | 2629.443 | B.M. A.V. 237 ELEV. = F.B. 2137 - 161 |
| + | 4.374 | | 4.444 | | | 2ND ST. E. & AVE. P-12 N.W. COR. |
| π | 33.833 ✓ | - 0.[illegible]94 | - 0.394 | -.39[illegible] | | BT. SP. IN CB., 5' W. OF W. END C.R. |
| - | 4.768 | | 4.838 | | | |
| FD. B.M. A.V. 197 | 2629.0[illegible] ✓ | | | | 2629.055 | B.M. A.V. 197 ELEV. = 2629.055 F.B. 2181 - 242 |
| + | 6.35[illegible] | | 6.411 | | | CAROLSIDE AVE. & AVE. P-12 N.W. COR. |
| π | 2635.416 ✓ | +2.892 | + 2.893 | +2.89[illegible] | | L. & T. IN CB., 6' W. OF W. END C.R. |
| - | 3.459 | | 3.518 | | | |
| T.P. | 2631.957 ✓ | | | | | |
| + | 6.633 | | 6.716 | 6.619 | | |
| π | 38.590 ✓ | + 2.790 | + 2.797 | + 2.801 | | |
| - | 3.843 | | 3.919 | 3.818 | | |
| T.P. | 2634.747 ✓ | | | | | |
| + | 5.998 | | 6.068 | | | |
| π | 2640.745 ✓ | + 2.081 | + 2.082 | | | |
| - | 3.917 | | 3.986 | | | |
| T.P. | 2636.828 ✓ | | | | | |
| + | 6.052 | | 6.108 | | | |
| π | 2642.880 ✓ | + 3.118 | + 3.119 | | | |
| - | 2.934 | | 2.989 | | | |
| FD. B.M. S L 102 | 2639.946 ✓ | | | | 2639.964 | B.M. SL 102 ELEV. = 2639.964 |
| | | | | | | AVE. Q & CAROLSIDE AVE. N.W. COR |
| | | | | | | L. & BN. 5' W. OF W. END C.R. |
| | | | | | | L.A. CO. R.D. - S.L. B.M.'s PG. 7. |

NOTES RED. JOB NO. 2212.14 SURVEY OF 2ND ST. E. S.S. DIST. #
DATE SURVEY BY J.S. COATES
NOTES CHKD. [illegible] NOTES BY J.G.R. DATE 4-20-62
DATE INDEXED H. E. OTT DATE MAY 1 62

F. B. 2137 PG. 161

F. B. 2137 PG. 162

JOB NO. 2212.14 SURVEY OF 2ND ST E. S.S. DIST. NOTES RED.

SURVEY BY J.S.C DATE

NOTES BY J.G.R. DATE NOTES CHKD.

INDEXED H. E. OTT DATE DATE

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| | | | | | | |

765420 S & E-353 4-54

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

725 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PWER 3224 398, 399, 400, 401

| | |
|---|---|
| Notes Ck'd by W. D. WAGNER | Survey of A SURVEY |
| Map No. | JN 0303.00 Tape 185 Std 84 °F |
| Office Work | Surveyed by J S COATES |
| Checked | Notes J S C Date 4-20-62 |
| Date | Indexed H. E. OTT MAY 1 '62 |

F. B. 2137 Pg. 165

# J.N. 0303.00
# CENTER-LINE SURVEY
# FOR
# C.I. 2212.14
# 2ND ST. E. S.S. DIST.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

COATES
BEERS
HUBBARD
ALBRIGHT
RANDALL




76F3095 CE # 310 9-61

PWFB 3224
F. B. 2137 Pg. 164
402
CONT. (82)
BOT. PG. 165
(82)
W.S.-G.T. 4-2
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
SIDE PG. 168
CONT. RT. ℄ (30)
(30)
CAROLSIDE
To ℄ Per F.B. 2181-256 AVE P-12 1318.12
FD. L & C.E. TAG
90° F.B. 2181-256
52.03
05° 45' 00" 23548
To ℄ 2ND ST. E. (5)
29.26
15.56
49.99
44.40
FD. L & C.E. TAG ON LINE
FD. B.S.W & T. F.B. 2181-256
235.47 @ 88° = 235.48
44.41 @ 88° = 44.41
AVE.
℄
32.23
FD. Bt. Spk W. & TIN F.B. 2181-256
71.06
64.37
Per F.B. 2181/255
129.59
AVE
(40)
FD L & T
FD L & T
℄ ALLEY
FD. Bt. Spk W. & TIN F.B. 2181-255
SURVEYOR'S MONUMENT
T6N R12W
22 23 27 26
M218
Per F.B. 2181/255
174.55
COR. SEC. 22, 23, 26, 27 T6N R12W FD. C.S. MON. in H.H. F.B. 2181-255 MARKED
DIVISION
℄
ST.

PWFB 3224

403

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of R. SURVEY 2ND ST. E.
JN 0303.00 Tape 185 Std 84 °F
Surveyed by J.S. COATES
Notes JSC Date 4-28-62
Indexed H. E. OTT

F. B. 2137 Pg. 145

A-2

W.S. 65

#14487

CONT. BOT. PG 166

(82)

Q

C.E. TAG

FD. L & C.E. TAG

℄ To ℄ 190.43 Glenmaven F.B. 2181-257

FD. L & C.E. TAG

(82)

CONT. BOT. PG 169

(30)

2ND

SET L & C ON ℄

21.44

42.02

28.23

℄ To ℄ AVE P-12 1318.20

(60)

ST. E

FD. B.S. W&T F.B. 2181-257

39.82

90.06

#16992

FD. L & C.E. TAG

0.0'

92.51

FD. L & T

0.02

54.10

61.10

1318.20@84°=1318.20

92.51@88°=92.5 TR

90° 00' 00"
360° 00' 00"
90° 00' 00"
180° 00' 00"

2ND

(27)

FD. B & Spk. W&T F.B. 2181-257

FD. L & C.E. TAG

20.64

℄ To ℄ Carlisle 235.48

18.00

AVE.

ST. E.

(27)

TR

FD. L & T

(82) FROM TOP PG. (82) 164

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61


PWFB 3224
F.B. 2137 Pg. 166
404
W.S. C5
4-2
FD. L & T WEIR BOX
FD. SS & W TIP #75
33.72
60.56
(30) 5TH
1/4 COR. SEC. 23 26
T 6 N R 12 W
FD. C.E. MON. IN H.H
F.B. 1752-16
F.B. 2181-261
MARKED
6.43
59.05
FD. CHISEL X IN H.H
(30)
(40)
AVE
FD. NAIL & TAG
(30) ST. E.
COUNTY ENGINEER T6N R12W 23 26
℄ SUMAC AVE
FD. Bt. Spk. W. & Tin per F.B. 2181-260
200.05 F.B. 2181-260
℄ 3RD ST E
94.61 Per F.B. 2181-259
℄ 3RD ST E
FD. Bt. Spk. W. & T per F.B. 2181-259
183.50 Per F.B. 2181-259
℄ STANRIDGE AVE
Per F.B. 2181-258 142.35
℄ STANRIDGE AVE.
FD. Bt. Spk. W. & Tin per F.B. 2181-258
137.66 Per F.B. 2181-258
℄ GLENRAVEN AVE.
190.43 Per F.B. 2181-257
FROM TOP PG. 165
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this site of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3224

405

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of ℄ SURVEY-
JN 0303.00 Tape 185 Std 84 °F
Surveyed by J S COATES
Notes JSC Date 4/23/62
Indexed H. E. OTT

F. B. 2181 Pg. 167

CONT. BOT.
Pg. 168

W.S. 65 A-2

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

(30) Per FB. 2181-264 174.08 To ℄ Calc. (30)

(10) ALLEY

(10)

℄ FD. Spk & Tin FB. 2181-264

FD. L & C.E. TAG

169.16 per FB. 2181/264

P-12

AVE

#19803

TR

FD B.S.

FD L&T

FD L&T

61.47

74.19

69.38

67.95

(40)

FD. S.W.E.T. FB. 2181-262

5.00

47.97

0.15

FD. 1"X2" ℄ N FB. 2181-262

DIVISION ST.

FD. L & C.E. TAG ON Line

FD. 2" I.P. 12" dn CONC. ℄ & TAG RE 6067 TR # 19803




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3224 407

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of ℄ SURVEY
JN 0303.00 Tape 185 Std 84 °F
Surveyed by J S COATES
Notes JSC Date 4-28-62
Indexed H. E. OTT

F. B. 2137 Pg. 169

A-2

W.S. 68

N. Line TR # 19803

FD L&T 18.37 18.16 FD L&T — FD. Spk & Tin per TR 19803

26.01 25.98

FD L&T FD L&T

(30) ℄ (30)

ST. E.

327.02 ✓

# 19803

327.02 ✓
328.10 ✓
328.10 @ 94° = 90.00
327.02 ✓

FD. Bl. Spk. & Tin per FB 2181-265

STANDRIDGE AVE

Set B.S. for B.M. for AV 237

FD L&T

AVE

53.47 54.50

P-12 (30)

PG 168 (30)

To ℄ CAROLSIDE 328.07 ✓

328.10 ✓

54.52 54.49

FD. Bl. Spk ℄ FB. 2181-265

(30)

FROM TOP (30)

FD L&T FD L&T

TR

90.00 1318.20 ✓ 90°

① 90°00'10"
② 360°00'40"
③ 90°00'10"
④ 180°01'00"
90°00'10" ✓

2ND

No EVIDENCE 2"IP per TR # 13903 TR # 14487

(30) To ℄ AVE (30)

FROM LEFT SIDE PG 165

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 8137 Pg. 170

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of 2ND ST. E.
JN 2212.14 Tape 185 Std 84 °F
Surveyed by J.S. COATES
Notes J.S.C. Date 4-23-62
Indexed H. E. OTT, MAY 2 '62

F. B. 2137 Pg. 171

# C.I. 2212.14

# 2ND ST. E. S.S. DIST.

# TOPOGRAPHY ON AVE. P-12

FROM — CAROLSIDE AVE 1+00
TO — 2ND ST. E 4+28.07

COATES
BEERS
HUBBARD
ALBRIGHT
RANDALL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not attend this side of this line.

76F3095 CE # 310 3-61




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2137 Pg. 173

Profile No. ____ Notes Red ____ Plotted ____ Job No. 2212.14 Division No. ____
Date ____ Date ____ Survey of 2ND ST E. S.S. DIST
X-Sec. No. ____ Notes Chkd. ____ Checked ____ Survey by J.S.COATES Notes J.S.C. Date 4-24-62
Date ____ Date ____ Map No. ____ Indexed H. E. OTT Date MAY 1 1962

C.I. 2212.14

2ND ST. E. S.S. DIST.

PROFILE & CROSS-SECTION
ON
AVE P-12

CAROLSIDE AVE TO 2ND ST E

COATES
BEERS
HUBBARD
ALBRIGHT
RANDALL

| STATION | B.S. | H.I. | F.S. | ELEV. |
|---|---|---|---|---|
| | | | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

Do not extend notes this side of this line.

76L-298 CE 307 11-58

76L-298 CE 307 11-58

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F.B. 2137 Pg. 174 Job No. 2212.4 Division No. 2 Notes Red Plotted Profile
Survey of 2ND ST. E. S.S. DIST. Date Date No. X-Sec.
Survey by J.S. COATES Notes H.C.H. Notes Chkd. Checked
Indexed H.E. OTT Date Date Date No.

| STATION | B.S. | H.I. | F.S. | ELEV. | | AVE. P-12 |
|---|---|---|---|---|---|---|
| BMAV197 | | | | 2629.06 | BMAV197 Elev. 2629.05 FB. 2181-242 | |
| | | | | | CAROLSIDE AVE. & AVE. P-12 N.W. COR. | |
| | | | | | L & T IN cb. 6'W of W. end C.R. | |
| 0+55 | | | | 2629.08 | ℄ | |
| " | | | | 29.56 | | 18'R Top W. end S.W. C.R. |
| " | | | | 29.05 | 18'L Top W. end N.W. C.R. | |
| 0+82± | | | | 28.73 | ℄ = F.L. of cross gutter | |
| " | | | | 29.77 | | 46± Top S. end S.W. C.R. |
| " | | | | 28.77 | 45± Top N. end N.W. C.R. | |
| 1+00 | | | | 28.99 | ℄ INT. CAROLSIDE AVE & AVE. P-12 | |
| " | | | | 29.41 | | 30' R |
| " | | | | 28.71 | 30'L | |
| 1+05± | | | | 26.28.96 | 5' W. rim M.H. | |
| " | | | | 26.28.93 | 5' E. " " | |
| " | | | | 26.28.98 | 5' S. " " | |
| " | | | | 26.28.91 | 5' N " " | |
| | | | | | WEST | NORTH |
| " | 8" outlet West | | | 26.22.33 | Meas. 5.96 Diam 0.67 6.63 — 2628.96 6.63 2622.33 | Meas. 5.72 Diam. 0.67 6.39 — 2628.91 6.39 2622.52 |
| " | 8" inlet South | | | 26.22.81 | SOUTH | |
| " | 8" inlet North | | | 26.22.52 | Meas. 5.50 Diam. 0.67 6.17 — 2628.98 6.17 2622.81 | |
| " | no channel to E. | | | | | |

76L-298 CE 307 11-58

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | AVE P-12 |
|---|---|---|---|---|---|---|
| 1+18 | | | | 2628 77 | | ℄ = F.L. of Cross-Gutt. |
| " | | | | 29 78 | | 47½ R Top S.end S.E. C.R. |
| " | | | | 28 77 | 46½ L Top N-end N.E. C.R. | |
| 1+45 | | | | 29 07 | | ℄ |
| " | | | | 29 68 | | 18' R Top E.end C.R. S.E. Cor |
| " | | | | 26302 | | 30' R P/L |
| " | | | | 306 | | 90' R B.L.L. |
| " | | | | 2629 05 | 18' L Top E.end N.E. C.R. | |
| " | | | | 29 4 | 30' L P/L | |
| " | | | | 298 | 90' L B.L.L. | |
| 2+00 | | | | 2914 | | ℄ |
| " | | | | 2968 | | 18' R Top cb |
| " | | | | 2914 | 18' L Top cb. | |
| 3+00 | | | | 2931 | | ℄ |
| " | | | | 2977 | | 18' R Top cb |
| " | | | | 2930 | 18' L Top cb | |
| 3+83½ | | | | 2942 | | ℄ |
| " | | | | 2992 | | 18' R Top W End C.R. SW Cor |
| " | | | | 26302 | | 30' R P/L |
| " | | | | 302 | | 90' R B.L.L. |
| " | | | | 2629 43 | 18' L Top W. End C.R. NW Cor. | |

Profile Notes Red. Plotted Job No. 2212.14 Division No.
No. Date Date Survey of 2ND ST E. S.S. DIST.
X-Sec. Notes Chkd. Checked Survey by JSC Notes JSC Date 4-24-62
No. Date Date Map No. Indexed H. E. Ode Date 5-11-62

F.B. 2137 Pg. 175

76L-298 CE 307 11-58

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F.B. 2137 Pg. 176
Job No. 2212.14 Division No. 5.5. DIST
Survey of 2nd ST. E.
Survey by TS. Coates Notes 4CH
Indexed H.E. OTT
Profile Plotted
Notes Red Date
Notes Chkd. Date
Date
X-Sec. No.
Checked Date
No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | AVE. P-12 |
|---|---|---|---|---|---|---|
| 3+83.9 | | | | 262.97 | 30' L P/L | |
| " | | | | 2.96 | 90' L B.L.L. | |
| 4+00 | | | | 2.951 | | & |
| 4+10 | | | | 263.001 | | 45' R Top S. End CR. SW. COR. |
| " | | | | 262.899 | 45' L Top N End CR N.W. COR. | |
| 4+28.07 | | | | 262.970 | | & INT. AVE P-12 & 2ND ST. E. |
| BMAV237 | | | | 262.945 | BMAV237 Elev. 2629.459 | F.B. 2137-161 |
| | | | | | 2ND ST. E. & AVE. P-12 | N.W. COR. |
| | | | | | Bt. Spk. in cb. 5' W. of W. end C.R. | |

| | | |
|---|---|---|
| Notes Ck'd by | Survey of 2ND ST. E. SS. DIST. | F. B. 2137 Pg. 177 |
| Map No. | JN C.I. 221214 Tape 185 Std 84 °F | |
| Office Work | Surveyed by J.S. COATES | |
| Checked | Notes J.G.R. Date 4-23-62 | |
| Date | Indexed H.E. OTT MAY 1 '62 | |

C. I. 221214

# 2ND ST. E. S.S. DIST.

# TOPOGRAPHY ON

# 2ND ST. E.

FROM: AVE. P-12 1+00

TO: AVE. Q 14+18.20

COATES
BEERS
HUBBARD
ALBRIGHT
RANDALL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 8-61

F. B. 2137 Pg. 178

CONT. BOT. PG. 179




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of 2ND ST. E. S.S. DIST.
JN C1.2212.14 Tape 185 Std. 84 °F
Surveyed by J.S. COATES
Notes J.G.R. Date 4-23-62
Indexed H. E. OTT

F. B. 2137 Pg. 179




Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F3095 CE # 310 8-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2137 Pg. 180

Profile No. | Notes Red | Plotted | Job No. 2212.14 | Division No. | F.B. 2137 Pg. 181
Date | Date | Survey of 2ND ST. E. S.S. DIST.
X-Sec. No. | Notes Chkd. | Checked | Survey by J S C | Notes H.C.H. Date 4-24-62
Date | Date | Map No. | Indexed H. E. OTT Date MAY 1 62

C.I. 2212.14

2ND ST. E. S.S. DIST.

PROFILE & CROSS-SECTION
ON
2ND ST E.

AVE P-12 TO AVE Q

COATES
BEERS
HUBBARD
ALBRIGHT
RANDALL

| STATION | B.S. | H.I. | F.S. | ELEV. |
|---|---|---|---|---|
| | | | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

76L-298 CE 307 11-58

76L-298 CE 307 11-58

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F.B. 2137 Pg. 182
Job No. 2212.14 Division No. Notes Red Plotted Profile
Survey of 2nd ST. SS. DIST Date Date No.
Survey by J.S.C. Notes 4/64 Notes Chkd. Checked X-Sec.
Indexed H.E. OTT Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | 2ND ST. E, |
|---|---|---|---|---|---|---|
| BMAV 237 | | | | 2629 46 | BMAV 237 Elev. 2629.459 | FB. 2137-161 |
| | | | | | 2ND ST E. & AVE P-12 | N.W. Cor. |
| | | | | | Bt. Spk. in cb. 5' W. of | W. end C.R. |
| N.W. Cor. Lot 43 | | | | 26294 | | |
| N.E. Cor Lot 46 | | | | 26303 | | |
| 0+54? | | | | 2901 | | ℄ |
| " | | | | 2899 | | 18' R Top N. end N.W. C.R. |
| " | | | | 294 | | 30' R |
| " | | | | 2955 | 18' L Top N. end C.R. NE. Cor | |
| " | | | | 296 | 30' L | |
| " | | | | 26307 | 164' L B.C.L. | |
| 0+82 | | | | 2943 | | 45' R Top W. end N.W.C.R. |
| " | | | | 2981 | 45' L Top E. end C.R. NE. Cor. | |
| 1+00 | | | | 2970 | | ℄ INT. AVE P-12 & 2ND ST. E. |
| " | | | | 2949 | | 30' R |
| " | | | | 2977 | 30' L | |
| 1+18 ± | | | | 2992 | | 45' R Top W. end S.W. C.R. |
| " | | | | 3030 | 45' L Top E. end S.E. C.R. | |
| 1+45 ± | | | | 3003 | | ℄ |
| " | | | | 3001 | | 18' R Top S. end S.W. C.R. |
| " | | | | 26301 | | 30' R |

76L-298 CE 307 11-58

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | 2ND ST. E |
|---|---|---|---|---|---|---|
| 1+45 | | | | 26313 | | 164' R B.L.L. |
| " | | | | 3052 | 18'L Top S.end SE.C.R. | |
| " | | | | 306 | 30'L P/C | |
| " | | | | 318 | 164'L B.L.L. | |
| 2+00 | | | | 3055 | | ℄ |
| " | | | | 3050 | | 18'R Top cb. |
| " | | | | 3105 | 18'L Top cb. | |
| 3+00 | | | | 3129 | | ℄ |
| " | | | | 3124 | | 18'R Top cb. |
| " | | | | 3181 | 18'L Top cb. | |
| 4+00 | | | | 3207 | | ℄ |
| " | | | | 3205 | | 18'R Top cb. |
| " | | | | 324 | | 30'R P/C |
| " | | | | 325 | | 164'R BLL |
| " | | | | 3257 | 18'L Top cb. | |
| " | | | | 332 | 30'L P/C | |
| " | | | | 334 | 164'L B.L.L. | |
| T.P. | | | | 263212 | | |
| 5+00 | | | | 3281 | | ℄ |
| " | | | | 3287 | | 18'R Top cb. |
| " | | | | 263238 | 18'L Top cb. | |

Profile Notes Red Plotted Job No. 2212.14 Division No.
No. Date Date Survey of 2nd ST. E. S.S. DIST
X-Sec. Notes Chkd. Checked Survey by JSC. Notes H.C.H. Date 4-24-62
No. Date Date Map No. Indexed H. E. OTT Date

F.B. 2137 Pg. 183

76L-298 CE 307 11-56

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 2137 Pg. 184 | Job No. 22214 Division No. | Notes Red | Plotted | Profile
Survey of 2nd ST E 55 DIST | Date | Date | No.
Survey by JSC Notes HCH | Notes Chkd. | Checked | X-Sec.
Indexed H. E. OTT | Date | Date | No.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | 2nd. ST. E. |
|---|---|---|---|---|---|---|
| 6+00 | | | | 263362 | | ℄ |
| " | | | | 3375 | | 18'R Top cb |
| " | | | | 3415 | 18'L Top cb. | |
| 7+00 | | | | 3451 | | ℄ |
| " | | | | 3441 | | 18'R Top cb |
| " | | | | 349 | | 30'R P/L |
| " | | | | 368 | | 164'R BLL. |
| " | | | | 3497 | 18'L Top cb | |
| " | | | | 354 | 30'L P/L | |
| " | | | | 370 | 164'L BLL. | |
| BM A.V. 236 | | | | 263469 | | |
| 8+00 | | | | 3548 | | ℄ |
| " | | | | 3562 | | 18'R Top cb |
| " | | | | 3607 | 18'L Top cb | |
| 9+00 | | | | 3666 | | ℄ |
| " | | | | 3683 | | 18'R Top cb |
| " | | | | 3724 | 18'L Top cb | |
| 10+00 | | | | 3787 | | ℄ |
| " | | | | 3796 | | 18'R Top cb |
| " | | | | 382 | | 30'R P/L |
| " | | | | 26397 | | 164'R BLL |

76L-298 CE 307 11-58

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

Profile Notes Red. ____ Plotted ____ Job No. 2212.4 Division No. ____
No. ____ Date ____ Date ____ Survey of 2nd ST. E. 35 DST
X-Sec. Notes Chkd. ____ Checked ____ Survey by J.S.C. Notes H+H Date 4-24-62
No. ____ Date ____ Date ____ Map No. ____ Indexed H. E. OI Date ____

F.B. 2137 Pg. 28

| STATION | B. S. | H. I. | F. S. | ELEV. | | 2nd ST. E. |
|---|---|---|---|---|---|---|
| 10+00 | | | | 263840 | 18'L Top cb. | |
| " | | | | 387 | 30'L P/L | |
| " | | | | 26407 | 164' B.L.L. | |
| 11+00 | | | | 263904 | | ℄ |
| " | | | | 3910 | | 18'R Top cb. |
| " | | | | 3962 | 18'L Top cb | |
| 12+00 | | | | 264028 | | ℄ |
| " | | | | 4035 | | 18'R Top cb |
| " | | | | 4085 | 18'L Top cb. | |
| 13+00 | | | | 4142 | | ℄ |
| T.P. | | | | 264202 | | |
| 13+21.5 | | | | 4166 | | ℄ |
| " | | | | 4176 | | 18'R Top cb. |
| " | | | | 420 | | 30'R P/L |
| " | | | | 414 | | 164' R B.L.L. |
| " | | | | 4224 | 18'L Top cb | |
| " | | | | 427 | 30'L P/L | |
| " | | | | 441 | 164' L B.L.L. | |
| 13+48.3 | | | | 4198 | | 45'R Top W. End cr. NW COR |
| " | | | | 4250 | 45'L Top E End cr. NE COR | |
| 13+76.3 | | | | 264217 | | ℄ Bot. of cb. |

76L-298 CE 307 11-58

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F. B. 2137 Pg. 186
Job No. 2212.14 Division No. Notes Red Plotted Profile
Survey of 2nd ST. E. S.S. DIST Date Date No. X-Sec.
Survey by TSC Notes K.C.H. Notes Chkd. Checked No.
Indexed H. E. OTT Date Date Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | 2nd ST E |
|---|---|---|---|---|---|---|
| 13+76.3 | | | | 264.266 | | ℄ Top of cb. |
| 13+90.3 | | | | 4.449 | | ℄ Top of cb. |
| " | | | | 4.083 | | ℄ Bot. of cb. |
| 14+18.20 | | | | 264.173 | | ℄ INT AVE Q ℄ 2nd ST E |
| BM A.V. 235 | | | | 264.270 | BM A.V. 235 Elev. AVE Q ℄ 2nd ST. E. (N) BT. Spk in N cb of N. ISLAND 5'E of ℄ of 2nd ST. E. | F.B. 2137-160 |

NOTES RED _____ JOB NO. 2209.34 SURVEY OF FOXHOLM DR. S.S. DIST. F. B. 2137 PG. 201

DATE _____ SURVEY BY J.S. COATES

NOTES CHKD. Miller NOTES BY J.S.C. DATE 7-16-62

DATE July 1962 INDEXED C. J. GALLI DATE JUL 19 '62

J.N. 2209.34

FOXHOLM DR. S.S. DIST.

(ADDITIONAL WORK)

BENCH LEVELS

COATES
BEERS
ALBRIGHT

| DESCRIPTION | ADJ. ELEV. | 3RD RUN | 2ND RUN | DIFF. | 1ST RUN | B.M. |
|---|---|---|---|---|---|---|
| | | | | | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 4-54

76S420 S & E-353 4-54

PLEASE RETURN TO
**LOS ANGELES COUNTY SURVEYOR**
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line**

JOB NO. 2209.34 SURVEY OF Foxholm DR. S.S. DIST. NOTES RED.
SURVEY BY J.S. COATES DATE
NOTES BY J.S.C. DATE 7-16-62 NOTES CHKD.
INDEXED C.J. CALL DATE
F.B. 2137 Pg. 202

| B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION |
|---|---|---|---|---|---|---|
| FD BM AV 229 | 2716.067 | | | | 2716.067 | BM AV 229 Elev. 2716.067 FB 2137-88 |
| + | 5.338 | | 5.398 | | | MESQUITE RD & DEER RUN DR W'ly Cor. |
| ∧ | 2721.405 | +0.854 | +0.851 | +.851 | | Bt Spk. in cb. 5' N.W. of N.W. end C.R. |
| — | 4.484 | ✓ | 4.547 | | | |
| TP | 2716.921 | ✓ | | | | |
| + | 5.842 | | 5.918 | | | |
| ∧ | 2722.763 | +3.539 | +3.538 | +3.541 | | |
| — | 2.303 | ✓ | 2.380 | | | |
| TP | 2720.460 | ✓ | | | | |
| + | 1.402 | | 1.530 | | | |
| ∧ | 2721.862 | -4.563 | -4.566 | -4.561 | | |
| — | 5.965 | ✓ | 6.096 | | | |
| SET BM AV 238 | 2715.897 | ✓ | | | 2715.904 | BM AV 238 Elev. F.B. 2137-202 |
| + | 2.739 | | 2.873 | | | PALM TREE WAY & DEER RUN RD. W'ly Cor. |
| ∧ | 2718.636 | -6.059 | -6.059 | -6.057 | | Bt. Spk. in cb. 5' S.W. of S.W. end C.R. |
| — | 8.798 | ✓ | 8.932 | | | |
| TP | 2709.838 | ✓ | | | | |
| + | 2.702 | | 2.933 | | | |
| ∧ | 2712.540 | -2.296 | -2.294 | -2.293 | | |
| — | 4.998 | ✓ | 5.227 | | | |
| FD BM AV 148 | 2707.542 | ✓ | | | 2707.553 | BM AV 148 Elev. 2707.553 FB 2181-148 |
| | | | | | | OCOTILLO DR & PALM TREE WAY |
| | | | | | | S'ly Cor. B.S. in cb. 5' S.W. of |
| | | | | | | S.W. end C.R. |

| | |
|---|---|
| Notes Ck'd by | Survey of FOXHOLM DR. SS DIST F. B. 2137 PG. 203 |
| Map No. | JN 220934 Tape 174 Std 84 °F |
| Office Work | Surveyed by J. S. COATES |
| Checked | Notes J.S.C. Date 7-16-62 |
| Date | Indexed C. J. GAU JUL 19 '62 |

# J.N. 22034

# FOXHOLM DR. SS. DIST.

## LOCATION OF IMPROVEMENT

& & Ties

ON

DEER RUN RD

OR

WILLOWDALE RD

COATES
BEERS
ALBRIGHT

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 SAE #247 11-58


F. B 2137 Pg. 204
See Bot Pg. 205
FD L&T ON CURB FB2094-106
3+05
3+04 45
S.S.M.H 2+87 33
2+84 99
2+85 08
2+45 09
2+44 91
2+34 49
2+18
2+18 08
12.3
17.91
18.08
17.92
18.09
25.35
25.61
24" Conc. Gutt
4' Conc. Walk
7.5
R=25
R=27
8' V.C.P.
DEER RUN RD
PALM
TREE
WAY
45°
45 28
53.50
53.48
53.49
44.70
45.05
1+82 0x
1+81.95
1+63.8
1+64
25.30
24.72
1+54
17.81
18.18
19.7
1+50 56
STEEL LT. STD 1+77 67
2+00
SET SPLICE IN JOINT FOR L&T TIES
1+54 83 FB2094-106
R.C.P.
18'
(30')
30'
2½"
S.S.M.H 0+46 72
WILLOW BALE RD.
12.3
17.87
18.28
224.45
12.15
-177.73 S.S.M.H
PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of FOXHOLM DR SS. DIST F. B. 2137 Pg. 205
JN 2209.34 Tape 74 Std 84 °F
Surveyed by J.S. COATES
Notes J.S.C. Date 7-17-62
Indexed C. J. GALLI




NOTE— See Topog notes for Mesquite Rd. for location of Improvements @ intersection shown above

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2137 Pg. 206

Profile No. ____ X-Sec. No. ____

Notes Red. ____ Date ____ Plotted ____ Date ____

Job No. 2209.34 Division No. ____

Survey of FOXHOLM DR. S.S DIST

Survey by J.S.C Notes J.S.C Date 7-16-62

Notes Chkd. ____ Date ____ Checked ____ Date ____

Map No. ____ Indexed C. J. GALLI Date JUL 19 62

F. B. 2137 Pg. 207

# C.I. 2209.34

# FOXHOLM DR S.S. DIST

## CROSS-SECTION ON WILLOWDALE RD. OR DEER RUN RD

COATES BEERS ALBRIGHT

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76L-298 S & E #307—1-56

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2137 Pg. 208 Job No. 220934 Division No. Profile
Survey of FOXHOLM DR. S.S. DIST No. X-Sec.
Survey by JSC Notes JSC Date Checked Date
Indexed C. J. GADD Notes Chkd. Date Notes Red. Plotted Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | DEER RUN RD. |
|---|---|---|---|---|---|---|
| BMAV238 | | | | 2715.90 | BMAV 238 Elev. 2715.90 | F.B. 2137-202 |
| | | | | | PALM TREE RD. & DEER RUN RD. W'Ly COR | |
| | | | | | Bf. Spk. in cb. 5' S.W. of S.W. end C.R. | |
| -177.73 | | | | | | |
| M.H. | N.E. rim | | | 2701.38 | | |
| " | S.W. rim | | | 2701.44 | | |
| " | | | | 2693.75 | Meas. 6.96, Diam. 0.67, 7.63 — 2701.38 − 7.63 = 2693.75 | 8" outlet invert N.E. |
| | | | | 2693.86 | Meas 6.91, Diam 0.67, 7.58 — 2701.44 − 7.58 = 2693.86 | 8" inlet invert S.W. |
| -177.73 | | | | 2701.70 | | |
| " | | | | 2701.77 | | ℄ 18'R T.C. |
| | | | | 2701.76 | T.C. 18'L | |
| -100 | | | | 2704.00 | | ℄ |
| | | | | 2704.07 | | 18'R T.C. |
| | | | | 2704.10 | T.C. 18'L | |
| -50 | | | | 2706.29 | | ℄ |
| 0+00 | | | | 2708.71 | | ℄ |
| " | | | | 2708.85 | | 18'R T.C. |
| | | | | 2708.80 | T.C. 18'L | |
| 0+46.72 | NE. rim | | | 2710.73 | | |
| " | SW rim | | | 2710.81 | | |
| " | | | | 2703.28 | Meas. 6.78, Diam 0.67, 7.45 — 2710.73 − 7.45 = 2703.28 | 8" OUTLET INVERT NE. |
| " | | | | 2703.42 | Meas. 6.72, 0.67, 7.39 — 2710.81 − 7.39 = 2703.42 | 8" INLET INVERT S.W. |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | | | | | DEER RUN RD |
| 0+50 | | | | 2711 15 | | ℄ |
| 1+00 | | | | 1339 | | ℄ |
| " | | | | 1381 | | 18'R T.C. |
| " | | | | 1340 | 18'L T.C. | |
| 1+50 | | | | 1493 | | ℄ |
| 1+55 | | | | 1505 | | ℄ |
| " | | | | 1514 | | 18'R N.E, end N'Ly C.R. |
| " | | | | 1509 | N.E. end E'Ly C.R. 18'R | |
| 1+82 | | | | 1558 | | N.W. end of N'Ly C.R. |
| " | | | | 1560 | S.E. end of E'Ly C.R. | |
| 2+00 | | | | 1588 | | ℄ INT PALM TREE WAY & DEER RUN RD. |
| 2+18 | | | | 1560 | | N.W. end of W'Ly C.R. |
| " | | | | 1559 | S.E. end of S'Ly | |
| 2+45 | | | | 1573 | | ℄ |
| " | | | | 1584 | | 18' S.W. end of W'Ly C.R. |
| " | | | | 1608 | | 30' P/L |
| " | | | | 163 | | 150' B.L.L. |
| " | | | | 1584 | S.W. end S'Ly C.R. 18' | |
| " | | | | 1608 | P/L 30' | |
| | | | | 170 | B.L.L 175' | |
| 2+85 | | | | 1621 | | 18' C.R. |
| " | | | | 1623 | C.R. 18' | |

Profile Notes Red. ____ Plotted ____ Job No. 2209.34 Division No. ____ F.B. 2137 Pg. 209
No. ____ Date ____ Date ____ Survey of Foxhelm DR. S.S. DIST
X-Sec. Notes Chkd. ____ Checked ____ Survey by JSC Notes JSC Date 7-16-62
No. ____ Date ____ Date ____ Map No. ____ Indexed C.J. GALL Date ____

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____
Plotted ____ Date ____ Checked ____ Date ____
Notes Red. ____ Date ____ Notes Chkd. ____ Date ____

F. B. 2137 Pg. 210 | Job No. 220934 | Division No. ____
Survey of Foxhollow Dr. S.S. Dist
Survey by JSC Notes JSC
Indexed C. J. GALLI

| STATION | B. S. | H. I. | F. S. | ELEV. | | | DEER RUN RD. |
|---|---|---|---|---|---|---|---|
| 2+87.33 | N.E. rim of MH. | | | 271588 | | | |
| " | S.W. " " " | | | 271590 | | | |
| | | | | | Meas 6.35 | 2715.88 | |
| | | | | | Diam 0.67 | 7.02 | |
| " | 8" outlet invert | | N.E. | 2708 86 | 7.02 | 2708 86 | |
| | | | | | Meas 6.26 | 2715.90 | |
| | | | | | Diam 0.67 | 6.93 | |
| " | 8" inlet invert | | S.W. | 2708 97 | 6.93 | 2708.97 | |
| 3+03 | | | | 271648 | | | T.C. |
| 3+05 | | | | 1664 | | | 30'R P/L |
| " | | | | 1680 | P/L 30'L | | |
| 3+50 | | | | 162 | | | |
| 4+00 | | | | 164 | | | |
| " | | | | 152 | | | 30'R P/L |
| " | | | | 128 | | | 150'R B.L.L. |
| " | | | | 177 | P/L 30'L | | |
| " | | | | 221 | B.L.L. 175'L | | |
| 4+50 | | | | 171 | | | |
| 5+00 | | | | 190 | | | |
| " | | | | 191 | | | 30'R P/L |
| " | | | | 194 | P/L 30'L | | |

76L-295 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | DEER RUN RD. |
|---|---|---|---|---|---|
| 5+50 | | | | 272.01 | ℄ |
| 6+00 | | | | 204 | ℄ |
| " | | | | 191 | 30'R P/L |
| | | | | 219 | P/L 30'L |
| 6+50 | | | | 199 | ℄ |
| 7+00 | | | | 195 | ℄ |
| " | | | | 182 | 30'R P/L |
| " | | | | 132 | 150'R B.L.L. |
| " | | | | 204 | P/L 30'L |
| " | | | | 228 | B.L.L. 175'L |
| 7+50 | | | | 186 | ℄ |
| 8+00 | | | | 180 | ℄ |
| " | | | | 175 | 30'R P/L |
| " | | | | 192 | P/L 30'L |
| 8+50 | | | | 183 | ℄ |
| 9+00 | | | | 173 | ℄ |
| " | | | | 161 | 30'R P/L |
| " | | | | 180 | P/L 30'L |
| 9+50 | | | | 170 | ℄ |
| 10+00 | | | | 178 | ℄ |
| " | | | | 166 | 30'R P/L |

Profile Notes Red _____ Plotted _____ Job No 2209.34 Division No _____ F. B. 2137 Pg. 211
No _____ Date _____ Survey of EXHOLM DR. S.S.DIST.
X-Sec. Notes Cked _____ Checked _____ Survey by J.S.C. Notes J.S.C. Date 7-16-62
No _____ Date _____ Date _____ Map No _____ Indexed C. J. GALL Date _____

F. B. 2137 Pg 2/2 Job No. 2209.34 Division No. Plotted Profile
Survey of Foxhollow DR. S.S. DIST. Date Notes Red.
Survey by J.S.C. Notes V.S.C. Date Notes Chkd.
Indexed G. J. GALLI Date Date Checked Date

| STATION | | | | | | |
|---|---|---|---|---|---|---|
| | | | | | | |
| " | | | | 177 | P/L 30'L | |
| " | | | | 252 | 175'L | |
| T.P. | | | | 271798 | | |
| 10+50 | | | | 170 | | ℄ |
| 11+00 | | | | 170 | | ℄ |
| " | | | | 171 | | 30'R P/L |
| " | | | | 176 | P/L 30'L | |
| 11+76.2 | | | | 1691 | | ℄ N.E. end Pav |
| " | | | | 1684 | | 18'R N.E. end of N'Ly C.R. |
| " | | | | 1737 | 18'L N.E. end of E'Ly C.R. | |
| | | | | 1641 | | ℄ = Cross-gutter |
| 12+21.22 | | | | 1675 | | ℄ INT. Mesquite Rd & Deer Run Rd. |
| BMAV. 229 | | | | 271606 | BMAV. 229 Elev. 2716.067 FB. 2137-88 Mesquite Rd & Deer Run Rd. W'Ly Cor B.S. in cb. 5' N.W. of N.W. end C.R. | |