Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F.B. 2241 Pg.

	Job	Description
		LOS ROBLES AVE. - 0075.26
	Align.	Survey of align. along foothills from Workman Mill Rd. & Mission Mill Rd. to Los Robles Ave. & Turnbull Cyn. Rd. (cont'd on pg. 43)
	B.M.	Bench Levels (Cont'd on pg.131)
0	Align.	Survey of align. & ranch lines fr. Workman Mill Rd. to Los Robles Ave. & 4th St. (cont'd on pg. 171)
7	B.M.	Bench Levels.
5	Align.	Survey of align. continued from above page 130.
2	Topog.	Loc. & elevations on tilt points & cont. points-Photogrammetric cont.
2	ELev.	Photogrammetric control lines for trig. levels.
1	B.M.	Bench Levels to photogrammetric control points.
5	ELev.	Loc. & profile for photogrammetric check.
6	Align.	From 7th Ave. to Turnbull Cyn. Rd.
4	Loc. Imp.	From 7th Ave. to Turnbull Cyn. Rd.

Microfilmed May '86

Notes Ck'd by J. F. McMILLAN	Survey of Los Robles Ave F. B. 2241 PG.
Map No.	JN 0075.26 Tape 101 Std 125 99 °F
Office Work	Surveyed by J. H. Brown 0134 08
Checked	Notes U.4.13 Date March April
Date	Indexed K. C. Johnson 5-18-57

PRELIMINARY SURVEY
OF
LOS ROBLES AVE
J. N. 0075.26

March – August 1957

Index pgs 6, 7, 8,

J. H. Brown chief
K M. Kapp transit
G. R. Merino } head chain.
C. H Hill }
H. C. Reuter rear chain.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

3098 SAX #241

F.B. 2241 Pg. 6


Pellissier Rd
AUX II n in white circle on pvmt
(TR 364)
Pg 30
Pg 22
Pg 21
Pg 29
Pg 20
Pg 19
Pg 8
Pg 28
Pg 17
Pg 27
Pg 26
Pg 179
BP 6
P13B
P13
Pg 106
P14
Pg 104
P15A
P15B
P15
Pg 103
Pg 102
R1
Pg 105
Pg 108
Pg 109
Pg 110
TR 4005
Lot A
N12°W
AUX II
BP 3
Pg 178
P11
P10
Pg 172
E2
E1
Pg 171
Pg 86
R32
LR
P9
P8
AUX III
El Monte
U. 10.
R12
Pg 101
P16
Pg 100
P17
P18
Pg 99
Pg 98
Pg 97
Pg 96
Pg 95
Pg 94
Pg 93
Pg 92
Pg 91
Pg 90
Pg 89
Pg 88
Pg 87
Pg 86
Pg 85
Pg 84
Pg 83
Pg 82
Pg 81
Pg 80
Pg 79
Pg 78
Pg 77
Pg 76
Pg 75
Pg 74
Pg 73
Pg 72
Pg 71
Pg 70
Pg 69
Pg 68
Pg 67
Pg 66
Pg 65
Pg 64
Pg 63
Pg 62
Pg 61
Pg 60
Pg 59
Pg 58
Pg 57
Pg 56
Pg 55
Pg 54
Pg 53
Pg 52
Pg 51
Pg 50
Pg 49
Pg 48
Pg 47
Pg 46
Pg 45
Pg 44
Pg 43
Pg 42
Pg 41
Pg 40
Pg 39
Pg 38
Pg 37
Pg 36
Pg 35
Pg 34
Pg 33
Pg 32
Pg 31
Pg 30
Pg 29
Pg 28
Pg 27
Pg 26
Pg 25
Pg 24
Pg 23
Pg 22
Pg 21
Pg 20
Pg 19
Pg 18
Pg 17
Pg 16
Pg 15
Pg 14
Pg 13
Pg 12
Pg 11
Pg 10
Pg 9
Pg 8
Pg 7
Pg 6
Pg 5
Pg 4
Pg 3
Pg 2
Pg 1
R3
R2
R1
R2A
R2B
R2C
R2D
R2E
R2F
R2G
R2H
R2I
R2J
R2K
R2L
R2M
R2N
R2O
R2P
R2Q
R2R
R2S
R2T
R2U
R2V
R2W
R2X
R2Y
R2Z
R3A
R3B
R3C
R3D
R3E
R3F
R3G
R3H
R3I
R3J
R3K
R3L
R3M
R3N
R3O
R3P
R3Q
R3R
R3S
R3T
R3U
R3V
R3W
R3X
R3Y
R3Z
R4A
R4B
R4C
R4D
R4E
R4F
R4G
R4H
R4I
R4J
R4K
R4L
R4M
R4N
R4O
R4P
R4Q
R4R
R4S
R4T
R4U
R4V
R4W
R4X
R4Y
R4Z


J. F. McMILLAN
Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of Las ROBLES AVE
JN 007526 Tape 100' Std 84 68 °F
Surveyed by W. H. Brown
Notes U. I. B Date March April 57
Indexed A. C. Johnson
F. B. 2241 PG. 2
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this data past this line.
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
7-8-58 SEE 2241 1-58
Santa Fe RD
E 18'
Pg 175
Lot A
E 6
Pg 171
TR 1343
Pg 84
Pg 93
N16
Pg 181
BP 1
CLARK AVE
Pg 122
P7
P6
Pg 123
55+09
P5A
Pg 98
Pg 82
Pg 41
GALE AVE
Pg 82
Pg 81
Pg 41
PALM AVE
P4A
AUX II
SURVEY
BP 2
P4
P3
P2
P1
Pg 80
Pg 9
Pg 10
Pg 59
LOS ROBLES AVE
Pg 10
Pg 39
Pg 11
Pg 36
Pg 37
Lot B
Lot C
T12
Pg 78
Pg 85
ORANGE GROVE AVE
Pg 9
Pg 71
76
75
74
73
72
71
70
69
IRR 2A
Pg 60
IRR 5A
Pg 61
62
63
T10
20' STREET
Pg 68
Pg 64
Pg 65
Pg 67
Pg 66
T45
R6W
TR 9211
TURNBULL
(10th St)
9th
8th
7th
6th
5th
4th
3rd
2nd
1st

F.B. 2241 Pg. 0

LIST OF PAGE NUMBERS & CONTENTS

Pgs 5 to 8 = index
Pgs 9 To 12 = retracement & existing Las Robles Ave
Pgs 13 & 14 = 13=blank (pg 14 & ELMONTE G-1 4/58)
Pgs 15 to 22 = retracement of & Workman Mill Road from Mission Mill Rd north to 5th Ave (proposed). ("W" line)
Pgs 23-29 Blank.
pgs 25 to 30 = Bench levels along above Workman Mill Rd.
Pgs 31 to 42 = Bench Levels from Hacienda Blvd To 7th St. via Las Robles Ave.
Pgs 43 to 66 = S line of RANCHO LA PUENTE & S line of TRACT 4005 ("R LINE)
Pgs 66 to 78 = E line lot C TRACT 4005 ("T" line)
Pg 79 = BLANK
Pgs 80 = Int's. "P" line, & TRACT line at Las Robles Ave 1410' West of 7th Ave
Pgs 81 to 83 = E line lot C (TR 4005) from Las Robles Ave N To TR. 1343.
Pgs 83 to 84 = & 6th Ave from TR. 3309 To Clark Ave
Pg 85 = Aux "I" 1015' S/y from P4 (addition made) 4/58
Pg 86 = S.W. Cor TR 1343. (west end "N Line; South end of "E" line. & "N 32 = NE end of tie line to "P 6") Revised 4/58
Pg 87 = ~~BLANK~~ 1/8/58 TBM 68 & LR-1
Pg 88 - 98 = North line lots B & C TR 4005
Pg 99 - 126 = "P" from WORKMAN Mill ROAD (P18) to E line TR 4005 (P2)
Pg 127 - 128 = "S" Line bet. "R29A" & "P 11"
Pg 129 & 130 = Sketch of additional angles use to check "P line over rough country & to calc. various ties.
Pg 130 = Details of Ed Co. Tower #10-2 & BM LR-3
Pg 131 - 168 = Bench levels on "P" LINE incl. LR-1; LR-2 & LR-3
Pg 169 - 170 = BLANK.
Pg 171 - 175 = Additions & Revisions Noted Pg 177 (Index) E line Lot A TR 4005 (E-2 to E-19)
Pg 176 = BLANK.
Pg 177 - 182 = LOCATION BP #1, #2, #3, #4, #5, #6,
Pg 183 - 190 = Verticle #s to BP #1, #2, #3, #4, #5, #6
Pg 191 - 202 = BENCH LEVELS (Circuit #5 E end) (Circuit #6 west)

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN
Map No. B-2704
Office Work T. H. BURNS
Checked
Date

Survey of Los Robles Ave
JN 0075-26 Tape 0134 Std 68 °F
Surveyed by J. H. Brown
Notes J.H.B Date 11-29-56
Indexed C. Johnson

F. B. 224/ Pg. 41

W.S. 37-D-3

TR 4005

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 Los Angeles County Engineering Bldg.

Cont pg 89

TRACT 2489

Fd 1" I.P. & tg "L.S. 2408" dn 4" (James O Benett, 13 123 Colton, White Oak)

See pg 80

LOS ROBLES AVE

Fd nothing dug 3" Set 1" I.P. & tg. Ground dn 24" brnch Bl. sp cr out 32 N E W.

14+10.11

Fd 1x2 & n no ref

29.87

See pg 80
1409.87 Rec FB 364-5
1410.11 Meas.

Set n 52°

Fd 1x2 & n

2.87

0.13

B+ 2.88

Fd 1x2 & n no ref removed

29.78

See pg 80

See pg 80
Fd 2" I.P. no p/g new n. dn 8" FB 364-5

89°

TR 1953

ORANGE GROVE AVE

See pg 78

Set n 5°

Fd 2" I.P. per FB 364-5 FB 2241

1) 89-57-40
4) 359-51-40
6) 179-47-40
89-57-56 3/4

See pg. 78

N

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-D-3, E-4



76F3098 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37 - E-4

Notes Ck'd by J. F. McALLAIN
Map No. B-2764
Office Work T. H. BURNS
Checked
Date

Survey of LOS ROBLES AVE
JN 2075 26 Topo 234 Std 6.6 °F
Surveyed by H. B. [illegible]
Notes T.H.B. Date 11-22-56
Indexed C. Johnson

No Survey

TURNBULL (TENTH)

(30) ℄ (30)

330' Rec

330' Rec

Set L℄T in conc wall up 1'

R=20'

Set L℄T in 1' high conc wall

LOS ROBLES AVE

30.26

30.26

Cont'd pg 10

Cont'd pg 12

See Geodetic Traverse 1956
No ref. in field.

982.18

Fd L. A. COUNTY
Geodetic Traverse
Mon dn 10" in H.H.
Stamped "PUENTE C-12
1956 BE 5869
no ref. in field
Set to replace L℄T
F.B. 1458-227

30.00

30.61

11.55

56

59

Set L℄T in conc wall up 1'

1) 90 00 00
2) 00 00 40
3) 180 00 40
4) 90 00 06 2/3

Fd L℄T in 1' high conc wall no ref.

1) 89 59 40
2) 359 59 40
3) 179 59 20
4) 89 59 53 1/3

(30) ℄ (30)

CYPRESS RD

Sight ℄ on L℄T
& prod. 662.82
to Los Robles Ave
F.B. 1458-227

Fd L℄T in 1' high conc wall no ref.

F. B. 2275 PG. 71



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

P.B. 2241 Pg. 14

EL MONTE G-11

Fd. std. L.A.Co. SURVEY CONTROL SYSTEM TRIAN. STA. dm. 1' per FB 931-77. Marked as shown below. set 2' sq conc. pad & H.N. fl. over.

W5137-B-3



Tape #29 s/d @ 94°
T= 66°

42.89	43.29
77.03	76.64
119.92	119.93
-.01	-.01
119.91	119.92

Avg = 119.915

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted Ck'd by F. McMILLAM
Map No.
Office Work
Checked
Date

Survey of LOS ROBLES AVE F. B. 2241 Pg.
JN 007526 Tape 0115 Std 68 °F
Surveyed by J. H. BROWN
Notes J. H. B Date 1-57
Indexed C. Johnson

W.S. 37-B 35

Note: see FB. 1876 for more thorough survey this Area July 1957.

N

EAST COLORADO BLVD

END SURVEY

Fd. ct spk W & T. fl.
Marked with white paint "126+12 18/8C R.P. 7955 Ct"
No ref.

Fd sq hd spk & T fl.
No ref.

Fd STATE OF CALIF. DIV. OF HWYS. MON. 4th A in H.H.
No ref.

Fd 2x2 ftn. dn. 3".
FB 379-196+185

54.32

21.94

18.87

559.33

WORKMAN MILL RD (Old)

"P"

18.87

10.18

24.48

R

WORKMAN MILL

END SURVEY

Set nothing

AUX VII

Fd ch't & P.M. in conc. ret. wall marked with white paint "P.I. PROJ. LINE ONLY"

END SURVEY

Tape #0115 std @ 68°
① 559.33 Lev (T=68°) = 559.32
② 559.33 " " = 559.34
Avg = 559.33

① 1065.88 Lev (T=68°) = 1065.88
② 1065.89 Lev (T=68°) = 1065.88
Avg = 1065.88

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not amend this area of this line.

LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

1-58

B.B. 2241 Pg. 16



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not detach this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of LOS ROBLES AVE F. B. 2271 pg 2
JN 0075.22 Tape 011 Std 68 °F
Surveyed by J. H. Brown
Notes J. H. B Date 2-57
Indexed C. Johnson

Cont pg 16

No search

See FB 1876.

W.S. 37-B

TR 2712

ROAD

854.63 FB 1878-105

Fd nothing out. 13.74' headwall gone

Fd ¢ & T dn li on line FB 1878-105

30.09

Set ¢ on AK

Fd nothing

Fd n & T PP #G10195E FB 1878-105

WORKMAN MILL

469.52 (FB 1878-105 pg 12)

243.73 (¢ to 10)

464.55 ¢ to ¢

83.64 FB
380.91
464.55

(31° 39' 27" Rec)

31° 39' 00"

TROUGH gone

1) 31° 39' 00"
2) 63 18 00
Avg 31 39 00

Fd ¢ & T

See FB 1878

Please Return To
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Cleared in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

7-57 5018 SEE F247 1-86

F.B. 2231 Pg. 18

cont pg 19

SAN JOSE



cont pg 17

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by E. MacMILLAN
Map No.
Office Work
Checked
Date

Survey of LOS ROBLES AVE
JN 207526 Tape 2115 Std 68 °F
Surveyed by A.H.B. Jr. Assoc
Notes J. H. B. Date 2-57
Indexed C. Johnson

F. B 2291 Pg. 17

W.S. 37 B-3

Note: see FB 1878-121 for angle & cadastral tie.

N

W4 - TBM #61
Fd Ct spk W & T
9" below Rd. Surf.
FB 379-183
C.S. B-829
FB 1878-121

Set Lg Bt spk. W & Tin fl. over. sq. hd tks out 3' N & W.

Fd nail & T 1' higher than RI

Fd ct spk W & Tin Flush w/ground

On & road. Fd. Cal. State Hwy Br. Cal. Mon. 2' below RI.

BOAD

52.46' M

0.02

Zero

494.66' M

T-2

90°

43.81' M

ROAD

Fd. spk & T

0.02'

Fd CT spk W & T 2' below P.I. FB. 1878-121

206.9'

433.53' R&C

N

MILL

CONC. BRIDGE

YORKMAN

1) 499.63 Lev (T-76) = 499.63
2) 499.64 Lev (T-76) = 499.67
Avg = 499.66

cont. pg 18

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this file.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

TAPSCO SEE #243 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-C-3


ROAD
TOWNSHIP
TR 3 E 4
Cont pg 21
Cont. pg 22
Cont pg 23
Cont. pg 19
Sta 1+23.84 (on C)
Sta 4+22.
Sta 1+40.
Sta 4+66.
Sta 2+20.
Sta 4+94.64
Sta 1+30.19
Sta 1+56.34
Sta 3+05.
Sta 1+89.50
Sta 2+88.
Sta 2+20.
Sta 4+94.66
Sta 1+30.
Sta 1+56.
Sta 3+05.
Sta 1+89.
Sta 2+88.
Sta 2+20.
Sta 4+94.

Notes Ck'd by J. F. McMILLAN | Survey of LOS ANGELES COUNTY SURVEY | F. B. 2241 Pg. 27

Map No. | JN 00752 Tape 0115 Std 68 °F

Office Work | Surveyed by J. N. BRADNER

Checked | Notes J. N. B. Date Feb 57

Date | Indexed C. Johnson

W.S. 37 - C-3

Inst. on wrong pt. P.T.

1) 146 59 00
4) 227 56 50
6) 161 55 40
Avg 146 59 16.5

Return to pt set. 7-8-57

1) 147 01 20
4) 228 05 40
6) 162 08 40
Avg 147 01 26.5

TR 364

ROAD

MILL

WOODKMAN

cont. pg 22

cont pg 20

468.33

52.46 set

40.73 set

25° 14'

147° 14'

Set N.F.T. in Tel. P. 2nd guard Post

Fd nothing dn 5' per F.B. 825-97 F.B. 3719-182. Set I.P.C. Eng Hg dn 18'

Set 1X2 C.T. ft on 10ft offset line

Set N.F.T. in Tel. P. 1st guard Post

set N.F.T. in Tel. P. W 2005

TR 9005 Lot A

Set N.F.T. in P.P. Euc. Tree UP 3.5'

451 FB 825-97
450.91

1) 468.29 Lev (T=78°) = 468.32
2) 468.31 Lev (T=78) = 468.34
Avg = 468.33

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7-57 3000 SHK 1241 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS. 32-C-3



NOTES RED [illegible] JOB NO. 007526 SURVEY OF LOS ROBLES AVE

DATE [illegible] SURVEY BY J. H. Brown

NOTES CHKD J. F. McMILLAN NOTES BY J. H. B DATE 2-14-57

DATE [illegible] INDEXED ~~E. O. Johnson~~ DATE 2-15-57

F. B. [illegible] Pg. 25

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-333 4-54

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						BENCH LEVELS
						To bring Elevations
						To each end of "P" LINE
						Circuit #1 is on Workman
						Mill Road between BM 11-127 @
						Mission Mill Rd & BM 11-125 near
						Pelissier Dairy.
						Circuit #2 is from BM 38-13
						@ GALE AVE & HACIENDA VIA LOS ROBLES
						AVE to BM 42-4 @ GALE AVE & 7TH ST.
				J. H. Brown - note.		
				K. M. Kapp - Level		
				G. R. Mekino - Rods.		
				C. H. Hill		

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2375.26 SURVEY OF HOB. ROBLES AVE NOTES RED
SURVEY BY L.H. Brown DATE
NOTES BY H.B. DATE 2-14-57 NOTES CHKD
INDEXED C. Johnson DATE

Circuit # 1

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Fd B.M. 11-127	234.183				234.183	Fd. C.S. Mon. Stamped "BM 11-127 1952 R.E. 63" per FB 1376-114" 1952 Adj. Elev. Workman Mill Rd @ Mission Rd.
+	6.099		6.013			
=	240.282	2.153	2.153	2.153		
−	3.946		3.860			
set T.P. 1	236.336				236.336	Fd. wire spk. in tel. P. "W-2347-Y" 1' above gd.
+	4.692		4.604			
=	241.028	2.198	2.200	2.199		
−	2.494		2.404			
set T.P. 2	238.534				238.535	WORKMAN MILL RD set sm bt spk 1' above grd. Tel. P. W-2348-Y
+	4.653		4.600			
=	243.187	2.728	2.727	2.727		
−	1.925		1.873			
set T.P. 3	241.262				241.262	WORKMAN MILL RD set sm bt spk 0.7' above grd. Tel. P. W-2349-Y
+	6.111		6.041			
=	247.373	1.309	1.310	1.309		
−	4.802		4.731			
set T.P. 4	242.571				242.571	WORK MAN MILL RD set sm bt spk. W edge E gutter.
+	5.318		5.181			
=	247.889	0.963	0.962	0.962		
−	4.355		4.219			
set T.P. 5	243.534				243.533	WORKMAN MILL RD set bt spk fl. with top cb in front of ROSE HILLS Adm. Bldg.
+	5.327		5.161			
=	248.861	1.323	1.321	1.322		
−	4.004		3.840			
set T.P. 6	244.857				244.855	set ~~sm bt~~ WORKMAN MILL RD spk in pvmt E side. 5' of entrance to ROSE HILLS CEMETARY Adm. Bldg.
+	5.782		5.649	5.599		
=	250.639	1.931	1.936	1.934		
−	3.851		3.713	3.665		
set T.P. 7	246.788				246.788	WORKMAN MILL RD set sm bt spk. pvmt. E side.

T. B. Bk. 11 Pg. 21

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 007526 SURVEY OF L.P.S. ROBLES AVE
DATE SURVEY BY C.H.H. & D. Brown
NOTES CHKD McMILLAN NOTES BY C.H.H. B. DATE 2-15-57
DATE INDEXED C. Johnson DATE

F.B. 2241 Pg. 27

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
set T.P. 7	246.788					set sm bt spk in pvmt cont from Last pg
+	5852		5729			
=	252.640	+1.936	-1.935	1.935		
−	3916		3794			
set T.P. 8	248.724				248.723	set sq hd spk in pvmt E SIDE WORKMAN MILL RD
+	5892		5736			
=	254.616	+1.292	1.294	1.293		
−	4600		4442			
set T.P. 9	250.016				250.016	set sm bt spk in pvmt E side WORKMAN MILL RD
+	5595		5502			
=	255.611	+2.632	2.632	2.632		
−	2963		2870			
set T.P. 10	252.648				252.648	used top of tree guard sign - E. WORKMAN MILL RD W. SIDE cut of flat metal.
+	1094		0920			
=	253.742	-5.054	5.054	-5.054		
−	6148		5974			
set T.P. 11	247.594				247.594	set sm bt spk E side pvmt WORKMAN MILL RD
+	1322		1109			
=	248.916	-3.849	3.851	-3.850		
−	5171		4960			
set T.B.M 1	243.745				243.744	Fd ¾" I.P. 15" below dirt shoulder on ℄ prod. 63.23' SE of sm bt spk. WORKMAN MILL RD See pg 16
+	3975		3848			
=	247.720	+0.925	0.927	0.926		
−	3050		2921			
set T.B.M. 2	244.670				244.670	Fd Lg bt spk w ℄ T a R.I. of WORKMAN MILL RD per pg 16
+	1018		0901			
=	245.688	-5.164	5.165	-5.164		
−	6182		6066			
set TBM 3	239.506				239.506	Fd. Brass cap Mon dn 10" in H.H. (cont next pg)

768420 [illegible] E-383 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0025.26 SURVEY OF Hwy ROBLES AVE NOTES RED DATE
SURVEY BY J.H.B. Brown NOTES BY J.H.B. DATE 2-14-57 NOTES CHKD DATE
INDEXED K. C. Johnson DATE
F.B. 2241 Pg 28

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M. 3	239 506				239.506	(Cont fr. last pg.) on ℄ WORKMAN MILL RD. See pg. 16
+	3 205		3 088			
⊼	242 711	-1 390	1 391	-1.390		
—	4 595		4 479			
set TBM 4	238 116				238.116	WORKMAN MILL RD set sm bt spk in conc hd wall of culvert running parallel to Workman Mill Rd (S end). See pg. 17
+	3 760		3 541			
⊼	241 876	-1 170	1 172	-1.171		
—	4 930		4 713			
set T.P. 12	236 946				236.945	WORKMAN MILL RD set sm bt spk in pvmt
+	3 468		3 642			
⊼	240 414	-0 039	0 039	-0.039		
—	3 507		3 681			
set T.P. 13	236 907				236.906	WORKMAN MILL RD set sm bt spk. guy pole 92700'E. 1ft above ground
+	3 905		3 676			
⊼	240 812	-0 717	0 714	-0.716		
—	4 622		4 390			
set T.BM. 5	236 190				236.190	Fd bx. cap. Mon. in H.H. on ℄ WORKMAN MILL RD marked "STATE OF CALIF. DIVISION OF HWYS." dn 10" below "B" surface. (See pg. 15)
+	5 879		5 685			
⊼	242 069	+4 579	4 582	4.580		
—	1 300		1 103			
set T.P. 14	240 769				240.770	Fd ℄ bt in N conc rail of conc bridge over San Jose Creek @ WORKMAN MILL RD. See pg. 18
+	1 080		0 925			
⊼	241 849	-1 390	1 390	-1.390		
—	2 470		2 315			
set T.B.M. 6	239 379				239.380	Fd ℄ bt spk w/ a P.I. WORKMAN MILL RD. (See pg. 19) "T"
+	3 819		3 737			
⊼	243 198	-1 543	1 542	1.542		
—	5 362		5 279			
set T.B.M. 7	237 836				237.838	WORKMAN MILL RD NW SIDE Fd bx cap mon on ℄ prod 52'E of PI. Marked "STATE OF CALIF. (cont next pg)

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TBM 7	237.836				237.838	cont from last pg
+	5.509		5.281			Division of Hwys". dn 10" fr
⊼	243.345	+3.211	3.212	3.211		surf. of pvmt @ P.I. See pg. 19
−	2.298		2.069			
set T.P. 15	241.047				241.049	WORKMAN MILL RD E side
+	4.692		4.738			set bt spk in tel P. # W-2362-T
⊼	245.739	+4.349	4.350	4.349		0.6 higher than pvmt @ ℄
−	0.343		0.388			
set TBM 8	245.396				245.398	WORKMAN MILL RD @ S line
+	1.186		1.078			Ro. LA PUENTE. Fd "cve" bt.
⊼	246.582	-3.712	3.712	-3.712		(top one of 3) in conc gate post
−	4.898		4.790			N.W. P/L.
set T.P. 16	241.684				241.686	WORKMAN MILL RD @ S line Ro LA
+	5.006		4.872			PUENTE. Fd sq. hd, spk. 8.50 ft
⊼	246.690	+0.502	0.503	0.502		S.E ℄ & fl. w. Surf. of pvmt.
−	4.504		4.369			shown pg 20
set T.P. 17	242.186				242.188	WORKMAN MILL RD SE SIDE
+	5.538		5.345			set sm bt spk fl w/ pvmt
⊼	247.724	+2.800	2.802	2.801		
−	2.738		2.543			
set T.P. 18	244.986				244.989	WORKMAN MILL RD E. side
+	3.109		2.978			set sm bt in tel p. W-8035-T
⊼	248.095	-2.179	2.181	-2.180		(Elev is 2.2' higher than pvmt at
−	5.288		5.159			a point 7' W of P.I.)
set T.P. 19	242.807				242.809	
+	4.648		4.497			WORKMAN MILL RD SE SIDE
⊼	247.455	+1.290	1.289	1.289		set sm bt spk fl.
−	3.358		3.208			
set T.BM 9	244.097				244.098	WORKMAN MILL RD E SIDE. Fd ct spk ℄ W 2' above ground in Tel P # W-4090-T (cont next pg

NOTES RED. JOB NO. 0075.24 SURVEY OF L.A.S. ROBLES AVE.
DATE SURVEY BY J.H.B. Brown DATE 2-15-57
NOTES CHKD. McMILLAN NOTES BY J.H.B.
DATE INDEXED DATE

F.B. 2200 PG. 27

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 007526 SURVEY OF LOS ROBLES AVE NOTES RED
SURVEY BY H.H.B. to WM DATE
NOTES BY H.H.B. DATE 2-16-57 NOTES CHKD
INDEXED J. Tobiason DATE

F.B. 2347 Pg. 39

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TBM 9	244 097					(cont from last pg) Point
+	3 689		3508			is 0.5 greater Elev than soft. of pvmt
T	247.786	-1.609	1.607	-1.608		@ LFT E 1nft 5TH AVE & Workman
—	5 298		5115			Mill Rd.
Ft. BM 11-125	242 488				242.490 242.472	WORKMAN MILL RD. 0.15mi SW U.P.R.R. Ft 55' br. Cap Mon dn 10" in H.H. Stamped "BM 11-125 1952 R.E. 63" FB 1376-112
			No adj necessary adj.			

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line CIRCUIT # 2

NOTES RED _____ JOB NO. 207526 SURVEY OF Los Robles Ave
DATE _____ SURVEY BY W.H.R. & C.J.
NOTES C.J. & P. McCALLAM NOTES BY W.H.R. DATE 2-19-57
DATE _____ INDEXED _____ DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Fd BM 38-13	331 845				331 845	HACIENDA BLVD & DALE AVE Fd BM 38-13 a Std C & X mon in H.H.
+	6 400		6328			Marked "County Surveyor R.E. 217."
=	338 245	+2370	2371	2.370		92' N ℄ in I/s. PB 1359-19
−	4 030		3957		334.215	
Set T.P. 20	334 215					HACIENDA BLVD
+	5 938		5878			Fd sm bt spk & red tag E side pvmt fl.
=	340 153	+1911	1912	1.911		
−	4 027		3966			
Set T.P 21	336 126				336.126	HACIENDA BLVD Fd sm bt spk & red tag E side pvmt fl.
+	6 275		6202			
=	342 401	+2200	2198	2.199		
−	4 075		4004			
Set T.P. 22	338 326				338.325	HACIENDA BLVD Fd sm bt spk & red tag E side pvmt fl.
+	6 221		6105			
=	344 547	+2356	2355	2.355		
−	3 865		3750			
Set T.P 23	340 682				340.680	HACIENDA BLVD Fd sm bt spk & red tag E side pvmt fl.
+	5 849		5752			
=	346 531	+1996	1995	1.995		
−	3 953		3757			
Set T.P 24	342 678				342.675	HACIENDA BLVD Fd sm bt spk & red tag E side pvmt fl.
+	6 040		5889			
=	348 718	+2450	2449	2.449		
−	3 590		3440			
Set T.P. 25	345 128				345.124	HACIENDA BLVD Fd sm bt spk & red tag E side pvmt fl.
+	6 653		6585			
=	351 781	+2895	2895	2.895		
−	3 758		3690			
Set T.P. 26	348 023				348.019	HACIENDA BLVD Fd sm bt spk & red tag E side pvmt fl.

F.B. 2[illegible] P. [illegible]

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.26 SURVEY OF Los Angeles Area NOTES RED DATE
SURVEY BY H.H. Bascom DATE 2-19-57 NOTES CHKD
NOTES BY H.H.B. C. Johnson DATE
INDEXED DATE

F.B. 231 Pg. 32

CIRCUIT #2

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P. 26	348 023				348.019	HACIENDA BLVD Fd sm. bt spk & red rag E side pvmt fl.
+	6 349		6 259			
⊼	354 372	+2 791	2 789	2.790		
−	3 558		3 470			
T.P. 27	350 814				350.819	
+	5 203		5 154			HACIENDA BLVD Fd sm bt spk & red rag E side pvmt fl.
⊼	356 017	+0 771	0 772	0.771	351.590	
−	4 432		4 382			
BM 38-12	351 585				351.566	Fd std C.S. level Mon with button dn 10" H.H. Stamped "BM 38-12 1954 FB 1359-16 1954 Adj.
Note! Circuit #2 ended because no check,						
CIRCUIT #3.	from BM 38-11 to				BM 38	-12.
BM 38-11	403 311				403.311	HACIENDA BLVD & PUENTE RD. Fd C.S. Mon Stamped "T R E 2177" FB 1359-17 1954 Adj.
+	3 461		3 343			
⊼	406 772	-4 276	4 277	-4.276		
−	7 737		7 620			
T.P. 28	399 035				399.035	HACIENDA BLVD. Fd sm. bt. spk. & red rag E side pvmt fl. no ref
+	~~2 565~~		2 490	2.352		
⊼	~~401 600~~ 401 387	~~-5 004~~ -5 009	5 010	-5.009		
−	~~7 569~~		7 500	7.361		
T.P. 29	~~394 031~~ 394 026				394.026	HACIENDA BLVD Fd sm bt spk & red rag E side pvmt fl. no. ref.
+	2 345		2 248			
⊼	396 371	-5 190	5 193	-5.192		
−	7 535		7 441			
T.P. 30	388 836				388.834	HACIENDA BLVD Fd sm bt spk. & red rag E side pvmt fl. no ref
+	2 502		2 349			
⊼	391 338	-4 923	4 923	-4.923		
−	7 425		7 272			
T.P. 31	383 913				383.911	HACIENDA BLVD fd sm bt spk & red rag E side pvmt fl.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

CIRCUIT # 3
CHECK BET BM 38-11 & BM 38-12

NOTES RED _____ JOB NO 20075 26 SURVEY OF Las Robles Ave.
DATE _____ SURVEY BY J.L.N. Brown
NOTES C.H.K. D.A. McMILLAN NOTES BY J.L.N.B. DATE 2-19-57
DATE _____ INDEXED _____ C. Job DATE _____

F. B. 22481 Pg. 38

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P. 31	383 913					(cont fr last pg)
+	2 428		2 289			
⋏	386 341	-5 120	5 122	-5.121		
—	7 548		7 411			
Set T.P. 32	378 793				378.790	Fd sm bt spk & red rag E side Hacienda Blvd. No ref. fl.
+	~~2 613~~		2 542	2 435		
	~~381 228~~	~~-5 115~~		-5.115		
⋏	~~381 406~~	~~-5 107~~	5 115	5 115		
—	~~722~~		7 660	7550		
Set T.P. 33	~~373 684~~				373.675	Fd sm bt spk & red rag. E side Hacienda Blvd. No ref. fl.
	373 678					
+	2 739		2 609			
⋏	376 417	-4 430	4 432	-4.431		
—	7 169		7 041			
Set T.P. 34	369 248				369.244	Fd sm bt spk & red rag. E side Hacienda Blvd. No ref. fl.
+	2 807		2 659			
⋏	372 055	-4 312	4 311	-4.311		
—	7 119		6 970			
Set T.P. 35	364 936				364.933	Fd sm bt spk & red rag. E side Hacienda Blvd. No ref. fl.
+	2 942		2 860			
⋏	367 878	-3 917	3 918	-3.917		
—	6 859		6 778			
Set T.P. 36	361 019				361.016	Fd sm bt spk & red rag. E side Hacienda Blvd. No ref. fl.
+	2 870		2 721			
⋏	363 889	-4 059	4 059	-4.059		
—	6 929		6 780			
Set T.P. 37	356 960				356.957	
+	2 858		2 742			Fd sm bt spk & red rag. E side Hacienda Blvd. No ref. fl.
⋏	359 818	-4 022	4 025	-4.024		
—	6 880		6 767			
Set T.P. 38	352 938				352.933	Fd sm bt spk & red rag. E side Hacienda Blvd. No ref. fl. (cont next pg)

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO 20752-26 SURVEY OF Los Robles Ave NOTES RED DATE
SURVEY BY L.H. Brown DATE NOTES CHKD
NOTES BY T.H.B. DATE 2-19-57 DATE
INDEXED E. C. Johnson DATE

F. B. 224 Pg. 34

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P. 38	352.938					cont fr. last pg.
+	3.762		3.627			
=	356.700	-1.368	1.365	-1.365		
−	5.130		4.992		351.568	No adj. necessary eng.
Set BM 38-12	351.570				351.566	Fd. std. C.S. level Mon. with button dtd 10" in H.H. Stamped BM 38-12 1954 R.E. 63" FB. 1357-18 1954 Adj. THREE PALMS AVE, 80± W of Hacienda Blvd
+	6.269		6.088			
=	357.839	+2.204	2.205	2.204		
−	4.065		3.883			
Set T.P. 39	353.774				353.772	set sm. bk. spk. S side THREE PALMS AVE. fl.
+	4.621		4.525			
=	358.395	-1.080	1.082	-1.081		
−	5.701		5.607			
Set T.P. 40	352.694				352.691	set sm. bk. spk. S side THREE PALMS AVE fl.
+	4.150		4.048			
=	356.844	-1.368	1.367	-1.367		
−	5.518		5.415			
Set T.P. 41	351.326				351.324	set sm. bk. spk. S side THREE PALMS AVE 5' E of W'ly P/L FARMSTEAD AVE fl.
+	5.165		5.002			
=	356.491	+0.640	0.644	0.642		
−	4.525		4.358			
Set T.P. 42	351.966				351.966	set 1x2 fl.
+	5.332		5.078			
=	357.298	+2.280	2.282	2.281		
−	3.052		2.796			
Set T.P. 43	354.246				354.247	PPH 780438-E sm. bk. spk. up 16" about 100± S THREE PALMS AVE on W side DUNSWELL.
+	4.910		4.977			
=	359.156	+4.610	4.611	4.610		
−	0.300		0.368			
Set T.P. 44	358.856				358.857	Top of 3/4" fence post W of W P/L Dunswell & 200 S of 3 PALMS Ave.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line CIRCUIT #3

NOTES RED. JOB NO. 0275.26 SURVEY OF LOS ROBLES AVE
DATE SURVEY BY W.H. Brown
NOTES C'K'D. McMILLAN NOTES BY W.H.B. DATE 2-19-57
DATE INDEXED C. Johnson DATE

F.B. 2241 Pg. 36

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP 44	358 856				358.857	cont from last pg
+	2 349		2 106			
⊼	361 205	- 0073	0 076	-0.075		
−	2 422		2 182			
Set T.P. 45	358 783				358.782	sm bt spk. in 4x4 fence post (destroyed)
+	5 345		5 247			
⊼	364 128	+2 317	2 318	2.317		
−	3 028		2 927			
Set T.P. 46	361 100				361.099	sm bt spk E side KWIS AVE 50'
+	5 923		5 862			N of SIGMAN AVE
⊼	367 023	+ 1 133	1 134	1.133		
−	4 790		4 728			
Set T.P. 47	362 233				362.232	sm bt spk ■ S side SIGMAN AVE 7'
+	5 284		5 175			E of E P/L ✱15460
⊼	367 517	- 0 013	0 013	-0.013		
−	5 297		5 188			
Set T.P. 48	362 220				362.219	sm bt spk S side SIGMAN AVE -
+	5 005		4 926			5' E of W end house ✱ 15436
⊼	367 225	+ 0 059	0 057	0.058		
−	4 946		4 869			
Set T.P. 49	362 279				362.277	sm bt spk S side SIGMAN AVE
+	4 343		4 767			50' E of W P/L ✱ 15410
⊼	367 127	- 0 600	0 599	-0.599		
−	5 448		5 366			
Set TBM. 10	361 679				361.678	Fd 2" I.P. proj. 8" used highest part
+	8 348		8 278			rim S side. Shown pg 12
⊼	370 027	+5 336	5 336	5.336		& Prod LOS ROBLES AVE.
−	3 012		2 942			
Set T.P. 50	367 015				367.014	sm bt spk up 12 PP ✱ 9405 30-E.
						N side LOS ROBLES AVE.

768410 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

CIRCUIT #3

JOB NO. 0275-26 SURVEY OF Los Robles Ave NOTES RED
SURVEY BY W.H. Brown DATE NOTES CHKD
NOTES BY W.H.B DATE 2-19-57 DATE
INDEXED K.C. Johnson DATE

F.B. 224 Pg. 36

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
set T.P. 50	367 015				367.014	cont fr. last pg
+	3 820		3 763			
⊼	370 835	-1612	1 612	-1.612		
−	5 432		5 375			
set TBM 11	365 403				365.402	LOS ROBLES AVE 55.65' N'ly ℄
+	5 812		5 645			Lt N top conc oil storage tank.
⊼	371 215	+0 249	0 249	0.249		shown pg 12
−	5 563		5 396			
set TP 51	365 652				365.651	Los ROBLES Ave N side set sm bt spk
+	5 685		5 618	4 378		opp driveway No. ± 15356. in
⊼	371 337	+1 065	1 066	1.066		pvmt.
−	4 620		4 552	3 913		
set TP 52	366 717				366.717	Los Robles Ave N side set sm. bt spk
+	5 941		5 838			in pvmt
⊼	372 658	+1 488	1 489	1.488		
−	4 453		4 349			
set TP 53	368 205				368.205	Los Robles Ave N side set sm
+	5 992		5 830			bt spk in pvmt opp pp# 1892406
⊼	374 197	+2 428	2 426	2.427		
−	3 564		3 404			
set T.P. 54	370 633				370.632	Los Robles Ave N side. set sm
+	7 078		6 995			bt spk. fl w/ pvmt.
⊼	377 711	+4 183	4 180	4.181		
−	2 895		2 815			
set T.P. 55	374 816				374.813	Los Robles Ave N side 200'± E
+	7 603		7 550			of TURNBULL CN Rd. Sm bt spk in
⊼	382 419	+3 058	3 058	3.058		pvmt. fl.
−	4 545		4 492			
set TBM 12	377 874				377.871	Los Robles Ave & TURNBULL CN Rd.
						cont next pg.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

CIRCUIT # 3

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TBM 12	377 874				377.871	cont fr pg 36
+	6 808		6 769			Fd C.S. Mon @ ℄ ints in H.H.
⊼	384 682	+3 036	3 036	3.036		or below surf. conc. pvmt. see pg 11
−	3 772		3 733			
set TBM 13	380 919				380.907	LOS ROBLES AVE & TURNBULL CN RD. Fd ⊿ & T 72 S of SE cor.
+	6 145		6 060			ref. 47.55 S/S & ints pr pg 11
⊼	387 055	+3 033	3 034	3.033		
−	3 112		3 026			
set T.P. 56	383 943				383.940	LOS ROBLES Ave 200' E W of TURNBULL CN RD. set sm bt spk
+	7 192		7 110			fl pvmt S side
⊼	391 135	+3 850	3 848	3.849		
−	3 342		3 262			
set T.P. 57	387 793				387.789	Los ROBLES Ave S. side set
+	6 852		6 765			sm bt spk fl pvmt
⊼	394 645	+3 502	3 500	3.501		
−	3 350		3 265			
set T.P. 58	391 295				391.290	Los ROBLES Ave S side set sm
+	7 063		6 999	6 909		bt spk fl in pvmt
⊼	~~398 204~~ ~~398 348~~	~~+4 175~~	4 191	4.190		
−	~~2 868~~		2 808	2 719		
set T.P. 59	~~395 460~~ 395 485				395.480	Los ROBLES Ave N side set
+	7 329		7 265			sm bt spk fl. in pvmt
⊼	402 814	+4 639	4 638	4.638		
−	2 690		2 627			
set T.P. 60	400 124				400.118	Los ROBLES Ave S side set sm
+	7 108		6 987			bt spk fl. in pvmt
⊼	407 232	+4 308	4 308	4.308		
−	2 800		2 679			
set TBM 14	404 432				404.426	Los ROBLES Ave & 9th St 40' NE & ints Fd L&T SE cor conc well box Up 2' Cont nxt pg

NOTES RED. JOB NO. 2075.26 SURVEY OF Los ROBLES AVE
DATE SURVEY BY J.H.B. Brown
NOTES CHKD. McMILLAN NOTES BY J.H.B. DATE 2-26-57
DATE INDEXED DATE

F.B. 2241 Pg. 37

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 2025-26 SURVEY OF Los Robles Ave NOTES RED
SURVEY BY W.H. Bloom DATE
NOTES BY W.H.B DATE 2-21-57 NOTES CHKD.
INDEXED A.C. Johnson DATE DATE

F.B. 2241 Pg. 38

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TBM 14	404 432				404.426	cont f. last pg
+	4 969		4 523			
⊼	408 901	-0284	0 286	-0.285		
−	4 753		4 807			C11A.
Set TBM 15	404 148				404.141	Los Robles Ave ± 9th St. ± 1 ft S of C.S Mon 1½ H.N. 12 ft below st. surf
+	8 721		8 580			
⊼	412 869	+5813	5 813	5.813		
−	2 908		2 767			
Set T.P. 61	409 961				409.954	Los Robles Ave 200'± W of 9th St S side set sm bt spk. fl in pvmt.
+	7 660		7 469			
⊼	417 621	+5089	5 087	5.088		
−	2 571		2 402			
Set T.P. 62	415 050				415.042	Los Robles Ave app. drive to No 14919 S side sm bt spk A pvmt
+	6 790		6 528			
⊼	421 840	+3422	3 423	3.422		
−	3 368		3 105			
Set T.P. 63	418 472				418.464	Los Robles Ave 50'± W of pole in drive @ 14906 sm bt spk A pvmt S. side
+	6 915		6 842			
⊼	425 387	+3600	3 598	3.599		
−	3 315		3 244			
Set T.P 64	422 072				422.063	Los Robles Ave S. side set sm bt spk fl. pvmt
+	6 742		6 548			
⊼	428 814	+3714	3 716	3.715		
−	3 028		2 832			
Set T.P. 65	425 786				425.786	Los Robles Ave S. side 55'± E of E end No 14707 set sm bt spk A pvmt S. side
+	6 640		6 496			
⊼	432 426	+2930	2 931	2.930		
−	3 710		3 565			
Set T.P. 66	428 716				428.708	Los Robles Ave S side @ W edge drive to House set sm bt spk fl pvmt cont next pg

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line Circuit #3

NOTES RED. JOB NO. 007526 SURVEY OF LOS ROBLES AVE
DATE SURVEY BY W.H. Braun
NOTES CHKD. MacMILLAN NOTES BY W.H.B DATE 2-21-57
DATE INDEXED C. Johnson DATE

F.B. 2241 Pg. 37

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P. 66	428 716				428.708	(cont fr last pg)
+	6 125		5987			
⊼	434 841	+ 1 529 ✓	1 529 ✓	1.529		
−	4 596		4 458			
set T P 67	430 245				430.237	Los ROBLES AVE ℄ fd spk ⊼ T
+	5 586		5 406			painted, "⊙10" with white paint (Geodetic
⊼	435 831	+ 1 038 ✓	1 039 ✓	1.038		ch pt ?) fl.
−	4 543		4 367			
set TBM 16	431 283				431.275	Los ROBLES Ave. 30± ft N ℄ . . opp
+	6 498		6 359			No # 14728. sm bk spk & L in top
⊼	437 781	+ 0.784 ✓	0 784 ✓	0.784		conc. weir box (SE cor).
−	5 714		5575			
set T.P. 68	432 067				432.059	Los ROBLES Ave ℄ fd spk & T
+	5 858		5 782			white paint "⊙11" fl. punch.
⊼	437 925	+ 1 597 ✓	1 600 ✓	1.598		(Geod Trav ch. pt ??)
−	4 261		4 182			
set T.P. 69	433 664				433.657	Los ROBLES Ave S. side sm bk.
+	7 121		7 029			spk. fl. punch.
⊼	440 785	+ 4379 ✓	4 379 ✓	4.379		
−	2 742		2 650			
set T.P. 70	438 043				438.036	Los ROBLES Ave S side @ drive
+	6 750		6 639			to House set sm. bk spk. fl. punch.
⊼	444 793	+ 3 71 ✓	3 710 ✓	3.711		
−	3 038		2 929			
set T.P 71	441 755				441.747	Los ROBLES Ave N side 215± ft
+	6 818		6 663			E of 7TH Ave. sm bk spk fl punch.
⊼	448 573	+ 1 47 ✓	1 468 ✓	1.469		
−	5 348		5 195			
set TBM 17	443 225				403.216	Los ROBLES Ave & 7TH Avenue ℄ mts
						Fd C.S. Mon in H.H. 6" below surf. mmt.
						(cont next pg) Puente B-11

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.26 SURVEY OF LOS ROBLES AVE NOTES RED
SURVEY BY C. H. BLEWETT DATE NOTES CHKD
NOTES BY K.M.K. DATE 2-21-57 DATE
INDEXED C. Johnson DATE

F.B. 2241 Pg. 40

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Set T.B.M. 17	443.225				443.216	See last page
+	5.126		5.038			
⊼	448.351	+ 2.006 ✓	2.006 ✓	2.006		
—	3.120		3.032			
Set T.B.M. 18	445.231				445.222	Set Los Robles Ave. & 7th Ave., N.E. Cor. Bf. Spk. in top of weir box (N.E. Cor.)
+	0.316		0.256			
⊼	445.547	- 7.235 ✓	7.237 ✓	- 7.236		
—	7.551		7.493			
Set T.P. 72	437.996				437.986	Set 7th Ave. (W. side) Bf. Spk. in top of cb.
+	0.380		0.242			
⊼	438.376	- 9.819 ✓	9.820 ✓	- 9.819		
—	10.199		10.062			
Set T.P. 73	428.177				428.167	Set 7th Ave. (W. side) Bf. Spk. in conc. joint of St.
+	1.665		1.578			
⊼	429.842	- 6.222 ✓	6.222 ✓	- 6.222		
—	7.887		7.820			
Set T.P. 74	421.955				421.945	Set 7th Ave. (W. side) Bf. Spk. in top of cb.
+	1.065		1.020			
⊼	423.020	- 7.168 ✓	7.168 ✓	- 7.168		
—	8.233		8.188			
Set T.P. 75	414.787				414.777	Set 7th Ave. (W. side) Bf. Spk. in conc. joint of St.
+	1.775		1.746			
⊼	416.562	- 7.018 ✓	7.016 ✓	- 7.017		
—	8.793		8.762			
Set T.P. 76	407.769				407.760	Set 7th Ave. (W. side) Bf. Spk. in conc. joint of St.
+	2.062		2.022			
⊼	409.831	- 4.767 ✓	4.767 ✓	- 4.767		
—	6.829		6.789			
Set T.P. 77	403.002				402.993	Set 7th Ave. (W. side) Bf. Spk. in top of conc. cb.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0275.26 SURVEY OF Los Angeles Aqueduct
DATE _____ SURVEY BY Z. H. Brown
NOTES CHKD McMILLAN NOTES BY Kim. K. DATE 2-25-57
DATE _____ INDEXED C. J. Spurgeon DATE _____
F.B. 2[illegible] P.B. [illegible]

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Set T.P. 77	403.002				402.993	See last page
+	3.047		2.990			
⊼	406.049	-1.022	1.023	-1.022		
−	4.069		4.013			
Set T.B.M. 19	401.980				401.971	Set Palm Ave. & 7th Ave., N.E. Cor. L & T. in middle of sdk. return
+	0.622		0.507			
⊼	402.602	-8.666	8.664	-8.665		
−	9.288		9.171			
Set T.P. 78	393.314				393.306	Set 7th Ave (W. side) Bt. Spk. in joint of conc. St.
+	1.778		1.740			
⊼	395.092	-6.917	6.919	-6.918		
−	8.695		8.659			
Set T.P. 79	386.397				386.388	Set 7th Ave. (W. Side) Bt. Spk. in joint of conc. St.
+	1.624		1.585			
⊼	388.021	-6.731	6.728	-6.729		
−	8.355		8.313			
Set T.P. 80	379.666				379.659	Set 7th Ave. (W. side) Bt. Spk. in joint of conc. St.
+	1.783		1.738			
⊼	381.449	-6.939	6.937	-6.938		
−	8.722		8.675			
Set T.P. 81	372.727				372.721	Set 7th Ave. (W. Side) Bt. Spk. in joint of conc. St.
+	1.553		1.499			
⊼	374.280	-7.015	7.012	-7.013		
−	8.568		8.511			
Set T.P. 82	365.712				365.708	Set 7th Ave. (W. side) Bt. Spk. in joint of conc. St.
+	1.571		1.526			
⊼	367.283	-4.907	4.909	-4.908		
−	6.478		6.435			
Fd. BM 42-4	360.805				360.800	Fd. BM 42-4. Elev. 360.780 F.B. 1363-180
		No adj. necessary			360.780	Galt Ave. on approx. ℄, 100.2 ± SEly fr. ⊕

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey Roads Alg. F. B. 2241 Pg.
JN 00756 Tape 101 Std 84 °F
Surveyed by W. H. Brown
Notes T.M.B. Date 3-57
Indexed R. C. Johnson 8-15-57

RANCHO LA PUENTE
TR. 4005
Lot A

W 25.37-C3

cont pg 20

SAN JOSE CREEK

To R2

dirt road in side of hill.

285.52 Calc.

R3 set 1x2 sh on line

1704.85

622.19

① 65.06 @ 17°09'30" (T=78°) = 64.
② 65.16 @ 17°22'20" (T=78°) = 64.
Avg = 64.

R4
set 1" I.P. stg dn 24" on line set 1x2 sh fl. over

Top small knoll.

R4

set (2) nails in fence post (N) plumb over near line

① 80.48 Lev (T=56°) = 80.
② 80.47 Lev (T=56°) = 80.
Avg = 80.

80.46

R5 set 1x2 sh on line

1707.85 per C.S.B-839

278.73

296.74
-18.02
278.72

281.18-01=281.17 @ 7°39' = 278.72.
281.01-01=281.00 @ 7°16' = 278.74.
Avg = 278.73.

"P" nail set

(P 15B)
1" I.P.C. ENG. stg per ps 102

1707.02 per TR 2712

6-1-57 Removed

① 299.95 @ 8°00' (T=58°) = 296.96
② 299.70 @ 7°43' (T=58°) = 296.93
Avg = 296.94

62.87

Lot 2 TR 2712

set sq hd. in pvmt. on line

RANCH PASO de BARTOLO

31.86 + 12.12 + 18.89 = 62.87 (T=80) @ Lev = 62.87
63.44 (@ 80) = 63.44 @ 7° 38' 30" = 62.876.
Avg = 62.87.

T=80
① 23.82
20.60
28.42 mon

② 12.34
16.97
28.47. Avg = 28.91

cont pg 44 Typ

28.41

Please Return To
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond this line.

Records see Page 1-26

R.S. Book Pg. 44

RANCHO LA PUENTE

cont pg 43

RD

To R2

① 73.12 Lev. (T=58°) = 73.11
② 73.12 Lev. (T=58°) = 73.11
Avg = 73.11

N 51° 37' E 2.93

TR 4005
Lot A

Bldg

R8

ARMY (black Top)

Ascending

R7 set 1x2 ftn fl on line

calc to meet

292.42

287.10

R9

Set 1" I.P. & tg dn 2±". On line set 1x2 ftn fl over.

① 300.16 @ 16°56'00" (T=58°) = 287.10
② 300.56 @ 17°11'00" (T=58°) = 287.09
Avg = 287.09
,10

① 210.43 @ 24°54'00" (T=58°) = 190.84
② 210.21 @ 24°56'00" (T=58°) = 190.84
Avg = 190.84

Set 1" I.P. & tg dn BA" on line bet. L.P. 26 & 2" I.P. to NW. Set 1x2 ftn fl over

R10

Ascending

Level

① 69.97 Lev (T=58°) = 69.96
② 69.96 Lev (T=58°) = 69.95
Avg = 69.95

300.67 @ 13°25' (T=58°) = 292.41
300.39 @ 13°10' (T=58°) = 292.44
Avg = 292.42

R9 Set 1x2 ftn PM

ARMY road

black top

R11

R12

Set 1x2 ftn fl for turning

Top of dirt road

69.95

42°

Set 1x2 ftn on line

69.93

Cont pg 45

Descending

RANCHO PASO de BARTOLO

LOT 2 TR 2712

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave F. B. 2247 Pg. 22
JN 00725.26 Tape 101 Std 84 °F
Surveyed by H. B. Power
Notes J.H.B Date 3-57
Indexed K. C. Johnson

WS 37-G3

cont 19+77 To R12

① 75.[illegible] @ 23°21'00" (T=60°) = 69.24
② 75.78 @ 23°53'00" (T=60°) = 69.26
Avg = 69.25
0.08 Lev (T=60°)
69.33

R12 Fd Bottom of 2" I.P. Loose & Leaning. Distance shown at point pipe enters ground.

TR 4005
Lot A

69.33 m. descending

1707.82 (Calc. for Meas.)

0.42 Lev

set n on line

Top of 2" I.P. 5' above ground. C.S.B 823; TR. 2712.

① 299.76 Lev (T=66) = 299.72
② 299.78 Lev (T=66) = 299.74
Avg = 299.73

Level

299.73 m.

Draw

R13 Set 1x2 sn on line on sidehill

1707.82 (Calc. for Meas.)

34.36 m. ascending

R14 Set 1x2 sn fl on line

① 39.58 @ 29°45'00" (T=68) = 34.36
② 39.90 @ 27°57'00" (T=68) = 34.36
③ 39.25 @ 28°54'00" (T=68) = 34.36
Avg = 34.36

Ascend

R15 Set 1x2 sn fl on line

44.32 m.

Level

Small ridge

Top of knoll

Descend

Airtape made by

cont pg 46

1) 44.33 Level (T=64°) = 44.32
2) 44.33 " " = 44.32
Avg. = 44.32

1) 45.00 @ 27°37'20" (T=64°) = 39.92
2) 43.78 @ 24°15'00" " = 39.91
Avg. = 39.91

RANCHO PASO de BARTOLO

LOT 2 TR 2712

FRACT. SEC. 3 T. 2 S. R. 11 W.

285.52 ~~49~~
62.19
60.46
~~246.94~~ 278.73
~~73.11~~ 62.87
292.~~49~~ 28.41
287.~~99~~
190.84
69.95
69.33
1707.82 ~~78~~

Top

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

RANCHO LA FUENTE

7672088 98E

F.B. 1221 Pg. 46

cont pg 45

RANCHO LA PUENTE

TR 4005 LOT A



① 256.31 @ 18° 01' 00" (T=60°) = 243.70'
② 256.77 @ 18° 40' 00" (T=60°) = 243.70'
Avg = 243.70'

FRACT. SEC. 3 T.2.S. R.11.W.

① 91.64 @ 22° 00' 00" (T=62°) = 84.96
② 91.98 @ 22° 30' 00" (T=62°) = 84.97'
Avg = 84.96'

① 60.51 @ 20° 45' 00" (T=62°) = 56.58
② 59.82 @ 19° 00' 00" (T=62°) = 56.55
③ 59.95 @ 17° 53' 00" (T=62°) = 56.57
Avg = 56.57

① 300.22 @ 4° 08' 00" (T=66°) = 292.38
② 300.55 @ 13° 21' 40" (T=66°) = 292.38
③ 300.36 @ 13° 15' 20" (T=66°) = 292.32
Avg = 292.36

① 38.16 @ 31° 05' 30" (T=62°) = 32.67
② 40.32 @ 35° 56' 20" (T=62°) = 32.65
Avg = 32.66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 0075-24 Tape 101 Sta 0+ °F
Surveyed by F.M. Gregory
Notes T.V.R. Date 7-57
Indexed R. C. Johnson

F. B. 2241 Pg 47

299.73
34.56
44.32
39.91
243.70
84.96
56.57
292.35
32.64
85.92
94.69
224.50
59.87
7.92
1601.77
.77

WS 37-63

cont pg 46

Set n. near line

barbed wire fence

32.68 M.

Ascending

Brushy draw.

To R2 @ 2'12.R

closing cor W side Sec 3.

1601.77

woven wire fence nearly on Gain

85.92 M.

RANCHO LA PUENTE TRACT 4005 Lot A

FRAC SEC 3

R21 Set 1x2 ch fl. on line

94.69

2.22

R22 set 1x2 ch fl. on line

(T=60°) Lg St.

① 97.64 @ 14° 04' 00" = 94.78
② 98.05 @ 14° 59 00" = 94.77
③ 97.48 @ 13° 44' 00" = 94.68
Avg = 94.70

94.70 TRACK

.69

① 235.34 @ 17° 25' 00" = 224.51
② 236.21 @ 18 05 00" = 224.50
(T=60) Avg = 224.50

224.50 M.

Ascending

T 2 S. R. 11. W

① 61.92 @ 14° 43' 00" (T=60) = 59.88
② 61.30 @ 12° 21' 40" (T=60) = 59.87
Avg = 59.87

59.87 M.

Ascending

R23 Set 1x2 ch fl. on line

① 7.92 Lev (T=60) = 7.92
② 7.92 Lev (T=60) = 7.92.
Avg = 7.92.

7.92 M.

R24 Fd 2" I.P. upset (dist given to ctr. @ ground) Closing cor. Leaning used ctr at point 1.95 from top.

269.55

FRAC. SEC 10

273.96 @ 10° 16' 00" (T=68) = 269.54.
274.03 @ 10° 20' 00" (T=68) = 269.56.
Avg = 269.55

Ranch Line by occupation

T 2 S. R. 11. W

cont pg 48

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

TOPSOBS SEE #841 1-38

RANCHO LA PUENTE
TRACT 4005
Lot A

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

N

N 47 E 269.55

R-25

set R 25 1x2 ± h fl.

① 159.53 @ 3°22'00" (T=68) = 159.23
② 159.70 @ 4°13'00" (T=68) = 159.25
Avg = 159.24

159.24 RANCH LINE

959.49 Calc. to M

set R 26 1x2 ± h

① 299.41 @ 8°52'30" (T=66°) = 295.78
② 299.95 @ 9°32'00" (T=66°) = 295.77
Avg = 295.78

WIRE FENCE approx. RANCH LINE

295.78

269.55
159.24
296.77
233.93
959.49

1707.82
1601.47
959.49
4268.78 M.
4276.62 = Rec per TR 4005

set R 27 1x2 ± h fl.

R-27

① 238.00 @ 9°10'00" (T=66) = 234.93'
② 238.45 @ 9°18'40" (T=66) = 234.93'
Avg = 234.93'

234.93

FRACT. SEC 10
T. 2. S R. 11. W

cont pg 49

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Lot Packer Area
JN 2075-26 Tape 101 Std 84 °F
Surveyed by T. H. Brewer
Notes T. H. B. Date 3-57
Indexed C. Johnson

F. B. 223' Pg 48

RANCHO LA PUENTE

N 53 37 E 3

Cont. Pg 48

14.2 ch N 42° E from R11 see Pg 44

Set 1x2 ch. on dist. ridge by producing line from SE Cor TR 4005 thru R 30A

① 18° 15' 20"
② 73° 01' 40"
③ 109° 32' 40"
18 15 26 ✓

Knoll

TR. 4005 Lot A

Set R 30 351.84

1x2 ch jnts
① 111.20 @ 1° 21' 20" (T=66) = 111.16'
② 111.30 @ 1° 01' 20" (T=66) = 111.15'
Avg = 111.15'

Set 1x2 ch 42.00 dist from jnt between R28 & R11

Fd stone marked "L P 26" E side per TR 4005 CS B-839 Fd to be on line of angle @ R28 NE of Cor of Lot A

R28A - Set 1x2 ch ff on line @ 90° to R28.

① 57.12 @ 1° 18' 10" (T=66) = 56.00'
② 57.81 @ 14° 19' 20" (T=66) = 56.00'
Avg = 56.00'

Fd 2½" I.P. up 3½' Leaning Southerly used ctr at same Elev as top of stone; 8½' below top of pipe. Marked "L.P 26" on E side. Used for line as shown C.S.B-839 Noted No Record in field as to who set pipe.

Ascending

Woven wire fence approx Ranch Line

Ascending

Ranch Line

Same

Top of pipe

Stone marked "L.P 26"

Section through pipe at Elev of stone

Section thru pipe at ground

35" calc

Ranch Line

Ranch Line by occupation

Ascending

DETAIL

180° 00' 00"
- 18 15 25
161° 44' 35"

(T = 66°)
① 242.10 @ 20° 20' 00" = 226.98'
② 241.36 @ 19° 52' 40" = 226.95'
Avg = 226.96'

1A 34.44 calc Fr. M.

226.96 M

22.13

Set ⅝

cont. pg 50

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Tapecon see Part 1-56

R. 2241 Pg. 50

cont. pg 49

RANCHO LA PUENTE
TR. 4005
Lot A



① 235.23 @ 16° 39' 20"
(T=70) = 225.342
② 234.78 @ 16° 17' 20"
(T=70) = 225.337
③ 234.96 = @ 16° 26' 20"
(T=70) = 225.336
Avg = 225.336
.34

① 171.17 @ 13° 30' 40" (T= 68)
= 166.43
② 171.58 @ 14° 06' 00" (T= 68)
= 166.41
Avg = 166.42
.40

FRAC. SEC 10
T. 2. S R. 11. W

Ch. Level T=70 no corr

①	②
17.64	17.94
17.80	17.50
35.44	35.44

Avg = 35.44

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Angeles A-E
JN 2075.26 Tape 101 Std 84 °F
Surveyed by d. H. Brown
Notes d. H. B Date 3-57
Indexed J. C. Johnson

F. B. 2241 Pg. 51

Cont. pg. 50

35.44 M

R 30A Set 1x2 f h

1225

98°

Ed. Co. Steel tower #10-3
dist. taken to pt. angle of
leg enters conc. pad center

5°°

T = 70°

① 12.95
15.53
58.48
-01
58.47

② 58.47
-01
58.46

To R 28A

RANCHO LA PUENTE
TR 4005 LOT A

RANCH LINE BY OCCUPATION

Level

WOVEN WIRE FENCE

Level

TRANSIT LINE

58.46 M

1434.44 calc

Set n.

barbed wire fence

fr. M.

155 M

R-31A

R 31A set 1x2 f h

T = 70

① 55.12 - 01 = 55.11 @ 6°16'00" = 54.78

② 55.40 - 01 = 55.39 @ 8°28'40" = 54.78

Avg = 54.78

5°

To R 35A

5478 M

5°°

barbed wire fence

Descending

Con't pg 52

T 2 S R 11 W FRAC. SEC. 10.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3005 SEE #247 1-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

RANCHO LA PUENTE
TR 4005 LOT A

T= 70°
① 84.90-01 = 81.89 @ 16°12'20" = 81.52
② 85.76-01 = 85.75 @ 18°02'30" = 81.53
Avg = 81.52

Set n.

T=58°
① 298.11-05 = 298.06 @ 13°01'20" = 290.395
② 298.35-05 = 298.30 @ 13°12'40" = 290.402
Avg = 290.40

Set n.

R 824 Set iron pin
T=60
① 103.49-02 = 103.47 @ 8°11'40" = 102.141
② 103.18-02 = 103.16 @ 8°00'40" = 102.153
③ 103.28-02 = 103.26 @ 8°27'00" = 102.139
Avg = 102.144

102.15

290.40

81.52

TRANSIT LINE

5478

1434.44 calc. fr. M

RANCH LINE BY OCCUPATION

Y descending FENCE

Y WOVEN WIRE

Y descending

T. 2 S.
R. 11 W.
FRAC. SEC. 10.

F. B. 224 / Pg. 52

cont. pg 51

cont. pg 53

TO R 28A

TO R 35A

5.00

5.00

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 007526 Tape 101 Std 84 °F
Surveyed by J. H. Brown
Notes J. H. B. Date 3-57
Indexed C. Johnson

F. B. 224 Pg. 53

W 5372-3

Cont pg 52

RANCHO LA PUENTE
TRACT 4005 LOT A

12.33A

R 33A set 1x2 6" ft.

T=62
73.56-01 = 73.55
73.55 @ 15° 25' 20" = 70.902
74.25-01 = 74.24
74.24 @ 17° 12' 40" = 70.916
Avg = 70.909
= 70.91

102.1 FM

5.00

To RSBA

Ranch Line First S.A.

Descend

14.34 calc. fr M.

70.91 M

Transit Line

R 34A set 1x2 6" ft.

T = 60°
129.33 -.02 = 129.31
129.31 @ 19°16'00 = 122.068
130.02 -.02 = 130.00
130.00 @ 20°08'30" = 122.050
Avg = 122.059

122.06 M

Rec. per TR. 4005 = 1447.94
Prop. Correction Meas = +0.55
1448.49
1439.47 M
14.02

dirt road

R 35A set 1x2 6" ft.

T = 60

256.87 .04 = 256.83
256.83 @ 20°54'40" = 239.914
257.53 -.04 = 257.49
257.49 @ 21°17'20" = 239.917
Avg = 239.916
.92

Made thorough search this area for the evidence of 2" I.P. per TR 4005

Set tag on

Lot line

14.15 M

239.92 M

421.56 calc fr M

Lot B

FRAC.
SEC. 10.
T. 2. S.
R. 11. W.

To RS2A

Cont. pg. 54

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

767-3099 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

RANCHO LA PUENTE
TR 4005
Lot B

F.B. 2241 Pg. 54



Sex 1x2 f n Cl

277.702'
277.730'
277.808'
277.716'
Avg = 277.739'

280.91 -.05 = 280.86
280.86 @ 8° 36' 00" =
281.32 -.05 = 281.27
281.27 @ 9° 06' 00" =
281.21 -.05 = 281.16
281.16 @ 8° 52' 00" =
Avg = 281.12'

T = 93

R 36A

Sex 1x2 f n Cl

T = 62

273.57 -.04 = 273.53
273.53 @ 10° 57' 20" = 268.545'
274.05 -.04 = 274.01
274.01 @ 11° 28' 40" = 268.530'
Avg = 268.53'

R 97A

R 38A

Sex 1x2 f n Cl

T = 64

123.16 -.02 = 123.14
123.14 @ 5° 31' 00" = 122.570'
122.97 -.02 = 122.95
122.95 @ 5° 36' 40" = 122.554'
Avg = 122.562'

239.92M

277.72M

268.54M

122.56M

TRANSIT LINE

4215.56 calc fr M.

cont. pg. 53

cont. pg. 55

To R 35A

To R 52A

RANCH LINE BY OCCUPATION

WOVEN WIRE FENCE

Descend

Descend

FRAC. SEC. 10
T. 2. S. R. 11. W.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave F. B. 2241 Pg. 55
JN 0075-24 Tape 101 Std. 84 °F
Surveyed by J. H. Brown
Notes J. H. B Date 3-57
Indexed C. Johnson

cont pg 59

RANCHO LA PUENTE
TR 4005

Ave

R 39 A Set 1/2 in fl
T=68

① 238.18 + .50 = 238.68 - .02 = 238.66
② 238.67 + 0.00 = 238.67 - .02 = 238.65
Avg = 238.65

R 40 A Set 1/2 in fl

R 41 A Set 1/2 in fl

① T=66° 278.46 + 0.00 = 278.46 - .03 Temp Corr. = 278.43
② 278.07 + .38 = 278.45 - .03 = 278.42
Avg = 278.42

T=64°
① 181.62 - .02 = 181.60
181.60 @ 16°05' 00" = 174.847
② 181.97 - .02 = 181.95
181.95 @ 16°26' 00" = 179.517
Avg = 174.504

122.56
238.65
278.42
174.50
421.56 calc fr M

Descend.
Level
Ascend.
Level

To R 35A
To R 52A?

TRANSIT LINE

RANCH LINE BY OCCUPATION WHEN WIRE

FRAC. SEC. 10. T. 2. S. R. 11. W.

cont. pg 56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Parsons 824 1-36

F. B. 2241 Pg. 56

cont. pg. 55

RANCHO LA PUENTE
TR 4005
Lot B

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

To R 35A

TRANSIT LINE

206.71

421.56 Calc. & M.

RANCH LINE BY OCCUPATION

FRAC. SEC 10
T. 2. S.
R. 11. W.

Set n

T = 60
① 215.59 - .03 = 215.56
215.56 @ 16° 29' 00" = 206.701
② 216.00 - .03 = 215.97
215.97 @ 16° 50' 00" = 206.716
Avg = 206.708.

Set n

T = 60
~~① 137.47 - .02 = 137.45~~
~~137.45 @ 15° 23' 40" = 132.518~~
② 137.97 - .02 = 137.95
137.95 @ 16° 05' 40" = 132.593
③ 137.57 - .02 = 137.55
137.55 @ 15° 31' 00" = 132.537
Avg = 132.540

132.54

R 42 A Set 1/2" I.P. fl.
T = 62°
187.52 - .03 = 187.49
187.49 @ 12° 27' 7 183.08

R 42 A Hfl.
Set 1/2" I.P.

5.57

183.08 M

0.51 M

Ed. Co. Co. Tank

Set n

32.33

Set n.

Barbed wire

Fence

183.07 M

~~188.35 @ 13° 33' = 183.07~~
T = 62° 188.38 - .03 = 188.35
188.35 @ 13° 33' = 183.07

① T = 62° ②

48.46 40.86
19.28 18.88
67.74 67.74
-.01 Temp Corr -.01
67.73 67.73

24.60 M
31.60 M
32.50 M
24.40 M
DETAIL of Tower shown at right

WOVEN WIRE FENCE

To R 52A

R 43 A Set 1/2" I.P. fl.
217.71

Cont. pg 57

Notes Ck'd by L. E. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Area F. B. 2241 Pg. 57
JN 0075.2 Tape 101 Std 84 °F
Surveyed by J. H. B. [illegible]
Notes J-H-B Date 3-57
Indexed L. C. Johnson

cont pg. 56

T=68
~~232.74 -02 = 232.72~~
~~232.92 @ 20° 54' 46" = 217.675~~
233.63 -02 = 233.61
233.61 @ 21° 16' 00" = 217.702
233.38 -02 = 233.36
233.36 @ 21 06 00 = 217.714
Avg = ~~217.708~~ 217.71

217.71

Descend

To R 35A

5 00

X

RANCH LINE BY OCCUPATION

Ascend

TRANSIT LINE

270.14 = T

2 - R 44A Set 1x2 Fn. ∩

T=62
~~279.07 -04 = 279.03~~
~~279.03 @ 14° 32' 00" = 270.102~~
279.53 -04 = 279.49
279.49 @ 19° 51 40 = 270.140
279.25 @ 04 = 279.21
279.21 @ 14 38 20 = 270.146
Avg = 270.14

2215.56 calc. to M

2 - R 45A Set 1x2 Fn ∩
T=62°
~~296.64 -04 = 296.62~~
~~296.62 @ 4° 11' 30" = 296.027~~
296.77 -04 = 296.73
296.73 @ 4° 37 30 = 295.764
296.74 -04 = 296.71
296.71 @ 4° 31' 20" = 295.786
Avg = 295.77

295.77

Set Fn.
T=62°
58.09 -01 = 58.08
58.08 @ 19° 35' 00" = 54.720
58.59 -01 = 58.58
58.58 @ 20° 56' 00" = 54.720
Avg = 54.72

54.72

18.9

12" oak.

Set n.

22.14

To R 52A

5 00

WOVEN WIRE FENCE

Ascend

cont pg. 58

RANCHO LA PUENTE
TR 4005 Lot B

T. 2. S
R. 11 W
FRAC. SEC. 10

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7875008 SEE #247 1-56

F.B. 2241 PG. 58

cont pg. 57

RANCHO LA PUENTE
TR 4005 Lot B

T. 2. S. R. 11. W.

FRAC. SEC. 10.

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T = 62 No cor

①	②
22.14	10.39
0.00	11.76
22.14	22.15

Avg = 22.14

R 46 A set 1x2 cm fl

T = 62

①	②
48.94	30.43
00.00	18.51
48.94	48.94
-.01 Temp cor	-.01
48.93	48.93

set n

T = 68

①	②
241.27	242.48
22.90	21.70
264.17	264.18
-.03 Temp cor	-.03
264.14	264.15

Avg = 264.14

R 47 A set 1x2 cm fl

T = 68

①	②
37.54	38.08
43.93	43.38
81.47	81.46
-.01	-.01
81.46	81.45

Avg = 81.45

R 48 A set 1x2 cm fl

T = 68

237.94 -.03 = 237.91
237.91 @ 3° 28' 30"
= 237.473

238.11 -.03 = 238.08
238.08 @ 4° 01' 20"
= 237.495

Avg = 237.484

22.14
48.93
264.14
81.45
237.48

S 5° 00' E

To R 35A

Rising slowly

Top of ridge

Top of ridge

Rising slowly

4215.56 calc fr M

NOVEMENT

CURVE

Ascending

To R 52A

FENCE

S 5° 00' E

cont pg. 59

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles
JN 0075-26 Tape 101 Std 84 °F
Surveyed by J. H. Brown
Notes J. H. B Date 2-57
Indexed E. C. Johnson

F. B. 284 Pg. 58

cont pg 58

RANCHO LA PUENTE
TR 4005 LOT B

FRAC. SEC. 10. T. 2. S. R. 11 W.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this fine.

TO R 35A

5 00

WOVEN WIRE FENCE

RANCH LINE BY OCCUPATION

Ascend

Ascend

Ascend

Ascend

TO R 52A

5 00

237.48 TRANSIT

100.09

422.15.56 calc ft.

322.16

293.54

R 49A set 1X2 ¢ in fl

T = 66

102.17 - 01 = 102.16
102.16 @ 11° 33' 40" = 100.087

102.75 - 01 = 102.74
102.74 @ 13° 00' 00" = 100.087

102.47 - 01 = 102.46
102.46 @ 12° 21' 00" = 100.089
Avg = 100.09

R 50A set 1X2 ¢ in fl
T = 66

① Level (No temp Corr.) 31.87
299.56-04 = 299.52 @ 14° 15' 00" 290.30
322.17

② (No Cor.) Level 14.28 + 17.00 = 31.28
299.99-04 = 299.90 @ 14° 33' 00" = 290.28
322.16

Avg = 322.16

R 51A set 1X2 ¢ in fl

T = 66

297.07-03 = 297.04
297.04 @ 8° 48' 00" = 293.513

297.37-03 = 297.34
297.34 @ 9° 12' 00" = 293.513

297.37-03 = 297.34
297.34 @ 9° 10' 20" = 293.528

296.98-03 = 296.95
296.95 @ 8° 34' 20" = 293.534
Avg = 293.536

cont. pg. 60

7 PERSONS SEE Ref 1-58

cont pg. 59

RANCHO LA PUENTE

IR 4005

Lot B

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

N 53° 32' E 4215.56 calc ft

TO (R25A

Barbed wire fence

Lot line

rolling

79.38 (T=72°) = 79.32
79.32 @ 14°40'20" = 76.733
79.75 (T=72°) = 79.74
79.74 @ 15°50'00" = 76.715
Avg = 76.72

Lot C

① (T=72)
82.57
73.42 Transpose
105.99 = -01
Avg = 105.98 -01 = 105.97

② 33.52 / 72.45 / 105.97

① T=72 ② 15.06 / 33.51 / 51.57 / Avg = 51.58 no cor

18.54 / 33.05 / 51.59

① T=72 ③ 29.09 / 20.24 / 49.33 / Avg = 49.33 no cor

29.70 / 19.63 / 49.33

Ed. Co. Sheet Tenier 11-2

24.1 / 24.1 / 23.9 / 34°12' / 34°00' / 24.1

Ascend

Ranch line Br occupation

Rec. per TR 4005
41 54.44
Prop Br = +1.65
Rec Meas = 41 56.09
+ 14.02
+ 46.11
4216.22

89.34
-5.47
83.87

105.97 / 23.96 / 76.72 / 51.58 / 53.55

R52A
Set Ikzen

51.90 (T=74) = 51.906
51.90 @ 16°24'20" = 49.784
52.45 (T=74) = 52.454
52.45 @ 18°23'20" = 49.782
Avg = 49.78

dirt 10'

49.786

900.35

SEC. 10
T. 2 S.
R. 11 W
FRAC.

T=68

① 33.30 / 11.45 / 44.75 / 11.21 / 33.54

② 33.57 / 10.73 / 44.30 / 00.304 / 44.604 / 81.30

Ascend

66.504 = Avg

R53A
Set Ikzen

① T=70
38.69
18.11
56.80
Avg = 56.80 -01 = 56.79

② 39.34 / 17.46 / 56.80

33.87

56.79

40

6.40

4.21

Fd 2" I.P proj 2' Set n in ctr of top.

Level

Set n.

R54A Set Ikzen A

294.62 (T=70) = 299.59
@ 9°35'00" = 290.479
294.38 (T=70) = 294.35
@ 9°17'20" = 290.290
Avg = 290.484

299.48

To R58A

① 37° 22' 00"
② 149 27 40
③ 224 11 20
Avg = 37 21 53½

40

5.99

37°

SEC. 11
FRAC.
Fd 1¼" I.P
up. 8" Set n
Ub. ctr. No ref.

Descend

cont pg. 61

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 0075-26 Tape 101 Std 84 °F
Surveyed by H. Brown
Notes J.H.B Date 3-57
Indexed C. Johnson

F. B. 2241 Pg. 61

cont. pg. 60

TR. 4005 Lot C
RANCHO LA PUENTE

Set R55A 1x2 sq fl
298.00 (T=76) = 297.98
@ 17° 07' 20" = 284.773
298.21 (T=76 = 298.189
@ 17° 17' 20" = 284.70817
297.90 (T=74) = 297.878
@ 17° 07' 00" = 284.677886
Avg = 284.6779
170

Set R56A 1x2 sq fl
193.93 (T=76) = 193.93
@ 13° 49' 40" = 188.300
194.47 (T=76) = 194.46
@ 14° 24' 00" = 188.351
Avg = 188.325

Set R.57A 1x2 sq fl
① (T=76) 29.83 No. 42 30.30
② 18.96 12 14 30.80

FRAC SEC 11 T2S. R11W.
FRAC. SEC. 14

S 0° E
To R52A
Descend
Ranch line by occupation
Ascend
Level
Transit line
290.40
284.69
70
Made search for casing cor fd. nothing
No tie in field
82 ± (calc)
900.35
188.32
Wilken
Wire
Fence
To R58A
30.30
S 0° E
cont pg 62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

LOS ANGELES COUNTY SURVEYOR
700 Los Angeles County Engineering Building

F.B. 2291 Pg. 62

TRACT 4005 Lot C
RANCHO LA PUENTE

cont. pg 61

TO R52A

Level

Top of Nose

30.30

Set R 58A 1x2 in fl

T=80
~~115.740 (no cor) @ 9°42'20" = 114.083~~
115.42 (no cor) @ 8°41'20" = 114.095
115.47 (no cor) @ 8°53'20" = 114.083
Avg = 114.087

114.09

Descend

RANCH LINE

698.3

Set R 59A 1x2 in fl

T=80
299.85 - 01 = 299.84 @ 18°00'00" = 285.176
300.67 - 01 = 300.66 @ 18°28'20" = 285.173
Avg = 285.174

285.17

Ascend

WOVEN WIRE FENCE

OCCUPATION

Set R 60A 1x2 in fl

T=80
19.47 (no cor) @ 32°19'00" = 16.469
20.52 (no cor) @ 36°34'20" = 16.480
Avg = 16.474

16.47

TO R64A

FRAC. SEC. 14.
T. 2. S. R. 11. W.

cont. pg. 63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 0275-26 Tape 101 Std. 84 °F
Surveyed by J. H. Brown
Notes J. H. B Date 3-52
Indexed C. Johnson

F. B. 2241 Pg. 83

RANCHO LA PUENTE

cont pg 68

TR 4005 Lot C

M

Sal R/S 1x2 cn ⊥

TRANSIT LINE

TR 58A

698.31

RANCH LINE BY OCCUPATION

WOLFSKILL WIRE FENCE

Sal R/S 1x2 cn ⊥

R.G2A 1x2 cn ⊥

T=84
48.61 (no corr) @ 13° 19' 00" = 47.303
49.14 (" ") @ 15 42 40 = 47.304
Avg = 47.304

T=84
48.50 (no corr) @ 12° 45' 00" = 47.304
47.97 (no corr) @ 9° 55 20 = 47.300
Avg = 47.302

T=84
72.23 (no corr) @ 13° 33' 40" = 70.216
71.86 (no corr) @ 12° 20' 00" = 70.202
Avg = 70.21

① (T=)
16.89
16.80
33.69
Avg = 33.69

② 17.26
16.43
33.69

FRAC. SEC. 14.
T. 2 S. R. 11. W.

Set n

82.98 M

70

90°

Fd 1x2 cn ⊥ No ties

47.30

Fd 1x2 cn ⊥ No ties

Fd. Co. Steel Tower

24'

Sal n

5.13
4.70
9.03
12.82
10.58
7.58
12.45

82.98 M

{Note: W side of tower is wider than E side}

① T=84
33.98
49.00
82.98

② 34.52
48.46
82.98

120.73 (T=80) = 120.73 @ 2° 01 20 = 120.655
120.84 (T=80) = 120.84 @ 3 09 40 = 120.656
Avg = 120.656

Ascent

S 09 E To R.G4A

cont pg 64

Notes: Additions or Changes on This Sheet must be Made or Circled in Red Ink with Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7EF3006 SAF #247 1-56

F. B 2241 Pg. 64

cont pg 63

TR 4005 Lot C
RANCHO LA PUENTE

FRAC. SEC. 14. T. 2 S. R. 11 W.

Ascend

120.66

To R58A

0.01

5

Set R 63A 1x2 cm fl

T=90
129.50 (no cor) @ 8° 00' 00" = 128.240
129.70 (no cor) @ 8° 35' 20" = 128.246
Avg = 128.243

128.24

Ascend

Transit

Line

Set R 64A 1x2 cm fl
(high part of hill)

T=80
112.85 (no cor) @ 6° 24' 00" = 112.147
112.70 (no cor) @ 5° 37' 00" = 112.159
Avg = 112.153

Skyline Dr per FB 365-63-64
FB 369-70-71
Make thorough search for points
Fd. nothing

112.15

Descend

Set R 65A 1x2 cm fl

① 296.79 (T=66) = 296.76
296.76 @ 00° 41' 00" = 296.74

② 295.50
1.30
296.80
-0.03 Temp cor
296.77

③ 296.80
0.00
296.80
-0.03
296.77

Avg = 296.75

296.756

Descend

Set R 66A 1x2 cm fl

243.14 (T=66) = 243.11
243.11 @ 6° 17' 00" = 241.650
243.31 (T=66) = 243.28
243.28 @ 6° 33' 40" = 241.687
243.22 (T=66) = 243.19
243.19 @ 6° 22' 40" = 241.685

Avg = 241.686

241.686

Ascend

5.00

To R67A2

Fence

Wire

By occupation

Ranch

Line

Water

cont pg 65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave. F. B. 2241 Pg. 101
JN 007526 Tape 101 Std 84 °F
Surveyed by H. H. Brown
Notes H. H. B. Date 3-57
Indexed C. Johnson

cont pg. 64

RANCHO LA PUENTE
TR 4005 Lot C

---Set R67A 1x2 sm ft

225.63 (T=68) = 225.61
225.61 @ 9 35 40 = 222.454
225.36 (T=68) = 225.39
225.34 @ 9 07 40 = 222.186
Avg = 222.470

--Fd 3/4" I.P. (broken) used as at bot. of pipe & reset top 1' ft. over. Set in the dirt pile. (Could not find any other points to prove if it is RADT 41A per FB 365-63; RB 369-71-72)

---Set R68A 1x2 sm ft

WRONG Pt. used
298.92 (T=70) = 298.89
298.89 @ 1 10 20 = 298.852
298.91 (T=70) = 298.88
298.88 @ 0 41 00 = 298.821

①		②
298.38	(T=76)	298.93
0.00		0.44
298.38		298.97
-.02	Temp cor	-.02
298.36		298.95

Avg = 298.35

con't pg 66

N. 5.37 - Dd

FRAC. SEC. T.2.S. R.11.W.

RANCH LINE BY OCCUPATION Descend

WOVEN WIRE FENCE Descend

SKYLINE DR Per FB 365-63 Made search Ft no thing

N 50.59 E

4.15

5.00

22.69

222.47 TRANSIT LINE

520.82

298.35

To R68A (Corner)

5.01

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3008 SAE 1247 1-56


B 2241 Pg. 68
cont pg 65
cont pg 67
RANCHO LA PUENTE
TR 4005
Lot C
R 5.37-W
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this sick of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
FRAC. SEC. 2
T. 2. S.
R. 11. W.
TR. 9211
Lot 77
woven wire x fnc
TRANSIT LINE prod. from Palm Ave.
TRANSIT LINE
TRACT LINE per FB 5-70
wire fence
set nothing
Descend
RANDOM LINE BY OCCUPATION
Fd 1x2 in fl
Set RCGA 1x2 in fl & 2" I.P.
Fd 2" I.P. & wood plug with nail hole put nail in hole & used. Up 4". Leaning N.W.
17.30M
17.00 calc.
842.07
set nothing
TRANSIT LINE prod. from Clark Ave.
Set 1x2 in fl by ints
Set 1x2 in fl on line prod. 474'± dist
Set IVC on line prod 1107.84 dist.
No Survey: See FB
Stadia dist. 1127±
1146' @ 10°24' = 1107 ±
474 @ Level = 474 ± /

Notes Ck'd by J. F. McMILLAN	Survey of Los Angeles Ave
Map No.	JN 0075.26 Tape 101 Std 84 °F
Office Work	Surveyed by J. H. Brown
Checked	Notes J.H.B Date 4-57
Date	Indexed C. Johnson

F. B. 224 Pg. 67

W.537-04

cont pg 68

To T-40'

T 42
Set 1x2 in fl

T=62

①	②
43.69	44.11
22.75	22.33
66.44	66.44
-.01	-.01
66.43	66.43

(Temp Cor)

Avg = 66.43

Ascend

2705

Fd 2" I.P. wood plug dn .05' Pr FB 365-70

2.89 m

29.19 m

sky line per FB 365-70

TR 4005
Lot C

T 43
Set 1x2 in 20.00 from P/L

74.619

10.35

16.35

30.17 m

Fd 2" I.P. wood plug dn .6' FB 365-70

Dirt Road

16.60 m

T 44
Set 1x2 in fl
20.35' from 2"I.P.

T=62
102.79-01 = 102.78
102.78 @ 15° 43' 00" = 98.487
102.50-01 = 102.49
102.49 @ 15° 08' 00" = 98.936
Avg = 98.936

6.64 m

TRANSIT LINE

LEVEE

37.04 m

TR 9211

20.00 Set

10.35 calc

TRANSIT LINE

Fd 2" I.P. with wash plug in dn 3" FB 365-70

16.65 Set

set 1x2 in 16.65 ft. 2" I.P. per F.B. 365-70

To T-45 (corner)

90.94

Descend

17.90

45.18

17' offset line between Clark Ave & SE Cor TR 4005.. for control of direction only. per FB 365-70

cont pg 66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3088 SAE 8247 1-58

T 12241 Pg. 68

TR 4005
Lot C

cont. pg. 69

T=70

281.56 -.03 = 281.53
281.53 @ 9° 11' 20" = 277.838
281.20 -.03 = 281.17
281.17 @ 8° 46' 00" = 277.385
281.35 -.03 = 281.32
281.32 @ 8°56'00" = 277.908
Avg 277.896

277.90

761.16

20.00

Ascend

17.00

T40
Set 1x2 ft n fl
on crest of ridge

8.03

20.71

239.5

Fd 2" IP
& wood plug ft
up 8°
FB 3[illegible]=70
(Rec. = 78774
ft cor.)

16.29

Set nothing
738.16 from
cor.

Steep draw.
T=70
281.44 -.03 = 281.41
281.41 @ 2°45'20" = 281.085
281.57 -.03 = 281.54
281.54 @ 2°06'40" = 281.125
281.49 -.03 = 281.46
281.46 @ 2°59'00" = 281.100
Avg = 281.103

T41
Set 1x2 ft n fl
on crest of ridge

281.10

17.00

T=72
271.35 -.02 = 271.33
271.33 @ 4°23'00"
= 270.536
271.17 -.02 = 271.15
271.15 @ 3°56'00"
= 270.511
Avg = 270.522

270.52

deep draw

746.19

Ascend

Ascend

TR 4005
Lot C

T=64 (No cor)

①	②
15.98	16.87
13.21	12.83
29.19	29.20

Avg = 29.19
See pg 67

20.00

cont. pg 67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Ink With Date and Name of Person Making Change.

W.O. 37-D4

Notes Ck'd by J. F. McMILLAN	Survey of Los Robles Ave
Map No.	JN 007526 Tape 101 Std 94 °F
Office Work	Surveyed by J. H. Brown
Checked	Notes J.H.B. Date 4-57
Date	Indexed C. Johnson

F. B. 2241 Pg. 65

cont pg. 70

T=82
131.16 - 02 = 131.14
131.14 @ 11° 38' 00" = 128.446
131.58 - 02 = 131.56
131.56 @ 12° 31' 00" = 128.432
Avg = 128.439

To T 34

20 00

17 00

128.44

TR 4005
Lot C

N

Set T 38
1½ ± in fl.

T=62
80.40 - 01 = 80.39
80.39 @ 8° 24' 00" = 79.528
81.02 - 01 = 81.01
81.01 @ 10° 53' 20" = 79.551
80.79 - 01 = 80.78
80.78 @ 10° 02' 00" = 79.545
Avg = 79.541

121.16
79.54

T 39
Set 1½ ± in fl

To T-40

277.90

TRANSIT LINE

TRACT LINE

Transit Line

TR 4005
Lot C

Wiggle pt.
Set 1½ ± in.

20 00

17 00

239.4

cont pg 68

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

787-3068 SAE #247 1-56

F. B. 2241 Pg. 70

T=62
81.81 - 01 = 81.80
81.80 @ 28° 12' 40" = 72.083
82.68 - 01 = 82.67
82.67 @ 27° 20' 40" = 72.062
Avg = 72.072

TR 4005 Lot C

cont. pg. 71

To T34

20.00

.80

121.72

T35 set 1x2 tn fl.

761.76

72.05

T36 set 1x2 tn fl.

T=62
43.19-01=43.18 @ 16° 20' 20" = 41.436
43.82-01=43.81 @ 18° 56' 40" = 41.437
Avg = 41.436

41.44

TRANSIT LINE

T 37 set 1x2 tn fl.

TRACT LINE

20.00

To T40

128.44

17.0 ± set from this line to mark ALLEY

TR 4005 Lot C

cont. pg 69

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN	Survey of Los Robles Ave
Map No.	JN 00752 Tape 101 Std 64 °F
Office Work	Surveyed by W. H. Brown
Checked	Notes W. H. B Date 4-10-57
Date	Indexed K. C. Johnson

F. B. 2241 PG. 71

cont pg 72

TR 4005 Lot C

T 32 Set 1x2 in fl

T=62

①	②
34.07	34.60
53.26	52.72
87.33	87.32
-.01 (Temp Cor)	.01
87.32	87.31

Avg = 87.31

T 33 Set 1x2 in fl

T=58

227.94 - .04 = 227.90
227.90 @ 3° 27' 00" = 227.487
227.85 - .04 = 227.81
227.81 @ 2° 51' 40" = 227.526
227.87 (T=60) - .04 = 227.83
227.83 @ 3° 03' 40" = 227.595
Avg = 227.506

T 34 Set 1x2 in fl

T=60

173.17 - .03 = 173.14
173.14 @ 2° 51' 40" = 161.790
173.97 - .03 = 173.94
173.94 @ 2° 32' 00" = 161.800
Avg = 161.795

T/R 4005
Lot C

cont pg 70

147.67 M

TO T 27

20.00

Ascend

Level

708.23

87.31 M

227.51 M

Descend

TRACT LINE

TRANSIT LINE

TO T 40

76.17

1.6

20.00

Ascend

1' - Rad Zenith Line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F305B SEE #247 1-56

TRACT 4005
Lot C

cont. pg 73

40" oak

21+

22+

Ascend

T 29
Set 1x2 & n fl. - - - - - - - - - - - - - - - - - -

T=12
131.73 - 01 = 131.72
131.72 @ 18° 06' 00" = 125.202
132.17 - 01 = 132.16
132.16 @ 18 38 40 = 125.224
Avg = 125.213

125.21

T. 30
Set 1x2 & n fl

T=58
176.80 - 03 = 176.77
176.77 @ 22 15 40 = 163.595
~~177.12 - 03 = 177.09~~
~~177.09 @ 22 34 20 = 163.824~~
176.60 - 03 = 176.57
176.57 @ 22 06 00 = 163.597
Avg = 163.596

163.60

Ascend

T 31
Set 1x2 & n fl

908.23

Ascend

T=58
154.14 - 03 = 154.11
154.11 @ 16 37 20 = 147.670
154.52 - 03 = 154.49
154.49 @ 17 05 00 = 147.674
Avg = 147.672

147.67

20.00

Ascend

TR. 4005
Lot C

cont pg 71

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN	Survey of Lee Baker Ave	F. B. 2241	Pg. 73
Map No.	JN 007526 Tape 101 Std 84 °F		
Office Work	Surveyed by T. H. Brown		
Checked	Notes T.H.B. Date 4-3-57		
Date	Indexed L. O. Johnson		

cont. pg. 74

TRACT 4005

Lot C

T 25
Set 1x2 f'n fd. (top steep slide)

T = 86
193.54 - 01 = 193.53
193.53 @ 30° 48' 40" = 166.215
192.45 - 01 = 192.44
192.44 @ 30° 16' 20" = 166.208
Avg = 166.212

38.87
12.88
20.00
Descend
199
1535.54
166.20
Descend
Descend

T 26
Set 1x2 f'n fl
(crest small steep ridge)

T = 72
108.40 - 01 = 108.39
108.39 @ 30° 40' 40"
= 93.270
109.94 - 01 = 109.93
109.93 @ 31° 56' 30"
= 93.285
109.07 - 01 = 109.06
109.06 @ 31° 13' 00"
= 93.271
Avg = 93.278

93.28
TRANSIT LINE

T 27
Set 1x2 f'n fl
(base of hill)

Twin oak
44"
32"
83'±
Natural
Drainage
ditch

T = 72
105.35
0.52
105.87
- .01 Temp Cor
105.86
Avg = 105.85

105.86
0.06
105.86
- .01
105.85

T 28
Set 1x2
f'n fl.
908.23
105.85
105.08
20.00
Ascend
Level

T = 70 (Ho Sec)
53.98 @ 17° 15' 00" = 51.075
53.90 @ 18° 37' 00" = 51.080
Avg = 51.078

TRACT 4005
Lot C

cont pg. 72

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78F3098 SEE #247 1-58

F. B. 2241 Pg. 14

cont pg 75

TRACT 4005
Lot C

T22 set 1x2 4n fl.
(wiggle pt.)

T= 80

①	②
83.15	83.57
49.13	98.70
132.28 (No cor.)	132.27

Avg = 132.27

T23 set 1x2 4n fl.

T= 80

①	②
227.82	229.03
1.23	+0.00
229.05	229.03
-.01 Temp cor.	-.01
229.04	229.02

Avg = 229.03

T= 80

①	②
25.47	26.03
13.39 (No cor.)	12.85
38.86	38.88

Avg = 38.87

T24 set 1x2 4n fl.

1x2 4n ch. pf creek at ridge

TRACT 4005
Lot C

cont pg 73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave.
JN 2075-26 Tape 101 Std. 89 °F
Surveyed by T. H. Bronner
Notes T. H. B. * Date 4-57
Indexed K. O. Johnson

F. B. 2241 Pg. 75

cont pg 76

TRACT 4005
Lot C

20.00

42.66 M

T 19 set 1x2 f th fl.

Ascend

T = 66

110.61 - .01 = 110.60
110.60 @ 23° 30' 40" = 101.420
111.22 - .01 = 111.21
111.21 @ 23 12' 00" = 101.437
Avg = 101.428

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

1535.59

101.43

T 20 Set 1x2 ... th. fl.

Ascend

① T = 66
19.37 (Level)
27.59
46.96
- .01
46.95

② 19.77
27.19
46.96
- .01
46.95

Avg = 46.95

46.95

T 21 set 1x2 f th fl.

Ascend

T = 66
159.14 - .02 = 159.12
159.12 @ 10° 24' 00" = 156.506
159.39 - .02 = 159.37
159.37 @ 10 59 00 = 156.495
(T. 72) 159.22 - .01 = 159.21
159.21 @ 10 35 00 = 156.502
Avg = 156.501

56.50

20.00

TRACT 4005
Lot C

cont pg. 74

7-57 2000 SEE ft42 1-56

F. B. 2241 Pg. 76

TRACT 4005
Lot C



T=66
73.12 - .01 = 73.11
73.11 @ 34°38'40" = 60.148
74.30 - .01 = 74.29
74.29 @ 35°56'08" = 60.153
Avg = 60.150

T 16 Set 1x2 in ft.

101.85

20 ac

cont. pg 77

60.15

Ascent

T 17 Set 1x2 in ft.

153.5.5

71.46

T 18 Set 1x2 in ft.

T = 66
88.75 - .01 = 88.74
88.74 @ 36° 22' 00" = 71.458
89.77 - .01 = 89.76
89.76 @ 37° 13' 40" = 71.470
Avg = 71.464

T = 66
50.88 - .01 = 50.87
50.87 @ 33° 00' 40" = 42.658
51.89 - .01 = 51.88
51.88 @ 34 40 00 = 42.670
Avg = 42.664

42

6

Ascent

20 ac

cont. pg. 75

TRACT 4005

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of LOS ROBLES AVE
JN 007520 Tape 101 Std 84 °F
Surveyed by J. H. Brown
Notes J. H. Brown Date 1-57
Indexed J. C. Johnson

F. B. 2281 Pg. 77

cont bot Next pg 78

① 883.56 Lev (T=76) = 883.57
② 883.54 Lev (T=76) = 883.49
Avg = 883.50

TR 1953

T=13
Set 1x2 ¢n on line

T=68

① 224.01
0.53
224.54 - 02
-224.52

② 224.53
+0.00
224.53
Temp cor - 02
= 224.51
Avg = 224.51

T-14
Set 1x2 ¢n
A. on line

T-15
Set 1x2 ¢n
A. on line

T=68
① 299.43 - 03 = 299.40
299.40 @ 9° 54' 20" = 299.80

② 299.83 - 03 = 299.80
299.80 @ 10° 20' 40" = 299.80
Avg = 299.80
= 299.83

T=70
110.59 - 01 = 110.58
110.58 @ 22° 54' 20" = 101.861
111.32 - 01 = 111.31
111.31 @ 23° 48' 20" = 101.840
Avg = 101.850

TRACT 4005 Lot C

1108.01'

224.51'

299.43'

1535.59'

101.85'

Ascend

Ascend Steeply

Ascend

cont pg 76

TR 4005 Lot c

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3008 SHT. #247 1-58

M.B. 324/ Pg. 78



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


TR 2489
TR 1953
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
LOS ROBLES
AVE
cont pg 95
cont pg 9
N 40° 05' E
1409.87
1409.84
1410.11
1409.59
1410.11
1930.02
T9 Set 1X2 th on line
T10 Set 1X2 th on line
Fd 1X2 th @ ins" Bispk ties pg 9
Fd 3/4" I.P. no plg
Fd 2" I.P. no plg brass in see pg 9
Set nothing
Not found as per pg 8
Calc pt
646.09
1950.61
19.62
23.18
29.9
19.91
9.32M
14+30.02 Set 1X2 th 04 ins. ft
14+10.11 (Pg 9)
0.88 (calc)
0.52 (calc)
0.68 (calc)
1) 101 56 00
4) 47 43 40
c) 251 35 40
Avg) 101 55 53
1) 78 04 00
4) 318 16 20
c) 108 24 00
Avg) 78 04 00
1) 168 02 00
4) 312 12 00
c) 288 18 20
Avg) 168 03 03
1) 24 41 20
4) 98 45 30
c) 149 08 30
Avg) 24 41 25

Notes Ck'd by: E. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 007526 Tape 0115 Std 68 °F
Surveyed by J.H. Brown
Notes J.H.B Date 3-57
Indexed K. C. Johnson

F. B. 2241 Pg. 81

WS 37-D3

cont. pg 82

LOT 2
TR 3309

TR 4005

Set 1½" I.P. on line

91.10

20.00

Set 1½" I.P. N 25.02 on Transit line

Fd 2"IP no tag set n @ dt. Bdg 12" SW cor Lot 2 TR

13.37M

Set 1½" I.P.

GULCH Filled with belly vines

1950

wooden foot bridge

LOT
TR 2497

SHED

Not same as "E" pg 80

TB. Set 1½" I.P. on line @ 90° to ¾" I.P.

Fd ¾" I.P. no tag. proj. 4" set n @ dt. no ref.

N 32.90 (rec. & Meas.) W 30' Rec. TR 2497

142.59 M.

WATER CO PUMP HOUSE

20.00

4.94

23.38

Set 1½" I.P. 25.02 from TRANSIT LINE

To P/L Los ROBLES AVE.

cont pg 80

142.60 Level (T=58°) = 142.59
142.61 (T=58°) = 142.60
Avg = 142.59

13.37 Level (T=58) = 13.37
13.37 (T=58) = 13.37
Avg = 13.37

23.38 Level (T=58) = 23.38
23.24 (T=58) = 23.24
Avg = 23.31

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

707-3066 SEE #217 1-56

cont pg 83

set nothing

Lot 1

Fd nothing (weir box)

Fd 2" I.P

M.S. 37 P. 9

Fd 2" I.P No plg set in 1½ ctr TR 3309

Fd 2" I.P no plg. set in dn 6" under conc slab. Set "x" over

T3

19.98

0.02

T4

20.00

29.96 M

0.34

Fd 2" I.P Wood (leaning) plg & tin plug 2"

PALM AVE

No Survey.

TRACT 4005

Set 1x2 cm ft on line

N

1950.61 (Calc)

58.14 M

Fd "x" in conc porch No further search or ties at request of owner

Set 1x2 cm ft on line

T5

20.00

Fd ¾" I.P. ptg on TR line. (L.S. 2408)

600.54
58.14
916.16
142.59
233.18
1950.61

Lot 2

916.16 M

TRACT 3309

LOT 2

600.55 Lev (T=660') = 600.54
600.55 Lev (T=660') = 600.54
Avg = 600.54

58.14 Lev (T=60') = 58.14
58.14 Lev (T=60') = 58.14
Avg = 58.14

916.23 Lev (T=58') = 916.17
916.21 Lev (T=58') = 916.15
Avg = 916.16

cont pg 81

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of LOS ROBLES Ave
JN 007526 Tape 0115 Std 68 °F
Surveyed by J. H. Brewer
Notes J. V. B Date 2-57
Indexed E. O. Johnson

F. B. 2241 Pg. 83

We. S. 37-D-3

Cont. Pg 84

Fd c&T tie cone
Weir box up
FB 379-37

AUX X
set 1X2 ftn by ft.
Inst. ℄ of GALE Ave ptod
℄ 20.00 offset
TRANSIT LINE ptod
see pg 181

Fd 2" I.P wood plg
ftn ft. FB 379-37

Fd CAT
in Top
Weir box
FB 379-37

LOS ROBLES AVE

GALE AVE

TRACT

TR 4005

TRACT 3309 LOT 1

1380.00
Per FB 379-36-37

N 26° 31' 15" W
TR 1343

57.27

50.07

41.19

32.52

Fd nail
PP "G17377E"

(Pg 181 AUX T1)
set 1X2 ftn
20' W of TR. Line

20.00 M.

17.00 M.

13.00 Rec.

(30)

See pg 98

T2
set 1X2 ftn
on line

set 1X2 ftn
on line bet sq hd at CLARK AVE
and 1X2 at wiggle pk near T2

Fd 2" I.P no plg.
set ftn @ ctr. dn 2"

N 26° 31' 15" W per TR 4005

LINE of sight to point
17' off TR line see pg

cont pg 82

See. Pg 98

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

787-3008 SEE 1247 1-56

F.B. 231 Pg. 89

W.S. 37-D-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by L. F. McMILLAN	Survey of Los Angeles Area
Map No.	JN 2075.26 Tape 125 Std 89 °F
Office Work	Surveyed by [illegible]
Checked	Notes LH 13 Date 5-57
Date	Indexed R. O. Johnson

F. B. 2241 Pg. [illegible]

TR 4005 LOT C

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

To P4 & P5 Pg. 125 & 126

To P6 Pg. 125

112° 58'

103° 24'

9° 34' 00" (calc)

Au x I

To P2 Pg 6

Set 1x2 fm on ridge 1015 +/- Sly of P7. ((Replaced with capped 1" I.P dng March 1958 [illegible])

(Pg 103) 16° 40' 35"

.286 765 78" / Sin 16° 40' 35 / Sin 9° 34' 00" (.172 195 09) x 1278.37 = 2207.34 - 1170.33 = 1030.01

(.511 305 59) / Sin 30 45 03 / Sin 103 24 04 (.972 771 38) x 1958.91 = 1029.37

Avg = 1029.69

38 47 14 / 75 60 22 / 1278.37

43 68 77 / 33 91 44 / 1177 53

12° 16' 30" (calc)

34 49 / 45 58 / 30 45 03 / 13 24 04 / 180 00 08

P6 P5 P4 P3 P2

38.91 calc

1029.69

Au x II

Z8° 41' 24" (2.80) / 6° 03' 39" / 30 45 03

1-58 78F3098 SEE #242

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-D3



Notes: Ck'd F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Rancho Ave
JN 007528 Tape 84 Std 84 °F
Surveyed by W. H. Barnes
Notes W. H. B. Date 5/8/62
Indexed

F. B. 2241 Pg. 87

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not erase this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78F3088 SAE #247 1-58

182.537
180.083
2.530
369.150

Fd N-32 per pg 86

368.15
501.55
949.70

1481.63
949.70
531.93

N-31

Ridge

Rec 15 S 36° W 360.15

TBM #68 Pg. 86
Set 1" Capped I.P
dn 1' in place of Fd. I.P.

Main

Rec pg 86 S 31.93 (Calc)

Ridge

Set nail in up 9 ft in 18" oak tree

Rec pg 86 S 38.59

20.00 N

13.21 Meas.

Fd 1x2 used ctr. set n

S 81.55 (Calc)

Rec pg 86 S 83.45

Fd P.K. per pg 123

(1) 187.22 (T=66°) = 187.20
187.20 @ 120° 48' 00" (Cos .995 49 35) = 182.548

(2) 186.89 (T=46°) = 186.85
186.85 @ 12° 21' 00" (Cos .976 859 30) = 182.526
Avg = 182.537

(3) 181.445 (T=66°) = 181.425
181.425 @ 6° 51' (Cos = 992 652 12) = 180.074

(2) 181.655 (T=66°) = 181.635
181.635 @ 7° 31' (Cos = 991 906 85) = 180.083
Avg = 180.083

274.89
293.21
581.55

Rec pg 125 of 86 (Checked) Meas

LR-1 pg 138 (Checked for line) still good

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 02252 Tape 101 Std. 84 °F
Surveyed by J. H. Brewer
Notes J. H. B. Date 5-57
Indexed C. Johnson

F. B. 224 PG. 87

① 102.62 (T=70) = 102.61 @ 5° 51' = 102.076
② 102.54 (T=70) = 102.53 @ 5° 25' = 102.072
Alg = 102.074

① ~~141.32~~ (T=76) = ~~141.31~~ @ ~~8° 41'~~ = ~~139.680~~
② 141.09 (T=76) = 141.08 @ 8° 03' = 139.661
③ 141.25 (T=74) = 141.24 @ 8° 35' = 139.658
Alg = 139.660

⑧ 237.36 (T=72) = 237.34 @ 6° 09' = 235.974
⑨ 237.69 (T=70) = 237.67 @ 6° 49' = 235.990
Alg = 235.982

TR 4005 LOT B



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



76F3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 00752 Tape 101 Std 69 °F
Surveyed by H. B. Brown
Notes H. B. C.
Date 5-57
Indexed

F. B. 2241 PG. 97

TR 4005 Lot B

TR 1343 Lot 43

① 184.22 (T=70) = 184.20 @ 15° 24' 50" = 177.574
② ~~184.27 (T=66) = 184.25 @ 15° 50' 00" = 177.644~~
③ 184.41 (T=68) = 184.39 15 38 20 = 177.564
Avg: 177.569

① 177.95 (T=62) = 177.92 @ 5°04' 40" = 177.222
178.13 (T=62) = 178.10 @ 5°36' 40" = 177.247
Avg = 177.234

① 145.54 (T=62) = 145.52 @ 14° 20' 00" = 140.990
② 145.76 (T=62) = 145.74 @ 14° 40' 10" = 140.989
Avg = 140.990



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-D3

242.23 (T=62) = 242.20 @ 2° 34' = 241.957
242.20 (T=62) = 242.17 @ 20° 21' = 241.966
Avg = 241.962

300.68 (T=62) = 300.64 @ 15° 23' 20" = 289.745
300.72 (T=62) = 300.68 @ 15° 13' 00" = 289.751
Avg = 289.748

1) 43 01 40
2) 172 08 40
3) 258 12 40
Avg) 43 02 06

TR 4005

Fd nothing per TR 4005 made thorough search this area.

Cont'd 92

Descend

Cont'd 94

N 17 Set 1x2 in Sl. on line

73° 02' 05"

289.748

To I.P. Pkg @ NE Cor TR 4005A

(201.54')

N 16 Set 1x2 in Sl. on line

(T=62)

①	②
73.03	73.755
33.26	32.52
106.29	106.28
-.02 Temp Cor)	-.02
106.27	106.26

Avg = 106.26'

N 15 Set 1x2 in on line by wriggle between end points.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Angeles Area
JN 0075 2 Tape 100 Std. @ 64 °F
Surveyed by W. B. Grimm
Notes W. B. Date 7-7-57
Indexed C. Johnson

F.B. 2241 Pg. 33

T 1343

Lot 43

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2241 Pg. 24



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 0225.2 Tape 101 Std. 84 °F
Surveyed by W. H. Brown
Notes W. H. B Date 5-21-57
Indexed K. C. Johnson

F. B. 2241 Pg. 25

① ~~120.53~~ (T=74) = 120.53
~~120.52~~ @ 29° 22' 00" = 105.033 ✓

② 121.28 (T=74) = 121.27 ✓
121.27 @ 29° 58' 00" = 105.058 ✓

③ ~~120.98~~ (T=74) = ~~120.97~~
~~120.97~~ @ 29° 42' 20" = ~~105.073~~ ✓

④ 121.60 (T=74) = 121.59
121.59 @ 30 14 00 = 105.052

Avg = 105.054 ✓

TR 4005 Lot C

① 292.98 (T=74) = 292.96 ✓
292.96 @ 8° 10' = 289.989 ✓

② 293.22 (T=74) = 293.20
293.20 @ 8° 28' = 290.005 ✓

Avg = 289.996 ✓

① 165.29 (T=74) = 165.28 ✓
165.28 @ 9° 54' = 162.819 ✓

② 164.87 (T=74) = 164.86 ✓
164.86 @ 9° 01 = 162.823 ✓

Avg = 162.821 ✓



F.B. 2241 Pg. 96

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

cont pg 95

112.14

500

TR. LINE

TRANSIT LINE

TR 1343 Lot 43

N 8 Set 1x2 in on line

(02 Fence)

① (T=66) ②
26.38 27.42
54.23 54.23
.01 .01
54.22 54.22

Avg. = 54.22

N 7 Set 1x2 in on line (12 fence)

296.16

Ascend

fence

N 6 Set 1x2 in on line (22 Fence)

① 270.50 (T=64) = 270.46
270.46 @ 8° 10' = 267.71
② 270.72 (T=64) = 270.68
270.72 @ 8° 28' = 267.73

Avg = 267.72

Ascend

500

TR 4005 Lot C

① 113.44 (T=70') = 113.43
113.43 @ 8° 44' = 112.115
② 113.22 (T=70') = 113.21
113.21 @ 8° 01' = 112.104

Avg = 112.110

① 299.36 (T=64) = 299.32
299.32 @ 8° 21' = 296.147

② 299.58 (T=64) = 299.54
299.54 @ 8° 36' = 296.172

Avg = 296.160

76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TR 4005 Lot C

① 299.83 (T=60) = 299.78
299.78 @ 5° 47' = 298.254

② 300.08 (T=60) = 300.03
300.03 @ 6° 09' = 298.303

③ 299.97 (T=60) = 299.92
299.92 @ 6 00 = 298.277
Avg = 298.290



Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 20752-36 Tape LOL Std. 84 °F
Surveyed by J. H. Barnett
Notes J. H. B. Date 5-2-37
Indexed C. Johnson

F. B. 224 Pg. 4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-D3



78F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-B-1

Notes Ck'd by J. F. McMILLAN
Map No.
Checked
Date

Survey of Los Robles Ave.
JN 2275.26 Tape 125 Std @ 68 °F
Surveyed by H. W. Brown
Notes H. W. B. Date 4-28-47
Indexed C. Tobias

Note: This ANGLE PT ALSO SHOWN PG 16

167+11.28
2+50.10
169+61.38
2+20.20
171+81.58
0.10
cont pg 16

Fd Hale Mkg Mon dn 9" conc. pcd over 4 tan. sd.hd. strads
see pg 16
see FB 1876

171+81.58 ℄ P.I. WORKMAN (cont)

℄ P.I. 18

W2 = P.I. 1+44.44 Ins 4 1/4" I.P. Fd C1 30K Ins 4 1/4" I.P. per pg 16

(T=80) (Tape*)
① 22.98 23.86
32.09 31.20
30.61 31.58
21.05 20.09
106.73 106.73
+.01 +.01
106.74 106.74
Acm = 106.74

s/m @ 68°

(T=64)
① 115.69 109.54 220.23 -.03 220.20
② 116.75 103.48 220.23 -.03 220.20
Avg.: 220.20

3/4" I.P dn 15" Pg 16 FB 1876 - ?

Fd 2x2 Mon dn 0.5' ins Tag

MIVIDA

ROAD

cont pg 17

1) 162 53 40
4) 291 34 50
c) 257 22 00
Avg 162 53 40

1) 18 19 30
2) 73 18 20
4) 109 57 30
Avg = 18 19 33

F. B. 2241 Pg 77

② 250.87 (T=64) = 250.81 @ 4° 25 = 250.095
② 251.03 (T=64) = 251.00 @ 9° 50 = 250.107
Avg = 250.101

1) 178 46 40
2) 355 06 40
3) 358 40 00
Avg 1 = 178 46 40

169+61.38 Set 1/2 d.m. ft. on line.

Fd 2x2 Mon dn 0.5' ins Tag

Cont → P.O. 100

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-B3



F.B. 2241 P. 100

Notes Ck'd by J. F. McMILLAN	Survey of Los Rocks Ave.
Map No.	JN 2075.26 Tape 125 Std 84 °F
Office Work	Surveyed by J. N. Brown
Checked	Notes J. N. B. Date 5-57
Date	Indexed C. Johnson

F. B. 2241 Pg. 101

W.S. 37-C3

T=70

①	②
25.04	26.11
20.49	19.42
17.47	18.43
22.22	21.26
21.56	22.47
17.89	16.98
124.67	124.67
-.01 Temp Cor	-.01
124.66	124.66

Avg = 124.66

T=82

①	②
18.45	14.36
18.10	17.19
197.27	198.23
76.02	75.05
32.91	33.85
46.59	45.59
384.29	384.27
-.01	-.01
384.28	384.26

Avg = 384.27

T=80

①	②
49.75	50.85
126.26	127.16
193.20	194.16
72.88	75.93
30.76	31.65
50.80	49.91
124.48	125.49
109.61	108.60
763.74	763.75
-.02	-.02
763.72	763.73

Avg = 763.72

T=68

①	②
35.87	36.95
39.66	38.57
173.93	174.95
12.82	12.76
67.05	67.02
28.75	28.76
28.09	28.19
17.55	16.51
403.72	403.71
-.04	-.04
403.68	403.67

Avg = 403.67

D	141	56 20
A	201	45 40
J	131	38 20
Avg	141	56 23½

cont pg 102

cont pg 100

147+42.81
4 03.67
151+46.48
1 24.66
3 89.27
7 63.72
164+19.13

151+46.48
P-16
Set 1" I.P. ENG tg
dn 6"

20 or 25

56

41

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3068 SEE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



76F3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by J.E. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Lee Baker Map
JN 2e2526, Tape 225 Std 74 °F
Surveyed by Z.W.B. Date 5-5-57
Notes Z.W.B. Date 5-5-57
Indexed R.C. Johnson

F. B. 2249 Pg. 102

Cement 102

Descend

Descend

① 294.38 (T=76) = 294.31
② 294.29 (T=76) = 294.27
③ 294.13 (T=76 = 294.11

④ 4° 52' = 293.249
⑤ 4° 45' = 293.260
4° 25' = 293.237
Avg = 293.249

145+66.01
P 15A
Set 1" I.P. & ENG. tg
on 6" on line.

1) 167 11 10
4) 308 44 40
6) 283 07 10
Avg) = 167 11 11 3/5
15

139+48.84
3.23.92
142+72.76
2.93.25
145+66.01

P 15 142+72.76
Set 1x2" n. tf.

167

Curve

Tangent

(T=74)

293.54
9.68
20.72
323.94
-.02
323.92

294.59
9.54
19.80
323.93
-.00
323.93

Avg = 323.92

F.B. 2241 Pg. 104

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

13+50.14
2 93.50
13+43.64
2 21.03
13+69.67
1 40.07
13+09.74
44.10
13+48.84

13+48.84 ℄ Alley
Set 2"x2" Stake

P 14 Set "IP" 139+04.72 ENG fd

Set 2"x2"x12" Stake 139+47.67

135+43.64 ℄ Set 1"x2"

cont pg 105

cont pg 103

Lone

Dedication

Scale 1"=

40

(T=72)
① 157 52 E 68.88
② 22 11 30 E 71.20
③ 157 52 E 140.08

Avg = 140.04

(T=72)
① 22.80
② 21.30
③ 44.10 (on curve)
44.10

Avg = 44.10

(T=70)
① 221.06
② 221.11

Avg = 221.09

① 298.79 (T=70)
② 299.14 (T=70)

Avg = 298.96

① 293.58 ℄ 10° 45' 40 = 293.587
② 293.99 ℄ 11 09 00 = 293.994
293.500

76F3098 98E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of LOS ROBLES AVE
JN 00 75 36 Tape/ 25 Sht 24 of
Surveyed by H. Barnard
Notes H. B. Date 5-27-57
Indexed R. C. Johnson

F. B. 2241 Pg. 106

128+41.95
+ 80.91
130+22.86
+ 1+45.49
131+68.35
+ 81.79
132+50.14

Descend 6% to 132+50.14

132+50.14
Set 1X2 & h. ft.

① 83.07 (T=62) = 83.06 @ 10 03 00 = 81.785
② 82.67 (T=62) = 82.66 @ 8 20 20 = 81.787
Avg: 81.786

Descend 6% to P 13B 131+68.35

P 13B 131+68.35
Set I.E.P. ENG Tg
on line bet P 13A & P 14.

Level

(T=64)

①	②
145.51	142.92
0.00	2.60
145.51	145.52
-.02 (Temp Cor)	-.02
145.49	145.50

Avg = 145.495

wrong place copied on next pg.

① 296.69 (T=66) = 296.66 @ 13 07 00 = 288.920
② ~~297.00 (T=66) = 296.97 @ 13 21 40 = 288.952~~
③ 297.19 (T=66) = 297.16 @ 13 32 00 = 288.909
Avg = 288.914

130+22.86
Set 1X2 & h. ft.
on line

Descend 6% to

~~① 181.05 (T=64) = 181.03 @ 2° 17' = 180.887~~
② 181.02 (T=64) = 181.00 @ 1° 47' = 180.912
③ 181.00 (T=64) = 180.98 @ 1° 38' = 180.907
Avg = 180.910

cont pg 106

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS.37-C3



76F3096 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TR 4005



Notes Ck'd By F. McMILLAN
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Los Robles Ave
JN 0075-3 Tape 125 Std. 84 °F
Surveyed by H. H. Peterson
Notes H. H. B. Date 5-25-57
Indexed H. C. Johnson

F.B. 2241 Pg. 107

(T=74)

① 163.49 + 7.89 = 171.38 - .01 Temp Cr = 171.37
② 171.38 + .00 = 171.38 - .01 = 171.37
Avg = 171.37

180.68 (T=70) = 180.68 @ 16° 13' 20" = 173.409
180.97 (T=70) = 180.97 @ 16° 36' 90" = 173.398
Avg = 173.403

① 219.09 (T=68) = 219.07
② 219.71 (T=68) = 219.69

@ 13° 26' 00" = 213.091
@ 14° 05' 00" = 213.086
Avg = 213.088

116+58.60
+ 13.09
118+71.69
+ 73.40
120+45.09
+ 71.37
122.46.46

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-C3



F.B. 2211 Pg. 102

76F3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

Notes Ck'd by J. F. McMILLAN Survey of LOS ROBLES AVE
Map No. JN0075-2 Tape 125' Std @ 68 °F
Office Work
Checked
Date
Surveyed by H. H. Brown
Notes W. H. B. Date 5-22-57
Indexed K. C. Tolmen

TR 4005 Lot A

Cont fg 108

114+45.06
P 11-C
Set I.P.
ENG Tg dn 6'
on line bet
P 11 & Aux II

① (T = 70) ②
14.21 28.30
14.09 No T. Corr. 0.00
28.30 28.30
Avg. = 28.30

① 68.26 (T=66) = 68.25 @ 10 47 40 = 67.042
68.55 (T=66) = 68.54 @ 12 01 40 = 67.035
Avg. = 67.038

114+16.76
Set 1x2" n
fl. on line

① 159.66 (T=66) = 159.64 @ 16 58 20 = 152.687
② 160.31 (T=68) = 160.29 @ 17 41 20 = 152.712
③ 160.15 (T=70) = 160.14 17 32 00 = 152.700
Avg = 152.700

111 +97.02
52.70
113 49.72
67.04
114+16.76
28.30
114+45.06

113+49.72
Set 1x2" n
fl. on line

Ascend

Cont fg 110

F.B. 2241 Pg. 107

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


F.B. 224 Pg. 911
cont'd pg 109
Ascend
Ascend
Ascend

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Angeles Area
JN 00755 Tape 125 Std. 44 of
Surveyed by
Notes
Indexed J. C. Johnson Date 5-62

F. B. 2241 Pg.

TR 4005 Lot A

(1) 299.31 (T=70) = 299.28 @ 28° 40' 00" = 263.839
(2) 298.26 (T=70) = 298.23 @ 27 46 20 = 263.876
(3) 298.68 (T=70) = 298.65 @ 27 54 40 = 263.909
Avg = 263.875

(1) 212.76 (T=76) = 212.75 @ 13 31 00 = 206.857
(3) 212.86 (T=76) = 212.85 @ 13 37 20 = 206.862
Avg = 206.8601

(1) 197.14 (T=74) = 197.13 @ 20 09 00 = 185.064
(2) 197.84 (T=74) = 197.83 @ 20 41 40 = 185.069
Avg = 185.065

cont pg 110

Level

Ascend

Descend

263.8

108+07.45
Set 1x2 Fn
LI on line

105+43.58
P.I. A
Set "IP" ENG Tg
Top of ridge

103+36.72
Set 1x2 Fn

cont pg 112

101+51.66
1+85.06
103+36.72
2 06.86
105+43.58
2 63.87
108+07.45

F.B. 2241 Pg. 112

TR 4005

LOT A

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

cont pg 111

cont pg 113

cont pg 128

140.05

113.

Level

Set 1" IP LS ENG. 6" ± on line

101+51.66

Set 1" IP LS ENG. 6" ± on line

101+32.79

Level

T= 76

BP 3 Scribe

(2) 18.87
0.00
18.87

(1) 18.86 Ny Cor
18.87
18.87
Avg = 18.87

1) 18 44 20
2) 99 15 00
3) 322 07 40
Avg = 113 41 16.3

1) 105° 25' 08"
2) 61 53 00
3) 272 49 40.23
Avg = 105 25 28.16.23

1) 140 50 40
2) 203 22 00
3) 125 04 00
140 50 46

Avg 140 50

TO R 294 pg 48 S-3

S-2 Set 1" IP LS on line

TRANSIT

53.46

215.86

(LINE (The line to check closures)

(LINE of slight gradient)

105 (calc) -28

(1) 55.13 (T=74) = 55.13
(2) 55.58 (T=76) = 55.58

(1) 14° 07' 30" = 53.463
(2) 15 53 00 = 53.458
Avg = 53.460

76F3098 SSE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by L. E. McMILLAN Survey of Los Robles Ave
Map No. _____ JN 0075.26 Tape/25 Std @ 4 °F
Office Work _____ Surveyed by L. H. B. Party
Checked _____ Notes L. H. B. Date 5-57
Date _____ Indexed J. C. Johnson

F. B. 2241 Pg. 1

cont'd pg 112

101 + 32.79 ✓
Set 1x2 fn. ft. on line

① 175.96 (T= 76) = 175.95 @ 13° 59' 00" = 170.736 /
② 176.48 (T= 76) = 176.47 @ 14 34 20 = 170.793 /
~~③ 176.08 (T= 76) = 176.17 @ 14 08 00 = 170.837~~ /
④ 176.49 (T= 76) = 176.48 @ 14 37 20 = 170.764 /
Avg = 170.764 /

① 237.64 (T= 66°) = 237.61 @ 3°51' = 237.074 /
② 237.78 (T= 66) = 237.75 @ 4°21 = 237.065 /
Avg = 237.070 ✓

99+62.03
Set 1x2 fn ft on line

① 47.15 (T= 72°) = 47.15 @ 32° 22' 40" = 39.820 /
② 47.89 (T= 72°) = 47.89 @ 33 44 00 = 39.827 /
Avg = 39.824 /

TR 4005
Lot A

P-10 A 97+24.96
Set I. T. P. & ENG tg dn C on line

96+85.14 /
+ 39.82 /
97+24.96 /
- 5 37.03 /
99+62.03 /
+ 1.70.76 /
101 32.79 /

cont'd pg 114

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: "Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 62247 Pg. 114



76F3098 SdE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 37-C3

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Rosales Ave
JN 027512 Type 125 Std 94 °F
Surveyed by L.H.I.B. Crews
Notes L.H.I.B. Date 5-24-57
Indexed K. C. Johnson

F. B. 2291 Pg. 115



1) 166 10 40
4) 304 43 30
6) 277 05 40
Avg = 166 10 5683 /

(T= 66)

①	②
23.30	24.56
12.69	11.44
35.99 (No Gk)	36.00
Avg = 35.99	

(T=70)

①	②
29.27	14.71
0.00	14.56
29.27 (No Gk)	29.27
Avg = 29.27	

91 + 58.41
29.27
91+87.68
35.99
92+23.69

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2224 Pg. 116



① 296.76 (T= 78) = 296.75 @ 20° 03' 10" = 278.760
② 297.19 (T= 78) = 297.14 @ 20° 17' 00" = 278.714
③ 277.39 (T= 78) = 297.38 @ 20° 22' 00" = 278.264
Acq = 278.762

① 297.93 (T= 78) = 297.92
② 298.05 (T= 78) = 298.04
297.92 @ 3° 56' 40" = 297.214
@ 4° 15' 00" = 297.220
Acq = 297.217

① 32.81 (T= 78) = 32.81
③ 33.23 (T= 78) = 33.23
@ 26° 30' 00" = 29.487
@ 27° 30' 00" = 29.475
Acq = 29.486

Soil Ixz Cn on line

76F3098 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by J. F. McMILLAN
Map No. ____
Office Work ____
Checked ____
Date ____

Survey of Los Angeles Aqueduct
JN 0275.32 Tape 125 Std. 84 °F
Surveyed by J. H. B. Date 5-26-57
Notes J. H. B.
Indexed R. C. Johnson

F.B. 2241 Pg. 117

TR 4005

Contour pg 116

Descend

Descend

Level

Ascend

Ascend

Contour 118

Trail

FIRE BREAK

CREST OF RIDGE

85+52.95
Set 1x2 cm ft on line

P9A 84+44.89
Set 1" I.P. & Enoitg. dn 6" on line.

Set nail on line 84+19.02
ch. pt.

Lot A

① 116.94 (T=72) = 116.93 @ 22° 25' 40" = 108.0
② 117.32 (T=72) = 117.31 @ 22° 59' 20" = 108.066
③ 117.09 (T=72) = 117.08 @ 22° 40' 20" = 108.033
④ 117.00 (T=72) = 116.99 @ 22° 31' 10" = 108.069
Avg = 108.064

① 116.74 (T=78) = 116.74 @ 36° 11' 20" = 94.277
② 117.50 (T=76) = 117.49 @ 36° 41' 20" = 94.214
Avg = 94.216
OK

① 261.49 (T=72) = 261.47 @ 22° 12' 40" = 242.068
② 262.11 (T=72) = 262.09 @ 22° 33' 00" = 242.052
Avg = 242.060

(T=78)
17.07
8.80
25.87 No Cor.
Avg = 25.87

16.37
9.50
25.87

83+24.80
Set 1x2 cm ft on

80+82.74
2 42.06
83+24.80
0 94.22
84+19.02
25.87
84+44.89
1 08.06
85+52.95

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



76F3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-C3

Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Los Angeles Area
JN 0275 2 Tape 125 Std 84 °F.
Surveyed by J. F. McMillan
Notes C/L 13 Date 5-52
Indexed K. C. Johnson

F. B. 2241 Pg. 112

cont pg 118

151°

30'

40"

1) 151 38 50
4) 246 39 40
6) 189 52 10
Avg) 151 38 41 2/3

Rg 75+49.88

Set 1" I.P. & Tg dn 6"

TR 4005

74+49.41
+1 00.47
75+49.88

Set Rr c in f.l. on line

102.41 (T-72) = 102.40 @ 11° 10' 00" = 100.461
102.70 (T-72) = 102.69 @ 11 55 40 = 100.473
Avg = 100.467

cont pg 120

F. B. 2241 Pg. 120

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

6838.86
33.98
6871.84
2.92 61.5
71+64.45
2.84.93
74+49.38

Set 1x2 on line
68+71.84
Sta on line

P.8 P5

cont pg 121

Level

Descend

Ascend

Ascend

cont pg 119

To P9

P9

Set 1x2 on line
74+40.41

Set 1x2 on line
71+64.45

4005

T. R

Small Mesa

289.50 (T= 72) = 289.48
@ 10°08'00"
289.48

289.93 (T= 72) = 289.91
@ 10°36'00"
289.91

=289.963
=289.963
Avg = 289.963

298.82 (T= 72) = 298.80
@ 11°41'20"
298.97 (T= 72) = 298.95
@ 11°49'00"
Avg = 298.909

=298.603
=298.615
=298.609

17.10
16.38
33.48
No Temp Cor

17.89
15.59
33.48
Avg = 33.48

T = 70

76F3095 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-D3

Notes Ck'd by L. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Arc radial lines
JN 62526 Tape 125 Std. 68 °F
Surveyed by T.M.E.
Notes T.M.E. Date 5-57
Indexed H. C. Johnson

P. B. 137 pg 15

cont. pg 120

D) 199-10-20
E) 316-40-20
G) 295-00-40
Avg 169 10 063 ✓

68+38.36' PB
Set 1" I.P. conc. plg ℄ Ctg
in 6"

① 126.20 (T=68) = 126.19 @ 9° 17' = 124.537 ✓
② 126.52 (T=68) = 126.51 @ 10° 08' = 124.537 ✓
Avg = 124.537 ✓

TRACT 4005

LOT B

64 94.62 ✓
2 17.19 ✓
67 13.81 ✓
1 24.54 ✓
68 38.36 ✓

67+13.82' Set 1x2 in fl.

① 219.39 (T=70) = 219.37 = 2° 10' = 219.195 ✓
~~② 219.44 (T=70) = 219.42 = 2° 10' = 219.244~~
③ 219.46 (T=68) = 219.44 = 2° 10' = 219.194 ✓
Avg = 219.190 ✓

cont. pg 122

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 37-03



76F3098 SSE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 37-03



1) 146 03 05
2) 224 12 40
3) 156 19 00
Avg 146° 03 10

1) 16 40 40
2) 66 42 20
3) 100 03 50
Avg 16 40 35

1) 132 38 40
2) 170 34 20
3) 75 51 20
Avg 132 38 33

1) 64 38 00
2) 258 31 20
3) 27 47 00
Avg 64 37 50

Notes Ck'd by L.E. McMILLAN
Map No.
Office Work
Checked
Date

Survey of Lot B Tromley Ave
JN 00752 Etape 125 Std 84 °F
Surveyed by H.H. Brown
Notes H.H.B. Date 5-57
Indexed K.C. Johnson

F.B. 224 Pg.

Tape #101 Std @ 84°

74.

① 279.24 ② 280.23
59.07 42.93
337.31 337.30
-.01
337.31 337.29

F.B. 2262 Pg. 124

cont pg 123

WS 37+03

52+98.96
2 10.91
55 09.87

55+09.87
Set 1x2 cm ft.
(wiggle pt.)

T=74

①	②
89.59	90.58
121.33	120.35
210.92	210.93
-01	-01
210.91	210.92

Avg = 210.91

PSA

52+98.96
Set 1" I.P. cem plg ℄ LA Co Eng tg dn 6" on line between PSA ℄ Aux #2

PS 45+68.77

Set 1" I.P. cem plg ℄ LA Co Eng tg dn 6", on line between PSA ℄ Aux #2

Lot 8 TR 4005

(Less) (T= 76)

①	②
16.85	30.99
MAS	0.00
31.00 No Temp Cor.	30.99

Avg = 30.99

3)	153	45	40
4)	253	02	00
5)	202	33	00
Avg	153	45	30

① 298.20 (T= 76) = 298.18
298.18 @ 2° 44' = 297.840

② 298.30 (T=76) 298.28
298.28 @ 3°02' = 297.862

③ 298.15 (T=76) = 298.13
298.13 @ 2° 30' = 297.823

Avg = 297.842

① 270.86 (T= 78) = 270.85
270.85 @ 3°49' = 270.249

② 270.98 (T=78) = 270.97
270.97 @ 4° 08' = 270.265

Avg = 270.257

①	132.14	(T=76) = 133.13		41.06.49	
②	133.13	10 02 40		4 62.28	
③	133.45	(T=76) = 133.44		45 68.77	cont pg 125
④	133.44	10 [illegible] 40		2 97.84	
⑤	132.61	(T=76) = 133.60 @ 11° 05' 00"		2 70.26	
				1 31.10	
				30.99	
				58+98.96	

131.090

131.108

131.108 Avg = 131.102

Lot 8 TR 4005

Set 1x2 cm ft. 12.4' ± Aux #2 on ridge

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of
JN 2075.24 Tape 125 Std 84 °F
Surveyed by
Notes J. K. E. Date 5-17
Indexed C. Johnson

W.B. 220 Pg. 104

YKS 37-03

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Cont pg 124

Lot B.

set nothing

P4A

41+06.49
Set 1" I.P. cem. plg. & L.A. Co. Eng tg dn 6" on line between P5 & Aux #1

Lot C

33+91.44 P4
Set 1" I.P. cem plg & L.A. Co. Eng tg dn 6" on line bet P4A & Aux #1

27+33.71
Set 1" I.P. cem plg. & L.A. Co. Eng tg dn 6"

4005

P3

TR

cont pg 126

	① T=70°	②
1	82.31	83.20
	164.67	103.79
	299.38	300.23
	54.57	53.70
	17.50	18.10
	11.78	11.18
	570.21	570.20
	-.05 (T. corr.)	-.05
	570.16	570.15

Avg = 570.155

1) 33 34 40
2) 134 19 20
3) 201 29 00
Avg = 33 34 50

Aux #1
Set 1½" I.P. on ridge for line pt. (See pg 85)

BLANK REFILLS TO 70F3008 SEE 1247 1-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by J. F. McMILLAN	Survey of Los Robles Ave	F.B. 2241 Pg 1
Map No.	JN 0075:20 Tape 125 Std 84 °F	
Office Work	Surveyed by W. N. Brown	
Checked	Notes L 4 B Date 5-22-27	
Date	Indexed M. C. Johnson	

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

70F3088 SAE #247 1-36

cont pg 128

2R2
P118
D11
L183

①	74 12 (T=66)	= 74.11 @	5	3300 = 71.397
②	74 66 (T=66)	= 74.65 @	16	5700 = 71.807
			Avg =	71.402
③	289 32 (T=70)	= 299.30 @	12	37 00 = 292.314
④	289 72 (T=72)	= 289.72 @	12	57 00 = 292.554
⑤	289 12 (T=70)	= 289.10 @	12	25 00 = 292.338
		Avg =		292.335

S-7
Set 1x2 in. fl.

TR 4005 Lot A

191.90

171.40

S-8

BLACK TOP ROAD

cont pg 49

292.33

S-6

5°

44-11-45

Fd 1" I.P. per pg

1)	44	11	30
2)	176	47	00
3)	265	10	40
Avg =	44	11	46⅔

S 9 = R 29A Fd 1x2 in per pg 50

R29A

5°20'

7.136 (1x1 C)

N 0

5°00'

Cont Pg 30

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by J. F. McMILLAN
Map No.
Office Work
Checked
Date

Survey of LOS ROBLES AVE.
JN 027526 Tape 125 Std. 68 °F
Surveyed by J. H. Brewer
Notes J. H. B. Date 7-27
Indexed K. C. Johnson

F. B. 2241 PG. 129

Added 4S & D1E7 used as checks
& to calculate ties

Temp pt.

P12

P11C

P11B

P11A

P11

P10

P9A

Pg 154
BM
LR 3

769.04

169.09

102°59'10"

88°35'15"

S 22° E (calc)

10°14'15"

D: 86 20 45
7 18 35
91 09 20
88 50 40
180 00 00

7 40 35
37 42 05
45 30 40

79 20 20
94 09 20
5 11 00

1) 9 55 40
2) 39 42 20
3) 59 33 40
Avg = 9 55 36⅔

1) 26 33 20
2) 106 14 00
3) 159 21 20
Avg = 26 33 33⅓

7° 40 35"

105 28 15

27°32'45"

S 79° 06' 55" W 2258.94 (calc)

See detail Next Pg.
set sq. hd. in black top hd.

Town #10-2

9°55'55"

RANCH LINE

R2B

R2BA

R2B9

B.M. LR 2

50° 11' 00"

49° 26' 20"

82°09'45" W (calc) (1929 adj)

1) 64 04 20
2) 256 18 20
3) 24 27 00
64 04 30

Tower Pg 51 #10-3

S. 88°21' line

153.18 (T=82°) = 153.18 @ 8°40' 00" = 151.431
153.48 (T=82°) = 153.48 @ 9°17' 00" = 151.470
Avg = 151.450

123.32 (T=82) = 123.32 @ 5° 50' = 122.681
123.50 (T=82) = 123.50 @ 6° 34' = 122.690
Avg = 122.686

① T=82 (Level)
39.52
38.18
77.70

②
40.19
37.51
77.70

Avg = 77.700
351.836

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78FSOS 3&E #247 1-56 M

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Detail of Tower #10-2

F. B. 2241 Pg. 137

NOTES RED. JOB NO. 0075.26 SURVEY OF Los Robles Ave
DATE SURVEY BY K.M. Kapp
NOTES CHKD. C RG NOTES BY K.M.K. DATE 6-3-57
DATE INDEXED L. C. Johnson DATE 8-15-57

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 4-54

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
					6-3-57 K. M. Kapp G. Merino C. H. Hill H. C. Rooker	LOS ROBLES AVE. 0075.26 BENCH LEVELS for P LINE CIRCUIT #4

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 207526 SURVEY OF Los Robles Ave. NOTES RED
SURVEY BY K.M.K. DATE
NOTES BY K.M.K. DATE 6-3-57 NOTES CHKD.
INDEXED C. Johnson DATE DATE
F.B. 2241 Pg. 32

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Fd. TBM 17	443.225				443.216	Fd. TBM 17 Elev. 443.216 (443.225) F.B. 2241-39
+	4.703		4.991	4.867		Los Robles Ave. & 7th Ave., E. Inter.
T	447.928	+ 2.004 ✓	2.013 ✓	2.008 ✓ 2.002		C.S. Mon. in H.H. 6" dm.
−	2.699		2.978	2.861		
Fd. TBM 18	445.229				445.224	Fd. TBM 18 Elev. 445.231 F.B. 2241-40
+	5.775		5.605			Los Robles Ave. & 7th Ave., N.E. Cor.
T	451.004	+ 1.546 ✓	1.543 ✓	1.544		St. Spk. in top of weir box (N.E. Cor.)
−	4.229		4.062			
T.P.	446.775				446.768	
+	6.518		6.405			
T	453.293	+ 2.927 ✓	2.924 ✓	2.926		
−	3.591		3.481			
T.P.	449.702				449.694	
+	6.886		6.475			
T	456.588	+ 3.777 ✓	3.776 ✓	3.776		
−	3.109		2.699			
T.P.	453.479				453.470	
+	7.385		7.241			
T	460.864	+ 4.822 ✓	4.821 ✓	4.821		
−	2.563		2.420			
T.P.	458.301				458.291	
+	7.631		7.363	7.502		
T	465.932	+ 5.448 ✓	5.444 ✓	5.447 ✓ 5.446 ✓		
−	2.183		1.919	2.053		
T.P.	463.749				463.738	
+	7.250		7.389	7.510		
T	470.999	+ 5.081 ✓	5.119 ✓	5.983 ✓ 5.899 ✓		
−	2.169		2.270	2.431		
T.P.	468.830				468.821	

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 22552-6 SURVEY OF Los Robles Ave.
DATE SURVEY BY K.M. Kapp
NOTES CHKD. C&G NOTES BY K.M.K. DATE 6-3-57
DATE INDEXED K. C. Johnson DATE

F.B. 22471 PG. 132

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	468.830				468.821	
+	7.960		7.745			
=	476.790	+ 3.162	3.162	3.162		
-	4.798		4.583			
Set TBM 20	471.992				471.983	Set TBM 20 F.B. 22471 – 9 = (P2)
+	5.769		6.021	5.538		Los Robles Ave. & Tract Line, & Inter.
=	477.761	+ 0.449	0.442	0.446 0.447		1" I.P. R/ & Nail Sq. 24"
-	5.320		5.579	5.091		
Set TBM 21	472.441				472.429	Set TBM 21
+	5.288		5.038			Los Robles Ave. (S. side) 110' E. of Tr. Line
=	477.729	+ 2.199	2.202	2.200		Set Spk. in conc. walk to Ho. #1440
-	3.089		2.836			
T.P.	474.640				474.629	
+	5.230		4.997			
=	479.870	+ 3.845	3.846	3.845		
-	1.385		1.151			
T.P.	478.485				478.474	
+	7.085		7.233			
=	485.570	+ 4.024	4.021	4.022		
-	3.051		3.212			
T.P.	482.519				482.496	
+	11.303		10.973			
=	493.812	+ 10.446	10.446	10.446		
-	0.857		0.527			
T.P.	492.955				492.942	
+	11.903		11.668	11.843		
=	504.858	+ 10.610	10.601	10.608 10.612		
-	1.293		1.067	1.231		
T.P.	503.565				503.550	

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0275.26 SURVEY OF Los Robles Ave. NOTES RED. DATE
SURVEY BY K.M. Kapp DATE
NOTES BY K.M.K. DATE 6-8-57 NOTES CHKD
INDEXED A. C. Johnson DATE

F.B. 2241 PG. 134

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	503.565				503.550	
+	11.889		11.674			
⇈	515.454	+10.656	10.656	10.656		
−	1.233		1.018			
T.P.	514.221				514.206	
+	11.198		10.568			
⇈	525.419	+8.860	8.662	8.861		
−	2.338		1.706			
T.P.	523.081				523.067	
+	8.464		8.628			
⇈	531.545	+3.660	3.660	3.660		
−	4.804		4.468			
Set TBM 22	526.741				526.727	Set TBM 22 F.B. 2241 + 126 (P2A)
+	10.336		10.169	2.707		P2A on P Line
⇈	537.077	+4.383	4.396	4.388		1" I.P. P.L. & Eng'r. Tag dn 6"
−	5.453		5.773	5.321		
T.P.	531.124				531.115	
+	8.051		7.765			
⇈	539.175	+4.977	4.976	4.976		
−	3.074		2.789			
T.P.	536.101				536.091	
+	6.280		6.100			
⇈	542.381	+1.691	1.692	1.691		
−	4.589		4.408			
T.P.	537.792				537.782	
+	9.155		8.913			
⇈	546.947	+7.896	7.896	7.897		
−	1.259		1.015			
T.P.	545.688				545.679	

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 207526 SURVEY OF Los Robles Ave.
DATE SURVEY BY K.M.K. & D.D.
NOTES CHKD. C.C.G. NOTES BY K.M.K. DATE 6-4-57
DATE INDEXED K. C. Johnson DATE

F.B. 2241 Pg. 135

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	545.688				545.679	
+	6.370		6.367			
=	552.258	+0.999✓	1.002✓	1.001		
−	5.571		5.365			
Set TBM 23	546.687				546.680	Set TBM 23 F.B. 2241 - 125 (P3) ✓
+	10.076		10.333	9.989		P3 on P Line
=	556.763	+5.194✓	5.172✓	5.187 5.194✓		1" I.P. Pl. & Engr. Tag dn. 6"
−	4.882		5.161	4.795		
T.P.	551.881				551.867	
+	11.965		11.761			
=	563.569	+11.188✓	11.188✓	11.183		
−	0.800		0.573			
T.P.	563.069				563.055	
+	2.331		2.089			
=	565.400	+0.364✓	0.364✓	0.384		
−	1.947		1.705			
Set TBM 24	563.453				563.439	Set TBM 24 F.B. 2241 - 125 (P4) ✓
+	10.835		10.573			P4 on P Line
=	574.338	+9.340✓	9.342✓	9.341		1" I.P. Pl. & Engr. Tag dn. 6"
−	1.545		1.231			
T.P.	572.793				572.780	
+	8.781		8.772	8.627		
=	581.574	+7.417✓	7.413✓	7.420✓		
−	1.364		1.359	1.207		
T.P.	580.210				580.197	
+	16.135		10.530			
=	590.945	+8.255✓	8.254✓	8.255		
−	2.479		2.276			
T.P.	588.466				588.452	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2275.26 SURVEY OF Los Robles Ave. NOTES RED ____ DATE ____
SURVEY BY K.M. Kapp NOTES CHKD ____ DATE ____
NOTES BY K.M.K. DATE 6-5-57 C. Johnson DATE ____
INDEXED ____ DATE ____

F.B. 2241 Pg. 136

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	588.466				589.452	
+	8.390		8.124			
=	596.856	+6.325 ✓	6.324 ✓	6.324		
−	2.065		1.800			
Set TBM 25	594.791				594.776	Set TBM 25 F.B. 2241 - 125 (P.4A)
+	11.909		11.307	11.318		P.4A on P Line
=	606.700	+8.456 ✓	8.480 ✓	8.495 ✓		1" I.P. Pl. & Engr. Tag dn. 6"
−	3.423		2.827	2.901		
T.P.	603.277				603.261	
+	11.891		11.759			
=	615.168	+9.766 ✓	9.764 ✓	9.765		
−	2.125		1.995			
T.P.	613.043				613.026	
+	12.005		11.847			
=	625.048	+11.440 ✓	11.439 ✓	11.439		
−	0.565		0.408			
Set TBM 26	624.483				624.465	Set TBM 26 F.B. 2241 - 124 (P5)
+	9.639		9.472	9.205		P5 on P Line
=	634.122	−0.260 ✓	0.265 ✓	−0.260 ✓		1" I.P. Pl. & Engr. Tag dn. 6"
−	10.099		9.737	9.465		
T.P.	624.223				624.203	
+	11.729		11.283	12.006		
=	635.952	+8.408 ✓	8.398 ✓	8.405 ✓		
−	3.321		2.885	3.596		
T.P.	632.631				632.608	
+	11.226		11.569	11.078		
=	643.857	+10.641 ✓	10.647 ✓	10.642 ✓		
−	0.585		0.922	0.440		
T.P.	643.272				643.250	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 20752 SURVEY OF Los Robles Ave.
DATE SURVEY BY K.M. Kapp
NOTES CHKD. C.E.G. NOTES BY K.M.K. DATE 6-3-57
DATE INDEXED. C. Johnson DATE

F.B. 2241 Pg. 137

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	643.272				643.250	
+	11.662		11.488			
=	654.934	+11.149	11.146	11.147		
−	0.513		0.342			
T.P.	654.421				654.397	
+	11.626		11.337			
=	656.047	+10.824	10.823	10.823		
−	0.802		0.514			
T.P.	665.245				665.220	
+	11.716		11.334			
=	676.961	+9.660	9.660	9.660		
−	2.056		1.674			
T.P.	674.905				674.880	
+	11.514		11.452			
=	686.419	+11.098	11.100	11.099		
−	0.416		0.352			
T.P.	686.003				685.979	
+	8.578		8.122			
=	694.581	+4.058	4.058	4.038		
−	4.520		4.064			
Set TBM 27	690.061				690.037	Set TBM 27 F.B. 2241-124 (P54)
+	6.153		5.728			P54 on P Line
=	696.214	+1.495	1.498	1.496		1" I.P. Pl. S Engr Tag dn. 6"
−	4.658		4.230			
T.P.	691.556				691.533	
+	3.721		3.370	3.152		
=	695.277	−0.684	0.679	−0.682		
−	4.405		4.049	3.834		
T.P.	690.872				690.851	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2675.26 SURVEY OF Los Robles Ave. NOTES RED. DATE
SURVEY BY K.M. K&E NOTES CHKD
NOTES BY K.M.K. DATE 6-5-57 C. Johnson DATE
INDEXED DATE

F.B. 2241 Pg. 138

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	690.872				690.851	
+	5.048		4.568			
⊼	695.920	-0.560	0.561	-0.560		
−	5.608		5.129			
Set TBM 28	690.312				690.291	Set TBM 28 F.B. 2241-123 (P6)
+	9.580		9.366			P6 on P Line
⊼	699.892	+6.562	6.884	6.883		1" I.P. R.I. & Eng'r. Tag dn. 6"
−	2.698		3.482			
T.P.	697.194				697.174	
+	7.060		9.389	8.913		
⊼	706.254	-0.005	0.010	-0.007 0.203		
−	7.065		9.399	8.924		
T.P.	697.189				697.167	
+	0.376		0.219			
⊼	697.565	-11.076	11.076	-11.076		
−	11.452		11.295			
T.P.	686.113				686.091	
+	0.622		0.656	0.802		
⊼	686.735	-11.036	11.032	-11.035 11.037		
−	11.658		11.653	11.839		
Set BM LR1	675.077				675.056	Set BM LR1 F.B. 2241-86
+	9.916		10.424			On line between P6 & N32
⊼	684.993	+9.340	9.338	9.339		Approx. 580' Northwesterly from Saddle (96)
−	0.576		1.086			on "S" shaped ridge, and 21' South Easterly
T.P.	684.417				684.395	from 14" Oak Tree, Brass Cap, Mon. &
+	6.624		6.289			Bolt marked: County Engineer RE 5869
⊼	691.041	+1.657	1.659	1.658		BM LR1 (Set Flush). This Ridge is
−	4.967		4.625			approx. 3300' S'ly from a R.R. bridge over
T.P.	686.074				686.053	San Jose Creek & 1420' E'ly from E end
						of spillway at Whittier Narrows dam & San
						Gabriel River.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 207526 SURVEY OF Los Robles Ave.
DATE _____ SURVEY BY K.M. Kapp
NOTES CHKD. C.R.G. NOTES BY K.M.K. DATE 6-6-57
DATE _____ INDEXED J. O. Johnson DATE _____

F.B. 2241 PG. 137

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	686.074				686.053	
+	6.680		7.111	6.929		
T	692.754	+4.243✓	4.239✓	4.242 ~~4.243~~✓		
−	2.437		2.872	2.684		
Fd TBM 28	690.317				690.295	Fd. TBM 28 F.B. 2241-123 (P6)
+	8.642		8.343			P.C. on P Line
T	698.959	+7.004✓	7.003✓	7.003		1" I.P. At 5' Engr. Tag on 6"
−	1.638		1.340			
T.P.	697.321				697.298	
+	11.225		11.063	11.315		
T	708.546	+7.136✓	7.129✓	7.133 ~~7.133~~✓		
−	4.089		3.959	4.182		
T.P.	704.457				704.431	
+	5.115		4.901			
T	709.572	−5.456✓	5.456✓	−5.456		
−	10.571		10.357			
Set TBM 29	699.001				698.975	Set TBM 29 F.B. 2241-122 (P7)
+	11.839		11.655			P.T. on P Line
T	710.890	+10.030✓	10.032✓	10.031		1" I.P. At 5' Engr. Tag On 6"
−	1.859		1.623			
T.P.	709.031				709.006	
+	11.242		11.403			
T	720.273	+10.244✓	10.244✓	10.244		
−	0.998		1.159			
T.P.	719.275				719.250	
+	11.633		11.437			
T	730.908	+10.886✓	10.888✓	10.887		
−	0.747		0.549			
T.P.	730.161				730.137	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 007526 SURVEY OF Los Robles Ave. NOTES RED
SURVEY BY K.M. Kapp DATE NOTES CHKD
NOTES BY K.M.K. DATE 6-6-57 DATE
INDEXED X C. Johnson DATE

F.B. 2241 Pg. 140

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	730.161				730.137	
+	11.968		11.642			
⇈	742.129	+11.179✓	11.178✓	11.178		
−	0.789		0.464			
T.P.	741.340				741.315	
+	11.258		11.503			
⇈	752.598	+10.843✓	10.843✓	10.843		
−	0.415		0.660			
T.P.	752.183				752.158	
+	9.892		10.192			
⇈	762.075	+8.859✓	8.859✓	8.859		
−	1.033		1.333			
Set TBM 30	761.042				761.017	Set TBM 30 F.B. 2241-121 (PB)
+	5.739		5.832			PK on P Line
⇈	766.781	−2.089✓	2.091✓	-2.090		) "I.P.P. & Eng'r. Tag dn. 6"
−	7.828		7.923			
T.P.	758.953				758.927	
+	9.983		10.404	10.237		
⇈	768.936	+6.232✓	6.224✓	6.220 6.234✓		
−	3.751		4.180	4.005		
T.P.	765.185				765.157	
+	4.350		4.116			
⇈	769.535	+1.810✓	1.813✓	1.812		
−	2.540		2.297			
T.P.	766.995				766.969	
+	8.133		7.800			
⇈	775.128	+3.052✓	3.053✓	3.052		
−	5.081		4.747			
Set TBM 31	770.047				770.021	Set TBM 31 See next pg. for descrip.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED ____ JOB NO. 2273.26 SURVEY OF Los Angeles Ave.
DATE ____ SURVEY BY K.M. Kapp
NOTES CHKD. CRG NOTES BY K.M.K. DATE 6-7-57
DATE ____ INDEXED K. C. Johnson DATE ____

F.B. 2241 PG. 19

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Set TBM 31	770.047				770.021	Set TBM 31 F.B. 2241 - 119 (PP)
+	3.614		3.924	3.721		PP on P Line
T	773.661	+3.433 ✓	3.424 ✓	3.429 3.431 ✓		1" I.P. P/L & Engr. Tag dn. 6"
−	0.181		0.500	0.290		
T.P.	773.480				773.450	
+	11.686		11.949			
T	785.168	+10.744 ✓	10.778 ✓	10.798		
−	0.889		1.151			
T.P.	784.279				784.249	
+	11.586		11.830			
T	795.865	+9.157 ✓	9.1601	9.158		
−	2.429		2.670			
T.P.	793.436				793.406	
+	10.845		11.533			
T	804.281	+7.684 ✓	7.684 ✓	7.654		
−	3.161		3.849			
T.P.	801.120				801.090	
+	11.198		11.291			
T	812.318	+10.667 ✓	10.664 ✓	10.665		
−	0.531		0.627			
T.P.	811.787				811.755	
+	11.065		10.607	10.995		
T	822.852	+10.335 ✓	10.329 ✓	10.334 10.337 ✓		
−	0.730		0.278	0.658		
T.P.	822.122				822.089	
+	5.077		4.858			
T	827.199	+4.529 ✓	4.531 ✓	4.530		
−	0.548		0.327			
T.P.	826.651				826.619	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2075.26 SURVEY OF 485 Fowles Ave. NOTES RED
SURVEY BY K.M. Karp DATE
NOTES BY K.M.K. DATE 6-7-57 NOTES CHKD.
INDEXED A. C. Johnson DATE DATE

F. B. 224/Pg. 142

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	826.651				826.619	
+	10.225		9.746			
=	836.876	+8.336	8.337	8.336		
−	1.889		1.409			
T.P.	834.987				834.955	
+	11.393		11.493			
=	846.380	+10.663	10.664	10.663		
−	0.730		0.829			
T.P.	845.650				845.618	
+	11.070		11.354			
=	856.720	+10.495	10.495	10.495		
−	0.575		0.859			
T.P.	856.145				856.113	
+	11.095		11.274	11.276		
=	867.240	+10.432	10.423	10.433		
−	0.663		0.651	0.843		
T.P.	866.577				866.542	
+	11.367		11.590			
=	877.944	+10.898	10.899	10.898		
−	0.469		0.691			
T.P.	877.475				877.440	
+	11.242		11.351			
=	888.717	+10.647	10.647	10.647		
−	0.595		0.709			
Set+ TBM 32	888.122				888.087	Set+ TBM 32 FB. 3241- 117 (P9A)
+	11.848		11.982			P9A on P Line
=	899.970	+11.219	11.219	11.219		1" I.P. Pk. & Engr. Tag dm. 6"
−	0.629		0.763			
T.P.	899.341				899.306	

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 62235.26 SURVEY OF Los Robles Ave.
DATE SURVEY BY Kim Kapp
NOTES CHKD. CRG NOTES BY Kim K. DATE 6-10-57
DATE INDEXED J. C. Johnson DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	899.341				899.906	
+	7.550		9.821			
=	908.891	+ 6.663	6.661	6.662		
−	2.887		3.160			
T.P.	906.004				905.968	
+	11.222		11.201			
=	917.226	+10.532	10.532	10.532		
−	0.690		0.669			
T.P.	916.536				916.500	
+	11.511		11.849			
=	928.147	+10.490	10.490	10.490		
−	1.121		1.359			
T.P.	927.026				926.990	
+	11.212		11.476			
=	938.238	+10.624	10.626	10.625		
−	0.588		0.850			
T.P.	937.650				937.615	
+	11.434		11.765			
=	941.684	+10.639	10.641	10.640		
−	0.795		1.24			
T.P.	948.269				948.255	
+	11.904		11.593			
=	960.173	+11.369	11.369	11.369		
−	0.535		0.224			
T.P.	959.658				959.624	
+	10.268		10.511			
=	969.926	+9.255	9.285	9.285		
−	0.983		1.226			
Set BM LR2	968.943				968.909	Set BM LR2 See next pg. for descrip.

F.B. 2241 PG. 147

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 402526 SURVEY OF Los Robles Ave. NOTES RED.
SURVEY BY K.M. Kapp DATE NOTES CHKD.
NOTES BY K.M.K. DATE 6-13-57
INDEXED C. Johnson DATE
F.B. 2241 Pg. 144

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Set BM LR2	968.943				963.909	Set BM LR2 F.B. 2241-129
+	0.703		5.819			Elev =
T	969.646	-10.934	10.933	-10.933		Set a std L.A.Co. Mon. on bench of a ridge N of Nike Station. Approx.
—	11.637		11.777			5300' S 41° W. from a R.R. bridge over San
T.P.	958.009				957.976	Jose Creek & 11400' E'ly from E end
+	0.632		0.674			of spillway at Whittier Narrows Dam
T	958.641	-10.716	10.716	-10.716		& San Gabriel River
—	11.346		11.390			
T.P.	947.293				947.260	
+	1.109		1.530			
T	948.402	-10.328	10.331	-10.331		
—	11.437		11.861			
T.P.	936.965				936.929	
+	0.270		0.572			
T	937.235	-11.198	11.197	-11.197		
—	11.468		11.769			
T.P.	925.767				925.732	
+	1.948		2.167			
T	927.715	-9.590	9.590	-9.590		
—	11.538		11.697			
T.P.	916.177				916.142	
+	0.894		0.970			
T	917.071	-10.661	10.661	-10.661		
—	11.555		11.631			
T.P.	905.516				905.481	
+	0.483		0.590			
T	905.999	-11.052	11.051	-11.051		
—	11.535		11.641			
T.P.	894.464				894.430	



769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	894.764				894.430	
+	0.541		0.604			
Π	895.003	-10.678	10.680	-10.679		
−	11.219		11.284			
T.P.	883.966				883.751	
+	0.442		0.493			
Π	884.225	-10.887	10.887	-10.887		
−	11.327		11.380			
T.P.	872.899				872.864	
+	0.547		0.632			
Π	873.446	-11.078	11.350	-11.079		
−	11.524		11.712			
T.P.	861.621				861.785	
+	0.564		0.729			
Π	862.185	-10.937	10.934	-10.936		
−	11.521		11.663			
T.P.	850.664				850.849	
+	0.593		0.684			
Π	851.477	-10.796	10.795	-10.795		
−	11.389		11.479			
T.P.	840.088				840.054	
+	0.319		0.449			
Π	840.482	-11.205	11.204	-11.204		
−	11.599		11.653			
T.P.	828.883				828.850	
+	0.469		0.570			
Π	829.352	-11.033	11.033	-11.033		
−	11.502		11.603			
T.P.	817.850				817.817	

NOTES RED _____ JOB NO. 69-1373 SURVEY OF Los Robles Ave.
DATE _____ SURVEY BY K.W.K. Faer
NOTES CHKD. C.R.S. NOTES BY K.W.K. Faer DATE 6-11-57
DATE _____ INDEXED A. C. Johnson DATE _____

F.B. 2241 Pg. 145

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2075.26 SURVEY OF Los Robles Ave. NOTES RED
SURVEY BY K.M. Kaep DATE NOTES CHKD
NOTES BY K.M.K. E. C. Johnson DATE 6-11-57 DATE
INDEXED DATE

F.B. 2241 Pg. 146

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	817.650				817.817	
+	0.484		0.648			
T	818.334	-11.246	11.295	-11.245		
−	11.730		11.893			
T.P.	806.604				806.572	
+	0.190		0.286			
T	806.794	-11.108	11.109	-11.108		
−	11.298		11.395			
T.P.	795.496				795.464	
+	0.308		0.523			
T	795.804	-11.275	11.274	-11.274		
−	11.583		11.803			
T.P.	784.221				784.190	
+	0.461		0.519			
T	784.682	-10.935	10.935	-10.935		
−	11.396		11.454			
T.P.	773.286				773.255	
+	0.702		0.609			
T	773.988	-10.918	10.918	-10.913		
−	11.620		11.727			
T.P.	762.368				762.337	
+	0.597		0.640			
T	762.965	-10.945	10.944	-10.944		
−	11.542		11.584			
T.P.	751.423				751.393	
+	0.758		0.687			
T	752.181	-7.320	7.321	-7.320		
−	8.078		8.208			
Set + TBM 33	744.103				744.073	Set TBM 33 See next pg. for descrip.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 207126 SURVEY OF Los Robles Ave.
DATE SURVEY BY K.M.K. R.P.
NOTES CHKD. C.R.G. NOTES BY K.M.K. DATE 6-16-57
DATE INDEXED C. Johnson DATE

F.B. 2241 Pg. 147

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Set TBM 33	744.103				744.073	Set TBM 33 F.B. 2241 - 115 (P10)
+	0.604		0.662			P10 on P Line
=	744.707	-11.156	11.154	-11.155		1" I.P. Pl. & Engr. Tag dn. 6"
-	11.760		11.816			
T.P.	732.947				732.918	
+	0.601		0.759			
=	733.548	-11.066	11.065	-11.065		
-	11.667		11.824			
T.P.	721.881				721.853	
+	0.991		0.840			
=	722.872	-10.750	10.749	-10.749		
-	11.241		11.587			
T.P.	711.131				711.104	
+	0.262		0.449			
=	711.393	-10.913	10.912	-10.912		
-	11.175		11.361			
T.P.	700.218				700.192	
+	0.273		0.471			
=	700.491	-11.031	11.033	-11.032		
-	11.304		11.504			
T.P.	689.187				689.160	
+	0.293		0.494			
=	689.480	-11.356	11.388	-11.388		
-	11.681		11.882			
T.P.	677.799				677.772	
+	1.107		1.730			
=	678.906	-10.128	10.128	-10.128		
-	11.235		11.858			
T.P.	667.671				667.644	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.26 SURVEY OF Los Robles Ave. NOTES RED
SURVEY BY K.M. Kapp DATE
NOTES BY K.M.K. DATE 6-12-57 NOTES CHKD.
INDEXED E. Johnson DATE
DATE

F.B. 2241 Pg. 148

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	667.671				667.644	
+	0.270		0.684			
=	667.941	-10.807	10.807	-10.807		
−	11.077		11.491			
T.P.	656.864				656.837	
+	0.253		0.344			
=	657.117	-11.147	11.147	-11.147		
−	11.400		11.491			
T.P.	645.717				645.690	
+	0.519		0.534			
=	646.236	-11.002	11.002	-11.002		
−	11.521		11.536			
T.P.	634.715				634.688	
+	0.230		0.304			
=	634.945	-11.559	11.562	-11.560		
−	11.781		11.866			
T.P.	623.156				623.129	
+	0.397		0.220			
=	623.553	-11.312	11.314	-11.313		
−	11.709		11.534			
T.P.	611.844				611.816	
+	0.503		0.516			
=	612.347	-10.668	10.667	-10.667		
−	11.171		11.183			
T.P.	601.176				601.148	
+	0.439		0.433			
=	601.615	-11.375	11.374	-11.374		
−	11.814		11.807			
T.P.	589.801				589.774	

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED ____ JOB NO. 20336 SURVEY OF Los Angeles Ave.
DATE ____ SURVEY BY K.M. Kapp
NOTES CHKD. CRG NOTES BY K.M.K. DATE 6-12-57
DATE ____ INDEXED K. C. Johnson DATE ____

F. B. 2241 PG. 149

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	589.801				589.774	
+	0.381		0.385			
π	590.182	-11.212	11.212	-11.212		
−	11.593		11.597			
T.P.	578.589				578.562	
+	0.816		0.975			
π	579.407	-10.641	10.640	-10.640		
−	11.459		11.615			
T.P.	567.948				567.922	
+	0.291		0.468			
π	568.239	-11.382	11.383	-11.382		
−	11.673		11.851			
T.P.	556.566				556.540	
+	0.214		0.451			
π	556.780	-10.978	10.978	-10.978		
−	11.192		11.429			
T.P.	545.588				545.562	
+	0.379		0.586			
π	545.967	-11.021	11.017	-11.020		
−	11.400		11.605			
T.P.	534.567				534.542	
+	1.460		9.319			
π	544.027	+2.570	2.571	2.570		
−	6.890		6.748			
T.P.	537.137				537.112	
+	11.231		11.460	11.215		
π	548.368	+9.700	9.705	9.703		
−	1.531		1.755	1.512		
T.P.	546.837				546.815	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 007516-6 SURVEY OF Los Robles Ave. NOTES RED. DATE
SURVEY BY K.W.K. & E.P. NOTES CHKD.
NOTES BY K.W.K. DATE 4-13-57 DATE
INDEXED A. C. Johnson DATE

F.B. 224 / Pg. 150

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	546.837				546.815	
+	11.339		11.349			
=	558.167	+11.042	11.040	11.040		
−	0.290		0.309			
T.P.	557.877				557.855	
+	11.616		11.904			
=	569.493	+10.577	10.576	10.576		
−	1.039		1.328			
T.P.	568.454				568.431	
+	11.330		11.585			
=	579.784	+11.092	11.092	11.092		
−	0.538		0.423			
T.P.	579.246				579.523	
+	11.155		11.364			
=	590.701	+10.458	10.456	10.457		
−	0.697		0.386			
T.P.	590.004				589.990	
+	11.513		11.618			
=	601.517	+11.230	11.231	11.230		
−	0.283		0.467			
T.P.	601.234				601.210	
+	11.567		11.760			
=	612.801	+11.203	11.200	11.202		
−	0.364		0.560			
T.P.	612.437				612.412	
+	11.603		11.362			
=	624.040	+11.239	11.241	11.040		
−	0.564		0.521			
T.P.	623.476				623.452	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 225126 SURVEY OF Los Robles Ave.
DATE _____ SURVEY BY K.M.K. & R.P.
NOTES CHKD C.R.G. NOTES BY _____ DATE 6-22-57
DATE _____ INDEXED _____ DATE _____

F.B. 224 / PG. 151

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	623.476				623.452	
+	9.384		1.603			
π	632.860	+7.936	7.938	7.937		
−	1.445		1.665			
BM 94	631.412				631.389	BM 94 F.B. 224 – 113 (P104)
+	1.164		1.422			P104 on P Line
π	632.576	−8.007	8.007	−8.007		1" I.P. & Disc Tag dn. 6"
−	9.171		9.429			
T.P.	623.405				623.382	
+	0.242		0.572			
π	623.647	−11.048	11.049	−11.048		
−	11.290		11.621			
T.P.	612.357				612.334	
+	10.199		10.769	10.535		
π	622.556	+9.956	9.987	9.982		
−	0.219		0.782	0.545		
T.P.	622.337				622.316	
+	11.439		11.560			
π	633.776	+10.991	10.792	10.991		
−	0.448		0.568			
T.P.	633.328				633.307	
+	11.018		11.040			
π	644.346	+10.496	10.497	10.496		
−	0.522		0.543			
T.P.	643.824				643.803	
+	10.473		10.729			
π	654.317	+9.762	9.760	9.761		
−	0.731		0.769			
T.P.	653.586				653.564	

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2075.26 SURVEY OF Los Robles Ave NOTES RED
SURVEY BY K.M.K. DATE
NOTES BY K.M.K. DATE 6-18-57 NOTES CHKD.
INDEXED K.C. Tabor DATE
F.B. 2241 Pg. 152

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	653.386				653.564	
+	9.970		10.124			
∴	663.356	+7.588	7.588	7.886		
−	2.085		2.236			
Set TBM 35	661.471				661.450	Set TBM 35 F.B. 2241 - 112 (P11)
+	0.273		0.363			P11 on P Line
∴	661.744	-11.200	11.199	-11.199		1" I.P. Pl. & Engr. Tag. dr. 6"
−	11.473		11.562			
T.P.	650.271				650.251	
+	0.428		0.689			
∴	650.699	-11.089	11.089	-11.089		
−	11.517		11.778			
T.P.	639.182				639.162	
+	0.309		0.465			
∴	639.491	-11.365	11.365	-11.365		
−	11.674		11.830			
T.P.	627.817				627.797	
+	0.616		0.338			
∴	628.433	-10.961	10.961	-10.961		
−	11.577		11.299			
T.P.	616.856				616.836	
+	7.355		7.132			
∴	624.211	+6.748	6.745	6.746		
−	0.607		0.387			
T.P.	623.604				623.582	
+	10.681		11.189			
∴	634.285	+9.894	9.891	9.892		
−	0.787		1.298			
T.P.	633.498				633.474	

76542O S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED ICNK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	633.498				633.474	
+	11.443		11.609			
T	644.941	+9.056	9.056	9.056		
−	2.367		2.553			
Set TBM 36	642.554				642.530	Set TBM 36 F.B. 2241 + 111 (P11A)
+	11.024		11.175			P11A on P Line
T	653.578	+10.342	10.337	10.340		1" I.P.P. & Engr. Tag dug 6"
−	0.682		0.836			
T.P.	652.896				652.870	
+	11.312		11.413			
T	664.208	+10.952	10.951	10.951		
−	0.360		0.462			
T.P.	663.848				663,821	
+	11.656		11.891			
T	675.504	+10.778	10.779	10.778		
−	0.878		1.112			
T.P.	674.626				674.599	
+	11.385		11.780			
T	686.011	+10.750	10.752	10.751		
−	0.633		1.028			
T.P.	685.376				685,350	
+	11.126		11.244			
T	696.502	+10.548	10.546	10.547		
−	0.578		0.698			
T.P.	695.924				695.897	
+	9.635		9.943			
T	705.559	+5.467	5.467	5.467		
−	4.168		4.476			
T.P.	701.391				701.364	

NOTES RED JOB NO 207526 SURVEY OF Los Robles Ave.
DATE SURVEY BY K.M.K. & P DATE 6-14-57
NOTES CHKD. C.R.G. NOTES BY K.M.K. DATE 6-14-57
DATE INDEXED K. C. Johnson DATE

F.B. 2241/Pg. 53

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 207526 SURVEY OF Los Angeles Area NOTES RED. DATE
SURVEY BY J.H. Brown NOTES CHKD. DATE
NOTES BY K.M.K. DATE 6-17-57 DATE
INDEXED A. C. Johnson DATE

F.B. 2241 Pg. 154

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.
T.P.	701.391				701.364
+	11.143		11.355		
⇈	712.534	+10.607	10.808	10.807	
−	0.336		0.547		
T.P.	712.198				712.171
+	11.436		11.851		
⇈	723.636	+11.121	11.121	11.121	
−	0.317		0.730		
T.P.	723.319				723.292
+	11.681		11.912		
⇈	735.000	+10.779	10.768	10.769	
−	0.911		1.144		
T.P.	734.089				734.061
+	11.895		11.237		
⇈	745.984	+10.141	10.144	10.142	
−	1.754		1.093		
Set + BM LR3	744.230				744.203
+	1.649		1.396		
⇈	745.879	−9.141	9.139	−9.140	
−	10.790		10.535		
T.P.	735.089				735.063
+	1.673		1.252		
⇈	736.762	−9.634	9.634	−9.634	
−	11.307		10.886		
T.P.	725.455				725.429
+	1.549		1.118		
⇈	726.999	−10.194	10.195	−10.194	
−	11.738		11.313		
T.P.	715.261				715.235

DESCRIPTION

Set + BM LR3
a standard LA Co. BM (with bottom) flush.
About 8700' E of east gate of Whittier Narrows Dam & about 4300' SW of RR bridge over San Jose Creek.
(Sketch below)



769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. CC2526 SURVEY OF Los Robles Ave.
DATE _____ SURVEY BY J. H. Brown
NOTES CHKD. C.K.G. NOTES BY K.W.K. DATE 6-17-52
DATE _____ INDEXED _____ DATE _____

F.B. 224/Pg. 155

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	715.261				715.235	
+	2.450		2.091			
π	717.711	-2.240	2.241	-2.240		
-	4.690		4.332			
T.P.	713.021				712.995	Set 2" I.P. up 3" No Ref. (May be riser from water line
+	1.723		1.361			
π	714.744	-9.723	9.721	-9.722		
-	11.446		11.082			
T.P.	703.298				703.273	
+	2.944		2.028			
π	705.742	-8.622	8.622	-8.622		
-	11.066		10.650			
T.P.	694.676				694.651	
+	2.019		1.663			
π	696.675	-9.717	9.719	-9.718		
-	11.736		11.382			
T.P.	684.959				684.933	
+	1.669		0.716			
π	686.623	-9.931	9.931	-9.931		
-	11.585		10.647			
T.P.	675.038				675.002	
+	1.103		1.405			
π	676.131	-9.891	9.891	-9.891		
	10.179		11.296			
T.P.	665.137				665.111	
+	1.610		0.925			
π	666.747	-9.602	9.801	-9.801		
-	11.412		10.726			
T.P.	655.335				655.310	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 207526 SURVEY OF Los Robles Ave. NOTES RED. DATE
SURVEY BY T.H. Brown NOTES CHKD. DATE
NOTES BY K.M.C. JOB TASK DATE 6-17-52
INDEXED DATE
F.B. 2241 Pg. 154

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	655.335				655.310	
+	0.737		1.334			
Π	656.072	-10.365	10.363	-10.364		
−	11.102		11.697			
T.P.	644.970				644.946	
+	0.261		0.962			
Π	645.231	-10.416	10.418	-10.417		
−	10.677		11.380			
T.P.	634.554				634.529	
+	4.154		4.015			
Π	638.708	-5.849	5.851	-5.850		
−	10.003		9.866			
T.P.	628.705				628.679	
+	1.464		1.074			
Π	630.169	-9.935	9.936	-9.935		
−	11.399		11.010			
T.P.	618.770				618.744	
+	0.732		1.236			
Π	619.502	-10.530	10.530	-10.530		
−	11.262		11.766			
T.P.	608.240				608.214	
+	1.746		1.662			
Π	609.986	-9.455	9.454	-9.454		
−	11.201		11.116			
T.P.	598.785				598.760	
+	2.322		1.948			
Π	601.107	-8.391	8.390	-8.390		
−	10.713		10.338			
T.P.	590.394				590.370	

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	590.374				590.370	
+	2.639		3.083			
π	593.033	-6.504	6.504	-6.504		
−	9.143		9.588			
Set TBM 37	583.890				583.866	Set TBM 37 F.B. 2241 + 110 (P11 B)
+	9.614		9.479			P11B on P. Line
π	593.364	+6.504	6.504	6.504		1" I.P. in L.A.C. Eng. Tag dn 6"
−	3.170		2.975			
T.P.	590.374				590.370	
+	10.714		10.462			
π	601.110	+8.344	8.389	8.389		
−	2.327		2.073			
T.P.	598.783				598.759	
+	11.210		11.054			
π	609.993	+9.453	9.452	9.452		
−	1.757		1.632			
T.P.	608.236				608.211	
+	10.833		10.773			
π	619.069	+10.537	10.535	10.536		
−	0.322		0.436			
T.P.	618.773				618.747	
+	11.725		11.323	11.668		
π	630.498	+9.933	9.937	9.935		
−	1.792		1.386	1.234		
T.P.	628.706				628.682	
+	10.780		10.467			
π	639.486	+9.602	9.602	9.602		
−	1.128		0.865			
T.P.	638.308				638.284	

NOTES RED _____ JOB NO. 69236.6 SURVEY OF Los Robles Ave.
DATE _____ SURVEY BY J.H. Stevens
NOTES CHKD. C.26 NOTES BY K.M.K. DATE 6-12-57
DATE _____ INDEXED K. C. Johnson DATE _____

F.B. 2241 Pg. 157

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 027526 SURVEY OF Los Feliz Ave. NOTES RED
SURVEY BY J. H. Brown DATE
NOTES BY L. C. Johnson DATE 6-24-57 NOTES CHKD
INDEXED DATE

F.B. 2241 Pg. 158

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	638.305				638.284	
+	11.189		10.126	10.680		
T	649.497	+10.687	10.682	10.684		
−	0.502		0.776	0.395		
T.P.	648.995				648.970	
+	7.637		7.017			
T	656.632	+3.308	3.297	3.300		
−	4.333		3.718			
Set TBM 38	652.297				652.270	Set TBM 38 F.B. 2241-109 (P 110)
+	2.446		2.275			P 110 on P Line
T	654.743	−8.909	8.909	−8.909		1" I.P. P.L. & Engr. Tag dn. 6"
−	11.355		11.184			
T.P.	643.388				643.361	
+	2.267		2.067			
T	645.657	−9.545	9.543	−9.544		
−	11.819		11.612			
Set TBM 39	633.643				633.817	Set TBM 39 F.B. 2241-108 (P 12)
+	2.236		2.376			P 12 on P Line
T	636.079	−8.496	8.496	−8.496		1" I.P. P.L. & Engr. Tag dn. 6"
−	10.732		11.072			
T.P.	625.347				625.321	
+	2.713		2.923			
T	628.060	−8.445	8.447	−8.446		
−	11.158		11.310			
T.P.	616.902				616.875	
+	3.768		3.253	3.262		
T	620.670	−7.546	7.551	7.343		
−	11.314		10.209	11.209		
T.P.	609.356				609.327	

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 022526 SURVEY OF Los Robles Ave.
DATE SURVEY BY C.H. ET AL DATE 5-23-57
NOTES CHKD. C.C.G. NOTES BY K.C. Johnson DATE
DATE INDEXED DATE

F.B. 224 Pg. 159

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	609.356				609.327	
+	4.137		3.953			
=	613.493	-7.226	7.224	-7.225		
-	11.363		11.177			
T.P.	602.130				602.102	
+	1.532		1.195			
=	603.662	-9.152	9.952	-9.952		
-	11.484		11.147			
T.P.	592.178				592.150	
+	1.210		1.108			
=	593.448	-9.538	9.587	-9.586		
-	10.556		10.695			
T.P.	582.592				582.564	
+	3.179		3.676			
=	585.771	-7.476	7.476	-7.476		
-	10.655		11.152			
T.P.	575.116				575.088	
+	2.151		2.362			
=	577.267	-8.763	8.761	-8.762		
-	10.914		11.123			
T.P.	566.353				566.326	
+	0.807		0.793			
=	567.160	-9.685	9.683	-9.684		
-	10.472		10.676			
T.P.	556.668				556.642	
+	0.736		0.906			
=	557.404	-10.322	10.321	-10.321		
-	11.058		11.227			
T.P.	546.346				546.321	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 0275.26 SURVEY OF Los Feliz Ave. NOTES RED. DATE
SURVEY BY T. H. Brown NOTES CHKD. DATE
NOTES BY K. C. Johnson DATE 6-24-57
INDEXED DATE

F.B. 2241 Pg. 160

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	546.346				546.321	
+	0.332		0.451			
⇈	546.678	-8.243	8.245	-8.244		
−	8.575		8.696			
T.P.	538.103				538.077	
+	0.908		0.817			
⇈	539.011	-10.862	10.863	-10.862		
−	11.770		11.680			
Set TBM 40	527.241				527.215	Set TBM 40 F.B. 2241-107 (P12A)
+	1.804		2.268			P12A on P Line
⇈	529.045	-9.625	9.626	-9.625		1" I.P. P.K. & Engr. Tag dg. 6"
−	11.429		11.894			
T.P.	517.616				517.590	6-25-57: Checked Level for adjust-
+	0.465		0.425	1.547		ment. Checked out at .002 @ 300'
⇈	518.081	-10.134	10.135	-10.136		
−	10.599		10.563	11.682		
T.P.	507.482				507.454	
+	3.244		3.078			
⇈	510.726	-6.909	6.911	-6.910		
−	10.153		9.989			
T.P.	500.573				500.544	
+	2.333		2.306	2.824		
⇈	502.906	-8.513	5.309	-8.309		
−	10.646		10.609	11.136		
T.P.	492.260				492.235	
+	1.666		1.950			
⇈	493.926	-9.551	9.554	-9.552		
−	11.217		11.504			
T.P.	482.709				482.683	

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 80456 SURVEY OF Los Robles Ave.
DATE _____ SURVEY BY T.H. Brown
NOTES CHKD C.R.G. NOTES BY K. C. Johnson DATE 6-22-54
DATE _____ INDEXED _____ DATE _____

F.B. 2241 Pg. 161

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	482.709				482.683	
+	1.014		1.356			
=	483.723	-10.255	10.256	-10.265		
-	11.269		11.512			
T.P.	472.454				472.428	
+	1.629		1.233			
=	474.083	-9.663	9.884	-9.883		
-	11.512		11.117			
T.P.	462.571				462.545	
+	0.746		1.113			
=	463.317	-4.976	4.974	-4.975		
-	5.722		6.087			
Set TBM 41	457.595				457.570	Set TBM 41 F.B. 2241-106 (P13)
+	11.377		11.077			P13 on P Line
=	468.971	+10.474	10.476	10.476		1" I.P. P.K. & Engr. Tag dn. 6"
-	0.900		0.621			
T.P.	468.071				468.046	
+	11.088		11.479			
=	479.159	+10.314	10.314	10.314		
-	0.774		1.165			
T.P.	478.385				478.360	
+	11.005		10.633			
=	489.390	+9.647	9.649	9.648		
-	1.353		0.961			
Set TBM 42	488.032				488.008	Set TBM 42 F.B. 2241-106 (P13A)
+	11.104		11.768			P13A on P Line
=	499.136	+0.367	0.366	0.366		1" I.P. P.K. & Engr. Tag dn. 6"
-	10.731		11.402			
T.P.	488.399				488.374	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO 2075.26 SURVEY OF Los Robles Ave. NOTES RED
SURVEY BY T. H. Brown DATE
NOTES BY K.M.K. DATE 6-25-57 NOTES CHKD
INDEXED K. C. Johnson DATE

F.B. 2241/Pg. 162

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	488.391				488.374	
+	2.216		2.431			
T	490.615	-9.432	9.435	-9.433		
−	11.648		11.866			
Set TBM 43	478.967				478.941	Set TBM 43 F.B. 2241, 105 (R13 B)
+	1.602		2.066			F13 B on [illegible] Sw ⊕
T	480.567	-9.688	9.687	-9.687		1" I.P.C. & Engr. Tag dia. 6"
−	11.288		11.753			
T.P.	469.279				469.254	
+	1.444		1.960			
T	470.723	-9.721	9.719	-9.720		
−	11.165		11.679			
T.P.	459.558				459.534	
+	3.777		4.343	-4.417		
T	463.335	-7.415	7.421	-7.416		
−	11.192		11.764	11.553		
T.P.	452.143				452.118	
+	0.723		1.044			
T	452.866	-10.328	10.331	-10.330		
−	11.051		11.375			
T.P.	441.815				441.788	
+	1.175		0.932			
T	442.990	-10.373	10.571	-10.572		
−	11.748		11.503			
T.P.	431.242				431.216	
+	0.445		0.722			
T	431.687	-10.542	10.539	-10.540		
−	10.987		11.271			
T.P.	420.700				420.676	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 42456-26 SURVEY OF Los Robles Ave.
DATE SURVEY BY J.H. Brown
NOTES CHKD. C.R.G. NOTES BY K.M.K. DATE 6-26-57
DATE INDEXED. C. Johnson DATE

F.B. 224/Pg. 163

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	420.700				420.676	
+	2.531		2.118			
=	423.231	-9.277	9.278	-9.277		
-	11.835		11.396			
Set TBM 44	411.423				411.399	Set TBM 44 F.B. 224/-104 (P14)
+	11.476		11.764			P14 on P Line
=	422.911	+3.249	3.247	3.248		1" I.P. Pl. & Engr. Tag dia. 6"
-	8.247		8.517			
T.P.	414.672				414.647	
+	4.311		4.049			
=	418.983	-5.732	5.933	-5.932		
-	10.243		1.782			
T.P.	408.740				408.715	
+	6.270		6.187			
=	415.010	+1.795	1.795	1.795		
-	4.474		4.392			
Set TBM 45	410.536				410.510	Set TBM 45 F.B. 224/-103 (P15)
+	5.319		5.009			P15 on P Line
=	415.235	-5.638	5.836	-5.837		1" I.P. Pl. & Engr. Tag dia. 6"
-	11.237		10.545			
T.P.	404.698				404.673	
+	4.457		4.284			
=	409.187	-5.753	6.750	-6.751		
-	11.242		11.034			
T.P.	397.945				397.922	
+	1.859		1.590			
=	399.834	-9.323	9.320	-9.322		
-	11.212		10.910			
Set TBM 46	388.622				388.600	Set TBM 46 See next pg. for desc.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 10745.26 SURVEY OF Los Robles Ave. NOTES RED. DATE
SURVEY BY J.H. Brown DATE 6-26-57 NOTES CHKD.
NOTES BY K.C. Johnson DATE
INDEXED DATE

F.B. 224/Pg. 164

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Set TBM 46	388.622				388.600	Set TBM 46 F.B. 2241-103 (P15A)
+	5.375		5.226			P15A on 2nd line
⇈	394.0[illegible]	-5.661	5.661	-5.661		1" I.P. Pl. & Eng'r. Tag dy. 6"
-	11.050		10.887			
T.P.	382.972				382.939	
+	2.155		1.800			
⇈	385.060	-8.749	8.747	-8.748		
-	10.854		10.547			
T.P.	374.212				374.191	
+	0.632		0.362			
⇈	374.844	-10.779	10.786	-10.781		
-	11.411		11.148			
T.P.	363.433				363.410	
+	1.195		1.673			
⇈	364.628	-8.680	8.679	-8.679		
-	9.875		10.352			
T.P.	354.753				354.731	F.B. 2241-48 (R&)
+	4.045		3.825			R6 on Rancho Line
⇈	358.798	-5.237	5.232	-5.237		1X2 [illegible]
-	4.252		9.063			
Set TBM 47	349.546				349.494	Set TBM 47 F.B. 2241-102 (P15B)
+	11.727		11.644			P15B on 2nd Line & Inter. Rancho Line
⇈	361.245	+10.761	10.757	10.760		1" I.P. Pl. & Eng'r. Tag dy. 6"
-	0.716		0.885			
T.P.	360.277				360.254	F.B. 2241-48
+	11.144		11.721	2.473		62.2 S. Easterly fr. P15B
⇈	371.421	+2.472	2.476	2.474		Sp. nail & shr. in A. edge PVT. (Arroyo Rd.)
-	8.672		9.245	9.710		
T.P.	362.749				362.728	

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 022516 SURVEY OF Los Angeles Ave.
DATE _____ SURVEY BY J.H. Brewer
NOTES CHKD C.R.G. NOTES BY C.W.K. DATE 5-24-57
DATE _____ INDEXED J. C. Johnson DATE _____

F.B. 2241 Pg. 165

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	362.749				362.728	
+	10.519		9.083			
=	373.268	+5.584	5.583	5.583		
−	4.935		3.500			
Set TBM 48	368.333				368.311	Set TBM 48 F.B. 2241-101 (P16)
+	0.933		1.238			P16 on P line
=	369.266	−5.177	8.975	−8.976		1" I.P. Pl. & Sight Tag dig. 6"
−	9.910		10.213			
T.P.	359.355				359.335	
+	5.493		5.208			
=	364.848	−5.745	5.745	−5.745		
−	11.238		10.953			
T.P.	353.611				353.590	
+	4.211		4.032			
=	357.822	−6.986	6.985	−6.985		
−	11.197		11.017			
T.P.	346.625				346.605	
+	2.227		2.396			
=	348.852	−9.353	9.351	−9.352		
−	11.580		11.747			
T.P.	337.272				337.253	
+	1.294		1.146	1.523		
=	336.566	−9.662	9.678	−9.668		
−	10.956		10.824	11.188		
T.P.	327.610				327.585	
+	2.994		2.244			
=	330.104	−8.998	8.998	−8.998		
−	11.492		11.242			
T.P.	318.612				318.587	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.26 SURVEY OF 405 Rubias Ave. NOTES RED
SURVEY BY T.H. Bryant DATE
NOTES BY K.C. Johnson DATE 6-26-57 NOTES CHKD.
INDEXED DATE

F.B. 2241 PG. 166

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	318.612				318.587	
+	0.663		0.874			
=	319.275	-9.403	9.404	-9.403		
−	10.066		10.278			
T.P.	309.209				309.184	
+	0.832		0.438			
=	310.041	-9.894	9.892	-9.893		
−	10.776		10.830			
T.P.	299.315				299.291	
+	2.438		2.531			
=	301.753	-7.780	7.778	-7.779		
−	10.218		10.317			
T.P.	291.535				291.512	
+	0.507		0.589			
=	292.042	-9.653	9.655	-9.654		
−	10.160		10.244			
T.P.	281.562				281.858	
+	4.650		4.220			
=	286.532	-1.970	1.970	-1.970		
−	6.620		6.190			
Set TBM 99	279.912				279.888	Set TBM 99 F.B. 2241-100 (P17) P17 on P Line √ "I.P. Pk. & Engr. Tag dia. 6"
+	1.155		0.687			
=	281.067	-10.393	10.393	-10.393		
−	11.548		11.280			
T.P.	269.519				269.495	
+	1.689		1.393			
=	271.208	-9.583	9.586	-9.584		
−	11.272		10.977			
T.P.	259.936				259.911	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED_____ JOB NO. 2225.26 SURVEY OF Los Robles Ave.
DATE_____ SURVEY BY T.H. Brown
NOTES CHKD. C.R.G. NOTES BY T.H.B. DATE 6-26-57
DATE_____ INDEXED J.C. Johnson DATE 7-8

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	259.936				259.911	
+	2.463		2.213			
=	262.399	-9.114	9.113	-9.113		
−	11.577		11.326			
T.P.	250.822				250.798	
+	0.231		1.083			
=	251.053	-8.813	8.813	-8.813		
−	9.044		9.896			
T.P.	242.009				241.985	F.B. 2241-99 ✓
+	6.461		6.256			342.25 S. Westerly Fr. P17 on P Line
=	248.470	+2.618	2.617	2.617		1X2 ¢ N. Flush
−	3.893		3.639			
Fd. TBM 2	244.627				244.602	Fd. TBM 2 Elev. 244.670 F.B. 2241-27
+	5.047		4.864			P.I. of Workman Mill Rd. per Pg. 16
=	249.674	-0.917	0.918	-0.917		Lg. BT. SPK W. of T. to E. edge of pvt. (P.16)
−	5.124		5.782			✓
Fd. TBM 1	243.719				243.685	Fd. TBM 1 Elev. 243.745 F.B. 2241-27
+	4.071		3.837			Workman Mill Rd. (E. Side) on ¢ Prod.
=	247.781	-2.113	2.114	-2.113		63.23' S.E. of Sm. BT. SPK. see pg. 16
−	5.985		5.951			3/4" I.P. 15" below dirt shoulder
T.P.	241.598				241.572	
+	1.602		1.882	1.682		
=	243.200	-3.526	3.531	3.528		
−	5.128		5.413	5.209		
Fd. TBM 4	238.072				238.044	Fd. TBM 4 Elev. 238.116 F.B. 2241-28
						Workman Mill Rd. (E. Side)
						Sm. BT. SPK in conc. hd. wall of culvert
						running parallel to Workman Mill Rd.
						(S. end)
			No Adj			

F.B. 2241 Pg. 167

Notes Ck'd by
Map No.
Office Work
Checked J. F. McMILLAN
Date

Survey of Los Robles Ave
JN 00756 Tape 125 Std 84 °F
Surveyed by J.H. Brown
Notes J.H.B. Date 7-18-57
Indexed L. C. Johnson 8-15-57

F. B. 2241 PG. 171

cont pg 172

LOT A

TR 4005

N

15 20

45 54

E4 Set 1x2 in fl.

15 12

Chord

① Level (T=88°) ② No Col
82.19 83.44
46.37 45.12
128.56 128.56
Avg 128.56

128 61

Made search for nothing per FB 379-196

E3 Set 1x2 in fl on line

15 20

48 14

set 1x2 in fl on TR. LINE

140 14

246 86

E2 Set in on line

111 72

15 20

cont pg 86

141.61 (T=88) = 141.61 @ 8° 15' = 140.145
141.44 (T=88) = 141.44 @ 7° 49' = 140.126
Avg = 140.136

① 115.43 (T=88) = 115.43 @ 14° 35' 20" = 111.708
② 115.79 (T=88) = 115.79 @ 15° 13' 00" = 111.730
Avg = 111.719

TRACT 1343
Lot 43

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F5095 SAE #247 1-56

F.B. 2241 Pg. 172



76F3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRACT 4005 LOT A



① 181.13(T=74) = 181.12 @ 19°09'40" = 171.172
② 181.96(T=74) = 181.95 @ 19°23'20" = 171.159
Avg = 171.166

T = 76°

①	②
15.99	16.645
221.85	221.185
237.84	237.83
-.01 Temp Cor	-.01
237.83	237.82
Avg = 237.82	

① 96.29(T=76°) = 96.29 @ 20°06'40" = 90.419
② 96.61(T=76°) = 96.61 @ 20°37'10" = 90.416
Avg = 90.418

TRACT 1343 LOT 43

Notes Ck'd by
Map No.
Office Work
Checked J. F. McMILLAN
Date

Survey of Los Angeles Area
JN 20 75.24 Tape 125 Std 64 °F
Surveyed by W. H. Brown
Notes J H B Date 7-18-57
Indexed W. C. Johnson

F. B. 2241 PG. 172

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


TRACT 4005 LOT A
TRACT 1343 LOT 43
Cont'd on 175
Cont'd on 173
F.B. 2224 Pg. 174
Fence
Transit Line
Ground Slope
Ground Slope
Ground Slope

Notes Ck'd by
Map No.
Office Work
Checked J. F. McMILLAN
Date

Survey of Los Robles Ave
JN 0275.2 Tape 125 Std 68 °F.
Surveyed by J. H. Brown
Notes J H B Date 7-18-52
Indexed K. C. Johnson

F. B. 2241 Pg. 175

END SURVEY

Ed. Co. steel tower

Fd white 4x4, P/L post with tie tack (428) in top cent. FB 404-54

Set ch "x" in tower legs up 2'

W.S. 37-122

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

END SURVEY (Made search for 3 IRs per TR 4005 all have been destroyed by erosion

(To flange side strip rail) 15.29

E19 Set 1x2 ch sh by hdg

SANTA ANA

20° 55' 25" Rt

E18 Set 1x2 ch sh on line 484.91 ft. E14

E17 Set 1x2 ch sh on TRANSIT LINE

E16 Set 1x2 ch sh on line

fence

Set 1" IP & ENG tg dn 18" on TR. LINE 484.91 from sh bt spk. FB 404-56

To 2" IP & NNW Cor Lot 8 as per TR 4005

(Dist. through E14)

TO N 16 Pg 93

A cont pg 174

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

76F3095 SAE #247 1-56

Notes Ck'd by	Survey of Los Robles Ave
Map No.	JN 0075 26 Tape 125 Std 84 °F
Office Work	Surveyed by H. H. Brown
Checked J. F. McMILLAN	Notes J H B Date 7-3057
Date	Indexed R. C. Johnson 8-15-57

F. B. 2241 Pg. 177

HORIZONTAL ANGLES FOR LOCATION OF "TILT" CONTROL POINTS FOR PHOTOGRAMMETRY

Brown - note Kapp - T
Hill & Reuter - targets

July 1957

BP 1	pg 181	9/14/58
BP 2	pg 182.	9/11/58
BP 3	pg 178	9/24/58
BP 4	pg 178	
BP 5	pg 179	9/25/58
BP 6	pg 180	
March & April 1958	Brown-Kapp-Reuter-Nunez	
BP 7	pg 205	
BP 8	pg 210	
BP 9	pg 204	
BP 10	pg 203	
T-12	pg 78	
TBM 6	pg 19 & 28 & 202 ("T")	
AUX V	pg 212	
TBM #1	pg 209	
TBM 63	pg 203	
TBM 64	pg 203	
"V"	pg 21	
"AC"	pg 22	
"AB"	pg 211	
"Z"	pg 211	
AUX VII	pg 206	
AUX VIII	pg 206	
TBM 65	pg 207	
TBM 66	pg 208	
TBM 67	pg 211	
TBM 68	pg 87	
TBM 69	pg 202 also TBM #6 ("T") pgs 28 & 19	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3088 S&E #247 1-56


F.B. 2241 Pg. 178
Set BP-3 1"I.P. & Cap dn 6" w/10' barber pole centered over
108 46 30
42 00 35
150 47 05
Suppl. 29 12 55
4/29/88
2) 58° 25 20
4 116° 51 20
6 175 16 40
Avg. 29° 12 46⅔
Set nail in 24" Cott. 72.17
Set nail in 36" oak up 2.1
0.48809240
983.98 = 2015.99
29°12'55" (Calc) 53 (Meas)
Same Calc
LOT A
1908.73
1349.24
2) 84 01 00
4) 168 02 30
6) 252 03 40
Avg 42 00 36⅔
2) 217 32 50
4) 75 06 00
6) 292 39 00
Avg 108 46 30
(91+87.68) Fd P-10 per pg 115 Elev=749.10
Aux VII Set 1X2 FN ℄ 20.00 ft P-10 (91+87.68) Elev = 749.10 (Pg 186)
743.78 743.93
963.98
98398
400.5' P LINE
P LINE
2) 174 13 40
Mean = 87 06 50
4) 348 27 40
6) 162 41 20⅔
Avg = 87 06 53⅓
1655.13
183.98 = 1885.09
0.52198175
1882.67
Same
Fd P11 per Pg 112
'S' LINE
101.31.66
TR
2) 61 25 00
4) 245 40 40
6) 31 00
Avg 61 25 10
2) 62° 55' 50"
4) 125 51 50
6) 188 47 40
Avg = 31 27 56⅔
61 25 10
87 06 55
148 32 05
Suppl = 31 27 55
BP-4 Set 1"I.P. & Cap dn 6" w/10' barber pole centered over at sq hd spk
Tel. pole #1093917E up 1½ Al
83.38
Black Dup
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked J. F. McMILLAN
Date

Survey of Los Robles Ave F. B. 2291 Pg. 79
JN0075 & Tape 125 Std 84 °F
Surveyed by H. N. Brown
Notes H. H. B Date 7-57
Indexed E. C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.



Supplement & TOPOA
Aux IV Left to BP 5

2)	288°	40'	00"
4)	217	19	20
6)	145	58	50
Avg	144	19	48⅓
	179°	59'	60"
	144	19	48⅓
	35	40	13⅓

calc ∠ at BP-5
35 40 13⅓
129 47 33⅓
165 27 46⅔
14 32 31⅓ = ∠0 BP 5
180 00 18

2)	259	35	10
4)	159	10	00
6)	58	45	20
Avg	129	47	33⅓ ✓

P 14 c 139+04.74 ✓
P 13A = 128+41.95 ✓
Dist = 10 62.79 ✓

Suppl. =

1062.79
Sin 14° 32' 15" = 4233.994
(0.251013600)

Sin 129° 47' 35" × 4233.994 = 3253.37
(0.766 39213)

Sin 35° 40' 15" × 4233.994 = 2468.96
(0.583 127 74)

2)	29°	05'	00"
4)	58	10	00
6)	87	15	10
Avg	14	32	31⅓ ✓

Rev 9/22/58

2)	29	05	00
4)	58	10	00
6)	87	15	00
Avg =	14	32	30

PURPOSE SAE #247 1-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


TR 2712
BP-6
Set 1" capped I.P. dn 6" w/ boulder pile
Centered over, 28' from fence
Fd 2" capped I.P. w/ tack (illegible) Barber pole, no leaf 2.75' high
Row trees
FENCE LINES
1357.14
0.228 49247
5935.54
137 20 05
29 21 30
166 41 35
13 12 25
2) 274 40 20
4) 104 20 00
Avg 137 40 06.5
2) 58 54 40
2) 117 50 00
4) 176 44 20
29 27 28.5
1625.21
-268.07
1357.14
Fd n per Pg. 15 M 206
Elev = 235.32 Pg 188
AUTH XIII
Fd 1" I.P. Pr Pg 15
Fd n
1625.21
1357.14 (calc)
268.07
632.02 Pr Pg 16
Fd 1" I.P. w/ brass cap stamped "NW COR HILE TR" up 16"
Fd 1" I.P. w/ brass cap stamped: "NW COR HILE TR"
Fd n
Fd n
Fd 1" I.P. Pr Pg 16
Fd n
Fd n
Fd n

7EF3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ckd by
Map No.
Office Work
Checked J. F. McMILLAN
Date

Survey of Los Angeles Area
JN 20 75 76 Tape 125 Std 84 °F
Surveyed by U.H.B. Brown
Notes U.H.B. Date 2-57
Indexed J. F. McMillan

F. B. 224 Pg. 131

TR. 1343 LOT 43

Elev = 443.354 (1st run unadj.) pg 193
Fd 1X2 C.M.
AUX II = T1 pg 83

2)	95	05	10
4)	190	10	10
6)	285	15	20
	47	32	33½ ✓

2)	150°	9[illegible]	20
4)	301	32	40
6)	92	19	00
	75	23	10

Mcag 9/19/58 J.F.M.
set BP 1
1" capped I.P dn 6" w/10' barber pole centered over

2)	57	04	05
4)	47	32	35
6)	104	36	40
	75	23	20
	180	00	00

2)	114°	08'	00"
4)	228	16	20
6)	342	24	40
Avg	57	04	06⅔ ✓

520.42 M. 1½" I.P. pg 98
284.60 M.
451.39 M. (calc)
396.19' M (calc)
not to scale
N 57-04-05 E
0.9839 3½ 07
520.42
810.01 M.
810. per TR. 1343
520.42 / 0.967 660.27 = 537.781

AUX I
per pg 83
Elev = 389.866 pg 192 (1st run unadj.)

① T = 90°
320.405
+ 01
520.415 ✓
Avg = 520.42 ✓

② 520.42
+ 01
520.43 ✓

T = 98°

① 215.82½
68.75½
284.58 ✓
+ 03 Temp Cor
284.61 ✓
Avg = 284.60

② 216.41
68.16 ✓
284.57 ✓
+ 03
284.60 ✓

2)	179	58	40
4)	359	57	50
6)	179	56	20
Avg	89	59	23⅓

Fd 2" I.P. per pg. 83

END SURVEY

see pg 84

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


BO-2
1" Capped I.P.
w/ No Barber pole
Set
TR
4005
N 14° 45' 00" W
715.05
S 14° 45' 00" E
715.05
Curve Data
Chord
Arc
Radius
Delta
Tangent
Point of Curve
Point of Tangent
Point of Intersection
Point of Beginning
Point of Ending
Found
Set
Monument
Iron Pipe
Concrete Nail
Lead & Tack
Brass Cap
Witness
Basis of Bearings
Record
Measured
Calculated
Radial
Non-Radial
Right of Way
Property Line
Centerline
Easement
Fence
Wall
Building
Curb
Gutter
Sidewalk
Pavement
Driveway
Street
Alley
Intersection
Survey Control
Traverse
Closure
Error
Adjustment
Datum
Elevation
Coordinate
Grid
Scale
Bearing
Distance
Angle
Azimuth
Reference
Tie
Offset
Perpendicular
Parallel
Concentric
Tangent
Secant
Chord
Arc
Radius
Delta

Notes Ck'd by
Map No.
Office Work
Checked J. F. McMILLAN
Date

Survey of Los Robles Ave
W.O. 2875 2C Tape No. Std. °F
Surveyed by J. H. Brown
Notes J. H. B Date 7-30-57
Indexed J. C. Johnson

F. B. 224 Pg. 183

VERTICAL ANGLES TO ESTABLISH ELEVATIONS OFF "P" LINE AS CONTROL POINTS FOR "TILT" IN PHOTOGRAMMETRY

Brown - notes Kapp T
Hill & Recker - setting targets

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. _____ HG _____ H.I. + _____

TRANSIT AT STATION _____

Sight on	+ Vertical Angle	Horizontal Distance	+ Vertical + Curvature - Distance Correction	Difference - Elevation Adjusted Diff. Elev.
			BP 1 pg 220	
			BP 2 pg 216	
			BP 3 pg 221	
			BP 4 pg 194	
			BP 5 pg 186 - 220	
			BP 6 pg 189	
			Aux I pg 215, 216	
			Aux IV pg 219	
			Aux VII pg 185	
			Aux VIII pg 188, 187, 189, 190	
			Aux VIII pg 188, 187, 189, 214	
			Aux XI pg 184, 191 - 196	
			Aux X pg 184, 191 - 196	
			P 11 pg 185	
			P 12 pg 218	
			P 13 pg 219	
			P 13A pg 189	
			P 14 pg 186	
			P 16 pg 185 - spirit Leads Circuit #12 pg 241 TBM 48	
			P 17 pg 190 TBM 49 pg 240	
			P 4 pg 190, 218, 222	
			P FA pg 190	
			P 5 pg 217	
			Aux I pg 215, 216	
			TBM 60 - 61 pg 198 (Pollisser Dairy)	
			TBM 62 pg 228	
			TBM 63 pg 214	
			TBM 64 pg 213, 222	
			TBM 65 } circuit #11	
			TBM 66 } circuit #11	
			TBM 67 pg 235 circuit #10	
			TBM 68 pg 231 circuit #9	
			TBM 69 pgs. 202 -	
			BP 7 pg 215, 214, 190	
			BP 8 pg 241 - 246 circuit #12	
			BP 9 pg 214, 217	
			BP 10 pg 213	

Orange Grove Ave #8 pg 225-230
Woodland
Workman Mill proposed.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION AUX IX F.B. 2241 PG 181 H.I. + 5.38

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
BP1	10.00	D + 11° 25' 00"	451.89	+ 91.13			
		R 11 24 40		- 4.62			
		Avg 11° 24 50		86.51			
		.201 889 65					
BP1	4.00	D + 10° 40' 00"		+ 85.02			
		R + 10 40 00		+ 1.38			
		Avg + 10° 40' 00"		86.40			
		.188 349 47					
TRANSIT AT STA. AUX X FB 2241 PGS. 181 H.I + 5.47							
BP1	10.00	D + 20 20 00	396.79	+ 147.04			
		R + 20 20 00		- 4.53			
		Avg + 20 20 00		+ 142.51			
		.370 572 55					
BP1	6.00	D + 19 49 40		+ 143.07			
		R + 19 49 40		- 0.53			
		~~Avg + 19 49 40~~		+ 142.54			
		.360 569 91					
TRANSIT AT STA. BP #4 FB 2291 PG 178 H.I + 5.77							
P11	5.47	D 12 31 00	18 82.67	- 417.86			
		R 12 30 40		+ 0.30			
		Avg 12 30 50		- 417.56			
			Tan = .221 949 00				
~~AUX X~~	5.62	D 11° 26' 00"	1655.35	- 334.85			
		R 11 26 20		+ 0.15			
		Avg. 11 26 10		- 334.70			
		Tan = .202 28648					

F.B. 2241 PG 182

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION P 11 F.B. 2241 PG 112 H.I. +5.35

Sight on	Rod	± Vertical ∠ Angle	Horizontal Distance	± Vertical ∠ Distance	± Curvature Correction	± Difference = Elevation	Adjusted Diff. Elev.
BA3	9 00	D - 7° 46' 20" R - 7° 46' 00" Avg = 7° 46' 10"	1908.73 (Tan = .136439 69)	- 260.43 - 3.65 - 264.08			
	1 00	D - 8° 01' 00" R - 8° 00' 40" Avg = 8° 00' 50"	(Tan = .140788 03)	- 268.73 + 4.35 - 264.38			
BP4	10 00	D + 12 37 20 R + 12 37 40 Avg 12 37 30	1882.67 (Tan = .222398 465)	+ 421.69 - 4.65 417.04			
	8 00	D + 12° 35' 00" R + 12° 35' 00" Avg + 12° 35' 00"	(Tan = .222122 08)	+ 420.25 - 2.65 417.60			
TRANSIT AT STATION AUX VI FB 2241 PG 115; H.I. +5.20							
BP3	10 00	D - 14° 13' 20" R - 14° 13' 00" Avg 14° 13' 10"	1349.24 (Tan = .253 400 04	- 341.90 - 4.80 346.70			
	1 00	D - 14° 33' 20" R - 14° 33' 40" Avg 14° 33' 30"	(Tan = 259 704 08	- 350.40 + 4.20 346.20			
BP4	10 00	D + 11° 35' 00" R + 11° 35' 20" Avg 11° 35' 10"	1655.35 (Tan = .205 017 90	+ 339.38 - 4.80 334.58			
	2 00	D + 11° 20' 20" R 11° 20' 00" Avg 11° 20' 10" Tan = .200 475 22		+ 331.86 + 3.20 335.06			

Note AUX VI is 1x2 ft on line prod from P-11 through P-10 and is 20 00 Ely. from P-10 Elev = 744.07 - .14

TRANSIT @ P-10 H.I. = +5.70 + Rod on Aux VI = 5.82
@ AUX VI H.I. = 5.20 + Rod on P10 = 5.04

AUX VI is 0.14' Lower than P-10 = 743.93 Elev.

744.07 - 1.4 = 743.93

Diff Elev = -0.12
" " = -0.16
Avg = -0.14

Survey of: Pebbles Acres
W. O. 0075-24 Hope No. Sr'd. of
Surveyed by: J. H. B. Date 7-29-57
Notes: J. H. B.
Indexed: J. C. Johnson

Checked by: F. McMILLAN
Date
Map No.
Office Work

F.B. 2241 Pg. 112

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION P 13A F.B. 2241 PG 106 161 H.I. + 5.53

Sight on Rod	± Vertical ∠ Angle	Horizontal Distance	± Vertical ± Distance	± Curvature Correction	± Difference = Elevation	Adjusted Diff. Elev.
BP5 9.00	D - 4° 22 30	3252.69	- 248.69			
	R - 4° 22 10		- 3.47			
	Avg - 4 22 20		252.16			
	Tan = 0.076 458 14					
BP5 2.00	D - 4 30 20		- 256.15			
	R - 4 30 00		+ 3.53			
	Avg - 4 30 10	(Tan = .078 75049	252.62			
TRANSIT AT STATION P 14 FB 2241 PG 104 163 H.I. + 5.31						
BP5 9.00	D - 3° 58 30	2468.33	- 171.58			
	R - 3 58 40		- 3.69			
	Avg - 3 58 35	(Tan = 069 512 72	175.27			
BP-5 2.00	D - 4° 07' 00"		- 177.53			
	R - 4° 06' 40"		+ 3.31			
	Avg 4° 06' 50"	(Tan = 071 927 55)	174.22			
TRANSIT AT STATION BP 5 FB 2241 PG 179 H.I. + 5.68						
P13A 9.00	D + 4° 28 20	3252.69	+ 254.41			
	R + 4° 28 20		- 3.32			
	Avg + 4 28 20	(Tan = 078 21391	251.09			
P13A 5.00	D + 4° 24' 00"		+ 250.44			
	R + 4 24 20		- 3.68			
	Avg + 4° 24 10		251.12			
	(Tan = .076 99459					

F.B. 2241 PG 196

F. B. 2241 Pg. 187

Profile No. | Notes Red. | Plotted | Job No 2075-26 | Division No.
Date | Date | Survey of Los Robles Ave
X-Sec. No. | Notes Chkd. | Checked F. McMILLAN | Survey by J. H. B | Notes J. H. B Date 7-25-57
Date | Date | Map No. | Indexed E. C. Johnson Date 8-15-57

BENCH LEVELS
PICK-UP
TO ESTABLISH ELEVATIONS
ON AUX VII , AUX VIII
and an I.P. at N W Cor of
HILE TRACT.

Brown-notes Kapp-T
Hill & Reuter — rods

STATION	B. S.	H. I.	F. S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

76298 S & E #307—7-55

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2241 Pg. 89 Job No. 0075.26 Division No. Notes Red. Plotted Profile
Survey of 4&3 ROBLES AVE Date No. X-Sec.
Survey by L. H. Brown Notes C. H. B. Date Checked
Indexed Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
TP 5	5 57	249 10		243 53	Fd sm bt spk in top of curb (seam) per pg 26 (Elev = 243.534 (1st run unadj.	243.533
T.P	621	250 90	441	244 69	sq hd spk	
TP 7	596	252 73	413	246 77	Fd sm bt spk in pvmt per pg 26 Elev = 246.782 (1st run unadj.)	
set. Aux VIII			408	248 65	sq hd spk. T.T.	
			024	252 49	1½" I.P. N.W. COR HILE TR	
Fd Aux VII	416	252 81	408	248 65	Fd. (above)	
TP 7	408	250 86	603	246 78	Fd sq hd spk. per pg 26	
TP 6	417	249 03	600	244 86		
TP 5			548	243 55	Fd (above) O.K.	
TP. 1 set	544	241 78		236 34	Fd. wire spk Tel. pole # W 2347-Y Elev = 236.336 (1st run unadj.) pg 26	
Aux VIII			645	235 32	set N 18.59' from old ℄ WORKMAN MILL RD per pg 15	
TP. 3	051	241 77		241 26	Fd sm bt spk Tel. Pole # W 2349-Y Elev = 241.262 (1st run unadj.) pg 26	
Aux VIII			645	235 32	set N. (above.)	
4/2/58 checked ~~bal~~ TP 1 & Aux VIII fd Aux VIII = 235.319						
Aux VIII	Aux		235.32			
4/2/58 set elevation in and ch because	checked Aux VIII		fd. to be same destruction of		as above Aux VIII appears imminent (Telephone line)	
Aux VII	5 122	253 776		248 654		
Ch. ☐ on ch.			4 880	248 896		



76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION Aux VII F.B. 2241 PG 180 H.I. +5.36

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	±Difference - Elevation	Adjusted Diff. Elev.
BP6	9 00	D +5°32'40"	2921.20	+282.42			
		R +5°32'20"		- 3.64			
		Avg 5°32'30"	(Tan = 097023 09	279.78			
	3 00	D +5°26'20"		+277.99			
		R +5°26'00"		+ 2.36			
		Avg 5°26'10"	(Tan = 095163 76	280.35			
TRANSIT AT STATION Aux VIII FB 2241 PG 180 H.I. +5.56							
BP6	9 00	D +4°12'40"	4025.62	+296.21			
		R +4°12'20"		- 3.44			
		Avg +4°12'30"	(Tan = .073 58164	292.77			
	2 00	D +4°06'40"		+289.15			
		R +4°06'20"		+ 3.56			
		Avg +4°06'30"	(Tan = .071 82709	292.71			
TRANSIT @ STA BP6 FB 2241 PG 180 H.I. + 5.48							
Aux VIII (5)	8.45	D -4°07'00"	4025.62	-289.93			
		R -4°07'20"		- 2.97			
		Avg -4°07'10"	Tan .072 022 011	292.90			
Aux IX (7)	5.24	D -5°28'40"	2921.20	-280.14			
		R -5°28'40"		+ 0.24			
		Avg -5°28'40"		279.90			
		(Tan = .095 89762)					

Notes Ck'd by
Map No.
Office Work
Checked: R. F. McMILLAN
Date

Survey data Ross Aux
W. O. 075-22 Tape No. Std. °F
Surveyed by: H. H. Brown
Notes: H. H. B. Date 7-24-57
Indexed: H. C. Johnson

F.B. 2241 Pg. 127

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION P 4 F.B. 2241 PG 125, H.I. + 6.15

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
BP 2	9 00	D + 12° 25' 00"	989.26	+ 217.80			
		R + 12° 25' 00"		- 5.95			
		Avg + 12 25 00		211.85			
		.220 169 22					
	2 00	D + 12° 02 00		+ 210.98			
		R + 12° 02 00		+ 4.15			
		Avg + 12° 02 00		215.03			
		.213 164 69					

TRANSIT AT STATION P 4A FB 2241 Pg 125 HI + 6.06

BP 2	10 00	D + 8° 07 00"	1314.32	+ 187.45			
		R + 8° 07 00"		- 3.97			
		Avg 8° 07 00		183.51			
		.142 617 81					
	2 00	D + 7° 46' 40"		+ 179 68			
		R + 7° 47 00"		+ 4.66			
		Avg 7° 46' 50"		183.64			
		.136 636 78					

TRANSIT AT STATION AUXILIARY FB 2241 PG 206 HI + 5.53

BP 7	10 00	D + 1°-18'-00"	1612.46	+ 36.67			
		R + 1°-18'-20"		- 5.47			
		Avg + 1°-18'-10"		31.20			
		(Tan = .0227 41679)					
	4 00	D + 1°-05'-40"					
		R + 1°-05'-40"		+ 30.80			
		Avg 1°-05 40		+ 1.53			
		Tan = .0191 0395		32.33			

F.B. 2241 Pg 190

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 00525 SURVEY OF Los Robles Ave
DATE _____ SURVEY BY J. H. Brown
NOTES CHKD. _____ NOTES BY J. H. B. DATE 7-27-57
DATE _____ INDEXED J. C. Johnson DATE _____

F.B. 2241 Pg. 191

BENCH LEVELS TO ESTABLISH ELEVATIONS ON AUX IX & AUX X

Brown - Notes — Kapp T — CIRCUIT #5 — Hill rod #5 — Reuter Rod #6

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.		DESCRIPTION
Fd BM 42-4	~~5 312~~	+ 0595	5231	5148	360	780	Fd BM 42-4 Elev = 360.780 (1954 adj)
	~~366 072~~	+ ~~0.584~~	0596	+0.596 0575			Gale Ave & 7th Ave on Approx ℄
	4 728		4635	4553			Gale Ave, 100.8' SE'ly of ℄ Ints
	~~361 375~~						County Surveyor Mon Stamped
	~~361 347~~						"BM 42-4 1954 R.E. 63" – 10"
							below surface in H.H. F.B. 1363-180
set TBM 50	361.375		3212		361	376	set Fd. B.t spk. SE c/o Rel. middle
	3 309		2778				orange paint "TBM 63 W" no ref:
	364 684	- 2779	5990	- 2.778			
	6 088						
set TBM 51	358 596		7828		358	598	set Fd C.S. Mon in H.H ℄ Int's
	7 952	+3852	3851	+3.852			Gale Ave & 7th Ave. (no ref.)
	366 558		3977				
	4 110						
TP	362.448			+4.449	362	450	bt spk S side Gale Ave
	6 648		6515	6719			
	369 096	+.4450	4457	4448			
	2 198		2058	2271			
T.P	366 898				366	898	bt spk S side Gale Ave

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0275.26 SURVEY OF Los Robles Ave NOTES RED
SURVEY BY J.N.B. DATE J. F. McMILLAN
NOTES BY J.N.B. DATE 7-29-57 NOTES CHKD
INDEXED A. C. Johnson DATE DATE

F.B. 224 Pg. 192

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	366898			.	366.899	bk spk. (Last pg)
+	7900	/	7779	/		
⊼	374798	+4172	4174	+4.173		
−	3728		3605			
T.P	371070				371.072	bk spk S side pvmt Gale Ave
+	9243	/	9360	/		
⊼	380313	+8914	8912	+8.913		
−	0329		0448			
T.P	379984				379.985	bk spk N side pvmt Gale Ave
+	9852	/	9778	/		
⊼	389836	+7335	7333	+7.334		
−	2517		2445			
T.P	387319				387.319	bk spk S side pvmt Gale Ave
+	5191	/	5085	/		
⊼	392510	-0341	0341	-0.341		
−	5532		5426			
set TBM 52	386978				386.978	set Fd 2" I.P & in S Gale Ave pvt pg 83
+	3598	/	3421	/		
⊼	390576	+0020	0019	+0.020		
−	3578		3402			
set TBM 53	386998				386.998	set Fd L&T SWcor conc walk box 57.27 ft N of TBM 53 shown pg 83 Marked with orange colored paint "TBM 53W" no ref.
+	3742	/	3639	/		
⊼	390740	+0368	0366	+0.367		
−	3374		3273			
set TBM 54	387366				387.365	set Fd 1X2 & 4 @ Adx X pg 83, 181
+	9567	/	9647			
⊼	396933	+9259	9259	49.259		
−	0308		0388			
T.P.	396625				396.624	1X2 Ah.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 20752 SURVEY OF Los Robles Ave
DATE SURVEY BY L.H.B. Brown DATE 7-29-57
NOTES CHKD. NOTES BY C. Johnson DATE
DATE INDEXED DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	396625				396.624	cont from last pg
+	10629	/	10737			
=	407254	+10208	10210	+10.209		
−	0421		0527			
T.P.	406833				406.833	1X2 on hillside
+	11550	/	11765	/		
=	418383	+11309	11310	+11.310		
−	0241		0455			
T.P.	418142				418.143	1X2 on hillside
+	11538	/	11707			
=	429680	+10894	10897	+10.896		
−	0644		0810			
T.P.	429036				429.039	1X2 on hillside
+	9409	/	9583	/		
=	438445	+9004	9004	+9.004		
−	0405		0579			
T.P.	438040				438.043	1X2 on hillside
+	~~8943~~	+5314	8802	8665		
=	~~446983~~	~~+5319~~	5313	+5.314 / 5314		
−	~~3621~~		3489	3351		
Set TBM 55	443354				443.357	Set ⊕ 1X2 ft ⊕ Aux IX = T1 pg 83
+	1017	/	0928	/		
=	444371	-9046	-9044	-9.045		
−	10063		9972			
T.P.	434308				434.312	1X2 on hillside
+	4673	/	4772	/		
=	438981	-0477	-0479	-0.478		
−	5150		5251			
T.P.	433831				433.834	1X2 on hillside

F.B. 2241 Pg. 193
J. F. McMILLAN

768420 S & S-283 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 007526 SURVEY OF Los Roble Ave NOTES RED
SURVEY BY L.H.B. DATE
NOTES BY J.A.B. DATE 7-29-57 NOTES J.C. McMILLAN DATE
INDEXED J. C. Johnson DATE

F.B. 2291 Pg. 194

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	433831				433.834	cont from Last pg
+	7144	/	7092			
−	440975	+1436	1437	+1.436		
⊼	5708		5655			
set T.B.M 56	435267				435.270	set Fd. 2" I.P. E line TR. 1343' TR 4005
+	11896	+10731	11988	11888		pg 83. dn 2"
⊼	447163	+10730	10730	10731		
−	1158		1258	1157		
T.P	445998				446.000	1x2 on hillside
+	10740	+10212	10962			
⊼	456738		10214	+10.213		
−	0528		0648			
T.P.	456210				456,213	1x2 stk on hillside
+	11805	/	11695			
⊼	468015	+9217	9217	+9.217		
−	2588		2478			
T.P.	465427				465.430	set on top cont. wall boo
+	6658	/	6682			
⊼	472085	+1210	1212	+1.211		
−	5448		5470			
TBM 57	466637				466.641	set Fd 2" I.P. ODA T shown pg 82
+	7874	/	7755			used A (lower side)
⊼	474511	-2559	-2558	-2.558		ground 2' NW is 0.13' Lower.
−	10433		10313			
T.P.	464078				464.083	1x2 on hillside
+	6807	/	6688			
⊼	470885	+2728	2727	+2.728		
−	4079		3961			
T.P.	466806				466.811	1x2 on hillside

768420 S & E-383 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 20725-26 SURVEY OF Los Robles Ave
DATE _____ SURVEY BY C.H. Brown
NOTES CHKD McMILLAN NOTES BY J.H.B. DATE 4/29/57
DATE _____ INDEXED H. C. Johnson DATE _____

F.B. 2241 PG. 175

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	466806				466.811	1X2 cont fr last pg
+	2706	1	2832			
⊼	469512	-8727	8726	-8.726		
—	11933		11558			
T.P.	458079				458.085	1X2
+	6749	1	6668			
⊼	464828	+5620	5620	+5.620		
—	1129		1048			
T.P.	463699				463.705	1X2
+	8318	1	8222			
⊼	472017	+3610	3612	+3.611		
—	4708		4610			
T.P.	467309				467.316	1X2
+	4993	1	4855			
⊼	472252	+1071	1072	+1.072		
—	3972		3783			
set T.B.M	468380				468.388	set Fd ¾" I.P. 20.08 ft Tg per pg 81
58 +	6760	1	6589			
⊼	475140	+4538	4539	+4.538		
—	2222		2050			
T.P.	472918				472.926	1X2
+	5538		5976			
⊼	478806	-0915	0914	-0.914		
—	6803		6890			
Fd TBM 20	472003				472.012	Fd. TBM 20 Elev = 471.992 (1st run unadj.) pg 133
+	5352		5290			Pg pg 80 1" I.P. dn 29
⊼	477355	+0941	0440	+0.440		near n/s TR LINE & ℄ Los Robles Ave
—	4911		4850			
Fd TBM 21	472444				472.452	Fd TBM 21 Elev = 472.441 (1st run unadj) pg 133. BT spk in walk to No. 14410

F. B. 2241 Pg. 197

NOTES RED. • JOB NO. 0075.26 SURVEY OF LOS ROBLES Ave.
DATE SURVEY BY J. H. Brown
NOTES CHKD M. MILLAN NOTES BY J. H. B. DATE 8-2-57
DATE INDEXED C. Johnson DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
					CIRCUIT #6	0075.26 LOS ROBLES AVE. BENCH LEVELS from BM 11-125 to FLOOD CONTROL MON. BM 99-610 8-2-57 J.H. Brown K.M. Kapp C.H. Hill H.C Router

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S ★ E-353 4-54

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 2225.26 SURVEY OF 405 ROBLES AVE. NOTES RED
SURVEY BY J.H.E. DATE J.F. McMILLAN
NOTES BY J.H.E. DATE 8-2-57 NOTES CHKD
INDEXED C. Johnson DATE
F.B. 2224/Pg. 198

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Fd BM 11-125	242.472				242.472	Fd BM 11-125 Elev = 242.472 FB 1376-112
+	5682	/	5427			Workman Mill Rd. 0.45 mi. SW. U.P.R.R.
⅄	248.154	+3174	31.75			C.S. br. Sap Mon. dr. 10" in H.H., Stamped
-	2508		2252			"BM 11-125 1952 R.E. 63"
set T.P	245646				245.646	set bt spk in tel. P. No # UP 1/2
+	1749	/	1865			
⅄	247395	-1578	-1578			
-	3327		3443			
TBM 9	244068				244.068	Fd Ct spk + W 2' above ground Elev = 244.097 (Not Known Yet) Tel P. # 1090-Y
Fd BM 11-125	242 472				242.472	Fd BM 11-125 see above.
+	~~6793~~		7416	7554		
⅄	~~249.265~~	~~-0385~~	0.391	-0393		
-	~~7178~~		7025	7161		
set TBM #59	~~242.087~~ 242.079				242.079	set Fd spk w ⊄ T dn 1 ft. 54.59' on ℄ prod. to North. pg 22
+	5135	/	5052			
⅄	247.22~~3~~ 14	+0.693	0.691			
-	4442		4361			
T.P.	242.7~~80~~ 72				242.771	set B.T. spk in N. side P.P. #927019E up 1' on N. side Workman Mill Rd.
+	2118	/	2042			
⅄	244.87~~2~~ 9	+1.559	1.560			
-	0559		0462			
T.P.	244.33~~2~~ 1				244.331	set B.T. spk. in N. side P.P. #927020E up 1' on N. side Workman Mill Rd.
+	1913	/	1878			
⅄	246.25~~5~~ 23	+1.508	1.508			
-	0405		0270			
T.D	245.8~~49~~ 77				245.839	set Lg B.T. spk 1' N. side P.P. #619732E up 1' N side WORKMAN MILL Rd. at Pellissier Dairy

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2025.26 SURVEY OF 605 FREEWAY MISC.
DATE SURVEY BY J. H. Brown
NOTES CHKD. McMILLAN NOTES BY J. H. B. DATE 8-5-57
DATE C. Johnson DATE
INDEXED

F.B. 2241 Pg. 197

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	245.839				245.839	See Last pg
+	3.569	/	3508			
T	249.408	-1309	-1309			
-	4.878		4817			
TBM #60	244530				244.530	Set TBM #60 Elev. Set ig BT spk in conc curb at base of ret wall bet. Pellisier Dairy Farms Building & driveway to front entrance. 6' NE of SW end Middle of 10" wide curb up. 05 above driveway
	4772	/	4696			
	249302	-2717	2716			
	7489		7362			
~~TBM~~	~~241821~~					
TBM #61	241813				241.814	Set TBM #61 Elev. =
+	4962	/	4909			
T	246775	+4024	+4024			Fd brass cap Flood Control Mon stamped "BM 99-610". Fl. with top of conc. at NW end of 2' culvert. 2' SW of center of pipe & 8" SE of NW edge. No ref
-	0738		0885			
T.P.	245837				245.838	BT spk PP # 619732E See above Pg. 198
+	0450	/	0450			
T	246297	-1508	1508			
-	1968		1958			
T.P.	244329				244.330	BT spk PP # 927020E See above Pg. 198
+	0368	/	0770			
T	245197	1555	1556			
-	2423		2326			
T.P.	242774				242.774	BT Spk PP # 927017E shown Pg. 198

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 2275-26 SURVEY OF LOS ROBLES AVE. NOTES RED. DATE
SURVEY BY T.H. Brown DATE 8-5-57 NOTES BY T.H.B. DATE
INDEXED C. Johnson DATE NOTES BY K.D. MACMILLAN DATE

F.B. 2241 Pg. 200

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	242774				242.774	cont fr. last pg
+	4396		4202			
T	247170	-0.692	0690			
−	5089		4892			
~~TBM 59~~ TP	242082				242.084	8d. spk. in conc. dr. 6" Sec Fig. #2
+	7470	/	7368	/		
T	249552	+0.390	0391			
−	7080		6977			
Fd BM. 11-125	24 2472				242.474	B.M. 11-125 Elev. 242.472 FB 2241-198 for accum. FB 1376-112
+	5615	/	5557	/		
T	248087	+1.593	1596			
−	4022		3961			
Fd TBM 9	244065				244.068	Fd TBM 9 Elev = 244.097 (12t run unadj.) per pg 29 Lg. bk. spk. in Tel. P. # W-1090-Y
+	3456	/	3302	/		
T	247523	-1.289	1289			
−	4747		4591			
Fd TP 19	242.776				242,779	Fd sm bk spk in pvmt per pg 29. Elev = 242.807 12t run unadjas +

(Note: BM 11-125 appears to be rising.

F. B. 2241 Pg. 201

NOTES RED JOB NO. 2075.26 SURVEY OF LOS ROBLES AVE.
DATE SURVEY BY J.H. Brown
NOTES CHKD. J. MILLAN NOTES BY J.H.B. DATE 8-5-57
DATE INDEXED C. Johnson DATE

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						BENCH LEVELS
						Set Elevation on
						Flood Control MON.
						"BM 99 F 48."
					d.V. Brown K.M. Kapu	C.H. Hill H.C. Rocket
				Aug. 5, 1957		
			CIRCUIT #7			

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E 353 4-54

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 22756 SURVEY OF East Rosemead Blvd NOTES RED
SURVEY BY J.H. Brown DATE NOTES CHKD
NOTES BY J.H.B. K.C. Johnson DATE 2-5-57 DATE
INDEXED DATE

B. 2341 Pg. 202

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Fd TBM 7	237.836				237.838	Fd TBM #7 Elev = 237.838 (1st run only)
+	5141	/	5091			pg. 28 & 29
⊼	242977	+1532	1533	+1.532		Workman Mill Rd NW side Fd
−	3609		3558			brass capp Mon on & Prod
						52.5' N'ly from P.I. as shown pg 28
						Marker "STATE OF CALIF DIV. OF
						HWYS." dn 10' below surface of
						road at P.I.
Fd TBM C	239368				239.370	Fd TBM #6 Elev = 239.379 (1st run only)
+	3545	/	3488			pg 28 (TBM #'T' pg 239)
⊼	242913	-2583	-2582	-2.582		Fd L.S. Tag in CT @ PI
−	6128		6070			WORKMAN MILL RD N'ly pgs
	~~236785~~					19 & 28.
Fd TBM ~~C~~ 6	236785				236.788	Fd. br. cap. Mon.
+	5127	/	5175			Workman Mill Rd. NW side
⊼	241912	+3979	3977	+3.978		in w end of headwall on N side
−	1198		1198			San Jose Creek Std FLOOD
Fd TP	240764				240.766	CONTROL MON stamped "BM 99F48
						No ref.
						— LET in conc wall

RERUN 4/58 / See circuit #11 pgs 239 & 240

Notes Ck'd by
Map No.
Office Work
Checked JFMcM
Date

Survey of LOS ROBLES AVE F. B. 2211 Pg. 203
JN 007526 Tape 84 Std 84 °F
Surveyed by J. W. Brown
Notes J. W. B Date 3/26/58
Indexed A. O. Johnson 4-8-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes or This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76P3098 CE #247—9-57


TRANSIT @ BP 10 Elev =
BP 10 Elev =
Set 1" Capped I.P. 5' Southerly from ℄ of side walk on side of hill 22' below curb on barbed pole out
BP 10-A Elev =
Set nail in thread of stream flush
3137.14 (Calc)
Same
TRACT
Set nail
Set Nail & Tag
Set I.P. & Tag
Set nail & tag
Set nail & tag
Set nail &

F.B. 2241 Pg. 204

BP-9

Set 1" (capped) I.P. dn 6" ± to 10' barbed pole ouet.

2) 46° 31' 00"
4) 93 02 20
6) 139 33 40
Avg. 23 15 36⅔

23 15 30
23 15 36

1177.33 / .39490866 = 2981.272'

X .854 11862 = 2546.36
X .990 07959 = 2951.70'

sin = .394 908 66
23° 15' 37"

2951.70' (calc)

2546.36 (calc)

TR. 4005, Lot B

BP-9

Re-run 4/21/58

2) 242 40 30
4) 125 21 10
6) 08 01 20
Avg = 121 20 13⅓

Avg I 121 20

sin = .854 11862 (calc)
50° 39'

15"

Not to Scale

20'

2) 292 40 40
4) 125 22 00
6) 08 02 20
Avg) 121 20 23⅓

45 40

sin = .990 07959
98° 04' 38"
(Not to Scale)

2) 194 09 30
4) 32 18 40
6) 228 27 50
Avg) = 98 04 38⅓

10 2 9.69 (calc)
Pg 85

1177.33 Rec.

Fd P-4
1" I.P. Stg dn 6"
Pg. 125

45 68 77
33 91 44
11 77 33

23 15 37
58 39 17
98 04 38
180 00 02

Fd P-5
1" I.P. Stg dn 6"
Pg 124

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked J.F.McM.
Date

Survey of Los Robles Ave
JN 2075 24 Tape 84 Std 44 °F
Surveyed by J.N.Brown
Notes J.N.B. Date 3/31/58
Indexed E.C. Johnson

F.B. 2241 Pg. 205

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3008 CE #247—9-57

BP 7

1357.14 / .784 689 22 = 1729.525

1729.525 X .861 717 73 = 1490.362
1729.525 X .932 311 53 = 1612.456

To Aux III
Pg 180 ℄ 206

TR. 2712

BP 7
Set 1" I.P. (capped), dn 12"
& 10' barber pole ac en
(Elev = 280.75 chic)

1612.46 (calc)

2) 103-23-00
1) 206-45-50
3) 310-08-40
Aug = 51-41-26 3/4

Set nail & T up 14" in
4x4 fence post

1490.36 (calc)

To Aux III
Pg 180 ℄ 206
68922
104 41
51.00

S 32° E R-11 fence

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


E.B. 2241 Pg 206
To BPG. Pg 180.
Tape 494.51 @ 84°
72.00
15.47
15.89
27.59
22.62
88.37
-.01 (Error)
88.36
88.36 = 08.36
Ang
1612.46 Calc
To BP 7 Pg 205
To BP 7 Pg 205
To BP 7 Pg 205
TR. 2712
Pg 207
Pg 207
Pg 207

76F3098 CE #247—8-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked J.F.McM
Date

Survey of L.A. Rowles Ave
JN 2.5-26 Tape 84 Std 84 of
Surveyed by U. H. Brown
Notes U. H. B. Date 7/58
Indexed E. O. Johnson

F. B. 2241 Pg. 207

TBM #65
Set sm bt spk top storm drain head wall.

OPEN STORM DRAIN

① 1301.02 Lev (T= 72) = 1300.92
② 1301.03 Lev (T= 72) = 1300.93
Avg = 1300.925

WATER PUMP HOUSE

TR. 2712

② 115.51.40
① 231 43 00
Avg 57 55 46.5 W

126.92 M

L 5.0

55

37 (Calc)

1300.92 Meas

RP

ASPHALT

Set bt spk & Tin. on line

1621.77 Meas

Set bt spk & tin. on line

1495.085 Lev (T= 72°) = 1494.965
② 1495.105 Lev (T= 72°) = 1494.985
Avg = 1494.975

1495.07 (Calc)
1494.97 Meas

TO Avenue
Pg 206

Cont. Pg. 208

① 42.11 84.21 126.92 T.Sam 82 126.80

② 42.72 84.10 126.82 T.Sam 82 126.80

LEVEL RD.

F.B. 2241 Pg. 208

① 1078.90 Lg. (T= 60) = 1078.73
② 1078.90 Lg. (T= 60) = 1078.73
Avg = 1078.73

-FA L&T in Conc. base of Signal Control Vault Marked

4.54 M.

To TBM #1 Pg. 209

TR. 2712

1078.73 (M.)

1019.27

Set 1" (capped) I.P. dp 12" below surface of sub-grade. on Line bet. L&T & TBM #65

TBM #66

To 3/4" I.P. (TBM #1) 18.59 E of ℄ WORKMAN MILL RD pg 209

Ret Run

2) 221 33 20
4) 83 07 00
6) 304 40 40
Avg 110 46 46⅔

2) 221 33 30
4) 83 06 40
6) 304 40 20
Avg 110 46 43⅓

2) 77 52 40
4) 154 05 00
6) 231 07 40
Avg 38 31 16⅔

43'
47
38° 31'
46
110°
110
80' (±10)
72° 15'
1300.92 (M.)

1442.997
1442.970
1442.95
1442.951

1078.73 X sin 93° 11' 52" / sin 48° 16' 52" = 1442.997

900.09 X sin 93° 11' 52" / sin 38° 31' 15" = 1442.970

1621.87 X sin 57° 55' 37" / sin 72° 15' 30" = 1442.95

1300.92 X sin 57° 55' 37" / sin 19° 48' 53" = 1442.951

TO TBM 65 Pg 207

U.P. R.R.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Los Robles Ave
Map No.	JN 007.5.22 Tape 84 Std 84 °F
Office Work	Surveyed by J. H. Brown
Checked JFMcM	Notes J.N.B. Date 4/58
Date	Indexed C. Johnson

F. B. 2241 Pg. 209

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #247—3-57



F. B. 2241 Pg. 210

FA P-16 pg. 101
I.P. Stg. dn. 6"

1649.13
1514.48
1272.65

2) 121 31 00
4) 243 01 50
6) 64 32 40
Avg = 60 45 26 3/3

1272.65 / .946 594 56 = 1344.451

1344.451 X .872 565 22 = 1173.11

1344.451 X .743 760 88 = 999.95

Not Meas.

R.P.

Sin .872 565 22 / 60° 45' 25"

Point on LINE.
Set 1x2 ¢ in Pl on line by wiggle

1272.66

Sin = .743 760 88 / 48° 03' 10"

Not Meas.

1173.11

Not Meas.

Sin = .946 594 56 / 71° 11' 25" (calc)

Not Meas.

2) 142 23 00
4) 284 46 00
6) 67 08 40
Avg 71 11 26 2/3

2) 96 06 30
4) 192 12 30
6) 288 19 00
Avg = 48 03 10

T.R. 2712

Set BP 8
Set 1" (capped) I P dn ℄
±10' barbed pole over

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Los Robles Ave
Map No.	JN 0075 26 Tape 125 Std 64 °F
Office Work	Surveyed by J. H. Brewer
Checked J F M M	Notes U. N. 13 Date 7/58
Date	Indexed E. C. Johnson

F. B. 2241 Pg. 211

Fd "EL MONTE U-10 AUX" 3 per FB 1376-111

EXISTING WORKMAN MILL RD

TBM #67 Fd 3/4" I.P. Rec. FB 1678-141

TBM "AB" Fd 3/4" I.P. per FB 1878-143.

Fd spk. w.t. per FB 1878-143.

1248.16 Rec.

100.00 Rec.

Proposed WORKMAN MILL RD

TR. 18476

CAMBRAY DR.

180' approx.

MILL RD

U.P. R.R.

Fd 2x2 per FB 1878-181 on line

41.40 M & Rec

Fd 3/4" I.P. conc plg & br. brad per FB 1878-181

R.S. 73-50

WORKMAN MILL RD

TBM "Z" Set 1" I.P. & bt. spk dn. 12" on ℄ prod from N end. dist. Set 2x2 & n out 3.00 NE ℄ WW

Fd 1½" I.P. used dr.

①	Level	②
74.39	T=56°	74.575
113.25		113.06
187.64		187.635
T. Corr. .03		T. Corr. .03
187.61		187.605
Avg. = 187.61		

This Area under const.

Same.

Set nail & t. 25.13 M

Fd 3/4" I.P. & R.S. 73-50

Sd. 1½" I.P. Approx prop. cor.

8.09 Meas.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #247 3-57

F.B. 2241 Pg. 212

TRACT 4005 LOT A

Fd Aux V (1x2 in. flush.
Replaced with 1" capped I.P. dn 1'
c barber pole over.



33 02 00
58 10 50
58 47 10
180 00 00

126 99 23
116 28.65
10 70 58

1070.58 / .545 126 86 = 1963.910

1963.91 X .999 495 84 = 1962.92
1963.91 X .855 238 66 = 1679.61

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3088 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BP 10 F.B. 2241 PG 203 H.I. +5.05

Sight on	Rod	+ Vertical ± Angle	Horizontal Distance	+ Vertical ± Distance	+ Curvature Correction	± Difference = Elevation	Adjusted Diff. Elev.
TBM 64	9.00	D -7°22'40"	3137.14	-406.21			
		R -7°22'40"		- 3.95			
		Tan = 0.129482 75		410.16			
		Avg 7°22'40"					
	6.22	D -7°26'00"		-409.45			
		R -7°26'20"		- 0.95			
		Tan = 0.130 518 26		410.40			
		Avg 7°26'10"					
TBM 63	9.00	D -7°24'20"	2721.13	-353.81			
		R -7°24'40"		- 3.95			
		Avg 7°24'30"		357.76			
		Tan = 0.130 025 28					
	4.00	D -7°31'00"		-359.05			
		R -7°31'00"		+ 1.05			
		Avg -7°31'00"		358.00			
		Tan = 0.131 748 44					

TRANSIT AT STA TBM 64 / FB 2241 Pg 203 HI + 5.05

BP 10	10.00	D +7°32'00"	3137.14	+414.87			
	50' P.T. 222	R +7°32'00"		- 4.15			
		(Tan = 132 241 201)		410.72			
		Avg +7°32'00"					
	4.00	D +7°25'20"		+408.52			
		R +7°25'00"		+ 1.85			
		Avg +7°25'10"		410.37			
		(Tan = .130 221 59)					

RE-RUN on pg. 222

Notes Checked by _____
Map No. _____
Office Work _____
Checked J. F. McMILLAN
Date _____

Survey of Los Angeles Area
W. O. 0005-1F Tape No. _____ Std. 24
Surveyed by H.H.B. - H.C.R. Date 4/1/62
Notes H.H.B.
Indexed H. C. Johnson

F.B. 2241 Pg. 213

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TBM 62 F.B. 2241 PG 203 H.I. + 6.61

Sight on	Rod	Vertical Distance	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
BP10	9 40	D + 7° 32' 40" R + 7° 32' 40" Avg + 7° 32' 40" TAN = 0.132 441 73	2721.13	+ 360.39 - 2.39 358.00			
	2 00	D + 7° 24' 00" R + 7° 23' 50" Avg + 7° 23' 55" (TAN = 0.129 852 67)		+ 353.35 + 4.61 357.96			

TRANSIT AT STATION AUX VII FB 2241 PG 206 H.I. = 5.38

BP7	9 00	D + 1° 53' 20"	1490.36				
		R + 1° 53' 00" Avg + 1° 53' 10" TAN = .032 930 74		+ 49.08 - 3.62 45.46			
	4 00	D + 1° 41' 40" R + 1° 41' 20" (TAN = 0.029 533 73) Avg 1° 41' 30"		+ 44.02 + 1.38 45.40			

TRANSIT AT STATION BP9 FB 2241 PG 204 HI + 5.77

BP5	9 00	D - 10° 38' 40" R - 10° 39' 00" TAN = 0.187 998 10 Avg -10 38 50	2546.23	- 478.69 - 3.23 481.92			
	1 00	D - 10° 49' 00" R - 10° 49' 20" Avg - 10 49 10 TAN = 0.191 111 94		- 486.62 + 4.77 481.85			

F.B. 2241 PG 2/4

26F2095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BP 7 F.B. 2241 PG 207 H.I. + 5.75

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
Aux I	10.00	D - 1° 00' 00"	1612.46	- 28.15			
		R - 1° 00' 00"		- 4.25			
		Avg - 1° 00' 00"		32.40			
		Tan = .0174 5507					
	4.00	D - 1° 12' 00"		- 33.85			
		R - 1° 12' 20"		+ 1.75			
		Tan = .0209 9551		- 32.10			
		Avg - 1° 12' 10"					
TRANSIT AT STATION			BP 7	FB 2241	PG 207	H.I. 5.71	
Aux I	9.00	D - 1° 37' 20"	1490.36	- 42.21			
		R - 1° 37' 20"		- 3.29			
		Avg - 1° 37' 20"		45.50			
		Tan = .0283 2069					
	5.00	D - 1° 46' 40"					
		R - 1° 46' 40"		- 46.26			
		Avg - 1° 46' 40"		+ 0.71			
		Tan = .0310 3810		- 45.55			
TRANSIT AT		STATION Aux I	F.B.	2241 PG.	85	H.I. + 6.02	
P4	-9.00	D. - 8° 39' 00"	1029.69	- 156.66			
		R. - 8° 39' 00"		- 2.98			
		Avg. = 8° 39' 00"		- 159.64			
		Tan = .1521 2953					
	-1.00	D. - 9° 05' 00"		- 164.67			
		R. - 9° 05' 20"		+ 5.02			
		Avg. = 9° 05' 10"		159.65			
		Tan = .1599 2541					

Plus = 563.432
Pg 135

Notes Ck'd by
Map No. Sh'd. 24 of
Office Work
Checked J. F. McMILLAN
Date

Survey of Los Robles Ave
W. O. Type No. Sh'd. 24 of
Surveyed by W. H. Hansen Date 1/54
Notes
Indexed A. C. Johnson

F.B. 2241 Pg. 215

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION AUX. I F.B. 2241 PG 85 H.I. + 6.02

Sight on	Rod	+ Vertical ± Angle	Horizontal Distance	+ Vertical − Distance	+ Curvature Correction	± Difference − Elevation	Adjusted Diff. Elev.
P5	9 00	D. -2° 28' 20"	2209.07	- 95.40			
		R. -2° 28' 40"		- 2.98			
		Avg. = 2° 28' 30"		-98.38			
(Elev = 624.413 PI +8+)		Tan. 0.043 223 79					
	1 00	D. -2° 41' 20"		-103.54			
		R. -2° 41' 00"		+5.02			
		Avg. = 2° 41' 10"		-98.52			
		Tan = 0.046 915 86					

TRANSIT AT STATION BP-2 FB 2241 PG 182 H.I. 5.40

P4A	6.07	D - 7° 54' 00"	1314.32	-182.38			
		R - 7° 54' 00"		- 1.47			
		Avg = 7° 54' 00"		-183.85			
		Tan = .138761 47					
	2 88	D. - 8° 02 40		185.82			
		R. - 8° 03' 00"		+ 2.52			
		tan = .141 381 90		183.30			
		Avg. = 8° 02 50					
P4	9 00	D - 12° 03' 20"	999.26	- 211.33			
		R - 12° 03' 40"		- 3.60			
		Avg 12° 03' 30"		214.93			
		Tan = .213 620 90					
	1 00	D - 12° 30' 20"		-219.46			
		Rt - 12° 30' 40"		+ 4.40			
		Avg - 12° 30 30"		215.06			
		Tan = .222 184 41					
(Elev = 543.439 PG 135)							

F.B. 2241 Pg. 216

76F3095 SAE #247. B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BP 9 F.B. 2241 PG 204 H.I. +5.77

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
P4	9 00	D - 10 22 00 R - 10 21 40 Avg - 10° 21' 50" Tan = .182 982 93	2951.47	-539.77 - 3.23 543.00			
	1 00	D - 10 30 46 R - 10 31 00 Avg - 10° 30' 50" Tan = 185 599 79		547.76 + 4.77 542.99			
TRANSIT AT	STATION	D 5	FB 2241	PG 204, 124 136		H.I + 5.53	
AUX I	9 00	D + 2° 38' 40" R + 2° 38' 40" Tan = 046 187 07 Avg + 2° 38' 40"	2207.07	+ 101.94 - 3.47 98.47			
	2 00	D + 2° 28' 00" R + 2° 27' 40" Avg + 2° 27' 50" Tan = 043 029 50		91.97 3.53 + 98.50			
BP 9	9 00	D + 10° 47' 50" R + 10° 48 00" Avg + 10° 47' 55" Tan = .190 735 07	2546.23	+ 485.66 - 3.47 482.19			
	2 00	D + 10° 38' 40" R + 10° 38' 40" Avg + 10° 38' 40" Tan = 187 947 89		+ 478.56 + 3.53 482.09			

Notes Ck'd by
Map No.
Office Work J. F. McMILLAN
Checked
Date

Survey of Los Angeles Aux
W. O. Tape No. Sr'd. 24 of
Surveyed by H. H. Brown
Notes Date 4/58
Indexed L. O. Johnson

F.B. 2241 PG. 217

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION P4 F.B. 2241 PG 209, 135 H.I. +5.83

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
BP9	9.00	D + 10° 28' 40"	2951.47	+545.84			
		R + 10° 28' 40"		- 3.17			
		Avg + 10° 28' 40"		+542.67			
		Tan = .184 937 91					
	2.00	D + 10° 21' 00"		+539.03			
		R + 10° 21' 20"		+ 3.83			
		Avg + 10° 21' 00"		+542.86			
		Tan = 182 632 49					
AZI	9.00	D + 8° 58' 40"	1029.69	+162.73			
		R + 8° 59' 00"		- 3.17			
		Avg + 8° 58' 50"		159.56			
		Tan = 158 036 68					
	2.00	D + 8° 36' 00"		+156.78			
		R + 8° 36' 20"		+ 3.83			
		Avg + 8° 36' 10"		+159.61			
		Tan = 151 285 38					
TRANSIT AT STATION P12 FB 2241 PG 212, 108, 158 H.I 3.34							
AUX IC	9.00	D - 8° 13' 00"	1679.61	-242.62			
		R - 8° 13' 20"		- 3.66			
		Avg - 8° 13' 10"		246.28			
		Tan = .144 448 69					
	2.00	D - 8° 27' 40"		-249.95			
		R - 8° 28' 00"		+ 3.34			
		Avg - 8° 27' 50"		246.61			
		Tan = .148 806 73					

F.B. 2241 Pg. 212

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION AUX II F.B. 2241 PG 212 H.I. +5.35

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
P12	9.00	D + 8°28'30"	1679.61	+250.23			
		R + 8°28'20"		- 3.65			
		Avg 8°28'25"		246.58			
		tan = 148 98018					
	3.00	D + 8°16'40"		244.28			
		R + 8°16'20"		+ 2.35			
		Avg 8°16'30"		246.63			
		tan = 145 43864					
P13	9.00	D + 2°09'20"	1962.92	+ 73.98			
		R + 2°09'40"		- 3.65			
		Avg + 2°09'30"		+ 70.33			
		tan = .037 68785					
	5.00	D + 2°02'20"		+ 69.98			
		R + 2°02'40"		+ 0.35			
		Avg + 2°02'30"		+70.33			
		tan = .035 64889					

TRANSIT AT STATION P-13 F.B. 2291 P.G. 161 212, 106 H.I. 5.19

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
AUX II	9.00	D - 1°56'30"	1962.92	- 66.50			
		R - 1°56'20"		- 3.81			
		Avg - 1°56'25"		- 70.31			
		tan = 033 87725					
	1.00	D - 2°10'20"		- 74.36			
		R - 2°10'00"		+ 4.19			
		Avg - 2°10'10"		70.17			
		tan = .037 98205					

Notes Ck'd by
Map No.
Office Work
Checked J. F. McMILLAN
Date

Survey of Los Robles Ave
W. 8.73 ± Tape No. Std. 04 of
Surveyed by H. W. B. Date 4/52
Notes H. W. B.
Indexed R. C. Johnson

F.B. 2241 PG. 217

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BP #1 F.B. 2241 PG 184 H.I. +5.19

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	± Difference - Elevation	Adjusted Diff. Elev.
AVZ H (39 184)	11.00	D - 10°08'20"	451.39	- 80.70'			
		R - 10°08'00"		- 5.81'			
		Avg - 10 08 10		86.59			
		Tan = .178 777 45					
	2.00	D - 11°15'00"		- 89.76'			
		R - 11 14 40"		+ 3.19'			
		Avg - 11°14 50"		86.57'			
		Tan = .198 961 97					
AVZ K (39 184)	11.00	D - 19°01'00"	396.79	- 136.75'			
		R - 19°01'00"		- 5.81'			
		Avg - 19°01'00"		142.56'			
		Tan = .344 653 03					
	1.00	D - 20°17'40"		- 146.73'			
		R - 20°17'40"		+ 4.19'			
		AVG 20 17 40		- 142.54'			
		Tan = .369 800 99					
TRANSIT AT STA BP 5 FB 2241 PG 179-186 HI = 5.68							
PI4	9.00	D 4° 07' 20"	246.33	+ 178.01'			
		R 4° 07 10		- 3.32'			
		Avg 4° 07 30		174.69'			
		Tan = .072 119 48					
	3.00	D 3° 59' 20"		172.00'			
		R 3 59 06		+ 2.68'			
		Avg 3 59 10		174.68'			
		Tan = .069 683 23					

F.B. 2241 PG 220

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BP 3 F.B. 2241 PG 178 H.I. +5.01

Sight on	Rod	± Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	± Difference Elevation	Adjusted Diff. Elev.
P11	9.00	D=7° 59' 00"	1908.73	+267.78			
		R=7° 59 20		-3.91			
		Avg=7° 59 10"		263.87			
		Tan=.140 29365					
	2.00	D=7° 46' 40"		+260.80			
		R=7° 47' 00"		+3.09			
		Avg=7° 46' 50"		263.89			
		Tan=.136 637 24					
Acc	6.00	D=14° 26' 00"	1347.24	+347.26			
		R=14° 26' 00"		-0.91			
		Avg=14° 26' 00"		346.35			
		Tan=.257 376 58					
	12.00	D=14° 40' 40"		+353.34			
		R=14° 40' 20"		-6.91			
		Avg=14° 40 30		346.43			
		Tan=.261 878 77					

Notes Ck'd by
Map No.
Office Work
Checked F. F. McMILLAN
Date

Survey of Los Robles Ave
W. O. 1925 Tape No. St'd. °F
Surveyed by W. H. Brown
Notes J. H. B. C. Johnson Date 4/29/59
Indexed

F.B. 2241 Pg. 221

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION (R-Run) IBM "64" F.B. 2241 PG 203; 213 H.I. +6.07

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	Difference Elevation	Adjusted Diff. Elev.
BPNO	10 00	D+ 7°31'00"	3137.14	+414.10			
		R+ 7°31'20"		- 3.93			
		Avg+ 7°31'10"		410.17			
		Tan=131 99277					
	5 00	D+ 7°25'20"		+408.84			
		R+ 7°25'40"		+ 1.07			
		Avg+ 7°25'30"		409.91			
		Tan=130 32156					
TRANSIT AT STA P4 FB 2241 PG 209, 125, 135 H.I. + 5.65							
BP9	1 00	D+ 10°28'40"	2951.70	+515.81			
		R+ 10°28'30"		- 3.35			
		Avg+ 10°28'35"		512.46			
		Tan=184 91284					
	3 00	D+ 10°22'20"		+540.41			
		R+ 10°22'40"		+ 2.65			
		Avg+ 10°22'30"		+543.06			
		Tan=183 08395					
AOX I	9 00	D+ 9°00'00"	1029.69	+163.09			
		R+ 9°00'00"		- 3.35			
		Avg+ 9°00'00"		159.74			
		Tan=158 38445					
	5 00	D+ 8°47'00"	1029.69	+159.15			
		R+ 8°47'20"		+ 0.65			
		Avg+ 8°47'10"		159.80			
		Tan=154 55918					
	B 00	D+ 10-28-10	2951.70	+543.39			
		R+ 10-28-30		- 2.35			
		Avg 10-28-20		543.24			
		Tan=184 83763					

F.B. 2241 Pg 222
B p. 9

76F3098 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION P-16 F.B. 2241 PG 254 H.I.+ 5.54

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	Difference - Elevation	Adjusted Diff. Elev.
check pt ③	3.22	D) -1°50'00"	498.51	-15.96			
		R) -1°50'00"		+2.54			
		Avg) 1°50'00" Tan = .03201		-13.42			
	6.00	D) -1°29'20"		-12.93			
		R) -1°29'00"		-0.46			
		Avg) 1°29'10" Tan = .02594		-13.39			
	TP	Check pt ③		FB 2241	Pg 254	H.I+ 5.24	
P-16	0.00	D) +2°05'28"	498.51	+18.21			
		R) +2°05'40"		-4.76			
		Avg) +2°05'30" Tan = .03653		+13.45			
	2.00	D) +1°10'20"		+10.20			
		R) +1°10'20"		+3.24			
		Avg) 1°10'20" Tan = .02046		+13.44			
	TP ②	P-8		FB 2241 Pg. 257		H.I + 5.88	
check pt ②	5.04	-D) 1°38'00"	1080.7	-30.75			
		-R) 1°37'40"		+.84			
		Avg) 1°37'50" Tan = .02846		-29.91			
	Top of Stk	-D) 1°54'40"		-36.01			
		-R) 1°54'20"		+5.88			
		Avg) 1°54'30" Tan = .03332		30.13			

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 07526 Tape — Std —
Surveyed by W.H. Brown °F
Notes C.H.B. Date 8-58
Indexed

F.B. 2241 PG 113

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION check P-2 F.B. 2241 PG 257 H.I. + 5.18

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
P-3	3.00	D) +1° 28' 20"	1000.7	+ 27.82			
		R) +1 28 40		+ 2.18			
		Avg) +1 28 30		30.00			
		Tan = .02574					
	1.00	D) +1° 22' 20"		+ 25.94			
		R) +1° 22' 40"		+ 4.18			
		Avg) +1° 22' 30"		30.12			
		Tan = .02400					
	At @	STA. P-4	FB 2241	Pg. 258		H.I. 6.14	
check P-1	6.00	D) +2° 26' 40"	875 ℄	+ 37.43			
		R) +2 27 00		+ 0.14			
		Avg) 2° 26' 50"		+ 37.57			
		Tan = .04275					
	3.00	D) +2° 15' 00"		+ 34.40			
		R) +2° 15' 00"		+ 3.14			
		Avg) +2° 15' 00"		37.54			
		Tan = .039290 11					
	At @	STA. Check P-1	F.B. 2241	Pg. 258		H.I. = 4.82	
P-4	6.21	D) -2° 21' 20"	875 ℄	- 35.98			
		R) -2° 21' 00"		- 1.39			
		Avg) 2° 21' 10"		- 37.37			
		Tan = 041 086 82					
	3.66	D) -2° 31' 40"		- 38.61			
		R) -2° 31' 20"		+ 1.16			
		Avg) -2° 31' 30"		- 37.45			
		Tan = 044 098 12					

F.B. 2241 Pg. 224

F. B. 2241 PG. 225

NOTES RED. JOB NO. 007526 SURVEY OF Los Robles Ave.
DATE SURVEY BY J. H. Brown
NOTES CHKD. NOTES BY J. V. B. DATE 9/11/50
DATED F. F. McMILLAN INDEXED L. C. Johnson DATE 5-2-58

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

DESCRIPTION	ADJ. ELEV.	3RD RUN	2ND RUN	DIFF.	1ST RUN	B.M.
BENCH LEVELS To ESTABLISH ELEVATIONS FOR PHOTOGRAMMETRIC CONTROL ON TBM 62 - T-12 - TBM 63 - TBM 64. Circuit # 8 April 11 & 14, 1958	Brown - notes	Kapp - Bronson Level # 55190	NUNEZ - Rod # 21	Reuter Rod # 22		

765420 S & E-353 4-54

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2075.26 SURVEY OF Los Robles Ave. NOTES RED
SURVEY BY L. U. Braun DATE J. F. McMILLAN
NOTES BY T. H. B. DATE 4-14-58 NOTES CHKD.
INDEXED L. C. Johnson DATE DATE

F.B. 2241 Pg. 226

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION #3
Fd TBM #58	468.388					TBM #58 Elev = 468.388 Adj pg 195 9' west and on prod of NW end of conc. Iron pump house (Vallecico Water Co)
+	8.122	/	7.969			
⊼	476.510	+2.970	+2.969	+2.970		
−	5.152		5.000			
Set TBM 64	471.358				471.358	1" capped Iron pipe 8" below ground surface on fence line 27± W of circular water tank. (Vallecico Water Co.
+	7.027	/	7.248			
⊼	478385	+0.657	+0.656	+0.656		
−	6.370		6.592			
Fd TBM 20	472.015				472.014	472.012 pg 195 TBM 20 Adj Elev = 471.983 pg 133 1" I.P. 2' below ground surface 1.7' N of N edge gate post between 2 gate posts near E Los Robles Ave. at Tract line.
+	10.331	/	10.398			
⊼	482 346	+8.178	+8.178	+8.178		
−	2.153		2.220			
TP	480.193				490.192	IX 2 25' W of fence line 250± S of Los Robles Ave
+	9.425	/	9.389			
⊼	489 618	+8.315	+8.314	+8.314		
−	1.110		1.075			
TP	488.508				488.506	IX 2 145± West of fence (TR LINE) & 50± S fence
+	10.988	/	10.887			
⊼	499 496	+7.337	+7.337	+7.337		
−	3.651		3.550			
T.P.	495.845				495.843	IX 2
+	11.382	/	11.267			
⊼	507.227	+10.291	+10.290	+10.290		
−	1.091		0.977			
T.P	506.136				506.133	IX 2
+	9.232	/	9.122			
⊼	515.368	+7.977	7.980	+7.978		
−	1.255		1142			
T P.	514.113				514.111	IX2

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2075.26 SURVEY OF Los Robles Ave
DATE SURVEY BY H. Brown
NOTES CHKD. McMILLAN NOTES BY H.E. DATE 4-14-58
DATE INDEXED C. Johnson DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION
T.P	514.113				514.111	T.P cont from bot' pg. 226
+	8.563		8.377			
⊼	522.676	+7.485	+7.487	+7.486		
—	1.078		0.890			
T.P	521.598				521.597	1 x 2
+	7.079		6.960			
⊼	528.677	+2.217	+2.216	+2.216		
—	4.862		4.744			
set TBM 63	523.815				523.813	1" capped iron pipe dn .18" on TR. LINE. 10± E of fence 117±' N of ℄ of ORANGE GROVE AVE
+	8.412		8.600			
⊼	532.227	+7.600	+7.601	+7.600		
—	0.812		0.999			
set T.P	531.415				531.413	L&T SW cor of conc weir box up 29"; 22' N of ℄ ORANGE GROVE Ave 4' E of TRACT LINE see pg 78
+	4.454		4.362			
⊼	535.869	-0.848	-0.848	-0.848		
set —	5.382		5.210			
TBM "T"	530.567				530.565	1" I.P (capped) dn. 16" shown as T-12 pg 78.
+	5.543		5.458			
⊼	536.110	-0.811	-0.812	-0.812		
set —	6.354		6.270			
T.P	529.756				529.753	L&T in conc headwall E of TR LINE & S side ORANGE GROVE Ave 1.5' from W end of headwall
+	0.635		0.548			
⊼	530.391	-8.172	-8.173	-8.172		
—	8.807		8.721			
set T.P	521.584				521.581	b.t spk in pvmt 1' S of N edge 50'± E of PP # 421302 E
+	1.310		1.248			
⊼	522.894	-5.739	5.740	-5.740		
—	7.049		6.988			
set T.P.	515.845				515.841	b.t spk in pvmt (1' S of N edge) 50'± W PP # 421344 E

F. B. 2241 PG. 227

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 8075.26 SURVEY OF 403 ROBLES AVE NOTES RED
SURVEY BY CL H-B + Count DATE J. F. McMILLAN
NOTES BY H. C. Johnson DATE 4/14/58 NOTES CHKD
INDEXED DATE

F.B. 2241 Pg. 228

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	515.845		4/11/58 PM	check AM 4/14/58	515.841	TP. cont from last pg.
+	4.148		4.081	4.068		
∧	519.993	-3.194	3.195	3.198		
set −	7.342		7.276	7.266		
T.P.	512.651			-3.190	512.645	Lg bt spk & tw opposite
+	0.598		0.517	0.605		pp # 421305E (1'S of N edge pvmt)
∧	513.249	-9.540	9.531	9.540		
set −	10.138		10.078	10.145		
T.P.	503.111				503.105	sm bt spk opp pp #421307E
+	3.765		3.670			(1'S of N edge pvmt)
∧	506.876	-3.194	3.192	-3.193		
set −	6.959		6.862			
T.P.	499.917				499.912	sm bt spk. 1'w of TBM #62
+	3.447		3352			(1'S of N edge pvmt.
∧	503.364	+2.372	2.371	+2372		
set −	1.075		0.981			
TP	502.289				502.289	L, tg & M ORANGE AVE & 7th Ave
+	1.990		1.960			S.E. Cor. 6.4' S of S curb ret.
∧	504.279	-4.567	4.567	-4.567		Tg shown below
−	6.557		6.527			
Set TBM #62	497.722				497.717	



Cont pg 229.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 6075.26 SURVEY OF Los Robles Ave
DATE 11-7-55 SURVEY BY H. D. Allan
NOTES CHKD. NOTES BY C. J. [redacted] DATE 7-14-56
DATE INDEXED DATE

F.B. 2241 PG. 229

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION # 8
Set TBM #62	497.722				497.717	ccal from last pg.
+	1.563		1.513			
⊼	499.285	-6.978	6.976	-6.977		
−	8.541		8.489			
Set TP	490.744				490.740	bk spk in seam bet. pvmt & gut W side 7th Ave. 25' N of N driveway to Ho # 1661
+	0.530		0.462			
⊼	491.274	-8.622	8.623	-8.622		
−	9.152		9.085			
Set T.P	482.122				482.118	7th AVE W side bk spk in seam bet gut & pvmt. opp Middle of Ho. # 1634.
+	1.832		1.766			
⊼	483.954	-6.830	6.828	-6.829		
−	8.662		8.594			
Set T. P.	475.292				475.289	7th Ave W side bk spk in seam bet gut & pvmt opp point 35' S pp & 80S 12 E
+	1.308		1.258			
⊼	476.600	-7.673	7.671	-7.672		
−	8.981		8.929			
Set T. P.	467.619				467.617	7th Ave W. side bl. spk in seam bet gut & pvmt. 29' N of tel. pole (No Number) about 135' S Trans. Pole # 80553
+	1.290		1.238			
⊼	468.909	-7.670	7.669	-7.670		
−	8.960		8.907			
Set T. P	459.949				459.947	
+	1.519		1.463			7th Ave W side bl spk in seam bet gut & pvmt 75' N of pl. opp. Trans P. # 80553
⊼	461.468	-7.743	7.742	-7.742		
−	9.262		9.205			
Set T. P	452.206				452.205	
+	1.343		1.289			7th Ave W side bl spk in seam bet gut & pvmt opp a pt 2' S of P.P # 80S 4E
⊼	453.549	-6.578	6.580	-6.579		
−	7.921		7.869			
Set T. P.	445.628				445.626	7th Ave & Los Robles Ave SW cor ct spk in seam of ch. Middle Chkd.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 1275.26 SURVEY OF Los Robles Ave NOTES RED
SURVEY BY J. H. Brown DATE J. F. McMILLAN
NOTES BY J. C. Nunez DATE 4/11/58 NOTES CHKD.
INDEXED DATE DATE

F.B. 2241 Pg. 230

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	445.628				445.626	cont from last pg.
+	2.488	1	2.417			
⊼	448.116	-0.401	0.401	-0.401		
FA —	2.999		2.818			
TBM 18	445.227				445.225	TBM 18 Adj Elev = 445.222 1st Ave. N.E. Cor Dk spk. to west Dor (N.E Cor) pg 40
+	3.478	1	3.418			
⊼	448.705	-2.005	2.005	-2.005		
—	5.483		5.423			
FS. TBM 17	443.222				443.220	TBM 17 Adj Elev = 443.216 pg 39 PUENTE B-11 ??? Los Robles Ave & 7th St C.S. Mon in H.H. at Ents pg. 39.

O.K. 9M

CIRCUIT NO 9 FOLLOWS
(which establishes Elevation on)
TBM # 68
from TBM # 28 (P-6) ; LR-1 ; & TBM # 29 (P-7)

Brown - notes - Kapp ⊼ - Nunez - rod # 21 - Reeder - rod # 22
April 8, 1958

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 2275.26 SURVEY OF Los Angeles Air
DATE _____ SURVEY BY J.M. Brown
NOTES CHKD. H.E. McMillan NOTES BY J. & C. Johnson DATE 4-21-58
DATE _____ INDEXED _____ DATE _____

F.B. 2241 PG. 231

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION #9
Fd TBM #28	690.291				690.291	TBM #28 Elev = 690.291 FB 2241-138
+	+ 1.912	/	1.613	/		(P-6) pg. 128 1 1/2" I.P.S. Eng tg dng 6"
⊼	692.203	-8.515	8.516	-8.516		in a sandfill at the head of an
—	10.927		10.129			gully w. fr. Los Robles. 5 on a
					/	ridge going NE fr. NIKE STA.
Set T.P	681.776				681.775	1x2 sta. on near end of ridge N
+	0.329	/	10.776	/		of gully.
⊼	692.605	+0.454	0.453	+0.454		
—	10.375		10.323		/	
Set T.P	682.230				682.229	1x2 on hump of sharp "S" shaped
+	2.838	/	2.783	/		ridge
⊼	685.068	-7.174	7.179	-7.179		
—	10.012		9.957		/	
Fd BM LR-1	675.056				675.055	BM L R-1 Elev = 675.056 FB 2241-138
+	8.915	/	8.909	/		pre-cast BM Mon. flush
⊼	683.971	+6.556	6.557	+6.556		on "S" shaped ridge 580' N of
—	2.359		2.352			TBM #29 (above) 925' S'ly from a
						fence along N line of TR. 4005 &
						21
					/	
Set T.P	681.612				681.611	
	6.622	/	6.462	/		
	688.234	+2.925	2.926	+2.926		
	3.697		3.536		/	
Set TBM #68	684.537				684.537	TBM #68 Elev =
	3.831		3.670	/		1" capped I.P. on E side of "S" shaped
	688.368	-2.122	2.922	-2.922		ridge 50' from crest. 20' W of
	6.753		6.592			wild cucumber bush. 363' S'ly from
					/	pt. N line of TR 4005 (fence) crosses
T.P.	681.615				681.615	ridge 6,113' N. of Judd (TBM #28 above)
						(1x2.)

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.26 SURVEY OF Los Angeles Ave. NOTES RED. DATE
SURVEY BY T.H. Brown DATE J.T. McMILLAN
NOTES BY T.H.B. DATE 4-21-58 NOTES CHKD.
INDEXED C. Johnson DATE DATE

F.B. 2241 Pg. 232

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION # 9
T.P	681.615				651.615	
+	2.972	1	2.971			
T	684.587	-6.558	6.556	-6.557		
—	9.530		9.553			
Fd. BM LR-1	675.057				675.058	BM LR-1 Elev. = 675.056 F.B. 2241-138 See last Pg. for descrip.

OK.

F. B. 2291 Pg. 233

NOTES RED. JOB NO. 007526 SURVEY OF Los Robles Ave
DATE SURVEY BY J. H. Brown
NOTES INKED McMILLAN NOTES BY J. H. B DATE 3-25-58
DATE INDEXED L. C. Johnson DATE

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 4-54

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						BENCH LEVELS
						To Points "Z" & "AB" & TBM #67
						for additional
						Photogrametric
						Control
						circuit #10
						Brown notes
					Kapp - Dumpy Level Bronson # 55191 1	
					Nunez - rod # 283	
					Reuter - rod # 282	

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.26 SURVEY OF Los Robles Ave NOTES RED.
SURVEY BY J. H. Brown DATE J. F. McMILLAN
NOTES BY J. H. B. DATE 3/25/58 NOTES CHKD
INDEXED J. C. Johnson DATE

F.B. 2241 Pg. 234

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION #10
Fd BM 11-124	250.295				250.295	BM 11-124 Elev = 250.295 (1952 adj) F.B. 1376-111
+	4.069	/	3.997	/		Near the intersection of Workman Mill Rd & Pellissier Rd
T	254.364	-0.282	0.281	-0.282	/	52' E'ly fr ℄ Workman Mill Rd. prod N'ly
—	4.351		4.278			& 11' N'ly fr ℄ Workman Mill Rd (to East). A std L.A. Co.
						triangulation Mon in H.H. down 16" Marked "EL MONTE J-10 AUX 3 1948 COUNTY SURVEYOR R.E. 329"
set T.P	250.013				250.013	Lg bt spk & tin on E edge of black top. Workman Mill Rd
+	5.039	/	4.973	/		
T	255.052	-0.683	0.685	-0.684		
—	5.722		5.658		/	
set Z'	249.330				249.329	1" I.P dn 26" on proposed ℄ Workman Mill Rd 100.00 E'ly from ℄ existing Workman Mill Rd per FB 1578-141
+	5.799	/	5.712	/		
T	255.129	+3.819	3.819	+3.919		
—	1.980		1.893		/	
set T.P.	253.149			dbl'd 11/19/58	253.148	Bt spk (Fd. no ref) E side pp # 616.72 E (East side Workman Mill Rd).
+	3.458	/	3.109	3.629		
T	256.607	-0.796	0.798	0.799	/	
—	4.254		3.907	4.428		
set T.P.	252.353		(Avg)	-0.799	252.351	Lg Bt spk & tin (FH. no ref) at approx ℄ inter's Cambray drive & Gala ST. flush.
+	5.112	/	5.058	/		
T	257.465	+0.550	0.551	+0.550		
—	4.562		4.507		/	
set T.P	252.903				252.901	Lg Bt spk & T. approx & 1 1/2's CAMBRAY DR. & DELA ST.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED ICNK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 8075 2.6 SURVEY OF Los Angeles Alley
DATE 10-1-54 LANSURVEY BY H. B. Evans
NOTES CHECKED BY H. B. DATE 4/15/58
DATE _____ INDEXED _____ DATE _____

F.B. 2241 PG. 235

CIRCUIT #10

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	252.903				252.901	cont'd. last pg.
+	5.156		5.051			
∑	258.059	+0.746	0.743	+0.744		
−	4.410		4.338			
set T.P	253.649				253.645	Lg BK spk & tin Approx ℄ Int's
+	5.633		5.568			CAMBRAY DR & HOLFORD ST
∑	259 282	+1.343	1.344	+1.344		
−	4.290		4 224			
set T.P	254.992				254.989	Lg BK spk & tin at Approx P.I
+	5.502		5.776			CAMBRAY DR.
∑	260.494	+2.940	2.939	+2.940		
−	2.562		2.837			
T.P	257.932				257.929	1x2. 40'± N P.I Cambray dr (removed.)
+	5.537		5.749			
∑	263.469	+2.795	2.797	+2.796		
−	2.742		2.952			
T.P.	260.727				260.725	1x2 in field
+	5.969		5.750			(removed)
∑	266.696	+0.190	0.191	+0190		
−	5.779		5.559			
set TBM "67	260.917				260.915	P.I. proposed workman Mill Rd
+	4.691		4.692			1298.6' Elg from ℄ Existing Workman Mill Rd
∑	265 558	-0.008	0.008	-0.008		180'± N'ly from CAMBRAY DR.
−	4.649		4.700			3/4" I.P. dn 30" per pg. 21
T.P	260909				260.907	& FB 1878-141
	4.632		4.408			1x2 in field
	265541	+0.709	0.709	+0.709		(removed)
	3.923		3.699			
T.P	261.618				261.616	1x2 in field (removed)

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 2075.26 SURVEY OF Los Feliz Ave. NOTES RED
SURVEY BY T.H. Brown DATE
NOTES BY E.H.B. DATE 4-15-54 NOTES L.H. McMILLAN
INDEXED A. C. Johnson DATE DATE

F.B. 2241 Pg. 236

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION #10
sat T.P	261.618				261.616	cont fr last pg.
+	1.568		1.485			
⊼	263.186	-3.193	3.194	-3.194		
−	4.761		4.679			
sat TBM 70	258.425				258.422	TBM 70
+	2.830		2.917			U.P.R.R. S. side 200'± E of
⊼	261.255	-2.793	2.791	-2.792		E end CAMBRAY ST ch ☐
−	5.623		5.708			in conc. abutment of bridge
T.P.	255.632				255.630	1'N. of S. end of W. side ABUTTMENT
+	3.228		3.319			1X2 S side of tracks
⊼	258.860	-2.527	2.528	-2.528		(removed)
−	5.755		5.847			
T.P	253.105				253.102	rock in peak of conc. culvert
+	5.749		5.612			under U.P.R.R. S end culvert #14.16
⊼	258.854	+1.207	1.205	+1.206		
−	4.542		4.407			
T.P.	254.312				254.309	1X2 (removed)
+	2.433		2.317			
⊼	256.745	-2.269	2.270	-2.270		
−	4.702		4.587			
T.P	252.043				252.038	rock in peak of S. end of conc. culvert
+	4.973		4.880			#14.06 S side U.P.R.R.
⊼	257.016	+2.675	2.678	+2.676		
−	2.298		2.202			
T.P	254.718				254.714	bk sp S end tie opposite
+	2.942		2.749			pp # E 31 E
⊼	257.660	-0.400	0.403	-0.402		
−	3.342		3.148			
T.P	254.318				254.312	spk in S end of tie 1'± W of
						prod of W legs of Tower # M-0 T4

768420 S & E-353 4-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 007526 SURVEY OF Los Robles Ave.
DATE _____ SURVEY BY T. H. Brown
NOTES BY Fred McMillan NOTES BY J. H. B. DATE 4-15-58
DATE _____ INDEXED C. Johnson DATE _____

F.B. 2241 PG. 237

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION # 10
T.P	254.318				254.312	cc. 1 Ω Lost #9.
+	2.901		3.661			
⊼	257.219	-1.329	1.328	-1.328		
−	4.230		3.999			
set T. BM	252.989				252.984	WORKMAN MILL Rd & U.P. RR
#71 +	3.940		4.071			P.K. in conc. headwall culvert &
⊼	256.929	+0.130	0.130	+0.130		13.95' S end. Shown as #16
−	3.810		3.941			to P.D. F.B. 1878-126
set T.P	253.119				253.114	WORKMAN MILL RD S.E.
+	2.842		3.101			side. bt spk in Trans Pole
⊼	255.961	-3.056	3.056	-3.056		#6161? 8 E. up 16" W side
−	5.898		6.157			
set TBM "Z"	250.063				250.058	WORKMAN MILL Rd. E. Side (FB 1878-126)
+	4.009		3.882			129.0' S. of 1st PI 5.0' R.A.
⊼	254.072	-1.619	1.617	-1.618		and on S'ly prod of tangent to
−	5.628		5.499			North about 102.0 E of E P/L of
~~set~~ ?	~~248.444~~					WORKMAN MILL RD & 4.0' S.
set T P	248.444				248.440	of old fence line 1" I.P. & Bt. Spk. dn. 12"
+	0.522		0.388			WORKMAN Mill SE side
⊼	248.966	-4.556	4.557	-4.556		bt spk Tel pole # W 17239 Y
−	5.078		4.945			up 16" NW side
T.P	243.888				243.884	WORKMAN MILL RD S E SIDE
+	3.145		3.408			Bt spk Tel p. W 7241 Y. up 19"
⊼	247.033	+0.365	0.366	+0.366		(S end of conc Headwall is 6.6' NE
−	2.780		3.042			& 0.5' Lower. Illum T.P.)
T.P.	244.253				244.250	WORKMAN MILL RD SE SIDE
						bt spk. up 24" in Tel.p. # W 23171
						W side.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2075.24 SURVEY OF Los Robles Ave NOTES RED
SURVEY BY T.H.B. Brown DATE
NOTES BY T.H.B. C.J. CARLSON DATE 4-15-58 NOTES J.R. McMILLAN
INDEXED DATE DATE

F.B. 2241 PG. 238

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION #13
T.P.	244.253				244.250	Cont'd fr Los ^ pg.
+	2.444		3.326			
T	246.697	-2.418	2.919	-2.418		
—	4.862		4.741			
FA TBM. 61	241.835				241.832	TBM #61 Adj Elev = 241.814 pg 199
+	7.867		5.237			WORKMAN MILL RD N W side
T	246.702	+2.715	2.915	+2.715		FD. CONT. MON. marked BM 79-610 in
—	2.152		2.522			conc. headwall of culvert. 4E of
						Entrance Gate to Pollissian Dairy Farms.
Ed. TBM 60	249.550				244.547	TBM #60 Adj Elev = 244.530 pg 199
						bk spk in conc. sw. by planter +3½'
						S'ly shown porch in front of
						Pollissian Dairy Farms Bldg.
	END OF CIRCUIT					
Following is ELEV. OF BT SPK W of T on WORKMAN MILL RD @ P.I. N. of 5th AVE						
this bk. labeled "AC" FB 1878-117 but is not same point as is labeled "A.C." in FB 2241-22 which elev is shown pg 240						
Ed TBM 59	242.084					TBM 59 Elev = 242.084 pg 200
+	6.470		6.549			Elev = 242.079 pg 198
T	248.554	+1.387	1.386	+1.386		
—	5.083		5.163			
T.P.	243.471				243.470	T.P. bk spk w of +,4 @ 1st P.I. N.
+	4.957		5.109			of 5th in WORKMAN MILL RD
T	248.458	-1.386	1.387	-1.386		SI.
—	6.373		6.496			
TBM 59	242.085			.70	242.084	TBM 59 Elev. = 242.084 F.B. 2241-200

765420'S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 62152.6 SURVEY OF Los Robles Ave
DATE _____ SURVEY BY J.H.B. Brown
NOTES CHKD. _____ NOTES BY J.H.B. DATE 7-16-54
DATE _____ INDEXED _____ DATE _____

F. B. 2241 PG. 239

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION ✱ 11
Fd TBM ✱7	237.838				237.838	TBM ✱ 7 Elev = 237.838
+	5489	/	5572			Adj pg. 28. WORKMAN MILL
Σ	243327	+1.530	1.531	+1.530		RD. W'ly side Fd DH cap
−	3959		4041			MON. on ℄ prod. 52½ ft. N
⌇	⌇					of R.I. Marked "State of
						Cal. Div. OF H'WYS. "dh 1"
Set TBM "T"	239368				239.368	TBM T = TBM ✱ Elev = 239.380 pg 28 Adj Elev = 239.370 pg 202
+	4452	/	4630	+		WORKMAN MILL RD 15' P.I
	243820	+2.583	2.582	2.582		North of SAN JOSE Creek bridge
−	1.869		2048			bt spk & w ℓ.
T.P.	241.951				241.950	WORKMAN MILL RD W side
+	2739	/	2640	/		bt spk in ✱ most NTHly 12x2
	244.690	+0.311	0.312	+ 0.312		guard rail post.
−	2428		2328		/	
T.P.	242.262				242.262	WORKMAN MILL RD E side
+	3482	/	3404	/		bt spk in 12x12 guard rail
	245.744	+3.134	3.136	+ 3.135		post. 10' N of Telp. W-347-Y
−	0348		0256		/	
Fd TBM ✱8	245396				245.397	TBM ✱ 8 Elev = 245.398 Adj
+	0.876	/	0970	/		pg 29 WORKMAN MILL RD
	246.272	-3.215	3.216	- 3.216		NW side at RANCH LINE top
−	4.091		4186			eye bolt in conc. gate post
					/	N of P.I.
Fd TP 17	242.181				242.181	TP 17 Elev = 242.188 pg 29
+	5510		5369	/		WORKMAN MILL RD E side
	247691	+2.747	2.746	+ 2.746		bt spk in point
−	2763		2623		/	
Fd TP. 18	244928				244.927	TP 18 Elev = 244.989 pg 29
						bt spk in Tel p. W-8035-Y
						cont next ℘

769420 S & E-363 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 60735-26 SURVEY OF Los Angeles Co. NOTES RED.
SURVEY BY J.H. Brown DATE
NOTES BY J.H.B. DATE 4-16-58 NOTES J.H. McMillan
INDEXED J.C. Johnson DATE

F.B. 2241 Pg. 240

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION # 11
TP 18	244.928				244.927	conv ft. Last pg.
+	4378	/	4318			
⊼	249.306	-2320	2.319	-2320		
—	6698		6637		/	
Set TBM "V"	242.608				242.607	TBM "V" Elev =
+	5101	/	5273			WORKMAN MILL RD 1" I.P.
⊼	247.709	+0.209	0.207	+0.208		Stg dn 20' @ P.I. per pg 21
—	4892		5066		/	
Fd. TP 19	242817				242.815	TP #19 Elev = 242.809 pg 29
+	4923	/	4777			WORKMAN MILL RD E side
⊼	247.740	+0.181	0.182	+0.182		bt spk in pvmt (bent out) 20'
—	4742		4595		/	SW of SLOW ↑ warning sign
Set TBM "AC"	242.998				242.997	TBM "AC" Elev =
+	4.910	/	4.705			(FB 2241-22)
⊼	247.908	+1.065	1.064	+1.064		WORKMAN MILL Rd @ ℄ Invs
—	3.845		3.641		/	with (PPOP) 5th Alco. L & T dn 4"
Fd TBM #9	244.063				244.061	(Not same pt. as labeled AC FB 1878-117) yes: it is
+	3.860	/	3.722			TBM #9 ELEV = 244.098 pg 29
⊼	247.923	+1.610	1.611	+1.610		cl spk in Tel pole #W-1090-F
—	2.250		2.111		/	
Fd. TP.	245.673				245.671	TP Elev = 245.646 pg 198
+	~~2.725~~		2553	2698		Bt. spk. in Tel. Pole No #
⊼	~~248.398~~	-3.169	3.169	(3.169)		UP 12
—	~~5.867~~		5722	5867	/	
Fd BM 11-125	242 504				242.502	BM #11-125 Elev = 242.472 FB 1376-12
+	6.397	/	6.611			Elev = 242.496 Adj pg 30
⊼	248.901	-0.390	0.391	-0.390		WORKMAN MILL RD. 0.15 mi SW of
—	6.787		7.002		/	U.P. R.R. Bt Cap. Mon dn 10" in H.H.
	~~243.214~~					stamped "BM 11-125 1952 R.E. C3"
Fd. TBM #59	242.114				242.112	TBM #59 ELEV = 242.084 Bt spk N of P.I dn 6" pg 200

Ed Chavez Co. Surv. Dept.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 607526 SURVEY OF Los Angeles Co.
DATE SURVEY BY J. W. Brown
NOTES BLUE. NOTES BY J. W. B DATE 4/17/58
DATE C. Johnson DATE
INDEXED

F. B. 2241 PG. 241

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION #12
CIRCUIT NO. 12						TO ESTABLISH
ELEVATION ON						B.P. 8.
Brown - notes		Kapp		Brunson	dumpy level # 35 1911	
	Nonez	+01 + 21			Reeder rod # 22	
Ed TBM 43	368.311				369.311	TBM 48 (P-16) Elev = 363.311 pg 165
+	11.406	/	11.568			1" I.P. P.L.E. Eng's. Tag dn. 6'
=	379.717	+10.609	10.610	+10.610		
−	0.791		0.958		/	
T.P.	378.920				378.721	IX2
+	11.312	/	11.159			
=	390.232	+10.752	10.754	+10.753		
−	0.560		0.405		/	
T.P.	389.672				389.674	IX2
+	11.598	/	11.378			
=	401.260	+10.592	10.591	+10.592		
−	0.996		0.787		/	
T.P.	400.264				400.266	IX2
+	11.745	/	11.961			
=	412.009	+10.972	10.973	+10.972		
−	0.773		0.988		/	
T.P.	411.236				411.238	IX2 by fence +E iron post 20' of white wood post + 5' N of fence
+	10.366	/	10.465			
=	421.602	+9.614	9.616	+9.615		
−	0.752		0.549		/	
T.P.	420.850				420.853	IX2 opposite +S.L. iron post W of white wood post + 15' S. of fence

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 8075.26 SURVEY OF Las Robles Acres NOTES RED
SURVEY BY L.N. Brown DATE
NOTES BY E.L.B. DATE 7/16/58 NOTES CHK'D McMILLAN
INDEXED C. Johnson DATE

F.B. 2241 Pg. 242

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION # 12
Set T.P	420.950				420.953	1X2 Cent. Ln. East pg
+	10.945	/	10.938			
⊼	431.795	+10.976	10.473	+10.474		
−	0.969		0.955		/	
Set T.P	431.826				431.827	1X2
+	10.926	/	11.032			
⊼	442.251	+10.100	10.907	+10.903		
−	0.520		0.628		/	
Set T.P	441.734				441.735	1X2
+	11.447	/	11.621			
⊼	453.181	+10.899	10.915	+10.910		
−	0.538		0.711		/	
Set T.P.	452.643				452.645	1X2 Cent. Ln. East pg W of 8X8 wooden mkr
+	11.712	/	11.561			
⊼	464.355	+10.654	10.655	+10.651		
−	1.059		0.903		/	
Set T.P	463.297				463.299	1X2
+	10.561	/	10.809			
⊼	473.858	+10.352	10.951	+10.352		
−	0.209		0.455		/	
Set T.P.	473.649				473.651	1X2
+	9.328	/	9.477			
⊼	482.977	+7.030	7.029	+7.030		
−	2.299		2.413		/	
Set B.P #8	480.679				480.681	on crest of ridge. East of Oak-man Mill Rd. about 1 5/8 from steel tower

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2075.26 SURVEY OF Los Angeles Aqueduct
DATE SURVEY BY H. Ryan
NOTES BY H. McMillan DATE 4-17-59
DATE INDEXED DATE
F.B. 2341 PG. 243

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Set BP # 8	480.679				480.681	Conc. Br. No. 1+09
+	1.398		1.398			
⊼	481.977	-10.014	10.012	-10.013		
—	11.312		11.220			
Set T.P	470.665				470.668	1X2 W. edge of Steel Pile
+	0.289		9.408			
⊼	479.934	-9.072	9.073	-9.072		
—	7.311		9.43			
Set T.P.	461.573				461.596	
+	1.523		1.548			
⊼	462.878	-6.764	6.762	-6.763		
—	8.447		8.010			
Set T.P	454.829				454.833	1X2 FH W edge of bolt 8.09 SP-17
+	1.848		4.750			
⊼	451.677	-5.055	5.055	-5.055		
—	9.903		9.905			
Set T.P	449.774				449.778	1X2 FH E side of bolt
+	1.975		1.755			
⊼	451.644	-8.041	8.040	-8.040		
—	9.916		9.795			
FdTP	441.733				441.738	1X2 Elev = 441.735 pg. 242
+	0.937		1.028			
⊼	442.670	-10.410	10.410	-10.410		
—	11.347		11.438			
Fd TP	431.323				431.328	1X2 FH Elev = 431.327 pg 242
+	0.663		0.568			
⊼	431.986	-10.474	10.473	-10.474		
—	11.137		11.041			
Fd T.P.	420.849				420.854	1X2 Elev = 420.853 pg 241

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 007526 SURVEY OF Las Robles Ave. NOTES RED
SURVEY BY U.H.B. Brown DATE
NOTES BY U.H.B. DATE 7/12/58 NOTES BLUE McMILLAN
INDEXED C. J. Gonzales DATE

F.B. 2241 Pg. 244

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION #12
T.P	420.849				420.854	cont from last pg
+	0.453	/	0.709			
⊼	421.302	-9.617	9.617	-9.617		
—	10.070		10.326		/	
Fd T.P	411.232				411.237	142 ELEV = 411.238 pg 241
+	1.502	/	1.780	-9.846		
⊼	412.734	-9.847	9.848	(Adjust 4/17/68 A.M.)		
—	11.349		11.628		/	
Set T.P	401.385				401.389	1X2
+	0.433	/	0.663	2.236		
⊼	401.818	-7.827	7.82	-7.826	/	
—	8.260		8.494	10.062	/	
Set T.P.	393.558				393.563	5X 30' N in base of fence post C.R. tie)
+	0.562	/	0.777			
⊼	394.120	-10.401	10.402	-10.402		
—	10.963		11.179		/	
Set T.P.	383.157				383.161	1X2 2' S of 3rd iron post W of P.R. tie N 30° W
+	0.369	/	0.597			
⊼	383.526	-9.613	9.611	-9.612		
—	9.989		10.208		/	
Set T.P.	373.544				373.549	5X 5X in wooden fence post (R.R. tie)
+	0.822	/	0.616			
⊼	374.366	-10.333	10.339	-10.333		
—	11.100		11.035		/	
Set T.P	363.206				363.211	1 X 2 0' S of fence
+	0.739	/	0.897			
⊼	363.945	-10.271	10.271	-10.271		
—	11.010		11.159		/	
Set T.P.	352.935				352.940	1X2 1' S of fence & about 8' E of 3rd wooden fence post.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 037 226 SURVEY OF Los Robles Ave
DATE SURVEY BY L.H. Brown
NOTES CHKD. LA NOTES BY L.H.B. DATE 4/17/58
DATE INDEXED DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT	DESCRIPTION
T.P	352.935				352.940		
+	1.950	✓	1.035 ✓				
=	353.315	-10.369	10.371	-10.370			
—	11.249		11.406		✓		
Set T.P	342.366				342.570	1X2	2 S of fence
+	0.553		0.728 ✓				
=	343.119	-10.089 ✓	10.089	-10.089			
—	10.693		10.917		✓		
Set T.P	332.477				332.481	1X2	10' S of fence
+	0.211	✓	0.993 ✓				
=	333.093	-10.276 ✓	10.276	-10.276			
—	10.917		11.169		✓		
Set T.P	322.201				322.205	1X2	but since [illegible]
+	0.988	✓	1.078 ✓				[illegible]
=	323.161	-9.457 ✓	9.455	-9.456			
—	10.917		10.553		✓		
Set T.P.	312.744				312.749	1X2	in field
+	0.628	✓	0.752 ✓				
=	313.372	-9.542 ✓	9.541	-9.542			
—	10.170		10.293		✓		[illegible]
Set T.P.	303.202				303.207		[illegible]
+	0.288	✓	0.524 ✓				
=	303.490	-9.097 ✓	9.098	-9.098			
—	9.387		9.622		✓		
Set T.P.	294.103				294.109	1X2	10' SE of a
+	0.918	✓	0.761 ✓				
=	295.021	-3.911 ✓	3.912	-3.912			
—	4.829		4.673		✓		
Set T.P.	290.192				290.197	1X2	SW on line bet P-16 & P-17 @ 111'± with pipe line [illegible] Sycamore N.

F.B. 2241 PG. 245

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 007526 SURVEY OF Las Robles Ave NOTES RED
SURVEY BY J. H. Brown DATE 4/17/58 NOTES CHKD. McMILLAN
NOTES BY J. H. B DATE 4/17/58 NOTES CHKD.
INDEXED C. Isaacs DATE DATE

F.B. 8241 Pg. 246

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION # 12
T.P	290.192				370.197	cont. fr. pg 245
+	0.949	/	1.229			
=	291.141	-10.305	10.971	-10.304		O.K.
—	11.254		11.523		/	
Fd TBM 49	279.887				379.893	TBM 49 (P-17) Elev = 279.888 Adj pg 166 1" I.P. in Headwall Tag down 6"

END CIRCUIT NO 12

Following 15

CIRCUIT # 13

TO ESTABLISH ELEVATIONS ON "TBM 65" "TBM 66" & "EL MONTE G-11"

also, in combination with circuit # 11 will provide a complete check on circuit No. 1

Also CIRCUIT # 13 + Circuit # 11 + CIRCUIT # 6 + CIRCUIT # 10 provides a complete check from BM 11-127 thru BM 11-125 to BM 11-124

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED ink, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 007 S 26 SURVEY OF Los Robles Ave
DATE SURVEY BY W.H.H. Brown
NOTES CHKD A. Mills NOTES BY W.H.H. DATE 7/16/58
DATE INDEXED R. C. Johnson DATE

F.B. 2241 PG. 247

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION # 13
BM 11-127	234.183				234.193	BM 11-127 Elev = 234.183 Adj 1952
+	5 907	✓	6 157 ✓			FB 1376-114
✕	240090	+ 1.133	1.129	+ 1131		WORKMAN MILL RD & MISSION
−	4 774		5 528			MILL RD 12' S E. 14 1'N 14 from
						℄ mtns. std. - A Co Survey Mon
						dil 10" in M.H. marked "BM 11-127
					✓	1952 4.E.C3"
SUT VII	235.314				235.314	" 1958 E of this ℄
+	4 693	✓	4 516 ✓			WORKMAN MILL RD & MISSION
✕	240 304	- 0.331	0.532	- 0.532		MILL RD.
−	5 217		5 048		✓	
EL MONTE G-11	234.552				234.792	EL MONTE G-11. brass tablet in conc
+	4 137	✓	4 236 ✓			WORKMAN MILL RD W side
✕	239 742	- 5.915	5.916	- 5916		75' N of MISSION MILL RD &
−	10 252		10 252		✓	103' W of old ℄ WORKMAN MILL FB 931-177
EL MONTE G-11 RM #1	228.870				228.866	RM #1 1" I.P. in conc disc 5'
+	5 525	✓	5 675 ✓			WORKMAN MILL RD & MISSION MILL
✕	234 395	+ 1.203	1.203	+ 1203	✓	RD 55' N of ℄ MISSION 12' E of ℄ LAT in 7 sloped conc. head FB 931-177
−	4 333		4 472			
T.P.	230.073				230.069	℄ LAT in 7 sloped headwall N side
+	0 877	✓	0 699 ✓			MISSION MILL RD & W of bridge
✕	230 950	- 5.725	5.728	- 5.726		MILL RD.
−	6 602		6 127		✓	
T.P.	224 348				224.343	1X2 in field (removed)
+	3 657	✓	3 500 ✓			
✕	228 005	- 1.332	1.332	- 1.832		
−	4 989		4 832		✓	
T.P.	223 016				223 311	1X2 in field (removed)

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 0075.26 SURVEY OF Los Robles Ave NOTES RED
SURVEY BY L. W. B. DATE
NOTES BY L. W. B. DATE 4/17/58 NOTES J. McMILLAN
INDEXED C. Johnson DATE

F.B. 2211 Pg. 248

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION # 13
T.P	223.016				223.011	cont fr. last pg.
+	4309	/	4.210			
⅄	227.325	-0.793	0.792	-0.792		
—	5102		5.002		/	
Set T. P.	222.223				222.219	1X2 in fence (removed)
+	5260	/	5.139			
⅄	227.483	+0.791	0.739	+0.740		
—	9519		9390		/	
Set T. P.	222964				222.957	1X2 in fence (removed)
+	4337	/	4.172			
⅄	227294	+3.777	3.980	+3.778		
—	0552		0672		/	
Set T.P.	226741				226.737	bt spk & tack in wooden fence at Price
+	3892	/	4.252			post on SE R/W U.P.R.R. 40' NE
⅄	230583	-4.141	4.443	-4.442		of E I & E
—	5293		5.195		/	
Set T. P.	222300				222.295	bt spk & tack in top of 1X6 in SW
+	8309	/	8418	/		side of old house foundation 15' W of
⅄	230609	+2.826	2.828	+2.827		E & 5 cor
—	5483		5590		/	
Set T. P	225126				225.122	bt spk in pvmt at oil prod (NE) &
+	5228	/	5143			S.E. side of conc siphon. 7' NE
⅄	230354	+0.029	0.028	+0.028		of E cor
—	5199		5115		/	
Set T. P.	225155				225.150	bt spk chip in pvmt. 1' NW of SE edge
+	1213	/	1002	/		oil inlet bet TBM 65 & Box VII.
⅄	226368	-8.335	8.333	-8.334		127' E of TBM 65. ES NE
—	9548		9335		/	of TRANS. P. & 9144.38 E.
Set TBM #65	216820				216.816	TBM 65
						desc. Next pg.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 20725.26 SURVEY OF Los Robles Ave
DATE _____ SURVEY BY J. H. Bryant
NOTES C.F.K.B. McMILLAN NOTES BY J. H. B. DATE 4/19/50
DATE _____ INDEXED K. O. Johnson DATE _____

F. B. 2241 PG. 249

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	Circuit DESCRIPTION #13
Set TBM #65	216820				216.816	TBM 65
+	~~9729~~	~~9349~~	9689	~~9996~~		LET in conc. head wall of
=	226749	~~+8346~~	8350	+8347		storm drain about 30'SW of
−	~~1583~~		1339	1559		U.P.R.R. track. 60'N of N.W. cor
				+8350		water pump house, head "Y" in road
						(Calc. 2 Base Mills Cemetery ASS)
Set T.P.	225169				225.166	6" spk in pvmt 1' fr SE edge
+	5060		4.958			of pvmt. 20' W of spk in fence
=	230229	+0.491	0.489	+0.490		running North from "Y" in road.
−	4569		4.469			
Set T.P.	225.660				225.656	set 1x2 in field (removed)
+	5.728		5.811			
=	231.388	+1.360	1.362	+1.361		
−	4.368		4.449			
T.P.	227.020				227.017	1x2 in field (removed)
+	8.393		8.465			
=	235.403	+5.638	5.640	+5.639		
−	2.745		2.825			
Set T.P.	232.658				232.656	6" spk. in west end R.R. tie (west side)
+	3.982		4.252			12'S. of Tel. Pole No # (1st pole N of E 11th)
=	236.640	+1.331	1.329	+1.330		
−	2.651		2.923			
Set T.P.	233.989				233.986	6" spk. in west end of R.R. tie 170' S'ly
+	3.693		3.991			fr. original control point.
=	237.682	−1.699	1.697	−1.695		
−	5.392		5.688			
Set TBM 66	232.290				232.288	TBM 66
						U.P.R.R. E side 5'SW. of L.S.4 in
						base of Elec. Vault & 6½' E'ly of E
						rail of track.

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0025.26 SURVEY OF Los Robles Ave. NOTES RED
SURVEY BY J. N. Brown DATE E. McMILLAN
NOTES BY J. K. B. DATE 4/15/52 NOTES CHKD
INDEXED C. Johnson DATE DATE

F.B. 2241 Pg. 250

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	CIRCUIT DESCRIPTION # 13
Set TBM 66	232.290				232.288	TBM 66
+	6.767	/	5927			cont. Sh. last pg.
∧	239.057	+1.239	9231	+1.236		
−	2.538		2.996		/	
Set T.P	236.519				236.518	bl. spk in E end 30'
+	4.715	/	4572			S. of fence line E. Produced west.
∧	241.234	+1.217	1.220	+1.213		
−	3.498		3.352		/	
Set T.P.	237.736				237.736	bl spk in W end 10' Sly tel p.
+	3.797	/	3.951			E 21 F
∧	241.533	+1.162	1.157	+1.160		
−	2.635		2.792		/	
Set T.P.	238.898				238.898	bl spk in W end 14' S of
+	4.369	/	4.329			ctr. Tel. pole S of SAN JOSE Creek
∧	243.267	+1.157	1.152	+1.154		
−	3.212		3.178		/	
Set T.P.	240.055				240.052	Existing bl spk in 4X4 Handrail
+	4.932	/	5.111			along top of bridge X in bottom
∧	244.987	-1.036	1.034	-1.035		to E rail 55' N of S end of
−	5.169		6.145		/	bridge
Set T.P.	239.019				239.017	2 x 4 in conc. abutment N W cor.
+	2.725	/	2.522			bridge over SAN JOSE CREEK
∧	241.744	-5.908	5.908	-5.903		U.P. P.R. No set 4' SE of
−	3.633		8.430		/	NW end of abutment N side of creek
Set T.P.	233.111				233.109	1x2 in field (removed)
+	4.914	/	4.211	4.338		
∧	237.430	+0.698	0.693	0.696		
−	3.621		3.518	3.642	/	
T.P.	233.809				233.906	1x2 in field (removed)
				+0.697		

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 2215.26 SURVEY OF LOS ROBLES AVE.
DATE _____ SURVEY BY C. H. B. Brown
NOTES THRD BY C. H. LAN NOTES BY C. H. B. DATE 4/18/58
DATE _____ INDEXED _____ DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION #13
T. P.	233.809				233.806	Circuit Cont fr. pg 250
+	6.309	1	6.166			
T	240.118	+4.052	4.054	+4.053		
—	2.257		2.112		1	
Fd. TBM #7	237.861				237.859	TBM #7 Elev = 237.838 adj pg 28 WORKMAN MILL RD W. Side, "STATE OF CAL DIV OF HWY", Dr. capped conc. mon 52.48 N of 1st P.I North of SAN JOSE CREEK.
					O.K.	

F. B. 2241 Pg. 251

F. B. 2241 Pg. 252

JOB NO. 0275-26 SURVEY OF LOS ROBLES AVE. NOTES RED.
SURVEY BY J.H. Brown DATE
NOTES BY J.H.B. DATE 4-18-58 NOTES CHKD.
INDEXED DATE DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 4-54

Notes Ck'd by C. R. GOSS	Survey of Los Robles Ave
Map No.	JN 027524 Tape 125 Std 89 °F
Office Work	Surveyed by J. H. Brown
Checked	Notes J. H. B. Date 8-58
Date	Indexed C. Johnson 9-2-58

F. B 2241 Pg. 253

PROFILE LINES
used to check
SURV. DIV. FILE MAP 96-16

Aug 18 - 28 1958

					diagram page	spirit levels	check elev.
1	P-3	S¼	400'	to check pt Ⓓ	258	266-267	224
1	P-9	NW¼	883	to check pt Ⓔ	257	262-265	223-224
1	P-11A			to P-11B	256		MAP 96-16
1	P-14			to "AC"	255		Map 96-16
	P-17	NE¼		to check pt 3	254	259-261	223

PARTY

J. H. Brown ch. — K. M. Kapp
B. Nunez — chainmen — H. C. Reutch J.H.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #247—3-57

F.B. 2241 Pg. 254

Closure
46 50 15
21 19 15
111 50 30
180 00 00

2) 93-46-20
4) 18-21-00
Avg) 46-50-15 Fd P-16 1" I.P. Hg. per FB 2241-101

Rec (S 1-46.48) to Hg W on "P" LINE

2) 223° 41' 00"
4) 87. 22. 20
Avg 111. 50. 30

498.51 (calc)
sin = 729 416.51
40° 50'
sin
Check pt (3)
10+00
30' 52'
50'
215.52
111° sin = 928

1272.65 X .363 589981 = 499.51
928 215.52

calc. diff. in Elev. Lelaceed P-15 to Check pt (5) per pg. 223
13.42
13.39
13.45
13.44
4) 53.70
Avg = 13.42
Elev P-16 = 368.31
354.89 Calc elev. of check pt (3) see pg. 261

Sum Elev per Mon 96-16

1000.08 set
1000.08 (calc)
Rec

Line produced from P-18 to Fd P-17 1,000.08 ft. set 1/2" I.D. on line

1272.65 X .729 416.51
928 215.52

Rec 21° 19' 15"
sin = .363
589 981

Fd P-17 1" I.P. & tg (164.19.13) per FB 2241-100

0+00
90119 NE

Fd. P-18 SpK. @ Ints. 4 ten per FB 2241-99

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. R. GOSS	Survey of Los Robles Ave
Map No.	JN 0025 26 Tape 125 Std 84 °F
Office Work	Surveyed by J.N. Brown
Checked	Notes J.N.B Date 8-52
Date	Indexed C. Johnson

F. B. 224 Pg. 212

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78P3095 CE #247—3-57



F. B. 241 Pg. 256

Fd. P-11-B

Fd. 1" I. P. & ENG. Tg per pg. 110

Fd 1X2 & n per pg. 110

Fd 1X2 & n per pg. 110

Fd 1X2 & n pg. 111

Fd P-11A 1" I. P. ENG Tg. per pg. 111

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Los Robles Ave
JN 00752 Tape 125 Std 94 °F
Surveyed by J. W. Brown
Notes J. F. B. Date 8-58
Indexed C. Johnson

F. B. 2241 Pg. 257

Elev P-8 = 761.02 per map 96-16
- 30.06
Elev check pt 2 = 730.96 calc fr P-8
" " " " = 731.00 per pg 265
check pt (2)
Set 1x2 sn fl on high pt of ridge

Diff Elev from P-8 to check pt (2) as calc. pg 223-224
-29.91
-30.13
-30.00
-30.12
-.26
A-9 = -30.06

8+83

2) 81 54 30
4) 163 49 00
Avg. 40 57 75/10

711.52 X 995 518 852 / .655 436 79 = 1080.70

Set 1x2 fn on line at 8+31.2 (see crack ledger)

Avg bot. widths of ditch

sin = .655 436 79
40° 57' 75/10

1080.70 (calc)

Set 1x2 flush on transit Line each 50' sta between P-8 & check pt (2) except Set nothing @ 8+00 or 8+50)

Sta 7+90.13

Fd P-8 1" I.P. ENG Tg. Pg. 124

883.49 calc

84°

sin = .995 578 52

2) 169 09 10
4) 338 18 00
Avg = 84 34 30/25

95 25"

54° 28' 25"

sin = .813 847 98

711.52 Rec.

2) 108 57 00
4) 217 54 00
Avg 54 28 30/25

711.52 X .813 847 98 / .655 436 79 = 883.49

0+00
Fd P-9
1" I.P. ENG Tg. Pg. 119

N

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76FS095 CE #247—3-57

F. B. 2241 Pg. 258

P.4
Fd 1" I.P. &
ENG tg.
Pg. 125

Closure

25	31	20
109	20	50
45	07	50
180	00	00 ✓

3) 51 02 40
4) 102 06 20
5) 153 08 00
Avg = 25 31 20 ✓
sin = 430 861 13 ✓

657.71 Rec

25° 31' 20" ✓

2) 218 41 20
4) 77 23 20
Avg. = 109 20 50
sin = 943 528 23 ✓

Fd 1" I.P. &
ENG tg.
Pg. 125

$\frac{657.71 \times 430\,861\,13}{708\,716\,17} = 399.85$

$\frac{657.71 \times 943\,528\,23}{708\,716\,17} = 875.62$

875.6 Calc

50' ✓

20'

100' Rec

45° 07' 50" ✓

399.85 Calc

diff in Elev from P-4 to check pt ① calc. pg. 224

+	37.57
+	37.54
+	37.37
+	37.45
4	203
	37.51 Avg.
Elev P-4	563.44 per Map 96-16
	600.95 Calc. Elev check pt ①
	600.93 Meas per pg 267

2) 90 15 20
4) 180 31 20
Avg = 45 07 50 ✓
sin = 708 716 17 ✓

Aux I
Fd 1" capped
I.P. dn. 6
Pg. 125

Set Check pt ① 5x7 1/2 x 5/8 Stk 6" Aux I 400.00

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Rod____ Plotted____ Job No.30752 Division No.____
No.____ Date____ Date____ Survey of Los Robles Ave
X-Sec. Notes Chkd.____ Checked C. R. GOSS Survey by W.W. Brown Notes W.W.B. Date 6-58
No.____ Date____ Date____ Map No.____ Indexed X C. Johnson Date____

F. B. 2241 Pg. 259

STATION	B. S.	H. I.	F. S.	ELEV.	
	PROFILE from P-17 NE'ly to check pt ③ as shown pg 254				
P-17	8 96	288 35		279 89	P-17 . Elev = 279.89 per Surv. Div. File
—	—	—	—	—	MAP 96-16. (1"I.P. ENG 19. dn 6")
0+13			89	2799	break ground
0+50			10 70	278 15	1x2 in fl.
0+74			140	274 8	break edge road ground
1+00			147	274 1	1x2 in road fl.
1+35			149	273 9	break edge of road ground
1+50			152	273 6	ground
1+68			162	2726	thread of drainage ground
1+76			142	2746	break ground
2+00			967	279 18	1x2 in fl.
2+07			87	2901	Top of bank W edge of cut ground
2+22			122	2766	toe of slope W side " " "
2+38			126	2762	" " " E " " " "
2+50			655	28230	1x2 in bank fl.
2+54			51	2837	Top of bank E side of cut ground
3+00			731	281 54	1x2 in fl.
3+50			842	280 43	1x2 in fl.
3+56		288 85	94	2804	bot of drainage
					cont next pg

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2241 Pg. 260 Job No. 2275.26 Division No. Notes Red. Plotted Profile
Survey of Las Robles Ave Date 8-28-58 No. X-Sec.
Survey by W. H. Brown Notes by N. B. Notes Chkd. Checked C. R. GOSS
Indexed C. Johnson Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		289 85			cont fr last pg	
3+95			71	289 17	break ground	
T.P. 4+00	10 93	294 35	5 43	288 42	1X2 fn fl.	✓
4+50			4 13	290 22	1X2 fn fl	✓
4+84			1 2	293 2	ground	
5+00			1 71	292 64	1X2 fn fl.	✓
5+36			6 4	2880	break ground	✓
T.P. 5+50	0 66	285 09	9 92	284 43	1X2 fn fl.	✓
T.P. 5+79	0 38	273 84	11 63	273 46	1X2 fl	
T.P. 6+00	0 07	263 86	10 05	263 79	1X2 fn fl	✓
6+18			10 36	25330	1X2 fl brown so. side drainage	✓
6+27			11 °	2529	ground middle of stream	✓
6+37			10 59	25327	1X2 break N. side drainage	
T.P. 6+50	11 56	273 58	1 34	272 02	1X2 fn	✓
6+60			6 5	2671	so side of black-top berm (dirt)	
6+619			578	26780	spk top of berm	
6+63			676	26682	Middle of gutter	
6+66½			6 07	26751	So edge pvmt.	
6+71½			578	26780	middle of pvmt	✓
6+77½		273 58	533	26805	N edge pvmt.	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
6+77		273 58			cont'd fr pg. 260	
6+85			5 8	2678	break at bot of bank N side of road	
T.P. 6+95 bench	11 77	282 94	1 51	272 07	1X2. 13' N.W. from line	
6+93			8 4	2754	Top of bank	
7+00			4 49	27935	1X2 fn fl	
T.P. 7+07	12 03	294 92	0 95	282 99	1X2 fl	
T.P. 7+27	11 54	306 13	0 33	294 59	1X2 fl	
T.P. 7+41	10 98	316 56	0 55	305 58	1X2 fl	
T.P. 7+50	11 26	323 75	4 07	312 49	1X2 fn fl	
7+60			05	323 3	top of bank ground	
T.P. 7+62	11 51	335 14	0 12	323 63	1X2 fn fl	
8+00			3 07	33207	1X2 fn	
T.P. 8+15	11 34	346 12	0 96	334 28	1X2 fl	
8+50			6 90	339 22	1X2 fn fl	
9+00	11 14	355 72	1 54	344 58	1X2 fn fl	
9+50			6 94	34878	1X2 fn fl. break	
10+00			0 70	355 02	1X2 fn fl. See pg. 254 for calc. Elev.	

Profile Notes Red. Plotted. Job No. 207526 Division No.
No. Date Date Survey of Los Robles Ave F. B. 2241 Pg. 261
X-Sec. Notes Chkd. Checked C. R. GOSS Survey by W. N. Brown Notes W. W. H. Date 8-58
No. Date Date Map No. Indexed C. Johnson

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2241 Pg. 142 Job No 002526 Division No. Profile
Survey of Los Angeles Ave Notes Red No.
Survey by W. H. Beaver Notes Chkd. Date Plotted
Indexed C. Johnson Date Date Checked C. R. GOSS X-Sec.
Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
PROFILE	from	P-9		N 1/9 to check pt	(2) pg. 119	
Fd. P-9	049	770 51		770 02	P-9 ≡ Elev = 770.02 per SOAV. C.H. FILE MAP 96-16 & F.B. 2241-141	
T.P. 0+22	059	759 72	11 38	759 13	1"I.R. & Eng tg dn 6"	
T.P. 0+44	086	748 85	11 73	747 99	1X1 on line ℄	
0+48			26	746 21	cow trail 18" wide	ground
0+50			3 06	745 79	1X2 ⊄n on line ℄	
T.P. 0+77	049	737 64	11 70	737 15	1X1 on line ℄	
1+00			742	730 22	1X2 ⊄n on line ℄	
T.P. 1+13	051	726 50	11 65	725 99	1X1 on line ℄	
1+24			53	721 97	cow trail 24" wide	ground
T.P. 1+38	011	715 09	11 52	714 29	1X1 on line ℄	
1+41			12	713 97	cow trail 16" wide	ground
1+50			5 45	709 64	1X2 ⊄n 05 S'ly ft N. edge of cow trail	℄
T.P. 1+63	024	703 61	11 72	703 37	1X1 on line ℄	
1+80			92	694 47	cow trail 18" wide	ground
T.P. 1+85	065	692 58	11 68	691 93	1X1 on line ℄	
2+00			888	683 70	1X2 ⊄n ℄ on line (S. edge of cow trail)	
T.P. 2+06	021	680 80	11 99	680 59	1X1 on Line ℄	
2+11			31	677 77	cow trail 18" wide	
T.P. 2+26			11 23	669 57	1X1 on line ℄	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.(2+26)	0 39	669 96		669 57	cont fr last pg.	
T.P. (2+44)	090	659 20	11 66	658 30	1X1 on line ℄	
2+50			4 14	655 06	1X2 fn on line ℄.	
2+61			10 °	649 2	cow trail 15" wide (ground)	
T.P. (2+95)	0 04	647 30	11 94	647 26	1X1 on line ℄.	
T. P.(2+95)	012	635 69	11 73	635 57	1X1 on line ℄.	
3+00			8 34	627 35	1X2 fn on line ℄ (cow trail 1' wide)	
T.P.(3+06)	0 09	624 25	11 50	624 19	1X1 on line ℄	
T.P. (3+27)	012	612 53	11 87	612 41	1X2 (broken) on line ℄.	
T. P. (3+46)	011	600 73	11 91	600 62	1X2 on line ℄.	
3+50			2 31	598 93	1X2 fn on line ℄.	
T. P.(3+65)	0 66	589 30	12 09	588 64	1X1 on line ℄	
T.P.(3+86)	047	577 93	11 85	577 45	1X1 on line ℄	
4+00			7 64	570 28	1X2 fn on line ℄.	
T. P. (4+09)	0 21	566 54	11 59	566 33	1X1 on line ℄	
T.P.(4+36)	035	554 97	11 72	554 62	1X1 on line ℄. (cow trail 12" wide)	
4+46			3 ±	551.8	break ground	
4+50			358	551 39	1X2 fn ℄ o	
4+93			7 3	547 7	break ground	
T. P 5+00			9 10	545 87	1X2 f n. on line ℄.	

Profile Notes Red. Plotted Job No. 005:26 Division No. F. B. 22241 Pg. 243
No. Date Survey of Los Robles Ave Date 8-58
X-Sec. Notes Cbkd. Checked C. R. GOSS Survey by W. H. Brown Notes W. H. B. Date
No. Date Map No. Indexed K. C. Johnson

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 2241 Pg. 264 Job No. 0375.26 Division No. Notes Red. Plotted. Profile
Survey of Los Angeles Ave Date 8-58 Notes Chkd. Checked C. R. GOSS X-Sec.
Survey by W. H. Brown Notes K.M. Kelly Date. No.
Indexed C. Johnson Date. Date. No.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P. 5+00	0 51	546 38		545 87	cont'd from last pg.	
5+05			2 9	5435	break ground	
T.P. 5+16	0 97	535 49	11 86	531 52	1X2 on line fl.	
T.P. 5+26	9 04	533 67	10 86	524 63	1X2 on line fl.	
5+29			11 31	522 36	1X2 5' N. on line fl.	thread of dry stream
5+38			6 8	5269	break ground	
T.P. 5+50	11 40	543 30	1 77	531 90	1X2 5' N. on line fl.	
5+63			6 0	5373	break ground high pt. bet. two drainages	
5+77			7 51	5358	1X2 on line fl.	break thread of drainage.
T.P. 5+85	11 10	553 08	1 32	541 98	1X2 on line fl.	
5+94			4 6	5485	break ground	Top of bank.
T.P. 6+00	11 81	562 59	2 30	550 78	1X2 5' N. on line fl.	
6+12			6 5	5541	break ground	(fence line)
T.P. 6+50	10 85	573 33	0 11	562 48	1X1 on line fl.	
T.P. 6+81	11 43	584 74	0 02	573 31	1X1 on line fl.	break
T.P. 7+00	11 16	595 67	0 23	584 51	1X2 on line fl.	
T.P. 7+15	11 16	606 58	0 25	595 42	1X1 5' West of line fl.	
T.P. 7+32	11 10	617 66	0 02	606 56	1X1 on line fl.	
7+42			7 9	6093	break ground	
7+50			6 16	611 50	1X1 on line fl.	
T.P. 7+71			0 45	617 21	1X1 on line fl.	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red_____ Plotted_____ Job No. 007526 Division No._____
No._____ Date_____ Date_____ Survey of Las Bolsas Ave
X-Sec. Notes Chkd._____ Checked C. R. GOSS Survey by W.W.B. Jones Notes by E.M.S. Date 4-58
No._____ Date_____ Date_____ Map No._____ Indexed C. R. G. Job Date

F. B. 2241 P.B. 265

STATION	B. S.	H. I.	F. S.	ELEV.	
T.P. 7+71	12 17	629 38		617 21	Cont. fr. last pg.
7+75			10 75	618 63	1X2 on line fl. break
T.P. 7+87	5 29	633 72	0 95	628 43	1X1 on line fl.
7+90			3 12	630 60	1X2 on line fl. break base of cliff
8+31.2			(calc)	~~686.98~~ 681.7	681.3 See pg. 257 & see Line A, B & C below.
8+83.2			(calc)	731.0	See pg. 257 & see line B. below
T.P.	0 12	622 60	11 18	622 54	lath
T.P. 7+50	0 66	612 16	11 16	611 50	1X1 on line fl.
T.P.	0 73	601 30	11 59	600 57	lath
T.P.	1 08	591 31	11 07	590 23	lath
T.P. 7+00			6 80	584 51	1X2 on line fl. See pg. 264 for Elev. = 584.51

A — Elev = 550.78 pg 264 — 6+00 + 231.7 = 8+31.7 — COS: .87123761

T @ 6+00 — H.I. = 4.78 = Rod — diff = 0

265.91 (Meas) (@ 7.0°) = 265.91' — 265.91 @ 29° 23' 50" (Sin = .490 861 52) = 130.47 — 6+00 + 130.47 + 50.78 = 681.25 — 681.30

265.91 X (Cos 29° 23' 50") = 231.69 Hor. Dist.

D = + 29 23 40
R = - 29 23 00
Avg = 29 23 50

B — Elev: 584.51 + 4.55 = 589.06 — H.I. = 4.55 = Rod — diff = 0 — 7+00 + 183.3 = 8+83.3

7+00 @ (Meas) 234.68 (@ 7.0°) = 234.68' — 234.68 @ 38° 37' 30" (Sin = .624 220 54) = 146.49 — 146.49 + 584.51 = 731.00 — 725.55 — 731.00

234.68 X (Cos 38° 37' 30") = 183.34' Hor. dist.

D = + 38° 37' 20"
R = - 38° 37' 40"
Avg = 38 37 30

C — @ 8+53.3 — H.I. = 5.36 = Rod — diff = 0 — 8+83.3 − 51.1 = 8+31.2 — + 731.00 (from B)

(Meas) 71.78 (@ 82) = 71.78' — 71.78 @ 43° 49' 30" (Sin = .692 458 04) = 49.64 (calc) — COS: .721 45815

71.78 X (Cos 43° 49' 30") = 51.7' Hor. dist.

+ 682.06 (calc)
681.25 (from A)

D = - 43 49 20
R = - 43 49 40
Avg = - 43 49 30

Mean = 681.66 — 681.30

~~731.00~~ ~~735.55~~ -49.70 + 5.36

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2241 Pg. 246 Job No 227526 Division No ____ Notes Red ____ Plotted ____ No. ____ Profile
Survey of Los Robles Ave Date 8-25-58 Notes Chkd. ____ Checked R. GOSS X-Sec.
Survey by W. H. Brown Notes K.M. Kapp Date ____ Date ____ No. ____
Indexed C. Johnson Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
PROFILE from P-3 S'ly Howard Aux I Col dist 400' Pg. 125						
0+00	2.14	548.82		546.68	P-3 Elev = 546.68 per SUR FILE MAP 96-16 & F.B. 2241-135 1" IP & tag dn 6"	✓
0+50			4.28	541.54	1X1 on line f.l.	✓
0+74 3			6.18	542.64	1X1 on line f.l. Break	✓
0+86 T.P.	0.47	537.60	11.49	537.33	1X1 on line f.l.	
0+91			3.8	534.61	18" cow trail ground	
0+98			6.9	530.91	18" cow trail ground	
1+00			7.65	530.12	1X1 on line f.l.	✓
1+09 T.P.	0.16	526.24	11.72	526.08	1X1 on line f.l. 24" cow trail	
1+17			3.92	532.32	1X1 on line f.l. bot. brk.	
1+32			6.2	5200	brk. ground	
1+43			13.0	5132	brk. ground	
1+50			14.4	5118	brk. ground top edge bank	✓
1+54			20.8	5054	Thread of stream (dry) ground	✓
1+78			6.3	5199	brk. ground top of bank	
2+00			5.81	5204.3	1X1 on line f.l.	✓
2+09			5.3	5209	brk. ground toe of fill	
2+12			9.1	5221	brk. ground top of fill	
2+27			3.8	5224	brk. ground S. edge dirt road	
2+29			1.6	5246	brk. ground top of cut to road	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		526 24				
2+31 T.P.	10 69	536 19	0 74	525 50	See last pg.	
2+50			3 07	533 12	1x1 on line ft.	
2+55 T.P.	11 46	547 29	0 36	535 83	1x1 " " "	
2+61			8 6	538 7	18" cow tail grd.	
2+71 T.P.	11 32	558 38	0 23	547 06	1x1 on line ft.	
3+00			2 65	555 73	" " " "	
3+06 T.P.	12 36	570 54	0 20	558 18	" " " "	
3+38 T.P.	11 82	582 26	0 10	570 44	" " " "	
3+50			5 93	576 33	" " " "	
3+61 T.P.	12 16	593 87	0 55	581 71	" " " "	
3+88 T.P.	12 12	605 30	0 69	593 18	" " " "	
4+00			4 37	600 93	1x1 and nail on line ft.	

Profile Notes Red. Plotted Job No 62025 Division No.
No. Date Date Survey of Los Rabbits Ave
X-Sec. Notes Chkd. Checked C. R. GQS Survey by W. B. Brown Notes KMK Date 8-25-53
No. Date Date Map No. Indexed K. C. Johnson

F. B. 2241 Pg. 267

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2241 Pg. 268 | Job No 207526 Division No | Notes Red | Plotted | Profile
Survey of Los Robles Ave | Date 8-26-58 | Date | No
Survey by H. Brown Notes H. B. | Notes Chkd. | Checked C. R. Goss | X-Sec.
Indexed C. Johnson Date | Date | Date | No

STATION	B. S.	H. I.	F. S.	ELEV.		
PROFILE from P-14 N W'ly to "AC"						
	0 44	411 84		411 40	P-14 Elev = 411.40 Per 1"=1.0 ENG tg 411.6"	SURV. DIV. FILE Map 96-16
T.P. 0+21.	0 30	400 89	11 25	400 59	1X1 ft. on line	
T.P. 0+36	0 81	390 09	11 61	389 28	1X1 ft. on line	
T.P. 0+50	0 61	379 57	11 13	378 96	1X1 ft. on line	
T.P. 0+67	0 88	368 97	11 48	368 09	1X1 ft. on line	
T.P. 0+82	0 03	357 77	11 23	357 74	1X1 ft on line	
T.P. 1+00	0 17	346 07	11 87	345 90	1X1 ft on line	
T.P. 1+20	0 23	334 93	11 37	334 70	1X1 ft on line	
T.P. 1+42	0 89	324 80	11 02	323 91	1X1 ft on line	(break to edge of old road)
1+50			4 86	319 94	1X1 ft on line	
1+56			7 8	317 0	ground E edge old road	
1+65			9 3	315 5	" W edge " "	
T.P. 1+70	0 06	313 49	11 37	313 13	1X1 ft on line	
1+72			1	312 5	ground 15" oak tree	
T.P. 2+00	1 09	303 92	10 66	302 83	1X1 ft on line	
T.P. 2+28	0 44	294 58	9 78	294 14	1X1 ft on line top of bank E side of road	
2+31			4 0	290 6	ground bot " "	" " " "
2+42			4 9	289 7	ground W edge of road	
T.P. 2+45			7 7	288 9	ground E edge of trail	
2+50			8 72	285 86	1X1 ft in trail	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P. 2+50	1 57	287 43		285 86	con't fr. bot pg. 268	
2+54			24	2850	ground w edge trail	
2+60			55	2819	ground top of bank	(Red = 11.69 + .75 = 12.44
T.P. 2+68	085	275 84	12 44	27499	1X1 fl bot of bank	Send of E. side of 8" w/a main + trolle
2+71			081	27503	top of center of water (Iron 4' dia)	Main
2+81			34	2724	ground slight ridge bet cut for pipe & slope of hill	
T.P. 2+91	072	265 44	11 12	264 72	1X1 fl on line	
3+00			651	25893	1X1 fl on line	
T.P. 3+09	026	254 62	1108	25436	1X1 fl on line	
3+24			84	2462	top of bank	
T.P. 3+27	036	243 64	11 34	243 28	1X1 fl on line	
3+35			51	2385	break ground	
3+41			58	2378	trail	
3+46			63	2373	top of bank ground	
T.P. 3+50	001	234 47	918	234 46	1X2 fl on line	break.
T.P. (@ mon.) 3+65	219	226 69	997	22450	1X1 5' S of line (Approx)	
3+68			55	22212	break ground	
3+74			67	2200	break ground	top of channel
3+75			76	2191	E edge of channel	bot bank
3+78.5			81	2186	thread of stream	
3+82			75	2192	wedge of channel	

Profile Notes Red. Plotted. Job No. 007526 Division No. F. B. 2241 Pg. 269

No. Date. X-Sec. Notes Checked C. R. GOSS Survey of LOS ANGELES AVE

No. Date. Survey by L.K. Brown Notes L.K.B. Date 8-26-53

No. Date. Map No. Indexed C. Johnson Date

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2241 Pg. 270 | Job No. 027526 Division No. | Notes Red. | Plotted | No. | Profile
Survey of Los Angeles Ave | Date | Date | No. | X-Sec.
Survey by W.H. Brown Notes C.H.B. | Notes Chkd. | Checked C. R. Goss
Indexed C. Johnson Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		226 69				
3+84			66	2201	top of bank W side stream	
3+92			53	2214	break ground	
4+00			486	22181	1X2 ft. on line	
4+50			568	22101	1X1 ft. on line	
4+63			49	2218	ground break	
4+67			32	2235	ground break	
4+80			28	2239	ground break	
4+91			16	2251	ground "	
T.P. 5+00	11 71	23664	176	22493	1X1 ft on line	
5+19			108	2258	ground break	
5+29			116	2250	" "	
5+40			106	2260	" "	
5+50			1061	22603	1X1 ft on line	
5+63			105	2261	ground break top of fill	
5+95			13	2353	" " in slope of fill	
T.P. 6+00	11 29	24783	010	23654	1X1 ft on line	
6+04			105	2373	ground break.	
6+22			54	2424	" "	
6+30			48	2430	" "	
6+37			55	2423	dirt path for E. side workman Mill Rd	
6+59			466	24317	E edge of pvmt, workman Mill Rd. E side (W edge of 25' black top shoulder)	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
6+00		247.83			cont'd from pg 270	
TBM 49 "AC"	3.79	247.76	3.86	243.97	SPK in p.p.	
			4.85	242.91	Fd L&T in worksp. N 11°E 1.1' W of E edge of pvmt. (W. edge of E shoulder) Elev L&T = 243.00 per Map 96-16.	

Profile Notes Red. Plotted Job No. 207526 Division No. F. B. 2241 Pg. 271
No. Date Date Survey of Los Robles Ave
X-Sec. Notes Chkd. Checked C. R. GOSS Survey by J. H. Brown Notes J.H.B. Date 8-24-58
No. Date Date Map No. Indexed C. C. Johnson Date

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2241 Pg. 272 Job No 227526 Division No Notes Red. Plotted
Survey of Los Robles Ave. Date 6-22-55 Date X-Sec. No.
Survey by H. Hallum Notes Chkd. Checked C. R. Goss
Indexed C. Johnson Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
					(Note: shots taken each 50 not on even 50 plusses ly to P-11B due to starting with wrong plus)	
PROFILE from P-11A NW						
105+43.58	0.87	643.40		642.53	P-11A Elev = 642.53 per Map 96-16 & F.B. 2241-11 1"I.P. TANG to dn 6"	
105+45			0.5	642.9	ground break	
105+58			9.1	633.3	ground 24" cow trail	
T.P. 105+64.0	1.88	633.39	11.89	631.51	1X1 ft on line	
T.P. 105+78.1	1.91	624.12	11.19	622.21	1X2 ft on line	
T.P. 105+89.7	0.19	613.49	10.82	613.30	1X1 ft on line	
105+94			2.8	613.7	ground	
T.P. 106+06.2	0.21	601.86	11.61	601.65	1X1 ft on line	
T.P. 106+21.3	1.17	591.65	11.38	590.48	1X1 ft on line	
106+34.7			10.1	581.6	ground cow trail	18" wide (break)
T.P. 106+36.6	0.34	580.43	11.56	580.09	1X1 ft. on line	
106+44			4.3	576.1	ground	
T.P. 106+53.5	0.53	569.21	11.75	568.68	1X1 ft on line	
106+58			4.6	564.6	ground break	
T.P. 106+66.2	0.70	558.36	11.55	557.66	1X1 ft. on line	
T.P. 106+84.0	0.57	547.42	11.51	546.85	1X1 ft on line	
106+94			6.6	540.8	ground	
106+96			8.3	539.1	ground break	
T.P. 107+06.1			11.54	535.88	1X2 ft. on line	break

76296 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P. 107+06 L	063	536 51		535 88	cont fr pg 272	
107+14			52	531 3	ground (break)	
T.P. 107+29 6	050	525 42	11 59	524 92	1X1 ft on line	
107+33			09	5245	ground break	
107+40			47	5207	ground break	
107+44			63	5191	ground	
T.P. 107+629	1 66	515 63	11 45	51397	1X1 ft on line	
107+94			83	5073	ground	
P.I. 108 07+45			10 43	505 20	1X2 Sta. 108+07.45 on "D" Line pg. 111 this book	
T.P. 108 +11 0	097	505 35	11 25	504 38	1X1 ft on line	
108 +50			10 3	4951	ground	
T.P. 108+54 8	909	503 48	1096	494 39	1X1 ft on line	
108+64			109	4926	ground break	
108+74			18 71	48477	1X1 ft on line Rod = 8.09 + 10.62	
108+86			27 82	47566	1X1 ft. on line Rod = 8.09 + 10.62 + 9.11	
108+98			28 6	4749	break top bank. Rod = 8.09 + 10.62 + 9.11 + 0 8	
109+00			38 6	4649	bot. bank east edge of dry stream Rod = 28 6 + 10 0	
109+01 5			38 3	4647	thread Rod = 28 6 + 10 2	
109+03			38 5	4650	bot bank w edge of stream Rod = 38 6 + 9 9	
109+06			32 8	4707	top bank w side of stream Rod = 28 6 + 2	
109+12			31 7	471.8	bot of slide. Rod = 28 6 + 3 1	
T.P. 109+38	11 01	512 65	184	50164	1X2. 5 ft's o line & approx. 109+38	
P.I. T.P. 109+46 91			667	50598	1X2 ft on line top of slide top of ridge	

Profile Notes Red. Plotted Job No 29752 Division No.
No. Date Date Survey of Los Robles Ave
X-Sec. Notes Cltd. Checked C. R. Cox Survey by W. Brown Notes W. Brown Date 8-22-58
No. Date Date Map No Indexed C. Johnson Date

F. B. 2241 Pg. 273

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2241 Pg. 274 | Job No 207526 Division No | Notes Red | Date | Plotted | No | Profile
Survey of Los Robles Ave | Date | X-Sec.
Survey by W. H. Braun Notes W. H. B. | Notes Chkd | Checked C. R. GOSS
Indexed C. Johnson Date 8-22-58 | Date | Date | No

STATION	B. S.	H. I.	F. S.	ELEV.		
Fd T.P. 109+46.91	1.92	507.90		505.98	cont fr. last pg (273) F.B. 2241-110	
109+50			2.0	505.9	ground @ fence line break	
T.D. 109+84.8	0.59	497.54	10.95	496.95	1X1 ft. on line	
110+00			22	495.3	ground	
110+04			27	494.8	ground break top	
110+07			51	492.4	ground break bot	
110+32			76	489.9	ground break	
110+43			87	488.3	ground bot bank + thread stream (dry)	
110+50			94	491.1	ground Top break.	
110+57			43	493.2	ground bot of slide	
T.P. 110+73.1	10.99	508.20	0.33	497.21	1X1 ft. on line	
T.D. 110+88	5.19	513.14	0.25	507.95	1X1 ft. on line	
T.P. 110+92.9	2.90	513.79	2.25	510.89	1X2 ft. on line break in slide	
109+46.91			7.80	505.99	1X2 in Fd. = 505.98 above	

X @ 109.46.91 HI = 4.31 = Rod HOR dist = 111 44.61 − 109 46.91 = 197.70'
Rod on 111+44.61

V.A. = + D = 18° 18' 00" / + R = 18 18 20 / + Avg = 18 18 10 / Tan = .03307722 VERT DIST = +65.39

X @ 111+44.61 HI = 4.11 = Rod Hor dist
Rod @ 109.46.91
Elev of 109+46.91 = 505.98 (above)
Mean vert dist = 65.39 (calc)
111+44.61 571.37 (calc) cont pg 275

V A = − D 18° 18' 00" / − R 18 18 00 / Avg = 18 18 00 / Tan = .03307184 Vert dist = −65.38

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
111+44.61	7 08	578 45		571 37	conf ft pg 274. break top of slide.	
	10 52	585 40	3 57	574 88	ground. T.P.	
P-11.B. 111+97.02			1 60	583 80	P-11.B Elev = 583.87 1"I.P & ENG tg 9+16	Map 96-16 & F.B. 2241-110

Profile Notes Red._____ Plotted_____ Job No. 8895.26 Division No._____ F. B. 2241 Pg. 275

No._____ Date_____ Date_____ Survey of Hills Ranches Ave

X-Sec. Notes Chkd._____ Checked C. R. GOSS Survey by W. H. Wilson Notes W.H.W. Date 2-28-58

No._____ Date_____ Date_____ Map No._____ Indexed R. C. Johnson Date_____

Notes Ck'd by Miller
Map No. R 2704
Office Work T. H. BURNS
Checked W. J. BRENNER
Date APRIL, 1960

Survey of Los Robles Ave
JN 0075.26 Tape 074 Std 68 °F
Surveyed by Dougherty
Notes Jack D. Date 2-29-60
Indexed C. Johnson 3-7-60

F. B. 2241 PG. 277

J.N. 0075.26

Los Robles Ave.

℄ Survey from the Westerly Line of Tr# 1953 east to Turnbull Cn. Rd.

2-29-60

Dougherty
Newman
Sandoval
Adams

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76P309S CE #247 3-57

F. B. 2241 Pg. 278



& Index

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 32-D-3

Notes Ck'd by Miller
Map No. CSB 2704
Office Work E.H. BURNS
Checked W.J. BRENNER
Date APRIL 1960

Survey of Los Robles Ave
JN 20752 Page 074 Std 68° of
Surveyed by Doug Hertel Date 2-22-60
Notes Doug Hertel Co. Surv.
Indexed

F.B. 2241 Pg. 2772

Fd. 1" IP cmt & tag LS 2408 dn 6"

Westerly Line Tr # 1953

Lot 89

Set 1x24 N. 3' to E @ 90°

387.00 @ 0°T60 = 386.98

Replaced 1x24 N with 1" IP cmt & C.E. Tag dn 6"

0 to 3.00 Removed Nail on Split F.

3.00

90°

29.815

(30)

Los Robles Ave

386.98

59.63

29.815

90°

(30)

Cent. on Bot. West Pg.

Fd. 1" I.P. No plug used Center. Per F.B. 364-5 Dn. 6"

59.63 @ 0°T60 = 59.63

3.00

90°

Set 1x24 N 3' to E @ 90°

Lot 90

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by Miller
Map No. CSB 2704
Office Work I. H. BURNS
Checked W. J. BRENNER
Date APRIL 1960

Survey of Los Robles Ave
JN 0075.26 Tape 074 Std 68 °F
Surveyed by Dougherty
Notes Dougherty Date 2-29-60
Indexed R. C. Johnson

F. B. 2241 Pg. 281

W.S. 37 B-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3093 CE #247—3-57

cont. on Bot. next Pg.

Fd. 1½" IP. cm't & Tag L.S. 2408

29.97

(30) (30)

℄ Ave

75.00 @ 0°0'T 56-74.99

84.67 @ 0°0'T 40-84.67

360.03 @ 00°0'T 56'-360.00

Lot 86

Lot 93

84.67

360.00

Fd. 1" IP. Cm't & Tag dn 12" L.S. 2408

30.01

1953

30.50

Tr.

Robles

Fd. ¾" IP. cm't & Tag L.S. 2495 dn 6"

90°

30.00

Fd. Nail No Ref.

74.99

Los

Fd. 1" IP. cm't & Tag L.S. 2495 dn. 6"

30.00

30.03

Fd. 2" IP. cm't & Tag L.S. 2495 dn. 18"

10+49.96
Fd. Nail No Ref.

90°

Lot 87

330.00

Lot 92

Cont. from Top Last Pg

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 37 - D-3



Notes Ck'd by Miller
Map No. CSB 2704
Office Work T. H. BURNS
Checked W. J. BRENNER
Date APRIL 1960

Survey of Los Robles Ave
JN 0075.26 Tape 074 Std 68 °F
Surveyed by Dougherty
Notes Dougherty Date 3-1-60
Indexed A. Johnson

F. B. 224 [illegible] 83

VV-51 37+D-3

Cont. on Bot next Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Be not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57



Cont. from Top Last Pg.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 32-D-3



Notes Ck'd by Miller
Map No. CSB 2704
Office Work T. H. BURNS
Checked W. J. BRENNER
Date APRIL 1960

Survey of Los Robles Ave
JN 0075.26 Tape 074 Std 68 °F
Surveyed by Dougherty
Notes Jack C. Johnson Date 3-1-60
Indexed

F. B. 2241 Pg. 285

W. S. 32 - E - 4

Cont. on Bot next Pg.

(30) 1380.13 (30)

1380.20 @ 0.°T60 = 1380.13

Ave

41+10.27
P/C.S. Trav. Mon.
Fuente C-11 A in
Well with Cap
Per F.B. 1573-242
E.F.B. 2351-7

(30) 9th Ave

(30)

1394.18

Los Robles

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3093 CE #2447—3-57

Cont. from Top Last Pg.

F.B. 2241 Pg. 286.

W.S. 32-E-4

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by	Survey of Los Robles Ave
Map No. B-2706	JN 0075.26 Tape Std °F
Office Work T. H. BURNS	Surveyed by Dougherty
Checked	Notes Vuck Date 3-1-60
Date	Indexed A. C. Johnson 3-7-60

F. B. 2241 PG. 287

J.N. 0075.26.

Los Robles Ave.

Location of improvements from the Westerly Line of Tr 4953 east to Turnbull Canyon Road.

3-1-60

Dougherty
Newman
Sandoval
Adams.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 2241 Pg 88



76F3098 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Cont. from Rt Last Pg.

18" Avocado

Row 1

137 1+35.5

21.0 1+38.6

24.2 1+53.5

1+59.5 30.0

21.0 1+60.5

22.0 22.0 19.5

T LINE

1+74.5 18.4

T.P.

Row 4 out

1+84.0 30.0

1+85.0 8.8

1+88.5 49.2

1+91.5 52.0

6th Row

Los Robles Ave.

(30)

(30)

Drive

2+07.2 54.5

2+26.0 55.2

2+19.2 30.2

2+27.0 8.5

24" Avocado

4'x3' Wier box

2+40.0 15.0 54.7

2+42.5 37.2

2+48.2 21.7

2+70.0 21.5

54.5

2+76.2 38.5 15.0

Cont. on Lt. Next Pg.

Conc. Valve Box

Conc. Block Office

Storage

Conc. Block Storage

Mac. Ave.

Pool

Screen Porch

Wood Frame

5' Cypress Hedge

12" Cedar

Notes Ck'd by
Map No. R. 2704
Office Work T. H. BURNS
Checked
Date

Survey of 633 Robles LLC
JN 2015.24 Tape Std.
Surveyed by Courtesy
Notes Vert. & H. C. Dig
Indexed

F. B. 2241 Pg. 28

38.4

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No. B-2704
Office Work T. H. BURNS
Checked
Date

Survey of Los Robles Ave
JN 0475.26 Tape Std °F
Surveyed by Dougherty
Notes Jack Date 3-1-60
Indexed C. Johnson

F. B. 2241 Pg. 291

Cont. on Bot. Next Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #247—3-57

Row 7
Row 11
Row 5
Row 13
Row 15
Row 47
Row 1" Avocado
Row 12" S.P.
Row 8" Lemons
Row 1
Row 5
Grove 8" Avocados
Row 12" S.P.
Grove 10" Orange Trees
(30)
(30)
T.P.
T.P.
PP
Los Robles Ave
Maple
Fair
7+09.5
7+00
6+50.5
6+00
5+77.5
5+56.5
5+00
4+88.5
4+41.5
4+01.5
193
82
18.5
225
37.1
23.5
65
86
18.9
21.6
19.4
22.5
22.5
22.5

F.B. 2241 Pg 292.



Cont. from Top Last Pg.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Cont. from Top Last Pg.

Notes Ck'd by
Map No. B-2764
Office Work T. H. BURNS
Checked
Date

Survey of Los Robles Ave
JN 10075, 2 Tape Std. °F
Surveyed by Dougherty
Notes Veek & C. Johnson Date 3-1-60
Indexed

F.B. 2241 PG. 29

Los Robles Ave.
Mac Pac.

Mac. Dr.

Cont. on Left next Pg.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by	Survey of Los Robles Ave
Map No. B-2704	JN 0075.26 Tape Std °F
Office Work T. H. BURNS	Surveyed by Dougherty
Checked	Notes Jack C. Johnson Date 3-2-62
Date	Indexed

F. B. 2241 PG. 295

Cont. on Bot next Pg

(30) (30)

Los Robles Ave

Mac. Pav.

154+74 22' P.P

154+61 18'

6" Conc. cb. & 24" Conc Gut.

154+47 18'

154+15 9'

153+13 54'

153+09 21' W.M.

25' Steps to Porch

Grove St Lemon Tr. SPT

Row 12" 22'

Row 10" Grapefruit Tr. 22'

T.P. 22'

15' 14+81

14+69 27'

24' Conc. Walk

14+61 9'

16' 62 22' 63 28'

Row 1

14+51 23'

14+44 20'

30'

R=10' 4' 2' Riser 2'

Conc Weir Box

14+40 30' 13' 18'

14+32 18' 41'

6" Conc cb

R=10'

14+18 22' P.P.

6" Lemon 22'

6" Conc cb

28'

14+09.96 Fd. C.S. Mon

Pav. F.B. 2241-282

(30) (30)

7th Conc Ave.

28' 14+00 20'

6" Conc cb

T.H

R=10'

34' 13+96

T.P.

24' 13+94

13+88 18'

H.H. (Water) 76'

13+80 18'

Cont. from Rt. Last Pg.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

765098 CE #247—3-57

F.B. 2241 Pg. 296



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-2704
Office Work T. H. BURNS
Checked
Date

Survey of Los Robles Ave
JN 0075.26 Tape Std °F
Surveyed by Dougherty
Notes Jack Date 3-2-60
Indexed R C. Johnson

F. B. 2241 Pg. 297

8-86

Cont. on Bot. Next Pg.

New S.P. Row (12")
Row 31
12" S.P.
12" S.P.
3.0
3.0
4.5
4.5
12" S.P.
Row 30
End S.P. Row
Row 29
Out
T.P.
Los Robles Ave.
Mac. Fav
Row 10" Grapefruit Tr.
Row 12" SP
Grove 8' Orange Tr.
Row 20
Grove 8' Orange Tr.
Row 12
Row 11
6" Avac.
Conc. Cistern
#9
#7
6" Avac.
Row 5
Row 3
8" Orange Tr.
Grapefruit
Row 1
6" Peach
8" Peach
P.P.
12" Palm
Row 17
18" Conc. Colv. Pipe
3' Boxwood Hedge

16+00 24 → 21+10.5
12+55 → 21+05.5
30 →
30 8 ℄ 21+00 8 ℄
23 20+89 22
19 22
22.5
20+50 16 →
20+46 50
B.S.
19+00 7.2 9.2
(30) (30)
T.P. 16.5 18+41 21.6
18+77 8
18+74.5 22.5
18+68.5
18+62.5 22.5
18+52.9 25.0
18+46.5 22.7
18+46 40.9
18+45.5 18.0
18+32.5 24.5
18+25.0 17.7
23.0
22.9
16.9

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3093 CE #247 8-57

Cont. from Top Last Pg.

F.B. 2241 Pg. 298

Cont. on Bot. next Pg.



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-2704
Office Work T. H. BURNS
Checked
Date

Survey of Los Robles Ave.
JN 0075.2 Tape Std °F
Surveyed by Dougherty
Notes Jack Date 3-2-60
Indexed C. Johnson

F. B. 224 / Pg. 299

Cont. on Bot next Pg

24" Palm
4" Conc. LS
4" Apr.
8' Dr.
R=25'
13'
Row 57
22' Dead
18" Avac.
Row 55
Row 52
2" Av
Row 50
6" Av
Conc. Oil Cistern
Grove St. Orange Tr.
Row 12" Grapefruit
Los Robles Ave
Row 12" Sp
Row 10" Sp
Mac.
(30)
(30)
T.P.
57½ 27+30½
52½ 27+15½
23½ 27+09½
53½ 27+04½
8½ 27+00 8½
15½ 26+95½
26+94½ 25½
35½ 26+80½
29½ 26+69½
26+66½ 20½
26+63½ 13½
26+31½ 20½
26+18½ 22½
15½ 25+92½
47½ 25+49½
8½ 25+00 8½
24+85½ 21½
Row 12
19° 11° 11°
Lem
8" Almond
P.P.
Row 10
out
18" Conc. Culv. Pipe
18½
18½
Mac. Dr.
20'
out
2-Rail Fence
Row 11
22½°
#6
6" Av
Row 3
22½
Grove St. Orange Tr.
22°
22½°
Row 11

Cont. from Top Pg. 298

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—8-57

F.B. 2241 Pg. 300



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-2704
Office Work T. H. BURNS
Checked
Date

Survey of Los Robles Ave
JN 0075.26 Tape Std °F
Surveyed by Dougherty
Notes Jack A. C. Johnson Date 3-22-60
Indexed

F. B. 224 Pg. 301

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Re-net extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F9095 CE #247—3-57

1 Story Stucco Home

62.2'

29.5'

30.3'

10.5'

24.2'

Stucco Garage

23.4'

21.2'

1 Story Stucco Home

51.2'

32.9'

33'

17.2'

19.9'

14.8'

Brick Planter

Walk

Cont. from Pg. 11

Cont. on Pg. 11

Los Robles Ave

Conc. Walk

6' C. L. Fence

Play Ground

100'+

W/M

P.P.

S.M.H.

(30)

(30)

30+84.8 — 20.0 — 6" Conc. C&G — 24" CMP

30+95.4 — 55.0

30+95.0 — 20.0

30+97.5 — 25.5

31+16.3 — 33.9

31+32.9 — 22.9

31+34.2 — 44.9

31+51.2 — 20.0

31+55.4 — 25.5

31+67.4 — 78.0

31+76.0 — 23.4

31+82.5 — 55.0

32+14.1 — 22.9

31+96.3 — 33.9

32+19.5 — 11.9

32+16.2 — 37.9

32+34.9 — 38.7

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 224 Pg. 302

Notes Ck'd by
Map No. B-2704
Office Work T. H. BURNS
Checked
Date

Survey of Los Robles Ave
JN 00752 Tape Std °F
Surveyed by Dougherty
Notes Jacket Date 3-3-60
Indexed

F. B. 2241 PG. 303

Cont. on Bot next Pg.

Row 7

22.5 — 35+42.6

15.4 — 35+58.0

24" Conc Culv. Pipe

(30) (30)

15.4 — 35+44.2

35+41.5 — 22.9 — 4" Aprocot

35+35.3 — 15.2

3" Peach. 35+34.9 — 24.2 — P.P.

24.3 — 35+30.0

35+20.9 — 22.9 — 30" Palm (dead)

#5

4" peach.

24.2 — 35+09.5 — 24.2 — 3" Aprocot.

6" AV. Row 12" SP

17.9 — 35+06.4 — 6" Ret. Wall (conc)

Grove 8" Orange St.

Row 8" Grapefruit

Los Robles Ave

Mac. Fas

#3

34+73.0 — 15.8

31.2 — 34+51.5 — W. H. H.

22.9

6" AV.

22.9 — 12.5 — 22.6 — 34+31.5 — 22.9 — 12.4 — 4" Avac 30.0

Row 1

8.6 — 34+33.9

S.S. MH. — 11.0 — 34+25.5

30" Main

12" SP

30.2

Conc. Weir Box

34+18.4 — 9.0

4' W.W. Fence

30.2 — 34+20.4

20.4 — 34+20.4 — 20.0

6" Conc cb @ 24" Gut

Mac. Dr.

conc. Dr.

25.5 — 34+02.3

R15.5 — conc. Walk

20.0 — 33+99.2

Conc. Walk

Cont. from Rt. Last Pg.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3055 CE #247—3-57

F.B. 2241 Pg. 304

Cont. on Lt. next Pg.



Cont. from Top Last Pg.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Cont. from Top Last Pg.

Notes Ck'd by
Map No. B-2704
Office Work T. H. BURNS
Checked
Date

Survey of Los Robles Ave.
JN 0675.24 Tape Sid. of
Surveyed by Dougherty
Notes Jack Date 3-3-60
Indexed C. Johnson

F. B. 2241 Pg. 305

Mac

4" Avac.

13' → 37+62

16' → 37+64

55' → 37+64

89' → 37+65

37+69 ← 5' — SS M.H.

18" Conc. Culv.

M.H. Conc. #

30' → 37+79

16' → 37+80

14" → 37+81

27' → 37+83

35' → 37+89

37+91 ← WM — 37+01

Mac

6" Av

6" Or

17'

60'

Row 8" Orange Tr

Los Robles Ave

Row 12" SP

Row 17

Row 19

1 Story Stucco Home

36'

58'

30' Garage Stucco

Brick Planter

Mac & Pav.

60'

60'

3' Conc. Walk

2' Conc Block Wall

27' → 38+27 ← 22'

12'

7'

28'

6" Orange

Row 17

22' → 38+49

224

34' → 38+55

16" → 38+56

24" C.I.P. Culv.

(30)

(30)

Ave

Grove 4" Avacados.

16' → 38+72

Cont. on Bot next Pg.

F.B. 2241 Pg. 306 Cont. on Bot next Pg.



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Los Robles Ave.
Map No. B-2704	JN 0075.26 Tape Std °F
Office Work S. H. BURNS	Surveyed by Dougherty
Checked	Notes Jack Date 3-3-60
Date	Indexed K. C. Johnson

F. B. 2241 PG. 307

Cont. on Bot next Pg



Cont. from Top Last Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7695005 CE #447—3-57

F.B. 2241 Pg. 308 Cont. on Bot. next Pg.



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Los Robles Ave
Map No. B-2704	JN 007526 Tape Std °F
Office Work T. H. BURNS	Surveyed by Dougherty
Checked	Notes Jack A. C. Johnson Date 3-3-60
Date	Indexed

F. B. 2241 Pg. 309

Cont. on Bat. Next Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

76F3095 Ct #247—3-57

Grove 8" Lemons

Row 12" SP

#3

#2

(30) & (30)

46+25 — 22° — 18" Oak

24" G.I. Culv. & 6" Conc. H.W.

46+04 — 15

46+03 — 23

46+02 — 19° — 18" Elm

Row 17

Conc. Oil Cistern

20" Deodar

45+92 — 45+79 — 22° — 18" Redwood

45+75 — 45+90

6" Lem

Los Robles Ave.

T.P.

45+57 — 23 — 8" Elm

45+39 — 45+34 — 24° — P.P.

6" Lem — 4" Dr.

6" Dr.

45+32 — 22

45+13 — 23° — 10" Elm

45+04 — 34 — 7 — 7

6" Lem

44+91 — 23 — 16" Avac.

6" Lem — 22°

Conc. Weir Box

44+82 — 34° — 41

30

44+78 — 30 — WM.

Los Robles

44+72 — 30

Row 11

22°

44+59 — 22

Mac

Rau

Mac. Dr.

44+54 — 13

24" C.I. Culv. & 6" Conc. H.W.

44+52 — 13°

Grove 8" Lemons

6" Av.

Row 12" S.P.

44+32 — 56° — 10" Orange

Row 9

Cont. from Top Last Pg

F. B. 224/ Pg. 310 Cont. on Bot. next Pg.



Cont. from Top Last Pg.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-2704
Office Work T. H. BURNS
Checked
Date

Survey of Los Robles Ave
JN 007524 Tape Std oF
Surveyed by Dougherty
Notes Jack Date 3-4-60
Indexed C. Johnson

F. B. 2241 Pg. 311

Cont. on Bot next Pg.

(30) ℄ (30)

Row 15 ↑ out — 12.9 — 21.5 — 23.9 — Row 14 ↑ 22± 22±

Row 14 — 7.2 — 8.2 — 11.3 → 50+97 — 12.9 → 50+94

24" Conc. Culv. & 6" Conc. H.W. — 12.2 → 50+78.5 — 10.2 → 50+75.2 — 50+00 ← 22.5 — P.P.

Row 12 ↑

T.P. — 20.2 → 50+00

out — #9 — Mac — Pau — #7

24" Conc C/V & 6" Conc H.W. — 11.3 → 49+42.9 — 13.3 → 49+39.5 — 17.9 → 49+

Frame & Garage — 24.5 — 17.7 → 49+27.5

out — #6 — 13.3 → 49+01.5 — 6" Conc. H/W — 10.5 → 48+99.2

Los Robles Ave

6" Oak 6" Lemon Trees

Grove of 8" Orange Trees

#4 — #3

Row of T.P. 12" Sy — 20.4 → 48+59.2

Cont from Top Last Pg.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F309S CE #247—3-57

F.B. 2241 Pg. 312 — Cont. on Lt. Pg. 313

53+61 — 24' — 10" Walnut.

53+58 — 51'

45°

Conc. Slab

(30) & (30)

53+43 — 51'

53+41 — 15'

53+39 — 10'

36" Oval C.I. Culvert & 8" Conc. H.W.

53+09 — 30' — 8" Elm.

53+06

50' — 6" Plum

T.P. — 20' — 53+01

52+96 — 21' — 6" Olive.

52+85 — 51' — 12" Avoc.

Dead. — 32' — Robles Ave

52+74 — 21' — 6" Olive — 16' — 3" Avoc.

52+63 — 51' — 12" Avoc.

52+51 — 21' — 6" Olive.

52+41 — 51' — 10" Avoc.

This Area is Grain Field

52+37 — 23' — P.T. — 4" Avoc — 14'

52+30 — 36'

52+08 — 51' — 10" Avoc.

From This Tree east. Trees are in regular set

24" Conc. Culv.

14' — 51+99

51+96 — 62' — 6" Avoc.

51+86 — 51' — 20" Avoc.

14' — 51+80

Mac Pac

T.P. — 20' — 51+59

51+52 — 48' — 8" Elm.

51+42 — 43'

8" Or.

21' — 51+36

30'

Conc. Weir Box

30' — 51+31

Cont. from Top Last Pg.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B- 2704
Office Work T. H. BURNS
Checked
Date

Survey of Los Robles Ave
JN 0075.26 Tape Std °F
Surveyed by Dougherty
Notes Jack C. Johnson Date 3-4-60
Indexed

F. B. 2241 Pg. 313

Grain Field

Row 6" Orange Tr

22½ 22½

194

54+00 54+08.2 54+09.6 54+38.0 54+38.9 54+44.2 54+44.4 54+58.6 54+63.5

589 415 389 389 589 394 317

16" Walnut WM G.M. WM WM (water) WM

Conc walk

382

1 story Stucco Home

Conc Porch

426

Easterly 1/4 Cor. Sec. 10

Easterly 1/4 Cor. Sec. 10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Be sure record data is on this side of this line.

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEER BLDG.

FORM CE #247—3-57

F.B. 2241 Pg. 314