Notes Ck'd by
Map No.
Office Work

Survey of
IN Tape Std °F
Surveyed by
Notes Date
Indexed

F.B. 2249 Pg.

	Job	Description
		LUX ARBORETUM - 0054.00
	Bdry.	Survey in Sec. 14, T1N R11W.
	Align.	Of Clam-shell Fire Truck Trail.
	Topog.	Stadia topog. in Clamshell Canyon.
	Bdry.	Survey in Sec. 14, T1N R14W.
	Sec. Line	Triang. & Calc. of Lines 14/13; 11/12; 2/1 - T1N R11W.
	Loc.	Loc. ridge near sta. E-19.
	Geod. Ties	Cadastral tie to Sierra Madre K-4 and Sierra Madre K-4A.
	Sec. Line	T1N R11W, Sec. 14.
	B.M.	Vertical B.M.'s
	Elev.	Of photogrammetric control points.
	Sec. Line	T1N R11W Sec. 14-Loc. N. & S. line thru center of Sec.
	Topog.	Level lines and "P" line for photogrammetric check of aerial topog.
	Bdry.	Rerun boundary along Lower Clamshell Boundary line.

Microfilmed May '86

Notes Ck'd by Miller	Survey of Lux Arboretum	F. B. 2249	Pg. 5
Map No.	JN 0054.00 Topo. Std. °F		
Office Work	Surveyed by		
Checked	Notes Date		
Date	Indexed A. C. Johnson 12-10-56		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this [illegible] of this line.

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

LUX ARBORETUM

JN 0054.00

0016.01

Mitchell & Party Nov. & Dec., 1956

F. B. 2749 Pg. 6

INDEX

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of Aux Abstraction
JN 005400 Tape 1W Std 8W °F
Surveyed by Mitchell
Notes Mitchell Date Nov. '56
Indexed C. Johnson

F. B. 2749 Pg. 2

TWP. 2N.

INDEX

11W.

SECTION 11

119

93 93 182 93 93

165

24

14

SECTION 15

162 178 K-4

57 233

163 171 K-4A

9 9 9

SECTION

SECTION 13

61 61

R.S. 58-14

TRACT 14520

165 71 182 71 71 119

SECTION 23

RANGE

TOWNSHIP 1 NORTH.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this area of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78F3098 SAE 1247 1-58

F. B. 1149 Pg. 8

SUBJECT INDEX

PAGE	TOPIC
9	NORTH LINE - S ½ SEC. 14
	incl. N LINE RS 58-14
24	WEST LINE - N½ SEC - 14
31	LOWER CLAMSHELL TRK. TR.
37	LOWER CLAMSHELL CN - TOPOG.
61	WEST LINE - PAR-1 RS 58-14
	= E LINE W 3/4 OF S ½ OF
	SEC 14
71	SOUTH LINE - SEC 14
93	NORTH LINE - SEC 14
119	EAST LINE - SEC 14 (N ½)
161	CADASTRAL TIE
165	WEST LINE SEC 14
	(SEE FB 473 - 187 & 192)
167	AERIAL PHOTO CONTROL - HORIZ.
177	" " " - VERT.
181	W. LINE ~ E ½ SEC 14
199	VERT CONTROL ~ SEC 14
205	W. LINE ~ E ½ SEC 14 - CORRECTED

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller	Survey of Lux Arboretum
Map No.	JN 0054.00 Tape 122 Std 84 °F
Office Work	Surveyed by Mitchell
Checked	Notes Mitchell Date Nov 56
Date	Indexed C. Johnson

F. B. 2247 Pg. 9

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

SURVEY OF THE NORTH LINE OF THE SOUTH HALF OF SECTION 14 T1N R1W

(LUX ARBORETUM - JN 0054.00)

Mitchell
Smiley
Hew
Goss
Henderson

November 1956

INDEX



7-57 3006 SIZ 2247 1-56

NOTES
EAST 1/4 CORNER. SECTION 14
TWP. 1 N - RN. 11 W.

1. An inspection of the area in the vicinity of the 1/4 corner shown on page 11 fails to indicate topography such as called for by W.P. Reynolds (Deputy U.S. Surveyor) in C.S. 9250-2 (dtd. May 31st 1873) at Sta. 38.00 & 42.00 - Land North of 1/4 Corner is open stream (some brush & timber) for 10 chains.
2. I find no other trees in the immediate (100 ft±) vicinity of the corner found that will satisfy the distances shown in FC 194-163 although some land to N.E. has been cleared.
3. Suggest that a thorough search of Flood Control survey notes be made to determine the manner in which the present 1/4 Corner was set ~ See also F.C. 1221-286

NOTES

1. The W 1/4 Corner of the Section was set by Dep. U.S. Surveyor Reynolds - CS (1873). In 1926 the County Surveyor determined the original corner to be lost & reestablished same by line & proportionate distance. The monument set was moved by Mr. Lux (14 ft W) (per information by other local residents), found & reported displaced by W.A. Treadwell Jr. (a licensed Surveyor) and was reset in its present correct location by Dep. Co. Surv. Porter - F.B. 473 (1954)
2. The NW Cor of R S 58-14 (& Tr. 14520) as established by F.E.W. Imot (a Lisc. Surv.)

Cont'd on Pg 15

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of Arboretum F. B. 2449 Pg. 11
JN 0454 Tape NW Std. 84 °F
Surveyed by Mitchell
Notes C. P. M. Date 11-56
Indexed C. Johnson

W.S. 45-D3

13

SECTION

Fd 4" Bl. Stk with scribed "X" S. side of 30" Oak ~ Condition of Stk shows same to have been set within past 5 yrs. No evidence of dozer.

36.25

Falls in yard of house now occupied. Did not cut tree to search for Govt. Stk per F.C. 194-143 ~ No Ref to Stk found.

16.15 @ Ldr (T=62°) = 16.15'

SECTION

R/L of 16.15' at 12" in stream bottom.

bottom

N 26° 35' E 2665.9' @ 28° 35 (T=62°)
N 26° 35' E 2666.54' @ 28° 49 (T=60°)
= 233.50'
Avg = 233.50'

ASCENDING

Contd on page 12

RANDOM 16.15' TO CENTER LINE OF SEC.

4.00

R.5.58-14

NORTH LINE OF FR. N 5280

E COR SEC 14
Fd 2" IP cont. w/ 3/4" IP set in conc. Ch. Pt. by ties to Pkg. Nail & Shiner in 12" Oak, 0.6' E. & 0.4' N. of Cor. No Ref. Mon. Evidence ~ Assuming this to be the E. Cor. Sec 14 T1N R11W (Inter.) the (N 5280 ~ Occupation of land to E. over fence line running E. from this point. Then going W ~ 0+00 going W ~

14

Fd 4" Bl. Stk with W.S. 45-D3 on W. side of 24" Oak on E. side of stream bottom. ~ No Ref. Made search thru Stk to solid wood on S. side of tree. ~ Tree broken over thru Fd Nothing. Tree growth indicates

T 1 N
R 11 W

canyon

~ blaze found here has been opened or reopened within past 5 or 10 yrs. ~ NW side of tree is broken out ~ Scars have been 30 yrs. or more. Note that F.C. 194-143 shows tree to be on N. side of sec. line run there is no tree.

1°04' E 0.32 = 24

12

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 900 Los Angeles County Engineering Bldg.

7M2008 SRE 12-47 1-58

F. B. 2019 PG. 17

Contd from page 11

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

11/156
RSM

22.35 @ Ccr (CE=70') = N 22°35'25" E 22.35'
2) 23.80 @ 11°26'42" (CE=70') = 22°35'25" 22.35'
3) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
4) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
5) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
6) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
7) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
8) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
9) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
10) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
11) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
12) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
13) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
14) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
15) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
16) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
17) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
18) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
19) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
20) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
21) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
22) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
23) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
24) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
25) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
26) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
27) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
28) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
29) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
30) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
31) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
32) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
33) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
34) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
35) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
36) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
37) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
38) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
39) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
40) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
41) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
42) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
43) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
44) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
45) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
46) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
47) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
48) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
49) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
50) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
51) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
52) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
53) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
54) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
55) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
56) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
57) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
58) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
59) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
60) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
61) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
62) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
63) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
64) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
65) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
66) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
67) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
68) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
69) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
70) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
71) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
72) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
73) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
74) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
75) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
76) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
77) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
78) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
79) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
80) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
81) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
82) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
83) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
84) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
85) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
86) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
87) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
88) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
89) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
90) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
91) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
92) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
93) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
94) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
95) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
96) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
97) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
98) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
99) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'
100) 24.66 @ 13°32'07" (CE=70') = 22°35'25" 22.35'

R/L 2
2749.65'
Fd 1x2 Sn in
E side of driveway
leading to future
building site ~ No
Ref.

ASCENDING

R/L 3
2711.90'
Fd 1x2 Sn on W side
of No driveway.
No Ref.

SEC 14
T 1 N
R 11 W

Cross Bldg
Site

R/L 4
2794.25'
Fd 1x2 Sn
on flat of
building site

Normal

Tie L/L 48
2795' to L/L
Set 1" IP
cem pl. & Br.
up 2" by
calc.

Cross Bldg
Site

Former
Water Tnk
Site

R/L 5
2707.58'
Fd 1x2 Sn
on crest
of spur

DESCENDING

RS 58-14 & TR 14520

CENTER - OF SECTION LINE

NORTH LINE

Ccr

Set 1" IP
cem pl. & Br.
up 2" by
calc.

Calc 5.16 S of Ccr

0.16 N of Ridge

Ridge

Swale

0.17

0.17

0.12

Calc 2133.33' to Ccr

Calc 2711.90' to Ccr

Calc 2794.25' to Ccr

Calc 2707.58' to Ccr

Calc 2749.65' to Ccr

Calc 2733.50' to Ccr

Calc 67.18' to Ccr

Calc 67.18' to Ccr

Calc 67.18

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 00566 Tape INV Std. 84 °F
Surveyed by Mitchell
Notes R J M Date 11-56
Indexed C. Johnson

F. B 2749 Pg. 18

Cont'd from page 12

SEC 14

T1N R11W

R/W 6
5+74.76'
5 cf 1x2 & 11

6+24.89
Ed 2" brass cap pl.
in C.L. & Ca. E.C.

Dist. ~ No Ref
~ Witness Pt.'s
5 cf W 6" 15"
Mtd. 5 ft. to
NNW"

DESCENDING

Bo. Hom

ASCENDING SHARPLY

R/W 7
8+33.90'
5 cf 1x2 & 11

ASCENDING

R/W 8
9+67.27'
5 cf 1x2 & 11.

ASCENDING

13.60 RADIAL N 13° 37' W

67.18

30.00

CENTER-OF-SECTION LINE

0.10

5.74 calc.

11.56 calc.

1200 ft.

259.14

6+24.72 Ctr. of Sec. Lm.

Drow

S 58-14 E 1432.0

N 58-14 W 1432.0

NORTH LINE

F/W 6+24.69 calc.

13.60 RADIAL S 13° 37' E

Cont'd on page 14

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

5+74.76
50.00

67F3008 SEE 1-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-03



Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum F. B 2249 Pg. 15
JN 005410 Tape 77 Std 84 °F
Surveyed by Mitchell
Notes R. T. M. Date 11-56
Indexed C. Johnson

CHAINING & ANGLES ~ PG 14

From R/L 9	to R/L 10	1) 233.90 @ 4°19 (T=66°)	= 233.25	
		2) 234.02 @ 4°40 "	= 233.22	
		Avg	= 233.24	
R/L 10	to R/L 11	1) 118.64 @ 13°15 (T=68°)	= 115.47	
		2) 118.03 @ 11°55 "	= 115.48	
		Avg	= 115.47	
R/L 10	to 1" IP	1) 127.94 @ 14°31 (T=74°)	= 120.58	
		2) 128.34 @ 10°01 "	= 120.54	
		Avg	= 120.57	
2" IP	to Tr/L 12	1) 49.23 @ 0°00 (T=74°)	= 49.23	
		2) 49.26 @ 2°06 "	= 49.22	
		Avg	= 49.23	
R/L X9	to Tr/L X9	1) 18.81 @ 0°00 (T=74°)	= 18.81	
R/L 10	to Tr/L 20	1) 27.15 @ 41°09 (T=78°)	= 20.47	
		2) 26.30 @ 38°16 "	= 20.45	
		Avg	= 20.46	
		Abd Total	= 23.25	

1) 65 58 30	1) 102-07-00	1) 168-05-20		
2) 263 54 00 ✓	4) 48-29-00 ✓	4) 312-22-30	✓	
3) 35 51 00 ✓	6) 252-43-20 ✓	6) 288-33-40	✓	
4) 65 58 30 ✓	Avg 102-07-13	Avg 168-05-36	✓	
	Adj. 102-07-10 ✓	Adj. 168-05-40	✓	
		Supp. 11-54-20		

NOTES
(cont'd from pg 10)

2. (Cont'd.) falls 12.42 ft South of a straight line connecting opposite 1/4 corners of the Section.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SEE #247 1-56

cont'd from page 14

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC 14 - T1N R11W

CENTER-OF-SECTION LINE

DESCENDING

DESCENDING

DESCENDING

ASCENDING

ASCENDING ALONG SIDE SLOPE

Tr. Rd.

Trail

Tr. Rd.

Tr. Rd.

Tr. Rd.

76F3095 SBE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by MILLER
Map No.
Office Work
Checked
Date

Survey of Aux Arboretum
JN 0857A Pg. 122 Sht. 5 of 5
Surveyed by [illegible] Date Nov 56
Notes [illegible] C Tabasco
Indexed

F. B. 22449 Pg. 157

1) 187.76 @ 0°55 (T=86') = 187.74 ✓
2) 187.80 @ 1°32 " = 187.73 ✓
A=9 = 187.73 ✓

1) 189.52 @ 18°54 (T=82') = 174.58 ✓
2) 185.05 @ 19°22 " = 174.58 ✓
A=7 = 174.58 ✓

ASCENDING ALONG S. SIDE SEC 16 T1N R1W

CENTER-OF-SECTION LINE

CENTER OF SEC 16

ASCENDING

Road

187.73

TRANSIT LINE

174.58

92.31

Drive

TRANSIT LINE ALONG S. SIDE SEC 16 T1N R1W (CA. BASIS OF BEARINGS)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-D3


CENTER - OF - SECTION LINE
LINE
Draw
Ascending
Descending
Into Draw
Ascending
Ascending
Descending
Into Draw
Draw
Draw
Void
Void
Void

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of Kuy Alhambra
JN 00548.08 Tape 137 Std 68 °F
Surveyed by R.J. Mc Neil
Notes R.E. Kelt Date 12-56
Indexed C. Johnson

R.S. 2282 Fld. 17

cont'd from page 18

SEC 14
T1N R11W

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

1) 59.73 @ 22°06' (N 90°) = 59.73 BVC
2) 59.23 @ 43°21' (N 68°54' E) = 59.23 EVC
Ave = 59.48

1) 420.54 @ 19°12' (N 90°) = 208.33 BVC
2) 421.04 @ 19°32' (N 70°42' E) = 208.33 EVC
Ave = 208.33

1) 322.74 @ 7°28' (N 90°) = 72.11 BVC
2) 322.74 @ 7°28' (N 82°32' E) = 72.11 EVC
Ave = 72.11

ASCENDING

Lower Clamshell

Truck Trail

CENTER LINE OF - SECTION LINE

ASCENDING

3/+38.72 Ctr. of sec. Ln. 5/8" IP cem'd. T.C. Co. Engr. Tg. by calc. offset.
11-18-58 R.J.M.

29.72 calc. & set

TOP OF KNOLL

1) 53.60 @ Lerc (N 82°) = 53.60 BVC
2) 322.50 @ 3°52' (N 86°) = 322.50 EVC
Ave = 271.90

1) 322.50 @ 3°52' (N 86°) = 322.50 BVC
2) 322.21 @ 4°09' (N 90°) = 322.21 EVC
Ave = 271.91

DESCENDING INTO CLOVERLEAF CN.

cont'd on page 20

7EF3065 SBE 1247 1-56

F. B. 1222 Pg. 20

Cont'd from page 19

SEC 14 T1N R11W

11/56 RJM

CENTER-OF-SEC LINE

N 0°17'21" E 1941.81'

S 89°45'04" E 2712.15'

34+64 Ch. of Sec. Ln. Set 1" IP cem. pl. Co. Engr. Tg E'ly on Ln. to C. of Sec. (Set 11-18-58 RJM)

DESCENDING ALONG SIDE SLOPE

32.33 Ch. to C. of Sec. Set

T/L 24 09 34+64 Set 1" IP cem pl. & Br. up 2'

T/L 25 35 35+09 Set 1x2 Ch. pt. only

DESCENDING

Draw

small Ridge

Draw

T/L 26 36 35+46 Set 1x2 Ch. pt. only

T/L 27 35 38+10 Set 1x2 Ch. pt. only

Draw

Draw

small Ridge

DESCENDING

Cont'd on page 21

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum F: B2249 Pg. 21
JN 0054.00 Tape 2 Std 82 °F
Surveyed by Mitchell
Notes R.W.M. Date 11-56
Indexed C. Johnson

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SSE #247 1-56

Total from page 20

39+82.55 37.17 39.82.71

40+04.70 37.37

Tie 28
40+04.53
Set nail
ch. pt. only

DESCENDING

Tie 27
41+11.30
Set nail
ch. pt. only

DESCENDING

See Page 32 for Location of Rd

CENTER - OF - SEC.

TRANSIT LINE

Drew

41+87.56 39.05
Ctr. of Sec. Lou. calc. & m

Tie 26
Set nail
PK & Br. to W
Cor. Sec. "Lone
Elm" 40' N
Tie.

DESCENDING

Continued on Page 22

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



76F3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

1) 63.72 @ 8°56 (T=70°) = 62.94 V
2) 64.11 @ 10°54 " = 62.94 V
Avg = 62.94 V

1) 40.53 @ 21°30 (T=70°) = 37.71 V
2) 41.10 @ 23°27 " = 37.71 V
Avg = 37.71 V

1) 247.12 @ 9°41 (T=70°) = 246.60 V
2) 247.44 @ 9°32 " = 246.65 V
3) 247.29 @ 9°08 " = 246.63 V
Avg = 246.64 V

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of Lucas Harbor Tract
JN 02548 Tape 12-2 Std 62 °F
Surveyed by Mitchell
Notes F.B. 2249 Pg. 28 Date 11-56
Indexed R. C. Johnson

F. B. 2249 Pg. 28

ASCENDING SECTION 14 T 1N R 11W

ASCENDING

ASCENDING ACCESS CUL DE SAC 49+80.24

49+46.80

49+46.15 Ptc. of Sec. Ln.

CENTER - OF - SECTION LINE

Cen Tel on

33.44

46.16

TRANSIT LINE 37.71

15.13 calc.

154.06

Ptc

Ptc 1.2

246.64

62.94

See Page 27 for Location of Rel.

49+46.94 Ptc Sec 39 T 1N R 11W

49+46.57 Ptc Sec 39 T 1N R 11W

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of Lux Arbor etum
JN 00 34 Tape 1/4" Std 66
Surveyed by Mitchell
Notes R.V.M. Date 11-76
Indexed C. Johnson

Cont'd on page 2-17

CHAMSHELL CANYON

89°-17'-10"
35-45
43.

87°-08'-40"
35"

CREST OF RIDGE

T 1N
R 11 W

T 1N
R 11 W

Edge 26

531.18

BASE LINE

1203.50

2+87.92.5
Fd 3x3 in FB 473-191
So. Edge of Fire Edge
Used for E end of base line. Fire Line

ASCENDING

Cont'd on

Fd 1x1 in No Ref

Fd 1x1 in No Ref

Fd 2x2 in No Ref

2+78.8
Fd 1x1 in
FB 473-191

SECTION LINE

SEC 13

SEC 14

1) 87 08 30
2) 398 34 50
3) 162 52 20
4) 97 08 43½
5) 87 08 55 30

1) 27 17 10
2) 58 32 20
3) 117 48 30½
4) 23 19 07½

Pg 24

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7x20 pass 8x2 1247 1-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 0054.00 Tape 12W Std 84 °F
Surveyed by Mitchell
Notes Mitchell Date 11/56
Indexed C. Johnson

1147
F. B. 776 Pg. 27

W.S. 45-C3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Cont'd on page 28

SEC 15 — TIN — SEC 14

Cont'd from page 26 From B.L. #3

Cont'd from page 29

COUNTY ENGINEER
T 1 N
R 11 W
S 15 | S 14
L. A. C. 5869

7-62 3095 SAE #247 1-56

F. B. 1119 Pg. 28

Base Line Chaining
See Pages 25 & 26

1) 273.52	@ 6° 40	(T=68°)	= 271.65 ✓		
2) 273.20	@ 6° 00	"	= 271.68 ✓		
		Avg			271.66 ✓
1) 115.44	@ 10° 41	(T=68°)	= 113.43 ✓		
2) 115.80	@ 11° 35	"	= 113.43 ✓		
		Avg			113.43 ✓
1) 196.91	@ 6° 05	(T=68°)	= 196.09 ✓		
2) 147.01	@ 2° 17	"	= 146.18 ✓		
		Avg			146.09 ✓
		Total	=		531.18 ✓
1) 72.87	@ 10° 51	(T=72°)	= 71.55 ✓		
2) 72.69	@ 10° 03	"	= 71.54 ✓		
		Avg			71.55 ✓
1) 299.31	@ 11° 18	(T=72°)	= 293.49 ✓		
2) 299.07	@ 11° 01	"	= 293.50 ✓		
		Avg			293.49 ✓
1) 39.20	@ 7° 52	(T=84°)	= 38.83 ✓		
2) 38.86	@ 2° 40	"	= 38.82 ✓		
		Avg			38.82 ✓
1) 40.44	@ 4° 54	(T=84°)	=		40.44 ✓
1) 278.32	@ 6° 58	(T=80°)	= 276.25 ✓		
2) 278.43	@ 7° 10	"	= 276.24 ✓		
		Avg			276.24 ✓
1) 137.35	@ 2° 38	"	= 137.23 ✓		
2) 137.47	@ 3° 16	"	= 137.24 ✓		
		Avg			137.23 ✓
		Total	=		857.77 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Lux Arboretum
Map No.	W. O. 0054 Tape No. 182 St'd. 84 °F
Office Work	Surveyed by Mitchell
Checked	Notes Mitchell Date Nov '56
Date	Indexed C. Johnson

F. B. 2249 PG. 29

Triangle Calculations

See Pages 25, 26 & 27



Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not offend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

7-54 1000 SAE #247, 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WKS.45,C-2



SEC 11

SEC 14

SEC 10

SEC 15

T1N

R11W

52+95.78
"52+44.66 R.
Found nail & tag "LS 4173" 0.66' N & 0.11' E of PT.
S 44°11' W 60.50' to PT.
S 45°48' E 50.00' to PT.
N 44°11' E 60.50' to PT.
N 45°48' W 50.00' to PT.
P.O.B.

"50+22.56
"50+72.66 R.
Found nail & tag "LS 4173" 0.66' N & 0.11' E of PT.
S 44°11' W 60.50' to PT.
S 45°48' E 50.00' to PT.
N 44°11' E 60.50' to PT.
N 45°48' W 50.00' to PT.
P.O.B.

192.96 measured

192.96 recorded

96.761 =
96.761 =
96.761 = (.08=) 192.69 @ 11°54'30" E

Center of Storm Drain Proj. Sec 27

F.B. 22227 PG. 30

Notes Ck'd by Miller	Survey of Lux Arboretum
Map No.	JN 0054.00 Tape 122 Std 84 °F
Office Work	Surveyed by Mitchell
Checked	Notes Date 11-56
Date	Indexed J. C. Johnson TE-70-AB

F. B 2242 PG. 51

Survey Showing
Location of Traveled Portion
of
LOWER CLAMSHELL TRUCK TRAIL
in vicinity of
LUX ARBORETUM
J.N. 0054.00

Mitchell, R.J.
Smiley, L.C.
Howe, C.Y.F.
Henderson, V.E.
Goss, C.K.

Nov. 1956

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Cont'd. btm. Pg. 34

Notes Ck'd by Miller	Survey of Lux Arboretum
Map No.	JN 00534.00 Tape 122 Std 84 °F
Office Work	Surveyed by Mitchell
Checked	Notes Date 11-56
Date	Indexed C. Johnson

F. B. 2247 Pg. 39

3+17.14
2+14.27
5+31.41

1) 224-19-20
4) 177-17-20
6) 265-56-00 ✓
Avg. 224-19-20. ✓

1) 155-09-50
4) 260-39-20 ✓
6) 210-58-50 ✓
Avg. 155-09-48½ ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.



7SF3098 SSE #247 1-56

Cont'd. from top Pg. 32

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


CLAMSHELL CANYON
TOPOCK
TO N 43° 09' 37" E.
TO N 91° 15' E.
M29° 08' 40"
N 29° 08' 40" E
S 43° 09' 37" W
S 43° 09' 37" W
S 43° 09' 37" W

Notes Ck'd by Miller	Survey of Lux Arboretum
Map No.	JN 0054.00 Tape 122 Std 84 °F
Office Work	Surveyed by Mitchell
Checked	Notes Date 11-36
Date	Indexed C. Johnson

F. B. 2247 PG. 35

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

5+31.41
- 27.5
+58.91

(6+58.91)
Rd. 5.
Sch. Spt. E.T.

LOWER CLAMSHELL

FIRE TRUCK TRAIL

Edge of R.-of-W.

165°-10'-00"

207-18'

(9+97.10)
Rd. 6
Sch. Spt. E.T.

Con't. Rd. 19.36

Con't. Rd. 3.06

	NATURAL	VERS.	USED
295.27	@ 5°58' (T=74°)	= 293.65	✓
~~295.07~~	@ 5°30' (")	= ~~293.69~~	
295.18	@ 5°46' (")	= 293.67	✓
		Avg. = 293.66	✓
44.53	@ Lev (T=74°)	= 44.53	✓
		Tot. = 338.19	✓
132.85	@ 3°12' (T=80°)	= 132.64	✓
~~133.11~~	@ 5°09' (")	= ~~132.58~~	
133.06	@ 4°29' (")	= 132.65	✓
		Avg. = 132.64	✓

1) 165-10-10
4) 300-40-10 ✓
6) 271-00-00 ✓
Avg. 165-10-00 ✓

207-18-30
109-14-20
163-51-30 ✓
Avg. 207-18-35 ✓

7875036 SAE 1247 1-36


F. B2249 Pg. 36
1) 129-08-50
4) 156-35-00
6) 54-52-30
Avg. 129-08-45
1) 202-08-00
4) 88-32-20
6) 132-48-40
Avg. 202-08-06⅔
LOWER CLAMSHELL
FIRE TRUCK TRAIL
Rd. 7
Rd. 8
(11+29.74)
(12+86.94)
132.64
129°-08'-45"
202°-08'
Edge of Road
Edge of Road
Scale 1"X2"n.
Scale 1"X2"n.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
NATURAL VERS. USED.
157.41 @ 3°01' (T=84°) = 157.19
157.66 @ 4°19' (") = 157.21
Avg. = 157.20
170.27 @ 10°32' (T=80°) = 167.40
169.82 @ 9°45' (") = 167.37
Avg. = 167.38
9 9 7.10
1 3 2.64
11+29.74
1 5 7 2 0
12 8 6.94

76F3095 SBE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by Miller
Map No.
Office Work
Checked
Date

Survey of Luke Airport Unit F. B 2242 Pg. 37
JN 22540 Tape 122 Std 89 °F
Surveyed by Hill Fickett
Notes
Indexed C. Johnson Date 11-56

TRANSITION LINE

CLAMSHELL
of Rd.

ZOWER
℄ Edge

FIRE TRUCK TRAIL

T+/L 34
Fd. 1" I.P. By 2.3' of Rd.

℄ Edge

Az to
37°-57'-20"
221°-50'-00"
37°-57'-35"

37°-57'-35"

167.38

Contd from page 36

F. B. 2248 Pg. 38

TRAVERSE LINE FOR STADIA CONTROL

1) 86.09 @ 30°03'40" (T=60°) = 74.50 ✓
2) 87.00 31°06'20" (") = 74.48 ✓
Avg. = 74.49 ✓

1) 94.46 @ 2°11' (T=6°) = 94.38 ✓
2) 94.56 3°24' (") = 94.38 ✓
Avg. = 94.38 ✓

1) 56.32 @ 8°49' (T=6°) = 55.64 ✓
2) 56.00 8°20' (") = 55.65 ✓
Avg. = 55.64 ✓

1) 226.50 @ 31°22'20" (T=82°) = 193.39 ✓
2) 224.46 30°31'20" (") = 193.36 ✓
3) 226.00 31°09'00" (") = 193.41 ✓
Avg. = 193.39 ✓

1) 203.19 @ 2°49' (T=72°) = 202.92 ✓
2) 203.29 3°17' (") = 202.94 ✓
Avg. = 202.93 ✓

1) 109.57 @ 9°15' (T=60°) = 108.12 ✓
2) 110.20 11°04' (") = 108.13 ✓
Avg. = 108.12 ✓

54.84 @ Long. (T=72) = 54.84 ✓

CN. #10
Set: 1"x2" s.n. on side hill.
1) 129-49-40
2) 159-17-00
3) 58-55-20 ✓
Avg. 129-49-13⅓ ✓

CN. #2
Set: 1"x2" s.n.
1) 103-02-40
2) 52-11-00 ✓
3) 258-16-20 ✓
Avg. 103-02-43⅓ ✓

CN. #1A
Set: 1"x2" s.n.

CN. #1
Set: 1"x2" s.n.
Stamped "Sta. 0 + 00 at P.I."

Mag. Avg.
1) 77-09-20
2) 308-37-20 ✓
3) 102-56-20 ✓
Avg. 77-09-23⅓ ✓

1) 113-47-20
2) 95-10-30
3) 322-45-40 ✓
Avg. 113-47-36⅔ ✓

1) 66-00-10
2) 264-01-20 ✓
3) 36-02-20 ✓
Avg. 66-00-23⅓ ✓

No. Rd. 4 Contd. from Pg. 34

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Miller	Survey of Lux Arboretum	F. B 2247 Pg. 39	
Map No.	JN 0054 Tape 122 Std 84 °F		
Office Work	Surveyed by Mitchell		
Checked	Notes	Date 12-56	
Date	Indexed A. C. Johnson		

1) 195.90 @ 8°59' (T= 60°) = 193.47 ✓
2) 196.11 @ 9°20' (") = 193.48 ✓
Avg. = 193.47 ✓

1) 167.61 @ 4°15' (T= 64°) = 167.13 ✓
2) 167.83 @ 5°05' (") = 167.15 ✓
Avg = 167.14 ✓

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

1) 02-22-10 ✓
2) 09-23-40 ✓
Avg. 12-22-46 ✓

CN. #4
Set: 1"X2" ± n.

167.14 ✓
Mag. 1.42° 30' E.

1) 161-42-40
2) 161-50-20
2) 161-42-33 ✓

42'
35"
161°
CN. #3
Set: 1"X2" ± n.
193.47 ✓
10"
55'
CN. #2A
Set: 1"X2" ± n.
Mag. 5.58° 15' W.
195°

1) 195-55-00 ✓
2) 195-40-40
2) 195-31-13 ✓
Avg. 195-55-

2° 22' 15" ✓
5.60°
30' W.
202.93 ✓
for P.I. 4.
Mag.

To CN. 2A Cont'd. from Pg. 38

F. B. 2249 Pg. 40

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Fd: Entrance of 4ft. diam. tunnel (Tunnel runs N.E.)

15 ft ±

1642 ± (Calc.)

126° (Approx)

20.0

712 ± (Calc.)

Set: 1"x2" Sq. in flagstone on Steep hillside

Fd: 2" I.P. N 44° W 1½ ft. ± from Flowline of tunnel

No end of tunnel visible under slope.

Fd: 2" I.P. N 45° E 2.5 ft. ± from Flowline of tunnel

37° (Approx)

Set: 1"x2" Sq. on Original Spur.

Pg. 26

13.5 ±

To: Baseline #3 (Pg. 26)

To: Baseline #0 (Pg. 25)

To: Baseline #3 (Pg. 26)

To: Baseline #0 (Pg. 25)

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum F. B. 2299 Pg. 41
JN 0054.00 Tape 122 Std. 84 °F
Surveyed by Mitchell
Notes Mitchell Date 12/56
Indexed A. C. Johnson 12-18-56

SURVEY SHOWING
TRANSIT & STADIA TOPOGRAPHY
IN
CLAMSHELL CANYON

LUX ARBORETUM
JN 0054.00

Mitchell
Smiley
Hew
Henderson
Ross

12/56

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7573088 3SE #247 1-56

F. B. 2249 Pg. 42

NOTE:

The stadia notes on the following pages are intended to show (1), a possible truck trail leading from "Lower Clamshell Canyon Truck Trail" in to the bottom of Clamshell Canyon (10% grade) and (2), the location of useable "flats" in the bottom of the canyon as well as (3), the location of the line of the stream.

Minor irregularities not essential to the above were omitted.

The top of the 1x2 stake at Rd. 4 was assigned an elev. of 500.0 ft - All other elevations are based on this ASSUMED DATUM

NOTE: 9-2-58 RJM

See pg 93, pg 177, pg 180 for Equation to Mean Sea Level Datum.

NOTE:

Values recorded in "BS" column of Stadia notes are measured distances from station mark to Horizontal Axis of the instrument.

See page 94 for Elevations of Stations.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Lux Harbor datum
Map No.	JN 0054.09 Tape Std °F
Office Work	Surveyed by R. T. Mitchell
Checked	Notes Mitchell Date 12/56
Date	Indexed E. O. Johnson

F. B. 2749 Pg. 43

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SAE #247 1-56

VERTICAL ANGLE
BENCH MARKS

ASSUMED DATUM

The Elevation of the top of the 1x2 stk at station "Road 4" as shown on page 35 was assumed to be 500.0 ~ All other elevations are based on this assumed datum.

Sept-2-1958

Find this point to be 1ft below △ K-4 (Set Aug 1958) or to be at Vertical Angle Elev. = 1298.5 (See page 180) See page 177 for new datum.

R.J.M.

VERTICAL ANGLE BENCH MARKS

Instrument Sta	Instrument Height Above Sta (B.S.)	Sight On Sta.	Rod	Vert. Angle =	Vert. Angle −	Vert. Angle 0	Vert. Angle +	Distance Horiz	Distance Vert	Diff. In Elev. Calc.	Diff. In Elev. Adj.	Elevation		Remarks
Cn 1	4.6											385	7	pg 38
		Rd 4	4.0			30 26		193 39	+113 6	+114 2	+114 3	500	0	Assumed Elev. - pg 35
		Cn 10	1.5			30 00		74 49	+43 0	+46 1	+46 3	432	0	pg. 38
		Cn 11	11.0			7 24		163 67	−21 3	−27 7	−27 5	358	2	pg 38
		Cn 2	3.0			1 34		199 22	+ 4 1	+ 5 7	+ 5 8	391	5	pg 38
Cn 10	4.0													
		Cn 1	8.0			29 44		74 49	−42 5	−46 5	−46 3			
		Rd 4	1.0			13 42		266 89	+65 0	+68 0	+68 0			
Cn 2	4.7													
		Cn 1	3.0			2 52		199 22	− 7 5	− 5 8	− 5 8			
		Cn 2A	0.0			1 56		202 93	+ 6 8	+ 11 5	+ 11 4	402	9	pg. 39
Cn 2A	4.6													
		Cn 2	11.0			1 24		202 93	− 5 0	− 11 4	− 11 4			
		Cn 3	2.0			8 34		193 47	+29 1	+ 31 7	+ 31 6	434	5	pg 39
Cn 3	4.6													
		Cn 2A	2.0			10 02		193 47	−34 2	− 31 6	− 31 6			
		Cn 4	5.0			5 44		167 14	+16 8	+ 16 4	+ 16 3	450	8	pg 39
Cn 4	4.7													
		Cn 3	6.0			5 06		167 14	−14 9	− 16 2	− 16 3			
Cn 11	5.0													
		Cn 1	4.0			9 08		163 67	+26 3	+ 27 3	+ 27 5			

Assumed Datum

Cont'd Pg 11

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Form 381 (Rev 2-84)

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
237					° ′			° ′	3857	46			3703			FB 2249 - 38.46		
	BM				0.00	195			5000							FB 2249 - 35.44		
	#1	712 700 1035	18	7.1	0.00	18		0.00	3832			7.1			0.0	T.B		
	#2	1000 945	35	10.0	6.00	31		18.54	3696			20.7			10.7	B.B.		
	#3	900	45	9.0	5.45	40		20.04	3668			23.5			14.5	Str.		
	#4	1046 1000 750	46	10.0	6.05	42		16.32	3671			22.6			12.6	B.B.		
	#5	700	50	7.0	5.30	50		15.46	3702			20.1			13.1	T.B.		
	#6	760 700	60	7.0	3.47	60		4.30	3786			11.7			4.7	SS		
	#7	976 900	98	1.0	39.35	97		6.30	3783			12.0			11.0	B.C.I. (01. is 5')		
	#8	786 700	86	7.0	46.51	80		14.58	3618			28.5			21.5	BB		
	#9	880 800	80	8.0	51.22	75		14.30	3629			27.4			19.4	Str.		
	#10	872 800	72	8.0	54.28	67		14.30	3648			25.5			17.5	BB		
	#11	368 300	68	3.0	58.35	64		13.28	3723			18.0			15.0	T.B		
	#12	265 200	65	2.0	62.31	62		13.14	3741			16.2			14.2	BK.S.		
	#13	461 400	61	4.0	67.39	58		11.20	3747			15.6			11.6	BK.S.		
	#14	457 400	57	4.0	74.36	56		7.20	3755			14.8			10.8	BK.S.		
	#15	347 300	47	3.0	90.24	47		4.30	3836			6.7			3.7	T.Sp.		
	#16	136 100	36	1.0	122.15	35	+	10.54	3952		+	5.5		+	6.5	BK.S.		
	#17	445 400	45	4.0	122.15	43	+	10.54	3846		+	4.9		+	8.9	T.B		
	#18	1133 1100	33	11.0	122.15	31	+	10.20	3897			1.6		+	9.4	S.S.		
	#19	416 400	16	1.6	122.15	3	+	3.10	3941			3.2			0.8	T.S.		

Notes Red _____ Plotted _____ Job No. 2253-2-95 Sheet 2 of 2 Sheets
Notes Chkd. _____ Date _____ Checked _____ Date _____ Map No. _____
Date _____ Data _____ Survey of Lux Ranch Tract
Survey by Mitchell Notes Mitchell Date Revised
Traced J. Tondre Date

ASSUMED DATUM

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
		428			° '		° '								
Ch 1	#20	420	8	4.2	184.49,	8	0.00,	386.1		4.2	390.3	0.0	T.S.		
		146													
	#21	100	46	1.0	189.26,	36	+ 28.06,	404.1		+ 13.8		+ 14.6	S.H.		
		576													
	#22	500	76	5.0	223.10,	68	+ 18.46,	408.6		+ 18.3		+ 23.3	S.H.		
		152													
	#23	100	52	1.0	251.30,	52	0.00,	389.3		1.0		0.0	T.S.		
		263													
	#24	200	63	2.0	282.51,	63	2.40,	385.4		4.9		2.9	B.K.S.		
		473													
	#25	400	73	4.0	291.17,	73	5.12,	379.8		10.5		6.5	B.K.S.		
		1080													
	#26	1000	80	10.0	299.30,	80	1.40,	378.0		12.3		2.3	T.B.		
		1081													
	#27	1000	81	10.0	301.13,	81	3.48,	375.0		15.3		5.3	B.B.		
		1087													
	#28	1000	87	10.0	304.12,	87	2.58,	375.8		14.5		4.5	S.H.		
		1092													
	#29	1000	92	10.0	306.04,	92	2.29,	376.3		14.0		4.0	B.B.		
		303													
	#30	200	103	0.0	310.51,	103	+ 3.22,	396.5		+ 6.2		+ 6.2	S.S.		
		1166													
	Ch #1	1000	166	11.0	77.09,	162	7.24,	358.0		32.3		21.3			
		450													
	Ch #2	300	150	3.0	256.57,	150	+ 1.34,	391.2		+ 1.1		+ 4.1			
Ch #10					° '		° '	432.0	4.0		436.0		FB 2249-38,44		
		385											65.2 checked but not used.		
	Rod #4	100	285	1.0	352.06,	269	+ 13.42,	500.2		+ 64.2		+ 65.2	Begin line of prop.		
	Tra.1	584											Truck Trail to B.C.R.		
	#1	300	284	5.0	347.41,	267	+ 14.08,	500.0		+ 64.0		+ 69.0	Flag.		
	Tra.1	650													
	#2	900	250	4.0	325.55,	228	+ 16.50,	504.9		+ 68.8		+ 72.8	" S.H.		
	Tra.1	346													
	#3	100	246	1.0	317.45,	229	+ 15.16,	497.8		+ 61.8		+ 62.8	" S.H.		
	Tra.1	1155													
	#4	900	255	10.0	311.28,	235	+ 16.02,	493.5		+ 57.5		+ 67.5	" S.H.		
	Tra.1														
	#5				305.15,		° '						" B.O (Not Visable)		
	Tra.1	532													
	#6	300	237	3.0	299.51,	226	+ 13.20,	486.9		+ 50.8		+ 53.8	" S.H.		

Adv'd Uniform. To Clamshell Canyon

Assumed Datum

Side of Draw H.D. — Edge of Road E.Rd. — Saddle ... Sa. — Spale ... Sw. — Flat ... Fl. — Stream ... Str. — Trail ... Tr. — Pavement ... Pvt. — Edge of Road E.Rd. — Bottom of Fill B.F.

Top of Bank T.B. — Bottom of Bank B.B. — Top of Cut T.C. — Bottom of Cut B.C. — Top of Fill T.F. — Bottom of Fill B.F.

Top of Cliff T.Cl. — Bottom of Cliff B.Cl. — Top of Spur T.Sp. — Bottom Canyon B.Ca.

Break in Slope Br.S. — Slope S.S.

Fence ... Fe. — Ind. Fences V.Fe. — Ditch ... Di. — Telephone Pole T.P. — Power Pole P.P. — Culvert ... Cul.

Orchard Or. — Pine-Pl. Cedar-Ce. — Sycamore ... Sy. — Eucalyptus ... Eu. — Pplus combinations of these and all common standard abbreviations.

Topography Description Legend:
Side of Hill ... S.H. — Bottom Draw B.D. — Bottom Wash B.W. — Side of Draw S.D. — Bottom of Ridge B.R. — Top of Ridge T.R. — Head of Draw H.D. — Toe of Slope T.S.

FB 2249 Pg. 46

Form 301 10M 3-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′								
CS#10								432.0			436.0		FB 2249-38, 44		
	Tra.1	1200													
	#7	952	248	10°	293.28	234	+ 14.08	484.8		+ 48.8		+ 58.8	Flag S.H.		
	Tra.1	443													
	#8	200	243	2°	281.15	233	+ 10.58	479.0		+ 43.0		+ 45.0	" "		
CS#2								391.5	A		396.2		FB 2249-38, 44		
		350											TS checked		
	CS#1	200	150	3°	0.00	150	2.52	385.6	3°	10.6		7.6	but not used.		
		1094													
	#1	970	124	10°	342.40	123	4.28	376.3		19.8		9.8	BK.S.		
		1200													
	#2	1083	117	12°	349.00	117	+ 0.20	384.9		1.3		+ 0.7	BK.S.		
		1129													
	#3	1000	129	11°	340.20	128	4.48	374.4		21.8		10.6	T.B.		
		1129													
	#4	1000	129	14°	340.00	128	4.48	370.6		25.6		10.8	B.B.		
1	#5	176													
		100	76	1°	300.45	75	+ 4.18	400.8		+ 4.6		+ 5.6	S.S.		
1	#6	767													
		700	67	7°	314.57	66	4.08	384.4		1.8		4.8	T.B.		
	#7	1166													
		1100	66	11°	317.34	65	4.34	380.0		1.62		5.2	B.B.		
		1167													
	#8	1100	67	12°	323.39	66	4.06	379.5		1.62		4.2	St.		
		1168													
	#9	1100	68	12°	330.35	67	4.46	378.6		1.76		5.6	B.B.		
		669													
	#10	600	69	6°	331.58	69	5.36	384.1		12.1		6.1	T.B.		
		321													
	#11	300	71	4°	345.24	71	2.16	389.0		7.2		3.2	BK.S.		
		172													
	#12	100	72	1°	10.43	72	1.56	392.8		3.6		2.8	BK.S		
		173													
	#13	100	73	1°	30.06	70	+ 12.00	410.0		+ 13.8		+ 14.8	S.H.		
		138													
	#14	100	36	1°	281.43	36	+ 13.06	403.6		+ 7.4		+ 8.4	S.S.		
		718													
	#15	700	18	7°	320.58	18	1.58	388.6		7.6		0.6	T.B.		
		1187													
	#16	1171	16	11°	337.00	16	0.00	384.4		1.8		0.0	BB		

Assumed Datum

Work Order No. 20 E.B. 2249 Pg. 44

Job No. 38200 Division No. [illegible]

Survey of Lux Orchard Tract

Survey by Mitchell Date Dec. 1956

Notes Mitchell Date Dec. 1956

Plotted [illegible] Date [illegible]

Checked C. Johnson Date [illegible]

Map No. [illegible]

Date [illegible]

Notes Cbkd. [illegible] Checked [illegible]

Date [illegible]

Date [illegible]

Verified [illegible]

Adv. 1 Interm.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
		1120			° '		° '								
BM2	#17	1100	20	11.0	359.01,	16	— 4.04,	383.8		— 12.4	396.2	— 1.4	Str		
	18	1124													
		1100	24	11.1	15.02,	24	— 0.00,	385.1		— 11.1		— 0.0	B.B.		
	19	111													
		080	31	1.0	29.48,	31	— 0.00,	395.2		— 1.0		— 0.0	T.B.		
	20	139													
		100	39	1.0	39.23,	39	+ 2.42,	397.4		— 0.8		+ 1.8	BK S		
	21	121													
		100	71	1.6	58.47,	64	+ 16.40,	416.0		+ 19.8		+ 20.8	S.S.		
	22	136													
		100	38	1.0	199.22,	29	+ 29.30,	411.4		+ 15.2		+ 16.2	S.S.		
		128													
	23	104	24	1.0	144.10,	24	+ 1.12,	395.7		— 0.5		+ 0.5	BK S.		
		327													
	24	302	25	3.1	125.00,	25	— 0.00,	393.1		— 3.1		— 0.0	TB		
		931													
	25	903	28	4.2	119.15,	28	— 0.00,	392.0		— 4.2		— 0.0	B.B.		
		952													
	26	919	33	9.3	106.39,	33	— 0.00,	386.8		— 9.3		— 0.0	Str		
		750													
	27	711	39	7.3	101.00,	39	— 0.00,	388.5		— 7.3		— 0.0	BK.S.		
		400													
	28	351	49	3.1	95.13,	49	— 0.00,	392.5		— 3.1		— 0.0	BK.S.		
		187													
	29	100	87	1.0	89.12,	80	+ 15.54,	418.1		+ 21.9		+ 22.9	S.S.		
		392													
	30	300	92	3.0	164.00,	77	+ 23.52,	427.9		+ 30.9		+ 33.9	S.S.		
		691													
	31	600	91	6.0	146.31,	84	+ 15.56,	414.2		+ 18.0		+ 24.0	BK.S.		
		986													
	32	900	86	9.0	134.37,	85	+ 4.10,	393.8		— 2.0		+ 6.2	B.B.		
		291													
	33	200	91	2.5	126.54,	91	— 0.00,	393.2		— 2.5		— 0.0	Str		
		129													
	34	033	96	0.8	119.44,	96	— 0.00,	395.4		— 0.8		— 0.0	B.B.		
		199													
	35	100	99	1.0	115.32,	99	+ 3.10,	400.7		+ 4.5		+ 5.5	BK.S.		
		302													
	36	201	102	2.0	109.13,	102	+ 4.44,	401.7		+ 6.5		+ 8.5	BK.S.		
		331													
	37	200	131	2.0	99.09,	120	+ 18.05	435.1		+ 38.9		+ 40.9	S.H.		

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Dik. ..... Dk. | Fir-Pr. ..... Fir-Pr.
Fence ..... Fe. | Pine-Pi. ..... Pine-Pi.
Dit. Fence ..... V.Fe. | Cedar ..... Ce.
Ditch ..... Dit. | Sycamore ..... Sy.
Telephone Pole ..... T.Pl. | Eucalyptus ..... Eu.
Power Pole ..... P.P. | Plus combinations of these and all common standard abbreviations.
Culvert ..... Culv.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Side of Canyon ..... S.Cn.
Top of Bank ..... T.Bk.
Bottom of Bank ..... B.Bk.
Top of Cut ..... T.Ct.
Bottom of Cut ..... B.Ct.
Top of Fill ..... T.Fl.
Bottom of Fill ..... B.F.

Intersection of Draw ..... Int. of Drw.
Break in Slope ..... B.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

P.B. 224 Pg. 48

Add'n'l Info on Reverse

Assumed Datum

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit At	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	Rank Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
CB28					° ′		° ′	402.9	46		40.75		FB2249-39,44		
	CB#2	1204 / 1000 / 957	204	11.0	0.00	204	1.24	391.5		16.0		5.0	Checked.		
	#1	900 / 957	57	9.5	1.15	57	0.00	398.0		9.5		0.0	Str.		
	2	900 / 954	54	9.3	12.32	54	0.00	398.2	4	9.3		0.0	B.B.		
	3	371 / 300	71	3.0	33.23	68	+ 11.22	418.2	5	+ 10.1		+ 13.7	T.B.		
	4	980 / 900	80	9.0	40.45	74	+ 15.34	419.7	6	+ 12.4		+ 21.2	BK.S.		
	5	1003 / 900	103	9.0	46.00	94	+ 20.08	432.6	7	+ 25.3		+ 34.3	S.H.		
	Trail #1	242 / 100	142	1.0	314.09	105	+ 28.36	466.7	8	+ 59.2		+ 60.2	S.S. - Flag		
	Trail #2	316 / 200	116	2.0	283.35	80	+ 33.56	456.6	9	+ 49.1		+ 51.1	S.S. - "		
	6	225 / 200	75	2.0	280.37	57	+ 29.32	438.6	10	+ 31.3		+ 33.3	BK.S.		
	7	150 / 100	50	1.0	279.52	39	+ 27.30	427.4	11	+ 19.9		+ 20.9	BK.S		
	8	332 / 300	32	3.0	283.47	27	+ 24.04	416.4	12	+ 8.9		+ 11.9	BK.S		
	9	126 / 100	24	1.0	297.13	20	+ 23.14	415.2	13	+ 7.7		+ 8.7	BK.S.		
	10	407 / 400	7	4.1	307.25	7	0.00	403.4	14	4.1		0.0	B.B.		
	N	597 / 590	7	5.9	245.3	7	0.00	401.6	15	5.9		0.0	Str.		
	12	624 / 610	14	6.0	54.45	14	0.00	401.5	16	6.0		0.0	B.B.		
	13	888 / 800	48	8.0	58.29	39	+ 25.18	418.0	17	+ 10.5		+ 18.5	T.B. = Lower fl.		
	14	242 / 200	42	2.0	79.29	33	+ 27.22	423.2	18	+ 15.2		+ 17.2	Upper fl.		
	15	1142 / 1100	67	11.0	67.49	58	+ 27.02	429.9	19	+ 22.3		+ 23.3	Lower fl.		
	16	1168 / 1100	65	11.0	78.14	53	+ 26.32	423.2	20	+ 26.2		+ 27.2	Upper fl.		
	17	598 / 498	157	4.0	79.30	111	+ 28.52	421.6	21	+ 6.8		+ 6.8	S.H.		

Assumed Datum

Notes Tied _____ Plotted _____ Job No. 49 37 22 Dividers No. 10 L.B. 2911

Date _____ Date _____ Survey of Lake Elizabeth Estates Unit 2

Notes Checked _____ Checked _____ Survey By Wheeler & Gray Inc. Notes Cross Checked _____

Date _____ Map No. _____ Indexed _____ Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station / Left / Right
	Trail	216			° '		° '						
Co 29	#13	100	116	1 0	224 17	93	+ 26 21	452 7		+ 45 2	407 5	+ 46 2	55 - El = 9
		400											
	18	300	108	3 0	246 24	82	+ 29 28	450 7		+ 43 2		+ 46 2	55
	19	156											
		100	56	1 0	230 11	51	+ 17 48	422 6		+ 15 1		+ 16 1	BLS
	20	139											
		100	39	1 0	193 50	36	+ 10 10	413 3		+ 5 8		+ 6 8	BLS
	21	207											
		170	37	1 9	184 03	37	- 0 00	405 6		- 1 9		- 0 9	BV
	22	239											
		200	39	2 5	172 12	39	- 0 06	405 0		- 2 5		- 0 0	SHR
	23	140											
		100	40	1 0	153 56	40	+ 2 12	408 1		+ 0 4		+ 1 6	BV
	24	663											
		600	63	6 0	138 14	53	+ 23 34	424 7		+ 17 2		+ 23 2	TB = Upper Fl
	25	226											
		100	126	1 0	121 02	99	+ 27 32	458 3		+ 50 8		+ 51 8	SH
	26	245											
		100	145	1 0	139 37	114	+ 25 46	463 3		+ 55 8		+ 56 8	TCL
	27	227											
		100	127	1 0	142 30	105	+ 21 12	449 1		+ 41 6		+ 42 6	BCL
	28	201											
		100	101	1 0	150 48	96	+ 14 02	430 5		+ 23 0		+ 24 0	TCL
	29	196											
		100	96	1 0	154 10	94	+ 9 36	422 3		+ 14 8		+ 15 8	BCL
	30	186											
		100	86	1 0	163 25	86	+ 3 16	411 4		+ 3 7		+ 4 7	BB
	31	184											
		100	84	1 0	169 22	84	+ 3 24	411 5		+ 4 0		+ 5 0	TB
	32	185											
		100	85	1 0	169 31	85	+ 1 50	409 2		+ 1 7		+ 2 7	BB
	33	184											
		100	84	1 0	174 15	84	+ 1 24	408 6		+ 1 1		+ 2 1	SHR
	34	184											
		100	84	1 0	180 35	84	+ 2 32	410 3		+ 2 8		+ 3 8	BB
	35	182											
		100	82	1 0	181 38	81	+ 4 28	412 9		+ 5 4		+ 6 4	TB
	36	382											
		300	82	3 0	189 22	77	+ 10 44	419 4		+ 11 9		+ 14 9	BLS
	37	386											
		300	86	3 0	197 40	82	+ 12 36	422 9		+ 15 4		+ 16 4	BLS

Index of Draw, V.Fs. — Side of Draw, V.Fs.
Break in Slope ... Bk.S. — Toe of Bank ... T.Bk.
Steep Slope ... S.S. — Bottom of Bank ... B.Bk.
Top of Cliff ... T.Cl. — Top of Cut ... T.C.
Bottom of Cliff ... B.Cl. — Bottom of Cut ... B.C.
Toe of Spur ... T.Sp. — Top of Fill ... T.F.
Bottom Canyon ... B.Cn. — Bottom of Fill ... B.F.

Abbr. — Pfr-Pf. — Pine-Pf. — Cedar-Ce. — Sycamore ... Sy. — Eucalyptus ... Eu. — Plus combinations of these and all common standard abbreviations.

Index of Fences — Fnc. — Fence ... V.Fn. — Int. Fences ... V.Fn. — Ditch ... Dt. — Telephone Pole ... T.P. — Power Pole ... P.P. — Culvert ... Culv.

Index of Roads — Rds. — Road ... Rd. — Trail ... Tr. — Pavement ... Pvt. — Edge of Road ... E.Rd.

Index of Streams — Strms. — Stream ... Str. — Flat ... Fl.

Index of Buildings — Bldgs. — Shed ... Sh. — Barn ... B.

Description Legend:
Bottom Draw ... B.D.
Bottom Wash ... B.W.
Top of Ridge ... T.R.
Toe of Slope ... T.S.
Head of Draw ... H.D.

Scale 1" = 50'

Remarks: Detail

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
CH2A					° '		° '	4022	1 46		4075		FB 2249-39,44.		
	38	338 / 200	138	1 °	219 17	106	+ 25 08	4599	2	+ 524		+ 534	S.H.		
CH3								4345	3 46		4391		FB 2249-39,44		
	"1	584 / 300	84	5 5	303 25	74	+ 19 56	4712	4	+ 324		+ 269	S.H.		
	"1A	517 / 320	57	5 5	325 10	56	+ 6 00	4392	5	+ 04		+ 59	S.H.		
	"1A	656 / 600	56	6 °	2 40	55	- 8 22	4251	6	- 140		- 80	T.B.		
	2	1159 / 1100	59	11 3	8 20	58	- 3 30	4192	7	- 199		- 86	B.B.		
	3	1159 / 1100	59	11 3	14 35	57	- 9 42	4181	8	- 210		- 91	TB		
	4	803 / 740	63	8 °	19 30	58	- 16 54	4135	9	- 256		- 176	B.B		
	5	1166 / 1100	68	11 °	24 05	64	- 14 09	4122	10	- 271		- 161	S.Hr.		
	6	468 / 400	68	4 °	27 20	61	- 19 14	4139	11	- 252		- 212	B.B		
	7	163 / 100	63	1 °	66 30	62	+ 9 04	4468	12	+ 72		+ 82	S.S		
	8	307 / 200	107	2 °	110 40	95	+ 19 46	4713	13	+ 322		+ 342	S.S		
	9	272 / 200	72	2 °	119 40	70	+ 8 44	4479	14	+ 89		+ 108	S.S		
	10	1142 / 1100	42	11 2	135 35	42	- 0 00	4279	15	- 112		- 0	TB		
	11	1140 / 1100	40	11 2	137 10	39	- 8 26	4221	16	- 179		- 58	B.B.		
	12	1134 / 1100	34	12 °	133 30	33	- 9 58	4214	17	- 172		- 51	S.Hr.		
	13	1129 / 1100	29	11 °	147 30	28	- 9 36	4233	18	- 158		- 48	B.B.		
	14	360 / 360	25	3 8	160 25	25	- 0 00	4353	19	- 32		- 0	T.B.		
	15	174 / 150	24	1 2	181 45	24	- 0 00	4374	20	- 12		- 0	B.K.S.		
	16	277 / 200	77	2 °	245 15	57	+ 30 30	4709	21	+ 318		+ 338	S.H.		
	17														

Add'l Inform.

ASSUMED DATUM

Notes Red. _____ Platted _____ Job No. 235100 Division No. 12 F.B. 2249 PG. 57

Date _____ Date _____ Survey of Lake Hill _____

Notes Chkd. _____ Checked _____ Survey by Mitchell _____ Notes Cross Notes Book Dec 1952

Date _____ Date _____ Map No. _____ Index C. Johnson Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. | Fence ..... F.n. | Int. Fences. V. Fns. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ... P.P. | Culvert ..... Cul.

Sa. ..... Saddle | Sw. ..... Swale | Fl. ..... Flat | Str. ..... Stream | Tr. ..... Trail | Pvt. ..... Pavement | E.Bd. Edge of Road

Side of Canyon S.Cn. | Top of Bank T.B. | Bottom of Bank B.B. | Top of Cut T.C. | Bottom of Cut B.C. | Top of Fill T.F. | Bottom of Fill B.F.

Intera. of Draws. V.D's | Break in Slope Bk.S. | Steep Slope S.S. | Top of Cliff T.Cl. | Bottom of Cliff B.Cl. | Top of Spur T.Sp. | Bottom Canyon B.Cn.

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge T.R. | Toe of Slope T.S.
Side of Draw S.D. | Side of Ridge S.R. | Head of Draw H.D.

F.B. 2249 Pg. 52

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '								
CM3									1		439'				
									2						
	18	495 / 400	95	4	201 25	78	+ 25 28	471 9	3	+ 32 8		+ 36 8	S.H.		
	19	964 / 900	64	9	174 00	62	+ 10 58	442	4	+ 2 9		+ 1 12	T.B.		
	20	1161 / 1100	61	11	168 05	61	0 00	427 7	5	1 14		0 0	B.B		
	21	1067 / 1000	67	10	160 45	67	3 58	424 5	6	1 46		46	S.Str.		
	22	1064 / 1000	64	10	155 40	68	3 06	423 4	7	1 37		32	S.B.		
	23	1168 / 1100	68	11	156 00	68	+ 2 32	431	8	8		5	T.B		
	24	169 / 100	69	1	146 20	69	0 00	438	9	1		0	B.K.S.		
	25	153 / 070	83	0	143 20	83	0 00	439	10	0		0	T.S.		
	26	407 / 300	107	3	139 05	101	+ 10 44	420	11	+ 16 6		+ 17 6	S.S.		
	27	322 / 200	123	3	123 35	106	+ 16 58	410 3	12	+ 31 2		+ 34 2	S.S.		
	28	284 / 100	184	2	126 20	167	+ 17 16	488 9	13	+ 49 8		+ 37 8	S.S.		
	Tra. 1 #3	057 / 050	9	0	211 45	9	0 00	439	14	0		0	S.H.		
	Tra. 1 #16	872 / 800	72	7	171 50	72	0 00	431 2	15	7 9		0	Btm of Knoll		
CM2A	CM2	608 / 400	204	4	0 00	0	3 06	4022	4 16	15 5	4076	10 5	Set STK in Str. Btm		
CM2X		508 / 400	108	5	6 50	107	4 16	3946	4 17	13 0	3993	8 0			
	CM2A	208 / 100	108	1	0 00	0	+ 2 30	4039	18	+ 3 7		+ 4 7	Check		
	Tra. 1 #9	264 / 100	164	1	108 33	118	+ 31 56	4519	19	+ 61 7		+ 63 7			
	Tra. 1 #10	259 / 100	159	1	82 46	100	+ 36 20	4509	20	+ 61 6		+ 62 6			
	CM2	797 / 700	97	7	165 44	0	0 00	3917	21	7 6		0	Check		

Add'l Inform.

Lunch Closed

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '		1						
C#4				—	° '		° '	450.8	4.1	—	455.5	—	FB 2249-39,44		
	C#3	669 / 500	169	6°	0.00	168	5.06	450.8	2	20.9		14.9	F.B. 2249-39,44.		
	#1	393 / 200	193	2°	47.50	125	13.42	494.0	3	28.5		30.5	S.H.		
	2	205 / 100	105	1°	93.12	103	7.08	500.8	4	12.0		13.0	S.H.		
	3	592 / 500	92	6°	19.00	81	6.26	440.4	5	15.1		9.1	BK.5.		
	4	383 / 300	83	4°	9.34	81	8.44	439.0	6	16.5		12.5	T.B.		
	5	1187 / 1100	87	12°	4.09	84	11.16	426.8	7	28.2		16.2	B.B.		
	6	1187 / 1100	87	12°	359.52	84	11.16	426.8	8	28.2		16.2	S+r.		
	7	1188 / 1100	88	12°	359.53	86	9.04	429.8	9	25.7		13.7	BK.5.		
	8	991 / 900	91	10°	347.43	90	5.42	436.8	10	19.0		9.0	BC1.		
	9	988 / 900	88	9°	341.52	88	0.00	452.1	11	3.4		0.0	T.21.		
	10	327 / 200	127	2°	332.37	105	10.32	473.0	12	17.8		19.5	S.S.		
	11	226 / 100	126	1°	79.50	105	20.54	496.0	13	41.0		42.0	S.H.		
	12	275 / 200	75	2°	69.04	72	10.06	466.8	14	10.9		12.9	S.H.		
	13	155 / 100	55	1°	61.44	55	1.34	456.0	15	0.5		1.5	BK.5		
	14	173 / 100	73	1°	55.15	73	1.24	456.3	16	0.8		1.8	BK.5		
	15	992 / 970	22	9°	10.40	22	0.00	445.1	17	9.8		0.0	BK.5		
	16	1226 / 1200	26	12°	347.45	24	6.36	440.5	18	15.0		3.0	TB.		
	17	1233 / 1200	33	12°	340.05	30	17.12	436.2	19	19.3		7.3	B.B		
	18	1140 / 1100	40	11°	327.25	36	17.58	432.8	20	22.1		11.2	S+r.		
	19	1138 / 1100	38	11°	324.09	37	13.48	435.4	21	20.1		9.1	BK.5.		

Add'n'l Inform.

Notes Rod. _____ Platted _____ Job No. 2255 Lee Division No. 10 F.B. 2249 PG. 39

Date _____ Date _____ Survey of Kay Ranch Estates

Notes Clkd. _____ Checked _____ Survey by A.T.E. Notes A.T.E. Date Oct. 1961

Date _____ Map No. _____ Inked C. Johnson Date _____

PSSUMED DATUM

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 22447 PG. 54

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D. | Top of Ridge T.R. | Toe of Slope T.S.
Side of Draw. S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Head of Draw H.D.

Oak-O. Pine-Pi. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.
Fir-Fr. Cedar-Ce.

Traveled Rd. Tr. Rd. | Fence ..... Fn. | Int. Fences V.Fns. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E.Rd.

Side of Canyon S.Cn. | Top of Bank ..... T.B. | Bottom of Bank B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill B.F.

Intern. of Draw. V.D's | Break in Slope ..... Bk.S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Ci. | Bottom of Cliff ..... B.Ci. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
C14				—				—	1	—	455.5	—			
	20	1147 / 1100	47	11.0	315 30	47	1 46	443.1	2	12.4		1.4	BK. S.		
	21	285 / 200	85	2.0	303 16	77	+ 18 12	478.7	3	+ 23.2		+ 26.2	S. S.		
	22	206 / 100	106	1.0	285 58	91	+ 22 14	491.7	4	+ 36.2		+ 37.2	S. S.		
	23	323 / 300	73	3.0	262 55	69	+ 14 05	469.8	5	+ 14.3		+ 17.3	S. S.		
	24	639 / 600	39	6.0	268 14	37	4 30	446.5	6	9.2		3.0	T. B.		
	25	1236 / 1200	36	12.0	269 14	35	10 32	437.0	7	18.2		6.5	B. B.		
	26	1228 / 1200	28	12.3	268 14	27	12 50	431.3	8	17.2		5.2	Str.		
	27	1224 / 1200	24	12.0	286 19	23	17 34	433.8	9	19.2		19.2	V-St. ? D.		
	28	1216 / 1200	16	12.0	257 57	14	18 00	438.9	10	16.2		4.2	B. D.		
	29			4.3	247 00	4	0 00	451.2	11	4.3		0.0	T. B		
	30	216 / 200	16	2.0	154 29	14	+ 4 46	454.9	12	+ 0.2		+ 1.3	T. B.		
	31	1223 / 1200	23	12.0	194 05	22	4 14	441.9	13	13.6		1.6	B. D.		
	32	348 / 320	28	3.3	205 47	28	0 00	452.2	14	3.3		0.0	T. B		
	33	1235 / 1200	35	12.0	219 00	35	0 54	443.0	15	12.5		0.5	B. B.		
	34	1142 / 1100	42	12.0	238 25	41	5 40	439.5	16	16.0		4.0	Str.		
	35	1161 / 1100	61	11.0	209 24	61	1 02	443.3	17	12.2		1.2	Str		
	36	358 / 300	58	3.2	204 32	58	0 00	452.3	18	3.2		0.0	T. B		
	37	145 / 100	45	1.0	178 22	45	+ 3 38	457.3	19	+ 1.6		+ 2.8	T. B		
	38	739 / 700	39	7.4	169 27	39	0 00	448.1	20	7.4		0.0	B. D.		
	39	936 / 900	36	9.0	160 38	36	+ 1 22	447.4	21	8.1		+ 0.9	B. D.		

Add'n'l Inform.

Cunard Estates

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight —	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
CA4					° ′		° ′	4508	1		4555		FB2247-39,44
	40	135 / 100	35	1 9	149 34	35	+ 6 50	4587	2	+ 32		+ 42	TB
	41	139 / 100	39	1 10	101 44	39	+ 5 34	4583	3	+ 28		+ 38	BK.S.
	42	123 / 120	3	1 5	116 06	66	+ 17 16	5833	4	+ 278		+ 203	T.Sp.
	43	538 / 440	98	4 1	99 07	77	+ 24 10	5843	5	+ 298		+ 341	S.H.
	44	279 / 200	79	2 0	124 50	75	+ 13 02	4709	6	+ 152		+ 174	T.S.
	45	785 / 700	85	13 2	128 46	80	+ 14 10	4625	7	+ 72		+ 202	S. upper falls
	46	4a	85	13 2	136 12	80	+ 14 10	4625	8	+ 70		+ 202	" "
	47	832 / 800	82	13 2	135 25	56	+ 15 22	4581	9	+ 26		+ 158	T lower falls
	48	4a	82	13 2	142 46	58	+ 15 22	4581	10	+ 26		+ 158	" " "
	49	659 / 600	59	12 1	145 25	57	+ 10 10	4533	11	+ 21		+ 103	B Lower falls
	50	4a	59	12 1	134 30	57	+ 10 10	4533	12	+ 21		+ 103	" " "
	51	490 / 400	90	4 0	123 01	93	+ 16 28	4751	13	+ 204		+ 244	T upper falls
	52	193 / 100	90	1 0	127 17	85	+ 13 02	4763	14	+ 188		+ 198	" " "
	53	393 / 300	93	3 0	128 32	87	+ 14 36	4751	15	+ 197		+ 223	" " "
	54	184 / 100	84	1 0	141 44	79	+ 13 58	4742	16	+ 187		+ 193	TB
	55	184 / 100	84	1 0	161 24	78	+ 15 36	4756	17	+ 201		+ 221	T.Sp.
	56	284 / 200	87	2 0	175 59	83	+ 13 00	4726	18	+ 171		+ 191	S.H.
	57	461 / 360	101	3 4	186 32	98	+ 9 36	4685	19	+ 130		+ 166	T.B.
	58	1200 / 1100	100	11 0	196 53	100	— 1 28	4419	20	— 136		— 26	BB-Sta.
	59	1101 / 1000	101	11 0	201 25	101	+ 1 45	4476	21	— 79		+ 31	BB

Add'l Inform.

Assumed Datum

Notes Red. _____ Platted _____ Job No. 02254 Division No. 10 F.B. 2249 Pg. 55
Date _____ Date _____ Survey of Kaufman & Broad Corp.
Notes Chkd. _____ Checked _____ Survey by [illegible] Date 1955
Date _____ Date _____ Map No. _____ Indexed ★ Noted C. Johnson Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ....Fn. Int. Fences. V. Fns. Ditch ....Di. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Saddle ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank....T.B. Bottom of Bank. B.B. Top of Cut....T.C. Bottom of Cut....B.C. Top of Fill....T.F. Bottom of Fill B.F.

Inters. of Draws. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff....T.Cl. Bottom of Cliff..B.Cl. Top of Spur....T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend:
Side Hill.....S.H.
Side of Draw. S.D.
Side of Ridge. S.R.
Head of Draw H.D.
Bottom Draw. B.D.
Bottom Wash B.W.
Top of Ridge. T.R.
Toe of Slope..T.S.

F.B. 2249 Pg. 43

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
CM4				—				450.8	4.2		455.0		FB 2249-38, 44		
	60	341 / 240	101	2.9	204 09	101	0 00	442.6		2.9		0.0	TB		
	61	211 / 100	111	1.0	214 13	111	+ 2 56	450.2		+ 4.7		+ 5.2	S. H.		
	62	244 / 100	144	1.4	229 42	136	+ 13 12	486.5		+ 31.0		+ 32.0	S.H.		
	63	183 / 050	133	1.1	141 14	105	+ 27 22	508.7		+ 53.2		+ 54.2	T Sp.		
	64	1200 / 1100	100	11.0	122 00	89	+ 19 58	476.4		+ 21.1		+ 32.1	S.H.		
	65	375 / 270	105	2.2	110 49	84	+ 36 24	494.3		+ 38.9		+ 41.5	T.Sp.		
CM11				—				358.2	5.0		363.2		FB 2249-38, 44 Error.		
	CM+1	569 / 400	169	4.0	0 00	164	+ 9 02	385.7		+ 22.5		+ 26.5	FB 2249-38.		
	+1	660 / 540	120	5.8	349 11	116	+ 10 09	378.2		+ 15.0		+ 20.0	B.D		
	2	213 / 100	113	1.0	336 01	100	+ 19 46	373.2		+ 35.1		+ 36.1	T.Sp		
	3	350 / 240	110	3.0	350 31	103	+ 9 43	366.0		+ 12.8		+ 13.8	BD - Top of Hill		
	4	609 / 500	109	5.0	350 51	106	+ 9 14	363.5		+ 10.3		+ 10.3	B.D. "		
	5	298 / 200	98	2.0	343 16	91	+ 15 36	386.7		+ 23.5		+ 25.5	T.Sp.		
	6	449 / 350	99	4.0	353 51	97	+ 7 19	371.6		+ 8.4		+ 12.4	BD		
	7	120 / 020	100	0.6	357 28	98	+ 7 16	375.0		+ 11.8		+ 12.4	BK. S.		
	8	143 / 060	83	1.0	355 36	82	+ 6 12	371.1		+ 7.9		+ 8.9	TB - BK. S.		
	9	585 / 500	85	5.0	359 18	84	+ 5 20	366.1		+ 2.9		+ 7.1	BD		
	10	208 / 200	88	2.0	03 26	88	+ 4 50	368.6		+ 5.4		+ 7.9	BK. S.		
	11	119 / 030	89	1.0	11 59	89	+ 4 02	368.0		+ 5.3		+ 6.3	TB		
	12	138 / 050	88	1.0	13 36	88	+ 2 10	365.5		+ 2.3		+ 3.3	B.B.		

Add'n'l Inform.

Error

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
Cnll					° '		° '	3582	1		3632		FB 2249-38 pg 42		
		138							2						
	13	058	88	1 0	18 47	88	0 29	3615	3	17		0 2	Str.		
		281													
	14	200	81	2 4	26 00	81	4 00	3608	4	24		0 0	B.C.		
		281													
	15	200	81	0 0	24 00	78	12 09	3771	5	135		13 9	T.C.		
		708													
	16	600	108	6 0	39 23	90	24 12	3977	6	345		40 5	S.S.		
		133													
	17	060	73	1 0	5 08	73	4 20	3622	7	03		5 5	T.B.		
		171													
	18	100	71	1 0	8 12	71	0 50	3684	8	02		1 2	B.B.		
		515													
	19	450	65	4 8	21 55	60	0 00	3594	9	48		0 0	V-Sta. 2		
		389													
	20	320	69	3 5	25 45	64	0 00	3594	10	35		0 0	B.C.		
		291													
	21	200	91	2 0	11 00	58	36 52	4047	11	413		43 5	S.S.		
		093													
	22	050	43	0 5	31 02	43	1 04	3683	12	01		0 2	T.B.		
		604													
	23	560	44	5 8	29 02	41	0 00	3574	13	08		0 2	B.B.		
		611													
	24	570	41	5 9	12 38	41	0 00	3573	14	07		0 0	Sta.		
		211													
	25	160	51	1 6	352 16	51	0 00	3614	15	18		0 0	B.B.		
		213													
	26	160	53	1 6	346 53	53	5 24	3669	16	32		5 3	T.B.		
		659													
	27	600	59	6 0	338 51	57	4 40	3670	17	38		9 6	B.K.S.		
		216													
	28	100	114	1 9	307 37	96	23 14	4038	18	406		41 9	S.H.		
		251													
	29	140	111	2 0	294 45	88	26 54	4058	19	426		44 6	S.H.		
		116													
	30	050	68	0 8	290 41	65	15 08	4795	20	163		17 1	B.K.S.		
		107													
	31	080	27	1 9	286 17	27	0 00	3622	21	10		0 0	T.B.		
	32	1160	120	11 5	279 43	20	0 00	3517		112		0 0	B.B.		

Additional Inform.

Notes Red. _____ Platted _____ Job No. 005400 Division No. 10 F.B. 2249 Pg. 57

Date _____ Date _____ Survey of Elk Hills Rd

Notes Chkd. _____ Checked _____ Survey by [illegible] Notes [illegible] Date [illegible]

Date _____ Date _____ Map No. _____ Transcribed by C. Johnson Date _____

ASSUMED DATUM

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 2249 Pg. 58

Topography Description Legend:
Hill...S.H. | Bottom Draw...B.D. | Bottom Wash...B.W. | Top of Ridge...T.R. | Toe of Slope...T.S.
Side of Draw...S.D. | Side of Ridge...S.R. | Head of Draw...H.D.
Inters. of Draw...V.D's | Break in Slope...Bk.S. | Steep Slope...S.S. | Top of Cliff...T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur...T.Sp. | Bottom Canyon...B.Cn.
Side of Canyon...S.Cn. | Top of Bank...T.B. | Bottom of Bank...B.B. | Top of Cut...T.C. | Bottom of Cut...B.C. | Top of Fill...T.F. | Bottom of Fill...B.F.
Saddle.....Sa. | Swale.....Sw. | Flat.....Fl. | Stream.....Str. | Trail.....Tr. | Pavement.....Pvt. | Edge of Road...E.Rd.
Traveled Rd...Tr.Rd. | Fence.....Fn. | Int. Fences...V.Fn. | Ditch.....Di. | Telephone Pole...T.P. | Power Pole...P.P. | Culvert.....Cul.
Oak-O. | Pine-Pi. | Sycamore.....Sy. | Eucalyptus.....Eu. | Plus combinations of these and all common standard abbreviations.
Fir-Fr. | Cedar-Ce.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
Bm 11				—	0 . 0		0 0	358.2	5.0	—	363.2	—			
	33	1205 / 1190	15	12	274 54	15	0 0	351.2		12.1		0.0	Str		
	34	1200 / 1190	10	11.8	274 52	10	0 00	351.2		11.8		0.0	B.S.		
	35			6.2	269 10	6	0 00	357.0		6.2		0.0	TB - Fl.		
	36			5.7	74 50	11	0 00	357.5		5.7		0.0	TB - Fl.		
	37	114 / 080	32	0.9	93 50	25	+ 28 00	375.6		12.8		+ 13.3	E. Tr.		
	38	343 / 300	43	5.0	92 36	33	+ 20 41	378.3		11.3		+ 14.3	E. Tr. - BB		
	39	341 / 280	61	3.0	93 30	45	+ 31 02	387.3		24.1		+ 27.1	TB		
	40	300 / 200	100	2.0	94 14	68	+ 34 16	407.2		+ 41.2		+ 46.2	L.H.		
	41	111 / 070	41	0.7	35 12	41	+ 04 24	365.2		2.2		+ 5.1	ET - End Fr - TB		
	42	637 / 600	37	6.0	91 40	33	+ 19 22	368.2		5.7		+ 11.7	" " " " "		
	43	411 / 390	21	4.0	21 57	21	2 20	365.2		4.9		0.0	On the Sl.		
	44	668 / 530	68	6.0	127 30	94	+ 21 00	377.2		+ 15.1		+ 22.9	E. Tr.		
	45	452 / 400	57	4.9	129 25	50	+ 20 34	381.2		+ 18.2		+ 18.2	E. Tr.		
	46	981 / 940	41	7.2	167 41	41	0 00	353.0		1.2		0.0	T.S. - Fl.		
	47	1205 / 1160	43	11.8	185 09	43	0 00	351.2		11.8		0.0	TB - Fl.		
	48	946 / 920	26	9.4	200 50	26	0 00	353.8		9.4		0.0	" "		
	49	646 / 600	46	6.0	188 50	41	+ 12 26	349.0		14.3		+ 9.2	B.B.		
	50	650 / 600	50	6.0	187 28	48	+ 11 20	347.3		13.7		+ 9.7	S.L.		
	51	652 / 600	52	6.0	202 27	50	+ 9 20	348.9		14.3		+ 8.3	B.S.		
	52	622 / 570	52	5.9	205 52	52	0 00	357.3		5.2		0.0	T.B		

Add'l Inform.

Left Turn

Passed

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod —	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
CAII					° '		° '		1						
				—	° '		° '	3582	5°	—	3632	—	FB 2244-35.44		
	53	564 / 510	54	5	210 30	54	0.00	3579	2	5		0°	BK. 5		
	54	127 / 070	57	1°	214 42	57	+ 1.02	3633	3	+ 01		+ 1	BK 5		
	55	262 / 190	42	2	237 40	42	0.00	3611	4	21		0°	BK. 5		
	56	100 / 030	70	0	233 42	67	+ 5.36	3694	5	+ 62		+ 6	BK 5		
	57	201 / 100	101	1°	250 06	71	+ 18.41	3929	6	+ 297		+ 30	BK 5		
	58	1034 / 900	104	9°	242 05	75	+ 13.13	5772	7	+ 14°		+ 23°	B.D.		
	59	393 / 430	123	5°	230 46	110	+ 14.08	3962	8	+ 33°		+ 38	T.5D.		
	60	679 / 600	79	6°	229 05	78	+ 6.50	3666	9	+ 34		+ 9	5D		
	61	200 / 100	100	1°	223 27	95	+ 12.40	3836	10	+ 204		+ 21	BB		
	62	833 / 770	63	8°	210 38	63	0.00	3552	11	8°		0°	5D-BB		
	63	276 / 210	66	2	209 22	66	0.00	3608	12	2		0°	TB		
	64	792 / 720	72	7	219 58	73	+ 3.51	3607	13	2		+ 4	BB-BD		
	65	562 / 490	72	5°	219 17	71	+ 4.40	3640	14	+ 08		+ 5	TB-BK.5		
	66	1194 / 1140	57	11	199 02	57	2.22	3492	15	14		2	BD-BB		
	67	611 / 550	61	5	198 45	61	2.00	3575	16	5		0°	TB		
	69	656 / 600	56	6	189 50	54	10.35	3491	17	16		10	V-54, # 2		
	69	654 / 600	54	12	154 12	54	4.14	3471	18	15		3	BB		
	70	1151 / 1100	51	12°	178 22	51	0.00	3517	19	12		0°	TB		
	71	1198 / 1100	98	11	178 50	95	0.36	3506	20	12		1	TB		
	72	1198 / 1100	98	11	178 28	97	4 16	3444	21	10		7	BB		

Add'n'l Inform.

REVISED DATUM

Notes Red. _____ Platted _____ Job No. 23542.00 Division No. 10 F.B. 2244 PG. 39
Date _____ Date _____ Survey of _____
Notes Chkd. _____ Checked _____ Survey by _____ Notes _____ Date _____
Date _____ Map No. _____ Indexed C. Johnson Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
1311				—	° ′		° ′	3582	1	—	3632	—	1311 to 44-38,44		
	73	1124 / 1100	92	11.0	176 14	91	4 42	3922	2	208		98	Str.		
	74	1088 / 1000	88	12.0	165 27	87	5 09	3693	3	198		72	B.S.		
	75	1187 / 1100	87	11.5	161 38	84	1 25	3492	4	132		28	S.S.		
	76	1096 / 960	136	10.3	164 45	128	6 34	3332	5	292		156	Str.		
				—	° ′		° ′	—	6	—		—			
				—	° ′		° ′	—	7	—		—			
				—	° ′		° ′	—	8	—		—			
				—	° ′		° ′	—	9	—		—			
				—	° ′		° ′	—	10	—		—			
				—	° ′		° ′	—	11	—		—			
				—	° ′		° ′	—	12	—		—			
				—	° ′		° ′	—	13	—		—			
				—	° ′		° ′	—	14	—		—			
				—	° ′		° ′	—	15	—		—			
				—	° ′		° ′	—	16	—		—			
				—	° ′		° ′	—	17	—		—			
				—	° ′		° ′	—	18	—		—			
				—	° ′		° ′	—	19	—		—			
				—	° ′		° ′	—	20	—		—			
				—	° ′		° ′	—	21	—		—			
				—											

Add'l Inform.

Traveled Rd., Tr. Rd. ..... Fr.
Fence ..... Fn.
Int. Fences, V.Fs. ..... Ft.
Ditch ..... Dt.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Canyon S.Cn.
Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Side of Drain. V.D's
Top of Bk.s. ..... Bk.S.
Bottom of Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Inters. of Drain.
Break in Slope ..... S.
Steep Slope ..... St.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Ridge ..... T.R.
Bottom of Slope ..... T.S.

Oak-O, Fir-Fr, Pine-Pi, Cedar-Ce, Sycamore ..... Sy, Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Topography Description Legend:

Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

F.B. 2249 Pg. 60

1311 to 1344

Notes Ck'd by Goss	Survey of Lux Arboretum	F. B 2249 Pg. 62
Map No.	JN 0054.00 Tape 122 Std BK °F	
Office Work	Surveyed by R.T. Mitchell	
Checked	Notes Mitchell Date 1/57	
Date	Indexed G. C. Johnson 3-12-57	

SURVEY OF

W LINE ~ PAR. 1
R.S. 58-14

FOR

LUX ARBORETUM

JN 0054.00

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Mitchell, R.J.
Smiley, L.C.
Hew, C.Y.F.
Henderson, J.E.
Goss, C.R.

Jan. 1957

76F3095 SEE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 2419 Pg. 62

Notes Ck'd by Goss	Survey of Lot Ribbon Farm	F. B. 2249	Pg. 63
Map No.	JN 0059.00 Tape 177 Std 64 F		
Office Work	Surveyed by R.S. Mitchell		
Checked	Notes Mitchell Date 1/57		
Date	Indexed Geo. C. Johnson		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 S&E #247 1-56

CENTER-OF-SECTION LINE

N LINE PAR. 1 R.S. 56-14

3195.48 (M)
TR 14
Set 1" IP
See page 12

33.20.20"
52.22.45"
19.02.25"

TO R/L #1
page 64

1	19° 02' 10"
4	76° 09' 50"
6	114° 14' 40"
Av	19° 02' 268"
Adj	19° 02' 25"
1	33° 20' 20"
4	133° 20' 80"
6	200° 01' 30"
Av	33° 20' 15"
Adj	33° 20' 20"
1	52° 22' 40"
4	209° 31' 20"
6	314° 16' 50"
Av	52° 22' 485"
Adj	52° 22' 45"

SECTION 14
T1N, R11W

TO "D"
page 65

N

F. B. 2249 PG. 64

~~Contd from pg~~

Contd from pg. 62

56° 20' 15"

115° 42' 40"

59° 22' 25"

TO "2+95.18" pg 63

684.55 Calc. using N line (portion of Base Line) as Base Line

N 14° BASE LINE TO "D"

6+84.55 (5) R/L Set 1x2 in on crest of ridge

SECTION 14 T1N R1W

STATE HWY

TO "D"

RANDOM LINE

563.31 calc. fr. Base Line

44° 16' 35"

256.62

W LINE PAR 1-R's 58-14 = N LINE TR 14520

WEST LINE

1	)	56°	20'	10"
4	)	225°	20'	50"
6	)	338°	01'	20"
Av.	)	56°	20'	13½" V
Adj.	)	56°	20'	15"
1	)	59°	22'	00"
4	)	237°	29'	30"
6	)	356°	14'	20"
Av.	)	59°	22'	23⅓" V
Adj.	)	59°	22'	25"
1	)	115°	42'	30"
4	)	102°	50'	30"
6	)	334°	16'	00"
Av.	)	115°	42'	40" V
Adj.	)			
1	)	44°	16'	20"
4	)	77°	05'	50"
6	)	45°	39'	10"
Av.	)	44°	16'	31⅓" V
Adj.	)	44°	16'	35"

12+97.86 R/L 2 Set 1x2 in on b log s.c.

Contd on page 66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Ranch Cyn
JN 00 54 02 Tape 172 Std 84 °F
Surveyed by R.J. Mitchell
Notes RJM 12 CRG Date 1/67
Indexed C. Johnson

F. B. 2249 Pg. 65

TO R/L 4
2795 ft (W)
page 63

TO R/L 0
NW COR PAR 1
page 62

SEC. 14
T 1N
R 11W

TO R/L 1
page 64

R/L 3

60° 40' 35"

40° 54' 35"

180.55'

71° 25' 55"

186° 58' 55"

STA "D"
Set 1x2 tin
at E'ly end
of base line
@ PT Crv. of
R/L 1 & R/L 2

1)	60° 40' 30"	
4)	242° 42' 00"	
6)	04° 03' 10"	
Av)	60° 40' 31½"	
Adj)	60° 40' 35"	
1)	40° 54' 10"	
4)	163° 38' 00"	
6)	245° 27' 00"	
Av)	40° 54' 30"	
Adj)	40° 54' 35"	
1)	71° 25' 30"	
4)	285° 43' 20"	
6)	68° 34' 50"	
Av)	71° 25' 40½"	
Adj)	71° 25' 55"	
1)	186° 58' 30"	
4)	27° 55' 20"	
6)	41° 53' 00"	
Av)	186° 58' 50"	
Adj)	186° 58' 55"	

1) 44.22 @ 12°32' (T=78) = 43.17
2) 44.45 " 13°46' " = 43.17
Avg = 43.17

1) 297.27 @ 05°28' (T=78) = 295.93
2) 297.06 " 04°54' " = 295.93
Avg = 295.93

1) 76.48 @ 07°51' (T=78) = 75.76
2) 76.75 " 08°10' " = 75.77
Avg = 75.76
Total = 414.86

Note: 1x2 & n set at #11 points.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

TO R/L 2
page 64

76F3095 SAE #247 1-56

F. B. 2249 Pg. 66

SEC 14
T 1N - R 11W

contd from page 64

1) 261.97 @ 11°36' (T=84°) = 256.62 ✓
2) 261.65 @ 11°15' (") = 256.62 ✓
Avg = 256.62 ✓

1) 20.36 @ 23°14' (T=88°): 19.71 ✓
2) 22.32 @ 23°08' " : 19.69 ✓
Avg: 19.70 ✓

R/L-3
Set 1x2 6" in top small stub

R/L-4
Set 1x2 6" on side slope

No search for NW Cor TR 15328 = NW Cor Lot 4, TR 14520 Falls on steep side hill - owner to SE requested party to refrain from search, if possible because of erosion hazard.

R/L-5
Set pencil mk. at edge of Conc. Block Wall on N side of newly planted lawn of No. No. 1090

R/L-6
Set pencil mk at edge of conc. blk. wall on S side of new lawn.

W LINE - PAR. 1 ~ R.S. 58-14 ~ E' TR 14520

N LINE ~ LOT 1 ~ TR 15328

N LINE ~ LOT 4 ~ TR 14520

RANCHO

25662

18.70

289.54

55.94

283.38

1) 293.43 @ 09°20' (T=82°) = 289.54 ✓
2) 293.08 @ 08°54' " = 289.53 ✓
Avg = 289.54 ✓

1) 55.94 @ Low (T=84°) = 55.94 ✓

contd on pg. 67

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
N 00° 54' 00" Tape 122 Std. 62 °F
Surveyed by R.T. Mitchell
Notes R.T. MECRG Date 1/57
Indexed C. Johnson

F. B 2249 Pg. 67

cont'd from page 66

N LINE
LOT 5 - TR 15328

20+28.22
NW Cor Lot 5
TR 15328
Fd 4" IP cem't'd
Tg & TL (RE 1510)
per TR. Map.
1) 08° 39' 20"
2) 17° 18' 20"
4) 34° 36' 40"
Avg 08° 39' 10" V

1) 295.75 @ 16° 38' (T=8.2') = 283.38 V
2) 295.59 " 16° 31' " = 283.39 V
Avg = 283.38 V

8.84 calc.
12.25 m. calc. 123.82

38
8-39-10
283.38

1) 127.89 @ 11° 40' (T=82') = 125.25 V
2) 128.29 " 12° 00' " = 125.24
Avg = 125.25

1) 192.28 @ 8° 52' (T=80') = 189.00 V
2) 191.71 @ 7° 13' " = 189.97 V
Avg = 189.97 V

2+52.04
R/L 7
Set 1x2 s/n

SEC 14
T 1 N
R 11 W

PAR. 1 - R.S. 58-14

1899 TP
N LINE

1) 50.19 @ 14° 28' (T=80') = 49.60 V
2) 49.73 @ 12° 11' " = 49.61 V
Avg = 49.60 V

Fd 2" IP, cem't'd
Tg & TL (RE 4408)
per TR 15328

calc. 24.55

Made search for 2" IP
Fd Nothing - TR 15328

26°-19'-00" V
48.60 m. V

1) 26° 18' 50"
2) 52° 37' 50"
4) 105° 16' 00"
Avg 26° 19' 00" V

1) 44.54 @ 12° 35' (T=76') = 43.28
2) 44.00 @ 13° 00' " = 43.27
Avg = 43.27

LOT 5 LOT 15

Fd 2" IP, cem't'd
Tg & TL (RE 1510)
No Ref.

29°-59'-00" V
43.27 m.

1) 29° 59' 00"
2) 59° 57' 40"
4) 119° 56' 00"
Avg 29° 59' 00" V

2+42.01
R/L 8
Set 1x2 s/n at
N. edge Bldg
S. ft.

1) 34° 10' 10"
2) 68° 21' 00"
4) 136° 41' 30"
Avg 34° 10' 27½" V

34°-10'-30" V
89.30 V
89.30 @ Lev (T=80') = 89.30 V

Fd 2x2 s/n
No Ref
(Top of 3 ft. High
Cut Bank)

23.69

W LINE TR 14520

W LINE LOTS 15 & 16
TR 15328

140.11

cont'd from page 69

W LINE
RANDOM

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

70F3095 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2249 Pg. 68

Rd 4-9 Sec 13 T2S R14W

Eq 3"FP, dem pl.

Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 005410 Tape 122 Std 62 °F
Surveyed by Mitchell
Notes M.H. 118 Gone 1/57
Indexed C. Johnson

F. B 2249 PG. 69

W.S. 45-D-3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

cont'd from pg 67

1) 34° 10' 10"
2) 68° 21' 00"
3) 136° 41' 50"
4) 34° 10' 27½" V
Adj)

1) 89° 51' 20"
4) 359° 26' 40"
6) 179° 09' 40"
Av) 89° 51' 36½" V

1) 141.01 @ 03° 19' (T=80°) = 140.77 V
2) 140.92 @ 02° 31' " = 140.78 V
Avg = 140.77 V

1) 122.52 @ 02° 05' (T=58°) = 122.42 V
2) 122.69 @ 03° 24' " = 122.44 V
Avg = 122.43 V

42.18 @ Lev (T = 72°) = 42.18 V

PAR 1 R=2358.14
= W. LINE TR 14320
= W. LINE TR 15328
140.77

R/W 9 Set 1x2 f/m

SEC 14
T1N
R11W
34° 10' 30" V

Fd 1x2 f/m No Ref

LOT 1
7.78
6.22
23.69
122.43

Fd 2" IP cem f.l. T.J. E.Tk (RE 4.10) thin iscribed "LS 6666" per RS 66-23 TR 15328

Fd 2" IP cem f.l. T.J. E.Tk (RE 5.10) top 0.3 ft. in. cut 6 ft. L

Fd Nothing SW Cor Lot 16 Tr. 15328

W. LINE GOLD HILL RD

89°

TO SEC COR 13, 14, 23, 24 page 91

0.12

15.96 (R)

6.37 (R)

24.46

6.88

16.22 (R)

Fd 2" IP, d.i.t.h.g. E. of & 8 ft. ~ SW Cor Par 1 RS 58-14 = SW Cor TR 14320 = SW Cor "Clara Baldwin Stocker" per Co. of M.W. Parcel Tract ~ This pt. has same objects & dist. etc. as IP at NW Cor Par. 1 See also page 80

TO SEC. COR 13, 14, 23, 24 page 75

Set nail in Mag. disc by Int.

Set 1x2 f/m 7 ft. off line to West

7 FT OFFSET LINE

(Fd Nothing ~ RS-66-23 TR. 15328)

76F3095 SAE #247 1-56

Notes Ck'd by GOSS	Survey of Lux Arboretum	F. B 2247 PG. 77
Map No.	JN 0054.00 Tape 122 Std. 89° F	
Office Work	Surveyed by Mitchell	
Checked	Notes RJM ECRG Date 1/57	
Date	Indexed K. C. Johnson	

SURVEY OF

S. LINE ~ SECTION 14
T1N ~ R11W

FOR

LUX ARBORETUM

JN 0054.00

RJ Mitchell
L.C. Smiley
C.Y. F. Hew
J.E. Henderson
C.R. Goss

Jan. 1957

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 SAE 1247 1-56

F. B. 2249 Pg. 72

NOTES

1. There appears to be a general agreement that the Iron Pin on the E side on Canyon Blvd is a perpetuation of the SE Corner of Section 14 ~ I set a C.S. Mon over this point without disturbing the Pin.
2. The distance ~~shown~~ calc. from The Gold Hill Park. Tract from this point W to the NW Cor Lot 6, ib. is ½ the total dist. (calc.) from SE Cor Sec 14 to SW Cor Sec 14 per same and is in substantial agreement with the measured distance.
3. The distance from said NW Cor Lot 6 (going W) to the SW Cor of the Section, as measured, shows a material discrepancy with the record (Gold Hill Pk Tr.)
4. The C.S. Mon at the SW Cor Sec 14 was shown, in 1926, to replace the then accepted 3x4 stk and to be the true corner. The point called for by Gold Hill Pk. Tr. is also a 3x4 stk. The C.S. Mon, has, since it was set, been accepted by competent surveyors as the correct corner.
5. No record, available to the field party, indicates any search for the true ½ corner (S) as set by Dep. C.S. Surveyor "W. P. Reynolds, CS 9250. However a comparison of Dep. Reynolds "calls" with ground topog. fails to indicate any point of real similarity and development of the area makes a search appear unwarranted. It is certain, tho, that ~~the accepted~~ were the SE Cor and the

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Abstraction
JN 005400 Tape 122 Std 84 °F
Surveyed by Mitchell
Notes RJ. MEZRG Date 1/57
Indexed C. Johnson

F. B. 2249 PG. 23

Gold Hill Pk Tr. 1/4 Cor (NW Cor Lot 6) held to and produced no better fit would result.

6. As a result of the foregoing observations I feel that the S 1/4 COR of Sec. 14 should be set on line and midway between the accepted Sec Cors, that the 2" IP set by Surveyor Kinnott and found in substantial conformity with his record (RS 58-19) be accepted as the E 1/16 Cor and that the W 1/16 Cor be set midway between the 1/4 Cor as set above and the SW Sec. Cor.

7. See "Note 4" above. After a diligent search I find no other 3x4 stk in the vicinity of the C.S. Mon or at the projected location per G.H. Pk. Tr. (SW COR SEC 14)

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S SSE #247 1-58

76F3088 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45 - D-3

Cont'd on page 76

Map No. GO 3.5
Office Work
Checked
Date

Survey of Lux Mfg Corp Tract
JN 8054 DR Tape 1977 Std OK °F
Surveyed by W.H. Keefe Date 1-11-57
Notes
Indexed C. Johnson

F.B. 3249 Pg. 2.5

5-3
0+46.40
Set Ch. X in wall

6.97

3.55 N 4.28 W

Fd old 2x2 en dn 6" in open hole ~ No Ref

ASCEND TO WEST

5-2
0+42.12
Fd Lgt ~ No Ref

145.10' wall

conc.

conc. c&g

drive

7.00

Fd Ch. X" in conc. c&g FB 117-71

CANYON BLVD

23

OFFSET LINE

40.46

14

TINTA WAY

Ppd sgn. N 44°29' W 40.46'

5-1
0+01.66
Fd Lgt No Ref.

1.66

7.00 set

40.46 @ 44.28 @ 3.55 @ Lev (Ft 20') = 1.66 V = 40.46 V = 44.28 V = 3.55 V

SEC. COR. = 0+00 Going W
Fd 1" I.P. no dn
Pc - 6" old H.H. Pk Tr ~
PCS 8916 - FB 117-71 ~
RS 5814 - RS 14520 ~
RS 57-39 - RS 66-23
LS 2-1 ~ Set Sq. Cut
Ch. Cut Mon mkd as shown bc low over Pin with 1/2 bc below bot of Eg. ~ See Co. Canyon Blvd. Co. F.C. F.B. F.C. 2271-32

24

13

COUNTY ENGINEER
R.E. 5869
T1S R11W
14 13
23 24

F. B. 2249 PG. V6

1) 147.11 @ 9°24' (T=64°) = 145.10 ✓
2) 147.40 @ 10°06' " = 145.10 ✓
Avg = 145.10 ✓

1) 86.96 @ 7°45' (T=64°) = 86.16 ✓
2) 86.72 @ 6°31' " = 86.15 ✓
Avg = 86.15 ✓

1) 187.38 @ 0°37' (T=64°) = 187.35 ✓
2) 187.41 @ 1°06' " = 187.36 ✓
Avg = 187.35 ✓

1) 109.59 @ Rev (T=52°) = 109.57 ✓

T 1 N
R 11 W

ASCENDING

14

FLAT

6 ft ch link fn

SECTION LINE

109.57 ✓ — 187.35 ✓ — 86.15 ✓ — 145.10 ✓

7 FOOT — 23° — OFFSET LINE

Reservoir

A 46.65
A5-6
Set 1x24"
in sidewalk

2+77.65
5-5
Set 1x24"
on top of
curb

1+49.50
5-4
Set 1x24"
on top of
curb

23

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date
Survey of Lex Add'n Tract
JN 005400 Tape 112 Sht
Surveyed by R.J.M.
Notes RJM ECRG Date 4-57
Indexed C. Johnson
F. B 2289 Pg. 72
W.S. 45-D-3
cont'd from p 76
38.56 @ Lev (T=52') = 38.55'
1) 77.41 @ 2°54' (T=54') = 77.31
2) 77.47 @ 3°37' = 77.30
Avg: 77.30
109.57'
FLAT
5+74 57
S-7
Set 1x2 E in on Section Line
Set 7.00
5+74 57
S-7
Set 1x2 E in 90° 7 ft. off set Ln.
T 1 N
R 11 W
R 23 E
1944
SEC. 14
SEC. 23
T.2.N.
R.11W.
38.55'
6+13.12
S-8
Fd 2" Br. Cap
Mon Marked
as shown per
L.A. Co. F.C. D. & F.B.
FC 2221-33
RS 58-14
RS 56-46
SEC
1.09
77.30'
0.28
Fd 1x2 E in
No Ref.
6+90 42
S-9
Fd 1x2 E in
No Ref
1.12
0.84
Fd 1x2 E in
No Ref
top of bank
7 FOOT OFFSET
SEC
Face of Slope
15.53'
299.52'
15.53 @ Lev (T=54') = 15.53'
cont'd on p 78
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
76F3095 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 45-D-3



F. B. 2249 Pg. 78

Notes Ck'd by Goss
Map No.
Office Work
Checked
Date

Survey of Lux Arborcrest
JN 0054.00 Tape 122 Std 8
Surveyed by R.J. Mitchell
Notes RJM & CRG Date 1/57
Indexed C. Johnson

Book 2247 Pg. 79

Goss by CR

cont'd from page 77

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7873093 SAE #247 1-56

9789.94
S-10
Set 1x2 en on spur

Fd 2" IP cont pkt Tg & Tk (RE 15/10) Up 10" - No Ref On side slope
12+73.38
S-11
Fd 1½ en on lot
No Ref
On side slope

13+00.24
S-12
Set n. in 2x4 form Edge Mac. Drive.

RANDOM LINE TO E LINE PAR 1-RS 58-14
SEE PAGE

SOUTH LINE TR 15328

0.19
13+28.43
26.86'
5.56'

29952'

= S LINE TR 15328
= S LINE RS 58-14

GOLDHILL DR TR = N LINE

7 FT OFFSET LINE

Ø 28.26 Δ 18°07' (R=80') = 24.96'
Ø 23.30 Δ 23°34' (R=56') = 22.96'
Avg = 24.46'
Ø 24.46 Δ 70° (T=58') = 27.46'

Ø 283.45 Δ 10°51' (T=54') = 283.45'
Ø 283.44 Δ 11°00' (T=54') = 283.44'
Avg = 283.44'
Ø 5.56 Δ 7° (T=58') = 5.56'

DOES STEEP NOSE TO E.

UNCROSS CA 19 N 22 OZ

UNCROSS CA 19 N 22 OZ

FLAT

13+05.80
S-13
Set n.e.t by Ent
see page 69

FLAT

24.46'

SECTION

Cont'd on page 80

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-D-3


T 1 N
R 11 W
7 FT OFFSET LINE
Contd Pg 81
SECTION LINE
FLAT
TR 1528 R11W
T 1 N
R 11 W
GOLD HILL PK. TR
SEE PG. 1
14520 LINE LOT 13
SE LINE
SW LINE
Set 1x2 Sn
Set 1x2 Sn
Set 1x2 Sn

Notes Ck'd by GOS
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 0059.00 Tape 172 Std 68 °F
Surveyed by R.S. Mitchell
Notes Mitchell Date 4/59
Indexed C. Johnson

F. B. 2249 Pg. 81

cont'd from page 80

Fd 2" IP cont'd T9 E T4 (RE 410) on E Lig Lot 12 Gold Hill Park per R 3966-73

113°52'30"
2) 227°45'00"
1) 95°30'00"
Adj) 113°52'30" ✓

Set 1x2 stk in Fill

14+34.27
5-16
Set 1x2 stk in

105.96'

67.84'

Fd 3/4" IP in Pile of Rocks 1.15' S of Fence & 0.6' E of Fence Corner per R3966-73 in Spot Dug 0.4' deep in Ground

DESCENDING
To WEST

1) 104.54 @ 6°15'44" (T=60') = 104.54 ✓
2) 104.75 @ 7°04' " = 104.88 ✓
3) 104.69 @ 6°49' " = 104.81 ✓
Avg = 104.81 ✓

15+60.73
5-17
Set 1x2 stk in Wedge of Rd.

1) 106.96 @ 7°46' (T=60') = 106.96 ✓
2) 106.76 @ 6°54' " = 106.87 ✓
Avg = 106.92 ✓

1) 135.09 @ 10°29' (T=56') = 132.82 ✓
2) 135.16 @ 10°41' " = 132.80 ✓
Avg = 132.81 ✓

DESCENDING
To WEST

16+93.04
5-18
Set 1x2 stk on side slope

1) 93.47 @ 16°20' (T=60') = 93.60 ✓
2) 94.01 @ 17°28' " = 93.74 ✓
Avg = 93.67 ✓

1) 114.94 @ 8°27' (T=56') = 113.94 67 ✓
2) 114.72 @ 7°38' " = 113.94 68 ✓
Avg = 113.94 67

105.96'

132.81'

89.67'

113.94'

T 1 N

DESCENDING
To WEST

R 11 W

17+82.71
5-19
Set 1x2 stk on side slope

SECTION LINE

DESCENDING
To WEST

cont'd on page 82

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

70F3095 SBE #327 1-56

F. B. 2249 Pg. 82

cont'd from page 81

~~SEC 14 T 1N R 11W~~

SEC 14 T 1N R 11W

38
78+96.65
S-20
Set 1x2 tin

DESCENDING
To WEST

1) 165.65 @ 15°41' (T=58°) = 159.41'
2) 165.30 @ 15°18' " = 159.41'
Avg = 159.41'

1) 223.14 @ 14°48' (T=58°) = 216.04'
2) 223.19 @ 14°30' " = 216.04'
Avg = 216.04'

1) 283.09 @ 0°32' (T=60°) = 283.04'
2) 283.09 @ 0°14' " = 283.03'
Avg = 283.03'

1) 122.28 @ 7°29' (T=58°) = 121.22'
2) 121.91 @ 5°58' " = 121.23'
Avg = 121.22'

55.79
20+56.06
S-21
Set 1x2 tin

DESCENDING
To WEST

71.83
22+84.19
S-22
Set 1x2 tin
on brow

(14)

(23)

ASCENDING
To WEST

T 1 N

54.86
25+55.19
S-23
Set 1x2 tin
on ridge

R 11 W

DESCING INTO
HIDDEN VALLEY

159.41'
216.04'
283.03'
121.22'

KLINE

SECTION

cont'd on page 83

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions and Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change. Circled in Red

78F3098 SSE 7247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-D-3

Notes Ck'd by GA 33
Map No.
Office Work
Checked
Date

Survey of Lux Blanchard
JN 22548 Page 122 Sid 2 F
Surveyed by F.T. Mc Kee
Notes Michelle Gaffke 1/22
Indexed C. Johnson

SEC. 14

SEC. LINE

Found 2" IP wood pl. & m. leaning S. - Reconstruct pipe to location shown. (Do 6") per RS 56-48, CS, FB 117-70

1) 86.14 @ 11°26' (T-70) = 84.42'
2) 86.70 @ 15°10' = 84.41'
Av = 84.41'

121.22' per RS 5-23
84.41'

Set Sta Mk. Sk & ft in PP & 9633

0.06m Rec.

80.44

14.50 (14.65 RS 5-23)

26+66 S 1/4 COR SEC 14. Set nothing on line & midway between found section Cors. See page 72-72

Ho. of Carl Drury

33.6

SECTION

279.59

38.65

36.81

9 sh Hi. Conc. 9¢

Blk wall

14±

47±

10±

Ho. of G.M. Guston

26+39.54 Fd 2" IP conc pl. 9.5 ft (L 52319) in B.C. in Gravel Rd. per RS 56-48 ~ Do NOT believe this to be the 1/4 cor. See "NOTE" page 72-72 for discussion.

122.41 Rec 122.38 @ 11°16' = 122.2

91°06'15"

1) 91°06'20"
2) 182°12'20"
4) 364°25'
Av) 91°06'15"

Fd 1.5" IP wood pl. 5' in ft 5' E. of P.C.

23

DISCENDING 4% TO WEST

SEC

HIDDEN VALLEY

HIDDEN VALLEY CT

WELLING LOOP

From Page 80

Page 82

F. B. 2249 Pg. 84

S-26
Fd 2x2 nail on
line of crest of
ridge (LS 23417)
No Ref.

0.83

Fd 2x2 in (No Tg)
No Ref (up 3.0')

S-27
Set 1x2 in
top of ridge
S. end of bdge
line used to
calc. dist to

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 00359.00 Tape 177 Std 24° F
Surveyed by R.J. McLeod
Notes Mitchell Gage 1.587
Indexed C. Johnson

F. B. 11249 Pg. 85

cont'd from page 83

1	1	26° 39' 30"	
4	1	106° 38' 20"	
6	1	159° 57' 40"	
Av	1	26° 39' 36½"	V
1	1	29° 53' 10"	
4	1	19° 32' 40"	
6	1	79° 18' 50"	
Av	1	29° 53' 08½"	V
1	1	56° 32' 40"	
4	1	226° 11' 10"	
6	1	339° 16' 40"	
Av	1	56° 32' 46½"	V

279.59

ASCENDING TO WEST

29T 24.32
5T 26
Fd 2x2 in ditty (45 23 W) on line of ridge ~ No Ref

1.08

Fd 2x2 in No Tg No Ref up 3"

TO B-4 page 86

CROSS CANYON (HOUSES IN BOTTOM)

26° 39' 30" 56° 32' 40" 29° 53' 10" 45" IN

14 13

TO B-2 page 86

79° 57' 30"

1) 79° 57' 30"
4) 319° 49' 50"
6) 119° 44' 50"
Av) 79° 57' 28½" V
Adj) 79° 57' 35"

TIN R11W

302.56

BASE LINE

.45
35T 65.72
5-27
Set 1/2" on crest of ridge 4.5' end of Base Line used to calc. dist from E.

1) 51.12 @ 5°03' (T-76°) = 50.92 V
2) 51.49 @ 8°31" " = 50.92 V
Avg = 50.92 V

cont'd on page 86

DESCEND

176.86

#2251.64 @ 0°25' (T-76°) = 251.62
2) 251.64 @ 0°15" " = 251.65 V
3) 251.65 @ 2 av " = 251.64 V
Avg = 251.64 V

Total = 302.56 V

cont'd on page 87

SECTION LINE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3093 SAE #247 1-56

F. B. 3749 Pg. 86

SECTION 11 T11N R11W

cont'd from pg. 85

TO S-26

TO S-26

B-4
Set 1x2 F.T. on ridge for N end of Base Line

389.75'

43°29'40"

109°50'45"

302.56

BASE LINE

60°00'15"

B-2
Set 1x2 F.T.

TO SEC. COR.

cont'd on page 91

1) 109°50'50"
4) 79°22'50"
6) 299°04'30"
Av) 109°50'45" V

1) 60°00'10"
4) 240°00'50"
6) 360°01'20"
Av) 60°00'15" V

1) 43°29'40"
4) 173°58'30"
6) 260°57'50"
Av) 43°29'38" V

1) 173.85 @ 2°57'
2) 173.88 @ 3°15'

1) 224.09 @ 17°01'
2) 226.04 @ 17°42'

(T = 70') = 173.58 V
= 173.58 V
Avg = 173.58 V
(T = 68') = 216.17 V
= 216.17 V
Avg = 216.17 V
Total = 389.75 V

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes, Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 005400 Tape 177 Std 64 °F
Surveyed by Mitchell
Notes M.K.L. & Goss Date
Indexed K. C. Johnson

F. B. 2249 Pg. 87

31.92
21.27
10.65

W.S. 45-D-3

Cont'd. Fr. Pg. 85

T 1 N

R 1 W

DESCEND

.31
37+42.~~58~~
S-28
Set 1x2 E/W on line in stream bed

1) 182.93 @ 16°38' (T=66') = 175.26
2) 181.77 @ 15°22' " = 175.25
Av = 175.25 V
1) 108.11 @ 28°00' (T=70') = 95.44 V
2) 107.32 @ 27°12' " = 95.44 V
Av = 95.44 V
1) 63.53 @ Lev (T=70') = 63.52 V
2) 63.53 @ " " = 63.52 V
Av = 63.52
1) 31.93 @ Lev (T=70') = 31.93
2) 31.92 @ " " = 31.92
Av = 31.92
1) 35.68 @ Lev (T=82') = 35.68

ASCEND

SECTION 14

SECTION 23

.56
39+17.~~63~~
S-29
Ed. Mg. tc tap 2x2 E/W 0.3"
No Rectic Top of ridge

DESCENDING TO WEST

1/16 SEC LN PER RS 56-48

39+81.08
Fd 2" IP
Corn 1.1 Ft Frk (LS 3143) El.
per RS 56-48

10.65 calc.

1/16 SEC LINE

.73
39+91.~~75~~
1/4-1/4-COR
Nothing Set
See page 72 & 73

.00
40+13.~~27~~
S-30
Set 1x2 E/W on side of H

21.27 Calc.

DESCENDING TO WEST

Cont'd. on Pg. 88

Notes: Corrections or Changes on this Sheet Should be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Tarboss SEE #247 1-86

F. B. 2249 Pg. 88

Contd from page 87

35.68 ℄ LINE

BACK OF H₀ Is E. SIDE CLOVERLEAF CANYON

AT 48.68
5-31
Set 2½" on slope slope

car Port & Garage

1 story stucco House

61.5'

(14) (23)

T 1N R 11W

CLOVERLEAF CANYON 41+57 ℄

14 ℄

10 ℄ 41+61 ℄

270.14 ℄

1) 271.00 @ 8°16' (T=82') = 270.16 ✓
2) 273.19 @ 8°35' = 270.13
Av = 270.14 rr

42+77 ℄
Set nail in dirt road in So Hom of CLOVERLEAF CN

S 33° E

unimproved to Lux Rd dirt road Hidden Valley

10 ℄ SE

18.82
43+19.09
5-32
Set nail

27.68 ℄

1) 27.68 @ Lev (T=70') = 27.68 ✓

IN CLOVERLEAF CANYON

contd on page 89

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss	Survey of Lux Arboretum
Map No.	JN 0054.00 Tape 122 Std. 84 °F
Office Work	Surveyed by M. Fickell
Checked	Notes M. Fickell Date 1/57
Date	Indexed C. Johnson

P. 2299 PG. 89

Cont'd from Pg. 88

T 1 N

R 1 W

CROSSING CHAVER LEASE CR

27.68'

.50

43+76.77

5-33

Set 1x2 6" on 2" in lawn

51.81'

11 51.82 @ Lev (T=52') = 51.81 V

11 107.12 @ 14°18' (T=52') = 102.02 V
2) 106.94 @ 15°53' " = 102.82 V
Av: 102.82 V

11 100.13 @ 24°20' (T=52') = 90.85 V
2) 100.57 @ 25°23' " = 90.84 V
Av: 90.84 V

11 61.77 @ 14°42' (T=52') = 59.74 V
2) 61.32 @ 13°00' " = 59.74 V
Av: 59.74 V

.31

43+98.58

5-34

Set nail in lawn

102.82'

.13

45+01.48

5-35

Ed 1½" FP ECM #1.79 5th CLS (2314) N° Ref Guard Stake Mkd "South West Cor"

90.84'

91.97

45+92.27

5-36

Set 1x2 6" Chain pt.

59.74'

BEGIN ASCENT TO WEST

ASCENDING TO WEST

ASCENDING TO WEST

SECTION 14

SECTION 13

SECTION 24

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

76F3088 SBE #247 1-56

Cont'd. on Pg. 90

X

F. 2249 p. 98 contd from p. 97

T 1 N

R 11 W

ASCENDING

59.74

.71
46+51.92
S-37
Nothing set

884'

8.84 @ L=v (T=52°) = 8.84'

LINE

.55
46+60.82
S-38
Set 1x2 E'n
on line

ASCENDING

94.85'

Fd 1x2 E'n at base of 24" Oak S'ly side of tree No Ref.

4.85

8.89

.40
47+55.62
S-39
Set 1x2 E'n
on line

11) 98.25 @ 15°04' (T=52°) = 94.85'
2) 97.57 @ 13°29 " = 94.85'
Av = 94.85'

ASCENDING

60.08'

SECTION

.78
48+15.24
S-40
Set 1x2 E'n
on line

ASCEND ACROSS DRAW

199.05'

11) 65.65 @ 23°45' (T=54°) = 60.08'
2) 65.00 @ 22°25' " = 60.08'
Av = 60.08'

11) 202.45 @ 10°27' (T=54°) = 199.05'
2) 202.63 @ 10°43' " = 199.06'
Av = 199.05'

.53
50+14.80
S-41
Set 1x2 E'n
on line on spur

11) 193.46 @ 11°12' (T=54°) = 189.74'
2) 193.88 @ 11°48' " = 189.74'
Av = 189.74'

189.74'

ASCEND ACROSS DRAW

contd on page 91

23

NOTICE

SECTION

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Initialed or Circled in Red Ink With Date Making Change. Name of Person

76F3095 SBE 1247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W. S. 45-D-3

Notes Ck'd by GROSS
Map No.
Office Work
Checked
Date

Survey of Ascending Rhyn
JN 2254 Sept 28
Surveyed by M. McKee Date 1952
Noted M. McKee Date 1952
Indexed R. C. Johnson

F. B. 2247 PG. 9

Cor. Fd. 1" I.P. for P.C. 90 ASCENDING RHYN

(9425.00') Fd 1x2 E.O. FB 473-188

Calc. P.C. 89°24'15" Meas'd. to short sights

89°24'05" Meas'd. to long sights

Fd 2" I.P. on range (50+25.66) FB 473-192 (see pg. 30)

90°30'20" Meas'd. to long sights

(15) (14)

Made search for 3x3 stk at Sec. Cor. for Gold Hill Pk. Tr. Fd. Nothing

22.2±

101.02'

39.6±

17.02'

189.74'

N 1°

COUNTY SURVEYOR MONUMENT
T 1 N
15 | 14
R 22 | 23
W

COUNTY SURVEYOR
T 1 N
15 | 14
R 22 | 23
W
W.C.
R. E. 5869

17.02 @ 1.6' (R-S&A) = 17.02'
#1 90°30'50"
#2 1362.01'20"
Adj 1363.01'50"
90°30'03"

11 101.85 @ 2.1' (R-S&A) = 101.85'
#2 357°29'30"
Adj 1°01'.43 @ 2.1' (R-S&A) = 101.03'

11 89°21'20"
#2 357°29'30"
Adj 1°01'76.0E 90°.2F 06"

Note: Base Line "B-4" page 86 is not visible from instrument at Sec. Cor.

DESCENDING

ALAT

(22) (23)

Notes Ck'd by Goss	Survey of Lux Arboretum F. B 2249 Pg. 93
Map No.	J.N. 0054.00 Sps 1.5 Std 84 °F
Office Work	Surveyed by R.J.M.-J.E.H.
Checked	Notes R.J.M. Date
Date	Indexed C. Johnson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

SURVEY OF
N. LINE - SECTION 14 T1N-R11W
FOR
LUX ARBORETUM
J.N. 0054.00

INDEX



R. J. Mitchell
L. C. Smiley
J. E. Henderson
C. R. Goss

February, 1957

787-3055 SAF #242 1-66

F. 1222 Pg. 94

NOTES

1. The C.S. Mon of the NW Cor Sec 14 (T1N R11W) has been accepted as a direct perpetuation of the corner set by Dep U.S. Surv. Reynolds (CS 9250)(1873).
2. The N ¼ Cor Sec 14 & the NE Cor Sec 14 were searched for by Dep. Co. Surv. Benson in 1931 but were not found.
3. The NE Cor Sec was reported lost by Fuel (LS 9-1) in 1919
4. I establish the direction of the "Tie-line" as shown on CS B 745-2 by going to the N ¼ Cor of Sec 15 and setting off the calc. offset at this point (using line from this point E to the NW Cor Sec 15 as a basis of Brngs.). These points are intervisable where-as visability south from the sec. Cor is restricted to about 45 ft. I then proceed E along the Random Line thus established.
5. At a distance of 40 chains (per Cutting - CS 9382 (1896) & Dep U.S. Surv. Reynolds - CS 9250 (1873)) I make a diligent search and find nothing. (Falls 29 ft W of R/L 14 pg. 100)
6. At a distance of 50 chains (27 ft E of R/L 18 - pg 101) I find no evidence of Dep U.S. Surv. Reynolds post (CS 9250-4)(1873) Falls on the steeply descending slope of Clamshell Cr.
7. At a distance of 80.60 ch. (per Cutting - CS 9382 (1896)) I search for the NE Cor. Sec 14 & find nothing. (Falls 70 ft E of R/L 28. pg. 105.)
8. The topography along the line traveled over bears no resemblance to that shown by Reynolds - CS 9250-4 (1873)
9. After comparing the topography along the line traveled with that shown by Cutting - C.S. 9382 (1896) I find a few points

cont'd on page 112

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-C-2

T1N - R11W

SURVEYOR TIN 10 15 1/4 COR MONUMENT

10 11 15 14

RANDOM LINE 146.19'

N 89° 46' 05" E 2643.02

C3B 745-2

N. 89° 11' 20" E C3B 745-2

500'

Santa Ana Fwy

Santa Fe

Canal

Pomona Fwy

Notes Ck'd by
Map No.
Office Work
Checked
Paper
Surveyed by
Notes
Indexed
Date 2-57
Plotted

F. B. 2119 Pg. 96

cont'd on page 97

Steep Ascent

T 1 N

R 11 W

SECTION 11

RANCHO SAN JOAQUIN

36.49 W

S 52.5 W

N 11.1 W

S E C.

4+00.93 ℄ R/W ℄ cut bench in steep side slope & set 1x2 ℄ in.

Steep Ascent 14

3105.64 R/W 3 cut bench on steep side slope & set 1x2 ℄ in.

Steep Ascent

1788.50 R/W 2 cut bench in steep side slope & set 1x2 ℄ in

Steep Ascent

1496.19 R/W 1 set 1x2 ℄ in on steep side slope

Steep Ascent

1491.19

cont'd from page 95

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3085 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-D-2

Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Manufacturing Co. Tract No. 22513 Dated 9-57
Surveyed by R.T. Hill, Jr. Date 2-57
Notes Indexed C. Johnson

NOTE: For Location of W 1/16 COR Sec 14 FB 238-47

"B-3" Set 1x2 6ft @ N'ly end of Back Line on crest of ridge

SEC. 14

RANDOM LINE

SECTION LINE

RIDGE

Ascending

Descending

Santa Fe Spgs

Santa Fe Spgs

Santa Fe Spgs

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 45-D-2


SECTION 11
RANCHO SAN PEDRO
Dominguez Estate
Rancho La Ballona
Rancho Sausal Redondo
Rancho Aguaje de la Centinela
Rancho Tajauta
Rancho Boca de la Playa
Rancho Paso de la Tijera
Rancho Rincon de la Ballona
Rancho Cienega de los Palos Verdes
Rancho Cienega de los Palos

Notes Ck'd by GOSS	Survey of Lux Arboretum F. B. 2249 Pg. 99
Map No.	JN 0054.00 Tape Std. 84 °F
Office Work	Surveyed by R. J. Mitchell
Checked	Notes R. J. M. Date 2-57
Date	Indexed C. Johnson

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SAE #247 1-56

Descending

TINNIVIEW

Contd on page 100

SECTION 11

1) 70.57 @ 30.30 (= 90°) = 60.82
2) 71.57 @ 32.12 = 60.82
Avg = 60.82

1) 120 25 30
2) 141 31 40
3) 142 32 40 1/3
4) 100 25 25

1) 40.82 (= 90°) = 40.82
2) 41.07 @ 30.30 = 40.82
Avg = 40.82

1) 45.11 @ 24.52 (= 90°) = 40.82
2) 46.27 @ 25.42 = 40.82
Avg = 40.82

1) 277.39 @ 22.38 (= 90°) = 251.00
2) 272.29 @ 22.38 = 251.00
Avg = 251.00

1) 45 46 17
2) 185 46 17
3) 277 46 17
4) 46 46 17

1) 40 53 1/2
2) 40 53 1/2
3) 53 1/2

LINE
449.90 calc.

46° 17' 53" Rt

100°-25'

25'

"B-4" 1/2" ø on set 1/2" ø pipe (from R/W)

Base Line

SECTION 11

RANDOM
60.82

Elev 1119.11
R/L 13.3
cut bench & set 1/2" ø on steep side slope

Steep Descent

Elev 1158.30
R/L 12.8
set 1/2" ø at top of bk (on to East)

Descending

contd from page 98

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



76F3098 SBE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W. S. 45-D-2

1) 63.40 @ 17.05 (I=52°) = 60.59
2) 64.10 @ 15 00 " = 60.60
Avg = 60.59

1) 207.30 @ 28 38 00 (I=52°) = 181.02
2) 208.51 @ 29 14 20 " = 180.90
3) 208.07 @ 29 00 40 " = 181.11
Avg = 181.01

Notes Ck'd by Goss
Map No.
Office Work
Checked
Date

Survey of Los Angeles
JNO 5 Stereotype Std. B.M. °F
Surveyed by R. J. Mitchell
Notes K. V. M. Date 2-5-57
Indexed R. C. Johnson

F. B. 2744 Pg. 104

Stadia 294 @ 16°42 = 270
Less tape 125 @ 36 30 = 100
Difference = 170

SECTION 11

RANDOM LINE

173.08 — 60.59 — 181.91 — 170 — 953.40

This is where Clarence Goss got it. (Just couldn't take it.)

SECTION 14

Center Line from Page 100

South

Descending

Steep Ascent

T 11 N

Center Line from Page 102 to B-7

S 10° W (Bottom of Steep Ascent)

S 52° 12' E

S 25° 00' E

Descending

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45 - D-2



Notes Ck'd by G.C.J.
Map No.
Office Work
Checked
Date

Survey of Alex Albert Ranch
JN 0295.08 Maps Std 8" °F
Surveyed by R.V. Mitchell Date 4-5-57
Notes
Indexed C. Johnson

F. B. 294

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by GCSS	Survey of Lux Arborfarm
Map No.	JN 00 54.04 Rope Std 54 °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date 2-157
Date	Indexed C. Johnson

T. B. 2219 PG. 105

13

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

cont'd. on page 106

Ascending

SECTION LINE

211.33'

5.20° Drain

55+02.55 R/L 29 cut bench & set 1x2 in on steep rocky slope

Descending

186.85' 120± DRAIN

53+15.70 R/L 28 cut bench & set 1x2 in (in swale)

Descending

RANDOM LINE

R/L 27A = E-19

53+11.53 R/L

3.56' 3.62'

SEE PG 130

51+92.12 R/L 27 cut bench & set 1x2 in (in swale)

SEC.

75.22'

cont'd from page 104

1) 122.50 @ 18°41'40" (T=56') = 211.33'
2) 122.07 @ 18°46'00" (T=56') = 211.30'
3) 122.56 @ 18°46'00" (T=56') = 211.33'
4) 122.56 @ 18°46'00" (T=56') = 211.33'
Ahd

1) 150.46 @ 34°57'40" (T=46') = 123.55'
2) 151.48 @ 35°19'00" (T=46') = 123.58'
3) 151.48 @ 35°19'00" (T=46') = 123.58'
4) 151.48 @ 35°19'00" (T=46') = 123.58'
Ahd

1) 216.80 @ 30°42' (T=64') = 186.85'
2) 217.34 @ 30°42' (T=64') = 186.85'
Ahd

1) 150.46 @ 34°57'40" (T=46') = 123.55'
2) 150.46 @ 34°57'40" (T=46') = 123.55'
3) 150.46 @ 34°57'40" (T=46') = 123.55'
4) 150.46 @ 34°57'40" (T=46') = 123.55'
Ahd

1) 176.85 @ 30°30' (T=77') = 156.82'
2) 217.21 @ 30°30' (T=77') = 186.82'
Ahd

SECTION 11

SECTION 12

SEC.

76F3095 · S&E #247 1-56

F. B. 2299 PG. 106

cont'd on page 107

TO B/L 12

140" 45-35 calc.

S 75° 37' E

Descending

T 1N R 11 W

SECTION 12 — SECTION 13

LINE

58+22.76 R/R 32 cut 2 inch ø 30 1x2 ft in 4 feet of 3 pvt lcy

40 ft R 1.09°

Descending

S 38° 57' W

20.00

57+83.89 R/R 31 cut 2 inch ø set 1/2" IP con to 3 ft E Bk of shoulder point of ridge

Ascending

57+13.88 R/R 30 cut bench 6' set 12 inch ft E of rock & cut crop

rock outcrop

211.33

12

cont'd from page 105

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 45-D-2

76F3095 S&E #347 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45 - D-2

523.11

B/L 12 set 1x2 FN on ... at ... of ridge

B/L 11 set 1x2 FN

B/L 10 set 1x2 FN on slight rise

SECTION 12

SECTION 13

575.37 calc. — 34.04 — 274.84

RANDOM LINE

Point of Beginning

Point of Ending

Centerline of Leg

Description

Description

Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of AUX MEADOWS
JN 0057.00 Tape Std. 66°F
Surveyed by F.N.T. M.J. KELL Date 2-1-57
Notes M.J. KELL C. Johnson
Indexed

F.B. 2270 Pg. 107

F. B. 3949 Pg. 108

cont'd on page 109

T1N
T2N
R11W

Descending

69+59.74
R/L 37
cut bench 5'
set 1x2 5' in
on side slope

Descending 13

67+83.29
R/L 36 cut bench
set 1x2 5' in on
side slope

40° E Spur

Descending 5 Spur

67+07.03
R/L 35
cut bench & set
1x2 5' in 20 ft W
of crest of Spur

SECTION 12

39.63'
176.45'
76.24'
274.84'

cont'd from page 107

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by CC S S
Map No.
Office Work
Checked
Date

Survey of Auxiliary Line
JN 0478.00 Tape Std 0.9999 °F
Surveyed by Fuller & Kell Date 3-15-57
Notes
Indexed C. Johnson

F.B. 2949 Pg. 108

1) 154.69 @ 39° 45' 20" (T=68°) = 118.90'
2) 155.63 @ 40 10 40 = 118.96'
Avg = 118.90'

1) 185.44 @ 38 54 00 (T=68°) = 144.30'
2) 186.36 @ 39 14 40 (T=68°) = 144.31'
Avg = 144.30'

1) 18.78 @ 9°00 (T=46°) = 18.55
2) 18.93 @ 12°53 " = 18.45'
3) 18.96 @ 13°11 " = 18.45'
Avg = 18.45'

1) 299.59 @ 10°39 (T=96°) = 294.05
2) 299.40 @ 10°45 " = 294.10'
3) 299.79 @ 11°06 " = 294.13'
Avg = 294.11'

SECTION 12

SECTION 13

Auxiliary Line of Section

Tail from Falls to Point

Section Line

Centerline Easement

Section Line

Section Line

Centerline Easement

Centerline Easement

Section Line

Section Line

Centerline Easement

Centerline Easement

Section Line

Section Line

Centerline Easement

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


SECTION
SECTION
12
S 45 W
S 30 W
S 30 W
Crest of Ridge
Crest of Ridge
Crest of Ridge

76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-E-2

Notes Ck'd by GO 3.5.
Map No.
Office Work
Checked
Date

Survey of Lux Abstract
JN 095402 Tape Sid 8E °F
Surveyed by R.J. Mitchell
Notes
Indexed C. Johnson 3/57

F. B. 22419 Pg. 111

SECTION 12

RANDOM LINE
68.44 W

0.77

80 + 74.67
R/L 45
Set Nothing at 90°
off 1/4 COR.

1/4 SEC COR
S 13

Fd Std C.S. Br. Cap Mon
Mkd as shown ~~above~~ below
up 4" for EB 473-80
(=CSB 745-2.) which
replaces ET's 2" IP
(Rec. U.S. 9-1) which is
the recd 6" W end of
Dep U.S. Surv. Norwalk's
Corner per ET 9/28
Mon of 11.5 ft W of
Short brook at E edge
of (see also Spot 12.5)

Most Easterly Point on Random Line

SECTION 13

COUNTY ROAD SURVEY

Sec 110

Tie

F. B. 2149 PG. 112

NOTES - Contd fr. pg. 94

9. (contd) of similarity indicating a position for the N ¼ Cor Sec 14 and the NE Cor Sec 14 far removed (about 600 ft W & 250 ft S) from the position indicated by the other elements of the survey. I search in these locations but since I find no evidence of the stones called for I conclude that the topog "calls" are erroneous.

10. I continue East along the random line to the N ¼ Cor of Sec 13 which was reported lost by Friel - LS 9-1 (1919) & reestablished by him using topographic calls & true direction as given by W.H. Norway (Dep U.S. Surv.) - CS 92-52 (1876). Friel's point was later perpetuated by Dep. Co. Surv. C.A. Benson - CSB 745-2 (1932) & is now marked by a C.S. Monument.
The total distance chained agrees closely with that chained by Dep. Co. S. Stevenson (CSB 745-2 shows 8023.29 - My meas. is 8024.62) therefore I conclude that the chaining is free from mistakes. While the distance thus obtained is somewhat greater than that shown by Cutting (7962.90 ft) I conclude (giving consideration to the accuracy probably prescribed for Cutting's work & to the method of perpetuation by Friel) that the proper line has been run over and that the NE Corner of Sec 14 and the N ¼ corner of Sec 14 are LOST corners. (see also note #3 above.)

12. I find no topography along the above run line to compare with that shown for the N line Sec. 14 by Dep U.S. Surv.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Gross	Survey of Lux Rancho Tum
Map No.	JN 003400 Tape Std °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date 1957
Date	Indexed C. Johnson

F. B. 2249 PG. 113

NOTES - Contd from pg 112

12. (contd) Geo. W. Pearson - CS 9253 (1884) I conclude that the topog shown by Pearson is erroneous (or fraudulent).

13. I then go to the E ¼ cor of Sec 14 and proceed North - See page 121 and following.

14. See pgs 154-157 for calculation of location of NE Cor of Section & of N ¼ Cor of Section

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

26F3098 SAE #247 1-56

Notes Ck'd by: Goss	Survey of: Lux Hi Lore Unit
Map No.	W. O. 0054.00 Tape No. St'd. 84 °F
Office Work	Surveyed by: Mitchell
Checked	Notes: Mitchell Date: 1957
Date	Indexed: A. C. Johnson 8-12-57

F. B. 2249 Pg. 119

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

E. LINE ~ SEC. 14
T1N ~ R11W

INDEX

76F3095 S&E #247. 8-54


F. B. 2949 PG. 120
Fork
Fork to Anita Cn.
T 2 N
E-53 pg 147
pg 140
TWP LINE
MONROVIA MT.
RANKIN PK.
pg 150
"ELCE"
pg 140, 153
INDEX
E-37 pg 144
pg 142 E-30
1/4 COR
"AGGIE" pg 139
E-23 pg 138
Trail
Truck
SECTION 2
SECTION 1
"BUS" pg 137
E-22 pg 136
Monrovia Cn.
1/4 COR
"JACK" pg 135
E-21 pg 134
E-20 pg 132
SECTION 11
SECTION 12
T 1 N - R 11 W
R/L 4.3 pg 131-243
E-19 pg 130 pg 105 pg 134 pg 135 pg 243
pgs 125-129
pg 246
1/4 COR pg 125, pg 110
SECTION 13
SECTION 14
E-10 0.00
1/4 COR pg 124 pg 11
RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss	Survey of Lux Arboretum	F. B. 2247	Pg. 121
Map No.	JN 0054.00 Tape 65 Std 84 °F		
Office Work	Surveyed by R.J. Mitchell		
Checked	Notes Mitchell Date 7/57		
Date	Indexed C. Johnson		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

SURVEY OF
E. LINE ~ SECTION 14
T1N ~ R11W
(NORTH FROM E.1/4 COR.)
FOR
LUX ARBORETUM

JN 0054.00

~ INDEX ON PG 120 ~

R J Mitchell - chf.
L.C. Smiley - T & chf.
J E Henderson - H.C. March, 1957
M.L. Bustrum - RC TO
T.B. Tracy - R.C. July, 1957
D.L. Arturi - R.C.
G.R. Merino - H.C. & Transit.

K & E # 104952
Gurley # 550487

Angles turned by Smiley ~~with K&E~~ unless otherwise noted

78F3095 SAE #247 1-56

F. B. 2099 PG. 182

NOTES

1. At the E¼ Cor Sec 14 (described on pg. 10 & shown on pgs 11 & 124) I set off a bearing of North (approx) and proceed along this random line. This portion of the E line of Sec. 14 has not - according to records available in the field been previously surveyed by any surveyor (U.S. or other) except the first 2 chains. (See Note #1 pg 10)
2. I intersect the random line to the North line of Sec 14 (see pg 94) at very nearly 40 chains giving further support to the conclusion that the NE Cor Sec 14 is lost.
3. Continuing North the slopes are so steep, the topography so rough, & the canyon bottoms so densely covered with brush & trees that I determine the only reasonable method of continuing to be by triangulation.
4. I compare the distance chained from the intersection (of the random lines) East to the N¼ Cor Sec 13 with that chained from the South from the E¼ Cor of Sec 14 by triangulation & find the distances to be free from mistake. I then elect to use a portion of the line running E as a base line.
5. Continuing North I find no topography to compare with that shown by Dep. U.S. Surveyor Pearson - CS 9753 (1884). I conclude that that shown by Pearson is erroneous (or fraudulent).
6. After reaching the crest of the divide it again becomes possible to chain tho the slope is steep & the brush

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss	Survey of Los Alamitos
Map No.	JN 0054.00 Tape 65 Std 84 °F
Office Work	Surveyed by R.T. Mitchell
Checked	Notes Mitchell Date 7/27
D[illegible]	Indexed E. C. Johnson

F. B. [illegible] Pg. 123

NOTES - contd from pg 122

6. (contd.) is heavy. The line continuing North from Sta E-19 to E-30 is used as a check on the triangulation.
7. Stations "RANKIN PK" & MONROVIA MT. (pg 120) were used to provide for the coordination of this survey with that of the Co. F.C. Dist. whose party is now active in the field in this area. Sta "RANKIN PK" was also used to provide checks on the chaining & angular observations continuing N.
8. Station "ELCE" was introduced to provide a check on the chaining continuing N from Sta. E-37, pg 114.
9. I find the NE Cor, Sec 2, T1N R3W reestablished by U.S. Transitman R.F. Wilson - CS 9370 (1927).
10. Comming back (South) I calculate the "ties & offsets" to the E 1/4 Cor Sec 2 (from the random line to a tie line connecting the E 1/4 Cor Sec 14 with the NE Cor Sec. 2), set a flag at this point & make a search in the vecinity. I find nothing.
11. At the NE Cor Sec 11, I tie a flag, make a search, & find nothing.
12. At the E 1/4 Cor Sec 11, I tie a flag, make a search & find nothing.
13. The resurvey of portions of T2N R11W by Dep U.S. Surveyor Averill C.S. 9370 (1927) failed to find the NE. cor Sec 11.

Contd on page 151

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3088 SEE #247 1-56

F. B. 2249 PG. 124

Cont'd on page 126

1) 88 55 30
2) 355 25 30
3) 133 35 30
4) 88 55 35 V

1) 43 30 20
2) 134 00 30
3) 221 01 20
4) 43 30 13 1/2 V

1) 132 26 00
2) 169 43 00
3) 74 34 40
4) 132 25 46 1/2 V

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-0-3

Cont'd on page 125

1+38.83.
E-2
Set 1x24 in an
~~offset Monument~~
from which ~~cut~~ in
ctr. bar sq. to
water tank now
under const.

1+22.65.
E-1
Set Lg. Bk. spk w/ tk
in crack of 118"ook
where 12" L limb
runs W & E nearly
horiz. from trunk &
tapers above g.s.

RANDOM
122.65' to 1+18.01

88° 55' 35" V
132° 25' 45" V

14

13

3811.045 calc
3810.853 calc

CENTER-OF-SEC. LINE

N LINE R S 58-14
N LINE FR 14520
(Pg 11)

0+00 Going N
E 1/4 COR
SECTION 14
T1N-R11-W
Fd 2" IP
See Pg 10 & 11

0° 30' 15" V

SECTION

1) 133.94 @ 89°13'(E56) = 133.65' V
2) 134.11 @ 359°55' " = 133.65' "
3) 133.94 @ 179°37' " = 133.65' "
4) 133.94 @ 269°43'(E36) = 133.65' V

1) 111.19 @ 359°39'(E56) = 110.18' V
2) 110.13 @ 359°38' " = 110.18' "
3) 111.19 @ 179°21' " = 110.18' "
4) 111.19 @ 269°38'(E36) = 110.18' V

1) 244.00 @ 89°33'(E56) = 244.00' V
2) 244.00 @ 359°55' " = 244.00' "
3) 244.00 @ 179°55' " = 244.00' "
4) 244.00 @ 269°55'(E36) = 244.00' V

Set 1x24" spike
S. side small
Cut on about
Edge-Highway
Elevation

Notes Ck'd by Goss
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 00254.00 Tape 65 Std 84 °F
Surveyed by R.F. Mitchell
Notes Date 3/52
Indexed C. Johnson

F. B. 2249 Pg. 125

W.S. 45-E-2

1) 43 51 20
2) 175 25 30
3) 218 08 10
43 51 21 3/3V

SECTION 12

R/L 45 Nothing set.

0.77 ft

R/L 22 LSED pg 103

R/L 46 set n/a by Int. secure angular closure

0.80 calc.

1.11 calc.

N 43° 51' 20" E

Calc fr R/L 27A-R/L 46

Calc fr E-D to E-19

N 1/4 COR SEC 13
CS B. Cap M...
pg. 111

(N 44° 45' E)
3811.045
3810.853
check on chaining

Coast from page 124

SECTION 13

T1N R13W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 1-56

F. B. 2949 PG. 196

Cont'd on page 127

draw

Ascending

draw S 30° E 273.38'

6771.25.
E-6
Set 1x2 6in ch.pt.
top of rock outcrop

Gentle Ascent 13

6729.60.
E-5
Set 1x2 6in ch.pt.
top of rock outcrop

Gentle Ascent

6707.93
E-4
Set 1x2 6in. ch.pt.

Gentle Ascent

4773.84
E-3
Set 1x2 6in on approx Bring
NORTH from
W. Cor. Will use
this direction
for Random Line
Going North ~ CSB
745-7 is basis
of brngs.

LINE 1.65'

RANDOM 26.67' 129.09'

SECTION 14

1) 300.00' @ 24°45' (N 65° E) = 273.40'
2) 300.00' @ 24°44'30" " = 273.38'
3) 300.00' @ 24°44'30" " = 273.38'

1) 133.35' @ 14°29' (N 75° E) = 129.08'
2) 30.48' @ 14°29' " = 29.52'
3) 133.35' @ 14°29' " = 129.08'

1) 30.48' @ 25°38' (N 50° E) = 26.67'
2) 30.48' @ 25°38' " = 26.67'
3) 30.48' @ 25°38' " = 26.67'

Cont'd from page 124

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

1) 69.56 @ 35°02 (T=66°) = 52.85V
2) 65.19 @ 35°46 " = 52.85V
3) 64.11 @ 34°26 " = 52.85V
A-9

1) 69.17 @ 44°38 (T=70°) = 62.85V
2) 68.62 @ 43°39 " = 62.85V
A-9

1) 209.25 @ 22°49 (T=70°) = 188.25V
2) 204.68 @ 23°06 " = 188.25V
A-9

Notes Ck'd by GRoss
Map No.
Office Work
Checked
Date

Survey of AUX Monument
JN 2097 Page 65 Std 8" F
Surveyed by R. T. Mitchell
Notes
Indexed C. Johnson Date 3/1/57

F. B. 2098 Pg. 12

SECTION 14

RANDOM LINE

273.38V — 52.87V — 62.85V — 188.25V

Center of Sec 12 & 13

Record of Survey

Record of Survey

SEC 13

TIN R9W

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by Goss
Map No.
Office Work
Checked
Date

Survey of Dux Arboretum
JN 0054.00 Tape 65 Std 84 °F
Surveyed by R.J. Mitchell
Notes Date 4/57
Indexed C. Johnson

F. B. 449 Pg. 129

W.S. 45-D-2

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.



1) 65	25	10		
2) 261	40	10		
3) 392	30	20 1/3		
4) 65	25	03 1/3		
1) 188.77 @ 16°34" (R=600')	= 141.62	N	= 24.39	= 50.85
2) 188.77 @ 16°34" (R=600')	= 141.62	N	= 24.39	= 50.85
3) 188.77 @ 16°34" (R=600')	= 141.62	N	= 24.39	= 50.85
4) 188.77 @ 16°34" (R=600')	= 141.62	N	= 24.39	= 50.85
1) 153.10 @ 8°13" (R=1065.26')	= 141.62	N	= 24.39	= 50.85
2) 153.10 @ 8°13" (R=1065.26')	= 141.62	N	= 24.39	= 50.85
1) 75.27 @ 15°11" (R=285.00')	= 141.62	N	= 24.39	= 50.85
2) 75.68 @ 15°13" (R=285.00')	= 141.62	N	= 24.39	= 50.85
1) 60.05 @ 33°04" (R=100')	= 141.62	N	= 24.39	= 50.85
2) 61.12 @ 33°04" (R=100')	= 141.62	N	= 24.39	= 50.85

76F3098 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by GOES
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum F. B. 2249 Pg. 131
JN 0054.00 Tape 65 Std. 84° °F
Surveyed by R. J. Mitchell
Notes Date 4/57
Indexed C. Johnson

TO JACK Pg. 135

TO E-21 Pg. 134

TO E-20 Pg. 132

59°-59'-50" V

16°-12'-35" V

26°-36'-40" V

BASE LINE
2648.97
1249.15 Pg. 105-110
& Pg. 120

TO E-19 Pg. 130

R/L 43 Pg. 110

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

1)	26-36-40	1)	16-12-30	1)	60-00-00
4)	106-26-20	4)	64-50-00	4)	239-59-30
6)	159-39-40	6)	97-15-00	6)	359-59-20
Avg.	26-36-36⅔ V	Avg.	16-12-30 V	Avg.	59-59-53⅓ V
Adj.	26-36-40	Adj.	16-12-35	Adj.	59-59-50

1)	257-11-00		
4)	306-44-00		
6)	103-06-00		
Avg.	257-11-00		
Adj.	257-10-55		

28F3095 SAE #247 1-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 45-D-2


SECTION 21
SECTION
SECTION
TO TRACK Pg. 135
TO TRACK Pg. 131
(some Pg 106)
70°-36'-55"
5 75° E
draw
5 20° E
spur
30°-20'
30°-19'
30°-20'
1343.87 to c
1343.87 to c
1128.83 to c
1128.83 to c
1128.83

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-D-2


Cont'd. from Pg. 136
Cont'd. from Pg. 132
SECTION 12
SECTION 11
SECTION 10
RANCHO
NORTH
BUS
TO Pg. 137
TO Pg. 143
Pg. 110, 131
Nothing
Some oil
Some oil
Some oil

Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of L.U.X. Arboretum
JN CC54.00 Tape 65 Std 24 °F
Surveyed by C.J.M. Feb. 57
Notes
Date 4/57
Indexed C. Johnson

F.B. 2249 Pg. 135

W.S. 45-E-2

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 SSE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-D-2


SECTION 1
SECTION 12
SECTION 11
SECTION 2
CONTROL LINE
CONTROL LINE
S 4°29'20" E
S 50°10'00" E
S 50°01'15" E
S 22°21'10" E
S 30° E
S 60° E
S 30° E
S 30° E
S 37°
S 30° E
S 30° E
S 30° E

Notes Ck'd by Goss	Survey of Lux Arboretum F. B. 2449 Pg. 137
Map No.	JN C05400 Tape 65 Std 84 °F
Office Work	Surveyed by C.J.M. Fabell
Checked	Notes C. Johnson Date 4/87
Date	Indexed

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7SF3008 SEE #247 1-86

W.S. 45 - E-1

TO △ AGGIE pg. 139

15°08'10" 10 E-23 pg. 138

84°-36'-30" 229° TO RANKIN Peak pg. 140

△ BUS Set 1" IP C&M 1.5' E & 0.4' N of top of Shack drive on roadway Spur

41°-03'-05" 56°-11'-15" 73°-59'-00" 41°-27'-30"

TO E-22 pg. 136

3572.669

TO: E-21 pg. 132

TO △ JACK pg. 135

1)	56 11 10	1)	15-08-10
4)	124 44 30	4)	60-32-30
6)	337 06 50	6)	90-46-30
Ar)	56 11 08 ✓	Ar.	15-08-20
Adj)	56 11 15	Adj:	15 08 10
1)	73 58 50	1)	145-13-00
4)	295 56 00	4)	220-53-00
6)	83 54 10	6)	151-19-10
Ar)	73 59 01 ✓	Ar.	145-13-11 ✓
Adj)	73 59 00	Adj:	145-13-15
1)	41-28-00	1)	32-31-30
4)	165-50-10	4)	130-06-00
6)	248-45-10	6)	195-09-00
Ar)	41-27-31	Ar.	32-31-30
Adj)	41-27-30	Adj:	32 31 30
1)	41-03-30	1)	229-49-40
4)	164-13-00	4)	199-19-10
6)	246-19-30	6)	298-58-40
Ar)	41-03-15 ✓	Ar.	229-49-40
Adj)	41-03-05	Adj:	229-49-40
1)	84-36-00		
4)	338-25-30		
6)	147-38-30		
Ar)	84-36-20 ✓		
Adj)	84 36 30		

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-D-1


TOADFLAX
TOADGUST
TOADPOLE
TOAPANIN
RAINBOW
Upper Elizabeth Lake
East Fork
Santa Clara
Elizabeth Lake
Ascension
Elizabeth Pk.
Upper Elizabeth Lake
Drain
Spring
Well
Trail
Fence
Road
Creek
Gate
Cattle Guard
Power Line
Telephone Line
Tried to get monument for E 1/4 Cor. Sec. 2 - Fd. Nothing
Found Spike & Washer
Found Nail & Tag
Found Nail & Washer
Found Nail & Disc
Found Nail
Found Spike
Found Pipe
Found Iron Pipe
Found Iron Pipe & Tag
Found Iron Pipe & Washer
Found Iron Pipe & Disc
Found Iron Pipe & Cap
Found Iron Pipe & Plug
Found Iron Pipe & Plug & Tag
Found Iron Pipe & Plug & Washer
Found Iron Pipe & Plug & Disc
Found Iron Pipe & Plug & Cap
Found Iron Pipe & Plug & Nail
Found Iron Pipe & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Disc
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Cap
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Tag
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Washer
Found Iron Pipe & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug & Nail & Plug &

Notes Ck'd by GOSS	Survey of Lux Arboretum
Map No.	JN 00 54 Tape 65 Std 64 °F
Office Work	Surveyed by R.J. M. Tehell
Checked	Notes Date 4/67
Date	Indexed C. Johnson

F. B. 2249 Pg. 139

W.S. 45-D-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3098 SAE #247 1-66

Fd. 7"x7" conc. post up 4" with 4" brass cap inlaid "U.S. DEPT. of AGRICULTURE FOREST SERVICE 200 Dollars Fine etc." 19" No Ref.

165°-36'-00"

TO E-30 Pg. 142

TO MONROVIA MTN. Pg. 140

TO RANKIN PK. Pg. 140

AGGIE.

TO E-23 Pg. 138

63°-14'-10"

7°-13'-20"

54°-31'-10"

69°-19'-25"

TO BUS Pg. 137

TO E-22 Pg. 136

Note: This sta. is called "RANKIN" & "MONROVIA PK." are on crest of same major ridge as CHAMISHAL PK.

F.B. 2249 PG. 140

1)	18	09	45	2)	76	45	15	2)	606	
4)	77	37	45	4)	153	30	00	4)	133	56 00
6)	108	56	30	6)	230	15	30	6)	120	48 00
All)	18	09	45 ✓	All)	38	22	35 ✓	All)	303	28 00 ✓

for Monrovia Mt.

TO: MT. WILSON
Not Visited
Az. 98°-41'-54.68"
Bk. Az. 278°-38'-54.27"
5.1615 m. /

Fd. 4" Brass Disc. set in Conc. & Mkd "LOS ANGELES County Flood Control Dist. - 500 Dollars, etc - MONROVIA MT." and at Ctr. of "A" signal tower with staff 15' set above the mark, but is eccentric 0.16 on a brg. of 54° W from Sta.
Ref.: U.S.G.S.
"Lat. 34° 12' 48.267"
"Lon. 117 58 08.296"
"No. Am. Datum"

TO AGGIE. Pg. 139

138°-22'-35" ✓

18°-09'-45" ✓

303°-28'-00" ✓

30°-53'-39" Pg 153

RANKIN PEAK

Fd. A squared flagpole, set in a conc. block 18" x 18" x 12" high above ground, & marked on the South face with a brass plaque inscribed "Rankin Peak - In Memory of Rev. Edward Payson Rankin - Dedicated Jan. 22 1950 by Yucca Hiking Club"
34°-12'-30" N. 117°-58'-25" W.
Elevation 5290' (April '57)
Co. Eng. Dist. party now in field
plans to use this as "MONROVIA MTN."

SEE PG 152 FOR ANGLES AT THIS STA.

TO AGGIE Pg. 139

5.2 meas.

"RANKIN ECC" July '57 - Revisited this station and found it undisturbed. Co. Eng. Dist. party now in field. Plans to use this station as "RANKIN" Azimuth mark. Angle to occupied station from ecc. station is 138°-22'-35" Ecc. Dist. 1.52 m. See also Pg. 152

NOTE: Turned angle to center of "Sun-telescope" at Mt. Wilson which is the highest of the observatory towers. See U.S.G.S. description by Steele

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-D-1

Notes Ck'd by GOES
Map No.
Office Work
Checked
Date

Survey of Lux Altadena Tract
JN 2254 Stapel 65 Std. 0° F
Surveyed by C. Johnson
Notes
Indexed C. Johnson Date 5-1-57

F. B. 2249 PG. 141

T1N
R11W

SECTION 2

Descending

Ascending

Contd. from Sta. 139

Contd. on Sta. 142

Sta. 138 (With Drill Hole Found Bent Over Approx. 0.2' Off Line, Set Tack 0.2' Ahead)
108+57.93
E 5.37
Set ½" I.P.

111+53.46
E 23.26
Set 1"x2" H. on bench at 0.1' Deep Steel Stake.

112+23.30
E 23.27
Set 1"x2" H. on bench at Steep Slope.

12.84

284.53

70.84

104.93

RANDOM LINE

1) 12.84 @ 0°00' (T=64°) = 12.84'
2) 12.92 @ 6°30' (") = 12.84 ✓
Avg = 12.84 ✓

1) 294.47 @ -14°52' (T=44°) = 284.54 ✓
2) 294.74 @ -15°05' (") = 284.52 ✓
Avg. = 284.53 ✓

1) 70.87 @ 0°19' (T=50°) = 70.85 ✓
2) 70.92 @ 2°17' (") = 70.84 ✓
Avg. = 70.84 ✓

1) 105.45 @ 5°36' (T=50°) = 104.93 ✓
2) 105.42 @ 6°25' (") = 104.94 ✓
Avg. = 104.93 ✓

N. 82° 00' E.

SECTION 1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-D-1


SEC 1
SEC 2
Upper Clamshell T.T.
TO RAINBOW
AGG
RANDOM
LINE
OFFSET
Cont'd.
Cont'd.
Pg. 141
Pg. 142
Pg. 139
Pg. 143
TO: E-36 Pg 144
TO: E-36 Pg 144
Pg 144
Pg 144

76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Subdivision
JN 005400 Type C.S. Std. 24 °F
Surveyed by K.C.S. Date 3/57
Notes
Indexed K. C. Johnson

F. B. 222 Pg. 145

T 1N R 11W

SECTION

Descending

Ascending

Cont'd. to F. 144

Cont'd. to F. 144

E-32 "X" Set: 1"x2" Stk. 12" Bet. Cl's Std. Occ. N 43½ E 3.50 ft. to Stucco N 43½ E Slope

E-31 "X" Set: 1"x2" Stk. 12" Bet. Cl's Std. Occ. N 43½ E 3.50 ft. to Stucco N 43½ E Slope

E-32 3"x"x2"x5'-0" Set: 1"x2" Stk. 12" Bet. Cl's Std. Occ. N 43½ E 3.50 ft. to Stucco N 43½ E Slope

E-31 3"x"x2"x5'-0

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this use.


SECTION
SECTION
RANCHO
LINE
204.82' OFFSET 97.26' LINE
TO: RANKIN AV.
TO: E-29
Page 142
Sta 3.00
Sta 2.05
42.89'
176.49'
3 FT
Steep Side to East
Descending
Descending
0.23 Dia. Ex. Pg 150
5' 30" Pine
Ex. Fence
Ex. Fence
Ex. Fence

Notes Ck'd by Goss
Map No.
Office Work
Checked
Date

Survey of Lux Arborctum
JN 0054.00 Tape 65 Std 84 °F
Surveyed by R.J. Michell
Notes R.J.M. Date 5/52
Indexed O. Johnson

F. B 2249 Pg. 145

cont'd on page 146

Descending

124+91.86
E 42 - 3 FT OFF
Set penc. mk. in
rock 8 ft below E 41

Descending

124+85.98
E 41 - 3 FT OFF
Set 1x2 En at base
of rock outc. of 8
ft below E 40

Descending

124+82.87
E 40 - 3 FT OFF
Set pencil mk in
rock 8 ft below
E-39

Descending

124+73.59
E-39 - 3 FT OFF
Set 1x2 En on
steep slope
(on N 15° E)

Descending

124+33.06
E-38 - 3 FT OFF
Set 1x2 En at
brk. in steep slope

Cont'd from page 144

4.54
5.88
3.11
9.28
40.53
97.26

3 FT OFFSET RANDOM LINE (WEST)

4.54 @ Ker (T= 56°) = 4.54
5.88 @ Ker (T= 56°) = 5.88
3.11 @ Ker (T= 84°) = 3.11
9.28 @ Ker (T= 84°) = 9.28
(1) 39.52 @ 33° 12' (T= 84°) = 40.53
(2) 97.26 @ 34° 12' (T= 84°) = 97.26

SEC 1
T1N
R11W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 0054.00 Page 65 Std 64 F
Surveyed by R.J. Mitchell
Notes Mitchell Date 7/57
C. Johnson
Indexed

F. B. 2248 Pg. 147

W.S. 45-D-1

SECTION 35 T 2 N

Most Nly Point on This Line TO SEC COR pg. 148

318.69'

132+42.05'
E-53-3 FT OFF
Set L.S. 79 (Co. Engr.)
Sta. in Lg. Grgn. Tr.
Sta. in W. side of foot trail, Fr. Fern Lodge to Upper Tomahawk Trail
R.P. to SEC. COR.

Descending
131+97.07'
E-52-3 FT OFF
Set 1x2 Sta in Fence

1) 89 13 50
4) 356 55 10
6) 175 22 40
Adj.) 89 13 46 3/4"
Adj.) 89 13 50

54.29' LINE

N 89° 13' 50" E 44.98'

TO "EL-CE" pg 150

Descending
131+42.78
E-51-3 FT. OFF
Cut Notch on Steep Slope (one)
Set 1x2 Stk
See also on Indexed Witness Stk. Jul '57

1) 59 26 45
4) 239 46 30
6) 356 55 30
Adj.) 59 26 45

N 45° E

TO: SEC. COR pg. 148

Very small flow

Descending
129+52.57'
E-50-3 FT. OFF
Set 1x2 Stk on Steep Slope

1) 42 39 15
4) 170 37 45
6) 255 56 30
Adj.) 42 39 15
Adj.) 42 39 30

60.60' 3 FT RADIUS

42° 39' 30"

Descending
128+91.97'
E-49-3 FT. OFF
Set 1x2 Stk on Steep Slope

49.95'

1) 45.76 @ 10° 34' (I=90°) = 44.98
2) 45.45 @ 10° 11' (I=90°) = 44.98

1) 54.58 @ 5° 49' (I=90°) = 54.30
2) 54.58 @ 5° 49' (I=90°) = 54.29

1) 190.44 @ 25° 19' (I=72°) = 190.20
2) 190.44 @ 25° 19' (I=72°) = 190.21

1) 72.82 @ 37° 40' (I=72°) = 60.61
2) 72.82 @ 37° 40' (I=72°) = 60.60

SECTION 1 T 2 N

Cont'd from page 146

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SEE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 45-D-1


TOWNSHIP ONE
TOWNSHIP TWO
SEC. COR.
SEC 1
SEC 2
SEC 35
SEC 36
NORTH
WEST
Fd: 8"Oak, with bl'ze.
Scr: bcd:
"T1NR11W S1B T"
0.27
Fd: 10" Oak with bl'ze.
Scr: bcd:
"2NR11W S36B T"
0.10
Fd: 10" Pine with bl'ze. Blaze NOT Scr: bcd
Bk: S4°W, 1.6' from face of bl'ze
Scrib: 6 in ast
Fd: 8" Oak with bl'ze. Scribed
Scrib: 6 in ast
Scrib: Log, Bk: S26°W, 1.6' from face of bl'ze
Set: Lead plug with tack in top of nail
Set: Lead plug with tack 0.10 below top of nail
Set: Lead plug with tack 0.27 below top of nail
Blaze (both) trees 0.27 from monument
Blaze (both) trees 0.10 from monument
Fd: 10" Pine with bl'ze. Blaze NOT Scr: bcd
Bk: S4°W, 1.6' from face of bl'ze
Set: Lead plug with tack in top of nail, Bk: S4°W, 0.03 from face of bl'ze
Fd: 8" Oak with bl'ze. Blaze Scribed
Scrib: 6 in ast
Set: Lead plug with tack 0.05 above top of nail
Bk: S4°W, 0.03 from face of bl'ze
Fd: 8" Oak with bl'ze. Blaze Scribed
Scrib: 6 in ast
Set: Lead plug with tack 0.05 above top of nail
Bk: S4°W, 0.03 from face of bl'ze
Fd: 10" Pine with bl'ze. Blaze NOT Scr: bcd
Bk: S4°W, 1.6' from face of bl'ze

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 45-D-1

Notes Ck'd by GR SR
Map No.
Office Work
Checked
Date

Survey of Lux Rancho
W.O. Tops No. 65 Srd. 84 of F
Surveyed by
Notes Smiley Date 7-57
Indexed C. Johnson

TO: E-53 Pg. 147

TO: E-49 Pg. 147

SEC COR. 2" I.P. Pg. 148

318.69'

43' 64' 31' West 60' 49' 91' East 20' 37' 83'

48°-06'-40"

S. 75° W.

N. 61° 30° E.

N. 54° E.

Crest of Spur

Rd. bank of Stream

TH. RANCHO RIO HONDO

TH. RANCHO LUX

S. TADIA

TH. RANCHO SANTA ANITA

SANTA ANITA CANYON

S. FORK

N. FORK

1) 287.57 @ 5°46' (T=90°) = 286.13'
2) 287.62 @ 5°50' (") = 286.14'
Avg. = 286.13'

1) 39.46 @ 34°22'30" (T=88°) = 32.57'
2) 38.17 @ 31°30'00" (") = 32.55'
Avg. = 32.56'

Total = 318.69'

1) 21° 38' = 21.63'
2) 21° 22' 40" = 23.67'
3) 5° 46' @ 10° 00' = 11.51'
4) 5° 50' @ 10° 00' = 11.67'
5) 34° 22' 30" @ 10° 00' = 44.82'
6) 31° 30' 00" @ 10° 00' = 39.27'
7) 40° 42' = 21.20'
8) 0° 00' = 0.00'
9) 28° 41' = 20.07'
10) 33° 35' = 83.37'
11) 52° 00' = 62.13'
12) 25° 00' = 25.00'
13) 27° 30' = 27.50'
14) 36° 30' = 31.84'
15) 43° 30' = 43.30'
16) 9° 30' = 9.50'

W.S. 45-D-1

F. B. 2249 Pg. 147

1) 48-06-30
2) 192-36-00
3) 288-42-30
4) 48-06-30
adj. 48-06-40

F. B. 2249 Pg. 150



RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

1) 144-10-15
2) 216-38-30
3) 144-57-30
Av. 144-09-35 ✓
144-09-30 Adj.
1) 154-43-45
2) 258-54-15
3) 208-21-30
Av. 154-43-35 ✓

1) 31-49-30
2) 127-18-00
3) 180-57-15
Av. 31-49-32½ ✓
31-49-30 Adj.

1) 29-17-15
2) 117-09-30
3) 175-44-45 ✓
Av. 29-17-27½ ✓
29-17-25 Adj.

Notes Ck'd by Goss	Survey of Lux Arboretum
Map No.	JN 0054.00 Tape 65 Std 62 °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date 7/57
Date	Indexed K. C. Johnson

F. B. 2149 PG. 151

NOTES - contd. from page 123

14. I determine that the proper method to use in reestablishing the NE Cor Sec 19 is to come S. record distance (159.60 chains = 10533.60 ft.) per the Pearson Survey (C.S. 9253) from the NE Cor Sec 2 and to use proportion against the Cutting Survey (C.S. 9382) (The most recent to have identified the corners in question) in an E & W direction. The calculations shown on pg.s 154 & following are the result of this decision.

15. May - 1958 - R.J. Mitchell -
Tied flag 300 ft South of E-19 (pg 130) and made detailed search for NE cor Sec. 14 ("a sandstone 9 x 10 x 10 ins above the ground...." Dep. U.S. Surv. Cutting - 1896 - C.S. 9382 - 23) - Fd no evid. of the corner near this location. (Search made per office instructions)

16. See note 9. page 94 & 112

17. Note that portions of C.S. 9301 are also shown in C.S. 9382 - Particularly the N Line of Sec 14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3098 SAE #247 1-56


F. B. 1849 Pg. 157
TO: RANKIN
pg. 153
TO: MONROVIA MT.
pg. 140
TO: TIN
pg. 140
"RANKIN ECC."
See pg 140
TO: BUS
pg 137
TO: "LOWER MONROVIA"
Not visable thru smog this date ~Unfindered note of the L.A.Co.F.C. Dist. now with field party show "RANKIN ECC" to have been set on line betw. the true station and "LOWER MONROVIA" a F.C. Dist. Triang. Sta. Not Visible
(K-5)
TO: E-37
pg. 144
TO: ELICE
pg. 140
TO: E-30
pg. 142
TO: E-23
pg. 138
TO: AGGIE
pg 139
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Wilcox Rum
JN 005400 Tape 65 Std 84 °F
Surveyed by R.T. Mykell
Notes M. Mykell Date 2/57
Indexed C. Johnson

F. B. 7749 Pg. 153



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3085 SAE #247 1-56

F.B. 119 Pg. 154

CALCULATIONS

PROPORTION

DISTANCE	CUTTING	Mitchell	
NW Cor Sec 18 to N¼ Cor	40.00 ch.	2660.462	5360.83
N¼ Cor Sec 19 to NE Cor.	40.60 ch.	2700.370	
NW Cor Sec 13 to N¼ Cor	40.05 ch.	2663.789	
Total	120.65	8024.62	pg. 111

T2N

DISTANCE



LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in and Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum F. B. 2149 Pg. 155
JN 005400 Tape Std. 84 °F
Surveyed by Mitchell
Notes Mitchell Date Jan. '57
Indexed C. Johnson

CALCULATION OF ANGLE & DISTANCE FROM RANDOM LINES TO SECTION CORNER

Contd from pg 154



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3068 SBE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by GOSS	Survey of Lux Arborcrum
Map No.	JN 0054.00 Tape Std °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date 7/57
Date	Indexed C. Johnson

F. B. 2247 PG. 157

CALCULATION OF PLUSS & OFFSET

FROM
RANDOM LINE
TO
NORTH QUARTER COR.
SECTION 14
T1N R11W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.



PROPORTION

CUTTING	MITCHELL
40.00 ch	2660.6 & ft.
40.60	2700.5 "
80.60	5361.2 "

REFOGS SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



SKETCH OF RIDGE
VICINITY OF E-19
(See pages 129 and 130)

Page 128

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 00334.00 Tape — Std — °F
Surveyed by R.S. Mitchell
Notes Mitchell Date May 1958
Indexed A. C. Johnson 5-21-58

F.B. 2264 p. 159

LOCATION of RIDGE - VECINITY of E-19
(Magnetic Bearings - Stadia Distances)
(See sketch pg. 158)

Inst. @	Sight On	True Brng (w. 1/4 Mag. Needle)	Rod Intcpt.	Vert. Angle	Dist	Remarks
E-12	E-20A	N 0° E				Set Brng pg 125, 132
E-12	#1	N 38° 45' W	84	+30° 15'	63	crest spur #1
#1	#2	N 46 00 W	61	+13 34	58	" " "
#1	#3	N 53 00 W	137	+11° 08	132	" " "
#1	#4	N 55 15 W	184	+12° 00	176	" " "
#4	#5	S 77 30 W	90	0° 00	90	Set Spur #1 & ridge
#5	#6	N 24 00 W	43	-6° 00	43	crest of ridge
"	#7	N 9° 00 W	128	-9° 06	124	" " "
"	#8	N 13 30 W	211	-4° 25	210	" " "
"	#9	N 6° 15 W	302	0° 00	302	(saddle) crest of ridge
"	#10	N 5° 00 W	416	+5° 00	413	" " "
"	#11	N 4° 45 W	475	+7° 30	467	R/L - 7E pg 103
"	#13	S 20 45 W	18	0° 00	18	Highest Point in area.
"	#14	S 51 30 W	67	0° 00	67	Crest Spur #2
"	#15	S 7° 30 W	105	-3° 00	105	" " "
#4	#16	S 13 00 W	263	-5° 30	261	" " "
#14	#17	S 33 15 W	117	-4° 00	117	dn. to E-9 crest of ridge
"	#18	S 41 45 W	195	-7° 10	191	" " "

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3099 CE #247 — 3-57

Notes Ck'd by	Survey of Lux Arboretum
Map No.	JN 0054.00 Tape 126 Std 84 °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell & C. Jones Date 4-4-58
Date	Indexed 9-16-58

F. B 2449 PG. 161

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

SURVEY
SHOWING

CADASTRAL TIE

TO L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION NET
THROUGH STATIONS

SIERRA MADRE K4 AND K4A

FOR

LUX ARBORETUM

JN 0054.00

R.J. Mitchell
L.C. Smiley
M.L. Bustrum
G.R. Merino

August, 1958

F.B. 9949 Pg. 162



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 45-0-3

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 45-D-3

TO: SIERRA MADRE K-5 ~ Pg 175 — Cont'd from page 162

See also page 19

98 18 20
19 22 58 } See pg 171
40 21 45
158 02 55

FOR ANGLES TO PHOTO CONTROL PTS AT THIS STA SEE PAGE 171

TRANSIT LINE

-.85'

26.30 — 26°35'-29"

101.38

5-69

3.82

TRIANGULATION STATION SIERRA MADRE K-4-A

A Std. L.A. Co. Surv. Control Sta. Mon. Mkd and FB 935 - 69 & 70 (See Aug. '58)

31+92.09
PC L-23
1°2 Eq. Ch.
pt. on ↑

33.61 @ 1° = 33.61
17.13 @ 1° = 17.13
20.00 @ 1° = 20.00

SIERRA MADRE K-4-A - RM #3

A 2" IP Mkd as shown in FB 935-69 & 70

SIERRA MADRE K-4-A - RM #2

A Std △ Sta. Ref. Mon. in Conc. up 6" ~ 50' E of PT (See Aug. '58)

17.13'
20.00

153°-12'-00"

58 21 IP, 2" ccm by pt. 35' up
(31+72.10 Going W)
TRIL 22 A

33.61'

31+38.49
PC L-22
1° EP cam pt. ⊄ Br

31+23.42
PT L-13

See file page 16

T)	153	12	10
D)	26	48	00
C)	199	11	30
AD)	153	11	54
T)	153	12	10
D)	26	48	10
C)	199	11	50
AD)	153	11	54

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Aux. Pt. Sta. R.M. JN 10059 Rec. 12 Std. Sht. °F
Surveyed by Mitchell Date 8-58
Notes Mitchell
Indexed Jackson

F.B. 22449 Pg. 185

F.B. 2009 Pg. 164

Added 3/25/59 R.S.H.

DETAIL TO SHOW LOCATION OF WATER TANKS IN VECINITY OF TRIANGULATION STATIONS SIERRA MADRE K-4 & K4A



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

Notes Ck'd by	Survey of Lux Arboretum
Map No.	JN 0054.00 Page 176 Std. 24 oF
Office Work	Surveyed by R.J. Mitchell
Checked	Notes
Date	Date Aug. '58
	C. Johnson
	Indexed

F. B. 2249 Pg. 165

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

765309S CE #247—3-57

SURVEY OF

W LINE ~ SECTION 14
T 1 N ~ R 11 W

FOR

LUX ARBORETUM

JN 0054.00

Mitchell, R.J. - Ch.S.
Smiley, L.C. - T
Bustrum, M.L. - H.C.
Merino, G.R. - R.C.

Aug, 1958

INDEX

ALL PAGE NUMBERS REFER TO FB 473

SEE NOTE ON PAGE FOLLOWING



F.B. 2049 Pg. 166

NOTE:

The West Line of Section 14 T1N R11W was resurveyed by Dep. Co. Surveyor G. Porter in 1954. The stakes, pipe, and monuments set by Porter are still on the ground and in good condition.

This survey - shown in FB 473 pages 187-192 - is then accepted as being complete and accurate and is further accepted as being an integral part of the present survey of Section 14

R.J. Meitzke

RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Lux Arboretum	F. B. 2299 Pg. 167
Map No.		JN 0054.00 Tape 176 Std 8 E °F	
Office Work		Surveyed by R.J. Mitchell	
Checked		Notes M. Mitchell Date Aug 58	
Date		Indexed C. Johnson	

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

SURVEY SHOWING LOCATION OF POINTS SELECTED FOR AERIAL PHOTO CONTROL FOR LUX ARBORETUM

JN 0054.00

R.J. Mitchell
L.C. Smiley
M.L. Bustrum
G.R. Marino

August, 1958

76F309S CE #247—8-57

F. B. 2249 Pg. 168

NW COR SEC 14

INDEX

T1N R11W

NOTE:
V.A. B.M.'s Shown on Pages 177-180



RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 Los Angeles County Engineering Bldg.

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 0-54.00 Tape 126 Std 62 °F
Surveyed by R.J. Myhre II
Notes M. Myhre II Date Aug '58
Indexed C. Johnston

F.B. 2249 Pg. 16

W.S. 40 0.03

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

75F3095 CE #247—3-57



F.B. 2947 Pg. 170

1)	76	59	20
2)	307	56	20
3)	101	54	10
Avg.)	76	59	01⅓
Adj.)	76	59	00

1)	67	16	30
2)	249	05	20
3)	43	38	00
Avg.	67	16	20
Adj.	67	16	05
1)	184	14	20
2)	16	57	50
3)	75	29	40
Avg.	184	14	26⅔
Adj.)	184	14	30

1)	31	30	40
2)	126	01	50
3)	189	02	40
Avg.	31	30	26⅔
Adj.	31	30	25

TO: K-4
page 172

TO: K-4A
page 171

76°-59'-00"

67°-16'-05"

31°-30'-25"

184°-14'-30"

Photo Ctl "B"
set 1" IP w/ 4¼
Gal. L Caps &
drill hole on
ridge for photo
control & set
10 ft. N. Signal after.
(Elev. 1769.6
PS 178)

TO Ph. Ctl "A"
pg. 169

TO: USGS Monrovia
& SIERRA MADRE K-5
page 175

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 45-0-3

Notes Ck'd By
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 0054.08 Tape 126 Std. 68 °F
Surveyed by R.J. Michel II
Notes M. Michel Date 8/58
Indexed C. Johnson

F.B. 1149 Pg.

1)	19	23	
2)	77	31	20
3)	146	14	50
4)	15	22	48 1/3
AV)	19	22	15

1)	40	21	50
2)	141	27	00
3)	242	10	30
4)	40	21	45
	40	21	50

1)	31	12	30
2)	124	50	10
3)	187	15	10
4)	31	12	31 1/3
	31	12	20

1)	35	43	30
2)	142	54	40
3)	214	21	40
4)	35	43	36 2/3
	35	43	25

W.S. 45-D-3

TO PH. C.T.
PT "C"
page 173

TO: PH. C.T.
PT "B"
174

135°-01'-15"

31°-12'-20"

13'-29"

TO K-A
Pg 172

SIERRA MADRE
K-A-A
Δ Sta. Mon.
(Pg. 63
Elev. 1366.8
Pg 178)

96°-18'-55"

TO PH. CT. PT. "A"
page 169

19°-22'-15"

SIERRA MADRE
K-A-A
page 163

1)	135	01	10	1)	98	18	10
2)	180	05	00	2)	33	13	00
3)	90	07	30	3)	279	49	50
4)	135	01	18 1/3	4)	98	18	18 1/3
AV)	135	01	15	AV)	98	18	55

TO: PH. CT. PT "B"
page 170

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 45-D-3

K-4
Pg 162



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Cur Alberchum
JN 66540 Tape 1216 Std 89 °F
Surveyed by R.J. Mitchell
Notes Mitchell Date 8/58
Indexed K. O. Johnson

F. B. 2249 Pg. 173

W.S. 45-D-3

1)	27	22	30	1)	22	46	00	1)	70	08	20
2)	189	29	10	2)	91	03	10	2)	280	31	50
3)	204	14	00	3)	136	34	40	3)	60	48	00
4)	47	22	30	4)	22	45	45	4)	70	08	00
5)	47	22	15	5)	22	45	45	5)	70	08	00

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Photo Control Point "C"
Set 1" IP, Brass T. Cap & set 10 ft. Hi. Signal over on circ of 10 ft. Steel Pipe, Clamshell (Elev. 1327.2 pg. 178)



76F3093 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 45-D-3



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 0054.00 Tape 126 Std 84 °F
Surveyed by R.J. Mitchell
Notes Mitchell Date 9/58
Indexed C. Johnson

F. B. 2219 Pg. 176a

MEAN SEA LEVEL DATUM

COORDINATES OF POINTS
CALIFORNIA COORDINATE SYSTEM - ZONE - 7

POINT	PAGE	NORTH	EAST	ELEV.
K-4	162, 172	5481.79	4177.89	1318.3
K-4A	163, 171	5381.87	5831.81	1566.8
INT	162	5494.34	3970.18	
W 1/4 COR - 5 1/4 (E)	24	5246.25	3971.34	
16+54.34 (F)	169	4278.26	3977.82	
"A"	169	3930.82	3899.62	1004.6
"B"	170	4412.12	5184.52	1269.6
K-5	175	1020.78	2538.59	1154.9
"C"	173	6563	5428	1521.6
NW COR SEC 14	95	{7868.54 / 7866.61}	{3958.78 / 3938.79}	Porters Dist / McIcheil's Dist
R/L-7	97	7892.96	5300.08	2289.9
TR/L-22A	163	5253.07	6103.14	
P-19	18	5265.69	6622.59	
P-25	193	6095.04	6618.41	1643.2
4+10.03	201-223	4434.98	4775.01	1176.0
"D"	174	6519.94	4185.95	1407.4
2+44.42	229	6276.11	4202.25	1313.8
R/L 6	97	7877.30	4439.81	
W 1/16 - N. Line	47 (FB 2384)	{7909.55 / 7911.67}	{5288.49 / 5288.50}	Porters Dist / McIcheil's Dist
4+81.15	48 "	{7883.38 / 7884.41}	{4439.70 / 4439.71}	Porters Dist / McIcheil's Dist
N 1/4 COR - 14	209	7951.22	6618.21	Portion 1812.9
42+27.01	210	7999.91	8183.79	
W-14	FB 2384-90	7019.89	7042.68	1573.7

NOTE: Coordinates labeled "Porter's Dist." based on Porter's dist. along W line of Section 14. Coordinates labeled "McIchell's Dist." based on distance from W 1/4 cor & NW cor Sec 14 as shown on R/S 2577 & 2580. These distances more closely fit record & more closely fit triangulation shown on R/S 247

4/59 RJM

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Forms SE #247 1-56

F.B. 1449 PG. 176 b

SUMMARY OF CALCULATED LENGTHS & BEARINGS OF LINES

LINE FR.	LINE TO.	LENGTH	BEARING °	'	"		COORD. DIFF. E,	N	PG (FB's not 2209)
K-4	K4A	1656.94	S 86	32	35	E			162
K-4	INT	208.14	S 86	32	35	E			162
INT	W¼COR	248.10	S 0	16	30	E			162
W¼COR	16+54.34	967.99	S 0	16	30	E			169
16+54.34	"A"	355.72	S 12	23	20	W			169
K-4	"B"	1468.84							170
K-4	"C"	1619.12	N 50	31	05	E			173
K-4	"D"	1038.18	"						174
K-4A	"A"	2415.80							169
K-4A	"B"	1165.94							170
K-4A	"C"	1200.16							173
K-4A	"D"	~~1200~~ 2001.01	N 55	20	13	W	+645.86, -1138.07		174
"A"	"B"	1372.02	N 69	27	50	E			169
K-5	"B"	4289.76							170
K-5	"C"	6197.10	N 27	47	13	E			173
INT	NW Cor 4	2374.23	N 0	16	30	W	- 11.90 +2374.20		162
NW COR	R/L 7	1341.52	N 88	57	25	E			97
R/L 7	K 4	2659.52	S 24	57	28	W			97
R/L 7	K4A	2566.77	S 11	57	21	E			97
K4A	T/L 22A	300.38	S 64	35	30	E	271.93 - 128.80		163
T/L 22A	P 19	519.60	N 88	36	30	E	519.45 12.62		163
P-19	P-25	829.36	N 0	17	20	W	- 4.18 829.35		193
P-25	K4	2516.39					-2440.52 - 613.25		193
P-25	K4A	1061.77					- 786.60 - 713.17		193
"A"	4+10.03	1010.17	N 60	03	40	E	+ 875.37, + 504.15		223
K4A	2+44.12	1858.80	N 61	14	38	W	- 1629.56, + 894.24		229
NW Cor	R/L 6	481.11	N 88	57	25	E	+ 481.03, + 8.76		97
R/L 6	K4A	2857.42					+ 1392.00, -2495.43		
"	K4	2409.79					- 261.92, -2395.51		
"	"B"	3544.30					+ 744.71, -3465.18		
"	W¼ N Ln	849.29					+ 848.68, + 32.25		
R/L 7	W¼ N Ln	20.24	N 34	56	35	W	- 11.59, + 16.59		147 (238b)

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Lux Arbor Tum
Map No.	JN 00162 Tape 126 Std. 98 °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date Apr. '59
Date	Indexed

F. B. 2249 PG. 176 Co.

LINE FROM	LINE TO	LENGTH		BEARING					COORD DIFF EAST		NORTH		Notes pg 176 Co.
				°	'	"							
K-4	W'46 (NLA)	2669	73						+1110	60	+2427	76	Porter
"	4+81.15	2915	82						+261	81	+2401	59	Porter
R-4-A	W'46	2385	41						-543	32	+2527	65	Porter
"	4+81.15	2862	78						-1372	11	+2501	51	Porter
R/L 6	4+81.15	6	08	N	1	09	35	W	-0	11	+6	08	Mitchell
R/L 7	4+81.15	860	43	S	89	21	43	W	-860	38	+9	58	Mitchell
B	4+81.15	3550	27	N	12	06	37	W	-744	82	+3471	26	Porter
K-4	N Tator	3472	06	N	44	39	20	E	2470	32	2469	83	
K-4	92+47.01	4731	61	N	57	50	47	E	4005	90	2518	12	
K-4	W-14								2864	79	1538	10	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #247 3-57

Notes Ck'd by	Survey of Lux Arboretum
Map No.	JN 0054.00 Tape 126 Std. 64 oF
Office Work	Surveyed by R.F. Mitchell
Checked	Notes Mitchell Date Aug 58
Date	Indexed

F. B. 749 PG. 177

MEAN SEA LEVEL DATUM

SURVEY SHOWING

VERTICAL ANGLE B.M.s

AS ESTABLISHED FOR
AERIAL PHOTOGRAPHIC CONTROL
FOR

LUX ARBORETUM

JN 0054.00

Mitchell
Smiley
Bustrum
Merino

Aug & Sep., 1958

FOR INDEX TO THESE NOTES SEE PAGE 168

DATUM: Elevations shown in these notes are based on Mean Sea Level datum and on Vertical Angle elevation of △ SIERRA MADRE K 4 A (page 163) as furnished by triangulation party and shown in book to be Elev = 1566.76

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F209S CE #247—3-57

VERTICAL ANGLE BENCH MARKS

INSTRUMENT STA.	INSTRUMENT HEIGHT above STA. (B.S. +)	SIGHT ON STA.	SIGHT ON ROD (-)	VERT. ANGLE ±	VERT. ANGLE °	VERT. ANGLE ′	VERT. ANGLE ″	DISTANCE HORIZ	DISTANCE VERT	DIFF. IN ELEV. CALC.	DIFF. IN ELEV. ADJ.	ELEV.	REMARKS
K-4A	4.9											1566.8	pg 163, 171 Mark for Elev.
		"B"	10.0	−	14	04	40	1165.94	-293.08	-297.2	-297.2	1269.6	pg 170
			8.0	−	14	09	40	"	-297.13	-297.3			
		"A"	9.0	−	13	00	20	2415.80	-557.98	-562.1	-562.2	1005.4	pg 169
			8.0	−	13	01	20	"	-558.72	-561.8			
		K-4	8.0	−	8	27	20	1656.94	-246.32	-249.4	-248.9	1317.9	pg 172
			6.0	−	8	30	50	"	-247.79	-248.4			
		"D"	10.0	−	4	25	30	2001.01	-154.85	-159.9	-159.4	1407.4	pg 174
			8.0	−	4	28	40	"	-155.83	-159.6			
		"C"	10.0	−	1	42	10	1200.16	-156.70	-159.8	-39.6	1527.8	pg 173
		"C"	8.0	−	1	46	00	"	-36.88	-39.0			
		RM-3	4.7		0	00	00	3.82	-36.02	-39.1	+0.2	1567.0	pg 171
"B"	5.0												pg 170
		Monrovia (K-5)	10.0	−	1	28	20	4289.76	-1102.5	-115.2	-114.7	1154.9	pg 175
			8.0	−	1	29	40		-1101.97	-114.9			
		"A"	10.0	−	10	42	40	1372.02	-259.52	-264.5			pg 169
			8.0	−	10	47	20		-261.45	-264.4			
		K-4	8.0	+	1	59	40	1468.84	+51.15	+48.2			pg 172
			7.0	+	1	58	30	"	+50.65	+48.6			
		K-4A	9.0	+	14	28	30	1165.94	+300.99	+297.0			pg 171
			8.0	+	14	27	00	"	+300.45	+297.4			
"A"	5.2												pg 169
		K-4A	10.0	+	13	09	10	2415.80	+564.52	+559.7			pg 171
			9.0	+	13	08	30		+564.03	+560.2			
		"B"	10.0	+	11	05	00	1372.02	+268.77	+264.0			pg 170
			9.0	+	11	02	30		+267.73	+263.9			

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes into this side of this line.

76F909S CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

VERTICAL ANGLE BENCH MARKS

Notes C'k'd by
Map No.
Office Work
Checked
Date

Survey of Lux Hot Springs Rd
JN 0254.08 Page 126 Std. 04 05
Surveyed by R.J. McEACHIN Date 9/58
Notes M.H. Eachin
Indexed C. Tolmasoff

F.B. 7447 PG. 1552

INSTRUMENT STA.	INSTRUMENT HEIGHT above STA. (B.S.)	SIGHT ON STA.	ROD (-)	VERT. ANGLE ±	°	'	"	DISTANCE HORIZ.	DIFF. IN ELEV. VERT.	DIFF. IN ELEV. CALC.	DIFF. IN ELEV. ADJ	ELEV.	RMKS
"C"	5.0												pg 173
		K4A	10.0	+	2	07	50	1200.16	+ 44.65	+ 39.6			pg 171
			7.0	+	2	00	30		+ 42.09	+ 40.1			
		Monument	9.0	−	3	24	10	6197.10	−368.48	−372.5			pg 175
			9.0	−	3	23	30		−367.27	−371.3			
		K-4	8.0	−	7	14	20	1619.12	−205.66	−208.7			pg 172
			6.0	−	7	18	00		−207.41	−208.4			
RR7	4.0											2289.9	pg 97
		K4A	0.0	−	15	49	20	2566.77	−727.40	−723.4	−723.1	1566.8	pg 171
			0.0	−	15	48	40		−726.86	−722.9			
		K4	0.0	−	20	09	50	2659.52	−976.61	−972.6			pg 172
K-4	4.7		0.0	−	20	08	50		−975.73	−971.7			pg 172
		"D"	10.0	+	5	04	30	1038.18	+ 94.94	88.5			pg 174
			8.0	+	5	06	40	1900.01	+ 168.23	164.7			
		"C"	10.0	+	7	31	50	1619.12	+ 214.04	+208.7			pg 173
			8.0	+	7	27	20		+ 211.88	+208.6			
		K4A	9.0	+	8	40	50	1656.94	+ 252.97	+248.7			pg 171
			8.0	+	8	39	00		+ 252.07	+248.8			
		"B"	10.0	−	1	42	00	1468.84	− 43.59	− 48.9			pg 170
			9.0	−	1	44	00		− 44.85	− 49.1			
"D"	4.8												pg 174
		K4A	6.0	+	4	25	00	2001.01	+ 160.41	+159.2			pg 171
			7.0	+	4	36	40	1900.01	+ 173.31	+171.1			
		K-4	0.0	−	5	11	20	1038.18	− 141.37	−139.2			pg 172
			1.0	−	5	08	40		− 93.47	− 89.7			

Bk. 2119 Pg. 180

VERTICAL ANGLES — BENCH MARKS

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

INSTRUMENT STA.	HEIGHT ABOVE STA. (+)	SIGHT STA	SIGHT ROD (-)	VERT. ANGLE ON ±	VERT. ANGLE ON °	VERT. ANGLE ON '	VERT. ANGLE ON "	DISTANCE HORIZ.	DISTANCE VERT.	DIFF. IN ELEV. CALC.	DIFF. IN ELEV. ADJ.	ELEV.	REMARKS
D												1317.9	
												1316.3	BM 172
												1312.9	BM 178
												1319.3	Random Turning Pt.
K-4	1.5	TP#1	0.50		0	00	00					1320.0	" "
												1320.4	" "
TP#1	9.5	TP#2	8.4		0	00	00					1309.6	Random Turning Pt.
TP#2	1.0	TP#3	11.3		0	00	00					1309.7	" "
TP#3	0.2	Road #1	11.5		0	00	00					1309.4	Random Turning Pt.
Road #1	11.9	TP#4	0.7		0	00	00					1319.7	" "
TP#4	11.1	TP#5	1.0		0	00	00					1319.4	Random Turning Pt.
TP#5	8.5	K-4	10.5		0	00	00					1317.9	" "
K-4	4.7	"D"	10.0	+	5	13	30	1038.18	+ 94.94	+ 89.6		1318.1	BM 172
			8.0	+	5	06	40	"	+ 91.21	+ 85.5			

Notes Ck'd by	Survey of: Lux Arboretum
Map No.	JN 0054.00 Tape 176 Std 89 °F
Office Work	Surveyed by: R.J. Mitchell
Checked	Notes: M. Mitchell Date: Aug '58
Date	Indexed: C. Johnson

F. B. 2249 Pg. 181

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
1700 LOS ANGELES COUNTY ENGINEERING BLDG.

SURVEY OF
THE
WEST LINE
OF THE
EAST HALF
OF
SECTION 14
T 1 N ~ R 11 W
FOR
LUX ARBORETUM
JN 0054.00

Mitchell
Smiley
Bustrum
Merino

September 1958

765308S CE #847—3-57

F B 9949 Pg 182



NOTES:

1. Line surveyed is a straight line joining the S ¼ Cor as established midway betw accepted sec corners (pg 184 & notes on pgs 72 & 73) and the N ¼ Cor as tentatively established by proportion against the cutting survey of 1896 & as shown on page 157. (August 1958)

NOTE: November 1958 ~ See pgs 205-210 for corrected location of line shown.
~R.J.M.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Lux Arboretum
Map No.	JN 2580.00 Tape 126 Std. 24'
Office Work	Surveyed by R.J. Mitchell
Checked	Notes Mitchell Date 8
Date	Indexed C. Johnson

B 7749 PG. 183

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

LINES VOID
SEE PAGE
205 ±
following

TO CS MON @ NW COR SEC 14 pg 95

2660.66 Meas
40.00 ch = 2640.00
per Cutting

R/W Line
Fd 1" I.P.
Tag "LS 5099"
0.39' Deep
per CS

(Elev = 1846.9 Assd)
Set 10" I.P. with Tag
"LS 5099" flush with
ground in 2" dia.
bench cut at base
of 10" dia. by 15" high
rock face on S'ly
drainage in shale area
of sm. gully - very gradual
steep dn. to S.W.
Set by calc. 9.3' E
brng fr. R/W Int. & by
calc. approx. betw.
Sec. Corners 13 & 14
on pages 154 - 157
2,700.57 prop.
40.60 ch = 2680.98 Rec.
by Cutting

TO NE COR SEC 14 per CS pgs 154-157

RANCHO

Calc. 49-10"
E 55 ±

32.65'
Set calc.

31-53-30"
154-157

W.A. = 39°22'

15-56-45"

R/W Line
Fd 1" I.P.
pg 100, 157

90°
8.55
pg 157

LINE

No thing Set

See pg 198

R/W Line
Fd 1" I.P. Bent
in Section Side
Set pg 198

R/W Line
Fd 1" I.P.
pg 100, 157

SECTION 14 ~ T 1 N ~ R 11 W

1) 41.86 @ 38°33 (T=84°) = 32.74'
2) 42.72 @ 39°54 " = 32.77'
3) 42.36 @ 39°22 " = 32.75'
= 32.75'
Less Avg (back) 0.10
Set @ calc dist. = 32.65'

Set for calc.

1)	74	49	10
2)	149	38	20
3)	224	16	30
Avg	74	49	07½
1)	15	56	40
2)	31	53	30
Avg	15	56	45

78F309S CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


ASCENDING THRU HIDDEN VALLEY
SECTION
WEST LINE E 1/2 SEC. 14
SOUTH
Conc. Block Wall
F.B. 4449 Pg. 104
Los Angeles County
W LINE LOT 6 GOLD HILL PARK 72
S 1/4 COR. SEC. 14
Set Tenth Mile in top of Conc. Block Wall (Solid by ...
Set ... Mile ... Solid by ...
Set ... Mile ... Solid by ...
Set ... Mile ...

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Aldrethum
JN 0054.00 Tape 126 Std 68 °F
Surveyed by R.J. Mitchell
Notes Mitchell Date 9/58
Indexed C. Johnson

F. B. 2249 Pg. 105

contd on page 186

ASCENDING ALONG SIDE HILL 50 FT W OF DRAW

ASCENDING ALONG SIDE HILL 50 FT W OF DRAW

ASCENDING

ASCENDING

contd from page 184

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

67S09S CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Aux Arboretum
JN 005 Date 12/6 Std 24 °F
Surveyed by R.J. Mitchell
Notes Mitchell Date 9/58
Indexed C. Johnson

F. B. 7749 Pg. 187

Cont'd on page 188

ASCENDING

15+59.10
P-10
Set 1x2 sn on very sm. side stkr. ~ ch. pt. only

ASCENDING CROSS SM. SWALE

12+82.38
P-9
Set 1x2 sn on top of stkr ~ ch. pt.

ASCENDING SEE PG 12 SEC. 14

ASCENDING

11+85.46
P-8
Set 1x2 sn on stkr

ASCENDING ALONG TOP OF SPUR

18+15.04
P-7
Set 1" IP cop PLS on line back 1½ Chs. from top of brow of spur.

- LINE WEST 90.42 - LINE VOID ~ LINE - EAST 176.92

Cont'd from page 186

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 CE #247—3-57

F. B. 2749 Pg. 188

contd on page 189

edge of Rd

T.T.
BEARS
N 78° E.

21+17.12
Set 1" P comp. top of
at ctr. line of
Lower Clamshell
Truck Trail dn. 1.2"

205 F.F.
PAGE 1-2 - SEC 14

38.69

10.17

Edge of Rd
shoulder of
Truck Trail

24+06.95
P-3
Set 1"x2' in
So. shoulder of
Lower Clamshell
Truck Trail

0.18

SEE
PAGE 1-3

N60 E

18+59.34
P-12
Set 1"x2' in
on sm. spur
Ch. pt. only

drow

sm. spur

N 70 E

16+78.24
P-11
Set 1"x2' in
sm. spur - Ch.
pt. only

sm. spur

VOID
LINE
EAST
LINE
WEST

contd from page 187

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend notes this side of this line.

78F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

66 396 1960

1) 141.81 @ 28° 11' (T=94°) = 125.00'
2) 141.61 @ 28°03 " = 124.99'
Avg = 125.00'

1) 76.92 @ 19° 28' (T=72°) = 72.05'
2) 76.70 @ 20° 02' " = 72.06'
Avg = 72.05'

25.28 @ Lor (T=90°) = 25.28'

1) N50.31 @ 10° 10' (T=90°) = 144.96'
2) 150.55 @ 10.39 " = 144.96'
Avg = 144.96'

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Anderson JN 2552 Tape 12E Std 25 of
Surveyed by R. W. McLellan Date 2-58
Notes
Indexed A. C. Johnson

F. B Pg

ASCENDING

ASCENDING

LEVEL ACROSS TOP OF RIDGE

DESCENDING

DESCENDING

Contour Lines

LINE VOID — SEE PG 205
WEST LINE — EAST 1-2 ~ SEC. 14

5.88 — 125.00 — 25.28 — 72.05

38.69

72.37

2349 189

SEC 14 T1N R11W

Ed. 1" IP with Cal. Co. mkr
"DOCTOR HOWARD" 0.9' E. of corner
2" Cal. State Hwy. mkr. 0.3' N. of
E. line of Sec. 14 Ties Ref.

F.B. 2949 Pg. 190

Contd on Page 18

DESCENDING

= 105.85'
= 105.85'

DESCENDING

VOID ~ SEE PG 205 for 14
~ EAST 1+2 ~ 1055.85
120. 70

SKYLINE

WEST 7.55

72.05'

T.T BEARS N 37 E

CROSSING T.T Approx ℄ LOWER BEARS S 80 W CLAMSHELL TRUCK TRAIL

24+88.67
P-18
Set 1"x2" in cut bench on State slope on line.

23+67.97
P-17
Set 1"x2" in shoulder of Rd. on line
Approx ℄

23+60.42
Set 1" Pipe with tack & Cap (stamped) at LOWER CLAMSHELL TRUCK TRAIL on 12"

SEC 14

T2S R11W

Contd. from Pg. 189

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

1) 154.28 @ 18°02 (T=98°) = 146.71
2) 154.72 @ 18°31 " = 146.72
Avg = 146.71

32.22 @ Level (T=100°) = 32.22

1) 209.13 @ 5°05 (T=96°) = 208.62
2) 209.03 @ 5°41 " = 208.62
Avg = 208.62

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Our Mountains
JN 00 5808 Page 126 Std 24 °F
Surveyed by R.J. McKeel
Notes McKeel Date 2-1-58
Indexed C. Johnson

F. B. 2144 PG. 1

Continued on Page 173

ASCENDING

Point of Intersection (Lowest Point D-2.5)

ASCENDING

East

East

East

LINE VOID ~ SEE PG. 205 ff
WEST LINE ~ EAST 1-2 ~ SEC. 14

146.71 — 32.22 — 209.62 — 176.02

110±

0.05

82°-26' 35" TO TIE

B27+65.96 Sta. 1+22 Eq. 1+22 Ahd. in cl'w face of Grade

27+29.18 Sta. 1+22 Eq. 1+22 Ahd. on Grade

30+06.60 Sta. 1+22 Eq. 1+22 Ahd. on Grade

Curve to Left

Reverse Curve

East

1) 170.12 @ 22°
2) 170.54 @ 22°31'
Avg

(T=96°) = 176.02
" = 176.02
= 176.02

1) 97 30 22 20
2) 125 37 22 20

T 1N
R 11 W

Sec 13
Sec 14

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


SECTION 14
T 1 N R 11 W
DETAIL TO SHOW ANGLE AT CENTER SECTION 14
TO N 1/4 COR
TO E 1/4 COR
TO S 1/4 COR
TO W 1/4 COR
89°-25-55" Calc.
88°-53'-50" Calc.
N 89°-25-55" W ~ 5280.14' (Meas.)
N 89°-25-55" W 5280.14' (Calc.)
N 89°-25-55" W ~ 5280.14' (Meas.)
N 89°-25-55" W 5280.14' (Calc.)
N 0°-34'-05" E 2644.13' (Meas.)
N 0°-34'-05" E 2644.13' (Calc.)
S 0°-34'-05" W 2644.13' (Meas.)
S 0°-34'-05" W 2644.13' (Calc.)
N 89°-25-55" W 1320.07' (Meas.)
N 89°-25-55" W 1320.07' (Calc.)
S 89°-25-55" E 1320.07' (Meas.)
S 89°-25-55" E 1320.07

76F3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Blackburn
JN 00 [illegible] Tape/Pc Std BE °F
Surveyed by [illegible]
Notes [illegible]
Indexed

F. B. 2249 Pg. 193

Center on Base Line

1) 56 45 10
2) 56 45 10
3) 56 45 20
4) 56 45 33 1/3
5) 56 45 40

1) 38 15 20
2) 153 02 00
3) 229 33 20
4) 38 15 33 1/3
5) 38 15 40

1) 95 01 20
2) 20 05 10
3) 210 08 30
4) 95 01 25
5) 95 01 20

B/4 17 Set 1x2 6in in 3/4" edge of Lower Clamshell Truck Trail

1) 180.98 @ 20°52 (T=78°) = 178.45
2) 181.24 @ 21°05 " = 178.43
Av = 178.44

1) 296.79 @ 14°41 (T=76°) = 287.09
2) 297.25 @ 15°01 " = 287.09
Av = 287.09

1) 82.81 @ 9°27 (T=62°) = 81.68
2) 82.64 @ 8°45 " = 81.67
Av = 81.67

1) 20-09-10
2) 80-36-40
3) 120-54-50
Avg = 20-09-08 1/3

1) 47 28 40
2) 47 28 40
3) 47 28 20
4) 47 28 00
5) 47 27 40
6) 47 27 40
7) 47 27 20
8) 47 27 20

1) 132 47 20
2) 132 47 00
3) 132 46 40
4) 132 46 40
5) 132 46 20
6) 132 46 20
7) 132 46 00
8) 132 45 40

1) 126 56 20
2) 126 56 20
3) 126 56 20
4) 126 56 20
5) 126 56 20
6) 126 56 20
7) 126 56 20
8) 126 56 20

1) 13 40 20
2) 13 40 00
3) 13 40 00
4) 13 40 00
5) 13 40 00
6) 13 40 00
7) 13 40 00
8) 13 39 40

1) 42 00 20
2) 42 00 00
3) 42 00 00
4) 42 00 00
5) 42 00 00
6) 42 00 00
7) 42 00 00
8) 42 00 00

VOID

LINE

WEST LN. E 1/2 25.14

41.06 SEE PG 205

225.43

176.02

1859.13

600±

15.63

Tan 37°22' 11.44

Tan 32°13' 20"

124.06

Tan 37°22' 11.44

Tan 32°13' 20"

Tan 37°22' 11.44

Tan 32°13' 20"

Along Clamshell Truck Trail

Clamshell Truck Trail

Clamshell Truck Trail

F.B. 2249 Pg. 194



b) 132.54 @ 5°13 (T=62°) = 131.99
132.60 @ 5°37 " = 132.06
A-9 = 131.99

1) 296.90 @ 5°06 (T=60°) = 295.71
296.78 @ 4°48 " = 295.68
A-9 = 295.69

1) 211.92 @ 11°56 (T=70°) = 207.32
212.13 @ 12°10 " = 207.35
A-9 = 207.33

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Note: Ck'd by
No.
Service Work
Checked
Date

Survey of Lux Arboretum
JN 005400 Tape 126 Std 84 °F
Surveyed by R.J. Mitchell
Notes R.J.M. Date 9-58
Indexed A. C. Johnson

F. B 2247 Pg. 195

1)	65	50	40
2)	275	23	20
3)	53	07	58
Avg	65	50	55
Adj	68	50	55

TO N ¼ COR pg 198

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S SAE #247 1-56



1) 297.96 @ 8°27 (T=70°) = 297.41
2) 278.07 @ 8°57 " = 277.71
Avg = 277.42

1) 155.66 @ 9°22 (T=70°) = 153.57
2) 155.77 @ 9°38 " = 153.56
Avg = 153.56

F.B. 2149 Pg. 196



916
356
56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Lux Arboretum
Map No.	JN 0054.00 Tape 126 Std 84 °F
Office Work	Surveyed by R.J. Mitchell
Checked	Notes R.J.M. Date 9-58
Date	Indexed by A. C. Johnson

2749 PG. 197

1) 178 51 10
2) 355 24 20
3) 353 06 50
Adj 178 51 08 1/3

RANDOM LINE

1557.6 to pgs 100-102

Pt 1+20 on line

R/W 14 in 6" I.P. pg 183 P.S.

S 8° 05' 20" E 1012.84

cont'd on page

178° 51' 10"

805.14 to Pt on BASE LINE

BASE LINE

Clarmish 11

B/W-7 Painted SW side of firebreak pg 102

08

320.

LINE Along

cont'd from page 196

SEC 14 T1N R11W

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 98E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 005400 Tape 126 Std 94 °F
Surveyed by R.J. Mitabe II
Notes R.J.M. Date 9-68
Indexed L.C. Johnson

F. B 2249 PG. 199

MEAN SEA LEVEL DATUM

VERTICAL ANGLE B.M.'s

LUX ARBORETUM

CONTINUED FROM
PG. 180

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 S&E #247 1-56

VERTICAL ANGLE BENCH MARKS

F.B. 1113 Pg. 200

INSTRUMENT STA.	INSTRUMENT HEIGHT above Sta. (B.S.) (+)	SIGHT ON STA.	ROD (−)	VERT. ANGLE + ° ′ ″	VERT. ANGLE − ° ′ ″	DISTANCE HORIZ.	DIFF. IN ELEV. VERT.	CALC.	ADJ.	ELEV.	REMARKS.
P-25	6.7									1643.2	pg 193
		K 4A	0.0	4 29 00		1061.77	− 83.3	− 76.6			
			4.0	4 15 20			− 79.0	− 76.3	− 76.4	1566.8	pg 163
		K-4	0.0	7 39 30		2516.31	−331.7	− 325.0			
			4.0	7 27 30			−327.4	− 324.7	− 324.9	1318.3	pg 162
P-25	4.7									1643.2	pg 193
		BL 21	6.0	8 00 30		716.68	+100.8	+ 99.5	+ 98.5	1741.7	pg 195
			6.0	7 55 20			+ 99.7	+ 98.4			
		P 26	5.0	5 37 40		1530.54	+148.6	+ 148.3	+ 147.1	1790.3	pg 198
			3.0	5 24 20			+144.8	+ 146.5			
BL 21	4.7										pg 195
		P-25	10.0	07 24 30		716.68	−93.2	− 98.5			pg 193
			7.0	07 39 00			−96.3	− 98.6			
		BL 24	8.2	09 46 40		604.99	+104.3	+ 100.8	+ 100.8	1842.5	pg 196
			8.2	09 46 30			+104.2	+ 100.7			
		N¼ COR	10.0	03 06 20		1476.22	+ 80.1	+ 74.8	+ 75.2	1816.9	pg 198, 183
			6.0	02 55 20			+ 75.4	+ 74.1			
BL 24	4.8										pg 196
		BL 21	6.0	9 21 20		604.99	− 99.5	− 100.7			pg 195
			6.0	9 21 40			− 99.7	− 100.9			
		N¼ COR	9.0	00 49 40		1378.73	− 19.9	− 24.1			pg 198
			6.0	1 00 40			− 24.3	− 25.5			
P-26	5.2										pg 198
		P-25	1.0	5 39 20		1530.54	−151.6	− 147.4			pg 193
		"	8.0	5 19 30			−142.7	− 145.5			D R
		"	10.0	5 04 10			−135.8	− 140.6			
		"	5.0	5 31 00			−147.8	− 147.6			D R

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
TOPANGA ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

VERTICAL ANGLE BENCH MARKS

INSTRUMENT STA	INSTRUMENT HEIGHT of Inst. (B.S.) (+)	SIGHT ON STA	ROD (-)	VERT ANGLE °	'	"	DISTANCE HORIZ.	DISTANCE VERT.	DIFF ELEV. CALC.	DIFF ELEV. ADJ.	ELEV.	REMARKS
P-26	5.2											pg 198
		N¼COR	0.0	+ 3	43	00	328.59	+ 21.5	26.7			pg 198
			10.0	+ 3	29	20		+ 31.6	26.8			
N¼COR	5.2											pg 198
		B/L 24	8.2	+ 1	11	20	1378.73	+ 28.6	+ 25.6			D pg 196
			8.2	+ 1	11	30		+ 28.7	+ 25.7			DR
		B/L 21	6.0	- 2	53	50	1476.22	- 74.7	- 75.5			D pg 195
				- 2	53	20		- 74.5	- 75.3			DR
		P-26	5.0	- 4	41	20	328.59	- 27.0	- 26.8			pg 198
			4.0	- 4	51	10		- 27.9	- 26.7			
4+10.03	5.4										1176.0	pg 223
		A	10.0	- 9	20	00	~~1010.17~~	- 166.0	-170.6	-170.4	1005.6	D pg 169
			~~1392.02~~					- 167.6	-170.2			DR
		"	8.0	- 9	26	00		- 167.8	-170.4			D " "
			6.0	- 9	32	00		- 169.6	-170.2			DR
A	5.2	4+10.03									1005.6	pg 169
		4+10.03	3.4	+ 9	29	00	1010.17	+ 168.7	+170.5	+170.4	1176.0	DER pg 223
			2.5	+ 9	25	00		+ 167.5	+170.2			DFR
2+44.42	4.7										1313.8	pg 229
		K+A	8.0	+ 7	50	30	1858.80	+ 256.0	+252.7	+253.0	1566.8	
			2.0	+ 7	40	10		+ 250.3	+253.0			
		D	2.0	+ 20	25	10	244.42	+ 271.0	+ 93.7	+ 93.8	1407.6	
			8.0	+ 21	40	00		+ 97.1	+ 93.8			
K+A	4.7										1566.8	
		2+44.42	6.2	- 7	47	40	1858.80	- 251.7	- 253.2	- 253.0	1313.8	
			4.4	- 7	45	20		- 253.7	- 252.9			

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Kunkle Drive
JNO 54000 Tape 126 Std 84 °F
Surveyed by R.T. Mitabe 11
Notes R.T.M. Date 9-58
Indexed C. Jensen

F. B. 2249 PG. 201

VERTICAL ANGLE BENCH MARKS

TRANSIT AT STA	HEIGHT above St. (B.S. +)	SIGHT ON STA	ROD (−)	VERT ANG ± ° ′ ″	DISTANCE HORIZ	DIFF IN ELEV VERT	DIFF IN ELEV CALC	DIFF IN ELEV ADJ.	ELEV	REMARKS
R/L 6	5.1								2198.5	1"IP
		K 4A	0.0	− 12 33 20	2857.42	−636.5	631.4	631.5	1566.8	△Mon
			10.0	− 12 22 20		−626.8	631.7			
		K 4	0.0	+ 20 10 20	2409.79	−885.3	880.2	882.2	1318.3	△ Mon
			10.0	+ 20 02 50		−879.3	884.2			
		"B"	10.0	− 14 36 30	3544.30	−923.8	928.7		1269.6	1"IP
			6.0	14 40 40		−928.4	929.3			
		W 1/16	2.0	+ 6 04 50	849.29	+90.5	+93.6			CS Mon
			10.0	6 35 40		+98.2	+93.3			
		4+81.15	1.6	0° 00 00	6.08	+ ~~3.5~~	+ 3.5			CS Mon
R/L 7	4.0								2287.5	1"IP
		W 1/16	0.9	0 00 00	20.24	——	+ 3.1		2290.6	CS Mon
K 4	5.1								1318.3	△Mon
		W 1/16	9.0	+ 20 05 10	2669.73	+976.2	+972.3	972.6	2290.6	CS Mon
			5.0	+ 20 01 20		+972.9	+973.0			
		4+81.15	3.0	+ 20 00 20	2415.82	+879.6	+881.7	882.2	2200.4	CS. Mon
			10.0	+ 20 10 50		+887.9	+883.0			
K 4A	5.0							~~+566~~	1566.8	△Mon
		W 1/16	9.0	+ 15 42 30	2585.41	+727.1	+723.1	723.3	2290.6	CS Mon
			6.0	+ 15 40 20		+725.4	+724.4			
		4+81.15	10.0	+ 12 34 10	2862.78	+638.3	+633.3	633.3	2200.4	CS Mon
			1.0	+ 12 25 20		+630.6	+634.6			
"B	5.0								1269.6	
		4+81.15	4.0	+ 14 37 10	3550.27	+926.1	+930.1		2200.4	
			4.0	+ 14 45 50		+935.6	+931.6			

Cont'd on page 2459

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

0054.00

F. B. 2149 Pg. 203

Profile No. ____ X-Sec. No. ____

Notes Red. ____ Date ____ Plotted ____ Date ____ Job No. ____ Division No. ____

Notes Chkd. ____ Date ____ Checked ____ Date ____ Survey of Lux Arboretum

Survey by Smiley Notes Smiley Date 10/58

Map No. ____ Indexed C. Johnson Date 10-31-58

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.

SURVEY SHOWING
ELEVATION OF PHOTO CONTROL POINT
"F"
FOR
LUX ARBORETUM
IN
MONROVIA, CALIF
JN 0054.00

Smiley
Bushman
Merino

Oct. - 1958

76L298 307 8-53

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2249 Pg. 204 — Job No. 0054.00 — Division No. — Notes Red. — Plotted — Date — No.
Survey of Lee Hill Corcoran — Date — Notes Chkd. GOSS — Checked — Date — No.
Survey by Smiley — Notes Smiley — Date — Notes — Date — No.
Indexed — Date — Date — Profile — X-Sec.

STATION	B. S.	H. I.	F. S.	ELEV.		
VABM "A"	12 0	1048 6		1006 6	VABM "A" Elev 1006.6	FB 2249-178
					Calif. Coord Cyl. Sys Zone 7 3930.82 N 3899.69 E	
					see page 169 for location	
JP #1	11 4	1027 7	2 3	1016 3	W stk edge of rd	
2	11 7	1038 6	0 8	1026 9	" "	" " "
3	10 6	1099 0	0 2	1038 4	" "	" " "
4	12 0	1058 9	2 1	1046 9	1x2 stk	
5	11 9	1070 4	0 4	1058 5	"	
6	10 4	1080 8	0 0	1070 4	"	
Photo Control "F"	3 4	1081 0	3 2	1077 6	Photo Control Point "F" Elev 1077.6	FB 2249-204
					Calif. Coord Cyl. Sys. Zone 7 3978.22 N 3976.01 E	
					see page 169 for location	
JP #7	0 4	1070 8	10 6	1070 4	1x2 stk	
8	0 5	1059 1	12 2	1058 6	"	
9	1 8	1048 8	12 1	1047 0	"	
10	0 0	1038 5	10 3	1038 5	W stk edge of rd	
11	0 8	1027 7	11 6	1026 9	"	" " "
12	1 4	1017 7	11 4	1016 3		
VABM "A"			11 1	1006 6	VABM "A" Elev 1006.6	FB 2249-178
					see above	

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of Lux Arboretum F. B. 1249 PG. 205
JN 0054 Tape 126 Std. 84 °F
Surveyed by R.J. Mitchell
Notes M. Mitchell Date 11/58
Indexed ~~H. C. Johnson~~ 11-21-58

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

SURVEY SHOWING CORRECTED LOCATION OF THE WEST LINE OF THE EAST HALF OF SECTION 14 T1N ~ R11W FOR LUX ARBORETUM

JN 0054.00

Mitchell, R.J. - Chf.
Smiley, L.C. - "
Bustrum, M.L. - H.C.
Merino, G.R. - R.C.

November 1958

INDEX ON PG 182

763098 CE #247—7-58

F. B. 2149 Pg. 206

NOTE: A complete check of the work shown on pages 181-198 reveals the following mistakes & errors.

1. See pg. 81 ~ A mistake in making a slope reduction affects the location of the S 1/4 Cor of the Sec.

2. See pgs. 154-157 ~ A mistake in the computation of the location of the N.E sec. Cor affects the location of the N 1/4 Cor of the Sec.

3. Greater than tolerable errors exist in the reported values of the angles shown at the N 1/4 Cor (pg. 198) and at the S 1/4 Cor. (pg 184)

It is the purpose of the survey shown on pgs. 207-210 to correct these items.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

763098 CE #247—7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W. S. 45-D-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Alberson Jr.
JN 22 51 Page 12 Sht 24 of
Surveyed by R.E. Mitchell Date 11-52
Notes M.M. Mitchell Date 11-52
Indexed C. Johnson

F. B. 2249 PG. 207

5-12
52+64.27
C.S. Mon ~ Ht 1.6 for Line
pg. 1

Fd. 0.03

5-26
24+79.32
2"x2" m & tg
pg 85

5-24
26+76.08
Ch. 1.7
pg 83

5 REC OR
26+61.15
Set pencil mk on line & midway bet w. Sec. Cors per note 6 pg 73 ~ Fd. same to fall 0.16 N. of S face of wall.

Fd pencil mk per pg 184

W. LINE COLD HILL DR. TR.

Fd 0.05

5-17
15+60.23
1"x2.5"m
pg 81

5-15
13+88.93
2" IP & Brass Cap
pg 89 ~ Hold for line

SOUTH

W LINE ~ E 1/2 ~ SEC 14

0.02 calc.

0.08 m.

0.08

0.05m. RANDOM LINE

INT
Set pencil mk on tot conc. block wall by line using P.16 & P.23 as previously set for line

5-FEC-TION

15+15.04
1" IP
pg 187

0.04 calc.

Northing 15.04 m

Northing 15.04 m true line

32+70.04
1" IP on line
pg 189

Coll Ed Regis 205

21.0 "BL" 12.0 68

12.0 68

94.1

TIN
R.11W

1 2

F. B. 1149 PG. 208



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions Changes on This Sheet Must be Ink With Date Circled in Red Making Changes of Person

W.S. 45-D-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 60 54.0R Tape 126 Std. E4 OF
Surveyed by R.J.M. Lekell
Notes M. Lekell Date 11/58
Indexed C. Johnson

F. B. 2149 PG. 209

W.S. 45-D-2

1) 90 45 40
2) 323 07 30
3) 134 32 10
4) 90 45 21½

N. LINE SEC. 14

0.01

52+85.04 N
N 1/4 COR SEC 14
Set 1" IP with 2" galv. I
Cut up 2" in brick cut
out base 2 ft high x
18 ft wide rock face in
sm draw & in slide area
of tan shur - very steep
down to SSW - Set 4x4
corrected thus 4.89
E of 25' W
of 14

35ft

Rock

0.54

(See pgs 154-157
Set 10 ft. High
signal over IP
Elev 1816.9
See pg 200
7951.62 N
6618.71 E

Set 2.03

52+83.01
Fd. 1" IP with
G.L. Cap per
pg 198 - Removed
Cap & set wood
p.l. & n.

Nothing

Fd. 0.01

Fd 1" IP
pg. 198
set n. by ink

31.57
33.60
set pg 157

Fd. 0.02

(See pg. 210)
RANDOM LINE

0.44
meas.

8.54
set

91° - 29'

08" calc.

R/L 14
1 x E M
pgs 100, 157, 183,
196, 210

Set nothing at dist from R/L 14 calc. per pg 157

RANDOM LINE
W. LINE TE 1/2 - SEC 14

11 43.21 @ 43°03'20" TE 60' = 31.57
12 43.80 @ 43°53'20" = 31.57
Avg Level = 33.60
To 14 Level

T 1N R 11 W

90° - 45' - 23" calc.
90° - 45' - 20" meas.

Cont'd from pg 208

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

763095 CE #247—7-58

Spoon 1 0.0000
0.0090000

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S.45 D-2



T-1/c
T-1961

Notes Ck'd by C. R. GOSS	Survey of Lux Arboretum
Map No.	JN 0054.00 Tape 126 Std 82 °F
Office Work	Surveyed by R T Mitchell
Checked	Notes Mitchell Date 11/58
Date	Indexed C. C. Johnson 12-11-58

F. B. 2249 PG. 211

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

SURVEY SHOWING LOCATION & ELEVATIONS OF LINES ESTABLISHED FOR TEST OF PHOTOGRAMETRIC MAP OF LUX ARBORETUM

J.N. 0016.01
J.N. 0054.00

M. Fehell, R.J.
Smiley, L.C.
Bustrum, M.L.
Merino, G.R.

Dec. 1958

Photomap furnished to L.A County by Engineering Service Corporation per Purchase Order # Q 51082 dtd. 10-29-58

For location of Truck Trail in the vecinity of Coord.s 4,175,500 N ~ 4285,000 E see F.B. 2249-32 to 36

For transit & stadia survey in bottom of Clamshell Cr nr. Coord.s 4,176,000 N ~ 4,285,200 E see pgs 43 to 60 (FB 2249) especialy equation on pg 43

763098 CE #247—7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W. S. 45-D-3

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Aux Alberca Rum
JN 00160.01 Tape 126 Std. 84 of
Surveyed by E.J. McKee Date 12/58
Noted M.A. Fell Date
Indexed C. Johnson

F. B. 2244 Pg. 213

Contd on page 214

NOTE: P.C.L. = Photo mab Checking Line

9+77.75 Set 1x2 Sta

R = 2457.68'

P.C.L.

129° 30' 05"

Set 1x2 Sta. 2+91.30

1656.24 calc. fr. calif. coords.

397.28

3+97.28 Set 1x2 on at random for ang. pt. on P.C.L.

3° 14' 55"

SEC 14 T1N R11W

TRAV STA SIERRA MADRE R-4-A
9+00 Going WNly along Photo Checking Line
~ A 3rd. Trav. Sta Mon
N 175,381.87 E 283,831.81
Elev. 1566.8

TO: K-4 Pg. 213

1) 300.18 @ 13°58 (T=68°) = 291.29 V
2) 300.37 @ 14°06 " = 291.30 V
1) 105.99 @ Avg Lev To 1 " = 105.98 V
= 397.28 V

1) 84.51 @ 17°48 (T=70°) = 80.45
2) 84.19 @ 16 58 " = 80.47 V
Avg = 80.46

1) 147.02 @ 25°06 " = 133.13 V
2) 146.39 @ 24 34 " = 133.13 V
Avg = 133.13

1) 267.18 @ 21 05 (T=76°) = 249.28 V
2) 267.80 @ 21 26 " = 249.27 V
Avg = 249.27

To 1 = 464.86 V
Lev (T=76°) = 35.23
429.63
7.63

1) 3 15 00
2) 12 59 40
Avg 3 14 55 V

1) 129 30 00
2) 158 00 30
Avg 129 30 05 V

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


Coyote Pass
Coyote Pass
To K-4
To K-4
1656.94
Sta 1+00
Sta 2+13
Sta 5+12
Sta 9+25.57
Sta 11+87.70
Sta 14+46.08
Sta 19+22.96
Sta 6+10.88
Sta 6+24.92
Sta 200.33
P.C.
P.T.
P.C.C.
P.C.C.
P.T.
P.C.C.
P.C.C.
P.T.
P.C.C.
P.C

763095 CE #247—7-59

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 45-0-3

1)	138	31	00	1)	80	08	50	1)	55	19	50
2)	139	04	20	2)	320	35	40	2)	221	19	10
3)	116	06	40	3)	120	53	20	4)	331	38	40
Av)	138	31	06 2/3	Av)	80	08	53 1/3	Av)	55	19	46 2/3
								Adj)	55	19	40

16+46.40
Set 1x2 Em at random PT. on P.C.L.

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Allotment
JN 00602.01 Tape 146 Std. 82 of F
Surveyed by E.J. McKell
Notes M. E. McKell 12-58
C. Johnson
Indexed

F. B. 2049 Pg. 215

200.32

Control from Page 214

138°-31'-05"

TO: K4A
Pg 213

TRAV STA
SIERRA MADRE
K-4
19+54.60
End of P.C.L.
~A 3rd Trav. Sta. Monument
Pg 162 E FB 935-67
N 175,481.79 E 228,127.87
Elev - 1318.3 ± 17 FB

1656.94

80°-08'-55" 3.5'

80.85

04°-01'-22" P.C.L.

18+73.75
Set 1x2 Em at random for Ang. PT. on P.C.L.

SEC 14 T1N R11W

1)	227.47	@ 1°-28 (T=89°)	=	227.36
2)	227.50	@ 1°-04 "	=	227.35
		Av	=	227.35
1)	81.27	@ 5°-46 (T=84°)	=	80.84
2)	81.35	@ 6°-26 "	=	80.84
		Av	=	80.85

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0016.01 Division No.
No. Date Date Survey of Photomap Checking Line K-4-A to K-4 Rec. F.B. 2249 Pg. 2,17
X-Sec. Notes Chkd. C. R. Goss Checked Survey by R.J. Mitchell Notes R.J. Mitchell Date 1956
No. Date Date Map No. Indexed C. Job Book Date

STATION	B. S.	H. I.	F. S.	ELEV.		
					PROFILE LEVELS ALONG PHOTOMAP CHECKING LINE FROM K-4-A TO K-4 SEE PGS. 213 - 215	
BM K-4A	1 2	1568 0		1566.8	BM K-4A Elev. 1566.8 FB 935-69 & FB 2249-213 ~ Calif. Coord. Cyl. Sys Zone 7, +1753 81.87 N - +285831.81 E (City of Monrovia on Clamshell Rod)	
0+00			17	1566 3	Grnd @ K-4-A	
0+25			91	1558 9	Grnd	
TP	0 2	1548 8	194	1548 6		Rock
0+50			10	1547 8	Grnd	
0+75			10 7	1538 1	"	
1+00			16 9	1531 9	"	
TP	0 1	1530 7	182	1530 6		Rock
1+25			4 4	1526 3	Grnd	
1+50			9 7	1521 0	"	
1+75			13 7	1517 0	"	
2 +00			19 3	1511 4	"	
TP	1 9	1515 0	176	1513 1		Stk

NOTE
Elevations: 5th Engrs. Dumpy Level (Brunson #47137) & Field constructed "Tape Rod" 20 ft. long.

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2949 Pg. 218 | Job No. 0016.01 Division No. | Notes Red | Plotted | Profile
Survey of Lux Arboretum - Pt's Checking Line Date | No. | X-Sec.
Survey by McLaren Notes Chkd Checked E. R. Goss
Indexed C. Johnson Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1515 0				
2+25			89	1506 1	Grnd	
2+50			138	1501 2	"	
2+75			184	1496 6	"	
TP	0 3	1496 1	192	1495 8		Rock
2+91.30			13	1494 8	1×2 stk f.l. ~ ch. pt.	see pg. 213
3+00			18	1494 3	Grnd	
3+25			32	1492 9	"	
3+50			52	1490 9	"	
3+75			77	1488 4	"	
3+97.28			102	1485 9	1×2 stk f.l. ~ Ang. Pt.	see pg. 213
4+00			106	1485 5	Grnd	
4+25			161	1480 0	"	
TP	1 1	1480 2	170	1479 1		stk
4+50			73	1472 9	Grnd	
4+75			172	1463 0		
4+77.75 T.P.	1 2	1463 3	181	1462 1	1×2 stk f.l. ~ Ch. Pt. ~	See pg 213
5+00			109	1452 4	Grnd	
TP	0 7	1446 2	178	1445 5		Spk.
5+25			34	1442 8	Grnd	
5+50			158	1430 4	"	

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

6-06

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1946 2				
TP	0 5	1427 1	196	1426 6		stk
5+75			7 9	1419 2	Grnd	
TP	0 7	1408 2	196	1407 5		stk
6+00			3 5	1404 7	Grnd	
6+06.5			5 1	1903 1	19± ft. R of base of L.A.Co. F.C.Dist T.P.	
6+10.88			7 9	1400 3	1x2 stk f1. ~ ch. pk. ~ see pg 214 (#2080-)	
6+ 25			150	1393 2	Grnd	
TP	0 6	1389 7	191	1389 1		stk
6+50			11 4	1378 3	Grnd	
TP	0 8	1371 0	195	1370 2		stk
6+75			6 5	1364 5	Grnd	
7+00			189	1352 1	"	
TP	11	1352 4	197	1351 3		stk
7+25			164	1336 0	Grnd	
TP	0 1	1332 8	197	1332 7		Rock
7+50			96	1323 2	Grnd	
TP	0 4	1314 5	187	1314 1		Rock
7+75			50	1309 5	Grnd	
8+00			149	1299 6		
8+24.92			169	1297 6	1x2 stk ~ Ang. Pt. see pg 214	

Profile Notes Red. Plotted Job No. 0016.01 Division No.
No. Date Date Survey of Pine Canyon Line ~ Lee Whalen Dam
X-Sec. Notes Chkd. Checked C. R. GOSS Survey by R.J.M. Etc. Notes M.M.C. Date 12-4-56
No. Date Date Map No. Index No. C. Johnson

F. B. 2249 PG. 2/9

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2249 Pg. 210 Job No. 0016.01 Division No. Notes Red. Plotted
Survey of Lux Hippodrome ~ Photo Checking Line Date No.
Survey by Ritchell Notes Child. Checked C. R. GOSS X-Sec.
Indexed C. Johnson Date Date Date No.
Profile

STATION	B. S.	H. I.	F. S.	ELEV.		
		1314 51				
8+25			169	12976	Grnd	
8+50			182	12963	"	
8+75			111	13034	"	
9+00			66	13079	"	
9+25			47	13098	"	
9+25.51			47	13098	1×2 stk ~ Hwy. Pt. ~	see pg. 214
9+50			63	13082	Grnd	
9+75			102	13043	"	
10+00			106	13039	"	
10+25			56	13089	"	
10+50			03	13142	"	
TP	16 9	13310	04	13141		3¼ Rock
10+75			130	13180	Grnd	
11+00			125	13185	"	
11+25			120	13190	"	
11+50			112	13198	"	
11+75			83	13227	"	
11+87.70			69	13241	1×2 stk ~ ch. pt. ~	see pg. 214
12+00			69	13241	Grnd	
12+25			69	13241	"	

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0016.01 Division No.
No. Date Date Date Survey of Photo Checking line ~ Lux Blvd to Lux
X-Sec. Notes Chkd. Checked C. R. GOSS Survey by R.M. Fetch/Notes M. Mitchell Date 12-3-58
No. Date Date Map No. Indexed C. Johnson Date

F. B. 2249 Pg 41

STATION	B. S.	H. I.	F. S.	ELEV.		
		1331 01				
12+50			5 3	1325 7	Grnd	
12+75			5 3	1325 7	"	
13+00			6 7	1324 3	"	
13+25			6 9	1324 1	"	
13+50			6 7	1324 3	"	
13+75			5 9	1325 1	"	
14+00			5 1	1325 9	"	
14+22			4 9	1326 1	1x2 stk ~ Ch. Proj. Pt. ~ see pg 214	
14+25			5 1	1325 9	"	
14+46.08			6 5	1324 5	1x2 stk ~ Proj. Pt. ~ see pg 214	
14+50			6 6	1324 4	"	
14+75			7 8	1323 2	"	
14+85			13 1	1317 9	30° ft L ~ LA. Co. F.C. Dist T.P.# 1817 ~ base	
15+00			10 0	1321 0	Grnd	
15+25			12 3	1318 7	"	
15+50			14 2	1316 8	"	
15+56.33			14 6	1316 4	1x2 Ctr ~ Ch. pt ~ see pg 214	
15+75			18 6	1312 4	Grnd	
TP	09	1312 01	19 9	1311 1		Rock
16+00			5 3	1306 7	Grnd	

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 7749 Pgs. 2 Job No. 0016.01 Division No. Notes Red. Date. Plotted. No.
Survey of Lux Canyon Date. No.
Survey by R.T. Mitchell Notes Chkd. C. R. GOSS X-Sec.
Indexed by C. Johnson Date. Date. No.
Profile

STATION	B. S.	H. I.	F. S.	ELEV.		
		1312 01				
16+25			93	1302 7	Grnd	
16+96 ±0			11 8	1300 2	1x2 Sn ~ Ang Pt ~	see pg 215
16+50			12 3	1299 7	Grnd	
16+75			13 6	1298 4	"	
17+00			14 1	1297 9	"	
17+25			14 1	1297 9	"	
17+50			10 3	1301 7	"	
17+75			8 8	1303 2	"	
18+00			6 1	1305 9	"	
18+25			3 0	13090	"	
18+50			2 4	1309 6	"	
TP	12 1	1321 6	2 5	1309 5		Stk
18+73.75			13 3	13083	1x2 Sn ~ Ang Pt. ~	see pg. 215
18+75			13 1	1308 5	Grnd	
19+00			8 3	1313 3	"	
19+25			5 2	13164	"	
19+50			4 6	13170	"	
19+54.60			4 3	13173		FB 7749-178
BM K 4			3 7	1317 9	BM "K-4" ~ Elev 1317.9 FB 935-67 & FB 7749-215 ~ Calif Coord CH 5 Zone 7 4175,481.79 N - 4184 177.89 E (City of Monrovia on Clamshell Ridge)	

Photo Checking Line

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 00116.01 Tape 126 Std. 84 °F
Surveyed by R.J. Mitchell
Notes Mitchell Date 12/58
Indexed C. Johnson

F. B. 2249 Pg. 223

W.S. 45-D-3

SEC 14 - T1N - R11W

1)	23	44	10
2)	23	56	40
3)	22	25	00
4)	23	44	10
1)	146	52	00
2)	227	27	40
3)	161	16	30
4)	146	51	55
1)	9	24	10
2)	37	36	50
3)	36	25	00
4)	9	24	10

1+33.82 Set 1x2 Sm

3+25.48 Set 1x2 Sm

P.C. 0+03
R=10.00
(A=10.05 calc.)
Check
23°-44'-10"
146-51-55
9°-24'-10"

Rt 10.03
1+26.10
Set #3 Sm
#128 N35.10E

P.C.T. PT "A"
P.I. 1+26.10
Set #3 Sm
#128 N35.10E

P.C.T. PT "B"
P.I. 1+26.10
Set #3 Sm
#170 Calc.

1)	238.84	11°-45 (T=2.)	
2)	238.96	11°-45 (T=2.)	
3)	94.83	15°-43 (T=66.)	
4)	94.83	15°-43 (T=66.)	
1)	88.34	15°-59 (T=66.)	
2)	88.42	15°-59 (T=66.)	

Total

1312.02

P.I. 1+26.10
P.C.T. PT "A"
Set #3 Sm
#128 N35.10E
P.C.T. PT "B"
P.I. 1+26.10
Set #3 Sm
#170 Calc.
#2283.877.64E
#2280.83N

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

783098 CE #247—7-53

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 2016.0 Division No.
No. Date Date Survey of Photo Checking Line - Lux Blvd. to Sta.
X-Sec. Notes Chkd. Checked R. R. GOSS Survey by Pitt. Co. II Notes Surveyed Date
No. Date Date Map No. Inked C. Johnson Date

F. B. 2249 Pg. 225

STATION	B. S.	H. I.	F. S.	ELEV.		
					PROFILE LEVELS ALONG PHOTOMAP CHECKING LINE "B" FROM Going West	
					SEE Pg. 223	
BM "B"	0 7	1270 3		1269 6	BM "B" Elev 1269.6 FB 2249 - 178 - 170	
					Calif. Coord Ctl. Sys Zone 7 —	
					4,174,412.12 N - 4,285,184.52 E	
					(City of Monrovia - Cloverleaf Cn - Nr. "Carters" Ho.)	
0+00			0 9	1269 4	Grnd. @ "B" pg. 223 & pg. 170	
+25			8 3	1262 0	Grnd.	
+33±			10 7	1259 6	Top of bk. E. edge of road.	
+36½			14 0	1256 3	Btm " " " " " "	
+50			13 9	1256 4	Grnd.	
+60±			14 5	1255 8	W'ly edge of Rd. & top of bk.	
T.P.	2 3	1254 4	18 2	1252 1	Top of rock. (0+74) 7 ft. Rt. Elev.	
0+75			6 9	1247 5	Steep side slope.	
0+75			0 4	1254 0	11° Rt. (N) top bk.	
1+00			12 4	1242 0	Steep side slope.	
1+00			7 8	1246 6	6° Rt (N) top bk.	
1+25			18 5	1235 9	Steep side slope	

F. B. 2249 Pg. 116 | 00/16.01 Job No. Division No. Notes Red. Plotted
Survey of Photo Checking Line-Lux Aqueduct Date No.
Survey by R.M. Mitchell Notes Chkd. Checked C. R. GOSS X-Sec.
Indexed C. Johnson Date Date Date No.
Profile

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H.I. 1234.4	F. S.	ELEV.	
1+25			137	1240 7	16° Rt (N) top bk
1+50			193	1235 1	Gnd.
T.P.	0 3	1235 2	195	1234 9	top of 1"x2" @ 1+51° (on line)
1+75			37	1231 5	Gnd.
+92			56	1229 6	top bk
+96			70	1228 2	btm "
2+00			73	1227 9	Gnd.
+07 1			82	1227 0	top bk.
+10 8			93	1225 9	btm bk.
+21 5			99	1225 3	top bk.
+25			119	1223 3	Gnd.
+25 8			123	1222 9	btm bk.
2+33 82			122	1228 0	1"x2" stk. (Ch. 8 Rt.) see pg. 223
+35 2			124	1222 8	top bk.
+44 5			163	1218 9	btm bk.
+50			166	1218 6	Gnd.
+54 0			168	1218 4	top bk.
T.P.	3 1	1219 4	189	1216 3	1"x2" stk. @ Sta 2+60.
2+62 8			53	1214 1	btm bk.
+70 4			53	1214 1	top. bk.
+75			79	1211 5	Gnd.

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No.____ Date____ Notes Red____ Date____ Plotted____ Date____ Job No. RO16 Division No.____
X-Sec. No.____ Date____ Notes Chkd.____ Date____ Checked R. GOSS Date____ Survey of Pine Creek Line - Lux Canyon
Survey by R.C. Mitchell Notes M. Mitchell Date 12-58
Map No.____ Index Sh. Tabs Done

F. B. 2949 PG. 227

STATION	B. S.	H. I.	F. S.	ELEV.		
2+76 7		1219 41	8 6	1210 8	✓	btm. dk.
+85 5			9 1	1210 3	✓	top bk.
+95 2			14 8	1204 6	✓	btm bk.
3+00			15 1	1204 3	✓	Gnd.
+07 2			15 2	1204 2	✓	top bk.
T.P.	-10	1199 21	19 2	1200 2	✓	top of 1"+h @ Sta. 3+17 4
3+17 4			0 5	1198 7	✓	btm bk.
3+25.48			0 7	1198 5	✓	1"x2" stk. (Obl.-) Fg. 223
+28 0			0 8	1198 4	✓	top bk.
+33 3			4 4	1194 8	✓	btm bk.
+42 3			4 4	1194 8	✓	top bk.
+50			7 9	1191 3	✓	Gnd.
+53 7			10 1	1189 1	✓	btm bk.
+62 4			10 0	1189 2	✓	top bk.
+75			13 6	1185 6	✓	Gnd.
+80 7			16 7	1182 5	✓	btm bk.
+89 9			17 0	1182 2	✓	top bk.
T.P.	5 7	1187 0	17 9	1181 3	✓	1"x2" stk. @ Sta. 3+93
4+00			8 3	1178 7	✓	top bk.
+01			10 5	1176 5	✓	btm bk.
4+10 03	(BM)		11 1	1175 9	✓	BM "4+10 03" Elev 1176.0 FB 2949-20

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 7747 Pg. 218 | Job No 20160 | Division No | Notes Red | Plotted | No. | Profile
Survey of Photo Checking Line - Lyr Alignment | Date | Date | X-Sec.
Survey by R.T. Mikkelsen | Notes Chkd | Checked C. R. Goss
Indexed C. Johnson | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
					BM 4+10 03 (cont'd.)	
					Cal. Coord Ctl. System Zone 7	
					4,174 434.98 N - 4,284,775.01 E	
					(City of Monrovia, Cloverleaf Co., nr. "Carters" Ho.)	

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Aux Arbor Lum
JN 0016.0 Tape 176 Std 84 °F
Surveyed by R.J. Mitchell
Notes Mitchell Date 12/58
Indexed C. Johnson

F. B. 7749 Pg. 229

Line "D"

W.S. 45-D-3

1)	5°	54	10	1)	122	34	40	1)	4°	15'	50"
4)	23	37	50	4)	130	18	30	4)	17	03	40
6)	35	26	40	6)	15	28	00	6)	25	35	30
A-)	5	54	26 2/3 ✓	A-)	122	34	40 ✓	A)	4	15	55 ✓
								Δ:	4	16	00

P.H. CTL. PT. "D"
1" I.P. w/ 4th Galv. I. Cap
(Pg. 174 ~ Elev. 1407.6
N-4,176,519.94 E-4,284,186.95)

2+44.42 Set 1x2 Stn. at ran. dist. for Photo checking Line

2+75 to Pt

(10 38.18 ℄ Coords.)

TRAV. STA. K-4-A
Sta. C.S. Trav. Sta. Mon.
Pg. 171 ~ Elev. 1566.8
(N-4,175,381.87 E-4,285,831.81)

TRAV. STA. K-4
Sta. C.S. Trav. Sta. Mon.
Pg. 172 ~ Elev. 1318.3
(N-4,175,481.79 E-4,284,177.89)

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #247—3-57

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0016.01 Division No.
No. Date Date Survey of Photomap Checking Line Lev. Alhambra
X-Sec. Notes Chkd. Checked C. R. GOSS Survey by Mitchell Notes Mitchell Date Dec. '58
No. Date Date Map No. Indexed C. Johnson Date F. B. 2249 Pg. 231

STATION	B. S.	H. I.	F. S.	ELEV.		
					PROFILE LEVELS ALONG PHOTOMAP CHECKING LINE FROM "D" GOING SOUTH	
					SEE PAGE 229	
BM "D"	08	1408 41		1407 6	BM "D" ~ Elev 1407.6 FB 2249-174 -201	
					Calif Coord. Ctl. Sys. Zone 7	
					4,176,519.94 N ~ 4,284,185.95 E.	
					(City of Monrovia ~ Sly Spur of	
					Glenoaks Pk.)	
0+00			09	1407 5	Grnd @ "D"	
0+25			14	1394 0	Grnd	Rock
TP	04	1389 3	19 5	1388 9		Rock
0+50			7 4	1381 9	Grnd	
TP	01	1370 1	19 3	1370 0		Rock
0+75			3 5	1366 6	Grnd	
1+00			13 7	1356 4	"	
TP	02	1350 7	19 6	1350 5		Rock
1+25			2 6	1348 1	Grnd	
1+50			10 4	1340 3	"	
1+75			17 4	1333 3	"	
TP	02	1331 7	19 2	1331 5		Rock

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2749 Pg. 232 Job No. 0016.01 Division No. Notes Red. Plotted
Survey of Photo Checking Line ~ Fox Alhambra Date No.
Survey by R.T. Mitchell Notes M. Fehell Notes Chkd. Checked G. R. GOSS X-Sec.
Indexed C. Johnson Date Date Date No.
Profile

STATION	B. S.	H. I.	F. S.	ELEV.		
		1331 7				
2+00			4 5	1327 2	Grnd	
2+75			11 3	1320 4	"	
TP	3 2	1316 7	18 2	1313 5	1x2 stk (Ch. #.)	See page 229
2+50			5 5	1311 2	Grnd	
2+75			15 3	1301 4	"	
TP	14 8	1319 2	12 3	1306 9		1x2 stk
K-4			1 2	1318 0	C.S. Mon. ~ See page	
BM "2+44 42"			5 7	1313 5	BM "2+44 42" Elev = 1313.8 FB 2749	201
					Cal. f. Coord Ch. Sys. Zone 7	229
					4,176,276.11 N ~ 4,284,202.25 E	
					City of Monrovia ~ Spur South	
					from Chamshell Pk.	

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of LUX ARBORETUM
JN 0054.00 Tape / Std B4 °F
Surveyed by R.J. Mitchell
Notes Mitchell Date 12/58
Indexed C. Johnson 6-17-59

F. B. 7149 PG. 233

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-58

SURVEY SHOWING
THE REESTABLISHMENT OF THE TRANSIT LINE
ALONG
LOWER CLAMSHELL TRUCK TRAIL
(WHICH IS A PORTION OF THE BOUNDARY)
FOR
LUX ARBORETUM
JN 0054.00

Mitchell
Smiley
Bustrum
Merino

December 1958

REFERANCE: Pages 21-23 & Pages 31-37

NOTE: Since The Transit Line was established in 1956 Rd. maintenance activities have removed all the points except. TRL 34 (pg. 23) It is the purpose of this survey, then, to reset these points as elements of the boundary of Lux Arboretum

F. B. 2449 PG. 234

Contd on page 235

1) 110.35 @ Lcr (T=78°) = 110.35
2) 110.35 @ " " = 110.35
Avg = 110.35

O+86.89 Rec. Bng. Set 1" IP cen. pt. Co. Engr. TS & TL dg. 6" at adj. dist. & brng from No. 1. (compass rule adj.)

0.01 N 22° 39' 00" E

Sta. 0 @ Rec. Bng. & dist. from TR & TL as per pg. 32.

69° 51' - 00"

TR AV Set 10.35

LOWER TOPANGA CANYON ROAD

S 86° 51' E

See page 26 of FB 2384

91° 11' - 10" Set

T 1 N. R 11 W.

SEC. 14

N 88° 36' - 30" E

TRANSIT LINE THROUGH CTR. OF SEC.

Set 16.08

TR/L 1" IP 0.38 pcr pg 24

O+00 87.38 Back Rec. Bng. & dist. from TR & TL as per pg 24 & 32. Is bent pt. & Transit Line on a 76.08 ft. brg. from TR/L as per pg 29 (also Engr. Tr.)

TR/L 2.9 for 1" x 2" stk. pcr pg 21

TR/L 1" IP 2.24 pcr pg. 20

TR/L 1" IP 0.22 pcr pg 18

1)	93.78 @ 33 43 10 (T=84°)	=	78.00	1)	97	11	10
2)	93.20 @ 33 10 40	"	= 78.01	4)	28	44	40
	Back Avg = Less Difference		= 78.00	6)	223	07	00
			= 1.92	Avg	97	11	10
			= 76.08				
1)	86.89 @ Lcr (T=82°)		= 86.89	1)	159	51	00
2)	86.90 @ "		= 86.90	4)	279	29	00
	Avg.		= 86.89	6)	239	06	00
				Avg	159	51	00

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles
COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of Lux Arboretum
Map No.	JN 0058,00 Tape Std 84 °F
Office Work	Surveyed by R.S. Mitchell
Checked	Notes Mitchell Date Dec, 58
Date	Indexed K. C. Johnson

F. B. 244 Pg. 35

contd on page 236



Contd from page 234

1)	224	19	20	1) 120.62 @ Lev	(T = 76°) =	120.61
2)	177	17	20	2) 120.63 @ "	=	120.62
3)	265	56	10		=	120.61
4)	229	19	21 2/3	Back Sta =	Less Diff =	0.96
Sub.	135	40	40			119.90

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

765095 CE #247—7-58

F 2049 Pg. 236

contd. on page 237



Contd from page 235

1) 210.77 @ Ler (Δ=76°) = 210.76
2) 210.98 @ " " = 210.77
Rhd. = 3.51
Total = 214.27

1) 155 09 50
2) 260 39 20
3) 210 59 00
4) 155 09 50

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of Lux Arboretum
Map No.	JN 005400 Tape Std. 84 °F
Office Work	Surveyed by Mitchell
Checked	Notes Mitchell Date Dec. '58
Date	Indexed C. Johnson

F. B. 1149 Pg. 237

Rd 4

NOTE: For additional data in this area see FB 2384 - FB ~~2382~~ - 77

on Rp 238

5+31.41 Rd. 4 Set 1" I.P. com. pl. Co. Engr. tg. & tk. drg. 12" S & adj. dist. & brg. from nail.

Set 0.04 N. 22-39-00 E.

Set m. at Rec. Brg. & d. ft. from TR & L 2384 Pet. pg. 34

LOWER CLAMSHELL

127.50 Set

67° 45'

50"

Set

R 1427

TRUCK TR

T 1 N. R 11 W

SEC. 14

Cont'd.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

1) 131.22 @ 7°09' (T=46°) = 130.18
2) 131.08 @ 6°41' (") = 130.17
Avg. = 130.17
Back = 2.67
Total = 127.50

1) 61 45 50
4) 247 03 20
6) 10 35 00
Bk) 61 45 50

Cont'd. from Rp. 236

F. B. 1949 Pg. 238



Set 0.05 N22°39'00"E

Set 3" IP cem'd in Co. Engr. TP Elev. 6" dia adj. dig'd brng fr. nail

1) 297.62 @ 4°54 (T=72°) = 296.55
2) 297.73 @ 5°09 " = 296.51
1) 41.93 @ Rec (T=70°) = 41.93
Total = 338.44
Less (Bas=2) = 0.25
Difference = 338.19

1) 165 10 00
2) 300 40 10
3) 271 00 00
4) 165 10 00

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of Lux Arboretum
Map No.	JN 0054.00 Tape Std 84 °F
Office Work	Surveyed by Mitchell
Checked	Notes Mitchell Date Dec. '58
Date	Indexed C. Johnson

F. B. [illegible] P. G. 239

Contd from page 238

Bd 6
Set 1" IP cem flk
Co. Engr. Tag & Tk
on E'ly edge
dist & brng from
nail & brng from

0.08 N 22 39 00 E

TRUCK TR.

338.59

LOWER CLAMSHELL

132.64
set

Contd on page 240

207° - 18' - 30"
set

Set n of Rec. Tk
Edist from Tk
per pg 35

T.1N R.2W

1) 135.00 @ 6:51 (T = 72°) = 134.03
2) 134.83 @ 6:11 " = 134.04
Less Avg = 134.03
(Back)
Difference = 132.39

1) 207 18 30
2) 109 12 00
Avg 158 15 15
1) 207 18 30

Notes: Any Additions or Changes on This Sheet Must Be Made or Circled In Red, Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-58

F.B. D7[illegible] Pg. 240

Rd 7 68

16+29.74
Rd 7
Set 1" IP cen. pl.
Co Engr. 7955 Tie dn 6"
at adj. dist & brng. fr.
no. 1

Contd from page 239

TRUCK TR.

0.09 N22 39 00E

132.64

SEC. 14

LOWER CLAMSHELL

157.20 set

Set nail at Rec Brng & dist. from Trk. 29A Fig. 36

129° - 08' - 45" set

T4N R11W

Contd on page 241

Note: For additional data — this area — see: F.B. ~~2342~~ 2384 - 68

1) 157.82 @ 5° 26	(T=66°) =	157.09	1)	129	08 40
2) 157.74 @ 5° 06	" =	157.09	2)	154	33 00
A-1 Abd.	=	157.09	3)	54	51 30
Total	=	157.20	4)	129	08 45

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Lux Arboretum
JN 20 5400 Tape Std 84 °F
Surveyed by Mitchell
Notes Mitchell Date Dec '58
C. Johnson
Indexed

F. B. 2049 P. 241

Contd from page 240

Rd 8

12 + 86.94
Rd 8
Set 1" IP c&m pkl
Co. Engr. 73.57K
dig 6" at edge of dist
Ebmg from Ln. of

TRUCK TR.

157.20

LOWER CLAMSHELL

Set
0.10
N 22° 39' 00" E

Set nail at Rec
Bmg & dist from
TR'L 29 ft per

167.38 Set

202° - 08' - 05" Set

Contd on page 242

A)	172.59	@ 10° 26	(T = 62°)	= 168.72	1)	202	08	00
B)	172.39	@ 10° 03	"	= 166.73	4)	88	32	30
				= 168.72	6)	132	48	30
	Less	A) (Back)		1.34	A)	202	08	05
		Difference		= 167.38				

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

78F3095 CE #247—3-57

F. 2049 Pg. 242



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Lux Arboretum
Map No.	JN 0016.01 Tape 13 Std 84 °F
Office Work	Surveyed by R. J. MITCHELL
Checked	Notes R. J. MITCHELL Date 6/59
Date	Indexed C. Johnson

F. B. 2442 Pg. 243

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

SURVEY SHOWING MONUMENTS SET AT OR ALONG THE N. LINE - E. LINE - NE CORNER OF SECTION 14 T1N - R11W FOR LUX ARBORETUM JN. 0016.01

Mitchell, R.J.
Smiley, L.C.
Bistrum, M.L.
Rodriguez, R.R.

June 1959

SEE INDEX ON PG 93

76F3098 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 45-D-2



Notes Ck'd by	Survey of Lox Arboretum
Map No.	JN 0816.01 Tape 2-3 Std 84 °F
Office Work	Surveyed by R. L. MITCHELL
Checked	Notes R. L. MITCHELL Date
Date	Indexed C. Johnson

B. 7149 Pg. 245

W.S. 45-D-2

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

Cont'd. fr. R 2 44

R=3773.53' E-19 53+61.13 1+2 103.130

53+45.70 12°22'28" 1+2 103.105

2+709.34 N 53+61.24 W

NE cor Sec 14

Sec 13 & 14 Calculations See page 246 for top of this

COUNTY ENGINEER T1N R11W SEC 14 1959 R.E. 5869

S11 S12 S14 S13

56-17-40" set

8-38

8-38

8-30

66-08-30"

SECTION LINE

T1N R11W

126.13

R 11 W

Same

20+68.79 E-13 1+2 Ahead P9 149

20+12.51 Set Std. C.S. Br. Cap Mon. on crest of ridge by fence. Brs. N.E. 1.5 E. Set 2" I.Grand Pipe 4.4 3 ft. @ 3 ft. S. of Mon. & Mkd. Stake .5 E.T. TO MON

R 11 W Pg. 155

0+00 North 0+00 East E. 14 COR 2" Pgs 10, 11, 124

(Mid. chann. in each trace)

1) 98.92 @ 26°00 (T= 80°) = 85.31
2) 95.24 @ 26°22 (") = 82.33
Avg = 83.82
Less (Back Diff. = 3.44
80.38 Set

1) 137.51 @ 23°27 (T=64°) = 126.14
2) 137.77 @ 23°44 " = 126.12
Avg = 126.13

1)	66	08	40	1) 56	17 40
2)	69	33	50	2) 225	10 30
3)	36	51	00	3) 337	45 50
Av.	66	08	30	Av) 56	17 38 1/3

COUNTY ENGINEER T1N R11W SEC 14 SEC 13 R.E. 5869

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 45-D-2




W.S. 45 - D-2, C&D-3
Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of Los Alberetum
IN 6/16/61 Tape 126 Std. 82 °F
Surveyed by R.T. Mitchell
Notes Mitchell Date 6/59
Indexed C. Johnson
F. B. 2249 Pg. 24
NW cor Sec 14
478.13 C.S. Mon Pg 48
W 1/4 C C.S. Mon Pg. 27
T1N R11W
CADASTRAL TIE
"A" C.S. Mon Pg 27 FB 2249
30°-50'-35"
12°-29'-15"
18°-21'-00"
99°-43'-10"
68°-52'-45"
74°-25'-05"
16°-51'-30"
1656.94
W 1/4 Cor Sec 14
K-4 C.S. Mon FB 2249-
K-4A C.S. Mon FB 2249-163
RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Notes: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.
783008 CE #247—7-58

2149
B [illegible] Pg. 248

1) 18 21 00	1) 12 30 00	1) 30 50 20	
2) 73 24 00	4) 49 59 00	4) 123 24 10	
3) 18 05 50	5) 74 56 20	4-1) 30 50 32 1/2	
4) 18 20 58 1/2	4-1) 12 29 43 1/2	6) 185 03 20	
		4-11) 30 50 33 1/2	

NOTE:

Angles of K-4-A (see pg 247) returned by H.R. Stock using Wild T-2 Directional Instrument 8 positions of Horiz. Circle with following results:

FROM K-4 to 4-B1.15 — 57° 27' 34.5"

From K-4 to W 1/16 COR — 74° 25' 01.1"

7/59 R.J.M.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3098 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

[redacted] Additions or Changes on This Must be Made or Circled in Red With Date and Name of Person Making Change.

Do not extend notes this side of this line.

VERTICAL ANGLE BENCH MARKS

INSTRUMENT STA	INSTRUMENT HEIGHT (=B.S.) +	SIGHT ON STA	SIGHT ON ROD −	VERT. ANGLE ±	VERT. ANGLE °	VERT. ANGLE ′	VERT. ANGLE ″	DISTANCE HORIZ	DISTANCE VERT	DIFF IN ELEV CALC.	DIFF IN ELEV ADJ	ELEV	NOTES
K4A	4.8											1566.8	
		4+81.5	1.0	+	12	23	40	2862.78	+629.1	+632.9			
			9.0	+	12	33	30	~~2415.88~~	+637.7	+633.5			
		[redacted]	5.0	+	15	37	40	2585.41	+723.2	+723.0			
			9.0	+	15	43	50		+728.2	+724.0			
R4L7													
		4+81.5		−				860.43					

Survey of Lux Blueprint
JN 2266 Tape 101 Std. PE of
Surveyed by R.J. Mitchell
Notes M. Mitchell Date Feb. 59
Indexed C. Jordan

Notes Ck'd by
Mapp No.
Office Work
Checked
Date

F.B. 2449 Pg. 11
Contract from page 202

Notes Ck'd by		Survey of	
Map No.		JN	Tape Std °F
Office Work		Surveyed by	
Checked		Notes	Date
Date		Indexed	

F. B. PG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

SURVEY OF
LUX ARBORETUM

CONTINUED IN
FB 2384

763098 CE #247—7-53

F. B. Pg.

Job No. Division No. Notes Red. Plotted Profile

Survey of Date Date

Survey by Notes Notes Chkd Checked

Indexed Date Date Date No.