Survey of
JN Tape Std 'F
Surveyed by
Noies Date
Indexed

F.B. 2290 Pg.

Job	Description
	LOS VERDES GOLF COURSE 0055.06
Index	
Bdry.	Survey of Golf Course.
Bdry.	Bdry. survey.
Align.	Proposed location of accessrroad.
Align.	Add'l align. of access road.
B.M.	Bench levels.
Prof.	Of access road.
B.M.	Bench levels.
Loc.	Location of test holes-8892.02.
Tie	From W'ly bdry to sewer line in Via Rivera Street, Tr. 23943, M.B. 649-43, 47.
B.M.	Bench levels for sewer inverts in Via Rivera St.
Loc.Imp	Loc. sanitary sewer C.L. 3 ft. south of N'ly line of Lot 15 per Tr. 23944 to int. of W'ly bdry line.

Microfilmed March 86

(cont'd on next page)

F.B. 2290 Pg.

Page	Job	Description
179-183	Prof.	Profile on C.L. Sewer Line.
185-188	Elev.	Vertical control for Entrance Rd.
189-194	Cont.	Establishment of Coordinate Grid lines. Control for P.T. Sheets D-436-2, D-436-3, & D-436-4.
195-198	Elev.	Vertical control for P.T. D-436-2, 3,4.
199-246	Cont.	Coordinate system.
251-260	C.L.	Of Hawthorne Blvd. from Dupre Dr. to Vallon Dr.
261-264	Bdry.	Survey on Los Verdes Golf Course Park Section.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
405 Los Angeles County Engineering Bldg.

Do not erase this side of this line.

Water Agcy. Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change

Notes Ck'd by Goss	Survey of PV Golf Course	F. B. 2290 Pg. 5
Map No. R 2441	W. O. 0055.06 Tape No. 140 Std. 84 °F	
Office Work R. L. GREEN	Surveyed by M. A. Van Deren	
Checked Goss	Notes Van Date 8-2-57	
Date Feb. 1958	Indexed E. C. Johnson OCT 1 57	

J.N. 0055.06

PALOS VERDES GOLF COURSE BOUNDARY LINE SURVEY

300' Tape #140 Std @ 84° used on this Job

Reference see FB 543-32-33-34
C.S.B. 1022-2-Sheet #4 Hawthorne Ave Southwest portion
Engineering Service Corp. - Search Map of Palos Verdes Golf Course #1

8-2-57
M.A. Van Deren
E. Landa

J. Bazen
R. Turrill
B. Nunez

H.C. 64-41

RETURN TO LOS ANGELES COUNTY SURVEYOR 726 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3098 SAE #247. 8-54

F.B. 2290 PG. 6

INDEX



To Rt of 67

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss
Map No. B-2441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of PV Golf Course
W. O. 6555-06 Tape No. 90 St'd. 84 °F
Surveyed by M. A. Vanderen
Notes Van Date 8-2-57
Indexed R. C. Johnson

F. B. 2290 Pg. 7

To bot pg 8

To Lt pg 8

INDEX

P-21 = pg 34
P-22 = pg 35
P-23 = pg 36
P-24 = pg 37
P-25 = pg 38
P-26 = pg 39
P-27 = pg 40
P-28 = pg 40
P-29 = pg 41
P-30 = pg 41
P-9 = pg 22
P-8 = pg 21
P-7 = pg 20
P-6 = pg 19
P-5 = pg 18
P-4 = pg 18
P-3 = pg 17

San Rodeo Hills 2 49
Dza-Buxton

To K2-ECC #2

From K1 pg 6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3008 SAE #247. 8-54

F.B. 1190 Pg. 8



RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss	Survey of P/ Golf Course
Map No. B 2441	W. O. 6055.04 Tape No. 140 St'd. 84 °F
Office Work R. L. GREEN	Surveyed by M. A. VanDeren
Checked Goss	Notes Var Date 8-1-57
Date Feb. 1958	Indexed A. C. Johnson

F. B. 2290 Pg. 9

P.O.S.T. Golf Course Set 3/4" I.P. & cap Flush on line prod. for tie to Geodetic Mon. See FB 753-27 for angle.

To San Pedro Hills R-9 ECC & R

W.S. 22

To R.R. on track

To Pg 10

317.76 Chn Rec

Rec & Turned

132°

50'

30"

122.90'

25° 26' 03" 153'

124° per FB

P.O.T. found axel 3" dp = 336+95.74 per FB 543-39 used for line

317.76 level T=84 = 317.76 ✓

(50') (50')

1 - 132° 56' 30"
4 - 171° 46' 00"
= 132° 56' 30" ✓

374.72 level T=84°
= 374.72 ✓
122.98 @ 1-56-00" T=76
= 122.90 ✓

CREST ROAD

374.72 Chn 374.61 Rec

P.O.S.T. Found axel 3" dp. per FB 543-34 used for line

Fd no evid of 2" I.P. per FB 543-34

49.98

50.05

215.03

To Pl.

Fd no evid of 2" I.P. per FB 543-34

To Topg 24

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 2290 Pg. 10

W.S. 27

from 17 p 9

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



710.62 level T = 84°
= 710.62 ✓

1- 87° 19' 50"
4-349° 19' 20"
= 87° 19' 50" ✓

131.62 @ 4-19-30 T = 84
= 131.25

To Tap pg 11

Notes Ck'd by Goss	Survey of P.V. Golf Course
Map No. B 2441	W. O. 6055.96 Tape No. 190 St'd. 54 °F
Office Work R. L. GREEN	Surveyed by M. A. VanDercen
Checked Goss	Notes Van Date 8-1-52
Date Feb. 1958	Indexed C. Johnson

F. B. 2290 Pg. 11

From bot pg 10

W.S. 27-B-4

TRA pg 14

To Control pt "A" Tline

To 1x2 147.16

90°00'00" (50') From P.O.T. Ax Ft (50')

P.O.T. set Spk & W on Calc dist From P.I. #62

149.095 @ 9°13'00" T= 76 = 147.16

90°00'00"
360°00'00"
90°00'00"

CREST RD

℄ 710.62 Calc
710.47 Rec

Fd 2" I.P. Plug & nail 4" dp. per FB 543-32 LB 776-153 0.11

49.93

P.O.S.T. Found ax & 3" dp per FB 543-32 used this point for line

199.40 T= 84=199.40

222.67 T=84 = 222.67

222.67 Calc

199.40 Rec
199.29 Rec

165°47'00"
303°08'20"
= 165°47'05"

165° 47' 05" Rec

165° 47'

P.I. #62 Found old white top 2x2, 14" dp, with no nail. I believe this is the 2x2 that was set by L. D Moore in 1993 per FB 543-32 Set nail in 2x2 by int holding to the axcls, found on ℄ of Crest Rd. It checks the P.I. angle good, but not the Semi Tangent distance

199.51 Calc

199.51 T= 84° = 199.51

236.42 T=84 = 236.42

Spk & W on ℄ Axcl

To Top pg 12

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 S&E #247. 8-54

F.B. 2290 Pg. 12



From bot pg 11

199.51 From B1 #2

236.42 From B1 #2 calc

Fd 2" I.P. plug & nail 10" dp per FB 543-32

49.97

50.02

Fd 2" I.P. plug & nail 6" dp per FB 543-32

R.O.S.T. found axel 3" dp per FB 543-32 used For line

P.O.T. Set Spk & W on calc dist From B1 #2

To P.O.T #2 197.32

To Control pk "B" & line

202.615 @ 13°07'00" T = 72 = 197.32

To PI pg 13

90°00'00"

360°00'00"

90°00'00"

600.92 T = 84°-60 92

600.92

600.75 Rec

CREST RD

(50')

(50')

Fd 2" I.P. plug & nail 8" dp per FB 543-32

50.01

0.02

0.04

50.00

P.O.T. Found axel 3" dp per FB 543-32 used For line

Fd 2" I.P. ng plug 14" dp used Center per FB 543-32

W.S. 27-B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss	Survey of PV Golf Course
Map No. B 2491	W. O. 6055.06 Tape No. 140 Std. 84 °F
Office Work R. L. GREEN	Surveyed by M. A. Van Deren
Checked GOSS	Notes Van Date 8-2-57
Date Feb. 1958	Indexed C. Johnson

F. B. 7290 Pg. 13

W.S. 27 - B-4

To bot pg 14

110.85 @ 7°15'00" T=76 = 109.95 ✓
287.97 @ 7°10'00" T=76 = 285.70 ✓
115.29 circ T=80 = 115.29 ✓
510.94 ✓

72°54'50"
291°39'10"
= 72°54'47½" ✓
126°47'30"
147°09'50"
= 126°47'27½" ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Control point "B" Set 1½" sq. TK flush Per Cal. Div. Hwys. From

PROPOSED HAWTHORNE BLVD

(50)

(50)

℄

510.94 ✓
510.96 Rad

To ¾" I.P. = P.B.T. Boundary Line

120°

54' 50" ✓

260

From TP #14

197.32 ✓ From St'ly ℄ Line

30°00'

40.79

50.00

11.00

P.O.T. Set 1x2 TK

P-1. Set ¾" I.P. Cond. P.L. & 769.11 Avg. ℄ Hawthorne Blvd. 1.0' from Stake & 1.5' from rock. This point due to rocks. Set 2" x 2" top marker 0.2' ± E'ly of 3/4" pipe.

88°38'09" Rad

To ¾" I.P. = P.B.T. Boundary Line

To Top pg 16

47' 30"

76F3008 SAE #247. 8-54

F.B. 2290 Pg. 14

W.S. 22-B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

ROUTE

COUNTY ENGINEER 6985 P-34 R.E.

3/4" I.P. replaced with C.S. B.C. Cap Mon. Flush and stamped as shown Set 2" high. Pipe S. 1.19 & E. 4.74 Mon. 10114-57 Van Dorn

BLVD

644.21 Rec To P-33

Boundary Line

To P-33 Chord Tie

147.16

From S.W. R'line

590.59 calc

50.00

90°00'00"

Control point "A" Set 1x2 Tk on Calc dist From @ Ccrst Rd

PROPOSED HAWTHORNE

P-33 Set 3/4" I.P. Calc'd "Op" of Tg

From Top P9 15

From Top P9 11

10"

20"

92° 52' 59" calc & Turned

138° 59' 20"
195° 57' 20"
138° 59' 20" ✓

92° 52' 20"
11° 28' 40"
92° 52' 10" ✓

60'

60'

From Top P9 13

From P-1 3/4" I.P. 510.94
510.96 Rec

Notes Ck'd by GOSS	Survey of PV Golf Course
Map No. 8-2941	W. O. 6055.04 Tape No. 140 Std. 89 °F
Office Work R. L. GREEN	Surveyed by M. A. VanDeren
Checked GOSS	Notes Van Date 8-2-57
Date Feb. 10 59	Indexed C. Johnson

F. B. 2292 Pg. 15

W. S. 27-B-4

181.75 @ 8°00'00" T=76 = 179.97 ✓
300.385 @ 7°05'00 T=76 = 298.07 ✓
112.55 level T= 89° = 112.55 ✓
590.59 ✓

1- 66° 29' 00"
4- 265° 56' 10"
= 66° 29' 02½" ✓

564.22 T=84 = 564.22 ✓

PROPOSED HAWTHORNE BLVD

COUNTY ENGINEER P-39 R.E. 5886

3/4" I.P replaced with C.S. Br. Cap Mon Flush and stamped as shown. Set 2" white top marker pipe 5' long 2'± Elg of Mon. 10-19-57 Van Deren

P-33 Set 3/4" I.P conc plug & tag 16" dp

(50') ℄ (50')

644.21

Boundary line

564.22 ✓ Rec To P-32 Ech

From RT pg 14

From P-34 Boundary line

590.59 ✓ Calc

From P-34 Chord line

66° 29' 05" ✓ Turned
66° 29' 29" Rec

From Tie pg 32

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 SAE #247. 8-54

F.B. 2290 Pg. 16

From bot pg 13

198.655 @ 3°01'30" T= 80 = 198.37 ✓

184.15 @ 7°43'00" T= 78 = 182.47 ✓

300.72 @ 5°16'00" T= 78 = 299.49 ✓

123.32 level T= 80 = 123.32 ✓

74.70 " T= 80 = 74.70 ✓

5.59 " T= " = 5.59 ✓

883.89 ✓

W.S. 2.7

From P-1

Boundary line

883.89 Rec ✓

199.955 @ 2-15-30 T= 72 = 199.78 ✓

100°

35'

40"

25" ✓

58'

59°

720.70 ✓ To P-31

Rec

℄ line

P-2 Set 3/4" I.P. conc plug & Tag 5" dp in sandstone rock

199.70 ✓

1- 100° 35' 40"

4- 42° 22' 40"

= 100° 35' 40" ✓

1- 159° 58' 25"

4- 279° 53' 40"

= 759° 58' 25" ✓

300.93 @ 10°35'00 T= 74 = 295.79 ✓

300.18 @ 6°04'30" T= 74 = 298.97 ✓

126.44 Level T= 84 = 126.44 ✓

720.70 ✓

P.O.T "2A" Set 3/4" I.P. Conc plug & Tag 1/2" dp on South side of dirt rd

563.00 Rec

Boundary line

P.O.T 322.42

2B+

To P-3

To Top pg 17

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TO

Notes Ck'd by Goss
Map No. B2441
Office Work R. I. GREEN
Checked Goss
Date Feb. 1958

Survey of PV Golf Course
W. O. 8233.06 Tape No. 190 Std. 84 °F
Surveyed by M. A. VanDeren
Notes Van Date 8-9-57
Indexed C. Johnson

F. B. 2290 PG. 77

From bot pg 16

W. S. 27 - 8-4

00"

01'

P.O.T. "2B" Set 3/4" I.P. conc plug & Tag 4" dp on side hill

322.42 From P.O.T. 2.49

From P-2

563.00 Rec

D-3 Set L & T 99 14" dp. in Sandstone rock

40.80

112.15

To Top Pg 18

P.O.T. 3.0' Set 3/4" I.P. conc plug & Tag Flush on top of Fill 4.0'

To P-4 103.85

To P-4 216.00

RR# 913147E

20"

01'

16 4°

830.63

867.56 Rec

To P-25 T Line

To P25 36.93

P.O.T. Set 1X2 & Tk Flush on brk in slope

1- 118° 01' 00"
4- 112° 04' 00"
= 118° 01' 00" ✓

1- 164° 01' 20"
4- 296° 05' 16"
= 164° 01' 17½" ✓

255.37 @ 1°41'30" T=78° = 255.25 ✓
67.17 level T=78 = 67.17 ✓
322.42 ✓

40.80 level T=78 = 40.80 ✓

113.08 @ 7°21'00" T=80° = 112.15 ✓
103.85 level T=80° = 103.85 ✓
216.00 ✓

295.225 @ 8°31'00 T=72° 291.95 ✓
299.73 @ 5°46'00 T=72° = 298.19 ✓
159.71 @ 5°08'00 T=72 = 159.06 ✓
83.08 @ 11°23'30 T=72 = 81.43 ✓
To P.O.T. 830.63 ✓

36.93 level T=78 = 36.93 ✓

To RT pg 38

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F309S S&E #247. 8-54

F.B. 2290 Pg. 18

From Lt pg 17

186.44 @ 6-17-00 T=78° = 185.31 ✓

63.27 level T=78 = 63.27 ✓
69.54 @ 6-27-30 T=78 = 69.10 ✓
36.57 level T=78 = 36.57 ✓
85.38 level T=78 = 85.36 ✓
254.30 ✓

15

1- 145° 43' 20"
4- 222° 52' 50"
= 145° 43' 12½" ✓

1- 147° 31' 00"
4- 230° 04' 00"
= 147° 31' 00" ✓

1- 46° 30' 10"
4- 186° 00' 20"
= 46° 30' 05" ✓

1- 72° 30' 26"
4- 290° 01' 30"
= 72° 30' 22½" ✓

P.O.T. "4A" set 3/4" I.P conc plug & Tag flush in Mound of rock on side hill

P-4 set 3/4" I.P. Conc plug & Tag 10" dp

P-5 set 3/4" I.P conc plug & Tag 10" dp

P.O.T. "5A" set 3/4" I.P. Conc plug & Tag 4" dp

From Rat "B"

Com P-3

W. 6, 27 -13-4

103.85

216.04

185.31

439.63

254.32

304.07 ✓

1002.17

1026.65 ✓

To P-6

926.95 ✓ To P.O.T.

985.67 ✓ To P-24 ℄ line

1090.05 ✓

To P-23 ℄ line

To RT pg 36

To pg 19

260.44 @ 6-44-00" T= 80 = 258.63 ✓
45.49 level T= 78 = 45.44 ✓
304.07 ✓

226.66 level T=78 = 226.65 ✓

260.335 @ 8-34-00" T= 78° = 257.42 ✓
88.24 @ 8-07-30" T=78 = 87.35 ✓
299.94 @ 6-39-30" T=78 = 297.91 ✓
299.13 @ 4-58-00" T=78 = 298.00 ✓
149.37 level T=84 = 149.37 ✓
1090.05 ✓

245.495 @ 8-27-30" T= 82° = 242.82 ✓
298.90 @ 4-33-00 T= 82° = 297.96 ✓
299.33 @ 4-32-00 T= 84 = 298.39 ✓
64.885 @ 9-33-30 T= 84 = 63.98 ✓
23.80 level T= 84 = 23.80 ✓
926.95 ✓

46° 30' 05" ✓

72° 30' 22½" ✓

47°

31'

00"

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss	Survey of PV Golf Course
Map No. 82441	W. O. 8855.4 Tape No. 190 Std. 84 °F
Office Work R. L. GREEN	Surveyed by M. A. VanDerca
Checked Goss	Notes Van Date 8-57
Date Feb. 1958	Indexed C. Johnson

F. B. 2290 Pg. 19

W.S. 22 - B-4

To bot pg 20

1- 159° 15' 40"
4- 227° 02' 40"
159° 15' 40" ?

603.00 V To P.T.
516.56 V To P.C.T.

COUNTY ENGINEER
P.C.
R.E. 5869

3/4" I.P. replaced with C.S. Br. Cap Mon. Flush and Stamped as shown. Set 2" white top Marker pipe 5' long 2'± Ely of mon. 11-22-57 M.V.D.

P-6 Set 3/4" I.P. Conc. plug & Tag 1/2" dp

159° 15' Rt. of Turned 40"

471.45 V

"Elev. 729.70?"

P.O.T. 5B Set 3/4" I.P. conc. plug & Tag 1/2" dp Set 2" white top Marker pipe 2'± Ely of Mon.

1002.17 V

471.45 level T=8.9 = 471.43 V

From P.S. 5A 226.65 V

From P.A.I.

299.32 @ 2° 28' 30" T=78 = 299.03 V
110.25 @ 9° 52' 00" T=80 = 108.62 V
91.89 level T=80 = 91.89 V
17.02 level T=80 = 17.02 V
516.56 V

From L.T. pg 18

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled in Red With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 2290 PG. 20



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss
Map No. 82491
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of PV Golf Course
W. O. 0055.06 Tape No. 198 Std. 88 °F
Surveyed by M. A. Vanderpen
Notes Van 8-57
Indexed C. Johnson

F. B. 2290 PG. 21

W.S. 22 - B-4

To bot pg 22

229.10' R

100.00'

P.O.T. 8A Set 3/4" I.P. conc plug & Tag 18" dp

276.90 ✓

P.O.T. 8A Set 3/4" I.P. conc plug & Tag 15" dp

106° 00' 40" ⊥

105.32 ✓

1- 106° 00' 40"
4- 64° 02' 40"
106° 00' 40" ✓

P.O.T. 7A Set 3/4" I.P. conc plug & Tag Flush

115.58 @ 9-12-00 T = 68 = 114.08 ✓
115.03 level T = 68 = 115.02 ✓
229.10 ✓

100.38 @ 6-31-00 T = 68 = 99.72 ✓
5.60 level T = 68 = 5.60 ✓
105.32

276.91 level T = 76 = 276.90 ✓

250.18 ✓

144.86 ✓

Eram P-7

Eram P-7

From Rt pg 20

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

75F3095 SAE #247. 8-54

F.B. 2290 Pg. 22

To bot pg 23

W.S. 27-B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

293.54 to P-10

P.O.T. 9A Set 3/4" I.P. Conc plug & Tag 18" dp

157.46

P-9 Set 3/4" I.P. Conc plug & Tag 18" dp

1-131° 25' 20"
4-165° 41' 20"
131° 25' 20" ✓

157.99 @ 4-38-00 T=70=157.46 ✓

244.24 @ 2-21-00 T=70=244.01 ✓
49.53 recvd T=70= 49.53 ✓
293.54 ✓

131° 25' 20"

R=100.905

From P-8

From P.O.T. #8 Survey

From Top pg 21

Notes Ck'd by Goss	Survey of PV Golf Course
Map No. B-2441	W. O. 2055.06 Tape No. 140 Std. 68 °F
Office Work R. L. GREEN	Surveyed by M. A. Van Dercn
Checked Goss	Notes Van Date 8-57
Date Feb. 1958	Indexed M. C. Johnson

F. B. 2290 Pg. 23

W.S. 27-B-4

To bot pg 25

1012.00 R To P-11
1012.04 CH L

To AF pg 31

88° 21' 40" Turned
88° 21.32'R

To P-18
1 line

767.73

P-10 Set L & Tag in rock Flush
Set 2" white top Marker pipe 5' long 2'± Elly of L & Tag.

60" R & Turned

64° 22'

451.00

From P-9

From P-11 293.54

1-64° 22' 30"
4-257° 31' 10"
64° 22' 47½" ✓
1-88° 21' 40"
4-353° 26' 40"
88° 21' 40" ✓

From Top pg 22

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 6-54

F.B. 2298 PG. 24

To bot pg 49

From bot pg 9

115.55 T=68=115.55

215.03 T=68=215.03

1-159°40'30"
4-278°41'50"
= 159°40'27½"





215.18 T=68=215.18

861.645 T=62=861.615

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 22-B-4

Notes Ck'd by Goss	Survey of P.V. Golf Course
Map No. 82441	W. O. 8055.06 Tape No. 14 Sr'd. 84 °F
Office Work R. L. GREEN	Surveyed by Lind
Checked Goss	Notes Lind Date 9-23-57
Date Feb. 1959	Indexed K. C. Johnson

F. B. 2290 Pg. 25

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

To bot pg 26

To P.12

270.00 ✓

COUNTY ENGINEER
P-11
R. E. 5869

3/4" I.P. replaced with U.S. Mon Flush and stamped as shown. I set 2" white top Marker Pipe 5' long 2'± N.Ly of Conc Mon. 10-16-57 Van Dervin

P-11 Set
3/4" I.P. Conc plug & tag 18 dn.

90°
100.00
50.00
Set 3/4" I.P. & C.L. Tag 8" dn.

150° 44' 35" ✓
150° 44' 20" Rec.
turned

Δ 150° 44' 40"
Δ 242° 58' 20"
Av = 150° 44' 35" ✓

273.79 @ 76° 2' T = 76 = 271.72 ✓
282.69 @ 0°54' T = 76 = 282.65 ✓
242.93 @ 2°57' T = 76 = 242.60 ✓
215.08 Lav T = 76 = 215.07 ✓
1012.04 ✓

1012.04 ✓
1012.00 Rec. To P.10

From top pg 23

76F3005 S&E #247. 8-54

F.B. 2290 PG. 26

To Rt pg 27

W.O. 27-B-4

300.60 @ 1-28-00 T=76 = 300.48 ✓
300.55 @ 3-13-30 T=76 = 300.05 ✓
300.775 @ 2-44-00 T=76 = 300.71 ✓
259.22 @ 5-24-30 T=76 = 258.05 ✓
1158.99

To P-13

1158.99 ✓

3/4" I.P. replaced with C.S. Conc Mon Flush. and Stamped as shown below. Set 2" White top Marker Pipe 5' long 2'± N. of Conc Mon 10-16-57 Van Deren

COUNTY ENGINEER
P-12
R.E. 5869

68° 37' R=Tan 853.58

To Rt pg 30

P-12 Set
3/4" I.P. Conc. plug, 4 tag 16 dn

To P-17

853.58 ✓

℄ Line

1- 93° 51' 20"
4- 15 25 30
Av = 93° 51' 22½" ✓

93° 51' 22½" ✓
R=3 M.

1- 68° 37' 40"
4 274° 30' 00"
68° 37' 37½" ✓

270.00 ✓ To P-11

256.23 @ 2°11' T=70 = 256.02 ✓
13.98 Lev T=70 = 13.98 ✓
270.00 ✓

From Top pg 25

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 27 - A-4

Notes Ck'd by Goss	Survey of P.V. Golf Course
Map No. B-2441	W. O. 0055.06 Tape No. 140 St'd. 84 °F
Office Work R. L. GREEN	Surveyed by Lund
Checked Goss	Notes Lund Date 9-23-57
Date Feb. 1958	Indexed C. Johnson

F. B. 2190 Pg. 27

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

To R T pg 53

Top 1x2 on 5' offset line

Tie line to 5' offset line on S. line Tr. #7932

℄ line 185.97

147° 57' 40" ✓

COUNTY ENGINEER
P-13
R.E. 5869

P.O.T. Set 1X2 E TK Flush. at Fence line

330.82 ✓

330.87 T=60 = 330.82 ✓

¾" I.P. replaced with C.E. Mon Flush and Stamped as shown
Set 2" white top Marker pipe 5' long 2'± N'ly on con Mon 10-12-57 T Van Deren

P-13 Set ¾" I.P. conc plug & Tag 15" dp

To R T pg 28

To P-14 209.00 ✓

1158.99 ✓ Equal P-17

Turned

56° 44' 05" ✓ Rec

236.81 ✓

93° 05' 05" Rec ✓

93° 04' 55" Turned

From top pg 26

1- 147° 57' 40"
4- 231° 50' 40"
147° 57' 40" ✓

1- 93° 04' 50"
4- 12° 19' 40"
93° 04' 55" ✓

P.O.T. Set 1X2 E TK Flush

1- 56° 44' 10"
4- 226° 56' 20"
56° 44' 05" ✓

144.84 @ 3-05-30 T= 74 = 144.62 ✓
92.20 level T= 74 = 92.19 ✓
236.81 ✓

209.00 level T=84 = 209.00 ✓

From P.O.T. 232.95

From top pg 29

76F3099 S&E #247. 8-54

F. B. 2290 PG. 28



1-136° 01' 50"
4-184° 07' 10"
136° 01' 47½" ✓

1-116° 37' 20"
4-186° 29' 40"
116° 37' 25" ✓

278.44 level T=84°=278.44 ✓
183.35 @ 3-25-00 T=76=183.01 ✓

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

W. 6, 27 - A - 4

Notes Ck'd by Goss	Survey of R.V. Golf Course
Map No. B-2441	W. O. 00055-46 Tape No. 140 St'd. 84 °F
Office Work R. L. GREEN	Surveyed by Lind
Checked Goss	Notes Lind Date 9-23-57
Date Feb. 1958	Indexed C. Johnson

F. B. 2290 Pg. 29

From bot pg 28 — to bot pg 27

From P-15 278.44 V

50° 37' 10" V
R & Turned

T line
232.95 V to P.O.T

COUNTY ENGINEER
P-16
R.E. 5869

3/4" I.P replaced with C.S. Conc Mon Flush and stamped as shown. Set 2" White Top Marker pipe 5' long 2' E'ly of Conc Mon. 10-16-57 Van Deren

107° 22' 35"
R & Turned

P-16 Set
3/4" I.P. Conc plug
& Tag 14" dp

1 - 107° 22' 30"
4 - 69° 30' 20"
107° 22' 35" V

932.00 V

To P-17

To P-18 93.30

1 - 50° 37' 10"
4 - 202° 28' 40"
50° 37' 10" V

233.46 @ 3-42-00 T = 74 = 232.95 V

932.00 level T = 84 = 932.00 V

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3098 S&E #247. 6-54

F.B. 2290 PG. 30

From Rt. pg 29



3/4" I.P. replaced with C.S. Br Cap Mon Flush. and stamped as shown. Set 2" white top marker pipe 5' long 2'± S.W. of Conc Mon 10-16-ST Van Deren

W.S. 22-A-4

932.00'

From P-16

300.80 @ 3° 20' T=68 = 300.26 ✓
300.54 @ 3° 33' T=70 = 299.82 ✓
244.64 @ 5° 37' T=70 = 243.45 ✓
10.05 Lev. T=70 = 10.05 ✓
853.58 ✓

625.43 @ Lev. = T=68 = 625.36 ✓

1. 106° 26' 20"
4. 65° 45' 10"
Av = 106° 26' 17½" ✓

1. 162° 39' 00"
4. 290 36 00
Av = 162° 39' 00" ✓

From top pg. 31

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss	Survey of P.V. Golf Course
Map No. B2441	W. 8095.84 Tape No. 140 Std. 84 °F
Office Work R.L. GREEN	Surveyed by Lind
Checked Goss	Notes Lind Date 9-57
Date Feb. 1958	Indexed C. Johnson

F. B. 2270 Pg. 31

W.O. 27-B-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

I, 100° 36' 30"
4, 42 25 50
Δ = 100° 36' 27.4 ✓

To bottom pg. 30

To POT 17A
625.36 ✓
To P-17 870.00

POT "17-A"
Set 3/4" I.P. Conc. plug & tag 18" Up.

COUNTY ENGINEER
P-18
R.E. 5869

100° 36' 30" R. & M.

From L.T. Pg. 23

244.64 ✓

3/4" I.P. replaced with C.S. Br Cap Mon Flush, and stamped as shown. Set 2" white top Marker pipe 5' long 2'± W.ly of Mon
16-16-57
Van Deren

P-18 Set
3/4" I.P. Conc. plug & tag 18" Up.

767.73 ✓ From P-19 ⊼ Line

124.69 @ 6°04' T=76 = 123.98 ✓
53.47 Lev. T=76 = 53.47 ✓
177.45 ✓

177.45 ✓

112° 27' 00" Turned

112° 26' 32" Rec.

1, 112° 27' 00"
4, 89 48 00
= 112° 27' 00" ✓

P.O.T. "18-A"
Set 3/4" I.P. Conc. plug & tag 18" Up.

296.50 @ 1° 39' T=72 = 296.37 ✓
152.57 @ 6°49' T=72 = 151.68 ✓
208.82 @ 5°57' T=72 = 207.47 ✓
118.02 @ Lev. T=72 = 118.01 ✓
767.73 ✓

532.10 Ch. ✓
532.00 Rec.

154.55 @ 5° 43' T=74 = 153.77 ✓
90.88 @ Level T=68 = 90.87 ✓
244.64 ✓

To P-19
To POT 18B 83.85 ✓

To Top Pg. 32

F.B. 2290 PG. 32

From bott pg. 31

63.88 Lev. T=74=63.88 ✓

W.S. 27-B-4

63.88 ✓ From P.O.T. 18-A

532.10 Clc'd from P.18
532.00 Rec.

POT "18-B"
Set ¾" I.P. Conc plug & tag 18 dp.

205.41 @ 4°32' T=74=204.76 ✓
86.02 Lev T=72= 86.01 ✓
290.77 ✓

COUNTY ENGINEER
R.E. 5869

3/4" I.P. replaced With C.S.B.C. Cap Mon Flush and Stamped as shown.

P-19
Set 2" White top Marker pipe 5' long 2' N.I.y of Mon 10-17-57 Van Deren

290.77

1 Dr. 11' 50" Turned
102° 14' 33" Rec.

P-19 Set
¾" I.P. Conc plug & tag 18" dp.

946.57 ✓

R Line From P.1

102.60 ✓ Final

To Top P.33

370.00 ✓

To P.20

123° 33' 30" ✓
R. & M.

1. 123° 33' 30"
4. 134° 13' 50"
Av = 123° 33' 27" Lt ✓

1. 102° 11' 50"
4. 48 47 20
Av = 102° 11' 50" ✓

182.54 @ 14°52' T=70= 176.41 ✓
282.11 @ 10°18' T=68 = 277.53 ✓
299.92 @ 7°13' T=70 = 297.51 ✓
180.755 @ 7°04' T=70 = 178.48 ✓
16.64 @ Level T=70 = 16.64 ✓
946.57 ✓

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss
Map No. B2441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of PV Golf Course
W. O. 0055.06 Tape No. 140 St'd. 84 °F
Surveyed by M. A. Van Deren
Notes Van Date 9-57
Indexed C. Johnson

F. B. 2290 PG. 33

From LT pg 32

W.S. 27-A-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

0.6' ✓

34'
166° R.E. Turned

COUNTY ENGINEER
P-20
R.E. 5869

3/4" I.P. replaced with C.S. Br. Cap Mon Flush and stamped as shown. Set 2" White Top Marker pipe 5' long 2'± N.Ly of Mon. 10-17-57 Van Deren

From P-19

370.00 ✓

P-20 Set 3/4" I.P. Conc plug and Tag 18" dp

1-166° 34' 00"
4-306° 16' 00"
166° 34' 00" ✓

To Top pg 34

570.02 ✓

To P-21

370.03 Level T= 70 = 370.00 ✓

300.07	@ 5-21-00	T= 76 =	298.74	✓
209.75	@ 3-24-00	T= 76 =	209.37	✓
61.91	level	T= 76 =	61.91	✓
			570.02	✓

76F3098 S&E #247. 8-54

F.B. 2270 Pg. 34

COUNTY ENGINEER
P-21
R.E. 9869

From LT pg 33

From P.20

W.S. 27-A-4

3/4" I.P. replaced with C.S. Br Cap Mon Flush and stamped as shown. Set 2" White top Marker Pipe 5' long 2'± N.Wly of Mon 10-17-57 Van Deren

510.02

D-21 Set 3/4" I.P. conc plug & Tag 16" dp

30"

20'

124° R & Turned

486.00

174.19 @ 1-28-00 T=68 = 174.11 ✓
311.92 Lcvcl T=68 = 311.89 ✓
486.00 ✓

1- 124° 20' 30"
4 137° 22' 00"
124° 20' 30" ✓

To P-22

To Top pg 35

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 22 - A-4

Notes Ck'd by Goss	Survey of P.V. Golf Course
Map No. B 2441	W. O. 55.04 Tape No. 190 St'd. 84 °F
Office Work R. L. GREEN	Surveyed by M. A. Van Deren
Checked Goss	Notes Van Date 2-57
Date Feb. 1958	Indexed C. Johnson

F. B. 2290 Pg. 35

From bot pg 34

COUNTY ENGINEER
P.22
R.E. 5869

486.00 From P-21

3/4" I.P. Replaced with C.S. Br Cap Mon Flush and stamped as shown. Set 2" White top Marker Pipe 5' long 2'± N.ly 10-17-57 Van Deren

P. 22 Set 3/4" I.P. Conc Plug & Tag 12" dp

50" R/C
50" Tangent

136° 17
136° 16

To P-23 310.08

1-136°16'50"
4-185°07'30"
136°16'52½"
310.11 level T=68=310.08

To Top pg 36

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

F.B. 2290 PG. 36

From bot pg 35

W.S. 21-A-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

COUNTY ENGINEER
P.23
R.E. 5869

3/4" I.P. replaced with C.S. Br Cap Mon Flush and Stamped as shown. Set 2" white top Marker Pipe 5' long ± w.y Pid-17-57 Van Deren

~~P.23~~ ~~plug~~ & ~~Tag~~ Set 3/4" I.P conc & Tag 10" dp

310.80' ✓ From P-22

153° 09' 10" ✓ Turned
153° 08' 15" Rec

81.18 ✓ From P-5

to 90.05 ✓ From P-5
℄ Line

719.66 ✓

60° 04' 55" ✓ Turned
60° 04' 25" Rec

P.O.T. 23A Set 3/4" I.P conc plug & Tag 10" dp

229 04	@ 2-35-00	T=84 =	228.81 ✓
97.53	@ 5-13-30	T=84 =	97.12 ✓
60.46	@ 6-30-30	T=84 =	60.07 ✓
331.37	level	T=84 =	331.37 ✓
2.29	level	" =	2.29 ✓
			719.66 ✓

105.81 @ 5-25-00 T=84 = 105.34 ✓

℄ P-23A 105.34

1-153° 09' 10"
4-252° 36' 40"
153° 09' 10" ✓

1-60° 04' 50"
4-240° 19' 40"
60° 04' 55" ✓

To Top pg 37

W. S. 22 - A - 4

Notes Ck'd by Goss
Map No. 82441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of P.V. Golf Course
W. O. 0055-06 Tape No. 190 St'd. 84 °F
Surveyed by M. A. Van Deren
Notes Van Date 9-57
Indexed K. C. Johnson

F. B. 2290 PG. 37

COUNTY ENGINEER
P-24
R.E. 5869

From bat pg 36

3/4" I.P. replaced with C.S. Br Cap Mon Flush and stamped as shown. Set 2" I.P. white top Marker pipe 5' long 2'± W'ly of Mon 10-17-57 Van Deren

105.34 ✓ Tan 23°

17° 40' ✓

From RT pg 18

P.O.T. Set 3/4" I.P. Conc plug & Tag 10" dp

926.95 ✓ To P-5

π line

To P-5

P-24 Set 3/4" I.P. Conc plug & Tag 12" dp

58.72 ✓

985.67 ✓

12'

565.81 ✓

1° 59'

47.40 Turned

85°

P.O.T. 24A Set 3/4" I.P. Conc plug & Tag 16" dp. Set 2" white top Marker pipe 2'± S'ly of Mon

55.59 @ 14-45-00" T=84=53.76 ✓
4.96 level 11 = 4.96 ✓
58.72 ✓

288.96 @ 1-16-00 T=78=288.00
276.94 level T=78=276.93 ✓
565.81 ✓

134.09 level T=84=134.09 ✓

P-25 ✓

1-85° 47' 40"
4-343° 10' 40"
85° 47' 40" ✓
1-159° 12' 40"
4-276° 50' 40"
159° 12' 40" ✓

To Top pg 38

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 2290 Pg. 38

From bot pg 37

COUNTY ENGINEER
P-25
R.E. 5869

W.S. 27-A-5

From P.O.T. 24B

89° 27' 30" Turned

134.09

3/4" I.P. replaced with C.S. Br Cap mon flush and stamped as shown. Set 2" whitetop Marker pipe 5' long 2'± W.ly of Mon 10-18-37 Van Deren

From P.O.T.

From P-3

36.93

861.56

P-25 Set 3/4" I.P. conc plug & tag 14" dp

148° 29' 15" Turned

65° 34'

64° 50'

204.18

15" Turned

P.O.T. Set 1x2 TK Flush

62° 12' 55" Turned

P.O.T. 25A Set 3/4" I.R conc plug & Tag 6" dp Set 2" whitetop Marker pipe 2'± S/ly of Mon

To P-26 167.66

To P-24 601.61

To P-24 760.78

To Top p939	1 - 143° 29' 10"	1 - 89° 27' 30"
	4 - 213° 56' 50"	4 - 357° 50' 00"
	143° 29' 12½" ✓	89° 27' 30" ✓
	1 - 64° 50' 20"	1 - 62° 13' 00"
	4 - 259° 21' 00"	4 - 248° 51' 50"
	64° 50' 15" ✓	62° 12' 58½" ✓

652.34	level T= 84= 652.34 ✓	204.18	level T= 84= 204.18 ✓
162.49	@ 7-31-00 T= 78= 161.08 ✓	601.61	" T= 84= 601.61 ✓
6.58	level " = 6.58 ✓		
	167.66 ✓		

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss
Map No. B 2441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of PK Golf Course
W. O. 0055.06 Tape No. 140 St'd. 89 °F
Surveyed by M. A. Van Deren
Notes Van Date 9-57
Indexed C. Johnson

F. B. 2290 Pg. 39

W.S. 27-A-5

From LT pg 38

From P.O.T. 25±

167.66

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

COUNTY ENGINEER
P-26
R.E. 5869

o Power line

P-26 Set 3/4" I.P. Conc plug F Tag 12" DP in Center of road

12 +1

3/4" I.P replaced with C.S. Br cap Mon F/45A and stamped as shown. Set 2" whitetop Marker pipe 5' long 2'± W'ly of Mon 10-18-57 Van Deren

Rec & Turned

N 35° 00" E

125°

1- 125° 35' 00"
4- 142° 20' 00"
125° 35' 00" ✓

250.00 ✓

190.55 @ 5-14-30 T= 78= 189.79 ✓
60.26 level T= 78= 60.26 ✓
250.00 ✓

To P-27

To Tap pg 40

76F30ss S&E #247. 8-54

F.B. 2290 Pg. 40

From bot pg 39



Notes Ck'd by Goss	Survey of PV Golf Course
Map No. B 2441	W. O. 8055.0F Tape No. 140 Std. 84 °F
Office Work R. L. GREEN	Surveyed by M. A. Van Dereh
Checked Goss	Notes Van Date
Date Feb. 1958	Indexed E. C. Johnson

F. B. 2296 Pg. 41

To bot pg 42

W.S. 27-B-5

3/4" I.P. replaced with C.S. Br cap Mon Flush and stamped as shown. Set 2" white top marker pipe 5' long 2'± Sly of Mon. 10-14-57 Van Dereh

COUNTY ENGINEER P-30 R.E. 5869

629.94 level T=78°=629.92 ✓

630.00 Rec 629.92 ch ✓

1- 156°02'00"
4- 264°08'10"
= 156°02'02½" ✓

P-30 Set 3/4" I.P. conc plug & tag 12" dp

196.32 @ 2-57-00" T=78° = 196.06 ✓
152.09 @ 2-39-00" T=78° = 151.92 ✓
37.02 level T=78° = 37.02 ✓
385.00

1- 108°26'00"
4- 73°43'50"
= 108°25'57½" ✓

1- 166°46'00"
4- 307°04'00"
= 166°46'00" ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

From R.T. Pg 38

From P.O.T. 601.6 ✓
A line
From P-25 805.79 Rec

P-29 Set 3/4" I.P. conc plug & tag 12" dp

637.00 level T=84=637.00 ✓

637.00 ✓ From P-28

From R.T. pg 40

COUNTY ENGINEER P-29 R.E. 5869

3/4" I.P. replaced with C.S. Br cap Mon Flush and stamped as shown. Set 2" white top Marker pipe 5' long 2'± Sly of Mon. 10-14-57 VD

156° 02' 00" Rec & Turned ✓
156° 02' 02" Turned
385.00 Rec ✓
108° 26' 00" Rec & Turned ✓
166° 46' 00" Rec ✓

76F3095 S&E #247. 8-54

F.B. 2290 PG. 42

To RT pg 15

W.S. 27-B4-B5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

564.22 level T=84°=564.22 ✓

564.22 Rec

To P-33

50" Turned

20" Rec

15.

16.

154°

154°

P-32 set 3/4" I.P. conc plug & tag 14" dp

COUNTY ENGINEER P-32 R.E. 5869

3/4" I.P. replaced with C.S. Br Cap Mon Flush. and stamped as shown. Set 2" whitetop Marker pipe 5' long 2'± sly of Mon 10-19-57 Van Deren

COUNTY ENGINEER P-31 R.E. 5869

3/4" I.P. replaced with C.S. Br Cap Mon Flush. and stamped as shown. Set 2" whitetop Marker Pipe 5' long 2'± sly of Mon. 18-19-57 Van Deren

790.08 Rec'd

1' Turned

0.5" 30" Rec

24' 25" Rec'd Turned

43' 42' 8°

From P-2

℄ line

720.70 Rec

P-31 set 3/4" I.P. conc plug & tag 16" dp

From P-2 216 pg 11

270.96 @ 1°44'30" T=79= 270.81 ✓

299.33 @ 0°45'00" T=79= 299.28 ✓

102.71 level T=84= 102.71 ✓

107.20 level T=84= 107.20 ✓

780.00 ✓

1- 81° 24' 20"

4- 325° 37' 30"

= 81° 24' 22½" ✓

1- 160° 43' 00"

4- 282° 52' 30"

= 160° 43' 07" ✓

1- 154° 15' 50"

4= 257° 03' 10"

154° 15' 47½" ✓

90°

90°

629.92 CH

630.00 Rec

From P-30

From Top pg 41

Notes Ck'd by GOSS
Map No. 8-2441
Office Work R. L. GREEN
Checked GOSS
Date Feb. 1958

Survey of PV Golf Course
W. O. 0855.06 Tape No. 140 St'd. 84 °F
Surveyed by M. A. Van Deren
Notes Van Date 9-26-57
Indexed C. Johnson

F. B. 2290 Pg. 43

W. S. 27-B-5

Fd 3" Brass Cap in Top of Conc Gun Mount. and stamped San Pedro Hills DTA Aux #1 R.E. 5869 Triangulation Station per F.B.?

To P-27 / To P-27 Per Pg 40

72.07

169.85

164° 46' 40"

56° 31' 40"

To San Pedro Hills K9 RLC #2

141° 49' 00" R.E. Tract

To P-29 / To P-29 Per Pg 41

P-28 Fd 3/4" I.P. Conc Plug & Tag 12" dp per F.B. 2290-40

1 - 164° 46' 40"
4 - 299° 06' 40"
164° 46' 40" ✓

1 - 56° 31' 40"
4 - 226° 06' 80"
56° 31' 37½"
6 339° 09' 50"
56° 31' 38½" ✓

169.87 level / T = 62° = 169.85 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 27-B-5



Notes Ck'd by Goss
Map No. B2441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of P.W. Golf Course
W. O. 0055.06 Tape No. 140 St'd. 89 °F
Surveyed by M. A. VanDeren
Notes Van Date 8-24-57
Indexed C. Johnson

F. B. 2290 PG. 53

W.S. 27

No evid of conc Mon "E" per Tr # 7332 sheet # 4 probably Taken out by const of fence line or P.P. line, Fd conc Mon lying on ground 200' N.W. of cor. 1"x1" brass pin in conc Mon and stamped "E" See Tr # 4400

S. line of Tr # 7332

94.155 @ 5-29-00 T=62 = 93.71 ✓
92.27 level T=60 = 92.26 ✓
185.97 ✓

490.48 Rec

Tie line From P-13

From Sh pg 2

4.99

Fd 2" I.P. plug & Tk Flush per Tr # 7332 Note pipe is loose in ground

(75')

℄

PASEO LUNADO

(75')

100.39

502

T line 185.97 ✓

Fd 2" I.P. plug & tk 4" dp no ref

70.35

500

Fd 2" I.P. plug & tk up 6" and painted white no ref

set 1x2" Tk Flush

29.87

20"

set nail

Fd 2" I.P. plug & tk Flush per Tr # 7332 used for line To the West.

TR No 7332 LOT J
BLK - 2434

5.00

1 - 119° 57' 20"
4 - 119° 49' 10"
119° 57' 17½" ✓

To Top pg 54

To P.O.T. 35.97
1½" I.P.
5' offset line

259.77 @ 6-42-00 T=84° = 258.00 ✓
83.54 @ C-59-00 T=84° = 82.92 ✓
12.55 level T=84° = 12.55 ✓
353.47 ✓

119°

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 SAE #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 27



Notes Ck'd by Goss
Map No. B-2441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of PV Golf Course
W. O. 8055.06 Tape No. 140 St'd. 84 °F
Surveyed by M. A. VanDeren
Notes Van Date 8-20-57
Indexed A. C. Johnson

F. B. 2290 Pg. 55

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

W. S. 27

LOT-17

LOT-10
TR № 7332 BLK. 2450

P.O.T. Set 1x2 and ℄ Flash on Calc dist Per Tr # 4900 to find The N.E. cor of Sec 12 station #106 per Tr # 4400 and C.S. Map # 3607-2 dist Calc From the 2" I.P. at the S.E. cor of lot J Blk 2434

347.41' From ℄

WALK 20'

From bot pg 54

98° 56' Calc & Turned

53"

To bot pg 58

188.79 ✓

To Pot ℄ line

1225.14 calc F Ch To Sec cor

1- 98° 56' 50"
4- 35° 47' 30"
= 98° 56' 52½" ✓

142.17

142.17 T=84° = 142.17 ✓

(25') VIA ARRILLAGA

(25')

(25')

set nail

5.00

26.

Fd no evid of 2" I.P. per Tr # 7332 hits in plowed Field

162.00

162.00 T=84 = 162.00 ✓

(25') VIA BARICA

5' of ASet ℄ line

S. line Tr # 7332

LOT-16
BLK-2352

To Top pg 56

F.B. 2290 Pg. 56



From bot pg 55

W. S. 27

LOT 16 BLK-2352

TR No 7332

162.00 Map No.

Setnail — 5.00 — Fd no evid of 2" I.P. per Tr #7332 h.ts in plowed Field

LOT H-BLK 2352

141.55 T=84=141.55

141.55

Setnail — 5.00 — Fd no evid of 2" I.P. per Tr #7332 h.ts in plowed Field

83.96 T=84=83.90

83.90

VIA RIVERA

(40')

℄

(40')

Setnail — 5.00 — Fd no evid of 2" I.P. per Tr #7332 h.ts in plowed Field

LOT-6 BLK-2351

S. line Tr #7332

337.18 T=84=337.18

337.18

5' offset line

LOT-A BLK-2351

To Top pg 57

X

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss
Map No. B2441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of PV Golf Course
W. O. 6055.06 Tape No. 140 St'd. 84 °F
Surveyed by M. A. Van Deren
Notes Van Date 8-21-57
Indexed C. Johnson

F. B. 2290 Pg. 57

From bot pg 56

W.S. 27

S. line Tr # 7332

LOT-4 BLK-2351
TR Nº 7332

337.18

5' offset line

set nail

Fd 2" I.P. plug & Tk flush in plowed field per Tr # 7332

(30')

5.00

VIA VICTORIA

(30')

67.01

67.01 T=84=67.01 V

Set 1X2 & Tk fused for line

90°

Fd 2" I.P. plug & tk flush per Tr # 7332 held to this pipe For line

LOT-G BLK-2350
TR Nº 7332

5.00

1516.87 Rec

Found no evid of conc mon No 82 per Tr # 7332 - Tr # 4400

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3085 S&E #247. 8-54

F.B. 2290 Pg. 58

To Lt pg 59

W.S. 27

43.04 level T=84=43.04

To Sec Cor

430.42

Chn point set 1x2

199.37 @ 2-40-00 T=78=199.13

199.13

Chn point set 1x2

221.23 @ 3-54-00" T=76=220.71

220.71

P.O.T. set 1x2 T.K. Flush in plowed field

1225.14 calc. f.c.

473.47 level T=84°=473.47

473.47

P.O.T. set 1x2 F.K. Flush in plowed field

189.66 @ 5-28-00 T=74=188.79

From 1x2 188.79

1x2

From R t pg 55

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss	Survey of PW Golf Course
Map No. B 2441	W. O. 2055.96 Tape No. 140 Std. 84 °F
Office Work R. L. GREEN	Surveyed by M. A. Van Deren
Checked Goss	Notes Van Date 8-22-57
Date Feb. 1958	Indexed J. C. Johnson

F. B. 2290 Pg. 59

W.S. 22

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

From Top 29 58

1225.14 calc ℄ Ch
℄ line
From 142 43.04 ℄
Ch on ℄

1914
KEK
T55-R15W

S-1	S-12
S-2	S-1
S-11	S-12

Elev. 1857.32 destroy as marking

Fd 2" I.P. with Brass cap stamped as shown above. The mon is stamped wrong, mon should be stampe as shown in red. Found mon lying in a horz position and 10" dp. has been hit by plow. Found rusty hole in ground where pipe was. reset mon by line & dist 12" dp. as rusty hole checks My line & dist. destroyed Elev marking as Mon is set at new elev. this is station 106 per C.S. 8607-2 See Tr # 4400

76F3098 S&E #247. 8-54

Notes Ck'd by Goss	Survey of PV Golf Course
Map No. B-2441	W. O. 0055.06 Tape No. 140 Std. 84 °F
Office Work R. L. Green	Surveyed by M. A. Van Deren
Checked GOSS	Notes Van Date 10-1-57
Date Feb. 1958	Indexed C. Johnson 10-2-57

F. B. 2290 Pg. 63

J.N. 0055.06

PROPOSED LOCATION OF ACCESS RD

TO

PALOS VERDE GOLF COURSE

10-1-57
M. A. Van Deren
J. Bazen
R. Turrill
B. Nunez

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 2290 PG. 69

INDEX

P-11
79

79
P-10

Prop Access Rd

78

70

69

71-81

71-81

72-82

72

72-83

69

67

67

Proposed Hawthorne Blvd

68

20-78=80
=P-7

P-6=pg 19-80

66

77-18=P-5

77

77

Prop Cul

74

74

Rd

65

Prop Access

76

76

75

65

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss
Map No. B 2441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of P/ Golf Course
W. O. 0055.01 Tape No. 140 St'd 84 °F
Surveyed by M. A. Van Deren
Notes Van Date 10-1-57
Indexed C. Johnson

F. B. 2290 PG. 63



Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 2890 PG. 66



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Gass
Map No. B 2441
Office Work R. I. GREEN
Checked Gass
Date Feb. 1968

Survey of PV Golf Course
W. O. 0055.06 Tape No. 140 St'd. 84 °F
Surveyed by M. A. VanDerco
Notes Van Date 10-1-52
Indexed C. Johnson

F. B. 2290 Pg. 67

W.s. 22 - B-4

To bot pg 69

202.54 Level T=70
=202.52 ✓

202.52 To EC

R

101.58' PROPOSED ACCESS RD

P.I. set 3/4" I.P. conc plug & Tag 14" dp on calc angle f dist

COUNTY ENGINEER
P-1
R.E. 5869

3/4" I.P. replaced with C.S. Br Cap Mon Flush and stamped as shown set 2" w/tie tag marker

Pipe 2'± w'ly of Mon 11-22-57-M VD.

202.52 ✓

50'

39° 59'

Nothing set

(30')

(30')

To LT pg 65

172.80 Level T=68=172.78 ✓

B.C. Set 3/4" I.P. conc plug & tag 14" dp

nothing set

1 - 39° 59' 50"
4 - 179° 59' 30"
39° 59' 52½" ✓

1 - 101° 58' 50"
4 - 47° 55' 20"
101° 58' 50" ✓

153.08 @ 2-53-00 T=72=152.88 ✓
49.64 Level T=72=49.64 ✓
202.52 ✓

From EC

From Tap pg 66

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 5.27-B-4



Notes Ck'd by Goss
Map No. B2441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958.

Survey of P.V. Golf Course
W. O. 0855.44 Tape No 140 Std. 84 °F
Surveyed by M. A. Van Deren
Notes Van Date 10-1-57
Indexed C. Johnson

F. B. 2290 Pg. 64

Wks. 22-8-4

See Top pg 78

To R/L No. 4 Set

To Radial PT 280.00

30.00

30.00

B.C. Set 3/4" I.P. conc plug & Tag 14" dp

To Top pg 70

90° 00' 00"

COUNTY ENGINEER B.C. R/W R.E. 5869

Set C.S. Br Cap Mon Flush and stamped as shown. Set 2" Whitetop Marker pipe 5' long 2'± E ly of Mon 10-19-57 Van Deren

523.35 Level T=70=523.30

280.00 Level T=84=280.00

1- 90° 00' 00"
4- 360° 00' 00"
90° 00' 00"

523.30

PROPOSED ACCESS RD

(30')

(30')

COUNTY ENGINEER E.C. R/W R.E. 5869

Set C.S. Br Cap Mon Flush and stamped as shown. Set 2" Whitetop Marker pipe 2'± E ly of Mon 11-22-57 E.C. M.V.D

30.00

30.00

Set 3/4" I.P. conc plug & Tag 14" dp on radial

From R.L. 202.52

From Top pg 67

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

F.B. 2290 Pg. 70

From LT pg 69

W.S. 22-B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



1- 145° 13' 10"
4- 220° 52' 30"
145° 13' 07½" ✓
1- 72° 10' 20"
4- 288° 41' 30"
72° 10' 22½" ✓

A 00.082

97.01

137.93

Radial point set
¾" I.P. Conc plug
Tag 1.4" dp

214.07 ✓

93.70 ✓

P.O.T. Set 1x2
TK Flush

72° 10" 25" ✓

P.O.T. Set
1x2 TK Flush

95.93 ✓

¾" I.P.
Flush

78.10 ✓

78.57

COUNTY ENGINEER
Radial Pt.
R.E. 9886

¾" I.P. replaced with C.S.
Br Cap Mon Flush and stamped
as shown, set 2" white top Marker
pipe 5' long 2'± 5¼ of Mon
10-20-57 Van Deren

B.M. P.V. #8 Elev. 803.655
F.B. 2290-131

93.71 Level T=74 73.70 ✓
78.57 @ 6-11-00 T=74=78.10 ✓
214.07 Level T=84=214.07 ✓
97.01 @ 8-33-00 T=84=95.93 ✓

To Top pg 78

78.57

Notes Ck'd by GOSS
Map No. B-2441
Office Work R. L. GREEN
Checked GOSS
Date Feb. 1958

Survey of PK Golf Course
W. O. 0055.06 Tape No. 140 Std. 84 °F
Surveyed by H.A. Wenzel
Notes Van Date
Indexed C. Johnson

F. B. 2290 Pg. 71

W.S. 27 - B - 4

From RT pg 70

See Rt pg 78

E.C. Set L&T tag in large Stone, 2' X 4' on calc angle & dist

To PI Mar &

P.O.T. Set 1x2 F Tk Flush

108.20 ✓

78.10 ✓ From P.O.T.

(30')

(30')

New Boundary Line

Prop Access Rd

117.405 ✓

℄

90°

0°

0°

1 - 90° 00' 00"
4 - 360° 00' 00"
90° 00' 00" ✓

117.405 Level T = 84 = 117.405 ✓

105.81 @ 17-19-90 T = 74 = 101.00 ✓
7.20 Level T = 74 = 7.20 ✓
108.20 ✓

B.C. Set 3/4" I.P. Conc plug & Tag Flush on calc dist

Void see pg 81 Main. For line chg

BC

To PI 45.03

To Top pg 72

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3085 SEE #247. 8-54

F.B. 2290 Pg. 22

W.S. 27-B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



From bot pg 71

(30')

From B.C. 45.03 ✓

Prop Access Rd

(30')

155° 19' 20" ✓

New Boundary line

P.I. Set 3/4" I.P. conc plug & Tag Flush by int

1- 155°19'20"
4- 261° 17' 20"
= 155° 19' 20" ✓

1- 90°00'00"
4- 360°00'00"
90°00'00" ✓

45.03 ✓

E.C. Set 3/4" I.P conc plug & Tag Flush

00" ✓

00'

90°

E.C.

30.00

47.105 @ 17-04-00 T=78= 45.03 ✓

46.41 @ 14-00-00 T=78= 45.03 ✓

64.44 @ 32-00-00 T=78= 57.19

90° 00' 00" ✓

Set 1x2 & TK Flush on tgt angle & dist From P-7

57.19

1- 90°00'00"
4 360°00'00"
90°00'00" ✓

Void See pg 82 For line Chg Van

New & Boundary line

To BAT

To Top pg 73

Notes Ck'd by Goss
Map No. B2441
Office Work R. I. GREEN
Checked Goss
Date Feb. 1958

Survey of Pk Golf Course
W. O. 0655.04 Tape No. 140 St'd. 84 °F
Surveyed by M. A. Van Deren
Notes Van Date 10-3-57
Indexed C. Johnson

F. B. 2290 Pg. 23

From bot pg 72

N

47.36 @ 20° 48' 30" T=74 = 44.26 ✓

New Boundary Line

5.19 From P.O.T.

44.26

P.O.T. Set 1x2 Tk Flush

155.47 Level T= 70 = 155.46 ✓

155.46

10.00 ✓

10° Turned

P-7 Fd 3/4" I.P. Conc plug & Tag 12" dp per pg 28

1-170° 10' 00"
4-320° 40' 00"
170° 10' 00" ✓

T.P.-6 Rec 8/12

Void See pg 80
For line Chg 11-12-57
M.V.D

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3085 S&E #247. 6-54

F.B. 2290 Pg. 79



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss
Map No. B2241
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of PV Golf Course
W. O. 9855.06 Tape No. 140 Std. 89 °F
Surveyed by M. A. VanDeren
Notes Van Date 10-3-57
Indexed C. Johnson

F. B. 2290 Pg. 75

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3099 SEE #247

W.S. 27-B-4

From L Tpg 74

(40') (40')

60.51 Level T=80=60.51

Ca 51 Fd T.

B.C.

40.00 40.00

N 53° 08' 12" E

95.52

95.52

95.52

PROPOSED ACCESS RD

New boundary line

Set C.S. Br Cap Mon Flush. set 2" White Top Marker pipe 5' long 2'± N'ly of Mon 10-25-57 Van Deren

Set C.S. Br Cap Mon Flush. set 2" White Top Marker pipe 2'± E'ly of Mon 10-25-57 VD

Set C.S. Br Cap Mon Flush 2" White Top Marker pipe 2'± S'ly of Mon. B.C. Set 3/4" I.P. conc plug & Tag Flush on calc dist 10-25-57 Van Derm

1 - 153° 08' 10"
4 - 252° 32' 50"
153° 08' 12½"

95.52 Level T=82=95.52

95.52 Level T=82=95.52

P.I. Set 3/4" I.P. conc plug & Tag Flush on calc dist

℄ Δ=26° 51' 48"
T = 95.52
℄ R = 400'

EC Set 1x2 TK on Slope to Crest Rd

Set Spk. w. 5/8 Tin tip Mac put For E.C. R/W pt

Existing Crest Rd

131.68 @ 5-14-00 T=82=131.13
182.675 @ 6-28-30 T=84=181.50
193.685 @ 2-04-00 T=84=193.55
100.63 @ 9-43-00 T=84=100.29
132.41 Level T=84=132.41
738.88

Z B.C. 738.88 ℄

To Top pg 76

COUNTY ENGINEER • B.C. R/W • R.E. 5869

F.B. 2290 Pg. 22

From 60 pg 75

W.S. 22-B-4

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(40') (40')

Set C.S. Br cap Mon Flush, set 2" whitetop Marker pipe 5' long 2' ± s'ly of E Mon 10-25-57 VD

COUNTY ENGINEER B.C. R.W. R.E. 5869

PROPOSED ACCESS RD

739.80' ℄ from E.C.

Set C.S. Br cap Mon Flush. Set 2" whitetop Marker Pipe 2' ± N'ly of E Mon. 10-25-57 VD

B.C. Set 3/4" I.P. conc plug & tag flush on calc'd ℄

B.C.

40.00 40.00

To P.T. pg 77

1-64°09'20"
4-256°37'30"
64° 09' 22½ ✓

℄ R = 380.05

New Boundary line

606.36

184.64 @ 9-06-30 T=72= 182.30 ✓
214.375 @ 5-03-30 T=72= 213.53 ✓
11.17 Level T=74= 11.17 ✓
407.00 ✓

181.73 @ 6-31-00 T=72= 180.55 ✓
220.335 @ 4-39-00 T=70= 219.39 ✓
185.90 @ 5-03-00 T=68= 185.16 ✓
21.06 Level T=76= 21.06 ✓
606.36 ✓

Δ 64° 09' 25" ℄

From P.O.T. (S1°39'E)

407.00

P.I. LIMITY ENGINEER R.E. 5869

3/4" I.P. replaced with C.S. Br Cap Mon up 4", set 2" whitetop Marker Pipe 2' ± s'ly of E Mon. 10-25-57 VD

P.O.T. Set 1X2TK Flush

P.I. Set 3/4" I.P. conc plug & tag 16"dp by int

F. B. 2290 Pg. 77

Notes Ck'd by Goss
Map No. B 2441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of PV Golf Course
W. O. 0055.0.6 Tape No. 140 St'd. 89 °F
Surveyed by M. A. Van Deren
Notes VDV Date 10-3-57
Indexed R. C. Johnson

W.S. 27-B-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

P-5 Fd 3/4" I.P. conc plug & Tag 12" dp per pg 18

Set 3/4" I.P. conc plug & Tag 12" dp on calc dist

Boundary line To P-6 per pg 19

1-147°31'00"
4-230°04'00"
147°31'00" ✓

74.48 Level / T=80 = 74.98 ✓

74.48

74.48

00"

(40')

(40')

147° 31

New Boundary Line

Prop Access Rd

℄ 186.00

41.97 Level / T=80 = 41.97 ✓
186.00 Level / T=84 = 186.00 ✓
157.39 Level / T=84 = 157.39 ✓

E.C. Set 3/4" I.P. conc plug & Tag Flush on calc dist

40.00

40.00

E.C.

41.97

Set 2" I.P. in conc with spk & w in 2" I.P. and stamped E.C. R/W R.E. 5869. Set 2" white top Marker Pipe 2'± Ely of Mon 10-23-57-V.D.

P.O.T. Set 1x2 & T.K. Flush

COUNTY ENGINEER
E.C. R/W
R.E. 5869

Set C.S. Br Cap Mon Flush. Set 2" white top Marker Pipe 2'± W/y of Mon 10-23-57 V.D.

℄ R.O.T. 157.39

From L.T. pg 76

76F3095 S&E #247. 8-54

F.B. 2290 Pg. 28

See Top pg 69

From LT pg 70

1 - 157° 27' 06"
4 - 269° 97' 50"
= 157° 26' 57½" ✓

W.S. 27-8-4

(30')

(30')

Radial line
95.93 ✓

Exam. Rd. I

00"

27'

157°

Prop Access Rd

℄

1460.92 ✓

Boundary line
323.1

New Boundary Line

New
Exam Rd
226.49

Set 3/4" I.P. conf
plug & tag flush
on calc angle & dist

(Tie)
P.O.T. 2" I.P. & Rd Tag - 12" dp.
on line prod thru P-10
From P-11 Set by Road Dept
5-1-63

COUNTY ENGINEER
Boundary
P.L.S. 5869
F.E.

3/4" I.P. replaced with C.S. Br Cap
Mon Flush.
Set 2" white top Marker pipe 5' long
2.1 w'ly of mon 10-20-97 Van Deren

To Top pg 71

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss	Survey of PV Golf Course
Map No. 8244.1	W. O. 0055.04 Tape No. 140 St'd. 84 °F
Office Work R. I. GREEN	Surveyed by M. A. VanDercu
Checked Goss	Notes VAan Date 10-3-57
Date Feb. 1958	Indexed L. C. Johnson

F. B. 2290 PG. 79

From LT pg 78

Boundary Line

Line Prod.

P.O.T. Set 1" I.P. & Tk. 12" dp. RSC 5-2-63

to 2" I.P. P.O.T.

12.580

226.49

P-10 Fd L.S. Tag set in a rock Flush per pg 23

125.82 Level @ 60°-12.580

Boundary Line

P-11 Fd 3/4" I.P conc p/ug and Tag 12" dp per pg 25

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

76F3095 S&E #247. 8-54

F.B. 2290 Pg. 80

From bot pg 83

W.S. 27-B-4

1- 1°57'30"
4- 7°49'40"
= 1°57'25" ✓

72.40 ✓ From L.S.

Line prod

1°57'25" ✓

P.O.T. Set 1x2 & TK

61.33 ✓

New boundary line

P.O.T. Set 1x2 & TK Flush

125.19 @ 1-24'30" T=66' = 125.14 ✓

61.95 @ 8-03-00" T=60' = 61.33 ✓

81.81 @ 27-44-00" T=58' = 72.40 ✓

125.14 ✓

P-7 Fd 3/4" I.P. conc plug & Tag 10" dp per FB 2290-20

86.44 ✓ per pg 20

P.O.T 6A Fd 3/4" I.P. conc plug & Tag 12" dp per FB 2290-20

516.56 ✓ per pg 20

P-6 Fd 3/4" I.P. conc plug & Tag 12" dp per FB 2290-19

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by GOSS
Map No. P 2241
Office Work R. L. GREEN
Checked GOSS
Date Feb. 1958

Survey of P.V. Golf Course
W. O. 2055.04 Tape No. 190 Std. 84 °F
Surveyed by M.A. Van Deren
Notes Van Date 11-14-57
Indexed K. O. Johnson 11-29-57

F.B. 22590 Pg. 71

Wis. 22-B-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76FS098 247 4-58

E.C. Found L & Tag in large 4'x2' rock Per pg 71

P.O.T. Fd 1X2 & Tk Flush per pg 71

P.I. Var. set

Set 3/4" I.P. conc plug & Tag Flush

30.00

108.20

PROPOSED ACCESS RD (30') (30')

New Boundary line

63.845'

90° 00' 00"

Per pg

P.O.T. Set 1X2 & Tk Flush

63.855 Rec'd T = 66 = 63.845

56.865 @ 8° 59' 30
T = 68 = 56.855
.16

56.855
.16

B.C. Set 3/4" I.P. conc plug & Tag Flush

B.C.

30.00

Set 3/4" I.P. conc plug & Tag Flush

P.I. 43.97'

47.02 @ 20° 49' 00 T = 70 = 43.97

To Tap pg 82

To Tap pg 82

F.B. 2290 Pg. 82



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Goss
Map No. 82441
Office Work R. L. GREEN
Checked Goss
Date Feb. 1958

Survey of Palos Verde Golf Course
W. O. 805506 Tape No 140 St'd. 89 °F
Surveyed by M.A. Van Deren
Notes Van Date 11-14-57
Indexed R. C. Johnson

F. B. 2190 Pg. 83

W.S. 22 - B - 4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54



1 - 90° 00' 00"
4 - 360° 00' 00"
= 90° 00' 00"

1 - 82° 15' 00"
4 - 328° 59' 50"
= 82° 14' 57½"

NOTES RED. _____ JOB NO. 0055.06 SURVEY OF Palos Verde Golf Course F. B. 2290 PG. 91

DATE _____ SURVEY BY M. A. Van Deren

NOTES CHKD. _____ NOTES BY Van DATE 10-8-57

DATE _____ INDEXED K. C. Johnson DATE 10-15-57

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

765420 353 2M 3-48

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						J. N. 0055.06
						BENCH MARK LEVELS
						ON
						PALOS VERDE GOLF COURSE
						10-8-57
						Van Deren
						Bazan
						Turnill
						Nunez

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

34-26 IHA 10-24-57

JOB NO. 055.06 SURVEY OF P.V. Golf Course
SURVEY BY M.A. Van Deren
NOTES BY K.C. Johnson DATE 11-8-57
INDEXED DATE
NOTES RED. DATE
NOTES CHKD. IHA DATE 10-57
F.B. 2190 Pg. 92

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
34-36	128.369					BM #34-36 1953 adj. Elev=128.369 per FB 1355-28 =(U.S.C.E.G.S. BM E788) (U.S.4138) Palos Verde Drive So. E Point Vicente Light house in S. side of conc. Foundation of light house 1.3' above stanc walk, a std. disk stamped "E-788 1945"
+ 30'	4.674		4.601			
Δ	133.043	+0.887	0.888			
− 30'	3.787		3.713			
T.P.	129.256					
+ 100'	9.862		9.768			
Δ	139.118	+9.234	9.233			
− 100'	0.628		0535			
T.P.	138.490					
+ 65'	8.094		7.997			
Δ	146.584	+7.049	7.049			
− 65'	1.045		0.948			
T.P.	145.539					
+ 130'	11.962		11.857			
Δ	157.501	+11.319	11.316			
− 130'	0.643		0.541			
U.S. 2889	156.858				156.858	U.S. 2889, Elev = 156.867 FB 1355-28 (U.S.C.E.G.S. BM Weather station B) Palos Verdes Drive West at Point Vicente Light House. 300' S. of Dr E 130' N.W. from road leading to Light-house a 2" I.P. with brass cap marked Weather Ser. B. PV Elev 161.35 pipe is 1.5 above ground and is outside of the Coast Guard Fenced area
+ 110'	5.229		5.306	5.208		
Δ	162.087	+3.792	3.798	3.798		
− 110'	1437		1508	1410		
T.P.	160.650			Use		
+ 100'	9.045		8.982			
Δ	169.695	+5.763	5.763			
− 100'	3.282		3.219			
T.P.	166.413					
+ 110'	7.697		7.661			
Δ	174.110	+4.833	4.836			
− 110'	2864		2825			
T.P.	171.246					

765420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	171.246 ✓					T.P per pg 92
+ 110'	9.999		9.868			
⊼	181.245 ✓	+ 7.967 ✓	7.967 ✓			
− 110'	2.032		1.901			
T.P	179.213 ✓					
+ 110'	11.978		11.818			
⊼	191.191 ✓	+ 10.312 ✓	10.313 ✓			
− 110'	1.666		1.505			
T.P	189.525 ✓					
+ 100'	11.503		11.460			
⊼	201.028 ✓	+ 11.135 ✓	11.137 ✓			
− 100'	0.368		0.323			
T.P	200.660 ✓					
+ 130'	11.200		11.087	11.017		
⊼	211.860 ✓	+ 10.439 ✓	10.451 ✓	10.449 ✓		
− 130'	0.761		0.636	0568 use		
T.P	211.099 ✓					
+ 110'	9.384		9.304			
⊼	220.483 ✓	+ 7343 ✓	7.343 ✓			
− 110'	2.041		1.961			
T.P.	218.442 ✓					
+ 130'	8.518		8.463			
⊼	226.960 ✓	+ 8.012 ✓	8.008 ✓			
− 130'	0.506		0.455			
T.P	226.454 ✓					
+ 110'	8.285		8.164			
⊼	234.739 ✓	+ 7.163 ✓	7.161 ✓			
− 110'	1.122		1.003			
T.P	233.617 ✓					

NOTES RED. _____ JOB NO. 0155.06 SURVEY OF DV Gale Estate
DATE _____ SURVEY BY M.A. VanDeren
NOTES CHKD. MA NOTES BY MA DATE 10-8-57
DATE 10-8-57 INDEXED K. C. Johnson DATE

F.B. 1570 Pg. 99

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
915 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0055.06 SURVEY OF PV Golf Courses NOTES RED.
SURVEY BY M.A. Van Deren DATE NOTES CHKD. MAV 10-57
NOTES BY K.A. DATE 10-8-57
INDEXED K. C. Jobbins DATE

F.B. 2290 Pg. 94

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	233.617		~~7555~~			T.P. per p.g. 93
+ 110'	7.774		~~8555~~			
Π	241.391	6.616	6613			
− 110'	1.158		0942			
T.P.	240.233					
+ 110'	7.226		7.144			
Π	247.459	+ 3.752	3.754			
− 110'	3.474		3.390			
T.P	243.985					
+ 50'	4.650		4.437			
Π	248.635	+ 2.007	2.006			
− 50' (Set)	6.657		6.443			
PVBM#1	241.978					PV #1 Elev = 241.999
+ 110'	7.582		7.542			Palos Verde Dr W. & Crest Rd. 10' West
Π	249.560	+ 4.798	4.799			of ℄ Palos Verde Dr W. & 330'± South of
− 110'	2.784		2.743			℄ Crest Rd. a L & Tack in N.W. cor of
T.P	246.776					Conc C.B.
+ 100'	11.527		11.463			
Π	258.303	+ 11.009	11.009			
− 100'	0.518		0.454			
T.P	257.785					
+ 100'	9.007		8.978			
Π	266.792	+ 7.387	7.388			
− 100'	1.620		1.590			
T.P.	265.172					
+ 110	9.423		9.328			
Π	274.595	+ 8.105	8.104			
− 110	1.318		1.224			
T.P.	273.277					

765420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	273.277 ✓					T.P. per pg 94
+ 110'	8.988		8.873 ✓			
Π	282.265 ✓	+ 8.148 ✓	8.151 ✓			
− 110'	0.840		0.722			
T.P.	281.425 ✓					
+ 90'	9.618		9.578			
Π	291.043 ✓	+9.079 ✓	9.081 ✓			
− 90'	0.539		0.497			
T.P.	290.504 ✓					
+ 100'	11.936		11.842			
Π	302.440 ✓	11.293 ✓	11.295 ✓			
− 100'	0643		0.547			
T.P	301.797 ✓					
+ 100'	11.854		11.791			
Π	313.651 ✓	+11.231 ✓	11.231 ✓			
− 100'	0.623		0.560			
T.P.	313.028 ✓					
+ 90'	10.602		10.808			
Π	323.630 ✓	+10.266 ✓	10.266 ✓			
− 90	0.336		0.542			
T.P.	323.294 ✓					
+ 70'	9.654		9.518 ✓			
Π	332.948 ✓	+ 9.332 ✓	9.333 ✓			
− 70'	0.322		0.185			
T.P	332.626 ✓					
+ 60'	9.299		9.215			
Π	341.925 ✓	8.479 ✓	8.477 ✓			
− 60'	0.820		0.738			
T.P	341.105 ✓					

NOTES RED. _____ JOB NO. 0055.06 SURVEY OF PV Golf Course
DATE _____ SURVEY BY M.A. Van Deren DATE 10-8-57
NOTES CHKD. LHH NOTES BY K.C. Johnson DATE _____
DATE 10-57 INDEXED _____ DATE _____

F.B. 22900 PG. 55

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0055.06 SURVEY OF P.V. Golf Course NOTES RED. _____ DATE _____
SURVEY BY M.A. Van Dercu NOTES CHKD. MM DATE 10-57
NOTES BY Van DATE 10-8-57
INDEXED R. C. Johnson DATE

F.B. 2290 PG. 96

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	341.105 ✓					T.P. per pg 95
+ 90'	10.948		10.823			
⊼	352.053 ✓	+ 9.667 ✓	9.663 ✓			
− 90'	1.281		1.160			
T.P.	350.772 ✓					
+ 90'	9.886		9.801 ✓			
⊼	360.658 ✓	+ 8.858	8.858 ✓			
− 90'	1.028		0.943			
T.P.	359.630 ✓					
+ 90'	8.967		8.853			
⊼	368.597 ✓	+ 6.839 ✓	6.840 ✓			
− 90'	2.128		2.013			
T.P.	366.469 ✓					
+ 30'	7.853		7.799			
⊼	374.322 ✓	+ 6.089 ✓	6.089 ✓			
~~(Set)~~ 30'	1.764		1.710			
PV BM #2	372.558 ✓					PV. BM #2 - Elev = 372.586
+ 100'	5.167		5.102			Crest Rd (W. side) at entrance to Battery
⊼	377.725 ✓	+ 3.139 ✓	3.137 ✓			D. 554th AAA Missile Battalion
− 100'	2.028		1.965			Spk in N. side of PP 1083657E
T.P.	375.697 ✓					0.4 Mi. From Palos Verde Drive West
+ 90'	9.995		9.862			
⊼	385.692 ✓	+ 8.493 ✓	8.495 ✓			
− 90'	1.502		1.367			
T.P.	384.190 ✓					
+ 100'	11.216		11.261			
⊼	395.406 ✓	+ 10.884 ✓	10.882 ✓			
− 100'	0.332		0.379			
T.P.	395.074 ✓					

765420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 4455.06 SURVEY OF PV Golf Course
DATE SURVEY BY M.A. VanDeren
NOTES CHKD 4449 NOTES BY Kan DATE 10-8-57
DATE 10-8-57 INDEXED C. Johnson DATE

F.B. 2290 PG. 87

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	395.074 ✓					T.P. per pg 96
+ 90'	10.958		11.033			
℄	406.032 ✓	+10.737 ✓	10.739 ✓			
− 90'	0.221		0.294			
T.P.	405.811 ✓					
+ 90'	10.817		10.762			
℄	416.628 ✓	+10.469 ✓	10.469 ✓			
− 90'	0.348		0.293			
T.P.	416.280 ✓					
+ 90'	10.450		10.479			
℄	426.730 ✓	+10.219 ✓	10.218 ✓			
− 90'	0.231		0.261			
T.P.	426.499 ✓					
+ 80'	9.892		9.797			
℄	436.341 ✓	+9.593 ✓	9.594 ✓			
− 80'	0.249		0.203			
T.P.	436.092 ✓					
+ 80'	10.053		10.022			
℄	446.145 ✓	+9.558 ✓	9.560 ✓			
− 80'	0.495		0.462			
T.P.	445.650 ✓					
+ 80'	9.930		9.861			
℄	455.580 ✓	+9.562 ✓	9.561 ✓			
− 80'	0.368		0.300			
T.P.	455.212 ✓					
+ 80'	11.425		11.379			
℄	466.637 ✓	+10.511 ✓	10.515 ✓			
− 80'	0.914		0.864			
T.P.	465.723 ✓					

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0055.06 SURVEY OF PV Golf Course NOTES RED.
SURVEY BY M.A. VanDeren DATE NOTES CHKD. MH
NOTES BY Van DATE 10-8-57 DATE 10-57
INDEXED J. C. Johnson DATE

F.B. 2290 Pg. 98

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	465.723 ✓					T.P. per Pg 97
+ 80'	9.018		8.885			
Π	474.741 ✓	+8.454 ✓	8.453 ✓			
− 80'	0.564		0.432			
T.P.	474.177 ✓					
+ 80'	9.048		8.969			
Π	483.225 ✓	+8.120 ✓	8.121 ✓			
− 80'	0.928		0.848			
T.P.	482.297 ✓					
+ 90'	9.563		9.526			
Π	491.860 ✓	+9.288 ✓	9.289 ✓			
− 90'	0.275		0.237			
T.P.	491.585 ✓					
+ 90'	9.713		9.645			
Π	501.298 ✓	+8.908 ✓	8.911 ✓			
− 90'	0.805		0.734			
T.P.	500.493 ✓					
+ 80'	9.625		9.577			
Π	510.118 ✓	+9.364 ✓	9.367 ✓			
− 80'	0.261		0.210			
T.P.	509.857 ✓					
+ 60'	8.520		8.463			
Π	518.377 ✓	6.306 ✓	6.304 ✓			
− 60'	2.214		2.159			
PVBM #3	516.163 ✓					PVBM #3 Elev = 516.201
+ 100'	10.804		10.691			Crest Rd (South Side) 0.9 Mi From Palos
Π	526.967 ✓	+10.411 ✓	10.413 ✓			Verde Drive West.
− 100'	0.393		0.278			Bt Spk in N. side of 12" Gum tree
T.P.	526.574 ✓					at ground level

765420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 0055.26 SURVEY OF PV Golf Course
DATE _____ SURVEY BY M.P. VanDeren
NOTES CHKD. LHH NOTES BY Kaa DATE 10-9-57
DATE 10-57 INDEXED K. C. Johnson DATE _____

F. B. 2290 PG. 99

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	526.574 ✓					T. P. per pg 98
+ 80'	9.542		9.712			
⊼	536.116 ✓	+ 9.370 ✓	9.368 ✓			
− 80'	0.172		0.344			
T.P.	535.944 ✓					
+ 80'	9.374		9.318			
⊼	545.318 ✓	+ 8.861 ✓	8.861 ✓			
− 80'	0.513		0457			
T.P.	544.805 ✓					
+ 70'	8.952		9.009			
⊼	553.757 ✓	+ 7.846 ✓	7.848 ✓			
− 70'	1.106		1.161			
T.P.	552.651 ✓					
+ 70'	9.818		9.757			
⊼	562.469 ✓	+ 8.817 ✓	8.819 ✓			
− 70'	1.001		0.938			
T.P.	561.468 ✓					
+ 80'	9.335		9.246			
⊼	570.803 ✓	+ 8.612 ✓	8.615 ✓			
− 80'	0.723		0.631			
T.P.	570.080 ✓					
+ 80'	9.423		9.441			
⊼	579.503 ✓	+ 9.184 ✓	9.186 ✓			
− 80'	0.239		0.255			
T.P.	579.264 ✓					
+ 70'	8.433		8.384			
⊼	587.697 ✓	+ 7.651 ✓	7.652 ✓			
− 70'	0.782		0.732			
T.P.	586.915 ✓					

769420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2055.26 SURVEY OF PV Golf Course NOTES RED. DATE
SURVEY BY M.B. Van Deren NOTES CHKD. LHA
NOTES BY Van DATE 11-9-52 DATE 10-57
INDEXED K.C. Johnson DATE
F.B. 2290 PG. 100

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	586.915 ✓					T.P. per pg 98
+ 40	7.698		7.507			
Π	594.563 ✓	+ 4.980 ✓	4.980 ✓			
− 40'	2.668		2.527			
T.P.	591.895 ✓					
+ 40'	7.857		7.756			
Π	599.752 ✓	+ 6.879 ✓	6.879 ✓			
(Set) 40'	0.978		0.877			
PVBM #4	598.774 ✓					PVBM #4 = 598.814
+ 80'	6.725		6.654 ✓			Crest Rd (N. side) 1.15 Mile From
Π	605.499 ✓	+ 4.838 ✓	4.838 ✓			Palos Verde Dr West.
− 80'	1.887		1.816			a bit spk in N. side of 12" Gum tree
T.P.	603.612 ✓					250'± S.E. of P. 33
+ 100'	11.903		11.822			
Π	615.515 ✓	+ 9.555 ✓	9.555 ✓			
− 100'	2.348		2.267			
T.P.	613.167 ✓					
+ 100'	11.815		11.861			
Π	624.982 ✓	+ 10.364 ✓	10.365 ✓			
− 100'	1.451		1.496			
T.P.	623.531 ✓					
+ 70'	9.041		8.943			
Π	632.572 ✓	+ 7.580 ✓	7.580 ✓			
− 70'	1.461		1.363			
T.P.	631.111 ✓					
+ 80'	9.010		8.914			
Π	640.121 ✓	+ 8.301 ✓	8.300 ✓			
− 80'	0.709		0.614			
T.P.	639.412 ✓					

768420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JOB NO. 0055.06 SURVEY OF PV Golf Course
DATE SURVEY BY M.B. VanDeren
NOTES CHKD. [illegible] NOTES BY K.C. Johnson DATE 10-18-57
DATE 10-57 INDEXED DATE

F.B. 1170 PG. 101

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	639.412					T.P. per pg 100
+ 80'	8.263		8.147	8.049		
π	647.675	(+6.672) Do not use IHA	6.664	6.666		
− 80'	1.591		1.483	1.383		
T.P.	646.084					
+ 80'	7.823		7.664			
π	653.907	+6.304	6.304			
− 80'	1.519		1.360			
T.P	652.388					
+ 80'	8.122		8.042			
π	660.510	+7.107	7.108			
− 80'	1.015		0.934			
T.P.	659.495					
+ 60'	8.032		7.908			
π	667.527	+6.888	6.889			
− 60'	1.144		1.019			
T.P.	666.383					
+ 70'	9.137		9.081			
π	675.520	+8.395	8.398			
− 70'	0.742		0.683			
T.P.	674.778					
+ 70'	8.675		8.615			
π	683.453	+7.630	7.629			
− 70'	1.045		0.986			
T.P.	682.408					
+ 70'	8.768		8.702			
π	691.176	+7.502	7.502			Distances?
− 70'	1.266		1.200			
T.P.	689.910					

768420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 6053.06 SURVEY OF PV Golf Course
SURVEY BY M.B. Vanderen
NOTES BY Ken C. Johnson DATE 10-10-57
INDEXED DATE
NOTES RED. DATE
NOTES CHKD. 1449 DATE 10-57
F.B. 2196 PG. 102

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	689.910 ✓					T. P. per pg 101
+ 90'	9.822		9.745			
Λ	699.732 ✓	+9.239 ✓	9.238 ✓			
− 90'	0.583		0.507			
T.P.	699.149 ✓					
+ 90'	9.983		9.885			
Λ	709.132 ✓	+9.485 ✓	9.483 ✓			
− 90'	0.498		0.402			
T.P.	708.634 ✓					
+ 70'	9.473		9.395			
Λ	718.107 ✓	+7.816 ✓	7.818 ✓			
− 70'	1.657		1577			
T.P.	716.450 ✓					
+ 50'	9.661		9.602			
Λ	726.111 ✓	+5.891 ✓	5.889			
− 50	3.770		3.713			
T.P.	722.341 ✓					
+ 50'	11.826		11.703			
Λ	734.167 ✓	+10.336 ✓	10.336 ✓			
− 50'	1.490		1.367			
T.P.	732.677 ✓					
+ 60'	8.880		9.125			
Λ	741.557 ✓	+6.405 ✓	6.403 ✓			
− 60'	2.475		2.722			
T.P.	739.082 ✓					
+ 60'	5.824		5.760			
Λ	744.906 ✓	−1.339 ✓	1.338 ✓			PV. BM #5. Elev = 737.770
(set) 60'	7.163		7.098			Crest Rd (W. side) at Radio towers
PVBM#5	737.743 ✓					1.6 Mi. From Palos Verde Dr W
						50'± W. of S.E. Fence cor to towers. a 3/4" I.P.
						Conc plug & BT SPK 1.8' ± P 100'± W & Crest Rd

768420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 2355.6 SURVEY OF PV Golf Course
DATE _____ SURVEY BY M. D. VanDeer
NOTES CHKD. MH NOTES BY Van DATE 10-12-57
DATE 10-17 INDEXED R. C. Johnson DATE
F.B. 2290 PG. 103

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P.V.BM #5	737.743					P.V. BM #5 per pg 102
+ 30'	5.544		5.412			
⊼	743.287	- 0.183	0.188			
(Set) 30'	5.727		5.594			
P.V. BM #6	737.560					PV BM #6 Elev = 737.588
+ 90'	4.296		4.194			Crest Rd (W. side) at Radio towers
⊼	741.856	+ 1.955	1.954			1.6 Mi from Palos Verde Dr W.
- 90'	2.341		2.240			at S.E. fence cor to towers. a 3/4"
T.P.	739.515					I.P. canc plug & BB Spk. 12" dp
+ 90'	9.321		9.156			50'± W. ℄ Crest Rd.
⊼	748.836	+ 8.627	8.623			
- 90'	0.694		0.533			
T.P.	748.142					
+ 90'	9.367		9.285			
⊼	757.509	+ 8.505	8.504			
- 90'	0.862		0.781			
T.P.	756.647					
+ 90	9.075		9.001			
⊼	765.722	+ 7.409	7.408			
- 90	1.666		1.593			
T.P.	764.056					
+ 100	8.598		8.546			
⊼	772.654	+ 7.295	7.297			
- 100	1.303		1.249			
T.P.	771.351					
+ 100'	9.430		9.482			
⊼	780.781	+ 9.142	9.144			
- 100'	0.288		0.338			
T.P.	780.493					

769420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0655 SURVEY OF PV Golf Course
SURVEY BY M.A. Van Deren DATE 10-14-57
NOTES BY K.C. Johnson DATE
INDEXED DATE
NOTES RED. DATE
NOTES CHKD. MAH DATE 10-57

F.B. 2294 Pg. 104

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	780.493 ✓					T. P. per pg 103
+ 60'	8.700		8.655			
Δ	789.193 ✓	+7.789 ✓	7.786 ✓			
− 60'	0.911		0.869			
T.P.	788.282 ✓					
+ 60'	8.750		8.628			
Δ	797.032 ✓	+8.122 ✓	8.121 ✓			
− 60'	0.628		0.507			
T.P.	796.404 ✓					
+ 60'	7.835		7.800			
Δ	804.239 ✓	+7.148 ✓	7.147 ✓			
(set) 60'	0.687		0.653			
PV BM #7	803.552 ✓					PV. B.M. #7 Elev = 803.570
+ 60'	0.497 ✓		0.460			Crest Rd (S. side) 1.85 Mi from ℄
Δ	804.049	-7.146 ✓	7.146 ✓			Palos Verde Dr W. a 6t spk in E. side
− 60'	7.643		7.606			of 16" Gum tree. 1000' ± Ely from
T.P.	796.406 ✓					Radio Towers. 1' above ground surface
+ 60'	1.573		1.514			
Δ	797.979 ✓	-8.120 ✓	8.120 ✓			
− 60'	9.693		9.634			
T.P.	788.286 ✓					
+ 60'	1.561		1.476			
Δ	789.847 ✓	-7.787 ✓	7.788 ✓			
− 60'	9.348		9.264			
T.P.	780.499 ✓					
+ 100'	0.812		0.763			
Δ	781.311 ✓	-9.141 ✓	9.142 ✓			
− 100'	9.953		9.905			
T.P.	771.358 ✓					

769420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 6955.04 SURVEY OF DV Golf Course
DATE _____ SURVEY BY M.A. Van Deren
NOTES CHKD. MAH NOTES BY Ken C. Johnson DATE 10-20-57
DATE 10-57 INDEXED _____ DATE _____

F.B. 2290 PG. 105

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	771.358 ✓					T.P. per 19 104
+ 100'	1.292		1.257			
Π	772.650 ✓	- 7.295 ✓	7.294 ✓			
− 100'	8.587		8.551			
T.P.	764.063 ✓					
+ 90'	1.578		1.523			
Π	765.641 ✓	- 7.407 ✓	7.407 ✓			
− 90'	8.985		8.930			
T.P.	756.656 ✓					
+ 100'	1.062		1.000			
Π	757.718 ✓	- 8.506 ✓	8.503 ✓			
− 100'	9.568		9.503			
T.P.	748.150 ✓					
+ 90'	0.845		0.773			
Π	748.995 ✓	- 8.624 ✓	8.625 ✓			
− 90'	9.469		9.398			
T.P.	739.526 ✓					
+ 90'	0.896		0.892			
Π	740.422 ✓	- 8.308 ✓	8.308 ✓			
− 90'	9.204		9.200			
T.P.	731.218 ✓					
+ 70'	0.855		0.801			
Π	732.073 ✓	- 8.007 ✓	8.008 ✓			
− 70'	8.862		8.809			
T.P.	723.211 ✓					
+ 70'	1.982		1.943			
Π	725.193 ✓	- 6.746 ✓	6.747 ✓			
− 70'	8.728		8.690			
T.A	716.465 ✓					

76S420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. ____ DATE ____ NOTES CHKD. MH DATE 10-57

JOB NO. 0055.06 SURVEY OF PV Golf Course
SURVEY BY M.H. VanDecar
NOTES BY K.C. Johnson DATE 10-10-57
INDEXED ____ DATE ____

F.B. 1290 Pg. 106

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	716.465 ✓					T.P. per Pg 105
+ 70'	1.802		1.703			
Π	718.267 ✓	-7.817 ✓	7.817 ✓			
− 70'	9.619		9.520			
T.P.	708.648 ✓					
+ 90'	0.785		0.689			
Π	709.433 ✓	-9.484 ✓	9.485 ✓			
− 90'	10.269		10.174			
T.P.	699.164 ✓					
+ 80'	0.853		0.790			
Π	700.017 ✓	-8.417 ✓	8.418 ✓			
− 80'	9.270		9.208			
T.P.	690.747 ✓					
+ 90'	0.988		0.895			
Π	691.735 ✓	-8.320 ✓	8.321 ✓			
− 90'	9.308		9.216			
T.P.	682.427 ✓					
+ 90'	0.266		0.323			
Π	682.693 ✓	-10.057 ✓	10.056 ✓			
− 90'	10.323		10.379			
T.P.	672.370 ✓					
+ 70'	0.588		0.528			
Π	672.958 ✓	-8.162 ✓	8.160 ✓			
− 70'	8.750		8.688			
T.P.	664.208 ✓					
+ 80'	0.519		0.457			
Π	664.727 ✓	-8.432 ✓	8.431 ✓			
− 80'	8.951		8.888			
T.P.	655.776 ✓					

768420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2055.06 SURVEY OF PV Golf Course
DATE SURVEY BY M.B. Van Dercn
NOTES CHKD. NNQ NOTES BY K. C. Johnson DATE 10-10-57
DATE 10-57 INDEXED DATE
F.B. PG. 107

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	655.776 ✓					T. P. per pg 106
+ 100'	0.709		0.626			
⊼	656.485 ✓	-7.978	7.976			
− 100'	8.687		8.602			
T.P.	647.798 ✓					
+ 100'	0.981		0.933			
⊼	648.779 ✓	-8.367	8.368			
− 100'	9.348		9.301			
T.P.	639.431 ✓					
+ 90'	0.776		0.643			
⊼	640.207 ✓	-8.297	8.298			
− 90'	9.073		8.941			
T.P.	631.134 ✓					
+ 70'	1.182		1.089			
⊼	632.316 ✓	-7.578	7.582			
− 70'	8.760		8.671			
T.P.	623.556 ✓					
+ 100'	0.807		0.877			
⊼	624.363 ✓	-10.362	10.362			
− 100'	11.169		11.239			
T.P.	613.194 ✓					
+ 100'	2.059		1.982			
⊼	615.253 ✓	-9.552	9.553			
− 100'	11.611		11.535			
T.P.	603.642 ✓					
+ 75'	1.267 ✓		1.241			
⊼	604.909 ✓	-4.837	4.837			PV BM #4 Elev = 598.814 - pg 100
(Fd.) 75'	6.104		6.078			Crest Rd (N. side) 1.15 Miles from
PV BM #4	598.805 ✓					Palos Verde Dr West.
						obt spk in N. side of 12" Gum tree
						250' E SE of P-38

765420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. _____ DATE _____
NOTES CHKD LHH DATE 10-57
SURVEY OF _____
JOB NO. _____
SURVEY BY _____
NOTES BY L.C. Johnson DATE _____
INDEXED _____ DATE _____
F.B. _____ PG. 108

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM #4	598805 ✓					PVBM #4 per pg 107
+ 40'	0.752		0.708			
Δ	599.557 ✓	-6.877 ✓	6.878 ✓			
− 40'	7.629		7.586			
T.P.	591.928 ✓					
+ 80'	0.798		0.730			
Δ	592.726 ✓	-8.740 ✓	-8.740 ✓			
− 80'	9.538		9.470			
T.P.	583.188 ✓					
+ 90'	0.389		0.330			
Δ	583.577 ✓	-9.541 ✓	9.541 ✓			
− 90'	9.930		9.871			
T.P.	573.647 ✓					
+ 90'	0.322		0.275			
Δ	573.969 ✓	-9.773 ✓	9.774 ✓			
− 90'	10.095		10.049			
T.P.	563.874 ✓					
+ 90'	0.419		0.374			
Δ	564.293 ✓	-11.192 ✓	11.192 ✓			
− 98'	11.611		11.566			
T.P.	552.682 ✓					
+ 70'	1.422		1.343			
Δ	554.104 ✓	-7.845 ✓	7.845 ✓			
− 70'	9.267		9.188			
T.P.	544.837 ✓					
+ 70'	1.094		1.140			
Δ	545.931 ✓	-8.718 ✓	8.720 ✓			
− 70'	9.812		9.860			
T.P.	536.119 ✓					

769420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 0055.06 SURVEY OF PV Golf Course
DATE _____ SURVEY BY M. A. VanDeren
NOTES CHKD. [illegible] NOTES BY _____ DATE _____
DATE 10-57 INDEXED [illegible] C. Johnson DATE _____

F.B. 2222 PG. 109

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	536.119 ✓					T.P. per pg 10 ✓
+ 80'	0.187	✓	0.369			
Π	536.306 ✓	-9.509	9.509 ✓			
− 80'	9.696		9.878			
T.P.	526.610 ✓					
+ 100'	0.390	✓	0.323			
Π	527.000 ✓	-10.413	10.413 ✓			
− 100'	10.803		10.736			
(Fd) PV BM #3	516.197 ✓					PV BM #3 Elev = 516.201 per pg 98
+ 60'	2.222		2.159			Crest Rd (South side) 0.9 Miles from
Π	518.419 ✓	- 6.305	6.305 ✓			Palos Verde Dr West
− 60'	8.527		8463			Bt Spk in Nly side of 12" Gum tree
T.P.	509.892 ✓					at ground Level
+ 90'	0.627	✓	0.552			
Π	510.519 ✓	- 9.364	9.363 ✓			
− 90'	9.991		9.915			
T.P.	500.528 ✓					
+ 100'	1.303		1.254			
Π	501.831 ✓	- 8.908	8.909 ✓			
− 100'	10.211		10.163			
T.P.	491.620 ✓					
+ 90'	0.394	✓	0.372			
Π	492.014 ✓	- 8.756	8.756 ✓			
− 90'	9.150		9.128			
T.P.	482.864 ✓					
+ 90'	1.696	✓	1.630			
Π	484.560 ✓	- 7.227	7.229 ✓			
− 90'	8.923 ✓		8.859			
T.P.	475.637 ✓					

769420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. _____ SURVEY OF _____ NOTES RED. _____
SURVEY BY _____ DATE _____
NOTES BY C. Johnson DATE _____ NOTES CHKD. _____ DATE 10-57
INDEXED _____ DATE _____

F.B. 2290 Pg. 110

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	475.637 ✓					T.P. per Pg 109
+ 100'	0.941		0.883			
Δ	476.578 ✓	- 9.061 ✓	9.059 ✓			
− 100'	10.002		9.942			
T.P.	466.576 ✓					
+ 100'	0.174		0.380			
Δ	466.750 ✓	-11.337 ✓	11.339 ✓			
− 100'	11.511		11.719			
T.P.	455.239 ✓					
+ 90'	0.468		0.403			
Δ	455.707 ✓	- 9.979 ✓	9.978 ✓			
− 90'	10.447		10.381			
T.P.	445.260 ✓					
+ 90'	0.693		0.667			
Δ	445.953 ✓	- 9.142 ✓	9.140 ✓			
− 90'	9.835		9.807			
T.P.	436.118 ✓					
+ 80'	1.172		1.125			
Δ	437.290 ✓	- 8.551 ✓	8.549 ✓			
− 80'	9.723		9.674			
T.P.	427.567 ✓					
+ 80'	1.028		0.946			
Δ	428.595 ✓	- 8.479 ✓	8.478 ✓			
− 80'	9.507		9.424			
T.P.	419.088 ✓					
+ 80'	1.149		1.095			
Δ	420.237 ✓	- 8.542 ✓	8.544 ✓			
− 80'	9.691		9.639			
T.P.	410.546 ✓					

768420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 0055.06 SURVEY OF PV Golf Course
DATE _____ SURVEY BY M.D. Van Deren
NOTES CHKD. 10-17-57 NOTES BY Van DATE 10-18-57
DATE 10-25-57 INDEXED K.C. Johnson DATE _____

F.B. 2290 PG. 111

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	410.546 ✓					T.P. per pg 110
+ 80'	0.775		0.680			
⊼	411.321 ✓	- 9.259 ✓	9.259 ✓			
− 80'	10.034		9.939			
T.P.	401.287 ✓					
+ 80'	0.606		0.530			
⊼	401.893 ✓	- 9.179 ✓	9.180 ✓			
− 80'	9.785		9.710			
T.P.	392.108 ✓					
+ 80'	1.082		1.021			
⊼	393.190 ✓	- 8.101 ✓	8.099 ✓			
− 80'	9.183		9.120			
T.P.	384.007 ✓					
+ 80'	1.599		1.516			
⊼	385.606 ✓	- 6.945 ✓	6.946 ✓			
− 80'	8.544		8.462			
T.P.	377.062 ✓					
+ 100'	2.425		2.321			
⊼	379.487 ✓	-4.479 ✓	4.481 ✓			
(F.S.) 100'	6.904		6.802			
PV BM #2	372.583 ✓					PV BM #2 Elev = 372.586 per pg 96
+ 90	1.227		1.140			Crest Rd (w. side) at entrance to
⊼	373.810 ✓	- 6.087 ✓	6.088 ✓			Battery D. 554th AAA Missile
− 90'	7.314		7.228			Battalion.
T.P.	366.496 ✓					SPK in N. side of P.P. #1083657E.
+ 80'	2.879		2.798 ✓			0.4 Miles From Palos Verde Dr west
⊼	369.375 ✓	- 6.175 ✓	6.175 ✓			
− 80'	9.054		8.973			
T.P.	360.321 ✓					

765420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0055.06 SURVEY OF PV Golf Course NOTES RED.
SURVEY BY M.B. Van Deren DATE
NOTES BY Van DATE 10-10-57 NOTES CHKD. MHD
INDEXED C. Johnson DATE DATE 10-57

F.B. 2280 PG. 112

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	360.321					T.P. per pg 111
+100'	0.995		0.942			
Π	361.316	-9.524	9.521			
−100	10.519		10.463			
T.P.	350.797					
+80	2.650		2.607			
Π	353.447	-7.135	7.135			
−80'	9.785		9.742			
T.P.	343.662					
+90'	0.359		0.342			
Π	344.021	-10.765	10.767			
−90'	11.124		11.109			
T.P.	332.897					
+80'	0.786		0.747			
Π	333.683	-9.827	9.826			
−80	10.613		10.573			
T.P.	323.070					
+80'	2.204		2.174			
Π	325.274	-8.801	8.803			
−80'	11.005		10.977			
T.P.	314.269					
+90'	1.610		1.563			
Π	315.879	-9.505	9.505			
−90'	11.115		11.068			
T.P.	304.764					
+100'	0.930		0.803			
Π	305.694	-9.770	9.767			
−100'	10.700		10.570			
T.P.	294.994					

765420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 055.04 SURVEY OF PV Golf Course
DATE SURVEY BY M.R. VanDerveer
NOTES CHKD. [illegible] NOTES BY K.C. Johnson DATE 10-12-57
DATE 10-5-57 INDEXED DATE

F.B. 2270 Pg. 113

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	294.994 ✓					T.P. per pg 112
+ 100'	0.294		0.273			
⊼	295.288 ✓	- 10.581 ✓	10.581 ✓			
− 100'	10.875		10.854			
T.P.	284.413 ✓					
+ 100'	1.144		1.043			
⊼	285.557 ✓	- 7.715 ✓	7.715 ✓			
− 100'	8.859		8.758			
T.P.	276.698 ✓					
+ 110'	1.311		1.263			
⊼	278.009 ✓	-7.809 ✓	7.806 ✓			
− 110'	9.120		9.069			
T.P.	268.889 ✓					
+ 110'	1.204		1.155			
⊼	270.093 ✓	- 7.569 ✓	7.569 ✓			
− 110'	8.773		8.724			
T.P.	261.320 ✓					
+ 100'	1.103		1.040			
⊼	262.423 ✓	- 10.503 ✓	10.502 ✓			
− 100'	11.606		11.542			
T.P.	250.817 ✓					
+ 100'	1.254		1.193			
⊼	252.071 ✓	- 4.899 ✓	4.899 ✓			
− 100'	6.153		6.092			
T.P.	245.918 ✓					
+ 80'	3.687 ✓		3.636			
⊼	249.605 ✓	- 3.940 ✓	3.942 ✓			
(Fd) 80'	7.627		7.578			
PV BM #1	241.978 ✓					PV BM #1 Elev = 241.999 per pg 99 Palos Verde Dr West & Crest Rd 10'± N. & Palos Verde Drive west 330'± South & Crest Rd. a LET in N.W. Cor of Conc CB.

76S420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. _____ DATE _____ NOTES CHKD. HHH DATE 10-57

SURVEY OF PV Golf Course

JOB NO. 0053.06 SURVEY BY M. A Van Deren

NOTES BY Kay C. Johnson DATE 10-10-57

INDEXED _____ DATE _____

F.B. 1290 PG. 114

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
PV BM #1	241.978 ✓					PV BM #1 per pg 113
+ 80'	7.523		7.425			
Δ	249.501 ✓	+ 3.943 ✓	3.942 ✓			
− 80'	3.580		3483			
T.P.	245.921 ✓					
+ 130'	6.563		6.503			
Δ	252.484 ✓	+ 3.235 ✓	3.235 ✓			
− 130'	3.328		3.268			
T.P.	249.156 ✓					
+ 130'	7.493		7.462			
Δ	256.649 ✓	+ 4.603 ✓	4.602 ✓			
− 130'	2.890		2.860			
T.P.	253.759 ✓					
+ 130'	7.671		7.628			
Δ	261.430 ✓	+ 4.599 ✓	4.598 ✓			
− 130'	3.072		3.030			
T.P.	258.358 ✓					
+ 130'	7.492		7.432			
Δ	265.850 ✓	+ 3.784 ✓	3.783 ✓			
− 130'	3.708		3.649			
T.P.	262.142 ✓					
+ 130'	5.961		5.893			
Δ	268.103 ✓	+ 0.568 ✓	0.567 ✓			
− 130'	5.393		5.326			
T.P.	262.710 ✓					
+ 130'	4.703		4.656			
Δ	267.413 ✓	− 1.225 ✓	1.227 ✓			
− 130'	5.928		5.883			
T.P.	261.485 ✓					

769420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED: _____ JOB NO. 205506 SURVEY OF PK Gale Course
DATE _____ SURVEY BY M.A. Van Deren
NOTES CHKD. MAV NOTES BY Kan DATE 10-10-57
DATE 10-57 INDEXED J. C. Johnson DATE _____

F.B. 2270 PG. 115

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	261.485					T.P. per p 9114
+ 130'	4.620		4.556			
Π	266.105	- 1.308	1,309			
- 130'	5.928		5865			
T.P.	260.177					
+ 130'	4.596		4.520			
Π	264.773	- 1.249	1.249			
- 130'	5.845		5.769			
T.P.	258.928					
+ 130'	4.671		4.612			
Π	263.599	-1.155	1, 156			
- 130'	5.826		5.768			
T.P.	257.773					
+ 130'	4.572		4.493			
Π	262.345	- 1,479	1.481			
- 130'	6.951		5.974			
T.P.	256.294					
+ 130'	4.587		4.520			
Π	260.881	- 3.880	3.881			
- 130'	8.467		8.401			
T.P.	252.414					
+ 130	3.443		3.400			
Π	255.857	-4.802	4.801			
(Fd) 130'	8.245		8.201			
34-28	247.612					BM 34-28 Elev = 247.621 per FB 1355-91 Palos Verde Dr West 1 Mile N. of point Vicente Light House, 46' W. of E of Drive at a cluster of 9 Eucalyptus trees a std C.S. Mon stamped B.M. 34-28-1954 R.E. 63 Flush with Surface

F. B. 2290 Pg. 117

Profile No. | Notes Red. | Plotted | Job No. 0055.06 Division No. 10
Date | Date | Survey of P.V. Golf Course
X-Sec. No. | Notes Chkd. S.A.B. | Checked | Survey by Van Deren Notes Bazen Date 10-14-57
Date 10-15-57 | Date | Map No. | Indexed Johnson Date 10-16-57

J.N. 0055.06

PROFILE OF PROPOSED SOUTHERLY ACCESS ROAD.
FROM
℄ OF PROPOSED HAWTHORNE BLVD.
TO END OF ACCESS ROAD. (40' WIDE.)

PALOS VERDES GOLF COURSE

10-14-57

Van Deren
Bazen
Turrill
Nunez

STATION	B. B.	H. I.	F. S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76298 S & E #307—7-55

F. B. 2290 Pg. 118 | Job No. 005506 Division No. 10 Notes Red. Plotted
Survey of P.V. Golf Courses Date 10-14-57 Date No. X-Sec.
Survey by Van Dersen Notes Bazen Notes Chkd. S.L.S. Checked
Indexed K. C. Johnson Date Date 10-15-57 Date No. Profile

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
B.M. #6	5.07	742.63		737.56	P.V.B.M. #6 Elev.= 737.560 Per. F.B. 2290-103	
T.P.	9.00	748.98	2.65	739.98	Crest Rd. (W. side) at Radio Towers, 1.6Mi.	
T.P.	6.16	750.64	4.50	744.48	from Palos Verde Dr. W. at S.E. fence	
					Cor. To Towers. A 3/4" I.P. Conc. plug &	
					Bt. Spk. 12" dp. 50'± W. of ℄ Crest Rd.	
0+00			2.2	748.4	℄ int prop. Southbound Bike Path & ℄ Crest Rd	
0+63			6.1	744.4	℄ brk Ed 3/4" I.P. Flushper. Concrete	
0+83			7.5	743.1	℄ brk in grade	
1+00			7.0	743.6	℄ Top brk "	
BC.=1+22.98			8.9	741.7	B.C. 3/4 I.P. per pg	
T.P.	1.24	739.61	12.27	738.37	T.P.	
2+00			6.8	732.9	℄	
2+31 ℄			10.4	729.2	℄ & brk in grade	
T.P.	1.60	729.38	11.83	727.78	T.P.	
2+50			3.5	725.9	℄ brk in grade	
2+81			9.4	720.0	℄ brk "	
3+03			11.7	717.7	℄ & Top bank	
T.P.	2.09	719.86	11.61	717.77		
E.C. 3+10.59			7.8	712.1	℄ at E.C. on face of bank	
T.P.	0.60	709.18	11.28	708.58	T.P.	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		~~709.18~~				
3+37			10.9	698.3	℄ at bot of slope	
3+53 o			9.95	699.23	℄ at edg of pvt on crest Rd	
3+75 o			6.88	700.30	℄ " int Crest Rd	
3+96 o			8.30	700.88	℄ " edge pvt Crest Rd	
4+00			8.2	701.0	℄	
4+46			6.6	702.6	℄ at top of bank	
T.P. 4+64 o	0.52	698.03	11.67	697.51	T.P.	
			3.0	695.0	℄ on face bank	
T.P.	4.56	692.32	10.27	687.76	T.P.	
5+00			9.4	682.9	℄ at bot bank	
6+00			8.9	683.4	℄ slope	
6+84 3			8.2	684.1	℄ brk Endpavement to	
6+88 5			7.1	685.2	℄ Top brk	
7+00			6.8	685.5	℄ slope	
8+00			3.1	689.2	℄ slope	
T.P.	2.89	692.55	2.66	689.66	T.P.	
8+61			4.7	687.9	℄ brk	
8+82			3.1	689.5	℄ brk	
9+00			5.4	687.2	℄ brk	
9+53			7.8	684.8	℄ brk	
10+00			10.9	681.7	℄	

Profile Notes Red. Plotted Job No. 2055.05 Division No. 10
No. Date Survey of P.V. Est. Survey
X-Sec. Notes Chkd. S.L.B. Date Survey by Wm. Lyon Notes Boyer Date 10-14-57
No. Date 10-17-57 Date Map No. Traced J. Johnson Date

F. B. 2290 Pg. 119

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2290 Pg. 120 | Job No. 0555.06 Division No. 10 Notes Red. Plotted
Survey of P.V. Golf Course Date 10-14-57 Date No. X-Sec.
Survey by Van Doren Notes Bazen Notes Chkd. S.L.B. Checked
Indexed J. C. Johnson Date Date 10-15-57 Date No. Profile

STATION	B. S.	H. I.	F. S.	ELEV.		
		692.55				
T. P.	2.17	682.92	11.80	680.75	T. P.	
B.C. 10+49.42			5 C	677.3	B.C. ℄	
11+00			9.1	673.8	℄	
11+67			12.1	670.8	℄ brk	
11+84			11.0	671.9	℄ brk	
12+00			11.2	671.7	℄ & edge of dirt Rd	
12+44			14.9	668.0	℄ bot brk	
12+56			14.7	668.2	℄ top brk	
13+00			12.1	670.8	℄ slope	
13+49			8.5	674.4	℄ slope	
14+00			4.9	678.0	℄ slope	
T. P.	11.34	688.78	5.48	677.44	T. P.	
14+50			7.2	681.6	℄ slope	
15+00			4.4	684.4	℄ slope	
15+50			3.5	685.3	℄ slope top brk	
15+81			5.9	682.9	℄ bot brk	
T. P.	4.44	689.43	3.79	684.99	T. P.	
16+00			5.6	683.8	℄ slope	
16+50			7.4	682.0	℄ slope	
17+00			6.6	682.8	℄ "	
17+50			4.9	689.5	℄ "	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 2555 Division No. 10
No. Date. Date. Survey of PV Golf Course
X-Sec. Notes Chkd. 5-13 Checked. Survey by Van Dercar Notes Van Date 10-14-57
No. Date. 12-15-57 Date. Map No. Notes C. Johnson Date.

F. B. 12490 Pg. 121

STATION	B. S.	H. I. 689.43.	F. S.	ELEV.		
17+93			2.6	686.8.	℄ ⊏ Top brk.	
18+00			3.1	686.3.	℄ slope	
T.P.	6.43	689.89.	5.97	683.46	T.P.	
18+16.66 ℄			7.7	682.2.	℄ ℄, C, bot brk	
18+36 ℄			4.9	685.0.	℄ top brk	
18+59 ℄			6.2	683.7.	℄ bot brk	
19+00			5.0	684.9.	℄ brk	
19+24			6.4	683.5.	℄ brk	
19+77			6.6	683.3.	℄ brk	
20+02.86			8.9	681.5.	℄ at end of road ⊏ to 3/4 I.P. perp	
T.P.	9.18	689.83.	7.24	680.65	T.P. on 3/4 I.P. at 20+02.86	
T.P.	12.23	697.52	4.54	685.29.	T.P.	
T.P.	10.36	707.69.	0.19	697.33.	T.P.	
T.P.	12.36	716.69	3.36	704.33	T.P.	
T.P.	11.80	727.70.	0.79	715.90.	T.P.	
T.P.	11.87	739.42	0.15	727.55	T.P.	
T.P.	5.89	743.62	1.69	737.73	T.P.	
PVBM #5			5.91	737.71.	PVBM #5 Elev = 737.71 (USC&GS 1955) - 10 ℄ Crest Rd (W. side) 1.6 Mi From Palos Verdes Dr W. 50'± from fence Cor To Towers 3/4" I.P. ⊙ ℄ BT Spk 15" dP	

Profile No. | Notes Red. Date | Plotted Date | Job No. 0055.06 Division No. 10 | F. B. 2290 Pg. 123
X-Sec. No. | Notes Chkd. S.L.B. Date 10-15-57 | Checked Date | Survey of PV Golf Course | Survey by Van Deren Notes Bazen Date 10-14-57 | Map No. ~~A. G. Johnson~~ Date

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
					J.N. 0055.06 PROFILE OF PROPOSED NORTHERLY ACCESS ROAD. FROM ℄ OF PROPOSED HAWTHORNE BLVD. TO END OF ACCESS ROAD. (Rd. 30' WIDE.)
					PALOS VERDES GOLF COURSE 10-14-57 Van Deren Bazen Turrill Nunez.

76298 S & E #307—7-55

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 2290 Pg. 124 | Job No. 2055.4 | Division No. 10 | Notes Red. | Plotted | Profile
Survey of PV. Golf Course | Date 10-10-57 | No. | X-Sec.
Survey by Van Deren | Notes Bazen | Notes Chkd. S.A.B. | Checked
Indexed K. C. Johnson | Date | Date 10-15-57 | Date | No.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
BM #7	8 45	812 00.		803,55.	P.V. B.M. #7 Elev = 803.552 Per. F.B. 2290-104	
T.P.	10 75	802 07.	068	811 32.	Crest Rd. So. side 1.85 Mi. from ℄ Palos Verdes Dr. W.. Bt. spk in East side	
T.P.	987	831 50.	044	821 63.	of 16" Gum tree. 1' above grd. surface. 1000' ± N.E. of Radio Tower.	
0+00			05	8310.	℄ int. of Prop Hawth. & Northerly Access Rd	
1+00		℄	10 6	8209.	Fd 3/4" I.P. per pg 68 shoton ground ℄ access Rd	
T.P.	013	819 89.	11 74	819 76.		
1+56			2 4	817 5.	℄ Top of Slope.	
T.P.	4 11	813 80.	1020	809 69.		
1+69.5			75	8063.	℄ Bot. of Slope.	
1+72.78			77	8061.	℄ B.C. Fd 3/4" I.P. per pg 67 shoton ground	
1+76.80			758	806 22.	℄ E. Edge of Pave. at Crest Rd.	
1+87.80			745	806 35.	℄ of Crest Rd.	
2+00.80			772	806 08.	℄ W. Edge of Pave at crest Rd.	
T.P.	5.12	812.16.	682	806.98.		
2+05 ±			6.0	806.1.	℄ at bot brk	
2+15 ±			6.9	811.2	℄ " top brk	
3+00			5.1	807.0.	℄ slope	
+50			7.2	804.9.	℄ "	
4+00			9.5	802.6.	℄ "	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I. 812.10.	F. S.	ELEV.		
4+50			104	8017.	℄ slope	
5+13.22			113	8008.	E.C. ℄	
T.P.	5.10	806.02	1118	8009.2	T.P.	
6+00			47	8013.	℄ slope	
7+00			49	8011.	℄ " & Brk. in grade	
8+00			73	7987.	℄ "	
9+00			93	7967.	℄ "	
9+45			104	7956.	℄ Bot. of Brk.	
9+90			95	7965.	℄ " " "	
10+00			86	7974.		
10+36.52			50	8010.	℄ B.C.	
T.P.	7.52	808.61	493	8010.9	T.P.	
10+50			65	8021.	℄ Top of Brk. on curve.	
11+00			40	8046.	℄ slope on curve.	
11+50			27	8059.	℄ " " "	
12+00			24	8062.	℄ " " "	
12+50			25	8061.	℄ " " "	
13+00			20	8066.	℄ " " " ℄ Brk. in grade.	
13+50			23	8063.	℄ " " "	
14+00			53	8033.		
14+50			84	8002.		

Profile Notes Red. Plotted Job No. 2255-26 Division No. 10 F. B. 2290 Pg. 125
No. Date Date Survey of PV Calif Proj. SC
X-Sec. Notes Chkd. E.A.G. Checked Survey by Kay Bercaw Notes Bercaw Date 10-14-57
No. Date 10-15-57 Date Map No. Date

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2290 Pg. 126 | Job No. 0055.0 | Division No. 10 | Notes Red. | Plotted | No. | Profile

Survey of P.V. Golf Course | Date 12-14-57 | Date | No. | X-Sec.

Survey by Ken Caren | Notes Chkd. S.L.B. | Checked

Indexed A. C. Johnson | Date 10-8-57 | Date

STATION	B. S.	H. I. 208.64	F. S.	ELEV.		
15+00			121	7965.	℄ Slope on curve.	
T.P.	055	79925	991	79270	T.P.	
15+50			62	7931.	℄ Slope on curve.	
16+00			85	7908.	℄ " " "	
16+50			119	7874.	℄ " " "	
17+00			125	7868.	℄ " " "	Brk in grade
T.P.	320	79101.	1144	78781.	T.P.	
17+50			50	7860.	℄ Slope on curve	Brk in grade.
18+00			108	7802.	℄ " " " "	" "
T.P.	304	78269.	1136	77965.	T.P.	
18+50			122	7705.	℄ Slope on curve.	
T.P.	148	77226.	1191	77078.	T.P.	
19+00			86	7637.	℄ slope on curve.	
19+50			145	7578.	℄ " " "	
T.P.	178	76254.	1150	76076.	T.P.	
20+00			85	7540.	℄ Slope on curve.	
20+50			82	7543.	℄ " " "	Brk in grade
20+86.14			66	7559.	℄ E.C.	
21+00			56	7569.	℄ Slope	
21+50			56	7569.	℄ "	
21+73			76	7549.	℄ Slope	Brk in grade

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 2855.06 Division No. 10 F. B. 2290 Pg. 127
No. Date Date Survey of P.V. Golf Course
X-Sec. Notes Chkd. S.L.K. Checked Survey by Van Deren Notes Bazen Date 10-14-57
No. Date 10-15-57 Date Map No. Inked C. Johnson Date

STATION	B. S.	H. I. 762.54.	F. S.	ELEV.		
T.P.	054	753 44.	964	75290.	T.P.	
22+03.54			36	7498.	℄ B.C.	
22+25			90	7444.	℄ slope on curve.	
T.P.	069	74261.	1152	74192.	T.P.	
22+50			82	7344.	℄ slope on curve.	
T.P.	508	73639.	1130	73131.	T.P.	
22+67			85	7279.	℄ Brk in grade	
22+82			179	7185.	℄ Bot. of wash.	
22+92.20			103	7261.	℄ E.C. End of Road.	
T.P.	1073	736 77.	1035	72604.	T.P. Top of ¾" I.P.	
T.P.	1171	74732.	116	73561.	T.P.	
T.P.	1156	75821.	007	74725.	T.P.	
T.P.	1133	76897.	147	75734.	"	
T.P.	1225	78083.	039	76858.	"	
T.P.	1108	79191.	060	78023.	"	
T.P.	1225	80348	068	79123.	"	
T.P.	886	80975.	261	80087.	"	
B.M.#7.			621	80354	P.V.B.M.#7. Elev = 803.552 per pg 109 Crest Rd (S. side) 1.85 Mi from Palos Verde Dr West. Bt Spk in E. side of 16" Gum tree	

F. B22 90 PG. 129

NOTES RED. _____ JOB NO. 0055.06 SURVEY OF Palos Verde Golf Course

DATE _____ SURVEY BY M. A. Van Deren

NOTES CHKD. _____ NOTES BY Van DATE 11- -57

DATE _____ INDEXED C. Johnson DATE 11-29-57

JN 0055.06

BENCH MARK LEVELS

ON

PALOS VERDE GOLF COURSE

DESCRIPTION	ADJ. ELEV.	3RD RUN	2ND RUN	DIFF.	1ST RUN	B.M.
	1-15-57	Van Deren Bazen Farrill Nunez				

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

76420 353 2M 3-48

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0055.06 SURVEY OF PV Golf Course
SURVEY BY M.A. Van Deren
NOTES BY Van DATE 11-15-57
INDEXED K.C. Johnson DATE
NOTES RED. DATE
NOTES CHKD. Gos DATE 12-2-57
F.B. 2290 PG. 130

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						PVBM #5 Elev = 737.770
						Crest Rd (W. side) at Radio Towers
						1.6 Mi. From Palos Verde Dr West
(Ed)						50'± W. of S.E. Fence Cor to Towers.
PVBM #5	737.770 ✓					a 3/4" I.P. conc plug & Bt spk. 13" dp
30' +	5.985		5.820			100'± W. & Crest Rd. per F.B. 2290 - 102
Δ	743.755 ✓	-0.183	0.183 ✓			
30' (Ed)	6.168		6.003			
PVBM #6	737.587 ✓					PVBM #6 Elev = 737.588 FB 2290-103
110' +	4.618		4.515			Crest Rd (W side) at Radio Towers
Δ	742.205 ✓	+ 3.115	3.115 ✓			1.6 Mi. From Palos Verde Dr West
110' —	1.503		1.400			at S.E. Cor of Fence to Towers.
T.P.	740.702 ✓					a 3/4" I.P. conc plug & Bt spk.
110' +	11.559		11.471			12" dp. 50'± W. & Crest Rd
Δ	752.261 ✓	+11.087	11.083 ✓			
110' —	0.972		0.388			
T.P.	751.789 ✓					
110' +	11.526		11.474 ✓			
Δ	763.315 ✓	+10.714	10.713 ✓			
110' —	0.812		0.761			
T.P.	762.503 ✓					
150' +	11.270		11.313			
Δ	773.773 ✓	+10.791	10.790 ✓			
150' —	0.479		0.523			
T.P.	773.294 ✓					
100' +	10.155		10.070			
Δ	783.449 ✓	+9.727 ✓	9.727 ✓			
100' —	0.928		0.343			
T.P.	783.021 ✓					

76S 420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	783.021 ✓					T.P. per pg 130
150' +	11.881		11.829			
Δ	794.902	+ 7.335 ✓	7.336 ✓			
150' —	9.546		9.493			
T.P.	790.356 ✓					
150' +	11.180		11.129			
Δ	801.536 ✓	+ 7.778 ✓	7.780 ✓			
150' —	3.902		3.349			
T.P.	798.134 ✓					
150' +	5.898		5.742			
Δ	804.032 ✓	+ 1.254 ✓	1.254 ✓			
150' —	4.644		4.488			
T.P.	799.388 ✓					
150' +	8.816		8.734			
Δ	808.204 ✓	+ 2.891 ✓	2.889 ✓			
150' —	5.925		5.845			
T.P.	802.279 ✓					
130' +	6.754		6.703			
Δ	809.033 ✓	+ 1.376 ✓	1.375 ✓			
130' — (Set)	5.378		5.328			
PVBM #8	803.655 ✓					PVBM #8 Elev =
150' +	5.031		4.899			Fd C.S. Br Cap Mon Flush and
Δ	808.686 ✓	+ 0.751 ✓	0.753 ✓			Stamped Radial Pt per FB 2290-70
150' —	4.280		4.196			Fd 5' Whitetop Marker pipe 2' S/y of
T.P.	804.406 ✓					Mon
150' +	3.498		3.372			
Δ	807.904 ✓	2.362 ✓	2.361 ✓			
150' —	5.860		5.733			
T.P.	802.044 ✓					

NOTES RED. _____ JOB NO. 0055.06 SURVEY OF PV Golf Courses
DATE _____ SURVEY BY M.A. Van Deren
NOTES CHKD. C.S.S. NOTES BY Van DATE 11-15-57
DATE 12-2-57 INDEXED E. C. Johnson DATE

F.B. 2290 PG. 131

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2055.06 SURVEY OF PV Golf Course
SURVEY BY M.A. Van Deren
NOTES BY Van DATE 11-15-57
INDEXED C. Johnson DATE

NOTES RED. DATE
NOTES CHKD. Gross DATE 12-2-57

F.B. 2290 PG. 132

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	802.094 ✓					T.P. per P.g 131
90' +	1.342		1.290			
Π	803.386 ✓	10.335 ✓	10.336 ✓			
90' —	11.677		11.626			
T.P.	791.709 ✓					
55' +	0.564		0.500			
Π	792.273 ✓	9.997 ✓	9.996 ✓			
55' —	10.561		10.496			
T.P.	781.712 ✓					
50' +	0.643		0.550			
Π	782.355 ✓	7.921 ✓	7.921 ✓			
50' —	8.564		8.471			
T.P.	773.791 ✓					
50' +	0.839		0.726			
Π	774.630 ✓	9.585 ✓	9.584 ✓			
50' —	10.424		10.310			
T.P.	764.206 ✓					
60' +	2.351		2.260			
Π	766.557 ✓	8.614 ✓	8.613 ✓			
60' —	10.965		10.873			
T.P.	755.592 ✓					
50' +	0.863		0.813			
Π	756.455 ✓	9.794 ✓	9.793 ✓			
50' —	10.657		10.606			
T.P.	745.798 ✓					
60' +	2.441		2.346			
Π	748.239 ✓	8.880 ✓	8.881 ✓			
60' —	11.321		11.227			
T.P.	736.918 ✓					

765420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 0055' 06 SURVEY OF PV Golf Course
DATE _____ SURVEY BY M.A. VanDeren
NOTES CHKD Cross NOTES BY Van DATE 11-15-57
DATE 12-2-57 INDEXED C. Johnson DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	736.918 ✓					T.P. per pg 132
100' +	2.063		1.862			
Π	738.981	- 9.714 ✓	9.714 ✓			
100' −	11.777		11.576			
T.P.	727.204 ✓					
60' +	0.821		0.780			
Π	728.025	- 10.587 ✓	10.587 ✓			
60' −	11.408		11.367			
T.P.	716.617 ✓					
40' +	0.862		0.821			
Π	717.479	- 5.733 ✓	5.732 ✓			
40' −	6.595		6.553			
T.P.	710.884 ✓					
30' +	0.722		0.671			
Π	711.606	- 7.178 ✓	7.179 ✓			
30' (Set)	7.900		7.850			
PVBM #9	703.706 ✓					PVBM #9 Elev =
100' +	3.017		3.112			Fd a C.S. Br Cap Mon Flush FB 2290-25
Π	706.723	- 4.151 ✓	4.159 ✓			and stamped P-11. Fd a 2" white tap
100' −	7.174		7.271			Marker pipe 3' high 2'± N'ly of Mon
T.P.	699.549 ✓					
35' +	1.010		1.258			
Π	700.559	- 7.254 ✓	7.256 ✓			
35' (Set)	8.264		8.514			
PVBM #10	692.295 ✓					PV BM #10 Elev =
100' +	0.640		0.932			Fd a C.S. Br Cap Mon Flush per
Π	692.935 ✓	- 10.714 ✓	10.714 ✓			F.B. 2290-26 and stamped P-12.
100' −	11.351		11.646			Fd a 2" white Tap marker pipe
T.P.	681.584 ✓					3' high 2'± N'ly of Mon.

F.B. 2290 Pg. 133

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0355.06 SURVEY OF PV Golf Courses
SURVEY BY M.A. Kaufferer
NOTES BY Kaufferer DATE 11-18-52
INDEXED K.C. Johnson DATE

NOTES RED. DATE
NOTES CHKD. Gross DATE 12-2-52

F.B. 2290 PG. 134

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	681.584 ✓					T.P. Per pg. 133
100' +	0.739		0.852			
⌅	682.323 ✓	-9.004 ✓	9.005 ✓			
100' −	9.743		9.857			
T.P.	672.580 ✓					
100' +	0.944		1.170			
⌅	673.524 ✓	-10.709 ✓	10.708 ✓			
100' −	11.653		11.878			
T.P.	661.871 ✓					
100' +	1.151		1.444			
⌅	663.022 ✓	-10.156 ✓	10.158 ✓			
100' −	11.307		11.602			
T.P.	651.715 ✓					
100' +	1.353		1.225			
⌅	653.068 ✓	-10.388 ✓	10.387 ✓			
100' −	11.741		11.612			
T.P.	641.327 ✓					
90' +	0.965		0.910			
⌅	642.292 ✓	-6.969 ✓	6.971 ✓			
90' −	7.934		7.881			
T.P.	634.358 ✓					
60' +	1.767		1.910	2.007		
⌅	636.125 ✓	-5.082 ✓	5.072 ✓	5.082 ✓		
60' (±)	6.849		6.982	7.089		
PV BM #11	629.276 ✓					PV BM #11 Elev =
						Fd a C.S. b/c cap Mon Flush Per
						F.B. 2290 - 27 and Stp. P-13
						Fd a 2" white Top Marker pipe
						3' high 2' ± N/y of mon.

765420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG,

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 0055.06 SURVEY OF PV Golf Course
DATE _____ SURVEY BY M.A. VanDeren
NOTES CHKD. C7015 NOTES BY MAV DATE 11-18-57
DATE 12-2-57 INDEXED C. Johnson DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
(set) PV BM #11	629.276					PV BM #11 Rec pg. 134.
110' +	0.913		1.156	0.961		
π	630.189	- 6.738	6.733	6.740		
119' (set)	7.651		7.889	7.701		
PV BM #12	622.538					PV BM #12 Elev =
90' +	2.750		2.665			Fd a C.S. Br. cap mon Flush per
π	625.288	- 3.106	3.104			F.B. 2290-28 & stp. P-14.
90' -	5.856		5.769			Fd a 2" white Top marker pipe
T.P.	619.432					3' high 2'± N.W. of mon.
60' +	1.446		1.403			
π	620.878	+ 6.296	6.296			
60' - (set)	7.742		7.699			
PV BM #13	613.136					PV BM #13 Elev =
100' +	5.061		5.010			Fd a C.S. Br. cap mon Flush per
π	618.197	- 4.111	4.112			FB 2290-28 & stp. P-15
100' -	9.172		9.122			Fd a 2" white top marker pipe
T.P.	609.025					3' high 2'± W.ly of mon.
60' +	3.900		3.845			
π	612.925	- 3.352	3.354			
69' (set)	7.252		7.199			
PV BM #14	605.673					PV BM #14 Elev =
100' +	7.985		7.919			Fd a C.S. Br Cap mon Flush per
π	613.658	+ 6.755	6.757			FB 2290-29 & stp. P-16.
100' -	1.230		1.162			Fd a 2" white top marker pipe
T.P.	612.428					3' high 2'± S.W. of mon.
100' +	7.689		7.789			
π	620.117	+ 4.546	4.547			
100' -	3.143		3.242			
T.P.	616.974					

F.B. 2290 PG. 135

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2855.06 SURVEY OF PV Golf Course
SURVEY BY Mavan Dexon
NOTES BY Van DATE 11-18-57
INDEXED [illegible] DATE
NOTES RED. DATE
NOTES CHKD. GOSS DATE 12-2-57
F.B. 2290 PG. 136

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	616.974					T.P per Pg. 135
100' +	5.499		5.561			
Σ	622.473	- 4.559	4.559			
100' -	0.940		1.002			
T.P.	621.533					
100' +	7.670		7.730			
Σ	629.173	+ 6.199	- 6.200			
100' -	1.441		1.530			
T.P.	627.732					
60' +	5.980		6.100			
Σ	633.712	+ 1.407	1.407			
60' (sic)	4.573		4.691			
PV BM #15	629.139					PV BM #15 Elev = ..
100' +	4.010		3.670			Fd a C.S. br. cap .. mon flush per
Σ	633.149	+ 1.097	1.098			FB 2290-30 & stp P-17.
100' -	2.913		2.572			Fd a 2" white top marker
T.P.	630.236					pipe 3' high & 2' W'ly of mon.
100' +	9.199		9.180			
Σ	639.435	+ 4.524	4.521			
100' -	4.678		4.659			
T.P.	634.757					
100' +	2.189		2.084			
Σ	636.946	- 7.804	7.807			
100' -	9.993		9.891			
T.P.	626.953					
100' +	5.416		5.322			
Σ	632.369	- 3.100	3.103			
100' -	8.516		8.425			
T.P.	623.853					

765420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0655.06 SURVEY OF PV Golf Course
DATE SURVEY BY M.H. VanDeren
NOTES CHKD. GDS NOTES BY VAN DATE 11-18-57
DATE 12-2-57 INDEXED BY C.L. DATE

F.B. 22190 PG. 137

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	623.853					T.P. per pg. 136
70' +	3.755		3.679			
Δ	627.608	- 6.761	6.762			
70' -	10.516		10.441			
PVBM#16	617.092					PVBM#16 Elev=
80' +	10.732		10.642			Fd a C.S. Br. cap mon Flush per
Δ	627.824	+ 9.331	9.332			FB 22190 - 31 & Stp. P-18.
80' -	1.401		1.310			Fd 2" white top marker pipe
T.P.	626.423					3' high & 2'± Wly. of mon.
160' +	10.769		10.657			
Δ	637.192	+ 1.170	1.168			
100' -	9.599		9.489			
T.P.	627.593					
100' +	1.567		1.389			
Δ	629.160	- 7.425	7.421			
100' -	8.992		8.810			
T.P.	620.168					
50' +	0.625		0.527			
Δ	620.793	- 7.204	7.203			
50' (Est.)	7.829		7.730			
PVBM#17	612.964					PVBM#17 Elev=
110' +	1.702		1.783			Fd a C.S. Br Cap Mon Flush and
Δ	614.666	- 6.309	6.307			stamped P-19 per FB 22190-32
110' -	8.011		8.090			Fd 2" white top Marker pipe 3' high
T.P.	606.655					2'± W.ly of mon.
100' +	1.290		1.230			
Δ	607.945	- 8.656	8.655			PVBM#18 Elev=
100' (Est.)	9.946		9.885			Fd a C.S. Br Cap Mon Flush and stamped
PVBM#18	597.999					P-20 per FB 22190 - 33 Fd 2" white top
						Marker pipe 2'± W.ly of Mon 3' high

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0055.06 SURVEY OF PV Golf Courses NOTES RED.
SURVEY BY M.A. Van Deren DATE
NOTES BY Van DATE 11-21-57 NOTES CHKD. Goss
INDEXED C. Johnson DATE DATE 12-2-57

F.B. 2290 Pg. 138

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
PV BM #18	597.999					PV BM #18 per cg 137
100' +	1.266		1.152			
Δ	599.265	-10.294	10.296			
100' −	11.560		11.448			
T.P.	587.705					
60' +	0.694		0.617			
Δ	588.399	-9.426	9.425			
60' −	10.120		10.042			
T.P.	578.279					
100' +	2.541		2.972			
Δ	580.820	-6.224	6.224			
100' −	8.765		9.196			
T.P.	572.055					
100' +	1.721		1.339			
Δ	573.776	-9.686	9.686			
100' −	11.407		11.025			
T.P.	562.369					
70' +	1.354		1.264			
Δ	563.723	-8.496	8.496			
70' (Set)	9.850		9.760			
PV BM #19	553.873					PV BM #19 Elev =
100' +	10.649		10.496			Fd a C.S. br cap mon flush per
Δ	564.522	+7.823	7.826			FB 2290-34 & stamped P-21.
100' −	2.826		2670			Fd a 2" white Top marker pipe
T.P.	561.696					3' high & 2' N.W'ly of mon.
100' +	11.206		11.071			
Δ	572.902	+5.024	5.022			
100' −	6.182		6.049			
T.P.	566.720					

765420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0655-06 SURVEY OF PV Golf Course
DATE SURVEY BY M.E. Van Deren DATE 11-21-57
NOTES CHKD. Goss NOTES BY Van DATE
DATE 12-2-57 INDEXED C. Johnson DATE

F.B. 2290 Pg. 139

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	566.720 ✓					T.P. per Pg 138
70' +	9.050		3.905			
Δ	570.770 ✓	- 4.871 ✓	4.872 ✓			
70' (Set)	8.921		8.777			
PVBM #20	561.849 ✓					PVBM #20 Elev =
100' +	6.828		6.611			Fd a C.S. Br. Cap Mon Flush and
Δ	568.677 ✓	+ 5.948 ✓	5.947 ✓			stamped P-22 per FB 2290-35
100' —	0.880		0.664			Fd a 2" white top Marker pipe 3' long
T.P.	567.797 ✓					2' ± N.Ly of Mon
70' +	5.372		5.112			
Δ	573.169 ✓	+ 0.167 ✓	0.168 ✓			
70' (Set)	5.539		5.280			
PVBM #21	567.630 ✓					PVBM #21 Elev =
125' +	8.230		8.011			Fd a C.S. Br. Cap Mon Flush and
Δ	575.860 ✓	+ 6.575 ✓	6.571 ✓			stamped P-23 per FB 2290-36
125' —	1.655		1.440			Fd a 2" white top Marker pipe
T.P.	574.205 ✓					3' long 2' ± W'ly of Mon
100' +	11.970		11.857			
Δ	586.175 ✓	+11.557 ✓	11.558 ✓			
100' —	0.413		0.299			
T.P.	585.762 ✓					
115' +	10.340		10.499			
Δ	596.102 ✓	+ 6.890 ✓	6.889 ✓			
115' —	3.450		3.610			
T.P.	592.652 ✓					
100' +	7.422		7.292			
Δ	600.074 ✓	+ 1.543 ✓	1.546 ✓			
100' —	8.965		8.838			
T.P.	591.109 ✓					

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 4053.06 SURVEY OF PV Golf Course
SURVEY BY M.H. Van Dercen
NOTES BY Van DATE 11-22-57
INDEXED J. C. Johnson DATE
NOTES RED. DATE
NOTES CHKD. GOSS DATE 12-2-57

F.B. 2290 PG. 140

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	591.109 ✓					T.P. per p 9139
90' +	1.791		1.481			
Δ	592.900 ✓	8.635 ✓	8.631 ✓			
90' (Set)	10.426		10.112			
PVBM #22	582.474 ✓					PVBM #22 Elev =
125' +	10.658		11.215			Fd a C. S. Br Cap Mon Flush and
Δ	593.132 ✓	3.718 ✓	3.714 ✓			stamped P-24 per FB 2290-37
125' —	6.990		7.501			Fd a 2" white top Marker pipe 3' high
T.P.	586.192 ✓					2'± W. & of Mon
125' +	3.156		3.631			
Δ	589.348 ✓	3.849 ✓	3.849 ✓			
125' —	7.005		7.480			
T.P.	582.343 ✓					
70' +	1.322		1.176			
Δ	583.665 ✓	9.677 ✓	9.674 ✓			
70' (Set)	10.999		10.850			
PVBM #23	572.666 ✓					PVBM #23 Elev =
60' +	6.561		6.840			P.O.T. 24A Fd a 3/4" I.P. Conc plug & Tag
Δ	579.227 ✓	2.734 ✓	2.732 ✓			18" d/p. per FB 2290-37 at edge of
60' —	9.295		9.572			plowed field
T.P.	569.932 ✓					
30' +	0.447		0.576			
Δ	570.379 ✓	10.720 ✓	10.720 ✓			
30' —	11.167		11.296			
T.P.	559.212 ✓					
25' +	1.609		1.672			
Δ	560.221 ✓	9.458 ✓	9.457 ✓			PVBM #24 Elev =
25' (Set)	10.467		11.129			Fd a C.S. Br Cap Mon. Flush and
PVBM #24	549.754 ✓					stamped P-25 per FB 2290-38
						Fd a 2" White Top Marker pipe 3' high
						2' E w/ & of Mon

765420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0055.06 SURVEY OF PV Calif Course
DATE SURVEY BY M. A. Van Dercar
NOTES CHKD. Cook NOTES BY Kam DATE 11-22-57
DATE 12-2-57 INDEXED C. Johnson DATE

F.B. 2190 PG. 141

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
PVBM #24	549.754 ✓					PVBM #29 per pg 140
100' +	7.722		7.444			
℄	557.476 ✓	+2.823 ✓	2.823 ✓			
100' −	4.899		4.621			
T.P.	552.577 ✓					
100' +	5.346		5.021			
℄	557.923 ✓	2.474 ✓	2.471 ✓			
100' −	7.820		7.492			
T.P.	550.103 ✓					
125' +	1.322		1.126			
℄	551.425 ✓	9.754 ✓	9.753 ✓			
125' −	11.076		10.879			
T.P.	540.349 ✓					
90' +	2.820		2.729			
℄	543.169 ✓	8.789 ✓	8.791 ✓			
90' −	11.609		11.520			
T.P.	531.560 ✓					
30' +	1.351		1.155			
℄	532.911 ✓	8.395 ✓	8.394 ✓			
30' (Ect)	9.746		9.549			
PVBM #25	523.165 ✓					PVBM #25 Elev =
70' +	4.239		4.389			P.O.T. #25A Found 3/4" I.P. Conc plug
℄	527.404 ✓	5.823 ✓	5.821 ✓			& Tag 6" dp. per FB 2290-38
70' −	10.062		10.210			
T.P.	517.342 ✓					
50' +	1.147		0.959			
℄	518.489 ✓	9.455 ✓	9.456 ✓			
50' −	10.602		10.415			
T.P.	507.887 ✓					

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0055.06 SURVEY OF PV Golf Course NOTES RED. DATE
SURVEY BY M.A. VanDercu NOTES CHKD. Goss DATE 12-2-57
NOTES BY Kay DATE 11-27-57
INDEXED DATE
F.B. 2290 PG. 142

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	507.887 ✓					T.P. per p 9 141
30' +	4.938		5.047			
Δ	512.825 ✓	4.782 ✓	4.783 ✓			
30' (Set)	9.720		9.830			
PVBM #26	503.105 ✓					PVBM #26 Elev =
30' +	9.882		9.732			Fd a C.S. Br Cap Mon Flush and Stamped
Δ	512.987 ✓	4.754 ✓	4.756 ✓			P-26 per FB 2290-39 Found a 2"
30' —	5.128		4.976			white top Marker pipe 3' high 2' W'ly
T.P.	507.859 ✓					of Mon.
35' +	10.438		10.521			
Δ	518.297 ✓	9.485 ✓	9.482 ✓			
35' —	0.953		1.039			
T.P.	517.344 ✓					
70' +	11.468		11.326			
Δ	528.812 ✓	7.329 ✓	7.326 ✓			
70' —	4.139		4.000			
T.P.	524.673 ✓					
90' +	6.265		6.145			
Δ	530.938 ✓	0.753 ✓	0.750 ✓			
90' (Set)	7.018		6.895			
PVBM #27	523.920 ✓					PVBM #27 Elev =
40' +	6.122		6.075			Fd a C.S. Br Cap Mon Flush and Stamped
Δ	530.042 ✓	1.346 ✓	1.345 ✓			P-27 per FB 2290-40 Fd a 2" white top
40' —	4.776		4.730			Marker pipe 3' high 2' W'ly of Mon
T.P.	525.266 ✓					
25' +	5.585		5.499			
Δ	530.851 ✓	3.335 ✓	3.334 ✓			PVBM #28 Elev =
25' (Set)	2.250		2.165			Fd a 3" Brass tablet set in top of conc
PVBM #28	528.601 ✓					Gun Mount and Stamped San Pedro Hills D-7R
						Aux #1 Triangulation Station per
						FB 2290-43

765 420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0055.06 SURVEY OF PV Golf Course
DATE SURVEY BY M. A. Van Deren DATE 11-27-57
NOTES CHKD. Goss NOTES BY Van C. Johnson DATE
DATE 12-2-57 INDEXED DATE

F.B. 2290 PG. 43

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
PVBM #28	528.601 ✓					per pg 194
25' +	2.191		2.225			
Δ	530.792 ✓	+ 3.416 ✓	3.417 ✓			
25' —	5.557		5.642			
T.P.	525.185 ✓					
70' +	5.870		5.780			
Δ	531.055 ✓	+ 3.480 ✓	3.480 ✓			
70' (S.T.)	2.390		2.300			
PVBM #29	528.665 ✓					PVBM #29 Elev =
100' +	7.210		7.005			Fd a C.S. Br Cap Mon Flush and stamped
Δ	535.875 ✓	+ 4.698 ✓	4.696 ✓			P-28 per FB 2290 - 40 Fd a 2" white-
100' —	2.512		2.309			Top Marker 3' high 2'± Sly of Mon
T.P.	533.363 ✓					
100' +	10.684		10.831			
Δ	544.047 ✓	+ 9.412 ✓	9.411 ✓			
100 —	1.272		1.420			
T.P.	542.775 ✓					
100' +	11.974		11.881			
Δ	554.749 ✓	+ 10.754 ✓	10.752 ✓			
100' —	1.220		1.129			
T.P.	553.529 ✓					
60' +	11.736		11.676			
Δ	565.265 ✓	+ 9.705 ✓	9.704 ✓			
60' —	2.031		1.972			
T.P.	563.234 ✓					
50' +	8.108		8.379			See Page 243 For Co-ord's)
Δ	571.392 ✓	+ 7.184 ✓	7.181 ✓			PVBM #30 Elev =
50 (S.T.)	0.924		1.198			Fd a C.S. Br Cap Mon Flush & stamped
PVBM #30	570.418 ✓					P-29 per FB 2290 - 41 Fd a 2" white Top
						Marker pipe 3' high 2'± Sly of Mon

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 10.55.06 SURVEY OF PV Golf Course
SURVEY BY M.A. VanDeren
NOTES BY Kay DATE 11-27-57
INDEXED K. C. Johnson DATE

NOTES RED. DATE
NOTES CHKD. Foss DATE 12-2-57

F.B. 2298 PG. 144

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
PVBM #30	570.418 ✓					per pg 143
125' +	9.556		10.020			
Π	579.974 ✓	+ 7.998 ✓	7.995 ✓			
125' −	1.558		2.025			
T.P.	578.416 ✓					
125' +	11.398		11.279			
Π	589.814 ✓	+ 9.629 ✓	9.632 ✓			
125' −	1.769		1.647			
T.P.	588.045 ✓					
125' +	11.620		11.490			
Π	599.665 ✓	+ 11.010 ✓	11.010 ✓			
125' −	0.610		0.390			
T.P.	599.055 ✓					
60' +	10.565		10.991			
Π	609.620 ✓	+ 10.353 ✓	10.351 ✓			
60' −	0.212		0.690			
T.P.	609.408 ✓					
50' +	9.525		9.482			
Π	618.933 ✓	+ 8.212 ✓	8.212 ✓			
50' −	1.313		1.270			
T.P.	617.620 ✓					
25' +	8.967		8.784			
Π	626.587 ✓	+ 3.362 ✓	3.361 ✓			
25' (Est)	5.605		5.423			
PVBM #31	620.982 ✓					PVBM #31 Elev = Fd a C.S. Br. Cap Mon up 4" and stamped PK per FB 2290-76 Fd 2" White Top Marker Pipe 3' high 2'± S'ly of Mon
100' +	3.908		3.574			
Π	624.890 ✓	+ 7.787 ✓	7.788 ✓			
100' −	11.695		11.362			
T.P.	613.195 ✓					

76S 420 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
313 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 0055.06 SURVEY OF PV Golf Course
DATE _____ SURVEY BY M.A. Van Deren
NOTES CHKD. [illegible] NOTES BY Van DATE 11-27-57
DATE 12-2-57 INDEXED E. C. Johnson DATE

F.B. 2290 PG. 145

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	613.195 ✓					per pg 144
100' +	0.820		0.721			
Π	614.015 ✓	- 10.214 ✓	10.217 ✓			
100' −	11.034		10.938			
T.P.	602.981 ✓					
90' +	1.780		1.707			
Π	604.761 ✓	8.170 ✓	8.173 ✓			
90' −	9.950		9.880			
T.P.	594.811 ✓					
90' +	1.793		1.571			
Π	596.604 ✓	- 6.548 ✓	6.548 ✓			
90' (Set)	8.341		8.119			
PVBM #32	588.263 ✓					PVBM #32 Elev =
100' +	5.665		5.511			Fd a C.S. Br Cap Mon Flush and
Π	593.928 ✓	- 0.363 ✓	0.367 ✓			stamped P-30 per FB 2290- 41
100' −	6.028		5.878			Fd a 2" white top Marker pipe 3'
T.P.	587.900 ✓					high 2'± S'ly of Mon.
100' +	2.610		2.860			
Π	590.510 ✓	3.433 ✓	3.430 ✓			
100' −	6.043		6.290			
T.P.	584.467 ✓					
110' +	5.493		5.400			
Π	589.960 ✓	0.009 ✓	0.008 ✓			
110' (Set)	5.502		5.408			
PVBM #33	584.458 ✓					PVBM #33 Elev =
100' +	8.501		8.430			Fd a C.S. Br Cap Mon Flush and
Π	592.959 ✓	+6.497 ✓	6.495 ✓			stamped P-31 per FB 2290- 42
100' −	2.004		1.935			Fd a 2" white top Marker pipe 3' high
T.P.	590.955 ✓					2'± S'ly of Mon.

FORM 353 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0655 SURVEY OF PV Golf Course
SURVEY BY M. A. Van Dorn DATE 11-27-57
NOTES BY Vay DATE
INDEXED [illegible] DATE

NOTES RED. DATE
NOTES CHK'D GOS DATE 12-2-57

F.B. 2290 PG. 146

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	590.955 ✓					per P.G 145
100' +	9.791		9.660			
Δ	600.746 ✓	+ 6.740 ✓	6.740 ✓			
100' —	3.051		2.920			
T.P.	597.695 ✓					
100' +	5.847		5.860			
Δ	603.542 ✓	+ 4.117 ✓	4.118 ✓			
100' —	1.730		1.742			
T.P.	601.812 ✓					
100' +	7.786		7.720			
Δ	609.598 ✓	+ 5.158 ✓	5.160 ✓			
100' — (set)	2.628		2.560			
PVBM #34	606.970 ✓				✓	PVBM #34 Elev = Fd a C & Br Cap Mon Flush and Stamped P-32 per FB 2290 — 42 Fd a 2" White top Marker pipe 3' high 2'± S¼ of Mon.
100' +	3.325		3.810			
Δ	610.295 ✓	+ 1.555 ✓	1.553 ✓			
100' —	4.886		5.363			
T.P.	605.415 ✓					
100' +	1.921		1.765			
Δ	607.336 ✓	+ 2.621 ✓	2.622 ✓			
100' —	4.542		4.387			
T.P.	602.794 ✓					
90' +	5.759		5.891			
Δ	608.553 ✓	+ 2.209 ✓	2.209 ✓			
90' (set)	3.550		3.682			
PVBM #35	605.003 ✓					PVBM #35 Elev = Fd a C.S. Br Cap Mon Flush and Stamped P-33 per FB 2290 — 15 Fd a 2" white top Marker pipe 3' high 2'± S¼ of Mon
100' +	3.279		3.961			
Δ	608.277 ✓	+ 5.456 ✓	5.458 ✓			
100' —	8.730		8.919			
T.P.	599.547 ✓					

76S 420 853 2M 3-48

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
315 CIVIC CENTER BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	599.547					per pg 146
80' +	6.651		6.535			
Π	606.198	0.750	0.746			
80' (Ed)	7.401		7.281			
PVBM #4	598.797					PVBM #4 Elev = 598.819 per pg 100
						Crest Rd (N. side)
						1.15 Miles From Palos Verde Dr West
						Bt Spk in North side of 12" Gum tree
						250'± S.E. of P-33

NOTES RED. JOB NO. 6055.06 SURVEY OF PV Golf Course
DATE SURVEY BY M.A. Van Deren DATE 11-27-57
NOTES CHKD. Coss NOTES BY Van
DATE 12-2-57 INDEXED E. C. Johnson DATE

F.B. 2290 PG. 147

Notes Ck'd by	Survey of PALOS VERDES GOLF COURSE
Map No.	JN 8892.02 Tape Std °F
Office Work	Surveyed by L. L. BROWN
Checked L. W. BACON	Notes L. L. BROWN Date 9-30-60
Date 4-28-61	Indexed

F. B. 2290 PG. 149

PALOS VERDES GOLF COURSE

J.N. 8892.02

LOCATION OF TEST HOLES

PARTY

BROWN, L. L.

HARRINGTON, P.

RODRIGUEZ, R.

FALSEY, J.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

76008 CE #247—7-58

F. B. 2290 Pg. 150

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

FD. SPK. W. & TIN IN MAG. PLMT. E.C. R/W PT. F.B. 2290-75

112.00

69° 00' 00"

TEST HOLE NO. 9 SET 1X1" STAKE & FLAG

EXISTING CREST RD.

PROPOSED ACCESS ROAD

NEW BOUNDARY LINE

(1) 69°00'00"
(2) 138°00'00"
AV. 69°00'00"

(40) (40)

FD. C.S. BR. CAP MON. FLUSH F.B. 2290-76

Notes Ck'd by
Map No.
Office Work
Checked L. W. RACON
Date 4-28-61

Survey of PALOS VERDES GOLF COURSE
JN 8892.02 Tape Std °F
Surveyed by L. L. BROWN
Notes L. L. BROWN Date 9-30-60
Indexed H. E. ON

F. B. 2290 Pg. 151

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

(40) (40)

PROPOSED ACCESS RD.

B.C. STA. 3" I.P. CONC. PLUG & TAG FLUSH F.B. 2290-76

NEW BOUNDARY LINE

TEST HOLE NO. 6 SET 1"x1" STAKE AND FLAG

606.36 REC. F.B. 2290-76

25"

16°09'

64° 09' REC. F.B. 2290-76

305.00

(1) 16° 09'
(2) 32° 18'
Av. 16° 09'

P.I. FD. C.S. BR. CAP MON. U.P.H." F.B. 2290-76

76S095 CE #247—7-58

F. B. 2290 PG. 152

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

BOUNDARY LINE TO P.6

FD. 3/4" I.P. CONC. PLUG & TAG DN. 1/2" F.B. 2290-77

(1) 76° 00' 00"
(2) 152° 00' 00"
AV. 76° 00' 00"

LINE

NEW BOUNDARY

PROPOSED ACCESS ROAD

16° 00' 00"

745.00

TEST HOLE NO. 7
SET 1"x1" STAKE & FLAG

E.C. R/W
FD. C.S. BR. CAP
MON. FLUSH
F.B. 2290-77

Notes Ck'd by
Map No.
Office Work
Checked L. W. RACON
Date 4-28-61

Survey of PALOS VERDES GOLF COURSE
JN 8892.0 Tape Std °F
Surveyed by L.L. BROWN
Notes L.L. BROWN Date 10-3-60
Indexed BE ON

F. B. 2290 Pg. 153

TEST HOLE No. 1-A SET 1X2 STAKE C.H. Lind 12-29-60

109.00

P.T. FD C.S. BR CAP MON. FLUSH F.B. 2290-20

TEST HOLE NO. 4 SET 1"X1" STAKE

113° 20'

515.00

TEST HOLE NO. 2 SET 1"X1" STAKE

P.C. FD. C.S. BR. CAP MON. FLUSH F.B. 2290-19

132.00

50° 00' 00"

110° 30' 00"

665.00

263.00

38° 00' 00"

52° 00' 00"

TEST HOLE NO. 1 SET 1"X1" STAKE

(1) 38° 00' 00"
(2) 76° 00' 00"
Δ = 38° 00' 00" V

TEST HOLE NO. 3 SET 1"X1" STAKE

R.C. F.B. 2290-19

(1) 52° 00' 00"
(2) 104° 00' 00"
Δ = 52° 00' 00" V

(1) 110° 30' 00"
(2) 221° 00' 00"
Δ = 110° 30' 00" V

154° 00' 00"

TEST HOLE NO. B SET 1"X1" STAKE

174.00

P.O.T. 5B FD. 3" I.P. CINC. PLUG & TAG ON 4" F.B. 2290-19

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S SSE #247 11-58

F. B. 2290 Pg. 154

P-19
F.D.C.S. MON.
FLUSH
F.B. 2290-33

370.00 (REC. 1 BR F.B. 2290-32)

(1) 141° 00' 00"
(2) 282° 00' 00"
AV. 141° 00' 00"

141° 00' 00"

P-20
F.D.C.S. BR. CAP
MON. FLUSH
F.B. 2290-33

207.00

TEST HOLE
NO. 5
SET 1"X1" STAKE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of PALOS VERDES GOLF COURSE
JN 8892.07 Tape Std. °F
Surveyed by L. L. BROWN
Notes L. L. BROWN Date 10-3-60
Indexed H. & OTT

F. B. 2290 PG. 155



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

75F3095 SAE #247 11-58

F. B. 2290 PG. 156



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of L.V. Golf Course F. B. 2290 PG. 157
Map No.	JN 0055.06 Tape 10's Std 84 °F
Office Work	Surveyed by R. C. Wilson
Checked T. W. BACON	Notes R. C. Wilson Date 11-28-60
Date 2-28-61	Indexed R. E. ON DEC 5 '60

LOS VERDES
GOLF COURSE

JN 0055.06

TIE FROM WLY BDY
TO SEWER LINE IN
VIA RIVERA STREET
TR. Nº 23943-A
M. B. 649-43, 47

RC WILSON
RD ANDERSON
ME WACKER
CA DUERBECK

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

783098 CE #247—7-33

F.B. 2290 PG. 158

INDEX



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of L.V. GOLF COURSE
JN Tape ADJ. STH 60 °F
Surveyed by R. C. Wilson
Notes R. C. Wilson Date 11-7-60
Indexed E. E. OTT

F. B. 2290 PG. 159

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 Los Angeles County Engineering Bldg.

763098 CE #247—7-58



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of L.N. GOLF COURSE
IN NORWALK Tape: 0% Stl. 84 °F
Surveyed by R. C. Wilson
Notes R. C. Wilson Date 11-28-60
Indexed H. E. On

F. B. 2290 PG. 767



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

785098 CE #247—7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by	Survey of L.N. GOLF COURSE
Map No.	JN 0055-06 Tape 106 Std 84 °F
Office Work	Surveyed by R. C. Wilson
Checked L. W. BACON	Notes R. C. Wilson Date 11-30-60
Date 4-28-61	Indexed A. E. Orr

F. B. 2290 PG. 163

CONT. BOTT. PG. 162

296.82 D @ 62° = 296.78

N

C.P.

54.08 D @ 62° = 54.07

TO POT BOTT. PG. 160

MH No 4 (LOC. BY LOCATOR) SET SQ. SPK. IN PAVT.

170.75 D @ 62° = 170.73

1) 51-14-40
2) 204-59-00
51-14-45
3) 307-28-40
4) 51-14-47
Σ 51° 14' 50"

8" V.C.P. SEWER

N 38° 09' 30" W 89.34 Calc.

1) 75-49-30
2) 303-18-20
75-49-30
3) 94-57-10
75-49-32
4) 75° 49' 35"

SET SQ. SPK. ON SEWER LINE PROD TO SOUTH.

SET → L&TAG ON LINE PROD.

1) 232-55-40
2) 211-42-10
52-55-32
3) 317-33-20
52-55-33
4) 52° 55' 35"

N 38° 09' 30" W 232.55'

75° 49' 35" M

℄ LINE SEWER LINE PROD.

N 38° 09' 55" W

CONT TOP PG. 164 TOP-24 PG. 52

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of L.V. GOLF COURSE
JN 1055-06 Tape 166 Std 84 °F
Surveyed by R. C. Wilson
Notes R. C. Wilson Date 11-30-60
Indexed H. E. OTT

F. B. 2290 Pg. 165

TO D-22 bot pg 159

N

TO D-23
FB 2290-36

1) 239°33'-20"
2) 94-12-30
23-33-07
3) 141-18-40
23-33-07
A 230° 33' 05"

TO D-21 A 1ST PG. 161

N 50° 36' 50" W

23° 33' 05" M

N 74° 09' 55" W

TO L.V. ROD. 163

34° 45' 20" CALC.

N 15° 51' 30" W
1097.65

POT 1" X 2"

105'±

210° 41' 35" M

600'±

LINE PROD. FOR SIGHT.

825.00

1) 210-45-10
2) 139-01-00
34-45-10
3) 208-32-00
34-45-20
A 210° 45' 20"

210° 45' 20" M

N 9,159.15
W 40,340.97

D-24
C.E. BRASS CAP MON. AS SHOWN.
F.B. 2290-37

COUNTY ENGINEER
D-24
R.E. 5869

699.30' R.

TO D-25
FB 2290-38

1) 121-41-40
2) 126-46-00
31-41-30
3) 10-09-20
1-41-35
A 121° 41' 35"

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

783098 CE #247 7-55

Profile No. ____ X-Sec. No. ____

Notes Red ____ Date ____ Plotted ____ Date ____ Notes Chkd. ____ Date ____ Checked ____ Date ____

Job No. 0055.06 Division No. 11 Survey of LOS VERDES GOLF COURSE Survey by R.C. WILSON Notes R.D.A. Date 11-30-60 Map No. ____ Indexed H. E. OTT Date DEC. 9

F.B. 2290 Pg. 167

BENCH LEVELS

LOS VERDES GOLF COURSE

J.N. 0055.06

FOR SEWER INVERTS - TRACT #23943-4
VIA RIVERA STREET M.B. 649 43-47

PARTY-
R.C. WILSON
R.D. ANDERSON
M.E. WACKER
C.A. DUERBECK

STATION	B.S.	H.I.	F.S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

761-298 CE 307 11-58

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2290 Pg. 168 | Job No. 82550 Division No. 11 | Notes Red ____ Date ____ | Notes Chkd. ____ Date ____ | Profile ____ Plotted ____ Date ____ | No. ____ X-Sec. ____ Checked ____ Date ____ | No. ____ Date ____

Survey of Los Verdes Golf Course
Survey by R.C. Wilson Notes R.O. Anderson
Indexed B.E. Ott

STATION	B.S.	H.I.	F.S.	ELEV.		
B.M.P.V.#1				242 00 ✓	B.M.P.V.#1 EL.241.999 F.B.2290-94 PALOS VERDE DR.W. & CREST RD. 10' WEST OF ℄ PALOS VERDE DR.W. & 330'± SOUTH OF ℄ CREST RD. AT N.W. COR. OF CON.C.B.	
	8 63	250 63 ✓				
T.P.#1			1 37	249 26 ✓	SM. BT. SPK.	
	9 46	258 72 ✓				
T.P.#2			0 13	258 59 ✓	" " "	
	9 49	268 08 ✓				
T.P.#3			0 29	267 79 ✓	" " "	
	11 95	279 74 ✓				
T.P.#4			0 16	279 58 ✓	" " "	
	10 84	290 42 ✓				
T.P.#5			0 10	290 32 ✓	" " "	
	8 74	299 06 ✓				
T.P.#6			0 11	298 95 ✓	" " "	
	12 16	311 11 ✓				
T.P.#7			0 24	310 87 ✓	" " "	
	11 48	322 35 ✓				
T.P.#8			0 06	322 29 ✓	" " "	
	11 54	333 83 ✓				
T.P.#9			0 05	333 78 ✓	" " "	
	10 66	344 44 ✓				
T.P.#10			0 14	344 30 ✓	" " "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.		
T.P. #10				344 30	✓ SM. BT. SPK.	
	12 29	356 59 ✓				
T.P. #11			0 13	356 46 ✓	" " "	
	11 84	368 30 ✓				
T.P. #12			1 92	366 38 ✓	" " "	
	6 76	373 14 ✓				
B.M. # 3			4 79	368 35 ✓	B.M. #3 ELEV. 368.36 – SET BY ENGINEERING SERVICE. B.S. IN T&P.P. No 1318529-E.	
T.P. #13			3 18	369 96 ✓	SM. BT. SPK.	
	9 10	379 06 ✓				
T.P. #14			3 50	375 56 ✓	SEWER M. H. # 2	No. RIM see pg 162
	9 96	385 52 ✓				
T.P. #15			2 43	383 09 ✓	SEWER M.H. # 1	NORTH RIM see pg 161
			2 48	383 04 ✓	Δ STA. M.H. 2. CENTER OF SEWER M.HOLE COVER. F.B. 2290-161	
SEWER M.H. No 2				375 56	N. RIM	
INVERT		DOWN →	9 07	366 49	℄ INVERT S.S.M.H. No 2	
SEWER M.H. No 1				383 09	N. RIM	
INVERT		DOWN →	7 66	375 43	℄ INVERT S.S. M.H. No 2 (Δ STA M.H. 1)	

Profile Notes Red. Plotted Job No. 68T506 Division No. 11
No. X-Sec. Date Date Survey of Los Verdes Golf Course
No. Notes Chkd. Checked Survey by R.G. Wilson Notes R.D.B. Date 11-30-60
Date Date Map No. Indexed M.E.O.D. Date

F.B. 2290 Pg. 169

76L-288 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2290 Pg. 170 Job No. 085506 Division No. 11 Notes Red Plotted Profile
Survey of L.V. GOLF COURSE Date No. X-Sec.
Survey by RCW Notes RCW Notes Chkd. Checked No.
Indexed H.E. ON Date Date Date

STATION	B.S.	H.I.	F.S.	ELEV.	
M.H.# 1				383 04 ✓	△ STATION M.H. Nº 1 — P.G. 161
	474	387 78 ✓			
CALC. →		+ 153 78			SIGHT @ POT · DIST. = 769.59' + ∡ 11°18'00" = 153.78 ROD = 4º
		541 56 ✓			
POT			4 00	537 56 ✓	3/4" CAPPED I.P. F.B. 2290-160
M.H.# 1				383 00 ✓	△ STATION M.H. Nº 1 - PG. 161
	474	387 78 ✓			
CALC. →		+ 158 75			SIGHT @ POT DIST = 769.59' + ∡ 11° 39' 20" = 158.75 ROD = 9º
		546 53 ✓			
POT			9 00	537 53 ✓	3/4" CAPPED I.P. F.B. 2290-160
POT				537 55 ✓	MEAN VERTICAL & ELEVATION
	12 25	549 80 ✓			
			3 28	546 52 ✓	
	11 38	557 90 ✓			
			1 91	555 99 ✓	
	12 09	568 08 ✓			
BM PV 20 D-22			6 19	561 89 ✓	C.S. MON. FLUSH · ELEV. 561.849 F.B. 2290-139

Notes Ck'd by	Survey of W GOLF COURSE
Map No.	JN 8892.06 Tape 106 Std. 24 °F
Office Work	Surveyed by RC WILSON
Checked	Notes RC WW Date 12-14-60
Date	Indexed DEC 24 '60 H. E. OTT

F.B. 2390 Pg. 171

LOS VERDES GOLF COURSE
JN 8892.06

LOCATION SANITARY SEWER &
THREE FEET SOUTH OF N'LY LINE OF
LOT 15 PER TRACT N° 23922
TO INT. OF W'LY BDY LINE

12-14-60

RC WILSON
RD ANDERSON
ME WACKER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-58

F. B. 2290 PG. 172

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

INDEX

Notes Ck'd by	Survey of L. J. Gross C.E.
Map No.	J.N. 8897 Tape 1 Sht. R4 °F
Office Work	Surveyed by R.G. WILSON
Checked	Notes R.G.W. Date 12-14-60
Date	Indexed J. E. OTT

F. B. 7290 PG. 173

TO P.I. No 3 CONT BRIT PG. 174

192.12 E 2°00' T=62°-
191.97

R=191.97

P.I. No 2 SET 1"x2" PER. TR. No 25826

C & M 2.68

STA. M.H. No 1 PG. 161

6.09 M

R=191.97

Δ 123-34-50
Δ 13-19-00
33-34-45
Δ 21-28-50
3-34-48
(A) 123°34'50"

118.26

VIA

56.

28.

28.

MH No 2 PG. 162

RIVERA

R.R. SPK. ON E PG. 162

5.05

191.15

TO MH 2

TO PI NO 2 PG. 164

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

763098 CE #247—7-58

F. B. 2290 PG. 170

295.43 @ 2°00' @ 64° = 295.21

RUE DE LA

25' S.D.

H. No. FD. DNOT SET I"x2" @ REF. DIST.

DIERRU

295.21

CONT. TO PG. 173

28.

191.97'

28.

90°

R 00' RAD

1) 90-00-00
2) 360-00-10
90-00-02
3) 180-00-10
90-00-02
(A) 90°00'00"

D. I. No. 2

VIA RIVERA

CONT TO PG. 173

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of L.V. GOLF CS
Map No.	JN 8892 Tape 106 Std 84 °F
Office Work	Surveyed by RC WILSON
Checked	Notes RCW Date 12-12-60
Date	Indexed: H. E. ON

F. B. 2790 Pg. 175

CONT RT PG 174

TO PI No 3

S 0° 32' 25" E

RUE

295.21 R&M

P.I. No 4

SET 1" x 2" STK. @ REC. ☆ FROM P.I. No 4 DIST.

0.10

FD. 2" x 2"

0.30

DE

147° 24' 00" R&M

1) 147-24-00
2) 229-36-10
57-24-03
3) 164-24-20
27-24-03
(4) 147°24'00"

199.74 ℄ L 66° = 199.72
132.78 ℄ L 66° = 132.76
332.48'

332.48 R&M

LA

PIE RRE

TO C.P.I.

TO INT.

CONT TOP PG. 176

Notes: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by	Survey of L.J. GOLF COURSE
Map No.	JN 2822.46 Tape 106 Std 84 °F
Office Work	Surveyed by R.C.W.
Checked	Notes R.C.W. Date 7-15-60
Date	Indexed H. E. OTT

F. B. 2790 PG. 177

CONT BOTT PG. 178

145.90 E 8°20' E 68° = 144.34

144.34 ± P

STA. 3+55.85
SET 1"X2" STK R.
WIGGLE POINT

74.88 E 18°18' E 70° = 71.08

74.47 E 17°19' E 70° = 71.08

71.08 ±

℄ SEWER

STA. 2+84.77
SET 1"X2" STK.
FLUSH.

146.76 E 23°20' E 68° = 134.78

146.92 E 23°29' E 68° = 134.78

134.78 ±

DRAIN

SEE PROFILE NOTES FOR LOCATION

STA. 1+50.03
SET 1"X2"
STK FLUSH

154.13 E 13°13' E 68° = 150.03

158.63 E 12°24' E 68° = 150.03

150.03 ±

CONT RT. PG. 176

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-58

F.B. 2290 PG. 178

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

S 40° 11' 07" E
REC. BEARING
PER. C.S. MAP

6+68.47
SET 1"x2"
STK. ℄ END
OF LINE.

P/L

6+48.86 C M
6+48.47 M
SET 1"x2" STK.
PER. OFFICE
CALC. ℄ INT.
OF ℄ L & ℄ OF
SEWER.

20.00

TO P-23
PG. 36

17.73
C M

107° 57' 20"

P-22
C.E. MON. FLUSH
PER. PG. 35, 159

148.28

149.10 6°06 E66° 148.28

1) 107-57-20
2) 71-49-30
3) 17-57-22
4) 287-42-10
5) 17-57-22
6) 107-57-20

℄ SEWER

STA 5+00.19
SET 1"x2" STK.

44.24

CONT TO P PG. 177

F. B. 2290 Pg. 179

Profile No. | Notes Red | Plotted | Job No. 8892.06 | Division No. 11
Date | Date | Survey of LOS VERDES GOLF COURSE
X-Sec. No. | Notes Chkd. | Checked | Survey by R.C. WILSON | Notes R.D.A. | Date 12-16-60
Date | Date | Map No. | Indexed H. E. ON | Dated DEC 21 '60

LOS VERDES GOLF COURSE

PROFILE ON & SEWER LINE

JN 8892.06

(SEE PGS. 176, 177, 178)

12-16-60

RC WILSON
RD ANDERSON
ME WACKER

STATION	B.S.	H.I.	F.S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

761-298 CE 307 11-58

F.B. 2290 Pg. 180

Job No 88306 Division No. 11 Notes Red Plotted Profile

Survey of Los Veroes Golf Course Date 12-16-60 Date No. X-Sec.

Survey by R.C. Wilson Notes R.D. Anderson Notes Chkd. Checked

Indexed H.E. Ott Date 12-16-60 Date Date No.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.	
MH No 1				383 09	M.H. #1 N. Rim ELEV. 383.09 PER F.B. 2290 PGS. 161, 169
	10 20	393 29 ✓			
T.P. #1			0 68	392 61 ✓	1 x 1
	9 74	402 35 ✓			
T.P. #2			0 32	402 03 ✓	" "
	9 17	411 20 ✓			
T.P. (0+00)			3 35	407 85 ✓	1 x 2 & NAIL
	12 16	420 01 ✓			
0+50			2.3	417 7 ✓	
T.P. #3			0 09	419 92 ✓	1 x 1
	10 81	430 73 ✓			
℄ 0+70			8 7	22 0 ✓	
℄ 0+86			6 2	24 5 ✓	BT. BRK
RT. 12			7 0	23 7 ✓	RT. 12' BOT. DRAIN
℄ 0+89			4 7	26 0 ✓	TOP BRK.
℄ 0+98			2 9	27 8 ✓	B. BRK.
RT. 11'			4 5	26 2 ✓	RT. 11' BOT DRAIN ✓
T.P. #4			0 16	430 57 ✓	1 x 1
	12 10	442 67 ✓			
℄ 1+05			11 3	31 4 ✓	
RT. 8			12 0	30 7 ✓	B. DR.

76L-298 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 2892.06 Division No. 11
No. X-Sec. Date Date Survey of Los Verdes Golf Course
Notes Chkd. Checked Survey by P.C. Wilson/Notes R.O.W. Date 12-16-60
No. Date Date Map No. Indexed N.E. Ott Date

F.B. 2290 Pg. 181

STATION	B.S.	H.I.	F.S.	ELEV.	
℄ 1+17		442 67	8 2	434 0	
Rt 5'			9 5	33 2	T. DRAIN
↙ 7'			11 3	31 4	B. DR.
↙ 9			9 6	33 1	T. DR.
T.P. #5			0 27	442 40	1X1
	9 74	452 14			
℄ 1+50 03			8 5	43 6	PG. 177
Rt. 5'			9 3	42 8	T. DR.
↙ 7'			11 0	41 1	B. DR.
↙ 9'			9 3	42 8	T. DR.
℄ 1+72			0 1	52 0	
Rt. 3'			0 4	51 7	T. DR.
↙ 6'			1 4	50 7	B. DR.
↙ 11'			12 1	52 8	T. DR.
T.P. #6			0 16	451 98	1X1
	11 05	463 03			
℄ 1+95			1 3	61 7	
Rt. 14'			3 4	59 6	B. DRAIN
T.P. #7			0 23	462 80	1X1
	11 88	474 68			
℄ 2+06			8 7	66 0	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2290 Pg. 182

Survey of Los Verdes Golf Course Job No. 8332.66 Division No. 11 Notes Red Plotted Profile
Survey by R.S. Wilson Notes R.D. Ackerson Date 12-16-60 Notes Chkd. Checked No. X-Sec.
Indexed U.E. Ott Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.	
		474 68			
T.P. # 8			0 78	473 90	1x1
	11 59	485 49			
T.P. # 9			2 78	482 71	1"x1"
	12 26	494 97			
℄ 2+50			7 8	487 2	1x1
T.P. # 10			1 50	493 47	1x1
	12 33	505 80			
℄ 2+79			6 9	498 9	
℄ 2+84.77			3 8	502 0	PG. 177
T.P. # 11			0 39	505 41	Rock
	12 34	517 75			
℄ 3+08			6 1	11 7	
T.P. # 12			0 05	517 70	1x1
	11 48	529 18			
℄ 3+30			9 8	19 4	
℄ 3+55.85			3 40	525 78	1x2 PG. 177
T.P. # 13			0 02	529 16	1x1
	12 35	541 51			
℄ 4+00			7 5	34 0	
℄ 4+50			0 7	40 8	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.		
		541 51 ✓				
T.P.#14			015	541 36 ✓	1X1	
	10 71	552 07 ✓				
℄ 5+00 13			568	546 39 ✓	1X2 PG. 178	
T.P. # 15						
℄ 5+50			070	551 37 ✓	1X2	
	11 70	563 07 ✓				
5+88			8 4	54 7 ✓	B. BRK.	
℄ 6 + 00			6 5	56 6 ✓		
6 +22			3 4	59 7 ✓	T. BRK.	
6+48 47			1 17	561 90 ✓	1X2 INT OF P/L's PG. 178	
6+68 47			2 3	564 2	END OF LINE PG. 178	
B.M. P-22			1 15	561 92 ✓	BM PV #20 - C.E. MON. FLUSH	
P.V. 20					ELEV. 561.809 PER. PG. 139	

Profile Notes Red. Plotted Job No. 88206 Division No. 11
No. X-Sec. Notes Chkd. Checked Survey of Los VERDES GOLF COURSE
Date Date Date Survey by P.C. WILSON Notes R.D.R. Date 12-16-60
No. Date Date Map No. Indexed H. E. ON Date

F.B. 2290 Pg. 82

F.B. 2290 Pg. 186

Profile No. ____ X-Sec. No. ____ | Notes Red ____ Date ____ Notes Ckd W. BACON Date 5-1-61 | Plotted ____ Date ____ Checked ____ Date ____ | Job No. 0055.06 Division No. 11 | Survey of LOS VERDES GOLF COURSE | Survey by R.C. WILSON Notes RCW Date 11-7-60 | Map No. ____ Indexed H.E. ON Date 4-15-61

BENCH LEVELS

LOS VERDES GOLF COURSE

VERTICAL CONTROL FOR ENTRANCE RD.

P.T.D-4361

J.N. 0055.06

PARTY –
R.C. WILSON
R.D. ANDERSON
M.E. WACKER
C.A. DUERBECK

DATE: NOV. 7, 1960

STATION	B.S.	H.I.	F.S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76L-298 CE 307 11-58

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2290 Pg. 186

Job No. 65805 Division No. Notes Red Plotted Profile
Survey of LOS VERDES GOLF COURSE Date No. X-Sec.
Survey by RCW Notes RCW Notes Chkd. Checked
Indexed H.E. ONLY Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.	
BMPW #5				737.77	CREST RD. (W. SIDE) 1.6 M. FROM P.V.DR.W., 50' ± W. OF S.E. FEN COR. TO RADIO TOWERS 3/4" I.P. & CONC. PLUG WITH B.S. DN. 18" F.B. 2290-102
	6.205	743.975			
BM #6			6.385	737.590	@ S.E. COR. TO RADIO TOWERS - A 3/4" I.P. & CONC. PLUG WITH B.S. DN. 18" F.B. 2290-102 EL 737.588
	5.81	743.00			
BM Q			5.37	738.03	BRASS CAP RD. DEPT. B.M. IN WELL 5' N. OF FEN. COR. EL 738.08
	6.63	744.66			
T.P. #1			1.02	743.64	
	11.75	755.39			
T.P. #2			0.43	754.96	
	11.51	766.47			
T.P. #3			0.18	766.29	
	9.36	775.65			
TP #4			0.31	775.34	
	11.925	787.265			
T.P. #5			0.295	786.970	
	12.305	799.275			
T.P. #6			1.185	798.090	
	6.385	804.425			
B.M. "R"			3.87	800.555	U.S. BRASS CAP SET IN CONC. 375' ± W. OF & HAWTHORNE STAMPED "D-1 R.E. 5869" F.B. 2290-67

76L-288 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.	
B.M. "R"				800 555	C.S MON. PREC. PAGE
	11 97	812 525			
TP# 7			1 170	811 355	
	7 430	818 785			
TBM# 1			6 250	812 535	SET L.B.S.&W. 100' NORTH & PROD. ACCESS RD. ~ C. E. WEST EDGE OLD CREST RD. & 170' ± W. OF & HAWTHORNE BLVD. (IN THE PAVT)
	11 220	823 755			
TP# 8			0 640	823 115	
	4 810	827 925			
TBM #2			12 120	815 805	BSW#T @ & INT. HAWTHORNE & PROD. ACCESS RD. ~ F.B. 2290-68
	12 010	827 815			
TP#9			0 230	827 585	
	6 160	833 745			
B.M. "C"			1 780	831 965	PK. NAIL IN LEAD IN S.W. COR. OF S.D.C.B. 277' N. OF INT. ACCESS RD & HAWTHORNE BLD & 40 W OF &.
	3 090	835 055			
TP# 10			12 320	822 735	
	2 400	825 135			
TP# 11			9 895	815 240	
	1 890	817 130			
T.P #12			9 300	807 830	
	0 870	808 700			
B.M. "W"			6 380	802 320	

Profile Notes Red Plotted Job No. 0555.0 Division No. 11
No. X-Sec. Data Date Survey of LOS VERDES GOLF COURSE
Notes Ck'd W. BACON Checked Survey by RCW Notes RCW Date 11-7-62
No. Date 5-1-61 Date Map No. Indexed Date

F.B. 2290 Pg. 187

F.B. 2290 Pg. 188

Survey of Los Verdes Golf Course Division No. 11 Notes Red Plotted Profile
Survey by R.C. Wilson Notes R.C. Wilson Date Date No. X-Sec.
Indexed H E OH Notes Chkd. Checked No.
Job No. 20550 Date Date Date

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.	
B.M. "W"				802.320 ✓	C.E. MON @ B.C. R/W - 2ND CURVE OF ENTRANCE ROAD - WEST SIDE OF R/W F.B. 2290-69
	7.170	809.490 ✓			
B.M. P.V.-8			5.790	803.700 ✓	C.E. MON. STAMPED "RADIAL PT." F.B. 2290-70, 131 EL = 803.66

Notes Ck'd by	Survey of L.V. GOLF COURSE F. B. 2290 PG. 189
Map No.	JN 0055.06 Tape 106 Std. 84 °F
Office Work	Surveyed by R.C. WILSON
Checked E. W. BACON	Notes R.C.W. Date 12-60
Date 4-28-61	Indexed H. E. OTT JAN 25 '61

LOS VERDES GOLF COURSE
J.N. 0055.06

ESTABLISHMENT OF COORDINATE GRID LINES
CONTROL FOR P.T. SHEETS
D-436-2 436-3 & 436-4
DECEMBER
1960

RC WILSON
RD ANDERSON
ME WACKER
CA OVERBECK

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

783095 CE #247—7-58

F. B. 2290 PG. 190

INDEX



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of L.W. GOLF CSE
JN 005-01 Tape 106 Std 84 °F
Surveyed by RCW
Notes RCW Date 12-7-60
Indexed B.E. OTT

F. B. 2290 PG. 191

NORTH

N 5° 41' 53" E-R.

P/L

84° 18' 07"

10.25' C&M

49.78' C&M

SET 1"X2"

W 39,000.00

COUNTY ENGINEER P-9 R.E. 5886

D No 6
C.E. MON.
ERT. 19
N 10,449.78
W 39,010.72
PER OFFICE
CALCULATION

S 5° 41' 53" W

N 10,400.00
W 39,035.00

P/L

SET C.E. MON. MARKER, SIDE BY SIDE ON P/L AT N 10,400 LINE MARKED AS SHOWN.

COUNTY ENGINEER N 39,400 W 39,000 R.E. 5886

165.00'

158.71 @ 8°46'E67° = 156.84
8.16 @ L E67° = 8.16
165.00'

N 10,400.00

N 10,400
W 39,200
SET 1"X2"

200.00'

197.47 @ 8°15'E58° = 195.40
4.60 @ ⊙ E58° = 4.60
200.00'

N 10,400
W 39,000
SET 1"X2"

CONT TO PG. 197

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 LOS ANGELES COUNTY ENGINEERING BLDG.

769095 CE #247—7-58

CONT BOTT. PG. 191

F.B. 2290 PG. 192



191.34 ℄ 6°08' ℄ 58° = 190.22
9.78 ℄ ⓒ ℄ " = 9.78
200.00

200.00

N 10,400 652.95
W 39,600
SET 1" IP DN. 18"
1"X2" STK. FL.

191.19 ℄ 5°08' ℄ 60° = 190.39
9.61 ℄ ⓒ ℄ 60° = 9.61
200.00

200.00

N 10,400
W 39,800
SET 1"X2"

180.49 ℄ 3°16' ℄ 60° = 180.18
19.82 ℄ ⓒ ℄ 60° = 19.82
200.00

200.00

1) 90-00-00
2) 360-00-00
90-00-00
3) 179-59-30
89-59-55

89° 59' 55"

EL 609.72

N 10,400
W 40,000
SET 1" IP DN. 18"
1"X2" STK. FL.

℄ CONT. FROM PG. 192

600.00'

TO N 11,000

608.72

CONT TOP PG. 193

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of L.W. GOLF CODE
Map No.	IN 0055.06 Tape, 100 Std., 0.01 °F
Office Work	Surveyed by RC WILSON
Checked L W. BACON	Notes RCW Date 12-60
Date 4-28-61	Indexed [illegible]

F. B. 2270 Pg. 193

From 192

N 10,400.00
COORDINATE

180.18 E 3°11' @ 64° = 180.18
19.82 E ⊙ @ 64° = 19.82
180.41 E 3°11' @ 66° = 180.17
189.78 E Δ 0°35' @ 62° = 189.15
79.17 E ⊙ @ 62° = 79.06
648.72 ✓

Σ ✓
648.72
648.58
.14

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

763098 CE #247—7-58

COUNTY ENGINEER P-21 R.E. 5886

COUNTY ENGINEER W40,648.58 N10,400.00 R.E. 5886

N10,400.00
W40,648.58

SET C.E. MON.
@ CALC. POSITION
FOR INT. OF P/L
& N 10,400.00
COORDINATE

P/L

300.63
C.M.

M.P. 2"±

185.37
C.M.

P NE 21
N 10,700.06
W 40,630.04
PER OFFICE
CALC. PG. 30

COUNTY ENGINEER P-22 R.E. 5886

P NE 22
N 10,214.98
W 40,660.01
PER OFFICE
CALCULATION
PG. 35

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

CONT LFT PG. 192



F. B2290 PG. 194

F.B. 2290 Pg. 95

Profile No. _____ X-Sec. No. _____
Notes Red _____ Date _____ Notes Chkd. _____ Date _____
Plotted _____ Date _____ Checked _____ Date _____
Job No. 0055.06 Division No. 11
Survey of LOS VERDES GOLF COURSE
Survey by R.C. Wilson Notes R.D.A. Date 12-7-60
Map No. _____ Indexed H. E. Ott Date 12-11-60

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

BENCH LEVELS

LOS VERDES GOLF COURSE

VERTICAL CONTROL FOR P.T. D-436-2,3,4

J.N. 0055.06

PARTY –
R.C. WILSON
R.D. ANDERSON
M.E. WACKER
C.A. DUERBECK

DATE: DEC. 7, 1960

STATION	B.S.	H.I.	F.S.	ELEV.

76L-298 CE 307 11-58

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2290 Pg. 196
Job No. 28-1556 Division No. 11 Notes Red Plotted Profile
Survey of LOS VERDES GOLF COURSE Date Date No. X-Sec.
Survey by R.C. Wilson Notes R.D. ANDERSON Notes Chkd. Checked
Indexed H.E.O.T. Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.		
P.I. # 1				800.56	BM "R" C.E. MON. STAMPED " PI RE5869" FB 2290-67, 186	
	199	802 55				
T.P. #1			11 85	796 70		
	138	792 08				
T.P. #2			12 01	780 07		
	188	781 95				
T.P. #3			12 22	769 73		
	079	770 52				
T.P. #4			12 25	758 27		
	355	761 82				
T.P. #5			10 27	751 55	N 10,800 W. 39,000	1x2
	231	753 86				
T.P. #6			11 97	741 89		
	388	745 77				
T.P. #7			5 57	740 20	N 10,600 W 39,000	1x2
	276	742 96				
B.M. P-6			590	737 06	N 10,449.78 W. 39,010.25	PG. 191
	100	738 06				
B.M.			6 28	731 78	N 10,400 W. 39,035.00	PG. 191
	123	733 01				
T.P. #8			12 18	720 83		

11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 025506 Division No. 11
No. ____ Date ____ Date ____ Survey of Los Verdes Golf Course
X-Sec. Notes Chkd ____ Checked ____ Survey by R.C. Wilson Notes R.O.A. Date 12-7-62
No. ____ Date ____ Date ____ Map No. ____ Indexed H. & O.M. Date ____

F.B. 2290 Pg. 197

STATION	B.S.	H.I.	F.S.	ELEV.			
T.P. #8				720 83			
	0 88	721 71					
T.P. #9			9 24	712 47			
	2 23	714 70					
T.P. #10			8 37	706 33	N 10,400 W 39,200	1X2	PG. 191
	0 70	707 03					
T.P. #11			11 63	695 40			
	0 64	696 04					
T.P. #12			10 21	685 83			
	2 91	688 74					
T.P. #13			10 66	678 08	N 10,400 W 39,400	1X2	PG. 191
	0 81	678 89					
T.P. #14			11 92	666 97			
	0 26	667 23					
T.P. #15			9 55	657 68			
	3 46	661 14					
T.B.M.			8 19	652 95	N 10,400 W 39,600	1" I.P.	ON 14" PG. 192
	1 62	654 57					
T.P. #16			11 84	642 73			
	0 77	643 50					
T.P. #17			10 66	632 84	N 10,400 W 38,800	1X2	PG. 192

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2290 Pg. 98 Job No. 0056.00 Division No. 11 Notes Red Plotted Profile
Survey of Los Verdes Golf Course Date 12-7-60 No. X-Sec.
Survey by R.C. Wilson/Notes R.D. Anderson Notes Chkd. Checked
Indexed H.E. Ott Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.			
T.P. #17				632 84	N 10,400 W 39,800	1X2	PG 192
	048	633 32					
T.P. #18			11 81	621 51			
	048	621 99					
T.P. #19			11 08	610 91			
	998	620 89					
T.B.M.			11 57	609 32	N 10,400 W 40,000	1" I.P.	DN. 12" PG. 192
	1 15	610 47					
T.P. #20			10 97	599 50			
	273	602 23					
T.P. #21			6 58	595 65	N 10,400 W 40,200	1X2	
	136	597 01					
T.P. #22			11 26	585 75	N 10,400 W 40,380."	1X2	
	146	587 21					
T.P. #23			11 79	575 42			
	049	575 91					
T.P. #24			7 91	568 00			
	193	569 93					
B.M. P-22			8 10	561 83	C.E. MON. FLUSH B.M. P.V. #20 PG. 36, 139		ELEV. = 561.85

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course F. B. 2290 PG. 199
JN 0055.06 Tape 10' Stn 84 °F
Surveyed by E. K. Lind
Notes Lind Date 2-16-61
Indexed M. S. OR APR 1 '61

J.N. 0055.06

LOS VERDES GOLF COURSE

COORDINATE SYSTEM

FEB. 1961
LIND
WILKS
CARO
OHASHI
MALUGA

Note: Any Additions or Changes on This Sheet Must be Made or Ciried In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

765095 CE #247—7-59

F.B. 2290 PG. 200

N- 14,000

N 13000

N-16,000

N-11,000

N-10,000

N-9000

N-8000

N. 7000

W. 41,000

W. 40,000

W. 39,000

W. 38,000

W. 37000

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244

LOS VERDES

GOLF COURSE

HAWTHORNE BLVD

INDIA

P-17

P-18

P-19

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 27-A-4

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course F. B. 2290 Pg. 201
JN 00810 Tape 100 Std. 68 °F
Surveyed by C. K. Lind
Notes Lind Date 2-20-61
Indexed H. E. GN

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

7890S CE #247 7-59

N- 13,500
W- 41,500
NOTHING SET

N. 13,500

COUNTY ENGINEER
P-15
R. E. 5869

P-15
N- 13,350.39
W- 41,200.10
FOUND A STD C.E. BRASS CAP MON. SET IN CONC. FLUSH AND STAMPED AS SHOWN. FD 2" WHITE MARKER PIPE 1 FT NORTH OF MON. PER FB. 2290-29

182.64 Calc. Rad.

COUNTY ENGINEER
P-16
R. E. 5869

279.44 Rad.

W- 41,500

P-16
N- 13,106.44
W- 41,067.68
FOUND A STD C.E. BRASS CAP MON. SET IN CONC. FLUSH AND STAMPED AS SHOWN. FD A 2" WHITE MARKER PIPE 1 FT W.LY OF A FB. 2290-29

87.65 Meas.

F.B. 2290 PG. 202

W.S. 27-44

P-14
N - 13500.36
W - 41,095.19
FOUND A STD CE. BRASS CAP MON. SET IN CONC. FLUSH; AND STAMPED AS SHOWN. FD A 2" WHITE MARKER PIPE ± 2' NLY.

P-13
N - 13510.43
W - 40,870.07
FOUND A STD CE. BRASS CAP MON. SET IN CONC. FLUSH AND STAMPED AS SHOWN. FD 2" WHITE MARKER PIPE ± 2' NLY OF MON. PKD FB 2290-27

COUNTY ENGINEER
P-14
R. E. 5869

COUNTY ENGINEER
P-13
R. E. 5869

111.89 MEAS.

123.4 MEAS.

CONT ON LL M 2-3

97.11 MEAS.

0.47 M.

19.02 MEAS.

N - 13,500

226.61 CALC.

182.54 CALC.

80.4' LINE

N - 13,500.00
W - 41,095.44
SET A LEAD & CE TAG FLUSH IN CONC. FOR MON. P-14.

35.55 MEAS.

N - 13,518.96
W - 41,000.00
SET A 1" IP CONC. PLUG & CE. TAG ON 18"

90° 00' 00"
89° 59' 50"

N - 13,500
W - 41,000
SET A 1" IP CONC. PLUG & CE. TAG ON 18" BY INTERSECTION

152.55 CALC

T = 68
95.57 LEV = 95.56

∠ 90° 00' 00"
∠ 359 59 15
∠ 179 59 00
AV = 89° 59' 50"

W - 41,000

T = 68
111.90 LEV = 111.89
97.12 LEV = 97.11

CONT TO TOP M 204

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 4055.06 Tape 1W Std 84 °F
Surveyed by C.E. Lind
Notes Lind Date 2-20-61
Indexed H. E. Orr

F. B. 2290 PG. 209

T-58
123.59 Lev = 123.57 ✓

W. 40,500

N. 13,500.00
W. 40,500.00
NOTHING SET.

N. 13,500

Cont. on Pg 202

AT 3.57 ✓ MEAS.

226.61 CALC.

289.35 MEAS. ✓

N-13,500.00 ✓
W-40,773.39
SET 1" I.P.
CONC. PLUG &
C.E. TAG ON 18"

529.21 CALC.

Bldg. Line

N. 13,405.16 ✓
W. 40,500.00
SET 1" I.P.
CONC. PLUG &
C.E. TAG ON 18"

405.16 CALC.

T = 58
289.57 @ 2° 00' = 289.35 ✓

Cont. on Pg 289.28

Cont. on Top Pg 205

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

769088 CE #247—7-59

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by _____
Map No. _____
Office Work _____
Checked L. W. BACON
Date 4-28-61

Survey of Los Angeles Golf Course
JN 0056.06 Tape 161 Std 99 9F
Surveyed by E.H. LUNO
Notes LUNO Date 2-21-61
Indexed H. E. OTT

F. B. 2290 Pg. 205

CONT. ON B.T. Pg. 207

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7573088 CE #247—3-57



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 27-B-4

Do not extend notes this side of this line.



W.S.27-8-4

Notes Ck'd by	Survey of Los Verdes Golf Course
Map No.	JN [illegible] Tape 161 Std 64 °F
Office Work	Surveyed by G. G. Line
Checked I. W. BACON	Notes Line Date 2-21-61
Date 4-28-61	Indexed H. E. 011

F. B. 2290 PG. 107

N. 13,000.00
W. 39,579.21
SET A 1" I.P.
CONC. PLUG
& C.E. TAG
FLUSH WITH
THE SURFACE
OF THE GROUND

N. 13,000.00
W. 39,500.00
NOTHING SET

214.09 CALC.

420.79 CALC.

N. 13,000

0.91 N.

50.00 R=1910.08

Set ¾" I.P. & C.E. Tag 8" dn.

P-11
N. 12,999.46
W. 39,378.68
FOUND A 3/4" O.D. L.A.C.E. BRASS CAP MON SET IN CONC. FLUSH, STAMPED AS SHOWN PER R.B. 2290-38
FOUND A 2" WHITE MARKER PIPE 1.2' EAST OF MON.

192.24 MEAS.

N. 17,873.96
W. 39,500.00
SET A 1" I.P. CONC. PLUG & C.E. TAG ON 1/2

COUNTY ENGINEER
P-11
R. E. 5869

T= 70
354. CC @ Lev = 354.63.

T= 68
192. Co @ 3°25' = 192.24.

N-39 E 394.63 MEAS. BARY LINE 1188 MEAS.

CONT. ON TOP PG. 210

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3098 SBE #247 11-58


CONT. ON BOT PG. 205
F.B. 2290 PG. 208
M.S. 27-4-4
T=64
195.39 @ 1°45' = 195.27
COUNTY ENGINEER
P.17
R.E. 5869
P-17
N-12,511.33
W-40,349.55
FOUND A STD
L.A.C.E. BRASS
CAP MON. PUNCH,
SET IN CONC.
AND STAMPED
AS SHOWN.
ALSO A 1" WHITE
MARKER PIPE
1' SLY.
PER FB 2290-30
S71.30 E
CONC.
N 12,635.82
W. 40, 500.00
SET A IN I.P.
CONC. PLUG &
C.E. TAG ON 18"
145.27 M.
13.52 M.
N-12,500
342.18 CALC.
S24.48 E
CONC.
N-12,500.00
W-40,500.00
NOTHING SET
N. 12,500.00
W. 40,342.18
SET A 1"
I.P. CONC. PLUG
& CE TAG
ON 18"
W-40,500
CONT. TO TOP PG. 220
CONT. TO TOP PG. 208
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Los Verdes Golf Course
Map No.	JN 0055 & 6 Tape 161 Std 84 °F
Office Work	Surveyed by LIND
Checked L. W. BACON	Notes LIND Date 2-23-61
Date 4-28-61	Indexed H. E. On

F. B. 2290 Pg. 209

CONT. ON PG. 208

BGT PG. 206

CALC.

500.00

N. 12,500.00
W. 40,000.00
SET A 1" IP
CONC. PLUG &
C.E. TAG ON 6"
BY INTERSECTION

500.00 / CALC.
499.89 MEAS.

PG. 208

N- 12,500

342.18 CALC.

CONT. ON PG.

CONT. ON PG. 211

90°00'00"

REV.

ANGLE NOT MEAS. INT. FALLS ON SIDE OF REVERSE

T= 62

253.26 @ 5°01' = 252.22.
248.62 @ 4°54' = 247.67.
499.89 /

500.00 CALC.

W 40,000

CONT. ON TOP OF PG. 211

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095: CE #347—8-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked E. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 00[illegible] Tape 161 Std 68 °F
Surveyed by C.K. LIND
Notes LIND Date 2-21-61
Indexed H. E. OTT

F. B. 2290 Pg. 211

CONT. ON

ROT PG. 209

1. 90 00 00
4. 359 59 15
L. 179 59 00
AR: 89° 59' 50"

B.T. PG 208

CONT. ON

596.48 CALC.

W- 40,000 CALC.

500.00 CALC.

N- 12,000.00
W- 40,016.87
SET A 1" I.P.
CONC. PLUG AND
C.E. TAG ON 18"

N- 12,000.00
W- 40,000.00
SET A 1" I.P.
CONC. PLUG &
C.E. TAG
ON 18" BY
INTERSECTION

16.87 CALC.
16.84 M.

N- 12,000

500.00 CALC.

25.92 CALC
25.91 M.

90° 00' 00" REC.
89° 59' 50" MEAS.

15.36 M.

16.67 M.

P.O.T. 17-A

N- 11987.13
W- 40 008.49
FOUND A 3/4
I.P. CONC. PLUG
& C.E. TAG
ON 18" PAR
R.S. 2290-21

N- 11,974.08
W- 40,000.00
SET A 1" I.P.
CONC. PLUG AND
C.E. TAG ON 18"

229.07 CALC

BURY LINE

CONT. TO TOP PG. 214

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

7875095 CE #247—8-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


N. 117,000.00
W. 39,500.00
Sta. 1+13.48 Cons.
Ctr. Forms on 18" Isl. Intersection
Cont. on Rt
Cont. on Rt
Cont. on Rt
Cont. on Top
Cont. on Top
Cont. on Rt
Cont. on Rt
Cont. on Rt

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course F. B. 2290 PG. 213
JN 005.06 Tape 141 Std 68° °F
Surveyed by C.R. Lind
Notes Lind Date 2-23-61
Indexed H. E. 9/11

W.S. 27-B-4

CONT. ON BATT PG 210

BDRY LINE

465.06 N.

J
N. 12,000.00
W. 39,131.57
SET A 1-1/2
CONC PLUG
AND CE TAG
IN 6"

82.56 N.

N. 12,000.00
W. 39,000.00
NOTHING SET

P.I. 10
N. 12,075.64
W. 39,165.35
TO LEAD AND
C.E. TAG IN
ROCK FLUSH
FD 2" IRON
-23 FD MARKER
DIRT ± 12' EAST.

N 12,000

368.48 CALC.

CONT. ON PG 216

116.45 CALC.

COUNTY ENGINEER
BOUNDARY LINE
R. E. 5869

N. 11,939.39
W. 39,059.76
FD 1" STUCCO
BRASS CAP
MON. SET
IN CONC.
FLUSH, AND
STAMPED AS
SHOWN ON
P.B. 22 90-94
FD 2" IRON
WITH WHITE MARKER
PIPE ± 2'
WLY OF PNCH.

W. 39,000.00

T = 74°
83.37 @ 8°00' = 82.56

CONT TO TOP PG 216

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this work beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78F3095 SSE #242 11-58

CONT TO BOOK PG. 21

F. B. 2290 PG. 214

W.S. 27-B-4

P-18 ✓

N- 11,782.06
W- 39,875.07
FOUND MON. W/BRASS CAP, ENGRAVED L.S. 5869 CHISELED RESET AT THIS TIME. PG-31

73° 03' 30"

229.07 CALC.

COUNTY ENGINEER
P-18
R.E. 5869

241.33 REC.

POT 18-A ✓

N- 11,540.72
W- 39,875.11
FD A 3/4" I.P. CONC. PLUG & C.E. TAG ON 12" DIER F.B. 2290-32

NOTE THIS MON HAS BEEN DISTURBED OUT.

40.72 M.

N- 11,500

375.10 CALC.

N- 11,500.00
W- 39,875.10
SET A 1" I.P. CONC. PLUG & C.E. TAG ON 18"

N- 11,500
W- 40,000
NOTHING SET

CALC.

250.05 REC.

ROAD LINE

W- 40,000

174.29 MEAS.

P-19 ✓

N- 11,249.94
W- 39,875.16
FOUND A 3/4" C.E. BRASS ERD... MON SET IN CONC. AND STAMPED AS SHOWN PER F.B. 2290-33

CONT. ON TOP PG 217

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Los Verdes Golf Course
Map No.	JN 0055.06 Tape 161 Std 84 °F
Office Work	Surveyed by E.K. LIND
Checked L. W. BACON	Notes LIND Date 7-23-61
Date 8-28-61	Indexed M. E. OTT

F. B. 2294 PG. 215

CONT. ON

BOTT PG 212

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PG. 214

CONT. ON PG.

N- 11,500

375.10 CALC.

500.00 CALC.

N- 11,500.00
W- 39,500.00
SET A 1" I.P.
CONC. PLUG &
C.E. TAG AHEAD.
BY INTERSECTION

500.00 CALC.
499.81 MEAS.

T = 44
294.62
205.69 @ 0-10-=294.48'
205.69 @ 0-10-=205.44'
499.94

500.00 CALC.
499.94 MEAS.

N- 11,500.00

90° 00' 00" REC.
90° 00' 00" MEAS.

PG 216

CONT. ON PG.

1. 90 00 00
4. 360 00 00
C. 180 00 00
AV= 90° 00' 00"

CONT. ON Top pg 213

76F3095 S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.27-B-4



W.S. 27-A-4

Notes Ck'd by	Survey of Los Verdes Golf Course
Map No.	JN 0055.06 Tape 161 Std. 64 °F
Office Work	Surveyed by C.K. Lima
Checked F. W. BACON	Notes Lino Date 1-11-61
Date 4-28-61	Indexed H. E. Ott

F. B. 2290 Pg. 217

CONT. TO BOT PG. 214

T= 64

174.57 @ 3°06' = 174.29.
183.96 @ Lav = 183.94.

174.29 M.

180.4 Lin.

N- 11,128.35
W- 40,000.00
SET A 1" I.P.
CONC. PLUG &
C.E. TAG. ON 18"

N- 11,000.00
W- 40,181.80
SET A 1" I.P.
CONC. PLUG &
C.E. TAG ON 18"

183.94 M.

131.80 CALC.

135.35 CALC.

90°00'00" R&L

89°59'55" M.A.

N- 11,000.

500.00 CALC.

419.00 CALC.

PG. 220

CONT. TO TOP

P-20

N. 10,991.79
W. 40,140.22
FOUND 1" STD
L.A.C.E. BRASS CAP
MON. SET IN CONC.
AND STAMPED AS
SHOWN. FLUSH
PER F.B. 2290-33
FD A 1" WHITE
MARKER PIPE
±2' W'LY OF
MON.

COUNTY ENGINEER
P. 20
R. E. 5869

W- 40,000

500.00 CALC.

N. 11,000.00
W. 40,000.00
SET A 1" I.P.
CONC. PLUG &
C.E. TAG ON 18"
BY INTERSECTION

CONT. ON PG. 218

1. 90° 00' 00"
4. 359 59 30
6. 179 59 30
Av: 89°59'55"

CONT. ON TOP. PG 221

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 11-58

CONT. FROM TOP PG 215

F. B. 2290 PG. 218

90° 00' 00" REC.
89° 59' 55" MEAS.

N- 11,000

500.00 CALC.

500.00 CALC.

500.00 CALC.

N 89° 59' 55" E MEAS.

N- 11,000.00
W- 39,500.00
SET ¾ 1" I.P. CONC PLUG & CE. TAG ON I.B." BY INTERSECTION

N 0° 00' 05" E 500.00

S 89° 59' 55" W MEAS.

S 0° 00' 05" W 500.00

1. 90 00 00
2. 359 59 30
3. 179 59 30
Av = 89° 59' 55"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Cont. To Top pg. 222

Notes Ck'd by
Map No.
Office Work
Checked W. BACON
Date 1-28-61

Survey of LOS VERDES GOLF COURSE
JN 0058.06 Tape 161 Std 84 °F
Surveyed by G.W. LIND
Notes LIND Date 1-29-61
Indexed H. E. ORT

F. B. 2290 PG. 219

W.S. 27-B-4

CONT FROM Bk 218 Pg 216

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

COUNTY ENGINEER
P.T.
R.E. 5869

P.T.
N. 11,000.00
W. 39,950.16
FD 1" STD
C.E. BRASS
CAP MON.
STAMPED
AS SHOWN
FLUSH IN
SET IN CONC.
PER RB 2290
FOUND 2"
WHITE MARKER
PIPE ±2' EAST
OF MON.

N. 11,000.00
W. 39,965.13
SET A 1" I.P.
CONC. PLUG
AND C.E. TAG
ON 18"

N. 11,000.00
W. 39,000.00
SET A 1" I.P.
CONC. PLUG
AND C.E. TAG
ON 18" AT
INTERSECTION

500.00 CALC.

BDRY LINE

90°00'00" M. ✓
R. ±

N. 11,000

500.00 CALC.

44.87 CALC.

50.13 M.

451.89 CALC.

449.61 CALC.

W. 39,000

CONT. ON Pg

1. 90° 00' 00"
4. 360 00 00
6. 180 00 00
Avg 90° 00' 04" ✓

CONT TO TOP Pg 223

76F3095 S&E #247 11-58

F.B. 2290 PG. 220

Cont. on Bottom pg 208

W.S. 27-4-4

P-21
N- 10, 699.83
W- 40, 629.81
Found 3/4 Std. C.E. Brass Cap Mon.; Set in Conc. Mon. Stamped As Shown Fd. Sta. for Rd. 2290, 34 Ft. 42" White Marker Ft. 2° N.Wly of Mon.

419.00 Meas.

151.02 Meas.

N. 10, 777.74
W. 40,500.00
Set 1 in. Conc. Plug & C.E. Tag on 12" by Intrs. Section

277.18 Meas. Calc. 277.24

200.22 M.

90° 00' 30" Meas.

142.15 Meas. Calc.
142.16

N- 10, 500

500.00 Calc. M.

N- 10,500.00
W- 40,642.16
Set 1 in. Conc. Plug & C.E. Tag on 18"

N- 10,500.00
W- 40,500.00
Set 1 in. Conc. Plug & C.E. Tag on 18" by Intersection

285.78 Calc.

Bdry Line

476.44 Calc.

W- 40,500

1. 90 00 30
4. 360 02 00
6. 180 03 00
Av: 90° 00' 30"

T=68
142.16 Lev. = 142.15

Ft. of Lev. = 151.02.
200.15 Lev. = 200.22.

Cont. to Top pg 224

COUNTY ENGINEER
P-21
R.E. 5869

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 0085: 46 Tape 100 Std 68 °F
Surveyed by E.K. LINO
Notes LINO Date 3-23-61
Indexed N. E. Ott

F. B. 2290 PG. 221

CONT. TO BOK. PG. 219

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PG. 220

264.55 @ 025' = 263.72'
237.39 @ 542' = 236.18'
TOTAL = 499.90'

TO LO

CONT. ON RT

N. 10,500

500.00 CALC.
499.90 MEAS.

CALC.

500.00

CALC.

500.00

W. 40,000

N. 10,500.00
W. 40,000.00
SET 4" I.P.
CONC. PLUG & CB.
TAG BH 1/4"
BY INTERSECTION

PG. 222

CONT. ON RT

40° 00' 00" MEAS.
40° 00' 10" MEAS.

1. 90° 00' 15"
4. 360 00 45
6. 180 01 00
AV = 90° 00' 10"

CONT. ON TOP PG 225

76F3098 SEE #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



W.S 27-B-4

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 00 85. 66 Tape 161 Std. 84 °F
Surveyed by C.H. Ladd
Notes Ladd Date 2-23-61
Indexed H. E. Ols

F. B. 2290 Pg. 223

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this map of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

CONT. ON RIGHT Pg. 219

449.66 CALC.

451.89 CALC.

N. 10, 500.00
W. 39, 005.02
SET A 1" I.P.
CONC. MONUMENT
TAG DH 18"

N. 10, 550.34
W. 39, 100.09
SET A 1" I.P.
CONC. MONUMENT
CE TAG DH 18"

50.59 M.

Pg. 222

N. 10, 500

494.98 CALC.

50.39 M.

CONT. ON RT.

COUNTY ENGINEER
P. 6
R. E. 5869

N. 10, 449.86
W. 39, 010.03
P-6

FD A STD C.E. BRASS CAP MON. SET IN CONC. FLUSH, AND AS SHOWN STAMPED AS SHOWN PER F.B. 2290:19 SD A WHITE 2" MARKER 0.1' ± EAST OF MON.

BDRY LINE

502.40 M.

Pg. 226

CONT. ON TOP

T= 76

502.48 LEV. = 502.40

W. 39, 000

76F309S S&E #247 11-58

Cont. to Bott of 220

F. B. 2278 Pg. 224

W.S. 27-A-4

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

COUNTY ENGINEER
P-22
R. E. 5869

285.78 CALC.

P-22
N-10 214.74
W-40 659.77
FOUND A STD CE BRASS CAP MON, SET IN CONC. AND STAMPED AS SHOWN FLUSH. FD A 2" WHITE MARKER PIPE ± 2¢ N&Y. PER FD. 2290-35

247.60 CALC.

474.44 CALC.

N. 10, 025.56
W. 40,500.00
SET A 1" I.P. CONC. PLUG & CE 7196 ON 18"

73.46 M.

N. 10, 000.00
W. 40, 478.41
SET A 1" I.P. CONC. PLUG & CE 7196 ON 18"

N. 10,000

478.41 CALC.

1902.71 M.

N-10, 000.00
W-40, 500.00
NOTHING SET.

P-23
N. 9, 977.83
W. 40, 459.69
FOUND A STD CE BRASS CAP MON SET IN CONC. FLUSH, AND STAMPED AS SHOWN FD A 2" WHITE MARKER PIPE & 2¢ W&Y OF MON PER FD 2290-36

W. 40,500

1801.97 CALC.

COUNTY ENGINEER
P-23
R. E. 5869

Cont. at Top pg 227

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 0055.06 Tape 164 Std 84 °F
Surveyed by C.H.C. LIND
Notes LIND Date 2-23-61
Indexed H. E. O.

F. B. 2290 Pg. 225

CONT. TO BATT. pg. 221

1. 90° 00' 15"
4. 360 01 15
6. 180 01 00
Av. 90° 00' 20" /

CALC.
500.00
40° 00' 20" MEAS.
400.00' RAD.

N. 10,000
478.41 CALC
500.00 CALC.
499.98 MEAS.

N. 10,000.00
W. 40,000.00
SET 4" I.P.
L.S. NO. PLUG
& C.E. TAG ON
18" BY INTERSECTION

CONT. ON Rt.

TIE
100 11' = 245.20'
035' = 234.38'
499.98 /

W. 40,000
CALC.
500.00

CONT. ON TOP pg. 228

CONT. ON pg. 224

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 11-58

CONT. TO BOTT pg 222

CONT. TO BOTT pg 223

F. B. 2290 PG. 226

1. 89° 59' 30"
4. 359 58 00
6. 179 57 00 ✓
Avg 89° 59' 30" ✓

N. 10,000.00
W. 39,500.00
SET A 1" I.P.
CONC. PLUG &
CE. TAG DH18"
BY INTERSECTION

90° 00' 00" REC.
89° 59' 30" MEAS. ✓

N. 10,000

500.00 CALC.

499.98 MEAS.

266.30 CALC.

502.40 M.

N. 10,000.00
W. 39,733.78
SET A 1" I.P.
CONC. PLUG
AND CE. TAG
DH 18"

BASE LINE

499.77 CALC.

500.00 CALC.

N. 39 500 W.

137.97 MEAS.

137.97 CALC.

.71
.88
.22
.12
.97 MEAS.

.01 at 275.55
.06
.12
.00
.75 = T

CONT. TO TOP pg 229

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 0055.06 Tape 161 Std. 8' °F
Surveyed by G. K. Lind
Notes Lind Date 2-21-61
Indexed B. E. Ott

F. B. 2290 PG. 227

CONT. TO Bott pg 224

Bdry Line

Fd. 33 Galv.

N. 9500.00
W-40,401.43
Set 1" I.P.
Conc. Plug &
Ca. Tag in Conc
on Top of
Side Walk

N. 9,500

401.43 Calc.

738.33 M.

738.33 Calc. to 2°53 = 738.33.

N. 9,500.00
W-40,540.00
Nothing Set

P.O.T. 23-A
N. 9,263.43
W-40,372.58
Fd. 1" I.P.
Conc. Plug &
Ca. Tag Quino
per F.B. 2290
pg 32

W 40,500

105.34 Calc.

CONT. ON Top pg 231

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 0055.06 Tape 161 Std 84 °F
Surveyed by LIND
Notes LIND Date 2-23-61
Indexed H. E. Ols.

F. B. 2290 PG. 229

W.S. 27-B-4

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.



76F3098 SAE #247 11-59

F. B. 2290 PG. 230

W.S. 27-B-4

1 101 00 30
2. 202 01 00
Av: 101° 00' 30"

T = 58
51.77 @ 11° 28' = 50.73.

000 18' E.

STA. P-1
B.C. R/W
FD A 1" I.P. &
CONC. PLUG &
C.E. TAG ON 18"
PER F.B. 2290
- 154

N 9543.28
E 37973.32

50 50

HAWTHORNE BLVD.

C.L.M.
50.73

N. 9,500

101° 00' 30"
C. & M.

N. 9,500.00
W. 38,000.00
SET A 1" I.P.
CONC. PLUG &
C.E. TAG ON
18" BY CALC.
ANGLES AND
DIST. FROM
STA P-1
B.C. R/W OF
HAWTHORNE
BLVD.

500.00 CALC.
S 00° 18' W.

STA P-34
E.C. R/W
FD A 1" I.P.
CONC. PLUG
AND C.E. TAG
ON 18" PER
F.B. 2290 - 235

N 9361.218
E 37495.921

CONT TO TOP pg. 235

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 27-A-4

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 0055.66 Tape 1H Std 84 °F
Surveyed by C.K. Linn
Notes Linn Date 2-17-61
Indexed M. E. Oli

F. B. 2290 Pg. 231

CONT. TO BOTT PG 227

CONT. TO BOTT PG. 228

COUNTY ENGINEER
P. 24
R. E. 5869

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

T = 70
180° 03' 28" = 179.50

105.34 M.

179.50 M.

P-24 1
N. 9158.86
W. 40,359.83
FD 4 STD CE. BRASS CAP MON. SET IN CONC. AND STAMPED AS SHOWN
FLUSH. PER R.B. 2290-34 - FD A 2" WHITE MARKER PIPE & 2 WLY CAP MON.

CALC. 500.00

276.28 CALC.
276.10 MEAS.

500.00 CALC.
499.96 MEAS.

EN - 9.000

N. 9,000.00
W. 40,276.28
SET A 1" I.P. CONC. PLUG & CE TAG ON 18"

N. 9000.00
W. 40,000.00
SET A 1" I.P. CONC. PLUG & CE TAG ON 18" BY INTERSECTION

CALC.

90° 00' 00" CALC.
89° 59' 35" MEAS.

N 0° 25' 45" E 1545.65
N 0° 25' 45" E 1545.65

276.10

386.31

BOAT LINE

CALC.

500.00

W. 40,000.00

1. 89° 59' 30"
4. 359° 58' 15"
6. 179° 57' 15" J
Avg 89° 59' 32" J

CONT ON TOP PG 238

76F309S SSE #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F.B. 22190 Pg. 232

W.S 27-B-4

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 0055-66 Tape 14 Std 84 °F
Surveyed by CH. LIND
Notes LIND Date 1-23-61
Indexed H. E. OTT

F. B. 2290 PG. 233

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

1. 90 00 15
4. 360 00 15
6. 180 01 00 ✓
Rt = 90°00'10" ✓

T 42
159.46 @ 39°42'11" = 159.11
296.50 @ 45°50'40" = 295.40
46.45 @ 45°45'42" = 45.42
0.20 @ 60°00'00" = 0.20
TOTAL = 500.13 ✓

Rt, pg 233

N, 9,000

500.00, CALC.
500.12, MEAS.

Cont on

Radial 0°60 Ahead

Rad pg 233

500.00, CALC.
500.13 MEAS.

Cont on pg 44

N 9000.00
W. 39,000.00
SET A LEAD AND C.S. TAG IN THE SIDE OF A 3'x 3' ROCK. ON THE N. 9000.00 LINE, AND HIGHWAY BETWEEN LINES W. 38500.00 AND W. 39500.00.

500.00 CALC.

90° 00' 00"
90° 00' 10" MEAS.

W. 39,000

Cont. on top pg 240

76F3098 S&E #247 11-58

CONT. ON BOT PG. 240

F. B. 2290 Pg. 238

1. 90° 00' 00"
4. 360 00 30
L. 180 00 30
AV: 90° 00' 05"

308.51 CALC.

N. 9,000.00
W. 38,500.00
SET A 1" I.P.
CONC. PLUG &
CC TAG ON 18"
BY INTERSECTION

PG. 238

N. 9,000

500.00 CALL.
499.94 MEAS.

500.00 CALL.
500.13 MEAS.

CONT. FROM RT

90° 00' 00" REC.
90° 00' 05" MEAS.

T = C2
500.01 LEV = 499.94

W. 38,500 — 500.00 CALL.

CONT. ON TOP PG. 241

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 27-B-4

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Angeles Gold Course
JN 1146.04 Tape 161 Std. 84 °F
Surveyed by G.K. Lind
Notes Lind Date 2-23-61
Indexed M.E. Ott

F. B. II 90 Pg. 135

Cont. To

Bdy. Pg. 230

1 90° 00' 00"
2 359 59 45
3 179° 59' 30" /
4 89° 59' 55" /

500.00 Calc.
500.16 M.

170.59 @ 10° 49' = 169.56'
294.62 @ 16° 02' = 290.08'
42.53 @ Lev = 42.52'
500.16'

90° 00' 00" Rad.
89° 59' 55" Mon.

N. 9,000.00
W. 38,000.00
Set A 1" I.P. Conc. Plug & C.E. Tag Only 18" by Inter Section

234

N. 9,000

500.00 Calc.
499.94 Mens.

500.00 C.L. M.

Cont. To Bdy. M.

333.76 Calc.

754.91 M.

280.88 M.

Bdy. Line

N. 8,666.24
W. 38,000.00
Set A 1" I.P. Conc. Plug & C.E. Tag On 18"

P-32

N. 8,796.99
W. 37,779.98
Fd. 1" Std. C.E. Brass Cap Mon. Set in Conc. and Stamped As Shown Hereon Per R.B. II 90-92 Fd. 2" Univite Marker, Pipe 1' 1" Sly of Mon.

Ref. Pg. 241

154° 15' 50"

R.L. M.

329.51 L.L. M.

Cont. on

W. 38,000

T = 70
195.60 Lev = 195.58'
329.54 Lev = 329.51'
254.93 Lev = 254.91'

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this tab of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SEE #247 11-58

F.B. 2290 Pg. 236

CONT

BOOK PG. 228

L 70 00 00
L 360 00 30
C 180 00 30
R= 90° 00' 0[illegible]

362.55 CALC.

" REV.
" MEAS.
90° 00' 00"
90° 00' 00"

N. 9,000-00
W. 37,600.00
SET A 1" I.P.
CONC. PLUG &
C.P. TAG ON
18" BY INTER.

LEE RD

N 9,000

500.00
C.F.M.

289.82 CALC.
289.82 MEAS.

T=56
500.09 LEV = 500.00.

CALC.
MEAS.

182.49
182.47

BORY LINE

283.35 CALC.

280.88 M.

N. 8,817.51
W. 37,500.00
SET A 1" I.P.
CONC. PLUG &
TAG ON 18"

T=56
290.02 @ 161' = 289.84.

N. 33 W

T= 68
182.49 LEV = 182.47.
280.91 LEV = 280.89

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.527-8-4

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 0055.06 Tape 141 Std 84 °F
Surveyed by 24 Civil
Notes Civil Date 9-24-61
Indexed H. E. Ott

F. B. 2290 Pg. 237

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SEE #247 1-56

1. 97° 14' 38"
2. 194° 29' 15" J
Av = 97° 14' 37" J

N. 9 000.00
W. 37 210.18
SET A 1" I.P. CONC. PLUG & C.E. TAG IN CONC ON 12" AT CALC. ANGLE & DIST FROM STA P-33

N. 9000.00
W. 37,000.00
NOTHING SET

N. 9000.00

259.82 CALC.
259.82 MEAS. J

97 14 38 J

C. & M.

150.00 C. & M. J

283.35 CALC.
C. & M.

COURT ROOM

BORY LINE

N. 9 840.23
W 37 217.56 .57 .20

STA P-33
FD A 1" I.D. CONC PLUG & C.E. TAG ON 18" PER F.B. 2290-256

HAWTHORNE BLVD

T = 54
100.45 @ 4°26' = 159.94 J

W. 37,000

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 27-A-5



Notes Ck'd by	Survey of Los Verdes Golf Course
Map No.	N. 8065.06 Tape 16' Std. 68 °F
Office Work	Surveyed by Cmk. & Lind
Checked L. W. BACON	Notes Lind Date 2-28-61
Date 4-28-61	Indexed M. E. OTT

F. B. 2290 Pg. 237

Cont. To Bk. Pg. 232

Δ 89°59'30"
4 359 58 15
C. 179 57 15
Δ= 89°59'32"

CALC. 500.00 MEAS. 499.94

T=58 @ 100.' = 265.13'
@ 120.' = 234.81
499.94

Pg. 238

90°00'00" Rec.
89°59'35" MEAS.

267.24
236.52

N. 8500

500.00 CALC. 500.00 CALC.

Cont. To Rt.

N. 8500.00
W. 39500.00
SET A 1" I.P.
CONC. PLUG
AND CB 736
BK 18' BY
INTERSECTION.

T=62 @ 100.' = 187.86
@ 80.' = 145.52
@ 60.' = 148.24
30.40' = 187.86
40.03' = 145.52
55.15' = 148.24
499.92

N. 39500 CALC. 500.00 MEAS. 499.92

Cont. To Top Pg. 243

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3098 S&E #247 1-56

F. B. 2240 Pg. 240

CONT. TO BOOK 233

W.S. 27-B-5

T = 72.77
72.77 LEV = 72.77
509.45 LEV = 509.45
47.70 LEV = 47.70

N. 8,500.00
W. 39,000.00
SET 4" I.P.
CONC. PLUG
AND C.E. TAG ON
18" I. BY INTER.

500.00 CALC.

90° 00' 00" REC.
90° 00' 15" MEAS.

N 8,500

500.00 CALC. 500.00 CALC.

1. 156° 02' 00"
4. 156° 02' 00"
6. 156° 02' 00"
Avg 156° 02' 00"

CONT. TO BK 233

(205.70)

L. & M.

509.45

TO BK 233

CONT.

COUNTY ENGINEER
P30
R. E. 5869

72.77

M.

1.00
156 02 00
Rad. Rad. M.

N. 82 90.35
W. 39 071.42
SET A 1" I.P.
CONC PLUG AND
C.E. TAG ON
18"
N 8294.30
W 35000.00

385.00

LINE

BACK

CONT. ON BK 243

P-30
N. 8,240.35
W. 39,071.42
FD. 4" STD C.E.
BRASS CAP MON.
SET 4" CONC
PLUG, RHW
STAMPED AS
SHOWN. PER RD.
2240 - 41 -
FD 2" WHITE
MARKER PIPE
1.2' SLY OF
MON.

N - 39000

1. 90° 00' 15"
4. 360 01 00
6. 180 01 30
Avg 90° 00' 15"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 27-8-5

Notes Ck'd by
Map No.
Office Work
Checked L. V. BACON
Date 4-28-61

Survey of Las Verdes Golf Course
JN 0055:00 Tape 161 Std 68 °F
Surveyed by C.E. LINO
Notes C.E. LINO Date 2-24-61
Indexed H. E. ON

F. B. 2290 Pg. 241

ℓ	90	00 00
Δ	360	00 00
C	180	00 00
Arc	90°	00'00"

Cont. to

Ann pg. 234

Ref. Pg. 226

N. 8,500.00
W. 38,500.00
Set A 1" I.P.
Conc. Plug &
C.E. Tag on 18"
By Int. of Section

500.00 Calc.

90° 00' 00" R. & M.

N. 8,500.00
W. 38,164.38
Set A 1" I.P.
Conc. Plug
and C.E. Tag
on 18"

329.61 M.

N. 8,500

500.00 Calc.

215.62 Calc.

108.07 Calc.

160° 42' 45" Meas.
160° 43' 00" Rec.

195.68 M.

C. & M.

509.46

47.70

Bary Line

Cont. on

N. 8,391.93
W. 38,500.00
Set A 1" I.P.
Conc. Plug
and C.E. Tag
on 18"

P. 31

N. 8,401.09
W. 38,483.18
Fd. N. Std. C.E.
Brass Cap Mon.
Set in Conc. Mon.
and Stamped as
Shown [illegible]
2290 - 62 [illegible]
Mon. Was Found
Flt. By Mon. and
Knocked out of its
Original Position
Reset Mon. by
Prorate
Terminate
Angle
Mon. Distances
Between
P. 31 and
C.E. Tag
PB 2290-62

COUNTY ENGINEER
P. 31
R. E. 5869

Δ 160 42 45"
Δ 282 51 15
C. 244 16 30
Arc 160°42'45" I

W. 38,500

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 9SE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


Cont. from Sht 238
Cont. to Top of Sht 244
Cont. from Sht 243
Cont. to Top of Sht 244
500.00 Calc.
500.00 Calc.
426.58 Calc.
505.88 Calc.
106.63 M.
106.63 Calc. = 106.62
T = 72
W. 40,000
117.25 Calc.
90° 00' 00" Rec.
90° 00' 30" Meas
N. 8,000.00
W. 40,000.00
Set 4" pipe & cap, 1/2" iron pipe on 15" by 15" stone
Road
Ditch
Ditch
Road
Ditch
Ditch
Road
Ditch
Ditch

W.S. 27-85

Notes Ck'd by
Map No.
Office Work
Checked F. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 0055.06 Tape 161 Std. 68 °F
Surveyed by C. K. LIND
Notes LNA Date 2-24-61
Indexed G. E. 011

F. B. 2290 Pg. 243

COUNTY ENGINEER
P-29
R. E. 5869

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line:

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F2055 S&E #247 1-56

Cont. To Bdy

Pg. 239
N. 8059.44
W. 39382.72
P-29 ✓

FD A STD LE BRASS CAP MON SET IN CONC. FLUSH AND STAMP AS SHOWN PER RB. 22 90-41 FD A WHITE 2" MARKER PIPE 2' SLY OF MON

N. 8,000.00
W. 39,500.00
SET A 1" I.P. C.E. TAG ON TOP OF ROCK ON 6" BOULDER

90°00'00" Rad
89°59'30" Incl

N. 8,000
500.00 Calc.

Cont To Pt

N 7,932.52 ✓
W 39,500.00
SET A 1" I.P. Conc. Plug & C.E. TAG ON 18"

N. 8,000.00 ✓
W. 39,439.77
SET A 1" I.P. CONC PLUG & C.E. TAG ON 18"

500.00 Calc. Rad.

60.23 Calc.

79.67 M.

P-29 = B.M. #30
Elev. 510.418 (NGVD)

385.00 Rad.

Cont To Pt

1 90.45 M.

67.50 M.
67.48 Calc.

T = 72
91.17 @ 7°08' = 90.45'
80.16 @ 6°16' = 79.67'

T = 62
Ct. 51 Lev = 67.50'

Cont To Pt

Bdy Line
466.88 Calc

N. 39,500

*1. 89° 59' 30"
4. 359 58 00
6. 179 57 00 ✓
AV= 89° 59' 30" ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 27-A-5, B-5



W.S. 27-B-4

Notes Ck'd by
Map No.
Office Work
Checked F. W. BACON
Date 4-28-61

Survey of Los Verdes Golf Course
JN 0085.00 Tape 100' Std 62 °F
Surveyed by LIND
Notes LIND Date 3-30-61
Indexed H. E. Ott

F. B. 2290 PG. 254

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

STA P-1
B.C. R/W.
FOUND A 1" I.P.
NO CONC. PLUG
AND C.E. TAG
ON 18" I.P.
PER F.B. 2290-254

HAWTHORNE BLVD.
60.46' (M)

N 9,362.55
W 37,500.00
SET A 1" I.P.
CONC. PLUG
AND C.E. TAG
CALC. DIST FROM
STA P-34,
ON 18"

44° 6' E.M.

CALC.

362.55

W. 27.50

STA P-34 N 9361.22
E.C. R/W. E 37495.92
FOUND A 1" I.P.
CONC. PLUG & C.E.
TAG. ON 16"
PER F.B. 2290
-255

CONT. TO TOP pg 236

76P3095 CE #247—3-57

F. B. 2290 Pg 246

W.S. 27-8-4

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

N 9308.51
W 38,502.00
SET A 1" I.P. CONC. PLUG AND C.E. TAG ON 6" CALL DIST. FROM EC. R.W.

COUNTY ENGINEER
EC. R/W
R. E. 5869

C.L.M.
253.37

ROAD

ACCESS

COUNTY ENGINEER
BC. R/W
R. E. 5869

495.61 CALC.

EC. R/W
FOUND A STD C.E. BC. MON. SET IN CONC. FLUSH AND STAMPED AS SHOWN PER R.B. 2290 - 75 FD A 2" WHITE MARKER PIPE 1' LE NLY OF MON.

RIGHT OF WAY

348.51 CALC.

W 38,620

T = 69
200.47 @ 2°58' = 199.47.
56.49 @ 19°00' = 53.40.
253.37

BC. R.W.
FOUND A STD C.E. BRASS CAP MON. SET IN CONC. FLUSH AND STAMPED AS SHOWN. FD A 1" WHITE MARKER PIPE 1 1/2 E N.LY OF MON. PER FD. 2290 - 76

CONT. TO TOP PG 234

Notes Ck'd by	Survey of Los Verdes Golf Course F. B. 2290 Pg. 251
Map No.	JN 0055.06 Tape 61 Std. 84 °F
Office Work Checked E. W. BACON	Surveyed by E.K. LIND
Date 4-28-61	Notes LIND Date 3-14-61
	Indexed APR 18 61 H. E. OH

J.N. 0055.06

LOS VERDES GOLF COURSE

CENTERLINE SURVEY

OF

HAWTHORNE BLVD.

FROM

DUPRE DRIVE

TO

VALLON DRIVE

MARCH 1961

LIND
WILKS
CAIRO
OHASHI
MASUDA

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

787308 SAE #247 1-58

F. B. 2190 Pg. 252

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 27-B-4

Notes Ck'd by	Survey of Los Verdes Golf Course
Map No.	JN 0650-06 Tape 161 Std 84 °F
Office Work	Surveyed by C.K. LIND
Checked E. W. BACON	Notes LIND Date 3-14-61
Date 4-28-61	Indexed H. E. OTT

F. B. 2290 Pg. 253

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3055 SEE #247 1-56

FOUND A 3/4" I.R. CONC. PLUG AND TAG RE 5335 ON 5" PER TRACT No. 25313

DUPRE

DRIVE

FND. A R.R. SPK. AND TIN FLUSH PER TRACT # 25313

HAWTHORNE

BLVD.

RECORD & CURVE DATA PER TR. 25313

Δ = 87°04'32"
R = 700.00
T = 212.88
L = 826.64

FND A R.R. SPIK AND TIN FLUSH PER TR # 25313

1. 160° 35' 20"
2. 282 21 19
3. 243 32 00
AVG 160° 35' 20"

T = 60

213.16 @ 30' = 212.83

Cont. to pg 254

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 27-B-4



W.S. 27-B-4

Notes Ck'd by	Survey of LOS VERDES COLLINGS
Map No.	JN 2055 04 Tape 161 Std 84 °F
Office Work	Surveyed by C.L. LIND
Checked E. W. BACON	Notes LIND Date 3-30-61
Date 4-28-61	Indexed H. E. OTT

F. B. 2290 Pg. 256

1. 19° 5' 30"
4. 79 26 00
L 119 08 55
AV= 19° 5' 29"

CONT. FROM BOT. PG. 254

E.C. FD 4" BR SAK W. & TIN FLUSH FOR TRACT NO 25313

50

50

HAWTHORNE BLVD

510.97

R

121° 43' 37" MEAS

50.00

37° MEAS

T= 70

176.22 @ 300 = 176.22'

176.22

590.03

141° 08' 40" MEAS

332.62

L.C.

CONT. TO TOP PG. 256

Ft. Pg. 260

CONT TO

K. LINE

19° 41' 29" MEAS

1. 141 08 45
4. 204 34 45
6. 126 52 00
AV= 141° 08' 40"

T= 172.76 @ 6211 = 171.73'
181.17 @ S 84° 54' W = 180.89'
352.62

E.C. R/W FD STA P-34 DESTROYED BY CONST. OF HAWTHORNE BLVD. RESET A 1" I.P. CONC. PLUG & C.E. TAG ON 15" RECORD DISTANCE FROM & E.C. PER TRACT # 25313

1/2 RI. FD A 1" I.P. CONC. PLUG & AND TAG RE 5.35" ON 4" PER TR 25313

1. 121° 43' 40"
4. 126 54 30
6. 10 21 45
AVG 121° 43' 37"

CONT. ON TOP PG. 259.

Note: Any Additions or Changes on this Sheet Must be Made or Circled, in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 1-56

F. B. 2290 Pg. 256

CONT. FROM BOT PG. 255

W.S. 27-B-4

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

⅓ P.I. FD A 2" I.P. CONC. PLUG AND TAG RE 5335, ON 4' PER TR. NO 25313

L 141° 10' 40"
Δ 204 42 45
L 127 04 00
Δ = 141° 10' 40"

SET A 3/4 SQ HD SPK & TIN FLUSH BY INTER.

L 141° 08' 30"
Δ 204 33 30
L 126 50 30
Δ = 141° 08' 15"

149.96 C.L.M.

52.56 C.L.M.

BDRY LINE

STA D-33

STA D-33 DESTROYED BY CONST. OF HAWTHORNE BLVD. RESET STA A-33 BY RECORD ENGRAVING OF LINE D-33 PER C.S.B. 244 AND CALC. INT. WITH HAWTHORNE BLVD PER TRACT 25313 SET A 1" I.P. CONC. PLUG & CL. TAG ON 18"

141° 08' 15" MEAS

HAWTHORNE BLVD

℄

176.33

154.66

⅓ P.I. FOUND A 1" I.P. CONC. PLUG & TAG NO RE 5335 FLUSH PER TRACT NO 25313

L 103° 09' 40"
Δ 52 39 00
L 258 58 30
Δ = 103° 09' 45"

CONT TO T.O.F. PG 257

50 60

35.62

40' MEAS

141° 10'

149.08

09' 45" MEAS

103°

BDRY LINE

N 27° 25' 20" E 176.33

N 27° 25' 20" E 176.33

Notes Ck'd by
Map No.
Office Work
Checked E. W. BACON
Date 4-28-61

Survey of Los Angeles County Engineer
JN 2053.01 Tape 111 Std 84 °F
Surveyed by C.E. Lind
Notes LIND Date 3-1421
Indexed H. E. Ott

F. B. 2290 Pg. 189

Cont. from Bat. Pg. 188

W.S. 27-B-5

Cont. on Bat Pg 189

Record & Curve Data Per TR 25313
R = 500.00
T = 176.31
L = 1017.01
Δ = 116°32'27"

Long Chord 296.59

176.33

121° 43' 57" Mean

151.36 @ S 68° 22' E = 155.36'
140.91 @ S 22° 21' E = 140.09'
TOTAL = 296.05'

Hawthorne Blvd.

296.05

50

50

BC. Found a 1" Spoc w. & tin at int. of 4-tan skw. strip/dbl. case Per TR 25313

L 121° 14' 00"
L 12 55 45
C 10 23 45
Av 121° 43' 57"

Cont. on Top Pg 258

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

75F3095 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 27-B-5



F. B. 2220 Pg. 258

Notes Ck'd by
Map No.
Office Work
Checked F. W. BACON
Date 4-28-61

Survey of Los Verdes Golf (Unit 6) F. B. 2290 Pg. 259
JN 0055.06 Tape 161 Std. 84 °F
Surveyed by E. E. LIND
Notes LIND Date 3-14-61
Indexed H. E. ON

W.S. 27-B-4.85

Cont. on Bott. of Pg. 258

COUNTY ENGINEER
P-32
R. E. 5869

P-32
FD A STD C.E. BRASS CAP MON. SET IN CONC. AND STAMPED AS SHOWN FLUSH PER RB. 2290-42. FOUND A 2" WHITE MARKED PIPE ± 2' SLY OF MON.

T = 70 01 50" = 135.55
R = 150.50 = 201.41
Δ = 154 15 50 = 144.47
L = 404.23 = 404.23
Tan = 10 00 00 = 10.00
Sec = 1.44 43 = 10.61
590.03

1. 83° 45' 10"
4. 339 00 45
6. 1 42 31 15 1
Arc 83° 45' 12" 1

SET A 1/2 N.P. TAG FLUSH BY INTERSECTION

S 90.03

83° 45' 12" MEAS.

149.96 C.&M.

BDRY LINE

414.27

414.31 Lev. T= CB= 414.27
150.50 @ 4° 42' T=SA= 149.96'

154° 15' 50" R.&M.

C.S.B. 2241

P-31
FD A STD CE BRASS CAP MON SET IN CONC. AND STAMPED AS SHOWN PER RB. 2290-41 AND RB. 2290-241 FD A 2" WHITE MARKED PIPE ± 2' SLY OF MON.

1. 154 15 50"
4. 257 03 30
6. 205 35 00
Arc = 154° 15' 50"

COUNTY ENGINEER
P-31
R. E. 5869

Long. Chord 590.59'

T = 70 01 50 = 135.55
R = 150.50 = 201.41
Δ = 154 15 50 = 144.47
L = 404.23 = 404.23
Tan = 10 00 00 = 10.00
Sec = 1.44 43 = 10.61
590.03

Cont. on Top of Pg. 257

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S SBE #247 1-56

F. B. 2290 Pg. 260

W.S. 27-B-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



T= 60

91.16 @ 13°23' = 88.67.
132.81 @ 3°15 = 132.89.
160.15 @ 0°00 = 160.12.

TOTAL = 381.871

1. 147° 05'40"
4. 228° 22'40"
6. 162 34 00 ✓
AV= 147° 05'40" ✓

Notes Ck'd by W. J. BRENNER
Map No. B 2835
Office Work M. OSHITA
Checked W. J. BRENNER
Date MAY 1 1963

Survey of Los Verdes Golf Course
JN 0055.06 Tape 135 Std 8 °F
Surveyed by ENGLISH
Notes E.D. Date 4-2-63
Indexed C. J. GAMI

F. B. 2290 PG. 261

LOS VERDES GOLF COURSE

PARK SECTION

J.N. 0055.06

BOUNDARY SURVEY

Ref:
Legal Desc.
C.S.B. 244
F.B. 2290

April 2, 1963
English
Shoemaker
Tollison
Robbins

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F3095 CE # 310 3-61

W.S. 27, B-4

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

F. B. 2290 PG. 262

T-58°
215.44 @ 2°38' = 215.17 ✓
25.77 Lev. = 25.76 ✓
29.0.93
-13.69
Total = 277.24 ✓

Note: Angles & Distances are Per. Deed.

Con't. Pg. 263

277.24 ✓

Bdry.

P-31B

Cor. Set Std. C.E. Br. Cp: Mon.-Flush With 2" I.P. marker 2' from mon.

6" Elm 6" Woven Wire fn.

2-330 51 00
4-91 41 30
6-359 07 30
Av. 100 25 25" ✓
-23 Adj

PARK SECTION

COUNTY ENGINEER
R.E. 586

2-180 ——
4-90 ——
6-270 ——
Av. 90 00 00" ✓

136.80

GOLF COURSE

354.48

P-32
Fd. C.E. Br. Cp. mon. in cone. - flush
C.S.B. 2-41

End 6' Woven Wire fn.

425.41

P-31A

5'

Bdry. N. 59° 39' 53" E. 05

COUNTY ENGINEER
P-32
R.E. 586

P-31
Fd. C.E. Br. Cp: in Cone. - dn. 6"
C.S.B. 2-41

COUNTY ENGINEER
P-31
R.E. 586

333.34 Lev. T-58° = 333.25
Total = 354.48 ✓

425.48 Lev. T-58° = 425.41 ✓

T-58°
136.82 Lev. = 136.80 ✓

Notes Ck'd by W. J. BRENNER	Survey of Los Verde Golf Course	F. B. 2290 PG. 263
Map No. 82835	JN 00556 Tape 135 Std. 84 °F	
Office Work M. OSHITA	Surveyed by English	
Checked W. J. BRENNER	Notes Ed. Date 4-3-63	
Date MAY 1 1963	Indexed R. J. GALLI	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Con't. Pg. 264

169.63

P-31E

2- 273 21 30
4- 186 03 15
6- 99 05 00
Av. 136 30 50"

36 Adj

Cor. Set Std. C.E. Brass n'ly - flush With 2" I.P. marker 2' from Mon.

R. 311.82

PARK SECTION BDRY.

ENGINEER COUNTY

R.E. 586°

2- 28 10 05 30
4- 208 [illegible] 30
6- 123 12 15
Av. 140° 32' 53"

4 Adj

321.78 N.

P-31D

8'

End 6" N. fn.

Rec. 243.26

Set 1 X 24 N. Flush

Note: Angles & Distances are per Deed.

2- 307 56 15
4- 217 53 30
6- 194 50 00
Av. 152° 28' 20"

6' Wovell w/ire fn. on line.

Tan 53° 193.63 @ 9° 49' = 190.78
140.21 @ 10° 49' = 13 7.70
Tan 66° 3 8.35
- 6.70
Total = 321.78

2" I.P. Fn. Cor.

0.5

Set 1 X 24 N. - Flush

0.25

3.

P-31C

Cor. Set L.S. Tag - Flush in conc.

6' Wovell w/ire fn.

Tan 64° 239.42 @ 1° 35' = 239.62
- 16.19
Total = 223.43

Con't. Pg. 262

76F309 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 27, B-4



Notes Ck'd by	Survey of P.V. Co. Park
Map No.	JN 88590 Tape 0197 Std. 68 °F
Office Work	Surveyed by Engl. 1 s h
Checked	Notes Ed. Date 12-13-68
Date	Indexed MC 20 88, C.T.GALLI

F. B. 2290 PG. 265

W.S. 27 B-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

P.O.S.T. - fd. 1 1/2" I.P. P.& R.D. Tag - flush. R.D.F.B. 0216-79.

P.O.C. - fd. 1 1/2" I.P. P.& R.D. Tag - flush. R.D.F.B. 0216-79.

fd. Prod. L.& R.D. Tag. R.D. F.B. 0216-79.

HAWTHORNE BLVD.

(50) & (50)

40.93

11.66

36.19 C.&M.

Calc. 50'

fd. 1X2 N.-S. flush. C.&M. C.S.B.-2835 R.D.F.B. 0216-79.

90°

C.&M. 56.96

18.10 C.&M.

90°

40.00 C.&M.

P.31-H

P.31-G

R/W-Cor.'s Set 1" I.P. Conc. Plug & C.E. Tag. flush. C.&M. per R.D.F.B. 0216-79. C.S.B.-2835.

50'

56.83 Lev. 7.68° = 56.83
18.10 " = 18.10
36.19 " = 36.19

RD.

ACCESS

100.42' R.D.F.B. 0216-79.

(40) (40)

56.83 C.&M.

90°

fd. 3/4" I.P. P.& C.E. Tag. L.S. 3" R.D. F.B. 0216-79.

40.03

P-3 I.P. P.& C.E. Tag. R.D. F.B. 0216-79. C.S.B.-2835 E.S.A.-2864.

COUNTY ENGINEER B.C. R/W. R.E. 5969

26F309S CE#310 1-65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.27, B-4



F.B. 2290 Pg. 266

NOTES RED. JOB NO. 8859.02 SURVEY OF P.V. Co. Park

DATE SURVEY BY English

NOTES CHKD. NOTES BY Foulger DATE 12-13-68

DATE INDEXED [illegible] DATE [illegible]

F. B. 2290 Pg. 267

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						PALOS VERDES COUNTY PARK
						BENCH LEVELS ON "P" POINTS
						J.N. 8859.02
						Dec. 10, 1968
						English
						Foulger
						DuPuis
						Clifford

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 4-54

F. B. 2290 PG. 268

JOB NO. 8859.02 SURVEY OF P.V. Co. Park NOTES RED
SURVEY BY English DATE
NOTES BY Fowler DATE 12-13-68 NOTES CHKD. [illegible]
INDEXED G.L. GALLI DATE DATE DEC 27 '68



B.M. | 1ST RUN | DIFF. | 2ND RUN | 3RD RUN | ADJ. ELEV. | DESCRIPTION

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

765420 S & E-353 4-54

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED_____ JOB NO. 8859.02 SURVEY OF P.V. CO. BYR
DATE_____ SURVEY BY English
NOTES CHKD_____ NOTES BY English DATE 12-13-68
DATE_____ INDEXED_____ DATE_____

F.B. 2290 Pg. 269

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Fd. P.V. B.M. #34	606.970					P.V. B.M. #34, El. 606.970 F.B. 2290-146
+	3.353		3.145			Fd. a C.S. Br. Cap Mon. Flush and stamped
⊼	610.323	-8.383'	-8.385			P-32 per F.B. 2290-42, Fd. 2" white
−	11.736		11.530			top marker pipe 3' high 2'± Sly. of Mon.
T.P.	598.587					1 x 2 ⊄ N.
+	0.732		0.532			
⊼	599.319	-9.406'	-9.405			
−	10.138		9.937			
T.P.	589.181					11
+	2.117		1.983			
⊼	591.298	-4.999'	-5.000			
−	7.116		6.983			
Fd. P.V. BM #33	584.182					P.V. B.M. #33 El. 584.458 F.B. 2290-145
+	6.053		6.110			Fd. a C.S. Br. Cap Mon. Flush and stamped
⊼	590.235	+4.036'	+4.035			P-31 per F.B. 2290-42
−	2.017		2.075			
Fd. P.V. BM. #32	588.218					B.M. P.V. #32 El. 588.263 F.B. 2290-245
+	0.676		0.541			Fd. a C.S. Br. Cap Mon. Flush and stamped
⊼	588.894	-10.643'	-10.648			P-30 per F.B. 2290-41
−	11.319		11.189			
T.P.	577.575					1 x 2 ⊄ N
+	0.949		0.590			
⊼	578.524	-7.177'	-7.177			
−	8.126		7.767			
Fd. P.V. BM. #30	570.398					P.V. B.M. #30 El. 570.418 F.B. 2290-143
						Fd. a C.S. Br. Cap Mon. Flush & stamped
						P-29 per F.B. 2290-41

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 8859.02 SURVEY OF P.V. Co. Park
SURVEY BY English
NOTES BY Fulger DATE 12-13-68
INDEXED [illegible] DATE
NOTES CHKD. CHURCH DATE 2-7-69
NOTES RED. DATE
F.B. 2290 PG. 270

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. P.V. #34 Fd.	606.970					P.V.B.M. #34 EL. 606.970 F.B. 2290-146
+	4.512		4.558			Fd. 2 C.S. Br. Cap Mon. Flush and stamped
=	611.482	-4.540	-4.537	-4.538		P-32 per F.B. 2290-42, Fd. 2 white
−	9.052		9.095			Top marker pipe 3' high 2'± S'ly. Mon.
T.P.	602.430					1 x 2 & N.
+	3.148		3.018			
=	605.578	-5.682	-5.683	+5.682		
−	8.830		8.701			
Set B.M. P-31-A	596.748				596.750	B.M. P-31A
+	11.625		11.740			Fd. 2 C.E. Br. Cap Mon Flush, marked
=	608.373	+9.823	+9.825	9.824		County Engineer, R.E. 5869 F.B. 2290-262
−	1.802		1.915			
T.P.	606.571					1 x 2 & N.
+	9.009		8.952			
=	615.580	+1.560	+1.562	1.561		
−	7.449		7.390			
B.M. P-31-B	608.131				608.135	B.M. P-31-B
+	7.620		7.590			Fd. 2 C.E. Br. Cap Mon. flush, marked
=	615.751	+7.197	+7.198	7.198		County Engineer, R.E. 5869 F.B. 2290-262
−	0.423		0.392			
T.P.	615.328					
+	6.160		5.959			
=	621.488	+5.155	+5.157	5.156		
−	1.005		0.802			
B.M. P-31C	620.483				620.489	B.M. P-31-C.
	9.427		9.583			Fd. L. & County Engineer tag in conc.
	629.910	+6.775	+6.774	6.775		footing of chain Link fence post
	2.652		2.809			4 Ft. F.B. 2290-263
T.P.	627.258					1 x 2 & N.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED [illegible] JOB NO. 8859.02 SURVEY OF P.V. County Park
DATE [illegible] SURVEY BY English
NOTES CHKD. [illegible] NOTES BY Fowler DATE 12-13-68
DATE [illegible] INDEXED [illegible] DATE [illegible]

F.B. 2290 PG. 271

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	627.258					1X2 SN.
+	11.777		11.613			
=	639.035	+8.711	+8.711	8.712		
−	3.066		2.902			
T.P.	635.969					1X2 SN.
+	10.312		10.342			
=	646.281	+7.453	+7.457	7.455		
−	2.859		2.885			
B.M. P-31D	643.422				643.431	B.M. P-31.D
+	11.824		11.655			Fd. C.E. Br. Cap Mon Flush, marked
=	655.246	+10.634	+10.636	10.635		County Engineer, R.E. 5869, FB. 2290-263
−	1.190		1.019			
T.P.	654.056					1X2 SN.
+	11.783		11.974			
=	665.839	+10.411	+10.412	10.412		
−	1.372		1.562			
T.P.	664.467					"
+	11.576		11.714			
=	676.043	+11.312	+11.313	11.313		
−	0.264		0.401			
T.P.	675.779					"
+	11.962		11.816			
=	687.741	+10.061	+10.061	10.062		
−	1.901		1.755			
T.P.	685.840					"
+	9.185		9.844			
=	695.025	+8.643	+8.644	8.644		
−	0.542		1.200			
T.P.	694.483					"

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 885202 SURVEY OF Riv. Col Park
SURVEY BY English
NOTES BY Eaglecy DATE 12-13-68
INDEXED [redacted] DATE
NOTES RED. DATE
NOTES CHKD DATE
F.B. 2290 PG. 272

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	694.483					1X2 IN.
+	11.841		11.658			
=	706.324	+5.923	+5.924	5.924		
−	5.918		5.734			
B.M. P-31E	700.406				700.421	B.M. P-31-E
+	11.952		11.858			Fd. C.E. Br. Cap Mon. Flush, Marked
=	712.358	+11.391	+11.390	11.391		County Engineer, R.E. 5869, F.B. 2290-263
−	0.561		0.468			
T.P.	711.797					1X2 IN
+	11.087		10.577			
=	722.884	+9.329	+9.329	9.330		
−	1.758		1.248			
T.P.	721.126					1X2 IN.
+	11.280		11.033			
=	732.406	+10.127	+10.128	10.128		
−	1.153		0.905			
T.P.	731.253					"
+	11.140		11.046			
=	742.393	+3.621	+3.620	3.621		
−	7.519		7.426			
B.M. P-31F	734.874				734.891	B.M. P-31 F
+	7.922		7.815			Fd. C.E. Br. Cap Mon. Flush, marked
=	742.796	+3.951	+3.952	3.952		County Engineer, R.E. 5869 F.B. 2290-264
−	3.971		3.863			
B.M. P-31G	738.825				738.843	BM P-31-G
+	3.863		3.925			Fd. 1" I.P. cmt. plug & C.E. Tag Flush,
=	742.688	-4.659	-4.662	4.659		F.B. 2290-265.
−	8.522		8.587			
B.M. P-31H	734.166				734.184	B.M. P-31-H
						Fd. 1" I.P. cmt. Plug & C.E. Tag Flush.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 8859.02 SURVEY OF P.V. Co. Park
DATE SURVEY BY English
NOTES CHKD. Church NOTES BY Englisher DATE 12-15-68
DATE INDEXED DATE

F.B. 2290 PG. 273

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. P-31-H	734.166				734.184	
+	8.587		8.531			
=	742.753	+0.708'	+ 0.707	708		
−	7.879		7824			
T.P.	734.874					1 X Z & N.
+	5.272		5.112			
=	740.146	-5.160'	-5.160	+5.159		
−	10.432		10.272			
T.P.	729.714					"
+	0.791		0.677			
=	730.505	-10.519'	-10.519	10.518		
−	11.310		11.196			
T.P.	719.195					Spk.
+	0.393		0.293			
=	719.588	-9.684'	-9.681	9.682		
−	10.077		9.974			
T.P.	709.511					"
+	1.302		1.116			
=	710.813	-9.462'	-9.462	9.461		
−	10.764		10.578			
T.P.	700.049					"
+	1.385		1.264			
=	701.434	-9.009'	-9.009	9.008		
−	10.394		10.273			
T.P.	691.040					"
+	1.801		1.938			
=	692.841	-9.345'	-9.346	9.345		
−	11.146		11.284			
T.P.	681.695					1½" I.P. & R.D. Tag, marked B.C. Curve #8 P.O.C. on E Hawthorne

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 28502 SURVEY OF Riv. Co. Park
SURVEY BY Engineer
NOTES BY Fuller DATE 12-13-68 NOTES CHKD
INDEXED D. Gallu DATE NOTES RED. DATE

F.B. 2290 Pg. 274

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	681.695					1½" I.P.
+	0.515		0.375			
=	682.210	-11.109	-11.108	11.108		
-	11.624		11.483			
T.P.	670.586					spk.
+	1.296		1.175			
=	671.882	-9.445	-9.445	9.444		
-	10.741		10.620			
T.P.	661.141					"
+	1.043		0.855			
=	662.184	-9.693	-9.692	9.692		
-	10.736		10.547			
T.P.	651.448					"
+	1.058		0.925			
=	652.506	-9.840	-9.840	9.839		
-	10.898		10.765			
T.P.	641.608					"
+	1.202		1.109			
=	642.810	-4.666	-4.666	4.666		
-	5.868		5.775			
T.P.	636.942					1½" I.P. & R.D. 729, M.C. #8, P.O.C. & Hawthorne Blvd
+	0.737		0.657			
=	637.679	-11.024	-11.021	11.022		
-	11.761		11.678			
T.P.	625.918					spk.
+	0.658		0.575			
=	626.576	-5.960	-5.960	5.959		
-	6.618		6.535			
T.B.M.	619.958					B4, S. & W.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 8859.02 SURVEY OF P.V. Co. Park
DATE SURVEY BY Engineer
NOTES CHKD. NOTES BY Engineer DATE 12-13-68
DATE INDEXED DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	619.958					
+	4.903		4.741			Bt. S & W. marked R.C.E. #13167, P.O.C.
=	624.861	-3.496	-3.497	3.496		on ℄ Hathorne Blvd. on prod of
−	8.399		8.238			S. bdy. of Park. - F.B. 2290-266
B.M. P-33	616.462				616.493	B.M. P-33
+	8.245		8048			Fd. L. & C.E. Tag - in conc. wall footing
=	624.707	+3.496	+3.497	3.497		S.E'ly. Cor. of Park. — F.B. 2290-266.
−	4.749		4.551			
T.P.	619.958					spk.
+	1.548		1.676			
=	621.506	-9.061	-9.058	9.059		
−	10.609		10.734			
T.P.	610.897					1 x 2
+	0.371		0.472			
=	611.268	-8.441	-8.441	8.440		
−	8.812		8.913			
T.P.	602.456					edge conc.
+	5.967		5.826			
=	608.423	+1.859	+1.857	1859		
−	4.108		3.969			
T.P.	604.315					"
+	8.590		8.494			
=	612.905	+2.618	+2.621	2.620		
−	5.972		5.873			
Fd. P.V.B.M. #34	606.933				606.970	P.V.B.M. #34 EL. 606.970 F.B. 2290-146 (See Pg. 1)

F.B. 2290 Pg. 273

Profile No. ____ X-Sec. No. ____

Notes Red ____ Date ____ Notes Chk'd. ____ Date ____

Plotted ____ Date ____ Checked ____ Date ____

0308.02
6607.70

Job No. ____ Division No. 11
Survey of L.V. Golf Course Soil Stabilization
Survey by Richards Notes W.A.R. Date 11-77
Map No. ____ Indexed ____ Date ____

F. B. 2290 Pg. 277

J.N. 030102

LOS VERDES GOLF COURSE

LEVELS FOR P.T. SHEETS Nos D436-1 & D-436-2

Party:
Richards
Moody
Yasui
Bustrum

STATION	B. S.	H. I.	F. S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

76-L-298 CE 307 8-70

76-L-298 CE 307 8-70

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2290 Pg. 138 Job No. 83002 Division No. 11 Notes Red ____ Plotted ____ Profile ____
Survey of Los Verdes Golf Course Soil Stability Date ____ Date ____ No. ____ X-Sec. ____
Survey by Richards Notes WAR Notes Chk'd. ____ Checked ____ No. ____
Indexed ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
(FD)						
BM DV #20	10.568	572.418		561.85	PV BM #20 ELEV. = 561.849 FB 2290-139	
					C.S. MON. FLUSH + P-22	
P.V. BM #21	4.148	571.783	4.783	567.635	P.V. BM #21 EL. 567.630 FB 2290-139	
0+00	1.321	570.471	2.633	569.150	N&Y 1X2 ON 32 B/S	LINE 0+00
T.P.	2.638	562.196	10.913	559.558	+ T.P.	
1+19.79	4.683	562.036	4.843	557.353	2nd 1X2	
1+93.12	10.729	566.824	5.941	556.095	3rd 1X2	
2+99.70	9.595	573.399	3.020	563.804	4th 1X2	
	1.968	573.979	1.388	572.011	5th 1X2 + M. #1	
T.P.	4.973	571.387	7.565	566.414		
P.V. B.M #21			3.753	567.634	P.V. B.M #21 ELEV. = 567.635 = B. 2290-139	
P.V. BM #22	10.087	592.561		582.474	BM PV. 22. ELEV. 582.474 FB 2290-140	
T.P.	1.838	588.674	5.725	586.836	Fd a C.S. Br. cap mon Fl. & stamped P-24	
					per FB 2290-37, Fd a 2" white top marker	
					pipe 3' high, 2'± W'ly of mon.	
T.B.M.	0.877	577.896	11.655	577.019	SET 1X2 E'N 558.25 E'ly of P-24 on line prod	
T.B.M.	0.150	569.123	8.923	568.973	SET 1X2 E'N in grass 50' N'ly of FEN	
T.P.	4.847	563.225	10.745	558.378		
T.B.M.	12.283	565.808	9.700	553.525	SET 1X2 E'N 11'± So'ly of FEN	

76-L-298 CE 307 8-70

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		565 808				
T.P.	11923	577330	0401	565407		
558.25 T.P.	10909	587892	0347	576983		
	7450	591437	3905	583987		
BM 22			8997	582440	BM 22	

Profile Notes Red Plotted Job No. 2301.02 Division No. 11 F. B. 2290 Pg. 279
No. Date Date Survey of Las Verdes Golf Course Soil Stabilization
X-Sec. Notes Chk'd. Checked Survey by Richards Notes K.A.F. Date Nov 77
No. Date Date Map No. Indexed Date