Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F.B. 2326 Pg.

Page	Job	Description
		CALABASAS-VENTURA BLVD. REFUSE DISPOSAL SITE-0077.20
2-5	Index	
6-16	Sec. Line	Survey of the east line Sec. 25, T1N R18W.
17-21	Bdry.	Proposed property corners.
22-31	Sec. Line	Survey of the north line Sec. 25, T1N R18W.
32-34	Sec. Line	Survey of the north line Sec. 30, T1N R17W & setting of SE Cor. of 40 acre Parcel 1-11.
35-38	Bdry.	Survey of east property line of 40 acre Parcel 1-11.
39-40	Sec. Line	Survey of the east & west $\frac{1}{4}$ Sec. line of Sec. 19, T1N R17W & setting of NE Cor. of 40 acre Parcel 1-11.
41-53	Bdry.	Rancho Las Virgenes Bdy from LV-13 to LV-14.
54+-	Sec. Cor.	Replacement of closing Cor.to Sec. 13 & 24, T1N R18W.
55-	Triang.	Triangulation at N$\frac{1}{4}$ Cor. Sec. 24, T1N R18W.
56-60	Bdry.	Survey of north property line of disposal site.
61-66	Ties	Tie to Geodetic Triangulation net.
75-109	Bdry.	A portion of the NW $\frac{1}{4}$ of Sec. 18 T1S, R17W. for transfer to ownership S & E Bdry. line.

(cont'd on next page)

Microfilmed Feb. 86

F.B. 2326 Pg.

Page	Job	Description
111-114	Topog.	Topog. along S'ly Bdry. line of Park 0054.69.
121-122	Index	
123-137	Cont.	P-line survey S'ly from Ventura Blvd.
139-152	Sec. Line	Sec. Ln. Survey of Sec. 36 & Por. of Sec. 25 T1S T1N, R18W, also por of Sec. 1, T1S, R18W.
153-173	Elev.	Profile on the above P lines.
175-180	Cont.	Geodetic Cont. Angular ties from Pline to L.A. Co. Control Sta.
185-192	Elev.	Horiz & vert. control for Driver Ave. vicinity Ventura Fwy. & Liberty Cn. Rd.
195-202	C.L.	Check along Mulholland Hwy. fr. Las Virgenes Rd. E'ly to PI-2.
		LIBERTY CANYON RD. 0095.90
203-220	Cont.	New P line fr. PI 606 S. to Mulholland Hwy.
221-225	Prof.	Profile.
227-231	Ties	Location of ties.
		DRIVER AVE. - J.N. 0096.30
233-238	Elev.	Aerial Map profile check.
		TAPIA PARK J.N. 0054.69
239-240	**Index**	
241-242	**Bdry.**	**Boundary Survey on W'ly. property line vic. of Dorothy Drive.**

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this title on this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of Calabasas-Ventura Blvd
Map No.	JN 0077.20 Tape 155 Std 0.0 °F
Office Work	Surveyed by W.S. Coy Jr.
Checked	Notes W.S.C. Date 12-9-60
Date	Indexed M. E. COY 5/23/61

F. B. 2326 PG. 5

CALABASAS-VENTURA BLVD.
REFUSE DISPOSAL SITE

J.N. 0077.20

DEC-60

F.B. 2326

REFERENCE

PARTY

W.S. COYHERD
C. TENRANSYK
R. STRADER
B. CARLANZIK
D. JACKSON

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 S&E #247 11-58

F. B. 2326 Pg. 6

TABLE OF CONTENTS

PAGES	
9.	Retracement of Ventura FWY.
10-16	SECTION LINE - N½ of EAST LINE SEC. 25 T.1N R.18W
17-21	Retracement of Deed Description To Entrance of Diversion Dam
23-31	SECTION LINE - NORTH LINE SEC. 25 T.1N R.18W
33-34	SECTION LINE - NORTH LINE SEC 30 T.1N R.17W & Subdivision of S.E. ¼ OF 40 ACRE PARCEL 1-S
35-38	PROPERTY LINE - EAST LINE of 40 ACRE PARCEL 1-N
39-40	SECTION LINE - EAST & WEST ¼ SEC LINE OF SEC. 19 T.1N R.17W & Subdivision of N.E. ¼ OF 40 ACRE Parcel 1-N
41-53	RANCHO LAS VIRGENES BDY. FROM LV-13 TO LV-14
54	REPLACEMENT of CLOSING COR. TO SEC. 13 & 24 T.1N R.18W
SEE PAGE 8 for CONT. OF INDEX	



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	JN Tape Std °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F. B. 2926 Pg. 7

INDEX



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S S&E #247 11-58

F. B. 2326 PG. 8

TABLE OF CONTENTS

PAGES	
56	TRIANGULATION AT N¼ COR. SEC. 24 T.1N. R.18W.
56-60	EAST & WEST ¼ SEC LINE THROUGH CENTER SEC. 24 T.1N. R.18W ALSO BEING NORTH PROPERTY LINE OF CALABASAS-VENTURA BLVD REFUSE DISPOSAL SITE
61-66	TIE TO LA COUNTY GEODETIC TRIANGULATION NET

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of Calabasas-Ventura Jct. rd
Jlt 2077 20 Traps 138 Std 84 °F
Surveyed by W.S. Coachman
Notes W.S.C. Date 12-15-60
Indexed DEC 9 1960 H. E. ORT

F. B. 3503 Pg. 109

WS 90 C-2

RETRACEMENT OF 2 VENTURA FWY.

FROM STA. 239+03.38 E.C. TO 253+81.38 B.C.

PER FB 3503-109

106.34m → ← 92.28m

R.P. Fd Brass Cap Mon.

253+81.38 REC
253+81.32 REC
Per FB 3503-110
253+81.57 Mes.

B.C. of T. Bar
& Button dn. 12

SECTION 25
T.1N. R.15W.

243+86.37 MES.
243+83.24 REC
Set 1" IP conc. plug with LACO. Emp. Tag
Finish by Intersection with TRUE SECTION LINE

44.77

TRUE SECTION LINE

VENTURA FWY

995.17

182.05 @ 4-00 T 54 = 181.57 ✓
182.10 @ 4-11 T 54 = 181.58 ✓ 181.57 ✓
220.09 @ 2-42 T 56 = 219.81 ✓ 219.81 ✓
~~220.03 @ 2-21 T 56 = 219.81~~
186.97 @ 3-17 T 56 = 186.63 ✓ 186.64 ✓
186.95 @ 3-06 T 56 = 186.65 ✓
215.89 @ 0-0 T 56 = 215.85 ✓ 215.85 ✓
190.10 @ 0-0 T 56 = 190.07 ✓ 190.07 ✓
1.23 @ 0-0 T 56 = 1.23 ✓ 1.23 ✓
995.17 ✓

224.85 @ 0-56 T 52 = 224.77 ✓
224.87 @ 1-13 T 52 = 224.77 ✓ 224.77 ✓
258.54 @ 2-35 T 56 = 258.23 ✓ 258.22 ✓
258.47 @ 2-19 T 56 = 258.21 ✓
482.99 ✓

SECTION 30
T.1N. R.15W.

239+03.38 EC
Fd T Bar & Button
dn. 12" FB 3503-109

91.26 ✓ ← → 81.88

Fd Brass Cap Mon

(2) 437 95
54 57 12
57 45
68 32

See Bk pg

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Ink With Date and Name of Person Making Change.

Do not detach this tag or file this map.

2-62 2000 SSK Jr67 11-58

Bot 13 11

F.B. 2326 Pg. 10

SECTION LINE
N ½ of EAST LINE
SEC. 25 T.1N R.18W

T-64
45.15@0-0 = 45.14
81.15@0-0 = 81.14
126.28

0+02.87
Set Ch. Sld X
Top curb

Intersection
SEE Pg 99
243+86.39 =
0+00 To North

VENTURA FWY
H82.99

SEE Pg 99

995.17

SECTION 30
T.1.N. R.17.W.

SECTION 25
T.1N. R.18W

287@0-0T60-287
44.78@0-0T46-44.77

T=60
97.73@3-27=97.53
97.84@4-24=97.53
11.60@0-0T60=11.60
6.79@0-0T60=6.79
16.75@0-0T60=16.75

SECTION LINE
TRUE
126.28
2.87
44.77
97.53
11.60
6.79

Set Sh. 3PK Width Fd. So. side of road

Fd STATE R/W Mon. W.K. mon. "H" 1.5 CTR

0.17

Fd 3/4" IP 0.65 Below Surface

236+06.06
Fd 1" I.P. 1.10 Below Surface

Fd 3/4" IP 0.65 Below Surface

2 BONDELL ST

Set Tack & nail N.

90°-49.90

882.68 Rec

346.82 R

16.75 R&M

BC
244+90.75
Fd C.S.W. dn 2"

57°

18.39 R&M

18'

90°

Set Sh. 3PK Width Fd.

COUNTY ENGINEER
R.18W. SEC. 25 T.1N. R.17W.
1/4 COR.
1959

12-22-60
Set LA CO ENGR. BRASS CAP MON MKD as shown chs. 4". Original stone laying alongside

Fd Chisled X Scribed - Top of 4" Stone post

44.38

RP Set Nail & Tag LS 5250 E

RP Set Nail & Tag LS 5250 E

2.87

RP Ch. Sld X East side Top Curb Post

1/4 SEC. COR.
Fd ORIGINAL 3X3" RED WOOD POST dn 2' FEET WITH 12X12" SAND STONE NEXT TO POST ON WEST SIDE NO MARKINGS ON STONE OR POST VERY WET CAUSING EROSION OF STONE REF. C.S. 9082-1
Reset with BRASS CAP Nov 21 12-22-60

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2746
Office Work
Checked
Date

Survey of Calabasas - Ventura Dump
JN 007220 Tape 84 Std 84 °F.
Surveyed by W.S. Cowherd
Notes VLC Date 12-19-84
Indexed H. E. ON

F. B. 2826 Pg. 11

Bot Pg = 12

T-68

138.55 COR-49 = 138.47 - 138.46
138.53 COR-48 = 138.45

7.11 T-68 - 7.11

SEE Pg 21

90° 00' 00"

138.46

15.00

100.00

1736.26 COR = 5
Set Nail in edge of Tin Record Distance of 136.82 From Intersection STATE HWY & SECTION LINE PER DEED & STATE HWY R/W MAP ROAD-YII-LA-2-C

Fd Sur. nail & Tin

SEC 25
T.1N R18W

SEC 30
T.1N R17W

49° 22"

89°

7.11

41.20 17 R&M

1429.15 COR=4
SET Ship SPK W/T FL 2
INTERSECTION

21.81

PROP COR #3
Per RECORD
DISTANCE 40.00
& ANGLE FROM
COR #2 Set Ship
SPK W/Tin Fl.

2	82	40	40
1	165	21	15
6	248	01	40

41 80 17

21.81 e 0-0 T64 = 21.81

2	179	38	40
1	359	17	25
6	178	56	15
	89	49	22

126.28 TRUE SECTION LINE

40.00 00-0 T-64 = 40.00

Top Pg. 10

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7682005 SAE #247 11-83

Bot Pg #13

F. B. 2326 Pg. 12

154.92 @ 1-11 T70 = 154.88
155.04 @ 2-28 T60 = 154.88

154.88

4404.74
Set 1"x"L P1

130.09 @ 1-41 T70 = 130.02 - 130.02
130.06 @ 0-45 T60 = 130.03

130.02

SEC 30
T.1N R.12W

81.60 225

SEC 25
T.1N R.13W

2474.72
Set 1x2 P1
250.00

90°

13846

"NOTE"
FENCE LINE IS ON SECTION LINE FROM 1+74 NORTH TO SEC COR

1+74 ±

4°

14.5
GATE 14.5 WIDE

15°

1768 ±
CROSSES FENCE LINE

20°
20± WIDE
GATE

26°

1480

Top Pg # 11

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. B-2765
Office Work
Checked
Date

Survey of Calabasas - Kentucky Pump F. B. 2326 Pg. 13
JN 07720 Tape 138 Std 61 °F
Surveyed by W.S. Courtwright
Notes W.S.C. Date 12-15-60
Indexed H. E. OTT

BOT P3 = 14

SECTION 25
T.1N. R.18W.

SEC 30
T.1N. R.17W.

226.53

7+49.96
SET 1x2 12

TRUE SECTION LINE

190.43 @ 1-30 T-60 = 190.34 — 190.34
190.61 @ 2-59 T=70 = 190.33

190.34

5+59.62
SET 1x2 11

154.80

TOP P3 = 12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this slip of this time.

76F3095 SEE #247 11-58

F. B 23.26 Pg. 14

SEC 25
T.1N. R1E W

SEC 30
T.1N R1W

249.87

Set (1x2) Fl
13+95 ov

T=56

220.57 @ 2-05 = 220.38
220.60 @ 2-13 = 220.39 - 220.38

220.38

151.55 @ 0-0 T 80 = 151.55
46.59 @ 0-0 T 80 = 46.59
250.00 @ 0-0 T 82 = 250.00

Set (1x2) Fl
11+74 63

198.30 @ 1-56 T=52 = 198.15
198.33 @ 2-27 T=68 = 198.13 - 198.14

198.14

151.55

PROPERTY CORS
Set 1" IP, conc
flush with LACO
ENGR'S Tags Flush

250.00

COUNTY ENGINEER
PROP.
COR. 5
R.E. 5869

Replaced with Std.
Brass Cap Mon. Mkd.
as shown - Flush
8-4-61 J.T.

90°

90°

46.59

Set (1x2) Fl.
9+76 49

812.80

COUNTY ENGINEER
PROP.
COR. 6
R.E. 5869

226.73 @ 2-02 T=52 = 226.54
226.61 @ 1-18 T=68 = 226.53 - 226.53

226.53

Replaced with Std.
Brass Cap Mon. - Mkd.
as shown - up 4"
8-3-61 - J.T.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this film.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of COLORADO-VENTURA Road
JN 407720 Tape 138 Std 84 °F
Surveyed by W.S. COWHERD
Noted SEGUNDO Date 12-19-60
Indexed H. E OTT

F. B. 2326 Pg. 15

BT Pg. 16

SECTION 25
T. 1 N. R. 18 W.

SECTION 30
T. 1 N. R. 17 W.

161.75

T=64
240.42 @ 3-54 = 239.83
240.46 @ 4-01 = 239.84 — 239.84

Set (1x2)
18+75 72

TRUE SECTION LINE

239.84

Set (1x2)
16+35 84

T=64
241.45 @ 3-51 = 240.87
241.37 @ 3-37 = 240.86 — 240.87

240.87

Top Pg 14

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3088 SAF. 1247 11-58

F. B. 2326 Pg. 16

WS 90 Pt-2

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

COUNTY ENGINEER
T. I N.
R. 16 W. | R. 17 W.
24 | 19
25 | 30
SEC. COR.
R. E. 5869

Fd. C.E. Brass Cap Mon. Pt. ~~#2~~
SECTION CORNER

Fd. C.S. Mon. w/ Brass Cap - up 5" Marked as shown
25+06 of

T-70
187.23 @ 1-59 = 187.10
187.26 @ 2-13 = 187.10 — 187.10
288.90 @ 12-59 = 281.49
288.72 @ 12-49 = 281.49 — 281.49
468.59

T-74
162.00 @ 3-10 = 161.74
162.06 @ 3-31 = 161.75 — 161.75

21+49.49
PROP. COR.
Set 1" I.P. conc. plug & LA Co Engr Tag Flush

To Prop Cor See Log Sht

Replaced with 2" I.P. & Brass Cap set in conc. - Mkd. as shown up 1" 8-3-61 J.T.

20+37.47
Set 1x2

COUNTY ENGINEER
PROP. COR. 4
R. E. 5869

171.85
31.41

20+06.06
Set 1" I.P. conc. plug of LA Co Engr Tag Flush
Rec Distance 500.00 From SEC COR Per DEED

130.34 @ 0-0 T 80 = 130.34

2028.60 cal

S 290 13 45
A 220 27 45
G 150 44 49
145° 06 57

130.34
161.75
90° CH

SEE LT SLAB Pg 21

Top Pg 15

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of Calabasas - Ventura Temp
JN 07220 Tape 138 Std. 84 °F.
Surveyed by W. S. Courtland
Notes W.S.C. Date 12-14-60
Indexed Dec 1980 H. E. Ott

F. B. 2396 Pg. 17

RETRACEMENT OF DEED DESCRIPTION AT ENTRANCE TO DUMP SITE

42.61 @ 0-0 T 60 = 42.60 ✓
57.41 @ 0-0 T 00 = 57.40 ✓ ?

210+94.46 E.C.
Fd T Bar & Button in Conc.
Dn 12 Per FB 3503-108

SET Spk. nail & Tin Tap of curb Fl.

100.00
42.60 ✓
57.40 ✓

224+00
Set 1X2 Flush
Prorate Distance
From B.C.

PROP. COR #1
Angle PT in Fence
Set PK in the
Conc collar of
Fence Post, reg. off-
Set per Deed From
R 100.00

T = 60

9.06 @ 0-0 = 9.06 - 9.06
165.84 @ 0-50 = 165.79 ✓
165.89 @ 1-15 = 165.80 - 165.80
220.42 @ 1-47 = 220.28 - 220.28 ✓
220.40 @ 1-31 = 220.29 ✓

395.14 ✓

227+95.10 B.C.
Fd Brass Cap mon
Dn 12" Per FB 3503-109

CURVE DATA
Δ = 12 42 00"
R = 5000
T = 556.42
L = 1108.88

PT not fd in Traveler Road

239+03.38 E.C.
Fd Conc Mon
See pg #9

Bot Pg #18

See Bot Pg #9

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78F309S SEE 1247 11-68

F. B. 2326 Pg. 18

Bot PB #19

3.00

331.64

T=66°

180.71 @ 9-29 = 178.22
180.78 @ 9-37 = 178.22 = 178.22
156.12 @ 10-38 = 153.42 = 153.42
156.07 @ 10-32 = 153.42
331.64

6+46.00
Fence Crosses Line

6+43.22
Set 1x2

54.74

54.75 @ 0-0 T 62 = 54.74

25.85 @ 0-0 T 70 = 25.85

T=70

55.77 @ 6-10 = 55.44 = 55.45
55.93 @ 7-25 = 55.45
294.03 @ 8-56 = 290.43 = 290.42
293.90 @ 8-48 = 290.41
345.87

5+62.63
Set 1x2
Top spur

T=72

218.74 @ 8-13 = 216.47 = 216.46
218.85 @ 8-26 = 216.46

2+16.76
Set 1x2
Top spur

216.46

3.00

Bot. PB 17

TRUE DEED LINE

SET LINE

3.00 off

FENCE

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of Calabasas-Ventura Dump
JN 007202 Tape 138 Std 68 °F
Surveyed by W. S. Caubarg
Notes W.C.C. Date 12-1-60
Indexed H. E. Ott

F. B. 2326 Pg. 19

RT SIDE 16+20

226.71 @ 0-0 T68 = 226.69

16+48.61
PROP. COR
Set 1" IP Conc
plug with L.H.G.
Edges Tag Flush
by Instr.

64.45 @ 0-0 T68 = 64.44
10.95 @ 0-0 T68 = 10.95

16+37.66
Set 1x2s

T-68

155.84 @ 4-59 = 155.23
155.94 @ 5-24 = 155.23 - 155.23

(2) 122 59 00
(4) 245 58 00
(6) 368 57 20
61 29 33

14+82.43
Set 1x2

215.76 @ 0-0 T68 = 215.74

210.22 @ 1-34 - T66 = 210.12 - 210.12
210.24 @ 1-44 - T66 = 210.12
298.72 @ 5-13 T = 64 = 297.44 297.45
298.86 @ 5-28 T = 64 = 297.46
507.57

9+74.86
Set 1x2

Top

Sheet 18

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do Not Write Below This Line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

26F3095 SAF 5247 11-58

F.B. 2326 PG. 20

SEE Pg #11



9.86 @ 0-0 T68 = 9.86 ✓

(2)	219	56	45
(4)	79	53	40
(6)	299	50	30
	109	58	25

SEC. 30
T. 1 N R. 17 W

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

4

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of Calabasas - Agoura Dump
JN 107708 Tape 138 Std 84 °F
Surveyed by W.S. Coulthard.
Notes W.S.C. Date 12-21-60
Indexed B. E. OTT

F. B. 2326 Pg. 21

SEC. 30
T. 1. N. R. 17 W

COR. S 1/4 SEC 36 T2N R17W No. 1 Sta. Pg 411

TRUE SECTION LINE

E'LY

DITCH

900

15.00

PROP. COR. SET 1" IP conc. plug & Tag ft. Rec. Rec. DEED

24°

61.60

77° 31' 43"

(2) 155 03 25
(4) 310 06 50
(6) 105 10 20
77 31 43

PROP. COR. SET 1" IP conc. plug & Tag ft. Rec. Rec. DEED

T-78
61.60 @ 0-0 = 61.60

T-74
76.00 @ 0-0 = 76.00

T-74
85.38 @ 0-0 = 85.37

1800.00

VENTURA

(1) 116 20 00
(3) 232 40 00
(5) 349 00 00
58 10 00

58° 10' 00"

76.00

SEC 25
T. 1 N R 18 W

(2) 218 44 05
(4) 77 28 20
(6) 296 12 20
109 22 03

SET 1 X 2

0+50.89

PROP. COR. SET 1" IP conc. plug & Tag ft. by Instr.

85.37

2098.60 calc.

BOT 8"/16

109° 22' 03"

* SET 1 X 2 on ground

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this tick of the line

76F3098 985 (247) 11-59

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. _____ Pg. 22

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINE
JN 03020 Tape 138 Std 57 °F
Surveyed by W. S. COWHERD
Notes W. S. C Date 12-1-60
Indexed W. E. ON APR 3 '61

F. B. 2326 Pg. 29

C-2

WS 30

SECTION LINES

SOUTH LINE OF SEC 24, T.1.S. R.18.W. ALSO
EAST " " " SEC 30 T.1.S. R.17.W.
WEST " " " "
NORTH " " " "

SECTION 24
T.1.N. R.18.W

BOT Pg #39

SECTION 19
T.1.N. R.17.W.

2	179	52	15
4	359	44	25
6	179	36	25
	89	56	04

2	179	04	10
4	358	08	15
6	177	12	[illegible]
	89	32	[illegible]

COUNTY ENGINEER T.1.N. R.18.W. R.17.W. 24 19 25 30 SEC. COR. E. 5869

Fd L.A. CO. ENGRS BRASS CAP MON. UP 4" WITH 3" WITNESS PIPE UP 5' NORTH OF MON. PER FB 2336-19 FOR GEODETIC TIE

TRUE SECTION LINE

W.P

5

123.41

193.09

TRUE SEC LINE

1.32

0.8

FENCE COR

26 42.98 Rec

BOT. Pg. 29

89°

56'

0"

89°

32'

05"

90°

00'

19'

17"

468.59

90°

33'

12"

2506.96

2	180	38	40
4	361	17	00
6	181	55	40
	90	19	17

2	180	25	10
4	360	50	20
6	181	15	15
	90	12	33

SECTION 25
T.1.N. R.18.W.

Top Pg #16

SECTION 30
T.1.N. R.17.W.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SAE #247 11-56

BOT Pg #25

F.B. 2386 Pg. 24

111.15 @ 9-36 T 62 = 109.58 ✓
140.74 @ 8-14 T 62 = 109.58 ✓ — 109.58

T = 68°

58.35 @ 0-0 = 58.34 ✓
98.58 @ 0-0 = 98.57 ✓
156.91 ✓

5-2 = 3+50.00
PROPERTY COR. PER DEED REC. DISTANCE OF 350' FROM SEC. COR. SET 1" IP conc. plug & LA CO. Brs Tag Flush

COUNTY ENGINEER PROP. COR. 3 R.E. 5869

Replaced with 2" I.P. & Brass cap, set in conc. MKD. as shown up 1" - 8-4-61 J.T.

(2) 109 35 10
(4) 219 10 20 ✓ SEC. 25
(6) 328 45 30 ✓

SEC 24

PROPERTY LINE

TRUE SECTION LINE 156.91

54°

37' 35"

NOTE
4 Strand barb wire fence with metal posts runs generally parallel & north of true SECTION LINE offsets to fence taken at each survey point on section line.

5-1 = 1+93.09
Set Nail in Plug

2040.26 N 19° 16' W

1+45.20
(1+45.20) N-S
Enter Field Bks NKS Per CS. 9082-1

193.09

56.42 @ 17-48 T 68 = 53.71 — 53.71
146.12 @ 17-26 T 68 = 139.38 — 139.38
146.70 @ 18-08 T 68 = 139.39
193.09 ✓

LEFT Pg #23

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 138 Std 84 °F
Surveyed by W. S. Cowherd
Notes W.S.C. Date 11-25-60
Indexed H. E. OTT

F. B. 2326 Pg. 25

BOT Pg # 24

T=62°

255.09 @ 16-50 = 244.12
255.43 @ 17-04-30 = 244.13 — 244.13

244.13

5-4 = 7+13.67
Set 1"x2" in draw

SEC. 25

SEC 24

SECTION LINE

254.09

T=68°

254.96 @ 4-36 = 254.10
255.04 @ 4-52 = 254.08 — 254.09

TRUE

4+62 = (4+62) N=S
Spur brs N45 CS 9082-11

5-3 = 4+59.98
Set 1" IP W. conc plug & L.A. Co Engr Brass Tag Top spur

109.58

Top Pg # 24

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SSE #247 11-58

BoT Pg # 27

F. B. 2326 Pg. 26

I = 60°

292.87 @ 29-28-30 = 254.91 + 254.92
293.32 @ 29-37-30 = 254.93
31.63 @ 0-0 = 31.63 + 31.63
286.55

286.55

S-6 = 13+63.45
Set 1x2 Side Hill

1256 = (1368.84) Gulch
Course
Call doesn't AT
Gov. Dist Brs checks o.k.

S 30° E R&M

126.35 @ 1-20 T64 = 126.30
126.39 @ 1-54 T64 = 126.30 + 126.30
279.40 @ 0-0 T58 = 279.35 + 279.35
405.65

405.65

S 20° E R&M

974 = (973.50) Top of sour
C.S. 9082-11

S-5 = 9+57.80
Set 1" IP Flush
with Conc. plug &
LS Co King; Top
East side Top
of sour

2441.13

SEC. 25

SEC 24

Top Pg # 25

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. CS B 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 2302.01 Tape 138 Std. 64 °F
Surveyed by W. S. Cowherd
Notes W. S. C. Date 12-29-60
Indexed H. E. OTT

F. B. 2326 Pg. 27

Bot Pg # 28

T = 60°

231.84 @ 2-42 = 231.54 ✓
231.80 @ 2-27 = 231.55 ✓ — 231.55 ✓ ✓

231.55

5-30°E

5-8 = 17+62.46
Set 1" IP conc plug & tag Co Engr
Tag Flush Top of spur Brs S-30°-E

SEC 25

SEC 24

112.46

T = 62°

118.48 @ 18-18 = 112.47 ✓
118.67 @ 18-35 = 112.46 ✓ — 112.46 ✓

5-7 = 16+50.00
Set 1"x2"
3.06 hill

286.55

Top Pg # 26

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3098 S&E #247 11-68

Bot Pg 29

F. B. 2326 Pg. 28

T=76
177.26 @ 15-37 = 170.71 -170.71
177.55 @ 15-56 = 170.72

170.71

8.00

S-11 = 26+06.91
Set 1x2
Side spur

20'

T-76
112.75 @ 2-24 = 112.64
112.71 @ 1-52 = 112.64

112.64' LINE

S-10 = 24+94.27
Set 1x2

20'

SEC 25

SEC 24

5.26 5.25 5.25 5.26
204.05 @ 11-58 T76 = 199.90 + 199.90
204.08 @ 11-36-30 T76 = 199.89
299.29 @ 21-14-30 T76 = 278.93 - 278.94
299.64 @ 21-24 T76 = 278.95
16.16 @ 0-0 T76 = 16.16 + 16.16
500.26

500.26 TRUE SECTION LINE

S-15°W

S-9 = 19+94.21
Set 1x2
Top of spur
Brs S-15°W

28.55

18+97 BT. of draw

S-15°E

Brs

Top Pg 27

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 131 Std 84 °F
Surveyed by W. S. Courhevel
Notes W.S.C Date 2-29-60
Indexed H. E. ON

F. B. 2326 Pg. 29

C-2

WS 90

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

TBOT Pg #30

17.78 @ 0 - 0 T 72 = 17.78

17.78

LINE

S 20° W

S-13 - 30+08.88
Set 1" IP conc plug
Top Spun (30+45.90)

T-72
243.83 @ 18-28 = 231.26
243.66 @ 18-21 = 231.25
231.26

231.26

TRUE SECTION TRANSIT LINE H.P.S. 8-25-60

SECTION LINE

SEC 24

SEC 25

S-12 - 27+71.62
Set IX2
Side Spun

"NOTE"
Fd ORIGINAL 1/4 COR. 16x16x11" PER CS 9082-11 WIRED TO COR. FENCE POST - OUT OF GROUND - 26+14.91 NO MOUND IN EVIDENCE

170.71

26+14.91
FENCE COR
Fd 2" IRON POST UP 4'

152

Set Std. Brass Cap Mon. MKd. as shown. @ Loc. of fn. post. - Moved fn post SLY. 1' Ft. - Original stone laying NLY of Mon. - up 3" J.T. 8-4-61

COUNTY ENGINEER
R.E. 5869
R.18W. T.1N.
SEC. 24
SEC. 25
1/4 COR.

800

SECTION LINE

Top Pg #28

76F309S 3RE #247 11-59

F. B. 2326 Pg. 30

BOT Pg # 31

18.52 @ 0-0 T 66 = 18.52

18.52

L HWB

(38+28.00)

S-16 = 37+73.49
SET 1 x 2
Top spur
Replaced with a
1" capped pipe
8/24/64 RCB

N - S
(N - S)

425.93

SECTION

(36+46.50)
35+77.26

DRAW

SEC 25

T LINE

S-15 = 33+47.50
SET 1 x 2

43.65 @ 11-12 T 64 = 42.73 — 42.74
43.90 @ 13-07 T 64 = 42.74
295.53 @ 0-0 T 70 = 295.50 — 295.50
87.86 @ 3-22 T 60 = 87.70 — 87.69
87.92 @ 4-01 T 60 = 87.69
425.93

320.90

SEC 24

T PUE T

S-14 = 30+26.66
SET 1 x 2
W. edge spur

T = 24

82.95 @ 0-0 = 82.94 — 82.94
290.42 @ 34 58 30 = 287.95 — 237.96
290.30 @ 34-56 = 237.97
320.90

17.58

Top pg # 29

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.90, B-2

Notes Ck'd by We do Drawing
Map No. B 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302 01 Tape 138 Std 84 °F
Surveyed by W.S. COWHERD
Notes W.S.C Date 12-2960
Indexed H. E. ON

F. B. 2326 Pg. 31

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309 S&E #247 11-58

41+03 24
CLOSING CORNER
SEC. 24 & 25 T. 1 N
R. 18 W Fd Original
sandstone 22 x 16 x 10"
10" in ground M Ka C.C.
on East. X.V. on West
S on N face only. 2 grooves
on S. face. Remains of
rock mound to East.
CS 908 E-11
SEE pg 44

2. 174 03 55
4. 348 08 00
16. 162 12 00
87 02 00

TRANSIT LINE

5+15

Set 1" IP conc plug
LAD. Engrs Tag RE
by Intersection
41+02.42 from E
21+92.09 from S
SEE pg 44

297.25

Set 2" IP up
.5' as Witness
Post

2.13

1.082

5°

30"

87° 02'

SEE pg 44

5-18 = 41+00 29 2
Set 1x2 A

SEC 25

2.13 @ 0-0 T 70 = 2.13

0.82 @ 0-0 T 70 = 0.82

T-S LINE

SEC 24

CANYON 15 Lks wide

39+66 54
(39+67 26)

Set (S-E)

308.28

SECTION LINE

5-17 = 37+92 01
Set 1x2

202.48 @ 21-59 T 68 = 187.74 - 187.75
202.30 @ 21-50 T 68 = 187.77
140.76 @ 31-05 T 66 = 120.53 - 120.53
140.59 @ 30-58-30 T 66 = 120.52

308.28

18.52

TRUE Section Line

Pg 30

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 2826 PG. 32

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINE
JN 23067 Tape Std 64 °F
Surveyed by W.S. Cowherd
Notes W.S.C Date 1-
Indexed H. E. OTT APR 3 '61

F. B. 2326 PG. 33

NORTH LINE OF SECTION 30 T.1.N. R.17.W. FROM N.E. COR OF SEC. 30 T.1N. R17W. A DISTANCE OF 658.02 ALONG TRUE SECTION LINE TO SE. COR. OF PARCEL 1-11 OF 40 ACRES

BOT PS #34

T-64
119.63 @ 21-18-00 = 111.44
119.31 @ 20-57-50 = 111.43 - 111.44

SECTION LINE

111.44

S-2 = 3+97.48
SET 1X2 FT
BOT Drive

40 ACRE
PARCEL 1-11

SEC 19
T.1N R.17W

SEC. 30
T.1N R.17W

TRUE

274.07

T-68
278.33 @ 10-01-00 = 274.06
278.42 @ 10-05-45 = 274.08 - 274.07

S-1 = 1+23.41
SET 1X2 FT
Top Spun

T-66
124.10 @ 5-58 = 123.42
124.15 @ 6-12 = 123.41 - 123.41

123.41

658.02

cont. RT side pg #23

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 11-58

F. B. 2826 Pg. 34

T=66
137.61 @ 24-01-30 = 128.43 ✓ - 128.43 ✓
137.89 @ 24-19-00 = 128.44 ✓

W.S. 90 C-2

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

COUNTY ENGINEER
T. I. N.
SEC. 19
SEC. 30
R. 11 W.
M. D. B. & M.
COR. 1/4
R.E. 5869

Fd C.E. BRASS CAP
MON. UP 3"
TIE FB 2336-20
FOR GEODETIC TIE

COUNTY ENGINEER
PROP. COR.
R.E. 5869

PROP COR
S-5 = 658.02
FROM WEST
= 26+47.12
FROM NORTH
Set C.E. Mon up 3"
Mkd. as Shown
with 2" IP up 3'
As Witness Point
5' West

S 1/4 = 2644.72
Set 1/2" IP
Tag

Cont. Ref. #35

285.74 ✓ — 219.88 — 20.67

(2) 180 56 00
1/4 361 51 40
6 I∆ = 47 30
90 27 55

90

R = 53

658.02

S-4 1/4-6+37.35
Set 1x2
Side Hill

40 ACRE
PARCEL 1-11

20.67 @ 0-0 T 66 = 20.67 ✓

T = 78°
38.93 @ 0-0 = 38.93 — 38.93 ✓

108.53 @ 0-0 = 108.53 ✓ — 108.53 ✓
72.41 @ 15-50 = 72.41 ✓
72.42 @ 16-11 = 72.43 ✓ — 72.42 ✓
219.88 ✓

128.43 ✓

TRUE SEC. LINE

S-3 5408.92
Set 1x2
Side Hill

T = 60°
287.54 @ 6-24 = 285.74 ✓ — 285.74 ✓
287.58 @ 6-29 = 285.73 ✓

111.44

Top pg # 33

Notes Ck'd W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of Oaklawns - Ventura Pump
JN 0077.20 Tape 151 Std. 84 °F
Surveyed by W. S. Cowherd
Notes W.S.C Date 1-1961
Indexed H. E. On

F. B. 2326 Pg. 35

BOT Pg. = 36

T=86
30.00 @ 22.12 = 27.78 - 27.77
29.70 @ 20.46 = 27.77

27.77

P#11 = 16+87.79
Set 1x2 Fl.
Side hill

T=86
200.76 @ 24-33-30 = 182.60 - 182.60
201.14 @ 24-48 = 182.59

182.60

40 ACRE
PARCEL 1-41

SEC. 19
T.1.N R.17.W

P#12 = 18+70.39
Set 1x2 Fl.
Side hill

T=82
298.55 @ 24-45-30 = 271.11 - 271.11
298.36 @ 24-40-30 = 271.12

271.11

P#13 = 21+41.50
Set 1x2
Side hill

285.74

CONT. LT Pg = 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 SOE #247 11-58

Bot Pg # 37

F. B. 2326 PG. 36

93.48

T-62
95.43 @ 11-33 = 93.49 - 93.48
95.55 @ 11-55 = 93.48

P#8 = 9+34.15
set 1" IP conc
plug with 2" dia
Rigid Brass tag
up 1" Top of Spur

40 ACRE
PARCEL 1-11

464.84

SEC 19
T.1.N R17W

P#9 = 13+98.99
set 1x2
Top spur

49.86 @ 14-47 T 68 = 48.20 - 48.20
49.65 @ 13-51 T 68 = 48.20
278.52 @ 22-12 T 72 = 256.93 - 256.93
278.22 @ 22-33 T 72 = 256.93
36.04 @ 0-0 T 72 = 36.04 - 36.04
49.54 @ 0-0 T 72 = 49.54 - 49.54
74.46 @ 5-15 T 72 = 74.14 - 74.13
74.52 @ 5-51 T 72 = 74.12
464.84

261.03

P#10 = 16+60.02
set 1x2
Top spur

T = 72
266.26 @ 11-21 = 261.03 - 261.03
266.41 @ 11-31 = 261.03

2777

Top Pg # 35

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of Calabasas-Ventura Dump
JN 0077.20 Tape 151 Std 84 °F
Surveyed by W.S. Cowherd
Notes Y.S.C. Date 1-9-61
Indexed R. E. OTT

F. B. 2326 Pg. 37

BOT Pg # 38

T. 64
57.23 @ 16-37 = 54.83 - 54.83
57.10 @ 16-10 = 54.83

54.83

S P# 5 = 4+08.24
set 1x2
side hill

T. 70
299.30 @ N-57 = 292.78 - 292.78
299.14 @ N-48 = 292.79

292.78

S P# 6 = 7+01.72
set 1x2
side hill

40 ACRE
PARCEL 1-11
SEC. 19
T. 1N R. 17W

T. 60
146.06 @ 17-01 = 139.65 - 139.65
145.86 @ 16-46 = 139.64

139.65

S P# 7 = 8+40.67
set 1x2
side hill

93.48

Top Pg # 36

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this tab of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SEE F247 11-58

RT Pg 40

F. B. 2326 PG. 38

T 6S

169.15 @ 12-40 = 165.01 - 165.01
169.04 @ 12-30 = 165.01

165.01

P#2 = 2+45.90
SET 1X2
side hill

T = 6S
50.91 @ 2-50 = 50.84 - 50.84
51.00 @ 4-22 = 50.84

50.84

P#3 = 2+96.74
SET 1" IP
Cone plug
1.5' Ø Brass Tag "PE"
North side Top
of main ridge

40 ACRE
PARCEL 1-11
SEC 19
T.1N R.17W

56.67

56.68 @ 0-0 T 6S = 56.67

P#4 = 3+53.41
SET 1X2
S. Side ridge

54.83

Top Pg # 37

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINE
JN 05120 Tape 15A Sta 82 °F
Surveyed by W.S. Cowherd
Notes W.S.C Date 1-2-61
Indexed H. E. Ott

F. B. 2326 Pg. 39

C-1

WS 90

TRUE SEC. LINE

2650.08 Rec
2649.86 calc

5" SEC COR
Fd CS. Mon.
Mkd as shown
Per FB 4128-18
SEE pg 54

COUNTY SURVEYOR
T.1N
R.18W 13|18 R.17W
24|19
S&C COR.
MONUMENT

COUNTY ENGINEER
T.1N.
R.18W 24|19 R.17W
1/4 SEC.

SEC 19

90° 11' 36"

SEC LINE

2671.41 calc

3769.07 calc
TO 1/4 COR

44° 40' 20"

42° 30"

89° 50'

TRUE 1/4 SEC. LINE

1/4 COR
Fd C.E. MON up 3"
Mkd as shown
Per FB 2336-18
FOR GEODETIC TIE

5.4' offset

351.21

74°

SET 1"x2" 8+00.21

658.01

39+62.04

TRUE 1/4 SEC. LINE

43° 09' 11"

45°

90° 17'

SEC 19
T.1N R.17W

(2) 179 25 00
(4) 358 50 00
(6) 178 15 00
89 42 30

(2) 180 23 10
(4) 360 46 25
(6) 181 09 35
90 11 36

(2) 89 20 50
(4) 178 41 30
(6) 268 02 00
44 40 20

(2) 180 35 35
(4) 361 11 00
(6) 181 46 30
90 17 45

(2) 359 27 40
(4) 358 55 20
(6) 358 23 00
179 43 30

2648.98 Rec

TRUE SEC. LINE

40 ACRE PARCEL 1-11

10.72 @ 0-0 T62 = 10.70 — 10.70
220.95 @ 5-58 T62 = 219.72 — 219.71
221.09 @ 6-20 T62 = 219.71 —

100.26 @ 2-12 T62 = 100.18 — 100.19
100.32 @ 2-53 T62 = 100.19 —
68.99 @ 0-0 T62 = 68.98 — 68.98
258.62 @ 1-57 T62 = 258.43 — 258.43
258.67 @ 2-13 T62 = 258.44 —

658.01

SEE pg # 23

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

78F3098 SBE #247 11-58

F. B. 2326 Pg. 40


CITY ENGINEER
T. 1N. R. 17W.
1/4 COR.
R.E. 8869
1/4 COR.
For C.E. Brass Cap Mon.
Mkd as shown
Per F.B. 2336-7
FOR GEODETIC TIE
WS 90
D-1
90° 17 45"
R.P.
Spk W&T
in Forked
10" Oaks
up 3'
R.P.
Spk W&T
in 14" Oak
up 10'
PROP. COR.
Set C.E. Mon
up 3" Mkd as
shown. W.T. 2"
R.P. up 3.0 Witness
Post 5' West
PROPERTY LINE
80.89
165.01
5'
R.P.
Spk W&T
in 12" Oak
up 12"
CITY ENGINEER
PROP. COR. 2
R.E. 5069
180 35 30
360 11 00
181 46 30
90 17 45
SEC 19
T.1N R.17W
40 ACRES
PARCEL V-11
658.01
T-62
83.60 @ 14-36 = 80.89
83.29 @ 13-45 = 80.89
80.89 - 80.89
RT. SIDE
R 39
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 90, B-2

Notes Ck'd by W. J. BRENNER
Map No. C.S.B 2065
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 151 Std 84 °F
Surveyed by W. S. COWHERD
Notes W. S. C Date 2-6-61
Indexed

L. E. OTT APR 3 '61

F. B. 2326 Pg. 44

RANCHO LAS VIRGENES BDY.
FROM LV #13 TO LV #14

BOT P₂ = 42

T = 62°
300.55 @ 0-0 = 300.51 - 300.51 ✓
80.83 @ 5-04 = 80.50 ✓
80.76 @ 4-22 = 80.52 ✓ 80.51 ✓
300.60 @ 5-20 = 299.26 ✓
300.55 @ 5-12 = 299.27 ✓ 299.27 ✓
680.29 ✓

∴ R-1 = 2+92.92
Set 1x2 ft Site Mtl

T = 58
293.35 @ 2-54 = 292.92 ✓
293.31 @ 2-43 = 292.93 ✓ 292.92 ✓

INSERT

COUNTY ENGINEER T.1N. L.V.R.O. W.C. Sec. 25 R.18W. R.E. 5869

Set Std. Br. Cap Mon Mkd. as Shown - up 4" 8-1-61 J.T.

L.V. 13

10.00 @ 0-00
T = 84 = 10.00

(2)	268	52	50
(4)	177	45	30
(6)	86	38	45
	134	26	27

R.P. Set 1x2

R.P. Set 1x2

8.38
11.66
0.40

LV #15

For original ... Found ... Mkd. L.V. ... Cast Iron ... ing ... marked ... of the stone ... To have been ... "A I" set ... up 4 ... for ... R.S. 90-82-20 R.S. 8-13 Tract = 2804 Set 2" I.P. up 3.00 ... Witness ... NW/4 SW/4.

Replaced With Std. Br. Cap Mon. Mkd. as shown up 4" - original stone Stone laying ... side of Mon. 8-1-61 J.T.

LV # TO 12 Per Blueline

680.29
Fence Line
4 Strand Barb Wire Fence
Metal Posts
(1/2 R)
71'm
4+43 m
(4+29 R)
Fence
1+28
Fence Line To Ce...
292.92
Transit
R.P. Set 1x2
26
24°
27"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 3RE #247 11-58

BOT Pg # 43

F. B. 2326 Pg. 42

429.03

R-4 = 19+46.82
Set 1" IP cond
plug & L.A.C.O. Brg. Tgt
Ft Top spur

30

754.27

LINE

278.71 @ 4-43 T 76 = 277.76 - 277.76
278.77 @ 4-53 T 76 = 277.75
151.49 @ 3-02 T 72 = 151.27 - 151.27
151.58 @ 3-36 T 72 = 151.27
429.03

Gulch
1367.5 M
(1366.20 R)

(1221) R.
R-3 = 11+92.55
Set 1X2
Top spur

33

S.E. Pan

110.90 @ 14-32 T 66 = 107.34 - 107.35
110.95 @ 14-37 T 66 = 107.35
117.77 @ 22-22 T 66 = 108.90 - 108.91
117.88 @ 22-28 T 66 = 108.92
286.00 @ 10-21 T 64 = 281.31 - 281.30
285.85 @ 10-12 T 64 = 281.29
257.17 @ 3-20 T 64 = 256.71 - 256.71
257.11 @ 3-05 T 64 = 256.71
754.27

219.34

TRANSIT

4E

Mile Point

4-Strand Barb Wire Fence
& Metal Posts

R-2 = 9+73.21
Set 1X2
Top spur
Replaced 1X2 with
1" Capped Pipe.
This point appears
to have slipped Downhill,
0.23 East of line
8/29/64 RCB

T = 64
219.62 @ 2-43 = 219.34 - 219.34
219.67 @ 3-01 = 219.33

680.29

Top sht pg # 41

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 151 Std 84 °F
Surveyed by W.S. COWHERD
Notes W.S.C. Date 2-6-61
Indexed H. & On

F. B. 2326 Pg. 45

Bot Pg. +44

NOTE
1/2 MILE Mon. 26+40
Made diligent search for this mon no evidence of same

57.15

T = 68
57.27 @ 3-29 = 57.15 - 57.15
57.32 @ 4-16 = 57.15

R-6 = 27+34.94
SET 1X2
Top 3pvt

EAST RIM
26+15
SIDE DRAW

220.20 @ 10-00 T 80 = 216.85 - 216.85
220.44 @ 10-20 T 80 = 216.85
142.58 @ 3-52 T 74 = 142.24 - 142.24
142.52 @ 3-30 T 74 = 142.24
359.09

359.09
LINE

R-5 = 23+75.85
SET 1X2
Top 3pvt

WIRE FENCE

BASE

428.03
TRANSIT

Top Pg = 42

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this data of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F308S SAE #247 11-58

Bat Pg #45

F.B. 2326 Pg. 44

T-70
87.72 @ 11-43 = 85.88
87.95 @ 12-25 = 85.88
85.88

85.88 ℄

3-Strand Barb Wire Fence Metal Posts

WS 90

R-2

R-9 = 33+15.46
Set 1x2
Top spur

25

T=72
229.11 @ 9-13 = 226.13
229.21 @ 9-23 = 226.12
226.12

226.12 ℄ TRANSIT

R-8 = 30+87.32
Set 1x2
Top spur

02

T=70
298.39 @ 4-56 = 297.25
298.30 @ 4-45 = 297.24
297.25

297.25 ℄

87-

OR-

00"

27+92.09
(27+06 Re-)
44+03.24 from East
CLOSING COR.
original stone
See pg #31
for description

1.8

TRUE SEC. LINE

0.82

2.13

R-7 = 27+92.09
Set 1" IP on line Tag Tags
by Intersection
See pg #31
2" IP up 3'-5'
North as witness Post

Replaced With Std.
Brass Cap Mon. - Mkd.
as shown - up 4"
8-2-61 J.T.

57.15

COUNTY ENGINEER
T.I.N.
L.V.Rd.
S.C. 24
25
M&R
R.E. 6869

See pg #31

Top pg #43

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINE
JN 2302.01 Tape 151 Std 82 °F
Surveyed by W. S. Cowherd
Notes W.S.C. Date 2-15-61
Indexed H. E. OTT

F. B. 2326 Pg. 45

BOT Pg 46

289.42 @ 5-06 T62 = 288.83 — 288.22
289.34 @ 4-57 T62 = 288.22
94.25 @ 0-0 T70 = 94.24 — 94.24
382.46

R-13 = 40+44.59
set 1x2
side of ridge

T = 70
267.92 @ 7-06 = 265.85 — 265.85
267.82 @ 6-56 = 265.84

R-12 = 37+78.74
set 1x2
side of ridge

T = 72
73.64 @ 17-11-30 = 70.34
74.19 @ 18-28-30 = 70.36 — 70.35

(38+53.74 R)
R-11 = 37+08.39
set PK Nail
with conc. plug &
LACo Engr's Tag
Top of Main Ridge

BRS E & W
RIDGE TAG

T = 72
64.45 @ 27-49-15 = 56.99 — 56.98
64.68 @ 28-13-30 = 56.98
T-70
276.17 @ 25-05-30 = 250.08 — 250.07
275.45 @ 24-46-30 = 250.07
307.05

R-10 = 34+01.34
set 1x2
Top Spur

Top Pg # 44

382.46
265.85
70.35
307.05
858.86

6 I
5°
12 LINE
TRANSIT

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SBE #247 11-58

Bot Pg # 47

F. B. 2326 Pg. 46

T=14

286.81 @ 9-21-00 = 282.96 - 282.94
286.71 @ 9-15-30 = 282.93

282.94

R-16 = 48+66.7

3"TIX2 Side Nail

4½

298.31 @ 17-32 T 66 = 284.42 - 284.41
298.49 @ 17-39 T 66 = 284.41
98.61 @ 22-04-30 T56 = 91.36 - 91.36
98.43 @ 21-49-30 T56 = 91.36

375.77

LINE

R-15 = 44+90.2

Set ¾" IP Pk cap up in side of h.h

T. 62

64.73 @ 11-48-30 = 63.35 - 63.35
64.60 @ 11-14-30 = 63.35

63.35

TRANSIT

R-14 = 44+27.05

Set ¾" IP flush with conc. plug & LACo. Engrs tag Top of spur

22

382.46

Top Pg # 45

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2065
Office Work
Checked
Date

Survey of SECTION LINES
JN 030201 Tape 151 Std 84 °F
Surveyed by W. S. Cowherd
Notes W.S.C Dated 2-16-61
Indexed H. E. OTT

F. B. 2326 Pg. 47

W.S. 90.B-1

BOT P=48

3046

Set 2" IP up 3' as Witness Post 5' North

5'

1 MILE POINT Fd C.S. Mon up 3" under fence Per FB 428-82 MKD as shown

0.04

R-19 = 54+11.16
Set 1x2 on low spur

LINE

30.61 @ 0-0 T64 = 30.61

43.01 @ 0-0 T62 = 43.00

4300

COUNTY SURVEYOR'S MONUMENT
L.V. RD. T 1 N R 14 W SEC. 24

R-18 = 53+68.16
Set 1x2 side hill

TRANSIT

E of W Rdm

Gulch (51+17.64R)
51+72.6

219.05

E of W
Cross fence 51+56.8
(51+17.64R)

R-17 = 51+49.11
Set 1x2 side hill

45°

45°

Wire fence

T=68
223.50 @ 11-26 = 219.05
223.25 @ 11-06 = 219.05 = 219.05

282.94

Bar & Tag

Top P=46

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S SAE 1247 11-59

Bot Pg # 49

F. B. 2326 Pg. 48

T = 64

300.12 @ 7-48 = 297.30 — 297.30
300.26 @ 7-59 = 297.31

297.30

R-21 = 57+25.64
Set 1x2
on low spot

27

T = 62

152.22 @ 5-14 = 151.58 — 151.58
152.12 @ 4-43 = 151.58

151.58

LINES

R-20 = 55+74.06
Set 1x2 in Pot

34

To 1/4 COR
55 296.18 calc

132.30 @ 0-0 T78 = 132.29

Replaced with Std. Brass Cap Mon. - 4" - Mkd. as shown - 8-3-61 J.T.

132.29

COUNTY ENGINEER
T.I.N.
1/4 Cor.
SECT.
R.E. 5869

Set 1x2

229.29
397.62.04

4.00

R19A = 57+41.77 from South
= 39+62.04 from East
Set 1 I.P. with cone plug & tack
Ends Tangent
Set 2" I.P. up 3' as witness post on line 5.0' N&W.

(2) 186 01 10
(4) 12 02 30
(6) 198 03 30
93 00 30

(2) 45 54 40 (2) 128 04 30
(4) 91 49 10 ✓ (4) 256 09 00 ✓
(6) 137 43 40 ✓ (6) 24 13 20 ✓
22 57 17 ✓ 64 02 13 ✓

30.61

TRANSIT

93'

Top Pg # 47

W 5.90 S-1

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by W. J. BRENNER
Map No. C&B 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 030201 Tape 151 Std 84 °F
Surveyed by W. S. COWHERD
Notes W.S.C. Date 2-16-61
Indexed B. E. OTT

F. B. 2826 Pg. 49
Bot Pg = 50

T = 60°

99.88 @ 26-00 30 = 89.75 ✓ 89.75
99.73 @ 25-49 00 = 89.76 ✓
29.25 @ 0-0 = 29.25 ✓ 29.25
119.00 ✓

119.00 LINE

R-24 = 65+01.11
(64+84.50 R)
Set 1" IP. cone plug
& L.A. Co. Engrs. tag
Flush Top of spur

Top spur
E & W R & M

18.67 @ 0-0 T60 = 18.67 ✓ 18.67
267.02 @ 23-45-50 T64 = 244.35 ✓ 244.36
266.91 @ 23-41-40 T64 = 244.36 ✓
263.03 ✓

263.03 TRANSIT

R-23 = 62+38.08
Set 1x2
Top spur

60+64 R
End of Barb Wire Fence From South

60+64

177.19 @ 13-45-00 T64 = 172.09 ✓ 172.09
177.23 @ 13-47-30 T64 = 172.10 ✓
43.06 @ 0-0 T66 = 43.05 ✓ 43.05
215.14 ✓

215.14

R-22 = 60+22.94
Set 1x2
Top low spur

3½

297.30

Top Pg = 48

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this tie of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3093 SSE #247 11-58

Bot Pg # 51

F. B 2326 Pg 50

T = 78

235.72 @ 16-11-30 = 226.37 - 226.37
235.59 @ 16-05-00 = 226.36

R-28 = 77+56.00
Set 1x2
Top spur

T = 78

60.00 @ 0-0 = 60.00 — 60.00

278.68 @ 5-50 = 277.23
278.75 @ 6-00 = 277.21
66.06 @ 0-00 = 66.06

277.22
- 66.06
403.28

(73+39.20 R)
STA.
R-27 = 73+52.72
Set 1x2
Top of spur

SPUR E&W RAM

69+49
(69+76.20 R)

GULCH E&W RAM

R-26 = 67+04.58
Set 1x2
Side of ridge

80.87 @ 0-0 T 78 = 80.87 — 80.87
202.66 @ 9-42 T 78 = 199.75 — 199.74
202.59 @ 9-36 T 78 = 199.74
275.57 @ 0-0 T 68 = 275.54 — 275.54
106.20 @ 29-58-00 T 70 = 91.99 — 91.99
106.05 @ 29-47-30 T 70 = 91.92

648.14

R-25 = 66+20.11
Set 1x2
Side of ridge

T = 66

92.94 @ 24-38-00 = 84.47 - 84.47
93.03 @ 24-45-30 = 84.71

22.37
403.28
84.47
119.00

Top Pg # 49

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINE
JN 0302.01 Tape 151 Std 84 °F
Surveyed by W. S COWHERD
Notes W.S.C Date 8-21-61
Indexed H. E. OTT

F. B. 2326 Pg. 51

C-1

WS 90

T = 84

56.08 @ 6-17 = 55.74 ✓ 55.74 ✓
56.08 @ 5-50 = 55.74 ✓
T = 84
133.21 @ 9-27-30 = 131.40 ✓ 131.40 ✓
133.14 @ 9-18-00 = 131.39 ✓

Bo T Pg 52

Replaced with Std. Brass Cap Mon. - Mkd. as shown Up 4" - 8-2-61 J.T.

COUNTY ENGINEER T.I.N. 4 V.R.O. E.C. 13 24 R. 16W. R.E. 5869

81+13.85 mes (79+88.64R)
POSITION of CLOSING COR TO SEC 13 & 24 T1N R16W AS SET BY F. HOWARD THIS C.S. MON plowed out & laying on ground replaced with 3" IP & Cap Flush record distance per FB 458-81 - 428-81
See pg # 54, 55

55.74

81+13.92
Intersection of Transit Line & True closing sec. Line Set a 1" IP conc. with LA Co Engrs Brass Tag Flush

1158.37 Calc

TRUE SEC. LINE

POSITION OF ORIGINAL CLOSING As Found by F. Howard Per FB 458-81 Set 1x2 Record distance per FB 458-81
See pg # 54

0.37 1.37 0.15

R-30 = 81+13.77
set 1x2 on side hill

R.P. Set shiplap WoT 2 on SW face 24" Oak up 2 1/2 FT

92' 55'

LINE

(79+20.0R)
79+83.71
1 1/2 MILE POINT
Fd C.S. Mon up 3" MKD as shown per FB 428-81
Set 2" IP up 3" ps W. Tacks Post 5' North

155.57

131.70

(2) 185 51 00
(4) 41 42 10
(6) 197 33 20
92 55 33

1.45 Bo

1.34

R. 29 = 79+82.37
set 1x2 N. side dlow

128.73

R.P. set shiplap WoT on N.W. face of 24" Oak up 6"

COUNTY SURVEYOR 4 V.R.O. 1 1/2 M SEC 24 IMPROVEMENT

TRANSIT

226.37

Top pg # 50

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76E3098 SAF #247 11-68

BOT Pg # 53

F. B. 2326 Pg. 52

178.13 @ 0-0 T 68 = 178.11 ✓
216.13 @ 0-0 T 68 = 216.11 ✓
159.86 @ 0-0 T 72 = 159.85 ✓
554.07 ✓

554.07 ✓

R-34 = 91+80.39
Set 1x2
in Flats

209.00 @ 0-0 T 66 = 208.98 - 208.98
208.53 @ 0-0 T 66 = 208.51 - 208.51 ✓
417.49 ✓

417.49 ✓

R-33 = 87+05.90
Set 1x4
in Flat

300.67 @ 3-11 T 64 = 300.17 ✓
300.70 @ 3-11 T 64 = 300.17 ✓ 300.17
156.71 @ 0-0 T 70 = 156.70 - 156.70 ✓
456.87 ✓

458.67 ✓

R-32 = 82+49.03
Set 1x
Top low spot

79.52 @ 0-0 T 84 = 79.52

TRANSIT

79.52

R-31 = 81+69.51
Set 1x2
Top low spot

55.74

Top Pg # 51

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

B-1

WS 90

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 115 Std 89 °F
Surveyed by W.S. Cowherd
Notes W.S.C. Date 2-19-61
Indexed H. E. Ott

F. B. 2326 Pg. 53

COUNTY SURVEYOR
Simi Rd
Y. CO
LY 14 | SEC 13
LY R0 | T. LY
R. LY
L.A. CO. MONUMENT

12	352	46	25
14	345	32	55
16	338	19	20
	176	23	13
2	174	24	40
4	348	49	20
16	163	14	00
	87	12	20

23'
176°
13'
103+04.19
STATION LV #14
Fd. C.S. Brass Cap set in
12" conc. mon. up 10"
Ref. FB 928-~~68~~ 68
Mkd. as shown

VENTURA
913.37 rec
L.A. CO.

COUNTY
840.90 rec
L.A. CO.

12	192	48	55
4	25	37	45
16	218	26	35
	96	24	26

R6°
81.03
24
96°
20°
12
81.04 CO-OT 12 = 81.03

R-36 = 102+23.16
set 1x2
in Plat

247.90 CO-OT 12 = 247.88
297.85 CO-OT 20 = 297.82
545.70

R-35 = 96+77.46
set 1x2
in Plat

TRANSIT LINE
545.70
-353.07

SEC. 13
T 1N R 18W

RANCHO LAS VIRGENES

TOP Rx = 52

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3098 SAE #247 11-58


F. B 2326 Pg. 54
REPLACEMENT of CLOSING COR TO SEC 13 & 24
T.1 N. R.18W AS SET BY HOWARD FB 428-81
1930 & REMOVED LATER BY TRACTOR
N.S. 90.B.C.
57± R.M.
0+10.67 SEC. COR FB 428-79 pg 39
13 | 18 / 24 | 19
9+01.24 R Fd remains of IXE FB 428-79
10+20± LINE POINT ONLY Set 3/4" IP & Cap up 1" Top spun
LINE
SEC.
TRUE
RANDOM
LINE
FB 428, 79-80.
21+00± LINE POINT ONLY IPC & Cap up 1" in Mth of Saddle
21+02.44 R Fd remains of IXE FB 428-79
26+60.74 Rec 1/4 COR. C.S Map SEE FB 428.80
26+52.06 R Fd remains old IXE
14.55 R.M.
131.74 & 8-55 T7R=130.19
SEC. 13
HOWARD'S
CLOSING COR. Set 3/4" IP & Cap up 1" by Inter. for Closing Corner as set FB 428-81 pg 51
SEC. 24
T 1 N R 18 W
1/2 MILE MON.
37+72.57 R Fd remains IXE FB 428-80
L.V. RANCHO
LINE
TRANSIT
14.76 R
130.14 R.M.
1.87
ADOPTED RANCHO L.V. BDY.
Per C.S. B-711-1
IXE
14.75 R.M.
0.37 R.M.
10.18 R.M.
8.90 R.M.
10.02
9.66 R.M.
30°
90°
Howard's
Random
LINE
14.27 R.M.
38+89.78 R Set IXE by Inter. of Random Lines FB 428-81 pg 51
Set IXE Rec Dist. 8.90 & 14.75 for Position of Original Closing Cor. 3 pne. gs Fd by Howard pg 51 FB 428-81
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line
Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

W.S. 90, B.C-1

Notes Ck'd W. J. BRENNER
Map No. CSS 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 030201 Tape 151 Std. 84 °F
Surveyed by W. S. Cowherd
Notes W.S.C Date
Indexed W. H. E. 3 OTT

F. B. 2326 Pg. 55

TRIANGULATION AT N¼ COR. SEC 24 T.1N. R.18W.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SEE #247 11-58



2	359	38	20	(2)	128	14	00
4	359	16	30	(4)	256	28	10
16	358	55	00	16	24	42	40
	179	49	10		64	07	02
2	269	43	40	(2)	232	07	30
4	179	27	20	(4)	104	15	10
16	89	11	10	16	376	22	50
	134	51	52		116	03	48

Intersection True Sec Line & Transit Line 1" IP conc plug & Tag set Pg #51-54

TRANSIT LINE

F. B. 2326 PG. 56

4.00 OFF SET LINE RUN ON MEAN BEARING IN ORDER TO ESTABLISH EAST & WEST 1/4 SEC. LINE THROUGH CENTER OF SEC. 24 T.1.N. R.18.W. ALSO BEING NORTH BDY. OF CALABASAS-VENTURA BLVD REFUSE DISPOSAL SITE

W.S.29.C-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC 24
T.1.N R.18.W

348.43
4.00 OFF
351.21
SET LINE
90°
4.00
15'
Barb Wire
Fence
R2 = 34 51 22
SET 1/2" IRON PIPE
Set Pk & Tack
30°
29° 42'
50'
TRUE SEC LINE 2671.41
SEC PG #39
R1 = 0+00.00
SET
0+00 TO WEST 1/4 SEC. COR. SEC 24, T.1.N. R.18.W. SEC PG #39
4.00
41.63
TRUE SEC LINE 2658.98
SEC PG #23
Set 3/4" I.D. Pipe 2' long, Cone shaped Concrete Base

T = 68
299.64 @ 10-46 = 294.34 ✓
299.50 @ 10-38 = 294.33 ✓ 294.33
60.39 @ 19-36.00 = 56.88 ✓ 56.88
60.20 @ 19-07.30 = 56.88 ✓
351.21 ✓

T = 68
300.80 @ 8-14 = 297.67 ✓
300.72 @ 8-07 = 297.68 ✓ 297.68 ✓
50.76 @ 0-0 = 50.75 ✓ 50.75 ✓
348.43 ✓

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 030201 Tape 115 Std 89 °F
Surveyed by W. S Cowherd
Notes W.S.C Date 2-27-61
Indexed H. E. Ott

F. B. 2326 Pg. 57

LT Pg # 56

348.43

57.34

70.05

102.71

350.27

57.34 Line

Fence

Wire

Edge

Band

9 ST. BAND

5-89-00 W Mmag

400

60

40

25

75

8

Top Pg # 58

T3 = 6+99.65
Set 1x2
side of hill

R4 = 7+56.99
Set 1x2
side hill

7+56.99
Set 1" IP with plug & LA.C. Engrs Tag up 1"

R5 = 8+27.94
Set 1x2
side hill

R6 = 9+29.75
Set 1x2
side hill

57.35 @ 0-0 T 68 = 57.34

T = 66
73.27 @ 17-02 = 70.05
73.40 @ 17-19 = 70.06
70.05

T = 66
119.22 @ 30-30 = 102.71
118.95 @ 30-17 = 102.71
102.71

97.31 @ 31-23 T 74 = 83.05
97.46 @ 31-33 T 74 = 83.05
83.05

295.11 @ 25-06 T 72 = 267.22
295.20 @ 25-08 T 72 = 267.23
267.22

350.27

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this sign of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78F309 SSE #247 11-58

Bot Pg #57

F. B 2326 Pg. 58



T=72
155.05 @ 24-41 = 140.87 ✓
155.39 @ 24-57 = 140.88 ✓ - 140.87 ✓

T=80
112.03 @ 7-39 = 111.03 ✓
112.10 @ 7-54 = 111.04 ✓ - 111.04 ✓

242.59 @ 12-24 T78 = 236.98 ✓
242.83 @ 12-39 T78 = 236.93 ✓ - 236.93 ✓
142.05 @ 7-08 T74 = 140.94 ✓
142.12 @ 7-24 T74 = 140.93 ✓ - 140.94 ✓
377.87 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

Top Pg #59

Notes Ck'd by W. J. BRENNER
Map No. B 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 151 Std 84 °F
Surveyed by W. S. Cowherd
Notes W. S. C Date 3-10-61
Indexed H. E. OTT

F. B. 2326 Pg. 59

TBOT Pg 58

377.87

4.00

R-10 = 19+09.80
Set 1"x2"
in saddle

19+09.80
Set 1" IP conc plug
& LA Co Engrs tag
up 1"

T = 72

341.99

296.22 @ 9-23 = 292.25
295.94 @ 9-03 = 292.24
51.34 @ 19-21 = 49.74
51.48 @ 14-57 = 49.74

292.25
49.74
341.99

R-11 = 22+51.79
Set 1"x2"
Top spur

41.23 @ 0-0 T 72 = 41.23

41.23

4.00

5-89-00 W

41.23 off Set 1"x2"

R-12 = 22+93.02
Set 1"x2"
W. side spur

298.58 @ 6-06 T 70 = 296.87
298.46 @ 5-51 T 70 = 296.88
36.88 @ 0-0 T 76 = 36.88

296.88
36.88
333.76

333.76

4.00

Top Pg # 60

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 SSE #247 11-58

B&T pg # 59

F. B. 2326 Pg. 60

W.S. 29, B-1

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 030209 Tape 115 Std 84 °F
Surveyed by W.S. Cowhorn
Notes W.S.C. Date 3-20-64
Indexed [redacted] H. E. OH

F. B. 2326 Pg. 61

TIE TO LA CO. GEODETIC MONS FROM TRANSIT LINE POINTS R-15 & R-27 BETWEEN L.V.#13 & L.V.#14



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 11-58

F. B. 2326 Pg. 62

R-15



(2)	117	39	40	(2)	32	55	00	(2)	138	45	20	(2)	171	37	20
(4)	235	19	20	(4)	65	47	00	(4)	277	31	00	(4)	343	14	50
(6)	352	58	40	(6)	98	36	30	(6)	56	16	20	(6)	154	52	10
	58	49	47		16	26	00		69	22	43		85	48	42

(2)	289	17	10
(4)	218	34	20
(6)	147	51	30
	144	38	33

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.21 Tape 115 Std 69 °F
Surveyed by W. S. COWHERD
Notes W.S.C. Date 3-20-61
Indexed

F. B. 2326 PG. 63

R-27



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

(2)	150	24	50	(2)	44	02	10	(2)	194	27	10	(2)	165	33	00				
(4)	300	49	40	(4)	88	04	40	✓	(4)	388	54	30	(4)	331	06	00			
(6)	91	14	40	✓	(6)	132	06	50	✓	(6)	223	21	40	✓	(6)	136	38	50	✓
	75	12	27	✓		22	01	08	✓		97	13	37	✓		82	46	28	✓

76F3085 SAE #247 11-58

F. B. 2326 Pg. 64

K-6



2	48	54	10	2	152	44	20	2	103	50	10
4	97	48	00	4	305	28	40	4	207	40	30
6	146	42	10	6	458	13	00	6	311	31	00
	24	27	02		76	22	10		51	55	10

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

X

Notes Ck'd by W. J. BRENNER
Map No. CSB 2765
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 15 Std. 62 °F
Surveyed by W. S. Cowherd
Notes W.S.C. Date 3-20-61
Indexed H. E. On

F. B. 2326 Pg. 65

G-5

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.



(2)	113	28	00	(12)	21	49	10	(2)	22	06	20	(2)	135	34	30
(4)	286	36	10 ✓	(4)	43	38	10 ✓	(4)	44	12	30	(4)	271	09	00 ✓
(6)	340	21	30	(6)	65	27	00	(6)	66	18	40	(6)	406	43	30
	56	44	05 ✓		10	54	30 ✓		11	03	07 ✓		67	47	15 ✓

(2)	157	25	30
(4)	314	47	00
(6)	118	10	20 ✓
	78	41	43 ✓

76F3095 SAE #247 11-58

F. B 2326 Pg. 66

CHEESEBORO



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

2	35	38	30	2	96	07	00	2	120	35	30	2	84	56	48		
4	51	16	50	4	192	14	00	4	241	10	40	4	169	53	36		
6	106	53	20	6	288	21	00	6	361	45	50	6	254	50	24		
	17	49	13		48	03	30		60	17	38		42	28	23		

X

Notes Ckd by	Survey of Sec Lines
Map No.	Tape ___ Std ___ °F
Office Work	Surveyed by RAW
Checked	Notes ___ Date ___
Date	Indexed C. J. GALLI APR 30 68

F.B. 2326 PG. 67

SECTION LINES
IN 0302.01
REPLACEMENT OF MONUMENT
LOS ANGELES - VENTURA CO. LINE
AT N.W. COR. FRACTIONAL SEC 13
T1N R18W
APRIL 17, 1968
FL# 5053

WILSON
ADAMS
COCKERHAM
FISHER

Notes: Any Additions or Changes on This Sheet Must be Made of Cinched Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

LOS ANGELES COUNTY ENGINEER
608 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

76F3093 CE# 310 1-68

Cont Bot Pg 69

F.B. 2326 PG. 68

RANCHO LAS VIRGENES

R 31 = 81+69.51
FD 1"x2" STK per
FB 2326-52
on small spur.

FB 346-334 Gantt 1405
2134.68' Rec.

To L.A. Co. Line

2053.65 R 46 R. 36

55.59 R&M

RANCH LINE

300.22 @ 60° T

S6.11'@ 2421' = 55.59'

SEC 13

R18W

SEC 24

T1N

Ed. 2½" Co. ENGR brass
disc stamped as shown
up 2" and set in 6"
Conc. post per FB 2326
Pg. 51

COUNTY ENGINEER
LOS ANGELES
R.E. 5869

END

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

159-057 B-1

Do not extend this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 9018-1

76F309S CE# 310 1-65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

RANCHO LAS VIRGENES

CONT. TO R 68

(TO R 31) Gm'tr meas. FB 3616-13 & 14 (TO CO. LN.)

TO R 31

2053.65' REC.

(FB 2326-51, 53)

RANCH LINE

81.03' R & M.

(FB 2326-53)

CONT. FROM R 70

R 36 = 102+23.16
FD 1"X2" STK FL.
PER FB 2326-53

SEC 13 T1N R18W

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of J. Lines
Surveyed by ECW Tape Std °F
Notes ECW Date 4-1969
Indexed J. J. GALLI

F. B. 2326 PG. 69

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W590, B-1

159-057, B-1


VENTURA CO.
SIMI RANCHO
Fd. monument per FB 48-68 ou t.
Reset 2½" Co. Engr. brass disc
Stamped as shown up 1" and set
in 6" conc. post by rec. dist. & line
from SOUTH (RANCH LINE)
Stand. B.M. Reads 15' N.W.
Fd. 1½" I.P. Tagged "L.S. 3186" 0.23' N. & 0.23' E. of mon. (Leads to F.E.)
Fd. 1½" I.P. Tagged "L.S. 3186" 0.68' S. & 0.23' W. of mon. (Leads to F.E.)
Set 3/4" I.P. & tag "L.S. 5886" 0.20' N. & 0.20

76F309S CE#310 1-65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 90, C-1

157-057 B-1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SEC. LINES
Surveyed by JNB & CAH Tape Std °F
Notes
Indexed Date

F. B. 2326 PG. 71

VENTURA COUNTY
SIMI RANCHO

CENT. LINE

4 Strand B.W. fence

15'±

END

800.90' REC. CSB 94-1

Gmtr mons FB 3616-15 & 16

206+77.48 CO. LINE

Fd. 2½" Co. Surveyors Brass Disc Stamped as shown up 1" and set in 6" conc. post per FB 428-68 CSB 711-1

COUNTY SURVEYORS
SIMI RO.
V. CO.
BM
SEC 13
T.1N. R.19W.
L.A. CO.
MONUMENT

L.A. COUNTY

SEC 13 T1N R19W

RS 70

F. B. 2326 Pg. 72

VENTURA COUNTY

SIMI RANCHO

WS 90 B-1

01 '50 | 4W 4465

END

2'± 4 Strand B.W. fence.

County line — 913.39' R CSB 711-1 →

← Gmtr meas FB 3616-17 & 18 →

189+24.85

Fd. 2½" County Surveyors brass disc stamped as shown on 1" and set in 6" Conc Post per FB 228-67 & CSB 711-1

COUNTY SURV. SIMI RO. V. COUNTY L.A. COUNTY L.V. RO. MONUMENT

L.A. COUNTY

LAS VIRGENES RANCHO

159-05 1 B-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of Tapia Park	F.B. 2326 Pg. 75
Map No.	JN 0054.69 Tape 183 Std 84 °F	
Office Work	Surveyed by R.C. Dale	
Checked	Notes R.C.D. Date 1-27-62	
Date	Indexed	

TAPIA PARK

JN 0054.69

JAN. 1962
MARCH 1963

A PORTION OF THE N.W. ¼ OF SECTION 18 T.1.S. R.17.W. FOR TRANSFER OF OWNERSHIP

SOUTH & EAST BOUNDRY LINE

TOPO. SOUTH BOUNDRY LINE

REF
FB 765-39,40,217-218
CSB 1439-1
FB 2605

PARTY
R.C. Dale
C.H. Morrison
C.A. Pyle
R.J. Costlow
B.R. Jackson

RETURN TO
LOS ANGELES COUNTY ENGINEER
ATTN: MAP DIV.
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes through title of this line.

Note: Any Changes on This Sheet Must Be Made or Ruled in Red, Ink With Initials and Name of Person Making Change.

JCOS CE #247—7-58

F. B. 2326 PG. 76

INDEX

NW 1/4 SECTION 18

T 1 S
R 19 W



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Tract 7000
JN 00544 Tape 133 Std. Ba °F
Surveyed by R.C. Dale
Notes R.C.D. Date 6-12-62
Indexed J. GALLI

F. B. 2322 Pg. 77

W.S. 91, B-1

.90 — 13.00 — 1/4 COR FD STD CS B-cross cap Mon Per FB 765-17, 217 MKd PS shown

SURVEYOR T.1S. R.17W. SECT 7 | SECT 18 COR RE 2/77

Set 1/2 ε N

72.47 @ 6°47' T=68° = 71.94
72.37 @ 6°06' T=68° = 71.94 = 71.94
180.20 @ 4°04' T=70° = 179.73
180.14 @ 3°46' T=70° = 179.73 = 179.73
2312

SECTION 7
T.1.S.
R 17 W

257.68'

SECTION 18
T.1.S
R 17 W

FD NET
Per FB 765-217

238.04 R
238.05 M

TRUE SECTION LINE

238.24 @ 2°05' T=64° = 238.05
238.27 @ 2°19' T=64° = 238.05
AVG = 238.05

FD NET
Per FB 765.217

282.86 R
282.90 M

283.56 @ 3°46 T=66° = 282.91
283.61 @ 3°58 T=66° = 282.90
AVG = 282.90

cont Top Pg 78

RETURN TO
LOS ANGELES COUNTY ENGINEER
PO LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

763098 CE #247—7-58


cont BOT Pg #77
F.B. 2326 PG. 78
M.S. 91, B-1
ROAD
CN
MALIBU
282.00 M
282.00 R
18.00 OFFSET
12.00
Fd Spkwet & Malibu Cn Rd Per FB 765-217
45.41 R
45.40 M
Fd No 1 FB 765-217
Fd 1x2 & N Per FB 765-217
45.41 @ Lev T=54°=45.40
272.45 @ 13°23' T=54°=267.94
SECTION 18
T.1S
R.17W
SECTION 7
T.1S
R.17W
267.91 R
267.94 M
SECTION LINE
1.00
Fd 1x2 & N Per FB 765-218 Top Spur
Fd 1" I.P. Rdc plug & CC Tag Per FB 765-218
36.06 @ Lev T=72°=36.06
36.05 R
36.06 M
Fd 1x2 & N Per FB 765-218
134.07 @ 14°06' T=74°=130.02
134.18 @ 14°17' T=74°=130.02
AVG=130.02
130.02
1' OFFSET
TRUE
RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
cont Top Pg #79

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Tepia Park 4
JN 085969 Tape 132 Std 84 °F
Surveyed by R C Dale
Notes R.C.D. Date 6-12-62
Indexed J. GALLI

F. B. 2326 PG. 79

cont Bot Pg 78

W.S. 91, B-1

1° 29 @ 9° 12' T=60° = 15.09
16° 41 @ 11° 37' T=60° = 16.09
AVG 15.09

130.02

PROP COR
Set Std CE Brass
Cap Mon. MKd
as Shown

1.00

Set 1" I.P. conc
Plug & CE Tag
Low 3 pum

Set 1x2 & N
Line Proj

Set 1x2 & N

15.09 — 238.67

239.55 @ 4° 50' T=60° = 238.66
239.41 @ 4° 23' T=60° = 238.67
AVG = 239.67

14.62

Fd 1x2 & N
Per FB 3765-218

2) 178-44-40
4) 357-29-00
6) 176-13-30
89° 22'-15"

246.24

246.28 @ Lev T=56° = 246.24

Set 1x2 & N

148.28 @ 21° 00' T=56° = 138.40
147.81 @ 20° 32' T=56° = 138.39
AVG = 138.39

138.39

cont Top Pg 80

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765095 CE #247—7-53

cont Bot Pg # 79

F. B. 2326 Pg. 80

SECTION 7
T. 1 S.
R 17 W

SECTION 18
T. 1 S.
R 17 W

138.39

E. LINE

Set 1x2 ¢ N

175.94 @ 11°14' T=58° = 172.54
175.39 @ 11°09' T=58° = 172.54
AVG. 172.54
B

172.54 TO SET

SECTION LINE

TRUE

Set 1" I.P. conc plug & CE Tag Top Spun

Set 1x2 ¢ N

1.00

2268.77

cont Top Pg #81

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Tapia Park
JN 025461 Tape 132 Std 84 °F
Surveyed by R.C. Dale
Notes R.C.D. Date 1-27-62
Indexed E. J. CALU

F. B. 2326 PG. 81

cont Bot. Pg #80

231.02 @ 11°04' T=56° = 226.67
231.11 @ 11°12' T=56° = 226.68
AVG = 226.68

226.68 LINE

Set 1x2 ¢ N Top Spur

169.80 @ 7°00' T=58° = 168.50
169.70 @ 6°43' T=58° = 168.51
AVG = 168.50

168.50 SECTION

SECTION 7
T.1.S.
R.17 W

SECTION 18
T.1.S.
R.17 W

Set 1x2 ¢ N Top Spur

299.26 @ 6°30' T=60° = 297.29
299.17 @ 6°18' T=60° = 297.31
AVG = 297.30

297.30 T-PLAT

Set 1x2 ¢ N

53.43 @ 10°09' T=58° = 52.58
53.27 @ 9°10' T=58° = 52.58
AVG = 52.58

52.58

cont Top Pg #82

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765098 CE #247 7-55

cont Bot Pg #81

F.B. 2326 PG. 82

94.25 @ Lev T = 58° = 94.23

2) 179-29-20
4) 358-58-40
6) 178-27-50
89-44-38"

S2.58 LINE

set 1x2 & N

10 ADJ

99°

44'

3838-15

3-5-74

SEE F.B.

D.J.

99°

45'-05" ADJ.

cont Top Pg #83

94.23 TRUE

TRUE LINE

TRUE LINE

250.57

VACOR
Fd STD CS Brass
Cap Mon Set in conc.
Ref CS 8841-3
F.B. 801-109 Mkd
as shown

SECTION COR
Fd STD CS Brass Cap
Ref F.B. 563-18
F.B. 765-13, 16, 218
Mkd as shown

2) 179-30-10
4) 359-00-30
6) 178-30-40
89°-45'-07"

282.52 @ 28°45' T=82° = 247.69
283.27 @ 29°02' T=82° = 247.67
AxC = 247.68
2.89 @ Lev T=82 = 2.89
250.57

SURVEYOR'S MONUMENT
COUNTY OF LOS ANGELES
T.1S. R.13W. SEC. COR.

SURVEYOR'S MONUMENT
COUNTY OF LOS ANGELES
T.1S. R.13W. SEC. 7

MS 91 E-1

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Tapia Park
JN 00.0744 Tape 132 Sta 86 °F
Surveyed by R C Dale
Notes R.R.D. Date 6-12-62
Indexed R. J. GALLI

F. B. 2326 PG. 83

Cont Right Pg 82

SECTION 18
T.1S.
R.17W

Fd 3/4" I.P. Wood Plug & Tack. Reset 1" I.P. conc Plug & C.S. Tag RA-765-10,13 CSB 1439-1

SECTION 13
T1S
R18W

250.57

LINE

270.16 @ 18°42' T=80' = 255.89
269.84 @ 18°30' T=80' = 255.89
AVG = 255.89

.02

Fd 3/4" I.P. Wood Plug & T. Per FB 765-13 CSB 1439-1

Set 1x2 E N

2.82

169.20 @ 17°21' T=82' = 161.50
169.65 @ 17°50' T=82' = 161.50
AVG 161.50

161.50

TRUE

Set 1x2 E N

96.69 @ 14°58' T=64' = 93.40
96.90 @ 15°25' T=64' = 93.40
AVG = 93.40

93.40

1.82

0.2

Fd 3/4" I.P. Wood Plug & Tack Per FB 765-13 CSB 1439-1

Fd 2x2 E Tack Per FB 765-13 CSB 1439-1

.02

Cont. Top Pg 84

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-65

cont Bof Pg #83

F. B. 2326 PG. 84

93.40 LINE

Set 1x2 & N side h.l.

69.32 @ 11°47' T=64° = 67.85
69.06 @ 10°41' T=64° = 67.85
AVG = 67.85

SECTION 13
T.1S.
R.18W.

67.85 SECTION

SECTION 18
T.1S.
R.17W.

Fd 3/4" I.P. wood Plug & T. Top Ridge
Per FB 765-12
CSB 1439-1
Reset 1" I.P. conc Plug ECE Tag

297.42 @ 34°34' T=66° = 244.89
296.61 @ 34°20' T=66° = 244.90
AVG = 244.89

244.89 TRUE

2) 180-29-50
4) 360-59-30
6) 181-29-20
90° 14-53

Set 1x2 & N side h.l.

126.42 @ 18°31' T=72° = 119.87
125.62 @ 17°23' T=72° = 119.87
6.03 @ Lem T=72° = 6.03
AVG = 119.87
125.90

69.15

90°
14'
55' Rad

Fd 3/4" I.P. wood Plug & Tack
Per FB 765-12
CSB 1439-1

125.90

73.22 @ 19°10' T=70° = 69.15
113.57 @ 15°54' T=74° = 109.21 Rad.
113.45 @ 16°52' T=74° = 109.21
113.76 @ 16°16' T=74° = 109.20
AVG = 109.21

124.91

Prop Cor
Set 1" IP conc Plug & ECE Tag

109.21

COUNTY SURVEYOR
T.1S.
R.18W SEC.13 | SEC.18 R.17W
1/4 1/4 COR
RE 2177

1/4 1/4 Cor
Fnd 3/4 CSB Brass Cap Mon
Per FB 765-12
CSB 1439-1

WS 9 1-B

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by Mr. OSHITA
Map No.
Office Work
Checked
Date

Survey of Zone 4
JN 10-24-62 Tape 32 Std 84 °F
Surveyed by R.C. Dale
Notes R.C.D. Date 6-12-62
Indexed G. J. GALES

F. B. 2326 PG. 85

cont Bot. Pg #86

197.34

198.82 @ 6°58' T=70° = 197.33
199.00 @ 7°22' T=70° = 197.34
AVG = 197.34

set 1" I.P. conc Plug & CE Tag Bot. W. side Cr

200.62 @ 8°29' T=70° = 198.40
200.41 @ 8°05' T=70° = 198.40
AVG. = 198.40

198.40 LINE

SECTION 18
T.1.S.
R.17.W.

set 1" I.P. conc Plug & CE Tag Low Spur

139.13 @ 5°57' T=70° = 138.37
139.05 @ 5°37' T=70° = 138.37
AVG = 138.37

138.37 PROPERTY

set 1" I.P. conc Plug & CE Tag Low Spur

124.99 @ 1°51' T=72° = 124.91
124.97 @ 1°26' T=72° = 124.92
AVG = 124.91

124.91 PROPOSED

cont Right Pg #84

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

769098 CE #247—7-58

cont Left Pg #97

F. B. 2326 Pg. 86

256.98 @ 23°26' T=58° = 234.83
256.38 @ 23°38' T=58° = 234.84
AVG = 234.84

234.84

Set 1x2 E N Flat

138.96 @ 4°40' T=60° = 138.48
139.03 @ 5°01' T=60° = 138.48
AVG = 138.48

139.48

LINE

Set 1" I.P. conc Plug & CE Tag Flat

106.89 @ 5°03' T=58° = 106.46
106.78 @ 4°23' T=58° = 106.45
AVG = 106.46

SECTION 18
T. 1 S.
R. 17 W.

106.45

PROPERTY

Set 1" I.P. Conc Plug & CE Tag E. Side Knob

41.98 @ 6°01' T=58° = 41.74
42.03 @ 6°35' T=58° = 41.74
AVG = 41.74

41.74

PROPOSED

Set 1x2 E N W. Side Knob

149.34

cont. Top Pg #85

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Tejon Park
JN 005469 Tape 89 Sta 89 °F
Surveyed by R.C. Dale
Notes R C D Date 6-12-62
Indexed C. J. GALLI

F. B. 2326 PG. 87

Cont Top Pg #86

Set 1" I.P. Conc Plug & CE Tag Top, E. side spur

LINE 229.92

PROPERTY LINE

15.88

Set 1x2 E.N. Top Clift.

2) 211-18-00
4) 62-35-40
6) 273-53-30
106°-38'-55"

15.88 @ Lev T=72=15.88

105° - 38' - 55"

35.66 Calc.

55.11

38.58 calc.

234.84

Prop. Cor. Not Set steep Cl ft

28.48

19.45' Calc.

Set 1" I.P. Conc Plug & CE Tag S. Edge Dirt Rd.

150° - 57' - 20"

Set 1x2 E.N. S. Edge Dirt Rd.

2) 301-54-40
4) 243-49-20
6) 185-44-00
150° 57' 20"

67.78 @ 35°35' T=72°=55.11
67.32 @ 35°02' T=72°=55.11
AVG= 55.11

28.48 @ Lev T=72=28.48

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this tie of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78E3098 SSE #247 11-58

cont Bot. Pg 89

F. B. 2326 PG 88

114.57 @ Lev T=72° = 114.56

2) 230-54-00
4) 101-48-10
6) 332-42-30
115°-27-05"

114.56

115° 27' 05"

Camp Bdy #5
Set 1" I.P. conc P/49
B.C.E. Tag Record Distance
& Line from Camp
Bdy #5

Camp Bdy #6
45 Spk W & Tag
Set in Rock out Crop
Dist. to B 765-39.40
Co B 1439-

129.22

252.50

LINE

TANK
SEE PG # 109
FOR LOCATION

132.50 @ 17°23' T: 56° = 126.43
132.24 @ 17°00' T: 55° = 126.44
AVG = 126.44
2.78 @ Lev T: 55° = 2.78
129.22

93.57 @ 6°57' T: 72° = 92.89
93.75 @ 7°41' T: 72° = 92.90
AVG = 92.89
0.37 @ Lev T: 72° = 0.37
93.26

PROPERTY

3) 269-21-20
4) 178-42-40
6) 90-09-00
134° 40' 40"

PROP COR
Set 1" I.P. conc
Bdg & CE Tag
Flush

PROPOSED

229.92

249.98 @ 23°06' T: 76° = 229.93
250.28 @ 23°16' T: 76° = 229.92
AVG: 229.92

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Tepia Park
JN 59.69 Tape 132 Std. 84 °F
Surveyed by R C Dale
Notes R C D Date 6-13-62
Indexed E. J. GALLI

F. B. 2326 PG. 89

cont Right Pg #79

Comp Bdy #3
Fd 3/4" I.P. Wood Plug & Tack Per FB 765:34
Reset 1" I.P. Conc Plug & CE Tag

238.67

164.28 @ 4°23' T=66° = 163.78
164.37 @ 4°49' T=66° = 163.77
AVG = 163.77

163.77

LINE

Set 1X2 E N
N. Side Road

99.73 @ Lev T=64° = 99.72

99.72

PROPERTY

Set 1" I.P. Conc Plug & CE Tag
S. Side Road

276.58 @ 6°12' T=68° = 274.93
276.37 @ 5°48' T=68° = 274.93
AVG = 274.93

274.93

Set 1X2 E N
N. Side Dirt Rd.

114.56

cont Top Pg #89

N

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SAE #247 11-58

F. B 2326 Pg. 90

254.46 @ 7°03' T=62° = 252.50 ✓
254.54 @ 7°12' T=64° = 252.50 ✓
AVG = 252.50 ✓

Comp. Bdy # 7
Fd 3/4" I.P. Wood Plug
Stack Per FB 765-40
CS B 1439-1
Reset 1" I.P. Conc Plug
& C.E. Tag.

252.50 ✓
PROPERTY LINE
71.69 ✓
7.07 ✓
136.01 ✓
Set 1 x 2 E.N.
Comp. Bdy # 8
Fd 3/4" I.P. Wood Plug
Stack Per FB 765-40
CS B 1439-1
Reset 1" I.P. Conc
Plug & C.E. Tag

73.17 @ 11°30' T=64° = 71.69 ✓
72.93 @ 10°30' T=64° = 71.69 ✓
AVG = 71.69

7.07 @ Lev T=64° = 7.07 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA	Survey of Tapia Park
Map No.	JN 2054-69 Tape 182 Std 84 °F
Office Work	Surveyed by R C Dale
Checked	Notes R.C.D. Date 1-27-62
Date	Indexed C. J. GALLI

F. B. 2326 PG. 91

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SSE #247 11-58

141.04 @ 15°19' T=60°= 136.01
140.68 @ 14°45' T=60°= 136.02
AVG = 136.01

Contract #90

Fd 3/4" I.P. Wood Plug ET Per CS B 1439-1

.08

136.01

34.48

44.86

Comp Bdy #9 Set 1" I.P. conc Plug & CE Tag Down 10" in Intersection 56° X Ties in Pavement

Set 1X26 N

52.47

46.32

Set NET 36" Oak

Set NET in Root 12" S Fork Oak

.10

Fd 3/4" LP Flush

2) 120°-48-00
4) 241 36-00
6) 362-24-00
60° 24'-00"

400.00

424.00

Les Virgines Rd

101.50

4680 @ 16°34 T=70°= 44.86
40.19 @ 18°04 T=70°= 44.86
AVG = 44.86

Set 1 I2 E N

101.51 @ Lev T=62°=101.50

Fd 3/4" I.P. 10 nc Plug & CE Tag Dn .5' Per FB 765/143

127.94 @ Lev T=64°=127.92

7.31

OLD

632.0

Pt. #1 Dorothy Dr. Fd 3/4" I.P. Dn 12" Per FB 765-22, 35 CSB 1439-1

Pt. S.T. Fd 3/4" I.P. Down 18" Per FB 765-22, 35 CSB 1439-1

68.21 @ Lev T=60°=63.20

22.62 @ Lev T=62°= 22.62

NET 10" Oak

5.88

25.12

NET 14" Oak

26.80

NET 10" Oak

Pt. #1B FROM NORTH
Pt. #1 FROM South
Les Virgines Rd.
Fd 3/4" I.P. Dn 8"
Per FB 765-22, 35
FB 675-B
CSB 1439-1
Reset 1" I.P. conc Plug & CE Tag Dn 8.4 X 3' Surface Ties

F. B. 2326 Pg. 92

WS91 R-1

Fd 1" I.P. Conc Plug & C.E. Tag Top Rod Per FB 2326-84

COUNTY SURVEYOR
T. 1 S.
R 18 W | R 17 W
SEC. 13 | SEC. 18
1/4 1/4 COR
RE 2177

1/4 1/4 COR.
Fd Std C.S. Brass Cap Mon set in Conc Per
FB 2326-84
FB 765-12
CSB 1439-1
MKd as shown

SECTION 18
T 1 S.
R 17 W

129.29 @ 2°36' T=68°= 129.15
129.33 @ 2°55' T=68°= 129.15
AVG = 129.15

129.15 TRUE

Fd 3/4" I.P. Wood Plug & Tack. Per
FB 765-12
CSB 1439-1
Reset 1" I.P. Conc Pg & C.E. Tag Flush on Low Spur

50.00 @ 9°16' T=66°= 49.34
50.21 @ 10°39' T=66°= 49.34
AVG = 49.34

49.34 SECTION

SECTION 13
T 1 S
R 18 W

Set 1x2 ⊄ N Flush

38.18 @ Lev T=66°= 38.18

38.18 TRUE

W. 3 Post
Fd 3/4" I.P. Wood Plug & Tack Per FB 765-1, 94
CSB 1439-1
Reset 1" I.P. Conc Plug & C.E. Tag. Dn. 12

67.31 @ Lev T=74°= 67.31

67.31

cont Top Pg #93

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.9L,B-1

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Tapia Park
JN 00594.69 Tape 163 Std. 85 °F
Surveyed by R.C. Dale
Notes R.C.D. Date 9-30-63
Indexed E. J. GALT

F. B. 2326 Pg. 93

cont. from Pg 92

N 0° 06' E

SECTION LINE — 67.31

Fd 3/4" I.P. wood Plug & Tack FB 765-11 Dn. 12"

SECTION 13
T.1.S
R 10 W

135.31 @ Lev T=70° = 135.30'

SECTION LINE — 135.30

SECTION 18
T.1.S.
R.11.W

Fd 3/4" I.P. conc. Plug & CE Tag Flush

.03

71.96 @ Lev T=74° = 71.96'

TRUE — 71.96

W.2
Fd 3/4" I.P. No Plug Tag FB 765-11 Dn. 12"

258.50 @ Lev T=70° = 258.48'
9.38 @ Lev T=70° = 9.38
267.86'

2) 227-22-20
4) 94-44-40
6) 322-06-40
113-41-07

COUNTY SURVEY
R10W SEC 13
SEC 18 R11W
MARKED BOX
RE 2177

.04

113.0'

Point Park Bdy
Fd Std CS Brass Cap Mon set in conc Per FB 765-11, 23, 26 CSB 1439-1, 1 mon. bearing N 55° 44' W. Direction Reset on line between 1/4 1/4 Cor To North and 1/4 Cor South, Record distance of 560.00 from 1/4 Cor. South mon. Marked as shown

268.67 @ Lev T=82° = 268.67'
R & D 9-11-63

267.86

TRUE — 268.67 — LINE

cont. Top Pg 94

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 SAE #247 11-58

cont Bot Pg #93

F. B. 2326 Pg. 94

5745 99
Set 1x2 ⊄ N

4.01

2.00

set 1x2 ⊄ N

6.32

Fd Spk W & T,
in Egk 0.8K.06
West of Line
FB 765-23

Spk W & T
in .06K .03 East
Line FB 765-23

60.48 @ Lev T=80° = 60.48

11.79

60.48

5724 98
Fd 2x2 ⊄ T
FB 765-23

39.46 @ Lev T=74° = 39.46

39.46 LINE

4+85 51
Fd 3/4" I.P. Wood
Plug & Tack Per
FB 765-23

2.00

Set 1x2 ⊄ N

83.26 @ 3°02' T=74° = 83.12
83.18 @ 1°38' T=74° = 83.18
83.14

SECTION 13
T.1.S
R.18.W

83.14 SECTION LINE

SECTION 18
T.1.S.
R.17.W.

4+02 37
Set 1x2 ⊄ N

2.00

Set 1x2 ⊄ N

134.59 @ 4°07' T=74° = 134.23
134.61 @ 4°31' T=74° = 134.24
AVG = 134.23

134.23

2 DEFGET TRUST

cont Top Pg #95

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Tapia Park
JN 00554 09 Tape 163 Std 84 °F
Surveyed by R. C. D. 2/c
Notes R.C.D. Date 5-5-63
Indexed E. J. GALLI

F. B. 2326 Pg. 95

B-1

cont Bot Pg #94

WS 91

SECTION 13
T. 1 S.
R 18 W

SECTION 18
T. 1 S.
R 17 W

134.23 LINE

2' offset

Set 1x2 @ N

Set 1x2 @ N

200

268.88 @ 4°12' T = 70' = 268.14
268.91 @ 4°16' T = 70' = 268.14
268.14

2) 180-31-40
4) 361-03-10
6) 181-34-40
90°-16'-47"

90°

16'

47"

268.14 SECTION LINE

TRUE

TRUE LINE

1/4 COR.
Fd Std CS Brass Cap
Mon Set in Conc
Per RB 765-23
CS B 1439-1
Mkd as shown

Point "B"
Fd Std CS Brass
Cap Mon Set in
Conc Per RB 765-2324
Point is .015 North of Line
To Center of Section.
Mkd as shown

COUNTY SURVEYOR
T. 1 S.
R. B. W.
SEC. 13
SEC. 18
R. 17 W.
1/4 COR.
RE 2177

COUNTY SURVEYOR
STA.
"B"
RE 2177

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this data of this line.

76F3093 SAE #247 11-58

Cont from Pg 92

F.B. 2326 Pg 96

81.16 @ 5°51' T=62° = 80.73
81.08 @ 5°24' T=62° = 80.71
AVG = 80.72

80.72

Set std CE Brass Cap on conc. mkd as shown

COUNTY ENGINEER PARK BRANCH R.E. 6985

169.07 @ Lev T=62° = 169.05

169.05

TAPIA PARK

Fd 3/4" I.P. Wood Plug & Tack. Pet FB 765-26 Dr 12" R set 3" I.P. conc Plug & Tack

237.41 @ 0°35' T=64° = 237.37
237.42 @ 0°52' T=64° = 237.36
AVG = 237.36

237.36

Set 2" I.P. conc plug & CA-729 Flush

149.8

Fd 2x2 E T
Pic FB 765-26
COB 1439-1

.15

268.67

Cont Bot. Right Pg 93

W.S. 91, B-1

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 91, B-1

Notes Ck'd by M. OSHITA	Survey of Tapia Park
Map No.	JN 0059.69 Tape 163 Std 84 °F
Office Work	Surveyed by R. C. Dale
Checked	Notes R.C.D. Date 5-5-63
Date	Indexed G. J. GALLI

F. B. 2326 PG. 97

con't Bot Pg# 98

252.81 @ Lev T=62° = 252.77

27.94 @ Lev T=64° = 27.94

186.29 @ 0°42' T=68° = 186.26
186.33 @ 1°01' T=68° = 186.28
AVG 186.27
2.73 @ Lev T=68° 2.73
189.00

252.77

set 1"x2" S N Bot. Dry Wash

COUNTY ENGINEER BDY. PARK R.E. 5869

Fd Std CS Brass Cap Mon set in conc. Per FB 726-26,28 CS B 1439-1 Mon Has been Reset New Mon Set in conc Mkd as shown

C.S. mon shown in FB 765-26-28 No Longer In. Not able to set New Mon. as this point falls in bottom of wash. Set 3" I.P. 4' Long, conc Plug & CE Tag Flush. Record Distance From S-2 Per FB 765-26,27 CS B 1439-1

27.94

189.00

20.00

R.P. set 2" I.P. Conc Plug & CE Tag Top Bank. Flush

30.00 21.00 21.00 21.50 42.00 46.50

90° 90°

Set 2" Marker Pipe 3' From Mon

N&T 10" CEDAL

N&T 14" SYC.

13.01

12" CEDAR

TOP BANK

CREEK

TOP SMALL CREEK

TOP BANK

MALIBU CREEK

S. BANK

50.01 @ Lev T=62° = 50.00

50.00

50.00

90° 33.00 12.50 22.50 33.00 22.50 54.50 90°

189.00

20.00

R.P. set 2" I.P. Conc Plug & CE Tag Top Bank. Flush

Fd Remains of C.S. Mon. Reset & CE Brass Cap Mon as shown. Ref FB 726-26,28 CS B 1439-1

193.95 @ Lev T=68° = 193.93
5.07 @ Lev T=68° = 5.07
189.00

C.S. mon shown in FB 765-26,28 No Longer In. Set 3" I.P. 4' Long conc Plug & CE Tag Flush

80.72

N&T 14" SYC.

COUNTY ENGINEER BDY. PARK R.E. 5869

cont Top Pg# 96

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2326 PG. 98

WS 16 21-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

36.62 @ Lev T=60° = 36.61
46.71 @ Lev T=60° = 46.70
133.67 @ Lev T=66° = 133.65
216.96

cont. Bot Pg #96

216.96

COUNTY ENGINEER 5886 PARK BDY. R.E.

Set Std C&E Brass Cap Mon. Set in Conc. Mkd as shown

214.57

Fd 2" I.P. No Plug Flush

136.84 @ Lev T=75° = 136.82

214.57 @ Lev T=68° = 214.55

136.83

297.33 @ Lev T=62° = 297.29

52.24

60°

04

W.C. Fd Std C&S Brass Cap Mon Set in Conc. Per FB 765-27 CSB 1439-1 Mkd as shown

PARK COR. Set Std C&E Brass Cap Mon Set in Conc. Record Distance from W.C. & on Line between I/4 COR To West & Center of Section Mkd as shown

2) 46-50-30
4) 93-41-00
6) 140-31-30
23°-25'-15"

117.03

COUNTY SURVEYOR PARK COR. RE 21

115.83 @ 6°07' T=68 = 115.16
115.73 @ 5°38' T=68 = 115.16
Error = 115.16
1.87 @ Lev T=64 = 1.87
117.03

W.C. Fd Std C&S Brass Cap Mon. Set in Conc. Per FB 765-24, 26, 27 CSB 1439-1 Mkd as shown

297.29

Set 1/2" EW Bot Wash

23°-25'-15"

COUNTY SURVEYOR PARK COR. RE 21

252.77

cont. Top Pg #97

cont. Right Pg #95

W.S. 91 B-1

Notes Ck'd by M. OSHITA	Survey of Topia Park	F. B. 2326	Pg. 99
Map No.	JN 0059.69 Tape 163 Std 99 °F		
Office Work	Surveyed by R.C. Dale		
Checked	Notes R.C.D Date 5-5-63		
Date	Indexed C. J. GALLI		

cont. Bot Pg # 100

8.84

Set 1x2 & N Top Bank

CANYON ROAD

SEE PAGE 108

MALIBU

90.64

90.65 @ Lev T=69° = 90.64

Set 1" I.P. conc Plug & CE Tag Flush

135.33

LINE

136.28 @ 6°41' T=66° = 135.33
136.48 @ 7°20' T=66° = 135.34
135.32

Set 1x2 & N N Bnk of wash

119.52

TRUE

50.66 @ Lev T=60° = 50.65
68.88 @ Lev T=60° = 68.87
119.52

Set 1x2 & N S Bank of wash

216.96

cont Top Left Pg # 98

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B. 2326 PG. 100

WS 6/ 1-21

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CENTER SEC
Fd STDCS. Brass cap
Mon Set in conc
Per FB 765-21, 25
CS B1939-1.
MKd as shown

132.23'

TRUE LINE

2) 179-11-40
4) 358-23-30
6) 177-35-40
89°-35'-57"

35' 57"

Set 1x2 ø N Side

139.86

Fd 3/4" I.P. Wood Plug Per FB 765-25 Up 3

.09

.03

141.11 @ 7°38' T=60° = 139.87
141.21 @ 7°52' T=60° = 139.86
AVG = 139.86

.13 Fd 3/4" I.P. Wood Plug FB 765-25

.32

Fd 3/4" I.P. Wood Plug & Tag FB 765-25

177.82

73.30 @ 12°52 T=60 = 71.45
73.16 @ 12°21 T=60 = 71.41
AVG = 71.43 = 71.4

107.32 @ 7°50 T=60 = 106.36
107.46 @ 8°10' T=60 = 106.36
106.36 = 106.36
177.82

77.78

78.09 @ 5°00 T=60 = 77.78

Set 1x2 E N Side Rd

299.84 @ 1°31' T=62° = 299.69
299.80 @ 1°24' T=62° = 299.67
299.68

299.68

TRUE LINE

S-6
Fd 1x2 E N Side Bank FB 2605-29

299.84

cont To L2 Pg 99

cont from Pg 101

Notes Ck'd by M. OSHITA
Map. No.
Office Work
Checked
Date

Survey of Tapia Park
JN 005469 Tape 163 Std 84 °F
Surveyed by R.G. Dale
Notes R.C.D. Date 5-15-63
Indexed E. J. GALLI

F. B. 2326 PG. 101

cont. from Bot. Pg 102

150.07 @ 22°48' T=64° = 138.32
150.31 @ 23°00' T=64° = 138.34
AVG = 138.33

138.33

E-4
Fd 3/4" I.P.
No Plug FB765-20
Reset 1" I.P.
conc. plug & CE Tag
Top Ridge

56' - 30'

Fd 2" I.P.
No plug,
up 12"

40.45

44.13 @ 23°32' T=64° = 40.45

2) 355-52-40
4) 351-45-20
6) 347-38-00
177°-66'-20"

.06

216.58

229.87 @ 19°34' T=68° = 216.58
230.21 @ 19°48' T=68° = 216.57
AVG = 216.58

Fd 3/4" I.P.
Wood plug & T.
Reset 1" I.P. conc
plug & CE Tag
Flush
Per FB 765-20

156.98

160.17 @ 11°24' T=68° = 156.99
160.24 @ 11°32' T=68° = 156.98
AVG = 156.98

TRUE LINE

Set 1x2 E N
Top Spur
Flush

42.86 @ 14°38' T=70° = 42.44

42.44

Fd 2" I.P.
Wood plug &
Tag #2572
up 8"

.06

132.23

137.25 @ 15°32' T=68° = 132.23
137.57 @ 16°00' T=68° = 132.23
AVG = 132.23

cont. top last Pg # 100

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SAE #247 11-59

F.B. 2326 PG. 102

FOR DISTANCES SEE F.B. 2242-59

WS 91 B-1

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Topia Tract
JN 0054.69 Tape 163 Std 84 °F
Surveyed by R.C. Dale
Notes R.C.D. Date 5-23-63
Indexed J. GALLI

F. B. 2326 Pg. 103

B-1

WSG

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

Camp Bdy # 9
Fd 1" I.P. Conc Plug
E C E Tag Dn 10"
Per FB 2326-91

35°-35'-00"

329.42 per Pg 91

POST
Fd 3/4" I.P.
Dn 18" Per
FB 2326-91

Fd 3/4" I.P.
Wood Plug & T Flush
FB 765-35

388.9

2) 71-10-00
4) 142-20-00
6) 213-30-00
35°-35'-00

2) 216-38-40
4) 73-17-20
6) 289-56-00
108°-19'-20

Fd Spk W & T Flush

Fd Scr Nail & T
FB 2242-59

.04

S 67° W Nail

108°-19'-20"

73.99

cont to Pg # 102

2) 226-39-00
4) 93-18-00
6) 319-57-00
113°-19'-30"

PT 18 = PT # 1
Fd 1" I.P. Conc
Plug & C & T Tag
Per FB 2326-91

86.82

74.00 @ Lev T=64° 73.99
156.57 @ Lev T=64° 158.58
166.29 @ Lev T=64° 166.29
322.82

113°-19'-30"

6.24

Fd 3/4" I.P. Wood
Plug & T & C Dn 18"
Per FB 765-35

211.65 @ 4°26' T=70 = 211.00
211.57 @ 4°13' T=70 = 210.98
Avg = 210.99
2.80 @ Lev T=70 = 2.80
213.79

213.79

299.68 @ Lev T=68° 299.60
33.77 @ Lev T=68° 33.77
333.37

322.82

MALIBU CANYON ROAD

EC
Set 1" I.P. Conc
Plug & C & T Tag
Dn 12"

22.72

Set SPK & T
18' North

REC
Fd 3/4" I.P. Flush

29.96

10.36

Set SPK & T
20" North

33.33

cont Top Pg # 106

cont Top Pg # 104


F. B. 2326 Pg. 104
Cont. Bot Pg. #103
333.37
Road
Set 1x2 E/N W Side Rd
152.98
Los
87.63 @ Lev T=68° = 87.63
65.36 @ Lev T=68° = 65.36
152.98
Set 1x2 E/N E Side Rd
211.78 @ 3°11' T=68° = 211.41
211.79 @ 3°22' T=68° = 211.39
211.40
Malibu Cn
See BC 106
211.40
Virginia
102
RE BC Fd 3/4" I.P Wood Plug & T Per RB 75-35 CS 1439-1
80.00
30.09 @ 4°32' T=68° = 30.00
136.83
RB 765-5 CS 1439-1
183.31 @ 3°30' T=68° = 182.95
183.20 @ 2°51' T=68° = 182.95
Avg = 182.95
Road
82.24
Set 1x2 E/N 40' Set
PI #2
Set 1" I.P. no Plug & Cap Tag Down 1.5' Record Dist. From B.C.
182.95
Set 1x2 E/N Ledge Rd.
462
Set Spike & Tag
Pinuma Rd.
49°-39'-55"
256.28
257.06 @ 2°23' T=68° = 256.81
257.02 @ 2°07' T=68° = 256.81
1.47 @ Lev T=68° = 1.47
256.28
2) 99-19-50
4) 198.39-40
6) 297-59-30
49°-39-55"
Cont. Bot Pg. #107
WS 21 B-1
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Please Return To
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of Tapia Park
Map No.	JN 005469 Tape 163 Std 84 °F
Office Work	Surveyed by R.C. Dale
Checked	Notes R.C.D. Date 5-6-63
Date	Indexed J. GALLI

F. B. 2326 PG. 105

W.S. 91, B-1

From PTS 199

RPPI #3
Set 1" I.P. conc Plug & CE Tag Flush

2) 186-50-30
93°-25'-15"

RPPI #3
Fd 3/4" I.P. Wood Plug & T. Pr. F.B. 765-39
C.S.B. 1439-1 Reset 1" I.P. conc Plug & CE Tag Flush

40.66 @ 21°41' T=62°=37.77
40.99 @ 22°49' T=62°=37.77
AVG = 37.77

259.28

93°-25'-15"

37.77

29.75

30.98 @ 16°14' T=68°=29.75
32.37 @ 29°14' T=68°=29.74
AVG: 29.75

PI #3 & Point
Set 1" I.P. conc Plug & CE Tag Lead 12" Reroad Dist. from PI #2 Set Surface X Ties

44.75 @ LOC T=72°=44.75

44.75 REM LOC

130°-09'

2) 346-19-00

4) 382-38-00

6) 318-28-30
170°-09'-30"

RCD 87.00

30

1/4 SECTION LINE

31.77

146.05

Fd 1X2 C.N.
Top Spot
Per F.B. 2326-100

VIRGINES RD

PLUMAS RD

Fd 1X2 C.T.
S. Side Road
Per F.B. 2326-100

145°-05'-30"

Intersection
Set 1" I.P. conc plug & CE Tag Down 12" Leg Intersection Set Surface X Ties

31.77 @ LOC T=72°=31.77

73.30 @ 12°52' T=60°=71.45
73.16 @ 12°21' T=60°=71.46
AVG = 71.46

76.25 @ 11°57' T=72°=74.59
146.05

2) 290-11-10

4) 220-22-00

6) 150-33-00
145°-05'-30"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B. 2326 PG. 106

Cont Bk Left Pg# 103

Cont Bk Right Pg# 103

W.S. 21 R-1

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

MALIBU CANYON ROAD

322.82

Fd 1" I.P. Rond Plug & C.T.sy Dn 12" Pearl FB 2326-103

EC Fd Spk W&T Per FB 2326-103

LOS VIRGENES ROAD

30°-34'-52"

24.19

194.22 @ Lev T = 64° = 194.19

(2) 61-09-40
(4) 122-19-20
(6) 183-29-10
30°-34'-52"

32 Rr FB 2326-103-104

Fd Spk W&T Edge of Pavement

24.68

24.65 @ Lev T 64° = 24.65

38.96 @ Lev T 64° = 38.95

Set 1x2.5 N by Intersection

10'

Fd 1x2.5 N Per FB 2326-104

38.95

Post Fd 3/4" IP Wood Plug & T. Down 1' West Side Road. Per SJB 1603-2 FB 2605-8 FB 851-206

110.99

Cont Top Pg# 107

W.S.91, B-1

Notes Ck'd by M. OSHITA	Survey of Tapia Park
Map No.	JN 005469 Tape 163 Std 84 °F
Office Work	Surveyed by R.C. Dale
Checked	Notes R.C.D. Date 5-1963
Date	Indexed R. J. GALLI

F. B. 2326 Pg. 107

Cont Bot Pg #106

111.00 @ Lev T = 64° = 110.99

110.99

24.07 @ Lev T = 16° = 24.07

Fd LET Top Rock Wall Per F B 2605-8

24.07

R.H. #83 Fd 2" I.P. Conc Plug & C & T Tag Ftg 18" Per F B 2605-8

7.70

Fd LET Top Rock Wall Per F B 2605-8

9.78

32.10

Fd Spk W 3/4 48" Oak F B 2605-8

Fd LET Top Rock Wall Per F B 2605-8

100.01 @ Lev T = 66° = 100.00

140°

2) 281-34-00
4) 203-08-20
6) 124-42-30
140° 47' 05"

Fd 3/4" I.P. Conc Plug Ftg F B 2605-8

81.53 @ Lev T = 66° = 81.52

81.52

Cont Top Pg #108

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

78F309S CE # 310 3-61


F. B. 2326 PG. 108
cont Bot Pg #107
81.52
Fd 1/2" IP
W. Edge C Road
210.49
MALIBU CANYON ROAD
PIUMA RD
210.72 @ 2°35' T= 66° = 210.49
210.83 @ 3°00' T= 66° = 210.50
210.49
B.C.
Fd Spk W&T
Per FB 2605-8
207.47 @ 2°11' T= 70° = 207.30
208.26
Fd Spk W&T
Flush on
Intersection
PARK BD
1/4 SECTION LINE
57.23
33.41
Fd 1" IP
Per FB 2326-99
Fd 1" IP Conc
Plug & Tag
Per FB 2326-99
560.86
298.34 @ Lev T= 70° = 298.31
133.58 @ Lev T= 70° = 133.58
128.98 @ Lev T= 70° = 128.97
560.86
57.24 @ Lev T= 70° = 57.23
33.41 @ Lev T= 70° = 33.41
2) 138-11-40
4) 276-23-10
6) 54.34.40
69° 05' 49"
PI 32
Fd Spk W&T
Flush
Per FB 2605-9
W.S. 9 B-1
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of Tapia Park
JN 0659.6 Tape 182 Std 89 °F
Surveyed by R.C. Dale
Notes R C D Date 6-15-62
Indexed R. J. CALL

F. B 2326 Pg. 109



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
DO LOS ANGELES COUNTY ENGINEERING BLDG.

7850SS CE #247 7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 2326 PG. 110

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of TOPIO PARK
JN 00549 Tape 130 Std 99 °F
Surveyed by R.C. Dale
Notes R C D Date 10-11-63
Indexed E. J. GALLI 1963

F. B. 2326 Pg. 111



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

700 Pg 112


F. B. 2326 PG. 112
130+ Pg 111
Park Bdv.
W.C.
7+43 ± Point
COMMON
FB 2326-98
8.67
43.2
8.68
PARCEL
SOUTH
92.7
33.6
9+01.14
CREEK
PARCEL
107.4
28.0
10+40.88
Fd 1X2 IRON
FB 2326-98
NORTH
EAST
PARCEL
SOUTH
110.9
24.4
12+05.68
12+93.65
Fd 1X2 d T
FB 2326-97
13+21.87
3" I.P.
FB 2326-97
30.0
159.0
COMMON
FB 2326-97
TOP Pg # 113
COUNTY ENGINEER
6985
R.E.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of TAPIA PARK
Map No.	JN 00546.69 Tape 100 Std 68 °F
Office Work	Surveyed by R.C. Dale
Checked	Notes R.C.D. Date 10-11-63
Date	Indexed E. J. GALLI

F. B. 2326 Pg. 113

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

B&T Pg 112

53°

156°

C.S. MON
FB2326-97

13+71.59
3" I P
FB2326-97

14+42.3

14+52.76
Fd CE Mon
FB2326-96

BDY

130.9

11°

15+52.76

16+21.36
Fd 3" I P
FB2326-96

MALIBU CREEK

BANK

BANK

SOUTH

144°

17+43.40

NORTH

SOUTH

PARK

18+58.72
Fd 2" I P
FB2326-96

127.5

5°

19+06.77

TAPIA

19+21

TOP Pg 114

COUNTY ENGINEER
Park Bdy
R.E. 5869

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by RUDENBACKER	Survey of LIBERTY CYN RD
Map No.	JN 009590 Tape 01 Sta 84 "F
Office Work	Surveyed by W.S. CONNERS
Checked	Notes W.S.C. Date 1-17-64
Date	Indexed J. GALLI MAR 2 7:54

F. B. 2326 PG. 121

LIBERTY CANYON ROAD

JN 009590

JAN - 1964

F.B. 2326

REFERENCE

PARTY
W. S. CONNERS
C. ADAMS
R. SWANN
E. JACKSON
E. TINDELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F.B. 2226 Pg. 122

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 90, 8-2

Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of Liberty Cyn Rd
JN 0095.90 Tape/88 Std. 64 °F
Surveyed by W.S. Cowherd
Notes W.S.C. Date 1-16-64
Indexed R. J. GALLI MM 1-384

F. B. 2926 Pg. 123

B.C
288+90.34 B.C
Fd T. Bar & Button
Per FB 3150-7
A 13-002 pg 33
A 13-001 " 174
FB 3503-112

VENTURA FREEWAY

Rec Per FB 3152-7

Fd L&T, in curb
Per FB 3150-7

23.1 MES
18' Rec Per FB 3150-7

S.S. - 3/21/66

Intersection = 0+00 Sou
Fd 3/4" W&T, Flush
Per FB 3150-7

30.10 @ 0-0 T38 = 30.09 ✓
31.82 @ 0-0 T38 = 31.31 ✓
123.68 @ 0-0 T40 = 123.64 ✓
195.06 @ 0-0 T40 = 195.00 ✓
318.64 ✓
49.94 @ 0-0 T44 = 49.93 ✓

(1) 90 00 20
(4) 360 01 30 ✓
(W) 180 02 20 ✓
90 00 23 ✓

90° 00'

49.93 R&M

31.33 Rec
31.31 MES

RONDELL STREET

15.27 MES
15.30 Rec

0+49.93 ✓
Fd Sq Hd W.T.
Per FB 3150-7

30.32 ✓ MES
30.33 Rec

1+25.20 ✓
Fd Sq Hd W.T.
Per FB 3150-7

Fd L&T in curb
Per FB 3150 02 pg 7

94.51 R&M

Fd 3/4 W&T
Per FB 3150 pg 7

90°

496.88 Rec

T 48
38.81 @ 0-0 = 38.80 ✓
36.48 @ 0-0 = 36.47 ✓
75.27 ✓
30.33 @ 0-0 T48 = 30.32 ✓

T45 R8 T124

S.S. - 3/22/66

279+17.83
EC 279+17.63
Fd T. Bar & Button
Per FB 3150-7
A 13-002 pg 33
A 13-001 " 174

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F3095 CE # 310 3-61

LT Pg #123

F. B 2326 Pg. 194

W.S. 90, B-2

STREET

30.32 West
30.33 Rec

AGOURA ROAD

Inter 1755.52
Fd 39 #LT
FB 3150-8

3.08 Rec
3.09 Meas

1758.61
Fd 39 #RW
FB 3150-8
8 1/2" [illegible]

RANCHO

1733 Rec
1732 Meas
S 09°45' E mon

T56
118.09 @ 6-25 = 117.33
117.94 @ 5-46 = 117.32 — 117.32

T-64
300.10 @ 6-30 = 298.13
300.24 @ 6-46 = 298.12 — 298.12

298.12

T-64
124.69 @ 4-22 = 124.31
124.60 @ 3-50 = 124.30 — 124.30

124.30

1758.93
Found
in FB 3150-8
8 1/2" [illegible]
East edge road

P#1 = 5+74.05
Set 1"x2" nail
in field

Top Pg #125

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of Liberty Gun Rd
JN 0095.90 Tape 188 Std 84 °F
Surveyed by W.S. Cochrane
Notes RTS C Date 1-16-64
Indexed R. J. GALLI

F. B 2386 Pg. 125

BOT Pg #124

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

124.30

P#2 = 6+98.35
Set 1"x2" Pin at Ft. side hill

4. Strand old Barb wire fence

35°

300.09 @ 0-0 T68 = 300.06

300.06 P Line

45°

80°

P#3 = 9+98.41
Set 1"x2" Pin at Ft. side hill

T=70
262.50 @ 2-49 = 262.16
262.46 @ 2-32 = 262.18 -262.17

262.17

S 09°45' E among

P#4 = 12+60.58
Set 1"x2" Pin at Ft. side hill

T 70'
300.16 @ 3-26 = 299.59
300.19 @ 3-33 = 299.58

299.59

Top Pg #126

76F308S CE # 310 3-61

Bot Pg #125

F. B. 2326 PG. 126

299.59

P#5 = 15+60.17
Set "X" cut in Mark flush in field

264.81 @ 0-0 T66 = 864.78

P-LINE

T66
165.34 @ 0-0 = 165.32
216.63 @ 0-0 = 216.60
381.92

P#6 = 18+24.95
Set "X" cut in Mark flush in field

I=64

220.00

299.46 @ 1-15 = 299.35
299.44 @ 1-06 = 299.35

299.35

P#6.5
See Pg #140

See Pg #140 for Intersection

381.92

35 Adj.

13.69

Fd T-Bar + Cap 1/2" MKd B-1 LS 2333 used for Aerial Mapping Control

Top of cut bank East edge dry creek

45

17'±

5945

22+06.87
P#7 = PI #1
Set 1" IP conc plug & Co. Engr. tag flush in field

166°

S 04° 00' W more or less
299.35

① 166 45 30
④ 307 02 10
⑥ 280 33 00
196 - 75 - 30
6

X

Top Pg #127

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of Liberty Cyn Rd.
JN 009590 Tape 188 Std. 84 °F
Surveyed by W.S. Cowherd
Notes W S C Date 1-16-64
Indexed G. J. GALLI

F. B. 2326 Pg. 127

BOT Pg # 126

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

S 04° 00' W
299.35

P#8 = 25+06.22
Set 1x2 + nail flush in field

T=44
151.05 @ 0-0 = 151.03 ✓
150.00 @ 0-0 = 149.98 ✓
301.01 ✓

P=17.4

301.01

Top Cut Bank East side Dry Creek

95'±

P#9 = 28+07.23
Set 1x2 + nail flush in field

T=42
300.31 @ 0-30 = 300.22 ✓
300.34 @ 0-45 = 300.23 ✓ 300.22 ✓

300.22

P#10 = 31+07.45
Set 1x2 + nail flush in field

T=44
300.72 @ 0-0 = 300.64 ✓
195.53 @ 0-0 = 195.48 ✓
496.12 ✓

496.12

Top Pg # 128

78F3095 CE # 310 3-61

BOT Pg #127

F. B. 2326 Pg. 128

496.12 ✓

Top Cut Bank East side Dry Creek ← 72'± → ⊡ ← SP #11 = 36+03.57 Set 1/2" Lead & Tack in Field

S 40° 11' 00" W

300.08 ✓

T=58
300.20 @ 1-23 = 300.06 ✓
300.19 @ 1-09 = 300.08 ✓ 300.07 ✓

T=58
262.24 @ 1-05 = 262.15 ✓
262.18 @ 1-18 = 262.17 ✓ 262.1 ✓

⊡ ← SP #12 = 39+03.64 Set 1/2" Lead & Tack in Field

T-60
300.47 @ 0-0 = 300.42 ✓
238.68 @ 1-07 = 238.59 ✓ 238.59 ✓
238.65 @ 0-48 = 238.59 ✓ 539.01 ✓

191.82 ✓

P-LINE

SP #13 = 41+65.80 Set 1/2" Lead & Tack Top of cut bank N side dry creek

Dry Creek

110.55 ✓

43+93± Top of cut bank South side

X

Top Pg #129

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of Liberty Gyp Rd
JN 009590 Tape 188 Std. 84 °F
Surveyed by W.S Cowherd
Notes W.S.C. Date 1-17-64
Indexed E. J. GAIM

F. B. 2326 Pg. 129

T30T pg # 128

45+52
Top cut bank
North side dry creek

539.01

46+56
Top cut bank
South side dry creek

P#14 = 47+09.81
Set 1x2 nail flush
in bank South
side dry creek

S 04° 08' W

CREEK

47+34
Top bank

260.53

260.56 @ 0-0 T64° = 260.53

49+55
Top bank

P#15 = 49+65.34
Set 1x2 nail flush
edge field

T = 62°

196.29 @ 0-0 = 196.26
218.72 @ 0-0 = 218.69
195.02 @ 0-0 = 194.99
609.94

P.I. LINE

609.94

231.00 @ 0-0 T58 = 230.96

55+75.28
P#16 = P.I. "E"
Set 1" IP conc. plug
& Co. Engr tag flush
in Field

S 05° 51' E

96.09

(1) 152 16 10
(2) 249 04 40
(3) 153 37 80
152 16 10

Top Pg # 130

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

BOT Pg # 129

F. B. 2326 PG 130

T-52
172.76 @ 0-0 = 172.73 ✓
253.25 @ 0-5 = 253.20 ✓
425.93 ✓

T-52
163.24 @ 0-3 = 163.21 ✓
129.14 @ 2-3 = 129.14 ✓
292.35 ✓

T-52
220.92 @ 0-0 = 220.85 ✓
110.13 @ 0-0 = 110.11 ✓
330.96 ✓

T-52
214.24 @ 0-0 = 214.20 ✓
294.49 @ 1-00 = 294.37 ✓ = 294.36 ✓
294.45 @ 1-01 = 294.35 ✓
508.56 ✓

230.96 ✓

P#17 = 58+06.24
Set 1x2 + nail flush in field

425.93 ✓

P#18 = 62+32.17
Set 1x2 + nail flush in field

292.35 ✓

S 25° E

P#19 = 65+24.52
Set 1x2 + nail flush in field

330.96 ✓

P.I. 1+00

P#20 = 68+55.48
Set 1x2 + nail flush in field

508.56 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

TOP Pg 131

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Liberty Gun Rd
JN 009590 Tape 100' Std EK °F
Surveyed by H.S. Cowherd
Notes Ch. C Date 1-1964
Indexed J. GALLI

F. B. 2328 Pg. 131

Bot Pg #130

T=52
132.70 @ 2-18 = 132.56 ✓
132.72 @ 2-45 = 132.54 ✓ 132.55 ✓
11.85 @ 0-0 T 52 = 11.85 ✓

508.50 ✓
P#21 = 73+64.04
Set 1x2 & nail Flush in Field
132.55 ✓
S 25° 00' E
P#22 = 74+96.59
Set 1x2 & nail Flush in Field
SECTION LINE
7.70
11.85 ✓
Intersection
See page # 149
P#23 = 75+08.44
Set 1x2 & nail. in Field
255.60 ✓
P-LINE
255.66 @ 0-0 T 50 = 255.60 ✓

Top Pg #132

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE # 310 3-61

Bot Pg #131

F. B. 2326 Pg. 132



Top Pg #133

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of Liberty Cyn Rd
JN 07.95.92 Tape 100 Std 68 °F
Surveyed by W.S. Cowherd
Notes W.C. Date 1-24-64
Indexed C. J. GALLI

F. B. 2326 Pg. 133

BOT Pg. 132

T=38
222.11 @ 1-33 = 221.99 ✓
222.15 @ 1-51 = 221.99 ✓ 221.99 ✓

P-LINE
278.86 ✓

P#27 = 85+25.29
set 1x2 small Flush in Field

(1) 166 02 30
(4) 304 09 20
(6) 276 13 30 ✓
166 02 18 ✓

TR ✓
25 Adj.

221.99 ✓
90°
52.00
Fd T BAR + CAP UP 4" MKD B-5 LS 2353

57.40

87+47.28
P#28 = PI#4
Set 1" IP with plug & PK. ENGRS TAG Flush West Edge Field

02'

100'

298.29 ✓

P#29 = 90+45.57
set 1x2 small Flush in Field

T=70
298.40 @ 1-18 = 298.29 ✓
298.39 @ 1-11 = 298.30 ✓ 298.29 ✓

S 31° 30' E
300.48 ✓

T=70
300.55 @ 0-57 = 300.48 ✓
300.56 @ 1-09 = 300.47 ✓ 300.48 ✓

TOP Pg. 134

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

Bot Pg # 133

F. B. 2326 Pg. 134

300.48

P#30 = 93+46.95
Set 1x2 vinyl flush in field

398.59

S 31° 50' E

193.22 @ 0-0 T=22 = 193.28
205.41 @ 0-0 = 205.39
398.59

P#31 = 97+44.64
Set 1x2 vinyl flush in field

249.38

249.40 @ 0-0 T 70 = 249.38

P#32 = 99+94.08
Set 1x2 vinyl flush N. side of drive

147.20

147.21 @ 0-0 T 70 = 147.20

P-LINE

Top Pg # 135

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of Liberty Gyro Rd
JN 009590 Tape 188 Std 84 °F
Surveyed by W. S. Cowherd
Notes W.S.C. Date 1-24-64
Indexed GALLI

F. B. 2826 Pg. 135

BOT Pg #134

147.20

P#33 = 101+41.22
Set 1x2 nail flush on side hill

P-LINE

T 44
276.75 @ 4-40 = 275.76
276.70 @ 4-30 = 275.78 — 275.77
82.18 @ 0-0 = 82.16
357.93

102+69

5.5 Steel Bard Wire Fence

357.93

158°

36'

P#34 = 104+99.15
Set 1" IP + conc plug + CE 796

55 Adj.

270.08

158 36 30
274 27 45
231 41 45
158 36 58

Top Pg #136

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B 2326 Pg 136

T=62
97.67 @ 0-0 = 97.66 ✓
172.44 @ 0-0 = 172.42 ✓
270.08 ✓

270.08 ✓

S 52° 30' E Mon

P # 35 = 107+69.23
Set 1x2 Flush

T=62
224.02 @ 0-0 = 223.99 ✓

(B) 138 18 00
(A) 109 48 00 ✓
138 18 00 ✓

223.99 ✓

138.0'

±1.

109+93.22
P-36
Set 1" IP corr.
plug & CE. Tag Flush

53.1' M.S.

N 84°-00' E mon
333.58 ✓

T=60
105.96 @ 4-11 = 105.60 ✓
105.91 @ 4-17 = 105.60 ✓ 105.60 ✓

P # 37 = 113+26.80
Set 1x-L Flush

T=60°
299.80 @ 10-17 = 294.94 ✓
299.62 @ 10-06 = 294.93 ✓ 294.93 ✓
38.66 @ 0-0 38.65 ✓

333.58 ✓

392.82 calc.

T=62
249.06 @ 0-0 = 249.02 ✓
249.79 @ 3-01 = 249.41 ✓
249.73 @ 2-48 = 249.39 ✓ 249.40 ✓
498.42 ✓

498.42 ✓

105.60

△ STA 117+19.62
Set 3/4" IP and
cap up 1", in
hole
See page # 179
for angle ties
to GEODETIC
△ STAS

LT Pg 137

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

C-4

WS90

Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of LIBERTY CYN. RD
JN 2095.90 Tape 188 Std. 84 °F
Surveyed by W.S. COMMERO
Notes WSC Date 2-20-84
Indexed R. J. GALLI

F. B. 2326 Pg. 137

T62
93.35 @ 0-0 = 93.35
47.86 @ 0-0 = 47.85
14.05 @ 0-0 = 14.05
155.24

T-68
20.88 @ 0-0 = 20.88
42.43 @ 0-0 = 42.43

105.60
198.42
155.24
P-38: 118+25.22
SET 1X2 PK&T
ON S. side dirt road
P-39 = 119+80.46
SET 3pk&Tin Flash
R.P. Fd bT3pK & Tin in 32" 6ome Tree
R.P. Fd bT3pK & Tin in 20" 6ome
42.43 R+M
38.00 R+M
A P-LINE
18.50
84 45 20
339 01 20
148 32 10
84 45 22
T-68
R.P
R.P N+T in guy pole
45.87
S18°27'20"W
2519.90 RD
END of P-LINE
119+98.96
1/4 SEC COR = PI-13 & PI-150
ORIGINAL COR. gone replaced with C.E. BRASS CAP MON MKD AS SHOWN RESET PER TIES IN FB 1557-114 Also see FX 304-15 FB 339-7-15 FM N780
MON IS SET DOWN 10" IN A WELL + PROTECTED by a CAST IRON COVER MARKED "COUNTY ENGR MON"
N76°17'00"E REC
722.99 REC
N76°17'00"E
722.99 REC
2652.42 REC
TRUE SECTION LINE
38.93
R.P N&T in PP 96029E
LAS VIRGENES RD
PER ROAD DEPT FM 11780
N0°05'40"W REC
PER FM 11780
SECTION COR
Fd CE. MON DN. 9" IN A WELL WITH A CAST IRON COVER MKD AS SHOWN PER FB 1557-21-24
COUNTY ENGINEER SEC. COR. 1/6 12/7 T.1.S R.18.W R.17.W R.E. 5869
COUNTY ENGINEER 1/4 COR. SEC. 1 / SEC. 6 T.1.S R.18.W R.17.W R.E. 5869

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F309S CE # 310 3-81

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B 2326 Pg. 138

Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of Liberty Gun Rd
JN 009590 Tape 188 Std 84 °F
Surveyed by W.S. Cowherd
Notes W.S.C. Date 1-31-64
Indexed E. J. GALLI MAR 2 3 '64

F. B. 2336 Pg. 139

C-2

WS 90

NORTH LINE SECTION 36 - T.1N R.18W.
& TIE TO R-LINE

BOT Pg # 147

(a) 179 47 30
(b) 359 16 30
(c) 358 45 30
179 47 35

1/4 COR. = 0400 E & W
Fd. C.E. Brass Cap Mon. up 3"
Fd. FB 2336-26 Fd. 2" Guard Pipe 5' N.E. North & up 4'
MKd as shown

R.P. - Set 1" I.P. Conc. Plug & C.E. Tag W.N. 4P1"
2-3-65 J.T.

37.17

37.17 @ 0-00 T=74 = 37.17

35.40 @ 16-15 T=74 = 33.99
35.09 @ 14-22 T=74 = 33.99 - 33.99

T=64

3.79 @ 0-0 = 3.79 ✓
172.95 @ 30-47 = 148.56 ✓ 148.55 ✓
172.59 @ 30-36 = 148.54 ✓
152.34 ✓

S-1 = 2784.48
Set 1x2, Flush
Side bdry

T=70

299.80 @ 18-23 = 284.47 ✓
300.20 @ 18-36 = 284.49 ✓ 284.48 ✓

T=68

300.55 @ 13-13 = 292.56 ✓
300.72 @ 13-20 = 292.58 ✓ 292.57 ✓

SEC. 36 T.1N R.18W.

S-2 = 5777.05
Set 1x2, Flush
Side bdry

T=64

291.57 @ 7-27 = 289.07 ✓
291.62 @ 7-32 = 289.06 ✓ 289.06 ✓

SEC 25 T.1.N R.18.W.

TOP Pg # 140

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

BOT Pg# 139

F. B. 2326 Pg. 140

T=48
207.39 @ 2-29 = 207.15 ✓
207.44 @ 2-46 = 207.15 ✓ 207.15 ✓

74.52 @ 0-0 T48 = 74.50 ✓
222.300 @ 0-0 T60 = 222.00 ✓
159.93 @ 0-0 T60 = 159.91 ✓

1	99	45	00
4	39	00	00 ✓
6	238	30	00 ✓
	99	45	00

289.06 ✓

S-3 = 8+66.11
Set 1"x2" Chisel
in Rock

207.15 ✓

99° 45' 00" ✓

P#7
see pg# 126

P-LINE

159.91 ✓

P#6
see pg# 126

10+73.26
S-4 = P#6A
Set 1" IP conc
plug + C.E. Tag FWD
by intersection
see pg# 126

74.50 ✓

LINE

T=48
186.41 @ 14-40 = 180.30 ✓
186.50 @ 14-46 = 180.30 ✓ 180.30 ✓

T-56
79.59 @ 11-10 = 78.07 ✓
79.46 @ 10-42 = 78.07 ✓ 78.07 ✓

258.37 ✓

SECTION

S-5 = 11+47.76
Set 1"x2" Chisel

TRUE

258.37 ✓

SEC 25
T.1.N. R.18.W.

SEC 30
T.1.N. R.18.W.

Top Pg# 141

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 03021 Tape 18 Std 64 °F
Surveyed by W.S. COWHERD
Notes W.S.C Date
Indexed J. GALLI

F. B. 3326 Pg. 141

BOT Pg #140

T=58
300.77 @ 7-35 = 298.09 ✓
300.82 @ 7-41 = 298.07 ✓ 298.08 ✓
299.94 @ 14-36 = 290.21 ✓
299.98 @ 14-38 = 290.21 ✓ - 290.21 N
588.29 ✓

SEC. 25
T.1N. R.18W.

LINE
258.37 ✓

5 5-6 = 14+06.13
set 1" IP cem plug
C.E. 3.96 top of
Low spur Flush

SECTION
588.29 ✓

SEC. 36
T.1N. R.18W.

T=76
161.46 @ 25-46 = 145.40 ✓
161.58 @ 25-52 = 145.38 ✓ 145.39 ✓
72.48 @ 18-42 = 68.65 ✓
72.19 @ 18-00 = 68.66 ✓ 68.65 ✓
47.74 @ 9-48 = 47.05 ✓
47.65 @ 9-01 = 47.06 ✓ - 47.06 ✓
261.10 ✓

TRUE
261.10 ✓

5 5-7 = 19+94.42
set 1x2 Flush

T=96
103.04 @ 8-39 = 101.86 ✓
103.10 @ 8-52 = 101.86 ✓ 101.86 ✓

5 5-8 = 22+55.52
set 1x2 Flush

-101.86 ✓

Top Pg #142

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

BOT Pg # 141

F. B. 2326 PG. 142

WS 90

B-2

2299 @ 0-0 T 70 = 2299

101.86

T = 70

230.38 @ 14-37 = 222.90

230.53 @ 14-46 = 222.90

222.90

14.73 @ 0-0 = 14.73

237.63

T = 68

300.42 @ 10-23 = 295.47

300.47 @ 10-26 = 295.47

295.47

21.24 @ 0-0 = 21.24

316.71

22.99

237.63

89° 8' 0"

44.27

316.71

TRUE SECTION LINE

TRUE SECTION LINE

S-9 = 23+57.38 = Z
set 1"x2' Plush

S-10 = 23+80.37 = Z
set 1" IP with plug

(B)	89	74	30
(A)	358	57	50
(C)	178	26	40
	88	44	27

9

26+18.00 = 0+00 South
SECTION CORNER.
Fd L.A. CO. ENGR'S MON.
MKD AS SHOWN
Per F.B. 2336: 25

COUNTY ENGINEER
T. 1 N.
R. 5 W.
S.B.B.&M.
SEC. CORR.
1 2 6
35 36

See Top of Pg # 143

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN C302.01 Tape 185 Std 84 °F
Surveyed by W.S. COWHERD
Notes WSC Date 2-24-64
J. GALLI
Indexed

F. B 2326 Pg. 143

RT Pg = 142

N½ OF WEST LINE SECTION
36 T. 1N. R. 18 W

77.73 @ 0-0 T 56 = 77.72 ✓
29.36 @ 0-0 T 58 = 29.35 ✓

316.71

5-1 = 3+16.71
Set 1" IP & conc.
PNG & C.E. TAG
Top of low spur
Up 1"

7772 ✓

0.10

3+94.43
Fd 1" IP
L.S. Tag = 2482 Up 1"

SEC. 35
T. 1N. R. 18 W

SEC. 36
T. 1N. R. 18 W

29.35 ✓

LINE

5-2 = 4+23.78
Set 1x2 Plug

T=62

300.11 @ 10-53 = 294.67 ✓
300.18 @ 10-57 = 294.67 ✓

294.67 ✓

SECTION

TRUE

TOP Pg = 144

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

BOT Pg # 143

F. B 2326 Pg 144

294.67 ✓

T = 62
291.13 @ 12-51 = 283.60 ✓
291.29 @ 13-00 = 283.78 ✓ - 283.79 ✓

S-3 = 7+18.45
Set 1x2 Flush

21.54 @ 0-0 T 62 = 21.54 ✓

283.79 ✓

LINE

SEC. 36
T. 1 N. R. 18 W.

SEC. 35.
T. 1 N. R. 18 W.

S-4 = 10+02.24
Set 1" IP coar dwg
E.E. TNG up 0.1'
Top of bank edge

SECTION

21.54 ✓

S-5 = 10+23.78
Set 1x2 Flush
South side of ridge

T = 64
300.92 @ 17-04 = 287.63 ✓
300.60 @ 16-59 = 287.64 ✓ - 287.63 ✓
113.46 @ 6-38 = 112.69 ✓
113.58 @ 7-10 = 112.68 ✓ - 112.69 ✓
400.32 ✓

TRUE

400.32 ✓

T = 66
220.65 @ 11-15 = 216.38
220.46 @ 11-02 = 216.36 ✓ - 216.37

S-6 = 14+24.10
Set 1x2 Flush
side hill

41.34 @ 17-03 = 39.51 ✓
41.18 @ 16-17 = 39.52 ✓ 39.51 ✓

T = 56
94.00 @ 0-0 - 93.98 ✓
349.86 ✓

349.86 ✓

Top Pg # 145

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by RUDENACKER
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 188 Std 64 °F
Surveyed by W.S. COWHERD
Notes E.J. GATH Date 2/28/64
Indexed

F. B. 2326 PG. 145

BOT Pg # 144

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

T=54

176.25 @ 9-45 = 173.67 ✓
176.43 @ 10-04 = 173.68 ✓ — 173.68 ✓

T=56

244.93 @ 8-06 = 242.45 ✓
244.83 @ 7-57 = 242.44 ✓ — 242.44 ✓

T=56

103.62 @ 16-17 = 99.44 ✓
103.42 @ 15-54 = 99.45 ✓ — 99.45 ✓
151.01 @ 18-20 = 143.31 ✓
151.59 @ 19-00 = 143.30 ✓ — 143.31 ✓
28.14 @ 34-45 = 23.11 ✓
27.86 @ 33-58 = 23.10 ✓ — 23.10 ✓
29.90 @ 0-0 — 29.89 ✓
170.21 @ 8-12 = 168.44 ✓
170.50 @ 8-50 = 168.45 ✓ — 168.45 ✓
464.20 ✓

349.86 ✓
S-7 = 17+73.96
set 1x2 flush
KING
173.68 ✓
242.44 ✓
S-8 = 19+47.64
set 1x2 flush
SECTION
441 ✓
TRUE
242.45 ✓
S-9 = 21+90.08
set 1x2 flush
464.20 ✓

2190.88
464.20
2654.28

LT Pg # 146

76F309S CE # 310 3-61

F. B. 2326 Pg. 146

WS 90 C-3 B-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by RUBENACKER
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 188 Std 64 °F
Surveyed by W.S. LOWERED
Notes KSC Date 3-4-64
Indexed G. J. GALLI

F. B. 2326 Pg. 147

E 1/2 of N. LINE SEC. 36. T.1N. R.18W.

SEE pg # 139

BOT pg # 148

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

T = 60°		
94.81 @ 0-0 =	94.80	
33.49 @ 0-0 =	33.49	
166.74 @ 10-24 = ~~163.98~~	163.97	
166.65 @ 10-16 = 163.97		
15.54 @ 0-0 =	15.54	
261.77 @ 0-0 =	261.73	
52.11 @ 16-52 = 49.86	49.85	
51.91 @ 16-09 = 49.85		
62.51 @ 6-10 = 62.14	62.14	
62.46 @ 5-41 = 62.14		
T = 64		
252.01 @ 0-0 =	251.98	
72.72 @ 14-49 = 70.29	70.30	
72.76 @ 14-53 = 70.30		
183.66 @ 7-58 = 181.87	181.87	
183.59 @ 7-47 = 181.88		
T = 66°		
93.49 @ 4-41 = 93.17	93.16	
93.43 @ 4-19 = 93.15		
271.00 @ 18-22 = 275.17	257.16	
270.75 @ 18-13 = 275.15		
	1535.99	
T = 62		
75.95 @ 16-56 = 72.65	72.65	
76.19 @ 17-30 = 72.65		
27.77 @ 0-0 T62 = 27.77		

843.16 ↓ COUNTY LINE

S 5-4 = 17+88.75 set 1" IP corr to PK & CE Tan up 1" top of ridge

1535.99 ↓ SECTION LINE

S 5-3 = 2+52.76 set 1"x2" Flush side of ridge

72.65 ↓ SECTION

S 5-2 = 1+80.11 set 1"x2" Flush East side Top of ridge

27.77 ↓ TRUE

S 5-1 = 1+52.34 set 1" IP corr PK & CE Top up 1" Top of ridge

152.34 ↓

Top Pg # 139

76F3095 CE # 810 3-61

F. B 2326 Pg. 148

W.S. 90 C-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



T-62

248.10 @ 8-03 = 240.68
241.99 @ 7-52 = 240.67 ✓ 240.67
13.26 @ 0-0 13.26 ✓
258.93
3
W.E. 12-70

(1)	90	15	10
(3)	91	30	30 ✓
(6)	181	30	30
	90	15	05 ✓

(1)	359	47	30
(4)	359	34	30 ✓
(6)	359	22	00
	179	53	40 ✓

T=68

207.11 @ 8-29 = 204.82 ✓
206.98 @ 8-14 = 204.83 ✓ 204.83
190.74 @ 10-48 = 187.34 ✓
190.90 @ 11-23 = 187.34 ✓ 187.34 ✓
137.46 @ 12-13 = 134.34 ✓
137.41 @ 12-06 = 134.35 ✓ 134.35 ✓

T-66

299.25 @ 15-27 = 288.40 ✓
299.36 @ 15-32 = 288.38 ✓ 288.39 ✓
28.25 @ 0-0 28.25 ✓
843.16 ✓

Top Pg 147

Notes Ck'd by RUBERACHER | Survey of SECTION LINE | F. B. 2326 PG. 149
Map No. | JN 030284 Tape 188 Std 64 °F
Office Work | Surveyed by W.S. COWARD
Checked | Notes W.S.C. Date 2-4-64
Date | Indexed

WS 90 B.E.-3

SOUTH LINE SECTION 36 T.1N R.18W

TIE TO P-LINE

COUNTY SURVEYOR T.1N R.18W SEC 1 T.1S R.17W RE 2117

T=70
210.48 @ 9-45 = 207.42
210.29 @ 9-29 = 207.40
207.41

1/4 COR. = 0.7 DD
Fd C.S. Mon
Per FB 608-17
FB 225-5
MKD as shown

207.41

S-1 = 207.41
SET 1x2 FLUSH

65° 56' 45"

T=72
167.22 @ 1-44 = 167.13
167.27 @ 2-02 = 167.15
167.14

T 64
105.22 @ 5-53 = 104.66
105.34 @ 6-31 = 104.65
104.65

271.79

271.79

4.15

P#23
SET PK 131

P#22
SET PK 131

7.70

4+79.20
SET 1" IP LOOK PLUG & C.E. TAG FLUSH by INTERSECTION

P-LINE

(1)	65	56	40
(4)	263	47	00
(6)	35	40	30
	65	56	45

SECTION LINE

13+36 ± SCALED
SET 1" IP LOOK PLUG & C.E. TAG UP 1' LINE ONLY TOP of high ridge

COUNTY SURVEYORS T.1N. R.18W. SEC. 36 COR. 35 | 36 / 2 | 1 T.1S. MONUMENT

SECTION CORNER
26+94.14 RECORD
Fd C.S. Mon
MKD as shown SET
in 18"x18" rock pile
Per FB 222-45

TRUE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

BJ pg #151

F. B. 2326 Pg. 150

T-60

48.62 @ 17-41 = 46.31'
48.83 @ 18-26 = 46.31' — 46.31'

295.71 @ 11-18 = 289.93'
295.86 @ 11-26 = 289.94' — 289.93'

336.24'

T-56

299.93 @ 2-35 = 299.57'
299.88 @ 2-26 = 299.56' — 299.57'

50.40 @ 0-0 T60 — 50.39'

56.02 @ 0-0 T60 — 56.01'

77.54 @ 0-0 T60 — 77.53'

483.50'

41.440 @ 0-0 T62 = 41.43'

41.43'

S 5-3 = 10+73.67
Set 1/2" Rebar

336.24'

SECTION LINE

S 5-4 = 7+37.19

TRUE 483.50'

S 5-1 = 2+53.93
Set 1" IP on bldg
0.2' Tag "LS"
Top of spur

S. 33
T. 3 N.
R. 1 E.
S.B.M.

25'

LJ pg #148

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RUBEN ACKER
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 03020 Tape 128 Std 64 °F
Surveyed by W.S. COWHERD
Notes W.S.C Date 3/13/64
Indexed C. J. GALLI

F. B. 2324 Pg. 151

Bot Pg # 152

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

253.44

5-6 = 13+72.37
set 1"x2" plug
on side line

269.61 T=66 @ 19-56 = 253.43
268.93 @ 19-31 = 253.45
253.44

154.44

TRUE SECTION LINE

5-5 = 12+17.93
set 1" IP in mon. pipe
& CE tag flush
on side line

T=66
135.49 @ 11-31 = 132.74
135.39 @ 11-17 = 132.75
132.75
21.69 @ 0-0 = 21.69
154.44

102.83

5-4 = 11+15.10
set 1"x2" plug
on side line

T=64
103.02 @ 3-21 = 102.83
103.00 @ 3-09 = 102.83
102.83

111.43

Top Pg # 150

F. B. 2326 Pg. 152

SECTION CORNER
Fd C.E. Briggs Cap 0.4m
N&D. as shown per
FB 2326-16

COUNTY ENGINEER
T.1.N
R.18W
24|19
25|30
SEC COR
R.E. 5869
R.17W

WS 90 D-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRUE SEC'TAL LINE

11 179 54 40
14 359 39 30
16 359 29 15 ✓
179 54 53 ✓

53" ✓

54'

N¼ COR.
Fd LA CO. Kings
Brass Cap
0.4' N&D as
shown
Per FB 2326-10

COUNTY ENGINEER
T.1.N
R.18W
SEC. 25
SEC 30
N¼ COR
R.E. 5869
R.17W

T=64°
D=0°00'00"
R=5729.58

37.86	@ 0.0'	= 37.85
79.47	@ 0.0'	= 79.46
152.20	@ 0.0'	= 152.18
109.98	@ 0.0'	= 109.97
109.72	@ 0.0'	= 109.71
154.75	@ 0.0'	= 154.73
146.37	@ 0.0'	= 146.35
107.76	@ 0.0'	= ~~109.75~~ 107.75
123.84	@ 0.0'	= 123.82
		1023.02
		1023.02

1023.02

TRUE SECTIONAL LINE

253.44

5.7
IN & ET

33.-8/16/66

Top

Pg # 151

Notes Ck'd by	Survey of Liberty Cyn Road	F. B 2326 Pg. 153
Map No.	JN 009502 Tape 181 Std. 84 °F	
Office Work	Surveyed by W.S. Conherd	
Checked	Notes W S C Date 1-24-61	
Date	Indexed S. J. GALLI JAN 1 3 '64	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

LEVELS & PROFILE ALONG P-LINE

FROM 0+00 AT VENTURA BLVD + RONDELL STREET SLY. TO 119+98.90 "END OF P-LINE" AT ENTRANCE TO WHITE OAK RANCH ON LAS VIRGENES ROAD

REFERENCES
FB 2896-HE
FB 2834-HE

PARTY
W.S. CONHERD
C. ADAMS
R. SWAIN
E. TINDELL

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2326 Pg. 154

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 11852e Division No. 11
No. ____ Date ____ Date ____ Survey of Lubecky Eng. Prop
X-Sec. ____ Notes Chkd. ____ Checked ____ Survey by W.S.C. Notes C.A. Date 1-21-64
No. ____ Date ____ Date ____ Map No. ____ Indexed R. J. Galli Date ____

F.B. 2326 Pg. 155

STATION	B. S.	H. I.	F. S.	ELEV.		
BM 65-13	11 448	845 970		8 34522	BM 65-13 Elev = 834.522 Fd. F.B. 2896-42	
T.P.	10 047	855 517	0500	845 470	Ventura Blvd. S. Side 1.28 mi. West of LAS VIRGENES ROAD. Fd. a std. C.E. Brass Cap mon. on N.E. Cor. of a concrete culvert headwall stamped BM 65-13	
"	10661	865878	0300	855 217	set sq. hd.	
"	10866	876309	0435	865 443	" " "	
"	9951	885792	0468	875841	" " "	
"	5710	888442	3060	882732	" " "	
"	3349	885978	5813	882629	" " "	
"	0852	879155	7675	878303	" " "	
"	0300	868394	11061	868094	" " "	
"	0121	856645	11870	856524	" " "	
"	0010	846077	10578	846067	" " "	
0+00	1299	838886	8490	837587	0+00 Fd. S.W. & T. flush F.B. 2326 Pg. at intersection VENTURA HY. Wy. & RONDELL ST.	
0+50			2.60	83629	Gr. Bk. in pvt	
1+00			810	83079	Mac. pvt.	
TP	0630	828508	11008	827878	set sq. hd.	
1+50			334		Mac Pvt	
2+00			823	82028	" "	
BM 65-12	0601	818142	10956	817541	AT RONDELL ST. & AGOURA RD on S.W. Cor. Fd std C.E. but. type brass Cap Mon. Stamped B.M. 65-12 in 12"x12" Conc. F.B. 2896-41	
2+50			241	81573	Mac pvt	El. = 817.541
2+91			61	8120	Edge Rd. wy. Gr bk.	
3+00			83	8098	Fill bank	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

F.B. 2326 Pg. 156 | Job No 2295.20 | Division No. | Notes Red | Date | Plotted | Date | Profile No. | X-Sec. No.
Survey of LIBERTY CYN ROAD | Notes C.W.A. | Notes Chkd. | Date | Checked | Date | No.
Survey by W.S.C. | Indexed J. GAUM | Date 1-22-64

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		818 H.I. 192				
T. P.	1 676	8 08332	11 486	8 06656	Set 1x1	
"	0398	7 97600	11 130	7 97202	" "	
3 + 50			21	795 5	bot. of fill	
4 + 00			81	789 5	Ground	
4 + 18			91	788 5	Gr. bk.	
T.P.	2281	789479	10402	787198	Set 1x1	
4 + 50			39	785 6	Ground	
5 + 00			61	783 9	bot of drain	
5 + 50			79	782 1		
P#1 = 5+74.05	10010	79 1524	7965	78 1514	1x2 Sn	
6 + 00			108	785 7	Ground	
6 + 08			107	785 8	Gr. bk	
6 + 50			55	785 9	Side hill	
P#2 = 6+98.35	2020	789209	4335	787189	1x1 Sn	
7 + 50			59	7833	Ground	
8 + 00			67	782 5	"	
8 + 50			81	781 1	"	
8 + 80			81	781 1	Gr bk	
9 + 00			73	781 9	Side hill	
9 + 50			54	783 8	" "	
P#3 = 9+98.41	1 766	785397	5578	783631	1x2 Sn	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I. 785.337	F. S.	ELEV.		
10+50			51	7803	Side hill	
10+65			74	7780	bot. drain	
11+00			62	7792	side hill	
11+50			96	7758	" "	
11+97			99	7755	Gr. bk.	
12+00			103	7751	side hill	
12+29			126	7728	Gr bk.	
12+50			126	7728	side hill	
T.P.	3682	778520	10559	774838	set 1x1	
P#4=12+60.58	1335	773837	6018	772502	1x2 Sn	
13+00			42	7696	side hill	
13+50			94	7694	" "	
T.P.	0509	763448	10898	762939	set 1x1	
14+00			36	7599	side hill	
14+37			55	7580	Gr. bk	
14+50			56	7579	Ground	
15+00			57	7578	"	
15+50			61	7574	"	
P#5=15+60.17	2521	759871	6098	757350	1x2 Sn	
16+00			39	7565	Ground	
16+50			45	7554		

Profile Notes Red. Plotted. Job No. 209529 Division No. F. B. 23246 Pg. 57
No. Date Date Survey of LIBERTY GYN ROAD
X-Sec. Notes Chkd. Checked Survey by W.S.C. Notes C.W.A. Date 1-22-64
No. Date Date Map No. Indexed J. GALL Date

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 23269 Pg. 158 | Job No. 009530 | Division No. | Notes Red. | Plotted | No. | Profile
Survey of LIBERTY CYN ROAD | Date | Date | X-Sec.
Survey by W.S.C. & Notes C.W.A. | Notes Chkd. | Checked | No.
Indexed B. J. GAINEY | Date 1-22-64 | Date | Date

STATION	B. S.	H. I. 759.871	F. S.	ELEV.		
17+00			45	755.4	Ground	
17+50			55	754.9	"	
18+00			64	753.5	"	
P#6=18+24.95	3170	756274	6767	753.174	1X2 ⊄ in	
18+50			36	753.7	Ground	
19+00			43	752.3	"	
19+50			68	749.5	"	
20+00			64	749.1	"	
20+50			67	749.4	"	
20+93			84	747.7	bot of drain	
21+00			72	749.1	Ground	
21+50			77	748.6	"	
22+00 P.I. #1			80	748.3	"	
P#7=22+06.87	2861	751185	7950	748329	1" I.P. conc. ⊄ TOG (Plug 4)	
22+50			28	748.1	Ground	
23+00			34	747.8	"	
23+50			50	746.2	"	
24+00			60	745.2	"	
24+50			72	744.0	"	
25+00			82	743.0	"	
P#8=25+06.22	3550	746523	8212	742973	1X2 ⊄ in	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I. 746 523	F. S.	ELEV.		
25+50			42	7423	Ground	
26+00			49	7416	"	
26+50			49	7416	"	
27+00			48	7417	"	
27+50			52	7413	"	
28+00			58	7407	"	
P#9=28+07.23	0907	741601	5829	740699	1X2 ξn	
28+50			19	7397	Ground	
29+00			29	7387	"	
29+50			41	7375	"	
30+00			53	7363	"	
30+50			61	7355	"	
31+00			67	7349	"	
P#10=31+07.45	3299	738060	6840	734761	1X2 ξn	
31+50			37	7344	Ground	
32+00			44	7337	"	
32+50			48	7333	"	
33+00			53	7328	"	
33+50			60	7321	"	
34+00			53	7328	"	
X 34+50			45	7336	"	

Profile Notes Red. Plotted Job No. 09529 Division No.
No. Date Date Survey of LIBERTY CYN ROAD F. B. 2326 Pg. 159
X-Sec. Notes Chkd. Checked Survey by W.S.G. Notes C.W.A. Date 12-3-69
No. Date Date Map No. Indexed J. J. GALL Date

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2326 Pg. 100 | Job No 029580 Division No. | Notes Red. | Plotted | No. | Profile
Survey of LIBERTY CYN ROAD | Date | Date | No. | X-Sec.
Survey by W.S.G. | Notes C.W.A | Notes Chkd. | Checked
Indexed [redacted] GALL | Date 1-23-69 | Date | Date

STATION	B. S.	H. I. 738.060	F. S.	ELEV.		
35+00			34	734.7	Ground	
35+50			35	734.6	"	
36+00			42	733.9	"	
P#11=36+03.57	2260	736115	4205	733.856	1x2 Sn	
36+50			32	732.1	Ground	
37+00			41	732.0	"	
37+50			43	731.3	"	
38+00			57	730.4	"	
38+39			83	726.8	bot of drain	
38+50			80	727.1	Ground	
39+00			79	728.2	"	
P#12=39+03.64	5797	733912	8000	728.15	1x2 Sn	
T.B.M.	0280	730622	3570	730.342	set S.W.G.T. in base of W. side of 54" Oak at 39+09, 22' East	
39+40			50	725.6	bot of drain	
39+50			44	726.2	Ground	
40+00			53	725.3	"	
40+50			69	723.7	"	
41+00			71	723.5	"	
41+50			94	721.2	"	
P#13=41+65.80	0190	720726	10086	720.536	1x2 Sn bank of wash	
42+00			129	707.8	side of wash	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I. 720 726	F. S.	ELEV.		
42+21			184	7023	bot. of wash	
42+50			152	7055	side of wash	
43+00			129	7078	" " "	
43+54			97	7110	" " "	
43+76			216	6991	bot. of wash	
44+04			32	7175	top of bank	
44+50			24	7183	Ground	
T.P.	0095	716 231	4590	716136	set 1x1	
45+00			00	7162		
45+50			18	7149		
45+71			35	7127	Top of bank	
46+00			132	7030	side of wash	
46+26			201	6961	bot of wash	
46+56			83	7079	Top of bank	
46+85			166	6996	bot of wash	
P#14 47+04	1323	712463	5091	711140	1x2 & n Top of bank	
47+25			72	7053	Gr. bk.	
47+65			184	6941	bot. of draw	
47+75			187	6938	" " "	
48+00			195	6930	" " "	
X 48+50			176	6949	Side " "	

Profile Notes Red. Plotted. Job No. 00520 Division No. 11
No. Date Date Survey of LIBERTY CAP ROAD F. B. 3326 PG. 161
X-Sec. Notes Chkd. Checked Survey by M.S.C. Notes C.F. Date 1-21-64
No. Date Date Map No. Indexed & Checked Date

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.
Plotted Date Checked Date No.
Notes Red Date Notes Chkd. Date
Division No. 11 Notes C. Peters Date
Job No. 08296 Fee
Survey of Liberty Gun Club
Survey by L.A.S.C. Notes
Indexed S. J. GALLI Date
F. B. 08296 Pg. 62

STATION	B. S.	H. I. 712.463	F. S.	ELEV.		
48+85			200	6925	bot of draw	
49+56			25	7100	top of bank	
P#15=49+65.34	2310	712428	2345	710118	1x2 & h	
50+00			34	7090	Ground	
50+50			34	7090	"	
51+00			37	7087	"	
51+50			46	7078	"	
52+00			53	7071	"	
52+50			56	7068	"	
53+00			60	7064	"	
53+50			71	7053	"	
T.P.	3260	708828	6860	705568	Set 1X1	
54+00			39	7049	Ground	
54+50			45	7043	"	
55+00			51	7037	"	
55+50			57	7031	"	
P.I.#2=P.I.#16 55+75.28	10489	714320	4992	703836	1" I.P. Conc. & Tag flush	
B.M. L-1	0120	714110	0330	713990	set Std C.E. Button type mon & 2" marker pipe @ 54+30 and 195' west	
56+00			102	7039	Ground	
56+50			101	7040	"	
57+00			104	7037	"	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I. 719.110	F. S.	ELEV.	
					Set S.W.&T. in East side of 54" Oak
T.B.M.	0710	711690	3130	710980	at 57+21 & 70' west
57+50			79	7038	Ground
58+00			83	7034	"
P#17=58+06.24	0709	704230	8169	703521	1X2½n flush
58+50			15	7027	Ground
59+00			18	7024	"
59+50			26	7016	"
60+00			50	6992	"
60+38			74	6968	bot of drain
60+50			71	6971	Ground
61+00			75	6967	"
61+50			87	6955	"
62+00			97	6945	"
P#18=62+32.17	1984	696029	10185	694045	1x2½n
62+50			23	6937	Ground
63+00			35	6925	"
63+50			40	6920	"
64+00			51	6909	"
64+50			58	6902	"
65+00			57	6903	"
P#19 65+29.52	4488	695164	5353	690676	1X2½n flush

Profile Notes Red. Plotted Job No. 1957 Division No. F. B. 3326 Pg. 122
No. Date Date Survey of Liberty Ranch Date 1-24-64
X-Sec. Notes Chkd. Checked Survey by M.S.C. Notes C.D. Date
No. Date Date Map No. Indexed C. L. GALL Date

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2306 Pg. 1/64 | Job No. 009590 Division No. 4 Notes Red. Plotted
Survey of Alleys Cen Rol Date Date No.
Survey by W.S.C. Notes C. Parsons Notes Chkd. Checked X-Sec.
Indexed by J. GAIN Date Date Date No.
Profile

STATION	B. S.	H. I. 693 1/64	F. S.	ELEV.		
65+50			42	6910	Ground	
66+00			41	6911	"	
66+50			37	6915	"	
67+00			42	6910	"	
TBM	0749	693965	1948	693216	set S.W.&T. in East Side of 48" Oak at 67+47 - 4.2' West	
67+50			33	6907	Ground	
68+00			53	6887	"	
68+50			71	6869	"	
P#20=68+55.48	2770	689495	7240	686725	1X2 Sn	
69+00			47	6848	Ground	
69+50			65	6830	"	
70+00			79	6816	"	
70+50			74	6821	"	
71+00			67	6828	"	
71+50			74	6821	"	
72+00			74	6821	"	
T.P.	8066	691871	5690	683805	set 1X1	
72+50			84	6835	Ground	
73+00			63	6856	"	
73+50			55	6864	"	
T.B.M.	2021	691723	2169	689702	set S.W.&T. in East side of 36" Oak at 73+57 - 13' West	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I. 691 723	F. S.	ELEV.		
P#21=73+64.04	3209	689469	5463	686260	1 x 2 ξ n flush	
74+00			41	6854	Ground	
74+50			55	6890	"	
P#22=74+96.54			74	6821	1 x 2 ξ n flush	
P#23=75+08.44	1353	682472	8350	681119	" " " "	
75+50			41	6784	Ground	
76+00			45	6780	"	
76+50			50	6775	"	
77+00			52	6773	"	
77+50			33	6792	"	
P#25=77+64.04	2690	682212	2950	679522	1 x 2 ξ n flush	
78+00			32	6790	Ground	
78+50			55	6767	"	
79+00			62	6760	"	
P#26=P.I. 3 79+52.09	3336	676860	8688	673524	1" I.P. Conc. ξ Tag	flush
80+00			73	6696	Ground	
80+50			96	6673	"	
81+00			105	6664	"	
81+50			110	6659	"	
T. P.	2563	667574	11848	605011	Set 1 x 2	
82+00			89	6637		

Profile Notes Red. Plotted Job No. 0095 Division No. 11 F. B. 23826 Pg. 165
No. Date Survey of Liberty Eng. Co.
X-Sec. Notes Chkd. Checked Survey by W.S.C. Notes C.R. Date 1-27-64
No. Date Date Map No. Indexed E. J. GAIN Date

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 23226 Pg. 166 | Job No. 00[illegible] | Division No. | Notes Red | Plotted | No. | Profile
Survey of Liberty Gun Rd | Date | Date | No. | X-Sec.
Survey by W.E.C. | Notes C. Williams | Notes Chkd | Checked
Indexed C. J. GALLI | Date | Date | Date | No.

STATION	B. S.	H. I. 666 7 579	F. S.	ELEV.		
P-26						
82+96.93	9954	667055	5473	662101	1 x 2 ℄ n flush	
82+50			50	6621	Ground	
83+00			60	6611	bot of drain	
83+50			42	6629	Ground	
84+00			48	6623	"	
84+50			42	6629	"	
85+00			45	6626	"	
P-27						
85+25.29	0540	662796	9849	662206	1 x 2 ℄ n flush	
85+50			29	6599	bot of drain	
86+00			27	6601	Ground	
86+50			51	6577	"	
87+00			69	6559	"	
P-28 = P.I. 4						
87+47.28	5548	659594	8700	654046	1" I.P. Conc. ℄ tag set S.W.E.T. in East side of	flush 40" Oak
T.B.M.	0781	659575	0800	658794	at 87+19 - 17 west	
87+50			55	6581	Ground	
88+00			75	6521	"	
88+50			81	6515	"	
89+00			84	6512	"	
89+50			81	6515	"	
90+00			96	6500	"	
P-29						
90+45.57	0871	648768	11678	647897	1 x 2 ℄ n	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 0015 W Division No. 11
No.____ Date____ Date____ Survey of Alleys Gen Eng
X-Sec. Notes Chkd.____ Checked____ Survey by H.S.C. Notes C.O. Date 1-27-61
No.____ Date____ Date____ Map No.____ Indexed G. J. GAHM Date____

F.B. 9396 Pg. 167

STATION	B. S.	H.I. 698 768	F. S.	ELEV.		
90 + 50			10	6478	Ground	
91 + 00			26	6462	"	
91 + 50			42	6446	"	
92 + 00			54	6434	"	
92 + 50			65	6423	"	
93 + 00			73	6415	"	
P-30 93 + 46.05	2042	642511	8299	640969	1 x 2 Sn	flush
93 + 50			21	6404	Ground	
94 + 00			31	6394	"	
94 + 50			42	6383	"	
95 + 00			48	6377	"	
95 + 50			53	6372	"	
96 + 00			58	6367	"	
96 + 50			64	6361	"	
97 + 00			75	6350	"	
P-31 97 + 44.64	1285	635486	8310	634201	1 x 2 Sn	flush
97 + 50			19	6336	Edge of	wash
98 + 00			164	6191	Side of	wash
98 + 05			195	6160	bot of	wash
98 + 11			187	6168	"	" "
98 + 45			53	6302	Edge "	"

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 8326 Pg. 68 Job No. 009598 Division No. 11 Notes Red Plotted Profile
Survey of Alberta Ave. Rd. Date Date No. X-Sec.
Survey by M.S.C. Notes G. Flores Notes Chkd. Checked
Indexed R. J. GALE Date Date Date No.

STATION	B. S.	H. I. 635.486	F. S.	ELEV.		
98+50			45	631.0	Ground	
99+00			37	631.8	"	
99+19			13	634.2	Gr. bk.	
99+50			05	635.0	Ground	
T.P. P-32	5700	640855	0331	635155	Set 1×1	
99+94.02	3090	638229	5716	633139	1×2 ξn flush	
100+00			30	635.2	Ground	
100+50			53	632.9	"	
101+00 P-33			52	633.0	Gr. bk	
101+91.22	2028	636462	3795	634434	1×2 ξn flush	side hill
101+50			20	634.5	side hill	
T.B.M.	11112	640453	7121	629341	set S.W.&T in E. side of 40" oak at 101+71 ξ 45.5 west	
102+00			70	633.5	side hill	
102+50			56	634.9	" "	
103+00			46	636.9	" "	
103+50			25	638.0	Gr. bk.	side hill
T.P.	11044	651336	0161	640292	set 1×1	
"	11155	661399	1092	650294	" "	
104+00			79	652.5	side hill	
104+17			32	653.2	Gr. bk.	side hill
104+50			38	657.6	" " " "	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 0195.82 Division No. 11
No. X-Sec. Notes Chkd. Checked Survey of Rivers Comp. Party
No. Date Date Date Survey by R.S.C. Notes C.H. Date 1-82-82
Date Date Map No. Indexed J. GAUN Date

F. B. 9326 PG. 1615

STATION	B. S.	H. I. 399	F. S.	ELEV.		
P.34						
104+99.15	1112	660531	1980	659419	1" I.P. Conc. & tag flush	
105+50			00	6605	Ground side hill	
106+00			23	6582	" " "	
106+12			44	6561	Gr. bk.	
106+36			150	6555	bot. of draw	
106+50			131	6474	side of draw	
107+00			44	6561	Gr. bk.	
107+50			43	6562	Side Hill	
P-35						
107+69.23	5600	661277	4854	655677	1x2 & n side hill	
108+00			70	6543	Side Hill	
108+50			71	6542	" "	
109+00			76	6537	" "	
109+50			69	6544	" "	
P-36						
109+93.22	0834	655288	6823	654459	1" I.P. Conc & tag	side hill
110+00			08	6595	Side hill	
110+25			40	6513	Gr. bk.	
110+50			116	6437	Side hill	
T.P.	0163	643580	11871	643417	set 1x1	
"	0195	632504	11271	632309	" "	
111+00			113	6212	Side hill	
T.P.	0322	620930	11896	620608	set 1x1	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 8326 Pg. 170 Job No. 1195 92 Division No. 11 Notes Red Plotted Profile
Survey of Liberty Gen. Fund Date No. X-Sec.
Survey by W.S.C. Notes C. Gallui Date No.
Indexed C. J. GALLI Notes Chkd. Checked Date

STATION	B. S.	H. I. 620 930	F. S.	ELEV.		
111+18			75	6137	west edge Dirt	rd.
111+28			80	6129	East " "	" top of f,ll
T.P.	0119	609426	11623	609307	Set 1x1	
111+38			13	6081	bot of f,ll	
111+50			26	6068	field	
112+00			50	6044	"	
112+50			59	6035	"	
113+00 P-37			64	6030	"	
113+26 80	0948	603082	7292	602134	1x2 ξ n	
113+35			13	6017	Top of bank	
113+50			105	5925	side of " ,	
T.P.	9530	601290	11322	591760	Set 1x1	
113+75			261	5729	bot of ~~bank~~	Elev's on Std. 113+75 to 115+14 taken with hand Level
114+00			277	5736	Creek bot.	
114+29			293	5720	F.L. Creek	
114+50			283	5730	Creek bot	
115+00			298	5765	" "	
115+14			235	5778	bot of bank	
115+47			39	5974	Top " "	
115+50			40	5973	west edge dirt rd.	X
115+72			35	5973	East "	" "

76L298 307 8-53

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I. 601.290	F. S.	ELEV.		
116+00			33	5980	Field	
116+50			16	5997	"	
T.P.	12280	613255	0315	600975	set 1x1	
117+00			114	6019	Field	
117+50			87	6046	"	
118+00 B-38			51	6082	South edge rd.	
118+2522	11295	621912	2638	610617	1x2 ξn flush in rd. wy.	
118+50			95	6124	Center dirt rd. wy.	
119+00			59	6160	dirt rd wy	
119+20			48	6171	North edge dirt rd. wy.	
119+50			21	6198	Field	
T.P.	6525	627914	0523	621389	set 1x1	
119+82.0			490	62351	west edge paved rd. wy.	
119+98.96			428	62363	Intersection P-Line ℄ LAS VIRGENES RD	
B.M. 57-17			4717	623197	BM 57-17 Preliminary Elev = 623.336 M.L.A. Engr. Brass Cap Mon in Hand hole with cover Rel 9". AT Entrance TO White Oak Ranch Per FB 2834-28	SEE Pg #173 for Check between BM 57-17 & BM 57-16

Profile Notes Red. Plotted Job No. 2B3.22 Division No. 11
No. Date Date Survey of LINES Notes CA Date 1-27-54
X-Sec. Notes Chkd. Checked Survey by MEC Notes CA Date
No. Date Date Map No. Indexed R. J. GAIM Date

F. B. 2826 Pg. 171

F. B. 2326 Pg. 172 | Job No. 09592 | Division No. | Notes Red. | Plotted | Profile

Survey of Liberty Go Road | Date | Date | No.

Survey by K.S. Coulbert | Notes C.A. | Notes Chkd. | Checked | X-Sec.

Indexed [redacted] J. GALLI | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.

76L298 307 8-53

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

726 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. Notes Red Date Plotted Job No. 0285 Division No. K
X-Sec. No. Notes Chkd. Date Checked Date Survey of Lakeside County Camp Road
Data Date Survey by W.S.C. Notes W.S.C. Date 2-26-64
Map No. Indexed J. GALL Date 3-3-64
F.B. 2326 Pg 73

STATION	B. S.	H. I.	F. S.	ELEV.		
BM 57-17	4.525	627.861		623.336	BM 57-17 PRELIMINARY	Elev = 623.336
T.P.	3.883	624.994	6.750	621.111	Fd. a County Engrs Mon protected by a cast iron Mon. This mon. is at entrance to Whittier Oak Ranch and Las Virgenes Road	9" below surface in a well cover marked "COUNTY ENGR" SEE FB 2834-28
T.P.	3.375	622.064	6.305	618.689		
T.P.	3.079	618.485	6.658	615.406	3pk	
T.P.	3.093	614.393	7.185	611.300	"	
T.P.	3.716	610.989	7.120	607.273	"	
T.P.	5.535	612.048	4.496	606.493	"	
T.P.	6.558	615.173	3.433	608.615	"	
T.P.	3.123	613.196	5.100	610.073	"	
T.P.	0.694	605.992	7.848	605.348		
T.P.	1.157	597.137	10.012	595.980		
BM 57-16			8.116	589.021	BM 57-16 PRELIMINARY ELEV = 588.984 AT LAS VIRGENES ROAD & MULHOLLAND HWY. 59.5 N. OF PI of LAS VIRGENES ROAD. Fd a CO. ENGRS BRASS CAP MON IN 8 WELL dn 8" SEC. COR. MON MKD R.12.W. R.18.W. T.1.S 1, 6, 12, 7 RE 5869. USED E edge of MON. PER FB 2834-27	

F. B. 2326 PG. 174

Job No. _____ Division No. _____ Notes Red _____ Plotted _____ Profile

Survey of _____ Date _____ Date _____ No. _____

Survey by _____ Notes _____ Notes Chkd. _____ Checked _____ X-Sec.

Indexed J. GALL Date _____ Date _____ Date _____ No. _____

STATION	B.S.	H.I.	F.S.	ELEV.

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by		Survey of Liberty Cyn Rd	F. B. 2326 Pg. 175
Map No.		JN 2095.90 Tape Std °F	
Office Work		Surveyed by R.C. Dale	
Checked		Notes R.C.D. Date 3-6-64	
Date		Indexed E. J. GAU.	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE #310 6-62

0+00 intersection Ed Spk W&T Per FB 2326-123

℄ VENTURA HWY

TO H-9 Pg # 176

86°

17' - 22"

30°-28'-48"

"NOTE"
ANGULAR TIES FROM P-LINE TO LA CO. GEODETIC CONTROL STATIONS

P LINE

11°-26'-28"

TO I-11 Pg # 178

TO PT-1 Pg # 126

TO K-10 Pg 177

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 5886 PG. 176

Notes Ck'd by	Survey of Liberty Cyn Rd
Map No.	JN 0095.90 Tape Std °F
Office Work	Surveyed by R.C. Dale
Checked	Notes R.C.D Date 3-6-64
Date	Indexed J. J. GALL

F. B. 2326 Pg. 177

To Intersection
Pg # 177

0400

To H-9
Pg # 176

Seminole
H-10
Fd Std 4" Bronze Tablet
Co Eng Triangulation
Station Rev
FB 1652-218

126°
143°
41'

246"
26° - 50' "
11° - 58' - 40"

To I-11
Pg # 178

To "B" Line 117+19.42
Pg # 179

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by	Survey of Liberty Gyn Rd
Map No.	JN 009590 Tape Std °F
Office Work	Surveyed by R.C.Dale
Checked	Notes RCD Date 3-6-64
Date	Indexed J. CALA

F. B 9326 Pg 179

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

To K-10 Pg # 171

To I-11 Pg #

To I-3 Pg # 180

△ STA 114+19.62
"P" L.P.S. set 3/4" I.P. & Drilled Cap on "P" Line

105.60

P-LINE

1184522

P# 38
Pg # 137

137° 0' 1"

17°26'26"

179° - 26' - 56.2"

21° 46' 8"

V 17 26 20
(4) 69 45 50
(6) 104 38 40
17 26 26

79F3095 C.E. #310 8-62

F. B. ~~320~~ Pg. 180



(1)	23	29	10
(4)	23	58	02
(6)	140	56	50
	29	29	28

Δ STA I-3
6" STD 4" BRONZE TABLET
SET by COUNTY SURVEYOR
STAMPED CASTLE CANYON
I-3 Per RB 1652-21 Pg 220

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

Notes Ck'd by	Survey of Driver Ave
Map No.	JN 0096.30 Tape 164 Std 84 °F
Office Work	Surveyed by R.C. Bowers
Checked	Notes RCB Date 8/64
Date	Indexed G. L. GARN SEP 4 '64

F. B. 2326 Pg. 185

DRIVER AVE

HORIZONTAL & VERTICAL CONTROL

J.N. 0096.30

ZONE 7 COORDINATES

L.A. Co. PRECISE B.M. 65-12

AUG. 1964

REF.

F.B. 2326

F.B. 2896

PARTY

BOWERS
MORRISON
DUERBECK
BARNETT
DIETZ

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76FSOSS CE #247—3-57

INDEX & METHOD SKETCH

F.B. 2326 PG. 186



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of DRIVER AVE.
JN 0096.30 Tape 164 Std 84° °F
Surveyed by R.C. BOWERS
Notes C.H.M. Date 8-28-64
Indexed E. S. GALL

F.B. 2326 PG. 187

DRIVER AVE.

TRAVERSE TIE FROM M-3 TO THE VENTURA FREEWAY & LIBERTY CYN. ROAD

JN. 0096.30

AUG 1964

REF.

FB 2326-123

PARTY

BOWERS
MORRISON
DUERBECK
BARNETT
DIETZ

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

787208 CE #247—8-57

F. B. 2326 Pg. 188



℄ TRIANGULATION STA. M-2
Set ~~Fd~~. nail & CE Tag set on top 18"x12" sandstone rock 8" up Top rdg.

℄ TRIANGLE STA M-3
Set ~~Fd~~. 1" Capped I.P. Top rdg

T=76

39 71 @ Lav = 3971
56 94 @ Lav = 5694
9665
01
9664

96.64

POL M-3A
Set 1x2 ⊄ 7
Top rdg N side Hwy

108.80

Left side
pg. 189

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

187

W.S. 90, B. C-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of DRIVER AVE.
JN 00 % Tape 16% Std 84° of
Surveyed by RC, Bowers
Notes CHM Date 8-28-57
Indexed

F.B. 2326 Pg. 187

T = 78°

107 05	@ 11-51	= 104 77
106 78	@ 11°08'	= 104 77
106 58	@ 10°35'	= 104 77
	AVG	= 104 77
403	@ Cav	= 403
		108.80

108.80

INT. 0+00 S.
fd Spk w/ ET
see Pg 123

fd L&T in Curb
on line

fd L&T in Curb
0.02.5

3180.4 Rec Per pg 123

300.9

313.1

496.88
Per pg 123

VENTURA FREEWAY

1062

F.B. 2326 Pg. 123

90°00'-03" Rec.

124.04
124.06

2x2 ET
Pg. 123

M-3B
Sq head & Tin
Set by inf.

EC 298+17.83
see Pg 123

BC 288+50.24
see Pg 123

RONDELL STREET

M-3C
Set 1x2 ET Top mon
on line prod

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 2326 Pg. 190

F.B. 2326 PG. 191

Profile No. ____ Notes Red ____ Plotted ____ Job No. 0096.30 Division No. ____

X-Sec. No. ____ Date ____ Date ____ Survey of DRIVER AVE.

Notes Chkd. ____ Checked ____ Survey by BOWERS Notes LCB Date AUG 1964

Date ____ Date ____ Map No. ____ Indexed G. J. GALLI Date ____

DRIVER AVE.

Bench levels from BM 65-12 to L.V. 13 and return

J.N. 0096.30

AUG 1964

STATION	B.S.	H.I.	F.S.	ELEV.
			REF. F.B. 2896	

PARTY
BOWERS
MORRISON
DUERBECK
BARNETT

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76-L298 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____

Plotted ____ Date ____ Checked ____ Date ____

Notes Red ____ Date ____ Notes Chkd. ____ Date ____

Division No. ____

Job No. 2326 Pg. 192

Survey of DALTON AVE. RCA

Survey by BOWERS Notes ____

Indexed ____ Date ____

F.B. 2326

STATION	B.S.	H.I.	F.S.	ELEV.	
					(1964 ADJ. ELEV.)
B.M. 65-12				817 570	B.M. 65-12 Elev. = 817.570 F.B. 2896-41 S.W. Cor. of Agoura Rd. & Kendall St., Fd. a Std. C.E. Br. Cap Button Mon. Set in a 12"x12" Conc. pad, 75'± S'ly of a Fire Hyd. #30. Stamped "BM 65-12, 1963"
	12 194	829 764			
T.P.			0 128	829 636	
	9 253	838 889			
T.P.			12 286	826 603	
	0 540	827 143			
T.P.			10 699	816 444	
	1 211	817 655			
B.M. LV 13			6 019	811 636	B.M. L.V. 13 Elev. = F.B. Fd. Std. C.E. Angle Pt. in Los Virgines Rd. Bdry. Br. Cap Mon Stamped "L.V. 180., L.V. 13, SEC. 25, R18W., T.1N., RE.5869"
	6 202	817 838			
T.P.			1 390	816 448	
	9 922	826 370			
T.P.			0 016	826 354	
	12 329	838 678			
T.P.			9 033	829 645	
	0 925	830 570			
T.P.			11 689	818 881	
	3 222	822 103			
BM 65-12			4 511	817 592	BM 65-12 Elev. 817.570 (1964 ADJ.) see desc above at top of Pg.

Notes Ck'd by G. E. BARR	Survey of Mulholland Dr.
Map No.	JN 0303.00 Tape 145 Std 89 °F.
Office Work	Surveyed by R. C. BOWERS
Checked	Notes R.C.B. Date 9/64
Date	Indexed E. J. GALLI SEP 16 64

F. B. 2336 P. 195

MULHOLLAND HWY

A retracement of the County Engr. & and the County Road Dept. & along Mulholland Hwy. from Las Virgenes Rd. Easterly to P.I. #2

J.N. 0303.00

SEPT. 1964

Ref.	PARTY
F.B. 1557	BOWERS
F.B. 2096	MORRISON
C.S.B. 2336	DIEBERBERK
R.D.F.B. 490	BARNETT
R.D. DEPT. ALIGNMENT MAP	DIETZ

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

767308S CE #847—3-57


INDEX
F.B. 2326 Pg. 196
T. 1 S.
R. 17 W.
Int. Pg. 201
PI #2 Pg. 202
PI 2A Not Set
BC #2 Pg. 201
Int. Pg. 201
1/4 Sec. Cor Pg. 201
NOTE:
BLACK LINE INDICATES Co. ENGR. CENTERLINE
RED LINE INDICATES RD. DEPT. CENTERLINE
POST Pg. 200
POST Pg. 200
PI #1A
PI #1
MULHOLLAND HWY.
SEC. 6
SEC. 7
POST P-2 Pg. 119
SEC. COR. Pg.
Int. Pg. 198
PI #16 Pg. 198
SEC LINE
BC. Pg. 198
Int. Pg. 198
Int. Pg.
4 Pt. Pg. 197
PI. Pg. 197
RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 90, C-4

Notes Ck'd by G. E. BARR
Map No.
Office Work
Checked
Date

Survey of Mulholland Hwy.
JN 2303-66 Tape 175 Std 89 °F
Surveyed by E.C. Bowers
Notes ECB Date 7/67
Indexed E. J. GALLI

F.B. 2326 Pg. 197

Cont. Bot. Pg 198

Cont. Bot. Pg 198

(6) 176° 45' 00"
(4) 346° 58' 10"
(6) 340° 27' 00"
176° 44' 30"

T = 86°
Lcu = 28.67

176° 44' 30" Mes
176° 42' 45" Rec'd

Rd. Desc. Alton
28.67
Rd. Desc. Alton
98.82

T = 70°
Lcu = 98.83
.01
98.82

0.03

Int. Rd. P.M. on Washer RDFB 490-32

0.02

Fd. Spk. & W
Dn 2' per
RDFB 490-32

28.65

Hwy.

T = 66°
Lcu = 28.65

0.07

Fd. 3/4" I.P. Bt. spk & w
Dn. 2' per RDFB 490-32

0.045

Fd. Spk & w & T
Dn 2' per
RDFB 490-32

228.54

MULHOLLAND

T = 66°
Lcu = 228.57
.03
228.54

P.O.B.T. "A"
Fd 1" I.P, conc. plug & Copper wire, Dn. 0' per F.B. 1557-115
RDFB 490-32
Held to this point for line.

T = 68°
69.81 @ 17° 15' = 66.67
69.31 @ 15° 52' = .01
66.66

64.66

P.I.
Fd. 3/4" I.P., cut spk & w. in ctr., Dn. 12
line is in error
No record of cut spk & w.
F.B. 1557-115

0.05

Start of Survey

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76T30B CE #247—3-67

F.B. 2326 Pg. 198

Cont. Bot. Pg. 199



Cont. from Top Pg. 197

MULHOLLAND HWY. C-4

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

E

Notes Ck'd by G. E. BARR
Map No.
Office Work
Checked
Date

Survey of MULHOLLAND HWY
JN 30[illegible] Tape 145 Std. 57 °F
Surveyed by R.C. BOWERS
Notes RCB Date 9/64
Indexed C. J. GAIN

F.B. 2326 Pg. 179

Cont Bot Pg 209

Sec. 6
T. 1 S.
R. 17 W.

W.S. 90, C=4

T = 84°
Lev = 259.55

T = 84°
Lev = 412.69

259.55
0.29

P#2A
Fd o/H 1x2 QW,
Dn. 4" per
F.B. 1557-116

412.69
Co. Engr. Alignment
ED. DEPT. ALIGNMENT
+ P.T. to P.O.S.T. = 1559.09
MULHOLLAND HWY

To P.# 1 Not set

P.O.S.T. (P-2)
Set 1x2 QW, flush
Rec. Dist. from the
℄ Int. of Las Virgenes
and on line prod. of
P.O.S.T. #3 & ℄ Int.
Co. Engr. Alignment
F.B. 1557-116

376.48

160°
160°

0.15' Rec.
0.13' Meas
15" Adj.

T = 86°

298.97 @ 1°30' = 298.87
298.98 @ 1°36' = 298.86 = 298.86

112.450 Lev = = 112.45

198.040 Lev = = 198.09

246.15 @ 3°53' = 245.58 = 245.58

246.09 @ 3°31' =

300.296 @ 1°12' =
300.30 @ 1°20' = = 300.22 = 300.22

161.12 @ Lev. = = 161.12

244.48 @ 5°43' = 242.81
243.92 @ 5°30' = 242.80 = 242.80

1559.07
.02
1559.09

① 160° 06' 10"
④ 280° 25' 20"
⑥ 240° 37' 20"
160° 06' 13"

Cont. from Top Pg. 198

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3009 CE #247—8-57

F.B. 2326 Pg. 200

SEC. 11 S. R.17W.

Cont. Bot Pg. 201

W.S. 20, C-4

T = 72°
286.58 @ 3° 59' = 285.86
286.58 @ 3° 59' = 285.85 = 285.85
578.32 Lou = 578.32
814.17
.06
814.11

730.87

1342.39

Co. Dept. Alignment

Set 1x2 GW flush

POST
Fd. 2x2 GW, up 8" on Sta spur in center line. Set same flush. FD FB 490-34

814.11

POST
Set 1x2 GW, Dnl"
Rec. Dist & on
Inc. prod o.f.
P.I. #2 & BC #2 (from East)
Per FB 1557-116
FD FB 490-34, 36

145° 19' 45" Rec.
145° 19' 32" Meas.
13" Adj.
45" Adj

145° 19' 45"
145° 19' 32"
145°

① 145° 19' 30"
② 221° 18' 00"
③ 151° 57' 20"
145° 19' 32"

127° 42' 35" Rec.
127° 42' 15" Meas.
25" Adj

To PI #2 Not Set

To PI #1 Not Set

① 127° 42' 10"
② 150° 49' 00"
③ 46° 13' 30"
127° 42' 15"

T = 78°
Lou = 690.28
.02
690.26

690.26
Co. Const. Alignment

1557.09

0.38

P-2B
Fd. Old 1x2 GW
Dn 4" Set
FB 1557-116

2545.55

To # Pt. Pg.

Cont. from Top Pg. 199

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 90, G-4

Notes Ck'd by G. E. BARR
Map No.
Office Work
Checked
Date

Survey of Mountaindale Tract
JN 0303.00 Tape/EDM Std. 82 °F
Surveyed by E.C. Bowman
Notes BCB Date 9/59
Indexed C. J. GAHM

F. B. 2306 Pg.

Cont. Bot Pg. 202

① 178° 28' 50"
② 353° 55' 20"
③ 350° 52' 40"
178° 28' 47"

T=80°
Lev=62.40

P.O.T.
Fd. Ea. nail
Ref RDFB 490-36
flush

240.72

S 89°-44' W

45"(M)

40.42

39.98

49.74

R.P.
Fd. E.D. DEPT.
By. Cap Man
Dn. L.S.
RDFB 490-36

T=82°
Lev.=470.11
.01
470.10

Int 531+78.10
Fd. spk. w&T. fd.
with 3a. W&T. Ties
ER. DEPT. Allyn Map
(ROM 8.03)

T=78°
Lev=15.22

EC=26+96.29
Fd. Copper Na. with
3a. Hdaw Cross Ties
RDFB 490-35

470.10

Int 526+92.58
Rd. Rd. Hdspk. w&T
flush-RDFB 490-35

℄ STREET

T=78°
Lev.=50.32

50.32

EC=25+18.91
Searched, Nothing fd.
FB. 1557-116

T=82°
40.56@ 9°22' = 40.02
40.40@ 7°53' =

T=80°
40.45@ 8°45' = 39.98
40.37@ 7°58' =

T=76°
299.96@ 2°29' = 299.71
299.93@ 2°11' =

Lev = 1042.67
1342.90
.07
1342.83

T=80°
Lev. = 49.76

E.C. 26+42.22
Fd. Sq. Hd. w/ 6T
flush
Ed. Dept. Alignment

0.03

Co. Engr. Alignment
1342.33

T=78°
292.75@ 2°07' = 292.55
292.71@ 1°52' =

① 28° 39' 50"
② 119° 39' 30"
③ 171° 59' 30"
28° 39' 53"

38.33 @ Lev =
38.33
330.88
.01
330.87

330.87

T=78°
237.22@ 3°30' = 236.78
237.26@ 3°41' = 236.77
.01
236.78

Cont. from Top Pg. 200

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7672093 CE #247—3-57

H

F. B. 2326 Pg. 202

End of Survey

W.S. 90.C.D-4

SEC. 7
T.1S.
R.17W.

Searched Dn. 18' for R.P.'s, Fd nothing per FB 1557-118

P.I. #3
Fd. 1" I.P. Conc. plug &W, Dn 3' per RDFB 490-37
Used For Line only

MULHOLLAND HWY

① 166° 16' 40"
② 305° 07' 40"
③ 277° 41' 00"
166° 16' 50"

T = 80°
Lcu = 61.77

T = 80°
49.76 @ 22° 07' = 46.11
49.39 @ 20° 57' = 15.33
Lcu. 61.44

16' 30" Adj. 50" Meas. FB 1557-117
16' 30" 17' 00" RD. DEPT. FB 490-36

P.I. #2
Fd 1" I.P. Conc. plug &W, Dn 5' per RDFB 490-36
Held for this point for Co. Engr Alignment

166°
166°
166°

R.P.
Fd. Sq. Nd&W Flush
RDFB 490-36

0.02
10.01
10.02
0.03
0.015
61.44

R.P. Line Prod.

90°

61.77

R.P.
Fd. Sq. Nd&W flush
RDFB 490-36

240.72
℄ Co. Engr. Alignment

R.P.P.I.
Fd 3/4" I.P. Conc. plug & Copper Wire = Flush
FB. 1557-117
RDFB 490-36

T = 78°
240.82 @ 1° 35' = 240.73
240.89 @ 2° 06' = .01
240.72

Cont from Tge Pg. 201

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of LIBERTY CYN. RD.	F. B. 2326 Pg. 203
Map No.	JN 0095.90 Tape 164 Std 84 °F	
Office Work	Surveyed by R. C. BOWERS	
Checked	Notes RCB Date 10/30/64	
Date	Indexed C. J. GALLI JAN 4 '65	

LIBERTY CANYON RD.

P.I. 606 Southerly
to the
Intersection of Mulholland
Hwy.

J.N. 0095.90

Oct. 1964

Ref.

F.B. 2326
Prelim Align. Map G-122, Sheets 1 & 2

Party

Bowers
Morrison
Duerbeck
Barnett

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2326 Pg. 209

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of LIBERTY CYN. RD.
Map No.	JN 00957 Tape 164 Std. 84 °F
Office Work	Surveyed by R. C. BOWERS
Checked	Notes RCB Date 11/64
Date	Indexed C. J. GALLI

F.B. 2326 Pg. 205

SEC. 36
T. 1 N.
R. 18 W.

T=70°
Lev = 163.85
.01
163.84

T=70°
Lev = 55.99
.01
55.98

T=70°
Lev = 24.91

T=70°
Lev = 23.05

① 90° 00' 00"
④ 360° 00' 00"
90° 00' 00"

P-15
Fd. 1x2 "N"
flush
FB 2326-129

P.I. 606
Set 1" I.P. Conc.
plug & C.E. Tag
Dh. 8" per
G-122-1

P-LINE
163.84

55.98

24.91

23.05

90° 00' 00"

90° 00' 00"

Set 1x2 "N"
flush per
G-122-1

R.P.P.I.
Set 1" I.P. Conc.
Plug & C.E. Tag
Dh. 10"

LIBERTY CYN. RD.

407.88

① 90° 00' 00"
② 180° 00' 00"
90° 00' 00"

① 90° 00' 00"
② 180° 00' 00"
90° 00' 00"

T=68°
Lev. = 407.92
.04
407.88

P.I. #2 = P-16
Fd 1" I.P. Conc. plug
C.E. Tag Flush
FB 2326-129

CON'T Top Pg. 206

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—8-57

F.B. 2326 Pg. 206

Cont. from Bot. Pg. 205

Sec. 36
T. 1N.
R. 18W.



407.88

P.O.T. 606 A Set 1x2 ⊄N. flush on the North bank of Creek

LIBERTY CYN. RD.

439.79

T = 74°
Lev. = 439.82
.03
439.79

P.O.T 606 B Set 1x2 ⊄N, flush on North bank of Creek

T = 78°
Lev. = 347.29
.01
347.28

347.28

T = 80°
Lev = 50.00

① 90° 00' 00"
④ 360° 00' 00"
90° 00' 00"

80° 00'

P.O.T. 606 C Set 1x2 ⊄N flush

50.00

606C, Set 1x2 ⊄N, flush

80° 00'

① 90° 00' 00"
④ 360° 00' 00"
90° 00' 00"

50' offset line

T = 84°
Lev = 765.14

765.14

Cont. Top Pg. 207

X

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 90, C-3

Notes Ck'd by	Survey of LIBERTY CYN. RD.
Map No.	JN 00 95.90 Tape 164 Std 84 °F
Office Work	Surveyed by R.C. BOWERS
Checked	Notes RCB Date 11/64
Date	Indexed G. J. GALLI

F. B. 2326 Pg. 207

SEC 36
T. 1 N.
R. 18 W.

Cont. from Bot. Pg. 206

765.14

606 D, Set 1X2 4N flush

LIBERTY CYN. RD. ℄

T = 84°
Lev = 386.68

T = 84°
Lev = 28.89

①	112°	41'	20"
④	90°	45'	10"
⑥	316°	07'	40"
	112°	41'	17"

50' Offset Line

386.68

606 E, Set 1X2 4N flush

28.89

112° 41' 17"

T = 68°
Lev = 215.41
.02
215.39

Int. on "P" Line
Fd 1/2 P. (orc. plug & C. Tag, flush
F.B. 2326-131 & 149

S-1
Fd 1X2 4N, flush
F.B. 2326-149

56.36

215.39

S.B.B.M.

607, Set 1X2 4N, flush by Int.

SEC. 1
T. 1 S.
R. 18 W.

T = 68°
Lev = 56.37
.01
56.36

496.61

T = 84°
Lev = 496.61

Cont. Top Pg. 208

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

75F3095 CE # 310 3-61

F. B. 2326 PG 208

Cont. from Bot. Pg. 207

SEC. 1
T. 1 S.
R 8 W.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

Notes Ck'd by	Survey of LIBERTY CYN. RD.
Map No.	JN 009590 Tape 164 Std 89 °F
Office Work	Surveyed by R.C. BOWERS
Checked	Notes RCB Date 11/89
Date	Indexed C. J. GALLI

F. B. 2326 Pg. 209

SEC. 1
T. 1 S.
R. 18 W.

Cont. from Bk. Pg 208

LIBERTY CYN. RD

S21.74

608 B1
Set 1x2 ¢N
Flush

T = 80°
Lev = 173.13

59' Offset Line

173.13

608 C1
Set 1x2 ¢N
Flush

T = 82°
Lev = 533.60
.01
533.59

533.59

Cont. To Pg. 210

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76FS098 CE #247—8-87

F. B. 2326 Pg. 210

Sec. 1
T. 1 S.
R. 18 W.

Cont. from Bot. Pg. 209

LIBERTY CYN. RD.

59' offset Line
533.59

① 103° 00' 00"
④ 52° 00' 00"
103° 00' 00"

① 90°00'00"
④ 360°00'00"
90°00'00"

① 144° 51' 50"
④ 219° 27' 50"
⑥ 149° 12' 00"
144° 52' 00"

P-29
Fd 1x2 ¢N
flush per
Pg. 133

609A
Set 1x2 ¢N
flush

R.P.P.I.
Set 1" I.P., Conc.
plug & C.E. Tag
Elev 12'

144° 52' 00"

103° 00' 00"

60.00 M.

25.21

25.12

17.41

6.66

Offset Int.
Set 1x2 ¢N, fl.
by Int.

60.55 M.

59.00 Calc.

NOT SET

13.62 Calc.

90° 00' 00"

108.47

90° 00' 00"

Set 1x2 ¢N
flush per
G-122-2

P.I. 609
Set 1" I.P., Conc.
plug & C.E. Tag,
flush in benched
out area on bank
of Creek per
G-122-2

609
Set 1x2 ¢N
flush

P. Line

64.00

T= 72°
Lev = 25.21

T= 72°
Lev = 25.12

① 90° 00' 00"
④ 360° 00' 00"
90° 00' 00"

T= 80°
Lev = 60.00

T= 80°
Lev = 60.55

T= 84°
Lev = 17.41

T= 84°
Lev = 6.66

852.76

60' offset Line

T= 84°
Lev = 852.76

P-30
Fd 1x2 ¢N, flush
per Pg. 134

T= 84°
Lev = 64.00

T= 84°
Lev = 108.47

Cont. Top Pg. 211

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Liberty Cyn. Rd.
JN 0095.90 Tape 164 Std 84 °F
Surveyed by R. C. Bowers
Notes RCB Date 11/64
Indexed C. J. GALLI

F. B. 2320 PG. 211

SEC. 1
T. 1 S.
R. 18 W.

Cont. from Bot. Pg. 210

P-33
Fd 1x24N flush
F.B. 2326-135
G-122-2

T=80°
Lev=88.00

P-Line

P-34
Fd 1" I.P. Conc. plug & C.E. Tag, flush
F.B. 2326-135
G-122-2

852.16

609 B.
Set 1x24N flush

60' offset line

LIBERTY CYN. RD.

T=80°
Lev=356.32
.01
356.41

P-Line

P-Line Prod

88.00

T=80°
Lev=356.35
.01
356.34

161°

47' 42"

Set 1x24N
P-Line prod.
G-122-2

① 90° 00' 00"
⑨ 360° 00' 00"
90° 00' 00"

60.00

218.40

L-1=0+00
Offset Int.
Set 1x24N, flush
by Int.

Set 1x24N
Top Brk.

P-Line Prod. from South

182.38

191.95

R.P.P.I.
Set 1" I.P. Conc. plug & C.E. Tag, on 12"

143.57

P.I. 610
Set 1" I.P. Conc. plug & C.E. Tag, flush in bench of outcrop on side of cut bank
G-122-2

T=80°
Lev=182.38

T=80°
Lev.=60.00

T=80°
Lev=191.95

90° 00' 00"

30.00

60.00

30.00

T=70°
Lev=54.16

(R.P.P.I.) 610,
Set 1x24N, flush
@ 90° to P.I. 610
Replaced with 1" I.P.
Conc. plug & C.E. Tag
Dia. 12"

T=70°
Lev=30.00

54.16

① 161° 47' 50"
⑨ 287° 10' 50"
⑥ 250° 46' 10"
161° 47' 42"

① 90° 00' 00"
⑨ 360° 00' 00"
90° 00' 00"

T=68°
219.82 @ 6°27' = = 218.43
220.01 @ 6°51' = .03
218.40

T=68°
144.43 @ 6°11' = = 143.59
144.33 @ 5°48' = .02
143.57

Cont. Top Pg. 212

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE # 310 3-61

F. B. 2326 PG. 212

Cont. from Bat. Pg 211

SEC. 1
T. 1 S.
R. 19 W.

LIBERTY CYN. RD.

541'

610A
Set 1x2 ⊕N, flush
Top cut bank

304.05

T = 70°
Lev = 304.08
.03
304.05

610B
Set 1x2 ⊕N
flush

693.97

T = 58°
Lev = 694.09
.12
693.97

610 C
Set 1x2 ⊕N
flush

T = 58°
Lev = 226.69
.04
226.65

226.65

610 D
Set 1x2 ⊕N
flush, Top bank

T = 54°
139.46 @ 9° 46' = 137.44
139.61 @ 10° 08' = 137.43 = 137.43
6.44 @ Lev

= 6.44
143.87
.03
143.84

143.84

Cont Top Pg. 213

X

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of LIBERTY CYN. RD.
Map No.	JN 2095.90 Tape 164 Std 84 °F
Office Work	Surveyed by R.C. Bowers
Checked	Notes RCB Date 11/64
Date	Indexed C. J. GALLI

F. B. 2326 PG. 213

SEC. 1
T. 1 S.
R. 18 W.

Cont. from Bot. Pg. 212



Cont. Top Pg 214

Cont. Lt. Pg. 217

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2326 PG. 214

Cont. from Bot. Pg 213

Sec. 1
T. 1 S.
R. 18 W.

LIBERTY

215.15
~~214.97~~
3' offset

CYN.

611 A1
Set 1X2 ⊕N
flush

℄

Line

273.18

℄

611 B1
Set 1X2 ⊕N
flush on
Top bank

611 B
Set 1X2 ⊕N
flush
Top bank

3.00

T= 74°
274.20 @ 4° 53' = 273.20 = 273.20
274.32 @ 5° 10' = 273.21 .02
273.18

594.98

T= 78°
Lev = 595.00
.02
594.98

℄

Cont. Top Pg. 215

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Liberty Cyn. Rd.
JN 009.5.90 Tape 164 Std. 84 °F
Surveyed by R. C. Bowers
Notes RCB Date 11/64
Indexed J. GALLI

F. B. 2326 PG. 215

Sec. 1
T. 1 S.
R. 18 W.

Cont. from Bot. Pg. 214

LIBERTY CYN. RD.

① 164° 59' 00"
③ 299° 56' 90"
⑥ 269° 55' 00"
164° 59' 10"

⑤ 90° 00' 00"
④ 360° 00' 00"
90° 00' 00"

594.98

164° 59' 10"

60.76

30.30

90° 00'

R.P.P.I.
Set 1" I.P. (conc. plug
& C.E. Tag, Dn. 10'

R.P.P.I.
Set 1" I.P. conc. plug
& C.E. Tag, Dn 18'
at edge of bank

P.I. 612
Set 1" I.P. Conc. plug
& C.E. Tag, flush at
the base of 5' Tree.
Rec. angle & dist. from
the Int. of Mulholland Hwy
per G-122-2

T = 64°
Lev. = 167.98
.02
167.96

T = 78°
Lev. = 30.30

T = 78°
Lev. = 60.76

167.96

Cont. Lt. Pg. 216

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61


W.S. 90, C-4
F. B. 2326 PG. 216
Cont. Bot. Pg. 217
T=62°
Lev = 119.35
.02
119.33
T=62°
Lev. = 38.72
.01
38.71
Fd. L&T. No record (on Curb)
Set 1X12 GN flush
Fd L&T. No record (on Curb)
W. Alley
BRIDGE
E. Alley
125.42
67.20
65.38
70.64
47.76
Set N&T in BP #1143 SAE up 24"
LIBERTY CYN. RD.
Cont. from Bot. Pg. 215
167.96
119.33
38.71
612 A Set 1X12 GN flush
612 B Set 1X12 GN flush Top Cut bank
82° 21' 03"
Int. Set Lg. Bt. sq. w/ T. Rec. dist from P.L. to East per G-122-2
101.21
① 82° 21' 00"
④ 329° 24' 20"
⑥ 129° 06' 30"
82° 21' 03"
T=58°
Lev = 763.33
.13
762.90
E.C.
Set nail by Int. of four Sq. Hd & T. cross ties - No record fd. for line
T=62°
Lev = 65.39
.01
65.38
T=58°
Lev = 39.20
.01
39.19
762.90
Cont. from Bot. Pg. 220
T=62°
Lev = 101.22
.01
101.21
90° 34' 10"
MULHOLLAND HWY
℄
27+68.80 from North Int.
Set Sq. Hd. & T. flush by Int.
P. LINE
547.26
39.19
B.C. Fd. Nail, flush checked by using 4 Sq. Hd. & T. Cross ties No record
① 90° 34' 10"
④ 362° 16' 40"
⑥ 183° 25' 00"
90° 34' 10"
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 90, C-4

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of Liberty Cyn. Rd.
JN 0085.90 Tape 164 Std. 84 °F
Surveyed by E.C. Bowers
Notes RCB Date 11/64
Indexed C. J. GALLI

F. B. 2326 PG. 217



End of Survey

Int. Rd. / I.P., Conc. plug & Copper wire, Dn 12" per F.B. 2326-198

LAS VIRGENES CYN. RD

127.47 F.B. 2326-122.98

MUL HOLLAND

Fd Sm. Bt. spk & W Dn. 2" FB 2326-197 RDFB 490-32

95.95

HWY.

T = 66°
Lev = 95.96
.01
95.95

T = 64°
Lev = 132.61
.02
132.59

T = 62°
130.54 @ 9°48' = = 128.64
130.42 @ 5°28' = .02
128.62

Line Control Pt. Set Sq. Hd. CT, flush Rec. dist from Int. of Las Virgenes Cyn. Rd. This pt. used to Control line From P.I. 610 to P.I. 611 per G-122-2

Control Line per G-122-2

Cont. Bef. Pt. Pg. 213

132.59 ℄

Rerun
① 147° 07' 10"
④ 228° 28' 40"
⑥ 162° 42' 50"
147° 07' 08"

POST "A"
Fd 1" I.P. Conc. plug & Copper wire, Dn 8" per F.B. 1557-115 RDFB 490-32 FB 2326-197

FB 2326-197

0.08

147° 07

Int. Nothing set

0.03

0.02

0.02

P.I.
Fd 3/4" I.P. cut spk. & W in Ctr., Dn 12" F.B. 2326-197

128.62

① 147° 07' 20"
④ 228° 29' 00"
⑥ 162° 43' 50"
147° 07' 18"

① 91° 05' 40"
④ 364° 22' 50"
⑥ 186° 34' 00"
91° 05' 40"

Rerun
① 91° 05' 50"
④ 364° 23' 10"
⑥ 186° 34' 40"
91° 05' 47"

Cont from Top Pg. 216

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 2-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F.B. 2326 PG 218

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Liberty Cyn. Rd.
JN 009530 Tape 164 Std 89 °F
Surveyed by RC Bowers
Notes RCB Date 12/64
Indexed C. J. GALLI

F. B. 2326 Pg. 219

Cont. from Bot. Pg. 218



603.68

6+03.68
L-2
Set 1x2 & N
flush

225.37

T = 66°
Lev. = 225.40
.03
225.37

T = 60°
195.43 @ 12° 45' = 190.61
195.52 @ 12° 51' = 190.62 = 190.61
.03
190.58

LIBERTY CYN. RD. — P. LINE

8+29.05
L-3
Set 1x2 & N,
flush
Toe. Slope

190.58

T = 50°
76.72 @ 9° 52' = 75.59
76.64 @ 9° 29' = 75.59 + 75.59
.02
75.57

10+19.63
L-4
Set 1x2 & N.
flush
Side Hill

75.57

T = 60°
237.11 @ 3° 20' = = 236.71
237.05 @ 3° 09' = = .05
236.66

10+95.20
L-5
Set 1x2 & N
flush
Top Spur

236.66

Cont. Top Pg. 220

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE # 310 3-61

F. B. 2326 PG. 220

Cont. from Bot. Pg. 219

① 158° 57' 30"
④ 275° 49' 40"
② 233° 44' 50"
158° 57' 28" ✓

236.66

158° 57' 28"

13+31.86
L-6
Set 1X2 ℄N, flush
Top Spur

LIBERTY CYN. RD.

314.25

T=60°
298.15 @ E 22' = 296.31
298.03 @ E 11' = 297.80
18.00 @ Lev = 18.00
314.31
.06
314.25

16+46.11
L-7
Set 1X2 ℄N, flush
So. Edge Edison Road

P-LINE

575.43

T=60°
299.69 @ 3°17' = 299.20
299.59 @ 2°55' = 276.32
276.32 @ Lev = 575.52
.09
575.43

22+21.54
L-8
Set 1X2 ℄N, flush
in field

547.26

T=60°
Lev = 547.35
.09
547.26

Cont. Bot. Lt. Pg. 216

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2326 Pg. 22

Profile No. ____ Notes Red ____ Date ____ Plotted ____ Date ____ Job No. 0095.90 Division No. ____
X-Sec. No. ____ Notes Chkd. ____ Date ____ Checked ____ Date ____ Survey of LIBERTY CYN. RD.
Survey by R. SMITH Notes JAN Date 12-21-64
Map No. ____ Indexed G. J. GALLI Date ____

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.

LIBERTY CYN. ROAD

~ PROFILE ~

ON LINE CHANGE

FROM INTERSECTION ON MULHOLLAND HWY NORTH TO INTERSECTION WITH 60 ft. OFFSET LINE NEAR P.I. 610 ON ℄ LINE

J.N. 0095.90

DEC. 1964

REF.
F.B. 2326

PARTY
ATKINSON
DUERBECK
BARNETT
SHANNON

76-1298 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2226 Pg. 222 | Job No. 02252 | Division No. | Notes Red | Plotted | Profile
Survey of | Date | Date | No. | X-Sec.
Survey by [illegible] Notes | Notes Chkd. | Checked | No.
Indexed E. J. GALLI | Date | Date | Date

STATION	B.S.	H.I.	F.S.	ELEV.		
BM 57-16				58 [illegible]	BM 57-16 ELV. 58 [illegible] AT LOS VIRGINES Rd & MULHOLLAND [illegible]	
	2 [illegible]	[illegible]	[illegible]		LOS VIRGINES Rd. & CO. BRDR. ON [illegible]	
TP			[illegible]	[illegible] 120	Mon. IP & well on S. [illegible]	
	3 [illegible]	[illegible] 388			[illegible]	
[illegible]			[illegible]	[illegible]	[illegible] ELV =	Fd. 6" mound
	[illegible]	[illegible] 372			CORR. Mon. [illegible]	
TP				[illegible]		
	[illegible]	[illegible]				
TP				[illegible]		
	[illegible]	[illegible] 397				
27+68.80 INT.			[illegible]	[illegible]	INT. [illegible]	
	[illegible]	[illegible]			[illegible]	Pg. 216
TP			[illegible]	[illegible]		
22+21.54	[illegible]	[illegible]				
[illegible]			2 [illegible]	[illegible]	[illegible]	Pg. 220
		[illegible] 903				
TP			[illegible]	[illegible]		
	[illegible]	[illegible]				
TP			[illegible]	[illegible]		
	[illegible]	[illegible]				
16+96.11 [illegible]			[illegible]	620	[illegible]	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 22926 Division No. ____
No. ____ Date ____ Date ____ Survey of [illegible] Date [illegible]
X-Sec. Notes Chkd. ____ Checked ____ Survey by [illegible] Notes [illegible] Date [illegible]
No. ____ Date ____ Date ____ Map No. ____ Indexed L. J. GA. Date ____

F.B. 23226 Pg. 223

STATION	B. S.	H. I.	F. S.	ELEV.		
L-7				630.41	L-7	
	11.341	641.752				
T.P.			2.509	639.243		
	3.582	644.825				
T.P.			6.[illegible]	644.[illegible]		
	11.950	658.913				
T.P.			1.271	657.642		
	3.580	661.222				
13+31.86 L-6			6.297	654.925	L-6 fd. [illegible] low spur per. pg 220	
	12.317	674.242				
T.P.			1.487	672.755		
	[illegible]	[illegible] 301				
10+95.20 L-5			2.[illegible]	[illegible] 309	L-5 fd. [illegible]	
	0.391	675.260				
T.P.			11.928	663.332		
	0.490	663.822				
10+19.63 L-4			1.392	662.430	L-4 fd. [illegible] per. pg 220	
	0.726	663.156				
T.P.			1.[illegible]	661.[illegible]		
	0.050	651.824				
X			[illegible]	640.181		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

F.B. 2326 Pg. 224 Job No. 2260 Division No. Notes Red Plotted Profile
Survey of LIBERTY CANYON RD Date 12-21-64 Date No. X-Sec.
Survey by R.C. BOWERS Notes SHT Notes Chkd. Checked No.
Indexed C. J. GALLO Date Date Date

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		600				
8+29.05						
			10			
6+03.68						
			4			
0+00						
					P. 211 & 218	
		564				

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 29[illegible] Division No.____
No.____ X-Sec. Notes Chkd.____ Date____ Checked____ Date____ Survey of LOS ANGELES COUNTY Survey by [illegible] Notes [illegible] Date 12-31-64
No.____ Date____ Date____ Map No.____ Indexed G. J. GALLI Date____

F.B. 2326 Pg. 225

STATION	B. S.	H. I.	F. S.	ELEV.		
	0 101	622.059		621.958		
T.P.	0 761	622.764	12 .053	622.013		
T.P.	3 [illegible]	630.648	1 .116	629.532		
[illegible]	[illegible]	[illegible]	1.690	618.958		
[illegible]	[illegible]	619.075	[illegible]	[illegible]		
T.P.	3 703	609.[illegible]	12 .233	608.842		
[illegible]	[illegible]	[illegible]	1 .001	608.[illegible]		
	9 232	605.801	[illegible]	[illegible]		
T.P.	[illegible]	[illegible]	0 .576	605.225		
	8 765	613.770	[illegible]	[illegible]		
T.P.	[illegible]	[illegible]	1 .001	612.[illegible]		
	11 286	621.185	[illegible]	[illegible]		
BM 57-17	[illegible]	[illegible]	0 .933	620.[illegible]	B.M. 57-17 ELV = 620.336 f/a county Engrs. mon. Flush w. surface in a wall protected by C.I. cover mark, County Engrs mon. At entrance To WHITE OAK RANCH on Los Virgenes Road. See pg. 173-171	

F. B. 2326 Pg. 226 Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by	Survey of Liberty Cyn. Rd.
Map No.	JN 0095.90 Tape Std °F
Office Work	Surveyed by R.C. Bowers
Checked	Notes RCB Date 12/64
Date	Indexed R. J. GAULT

F. B. 2326 PG. 227

LIBERTY CYN. ROAD

LOCATION of TREES IN THE PROXIMITY OF P.O.T.'S AND P.I.'S ALONG THE CENTER-LINE OF LIBERTY CYN. RD. FROM P.I. #606 South to P.I. # 610

JN. 0095.90

DEC. 1964

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Ref.	PARTY
F.B. 2326	Bowers Morrison Duerbeck Barnett Almanzan

76F3095 CE # 310 3-61

F. B. 2326 Pg. 228



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Liberty Cyn. Rd.
Map No.	JN 0095.90 Tape Std °F
Office Work	Surveyed by EC Bowers
Checked	Notes ECB Date 12/64
Date	Indexed C. J. GALLI

F. B. 2326 PG. 229

606 D1
Fd 1X2 & N, fl.
Pg. 207

50' Offset Line

40'

26'

74" Oak Tree

20" Pine Tree

50'

18" Oak Tree

87½

50'

38" Oak Tree

36'

74'

50' Offset Line

46" Oak Tree

15'

51'

23'

608,
Fd 1X2 & N
flush
Pg. 208

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 8-61

F. B. 2326 Pg. 230



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Liberty Gyn. Rd
Map No.	JN 095.90 Tape Std °F
Office Work	Surveyed by R.C. Bowers
Checked	Notes RCB Date 12/64
Date	Indexed C. J. GALLI

F. B. 2326 PG. 231



38" Oak Tree

74.5'

60.0' Ext.

24.5'

6098,
Fd 1x2 4N, fl.
Pg. 211

55" Oak Tree

635 Line

80°

24" Oak Tree

P.I. 610
Fd 1" I.P., Conc.
Plug & C.E. 749
Pg. 211

17.4'

E

7°

610 A
Fd 1x2 4N, fl.
Pg. 212

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2324 Pg. 232

Notes Ck'd by	Survey of DRIVER AVE	F. B. 2326 PG. 233
Map No.	JN 0096.30 Tape Std °F	
Office Work	Surveyed by A C Guizado	
Checked	Notes ACG Date 3/65	
Date	Indexed C. J. GALL[illegible] 2-3-65	

JOB NO 0096.30
DRIVER AVE
AERIAL MAP PROFILE
CHECK

FB2326

Guizado AC
Newman Wm
OHASHI T
VALDEZ CG

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 2-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2326 Pg. 234

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

STATION	HI	ROD	SLOPE DIST.	VERT. ANGLE	VERT. DIST	HORIZ. DIST	ELEV.
R-4 ⊼	4.95						993.90
1+00		4.95	100.1	-2°35'	-4.51	100.0	989.39
" ⊼	4.60						
2+00		4.60	101.0	-8°08'	-14.29	100.00	975.10
" ⊼	4.80						
2+73 5 BTM OF DRAIN		4.80	80.1	-23°21'	-31.73	73.5	943.37
3+15.6 TOP OF SPUR		4.80	117.5	-10°13'	-20.83	115.6	954.27
3+53 3 BTM. OF DRAIN		4.80	156.0	-10°43'	-29.01	153.3	946.09
4+50 6		4.80	250.6	+0°17'	+1.24	250.6	976.34
" ⊼	4.80						
5+42 7 BTM OF DRAIN		4.80	95.2	-14°06'	-23.18	92.3	953.16
6+06 2 TOP OF SPUR		4.80	156.6	-6°32'	-17.82	155.6	958.52
6+21 5		4.80	171.1	-6°24'	-19.14	170.6	957.20
" ⊼	4.60						
7+32 2 BTM. OF DRAIN		4.60	114.0	-13°15'	-26.14	111.0	931.06
7+90°		4.60	169.5	+5°20'	+15.76	168.8	972.96
9+00°		4.60	289.4	+15°34'	+77.67	278.8	1034.87
9+24° S-16 (923.21 calc)		4.60	24.3 LEV	+15°47'	+85.67	~~24.3~~ (303.1) LEV	1042.87 (1043.35 REC)

Sta R-4 To Sta S-16

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of DRIVER AVE
JN 00896-20 Tape Std. °F
Surveyed by AC GUZZADO Date 3/16/61
Notes ACG
Indexed E. J. GALLI

F. B. 2326 PG. 235

F.B. 2326 PG 236

STATION	HI	ROD	SLOPE DIST.	VERT. ANGLE	VERT. DIST.	HORIZ. DIST	ELEV.	
5-16 ⊼	5.10						1043.35	
0+60.1		5.10	62.3	-15°06	-16.22	60.1	1027.13	Slope
" ⊼	4.65							
1+00±		4.65	48.0	-33°48'	-26.71	39.9	1000.42	"
1+91.2		4.65	155.2	-32°30'	-83.39	130.9	943.74	Btm. of Draw
2+50.4		4.65	194.3	-11°36'	-39.06	190.3	988.07	Slope
3+16.3		4.65	256.2	LEVEL	000	256.2	1027.13	Top spur
3+60±		4.65	300.0	+1°14'	+6.46	299.9	1033.59	
3+60± ⊼	4.60							
4+00		4.60	40.0	-0°17'	-0.20	40.0	1033.39	
5+00		4.60	140.0	+1°00'	+2.44	140.0	1036.03	Btm. of Draw
6+00		4.60	249.0	+15°30'	+66.56	240.0	1100.15	Slope
6+43.1		4.60	300.0	+19°18'	+99.14	283.1	1132.73	"
6+43.1 ⊼	4.20							
7+00°		4.20	70.9	+36°35'	+42.23	56.9	1174.96	
7+48.2 ⊼		4.20	128.6	+35°13'	+74.18	105.1	1206.91	Top spur
7+65.3		0.60	17.4	LEVEL	+ 3.60	17.4	1210.51	
S-13							(1209.71 REC)	
(764.94 calc)								

Sta S-16 to Sta S-13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

STATION	HI	ROD	SLOPE DIST	VERT. ANGLE	VERT. DIST	HORIZ. DIST	ELEV.
LV13 ⊼	4.46						811.64 REC.
1+00		4.46	100.0	-1°15'	+2.18	100.0	809.46
2+00		4.46	200.0	+1°00'	+3.49	200.0	815.13
3+00		4.46	300.8	+4°14'	+22.21	300.0	833.85
4+79.4		4.46		+8°27'	+71.22	479.4	882.86
" ⊼	4.67		185.7	-15°00'		179.4	
4+00		4.67	81.6	-13°16'	-18.72	79.4	864.14
5+00		4.67	20.8	+7°14'	+2.74	20.6	885.60
6+00		4.67	121.4	+6°40'	+14.10	120.6	896.96
7+37.3		4.67	265.0	+13°20'	+61.10	257.9	943.96
7+37.3 ⊼	4.30						
8+00		4.30	71.6	+28°56'	+34.66	62.7	978.62
8+44		4.30	121.0	+28°07'	+57.01	106.7	1000.97
8+44 ⊼	4.53						
9+00		4.53	58.4	+16°30	+16.59	56.0	1017.56
(9+72.2 M-Z, 9+72 Calc		4.53	131.6	+13°03'	+29.72	128.2	1030.69 (1030.78 REC)

STA LV13 to STA M-Z

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of KRUEGER AUTO
JN 2096.20 Tape Std. °F
Surveyed by KG GUIDARA
Notes
Indexed F. B. GALLI Date 3/1961

F. B. 2326 PG. 237

X

F.B. 2326 PG 238

STATION	HI	ROD	SLOPE DIST	VERT. ANGLE	VERT. DIST	HORIZ. DIST	ELEV.	
R-2 ↑	4.75						865.68	1" IP
1+00		4.75	101.1	− 8°31'	-14.38	100.0	850.70	
1+92.4		4.75	194.3	− 8°00'	-27.04	192.4	838.64	℄ DRAW
2+00		4.75	201.3	− 6°32'	-22.90	200.0	842.78	
3+00		4.75	300.1	− 1°34'	− 8.20	300.0	857.48	
3+00 ↑	4.75							
4+00		4.75	100.8	+7°10'	+ 12.57	100.0	870.05	
5+00		4.75	200.9	+5°28'	+ 19.14	200.0	876.62	
6+00		4.75	304.0	+9°17'	+ 49.04	300.0	906.52	
6+79.6		4.75		+12°32'	+ 34.38	379.6	941.86	
6+79.6 ↑	4.87		86.25	-22°40'		− 79.6		
7+11.6		4.87	33.5	+16°57'	+ 9.75	+ 32.0	951.61	
7+11.6 ↑	4.50							
7+99.8		4.50	88.8	− 6°55'	- 10.70	88.2	940.91	BTM. DRAW
9+00		4.50	191.5	+10°16	+ 34.12	188.4	985.73	
10+00		4.50	304.6	+18°45	+ 97.90	288.4	1049.51	
10+00 ↑	5.00							
10+57.2		5.00	59.4	+12°54	+ 13.26	57.9	1062.77	1" IP
(M-1 10+58.2 calc)							(1063.23 REC)	

STA. R-2 to STA. M-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by A. E. DART
Map No.
Office Work
Checked
Date

Survey of TAPIA PARK
IN 005469 Tape 160 Std 24 °F
Surveyed by J. TERRANOVA
Notes J.T. Date 5-10-69
Indexed C. L. GALLI JN 12 69

F.B. 2326 Pg. 239

TAPIA PARK

WLY. PROPERTY LINE ADJ. TO SALVATION ARMY PROP. FOR 400 FT OF FENCE CONSTRUCTION DEP. PARKS DEPT.

J.N. 005469

JUNE 1969

REF:
FB. 2326
FB. 765

PARTY
J. TERRANOVA
C. YASUI
E. IHASUDA
W. NIETO

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7SP309A CT #310 8-68

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.



Notes Ck'd by A. E. DART	Survey of TARZANA PACK	F.B. 2326 Pg. 241
Map No.	JN 005969 Tape 160 Std 82 °F	
Office Work	Surveyed by J. TERCANIAN	
Checked	Notes J.T. Date 6-10-69	
Date	Indexed C. J. GALLI JUL 1 2 '69	

B.T. PG. 242

W.S. 21 B-1

SECTION 13
T1S. R18W.

129.15(R)

FD. 1" I.P. W/ CONC. PL.
S.C.E. TAG 1' RUSTY
ON CONSPUR
F.B. 2326-92
1+15.54

SECTION 18
T1S. R17W.

EXISTING ROAD RW

SET (1½") EHL ON 15"OO FROM GATE POST ALONG EXIST. RW FOR PARKS DEPT. D+00

30.03 D 0-00 T 72 = 50.03 T

BT. 52(R) TRUE SECTION LINE

INT. SEC. LINE AND R/W DOROTHY DR.
FD 3/4" I.P. W/ WOOD PLUG EHL REPLACED W/ CONC. PL. S.C.E. TAG
AB. 765-11
0+50.63

50.63

15.00

22.61 (R&M)

GATE POST TO SALVATION ARMY CAMP

DOROTHY DRIVE

W-3 - P.O.ST.
FD 1" I.P. W/ CONC. PLUG
S.C.E. TAG 1' DN. 12"
F.B. 2326-92
265-11

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ADD LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

Terasoft ICE #310 B-66

F.B. 2326 Pg 242

10.67 @ 0-00 T=76 = 10.67

FD. 3/4 I.P. WOOD PLUG F.B. 2326-84 F.B. 765-12

SET (1x2) E.W.L. @ 579.4:00, FOR END OF FENCE PER RACKS D.C.P.T.

T= 76

46.96 @ 14-29 = 45.87 - 45.87
46.71 @ 13+10 = 45.48 -
0.63 @ 0-00 = 0.63 - 0.63
46.10

PROD. COR. - SEARCHED FOR 1" I.P. W/ CONC. PLUG & L.S. E TAG PER F.B. 2326-84 (NOTHING FD.) SET (1x2) 2 W.L. @ REC'D. 2.67' (109.21) N62°E'TH FROM 1/2-1/4 COR. 3+53.96

T= 76

113.10 @ 16:39 = 108.35 - 108.34
113.22 @ 16:39 = 108.34
0.87 @ 0+00 = 0.87 - 0.87
107.21

PROPOSED P/L PER F.B. 2326-84

46.10 LINE

10.67 T

SECTION 18 T1S R17W

WS 91 B-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

DO NOT extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

SCALE 1" = 400'

T 1 S
SEC 13
SEC 18
R 17W
1/4 1/4 COR
R.E. 2177

1/4-1/4 COR. FD. STD G.S. MON. NKD. AS SHOWN F.B. 2326-92 F.B. 2326-84 F.B. 765-12 C.S.B. 1439-1 2+44.69

TRUE 129.15(R) 109.21

FD. PS 244

Notes Ck'd by R. MANOR	Survey of ANIMAL CONTROL CENTER NO. 7
Map No.	JN 0056.07 Tape 12 Std 84 °F
Office Work	Surveyed by R. C. DALE
Checked	Notes R. C. DALE Date 5-22-72
Date	Indexed L. M. PALMERI JUN 16 '72

F. B. 2326 PG. 243

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

ANIMAL CONTROL CENTER NO. 7

JN 0056.07

MAY 22 1972

PROPERTY LINE SURVEY & MONUMENTATION OF ANIMAL CONTROL CENTER NO 7. TAPIA PARK AREA

REF

FB 2326-96-108
FB 2605-8,9
RDRB 1407-112
OSB 36B

PARTY

R.C. DALE
C.W. ADAMS
W.J. DIETZ
F.M. DERBY

76F309S CE#310 3-68

F. B. 2326 PG. 244

INDEX



ANIMAL CONTROL
CENTER NOT



MALIBU CYN ROAD

TAPIA PARK

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. MANOR
Map No.
Office Work
Checked
Date

Survey of ANIMAL CONTROL CENTER #7
JN 005607 Tape 12 Std 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 5-29-72
Indexed T. M. PALMERI JUN 16 '72

F. B. 2326 PG. 245

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

129-057, C-1#B-1

W S 94 B-1

CONT LEFT PG 253

CONT RIGHT PG 246

124.715 @ Lev T=64°-126.695

126.695

27"

30.89

SET 1X2 @ T EDGE RD.

30°

32.44

FD SPK W&T DN 2" PER FB 2326-108

PI #92 FD SPK W&T PER FB 2326-108 FB 2605-9

EXIST. ℄

110.0'

57.61

MALIBU

CYN.

RD.

57.18

22.39

.07

32.44 @ Lev T=64°-32.44

FD 1" LR CONC PLUG & LA CO. ENG TAG (IN A CONC MONUMENT) PER FB 2326-99, 108

57.62 @ Lev T=64°-57.61

57.19 @ Lev T=64°-57.18

22.39 @ Lev T=64°-22.39

SET 1" I.P. CONC PLUG & LA CO. ENG. TAG.

2) 221-48-50
4) 83-37-40
6) 305-26-40
110°-54-27"

1/4 COR. FD STD DSBEASS CAP MON SET IN CONC. PER FB 2326-95 CSB 1939-1 FB 746-23

COUNTY SURVEYOR LA
R18W T1S
SEC 13 SEC 18
1/4 COR PE 2177

76F3095 CE#310 3-68

CONT'D BOT PG 254.

F. B. 2326 PG 246

196.93 @ LEV T=70° = 196.91 ✓

PROP COR #2 SET SPK WET THIS POINT FALLS ON CENTERLINE STRIPE OF EXIST PIUMA ROAD

196.91 ✓

PROPOSED PIUMA ROAD (CSB 36-0)

WSW 8-1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

COUNTY ENGINEER PROP No. 3 RE. 7078

PROP COR #3 SET STUCCE BRASS CAP MON. MKD AS SHOWN

126.69 ✓

CONT'D EAST PG 245

SET 1"x2" T-2

10.00

B.C. SET 2" I.P. CONC PLUG & TAG CO. ENGR FLUSH

50.00

45.28

Q 33°55'58"

33°

10.00

PG 247

25.52 ✓

76.13

57.61 ✓

CONT'D EAST PG 245

SET SQ HD SPK & TN

INT. SET SPK WET FLUSH

MALIBU CYN ROAD

76.14 @ LEV T.64° = 76.13 ✓

25.52 @ LEV T.64° = 25.52 ✓

45.28 @ LEV T=70° = 45.28

Notes Ck'd by R. MANOR
Map No.
Office Work
Checked
Date

Survey of ANIMAL CONTROL CENTER #7
JN 0056.07 Tape 12 Std 64 °F
Surveyed by R. G. DALE
Notes R. G. DALE Date 5-26-72
Indexed T. M. PALMERI JUN 16 '72

F. B. 2326 PG. 247

CONT BOT
PG 248

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

39.92 @ Elev TE 64° = 39.92
49.08 @ Elev TE 64° = 49.08
50.01 @ Elev TE 64° = 50.00

S 81° 26' 02" E 196.03

.03

49.08 TE

50.00

90°

25.52

CYN ROAD

MALIBU

COUNTY ENGINEER
PROP. COR.
NO. 4
R.E. 7078

PROP COR 4
SET STD CE BRASS
CAP MON. MKD
AS SHOWN

SET SQ HD SPK
& T

FD SPK WSHR
FD 2326-108
BC 2609-8

CONT BOT
PG 249

F. B. 2326 PG 248

96.39 @ Lev T = 86° = 96.39

96.39

FD L&T
TOP ROCK WALL
PER FB 2326-107
.03 W OF LINE

24.04 @ Lev T = 86° = 24.04

24.04

PI 33
FD 2" IP CONC
PLUG & LA CO ENG
TAG DN 1.8' PER
FB 2326-107
FD 2305-B

7.00

9.77

FD L&T
TOP ROCK WALL
PER FB 2326-107

FD L&T
TOP ROCK WALL
PER FB 2326-107

02"

47'

140

2) 281 - 34 - 10

4) 203 - 08 - 10

6) 129 - 42 - 10

140° - 47' - 02"

391.92

CONT TOP
PG #247

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. MANOR	Survey of ANIMAL CONTROL CENTER #7
Map No.	JN 00536.07 Tape 12 Std. 82 °F
Office Work	Surveyed by R. C. DALE
Checked	Notes R. C. DALE Date 6-1-72
Date	Indexed T. M. PALMERI JUN 16 '72

F. B. 2326 PG. 249

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

FD SPK W&T
PER FB 2326-103

322.84@Lev T=68=322.81 ✓

271.48@Lev T=68=271.45 ✓

FD SPK W&T
PER FB 2326-106
FB 2605-8

2) 143-22-40
4) 286-45-30
6) 70-08-10
71°-41-22" ✓

.10

EX. C.L.
322.81

MALIBU CYN RD

30.00

FD 3/4" I.P. PLUG & T. PER FB 2605-8 DN 20"

71°-41-22"

271.45

SET 1" I.P. CONC PLUG & LA CO ENGTAG DN 12"

94.69

90.83

COUNTY ENGINEER
CONTROL
PROP COR
R.E. 7078

PROP COR #5
SET STD CE BRASS CAP MON MKD AS SHOWN

PROP LINE

CONT BOTTOM #250

94.69@Lev T=80°=94.69 ✓

96.39

91.76@8°11 T=82°=90.83
91.91@8°45 T=82°=90.84
AVG= 90.83 ✓

CONT TOP PG 248

76F3095 CE#310 3-68

CONT LEFT
PG = 251

F. B. 2326 PG 250

SET 1x24T

255.35

263.61 @ 14°22' T=78°= 255.36
263.78 @ 14°31' T=78°= 255.35
AVG = 255.35

24.66

24.66 @ Lev T=78°= 24.66

2) 179-11-50

4) 358-23-40

6) 177-35-40
89°-35-57

CONT TOP
PG 253

PROP COR #6
SET STD CE. BRASS
DISC MON MKD
AS SHOWN

COUNTY ENGINEER
PROP. COR.
NO. 6
R.E. 7078

PROPERTY LINE

227.82

252.66

SET 1" I.P. CONC
PLUG & L.A. CO.
ENG TAG
FLUSH

26.38

SET 1x24T

256.40 @ 8°22' T=76°= 252.67
255.60 @ 8°41' T=76°= 252.66
AVG = 252.66

149.81

LINE

263.60 @ 30°12' T=76°= 227.81
263.18 @ 30°02' T=76°= 227.83
AVG = 227.82

SET 1" I.P. CONC
PLUG L.A.
CO. ENG TAG
FLUSH

26.38 @ Lev T=72°= 26.38

171.63 @ 29°32' T=72°= 149.32
171.18 @ 29°17' T=72°= 149.30
AVG = 149.31

189.99

PROPERTY

196.15 @ 14°23' T=74°= 189.99
196.35 @ 14°37' T=74°= 189.99
AVG = 189.99

SET 1" I.P. CONC
PLUG L.A. CO
ENG TAG
FLUSH

90.83

CONT RIGHT
PG 249

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. MANOR
Map No.
Office Work
Checked
Date

Survey of ANIMAL CONTROL CENTER #7
JN 0056-07 Tape 12 Std 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 6-5-72
Indexed T. M. PALMERI JUN 16 '72

F. B. 2326 Pg. 251

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

POINT "F"
FD 2" BRASS CAP
SET IN CONC
TOP RIDGE
PER FB 2326-102
FB 765-18, 22
FB 2242-59
CS B 1439-1

COUNTY SURVEYOR
F

CONT TOP
PG 252

255.35

SET 2" I.P.
CONC PLUG
& LACO ENG TAG
FLUSH

32.87 @ Lev T: 68° 32.87

32.87

SET 1x2 o/T

136.34

2) 180-48-00
4) 01-36-00
6) 182-24-00
90°-24-00

148.20 @ 23°03' T: 68° = 136.33
148.52 @ 23°20' T: 68° = 136.35
AVG = 136.34

FD 1" I.P. CONC PLUG
& LACO ENG TAG
TOP RIDGE
PER FB 2326-101

216.58

230.21 @ 19°48' T: 68° = 216.58
230.58 @ 20°08' T: 68° = 216.58
AVG = 216.58

CONT TOP PG #252

D6F3095 CE#310 3-68

CONT BOT PG 251

F.B. 2326 PG 252

216.68

FD 1" I.P. CONC PLUG ELA CO ENG TAG TOP SPUN PER FB 2326-101

N 89° 18' 54" E 1279.05

163.30 @ 10° 15' T=62° = 160.67 ✓
163.55 @ 10° 43' T=62° = 160.68 ✓
AVG = 160.67

133.48 @ 15° 55' T=62° = 128.55 ✓
133.88 @ 16° 10' T=62° = 128.57 ✓
AVG = 128.56 ✓

160.67

SET 1" I.P. CONC PLUG ELA CO ENG. TAG TOP SPUN

00"

36'

2) 179 - 12 - 00
4) 358 - 24 - 00
6) 177 - 36 - 00
89° 36' - 00"

128.56

89°

CONT RIGHT PG 253

1/4 SEC. LINE

140.22 ✓ 139.79 ✓

CENTER SECTION FD BTD C.S. BRASS CAP MON. SET IN CONC. PER FB 765, L 1, 25 CSB 1439-1 FB 2326-100

SET 1" I.P. CONC PLUG ELA CO. ENG. TAG TOP SPUN

COUNTY SURVEYOR T 1 S R 11 W CENTER SEC. 18 PG 277

141.30 @ 8° 22' T=80° = 139.80 ✓
141.52 @ 8° 58' T=80° = 139.79 ✓
AVG = 139.79

70.43 @ 11° 55' T=82° = 68.91 ✓
70.59 @ 12° 30' T=82° = 68.92 = 68.91 ✓
72.92 @ 12° 04' T=76° = 71.31 ✓
73.12 @ 12° 47' T=76° = 71.31 = 71.31 ✓
140.22 ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. MANOR	Survey of ANIMAL CONTROL CENTER #7
Map No.	JN 0067.07 Tape 12 Std 87 °F
Office Work	Surveyed by R. C. DALL
Checked	Notes R. C. DALL Date 6-7-72
Date	Indexed T. M. PALMERI JUN 16 '72

F. B. 2326 PG. 253

WS 91, L3-1

129-057, C-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CONT RIGHT PG 250

SET 1" I.P. CONC PLUG & LAC CO ENG TAG TOP RIDGE

252.66

53.78 @ 24°30' T=70° = 30.69 ✓
53.96 @ 25°19' T=70° = 30.70 ✓ = 30.69
62.44 @ 39°01' T=70° = 40.74 ✓
62.02 @ 28°26' T=70° = 40.75 ✓ = 40.75 ✓
71.44

121.69 @ 20°35' T=72° = 113.91 ✓
121.95 @ 20°34' T=72° = 113.92 ✓
AVG = 113.91 ✓
9.20 @ LEV T=72° = 9.20 ✓
123.11 ✓

71.44 ✓

COUNTY ENGINEER ROAD COR. NO. 1 R.E. 7078

SET STD CE BRASS CAP MON. MKD AS SHOWN ON SIDE HILL

52"

PROPOSED 36" PIUMA

123.11 ✓

ROAD

CONTLEFT PG 252

89°

CONT TOP PG 245

SET 1/2" ET EDGE ROAD

309.95 | 37.20 ✓ | 140.22

37.20 @ LEV T=76° = 37.20 ✓

233.30 @ 2°11' T=64° = 233.10 ✓
233.25 @ 1°42' T=64° = 233.12 ✓
AVG = 233.11
76.85 @ LEV T=64° = 76.84 ✓
309.95 ✓

SET 8PK W&T ON EXISTING CMA ROAD

2) 179-11-40
4) 368-23-30
6) 177.35-10 ✓
89°.35-52 ✓

76F3095 CE#310 3-68

F. B. 2326 PG 254