Ck'd by.

Survey of
IN Tape Std. °F
Surveyed by
Notes Date
Indexed

F.B. 2338 Pg.

	Job	Description
		TRANCAS CANYON RD - J.N. 0074.36
5	Cont.	"P" Line from Pac. Coast Hwy. up Trancas Cyn. to Encinal Cyn. Rd.
31	B.M.	Bench levels on "T" points up Trancas Cyn.
96	Photo Cont.	Photogrammetric control stations up Trancas Canyon from T.C. 16 to T.C. 25.
	Ties	Cadastral tie to Cor. 13/14 T1S R19W to Sta's T.C. 18 and 22/23 T.C. 24.
00	Ties	Add'l trigonometric ties to T.C. 10.
40	Photo Cont.	Add'l triang. stations & photo-grammetric control from Encinal Cyn Rd. to Mulholland Hwy. & Decker Rd.

Microfilmed March '86

Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN.
W.O. 24 Page No. St'd. 84 of
Surveyed by W. S. Cowherd
Notes W. S. C. Date 5-15-57
Indexed 9-2-57

TRANCAS CYN. RD.

P = LINE

FROM COAST HWY & TRANCAS CYN - NLY.
ALONG EAST SIDE OF TRANCAS CYN ¼ MILE
TO INTERSECTION WITH EAST ENCINAL CYN ROAD

JN-007436

FB-2338

MAY-57

Party
W. S. Cowherd
J. Terranova
W. Dake
R. Gilroy
M. Wacker
J. M. Uharriet
W. E. Newmon
W. J. Voge
R. L. Strader
M. V. Duran
R. Eller

Property of COUNTY SURVEYOR'S OFFICE, Ventura, Calif. Do not allow more than one side of this sheet to get wet.

F. B. 2738 Pg. 6

INDEX



TRANCAS CANYON

EXHIBIT "A"

SCALE: 1" = 2000'

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 S&E #247 1-56

Notes Ck'd by NJA
Map No.
Office Work
Checked
Date

Survey of Francis Cir Rd
JN Tape Std 89 °F
Surveyed by
Notes VC SC Date 5-13-57
Indexed

F 2358 Pg

Note: Any Additions or Changes as this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this Map.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Cont. Sht # 10

P.I. Fd BT Spk W&T
Per FB 1445, 171
436+85.30

P.C. 434+08.84
Fd Spk W&T Flush
Per FB 1445, 171

Fd L&T
Per FB 1319-50
FB 1445-44

15.00 .07 14.93

Fd L&T
FB 1319-50
FB 1445-44

(2) 196 41 30
(4) 33 20 50+
(1) 230 01 30
98 00 45

HWY.

P.O.T. 428+23.97
Fd Spk W&T Flush
Per F.B. 1445-171

45°

98° 30'

COAST

31.56

P-LINE

33.40

P.I. INTERSECTION = 0+00 North
COAST HWY & P-LINE
Set ship Spk W&T Flush

68.15

(2) 138 43 20
(4) 317 26 30
(1) 110 09 50
79 21 38

FB 1445-44
Pa. FB 1319-48
L&T
15.00 .01 14.99 L&T
Per FB 1319-48
FB 1445-44

E.C. 425+56.48
425+56.40
Fd Spk W&T Flush
Per FB 1445, 171

68.15 @ 0-0 T 78 = 68.15
144.07 @ 0-0 T 78 = 144.06
144.05 @ 0-0 T 78 = 144.04
33.40 @ 0-0 T 78 = 33.40
31.56 @ 0-0 T 78 = 31.56
145.56 @ 0-0 T 78 = 145.55
199.85 @ 0-0 T 78 = 199.84

144.06

144.04

O.L.D. E.C. 424+12.45
Fd L&T dn 8" N.
edge cav.
Per F.B. 1319-48

A22+
P.I. 425+68.50
Fd Spk W&T Flush
Per FB 1445, 171

Per FB 1319-48 1288 34.38 L&T FB 1319-48

Bat Pg # 11

F. B. 2838 Pg. 10

293.92 @ 10-50 T64 = 288.64
291.08 @ 0-0 T62 = 291.04
579.68

149.59 @ 0-0 T62 = 149.57

184.37 @ 10-20 T60 = 181.35 (6)

249.88 @ 0-0 T=66 = 249.85

(R) 204 18 00
102 09 00

S 89° 45' E 579.68

S 0° 57' W 149.57

S 0° 03' E 181.35

S 10° 22' E 249.85

P-5 6+14.17
Set 1x2
Side hill

P-4 4+64.60
Set 1x2
Top hill

P-3 2+83.25
Set 1x2
Side hill

P-2 0+33.40
Set spk & T
N. edge Road

100.42

102° 09' 00"

BM F-1
Set Brass Cap Mon.
pg 2" set along
side Barbwire fence

Lt side pg # 9.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made, or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJA
Map No.
Office Work
Checked
Date

Survey of Frances Cyn Rd
JN 00736 Tape 194 Std 84 °F
Surveyed by W. S. Cowherd
Notes W.S. Co. Date 5-1252
Indexed

F. B. 2338 Pg. 11

Bot Pg #12

S 04-10 W.

346.53

R=1146.18

144°

57.

BM T-2
Set Brass Cap Mon
4" in mound of rock
on South side of draw

(2) 289 54 40
144 57 20

P-9 21+36.81
Set 1x2
Top hill

102.28

20°

115.

42'

58.

P-8
Set
Flush

(2) 290 46 00
(1) 291 32 00
(16) 15k 17 50
145 22 58

687.47

P-7 18+36
Set 1x2
Side hill

662.31

53.25 @ 23-46 T64 = 48.72
299.23 @ 5-30 T64 = 297.81
346.53

102.61 @ 4-32 T68 = 102.28

180.61 @ 9-51 T66 = 177.87

P-6 11+93
Set 1x2
Side hill

579.85

236.17 @ 7-22 T 66 = 234.19
163.64 @ 0-0 T 66 = 163.62
103.55 @ 0-0 T 64 = 103.54
161.60 @ 5-01 T 64 = 160.96
662.31

Top Pg #10

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76FS098 SAE #247 1-56

Bot Pg #13

F.B. 2338 PG. 12

96.29

P-13 33+11.21
Set 1x2
Top spur

197.37

96.62 @ 4-38 T64 - 96.29

197.40 @ 0-0 T64 = 197.37

P-12 31+13.84
Set 3/4" I.P. cone plug with L.A. Co. Engr Brass Tag
Top ridge up 1"

362.17

P-11 27+51.67
Set 1x2
Side hill

268.83

N 04-10 W

149.02 @ 6-40 T64 = 147.99
220.16 @ 13-21 T64 = 214.18
362.17

P-10 24+82.84
Set 1x2
Top spur

272.48 @ 9-20 T60 = 268.83

346.53

Top Pg #11

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJA	Survey of Frances Cyn Rd
Map No.	JN 0074.36 Tape 124 Std 84 °F
~~Office Work~~	Surveyed by W.S. Gowhouse
Checked	Notes W.S.C. Date 5-29-57
Date	Indexed C. Johnson

F. B 2838 Pg. 13

TST Pg = 14

204.18 ℄

P-17 39+19.32
Set 1x2
Side hill

N 36-10 W

207.60

49.53 1x2 prod.

P-16 37+11.72
Set 1x2
Top spur

(2) 63 39 40
(4) 127 19 30
(6) 190 59 20
31 49 33

208.87

P-15 35+08.85
Set 3/4" IP copr. plug
& L.A. Co Engr. Brass Cap
Tag up 1" side hill

101.35

P-14 34+07.50
Set 1x2
Side hill

91.29

R06.28 @ 8-08 T68 = 204.18+/

209.94 @ 8-32 T68 = 207.60

R04.02 @ 6-00 T64 = 208.87

101.95 @ 6-11 T64 = 101.35

Top Pg 12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SAE #242 1-56

F.B. 2338 Pg. 14

T 70°

57.53 @ 8-45 = 57.15
87.10 @ 14-24 = 84.35
141.50

P-20 45+67.74
Set 1x2
Top spur

P-29
P.T.

134.92

(1) 88 42 30 (2) 350 19 50 (3) 861 32 20
(5) 177 35 00 (4) 340 39 30 (4) 163 04 40
(6) 266 22 20 (6) 330 59 00 (6) 64 37 00
44 23 43 175 09 50 130 46 10

BM T-3
Set Brass Cap
Man up 4" on
N side of spur

175°

180°

415.71

105.11

76° 47' 20"

N 12-45 W

(2) 153 34 40
76 47 20

P-19 41+52.03
Set 1x2
Top ridge

(2) 313 13 00
(4) 266 26 00
(6) 219 39 00
156 36 30

156°

28.53

135.23 @ 3-48 T 70 = 134.92

P-18 41+23.50
Set ¾ I.P. cut
plug & L.P.C. Engr.
Brass Tag up 1"
Top of ridge

98.05 @ 24-56 T68 = 88.90
97.50 @ 24-15 T68 = 88.99 88.89

26.97 @ 0-0 T68 = 26.97
298.82 @ 0-0 T 72 = 298.85
415.71

28.53 @ 0-0 T68 = 28.53

Top P.T. 13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RJA
Map No.
Office Work
Checked
Date

Survey of Frances Cyn. Rd.
JN 00 7% 36 Tape 124 Std 84 °F
Surveyed by W. S. Cornelius
Notes W.S.C. Date 5-24-57
Indexed C. Johnson

F. B. 2338 PG. 15

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Bot Pg = 16'

P-24 56+07.51
Set 1x2 Top spur

45.33

339.59

57"

38'

150'

P-23 52+67.98
Set 1x2
Top spur

337.96

45.33 @ 0-0 T 00 = 45.33

P-22 49+29.96
Set 1x2
Top spur

63.59 @ 14-44 T 10 = 61.49
63.83 @ 15-33 T 10 = 61.48
281.57 @ 8-59 T 12 = 278.10
339.59

61.49

N 51-00 E

339.30

P-21 47+08.66
Set 1x2
Side Hill

42"

29'

165'

(2)	330	59	30
(4)	301	59	00
(6)	272	58	10
	165	29	42

154.92

52.20 @ 14-50 T 10 = 50.46
288.24 @ 4-02 T 10 = 287.50
337.96

227.40 @ 1-30 T 12 = 227.30

Top Pg = 14

76F3088 SAE #247 1-56


B. B. 2338 Pg. 16
278.92 C 3-46 T 70 = 278.29
278.29
P-27 Set IXR
62+11.81
T 70
231.66 C 11-32 = 226.96
231.56 C 11-24 = 226.97
T 226.96
31.80 C 0-0 T 70 = 31.80
50.93 C 2-0 T 70 = 50.93
82.73
38.94 C 0-0 T 68 = 38.94
31.28 C 0-0 T 68 = 31.23
70.17
(2) 102 26 40
(4) 804 53 20
(6) 307 20 00
51 18 20
(2) 257 33 30
(4) 155 07 00
(6) 52 40 20
128 46 43
(2) 59 35 00
(4) 119 09 50
(6) 178 44 40
29 48 27
(2) 268 08 20
(4) 176 16 40
(6) 84 85 00
134 04 10
(2) 42 51 50
(4) 85 43 40
(6) 108 35 20
81 25 53
516.51
81°25'53"
Mkr 15+95.53
For FB 1813-64
13 20"
51
128°
46
54.90
TRANSIT
Set P-64
FB 1813
P-26
Intersect
12 cm. R/LINE
Transit LINE
Rancho Topanga
Malibu Segment
Set 95.30
379.86
Base
29°47'27"
29°48'47"
29°47'27"
82.73
14+70.47
Fd 1X2's
For FB 1813-64
13+87.70
226.96
LINE
38
45"
42.46
RANCHO TOPANGA MALIBU
LINE
Set IXR
P25 56+52.84
Set IXR
Top Wall
(2) 262 23 10
(4) 164 46 20
(6) 67 09 50
131 11 38½
55.79 C 10-12 T 68 = 54.90
42.46 C 0-0 T 68 = 42.46
45.33
Top FB "15
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJA	Survey of Tracer Co Rd
Map No.	JN 0079.36 Tape 100 Std 89 °F
Office Work	Surveyed by W. S. Overhead
Checked	Notes W.S.C. Date 6-26-57
Date	Indexed L. C. Johnson

F. B. 2858 Pg. 17

Bot. Rt side Pt #18

(2) 229 16 20
111 38 10

P#31 TR+16.82
Set 1x2
Side hill

143.3

B.M. T-4
Set Brass Cap Mon
4" in mound of rocks
S. side of ridge

P#30 70+
Set 1x2
Side hill

33.81 @ 28-46 T 80 = 29.64
33.46 @ 27-48 T 80 = 29.63 } 29.64

168.51 @ 17-37 T 74 = 160.30
168.74 @ 18-11 T 74 = 160.30 } 160.30

214.83 @ 20-36 T 74 = 201.08
215.00 @ 20-43 T 74 = 201.09 } 201.08

290.90 @ 16-52 T 70 = 278.36
290.72 @ 16-47 T 70 = 278.38 } 278.37
111.87 @ 39-25 T 74 = 86.48
111.37 @ 39-26 T 74 = 86.42 } 86.42
364.79

P#29 [illegible]
Set 1" IP [illegible]
[illegible]

see P9

65°

P#R9

To

P#28 64+90.
Set 1x2
Top Spike

(2) 130 28 10
(4) 260 46 20
16 31 09 42
63 11 37 1

Top Pt #16

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend liberties of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

2CF 3068 SAE 8247 1-58



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJA
Map No.
Office Work
Checked
Date

Survey of Frances Cyn Rd
JN 0074.36 Tape 124 Std. 84 °F
Surveyed by W. S. Cowhard
Notes W.S.C. Date 7-15-57
Indexed C. Johnson

F. B. 2338 Pg. 19

T80 P# 80

194.09 @ 2-19 T44 = 193.92

193.92

(2) 351 17 00
(4) 348 34 20
(6) 333 51 40 +
175 38 37

38.

P#37 84+70.99
Set Lead & nail
in large rock
Top Spur

175.

206.53

P#36 82+64.46
Set 1x2
Top Spur

T80
206.95 @ 3-36 = 206.53

202.94

52"

00

P#35 80+61.92
Set 1x2
Top hub

T80
204.78 @ 7-40 = 202.94

4° 00'

Plug

(2) 284 02 00
(4) 208 03 50
(6) 132 05 40
142 00 57

Top P# 18

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 1-56

F. B. 2338 Pg. 20

Bot Pg # 21



2	324	40	20
4	289	21	00
6	254	01	30
	162	20	15

2	287	55	00
4	215	49	20
6	143	44	00
	143	37	20

122.32 @ 2-34 T 68 = 122.19

173.88 @ 2-35 T 84 = 173.70

67.03 @ 4-00 T 74 = 66.87

2	282	58	40
4	205	56	40
6	128	55	00
	141	29	10

Top Pg # 19

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJM
Map No.
Office Work
Checked
Date

Survey of Trancas Cyn Rd
JN 0074.36 Tape 104 Std 84 °F
Surveyed by W. S. Co. Engineers
Notes W. S. C. Date 7-15-57
Indexed C. Johnson

F. B. 2338 Pg. 21

Bot. Pg # 22

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

(2) 338 44 10
(4) 317 28 10
(6) 296 12 20
169 28 03

217.84

R 2200' 03"

19° 16' 89"

P # 43 96+42.86
Set 1x2
Top soil

To P # 50 See Pg # 24

D 7°

62° 14' 47"

463.89

P # 49 91+78.97
Set 1x2
Side hill

50'

171°

151.30

(2) 124 29 80
(4) 248 29 00
(6) 13 28 40
62 14 47

(2) 343 40 20
(4) 327 20 20
(6) 311 00 40
171 50 07

P # 44 90+27.67
Set 1x2
Side hill

182.19

217.92 @ 1-21 T 72 = 217.84

26.28 @ 10-48 T 72 = 25.81
286.26 @ 9-40 T 72 = 282.16
156.89 @ 6-20 T 70 = 155.92
463.89

151.49 @ 2-45 T 68 = 151.30

Top Pg # 20

75F3098 SEE #247 1-56

F. B. 2558 Pg. 22



(2) 248 46 00
(4) 137 32 30
(6) 26 19 00
124 23 10

74.70 @ 3-44 T64 = 74.53
76.78 @ 0-0 T64 = 76.77
68.98 @ 5-58 T80 = 68.61
219.91

R 241.64 @ 1-08 T76 = 241.58

(2) 311 43 50
(4) 263 27 20
(6) 215 11 10
155 51 52

209.36 @ 1-44 T66 = 209.24
123.55 @ 0-0 T68 = 123.54
332.78

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HVH
Map No.
Office Work
Checked
Date

Survey of Trances Cyn Rd
JN 0074.36 Tape Std 84 °F
Surveyed by W.S. Cowherd
Notes W.S.C. Date 10-17-52
Indexed C. Johnson

F. B. 2338 Pg. 23

BOT Pg# 24

(B) 230 82 00
115 11 00

BM T-6
Set Brass Cap Mon up 1" set in mound of rocks Top spur

115° 11' 00"

299.01

N 53.0 W

188.54

40.20"

P# 49 112+78.43
Set 1x2
Top stake

30.31 @ D-0 T64 = 30.31
268.88 @ 1-55 T66 = 268.70
299.01

144°

175.14

(D) 289 20 40
(A) 218 41 30
(C) 148 02 00
144 40 20

Set 1x2 on prod

40° 14' 32"

P# 48 111+03.02
Set 1x2
Top spur

(D) 80 29 00
(A) 160 58 00
(C) 241 27 10
40 14 32

448.05

P# 47 106+54.97
Set 1x2

176.17 @ 5-16 T66 = 175.41

194.71 @ 18-02 T66 = 185.13
264.82 @ 6-48 T62 = 262.92
448.05

N 48° 20' W

219.91

Top Pg# 22

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SSE #247 1-58

F.B. 2886 Pg. 24



(2)	345	40	40
(4)	331	21	40
(6)	317	02	10
	172	50	02

(2)	277	53	40
(4)	195	47	30
(6)	113	41	30
	158	56	50

(2)	66	06	10
(4)	132	12	40
(6)	198	18	40
	33	03	07

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJA
Map No.
Office Work
Checked
Date

Survey of Trancas Cyn. Rd
JN 2074.36 Tape 184 Std 84 °F
Surveyed by W. S. Cowherd
Notes W.S.C. Date 10-21-57
Indexed C. Jonnson

F. B. 2338 Pg. 25

BOT Pg # 26

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

478.21

P # 54 125+67.12
Set 1x2
Top spur

298.56 @ 4-52 T74 = 297.46
181.03 @ 3-04 T68 = 180.75
478.21

181.03 @ 3-04 T68 = 180.75

393.96

286.65 @ 13-03 T66 = 196.42
199.17 @ 5-17 T70 = 197.54
393.96

Sta T.C. # 9
see pg #

P # 53 121+73.14
Set 1x2
Top spur N. side

51° 43' 25"
36° 32' 42"
94° 16' 08"

71.15

P # 52 121+02.01
Set 1x2
Top spur S. side

Sta T.C. # 10
see pg #

.7456 @ 6-02 T68 = 71.15

373.45

(2)	73	05	20	(2)	115	27	00	(2) 188 32 20
(4)	146	10	50	(4)	230	53	40	(4) 17 04 40
(6)	219	16	10	(6)	346	20	30	(6) 205 36 50
	36	32	42		57	43	25	94 16 08

Top Pg # 24

76F3095 SAE #247 1-56

B 82333 Pg. 26

Bot Pg 27 RT

294 00 40
147 00 20

147° 00' 20"

140.47

57.

53.

138.

BM T-7
Set Brass Cap
Mon up 2' in
mound of stone
Top spot

118.29

P"57 133+09.88
Chaled X on Top
of sandstone
Boulder 1½ x 2½ x 8"

124.11 @ 0-0 T84 = 124.11
35.29 @ 0-0 T84 = 35.29
159.40
122.92 @ 15-47 T84 = 122.07 118.29
106.79 @ 10-02 T70 = 105.15
145.76 @ 3-36 T80 = 145.47

277 47 40
195 35 40
113 23 40
138 53 57

159.40

STA T.C. 9
SET pg 135

P"56 131+60.48
SET 1x2
Top spot
see pg

196 02 40
32 05 30
228 08 10
98 01 22

277 47 40
195 35 40
113 23 40
138 53 57

122 18 00
244 36 00
06 54 10
61 09 02

73 44 20
147 29 00
221 13 50
36 52 18

36° 52' 18"

98° 01' R22"

610 09 02"

105.15

P"55 130+45.33
SET 1x2
Side spot

12.84

STA T.C. 10
SET pg 135

Top Pg 25

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJA
Map No.
Office Work
Checked
Date

Survey of Frances Ca Rd
JN 00711.34 Tape 124 Std 84 °F
Surveyed by W.S. Gearhart
Notes WSG Date 10-25-57
Indexed C. Johnson

F. B. 2338 Pg. 27
Bot Pg 28

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

P#60 138+42.84
Set 1x2
Side tie

P#59 136+80.12
Set 1x2
Top spur

P#58 134+55.35
Set 1x2
Top spur

N 15° E
N 36° E M29

25.41
10'
33'
167°
162.72
18'
34'
154°
224.77
145.41

(12) 335 06 30
(4) 310 12 [illegible]
(6) 285 19 [illegible]
167 33 10

(2) 309 08 [illegible]
(3) 338 17 [illegible]
(6) 207 26 3[illegible]
154 51 [illegible]

255.20 @ 4-39 T86 = 254 39
162.77 @ 1-22 T86 = 162.72
224.79 @ 1-00 T88 = 224.77

Top Pg 126

7873DBS SAE #247 1-56

Lot pg 29

F. B. 2733 Pg. 28

2) 282° 35' 00"
4) 205° 09' 45"
6) 127° 44' 45"
141° 17' 27"

T 78
44.93 @ 17° 20' = 42.89
80.10 @ 29° 52' = 69.16
112.35

COUNTY ENGINEER
SEC COR
R 12 W | 22 | 23
R 11 W | 27 | 26
T. 1 S
R. E. 5869

SEC COR
T 1 S R 12 W
Tel. FB 1813-40
Mkd "B" Shown

N 15° 29' E 35.20
Tel. FB 1813-45

TRUE SECTION

SEC. 26

357.23'

141° 17' 27"

112.35

SEC. 23

COUNTY ENGINEER
1/4 COR
SEC. 23
SEC. 26
T. 1 S
R. E. 5869

144+98.67

P#63
Set 1x2
Top Spot

N 14° 27' 01.20" E
FB 1813-45

1/4 SEC COR
T 1 S R 12 W
Tel. FB 1813-44
Mkd "A" Shown

LINE

83.28 mes

175.72

Inac

P#62 143+86.52
Set 1x2 by Intel.
on P-LINE &
SECTION LINE

T 78
90.29 @ 22° 44' = 83.28

2) 71° 28' 00"
4) 142° 55' 45"
6) 244° 23' 45"
35° 43' 57"

289.29

160° 08' 52"

P#61 14497.23
Set 1x2
Sec 4.11

2) 320° 17' 45"
4) 280° 35' 30"
6) 240° 53' 15"
160° 08' 52"

754.36

286.55 @ Lev. T 78 = 286.54
2.75 @ Lev. T 60 = 2.75
289.29

Top P = 27

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this sick of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJA
Map No.
~~Office Work~~
Checked
Date

Survey of Frances Ct. Rd.
JN 0074.36 Tape 95 Std 84 °F
~~Surveyed by~~ Uharriet
Notes Uharriet Date 6/18/52
Indexed C. Johnson

F. B. 2338 Pg. 29

6 of pg. 30

T82
117.92 @ 4°46' = 117.51

229.75

P#65A 154+22.62
Set 1x2 ¢N.
S. side of spur

117.51

B.M. T-8
Set C.E. brass
cap mon-8" up
marked as shown

102°

31'

52"

294.90

P. LINE

2) 205°03'45"
4) 50°07'30"
102°31'52"

COUNTY ENGINEER
B.M.
T-8
R.E. 5869

T74
295.09 @ 1°57' = 294.90

151+27.72
P#65
Set 1x2 ¢N.
Top of spur

T76
272.96 @ 5°39' = 271.62

271.62

32"

50'

144°

2) 289°41'00"
4) 219°22'15"
6) 149°03'15"
144°50'32"

148+56.10
P#64
Set 1x2 ¢N.
Top of low spur

357.23

T86
66.58 @ 19°36' = 62.72
299.94 @ 10°55' = 294.51
357.23

top pg. 28

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 S&E #247 1-56

F. B. 2338 Pg. 30

T 75
155.38 @ 8°42' = 153.58

153.58

P#68 166+27.83
Set 1x2 ℄N.

T82
124.39 @ 2°47' = 124.24

124.24

P#67 165+03.59
Set 1x2 ℄N.

100.

30.

27"

2) 341°01'00"
4) 322°02'00"
6) 303°02'45"
170°30'27"

851.22 P.T. LINE

T76
282.63 @ Lev. = 282.62

T76
59.30 @ 33°46' = 49.30
T82
235.87 @ 40°25' = 179.58
T90
294.14 @ 14°44' = 284.48
T80
56.50 @ 12°07' = 55.24
851.22

156+52.37
P#66
Set 1x2 ℄N.
Top of Spur

2) 332°20'00"
4) 304°40'15"
6) 277°00'15"
166°10'02"

166° 10' 02"

T82
225.96 @ 17°24' = 215.62
14.13 @ Lev. = 14.13
229.75

229.75

top pg. 29

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Cancled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by JA
Map No.
~~Office Work~~
Checked
Date

Survey of Trancas Cr. Rd.
JN 007436 Tape 95 Std 82 °F
Surveyed by Charriet
Notes Charriet Date 6-24-59
Indexed L. C. Johnson

F. B. 2338 Pg. 31

COUNTY ENGINEER B.M. T-9 E. 5869

bot. pg. 32

174+93.47
P.T.
Set 1x2 ℄ N.

257.29

53.06

B.M. T-9
Set C.E. brass cap
mon.; 3" up
marked as shown

T74
261.98 @ 10°50' = 257.29

2) 253°12'40"
4) 146°25'20"
126°36'20"

126° 36' 20"

225.00

T80
225.12 @ 1°46' = 225.00

Foresight
Set 1x2 ℄ N.

172+68.47
P.C.
Set 1x2 ℄ N.
Top of small spur

2) 70° 25' 00"
4) 140°50'00"
6) 211° 15' 00"
35°12'30"

430 ±

T78
234.73 @ 16°42' = 224.82

T82
275.81 @ 18°03' = 262.24

487.06

35°12'30"

487.06

500' ±

14° 28' 43"

167+81.41
P.C.
Set 1x2 ℄ N.
Top of spur
N. side

2) 28°57'20"
4) 57°54'50"
6) 86°52'20"
14°28'43"

Backsight
Set 1x2 ℄ N.

153.58

Top pg. 30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this sketch this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3085 SEE #247 1-56

F. B. 2338 PG. 32



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJA
Map No.
Office Work
Checked
Date

Survey of Frances Ct. Rd.
JN 00714.36 Tape 99' Std 84 °F
Surveyed by Uharriet
Notes Uharriet Date 6-25-59
Indexed C. Johnson

F. B. 2338 Pg. 33

2) 67° 08' 30"
4) 134° 17' 00"
6) 201° 25' 30"
33° 34' 15"

T80
127.28 @ 2°20' = 127.17

SEC. 22
T 1 S
R 19 W

189+86.24
P#78
Set 1X2 E/N.
Top of Spur

Bk. 60 Pg. 34

127.17

2) 139° 20' 30"
4) 278° 41' 00"
6) 38° 01' 30"
69° 40' 15"

T78
51.41 @ 4°25' = 51.26

189+34.98
P#77
Set 1X2 E/N.
Top of Spur

"P" LINE

51.26

2) 151° 31' 00"
4) 307° 02' 00"
6) 100° 33' 00"
76° 45' 30"

E-14
Fd. 1X2 E/N.
F.B. 1813-84

A 5

380.57 calc.

E-13
1X2 E/N.
F.B. 1813-84

15"
33° 34' 15"
76° 45' 30"

Transit Line F.B. 1813-84

365.00 F.B. 1813-84

69° 40'

48° 53' 10" F.B. 1813-84

338.33 calc.

186+54.41
Intersection
Set Nothing due to large boulders in area

38"

34'

121°

183+16.02
P#76
Fd. 1X2 E/N.
F.B. 1813-84

SEC. 23

2) 323° 19' 40"
4) 286° 39' 20"
6) 249° 59' 10"
161° 39' 52"

39' 52"

211.70

161°

2) 243° 09' 20"
4) 126° 18' 40"
6) 9° 27' 50"
121° 34' 38"

top pg. 32

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SBE #247 1-56

F. B. 2338 Pg. 34



B.M. T-10
Set C.E. brass
cap mon., 6" up
marked as shown

2) 267° 44' 40"
4) 175° 29' 20"
6) 83° 13' 50"
133° 52' 10" ✓

197+83.20
P#82
Set 1X2 ℄N.

T 80
113.19 @ 20°55' = 105.73

2) 201° 11' 00"
4) 42° 22' 00"
100° 35' 30" ✓

T 80
136.58 @ 1°41' = L 36.52
115.14 @ Lev. = 115.14
251.66

242.10

64+ Pg. 35

195+31.54
P#81
Set 1X2 ℄N

133° 58' 18"

2) 345° 31' 50"
4) 331° 03' 40"
6) 316° 35' 50"
172° 45' 58" ✓

197+36.28
P#80
Set 1X2 ℄N.
Amoung boulders

172°

T 78
95.64 @ 5°07' = 95.26 ✓

"P" LINE
322.88

T 78
286.02 @ 6°10' = 284.35
38.52 @ Lev. = 38.52
322.87 ✓

191+13.41
P#79
Set 1X2 ℄N

top rt. Pg. 33

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJH
Map No.
Office Work
Checked
Date

Survey of Troncas Cr. Rd.
JN 0071.3 Tape 25 Std 84 °F
Surveyed by Uharriet
Notes Uharriet Date 6-26-59
Indexed C. Johnson

F. B. 2338 Pg. 35

Lot. pg. 36

P 82
197+83.20

395.74

210+43.92
P#86
Set 1X2 S/N
Top of low of lot spur

538.59

T84
55.36 @ 9°24' = 54.62
T84
295.70 @ 3°56' = 295.00
T80
114.08 @ 15°07' = 110.13
T74
81.32 @ 14°10' = 78.84
538.59

205+05.33
P#85
Set 1X2 S/N
Top of spur

154°06'12"

2) 308°12'30"
4) 256°25'00"
6) 204°37'10"
154°06'12"

452.18

T82
63.13 @ 16°01' = 60.68
222.17 @ 16°44' = 212.76
178.90 @ 2°25' = 178.74
452.18

200+53.1
P#84
Set 1X2 S/N

T84
27.85 @ Lev. = 27.85

200+25.30
P83
Set 1X2 S/N

T84
244.05 @ 7°15' = 242.10

242.10

L.4. pg. 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this sheet this line.

7875055 SAE #247 1-58

bot. pg. 37

F.B. 2334 Pg. 36

T78
94.04 @ 6°35' = 93.42

2) 263°48' 10"
4) 167°36' 20"
6) 71°24' 30"
131°54' 05"

T80
68.16 @ 4°56' = 67.91

T82
265.44 @ 6°25' = 263.78

2) 299°59' 10"
4) 239°58' 20"
6) 179°57' 20"
149°59' 33"

T82
15.02 @ Lev. = 15.02
289.69 @ 4°26' = 288.82
303.84

2) 310°53' 10"
4) 261°46' 30"
6) 212°39' 40"
165°26' 37"

T86
10.92 @ Lev. = 10.92
300.32 @ 10°59' = 294.82
305.74

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this stamp of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJH
Map No.
Office Work
Checked
Date

Survey of Travers Co. Rd. IN 0074-34 Tape 25' Std. 68° F
Surveyed by Oharriet
Notes Oharriet Date 7-1-52
C. Johnson
Indexed

F. B. 2338 Pg. 37

bot pg-38

COUNTY ENGINEER B.M. T-11 R.E. 5869

B.M. T-11 Set C.E. brass cap mon.; 6" up marked as shown

273.46

227+51.01 P#93 Set 1x2 ⊄ N.

2) 117° 14' 00"
4) 234° 28' 00"
6) 351° 42' 00"
58° 37' 00"

283.35

93° 49' 07"

P#92 Set 1x2 ⊄ N. Top of spur 224+67.66

2) 187° 38' 20"
4) 15° 16' 30"
93° 49' 07"

T80
116.66 @ 17° 15' = 111.41
167.56 @ 14° 44' = 162.05
273.46

SEC. 15

T84
283.35 @ Lev. = 283.35

T80
300.55 @ 6° 08' = 298.82
7.01 @ Lev. = 7.01
305.83

Backsight Set 1x2 ⊄ N.

400.+

"P" LINE

305.83

117° 43' 52"

58° 37' 00"

A-3

Transit Line

F.B. 1813-90
43.42

221+61.83 Set 1x2 ⊄ N. by intersection

A-11 Fd. 1x2 ⊄ N. E. Side of Spur F.B. 1813-92

2) 235° 27' 50"
4) 110° 55' 40"
6) 346° 23' 10"
117° 43' 52"

A-6 Fd. 1x2 ⊄ N. F.B. 1813-90

T74
47.21 @ 23° 07' = 43.42

T74
1.72 @ Lev. = 1.72
82.86 @ 10° 21' = 81.50
83.22

83.22

P#91 Set 1x2 ⊄ N. 220+78.61

93.42

SEC. 22
T 1 S
R 19 W

top pg-36

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend detail this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 900 LOS ANGELES COUNTY ENGINEERING BLDG.

783098 CE #247—7-53

F.B. 2338 Pg. 38
bot. pg. 39



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by H J A	Survey of Frances Ch. Rd
Map No.	IN 007; 1 Tape 25' Std 84 °F
Office Work	Surveyed by Uharriet
Checked	Notes Uharriet Date 7-6-52
Date	Indexed C. Johnson

F. B. 2338 PG. 39

Cont. pg. 40

TB2
100.89 @ 21°58' = 93.54

P#101
Set 1X2 & N.
242+20.15

TB2
108.81 @ 13°39' = 105.74
96.21 @ Lev. = 96.21
201.95

P#100
Set 1X2 & N.
S. side dirt road
240+18.50

TB2
152.00 @ 23°16' = 139.64

"P" LINE

P#99
Set 1X2 & N.
238+78.86

TB2
92.67 @ 15°02' = 89.50

P#98
Set 1X2 & N.
237+89.36

To P.P. 38

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-53

bot. pg. 41

F.B. 2338 PG. 40

T 76
265.34 @ 7°06' = 263.29
43.34 @ Lev. = 43.34
306.63

243.12

P# 106
Set 1X2 ⊄N.
249+86 76

306.63

T 80
12.93 @ Lev. = 12.93
297.86 @ 17°34' = 283.96
296.89

B.M. T-12
Set C.E. brass
cap mon. 3" up
marked as shown

85° 26' 15"

226.59

COUNTY ENGINEER
B.M.
T-12
R.E. 5869

2) 170°52'30"
4) 341°45'00"
85° 26' 15"

174°

12'

50'

P# 105
Set 1X2 ⊄N.
N. side of dirtroad
246+89 87

T 76
47.88 @ 12°18' = 46.78

46.78

P# 104
Set 1X2 ⊄N
Top of spur
246+43 59

T 80
70.75 @ 19°36' = 66.68

66.68

P# 103
Set 1X2 ⊄N.
S. side of dirtroad
245+76 51

2) 348°25'40"
4) 336°51'20"
6) 325°17'00"
174°12'50"

"D"

263.39

LINE

T 80
278.11 @ 19°21' = 262.39

P# 102
Set 1X2 ⊄N.
243+14 02

93.57

top pg. 39

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by HJA
Map No.
~~Office~~ Work
Checked
Date

Survey of Kanaga Ch. Rd.
JN 00744 Tape 95 Std 84 °F
~~Surveyed by~~ Uharriet
Notes Uharriet Date 7-8-59
Indexed L. C. Johnson

F. B. 2338 Pg. 41

bot. pg. 42

499.04

T86
28.34 @ Lev. = 28.34
84.90 @ 16°05' = 81.58
100.20 @ 24°08' = 91.44
300.09 @ 7°16' = 297.68
499.04

P#109
Set 1X2 E.N.
255+12 04

"D" LINE

193.88

T86
193.99 @ 1°55' = 193.88

P#108
Set 1X2 E.N.
253+18 16

82.29

T86
84.58 @ 13°22' = 82.29

P#107
Set 1X2 E.N.
Top of low spur
252+35 87

249.14

T74
251.70 @ 8°12' = 249.14

top pg. 40

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F308 SAE #242 1-56

F. B. 2938 Pg. 42



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJH	Survey of Frances Cn. Rd.
Map No.	JN 0074.36 Tape 35 Std 84 °F
~~Office Work~~	Surveyed by Uharriet
Checked	Notes Uharriet Date 7-24-53
Date	Indexed C. Johnson

F. B. 2338 Pg. 43

Lot pg. 44.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

P#112
Set 1x2 & Nail
top of cutbank

T96
30.20 @ 15°15' = 29.14

22.14

45.17

To D.

34°39'18"

37°44'30"

To I-1

To H-3

40°36'42"

A-4

Intersection
Set 1x2 & Nail

T96
83.56 @ Lev. = 83.57

83.37 C.N.

60°36'40"

P.O.T.
Fd. Nail
per Rd. Dept.

R.P.
Fd. Lead & Nail
in headwall
per Rd. Dept.

28.18

30.58

T96
232.80 @ 4°34' = 232.08
157.42 @ Lev. = 157.43
389.51

R.P.
Fd. L & T. in
headwall
per Rd. Dept.

60° 10' 50"

248.21

P.O.T.

2) 69°18'40"
4) 138°37'10"
6) 207°55'50"
34°39'18"

389.51

EAST ENCINAL

2) 120°21'40"
4) 240°43'20"
6) 361°05'00"
60°10'50"

2) 75°29'00"
4) 150°58'00"
6) 226°27'00"
37°44'30"

2) 81°13'20"
4) 162°26'50"
6) 243°40'10"
40°36'42"

53.89

R.P.
Fd. Drill Shaft
4" Up per Rd. Dept.

18.37

R.P.
Fd. Drill Shaft
Flush per Rd. Dept.

403.1

P.O.S.T.
Fd. 2x2 & Nail
per Rd. Dept.

R.P.
Fd. Drill Shaft
per Rd. Dept.

See Note on page 44

76F309S SAE #247 1-56

F. B. 2338 Pg. 44

NOTE

References "per Rd. Dept." are to a survey currently in progress by the Road Department for construction of East Encinal Cn. Rd. Notes for a portion of that survey were available in the field from the Rd. Dept. surveyor, however no Field Book number or page numbers had been assigned by the Rd. Dept. Hence I am unable make any references to Field Book and page. The original centerline survey is in F.B. 327 (Rd. Dept.).



top pg. 43

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by HJH
Map No.
Office Work
Checked
Date

Survey of Trancas Ct. Rd.
JN 001436 Tape 95 Strip 8A °F
Surveyed by Unharriet
Notes Unharriet Date 7-30-59
Indexed C. Johnson

F. B. 2338 Pg. 45

2) 116° 01' 50"
4) 232° 03' 40"
6) 348° 05' 30"
58° 00' 55"

top rt. pg 43

Sta. "L"
Fd. 3/4" I.P. &
Wooden Plug
F.B. 2289 - 113

58° 00' 55"

2) 99° 10' 40"
4) 198° 21' 10"
6) 297° 31' 40"
49° 35' 17"

52° 40' 30"

2) 105° 21' 00"
4) 210° 42' 00"
6) 316° 03' 00"
52° 40' 30"

49° 35' 17"

50° 55' 42"

41° 44' 32"

34° 39' 17"

2) 69° 18' 40"
4) 138° 37' 10"
6) 207° 55' 40"
34° 39' 17"

Dume Point H-3

2) 101° 51' 30"
4) 203° 42' 50"
6) 305° 34' 10"
50° 55' 42"

2) 83° 29' 10"
4) 166° 58' 10"
6) 250° 27' 10"
41° 44' 32"

Dume Point I-1

Note: Any Additions or Changes on This Sheet Must Be Made as Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes into this area of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

76808S CE #247 7-58

F. B. 2338 Pg. 47

NOTES RED. JOB NO 0074.36 SURVEY OF TRANCAS CYN RD.
DATE SURVEY BY R.C. WILSON
NOTES CHKD. NOTES BY R.C.W. R.C. Johnson DATE 2-11-59
DATE INDEXED DATE 3-2-59

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
				M.A. WALSH JR. T T.A. DONLEY " R.R. RODRIGUEZ "	R.C. WILSON	TRANCAS CYN ROAD JN 0074.36 BENCH LEVELS TO ESTABLISH ELEVATION ON B.M. T-13 2-11-59 TO 2-24-59

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-383 4-54

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.36 SURVEY OF TRANCAS CYN RD. NOTES RED. DATE
SURVEY BY R.C. WILSON
NOTES BY R.S.W. DATE 7-11-59 NOTES CHKD SSOO R.C.
INDEXED C. Johnson DATE

F.B. 2338 pg. 48

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM# 1	1654.564				1654.564	C.S. MON. MARKED ENCINAL BM# 1
	0.565		0.234			15' ± SO. OF WHITE WOODEN GATE
	1655.129	5.042	5.043			TO WHITNEY'S - TOP OF CUT BANK.
	5.607		5.277			100' ± SO. & 40' ± E OF INT. ENCINAL
T.P.	1649.522					CYN RD. & DECKER RD. FB. 1437-49
	0.892		0.468			
	1650.414	7.104	7.102			
	7.996		7.570			
T.P.	1642.418					B.S.
	1.400		1.089	1.362		
	1643.818	10.168	10.163	10.167		
	11.568		11.252	11.529		
T.P.	1632.250					B.S.
	0.550		0.323			
	1632.800	10.896	10.897			
	11.446		11.220			
T.P.	1621.354					B.S.
	3.055		3.322			
	1624.409	8.555	8.556			
	11.610		11.878			
T.P.	1612.799					B.S.
	0.939		0.578			
	1613.738	9.901	9.902			
	10.840		10.480			
T.P.	1602.898					B.S.
	0.451		0.262			
	1603.349	10.600	10.600			
	11.051		10.862			
T.P.	1592.298					B.S.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO 0071.36 SURVEY OF TRANCAS CYN RD
DATE SURVEY BY R.C. WILSON
NOTES CHKD. R. GOSSNOTES BY R.C.W. DATE 2-11-59
DATE INDEXED C. Johnson DATE

F. B. 2332 PG. 49

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1592.798					B.S.
	0.650		0.449			
	1592.948	-10.593	-10.593			
	11.243		11.042			
T.P.	1581.705					B.S.
	0.851		0.583			
	1582.556	-10.783	-10.285			
	11.134		10.868			
T.P.	1571.422					B.S.
	0.518		0.241			
	1571.940	-10.620	-10.621			
	11.138		10.862			
T.P.	1560.802					B.S.
	0.891		0.639			
	1561.693	-10.384	-10.384			
	11.275		11.023			
T.P.	1550.418					B.S.
	0.607		0.319			
	1551.025	-10.885	-10.886			
	11.492		11.205			
T.P.	1539.533					B.S.
	0.495		0.231			
	1540.028	-10.577	-10.579			
	11.072		10.810			
T.P.	1528.956					B.S.
	0.855		0.481			
	1529.811	-10.541	-10.540			
	11.396		11.021			
T.P.	1518.415					B.S.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.36 SURVEY OF TRANCAS C'YN R.P. NOTES RED.
SURVEY BY R.C. WILSON DATE
NOTES BY R.S.W. DATE 7-17-59 NOTES CHK'D R. COSS
INDEX C. Johnson DATE DATE

F.B. 2338 Pg. 50

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1518.415					B.S.
	0.908		0.592			
	1519.323	-10.357	-10.338			
	11.245		10.930			
T.P.	1508.078					B.S.
	1.010		0.753			
	1509.088	-10.468	-10.468			
	11.478		11.221			
T.P.	1497.610					B.S.
	0.597		0.315			
	1498.207	-10.763	-10.765			
	11.360		11.080			
T.P.	1486.847					B.S.
	1.040		0.691			
	1487.887	-10.240	-10.241			
	11.280		10.932			
T.P.	1476.607					B.S.
	0.795		0.494			
	1477.402	-10.153	-10.153			
	10.948		10.647			
T.P.	1466.454					B.S.
	0.650		0.398			
	1467.104	-10.239	10.240			
	10.889		10.638			
T.P.	1456.215					B.S.
	0.611		0.339			
	1456.826	-10.230	10.230			
	10.841		10.569			
T.P.	1445.985					B.S.

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO 0014.3 SURVEY OF TRANCAS CAN RD.
DATE SURVEY BY R.E. WILSON
NOTES CHKD C. R. GOS NOTES BY R.E.W. DATE 2-17-59
DATE INDEXED C. Johnson DATE

F.B. 23398 PG. 57

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1445.985					B.S.
	0.962		0.559			
	1446.947	-10.057	-10.057			
	11.019		10.616			
T.P.	1435.928					B.S.
	0.857		0.625			
	1436.785	-10.254	-10.255			
	11.111		10.880			
T.P.	1425.674					B.S.
	0.837		0.461			
	1426.511	-10.475	-10.478			
	11.262		10.889			
T.P.	1415.249					B.S.
	0.725		0.424			
	1415.974	-10.454	-10.455			
	11.179		10.879			
T.P.	1404.795					B.S.
	1.039		0.776			
	1405.834	-10.146	10.146			
	11.185		10.922			
T.P.	1394.649					B.S.
	1.289		0.987			
	1395.938	-7.564	-7.566			
	8.853		8.553			
T.P.	1387.085					"K2"
	0.795		0.419			
	1387.880	-10.592	-10.592			
	11.387		11.011			
T.P.	1376.493					B.S.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.36 SURVEY OF TRANCAS C'YN RD NOTES RED. DATE
SURVEY BY R.C. WILSON DATE 7-18-59 NOTES CHKD. DATE
NOTES BY R.S.W. DATE
INDEX C. Johnson DATE

F.B. 2336 Pg. 52

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1376.493					B.S.
	0.968		0.610			
	1377.461	-9.924	-9.924			
	10.892		10.534			
T.P.	1366.569					B.S.
	1.000		0.683			
	1367.569	-10.047	-10.046			
	11.047		10.729			
T.P.	1356.522					B.S.
	1.291		1.019			
	1357.813	-9.301	-9.300			
	10.592		10.319			
T.P.	1347.221					B.S.
	0.866		0.599			
	1348.087	-10.217	-10.217			
	11.083		10.816			
T.P.	1337.004					B.S.
	1.000		0.722			
	1338.004	-9.471	-9.470			
	10.471		10.192			
T.P.	1327.533					B.S.
	2.580		2.801			
	1330.113	-3.592	-3.591			
	6.172		6.392			
T.B.M.	1323.941					L.&T. IN FIELD STONE RET. WALL 23'± E. & 15'± N. OF N.E. COR. OF MESS HALL @ RD. CAMP №3- SO. SIDE EAST ENCINAL CY'N RD. & 0.9± MILE EAST OF INT OF ENCINAL CY'N RD. & EAST ENCINAL CY'N RD.
	7.759		7.440			
	1331.700	+6.261	+6.260			
	1.498		1.180			
T.P.	1330.202					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0074.36 SURVEY OF TRANCAS CYN. RD.
DATE SURVEY BY R.C. WILSON
NOTES CHKD. C. R. GOS NOTES BY R.C.W. DATE 7-18-59
DATE INDEXED C. JOHNSON DATE

F. B. 2339 PG. 53

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1330.202					B.S.
	9.190		9.330			
	1339.392	+5.873	+5.874			
	3.317		3.456			
T.P.	1336.075					B.S.
	9.528		9.305			
	1345.603	+6.275	+6.273			
	3.253		3.032			
T.P.	1342.350					B.S.
	11.030		11.249			
	1353.380	+10.368	+10.367			
	0.662		0.882			
T.P.	1352.718					B.S.
	11.216		11.440			
	1363.934	+10.729	+10.729			
	0.481		0.711			
T.P.	1363.447					B.S.
	10.579		10.371			
	1374.026	+9.498	+9.498			
	1.081		0.813			
T.P.	1372.945					B.S.
	10.835		11.045			
	1383.780	+10.400	+10.399			
	0.435		0.646			
T.P.	1383.345					B.S.
	10.610		10.262			
	1393.955	+9.815	+9.813			
	0.795		0.449			
T.P.	1393.160					B.S.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 0074.36 SURVEY OF TRENCHES CYN R.D. NOTES RED.
SURVEY BY R.C.W. & W.B.N. DATE
NOTES BY R.C.W. DATE 2-18-59 NOTES CHKD R. GOSS
INDEXED C. Johnson DATE

F.B. 2338 Pg. 54

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1393.160					B.S.
	8.792		8.602			
	1401.952	+ 2.152	+ 2.153			
	6.640		6.449			
T.P.	1395.312					1" X 2"
	3.009		2.691			
	1398.321	- 6.024	- 6.027			
	9.033		8.718			
T.P.	1389.288					1" X 2"
	4.223		3.889			
	1393.511	+ 0.629	+ 0.628			
	3.594		3.261			
T.P.	1389.917					TOP 3' X 3' X 2' BOULDER
	1.425		1.712			
	1391.342	- 9.544	- 9.546			
	10.969		11.258			
T.P.	1380.373					1" X 1"
	0.643		0.374			
	1381.016	- 10.099	- 10.099			
	10.742		10.473			
T.P.	1370.274					1" X 1"
	0.809		0.608			
	1371.083	- 10.011	- 10.011			
	10.820		10.619			
T.P.	1360.263					1" X 1"
	7.097		2.277			
	1362.360	- 5.658	- 5.658			
	7.755		7.935			
T.P.	1354.605					1" X 1"

NOTES RED _____ JOB NO. 0074.36 SURVEY OF Trancas Cn. Rd.
DATE _____ SURVEY BY R.C. Dale
NOTES CHKD. R. GOSS NOTES BY R.C.D. C. Johnson DATE 10-21-57
DATE _____ INDEXED _____ DATE _____

F. B 2338 PG. 65

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

76842O S & E-353 4-54

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						TRANCAS CANYON ROAD
						JN 0074.36
						BENCH LEVELS
					North over "P" Line to establish elevations.	
					From BMT-1 to BMT 13	
			REF.			
			FB			

PARTY
R.C. Dale
C.H. Morrison
A.W. Freeman
B.A. Peavy

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 8074.36 SURVEY OF Kansas Co. Rd. NOTES RED. DATE
SURVEY BY TPC Dale
NOTES BY RCD DATE 10-21-52 NOTES CHKD. R. GOSS DATE
INDEXED C. Johnson DATE

F. B2338 Pg. 66

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM T-1	15.813					BM T-1 Elev.=15.813 (Assumed Elev.) FB Std CE BM. Brass Cap Monument Set in Conc. 23'± North 100'± West of P#2 on Kansas Line N. Side State Hwy 225'± E. Frances Creek FB 1813-128
	4.033		3.992			
	19.846	-0.488	-0.490			
	4.521		4.482			
P#1	15.325					P#1 Fd Spk. in E. T. Flush. Intersection State Hwy. & Start of P Line FB 2338-9
	4.413		4.279			
	19.738	-0.595	-0.695			
	5.008		4.874			
P#2	14.730					P#2 Fd. Spk & T N. edge Macadam State Hwy Rev. FB 2338-10
	3.391		3.249			
	18.121	+1.817	+1.817			
	1.574		1.432			
P#3	16.547					P#3 Fd 1x2 @ N. Side Hwy Rev FB 2338-10
	11.456		11.682			
	28.003	+11.256	+11.256			
	0.200		0.426			
T.P.	27.803					1 x 1
	11.697		11.790			
	39.500	+10.978	+10.978			
	0.719		0.812			
T.P.	38.781					1 x 1
	11.008		10.831			
	49.789	+9.871	+9.871			
	1.137		0.960			
P#4	48.652					P#4 Fd 1x2 @ N. Top, S. Side Spur FB 2338-10
	6.905		6.671	6.591		
	55.557	+1.357	+1.360	+1.356		
	5.548		5.311	5.235		
P#5	50.009					P#5 Fd 1x2 @ N. Top, N. Side Spur FB 2338-10

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0074.36 SURVEY OF Francis Cr Rd
DATE SURVEY BY R C Dale
NOTES CHKD. C. R. Gosnell NOTES BY R.C.D. DATE 10-21-52
DATE INDEXED C. Johnson DATE

F.B. 2338 Pg. 67

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	50.009					
	1.117		0.898			
	51.126	-10.214	-10.215			
	11.331		11.113			
T.P.	39.795					1x1
	11.729		11.529	11.413		
	51.524	+10.720	+10.710	+10.718		
	1.009		0.819	0.695		
T.P.	50.515					1x1
	11.255		11.058			
	61.770	+10.473	+10.471			
	0.782		0.581			
T.P.	60.988					1x1
	11.358		11.642			
	72.346	+10.513	+10.513			
	0.940		1.124			
T.P.	71.506					1x1
	11.449		11.290			
	82.955	+10.751	+10.752			
	0.698		0.538			
T.P.	82.257					1x1
	11.325		11.045			
	93.582	+10.343	+10.341			
	0.982		0.704			
T.P.	92.600					1x1
	9.351		9.167			
	101.951	+7.998	+7.998			
	1.353		1.169			
P#6	100.598					P#6 Fd 1x2 4N S 5 de S.W. FB 2338-11

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00734 SURVEY OF Frances St. Rd. NOTES RED. DATE C. R. GOSS
SURVEY BY F.S.C. Dale
NOTES BY R.C.D. DATE 10-22-57 NOTES CHKD.
INDEXED C. Johnson DATE

F. B. 2338 Pg. 68

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	100.598					
	10.611		10.731			
	111.209	+8.053	+8.050			
	2.538		2.681			
T.P.	108.651					1X1
	10.537		11.179			
	119.538	+10.173	+10.173			
	0.714		1.006			
T.P.	118.824					1X1
	11.275		11.528			
	130.099	+10.055	10.055			
	1.220		1.473			
T.P.	128.379					1X1
	11.020		11.204			
	139.399	+10.350	+10.350			
	.0670		0.854			
T.P.	139.229					1X1
	11.202		11.393			
	150.431	+9.463	+9.463			
	1.739		1.930			
T.P.	148.692					1X1
	5.884		5.625			
	154.576	+4.089	+4.089			
	1.795		1.536			
P#7	152.781					P#7 Fd 1X2 4N 5.5 Bar Low Spot FB 2338-11
	11.495		11.201			
	164.226	+10.112	+10.110			
	1.333		1.091			
T.P.	162.893					1X1

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO 20774.36 SURVEY OF Trousdale Est. Rd.
DATE SURVEY BY R. C. Dale
NOTES CHKD R. GOSS NOTES BY R. C. Dale DATE 10-23-57
DATE INDEXED DATE

F.B. 2338 Pg. 69

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	162.893					
	11.252		11.579			
	174.145	+10.575	+10.576			
	0.677		1.003			
T.P.	173.468					1X1
	11.394		11.649			
	184.862	+10.583	+10.583			
	0.811		1.066			
P#8	184.051					P#8 Fd 3/4" I.P. Corr. Flag & C.E. Brass Tag Top Low Flat Spun Rx FB 2338-11
	11.188		10.955			
	195.239	+8.329	+8.327			
	2.859		2.628			
P#9	192.380					P#9 Fd 1x2 d N 11° Side Spun Rx FB 2338-11
	1.891		2.153			
	194.271	-9.512	-9.514			
	11.403		11.667			
T.P.	182.868					1X1
	2.167		2.336			
	185.035	-7.809	-7.810			
	9.976		10.146			
BM T-2	175.059					B.M. T-2 Fd Std. C.E.B.M. Brass Cap Mon Set in Conc. up 4", 2.1' S NEly. P#9 on South Side Draw Rx FB 2338-11
	9.787		9.988			
	184.846	+4.347	+4.348			
	5.440		5.640			
T.P.	179.406					1X1
	6.719		7.163			
	186.125	+6.144	+6.144			
	0.575		1.019			
P#10	185.550					P#10 Fd 1x2 d N 30° Side Spun FB 2338-12

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0274.36 SURVEY OF Frances Ct. Rch. NOTES RED
SURVEY BY R.C. Dale DATE
NOTES BY R.C.D. DATE 10-23-57 NOTES CHKD. R. GOSS
INDEX C. Johnson DATE

F.B. 2338 PG. 70

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	185.550					
	10.919		10.636			
	196.469	+ 9.698	9.699			
	1.221		0.936			
T P	195.248					1 X 1
	11.431		11.236			
	206.679	+10.475	+10.474			
	0.956		0.762			
T P	205.723					1 X 1
	10.691		10.911			
	216.414	+ 9.608	+ 9.609			
	1.083		1.302			
T P	215.331					1 X 1
	11.096		10.877			
	226.427	+ 7.386	+ 7.386			
	3.710		3.491			
T P	222.717					1 X 1
	9227		9.592			
	231.944	+8.468	+8.466			
	0.759		1.126			
P # 11	231.185					P # 11 Fd 1.28 N Sidehill Pr FB 2338-12
	12020		11932			
	243.205	+11.302	+11.302			
	0718		0630			
T.P.	242487					1 X 1
	11615		11784			
	254102	+10.849	+10.849			
	0766		0.935			
T.P.	253.336					1 X 1

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 20111-53 SURVEY OF Topanga Cyn. Rd.
DATE _____ SURVEY BY. R.C.E. 5346
NOTES CHKD. GOSS NOTES BY. GAW DATE 10-24-57
DATE _____ INDEXED. C. J. [redacted] DATE _____

F.B. 2338 PG. 71

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	252336					
	11982		11839			
	264318	+11.846	+11.975			
	0906		0764			
T.P.	264.712					1X1
	11548		11663			
	276.258	+10.733	+10.791			
	0813		0932			
T.P.	275.145					1X1
	11740		11865			
	286.885	+11.095	+11.095			
	0645		0770			
T.P.	286.240					1X1
	10159		9957			
	296399	+7.082	+7.082			
	3077		2847			
T.P.	293322					1X1
	8005		7596			
	301327	+6.056	+6.056			
	1949		1540			
P#12	299378					P#12 Fd. 3/4" IP Conc plug & C.E. tag Top Spur Perp. F.E. 2338-12
	7587		8057			
	306.965	+4.241	+4.243			
	3346		3814			
P#13	303.619					P#13 Fd 1x24+ top Spur Perp. F.E. 2338-12
	1246		1128			
	304.865	-7.323	-7.323			
	8569		8451			
P#14	296.296					P#14 Fd, 1x24+ Side Mill Perp. F.B. 2338-13

F.B. 2338 Pg. 72

JOB NO 0074.36 SURVEY OF Tranicos Ck. Rd. NOTES RED.
SURVEY BY R.C. Dole DATE
NOTES BY C.H.M. DATE 10-25-57 NOTES CHKD. R. GOSS
INDEXED C. Johnson DATE DATE

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	296.296					
	0826		0.745			
	297122	-10.062	-10.061			
	10888		10.806			
P#15	286234					P#15 Fd 3/4" I.P. Conc. Plug & C.E. Tag Side hill Ref. F.B. 2338-13
	11488		11431			
	297.722	+10.677	+10.678			
	0811		0753			
T.P.	296911					1x1
	10 982		10.821			
	307.893	+9.561	+9.563			
	1.421		1.258			
T.P.	306.472					1x1
	5529		5.420			
	312.001	+2.710	+2.709			
	2819		2.711			
P#16	309.182					P#16 Fd 1x2 ± Top Spike Ref. F.B. 2338-13
	10894		10741			
	320.076	+9.897	+9.897			
	0997		0.844			
T.P.	319.079					1x1
	10461		10376			
	329.540	+9.485	+9.483			
	0976		0893			
T.P.	328.564					1x1
	11.854		11.730			
	340.418	+11.014	11.013			
	0840		0717			
P#17	339.578					P#17 Fd 1x2 ± S. Side Spike Ref. F.B. 2338-13

76542O S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 20774.36 SURVEY OF Tract 6335 Cit. Fol.
DATE SURVEY BY R.C. Dale
NOTES CKD. G.J.S. NOTES BY C.H.M. DATE 10-25-57
DATE INDEXED. C. Johnson DATE

F.B. 2338 PG. 73

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	339.578					
	11433		11278			
	351011	+10.532	+10.531			
	0901		0741			
T.P.	350.110					1X1
	10609		10510			
	360.719	+9.598	+9.593			
	1011		0912			
T.P.	359.708					1X1
	10683		10594			
	370391	+8.483	+8.482			
	2200		2112			
P.K./8	368.191					P.K. 8 Fd. 3/4" I.P. in Sand & Pcr. F.B. 2338-14
	3990		3862			
	372181	-1.662	-1.663			
	5661		5525			
P.K.P.	366529					P.K.P. Tack 1X2+ N Side Sand & Pcr. F.B. 2338-14
	0687		0697			
	361166	-10.515	-10.514			
	11582		11211			
T.P.	350014					1X1
	1192		1012			
	357206	-9.446	-9.446			
	10638		10458			
T.P.	346.568					1X1
	0794		0510			
	347362	-10.935	-10.931			
	11727		11441			
B.M. T-3	335.635					B.M. T-3 Fd. Sta. C.E. BM Brass Cap Mon. Set 1/2 Conc. up 4" N Side Spur Pcr-FB 2338-14

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00174.36 SURVEY OF Tonner Cañon Rd
SURVEY BY P.C. Dale
NOTES BY R.C.D. DATE 10-28-57 NOTES CHKD C. R. GOSS
INDEXED C. Johnson DATE DATE NOTES RED. DATE

F.B. 2338 Pg. 74

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	335.635					
	11.790		11.497			
	347.425	+10.713	+10.714 ✓			
	1.077		0.783			
T.P	346.348					1x1
	11.991		11.678			
	358.339	+10.777	+10.777 ✓			
	1.214		0.901			
T.P	357.125					1x1
	11.276		11.432			
	368.401	+10.593	+10.593 ✓			
	0.683		0.839			
T.P	367.718					1x1
	10.954		11.025			
	378.672	+10.282	+10.281 ✓			
	0.672		0.744			
T.P	378.000					1x1
	11.399		11.243			
	389.399	+10.391	+10.390 ✓			
	1.008		0.853			
T.P	388.391					1x1
	11.007		11.336			
	399.398	+10.327	+10.327 ✓			
	0.680		1.009			
T.P.	398.718					1x1
	11.942		11.807			
	410.660	+7.650	+7.648 ✓			
	4.292		4.159			
P#20	406.368					P#20 Fd 1/2" I.P. Top Spike PL FB 2338-14

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHKD. DATE
INDEXED DATE

JOB NO. 0074.36 SURVEY OF Topanga Canyon
SURVEY BY T.P.C. D. & C. DATE 10-28-57
NOTES BY R. C. G. DATE
C. Johnson DATE

F.B. 2338 Pg. 75

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	406.368					
	4.274		3.928			
	410.642	-6.466	-6.467			
	10.740		10.395			
T.P.	399.902					1x1
	1.460		1.342			
	401.362	-3.140	-3.139			
	4.600		4.487			
P#21	396.762					P#21 Fd 1x2 & N Sidehill Pr. FB 2338-15
	8.296		8.289			
	405.058	+6.270	+6.271			
	2.026		2.018			
P#22	403.032					P#22 Fd 1x2 & N Sidehill Pr. FB 2338-15
	11.470		11.284			
	414.502	+9.913	+9.914			
	1.557		1.370			
T.P.	412.945					1x1
	11.918		11.823			
	424.863	+11.058	+11.055			
	0.860		0.768			
T.P.	424.003					1x1
	10.934		10.657			
	434.937	+8.301	+8.301			
	2.633		2.356			
T.P.	432.304					1x1
	10.453		10.608			
	442.757	+3.987	+3.987			
	6.466		6.621			
P#23	436.291					P#23 Fd 1x2 & N. Sidehill Pr. FB 2338-15

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 20074.36 SURVEY OF Travers Ca. Rd. NOTES RED.
SURVEY BY R.C. Dale DATE
NOTES BY R.C.D. DATE 10-29-57 NOTES CHKD C. R. GOSS
INDEXED DATE DATE

F.B. 2338 Pg. 76

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P-23	436.291					
	11.817		11.584			
	448.108	+10.749 ✓	+10.747 ✓			
	1.068		0.837			
T.P.	447.040					1X1
	11.299		11.167			
	458.339	+10.483 ✓	+10.483 ✓			
	0.816		0.684			
T.P.	457.523					1X1
	11.614		11.826			
	469.137	+10.820 ✓	+10.821 ✓			
	0.794		1.005			
T.P.	468.343					1X1
	11.140		11.357			
	479.483	+10.353 ✓	+10.353 ✓			
	0.787		0.998			
T.P.	478.696					1X1
	11.328		11.544			
	490.024	+10.690 ✓	+10.689 ✓			
	0.638		0.855			
T.P.	489.386					1X1
	8.698		8.742			
	498.084	+ 7.813 ✓	+ 7.813 ✓			
	0.885		0.929			
P#24	497.199					P#24 Fd 1X2"N Top Spike Pg. F.B. 2338-15
	6.700		6.509			
	503.899	+ 4.898 ✓	+ 4.898 ✓			
	1.802		1.611			
P#25	502.097					P#25 Fd 1X2"N Top Spike Pg. F.B. 2338-16

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 00774.36 SURVEY OF Francis Co. Rd.
DATE SURVEY BY R.C.E. D.R.C.
NOTES CHKD. R. Goss NOTES BY R.C.E. DATE 10-29-57
DATE INDEXED C. Johnson DATE

F. B. 2338 PG. 77

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	502.097					
	2.111		1.952			
	504.208	- 1.607	- 1.607			
	3.718		3.559			
P-26 Intersection	500.490					P-26 (Int.). Fd 1x2 ¢ N, Spun, Intersection "P" Line and Ranch Line Ref. B 2338-16
	10.472		10.436			
	510.962	+ 4.639	+ 4.637			
	5.833		5.799			
T.P.	505.129					1x1
	5.759		5.850			
	510.888	+ 3.617	+ 3.615			
	2.142		2.235			
T.P.	508.746					1x1
	11.672		11.504			
	520.418	+ 10.250	+ 10.250			
	1.422		1.254			
T.P.	518.996					1x1
	11.616		11.383			
	530.612	+ 10.204	+ 10.204			
	1.412		1.179			
T.P.	529.200					1x1
	1.836		1.732			
	531.036	- 9.134	- 9.133			
	11.570		11.465			
T.P.	519.466					1x1
	2.308		2.211			
	521.774	- 8.799	- 8.799			
	11.107		11 010			
T.P.	510.667					1x

7S5420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 0074.36 SURVEY OF Francis Cr Rd NOTES RED.
SURVEY BY R.C. Dale DATE
NOTES BY R.C.D. DATE 12-30-57 NOTES CHKD C. R. GOSS
INDEXED C. Johnson DATE

F.B. 2338 PG. 78

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	510.667					
	1 009		0.756			
	511.676	-6.233	- 6.235			
	7.242		6.991			
P#27	504.434					P#27 Fd 1 x 2 & 1/2 Top Spkr Per FB 2338-16
	3.568		3.354			
	508.002	-7.683	-7.685			
	11.251		11.039			
T.P.	496.751					1 x 1
	0.747		0.907			
	497.498	-8.971	-8.970			
	9.718		9.877			
P#28	487.780					P#28 Fd 1 x 2 & 1/2 W Low Spkr Per FB 2338-17
	11.562		11.400			
	499.342	+9.921	+ 9.920			
	1.641		1.480			
T.P.	497.701					1 x 1
	10.756		11.036			
	508.457	+10.207	+10.206			
	0.549		0.830			
T.P.	507.908					1 x 1
	11.319		11.602			
	519.227	+10.520	+10.520			
	0.799		1.082			
T.P.	518.428					1 x 1
	11.085		11.020			
	529.513	+9.854	+9.855			
	1.231		1.165			
T.P.	528.282					1 x 1

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0024 SURVEY OF Tract 8485 Co. Rd.
DATE SURVEY BY R.C.E. DATE 10-30-31
NOTES CHKD. R. C.E. NOTES BY R.C.E. DATE
DATE INDEXED C. Johnson DATE

F. B. 233 Pg. 79

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	528.282					
	11.311		11.218			
	539.593	+10.419	+10.419			
	0.892		0.799			
T.P.	538.701					1 x 1
	10.550		10.959			
	549.251	+9.777	+9.777			
	0.773		1.182			
T.P.	548.478					1 x 1
	10.757		11.026			
	559.229	+9.771	+9.771			
	0.980		1.255			
T.P.	558.249					1 x 1
	11.030		11.399			
	569.279	+10.057	+10.059			
	0.973		1.340			
T.P.	568.306					1 x 1
	11.854		11.920			
	580.160	+10.766	+10.767			
	1.088		0.953			
T.P.	579.072					1 x 1
	11.290		11.178			
	590.362	+10.242	+10.241			
	1.048		0.937			
T.P.	589.314					1 x 1
	12.007		11.906			
	601.321	+11.274	+11.273			
	0.736		0.633			
T.P.	600.585					1 x 1

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 002436 SURVEY OF Frances Cr. Rd NOTES RED. DATE
SURVEY BY R.C. Dale NOTES CHKD C. R. GOSS
NOTES BY R.C.D. DATE 10-31-57
INDEXED C. Johnson DATE

F. B 2338 Pg. 80

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	600385					
	11.146		11240			
	611.731	+10.512	+10.513			
	2.634		0.728			
T.P.	611.097					1x1
	11.030		11.060			
	622.127	+10.299	+10.300			
	0.731		0.760			
T.P.	621.396					1x1
	9.651		9.892			
	631.047	+8.488	+8.489			
	1.163		1.403			
T.P.	629.884					1x1
	10.500		10.640			
	640384	+8.957	+8.951			
	1.549		1689			
T.P.	638.835					1x1
	8.202		8.394			
	647.037	+6.253	+6.254			
	1.949		2.140			
P#29	645.088					P#29 Fd 3/4 I.P. Conc plug & CE T29 Top Ridge Pak FB 2338-17
	0.798		0.971			
	645.886	-10.941	-10.940			
	11.739		11.911			
T.P.	634.147					1x1
	2.307		2.168			
	636454	-8.911	-8.911			
	11.218		11.079			
T.P.	625.236					1x1

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0079.36 SURVEY OF Traverse Co. Rd.
DATE _____ SURVEY BY F.C. Dale
NOTES CHKD C.R. Sch. NOTES BY F.C.D. DATE 12-31-57
DATE _____ INDEXED _____ DATE _____

F. B. 2339 Pg. 81

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	625.236					
	1.462		1.250			
	626.698	-10.010	-10.009			
	11.472		11.259			
T.P.	615.226					1x1
	0.717		0.767			
	615.943	-11.046	-11.045			
	11.763		11.812			
T.P.	604.180					1x1
	0.453		0.746			
	604.633	-10.958	-10.959			
	11.411		11.705			
T.P.	593.222					1x1
	0.724		0.910			
	593.946	-10.854	-10.853			
	11.578		11.763			
T.P.	582.368					1x1
	0.578		0.799			
	582.946	-9.896	-9.895			
	10.474		10.694			
T.P.	572.472					1x1
	1.245		1.502			
	573.717	-2.357	-2.357			
	3.602		3.852			
P#30	570.115					P#30 Found 1/2" I.P. Sidehill Ref. FB 2338-17
	0.559		0.842			
	570.674	-10.595	-10.595			
	11.154		11.437			
T.P.	559.520					

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 00774-26 SURVEY OF Tracers Co Rd NOTES RED. DATE
SURVEY BY R.C. Dale DATE 11-1-57 NOTES CHKD. C. R. GOSS
NOTES BY R.C.D. DATE
INDEX C. Johnson DATE

F. B 2338 Pg. 82

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	559.520					
	0.638		0.836			
	560.153	-10.820	-10.820			
	11.453		11.656			
T.P.	548.700					1X1
	0.734		0.939			
	549.434	-9.626	-9.625			
	10.360		10.564			
T.P.	539.074					1X1
	1.008		1.368			
	540.082	-2.737	-2.738			
	3.745		4.106			
BMT-4	536.337					BM T-4. Fd STATE CE BM Brass Cap Mon set in conc. 4.0.4" in Md Rock South Side ridge. 143.3 SWly "P" 31 Per FB 2338-17
	1.251		1.409			
	537.588	-9.960	-9.962			
	11.211		11.371			
T.P.	526.377					1X1
	1.543		1.553			
	527.920	-7.206	-7.206			
	8.749		8.759			
P#31	519.171					P#31 Fd 1X2.8N Sidehill Per FB 2338-17
	0.873		1.151			
	520.044	-9.917	-9.916			
	10.790		11.067			
T.P.	509.254					1X1
	0.749		1.077			
	510.003	-4.586	-4.585			
	5.335		5.662			
P#32	504.668					P#32 Fd 1X2.6N Sidehill Per FB 2338-18

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. _____ SURVEY OF Frances Ct. Rd.
DATE _____ SURVEY BY F.C. Doyle
NOTES CHKD. F. Goss NOTES BY _____ DATE 11-1-57
DATE _____ INDEXED _____ DATE _____

F.B. 2338 Pg. 83

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P-32	504.668					
	10.810		11.090			
	515.478	+10.175	+10.175			
	0.635		0.915			
T.P.	514.843					1x1
	11.174		11.379			
	526.017	+10.292	+10.291			
	0.882		1.088			
T.P.	525.135					1x1
	10.985		11.246			
	536.120	+10.144	+10.143			
	0.841		1.103			
T.P.	535.279					1x1
	10.977		11.107			
	546.256	+10.198	+10.198			
	0.779		0.909			
T.P.	545.477					1x1
	9.257		9.457			
	554.734	+8.254	+8.255			
	1.003		1.202			
T.P.	553.731					1x1
	7.766		7.698			
	561.497	+6.507	+6.507			
	1.259		1.191			
P#33	560.238					P#33 Fd 1x2 d N. Top Low Spk. Per F.B. 2338-18
	11.550		11.666			
	571.788	+10.673	+10.671			
	0.877		0.995			
T.P.	570.911					1x1

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.36 SURVEY OF Trancas Cr. Rd. NOTES RED. DATE
SURVEY BY R.C. Dale DATE 11-1-57 NOTES CHKD. C. R. GOSS
NOTES BY R.C.D. DATE
INDEXED C. Tobiason DATE

F. B. 2338 Pg. 84

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	570.911					
	11.322		11.523			
	582.234	+10.473	+10.473 ✓			
	0.850		1.050			
T.P.	581.384					1x1
	10.729		10.944			
	592113	+9.824	+ 9.824 ✓			
	0.905		1.120			
T.P.	591.208					1x1
	11.708		11.865			
	602916	+7.953	+7.954 ✓			
	3.755		3.911			
P.B.M.	599.161					P.B.M. Found 2" x 2" Stake Ref. to B2338-18
	1464		1.322			
	600625	-9.988	-9.986 ✓			
	11452		11.308			
T.P.	589173					1x1
	10.000		10.164			
	599173	-1.363	-1.363 ✓			
	11.363		11.457			
P.B.M.	587.810					P.B.M. Fd. Nail & Tag "LS 5" Top of Crk. Ref. to B2338-19
	11.191		11.294			
	599.001	+10.388	10.386 ✓			
	0.803		0908			
T.P.	598.198					1x2
	11.288		11.569			
	609.486	+10.486	+10.486 ✓			
	0802		1.083			
T.P.	608.684					1x1

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 20744.36 SURVEY OF Francos Cr. Rd.
DATE _____ SURVEY BY R.C.D. & C.S. DATE 1-3-58
NOTES CHKD. R.C.D. NOTES BY R.C.D. DATE _____
DATE _____ INDEXED L. W. Johnson DATE _____

F. B. 2338 PG. 25

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	608.684					
	10.181		10.014			
	618.865	+8.654	+8.653			
	1.527		1.361			
P#36	617.338					P-36 Fd 1x2 8" N Spun Per FB 2338-19
	6.949		6.787			
	624.287	+5.658	+5.659			
	1.291		1.128			
T.P.	622.996					1x1
	11.841		11.750			
	634.837	+8.237	+8.237			
	3.604		3.513			
P#37	631.233					P-37 Fd L&T. in Rock Per FB 2338-19
	4.910		4.745			
	636.093	-7.056	-7.054			
	11.866		11.799			
P#38	624.177					P#38 Fd 1x2 4" N Side hill Per FB 2338-20
	1.327		1.258			
	625.504	-9.940	-9.940			
	11.267		11.193			
T.P.	614.237					1x1
	1.852		1.738			
	616.089	-9.655	-9.656			
	11.507		11.394			
T.P.	604.582					1x1
	0.490		0.764			
	605.072	-9.062	-9.063			
	9.552		9.827			
T.P.	595.520					1x1

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO 2024.36 SURVEY OF Ferris Ca Rd NOTES RED.
SURVEY BY R.C. Dale DATE C. R. GOSS
NOTES BY R.C.D. DATE 1-3-58 NOTES CHKD.
INDEX C. J. [illegible] DATE DATE

F.B. 2338 Pg. 86

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	595.520					
	0.672		0.945			
	596.192	-9.369	-9.369			
	10.041		10.314			
BM T-5	586.151					BM T-5 Fd 5/8" C.E. B.M. Brass cap mon. set in conc. up 4" in Md Rock Top Spur 6444 N.Wly "P 39" Rev FB 2338-20
	11.283		11.183			
	597.434	+10.005	+10.003			
	1.278		1.180			
T.P	596.156					1 x 1
	10.695		10.549			
	606.851	+9.612	+9.612			
	1.083		0.937			
T.P.	605.768					1 x 2
	11.725		11.674			
	617.493	+10.465	+10.465			
	1.260		1.209			
T.P	616.233					1 x 1
	11.506		11.228			
	627.739	+9.868	+9.866			
	1.638		1.362			
T.P	626.101					1 x 1
	3.597		3.319			
	629.698	+2.120	+2.120			
	1.477		1.199			
P#39	628.221					P-39 Fd 1x2 d N Top Ridge FB 2338-20
	12.003		11.810			
	640.224	+9.180	+9.180			
	2.823		2.630			
P#40	637.401					P#40 Fd 1x2 d N Side hill Rev FB 2338-20

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0074.36 SURVEY OF Traverse Co. Rd.
DATE SURVEY BY R. C. Dale C.
NOTES CHKD. G. R. Goss NOTES BY R. C. D. DATE 1-6-58
DATE INDEXED. C. Johnson DATE

F. B. 2338 Pg. 87

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	637.401					
	9.067		9.514			
	646468	+6.326	+6.324			
	2.741		3.190			
P#41	643.727					P#41 Fd 1x2 & X Sidewalk Rev FB 2338-21
	8.098		7.963			
	651825	+6.108	+6.108			
	1990		1.855			
P#42	649.835					P#42 Fd 1x2 & N Sidewalk Rev FB 2338-21
	11.778		11.580			
	661613	+8.919	+8.919			
	2.859		2.661			
T.P	658.754					1x1
	11.440		11.291			
	670.194	+10.464	+10.464			
	0.976		0.827			
T.P.	669.218					1x1
	11.440		11.310			
	680.658	+9.500	+9.499			
	1.940		1.811			
T.P.	678.718					1x2
	11.151		11.546			
	689.869	+10.549	+10.549			
	0.602		0.997			
P#43	689.267					P#43 Fd 1x2 & N Spike Rev FB 2338-21
	7.103		7.337			
	696370	+4.661	+4.661			
	2.442		2.676			
T.P	693.928					1x1

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO 207436 SURVEY OF Tierra Rejo Rd
SURVEY BY R.C.D. DATE 1-7-58 NOTES CHK'D C. R. GOSS
NOTES BY R.C.D. DATE NOTES RED
INDEXED C. [illegible] DATE DATE

339 PG. 88

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	693.928					
	11.610		11.459	11.190		
	705.538	+3.439	+3.433	3.437		
	8.171		8.026	7.753		
P#44	697.367					P#44 Fd 1x2 @ N, Spike Pr FB 2338-22
	4.392		4.214			
	701.759	+1.120	+1.119			
	3.272		3.095			
T.P.	698.487					1x1
	2.679		2.420	2.356		
	701.166	-2.736	-2.740	+2.736		
	5.415		5.160	5.092		
P#45	695.751					P#45 Fd 1x2 @ N, Spike, Pr FB 2338-22
	11.770		11.619			
	707.521	+6.158	+6.149			
	5.620		5.470			
P#46	701.901					P#46 Fd 1x2 @ N, Spike in Pr FB 2338-22
	9.070		8.880			
	710.971	+2.354	+2.355			
	6.716		6.525			
P#47	704.255					P#47 Fd 1x2 @ N FB 2338-23
	10.600		10.311			
	714.855	+8.542	+8.543			
	2.058		1.768			
T.P.	712.797					1x1
	11.109		11.271			
	723.906	+10.281	+10.279			
	0.828		0.992			
T.P.	723.078					1x1

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED _____ JOB NO 20743 SURVEY OF Tranlas Co Rd
DATE _____ SURVEY BY R.C. Dale
NOTES CHKD R. GOSS NOTES BY R.C.D DATE 1-13-58
DATE _____ INDEXED M. G. Johnson DATE _____

F.B. 2338 Pg. 29

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	723.078					
	12.006		12.027			
	735.084	+11.232	+11.231			
	0.774		0.796			
P"48	734.310					P"48 Fd. 1"x 28"x1", Spike, R/F B 2338-23
	10.756		10.647			
	745.066	+9.064	+9.066			
	1.692		1.581			
T.P.	743.374					1"x1"
	8.509		8.363			
	751.883	+6.561	+6.560			
	1.948		1.793			
P"49	749.935					P"49 Fd. 1"x 28"x, Spike, R/F B 2338-23
	1.208		1.033			
	751.143	-10.361	-10.363			
	11.569		11.396			
T.P.	739.574					1"x 1"
	1.548		1.315			
	741.122	-10.332	-10.333			
	11.880		11.648			
T.P.	729.242					1"x 2"
	0.916		0.638			
	730.158	-10.483	-10.483			
	11.399		11.121			
T.P.	718.759					1"x 1"
	0.709		0.908			
	719.466	-10.283	-10.282			
	10.990		11.190			
T.P.	708.476					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 00174.36 SURVEY OF Tejuncas Co Rd NOTES RED. DATE
SURVEY BY R.C. Dale C. R. GOSS
NOTES BY R.C.D. DATE 1-14-55 NOTES CHKD. DATE
INDEXED C. Tomlinson DATE

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	708.476					
	2.208		1.943			
	710.684	-3.285	-3.285			
	5.493		5.228			
BM T-6	705.191					BM T-6 Fd Std. CE BM Brass cap Mon set in conc. up 4" in Md Rock Top Spur 188.54 S 41y P 49 Per FB 2338-23
	9.954		10.200			
	715.145	+9.030	+9.029			
	0.924		1.171			
T.P	714.221					1x1
	11.735		11.652			
	725.956	+10.432	+10.432			
	1.303		1.220			
T.P	724.653					1x1
	11.349		11.746			
	736.002	+10.437	+10.438			
	0.912		1.308			
T.P	735.090					1x1
	9.140		8.897			
	744.230	+4.566	+4.566			
	4.574		4.331			
P"50	739.656					P"50 Fd 1x2 3' N Sidehill Per FB 2338-24
	10.669		10.470	10.712		
	750.325	+8.435	+8.425	+8.433		
	2.234		2.045	2.279		
P"51	748.091					P"51 Fd 1x2 3' N Sidehill Per FB 2338-24
	12.007		11.792			
	760.098	+11.819	+11.821			
	1.188		0.971			
T.P.	758.910					1x1

FB 2338 Pg. 90

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED_____ JOB NO 0074.36 SURVEY OF Tract 8856 C.T. Pg.
DATE_____ SURVEY BY TRC Date
NOTES CHKD R. GOSS NOTES BY RCD DATE 1-14-58
DATE_____ INDEXED C. Jones DATE

F. B. 2338 Pg. 24

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	758.910					
	11.316		11.244			
	770.226	+10.073	+10.073 ✓			
	1.242		1.171			
T.P.	768.983					1x1
	11.119		11.361			
	780.102	+ 9.947 ✓	+ 9.949 ✓			
	1.172		1.412			
T.P.	778.930					1x1
	10.610		10.748			
	789.540	+ 9.254 ✓	+ 9.254 ✓			
	1.356		1.494			
T.P.	788.184					
	5.990		5.645			
	794.174	+ 4.315 ✓	+ 4.316 ✓			
	1.675		1.329			
P#52	792.499					P#52 Fd 1x2 & N, Spun, Per FB 2338-25
	1.990		1.680			
	794.489	- 7.407 ✓	- 7.406 ✓			
	9.397		9.086			
P#53	785.092					P#53 Fd 1x2 & N, Top Spun Per FB 2338-25
	11.479		11.328			
	796.571	+10.466 ✓	+10.465 ✓			
	1.013		0.863			
T.P.	795.558					1x1
	11.367		11.202			
	806.925	+10.275 ✓	+10.275 ✓			
	1.092		0.927			
P#54	805.833					P#54 Fd 1x2 & N Top Spun Per FB 2338-25

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 00743.36 SURVEY OF Frances Ct Rd NOTES RED DATE
SURVEY BY R.C. Dale NOTES CHKD. R. Goss
NOTES BY R.C. D. DATE 1-15-58 DATE
INDEXED C. Johnson DATE

B2338 PG. 92

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	805.833					
	8.959		8.938	8744		
	814.792	+6.823	+ 6.831	6.824		
	2.136		2.107	1.920		
T.P	812.656					1x1
	11.163		11.076			
	823.819	+7.915	+ 7.915			
	3.248		3.161			
P#55	820.571					P#55 Fd 1x2 FN Side Spike Per FB 2338-26
	11.243		11.421			
	831.814	+10.302	+10.302			
	0941		1119			
T.P.	830.873					1x1
	9.004		9.390			
	839.877	+8.331	+ 8.330			
	0.673		1.060			
P#56	839.204					P#56 Fd. 1x2 FN Spike Per FB 2338-26
	3.931		3.629			
	843.135	-3.052	-3.052			
	6.983		6.681			
P#57	836.152					P#57 Fd x on Rock Per FB 2338-26
	0.612		0.874			
	836.764	-10.970	-10.971			
	11.582		11.845			
T.P.	825.182					1x1
	1191		1.047			
	826.373	-10.051	-10.051			
	11.242		11.098			
T.P	815.131					1x1

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 00 14.36 SURVEY OF Trancas Cr. Rd.
DATE SURVEY BY R.C. Doyle
NOTES CHKD. R. COSS NOTES BY C.H.M. DATE 1-16-58
DATE INDEXED L. C. Jamison DATE

F. B. 2338 Pg. 26

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	815.131					
	1336		1.234			
	816.467	-6.518	-6.518			
	7854		7752			
T.P.	808,613					1x1
	0972		0834			
	809.585	-5.713	+5.711			
	6685		6545			
B.M.#T-7	802.900					B.M.#T-7 Fd. std. C.E. B.M. brass cap
	7011		7.492			mon. set in conc. 2" up N side of Rdg.
	809.911	+6.243	+6.242			122.07' Wly. of P#57 per F.B. 2338-26
	0768		1250			
T.P.	809143					1x1
	11615		11555			
	820.758	+9.548	+9.551			
	2067		2004			
T.P.	818.691					1x1
	11948		12.140			
	830.639	+8.660	+8.659			
	3288		3481			
P#58	827.351					P#58 fd. 1x2 4" top spur. Per. F.B. 2338-27
	7867		7699			
	835.218	+3.395	+3.397			
	4472		4.302			
P#59	830746					P#59 fd. 1x2 4" top spur Per. F.B. 2338-27
	4780		5.310			
	835.526	+3.688	+3.687			
	1092		1.623			
P#60	834.434					P#60 fd. 1x2 4" top spur Per. F.B. 2338-27

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO 2024.36 SURVEY OF TRANCAS CYN RD NOTES RED DATE
SURVEY BY R.C. WILSON NOTES CHKD C.R. 60
NOTES BY R.C.W. DATE 1-27-59 DATE
INDEXED C. JOHNSON DATE
2338 PG. 94

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	834434					
	3841		3481			
	838.275	+2.106	+2106			
	1735		1,375			
TBM	836.540					TBM Set X on high pt. of rock 5x2x2 32 W of P#60 6'5
	8.369		7.970			
	844.909	+4.028	+4.028			
	4.341		3.942			
TP	840.568					1"X1"
	9.833		10.439			
	850.401	+6.815	+6.817			
	3.018		3,622			
TP	847.383					1"X1"
	9.422		8.640			
	856.805	+7.098	+7.096			
	2.324		1.544			
P# 61	854.481					FD. 1"X2" STK. & TK. ON SIDEHILL
	1.191		1.330	1.285		PER. F.B. 2338 PG. 28
	855.672	+0.891	+0.887	+0.886		
	0.300		0.443	0.399		
P# 62	855.372					FD. 1"X2" STK. TOP SPUR. INT. "P"
	10.229		10.957			LINE & SECT. LINE - PER.
	865.601	+7.840	+7.843			F.B. 2338 PG. 28
	2.389		3.114			
T.P.	863.212					1"X1"
	11.457		11.818			
	874.669	+10.694	10.693			
	0.763		1.125			
T.P.	873.906					1"X1"

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	873.906					1"X1"
	10.947		10.605			
	884.848	+ 8.480	+8.478			
	2.462		2.127			
T.P.	882.386					1"X1"
	11.902		11.550			
	874.288	+ 9.188	+9.188			
	2.714		2.362			
T.P.	891.574					1"X1"
	11.207		11.283			
	902.781	+9.544	9.544			
	1.663		1.739			
T.P.	901.118					1"X1"
	9.334		8.977			
	910.452	+ 8.661	+8.660			
	0.613		0.317			
P# 63	909.779					1"X2" & TACK TOP OF SPUR PER.
	9.084		8.972			F.B. 2338 PG. 28
	918.863	+2.609	+2.608			
	6.475		6.364			
T.P.	912.388					1"X1"
	2.232		2.710			
	914.620	- 8.230	- 8.230			
	10.462		10.940			
T.P.	904.158					+ ON ROCK
	1.757		2.039			
	905.915	- 7.712	- 7.713			
	9.469		9.752			
T.P.	896.446					1"X1"

NOTES RED
DATE
NOTES CHKD. R. LOSS
DATE
INDEXED
DATE

JOB NO. 9074.36 SURVEY OF TRANCAS CYN RD
SURVEY BY. R.C. WILSON
NOTES BY. R.C.W. DATE 1-28-57
C. Johnson DATE

F.B. 2338 PG.

765420 S & E-383 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 2014.36 SURVEY OF TRANCAS CYN RD. NOTES RED. DATE
SURVEY BY R.C. WILSON DATE 1-28-59 NOTES CHKD. R. GOSS DATE
NOTES BY R.C.W. DATE
INDEXED C. Johnson DATE

R 2333 Pg. 96

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	896.446					1"X1"
	0.409		0.615			
	896.855	-10.644	-10.642			
	11.053		11.257			
T.P.	885.802					1"X1"
	0.914		0.748	1.068		
	886.716	-10.894	-10.888	-10.891		
	11.808		11.636	11.959		
P#64	874.908					1"XZ" STK. ON RIDGE PER.
	11.682		11.872			F.B. 2338 PG. 29
	886.590	+9.533	+9.530			
	2.149		2.342			
T.P.	884.441					1"X1"
	11.374		11.592			
	895.815	+9.098	+9.099			
	2.276		2.493			
T.P.	893.539					1"X1"
	10.533		10.717			
	904.072	+9.368	+9.370			
	1.165		1.347			
P#65	902.907					1"XZ" STK. TOP OF RIDGE PER.
	4.031		4.596			F.B. 2338 PG. 29
	906.938	-6.850	-6.847			
	10.881		11.443			
P#65A	896.057					1"XZ" STK- SIDE HILL PER.
	1.831		2.177	1.999		F.B. 2338 PG. 29
	897.888	-9.491	-9.487	-9.485		
	11.322		11.664	11.484		
BM T-8	886.566					STD. C.E. B.C. B.M. MON. 117.5' WLY P#65-A - F.B. 2338 PG. 29

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0014.36 SURVEY OF TRANCAS CYN RD.
DATE _____ SURVEY BY R.C. WILSON
NOTES CHKD. R. CROSS NOTES BY R.C.W. DATE 1-29-59
DATE _____ INDEXED _____ DATE _____

F.B. 2336 PG. 97

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. T-8	886.566					
	10.393		10.582			
	896.959	+ 9.115	+9.113			
	1.278		1.469			
T.P.	895.681					1"X1"
	10.380		11.032			
	906.061	+ 7.371	+7.371			
	3.009		3.662			
T.P.	903.052					1"X1"
	11.142		11.487			
	914.194	+10.439	+10.439			
	0.703		1.048			
T.P.	913.491					1"X1"
	10.912		11.394			
	924.403	+7.630	+ 7.629			
	3.782		3.765			
T.P.	921.121					1"X1"
	10.441		10.981			
	931.562	+ 8.892	+ 8.895			
	1.549		2.086			
T.P.	930.013					1"X1"
	11.548		11.767			
	941.561	+9.845	+9.844			
	1.703		1.923			
T.P.	939.858					1"X1"
	10.555		10.933			
	950.413	+9.391	+9.391			
	1.164		1.542			
T.P.	949.249					1"X1"

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO 0014.36 SURVEY OF T. RANCHO CYN RD. NOTES RED.
SURVEY BY R.C. WILSON DATE
NOTES BY R.C.W. DATE 1-29-59 NOTES CHKD. R. GOSS
INDEXED C + T.B. BOOK DATE

B.B. 2338 Pg. 98

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	949.249					1"X1"
	11.043		11.375			
	960.292	+10.158	+10.159			
	0.885		1.216			
T.P.	959.407					1"X1"
	11.147		11.574			
	970.554	+8.876	+8.876			
	2.271		2.698			
P#66	968.283					1"X2" STK & NAIL - TOP OF SPUR
	10.451		11.076			PER. F.B. 2338 PG. 30
	978.734	+ 8.154	+8.156			
	2.291		2.920			
T.P.	976.437					HIGH PT. ROCK
	9.234		9.721			
	985.671	+ 8.136	+8.139			
	1.098		1.582			
T.P.	984.573					1"X1"
	11.780		11.472			
	996.353	+9.933	9.933			
	1.847		1.487			
T.P.	994.506					1"X1"
	11.338		11.670			
	1005.844	+ 9.495	+9.496			
	1.843		2.174			
T.P.	1004.001					1"X1"
	11.765		11.930			
	1015.766	+ 9.952	+9.954			
	1.313		1.976			
T.P.	1013.953					1"X1"

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0074.36 SURVEY OF TRANCAS CYN RD.
DATE 1-30-59 SURVEY BY R.C. WILSON
NOTES CHKD. R. GOSS NOTES BY _____ DATE _____
DATE _____ INDEXED C. [illegible] DATE _____

F. B. 2338 PG. 29

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1013.953					1"X1"
	11.617		11.806			
	1025.510	+10.303	+10.307			
	1.314		1.504			
T.P.	1024.256					1"X1"
	11.305		11.764			
	1035.561	+10.634	+10.635			
	0.671		1.129			
T.P.	1034.890					1"X1"
	11.262		10.965			
	1046.152	+10.363	+10.364			
	0.899		0.601			
T.P.	1045.253					1"X1"
	11.325		11.760	11.643		
	1056.578	+9.945	+9.949	+9.944		
	1.380		1.811	1.699		
T.P.	1055.198					1"X1"
	10.750		10.943			
	1065.948	+10.085	+10.086			
	0.665		0.857			
T.P.	1065.283					1"X1"
	10.043		9.787			
	1075.326	+8.233	+8.234			
	1.810		1.553			
T.P.	1073.516					1"X1"
	7.748		8.010			
	1081.264	+6.692	+6.692			
	1.056		1.318			
P#67	1080.208					1"X2" STK. & NAIL TOP OF SPUR
						F.B. 2338 PG. 30

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.36 SURVEY OF TRANCAS CYN RD. NOTES RED. DATE 2-2-59
SURVEY BY R.C. WILSON NOTES CHKD. R. GOSS
NOTES BY C. TORRANCE DATE DATE
INDEXED DATE DATE

F.B. 2338 PG. 100

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P#67	1080.208					1"X2" STK. & NAIL - TOP OF SPUR
	1.167		0.898			F.B. 2338 PG. 30
	1081.375	- 5.261	5.263			
	6.478		6.161			
P#L8	1074.947					1"X2" STK. & NAIL - TOP OF SPUR
	0.972		1.295			F.B. 2338 PG. 30
	1075.919	-10.079	-10.080			
	11.051		11.375			
T.P.	1064.868					1"X1"
	1.031		0.517			
	1065.899	-9.997	-9.998			
	11.028		10.515			
T.P.	1054.871					1"X1"
	4.016		4.396			
	1058.887	-3.311	-3.312			
	7.327		7.708			
P#69	1051.560					1"X2" STK. TOP OF SPUR
	7.548		7.309			F.B. 2338 PG. 31
	1059.108	+2.711	+2.712			
	4.851		4.597			
T.B.M.	1054.271					HIGH POINT OF ROCK - CH'+' - 40' ±
	10.664		11.224			ELY P#69
	1064.935	+3.607	+3.609			
	7.057		7.615			
1"X2"	1057.878					1"X2" LINE PROD. ON SIDEHILL
	2.361		2.648			F.B. 2338 PG. 31
	1060.239	-9.054	-9.054			
	11.415		11.702			
T.P.	1048.824					1"X1"

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO 0014.36 SURVEY OF TRANCAS CYN. RD.
DATE 7-4-52 SURVEY BY R.C. WILSON
NOTES CHKD. R. GOSS NOTES BY C. JOHNSON DATE
DATE INDEXED DATE

F.B. 2338 PG. 101

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1048.824					1"X1"
	0.698		1.513			
	1049.522	-10.388	-10.384			
	11.084		11.897			
T.P.	1038.438					1"X1"
	8.807		8.418			
	1047.245	-2.792	-2.794			
	11.599		11.212			
P#70	1035.646					1"X2" STK.- TOP OF SPOR.
	10.877		11.537			F.B. 2338 PG. 31
	1046.523	+6.823	+6.822			
	4.054		4.715			
P#71	1042.469					1"X2" STK - TOP OF SPOR
	0.747		0.901			F.B. 2338 PG. 31
	1043.216	-9.882	-9.882			
	10.629		10.788			
P#72	1032.581					1"X2" STK- TOP OF SPOR
	2.975		3.152			F.B. 2338 PG. 32
	1035.562	-8.478	8.478			
	11.453		11.630			
T.P.	1024.109					1"X1"
	1.598		1.860			
	1025.707	-9.188	9.187			
	10.786		11.047			
T.P.	1014.921					1"X1"
	0.770		1.290			
	1015.691	-9.476	9.427			
	10.196		10.717			
T.P.	1005.495					1"X1"

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 0014.36 SURVEY OF TRACT 6400 BD. NOTES RED. DATE 2-9-59
SURVEY BY R.C. LOUDON)
NOTES BY _____ DATE _____ NOTES CHKD. R. GOSS
INDEXED C. Johnson DATE _____

F.B. 2332 Pg. 102

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1005.495					1"X1'
	0.687		0.431			
	1006.182	-10.723	+10.723			
	11.410		11.154			
BM T9	994.772					STD. B.C. C.E. B.M. MON. @ END OF
	9.043		9.630			SPUR 250' ± WLY P# 71
	1003.815	+7.574	+7.375			F.B. 2338 PG. 31
	1.669		2.255			
T.P.	1002.146					1"X1"
	7.303		7.738			
	1009.449	+6.765	+ 6.764			
	0.538		0.974			
P# T3	1008.911					1"X2" & TK. - ON SIDEHILL
	10.459		10.964			F.B. 2338 PG. 32
	1019.370	+7.413	7.411			
	3.046		3.553			
T.P.	1016.324					1"X1"
	11.222		10.682			
	1027.546	+9.755	+ 9.755			
	1.467		0.927			
T.P.	1026.079					1"X1"
	10.291		11.174			
	1036.370	+9.597	+ 9.595			
	0.694		1.579			
T.P.	1035.676					1"X1"
	8.945		9.857			
	1044.621	+7.316	+ 7.318			
	1.629		2.539			
P# T4	1042.992					1"X2" STK. & TACK - ON SIDEHILL
						F.B. 2338 PG. 32

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0074.36 SURVEY OF TRANCAS CYN RD.
DATE 7-9-52 SURVEY BY R.C. WILSON
NOTES CHKD. E. COSS NOTES BY _____ DATE _____
DATE _____ INDEXED _____ DATE _____

F.B. 2338 PG. 103

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P*74	1042.992					1"X2" STK. & NAIL - ON SIDE HILL
	9.915		11.724			F.B. 2338 PG. 32
	1052.907	+1.469	+1.470 ✓			
	8.446		10.254			
P* 75	1044.461					1"X2" STK. & NAIL - ON SIDEHILL
	10.795		11.350			F.B. 2338 PG. 32
	1055.256	+7.982	+7.980 ✓			
	2.813		3.370			
T. P.	1052.443					1"X1"
	11.646		11.178			
	1064.089	+6.461	+6.461 ✓			
	5.185		4.717			
T.P.	1058.904					1"X1"
	9.179		9.934	10.008		
	1068.083	+5.909	+5.913	+5.913 ✓		
	3.270		4.021	4.095		
P*76	1064.813					1"X2" STK & NAIL - TOP SPUR
	5.753		6.196			F.B. 2338 PG. 33
	1070.566	+1.183	+1.186 ✓			
	4.570		5.010			
P*77	1065.996					1"X2" STK & NAIL - SIDE HILL
	7.450		7.966			F.B. 2338 PG. 33
	1073.446	+4.234	+4.237 ✓			
	3.216		3.729			
P*78	1070.230					1"X2" STK & NAIL - SIDEHILL
	4.115		4.470			F.B. 2338 PG. 33
	1074.345	-4.554	-4.576 ✓			
	8.689		9.046			
P* 79	1065.656					1"X2" STK. & NAIL - TOP DRAIN
						F.B. 2338 PG. 34

765420 S & E-363 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074-36 SURVEY OF TRANCAS CYN RD. NOTES RED.
SURVEY BY RC WILSON DATE C. R. GOSS
NOTES BY RCW DATE 7-26-59 NOTES CHKD.
INDEXED C. Tabasco DATE
F.B. 2332 Pg. 104

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P# 79	1065.656					1"X2" STK. & NAIL - TOP DRAIN
	10.603		10.375			F.B. 2338 PG. 34
	1076.259	+10.155	+10.155			
	0.448		0.220			
T.P.	1075.811					CH"+" ON ROCK
	10.915		10.662			
	1086.756	+9.924	+9.922			
	1.021		0.740			
T.P.	1085.735					CH"+" ON ROCK
	9.888		10.423			
	1095.623	+9.382	+9.381			
	0.506		1.042			
P# 80	1095.117					1"X2" STK & NAIL - TOP DRAIN
	9.741		10.090			F.B 2338 PG. 34
	1104.858	+8.079	+8.079			
	1.662		2.011			
P# 81	1103.196					1"X2" STK. & NAIL - TOP DRAIN
	10.784		10.069	10.629		F.B. 2338 PG. 34
	1113.480	+2.253	+2.249	+2.251		
	8.031		7.820	8.378		
T.P.	1105.449					1"X1"
	10.492		10.159			
	1115.941	+0.259	+0.259			
	10.238		9.900			
T.P.	1105.708					1"X1"
	2.478		2.161			
	1108.184	-9.033	-9.035			
	11.511		11.196			
P# 82	1096.675					1"X2" STK & NAIL + SIDEHILL
						FB. 2338 PG. 34

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO 2074.36 SURVEY OF TRANCAS CYN RD.
DATE SURVEY BY R.C. WILSON
NOTES CHKD R. GOSS NOTES BY DATE 5-19-52
DATE INDEXED C. Johnson DATE

F.B. 2338 PG. 105

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P# 82	1096.615					
	1.997		2.548			
	1098.612	- 8.714	-8.714			
	10.711		11.262			
T.P.	1087.961					
	0.594		0.877			
	1088.555	-10.310	-10.310			
	10.924		11.187			
T.P.	1077.651					
	0.534		1.063			
	1078.185	-10.562	-10.561			
	11.096		11.624			
T.P.	1067.089					
	1.353		1.663			
	1068.442	-10.006	-10.008			
	11.359		11.671			
B.M. T-10	1057.083					C.E. B.M. MON. 105'± S.W. of P#82
	10.612		10.990	10.705		F.B. 2338 PG. 34
	1067.695	+ 9.969	+ 9.978	9.968		
	0.643		1.012	0.737		
T.P.	1067.052					
	11.114		11.652			
	1078.166	+10.368	+10.369			
	0.746		1.283			
T.P.	1077.420					
	11.708		11.089			
	1088.628	+10.491	+10.492			
	0.717		0.597			
T.P.	1087.911					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 2074.36 SURVEY OF TRANCAS CYN. RD. NOTES RED. DATE
SURVEY BY R.C. WILSON DATE 5-19-59 NOTES CHK'D R. GOSS
NOTES BY R.C.W. DATE
INDEX C. Johnson DATE

F.B. 2338 PG. 106

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1087.911					
	11.656		11.957			
	1099.567	+11.354	+11.354			
	0.302		0.603			
T.P.	1099.265					
	10.969		11.293			
	1110.234	+10.228	+10.228			
	0.741		1.065			
T.P.	1109.493					
	10.786		11.193			
	1120.279	+9.415	+9.413			
	1.371		1.780			
T.P.	1118.908					
	11.681		11.256	11.705		
	1130.589	+9.102	+9.107	+9.105		
	2.519		2.149	2.600		
P-83	1128.010					1"X2" STK. & NAIL F.B. 2338 PG. 35
	3.531		3.735			
	1131.541	-2.166	-2.167			
	5.697		5.902			
P-84	1125.844					1"X2" STK. & NAIL F.B. 2338 PG. 35
	2.883		3.342			
	1128.727	-6.379	-6.379			
	9.262		9.721			
T.P.	1119.465					
	11.068		11.680			
	1130.533	+10.108	+10.109			
	0.960		1.571			
T.P.	1129.573					

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1129.573					
	11.507		11.717			
	1141.120	+10.325	+10.328			
	1.222		1.389			
T.P.	1139.898					
	10.304		10.822			
	1150.202	+7.840	+7.842			
	2.464		2.980			
T.P.	1147.738					
	10.878		11.370			
	1158.616	+7.767	+7.768			
	3.111		3.602			
T.P.	1155.505					
	11.280		11.643			
	1166.785	+10.805	+10.805			
	0.477		0.838			
T.P.	1166.308					
	11.014		11.347			
	1177.322	+10.668	+10.670			
	0.346		0.677			
T.P.	1176.976					
	11.413		11.855			
	1188.389	+11.198	+11.198			
	0.215		0.657			
T.P.	1188.174					
	11.592		11.841			
	1199.766	+11.013	+11.074			
	0.519		0.767			
T.P.	1199.247					

NOTES.RED. _____ JOB NO. 9071.36 SURVEY OF TRANCAS CYN RD.
DATE _____ SURVEY BY R.C. WILSON
NOTES CHKD. R. COSS NOTES BY R.C.W. DATE 5-20-59
DATE _____ INDEXED A. C. JOHNSON DATE _____

F.B. 2332 PG. 107

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0014.36 SURVEY OF TRANCAS CYN RD. NOTES RED. DATE
SURVEY BY R.C. WILSON
NOTES BY R.G.W. DATE 5-20-59 NOTES CHKD. R. GOSS
INDEX C. Johnson DATE DATE

F.B. 2338 PG. 108

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1199.747					
	7.531		8.070			
	1206.778	+0.960	+0.961			
	6.571		7.109			
P.#85	1200.207					1" X 2" STK. & NAIL - TOP OF SPUR
	0.824		0.526			F.B. 2338 PG. 35
	1201.031	-10.258	-10.256			
	11.082		10.782			
T.P.	1189.949					
	0.618		0.952			
	1190.567	-10.511	-10.509			
	11.129		11.461			
T.P.	1179.438					
	1.276		0.854			
	1180.714	-9.582	-9.529			
	10.808		10.383			
T.P.	1169.906					
	2.555		2.879			
	1172.461	-8.438	-8.437			
	10.993		11.316			
T.P.	1161.468					
	0.842		0.513			
	1162.310	-10.600	-10.601			
	11.442		11.114			
T.P.	1150.868					
	0.197		0.703			
	1151.065	-11.182	-11.180			
	11.379		11.883			
T.P.	1139.686					

765420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. _____ JOB NO. 00734.36 SURVEY OF TRAVERSE
DATE _____ SURVEY BY R. C. WILSON
NOTES CHKD. R. GOSS NOTES BY W. A. LUDLOW DATE 5-21-53
DATE _____ INDEXED A. O. JOHNSON DATE _____

F.B. 2338 PG. 109

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	1139.684					
	9.400		9.903			
	1149.084	-0.110 ✓	-0.107 ✓			
	9.510		10.000			
P#86	1139.576					P#86 1"x2" Top R/S
	7.783		7.976			FB 2338 Pg 35
	1147.359	+4.868 ✓	+4.871 ~~+4.871~~			
	2.915		3.055			
T.P.	1145.444					
	11.311		11.899			
	1156.755	+10.861 ✓	+10.861 ✓			
	0.450		1.038			
T.P.	1156.305					
	8.682		8.868			
	1164.987	+3.053 ✓	+3.053 ✓			
	5.629		5.815			
T.P.	1159.358					
	7.412		7.619			
	1166.770	-0.257 ✓	-0.259 ✓			
	7.669		7.878			
T.P.	1159.101					
	7.943		7.749			
	1167.044	+2.252 ✓	+2.253 ✓			
	5.691		5.496			
T.P.	1161.353					
	6.243		6.527			
	1167.596	+3.085 ✓	+3.084 ✓			
	3.158		3.443			
TP	1164.438					

769420 353 3-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 00734 SURVEY OF Texaco Co. Lse NOTES RED: DATE
SURVEY BY P.C. Lundgren NOTES CHK'D. R. GOSS
NOTES BY M. Wallin Jr. DATE 5-25-59
INDEX C. Johnson DATE

F.B. 2338 PG. 110

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1164.438					
	11.265		11.555			
	1175.703	+10.705	+10.705			
	0.560		0.850			
T.P.	1175.143					
	8.890		8.455			
	1184.033	+7.760	+7.760			
	1.130		0.695			
T.P.	1182.903					
	10.950		11.230			
	1193.853	+5.830	+5.830			
	5.120		5.400			
T.P.	1188.733					
	8.250		8.520			
	1196.983	+5.550	+5.550			
	2.700		2.970			
B.M. T-11	1194.283					C.E. B.M. Mon 273 I S.W.P. 93
+	0.923		0.873			F.B. 2338 PG. 37
T	1195.206	-10.229	-10.229			
-	11.152		11.102			
T.P.	1184.054					
+	0.903		0.810			
T	1184.957	-4.992	-4.992			
-	5.895		5.802			
T.P.	1179.062					
+	1.349		1.552	1.389		
T	1180.411	-10.221	-10.196	-10.221		
-	11.570		11.748	11.610		
T.P.	1168.841					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0674.36 SURVEY OF Tramway Cir. Rd.
DATE SURVEY BY. Wharton DATE 6-11-59
NOTES CHKD. R. Goss NOTES BY. Wharton DATE 6-11-59
DATE INDEXED. C. Johnson DATE

F. B. 2330 PG. 111

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1168.841					
+	0.979		0.918			
⊼	1169.820	-10.134	-10.134			
−	11.113		11.052			
T.P.	1158.707					
+	8.895		8.670	8.665		
⊼	1167.602	+5.770	+5.780	+5.770		
−	3.125		2.890	2.895		
T.P.	1164.477					
+	7.274		7.447	7.675		
⊼	1171.751	+6.332	+6.337	+6.333		
−	0.942		1.110	1.342		
T.P.	1170.809					
+	5.773		5.595			
⊼	1176.582	-0.712	-0.712			
−	6.485		6.307			
T.P.	1170.097					
+	8.495		8.583			
⊼	1178.592	-2.100	-2.102			
−	10.595		10.685			
T.P.	1167.997					
+	0.323		0.430	0.353		
⊼	1168.427	-11.289	-10.839	-10.839		
−	11.612		11.269	11.192		
T.P.	1157.158					
+	10.703		10.747			
⊼	1167.861	+5.333	+5.333			
−	5.370		5.414			
T.P.	1162.491					

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0074.36 SURVEY OF Tranquas Cyn. Rd. NOTES RED
SURVEY BY Harriet DATE NOTES CHK'D R. GOSS
NOTES BY Harriet DATE 6-11-59
INDEX C. Johnson DATE

F.B. 2335 Pg. 112

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	1162.491					
+	9.780		9.920	9.982		
⊼	1172.411	+8.888	+8.883 ✓	+8.885 ✓		
−	0.892		1.037	1.097		
T.P.	1171.374					
+	11.737		11.700			
⊼	1183.111	+10.325	+10.325 ✓			
−	1.412		1.375			
T.P	1181.699					
+	11.760		11.673	11.973		
⊼	1193.459	+11.236	+11.231 ✓	+11.235 ✓		
−	0.524		0.442	0.738		
T.P.	1192.935					
+	11.172		11.145	11.016		
⊼	1204.107	+9.505	+9.497 ✓	+9.507 ✓		
−	1.667		1.648	1.509		
~~P#87~~	1202.440					
+	10.267		10.547			
⊼	1212.707	+8.570	+8.572 ✓			
−	1.697		1.975			
T.P.	1211.010					
+	10.358		10.170			
⊼	1221.368	+9.341	+9.341 ✓			
−	1.017		0.829			
T.P.	1220.351					
+	11.640		11.502	11.458		
⊼	1231.991	+0.307	+0.297 ✓	+0.306 ✓		
−	11.333		11.205	11.152		
T.P.	1220.658					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED JOB NO. SC 14.3(6) SURVEY OF Torrance City Rd.
DATE SURVEY BY C. Harris
NOTES CHKD. C. R. Cross NOTES BY C. Harris DATE 6-12-59
DATE INDEXED C. Jaeger DATE

F. B. 2332 PG. 113

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1220.658					
+	2.514		2.406			
=	1223.172	+1.034 ✓	+1.034 ✓			
−	1.480		1.372			
T.P.	1221.692					
+	4.805		4.650			
=	1226.497	+1.412 ✓	+1.412 ✓			
−	3.373		3.438			
P#88	1223.124					
+	11.109		11.225			
=	1234.213	+10.277 ✓	+10.277 ✓			
−	0.832		0.948			
T.P.	1233.381					
+	6.402		6.443	6.457		
=	1239.783	+2.552 ✓	+2.548 ✓	+2.552 ✓		
−	3.550		3.895	3.935		
T.P.	1235.933					
+	10.590		10.637			
=	1246.523	+9.977 ✓	+9.977 ✓			
−	0.613		0.660			
T.P.	1245.910					
+	11.233		11.272	11.286		
=	1257.143	+7.316 ✓	+7.308 ✓	+7.319 ✓		
−	3.917		3.964	3.978		
P#89	1253.226					
+	8.999		9.048			
=	1262.216	+5.307 ✓	+5.308 ✓			
−	3.683		3.740			
P#90	1258.533					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 0074.36 SURVEY OF Trancas Cn. Rd. NOTES RED
SURVEY BY Harriet DATE C. R. 605
NOTES BY Harriet DATE 6-12-59 NOTES CHKD.
INDEXED C. Johnson DATE DATE
F.B. 2338 PG. 114

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P#90	1258.533					
+	5.397		6.490			
=	1264.930	-4.415	-4.415			
−	10.812		10.905			
T.P.	1254.118					
+	0.738		0.785			
=	1254.856	-7.124	-7.124			
−	7.862		7.912			
P#91	1246.994					
+	9.765		9.788			
=	1256.759	-0.157	-0.156			
−	9.922		9.944			
T.P.	1246.837					
+	10.192		10.237			
=	1257.029	+8.572	+8.513			
−	1.620		1.665			
T.P.	1255.409					
+	9.900		9.948			
=	1265.309	+9.013	+9.013			
−	0.887		0.935			
T.P.	1264.422					
+	11.492		11.513			
=	1275.914	+6.182	+6.180			
−	5.510		5.333			
P#92	1270.604					
+	8.683		8.797			
=	1279.287	-0.678	-0.675			
−	9.361		9.475			
T.P.	1269.926					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0074.36 SURVEY OF Transit Sur. Rd.
DATE SURVEY BY. Whorrier
NOTES CHKD. BY. DATE 6-15-59
DATE INDEXED
DATE

F. B. 2339 PG. 115

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1269.926					
+	5.557		5.625			
⊼	1275.483	+7.684	+7.684			
−	1.357		1.341			
T.P.	1277.510					
+	5.305		5.225	5.229		
⊼	1282.815	−6.668	−6.672	−6.675		
−	11.973		11.897	11.983		
P#93	1270.338					
+	5.466		5.500			
⊼	1276.304	+3.208	+3.211			
−	2.258		2.289			
T.P.	1274.046					
+	11.684		11.887			
⊼	1285.730	+10.601	+10.601			
−	1.083		1.286			
T.P.	1284.647					
+	10.764		10.873			
⊼	1295.411	+10.313	+10.312			
−	0.451		0.561			
T.P.	1294.960					
+	11.907		11.811			
⊼	1306.867	+5.565	+5.564			
−	6.342		6.247			
P#94	1300.525					
+	1.303		1.663			
⊼	1301.828	−9.259	−9.258			
−	10.562		10.921			
T.P.	1291.266					

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.36 SURVEY OF Travers Ct. Rd
SURVEY BY Harriet DATE 6-15-59
NOTES BY M. C. Johnson DATE
INDEXED DATE
NOTES RED. DATE
NOTES CHKD. C. R. GOSS DATE

F.B. 2332 PG. 116

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1291.266					
+	0.880		0.567			
⊼	1292.146	-8.569 ✓	-8.568 ✓			
−	9.449		9.135			
T.P.	1282.697					
+	9.233		9.052			
⊼	1291.930	+8.447 ✓	+8.448 ✓			
−	0.786		0.604			
T.P.	1291.144					
+	9.890		9.792			
⊼	1301.034	+9.293 ✓	+9.294 ✓			
−	0.597		0.498			
T.P.	1300.437					
+	1.773		1.434			
⊼	1302.210	-9.143 ✓	-9.146 ✓			
−	10.916		10.630			
T.P.	1291.294					
+	0.277		0.516			
⊼	1291.571	-11.217 ✓	-11.217 ✓			
−	11.494		11.733			
T.P.	1280.077					
+	0.433		0.553			
⊼	1280.510	-11.078 ✓	-11.076 ✓			
−	11.511		11.629			
T.P.	1268.999					
+	0.473		0.340			
⊼	1269.472	-11.483 ✓	-11.483 ✓			
−	11.956		11.823			
T.P.	1257.516					

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2074.36 SURVEY OF Tronos Cyn. Rd.
DATE SURVEY BY. Wagstaff
NOTES CHKD. R. GOSS NOTES BY [illegible] DATE 6-15-53
DATE INDEXED DATE

F. B. 238 PG. 117

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1257.516					
+	7.269		7.396			
⊼	1264.785	-3.996	-3.996			
−	11.265		11.392			
P#95	1253.520					
+	11.331		11.422			
⊼	1264.851	+10.083	+10.083			
−	1.248		1.339			
T.P.	1263.603					
+	10.280		10.384	10.336		
⊼	1273.883	+9.606	+9.602	+9.605		
−	0.674		0.782	0.731		
P#96	1273.209					
+	3.162		3.246			
⊼	1276.371	-1.874	-1.875			
−	5.036		5.121			
P#97	1271.335					
+	0.565		0.836			
⊼	1271.900	-10.036	-10.036			
−	10.601		10.872			
T.P.	1261.299					
+	0.292		0.355			
⊼	1261.591	-10.576	-10.576			
−	10.868		10.931			
T.P.	1250.723					
+	1.502		2.068			
⊼	1252.225	-9.676	-9.674			
−	11.178		11.742			
T.P.	1241.047					

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 2074.36 SURVEY OF Tujunga Cn. Rd. NOTES RED. DATE
SURVEY BY Wharriet NOTES CHKD. R. GOSS
NOTES BY Wharriet DATE 6-15-59 DATE
INDEXED A. C. Johnson DATE

F.B. 2338 Pg. 118

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1241.047					
+	0.781		0.953			
⊼	1241.828	-10.503	-10.504			
−	11.284		11.457			
T.P.	1230.544					
+	2.772		2.617			
⊼	1233.316	-9.141	-9.141			
−	11.913		11.758			
P#98	1221.403					
+	7.325		7.566			
⊼	1228.728	-4.330	-4.332			
−	11.655		11.898			
T.P.	1217.073					
+	0.624		0.961			
⊼	1217.697	-10.834	-10.834			
−	11.458		11.795			
T.P.	1206.239					
+	1.084		1.462			
⊼	1207.323	-10.266	-10.265			
−	11.350		11.727			
P#99	1195.973					
+	0.724		0.907			
⊼	1196.697	-10.588	-10.588			
−	11.312		11.495			
T.P.	1185.385					
+	0.535		0.467			
⊼	1185.920	-11.014	-11.016			
−	11.549		11.483			
T.P.	1174.371					

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1174.371					
+	0.656		0.370			
⊼	1175.027	-10.699	-10.700			
−	11.355		11.070			
T.P.	1163.672					
+	0.332		0.525			
⊼	1164.004	-11.226	-11.228			
−	11.558		11.753			
T.P.	1152.446					
+	0.229		0.594			
⊼	1152.675	-11.355	-11.354			
−	11.584		11.948			
T.P.	1141.091					
+	3.923		3.880	3.846		
⊼	1145.014	-5.010	-5.004	-5.011		
−	8.933		8.884	8.857		
P#100	1136.081					
+	9.249		9.168			
⊼	1145.330	+7.349	+7.349			
−	1.900		1.819			
T.P.	1143.430					
+	10.515		10.480			
⊼	1153.945	+9.601	+9.600			
−	0.914		0.880			
T.P.	1153.031					
+	11.636		11.953			
⊼	1164.667	+7.310	+7.309			
−	4.326		4.644			
P#101	1160.341					

NOTES RED_____ JOB NO. 0074.36 SURVEY OF Tunnel Cyn. Rd.
DATE_____ SURVEY BY Wharriet
NOTES CHKD. R. GOSS NOTES BY Wharriet DATE 6-15-59
DATE_____ INDEXED R. G. Johnson DATE_____

F. B. 5333 PG. 119

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 2074.36 SURVEY OF Frances Ct. Rd. NOTES RED DATE
SURVEY BY Harriet NOTES CHKD R. GOSS
NOTES BY Harriet DATE 6-16-59
INDEXED C. Johnson DATE

F. B 2338 Pg. 120

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P# 101	1160.341					
+	11.148		11.083			
⌅	1171.489	+10.418 ✓	+10.418 ✓			
−	0.730		0.665			
T.P.	1170.759					
+	11.614		11.574			
⌅	1182.373	+11.022 ✓	+11.024 ✓			
−	0.592		0.550			
T.P.	1181.781					
+	11.329		11.375			
⌅	1193.110	+10.713 ✓	+10.713 ✓			
−	0.616		0.662			
T.P.	1192.494					
+	10.192		10.174	10.524		
⌅	1202.668	+5.262 ✓	+5.258 ✓	+5.258 ✓		
−	4.930		4.916	5.266		
P# 102	1197.752					
+	11.785		11.655			
⌅	1209.537	+9.984 ✓	+9.985 ✓			
−	1.801		1.670			
T.P.	1207.736					
+	11.326		11.348			
⌅	1219.062	+10.988 ✓	+10.988 ✓			
−	0.338		0.360			
T.P.	1218.724					
+	11.613		11.592			
⌅	1230.337	+10.971 ✓	+10.970 ✓			
−	0.642		0.622			
T.P.	1229.695					

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2274.36 SURVEY OF Temescal Cyn. Rd.
DATE SURVEY BY. Wharton
NOTES CHKD. R. Goss NOTES BY. Wharton DATE 6-16-59
DATE INDEXED. A. C. Johnson DATE

F.B. 233 Pg. 12

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1229.695					
+	11.128		11.133			
⌅	1240.823	+10.662	+10.664			
−	0.466		0.469			
T.P.	1240.357					
+	10.673		10.446			
⌅	1251.030	+10.045	+10.043			
−	0.428		0.403			
T.P.	1250.402					
+	11.480		11.345			
⌅	1261.882	+11.067	+11.069			
−	0.411		0.276			
T.P.	1261.471					
+	11.497		11.532			
⌅	1272.968	+11.235	+11.236			
−	0.262		0.316			
T.P.	1272.706					
+	10.417		10.217			
⌅	1283.123	+9.853	+9.853			
−	0.564		0.364			
T.P.	1282.559					
+	11.795		11.823			
⌅	1294.354	+5.215	+5.213			
−	6.580		6.610			
P#103	1287.774					
+	11.881		11.813			
⌅	1299.655	+11.204	+11.201			
−	0.677		0.612			
T.P.	1298.978					

768420 S & E-383 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 2074.36 SURVEY OF Topanga Cyn. Rd. NOTES RED.
SURVEY BY Harriet DATE
NOTES BY Harriet DATE 6-16-52 NOTES CHKD. R. GOSS
INDEXED C. Johnson DATE

F.B. 2338 PG. 122

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1298.978					
+	11.121		11.025			
⊼	1310.099	+9.913	+9.913			
−	1.208		1.112			
T.P.	1308.891					
+	4.636		4.768			
⊼	1313.527	+3.003	+3.003			
−	1.633		1.765			
P#104	1311.894					
+	1.522		1.852			
⊼	1313.416	−9.146	−9.146			
−	10.668		10.998			
T.P.	1302.748					
+	3.674		3.577			
⊼	1306.422	−2.479	−2.478			
−	6.153		6.055			
P#105	1300.269					
+	0.393		0.474			
⊼	1300.662	−7.604	−7.604			
−	7.997		8.078			
T.P.	1292.665					
+	0.250		0.261			
⊼	1292.915	−9.468	−9.468			
−	9.718		9.729			
T.P.	1283.197					
+	0.278		0.335			
⊼	1283.475	−9.983	−9.982			
−	10.261		10.317			
T.P.	1273.214					

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHK'D. R. BOSS DATE
INDEXED. DATE

JOB NO 2074.36 SURVEY OF Tremaine Cir. Rd.
SURVEY BY Whitesell DATE 6-16-59
NOTES BY Whitesell DATE
C. Johnson DATE

F. B. 233 PG. 123

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1273.214					
+	0.233		0.337			
=	1273.447	-9.819	-9.817			
-	10.052		10.154			
T.P.	1263.395					
+	0.497		0.407			
=	1263.892	-10.609	-10.608			
-	11.106		11.015			
T.P.	1252.786					
+	0.251		0.297			
=	1253.037	-8.761	-8.761			
-	9.012		9.058			
T.P.	1244.025					
+	0.525		0.418			
=	1244.550	-8.378	-8.380			
-	8.903		8.798			
T.P.	1235.647					
+	0.587		0.516			
=	1236.234	-7.855	-7.857			
-	8.442		8.373			
T.P.	1227.792					
+	0.428		0.415			
=	1228.220	-8.788	-8.790			
-	9.216		9.205			
T.P.	1219.004					
+	0.603		0.618			
=	1219.607	-7.878	-7.880			
-	8.481		8.498			
P#106	1211.126					

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 2074.36 SURVEY OF Tranaas Cyn. Rd.
SURVEY BY Wharrier NOTES RED.
NOTES BY Wharrier DATE 6-16-59 NOTES CHKD. C. R. GOSS
INDEXED C. Johnson DATE DATE

F.B. 2338 Pg. 124

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P#106	1211.126					
+	1.101		0.995			
⊼	1212.227	-10.427	-10.427 ✓			
−	11.528		11.422			
T.P.	1200.699					
+	0.209		0.296			
⊼	1200.908	-8.469	-8.470 ✓			
−	8.678		8.766			
T.P.	1192.230					
+	5.481		5.393			
⊼	1197.711	+4.569	+4.568 ✓			
−	0.912		0.825			
T.P.	1196.799					
+	10.028		9.777			
⊼	1206.827	+8.692	+8.692 ✓			
−	1.336		1.085			
T.P.	1205.491					
+	11.083		10.972			
⊼	1216.574	+10.447	+10.448 ✓			
−	0.636		0.524			
T.P.	1215.938					
+	10.914		10.778			
⊼	1226.852	+10.486	+10.485 ✓			
−	0.428		0.293			
T.P.	1226.424					
+	11.349		11.304			
⊼	1237.773	+8.919	+8.920 ✓			
−	2.430		2.384			
T.P.	1235.343					

763420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0074.36 SURVEY OF Frances Cir. Rd
DATE SURVEY BY. Wharriet
NOTES CHKD. R. GOSS NOTES BY. Wharriet DATE 6-16-59
DATE INDEXED. C. Johnson DATE

F.B. 233 PG. 125

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1235.343					
+	7.416		7.402			
⊼	1242.759	+2.768	+ 2.768			
−	4.648		4.634			
T.P.	1238.111					
+	11.623		11.596			
⊼	1249.734	+10.507	+ 10.509			
−	1.116		1.087			
T.P.	1248.618					
+	2.036		2.074			
⊼	1250.654	+1.598	+ 1.597			
−	0.438		0.477			
B.M.T-12	1250.216					
+	0.494		0.508			
⊼	1250.710	-4.690	- 4.689			
−	5.184		5.197			
T.P.	1245.526					
+	0.944		0.962			
⊼	1246.470	-10.802	-10.801			
−	11.746		11.763			
T.P.	1234.724					
+	4.732		4.642			
⊼	1239.456	- 1.309	- 1.310			
−	6.041		5.952			
T.P.	1233.415					
+	11.755		11.627			
⊼	1245.170	+ 10.774	+ 10.774			
−	0.981		0.853			
T.P.	1244.189					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 0074.36 SURVEY OF Famosa Ch. Rd. NOTES RED.
SURVEY BY Harriet DATE
NOTES BY Harriet DATE 6-16-59 NOTES CHKD. R. GOSS
INDEXED C. Johnson DATE

F. B. 2332 Pg. 126

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1244.189					
+	10.482		10.357	10.321		
=	1254.671	+3.679	+ 3.675	+ 3.677		
−	6.803		6.682	6.650		
P# 107	1247.868					
+	10.917		11.048			
=	1258.785	+8.376	+ 8.375			
−	2.541		2.673			
T. P.	1256.244					
+	11.773		11.732			
=	1268.017	+10.170	+10.169			
−	1.603		1.563			
P# 108	1266.414					
+	11.653		11.688			
=	1278.067	+9.792	+ 9.794			
−	1.861		1.894			
T.P.	1276.206					
+	6.735		6.748			
=	1282.941	−3.069	− 3.068			
−	9.804		9.816			
P# 109	1273.137					
+	10.925		10.888			
=	1284.062	+10.124	+ 10.125			
−	0.801		0.763			
T.P.	1283.261					
+	9.257		9.147			
=	1292.518	+8.453	+8.452			
−	0.804		0.695			
T.P.	1291.714					

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0074.36 SURVEY OF Tranquas Ch. Rd.
DATE SURVEY BY Wharriet
NOTES CHKD. R. COS NOTES BY DATE 6-17-53
DATE INDEXED. A. C. Johnson DATE

F. B. 2338 PG. 127

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1291.714					
+	10.297		10.378			
⊼	1302.011	+9.670	+9.670			
−	0.627		0.708			
T.P.	1301.384					
+	11.981		11.961			
⊼	1313.365	+11.657	+11.658			
−	0.324		0.303			
T.P.	1313.041					
+	8.781		8.788			
⊼	1321.822	+8.581	+8.580			
−	0.200		0.208			
T.P.	1321.622					
+	9.912		9.970	9.938		
⊼	1331.534	+9.097	+9.089	+9.098		
−	0.815		0.881	0.840		
T.P.	1330.719					
+	10.234		10.318			
⊼	1340.953	+9.131	+9.129			
−	1.103		1.189			
T.P.	1339.850					
+	9.739		9.750			
⊼	1349.589	+6.997	+6.999			
−	2.742		2.751			
T.P.	1346.847					
+	10.819		10.858			
⊼	1357.666	+6.288	+6.288			
−	4.531		4.570			
T.P.	1353.135					

768420 S & E-363 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2074.36 SURVEY OF Timms Cyn. Rd. NOTES RED. DATE
SURVEY BY Wharriet NOTES CHKD. R. GOSS
NOTES BY Wharriet DATE 6-17-59
INDEXED C. Jordan DATE

F.B. 2338 PG. 128

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1353.135					
+	4.803		4.871	4.888		
⊼	1357.938	+2.897	+2.892	+2.897		
−	1.906		1.979	1.991		
T.P.	1356.032					
+	11.218		11.201			
⊼	1367.250	+6.580	6.579			
−	4.638		4.622			
T.P.	1362.612					
+	11.375		11.385			
⊼	1373.987	+9.765	+9.765			
−	1.610		1.620			
T.P.	1372.377					
+	9.561		9.569			
⊼	1381.938	+6.943	+6.943			
−	2.618		2.626			
T.P.	1379.320					
+	9.112		9.102			
⊼	1388.432	+0.271	+0.272			
−	8.841		8.830			
P*110	1379.591					
+	7.799		7.839	7.971		
⊼	1387.390	−1.169	−1.251	−1.171		
−	8.968		9.090	9.142		
T.P.	1378.422					
+	0.520		0.484			
⊼	1378.942	−10.332	−10.334			
−	10.852		10.818			
T.P.	1368.090					

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2074.36 SURVEY OF Temescal Cyn. Rd.
DATE SURVEY BY. Charriet
NOTES CHKD. R. Cox NOTES BY. Charriet DATE 6-17-59
DATE INDEXED. C. Johnson DATE

F.B. 2338 PG. 129

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1368.090					
+	2.630		2.620	2.615		
π	1370.720	-9.090	-9.095	-9.087		
−	11.720		11.715	11.702		
T.P.	1359.000					
+	3.572		3.330			
π	1362.572	-5.232	-5.232			
−	8.804		8.562			
T.P.	1353.768					
+	10.800		10.782			
π	1364.568	+10.216	+10.217			
−	0.584		0.565			
T.P.	1363.984					
+	10.616		10.639			
π	1374.600	+9.605	+9.602			
−	1.011		1.037			
T.P.	1373.589					
+	9.900		9.924			
π	1383.489	+9.251	+9.253			
−	0.649		0.671			
T.P.	1382.840					
+	10.548		10.601	10.599		
π	1393.388	+9.877	+9.871	+9.876		
−	0.671		0.730	0.723		
T.P.	1392.717					
+	4.497		4.542			
π	1397.214	-4.733	-4.730			
−	9.230		9.272			
T.P.	1387.984					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2074.36 SURVEY OF Travers Ch. Rd. NOTES RED.
SURVEY BY Wharrief DATE NOTES CHKD. R. GOSS
NOTES BY Wharrief DATE 6-17-59
INDEXED C. [redacted] DATE

F. B. 2338 Pg. 130

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1387.984					
+	1.310		1.286			
⊼	1389.294	− 7.015	+ 7.014			
−	8.325		8.300			
T.P.	1380.969					
+	1.530		1.586			
⊼	1382.499	− 7.281	− 7.283			
−	8.811		8.869			
T.P.	1373.688					
+	1.340		1.386	1.396		
⊼	1375.028	− 6.321	− 6.317	− 6.321		
−	7.661		7.703	7.717		
T.P.	1367.367					
+	8.131		8.218	8.122		
⊼	1375.585	− 2.773	− 2.767	− 2.768		
−	10.904		10.985	10.890		
T.P.	1364.600					
+	0.990		0.965			
⊼	1365.590	− 10.487	− 10.484			
−	11.477		11.449			
P#111	1354.113					
+	11.489		11.748			
⊼	1365.602	+ 10.420	+ 10.420			
−	1.069		1.328			
T.P.	1364.533					
+	10.942		10.762			
⊼	1375.475	+ 0.564	+ 0.563			
−	10.378		10.199			
T.P.	1365.097					

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1365.097					
+	0.351		0.345			
π	1365.448	-3.780	-3.780			
−	4.131		4.125			
P# 112	1361.317					
+	2.700		2.740	2.711		
π	1364.017	-8.735	-8.725	-8.738		
−	11.435		11.465	11.449		
T.P.	1352.582					
+	3.169		3.138			
π	1355.751	-8.532	-8.531			
−	11.701		11.669			
B.M. T-13	1344.050					

NOTES RED. JOB NO. 22743 SURVEY OF Travers Cyn. Rd.
DATE SURVEY BY Whartzet
NOTES CHKD. NOTES BY DATE 5-17-57
DATE INDEXED C. Johnson DATE

F. B. 2339 PG. 131

Notes Ck'd by C. R. GOSS	Survey of TRANCAS CYN. RD
Map No.	JN 0074.36 Tape Std °F
Office Work	Surveyed by W. S. COWHE
Checked	Notes W. S. C. Date 10-21-57
Date	Indexed A. C. Johnson 3-4-58

F. B. 2338 PG. 133

PHOTOGRMMETRIC CONTROL STA'S
TRANCAS CANYON

T.C. 16 To T.C. 25

HORIZONTAL & VERTICAL CONTROL POINTS IN TRANCAS CYN. ESTABLISHED BY TRIANGULATION FOR AERIAL PHOTOGRAMMETRY

"NOTE"

THIS TRIANGULATION NET IS TIED INTO A NET IN TRANCAS CYN. RUN BY GEODETIC PARTY IN 1957 FOR "FLOOD HAZARD SURVEY" IN SANTA MONICA MT'S SEE FB 2247 - ALSO "C" BOOKS FOR ANGLES. SAME LETTERING USED TRANCAS CYN (T.C.) STARTING WITH NUMBER 16 TO 25 TO CARRY NET UP TRANCAS CYN. TO EAST ENCINAL CYN RD. & TIEING INTO USC&GS A STA's SAGE (D-4) & LACO. A STA. DUNE POINT I-1 & W-3

PARTY
W. S. COWHERD
J. TERRANOVA
R. GILFOY
M. WACKER

Note: Any Additions or Changes on This Sheet Must Be Made at Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7850S CE #247—7-58

Notes Ck'd by C. R. GOSS	Survey of Truckee Cow Rd
Map No.	W. O. 9274.36 Tape No. St'd. 84 °F
Office Work	Surveyed by W. S. Cowherd
Checked	Notes W.S.C. Date 10-2-57
Date	Indexed A. C. Johnson

F. B. 2338 Pg. 135

TIE FROM P-LINE AT P"52 & P"56
TO △ STA's TC"9 & TC"10
Per FB 2260 pages 107, 108



NOTE
SEE pages #141, 139
for angular curves

TRANSIT AT STATION F.B. PG H.I. +

Sight on	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature + Correction	+ Difference - Elevation	Adjusted Diff. Elev.
+Rod						

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not offset notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3005 SAE #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION P"52 F.B. 2338 PG 25,91 H.I. + 4.57

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
TC"10	10'	+ 1 42 40 + 1 42 40 + 1° 42' 40"					
TC"9	10'	+ 4 05 40 + 4 05 20 + 4° 05' 30"					

TRANSIT AT STA. P"56 FB 2338 PG 26,92 H.I. + 4.60

Sight on	Rod	+ Vertical Angle -					
TC"10	10'	+ 0 26 00 + 0 26 00 + 0° 26' 00"					
TC"9	10'	+ 3 33 20 + 3 33 00 + 3° 33' 10"					

F.B. 2338 PG. 136

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Trancos Cñ. Rd.
JN 0072.26 Tape Std °F
Surveyed by W.S. Cowherd
Notes C.V. Crowe Date 10-28-57
Indexed E. O. Johnson

F. B. 2338 PG. 137

— T.C. 8 —



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

TC-9 to TC-25

2)	50	40	20
4)	101	20	50
6)	152	01	20
	25°	20'	13" ✓

TC-25 to TC-17

2)	82	44	20
4)	165	29	10
6)	248	13	30
	41°	22'	15" ✓

TC-17 to TC-16

2)	84	03	40
4)	168	08	00
6)	252	12	00
	42°	02'	00" ✓

TC-16 to TC-9

2)	142	30	40
4)	285	01	40
6)	[illegible]	32	40
	251°	15'	27" ✓

FORM 308S SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Transit at station TC-8 F.B. 2338 Pg. 137 HI = 4.58'

Sight on	Rod	+ Vertical Angle − Angle	Horizontal Distance	+ Vertical − Distance	+ Curvature Correction	+ Difference Elevation	Adjusted Diff. Elev.
TC-16	-10'	+ 6° 45' 20 + 6° 45' 00 + 6° 45' 10"					
TC-17	-10'	+ 6 07 40 + 6 07 20 + 6° 07' 30"					
TC-25	-10'	− 1 52 40 − 1 52 40 − 1° 52' 40"					
TC-9	-10'	− 2° 52 40 − 2 52 40 − 2° 52' 40"					

F. B. 2338 Pg. 138

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Frances Can Rd
W. O. 0074-36 Page No. St'd. 84 °F
Surveyed by W. S. Cowherd
Notes W. S. C. Date 10-29-57
Indexed E. C. Johnson

F. B. 2338 Pg. 139

— T.C. #9 —

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. _____ Pg _____ H.I.+ _____

Sight on Rod	Vertical Angle	Horizontal Distance	+ Vertical Curvature	+ Distance Correction	Difference Elevation	Adjusted Elev. Diff.
TRANSIT AT STATION						
(2)	64 36 40	(2)	358 59 20	(2)	168 50 40	
(4)	129 13 20	(4)	357 58 40	(4)	337 41 30	
(6)	193 50 00	(6)	356 57 50	(6)	146 32 10	
	32 18 20 ✓		179 29 38 ✓		84 25 22 ✓	
(2)	48 30 20	(2)	135 31 00	(2)	160 52 40	
(4)	97 01 00	(4)	271 01 50	(4)	321 45 40	
(6)	145 31 30	(6)	46 32 40	(6)	122 38 30	
	24 15 15 ✓		67 45 27 ✓		80 26 25 ✓	
(2)	120 20 20					
(4)	240 40 30					
(6)	01 01 00					
	60 10 10 ✓					



76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC-9 F.B. 2338 PG 139 H.I. +4.87

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
TC 25	10'	+1 21 00 +1 20 40 +1° 20' 50"					
TC 16	10'	+5 46 20 +5 46 20 +5° 46' 20"					
TC 8	10'	+3 03 00 +3 03 00 +3° 03' 00"					
TC 10	10'	−4 09 40 −4 09 40 −4° 09' 40"					

F.B. 2338 PG 140

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION F.B. PG. H.I.+

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
(2)	4	1 66 34 40					
(4)	6	1 33 09 10					
(6)		1 39 13 30 V					
(12)	10	49 08 09 10					
(14)	16	142 29 50 V					
(12)	4	11 24 25 00					
(14)	6	23 35 49 40					
		35 44 27 V					



Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Pierces Cyn Rd
W. O. Type No. Str'd. SY of
Surveyed by M.S.C. Contract
Notes M.S.C. Date 6-25-57
Indexed C. Johnson

F.B. 2338 Pg. 141

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line

Pg. ~~TRANSIT AT~~ STATION FC-10 F.B. 2336 Pg. 141 B.M. 4.83

Sight on	Rod	Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
TC-9	10	+ 4 31 40 + 4 32 00 + 4 31 50					

F.B. 2336 Pg. 142

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Thornes Can RM
W. O. 0074.36 Tape No. St'd. 84 °F
Surveyed by W. S. Cowherd
Notes W.S.C. Date 10-30-52
Indexed A. C. Johnson

F. B. 2330 Pg. 143

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION ____ F.B. ____ Pg. ____ H.I. + ____

Sight on - Rod	+ Vertical Angle -	Horizontal Distance	+ Vertical Curvature Correction	+ Difference - Distance	Adjusted Elevation	Diff. Elev.
(2)	37 18 00		(2) 77 54 20	(2)	148 28 30	
(4)	74 36 10		(4) 155 48 10	(4)	896 57 10	
(6)	111 54 40		(6) 233 42 30	(6)	85 25 50	
	18 39 07 ✓		38 57 05 ✓		74 14 18 ✓	
(2)	55 32 40		(2) 40 46 00	(2)	40 26 00	
(4)	111 05 20		(4) 81 32 10	(4)	80 52 20	
(6)	166 38 00		(6) 122 18 40	(6)	121 18 40	
	27 46 20 ✓		20 23 06 ✓		20 13 07 ✓	



76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC#16 F.B. 2338 PG 143 H.I. + 4.45

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
TC#8	10'	- 6 31 20 - 6 31 00 - 6 31 10					
TC#9	10'	- 5 40 00 - 5 40 00 - 5 40 00					
TC#25	10'	- 5 40 00 - 5 40 00 - 5 40 00					
TC#24	10'	- 3 59 40 - 3 59 40 - 3 59 40					
TC#17	10'	+ 3 32 40 + 3 32 20 + 3 32 30					
TC#16A	10'	+ 05 57 00 + 05 57 20 + 05 57 10					

F.B. 2338 PG. 144

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION F.B. PG H.I.+

Sight on	+Rod -	+ Vertical Angle -	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.

Notes ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Tierras Sur #2
W. O. 87172 Supp No. Std. SY of
Surveyed by W. S. Courtney
Notes Date 12-9-59
Indexed A. C. Johnson

F.B. 2338 Pg. 145



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC 16-A F.B. 2338 PG 145 H.I. + 4.48

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	+ Difference Elevation	Adjusted Diff. Elev.
		− 05 42 00					
TC 16	10.00	− 05 41 40					
		− 05 41 50					
		− 9 31 20					
TC 25	10.00	− 9 31 20					
		− 9 31 20					
		− 01 51 00					
TC 17	10.00	− 01 50 40					
		− 01 50 50					

F.B. 2338 PG. 146

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Malibu Sys. Rd
W. O. 00143 Tape No. St'd. 84 °F
Surveyed by W. S. Cowherd
Notes W.S.C. Date 11-57
Indexed C. Johnson

F. B. 2338 Pg. 147

TRAVERSE AT STATION — T.C. #17

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54



	* Vertical	Horizontal	* Vertical + Curvature	+ Difference	Highest
on	- Rod	- Distance	- Distance Correction	- Elevation	Diff. Elev.

(2)	91°	14	00	(2)	103	34	10	(2)	75	48	40
(4)	142	28	13	(4)	207	07	50	(4)	151	37	10
(6)	193	42	20	(6)	310	41	30	(6)	227	25	30
	35	37'	00"		51°	46'	57"		37°	54'	15
(2)	64	24	20	(2)	327	29	40	(2)	77	30	00
(4)	128	48	40	(4)	294	59	20	(4)	155	00	00
(6)	193	13	10	(6)	262	28	40	(6)	232	29	20
	32°	12'	12"		163°	44'	47"		38°	44'	53
(2)	78	27	10								
(4)	156	54	20								
(6)	235	21	40								
	39	13	37								

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC-17 F.B. 2338 PG 147 H.I. + 4.77

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
TC-16	10.00	- 3° 21' 40"					
		- 3° 21' 30"					
TC-8	10.00	- 6° 01' 40"					
		- 6° 01' 30"					
TC-25	10.00	- 11° 18' 30"					
		- 11° 17' 45"					
TC-24	10.00	- 10° 52' 30"					
		- 10° 52' 30"					
TC-23	10.00	- 7° 43' 40"					
		- 7° 43' 30"					
TC16A	10.00	+ 02° 18' 40"					
		+ 02° 19' 00"					
		+ 02° 18' 50"					

F.B. 2338 PG 147

76F3095 S&E #247, 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION _____ F.B. _____ PG. _____ H.I.+ _____

Sight on	-Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
(a)	11	92					
(b)	6.58	184					
(c)	3.57	276					
	5.8	46					
(a)	11	29					
(b)	6.58	58					
(c)	3.57	87					
	2.6	4					
(a)	11	30					
(b)	6.58	60					
(c)	3.57	90					
	1.21	30					
(a)	11	31					
(b)	6.58	62					
(c)	3.57	93					
	1.21	32					
(a)	11	33					
(b)	6.58	66					
(c)	3.57	99					
	1.21	33					
(a)	11	34					
(b)	6.58	68					
(c)	3.57	102					
	1.21	34					
(a)	11	35					
(b)	6.58	70					
(c)	3.57	105					
	1.21	35					
(a)	11	36					
(b)	6.58	72					
(c)	3.57	108					
	1.21	36					



Notes Ck'd by C. R. GOSS
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Tentative Tract 12
W. O. 0822 Tape No. _____ Sr'd 57 of
Surveyed by M.S.C. Date 11-6-57
Notes _____
Indexed _____

F. B. 23358 Pg. 149

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

TRANSIT AT TC# 18. FB 2338 PG 140 HI + 4.72

SIGHT ON	+ ROD	+ VERTICAL - ANGLE	HORIZONTAL DISTANCE	+ VERTICAL - DISTANCE	+ CURVATURE CORRECTION	+ DIFFERENCE - ELEV.	ADJ DIFF ELEV + -
TC# 24	10'	- 11 42 40					
		- 11 42 20					
		- 11° 42' 30"					
TC# 23	10'	- 15 20 20					
		- 15 20 00					
		- 15° 20' 10"					
TC# 22	10'	- 7 14 40					
		- 7 14 20					
		- 7° 14' 30"					
TC# 19	10'	- 4 09 20					
		- 4 09 00					
		- 4° 09' 10"					

F.B. 2338 PG. 139

Notes Ck'd by C. P. GOSS	Survey of Frances Cir. Rd
Map No.	W. O. 0074.36 Tape No. St'd. 24 °F
Office Work	Surveyed by W. S. Cochran
Checked	Notes W.S.C Date 10-1952
Date	Indexed C. C. Jenkins

F. B. 2338 Pg. 154

— T.C. #19 —



(2)	69	08	10	(2)	72	22	50		01	19	01	40	
(4)	138	16	20	(4)	144	46	00		(4)	288	03	20	
(6)	207	24	30	(6)	217	09	00		(6)	357	54	30	
	34	34	05 ✓		36	11	30 ✓			59	30	45 ✓	
(2)	96	11	50	(2)	363	15	40						
(4)	192	23	40	(4)	06	31	20						
(6)	288	35	20	(6)	09	46	40						
	48	05	53 ✓		181	37	47 ✓						

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC #19 F.B. 2338 PG 151 H.I. + 4.84

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
TC #18	10.00	+ 4 21 00 + 4 21 20 + 4 21 10					
TC #22	10.00	- 4 09 40 - 4 09 20 - 4 09 30					
TC #21	10.00	- 0 55 20 - 0 55 40 - 0 55 30					
TC #20	10.00	- 2 39 40 - 2 39 20 - 2 39 30					

F.B. 2338 PG. 152

767309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION _____ F.B. _____ PG _____ H.I.+ _____

Sight on	-Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
(2)	10.4	20 00 00					
(1)	5.5	20 00 00					
(2)	8.1	20 47 53					
(1)	10.0	20 00 00					
(2)	7.3	19 36 30					
(1)	10.0	20 00 00					

Notes ck'd by C. R. GOSS
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of TRACKS CUL RD
W. O. 4777-34 Tape No. _____ Sr'd. BY _____ OF
Surveyed by H. S. Saunders
Notes H. S. C. Date 11-3-52
Indexed R. C. Johnson

F.B. 2330 PG 153



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC#20 F.B. 2338 PG _____ H.I. + 4.71

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
TC#19	10'	+ 2 56 20 + 2 56 40 + 2° 56' 30"					
		- 1 20 40 - 1 20 20 - 1° 20' 30"					
TC#22	10'						
TC#21	10'	+ 1 50 00 + 1 50 00 + 1° 50' 00"					

F.B. 2338 PG. 154

Notes Ck'd by C. R. GOSS	Survey of FRANCAS CYN RD
Map No.	W. O. 0077 Tape No. St'd. 81 °F
Office Work	Surveyed by W. S. COMMERFORD
Checked	Notes W S C Date 12
Date	Indexed C. Johnson

F. B. 2338 Pg. 155

— T.C. 20 —

TIE TO GEODETIC TRIANGULATION SYSTEM

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 SAE #247. 8-54

TRANSIT AT STATION	F. B. Pg	+ Vertical − Rod	+ Vertical + Curvature − Distance	+ Difference − Correction	Adjusted Elev.
Sight on	Horizontal Distance	− Angle		+ Elevation	Diff. Elev.
			H.I.+		

T.C. #20 see pg. 153

Δ STA. I-1 pg#

Δ STA. SAGE D-4 pg#

Δ STA H-3 pg#

TC 22 pg# 161

(2)	220	47	00	(2)	87	28	20	(2)	172	05	40
(4)	81	34	10	(4)	174	56	50	(4)	344	11	40
(6)	302	21	30	(6)	262	25	20	(6)	156	17	30
	110	23	35 V		43	44	13 V		86	02	55 V

110° 23' 35" V

43° 44' 13" V

86° 02' 55" V

OK

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC-20 F.B. 2338 PG 155 H.I. +4.71

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
I-1	10.00	+5 22 00 +5 22 20 +5 22 10					
H-3	10.00	+7 35 00 +7 35 00 +7 35 00					
D-4	10.00	+2 40 40 +2 41 00 +2 40 50					

F.B. 2338 PG 156

Notes Ck'd by C. R. GOSS	Survey of Frances Ct. Rd.
Map No.	IN 0077-56 Tape Std °F
Office Work	Surveyed by Uharriet
Checked	Notes Uharriet Date 7-8-52
Date	Indexed C. Johnson

F. B. 2338 PG. 157

2) 200° 26' 00"
4) 40° 52' 00"
6) 241° 17' 50"
100° 12' 58" ✓

T.C. #20

P#111
1X2"Nail
F.B. 2338-42

T.C. #20
¾" capped I.P.
F.B. 2338-155

28° 23' 19" ✓ (calc.)

100° 12' 58" ✓

(F.B. 2338-42)
555.85

51° 23' 43"

P#110
1X2"Nail
F.B. 2338-42

2) 102° 47' 20"
4) 205° 34' 50"
6) 308° 22' 20"
51° 23' 43" ✓

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at station P#110 F.B. 2338 Pg. 42, 128 H.I. 4.99

Sight on	-Rod	+ −	Vertical Angle	Horizontal Distance	+ −	Vertical Distance	+ Curvature Correction	+ −	Difference Elevation	Adjusted Diff. Elev.
T.C.#20	10'	+	2°43'00"							
		+	2°43'20"							
		+	2°43'10"							
	5'	+	2°28'40"							
		+	2°28'20"							
		+	2°28'30"							

Transit at station P#111 F.B. 2338 Pg. 42, 130 H.I. 4.82

T.C.#20	10'	+	5°00'40"							
		+	5°01'00"							
		+	5°00'50"							
	5'	+	4°42'40"							
		+	4°42'20"							
		+	4°42'30"							

F.B. 2338 PG. 158

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Tierra Cam Rd
W. O. 0774-36 Tape No. St'd. 84 °F
Surveyed by W. S. Lowhead
Notes W. S. C Date 12-04-58
Indexed C. Johnson

F. B. 2336 PG. 159

- T.C. #21 -

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. _____ PG _____ H.I. + _____

TRANSIT AT STATION	+ Vertical	Horizontal	+ Vertical	+ Curvature	+Difference	Adjusted
Sight on -Rod	= Angle	Distance	= Distance	Correction	= Elevation	Diff. Elev.

(2)	233	24	40	(2)	124	41	20	(2)	108	43	30
(4)	106	49	20	(4)	249	22	40	(4)	217	26	30
(6)	340	14	00	(6)	14	04	10	(8)	326	09	30
	116	42	20 ✓		62	20	42 ✓		54	21	38 ✓

76F3005 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC 21 T.B. 2338 PG 152 H.I. 4.56 H.I. = 4.55

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	+ Difference Elevation	Adjusted Diff. Elev.
		- 01° 31' 00"					
TC 20	10.00	- 01 31 00					
		- 01 31 00					
		+ 01 09 40					
TC 19	10.00	+ 01 09 40					
		+ 01 09 40					

F.B. 2338 Pg. 160

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION F.B. PG H.I.+

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
(2)	4.3	(2) 87 13 30					
(3)		(3) 106 12 30					
(4)		(4) 159 42 30					
(5)		(5) 54 35					
(1)		(1) 58 17 00					
(2)		(2) 33 40 00					
(3)		(3) 53 00 00					
(4)		(4) 50					
(5)		(5) 54					
(1)		(1) 63 00 00					
(2)		(2) 122 39 00					
(3)		(3) 131 39 00					
(4)		(4) 57					
(5)		(5) 54					
(1)		(1) 94 01 50					
(2)		(2) 88 00 10					
(3)		(3) 132 00 00					
(4)		(4) 42 00					
(5)		(5) 57					
(1)		(1) 91 15					
(2)		(2) 88 01					
(3)		(3) 179 59					
(4)		(4) 33					
(5)		(5) 57					
(1)		(1) 111 48					
(2)		(2) 233 38					
(3)		(3) 345 37					
(4)		(4) 54					
(5)		(5) 54					
(1)		(1) 10 00					
(2)		(2) 00 00					
(3)		(3) 10 00					
(4)		(4) 50 30					
(5)		(5) 53					


TC #21
Pg #153
TC #20
Pg #153
TC #19
Pg #153
TC #18
Pg #153
TC #22
Pg #153
TC #23
Pg #153
Set 1" IP & Tag
Mk 1. Top 10cm Stem
Set Spike on Spur
Set Spike on Spur
Set Spike on Spur

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT TC #22 FB. 2338 Pg 161 HI = 4.74

Sight to	+ Rod	± Vertical Angle	Horizontal Distance	± Vertical Distance	± Curve & Tape Corr	± Diff Elev	Adj Diff Elev
TC #20	10.00	+01 28 20 +01 28 40 +01 28 30					
TC #19	10.00	+04 23 00 +04 23 00 +04 23 00					
TC #18	10.00	+07 25 00 +07 25 00 +07 25 00					
△ DUMB H-3	10.00	+07 16 20 +07 16 40 +07 16 30					

F.B. 2338 Pg. 162

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION _____ F.B. _____ PG _____ H.I.+ _____

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
(E) 87 (W) 275	43	(E) 3 21 (W) 356 39	162				
	59	59 00					
	53	56 40					
	50	87 00					
(E) 91 (W) 271	45	(E) 92 11 (W) 267 48	183				
	51	33 05					
	10	30 00					
(E) 119 (W) 239	54	(E) 113 (W) 246	238				
	17	07 00					
	14	21 30					
	33	33 30					

Notes Ck'd by C. R. GOSS
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Tracks Co. Rd
W. O. 2827 Type No. _____ Srd. 24 of
Surveyed by W. S. C. Date 12/19/52
Notes _____
Indexed C. Johnson

F.B. 2330 PG. 163



RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION 22+23 F.B. 2338 PG. 114 H.I. 4.69

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
TC #18	10.00	+ 15 34 30 + 15 34 40 + 15 34 35					
TC #17	10.00	+ 7 52 00 + 7 52 [illegible] + 7 52 [illegible]					

F.B. 2338 PG. 114

Notes Ck'd by C. R. GOSS	Survey of Frances Ct. Rd.
Map No.	IN 07+36 Tape Std °F.
Office Work	Surveyed by Uhorriet
Checked	Notes Uhorriet Date 6-26-52
Date	Indexed J. C. Johnson

F. B. 2338 PG. 165

- T.C.#23 -



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
1100 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Transit at Station P#85 F.B. 2338 Pg. 35, 108 H.I. +4.35

Sight On	Rod	+ − Vertical Angle	Horizontal Distance	+ − Vertical Distance	+ Curvature Correction	+ − Difference Elevation	Adjusted Diff. Elev.
T.C.#23	10'	− 2° 21' 50" − 2° 21' 40" − 2° 21' 45"					
	5'	− 2° 35' 20" − 2° 35' 30" − 2° 35' 25"					
Transit at Station P#87			F.B. 2338		Pg. 36, 112	H.I. +4.64	
T.C.#23	10'	− 3° 41' 20" − 3° 41' 00" − 3° 41' 10"					
	5'	− 4° 02' 00" − 4° 02' 20" − 4° 02' 10"					

F.B. 2338 PG. 166

Notes Ck'd by C. P. COSS
Map No.
Office Work
Checked
Date

Survey of FRANCAS CYN RD
W. O. 80736 Tape No. St'd. 64 °F
Surveyed by W. S. Cowherd
Notes W.S.C. Date 11-4-57
Indexed C. Johnson

F. B. 2338 Pg. 167

— T.C. #24 —

TRANSIT AT STATION — F.B. — H.I. + — H.G. —

Sight on	+ Vertical Angle -Rod	Horizontal Distance	+ Vertical Curvature - Distance	+ Difference Correction - Elevation	Adjusted Diff. Elev.
	(2) 75	15 10	(12) 60 40 30	(12) 13 06	30
	(4) 150	30 30	(14) 121 01 40	(4) 86 13	00
	(6) 225	45 40	(16) 182 02 20	(16) 129 19	00
	37	37 37	30 20 23	20 33	10
	(2) 94	23 50	(21) 86 34 20	(2) 169 38	50
	(4) 188	47 00	(41) 173 08 30	(4) 339 17	40
	(6) 283	10 30	(61) 259 42 40	(6) 148 56	20
	47	11 45	43 17 07	84 49	03



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

74F3095 SAE #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC"24 F.B. 2338 PG 167 H.I. + 4.92

Sight on	Rod	+ Vertical ▲ Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
TC"18	10'	+ 11 51 00 + 11 51 30 + 11° 51' 15"					
		+ 11 08 20					
TC"17	10'	+ 11 08 10 + 11° 02' 30"					
		+ 04 04 40					
TC"16	10'	+ 04 05 00 + 04° 04' 50"					
		- 01 04 00					
TC"25	10'	- 01 03 40 - 01° 03' 50"					

F.B. 2338 Pg 168

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Frances Cyn Rd
W. O. 00743 Tape No. Std. 84 °F
Surveyed by W. S. Cowhera
Notes W. S. C Date 10-31-57
Indexed C. Johnson

F. B. 2838 Pg. 163

Transit at Sta. P.I. H.I. +

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical Correction	+ Curvature = Elevation	Difference Adjusted Diff. Elev.
(2)	7.36	56 40				
(4)	2.13	53 20				
(6)	0.50	50 10				
	6.0	28 22				
(2)	9.99	11 00				
(4)	1.98	21 50				
(6)	2.97	33 00				
	4.9	35 30				
(2)	6.7	11 20				
(4)	1.34	22 58				
(6)	2.01	34 28				
	3.3	35 43				
(2)	7.74	30 40				
(4)	1.49	01 20				
(6)	2.23	32 00				
	3.7	15 20				
(2)	10.9	18 20				
(4)	2.18	24 30				
(6)	3.27	36 50				
	5.4	36 07				
(2)	3.00	09 00				
(4)	2.40	18 10				
(6)	1.80	27 30				
	1.5	04 35				
(2)	3.1	59 40				
(4)	6.3	59 10				
(6)	9.5	58 40				
	1.5	59 47				

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

75F3068 SAE #247-8-54



RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

TRANSET AT STATION TC 25 F.B. 2338 PG 123 H.I. + 4.84

Do not extend notes this side of this line

Sight On	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	- Difference Elevation	Adjusted Diff. Elev.
TC 24	10'	+ 01 21 00 + 01 20 40 + 01° 20' 50"					
TC 17	10'	+ 11 28 00 + 11 28 00 + 11° 28' 00"					
TC 16	10'	+ 05 47 40 + 05 47 40 + 05° 47' 40"					
TC 8	10'	+ 02 01 00 + 02 01 20 + 02° 01' 10"					
TC 9	10'	- 01 00 00 - 00 59 40 - 00° 59' 50"					
TC 16A	10'	+ 09 40 20 + 09 40 20 + 09 40 20					

F.B. 2338 PG. 170

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION F.B. PG H.I.+

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of TOPANGA CYN RD
W. O. 0171 Tape No. St'd. °F
Surveyed by
Notes Date
Indexed A. C. Jabaris

F. B. 2338 PG. 171

- A STA. SAGE D-4 -
BY USC&GS STAMPED - SAGE - 1933

Δ STA SAGE

Δ STA M-5 1933

30°56'20"

TC 90 Radius



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION SAGE D-4 F.B. 2338 PG. 171 H.I. +4.90

Sight on	+ Rod -	+ Vertical Angle -	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
TC 20	10.00	- 2 36 40 - 2 36 00 - 2 36 20					
H-3	10.00	+ 2 24 40 + 2 25 00 + 2 24 50					

F.B. 2338 Pg. 172

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of FRANCAS CYN. RD
W. O. 2736 Tape No. St'd. 84 °F
Surveyed by W. S. CONNERED
Notes W. S. C Date 12-10-58
Indexed C. Johnson

F. B. 2338 Pg. 173

TRANSIT AT STATION F.B. PG H.I.+

Sight on - Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
(2)	81	23	20			
(4)	162	47	00			
(6)	244	10	30			
	40	41	45			

△ STA. DUME POINT I-1
(C. SADDLE. ROCK)

DUME POINT I-1
Fd STANDARD LA. CO. GEODETIC BRASS CAP MKd I-1 SET IN CONC.

T.C. 20 pg 153

H 10.0
H.I. 5.2

△ DUME POINT H-3 pg 175

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 SAE #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION I-1 F.B. 2338 PG 173 H.I. 4.50

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
T.C.	10.00	= 0° 30' 40"					
		= 0° 31' 00"					
		- 0° 30' 50"					
H-3	10.00	= 5° 18' 40"					
		= 5° 18' 40"					
		- 5° 18' 40"					

F.B. 2338 PG 174

Notes Ck'd by C. K. GOSS	Survey of TRANCAS CYN. Rd.	F. B 2338 Pg. 175
Map No.	W. O. M2436 Tape No. St'd. °F	
Office Work	Surveyed by W. S. COWHERD	
Checked	Notes W. S. C Date 12-10-58	
Date	Indexed C. Johnson	

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 S&E #247. 8-54

TRANSIT AT STATION F.B. P.G. H.I. +

Sight on	+ Vertical - Angle	Horizontal Distance	+ Vertical + Curvature - Distance	+ Difference Correction	Adjusted - Elevation Diff. Elev.
(2)	5 25 50		(2) 71 54 40	(2) 19 08 00	(2) 77 20 20
H.I.	10 51 20		(H.I.) 1.43 49 20	(H.I.) 22 15 40	(H.I.) 154 40 40
(6)	16 17 00		(6) 215 44 00	(6) 213 23 30+	(6) 232 00 40
	02 42 50 V		35 57 20 V	95 33 55 V	38 40 10 07

△ STA. DUME POINT H-3

Fd. Standard L.A. CO. ENGR.S GEODETIC BRASS CAP MON. STAMPED (DUME POINT H-3)



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION H-3 F.B. 2338 PG 175 H.I. +4.88

Sight on	+ Rod	± Vertical Angle	Horizontal Distance	± Vertical Distance	+ Curvature Correction	± Difference Elevation	Adjusted Diff. Elev.
D-4	10.00	−2 23 00 −2 23 00 −2 23 10					
TC 22	10.00	−7 12 00 −7 12 20 −7 12 10					
TC 20	10.00	−7 29 40 −7 30 00 −7 29 50					
I-1	10.00	+0 35 40 +0 35 00 +0 35 20					

F.B. 2338 PG. 176

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of Thomas Cyn Rd
W. O. 7116 Tape No. St'd. °F
Surveyed by W. S. Cockerell
Notes: H.S.C. Date 7-6
Indexed C. C. Johnson

F. B. 2338 Pg. 172

— TC°2 —

TC°12 see p. 181

TC°28 see pg 187

67° 56' 48" ✓

15° 06' 47" ✓

33° 01' 03" ✓

TC°18 see pg 183

TC°29 see pg 189

TC°2 Fd 3/4" IP "C" 0.3' Per RB 2267

214° 08' ✓

101° 21' 17" ✓

TC°1 see RB 191

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

ORANGE AVE STATION

Bearings — + Vertical Distances — + Curvature — Diff. Elev.
on + Red + Angle Distance - Distance Correction - Elevation Adjusted

(2)	30	13	20																
(4)	60	87	00																
(6)	90	40	40																
	15	06	47 ✓																
(2)	135	53	40	(2)	66	02	20	(12)	202	42	30	(2)	285	08	30				
(4)	271	47	20	(4)	132	04	80	(4)	45	25	00	(4)	210	19	40				
(6)	47	40	50	(6)	198	06	20	(6)	248	07	40	(6)	135	24	50				
	67	56	48 ✓		33	01	03 ✓		101	21	17 ✓		142	37	45				
															08				

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

PG. TRANSIT AT STATION T.C. #2 F.B. PG H.I. + 5.03

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	Difference - Elevation	Adjusted Diff. Elev.
TC #3	10.00	+ 2 58 00 + 2 59 20 + 2 58 40					
TC #2	10.00	+ 5 49 30 + 5 51 00 + 5 50 15					
TC #28	10.00	+ 15 14 40 + 15 15 40 + 15 15 10					
TC #29	10.00	+ 8 06 20 + 8 08 00 + 8 07 10					
TC #1	6.00	- 3 50 00 - 3 49 40 - 3 49 50					

F.B. PG. 194

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN RD
W. O. 7736 Tape No. St'd. 81 °F
Surveyed by W.S. Cowherd
Notes W.S.C Date 2-7-52
Indexed C. Johnson

F. B. 2338 Pg. 177

— TC. #10 —

TC #10
Fd ¾" IP & CHP
"P.I." Tan FB 2202 - 108
FB 2338 - 141

5

TC #26
see pg #193

52.1
52
14° 26'

TC #12
Set FB 0267
9 page - 181

12	148	53	40
14	297	47	30
(6)	86	41	10
	74	26	52

TRANSIT AT STATION ____ F.B. ____ H.I. + ____ BS ____ Northing + Curvature + Difference
Sight ____ + Vertical ____ Horizontal ____ Distance ____ Correction - Elevation Diff. ____
on ____ Rod ____ - Angle ____ Distance ____

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 SAE #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION T.C.#10 F.B. _____ PG _____ H.I. + 5.05

Sight on	+ Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference Elevation	Adjusted Diff. Elev.
		+ 4 12 20					
		+ 4 13 20					
T.C.#26	10.00	+ 4 12 50					
		- 0 54 20					
		- 0 52 40					
T.C.#12	10.00	- 0 53 30					

F.B. _____ PG 180

Notes Ck'd by G. R. C.
Map No.
Office Work
Checked
Date

Survey of FRANCAS CYN RD
W. O. 07776 Tape No. St'd. 64 °F
Surveyed by W. S. Cawthorn
Notes L.V.S.C Date 1-8-59
Indexed A. C. Johnson

F. B. 2338 Pg. 181

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION F.B. Pg. H.I.+

Sight on	+ Vertical = Angle	Horizontal Distance	+ Vertical + Curvature - Distance	+Difference Correction = Elevation	Adjusted Diff. Elev.
TC#10	68° 05' 32"	1,000	17.6	18° 16' 02"	1,000
TC#26	31° 22' 38"	1,000	17.6	18° 16' 02"	1,000
TC#6	16° 10' 10"	1,000	17.6	18° 16' 02"	1,000
TC#27	22° 46' 36"	1,000	17.6	18° 16' 02"	1,000
TC#28	28° 28' 35"	1,000	17.6	18° 16' 02"	1,000
TC#12	174° 50' 15"	1,000	17.6	18° 16' 02"	1,000
TC#13	45° 33' 20"	1,000	17.6	18° 16' 02"	1,000

TC#12
1/2" IP
Cap "P"
Top of Hinge
See FB 2267

TC#10 See pg 141
TC#26 See pg 193
TC#6 See pg 93
TC#27 See pg 185
TC#28 See pg 187
TC#13 See pg 183
TC#12 See pg 177

2	136	11	00	2	36	32	00	2	62	45	10	8	32	20	20
4	272	22	00	4	73	04	00	4	125	30	20	4	64	40	40
6	48	33	10	6	109	36	10	6	188	15	50	6	97	01	00
	68	05	32 ✓		18	16	02 ✓		31	22	38 ✓		16	10	10 ✓
2	45	33	20	2	56	57	10	2	349	40	20				
4	91	06	20	4	113	54	30	4	339	21	00				
6	136	39	40	6	170	51	30	6	329	01	30				
	~~27~~ 22	46	36 ✓		28	28	35 ✓		174	50	~~40~~ 15				

76F3005 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION T.C. 12 F.B. PG. H.I. 4.58

SIGHT ON	- ROD	+ VERTICAL - ANGLE	HORIZONTAL DISTANCE	+ VERTICAL - DISTANCE	+ CURVATURE CORRECTION	+ DIFFERENCE - ELEVATION	ADJUSTED DIFF. ELEV.
T.C. 10	10.00	+01 04 00 +01 03 20 +01 03 40					
T.C. 26	10.00	+04 40 00 +04 40 00 +04 40 00					
T.C. 6	10.00	+05 23 40 +05 23 20 +05 23 30					
T.C. 27	10.00	+00 52 00 +00 51 40 +00 51 50					
		+00 15 00					
T.C. 28	10.00	+00 14 40 +00 14 50					
T.C. 2	10.00	-05 45 20 -05 45 40 -05 45 30					
T.C. 13	10.00	-09 50 20 -09 50 40 -09 50 30					

F.B. _____ PG. 182

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION ____ P.B. ____ PC ____ H.I. ____

Sighted on	Rod	Vertical Angle	Horizontal Distance	Vertical Distance	Curvature Correction	Difference Elevation	Adjusted Diff. Elev.
223°							
(8)	8.7	11 40 00					
(9)	12.6	11 30 00					
	13.35	23					
	16.8	23 30 00					
	17.2	32 30 00					
	17.4	33					
(10)	12.5	43 30 00					
	15.5	44 30 00					
	16.2	45					
	17.1	45 30 00					
	17.2	45 30 00					
	17.3	45 30 00					

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

TRANSIT AT STATION TC#13 F.B. _____ PG _____ H.I. + 4.88

Sight on	Rod	Vertical Angle	Horizontal Distance	+ Vertical Distance	Curvature Correction	Difference Elevation	Adjusted Diff. Elev.
		+ 10 06 00					
		+ 10 06 40					
TC#12	10.00	+ 10 06 20					
		+ 5 22 00					
		+ 5 21 20					
TC#28	10.00	+ 5 21 40					
		+ 6 05 20					
		+ 6 05 00					
TC#27	10.00	+ 6 05 10					
		- 2 50 00					
		- 2 50 30					
TC#2	10.00	- 2 50 15					

F.B. _____ PG. 184

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of TOPANGA CYN RD
W. O. 00743-3 Tape No. St'd. 84 °F
Surveyed by W. S. Courland
Notes W.C.C. Date 7-1-59
Indexed C. Johnson

F. B. 2226 Pg. 155

— T.C. #27 —



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

TRANSIT AT STATION ____ B. S. ____ To ____ Curvature + Tangent - Curvature + Offsets

on	+ Rod	+ Vertical	Angle	Distance	+ Distance	Correction	- Elevation	Diff. Elev.
2	5.31	10 00	2	75 21 00	2	56 49 40	2	56 39 00
4	3.42	20 00	4	150 41 40	4	113 39 00	4	113 18 10
16	1.53	30 00	6	226 02 30	6	170 28 20	16	169 57 20
				265 35 00 V		37 40 25 V		28 19 33 V

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PG. _____ TRANSIT AT STATION T.C.27 F.B. _____ PG. _____ H.I. + 4.85

Sight	Difference	Vertical Angle	Horizontal Distance	+ Vertical Correction	Difference of Elevation	Adjusted Diff. Elev.
		- 5 58 00				
		- 5 56 40				
T.C.13	10.00	- 5 57 20				
		- 0 45 40				
		- 0 43 40				
T.C.12	10.00	- 0 44 40				
		+ 4 53 00				
		+ 4 54 20				
T.C.6	10.00	+ 4 53 40				
		+ 4 38 00				
		+ 4 39 20				
T.C.26	9.00	+ 4 38 50				

F.B. _____ PG. 78

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of FRANCAS CON RD
W. O. 0074.36 Tape No. St'd. °F
Surveyed by W. S. Coulter
Notes W.S.C. Date 7-1-59
Indexed C. Johnson

F. B. 2338 Pg. 187

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

TRANSIT AT STATION — F.B. — Pg. — H.I. +

Sight on	+ Vertical - Rod	Horizontal Distance	+ Vertical + Curvature - Distance	+ Difference Correction = Elevation	Adjusted Dif. Elev.
12	37 08 10	132 17 10	46 16 10	174 18 40	
14	74 16 20	264 34 30	92 32 30	288 37 20	
16	111 24 40	396 51 50	138 48 40	72 35 50	
	18 34 07	66 08 38	23 08 07	72 09 ~~00~~ 18"	



76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC #28 T.B. _____ PG _____ H.I. 4.55

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
		-12 00 40					
TC #29	10.00	-12 01 00					
		-12 00 50					
		-15 02 00					
TC #2	10.00	-15 02 20					
		-15 02 10					
		- 5 14 40					
TC #13	10.00	- 5 14 30					
		- 5 14 35					
		- 0 08 40					
TC #12	10.00	- 0 09 10					
		- 0 08 55					

F.B. _____ PG. 188

Notes Ck'd by C. R. COSS
Map No.
Office Work
Checked
Date

Survey of FRANCIS CYN RD
W. O. [illegible] Tape No. St'd. °F
Surveyed by M.S. Cawthorn
Notes 1 1 S.C. Date 2-6-59
C. Johnson
Indexed

F. B. 2338 Pg. 189

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT LS STATION [illegible] Bg
on Rd - Angle Distance - Vertical Distance - Elevation Correction - Elevation Diff. Elev.

- TC #29 -

TC #28 see pg #187

47'

1°20'

57'

TC #27 see pg #177

TC #29 set 3/4" IP & cap LS 1" NAD TC #29 Top low spur

4°30'

15.

10.1

19.

18.3

T.C. #1 see pg #191

(a)	96	30	30	(c)	256	49	20	(e)	366	39	50
(b)	193	00	40	(d)	153	39	00	(f)	13	19	40
(g)	289	31	00	(h)	50	28	40	(i)	19	59	40
	48	15	10.1		128	24	47.1		185	19	57.1

76F3095 SAE #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

NO. TRANSIT AT STATION T.C. #29 F.B. PG H.I. +4.83

Sight	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
		-6 58 00					
		-6 56 00					
T.C. #1	6.00	-6 57 00					
		-7 31 40					
		-7 30 20					
T.C. 2	10.00	-7 31 00					
		+17 18 40					
		+17 20 40					
T.C. #28	10.00	+17 19 40					

F.B. PG. 132

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of TRAWICK CYN RD
W. O. [illegible] Tape No. St'd. °F
Surveyed by W.S. Cowherd
Notes N.S.C. Date 7-8-59
Indexed C. Johnson

F. B. 2238 Pg. 191

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

TRANSIT AT STATION ____ F.B. ____ PG ____ H.I. + ____

Sight ____ Horizontal + Vertical + Curvature + Difference Adjusted
on ____ Add ____ Angle Distance + Distance Correction = Elevation Diff. Elev.

— T.C. #1 —

T.C. #29
See pg #189

T.C. #2
See pg #177

30° 23' 45"

T.C. #1
See FB 2267

(2) 60 47 20
(1) 121 35 00
(3) 182 22 30
30 23 45

76F3095 SAE #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

TRANSIT AT STATION TC#1 F.B. _____ PG _____ H.I. +4.75

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
		+7 07 00					
		+7 07 00					
TC#2	10.00	+7 07 00					
		+4 05 00					
		+4 04 40					
TC#2	10.00	+4 04 50					

F.B. _____ PG. 197

Notes Ck'd by C. R. COSS
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN RD
W. O. 2071.36 Tape No. St'd. 84 °F
Surveyed by W. S. Crawford
Notes W.S.C. Date 2-8-59
Indexed C. Johnson

F. B. 2338 Pg. 193

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not attend notes this side of this line.

TRANSIT AT STATION F.B. Pg.
Sheet + Vertical Horizontal + Vertical + Curvature +Difference Adjusted
Pn - Rod - Angle Distance - Distance Correction - Elevation Diff. Elev.
H.I. +



| | | |

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC 26 F.B. _____ PG _____ H.I. + 4.95

Sight on	+ Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
		- 4 32 00					
		- 4 32 00					
TC 27	10.00	- 4 32 00					
		- 2 37 40					
		- 2 37 40					
TC 6	10.00	- 2 37 40					
		- 4 33 00					
		- 4 33 40					
TC 12	10.00	- 4 33 20					
		- 4 06 40					
		- 4 07 00					
TC 10	10.00	- 4 06 50					

F.B. 2338 PG. 194

Notes Ck'd by C. R. GOSS
Map No.
Office Work
Checked
Date

Survey of TRONCAS CW RD
W. O. 2734 Tape No. St'd. °F
Surveyed by W.S. Cowherd
Notes W.S.C Date 2-6-52
Indexed E. O. Johnson

F. B. 2336 Pg. 195

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

TRANSIT AT STATION F.B. Pg. H.I. +

Sight + Vertical + Horizontal + Vertical + Curvature + Difference Adjusted
on Rod - Angle - Distance - Distance - Correction = Elevation Diff. Elev.

12	268 23 00 (2)		229 42 50 (2)		221 54 00
9	176 46 00 (4)		99 25 40 (4)		83 48 00
6	85 08 50 (6)		329 08 40 (6)		305 42 10
	134 11 28 ✓		114 51 27 ✓		110 57 02 ✓



26F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT · STATION T.C 6 F.B. _____ PG _____ H.I. +4.88

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
		− 5 13.00					
T.C 12	10.00	− 5 13.40					
		− 5 13.20					
		+ 2 52 20					
T.C 26	10.00	+ 2 52 20					
		+ 2 52 20					

F.B. 2258 PG 19

Notes Ck'd by C. R. GOSS	Survey of Trancas Cañ Rd
Map No.	JN 007436 Tape Std °F
Office Work	Surveyed by Cornhend
Checked	Notes Date
Date	Indexed

F. B. 2337 PG. 197

Fd. St. Br. Cap Mon Marked as Shown on PB 1813-89

SURVEYOR 1 Sec. Cor. INT. OF 15 14 22 23 T 1 S. R 18 W. MEAS.

To Sec. Cor.

S.W. Cor. Sec. 23

A-7

B

31.21 @ 0-00 T=64 = 31.21 ✓
28.60 @ 0-00 T=64 = 28.60
59.81 ✓

105-13-30

59.81 ✓

TIE BETWEEN N.W. COR. SEC. 23 T. 1 S. - R. 18 W. & Δ NET UP TRANCAS CYN. (T.C. 18 & T.C. 24)

PAGES - 149, 167

CH. PT. (1x2)

2) 210-27-00
4) 60-54-00
6) 271-21-00
105-13-30 ✓

63.82 ✓

210.70

64.61 @ 8-55 T=64 = 63.82 ✓

CH. PT. (1x2)

87.12 @ 1-43 T=60 = 87.07 ✓

87.07 ✓

100-45-50 ✓

Δ Sta. T.C.-18

Fd. 3/4" I.P.-up 1" Stamped T.C. 18

pg 149

Δ Sta. T.C. 24

Fd. 3/4 I.P. up 1" Stamped T.C. 24

2) 201-31-40
4) 43-03-20
6) 244-35-00
100-45-50 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 S&E #247 1-56

76F3098 CE #247—8-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION TC#10 F.B. _____ PG _____ H.I. + 4.70

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	± Curvature Correction	± Difference Elevation	Adjusted Diff. Elev.
TC#9	10.00	+ 4 32 00 + 4 32 40 + 4 32 20 ✓					
P.#56	4.15	- 00 20 20 - 00 20 00 00 20 10 ✓					
P#52	4.17	- 01 35 20 - 01 36 20 - 01 35 20 ✓					
TRANSIT AT STATION #TC 9 FB				PG	HI + 4.68		
TC#10	10.00	- 4 10 40 - 4 10 20 4 10 30 ✓					
P#52	4.17	- 4 00 20 - 3 59 40 - 4 00 00 ✓					
P#56	4.15	- 3 27 20 - 3 26 40 - 3 27 00 ✓					
TRANSIT AT STATION TC#23 FB				PG.	HI + 4.76		
P#87	5.14	+4 06 33 +4 06 20 +4 06 27 ✓					
P#85	3.90	+2 33 40 +2 33 35 +2 33 37 ✓					

274 06 35
85 53 40
272 33 40
87 26 25

Notes Ck'd by HJA
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of FRANCAS CYN RD
JN 22214 Tape _____ Std. 8" of
Surveyed by W.S.C. & ASSOCIATES
Notes W.S.C. Date 10-5-59
Indexed _____
Plotted _____
Traced _____

F.B. 2338 Pg. 199

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION_____ F.B._____ PG_____ H.I.+_____

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.

F.B. 2338 Pg. 100

Notes Ck'd by C. R. GOSS	Survey of TRANCAS CYN RD
Map No.	JN 0074.3 Tape Stpl °F
Office Work	Surveyed by W. S. COWHERD
Checked	Notes W. S. C. Date 10-24-59
Date	Indexed W. S. Jones 11-19-59

F. B. 2338 Pg. 20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

ADDITIONAL PHOTOGRAMMETRIC CONTROL IN TRANCAS CYN. FROM EASTERNCINAL CYN. ROAD N.W.L.Y. (2/3 mi±) TO MULHOLLAND HWY.

J.N. 0074.36

OCT. 59'

REFERENCES
FB 2338
FB 1447
FB 1493

PARTY
W. S. COWHERD
J. T. FERNANDEZ
M. WALKER
R. GILROY

76309S CE #247—7-58

F.B. 2338 Pg. 207



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change

Notes Ck'd by C. R. CC 53
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN. RD
W. O. 00713 Tape No. Std. °F
Surveyed by W. S. COWHERD
Notes W. S. C. Date 10-20-59
Indexed C. Johnson

F. B. 2328 Pg. 203

TC 20



TRANSIT AT STATION	F.B. Pg	H.I.+			
Sight on Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical + Curvature - Distance	+Difference Correction - Elevation	Adjusted Diff. Elev.
	2) 51-07-10 4) 102-14-30 6) 153-21-50 25-33-38 ✓		2) 33-58-20 4) 67-56-30 6) 101-54-40 16-59-07 ✓	2) 36-06-50 4) 72-13-40 6) 108-20-40 18-03-27 ✓	2) 29-26-10 4) 58-52-20 6) 88-18-40 14-43-07 ✓
	2) 209-21-10 4) 58-92-20 6) 268-03-40 284-40-37 ✓				

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION T.C. 20 F.B. 2338 PG 203 H.I. +4.73

Sight on	+ Rod -	+ Vertical - Angle	+ Horizontal - Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
T.C. 21	10.00	F 01-50-30 + 01-50-00 + 01-50-15					
E-2	10.00	+ 03-14-40 + 03-14-00 + 03-14-20					
E-4	10.00	+ 06-25-40 + 06-25-00 + 06-25-20					
E-3	10.00	+ 02-36-20 + 02-35-40 + 02-36-00					
E-14	10.00	- 01-33-20 - 01-34-00 - 01-33-40					

F.B. 2338 PG. 209

Notes Ck'd by H. J. AMBERS
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN RD
W. O. 007436 Tape No. St'd. 84 °F
Surveyed by W. S. COWHERD
Notes W. S. C. Date 10-21-59
Indexed C. Johnson

F. B. 2338 Pg. 205

T.C.-21

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

TRANSIT AT STATION	F.B.	PG	H.I.+			
Sight on Rod	+ Vertical ~ Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-2 pg 209	2) 229-49-20 4) 99-38-50 6) 329-28-20 114-54-43	43"				
TC-20 pg 203	2) 108-29-20 4) 216-58-40 6) 325-28-00 54-14-40	40"				
TC-21 Fd 5/8" IP & Cap upon Top of ridge Pt # 159 HI: 4.55	2) 21-41-20 4) 43-22-50 6) 65-09-20 190-50-43	50'				
TC-1 pg 207						

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION T.C. 21 F.B. 2338 PG 205 H.I. +4.55

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
E-1	10.00	-00-51-40 -00-52-20 -00-52-00					
E-2	10.00	+02-18-00 +02-17-20 +02-17-40					
T.C. 20	10.00	-01-30-00 -01-30-40 -01-30-20					

F.B. 2338 Pg 206

Notes Ck'd by H. J. AMBERS
Map No.
Office Work
Checked
Date

Survey of TRONCAS CYN. RD.
W. O. 07456 Tape No. St'd. °F
Surveyed by W. S. COWHERD
Notes W. S. C. Date 10-22-59
Indexed C. Johnson

F. B. 2338 Pg. 207

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

F. B. PG

TRANSIT AT STATION	Sight on Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical + Curvature - Distance	H.I. + Difference Correction	Adjusted + Elevation - Diff. Elev.
E-1	E-4 Pg #213	2) 77-46-00 4) 155-31-50 6) 233-17-30 38-52-55				
	E-5 Pg #215	2) 62-40-20 4) 125-20-50 6) 188-01-00 211-20-10				
	E-2 Pg #209	2) 50-43-00 4) 101-26-20 6) 152-09-50 25-21-38				
	TC-21 Pg #305	2) 93-55-50 4) 187-51-50 6) 281-48-00 46-58-00				
	E-7 Pg #219	2) 74-54-40 4) 149-49-20 6) 224-43-50 37-27-18				



76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-1 F.B. 233< PG 207 H.I. + 4.83

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	Curvature Correction	Difference Elevation	Adjusted Diff. Elev.
E-7	10.00	+05-37-40 +05-31-00 +05-31-20					
		+01-32-00					
E-5	10.00	+01-31-40 +01-31-50					
E-4	10.00	+08-27-20 +08-26-40 +08-27-00					
		+02-13-20					
E-2	10.00	+02-12-40 +02-13-00					
		+01-50-00					
T.C.21	10.00	+01-49-20 +01-49-40					

F.B. 233< PG. 208

H. J. AMBERS

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN RD
W. O. 027436 Tape No. St'd. °F
Surveyed by W. S. COWHERD
Notes W. S. C. Date 10-22-57
Indexed K. C. Johnson

F. B. 2338 Pg. 209

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. Pg

TRANSIT AT STATION H.I.+

Sight on - Rod	+ Vertical Angle	Horizontal Distance	+ Vertical + Curvature - Distance	+ Difference Correction = Elevation	Adjusted Elev.
E-3 = 6.9 Pg # 211	2) 55-15-50 4) 110-31-50 6) 165-47-50 27-37-58				
	2) 61-26-20 4) 122-53-00 6) 184-19-40 30-43-17				
E-4 Pg # 213	2) 94-13-00 4) 188-26-10 6) 282-39-20 47-06-33				
	2) 89-42-50 4) 179-25-40 6) 269-08-20 44-51-23				
E-14 = 1/4 SEC. COR Pg # 233	2) 89-44-00 4) 169-28-00 6) 259-12-20 42-22-03				
	2) 200-23-20 4) 40-46-40 6) 241-10-00 100-11-40				
TC # 20 Pg # 203	2) 134-13-50 4) 268-27-40 6) 42-41-40 67-06-57				



7SF3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-2 F.B. 2338 PG 209 H.I. +4.98

Sight on	-Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
T.C.21	10.00	- 01-35-00 - 01-35-20 - 01-35-10					
E-1	10.00	- 01-45-00 - 01-45-40 - 01-45-20					
E-5	10.00	- 00-38-00 - 00-38-40 - 00-38-20					
E-4	10.00	+ 09-40-40 + 09-40-00 + 09-40-20					
E-3=G-9	10.00	- 00-35-00 + 09-35-40 - 00-35-20					
E-14	10.00	- 05-24-40 - 05-25-20 - 05-25-00					
T.C.20	10.00	- 02-51-20 - 02-52-00 - 02-51-40					

F.B. 2338 Pg. 210

Notes Ck'd By: H. J. AMBERS
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN RD
W. O. 0774-36 Tape No. Std. °F
Surveyed by W. S. COWHERD
Notes W. S. C. J. I. Date 10-21-59
Indexed E. C. Johnson

F. B. 2338 Pg. 211

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION	+ Vertical Angle	Horizontal Distance	+ Vertical + Curvature - Distance	+ Difference Correction - Elevation	Adjusted Diff. Elev.	H.I. +	P.G.	F.B.
Sight on Rod								
E-3								
E-3 = G-9 Fd 3/4" IP plug with LA CO. Bronze TTMG H.I. = 5.03								
E-14 = 1/4 SEC. COR. MND as shown								
E-4 see pg 213	2) 138-45-40 4) 277-31-40 6) 56-17-20 69-22-53		2) 139-26-20 4) 278-52-40 6) 58-18-40 69-43-07	2) 27-29-00 4) 54-57-40 6) 82-26-30 13-44-25	2) 54-19-00 4) 108-38-10 6) 162-57-20 207-09-33			
E-2 see pg 209								
TC-20 see pg 203								

COUNTY SURVEYOR 1/4 COR. R.19W. SEC 10 / SEC 15 T.1.S. MONUMENT

TRUE SEC. LINE

13-44-25

69°-43'-07"

69°-22'-53

207°-09'-33

76F3095 SAE #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-3 = G-9 F.B. 2338 PG. 211 H.I. +5.03

Sight on	+ Rod -	Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
T.C.20	10.00	-02-14-30 -02-15-00 -02-14-45					
E-2	10.00	+01-11-20 +01-11-00 +01-11-10					
E-4	10.00	+10-29-20 +10-28-20 +10-28-50					

F.B. 2112 PG.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT TRAVERSE — T. 5 S., R. 8 W., S.B.M.

Sight + Vertical + Horizontal = Curvature + Refraction + Astro
Of - Rod + Angle - Distance - Correction - Plotted Dist.

Notes Ck. by J. AMBERS
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN RD
JN 0074.34 Tape Std °F
Surveyed by W. S COWHERD
Notes J.T. Date 10-20-59
Indexed C. Johnson

F. B. 2330 Pg. 213

E-4



2) 183-00-20 4) 366-00-30 6) 189-00-30 91-30-05	2) 250-52-10 4) 141-44-20 6) 32-36-40 125-26-07	2) 08-51-20 4) 17-42-20 6) 26-33-30 04-25-35	2) 36-50-00 4) 73-40-20 6) 110-30-40 18-25-07
2) 40-38-40 4) 81-17-10 6) 121-55-40 20-19-17	2) 87-07-20 4) 174-14-30 6) 261-21-40 43-33-37	2) 55-05-20 4) 110-10-50 6) 165-16-20 27-32-43	2) 71-23-00 4) 142-46-00 6) 214-09-10 35-41-32
2) 78-41-20 4) 157-22-40 6) 236-03-50 39-20-38	2) 168-58-50 4) 337-57-40 6) 146-56-30 84-29-25	2) 51-46-00 4) 103-32-10 6) 155-18-30 25-53-05	2) 38-45-40 4) 77-31-20 6) 116-17-20 79-22-53

76FSOSS CE #247 3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-4 F.B. 2338 PG 213 H.I. + 4.73

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-6	10.00	- 05-34-20 - 05-35-00 - 05-34-40					
E-3	10.00	- 10-02-40 - 10-03-20 - 10-03-00					
E-14	10.00	- 09-57-20 - 09-57-40 - 09-57-30					
T.C.20	10.00	- 06-13-20 - 06-14-00 - 06-13-40					
"H-3" Dume Pr.	10.00	+ 02-59-40 + 02-58-50 + 02-59-15					
E-2	10.00	- 09-14-00 - 09-14-40 - 09-14-20					
E-1	10.00	- 08-07-00 - 08-07-40 - 08-07-20					
E-5	10.00	- 13-36-00 - 13-37-00 - 13-36-30					
D-4 "Sage"	10.00	+ 00-05-30 + 00-05-00 + 00-05-15					
E-7	10.00	- 01-52-00 - 01-52-40 - 01-52-20					
E-8	10.00	- 03-44-00 - 03-45-00 - 03-44-30					
E-9	10.00	- 00-43-40 - 00-41-20 - 00-44-00					

F.B. 2338 Pg 214

Notes Ck'd By J. AMBERS
Map No.
Office Work
Checked
Date

Survey of FRANCAS CYN. RD
W. O. 4743 Tape No. St'd. °F
Surveyed by W. S. COWHERD
Notes W. S. C. Date 10-27-59
Indexed E. C. Johnson

F. Bk 2338 Pg. 215

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION ____ H.I. ____ Bk ____ Ft ____
on ____ Rod ____

Angle	Distance	+ Horizontal	+ Vertical	+ Curvature	+ Distance Adjusted	+ Elevation Diff.	Elev.

E-5



2) 240-20-00	2) 133-03-30	2) 121-07-20	2) 225-29-20
1) 120-40-10	4) 266-07-00	4) 242-14-40	4) 90-58-40
6) 361-00-20	6) 39-10-20	6) 363-22-10	6) 316-27-50
120-10-03	66-31-43	60-33-42	112-44-38

76F3095 SAE #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-5 F.B. 2338 PG 215 H.I. + 4.89

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
E-7	10.00	+07-09-20 +07-08-40 +07-09-00 ✓					
		+14-11-40					
E-4	10.00	+14-11-00 +14-11-20 ✓					
		+01-04-00					
E-2	10.00	+01-03-20 +01-03-40 ✓					
		-00-59-20					
E-1	10.00	-00-59-00 -00-59-10 ✓					

F.B. 2338 Pg. 215

Notes Ck'd by H. J. AMBERS
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN RD
JN 007436 Tape Std °F
Surveyed by W.S. COWHERD
Notes CT Date 10-23-59
Indexed A. C. Johnson

F. B. 2338 Pg. 217

TRANSIT AT STATION ____ P.B. ____ PG ____ A.I. +

Sight + Vertical + Horizontal + Curvature + Difference Adjusted
on - Rod - Angle - Distance - Distance Correction - Elevation Diff. Elev.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F8095 CE #247—3-57



2) 144-20-10
4) 288-40-20
6) 73-00-20
72-10-03

2) 62-10-10
4) 124-20-30
6) 186-30-40
31-05-07

2) 45-00-00
4) 89-59-50
6) 134-59-30
22-29-55

2) 98-56-50
4) 197-53-50
6) 296-50-40
49-28-27

2) 36-46-50
4) 73-33-40
6) 110-20-30
18-23-25

2) 71-42-40
4) 143-25-40
6) 215-08-20
215-51-23

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-6 F.B. 2338 PG 217 H.I. + 4.72

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-4	10.00	+ 06-16-40 + 06-16-00 + 06-16-20 ✓					
E-7	10.00	+ 00-34-40 + 00-34-00 + 00-34-20 ✓					
E-12	10.00	+ 00-12-00 + 00-11-20 + 00-11-40 ✓					
E-8	10.00	-01-45-00 -01-45-20 -01-45-10 ✓					
E-9	10.00	+ 01-23-40 + 01-23-00 + 01-23-20 ✓					

F.B. 2338 Pg 218

Notes Ck'd by H.J. AMBERS
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN. RD
JN 0074.30 Tape Std °F
Surveyed by W.S. COWHERD
Notes J.T. Date 10-23-59
Indexed C. Johnson

F.B. 2338 Pg 24

TRANSIT AT STATION P.B. Pg H.I.+

Sight on	+ Vertical Angle	Horizontal Distance	+ Vertical + Curvature + Difference Adjusted - Diameter Correction - Elevation Diff. Elev.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—8-57



2) 99-13-20
4) 198-26-40
6) 297-40-00
49-36-40

2) 46-26-00
4) 92-52-20
6) 139-18-40
23-13-07

2) 48-17-40
4) 96-35-20
6) 144-53-00
24-08-50

2) 56-45-00
4) 113-30-00
6) 170-15-00
28-22-30

2) 109-17-40
4) 218-35-20
6) 327-53-20
234-38-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-7 F.B. 2338 PG 219 H.I. + 4.47

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-8	10.00	-02-41-40 -02-42-00 -02-41-50					
E-6	10.00	-00-16-40 -00-17-20 -00-17-00					
E-4	10.00	+02-10-20 +02-09-40 +02-10-00					
E-5	10.00	-06-42-40 -06-43-00 -06-42-50					
E-1	10.00	-05-14-00 -05-14-20 -05-14-10					

F.B. 2338 PG 220

Notes Ck'd by H. J. AMBERS
Map No.
Office Work
Checked
Date

Survey of FRANCAS CYN RD
JN 00734 Tape Std °F
Surveyed by W. S. COWNERD
Notes U.T. Date 10-29-59
Indexed C. Johnson

F. B. 2338 Pg. 221

TRANSIT AT STATION F.B. PG H.I.+

Sight on	+ Vertical Angle	Horizontal Distance	+ Vertical + Curvature + Difference Adjusted	- Distance Correction	- Elevation Diff. Elev.
E-10	2) 200-34-30 4) 41-09-20 6) 241-43-50 100-17-18	2) 137-21-20 4) 274-43-00 6) 52-04-40 68-40-47			
E-9	2) 43-20-20 4) 86-41-00 6) 130-01-40 21-40-17	2) 162-31-10 4) 325-02-30 6) 127-33-40 81-15-37			
E-6	2) 135-38-40 4) 271-17-40 6) 46-56-40 67-49-27	2) 60-06-30 4) 120-13-20 6) 180-20-10 30-03-22			
E-4	2) 110-45-00 4) 221-29-40 6) 332-14-40 55-22-27	2) 32-12-20 4) 64-24-50 6) 96-37-30 16-06-15			

E-8

E-10 pg 225
E-9 pg 223
E-6 pg 217
E-4 pg 213
E-7 pg 219
E-12 pg 229
E-13 pg 231
E-11 = BM Pg 227

E-8 Set 3/4" IP w/ CAP MKD E-8 vp4" Top Hill HI = 4.87

100°-17'-18"
81°-15'-37"
55°-22'-27"
47°-40'-17"
30°-03'-22"
16-06-15"

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 CE #247—9-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-8 F.B. 2338 PG 221 H.I. + 4.87

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-9	10.00	+05-26-20 +05-26-40 +05-26-30					
E-6	10.00	+02-06-40 +02-06-00 +02-06-20					
E-4	10.00	+04-00-40 +04-00-00 +04-00-20					
E-7	10.00	+03-07-40 +03-07-40 +03-07-40					
E-12	10.00	+02-07-40 +02-07-00 +02-07-20					
E-13	10.00	+02-09-20 +02-08-40 +02-09-00					
E-11	10.00	-06-56-40 -06-57-00 -06-56-50					
E-10	10.00	+04-05-40 +04-05-00 +04-05-20					

F.B. 2338 Pg. 222

Notes Ck'd by: H. J. AMBERS
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN. RD
JN 0074 36 Tape Std °F
Surveyed by W. S. COWHERD
Notes U.T Date 11-2-59
Indexed K. C. Johnson

F. B. 2338 Pg. 223

E-9



TRANSIT AT STATION _____ P.B. _____ PG _____ H.I. + _____

Sight on	+ Vertical Angle	Horizontal Distance	+ Vertical Curvature - Distance Correction	+ Difference Elevation	Adjusted Diff. Elev.
E-10	2) 19-56-00 4) 39-52-10 6) 59-48-20 09-58-03	2) 77-18-40 4) 154-37-20 6) 231-55-50 38-39-18	2) 134-06-10 4) 268-12-00 6) 42-18-00 67-03-00	2) 249-42-50 4) 139-25-50 6) 29-08-40 124-51-28	
E-9	2) 316-14-50 4) 272-29-50 6) 228-44-50 158-07-28	2) 237-37-30 4) 115-15-10 6) 352-52-50 118-48-48	2) 224-44-10 4) 89-28-20 6) 314-12-40 112-22-07	2) 180-53-00 4) 361-46-20 6) 182-39-30 90-26-35	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-9 F.B. 2338 PG 223 H.I. + 4.13

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-6	10.00	-01-05-00 -01-05-40 -01-05-20 ✓					
E-4	10.00	+00-56-20 +00-56-20 +00-56-20 ✓					
E-8	10.00	-04-53-20 -04-53-20 -04-53-20 ✓					
D-4 "SAGE"	10.00	+00-28-40 +00-29-00 +00-28-50 ✓					
E-11 "B.M."	10.00	-12-20-20 -12-20-00 -12-20-10 ✓					
E-12	10.00	-00-48-40 -00-49-00 -00-48-50 ✓					
E-13	10.00	+00-10-00 +00-09-40 +00-09-50 ✓					
E-10	10.00	+03-13-20 +03-13-40 +03-13-30 ✓					

F.B. 2338 Pg 224

H. J. AMBERS

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of FRANCAS CYN RD
JN 20734.36 Tape Std °F
Surveyed by W. S. COMMERD
Notes J.T. C. Johnson Date 10-26-59
Indexed

F. B. 2338 Pg. 225

E-10



Sight on	+ Vertical - Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical + Curvature + Refraction - Distance Correction	Adjusted Elevation Dif. Elev.
TRANSIT AT STATION	P.B.	PG	H.I.		
		2) 21-17-20 4) 42-34-20 6) 63-51-30 10-38-35	2) 60-51-50 4) 121-43-50 6) 182-35-50 30-25-58	2) 42-46-40 4) 85-33-40 6) 128-20-40 21-23-27	2) 86-49-10 4) 173-38-20 6) 260-27-20 43-24-33
		2) 235-03-40 4) 110-07-40 6) 345-11-40 297-31-57			

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-10 F.B. 2338 PG 225 H.I. + 5.00

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-9	10.00	-02-50-40 -02-51-20 -02-51-00 ✓					
E-8	10.00	-03-53-20 -03-53-00 -03-53-10 ✓					
E-11	5.00	-07-06-20 -07-06-00 -07-06-10 ✓					
E-12	10.00	-02-02-40 -02-02-40 -02-02-40 ✓					
E-13	10.00	-01-15-00 -01-14-40 -01-14-50 ✓					

F.B. 2338 PG. 226

Notes Ck'd by H. J. AMBERS
Map No.
Office Work
Checked
Date

Survey of FRANCAIS CYN RD
JN 00743 Tape Std °F
Surveyed by W.S. COMPERD
Notes W.S.C & J.T. Date 11-4-59
Indexed E. C. Johnson

F. B. 2335 Pg. 222

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

TRANSIT AT STATION P.B. Pg H.I.+

Sight on + Vertical + Horizontal + Curvature + Difference Adjusted
- Rod + Angle Distance Correction - Elevation Elev.

E-11 = BM "R-53"

PROD. #7 Fd 3/4" IP plug & nail Flush no REC See pg 240

See pg 240

E-9 pg 223

E-10 pg 225

℄ Mulholland Hwy

330 47' 50"

42-07-57" 58°-26'-43" 99°-23'-52" 362.97

E-11 = BM R-53
Fd BRASS CAP MAN
MKD 15 Shown
4P 7" - H.I. = 4.56

E-8 pg 201

E-13 pg 231

E-12 pg 289

2) 84-15-50	2) 116-53-20	2) 198-47-30
4) 168-31-50	4) 233-46-40	4) 37-35-20
6) 252-47-40	6) 350-40-20	6) 236-23-10
42-07-57	58-26-43	99-23-52
2) 180-25-30	2) 54-49-20	2) 201-40-50
4) 360-51-00	4) 109-39-00	4) 43-22-00
6) 181-16-20	6) 164-28-40	6) 245-03-00
90-12-43	27-24-47	100-50-30

U.S. GEOLOGICAL SURVEY
COOPERATION WITH THE STATE
LOS ANGELES COUNTY
R-53
1928

76F3098 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-11 = BM R-53 F.B. 2338 PG 227 H.I. + 4.56

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-10	10.00	+07-14-40 +07-15-00 +07-14-50 ✓					
E-9	10.00	+13-05-20 +13-04-40 +13-05-00 ✓					
E-8	10.00	+07-51-40 +07-52-00 +07-51-50 ✓					
E-12	10.00	+05-09-20 +05-09-00 +05-09-10 ✓					
E-13	10.00	+04-17-20 +04-17-00 +04-17-10 ✓					

F.B. 2338 Pg. 228

76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION _____ F.B. _____ PG _____ H.I.+ _____

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-12		2) 53-06-40 4) 106-13-40 6) 159-20-20 26-33-23					
		2) 224-51-30 4) 89-43-00 6) 314-34-40 292-25-47					
		2) 82-01-40 4) 164-03-40 6) 246-05-30 41-00-55					
		2) 33-28-40 4) 66-57-00 6) 100-25-40 16-44-17					
		2) 42-12-50 4) 84-26-00 6) 126-38-40 21-06-27					



Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Pomeroy Cyn Rd.
JN 2274.34 Tape _____ Std. _____ of _____
Surveyed by W. S. Gardner R.D.
Notes J.T.T. Date 12-22-59
Indexed K. C. Johnson

F.B. 2338 Pg. 229

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E -12 F.B. 2338 PG 229 H.I. +4.94

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-10	10.00	+02-12-40 +02-12-00 +02-12-20					
E-9	10.00	+01-03-00 +01-03-20 +01-03-10					
E-11	10.00	-04-48-00 -04-47-40 -04-47-50					
E-8	10.00	-01-48-00 -01-48-00 -01-48-00					
E-6	10.00	-00-01-40 -00-01-00 -00-01-20					

F.B. 2338 PG 230

H. J. AMBERS

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of TRANCAS CYN. RD.
JN 0074.36 Tape _____ Std _____ °F
Surveyed by W. S. COWHERD
Notes J.T. Date Oct 28-59
Indexed _____

F. B. 2338 Pg. 237

TRANSIT AT STATION _____ P.B. _____ PG _____ H.I. + _____

Sight on	+ Vertical Angle - Rod	+ Horizontal Distance	+ Vertical Curvature - Distance	+ Difference Correction - Elevation	Adjusted Diff. Elev.
E-9	2) 54-10-50 4) 108-21-40 6) 162-32-40 27-05-27	2) 39-38-50 4) 79-17-40 6) 118-56-40 19-49-27		2) 71-29-50 4) 142-59-50 6) 214-29-50 35-44-58	
E-10	2) 22-20-00 4) 44-40-00 6) 67-00-00 11-10-00	2) 266-09-50 4) 172-19-50 6) 78-30-00 313-05-00			

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78FS095 CE #247—8-57



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-13 F.B. 2338 PG 831 H.I. +4.96

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-10	10.00	+01-24-40 +01-24-00 +01-24-20					
E-9	10.00	+00-01-00 +00-00-20 +00-00-40					
E-11 = B.M.	10.00	-04-04-00 -04-04-40 -04-04-20					
E-8	10.00	-01-57-40 -01-58-20 -01-58-00					

F.B. 2338 Pg. 832

Notes Ck'd H. J. AMBERS
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN RD
JN 0074.36 Tape Std °F
Surveyed by W. S. COWHERD
Notes W.O.C. F.T. Date 10-21-59
Indexed E. C. Johnson

F. B. 2338 Pg. 233

TRANSIT AT STATION F.B. Pg H. I. +

Sight on	+ Vertical Angle	+ Horizontal Angle	+ Vertical + Curvature + Difference + Distance	+ Vertical + Curvature + Difference + Distance - Elevation Diff. - Elev.
	2) 18-37-40	2) 83-45-20	2) 170-46-20	2) 86-50-20
	4) 37-15-20	4) 167-30-50	4) 341-32-40	4) 173-40-50
	6) 55-53-10	6) 251-16-00	6) 152-19-00	6) 260-31-20
	09-18-52	221-52-40	85-23-10	43-25-13

E-14 = 1/4 SEC. COR 10/15 T.1.S. R.9W.

SECTION 10

COUNTY SURVEYOR
1/4 COR.
SEC. 10
SEC. 15
T.1.S.
R.9W.
MONUMENT

E-14 Fd 1/4 SEC. COR. BRASS CAP MON. up 6" H.I. = 4.46

E-3 G-9 pg 011

TRUE SEC LINE

09°-18'-52"

43°-25'-13"

85°-23'-10"

40'

E-4 see pg 213

SECTION 15

E-2 see pg 209

TC 20 see pg 203

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247 8-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION E-14 F.B. 2338 PG 233 H.I. + 4.46

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
T.C.20	10.00	+02-07-50 +02-07-00 +02-07-25					
E-2	10.00	+05-55-40 +05-55-00 +05-55-20					
E-4	10.00	+10-15-40 +10-15-00 +10-15-20					

F.B. 2338 Pg. 234

Notes Ck'd by H. J. AMBERS
Map No.
Office Work
Checked
Date

Survey of TRANCAS CYN RD
JN 007436 Tape Std °F
Surveyed by W. S. COWHERD
Notes T.I. Date 10-27-59
Indexed A. C. Johnson

F. B 2338 Pg. 235

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—8-57

TRANSIT AT STATION _____ P.B. _____ Pg _____ H.I. + _____

Sight on	+ Vertical Angle	+ Horizontal Distance	+ Vertical Curvature	+ Difference Adjusted	- Distance Correction	- Elevation Diff. Elev.

△ STA DUME PT. H-3

LE-4 Pg 213

△ STA. SAGE-D-4 Pg 237

△ STA. DUME PT H-3
Fd. STANDARD CS. MON. MKD DS SHOWN HT = 5.03

326°

33°-45'-38"

14'

1" = 0

2) 67-31-20
4) 135-02-40
6) 202-33-50
33-45-381

2) 652-28-30
4) 224-57-00
6) 157-26-00
326-14-20

SURVEY CONTROL SYSTEM
L.A.CO. TRIANGULATION STA.
DUME PT.
H-3
△
1958
L.A. Co. Engr.
Set By
R.E. 5869

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION H-3 F.B. 2338 PG 235 H.I. + 5.03

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-4	10.00	-02-54-40 -02-55-20 -02-55-00					
D-4 (SAGE)	10.00	-02-22-40 -02-23-00 -02-22-50					

F.B. 2338 Pg. 236

Notes Ck'd by R. J. AMBERS
Map No.
Detail Work
Checked
Date

Survey of TRONCAS CYN RD
JN 007436 Tape Std °F
Surveyed by W. S. COWHERD
Notes J.T. Date 10-30-59
Indexed K. C. Johnson

F. B. 2335 Pg. 237

USC&GS Δ STA SAGE = DUME PT. D 4



TRANSIT AT STATION ____ P.B. ____ PG ____ H.I. + ____

Sight on	+ Vertical Angle - Rod	+ Vertical Angle Distance	+ Horizontal Distance Correction	+ Curvature Difference Adjusted Elevation	Elevation Bkt. Mk.
2)	56-55-00	2) 109-28-00		2) 553-36-50	
4)	113-49-50	4) 218-56-20		4) 27-13-40	
6)	170-44-40	6) 328-24-50		6) 220-50-30	
	28-27-27	54-44-08		276-48-25	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F8093 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION D-4 F.B. 2338 PG 237 H.I. + 5.16

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
E-9	10.00	-00-23-20 -00-24-00 -00-23-40 ✓					
E-4	10.00	-00-01-00 -00-00-40 -00-00-50 ✓					
H-3 DUME PT.	10.00	+02-25-00 +02-24-20 +02-24-40 ✓					

F.B. 2338 Pg. 236

F. B. 2336 PG. 240

T-58

154.48 @ 0-0 = 154.48
208.96 @ 3-36 = 208.51
207.08 @ 4-00 = 208.51

362.97

20+92.71
Fd 3/4" IP plug & nail
Flush no rec.
(Looks like LA&G pipe)
FW 399.2
FS 399.4

Fd Nail in Flush no rec
19+69.42

T-60
130.71 @ 0-0 = 130.69
T-0
123.31 @ 0-0 = 123.29

0.45

E-11 = BM R5
Pg = 227

#6
Set Sur Nail & Tin Flush 19+62

300.09 @ 0-0 T58 = 300.04

#5
Set Sur nail & Tin Flush 16+0

299.92 @ 0-0 T58 = 299.87

#4
Set Sur nail & Tin Flush 13+6

300.29 @ 0-0 T58 = 300.24

#3
Set Sur Nail & Tin Flush 10+61.

299.00 @ 1-55 T58 = 298.78

#2
Set Sur nail & Tin Flush 7+

300.33 @ 1-55 T58 = 300.
299.3 @ 1-53 T64 = 299.
599.

#1
Set Sur nail & Tin 1+63.

2 67 35 30
4 135 11 10
6 202 47 40
33 47 50

MULTNOMAH

20+92.71 MSR

N 88° 15' W MSR

599.27

1388.2

Notes Ck'd by H. J. AMBERS
Map No.
Office Work
Checked
Date

Survey of TRIANONS CYN RD
JN 0274 Tape 117 Std 84 °F
Surveyed by W. S. COWHERD
Notes W. S. C. Date 11-3-59
Indexed A. C. Johnson

F. B 2338 Pg. 239

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76309 CE #247—7-

PI = 2
Set Sur nail & Tin flush
Ref FB 1493-243

E. SPRING VALLEY CYN RD

POST.

49.67 R=

LITTLE

Set Sur Spk & Tin flush
Ref FB 1493-243

71.56 R=

120°

TO PI = 3609

178.17 R=

Set Sur nail & Tin flush
REC. DIST of 7156
Ref L.A.CO. ROAD DEPT
FW-5395-2

49.67 Δ 00-00 T 20= 49.67

178.36 Δ 62-30 T 62= 178.17

71.57 Δ 00-00 T 72= 71.56

163.84 Δ 0-0 T 64= 163.82

MULHOLLAND HWY.

163.82

20492.71 R=

PI = 359
Set Shp Spk w/Tin Flush
Rec. Angle & Distance
Ref FB 224-5

Notes Ck'd by: H. J. AMBERG
Map No.
Office Work
Checked
Date

Survey of: TORANCAS CYN RD
JN 0074.1 Tape 117 Sht 54 of
Surveyed by: W. S. COWHERD
Notes: W. S. C. Date: 11-3-59
Indexed: A. C. Johnson

F. B. 2338 Pg. 23

Pt #2

Fd 30 nail & Tin Flush
Per RB 1493-243

SYCAMORE CYN. RD.

49.67 RAD

LITTLE

POST

SEC 9
SEC 16

Fd 1ST Spk & Tin Flush
Per RB 1493-243

2 240 54 00
1 48 1 48 00
6 36 2 42 00
120 27 00

120°

71.56 RAD

2) 315 58 50
1) 271 57 40
6) 247 56 30
157 59 20

T 70

RT 360 R

178.17 RAD

157° 59' 25"

158° 00' 00" RAD

Set Sun Nail & Tin Flush
Per Dist. of 71.56
For W.A. Co. RWAD DEPT
RW-5395-2

MULHOLLAND HWY.

163.82

20+92.71 R/W

49.67 @ 0-0 T 70 = 49.67
178.36 @ 0-30 T 62 = 178.17
71.57 @ 0 0 T 72 = 71.56
163.84 @ 0-0 T 64 = 163.82

PT = 959
Set Sh. Spk. Nail in Tin Flush
Per Angle & Distance
For TW 395-2
RB 224-5

Note: Any Addition or Changes on This Sheet Must Be Made or Called in Red Ink With Date and Name of Person Making Change.

Do not pick-up this side of this line.

Los Angeles County Engineer
Los Angeles County Surveyors Recommended Basis.

Record Dr. #837